Introducing PHARMAC January 2009 Volume 16 Number 0 Section A General Rules 13 **Editors** Julie Lagan & Scott Brydon Section B Alimentary Tract & Metabolism 26 email: schedule@pharmac.govt.nz Telephone +64 4 460 4990 Blood & Blood Forming Organs 40 Facsimile +64 4 460 4995 Level 14, Cigna House Cardiovascular System 53 40 Mercer Street PO Box 10 254 Dermatologicals 63 Wellington Freephone Information Line Genito Urinary System 73 0800 66 00 50 (9am - 5pm weekdays) Hormone Preparations – Systemic 79 Circulation Published each April, August and De-Infections – Agents For Systemic Use 88 cember. Changes to the contents are published in monthly updates. Musculo-Skeletal System 104 subscription includes three Pharmaceutical Schedule books, 12 updates and occasional Nervous System 110 information on rule changes and news items. The Schedule is distributed free of charge Oncology Agents & Immunosuppressants 134 to over 9,000 professionals, and is also available on an annual subscription. Respiratory System & Allergies 150 **Prices** Sensory Organs 157 \$22.22 One Schedule book \$4.44 One Update Various 162 \$120.00 Annual subscription All prices include postage and exclude GST. Section C Extemporaneous Compounds (ECPs) 163 Production Typeset automatically from XML and TEX. Source XML suitable for database import available on request. Section D Special Foods 169 **Programmers** Peter Ericson & John Geering email: texschedule@pharmac.govt.nz Section F Supply Orders (PSO & WSO) 189 http://www.pharmac.govt.nz Rural Areas 193 ISSN 1172 - 9376 Copyright © 1994 Pharmaceutical Management Agency. No part may be repro-Section F

Section G

duced in any form or by any process without written permission, nor be used in any form of advertising, sales, promotion or publicity.

While care has been taken in compiling this

Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising

therefrom.

Dispensing Period Exemptions 194

Safety Cap Medicines 196

Index 199

Introducing PHARMAC

PHARMAC, the Pharmaceutical Management Agency, is a Crown entity established pursuant to the New Zealand Public Health and Disability Act 2000 (The Act). The primary objective of PHARMAC is to secure for eligible people in need of pharmaceuticals, the best health outcomes that are reasonably achievable from pharmaceutical treatment and from within the amount of funding provided.

The PHARMAC Board consists of up to six members appointed by the Minister of Health. All decisions relating to PHARMAC's operation are made by or under the authority of the Board. In particular, Board members decide on the strategic direction of PHARMAC and may decide which community pharmaceuticals should be subsidised and at what levels, and determine national prices for some pharmaceuticals to be purchased by and used in DHB Hospitals, and whether or not special conditions are to be applied to such purchases.

Members of the PHARMAC Board

Richard Waddel Gregor Coster Kura Denness

David Kerr David Moore Adrienne von Tunzelmann

Decisions taken by the PHARMAC Board members, or made under the authority of the Board, incorporate a balanced view of the needs of prescribers and patients. The aim is to achieve long-term gains and efficient ways of making pharmaceuticals available to the community and for DHB Hospitals to purchase them.

Murray Georgel, CE MidCentral DHB, attends PHARMAC's Board meetings as an observer.

The functions of PHARMAC are to perform the following, within the amount of funding provided to it in the Pharmaceutical Budget or to DHBs from their own budgets for the use of pharmaceuticals in their hospitals, as applicable, and in accordance with its annual plan and any directions given by the Minister (Section 103 of the Crown Entities Act):

- a) to maintain and manage a pharmaceutical schedule that applies consistently throughout New Zealand, including determining eligibility and criteria for the provision of subsidies;
- b) to manage incidental matters arising out of (a), including in exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the pharmaceutical schedule;
- c) to engage as it sees fit, but within its operational budget, in research to meet its objectives as set out in Section 47(a) of the Act:
- d) to promote the responsible use of pharmaceuticals;
- e) to manage the purchasing of any or all pharmaceuticals, whether used either in a hospital or outside it, on behalf of DHBs;
- f) any other functions given to PHARMAC by or under any enactment or authorised by the Minister.

The policies and criteria set out in the Pharmaceutical Schedule and PHARMAC's Operating Policies and Procedures arise out of, and are designed to help PHARMAC achieve and perform, PHARMAC's objective and functions under the Act.

However PHARMAC may, having regard to its public law obligations, depart from the strict application of those policies and criteria in certain exceptional cases where it considers this necessary or appropriate in the proper exercise of its statutory discretion and to give effect to its objective and functions, particularly with respect to:

- Determining eligibility and criteria for the provision of subsidies; and
- In exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the Pharmaceutical Schedule.

Decision Criteria

PHARMAC updates the Pharmaceutical Schedule at regular intervals to notify prescribers, pharmacists, hospital managers and patients of changes to Community Pharmaceutical subsidies and the prices for Hospital Pharmaceuticals. In making decisions about amendments to the Pharmaceutical Schedule, PHARMAC is guided by its Operating Policies and Procedures, as amended or supplemented from time to time. PHARMAC takes into account the following criteria when making decisions about Community Pharmaceuticals:

- the health needs of all eligible people within New Zealand (eligible defined by the Government's then current rules of eligibility):
- the particular health needs of Māori and Pacific peoples;
- the availability and suitability of existing medicines, therapeutic medical devices and related products and related things:
- the clinical benefits and risks of pharmaceuticals;
- the cost-effectiveness of meeting health needs by funding pharmaceuticals rather than using other publicly funded health and disability support services;
- the budgetary impact (in terms of the pharmaceutical budget and the Government's overall health budget) of any changes to the Pharmaceutical Schedule;
- the direct cost to health service users:
- the Government's priorities for health funding, as set out in any objectives notified by the Crown to PHARMAC, or in PHARMAC's Funding Agreement, or elsewhere; and
- such other criteria as PHARMAC thinks fit. PHARMAC will carry out appropriate consultation when it intends to take any such "other criteria" into account.

The Operating Policies and Procedures, including any supplements, also describe the way in which PHARMAC determines the level of subsidy or purchase price payable for each Community Pharmaceutical or Hospital Pharmaceutical, respectively.

The decision criteria for Hospital Pharmaceuticals are set out in the hospital supplement to the Operating Policies and Procedures and in the introductory part of Section H of the Pharmaceutical Schedule.

Copies of PHARMAC's Operating Policies and Procedures and of any applicable supplements are available on the PHARMAC website (www.pharmac.govt.nz), or on request.

PHARMAC and the Pharmaceutical Schedule:

PHARMAC manages the national Pharmaceutical Schedule, which lists:

- Pharmaceuticals available in the community and subsidised by the Government with funding from the Pharmaceutical Budget; and
- some Pharmaceuticals purchased by DHBs for use in their hospitals, and includes those Hospital Pharmaceuticals for which national prices have been negotiated by PHARMAC.

In the community approximately 1848 Pharmaceuticals are subsidised by the Government. Most are available to all eligible people within New Zealand on prescription by a medical doctor. Some are listed with guidelines or conditions such as 'only if prescribed for a dialysis patient' or 'Special Authority - Retail Pharmacy', to ensure that Pharmaceuticals are used by those people who are most likely to benefit from them. Pharmaceuticals provided to patients for use while in DHB hospitals are not covered by Sections A to G of the Pharmaceutical Schedule.

Section H of the Pharmaceutical Schedule is not a comprehensive list of Pharmaceuticals that are used within the DHB Hospitals.

Section H of the Pharmaceutical Schedule includes Pharmaceuticals that can be purchased at a national price by DHBs for use in their hospitals. These are referred to as National Contract Pharmaceuticals.

Section H of the Pharmaceutical Schedule also identifies new Pharmaceuticals used in hospitals, which have been or are being assessed by PHARMAC, the results of that analysis being available to DHB Hospitals via PHARMAC's website.

A list of Discretionary Community Supply Pharmaceuticals, in Section H of the Pharmaceutical Schedule, identifies those products that currently are not subsidised from the Pharmaceutical Budget as Community Pharmaceuticals in Sections A to G of the Pharmaceutical Schedule but which DHBs can at their discretion fund for use in the community from their own budgets without specific Hospital Exceptional Circumstances approval.

PHARMAC's clinical advisors Pharmacology and Therapeutics Advisory Committee (PTAC)

PHARMAC works closely with the Pharmacology and Therapeutics Advisory Committee (PTAC), an expert medical committee which provides independent advice to PHARMAC on health needs and the clinical benefits of particular pharmaceuticals for use in the community and/or in DHB Hospitals.

The committee members are all senior, practising clinicians. The chair of PTAC sits with the PHARMAC Board in an advisory capacity.

PTAC helps decide which community pharmaceuticals are to be subsidised from public monies by making recommendations to PHARMAC. Part of the role of PTAC is to review whether Community Pharmaceuticals already listed on the Schedule should continue to receive Government funds. The resources freed up can be used to subsidise other community pharmaceuticals with a greater therapeutic worth.

PHARMAC may obtain clinical advice from PTAC in relation to national purchasing strategies for Hospital Pharmaceuticals. There may be additional specialist hospital representatives on PTAC subcommittees, or additional PTAC subcommittees, where PHARMAC considers this necessary.

PTAC members are:

Carl Burgess MBChB, MD, MRCP (UK), FRACP, FRCP, physician/clinical pharmacologist, Chair

lan Hosford MBChB, FRANZCP, psychiatrist

George Laking PhD, MBChB, DCH, FRNZCGP, oncologist BHB, MBChB, DCH, FRNZCGP, general practitioner

Graham Mills MBChB, MTropHlth, MD, FRACP, infectious disease specialist

Peter Pillans MBBCh, MD, FCP, FRACP, clinical pharmacologist

Paul Tomlinson MBChB, MD, MRCP, FRACP, BSc, paediatrician, Deputy Chair

Mark Weatherall MBChB, BA, MB, BS, Dip Obst, FRNZCGP, physician

Howard Wilson BSc, PhD, MApplStats, FRNZCGP, FRACGP, general practitioner

Contact PTAC C/- PTAC Secretary

Pharmaceutical Management Agency PO Box 10 254, WELLINGTON PTAC@pharmac.govt.nz

The PHARMAC Team

The PHARMAC team has a wide range of expertise in health, medicine, economics, commerce, critical analysis, and policy development and implementation.

opment and implementati	on.		
Matthew Brougham	Chief Executive	Rachel Mackay	Manager, Schedule and
Jason Arnold	Senior Analyst		Contracts
Paul Alexander	Health Economist	Trish Mahoney	Contract Manager
Peter Alsop	Manager, Corporate and	Adam McRae	Team Leader, Access & Optimal
	External Relations		Use
Karen Barris	Senior Receptionist	Scott Metcalfe	Chief Advisor Population
Mike Bignall	Therapeutic Group Manager		Medicine / Public Health
Stephen Boxall	Creative Director		Physician
Scott Brydon	Schedule Analyst	Peter Moodie	Medical Director
Diane Buysman-Bakkam		Deborah Nisbet	Receptionist
	Executive / Office Manager	Jessica Nisbet	Funding and Procurement
Hayley Bythell	PA to Medical Director		Assistant
Davina Carpenter	Records Manager	Jan Quin	Team Leader, Medical Team
Christine Chapman	Contract Manager	Marama Parore	Manager, Access & Optimal
Yvonne Chen	Tender Analyst		Use & Māori Health
Mary Chesterfield	High Cost Medicines	Chris Peck	Analyst
	Co-ordinator	Melanie Pemberton	Communications Advisor
Steffan Crausaz	Manager, Funding and	Fisher	
	Procurement	Sharon Ponniah	Access and Optimal Use
Andrew Davies	Procurement Initiatives		Manager
	Manager	Matthew Poynton	Analyst/Health Economist
Sean Dougherty	Therapeutic Group Manager	Rachel Pratt	Hospital Exceptional
Kim Ellis	Access & Optimal Use		Circumstances Panel
	Co-ordinator		Co-ordinator
Simon England	Communications Manager	Dilky Rasiah	Deputy Medical Director
Andy Erceg	IT Support	Kyle Reid	High Cost Medicines Panel
Jackie Evans	Therapeutic Group Manager	,	Co-ordinator / Growth Hormone
John Geering	Systems Architect	Brian Roulston	Analyst
Rachel Grocott	Health Economist / Team	Fiona Rutherford	Senior Policy Analyst
	Leader Assessment	Rico Schoeler	Manager, Analysis and
Susan Haniel	Advisory Committee Manager		Assessment
David Harland	Health Economist	Liz Skelley	Finance Manager
Karen Jacobs	Access & Optimal Use Manager	Moana Tane	Māori Health Manager
Cherie Jacobson	Corporate Assistant	Jayne Watkins	Community Exceptional
Elspeth Kay	Access & Optimal Use Manager	,	Circumstances Panel
Geoff Lawn	Applications Developer		Co-ordinator
Julie Lagan	Schedule Analyst	Greg Williams	Therapeutic Group Manager
Geraldine MacGibbon	Therapeutic Group Manager	Lisa Williams	Legal Counsel
Janet Mackay	Access & Optimal Use Manager	Mary-Ann Wilson	Māori Health Analyst
		Stephen Woodruffe	Therapeutic Group Manager
		•	

Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price (if it differs from the Subsidy) and any access conditions that may apply; and
- some Hospital Pharmaceuticals that are purchased and used by DHB Hospitals, including those for which national prices have been negotiated by PHARMAC.

The purpose of the Schedule is not to show the final cost to Government of subsidising each Community Pharmaceutical or to DHBs in purchasing each Hospital Pharmaceutical since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for some Hospital Pharmaceuticals, on any logistics arrangements put in place by individual DHB Hospitals.

Finding Information in the Pharmaceutical Schedule

Community Pharmaceuticals

For Community Pharmaceuticals, the Schedule is organised in a way to help the reader find Community Pharmaceuticals, which may be used to treat similar conditions. To do this, Community Pharmaceuticals are first classified anatomically, originally based on the Anatomical Therapeutic Chemical (ATC) system, and then further classified under section headings structured for the New Zealand medical system.

- Section A lists the General Rules in relation to Community Pharmaceuticals and related products.
- Section B lists Community Pharmaceuticals and related products by anatomical classification, which are further divided into
 one or more therapeutic headings. Community Pharmaceuticals used to treat similar conditions are grouped together.
- Section C lists the rules in relation to Extemporaneously Compounded Products (ECPs) and Community Pharmaceuticals
 that will be subsidised when extemporaneously compounded.
- Section D lists the rules in relation to Special Foods and the Special Foods that are subsidised.
- Section E Part I lists the Community Pharmaceuticals that are subsidised on a Practitioner's Supply Order (PSO) and Wholesale Supply Order (WSO).
- Section E Part II lists rural areas for the purpose of PSOs.
- Section F lists the Community Pharmaceuticals dispensing period exemptions.
- Section G lists the Community Pharmaceuticals eligible for reimbursement of safety cap and related rules.

The listings are displayed alphabetically (where practical) within each level of the classification system. Each anatomical section contains a series of therapeutic headings, some of which may contain a further classification level. Where a Community Pharmaceutical is used in more than one therapeutic area, they may be cross-referenced.

The therapeutic headings in the Pharmaceutical Schedule do not necessarily correspond to the therapeutic groups and therapeutic subgroups, which PHARMAC establishes for the separate purpose of determining the level of subsidy to be paid for each Community Pharmaceutical.

The index located at the back of the book in which Sections A-G of the Pharmaceutical Schedule are published can be used to find page numbers for generic chemical entities, or product brand names.

Hospital Pharmaceuticals

Section **H** lists Pharmaceuticals that DHBs fund from their own budgets. The Hospital Pharmaceuticals are grouped into the following Parts in Section H:


- Part I lists the rules in relation to Hospital Pharmaceuticals.
- Part II lists Hospital Pharmaceuticals for which national contracts exist (National Contract Pharmaceuticals). These are
 listed alphabetically by generic chemical entity name and line item, the relevant Price negotiated by PHARMAC and, if
 applicable, an indication of whether it has Hospital Supply Status (HSS) and any associated Discretionary Variance (DV)
 Pharmaceuticals and DV Limit.
- Part III lists Assessed Pharmaceuticals, which have been or are being assessed by PHARMAC and, where such assessment
 is available, PHARMAC's opinion regarding the use of the Assessed Pharmaceuticals in hospitals. DHB Hospitals are not
 obliged to implement those recommendations.
- Part IV lists Discretionary Community Supply Pharmaceuticals, which are not Community Pharmaceuticals, but which a DHB
 Hospital can, in its discretion, fund for use in the community from its own budget.

The index located at the back of the Section H supplement can be used to find page numbers for generic chemical entities, or product brand names, for Hospital Pharmaceuticals.

Explaining drug entries

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the amount of that subsidy paid to contractors, the supplier's price and the access conditions that may apply.

Example



Glossary

Units of Measure

gram	g	microgram	µg	millimole	mmol
kilogram	kg	milligram	mg	unit	u
international unit	in	millilitro	ml		

Abbreviations					
Ampoule	Amp	Granules	Gran	Suppository	Supp
Capsule	Сар	Infusion	Inf	Tablet	Tab
Cream	Crm	Injection	Inj	Tincture	Tinc
Device	Dev	Linctus	Linc	Trans Dermal Delivery	
Dispersible	Disp	Liquid	Liq	System	TDDS
Effervescent	Eff	Long Acting	LA		
Emulsion	Emul	Ointment	Oint		
Enteric Coated	EC	Sachet	Sach		
Gelatinous	Gel	Solution	Soln		
DCO Pulk Cupply Ore	lor				

Bulk Supply Order. BSO

CBS Cost Brand Source. There is no set manufacturer's price, and the Government subsidises the product at the price it is obtained by the pharmacy.

CE Compounded Extemporaneously.

CPD Cost Per Dose. The Funder (as defined in Part I of the General Rules) cost of a standard dose, without mark-ups or fees and excluding GST.

FCP Extemporaneously Compounded Preparation.

HSS Hospital Supply Status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

OP Original Pack – subsidy is rounded up to a multiple at whole packs.

PSO Practitioner's Supply Order.

Sole Subsidised

Supplier Only brand of this medicine subsidised.

WSO Wholesale Supply Order.

XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

- Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner.
- * Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless medicine is endorsed "close control" or "cc" and the endorsement is initialled by the prescriber.
- Safety cap required and subsidised for oral liquid formulations, including extemporaneously compounded preparations. Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a manufacturer's surcharge.
- S29 This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981. Practitioners prescribing this medication should:
 - a) be aware of and comply with their obligations under Section 29 of the Medicines Act 1981 and otherwise under that Act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
 - c) exercise their own skill, judgement, expertise and discretions, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an indication for which it is not approved.

Note: Where medicines supplied under Section 29 that are used for emergency situations, patient details required under Section 29 of the Medicines Act may be retrospectively provided to the supplier.

	Definitions				
Abbrev.	Pharmacy Services Agreement	All other Pharmacy Agreements			
[HP1]	Subsidised when dispensed from pharmacies that have the Complex Medicines Variation of the Phar- macy Services Agreement	Available from selected pharmacies that have an ex- clusive contract to dispense 'Hospital Pharmacy' [HP1] pharmaceuticals.			
[HP3]	Subsidised when dispensed from pharmacies that have the Pharmacy Services Agreement. A Special Food with [HP3] annotation is subsidised when dispensed by a pharmacy that has a Special Foods Service appended to their Pharmacy Services Agreement by their DHB.	Available from selected pharmacies that have an exclusive contract to dispense 'Hospital Pharmacy' [HP3] pharmaceuticals.			
[HP4]	Subsidised when dispensed from pharmacies that have the Monitored Therapy Variation (for Clozapine Services)	Avaliable from selected pharmacies that have an ex- clusive contract to dispense 'Hospital Pharmacy' [HP4] pharmaceuticals.			

Patient costs

Community Pharmaceuitical costs met by the Government

Most of the cost of a subsidised prescription Community Pharmaceutical is met by the Government through the Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to Contractors, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to Contractors does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a ✔ in the product's Schedule listing.

SALBUTAMOL		
Aerosol inhaler 100 µg per dose	3.80	✓ Fully subsidised brand
	(6.00)	Higher priced brand

Community Pharmaceutical costs met by the patient

Some Community Pharmaceutical costs are met by the patient. Generally a patient pays a prescription charge. In addition a patient will sometimes pay a manufacturer's surcharge, after hours service fee and any special packaging fee.

PRESCRIPTION CHARGE

The prescription charge for a three month course of a fully subsidised Community Pharmaceutical ranges up to \$15.00 and represents the patient's contribution to the cost of the Community Pharmaceutical, and a pharmacy dispensing fee. Where the cost of the Community Pharmaceutical and dispensing fee exceed the prescription charge the Government pays the rest of the cost. Maximum prescription charges vary by patient status as set out below. More information about prescription charges is contained in the pamphlet, Community Services Card, available from Work and Income.

Patient's subsidy entitlements		Maximum prescription charge
Not a PHO enrolee or No Card	Adult	\$15
	Child 6 - 17	\$10
	Child under 6	\$0
	Contraceptives	\$3
PHO enrolee or Care plus patient	No other card	\$3
Community Services Card (CSC)	No other card	\$3
High Use Health Card (HUHC)	No other card	\$3
Eligible person and eligible provider/prescriber	No other card	\$3
Prescription Subsidy Card	No other card	\$2
for familes after first 20 prescriptions	With HUHC only	\$2
since previous February*	With CSC	\$0
* Except prescriptions with \$0 charge	Low-cost PHO	\$0

MANUFACTURER'S SURCHARGE

Not all Community Pharmaceuticals are fully subsidised. Although PHARMAC endeavours to fully subsidise at least one Community Pharmaceutical in each therapeutic group, and has contracts with some suppliers to maintain the price of a particular product, manufacturers are able to set their own price to pharmacies. When these prices exceed the subsidy, the pharmacist may recoup the difference from the patient.

To estimate the amount a patient will pay on top of the prescription charge, take the difference between the manufacturer's price and the subsidy, and multiply this by 1.86. The 1.86 factor represents the pharmacy mark-up on the surcharge plus other costs such as GST. Pharmacies charge different mark-ups so this may vary.

Manufacturer's surchage to patient = (price - subsidy) \times 1.86

For example, a Community Pharmaceutical with a supplier (ex-manufacturer) cost of \$11.00 per pack with a \$10.00 subsidy will cost the patient a surchage of \$1.86 on top of the prescription charge. The most a patient should pay is therefore \$16.86 - being \$15.00 maximum prescription charge, plus \$1.86.

Hospital Pharmaceutical and Pharmaceutical Cancer Treatment Costs

The cost of purchasing Hospital Pharmaceuticals and Pharmaceutical Cancer Treatments (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) is met by the Funder (in particular, the relevant DHB) from its own budget. As required by section 23(7) of the Act, in performing any of their functions in relation to the supply of Pharmaceuticals including Pharmaceutical Cancer Treatments, DHBs must not act inconsistently with the Pharmaceutical Schedule.

PHARMAC web site

PHARMAC has set up an interactive Schedule on the Internet. It can be used to calculate the cost of a prescribed Community Pharmaceutical. This site at http://www.pharmac.govt.nz takes into account the quantity of Community Pharmaceutical prescribed as well as the patient's age, whether the patient has a community services card, high use health card or prescription subsidy card, the fee for pharmacy services and prescription charges.

Other information about PHARMAC is also available on our website. This includes copies of the Annual Review, Annual Report and Annual Plan, as well as information such as the Pharmaceutical Schedule, Pharmaceutical Schedule Updates, National Hospital Pharmaceutical Strategy, other publications and recent press releases.

Special Authority Applications

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person. Applications must be submitted to the Ministry of Health by the prescriber for the request to be processed.

Subsidy

Once approved, the presciber and the patient are provided a Special Authority number which must appear on the prescription. Specialists who make an application must communicate the valid authority number to the prescriber who will be writing the prescriptions.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Pharmaceutical Budget.

Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website.

For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised. Criteria for each Special Authority Community Pharmaceutical are updated regularly, based on the decision criteria of PHARMAC. The appropriateness of the listing of a Community Pharmaceutical in the Special Authority category will also be regularly reviewed. Applications for inclusion of further Community Pharmaceuticals in the Special Authority category will generally be made by a pharmaceutical supplier.

Special Authority Applications

Application forms can be found at www.pharmac.govt.nz. Requests for fax copies should be made to PHARMAC, phone 04 460 4990. Applications are processed by Ministry of Health Sector Services and DHB Support (MOH SS & DHB Support), and should be sent to:

MOH SS & DHB Support, Private Bag 3015, Fax: (06) 349 1983 of free fax 0800 100 131 WANGANUI

For enquiries, phone the Call Centre, free phone 0800 CHEM NO (0800 243 666)

Note: MOH SS & DHB Support can only provide information on Special Authority applications to prescribers and pharmacists.

Each application must:

- Include the patients name, date of birth and NHI number (codes for AIDS patients' applications)
- Include the practitioner's name, address and Medical Council registration number
- Clearly indicate that the relevant criteria, have been met.
- Be signed by the practitioner.

Exceptional Circumstances policies

The purpose of the Exceptional Circumstances policies are to provide:

- funding from the Community Exceptional Circumstances budget for medication, to be used in the community, in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical Budget is not able to be provided through the Pharmaceutical Schedule ("Community Exceptional Circumstances"); or
- an assessment process for the DHB Hospitals to determine whether they can fund medication, to be used in the community, in circumstances where the medication is neither a Community Pharmaceutical nor a Discretionary Community Supply
 Pharmaceutical and where the patient does not meet the criteria for Community Exceptional Circumstances ("Hospital Exceptional Circumstances"); or
- an assessment process for DHB Hospitals to determine whether they can fund pharmaceuticals for the treatment of cancer
 in their DHB Hospital, or in association with Outpatient services provided in their DHB hospital, in circumstances where the
 pharmaceutical is not identified as a Pharmaceutical Cancer Treatment ("Cancer Exceptional Circumstances") in Sections
 A-H of the Pharmaceutical Schedule.

Upon receipt of an application for approval for Community Exceptional Circumstances or Hospital Exceptional Circumstances, the Exceptional Circumstances Panel first decides whether an application will be assessed initially under the Community Exceptional Circumstances criteria or the Hospital Exceptional Circumstances criteria. Cancer Exceptional Circumstances is a separate process.

Hospital Exceptional Circumstances

If the application is first assessed but not approved under the Community Exceptional Circumstances criteria, the Exceptional Circumstances Panel may recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances.

If the application is first assessed under the Hospital Exceptional Circumstances criteria, the Exceptional Circumstances Panel may:

- a) recommend against the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget, in which case a DHB Hospital must not fund the pharmaceutical from its own budget;
- b) recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances, in which case a DHB Hospital may, but is not obliged to, fund the pharmaceutical from its own budget;
- c) defer its decision until further assessment under the Community Exceptional Circumstances criteria can undertaken; or
- d) recommend interim funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances until further assessment under the Community Exceptional Circumstances criteria can be undertaken.

Permission to fund a pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances will only be granted by PHARMAC where it has been demonstrated that such funding is cost-effective for the relevant DHB in the region in which the patient resides.

If the patient being treated with a pharmaceutical under Hospital Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

Applications for Hospital Exceptional Circumstances should be made on the standard application form available from the PHARMAC website www.pharmac.govt.nz or the address below:

Phone: (04) 916 7521

Email: ecpanel@pharmac.govt.nz

or fax (09) 523 6870

The Coordinator, Hospital Exceptional Circumstances Panel PHARMAC, PO Box 10 254

Wellington

11

Cancer Exceptional Circumstances

Permission to fund a pharmaceutical for the treatment of cancer from the Hospital's own budget under Cancer Exceptional Circumstances will only be granted by PHARMAC where it has been demonstated that the proposed use meets the criteria.

If the patient being treated with a pharmaceutical under Cancer Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

Community Exceptional Circumstances

In order to qualify for Community Exceptional Circumstances approval one of the following criteria must be met:

- a) the condition must be rare: or
- b) the reaction to alternative funded treatment must be unusual; or
- c) an unusual combination of circumstances applies.

Rare and unusual are considered to be in the order of less than 10 people nationally.

Where one of the above Community Exceptional Circumstances entry criteria is met, the application may then be further examined under supplementary criteria, assessing suitability of the pharmaceutical, clinical benefit, the cost effectiveness of the treatment, and the patient's ability to pay for the treatment. Where these documented criteria are met, a subsidy sufficient to fully fund the pharmaceutical will be made available to the specific patient on whose behalf the application was made.

Community Exceptional Circumstances funding is only available where the criteria are met and is not available for financial reasons alone.

Applications for Community Exceptional Circumstances, Hospital Exceptional Circumstances and Cancer Exceptional Circumstances should be made on the standard application form available from the PHARMAC website www.pharmac.govt.nz or the address below:

The Coordinator, Community Exceptional Circumstances Panel

PO Box 10 254

Wellington

Phone (04) 916 7553 or fax (09) 523 6870

Email: ecpanel@pharmac.govt.nz

INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and:
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services.

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 January 2009 and is to be referred to as the Pharmaceutical Schedule Volume 16 Number 0, 2009. Distribution will be from 20 January 2009. This Schedule comes into force on 1 January 2009.

PART I

INTERPRETATIONS AND DEFINITIONS

- 1.1 In this Schedule, unless the context otherwise requires:
- "90 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;
- "180 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment:
- "Access Exemption Criteria" means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:
 - a) have limited physical mobility;
 - b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - c) are relocating to another area:
 - d) are travelling extensively and will be out of town when the repeat prescriptions are due.
- "Act" means the New Zealand Public Health and Disability Act 2000.
- "Advisory Committee" means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.
- "Alternate Subsidy" means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.
- "Assessed Pharmaceuticals" means the list of Pharmaceuticals set out in Section H Part III of the Schedule, that have been or are being assessed by PHARMAC.
- "Authority to Substitute" means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.
- "Bulk Supply Order" means a written order, on a form supplied by the Ministry of Health, or approved by HealthPAC, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.
- "Cancer Exceptional Circumstances" means the policies and criteria administered by PHARMAC relating to the ability to fund, from a DHB hospital's own budget, pharmaceuticals for the treatment of cancer that are not identified as Pharmaceutical

Cancer Treatments in Sections A-H of the Pharmaceutical Schedule.

"Class B Controlled Drug" means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.

- "Close Control" means the dispensing of a Community Pharmaceutical, in accordance with a Prescription, in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot) for a Community Pharmaceutical referred to in Section F Part I, or in quantities less than a Monthly Lot for any other Community Pharmaceutical, where any of a), b) or c) apply.
 - a) All of the following conditions are met:
 - i) the Community Pharmaceutical has been prescribed for a patient who:
 - 1) is not a resident in a Penal Institution, Rest Home or Residential Disability Care Institution; and 2) either of the following:
 - i) in the opinion of the prescribing Practitioner is:
 - a) frail; or
 - b) infirm: or
 - c) unable to manage their medication without additional support; or
 - d) intellectually impaired; or
 - e) requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only); and
 - f) requires that Community Pharmaceutical to be dispensed in a smaller quantity than that for which it is currently funded, or
 - ii) the Community Pharmaceutical is any of the following:
 - a) a tri-cyclic antidepressant; or
 - b) an antipsychotic; or
 - c) a benzodiazepine; or
 - d) a Class B Controlled Drug; and
 - ii) the prescribing Practitioner has:
 - A) endorsed each Community Pharmaceutical on the Prescription clearly with the words "Close Control" or "CC"; and
 - B) initialled the endorsement in their own handwriting; and
 - C) specified the maximum quantity or period of supply to be dispensed at any one time.
 - b) All of the following conditions are met:
 - i) The Community Pharmaceutical is prescribed for a patient who is a resident in a Rest Home or Residential Disability Care Institution; and
 - A) the quantity or period of supply to be dispensed at any one time is not less than 28 days' supply;
 - B) the prescriber or pharmacist has written the name of the Rest Home or Residential Disability Care Institution on the prescription; and
 - C) the prescriber or pharmacist has:
 - written on the Prescription the words "Close Control" or "CC" (this applies to all medicines prescribed on the prescription), and
 - 2) initialled the endorsement/annotation in their own handwriting; and
 - 3) specified the maximum quantity or period of supply to be dispensed at any one time.
 - c) All of the following conditions are met:
 - i) where PHARMAC has approved and notified pharmacists to annotate prescriptions for a specified Community Pharmaceutical(s) "Close Control" without prescriber endorsement for a specified time; and
 - ii) the dispensing pharmacist has:
 - A) clearly annotated each of the approved Community Pharmaceuticals that appear on the prescription with the words "Close Control" or "CC"; and
 - B) initialled the annotation in their own handwriting; and
 - C) specified the maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

"Community Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances Panel relating to funding from the Community Exceptional Circumstances budget for medication, to be used in the community, in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical

Budget is not able to be provided through the Pharmaceutical Schedule.

"Community Pharmaceutical" means a Pharmaceutical listed in Sections A to G of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor" means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug" means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply" means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply.

"Dentist" means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"DHB" means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital" means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Discretionary Community Supply Pharmaceutical" means the list of Pharmaceuticals set out in Section H Part IV of the Schedule, which may be funded by a DHB Hospital from its own budget for use in the community.

"**Doctor**" means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical" means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements" - unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Exceptional Circumstances Panel" means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for administering policies in relation to Community Exceptional Circumstances and Hospital Exceptional Circumstances.

"Funder" means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST" means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator" means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances Panel relating to the ability to fund, from a DHB Hospital's own budget, pharmaceuticals for use in the community by a specific patient where a subsidy is not available from the Pharmaceutical Budget or under Community Exceptional Circumstances.

"Hospital Pharmaceuticals" means National Contract Pharmaceuticals, DV Pharmaceuticals, Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals.

"Hospital Pharmacy" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner.

"Hospital Pharmacy-Specialist" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist; or

if the treatment of an Outpatient with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a Practitioner endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Practitioner.

"As recommended by a Specialist" to be interpreted as:

- a) follows a substantive consultation with an appropriate Specialist;
- b) the consultation to relate to the Patient for whom the Prescription is written;

- c) consultation to mean communication by referral, telephone, letter, facsimile or email;
- d) except in emergencies consultation to precede annotation of the Prescription; and
- e) both the specialist and the General Practitioner must keep a written record of the consultation.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS" means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination" means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit" means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital" means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot" means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price" means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife" means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month" means a period of 30 consecutive days.

"Month restriction" means that no Subsidy is available:

- a) unless the Community Pharmaceutical is dispensed on the Prescription of a Practitioner; and
- b) for any quantity of that Community Pharmaceutical dispensed on the Prescription (whether or not dispensed as a repeat) in excess of a Monthly Lot.

"Monthly Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"National Contract Pharmaceutical" means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

"National DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Not In Combination" means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

"Nurse Prescriber" means a nurse registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003 and who is approved by the Nursing Council, to prescribe specified prescription medicines relating to his/her scope of practice.

"Optometrist" means a person registered as an optometrist with the Optometrists and Dispensing Opticians Board, who holds a current annual practising certificate under the HPCA Act 2003, and who is authorised by regulations under the Medicines Act 1981 and approved by the Optometrists and Dispensing Opticians Board to prescribe specified medicines.

"Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT" means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

"PCT only" means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsi-

dies.

- "Penal Institution" means a penal institution, as that term is defined in The Penal Institutions Act 1954;
- "PHARMAC" means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC).
- "Pharmaceutical" means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to H of the Schedule.
- "Pharmaceutical Benefits" means the right of:
 - a) a person; and
 - b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.
- "Pharmaceutical Budget" means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals.
- "Pharmaceutical Cancer Treatment" means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must fund, from their own budgets, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.
- "Practitioner" means a Doctor, a Dentist, a Midwife, a Nurse Prescriber or an Optometrist as those terms are defined in the Pharmaceutical Schedule.
- "Practitioner's Supply Order" means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by HealthPAC, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- "Prescription" means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.
- "Private Hospital" means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.
- "Residential Disability Care Institution" means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.
- "Rest Home" means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.
- "Retail Pharmacy-Specialist" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or, in the case of treatment recommended by a Specialist, a Prescription or Practitioner's Supply Order and endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner.
- "As recommended by a Specialist" to be interpreted as:
 - a) follows a substantive consultation with an appropriate Specialist;
 - b) the consultation to relate to the Patient for whom the Prescription is written;
 - c) consultation to mean communication by referral, telephone, letter, facsimile or email;
 - d) except in emergencies consultation to precede annotation of the Prescription; and
 - e) both the Specialist and the General Practitioner must keep a written record of consultation.
- "Retail Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist. For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.
- "Schedule" means this Pharmaceutical Schedule and all its sections and appendices.
- "Section B" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies included in the Schedule.
- "Section C" of this Pharmaceutical Schedule means the list of community extemporaneously compounded preparations and galenicals eligible for Subsidies included in the Schedule.
- "Section D" of this Pharmaceutical Schedule means the list of community special foods eligible for Subsidies included in the Schedule.
- "Section E Part I" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies and available on a Practitioner's Supply Order or a Wholesale Supply Order included in the Schedule.

- "Section E Part II" of this Pharmaceutical Schedule means the list of rural areas for the purpose of community Practitioner's Supply Orders included in the Schedule.
- "Section F Part I" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots, and requirement to dispense in 90 Day Lots or 180 Day Lots, as applicable, in respect of the Community Pharmaceuticals referred to in this part of Section F:
- "Section F Part II" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots in respect of the Community Pharmaceuticals referred to in this part of Section F:
- "Section G" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for reimbursement of safety caps.
- "Section H" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals and the lists of National Contract Pharmaceuticals and any associated DV Pharmaceuticals, of Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals included in Section H of the Schedule.
- "Section H Part I" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals.
- "Section H Part II" of this Pharmaceutical Schedule means the list of National Contract Pharmaceuticals, the relevant Price, an indication of whether the Pharmaceutical has HSS and any associated DV Pharmaceuticals and DV Limit.
- "Section H Part III" of this Pharmaceutical Schedule means the list of Assessed Pharmaceuticals.
- "Section H Part IV" of this Pharmaceutical Schedule means the list of Discretionary Community Supply Pharmaceuticals.
- "Special Authority" means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.
- "Specialist", in relation to a Prescription, a doctor who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

a)

- i) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine; and
- ii) the doctor's vocational scope of practice is one of those listed below: anaesthetics, cardiothoracic surgery, dermatology, diagnostic radiology, emergency medicine, general surgery, internal medicine, neurosurgery, obstetrics and gynaecology, occupational medicine, ophthalmology, oral and maxillofacial surgery, otolaryngology head and neck surgery, orthopaedic surgery, paediatrics, pathology, plastic and reconstructive surgery, psychological medicine or psychiatry, public health medicine, radiation oncology, rehabilitation medicine, urology and venereology:
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that Prescription in the course of practising in that area of medicine;
- c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine
 for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that
 area of medicine;
- d) the doctor writes the Prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.
- "Subsidy" means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.
- "Supply Order" means a Bulk Supply Order, a Practitioner's Supply Order or a Wholesale Supply Order.
- "Unapproved Indication" means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981.
- "Wholesale Supply Order" means a written order by a Practitioner, on a form supplied by the Ministry of Health for the supply of certain Community Pharmaceuticals as listed in Section B and Section E Part I of the Schedule.
 - 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
 - a) the singular includes the plural; and
 - b) any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regu-

lation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

PART II

COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G of the Schedule, and every preparation (having an inert base) of any of them, is hereby declared to be a Community Pharmaceutical for the purposes of the Schedule, subject to:
 - 2.1.1 clauses 2.2 and 2.3 of the Schedule; and
 - 2.1.2 clauses 3.1 to 4.4 of the Schedule; and
 - 2.1.3 the conditions (if any) specified in Sections B to G of the Schedule;
- 2.2 The following medicines, therapeutic medical devices, or related products or related things are not eligible for Subsidy:
 - 2.2.1 substances, or combinations of substances, ordered for any purpose other than:
 - a) treatment of a patient's medical or dental condition; or
 - b) pregnancy tests; or
 - c) the prevention of sexually transmitted disease; or
 - d) contraception.
 - 2.2.2 substances and combinations of substances packed under pressure in aerosol cans or other similar devices, unless it is specified in Sections B to G of the Schedule that they may be so packed;
 - 2.2.3 electrode jellies;
 - 2.2.4 eye drops packed in single-dose units, unless it is specified in Sections B to G of the Schedule that they may be so packed:
 - 2.2.5 insect repellents and similar preparations:
 - 2.2.6 oral preparations in long-acting form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.7 substances or combinations of substances in lozenge or similar form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.8 machine-spread plasters;
 - 2.2.9 preparations prescribed as foods, unless they are specified in Section D of the Schedule;
 - 2.2.10 substances, combinations of substances, or articles, in the form of proprietary medicines or proprietary articles, unless they are deemed or declared to be Pharmaceuticals elsewhere in the Schedule;
 - 2.2.11 shampoos, other than extemporaneously prepared medicated shampoos, or shampoos specified in Sections B to G of the Schedule intended for the treatment of a patient's medical condition;
 - 2.2.12 toilet preparations:
 - 2.2.13 tooth pastes and powders;
 - 2.2.14 lubricating jellies and catheter lubricants;
 - 2.2.15 sterile diluents for nebulising solutions;
 - 2.2.16 substances in a form intended to enable delivery by transdermal diffusion or osmosis or by the insertion of any solid object or substance into the eye cavity, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.17 substances in a form intended for intravenous delivery (other than by injection), unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.18 substances packed in pre-loaded syringes known as Min-I-Jets, unless it is specified in Sections B to G of the Schedule that they may be so packed;
 - 2.2.19 Community Pharmaceuticals prescribed as cough mixtures, unless they are specified in Sections B to G of the Schedule otherwise than in combination with other ingredients;
 - 2.2.20 vitamin preparations in capsule form, unless they are specified in Sections B to G of the Schedule;
 - 2.2.21 substances prescribed for use as irrigating solutions, unless it is specified in Sections B to G of the Schedule that they may be prescribed for such use.
- 2.3 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
 - 2.3.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines

Act 1981: or

- 2.3.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia: or
- 2.3.3 in the absence of the standards prescribed in clauses 2.3.1 and 2.3.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
- 2.3.4 in the absence of the standards prescribed in clauses 2.3.1, 2.3.2 and 2.3.3, are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

PART III

PERIOD AND QUANTITY OF SUPPLY

- 3.1 Doctors', Midwives', Nurse Prescribers' and Optometrists' Prescriptions (other than oral contraceptives)
 The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor,
 Midwife. Nurse Prescriber or Optometrist:
 - 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity sufficient to provide treatment for a period not exceeding three Months will be subsidised.
 - 3.1.2 For methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
 - 3.1.3 For a Class B Controlled Drug other than methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity:
 - a) sufficient to provide treatment for a period not exceeding 10 days; and
 - b) which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
 - 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Midwife or Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
 - a) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
 - b) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
 - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
 - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
 - A) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
 - B) both:
 - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
 - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
 - 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
 - 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
 - b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only
 that part of any Prescription that is dispensed within the time frames specified above is eligible for
 Subsidy.

- 3.1.7 If a Community Pharmaceutical:
 - a) is stable for a limited period only, and the Doctor, Midwife, Nurse Prescriber or Optometrist has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
 - b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
 - c) is Close Control.

The actual quantity dispensed will be subsidised in accordance with any such specification.

3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife or Nurse Prescriber for an oral contraceptive:

- 3.2.1 The prescribing Doctor, Midwife or Nurse Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed:
 - a) three Months if prescribed by a Midwife; or
 - b) six Months if prescribed by a Doctor or Nurse Practitioner.
- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
 - a) in Lots as specified in the Prescription if the Community Pharmaceutical is Close Control; or
 - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 An oral contraceptive prescribed by a Midwife is only eligible for Subsidy if the Prescription under which it has been dispensed has been written within the period of post natal care of the eligible person.
- 3.2.5 Where a Community Pharmaceutical in a Prescription is Close Control and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

3.3 Dentists' Prescriptions

The following provisions apply to every Prescription written by a Dentist:

- 3.3.1 The maximum quantity of a Community Pharmaceutical that will be subsidised is as follows:
 - a) where the Community Pharmaceutical is a Controlled Drug, only such quantity as is necessary to provide treatment for a period not exceeding five days; and
 - b) in any other case, only such quantity as is necessary to provide treatment for a period not exceeding five days and, where the Prescription specifies a repeat, one further period not exceeding five days.
- 3.3.2 Notwithstanding clause 3.3.1, if, in the opinion of the Dentist, an eligible person needs extended treatment with sodium fluoride for up to three Months, the Community Pharmaceutical will be subsidised for that extended period. A Prescription for any such extended supply of sodium fluoride will be subsidised only if it is dispensed in Monthly Lots, unless the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect.
- 3.3.3 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed has been presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written
- 3.3.4 No Subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) one Month from the date the Community Pharmaceutical was first dispensed; or
 - b) in the case of sodium fluoride, three Months from the date the Community Pharmaceutical was first dispensed.

Only that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.

3.4 Original Packs, and Certain Antibiotics

3.4.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:

- a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
- b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.
- 3.4.2 If a Community Pharmaceutical is the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will only be made for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, unless the Contractor satisfies the Funder that he or she has not been able to dispense the balance of the pack or packs from which the Community Pharmaceutical has been dispensed. In such cases all of that pack or those packs is eligible for Subsidy.

PART IV

MISCELLANEOUS PROVISIONS

4.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 4.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 4.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 4.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 4.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
 - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
 - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 4.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 4.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

4.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 4.2.1 Subject to clause 4.2.3, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 4.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
 - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
 - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally exist-

ing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)

- 4.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
 - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by HealthPAC's and which:
 - i) is personally signed and dated by the Practitioner; and
 - ii) sets out the Practitioner's address; and
 - iii) sets out the Community Pharmaceuticals and quantities, and:
 - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 4.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.

4.3 Wholesale Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under Wholesale Supply Orders:

- 4.3.1 Notwithstanding anything contained in the Schedule, but subject nevertheless to subclause 4.3.3 of this clause, a Practitioner may obtain from a wholesaler or distributor, pursuant to a Wholesale Supply Order made on a form supplied by the Ministry of Health, any Community Pharmaceutical specified in Section B and Section E Part I of the Schedule as being available on a Wholesale Supply Order.
- 4.3.2 Subject to clause 4.3.3, Community Pharmaceuticals supplied to Practitioners under Wholesale Supply Orders will be subsidised at a rate not exceeding the Manufacturer's Price for each such Community Pharmaceutical as set out in Section B and Section E Part I of the Schedule.
- 4.3.3 No subsidy will be paid for any quantity of a Community Pharmaceutical supplied to a Practitioner under a Wholesale Supply Order in excess of what is a reasonable monthly allocation for that particular Practitioner, after taking into account stock on hand.
- 4.3.4 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Wholesale Supply Orders until such time as the Ministry of Health notifies otherwise.

4.4 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

4.4.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

4.4.2 **Expiry**

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 4.4.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 4.4.1 and 4.4.2, for the individual Patient.
- 4.4.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 4.4.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of Health-PAC's routine auditing procedures.

4.5 Pharmaceutical Cancer Treatments

- 4.5.1 DHBs must provide access to Pharmaceutical Cancer Treatments by funding their use in the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 4.5.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
 - a) has Cancer Exceptional Circumstances approval;
 - b) has Community Exceptional Circumstances or Hospital Exceptional Circumstances approval;

- c) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
- d) is being used and funded as part of a paediatric oncology service; or
- e) was being used to treat the patient in question prior to 1 July 2005.
- 4.5.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatments with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
 - a) Part 1:
 - b) clauses 2.1 to 2.3;
 - c) clauses 3.1 to 3.4; and
 - d) clause 4.5.
 - of Section A of the Schedule
- 4.5.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 4.5.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 direction from the Minister of Health as to pharmaceuticals and indications for which DHBs must provide funding. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
 - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under the Medicines Act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and Disability Comissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
 - c) exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions
 with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer
 Treatment for an Unapproved Indication.

4.6 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication:

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984:
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

4.7 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, subject to:

- a) the Contractor having received a general Authority to Substitute from the Practitioner in relation to the particular medicine or medicines in general; or
- b) the Practitioner having indicated their Authority to Substitute on the prescription; or
- c) the Practitioner having given their Authority to Substitute in relation to the particular prescription.

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and initial the prescription.

4.8 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed but may not alter the total daily dose. If the change will result in additional cost to the DHBs, then:

- a) the Practitioner must authorise and initial the alteration; or
- b) in cases where PHARMAC has approved and notified in writing such a change in dispensing of a named Pharmaceutical due to an out of stock event or short supply, the Contractor must annotate and initial the alteration.

4.9 Amendment of Schedule

PHARMAC may amend the terms of the Schedule from time to time by notice in writing given in such manner as PHARMAC thinks fit, and in accordance with such protocols as agreed with the Pharmacy Guild of New Zealand (Inc) from time to time.

4.10 Conflict in Provisions

If any rules in Sections B-G of this Schedule conflict with the rules in Section A, the rules in Sections B-G apply.

SECTION B: ALIMENTARY TRACT AND METABOLISM

	Ψ	1 01	Warranacturer		
Antacids and Antiflatulants					
Antacids and Reflux Barrier Agents					
ALGINIC ACID					
Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet	4.50	30	✓ Gaviscon Infant		
CALCIUM CARBONATE WITH AMINOACETIC ACID					
* Tab 420 mg with aminoacetic acid 180 mg - Higher subsidy of \$38.73 per 1000 with Endorsement		1,000			
Additional subsidy by endorsement is available for pregnant w	(38.73) romen. The p	rescription mu	Titralac st be endorsed accordingly.		
SIMETHICONE					
Year liq aluminium hydroxide 200 mg with magnesium hydrox- ide 200 mg and activated simethicone 20 mg per 5 ml		500 ml			
SODIUM ALGINATE	(4.05)		Mylanta P		
* Tab 500 mg with sodium bicarbonate 267 mg and calcium	4.00	00			
carbonate 160 mg - peppermint flavour	1.80 (7.97)	60	Gaviscon Double		
* Oral liq 500 mg with sodium bicarbonate 267 mg and calcium			Strength		
carbonate 160 mg per 10 ml	1.50 (4.95)	500 ml	Acidex		
* Oral liq 500 mg with sodium bicarbonate 267 mg per 10 ml	, ,	500 1	Holdox		
(aniseed)	(8.08)	500 ml	Gaviscon		
Phosphate Binding Agents					
ALUMINIUM HYDROXIDE	10.56	100	✓ Alu-Tab		
Tab 600 mg	12.00	100	✓ Alu-lab		
Agents Which Reduce Motility					
DIPHENOXYLATE HYDROCHLORIDE WITH ATROPINE SULPHATE	<u> </u>				
* Tab 2.5 mg with atropine sulphate 25 µg		100	✓ Diastop		
LOPERAMIDE HYDROCHLORIDE – Up to 30 tab available on a PS * Tab 2 mg		400	✓ Nodia		
Rectal and Colonic Anti-inflammatories					
BUDESONIDE					
Cap 3 mg - Special Authority see SA0913 on the next page - Retail pharmacy	166.50	90	✓ Entocort CIR		
		•			

Subsidy

(Manufacturer's Price)

\$

Fully

Subsidised

Per

Brand or

Generic

Manufacturer

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

⇒SA0913 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Mild to moderate ileal, ileocaecal or proximal Crohn's disease; and
- 2 Any of the following:
 - 2.1 Diabetes; or
 - 2.2 Cushingoid habitus; or
 - 2.3 Osteoporosis where there is significant risk of fracture; or
 - 2.4 Severe acne following treatment with conventional corticosteroid therapy.

Renewal from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

The patient may not have had more than 1 prior approval in the last year.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

HYDROCORTISONE ACETATE

Rectal foam 10 %, CFC-Free (14 applications)21.10	21.1 g OP	✓ Colifoam
MESALAZINE		
Tab 400 mg - Retail pharmacy-Specialist	100	✓ Asacol
Tab long-acting 500 mg - Retail pharmacy-Specialist69.06	100	✓ Pentasa
Enema 1 g per 100 ml - Retail pharmacy-Specialist46.90	7	✓ Pentasa
Suppos 500 mg25.20	20	✓ Asacol
Suppos 1 g50.96	28	✓ Pentasa
OLSALAZINE		
Tab 500 mg59.86	100	✓ Dipentum
Cap 250 mg31.51	100	✓ Dipentum
SODIUM CROMOGLYCATE		
Cap 100 mg89.21	100	✓ Nalcrom
SULPHASALAZINE		
* Tab 500 mg8.42	100	✓ Salazopyrin
* Tab EC 500 mg	100	✓ Salazopyrin EN

Antihaemorrhoidals

Corticosteroids

FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVALATE AND CINCHOCAINE
--

		with fluocortolone pivalate 920 µg, and cin-	
✓ <u>Ultraproct</u>	30 g OP	hydrochloride 5 mg per g6.35	
		ug, with fluocortolone pivalate 610 μg, and cin-	
Ultraproct	12	hydrochloride 1 mg2.66	

Soothing Agents

ZINC OXIDE		
Oint zinc oxide with balsam peru4.50	50 g OP	
(6.50)		Anusol
Suppos zinc oxide with balsam peru4.47	12	

Anusol

(6.35)

	(Manufacturer's Price)	Per	Subsidised Generic Manufacturer
Antispasmodics and Other Agents Altering Gut	Motility		
ATROPINE SULPHATE * Inj 600 µg, 1 ml – Up to 5 inj available on a PSO * Inj 1200 µg, 1 ml – Up to 5 inj available on a PSO HYOSCINE N-BUTYLBROMIDE		50 50	✓ <u>AstraZeneca</u> ✓ <u>AstraZeneca</u>
* Tab 10 mg * Inj 20 mg, 1 ml – Up to 5 inj available on a PSO		20 5	✔ Gastrosoothe✔ Buscopan
# Tab 135 mg	18.00	90	✓ Colofac
Antiulcerants			
Antisecretory and Cytoprotective			
МISOPROSTOL * Tab 200 µg	52.70	120	✓ <u>Cytotec</u>
Helicobacter Pylori Eradication			
OMEPRAZOLE, AMOXYCILLIN AND CLARITHROMYCIN Omeprazole cap 20 mg × 14, amoxycillin cap 500 mg × 28 and clarithromycin tab 500 mg × 14		1 OP	✓ Losec Hp7 OAC
H2 Antagonists			
CIMETIDINE – Only on a prescription * Tab 200 mg * Tab 400 mg	(7.50)	100 100	Apo-Cimetidine Apo-Cimetidine
FAMOTIDINE – Only on a prescription * Tab 20 mg * Tab 40 mg RANITIDINE HYDROCHLORIDE – Only on a prescription	8.10	250 250	✓ Famox ✓ Famox
* Tab 150 mg	10.94 7.95	250 250 300 ml 5	✓ Arrow-Ranitidine ✓ Arrow-Ranitidine ✓ Peptisoothe ✓ Zantac
Proton Pump Inhibitors			
LANSOPRAZOLE * Cap 15 mg * Cap 30 mg		28 28	✓ Solox ✓ Solox

Subsidy

Fully

Brand or

	Subsidy (Manufacturer's Pric \$	e) Per	Fully Subsidised	Generic
OMEPRAZOLE				
For omeprazole suspension refer, page 166	0.44	00		D. D. Jakata
* Cap 10 mg	2.14	30	V 1	Or Reddy's Omeprazole
	(8.43)			_osec
* Cap 20 mg	' '	30	/	Or Reddy's
				Omeprazole
14. 0 40	(9.00)	00		_OSEC
* Cap 40 mg	3.59	30	V	Or Reddy's Omeprazole
	(11.25)			_OSEC
* Inj 40 mg	` ,	1		Losec
(Losec Cap 10 mg to be delisted 1 May 2009)				
(Losec Cap 20 mg to be delisted 1 May 2009)				
(Losec Cap 40 mg to be delisted 1 May 2009)				
(Losec Inj 40 mg to be delisted 1 May 2009)				
PANTOPRAZOLE * Tab 20 mg	0.04	28		Or Boddw'o
* Tab 20 mg	2.24	20	<u> </u>	<u>Or Reddy's</u> Pantoprazole
* Tab 40 mg	3.36	28	/	Or Reddy's
<u> </u>				<u>Pantoprazole</u>
Site Protective Agents				
SUCRALFATE				
Tab 1 g		120		
	(48.28)		(Carafate
Diabetes				
Hyperglycaemic Agents				
GLUCAGON HYDROCHLORIDE				
Inj 1 mg syringe kit – Up to 5 kit available on a PSO	27.00	1	~	Glucagen Hypokit
Insulin - Short-acting Preparations				
INSULIN NEUTRAL				
▲ Inj human 100 u per ml	25.26	10 ml Ol	· /	Actrapid
		_		Humulin R
▲ Inj human 100 u per ml, 3 ml	42.66	5		Actrapid Penfill Humulin R
			V 1	Tumulin K
Insulin - Intermediate-acting Preparations				
INSULIN ISOPHANE				
▲ Inj human 100 u per ml	17.68	10 ml Ol	· 🗸	Humulin NPH
				Protaphane
▲ Inj human 100 u per ml, 3 ml	29.86	5		Humulin NPH Protaphane Penfill
			•	Totaphane rennin

	Subsidy (Manufacturer's Pri \$	ice) Sub Per	Fully sidised	Brand or Generic Manufacturer
INSULIN ISOPHANE WITH INSULIN NEUTRAL				
▲ Inj human with neutral insulin 100 u per ml	25.26	10 ml OP		umulin 30/70 ixtard 30
▲ Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5	✓ H	umulin 30/70 enMix 30 enMix 40 enMix 50
INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE				
▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml, 3 ml	52.15	5	✓ H	umalog Mix 25
▲ Inj lispro 50% with insulin lispro protamine 50% 100 u per ml,3 ml	52.15	5	✓ H	umalog Mix 50
Insulin - Long-acting Preparations				
INSULIN GLARGINE - Special Authority see SA0834 below - Ref				
▲ Inj 100 u per ml, 10 ml		1		antus
▲ Inj 100 u per ml, 3 ml		5 5		antus antus SoloStar

⇒SA0834 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Fither:

1 Both:

- 1.1 Patient has type 1 diabetes and has received an intensive regimen (injections at least three times a day) of an intermediate acting insulin in combination with a rapid acting insulin analogue for at least three months; and
- 1.2 Either:
 - 1.2.1 Patient has experienced more than one unexplained severe hypoglycaemic episode in the previous 12 months (severe defined as requiring the assistance of another person); or
 - 1.2.2 Patient has experienced unexplained symptomatic nocturnal hypoglycaemia, biochemically documented at <3.0 mmol/L, more than once a month despite optimal management; or
- 2 Patient has documented severe, or continuing, systemic or local allergic reaction to existing insulins. Note this does not include hypoglycaemic episodes.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Patient is continuing to derive benefit due to reduced hypoglycaemic events whilst maintaining similar or better glycaemic control; or
- 2 Patient's allergic reaction has significantly decreased, or resolved, following the change to long-acting insulin and patient is continuing to benefit from treatment.

Insulin - Rapid Acting Preparations

INSULIN ASPART ▲ Inj 100 u per ml, 3 ml	5 1	✓ NovoRapid Penfill✓ NovoRapid
INSULIN LISPRO ▲ Inj 100 u per ml, 10 ml ▲ Inj 100 u per ml, 3 ml		✓ Humalog✓ Humalog

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sı	ubsidised	Generic
\$	Per	~	Manufacturer

Alpha Glucosidase Inhibitors

AC.	ARBOSE - Special Authority see SA0925 below - Retail pharmacy		
*	Tab 50 mg22.00	90	Glucobay
*	Tab 100 mg31.00	90	Glucobay

⇒SA0925 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has type 2 diabetes; and
- 2 Either:
 - 2.1 Metformin is not tolerated, or is contraindicated; or
 - 2.2 The patient has not responded to the maximum appropriate dose of metformin.

Oral Hypoglycaemic Agents

GLIBENCLAMIDE			
* Tab 2.5 mg	3.78	100	✓ Gliben
* Tab 5 mg	3.31	100	✓ Gliben
GLICLAZIDE			
* Tab 80 mg	22.24	500	✓ Apo-Gliclazide
GLIPIZIDE			
* Tab 5 mg	3.50	100	✓ Minidiab
METFORMIN HYDROCHLORIDE			
* Tab 500 mg	9.75	500	✓ Arrow-Metformin
* Tab 850 mg	8.00	250	✓ Arrow-Metformin
PIOGLITAZONE - Special Authority see SA0859 below - Retail pha	rmacy		
Tab 15 mg	61.04	28	✓ Actos
Tab 30 mg	93.90	28	✓ Actos
Tab 45 mg		28	✓ Actos

⇒SA0859 Special Authority for Subsidy

Initial application — (Patients with type 2 diabetes) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

Monotherapy

- 1 All of the following:
 - 1.1 To be used as monotherapy for patients who after six months of diet and lifestyle changes have inadequate glycaemic control (defined as HbA1c > 7.0% in tests carried out at least two months apart); and
 - 1.2 Metformin is contraindicated or not tolerated after a minimum of a four-week trial period; and
 - 1.3 Sulphonylurea is contraindicated or not tolerated or the patient is obese; or

In combination with sulphonylurea

- 2 Both:
 - 2.1 For use in combination with a sulphonylurea for patients who after diet and lifestyle changes and a six-month trial of sulphonylurea have poor glycaemic control (defined as HbA1c > 7.5% measured within the last month of the six-month period); and
 - 2.2 Metformin is contraindicated or not tolerated after a minimum of a four-week trial period; or

In combination with metformin

3 Both:

continued...

Subsidy (Manufacturer's Price)	Sı	. ,	Brand or Generic
\$	Per	~	Manufacturer

continued...

- 3.1 For use in combination with metformin for patients who after diet and lifestyle changes and a six-month trial of the maximum tolerated dose of metformin have poor glycaemic control (defined as HbA1c > 7.5% measured within the last month of the six-month period); and
- 3.2 Sulphonylurea is contraindicated or not tolerated, or the patient is obese; or

In combination with metformin after a trial of metformin and sulphonylurea

- 4 For use in combination with metformin for patients who after diet and lifestyle changes and a six-month trial of a combination of metformin and sulphonylurea at maximum tolerated doses have poor glycaemic control (defined as HbA1c > 7.5% measured within the last month of the six month period); or
 - In combination with Insulin
- 5 For use in combination with insulin in patients requiring more than 1.5 units per kilogram of insulin a day for at least 6 months in conjunction with metformin if tolerated.

Renewal — (Patients with type 2 diabetes) from any relevant practitioner. Approvals valid for 1 year where patient is continuing to derive benefit from treatment.

Notes: Pioglitazone is not to be used in triple oral combination (defined as a combination of metformin, sulphonylurea and pioglitazone).

Pioglitazone should not be used in patients with heart failure.

Liver function tests should be performed at baseline.

Gastrointestinal side effects are relatively common when initiating metformin therapy. Upward titration of metformin dose over several weeks and taking metformin with food will help to minimize these side effects.

Intolerance and contraindications for metformin include: serum creatinine ≥ 0.15 or creatinine clearance < 60 ml/min; significant liver impairment; severe left ventricular dysfunction; and intolerable gastrointestinal side effects that persist beyond 4 weeks duration.

Intolerance for sulphonylurea includes: nausea; diarrhoea; rash; blood disorders (thrombocytopenia, agranulocytosis, aplastic anaemia); erythema multiforme, exfoliative dermatitis, hepatitis; and syndrome of inappropriate antidiuretic hormone secretion (SIADH) with water retention and hyponatraemia.

Maximum tolerated dose of metformin defined as: A dose up to a maximum of 3 g daily.

Maximum tolerated dose of sulphonylurea defined as: A dose up to a maximum of glibenclamide 20 mg daily or glipizide 20 mg daily or gliclazide 320 mg daily.

For the purposes of these criteria "obese" is defined as body mass index (BMI) greater than 33 kg/m².

However, as ethnic differences between patients may vary BMI scores, practitioners may use discretion as to whether the patient meets this criterion.

It is considered that when applying, that the patient may have initiated "six months diet and lifestyle changes" from the date of diagnosis of type 2 diabetes.

Diabetes Management

Glucose/Urine Testing

CORRER

* Tab, diagnostic – Not on a BSO	5.02	36 OP	
	(30.25)		Clinitest
GLUCOSE OXIDASE			
Urine diagnostic test - Not on a BSO	4.11	50 strip OP	
	(7.00)		Diabur 5000
Urine diagnostic test with peroxidase - Not on a BSO	4.13	50 strip OP	
	(6.05)		Clinistix
	4.11		
	(6.05)		Diastix

	Subsidy (Manufacturer's Pric \$		iully Brand or sed Generic Manufacturer
Glucose &/or Ketones/Urine Testing			
GLUCOSE OXIDASE			
Urine diagnostic test with peroxidase, sodium nitroprusside and aminoacetic acid – Not on a BSO		0 stick OP	Keto-Diabur 5000
Urine diagnostic test with peroxidase, potassium iodide, sodium nitroprusside and aminoacetic acid – Not on a BSO		0 strip OP	
	(7.50)	•	Keto-Diastix
SODIUM NITROPRUSSIDE			
* Urine diagnostic strips, buffered - Not on a BSO	3.39 5 (6.00) 3.40	0 strip OP	Ketur-Test
	(7.15)		Ketostix

Glucose/Blood Testing

GLUCOSE BLOOD DIAGNOSTIC TEST METER - Subsidy by endorsement

- a) Maximum of 1 meter per prescription
- b) A diagnostic blood glucose test meter is subsidised for patients who begin insulin or sulphonylurea therapy after 1 March 2005. Only one meter per patient. No further prescriptions will be subsidised. The prescription must be endorsed accordingly.

✔ Optium Xce	1	r9.00	Meter
Accu-Chek		19.00	
Performa			

GLUCOSE DEHYDROGENASE

The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed with insulin or a sulphonylurea but are on a different prescription and the prescription is endorsed accordingly; or
- 2) Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed;
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly.

Blood/glucose test strips	0,	50 test OP	Accu-Chek Performa
			✓ Optium

Insulin Syringes and Needles

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly.

INSULIN PEN NEEDLES - Maximum of 100 dev per prescription

NovoFine pen needles 31 g \times 6 mm are subsidised for children under 12 years of age. 29 g × 12.7 mm11.75 100 ✓ ABM ✓ B-D Micro-Fine 100 ✓ B-D Micro-Fine 100 ✓ ABM ✓ NovoFine 31 g × 8 mm11.75 100 ✓ ABM ✓ B-D Micro-Fine 13.09

		Subsidy (Manufacturer's Price) \$	Per	Full Subsidise	d Generic
INS	SULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE	- Maximum of 100	dev pe	r prescrip	tion
*	Syringe 0.3 ml with 29 g × 12.7 mm needle		100		ABM
		15.92		~	B-D Ultra Fine
*	Syringe 0.3 ml with 31 g \times 8 mm needle	14.45	100	~	ABM
		15.92		~	B-D Ultra Fine II
*	Syringe 0.5 ml with 29 g \times 12.7 mm needle	14.45	100	~	ABM
		15.92		~	B-D Ultra Fine
*	Syringe 0.5 ml with 31 g \times 8 mm needle	14.45	100	~	ABM
		15.92		~	B-D Ultra Fine II
*	Syringe 1 ml with 29 g × 12.7 mm needle	14.45	100	~	ABM
	, ,	15.92		~	B-D Ultra Fine
*	Syringe 1 ml with 31 g × 8 mm needle	14.45	100	~	ABM
		15.92		~	B-D Ultra Fine II
D	igestives Including Enzymes				
PAI	NCREATIC ENZYME				·
	Tab EC 1,900 BP u lipase, 1,700 BP u amylase, 110 BP u protease		300	~	Pancrex V

Tab EC 1,900 BP u lipase, 1,700 BP u amylase, 110 BP u protease	32.46	300	✓ Pancrex V
Tab EC 5,600 BP u lipase, 5,000 BP u amylase, 330 BP u protease	58.44	300	✓ Pancrex V Forte
Cap 8,000 BP u lipase, 9,000 BP u amylase, 430 BP u protease	67.26	300	✓ Pancrex V
Cap 8,000 USP u lipase, 30,000 USP u amylase, 30,000 USP u protease – Retail pharmacy-Specialist	85.00	250	✓ Cotazym ECS
Cap EC 10,000 BP u lipase, 9,000 BP u amylase and 210 BP u protease – Retail pharmacy-Specialist	34.93	100	✓ Creon 10000
Cap EC 25,000 BP u lipase, 18,000 BP u amylase, 1,000 BP u protease – Retail pharmacy-Specialist	94.38	100	✓ Creon Forte
Cap EC 25,000 BP u lipase, 22,500 BP u amylase, 1,250 BP u protease – Retail pharmacy-Specialist	94.40	100	✓ Panzytrat
URSODEOXYCHOLIC ACID - Special Authority see SA0914 below	ı – Retail pharr	nacy	,
Cap 300 mg	179.00	100	✓ Actigall

■ SA0914 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2 Patient not requiring a liver transplant (bilirubin > 170umol/l; decompensated cirrhosis).

Note: Liver biopsy is not usually required for diagnosis but is helpful to stage the disease.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Actigall is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 170 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure - doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

Fully

Brand or

Subsidy

	Subsidy (Manufacturer's I	Price) Sub	Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
Laxatives			
Bulk-forming Agents			
MUCILAGINOUS LAXATIVES - Only on a prescription			
* Dry	5.72	325 g OP	✓ Konsyl-D
	6.69	380 g OP	✓ Mucilax
	7.92	450 g OP	les nel
	(12.71)	500 × OD	Isogel
	8.80	500 g OP	Narmonal
* Dry-original flavour, regular texture only	(15.27)	226 a OB	Normacol
* Dry-original havour, regular texture only	(12.38)	336 g OP	Metamucil
* Sugar Free		275 g OP	Wetaniucii
* Ougai 1100	(10.60)	273 g Oi	Mucilax
MUCH ACINOUS LAVATIVES WITH STIMULANTS	(10.00)		Madiax
MUCILAGINOUS LAXATIVES WITH STIMULANTS	2.50	200 g OP	
* Dry	(7.69)	200 g OF	Normacol Plus
	8.80	500 g OP	Normacor Flus
	(15.27)	300 g Oi	Normacol Plus
- 10.6	(10.27)		rtomacor rac
Faecal Softeners			
DOCUSATE SODIUM – Only on a prescription			
* Tab 50 mg	4 89	100	✓ Coloxyl
* Tab 120 mg		100	✓ Coloxyl
* Enema conc 18%		100 ml OP	✓ Coloxyl
DOCUSATE SODIUM WITH SENNOSIDES			
	7.00	200	✓ Laxsol
· ·	7.90	200	Laxsoi
POLOXAMER – Only on a prescription			4.5.
* Oral drops 10%	3.78	30 ml OP	✓ <u>Coloxyl</u>
Osmotic Laxatives			
GLYCEROL			
* Suppos 2.55 g - Only on a prescription	3.12	12	✓ Fleet Glycerin
,,,,,			Suppositories
* Suppos 3.6 g - Only on a prescription	5.00	20	✓ PSM
LACTULOSE – Only on a prescription		-	-
* Oral lig 10 g per 15 ml	6 65	1,000 ml	✓ Duphalac
		1,000 1111	▼ <u>Dupitalac</u>
MACROGOL 3350 – Special Authority see SA0891 below – Reta			
Powder 13.125 g, sachets - Maximum of 60 sach per pre-			4
scription	18.14	30	✓ Movicol

▶SA0891 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months where the patient has problematic constipation requiring intervention with a per rectal preparation despite an adequate trial of other oral pharmacotherapies including lactulose where lactulose is not contraindicated.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is compliant and is continuing to gain benefit from treatment.

	Subsidy (Manufacturer's Prid \$	ce) Sul Per	Fully Brand or bsidised Generic Manufacturer
SODIUM ACID PHOSPHATE – Only on a prescription Enema 16% with sodium phosphate 8%	2.50	1	✓ Fleet Phosphate Enema
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETATE Enema 90 mg with sodium lauryl sulphoacetate 9 mg per n		ription	
5 ml	7.30	12	✓ Microlax
Stimulant Laxatives			
BISACODYL - Only on a prescription * Tab 5 mg * Suppos 5 mg		200 6	✓ <u>Lax-Tabs</u>
* Suppos 10 mg	(3.00) 3.96	12	Dulcolax ✓ Fleet
SENNA – Only on a prescription * Tab, standardised	2.17 (6.16)	100	Senokot
Metabolic Disorder Agents			
Gaucher's Disease			
IMIGLUCERASE – Special Authority see SA0473 below – Hos Inj 40 iu per ml, 200 iu vial	, , , ,] 1	✓ Cerezyme
▶SA0473 Special Authority for Subsidy Special Authority approved by the Gaucher's Treatment Panel Notes: Subject to a budgetary cap. Applications will be consider Application details may be obtained from PHARMAC's website			ding availability.
	460 4990 04) 916 7571 cherpanel@pharmac	c.govt.nz	
Mouth and Throat			
Agents Used in Mouth Ulceration			
BENZYDAMINE HYDROCHLORIDE Soln 0.15%	9.00 (15.36)	500 ml	Difflam
CHLORHEXIDINE GLUCONATE Mouthwash 0.2%	3.06	200 ml OP	✓ <u>Orion</u>
CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE * Adhesive gel 8.7% with cetalkonium chloride 0.01%	2.06 (5.05)	15 g OP	Bonjela

ALIMENTARY TRACT AND METABOLISM

	Subsidy		Fully Brand or
	(Manufacturer's I		osidised Generic
	\$	Per	✓ Manufacturer
SODIUM CARBOXYMETHYLCELLULOSE			
With pectin and gelatin paste	17 20	56 g OP	✓ Stomahesive
With poolin and golden pasto	1.52	5 g OP	• Stomanesive
	(3.60)	3 g OF	Orabase
	4.55	15 a OP	Olabase
		15 g OP	Orahaaa
With postion and colotin posses	(7.90)	00 - 00	Orabase
With pectin and gelatin powder		28 g OP	Chamahasina
	(10.95)		Stomahesive
TRIAMCINOLONE ACETONIDE			
0.1% in Dental Paste USP	4.38	5 g OP	✓ Oracort
Overhammanel Anti infectives			
Oropharyngeal Anti-infectives			
AMPHOTERICIN B			
Lozenges 10 mg	E 96	20	✓ Fungilin
Lozenges to mg		20	Fullgilli
MICONAZOLE			
Oral gel 20 mg per g	8.95	40 g OP	✓ Daktarin
NYSTATIN			
Oral lig 100,000 u per ml	3 10	24 ml OP	✓ Nilstat
Orar ilq 100,000 u per mi		24 1111 01	<u>INIIStat</u>
Other Oral Agents			
Ear folinia mouthurada nilacarnina aral liquid ar caliva aubatituta	formula refer no	70 166	
For folinic mouthwash, pilocarpine oral liquid or saliva substitute	iormula reler, paç	ge 100	
HYDROGEN PEROXIDE			
* Solution 10 vol - Maximum of 200 ml per prescription	1.28	100 ml	✓ PSM
THYMOL GLYCERIN			
* Compound, BPC	9 15	500 ml	✓ PSM
		000 1111	· · · · · · ·
Vitamins			
Vitamin A			
VITAMIN A WITH VITAMINS D AND C			
Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 m	0		
per 10 drops	4.38	10 ml OP	
	(5.51)		Vitadol C
Vitamin B Croun			
Vitamin B Group			
HYDROXOCOBALAMIN			
* Inj 1 mg per ml, 1 ml – Up to 6 inj available on a PSO	0.21	3	✓ ABM
* III] I IIIg pei IIII, I IIII – Op to o III] available oit a F30	9.21	3	
	10.01		Hydroxocobalamin
	10.84		✓ Neo-B12
PYRIDOXINE HYDROCHLORIDE			
a) No more than 100 mg per dose			
b) Only on a prescription			
* Tab 25 mg - No patient co-payment payable	3.06	90	✓ Healtheries
* Tab 50 mg		500	✓ Apo-Pyridoxine
· ·			- <u> j ao</u>
THIAMINE HYDROCHLORIDE – Only on a prescription		400	4 h
* Tab 50 mg	5.62	100	✓ Apo-Thiamine

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's F	Price) Sul	Fully Brand or osidised Generic
	\$	Per	✓ Manufacturer
/ITAMIN B COMPLEX	10.10	500	A Arra D Ormalan
* Tab, strong, BPC	12.10	500	✓ Apo-B-Complex
Vitamin C			
ASCORBIC ACID a) No more than 100 mg per dose b) Only on a prescription * Tab 100 mg	17.25	500	✓ Apo-Ascorbic Acid
Vitamin D			
ALFACALCIDOL			
Cap 0.25 μg	26.32	100	✓ One-Alpha
Cap 1 µg		100	✓ One-Alpha
Oral drops 2 µg per ml	60.68	20 ml OP	✓ One-Alpha
CALCITRIOL			
₭ Сар 0.25 µg	13.45	100	✓ <u>Calcitriol-AFT</u>
₭ Сар 0.5 µg		100	✓ <u>Calcitriol-AFT</u>
★ Oral liq 1 µg per ml	39.40	10 ml OP	✓ Rocaltrol solution
CHOLECALCIFEROL ★ Tab 1.25 mg (50,000 iu) – Maximum of 12 tab per prescri	ption10.35	12	✓ Cal-d-Forte
Vitamin E			
ALPHA TOCOPHERYL ACETATE - Special Authority see SA	.0915 below – Hosp	ital pharmacy	[HP3]
Water solubilised soln 156 iu/ml, with calibrated dropper.		50 ml OP	✓ Micelle E
· · · · · · · · · · · · · · · · · · ·			
■SA0915 Special Authority for Subsidy			
	alid for 2 years for a	oplications me	eting the following criteria:
nitial application from any relevant practitioner. Approvals va	alid for 2 years for a	oplications me	eting the following criteria:
nitial application from any relevant practitioner. Approvals va	alid for 2 years for a	oplications me	eting the following criteria:
nitial application from any relevant practitioner. Approvals va Either: 1 Cystic fibrosis patient; or 2 Both:		pplications me	eting the following criteria:
nitial application from any relevant practitioner. Approvals va Either: 1 Cystic fibrosis patient; or 2 Both: 2.1 Infant or child with liver disease or short gut synd		pplications me	eting the following criteria:
nitial application from any relevant practitioner. Approvals va Either: 1 Cystic fibrosis patient; or 2 Both: 2.1 Infant or child with liver disease or short gut sync 2.2 Requires vitamin supplementation.	drome; and		
nitial application from any relevant practitioner. Approvals va Either: 1 Cystic fibrosis patient; or 2 Both: 2.1 Infant or child with liver disease or short gut syncals. 2.2 Requires vitamin supplementation. Renewal from any relevant practitioner. Approvals valid for 2	drome; and		
nitial application from any relevant practitioner. Approvals va- Either: 1 Cystic fibrosis patient; or 2 Both: 2.1 Infant or child with liver disease or short gut syncally according to the syncal	drome; and		
Both: 2.1 Infant or child with liver disease or short gut synce. 2.2 Requires vitamin supplementation. Renewal from any relevant practitioner. Approvals valid for 2 penefiting from treatment. Multivitamin Preparations	drome; and		
nitial application from any relevant practitioner. Approvals va Either: 1 Cystic fibrosis patient; or 2 Both: 2.1 Infant or child with liver disease or short gut syncals. 2.2 Requires vitamin supplementation. Renewal from any relevant practitioner. Approvals valid for 2 penefiting from treatment. Multivitamin Preparations	drome; and 2 years where the t	reatment rema	iins appropriate and the patien
nitial application from any relevant practitioner. Approvals vacither: 1 Cystic fibrosis patient; or 2 Both: 2.1 Infant or child with liver disease or short gut synce 2.2 Requires vitamin supplementation. Renewal from any relevant practitioner. Approvals valid for 2 benefiting from treatment. Multivitamin Preparations	drome; and 2 years where the t		ins appropriate and the patien Healtheries
nitial application from any relevant practitioner. Approvals va Either: 1 Cystic fibrosis patient; or 2 Both: 2.1 Infant or child with liver disease or short gut syncals. 2.2 Requires vitamin supplementation. Renewal from any relevant practitioner. Approvals valid for 2 penefiting from treatment. Multivitamin Preparations	drome; and 2 years where the t	reatment rema	uins appropriate and the patien Mealtheries Multi-vitamin
Initial application from any relevant practitioner. Approvals validiter: 1 Cystic fibrosis patient; or 2 Both: 2.1 Infant or child with liver disease or short gut synce 2.2 Requires vitamin supplementation. Renewal from any relevant practitioner. Approvals valid for a penefiting from treatment. Multivitamin Preparations //TAMINS * Tab (BPC cap strength)	drome; and 2 years where the t	reatment rema	ins appropriate and the patien Healtheries
nitial application from any relevant practitioner. Approvals va Either: 1 Cystic fibrosis patient; or 2 Both: 2.1 Infant or child with liver disease or short gut syncals. 2.2 Requires vitamin supplementation. Renewal from any relevant practitioner. Approvals valid for 2 penefiting from treatment. Multivitamin Preparations	drome; and 2 years where the t	reatment rema	uins appropriate and the patien Mealtheries Multi-vitamin
nitial application from any relevant practitioner. Approvals validiter: 1 Cystic fibrosis patient; or 2 Both: 2.1 Infant or child with liver disease or short gut synce 2.2 Requires vitamin supplementation. Renewal from any relevant practitioner. Approvals valid for 2 benefiting from treatment. Multivitamin Preparations //TAMINS * Tab (BPC cap strength)	drome; and 2 years where the t	reatment rema	uins appropriate and the patien Mealtheries Multi-vitamin
nitial application from any relevant practitioner. Approvals validiter: 1 Cystic fibrosis patient; or 2 Both: 2.1 Infant or child with liver disease or short gut synce 2.2 Requires vitamin supplementation. Renewal from any relevant practitioner. Approvals valid for 2 penefiting from treatment. Multivitamin Preparations //TAMINS * Tab (BPC cap strength)	drome; and 2 years where the t	reatment rema	uins appropriate and the patien Mealtheries Multi-vitamin
nitial application from any relevant practitioner. Approvals validiter: 1 Cystic fibrosis patient; or 2 Both: 2.1 Infant or child with liver disease or short gut synce 2.2 Requires vitamin supplementation. Renewal from any relevant practitioner. Approvals valid for 2 penefiting from treatment. Multivitamin Preparations //TAMINS * Tab (BPC cap strength)	drome; and 2 years where the t	reatment rema	uins appropriate and the patien Mealtheries Multi-vitamin
nitial application from any relevant practitioner. Approvals validiter: 1 Cystic fibrosis patient; or 2 Both: 2.1 Infant or child with liver disease or short gut synce 2.2 Requires vitamin supplementation. Renewal from any relevant practitioner. Approvals valid for 2 penefiting from treatment. Multivitamin Preparations //TAMINS * Tab (BPC cap strength) Minerals Calcium CALCIUM * Tab eff 1 g (elemental)	drome; and 2 years where the t	reatment rema	ins appropriate and the patien Healtheries Multi-vitamin tablets
nitial application from any relevant practitioner. Approvals validiter: 1 Cystic fibrosis patient; or 2 Both: 2.1 Infant or child with liver disease or short gut synce 2.2 Requires vitamin supplementation. Renewal from any relevant practitioner. Approvals valid for 2 coenefiting from treatment. Multivitamin Preparations //TAMINS * Tab (BPC cap strength)	drome; and 2 years where the t14.80	reatment rema	ins appropriate and the patien Healtheries Multi-vitamin tablets

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	Su Per	Fully bsidised	Brand or Generic Manufacturer
CALCIUM GLUCONATE * Inj 10%, 10 ml	21.40	10	✓ M	ayne
Fluoride				
SODIUM FLUORIDE Tab 1.1 mg	4.00	100	✓ P:	SM
Iron				
FERROUS FUMARATE Tab 200 mg	3.75	100	✓ Fe	erro-tab
FERROUS FUMARATE WITH FOLIC ACID Tab 310 mg with folic acid 350 µg	3.95	60	✓ Fe	erro-F-Tabs
FERROUS GLUCONATE WITH ASCORBIC ACID * Tab 170 mg with ascorbic acid 40 mg	12.04	500		ealtheries Iron with Vitamin C
FERROUS SULPHATE * Tab long-acting 325 mg		150	E	erro-Gradumet
*‡ Oral liq 150 mg per 5 ml	(13.55) 10.30 5	500 ml		erodan
FERROUS SULPHATE WITH FOLIC ACID * Tab long-acting 325 mg with folic acid 350 μg	1.80 (3.24)	30	Fe	errograd-Folic
IRON POLYMALTOSE Inj 50 mg per ml, 2 ml	20.95	5	✓ <u>Fe</u>	errum H
Magnesium				
For magnesium hydroxide mixture refer, page 166 MAGNESIUM SULPHATE Inj 49.3%	26.60	10	<u>✓ M</u>	ayne
Zinc				
ZINC SULPHATE * Cap 220 mg	10.00	100	✓ <u>Zi</u>	ncaps

The Assessment and Management of Cardiovascular Risk

Absolute Cardiovascular Risk

Treatment decisions are based on the likelihood an individual will have a cardiovascular (CV) event over a given period of time. This replaces decision-making based on single risk factor levels. By knowing the risk level, an individual and their practitioner can make decisions for prevention and treatment of cardiovascular disease, including lifestyle advice, diabetes care, the prescription of lipid-modifying and blood pressure lowering medication and/or medication after myocardial infraction (MI) or ischaemic stroke.

The following steps explain the actions taken at each stage.

Step 1: Select people for risk assessment

Recommended ages for starting CV risk assessment

- Māori, Pacific peoples and people from the Indian subcontinent - age 35 years for men and age 45 years for women
- People with known cardiovascular risk factors or at high risk of developing diabetes - age 35 years for men and age 45 years for women
- Asymptomatic people, withouth known risk factors age 45 years for men and age 55 years for women.

Step 2: Measure and record risk factors

A comprehensive CV risk assessment includes measurement, and recording of: age, gender, ethnicity, smoking history, a fasting lipid profile, a fasting plasma glucose, the average of two sitting BPs, family history, wasit circumference, BMI.

People with diabetes will require additional tests: HbA1c, albumin: creatinine ratio, creatinine and date of diagnosis.

The risk of MI and ischaemic stroke increases before diagnostic levels of plasma glucose for diabetes are reached. People with IGT, IFG or the metabolic syndrome need active

intervention and follow-up.

Step 3: Risk Assessment

Who does not need their risk calculated using the CV risk tables?

5-year CV risk is assumed clinically to be more than 20% in:

- people who have had a previous cardiovascular event
- people with some gentic lipid disorders (familial hypercholesterolaemia, familial defective ApoB and familial combined dyslipidaemia
- people with diabetes and overt nephropathy (albumin:creatinine radio ≥ 30 mg/mmol) or diabetes with other renal disease.

Where risk may be underestimated using the cardiovascular risk tables

People with isolated elevated single risk factor levels will have at least greater than 15% CV risk over 5 years.

- TC greater than 8 mmol/L
- TC:HDL ratio greater than 8
- Blood pressure consistently greater than 170/100 mm Hg
- For age greater than 75 years the 5-year CV risk is greater than 15% in nearly all individuals.

5% may be added to CV risk for:

- a family history of premature coronary heart disease or ischaemic stroke in father or brother before the age of 55 years or mother or sister before the age of 65 years
- Māori
- Pacific or Indian people
- diabetes and microalbuminuria
- type 2 diabetes after 10 years
- type 2 diabetes with an HbA1c > 8%
- the metabolic syndrome

These adjustments should be made once only for people who have more than one criteria (the maximum adjustment is 5%).









CARDIOVASCULAR DISEASE: BASELINE RISK AND TREATMENT BENEFITS

Step 4: Intervention according to cardiovascular risk assessment

Cardiovascular risk	Lifestyle	Drug Therapy	Treatment goals	Follow-up
CVD risk clinically determined more than 20%	Intensive lifestyle advice on a cardioprotective dietary pattern with a dietitian, physical activity and smoking cessation interventions. Lifestyle advice should be given simultaneously with drug treatment	Aspirin, if not contraindicated, a beta blocker, statin and an ACE-inhibitor (after MI) or aspirin, statin and a new or increased dose of a blood pressure lowering agent (after stroke)	Efforts should be made to reach optimal risk factor levels	Cardiovascular risk assessments at least annually, risk factor monitoring every 3 to 6 months
CVD risk calculated more than 20%	Intensive lifestyle advice on a cardioprotective dietary pattern with a dietitian, physical activity and smoking cessation interventions. Lifestyle advice should be given simultaneously with drug treatment	Aspirin and drug treatment of all modifiable risk factors (blood pressure lowering, lipid modification and glycaemic control)	Risk factors treated to a level that will lower 5-year cardiovascular risk to less than 15% (by recalculating risk)	Cardiovascular risk assessments at least annually, risk factor monitoring every 3 to 6 months
15% to 20%	Specific individualised lifestyle advice on a cardioprotective dietary pattern, physical activity and smoking cessation. This lifestyle advice should be given by the primary health care team for 3 to 6 months prior to initiating drug treatment	Aspirin and drug treatment of all modifiable risk factors (blood pressure lowering, lipid modification and glycaemic control). Drug therapy indicated for people with extreme risk factor levels	Risk factors treated to a level that will lower 5-year cardiovascular risk to less than 15% (by recalculating risk)	Cardiovascular risk assessments at least annually, risk factor monitoring every 3 to 6 months
10% to 15%	Specific individualised lifestyle advice on a cardioprotective dietary pattern, physical activity and smoking cessation. This lifestyle advice should be given by the primary health care team	Non-pharmacological approach to treating multiple risk factors	Lifestyle advice aimed at reducing cardiovascular risk	Further cardiovascular risk assessment in 5 years
less than 10%	General lifestyle advice on a cardioprotective dietary pattern, physical activity and smoking cessation	Non-pharmacological approach to treating multiple risk factors	Lifestyle advice aimed at reducing cardiovascular risk	Further cardiovascular risk assessment in 5 to 10 years


Detail provided on the summary document of the evidence-based, best practice guideline, *The Assessment and Management of Cardiovascular Risk*. It is available for download at **www.nzgg.org.nz** - click on 'Guidelines/Publications' then 'Cardiology'.

















How to use the Tables

- Identify the table relating the to person's sex, diabetic status, smoking history and age
- Within the table choose the cell nearest to the person's age, blood pressure and TC:HDL ratio. When the systolic and diastolic values fall in different risk levels, the higher category applies.
- For example, the lower left cell contains all non-smokers without diabetes who are less than 45 years and have a TC:HDL ratio less than 4.5 and a blood pressure less than 130/80 mm Hg. People who fall exactly on a threshold between cells are placed in the cell indicating higher risk.

CARDIOVASCULAR DISEASE: BASELINE RISK AND TREATMENT BENEFITS Risk level men



	Benefits: NNT for 5 years to prevent one event (CVD events prevented per 100 people treated for 5 years)						
Risk level: 5 year CV risk (fatal and non-fatal)	1 intervention 2 interventions 3 interventions (25% risk reduction) (45% risk reduction) (55% risk reduction)						
30%	13 (7.5 per 100)	7 (14 per 100)	6 (16 per 100)				
20%	20 (5 per 100)	11 (9 per 100)	9 (11 per 100)				
15%	27 (4 per 100)	15 (7 per 100)	12 (8 per 100)				
10%	40 (2.5 per 100)	22 (4.5 per 100)	18 (5.5 per 100)				
5%	80 (1.25 per 100)	44 (2.25 per 100)	36 (3 per 100)				

Based on the conservative estimate that each intervention: aspirin, blood pressure treatment (lowering systolic blood pressure by 10 mm Hg) or lipid modification (lowering LDL-C by 20%) reduces cardiovascular risk by about 25% over 5 years.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic ✓ Manufacturer

Antianaemics

Hypoplastic and Haemolytic

⇒SA0922 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Both:
 - 1.1 patient in chronic renal failure; and
 - 1.2 Haemoglobin ≤ 100g/L; and
- 2 Any of the following:
 - 2.1 Both:
 - 2.1.1 patient is not diabetic; and
 - 2.1.2 glomerular filtration rate ≤ 30ml/min; or
 - 2.2 Both:
 - 2.2.1 patient is diabetic; and
 - 2.2.2 glomerular filtration rate ≤ 45ml/min; or
 - 2.3 patient is on haemodialysis or peritoneal dialysis.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Notes: Erythropoietin beta is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

The Cockroft-Gault Formula may be used to estimate glomerular filtration rate (GFR) in persons 18 years and over:

GFR (ml/min) (male) = $(140 - age) \times Ideal Body Weight (kg) / 814 \times serum creatinine (mmol/l)$

GFR (ml/min) (female) = Estimated GFR (male) \times 0.85

ERYTHROPOIETIN ALPHA – Special Authority see SA0922 above – Hospital pharmacy [HP3]	
Inj human recombinant 1,000 iu pre-filled syringe48.68	✓ Eprex
Inj human recombinant 2,000 iu, pre-filled syringe120.18	✓ Eprex
Inj human recombinant 3,000 iu, pre-filled syringe166.87	✓ Eprex
Inj human recombinant 4,000 iu, pre-filled syringe193.13	✓ Eprex
Inj human recombinant 5,000 iu, pre-filled syringe243.26 6	✓ Eprex
Inj human recombinant 6,000 iu, pre-filled syringe291.92	✓ Eprex
Inj human recombinant 10,000 iu, pre-filled syringe395.18 6	✓ Eprex
ERYTHROPOIETIN BETA - Special Authority see SA0922 above - Hospital pharmacy [HP3]	
Inj 1,000 iu, pre-filled syringe48.68 6	Recormon
Inj 2,000 iu, pre-filled syringe120.18 6	✓ NeoRecormon

Inj 10,000 iu, pre-filled syringe395.18 (Recormon Inj 1,000 iu, pre-filled syringe to be delisted 1 March 2009)

Megaloblastic

FO	LIC ACID			
*	Tab 0.8 mg	16.50	1,000	✓ Apo-Folic Acid
*	Tab 5 mg	6.59	500	✓ Apo-Folic Acid
	Oral liq 50 µg per ml	21.05	25 ml OP	✓ Biomed

6

✓ NeoRecormon
✓ NeoRecormon

✓ NeoRecormon
✓ NeoRecormon

NeoRecormon

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Antifibrinolytics, Haemostatics and Local Scle	erosants			
SODIUM TETRADECYL SULPHATE				
* Inj 0.5% 2 ml	23.20	5		
	(45.52)		F	ibro-vein
* Inj 1% 2 ml		5		
	(48.98)	_	F	ibro-vein
* Inj 3% 2 ml		5	_	
	(55.91)		۲	ibro-vein
TRANEXAMIC ACID				
Tab 500 mg	49.14	100	V 0	yklokapron
Vitamin K				
MENADIONE SODIUM BISULPHITE				
* Tab 10 mg	4.75	100	∠ K	-Thrombin
PHYTOMENADIONE				
Tab 10 mg	5 60	10	✓ K	onakion
Inj 2 mg per 0.2 ml – Up to 5 inj available on a PSO		5	*	Conakion MM
Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	✓ K	Conakion MM
Antithrombotic Agents				
Antiplatelet Agents				
ASPIRIN				
ж Таb 100 mg	16.83	990	√ =	thics Aspirin EC
•		330	¥ <u>L</u>	шноз мэрини со
CLOPIDOGREL – Special Authority see SA0867 below – Reta	' '	00		na Olamida musl
Tab 75 mg		28		po-Clopidogrel Iavix
	(73.38)		Р	IdVIX

■SA0867 Special Authority for Subsidy

Initial application — (aspirin allergic patients) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient is allergic to aspirin (see definition below); and
- 2 Any of the following:

The patient has:

- 2.1 suffered from a stroke, or transient ischaemic attack; or
- 2.2 experienced an acute myocardial infarction; or
- 2.3 experienced an episode of pain at rest of greater than 20 minutes duration due to coronary disease that required admission to hospital for at least 24 hours; or
- 2.4 had a troponin T or troponin I test result greater than the upper limit of the reference range; or
- 2.5 had a revascularisation procedure; or
- 2.6 experienced symptomatic peripheral vascular disease of a severity that has required specialist consultation.

Note: Aspirin allergy is defined as a history of anaphylaxis, urticaria or asthma within 4 hours of ingestion of aspirin, other salicylates or NSAIDs.

Initial application — (aspirin tolerant patients and aspirin naive patients) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Any of the following:

The patient has:

continued...

Subsidy (Manufacturer's Price)	Su		Brand or Generic
\$	Per	~	Manufacturer

continued...

- 1 experienced an acute myocardial infarction; or
- 2 had an episode of pain at rest of greater than 20 minutes duration due to coronary disease that required admission to hospital for at least 24 hours; or
- 3 had a troponin T or troponin I test result greater than the upper limit of the reference range; or
- 4 had a revascularisation procedure.

Initial application — (patients awaiting revascularisation) from any relevant practitioner. Approvals valid for 6 months where the patient is on a waiting list or active review list for stenting, coronary artery bypass grafting, or percutaneous coronary angioplasty following acute coronary syndrome.

Initial application — (post stenting) from any relevant practitioner. Approvals valid for 6 months where the patient has had a stent inserted in the previous 4 weeks.

Initial application — (documented stent thrombosis) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has, while on treatment with aspirin or clopidogrel, experienced documented stent thrombosis.

Renewal — (aspirin tolerant patients) from any relevant practitioner. Approvals valid without further renewal unless notified where while on treatment with aspirin the patient has experienced an additional vascular event following the recent cessation of clopidogrel.

Renewal — (acute coronary syndrome - aspirin tolerant patients and aspirin naive patients) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Any of the following:

The patient has:

- 1 experienced an acute myocardial infarction: or
- 2 had an episode of pain at rest of greater than 20 minutes duration due to coronary disease that required admission to hospital for at least 24 hours; or
- 3 had a troponin T or troponin I test result greater than the upper limit of the reference range; or
- 4 had a revascularisation procedure.

Renewal — (patients awaiting revascularisation) from any relevant practitioner. Approvals valid for 6 months where the patient is on a waiting list or active review list for stenting, coronary artery bypass grafting or percutaneous coronary angioplasty following acute coronary syndrome.

Renewal — (post stenting) from any relevant practitioner. Approvals valid for 6 months where the patient has had a stent inserted in the previous 4 weeks.

Renewal — (documented stent thrombosis) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has, while on treatment with aspirin or clopidogrel, experienced documented stent thrombosis.

DIPYRIDAMOLE

*	Tab 25 mg - Additional subsidy by Special Authority see			
	SA0930 below – Retail pharmacy	0.16	84	
		(8.36)		Persantin
*	Tab long-acting 150 mg - Special Authority see SA0929 on			
	the next page - Retail pharmacy	11.52	60	✔ Pvtazen SR

⇒SA0930 Special Authority for Manufacturers Price

Initial application — (Conditions other than transient ischaemic episodes) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 Patients with prosthetic heart valves as an adjunct to oral anticoagulation for prophylaxis of thromboembolism; or
- 2 Patients after coronary artery vein bypass graft as an adjunct to aspirin or as monotherapy for patients who are aspirin intolerant.

Note: Aspirin intolerant patients are defined as those with aspirin induced asthma, urticaria, or anaphylaxi, or those with significant aspirin induced bleeding, excluding bruising.

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

Initial application — (Transient ischaemic episodes) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to have transient ischaemic episodes despite aspirin therapy or has transient ischaemic episodes and is aspirin intolerant.

Note: Aspirin intolerant patients are defined as those with aspirin induced asthma, urticaria, or anaphylaxi, or those with significant aspirin induced bleeding, excluding bruising.

Renewal — (Existing 2 year approvals) from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

■ SA0929 Special Authority for Subsidy

Initial application — (Conditions other than transient ischaemic episodes) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patients with prosthetic heart valves as an adjunct to oral anticoagulation for prophylaxis of thromboembolism; or
- 2 Patients after coronary artery vein bypass graft as an adjunct to aspirin or as monotherapy for patients who are aspirin intolerant.

Note: Aspirin intolerant patients are defined as those with aspirin induced asthma, urticaria, or anaphylaxi, or those with significant aspirin induced bleeding, excluding bruising.

Initial application — (Transient ischaemic episodes) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to have transient ischaemic episodes despite aspirin therapy or has transient ischaemic episodes and is aspirin intolerant.

Note: Aspirin intolerant patients are defined as those with aspirin induced asthma, urticaria, or anaphylaxi, or those with significant aspirin induced bleeding, excluding bruising.

Renewal — (Existing 2 year approvals) from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Heparin and Antagonist Preparations

HEPARIN SODIUM			
Inj 1,000 iu per ml, 5 ml	66.80	50	Mayne
Inj 1,000 iu per ml, 35 ml	12.10	1	✓ Mayne
Inj 5,000 iu per ml, 1 ml		5	✓ Mayne
Inj 5,000 iu per ml, 5 ml	37.45	10	Multiparin
Inj 25,000 iu per ml, 0.2 ml		5	✓ Mayne
HEPARINISED SALINE			
* Inj 100 iu per ml, 2 ml	8.30	10	✓ Hospira S29
* Inj 10 iu per ml, 5 ml	18.00	50	✓ AstraZeneca
* Inj 100 iu per ml, 5 ml		50	✓ Mayne
(Mayne Inj 100 iu per ml, 5 ml to be delisted 1 March 2009)			·
PROTAMINE SULPHATE			
* Inj 10 mg per ml, 5 ml	22.40	10	
, , , , , , , , , , , , , , , , , , ,	(76.25)		Artex

Oral Anticoagulants

WARFARIN SODIUM

Note: Marevan and Coumadin are not interchangeable.

*	Tab 1 mg	3.46	50	Coumadin
		5.69	100	✓ Marevan
*	Tab 2 mg	4.31	50	Coumadin
*	Tab 3 mg	8.00	100	Marevan
*	Tab 5 mg	5.93	50	Coumadin
	-	9.64	100	Marevan

	Subsidy (Manufacturer's Prior		Fully Brand or osidised Generic
	\$	Per	✓ Manufacturer
Fluids and Electrolytes			
Intravenous Administration			
DEXTROSE			
* Inj 50%, 10 ml - Up to 5 inj available on a PSO		5	✓ Biomed
* Inj 50%, 90 ml – Up to 5 inj available on a PSO	11.25	1	✓ Biomed
POTASSIUM CHLORIDE			
* Inj 75 mg per ml, 10 ml		50	✓ AstraZeneca
* Inj 150 mg per ml, 10 ml	26.00	50	✓ AstraZeneca
SODIUM BICARBONATE			
Inj 8.4%, 50ml	19.95	1	✓ Biomed
a) Up to 5 inj available on a PSO b) Not in combination			
Inj 8.4%, 100 ml	20.50	1	✓ Biomed
a) Up to 5 inj available on a PSO	20.30	'	• Bioinea
b) Not in combination			
SODIUM CHLORIDE			
Inf 0.9% - Up to 2000 ml available on a PSO	3.06	500 ml	✓ Baxter
	4.06	1,000 ml	✔ Baxter
Only if prescribed on a prescription for renal dialysis, mater	ernity or post-natal	care in the	home of the patient, or on a PSO
for emergency use. (500 ml and 1,000 ml packs)	06.50	-	✓ Biomed
Inj 23.4%, 20 ml Inj 0.9%, 5 ml – Up to 5 inj available on a PSO		5 50	✓ AstraZeneca
Inj 0.9%, 10 ml – Up to 5 inj available on a PSO		50	✓ AstraZeneca
Inj 0.9%, 20 ml		20	Multichem
	11.79	30	✔ Pharmacia
TOTAL PARENTERAL NUTRITION (TPN) - Hospital pharmacy [HP1]-Specialist		
Infusion		1 OP	✓ TPN
WATER			
1) On a prescription or Practitioner's Supply Order only whe	n on the same for	m as an inje	ection listed in the Pharmaceutical
Schedule requiring a solvent or diluent; or			
2) On a bulk supply order; or3) When used in the extemporaneous compounding of eye dr	one		
Purified for inj 2 ml — Up to 5 inj available on a PSO	•	50	✓ Baxter
Purified for inj 5 ml – Up to 5 inj available on a PSO		50	✓ Multichem
Purified for inj 10 ml - Up to 5 inj available on a PSO		50	✓ Multichem
Purified for inj 20 ml – Up to 5 inj available on a PSO	5.04	20	✓ <u>Multichem</u>
(Baxter Purified for inj 2 ml to be delisted 1 July 2009)			
Oral Administration			
CALCIUM POLYSTYRENE SULPHONATE			
Powder	169.85	300 g OP	✓ Calcium Resonium
COMPOUND ELECTROLYTES			
Powder for soln for oral use 5 g - Up to 10 sach available on			
a PSO	2.86	10	✓ Enerlyte

Subsidy

Fully

Brand or

	Subsidy	D: \ 0.1	Fully Brand or
	(Manufacturer's \$	Price) Sub	sidised Generic Manufacturer
DEXTROSE WITH ELECTROLYTES			
Soln with electrolytes	6.66	1,000 ml OP	✓ Pedialyte -
			<u>Bubblegum</u>
	6.78		 ✓ Pedialyte - Fruit ✓ Pedialyte - Plain
POTASSIUM BICARBONATE	0.70		redialyte - Flain
Tab eff 315 mg with sodium acid phosphate 1.937 g and	4		
sodium bicarbonate 350 mg		100	✓ Phosphate-Sandoz
For phosphate supplementation			
POTASSIUM CHLORIDE			
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	5.26	60	
	(11.85)		Chlorvescent
* Tab long-acting 600 mg	5.20	200	✓ <u>Span-K</u>
SODIUM POLYSTYRENE SULPHONATE	00.40	450 - OD	. / December A
Powder	89.10	450 g OP	✓ Resonium-A
Lipid Modifying Agents			
Fibrates			
BEZAFIBRATE			
★ Tab 200 mg		90	✓ <u>Fibalip</u>
Fab long-acting 400 mg	7.60	30	✓ Bezalip Retard
Other Lipid Modifying Agents			
CIPIMOX			
k Cap 250 mg	18.75	30	✓ Olbetam
NICOTINIC ACID			
k Tab 50 mg		100	Apo-Nicotinic Acid
≰ Tab 500 mg	17.60	100	✓ Apo-Nicotinic Acid
Resins			
CHOLESTYRAMINE WITH ASPARTAME			
Sachets 4 g with aspartame	19.25	50	
	(28.88)		Questran-Lite
COLESTIPOL HYDROCHLORIDE			
Sachets 5 g	16.17	30	✓ Colestid
HMG CoA Reductase Inhibitors (Statins)			

HMG CoA Reductase Inhibitors (Statins)

Prescribing Guidelines

Treatment with HMG CoA Reductase Inhibitors (statins) is recommended for patients with dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater.

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🗸	Brand or Generic Manufacturer
ATORVASTATIN – Additional subsidy by Special Authority see Sa See prescribing guideline on the preceding page	A0788 below – Retail _I	oharmacy	
* Tab 10 mg	4.03 (18.32)	30 L	ipitor
* Tab 20 mg	5.87 (26.70)	30 L	ipitor
* Tab 40 mg	8.14 (37.02)	30 L	ipitor

■ SA0788 Special Authority for Manufacturers Price

Initial application only from a relevant specialist or general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Either:
 - 2.1 Patient has severe documented intolerance to simvastatin (blood tests are not required); or
 - 2.2 Both:
 - 2.2.1 Patient has been compliant with a dose of simvastatin of 80 mg per day for at least 2 months; and
 - 2.2.2 Either:
 - 2.2.2.1 All of the following:
 - 2.2.2.1.1 Patient has venous CABG: and
 - 2.2.2.1.2 LDL cholesterol test $1 \ge 2.0$ mmol/litre; and
 - 2.2.2.1.3 LDL cholesterol test $2 \ge 2.0 \text{ mmol/litre}$ (at least 1 week after test 1); or
 - 2.2.2.2 All of the following:
 - 2.2.2.2.1 Patient does not have venous CABG: and
 - 2.2.2.2 LDL cholesterol test $1 \ge 2.5$ mmol/litre; and
 - 2.2.2.2.3 LDL cholesterol test $2 \ge 2.5$ mmol/litre (at least 1 week after test 1).

Notes: To confirm that cholesterol levels are not still improving, two lipid tests must be carried out during treatment with simvastatin 80 mg, and have results for LDL cholesterol that have reduced by <10% in the second test. The tests must be carried out while the patient is in a fasted state (with the exception of patients with IDDM).

The following indications of intolerance to simvastatin, are known as class effects for all statins, and hence are likely to mean that the patient may also be intolerant of atorvastatin:

- Constipation, flatulence (may occur in >1% of patients)
- Asthenia, abdominal pain, headache (may occur in >1% of patients)
- Myopathy, rhabdomyolysis (may occur in <3% of patients)
- Elevated serum transaminase levels (may occur in <1% of patients)

Statins have been shown to be generally well tolerated in clinical studies, with the rate of discontinuation due to adverse reactions being less than 5%, and similar to the discontinuation rate for patients taking a placebo.

PRAVASTATIN - Special Authority see SA0932 below - Retail pharmacy

See prescribing guideline on the preceding page			
Tab 10 mg	27.46	30	Pravachol
Tab 20 mg	42.58	30	Pravachol
Tab 40 mg	65.31	30	Pravachol

■ SA0932 | Special Authority for Subsidy

Initial application — (Confirmed HIV/AIDS) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater; and
- 2 Confirmed HIV infection; and
- 3 Patient is being treated with an HIV protease inhibitor.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
SIMVASTATIN – See prescribing guideline on page 49					
* Tab 10 mg	1.27	30	✓ S	imvaRex	
	8.33		✓ L	ipex	
* Tab 20 mg	1.54	30	✓ S	imvaRex	
-	10.13		✓ L	ipex	
* Tab 40 mg	2.74	30	✓ S	imvaRex	
•	18.00		✓ L	ipex	
* Tab 80 mg	3.18	30	✓ S	imvaRex	
	21.00		✓ L	ipex	
Selective Cholesterol Absorption Inhibitors					

EZETIMIBE - Special Authority see SA0796 below - Retail pharmacy
Tab 10 mg57.60 30 ✓ Ezetrol

⇒SA0796 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 ezetimibe is to be used in combination with simvastatin; or
 - 1.2 ezetimibe is to be used without a statin; and
- 2 Fither:
 - 2.1 All of the following:
 - 2.1.1 Patient has a calculated absolute risk of cardiovascular disease >20% over 5 years; and
 - 2.1.2 Patient cannot tolerate statin therapy at a dose of ≥ 40 mg per day; and
 - 2.1.3 Either:
 - 2.1.3.1 All of the following:
 - 2.1.3.1.1 Patient has venous CABG; and
 - 2.1.3.1.2 LDL cholesterol ≥ 2.0 mmol/litre (see note); and
 - 2.1.3.1.3 LDL cholesterol ≥ 2.0 mmol/litre (at least 1 week after test 1 see note); or
 - 2.1.3.2 All of the following:
 - 2.1.3.2.1 Patient does not have venous CABG; and
 - 2.1.3.2.2 LDL cholesterol > 2.5 mmol/litre (see note); and
 - 2.1.3.2.3 LDL cholesterol ≥ 2.5 mmol/litre (at least 1 week after test 1 see note); or
 - 2.2 All of the following:
 - 2.2.1 Patient has homozygous familial hypercholesterolemia, or heterozygous familial hypercholesterolemia; and
 - 2.2.2 Patient has been compliant for at least two months with maximum dose statin therapy; and
 - 2.2.3 LDL cholesterol ≥ 5 mmol/litre (see note); and
 - 2.2.4 LDL cholesterol \geq 5 mmol/litre (at least 1 week after test 1 see note).

Note: Two lipid tests are required to assess LDL cholesterol levels, the tests must be at least one week apart, and be carried out in a fasted state (other than for patients with IDDM). The results for LDL cholesterol levels in both tests must be above those specified. **Renewal** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 ezetimibe is to be used in combination with simvastatin; or
 - 2.2 ezetimibe is to be used without a statin.

EZETIMIBE WITH SIMVASTATIN - Special Authority see SA0826 on the next page - Retail pharmacy

69.00	30	Vytorin
75.00	30	✓ Vytorin
103.50	30	✓ Vytorin
123.00	30	✓ Vytorin

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic ✓ Manufacturer

⇒SA0826 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 Patient has a calculated absolute risk of cardiovascular disease >20% over 5 years; and
 - 1.2 Patient cannot tolerate statin therapy at a dose of ≥ 40 mg per day; and
 - 1.3 Either:
 - 1.3.1 All of the following:
 - 1.3.1.1 Patient has venous CABG: and
 - 1.3.1.2 LDL cholesterol ≥ 2.0 mmol/litre (see note); and
 - 1.3.1.3 LDL cholesterol ≥ 2.0 mmol/litre (at least 1 week after test 1 see note); or
 - 1.3.2 All of the following:
 - 1.3.2.1 Patient does not have venous CABG; and
 - 1.3.2.2 LDL cholesterol \geq 2.5 mmol/litre (see note); and
 - 1.3.2.3 LDL cholesterol \geq 2.5 mmol/litre (at least 1 week after test 1 see note); or
- 2 All of the following:
 - 2.1 Patient has homozygous familial hypercholesterolemia, or heterozygous familial hypercholesterolemia; and
 - 2.2 Patient has been compliant for at least two months with maximum dose statin therapy; and
 - 2.3 LDL cholesterol ≥ 5 mmol/litre (see note); and
 - 2.4 LDL cholesterol \geq 5 mmol/litre (at least 1 week after test 1 see note).

Note: Two lipid tests are required to assess LDL cholesterol levels, the tests must be at least one week apart, and be carried out in a fasted state (other than for patients with IDDM). The results for LDL cholesterol levels in both tests must be above those specified. **Renewal** only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy (Manufacturer's Price \$) Per	Fully Subsidised	
Alpha Adrenoceptor Blockers				
DOXAZOSIN MESYLATE			4.	
* Tab 2 mg	22.85	500	_	Apo-Doxazosin
* Tab 4 mg	30.26	500	<u> </u>	Apo-Doxazosin
PHENOXYBENZAMINE HYDROCHLORIDE				
* Cap 10 mg	7.82	30	✓ [Dibenyline S29
		•	, ,	
PHENTOLAMINE MESYLATE	47.07	_		
* Inj 10 mg per ml, 1 ml		5	_	
	(31.65)		F	Regitine
PRAZOSIN HYDROCHLORIDE				
* Tab 0.5 mg	9.50	100	✓ F	lyprosin
* Tab 1 mg	5.53	100	✓ <u>P</u>	Apo-Prazo
* Tab 2 mg	7.00	100	✓ <u>P</u>	Apo-Prazo
* Tab 5 mg	11.70	100	✓ <u>P</u>	Apo-Prazo
(Hyprosin Tab 0.5 mg to be delisted 1 February 2009)				
TERAZOSIN HYDROCHLORIDE				
$*$ Tab 7 \times 1 mg and 7 \times 2 mg	0.74	14 OP	/	lytrin Starter Pack
* Tab 2 mg		28		•
ř	(4.66)		H	Hytrin
* Tab 5 mg	1.91 [′]	28		•
ř	(5.60)		H	Hytrin
	, ,			•

Agents Affecting the Renin-Angiotensin System

Perindopril and trandolapril will be funded to the level of the ex-manufacturer price listed in the Schedule for patients who were taking these ACE inhibitors for the treatment of congestive heart failure prior to 1 June 1998. The prescription must be endorsed accordingly. We recommend that the words used to indicate eligibility are "certified condition" or an appropriate description of the patient such as "congestive heart failure", "CHF", "congestive cardiac failure" or "CCF". **Definition of Congestive Heart Failure** At the request of some prescribers the PTAC Cardiovascular subcommittee has provided a definition of congestive heart failure for the purposes of the funding of the manufacturer's surcharge: "Clinicians should use their clinical judgement. Existing patients would be eligible for the funding of the surcharge if the patient shows signs and symptoms of congestive heart failure, and requires or has in the past required concomitant treatment with a diuretic. The definition could also be considered to include patients post myocardial infarction with an ejection fraction of less than 40%."

ACE Inhibitors

CAPTOPRIL		
* Tab 12.5 mg10.40	500	Apo-Captopril
* Tab 25 mg	500	✓ Apo-Captopril
* Tab 50 mg19.00	500	✓ Apo-Captopril
*‡ Oral liq 5 mg per ml51.04	95 ml OP	✓ Capoten
Oral liquid restricted to children under 12 years of age.		
CILAZAPRIL		
* Tab 0.5 mg2.20	30	✓ Inhibace
* Tab 2.5 mg4.39	30	✓ Inhibace
* Tab 5 mg6.44	30	✓ Inhibace

CARDIOVASCULAR SYSTEM

	Subsidy		Fully	Brand or
	Manufacturer's Price) \$	Subsid Per	aisea	Generic Manufacturer
ENALAPRIL				
* Tab 5 mg	2.19	90	✓ m	n-Enalapril
* Tab 10 mg		90		n-Enalapril
* Tab 20 mg	3.68	90	<u>√</u> <u>m</u>	-Enalapril
LISINOPRIL				
* Tab 5 mg	2.78	30	✓ A	rrow-Lisinopril
* Tab 10 mg	3.16	30		rrow-Lisinopril
* Tab 20 mg	3.91	30	✓ A	rrow-Lisinopril
PERINDOPRIL				
* Tab 2 mg - Higher subsidy of \$18.50 per 30 with Endorsement	13.00	30		
	(18.50)		С	oversyl
* Tab 4 mg - Higher subsidy of \$25.00 per 30 with Endorsement	4.05	30		
	(25.00)		С	oversyl
QUINAPRIL				
* Tab 5 mg	1.60	30	✓ <u>A</u>	ccupril
* Tab 10 mg	1.75	30	✓ <u>A</u>	ccupril
* Tab 20 mg	2.35	30	✓ <u>A</u>	ccupril
TRANDOLAPRIL				
* Cap 1 mg - Higher subsidy of \$18.67 per 28 with Endorsement	13.06	28		
	(18.67)		G	iopten
* Cap 2 mg - Higher subsidy of \$27.00 per 28 with Endorsement	14.43	28		
	(27.00)		G	iopten
ACE Inhibitors with Diuretics				
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 5 mg with hydrochlorothiazide 12.5 mg	6.30	28	✓ Ir	hibace Plus
,		20	• "	inibade i ias
ENALAPRIL WITH HYDROCHLOROTHIAZIDE * Tab 20 mg with hydrochlorothiazide 12.5 mg	2 22	30		
* Tab 20 mg with hydrochlorothiazide 12.5 mg	(8.70)	30	C	o-Renitec
OUNTARDU WITH HVDDOOLII ODOTHIAZIDE	(0.70)		Ŭ	o Hornico
QUINAPRIL WITH HYDROCHLOROTHIAZIDE	0.07	20		ccuretic 10
* Tab 10 mg with hydrochlorothiazide 12.5 mg Tab 20 mg with hydrochlorothiazide 12.5 mg		30 30	_	ccuretic 20
	4.57	30	<u> </u>	ccurenc 20
Angiotension II Antagonists				
CANDESARTAN - Special Authority see SA0933 below - Retail pl	narmacy			
* Tab 4 mg – No more than 1.5 tab per day	,	30	✓ A	tacand
* Tab 8 mg - No more than 1.5 tab per day		30	✓ A	tacand
* Tab 16 mg - No more than 1 tab per day		30	✓ A	tacand
* Tab 32 mg - No more than 1 tab per day	38.50	30	✓ A	tacand

⇒SA0933 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Patient with congestive heart failure; and
 - 1.2 Either:

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- 1.2.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
- 1.2.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years; or
- 2 All of the following:
 - 2.1 Patient with raised blood pressure: and
 - 2.2 Use of fully funded beta blockers or diuretics are contraindicated; or not well tolerated; or insufficient to control blood pressure adequately at appropriate doses; and
 - 2.3 Either:
 - 2.3.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
 - 2.3.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years.

LOSARTAN – Special Authority see SA0911 below – Retail pharmacy

*	Tab 12.5 mg17.40	30	Cozaar
*	Tab 25 mg21.76	30	Cozaar
*	Tab 50 mg23.10	30	Cozaar
	Tab 50 mg with hydrochlorothiazide 12.5 mg30.00	30	Hyzaar
*	Tab 100 mg35.40	30	✓ Cozaar

⇒SA0911 Special Authority for Subsidy

Initial application — (ACE inhibitor intolerance) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has persistent ACE inhibitor induced cough that is not resolved by ACE inhibitor retrial (same or new ACE inhibitor); or
- 2 Patient has a history of angioedema.

Initial application — (Unsatisfactory response to ACE inhibitor) from any relevant practitioner. Approvals valid without further renewal unless notified where patient is not adequately controlled on maximum tolerated dose of an ACE inhibitor.

Initial application — (Patient had an approval for Losartan with hydrochlorothiazide prior to 1 May 2008) from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Antiarrhythmics

For lignocaine	hydrochloride	refer to	NERVOUS	SYSTEM,	Anaesthetics,	Local,	page	110

AMIODARONE HYDROCHLORIDE			
▲ Tab 100 mg - Retail pharmacy-Specialist	18.65	30	✓ Aratac
			Cordarone-X
▲ Tab 200 mg - Retail pharmacy-Specialist	30.52	30	✓ Aratac
			Cordarone-X
Inj 50 mg per ml, 3 ml - Up to 5 inj available on a PSO	60.84	10	Cordarone-X
DIGOXIN			
* Tab 62.5 µg - Up to 30 tab available on a PSO	6.94	250	Lanoxin PG
* Tab 250 µg - Up to 30 tab available on a PSO	15.13	250	Lanoxin
*‡ Oral liq 50 µg per ml		60 ml	Lanoxin
DISOPYRAMIDE PHOSPHATE			
▲ Cap 100 mg	15.00	100	
	(23.87)		Rythmodan
▲ Can 150 mg	26 21	100	✓ Rythmodan

CARDIOVASCULAR SYSTEM

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	d Generic
FLECAINIDE ACETATE - Retail pharmacy-Specialist				
▲ Tab 50 mg	42.82	60	~	Tambocor
▲ Tab 100 mg	75.63	60	~	Tambocor
▲ Cap long-acting 100 mg	42.82	30	~	Tambocor CR
▲ Cap long-acting 200 mg	75.63	30	~	Tambocor CR
Inj 10 mg per ml, 15 ml	49.02	5	~	Tambocor
MEXILETINE HYDROCHLORIDE				
▲ Cap 50 mg	23.52	100	~	Mexitil
▲ Cap 200 mg	55.05	100	~	Mexitil
PROPAFENONE HYDROCHLORIDE – Retail pharmacy-Specialis Tab 150 mg		50	~	Rytmonorm
Antihypotensives				
MIDODRINE - Special Authority see SA0934 below - Hospital ph	,	100		Outro
Tab 2.5 mg		100		Gutron Cutron
Tab 5 mg	79.00	100	V	<u>Gutron</u>

⇒SA0934 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Disabling orthostatic hypotension not due to drugs; and
- 2 Patient has tried fludrocortisone (unless contra-indicated) with unsatisfactory results; and
- 3 Patient has tried non pharmacological treatments such as support hose, increased salt intake, exercise, and elevation of head and trunk at night.

Notes: Treatment should be started with small doses and titrated upwards as necessary.

Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Beta Adrenoceptor Blockers

ACEBUTOLOL * Cap 100 mg	100 100	✓ ACB ✓ ACB
ATENOLOL		
* Tab 50 mg	30	✓ Noten S29
6.50	500	✓ <u>Loten</u>
		✓ Pacific Atenolol
* Tab 100 mg11.30	500	✓ <u>Loten</u>
		✓ Pacific Atenolol
(Loten Tab 50 mg to be delisted 1 March 2009)		
(Loten Tab 100 mg to be delisted 1 March 2009)		
CARVEDILOL		
Tab 6.25 mg21.00	30	✓ Dilatrend
Tab 12.5 mg27.00	30	✓ Dilatrend
Tab 25 mg33.75	30	Dilatrend
CELIPROLOL		
* Tab 200 mg19.00	180	✓ Celol

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
ABETALOL				
: Tab 50 mg	8.66	100	✓ H	ybloc
: Tab 100 mg	10.59	100	✓ H	ybloc
: Tab 200 mg	18.47	100	✓ H	ybloc
: Tab 400 mg	34.44	100	✓ H	ybloc
: Inj 5 mg per ml, 5 ml	14.77	5		
, ,	(22.15)		Ti	randate s29
Inj 5 mg per ml, 20 ml	59.06 [°]	5		
, .	(88.60)		Tı	randate

METOPROLOL SUCCINATE

Additional subsidy by endorsement is available for patients who:

- 1) were being prescribed metoprolol succinate prior to 1 October 2007; or
- 2) have experienced a myocardial infarction; or
- 3) have experienced heart failure and are either intolerant of carvedilol or it is contra-indicated.

Pharmacists may annotate prescriptions for patients who were being prescribed metoprolol succinate prior to 1 October 2007 in which case the prescription is deemed to be endorsed. The pharmacist must be able to show a clear documented dispensing history for the patient. The prescription must be endorsed accordingly.

* Tab long-acting 23.75 mg — Higher subsidy of \$6.20 per 30

with Endorsement	5.20	30	
With Endorsement.	(6.20)	30	Betaloc CR
* Tab long-acting 47.5 mg - Higher subsidy of \$7.80 per 30	(0.20)		2010.00 0.1
with Endorsement	6.50	30	
	(7.80)		Betaloc CR
* Tab long-acting 95 mg - Higher subsidy of \$13.20 per 30 with	, ,		
Endorsement	11.20	30	
	(13.20)		Betaloc CR
* Tab long-acting 190 mg - Higher subsidy of \$21.00 per 30			
with Endorsement	20.25	30	
	(21.00)		Betaloc CR
METOPROLOL TARTRATE			
* Tab 50 mg	16.50	100	/ Lopresor
* Tab 100 mg		60	✓ Lopressor
* Tab long-acting 200 mg	18.40	28	✓ Slow-Lopressor
* Inj 1 mg per ml 5 ml	24.08	5	
	(34.00)		Betaloc
NADOLOL			
* Tab 40 mg	14.97	100	✓ Apo-Nadolol
* Tab 80 mg	22.19	100	Apo-Nadolol
PINDOLOL			
* Tab 5 mg	4.50	100	✓ Pindol
* Tab 10 mg		100	/ Pindol
* Tab 15 mg		100	✓ Pindol
PROPRANOLOL			
* Tab 10 mg	3.55	100	✓ Cardinol
* Tab 40 mg			✓ Cardinol
* Cap long-acting 160 mg		100	✓ Cardinol LA

CARDIOVASCULAR SYSTEM

	Subsidy (Manufacturer's Pi \$	rice) Su Per	Fully Brand or ubsidised Generic Manufacturer
OTALOL	Ψ	101	• manuactor
← Tab 80 mg	27 50	500	✓ Pacific
€ Tab 160 mg		100	✓ Pacific
€ Inj 10 mg per ml, 4 ml		5	✓ Sotacor
, 01		•	7 0014001
IMOLOL MALEATE	10 FF	100	✓ Apo-Timol
← Tab 10 mg	10.55	100	Apo-Timor
Calcium Channel Blockers			
Dihydropyridine Calcium Channel Blockers (D	HP CCBs)		
MLODIPINE			
← Tab 5 mg	7.33	100	Apo-Amlodipine
•	7.85	30	✓ Calvasc
← Tab 10 mg	11.79	100	Apo-Amlodipine
	13.60	30	✓ Calvasc
Calvasc Tab 5 mg to be delisted 1 May 2009) Calvasc Tab 10 mg to be delisted 1 May 2009)			
ELODIPINE			
€ Tab long-acting 2.5 mg - No more than 1 tab per day	10.38	30	✓ Plendil ER
Fab long-acting 5 mg		90	✓ Felo 5 ER
Fab long-acting 10 mg		90	✓ Felo 10 ER
SRADIPINE			
Cap long-acting 2.5 mg	7.50	30	✓ Dynacirc-SRO
Cap long-acting 2.3 mg		30	✓ Dynacirc-SRO
, , ,	7.00	00	• Dynaciic-ono
IIFEDIPINE	47.70		4 4 1 1 1 4 4
Tab long-acting 10 mg		60	✓ Adalat 10
Tab long-acting 20 mg		100	Nyefax Retard
Tab long-acting 30 mg	10./0	30	Adefin XL
	5.50		✓ Arrow-Nifedipine XR
	5.50		Adalah O
Tale land and the OO and	(19.90)	00	Adalat Oros
Tab long-acting 60 mg	15.35	30	✓ Adefin XL
	0.00		✓ Arrow-Nifedipine XR
	8.00		Adalah O
	(29.50)		Adalat Oros

	Subsidy (Manufacturer's Price) \$	Per	Ful Subsidise	
Other Calcium Channel Blockers				
DILTIAZEM HYDROCHLORIDE				
* Tab 30 mg		100		Dilzem
* Tab 60 mg		100		Dilzem
* Tab long-acting 180 mg		30		Dilzem LA Dilzem LA
* Tab long-acting 240 mg * Cap long-acting 90 mg		30 60		Dilzem SR
* Cap long-acting 120 mg (once per day)		30		Cardizem CD
* Cap long-acting 120 mg (twice per day)		100		Dilzem SR
* Cap long-acting 180 mg		30	1	Cardizem CD
* Cap long-acting 240 mg		30	V	Cardizem CD
Dilzem LA Tab long-acting 180 mg to be delisted 1 June 2009)				
Dilzem LA Tab long-acting 240 mg to be delisted 1 June 2009)				
Dilzem SR Cap long-acting 90 mg to be delisted 1 June 2009)				
Dilzem SR Cap long-acting 120 mg (twice per day) to be deliste	d 1 June 2009)			
PERHEXILINE MALEATE - Special Authority see SA0256 below	v – Hospital pharmacy	[HP3]		
* Tab 100 mg	62.90	100	~	Pexsig
riteria: Both: 1 Refractory angina; and	Approvals valid for 2	years	or appli	ations meeting the follow
2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approva he patient is benefiting from treatment.		-		•
oriteria: Both: Refractory angina; and Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approvate patient is benefiting from treatment. PERAPAMIL HYDROCHLORIDE	uls valid for 2 years wh	nere th	e treatm	ent remains appropriate a
oriteria: Both: Refractory angina; and Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approvate patient is benefiting from treatment.	uls valid for 2 years wh	-	e treatm	ent remains appropriate a
priteria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approvate patient is benefiting from treatment. /ERAPAMIL HYDROCHLORIDE * Tab 40 mg	uls valid for 2 years wh 4.75 7.01	nere th	e treatm	ent remains appropriate a Verpamil Isoptin
priteria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approvate patient is benefiting from treatment. /ERAPAMIL HYDROCHLORIDE * Tab 40 mg	uls valid for 2 years wh 4.75 7.01 11.74	nere th	e treatm	ent remains appropriate a Verpamil Isoptin Isoptin
criteria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approvate the patient is benefiting from treatment. /ERAPAMIL HYDROCHLORIDE * Tab 40 mg * Tab 80 mg * Tab long-acting 120 mg	uls valid for 2 years wh 4.75 7.01 11.74 15.20	nere th	e treatm	ent remains appropriate a Verpamil Isoptin Isoptin Verpamil SR
priteria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approva the patient is benefiting from treatment. /ERAPAMIL HYDROCHLORIDE * Tab 40 mg * Tab 80 mg * Tab long-acting 120 mg * Tab long-acting 240 mg		100 100 250	e treatm	ent remains appropriate a Verpamil Isoptin Isoptin
priteria: 3oth: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approva the patient is benefiting from treatment. /ERAPAMIL HYDROCHLORIDE * Tab 40 mg * Tab 80 mg * Tab long-acting 120 mg * Tab long-acting 240 mg * Inj 2.5 mg per ml, 2 ml – Up to 5 inj available on a PSO		100 100 250 250	e treatm	ent remains appropriate a Verpamil Isoptin Isoptin Verpamil SR Verpamil SR
priteria: 3oth: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approva the patient is benefiting from treatment. /ERAPAMIL HYDROCHLORIDE * Tab 40 mg * Tab 80 mg * Tab long-acting 120 mg * Tab long-acting 240 mg * Inj 2.5 mg per ml, 2 ml – Up to 5 inj available on a PSO		100 100 250 250	e treatm	ent remains appropriate a Verpamil Isoptin Isoptin Verpamil SR Verpamil SR
priteria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approva the patient is benefiting from treatment. /ERAPAMIL HYDROCHLORIDE * Tab 40 mg * Tab 80 mg * Tab long-acting 120 mg * Tab long-acting 240 mg * Inj 2.5 mg per ml, 2 ml – Up to 5 inj available on a PSO /Verpamil Tab 40 mg to be delisted 1 March 2009) Centrally Acting Agents		100 100 250 250	e treatm	ent remains appropriate a Verpamil Isoptin Isoptin Verpamil SR Verpamil SR
criteria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approva the patient is benefiting from treatment. //ERAPAMIL HYDROCHLORIDE * Tab 40 mg * Tab 80 mg * Tab long-acting 120 mg * Tab long-acting 240 mg * Inj 2.5 mg per ml, 2 ml – Up to 5 inj available on a PSO //Verpamil Tab 40 mg to be delisted 1 March 2009) Centrally Acting Agents CLONIDINE	4.75 7.01 11.74 15.20 25.00	100 100 250 250 5	e treatm	ent remains appropriate a Verpamil Isoptin Isoptin Verpamil SR Verpamil SR Isoptin
Partieria: 30th: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approva the patient is benefiting from treatment. VERAPAMIL HYDROCHLORIDE * Tab 40 mg * Tab 80 mg * Tab long-acting 120 mg * Tab long-acting 120 mg * Inj 2.5 mg per ml, 2 ml – Up to 5 inj available on a PSO Verpamil Tab 40 mg to be delisted 1 March 2009) Centrally Acting Agents CLONIDINE * TDDS 2.5 mg, 100 µg per day – Only on a prescription	4.75 7.01 11.74 15.20 25.00 7.54	100 100 250 250 5	e treatm	ent remains appropriate a Verpamil Isoptin Isoptin Verpamil SR Verpamil SR Isoptin Catapres-TTS-1
Priteria: 3oth: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approva the patient is benefiting from treatment. //ERAPAMIL HYDROCHLORIDE * Tab 40 mg * Tab 80 mg * Tab long-acting 120 mg * Tab long-acting 120 mg * Tab long-acting 240 mg * Inj 2.5 mg per ml, 2 ml – Up to 5 inj available on a PSO //Verpamil Tab 40 mg to be delisted 1 March 2009) Centrally Acting Agents CLONIDINE * TDDS 2.5 mg, 100 µg per day – Only on a prescription * TDDS 5 mg, 200 µg per day – Only on a prescription	4.75 7.01 11.74 15.20 7.54	100 100 250 250 5	e treatm	ent remains appropriate a Verpamil Isoptin Isoptin Verpamil SR Verpamil SR Isoptin Catapres-TTS-1 Catapres-TTS-2
Partieria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approva the patient is benefiting from treatment. VERAPAMIL HYDROCHLORIDE * Tab 40 mg * Tab 80 mg * Tab long-acting 120 mg * Tab long-acting 120 mg * Tab long-acting 240 mg * Inj 2.5 mg per ml, 2 ml – Up to 5 inj available on a PSO Verpamil Tab 40 mg to be delisted 1 March 2009) Centrally Acting Agents CLONIDINE * TDDS 2.5 mg, 100 µg per day – Only on a prescription * TDDS 5 mg, 200 µg per day – Only on a prescription	4.75 7.01 11.74 15.20 7.54	100 100 250 250 5	e treatm	ent remains appropriate a Verpamil Isoptin Isoptin Verpamil SR Verpamil SR Isoptin Catapres-TTS-1
Priteria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approve the patient is benefiting from treatment. VERAPAMIL HYDROCHLORIDE * Tab 40 mg * Tab long-acting 120 mg * Tab long-acting 120 mg * Tab long-acting 240 mg * Inj 2.5 mg per ml, 2 ml – Up to 5 inj available on a PSO Verpamil Tab 40 mg to be delisted 1 March 2009) Centrally Acting Agents CLONIDINE * TDDS 2.5 mg, 100 µg per day – Only on a prescription		100 100 250 250 5	e treatm	ent remains appropriate a Verpamil Isoptin Isoptin Verpamil SR Verpamil SR Isoptin Catapres-TTS-1 Catapres-TTS-2 Catapres-TTS-3
riteria: 3oth: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approva he patient is benefiting from treatment. //ERAPAMIL HYDROCHLORIDE Tab 40 mg	4.75 7.0111.7415.207.54	100 100 250 250 5	e treatm	ent remains appropriate a Verpamil Isoptin Isoptin Verpamil SR Verpamil SR Isoptin Catapres-TTS-1 Catapres-TTS-2 Catapres-TTS-3 Catapres
Priteria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approva the patient is benefiting from treatment. //ERAPAMIL HYDROCHLORIDE * Tab 40 mg * Tab long-acting 120 mg * Tab long-acting 240 mg * Tab long-acting 240 mg * Inj 2.5 mg per ml, 2 ml – Up to 5 inj available on a PSO * Inj 2.5 mg per ml, 2 ml – Up to 5 inj available on a PSO * Centrally Acting Agents CLONIDINE * TDDS 2.5 mg, 100 µg per day – Only on a prescription * TDDS 7.5 mg, 300 µg per day – Only on a prescription * TDDS 7.5 mg, 300 µg per day – Only on a prescription CLONIDINE HYDROCHLORIDE * Tab 150 µg	4.75 7.0111.7415.207.54	100 100 250 250 5	e treatm	ent remains appropriate a Verpamil Isoptin Isoptin Verpamil SR Verpamil SR Isoptin Catapres-TTS-1 Catapres-TTS-2 Catapres-TTS-3
Priteria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approva the patient is benefiting from treatment. //ERAPAMIL HYDROCHLORIDE * Tab 40 mg * Tab long-acting 120 mg * Tab long-acting 240 mg * Inj 2.5 mg per ml, 2 ml – Up to 5 inj available on a PSO		100 100 250 250 5	e treatm	verpamil Isoptin Isoptin Verpamil SR Verpamil SR Verpamil SR Verpamil SR Isoptin Catapres-TTS-1 Catapres-TTS-2 Catapres-TTS-3 Catapres Catapres
Priteria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approva the patient is benefiting from treatment. VERAPAMIL HYDROCHLORIDE * Tab 40 mg * Tab 80 mg * Tab long-acting 120 mg * Tab long-acting 120 mg * Tab long-acting 240 mg * Inj 2.5 mg per ml, 2 ml – Up to 5 inj available on a PSO Verpamil Tab 40 mg to be delisted 1 March 2009) Centrally Acting Agents CLONIDINE * TDDS 2.5 mg, 100 µg per day – Only on a prescription * TDDS 5 mg, 200 µg per day – Only on a prescription * TDDS 7.5 mg, 300 µg per day – Only on a prescription		100 100 250 250 5	e treatm	ent remains appropriate a Verpamil Isoptin Isoptin Verpamil SR Verpamil SR Isoptin Catapres-TTS-1 Catapres-TTS-2 Catapres-TTS-3 Catapres

	Subsidy (Manufacturer's Price \$	e) S Per	Fully Subsidised	Brand or Generic Manufacturer
Diuretics				
Loop Diuretics				
BUMETANIDE * Tab 1 mg	7.95 11.50 12.00 10.66 3 48.14	100 5 1,000 100 50 ml OP 5 50	✓ Bi	asix
Potassium Sparing Diuretics				
AMILORIDE † Oral liq 1 mg per ml SPIRONOLACTONE		5 ml OP		iomed
* Tab 25 mg * Tab 100 mg ‡ Oral liq 5 mg per ml	21.70	100 100 5 ml OP	✓ S	pirotone pirotone iomed
Potassium Sparing Combination Diuretics				
AMILORIDE WITH FRUSEMIDE * Tab 5 mg with frusemide 40 mg	4.67 (8.63)	28	Fr	rumil
AMILORIDE WITH HYDROCHLOROTHIAZIDE * Tab 5 mg with hydrochlorothiazide 50 mg	13.00	500	✓ A	mizide
TRIAMTERENE WITH HYDROCHLOROTHIAZIDE * Tab 50 mg with hydrochlorothiazide 25 mg	5.00	100	✓ Tr	riamizide
Thiazide and Related Diuretics				
BENDROFLUAZIDE * Tab 2.5 mg - Up to 150 tab available on a PSO May be supplied on a PSO for reasons other than emerger		500	✓ N	eo-Naclex
* Tab 5 mg CHLOROTHIAZIDE	21.50	500	✓ No	eo-Naclex
‡ Oral liq 50 mg per ml	22.60 2	5 ml OP	✓ Bi	iomed
CHLORTHALIDONE * Tab 25 mg	8.00	50	✓ <u>H</u>	<u>ygroton</u>
INDAPAMIDE * Tab 2.5 mg	4.00	100	✓ <u>N</u>	apamide_

	Subsidy (Manufacturer's \$		Fully Brand or sidised Generic Manufacturer
Nitrates			
GLYCERYL TRINITRATE			
* Tab 600 μg – Up to 100 tab available on a PSO		100 OP	✓ Lycinate S29
* Oral pump spray 400 µg per dose – Up to 250 dose available on a PSO		250 dose OP	✓ <u>Nitrolingual</u> Pumpspray
* TDDS 5 mg	16.56	30	✓ Nitroderm TTS
* TDDS 10 mg	19.60	30	✓ Nitroderm TTS
ISOSORBIDE MONONITRATE			
* Tab 20 mg		100	✓ Ismo 20
* Tab long-acting 40 mg * Tab long-acting 60 mg		30 90	✓ Corangin✓ Duride
		00	<u> </u>
Sympathomimetics			
ADRENALINE			
Inj 1 in 1,000, 1 ml - Up to 5 inj available on a PSO		5	✓ Aspen Adrenaline
Inj 1 in 10,000, 10 ml - Up to 5 inj available on a PSO	5.25 27.00	5	✓ Mayne ✓ Mayne
ISOPRENALINE HYDROCHLORIDE		Ü	· mayno
* Inj 200 µg per ml, 1 ml	36.80	25	
,,	(135.00)		Isuprel
Vasodilators			
AMYL NITRITE			
* Ampoule, 0.3 ml crushable	62.92 (73.40)	12	Baxter
HYDRALAZINE			
* Inj 20 mg per ml, 1 ml	25.90	5	✓ Apresoline
OXYPENTIFYLLINE – Hospital pharmacy [HP3]	00.04	F0	
Tab 400 mg	(42.26)	50	Trental 400
PAPAVERINE HYDROCHLORIDE	70.40	-	. / Maura
* Inj 12 mg per ml, 10 ml	/3.12	5	✓ Mayne

CARDIOVASCULAR SYSTEM

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

Smoking Cessation

NICOTINE - Only on a Quitcard			
Patch 7 mg	10.53	7	Habitrol
Patch 14 mg	11.63	7	Habitrol
Patch 21 mg		7	Habitrol
Lozenge 1 mg		36	Habitrol
Lozenge 2 mg		36	Habitrol
Gum 2 mg (Fruit)		96	Habitrol
	23.41		✓ Nicotinell
Gum 2 mg (Mint)	14.97	96	✓ Habitrol
3 ()	23.41		✓ Nicotinell
Gum 4 mg (Fruit)	20.02	96	✓ Habitrol
3 ()	23.41		✓ Nicotinell
Gum 4 mg (Mint)	20.02	96	✓ Habitrol
,	23.41		✓ Nicotinell

(Nicotinell Gum 2 mg (Fruit) to be delisted 1 March 2009) (Nicotinell Gum 2 mg (Mint) to be delisted 1 March 2009)

(Nicotinell Gum 4 mg (Fruit) to be delisted 1 March 2009)

(Nicotinell Gum 4 mg (Mint) to be delisted 1 March 2009)

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or osidised Generic Manufacturer	
Antiacne Preparations				
For systemic antibacterials, refer to INFECTIONS, Antibacterials	. page 88			
ISOTRETINOIN – Hospital pharmacy [HP3]-Specialist prescript				
Specialist must be a dermatologist.				
Cap 10 mg		100	✓ Isotane 10	
Cap 20 mg	47.50	100	✓ <u>Isotane 20</u>	
Antibacterials Topical				
For systemic antibacterials, refer to INFECTIONS, Antibacterials	, page 88			
FUSIDIC ACID				
Crm 2 %	3.95	15 g OP	✓ Foban	
a) Maximum of 15 g per prescription				
b) Only on a prescription c) Not in combination				
Oint 2 %	3.95	15 g OP	✓ Foban	
a) Maximum of 15 g per prescription		.0 9 0.	1.000	
b) Only on a prescription				
c) Not in combination				
HYDROGEN PEROXIDE	0.50	4000	40	
* Crm 1%	8.56	10 g OP	Crystacide	
MUPIROCIN	0.00	45 OD		
Oint 2%	(9.26)	15 g OP	Bactroban	
a) Only on a prescription	(3.20)		Dactiobali	
b) Not in combination				
SILVER SULPHADIAZINE				
Crm 1% with chlorhexidine digluconate 0.2%	15.04	100 g OP	✓ Silvazine	
a) Up to 500 g available on a PSO				
b) Not in combination				
Antifungals Topical				
For systemic antifungals, refer to INFECTIONS, Antifungals, page	je 92			
AMOROLFINE				
a) Only on a prescription				
b) Not in combination Nail soln 5%	37.86	5 ml OP		
Naii 30ii 1 0 /0	(61.87)	3 1111 01	Loceryl	
CICLOPIROX OLAMINE	` /		,	
a) Only on a prescription				
b) Not in combination				
Crm 1%		20 g OP	Datustan	
Nail soln 8%	(12.82) 37.81	3.5 ml OP	Batrafen	
Hair Coll O /0	(42.84)	0.0 1111 01	Batrafen	
Soln 1%	١ ,	20 ml OP		
	(11.54)		Batrafen	

DERMATOLOGICALS

			Fully Brand or
	(Manufacturer's I \$	Price) Sub Per	osidised Generic Manufacturer
	ð.	Per	Manufacturer
LOTRIMAZOLE			
Crm 1%	0.50	20 g OP	✓ Clomazol
a) Only on a prescription			
b) Not in combination			
Soln 1%		20 ml OP	
	(7.55)		Canesten
a) Only on a prescription			
b) Not in combination			
CONAZOLE NITRATE			
Crm 1%		20 g OP	
	(6.50)		Pevaryl
a) Only on a prescription			
b) Not in combination		_	
Foaming soln 1%, 10 ml sachets		3	Description
a) Oak and a man shall an	(15.66)		Pevaryl
a) Only on a prescription			
b) Not in combination			
ETOCONAZOLE			
Crm 2%		15 g OP	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	(10.00)		Nizoral
a) Only on a prescription			
b) Not in combination			
IICONAZOLE NITRATE			
Crm 2%	0.42	15 g OP	✓ <u>Multichem</u>
a) Only on a prescription			
b) Not in combination	4.00	00 100	
E Lotn 2%		30 ml OP	Deltardo
a) Only an a muse winding	(10.32)		Daktarin
a) Only on a prescription b) Not in combination			
b) Not in combination Tincture 2%	4.26	30 ml OP	
* Tilicture 276	(12.46)	30 IIII OF	Daktarin
a) Only on a prescription	(12.40)		Daktailii
b) Not in combination			
YSTATIN			
Crm 100,000 u per g	1.00	15 a OD	
Citil 100,000 a per g	(5.10)	15 g OP	Mycostatin
a) Only on a prescription	(5.10)		Wycosiaiiii
b) Not in combination			
,			
Antipruritic Preparations			
ALAMINE			<u> </u>
a) Only on a prescription			
b) Not in combination			
Crm, aqueous, BP	3.02	100 ml	✓ ABM
Lotn, BP		2,000 ml	✓ ABM
=vvq =t		_,000 1111	- <u>/ 10-111</u>

	Subsidy (Manufacturer's Pr	rice) Per	Fully Subsidised	Brand or Generic Manufacturer
CROTAMITON				
a) Only on a prescription				
b) Not in combination				
Crm 10%	4.26	20 g OP		
	(4.45)		Е	urax
Lotn 10%	7.56	50 ml		
	(7.70)		Е	urax
(Eurax Lotn 10% to be delisted 1 July 2009)				
MENTHOL – Only in combination Only in combination with aqueous cream, 10% urea cream, we mineral oil lotion, and glycerol, paraffin and cetyl alcohol lotion		al oil lotion	, 1% hydro	cortisone with wool fat and
Crystals	7.40	25 g	✓ P:	SM
	29.60	100 g	✓ M	lidWest

Corticosteroids Topical

For systemic corticosteroids, refer to CORTICOSTEROIDS AND RELATED AGENTS, page 79

Cort	icos	teroid	ls - P	lain
------	------	--------	--------	------

BETAMETHASONE DIPROPIONATE			
Crm 0.05%	2.96	15 g OP	
	(6.91)		Diprosone
	8.97	50 g OP	•
	(18.36)	Ü	Diprosone
Crm 0.05% in propylene glycol base	4.33 [°]	30 g OP	·
, .,	(13.83)	Ü	Diprosone OV
Oint 0.05%	2.96 [°]	15 g OP	•
	(6.51)	Ü	Diprosone
	8.97	50 g OP	•
	(17.11)	J	Diprosone
Oint 0.05% in propylene glycol base	4.33 [′]	30 g OP	·
1 17 37	(13.83)	Ü	Diprosone OV
BETAMETHASONE VALERATE	, ,		
* Crm 0.1%	2.00	50 g OP	✓ Beta Cream
* Oint 0.1%		50 g OP	✓ Beta Ointment
* Lotn 0.1%		50 ml OP	✓ Betnovate
CLOBETASOL PROPIONATE			
	0.05	20 ~ OD	4 / Daymal
		30 g OP	✓ <u>Dermol</u> ✓ Dermol
* Oint 0.05%	1.00	30 g OP	Dermoi
CLOBETASONE BUTYRATE			
Crm 0.05%	5.38	30 g OP	
	(7.09)		Eumovate
	16.13	100 g OP	
	(22.00)		Eumovate
DIFLUCORTOLONE VALERATE			
Crm 0.1%	8.97	50 g OP	
	(15.23)	00 g 0.	Nerisone
Fatty oint 0.1%	` '	50 g OP	
,	(15.23)	00 g 0.	Nerisone
	(10.20)		1101100110

DERMATOLOGICALS

	0.1		
	Subsidy (Manufacturer's	Price) Sub	Fully Brand or osidised Generic
	(Manulacturer S	Per Per	✓ Manufacturer
LIVEROCORTICONE			
HYDROCORTISONE * Crm 1% – Only on a prescription	2.44	100 g	✓ Lemnis Fatty Cream
* Onli 1/0 - Only on a prescription	2.44	100 g	HC
	12.20	500 g	✓ PSM
* Powder - Only in combination		25 g	✓ m-Hydrocortisone
Up to 5% in a dermatological base (not proprietary Topi		•	•
galenicals. Refer, page 163		, ,	
HYDROCORTISONE BUTYRATE			
Crm 0.1%	5.00	30 g OP	✓ Locoid
	15.00	100 g OP	✓ Locoid
Lipocream 0.1%	5.00	30 g OP	Locoid Lipocream
	15.00	100 g OP	✓ Locoid Lipocream
Oint 0.1%		100 g OP	✓ Locoid
Milky Emulsion 0.1%		30 ml OP	Locoid Crelo
// agaid Cym 0 10/ to be delicted 1 May 2000)	15.00	100 ml OP	✓ Locoid Crelo
(Locoid Crm 0.1% to be delisted 1 May 2009)			
HYDROCORTISONE WITH WOOL FAT AND MINERAL OIL			
Lotn 1% with wool fat hydrous 3% and mineral oil - Only on		050	4 8 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
a prescription	9.95	250 ml	✓ <u>DP Lotn HC</u>
METHYLPREDNISOLONE ACEPONATE			
Crm 0.1%		15 g OP	Advantan Advantan
Oint 0.1%	4.95	15 g OP	✓ Advantan
MOMETASONE FUROATE			
Crm 0.1%		15 g OP	Elocon
0: 10.40	10.82	45 g OP	Elocon
Oint 0.1%		15 g OP	✓ Elocon ✓ Elocon
Lotn 0.1%	10.82	45 g OP 30 ml OP	✓ Elocon
	4.00	30 1111 01	LIOCOII
TRIAMCINOLONE ACETONIDE Crm 0.02%	6.60	100 ~ OD	A / A wintenant
Oint 0.02%		100 g OP 100 g OP	✓ <u>Aristocort</u> ✓ Aristocort
	0.09	100 g OF	Alistocort
Corticosteroids - Combination			
BETAMETHASONE VALERATE WITH CLIOQUINOL - Only on a	nrescription		
Crm 0.1% with clioquinol 3%		15 g OP	
OTHER OTT / O THEIR GROUP OF THE OTHER OTT OF THE OTHER OTHE	(4.90)	10 9 01	Betnovate-C
Oint 0.1% with clioquinol 3%		15 g OP	
	(4.90)		Betnovate-C
BETAMETHASONE VALERATE WITH FUSIDIC ACID			
Crm 0.1% with fusidic acid 2%	3.49	15 g OP	
	(8.84)	-	Fucicort
a) Maximum of 15 g per prescription			
b) Only on a prescription			
HYDROCORTISONE BUTYRATE WITH CHLORQUINALDOL -	, ,	ription	
Crm 0.1% with chlorquinaldol 3%	3.49	15 g OP	✓ Locoid C
HYDROCORTISONE WITH MICONAZOLE - Only on a prescrip	tion		
* Crm 1% with miconazole nitrate 2%		15 g OP	✓ Micreme H

	Subsidy (Manufacturer's P \$	Price) Sub Per	Fully Brand or sidised Generic Manufacturer
HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - CC Crm 1% with natamycin 1% and neomycin sulphate 0.5% Oint 1% with natamycin 1% and neomycin sulphate 0.5%	4.40	ion 15 g OP 15 g OP	✓ Pimafucort✓ Pimafucort
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYC Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 m and gramicidin 250 µg per g - Only on a prescription	g	N 15 g OP	Viaderm KC
Oint 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 m and gramicidin 250 µg per g - Only on a prescription	g	15 g OP	✓ Kenacomb
Disinfecting and Cleansing Agents			
CHLORHEXIDINE GLUCONATE – Subsidy by endorsement a) No more than 500 ml per month b) Only if prescribed for a dialysis patient and the prescriptio Handrub 1% with ethanol 70% Soln 4%	5.40	cordingly. 500 ml 500 ml	✓ <u>Orion</u> ✓ <u>Orion</u>
SODIUM HYPOCHLORITE – Subsidy by endorsement Only if prescribed for a dialysis patient and the prescription i * Soln		0,	✓ Janola
Dusting Powders	2./	2,500 ml	Janoia
DIPHEMANIL METHYLSULPHATE – Subsidy by endorsement Only if prescribed for an amputee with an artificial limb, or fo Powder 2%		ient and the pr 50 g OP	escription endorsed accordingly Prantal
Barrier Creams and Emollients			
Barrier Creams			
ZINC Crm BP	6.55 (9.79)	500 g	PSM
ZINC AND CASTOR OIL Oint BP	5.11	500 g	✓ PSM
Emollients			
AQUEOUS CREAM			
* Crm		500 g	✓ AFT Multichem
(Multichem Crm to be delisted 1 April 2009) CETOMACROGOL	(2.37)		Muluchem
* Crm BP	3.50	500 g	✓ <u>PSM</u>
EMULSIFYING OINTMENT * Oint BP	3.69	500 g	✓ <u>AFT</u>
GLYCEROL WITH PARAFFIN AND CETYL ALCOHOL - Only o		-	

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

DERMATOLOGICALS

	Subsidy	Drico) CI-	Fully Brand or
	(Manufacturer's \$	Price) Sub Per	osidised Generic Manufacturer
DIL IN WATER EMULSION			
* Crm	2.80	500 g	✓ Lemnis Fatty Cream
OILY CREAM		3	
* Crm BP	2.80	500 g	
* OIII DI	(13.60)	300 g	David Craig
	(15.40)		PSM
IDE A	(13.40)		1 OW
JREA	0.50	100 × 0D	. / Nutrantus
* Crm 10%	2.52	100 g OP	✓ Nutraplus
WOOL FAT WITH MINERAL OIL - Only on a prescription			
* Lotn hydrous 3% with mineral oil	1.40	250 ml OP	
	(2.92)		Hydroderm Lotion
	5.60	1,000 ml	
	(9.54)		Hydroderm Lotion
	1.40	250 ml OP	
	(3.50)		DP Lotion
	5.60	1,000 ml	
	(10.90)		DP Lotion
	1.12	200 ml OP	
	(5.00)		Alpha-Keri Lotion
	2.10	375 ml OP	
	(9.38)		Alpha-Keri Lotion
	5.60	1,000 ml	
	(18.43)	050 105	Alpha-Keri Lotion
	1.40	250 ml OP	DICL II
	(7.73)		BK Lotion
	5.60	1,000 ml	DIC Lastin
	(23.91)		BK Lotion
Other Dermatological Bases			
PARAFFIN			
White soft - Only in combination		2,500 g	✓ IPW
	3.58	500 g	
	(8.69)		PSM
Only in combination with a dermatological galenical or as	s a diluent for a pi	roprietary Topic	ai Corticosteroid – Plain.
Minor Skin Infections			
POVIDONE IODINE			
Oint 10%	2 88	25 g OP	
J 1979	(3.27)	_0 g 0.	Betadine
a) Maximum of 100 g per prescription	(0.27)		Dotamio
b) Only on a prescription			
Antiseptic soln 10%	6.20	500 ml	✓ Betadine
		000 1111	✓ Riodine
Skin preparation, povidone iodine 10% with 30% alcohol	8 13	500 ml	✓ Betadine Skin Prep
Skin preparation, povidone iodine 10% with 70% alcohol		500 ml	2 Dottomic Omit 1 Top
S proparation, portaono todino 1070 mili 1070 diconor	(18.63)	000 1111	Orion
	(10.00)		Onon

	Subsidy (Manufacturer's P \$	rice) Sub Per	Fully Brand or sidised Generic Manufacturer
Parasiticidal Preparations			
GAMMA BENZENE HEXACHLORIDE Crm 1%	3.50	50 g OP	✓ Benhex
MALATHION	4.00	000	A Deskey M
Liq 0.5%		200 ml 30 ml OP	✓ <u>Derbac-M</u> ✓ <u>A-Lices</u>
PERMETHRIN			
Should be strictly reserved for use as second line therapy in patients unable to tolerate the other medications,		vouna childr	en and natients with allergies or
eczema;	Such as infants	, young criticity	on and patients with allergies of
 2) cases of scabies which are resistent to gamma benz 2) Verification of drug resistance is dependent on the persistent there is drug resistance, the following criteria should be fulf 1) a definite diagnosis of scabies should be made; 2) it should be ascertained that the medication was adr 3) the possibility of reinfestation should have been excl 	nce of the conditi illed: ministered prope	ion after treatn	
Crm 5%	4.20	30 g OP	✓ Lyderm
Psoriasis and Eczema Preparations ACITRETIN – Hospital pharmacy [HP3]-Specialist prescription Specialist must be a dermatologist. Cap 10 mg		100 100	✓ Neotigason ✓ Neotigason
CALCIPOTRIOL			•
Crm 50 µg per g	20.76	30 g OP	✓ Daivonex
101 0	57.89	100 g OP	✓ Daivonex
Oint 50 µg per g	20.76	30 g OP	✓ Daivonex
	57.89	100 g OP	✓ Daivonex
Soln 50 µg per ml		30 ml OP	Daivonex
	34.72	60 ml OP	✓ Daivonex
COAL TAR			
Solution BP - Only in combination		500 ml	✓ PSM
	12.98	200 ml	David Orain
Up to 10 % Only in combination with a dermatological base	(16.20)	Topical Cartic	David Craig
With or without other dermatological galenicals.	se or proprietary	Topical Cortic	Josteffou – Flaiff, Telef, page 103
COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULPI	-II ID		
Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and	1011		
allantoin crm 2.5%	3.43	30 g OP	
	(4.35)		Egopsoryl TA
	6.59	75 g OP	0 1
	(8.00)	-	Egopsoryl TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR			
Soln 12% with salicylic acid 2% and sulphur 4% ointment	7.95	40 g OP	✓ Coco-Scalp
DITHRANOL		Ü	•
DITTINUTULE .	07.50	50 · OD	. A Miles and I

50 g OP

✓ Micanol

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy		Fully	Brand or
	(Manufacturer's F	Price) Sub Per	sidised	Generic Manufacturer
SALIOVI IO ACID	*			
SALICYLIC ACID Powder - Only in combination	15.00	500 g	✓ A	RM
1 Owder Only in combination	18.88	250 g	✓ P	
 Only in combination with a dermatological base or pr page 163 		•		
With or without other dermatological galenicals.				
3) Maximum 20 g or 20 ml per prescription when presc	ribed with white	soft paraffin o	r collodi	on flexible.
SULPHUR				
Precipitated - Only in combination	6.50	100 g	✓ A	· - ···
	(9.25)			SM
 Only in combination with a dermatological base or p With or without other dermatological galenicals. 	roprietary Topica	al Corticostero	id – Pla	ın, refer, page 163
FAR WITH CADE OIL				
Bath emulsion 7.5% coal tar, 2.5% cade oil, 7.5% compound	9.70 (29.60)	350 ml	Р	olytar Emollient
TAR WITH TRIETHANOLAMINE LAURYL SULPHATE AND FLUC	RESCEIN - O	nly on a presci	ription	
* Soln 2.3% with triethanolamine lauryl sulphate and fluores-				
cein sodium	2.90	500 ml	✓ <u>P</u>	<u>inetarsol</u>
Scalp Preparations				
BETAMETHASONE VALERATE				
★ Scalp app 0.1%	5.25	100 ml OP	✓ <u>B</u>	eta Scalp
CLOBETASOL PROPIONATE				
★ Scalp app 0.05%	3.20	30 ml OP	✓ D	ermol
HYDROCORTISONE BUTYRATE				
Scalp lotn 0.1%	7.52	100 ml OP	✓ <u>L</u>	<u>ocoid</u>
KETOCONAZOLE				
Shampoo 2%	3.48	100 ml OP	✓ S	<u>ebizole</u>
a) Maximum of 100 ml per prescription				
b) Only on a prescription				
Sunscreens				
SUNSCREENS, PROPRIETARY – Subsidy by endorsement				
Only if prescribed for a patient with severe photosensitivity s	secondary to a	defined clinica	l conditi	ion and the prescription
endorsed accordingly.	-			
Crm		100 g OP		
	(5.89)	F0 - OD	Н	amilton Sunscreen
	1.28	50 g OP		guagua Oil Fra
	(5.84)			quasun Oil Free Faces SPF30+
Lotn		100 ml OP		larine Blue Lotion SPF 30+
	5.10	200 ml OP	✓ N	larine Blue Lotion SPF 30+
	3.19	125 ml OP		
	(8.82)			quasun Sensitive SPF 30+ quasun 30+
	(9.38)			

DERMATOLOGICALS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Wart Preparations

For salicylic acid preparations refer to PSORIASIS AND ECZEMA PREPARATIONS, page 69

IMIQUIMOD - Special Authority see SA0923 below - Retail pharmacy

⇒SA0923 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has external anogenital warts and podophyllotoxin has been tried and failed (or is contraindicated); or
- 2 The patient has external anogenital warts and podophyllotoxin is unable to be applied accurately to the site; or
- 3 The patient has confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate.

Notes: Superficial basal cell carcinoma

- Surgical excision remains first-line treatment for superficial basal cell carcinoma as it has a higher cure rate than imiquimod and allows histological assessment of tumour clearance.
- Imiquimod has not been evaluated for the treatment of superficial basal cell carcinoma within 1 cm of the hairline, eyes, nose, mouth or ears.
- Imiquimod is not indicated for recurrent, invasive, infiltrating, or nodular basal cell carcinoma.

External anogenital warts

• Imiquimod is only indicated for external genital and perianal warts (condyloma acuminata).

Renewal from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following:

- 1 Inadequate response to initial treatment for anogenital warts; or
- 2 New confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate; or
- 3 Inadequate response to initial treatment for superficial basal cell carcinoma.

Note: Confirmation that the lesion is a superficial basal cell carcinoma should be obtained using a biopsy

PODOPHYLLOTOXIN

- a) Maximum of 3.5 ml per prescription
- b) Only on a prescription

Other Skin Preparations

Antineoplastics

FLUOROURACIL SODIUM

Topical Analgesia

For aspirin & chloroform application refer, page 166

CAPSAICIN - Subsidy by endorsement

Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly.

Wound Management Products

HYDROGEN PEROXIDE

* Solution 20 vol - Maximum of 500 ml per prescription.......3.13 500 ml (7.00)

PSM

DERMATOLOGICALS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
MAGNESIUM SULPHATE Paste	2.98	80 g		
	(4.90)		P:	SM

		Subsidy (Manufacturer's Price \$) S Per	Fully subsidised	Brand or Generic Manufacturer
C	ontraceptives - Non-hormonal				
C	ondoms				
СО	NDOMS				
*	49 mm - Up to 144 dev available on a PSO	13.36	144	✓ Ma	old Knight arquisTantiliza nield 49
*	52 mm - Up to 144 dev available on a PSO	13.36	144	✓ Ma	arquis Selecta arquis Sensolite arquis Supalite
*	52 mm extra strength – Up to 144 dev available on a PSO 53 mm – Up to 144 dev available on a PSO		144 144	✓ Ma	arquis Protecta
ጥ	33 IIIII — Op to 144 dev avallable off a P30	13.30	144	✓ Ma	arquis Black arquis Titillata nield Blue
*	53 mm (chocolate) - Up to 144 dev available on a PSO		144		old Knight
*	(144		old Knight
*	ор от того от	13.36	144 144		old Knight estyles Flared
*	55 mm - Up to 144 dev available on a PSO	(14.84) 13.36	144	✓ Ge	old Knight arquis Conforma
*	56 mm, shaped – Up to 144 dev available on a PSO		144 144	✓ Di	urex Confidence
S	permicidal Agents				
	PLICATOR When ordered with a spermicide.				
	Applicator – Up to 1 dev available on a PSO NOXYNOL-9	4.34	1	✓ 0ı	rtho
140	Jelly 2% – Up to 108 g available on a PSO	10.95 1	08 g OP	✓ G	ynol II
C	ontraceptive Devices				
	PHRAGM Diaphragm – Up to 1 dev available on a PSO	42.90	1		rtho All-flex rtho Coil
	One of each size is permitted on a PSO.				
	RA-UTERINE DEVICE - Only on a WSO IUD	39.50	1		ultiload Cu 375
	Distributed by Pharmaco NZ Ltd, PO Box 4079, Auckland F	Ph 09 377 3336		✓ M	ultiload Cu 375 SL

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

Contraceptives - Hormonal

Combined Oral Contraceptives

▶SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 Patient is on a Social Welfare benefit: or
 - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon, Marvelon, Minulet and Femodene.

The additional subsidy will fund Mercilon, Marvelon, Minulet and Femodene up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit: or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

ETHINYLOESTRADIOL WITH DESOGESTREL

*	Tab 20 μg with desogestrel 150 μg6.62	63	Marailan 01
	(16.50)		Mercilon 21
	 a) Higher subsidy of \$13.80 per 63 with Special Authority see SA0500 above b) Up to 63 tab available on a PSO 		
*	Tab 20 μg with desogestrel 150 μg and 7 inert tab	84	Mercilon 28
	a) Higher subsidy of \$13.80 per 84 with Special Authority see SA0500 above b) Up to 84 tab available on a PSO		
*	Tab 30 μg with desogestrel 150 μg	63	Marvelon 21
	 a) Higher subsidy of \$13.80 per 63 with Special Authority see SA0500 above b) Up to 63 tab available on a PSO 		
*	Tab 30 μg with desogestrel 150 μg and 7 inert tab	84	Marvelon 28
	 a) Higher subsidy of \$13.80 per 84 with Special Authority see SA0500 above b) Up to 84 tab available on a PSO 		
ETH	HINYLOESTRADIOL WITH GESTODENE		
*	Tab 30 μg with gestodene 75 μg and 7 inert tab	84	Minulet 28
	(16.50)		Femodene 28
	 a) Higher subsidy of \$14.49 per 84 with Special Authority see SA0500 above b) Up to 84 tab available on a PSO 		

GENITO-URINARY SYSTEM

		Subsidy		Full	
		(Manufacturer's Price)	Per	Subsidise	d Generic Manufacturer
=		Ψ	1 01		Wandlactarci
ET	HINYLOESTRADIOL WITH LEVONORGESTREL				
*	Tab ethinyloestradiol 30 μg with levonorgestrel 50 μg (6) and tab ethinyloestradiol 40 μg with levonorgestrel 75 μg (5),				
	and tab ethinyloestradiol 30 µg with levonorgestrel 125 µg				
	(10) and 7 inert tab	6.62	84	V	Trifeme
	· /	(9.45)			Triquilar ED
		(14.49)			Triphasil 28
	 a) Higher subsidy of up to \$14.49 per 84 with Special Author b) Up to 84 tab available on a PSO 	ority see SA0500 on	the pro	eceding p	age
*	Tab 50 μg with levonorgestrel 125 μg and 7 inert tab – Up to				
	84 tab available on a PSO		84		Microgynon 50 ED
*	Tab 30 μg with levonorgestrel 150 μg		63		Mioragyman 20
	a) Higher subsidy of \$15.00 per 63 with Special Authority s	(16.50)	ocodir	na naga	Microgynon 30
	b) Up to 63 tab available on a PSO	ee SA0300 on the pi	eceuii	ig page	
*	Tab 30 μg with levonorgestrel 150 μg and 7 inert tab	6.62	84	V	Levlen ED
	10 0 10			~	Monofeme
		(14.49)			Nordette 28
		(16.50)			Microgynon 30 ED
	a) Higher subsidy of up to \$15.00 per 84 with Special Authorb) Up to 84 tab available on a PSO	ority see SA0500 on	the pro	eceding p	age
ΕT	HINYLOESTRADIOL WITH NORETHISTERONE				
*	Tab 35 µg with norethisterone 1 mg - Up to 63 tab available on a PSO	6.62	63	~	Brevinor 1/21
*	Tab 35 μg with norethisterone 1 mg and 7 inert tab - Up to				
	84 tab available on a PSO	6.62	84	~	Brevinor 1/28
*	Tab 35 μg with norethisterone 500 μg – Up to 63 tab available				
	on a PSO		63		Brevinor 21
*	Tab 35 μg with norethisterone 500 μg and 7 inert tab – Up to		0.4		Manufactus
	84 tab available on a PSO	6.62	84	•	Norimin
	PRETHISTERONE WITH MESTRANOL	0.00	0.4		
*	Tab 1 mg with mestranol 50 μg and 7 inert tab		84		Novinul 1/00
	a) Higher subsidy of \$13.80 per 84 with Special Authority s	(13.80)	ocodir		Norinyl-1/28
	b) Up to 84 tab available on a PSO	iee oAoooo on the pi	eceuii	ig page	
_	ombined Oral Contraceptives - Other				
C	ombined Oral Contraceptives - Other				
ΕT	HINYLOESTRADIOL WITH LEVONORGESTREL				
*	Tab 20 μg with levonorgestrel 100 μg and 7 inert tab $$ – Up to				
	84 tab available on a PSO		84		
		(16.50)			Loette
		(16.50)			Microgynon 20 ED

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

Progestogen-only Contraceptives

⇒SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 Patient is on a Social Welfare benefit: or
 - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

- 1 Patient is on a Social Welfare benefit: or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon, Marvelon, Minulet and Femodene.

The additional subsidy will fund Mercilon, Marvelon, Minulet and Femodene up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit: or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

LEVONORGESTREL

*	1ab 30 μg	84	
	(16.50)		Microlut
	a) Higher subsidy of \$13.80 per 84 with Special Authority see SA0500 above		
	b) Up to 84 tab available on a PSO		

MEDROXYPROGESTERONE ACETATE

*	Inj 150 mg per ml, 1 ml – Up to 5 inj available on a PSO8.05	1	Depo-Provera
*	Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a PSO8.05	1	✓ Depo-Provera

NORETHISTERONE

*	Tab 350 μg – Up to 84 tab available on a PSO7.15	84	✓ Noriday 28
---	--	----	--------------

Emergency Contraceptives

LEVONORGESTREL

*	Tab 1.5 mg	12.50	1	✔ Postinor-1

a) Maximum of 2 tab per prescription

b) Up to 5 tab available on a PSO

Antiandrogen Oral Contraceptives

Prescribers may code prescriptions "contraceptive" (code "O") when used as indicated for contraception. The period of supply and prescription charge will be as per other contraceptives, as follows:

- \$3.00 prescription charge (patient co-payment) will apply.
- prescription may be written for up to six months supply.

Prescriptions coded in any other way are subject to the non contraceptive prescription charges, and the non-contraceptive period of supply. ie. Prescriptions may be written for up to three months supply.

CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL

* Tab 2 mg with ethinyloestradiol 35 μg and 7 inert tabs6.30 84 ✓ Estelle 35-ED

	0		Fully December
	Subsidy (Manufacturer's I	Price) Sub	Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
Gynaecological Anti-infectives			
ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC	ACID		
Jelly with glacial acetic acid 0.94%, hydroxyquinoline su			
phate 0.025%, glycerol 5% and ricinoleic acid 0.75% wi		100 = OD	
applicator	(11.32)	100 g OP	Aci-Jel
CLOTRIMAZOLE	(11102)		7.6. 00.
* Vaginal crm 1% with applicator(s)	1.45	35 g OP	✓ Clomazol
* Vaginal crm 2% with applicators		20 g OP	Clomazol
	3.44 (3.99)	25 g	Clotrimaderm 2%
(Clotrimaderm 2% Vaginal crm 2% with applicators to be delisted	, ,		Ciotilinauemi 276
MICONAZOLE NITRATE			
* Vaginal crm 2% with applicator	2.75	40 g OP	
	(3.70)		Micreme
NYSTATIN			4
Vaginal crm 100,000 u per 5 g with applicator(s)	4.71	75 g OP	✓ <u>Nilstat</u>
Myometrial and Vaginal Hormone Preparations			
ERGOMETRINE MALEATE			
Inj 500 μg per ml, 1 ml - Up to 5 inj available on a PSO	11.60	5	✓ <u>Mayne</u>
METHYLERGOMETRINE			
Inj 200 μg per ml, 1 ml - Up to 10 inj available on a PSO	9.28	10	✓ Hospira S29
OESTRIOL * Crm 1 mg per g with applicator	7.00	15 a OD	✓ Ovestin
* Pessaries 500 µg		15 g OP 15	✓ Ovestin
OXYTOCIN – Up to 5 inj available on a PSO			• • • • • • • • • • • • • • • • • • • •
Inj 5 iu per ml, 1 ml	5.40	5	✓ Syntocinon
Inj 10 iu per ml, 1 ml		5	Syntocinon Syntocinon
Inj 5 iu with ergometrine maleate 500 μg per ml, 1 ml	9.20	5	✓ <u>Syntometrine</u>
Pregnancy Tests - HCG Urine			
PREGNANCY TESTS - HCG URINE - Only on a WSO			
Cassette		25 test	✓ MDS Quick Card
Distributed by MDS Diagnostics, PO Box 24-162, Royal	Oak, Auckland. Ph	n 09 570 5761	
Urinary Agents			
For urinary tract Infections refer to INFECTIONS, Antibacterials,	page 99		
5-Alpha Reductase Inhibitors			
FINASTERIDE - Special Authority see SA0928 on the next page	ge – Retail pharma	асу	

✓ Fintral

GENITO-URINARY SYSTEM

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

■SA0928 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 Either:
 - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
 - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Note: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride.

Other Urinary Agents

OXYBUTYNIN		
* Tab 5 mg44.79	500	Apo-Oxybutynin
* Oral liq 5 mg per 5 ml50.40	473 ml OP	✓ Apo-Oxybutynin
SODIUM CITRO-TARTRATE		
* Grans eff 4 g sachets	28	✓ Ural

			_
	Subsidy		Fully Brand or
	(Manufacturer's P	rice) Sub	osidised Generic
	` \$	Per	 Manufacturer
Anabolic Agents			
NANDROLONE DECANOATE - Retail pharmacy-Specialist			
	01.15	1	✓ Deca-Durabolin
Inj 50 mg per ml, 1 ml	21.15	ı	
			Orgaject
Corticosteroids and Related Agents for System	io Heo		
Corticosterolas ana nelatea Agents for System	ic use		
BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHA	CONE ACETATE		
		_	
* Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1ml	19.20	5	
	(33.60)		Celestone
			Chronodose
DEVANETUACONE			
DEXAMETHASONE			
* Tab 1 mg - Retail pharmacy-Specialist	16.08	100	✓ Douglas
Up to 30 tab available on a PSO			
* Tab 4 mg - Retail pharmacy-Specialist	61 89	100	✓ Douglas
Up to 30 tab available on a PSO		100	• Bougius
	00.00	05 00	. / Diamond
Oral liq 1 mg per ml – Retail pharmacy-Specialist	39.90	25 ml OP	✓ Biomed
Oral liq prescriptions:			
 Must be written by a Paediatrician or Paediatric Ca 	rdiologist; or		
2) On the recommendation of a Paediatrician or Paed	iatric Cardiologist		
,			
DEXAMETHASONE SODIUM PHOSPHATE		_	4
* Inj 4 mg per ml, 1 ml - Up to 5 inj available on a PSO		5	✓ <u>Mayne</u>
* Inj 4 mg per ml, 2 ml - Up to 5 inj available on a PSO	31.00	5	✓ Mayne
FLUDROCORTISONE ACETATE			
	7.00	100	. / Flavinos
* Tab 100 µg	7.62	100	✓ Florinef
HYDROCORTISONE			
* Tab 5 mg	7.95	100	✓ Douglas
* Tab 20 mg		100	✓ Douglas
•		1	✓ Solu-Cortef
* Inj 50 mg per ml, 2 ml	3.12	ı	Solu-Cortei
a) Up to 5 inj available on a PSO			
b) Only on a PSO			
METHYLPREDNISOLONE - Retail pharmacy-Specialist			
* Tab 4 mg	48 57	100	✓ Medrol
•		20	✓ Medrol
* Tab 100 mg	100.32	20	<u>ivieuror</u>
METHYLPREDNISOLONE ACETATE			
Inj 40 mg per ml, 1 ml	6.03	1	✓ Depo-Medrol
METHYLPREDNISOLONE ACETATE WITH LIGNOCAINE			
Inj 40 mg per ml with lignocaine 1 ml	6.03	1	✓ Depo-Medrol with
			<u>lidocaine</u>
METHYLPREDNISOLONE SODIUM SUCCINATE - Retail phar	macy-Specialist		
Inj 40 mg per ml, 1 ml		25	✓ Solu-Medrol
, 01			
Inj 62.5 mg per ml, 2 ml		25	✓ <u>Solu-Medrol</u>
Inj 500 mg		1	✓ <u>Solu-Medrol</u>
Inj 1 g	42.57	1	✓ Solu-Medrol
PREDNISOLONE SODIUM PHOSPHATE			45 "
* Oral liq 5 mg per ml - Up to 30 ml available on a PSO	9.95	30 ml OP	✓ Redipred
Restricted to children under 12 years of age.			

(1	Subsidy Manufacturer's Price) \$	Per	Fully Subsidised	
PREDNISONE				
* Tab 1 mg	10.68	500	V 1	Apo-Prednisone
* Tab 2.5 mg		500	_	Apo-Prednisone
* Tab 5 mg – Up to 30 tab available on a PSO		500	_	Apo-Prednisone
* Tab 20 mg	29.03	500	V !	Apo-Prednisone
TETRACOSACTRIN				
* Inj 250 μg		10		Synacthen .
* Inj 1 mg per ml, 1 ml	26.88	1	<u> </u>	Synacthen Depot
TRIAMCINOLONE ACETONIDE				
Inj 10 mg per ml, 1 ml	11.11	5	1	Kenacort-A
Inj 10 mg per ml, 5 ml		1		Kenacort-A
Inj 40 mg per ml, 1 ml	28.09	5	<u> </u>	Kenacort-A40
Sex Hormones Non Contraceptive				
Androgen Agonists and Antagonists				
CYPROTERONE ACETATE - Hospital pharmacy [HP3]-Specialist				
Tab 50 mg	23.50	50	V 9	Siterone
TESTOSTERONE			_	
Transdermal patch 2.5 mg per day	80.00	60	V 1	Androderm
TESTOSTERONE CYPIONATE - Retail pharmacy-Specialist				
Inj long-acting 100 mg per ml, 10 ml	61 /11	1	4 /1	Depo-Testosterone
	01.41	'	<u> </u>	Deho-Teatoaterone
TESTOSTERONE ESTERS – Retail pharmacy-Specialist	10.00			Durataman Ammandaa
Inj 250 mg per ml, 1 ml	12.98	1	V :	Sustanon Ampoules
TESTOSTERONE UNDECANOATE – Retail pharmacy-Specialist				

Hormone Replacement Therapy - Systemic

Cap 40 mg60.71

⇒SA0312 Special Authority for Alternate Subsidy

Initial application only from an obstetrician, gynaecologist, general practitioner or general physician. Approvals valid for 5 years for applications meeting the following criteria:

Any of the following:

- 1 acute or significant liver disease where oral oestrogens are contraindicated as determined by a gastroenterologist or general physician. The applicant must keep written confirmation from such a specialist with the patient's record; or
- 2 oestrogen induced hypertension requiring antihypertensive therapy documented evidence must be kept on file that raised blood pressure levels or inability to control blood pressure adequately occurred post oral oestrogens; or
- 3 hypertriglyceridaemia documented evidence must be kept on file that triglyceride levels increased to at least 2 × normal triglyceride levels post oral oestrogens.

Note: Prescriptions with a valid Special Authority (CHEM) number will be reimbursed at the level of the lowest priced TDDS product within the specified dose group.

Renewal only from an obstetrician, gynaecologist, general practitioner or general physician. Approvals valid for 5 years where the treatment remains appropriate and the patient is benefiting from treatment.

Prescribing Guideline

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

60

✔ Panteston

	Subsidy		Fully Brand or
	(Manufacturer's Pr		sidised Generic
	\$	Per	✓ Manufacturer
Oestrogens			
OESTRADIOL - See prescribing guideline on the preceding pa	ge		
* Tab 1 mg		28 OP	
# T.L.O.	(6.50)	00.00	Estrofem
* Tab 2 mg		28 OP	Estrofem
* TDDS 25 µg per day	(7.00) 3.01	8	Estrolem
π 1550 25 μg pcr day	(10.86)	O	Estraderm TTS 25
A) Higher subsidy of \$10.86 per 8 with Special Authority (b) No more than 2 patch per week c) Only on a prescription	' '	preceding pag	
* TDDS 3.9 mg (releases 50 μg of oestradiol per day)	4.12	4	
	(14.50)		Climara 50
	(32.50)		Femtran 50
 a) Higher subsidy of \$13.18 per 4 with Special Authority b) No more than 1 patch per week c) Only on a prescription 	see SA0312 on the	preceding pag	ge
* TDDS 50 µg per day	4.12	8	
	(13.18)		Estraderm TTS 50
 a) Higher subsidy of \$13.18 per 8 with Special Authority b) No more than 2 patch per week c) Only on a prescription 		preceding pag	ge
* TDDS 7.8 mg (releases 100 μg of oestradiol per day)	7.05 (17.75) (35.00)	4	Climara 100 Femtran 100
a) Higher subsidy of \$16.14 per 4 with Special Authority	see SA0312 on the	preceding pag	ge
b) No more than 1 patch per week			
c) Only on a prescription		_	
* TDDS 100 μg per day		8	F
a) Higher subsider of \$16.14 per Quith Chasiel Authority	(16.14)	nrocodina noc	Estraderm TTS 100
a) Higher subsidy of \$16.14 per 8 with Special Authority sb) No more than 2 patch per weekc) Only on a prescription	see Sau312 on the	preceding pag	ge
OESTRADIOL VALERATE – See prescribing guideline on the p			4 =
* Tab 1 mg		56	✓ Progynova
* Tab 2 mg	8.24	56	✓ Progynova
OESTROGENS – See prescribing guideline on the preceding p	•		
* Conjugated, equine tab 300 μg		28	
N. Continuated amiliantals COF up	(3.75)	00	Premarin
* Conjugated, equine tab 625 μg		28	Premarin
Progestogens	(5.14)		Flemann
Togostogona			
MEDROXYPROGESTERONE ACETATE - See prescribing guid		ding page	
* Tab 2.5 mg		30	✓ Provera
* Tab 5 mg		100	✓ <u>Provera</u>
* Tab 10 mg	/.5/	30	✓ <u>Provera</u>

Subsidy

(Manufacturer's Price)

Fully

Subsidised Generic

Brand or

	(Manufacturer S Pri	Per Sub	✓ Manufacturer
Progestogen and Oestrogen Combined Preparat	ions		
OESTRADIOL WITH LEVONORGESTREL - See prescribing guin	deline on page 80)	
* Tab 2 mg with 75 μg levonorgestrel (36) and tab 2 mg oestra- diol (48)	16.20	84	✓ Nuvelle
OESTRADIOL WITH NORETHISTERONE - See prescribing guid * Tab 1 mg with 0.5 mg norethisterone acetate		28 OP	Kliovance
* Tab 2 mg with 1 mg norethisterone acetate	(- /	28 OP	Kliogest
* Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg oestradiol tab (12) and 1 mg oestradiol tab (6)	5.40 (10.00)	28 OP	Trisequens
OESTROGENS WITH MEDROXYPROGESTERONE - See presonable Tab 625 µg conjugated equine with 2.5 mg medroxyproges-			
terone acetate tab (28)	5.40 (11.45)	28 OP	Premia 2.5 Continuous
* Tab 625 µg conjugated equine with 5 mg medroxyprogesterone acetate tab (28)	5.40 (11.45)	28 OP	Premia 5 Continuous
Other Oestrogen Preparations			
ETHINYLOESTRADIOL * Tab 10 μg	17.60	100	✓ NZ Medical and Scientific
OESTRIOL * Tab 2 mg	7.00	30	✓ Ovestin
Other Progestogen Preparations			
DYDROGESTERONE Tab 10 mg	27.50 (29.90)	50	Duphaston
LEVONORGESTREL * Levonorgestrel - releasing intrauterine system 20µg/24 hr — Special Authority see SA0782 below — Retail pharmacy	269.50	1	✓ Mirena
■ SA0782 Special Authority for Subsidy	pecialist or genera	al practitioner	Approvale valid for 6 months for

Initial application — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- 3 Either:
 - 3.1 serum ferritin level < 16 µg/l (within the last 12 months); or
 - 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

Initial application — (Previous use before 1 October 2002) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient had a clinical diagnosis of heavy menstrual bleeding; and
- 2 Patient demonstrated clinical improvement of heavy menstrual bleeding; and
- 3 Applicant to state date of the previous insertion.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Fither:
 - 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
 - 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

MEDROXYPROGESTERONE ACETATE

	Tab 100 mg — Retail pharmacy-Specialist		100 30	✓ <u>Provera</u> ✓ Provera
	RETHISTERONE	76.00	30	₩ <u>Floveia</u>
*	Tab 5 mg - Up to 30 tab available on a PSO	25.00	100	✓ Primolut N

Thyroid and Antithyroid Agents

	RBIMAZOLE Tab 5 mg10.80	100	✓ Neo-Mercazole
	VOTHYROXINE		
LE	VOTHTHOAINE		
*	Tab 50 μg1.71	28	✓ Goldshield
	64.28	1,000	✓ Eltroxin
	‡ Safety cap for extemporaneously compounded oral liquid preparations.		
*	Tab 100 μg	28	Goldshield
	66.78	1,000	✓ Eltroxin
	‡ Safety cap for extemporaneously compounded oral liquid preparations.		

Trophic Hormones

Growth Hormones

⇒SA0755 Special Authority for Subsidy

Special Authority approved by the Growth Hormone Committee

Notes: Subject to budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

NZGHC Coordinator

PHARMAC, PO Box 10-254, WELLINGTON

Tel: 0800 808 476, Fax: (09) 939 3221, Email: growthhormone@pharmac.govt.nz

GROWTH HORMONE BIOSYNTHETIC HUMAN – Special Authority see SA0755 above
--

*	Cartridge 16 iu per vial	1,600.00	5	Genotropin
*	Cartridge 36 iu per vial	3,600.00	5	Genotropin

Subsidy

Fully

Brand or

	(Manufacturer's Price)			Generic Manufacturer
RECOMBINANT HUMAN GROWTH HORMONE - Special AL	thority see SA0755 on th	ne prece	eding pag	9
* Inj 5 mg	300.00	1		orditropin SimpleXx 5mg
* Inj 10 mg	600.00	1		orditropin SimpleXx 10mg
* Inj 15 mg	900.00	1		orditropin SimpleXx 15mg

GnRH Analogues

⇒SA0835 Special Authority for Subsidy

Initial application — (Breast cancer) from any medical practitioner. Approvals valid for 1 year where the patient is a premenopausal woman with breast cancer.

Initial application — (Prostate cancer) only from an oncologist, urologist or endocrinologist. Approvals valid for 1 year where the patient has advanced prostatic cancer.

Note: Not to be prescribed with an anti-androgen except for a period of three weeks, if necessary, when GnRH analogue therapy is intiated.

Initial application — (Endometriosis) only from a gynaecologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Endometriosis; and
- 2 Either:
 - 2.1 6 months treatment with medroxyprogesterone acetate, danazol or dimetriose has proven ineffective; or
- 2.2 The patient has failed to tolerate the treatment with medroxyprogesterone acetate, danazol or dimetriose for 6 months.

 Note: The maximum treatment period for a GnRH analogue is:
 - 3 months to assess whether surgery is appropriate
 - 3 months for infertile patients after surgery
 - 6 months for patients with symptoms of endometriosis After the first 3 months patients should be assessed to determine whether there has been a satisfactory response to the first 3 months treatment.

Initial application — (Precocious puberty) only from a paediatrician or endocrinologist. Approvals valid for 1 year where the patient is affected by gonadotropin dependent precocious puberty.

Renewal — (Breast or prostate cancer) from any medical practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

Renewal — (Endometriosis) from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Fither:

- 1 Both:
 - 1.1 There has been a satisfactory response to the first 3 months treatment; and
 - 1.2 Surgery is inappropriate: or
- 2 The first three months of therapy did not follow surgery for infertility.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

Renewal — (**Precocious puberty**) only from a paediatrician or endocrinologist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

	Subsidy (Manufacturer's Price) \$		Fully Subsidised	Brand or Generic Manufacturer	
GOSERELIN ACETATE - Special Authority see SA0839 below -	- Hospital pharmacy [H	P3]			
Inj 3.6 mg	221.60	1	✓ Z	oladex	
Inj 10.8 mg	554.70	1	✓ Zo	oladex	

⇒SA0839 Special Authority for Subsidy

Initial application — (Breast cancer) from any medical practitioner. Approvals valid for 1 year where the patient is a premenopausal woman with breast cancer.

Initial application — (Prostate cancer) only from an oncologist, urologist or endocrinologist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Advanced prostatic cancer; or
- 2 Neoadjuvant or adjuvant treatment of locally advanced prostatic cancer.

Note: Not to be prescribed with an anti-androgen except for a period of three weeks, if necessary, when GnRH analogue therapy is intiated.

Initial application — (Endometriosis) only from a gynaecologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Endometriosis: and
- 2 Either:
 - 2.1 6 months treatment with medroxyprogesterone acetate, danazol or dimetriose has proven ineffective; or
- 2.2 The patient has failed to tolerate the treatment with medroxyprogesterone acetate, danazol or dimetriose for 6 months. Note: The maximum treatment period for a GnRH analogue is:
 - 3 months to assess whether surgery is appropriate
 - 3 months for infertile patients after surgery
 - 6 months for patients with symptoms of endometriosis After the first 3 months patients should be assessed to determine whether there has been a satisfactory response to the first 3 months treatment.

Initial application — (Precocious puberty) only from a paediatrician or endocrinologist. Approvals valid for 1 year where the patient is affected by gonadotropin dependent precocious puberty.

Renewal — (Breast or prostate cancer) from any medical practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

Renewal — **(Endometriosis)** from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 There has been a satisfactory response to the first 3 months treatment; and
 - 1.2 Surgery is inappropriate; or
- 2 The first three months of therapy did not follow surgery for infertility.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

Renewal — (Precocious puberty) only from a paediatrician or endocrinologist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised		
LEUPRORELIN - Special Authority see SA0837 below - Hospita	l pharmacy [HP3]				
Inj 3.75 mg	221.60	1	✓ L	ucrin Depot	
Inj 7.5 mg	184.90	1	✓ E	Eligard	
lnj 11.25 mg	591.68	1	✓ L	ucrin Depot	
Inj 22.5 mg	554.70	1	✓ E	Eligard	
Inj 30 mg		1	✓ E	Eligard	
Inj 45 mg		1		Eligard	

⇒SA0837 Special Authority for Subsidy

Initial application — (Breast cancer) from any medical practitioner. Approvals valid for 1 year where the patient is a premenopausal woman with breast cancer.

Initial application — (Prostate cancer) only from an oncologist, urologist or endocrinologist. Approvals valid for 1 year where the patient has advanced prostatic cancer.

Note: Not to be prescribed with an anti-androgen except for a period of three weeks, if necessary, when GnRH analogue therapy is intiated

Initial application — (Endometriosis) only from a gynaecologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Endometriosis: and
- 2 Fither:
 - 2.1 6 months treatment with medroxyprogesterone acetate, danazol or dimetriose has proven ineffective; or
- 2.2 The patient has failed to tolerate the treatment with medroxyprogesterone acetate, danazol or dimetriose for 6 months. Note: The maximum treatment period for a GnRH analogue is:
 - 3 months to assess whether surgery is appropriate
 - 3 months for infertile patients after surgery
 - 6 months for patients with symptoms of endometriosis After the first 3 months patients should be assessed to determine whether there has been a satisfactory response to the first 3 months treatment

Initial application — (Precocious puberty) only from a paediatrician or endocrinologist. Approvals valid for 1 year where the patients is affected by gonadotropin dependent precocious puberty.

Renewal — (Breast or prostate cancer) from any medical practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

Renewal — (Endometriosis) from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 There has been a satisfactory response to the first 3 months treatment; and
 - 1.2 Surgery is inappropriate; or
- 2 The first three months of therapy did not follow surgery for infertility.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

Renewal — (**Precocious puberty**) only from a paediatrician or endocrinologist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

Vasopressin Agonists

SMOPRESSIN Nasal drops 100 µg per ml – Retail pharmacy-Specialist	2.5 ml OP 6 ml OP	✓ Minirin ✓ <u>Desmopressin-</u> PH&T
Inj 4 µg per ml, 1 ml - Special Authority see SA0090 below - Hospital pharmacy [HP3]67.18	10	✓ Minirin

⇒SA0090 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Other Endocrine Agents

CABERGOLINE

Tab 0.5 mg − Maximum of 2 tab per prescription; can be waived by Special Authority see SA0175 below......105.03 8 ✓ **Dostinex**

⇒SA0175 Special Authority for Waiver of Rule

Initial application only from an obstetrician, endocrinologist or gynaecologist. Approvals valid for 2 years where the patient has pathological hyperprolactinemia.

Renewal only from an obstetrician, endocrinologist or gynaecologist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

CLOMIPHENE CITRATE – Retail pharmacy-Specialist Only a prescription for a female patient

Tab 50 mg2.50	5	✔ Phenate
DANAZOL - Retail pharmacy-Specialist		
Cap 100 mg17.00	30	✓ D-Zol
Cap 200 mg25.00	30	✓ D-Zol
GESTRINONE – Retail pharmacy-Specialist	8 OP	✓ Dimetriose
Cap 2.5 mg101.87	8 UP	Dimetriose
METYRAPONE Cap 250 mg - Hospital pharmacy [HP3]-Specialist238.00	50	✓ Metopirone

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Anthelmintics				
MEBENDAZOLE – Only on a prescription				
Tab 100 mg	3.79	6		
	(7.59)		Ve	ermox
Oral liq 100 mg per 5 ml	2.18	15 ml		
	(7.17)		Ve	ermox
PYRANTEL EMBONATE				
Tab 125 mg	5.31	18		
	(7.00)		С	ombantrin
Tab 250 mg	3.76	6		
	(4.95)		С	ombantrin
(Combantrin Tab 125 mg to be delisted 1 February 2009)				
(Combantrin Tab 250 mg to be delisted 1 February 2009)				

Antibacterials

- a) For topical antibacterials, refer to DERMATOLOGICALS, page 63
- b) For anti-infective eye preparations, refer to SENSORY ORGANS, page 157

Cephalosporins and Cephamycins CEFACLOR MONOHYDRATE 100 ✔ Ranbaxy-Cefaclor 100 ml Ranbaxy-Cefaclor CEFAZOLIN SODIUM - Hospital pharmacy [HP3] - Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly. Inj 500 mg5.00 5 ✔ Hospira ✓ m-Cefazolin 10 Inj 1 g8.00 5 ✔ Hospira ✓ m-Cefazolin (m-Cefazolin Inj 500 mg to be delisted 1 March 2009) (m-Cefazolin Inj 1 g to be delisted 1 March 2009) CEFOXITIN SODIUM - Hospital pharmacy [HP3]-Specialist - Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly. ✓ Mayne Inj 1 g48.48 CEFTRIAXONE SODIUM - Hospital pharmacy [HP3] - Subsidy by endorsement a) Up to 5 inj available on a PSO b) Subsidised only if prescribed for a dialysis or cystic fibrosis patient, or the treatment of confirmed ciprofloxacin-resistant gonorrhoea, or the treatment of suspected meningitis in patients who have a known allergy to penicillin, and the prescription or PSO is endorsed accordingly. ✓ AFT ✓ AFT Inj 1 g5.40 CEFUROXIME AXETIL - Subsidy by endorsement Only if prescribed for prophylaxis of endocarditis and the prescription is endorsed accordingly. ✓ Zinnat

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer	
CEFUROXIME SODIUM - Hospital pharmacy [HP3]					
Inj 250 mg - Maximum of 3 inj per prescription; can be waived by endorsement	20.97	10	✓ N	layne	
Inj 750 mg - Maximum of 1 inj per prescription; can be waived by endorsement	10.71	5	✓ <u>Z</u>	<u>inacef</u>	
Inj 1.5 g - Hospital pharmacy [HP3]-Specialist - Subsidy by endorsement		1		<u>inacef</u>	
Only if prescribed for a dialysis or cystic fibrosis patient and	d the prescription is e	ndors	ed accordir	ngly.	
Macrolides					

AZITHROMYCIN - Subsidy by endorsement

- a) Maximum of 2 tab per prescription
- b) Up to 4 tab available on a PSO
- c) Subsidised only if prescribed for patients with uncomplicated urethritis or cervicitis proven or presumed to be due to chlamydia trachomatis and their sexual contacts and prescription or PSO is endorsed accordingly.

⇒SA0657 Special Authority for Waiver of Rule

Initial application — (Helicobacter pylori infections) only from a general practitioner or relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Eradication of Helicobacter pylori in patient with proven infection; and
- 2 Peptic ulcer disease proven by endoscopy.

Note: Maximum of two prescriptions (two courses) per patient.

Initial application — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 Mycobacterium Avium Intracellulare Complex infections in patient with AIDS; or
- 2 Atypical and drug-resistant mycobacterial infection; or
- 3 All of the following:
 - 3.1 Prophylaxis against disseminated Mycobacterium Avium Intracellulare Complex infection; and
 - 3.2 HIV infection; and
 - 3.3 CD4 count \leq 50 cells/mm³.

Renewal — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

ERYTHROMYCIN ETHYL SUCCINATE

Tab 400 mg - Up to 30 tab available on a PSO	18.95	100	✓ E-Mycin
Grans for oral liq 200 mg per 5 ml — Up to 200 ml available on a PSO	4.35	100 ml	✓ E-Mycin
Grans for oral liq 400 mg per 5 ml - Up to 200 ml available on a PSO	5.85	100 ml	✓ <u>E-Mycin</u>
ERYTHROMYCIN LACTOBIONATE Inj 300 mg Inj 1 g		5	✓ Mayne✓ Erythrocin IV
(Mayne Inj 300 mg to be delisted 1 March 2009)	0.00	ı	Erythrocin iv

‡ safety cap

	Subsidy		Fully	Brand or
	(Manufacturer's Pri	ce) Per	Subsidised	Generic Manufacturer
RYTHROMYCIN STEARATE				
Tab 250 mg - Up to 30 tab available on a PSO	14 95	100		
rab 200 mg - Op to 00 tab available on a 1 00	(22.29)	100	F	:RA
Tab 500 mg		100	_	
,	(44.58)		E	:RA
OXITHROMYCIN				
Tab 150 mg	9.50	50	✓ <u>A</u>	rrow-
				Roxithromycin
Tab 300 mg	18.00	50	<u> </u>	Nrrow-
Domini III in o				Roxithromycin
Penicillins				
MOXYCILLIN				
Cap 250 mg - Up to 30 cap available on a PSO		500		po-Amoxi
Cap 500 mg	27.25	500	✓ <u>A</u>	po-Amoxi
Grans for oral liq 125 mg per 5 ml - Up to 200 ml available			_	
on a PSO	1.00	100 ml	✓ <u>F</u>	Ranbaxy Amoxicillin
Grans for oral liq 250 mg per 5 ml - Up to 200 ml available				
on a PSO		100 ml		Ranbaxy Amoxicillin
Drops 125 mg per 1.25 ml	4.00	30 ml OF		Spamox Paediatric
			_	Drops
	2.67	20 ml OF		manil Dandintsia
	(7.25)		A	moxil Paediatric
la: 050 mg	10.40	40		Drops
Inj 250 mg		10		oiamox oiamox
Inj 500 mgInj 1 g – Up to 5 inj available on a PSO		10 10		oiamox oiamox
	21.02	10	V 11	Jiailiox
MOXYCILLIN CLAVULANATE				
Tab amoxycillin 500 mg with potassium clavulanate 125 mg	0.40			
- Up to 30 tab available on a PSO	6.40	20	V	lugmentin
Grans for oral liq amoxycillin 125 mg with potassium clavu-				
lanate 31.25 mg per 5 ml - Up to 200 ml available on a	0.75	400 1		
PSO	2./5	100 ml	V	augmentin
Grans for oral liq amoxycillin 250 mg with potassium clavu-				
lanate 62.5 mg per 5 ml - Up to 200 ml available on a	4.75	100 ml		
PSO		100 ml		ugmentin
lugmentin Tab amoxycillin 500 mg with potassium clavulanate 12	o my to be delist	eu i Juile	2009)	
ENZATHINE BENZYLPENICILLIN	000.00		4 -	
Inj 1.2 mega u per 2 ml - Up to 5 inj available on a PSO	200.00	10	VE	Bicillin LA
ENZYLPENICILLIN SODIUM (PENICILLIN G)				
Inj 1 mega u - Up to 5 inj available on a PSO	10.49	10	√ <u>S</u>	<u>Sandoz</u>
ICLOXACILLIN				
Cap 250 mg	2.47	24		
. •	(4.35)			Diclocil
Cap 500 mg	, ,	24		

	Subsidy		Fully Brand or
	(Manufacturer's F \$	Price) Su Per	bsidised Generic Manufacturer
UCLOXACILLIN SODIUM	•		
Cap 250 mg - Up to 30 cap available on a PSO	18 50	250	✓ Staphlex
Cap 500 mg		500	✓ Staphlex
Grans for oral liq 125 mg per 5 ml – Up to 200 ml available		000	<u> Ottopinox</u>
on a PSO	2.05	100 ml	✓ AFT
Grans for oral lig 250 mg per 5 ml - Up to 200 ml available		100 1111	¥ <u>711 1</u>
on a PSO	2 72	100 ml	✓ AFT
Inj 250 mg		10	✓ Flucloxin
Inj 500 mg		10	✓ Flucloxin
Inj 1 g – Up to 5 inj available on a PSO		10	✓ Flucloxin
HENOXYMETHYLPENICILLIN (PENICILLIN V)			
Cap potassium salt 250 mg - Up to 30 cap available on a PSC) 420	50	✓ Cilicaine VK
Cap potassium salt 500 mg		50	✓ Cilicaine VK
Grans for oral lig 125 mg per 5 ml – Up to 200 ml available		50	₹ Ollicalite VIX
on a PSO	1 68	100 ml	✓ AFT
Grans for oral liq 250 mg per 5 ml – Up to 200 ml available		100 1111	* <u>Fill</u>
on a PSO	1.82	100 ml	✓ AFT
		100 1111	₩ <u>Ai i</u>
ROCAINE PENICILLIN	F0.00	_	. / Oilinninn
Inj 1.5 mega u – Up to 5 inj available on a PSO	50.86	5	✓ <u>Cilicaine</u>
etracyclines			
DXYCYCLINE HYDROCHLORIDE			
Tab 50 mg - Up to 30 tab available on a PSO	2.90	30	
•	(6.00)		Doxy-50
Tab 100 mg - Up to 30 tab available on a PSO	` '	250	✓ Doxine
NOCYCLINE HYDROCHLORIDE			
Tab 50 mg	5.79	60	
	(12.05)	••	Mino-tabs
Cap 100 mg	(/	100	
	(52.04)		Minomycin
Other Antibiotics			
r topical antibiotics, refer to DERMATOLOGICALS, page 63			
PROFLOXACIN	0.40	00	4 Cinflor
Tab 250 mg - Up to 5 tab available on a PSO		28 30	✓ Cipflox ✓ Rex Medical
Tab 500 mg. Up to 5 tab available on a PSO	3.35	30 30	✓ Rex Medical
Tab 500 mg - Up to 5 tab available on a PSO	4.90 4.57	28	₩ nex wedical
	(8.31)	20	Cipflox
Tab 750 mg - Retail pharmacy-Specialist	` '	28	✓ Cipflox
145 750 mg - Hetali phamacy-specialist	7.54	30	✓ Rex Medical
ipflox Tab 250 mg to be delisted 1 April 2009)	7.04	50	- HOA MCGICAI
ipflox Tab 500 mg to be delisted 1 April 2009)			
process and cooking to be denoted it ipin 2000)			

	0.4.11		Fully Dear !	_
	Subsidy (Manufacturer's Price) ;	Fully Brand or Subsidised Generic	
	\$	Per	✓ Manufacturer	
CLINDAMYCIN				
Cap hydrochloride 150 mg — Maximum of 4 cap per prescription; can be waived by endorsement - Retail pharmacy -				
Specialist	11.39	16	✓ Dalacin C	
Specialist	19.45	1	✓ Dalacin C	
CO-TRIMOXAZOLE				
* Tab trimethoprim 80 mg and sulphamethoxazole 400 mg - Up to 30 tab available on a PSO	17.00	500	✓ Trisul	
* Oral liq sugar-free trimethoprim 40 mg and sulphamethoxa- zole 200 mg per 5 ml - Up to 200 ml available on a PSO	5.90	500 ml	✓ Trisul	
COLISTIN SULPHOMETHATE - Hospital pharmacy [HP3]-Specia	alist - Subsidy by er	ndorsem	ment	
Only if prescribed for dialysis or cystic fibrosis patient and the				
Inj 150 mg	65.00	1	✓ <u>Colistin-Link</u>	
FUSIDIC ACID Tab 250 mg Hospital pharmacy (HP2) Specialist	24.50	12	✓ Fucidin	
Tab 250 mg - Hospital pharmacy [HP3]-SpecialistInj 500 mg sodium fusidate per 10 ml - Hospital pharmacy		12	Fucialii	
[HP3]-Specialist – Subsidy by endorsement		1	E	
Only if prescribed for a dialysis or cystic fibrosis patient and	(17.80)	andores	Fucidin ed accordingly	
GENTAMICIN SULPHATE	a the prescription is	CHUOISC	ed accordingly.	
Inj 10 mg per ml, 1 ml – Hospital pharmacy [HP3] – Subsidy				
by endorsement	8.56	5	✓ Mayne	
Only if prescribed for a dialysis or cystic fibrosis patient or accordingly.	for prophylaxis of e	endocard	ditis and the prescription is endors	sed
Inj 40 mg per ml, 2 ml - Hospital pharmacy [HP3] - Subsidy				
by endorsement		10	✓ <u>Pfizer</u>	
Only if prescribed for a dialysis or cystic fibrosis patient or accordingly.	ior propriyiaxis of e	enuocaro	ulus and the prescription is endors	seu
TOBRAMYCIN				
Inj 40 mg per ml, 2 ml – Hospital pharmacy [HP3] – Subsidy	07.50	_	. / Mauma	
by endorsement Only if prescribed for dialysis or cystic fibrosis patient and t		5 ndorsed	Mayne di accordingly	
TRIMETHOPRIM	p. 000p			
* Tab 300 mg - Up to 30 tab available on a PSO	8.69	50	✓ <u>TMP</u>	
VANCOMYCIN HYDROCHLORIDE - Hospital pharmacy [HP3] -	Subsidy by endorse	ement		
Only if prescribed for a dialysis or cystic fibrosis patient or in endocarditis and the prescription is endorsed accordingly.			embranous colitis or for prophylaxis	s of
Inj 50 mg per ml, 10 ml	5.04	1	✓ Pacific	
Antifungals				
a) For topical antifungals refer to DERMATOLOGICALS, page 63 b) For topical antifungals refer to GENITO URINARY, page 77				
FLUCONAZOLE – Hospital pharmacy [HP3]-Specialist				
Cap 50 mg		28	✓ Pacific	
Cap 150 mg		1	✓ <u>Pacific</u> ✓ Pacific	
Cap 200 mg	19.05	28	V <u>Pacific</u>	

	Subsidy		Full	
	(Manufacturer's Price)	Per	Subsidise	
ITRACONAZOLE - Hospital pharmacy [HP3]-Specialist				
Cap 100 mg	23.70	15	/	<u>Sporanox</u>
KETOCONAZOLE				
Tab 200 mg - Retail pharmacy-Specialist	38.12	30	•	Nizoral
NYSTATIN Tab 500,000 u	0.60	50	./	Nilstat (\$29)
Cap 500,000 u		50		Nilstat
TERBINAFINE				
Tab 250 mg	25.50	100	/	Apo-Terbinafine
Antimalarials				
HYDROXYCHLOROQUINE SULPHATE				
* Tab 200 mg	31.09	100	/	Plaquenil
Antitrichomonal Agents				
· ·				
METRONIDAZOLE Tab 200 mg - Up to 30 tab available on a PSO	9.50	100	/	Trichozole
Tab 400 mg		100		Trichozole
Oral liq benzoate 200 mg per 5 ml		100 ml		Flagyl-S
Suppos 500 mg		10		Flagyl
Suppos 1 g(Flagyl Suppos 1 g to be delisted 1 February 2009)	33.31	10	V	Flagyl
ORNIDAZOLE				
Tab 500 mg	12.38	10	/	Tiberal
Antituberculotics and Antileprotics				
Note: There is no co-payment charge for all pharmaceuticals	listed in the Antituberco	ılotics	and Antil	enrotics group regardless of
immigration status.	noted in the 7 initiabolot	2101100	and runn	oprodoc group regulations of
DAPSONE - No patient co-payment payable				
Tab 25 mg		100		Dapsone
Tab 100 mg		100		Dapsone
ETHAMBUTOL HYDROCHLORIDE – No patient co-payment	' '	56	./	Myambutal and
Tab 400 mg	10.96	90	•	Myambutol S29
ISONIAZID – Retail pharmacy-Specialist No patient co-payment payable				
* Tab 100 mg	20.50	100	~	PSM
* Tab 100 mg with rifampicin 150 mg		100	~	Rifinah
* Tab 150 mg with rifampicin 300 mg	179.57	100	~	Rifinah
PYRAZINAMIDE - Retail pharmacy-Specialist				
No patient co-payment payable	50.00	100	./	AFT-Pyrazinamide
* Tab 500 mg	39.00	100	•	AF I-FYIAZIIIAIIIIUE
RIFABUTIN – Hospital pharmacy [HP3]-Specialist No patient co-payment payable				
* Cap 150 mg	213.19	30	~	Mycobutin
. •				

	Subsidy (Manufacturer's Price \$) Per		Brand or Generic Manufacturer	
RIFAMPICIN - Retail pharmacy-Specialist					
No patient co-payment payable					
* Tab 600 mg	114.40	30	✓ R	ifadin	
* Cap 150 mg	58.66	100	✓ R	ifadin	
* Cap 300 mg	122.36	100	✓ R	ifadin	
* Oral liq 100 mg per 5 ml	12.66	60 ml	✓ R	ifadin	
Authority					

Antivirals

For eye preparations refer to Eye Preparations, Anti-Infective Preparations, page 157

First Episode Genital Herpes		
ACICLOVIR * Tab dispersible 200 mg1.98	25	✓ <u>Lovir</u>
Recurrent Episodes of Genital Herpes		
ACICLOVIR * Tab dispersible 400 mg	56	✓ <u>Lovir</u>
Acute Herpes Zoster		
ACICLOVIR * Tab dispersible 800 mg	35	✓ Lovir
Hepatitis B Treatment		
ADEFOVIR DIPIVOXIL – Special Authority see SA0829 below – Retail pharmacy Tab 10 mg670.00	30	✓ Hepsera

⇒SA0829 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT (> 1 × ULN); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Either:
 - 5.1 Both:
 - 5.1.1 Patient is cirrhotic: and
 - 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or
 - 5.2 Both:
 - 5.2.1 Patient is not cirrhotic; and
 - 5.2.2 adefovir dipivoxil to be used as monotherapy.

Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as:

- i) raised serum ALT (> 1 \times ULN); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and

continued...

Subsidy (Manufacturer's Price) Sul \$ Per

Fully Subsidised

Brand or Generic Manufacturer

continued...

iii) Detection of N236T or A181T/V mutation.

Adefovir dipivoxil should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines.

Adefovir dipivoxil should be avoided in pregnant women and children.

LAMIVUDINE - Special Authority see SA0832 below - Retail pharmacy

Tab 100mg	143.00	28	Zeffix
Oral lig 5 mg per ml	90.00	240 ml	✓ Zeffix

■ SA0832 | Special Authority for Subsidy

Initial application only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 All of the following:
 - 1.1.1 HBsAg positive for more than 6 months; and
 - 1.1.2 HBeAg positive or HBV DNA positive defined as > 100,000 copies per ml by quantitative PCR at a reference laboratory; and
 - 1.1.3 ALT greater than twice upper limit of normal or bridging fibrosis or cirrhosis (Metavir stage 3 or 4 or equivalent) on liver histology clinical/radiological evidence of cirrhosis; or
 - 1.2 HBV DNA positive cirrhosis prior to liver transplantation; or
 - 1.3 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
 - 1.4 Hepatitis B surface antigen positive (HbsAg) patient who is receiving chemotherapy for a malignancy, or who has received such treatment within the previous two months; and
- 2 All of the following:
 - 2.1 No continuing alcohol abuse or intravenous drug use; and
 - 2.2 Not coinfected with HCV or HDV; and
 - 2.3 Neither ALT nor AST greater than 10 times upper limit of normal; and
 - 2.4 No history of hypersensitivity to lamivudine; and
 - 2.5 No previous lamivudine therapy with genotypically proven lamivudine resistance.

Renewal only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

Renewal for patients who have maintained continuous treatment and response to lamivudine

- 1 All of the following:
 - 1.1 Have maintained continuous treatment with lamivudine; and
 - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
 - 1.3 HBV DNA <100.00 copies per ml by quantitative PCR at a reference laboratory; or

Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine

- 2 All of the following:
 - 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and
 - 2.2 Patient is cirrhotic; and

Documented resistance to lamivudine, defined as:

- 2.3 Patient has raised serum ALT (> 1 × ULN); and
- 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
- 2.5 Detection of M204I or M204V mutation; or

Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

3 All of the following:

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

continued...

- 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and Documented resistance to adefovir, defined as:
- 3.2 Patient has raised serum ALT (> 1 × ULN); and
- 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
- 3.4 Detection of N236T or A181T/V mutation.

Antiretrovirals

⇒SA0779 Special Authority for Subsidy

Initial application — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Confirmed HIV infection: and
- 2 Any of the following:
 - 2.1 Symptomatic patient; or
 - 2.2 Patient aged 12 months and under: or
 - 2.3 Both:
 - 2.3.1 Patient aged 1 to 5 years; and
 - 2.3.2 Any of the following:
 - 2.3.2.1 CD4 counts < 1000 cells/mm³; or
 - 2.3.2.2 CD4 counts < 0.25 × total lymphocyte count; or
 - 2.3.2.3 Viral load counts > 100000 copies per ml; or
 - 2.4 Both:
 - 2.4.1 Patient aged 6 years and over; and
 - 2.4.2 CD4 counts < 350 cells/mm³.

Note: Subsidies for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or saquinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to anti-retrovirals.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Note: Subsidies for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or saquinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to anti-retrovirals.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Prevention of maternal foetal transmission; or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Subsidies for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or saquinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to anti-retrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Renewal — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

	O. de elek		Fulls Decades	
	Subsidy (Manufacturer's	Price) Su	Fully Brand or bsidised Generic	
	\$	Per	✓ Manufacturer	
Non-nucleosides Reverse Transcriptase Inhibito	ors			
EFAVIRENZ - Special Authority see SA0779 on the preceding p	age – Hospital p	harmacy [HP1]	
Tab 50 mg	158.33	30	✓ Stocrin	
Tab 200 mg	474.99	90	✓ Stocrin	
Tab 600 mg	474.99	30	✓ Stocrin	
Cap 50 mg	158.33	30	✓ Stocrin	
Cap 100 mg		30	✓ Stocrin	
Cap 200 mg	474.99	90	✓ Stocrin	
(Stocrin Cap 100 mg to be delisted 1 June 2009)				
NEVIRAPINE – Special Authority see SA0779 on the preceding		. , .	-	
Tab 200 mg		60	Viramune	
Oral suspension 10 mg per ml	134.55	240 ml	✓ <u>Viramune</u>	
			Suspension	
Nucleosides Reverse Transcriptase Inhibitors				
ABACAVIR SULPHATE - Special Authority see SA0779 on the p	receding page -	- Hospital phar	macy [HP1]	
Tab 300 mg		60	✓ Ziagen	
Oral liq 20 mg per ml	100.00	240 ml OP	✓ Ziagen	
ABACAVIR SULPHATE WITH LAMIVUDINE – Special Authority Note: Kivexa counts as two anti-retroviral medications for the Tab 600 mg with lamivudine 300 mg	purposes of the			P1]
DIDANOSINE [DDI] - Special Authority see SA0779 on the prec	eding page – Ho	spital pharma	cy [HP1]	
Cap 125 mg	115.05	30	✓ Videx EC	
Cap 200 mg	184.08	30	✓ Videx EC	
Cap 250 mg		30	✓ <u>Videx EC</u>	
Cap 400 mg	368.16	30	✓ <u>Videx EC</u>	
EMTRICITABINE – Special Authority see SA0779 on the preced Cap 200 mg		ital pharmacy 30	[HP1] ✓ Emtriva	
LAMIVUDINE - Special Authority see SA0779 on the preceding	page – Hospital	pharmacy [HP	P1]	
Tab 150 mg		60	✓ 3TC	
Oral liq 10 mg per ml	100.00	240 ml OP	✓ 3TC	
STAVUDINE [D4T] - Special Authority see SA0779 on the prece	ding page - Hos	spital pharmacy	v [HP1]	
Cap 20 mg		60	Zerit	
Cap 30 mg	377.80	60	✓ Zerit	
Cap 40 mg	503.80	60	✓ Zerit	
Powder for oral soln 1 mg per ml	100.76	200 ml OP	✓ Zerit	
TENOFOVIR DISOPROXIL FUMARATE - Special Authority see Tab 300 mg		preceding page 30	e – Hospital pharmacy [HP1] ✓ Viread	
ZIDOVUDINE [AZT] - Special Authority see SA0779 on the pred		ospital pharma	cv [HP1]	
Cap 100 mg		100	✓ Retrovir	
Oral lig 10 mg per ml		200 ml OP	✓ Retrovir	
ZIDOVUDINE [AZT] WITH LAMIVUDINE - Special Authority see		nreceding nac	ne – Hospital pharmacy [HP1]	
Combivir counts as two anti-retroviral medications for the put				
Tab 300 mg with lamivudine 150 mg		60	✓ Combivir	
3				

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

Protease Inhibitors

ATAZANAVIR SULPHATE – Special Authority see SA0779 on pa Cap 150 mg Cap 200 mg	568.34	l pharmacy [HF 60 60	P1] Reyataz Reyataz
INDINAVIR — Special Authority see SA0779 on page 96 — Hospit Cap 200 mg Cap 400 mg	519.75	21] 360 180	✓ Crixivan ✓ Crixivan
LOPINAVIR WITH RITONAVIR - Special Authority see SA0779 of Tab 200 mg with ritonavir 50 mg	735.00	ospital pharmac 120 300 ml OP	y [HP1] ✓ Kaletra ✓ Kaletra
RITONAVIR – Special Authority see SA0779 on page 96 – Hospi Cap 100 mg Oral liq 80 mg per ml	121.27	P1] 84 90 ml OP	✓ Norvir ✓ Norvir
SAQUINAVIR – Special Authority see SA0779 on page 96 – Hos Tab 500 mg	556.59	[HP1] 120 270	✓ Invirase ✓ Invirase

Antiretrovirals - Additional Therapies

HIV Fusion Inhibitors

⇒SA0845 Special Authority for Subsidy

Initial application only from a named specialist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Confirmed HIV infection: and
- 2 Enfuvirtide to be given in combination with optimized background therapy (including at least 1 other antiretroviral drug that the patient has never previously been exposed to) for treatment failure; and
- 3 Either:
 - 3.1 Patient has evidence of HIV replication, despite ongoing therapy; or
 - 3.2 Patient has treatment-limiting toxicity to previous antiretroviral agents; and
- 4 Previous treatment with 3 different antiretroviral regimens has failed; and
- 5 All of the following:
 - 5.1 Previous treatment with a non-nucleoside reverse transcriptase inhibitor has failed; and
 - 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed; and
 - 5.3 Previous treatment with a protease inhibitor has failed.

Renewal only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Evidence of at least a 10 fold reduction in viral load at 12; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

Immune Modulators

Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

Criteria for Treatment

- 1) Diagnosis
 - Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
 - PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
 - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.
- 2) Establishing Active Chronic Liver Disease
 - Confirmed HCV infection and serum ALT/AST levels measured on at least three occasions over six months averaging
 1.5 × upper limit of normal. (ALT is the preferable enzyme); or
 - Liver biopsy showing significant inflammatory activity (active hepatitis) with or without cirrhosis. This is not a necessary requirement for those patients with coagulopathy. (Some patients have active disease on histology with normal transaminase enzymes).

Exclusion Criteria

- 1) Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- 2) Pregnancy.
- 3) Neutropenia ($<2.0 \times 10^9$) and/or thrombocytopenia.
- 4) Continuing alcohol abuse and/or continuing intravenous drug users.

Dosage

The current recommended dosage is 3 million units of interferon alpha-2a or interferon aplha-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

INTERFERON ALPHA-2A - PCT - Hospital pharmacy [HP3]-Specialist

a) See prescribing guideline above			
b) Only one multidose cartridge starter pack to be prescrib	ed and dispensed p	er patient.	
Inj 3 m iu prefilled syringe	31.32	1	✓ Roferon-A
Inj 4.5 m iu prefilled syringe		1	✓ Roferon-A
Inj 6 m iu prefilled syringe		1	✓ Roferon-A
Inj 9 m iu prefilled syringe		1	✓ Roferon-A
Inj 18 m iu multidose cartridge		1	✓ Roferon-A
Inj 18 m iu multidose cartridge × 2 starter pack		1	✓ Roferon-A
INTERFERON ALPHA-2A WITH RIBAVIRIN – Special Authori See prescribing guideline above Inj 18 m iu multidose cartridge × 2 with ribavirin tab 200 r	,	ne next page	- Hospital pharmacy [HP3]
× 168		1 OP	✓ Roferon RBV Combination Pack
Inj 18 m iu multidose cartridge \times 2 with with pen and need	es		
with ribavirin tab 200 mg \times 168	1,375.84	1 OP	✔ Roferon RBV Combination Pack

Starter Kit

	(Manufacturer's Price		ibsidised Generic
	\$	Per	✓ Manufacturer
■SA0784 Special Authority for Subsidy			
Initial application from any specialist. Approvals valid for 12 mo	nths where patient h	nas chronic	hepatitis C (all genotypes).
INTERFERON ALPHA-2B - PCT - Hospital pharmacy [HP3]-S ₁	necialist		, , ,
See prescribing guideline on the preceding page	poolanot		
Inj 18 m iu, 1.2 ml multidose pen	187.92	1	✓ Intron-A
Inj 30 m iu, 1.2 ml multidose pen		1	✓ Intron-A
Inj 60 m iu, 1.2 ml multidose pen		1	✓ Intron-A
PEGYLATED INTERFERON ALPHA-2A - Special Authority see	SA0802 below - Ho	nenital nha	rmacy [HD3]
See prescribing guideline on the preceding page	OA0002 BCIOW TIC	Jopital pria	illiacy [illi o]
Inj 135 µg prefilled syringe	362.00	1	✓ Pegasys
Inj 180 µg prefilled syringe		1	✓ Pegasys
Inj 135 µg prefilled syringe × 4 with ribavirin tab 200 mg ×			3,
112		1 OP	✓ Pegasys RBV
			Combination Pack
Inj 135 μ g prefilled syringe $ imes$ 4 with ribavirin tab 200 mg $ imes$	<		
168	1,975.00	1 OP	✓ Pegasys RBV
			Combination Pack
Inj 180 μ g prefilled syringe $ imes$ 4 with ribavirin tab 200 mg $ imes$	<		
112	2,059.84	1 OP	✓ Pegasys RBV
			Combination Pack
Inj 180 μ g prefilled syringe $ imes$ 4 with ribavirin tab 200 mg $ imes$	<		
168	2,190.00	1 OP	✓ Pegasys RBV
			Combination Pack

Subsidy

(Manufacturer's Price)

Fully

Cubaidiand

Brand or

Conorio

■SA0802 Special Authority for Subsidy

Initial application — (genotype 1, 4, 5 or 6 infection or co-infection with HIV) from any specialist. Approvals valid for 11 months for applications meeting the following criteria:

Either:

- 1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
- 2 Patient has chronic hepatitis C and is co-infected with HIV.

Note: Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.

Initial application — (genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
- - 2.1 Patient has bridging fibrosis or cirrhosis (Metavir stage 3 or 4 or equivalent); or
 - 2.2 is unsuitable for liver biopsy due to coagulopathy.

	Subsidy (Manufacturer's	Price) Su Per	Fully bsidised	Brand or Generic Manufacturer
PEGYLATED INTERFERON ALPHA-2B WITH RIBAVIRIN — Spe See prescribing quideline on page 99	ecial Authority se	ee SA0846 bel	ow – Hos	spital pharmacy [HP3]
Inj 50 μ g $ imes$ 4 with ribavirin cap 200 mg $ imes$ 112	1,080.40	1 OP		egatron Combination Therapy
Inj 50 $\mu g \times 4$ with ribavirin cap 200 mg \times 84	976.80	1 OP		egatron Combination Therapy
Inj 80 $\mu g \times 4$ with ribavirin cap 200 mg \times 140	1,583.60	1 OP	✓ Pe	egatron Combination Therapy
Inj 80 $\mu g \times 4$ with ribavirin cap 200 mg \times 168	1,687.20	1 OP	✓ Pe	egatron Combination Therapy
Inj 80 μ g \times 4 with ribavirin cap 200 mg \times 84	1,376.40	1 OP	✓ Pe	egatron Combination Therapy
Inj 100 $\mu g \times 4$ with ribavirin cap 200 mg \times 112	1,746.40	1 OP	✓ Pe	egatron Combination Therapy
Inj 100 $\mu g \times 4$ with ribavirin cap 200 mg \times 84	1,642.80	1 OP	✓ Pe	egatron Combination Therapy
Inj 120 $\mu g \times 4$ with ribavirin cap 200 mg \times 140	2,116.40	1 OP	✓ Pe	egatron Combination Therapy
Inj 120 $\mu g \times 4$ with ribavirin cap 200 mg \times 84	1,909.20	1 OP	✓ Pe	egatron Combination Therapy
Inj 150 $\mu g \times 4$ with ribavirin cap 200 mg \times 140	2,516.00	1 OP	✓ Pe	egatron Combination Therapy
Inj 150 $\mu g \times 4$ with ribavirin cap 200 mg \times 168	2,619.60	1 OP	✓ Pe	egatron Combination Therapy
Inj 150 µg \times 4 with ribavirin cap 200 mg \times 84	2,308.80	1 OP	✓ Pe	egatron Combination Therapy

■SA0846 Special Authority for Subsidy

Initial application from any specialist. Approvals valid for 11 months for applications meeting the following criteria: Either:

- 1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
- 2 Both:
 - 2.1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
 - 2.2 Either:
 - 2.2.1 has bridging fibrosis or cirrhosis (Metavir stage 3 or 4, or equivalent); or
 - 2.2.2 is unsuitable for liver biopsy due to coagulopathy.

Note: Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
Urinary Tract Infections				
HEXAMINE HIPPURATE * Tab 1 g	18.40 (38.10)	100	Н	liprex
NITROFURANTOIN * Tab 50 mg * Tab 100 mg		100 100	•	ifuran ifuran
NORFLOXACIN Tab 400 mg - Maximum of 6 tab per prescription; can be waived by endorsement - Retail pharmacy - Specialist	22.50	100	✓ A	rrow-Norfloxacin

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
Per ✔ Manufacturer

Vaccines

Influenza vaccine

INFLUENZA VACCINE - Hospital pharmacy [Xpharm]

- A) is available between 1 March and 30 June each year for patients who meet the following criteria, as set by the Ministry of Health:
 - a) all people 65 years of age and over;
 - b) people under 65 years of age with:
 - i) the following cardiovascular disease:
 - 1) ischaemic heart disease,
 - 2) congestive heart disease.
 - 3) rheumatic heart disease.
 - 4) congenital heart disease, or
 - 5) cerebo-vascular disease;
 - ii) the following chronic respiratory disease:
 - 1) asthma, if on a regular preventative therapy, or
 - 2) other chronic respiratory disease with impaired lung function;
 - iii) diabetes;
 - iv) chronic renal disease;
 - v) any cancer, excluding basal and squamous skin cancers if not invasive;
 - vi) the following other conditions:
 - a) autoimmune disease,
 - b) immune suppression,
 - c) HIV.
 - d) transplant recipients.
 - e) neuromuscular and CNS diseases,
 - f) haemoglobinopathies, or
 - g) children on long term aspirin.

The following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy.
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease,
- c) pregnancy in the absence of another risk factor.
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor.
- D) Influenza Vaccine does not fall within the definition Community Pharmaceutical as it is not funded directly from the Pharmaceutical Budget. Pharmacists are unable to claim for the dispensing of influenza vaccine from the Funder.

Fluvax	1	9.00	lnj
✓ Vaxiqrir	10	90.00	

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

	\$	Per	Manufacturer
Anticholinesterases			
NEOSTIGMINE Inj 2.5 mg per ml, 1 ml	20.30	50	✓ <u>AstraZeneca</u>
PYRIDOSTIGMINE BROMIDE Tab 60 mg	40.08	100	✓ Mestinon
Anti-inflammatory Non Steroidal Drugs (NSAIDs)			

Anti-inflammatory Non Steroldal Drugs (NSAIDs)

▶SA0291 Special Authority for Manufacturers Price

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

- 1 Inflammatory arthritis (including osteoarthritis with an inflammatory component); and
- 2 Stabilised and are well controlled on the particular NSAID medication.

Renewal from any medical practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

3 51

100

✓ Ano-Diclo

DICLOFENAC SODIUM * Tab FC 25 mg

*	Tab EC 25 mg	3.51	100	Apo-Dicio
*	Tab 50 mg dispersible - Additional subsidy by Special Au-			
	thority see SA0291 above - Retail pharmacy	1.50	20	
		(8.00)		Voltaren D
*	Tab EC 50 mg	25.88	500	✓ Apo-Diclo
*	Tab long-acting 75 mg	22.78	500	✓ Apo-Diclo SR
*	Tab long-acting 100 mg	34.32	500	✓ Apo-Diclo SR
*	Inj 25 mg per ml, 3 ml	12.00	5	✓ Voltaren
	Up to 5 inj available on a PSO			
*	Suppos 12.5 mg	1.85	10	✓ Voltaren
*	Suppos 25 mg	2.22	10	✓ Voltaren
*	Suppos 50 mg	3.84	10	✓ Voltaren
	Up to 10 supp available on a PSO			
*	Suppos 100 mg	6.36	10	✓ Voltaren
IBU	IPROFEN - Additional subsidy by Special Authority see SA0291	above – Reta	il pharmacy	
*	Tab 200 mg		100	✓ I-Profen
*	Tab 400 mg		30	• 11101011
•		(4.56)		Brufen
*	Tab 600 mg	(/	30	
·		(6.84)		Brufen
*	Tab long-acting 800 mg	1.50	30	
		(9.12)		Brufen Retard
*‡	Oral liq 100 mg per 5 ml	3.49 [′]	200 ml	✓ Fenpaed
	TOPROFEN - Additional subsidy by Special Authority see SA02		stail pharmacu	, <u>— — — </u>
ᄣ	Cap long-acting 100 mg		100	
~	Cap long-acting 100 mg	(21.56)	100	Oruvail 100
*	Cap long-acting 200 mg	, ,	100	Oluvali 100
~	Cap long-acting 200 mg	(43.12)	100	Oruvail 200
		, ,		
	FENAMIC ACID - Additional subsidy by Special Authority see S			nacy
*	Cap 250 mg		100	5 .
		(18.33)		Ponstan

	Subsidy (Manufacturer's Price) C.	Fully Brand or
	(Manufacturer's Pric	Per	ubsidised Generic Manufacturer
APROXEN			
MRTHOXEN ★ Tab 250 mg	21.00	500	✓ Noflam 250
₹ Tab 500 mg		250	✓ Noflam 500
₹ Tab long-acting 750 mg		90	✓ Naprosyn SR 750
Tab long-acting 7,50 mg		90	✓ Naprosyn SR 1000
	21.00	30	• Naprosyn Sn 1000
IAPROXEN SODIUM	0.00	400	4.0 "
← Tab 275 mg		120	Sonaflam
: Tab 550 mg		100	✓ Synflex
ULINDAC - Additional subsidy by Special Authority see SA02	91 on the preceding	page - Re	tail pharmacy
Tab 100 mg	5.32	100	
	(12.00)		Daclin
Tab 200 mg	6.72	100	
	(20.00)		Daclin
	3.36	50	
	(15.87)		Clinoril
ENOXICAM			
Tab 20 mg	23.75	100	✓ Tilcotil
APROFENIC ACID - Additional subsidy by Special Authority	see SAN201 on the	nracadina i	nage – Retail pharmacy
Tab 300 mg		60	Dage - Helali phairtiacy
Tab 500 mg	(19.26)	00	Surgam
	(13.20)		Ourgain
NSAIDs Other			
NDOMETHACIN			
Cap 25 mg	5.90	100	Rheumacin
Cap 50 mg	6.95	100	Rheumacin
Cap long-acting 75 mg	13.30	100	Rheumacin SR
Suppos 100 mg	14.50	30	✓ Arthrexin
IROXICAM			
Tab dispersible 10 mg	3.25	50	✓ Piram-D
Tab dispersible 20 mg		100	✔ Piram-D
•			
Antirheumatoid Agents			
JRANOFIN - Retail pharmacy-Specialist			
Tab 3 mg	68.99	60	
	(70.97)		Ridaura
ELLINOMIDE	(. 5.5.)		1110000101
EFLUNOMIDE Tab 10 mg	EE 00	20	ACT Laflumancials
Tab 10 mg		30	✓ AFT-Leflunomide
Tab 00 mg	79.27	20	✓ Arava
Tab 20 mg		30	✓ AFT-Leflunomide
Tab 100 mg	108.60	2	✓ Arava
Tab 100 mg	54.44	3	✓ Arava
ENICILLAMINE - Retail pharmacy-Specialist	04.00	100	D-Penamine
Tab 125 mg			4
		100	D-Penamine
Tab 125 mg Tab 250 mg		100	✓ D-Penamine
Tab 125 mg Tab 250 mg ODIUM AUROTHIOMALATE – Retail pharmacy-Specialist	98.98		
	98.98	100 10 10	✓ D-Penamine ✓ Myocrisin ✓ Myocrisin

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

MUSCULO-SKELETAL SYSTEM

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Tumour Necrosis Factor (TNF) Inhibitors

		0812 below - Retail pharmacy	ADALIMUMAB - Special Authority see SA
HumiraPen	2	1,799.92	Inj 40 mg per 0.8 ml pre-filled pen
Humira	2	1.799.92	Ini 40 ma per 0.8 ml prefilled syringe

⇒SA0812 Special Authority for Subsidy

Initial application only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient is an adult who has had severe and active erosive Rheumatoid Arthritis for six months duration or longer; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with at least two of the following (triple therapy): sulphasalazine, prednisone at a dose of at least 7.5 mg per day, azathioprine, intramuscular gold, or hydroxychloroquine sulphate (at maximum tolerated doses); and
- 5 Either
 - 5.1 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of Cyclosporin alone or in combination with another agent: or
 - 5.2 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of Leflunomide alone or in combination with another agent; and
- 6 Either:
 - 6.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 active, swollen, tender joints; or
 - 6.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 7 Either:
 - 7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months; and
- 8 The patient consents to details of their treatment being held on a central registry and has signed a consent form outlining the conditions of ongoing treatment.

Notes: A patient declaration form http://www.pharmac.govt.nz/special_authority_forms/SA0812-declaration.pdf must be signed by the legal guardian of the patient and the prescriber in the presence of a witness (over 18 years of age).

Applicants are requested to register the treatment with the New Zealand Rheumatology Association by completing the forms and questionnaire http://www.pharmac.govt.nz/special_authority_forms/SA0812-survey.pdf.

Renewal only from a rheumatologist or general physician on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both

- 1 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2 Either:
 - 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician.

ETANERCEPT	 Hetail pharmacy-Specialist prescripti 	on – Special Authority see	SA0868 on th	e next page
Inj 25 mg .		949.96	4	Enbrel

MUSCULO-SKELETAL SYSTEM

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

⇒SA0868 Special Authority for Subsidy

Initial application only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
- 3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20mg/m² weekly or at the maximum tolerated dose) in combination with oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose); and
- 5 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-15mg/m² weekly or at the maximum tolerated dose) in combination with one other disease-modifying agent; and
- 6 Both:
 - 6.1 Either:
 - 6.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 active, swollen, tender joints; or
 - 6.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 6.2 Physician's global assessment indicating severe disease; and
- 7 The patient or their legal guardian consents to details of their treatment being held on a central registry and has signed a consent form outlining conditions of ongoing treatment.

Note: A patient declaration form http://www.pharmac.govt.nz/special_authority_forms/SA0667-declaration.pdf must be signed by the legal guardian of the patient and the prescriber in the presence of a witness (over 18 years of age)

Renewal only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2 Fither:
 - 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 2.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Calcium Homeostasis

Alendronate for Osteoporosis

■ SA0797 Special Authority for Subsidy

Initial application — (**Underlying cause** — **Osteoporosis**) only from a relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mass density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0.

continued...

MUSCULO-SKELETAL SYSTEM

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised Brand or Generic Manufacturer

continued...

Initial application — (Underlying cause – glucocorticosteroid therapy) only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Roth:

- 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months and has either; and
- 2 Either:
 - 2.1 documented BMD $\geq~1.5$ standard deviations below the mean normal value in young adults (i.e. T-Score $\leq~$ -1.5); or
 - 2.2 history of one significant osteoporotic fracture demonstrated radiologically.

Renewal only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents). Notes:

- a) Evidence used by National institute for Clinical Excellence (NICE) guidance indicates that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5, and therefore do not require BMD measurement for treatment with bisphosphonates.
- b) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- c) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

Alendronate for Pagets Disease

⇒SA0467 | Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity: or
 - 2.3 Bone, articular or neurological complications; or

ALENDRONATE SODIUM - Special Authority see SA0467 above - Retail pharmacy

- 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
- 2.5 Preparation for orthopaedic surgery.

Renewal only from a relevant specialist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Tab 40 mg133.00	30	✓ Fosamax
Other Treatments		
CALCITONIN – Hospital pharmacy [HP3]-Specialist * Inj 100 iu per ml, 1 ml110.00 ETIDRONATE DISODIUM	5	✓ <u>Miacalcic</u>
* Tab 200 mg	60 100	✓ Didronel✓ Etidrate

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sı	ubsidised	Generic	
\$	Per	~	Manufacturer	

Prescribing Guidelines

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose – 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

	y [HP3]	- Hospital pharm	1 - Special Authority see SA0091 below	PAMIDRONATE DISODIUM
✓ Pamisol	1	18.75		Inj 3 mg per ml, 5 ml
✓ Pamisol	1	37.50		Inj 3 mg per ml, 10 ml
✔ Pamisol	1	75.00		Inj 6 mg per ml, 10 ml

⇒SA0091 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Paget's disease; or
- 2 Both:
 - 2.1 Patients under hospice care; and
 - 2.2 Either:
 - 2.2.1 Tumour-induced hypercalcaemia; or
 - 2.2.2 Tumour-induced osteolysis without hypercalcaemia.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

HYALURONIDASE Inj 1,500 iu per ml	Enzymes		
Hyperuricaemia and Antigout ALLOPURINOL * Tab 100 mg	HYALURONIDASE		
Hyperuricaemia and Antigout ALLOPURINOL * Tab 100 mg	Inj 1,500 iu per ml18.32	10	
ALLOPURINOL * Tab 100 mg	(194.40)		Hyalase
* Tab 100 mg	Hyperuricaemia and Antigout		
# Tab 300 mg	ALLOPURINOL		
* Tab 300 mg	* Tab 100 mg5.44	250	✓ Apo-Allopurinol
21.20 500 ✓ Progout COLCHICINE * Tab 500 μg 9.60 100 ✓ Colgout PROBENECID * Tab 500 mg 55.00 100 ✓ AFT Muscle Relaxants BACLOFEN – Retail pharmacy-Specialist * Tab 10 mg 3.75 100 ✓ Pacifen DANTROLENE SODIUM – Retail pharmacy-Specialist * Cap 25 mg 32.96 100 ✓ Dantrium * Cap 50 mg 51.70 100 ✓ Dantrium ORPHENADRINE CITRATE Tab 100 mg 18.54 100 ✓ Norflex		500	•
COLCHICINE * Tab 500 μg	•		
* Tab 500 μg 9.60 100 ✓ Colgout PROBENECID * Tab 500 mg 55.00 100 ✓ AFT Muscle Relaxants BACLOFEN – Retail pharmacy-Specialist * Tab 10 mg 3.75 100 ✓ Pacifen DANTROLENE SODIUM – Retail pharmacy-Specialist * Cap 25 mg 32.96 100 ✓ Dantrium * Cap 25 mg 51.70 100 ✓ Dantrium ORPHENADRINE CITRATE Tab 100 mg 18.54 100 ✓ Norflex	21.20	500	✓ Progout
PROBENECID * Tab 500 mg	COLCHICINE		
★ Tab 500 mg .55.00 100 ✓ AFT Muscle Relaxants BACLOFEN – Retail pharmacy-Specialist ★ Tab 10 mg .3.75 100 ✓ Pacifen DANTROLENE SODIUM – Retail pharmacy-Specialist ★ Cap 25 mg .32.96 100 ✓ Dantrium ★ Cap 50 mg .51.70 100 ✓ Dantrium ORPHENADRINE CITRATE Tab 100 mg .18.54 100 ✓ Norflex	* Tab 500 μg9.60	100	✓ Colgout
Muscle Relaxants BACLOFEN − Retail pharmacy-Specialist * Tab 10 mg 3.75 100 ✓ Pacifen DANTROLENE SODIUM − Retail pharmacy-Specialist * Cap 25 mg 32.96 100 ✓ Dantrium * Cap 50 mg 51.70 100 ✓ Dantrium ORPHENADRINE CITRATE Tab 100 mg 18.54 100 ✓ Norflex	PROBENECID		
Muscle Relaxants BACLOFEN − Retail pharmacy-Specialist * Tab 10 mg 3.75 100 ✓ Pacifen DANTROLENE SODIUM − Retail pharmacy-Specialist * Cap 25 mg 32.96 100 ✓ Dantrium * Cap 50 mg 51.70 100 ✓ Dantrium ORPHENADRINE CITRATE Tab 100 mg 18.54 100 ✓ Norflex	* Tab 500 mg55.00	100	✓ AFT
* Tab 10 mg 3.75 100 ✓ Pacifen DANTROLENE SODIUM − Retail pharmacy-Specialist 32.96 100 ✓ Dantrium * Cap 25 mg 51.70 100 ✓ Dantrium ORPHENADRINE CITRATE 18.54 100 ✓ Norflex			
* Tab 10 mg 3.75 100 ✓ Pacifen DANTROLENE SODIUM − Retail pharmacy-Specialist 32.96 100 ✓ Dantrium * Cap 25 mg 51.70 100 ✓ Dantrium ORPHENADRINE CITRATE 18.54 100 ✓ Norflex	BACLOFEN – Retail pharmacy-Specialist		
* Cap 25 mg 32.96 100 ✓ Dantrium * Cap 50 mg 51.70 100 ✓ Dantrium ORPHENADRINE CITRATE 18.54 100 ✓ Norflex		100	✓ Pacifen
* Cap 25 mg 32.96 100 ✓ Dantrium * Cap 50 mg 51.70 100 ✓ Dantrium ORPHENADRINE CITRATE 18.54 100 ✓ Norflex	DANTROLENE SODILIM - Retail pharmacy-Specialist		
* Cap 50 mg	, , ,	100	✓ Dantrium
Tab 100 mg	· ·	100	✓ Dantrium
Tab 100 mg	ORPHENADRINE CITRATE		
· · · · · · · · · · · · · · · · · · ·		100	✓ Norflex
OLIMINE SUI DHATE	QUININE SULPHATE		
* Tab 200 mg	4,4	250	✓ Q 200
‡ Safety cap for extemporaneously compounded oral liquid preparations.	· · · · · · · · · · · · · · · · · · ·		<u> </u>
* Tab 300 mg		500	✓ Q 300
‡ Safety cap for extemporaneously compounded oral liquid preparations.			

[‡] safety cap

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

Anaesthetics

Local

BUPIVACAINE HYDROCHLORIDE – Hospital pharmacy [HP3 Inj 0.5%, 4 ml	29.35	5	Marcain Isobaric
Inj 0.5%, 8% glucose, 4 ml	24.50	5	✓ Marcain Heavy
LIGNOCAINE HYDROCHLORIDE			
Inj 0.5%, 5 ml - Up to 5 inj available on a PSO	44.10	50	Xylocaine
Only if prescribed on prescription for a dialysis patient o	r child with rheumati	c fever or on	a PSO for emergency use.
Inj 1%, 5 ml - Up to 5 inj available on a PSO	42.00	50	✓ Xylocaine
Only if prescribed on prescription for a dialysis patient o	r child with rheumati	c fever or on	a PSO for emergency use.
Inj 1%, 20 ml - Up to 5 inj available on a PSO	23.50	5	✓ Xylocaine
Only if prescribed on prescription for a dialysis patient o	r child with rheumati	c fever or on	a PSO for emergency use.
LIGNOCAINE WITH CHLORHEXIDINE			• •
Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes .	43.26	10	✓ Pfizer
LIGNOCAINE WITH PRILOCAINE - Special Authority see SA	0906 below – Hospit	al pharmacy	[HP3]
Crm 2.5% with prilocaine 2.5%	41.00	30 g OP	✓ EMLA
Crm 2.5% with prilocaine 2.5% (5 g tubes)	41.00	5	✓ EMLA

⇒SA0906 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Analgesics

For Anti-inflammatory NSAIDS refer to MUSCULO-SKELETAL, page 104

Non-Opioid Analgesics

ASPIRIN			
* Tab EC 300 mg	7.25	100	
	(8.10)		Aspec 300
* Tab dispersible 300 mg - Up to 30 tab available on a PSO	2.15	100	Ethics Aspirin
NEFOPAM HYDROCHLORIDE			
Tab 30 mg	23.40	90	✓ Acupan

	Subsidy		Fully Brand or
	(Manufacturer's I	Price) Sul Per	osidised Generic Manufacturer
ARACETAMOL	<u> </u>		· manadatara
ANACETAMOL ← Tab 500 mg - Up to 30 tab available on a PSO	9.60	1,000	✓ Pharmacare
tab ood mg op to oo tab available on a roo	1.38	150	• I narmadare
	(14.67)	100	Panadol
k‡ Oral lig 120 mg per 5 ml	' '	1,000 ml	✓ Paracare Junior
a) Up to 200 ml available on a PSO		1,000 1111	Taradara damor
b) Not in combination			
k‡ Oral liq 250 mg per 5 ml	7 00	1,000 ml	✓ Paracare Double
-+		.,000	Strength
a) Up to 100 ml available on a PSO			<u>ourongur</u>
b) Not in combination			
Suppos 125 mg	6.51	20	✓ Panadol
Suppos 250 mg		20	✓ Panadol
Suppos 500 mg		50	✓ Paracare
Panadol Tab 500 mg to be delisted 1 May 2009)			
Opioid Analgesics			
UPRENORPHINE HYDROCHLORIDE - Only on a controlled	drug form		
Inj 0.3 mg per ml, 1 ml		5	
iiij 0.5 iiig pei iiii, 1 iiii	(9.38)	3	Temgesic
	(9.50)		remgesic
CODEINE PHOSPHATE			
Tab 15 mg		100	✓ PSM
Tab 30 mg		100	✓ PSM
Tab 60 mg	18.50	100	✓ <u>PSM</u>
EXTROPROPOXYPHENE WITH PARACETAMOL			
Tab napsylate 50 mg with paracetamol 325 mg	14.50	500	
	(22.50)		Paradex
Cap hydrochloride 32.5 mg with paracetamol 325 mg	19.91	500	
- · · · · · · · · · · · · · · · · · · ·	(24.50)		Capadex
HYDROCODEINE TARTRATE			
Tab long-acting 60 mg	30.30	60	✓ DHC Continus
ENTANYL - Special Authority see SA0935 below - Retail pha	armacy		
a) Only on a controlled drug form			
b) No patient co-payment payable			
Transdermal patch, matrix 25 µg per hour	55 23	5	✓ Durogesic
Transdermal patch, matrix 50 µg per hour		5	✓ Durogesic
Transdermal patch, matrix 75 µg per hour		5	✓ Durogesic
Transdermal patch, matrix 100 µg per hour		5	✓ Durogesic
⇒SA0935 Special Authority for Subsidy		Ü	2 201090010

Initial application from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

- 1 Patient is terminally ill and is opioid-responsive; and
- 2 Either:
 - 2.1 is unable to take oral medication; or
 - 2.2 is intolerant to morphine, or morphine is contraindicated.

Renewal from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

	(Manufacturer's F	Price) Su Per	bsidised Generic Manufacturer
METHADONE HYDROCHLORIDE	<u> </u>	101	• manadouror
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Extemporaneously compounded methadone will only	he reimbursed at the	rate of the ch	neanest form available (methado
powder, not methadone tablets).	bo rominationa at the	10.0 01 1110 01	ioapoot ioim available (motilade
d) For methadone hydrochloride oral liquid refer, page 16	66		
Tab 5 mg		10	✓ Methatabs
‡ Oral liq 2 mg per ml		200 ml	Biodone
‡ Oral liq 5 mg per ml		200 ml	✓ Biodone Forte
‡ Oral liq 10 mg per ml		200 ml	✔ Biodone Extra Forte
Inj 10 mg per ml, 1 ml		10	✓ AFT
MORPHINE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
Oral liq 1 mg per ml	8.06	200 ml	✓ RA-Morph
Oral liq 2 mg per ml		200 ml	✓ RA-Morph
‡ Oral lig 5 mg per ml		200 ml	RA-Morph
‡ Oral lig 10 mg per ml		200 ml	✓ RA-Morph
		200 1111	THE MISSION
MORPHINE SULPHATE			
a) Only on a controlled drug form			
b) No patient co-payment payable	0.04	10	. Cormodol
Tab immediate-release 10 mg		10	✓ <u>Sevredol</u> ✓ LA-Morph
Tab long-acting 10 mg		10	✓ Sevredol
Tab immediate-release 20 mg		10	✓ <u>Sevredor</u> ✓ LA-Morph
Tab long-acting 30 mg Tab long-acting 60 mg		10 10	✓ LA-Morph
Tab long-acting 100 mg		10	✓ LA-Morph
Cap long-acting 10 mg		10	✓ m-Eslon
Cap long-acting 30 mg		10	✓ m-Eslon
Cap long-acting 60 mg		10	✓ m-Esion
Cap long-acting 100 mg		10	✓ m-Esion
Cap long-acting 200 mg		10	✓ m-Esion
Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	✓ Mayne
Inj 10 mg per ml, 1 ml — Up to 5 inj available on a PSO.		5	✓ Mayne
Inj 15 mg per ml, 1 ml – Up to 5 inj available on a PSO.		5	✓ Mayne
Inj 30 mg per ml, 1 ml – Up to 5 inj available on a PSO.		5	✓ Mayne
Suppos 30 mg		12	✓ Martindale (\$29)
(Martindale §29 Suppos 30 mg to be delisted 1 May 2009)			
MORPHINE TARTRATE			
a) Only on a controlled drug form			
a) only on a controlled drug form			

Subsidy

Fully

Brand or

b) No patient co-payment payable

Inj 80 mg per ml, 5 ml67.37

5

5

✓ Mayne

✓ Mayne

	Subsidy		Fully Brand or
	(Manufacturer's Pric	e) Su Per	ıbsidised Generic ✓ Manufacturer
DVVCODONE HVDDOCHI ODIDE	*		
DXYCODONE HYDROCHLORIDE			
a) Only on a controlled drug form b) No patient on payment payels.			
b) No patient co-payment payable	7.51	20	4/ OvuContin
Tab controlled-release 5 mg		20	✓ OxyContin✓ OxyContin
Tab controlled-release 20 mg		20	✓ OxyContin
		20	✓ OxyContin
Tab controlled-release 40 mg Tab controlled-release 80 mg		20	✓ OxyContin
Cap 5 mg		20	✓ OxyNorm
Cap 10 mg		20	✓ OxyNorm
Cap 20 mg		20	✓ OxyNorm
Oral lig 5 mg per 5 ml		250 ml	✓ OxyNorm
Inj 10 mg per ml, 1 ml		5	OxyNorm OxyNorm
Inj 10 mg per ml, 2 ml		5	✓ OxyNorm
ing 10 mg per mi, 2 mi	20.00	3	<u>Oxynomi</u>
Prescribing Guideline	and the state of t		orliche and all the second all all all and an
Prescribers should note that oxycodone is significantly more ex			
suggests that it is reasonable to consider this as a second-line ag	jent to be used afte	r morpnine	•
PARACETAMOL WITH CODEINE			
★ Tab paracetamol 500 mg with codeine phosphate 8 mg	3.24	100	✓ Codalgin
PETHIDINE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
Tab 50 mg	3.00	10	✓ PSM
Tab 100 mg	4.00	10	✓ PSM
Inj 50 mg per ml, 1 ml - Up to 5 inj available on a PSO	3.75	5	✓ Mayne
Inj 50 mg per ml, 1.5 ml - Up to 5 inj available on a PSO	4.35	5	✓ Mayne
Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	4.18	5	✓ Mayne
Antidepressants			
Cyclic and Related Agents			
AMITRIPTYLINE			
Tab 10 mg	2 77	50	✓ Amirol
Tab To Hig	3.00	100	✓ Amitrip
Tab 25 mg		100	✓ Amitrip
Tab 50 mg		100	✓ Amitrip
Amitrip Tab 10 mg to be delisted 1 March 2009)		100	Amurp
CLOMIPRAMINE HYDROCHLORIDE	40.00	400	4.01
Tab 10 mg		100	Clopress
Tab 25 mg	26.00	500	✓ Clopress
OOTHIEPIN HYDROCHLORIDE			
Tab 75 mg	8.75	100	✓ Dopress
Cap 25 mg		100	✓ Dopress
DOXEPIN HYDROCHLORIDE			
Cap 10 mg	5 24	100	✓ Anten
www.willig		100	✓ Anten
Cap 25 mg			+ / IIIIVII
Cap 25 mg Cap 50 mg		100	✓ Anten
Cap 25 mg	7.34	100 100	✓ Anten ✓ Anten

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
IMIPRAMINE HYDROCHLORIDE				
Tab 10 mg	5.48	50	✓ To	<u>ofranil</u>
Tab 25 mg	8.80	50	✓ To	ofranil
MAPROTILINE HYDROCHLORIDE				
Tab 25 mg	25.06	100	✓ L	udiomil
Tab 75 mg	21.01	30	V L	udiomil
MIANSERIN HYDROCHLORIDE - Special Authority see SA0864	below – Retail pha	rmacy		
Tab 30 mg	29.25	30	✓ To	olvon
■SA0864 Special Authority for Subsidy			and the section	. following and outs

- Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:
 - 1 Depression; and
 - 2 Either:
 - 2.1 Co-existent bladder neck obstruction; or
 - 2.2 Cardiovascular disease.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

NORTRIPTYLINE HYDROCHLORIDE Tab 10 mg5.94 Tab 25 mg20.06	100 250	✓ <u>Norpress</u> ✓ <u>Norpress</u>
TRIMIPRAMINE MALEATE Cap 25 mg	100 100	✓ Tripress ✓ Tripress
Monoamine-Oxidase Inhibitors (MAOIs) - Non Selective		
PHENELZINE SULPHATE Tab 15 mg95.00 TRANYLCYPROMINE SULPHATE	100	✓ Nardil
Tab 10 mg22.94 Monoamine-Oxidase Type A Inhibitors	50	✓ Parnate
MOCLOBEMIDE		

Note: There is a significant cost differential between moclobemide and fluoxetine (moclobemide being about three times more expensive). For depressive syndromes it is therefore more cost-effective to start treatment with fluoxetine first before consider-

ing prescribing moclobemide. Tab 150 mg49.45 Tab 300 mg26.11	500 100	✓ <u>Apo-Moclobemide</u> ✓ <u>Apo-Moclobemide</u>
Selective Serotonin Reuptake Inhibitors		
CITALOPRAM HYDROBROMIDE * Tab 20 mg	28	✓ Citalopram - Rex✓ Arrow-Citalopram

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully sidised	Brand or Generic Manufacturer
FLUOXETINE HYDROCHLORIDE				
* Tab dispersible 20 mg, scored – Subsidy by endorsement	5.50	30	✓ <u>FI</u>	<u>uox</u>
Subsidised by endorsement				
 When prescribed for a patient who cannot swallow v ingly; or 	vhole tablets or capsul	es and the	e prescr	iption is endorsed accord-
2) When prescribed in a daily dose that is not a mu	Itiple of 20 mg in wh	ich case	the pres	scription is deemed to be
endorsed. Note: Tablets should be combined with o	apsules to facilitate in	crementa	1 10 mg	doses.
* Cap 20 mg	•	90	✓ FI	
			_	_
PAROXETINE HYDROCHLORIDE	5 00		٠.	
Tab 20 mg	5.90	30	V LC	oxamine_
Other Antidepressants				
Other Antidepressums				
VENLAFAXINE - Special Authority see SA0789 below - Retail p	harmacv			
Cap 37.5 mg	,	28	✓ Ef	exor XR
Cap 75 mg		28	·	exor XR
Cap 150 mg		28		exor XR
Oap 100 mg		20	▼ □	CVOL VII

⇒SA0789 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 The patient has "treatment resistant" depression; and
- 2 Either:
 - 2.1 The patient must have had a trial of two different antidepressants and failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or
 - 2.2 Both:
 - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
 - 2.2.2 The patient must have had a trial of one other antidepressant and failed to respond to an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

Antiepilepsy Drugs

Agents for Control of Status Epilepticus

CLONAZEPAM		
Inj 1 mg per ml, 1 ml19.00	5	✔ Rivotril
DIAZEPAM		
Inj 5 mg per ml, 2 ml - Subsidy by endorsement	5	✓ Mayne
c) PSO must be endorsed "not for anaesthetic procedures".		
Rectal tubes 5 mg - Up to 5 tube available on a PSO27.83	5	✓ Stesolid
Rectal tubes 10 mg - Up to 5 tube available on a PSO33.89	5	✓ Stesolid
PARALDEHYDE		
* Inj 5 ml1,500.00	5	✓ AFT
PHENYTOIN SODIUM		
* Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO69.24	5	Mayne
* Inj 50 mg per ml, 5 ml - Up to 5 inj available on a PSO77.27	5	✓ Mayne

	(Manufacturer's F	Price) Sub Per	psidised Generic Manufacturer
Control of Epilepsy			
CARBAMAZEPINE			
* Tab 200 mg	14.53	100	✓ Tegretol
* Tab long-acting 200 mg	16.98	100	✓ Tegretol CR
* Tab 400 mg	34.58	100	✓ Tegretol
* Tab long-acting 400 mg	39.17	100	✓ Tegretol CR
* Oral liq 100 mg per 5 ml	26.37	250 ml	✓ Tegretol
CLOBAZAM			
Tab 10 mg	9.12	50	✓ Frisium
‡ Safety cap for extemporaneously compounded oral liqu			
CLONAZEPAM			
Tab 500 µg	6 26	100	✓ Paxam
Tab 2 mg		100	✓ Paxam
‡ Oral drops 2.5 mg per ml		10 ml OP	✓ Rivotril
		10 1111 01	· Involin
ETHOSUXIMIDE	00.00	000	. / Zavantin
* Cap 250 mg		200	✓ Zarontin
*‡ Oral liq 250 mg per 5 ml	11.96	200 ml	✓ Zarontin
GABAPENTIN - Special Authority see SA0936 below - Retail	oharmacy		
▲ Tab 600 mg	79.79	100	✓ Neurontin
▲ Cap 100 mg	13.26	100	✓ Nupentin
	15.67		✓ Neurontin
▲ Cap 300 mg	39.76	100	✓ Nupentin
	47.00		✓ Neurontin
▲ Cap 400 mg	53.01	100	✓ Nupentin
	62.66		✓ Neurontin

Subsidy

Fully

Brand or

⇒SA0936 Special Authority for Subsidy

Initial application — (Epilepsy - new patients) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Epilepsy - patient has had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life from gabapentin, topiramate, vigabatrin and/or lamotrigine.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Initial application — (Neuropathic pain - new patients) from any relevant practitioner. Approvals valid for 3 months where the patient has tried and failed, or has been unable to tolerate, treatment with a tricyclic antidepressant.

Initial application — (Neuropathic pain - patient has had an approval for gabapentin for neuropathic pain prior to 1 August 2007) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or

NERVOUS SYSTEM

Subsidy (Manufacturer's Pr	ice)	Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

If the patient had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

Renewal — (Neuropathic pain) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

LAMOTDICINIE

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Note: If the patient had an approval for gabapentin for neuropathic pain prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

LAMOTRIGINE			
▲ Tab dispersible 2 mg	6.74	30	✓ Lamictal
▲ Tab dispersible 5 mg	9.64	30	✓ Lamictal
	15.00	56	Arrow-Lamotrigine
▲ Tab dispersible 25 mg	19.38	56	✓ Logem
	20.40		Arrow-Lamotrigine
			✓ Mogine
	29.09		✓ Lamictal
▲ Tab dispersible 50 mg	32.97	56	✓ Logem
,	34.70		Arrow-Lamotrigine
			✓ Mogine
	47.89		✓ Lamictal
▲ Tab dispersible 100 mg	56.91	56	✓ Logem
,	59.90		✓ Arrow-Lamotrigine
			✓ Mogine
	79.16		✓ Lamictal
▲ Tab dispersible 200 mg	101.80	56	Arrow-Lamotrigine
,			✓ Mogine
LEVETIRACETAM - Special Authority see SA0921 below	- Rotail pharmacy		_
Tab		60	✓ Keppra
		00	Мерріа
⇒SA0921 Special Authority for Subsidy	D 1		
Subsidy by application to the Levetiracetam Special Acces			
Notes: Application details may be obtained from PHARMA		harmac.gov	<u>rt.nz</u> or:
The Coordinator, Levetiracetam Special Access Panel	Phone: (04) 916-7553		
PHARMAC, PO Box 10 254	Facsimile: (09) 929-322	26	
Wellington	Email: Isacoordinator@	pharmac.ç	govt.nz
PHENOBARBITONE			
For phenobarbitone oral liquid refer, page 166			
* Tab 15 mg	22.60	500	✓ PSM
		500	✓ PSM
* Tab 30 mg	24.09	500	₩ F3IVI

	Subsidy (Manufacturer's Price	9)	Fully	
	\$	Per	V	Manufacturer
PHENYTOIN SODIUM				
* Tab 50 mg	15.63	200	~	Dilantin Infatab
* Cap 30 mg	15.50	200	~	Dilantin
* Cap 100 mg	14.69	200	~	Dilantin
*‡ Oral liq 30 mg per 5 ml	11.19	500 ml	~	Dilantin
PRIMIDONE				
* Tab 250 mg	17.25	100	~	Apo-Primidone
SODIUM VALPROATE				
* Tab 100 mg	13.65	100	~	Epilim Crushable
* Tab 200 mg EC		100	~	Epilim
* Tab 500 mg EC		100	~	Epilim
* Oral liq 200 mg per 5 ml	20.48	300 ml	~	Epilim S/F Liquid
			~	Epilim Syrup
* Inj 100 mg per ml, 4 ml	41.50	1	~	Epilim IV
TOPIRAMATE				
▲ Tab 25 mg	26.04	60	~	Topamax
▲ Tab 50 mg	44.26	60	~	Topamax
▲ Tab 100 mg	75.25	60	~	Topamax
▲ Tab 200 mg	129.85	60	~	Topamax
▲ Sprinkle cap 15 mg	20.84	60	~	Topamax
▲ Sprinkle cap 25 mg	26.04	60	~	Topamax
VIGABATRIN - Special Authority see SA0937 below - Retail pha	armacy			
▲ Tab 500 mg	119.30	100	~	Sabril

⇒SA0937 | Special Authority for Subsidy

Initial application — (new patients) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Patient has infantile spasms; or
 - 1.2 Both:
 - 1.2.1 Patient has epilepsy; and
 - 1.2.2 Either:
 - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
 - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and
- 2 Either:
 - 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter): or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Initial application — (patient has had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

Subsidy (Manufacturer's Price)	Ful Subsidise	ly Brand or d Generic	
\$	Per •		

continued...

- 1 Patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life from gabapentin, topiramate, vigabatrin and or lamotrigine; and
- 2 Either:
 - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for the duration of treatment with vigabatrin; or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- 2 Either:
 - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

If the patient had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

Antimigraine Preparations

For Anti-inflammatory NSAIDS refer to MUSCULO-SKELETAL, page 104

Acute Migraine Treatment ERGOTAMINE TARTRATE WITH CAFFEINE

Tab 1 mg with caffeine 100 mg	31.00	100	✓ <u>Cafergot</u>
METOCLOPRAMIDE HYDROCHLORIDE WITH PARACETAN Tab 5 mg with paracetamol 500 mg		60	✓ Paramax
RIZATRIPTAN BENZOATE			
Wafer 10 mg	25.32	3	✓ Maxalt Melt
SUMATRIPTAN			
Tab 50 mg	12.00	4	✓ Arrow-Sumatriptan
			Sumagran
	22.00		Imigran
Tab 100 mg	12.00	2	Arrow-Sumatriptan
			✓ Sumagran
	22.00		✓ Imigran
Inj 12 mg per ml, 0.5 ml – Hospital pharmacy [HP3]-Spec Maximum of 10 inj per prescription	ialist80.00	2 OP	✓ Imigran

Prophylaxis of Migraine

For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYSTEM, page 56 CLONIDINE HYDROCHLORIDE

*	Tab 25 μg	.17.53	100	Dixarit
---	-----------	--------	-----	---------

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PIZOTIFEN * Tab 500 µg	21.10 (24.10)	100	S	andomigran
Antinausea and Vertigo Agents				
For Antispasmodics refer to ALIMENTARY TRACT, page 28				
BETAHISTINE DIHYDROCHLORIDE * Tab 16 mg	7.56	84	✓ V	ergo 16
CYCLIZINE HYDROCHLORIDE Tab 50 mg	1.99	10	✓ <u>N</u>	ausicalm_
CYCLIZINE LACTATE Inj 50 mg per ml, 1 ml	14.95	5	✓ V	aloid (AFT)
DOMPERIDONE - Additional subsidy by Special Authority see S	A0938 below – Retai	l phar	macy	
* Tab 10 mg	3.90 (7.99)	100	M	lotilium

▶SA0938 Special Authority for Manufacturers Price

Initial application from any relevant practitioner. Approvals valid for 6 months where the patient is terminally ill and requires control of nausea and vomiting.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

HYOSCINE (SCOPOLAMINE) – Special Authority see SA0939 below – Hospital pharmacy [HP3]
Patches, 1.5 mg11.95 2 ✓ Scopoderm TTS

■ SA0939 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease; and
- 2 Patient cannot tolerate or does not adequately respond to oral anti-nausea agents; and
- 3 The applicant must specify the underlying malignancy or chronic disease.

Renewal from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

HYOSCINE HYDROBROMIDE * Inj 400 µg per ml, 1 ml	6.66	5	✓ Mayne
METOCLOPRAMIDE HYDROCHLORIDE			
* Tab 10 mg	5.15	100	Metamide
* Inj 5 mg per ml, 2 ml - Up to 5 inj available on a PSO	4.50	10	✓ Pfizer
ONDANSETRON - Retail pharmacy-Specialist			
a) Maximum of 12 tab per prescription; can be waived by Spe	cial Authority see	SA0887 be	elow
b) Maximum of 6 tab per dispensing; can be waived by Speci	al Authority see S	A0887 below	W
c) Not more than one prescription per month; can be waived I	by Special Author	ity see SA08	887 below.
Tale 4 man	17 10	10	A Zafran

3			
Tab disp 4 mg	17.18	10	Zofran Zydis
Tab 8 mg		20	✓ Zofran
Tab disp 8 mg	20.43	10	✓ Zofran Zvdis

■ SA0887 Special Authority for Waiver of Rule

Initial application from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing prolonged treatment with highly emetogenic chemotherapy and/or highly emetogenic radiation therapy for the treatment of malignancy.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing prolonged treatment with highly emetogenic chemotherapy and/or highly emetogenic radiation therapy for the treatment of malignancy.

	Subsidy (Manufacturer's Price)		Fully Brand or Subsidised Generic
	\$	Per	
PROCHLORPERAZINE			
★ Tab 3 mg buccal	5.97	50	
	(15.00)		Buccastem
★ Tab 5 mg - Up to 30 tab available on a PSO	16.85	500	✓ Antinaus
k Inj 12.5 mg per ml, 1 ml − Up to 5 inj available on a PSO	25.81	10	✓ Stemetil
	23.87	5	✓ Stemetil
PROMETHAZINE THEOCLATE			
From 21 mg	1 20	10	
- 145 25 mg	(6.24)		Avomine
DODICETDON Harrital about the UDOI Considiat	(0.21)		7.00111110
ROPISETRON – Hospital pharmacy [HP3]-Specialist			
a) Maximum of 6 cap per prescription			
b) Maximum of 3 cap per dispensing			
c) Not more than one prescription per month.	77 /11	5	✓ Navoban
Cap 5 mg		J	₩ INGVODALI
Antiparkinson Agents			
Dopamine Agonists and Related Agents			
MANTADINE HYDROCHLORIDE			
▲ Cap 100 mg	47.81	60	✓ Symmetrel
POMORPHINE HYDROCHLORIDE			
▲ Inj 10 mg per ml, 2 ml	50.43	5	✓ APO-go S29
▲ Inj 10 mg per ml, 1 ml		5	✓ Mayne
BROMOCRIPTINE MESYLATE			
	20.00	100	Alpha
★ Tab 2.5 mg	32.08	100	✓ Alpha-
K. Tala 10 mm	100.00	100	Bromocriptine
₭ Tab 10 mg	120.86	100	✓ Alpha-
			Bromocriptine
NTACAPONE			
▲ Tab 200 mg	129.00	100	✓ Comtan
EVODOPA WITH BENSERAZIDE			
* Tab dispersible 50 mg with benserazide 12.5 mg	10.00	100	✓ Madopar
3			Dispersible
Cap 50 mg with benserazide 12.5 mg	8.00	100	✓ Madopar 62.5
Cap 100 mg with benserazide 25 mg		100	✓ Madopar 125
Cap long-acting 100 mg with benserazide 25 mg		100	✓ Madopar HBS
Cap 200 mg with benserazide 50 mg		100	✓ Madopar 250
EVODOPA WITH CARBIDOPA			
E VODOFA WITH CANDIDOFA ← Tab 100 mg with carbidopa 25 mg	10.00	50	✓ Sindopa
rab 100 mg with carbidopa 25 mg	20.00	100	✓ Sindopa ✓ Sinemet
K. Tab long acting 200 mg with contidens 50 mg. Detail		100	▼ Sincillet
Tab long-acting 200 mg with carbidopa 50 mg - Retai		100	A Cinamat CD
pharmacy-Specialist		100	✓ Sinemet CR
Tab 250 mg with carbidopa 25 mg	07.50	100	✓ Sinemet
ISURIDE HYDROGEN MALEATE			
▲ Tab 200 μg	27.50	30	Dopergin
PERGOLIDE			
	48 00	100	✓ Permax
▲ Tab 0.25 mg			

	Subsidy (Manufacturer's Pri	ice) S Per	Fully ubsidised	
ROPINIROLE HYDROCHLORIDE – Retail pharmacy-Specialist	•	-		
▲ Tab 0.25 mg	31.50	210	V 1	Requip
\blacktriangle Tab 0.25 mg \times 42, 0.5 mg \times 42 and 1 mg \times 21		105 OP		Requip Starter Pack
\blacktriangle Tab 0.5 mg \times 42, 1 mg \times 42 and 2 mg \times 63	122.11	147 OP	/ I	Requip Follow-on Pack
▲ Tab 1 mg	67.20	84	1	Requip
▲ Tab 2 mg		84	/	Requip
▲ Tab 5 mg	150.00	84	/	Requip
SELEGILINE HYDROCHLORIDE				
* Tab 5 mg	16.06	100	V	Apo-Selegiline
TOLCAPONE − Retail pharmacy-Specialist prescription Specialist must be a neurologist, geriatrician or general physi Tab 100 mg		100	V ·	Tasmar
Anticholinergics				
BENZTROPINE MESYLATE Tab 2 mg	7.25	60	4/1	Benztrop
Inj 1 mg per ml, 2 ml a) Up to 5 inj available on a PSO b) Only on a PSO		5		Cogentin
ORPHENADRINE HYDROCHLORIDE				
Tab 50 mg	31.93	250	V	Disipal
PROCYCLIDINE HYDROCHLORIDE				
Tab 5 mg	7.40	100	1	Kemadrin

Antipsychotics

Guidelines for the use of atypical antipsychotic agents

Diagnosis: Schizophrenia and related psychoses when positive symptoms (delusions, hallucinations and thought disorder) are prominent and/or disabling or when both positive symptoms and negative symptoms (flattened affect, emotional and social withdrawal and poverty of speech) are present. Treatment: Before initiating atypical antipsychotic therapy, physicians should consider whether the patient is likely to respond to and/or tolerate conventional antipsychotic therapy and, where appropriate, trial one or more conventional agent prior to use of an atypical agent.

General

AMISULPRIDE			
Tab 100 mg	22.52	30	Solian
Tab 200 mg	97.03	60	Solian
Tab 400 mg	185.44	60	Solian
Oral liq 100 mg per ml	55.44	60 ml	Solian
ARIPIPRAZOLE - Special Authority see SA0920 on the next page	ge – Retail pharm	acy	
Tab 10 mg	123.54	30	Abilify
Tab 15 mg	175.28	30	Abilify
Tab 20 mg	213.42	30	Abilify
Tab 30 mg	260.07	30	✓ Abilify

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sub	sidised	Generic
\$	Per	~	Manufacturer

⇒SA0920 Special Authority for Subsidy

CHI ORPROMAZINE HYDROCHI ORIDE

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Either:
 - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
 - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

CHLORPROMAZINE HYDROCHLORIDE		
Tab 10 mg - Up to 30 tab available on a PSO12	36 100	D Largactil
Tab 25 mg - Up to 30 tab available on a PSO13	3.02 100	○ ✓ Largactil
Tab 100 mg – Up to 30 tab available on a PSO30	.61 10	Largactil
Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO25	.66 10	✓ Largactil
CLOZAPINE - Hospital pharmacy [HP4]		
Tab 25 mg13	.37 50	✓ Clopine
•	5.74 100	•
13	3.37 50	✓ Clozaril
Tab 50 mg17	.33 50	✓ Clopine
34	.65 100	Clopine
Tab 100 mg34	.65 50	✓ Clozaril
35	.65	Clopine
69	.30 100	Clopine
Tab 200 mg55	5.45 50	✓ Clopine
110	.90 100	Clopine
Suspension 50 mg/ml34	.65 100	ml Clopine
HALOPERIDOL		
Tab 500 μg – Up to 30 tab available on a PSO4	.93 100	Serenace
Tab 1.5 mg - Up to 30 tab available on a PSO7	.45 100	Serenace
Tab 5 mg - Up to 30 tab available on a PSO23	3.49 100	Serenace
Oral liq 2 mg per ml - Up to 200 ml available on a PSO18	.06 100	ml Serenace
Inj 5 mg per ml, 1 ml - Up to 5 inj available on a PSO17	.04 10	✓ Serenace
LITHIUM CARBONATE		
Tab 250 mg25	.45 500	Lithicarb
Tab 400 mg9		Lithicarb
Tab long-acting 400 mg16		Priadel
Cap 250 mg7		Douglas
METHOTRIMEPRAZINE		-
Tab 25 mg	5.93 100	Nozinan
Tab 100 mg		Nozinan
Inj 25 mg per ml, 1 ml73		✓ Nozinan
OLANZAPINE – Special Authority see SA0741 on the next page – Retail p		
Tab 2.5 mg	•	✓ Zyprexa
Tab 5 mg		. **
Tab 10 mg		• • • • • • • • • • • • • • • • • • • •
		, , -

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✓ Manufacturer

▶SA0741 Special Authority for Subsidy

Initial application only from a psychiatrist. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 Patient presents with first episode schizophrenia or related psychoses; or
- 2 Both:

PERICYAZINE

- 2.1 Patient suffering from schizophrenia and related psychoses or acute mania in bipolar disorder who is likely to benefit from antipsychotic treatment; and
- 2.2 Either:
 - 2.2.1 An effective dose of risperidone had been trialled and has been discontinued because of unacceptable side effects; or
 - 2.2.2 An effective dose of risperidone had been trialled and has been discontinued because of inadequate clinical response after 4 weeks; or
- 3 The patient has suffered from an acute episode of schizophrenia or bipolar mania and has been treated with olanzapine short-acting intra-muscular injection.

Renewal only from a psychiatrist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Initial prescriptions to be written by psychiatrists or psychiatric registrars and subsequent prescriptions can be written by General Practitioners.

	Tab 2.5 mg	100 100	✓ Neulactil ✓ Neulactil
	Tab 10 mg44.45	100	Neulacili
QU	ETIAPINE		
	Tab 25 mg20.62		Quetapel
	46.20		✓ Seroquel
	Tab 100 mg41.25		Quetapel
	92.40		✓ Seroquel
	Tab 200 mg70.88		Quetapel
	158.76		✓ Seroquel
	Tab 300 mg119.25		Quetapel
	267.12	60	Seroquel
RIS	PERIDONE		
	Tab 0.5 mg5.20	20	✓ Ridal
	15.60		✓ Ridal
	5.20	20	✓ Risperdal
	Tab 1 mg30.77	60	✓ Ridal
			✓ Risperdal
	Tab 2 mg61.53	60	✓ Ridal
			✓ Risperdal
	Tab 3 mg	60	✓ Ridal
			✓ Risperdal
	Tab 4 mg	60	✓ Ridal
			✓ Risperdal
	Oral liquid 1 mg per ml45.92	30 ml	✓ Risperdal
TR	FLUOPERAZINE HYDROCHLORIDE		
	Tab 1 mg	100	
	(10.22		Stelazine s29
	Tab 2 mg	,	
	(15.61		Stelazine S29
	Tab 5 mg	100	0.0.020
	(17.77		Stelazine S29
	(11.11	,	CloidZii io 023

()	Subsidy Manufacturer's Price) \$	Subsi Per	Fully dised	Brand or Generic Manufacturer
ZIPRASIDONE – Subsidy by endorsement Ziprasidone is subsidised for patients suffering from schizophrr risperidone or quetiapine that has been discontinued, or is in the effects or inadequate response, and the prescription is endorsed Cap 20 mg	e process of being of d accordingly. 87.88 164.78		d, bed Z Z	
Cap 80 mg		60		eldox
Depot Injections				
FLUPENTHIXOL DECANOATE Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	20.90	5 5 5	✓ F	iluanxol iluanxol iluanxol
FLUPHENAZINE DECANOATE Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	17.60 27.90	5 5 5	✓ N	flodecate flodecate flodecate
HALOPERIDOL DECANOATE Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		5 5		laldol laldol Concentrate
PIPOTHIAZINE PALMITATE Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSOInj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO		10 10		Piportil Piportil
RISPERIDONE – Special Authority see SA0926 below – Retail pha Microspheres for injection 25 mg	175.00 230.00	1 1 1	✓ R	Risperdal Consta Risperdal Consta Risperdal Consta
■SA0926 Special Authority for Subsidy				

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient has schizophrenia or other psychotic disorder; and
- 2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Fither:

- 1 Both:
 - 1.1 The patient has had less than 12 months treatment with risperidone microspheres; and
 - 1.2 There is no clinical reason to discontinue treatment; or
- 2 The initiation of risperidone microspheres has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of risperidone microspheres.

Note: Risperidone microspheres should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone microspheres.

ZUCLOPENTHIXOL DECANOATE

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

Orodispersible Antipsychotics

OLANZAPINE - Special Authority see SA0739 below - F	Retail pharmacy		
Wafer 5 mg	102.19	28	Zyprexa Zydis
Wafer 10 mg	204.37	28	Zyprexa Zydis

⇒SA0739 Special Authority for Subsidy

Initial application only from a psychiatrist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient meets the current criteria for standard olanzapine tablets; and
- 2 The patient is unable to take standard olanzapine tablets, or once stabilized refuses to take olanzapine tablets; or the patient is non-adherent to oral therapy with standard olanzapine tablets: and
- 3 The patient is under direct supervision for administration of medicine.

Renewal only from a psychiatrist. Approvals valid for 1 year for applications meeting the following criteria:

- 1 The patient is unable to take standard olanzapine tablets, or once stabilized refuses to take olanzapine tablets; and
- 2 The patient is under direct supervision for administration of medicine.

Note: Initial prescriptions to be written by psychiatrists and subsequent prescriptions can be written by psychiatric registrars or General Practitioners.

RISPERIDONE - Special Authority see SA0927 below - Retail pharmacy

Orally-disintegrating tablets 0.5 mg21.42	28	Risperdal Quicklet
Orally-disintegrating tablets 1 mg42.84	28	Risperdal Quicklet
Orally-disintegrating tablets 2 mg85.71	28	Risperdal Quicklet

⇒SA0927 Special Authority for Subsidy

Initial application — (Acute situations) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 For a non-adherent patient on oral therapy with standard risperidone tablets or risperidone oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Initial application — (Chronic situations) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Note: Risperdal Quicklets cost significantly more than risperidone tablets and should only be used where necessary.

Anxiolytics

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
BUSPIRONE HYDROCHLORIDE – Special Authority see SA0863 Month Restriction	3 below – Retail pharr	nacy		
Tab 5 mg	28.00	100	✓ Pa	acific Buspirone
Tab 10 mg	17.00	100	✓ Pa	acific Buspirone

⇒SA0863 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 For use only as an anxiolytic; and
- 2 Other agents are contraindicated or have failed.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

DIAZEPAM

Tab 2 mg - Month Restriction	8.40	500	Pro-Pam
‡ Safety cap for extemporaneously compounded oral liquid p	reparations.		
Tab 5 mg - Month Restriction	5.00	250	Pro-Pam
‡ Safety cap for extemporaneously compounded oral liquid p			
Tab 10 mg - Month Restriction	3.45	100	Pro-Pam
‡ Safety cap for extemporaneously compounded oral liquid p	oreparations.		
LORAZEPAM - Month Restriction			
Tab 1 mg	6.28	250	Ativan
‡ Safety cap for extemporaneously compounded oral liquid p	reparations.		
Tab 2.5 mg	4.12	100	Ativan
‡ Safety cap for extemporaneously compounded oral liquid p	oreparations.		
OXAZEPAM - Month Restriction			
Tab 10 mg	1.98	100	
•	(5.50)		Ox-Pam
‡ Safety cap for extemporaneously compounded oral liquid p	oreparations.		
Tab 15 mg	2.45	100	
	(7.60)		Ox-Pam
‡ Safety cap for extemporaneously compounded oral liquid p	reparations.		

Multiple Sclerosis Treatments

⇒SA0855 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Budget managed by appointed clinicians on the Multiple Sclerosis Treatment Assessments Committee (MSTAC).

Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Appeals against MSTAC's decision and/or the processing of any application may be lodged with the MSTAC coordinator. Concerns that cannot be or have not been adequately addressed by MSTAC will be forwarded to a separate Appeal Committee if necessary. Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis should as a rule include MRI confirmation. For patients diagnosed before MRI was widely utilised in New Zealand, confirmation of diagnosis via clinical assessment and laboratory/ancillary data must be provided; and
- 2) patients must have active relapsing MS (confirmed by MR scan where necessary) with or without underlying progression; and
- 3) patients must have either:
 - a) EDSS score 2.5 5.5 with 2+ relapses:
 - experienced at least 2 significant relapses of MS in the previous 12 months, and
 - an EDSS score of between 2.5 and 5.5 inclusive; or
 - b) EDSS score 2.0 with 3+ relapses:
 - experienced at least 3 significant relapses of MS in the previous 12 months, and
 - an EDSS score of 2.0: and
- 4) Each relapse must:
 - a) be confirmed by a neurologist or general physician (the patient may not necessarily have been seen during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria):
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) follow a period of stability of at least one month;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke functional systems scores by at least 1
 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T>37.5°C); and
- 5) applications must be made at least four weeks after the date of the onset of the last known relapse; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate (see criteria for stopping).
- applications must be submitted to the Multiple Sclerosis Treatment Assessment Committee (MSTAC) by the patient's neurologist or a general physician; and
- 8) patients must agree (via informed consent) to co-operate if as a result of their meeting the stopping criteria, funding is withdrawn. Patients must agree to the collection of clinical data relating to their MS and use of those data by PHARMAC; and
- 9) patients must agree to allow clinical data to be collected and reviewed by MSTAC annually for each year in which they receive funding for beta-interferon or glatiramer acetate.

Stopping Criteria

- Confirmed progression of disability that is sustained for three months after a minimum of one year of treatment. Progression
 of disability is defined as either an increase of 1 EDSS point from the starting EDSS or an increase in EDSS score to 6.0 or
 more; or
- 2) stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment); or
- 3) pregnancy and/or lactation; or
- 4) within the 12 month approval year, intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or

(Subsidy Manufacturer's Price) \$	Fu Subsidis Per	
continued			
non-compliance with treatment, including refusal to undergoment to be submitted to MSTAC; or			
 patients may, subject to conclusions drawn from published ev titre of neutralising anti-bodies to beta-interferon or glatirame 		the time, be e	xcluded if they develop a high
GLATIRAMER ACETATE – Special Authority see SA0855 on page Inj 20 mg pre-filled syringe		28	' Copaxone
INTERFERON BETA-1-ALPHA – Special Authority see SA0855 on		1	Avanav
Inj 6 million iu prefilled syringe			' Avonex ' Avonex
INTERFERON BETA-1-BETA - Special Authority see SA0855 on p			
Inj 8 million iu per 1 ml		15	' Betaferon
Sedatives and Hypnotics			
LORMETAZEPAM – Month Restriction			
Tab 1 mg	3.11	30	
+ Cafabraga for externa area color agreement and a real liquid	(23.50)		Noctamid
‡ Safety cap for extemporaneously compounded oral liquid p MIDAZOLAM	oreparations.		
Tab 7.5 mg – Month Restriction	10.38	100	
•	(25.00)		Hypnovel
‡ Safety cap for extemporaneously compounded oral liquid p			4
Inj 1 mg per ml, 5 ml		10	' Hypnovel Pfizer
Inj 5 mg per ml, 3 ml	(14.73)	5	' Hypnovel
, og po, o	(19.64)	•	Pfizer
NITRAZEPAM – Month Restriction			
Tab 5 mg		100	
	(3.90)		Insoma
‡ Safety cap for extemporaneously compounded oral liquid p	(4.65) preparations		Nitrados
(Insoma Tab 5 mg to be delisted 1 March 2009)	or oparation of		
TEMAZEPAM - Month Restriction			
Tab 10 mg		25	Normison Normison
‡ Safety cap for extemporaneously compounded oral liquid p	oreparations.		
TRIAZOLAM – Month Restriction Tab 125 µg	5.10	100	' Hypam
‡ Safety cap for extemporaneously compounded oral liquid p		100	Пураш
Tab 250 μg	•	100	' Hypam
‡ Safety cap for extemporaneously compounded oral liquid p	reparations.		
ZOPICLONE – Month Restriction	04.00	F00 -4	/ Ama Zamialama
Tab 7.5 mg	∠1.0∠	500 v	Apo-Zopiclone
Other CNS Agents			
DEXAMPHETAMINE SULPHATE - Special Authority see SA0907 Only on a controlled drug form	on the next page – F	Retail pharma	су
Tab 5 mg	17.00	100	'PSM

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

■SA0907 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over – new patients) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Fither:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Both:
 - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient: and
 - 3.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients 5 or over - patient has had an approval for dexamphetamine for ADHD prior to 1 April 2008) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: Both:

- - 1 The treatment remains appropriate and the patient is benefiting from treatment; and
 - 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Both:
 - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 2.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients under 5 - new patients) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
 - 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (ADHD in patients under 5 - patient has had an approval for dexamphetamine for ADHD in patients under 5 prior to 1 April 2008) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Narcolepsy - new patients) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Initial application — (Narcolepsy - patient has had an approval for dexamphetamine for narcolepsy prior to 1 April 2008) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment..

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Both:
 - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 2.2.2 Provide name of the recommending specialist.

Note: If the patient had an approval for dexamphetamine for ADHD prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

NERVOUS SYSTEM

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic ♀ Manufacturer

continued...

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for dexamphetamine for ADHD in patients under 5 prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for dexamphetamine for narcolepsy prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

DISULFIRAM

Tab 200 mg	24.30	100	✓ Antabuse
METHYLPHENIDATE HYDROCHLORIDE - Special Authority see	SA0908 below	– Retail phai	macy
Only on a controlled drug form			
Tab immediate-release 5 mg	3.20	30	✓ Rubifen
Tab immediate-release 10 mg		30	✓ Rubifen
Tab immediate-release 20 mg	7.85	30	✓ Rubifen
Tab sustained-release 20 mg	10.95	30	✓ Rubifen SR

⇒SA0908 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over – new patients) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Both:
 - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 3.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients 5 or over - patient has had an approval for methylphenidate for ADHD prior to 1 April 2008) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Both:
 - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 2.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients under 5 – new patients) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Initial application — (ADHD in patients under 5 - patient has had an approval for methylphenidate for ADHD in patients under 5 prior to 1 April 2008) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Narcolepsy – new patients) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Initial application — (Narcolepsy - patient has had an approval for methylphenidate for narcolepsy prior to 1 April 2008) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Fither
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Both:
 - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 2.2.2 Provide name of the recommending specialist.

Note: If the patient had an approval for methylphenidate for ADHD prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for methylphenidate for ADHD in patients under 5 prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for methylphenidate for narcolepsy prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA0924 below - Retail pharmacy

Only on a controlled drug form

only on a controlled and grown		
Tab extended-release 18 mg58.96	30	Concerta
Tab extended-release 27 mg65.44	30	Concerta
Tab extended-release 36 mg71.93	30	✓ Concerta
Tab extended-release 54 mg	30	✓ Concerta

■ SA0924 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Both:
 - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and

NERVOUS SYSTEM

Subsidy (Manufacturer's Price) Fully Subsidised

Per

Brand or Generic Manufacturer

ReVia

continued...

3.2.2 Provide name of the recommending specialist; and

- 4 Either:
 - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or compliance difficulties; or
 - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- Fither
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Both:
 - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 2.2.2 Provide name of the recommending specialist.

NALTREXONE HYDROCHLORIDE - Special Authority see SA0909 below - Retail pharmacy

⇒SA0909 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in a community Alcohol and Drug Service contracted to one of the 21 District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

Renewal from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
 - 2.1 Patient is still unstable and requires further treatment; or
 - 2.2 Patient achieved significant improvement but requires further treatment; or
- 2.3 Patient is well controlled but requires maintenance therapy.

The patient may not have had more than 1 prior approval in the last 12 months.

TETRABENAZINE

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised Brand or Generic Manufacturer

Chemotherapeutic Agents

Alkylating Agents

, J J			
BUSULPHAN – PCT – Retail pharmacy-Specialist Tab 2 mg	47.89	100	✓ Myleran
CARBOPLATIN - PCT only - Specialist			
Inj 10 mg per ml, 5 ml	12 00	1	✓ Carboplatin Ebewe
Inj 10 mg per ml, 15 ml		1	✓ Carboplatin Ebewe
Inj 10 mg per ml, 45 ml		1	✓ Carboplatin Ebewe
, , ,		=	
Inj 10 mg per ml, 100 ml		1	✓ Carboplatin Ebewe
Inj 1 mg for ECP	0.13	1 mg	✓ Baxter
			✓ Biomed
CARMUSTINE - PCT only - Specialist			
Inj 100 mg	204.13	1	✓ BiCNU
Inj 100 mg for ECP	204.10	100 mg OP	✓ Baxter
IIIJ 100 IIIg 101 EOF	204.13	100 mg OF	✓ Biomed
			▶ Biomed
CHLORAMBUCIL - PCT - Retail pharmacy-Specialist			
Tab 2 mg	22.35	25	✓ Leukeran FC
3			
CISPLATIN - PCT only - Specialist			4.61
Inj 1 mg per ml, 50 ml	19.00	1	Cisplatin Ebewe
			✓ Mayne
Inj 1 mg per ml, 100 ml	38.00	1	Cisplatin Ebewe
			✓ Mayne
Inj 1 mg for ECP	0.46	1 mg	✓ Baxter
, 0		J	✓ Biomed
0./0.			v Biolilou
CYCLOPHOSPHAMIDE			
Tab 50 mg - PCT - Retail pharmacy-Specialist		50	Cycloblastin
Inj 1 g - PCT - Retail pharmacy-Specialist	21.51	1	Endoxan
	127.80	6	✓ Cytoxan
Inj 2 g - PCT only - Specialist	43.00	1	✓ Endoxan
Inj 1 mg for ECP - PCT only - Specialist		1 mg	✓ Baxter
,		9	✓ Biomed
			v Biolilou
IFOSFAMIDE - PCT only - Specialist			
lnj 1 g		1	✓ Holoxan
Inj 2 g	162.80	1	✓ Holoxan
Inj 1 mg for ECP	0.09	1 mg	✓ Baxter
, ,		Ü	✓ Biomed
LONGOTINE DOT L. O. C. I.			
LOMUSTINE – PCT only – Specialist	400 50	20	4.0
Cap 10 mg		20	✓ CeeNU
Cap 40 mg	399.15	20	✓ CeeNU
MELPHALAN			
Tab 2 mg - PCT - Retail pharmacy-Specialist	21 21	25	✓ Alkeran
		1	✓ Alkeran
Inj 50 mg – PCT only – Specialist	32.15	ı	₩ AIKEIZII

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
OXALIPLATIN - PCT only - Specialist - Special Authority	see SA0900 below				
Inj 50 mg	200.00	1	✓ EI	loxatin	
Inj 100 mg	400.00	1	✓ EI	loxatin	
Inj 1 mg for ECP	4.36	1 mg	✓ B	axter	
, ,	8.74	Ü	✓ B	iomed	

⇒SA0900 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has metastatic colorectal cancer; and
 - 1.2 To be used for first or second line use as part of a combination chemotherapy regimen; or
- 2 Both:
 - 2.1 The patient has stage III (Duke's C) colorectal* cancer; and
 - 2.2 Adjuvant oxaliplatin to be given in combination with a fluoropyrimidine (fluorouracil or capecitabine).

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with * are Unapproved Indications, oxaliplatin is indicated for adjuvant treatment of stage III (Duke's C) colon cancer after complete resection of the primary tumour.

Antimetabolites

CALCIUM FOLINATE

✓ Mayne
✓ Mayne
✓ Calcium Folinate
Ebewe
✓ Calcium Folinate
Ebewe
Calcium Folinate
Ebewe
Calcium Folinate
Ebewe
g / Baxter
✓ Biomed
elow
Xeloda
✓ Xeloda

⇒SA0869 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Any of the following:

- 1 The patient has advanced gastrointestinal malignancy; or
- 2 The patient has metastatic breast cancer*; or
- 3 The patient has stage III (Duke's stage C) colorectal*# cancer and undergone surgery; or
- 4 Both:

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 4.1 The patient has poor venous access or needle phobia*; and
- 4.2 The patient requires a substitute for single agent fluoropyrimidine*.

Renewal only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with * are Unapproved Indications, # capecitabine is approved for stage III (Duke's stage C) colon cancer.

CLADRIBINE – PCT only – Specialist	респавте із ар	proved for stage	e iii (Duke's stage C) colon car
Inj 2 mg per ml, 5 ml	873.00	1	✓ Litak S29
Inj 1 mg per ml, 10 ml		7	✓ Leustatin
Inj 10 mg for ECP	,	10 mg OP	✓ Baxter
n, 10 mg 101 201		To mg Or	✓ Biomed
OVERABINE			· Didiliou
CYTARABINE	22.22	_	4.0
Inj 100 mg - PCT - Retail pharmacy-Specialist	80.00	5	Mayne
		_	✓ Pharmacia
Inj 100 mg per ml, 5 ml - PCT - Retail pharmacy-Specialist		5	✓ Mayne
Inj 100 mg per ml, 10 ml - PCT - Retail pharmacy-Specialis		1	✓ Mayne
Inj 100 mg per ml, 20 ml - PCT only - Specialist		1	✓ Mayne
Inj 1 mg for ECP - PCT only - Specialist	0.03	1 mg	✓ Baxter
			✓ Biomed
Inj 100 mg intrathecal syringe for ECP - PCT only - Specialis	st16.00	100 mg OP	✓ Baxter
			✓ Biomed
FLUDARABINE PHOSPHATE - PCT only - Specialist			
Tab 10 mg	650.25	15	✓ Fludara
Inj 50 mg	1,430.00	5	✓ Fludara
Inj 50 mg for ECP	286.00	50 mg OP	✓ Baxter
, ,		Ü	✓ Biomed
FLUOROURACIL SODIUM			
Inj 50 mg per ml, 10 ml - PCT only - Specialist	4 05	1	✓ Fluorouracil Ebewe
Inj 500 mg per 10, 10 ml - PCT - Retail pharmacy-Specialist		10	✓ Mayne
Inj 50 mg per ml, 20 ml - PCT only - Specialist		10	✓ Fluorouracil Ebewe
		1	
Inj 25 mg per ml, 100 ml — PCT only — Specialist		1	✓ Mayne✓ Fluorouracil Ebewe
Inj 50 mg per ml, 50 ml — PCT only — Specialist		•	
Inj 50 mg per ml, 100 ml — PCT only — Specialist		1	Fluorouracil Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.01	1 mg	✓ Baxter
(Mayne Inj 500 mg per 20 ml to be delisted 1 July 2009)			✓ Biomed
, , , , , , , , , , , , , , , , , , , ,			
GEMCITABINE HYDROCHLORIDE - PCT only - Specialist - S	Special Authority	y see SA0877 o	n the next page
Inj 1 g		1	✓ Gemzar
Inj 200 mg	78.00	1	✓ Gemzar
Inj 1 mg for ECP	0.38	1 mg	✓ Baxter
			✓ Biomed

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

■SA0877 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has non small cell lung carcinoma (stage IIIa, or above); or
- 2 The patient has advanced malignant mesothelioma*; or
- 3 The patient has advanced pancreatic carcinoma; or
- 4 The patient has ovarian, fallopian tube* or primary peritoneal carcinoma*; or
- 5 The patient has advanced transitional cell carcinoma of the urothelial tract (locally advanced or metastatic).

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with a * are Unapproved Indications.

IRINOTECAN - PCT only - Specialist - Special Authority see SA0878 below

Inj 20 mg per ml, 2 ml	124.00	1	Camptosar
Inj 20 mg per ml, 5 ml	310.00	1	Camptosar
Inj 1 mg for ECP	3.19	1 mg	✓ Baxter
, ,		•	✓ Biomed

■ SA0878 | Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- Both:
 - 1 The patient has metastatic colorectal cancer; and
 - 2 Either:
 - 2.1 To be used for first or second line use as part of a combination chemotherapy regimen; or
 - 2.2 As single agent chemotherapy in fluropyrimidine-relapsed disease.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
 - 2 The tumour has relapsed and requires re-treatment.

MERCAPTOPURINE - PCT - Retail pharmacy-Specialist

	Subsidy (Manufacturer's Price \$	e) Si Per	Fully ubsidised	Brand or Generic Manufacturer
METHOTREXATE	Ψ	101		Manuacaror
* Tab 2.5 mg - PCT - Hospital pharmacy [HP3]-Specialist	5.80	30	✓ M	ethoblastin
* Tab 10 mg - PCT - Hospital pharmacy [HP3]-Specialist		50	_	ethoblastin
* Inj 2.5 mg per ml, 2 ml — PCT — Hospital pharmacy [HP1]		30	<u>IVI</u>	<u>etilopiastili</u>
Specialist		5	✓ M	avno
* Inj 25 mg per ml, 2 ml - PCT - Hospital pharmacy [HP1]		3	V IVI	ayrıc
Specialist		5	✓ M	avno
* Inj 100 mg per ml, 5 ml - PCT - Hospital pharmacy [HP1]		3	V IVI	ayne
Specialist		1	✓ M	ethotrexate Ebewe
* Inj 25 mg per ml, 20 ml - PCT - Hospital pharmacy [HP1]		'	V IVI	ethotickate Lbewe
Specialist		1	✓ M	avno
* Inj 100 mg per ml, 10 ml - PCT - Hospital pharmacy [HP1]		'	IVI	ayrıc
Specialist		1	✓ M	ethotrexate Ebewe
* Inj 100 mg per ml, 50 ml - PCT - Hospital pharmacy [HP1]		'	<u>IVI</u>	ethotiexate Lbewe
Specialist		1	✓ M	ethotrexate Ebewe
* Inj 1 mg for ECP - PCT only - Specialist		1 mg	✓ B	
TOT OTHE OPECIALIST	0.10	i ilig		iomed
* Inj 5 mg intrathecal syringe for ECP - PCT only - Specialis	****	5 mg OP	✓ B	
injoing initialities symbol 20.		og •.		iomed
(Methotrexate Ebewe Inj 100 mg per ml, 5 ml to be delisted 1 Fe	bruary 2009)			
THIOGUANINE – PCT – Hospital pharmacy [HP3]-Specialist	, -,			
Tab 40 mg	97.16	25	√ La	anvie
1ab 40 mg		23	₩ L	alivio
Other Cytotoxic Agents				

ANAGRELIDE HYDROCHLORIDE − PCT only − Specialist − Special Authority see SA0879 below

Cap 0.5 mgCBS 100 ✓ Agrylin S29

✓ Teva S29

⇒SA0879 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has primary thrombocythaemia; and
- 2 Either:
 - 2.1 is at high risk (previous thromboembolic disease, bleeding or platelet count >1500/ml); or
 - 2.2 is intolerant or refractory to hydroxyurea or interferon.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that treatment with an agrelide be initiated only on the recommendation of a haematologist.

ARSENIC TRIOXIDE - PCT only - Specialist Inj 10 mg	2,475.55	10	✓ AFT S29
BLEOMYCIN SULPHATE - PCT only - Specialist Inj 15,000 iu Inj 1,000 iu for ECP		10 1,000 iu	✓ Blenoxane✓ Baxter✓ Biomed
COLASPASE (L-ASPARAGINASE) – PCT only – Specialist Inj 10,000 iu Inj 10,000 iu for ECP		1 10,000 iu OP	✓ Leunase ✓ Baxter ✓ Biomed

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or sidised Generic Manufacturer
DACARBAZINE – PCT only – Specialist Inj 200 mg Inj 200 mg for ECP		1 200 mg OP	✓ Mayne ✓ Baxter ✓ Biomed
DACTINOMYCIN (ACTINOMYCIN D) – PCT only – Specialist Inj 0.5 mg Inj 0.5 mg for ECP		1 0.5 mg OP	✓ Cosmegen ✓ Baxter ✓ Biomed
DAUNORUBICIN – PCT only – Specialist Inj 5 mg per ml, 4 ml Inj 20 mg for ECP	99.00 99.00	1 20 mg OP	✓ Mayne ✓ Baxter ✓ Biomed
DOCETAXEL – PCT only – Specialist – Special Authority see SA Inj 20 mg Inj 80 mg Inj 1 mg for ECP	460.00 1,650.00	1 1 1 mg	✓ Taxotere ✓ Taxotere ✓ Baxter ✓ Biomed

⇒SA0880 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
 - 1.1 The patient has ovarian*, fallopian* or primary peritoneal cancer*; and
 - 1.2 Either:
 - 1.2.1 Has not received prior chemotherapy; or
 - 1.2.2 Has received prior chemotherapy but has not previously been treated with taxanes; or
- 2 The patient has metastatic breast cancer; or
- 3 Both:
 - 3.1 The patient has early breast cancer; and
 - 3.2 Docetaxel is to be given concurrently with trastuzumab; or
- 4 Both:
 - 4.1 The patient has non small-cell lung cancer; and
 - 4.2 Either:
 - 4.2.1 Has advanced disease (stage IIIa or above); or
 - 4.2.2 Is receiving combined chemotherapy and radiotherapy; or
- 5 Both:
 - 5.1 The patient has small-cell lung cancer*; and
 - 5.2 Docetaxel is to be used as second-line therapy.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic breast cancer, non small-cell lung cancer, or small-cell lung cancer*; and
- 2 Either:
 - 2.1 The patient requires continued therapy; or
 - 2.2 The tumour has relapsed and requires re-treatment.

Note: indications marked with * are Unapproved Indications.

	Subsidy (Manufacturer's Pric	۵۱	Fully Brand or Subsidised Generic
	\$	Per	✓ Manufacturer
OXORUBICIN - PCT only - Specialist			
Inj 10 mg	8.80	1	✓ Doxorubicin Ebewe
Inj 50 mg		1	✓ Doxorubicin Ebewe
Inj 100 mg		1	✓ Doxorubicin Ebewe
Inj 200 mg		1	✓ Doxorubicin Ebewe
Inj 1 mg for ECP		1 mg	✓ Baxter
, 5		3	✓ Biomed
PIRUBICIN - PCT only - Specialist			
Inj 2 mg per ml, 5 ml	24.70	1	Epirubicin Ebewe
Inj 2 mg per ml, 25 ml	123.50	1	✓ Epirubicin Ebewe
Inj 2 mg per ml, 50 ml	247.00	1	✓ Epirubicin Ebewe
Inj 2 mg per ml, 100 ml	494.00	1	✓ Epirubicin Ebewe
Inj 1 mg for ECP	2.74	1 mg	✓ Baxter
		•	✓ Biomed
TOPOSIDE			
Cap 50 mg - PCT - Hospital pharmacy [HP3]-Specialist		20	✓ <u>Vepesid</u>
Cap 100 mg — PCT – Hospital pharmacy [HP3]-Specialist .		10	✓ <u>Vepesid</u>
Inj 20 mg per ml, 5 ml — PCT — Hospital pharmacy [HP1] Specialist		1	✓ Mayne
Specialist		-	•
Ini 1 mg fax ECD DCT only Chariolist	612.20	10	✓ Vepesid ✓ Baxter
Inj 1 mg for ECP — PCT only — Specialist	0.30	1 mg	✓ Biomed
TOPOSIDE PHOSPHATE - PCT only - Specialist			
Inj 100 mg (of etoposide base)	40.00	1	✓ Etopophos
Inj 1 mg (of etoposide base) for ECP		1 mg	✓ Baxter
mj + mg (or otoposido saso) for 201		9	✓ Biomed
YDROXYUREA - PCT - Retail pharmacy-Specialist			
Cap 500 mg	31.76	100	✓ Hydrea
ARUBICIN HYDROCHLORIDE - PCT only - Specialist			•
Cap 5 mg	90.75	1	✓ Zavedos
Cap 10 mg		1	✓ Zavedos
Inj 5 mg		1	✓ Zavedos ✓ Zavedos
Inj 10 mg		1	✓ Zavedos ✓ Zavedos
Inj 1 mg for ECP		1 mg	✓ Baxter
IIIJ I IIIG IOI LOF	01.14	i ilig	✓ Biomed
ESNA - PCT only - Specialist			
Tab 400 mg	168.30	50	✓ Uromitexan
Tab 600 mg		50	✓ Uromitexan
Inj 100 mg per ml, 4 ml		15	✓ Uromitexan
Inj 100 mg per ml, 10 ml		15	✓ Uromitexan
Inj 1 mg for ECP		1 mg	✓ Baxter
, ,		3	✓ Biomed
ITOMYCIN C - PCT only - Specialist			
Inj 2 mg	283.00	10	✓ Mitomycin-C S29
Inj 10 mg	531.30	5	✓ Mitomycin-C S29
Inj 1 mg for ECP	11.85	1 mg	✓ Baxter
		-	✓ Biomed

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
MITOZANTRONE - PCT only - Specialist				
Inj 2 mg per ml, 5 ml	110.00	1	✓ N	litozantrone Ebewe
Inj 2 mg per ml, 10ml	220.00	1	✓ N	litozantrone Ebewe
Inj 2 mg per ml, 12.5 ml		1	V (Onkotrone
Inj 1 mg for ECP		1 mg	✓ B	Baxter
. •		Ū	✓ B	Biomed
PACLITAXEL - PCT only - Specialist				
Inj 30 mg	37.95	1	✓ P	aclitaxel Ebewe
Inj 100 mg		1	✓ P	aclitaxel Ebewe
Inj 150 mg		1	✓ P	aclitaxel Ebewe
Inj 300 mg		1	✓ P	Paclitaxel Ebewe
Inj 600 mg		1	✓ P	Paclitaxel Ebewe
Inj 1 mg for ECP		1 mg	✓ B	Baxter
.,				Biomed
PENTOSTATIN (DEOXYCOFORMYCIN) - PCT only - Specialis	t			
Inj 10 mg		1	✓ N	lipent S29
PROCARBAZINE HYDROCHLORIDE - PCT only - Specialist				
Cap 50 mg	133.00	50	✓ N	latulan S29
TEMOZOLOMIDE - Special Authority see SA0831 below - Hosp	oital pharmacy [HP3	1		
Cap 5 mg		5	✓ T	'emodal
Cap 20 mg		5	✓ T	'emodal
Cap 100 mg		5	✓ T	'emodal
Cap 250 mg		5	✓ T	emodal

⇒SA0831 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 10 months for applications meeting the following criteria: All of the following:

- 1 Patient has newly diagnosed glioblastoma multiforme; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of six cycles of 5 days treatment, at a maximum dose of 200 mg/m².

Notes: Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme. Reapplications will not be approved. Studies of temozolomide show that its benefit is predominantly in those patients with a good performance status (WHO grade 0 or 1 or Karnofsky score >80), and in patients who have had at least a partial resection of the tumour.

TENIPOSIDE – PCT only – Specialist Inj 10 mg per ml, 5 ml845.11	10	✓ Vumon
Inj 50 mg for ECP84.51	50 mg OP	✓ Baxter✓ Biomed
THALIDOMIDE - PCT only - Specialist - Special Authority see SA0882 on th Only on a controlled drug form	e next page	
Cap 50 mg490.00	28	✓ Thalidomide Pharmion

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

⇒SA0882 Special Authority for Subsidy

Initial application — (for new patients) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Roth:

- 1 The patient has refractory, progressive or relapsed multiple myeloma; and
- 2 The patient has received prior chemotherapy.

Initial application — (for patients receiving thalidomide prior to 1 January 2006) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient was receiving treatment with thalidomide for multiple myeloma on or before 31 December 2005.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

TRETINOIN – PCT only – Specialist Cap 10 mg435.90	100	✓ Vesanoid
VINBLASTINE SULPHATE		
Inj 10 mg - PCT - Retail pharmacy-Specialist137.50	5	✓ Mayne
Inj 1 mg for ECP - PCT only - Specialist	1 mg	✓ Baxter
		✓ Biomed
VINCRISTINE SULPHATE		
Inj 1 mg per ml, 1 ml - PCT - Retail pharmacy-Specialist99.00	5	✓ Mayne
Inj 1 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist 199.00	5	✓ Mayne
Inj 1 mg for ECP - PCT only - Specialist21.46	1 mg	✓ Baxter
		✓ Biomed
VINORELBINE - PCT only - Specialist - Special Authority see SA0901 below		
Inj 10 mg per ml, 1 ml42.00	1	✓ Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml210.00	1	✓ Vinorelbine Ebewe
Inj 1 mg for ECP4.75	1 mg	✓ Baxter
		✓ Biomed

■ SA0901 | Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has metastatic breast cancer; or
- 2 The patient has non-small cell lung cancer (stage IIIa, or above); or
- 3 All of the following:
 - 3.1 The patient has stage IB-IIIA non-small cell lung cancer; and
 - 3.2 Vinorelbine is to be given as adjuvant treatment in combination with cisplatin; and
 - 3.3 The patient has good performance status (WHO/ECOG grade 0-1).

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Protein-tyrosine Kinase Inhibitors

IMATINIB MESYLATE – Special Authority see SA0643 on the next page

Tab 100 mg2,400.00 60 ✓ Glivec

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or
Generic
Manufacturer

■SA0643 Special Authority for Subsidy

Special Authority approved by the Glivec Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The Glivec Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: mary.chesterfield@pharmac.govt.nz

Wellington

Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 600 mg/day for accelerated or blast phase, and 400 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if after 6 months from initiating therapy a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10⁹/L, platelets > 100 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0 × 10⁹/L, platelets > 20 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - 3) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if after 18 months from initiating therapy a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

Special Authority criteria for GIST – access by application

- a) Funded for patients:
 - 1) with a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST); and
 - 2) who have immunohistochemical documentation of c-kit (CD117) expression by the tumour.
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

Endocrine Therapy

For GnRH ANALOGUES - refer to HORMONE PREPARATIONS, Trophic Hormones, page 83

ANASTROZOI F

Tab 1 mg - Higher subsidy of \$240.00 per 30 with Special
Authority see SA0942 on the next page146.46
(240.00)

(240.00)

Arimidex

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

⇒SA0942 | Special Authority for Alternate Subsidy

Initial application — (New patients) only from a relevant specialist. Approvals valid for 5 years for applications meeting the following criteria:

All of the following:

- 1 Patient is a postmenopausal woman; and
- 2 Patient has hormone receptor positive early breast cancer; and
- 3 Either:
 - 3.1 The patient has a very clear history of intolerance to tamoxifen; or
 - 3.2 The use of tamoxifen is contraindicated due to a history of thromboembolic disease.

Initial application — (Patient has had a Special Authority approval for anastrozole prior to 1 December 2008) only from a relevant specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal only from a relevant specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for anastrozole prior to 1 December 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone Ministry of Health Sector Services on 0800 243 666 for clarification if needed.

ANASTROZOLE-DP - Subsidy by endorsement

Subsidised only for patients with hormone receptor positive advanced breast cancer and the prescription is endorsed accordingly.

Tab 1 mg	29.50	30	✔ DP-Anastrozole
BICALUTAMIDE - Special Authority see SA0941 below - Retail pha	armacy		
Tab 50 mg	27.10	30	✓ Bicalox

⇒SA0941 | Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the patient has advanced prostate cancer.

EXEMESTANE Tab 25 mg1	175.00	30	✓ Aromasin
FLUTAMIDE – Hospital pharmacy [HP3]-Specialist Tab 250 mg	.39.50	100	✓ Flutamin
LETROZOLE			
Tab 2.5 mg - Higher subsidy of \$200.00 per 30 with Special			
Authority see SA0943 below	146.46	30	
(2	200.00)		Femara

⇒SA0943 Special Authority for Alternate Subsidy

Initial application — (New patients) only from a relevant specialist. Approvals valid for 5 years for applications meeting the following criteria:

All of the following:

- 1 Patient is a postmenopausal woman; and
- 2 Patient has hormone receptor positive early breast cancer; and
- 3 Either:
 - 3.1 The patient has a very clear history of intolerance to tamoxifen; or
 - 3.2 The use of tamoxifen is contraindicated due to a history of thromboembolic disease.

Initial application — (Patient has had a Special Authority approval for letrozole prior to 1 December 2008) only from a relevant specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal only from a relevant specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

continued...

Note: If the patient had an approval for letrozole prior to 1 December 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone Ministry of Health Sector Services on 0800 243 666 for clarification if needed.

MEGESTROL ACETATE - Retail pharmacy-Specialist			
Tab 160 mg	74.25	30	✓ Megace
OCTREOTIDE (SOMATOSTATIN ANALOGUE) - Special Author	rity see SA0563 be	low – Hosp	ital pharmacy [HP3]
Inj 50 μg per ml, 1 ml	25.65	5	✓ Hospira
	(43.50)		Sandostatin
Inj 100 µg per ml, 1 ml	48.50	5	✓ Hospira
	(81.00)		Sandostatin
Inj 500 μg per ml, 1 ml	175.00	5	✓ Hospira
	(399.00)		Sandostatin
LAR 10 mg pre-filled syringe	1,772.50	1	Sandostatin LAR
LAR 20 mg pre-filled syringe	2,358.75	1	✓ Sandostatin LAR
LAR 30 mg pre-filled syringe		1	✓ Sandostatin LAR

⇒SA0563 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Any of the following:

- 1 Both:
 - 1.1 Acromegaly; and
 - 1.2 Patient has failed surgery, radiotherapy, bromocriptine and other oral therapies; or
- 2 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 3 Both:
 - 3.1 Gastrinoma: and
 - 3.2 Either:
 - 3.2.1 Patient has failed surgery; or
 - 3.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or
- 4 Both:
 - 4.1 Insulinomas; and
 - 4.2 Surgery is contraindicated or has failed; or
- 5 For pre-operative control of hypoglycaemia and for maintenance therapy; or
- 6 Both:
 - 6.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
 - 6.2 Disabling symptoms not controlled by maximal medical therapy.

Note: The use of octretide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

TAMOXIFEN CITRATE

*	Tab 10 mg9.00	100	Genox
*	Tab 20 mg	100	Genox

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Immunosuppressants

Cytotoxic Immunosuppressants

AZATHIOPRINE - Retail pharmacy-Specialist			
* Tab 50 mg	25.00	100	✓ Azamun
			✓ Thioprine
	(34.90)		Imuran
* Inj 50 mg	46.33	1	
	(47.72)		Imuran
MYCOPHENOLATE MOFETIL - Special Authority see SA089	3 below – Hospital	pharmacy [HP3	3]
Tab 500 mg	206.66	50	✓ Cellcept
Cap 250 mg	206.66	100	✓ Cellcept
Powder for oral liq 1 g per 5 ml - Subsidy by endorsement	t285.00	165 ml OP	✓ Cellcept
Mycophenolate powder for oral liquid is subsidised onl	y for patients unabl	e to swallow tal	blets and capsules, and when the
prescription is endorsed accordingly.			

⇒SA0893 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Renal transplant recipient; or
- 2 Heart transplant recipient; or
- 3 Patient has an organ transplant and has severe tophaceous gout making azathioprine unsuitable.

Immune Modulators

ANTITHYMOCYTE GLOBULIN (EQUINE) - PCT only -	Specialist		
Inj 50 mg per ml, 5 ml	2,137.50	5	✓ ATGAM
RITUXIMAB - PCT only - Specialist - Special Authority	see SA0884 below		
Inj 100 mg per 10 ml vial	1,195.00	2	Mabthera
Inj 500 mg per 50 ml vial		1	Mabthera
Inj 1 mg for ECP		1 mg	✓ Baxter
, ,		Ü	✓ Biomed

⇒SA0884 Special Authority for Subsidy

Initial application — **(Post-transplant)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where the patient has B-cell post-transplant lymphoproliferative disorder*.

Note: For no more than 8 treatment cycles.

Initial application — (Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where the patient has low grade NHL — relapsed disease following prior chemotherapy.

Note: For no more than 4 treatment cycles.

Initial application — (Large cell lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has treatment naive large B-cell NHL; and
- 2 To be used with CHOP (or alternative anthracycline containing multi-agent chemotherapy regimen given with curative intent).
 Note: For no more than 8 treatment cycles.

Renewal — (Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per

continued...

Both:

- 1 The patient has had a treatment-free interval of 6 months or more; and
- 2 Either
 - 2.1 Has B-cell post-transplant lymphoproliferative disorder*: or
 - 2.2 Has low grade NHL relapsed disease following prior chemotherapy.

Notes: For no more than 4 treatment cycles for low grade NHL.

Indications marked with * are Unapproved Indications.

TRASTUZUMAB - PCT only - Specialist - Spec	ial Authority see SA0885 below		
Inj 150 mg vial	1,350.00	1	✓ Herceptin
Inj 440 mg vial	3,875.00	1	✓ Herceptin
Inj 1 mg for ECP		1 mg	✓ Baxter
		•	✓ Biomed

⇒SA0885 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the patient has metastatic breast cancer expressing HER-2 IHC 3+ or FISH+.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic breast cancer; and
- 2 The cancer has not progressed.

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or FISH +; and
- 2 Maximum cumulative dose of 20mg/kg (9 weeks treatment)*; and
- 3 Trastuzumab is to be given concurrently with adjuvant taxane chemotherapy*; and
- 4 Trastuzumab is not to be given concurrently with anthracycline chemotherapy.

Notes: indications marked with * are Unapproved Indications.

It is recommended that for early breast cancer trastuzumab be administered concurrently with docetaxel prior to anthracyclines as per the FinHer regimen (Joensuu H, Kellokumpu-Lehtinen P, Bono P, et al. Adjuvant docetaxel or vinorelbine with or without trastuzumab for breast cancer. N Engl J Med 2006;354(8):809-20).

Other Immunosuppressants

CYCLOSPORIN A - Special Authority see SA0470 below -	Hospital pharmacy [H	1 P3]	
Cap 25 mg	85.00	50	Neoral
Cap 50 mg	169.34	50	Neoral
Cap 100 mg	338.69	50	Neoral
Oral lig 100 mg per ml	377.38	50 ml OP	✓ Neoral

■SA0470 Special Authority for Subsidy

Initial application — (**Organ transplant**) only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Initial application — (Bone marrow transplant or Graft v host disease) only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Fither:

- 1 Bone marrow transplant; or
- 2 Graft v host disease.

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Initial application — (Psoriasis) only from a dermatologist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Psoriasis: and
- 2 Applicant must state which systemic and topical therapies have failed.

Initial application — (Severe atopic dermatitis) only from a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Severe atopic dermatitis; and
- 2 Not responsive to topical therapy, oral antihistamines and other commonly used orthodox therapies.

Initial application — (Nephrotic Syndrome) only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Nephrotic Syndrome; and
- 2 Corticosteroid dependent patients who have failed on cytotoxic therapy.

Initial application — (Endogenous uveitis) only from a relevant specialist. Approvals valid for 2 years where the patient suffers from endogenous uveitis.

Initial application — (Severe rheumatoid arthritis) only from a rheumatologist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Severe rheumatoid arthritis: and
- 2 The patient must be either unresponsive to or unable to tolerate, both sulphasalazine and methotrexate; and
- 3 Patients must have 2 serum creatinine test results within the normal range within the three months prior to initiation of therapy.

Renewal — (Severe atopic dermatitis) only from a dermatologist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Indications other than severe atopic dermatitis) only from a dermatologist, rheumatologist or relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Guidelines for use of cyclosporin A in rheumatoid arthritis Monitoring:

All patients require frequent monitoring for creatinine levels and blood pressure:

- fortnightly, in the first three months of therapy and then monthly, if results are stable;
- if dose is increased or there is a rise in serum creatinine or blood pressure, then more frequent monitoring is required.

Contraindications:

Cyclosporin A is contraindicated in patients with the following conditions:

- current or past malignancy;
- uncontrolled hypertension;
- renal dysfunction (abnormal serum creatinine for age and sex);
- immunodeficiency and neutropenia;
- abnormally low white blood cell count or platelet count; or
- liver function tests more than twice the upper limit of normal.

Caution in use:

- age above 65 years;
- controlled hypertension;
- use of anti-epileptic medications;
- use of ketoconazole, fluconazole, trimethoprim, erythromycin, verapamil, and diltiazem;
- concurrent or previous use of alkylating agents such as cyclophosphamide;
- use of any experimental drug within the past three months;

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- premalignant conditions such as leukoplakia, monoclonal paraproteinaemia, myelodysplastic syndrome and dysplastic naevi;
- active infection may necessitate temporary discontinuation;
- pregnancy and lactation.

Therapy should be discontinued if there has been no improvement after 6 months with the patient on the maximum tolerated dose. For further information please consult the data sheet.

SIROLIMUS - Special Authority see SA0866 below -	- Hospital pharmacy [HP3]		
Tab 1 mg	813.00	100	Rapamune
Tab 2 mg	1,626.00	100	✓ Rapamune
Oral liq 1 mg per ml	487.80	60 ml OP	Rapamune

⇒SA0866 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR<30 ml/min; or
- Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- . HUS or TTP; or
- · Leukoencepthalopathy; or
- Significant malignant disease

TACROLIMUS - Special Authority see SA0669 below	- Hospital pharmacy [HP3]		
Cap 0.5 mg	214.00	100	✓ Prograf
Cap 1 mg	428.00	100	✓ Prograf
Cap 5 mg	1,070.00	50	✔ Prograf

⇒SA0669 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Note: Subsidy applies for either primary or rescue therapy.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

S Per ✔ Manufacturer

Antiallergy Preparations

BEE VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Hospital pharmacy [HP3]

Maintenance kit - 6 vials 120 μg freeze dried venom, 6 diluent

⇒SA0053 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

WASP VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Hospital pharmacy [HP3]

Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried

dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml154.30 1 OP

Albay

⇒SA0053 | Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Antihistamines

AZATADINE MALEATE			
* Tab 1 mg	6.94	50	
•	(16.90)		Zadine
CETIRIZINE HYDROCHLORIDE			
* Tab 10 mg	2.21	100	✓ Zetop
·	3.32	90	✓ Razene
*‡ Oral lig 1 mg per ml	2.75	100 ml OP	✓ Allerid C
	3.50	200 ml	Cetirizine - AFT
(Razene Tab 10 mg to be delisted 1 May 2009) (Allerid C Oral liq 1 mg per ml to be delisted 1 May 2009)			
CHLORPHENIRAMINE MALEATE			
*‡ Oral lig 2 mg per 5 ml	3.74	500 ml	
	(7.26)		Histafen
CYPROHEPTADINE HYDROCHLORIDE			
★ Tah 4 mg	6 27	100	✓ Perioctin

	Subsidy (Manufacturer's	Drico) CL	Fully Brand or
	(Manufacturer's \$	Price) Sub Per	osidised Generic Manufacturer
EXTROCHLORPHENIRAMINE MALEATE			
Tab 2 mg	2.52	50	
· ·	(9.99)		Polaramine
Tab long-acting 6 mg	5.40 [′]	40	
	(12.56)		Polaramine Repetab
‡ Oral liq 2 mg per 5 ml		100 ml	
1 1 - 31	(10.29)		Polaramine
EXOFENADINE HYDROCHLORIDE	(/		
	4.04	00	
Tab 60 mg		20	Talfact
Tab 100 mm	(11.53)	00	Telfast
Tab 120 mg		30	T-161
	(29.81)		Telfast
ETOTIFEN			
Oral liq 1 mg per 5 ml	4.90	200 ml	
	(5.90)		Asmafen
Asmafen Oral liq 1 mg per 5 ml to be delisted 1 February 2009)	` '		
DRATADINE			
Tab 10 mg	2 50	100	A Largelan Haufaver
lab to try	3.58	100	Loraclear Hayfever
Oral liq 1 mg per ml	3 65	100 ml	Relief ✓ Lorapaed
		100 1111	<u> ■ L∪iαþacu</u>
ROMETHAZINE HYDROCHLORIDE			4 4 11 11
Tab 10 mg		50	✓ Allersoothe
Tab 25 mg		50	✓ <u>Allersoothe</u>
‡ Oral liq 5 mg per 5 ml	3.53	100 ml	
	(8.51)		Phenergan
Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO	8.05	5	✓ Mayne
RIMEPRAZINE TARTRATE			
Oral liq 30 mg per 5 ml	2 79	100 ml OP	
g poi o iii	(8.06)	.00 01	Vallergan Forte
wholed Couting stoyed	(0.00)		- anorgan ronc
nhaled Corticosteroids			
ECLOMETHASONE DIPROPIONATE			
Aerosol inhaler, 50 μg per dose	8.54	200 dose OP	✓ Beclazone 50
Aerosol inhaler, 100 µg per dose		200 dose OP	✓ Beclazone 100
Aerosol inhaler, 250 µg per dose		200 dose OP	✓ Beclazone 250
101			
JDESONIDE	17.00	000 doos OD	. / Dulminant
Powder for inhalation, 100 µg per dose	17.00	200 dose OP	✓ Pulmicort
			Turbuhaler
Powder for inhalation, 200 µg per dose	19.00	200 dose OP	✓ Pulmicort
			Turbuhaler
Powder for inhalation, 400 µg per dose	32.00	200 dose OP	✓ Pulmicort
•			Turbuhaler

	Subsidy (Manufacturer's \$	Price) Subs	Fully sidised	Brand or Generic Manufacturer
FLUTICASONE				
Aerosol inhaler, 50 µg per dose CFC-free	7.50	120 dose OP	✓ FI	lixotide
Powder for inhalation, 50 μg per dose	5.10	60 dose OP		
	(8.67)		FI	lixotide Accuhaler
Powder for inhalation, 100 µg per dose	7.50	60 dose OP		
	(13.87)		FI	ixotide Accuhaler
Aerosol inhaler, 125 µg per dose CFC-free	13.60	120 dose OP	✓ FI	lixotide
Aerosol inhaler, 250 µg per dose CFC-free	27.20	120 dose OP	✓ FI	lixotide
Powder for inhalation, 250 µg per dose	13.60	60 dose OP		
	(24.51)		FI	ixotide Accuhaler

Inhaled Long-acting Beta-adrenoceptor Agonists

Prescribing Guideline for Inhaled Long-Acting Beta-Adrenoceptor Agonists

The addition of inhaled long-acting beta-adrenoceptor agonists (LABAs) to inhaled corticosteroids is recommended:

- For younger children (aged under 12 years) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 200 µg beclomethasone or budesonide (or 100 µg fluticasone).
- For adults and older children (aged 12 years and over) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 400 μg beclomethasone or budesonide (or 200 μg fluticasone).

Note:

Further information on the place of inhaled corticosteroids and inhaled LABAs in the management of asthma can be found in the New Zealand guidelines for asthma in adults (www.nzgg.org.nz) and in the New Zealand guidelines for asthma in children aged 1-15 (www.paediatrics.org.nz).

EFORMOTEROL FUMARATE – See prescribing guideline above Powder for inhalation, 6 μg per dose, breath activated	60 dose OP 60 dose	✓ Oxis Turbuhaler ✓ Foradil
SALMETEROL – See prescribing guideline above Aerosol inhaler CFC-free, 25 µg per dose		✓ Serevent✓ Serevent Accuhaler

Inhaled Corticosteroids with Long-Acting Beta-Adrenoceptor Agonists

⇒SA0838 Special Authority for Subsidy

Initial application only from a relevant specialist or general practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Patient is a child under the age of 12; and
 - 1.2 All of the following:

Has, for 3 months of more, been treated with:

- 1.2.1 An inhaled long-acting beta adrenoceptor agonist; and
- 1.2.2 Inhaled corticosteroids at a dose of at least 400 μg per day beclomethasone or budesonide, or 200 μg per day fluticasone; and
- 1.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product; or
- 2 All of the following:
 - 2.1 Patient is over the age of 12; and
 - 2.2 All of the following:

Has, for 3 months of more, been treated with:

2.2.1 An inhaled long-acting beta adrenoceptor agonist; and

Fully

Brand or

Subsidy

	Subsidy (Manufacturer's \$		Fully Brand or sidised Generic Manufacturer
continued			
2.2.2 Inhaled corticosteroids at a dose of at least fluticasone; and	800 μg per day l	beclomethasone	or budesonide, or 500 μg per day
 The prescriber considers that the patient would r product. 	eceive additiona	al clinical benefit	from switching to a combination
Renewal only from a relevant specialist or general practitioner. A and the patient is benefiting from treatment.	pprovals valid fo	r 2 years where t	he treatment remains appropriate
BUDESONIDE WITH EFORMOTEROL - Special Authority see			
Aerosol inhaler 100 μg with eformoterol fumarate 6 μg		120 dose OP	✓ Vannair
Powder for inhalation 100 µg with eformoterol fumarate 6 µg	55.00	120 dose OP	✓ Symbicort Turbuhaler 100/6
Aerosol inhaler 200 µg with eformoterol fumarate 6 µg	60.00	120 dose OP	✓ Vannair
Powder for inhalation 200 µg with eformoterol furnarate 6 µg		120 dose OP	✓ Symbicort
			Turbuhaler 200/6
Powder for inhalation 400 µg with eformoterol fumarate 12 µ	g		
- No more than 2 dose per day	60.00	60 dose OP	✓ Symbicort
			Turbuhaler 400/12
FLUTICASONE WITH SALMETEROL - Special Authority see S			
Aerosol inhaler 50 μg with salmeterol 25 μg		120 dose OP	Seretide
Aerosol inhaler 125 μg with salmeterol 25 μg		120 dose OP	✓ Seretide
Powder for inhalation 100 μg with salmeterol 50 μg – No mor		60 dose OP	✓ Seretide Accuhaler
than 2 dose per day Powder for inhalation 250 µg with salmeterol 50 µg – No mor		ou dose OF	V Serelide Accumaler
than 2 dose per day		60 dose OP	✓ Seretide Accuhaler
		00 0000 01	V Ociotiae Addantalei
Beta-Adrenoceptor Agonists			
SALBUTAMOL			
Tab long-acting 4 mg		56	Volmax
Oral liq 2 mg per 5 ml Infusion 1 mg per ml, 5 ml		150 ml 10	✓ <u>Salapin</u>
musion ring permi, 5 mi	(130.21)	10	Ventolin
Inj 500 μg per ml, 1 ml – Up to 5 inj available on a PSO	,	5	✓ Ventolin
(Volmax Tab long-acting 4 mg to be delisted 1 March 2009)			
Inhaled Beta-Adrenoceptor Agonists			
SALBUTAMOL			
Aerosol inhaler, 100 μg per dose CFC free - Up to 1000 dos	e		
available on a PSO	3.80	200 dose OP	✓ Respigen
	(0.00)		✓ Salamol
N	(6.00)		Ventolin
Nebuliser soln, 1 mg per ml, 2.5 ml - Up to 30 neb availabl on a PSO		20	Actholin
Nebuliser soln. 2 mg per ml. 2.5 ml. – Up to 30 neb availabl		20	✓ <u>Asthalin</u>
on a PSO		20	✓ Asthalin
TERBUTALINE SULPHATE		20	+ Additionin
Powder for inhalation, 250 μg per dose, breath activated	18 20	200 dose OP	✓ Bricanyl Turbuhaler
. 5asr for initialization, 200 pg por doos, produit delivated		_00 0000 01	- Dilouity Full bulluloi

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

30 dose

Spiriva

Inhaled Anticholinergic agents

IPRATROPIUM BROMIDE			
Aerosol inhaler, 20 µg per dose CFC-free	16.20	200 dose OP	✓ Atrovent
Nebuliser soln, 250 μg per ml, 1 ml - Up to 40 neb available			
on a PSO	4.30	20	✓ <u>Ipratropium</u>
Nebuliser soln, 250 µg per ml, 2 ml – Up to 40 neb available			Steri-Neb
on a PSO	5 25	20	✓ Ipratropium
0114100		20	Steri-Neb
TIOTROPIUM BROMIDE - Special Authority see SA0872 below -	- Retail pharm	acy	

⇒SA0872 Special Authority for Subsidy

Initial application only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialled a dose of at least 40 µg ipratropium g.i.d for one month; and
- 3 Any of the following:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- 3.1 Grade 4 (stops for breath after walking about 100 meters or after a few minutes on the level); or
- 3.2 Grade 5 (too breathless to leave the house, or breathless when dressing or undressing); and
- 4 Actual FEV₁ (litres) < 0.6 × predicted (litres); and
- 5 Either:
 - 5.1 Patient is not a smoker (for reporting purposes only); or

Powder for inhalation, 18 µg per dose70.00

- 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined); and
- 3 Applicant must state recent measurement of FEV1 (% of predicted).

Inhaled Beta-Adrenoceptor Agonists with Anticholinergic Agents

SALBUTAMOL WITH IPRATROPIUM BROMIDE

Aerosol inhaler, 100 μg with ipratropium bromide, 20 μg per	200 doss OB	✓ Combivent
dose	200 dose OF	Combivent
vial, 2.5 ml – Up to 20 neb available on a PSO	20	✓ <u>Duolin</u>

Mast cell stabilisers

							റ			
-11	VΠ	_	.,	U	ι,	н	()	IVI	ш	

Aerosol inhaler, 2 mg per dose CFC-free23.20 112	dose OP
(28.07)	Tilade
SODIUM CROMOGLYCATE	
Powder for inhalation, 20 mg per dose16.31 5	60 dose
(17.94)	Intal Spincaps
Aerosol inhaler, 5 mg per dose CFC-free23.20 112	dose OP
(28.07)	Vicrom

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	
Methylxanthines				
AMINOPHYLLINE * Inj 25 mg per ml, 10 ml – Up to 5 inj available on a THEOPHYLLINE	n PSO12.84	5	~	Mayne
* Tab long-acting 250 mg *‡ Oral liq 80 mg per 15 ml		100 500 ml		Nuelin-SR Nuelin
Cystic Fibrosis				
DORNASE ALFA – Special Authority see SA0611 belo Nebuliser soln, 2.5 mg per 2.5 ml ampoule		6	~	Pulmozyme
▶SA0611 Special Authority for Subsidy Special Authority approved by the Cystic Fibrosis Advis Notes: Application details may be obtained from PHARI		armac.g	ovt.nz or:	
PHARMAC, PO Box 10 254	Phone: (04) 460 4990 Facsimile: (04) 916 7571 Email: CFPanel@pharmac.go	ovt.nz		
Prescriptions for patients approved for treatment must and expertise in treating cystic fibrosis.	be written by respiratory physic	icians o	r paediatri	cians who have experience
Nasal Preparations				

Allergy Prophylactics

BE	ECLOMETHASONE DIPROPIONATE			
	Metered aqueous nasal spray, 50 μg per dose2.	.35 2	00 dose OP	✓ Alanase
	Metered aqueous nasal spray, 100 µg per dose2.	.46 2	00 dose OP	✓ Alanase
Βl	JDESONIDE			
	Metered aqueous nasal spray, 50 μg per dose2.	.35 2	00 dose OP	
	(2.	.95)		Butacort Aqueous
	Metered aqueous nasal spray, 100 µg per dose2.	.61 2	00 dose OP	·
	(3.	.30)		Butacort Aqueous
ΙΡΙ	RATROPIUM BROMIDE			
	Aqueous nasal spray, 0.03%12.	.66	30 ml OP	✓ Apo-Ipravent
SC	ODIUM CROMOGLYCATE			
	Nasal spray, 4%13.	.50	22 ml OP	✓ Rex

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

Respiratory Devices

MASK FOR SPACER DEVICE

- a) Maximum of 20 dev per WSO
- b) Only on a WSO

c)

- Spacer devices and masks also available to paediatricians employed by a DHB on a wholesale supply order signed by the paediatrician. Limited to one pack of 20 per order. Orders via a hospital pharmacy.
- 2) Only available for children aged six years and under.
- 3) For Space Chamber and Foremount Child's Silicone Mask wholesale supply order must indicate clearly if either the spacer device, the mask, or both are required.
- 4) Distributed by Airflow Products. Forward orders to:

Airflow Products Telephone: 04 499 1240 or 0800 AIR FLOW PO Box 1485, Wellington Facsimile: 04 499 1245 or 0800 323 270

Size 2 3.28 1 ✓ Foremount Child's Silicone Mask

PEAK FLOW METER

- a) Maximum of 10 dev per WSO
- b) Only on a WSO

 Low range
 13.75
 1
 ✓ Breath-Alert

 Normal range
 13.75
 1
 ✓ Breath-Alert

SPACER DEVICE

- a) Maximum of 20 dev per WSO
- b) Only on a WSO

c)

- Spacer devices and masks also available to paediatricians employed by a DHB on a wholesale supply order signed by the paediatrician. Limited to one pack of 20 per order. Orders via a hospital pharmacy.
- 2) Only available for children aged six years and under.
- For Space Chamber and Foremount Child's Silicone Mask wholesale supply order must indicate clearly if either the spacer device, the mask, or both are required.
- 4) Distributed by Airflow Products. Forward orders to:

Airflow Products Telephone: 04 499 1240 or 0800 AIR FLOW

PO Box 1485. Wellington Facsimile: 04 499 1245 or 0800 323 270

Brand or

Fully

	Subsidy (Manufacturer's	Price) Sub	Fully Brand or sidised Generic
	(Маниаситет 3	Per	✓ Manufacturer
Ear Preparations			
ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BEI	NZETHONIUM		
For Vosol ear drops with hydrocortisone powder refer, page 1	66		
Ear drops 2% with 1, 2-Propanediol diacetate 3% and		05 ml 0D	. / Vanal
benzethonium chloride 0.02 %	6.97	35 ml OP	✓ Vosol
CHLORAMPHENICOL Ear drops 0.5%	1.87	5 ml OP	✔ Chloromycetin
FLUMETASONE PIVALATE Ear drops 0.02% with clioquinol 1%	4.46	7.5 ml OP	✓ Locorten-Vioform
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCI		IN	
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate			
2.5 mg and gramicidin 250 μg per g	3.35	7.5 ml OP	✓ Kenacomb
Ear/Eye Preparations			
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN			
Ear/Eye drops 500 µg with framycetin sulphate 5 mg and	I		
gramicidin 50 μg per ml	4.50 (9.27)	8 ml OP	Sofradex
FRAMYCETIN SULPHATE			
Ear/Eye drops 0.5%	4.13 (8.65)	8 ml OP	Soframycin
Eye Preparations			
Anti-Infective Preparations			
Anti-Infective Preparations ACICLOVIR			
•	37.53	4.5 g OP	✓ Zovirax
ACICLOVIR * Eye oint 3%		Ü	
ACICLOVIR * Eye oint 3% CHLORAMPHENICOL Eye oint 1%	2.48	4 g OP	✓ <u>Chlorsig</u>
ACICLOVIR * Eye oint 3%	2.48	Ü	
ACICLOVIR * Eye oint 3%	2.48 1.40	4 g OP 10 ml OP	✓ <u>Chlorsig</u> ✓ <u>Chlorsig</u>
ACICLOVIR * Eye oint 3% CHLORAMPHENICOL Eye oint 1% Eye drops 0.5% CIPROFLOXACIN Eye Drops 0.3%	2.48 1.40	4 g OP 10 ml OP 5 ml OP	✓ <u>Chlorsig</u> ✓ <u>Chlorsig</u> ✓ Ciloxan
ACICLOVIR * Eye oint 3%	2.48 1.40	4 g OP 10 ml OP 5 ml OP	✓ <u>Chlorsig</u> ✓ <u>Chlorsig</u> ✓ Ciloxan
ACICLOVIR * Eye oint 3%	2.48 1.40 12.43 unctivitis resistar	4 g OP 10 ml OP 5 ml OP	✓ <u>Chlorsig</u> ✓ <u>Chlorsig</u> ✓ Ciloxan
ACICLOVIR * Eye oint 3% CHLORAMPHENICOL Eye oint 1% Eye drops 0.5% CIPROFLOXACIN Eye Drops 0.3% For treatment of bacterial keratitis or severe bacterial conj DIBROMOPROPAMIDINE ISETHIONATE * Eye oint 0.15%	2.48 1.40 12.43 unctivitis resistar	4 g OP 10 ml OP 5 ml OP nt to chloramph	✓ <u>Chlorsig</u> ✓ <u>Chlorsig</u> ✓ Ciloxan
ACICLOVIR * Eye oint 3%	2.48 1.40 12.43 unctivitis resistar	4 g OP 10 ml OP 5 ml OP nt to chloramph	✓ Chlorsig ✓ Chlorsig ✓ Ciloxan enicol.
ACICLOVIR * Eye oint 3% CHLORAMPHENICOL Eye oint 1% Eye drops 0.5% CIPROFLOXACIN Eye Drops 0.3% For treatment of bacterial keratitis or severe bacterial conj DIBROMOPROPAMIDINE ISETHIONATE * Eye oint 0.15% to be delisted 1 March 2009) FUSIDIC ACID	2.48 1.40 12.43 unctivitis resistar 2.97 (7.99)	4 g OP 10 ml OP 5 ml OP nt to chloramph 5 g OP	✓ Chlorsig ✓ Chlorsig ✓ Ciloxan enicol.
ACICLOVIR * Eye oint 3%	2.48 1.40 12.43 unctivitis resistar 2.97 (7.99)	4 g OP 10 ml OP 5 ml OP nt to chloramph	✓ Chlorsig ✓ Chlorsig ✓ Ciloxan enicol.
ACICLOVIR * Eye oint 3%		4 g OP 10 ml OP 5 ml OP nt to chloramph 5 g OP	✓ Chlorsig ✓ Chlorsig ✓ Ciloxan enicol. Brolene
ACICLOVIR * Eye oint 3% CHLORAMPHENICOL Eye oint 1% Eye drops 0.5% CIPROFLOXACIN Eye Drops 0.3% For treatment of bacterial keratitis or severe bacterial conj DIBROMOPROPAMIDINE ISETHIONATE * Eye oint 0.15% to be delisted 1 March 2009) FUSIDIC ACID	2.48 1.40 12.43 unctivitis resistar 2.97 (7.99) 4.50 (9.83)	4 g OP 10 ml OP 5 ml OP nt to chloramph 5 g OP	✓ Chlorsig ✓ Chlorsig ✓ Ciloxan enicol. Brolene
ACICLOVIR * Eye oint 3%	2.48 1.40 12.43 unctivitis resistar 2.97 (7.99) 4.50 (9.83)	4 g OP 10 ml OP 5 ml OP nt to chloramph 5 g OP	✓ Chlorsig ✓ Chlorsig ✓ Ciloxan enicol. Brolene Fucithalmic
ACICLOVIR * Eye oint 3%	2.48 1.40 12.43 unctivitis resistar 2.97 (7.99) 4.50 (9.83)	4 g OP 10 ml OP 5 ml OP nt to chloramph 5 g OP	✓ Chlorsig ✓ Chlorsig ✓ Ciloxan enicol. Brolene Fucithalmic

Subsidy

SENSORY ORGANS

	6		
	Subsidy		Fully Brand or
	(Manufacturer's F		osidised Generic
	\$	Per	✓ Manufacturer
SULPHACETAMIDE SODIUM			
* Eye drops 10%	4.41	15 ml OP	✓ Bleph 10
		13 1111 01	• Bicpii io
TOBRAMYCIN			
Eye oint 0.3%	10.45	3.5 g OP	✓ Tobrex
Eye drops 0.3%	11.48	5 ml OP	✓ Tobrex
Corticosteroids and Other Anti-Inflammatory Pro	eparations		
DEXAMETHASONE			
	E 06	2 F a OB	✓ Maxidex
,		3.5 g OP	
* Eye drops 0.1 %	4.50	5 ml OP	✓ Maxidex
DEXAMETHASONE WITH NEOMYCIN AND POLYMYXIN B SUL	.PHATE		
* Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin			
B sulphate 6,000 u per g		3.5 g OP	✓ Maxitrol
* Eye drops 0.1% with neomycin sulphate 0.35% and polymy-		3.0 9 0.	
xin B sulphate 6,000 u per ml		5 ml OP	✓ Maxitrol
XIII B Sulphate 6,000 u per III	4.30	5 IIII OF	Waxitioi
DICLOFENAC SODIUM			
* Eye drops 1 mg per ml	13.80	5 ml OP	✓ Voltaren Ophtha
FLUOROMETHOLONE			
* Eye drops 0.1%	4 20	E ml OD	4 Flucon
* Eye drops 0.1%	4.30	5 ml OP	✓ <u>Flucon</u>
LEVOCABASTINE			
Eye drops 0.5 mg per ml	8.71	4 ml OP	
, , , , , , , , , , , , , , , , , , , ,	(11.26)		Livostin
LODOXAMIDE TROMETAMOL	,		
	0.74	10 ml 0D	I amilda
Eye drops 0.1%	8./1	10 ml OP	✓ Lomide
PREDNISOLONE ACETATE			
* Eye drops 0.12%	4.50	5 ml OP	
, ,	(7.53)		Pred Mild
* Eye drops 1%	4.50	5 ml OP	
=	(9.44)	o o.	Pred Forte
	(3.44)		1 Icu i oite
SODIUM CROMOGLYCATE			
Eye drops 2%	3.95	10 ml OP	✓ Cromolux
Glaucoma Preparations - Beta Blockers			
Giaucollia Piepalations - Deta Diockers			
BETAXOLOL HYDROCHLORIDE			
* Eye drops 0.25%	11.80	5 ml OP	✓ Betoptic S
* Eye drops 0.5%	/ .50	5 ml OP	✓ Betoptic
LEVOBUNOLOL			
* Eye drops 0.25%	7.00	5 ml OP	✓ Betagan
* Eye drops 0.5 %	7.00	5 ml OP	✓ Betagan
·			
TIMOLOL MALEATE	0.07	F! OD	Ana Tima
* Eye drops 0.25%		5 ml OP	Apo-Timop
* Eye drops 0.25%, gel forming		2.5 ml OP	✓ Timoptol XE
* Eye drops 0.5%		5 ml OP	✓ Apo-Timop
* Eye drops 0.5%, gel forming	3.78	2.5 ml OP	✓ Timoptol XE

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per V Manufacturer

Glaucoma Preparations - Carbonic Anhydrase Inhibitors

Prescribing Guidelines

Trusopt, Cosopt and Azopt are subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma. Trusopt, Cosopt and Azopt should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- 1) that person has previously trialled all other such subsidised agents (except brimonidine tartrate); and
- 2) those trials have indicated that that person does not respond adequately to treatment with those other agents.

ACETAZOI AMIDE

*	Tab 250 mg	.10.40	100	✓ Diamox
	NZOLAMIDE			
	Eye Drops 1%	9.77	5 ml OP	Azopt
DO	RZOLAMIDE HYDROCHLORIDE			
*	Eye drops 2%	9.77	5 ml OP	
		(13.95)		Trusopt
DO	RZOLAMIDE HYDROCHLORIDE WITH TIMOLOL MALEATE			
*	Eye drops 2% with timolol maleate 0.5%	. 18.50	5 ml OP	✓ Cosopt

Glaucoma Preparations - Prostaglandin Analogues

Prescribing Guideline

Bimatoprost, lantanoprost and travoprost are subsidised for use in the treatment of glaucoma as either monotherapy or as an adjunctive agent for patients in whom prostaglandin analogue monotherapy has been ineffective in controlling intraocular pressure. Bimatoprost, lantanoprost and travoprost should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- That person has previously trialled all other such subsidised agents (beta-blockers, pilocarpine, carbonic anhydrase inhibitors); and
- 2) Those trials have indicated that that person does not respond adequately to treatment with those other agents.

BIMATOPROST - Retail pharmacy-Specialist

See prescribing guideline above ▲ Eye Drops 0.03%19.50	3 ml OP	✓ Lumigan
LATANOPROST – Retail pharmacy-Specialist See prescribing quideline above		
▲ Eye drops 50 µg per ml, 2.5ml19.50	2.5 ml OP	Xalatan
TRAVOPROST – Retail pharmacy-Specialist See prescribing guideline above		
▲ Eye drops 0.004%19.50	2.5 ml OP	Travatan

Glaucoma Preparations - Other

BRIMONIDINE TARTRATE

Prescribing Guidelines

Brimonidine tartrate is subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma. Brimonidine tartrate should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- that person has previously trialled all other such subsidised agents (except dorzolamide hydrochloride); and
- those trials have indicated that that person does not respond adequately to or does not tolerate treatment with those other agents.

BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE

SENSORY ORGANS

Subsidy		Fully	Brand or
(Manufacturer's Price)	S	Subsidised	Generic
\$	Per	~	Manufacturer

Prescribing Guidelines

Combigan is subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma. Combigan should only be prescribed when:

- less expensive first line agents for the treatment of glaucoma are contraindicated; or
 - 2) the response to such subsidised agents is inadequate; or
 - 3) the patient cannot tolerate such subsidised agents.

PII OCARPINE

1 15	.00/11111112			
*	Eye drops 0.5%	3.19	15 ml OP	Pilopt
	Eye drops 1%		15 ml OP	✔ Pilopt
	Eye drops 2%		15 ml OP	✔ Pilopt
	Eye drops 4%		15 ml OP	✔ Pilopt
	Eye drops 6%		15 ml OP	✔ Pilopt
	Eye drops 2% single dose - Special Authority see SA0895			•
	below – Hospital pharmacy [HP3]	.31.95	20 dose	
		(32.72)		Minims

▶SA0895 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Mydriatics and Cycloplegics

ATROPINE SULPHATE * Eye drops 1%4.40	15 ml OP	✓ Atropt
CYCLOPENTOLATE HYDROCHLORIDE		- <u></u>
* Eye drops 1%8.76	15 ml OP	✓ Cyclogyl
HOMATROPINE HYDROBROMIDE		
* Eye drops 2%7.18	15 ml OP	✓ Isopto Homatropine
TROPICAMIDE		
* Eye drops 0.5%7.15	15 ml OP	✓ Mydriacyl
* Eye drops 1%8.66	15 ml OP	✓ Mydriacyl
Preparations for Tear Deficiency		
For acetylcysteine eye drops refer, page 166		
HYPROMELLOSE		
* Eye drops 0.3%	15 ml OP	✓ Poly-Tears
* Eye drops 0.5%	15 ml OP	✓ Methopt
POLYVINYL ALCOHOL		
* Eye drops 1.4%	15 ml OP	✓ Liquifilm Tears
,		✓ Vistil
* Eye drops 3%	15 ml OP	✓ Liquifilm Forte
		✓ <u>Vistil Forte</u>
TYLOXAPOL		
* Eye drops 0.25%	15 ml OP	✓ Enuclene

	Subsidy (Manufacturer's F \$	Price) Subs Per	Fully sidised	Brand or Generic Manufacturer
Other Eye Preparations				
NAPHAZOLINE HYDROCHLORIDE * Eye drops 0.1%	4.15	15 ml OP	✓ Na	aphcon Forte
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN * Eye oint with soft white paraffin	3.63	3.5 g OP	✓ <u>La</u>	acri-Lube
PARAFFIN LIQUID WITH WOOL FAT LIQUID * Eye oint 3% with wool fat liq 3%	3.63	3.5 g OP	✓ Po	oly-Visc
PHENYLEPHRINE HYDROCHLORIDE * Eye drops 0.12%	4.47	15 ml OP	✓ <u>Pr</u>	refrin_
PHENYLEPHRINE HYDROCHLORIDE WITH ZINC SULPHATE * Eye drops 0.12% with zinc sulphate 0.25%	4.51	15 ml OP	✓ Zii	ncfrin



Per Manufacturer \$ Agents Used in the Treatment of Poisonings See also to MUSCULO-SKELETAL, Anticholinesterases, page 104 CHARCOAL * Tab 300 mg7.13 100 ✔ Red Seal 250 ml OP Carbosorb-X a) Up to 250 ml available on a PSO b) Only on a PSO DESFERRIOXAMINE MESYLATE - Hospital pharmacy [HP3] 10 ✓ Mayne **IPECACUANHA** 500 ml (43.40)**PSM** NALOXONE HYDROCHLORIDE a) Up to 5 inj available on a PSO b) Only on a PSO * Inj 400 μg per ml, 1 ml33.00 5 ✓ Mayne SODIUM CALCIUM EDETATE * Inj 200 mg per ml, 5 ml53.31 6 Calcium Disodium (156.71)Versenate **Detection of Substances in Urine** ORTHO-TOLIDINE 50 test OP (8.25)Hemastix **TETRABROMOPHENOL** 100 test OP

(13.92)

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

Albustix

INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
 - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
 - b) Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-specialist).
 - c) Menthol crystals only in the following bases:

Aqueous cream

Urea cream 10%

Wool fat with mineral oil lotion

Hydrocortisone 1% with wool fat and mineral oil lotion

Glycerol, paraffin and cetyl alcohol lotion.

Glossary

Dermatological base: The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Glycerol with paraffin and cetyl alcohol lotion
- Hvdrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Oily cream
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- Zinc cream BP
- . Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

Dermatological galenical: Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution BP up to 10%
- Hydrocortisone powder up to 5%
- Salicylic acid powder
- Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

EXTEMPORANEOUSLY COMPOUNDED PRODUCTS & GALENICALS



Oral liquid mixtures

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form qs
Preservative qs
Suspending agent qs
Water to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent. Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

The following practices will not be subsidised:

- Mixing one or more proprietary oral liquids (eg an antihistamine with pholoodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

Dermatological Preparations

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 163) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).


One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on page 165 may assist you in deciding whether or not a dermatological ECP is subsidised.

Dermatological ECPs

Is it subsidised?



EXTEMPORANEOUSLY COMPOUNDED PRODUCTS & GALENICALS

Standard Formulae METHYL HYDROXYBENZOATE 10% SOLUTION ACETYLCYSTEINE EYE DROPS Methyl hydroxybenzoate Acetylcysteine inj 200 mg per ml, 10 ml gs Propylene glycol to 100 ml Suitable eve drop base (Use 1 ml of the 10% solution per 100 ml of oral liquid mixture) ASPIRIN AND CHLOROFORM APPLICATION Aspirin Soluble tabs 300 mg 12 tabs OMEPRAZOLE SUSPENSION Chloroform to 100 ml Omeprazole capules as CODEINE LINCTUS PAEDIATRIC (3 mg per 5 ml) Sodium bicarbonate powder BP 8.4 q Codeine phosphate 60 mg Water to 100 ml Glycerol 40 ml Preservative PHENOBARBITONE ORAL LIQUID as Water to 100 ml Phenobarbitone Sodium 1 a Glycerol BP 70 ml CODEINE LINCTUS DIABETIC (15 mg per 5 ml) Water to 100 ml Codeine phosphate 300 mg Glycerol 40 ml PILOCARPINE ORAL LIQUID Preservative as Pilocarpine 6% eye drops qs Water to 100 ml Preservative as **FOLINIC MOUTHWASH** Water to 500 ml Calcium folinate 15 mg tab (Preservative should be used if quantity supplied is for 1 tab more than 5 days.) Preservative as Water to 500 ml SALIVA SUBSTITUTE FORMULA (Preservative should be used if quantity supplied is for Methylcellulose 5 g more than 5 days. Maximum 500 ml per prescription.) Preservative qs MAGNESIUM HYDROXIDE MIXTURE Water to 500 ml Magnesium hydroxide paste 275 g (Preservative should be used if quantity supplied is for more Methyl hydroxybenzoate 1.5 g than 5 days. Maximum 500 ml per prescription.) Water 770 ml VOSOL EAR DROPS METHADONE MIXTURE WITH HYDROCORTISONE POWDER 1% Methadone powder qs

qs

to 100 ml

Hydrocortisone powder

Vosol Ear Drops

1%

to 35 ml

Glycerol

Water

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per

Namufacturer

Extemporaneously Compounded Preparations a	nd Galenica	als	
ACETYLCYSTEINE - Hospital pharmacy [HP1]-Specialist			
Inj 200 mg per ml, 10 ml	137.06	10	
, por,	(255.35)	. •	Hospira
BENZOIN	, ,		•
Tincture compound BP	24.42	500 ml	
	(38.00)		PSM
CHLOROFORM – Only in combination	` '		
Only in aspirin and chloroform application.			
Chloroform BP	25.50	500 ml	✓ PSM
CODEINE PHOSPHATE			
Powder – Only in combination	63.09	25 g	
	(84.20)	5	Douglas
a) Only in extemporaneously compounded codeine linctus		eine linctus pae	
b) ‡ Safety cap for extemporaneously compounded oral liq	uid preparations	3.	
COLLODION FLEXIBLE			
Collodion flexible	19.30	100 ml	✓ PSM
COMPOUND HYDROXYBENZOATE - Only in combination			
Only in extemporaneously compounded oral mixtures.			
Soln	34.18	100 ml	✓ David Craig
GLYCEROL			-
* Liquid – Only in combination	19.80	2,000 ml	✓ ABM
,	24.75	•	✓ PSM
	19.80		
	(24.75)		MidWest
Only in extemporaneously compounded oral liquid prepara	tions.		
MAGNESIUM HYDROXIDE			
Paste	22.61	500 g	✓ PSM
METHADONE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Extemporaneously compounded methadone will only be re	eimbursed at the	e rate of the ch	eapest form available (methadone
powder, not methadone tablets).	7.04	1 ~	A AET
Powder ‡ Safety cap for extemporaneously compounded oral liquic		1 g	✓ <u>AFT</u>
# Salety cap for externiporarieously compounded oral liquid METHYL HYDROXYBENZOATE	i preparations.		
Powder	10.00	25 a	✓ ABM
ruwuti	(18.45)	25 g	PSM
METUVI CELLUI CCE	(10.40)		I OW
METHYLCELLULOSE Powder	14.00	100 g	✓ ABM
ruwuti	(17.72)	100 g	MidWest
DUENODA DRITONE, CODUINA	(11.12)		IVIIUVVGOL
PHENOBARBITONE SODIUM	205.00	100 ~	A MidWood
Powder - Only in combination	325.00	100 g	✓ MidWest
b) ‡ Safety cap for extemporaneously compounded oral liq	uid preparations	2	
b) + calcity cap for exterriporalicously compounded training	aia proparations	٠.	

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy (Manufacturer's Pri \$	ce) Sub	Fully Brand or sidised Generic Manufacturer
PROPYLENE GLYCOL	•		
Only in extemporaneously compounded methyl hydroxybenzo		500 ml	✓ ABM ✓ PSM
SODIUM BICARBONATE			
Powder BP - Only in combination	9.80 (11.99) (29.50)	500 g	✓ ABM Biomed David Craig
Only in extemporaneously compounded omeprazole suspe	ension.		· ·
SYRUP (PHARMACEUTICAL GRADE) – Only in combination Only in extemporaneously compounded oral liquid preparatio		2.000 ml	A Michagot
Liq WATER	21.75	2,000 1111	✓ <u>Midwest</u>
Tap – Only in combination	0.00	1 ml	✓ Tap water

EXPLANATORY NOTES

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

Eligibility for Special Authority

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

Who can apply for Special Authority?

Initial Applications: Only Specialists

Reapplications: Specialist or general practitioner on recommendation of specialist. Reapplica-

tions by general practitioners on specialist recommendation must include the

name of the specialist and the date the specialist was contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. A supporting letter may be included if desired. Applications must be forwarded to:

HealthPAC

Special Authorities Section

Private Bag 3015

Wanganui

Freefax 0800 100 131

Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

Definitions

Failure to thrive Growth deficiency An inability to gain or maintain weight resulting in physiological impairment. Where the weight of the child is less than the fifth or possibly third percentile for

their age, with evidence of malnutrition

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

Nutrient Modules

Carbohydrate

⇒SA0912 Special Authority for Subsidy

Initial application — (Cystic fibrosis or renal failure) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Either:

- 1 cystic fibrosis; or
- 2 chronic renal failure or continuous ambulatory peritoneal dialysis (CAPD) patient.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children; or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 failure to thrive; or
- 4 growth deficiency; or
- 5 bronchopulmonary dysplasia; or
- 6 premature and post premature infant; or
- 7 inborn errors of metabolism.

Renewal — (Cystic fibrosis or renal failure) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

CARBOHYDRATE SUPPLEMENT - Special Authority see SA0912 above - Hospital pharmacy [HP3]

Powder	36.50	5,000 g	✓ Morrex Maltodextrin
	1.30	400 g OP	
	(5.29)	-	Polycal
	1.14	350 g OP	•
	(7.85)	-	Polycose
	1.30	368 g OP	
	(12.00)	-	Moducal

Carbohydrate And Fat

⇒SA0581 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 infant aged four years or under; and
- 2 cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 1 infant aged four years or under; and
- 2 Any of the following:
 - 2.1 cancer in children: or
 - 2.2 failure to thrive: or
 - 2.3 growth deficiency: or
 - 2.4 bronchopulmonary dysplasia; or
 - 2.5 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

CARBOHYDRATE AND FAT SUPPLEMENT - Special Authority see SA0581 on the preceding page - Hospital pharmacy [HP3] 400 g OP Duocal Super Soluble Powder

Fat

▶SA0899 Special Authority for Subsidy

Initial application — (Inborn errors of metabolism) only from a relevant specialist. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a relevant specialist. Approvals valid for 1 vear for applications meeting the following criteria:

Any of the following:

- 1 failure to thrive where other high calorie products are inappropriate or inadequate; or
- 2 growth deficiency: or
- 3 bronchopulmonary dysplasia; or
- 4 fat malabsorption: or
- 5 lymphangiectasia; or
- 6 short bowel syndrome; or
- 7 infants with necrotising enterocolitis; or
- 8 biliary atresia.

Renewal — (Inborn errors of metabolism) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Both:

- - 1 The treatment remains appropriate and the patient is benefiting from treatment: and
 - 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

SPECIAL FOODS

	(Manufacturer's Pri	ce) Subsi Per	dised	Generic Manufacturer
FAT SUPPLEMENT - Special Authority see SA0899 on the prece	ding page – Hosp	ital pharmacy	[HP3]	
Emulsion (neutral)	12.30	200 ml OP	✓ C	alogen
	30.75	500 ml OP	V C	alogen
Emulsion (strawberry)	12.30	200 ml OP	✓ C	alogen
Oil	28.73	250 ml OP	✓ Li	quigen
	30.00	500 ml OP	✓ M	CT oil (Nutricia)

Subsidy

Fully

Brand or

Protein

⇒SA0582 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 protein losing enteropathy; or
- 2 high protein needs (eg burns).

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

PROTEIN SUPPLEMENT - Special Authority see SA0582 above - Hospital p	harmacy [HP3]	
Powder	225 g OP	✔ Protifar 90
Powder (vanilla)	275 a OP	✔ Promod

Oral Supplements

These products are to be used only as supplements to a person's dietary needs. Subsidy for up to 500 ml a day. Amounts prescribed in excess of this amount must be paid for by the patient.

▶SA0583 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years where the patient has cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children; or
- 2 inflammatory bowel disease; or
- 3 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 4 malnutrition requiring nutritional support.

Renewal — **(Cystic fibrosis)** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Roth:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

	Subsidy (Manufacturer's F	Price) Sub Per	Fully Brand or sidised Generic Manufacturer
ORAL SUPPLEMENT 1KCAL/ML - Special Authority see SA058 Powder (chocolate)		ing page – Hos 900 g OP	pital pharmacy [HP3] Sustagen Hospital Formula
Powder (strawberry)	4.75 (7.22) 4.75	400 g OP 400 g OP	Ensure
Powder (vanilla)	(7.22)	900 g OP	Ensure Sustagen Hospital Formula
	11.50 4.75	400 g OP	✓ Fortisip Powder
(Fortisip Powder Powder (vanilla) to be delisted 1 February 2009)	(7.22)	-	Ensure

Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

Respiratory Products

⇒SA0588 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

- 1 CORD patients who have hypercapnia; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

Diabetic Products

⇒SA0594 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Type I and II diabetics who require nutritional supplementation; and
- 2 Fither:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:

SPECIAL FOODS

	(Manufacturer's Pric	ce) Sub Per	sidised	Generic Manufacturer
continued 2.1 The product is to be used as a supplement (maximu 2.2 The product is to be used as a complete diet; and 3 General Practitioners must include the name of the special	,			
DIABETIC ENTERAL FEED 1KCAL/ML – Special Authority see S Liquid		ceding page ,000 ml OP	✓ Di ✓ Gi	tal pharmacy [HP3] iason RTH lucerna Select RTH esource Diabetic TF RTH
ORAL FEED 1KCAL/ML - Special Authority see SA0594 on the	oreceding page – H	lospital phar	macy [F	HP3]
Liquid (chocolate)	1.78	237 ml OP	✓ R	esource Diabetic
Liquid (strawberry)	1.50	200 ml OP	🗸 Di	iasip
	1.78	237 ml OP	✓ Re	esource Diabetic
Liquid (vanilla)	1.50	200 ml OP	🗸 Di	iasip
	1.78	237 ml OP	✓ Re	esource Diabetic
	1.88	250 ml OP	✓ G	lucerna Select

Subsidy

Fully

Brand or

Fat Modified Products

⇒SA0615 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The product is to be used as a complete diet: and
- 2 Either:
 - 2.1 Patient has metabolic disorders of fat metabolism: or
 - 2.2 Patient has chylothorax.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

FAT MODIFIED FEED − Special Authority see SA0615 above − Hospital pharmacy [HP3]

Powder60.48 400 g OP

✓ Monogen

High Protein Products

⇒SA0589 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Anorexia and weight loss; and
- 2 Either:
 - 2.1 decompensating liver disease without encephalopathy; or
 - 2.2 protein losing gastro-enteropathy; and
- 3 Either:
 - 3.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 3.2 The product is to be used as a complete diet.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised Brand or Generic Manufacturer

continued...

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

Paediatric Products For Children Awaiting Liver Transplant

⇒SA0607 Special Authority for Subsidy

Initial application only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 Child (up to 18 years) who is awaiting liver transplant; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
- 2.2 The product is to be used as a complete diet.

Renewal only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet.

Paediatric Products For Children With Chronic Renal Failure

⇒SA0606 Special Authority for Subsidy

Initial application only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 child (up to 18 years) with chronic renal failure; and
- 2 Either:
 - 2.1 The product is to be used as a supplement: or
 - 2.2 The product is to be used as a complete diet.

Renewal only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Fither
 - 2.1 The product is to be used as a supplement; or
 - 2.2 The product is to be used as a complete diet.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA0606 above - Hospital pharmacy [HP3]
Liquid54.00 400 g OP

✓ Kindergen

✓ fully subsidised [HP1], [HP3], [HP4] refer page 9

175

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

Paediatric Products

⇒SA0896 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 infant aged one to eight years; and
- 2 Any of the following:
 - 2.1 any condition causing malabsorption; or
 - 2.2 failure to thrive; or
 - 2.3 increased nutritional requirements; and
- 3 Either:
 - 3.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 3.2 The product is to be used as a complete diet.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Fither:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

PAEDIATRIC ENTERAL FEED 1.5KCAL/ML - Special Authority see SA0896 at Liquid1.60 6.00		armacy [HP3] ✓ Nutrini Energy RTH ✓ Nutrini Energy RTH
PAEDIATRIC ENTERAL FEED 1KCAL/ML - Special Authority see SA0896 abo Liquid	ve – Hospital phar 200 ml OP 500 ml OP	macy [HP3] Nutrini RTH Nutrini RTH Pediasure RTH
PAEDIATRIC ORAL FEED 1.5KCAL/ML — Special Authority see SA0896 above Liquid (strawberry)	Hospital pharma200 ml OP200 ml OP	acy [HP3] Fortini Fortini
PAEDIATRIC ORAL FEED 1KCAL/ML - Special Authority see SA0896 above - Liquid (chocolate)	Hospital pharmac 200 ml OP 237 ml OP	y [HP3] ✓ Pediasure ✓ Pediasure ✓ Resource Just for Kids
Liquid (strawberry)	200 ml OP 237 ml OP	✓ Pediasure ✓ Pediasure
Liquid (vanilla)	237 ml OP	✓ Pediasure ✓ Resource Just for Kids
(Resource Just for Kids Liquid (chocolate) to be delisted 1 July 2009) (Resource Just for Kids Liquid (vanilla) to be delisted 1 July 2009)		
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see S Liquid (chocolate)	A0896 above – Ho 200 ml OP 200 ml OP 200 ml OP	ospital pharmacy [HP3] Fortini Multifibre Fortini Multifibre Fortini Multifibre

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Renal Products

■SA0587 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 acute or chronic renal failure; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

ENTERAL FEED 2KCAL/ML - Special Authority see SA0587 above - Hospital phar	rmacy [HP3]		
Liquid6.08	500 ml OP	~	Nutrison
			Concentrated

RENAL ORAL FEED 2KCAL/ML - Special Authority see SA0587 above - Hospital pharmacy [HP3]

Liquid2.43	200 ml OP	Nepro (vanilla)
2.88	237 ml OP	✓ NovaSource Renal
Liquid (apricot)2.88	125 ml OP	✓ Renilon 7.5
Liquid (caramel)2.88	125 ml OP	✓ Renilon 7.5

Specialised And Elemental Products

■SA0592 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Any of the following:
 - 1.1 malabsorption; or
 - 1.2 short bowel syndrome; or
 - 1.3 enterocutaneous fistulas; or
 - 1.4 pancreatitis; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

SPECIAL FOODS

	(Manufacturer's	Price) Sub Per	sidised Generic Manufacturer			
ENTERAL/ORAL ELEMENTAL FEED 1KCAL/ML - Special Authority see SA0592 on the preceding page - Hospital pharmacy [HP3]						
Powder	4.40	79 g OP	✓ Vital HN			
	7.50	76 g OP	✓ Alitraq			
ORAL ELEMENTAL FEED 0.8KCAL/ML - Special Authority see SA0592 on the preceding page - Hospital pharmacy [HP3]						
Liquid (grapefruit)	9.50	250 ml OP	Elemental 028 Extra			
Liquid (pineapple & orange)		250 ml OP	Elemental 028 Extra			
Liquid (summer fruit)	9.50	250 ml OP	✓ Elemental 028 Extra			
ORAL ELEMENTAL FEED 1KCAL/ML - Special Authority see SA0592 on the preceding page - Hospital pharmacy [HP3]						
Powder (unflavoured)	4.00	80.4 g OP	✓ Vivonex TEN			
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML - Special Authority see SA0592 on the preceding page - Hospital pharmacy [HP3]						
Liquid	6.02	500 ml OP	✓ Peptisorb			
	12.04	1,000 ml OP	✓ Peptisorb			

Subsidy

Fully

Brand or

Undyalised End Stage Renal Failure

⇒SA0586 Special Authority for Subsidy

Initial application only from a gastroenterologist or renal physician. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 undialysed end stage renal patients; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet.

Note: Where possible, the requirements for oral supplementation should be established in conjunction with assessment by a dietician.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

Adult Products Standard

⇒SA0702 Special Authority for Subsidy

Initial application — (Oral feed for cystic fibrosis patient) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 Cystic fibrosis; and
- 2 Either:
 - 2.1 The product is to be used as a supplement; or
 - 2.2 The product is to be used as a complete diet.

Initial application — (Oral feed for indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Subsidy Fully (Manufacturer's Price) Subsidised Per

ly Brand or ed Generic Manufacturer

continued...

Both:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 failure to thrive; or
 - 1.3 increased nutritional requirements; and
- 2 Either:
 - 2.1 The product is to be used as a supplement: or
 - 2.2 The product is to be used as a complete diet.

Renewal — (Oral feed cystic fibrosis patient) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement; or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

Initial application — (Enteral feed) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 enteral feeding; or
 - 1.2 nasogastric; or
 - 1.3 nasoduodenal; or
 - 1.4 nasojejunal; or
 - 1.5 gastrostomy/jejunostomy; and
- 2 Either:
 - 2.1 The product is to be used as a supplement; or
 - 2.2 The product is to be used as a complete diet.

Renewal — (Enteral feed or Oral feed for indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement; or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

Notes: This group of products can be used either as a supplement or as a complete diet.

If a product is being used as a supplement, the limit is 500 ml per day.

Cystic fibrosis patients are exempt the 500 ml per day volume restriction when using Ensure Plus, Fortisip or Resource Plus as a supplement.

SPECIAL FOODS

	Subsidy		Fully Brand or
	(Manufacturer's		sidised Generic
	\$	Per	✓ Manufacturer
ENTERAL FEED 11/CAL/ALL Created Authority and CACTOO or	170 Lla		[LID0]
ENTERAL FEED 1KCAL/ML - Special Authority see SA0702 on			
Liquid	1.24	250 ml OP	✓ Isosource HN
			✓ Isosource Standard
	2.65	500 ml OP	Nutrison Standard
			RTH
	5.29	1,000 ml OP	✓ Nutrison Standard
		,	RTH
			✓ Isosource HN RTH
			✓ Isosource Standard
			RTH
			Osmolite RTH
ENTERAL FEED WITH FIBRE 1 KCAL/ML - Special Authority s	ee SA0702 on i	nage 178 – Host	nital pharmacy [HP3]
Liquid		250 ml OP	✓ Fibresource
Liquid		200 1111 01	✓ Fibresource HN
	2.65	500 ml OP	✓ Nutrison Multi Fibre
	5.29	1,000 ml OP	Nutrison Multi Fibre
			Fibresource HN RTH
			✓ Fibresource RTH
			Jevity RTH
ENTERAL FEED WITH FIBRE 1.5KCAL/ML - Special Authority	see SA0702 on	page 178 – Hos	spital pharmacy [HP3]
Liquid		1.000 ml OP	✓ Ensure Plus RTH
Liquid	1.75	250 ml OP	✓ Isosource 1.5
	7.00	1,000 ml OP	✓ Isosource 1.5
	7.00	1,000 1111 OF	
			✓ Nutrison Energy
			Multi Fibre
ORAL FEED 1.5KCAL/ML - Special Authority see SA0702 on pa	age 178 – Hosp	ital pharmacy [H	IP3]
Liquid (banana)	1.12	200 ml OP	✓ Fortisip
	(1.45)		Ensure Plus
Liquid (chocolate)	1.12	200 ml OP	✓ Fortisip
1 ()	1.33	237 ml OP	✓ Resource Plus
	1.12	200 ml OP	
	(1.45)	200 1111 01	Ensure Plus
	1.33	237 ml OP	✓ Ensure Plus
Liquid (aaffaa)			✓ Ensure Plus
Liquid (coffee)		237 ml OP	Elisure Plus
Liquid (fruit of the forest)		200 ml OP	F DI
	(1.45)		Ensure Plus
Liquid (strawberry)		200 ml OP	✓ Fortisip
	1.33	237 ml OP	Resource Plus
	1.12	200 ml OP	
	(1.45)		Ensure Plus
	1.33	237 ml OP	Ensure Plus
Liquid (toffee)	1.12	200 ml OP	✓ Fortisip
Liquid (tropical fruit)		200 ml OP	✔ Fortisip
Liquid (vanilla)		200 ml OP	✓ Fortisip
1 //	1.33	237 ml OP	✓ Resource Plus
	1.12	200 ml OP	1100001001100
	(1.45)	200 1111 01	Ensure Plus
	\ /	007 1 00	
	1.33	237 ml OP	✓ Ensure Plus

	Subsidy (Manufacturer's Pri \$	ce) Sub Per		Brand or Generic Manufacturer
ORAL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority see Liquid (chocolate)	1.12 1.12	200 ml OP 200 ml OP	✓ Fo	nacy [HP3] ortisip Multi Fibre ortisip Multi Fibre ortisip Multi Fibre

Adult Products High Calorie

⇒SA0585 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis: and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements; and
- 4 Either:
 - 4.1 The product is to be used as a supplement; or
 - 4.2 The product is to be used as a complete diet.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 failure to thrive; or
 - 1.3 increased nutritional requirements; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements; and
- 4 Fither:
 - 4.1 The product is to be used as a supplement; or
 - 4.2 The product is to be used as a complete diet.

Renewal — **(Cystic fibrosis)** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted; and
- 3 Either:
 - 3.1 The product is to be used as a supplement; or
 - 3.2 The product is to be used as a complete diet.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted; and
- 3 Either:
 - 3.1 The product is to be used as a supplement; or
 - 3.2 The product is to be used as a complete diet.

Notes: This product can be used either as a supplement or as a complete diet.

If it is being used as a supplement, the limit is 500 ml per day.

ORAL FEED 2KCAL/ML - Special Authority see SA0585 above - Hospital pharmacy [HP3]
Liquid (vanilla)2.25 237 ml OP

✓ Two Cal HN

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Food Thickeners

⇒SA0595 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

FOOD THICKENER - Special Authority see Sa	A0595 above - Hospital pharmacy	[HP3]	
Powder	3.80	250 g OP	Resource Thicken
			Up
	4.56	380 g	
	(7.25)		Karicare Food
			Thickener

Gluten Free Foods

⇒SA0722 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

GLUTEN FREE BAKING MIX – Special Authority see SA0722 above – F		,	
Powder	.2.81 (5.15)	1,000 g OP	Healtheries Simple Baking Mix
GLUTEN FREE BREAD MIX - Special Authority see SA0722 above - H	lospital ph	narmacy [HP3]	
Powder	.3.93	1,000 g OP	
1	(6.73)	•	NZB Low Gluten Bread Mix
	4.77		
1	(8.97)		Bakels Gluten Free Health Bread Mix
	3.51		
1	(9.96)		Horleys Bread Mix
GLUTEN FREE FLOUR - Special Authority see SA0722 above - Hospit	tal pharma	acv [HP3]	
Powder		2,000 g OP	
(1	16.44)		Horleys Flour

	Subsidy (Manufacturer's Pri		Fully Brand or seed Generic Manufacturer
CLUTTAL FREE DACTA Chasiel Authority and CA0700 on the n	*		
GLUTEN FREE PASTA – Special Authority see SA0722 on the p Buckwheat Spirals	0, 0	250 g OP	у [пго]
Buckwileat Opilais	(3.11)	230 g Oi	Orgran
Corn and Parsley Fettucine	, ,	250 g OP	Olyiali
Com and raisiey retudine	(2.63)	230 g Oi	Orgran
Corn and Spinach Rigatini	, ,	250 g OP	Orgian
Com and Opinaci riigaiini	(2.92)	230 g O1	Orgran
Corn and Vegetable Shells	, ,	250 g OP	Orgian
Com and vogetable one in	(2.92)	200 g O1	Orgran
Corn and Vegetable Spirals	` '	250 g OP	Orgitali
com and regerate opnial minimum.	(2.92)	_00 g 0.	Orgran
Garlic and Parsley Shells	, ,	250 g OP	0.9
,	(2.92)		Orgran
Rice and Corn Garden Herb Pasta	, ,	250 g OP	- 3
	(2.92)		Orgran
Rice and Corn Lasagne Sheets	, ,	200 g OP	Ü
·	(3.82)	ŭ	Orgran
Rice and Corn Macaroni	2.00 [°]	250 g OP	•
	(2.92)	· ·	Orgran
Rice and Corn Penne	2.00	250 g OP	•
	(2.92)	-	Orgran
Rice and Maize Pasta Spirals	2.00	250 g OP	
	(2.92)		Orgran
Rice and Millet Spirals	2.00	250 g OP	
	(3.11)		Orgran
Rice and corn spaghetti noodles	2.00	375 g OP	
	(2.92)		Orgran
Vegetable and Rice Spirals	2.00	250 g OP	
	(2.92)		Orgran
Italian long style spaghetti		220 g OP	
	(3.11)		Orgran
(Orgran Corn and Parsley Fettucine to be delisted 1 July 2009)			

(Orgran Corn and Parsley Fettucine to be delisted 1 July 2009)

Foods And Supplements For Inborn Errors Of Metabolism - Other

⇒SA0732 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Either:

- 1 dietary management of homocystinuria; or
- 2 dietary management of maple syrup urine disease.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Prescribing Guideline

It can cost up to \$70,000 a year to keep an adult on protein supplements. Because protein substitutes are so expensive and because they are only effective in controlling PKU if a restricted diet is followed, adults with PKU will be required to demonstrate they are following the prescribed diet by regular blood testing. The requirement for testing applies to those aged over 16 years. Failure to follow an appropriate diet results in high blood phenylalanine levels.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

SPECIAL FOODS

Subsidy (Manufacturer's Price) Fully Subsidised

Per

Brand or Generic Manufacturer

Supplements For Homocystinuria

AMINOACID FORMULA WITHOUT METHIONINE - Special Authority see SA0732 on the preceding page - Hospital pharmacy [HP3]

See prescribing guideline on the preceding page

Supplements For MSUD

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE — Special Authority see SA0732 on the preceding page — Hospital pharmacy [HP3]

See prescribing guideline on the preceding page

Foods And Supplements For Inborn Errors Of Metabolism - PKU

⇒SA0733 Special Authority for Subsidy

Initial application — (Patient aged over 16) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 dietary management of PKU; and
- 2 The patient's blood phenylalanine level is < 900 mmol/litre (average of tests over last 12 months).

Initial application — (Patient aged 16 or under) only from a relevant specialist. Approvals valid for 3 years where the patient requires dietary management of PKU.

Renewal — (Patient aged over 16) only from a relevant specialist. Approvals valid for 1 year where blood phenylalanine level < 900 mmol/litre (average of tests over last 12 months).

Renewal — (Patient aged 16 or under) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Prescribing Guideline

It can cost up to \$70,000 a year to keep an adult on protein supplements. Because protein substitutes are so expensive and because they are only effective in controlling PKU if a restricted diet is followed, adults with PKU will be required to demonstrate they are following the prescribed diet by regular blood testing. The requirement for testing applies to those aged over 16 years. Failure to follow an appropriate diet results in high blood phenylalanine levels.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Foods For PKU

PHENYL FREE BAKING MIX - Special Authority see SA0733 above - Hospital pharmacy [HP3]

See prescribing guideline above

Loprofin Mix

Mixture

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or sidised Generic Manufacturer
ENYL FREE PASTA - Special Authority see SA0733	on the preceding page -	- Hospital pharn	nacy [HP3]
See prescribing guideline on the preceding page			
Animal shapes		500 g OP	
	(11.91)		Loprofin
Lasagne		250 g OP	
	(5.95)	05	Loprofin
Low protein rice pasta		500 g OP	
Manager	(11.91)	050 - 00	Loprofin
Macaroni		250 g OP	Lauren Car
Danna	(5.95)	500 × 05	Loprofin
Penne		500 g OP	Longofic
Charletti	(11.91)	E00 - OD	Loprofin
Spaghetti		500 g OP	Laurefia
Crivala	(11.91)	500 × 05	Loprofin
Spirals		500 g OP	Longofin
	(11.91)		Loprofin
INOACID FORMULA WITHOUT PHENYLALANINE cy [HP3]	- Special Authority see	SA0733 on the	preceding page - Hospita
UPPLEMENTS FOR PKU INOACID FORMULA WITHOUT PHENYLALANINE or [HP3] See prescribing guideline on the preceding page Tabs	99.00	75 OP	✓ Phlexy 10
INOACID FORMULA WITHOUT PHENYLALANINE cy [HP3] See prescribing guideline on the preceding page Tabs	99.00 330.10	75 OP 30 OP	✓ Phlexy 10 ✓ Minaphlex
INOACID FORMULA WITHOUT PHENYLALANINE cy [HP3] See prescribing guideline on the preceding page Tabs	99.00 330.10 324.00	75 OP 30 OP 30	✓ Phlexy 10 ✓ Minaphlex ✓ Phlexy 10
INOACID FORMULA WITHOUT PHENYLALANINE cy [HP3] See prescribing guideline on the preceding page Tabs	99.00 330.10 324.00 174.72	75 OP 30 OP 30 400 g OP	✓ Phlexy 10 ✓ Minaphlex ✓ Phlexy 10 ✓ XP Analog LCP
INOACID FORMULA WITHOUT PHENYLALANINE cy [HP3] See prescribing guideline on the preceding page Tabs	99.00 330.10 324.00 174.72 221.00	75 OP 30 OP 30	✓ Phlexy 10 ✓ Minaphlex ✓ Phlexy 10 ✓ XP Analog LCP ✓ XP Maxamaid
INOACID FORMULA WITHOUT PHENYLALANINE cy [HP3] See prescribing guideline on the preceding page Tabs		75 OP 30 OP 30 400 g OP 500 g OP	✓ Phlexy 10 ✓ Minaphlex ✓ Phlexy 10 ✓ XP Analog LCP ✓ XP Maxamaid ✓ XP Maxamum
INOACID FORMULA WITHOUT PHENYLALANINE cy [HP3] See prescribing guideline on the preceding page Tabs		75 OP 30 OP 30 400 g OP	✓ Phlexy 10 ✓ Minaphlex ✓ Phlexy 10 ✓ XP Analog LCP ✓ XP Maxamaid ✓ XP Maxamum ✓ XP Maxamaid
INOACID FORMULA WITHOUT PHENYLALANINE ccy [HP3] See prescribing guideline on the preceding page Tabs		75 OP 30 OP 30 400 g OP 500 g OP	✓ Phlexy 10 ✓ Minaphlex ✓ Phlexy 10 ✓ XP Analog LCP ✓ XP Maxamaid ✓ XP Maxamum ✓ XP Maxamaid ✓ XP Maxamaid
INOACID FORMULA WITHOUT PHENYLALANINE ccy [HP3] See prescribing guideline on the preceding page Tabs		75 OP 30 OP 30 400 g OP 500 g OP 500 g OP 62.5 ml OP	✓ Phlexy 10 ✓ Minaphlex ✓ Phlexy 10 ✓ XP Analog LCP ✓ XP Maxamaid ✓ XP Maxamum ✓ XP Maxamum ✓ XP Maxamum ✓ Lophlex LQ
INOACID FORMULA WITHOUT PHENYLALANINE cy [HP3] See prescribing guideline on the preceding page Tabs		75 OP 30 OP 30 400 g OP 500 g OP 500 g OP 62.5 ml OP 125 ml OP	✓ Phlexy 10 ✓ Minaphlex ✓ Phlexy 10 ✓ XP Analog LCP ✓ XP Maxamaid ✓ XP Maxamum ✓ XP Maxamum ✓ XP Maxamum ✓ Lophlex LQ ✓ Lophlex LQ
INOACID FORMULA WITHOUT PHENYLALANINE ccy [HP3] See prescribing guideline on the preceding page Tabs		75 OP 30 OP 30 400 g OP 500 g OP 500 g OP 62.5 ml OP 125 ml OP 62.5 ml OP	Phlexy 10 Minaphlex Phlexy 10 XP Analog LCP XP Maxamaid XP Maxamum XP Maxamum Lophlex LQ Lophlex LQ Lophlex LQ
INOACID FORMULA WITHOUT PHENYLALANINE cy [HP3] See prescribing guideline on the preceding page Tabs		75 OP 30 OP 30 400 g OP 500 g OP 500 g OP 62.5 ml OP 125 ml OP 125 ml OP	Phlexy 10 Minaphlex Phlexy 10 XP Analog LCP XP Maxamaid XP Maxamum XP Maxamum Lophlex LQ Lophlex LQ Lophlex LQ Lophlex LQ Lophlex LQ
INOACID FORMULA WITHOUT PHENYLALANINE cy [HP3] See prescribing guideline on the preceding page Tabs		75 OP 30 OP 30 400 g OP 500 g OP 500 g OP 62.5 ml OP 125 ml OP 125 ml OP 250 ml OP	✓ Phlexy 10 ✓ Minaphlex ✓ Phlexy 10 ✓ XP Analog LCP ✓ XP Maxamaid ✓ XP Maxamum ✓ XP Maxamum ✓ Lophlex LQ
INOACID FORMULA WITHOUT PHENYLALANINE ccy [HP3] See prescribing guideline on the preceding page Tabs		75 OP 30 OP 30 400 g OP 500 g OP 500 g OP 62.5 ml OP 125 ml OP 125 ml OP 250 ml OP 62.5 ml OP	Phlexy 10 Minaphlex Phlexy 10 XP Analog LCP XP Maxamaid XP Maxamum XP Maxamum Lophlex LQ
INOACID FORMULA WITHOUT PHENYLALANINE cy [HP3] See prescribing guideline on the preceding page Tabs		75 OP 30 OP 30 400 g OP 500 g OP 500 g OP 62.5 ml OP 125 ml OP 125 ml OP 250 ml OP	✓ Phlexy 10 ✓ Minaphlex ✓ Phlexy 10 ✓ XP Analog LCP ✓ XP Maxamaid ✓ XP Maxamum ✓ XP Maxamum ✓ Lophlex LQ
INOACID FORMULA WITHOUT PHENYLALANINE cy [HP3] See prescribing guideline on the preceding page Tabs		75 OP 30 OP 30 400 g OP 500 g OP 500 g OP 62.5 ml OP 125 ml OP 250 ml OP 62.5 ml OP 125 ml OP	Phlexy 10 Minaphlex Phlexy 10 XP Analog LCP XP Maxamaid XP Maxamaid XP Maxamum Lophlex LQ
INOACID FORMULA WITHOUT PHENYLALANINE ccy [HP3] See prescribing guideline on the preceding page Tabs		75 OP 30 OP 30 OP 30 400 g OP 500 g OP 500 g OP 62.5 ml OP 125 ml OP 125 ml OP 250 ml OP 62.5 ml OP 125 ml OP	Phlexy 10 Minaphlex Phlexy 10 XP Analog LCP XP Maxamaid XP Maxamum XP Maxamum Lophlex LQ

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Multivitamin Supplements For Inborn Errors Of Metabolism

⇒SA0600 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

MULTIVITAMINS - Special Authority see SA0600 above - Hospital pharmacy [HP3]

Tab	19.65	100
Powder		100 g OP
Oral lig	8.98	150 ml OP
•	(13.50)	

Ketovite

✔ Paediatric Seravit

Ketovite Syrup

Infant Formulae

For Premature Infants

⇒SA0602 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 6 months where the patient is infant weighing less than 1.5 kg at birth.

PREMATURE BIRTH FORMULA – Special Authority see SA0602 above – Hospital pharmacy [HP3]

Liquid0.75 100 ml OP

✓ S26LBW Gold RTF

For Williams Syndrome

⇒SA0601 | Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

LOW CALCIUM INFANT FORMULA - Special Authority see SA0601 above - Hospital pharmacy [HP3]

Subsidy (Manufacturer's Price) Subs \$ Per

Fully Br Subsidised G

Brand or Generic Manufacturer

For Gastrointestinal And Other Malabsorptive Problems

■ SA0603 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year where the patient is infant suffering from malabsorption and other gastrointestinal problems.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Neocate should be used only as a last resort when the infant is unable to absorb any of the below formulae. The objective with each of the formulae prescribed is to get the infant off them as soon as possible. This may take six months, it may take three years. Because of this, variation on age limit is not regarded as appropriate. These formulae will be available only from a hospital pharmacy. Vivonex Pediatric may be a suitable and less expensive alternative for many children that would otherwise be eligible for a subsidy for Neocate and should, therefore, be tried first in these cases. The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

ELEMENTAL FORMULA - Special Authority see SA0603 above - Hospital pharmacy [HP3]

Powder	15.52	450 g OP	
	(19.01)	Ü	Pepti Junior
	63.97	400 g OP	·
	(67.08)		Neocate
	(67.08)		Neocate LCP
	5.62	48.5 g OP	
	(6.00)	•	Vivonex Pediatric
Powder (tropical)	52.90	400 g OP	
	(56.00)		Neocate Advance
Powder (unflavoured)	52.90	400 g OP	
	(56.00)	-	Neocate Advance

For Milk Intolerance

■ SA0604 Special Authority for Subsidy

Initial application — (Lactase deficiency or disaccharide intolerance) only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is less than 3 years of age; and
- 2 Either:
 - 2.1 diagnosed as suffering from congenital lactase deficiency; or
- 2.2 suffering from disaccharide intolerance.

Notes: Secondary lactose intolerance in children is usually short lasting, and can be controlled by dietary measures and by giving sufficient calories to regenerate digestive enzymes.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Initial application — (Infant with intolerance to cows' milk) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 intolerant to cows' milk; and
- 2 patient is less than 3 years of age.

Note: The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

continued...

SPECIAL FOODS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

Renewal — (Infant with intolerance to cows' milk) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 patient is less than 3 years of age.

GOATS MILK INFANT FORMULA - Special Authority see SA0604 on the preceding page - Retail pharmacy

(22.75)

Karicare Goats Milk

Infant Formula

LACTOSE FREE INFANT FORMULA - Special Authority see SA0604 on the preceding page - Retail pharmacy

900 g OP

900 a OP

SOYA INFANT FORMULA - Special Authority see SA0604 on the preceding page - Retail pharmacy

(19.57)

S26 Sov

Delact

Infant Formulae - Lactose Intolerance and Cows' Milk Protein Intolerance

⇒SA0757 | Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:


- 1 The patient is less than 2 years of age; and
- 2 Intolerant to cows' milk: and
- 3 Diagnosed as suffering from congenital lactase deficiency.

Renewal only from a relevant specialist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

INFANT SOY FORMULA - Special Authority see SA0757 above - Retail pharmacy

(16.35)

Karicare Soy All Ages



•	•	• • •	
ADRENALINE	-	CHARCOAL	050 ml
✓ Inj 1 in 1,000, 1 ml ✓ Inj 1 in 10,000, 10 ml		✓ Oral liq 50 g per 250 ml	250 1111
AMINOPHYLLINE		CHLORPROMAZINE HYDROCHLORIDE	20
✓ Inj 25 mg per ml, 10 ml	5	✓ Tab 10 mg	
,		✓ Tab 25 mg	
AMIODARONE HYDROCHLORIDE		✓ Tab 100 mg	
✓ Inj 50 mg per ml, 3 ml	5	✓ Inj 25 mg per ml, 2 ml	
AMOXYCILLIN		CIPROFLOXACIN	
✓ Cap 250 mg		✓ Tab 250 mg	
✓ Grans for oral liq 125 mg per 5 ml		✓ Tab 500 mg	5
✓ Grans for oral liq 250 mg per 5 ml		CO-TRIMOXAZOLE	
✓ Inj 1 g	5	✓ Tab trimethoprim 80 mg and	
AMOXYCILLIN CLAVULANATE		sulphamethoxazole 400 mg	30
✓ Tab amoxycillin 500 mg with potassium		✓ Oral lig sugar-free trimethoprim 40 mg and	00
clavulanate 125 mg	30	sulphamethoxazole 200 mg per	
✓ Grans for oral lig amoxycillin 125 mg with		5 ml	200 ml
potassium clavulanate 31.25 mg per		J III	200 1111
5 ml	200 ml	COMPOUND ELECTROLYTES	
✓ Grans for oral lig amoxycillin 250 mg with	200 1111	✔ Powder for soln for oral use 5 g	10
potassium clavulanate 62.5 mg per		CONDOMS	
5 ml	200 ml	✓ 49 mm	1//
	200 1111	✓ 52 mm	
APPLICATOR		✓ 52 mm extra strength	
✓ Applicator – See note on page 73	1	✓ 53 mm	
ASPIRIN		✓ 53 mm (chocolate)	
✓ Tab dispersible 300 mg	30	✓ 53 mm (strawberry)	
ATROPINE SULPHATE		✓ 53 mm extra strength	
✓ Inj 600 µg, 1 ml	5	54 mm, shaped	
✓ Inj 1200 µg, 1 ml		✓ 55 mm	
, , , , , ,		✓ 56 mm, shaped	
AZITHROMYCIN		✓ 60 mm	144
✓ Tab 500 mg – Subsidy by endorsement –	_	DEVANAETUACONE	
See note on page 89	4	DEXAMETHASONE	00
BENDROFLUAZIDE		✓ Tab 1 mg – Retail pharmacy-Specialist	
✓ Tab 2.5 mg – See note on page 60	150	✓ Tab 4 mg – Retail pharmacy-Specialist	30
BENZATHINE BENZYLPENICILLIN		DEXAMETHASONE SODIUM PHOSPHATE	
✓ Inj 1.2 mega u per 2 ml	5	✓ Inj 4 mg per ml, 1 ml	5
		✓ Inj 4 mg per ml, 2 ml	5
BENZTROPINE MESYLATE	_	DEXTROSE	
✓ Inj 1 mg per ml, 2 ml	5	✓ Inj 50%, 10 ml	5
BENZYLPENICILLIN SODIUM (PENICILLIN G)		✓ Inj 50%, 90 ml	
✓ Inj 1 mega u	5	• III] 50 /0, 50 IIII	
CEFTRIAXONE SODIUM		DIAPHRAGM	
✓ Inj 500 mg – Hospital pharmacy [HP3] –		✓ Diaphragm – See note on page 73	1
Subsidy by endorsement – See note on		DIAZEPAM	
page 88	5		
✓ Inj 1 g – Hospital pharmacy [HP3] – Subsidy		✓ Inj 5 mg per ml, 2 ml – Subsidy by endorsement – See note on page 115	_
by endorsement – See note on page 88	5		
by endorsement - See note on page 88		CO	ntinued

PRACTITIONER'S AND WHOLESALE SUPPLY ORDERS

continued) ✓ Rectal tubes 5 mg ✓ Rectal tubes 10 mg		 ✓ Tab 35 µg with norethisterone 1 mg and 7 inert tab ✓ Tab 35 µg with norethisterone 500 µg 	84
DICLOFENAC SODIUM ✓ Inj 25 mg per ml, 3 ml ✓ Suppos 50 mg		✓ Tab 35 µg with norethisterone 500 µg and inert tab	
DIGOXIN ✓ Tab 62.5 µg ✓ Tab 250 µg		✓ Cap 250 mg ✓ Grans for oral liq 125 mg per 5 ml ✓ Grans for oral liq 250 mg per 5 ml ✓ Inj 1 g	200 ml
DOXYCYCLINE HYDROCHLORIDE Tab 50 mg ✓ Tab 100 mg		FLUPENTHIXOL DECANOATE ✓ Inj 20 mg per ml, 1 ml	5
ERGOMETRINE MALEATE ✓ Inj 500 µg per ml, 1 ml	5	✓ Inj 100 mg per ml, 1 ml	
□ FRYTHROMYCIN ETHYL SUCCINATE □ Tab 400 mg □ Grans for oral liq 200 mg per 5 ml □ Grans for oral liq 400 mg per 5 ml	200 ml	✓ Inj 12.5 mg per 0.5 ml, 0.5 ml ✓ Inj 25 mg per ml, 1 ml ✓ Inj 100 mg per ml, 1 ml	5
ERYTHROMYCIN STEARATE Tab 250 mg		FRUSEMIDE ✓ Tab 40 mg ✓ Inj 10 mg per ml, 2 ml	
ETHINYLOESTRADIOL WITH DESOGESTREL Tab 20 µg with desogestrel 150 µg Tab 20 µg with desogestrel 150 µg and 7	63	GLUCAGON HYDROCHLORIDE ✓ Inj 1 mg syringe kit	5
inert tab Tab 30 µg with desogestrel 150 µg Tab 30 µg with desogestrel 150 µg and 7 inert tab	63	GLYCERYL TRINITRATE ✓ Tab 600 µg ✓ Oral pump spray 400 µg per dose HALOPERIDOL	
ETHINYLOESTRADIOL WITH GESTODENE Tab 30 μg with gestodene 75 μg and 7 inert tab	84	✓ Tab 500 µg ✓ Tab 1.5 mg ✓ Tab 5 mg ✓ Oral liq 2 mg per ml	30
ETHINYLOESTRADIOL WITH LEVONORGESTF ✓ Tab ethinyloestradiol 30 µg with	REL	✓ Inj 5 mg per ml, 1 ml	
levonorgestrel 50 µg (6) and tab ethinyloestradiol 40 µg with levonorgestrel 75 µg (5), and tab ethinyloestradiol 30 µg with levonorgestrel 125 µg (10) and 7		✓ Inj 50 mg per ml, 1 ml ✓ Inj 100 mg per ml, 1 ml	
inert tab ✓ Tab 50 µg with levonorgestrel 125 µg and 7		✓ Inj 50 mg per ml, 2 ml HYDROXOCOBALAMIN	5
inert tab	63	✓ Inj 1 mg per ml, 1 ml HYOSCINE N-BUTYLBROMIDE	
inert tab Tab 20 μg with levonorgestrel 100 μg and 7 inert tab		✓ Inj 20 mg, 1 ml IPRATROPIUM BROMIDE ✓ Nabulicar solp 250 ug par ml. 1 ml	
ETHINYLOESTRADIOL WITH NORETHISTERO ✓ Tab 35 µg with norethisterone 1 mg		✓ Nebuliser soln, 250 µg per ml, 1 ml ✓ Nebuliser soln, 250 µg per ml, 2 ml	40 40 continued

PRACTITIONER'S AND WHOLESALE SUPPLY ORDERS

and Paris all			
continued)		PETHIDINE HYDROCHLORIDE	
LEVONORGESTREL		✓ Inj 50 mg per ml, 1 ml – Only on a controlled	
Tab 30 μg		drug form	5
✓ Tab 1.5 mg	5	✓ Inj 50 mg per ml, 1.5 ml – Only on a	
LIGNOCAINE HYDROCHLORIDE		controlled drug form	5
✓ Inj 0.5%, 5 ml – See note on page 110	5	✓ Inj 50 mg per ml, 2 ml – Only on a controlled	
✓ Inj 1%, 5 ml – See note on page 110		drug form	5
✓ Inj 1%, 20 ml – See note on page 110			
		PHENOXYMETHYLPENICILLIN (PENICILLIN V)	
LOPERAMIDE HYDROCHLORIDE		✓ Cap potassium salt 250 mg	
✓ Tab 2 mg	30	✓ Grans for oral liq 125 mg per 5 ml	
MEDROXYPROGESTERONE ACETATE		✓ Grans for oral liq 250 mg per 5 ml	200 mi
✓ Inj 150 mg per ml, 1 ml	5	PHENYTOIN SODIUM	
✓ Inj 150 mg per ml, 1 ml syringe		✓ Inj 50 mg per ml, 2 ml	5
		✓ Inj 50 mg per ml, 5 ml	
METHYLERGOMETRINE		· ., cog po, o	
✓ Inj 200 µg per ml, 1 ml	10	PHYTOMENADIONE	
METOCLOPRAMIDE HYDROCHLORIDE		✓ Inj 2 mg per 0.2 ml	5
✓ Inj 5 mg per ml, 2 ml	5	✓ Inj 10 mg per ml, 1 ml	5
		PIPOTHIAZINE PALMITATE	
METRONIDAZOLE		✓ Inj 50 mg per ml, 1 ml	5
✓ Tab 200 mg	30	✓ Inj 50 mg per ml, 2 ml	
MORPHINE SULPHATE		riij 50 mg per mi, 2 mi	
✓ Inj 5 mg per ml, 1 ml – Only on a controlled		PREDNISOLONE SODIUM PHOSPHATE	
drug form	5	✓ Oral lig 5 mg per ml – See note on	
✓ Inj 10 mg per ml, 1 ml – Only on a controlled		page 79	. 30 ml
drug form	5	PREDNICONE	
✓ Inj 15 mg per ml, 1 ml – Only on a controlled		PREDNISONE	
drug form	5	✓ Tab 5 mg	30
✓ Inj 30 mg per ml, 1 ml – Only on a controlled		PROCAINE PENICILLIN	
drug form	5	✓ Inj 1.5 mega u	5
•			
NALOXONE HYDROCHLORIDE		PROCHLORPERAZINE	
✓ Inj 400 µg per ml, 1 ml	5	✓ Tab 5 mg	30
NONOXYNOL-9		✓ Inj 12.5 mg per ml, 1 ml	5
✓ Jelly 2%	108 a	PROMETHAZINE HYDROCHLORIDE	
	100 g	✓ Inj 25 mg per ml, 2 ml	5
NORETHISTERONE		• 11, 20 11g por 111, 2 111	
✓ Tab 350 µg		SALBUTAMOL	
✓ Tab 5 mg	30	✓ Inj 500 µg per ml, 1 ml	5
NORETHISTERONE WITH MESTRANOL		✓ Aerosol inhaler, 100 µg per dose CFC	
Tab 1 mg with mestranol 50 µg and 7 inert tab.	84	free1000) dose
		✓ Nebuliser soln, 1 mg per ml, 2.5 ml	30
OXYTOCIN	_	✓ Nebuliser soln, 2 mg per ml, 2.5 ml	30
✓ Inj 5 iu per ml, 1 ml		CALBUTAMOL WITH IDDATDODILIM DDOMIDE	
✓ Inj 10 iu per ml, 1 ml	5	SALBUTAMOL WITH IPRATROPIUM BROMIDE	
✓ Inj 5 iu with ergometrine maleate 500 µg per		✓ Nebuliser soln, 2.5 mg with ipratropium	00
ml, 1 ml	5	bromide 0.5 mg per vial, 2.5 ml	20
PARACETAMOL		SILVER SULPHADIAZINE	
✓ Tab 500 mg	30	✓ Crm 1% with chlorhexidine digluconate	
✓ Oral lig 120 mg per 5 ml		0.2%	.500 a
✓ Oral liq 250 mg per 5 ml		continu	_
1 01		CONUN	a c u

PRACTITIONER'S AND WHOLESALE SUPPLY ORDERS

continued)	VERAPAMIL HYDROCHLORIDE
SODIUM BICARBONATE	✓ Inj 2.5 mg per ml, 2 ml5
✓ Inj 8.4%, 50ml5	, , ,
✓ Inj 8.4%, 100 ml5	WATER
,	✓ Purified for inj 2 ml – See note on page 48
SODIUM CHLORIDE	✓ Purified for inj 5 ml – See note on page 485
✓ Inf 0.9% – See note on page 48	✓ Purified for inj 10 ml – See note on page 485
✓ Inj 0.9%, 5 ml5	✓ Purified for inj 20 ml – See note on page 485
✓ Inj 0.9%, 10 ml5	, , , , , , , , , , , , , , , , , , , ,
, , , , , , , , , , , , , , , , , , , ,	ZUCLOPENTHIXOL DECANOATE
TRIMETHOPRIM	✓ Inj 200 mg per ml, 1 ml5
✓ Tab 300 mg30	- ···, ··· g p· ····, · · · · · · · · · · · · · · ·
=	

Pharmaceuticals that may be obtained on a Wholesale Supply Order

INTRA-UTERINE DEVICE

✓ IUD

MASK FOR SPACER DEVICE

✓ Size 2

PEAK FLOW METER

✓ Low range

✓ Normal range

PREGNANCY TESTS - HCG URINE

✓ Cassette

SPACER DEVICE

✓ 230 ml (autoclavable)

✓ 230 ml (single patient)

South Canterbury DHB

Fairlie

Geraldine

Otago DHB

Winton

Rural Areas for Practitioner's Supply Orders

NORTH ISLAND Tairua Marton Leeston Taumarunui Ohakune I incoln Northland DHB Te Aroha Raetihi Methven Dargaville Te Kauwhata Taihape Oxford Hikurangi Te Kuiti Waiouru Rakaia Kaeo Tokoroa Rolleston Kaikohe MidCentral DHB Waihi Kaitaia Dannevirke Whangamata

Rotherham Templeton Kawakawa Foxton Waikari Whitianga Kerikeri Levin **Bay of Plenty DHB** Otaki Mangonui

Edaecumbe Maungaturoto Pahiatua Katikati Moerewa Shannon Ngunguru Kawerau Woodville Murupara Paihia Wairarapa DHB Opotiki Rawene

Pleasant Point Carteron Taneatua Ruakaka Temuka Featherston Te Kaha Russell Twizel Grevtown Waihi Beach Tutukaka Waimate Martinborough Waipu Whakatane

SOUTH ISLAND

Wakefield

Whataroa

Kaikoura

Whangaroa Lakes DHB Mangakino Waitemata DHB

Helensville Turangi Alexandra Nelson/Marlborough DHB Huapai Balclutha Tairawhiti DHB Havelock Kumeu Cromwell Ruatoria Mapua Snells Beach Kurow Te Araroa Motueka Waimauku Lawrence

Te Karaka Murchison Warkworth Milton Te Puia Springs Picton Wellsford Oamaru Tikitiki Takaka Outram Tokomaru Bav **Auckland DHB**

Owaka Tolaga Bay Great Barrier Island West Coast DHB Palmerston Oneroa Taranaki DHB Dobson Ranfurly Ostend Fltham

Greymouth Roxburgh Inglewood Counties Manukau DHB Hokitika Tapanui Manaia Tuakau Wanaka Karamea

Oakura Waiuku Reefton Okato South Westland Waikato DHB Opunake Westport Coromandel Patea Southland DHB

Huntly Stratford Gore Kawhia Waverley Canterbury DHB Lumsden Matamata Mataura Akaroa Hawkes Bay DHB Morrinsville Amberley Otautau Chatham Islands Ngatea Amuri Queenstown

Waipawa Otorohanga Cheviot Riverton Waipukurau Paeroa Darfield Te Anau Wairoa Pauanui Beach Diamond Harbour Tokonui Putaruru Whanganui DHB Hanmer Springs **Tuatapere**

Please refer to Section A for a definition, and conditions of supply, of Practitioner's Supply Orders.

Bulls

Raglan

SECTION F: PART I

A Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is Close Control.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is Close Control.

SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

- a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the prescriber has endorsed the Prescription item(s) on the Prescription to which the exemption applies "certified exemption". In endorsing the Prescription items for a certified exemption, the prescriber is certifying that:
 - i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
 - ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
 - iii) the prescriber has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescrpition, the patient or his or her nominated representative must also certify which of the following criteria they meet:
 - i) have limited physical mobility:
 - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - iii) are relocating to another area;
 - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

The following Community Pharmaceuticals are identified with a \blacktriangle within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

ALIMENTARY TRACT AND METABOLISM

INSULIN ASPART

INSULIN GLARGINE

INSULIN ISOPHANE

INSULIN ISOPHANE WITH INSULIN NEUTRAL

INSULIN LISPRO

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

INSULIN NEUTRAL

CARDIOVASCULAR SYSTEM

AMIODARONE HYDROCHLORIDE

Tab 100 mg Cordarone-X Tab 200 mg Cordarone-X

DISOPYRAMIDE PHOSPHATE

FLECAINIDE ACETATE

Tab 50 mg
Tab 100 mg
Tab 100 mg
Tap long-acting 100 mg
Cap long-acting 200 mg
Tambocor CR
Tambocor CR
Tambocor CR

MEXILETINE HYDROCHLORIDE

PROPAFENONE HYDROCHLORIDE

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN

Nasal drops 100 µg per Minirin

ml

Nasal spray 10 µg per Desmopressin-PH&T

dose

MUSCULO-SKELETAL SYSTEM

PYRIDOSTIGMINE BROMIDE

NERVOUS SYSTEM

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHI ORIDE

ENTACAPONE

GABAPENTIN

LAMOTRIGINE

LISURIDE HYDROGEN MAI FATE

PERGOLIDE

ROPINIROLE HYDROCHLORIDE

TOLCAPONE

TOPIRAMATE

VIGABATRIN

SENSORY ORGANS

BIMATOPROST

BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE

BRINZOLAMIDE

LATANOPROST

TRAVOPROST

SECTION G: SAFETY CAP MEDICINES

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

Safety Caps (NZS 5825:1991)

20 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
24 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	PDL FG
	IDLIG

ALIMENTARY TRACT AND METABOLISM

FERROUS SULPHATE

Oral lig 150 mg per 5 ml Ferodan

CARDIOVASCULAR SYSTEM

AMILORIDE

Oral liq 1 mg per ml Biomed

CAPTOPRIL

Oral liq 5 mg per ml Capoten

CHLOROTHIAZIDE

Oral lig 50 mg per ml Biomed

DIGOXIN

Oral lig 50 µg per ml Lanoxin

FRUSEMIDE

Oral liq 10 mg per ml Lasix

SPIRONOLACTONE

Oral lig 5 mg per ml Biomed

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

LEVOTHYROXINE

Tab 50 μg Eltroxin

Goldshield

Tab 100 μg Eltroxin

Goldshield

(Extemporaneously compounded oral liquid preparations)

MUSCULO-SKELETAL SYSTEM

IBUPROFEN

Oral lig 100 mg per 5 ml Fenpaed

QUININE SULPHATE

Tab 200 mg Q 200 Tab 300 mg Q 300

(Extemporaneously compounded oral liquid preparations)

NERVOUS SYSTEM

ALPRAZOLAM

Tab 250 µg Arrow-Alprazolam
Tab 500 µg Arrow-Alprazolam
Tab 1 mg Arrow-Alprazolam

(Extemporaneously compounded oral liquid preparations)

CARBAMAZEPINE

Oral liq 100 mg per 5 ml Tegretol

CLOBAZAM

Tab 10 mg Frisium

(Extemporaneously compounded oral liquid preparations)

CLONAZEPAM

Oral drops 2.5 mg per Rivotril

ml

DIAZEPAM

Tab 2 mg Pro-Pam
Tab 5 mg Pro-Pam
Tab 10 mg Pro-Pam

(Extemporaneously compounded oral liquid preparations)

ETHOSUXIMIDE

Oral lig 250 mg per 5 ml Zarontin

LORAZEPAM

Tab 1 mg Ativan Tab 2.5 mg Ativan

(Extemporaneously compounded oral liquid preparations)

LORMETAZEPAM

Tab 1 mg Noctamid

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Oral liq 2 mg per ml
Oral liq 5 mg per ml
Oral liq 10 mg per ml
Biodone Forte
Biodone Extra Forte

MIDAZOLAM

Tab 7.5 mg Hypnovel

(Extemporaneously compounded oral liquid preparations)

MORPHINE HYDROCHLORIDE

Oral liq 1 mg per ml
Oral liq 2 mg per ml
Oral liq 5 mg per ml
Oral liq 5 mg per ml
Oral liq 10 mg per ml
Oral liq 10 mg per ml

NITRAZEPAM

Tab 5 mg Insoma Nitrados

(Extemporaneously compounded oral liquid preparations)

OXAZEPAM

Tab 10 mg Ox-Pam
Tab 15 mg Ox-Pam

(Extemporaneously compounded oral liquid preparations)

OXYCODONE HYDROCHLORIDE

Oral lig 5 mg per 5 ml OxyNorm

PARACETAMOL

Oral lig 120 mg per 5 ml Paracare Junior

Oral lig 250 mg per 5 ml Paracare Double Strength

SAFETY CAP MEDICINES

PHENYTOIN SODIUM

Oral liq 30 mg per 5 ml Dilantin

SODIUM VALPROATE

Epilim S/F Liquid Oral liq 200 mg per 5 ml

Epilim Syrup

TEMAZEPAM

Tab 10 mg Normison

(Extemporaneously compounded oral liquid preparations)

TRIAZOLAM

Tab 125 µg Hypam Tab 250 μg Hypam

(Extemporaneously compounded oral liquid preparations)

RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE

Oral liq 1 mg per ml Allerid C

Cetirizine - AFT

CHLORPHENIRAMINE MALEATE

Histafen Oral liq 2 mg per 5 ml

DEXTROCHLORPHENIRAMINE MALEATE Oral liq 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHLORIDE

Oral liq 5 mg per 5 ml Phenergan

SALBUTAMOL

Oral liq 2 mg per 5 ml Salapin

THEOPHYLLINE

Oral liq 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE

Oral liq 30 mg per 5 ml Vallergan Forte

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE

Powder Douglas

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Powder

(Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM

(Extemporaneously compounded oral liquid preparations)

Generic Chemicals and Brands

- Symbols -	
3TC	97
- A -	
A-Lices	
Abacavir sulphate	97
Abacavir sulphate with	
lamivudine	
Abilify	
Acarbose	
ACB	
Accu-Chek Performa	
Accupril	
Accuretic 10	
Accuretic 20	
Acebutolol	
Acetazolamide	159
Acetic acid with 1, 2- propanediol	
diacetate and	457
benzethonium	15/
Acetic acid with hydroxyquinoline	77
and ricinoleic acid	//
Acetylcysteine	107
Aciclovir	//
Infection	0.4
Sensory	
Acidex	
Acipimox	
Acitretin	
Actigall	
Actos	
Actrapid	
Actrapid Penfill	29
Acupan	
Adalat 10	
Adalat Oros	
Adalimumab	
Adefin XL	
Adefovir dipivoxil	94
Adrenaline	61
Advantan	66
AFT-Pyrazinamide	93
Agents Affecting the	
Renin-Angiotensin System	53
Agents Used in the Treatment of	
Poisonings	
Agrylin	
Alanase	
Albay	
Albustix	
Aldara	
Alandronata sodium	100

Alendronate sodium with	
cholecalciferol	. 108
Alfacalcidol	38
Alginic acid	26
Alitraq	178
Alkeran	134
Allerid C	150
Allersoothe	151
Allopurinol	109
Alpha Adrenoceptor Blockers	53
Alpha tocopheryl acetate	38
Alpha-Bromocriptine	121
Alpha-Keri Lotion	68
Alprazolam	126
Alu-Tab	26
Aluminium hydroxide	26
Amantadine hydrochloride	121
Amiloride	
Amiloride with frusemide	60
Amiloride with	00
hydrochlorothiazide	60
Aminophylline	155
Amiodarone hydrochloride	55
Amirol	112
Amisulpride	122
Amitrip	112
Amitriptyline	112
Amizide	1 10 60
Amlodipine	58
Amorolfine	50
Amoxil Paediatric Drops	oo
Amoxycillin	an
Amovyoillin alayulanata	on
Amoxycillin clavulanateAmphotericin B	əu 77
Amyl nitrite	01
Anabolic Agents	ا ن مح
Anaesthetics	110
Anagrelide hydrochloride	120
Analgesics	110
Anatropala	110
Anastrozole	143
Androderm	80
Antabuse	131
Antacids and Antiflatulants	
Anten	
Anthelmintics	88
Anti-inflammatory Non Steroidal	
Drugs (NSAIDs)	. 104
Antiacne Preparations	63
Antiallergy Preparations	150
Antianaemics	44

Antiandrogen Oral

Contraceptives76
Antiarrhythmics55
Antibacterials88
Antibacterials Topical63
Anticholinesterases104
Antidepressants113
Antidiarrhoeals26
Antiepilepsy Drugs115
Antifibrinolytics, Haemostatics
and Local Sclerosants45
Antifungals92
Antifungals Topical63
Antihaemorrhoidals27
Antihistamines150
Antihypotensives56
Antimalarials93
Antimigraine Preparations119
Antinaus121
Antinausea and Vertigo
Agents120
Antiparkinson Agents121
Antipruritic Preparations64
Antipsychotics122
Antiretrovirals96
Antiretrovirals - Additional
Therapies98
Antirheumatoid Agents105
Antispasmodics and Other
Agents Altering Gut
Motility28
Antithrombotic Agents45
Antithymocyte globulin
(equine)146
Antitrichomonal Agents93
Antituberculotics and
Antileprotics93
Antiulcerants28
Antivirals94
Anusol27
Anxiolytics126
Apo-Allopurinol109
Apo-Amlodipine58
Apo-Amoxi90
Apo-Ascorbic Acid38
Apo-B-Complex38
Apo-Captopril53
Apo-Cimetidine28
Apo-Clopidogrel45
Apo-Diclo104
Apo-Diclo SR104
Apo-Doxazosin53
Apo-Folic Acid44

INDEX

Apo-Giiciazide	31	Atacano	54	Betadine	
APO-go	121	Atazanavir sulphate	98	Betadine Skin Prep	68
Apo-Ipravent		Atenolol	56	Betaferon	129
Apo-Moclobemide	114	ATGAM	146	Betagan	
Apo-Nadolol		Ativan	127	Betahistine dihydrochloride	120
Apo-Nicotinic Acid		Atorvastatin	50	Betaloc	
Apo-Oxybutynin	78	Atropine sulphate		Betaloc CR	
Apo-Prazo		Alimentary	28	Betamethasone dipropionate	65
Apo-Prednisone		Sensory		Betamethasone sodium	
Apo-Primidone		Atropt		phosphate with	
Apo-Pyridoxine		Atrovent		betamethasone acetate	79
Apo-Selegiline		Augmentin		Betamethasone valerate	
Apo-Terbinafine		Auranofin		Betamethasone valerate with	,
Apo-Thiamine		Avomine		clioquinol	66
Apo-Timol		Avonex		Betamethasone valerate with	
Apo-Timop		Azamun		fusidic acid	66
Apo-Zopiclone		Azatadine maleate		Betaxolol hydrochloride	
Apomorphine hydrochloride		Azathioprine		Betnovate	
Applicator		Azithromycin		Betnovate-C	
Apresoline		Azopt		Betoptic	
Aquasun 30+		AZT		Betoptic S	158
Aquasun Oil Free Faces		-B-		Bezafibrate	
SPF30+	70	B-D Micro-Fine	22	Bezalip Retard	
Aguasun Sensitive SPF 30+		B-D Ultra Fine		Bicalox	144
Aqueous cream		B-D Ultra Fine II		Bicalutamide	144
Aratac		Baclofen		Bicillin LA	
Arava		Bactroban		BiCNU	
Arimidex		Bakels Gluten Free Health B		Bimatoprost	
Aripiprazole		Mix		Biodone	
Aristocort		Barrier Creams and		Biodone Extra Forte	
Aromasin	144	Emollients	67	Biodone Forte	
Arrow-Alprazolam	126	Batrafen		Bisacodyl	36
Arrow-Azithromycin		Beclazone 100		BK Lotion	68
Arrow-Citalopram		Beclazone 250		Blenoxane	138
Arrow-Lamotrigine	117	Beclazone 50		Bleomycin sulphate	
Arrow-Lisinopril	54	Beclomethasone		Bleph 10	158
Arrow-Metformin	31	dipropionate	. 151. 155	Bonjela	36
Arrow-Nifedipine XR	58	Bee venom allergy	- ,	Breath-Alert	156
Arrow-Norfloxacin	102	treatment	150	Brevinor 1/21	75
Arrow-Ranitidine	28	Bendrofluazide		Brevinor 1/28	75
Arrow-Roxithromycin	90	Benhex	69	Brevinor 21	
Arrow-Sumatriptan	119	Benzathine benzylpenicillin		Bricanyl Turbuhaler	153
Arsenic trioxide	138	Benzoin		Brimonidine tartrate	159
Arthrexin	105	Benztrop	122	Brimonidine tartrate with timolo	
Asacol	27	Benztropine mesylate	122	maleate	159
Ascorbic acid	38	Benzydamine hydrochloride		Brinzolamide	159
Asmafen	151	Benzylpenicillin sodium (pen		Brolene	157
Aspec 300		G)	90	Bromocriptine mesylate	
Aspen Adrenaline		Beta Adrenoceptor Blockers		Brufen	104
Aspirin		Beta Cream	65	Brufen Retard	
Blood		Beta Ointment	65	Buccastem	121
Nervous		Beta Scalp	70	Budesonide	
Asthalin	153	Beta-Adrenoceptor Agonists	153	Alimentary	26

INDEX Generic Chemicals and Brands

Respiratory	151, 155	Carboplatin	134	Cilicaine	91
Budesonide with		Carboplatin Ebewe	134	Cilicaine VK	91
eformoterol	153	Carbosorb-X	162	Ciloxan	157
Bumetanide	60	Cardinol	57	Cimetidine	28
Bupivacaine hydrochloride	110	Cardinol LA	57	Cipflox	91
Buprenorphine		Cardizem CD	59	Ciprofloxacin	
hydrochloride	111	Carmustine	134	Infection	91
Burinex		Carvedilol	56	Sensory	
Buscopan	28	Catapres	59	Cisplatin	
Buserelin acetate	84	Catapres-TTS-1		Cisplatin Ebewe	
Buspirone hydrochloride		Catapres-TTS-2		Citalopram - Rex	
Busulphan		Catapres-TTS-3		Citalopram hydrobromide	
Butacort Aqueous		CeeNU		Cladribine	
- C -		Cefaclor monohydrate	88	Clarithromycin	
	07	Cefazolin sodium		Climara 100	
Cabergoline		Cefoxitin sodium		Climara 50	
Cald Forto		Ceftriaxone sodium		Clindamycin	
Cal-d-Forte		Cefuroxime axetil		Clinistix	
		Cefuroxime sodium		Clinitest	
Calci-Tab 500		Celapram		Clinoril	
Calci-Tab 600		Celestone Chronodose		Clobazam	
Calcipotriol		Celiprolol		Clobetasol propionate	
Calcitonin		Cellcept		Clobetasone butyrate	
Calcitriol		Celol		Clomazol	
Calcitriol-AFT		Cerezyme		Dermatological	64
Calcium		Cetirizine - AFT		Genito-Urinary	
Calcium carbonate	38	Cetirizine hydrochloride		Clomiphene citrate	
Calcium carbonate with		Cetomacrogol		Clomipramine hydrochloride	
aminoacetic acid		Charcoal		Clonazepam	
Calcium Channel Blockers	58	Chemotherapeutic Agents		Clonidine	
Calcium Disodium		Chlorambucil		Clonidine hydrochloride	
Versenate		Chloramphenicol		Cardiovascular	59
Calcium folinate		Chlorhexidine gluconate		Nervous	
Calcium Folinate Ebewe		Alimentary	36	Clopidogrel	
Calcium gluconate		Dermatological		Clopine	
Calcium Homeostasis	107	Chloroform		Clopixol	
Calcium polystyrene		Chloromycetin		Clopress	
sulphonate		Chlorothiazide		Clotrimaderm 2%	
Calcium Resonium		Chlorpheniramine maleate		Clotrimazole	11
Calogen		Chlorpromazine	130	Dermatological	64
Calsource		•	100		
Calvasc		hydrochloride		Genito-Urinary	
Camptosar		Chlorsig Chlorthalidone		ClozapineClozaril	
Candesartan		Chlorvescent		Co-Renitec	
Canesten	64				
Capadex		Cholecalciferol	30	Co-trimoxazole	
Capecitabine	135	Cholestyramine with	40	Coal tar with allantain month	
Capoten	53	aspartame	49	Coal tar with allantoin, menth	
Capsaicin		Choline salicylate with	00	phenol and sulphur	
Captopril		cetalkonium chloride		Coal tar with salicylic acid an	
Carafate	29	Ciclopirox olamine		sulphur	
Carbamazepine	116	Cilazapril	53	Coco-Scalp	
Carbimazole	83	Cilazapril with		Codalgin	113
		hydrochlorothiazide	54	Codeine phosphate	

INDEX Generic Chemicals and Brands

Extemporaneous	167
Nervous	
Cogentin	
Colaspase (L-asparaginase)	.138
Colchicine	
Colestid	
Colestipol hydrochloride	49
Colgout	
Colifoam	
Colistin sulphomethate	
Colistin-Link	
Collodion flexible	
Colofac	
Coloxyl	
Combantrin	
Combigan	
Combivent	
Combivir	
Compound electrolytes	48
Compound	
hydroxybenzoate	
Comtan	
Concerta	132
Condoms	73
Condyline	
Contraceptives - Hormonal	74
Contraceptives -	
Non-hormonal	73
Copaxone	129
Copper	32
Corangin	61
Cordarone-X	55
Corticosteroids and Related	
Agents for Systemic Use	79
Corticosteroids Topical	65
Cosmegen	139
Cosopt	159
Cotazym ECS	34
Coumadin	47
Coversyl	
Cozaar	
Creon 10000	
Creon Forte	
Crixivan	
Cromolux	
Crotamiton	
Crystacide	
Cyclizine hydrochloride	120
Cyclizine lactate	120
Cycloblastin	
	124
Cyclond	134
Cyclogyl	134
Cyclogyl	134 160

Cyclophosphamide	134
Cyclosporin A	14
Cyproheptadine	
hydrochloride	
Cyproterone acetate	80
Cyproterone acetate with	7,
ethinyloestradiol	/t
Cytarabine	136
Cytotec	28
Cytoxan	134
- D -	
D-Penamine	10
D-Zol	8
d4T Dacarbazine	9
Daclin	10
Dactinomycin (actinomycin	10
D)	139
Daivonex	69
Daktarin	
Alimentary	3
Dermatological Dalacin C	ص 'م
Danazol	
Dantrium	109
Dantrolene sodium	109
Dapsone	
Daunorubicin	
DDI Deca-Durabolin Orgaject	9
Delact	188
Depo-Medrol	79
Depo-Medrol with lidocaine	79
Depo-Provera	70
Depo-Testosterone	
Derbac-M	6
Desferrioxamine mesylate	165
Desmopressin	8
Desmopressin-PH&T	8
Detection of Substances in	
Urine	162
Dexamethasone Hormone	70
Sensory	158
Dexamethasone sodium	100
phosphate	79
Dexamethasone with framycetin	
and gramicidin	15
Dexamethasone with neomycin	

and polymyxin b sulphate	.158
Dexamphetamine sulphate	129
Dextrochlorpheniramine maleate	
maleate	151
Dextropropoxyphene with	
paracetamol	111
Dextrose	//Ω
Dextrose with electrolytes	40
DHC Continus	49
DITO COMMINUS	
Diabetes	29
Diabetes Management	32
Diabur 5000	32
Diamox	159
Diaphragm Diasip	73
Diasip	174
Diason RTH	174
Diastix	32
Diastop	26
Diazenam 115	127
Dibenyline	53
Dibromonronamidine	
isethionate	157
Diclocil	00
Diclofenac sodium	90
Musculo-skeletal	101
Musculo-skeletal	104
Sensory	158
Dicloxacillin	90
Didanosine [DDI]	97
Didronel	108
Difflam	36
Diflucortolone valerate Digestives Including Enzymes	65
Digestives Including	
Enzymes	34
Digoxin	55
Dihydrocodeine tartrate	111
Dilantin	118
Dilantin Infatab	118
Dilatrand	- 56
Dilatrend Diltiazem hydrochloride	50
Dilzem	59
Dilzem LA	59
DIIZEITI LA	59
Dilzem SR	59
Dimetriose	87
Dipentum	27
Diphemanil methylsulphate Diphenoxylate hydrochloride with	67
Diphenoxylate hydrochloride with	
atronina aulphata	20
Diprosone	65
Diprosone OV	65
	46
Disinfecting and Cleansing	
Agents	. 67
Dieinal	122

INDEX Generic Chemicals and Brands

Disopyramide phosphate	55
Disulfiram	121
Dithranol	
Diuretics	
Diurin 40	
Diurin 500	
Dixarit	
Docetaxel	
Docusate sodium	
Docusate sodium with	ა၁
sennosides	O.F.
Domperidone	
Dopergin	121
Dopress	113
Dornase alfa	155
Dorzolamide hydrochloride	159
Dorzolamide hydrochloride with	
timolol maleate	
Dostinex	
Dothiepin hydrochloride	
Doxazosin mesylate	
Doxepin hydrochloride	113
Doxine	
Doxorubicin	
Doxorubicin Ebewe	140
Doxy-50	
Doxycycline hydrochloride	
DP Lotion	68
DP Lotn HC	
DP-Anastrozole	144
Dr Reddy's Omeprazole	29
Dr Reddy's Pantoprazole	29
Dulcolax	36
Duocal Super Soluble	
Powder	. 171
Duolin	154
Duphalac	
Duphaston	82
Durex Confidence	73
Duride	
Durogesic	111
Dusting Powders	67
Dydrogesterone	82
Dynacirc-SRO	58
-E-	
E-Mycin	80
Ear Preparations	
Ear/Eye Preparations	157
Easiphen	195
Easiphen Liquid	195
Econazole nitrate	دور دم
Efavirenz	
Efever YR	

Eformoterol fumarate	
Efudix	71
Egopsoryl TA	69
Elemental 028 Extra	
Eligard	86
Elocon	66
Eloxatin	135
Eltroxin	83
EMLA	
Emtricitabine	97
Emtriva	97
Emulsifying ointment	67
Enalapril	54
Enalapril with	
hydrochlorothiazide	54
Enbrel	106
Endocrine Therapy	143
Endoxan	
Enerlyte	48
Enfuvirtide	
Ensure	
Ensure Plus	
Ensure Plus RTH	
Entacapone	121
Entocort CIR	26
Enuclene	
Enzymes	
Epilim	
Epilim Crushable	110
Epilim IV	
Epilim S/F Liquid	110
Epilim Syrup	110
Epillii Syrup	110
Epirubicin	140
Eprex	
ERA	
Ergometrine maleate	//
Ergotamine tartrate with caffeine	110
Erythrocin IV	۱۱۶
Erythromycin ethyl succinate	
Erythromycin lactobionate	
Erythromycin stearate	
Erythropoietin alpha	90
Erythropoietin beta	
Estelle 35-ED	
Estraderm TTS 100	7 U
Estraderm TTS 25	81
Estraderm TTS 50	Ω1
Estrofem	
Etanercept	
Ethambutol hydrochloride	ده
Ethics Aspirin	
□ 1100 /10piiii	1 10

Ethics Aspirin EC	45
Ethinyloestradiol	82
Ethinvloestradiol with	
desogestrel	74
Ethinyloestradiol with	
gestodene	74
Ethinyloestradiol with	
levonorgestrel	75
Ethinyloestradiol with	
norethisterone	75
Ethosuximide	.116
Etidrate	
Etidronate disodium	.108
Etopophos	
Etoposide	.140
Etoposide phosphate	.140
Eumovate	
Eurax	65
Exemestane	.144
Extemporaneously Compounded	
Preparations and	
Galenicals	. 167
Eye Preparations	
Ezetimibe	51
Ezetimibe with simvastatin	
Ezetrol	51
-F-	
Famotidine	
Famox	
Felo 10 ER	
Felo 5 ER	
Felodipine	
Femara	
Femodene 28	
Femtran 100	
Femtran 50Fenpaed	
Fentanyl	
Ferodan	
Ferro-F-Tabs	
Ferro-Gradumet	
Ferro-tab	
Ferrograd-Folic	აყ
Ferrous fumarate	
Ferrous furnarate with folic	09
acid	30
Ferrous gluconate with ascorbic	00
acid	30
Ferrous sulphate	
Ferrous sulphate with folic	03
acid	39
Ferrum H	
Fexofenadine hydrochloride	.151

INDEX

Generic Chemicals and Brands

Fibalip	49	Foradil	152	Glucose blood diagnostic test	
Fibresource	180	Foremount Child's Silicone		meter	3
Fibresource HN	180	Mask	156	Glucose dehydrogenase	
Fibresource HN RTH	180	Fortimel	175	Glucose oxidase	
Fibresource RTH	180	Fortini	176	Gluten Free Foods	
Fibro-vein	45	Fortini Multifibre	176	Glycerol	
Finasteride		Fortisip		Alimentary	3
Fintral	77	Fortisip Multi Fibre	181	Extemporaneous	
Flagyl	93	Fortisip Powder		Glycerol with paraffin and cetyl	
Flagyl-S		Fosamax		alcohol	6 ⁻
Flecainide acetate		Fosamax Plus		Glyceryl trinitrate	
Fleet		Framycetin sulphate		Gold Knight	7
Fleet Glycerin Suppositories .		Frisium		Goldshield	8
Fleet Phosphate Enema		Frumil		Gopten	
Flixotide		Frusemide		Goserelin acetate	8
Flixotide Accuhaler		Fucicort		Growth hormone biosynthetic	
Florinef		Fucidin		human	8
Fluanxol		Fucithalmic		Gutron	
Flucloxacillin sodium		Fungilin		Gynaecological	
Flucloxin		Fusidic acid		Anti-infectives	7
Flucon		Dermatological	63	Gynol II	
Fluconazole		Infection			
Fludara		Sensory		- H -	0
Fludarabine phosphate		Fuzeon		Habitrol	
Fludrocortisone acetate		- G -		Haldol	
Fluids and Electrolytes		Gabapentin	116	Haldol Concentrate	
Flumetasone pivalate		Gamma benzene	110	Haloperidol	123
Fluocortolone caproate with		hexachloride	60	Haloperidol decanoate	
fluocortolone pivalate and		Gastrosoothe		Hamilton Sunscreen Healtheries Iron with Vitamin	/
cinchocaine	27	Gaviscon			0
Fluorometholone		Gaviscon Double Strength		C	ئ
Fluorouracil Ebewe		Gaviscon Infant		Healtheries Multi-vitamin	0
Fluorouracil sodium		Gemcitabine hydrochloride		tablets	3
Dermatological	71	Gemzar		Healtheries Simple Baking	4.04
Oncology		Generaid Plus		Mix	
Fluox		Genoptic		Hemastix	
Fluoxetine hydrochloride		Genotropin		Heparin sodium	4
Flupenthixol decanoate		Genox		Heparinised saline	4
Fluphenazine decanoate		Gentamicin sulphate	140	Hepsera	94
Flutamide		Infection	02	Herceptin	14
Flutamin		Sensory		Hexamine hippurate	10
Fluticasone		Gestrinone		Hiprex	
Fluticasone with salmeterol		Glatiramer acetate		Histafen	
Fluvax		Gliben		Holoxan	
Foban		Glibenclamide		Homatropine hydrobromide	160
Folic acid		Gliclazide		Horleys Bread Mix	
Food Thickeners		Glipizide		Horleys Flour	
Foods And Supplements For		Glivec		Hormone Replacement Therapy	
Inborn Errors Of Metabolisn	n -	Glucagen Hypokit		Systemic	
Other		Glucagon hydrochloride		Humalog	
Foods And Supplements For		Glucerna Select		Humalog Mix 25	
Inborn Errors Of Metabolisn	n -	Glucerna Select RTH		Humalog Mix 50	
PKU		Glucobay		Humira HumiraPen	10
		,		Humilia on	1 00

INDEX Generic Chemicals and Brands

Humulin 30/7030
Humulin NPH29
Humulin R29
Hyalase109
Hyaluronidase109
Hybloc57
Hydralazine61
Hydrea140
Hydrocortisone
Dermatological66
Hormone79
Hydrocortisone acetate27
Hydrocortisone butyrate66, 70
Hydrocortisone butyrate with
chlorquinaldol66
Hydrocortisone with
miconazole
Hydrocortisone with natamycin
and neomycin67
Hydrocortisone with wool fat and
mineral oil66
Hydroderm Lotion68
Hydrogen peroxide
Alimentary37
Dermatological63, 71
Hydroxocobalamin37
Hydroxychloroquine sulphate93
Hydroxyurea140
Hygroton60
Hyoscine (scopolamine)120
Hyoscine hydrobromide120
Hyoscine N-butylbromide28
Hypam129
Hyperuricaemia and
Antigout109
Hypnovel129
Hypromellose
Hyprosin53
Hytrin53
Hytrin Starter Pack53
Hyzaar55
-1-
I-Profen104
Ibiamox90
Ibuprofen104
Idarubicin hydrochloride140
Ifosfamide134
Imatinib mesylate142
Imiglucerase36
Imigran119
Imipramine hydrochloride114
Imiquimod71
Image: up a Magiculataria

Immunosuppressants146
Imuran146
Indapamide60
Indinavir98
Indomethacin105
Infant Formulae186
Influenza vaccine103
Inhaled Anticholinergic
agents154
Inhaled Corticosteroids151
Inhaled Long-acting
Beta-adrenoceptor
Agonists 152
Inhibace53
Inhibace Plus54
Insoma129
Insulin aspart30
Insulin glargine30
Insulin isophane29
Insulin isophane with insulin
neutral30
Insulin lispro30
Insulin lispro with insulin lispro
protamine30
Insulin neutral29
Insulin pen needles33
Insulin syringes, disposable with
attached needle34
Intal Spincaps154
Interferon alpha-2a99
Interferon alpha-2a with
ribavirin99
Interferon alpha-2b100
Interferon beta-1-alpha129
Interferon beta-1-beta129
Intra-uterine device73
Intron-A100
Invirase98
lpecacuanha162
Ipratropium bromide154–155
Ipratropium Steri-Neb154
Irinotecan137
Iron polymaltose39
Ismo 2061
Isogel35
Isoniazid93
Isoprenaline hydrochloride61
Isoptin59
Isopto Homatropine160
Isosorbide mononitrate61
Isosource 1.5180
Isosource HN180
Isosource HN RTH180

Isosource Standard	180
Isosource Standard RTH	180
Isotane 10	63
Isotane 20	63
Isotretinoin	63
Isradipine	58
Isuprel	61
Itraconazole	93
- J -	
Janola	67
Jevity RTH	180
- K -	
K-Thrombin	45
Kaletra	98
Karicare Food Thickener	182
Karicare Goats Milk Infant	
Formula	188
Karicare Soy All Ages	188
KemadrinKenacomb	122
Dermatological	67
Sensory	07
Kenacort-A	107
Kenacort-A40	oc
Keppra	
Keto-Diabur 5000	33
Keto-Diastix	00
Ketoconazole	
Dermatological64	. 70
Infection	
Ketoprofen	104
Ketostix	33
Ketotifen	151
Ketovite	186
Ketovite Syrup	186
Ketur-Test	
Kindergen	175
Kivexa	
Klacid	89
Klamycin	
Kliogest	
Kliovance	82
KonakionKonakion MM	45
Konsyl-D	
	30
- L -	
LA-MorphLabetalol	112
Lacri-Lube	0/
Lactulose	101
Lamictal	117
Lamiyudina 05	

INDEX Generic Chemicals and Brands

Lamotrigine117
Lanoxin55
Lanoxin PG55
Lansoprazole28
Lantus30
Lantus SoloStar30
Lanvis138
Largactil123
Lasix60
Latanoprost159
Lax-Tabs36
Laxatives35
Laxsol35
Leflunomide105
Lemnis Fatty Cream68
Lemnis Fatty Cream HC66
Letrozole144
Leukeran FC134
Leunase138
Leuprorelin86
Leustatin136
Levetiracetam117
Levlen ED75
Levobunolol158
Levocabastine158
Levodopa with benserazide121
Levodopa with carbidopa121
Levonorgestrel
Genito-Urinary76
Hormone82
Levothyroxine83
Lifestyles Flared73
Lignocaine hydrochloride110
Lignocaine with
chlorhexidine
Lignocaine with prilocaine110
Lipex51 Lipid Modifying Agents49
Lipitor50
Liquifilm Forte160
Liquifilm Tears160
Liquigen172
Lisinopril54 Lisuride hydrogen maleate121
Litak136
Lithicarb123
Lithium carbonate123
Livostin158
Locasol
Loceryl63
Locoid
Locoid C66
Locoid Crelo66

Locoid Lipocream	.0
Locorten-Vioform	15
Lodoxamide trometamol	158
Loette	.7
Logem	117
Lomide	158
Lomustine	134
Loperamide hydrochloride	.20
Lophlex LQ	18
Lopinavir with ritonavir	.98
Lopresor	.5
Lopressor	.5
Loprofin	18
Loprofin Mix	184
Loraclear Hayfever Relief	15
Lorapaed	15
Loratadine	15
Lorazepam	12
Lormetazepam	129
Losartan	.5
Losec	.29
Losec Hp7 OAC	.28
Loten	.56
Lovir	.94
Loxamine	11
Lucrin Depot	.86
Ludiomil	114
Lumigan	159
Lycinate	.6
Lyderm	.69
- M -	
m-Cefazolin	88
m-Enalapril	-5/
m-Eslon	11:
m-Hydrocortisone	66
Mabthera	14
Macrogol 3350	3!
Madopar 125	12
Madopar 250	12
Madopar 62.5	12
Madopar Dispersible	12
Madopar HBS	12
Magnesium hydroxide	16
Magnesium sulphate	
Alimentary	.39
Dermatological	.72
Malathion	.69
Maprotiline hydrochloride	114
Marcain Heavy	11(
Marcain Isobaric	11(
Marevan	.4
Marine Blue Lotion SPF 30+	.70

viarquis віаск	./3
Marquis Conforma	
Marquis Protecta	
Marquis Selecta	
Marquis Sensolite	.73
Marquis Supalite	.73
Marquis Titillata	.73
MarquisTantiliza	.73
Marvelon 21	.74
Marvelon 28	.74
Mask for spacer device	156
Mast cell stabilisers	154
Maxalt Melt	119
Maxidex	158
Maxitrol	158
MCT oil (Nutricia)	172
MDS Quick Card	.77
Mebendazole	.88
Mebeverine hydrochloride	.28
Medrol	.79
Medroxyprogesterone acetate	
Genito-Urinary	.76
Hormone81,	83
Mefenamic acid	104
Megace	145
Megestrol acetate	
Melphalan	134
Menadione sodium bisulphite	.45
Menthol	.65
Mercaptopurine	137
Mercilon 21	.74
Mercilon 28	.74
Mesalazine	.27
Mesna	140
Mestinon	104
Metabolic Disorder Agents	.36
Metabolic Disorder Agents Metabolic Mineral Mixture	185
Metamide	120
Metamucil	.35
Metformin hydrochloride	.31
Methadone hydrochloride Extemporaneous	
Extemporaneous	167
Nervous	112
Methatabs	
Methoblastin	138
Methopt	
Methotrexate	138
Methotrexate Ebewe	138
Methotrimeprazine	123
Methyl hydroxybenzoate	167
Methylcellulose	167
Methyldopa	
Methylergometrine	

Generic Chemicals and Brands

Mathedalaaaidata	
Methylphenidate hydrochloride	101
Methylphenidate hydrochloride	131
extended-release	132
Methylprednisolone	
Methylprednisolone	7 0
aceponate	66
Methylprednisolone acetate	
Methylprednisolone acetate with	
lignocaine	79
Methylprednisolone sodium	
succinate	79
Methylxanthines	155
Metoclopramide	
hydrochloride	120
Metoclopramide hydrochloride	
with paracetamol	
Metopirone	87
Metoprolol succinate	57
Metoprolol tartrate	57
Metronidazole	
Metyrapone	
Mexiletine hydrochloride	
Mexitil	
Miacalcic	108
Mianserin hydrochloride	
Micanol	
Micelle E	
Miconazole nitrate	37
Dermatological	61
Genito-Urinary	04 77
Micreme	
Micreme H	
Microgynon 20 ED	
Microgynon 30	
Microgynon 30 ED	
Microgynon 50 ED	
Microlax	
Microlut	76
Midazolam	129
Midodrine	56
Minaphlex	
Minerals	38
Minidiab	31
Minirin	87
Mino-tabs	91
Minocycline hydrochloride	
Minomycin	91
Minor Skin Infections	
Minulet 28	
Mirena	82

	_
Mitomycin C	140
Mitomycin-C	.140
Mitozantrone	
Mitozantrone Ebewe	
Mixtard 30	30
Moclobemide	.114
Modecate	.125
Moducal	170
Mogine	
Mometasone furoate	66
Monofeme	75
Monogen	.174
Morphine hydrochloride	.112
Morphine sulphate	
Morphine tartrate	.112
Morrex Maltodextrin	170
Motilium	120
Mouth and Throat	36
Movicol	
MSUD Maxamaid	
MSUD Maxamum	
Mucilaginous laxatives	
Mucilaginous laxatives with	00
stimulants	35
Mucilax	
Multiload Cu 375	
Multiload Cu 375 SL	73
Multiparin	
Multiple Sclerosis	41
Treatments	107
Multivitamin Supplements For	121
Inborn Errors Of	
Metabolism	106
Mupirocin	100
Muscle Relaxants	
Myambutol	
Mycobutin	
Mycophenolate mofetil	
Mycostatin	04
MydriacylMylanta P	100
Mylanta P	26
Myleran	134
Myocrisin	105
Myometrial and Vaginal Hormone	
Preparations	77
- N -	
Nadolol	
Nalcrom	27
Naloxone hydrochloride	162
Naltrexone hydrochloride	
Nandrolone decanoate	

Napamide60

Naphazoline hydrochloride	161
Naphcon Forte	161
Naprosyn SR 1000	105
Naprosyn SR 750	105
Naproxen	105
Naproxen sodium	105
Nardil	114
Nasal Preparations	
Natulan	141
Nausicalm	
Navoban	121
Nedocromil	154
Nefopam hydrochloride	110
Neo-B12	37
Neo-Mercazole	83
Neo-Naclex	60
Neocate	187
Neocate Advance	
Neocate LCP	
Neoral	
NeoRecormon	
Neostigmine	104
Neotigason	69
Nepro (vanilla)	
Nerisone	
Neulactil	
Neurontin	
Nevirapine	
Nicotine	
Nicotinell	
Nicotinic acid	
Nifedipine	
Nifuran	102
Nilstat	
Alimentary	37
Genito-Urinary	
Infection	
Nipent	
Nitrados	
Nitrates	
Nitrazepam	129
Nitroderm TTS	
Nitrofurantoin	102
Nitrolingual Pumpspray	61
Nizoral Dermatological	0.4
Infection	
Noctamid	
Nodia	
Noflam 250	
Noflam 500 Nonoxynol-9	
Nordette 28	
INUI UULUU ZU	1 0

INDEX

Norditropin SimpleXx 10mg	84	Genito-Urinary	77	OxyNorm	113
Norditropin SimpleXx 15mg	84	Hormone	82	Oxypentifylline	61
Norditropin SimpleXx 5mg	84	Oestrogens	81	Oxytocin	77
Norethisterone		Oestrogens with		-P-	
Genito-Urinary	76	medroxyprogesterone	82	Pacifen	109
Hormone	83	Oil in water emulsion		Pacific Buspirone	
Norethisterone with		Oily cream	68	Paclitaxel	
mestranol	75	Olanzapine		Paclitaxel Ebewe	
Norflex	109	Olbetam	49	Paediatric Seravit	
Norfloxacin	102	Olsalazine	27	Pamidronate disodium	
Noriday 28	76	Omeprazole	29	Pamisol	
Norimin	75	Omeprazole, amoxycillin and		Panadol	
Norinyl-1/28	75	clarithromycin	28	Pancreatic enzyme	
Normacol	35	Ondansetron	120	Pancrex V	
Normacol Plus	35	One-Alpha	38	Pancrex V Forte	
Normison	129	Onkotrone	141	Panteston	
Norpress	114	Optium	33	Pantoprazole	
Nortriptyline hydrochloride	114	Optium Xceed	33	Panzytrat	
Norvir	98	Orabase	37	Papaverine hydrochloride	
Noten		Oracort	37	Paracare	
NovaSource Renal		Oral Supplements		Paracare Double Strength	
NovoFine	33	Oral Supplements/Complete I		Paracare Junior	
NovoRapid		(Nasogastric/Gastrostomy		Paracetamol	
NovoRapid Penfill		Tube Feed)	173	Paracetamol with codeine	
Nozinan		Orgran			
Nuelin		Ornidazole		Paradex	
Nuelin-SR		Orphenadrine citrate		Paraffin	68
Nupentin		Orphenadrine hydrochloride .		Paraffin liquid with soft white	101
Nutraplus		Ortho		paraffin	161
Nutrient Modules		Ortho All-flex		Paraffin liquid with wool fat	101
Nutrini Energy RTH		Ortho Coil		liquid	
Nutrini RTH		Ortho-tolidine		Paraldehyde	
Nutrison Concentrated		Oruvail 100		Paramax	
Nutrison Energy Multi Fibre		Oruvail 200		Parasiticidal Preparations	
Nutrison Multi Fibre		Osmolite RTH		Parnate	
Nutrison Standard RTH		Ospamox Paediatric Drops		Paroxetine hydrochloride	
Nuvelle		Other CNS Agents		Paxam	
Nyefax Retard		Other Endocrine Agents		Peak flow meter	
Nystatin	00	Other Oestrogen	07	Pedialyte - Bubblegum	
Alimentary	37	Preparations	82	Pedialyte - Fruit	
			02	Pedialyte - Plain	
Dermatological		Other Progestogen	00	Pediasure	
Genito-Urinary		Preparations		Pediasure RTH	176
Infection		Other Skin Preparations	/ 1	Pegasys	100
NZB Low Gluten Bread Mix	182	Ovestin	77	Pegasys RBV Combination	
-0-		Genito-Urinary		Pack	100
Octreotide (somatostatin		Hormone		Pegatron Combination	
analogue)		Ox-Pam		Therapy	101
Oestradiol		Oxaliplatin		Pegylated interferon	
Oestradiol valerate		Oxazepam		alpha-2a	100
Oestradiol with levonorgestrel	82	Oxis Turbuhaler		Pegylated interferon alpha-2b	
Oestradiol with		Oxybutynin		with ribavirin	101
norethisterone	82	Oxycodone hydrochloride		Penicillamine	105
Oestriol		OxyContin	113	PenMix 30	30

INDEX Generic Chemicals and Brands

PenMix 4030	Podophyllotoxin	71	Protifar 90
PenMix 5030	Polaramine		Provera
Pentasa27	Polaramine Repetab		PSO
Pentostatin	Poloxamer		Psoriasis and Eczen
(deoxycoformycin)141	Poly-Tears	160	Preparations
Pepti Junior187	Poly-Visc		Pulmicort Turbuhale
Peptisoothe28	Polycal		Pulmocare
Peptisorb178	Polycose	170	Pulmozyme
Pergolide121	Polytar Emollient		Purinethol
Perhexiline maleate59	Polyvinyl alcohol		Pyrantel embonate
Periactin	Ponstan		Pyrazinamide
Pericyazine124	Postinor-1		Pyridostigmine brom
Perindopril54	Potassium bicarbonate		Pyridoxine hydrochlo
Permax121	Potassium chloride		Pytazen SR
Permethrin69	Povidone iodine		•
Persantin46	Prantal		- Q
	Pravachol		Q 200
Pethidine hydrochloride113			Q 300
Pevaryl64	Pravastatin		Questran-Lite
Pexsig59	Prazosin hydrochloride		Quetapel
Pharmacare111	Pred Forte		Quetiapine
Phenate87	Pred Mild		Quinapril
Phenelzine sulphate114	Prednisolone acetate	158	Quinapril with
Phenergan151	Prednisolone sodium	70	hydrochlorothiazio
Phenobarbitone117	phosphate		Quinine sulphate
Phenobarbitone sodium167	Prednisone		QV
Phenoxybenzamine	Prefrin	161	- R
hydrochloride53	Pregnancy tests - HCG urine		RA-Morph
Phenoxymethylpenicillin	Premarin		Ranbaxy Amoxicillin
(Penicillin V)91	Premia 2.5 Continuous		Ranbaxy-Cefaclor
Phentolamine mesylate53	Premia 5 Continuous		Ranitidine hydrochlo
Phenylephrine	Priadel		Rapamune
hydrochloride161	Primidone		Razene
Phenylephrine hydrochloride with	Primolut N		Recombinant human
zinc sulphate161	Pro-Pam	127	hormone
Phenytoin sodium115, 118	Probenecid	109	Recormon
Phlexy 10185	Procaine penicillin	91	Redipred
Phosphate-Sandoz49	Procarbazine hydrochloride	141	Regitine
Phytomenadione45	Prochlorperazine	121	
Pilocarpine160	Procyclidine hydrochloride		Renilon 7.5
Pilopt160	Prodopa	59	Requip
Pimafucort67	Progout	109	Requip Follow-on Pa
Pindol57	Prograf	149	Requip Starter Pack
Pindolol57	Progynova	81	Resonium-A
Pinetarsol70	Promethazine hydrochloride	151	Resource Diabetic .
Pioglitazone31	Promethazine theoclate	121	Resource Diabetic T
Piportil125	Promod	172	Resource Just for Ki
Pipothiazine palmitate125	Propafenone hydrochloride	56	Resource Plus
Piram-D105	Propamidine isethionate		Resource Thicken U
Piroxicam105	Propranolol		Respigen
Pizotifen120	Propylene glycol		Respiratory Devices
Plaquenil93	Protamine sulphate		Retrovir
Plavix45	Protaphane		ReVia
Plendil FR 58	Protaphane Penfill		Reyataz

Protifar 90	172
Provera	81, 83
PSO1	89–192
Psoriasis and Eczema	
Preparations	69
Pulmicort Turbuhaler	151
Pulmocare	
Pulmozyme	
Purinethol	
Pyrantel embonate	107 88
Pyrazinamide	oo
Pyridostigmine bromide	104
Pyridoxine hydrochloride	104
Pytazen SR	37
•	40
- Q -	
Q 200	109
Q 300	
Questran-Lite	49
Quetapel	124
Quetiapine	124
Quinapril	54
Quinapril with	
hydrochlorothiazide	54
Quinine sulphate	109
QV	
-R-	
RA-Morph	110
Ranbaxy Amoxicillin	112
Ranbaxy-Cefaclor	
Ranitidine hydrochloride	
Rapamune	
Razene	150
Recombinant human growth	
hormone	84
Recormon	
Redipred	
Regitine	53
Renilon 7.5	
Requip	122
Requip Follow-on Pack	
Requip Starter Pack	122
Resonium-A	49
Resource Diabetic	174
Resource Diabetic TF RTH	174
Resource Just for Kids	176
Resource Plus	
Resource Thicken Up	182
Respigen	153
Respiratory Devices	156
Respiratory Devices	97
ReVia	133
Reyataz	

INDEX Generic Chemicals and Brands

Rheumacin	105	Senokot	36	Solu-Cortef	79
Rheumacin SR	105	Serenace	123	Solu-Medrol	79
Ridal		Seretide	153	Sonaflam	105
Ridaura	105	Seretide Accuhaler	153	Sotacor	58
Rifabutin	93	Serevent	152	Sotalol	58
Rifadin		Serevent Accuhaler	152	Space Chamber	
Rifampicin	94	Seroquel	124	Spacer device	
Rifinah		Sevredol		Span-K	
Riodine		Sex Hormones Non		Spiriva	
Risperdal	124	Contraceptive	80	Spironolactone	
Risperdal Consta		Shield 49		Spirotone	
Risperdal Quicklet		Shield Blue		Sporanox	
Risperidone		Shield XL		Staphlex	
Ritonavir		Silvazine		Stavudine [d4T]	97
Rituximab		Silver sulphadiazine		Stelazine	124
Rivotril		Simethicone		Stemetil	
Rizatriptan benzoate		SimvaRex		Stesolid	
Rocaltrol solution		Simvastatin		Stocrin	
Roferon RBV Combination		Sindopa		Stomahesive	
Pack	99	Sinemet		Sucralfate	
Roferon RBV Combination F		Sinemet CR		Sulindac	
Starter Kit		Sirolimus		Sulphacetamide sodium	
Roferon-A		Siterone		Sulphasalazine	
Ropinirole hydrochloride		Slow-Lopressor		Sulphur	
Roxithromycin		Smoking Cessation		Sumagran	
Rubifen		Sodium acid phosphate		Sumatriptan	
Rubifen SR		Sodium alginate		Sunscreens	
Rythmodan		Sodium aurothiomalate		Sunscreens, proprietary	
Rytmonorm		Sodium bicarbonate		Suplena	
		Blood	48	Suprefact	
-\$-	400	Extemporaneous		Surgam	
S26 Soy		Sodium calcium edetate		Sustagen Hospital Formula	
S26LBW Gold RTF		Sodium		Sustanon Ampoules	
Sabril		carboxymethylcellulose	37	Symbicort Turbuhaler 100/6	
Salamol		Sodium chloride		Symbicort Turbuhaler 200/6	
Salapin		Sodium citrate with sodium lau		Symbicort Turbuhaler	
Salazopyrin		sulphoacetate	•	400/12	153
Salazopyrin EN		Sodium citro-tartrate		Symmetrel	
Salbutamol	153	Sodium cromoglycate		Sympathomimetics	
Salbutamol with ipratropium		• •	07	Synacthen	80
	454	Alimentary			
bromide		Alimentary			80
Salicylic acid	70	Respiratory	154–155	Synacthen Depot	
Salicylic acid	70 152	RespiratorySensory	154–155 158	Synacthen Depot Synflex	105
Salicylic acid	70 152 120	Respiratory Sensory Sodium fluoride	154–155 158 39	Synacthen Depot Synflex Syntocinon	105 77
Salicylic acid	70 152 120 145	Respiratory Sensory Sodium fluoride Sodium hypochlorite	154–155 158 39 67	Synacthen Depot	105 77
Salicylic acid	70 152 120 145	Respiratory Sensory Sodium fluoride Sodium hypochlorite Sodium nitroprusside	154–155 158 39 67	Synacthen Depot	105 77
Salicylic acid Salmeterol Sandomigran Sandostatin Sandostatin LAR Sandoz	70 152 120 145 145	Respiratory	154–155 158 39 67 33	Synacthen Depot	105 77
Salicylic acid Salmeterol Sandomigran Sandostatin Sandostatin LAR Sandoz Saquinavir	701521201451459098	Respiratory	154–155 158 39 67 33	Synacthen Depot	105 77 77
Salicylic acid Salmeterol Sandomigran Sandostatin Sandostatin LAR Sandoz Saquinavir Scalp Preparations	701521201451459098	Respiratory	154–155 158 39 67 33 49	Synacthen Depot	105 77 77 168
Salicylic acid Salmeterol Sandomigran Sandostatin Sandostatin LAR Sandoz Saquinavir Scalp Preparations Scopoderm TTS	70152120145145909870120	Respiratory	154—155 158 39 67 33 49 45 118	Synacthen Depot	105 77 168 149
Salicylic acid Salmeterol Sandomigran Sandostatin Sandostatin LAR Sandoz Saquinavir Scalp Preparations Scopoderm TTS Sebizole	7015212014514590987012070	Respiratory	154–155 158 39 67 33 49 45 118	Synacthen Depot Synflex Syntocinon Syntometrine Syrup (pharmaceutical grade) - T - Tacrolimus Tambocor Tambocor CR	105 77 168 149 56
Salicylic acid Salmeterol Sandomigran Sandostatin Sandostatin LAR Sandoz Saquinavir Scalp Preparations Scopoderm TTS Sebizole Sedatives and Hypnotics	7015212014590987012070129	Respiratory	154–155 158 39 67 33 49 45 118 157	Synacthen Depot Synflex Syntocinon Syntometrine Syrup (pharmaceutical grade) - T - Tacrolimus Tambocor Tambocor CR Tamoxifen citrate	105 77 168 149 56 145
Salicylic acid Salmeterol Sandomigran Sandostatin Sandostatin LAR Sandoz Saquinavir Scalp Preparations Scopoderm TTS Sebizole	7015212014590987012070129	Respiratory	154–155 158 39 67 33 49 45 118 157 157	Synacthen Depot Synflex Syntocinon Syntometrine Syrup (pharmaceutical grade) - T - Tacrolimus Tambocor Tambocor CR	105 77 168 149 56 145

INDEX Generic Chemicals and Brands

Tar with triethanolamine laury	/l
sulphate and fluorescein	70
Tasmar	122
Taxotere	139
Tegretol	116
Tegretol CR	116
Telfast	151
Temazepam	129
Temgesic	111
Temodal	141
Temozolomide	141
Teniposide	141
Tenofovir disoproxil fumarate	97
Tenoxicam	105
Terazosin hydrochloride	53
Terbinafine	93
Terbutaline sulphate	
Testosterone	80
Testosterone cypionate	80
Testosterone esters	80
Testosterone undecanoate	
Tetrabenazine	133
Tetrabromophenol	162
Tetracosactrin	80
Teva	138
Thalidomide	141
Thalidomide Pharmion	141
Theophylline	155
Thiamine hydrochloride	37
Thioguanine	138
Thioprine	146
Thymol glycerin	3/
Thyroid and Antithyroid	
Agents Tiaprofenic acid	83
Tiberal	93
Tilade	154
Tilcotil	105
Timolol maleate Cardiovascular	E0
Sensory	
Timental VF	100
Timoptol XE Tiotropium bromide	100
Titralac	154
TMP	20
Tobramycin	92
Infection	00
Sensory	32 150
Tobrex	150
Tofranil	110
Tolcapone	100
Tolvon	147
Topamax	119
ιυραιτίαλ	1 10

Topiramate118
Total parenteral nutrition
(TPN)48
TPN48
Trandate57
Trandolapril54
Tranexamic acid45
Tranylcypromine sulphate114
Trastuzumab147
Travatan159
Travoprost159
Trental 40061
Tretinoin142
Triamcinolone acetonide
Alimentary37
Dermatological66
Hormone80
Triamcinolone acetonide with
gramicidin, neomycin and nystatin
Dermatological67
Sensory157
Triamizide60
Triamterene with
hydrochlorothiazide60
Triazolam129
Trichozole93
Trifeme75
Trifluoperazine
hydrochloride124
Trimeprazine tartrate151
Trimethoprim92
Trimipramine maleate114
Triphasil 2875
Tripress114
Triquilar ED75
Trisequens82
Trisul92
Trophic Hormones83
Tropicamide160
Tropisetron121
Trusopt159
Two Cal HN181
Tyloxapol160
- U -
Ultraproct27
Ural
Urea68
Urinary Agents77
Urinary Tract Infections102
Uromitexan140
Ursodeovycholic acid 34

- V -	
Vaccines	103
Vallergan Forte	151
Valoid (AFT)	120
Vancomycin hydrochloride	92
Vannair	153
Vasodilators	61
Vasopressin Agonists	87
Vaxigrip	103
Venlafaxine	115
Ventolin	153
Vepesid	
Verapamil hydrochloride	59
Vergo 16	
Vermox	88
Verpamil	
Verpamil SR	59
Vesanoid	
Viaderm KC	67
Vicrom	
Videx EC	
Vigabatrin	
Vinblastine sulphate	142
Vincristine sulphate	142
Vinorelbine	
Vinorelbine Ebewe	
Viramune	
Viramune Suspension	97
Viread	
Vistil	
Vistil Forte	
Vitadol C	
Vital HN	
Vitamin A with vitamins D and	
C	37
Vitamin B complex	38
Vitamins	37–38
Vivonex Pediatric	187
Vivonex TEN	
Volmax	
Voltaren	
Voltaren D	104
Voltaren Ophtha	
Vosol	
Vumon	
Vytorin	
- W -	
- W - Warfarin sodium	47
Wart Preparations	
Wash vonem allersy	1
Wasp venom allergy treatment	150
Water	150
vvalei	

INDEX Generic Chemicals and Brands

Blood48
Extemporaneous168
Wholesale Supply Order192
Wool fat with mineral oil68
- X -
Xalatan159
Xeloda135
Xenazine 25133
XMET Maxamum184
XP Analog LCP185
XP Maxamaid185
XP Maxamum185
Xylocaine110
- Z -
Zadina 150

Zantac	28
Zarontin	116
Zavedos	140
Zeffix	95
Zeldox	125
Zerit	
Zetop	150
Ziagen	97
Zidovudine [AZT]	97
Zidovudine [AZT] with	
lamivudine	97
Zinacef	89
Zinc	67
Zinc and castor oil	67
Zinc oxide	27

Zinc sulphate	39
Zincaps	39
Zincfrin	
Zinnat	88
Ziprasidone	125
Zofran	120
Zofran Zydis	120
Zoladex	85
Zopiclone	129
Zostrix HP	71
Zovirax	157
Zuclopenthixol decanoate	125
Zyprexa	
Zyprexa Zydis	126

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name:	NZMC:	
Signature:	Date:	

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date: