Introducing PHARMAC

June 2009 Volume 16 Number 1

Editors

Julie Lagan & Scott Brydon email: schedule@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, Cigna House 40 Mercer Street PO Box 10 254 Wellington

Freephone Information Line 0800 66 00 50 (9am – 5pm weekdays)

Circulation

Published each April, August and December. Changes to the contents are published in monthly updates. Annual subscription includes three Pharmaceutical Schedule books, 12 updates and occasional information on rule changes and news items. The Schedule is distributed free of charge to over 9,000 professionals, and is also available on request.

Production

Typeset automatically from XML and TeX. Source XML suitable for database import available on request.

Programmers

Peter Ericson & John Geering email: texschedule@pharmac.govt.nz

http://www.pharmac.govt.nz

ISSN 1172 - 9376

Copyright (c) 1994 Pharmaceutical Management Agency. No part may be reproduced in any form or by any process without written permission, nor be used in any form of advertising, sales, promotion or publicity. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising therefrom.

General Rules 12

2

Section B Alimentary Tract & Metabolism 25

- Blood & Blood Forming Organs 40
 - Cardiovascular System 49
 - Dermatologicals 58
- Genito Urinary System 69
- Hormone Preparations Systemic 75
- Infections Agents For Systemic Use 84
 - Musculoskeletal System 99
- Nervous System 106 Oncology Agents & Immunosuppressants 131
 - Respiratory System & Allergies 147
 - Sensory Organs 154
 - Various 159

 Section C Extemporaneous Compounds (ECPs)
 160

 Section D
 Special Foods
 166

Supply Orders (PSO & WSO) 186

Rural Areas 190

Dispensing Period Exemptions 191

Section G

Section F

Section F

Safety Cap Medicines 193

Index 196

Introducing PHARMAC

PHARMAC, the Pharmaceutical Management Agency, is a Crown entity established pursuant to the New Zealand Public Health and Disability Act 2000 (The Act). The primary objective of PHARMAC is to secure for eligible people in need of pharmaceuticals, the best health outcomes that are reasonably achievable from pharmaceutical treatment and from within the amount of funding provided.

The PHARMAC Board consists of up to six members appointed by the Minister of Health. All decisions relating to PHARMAC's operation are made by or under the authority of the Board. In particular, Board members decide on the strategic direction of PHARMAC and may decide which community pharmaceuticals should be subsidised and at what levels, and determine national prices for some pharmaceuticals to be purchased by and used in DHB Hospitals, and whether or not special conditions are to be applied to such purchases.

Members of the PHARMAC Board

Richard Waddel David Kerr Gregor Coster David Moore

Kura Denness Adrienne von Tunzelmann

Decisions taken by the PHARMAC Board members, or made under the authority of the Board, incorporate a balanced view of the needs of prescribers and patients. The aim is to achieve long-term gains and efficient ways of making pharmaceuticals available to the community and for DHB Hospitals to purchase them.

Murray Georgel, CE MidCentral DHB, attends PHARMAC's Board meetings as an observer.

The functions of PHARMAC are to perform the following, within the amount of funding provided to it in the Pharmaceutical Budget or to DHBs from their own budgets for the use of pharmaceuticals in their hospitals, as applicable, and in accordance with its annual plan and any directions given by the Minister (Section 103 of the Crown Entities Act):

- a) to maintain and manage a pharmaceutical schedule that applies consistently throughout New Zealand, including determining eligibility and criteria for the provision of subsidies;
- b) to manage incidental matters arising out of (a), including in exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the pharmaceutical schedule;
- c) to engage as it sees fit, but within its operational budget, in research to meet its objectives as set out in Section 47(a) of the Act;
- d) to promote the responsible use of pharmaceuticals;
- e) to manage the purchasing of any or all pharmaceuticals, whether used either in a hospital or outside it, on behalf of DHBs;
- f) any other functions given to PHARMAC by or under any enactment or authorised by the Minister.

The policies and criteria set out in the Pharmaceutical Schedule and PHARMAC's Operating Policies and Procedures arise out of, and are designed to help PHARMAC achieve and perform, PHARMAC's objective and functions under the Act.

However PHARMAC may, having regard to its public law obligations, depart from the strict application of those policies and criteria in certain exceptional cases where it considers this necessary or appropriate in the proper exercise of its statutory discretion and to give effect to its objective and functions, particularly with respect to:

- Determining eligibility and criteria for the provision of subsidies; and
- In exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the Pharmaceutical Schedule.

Decision Criteria

PHARMAC updates the Pharmaceutical Schedule at regular intervals to notify prescribers, pharmacists, hospital managers and patients of changes to Community Pharmaceutical subsidies and the prices for Hospital Pharmaceuticals. In making decisions about amendments to the Pharmaceutical Schedule, PHARMAC is guided by its Operating Policies and Procedures, as amended or supplemented from time to time. PHARMAC takes into account the following criteria when making decisions about Community Pharmaceuticals:

- the health needs of all eligible people within New Zealand (eligible defined by the Government's then current rules of eligibility);
- the particular health needs of Maori and Pacific peoples;
- the availability and suitability of existing medicines, therapeutic medical devices and related products and related things;
- the clinical benefits and risks of pharmaceuticals;
- the cost-effectiveness of meeting health needs by funding pharmaceuticals rather than using other publicly funded health and disability support services;
- the budgetary impact (in terms of the pharmaceutical budget and the Government's overall health budget) of any changes to the Pharmaceutical Schedule;
- the direct cost to health service users;
- the Government's priorities for health funding, as set out in any objectives notified by the Crown to PHARMAC, or in PHARMAC's Funding Agreement, or elsewhere; and
- such other criteria as PHARMAC thinks fit. PHARMAC will carry out appropriate consultation when it intends to take any such "other criteria" into account.

The Operating Policies and Procedures, including any supplements, also describe the way in which PHARMAC determines the level of subsidy or purchase price payable for each Community Pharmaceutical or Hospital Pharmaceutical, respectively.

The decision criteria for Hospital Pharmaceuticals are set out in the hospital supplement to the Operating Policies and Procedures and in the introductory part of Section H of the Pharmaceutical Schedule.

Copies of PHARMAC's Operating Policies and Procedures and of any applicable supplements are available on the PHARMAC website (www.pharmac.govt.nz), or on request.

PHARMAC and the Pharmaceutical Schedule:

PHARMAC manages the national Pharmaceutical Schedule, which lists:

- Pharmaceuticals available in the community and subsidised by the Government with funding from the Pharmaceutical Budget; and
- some Pharmaceuticals purchased by DHBs for use in their hospitals, and includes those Hospital Pharmaceuticals for which national prices have been negotiated by PHARMAC.

In the community approximately 1848 Pharmaceuticals are subsidised by the Government. Most are available to all eligible people within New Zealand on prescription by a medical doctor. Some are listed with guidelines or conditions such as 'only if prescribed for a dialysis patient' or 'Special Authority - Retail Pharmacy', to ensure that Pharmaceuticals are used by those people who are most likely to benefit from them. Pharmaceuticals provided to patients for use while in DHB hospitals are not covered by Sections A to G of the Pharmaceutical Schedule.

Section H of the Pharmaceutical Schedule is not a comprehensive list of Pharmaceuticals that are used within the DHB Hospitals. Section H of the Pharmaceutical Schedule includes Pharmaceuticals that can be purchased at a national price by DHBs for use in their hospitals. These are referred to as National Contract Pharmaceuticals.

Section H of the Pharmaceutical Schedule also identifies new Pharmaceuticals used in hospitals, which have been or are being assessed by PHARMAC, the results of that analysis being available to DHB Hospitals via PHARMAC's website.

A list of Discretionary Community Supply Pharmaceuticals, in Section H of the Pharmaceutical Schedule, identifies those products that currently are not subsidised from the Pharmaceutical Budget as Community Pharmaceuticals in Sections A to G of the Pharmaceutical Schedule but which DHBs can at their discretion fund for use in the community from their own budgets without specific Hospital Exceptional Circumstances approval.

PHARMAC's clinical advisors

Pharmacology and Therapeutics Advisory Committee (PTAC)

PHARMAC works closely with the Pharmacology and Therapeutics Advisory Committee (PTAC), an expert medical committee which provides independent advice to PHARMAC on health needs and the clinical benefits of particular pharmaceuticals for use in the community and/or in DHB Hospitals.

The committee members are all senior, practising clinicians. The chair of PTAC sits with the PHARMAC Board in an advisory capacity.

PTAC helps decide which community pharmaceuticals are to be subsidised from public monies by making recommendations to PHARMAC. Part of the role of PTAC is to review whether Community Pharmaceuticals already listed on the Schedule should continue to receive Government funds. The resources freed up can be used to subsidise other community pharmaceuticals with a greater therapeutic worth.

PHARMAC may obtain clinical advice from PTAC in relation to national purchasing strategies for Hospital Pharmaceuticals. There may be additional specialist hospital representatives on PTAC subcommittees, or additional PTAC subcommittees, where PHARMAC considers this necessary.

PTAC members are:

Carl Burgess Ian Hosford	MBChB, MD, MRCP (UK), FRACP, FRCP, physician/clinical pharmacologist, Chair MBChB, FRANZCP, psychiatrist
Sisira Jayathissa	MBBS, MD, MRCP, FAFPHM, FRCP, FRACP, physician
Peter Jones	BMedSci, MBChB, PhD, FRCP, FRACP, physician
George Laking	PhD, MB, B.Med.Sci, MD, FRACP
Jim Lello	BHB, MBChB, DCH, FRNZCGP, general practitioner
Graham Mills	MBChB, MTropHlth, MD, FRACP, infectious disease specialist
Peter Pillans	MBBCh, MD, FCP, FRACP, clinical pharmacologist
Paul Tomlinson	MBChB, MD, MRCP, FRACP, BSc, paediatrician, Deputy Chair
Mark Weatherall	BA, MBChB, MApplStats, FRACP
Howard Wilson	BSc, PhD, MB, BS, Dip Obst, FRNZCGP, general practitioner

Contact PTAC C/-Advisory Committee Manager , Pharmaceutical Management Agency, PO Box 10 254, WELLINGTON, Email: PTAC@pharmac.govt.nz

The PHARMAC Team

The PHARMAC team has a wide range of expertise in health, medicine, economics, commerce, critical analysis, and policy development and implementation.

Matthew Brougham Kate Adams Jason Arnold Paul Alexander Peter Alsop

Mike Bignall Stephen Boxall Scott Brydon Davina Carpenter Christine Chapman Yvonne Chen Mary Chesterfield

Steffan Crausaz

Andrew Davies

Jessica Dougherty

Sean Dougherty Kim Ellis

Simon England Andy Erceg Jackie Evans John Geering Rachel Grocott

Susan Haniel David Harland Karen Jacobs Cherie Jacobson Geoff Lawn Julie Lagan Geraldine MacGibbon Janet Mackay Rachel Mackay

Trish Mahoney

Chief Executive Health Economist Senior Analyst Health Economist Manager. Corporate and External Relations Therapeutic Group Manager Creative Director Schedule Analyst **Records Manager** Contract Manager Tender Analyst High Cost Medicines Co-ordinator Manager, Funding and Procurement Procurement Initiatives Manager Funding and Procurement Assistant Therapeutic Group Manager Access & Optimal Use Co-ordinator Communications Manager IT Support Therapeutic Group Manager Systems Architect Health Economist / Team Leader Assessment Advisory Committee Manager Health Economist Access & Optimal Use Manager Corporate Assistant Applications Developer Schedule Analyst Therapeutic Group Manager Access & Optimal Use Manager Manager. Schedule and Contracts Contract Manager

Adam McRae Scott Metcalfe Peter Moodie John Nash Deborah Nisbet Jan Quin Leigh Parish Marama Parore Chris Peck Melanie Pemberton Fisher Sharonn Ponniah Matthew Poynton **Rachel Pratt** Dilky Rasiah Kyle Reid **Diane Robinson** Brian Roulston Fiona Rutherford **Rico Schoeler** Merryn Simmons Liz Skelley Moana Tane

Greg Williams Lisa Williams Mary-Ann Wilson Stephen Woodruffe

Jayne Watkins

Team Leader, Access & Optimal Use **Chief Advisor Population** Medicine / Public Health Physician Medical Director Accounts payable Co-ordinator Receptionist Team Leader. Medical Team PA to Medical Director Manager, Access & Optimal Use & Māori Health Analyst Communications Advisor Access and Optimal Use Manager Analyst/Health Economist Hospital Exceptional Circumstances Panel Co-ordinator Deputy Medical Director High Cost Medicines Panel Co-ordinator / Growth Hormone Executive Assistant to Chief Executive / Office Manager Analyst Senior Policy Analyst Manager, Analysis and Assessment PHARMAC Seminar Series Co-ordinator Finance Manager Māori Health Manager Community Exceptional **Circumstances Panel** Co-ordinator Therapeutic Group Manager Legal Counsel Māori Health Analyst Therapeutic Group Manager

Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price (if it differs from the Subsidy) and any access conditions that may apply; and
- some Hospital Pharmaceuticals that are purchased and used by DHB Hospitals, including those for which national prices have been negotiated by PHARMAC.

The purpose of the Schedule is not to show the final cost to Government of subsidising each Community Pharmaceutical or to DHBs in purchasing each Hospital Pharmaceutical since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for some Hospital Pharmaceuticals, on any logistics arrangements put in place by individual DHB Hospitals.

Finding Information in the Pharmaceutical Schedule

Community Pharmaceuticals

For Community Pharmaceuticals, the Schedule is organised in a way to help the reader find Community Pharmaceuticals, which may be used to treat similar conditions. To do this, Community Pharmaceuticals are first classified anatomically, originally based on the Anatomical Therapeutic Chemical (ATC) system, and then further classified under section headings structured for the New Zealand medical system.

- Section A lists the General Rules in relation to Community Pharmaceuticals and related products.
- Section **B** lists Community Pharmaceuticals and related products by anatomical classification, which are further divided into one or more therapeutic headings. Community Pharmaceuticals used to treat similar conditions are grouped together.
- Section C lists the rules in relation to Extemporaneously Compounded Products (ECPs) and Community Pharmaceuticals that will be subsidised when extemporaneously compounded.
- Section D lists the rules in relation to Special Foods and the Special Foods that are subsidised.
- Section E Part I lists the Community Pharmaceuticals that are subsidised on a Practitioner's Supply Order (PSO) and Wholesale Supply Order (WSO).
- Section E Part II lists rural areas for the purpose of PSOs.
- Section F lists the Community Pharmaceuticals dispensing period exemptions.
- Section G lists the Community Pharmaceuticals eligible for reimbursement of safety cap and related rules.

The listings are displayed alphabetically (where practical) within each level of the classification system. Each anatomical section contains a series of therapeutic headings, some of which may contain a further classification level. Where a Community Pharmaceutical is used in more than one therapeutic area, they may be cross-referenced.

The therapeutic headings in the Pharmaceutical Schedule do not necessarily correspond to the therapeutic groups and therapeutic subgroups, which PHARMAC establishes for the separate purpose of determining the level of subsidy to be paid for each Community Pharmaceutical.

The index located at the back of the book in which Sections A-G of the Pharmaceutical Schedule are published can be used to find page numbers for generic chemical entities, or product brand names.

Hospital Pharmaceuticals

Section H lists Pharmaceuticals that DHBs fund from their own budgets. The Hospital Pharmaceuticals are grouped into the following Parts in Section H:


- Part I lists the rules in relation to Hospital Pharmaceuticals.
- Part II lists Hospital Pharmaceuticals for which national contracts exist (National Contract Pharmaceuticals). These are
 listed alphabetically by generic chemical entity name and line item, the relevant Price negotiated by PHARMAC and, if
 applicable, an indication of whether it has Hospital Supply Status (HSS) and any associated Discretionary Variance (DV)
 Pharmaceuticals and DV Limit.
- Part III lists Assessed Pharmaceuticals, which have been or are being assessed by PHARMAC and, where such assessment
 is available, PHARMAC's opinion regarding the use of the Assessed Pharmaceuticals in hospitals. DHB Hospitals are not
 obliged to implement those recommendations.
- Part IV lists Discretionary Community Supply Pharmaceuticals, which are not Community Pharmaceuticals, but which a DHB Hospital can, in its discretion, fund for use in the community from its own budget.

The index located at the back of the Section H supplement can be used to find page numbers for generic chemical entities, or product brand names, for Hospital Pharmaceuticals.

Explaining drug entries

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the amount of that subsidy paid to contractors, the supplier's price and the access conditions that may apply.

Example



Glossary

Units of Measure

gramg	microgramµg
kilogramkg	milligrammg
international unitiu	millilitreml

millimole	mmol
unit	u

Abbreviations

Ampoule	Amp	Granules	Gran	Suppository	Supp
Capsule	Сар	Infusion	Inf	Tablet	Tab
Cream	Crm	Injection	Inj	Tincture	Tinc
Device	Dev	Linctus	Linc	Trans Dermal Delivery	
Dispersible	Disp	Liquid	Liq	System	TDDS
Effervescent	Eff	Long Acting	LA		
Emulsion	Emul	Ointment	Oint		
Enteric Coated	EC	Sachet	Sach		
Gelatinous	Gel	Solution	Soln		

BSO Bulk Supply Order.

- CBS Cost Brand Source. There is no set manufacturer's price, and the Government subsidises the product at the price it is obtained by the pharmacy.
- CE Compounded Extemporaneously.
- CPD Cost Per Dose. The Funder (as defined in Part I of the General Rules) cost of a standard dose, without mark-ups or fees and excluding GST.
- ECP Extemporaneously Compounded Preparation.
- HSS Hospital Supply Status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.
- OP Original Pack subsidy is rounded up to a multiple at whole packs.
- PSO Practitioner's Supply Order.

Sole Subsidised

Supplier Only brand of this medicine subsidised.

WSO Wholesale Supply Order.

XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

- ▲ Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner.
- * Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless medicine is endorsed "close control" or "cc" and the endorsement is initialled by the prescriber.

\$ Safety cap required and subsidised for oral liquid formulations, including extemporaneously compounded preparations.

- Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a
 manufacturer's surcharge.
- S29 This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981. Practitioners prescribing this medication should:
 - a) be aware of and comply with their obligations under Section 29 of the Medicines Act 1981 and otherwise under that Act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
 - c) exercise their own skill, judgement, expertise and discretions, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an indication for which it is not approved.

Note: Where medicines supplied under Section 29 that are used for emergency situations, patient details required under Section 29 of the Medicines Act may be retrospectively provided to the supplier.

	Definitions						
Abbrev.	Pharmacy Services Agreement	All other Pharmacy Agreements					
[HP1]	Subsidised when dispensed from pharmacies that have the Complex Medicines Variation of the Phar- macy Services Agreement	Available from selected pharmacies that have an ex- clusive contract to dispense 'Hospital Pharmacy' [HP1] pharmaceuticals.					
[HP3]	Subsidised when dispensed from pharmacies that have the Pharmacy Services Agreement. A Special Food with [HP3] annotation is subsidised when dis- pensed by a pharmacy that has a Special Foods Ser- vice appended to their Pharmacy Services Agreement by their DHB.	Available from selected pharmacies that have an ex- clusive contract to dispense 'Hospital Pharmacy' [HP3] pharmaceuticals.					
[HP4]	Subsidised when dispensed from pharmacies that have the Monitored Therapy Variation (for Clozapine Services)	Avaliable from selected pharmacies that have an ex- clusive contract to dispense 'Hospital Pharmacy' [HP4] pharmaceuticals.					

Patient costs

Community Pharmaceuitical costs met by the Government

Most of the cost of a subsidised prescription Community Pharmaceutical is met by the Government through the Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to Contractors, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to Contractors does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a \checkmark in the product's Schedule listing.

SALBUTAMOL		
Aerosol inhaler 100 µg per dose		Fully subsidised brand
	(6.00)	Higher priced brand

Pharmaceutical Co-Payments

Some Community Pharmaceutical costs are met by the patient. Generally a patient pays a prescription charge. In addition a patient will sometimes pay a manufacturer's surcharge, after hours service fee and any special packaging fee.

PRESCRIPTION CHARGE

From 1 September 2008, everyone who is eligible for publicly funded health and disability services should in most circumstances pay only \$3 for subsidised medicines.

All prescriptions from a public hospital, a midwife and a Family Planning Clinic are covered for \$3 co-payments.

Prescriptions from the following providers are approved for \$3 co-payments on subsidised medicines if they meet the specified criteria:

- After Hours Accident and Medical Services with a DHB or a PHO contract.
- Youth Health Clinics with a DHB or a PHO contract.
- Dentists who write a prescription that relates to a service being provided under a DHB contract.
- Private specialists (for example, opthalmologists and orthopaedics) who write a prescription for a patient receiving a publicly funded service contracted by the DHB.
- General practitioners who write a prescription during normal business hours to a person who is not enrolled in the general
 practice provided the person is eligible for publicly funded health and disability services and the general practice is part of a
 PHO.
- Hospices that have a contract with a DHB.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Eligibility Direction on the Ministry of Healthâ™s website.

To check if a medicine is fully subsidised, refer to the Pharmaceutical Schedule on PHARMACâ™s website or ask your pharmacist or general practitioner.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

NOTE: Information sourced from Ministry of Health Website, for more information please visit www.moh.govt.nz

MANUFACTURER'S SURCHARGE

Not all Community Pharmaceuticals are fully subsidised. Although PHARMAC endeavours to fully subsidise at least one Community Pharmaceutical in each therapeutic group, and has contracts with some suppliers to maintain the price of a particular product, manufacturers are able to set their own price to pharmacies. When these prices exceed the subsidy, the pharmacist may recoup the difference from the patient.

To estimate the amount a patient will pay on top of the prescription charge, take the difference between the manufacturer's price

and the subsidy, and multiply this by 1.86. The 1.86 factor represents the pharmacy mark-up on the surcharge plus other costs such as GST. Pharmacies charge different mark-ups so this may vary.

Manufacturer's surchage to patient = (price - subsidy) \times 1.86

For example, a Community Pharmaceutical with a supplier (ex-manufacturer) cost of \$11.00 per pack with a \$10.00 subsidy will cost the patient a surchage of \$1.86 on top of the prescription charge. The most a patient should pay is therefore \$16.86 - being \$15.00 maximum prescription charge, plus \$1.86.

Hospital Pharmaceutical and Pharmaceutical Cancer Treatment Costs

The cost of purchasing Hospital Pharmaceuticals and Pharmaceutical Cancer Treatments (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) is met by the Funder (in particular, the relevant DHB) from its own budget. As required by section 23(7) of the Act, in performing any of their functions in relation to the supply of Pharmaceuticals including Pharmaceutical Cancer Treatments, DHBs must not act inconsistently with the Pharmaceutical Schedule.

PHARMAC web site

PHARMAC has set up an interactive Schedule on the Internet. It can be used to calculate the cost of a prescribed Community Pharmaceutical. This site at *http://www.pharmac.govt.nz* takes into account the quantity of Community Pharmaceutical prescribed as well as the patient's age, whether the patient has a community services card, high use health card or prescription subsidy card, the fee for pharmacy services and prescription charges.

Other information about PHARMAC is also available on our website. This includes copies of the Annual Review, Annual Report and Annual Plan, as well as information such as the Pharmaceutical Schedule, Pharmaceutical Schedule Updates, National Hospital Pharmaceutical Strategy, other publications and recent press releases.

Special Authority Applications

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person. Applications must be submitted to the Ministry of Health by the prescriber for the request to be processed.

Subsidy

Once approved, the presciber will be provided a Special Authority number which must appear on the prescription. Specialists who make an application must communicate the valid authority number to the prescriber who will be writing the prescriptions.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Pharmaceutical Budget.

Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website.

For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised. Criteria for each Special Authority Community Pharmaceutical are updated regularly, based on the decision criteria of PHARMAC. The appropriateness of the listing of a Community Pharmaceutical in the Special Authority category will also be regularly reviewed. Applications for inclusion of further Community Pharmaceuticals in the Special Authority category will generally be made by a pharmaceutical supplier.

Special Authority Applications

Application forms can be found at www.pharmac.govt.nz. Requests for fax copies should be made to PHARMAC, phone 04 460 4990. Applications are processed by the Ministry of Health, and should be sent to:

Ministry of Health Sector Services, Private Bag Fax: (06) 349 1983 of free fax 0800 100 131 3015, WANGANUI 4540

For enquiries, phone the Ministry of Health Sector Services Call Centre, free phone 0800 0800 243 666

Note: The Ministry of Health can only provide information on Special Authority applications to prescribers and pharmacists.

Each application must:

- Include the patients name, date of birth and NHI number (codes for AIDS patients' applications)
- Include the practitioner's name, address and Medical Council registration number
- Clearly indicate that the relevant criteria, have been met.
- Be signed by the practitioner.

Exceptional Circumstances policies

The purpose of the Exceptional Circumstances policies are to provide:

- funding from the Community Exceptional Circumstances budget for medication, to be used in the community, in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical Budget is not able to be provided through the Pharmaceutical Schedule ("Community Exceptional Circumstances"); or
- an assessment process for the DHB Hospitals to determine whether they can fund medication, to be used in the community, in circumstances where the medication is neither a Community Pharmaceutical nor a Discretionary Community Supply Pharmaceutical and where the patient does not meet the criteria for Community Exceptional Circumstances ("Hospital Exceptional Circumstances"); or
- an assessment process for DHB Hospitals to determine whether they can fund pharmaceuticals for the treatment of cancer in their DHB Hospital, or in association with Outpatient services provided in their DHB hospital, in circumstances where the pharmaceutical is not identified as a Pharmaceutical Cancer Treatment ("Cancer Exceptional Circumstances") in Sections A-H of the Pharmaceutical Schedule.

Upon receipt of an application for approval for Community Exceptional Circumstances or Hospital Exceptional Circumstances, the Exceptional Circumstances Panel first decides whether an application will be assessed initially under the Community Exceptional Circumstances criteria or the Hospital Exceptional Circumstances criteria. Cancer Exceptional Circumstances is a separate process.

Hospital Exceptional Circumstances

If the application is first assessed but not approved under the Community Exceptional Circumstances criteria, the Exceptional Circumstances Panel may recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances.

If the application is first assessed under the Hospital Exceptional Circumstances criteria, the Exceptional Circumstances Panel may:

- a) recommend against the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget, in which case a DHB Hospital must not fund the pharmaceutical from its own budget;
- b) recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances, in which case a DHB Hospital may, but is not obliged to, fund the pharmaceutical from its own budget;
- c) defer its decision until further assessment under the Community Exceptional Circumstances criteria can undertaken; or
- d) recommend interim funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances until further assessment under the Community Exceptional Circumstances criteria can be undertaken.

Permission to fund a pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances will only be granted by PHARMAC where it has been demonstrated that such funding is cost-effective for the relevant DHB in the region in which the patient resides.

If the patient being treated with a pharmaceutical under Hospital Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

Applications for Hospital Exceptional Circumstances should be made on the standard application form available from the PHARMAC website www.pharmac.govt.nz or the address below:

The Coordinator, Hospital Exceptional Circumstances Panel PHARMAC, PO Box 10 254 Wellington

Phone: (04) 916 7521 or fax (09) 523 6870 Email: ecpanel@pharmac.govt.nz

Cancer Exceptional Circumstances

Permission to fund a pharmaceutical for the treatment of cancer from the Hospital's own budget under Cancer Exceptional Circumstances will only be granted by PHARMAC where it has been demonstated that the proposed use meets the criteria.

If the patient being treated with a pharmaceutical under Cancer Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

Community Exceptional Circumstances

In order to qualify for Community Exceptional Circumstances approval one of the following criteria must be met:

- a) the condition must be rare; or
- b) the reaction to alternative funded treatment must be unusual; or
- c) an unusual combination of circumstances applies.

Rare and unusual are considered to be in the order of less than 10 people nationally.

Where one of the above Community Exceptional Circumstances entry criteria is met, the application may then be further examined under supplementary criteria, assessing suitability of the pharmaceutical, clinical benefit, the cost effectiveness of the treatment, and the patient's ability to pay for the treatment. Where these documented criteria are met, a subsidy sufficient to fully fund the pharmaceutical will be made available to the specific patient on whose behalf the application was made.

Community Exceptional Circumstances funding is only available where the criteria are met and is not available for financial reasons alone.

Applications for Community Exceptional Circumstances, Hospital Exceptional Circumstances and Cancer Exceptional Circumstances should be made on the standard application form available from the PHARMAC website www.pharmac.govt.nz or the address below:

The Coordinator, Community Exceptional Circumstances Panel PO Box 10 254 Wellington Phone (04) 916 7553 or fax (09) 523 6870 Email: ecpanel@pharmac.govt.nz

INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and;
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services.

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 June 2009 and is to be referred to as the Pharmaceutical Schedule Volume 16 Number 1, 2009. Distribution will be from 20 June 2009. This Schedule comes into force on 1 June 2009.

PART I

INTERPRETATIONS AND DEFINITIONS

1.1 In this Schedule, unless the context otherwise requires:

"90 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;

"**180 Day Lot**" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;

"Access Exemption Criteria" means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:

a) have limited physical mobility;

- b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
- c) are relocating to another area;
- d) are travelling extensively and will be out of town when the repeat prescriptions are due.

"Act" means the New Zealand Public Health and Disability Act 2000.

"Advisory Committee" means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.

"Alternate Subsidy" means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.

"Assessed Pharmaceuticals" means the list of Pharmaceuticals set out in Section H Part III of the Schedule, that have been or are being assessed by PHARMAC.

"Authority to Substitute" means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.

"Bulk Supply Order" means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.

"Cancer Exceptional Circumstances" means the policies and criteria administered by PHARMAC relating to the ability to fund, from a DHB hospital's own budget, pharmaceuticals for the treatment of cancer that are not identified as Pharmaceutical

Cancer Treatments in Sections A-H of the Pharmaceutical Schedule.

"Class B Controlled Drug" means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.

"Close Control" means the dispensing of a Community Pharmaceutical, in accordance with a Prescription, in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot) for a Community Pharmaceutical referred to in Section F Part I, or in quantities less than a Monthly Lot for any other Community Pharmaceutical, where any of a), b) or c) apply.

- a) All of the following conditions are met:
 - i) the Community Pharmaceutical has been prescribed for a patient who:
 - 1) is not a resident in a Penal Institution, Rest Home or Residential Disability Care Institution; and
 - 2) either of the following:
 - i) in the opinion of the prescribing Practitioner is:
 - a) frail; or
 - b) infirm; or
 - c) unable to manage their medication without additional support; or
 - d) intellectually impaired; or
 - e) requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only); and
 - f) requires that Community Pharmaceutical to be dispensed in a smaller quantity than that for which it is currently funded, or
 - ii) the Community Pharmaceutical is any of the following:
 - a) a tri-cyclic antidepressant; or
 - b) an antipsychotic; or
 - c) a benzodiazepine; or
 - d) a Class B Controlled Drug; and
 - ii) the prescribing Practitioner has:
 - A) endorsed each Community Pharmaceutical on the Prescription clearly with the words "Close Control" or "CC"; and
 - B) initialled the endorsement in their own handwriting; and
 - C) specified the maximum quantity or period of supply to be dispensed at any one time.
- b) All of the following conditions are met:
 - i) The Community Pharmaceutical is prescribed for a patient who is a resident in a Rest Home or Residential Disability Care Institution; and
 - A) the quantity or period of supply to be dispensed at any one time is not less than 28 days' supply; and
 - B) the prescriber or pharmacist has written the name of the Rest Home or Residential Disability Care Institution on the prescription; and
 - C) the prescriber or pharmacist has:
 - written on the Prescription the words "Close Control" or "CC" (this applies to all medicines prescribed on the prescription), and
 - 2) initialled the endorsement/annotation in their own handwriting; and
 - 3) specified the maximum quantity or period of supply to be dispensed at any one time.
- c) All of the following conditions are met:
 - i) where PHARMAC has approved and notified pharmacists to annotate prescriptions for a specified Com-
 - munity Pharmaceutical(s) "Close Control" without prescriber endorsement for a specified time; and
 - ii) the dispensing pharmacist has:
 - A) clearly annotated each of the approved Community Pharmaceuticals that appear on the prescription with the words "Close Control" or "CC"; and
 - B) initialled the annotation in their own handwriting; and
 - C) specified the maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

"Community Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances Panel relating to funding from the Community Exceptional Circumstances budget for medication, to be used in the community, in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical Budget is not able to be provided through the Pharmaceutical Schedule.

"Community Pharmaceutical" means a Pharmaceutical listed in Sections A to G of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor" means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug" means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply" means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply.

"Dentist" means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"DHB" means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital" means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Discretionary Community Supply Pharmaceutical" means the list of Pharmaceuticals set out in Section H Part IV of the Schedule, which may be funded by a DHB Hospital from its own budget for use in the community.

"Doctor" means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical" means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements" - unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Exceptional Circumstances Panel" means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for administering policies in relation to Community Exceptional Circumstances and Hospital Exceptional Circumstances.

"Funder" means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST" means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator" means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances Panel relating to the ability to fund, from a DHB Hospital's own budget, pharmaceuticals for use in the community by a specific patient where a subsidy is not available from the Pharmaceutical Budget or under Community Exceptional Circumstances.

"Hospital Pharmaceuticals" means National Contract Pharmaceuticals, DV Pharmaceuticals, Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals.

"Hospital Pharmacy" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner. "Hospital Pharmacy-Specialist" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist; or

if the treatment of an Outpatient with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a Practitioner endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Practitioner.

"As recommended by a Specialist" to be interpreted as:

- a) follows a substantive consultation with an appropriate Specialist;
- b) the consultation to relate to the Patient for whom the Prescription is written;

c) consultation to mean communication by referral, telephone, letter, facsimile or email;

d) except in emergencies consultation to precede annotation of the Prescription; and

e) both the specialist and the General Practitioner must keep a written record of the consultation.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

a) to an Outpatient; and

b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS" means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination" means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit" means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital" means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot" means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price" means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife" means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month" means a period of 30 consecutive days.

"Month restriction" means that no Subsidy is available:

- a) unless the Community Pharmaceutical is dispensed on the Prescription of a Practitioner; and
- b) for any quantity of that Community Pharmaceutical dispensed on the Prescription (whether or not dispensed as a repeat) in excess of a Monthly Lot.

"Monthly Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"National Contract Pharmaceutical" means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

"National DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Not In Combination" means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

"Nurse Prescriber" means a nurse registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003 and who is approved by the Nursing Council, to prescribe specified prescription medicines relating to his/her scope of practice.

"Optometrist" means a person registered as an optometrist with the Optometrists and Dispensing Opticians Board, who holds a current annual practising certificate under the HPCA Act 2003, and who is authorised by regulations under the Medicines Act 1981 and approved by the Optometrists and Dispensing Opticians Board to prescribe specified medicines.

"Outpatient" , in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT" means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

"PCT only" means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsi-

dies.

"Penal Institution" means a penal institution, as that term is defined in The Penal Institutions Act 1954;

"PHARMAC" means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC).

"Pharmaceutical" means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to H of the Schedule.

"Pharmaceutical Benefits" means the right of:

- a) a person; and
- b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.

"Pharmaceutical Budget" means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals.

"Pharmaceutical Cancer Treatment" means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must fund, from their own budgets, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.

"Practitioner" means a Doctor, a Dentist, a Midwife, a Nurse Prescriber or an Optometrist as those terms are defined in the Pharmaceutical Schedule.

"Practitioner's Supply Order" means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

"Prescription" means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.

"Private Hospital" means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.

"Residential Disability Care Institution" means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.

"Rest Home" means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.

"Retail Pharmacy-Specialist" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or, in the case of treatment recommended by a Specialist, a Prescription or Practitioner's Supply Order and endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner.

"As recommended by a Specialist" to be interpreted as:

- a) follows a substantive consultation with an appropriate Specialist;
- b) the consultation to relate to the Patient for whom the Prescription is written;
- c) consultation to mean communication by referral, telephone, letter, facsimile or email;
- d) except in emergencies consultation to precede annotation of the Prescription; and

e) both the Specialist and the General Practitioner must keep a written record of consultation.

"Retail Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist. For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"Schedule" means this Pharmaceutical Schedule and all its sections and appendices.

"Section B" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies included in the Schedule.

"Section C" of this Pharmaceutical Schedule means the list of community extemporaneously compounded preparations and galenicals eligible for Subsidies included in the Schedule.

"Section D" of this Pharmaceutical Schedule means the list of community special foods eligible for Subsidies included in the Schedule.

"Section E Part I" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies and available on a Practitioner's Supply Order or a Wholesale Supply Order included in the Schedule.

"Section E Part II" of this Pharmaceutical Schedule means the list of rural areas for the purpose of community Practitioner's Supply Orders included in the Schedule.

"Section F Part I" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots, and requirement to dispense in 90 Day Lots or 180 Day Lots, as applicable, in respect of the Community Pharmaceuticals referred to in this part of Section F;

"Section F Part II" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots in respect of the Community Pharmaceuticals referred to in this part of Section F;

"Section G" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for reimbursement of safety caps.

"Section H" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals and the lists of National Contract Pharmaceuticals and any associated DV Pharmaceuticals, of Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals included in Section H of the Schedule.

"Section H Part I" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals.

"Section H Part II" of this Pharmaceutical Schedule means the list of National Contract Pharmaceuticals, the relevant Price, an indication of whether the Pharmaceutical has HSS and any associated DV Pharmaceuticals and DV Limit.

"Section H Part III" of this Pharmaceutical Schedule means the list of Assessed Pharmaceuticals.

"Section H Part IV" of this Pharmaceutical Schedule means the list of Discretionary Community Supply Pharmaceuticals. "Special Authority" means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.

"Specialist", in relation to a Prescription, a doctor who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

- a)
- i) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine; and
- ii) the doctor's vocational scope of practice is one of those listed below: anaesthetics, cardiothoracic surgery, dermatology, diagnostic radiology, emergency medicine, general surgery, internal medicine, neurosurgery, obstetrics and gynaecology, occupational medicine, ophthalmology, oral and maxillofacial surgery, otolaryngology head and neck surgery, orthopaedic surgery, paediatric surgery, paediatrics, pathology, plastic and reconstructive surgery, psychological medicine or psychiatry, public health medicine, radiation oncology, rehabilitation medicine, urology and venereology;
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that Prescription in the course of practising in that area of medicine;
- c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that area of medicine;
- d) the doctor writes the Prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.

"Subsidy" means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.

"Supply Order" means a Bulk Supply Order, a Practitioner's Supply Order or a Wholesale Supply Order.

"Unapproved Indication" means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981.

"Wholesale Supply Order" means a written order by a Practitioner, on a form supplied by the Ministry of Health for the supply of certain Community Pharmaceuticals as listed in Section B and Section E Part I of the Schedule.

- 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
 - a) the singular includes the plural; and
 - b) any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regu-

lation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

PART II COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G of the Schedule, and every preparation (having an inert base) of any of them, is hereby declared to be a Community Pharmaceutical for the purposes of the Schedule, subject to:
 - 2.1.1 clauses 2.2 and 2.3 of the Schedule; and
 - 2.1.2 clauses 3.1 to 4.4 of the Schedule; and
 - 2.1.3 the conditions (if any) specified in Sections B to G of the Schedule;
- 2.2 The following medicines, therapeutic medical devices, or related products or related things are not eligible for Subsidy:
 - 2.2.1 substances, or combinations of substances, ordered for any purpose other than:
 - a) treatment of a patient's medical or dental condition; or
 - b) pregnancy tests; or
 - c) the prevention of sexually transmitted disease; or
 - d) contraception.
 - 2.2.2 substances and combinations of substances packed under pressure in aerosol cans or other similar devices, unless it is specified in Sections B to G of the Schedule that they may be so packed;
 - 2.2.3 electrode jellies;
 - 2.2.4 eye drops packed in single-dose units, unless it is specified in Sections B to G of the Schedule that they may be so packed;
 - 2.2.5 insect repellents and similar preparations;
 - 2.2.6 oral preparations in long-acting form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.7 substances or combinations of substances in lozenge or similar form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.8 machine-spread plasters;
 - 2.2.9 preparations prescribed as foods, unless they are specified in Section D of the Schedule;
 - 2.2.10 substances, combinations of substances, or articles, in the form of proprietary medicines or proprietary articles, unless they are deemed or declared to be Pharmaceuticals elsewhere in the Schedule;
 - 2.2.11 shampoos, other than extemporaneously prepared medicated shampoos, or shampoos specified in Sections B to G of the Schedule intended for the treatment of a patient's medical condition;
 - 2.2.12 toilet preparations;
 - 2.2.13 tooth pastes and powders;
 - 2.2.14 lubricating jellies and catheter lubricants;
 - 2.2.15 sterile diluents for nebulising solutions;
 - 2.2.16 substances in a form intended to enable delivery by transdermal diffusion or osmosis or by the insertion of any solid object or substance into the eye cavity, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.17 substances in a form intended for intravenous delivery (other than by injection), unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.18 substances packed in pre-loaded syringes known as Min-I-Jets, unless it is specified in Sections B to G of the Schedule that they may be so packed;
 - 2.2.19 Community Pharmaceuticals prescribed as cough mixtures, unless they are specified in Sections B to G of the Schedule otherwise than in combination with other ingredients;
 - 2.2.20 vitamin preparations in capsule form, unless they are specified in Sections B to G of the Schedule;
 - 2.2.21 substances prescribed for use as irrigating solutions, unless it is specified in Sections B to G of the Schedule that they may be prescribed for such use.
- 2.3 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
 - 2.3.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines

Act 1981; or

- 2.3.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
- 2.3.3 in the absence of the standards prescribed in clauses 2.3.1 and 2.3.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
- 2.3.4 in the absence of the standards prescribed in clauses 2.3.1, 2.3.2 and 2.3.3, are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

PART III

PERIOD AND QUANTITY OF SUPPLY

- 3.1 Doctors', Midwives', Nurse Prescribers' and Optometrists' Prescriptions (other than oral contraceptives)
 - The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor, Midwife, Nurse Prescriber or Optometrist:
 - 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity suffcient to provide treatment for a period not exceeding three Months will be subsidised.
 - 3.1.2 For methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
 - 3.1.3 For a Class B Controlled Drug other than methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity:
 - a) sufficient to provide treatment for a period not exceeding 10 days; and
 - b) which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
 - 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Midwife or Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
 - a) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
 - b) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
 - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
 - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
 - A) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
 - B) both:
 - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
 - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
 - 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
 - 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
 - b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.

- 3.1.7 If a Community Pharmaceutical:
 - a) is stable for a limited period only, and the Doctor, Midwife, Nurse Prescriber or Optometrist has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
 - b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
 - c) is Close Control,
 - The actual quantity dispensed will be subsidised in accordance with any such specification.

3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife or Nurse Prescriber for an oral contraceptive:

- 3.2.1 The prescribing Doctor, Midwife or Nurse Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed:
 - a) three Months if prescribed by a Midwife; or
 - b) six Months if prescribed by a Doctor or Nurse Practitioner.
- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
 - a) in Lots as specified in the Prescription if the Community Pharmaceutical is Close Control; or
 - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 An oral contraceptive prescribed by a Midwife is only eligible for Subsidy if the Prescription under which it has been dispensed has been written within the period of post natal care of the eligible person.
- 3.2.5 Where a Community Pharmaceutical in a Prescription is Close Control and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

3.3 Dentists' Prescriptions

- The following provisions apply to every Prescription written by a Dentist:
- 3.3.1 The maximum quantity of a Community Pharmaceutical that will be subsidised is as follows:
 - a) where the Community Pharmaceutical is a Controlled Drug, only such quantity as is necessary to provide treatment for a period not exceeding five days; and
 - b) in any other case, only such quantity as is necessary to provide treatment for a period not exceeding five days and, where the Prescription specifies a repeat, one further period not exceeding five days.
- 3.3.2 Notwithstanding clause 3.3.1, if, in the opinion of the Dentist, an eligible person needs extended treatment with sodium fluoride for up to three Months, the Community Pharmaceutical will be subsidised for that extended period. A Prescription for any such extended supply of sodium fluoride will be subsidised only if it is dispensed in Monthly Lots, unless the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect.
- 3.3.3 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed has been presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.3.4 No Subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) one Month from the date the Community Pharmaceutical was first dispensed; or
 - b) in the case of sodium fluoride, three Months from the date the Community Pharmaceutical was first dispensed.

Only that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.

3.4 Original Packs, and Certain Antibiotics

3.4.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:

- a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
- b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.
- 3.4.2 If a Community Pharmaceutical is the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:
 - a) the difference the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eq; if a prescription is for 105 mls then a 100ml pack would be dispensed); and
 - b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

PART IV MISCELLANEOUS PROVISIONS

4.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 4.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 4.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 4.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 4.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
 - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
 - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 4.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 4.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

4.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

4.2.1 Subject to clause 4.2.3, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

SECTION A: GENERAL RULES

- 4.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
 - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
 - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 4.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
 - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
 - i) is personally signed and dated by the Practitioner; and
 - ii) sets out the Practitioner's address; and
 - iii) sets out the Community Pharmaceuticals and quantities, and;
 - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 4.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.

4.3 Wholesale Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under Wholesale Supply Orders:

- 4.3.1 Notwithstanding anything contained in the Schedule, but subject nevertheless to subclause 4.3.3 of this clause, a Practitioner may obtain from a wholesaler or distributor, pursuant to a Wholesale Supply Order made on a form supplied by the Ministry of Health, any Community Pharmaceutical specified in Section B and Section E Part I of the Schedule as being available on a Wholesale Supply Order.
- 4.3.2 Subject to clause 4.3.3, Community Pharmaceuticals supplied to Practitioners under Wholesale Supply Orders will be subsidised at a rate not exceeding the Manufacturer's Price for each such Community Pharmaceutical as set out in Section B and Section E Part I of the Schedule.
- 4.3.3 No subsidy will be paid for any quantity of a Community Pharmaceutical supplied to a Practitioner under a Wholesale Supply Order in excess of what is a reasonable monthly allocation for that particular Practitioner, after taking into account stock on hand.
- 4.3.4 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Wholesale Supply Orders until such time as the Ministry of Health notifies otherwise.

4.4 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

4.4.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

4.4.2 Expiry

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 4.4.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 4.4.1 and 4.4.2, for the individual Patient.
- 4.4.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 4.4.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

4.5 Pharmaceutical Cancer Treatments

- 4.5.1 DHBs must provide access to Pharmaceutical Cancer Treatments by funding their use in the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 4.5.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
 - a) has Cancer Exceptional Circumstances approval;
 - b) has Community Exceptional Circumstances or Hospital Exceptional Circumstances approval;
 - c) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
 - d) is being used and funded as part of a paediatric oncology service; or
 - e) was being used to treat the patient in question prior to 1 July 2005.
- 4.5.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatements with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
 - a) Part 1;
 - b) clauses 2.1 to 2.3;
 - c) clauses 3.1 to 3.4; and
 - d) clause 4.5,
 - of Section A of the Schedule
- 4.5.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 4.5.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 direction from the Minister of Health as to pharmaceuticals and indications for which DHBs must provide funding. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
 - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under the Medicines Act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and Disability Comissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
 - c) exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.

4.6 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication;

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether

the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

4.7 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, subject to:

- a) the Contractor having received a general Authority to Substitute from the Practitioner in relation to the particular medicine or medicines in general; or
- b) the Practitioner having indicated their Authority to Substitute on the prescription; or

c) the Practitioner having given their Authority to Substitute in relation to the particular prescription.

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and initial the prescription.

4.8 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed but may not alter the total daily dose. If the change will result in additional cost to the DHBs, then:

a) the Practitioner must authorise and initial the alteration; or

b) in cases where PHARMAC has approved and notified in writing such a change in dispensing of a named Pharmaceutical due to an out of stock event or short supply, the Contractor must annotate and initial the alteration.

4.9 Amendment of Schedule

PHARMAC may amend the terms of the Schedule from time to time by notice in writing given in such manner as PHARMAC thinks fit, and in accordance with such protocols as agreed with the Pharmacy Guild of New Zealand (Inc) from time to time.

4.10 Conflict in Provisions

If any rules in Sections B-G of this Schedule conflict with the rules in Section A, the rules in Sections B-G apply.

SECTION B: ALIMENTARY TRACT AND METABOLISM

	Subsidy		Fully Brand or
	(Manufacturer's P		sidised Generic
	\$	Per	 Manufacturer
Antacids and Antiflatulants			
Antacids and Reflux Barrier Agents			
ALGINIC ACID			
Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet		30	 Gaviscon Infant
CALCIUM CARBONATE WITH AMINOACETIC ACID			
* Tab 420 mg with aminoacetic acid 180 mg – Higher subsidy	0.00	100	
of \$6.30 per 100 with Endorsement	3.00 (6.30)	100	Titralac
Additional subsidy by endorsement is available for pregnar	()	rescription mu	
SIMETHICONE			······································
* Oral liq aluminium hydroxide 200 mg with magnesium hydrox-			
ide 200 mg and activated simethicone 20 mg per 5 ml	1.50	500 ml	
	(4.26)		Mylanta P
SODIUM ALGINATE			
* Tab 500 mg with sodium bicarbonate 267 mg and calcium	4.00		
carbonate 160 mg - peppermint flavour		60	Gaviscon Double
	(8.60)		Strength
* Oral lig 500 mg with sodium bicarbonate 267 mg and calcium			ollongin
carbonate 160 mg per 10 ml		500 ml	
	(4.95)		Acidex
* Oral liq 500 mg with sodium bicarbonate 267 mg per 10 ml		500 ml	
(aniseed)	1.50 (8.64)	500 ml	Gaviscon
Phase shake D'adian Assata	(0.04)		Gaviscon
Phosphate Binding Agents			
ALUMINIUM HYDROXIDE			
Tab 600 mg	12.56	100	🖌 Alu-Tab
Antidiarrhoeals			
Agents Which Reduce Motility			
DIPHENOXYLATE HYDROCHLORIDE WITH ATROPINE SULPH	ATE		
* Tab 2.5 mg with atropine sulphate 25 μg	3.90	100	 Diastop
LOPERAMIDE HYDROCHLORIDE – Up to 30 tab available on a	PSO		
* Tab 2 mg	11.50	400	✓ Nodia
Rectal and Colonic Anti-inflammatories			
BUDESONIDE			
Cap 3 mg - Special Authority see SA0913 on the next page			
- Retail pharmacy	166.50	90	 Entocort CIR

	Subsidy (Manufacturer's Price) \$) Sub Per	Fully osidised	Brand or Generic Manufacturer
►>SA0913 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid Both:	for 3 months for appl	lications m	leeting t	he following criteria:
 Mild to moderate ileal, ileocaecal or proximal Crohn's dise Any of the following: Diabetes; or Cushingoid habitus; or Osteoporosis where there is significant risk of fractule Severe acne following treatment with conventional of the second se	ure; or	ſ.		
Renewal from any relevant practitioner. Approvals valid for 3 mo benefiting from treatment. The patient may not have had more than 1 prior approval in the la		ment rema	ains app	ropriate and the patient is
Note: Clinical trials for Entocort CIR use beyond three months de	monstrated no impro-	vement in	relapse	rate.
HYDROCORTISONE ACETATE Rectal foam 10 %, CFC-Free (14 applications)		.1 g OP	✓ <u>c</u>	<u>olifoam</u>
MESALAZINE				
Tab 400 mg – Retail pharmacy-Specialist		100		sacol
Tab long-acting 500 mg – Retail pharmacy-Specialist Enema 1 g per 100 ml – Retail pharmacy-Specialist		100 7		entasa entasa
Suppos 500 mg		20		sacol
Suppos 1 g		28		entasa
OLSALAZINE				
Tab 500 mg		100	🗸 D	ipentum
Cap 250 mg	31.51	100		ipentum
SODIUM CROMOGLYCATE				
Cap 100 mg		100	🖌 N	alcrom
SULPHASALAZINE				
* Tab 500 mg		100		alazopyrin_
* Tab EC 500 mg	9.44	100	✓ <u>s</u>	alazopyrin EN
Antihaemorrhoidals				
Corticosteroids				
FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIV/ Oint 950 µg, with fluocortolone pivalate 920 µg, and cin		CAINE		
chocaine hydrochloride 5 mg per g Suppos 630 µg, with fluocortolone pivalate 610 µg, and cin	6.35 3	0 g OP	✓ <u>U</u>	ltraproct_
chocaine hydrochloride 1 mg		12	✓ <u>U</u>	Itraproct
Soothing Agents				
ZINC OXIDE				
Oint zinc oxide with balsam peru		0 g OP		
Supposition ovide with balance name	(6.67)	10	A	nusol
Suppos zinc oxide with balsam peru	4.47 (6.49)	12	Δ	nusol
	(0.10)		~	

26

	Subsidy (Manufacturer's Price \$	e) Su Per	Fully Bran bsidised Gene V Manu	
Antispasmodics and Other Agents Altering Gut	Motility			
ATROPINE SULPHATE * Inj 600 μg, 1 ml – Up to 5 inj available on a PSO * Inj 1200 μg, 1 ml – Up to 5 inj available on a PSO HYOSCINE N-BUTYLBROMIDE		50 50	✓ <u>AstraZe</u> ✓ <u>AstraZe</u>	
* Tab 10 mg * Inj 20 mg, 1 ml – Up to 5 inj available on a PSO MEBEVERINE HYDROCHLORIDE		20 5	 Gastros Buscop 	
* Tab 135 mg		90	✓ Colofad	<u>.</u>
Antiulcerants				
Antisecretory and Cytoprotective				
MISOPROSTOL * Tab 200 μg	52.70	120	✓ Cytoted	2
Helicobacter Pylori Eradication				
OMEPRAZOLE, AMOXYCILLIN AND CLARITHROMYCIN Omeprazole cap 20 mg × 14, amoxycillin cap 500 mg × 28 and clarithromycin tab 500 mg × 14		1 OP	✔ Losec H	Ip7 OAC
H2 Antagonists				
CIMETIDINE – Only on a prescription * Tab 200 mg * Tab 400 mg	(7.50)	100 100	Apo-Cin Apo-Cin	
FAMOTIDINE – Only on a prescription * Tab 20 mg * Tab 40 mg		250 250	✓ Famox✓ Famox	
RANITIDINE HYDROCHLORIDE Only on a prescription * Tab 150 mg * Tab 300 mg * Oral liq 150 mg per 10 ml * Inj 25 mg per ml, 2 ml	10.94 7.95	250 250 300 ml 5	 ✓ Arrow-F ✓ Arrow-F ✓ <u>Peptiso</u> ✓ Zantac 	Ranitidine
Proton Pump Inhibitors				
LANSOPRAZOLE * Cap 15 mg * Cap 30 mg		28 28	SoloxSolox	

		Subsidy (Manufacturer's Pric	e)	Fully Subsidised	Brand or Generic
		\$	Per	~	Manufacturer
	PRAZOLE				
	or omeprazole suspension refer, page 163 Cap 10 mg	2 1/	30		r Reddy's
~ C	sap to mg		00		Omeprazole
* C	Cap 20 mg		30		r Reddy's
					Omeprazole
* C	Cap 40 mg	3.59	30		r Reddy's
∦ I r	nj 40 mg	38.20	5		Omeprazole r Reddy's
ጥ በ	ij +0 mg		5		Omeprazole
PANT	OPRAZOLE				•
	ab 20 mg	2.24	28	✓ D	r Reddy's
					Pantoprazole
* T	āb 40 mg	3.36	28		<u>r Reddy's</u> Pantoprazole
∗ Ir	nj 40 mg		1		antocid IV
	Protective Agents				
	•				
	RALFATE	0E E0	100		
I	āb 1 g		120	C	arafate
Die		(10.20)			
Dia	betes				
Нур	perglycaemic Agents				
GLUC	CAGON HYDROCHLORIDE				
Ir	nj 1 mg syringe kit – Up to 5 kit available on a PSO	27.00	1	🖌 G	lucagen Hypokit
Ins	ulin - Short-acting Preparations				
NSU	LIN NEUTRAL				
	nj human 100 u per ml		10 ml Ol	• • A	ctrapid
					umulin R
▲ Ir	nj human 100 u per ml, 3 ml		5		ctrapid Penfill umulin R
				V II	
Ins	ulin - Intermediate-acting Preparations				
NSU	LIN ISOPHANE				
🔺 Ir	nj human 100 u per ml	17.68	10 ml Ol	P 🖌 H	umulin NPH
A 1.	· · · · · · · · · · · · · · · · · · ·	00.00	-		rotaphane
▲ Ir	nj human 100 u per ml, 3 ml		5		umulin NPH rotaphane Penfill
				V FI	otaphane relilli
	LIN ISOPHANE WITH INSULIN NEUTRAL nj human with neutral insulin 100 u per ml		10 ml Ol	- V H	umulin 30/70
_ "					ixtard 30
🔺 Ir	nj human with neutral insulin 100 u per ml, 3 ml		5		umulin 30/70
					enMix 30
					enMix 40 enMix 50
					enMix 50

28

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE				
Inj lispro 25% with insulin lispro protamine 75% 100 u per ml, 3 ml		5	🗸 Н	umalog Mix 25
▲ Inj lispro 50% with insulin lispro protamine 50% 100 u per ml,3 ml		5	✔ Н	umalog Mix 50
Insulin - Long-acting Preparations				
INSULIN GLARGINE - Special Authority see SA0834 below - Re	etail pharmacy			
▲ Inj 100 u per ml, 10 ml	63.00	1	V L	antus
▲ Inj 100 u per ml, 3 ml		5	🖌 L	antus
▲ Inj 100 u per ml, 3 ml disposable pen	94.50	5	🖌 L	antus SoloStar

SA0834 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Both:
 - 1.1 Patient has type 1 diabetes and has received an intensive regimen (injections at least three times a day) of an intermediate acting insulin in combination with a rapid acting insulin analogue for at least three months; and
 - 1.2 Either:
 - 1.2.1 Patient has experienced more than one unexplained severe hypoglycaemic episode in the previous 12 months (severe defined as requiring the assistance of another person); or
 - 1.2.2 Patient has experienced unexplained symptomatic nocturnal hypoglycaemia, biochemically documented at <3.0 mmol/L, more than once a month despite optimal management; or
- 2 Patient has documented severe, or continuing, systemic or local allergic reaction to existing insulins. Note this does not include hypoglycaemic episodes.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Patient is continuing to derive benefit due to reduced hypoglycaemic events whilst maintaining similar or better glycaemic control; or
- 2 Patient's allergic reaction has significantly decreased, or resolved, following the change to long-acting insulin and patient is continuing to benefit from treatment.

Insulin - Rapid Acting Preparations

INSULIN ASPART ▲ Inj 100 u per ml, 3 ml ▲ Inj 100 u per ml, 10 ml ▲ Inj 100 u per ml, 10 ml ▲ Inj 100 u per ml, 10 ml ▲ Inj 100 u per ml, 3 ml ▲ Inj 100 u per ml, 3 ml	5 1 10 ml OP 5	 ✓ NovoRapid Penfill ✓ NovoRapid ✓ Humalog ✓ Humalog
Alpha Glucosidase Inhibitors		
ACARBOSE – Special Authority see SA0925 on the next page – Retail pharmacy * Tab 50 mg	90 90	✔ Glucobay✔ Glucobay

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🖌	Brand or Generic Manufacturer
 ▶>SA0925 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid the following criteria: Both: The patient has type 2 diabetes; and Either: Metformin is not tolerated, or is contraindicated; or			d for applications meeting
Oral Hypoglycaemic Agents			
GLIBENCLAMIDE * Tab 2.5 mg * Tab 5 mg			liben liben aonil
GLICLAZIDE * Tab 80 mg GLIPIZIDE	22.24	500 🖌 <u>A</u>	po-Gliclazide
* Tab 5 mg		100 🖌 <u>M</u>	linidiab
METFORMIN HYDROCHLORIDE * Tab 500 mg * Tab 850 mg	•••••		rrow-Metformin rrow-Metformin
PIOGLITAZONE – Special Authority see SA0859 below – Retail Tab 15 mg Tab 30 mg Tab 45 mg		28 🗸 A 28 ¼ A 28 ¼ A	ctos

►SA0859 Special Authority for Subsidy

Initial application — (Patients with type 2 diabetes) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

Monotherapy

- 1 All of the following:
 - 1.1 To be used as monotherapy for patients who after six months of diet and lifestyle changes have inadequate glycaemic control (defined as HbA1c > 7.0% in tests carried out at least two months apart); and
 - 1.2 Metformin is contraindicated or not tolerated after a minimum of a four-week trial period; and
 - 1.3 Sulphonylurea is contraindicated or not tolerated or the patient is obese; or
 - In combination with sulphonylurea

2 Both:

- 2.1 For use in combination with a sulphonylurea for patients who after diet and lifestyle changes and a six-month trial of sulphonylurea have poor glycaemic control (defined as HbA1c > 7.5% measured within the last month of the six-month period); and
- 2.2 Metformin is contraindicated or not tolerated after a minimum of a four-week trial period; or
- In combination with metformin

3 Both:

30

- 3.1 For use in combination with metformin for patients who after diet and lifestyle changes and a six-month trial of the maximum tolerated dose of metformin have poor glycaemic control (defined as HbA1c > 7.5% measured within the last month of the six-month period); and
- 3.2 Sulphonylurea is contraindicated or not tolerated, or the patient is obese; or

In combination with metformin after a trial of metformin and sulphonylurea

continued...

(Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	Generic
``	`\$´´	Per	~	Manufacturer

continued...

- 4 For use in combination with metformin for patients who after diet and lifestyle changes and a six-month trial of a combination of metformin and sulphonylurea at maximum tolerated doses have poor glycaemic control (defined as HbA1c > 7.5% measured within the last month of the six month period); or In combination with Insulin
- 5 For use in combination with insulin in patients requiring more than 1.5 units per kilogram of insulin a day for at least 6 months in conjunction with metformin if tolerated.

Renewal — (Patients with type 2 diabetes) from any relevant practitioner. Approvals valid for 1 year where patient is continuing to derive benefit from treatment.

Notes: Pioglitazone is not to be used in triple oral combination (defined as a combination of metformin, sulphonylurea and pioglitazone).

Pioglitazone should not be used in patients with heart failure.

Liver function tests should be performed at baseline.

Gastrointestinal side effects are relatively common when initiating metformin therapy. Upward titration of metformin dose over several weeks and taking metformin with food will help to minimize these side effects.

Intolerance and contraindications for metformin include: serum creatinine ≥ 0.15 or creatinine clearance < 60 ml/min; significant liver impairment; severe left ventricular dysfunction; and intolerable gastrointestinal side effects that persist beyond 4 weeks duration.

Intolerance for sulphonylurea includes: nausea; diarrhoea; rash; blood disorders (thrombocytopenia, agranulocytosis, aplastic anaemia); erythema multiforme, exfoliative dermatitis, hepatitis; and syndrome of inappropriate antidiuretic hormone secretion (SIADH) with water retention and hyponatraemia.

Maximum tolerated dose of metformin defined as: A dose up to a maximum of 3 g daily.

Maximum tolerated dose of sulphonylurea defined as: A dose up to a maximum of glibenclamide 20 mg daily or glipizide 20 mg daily.

For the purposes of these criteria "obese" is defined as body mass index (BMI) greater than 33 kg/m².

However, as ethnic differences between patients may vary BMI scores, practitioners may use discretion as to whether the patient meets this criterion.

It is considered that when applying, that the patient may have initiated "six months diet and lifestyle changes" from the date of diagnosis of type 2 diabetes.

Diabetes Management

Glucose/Urine Testing

COPPER

est
ur 5000
tix
stix
ur 5 tix

	Subsidy (Manufacturer's \$	Price) Subs Per	Fully Brand or idised Generic ✓ Manufacturer
Glucose &/or Ketones/Urine Testing			
GLUCOSE OXIDASE Urine diagnostic test with peroxidase, sodium nitroprusside and aminoacetic acid – Not on a BSO	4.53 (8.00)	50 stick OP	Keto-Diabur 5000
Urine diagnostic test with peroxidase, potassium iodide, sodium nitroprusside and aminoacetic acid – Not on a BSO		50 strip OP	
SODIUM NITROPRUSSIDE * Urine diagnostic strips, buffered – Not on a BSO	(14.87)	50 strip OP	Keto-Diastix
	(6.00) 3.40 (10.94)	·	Ketur-Test Ketostix
Glucose/Blood Testing	()		
GLUCOSE BLOOD DIAGNOSTIC TEST METER – Subsidy by en a) Maximum of 1 meter per prescription b) A diagnostic blood glucose test meter is subsidised for pa 2005. Only one meter per patient. No further prescriptions will Meter	tients who beg		
GLUCOSE DEHYDROGENASE The number of test strips available on a prescription is restrict 1) Prescribed with insulin or a sulphonylurea but are on a diffe 2) Prescribed on the same prescription as insulin or a sulphor or	rent prescriptio	n and the prescri	
 3) Prescribed for a pregnant woman with diabetes and endors Blood/glucose test strips 		50 test OP	 Accu-Chek Performa Optium 10 second test Optium 5 second
(Optium 10 second test Blood/glucose test strips to be delisted 1	September 200	19)	test

		Subsidy (Manufacturer's Pri \$	ice) Su Per	Fully ubsidised	Brand or Generic Manufacturer
Insulin Syringes and Nee	dles				
Subsidy is available for disposable					
the supply of insulin or when presc			s endorsed a	accordingly	/.
INSULIN PEN NEEDLES – Maxim			,		
NovoFine pen needles 31 g \times					
✤ 29 g × 12.7 mm			100	V AE	
		13.09			D Micro-Fine
✤ 31 g × 5 mm			100		D Micro-Fine
★ 31 g × 6 mm		11.75	100	🖌 AE	BM
		26.00		🖌 No	voFine
✤ 31 g × 8 mm		11.75	100	🖌 AE	BM
-		13.09		🖌 В-	D Micro-Fine
			0 day bar b	rocorintion	
INSULIN SYRINGES, DISPOSABL					
* Syringe 0.3 ml with 29 g \times 12.	/ mm needle		100	V AE	
		15.92			D Ultra Fine
✤ Syringe 0.3 ml with 31 g × 8 m	nm needle	14.45	100	V AE	
		15.92		🖌 В-	D Ultra Fine II
* Syringe 0.5 ml with 29 g × 12.	7 mm needle	14.45	100	🖌 AE	BM
		15.92		🖌 В-	D Ultra Fine
* Syringe 0.5 ml with 31 g × 8 m	nm needle		100	🖌 AE	BM
, , , , , , , , , , , , , , , , , , , ,		15.92		🖌 В-	D Ultra Fine II
* Syringe 1 ml with 29 g \times 12.7	mm needle	14 45	100	✓ AE	
		15.92	100		D Ultra Fine
* Syringe 1 ml with 31 g × 8 mm	needle		100	✓ AE	
		15.92	100		D Ultra Fine II
		15.92		V D-	D Oltra Fine II
Digestives Including Enzy	ymes				
PANCREATIC ENZYME					
Tab EC 1,900 BP u lipase, 1,	700 BP u amylase, 110 BP	u			
			300	🖌 Pa	ncrex V
Tab EC 5,600 BP u lipase, 5,					
			300	V Pa	ncrex V Forte
			500	♥ Fa	IICIEX VI UILE
Cap 8,000 BP u lipase, 9,000				4 -	
			300	🗸 Pa	ncrex V
Cap 8,000 USP u lipase,	30,000 USP u amylas	e,			
30,000 USP u protease -	Retail pharmacy-Specialist		250	V Co	otazym ECS
Cap EC 10,000 BP u lipase					•
	ail pharmacy-Specialist		100	🖌 Cr	eon 10000
-			100	V 01	
Cap EC 25,000 BP u lipa		,	100		oon Forto
	etail pharmacy-Specialist		100	V Cr	eon Forte
Cap EC 25,000 BP u lipa					
1,250 BP u protease – Re	etail pharmacy-Specialist	94.40	100	🖌 Pa	nzytrat
URSODEOXYCHOLIC ACID - Sp	ecial Authority see SA0014 d	on the next name – F	etail nharm	acv	
Cap 300 mg			100		ticall
			100		uguli

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
(Manulacturer ST fice)	Per V	Manufacturer

➡SA0914 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2 Patient not requiring a liver transplant (bilirubin > 170umol/l; decompensated cirrhosis).

Note: Liver biopsy is not usually required for diagnosis but is helpful to stage the disease.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Actigall is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 170 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure – doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

Laxatives

Bulk-forming Agents

MUCILAGINOUS LAXATIVES - Only on a prescription

* Dry		325 g OP 380 g OP 450 g OP	✔ Konsyl-D✔ Mucilax
	(12.71)		Isogel
	8.80	500 g OP	
	(15.27)	-	Normacol
* Dry-original flavour, regular texture of	nly5.91	336 g OP	
	(12.38)		Metamucil
* Sugar Free	4.84	275 g OP	
-	(10.60)	-	Mucilax
MUCILAGINOUS LAXATIVES WITH STI	MULANTS		
* Dry		200 g OP	
	(7.69)		Normacol Plus
	8.80	500 g OP	
	(15.27)	-	Normacol Plus

Faecal Softeners

DOCUSATE SODIUM – Only on a prescription			
* Tab 50 mg		100	Coloxyl
* Tab 120 mg		100	Coloxyl
* Enema conc 18%	5.40	100 ml OP	Coloxyl
DOCUSATE SODIUM WITH SENNOSIDES			
* Tab 50 mg with total sennosides 8 mg	7.98	200	Laxsol
POLOXAMER – Only on a prescription			
* Oral drops 10%	3.78	30 ml OP	Coloxyl

34

	Subsidy		Fully Brand or
	(Manufacturer's Pric \$	e) Su Per	ıbsidised Generic ✔ Manufacturer
	Ŷ	1.01	
Osmotic Laxatives			
GLYCEROL	0.40	10	
* Suppos 2.55 g – Only on a prescription		12	 Fleet Glycerin Suppositories
* Suppos 3.6 g – Only on a prescription	5.00	20	✓ PSM
(Fleet Glycerin Suppositories Suppos 2.55 g to be de	listed 1 September 2009)		
LACTULOSE – Only on a prescription	6 65	1,000 ml	Duphalac
 Oral liq 10 g per 15 ml MACROGOL 3350 – Special Authority see SA0891 k 		1,000 111	
Powder 13.125 g, sachets – Maximum of 60 sa			
scription		30	Movicol
■SA0891 Special Authority for Subsidy			
Initial application from any relevant practitioner. A requiring intervention with a per rectal preparation d			
where lactulose is not contraindicated.			induction aproblem inducting factories
Renewal from any relevant practitioner. Approvals w	valid for 12 months where the	patient is o	compliant and is continuing to gain
benefit from treatment. SODIUM ACID PHOSPHATE – Only on a prescriptio	n		
Enema 16% with sodium phosphate 8%		1	 Fleet Phosphate
			Enema
SODIUM CITRATE WITH SODIUM LAURYL SULPHO Enema 90 mg with sodium lauryl sulphoacetate 9	, ,	ption	
5 ml		12	Microlax
Stimulant Laxatives			
BISACODYL – Only on a prescription * Tab 5 mg		200	Lax-Tabs
* Suppos 5 mg		6	
* Suppos 10 mg	(3.00)	12	Dulcolax
SENNA – Only on a prescription		12	• neer
* Tab, standardised	2.17	100	
	(6.16)		Senokot
Metabolic Disorder Agents			
Gaucher's Disease			
IMIGLUCERASE – Special Authority see SA0473 be Inj 40 iu per ml, 200 iu vial		1	✓ Cerezyme
► SA0473 Special Authority for Subsidy		•	• • • • • • • • • • • • • • • • • • •
Special Authority approved by the Gaucher's Treatme			
Notes: Subject to a budgetary cap. Applications will b Application details may be obtained from PHARMAC			
	hone: (04) 460 4990	JUVI.112 UI.	
PHARMAC, PO Box 10 254 F	acsimile: (04) 916 7571		
Wellington	mail: gaucherpanel@pharmac	.govt.nz	

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or bsidised Generic ✔ Manufacturer
Mouth and Throat			
Agents Used in Mouth Ulceration			
BENZYDAMINE HYDROCHLORIDE Soln 0.15%	9.00 (15.36)	500 ml	Difflam
CHLORHEXIDINE GLUCONATE Mouthwash 0.2%	3.06	200 ml OP	✓ <u>Orion</u>
CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE * Adhesive gel 8.7% with cetalkonium chloride 0.01%	2.06 (5.25)	15 g OP	Bonjela
SODIUM CARBOXYMETHYLCELLULOSE With pectin and gelatin paste	1.52	56 g OP 5 g OP	✓ Stomahesive
With pectin and gelatin powder	(3.60) 4.55 (7.90) 8.48	15 g OP 28 g OP	Orabase Orabase
	(10.95)	20 9 01	Stomahesive
TRIAMCINOLONE ACETONIDE 0.1% in Dental Paste USP	4.38	5 g OP	✓ <u>Oracort</u>
Oropharyngeal Anti-infectives			
AMPHOTERICIN B Lozenges 10 mg MICONAZOLE	5.86	20	🗸 Fungilin
Oral gel 20 mg per g NYSTATIN	8.70	40 g OP	 Daktarin
Oral liq 100,000 u per ml	3.19	24 ml OP	✓ <u>Nilstat</u>
Other Oral Agents			
For folinic mouthwash, pilocarpine oral liquid or saliva substitute HYDROGEN PEROXIDE * Soln 10 vol – Maximum of 200 ml per prescription		ge 163 100 ml	✔ PSM
THYMOL GLYCERIN * Compound, BPC		500 ml	✔ PSM
Vitamins			
Vitamin A			
VITAMIN A WITH VITAMINS D AND C Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 m per 10 drops		10 ml OP	Vitadol C

36

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Pric	e) Sul	Fully Brand or Ibsidised Generic
	\$	Per	Manufacturer
Vitamin B Group			
HYDROXOCOBALAMIN * Inj 1 mg per ml, 1 ml – Up to 6 inj available on a PSO	9.21	3	✓ ABM Hydroxocobalamin
	10.84		✓ Neo-B12
PYRIDOXINE HYDROCHLORIDE a) No more than 100 mg per dose b) Only on a prescription			
 * Tab 25 mg - No patient co-payment payable * Tab 50 mg 		90 500	 Healtheries Apo-Pyridoxine
THIAMINE HYDROCHLORIDE – Only on a prescription # Tab 50 mg	5.62	100	✓ <u>Apo-Thiamine</u>
VITAMIN B COMPLEX * Tab, strong, BPC	12.10	500	✓ <u>Apo-B-Complex</u>
Vitamin C			
ASCORBIC ACID a) No more than 100 mg per dose b) Only on a prescription			
* Tab 100 mg	17.25	500	✓ <u>Apo-Ascorbic Acid</u>
Vitamin D			
ALFACALCIDOL		100	
Сар 0.25 µg Сар 1 µg		100 100	 One-Alpha One-Alpha
Oral drops 2 µg per ml		20 ml OP	✓ One-Alpha
CALCITRIOL			
* Сар 0.25 µg		100	Calcitriol-AFT
 Кар 0.5 µg Oral liq 1 µg per ml 		100 10 ml OP	 ✓ <u>Calcitriol-AFT</u> ✓ Rocaltrol solution
CHOLECALCIFEROL			
* Tab 1.25 mg (50,000 iu) - Maximum of 12 tab per prescription	n10.35	12	 Cal-d-Forte
Vitamin E			
ALPHA TOCOPHERYL ACETATE – Special Authority see SA091 Water solubilised soln 156 iu/ml, with calibrated dropper		pharmacy 50 ml OP	[HP3] ✔ Micelle E
SA0915 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid			
Either: 1 Cystic fibrosis patient; or 2 Both:			
2.1 Infant or child with liver disease or short gut syndron	ne; and		

2.2 Requires vitamin supplementation.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

ALIMENTARY TRACT AND METABOLISM

	Subsidy		Fully Brand or
	(Manufacturer's Pri		ubsidised Generic
	\$	Per	 Manufacturer
Multivitamin Preparations			
/ITAMINS			
₭ Tab (BPC cap strength)	14.80	1,000	Healtheries Multi-vitamin
			tablets
Minerals			
Calcium			
CALCIUM ₭ Tab eff 1 g (elemental)	6 54	30	✓ Calsource
		00	v <u>valovaloc</u>
★ Tab 1.25 g	9.18	250	Calci-Tab 500
₭ Tab 1.5 g		250	 Calci-Tab 600
CALCIUM GLUCONATE			4
k lnj 10%, 10 ml	21.40	10	Mayne
Fluoride			
SODIUM FLUORIDE			
Tab 1.1 mg	4.00	100	V PSM
Iron			
ERROUS FUMARATE			
Tab 200 mg	3.75	100	 Ferro-tab
FERROUS FUMARATE WITH FOLIC ACID			
Tab 310 mg with folic acid 350 µg	3.95	60	 Ferro-F-Tabs
ERROUS GLUCONATE WITH ASCORBIC ACID	10.04	500	1 Haalthariaa Iran
K Tab 170 mg with ascorbic acid 40 mg	12.04	500	 Healtheries Iron with Vitamin C
ERROUS SULPHATE			····· • • • • • • •
K Tab long-acting 325 mg	5.06	150	
	(13.55)	500 .	Ferro-Gradumet
k≠ Oral liq 150 mg per 5 ml		500 ml	Ferodan
ERROUS SULPHATE WITH FOLIC ACID ₭ Tab long-acting 325 mg with folic acid 350 µg	1.80	30	
ייייייייייייייייייייייייייייייייייייי	(3.24)	50	Ferrograd-Folic
RON POLYMALTOSE	\- <i>\</i>		0
Inj 50 mg per ml, 2 ml	20.95	5	✓ Ferrum H
Magnesium			
or magnesium hydroxide mixture refer, page 163			
AGNESIUM SULPHATE			
Inj 49.3%		10	Mayne

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	S Per	Fully subsidised	Brand or Generic Manufacturer
Zinc				
ZINC SULPHATE * Cap 220 mg	10.00	100	✓ <u>Zi</u>	incaps

	Subsidy (Manufacturer's Pric \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
Antianaemics				
Hypoplastic and Haemolytic				
 ►SA0922 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid Both: 1 Both: 1, patient in chronic renal failure; and 2.4 Haemoglobin ≤ 100g/L; and 2 Any of the following:	ears where the treat ia associated with of oring of iron stores filtration rate (GFR) $4 \times$ serum creatini two – Hospital phare 48.68	atment re chronic r and iron) in perso ne (mmo	emains appi enal failure replacemen ons 18 years ol/l)	ropriate and the patient is (CRF) where no cause for ht therapy. s and over: prex
Inj human recombinant 3,000 iu, prefilled syringe Inj human recombinant 4,000 iu, prefilled syringe Inj human recombinant 5,000 iu, prefilled syringe Inj human recombinant 6,000 iu, prefilled syringe Inj human recombinant 10,000 iu, prefilled syringe	166.87 193.13 243.26 291.92	6 6 6 6		prex prex prex prex
ERYTHROPOIETIN BETA – Special Authority see SA0922 above Inj 2,000 iu, prefilled syringe Inj 3,000 iu, prefilled syringe Inj 4,000 iu, prefilled syringe Inj 5,000 iu, prefilled syringe Inj 6,000 iu, prefilled syringe		acy [HP3 6 6 6 6 6 6		eoRecormon eoRecormon eoRecormon eoRecormon eoRecormon eoRecormon
Megaloblastic				
FOLIC ACID * Tab 0.8 mg * Tab 5 mg Oral liq 50 μg per ml	6.59	1,000 500 25 ml Ol	✓ <u>A</u>	po-Folic Acid po-Folic Acid omed

	Subsidy (Manufacturer's Pric		Fully Subsidised	Brand or Generic
Antifibrinolytics, Haemostatics and Local Sclero	\$ osants	Per	~	Manufacturer
	Journo			
SODIUM TETRADECYL SULPHATE * Inj 0.5% 2 ml		5		
	(45.52)		Fi	bro-vein
* Inj 1% 2 ml	25.00	5		
	(48.98)	-	Fi	bro-vein
* Inj 3% 2 ml		5	Fi	bro-vein
TRANEXAMIC ACID	(33.91)			DIO-VEIII
Tab 500 mg	49 14	100		yklokapron
-		100	• •	укіокартоп
Vitamin K				
MENADIONE SODIUM BISULPHITE				
* Tab 10 mg	4.75	100	🖌 K	-Thrombin
(K-Thrombin Tab 10 mg to be delisted 1 August 2009)				
PHYTOMENADIONE				
Tab 10 mg		10		onakion
Inj 2 mg per 0.2 ml – Up to 5 inj available on a PSO Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO		5 5	+	onakion MM onakion MM
		5	U K	
Antithrombotic Agents				
Antiplatelet Agents				
ASPIRIN				
* Tab 100 mg	16.83	990	🖌 <u>E</u>	thics Aspirin EC
CLOPIDOGREL - Special Authority see SA0867 below - Retail	pharmacy			
Tab 75 mg	35.00 (73.38)	28		po-Clopidogrel lavix
►SA0867 Special Authority for Subsidy Initial application — (aspirin allergic patients) from any relevent notified for applications meeting the following criteria: Both:	vant practitioner. A	pprovals	valid with	out further renewal unless
 The patient is allergic to aspirin (see definition below); and Any of the following: The patient has: 				
2.1 suffered from a stroke, or transient ischaemic attack	c: or			
2.2 experienced an acute myocardial infarction; or	-, - .			
2.3 experienced an episode of pain at rest of greater admission to hospital for at least 24 hours; or	than 20 minutes du	uration du	ue to coror	nary disease that required
2.4 had a troponin T or troponin I test result greater that	n the upper limit of	the refere	ence range	; or

- 2.5 had a revascularisation procedure; or
- 2.6 experienced symptomatic peripheral vascular disease of a severity that has required specialist consultation.

Note: Aspirin allergy is defined as a history of anaphylaxis, urticaria or asthma within 4 hours of ingestion of aspirin, other salicylates or NSAIDs.

Initial application — (aspirin tolerant patients and aspirin naive patients) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Any of the following:

continued...

	Subsidy	Fully	Brand or
()	Manufacturer's Price)	Subsidised	Generic
	\$	Per 🖌	Manufacturer

continued...

The patient has:

- 1 experienced an acute myocardial infarction; or
- 2 had an episode of pain at rest of greater than 20 minutes duration due to coronary disease that required admission to hospital for at least 24 hours; or
- 3 had a troponin T or troponin I test result greater than the upper limit of the reference range; or

4 had a revascularisation procedure.

Initial application — (patients awaiting revascularisation) from any relevant practitioner. Approvals valid for 6 months where the patient is on a waiting list or active review list for stenting, coronary artery bypass grafting, or percutaneous coronary angioplasty following acute coronary syndrome.

Initial application — (post stenting) from any relevant practitioner. Approvals valid for 6 months where the patient has had a stent inserted in the previous 4 weeks.

Initial application — (documented stent thrombosis) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has, while on treatment with aspirin or clopidogrel, experienced documented stent thrombosis.

Renewal — (aspirin tolerant patients) from any relevant practitioner. Approvals valid without further renewal unless notified where while on treatment with aspirin the patient has experienced an additional vascular event following the recent cessation of clopidogrel.

Renewal — (acute coronary syndrome - aspirin tolerant patients and aspirin naive patients) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Any of the following:

The patient has:

- 1 experienced an acute myocardial infarction; or
- 2 had an episode of pain at rest of greater than 20 minutes duration due to coronary disease that required admission to hospital for at least 24 hours; or
- 3 had a troponin T or troponin I test result greater than the upper limit of the reference range; or
- 4 had a revascularisation procedure.

Renewal — (patients awaiting revascularisation) from any relevant practitioner. Approvals valid for 6 months where the patient is on a waiting list or active review list for stenting, coronary artery bypass grafting or percutaneous coronary angioplasty following acute coronary syndrome.

Renewal — (post stenting) from any relevant practitioner. Approvals valid for 6 months where the patient has had a stent inserted in the previous 4 weeks.

Renewal — (documented stent thrombosis) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has, while on treatment with aspirin or clopidogrel, experienced documented stent thrombosis.

DIPYRIDAMOLE

*	Tab 25 mg – Additional subsidy by Special Authority see			
	SA0930 below – Retail pharmacy	0.16	84	
		(8.36)		Persantin
*	Tab long-acting 150 mg – Special Authority see SA0929 on			
	the next page - Retail pharmacy	11.52	60	Pytazen SR

SA0930 Special Authority for Manufacturers Price

Initial application — (Conditions other than transient ischaemic episodes) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Either:
 - 1 Patients with prosthetic heart valves as an adjunct to oral anticoagulation for prophylaxis of thromboembolism; or
 - 2 Patients after coronary artery vein bypass graft as an adjunct to aspirin or as monotherapy for patients who are aspirin intolerant.

Note: Aspirin intolerant patients are defined as those with aspirin induced asthma, urticaria, or anaphylaxi, or those with significant aspirin induced bleeding, excluding bruising.

continued...

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

Initial application — (Transient ischaemic episodes) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to have transient ischaemic episodes despite aspirin therapy or has transient ischaemic episodes and is aspirin intolerant.

Note: Aspirin intolerant patients are defined as those with aspirin induced asthma, urticaria, or anaphylaxi, or those with significant aspirin induced bleeding, excluding bruising.

Renewal — (Existing 2 year approvals) from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

SA0929 Special Authority for Subsidy

Initial application — (Conditions other than transient ischaemic episodes) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patients with prosthetic heart valves as an adjunct to oral anticoagulation for prophylaxis of thromboembolism; or
- 2 Patients after coronary artery vein bypass graft as an adjunct to aspirin or as monotherapy for patients who are aspirin intolerant.

Note: Aspirin intolerant patients are defined as those with aspirin induced asthma, urticaria, or anaphylaxi, or those with significant aspirin induced bleeding, excluding bruising.

Initial application — (Transient ischaemic episodes) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to have transient ischaemic episodes despite aspirin therapy or has transient ischaemic episodes and is aspirin intolerant.

Note: Aspirin intolerant patients are defined as those with aspirin induced asthma, urticaria, or anaphylaxi, or those with significant aspirin induced bleeding, excluding bruising.

Renewal — (Existing 2 year approvals) from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Heparin and Antagonist Preparations

HEPARIN SODIUM			
Inj 1,000 iu per ml, 5 ml		50	Mayne
Inj 1,000 iu per ml, 35 ml		1	Mayne
Inj 5,000 iu per ml, 1 ml		5	✓ Mayne
Inj 5,000 iu per ml, 5 ml		10	 Multiparin
Inj 25,000 iu per ml, 0.2 ml		5	✓ Mayne
			·
HEPARINISED SALINE	0.00	10	
* Inj 100 iu per ml, 2 ml		10	Hospira S29
* Inj 10 iu per ml, 5 ml		50	AstraZeneca
(Hospira S29 Inj 100 iu per ml, 2 ml to be delisted 1 August 2009	9)		
PROTAMINE SULPHATE			
* Inj 10 mg per ml, 5 ml	22.40	10	
	(86.54)		Artex
	()		
Oral Anticoagulants			
WARFARIN SODIUM			
Note: Marevan and Coumadin are not interchangeable.			
* Tab 1 mg		50	Coumadin
0	5.69	100	Marevan
* Tab 2 mg	4.31	50	Coumadin
* Tab 3 mg		100	✓ Marevan
* Tab 5 mg		50	
1. 100 0 mg	9.64	100	✓ Marevan

	Subsidy (Manufacturer's Pric \$:e) Su Per	Fully ubsidised	Brand or Generic Manufacturer
	ą	Fel	~	Manulacturer
Fluids and Electrolytes				
Intravenous Administration				
DEXTROSE				
 Inj 50%, 10 ml – Up to 5 inj available on a PSO Inj 50%, 90 ml – Up to 5 inj available on a PSO 		5 1		iomed iomed
POTASSIUM CHLORIDE		1	• 0	lonica
* Inj 75 mg per ml, 10 ml		50	🗸 A	straZeneca
* Inj 150 mg per ml, 10 ml		50	V A	straZeneca
SODIUM BICARBONATE				
Inj 8.4%, 50ml	19.95	1	🗸 Bi	iomed
a) Up to 5 inj available on a PSO b) Not in combination				
Inj 8.4%, 100 ml		1	🗸 Bi	iomed
a) Up to 5 inj available on a PSO				
b) Not in combination				
SODIUM CHLORIDE Inf 0.9% – Up to 2000 ml available on a PSO	2.00	500 ml	V B	ovter
	4.06	1.000 ml	✓ Bi	
Only if prescribed on a prescription for renal dialysis, mat		,		
for emergency use. (500 ml and 1,000 ml packs)		_	4 -	
Inj 23.4%, 20 ml Inj 0.9%, 5 ml – Up to 5 inj available on a PSO		5 50		iomed straZeneca
Inj 0.9%, 5 mi – Op to 5 mj available on a PSO		50 50		straZeneca
lnj 0.9%, 20 ml		20		ultichem
	11.79	30	🗸 Pi	harmacia
TOTAL PARENTERAL NUTRITION (TPN) - Hospital pharmacy [4	
Infusion	CBS	1 OP	🗸 TI	PN
WATER				had in the Dhamman diad
 On a prescription or Practitioner's Supply Order only whe Schedule requiring a solvent or diluent; or 	n on the same form	n as an inj	ection lis	ted in the Pharmaceutical
2) On a bulk supply order; or				
3) When used in the extemporaneous compounding of eye di				
Purified for inj 2 ml – Up to 5 inj available on a PSO		50 50	✓ Ba	axter ultichem
Purified for inj 5 ml – Up to 5 inj available on a PSO Purified for inj 10 ml – Up to 5 inj available on a PSO		50 50		ultichem
Purified for inj 20 ml – Up to 5 inj available on a PSO		20		ultichem
(Baxter Purified for inj 2 ml to be delisted 1 July 2009)				
Oral Administration				
CALCIUM POLYSTYRENE SULPHONATE				
Powder		300 g OP	V C	alcium Resonium
COMPOUND ELECTROLYTES				
Powder for soln for oral use 5 g – Up to 10 sach available on		4.0	. –	
a PSO		10	• <u>E</u>	<u>nerlyte</u>

	Subsidy		Fully Brand or
	(Manufacturer's \$	Price) Sub Per	sidised Generic Manufacturer
DEXTROSE WITH ELECTROLYTES			
Soln with electrolytes	6.66	1,000 ml OP	 <u>Pedialyte -</u> <u>Bubblegum</u> <u>Pedialyte - Fruit</u>
	6.78		 Pedialyte - Plain
POTASSIUM BICARBONATE			
Tab eff 315 mg with sodium acid phosphate 1.937 g sodium bicarbonate 350 mg For phosphate supplementation		100	Phosphate-Sandoz
POTASSIUM CHLORIDE			
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	5.26	60	
* Tab long-acting 600 mg	(11.85)	200	Chlorvescent
SODIUM POLYSTYRENE SULPHONATE		200	
Powder		450 g OP	Resonium-A
Lipid Modifying Agents			
Fibrates			
BEZAFIBRATE			4
 * Tab 200 mg * Tab long-acting 400 mg 		90 30	 ✓ <u>Fibalip</u> ✓ Bezalip Retard
Other Lipid Modifying Agents			• Bozanp Hotalu
ACIPIMOX 卷 Cap 250 mg	18 75	30	Olbetam
	10.70	00	
* Tab 50 mg	5.08	100	✓ Apo-Nicotinic Acid
* Tab 500 mg		100	Apo-Nicotinic Acid
Resins			
CHOLESTYRAMINE WITH ASPARTAME			
Sachets 4 g with aspartame	19.25 (28.88)	50	Questran-Lite
COLESTIPOL HYDROCHLORIDE Sachets 5 g		30	✓ Colestid
HMG CoA Reductase Inhibitors (Statins)			

Prescribing Guidelines

Treatment with HMG CoA Reductase Inhibitors (statins) is recommended for patients with dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater.

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🖌	Generic
ATORVASTATIN - Additional subsidy by Special Authority see S	A0788 below – Retail p	oharmacy	
See prescribing guideline on the preceding page			
* Tab 10 mg	4.03	30	
0	(18.32)	l	_ipitor
* Tab 20 mg		30	•
0	(26.70)	l	_ipitor
* Tab 40 mg		30	
	(37.02)	l	_ipitor
* Tab 80 mg	()	30	
······································	(110.50)		_ipitor

SA0788 Special Authority for Manufacturers Price

Initial application only from a relevant specialist or general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Either:
 - 2.1 Patient has severe documented intolerance to simvastatin (blood tests are not required); or
 - 2.2 Both:
 - 2.2.1 Patient has been compliant with a dose of simvastatin of 80 mg per day for at least 2 months; and 2.2.2 Either:
 - 2.2.2.1 All of the following:
 - 2.2.2.1.1 Patient has venous CABG; and
 - 2.2.2.1.2 LDL cholesterol test 1 \geq 2.0 mmol/litre; and
 - 2.2.2.1.3 LDL cholesterol test $2 \ge 2.0$ mmol/litre (at least 1 week after test 1); or
 - 2.2.2.2 All of the following:
 - 2.2.2.2.1 Patient does not have venous CABG; and
 - 2.2.2.2.2 LDL cholesterol test 1 \geq 2.5 mmol/litre; and
 - 2.2.2.2.3 LDL cholesterol test $2 \ge 2.5$ mmol/litre (at least 1 week after test 1).

Notes: To confirm that cholesterol levels are not still improving, two lipid tests must be carried out during treatment with simvastatin 80 mg, and have results for LDL cholesterol that have reduced by <10% in the second test. The tests must be carried out while the patient is in a fasted state (with the exception of patients with IDDM).

The following indications of intolerance to simvastatin, are known as class effects for all statins, and hence are likely to mean that the patient may also be intolerant of atorvastatin:

- Constipation, flatulence (may occur in >1% of patients)
- Asthenia, abdominal pain, headache (may occur in >1% of patients)
- Myopathy, rhabdomyolysis (may occur in <3% of patients)
- Elevated serum transaminase levels (may occur in <1% of patients)

Statins have been shown to be generally well tolerated in clinical studies, with the rate of discontinuation due to adverse reactions being less than 5%, and similar to the discontinuation rate for patients taking a placebo.

PRAVASTATIN - Special Authority see SA0932 on the next page - Retail pharmacy

See prescribing guideline on the preceding page

Tab 10 mg27.46	30	Pravachol
Tab 20 mg42.58	30	Pravachol
Tab 40 mg65.31	30	Pravachol

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
	ą	rei		Manulaciulei
SA0932 Special Authority for Subsidy	neatitionar Anneado	volid	with a st fearth	har rangual unloss notific
itial application — (Confirmed HIV/AIDS) from any relevant or applications meeting the following criteria:	practitioner. Approvais	valiu	without furt	ner renewal unless noulle
Il of the following:				
1 Patient has dyslipidaemia and an absolute 5 year cardiov	ascular risk of 15% or	greate	er; and	
2 Confirmed HIV infection; and		0		
3 Patient is being treated with an HIV protease inhibitor.				
IMVASTATIN – See prescribing guideline on page 45				
 Tab 10 mg 	0.68	30		imvaRex
	2.05	90	🗸 A	rrow-Simva 10mg
	0.68	30		
(Tob 00 mg	(11.37)	20		ipex imvoBev
 Tab 20 mg 	3.00	30 90		imvaRex rrow-Simva 20mg
	1.00	30 30	₩ A	
	(11.67)	00	Li	ipex
← Tab 40 mg	()	30		imvaRex
ů –	5.35	90	🖌 A	rrow-Simva 40mg
	1.78	30		
	(12.41)			ipex _
 Tab 80 mg 		30		imvaRex
	11.65 3.88	90 30	V A	rrow-Simva 80mg
	(14.39)	30	L	ipex
SimvaRex Tab 10 mg to be delisted 1 August 2009)	(14.00)		-	ipox
Lipex Tab 10 mg to be delisted 1 August 2009)				
SimvaRex Tab 20 mg to be delisted 1 August 2009)				
Lipex Tab 20 mg to be delisted 1 August 2009)				
SimvaRex Tab 40 mg to be delisted 1 August 2009)				
Lipex Tab 40 mg to be delisted 1 August 2009)				
SimvaRex Tab 80 mg to be delisted 1 August 2009) Lipex Tab 80 mg to be delisted 1 August 2009)				
Selective Cholesterol Absorption Inhibitors				
ZETIMIBE – Special Authority see SA0796 below – Retail pha		~~		
Tab 10 mg		30	VE	zetrol
SA0796 Special Authority for Subsidy				
nitial application only from a relevant specialist. Approvals vali	id for 2 years for applic	ations	meeting th	e following criteria:
oth:				
1 Either:	tella en			
 ezetimibe is to be used in combination with simvas ezetimibe is to be used without a statin; and 	statin; or			
2 Either:				
2.1 All of the following:				
		200%	ver 5 vears	: and
2.1.1 Patient has a calculated absolute risk of cal	rdiovascular disease >	20 /0 0	you o you o	
5				,
2.1.1 Patient has a calculated absolute risk of cal2.1.2 Patient cannot tolerate statin therapy at a d2.1.3 Either:				,
2.1.1 Patient has a calculated absolute risk of cal2.1.2 Patient cannot tolerate statin therapy at a d2.1.3 Either:2.1.3.1 All of the following:	ose of $\ge 40 \text{ mg per data}$,
2.1.1 Patient has a calculated absolute risk of cal2.1.2 Patient cannot tolerate statin therapy at a d2.1.3 Either:	ose of $\ge 40 \text{ mg per data}$			continued.

	Subsidy (Manufacturer's Price \$	e) Su Per	Fully bsidised	Brand or Generic Manufacturer
continued	Ŷ			indiada or
2.1.3.1.2 LDL cholesterol ≥ 2.0 mmol/	litre (see note): and			
2.1.3.1.3 LDL cholesterol ≥ 2.0 mmol/		fter test 1	– see no	te): or
2.1.3.2 All of the following:				,,
2.1.3.2.1 Patient does not have venous	s CABG; and			
2.1.3.2.2 LDL cholesterol ≥ 2.5 mmol/	litre (see note); and			
2.1.3.2.3 LDL cholesterol \geq 2.5 mmol/	().	fter test 1	– see no	te): or
2.2 All of the following:	,			<i>,,</i>
2.2.1 Patient has homozygous familial hyperchol	esterolemia, or hetero	zygous fa	milial hyp	ercholesterolemia; and
2.2.2 Patient has been compliant for at least two	months with maximun	n dose sta	tin thera	by; and
2.2.3 LDL cholesterol \geq 5 mmol/litre (see note);	and			
2.2.4 LDL cholesterol \geq 5 mmol/litre (at least 1 v	veek after test 1 - see	note).		
Note: Two lipid tests are required to assess LDL cholesterol leve			e week a	part, and be carried out in
a fasted state (other than for patients with IDDM). The results for	LDL cholesterol levels	s in both te	ests must	be above those specified.
Renewal only from a relevant specialist. Approvals valid for 2 ye				
Both:		-		-
1 The treatment remains appropriate and the patient is ber	nefiting from treatment	; and		
2 Either:				
2.1 ezetimibe is to be used in combination with simva	statin; or			
2.2 ezetimibe is to be used without a statin.				
EZETIMIBE WITH SIMVASTATIN - Special Authority see SA08	326 below – Retail pha	armacy		
Tab 10 mg with simvastatin 10 mg		30	🖌 V	ytorin
Tab 10 mg with simvastatin 20 mg	75.00	30	🖌 V	ytorin
Tab 10 mg with simvastatin 40 mg		30	🖌 V	ytorin
Tab 10 mg with simvastatin 80 mg		30	🖌 V	ytorin
SA0826 Special Authority for Subsidy				
Initial application only from a relevant specialist. Approvals va	lid for 2 years for appli	cations m	eeting th	e following criteria:
Either:	, ,,		0	U U
1 All of the following:				
1.1 Patient has a calculated absolute risk of cardiovas	scular disease >20% o	over 5 year	rs; and	
1.2 Patient cannot tolerate statin therapy at a dose of	\geq 40 mg per day; and	d		
1.3 Either:				
1.3.1 All of the following:				
1.3.1.1 Patient has venous CABG; and				
1.3.1.2 LDL cholesterol \ge 2.0 mmol/litre (se	e note); and			
1.3.1.3 LDL cholesterol \ge 2.0 mmol/litre (at	least 1 week after test	t 1 – see r	note); or	
1.3.2 All of the following:				
1.3.2.1 Patient does not have venous CABC	a; and			
1.3.2.2 LDL cholesterol \ge 2.5 mmol/litre (se	e note); and			
1.3.2.3 LDL cholesterol \geq 2.5 mmol/litre (at	least 1 week after test	t 1 – see r	note); or	
2 All of the following:				
2.1 Patient has homozygous familial hypercholesterol	emia, or heterozygous	s familial h	yperchol	esterolemia; and
2.2 Patient has been compliant for at least two month	s with maximum dose	statin ther	rapy; and	
2.3 LDL cholesterol \geq 5 mmol/litre (see note); and				
2.4 LDL cholesterol \geq 5 mmol/litre (at least 1 week af	,			
Note: Two lipid tests are required to assess LDL cholesterol leve				
a fasted state (other than for patients with IDDM). The results for		e in hoth ta	ests must	he shove those specified
Renewal only from a relevant specialist. Approvals valid for 2 benefiting from treatment.				

	Subsidy (Manufacturer's Price \$) Per	Fully Subsidised	Brand or Generic Manufacturer
Alpha Adrenoceptor Blockers				
DOXAZOSIN MESYLATE				
* Tab 2 mg		500	V <u>I</u>	Apo-Doxazosin
* Tab 4 mg		500	V <u>I</u>	Apo-Doxazosin
PHENOXYBENZAMINE HYDROCHLORIDE				
* Cap 10 mg	7.82	30	V [Dibenyline S29
PHENTOLAMINE MESYLATE				-
* Inj 10 mg per ml, 1 ml		5		
· · · j · · · · j F · · · · j	(31.65)	-	F	Regitine
PRAZOSIN HYDROCHLORIDE	()			0
* Tab 1 mg	5.53	100	v 1	Apo-Prazo
* Tab 2 mg		100	-	Apo-Prazo
* Tab 5 mg		100		Apo-Prazo
TERAZOSIN HYDROCHLORIDE				
* Tab 1 mg	2.50	28	~	Apo-Terazosin
* Tab 7 \times 1 mg and 7 \times 2 mg		14 OP		lytrin Starter Pack
* Tab 2 mg		500		Apo-Terazosin
č	1.48	28		•
	(4.66)		F	Hytrin
* Tab 5 mg		500	V	Apo-Terazosin
	1.91	28		
	(5.60)		F	lytrin
(Hytrin Tab 2 mg to be delisted 1 October 2009)				

(Hytrin Tab 5 mg to be delisted 1 October 2009)

Agents Affecting the Renin-Angiotensin System

Perindopril and trandolapril will be funded to the level of the ex-manufacturer price listed in the Schedule for patients who were taking these ACE inhibitors for the treatment of congestive heart failure prior to 1 June 1998. The prescription must be endorsed accordingly. We recommend that the words used to indicate eligibility are "certified condition" or an appropriate description of the patient such as "congestive heart failure", "CHF", "congestive cardiac failure" or "CCF". **Definition of Congestive Heart Failure** At the request of some prescribers the PTAC Cardiovascular subcommittee has provided a definition of congestive heart failure for the purposes of the funding of the manufacturer's surcharge: "Clinicians should use their clinical judgement. Existing patients would be eligible for the funding of the surcharge if the patient shows signs and symptoms of congestive heart failure, and requires or has in the past required concomitant treatment with a diuretic. The definition could also be considered to include patients post myocardial infarction with an ejection fraction of less than 40%."

ACE Inhibitors

CAPTOPRIL * Tab 12.5 mg	500 500 500 95 ml OP	 <u>Apo-Captopril</u> <u>Apo-Captopril</u> <u>Apo-Captopril</u> <u>Apo-Captopril</u> Capoten
CILAZAPRIL		
* Tab 0.5 mg2.20	30	Inhibace
* Tab 2.5 mg4.10	28	Inhibace
* Tab 5 mg6.01	28	 Inhibace

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Cubaidu		F ().	. Drand ar
	Subsidy (Manufacturer's Price)		Fully Subsidised	
	(Inidifulaciulei SiFfice)	Per		
ENALAPRIL				
* Tab 5 mg		90		<u>m-Enalapril</u>
* Tab 10 mg		90		<u>m-Enalapril</u>
* Tab 20 mg		90	V	<u>m-Enalapril</u>
LISINOPRIL				
* Tab 5 mg	2.78	30	~	Arrow-Lisinopril
* Tab 10 mg	3.16	30		Arrow-Lisinopril
* Tab 20 mg	3.91	30	~	Arrow-Lisinopril
PERINDOPRIL				
* Tab 2 mg - Higher subsidy of \$18.50 per 30 with Endorseme	nt3.00	30		
	(18.50)			Coversyl
* Tab 4 mg - Higher subsidy of \$25.00 per 30 with Endorseme	()	30		,
	(25.00)			Coversyl
QUINAPRIL	()			
* Tab 5 mg	1.60	30	~	Accupril
* Tab 10 mg		30		Accupril
* Tab 20 mg		30		Accupril
5	2100		•	
TRANDOLAPRIL	nt 0.06	00		
* Cap 1 mg – Higher subsidy of \$18.67 per 28 with Endorseme	(28		Conton
* Cap 2 mg - Higher subsidy of \$27.00 per 28 with Endorseme	(18.67)	28		Gopten
* Cap 2 mg – Higher subsidy of \$27.00 per 28 with Endorseme	(27.00)	20		Gopten
	(27.00)			Copien
ACE Inhibitors with Diuretics				
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE				
	6.20	28		Inhibace Plus
* Tab 5 mg with hydrochlorothiazide 12.5 mg		20	v	Innibace Plus
ENALAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 20 mg with hydrochlorothiazide 12.5 mg		30		
	(8.70)			Co-Renitec
QUINAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 10 mg with hydrochlorothiazide 12.5 mg		30	~	Accuretic 10
* Tab 20 mg with hydrochlorothiazide 12.5 mg	4.57	30	~	Accuretic 20
Angiotension II Antagonists				
Angiotension il Antagonisto				
CANDESARTAN - Special Authority see SA0933 below - Retail	oharmacy			
* Tab 4 mg - No more than 1.5 tab per day		30	~	Atacand
* Tab 8 mg - No more than 1.5 tab per day		30	~	Atacand
* Tab 16 mg - No more than 1 tab per day	23.54	30	~	Atacand
* Tab 32 mg - No more than 1 tab per day		30	~	Atacand

SA0933 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

50

1 Both:

- 1.1 Patient with congestive heart failure; and
- 1.2 Either:

continued...

	Subsidy	Fully	Brand or
(Man	ufacturer's Price)	Subsidised	Generic
	\$ Per	r 🖌	Manufacturer

continued...

- 1.2.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
- 1.2.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years; or
- 2 All of the following:
 - 2.1 Patient with raised blood pressure; and
 - 2.2 Use of fully funded beta blockers or diuretics are contraindicated; or not well tolerated; or insufficient to control blood pressure adequately at appropriate doses; and
 - 2.3 Either:
 - 2.3.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
 - 2.3.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years.

LOSARTAN - Special Authority see SA0911 below - Retail pharmacy

*	Tab 12.5 mg	30	Cozaar
*	Tab 25 mg	30	Cozaar
*	Tab 50 mg23.10	30	Cozaar
	Tab 50 mg with hydrochlorothiazide 12.5 mg	30	🖌 Hyzaar
*	Tab 100 mg	30	Cozaar

➡SA0911 Special Authority for Subsidy

Initial application — (ACE inhibitor intolerance) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has persistent ACE inhibitor induced cough that is not resolved by ACE inhibitor retrial (same or new ACE inhibitor); or
- 2 Patient has a history of angioedema.

Initial application — (Unsatisfactory response to ACE inhibitor) from any relevant practitioner. Approvals valid without further renewal unless notified where patient is not adequately controlled on maximum tolerated dose of an ACE inhibitor.

Initial application — (Patient had an approval for Losartan with hydrochlorothiazide prior to 1 May 2008) from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Antiarrhythmics

For lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaesthetics, Local, page 106

AMIODARONE HYDROCHLORIDE

▲ Tab 100 mg - Retail pharmacy-Specialist	8.65		' Aratac ' Cordarone-X
▲ Tab 200 mg - Retail pharmacy-Specialist	0.52	30	' Aratac ' Cordarone-X
Inj 50 mg per ml, 3 ml – Up to 5 inj available on a PSO6	0.84	•	Cordarone-X
DIGOXIN			
* Tab 62.5 µg – Up to 30 tab available on a PSO	6.94	250 🖌	' Lanoxin PG
* Tab 250 µg – Up to 30 tab available on a PSO	5.13	250 🖌	' Lanoxin
*‡ Oral liq 50 μg per ml1	6.60 6	0 ml 🖌	' Lanoxin
DISOPYRAMIDE PHOSPHATE			
▲ Cap 100 mg	5.00	100	
	3.87)		Rythmodan
▲ Cap 150 mg	/	100	' Rythmodan

	Subsidy (Manufacturer's Price \$) Per	Fully Brand or Subsidised Generic r ✔ Manufacturer
FLECAINIDE ACETATE – Retail pharmacy-Specialist			
▲ Tab 50 mg		60	Tambocor
▲ Tab 100 mg	75.63	60	Tambocor
Cap long-acting 100 mg		30	Tambocor CR
Cap long-acting 200 mg	75.63	30	Tambocor CR
Inj 10 mg per ml, 15 ml		5	 Tambocor
IEXILETINE HYDROCHLORIDE			
Cap 50 mg	23.52	100	Mexitil
Cap 200 mg	55.05	100	Mexitil
PROPAFENONE HYDROCHLORIDE – Retail pharmacy	r-Specialist		
▲ Tab 150 mg		50	Rytmonorm
Antihypotensives			
	and the large state of the IDO		
MIDODRINE – Special Authority see SA0934 below – H		100	Cuture .
Tab 2.5 mg		100	
Tab 5 mg		100	Gutron
SA0934 Special Authority for Subsidy nitial application from any relevant practitioner. Approv	als valid for 2 vears for applic	ations	s meeting the following criteria:
All of the following:		anono	
1 Disabling orthostatic hypotension not due to drugs	and		
2 Patient has tried fludrocortisone (unless contra-inc		esults;	and
3 Patient has tried non pharmacological treatments			
head and trunk at night.			
Notes: Treatment should be started with small doses and	I titrated upwards as necessa	ıry.	
Hypertension should be avoided, and the usual target is			
Renewal from any relevant practitioner. Approvals valid	I for 2 years where the treat	ment r	remains appropriate and the patient
enefiting from treatment.			
Beta Adrenoceptor Blockers			
CEBUTOLOL			
* Cap 100 mg	9.50	100	🖌 ACB
Cap 200 mg	15.94	100	V ACB
ATENOLOL			
k Tab 50 mg	0.39	30	Voten S29
· · · · · · · · · · · · · · · · · · ·	6.50	500	
⊱ Tab 100 mg	11.30	500	Pacific Atenolol
CARVEDILOL			
Tab 6.25 mg		30	Dilatrend
Tab 12.5 mg		30	✓ Dilatrend
Tab 25 mg		30	✓ Dilatrend
ů –			
	10.00	400	

* Tab 200 mg 19.00 180 🗸 Celol

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Generic
LABETALOL				
* Tab 50 mg	8.66	100	1	Hybloc
* Tab 100 mg		100	V I	Hybloc
* Tab 200 mg		100	1	Hybloc
* Tab 400 mg		100	V I	Hybloc
* Inj 5 mg per ml, 5 ml	14.77	5		
	(22.15)		-	Trandate S29
* Inj 5 mg per ml, 20 ml		5		
	(88.60)		-	Trandate
(Trandate s29 Inj 5 mg per ml, 5 ml to be delisted 1 September 2	009)			

METOPROLOL SUCCINATE

Additional subsidy by endorsement for Betaloc CR is available for patients who:

1) were being prescribed metoprolol succinate prior to 1 October 2007; or

2) have experienced a myocardial infarction; or

3) have experienced heart failure and are either intolerant of carvedilol or it is contra-indicated.

Pharmacists may annotate prescriptions for patients who were being prescribed metoprolol succinate prior to 1 October 2007 in which case the prescription is deemed to be endorsed. The pharmacist must be able to show a clear documented dispensing history for the patient. The prescription must be endorsed accordingly.

*	Tab long-acting 23.75 mg – Higher subsidy of up to \$6.20 per			
	30 with Endorsement	2.73	30	Metoprolol - AFT CR
		5.20		•
		(6.20)		Betaloc CR
*	Tab long-acting 47.5 mg - Higher subsidy of up to \$7.80 per	()		
	30 with Endorsement	3.41	30	Metoprolol - AFT CR
		6.50	00	
		(7.80)		Betaloc CR
	Tables a stine of sea . Water a bride of on to \$10.00 and	(7.00)		Detailoc Ch
*	Tab long-acting 95 mg – Higher subsidy of up to \$13.20 per	5.00	00	
	30 with Endorsement		30	Metoprolol - AFT CR
		11.20		
		(13.20)		Betaloc CR
*	Tab long-acting 190 mg – Higher subsidy of up to \$21.00 per			
	30 with Endorsement	10.63	30	Metoprolol - AFT CR
		20.25		
		(21.00)		Betaloc CR
ME	TOPROLOL TARTRATE			
*	Tab 50 mg	16 50	100	Lopresor
*	Tab 100 mg		60	✓ Lopressor
*	Tab long-acting 200 mg		28	✓ Slow-Lopressor
~ *			5	
*	Inj 1 mg per ml 5 ml	(34.00)	5	Betaloc
		(34.00)		Detailoc
NA	DOLOL			
*	Tab 40 mg	14.97	100	Apo-Nadolol
*	Tab 80 mg	22.19	100	Apo-Nadolol
PIN	IDOLOL			
*	Tab 5 mg	4 50	100	Pindol
*	Tab 10 mg		100	✓ Pindol
~ *	Tab 15 mg		100	✓ Pindol
*	1au 13 mg	12.00	100	♥ FINGO

	Subsidy		Fully	
	(Manufacturer's Price) \$	Per	Subsidised ✓	I Generic Manufacturer
ROPBANOLOL				
* Tab 10 mg		100	~	Cardinol
* Tab 40 mg		100		Cardinol
* Cap long-acting 160 mg		100	~	Cardinol LA
SOTALOL				
* Tab 80 mg		500	v 1	Pacific
* Tab 160 mg		100	V 1	Pacific
Inj 10 mg per ml, 4 ml	41.34	5	~	Sotacor
TIMOLOL MALEATE				
* Tab 10 mg		100	~	Apo-Timol
Calcium Channel Blockers			-	* · · · · ·
Dihydropyridine Calcium Channel Blockers (E				
	7.00	100		
* Tab 5 mg		100		Apo-Amlodipine
* Tab 10 mg		100		Apo-Amlodipine
FELODIPINE				
* Tab long-acting 2.5 mg - No more than 1 tab per day		30		Plendil ER
* Tab long-acting 5 mg		90		Felo 5 ER
* Tab long-acting 10 mg		90	V	Felo 10 ER
SRADIPINE				
Cap long-acting 2.5 mg		30		Dynacirc-SRO
Cap long-acting 5 mg	7.85	30	V	Dynacirc-SRO
NIFEDIPINE				
* Tab long-acting 10 mg	17.72	60		Adalat 10
* Tab long-acting 20 mg		100	-	Nyefax Retard
* Tab long-acting 30 mg	10.70	30		Adefin XL
				Arrow-Nifedipine XR
	5.50			
* Tab long acting 60 mg	(19.90)	20		Adalat Oros
* Tab long-acting 60 mg	15.35	30		Adefin XL Arrow-Nifedipine XR
	8.00		•	
	(29.50)			Adalat Oros
Other Calcium Channel Blockers	()		,	
* Tab 30 mg	4 60	100		Dilzem
* Tab 60 mg		100		Dilzem
 Cap long-acting 120 mg (once per day) 		30		Cardizem CD
* Cap long-acting 180 mg		30	-	Cardizem CD
 Cap long-acting 240 mg 		30	-	Cardizem CD
PERHEXILINE MALEATE - Special Authority see SA0256 on			-	
* Tab 100 mg	1 0 1	100		Pexsig
		100	* <u>-</u>	- whole

	Subsidy (Manufacturer's Pr \$	ice) Sul Per	osidised Ge	and or eneric anufacturer
SA0256 Special Authority for Subsidy				
nitial application only from a cardiologist or general physician	Approvals valid for	or 2 years for	applications	meeting the following
riteria:				
3oth: 1 Refractory angina; and				
2 Patient is already on maximal anti-anginal therapy.				
Renewal only from a cardiologist or general physician. Approvation of the patient is benefiting from treatment.	als valid for 2 years	s where the t	reatment rer	mains appropriate and
/ERAPAMIL HYDROCHLORIDE				
₭ Tab 40 mg		100	 Isopt 	
₭ Tab 80 mg		100	 Isopt 	
* Tab long-acting 120 mg		250	Verpa	
✤ Tab long-acting 240 mg ✤ Inj 2.5 mg per ml, 2 ml – Up to 5 inj available on a PSO		250 5	 Verpa Isopt 	
		5	• ISOPI	
Centrally Acting Agents				
CLONIDINE				
✤ TDDS 2.5 mg, 100 µg per day – Only on a prescription		4		pres-TTS-1
✤ TDDS 5 mg, 200 µg per day – Only on a prescription		4		pres-TTS-2
* TDDS 7.5 mg, 300 μg per day – Only on a prescription		4		ores-TTS-3
	~~~~	100		
★ Tab 150 μg		100 5	<ul> <li>Catap</li> <li>Catap</li> </ul>	
₭ Inj 150 µg per ml, 1 ml	14.00	5		Jies
//ETHYLDOPA ₭ Tab 125 mg	12.00	100	✓ Prode	ana
★ Tab 125 mg		100	✓ Prode	
₭ Tab 500 mg		100	✓ Prode	
Diuretics				
Loop Diuretics				
BUMETANIDE				
₭ Tab 1 mg		100	<ul> <li>Burin</li> </ul>	
k Inj 500 μg per ml, 4 ml	7.95	5	🖌 Burin	ex
UROSEMIDE				
₭ Tab 40 mg – Up to 30 tab available on a PSO		1,000	<ul> <li>Diurii</li> </ul>	
₭ Tab 500 mg		100	<ul> <li>Diurii</li> </ul>	
★‡ Oral liq 10 mg per ml		30 ml OP 5	<ul> <li>Lasix</li> <li>Lasix</li> </ul>	
<ul> <li>Infusion 10 mg per ml, 25 ml</li> <li>Inj 10 mg per ml, 2 ml</li> <li>Up to 5 inj available on a PSO</li> </ul>		5	Mayn	
Potassium Sparing Diuretics		50	• Mayn	
AMILORIDE : Oral liq 1 mg per ml	26 20	25 ml OP	🖌 Biom	ed
		20 111 01	♥ Diom	u a
SPIRONOLACTONE * Tab 25 mg	9 50	100	🖌 Spiro	tone
₭ Tab 25 mg ₭ Tab 100 mg		100	Spiro	
Oral lig 5 mg per ml		25 ml OP	✓ Spiro	

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or osidised Generic ✓ Manufacturer
Potassium Sparing Combination Diuretics			
AMILORIDE WITH FRUSEMIDE			
* Tab 5 mg with frusemide 40 mg	4.67 (8.63)	28	Frumil
AMILORIDE WITH HYDROCHLOROTHIAZIDE	40.00	500	<i>.</i>
Tab 5 mg with hydrochlorothiazide 50 mg	13.00	500	Amizide
RIAMTERENE WITH HYDROCHLOROTHIAZIDE ₭ Tab 50 mg with hydrochlorothiazide 25 mg	5.00	100	<ul> <li>Triamizide</li> </ul>
Thiazide and Related Diuretics			
BENDROFLUAZIDE			
Tab 2.5 mg – Up to 150 tab available on a PSO May be supplied on a PSO for reasons other than emerged		500	✓ Neo-Naclex
* Tab 5 mg	21.50	500	Neo-Naclex
CHLOROTHIAZIDE : Oral liq 50 mg per ml	22.60	25 ml OP	✓ Biomed
CHLORTHALIDONE ₭ Tab 25 mg	8 00	50	✓ Hygroton
NDAPAMIDE			• <u>illigioton</u>
* Tab 2.5 mg	4.00	100	Napamide
Nitrates			
GLYCERYL TRINITRATE			
K Tab 600 μg – Up to 100 tab available on a PSO		100 OP	Lycinate
Oral pump spray 400 µg per dose – Up to 250 dose availab on a PSO		250 dose OP	✓ Nitrolingual
			Pumpspray
<ul> <li>k TDDS 5 mg</li> <li>k TDDS 10 mg</li> </ul>		30 30	<ul> <li>✓ <u>Nitroderm TTS</u></li> <li>✓ Nitroderm TTS</li> </ul>
SOSORBIDE MONONITRATE		00	
k Tab 20 mg		100	🖌 Ismo 20
★ Tab long-acting 40 mg		30	Corangin
k Tab long-acting 60 mg	4.15	90	✓ <u>Duride</u>
Sympathomimetics			
ADRENALINE			
Inj 1 in 1,000, 1 ml – Up to 5 inj available on a PSO	4.98	5	Aspen Adrenaline
· · · · ·	5.25		🖌 Mayne
Inj 1 in 10,000, 10 ml – Up to 5 inj available on a PSO	27.00	5	Mayne
SOPRENALINE HYDROCHLORIDE			
k Inj 200 μg per ml, 1 ml		25	
	(135.00)		Isuprel

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
Vasodilators				
AMYL NITRITE				
* Ampoule, 0.3 ml crushable	62.92 (73.40)	12	I	Baxter
HYDRALAZINE				
* Inj 20 mg per ml, 1 ml	25.90	5	~	Apresoline
OXYPENTIFYLLINE – Hospital pharmacy [HP3]				
Tab 400 mg		50		
	(42.26)			Trental 400
PAPAVERINE HYDROCHLORIDE				
* Inj 12 mg per ml, 10 ml	73.12	5	~	Mayne
Smoking Cessation				
NICOTINE – Only on a Quitcard				
Patch 7 mg		7	~	Habitrol
Patch 14 mg	11.63	7	~	Habitrol
Patch 21 mg		7	~	Habitrol
Lozenge 1 mg	11.08	36	~	Habitrol
Lozenge 2 mg	11.08	36	~	Habitrol
Gum 2 mg (Fruit)	14.97	96	~	Habitrol
	23.41		~	Nicotinell
Gum 2 mg (Mint)	14.97	96	~	Habitrol
	23.41		~	Nicotinell
Gum 4 mg (Fruit)	20.02	96	~	Habitrol
	23.41		•	Nicotinell
Gum 4 mg (Mint)		96	~	Habitrol
	23.41		~	Nicotinell

	<u> </u>			
	Subsidy (Manufacturer's F	Price) Sub	Fully Brand sidised Generi	
	\$	Per	<ul> <li>Manufa</li> </ul>	
Antiacne Preparations				
For systemic antibacterials, refer to INFECTIONS, Antibacterials,	page 84			
ISOTRETINOIN - Special Authority see SA0955 below - Retail				
Cap 10 mg		100	✓ Isotane 1	
Cap 20 mg		100	Isotane 2	<u>:0</u>
► SA0955 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid	for 1 year for an	lications meet	ing the following	n criteria:
All of the following:	for i year for app			g ontona.
1 Patient has had an adequate trial on other available treatm and	ents and has faile	ed these treatment	nents or these a	re contraindicated;
2 Applicant is a vocationally registered dermatologist, vocation in a relevant scope of practice; and	onally registered	general practiti	oner, or nurse p	ractitioner working
3 Applicant has an up to date knowledge of the treatment op and is competent to prescribe isotretinoin; and	tions for acne and	d is aware of th	e safety issues	around isotretinoin
4 Either:	a da mata na da sub a sub			the terms of dealers
<ul> <li>4.1 Patient is female and has been counselled and up pregnancy and the applicant has ensured that the p ment of the treatment and that the patient is inform period of one month after the completion of the treat</li> <li>4.2 Patient is male.</li> </ul>	ossibility of pregr ed that she must	nancy has beer	n excluded prior	to the commence-
Note: Applicants are recommended to either have used or be far sional body.	niliar with using a	decision supp	ort tool accredit	ed by their profes-
Renewal from any relevant practitioner. Approvals valid for 1 yea	r for applications	meeting the fo	llowing criteria:	
All of the following:				
<ol> <li>Patient has had an adequate trial on other available treatm and</li> </ol>	ients and has faile	ed these treatm	ients or these a	re contraindicated;
<ol> <li>Applicant is a vocationally registered dermatologist, vocati in a relevant scope of practice; and</li> </ol>	onally registered	general practiti	oner, or nurse p	ractitioner working
3 Applicant has an up to date knowledge of the treatment op and is competent to prescribe isotretinoin; and	tions for acne and	d is aware of th	e safety issues	around isotretinoin
<ul> <li>4 Either:</li> <li>4.1 Patient is female and has been counselled and un</li> </ul>	adarstands tha ri	ck of toratogo	nicity if icotrotin	oin is used during
pregnancy and the applicant has ensured that the p				
ment of the treatment and that the patient is inform period of one month after the completion of the treat	ed that she must			
4.2 Patient is male.				
Note: Applicants are recommended to either have used or be far sional body.	niliar with using a	decision supp	ort tool accredit	ed by their profes-
Antibacterials Topical				
For systemic antibacterials, refer to INFECTIONS, Antibacterials,	page 84			
FUSIDIC ACID Crm 2 %	2.05	15 g OP	• Fohan	
a) Maximum of 15 g per prescription		15 g OP	Foban	
b) Only on a prescription				
c) Not in combination			<b>4 •</b> •	
Oint 2 %a) Maximum of 15 g per prescription		15 g OP	Foban	
b) Only on a prescription				
c) Not in combination				

	Subsidy (Manufacturer's I	Price) Sub	Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
HYDROGEN PEROXIDE			
* Crm 1%	8.56	10 g OP	Crystacide
MUPIROCIN			
Oint 2%	6.60	15 g OP	
	(9.26)		Bactroban
<ul><li>a) Only on a prescription</li><li>b) Not in combination</li></ul>			
,			
SILVER SULPHADIAZINE	15.04	100 a OB	Silvazine
Crm 1% with chlorhexidine digluconate 0.2% a) Up to 500 g available on a PSO	15.04	100 g OP	V Silvazine
b) Not in combination			
Antifungals Topical			
For systemic antifungals, refer to INFECTIONS, Antifungals, pa	age 88		
AMOROLFINE			
a) Only on a prescription			
b) Not in combination	07.00		
Nail soln 5%		5 ml OP	Loopul
	(61.87)		Loceryl
CICLOPIROXOLAMINE			
a) Only on a prescription			
b) Not in combination Crm 1%	1.00	20 g OP	
	(12.82)	20 9 01	Batrafen
Nail soln 8%		3.5 ml OP	✓ Batrafen
Soln 1%	4.36	20 ml OP	
	(11.54)		Batrafen
CLOTRIMAZOLE			
* Crm 1%	0.50	20 g OP	✓ Clomazol
a) Only on a prescription			
b) Not in combination	4.00		
* Soln 1%		20 ml OP	Canesten
a) Only on a prescription	(7.55)		Callesterr
b) Not in combination			
ECONAZOLE NITRATE			
Crm 1%		20 g OP	
-	(6.50)	5	Pevaryl
a) Only on a prescription	, , , , , , , , , , , , , , , , , , ,		
b) Not in combination			
Foaming soln 1%, 10 ml sachets		3	
a) Only on a pressription	(15.66)		Pevaryl
a) Only on a prescription b) Not in combination			
KETOCONAZOLE			
Crm 2%	1.00	15 g OP	
VIII 2 /0	(9.50)	15 y OP	Nizoral
a) Only on a prescription	(0.00)		THEORY
b) Not in combination			
b) Not in combination			

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's \$	Price) Su Per	Fully Brand or bsidised Generic Manufacturer
MICONAZOLE NITRATE			
* Crm 2%	0.42	15 g OP	✓ <u>Multichem</u>
a) Only on a prescription			
b) Not in combination	4.00	00	
* Lotn 2%		30 ml OP	Daktarin
a) Only on a prescription	(10.03)		Daklah
b) Not in combination			
* Tinct 2%	4.36	30 ml OP	
	(12.10)		Daktarin
a) Only on a prescription			
b) Not in combination			
NYSTATIN			
Crm 100,000 u per g	1.00	15 g OP	
	(5.10)		Mycostatin
a) Only on a prescription			
b) Not in combination			
Antipruritic Preparations			
CALAMINE			
a) Only on a prescription			
b) Not in combination			
Crm, aqueous, BP		100 ml	✓ <u>ABM</u>
Lotn, BP	19.44	2,000 ml	✓ <u>ABM</u>
CROTAMITON			
a) Only on a prescription			
b) Not in combination	4.00		
Crm 10%	· · · · ·	20 g OP	Furey
Lotn 10%	(4.45)	50 ml	Eurax
LOUI 1076	(7.70)	50 111	Eurax
(Eurax Lotn 10% to be delisted 1 July 2009)	(1.10)		Luiun
MENTHOL – Only in combination			
Only in combination with aqueous cream, 10% urea crear	n. wool fat with mine	eral oil lotion. 1	% hydrocortisone with wool fat a
mineral oil lotion, and glycerol, paraffin and cetyl alcohol l			,,
Crystals		25 g	🖌 PSM
-	29.60	100 g	MidWest

ATED AGEN (6.91) 8.97 (18.36) (13.83) (13.83) (6.51) 8.97 (17.11)	NTS, page 75 15 g OP 50 g OP 30 g OP 15 g OP	Diprosone Diprosone Diprosone OV
2.96 (6.91) 8.97 (18.36) 4.33 (13.83) 2.96 (6.51) 8.97	15 g OP 50 g OP 30 g OP	Diprosone
(6.91) 8.97 (18.36) 4.33 (13.83) 2.96 (6.51) 8.97	50 g OP 30 g OP	Diprosone
(6.91) 8.97 (18.36) 4.33 (13.83) 2.96 (6.51) 8.97	50 g OP 30 g OP	Diprosone
(6.91) 8.97 (18.36) 4.33 (13.83) 2.96 (6.51) 8.97	50 g OP 30 g OP	Diprosone
8.97 (18.36) 4.33 (13.83) 2.96 (6.51) 8.97	30 g OP	Diprosone
(18.36) 4.33 (13.83) 2.96 (6.51) 8.97	30 g OP	·
4.33 (13.83) 2.96 (6.51) 8.97	0	·
(13.83) 2.96 (6.51) 8.97	0	Diprosone OV
2.96 (6.51) 8.97	15 g OP	Diprosone OV
(6.51) 8.97	15 g OP	
8.97		5.
		Diprosone
(17.11)	50 g OP	Diamagna
4.00	20 ~ OD	Diprosone
4.33	30 g OP	Diprocono OV
(13.83)		Diprosone OV
2.00	50 g OP	Beta Cream
	50 g OP	<ul> <li>Beta Ointment</li> </ul>
10.05	50 ml OP	<ul> <li>Betnovate</li> </ul>
2.35	30 g OP	✓ <u>Dermol</u>
1.60	30 g OP	Dermol
5.38	30 a OP	
		Eumovate
```	100 a OP	
(22.00)	0	Eumovate
,		
8 97	50 a OP	
	50 g 01	Nerisone
	50 a OP	
		Nerisone
(		
0.44	100 a	1 I ampia Eatty Cream
2.44	100 g	<ul> <li>Lemnis Fatty Cream</li> <li>HC</li> </ul>
10.00	500 a	r PSM
		<ul> <li>✓ <u>PSM</u></li> <li>✓ Hydrocortisone</li> </ul>
	20 Y	ABM
07.04		ADIVI
-	2.20 10.05 2.35 1.60 5.38 (7.09) 16.13 (22.00) 16.13 (22.00) 8.97 (15.23) 8.97 (15.23) 2.44 12.20 33.00 37.64	10.05       50 mi OP

galenicals. Refer, page 160

Lipocream 0.1%       5.00       30 g OP       ✓ Locoid Lipocream         0int 0.1%       15.00       100 g OP       ✓ Locoid Lipocream         Milky emul 0.1%       15.00       100 g OP       ✓ Locoid Crelo         HYDROCORTISONE WITH WOOL FAT AND MINERAL OIL       Lotn 1% with wool fat hydrous 3% and mineral oil – Only on a prescription       9.95       250 ml       ✓ DP Lotn HC         WETHYLPREDNISOLONE ACEPONATE       4.95       15 g OP       ✓ Advantan         Crm 0.1%       10.82       45 g OP       ✓ Elocon         MOMETASONE FUROATE       10.82       45 g OP       ✓ Elocon         Crm 0.1%       10.82       45 g OP       ✓ Elocon         Oint 0.1%       10.82       45 g OP       ✓ Elocon         Oint 0.1%       6.63       100 g OP       ✓ Advantan         MOMETASONE FUROATE       0 on OP       ✓ Elocon       ✓ Elocon         Crm 0.1%       10.82       45 g OP       ✓ Elocon         Oint 0.1%       6.63       100 g OP       ✓ Aristocort         Corticosteroids - Combination       3.49       15 g OP       ✓ Aristocort         Oint 0.1% with clioquinol 3%       3.49       15 g OP       ✓ Aristocort         Oint 0.1% with clioquinol 3%       3.49       15 g OP				
\$       Per       ✓ Manufacturer         HYDROCORTISONE BUTYRATE       5.00       30 g OP       ✓ Locoid Lipocream         Lipocream 0.1%       15.00       100 g OP       ✓ Locoid Lipocream         Milky emul 0.1%       15.00       100 g OP       ✓ Locoid Crelo         Milky emul 0.1%       15.00       100 g OP       ✓ Locoid Crelo         HYDROCORTISONE WITH WOOL FAT AND MINERAL OIL       Lotn 1% with wool fat hydrous 3% and mineral oil – Only on a prescription       9.95       250 ml       ✓ DP Lotn HC         METHYLPREDNOLONE ACCEPONATE       4.95       15 g OP       ✓ Advantan         Cm 0.1%       0.84       56 g OP       ✓ Elocon         Oint 0.1%       0.82       45 g OP       ✓ Elocon         Crm 0.2%       6.83       100 g OP       ✓ Aristocort         Oint 0.2%       6.83       100 g OP       ✓ Aristocort         Corticosteroids - Combination       (4.90)       Betnovate-C         BETAMETHASONE VALERATE WITH CLIOQUINOL – Only on a prescription       Cm 0.1% with clioquinol 3%       3.49       15 g OP </td <td></td> <td></td> <td></td> <td></td>				
HYDROCORTISONE BUTYRATE       5.00       30 g OP       ✓ Locoid Lipocream         Lipocream 0.1%       15.00       100 g OP       ✓ Locoid Lipocream         Oint 0.1%       5.00       30 mi OP       ✓ Locoid Cipocream         Milky emul 0.1%       5.00       30 mi OP       ✓ Locoid Crelo         HYDROCORTISONE WITH WOOL FAT AND MINERAL OIL       15.00       100 mi OP       ✓ Locoid Crelo         HYDROCORTISONE WITH WOOL FAT AND MINERAL OIL       0.11 mi % with wool fat hydrous 3% and mineral oil – Only on a prescription.       9.95       250 mi       ✓ DP Lotn HC         WETHYLPREDNISOLONE ACEPONATE				
Lipocream 0.1%		Ψ	1.61	• Manalacturer
15.00       100 g OP	HYDROCORTISONE BUTYRATE			
Oint 0.1%       15.00       100 g OP       ✓ Locoid Crelo         Milky emul 0.1%       5.00       30 mi OP       ✓ Locoid Crelo         HYDROCORTISONE WITH WOOL FAT AND MINERAL OIL       100 mi OP       ✓ Locoid Crelo         Loth 1% with wool fat hydrous 3% and mineral oil – Only on a prescription.       9.95       250 ml       ✓ DP Lotn HC         WETHYLPREDNISOLONE ACEPONATE       4.95       15 g OP       ✓ Advantan         Oint 0.1%       4.95       15 g OP       ✓ Elocon         Oint 0.1%       4.95       15 g OP       ✓ Elocon         Oint 0.1%       3.96       15 g OP       ✓ Elocon         Oint 0.1%       3.96       15 g OP       ✓ Elocon         Oint 0.1%       3.96       15 g OP       ✓ Elocon         Crm 0.1%       10.82       45 g OP       ✓ Elocon         Corn 0.2%       6.63       100 g OP       ✓ Elocon         Crm 0.2%       6.63       100 g OP       ✓ Aristocort         Oint 0.2%       6.63       100 g OP       ✓ Aristocort         Oint 0.2%       3.49       15 g OP       ✓ Aristocort         Crm 0.1% with clioquinol 3%       3.49       15 g OP       ✓ Aristocort         Crm 0.1% with clioquinol 3%       3.49       15 g O	Lipocream 0.1%	5.00	30 g OP	Locoid Lipocream
Milky emul 0.1%       5.00       30 mľ OP       ✓ Locoid Crelo         15.00       100 ml OP       ✓ Locoid Crelo         HYDROCORTISONE WITH WOOL FAT AND MINERAL OLL       100 ml OP       ✓ DP Lotn HC         Lotn 1% with wool fat hydrous 3% and mineral oil – Only on a prescription       9.95       250 ml       ✓ DP Lotn HC         WETHYLPREDNISOLONE ACEPONATE			100 g OP	Locoid Lipocream
15.00       100 ml OP       ✓ Locoid Crelo         HVDROCORTISONE WITH WOOL FAT AND MINERAL OLL       101 vi with vool fat hydrous 3% and mineral oil – Only on a prescription	Oint 0.1%		100 g OP	Locoid
HYDROCORTISONE WITH WOOL FAT AND MINERAL OIL       Lath 1% with wool fat hydrous 3% and mineral oil − Only on       a prescription	Milky emul 0.1%	5.00	30 ml OP	Locoid Crelo
Lotn 1% with wool fat hydrous 3% and mineral oil – Only on a prescription.       9.95       250 ml       ✓ DP Lotn HC         WETHYLPREDNISOLONE ACEPONATE       4.95       15 g OP       ✓ Advantan         Oint 0.1%       4.95       15 g OP       ✓ Advantan         WOMETASONE FURDATE       3.96       15 g OP       ✓ Elocon         Crm 0.1%       10.82       45 g OP       ✓ Elocon         Oint 0.1%       3.96       15 g OP       ✓ Elocon         Lotn 0.1%       4.80       30 ml OP       ✓ Elocon         Lotn 0.1%       4.80       30 ml OP       ✓ Elocon         Crm 0.02%       6.63       100 g OP       ✓ Aristocort         Corticosteroids - Combination       6.69       100 g OP       ✓ Aristocort         Corticosteroids - Combination       3.49       15 g OP       ✓ Elocon         BetAMETHASONE VALERATE WITH CLIOQUINOL – Only on a prescription       Cm 0.1% with fusidic acid 2%       3.49       15 g OP         Crm 0.1% with fusidic acid 2%       3.49       15 g OP       ✓ Locoid C         Crm 0.1% with fusidic acid 2%       3.49       15 g OP       ✓ Locoid C         (HyDROCORTISONE BUTYRATE WITH CHLORQUINALDOL – Only on a prescription       Fucicort       8.84)       Fucicort         ND on a prescript		15.00	100 ml OP	Locoid Crelo
Lotn 1% with wool fat hydrous 3% and mineral oil – Only on a prescription.       9.95       250 ml       ✓ DP Lotn HC         WETHYLPREDNISOLONE ACEPONATE       4.95       15 g OP       ✓ Advantan         Oint 0.1%       4.95       15 g OP       ✓ Advantan         WOMETASONE FURDATE       3.96       15 g OP       ✓ Elocon         Crm 0.1%       10.82       45 g OP       ✓ Elocon         Oint 0.1%       3.96       15 g OP       ✓ Elocon         Lotn 0.1%       4.80       30 ml OP       ✓ Elocon         Lotn 0.1%       4.80       30 ml OP       ✓ Elocon         Crm 0.02%       6.63       100 g OP       ✓ Aristocort         Corticosteroids - Combination       6.69       100 g OP       ✓ Aristocort         Corticosteroids - Combination       3.49       15 g OP       ✓ Elocon         BetAMETHASONE VALERATE WITH CLIOQUINOL – Only on a prescription       Cm 0.1% with fusidic acid 2%       3.49       15 g OP         Crm 0.1% with fusidic acid 2%       3.49       15 g OP       ✓ Locoid C         Crm 0.1% with fusidic acid 2%       3.49       15 g OP       ✓ Locoid C         (HyDROCORTISONE BUTYRATE WITH CHLORQUINALDOL – Only on a prescription       Fucicort       8.84)       Fucicort         ND on a prescript	HYDROCORTISONE WITH WOOL FAT AND MINERAL OIL			
a prescription				
METHYLPREDNISOLONE ACEPONATE         Cm 0.1%       4.95       15 g OP       ✓ Advantan         Oint 0.1%       4.95       15 g OP       ✓ Advantan         MOMETASONE FUROATE       3.96       15 g OP       ✓ Elocon         Oint 0.1%       10.82       45 g OP       ✓ Elocon         Oint 0.1%       10.82       45 g OP       ✓ Elocon         Lotn 0.1%       10.82       45 g OP       ✓ Elocon         Lotn 0.1%       4.80       30 ml OP       ✓ Elocon         Corricosteroids - Combination       6.63       100 g OP       ✓ Aristocort         Orticosteroids - Combination       3.49       15 g OP       ✓ Elocon         Corricosteroids - Combination       (4.90)       Betnovate-C       Betnovate-C         Dint 0.1% with clioquinol 3%       3.49       15 g OP       ✓ Locoid C         (YDPROCORTISONE VALERATE WITH FUSIDIC ACID       Crm 0.1% with fusidic acid 2%       3.49       15 g OP       ✓ Locoid C         MVDROCORTISONE BUTYRATE WITH CHLORQUINALDOL – Only on a prescription       Betnovate-C       Elocon       Cm 0.1% with nuclonquinaldol 3%       3.49       15 g OP       ✓ Locoid C         MVDROCORTISONE WITH MICONAZOLE – Only on a prescription       S g OP       ✓ Locoid C       HYDROCORTISONE WITH MICONAZOLE – Only on a		9 95	250 ml	V DP Lotn HC
Crm 0.1%4.9515 g OP✓ AdvantanOirt 0.1%4.9515 g OP✓ AdvantanWOMETASONE FUROATE3.9615 g OP✓ EloconCrm 0.1%10.8245 g OP✓ EloconOint 0.1%10.8245 g OP✓ EloconLotn 0.1%4.8030 ml OP✓ EloconTRIAMCINOLONE ACETONIDE6.63100 g OP✓ AristocortCrm 0.02%6.63100 g OP✓ AristocortOint 0.2%6.63100 g OP✓ AristocortOint 0.2%6.63100 g OP✓ AristocortCorticosteroids - Combination3.4915 g OPBETAMETHASONE VALERATE WITH CLIOQUINOL - Only on a prescription Crm 0.1% with cliquinol 3%3.4915 g OPOint 0.1% with cliquinol 3%3.4915 g OP(4.90)Betnovate-CBETAMETHASONE VALERATE WITH FUSIDIC ACID Crm 0.1% with fusicia caid 2%3.4915 g OPCrm 0.1% with fusicia caid 2%3.4915 g OP(4.90)Betnovate-CBETAMETHASONE VALERATE WITH CHLORQUINALDOL - Only on a prescription Crm 0.1% with hirding and enorycin sulphate 0.5%4.4015 g OPYDROCORTISONE WITH MICONAZOLE - Only on a prescription Crm 1% with miconazole nitrate 2%2.2015 g OP* Crm 1% with natamycin 1% and neonycin sulphate 0.5%4.4015 g OP* HYDROCORTISONE WITH MATAMYCIN AND NEOMYCIN - Only on a prescription Crm 1% with natamycin 1% and neonycin sulphate 0.5%4.4015 g OP* T1% with matamycin 1% and neonycin sulphate 0.5%4.4015 g OP✓ Pimafuc			200 111	
Oint 0.1%       4.95       15 g OP       ✓ Advantan         WOMETASONE FUROATE       3.96       15 g OP       ✓ Elocon         Orn 0.1%       10.82       45 g OP       ✓ Elocon         Oint 0.1%       3.96       15 g OP       ✓ Elocon         Lotn 0.1%       3.96       15 g OP       ✓ Elocon         Lotn 0.1%       4.80       30 ml OP       ✓ Elocon         TRIAMCINOLONE ACETONIDE       4.80       30 ml OP       ✓ Elocon         Corn 0.02%       6.63       100 g OP       ✓ Aristocort         Oint 0.2%       6.63       100 g OP       ✓ Aristocort         Oint 0.2%       6.63       100 g OP       ✓ Aristocort         Oint 0.2%       6.63       100 g OP       ✓ Aristocort         Oint 0.1% with clioquinol 3%       3.49       15 g OP       ✓ Aristocort         Oint 0.1% with clioquinol 3%       3.49       15 g OP       ✓ Locoid C         Crm 0.1% with fusicic acid 2%       3.49       15 g OP       ✓ Locoid C         HYDPROCORTISONE VALERATE WITH FUSIDIC ACID       Conly on a prescription       b) Only on a prescription       15 g OP       ✓ Locoid C         HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN – Only on a prescription       2.20       15 g OP       ✓ Locoid C <td></td> <td>4.05</td> <td>45 00</td> <td></td>		4.05	45 00	
MOMETASONE FUROATE       3.96       15 g OP       ✓ Elocon         Crm 0.1%       10.82       45 g OP       ✓ Elocon         Oint 0.1%       3.96       15 g OP       ✓ Elocon         Lotn 0.1%       10.82       45 g OP       ✓ Elocon         TRIAMCINOLONE ACETONIDE       6.63       100 g OP       ✓ Aristocort         Oint 0.02%       6.63       100 g OP       ✓ Aristocort         Oint 0.02%       6.63       100 g OP       ✓ Aristocort         Corticosteroids - Combination       8       900 g OP       ✓ Aristocort         Dint 0.1% with cliquinol 3%       3.49       15 g OP       Ø         Oint 0.1% with cliquinol 3%       3.49       15 g OP       Ø         Oint 0.1% with cliquinol 3%       3.49       15 g OP       Ø         Crm 0.1% with fusicic acid 2%       8.84       15 g OP       Ø         Almaximum of 15 g per prescription       8.84       Fucicort       Ø         A) Maximum of 15 g per prescription       9.49       9 g OP       ✓ Locoid C         HYDROCORTISONE BUTYRATE WITH CHLORQUINALDOL – Only on a prescription       7 g OP       ✓ Locoid C         HYDROCORTISONE WITH MATAMYCIN AND NEOMYCIN – Only on a prescription       7 g OP       ✓ Micreme H         HYD			0	
Crm 0.1%	Oint 0.1%	4.95	15 g OP	Advantan
10.82       45 g OP       ✓ Elocon         Oint 0.1%	MOMETASONE FUROATE			
Oint 0.1%       3.96       15 g OP       ✓ Elocon         Lotn 0.1%       4.80       30 ml OP       ✓ Elocon         TRIAMCINOLONE ACETONIDE       6.63       100 g OP       ✓ Aristocort         Oint 0.02%       6.69       100 g OP       ✓ Aristocort         Corticosteroids - Combination	Crm 0.1%	3.96	15 g OP	Elocon
10.82       45 g OP       ✓ Elocon         Lotn 0.1%       4.80       30 ml OP       ✓ Elocon         TRIAMCINOLONE ACETONIDE       6.63       100 g OP       ✓ Aristocort         Oint 0.02%       6.69       100 g OP       ✓ Aristocort         Corticosteroids - Combination         BETAMETHASONE VALERATE WITH CLIOQUINOL – Only on a prescription Crm 0.1% with clioquinol 3%       3.49       15 g OP         Oint 0.1% with clioquinol 3%       3.49       15 g OP       Betnovate-C         Oint 0.1% with clioquinol 3%       3.49       15 g OP       Maximum of 15 g per prescription         D) Oint 0.1% with clioquinol 3%       3.49       15 g OP       Fucicort         a) Maximum of 15 g per prescription       (8.84)       Fucicort       Fucicort         a) Maximum of 15 g per prescription       0 OInt 0.1% with fusidic acid 2%       3.49       15 g OP       ✓ Locoid C         HYDROCORTISONE BUTYRATE WITH CHLORQUINALDOL – Only on a prescription       The out 1% with micronazole nitrate 2%       2.20       15 g OP       ✓ Micreme H         HYDROCORTISONE WITH MICONAZOLE – Only on a prescription       2.20       15 g OP       ✓ Micreme H         HYDROCORTISONE WITH MICONAZOLE – Only on a prescription       5 g OP       ✓ Pimafucort       ✓ Pimafucort         Oint 1% w		10.82	45 g OP	Elocon
Lotn 0.1%       4.80       30 ml OP       ✓ Elocon         TRIAMCINOLONE ACETONIDE       6.63       100 g OP       ✓ Aristocort         Oint 0.02%       6.63       100 g OP       ✓ Aristocort         Corticosteroids - Combination       6.63       100 g OP       ✓ Aristocort         BETAMETHASONE VALERATE WITH CLIOQUINOL – Only on a prescription Crm 0.1% with cliquinol 3%       3.49       15 g OP         Oint 0.1% with cliquinol 3%       (4.90)       Betnovate-C         BETAMETHASONE VALERATE WITH FUSIDIC ACID       (4.90)       Betnovate-C         Crm 0.1% with fusidic acid 2%       (8.84)       Fucicort         a) Maximum of 15 g per prescription b) Only on a prescription       (8.84)       Fucicort         HYDROCORTISONE BUTYRATE WITH CHLORQUINALDOL – Only on a prescription Crm 0.1% with fuiconazole nitrate 2%       2.20       15 g OP       ✓ Locoid C         HYDROCORTISONE WITH MICONAZOLE – Only on a prescription       2.20       15 g OP       ✓ Micreme H         HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN – Only on a prescription Crm 1% with natamycin 1% and neomycin sulphate 0.5%       4.40       15 g OP       ✓ Pimafucort         TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN MON NYSTATIN Crm 1% with natamycin 1% and neomycin sulphate 0.5%       4.40       15 g OP       ✓ Pimafucort         Crm 1% with nystatin 100,000 u, neomycin sulphate	Oint 0.1%		15 g OP	Elocon
TRIAMCINOLONE ACETONIDE Crm 0.02%		10.82	45 g OP	Elocon
Crm 0.02%       6.63       100 g OP       ✓ Aristocort         Corticosteroids - Combination         BETAMETHASONE VALERATE WITH CLIOQUINOL – Only on a prescription       3.49       15 g OP         Crm 0.1% with clioquinol 3%       (4.90)       Betnovate-C         Oint 0.1% with clioquinol 3%       (4.90)       Betnovate-C         BETAMETHASONE VALERATE WITH FUSIDIC ACID       (4.90)       Betnovate-C         Crm 0.1% with fusidic acid 2%       (8.84)       Fucicort         a) Maximum of 15 g per prescription       (8.84)       Fucicort         b) Only on a prescription       (8.84)       Fucicort         HYDROCORTISONE BUTYRATE WITH CHLORQUINALDOL – Only on a prescription       The coold C         HYDROCORTISONE WITH MICONAZOLE – Only on a prescription       2.20       15 g OP       ✓ Micreme H         HYDROCORTISONE WITH MICONAZOLE – Only on a prescription       4.40       15 g OP       ✓ Pimafucort         * Crm 1% with natamycin 1% and neomycin sulphate 0.5%       4.40       15 g OP       ✓ Pimafucort         TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN       Y Pimafucort       ✓ Pimafucort       Y Pimafucort         Crm 1% with natamycin 1% and neomycin sulphate 0.5%       3.49       15 g OP       ✓ Pimafucort         MITH NATAMYCIN AND NEOMYCIN – Only ON a prescription <t< td=""><td>Lotn 0.1%</td><td>4.80</td><td>30 ml OP</td><td>Elocon</td></t<>	Lotn 0.1%	4.80	30 ml OP	Elocon
Crm 0.02%       6.63       100 g OP       ✓ Aristocort         Corticosteroids - Combination         BETAMETHASONE VALERATE WITH CLIOQUINOL – Only on a prescription       3.49       15 g OP         Crm 0.1% with clioquinol 3%       (4.90)       Betnovate-C         Oint 0.1% with clioquinol 3%       (4.90)       Betnovate-C         BETAMETHASONE VALERATE WITH FUSIDIC ACID       (4.90)       Betnovate-C         Crm 0.1% with fusidic acid 2%       (8.84)       Fucicort         a) Maximum of 15 g per prescription       (8.84)       Fucicort         b) Only on a prescription       (8.84)       Fucicort         HYDROCORTISONE BUTYRATE WITH CHLORQUINALDOL – Only on a prescription       The coold C         HYDROCORTISONE WITH MICONAZOLE – Only on a prescription       2.20       15 g OP       ✓ Micreme H         HYDROCORTISONE WITH MICONAZOLE – Only on a prescription       4.40       15 g OP       ✓ Pimafucort         * Crm 1% with natamycin 1% and neomycin sulphate 0.5%       4.40       15 g OP       ✓ Pimafucort         TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN       Y Pimafucort       ✓ Pimafucort       Y Pimafucort         Crm 1% with natamycin 1% and neomycin sulphate 0.5%       3.49       15 g OP       ✓ Pimafucort         MITH NATAMYCIN AND NEOMYCIN – Only ON a prescription <t< td=""><td></td><td></td><td></td><td></td></t<>				
Oint 0.02%       6.69       100 g OP       ✓ Aristocort         Corticosteroids - Combination		6 60	100 a OB	
Orticosteroids - Combination         BETAMETHASONE VALERATE WITH CLIOQUINOL – Only on a prescription Crm 0.1% with clioquinol 3%				
BETAMETHASONE VALERATE WITH CLIOQUINOL – Only on a prescription Crm 0.1% with clioquinol 3%	OINT 0.02%	0.09	100 g OP	Ansiocon
Crm 0.1% with clioquinol 3%       349       15 g OP         (4.90)       Betnovate-C         Oint 0.1% with clioquinol 3%       349       15 g OP         (4.90)       Betnovate-C         BETAMETHASONE VALERATE WITH FUSIDIC ACID       (4.90)       Betnovate-C         Crm 0.1% with fusidic acid 2%       3.49       15 g OP         (8.84)       Fucicort         a) Maximum of 15 g per prescription       (8.84)       Fucicort         b) Only on a prescription       S0 OP       ✓ Locoid C         HYDROCORTISONE BUTYRATE WITH CHLORQUINALDOL – Only on a prescription       Crm 0.1% with chlorquinaldol 3%       3.49       15 g OP       ✓ Locoid C         HYDROCORTISONE WITH MICONAZOLE – Only on a prescription       2.20       15 g OP       ✓ Micreme H         HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN – Only on a prescription       Crm 1% with natamycin 1% and neomycin sulphate 0.5%       4.40       15 g OP       ✓ Pimafucort         Oint 1% with natamycin 1% and neomycin sulphate 0.5%       4.40       15 g OP       ✓ Pimafucort         TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN       Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg       3.49       15 g OP         and gramicidin 250 µg per g – Only on a prescription       3.00       15 g OP       ✓ Kenacomb         (Ke	Corticosteroids - Combination			
Crm 0.1% with clioquinol 3%       349       15 g OP         (4.90)       Betnovate-C         Oint 0.1% with clioquinol 3%       349       15 g OP         (4.90)       Betnovate-C         BETAMETHASONE VALERATE WITH FUSIDIC ACID       (4.90)       Betnovate-C         Crm 0.1% with fusidic acid 2%       3.49       15 g OP         (8.84)       Fucicort         a) Maximum of 15 g per prescription       (8.84)       Fucicort         b) Only on a prescription       S0 OP       ✓ Locoid C         HYDROCORTISONE BUTYRATE WITH CHLORQUINALDOL – Only on a prescription       Crm 0.1% with chlorquinaldol 3%       3.49       15 g OP       ✓ Locoid C         HYDROCORTISONE WITH MICONAZOLE – Only on a prescription       2.20       15 g OP       ✓ Micreme H         HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN – Only on a prescription       Crm 1% with natamycin 1% and neomycin sulphate 0.5%       4.40       15 g OP       ✓ Pimafucort         Oint 1% with natamycin 1% and neomycin sulphate 0.5%       4.40       15 g OP       ✓ Pimafucort         TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN       Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg       3.49       15 g OP         and gramicidin 250 µg per g – Only on a prescription       3.00       15 g OP       ✓ Kenacomb         (Ke				
(4.90)       Betnovate-C         Oint 0.1% with cliquinol 3%       3.49       15 g OP         (4.90)       Betnovate-C         BETAMETHASONE VALERATE WITH FUSIDIC ACID       3.49       15 g OP         Crm 0.1% with fusicic acid 2%       3.49       15 g OP         (8.84)       Fucicort       a) Maximum of 15 g per prescription       b) Only on a prescription         b) Only on a prescription       Setnovate-C       Betnovate-C         HYDROCORTISONE BUTYRATE WITH CHLORQUINALDOL – Only on a prescription       Crm 0.1% with chlorquinaldol 3%       Setnovate-C         ** Crm 1% with miconazole nitrate 2%       0.19 on a prescription       *       Crm 1% with matamycin 1% and neomycin sulphate 0.5%       2.20       15 g OP       ✓ Micreme H         HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN – Only on a prescription       Crm 1% with natamycin 1% and neomycin sulphate 0.5%       4.40       15 g OP       ✓ Pimafucort         Crm 1% with natamycin 1% and neomycin sulphate 0.5%       4.40       15 g OP       ✓ Pimafucort         TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN       Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg       and gramicidin 250 µg per g – Only on a prescription       3.49       15 g OP       Viaderm KC         Oint 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg       and gramicidin 250 µg per g – Only on a prescription				
Oint 0.1% with clioquinol 3%       3.49       15 g OP         (4.90)       Betnovate-C         BETAMETHASONE VALERATE WITH FUSIDIC ACID       3.49       15 g OP         Crm 0.1% with fusidic acid 2%       3.49       15 g OP         (8.84)       Fucicort         a) Maximum of 15 g per prescription       b) Only on a prescription         HYDROCORTISONE BUTYRATE WITH CHLORQUINALDOL – Only on a prescription       Fucicort         Crm 0.1% with chlorquinaldol 3%       3.49       15 g OP         HYDROCORTISONE WITH MICONAZOLE – Only on a prescription       * Crm 1% with miconazole nitrate 2%       2.20       15 g OP         ** Crm 1% with natamycin 1% and neomycin sulphate 0.5%       4.40       15 g OP       ✓ Pimafucort         Oint 1% with natamycin 1% and neomycin sulphate 0.5%       4.40       15 g OP       ✓ Pimafucort         TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN       Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg       3.49       15 g OP       Viaderrm KC         Oint 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg       and gramicidin 250 µg per g – Only on a prescription       3.00       15 g OP       ✓ Kenacomb         (Kenacomb Oint 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg       and gramicidin 250 µg per g – Only on a prescription       3.00       15 g OP       ✓ Kenacomb <td>Crm 0.1% with clioquinol 3%</td> <td></td> <td>15 g OP</td> <td></td>	Crm 0.1% with clioquinol 3%		15 g OP	
(4.90)       Betnovate-C         BETAMETHASONE VALERATE WITH FUSIDIC ACID       3.49       15 g OP         Crm 0.1% with fusidic acid 2%       8.84)       Fucicort         a) Maximum of 15 g per prescription       8.84)       Fucicort         b) Only on a prescription       Fucicort       8.84)         HYDROCORTISONE BUTYRATE WITH CHLORQUINALDOL – Only on a prescription       Crm 0.1% with chlorquinaldol 3%       State         HYDROCORTISONE WITH MICONAZOLE – Only on a prescription       * Locoid C         HYDROCORTISONE WITH MICONAZOLE – Only on a prescription       * Crm 1% with miconazole nitrate 2%       2.20       15 g OP       ✓ Micreme H         HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN – Only on a prescription       Crm 1% with natamycin 1% and neomycin sulphate 0.5%       4.40       15 g OP       ✓ Pimafucort         Oint 1% with natamycin 1% and neomycin sulphate 0.5%       4.40       15 g OP       ✓ Pimafucort         TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN       Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg       and gramicidin 250 µg per g – Only on a prescription       3.00       15 g OP       ✓ Kenacomb         (Kenacomb Oint 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg       and gramicidin 250 µg per g – Only on a prescription       3.00       15 g OP       ✓ Kenacomb	<b>•</b> •••••••••••••••••••••••••••••••••••			Betnovate-C
BETAMETHASONE VALERATE WITH FUSIDIC ACID Crm 0.1% with fusidic acid 2%	Oint 0.1% with clioquinol 3%		15 g OP	
Crm 0.1% with fusidic acid 2%       3.49       15 g OP         (8.84)       Fucicort         a) Maximum of 15 g per prescription       Fucicort         b) Only on a prescription       Fucicort         HYDROCORTISONE BUTYRATE WITH CHLORQUINALDOL – Only on a prescription       Crm 0.1% with chlorquinaldol 3%         Crm 0.1% with chlorquinaldol 3%       3.49       15 g OP         HYDROCORTISONE WITH MICONAZOLE – Only on a prescription       S g OP       ✓ Micreme H         HYDROCORTISONE WITH MICONAZOLE – Only on a prescription       2.20       15 g OP       ✓ Micreme H         HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN – Only on a prescription       Crm 1% with natamycin 1% and neomycin sulphate 0.5%       4.40       15 g OP       ✓ Pimafucort         Oint 1% with natamycin 1% and neomycin sulphate 0.5%       4.40       15 g OP       ✓ Pimafucort         TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN       Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg       and gramicidin 250 µg per g – Only on a prescription       3.49       15 g OP       Viaderm KC         Oint 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg       and gramicidin 250 µg per g – Only on a prescription       3.00       15 g OP       ✓ Kenacomb         (Kenacomb Oint 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 µg per g to be delisted 1 Septembed       Septembed </td <td></td> <td>(4.90)</td> <td></td> <td>Betnovate-C</td>		(4.90)		Betnovate-C
(8.84) Fucicort a) Maximum of 15 g per prescription b) Only on a prescription HYDROCORTISONE BUTYRATE WITH CHLORQUINALDOL – Only on a prescription Crm 0.1% with chlorquinaldol 3%	BETAMETHASONE VALERATE WITH FUSIDIC ACID			
(8.84) Fucicort a) Maximum of 15 g per prescription b) Only on a prescription HYDROCORTISONE BUTYRATE WITH CHLORQUINALDOL – Only on a prescription Crm 0.1% with chlorquinaldol 3%	Crm 0.1% with fusidic acid 2%	3.49	15 g OP	
<ul> <li>b) Only on a prescription</li> <li>HYDROCORTISONE BUTYRATE WITH CHLORQUINALDOL – Only on a prescription Crm 0.1% with chlorquinaldol 3%</li></ul>			0	Fucicort
<ul> <li>b) Only on a prescription</li> <li>HYDROCORTISONE BUTYRATE WITH CHLORQUINALDOL – Only on a prescription Crm 0.1% with chlorquinaldol 3%</li></ul>	a) Maximum of 15 g per prescription	( )		
HYDROCORTISONE BUTYRATE WITH CHLORQUINALDOL – Only on a prescription Crm 0.1% with chlorquinaldol 3%				
Crm 0.1% with chlorquinaldol 3%		Inly on a prese	rintion	
HYDROCORTISONE WITH MICONAZOLE – Only on a prescription ★ Crm 1% with miconazole nitrate 2%				
<ul> <li>Crm 1% with miconazole nitrate 2%</li></ul>			15 9 01	
HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN – Only on a prescription Crm 1% with natamycin 1% and neomycin sulphate 0.5%	, , , , , , , , , , , , , , , , , , , ,			
Crm 1% with natamycin 1% and neomycin sulphate 0.5%	* Crm 1% with miconazole nitrate 2%	2.20	15 g OP	Micreme H
Crm 1% with natamycin 1% and neomycin sulphate 0.5%	HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - Onl	ly on a prescrip	tion	
Oint 1% with natamycin 1% and neomycin sulphate 0.5%4.40 15 g OP ✓ Pimafucort TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 µg per g – Only on a prescription				Pimafucort
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 µg per g − Only on a prescription			15 g OP	Pimafucort
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 μg per g − Only on a prescription			•	
and gramicidin 250 µg per g − Only on a prescription			IIN	
(6.60) Viaderm KC Oint 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 μg per g − Only on a prescription		0.40	15 - 00	
Oint 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 µg per g − Only on a prescription	and gramicidin 250 $\mu$ g per g – Only on a prescription		15 g OP	
and gramicidin 250 µg per g − Only on a prescription		(6.60)		viaderm KC
(Kenacomb Õint 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 μg per g to be delisted 1 Septembe			15 05	
			•	
2009)		2.5 mg and gr	amicidin 250 μg	g per g to be delisted 1 Septembe
	2009)			

	Cubaidu		Fully Drand ar	
	Subsidy (Manufacturer's F	Price) Sub	Fully Brand or sidised Generic	
	\$	Per	<ul> <li>Manufacturer</li> </ul>	
Disinfecting and Cleansing Agents				
CHLORHEXIDINE GLUCONATE – Subsidy by endorsement				
a) No more than 500 ml per month				
b) Only if prescribed for a dialysis patient and the prescription		0,	4.0.1	
<ul> <li>* Handrub 1% with ethanol 70%</li> <li>* Soln 4%</li> </ul>		500 ml 500 ml	✓ <u>Orion</u> ✓ Orion	
SODIUM HYPOCHLORITE – Subsidy by endorsement		000 111		
Only if prescribed for a dialysis patient and the prescription is	s endorsed accor	dingly.		
* Soln		2,500 ml	🖌 Janola	
Dusting Powders				
DIPHEMANIL METHYLSULPHATE – Subsidy by endorsement				
Only if prescribed for an amputee with an artificial limb, or for			escription endorsed accord	dingly.
Powder 2%		50 g OP	Drantal	
	(13.54)		Prantal	
Barrier Creams and Emollients				
Barrier Creams				
ZINC				
Crm BP	6.55	500 g		
	(9.79)		PSM	
ZINC AND CASTOR OIL		500	( 2011	
Oint BP	5.11	500 g	✓ <u>PSM</u>	
Emollients				
AQUEOUS CREAM				
* Crm	2.28	500 g	✓ <u>AFT</u>	
CETOMACROGOL				
* Crm BP	3.50	500 g	✓ PSM	
EMULSIFYING OINTMENT				
* Oint BP		500 g	✓ <u>AFT</u>	
GLYCEROL WITH PARAFFIN AND CETYL ALCOHOL - Only of		050 ml		
* Lotn 5% with paraffin liq 5% and cetyl alcohol 2%	1.40 (8.10)	250 ml	QV	
OIL IN WATER EMULSION	(0.10)		QV	
* Crm	2.80	500 g	Lemnis Fatty Cream	n
(Lemnis Fatty Cream Crm to be delisted 1 December 2009)		0		
OILY CREAM				
* Crm BP		500 g		
	(13.60) (15.40)		David Craig PSM	
	(10.40)			
UREA * Crm 10%		100 g OP		
	(3.07)		Nutraplus	
	. ,			

	Subsidy		Fully Brand or
	(Manufacturer's \$	Price) Sub: Per	sidised Generic Manufacturer
	~		
NOOL FAT WITH MINERAL OIL – Only on a prescription  * Lotn hydrous 3% with mineral oil	1 40	250 ml OP	
	(2.92)	200 111 01	Hydroderm Lotion
	(2.92) 5.60	1,000 ml	
	(9.54)	1,000 111	Hydroderm Lotion
	(9.54)	250 ml OP	Hydrouenn Louon
		200 mi OP	DP Lotion
	(3.50)	1 000 ml	
	5.60	1,000 ml	DP Lation
	(10.90)		DP Lotion
	1.12	200 ml OP	Alpha Keri Latian
	(5.00)		Alpha-Keri Lotion
	2.10	375 ml OP	Alaba Kasi Latia
	(9.38)		Alpha-Keri Lotion
	5.60	1,000 ml	
	(18.43)		Alpha-Keri Lotion
	1.40	250 ml OP	
	(7.73)		BK Lotion
	5.60	1,000 ml	
	(23.91)		BK Lotion
Hydroderm Lotion Lotn hydrous 3% with mineral oil to be delist	ed 1 December 2	009)	
Other Dermatological Bases			
-			
PARAFFIN White soft – Only in combination	20.20	2,500 g	V IPW
write son - Only in combination	3.58	2,500 g	♥ IFW
	(8.69)	500 y	PSM
Only in combination with a dermatological galaxies, or or	· · · /	roprietary Topics	
Only in combination with a dermatological galenical or as	s a unuerrit ior a pr		i Conticosteroiu – Fidili.
Minor Skin Infections			
	0.00	05 a OD	
OvidOne IODINE Oint 10%		25 g OP	Datadiaa
Oint 10%	2.88 (3.27)	25 g OP	Betadine
Oint 10%a) Maximum of 100 g per prescription		25 g OP	Betadine
Oint 10%	(3.27)	Ū	
a) Maximum of 100 g per prescription	(3.27)	25 g OP 500 ml	✓ Betadine
Oint 10% a) Maximum of 100 g per prescription b) Only on a prescription Antiseptic soln 10%	(3.27)	500 ml	<ul><li>✓ Betadine</li><li>✓ Riodine</li></ul>
Oint 10% a) Maximum of 100 g per prescription b) Only on a prescription Antiseptic soln 10% Skin preparation, povidone iodine 10% with 30% alcohol	(3.27) 6.20 8.13	500 ml	✓ Betadine
Oint 10% a) Maximum of 100 g per prescription b) Only on a prescription Antiseptic soln 10%	(3.27) 6.20 8.13 8.13	500 ml	<ul> <li>✓ Betadine</li> <li>✓ Riodine</li> <li>✓ Betadine Skin Prep</li> </ul>
Oint 10% a) Maximum of 100 g per prescription b) Only on a prescription Antiseptic soln 10% Skin preparation, povidone iodine 10% with 30% alcohol	(3.27) 6.20 8.13	500 ml	<ul><li>✓ Betadine</li><li>✓ Riodine</li></ul>
Oint 10% a) Maximum of 100 g per prescription b) Only on a prescription Antiseptic soln 10% Skin preparation, povidone iodine 10% with 30% alcohol Skin preparation, povidone iodine 10% with 70% alcohol	(3.27) 6.20 8.13 8.13	500 ml	<ul> <li>✓ Betadine</li> <li>✓ Riodine</li> <li>✓ Betadine Skin Prep</li> </ul>
a) Maximum of 100 g per prescription b) Only on a prescription Antiseptic soln 10% Skin preparation, povidone iodine 10% with 30% alcohol Skin preparation, povidone iodine 10% with 70% alcohol Parasiticidal Preparations	(3.27) 6.20 8.13 8.13	500 ml	<ul> <li>✓ Betadine</li> <li>✓ Riodine</li> <li>✓ Betadine Skin Prep</li> </ul>
Oint 10% a) Maximum of 100 g per prescription b) Only on a prescription Antiseptic soln 10% Skin preparation, povidone iodine 10% with 30% alcohol Skin preparation, povidone iodine 10% with 70% alcohol Parasiticidal Preparations GAMMA BENZENE HEXACHLORIDE	(3.27) 6.20 8.13 8.13 (18.63)	500 ml 500 ml 500 ml	<ul> <li>Betadine</li> <li>Riodine</li> <li>Betadine Skin Prep</li> <li>Orion</li> </ul>
Oint 10% a) Maximum of 100 g per prescription b) Only on a prescription Antiseptic soln 10% Skin preparation, povidone iodine 10% with 30% alcohol Skin preparation, povidone iodine 10% with 70% alcohol Parasiticidal Preparations GAMMA BENZENE HEXACHLORIDE Crm 1%	(3.27) 6.20 8.13 8.13 (18.63)	500 ml	<ul> <li>✓ Betadine</li> <li>✓ Riodine</li> <li>✓ Betadine Skin Prep</li> </ul>
Oint 10% a) Maximum of 100 g per prescription b) Only on a prescription Antiseptic soln 10% Skin preparation, povidone iodine 10% with 30% alcohol Skin preparation, povidone iodine 10% with 70% alcohol Parasiticidal Preparations GAMMA BENZENE HEXACHLORIDE Crm 1%	(3.27) 6.20 8.13 	500 ml 500 ml 500 ml	<ul> <li>Betadine</li> <li>Riodine</li> <li>Betadine Skin Prep</li> <li>Orion</li> <li>Benhex</li> </ul>
Oint 10% a) Maximum of 100 g per prescription b) Only on a prescription Antiseptic soln 10% Skin preparation, povidone iodine 10% with 30% alcohol Skin preparation, povidone iodine 10% with 70% alcohol Parasiticidal Preparations GAMMA BENZENE HEXACHLORIDE	(3.27) 6.20 8.13 	500 ml 500 ml 500 ml	<ul> <li>Betadine</li> <li>Riodine</li> <li>Betadine Skin Prep</li> <li>Orion</li> </ul>

Subsidy	Fully		Brand or	
(Manufacturer's Price)	Subsidised		Generic	
\$	Per	~	Manufacturer	

#### PERMETHRIN

- 1) Should be strictly reserved for use as second line therapy in:
  - 1) patients unable to tolerate the other medications, such as infants, young children and patients with allergies or eczema;

30 g OP

Lyderm

- 2) cases of scabies which are resistent to gamma benzene hexachloride and resistant to malathion.
- 2) Verification of drug resistance is dependent on the persistence of the condition after treatment. In order to establish whether there is drug resistance, the following criteria should be fulfilled:
  - 1) a definite diagnosis of scabies should be made;
  - 2) it should be ascertained that the medication was administered properly;
  - 3) the possibility of reinfestation should have been excluded.

#### Psoriasis and Eczema Preparations

ACITRETIN - Special Authority see SA0954 below - Retail pharmacy

Cap 10 mg	75.80	100	Neotigason
Cap 25 mg		100	<ul> <li>Neotigason</li> </ul>

#### ➡SA0954 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
  - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if actiretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
  - 3.2 Patient is male.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- All of the following:
  - 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
  - 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
  - 3 Either:
    - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
    - 3.2 Patient is male.

#### CALCIPOTRIOL

Crm 50 µg per g20.76	30 g OP	Daivonex
57.89	100 g OP	Daivonex
Oint 50 µg per g20.76	30 g OP	Daivonex
57.89	100 g OP	Daivonex
Soln 50 µg per ml	30 ml OP	Daivonex
34.72	60 ml OP	Daivonex

	Subsidy		Fully Brand or
	(Manufacturer's l \$	Price) Sub Per	osidised Generic Manufacturer
COAL TAR			
Soln BP – Only in combination		500 ml	✔ PSM
	12.98	200 ml	
	(16.20)		David Craig
Up to 10 % Only in combination with a dermatological k	base or proprietar	y Topical Corti	costeriod – Plain, refer, page 10
With or without other dermatological galenicals.			
COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SUL			
Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% an allantoin crm 2.5%		30 g OP	
	(4.35)	30 y OF	Egopsoryl TA
	6.59	75 g OP	Egopooryn ny
	(8.00)		Egopsoryl TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR			
Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	Coco-Scalp
DITHRANOL		0	·
Crm 1%	27.50	50 g OP	Micanol
SALICYLIC ACID			
Powder – Only in combination	15.00	500 g	🖌 ABM
	18.88	250 g	✓ PSM
1) Only in combination with a dermatological base or	proprietary Topica	0	d – Plain or collodion flexible, ref
page 160			
2) With or without other dermatological galenicals.			
3) Maximum 20 g or 20 ml per prescription when pre-	scribed with white	e soft paraffin o	r collodion flexible.
SULPHUR		100	4
Precipitated – Only in combination		100 g	✓ ABM PSM
1) Only in combination with a dermatological base or	(9.25) r proprietary Topic	al Corticostero	
2) With or without other dermatological galenicals.			iu - 1 iaili, leiei, page 100
TAR WITH CADE OIL			
Bath emul 7.5% coal tar, 2.5% cade oil, 7.5% compound	9.70	350 ml	
	(29.60)		Polytar Emollient
TAR WITH TRIETHANOLAMINE LAURYL SULPHATE AND FLU	JORESCEIN - C	only on a prescu	ription
₭ Soln 2.3% with triethanolamine lauryl sulphate and fluores			ip tron
cein sodium	2.90	500 ml	Pinetarsol
	2.90	500 ml	✓ <u>Pinetarsol</u>
cein sodium	2.90	500 ml	✓ <u>Pinetarsol</u>
Scalp Preparations BETAMETHASONE VALERATE		500 ml	✓ <u>Pinetarsol</u>
Scalp Preparations		500 ml	<ul> <li>✓ <u>Pinetarsol</u></li> <li>✓ <u>Beta Scalp</u></li> </ul>
Scalp Preparations BETAMETHASONE VALERATE  Scalp app 0.1%	5.25		
Scalp Preparations BETAMETHASONE VALERATE Scalp app 0.1%	5.25		
Scalp Preparations BETAMETHASONE VALERATE ★ Scalp app 0.1% CLOBETASOL PROPIONATE ★ Scalp app 0.05%	5.25	100 ml OP	✓ Beta Scalp
Scalp Preparations BETAMETHASONE VALERATE	5.25	100 ml OP	✓ Beta Scalp
Scalp Preparations BETAMETHASONE VALERATE * Scalp app 0.1% CLOBETASOL PROPIONATE * Scalp app 0.05% HYDROCORTISONE BUTYRATE Scalp lotn 0.1%	5.25	100 ml OP 30 ml OP	✓ <u>Beta Scalp</u> ✓ Dermol
Scalp Preparations BETAMETHASONE VALERATE * Scalp app 0.1% CLOBETASOL PROPIONATE * Scalp app 0.05% HYDROCORTISONE BUTYRATE	5.25 	100 ml OP 30 ml OP	<ul> <li>✓ <u>Beta Scalp</u></li> <li>✓ Dermol</li> <li>✓ Locoid</li> </ul>
Scalp Preparations BETAMETHASONE VALERATE Scalp app 0.1% CLOBETASOL PROPIONATE Scalp app 0.05% HYDROCORTISONE BUTYRATE Scalp lotn 0.1% KETOCONAZOLE	5.25 	100 ml OP 30 ml OP 100 ml OP	✓ <u>Beta Scalp</u> ✓ Dermol

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully osidised	Brand or Generic Manufacturer
Sunscreens				
SUNSCREENS, PROPRIETARY – Subsidy by endorsement Only if prescribed for a patient with severe photosensitivity endorsed accordingly.	secondary to a	defined clinica	l conditic	on and the prescription is
Crm	2.55	100 g OP		
	(5.89)		Ha	milton Sunscreen
	1.28	50 g OP		
	(5.84)			uasun Oil Free Faces SPF30+
Lotn	2.55	100 ml OP		arine Blue Lotion SPF 30+
	5.10	200 ml OP		arine Blue Lotion SPF 30+
	3.19	125 ml OP		
	(8.82)			uasun Sensitive SPF 30+
	(9.38)		Aq	uasun 30+
Wart Preparations				
For salicylic acid preparations refer to PSORIASIS AND ECZEM	A PREPARATION	VS, page 65		
IMIQUIMOD - Special Authority see SA0923 below - Retail pha	armacy			
Crm 5% sachet	•	12	🖌 Al	dara
►SA0923 Special Authority for Subsidy				
<b>Production</b> Special Authority for Subsidy	l far 1 mantha far	onnligations m	acting th	a fallandaa adtada.

**Initial application** from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following:

- 1 The patient has external anogenital warts and podophyllotoxin has been tried and failed (or is contraindicated); or
- 2 The patient has external anogenital warts and podophyllotoxin is unable to be applied accurately to the site; or
- 3 The patient has confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate.

Notes: Superficial basal cell carcinoma

- Surgical excision remains first-line treatment for superficial basal cell carcinoma as it has a higher cure rate than imiquimod and allows histological assessment of tumour clearance.
- Imiquimod has not been evaluated for the treatment of superficial basal cell carcinoma within 1 cm of the hairline, eyes, nose, mouth or ears.
- Imiquimod is not indicated for recurrent, invasive, infiltrating, or nodular basal cell carcinoma.
- External anogenital warts
  - Imiquimod is only indicated for external genital and perianal warts (condyloma acuminata).

**Renewal** from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following:

- 1 Inadequate response to initial treatment for anogenital warts; or
- 2 New confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate; or
- 3 Inadequate response to initial treatment for superficial basal cell carcinoma.

Note: Confirmation that the lesion is a superficial basal cell carcinoma should be obtained using a biopsy

#### PODOPHYLLOTOXIN

Soln 0.5%	3.5 ml OP	<ul> <li>Condyline</li> </ul>
a) Maximum of 3.5 ml per prescription		-
h) Only on a propagintion		

b) Only on a prescription

	Subsidy (Manufacturer's Prio \$	ce) Sub Per	Fully osidised	Brand or Generic Manufacturer
Other Skin Preparations				
Antineoplastics				
FLUOROURACIL SODIUM Crm 5%		20 g OP	🗸 Ei	fudix
Topical Analgesia				
For aspirin & chloroform application refer, page 163 CAPSAICIN – Subsidy by endorsement Subsidised only if prescribed for post-herpetic neuralgia or accordingly. Crm 0.075%		neuropathy 45 g OP		e prescription is endorsed
Wound Management Products				
HYDROGEN PEROXIDE * Soln 20 vol – Maximum of 500 ml per prescription	3.13 (7.00)	500 ml	P	SM
MAGNESIUM SULPHATE Paste	2.98 (4.90)	80 g	P	SM

# **GENITO-URINARY SYSTEM**

	Subsidy (Manufacturer's Pr \$	rice) S Per	Fully ubsidised	Brand or Generic Manufacturer
Contraceptives - Non-hormonal				
Condoms				
CONDOMS				
# 49 mm – Up to 144 dev available on a P	5013.36	144	🖌 Ma	old Knight arquisTantiliza nield 49
✤ 52 mm – Up to 144 dev available on a Particular to a par	5013.36	144	🖌 Ma	arquis Selecta arquis Sensolite
* 52 mm extra strength – Up to 144 dev av	ailable on a PSO 13.36	144		arquis Supalite arquis Protecta
★ 53 mm – Up to 144 dev available on a P		144	✔ Go ✔ Ma ✔ Ma	old Knight arquis Black arquis Titillata nield Blue
* 53 mm (chocolate) – Up to 144 dev avail	able on a PSO13.36	144		old Knight
* 53 mm (strawberry) - Up to 144 dev ava	lable on a PSO13.36	144	🖌 Go	old Knight
<ul> <li>53 mm extra strength – Up to 144 dev availabl</li> <li>54 mm, shaped – Up to 144 dev availabl</li> </ul>	e on a PSO13.36	144 144		old Knight
* 55 mm - Up to 144 dev available on a P	(14.84) SO13.36	144	🖌 Go	festyles Flared old Knight arguis Conforma
* 56 mm – Up to 144 dev available on a Pa	5013.36	144	🖌 Di	urex Select Flavours
<ul> <li>56 mm extra strength - Up to 144 dev availabl</li> <li>56 mm, shaped - Up to 144 dev availabl</li> <li>60 mm - Up to 144 dev available on a Page</li> </ul>	e on a PSO13.36	144 144 144	🖌 Di	urex Extra Safe urex Confidence nield XL
Spermicidal Agents				
APPLICATOR When ordered with a spermicide.				
<ul> <li>Applicator – Up to 1 dev available on a P</li> <li>NONOXYNOL-9</li> </ul>	SO4.34	1	🖌 01	rtho
Jelly 2% – Up to 108 g available on a PS	O10.95	108 g OP	🖌 G	ynol II
Contraceptive Devices				
DIAPHRAGM * Diaphragm – Up to 1 dev available on a	PSO42.90	1		rtho All-flex rtho Coil
One of each size is permitted on a PS	Э.			
INTRA-UTERINE DEVICE – Only on a WSO * IUD		1		ultiload Cu 375
Distributed by Pharmaco NZ Ltd, PO E	ox 4079, Auckland Ph 09 377 3336		✓ M	ultiload Cu 375 SL

	Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic	
	\$ Per 🖌 Manufacturer	
Contraceptives - Hormonal		
Combined Oral Contraceptives		
SA0500 Special Authority for Alternate Subsidy		
	valid for 2 years for applications meeting the following criter	ia:
Both:		
1 Either:		
1.1 Patient is on a Social Welfare benefit; or		
1.2 Patient has an income no greater than the ber		
2 Has tried at least one of the fully funded options and		
<b>tenewal</b> from any medical practitioner. Approvals valid for a ither:	2 years for applications meeting the following criteria:	
1 Patient is on a Social Welfare benefit: or		
2 Patient has an income no greater than the benefit.		
	oved after 1 November 1999 are interchangeable betweer	1 Mercilon
larvelon, Minulet and Femodene.		
he additional subsidy will fund Mercilon, Marvelon, Minulet	and Femodene up to the manufacturer's price for each of thes	e products
s identified on the Schedule at 1 November 1999.		
	in valid until the expiry date and can be renewed providing t	nat womer
re still either:		
<ul> <li>on a Social Welfare benefit; or</li> </ul>		
have an income no greater than the benefit.	a d Nama ha dooo ay istaata ay a ta' istaata a	
	re 1 November 1999 are interchangeable for products withi	n the com
ined oral contraceptives and progestogen-only contracepti	ies groups, except Loette and Microgynon 20 ED	
THINYLOESTRADIOL WITH DESOGESTREL		

ETHINTLUESTRADIOL WITH DESUGESTREL		
* Tab 20 μg with desogestrel 150 μg	6.62 63 (16.50)	Mercilon 21
a) Higher subsidy of \$13.80 per 63 with Sp b) Up to 63 tab available on a PSO	ecial Authority see SA0500 above	
<ul> <li>Tab 20 µg with desogestrel 150 µg and 7 inert</li> </ul>	t tab6.62 84	
	(16.50)	Mercilon 28
a) Higher subsidy of \$13.80 per 84 with Sp b) Up to 84 tab available on a PSO	ecial Authority see SA0500 above	
* Tab 30 µg with desogestrel 150 µg		
	(16.50)	Marvelon 21
a) Higher subsidy of \$13.80 per 63 with Sp b) Up to 63 tab available on a PSO	ecial Authority see SA0500 above	
* Tab 30 µg with desogestrel 150 µg and 7 inert	t tab6.62 84	
	(16.50)	Marvelon 28
a) Higher subsidy of \$13.80 per 84 with Sp	ecial Authority see SA0500 above	
<ul> <li>b) Up to 84 tab available on a PSO</li> </ul>		
ETHINYLOESTRADIOL WITH GESTODENE		
* Tab 30 µg with gestodene 75 µg and 7 inert ta	ab6.62 84	
	(14.49)	Minulet 28
	(16.50)	Femodene 28
a) Higher subsidy of \$14.49 per 84 with Sp b) Up to 84 tab available on a PSO	ecial Authority see SA0500 above	
(Minulet 28 Tab 30 up with pestodene 75 up and 7	inart tab to be delicted 1 September 20	00)

# **GENITO-URINARY SYSTEM**

	Subsidy (Manufacturer's Price)		Fully Brand or Subsidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
ETHINYLOESTRADIOL WITH LEVONORGESTREL			
* Tab ethinyloestradiol 30 μg with levonorgestrel 50 μg (6) and tab ethinyloestradiol 40 μg with levonorgestrel 75 μg (5) and tab ethinyloestradiol 30 μg with levonorgestrel 125 μg	,		
(10) and 7 inert tab		84	<ul> <li>Trifeme</li> </ul>
	(9.45)		Triquilar ED
	(14.49)		Triphasil 28
a) Higher subsidy of up to \$14.49 per 84 with Special Auth b) Up to 84 tab available on a PSO	-	the pro	eceding page
* Tab 50 μg with levonorgestrel 125 μg and 7 inert tab – Up to 84 tab available on a PSO		84	Microgupon 50 ED
<ul> <li>* Tab 30 μg with levonorgestrel 150 μg</li> </ul>		04 63	<ul> <li>Microgynon 50 ED</li> </ul>
	(16.50)	00	Microgynon 30
a) Higher subsidy of \$15.00 per 63 with Special Authority	( )	recedir	
b) Up to 63 tab available on a PSO			.9 2030
* Tab 30 µg with levonorgestrel 150 µg and 7 inert tab	6.62	84	<ul> <li>Levlen ED</li> <li>Monofeme</li> </ul>
	(14.49)		Nordette 28
	(16.50)		Microgynon 30 ED
a) Higher subsidy of up to \$15.00 per 84 with Special Auth	nority see SA0500 on	the pro	eceding page
<ul> <li>(Triphasil 28 Tab ethinyloestradiol 30 μg with levonorgestrel 50 μg and tab ethinyloestradiol 30 μg with levonorgestrel 125 μg (10) an ETHINYLOESTRADIOL WITH NORETHISTERONE</li> <li>* Tab 35 μg with norethisterone 1 mg – Up to 63 tab available</li> </ul>	nd 7 inert tab to be de		
on a PSO		63	Brevinor 1/21
* Tab 35 μg with norethisterone 1 mg and 7 inert tab – Up to 84 tab available on a PSO		84	✓ Brevinor 1/28
* Tab 35 µg with norethisterone 500 µg – Up to 63 tab available	9		
on a PSO * Tab 35 µg with norethisterone 500 µg and 7 inert tab - Up to		63	✓ Brevinor 21
84 tab available on a PSO	6.62	84	<ul> <li>Norimin</li> </ul>
NORETHISTERONE WITH MESTRANOL			
* Tab 1 mg with mestranol 50 µg and 7 inert tab	6.62 (13.80)	84	Norinyl-1/28
a) Higher subsidy of \$13.80 per 84 with Special Authority b) Up to 84 tab available on a PSO	· · · ·	recedir	
<b>Combined Oral Contraceptives - Other</b>			
ETHINYLOESTRADIOL WITH LEVONORGESTREL * Tab 20 µg with levonorgestrel 100 µg and 7 inert tab – Up to	)		
84 tab available on a PSO	6.62 (16.50) (16.50)	84	Loette Microgynon 20 ED

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

### **Progestogen-only Contraceptives**

#### ➡SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Either:

- 1.1 Patient is on a Social Welfare benefit; or
- 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon, Marvelon, Minulet and Femodene.

The additional subsidy will fund Mercilon, Marvelon, Minulet and Femodene up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- . have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

#### LEVONORGESTREL

* Tab 30 μg6.62 (16.50)	84	Microlut
a) Higher subsidy of \$13.80 per 84 with Special Authority see SA0500 above b) Up to 84 tab available on a PSO		
MEDROXYPROGESTERONE ACETATE		
Inj 150 mg per ml, 1 ml – Up to 5 inj available on a PSO8.05	1	Depo-Provera
Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a PSO8.05	1	Depo-Provera
NORETHISTERONE		
* Tab 350 μg – Up to 84 tab available on a PSO7.15	84	✓ Noriday 28
Emergency Contraceptives		
LEVONORGESTREL		
<ul> <li>* Tab 1.5 mg12.50</li> <li>a) Maximum of 2 tab per prescription</li> </ul>	1	Postinor-1

b) Up to 5 tab available on a PSO

#### Antiandrogen Oral Contraceptives

Prescribers may code prescriptions "contraceptive" (code "O") when used as indicated for contraception. The period of supply and prescription charge will be as per other contraceptives, as follows:

- \$3.00 prescription charge (patient co-payment) will apply.
- prescription may be written for up to six months supply.

Prescriptions coded in any other way are subject to the non contraceptive prescription charges, and the non-contraceptive period of supply. ie. Prescriptions may be written for up to three months supply.

#### CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL

*	Tab 2 mg with ethinyloestradic	I 35 $\mu g$ and 7 inert tabs	6.30	84	<ul> <li>Estelle 35-ED</li> </ul>
---	--------------------------------	-------------------------------	------	----	-----------------------------------

# **GENITO-URINARY SYSTEM**

	Subsidy (Manufacturer's F		Fully Brand or sidised Generic
Gynaecological Anti-infectives	\$	Per	<ul> <li>Manufacturer</li> </ul>
ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC A	CID		
Jelly with glacial acetic acid 0.94%, hydroxyquinoline sul- phate 0.025%, glycerol 5% and ricinoleic acid 0.75% with	010		
applicator	8.43 (11.32)	100 g OP	Aci-Jel
CLOTRIMAZOLE			
<ul> <li>Vaginal crm 1% with applicator(s)</li> <li>Vaginal crm 2% with applicators</li> </ul>		35 g OP 20 g OP	✓ <u>Clomazol</u> ✓ <u>Clomazol</u>
MICONAZOLE NITRATE			
* Vaginal crm 2% with applicator	2.75 (3.70)	40 g OP	Micreme
NYSTATIN Vaginal crm 100,000 u per 5 g with applicator(s)	4.71	75 g OP	✓ <u>Nilstat</u>
Myometrial and Vaginal Hormone Preparations			
ERGOMETRINE MALEATE			
Inj 500 $\mu g$ per ml, 1 ml $$ – Up to 5 inj available on a PSO	11.60	5	✓ <u>Mayne</u>
METHYLERGOMETRINE Inj 200 μg per ml, 1 ml – Up to 10 inj available on a PSO	9.28	10	✓ Hospira S29
OESTRIOL			
* Crm 1 mg per g with applicator		15 g OP	<ul> <li>✓ Ovestin</li> <li>✓ Ovestin</li> </ul>
* Pessaries 500 μg		15	V Ovestin
OXYTOCIN – Up to 5 inj available on a PSO Inj 5 iu per ml, 1 ml	5 40	5	<ul> <li>Syntocinon</li> </ul>
Inj 10 iu per ml, 1 ml		5	✓ <u>Syntocinon</u>
Inj 5 iu with ergometrine maleate 500 µg per ml, 1 ml		5	✓ Syntometrine
Pregnancy Tests - HCG Urine			
PREGNANCY TESTS - HCG URINE - Only on a WSO	10.00	05.1	
Cassette Distributed by MDS Diagnostics, PO Box 24-162, Royal Oa		25 test	MDS Quick Card
Urinary Agents		00 010 0101	
For urinary tract Infections refer to INFECTIONS, Antibacterials, pa	age 94		
5-Alpha Reductase Inhibitors			
FINASTERIDE – Special Authority see SA0928 on the next page Tab 5 mg		cy 30	✓ <u>Fintral</u>

(Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer		Subsidy (Manufacturer's Price) \$		Fully Subsidised		
--------------------------------------------------------------------	--	-----------------------------------------	--	---------------------	--	--

### SA0928 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 Either:
  - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
  - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Note: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride.

### **Other Urinary Agents**

OXYBUTYNIN		
* Tab 5 mg	500	Apo-Oxybutynin
* Oral liq 5 mg per 5 ml	473 ml OP	✓ Apo-Oxybutynin
SODIUM CITRO-TARTRATE		
* Grans eff 4 g sachets2.75	28	✓ <u>Ural</u>

	Subsidy (Manufacturer's Pri	ce) Sul	Fully Brand or osidised Generic
	\$	Per	✓ Manufacturer
Anabolic Agents			
JANDROLONE DECANOATE – Retail pharmacy-Specialist			
Inj 50 mg per ml, 1 ml	21.15	1	<ul> <li>Deca-Durabolin</li> <li>Orgaject</li> </ul>
Corticosteroids and Related Agents for System	ic Use		
BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHA	SONE ACETATE		
k Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1ml		5	
	(33.60)		Celestone Chronodose
DEXAMETHASONE			
Tab 1 mg – Retail pharmacy-Specialist Up to 30 tab available on a PSO		100	Douglas
Tab 4 mg – Retail pharmacy-Specialist Up to 30 tab available on a PSO	61.89	100	✓ Douglas
Oral liq 1 mg per ml – Retail pharmacy-Specialist Oral lig prescriptions:		25 ml OP	✓ Biomed
<ol> <li>Must be written by a Paediatrician or Paediatric Ca</li> <li>On the recommendation of a Paediatrician or Paed</li> </ol>	<b>U</b>		
DEXAMETHASONE SODIUM PHOSPHATE			
k Inj 4 mg per ml, 1 ml − Up to 5 inj available on a PSO		5	Mayne
k Inj 4 mg per ml, 2 ml − Up to 5 inj available on a PSO		5	Mayne
LUDROCORTISONE ACETATE	7.00	100	
к Таb 100 μg		100	<ul> <li>Florinef</li> </ul>
IYDROCORTISONE	7.05	100	
<ul> <li>← Tab 5 mg</li> <li>← Tab 20 mg</li> </ul>		100 100	✓ <u>Douglas</u> ✓ Douglas
<ul> <li>Inj 50 mg per ml, 2 ml</li> </ul>		100	✓ <u>Douglas</u> ✓ Solu-Cortef
a) Up to 5 inj available on a PSO b) Only on a PSO		I	
IETHYLPREDNISOLONE – Retail pharmacy-Specialist			
🗧 Tab 4 mg		100	✓ Medrol
• Tab 100 mg		20	✓ Medrol
ETHYLPREDNISOLONE ACETATE			
Inj 40 mg per ml, 1 ml	6.03	1	Depo-Medrol
ETHYLPREDNISOLONE ACETATE WITH LIGNOCAINE			
Inj 40 mg per ml with lignocaine 1 ml	6.03	1	Depo-Medrol with lidocaine
IETHYLPREDNISOLONE SODIUM SUCCINATE – Retail phar	macy-Specialist		
Inj 40 mg per ml, 1 ml		25	Solu-Medrol
Inj 62.5 mg per ml, 2 ml	412.59	25	Solu-Medrol
Inj 500 mg		1	✓ <u>Solu-Medrol</u>
Inj 1 g		1	Solu-Medrol
REDNISOLONE SODIUM PHOSPHATE			
<ul> <li>Oral liq 5 mg per ml – Up to 30 ml available on a PSO Restricted to children under 12 years of age.</li> </ul>	9.95	30 ml OP	Redipred
riconicio lo children under 12 years of aye.			

	Subsidy facturer's Price) \$	Subsi Per	Fully Brand or dised Generic ✔ Manufacturer
PREDNISONE			
* Tab 1 mg1	0.68	500	✓ Apo-Prednisone
* Tab 2.5 mg	2.09	500	✓ Apo-Prednisone
* Tab 5 mg – Up to 30 tab available on a PSO	1.09	500	Apo-Prednisone
* Tab 20 mg2	29.03	500	Apo-Prednisone
TETRACOSACTRIN			
* Inj 250 μg17	7.18	10	Synacthen
₭ Inj 1 mg per ml, 1 ml	26.88	1	✓ Synacthen Depot
RIAMCINOLONE ACETONIDE			
Inj 10 mg per ml, 1 ml	1.11	5	✓ Kenacort-A
Inj 10 mg per ml, 5 ml		1	✓ Kenacort-A
Inj 40 mg per ml, 1 ml		5	Kenacort-A40
(Kenacort-A Inj 10 mg per ml, 1 ml to be delisted 1 September 2009)			
(Kenacort-A Inj 10 mg per ml, 5 ml to be delisted 1 September 2009)			
Sex Hormones Non Contraceptive			
Androgen Agonists and Antagonists			
CYPROTERONE ACETATE – Hospital pharmacy [HP3]-Specialist			
Tab 50 mg	23.50	50	✓ Siterone
TESTOSTERONE			
Transdermal patch 2.5 mg per day	30.00	60	✓ Androderm
	0.00	00	Androuerin
TESTOSTERONE CYPIONATE – Retail pharmacy-Specialist			
Inj long-acting 100 mg per ml, 10 ml	01.41	1	Depo-Testosterone
ESTOSTERONE ESTERS – Retail pharmacy-Specialist			
Inj 250 mg per ml, 1 ml1	2.98	1	Sustanon Ampoules
ESTOSTERONE UNDECANOATE – Retail pharmacy-Specialist			
Cap 40 mg6	60.71	60	Panteston

### Hormone Replacement Therapy - Systemic

### SA0312 Special Authority for Alternate Subsidy

**Initial application** only from an obstetrician, gynaecologist, general practitioner or general physician. Approvals valid for 5 years for applications meeting the following criteria:

Any of the following:

- 1 acute or significant liver disease where oral oestrogens are contraindicated as determined by a gastroenterologist or general physician. The applicant must keep written confirmation from such a specialist with the patient's record; or
- 2 oestrogen induced hypertension requiring antihypertensive therapy documented evidence must be kept on file that raised blood pressure levels or inability to control blood pressure adequately occurred post oral oestrogens; or
- 3 hypertriglyceridaemia documented evidence must be kept on file that triglyceride levels increased to at least 2 × normal triglyceride levels post oral oestrogens.

Note: Prescriptions with a valid Special Authority (CHEM) number will be reimbursed at the level of the lowest priced TDDS product within the specified dose group.

**Renewal** only from an obstetrician, gynaecologist, general practitioner or general physician. Approvals valid for 5 years where the treatment remains appropriate and the patient is benefiting from treatment.

#### Prescribing Guideline

76

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

	Subsidy (Manufacturer's Pr	rice) Sut	Fully Brand or bsidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
Oestrogens			
DESTRADIOL – See prescribing guideline on the preceding page	je		
₭ Tab 1 mg	4.12	28 OP	
	(6.50)		Estrofem
<ul> <li>Tab 2 mg</li> </ul>		28 OP	
	(7.00)	_	Estrofem
€ TDDS 25 µg per day		8	<b>T</b>
	(10.86)		Estraderm TTS 25
a) Higher subsidy of \$10.86 per 8 with Special Authority s	ee SA0312 on the	preceding pa	age
b) No more than 2 patch per week			
c) Only on a prescription			
TDDS 3.9 mg (releases 50 μg of oestradiol per day)		4	01
	(14.50)		Climara 50
	(32.50)		Femtran 50
a) Higher subsidy of \$13.18 per 4 with Special Authority s	ee SA0312 on the	preceding pa	age
b) No more than 1 patch per week			
c) Only on a prescription	4.10	0	
TDDS 50 μg per day		8	
a) I link an amhaidh af ¢10,10 ann 0 mith Canadal Arthanth a	(13.18)		Estraderm TTS 50
a) Higher subsidy of \$13.18 per 8 with Special Authority s	ee SA0312 on the	preceding pa	age
b) No more than 2 patch per week			
c) Only on a prescription	7.05	4	
TDDS 7.8 mg (releases 100 μg of oestradiol per day)		4	Climara 100
	(17.75) (35.00)		Femtran 100
a) Higher subsidy of \$16.14 per 4 with Special Authority s	( )	proceding of	
b) No more than 1 patch per week	ee SA0312 OII lile	preceding pa	aye
c) Only on a prescription			
<ul> <li>TDDS 100 µg per day</li> </ul>	7.05	8	
	(16.14)	0	Estraderm TTS 100
a) Higher subsidy of \$16.14 per 8 with Special Authority s	( )	nreceding n	
b) No more than 2 patch per week		preceding pa	age
c) Only on a prescription			
	reading nega		
ESTRADIOL VALERATE – See prescribing guideline on the pr	01 0	56	Progynova
Tab 2 mg		56	<ul> <li>Progynova</li> <li>Progynova</li> </ul>
Ũ		50	• Plogynova
ESTROGENS – See prescribing guideline on the preceding pa	0		
Conjugated, equine tab 300 μg		28	
	(11.48)		Premarin
Conjugated, equine tab 625 μg		28	
	(11.48)		Premarin
Progestogens			
EDROXYPROGESTERONE ACETATE - See prescribing guid		ding page	
• Tab 2.5 mg		30	Provera
€ Tab 5 mg	13.75	100	Provera
<ul> <li>Tab 10 mg</li> </ul>	7.57	30	Provera

	Cubaidu		Fully Drand ar
	Subsidy (Manufacturer's P		Fully Brand or bsidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
Progestogen and Oestrogen Combined Prepa	arations		
OESTRADIOL WITH LEVONORGESTREL - See prescribing		6	
* Tab 2 mg with 75 μg levonorgestrel (36) and tab 2 mg oes diol (48)		84	V Nuvelle
(Nuvelle Tab 2 mg with 75 $\mu$ g levonorgestrel (36) and tab 2 mg		÷ ·	
OESTRADIOL WITH NORETHISTERONE - See prescribing		6	
* Tab 1 mg with 0.5 mg norethisterone acetate		28 OP	Klinuonee
* Tab 2 mg with 1 mg norethisterone acetate	(11.45) 5.40	28 OP	Kliovance
	(11.45)		Kliogest
* Tab 2 mg with 1 mg norethisterone acetate (10), and 2	-	28 OP	
oestradiol tab (12) and 1 mg oestradiol tab (6)	(10.00)	20 UF	Trisequens
OESTROGENS WITH MEDROXYPROGESTERONE - See	prescribing guideline	on page 76	·
* Tab 625 µg conjugated equine with 2.5 mg medroxyprog			
terone acetate tab (28)	5.40 (22.96)	28 OP	Premia 2.5
	(22.00)		Continuous
* Tab 625 µg conjugated equine with 5 mg medroxyprog		00 OD	
terone acetate tab (28)	5.40 (22.96)	28 OP	Premia 5 Continuous
Other Oestrogen Preparations	( )		
ETHINYLOESTRADIOL * Tab 10 μg		100	NZ Medical and
· ····································			Scientific
OESTRIOL	7.00	20	✓ Ovestin
* Tab 2 mg	7.00	30	Vovestill
Other Progestogen Preparations			
DYDROGESTERONE	07 50	50	
Tab 10 mg	(29.90)	50	Duphaston
LEVONORGESTREL	()		
* Levonorgestrel - releasing intrauterine system 20µg/24 h			
Special Authority see SA0782 below – Retail pharma	icy269.50	1	<ul> <li>Mirena</li> </ul>
► SA0782 Special Authority for Subsidy	nt anacialist ar conc	ral prostitions	r Annroucle valid for C months fo
<b>Initial application</b> — (No previous use) only from a releva applications meeting the following criteria:	nt specialist or gener	rai practitione	r. Approvais valid for 6 months to
All of the following:			
<ol> <li>The patient has a clinical diagnosis of heavy menstrual</li> <li>The patient has failed to respond to or is unable to to</li> </ol>		ate pharmace	eutical therapies as per the Heav
Menstrual Bleeding Guidelines; and		Sto phanhao	
3 Either: 3.1 corum forritin lovel $< 16 \mu \sigma l$ (within the last 12 r	months): or		
3.1 serum ferritin level $< 16 \mu g/l$ (within the last 12 r 3.2 haemoglobin level $< 120 g/l$ .	nontins); of		
J J			continued

78

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
continued Note: Applications are not to be made for use in patients as contra nitial application — (Previous use before 1 October 2002) or valid for 6 months for applications meeting the following criteria: All of the following:				
<ol> <li>The patient had a clinical diagnosis of heavy menstrual blee</li> <li>Patient demonstrated clinical improvement of heavy menstru</li> <li>Applicant to state date of the previous insertion.</li> <li>Note: Applications are not to be made for use in patients as contra</li> </ol>	ual bleeding; and	ere thev	r meet the a	bove criteria.
Renewal only from a relevant specialist or general practitioner. Ap priteria: Both:				
1 Either:				
<ul><li>1.1 Patient demonstrated clinical improvement of heavy in 1.2 Previous insertion was removed or expelled within 3</li><li>2 Applicant to state date of the previous insertion.</li></ul>	-			
MEDROXYPROGESTERONE ACETATE  * Tab 100 mg – Retail pharmacy-Specialist	104.06	100		rovera
<ul> <li>Tab 100 mg – Retail pharmacy-Specialist</li> <li>Tab 200 mg – Retail pharmacy-Specialist</li> </ul>		30		rovera
VORETHISTERONE			• -	
<ul> <li>Tab 5 mg – Up to 30 tab available on a PSO</li> </ul>		100	✓ Р	rimolut N
Thyroid and Antithyroid Agents				
CARBIMAZOLE				
* Tab 5 mg		100	🖌 N	eo-Mercazole
LEVOTHYROXINE				
* Tab 50 μg	1.71	28	🖌 G	oldshield
	64.28	1,000	🖌 E	ltroxin
<ul> <li>\$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$</li></ul>		28		oldshield
* 1ab 100 µg	66.78	1.000		Itroxin
‡ Safety cap for extemporaneously compounded oral liquid	preparations.	,		
Trophic Hormones				
Growth Hormones				
SA0755 Special Authority for Subsidy				
Special Authority approved by the Growth Hormone Committee				h 11:4 .
Notes: Subject to budgetary cap. Applications will be considered a Application details may be obtained from PHARMAC's website http				Dility.
VZGHC Coordinator	p.,,			
PHARMAC, PO Box 10-254, WELLINGTON				
Fel: 0800 808 476, Fax: (09) 929 3221, Email: growthhormone@p	harmac.govt.nz			
GROWTH HORMONE BIOSYNTHETIC HUMAN - Special Author				
Cartridge 16 iu per vial		5		enotropin
* Cartridge 36 iu per vial	3.600.00	5	V G	enotropin

(	Subsidy Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
RECOMBINANT HUMAN GROWTH HORMONE – Special Authori	ty see SA0755 on th	ne pre	ceding pa	age
* Inj 5 mg	300.00	1	1	Norditropin SimpleXx 5mg
* Inj 10 mg	600.00	1	~	Norditropin SimpleXx 10mg
* Inj 15 mg	900.00	1	~	Norditropin SimpleXx 15mg
GnRH Analogues				
BUSERELIN ACETATE – Special Authority see SA0835 below – He Inj 1 mg per ml, 5.5 ml		P3]		
	(272.53)	-		Suprefact
BSA0835 Special Authority for Subsidy				

SA0835 Special Authority for Subsidy

**Initial application** — (Breast cancer) from any medical practitioner. Approvals valid for 1 year where the patient is a premenopausal woman with breast cancer.

Initial application — (Prostate cancer) only from an oncologist, urologist or endocrinologist. Approvals valid for 1 year where the patient has advanced prostatic cancer.

Note: Not to be prescribed with an anti-androgen except for a period of three weeks, if necessary, when GnRH analogue therapy is intiated.

**Initial application** — (Endometriosis) only from a gynaecologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Endometriosis; and
- 2 Either:
  - 2.1 6 months treatment with medroxyprogesterone acetate, danazol or dimetriose has proven ineffective; or

2.2 The patient has failed to tolerate the treatment with medroxyprogesterone acetate, danazol or dimetriose for 6 months.

Note: The maximum treatment period for a GnRH analogue is:

- 3 months to assess whether surgery is appropriate
  - 3 months for infertile patients after surgery
- 6 months for patients with symptoms of endometriosis After the first 3 months patients should be assessed to determine whether there has been a satisfactory response to the first 3 months treatment.

**Initial application** — (**Precocious puberty**) only from a paediatrician or endocrinologist. Approvals valid for 1 year where the patient is affected by gonadotropin dependent precocious puberty.

Renewal — (Breast or prostate cancer) from any medical practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

Renewal — (Endometriosis) from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 There has been a satisfactory response to the first 3 months treatment; and
- 1.2 Surgery is inappropriate; or
- 2 The first three months of therapy did not follow surgery for infertility.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

**Renewal** — (Precocious puberty) only from a paediatrician or endocrinologist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

	Subsidy (Manufacturer's Price) \$		Fully Subsidised	Brand or Generic Manufacturer
GOSERELIN ACETATE - Special Authority see SA0839 below -	Hospital pharmacy [H	IP3]		
Inj 3.6 mg		1	🗸 Z	oladex
Inj 10.8 mg	554.70	1	🗸 Z	oladex

### ►SA0839 Special Authority for Subsidy

**Initial application** — (Breast cancer) from any medical practitioner. Approvals valid for 1 year where the patient is a premenopausal woman with breast cancer.

**Initial application** — (Prostate cancer) only from an oncologist, urologist or endocrinologist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

1 Advanced prostatic cancer; or

2 Neoadjuvant or adjuvant treatment of locally advanced prostatic cancer.

Note: Not to be prescribed with an anti-androgen except for a period of three weeks, if necessary, when GnRH analogue therapy is intiated.

Initial application — (Endometriosis) only from a gynaecologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Endometriosis; and
- 2 Either:
  - 2.1 6 months treatment with medroxyprogesterone acetate, danazol or dimetriose has proven ineffective; or

2.2 The patient has failed to tolerate the treatment with medroxyprogesterone acetate, danazol or dimetriose for 6 months. Note: The maximum treatment period for a GnRH analogue is:

- 3 months to assess whether surgery is appropriate
- 3 months for infertile patients after surgery
- 6 months for patients with symptoms of endometriosis After the first 3 months patients should be assessed to determine whether there has been a satisfactory response to the first 3 months treatment.

**Initial application** — (**Precocious puberty**) only from a paediatrician or endocrinologist. Approvals valid for 1 year where the patient is affected by gonadotropin dependent precocious puberty.

Renewal — (Breast or prostate cancer) from any medical practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

Renewal — (Endometriosis) from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 There has been a satisfactory response to the first 3 months treatment; and
- 1.2 Surgery is inappropriate; or
- 2 The first three months of therapy did not follow surgery for infertility.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

Renewal — (Precocious puberty) only from a paediatrician or endocrinologist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
LEUPRORELIN - Special Authority see SA0837 below - Hospital	pharmacy [HP3]				
Inj 3.75 mg		1	🖌 L	ucrin Depot	
Inj 7.5 mg		1	🖌 E	ligard	
lnj 11.25 mg	591.68	1	🖌 L	ucrin Depot	
Inj 22.5 mg	554.70	1	🖌 E	ligard	
lnj 30 mg	739.60	1	🖌 E	ligard	
Inj 45 mg	1,109.40	1	🖌 E	ligard	

### ➡SA0837 Special Authority for Subsidy

**Initial application** — (Breast cancer) from any medical practitioner. Approvals valid for 1 year where the patient is a premenopausal woman with breast cancer.

Initial application — (Prostate cancer) only from an oncologist, urologist or endocrinologist. Approvals valid for 1 year where the patient has advanced prostatic cancer.

Note: Not to be prescribed with an anti-androgen except for a period of three weeks, if necessary, when GnRH analogue therapy is intiated

Initial application — (Endometriosis) only from a gynaecologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

1 Endometriosis; and

2 Either:

2.1 6 months treatment with medroxyprogesterone acetate, danazol or dimetriose has proven ineffective; or

2.2 The patient has failed to tolerate the treatment with medroxyprogesterone acetate, danazol or dimetriose for 6 months. Note: The maximum treatment period for a GnRH analogue is:

- 3 months to assess whether surgery is appropriate
- 3 months for infertile patients after surgery
- 6 months for patients with symptoms of endometriosis After the first 3 months patients should be assessed to determine whether there has been a satisfactory response to the first 3 months treatment

**Initial application** — (Precocious puberty) only from a paediatrician or endocrinologist. Approvals valid for 1 year where the patients is affected by gonadotropin dependent precocious puberty.

Renewal — (Breast or prostate cancer) from any medical practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

Renewal — (Endometriosis) from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 There has been a satisfactory response to the first 3 months treatment; and
  - 1.2 Surgery is inappropriate; or

2 The first three months of therapy did not follow surgery for infertility.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

**Renewal** — (Precocious puberty) only from a paediatrician or endocrinologist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

	Subsidy (Manufacturer's Prio \$	ce) Su Per	Fully bsidised	Brand or Generic Manufacturer
Vasopressin Agonists				
DESMOPRESSIN				
<ul> <li>Nasal drops 100 µg per ml – Retail pharmacy-Specialist</li> <li>Nasal spray 10 µg per dose – Retail pharmacy-Specialist</li> </ul>		2.5 ml OP 6 ml OP	✓ <u>D</u>	linirin <u>esmopressin-</u> PH&T
Inj 4 µg per ml, 1 ml – Special Authority see SA0090 below - Hospital pharmacy [HP3]		10		linirin
■SA0090 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals va spray or nasal drops. Renewal only from a relevant specialist. Approvals valid for 2 y benefiting from treatment.				
Other Endocrine Agents				
CABERGOLINE Tab 0.5 mg – Maximum of 2 tab per prescription; can be waived by Special Authority see SA0175 below		8	✔ D	ostinex
⇒SA0175 Special Authority for Waiver of Rule Initial application only from an obstetrician, endocrinologist or pathological hyperprolactinemia.	gynaecologist. App	provals valic	l for 2 ye	ears where the patient has
Renewal only from an obstetrician, endocrinologist or gynaeco appropriate and the patient is benefiting from treatment.	logist. Approvals v	valid for 2 y	ears whe	ere the treatment remains
CLOMIPHENE CITRATE – Retail pharmacy-Specialist				
Only a prescription for a female patient. Tab 50 mg	2.50	5	V P	henate
DANAZOL – Retail pharmacy-Specialist		0	• •	
Cap 100 mg	17.00	30	🗸 D	-Zol
	56.66	100	🖌 A	
Cap 200 mg (D-Zol Cap 100 mg to be delisted 1 October 2009)	25.00	30	V D	-Zol
GESTRINONE – Retail pharmacy-Specialist				
Cap 2.5 mg	101.87	8 OP	V D	imetriose
METYRAPONE	000 00	50	<b>1</b> M	latanirana
Cap 250 mg – Hospital pharmacy [HP3]-Specialist	238.00	00	✓ <u>IVI</u>	letopirone_

	Subsidy (Manufacturer's Price		Fully Subsidised	Brand or Generic
	\$	Per		Manufacturer
Anthelmintics				
MEBENDAZOLE – Only on a prescription				
Tab 100 mg		24	🗸 [	De-Worm
	2.53 (7.43)	4		/ermox
	3.79	6	v	erniox
	(7.59)		V	/ermox
Oral liq 100 mg per 5 ml	2.18 (7.17)	15 ml	V	/ermox
(Vermox Tab 100 mg to be delisted 1 August 2009)				
Antibacterials				
<ul> <li>a) For topical antibacterials, refer to DERMATOLOGICALS, page</li> <li>b) For anti-infective eye preparations, refer to SENSORY ORGAN</li> </ul>				
Cephalosporins and Cephamycins				
CEFACLOR MONOHYDRATE				
Cap 250 mg		100		Ranbaxy-Cefaclor
Grans for oral liq 125 mg per 5 ml	3.92	100 ml	✓ <u>F</u>	anbaxy-Cefaclor
CEFAZOLIN SODIUM – Hospital pharmacy [HP3] – Subsidy by e Only if prescribed for dialysis or cystic fibrosis patient and the		orsed ad	ccordingly.	
Inj 500 mg	5.00	5		<u>lospira</u>
lnj 1 g	8.00	5	✓ <u>⊢</u>	lospira_
CEFOXITIN SODIUM - Hospital pharmacy [HP3]-Specialist - Su				
Only if prescribed for dialysis or cystic fibrosis patient and the Inj 1 g		orsed ad 5		layne
		5	•	layine
CEFTRIAXONE SODIUM – Hospital pharmacy [HP3] – Subsidy a) Up to 5 inj available on a PSO	by endorsement			
<ul> <li>b) Subsidised only if prescribed for a dialysis or cystic fibro gonorrhoea, or the treatment of suspected meningitis in patie PSO is endorsed accordingly.</li> </ul>				
Inj 500 mg		1	VA	\FT
Inj 1 g	5.40	1	🗸 A	\FT
CEFUROXIME AXETIL – Subsidy by endorsement				
Only if prescribed for prophylaxis of endocarditis and the pres Tab 250 mg		d accord 50		linnat
CEFUROXIME SODIUM – Hospital pharmacy [HP3]				
Inj 250 mg – Maximum of 3 inj per prescription; can be waived by endorsement		10	<b>~</b> 1	layne
Inj 750 mg – Maximum of 1 inj per prescription; can be waived		5		
by endorsement Inj 1.5 g - Hospital pharmacy [HP3]-Specialist - Subsidy by			-	<u>'inacef</u>
endorsement.		1 andara		<u>linacef</u>
Only if prescribed for a dialysis or cystic fibrosis patient an	iu me prescription is	enuors		ngiy.

84

	Subsidv		Fully	Brand or
	(Manufacturer's P		ubsidised	Generic
	\$	Per	~	Manufacturer
Macrolides				
AZITHROMYCIN – Subsidy by endorsement				
a) Maximum of 2 tab per prescription				
b) Up to 4 tab available on a PSO				
c) Subsidised only if prescribed for patients with uncomplicated	d urethritis or cerv	vicitis proven	or presun	ned to be due to chlamydia
trachomatis and their sexual contacts and prescription or PSC	D is endorsed acc	cordingly.		
Tab 500 mg	9.90	2 OP	✓ <u>A</u>	rrow-Azithromycin
CLARITHROMYCIN - Maximum of 500 mg per prescription; can	be waived by Sp	ecial Authori	tv see SA	0657 below
Tab 250 mg		14		lamycin
Grans for oral liquid 125 mg per 5 ml		70 ml	🖌 🖌	
➡SA0657 Special Authority for Waiver of Rule				
nitial application — (Helicobacter pylori infections) only from	a general practit	ioner or relev	ant snec	ialist Annrovals valid for F
nonths for applications meeting the following criteria:	ra general praolit		vani opeo	
Both:				
1 Eradication of Helicobacter pylori in patient with proven infe	ection: and			
2 Peptic ulcer disease proven by endoscopy.	,,			
Note: Maximum of two prescriptions (two courses) per patient.				
nitial application - (Mycobacterial infections) only from a re	spiratory speciali	st, infectious	disease	specialist or paediatrician
Approvals valid for 2 years for applications meeting the following c	criteria:			
ny of the following:				
1 Mycobacterium Avium Intracellulare Complex infections in	patient with AIDS	; or		
2 Atypical and drug-resistant mycobacterial infection; or				
3 All of the following:				
3.1 Prophylaxis against disseminated Mycobacterium A	vium Intracellular	e Complex i	nfection; a	and
3.2 HIV infection; and				
3.3 CD4 count $\leq$ 50 cells/mm ³ .				
Renewal — (Mycobacterial infections) only from a respiratory s			•	or paediatrician. Approvals
valid for 2 years where the treatment remains appropriate and the	patient is benefit	ting from trea	atment.	
ERYTHROMYCIN ETHYL SUCCINATE			. –	
Tab 400 mg – Up to 30 tab available on a PSO		100	V E	Mycin
Grans for oral liq 200 mg per 5 ml - Up to 200 ml available				
on a PSO		100 ml	✓ <u>E</u>	-Mycin
Grans for oral liq 400 mg per 5 ml - Up to 200 ml available				
on a PSO	5.85	100 ml	✓ <u>E</u>	-Mycin
ERYTHROMYCIN LACTOBIONATE				
lnj 1 g	6.50	1	🖌 Ei	rythrocin IV
ERYTHROMYCIN STEARATE	14 95	100		
		100	FI	RA
RYTHROMYCIN STEARATE	(22.29)	100 100	E	RA
ERYTHROMYCIN STEARATE Tab 250 mg – Up to 30 tab available on a PSO	(22.29)			RA
RYTHROMYCIN STEARATE         Tab 250 mg       Up to 30 tab available on a PSO         Tab 500 mg       Tab 500 mg	(22.29) 29.90			
RYTHROMYCIN STEARATE Tab 250 mg – Up to 30 tab available on a PSO Tab 500 mg	(22.29) 29.90 (44.58)	100	E	RA
RYTHROMYCIN STEARATE Tab 250 mg – Up to 30 tab available on a PSO	(22.29) 29.90 (44.58)		E • <u>A</u>	RA rrow-
RYTHROMYCIN STEARATE Tab 250 mg – Up to 30 tab available on a PSO Tab 500 mg ROXITHROMYCIN Tab 150 mg	(22.29) 29.90 (44.58) 9.50	100 50	E <u> <u> </u> <u> A</u></u>	RA <u>rrow-</u> <u>Roxithromycin</u>
RYTHROMYCIN STEARATE Tab 250 mg – Up to 30 tab available on a PSO Tab 500 mg	(22.29) 29.90 (44.58) 9.50	100	E <u>A</u>	RA rrow-

	Subsidy (Manufacturer's	Price) Sul	Fully	Brand or Generic
	\$	Per	~	Manufacturer
Penicillins				
AMOXYCILLIN				
Cap 250 mg – Up to 30 cap available on a PSO		500		po-Amoxi
Cap 500 mg		500	✓ <u>A</u>	po-Amoxi
Grans for oral liq 125 mg per 5 ml – Up to 200 ml available on a PSO		100 ml		anbaxy Amoxicillin
Grans for oral lig 250 mg per 5 ml – Up to 200 ml available		100 111	• <u>n</u>	
on a PSO		100 ml	🖌 Ra	anbaxy Amoxicillin
Drops 125 mg per 1.25 ml		30 ml OP		spamox Paediatric
				Drops
Inj 250 mg		10		<u>iamox</u>
Inj 500 mg		10		iamox
Inj 1 g – Up to 5 inj available on a PSO		10		iamox
AMOXYCILLIN CLAVULANATE				
Tab amoxycillin 500 mg with potassium clavulanate 125 mg		100		
<ul> <li>Up to 30 tab available on a PSO</li> </ul>	25.10 5.02	100 20	V 5	ynermox
	(6.40)	20	Aı	ugmentin
Grans for oral lig amoxycillin 125 mg with potassium clavu-	( )			-g
lanate 31.25 mg per 5 ml - Up to 200 ml available on a				
PSO	2.75	100 ml	🖌 Ai	ugmentin
Grans for oral liq amoxycillin 250 mg with potassium clavu-				
lanate 62.5 mg per 5 ml – Up to 200 ml available on a		100 ml		
PSO (Augmentin Tab amoxycillin 500 mg with potassium clavulanate 12		100 ml		ugmentin
	Lo mg to be don	olou i riuguoli	2000)	
BENZATHINE BENZYLPENICILLIN Inj 1.2 mega u per 2.3 ml – Up to 5 inj available on a PSO	315.00	10	V Ri	icillin LA
		10	V DI	
BENZYLPENICILLIN SODIUM (PENICILLIN G) Inj 1 mega u – Up to 5 inj available on a PSO	10.40	10	10	andoz
	10.49	10	• <u>30</u>	
DICLOXACILLIN Cap 250 mg	2 47	24		
Cap 250 mg	(4.35)	24	Di	clocil
Cap 500 mg		24		
	(8.65)		Di	iclocil
(Diclocil Cap 250 mg to be delisted 1 September 2009)				
(Diclocil Cap 500 mg to be delisted 1 September 2009)				
FLUCLOXACILLIN SODIUM				
Cap 250 mg – Up to 30 cap available on a PSO		250		taphlex
Cap 500 mg		500	✓ <u>SI</u>	aphlex
Grans for oral liq 125 mg per 5 ml – Up to 200 ml available on a PSO		100 ml		FT
Grans for oral lig 250 mg per 5 ml – Up to 200 ml available		100 111	▼ <u>A</u>	<u></u>
on a PSO		100 ml	✓ <u>A</u>	FT
Inj 250 mg		10		ucloxin
Inj 500 mg		10		ucloxin
Inj 1 g – Up to 5 inj available on a PSO	14.00	10	✓ <u>FI</u>	ucloxin

	Subsidy		Fully Brand or
	(Manufacturer's Pr \$	Per	bsidised Generic Manufacturer
HENOXYMETHYLPENICILLIN (PENICILLIN V)			
Cap potassium salt 250 mg – Up to 30 cap available on a PS		50	Cilicaine VK
Cap potassium salt 500 mg		50	Cilicaine VK
Grans for oral liq 125 mg per 5 ml – Up to 200 ml available on a PSO		100 ml	🖌 AFT
Grans for oral liq 250 mg per 5 ml – Up to 200 ml available		100 111	V <u>ALL</u>
on a PSO		100 ml	✓ <u>AFT</u>
ROCAINE PENICILLIN			
Inj 1.5 mega u – Up to 5 inj available on a PSO		5	✓ <u>Cilicaine</u>
Tetracyclines			
OXYCYCLINE HYDROCHLORIDE			
Tab 50 mg – Up to 30 tab available on a PSO	2.90	30	
	(6.00)		Doxy-50
Tab 100 mg – Up to 30 tab available on a PSO	8.10	250	Doxine
INOCYCLINE HYDROCHLORIDE			
Fab 50 mg		60	
- Cap 100 mg	(12.05)	100	Mino-tabs
Cap foo mg	(52.04)	100	Minomycin
Other Antibiotics			,
or topical antibiotics, refer to DERMATOLOGICALS, page 58			
IPROFLOXACIN			
Tab 250 mg – Up to 5 tab available on a PSO	3.35	30	Rex Medical
Tab 500 mg – Up to 5 tab available on a PSO		30	Rex Medical
Tab 750 mg    – Retail pharmacy-Specialist	7.54	30	Rex Medical
Cap hydrochloride 150 mg – Maximum of 4 cap per prescrip- tion; can be waived by endorsement - Retail pharmacy -			
Specialist		16	Dalacin C
Inj phosphate 150 mg per ml, 4 ml - Retail pharmacy-			
Specialist		1	Dalacin C
O-TRIMOXAZOLE			
Tab trimethoprim 80 mg and sulphamethoxazole 400 mg -			
Up to 30 tab available on a PSO		500	Trisul
Oral liq sugar-free trimethoprim 40 mg and sulphamethoxa-		500 ml	Triout
zole 200 mg per 5 ml – Up to 200 ml available on a PSO Oral lig trimethoprim 40 mg and sulphamethoxazole 200 mg		500 ml	🖌 Trisul
per 5 ml – Up to 200 ml available on a PSO		100 ml	Deprim
OLISTIN SULPHOMETHATE – Hospital pharmacy [HP3]-Speci			•
Only if prescribed for dialysis or cystic fibrosis patient and the			
Inj 150 mg		1	Colistin-Link

	Subsidy		Fully	Brand or
	(Manufacturer's Price)	Per	Subsidised	
	\$	Per	~	Manufacturer
FUSIDIC ACID	04.50	10		
Tab 250 mg – Hospital pharmacy [HP3]-Specialist		12	<b>v</b> 1	Fucidin
Inj 500 mg sodium fusidate per 10 ml – Hospital pharmacy	10.07	4		
[HP3]-Specialist – Subsidy by endorsement	(17.80)	1		ucidin
Only if prescribed for a dialysis or cystic fibrosis patient and	· · · ·	endors		
GENTAMICIN SULPHATE		0110010		
Inj 10 mg per ml, 1 ml – Hospital pharmacy [HP3] – Subsidy				
by endorsement	8 56	5	~ \	layne
Only if prescribed for a dialysis or cystic fibrosis patient or				
accordingly.				
Inj 40 mg per ml, 2 ml - Hospital pharmacy [HP3] - Subsidy				
by endorsement		10	✓ <u>F</u>	fizer
Only if prescribed for a dialysis or cystic fibrosis patient or	for prophylaxis of er	ndocai	ditis and th	ne prescription is endorsed
accordingly.				
TOBRAMYCIN				
Inj 40 mg per ml, 2 ml – Hospital pharmacy [HP3] – Subsidy				
by endorsement		5		layne
Only if prescribed for dialysis or cystic fibrosis patient and t	the prescription is en	dorse	d according	ıly.
TRIMETHOPRIM				
* Tab 300 mg – Up to 30 tab available on a PSO	8.69	50	✓ 1	<u>MP</u>
VANCOMYCIN HYDROCHLORIDE - Hospital pharmacy [HP3] -	Subsidy by endorse	ment		
Only if prescribed for a dialysis or cystic fibrosis patient or in	the treatment of pse	udome	embranous	colitis or for prophylaxis of
endocarditis and the prescription is endorsed accordingly.				
Inj 50 mg per ml, 10 ml	5.04	1		Pacific
Antifungals				
a) For topical antifungals refer to DERMATOLOGICALS, page 59				
b) For topical antifungals refer to GENITO URINARY, page 73				
FLUCONAZOLE – Hospital pharmacy [HP3]-Specialist				
Cap 50 mg	6 82	28	<b>V</b> F	Pacific
Cap 150 mg		1		Pacific
Cap 200 mg		28	V F	Pacific
ITRACONAZOLE – Hospital pharmacy [HP3]-Specialist			_	
Cap 100 mg		15	<b>V</b> S	Sporanox
KETOCONAZOLE				<u> </u>
Tab 200 mg – Retail pharmacy-Specialist	38.12	30		lizoral
		00	• 1	
NYSTATIN Tab 500.000 u	0.60	50		lilstat S29
Cap 500,000 u		50 50		viistat Vilstat
		00	¥ <u>1</u>	the state
TERBINAFINE Tab 250 mg	25 50	100		Apo-Terbinafine
		100	<u>v 1</u>	
Antimalarials				
HYDROXYCHLOROQUINE SULPHATE				
* Tab 200 mg		100	<b>/</b> F	Plaquenil
			÷ 1	

88

	Subsidy (Manufacturer's F \$	Price) Su Per	Fully bsidised	Brand or Generic Manufacturer
Antitrichomonal Agents				
ETRONIDAZOLE				
Tab 200 mg – Up to 30 tab available on a PSO		100		richozole
Tab 400 mg		100	· · .	richozole
Oral liq benzoate 200 mg per 5 ml		100 ml		lagyl-S
Suppos 500 mg	24.48	10	V F	lagyl
RNIDAZOLE				
Tab 500 mg	12.38	10	• T	iberal
Antituberculotics and Antileprotics				
ote: There is no co-payment charge for all pharmaceuticals lis	ted in the Antitut	perculotics an	d Antilep	protics group regardless
migration status.				
APSONE – No patient co-payment payable				
Tab 25 mg	95.00	100	🖌 D	apsone
Tab 100 mg	110.00	100	🖌 D	apsone
THAMBUTOL HYDROCHLORIDE - No patient co-payment pa	yable			
Tab 400 mg		56	🖌 M	lyambutol S29
ONIAZID – Retail pharmacy-Specialist				
No patient co-payment payable				
Tab 100 mg	20.50	100	🖌 Р	SM
Tab 100 mg with rifampicin 150 mg	90.04	100	🖌 R	ifinah
Tab 150 mg with rifampicin 300 mg	179.57	100	🖌 R	ifinah
YRAZINAMIDE – Retail pharmacy-Specialist				
No patient co-payment payable				
Tab 500 mg	59.00	100	🗸 A	FT-Pyrazinamide
FABUTIN – Hospital pharmacy [HP3]-Specialist				
No patient co-payment payable				
Cap 150 mg	213.19	30	✓ <u>M</u>	lycobutin
FAMPICIN – Retail pharmacy-Specialist				
No patient co-payment payable				
Tab 600 mg	114.40	30		ifadin
Cap 150 mg		100		ifadin
Cap 300 mg		100		ifadin
Oral liq 100 mg per 5 ml	12.66	60 ml	V R	ifadin
Antivirals				
or eye preparations refer to Eye Preparations, Anti-Infective Pre	parations, page 1	54		

ACICLOVIR * Tab dispersible 200 mg1.98	25	✓ <u>Lovir</u>	
Recurrent Episodes of Genital Herpes			
ACICLOVIR * Tab dispersible 400 mg6.64	56	✓ <u>Lovir</u>	

	Subsidy (Manufacturer's Price) \$	S Per	Fully Subsidised	Brand or Generic Manufacturer
Acute Herpes Zoster				
ACICLOVIR * Tab dispersible 800 mg	7.38	35	🖌 La	vvir
Hepatitis B Treatment				
ADEFOVIR DIPIVOXIL – Special Authority see SA0829 below – F Tab 10 mg	670.00	30 vals val		epsera ar for applications meeting
<ul> <li>All of the following:</li> <li>1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as:</li> <li>2 Patient has raised serum ALT (&gt; 1 × ULN); and</li> <li>3 Patient has HBV DNA greater than 100,000 copies per mL,</li> <li>4 Detection of M204I or M204V mutation; and</li> <li>5 Either:</li> <li>5.1 Both:</li> <li>5.1.1 Patient is cirrhotic; and</li> <li>5.1.2 adefovir dipivoxil to be used in combination w</li> <li>5.2 Both:</li> <li>5.2.1 Patient is not cirrhotic; and</li> <li>5.2.1 Patient is not cirrhotic; and</li> </ul>		ld over	nadir; and	
<ul> <li>5.2.2 adefovir dipivoxil to be used as monotherapy.</li> <li>Renewal only from a gastroenterologist or infectious disease spetreating physician, treatment remains appropriate and patient is be Notes: Lamivudine should be added to adefovir dipivoxil if a patient as: <ul> <li>i) raised serum ALT (&gt; 1 × ULN); and</li> <li>ii) HBV DNA greater than 100,000 copies per mL, or viral load</li> </ul> </li> </ul>	enefiting from treatment the develops document	ent. nted res		
iii) Detection of N236T or A181T/V mutation. Adefovir dipivoxil should be stopped 6 months following HBeAg ser adefovir dipivoxil. The recommended dose of adefovir dipivoxil is no more than 10mg In patients with renal insufficiency adefovir dipivoxil dose should be Adefovir dipivoxil should be avoided in pregnant women and childr	y daily. e reduced in accorda			
LAMIVUDINE – Special Authority see SA0832 below – Retail pha Tab 100mg Oral liq 5 mg per ml	143.00	28 40 ml	✔ Ze ✔ Ze	
► SA0832 Special Authority for Subsidy Initial application only from a gastroenterologist, infectious disea for 1 year for applications meeting the following criteria: Both:	se specialist, paediat	trician c	or general p	physician. Approvals valid

1 Any of the following:

90

- 1.1 All of the following:
  - 1.1.1 HBsAg positive for more than 6 months; and
  - 1.1.2 HBeAg positive or HBV DNA positive defined as > 100,000 copies per ml by quantitative PCR at a reference laboratory; and

continued...

Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic
\$	Per 🖌	Manufacturer

continued...

- 1.1.3 ALT greater than twice upper limit of normal or bridging fibrosis or cirrhosis (Metavir stage 3 or 4 or equivalent) on liver histology clinical/radiological evidence of cirrhosis; or
- 1.2 HBV DNA positive cirrhosis prior to liver transplantation; or
- 1.3 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
- 1.4 Hepatitis B surface antigen positive (HbsAg) patient who is receiving chemotherapy for a malignancy, or who has received such treatment within the previous two months; and
- 2 All of the following:
  - 2.1 No continuing alcohol abuse or intravenous drug use; and
  - 2.2 Not coinfected with HCV or HDV; and
  - 2.3 Neither ALT nor AST greater than 10 times upper limit of normal; and
  - 2.4 No history of hypersensitivity to lamivudine; and
  - 2.5 No previous lamivudine therapy with genotypically proven lamivudine resistance.

Renewal only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- Renewal for patients who have maintained continuous treatment and response to lamivudine
- 1 All of the following:
  - 1.1 Have maintained continuous treatment with lamivudine; and
  - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
  - 1.3 HBV DNA <100,00 copies per ml by quantitative PCR at a reference laboratory; or
  - Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine
- 2 All of the following:
  - 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and
  - 2.2 Patient is cirrhotic; and
    - Documented resistance to lamivudine, defined as:
  - 2.3 Patient has raised serum ALT (> 1  $\times$  ULN); and
  - 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
  - 2.5 Detection of M204I or M204V mutation; or

Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

- 3 All of the following:
  - 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and
    - Documented resistance to adefovir, defined as:
  - 3.2 Patient has raised serum ALT (> 1  $\times\,$  ULN); and
  - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
  - 3.4 Detection of N236T or A181T/V mutation.

### Antiretrovirals

### SA0779 Special Authority for Subsidy

**Initial application** — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Confirmed HIV infection; and
- 2 Any of the following:
  - 2.1 Symptomatic patient; or
  - 2.2 Patient aged 12 months and under; or
  - 2.3 Both:
    - 2.3.1 Patient aged 1 to 5 years; and
    - 2.3.2 Any of the following:

continued...

Subsidy (Manufacturer's Price)	Sub	Fully osidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

2.3.2.1 CD4 counts  $< 1000 \text{ cells/mm}^3$ ; or

2.3.2.2 CD4 counts < 0.25 × total lymphocyte count; or

2.3.2.3 Viral load counts > 100000 copies per ml; or

2.4 Both:

2.4.1 Patient aged 6 years and over; and

2.4.2 CD4 counts < 350 cells/mm³.

Note: Subsidies for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or saquinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to anti-retrovirals.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Note: Subsidies for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or saquinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to anti-retrovirals.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Prevention of maternal foetal transmission; or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Subsidies for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or saquinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to anti-retrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Renewal — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

### Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ – Special Authority see SA0779 on the preceding pag Tab 50 mg Tab 200 mg Tab 600 mg Cap 50 mg Cap 200 mg (Stocrin Cap 50 mg to be delisted 1 December 2009) (Stocrin Cap 200 mg to be delisted 1 December 2009)	158.33 474.99 474.99 158.33	armacy [HP1] 30 90 30 30 90	<ul> <li>Stocrin</li> <li>Stocrin</li> <li>Stocrin</li> <li>Stocrin</li> <li>Stocrin</li> </ul>
NEVIRAPINE – Special Authority see SA0779 on the preceding pa Tab 200 mg Oral suspension 10 mg per ml	319.80	narmacy [HP1 60 240 ml	<pre>     Viramune     <u>Viramune     Suspension     </u> } </pre>
Nucleosides Reverse Transcriptase Inhibitors			
ABACAVIR SULPHATE – Special Authority see SA0779 on the pre Tab 300 mg Oral liq 20 mg per ml	458.00	Hospital pharn 60 240 ml OP	nacy [HP1] V Ziagen V Ziagen
ABACAVIR SULPHATE WITH LAMIVUDINE – Special Authority se Note: Kivexa counts as two anti-retroviral medications for the p Tab 600 mg with lamivudine 300 mg	urposes of the a	1 01	0 1 1 71 1

92

	Subsidy	Fully Brand or
	(Manufacturer's Price)	Subsidised Generic
	\$ P	er 🖌 Manufacturer
DIDANOSINE [DDI] - Special Authority see SA0779 on page 91	- Hospital pharmacy [HF	21]
Cap 125 mg		
Cap 200 mg		Videx EC
Cap 250 mg		Videx EC
Cap 400 mg		Videx EC
EMTRICITABINE - Special Authority see SA0779 on page 91 -	Hospital pharmacy [HP1]	
Cap 200 mg		<ul> <li>Emtriva</li> </ul>
LAMIVUDINE - Special Authority see SA0779 on page 91 - Ho	spital pharmacy [HP1]	
Tab 150 mg		🖌 3TC
Oral liq 10 mg per ml	100.00 240 m	I OP 🖌 3TC
STAVUDINE [D4T] - Special Authority see SA0779 on page 91	– Hospital pharmacy [HP	1
Cap 20 mg		· · · ·
Cap 30 mg		
Cap 40 mg		
Powder for oral soln 1 mg per ml		OP V Zerit
TENOFOVIR DISOPROXIL FUMARATE – Special Authority see		spital pharmaoy [HP1]
Tab 300 mg		
°		
ZIDOVUDINE [AZT] – Special Authority see SA0779 on page 91		
Cap 100 mg		
Oral liq 10 mg per ml	58.00 200 m	I OP V Retrovir
ZIDOVUDINE [AZT] WITH LAMIVUDINE - Special Authority see	e SA0779 on page 91 – H	ospital pharmacy [HP1]
Combivir counts as two anti-retroviral medications for the pu	rposes of the anti-retrovira	al Special Authority.
Tab 300 mg with lamivudine 150 mg		<ul> <li>Combivir</li> </ul>
Protease Inhibitors		
ATAZANAVIR SULPHATE – Special Authority see SA0779 on pa	age 91 – Hospital pharma	cy [HP1]
Cap 150 mg		,
Cap 200 mg		Reyataz
INDINAVIR - Special Authority see SA0779 on page 91 - Hospi	tal pharmacy [HP1]	
Cap 200 mg		Crixivan
Cap 400 mg		Crixivan
LOPINAVIR WITH RITONAVIR – Special Authority see SA0779		armaoy [HD1]
Tab 200 mg with ritonavir 50 mg	1 0 1 1	
Oral liq 80 mg with ritonavir 20 mg per ml		
RITONAVIR – Special Authority see SA0779 on page 91 – Hosp		
Cap 100 mg		
Oral liq 80 mg per ml		OP V Norvir
SAQUINAVIR - Special Authority see SA0779 on page 91 - Hos	spital pharmacy [HP1]	
Tab 500 mg		) V Invirase
Antiretrovirals - Additional Therapies		
Antireatownals Additional merapies		
HIV Fusion Inhibitors		
		241
ENFUVIRTIDE – Special Authority see SA0845 on the next pag		· · · · · · · · · · · · · · · · · · ·
Powder for inj 90 mg per ml $ imes$ 60	2,380.00 1	<ul> <li>Fuzeon</li> </ul>

Subsidy (Manufacturer's Price)	:	Fully Subsidised	Brand or Generic
 \$	Per	~	Manufacturer

### SA0845 Special Authority for Subsidy

Initial application only from a named specialist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Confirmed HIV infection; and
- 2 Enfuvirtide to be given in combination with optimized background therapy (including at least 1 other antiretroviral drug that
- the patient has never previously been exposed to) for treatment failure; and
- 3 Either:
  - 3.1 Patient has evidence of HIV replication, despite ongoing therapy; or
  - 3.2 Patient has treatment-limiting toxicity to previous antiretroviral agents; and
- 4 Previous treatment with 3 different antiretroviral regimens has failed; and
- 5 All of the following:
  - 5.1 Previous treatment with a non-nucleoside reverse transcriptase inhibitor has failed: and
  - 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed; and
  - 5.3 Previous treatment with a protease inhibitor has failed.

Renewal only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- - 1 Evidence of at least a 10 fold reduction in viral load at 12: and
  - 2 The treatment remains appropriate and the patient is benefiting from treatment.

### Immune Modulators

#### Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

#### Criteria for Treatment

1) Diagnosis

- Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
- PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
- Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.
- 2) Establishing Active Chronic Liver Disease
  - Confirmed HCV infection and serum ALT/AST levels measured on at least three occasions over six months averaging >  $1.5 \times$  upper limit of normal. (ALT is the preferable enzyme); or
  - Liver biopsy showing significant inflammatory activity (active hepatitis) with or without cirrhosis. This is not a necessary requirement for those patients with coagulopathy. (Some patients have active disease on histology with normal transaminase enzymes).

#### **Exclusion Criteria**

- 1) Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- 2) Pregnancy.
- 3) Neutropenia (<2.0  $\times$  10⁹) and/or thrombocytopenia.
- 4) Continuing alcohol abuse and/or continuing intravenous drug users.

#### Dosage

The current recommended dosage is 3 million units of interferon alpha-2a or interferon apha-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

#### Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

	Subsidy (Manufacturer's P	rico) C	Fully ubsidised	Brand or Generic
	(Manulacturers F	Per		Manufacturer
NTERFERON ALPHA-2A – PCT – Hospital pharmacy [HP3]-	Specialist			
a) See prescribing guideline on the preceding page				
b) Only one multidose cartridge starter pack to be prescrib				
Inj 3 m iu prefilled syringe		1		oferon-A
Inj 4.5 m iu prefilled syringe		1		oferon-A
Inj 6 m iu prefilled syringe		1	· · ·	oferon-A
Inj 9 m iu prefilled syringe		1	· · ·	oferon-A
Inj 18 m iu multidose cartridge		1		oferon-A
Inj 18 m iu multidose cartridge $\times$ 2 starter pack				oferon-A
NTERFERON ALPHA-2A WITH RIBAVIRIN – Special Authori	ty see SA0784 belo	w – Hospita	l pharmac	y [HP3]
See prescribing guideline on the preceding page				
Inj 18 m iu multidose cartridge $\times$ 2 with ribavirin tab 200 r	0			
× 168	1,375.84	1 OP		oferon RBV
				Combination Pack
Inj 18 m iu multidose cartridge $\times$ 2 with with pen and need				
with ribavirin tab 200 mg $ imes$ 168	1,375.84	1 OP		oferon RBV Combination Pack Starter Kit
SA0784 Special Authority for Subsidy				
- SAUTON Special Authority for Subsidy				
<b>itial application</b> from any specialist. Approvals valid for 12 m	nonths where patien	it has chroni	c hepatitis	C (all genotypes).
itial application from any specialist. Approvals valid for 12 m		it has chroni	c hepatitis	C (all genotypes).
itial application from any specialist. Approvals valid for 12 m ITERFERON ALPHA-2B – PCT – Hospital pharmacy [HP3]-		it has chroni	c hepatitis	C (all genotypes).
itial application from any specialist. Approvals valid for 12 m	Specialist	it has chroni 1		C (all genotypes).
itial application from any specialist. Approvals valid for 12 m ITERFERON ALPHA-2B – PCT – Hospital pharmacy [HP3]- See prescribing guideline on the preceding page	Specialist		✓ In	,
itial application from any specialist. Approvals valid for 12 m ITERFERON ALPHA-2B – PCT – Hospital pharmacy [HP3]- See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen	Specialist 	1	✓ In ✓ In	itron-A
<b>itial application</b> from any specialist. Approvals valid for 12 rr         ITERFERON ALPHA-2B       – PCT – Hospital pharmacy [HP3]-         See prescribing guideline on the preceding page         Inj 18 m iu, 1.2 ml multidose pen         Inj 30 m iu, 1.2 ml multidose pen         Inj 60 m iu, 1.2 ml multidose pen	Specialist 	1 1 1	✓ in ✓ in ✓ in	tron-A tron-A tron-A
itial application from any specialist. Approvals valid for 12 m ITERFERON ALPHA-2B – PCT – Hospital pharmacy [HP3]- See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen Inj 30 m iu, 1.2 ml multidose pen Inj 60 m iu, 1.2 ml multidose pen EGYLATED INTERFERON ALPHA-2A – Special Authority se	Specialist 	1 1 1	✓ in ✓ in ✓ in	tron-A tron-A tron-A
itial application from any specialist. Approvals valid for 12 m         ITERFERON ALPHA-2B       – PCT – Hospital pharmacy [HP3]-         See prescribing guideline on the preceding page         Inj 18 m iu, 1.2 ml multidose pen         Inj 30 m iu, 1.2 ml multidose pen         Inj 60 m iu, 1.2 ml multidose pen         EGYLATED INTERFERON ALPHA-2A         See prescribing guideline on the preceding page	Specialist 	1 1 1 Hospital pha	✓ In ✓ In ✓ In armacy [H	tron-A tron-A tron-A P3]
itial application from any specialist. Approvals valid for 12 m         ITERFERON ALPHA-2B       – PCT – Hospital pharmacy [HP3]-         See prescribing guideline on the preceding page         Inj 18 m iu, 1.2 ml multidose pen         Inj 30 m iu, 1.2 ml multidose pen         Inj 60 m iu, 1.2 ml multidose pen         EGYLATED INTERFERON ALPHA-2A – Special Authority se         See prescribing guideline on the preceding page         Inj 10 m iu, 1.2 ml multidose pen         Inj 50 m iu, 1.2 ml multidose pen         EGYLATED INTERFERON ALPHA-2A – Special Authority se         See prescribing guideline on the preceding page         Inj 135 µg prefilled syringe	Specialist 	1 1 1 Hospital pha	✓ In ✓ In ✓ In armacy [H	ttron-A ttron-A ttron-A P3] egasys
itial application from any specialist. Approvals valid for 12 m         ITERFERON ALPHA-2B       PCT – Hospital pharmacy [HP3]-         See prescribing guideline on the preceding page         Inj 18 m iu, 1.2 ml multidose pen         Inj 30 m iu, 1.2 ml multidose pen         Inj 60 m iu, 1.2 ml multidose pen         EGYLATED INTERFERON ALPHA-2A – Special Authority se         See prescribing guideline on the preceding page         Inj 135 µg prefilled syringe         Inj 130 µg prefilled syringe	Specialist 	1 1 1 Hospital pha	✓ In ✓ In ✓ In armacy [H	tron-A tron-A tron-A P3]
itial application from any specialist. Approvals valid for 12 m         ITERFERON ALPHA-2B       – PCT – Hospital pharmacy [HP3]-         See prescribing guideline on the preceding page       Inj 18 m iu, 1.2 ml multidose pen         Inj 30 m iu, 1.2 ml multidose pen       Inj 60 m iu, 1.2 ml multidose pen         EGYLATED INTERFERON ALPHA-2A – Special Authority se         See prescribing guideline on the preceding page         Inj 135 µg prefilled syringe         Inj 135 µg prefilled syringe         Inj 135 µg prefilled syringe         Inj 135 µg prefilled syringe × 4 with ribavirin tab 200 mg	Specialist 	1 1 Hospital pha 1 1	✓ In ✓ In ✓ In ✓ In armacy [H ✓ Pe	ttron-A ttron-A ttron-A P3] egasys egasys
itial application from any specialist. Approvals valid for 12 m         ITERFERON ALPHA-2B       – PCT – Hospital pharmacy [HP3]-         See prescribing guideline on the preceding page         Inj 18 m iu, 1.2 ml multidose pen         Inj 30 m iu, 1.2 ml multidose pen         Inj 60 m iu, 1.2 ml multidose pen         EGYLATED INTERFERON ALPHA-2A – Special Authority se         See prescribing guideline on the preceding page         Inj 13 m ju, 1.2 ml multidose pen         Inj 60 m iu, 1.2 ml multidose pen         EGYLATED INTERFERON ALPHA-2A – Special Authority se         See prescribing guideline on the preceding page         Inj 135 µg prefilled syringe         Inj 180 µg prefilled syringe	Specialist 	1 1 1 Hospital pha	✓ In ✓ In ✓ In armacy [H ✓ Pe ✓ Pe	tron-A tron-A P3] egasys egasys egasys RBV
itial application from any specialist. Approvals valid for 12 m         ITERFERON ALPHA-2B       – PCT – Hospital pharmacy [HP3]-See prescribing guideline on the preceding page         Inj 18 m iu, 1.2 ml multidose pen	Specialist 	1 1 Hospital pha 1 1	✓ In ✓ In ✓ In armacy [H ✓ Pe ✓ Pe	ttron-A ttron-A ttron-A P3] egasys egasys
itial application from any specialist. Approvals valid for 12 m         ITERFERON ALPHA-2B       – PCT – Hospital pharmacy [HP3]-See prescribing guideline on the preceding page         Inj 18 m iu, 1.2 ml multidose pen       Inj 30 m iu, 1.2 ml multidose pen         Inj 60 m iu, 1.2 ml multidose pen       Inj 60 m iu, 1.2 ml multidose pen         EGYLATED INTERFERON ALPHA-2A – Special Authority se         See prescribing guideline on the preceding page         Inj 135 μg prefilled syringe         Inj 135 μg prefilled syringe × 4 with ribavirin tab 200 mg         112         Inj 135 μg prefilled syringe × 4 with ribavirin tab 200 mg	Specialist 	1 1 Hospital pha 1 1 1 OP	✓ In ✓ In ✓ In ✓ In ✓ Pr ✓ Pr ✓ Pr	ttron-A ttron-A P3] egasys egasys egasys RBV Combination Pack
itial application from any specialist. Approvals valid for 12 m         ITERFERON ALPHA-2B       – PCT – Hospital pharmacy [HP3]-See prescribing guideline on the preceding page         Inj 18 m iu, 1.2 ml multidose pen	Specialist 	1 1 Hospital pha 1 1	✓ In ✓ In ✓ In ✓ Pr ✓ Pr ✓ Pr ✓ Pr	ttron-A ttron-A P3] egasys egasys egasys RBV Combination Pack egasys RBV
itial application from any specialist. Approvals valid for 12 m         ITERFERON ALPHA-2B       – PCT – Hospital pharmacy [HP3]-See prescribing guideline on the preceding page         Inj 18 m iu, 1.2 ml multidose pen       Inj 30 m iu, 1.2 ml multidose pen         Inj 60 m iu, 1.2 ml multidose pen       Inj 60 m iu, 1.2 ml multidose pen         Inj 60 m iu, 1.2 ml multidose pen       Inj 60 m iu, 1.2 ml multidose pen         Inj 135 µg prefilled syringe       Inj 135 µg prefilled syringe         Inj 135 µg prefilled syringe       Inj 135 µg prefilled syringe × 4 with ribavirin tab 200 mg         112       Inj 135 µg prefilled syringe × 4 with ribavirin tab 200 mg	Specialist 	1 1 Hospital pha 1 1 1 OP	✓ In ✓ In ✓ In ✓ Pr ✓ Pr ✓ Pr ✓ Pr	ttron-A ttron-A P3] egasys egasys egasys RBV Combination Pack
itial application from any specialist. Approvals valid for 12 m         ITERFERON ALPHA-2B       – PCT – Hospital pharmacy [HP3]-See prescribing guideline on the preceding page         Inj 18 m iu, 1.2 ml multidose pen       Inj 30 m iu, 1.2 ml multidose pen         Inj 60 m iu, 1.2 ml multidose pen       Inj 60 m iu, 1.2 ml multidose pen         EGYLATED INTERFERON ALPHA-2A       – Special Authority set         See prescribing guideline on the preceding page       Inj 135 µg prefilled syringe         Inj 135 µg prefilled syringe       Inj 135 µg prefilled syringe × 4 with ribavirin tab 200 mg         112       Inj 135 µg prefilled syringe × 4 with ribavirin tab 200 mg         Inj 180 µg prefilled syringe × 4 with ribavirin tab 200 mg         108       µg prefilled syringe × 4 with ribavirin tab 200 mg	Specialist 	1 1 Hospital pha 1 1 OP 1 OP	✓ In ✓ In ✓ In ✓ Pr ✓ Pr ✓ Pr	ttron-A ttron-A P3] egasys egasys RBV Combination Pack egasys RBV Combination Pack
itial application from any specialist. Approvals valid for 12 m         ITERFERON ALPHA-2B       – PCT – Hospital pharmacy [HP3]-See prescribing guideline on the preceding page         Inj 18 m iu, 1.2 ml multidose pen       Inj 30 m iu, 1.2 ml multidose pen         Inj 60 m iu, 1.2 ml multidose pen       Inj 60 m iu, 1.2 ml multidose pen         Inj 60 m iu, 1.2 ml multidose pen       Inj 60 m iu, 1.2 ml multidose pen         Inj 60 m ju, 1.2 ml multidose pen       Inj 60 m iu, 1.2 ml multidose pen         Inj 135 μg prefilled syringe       Inj 135 μg prefilled syringe         Inj 135 μg prefilled syringe       Inj 135 μg prefilled syringe × 4 with ribavirin tab 200 mg         112       Inj 135 μg prefilled syringe × 4 with ribavirin tab 200 mg	Specialist 	1 1 Hospital pha 1 1 1 OP	In In In In Pr	ttron-A ttron-A P3] egasys egasys RBV Combination Pack egasys RBV Combination Pack egasys RBV
<ul> <li>itial application from any specialist. Approvals valid for 12 m ITERFERON ALPHA-2B – PCT – Hospital pharmacy [HP3]- See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen</li></ul>	Specialist 	1 1 Hospital pha 1 1 OP 1 OP	In In In In Pr	ttron-A ttron-A P3] egasys egasys RBV Combination Pack egasys RBV Combination Pack
<ul> <li>itial application from any specialist. Approvals valid for 12 m ITERFERON ALPHA-2B – PCT – Hospital pharmacy [HP3]- See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen</li></ul>	Specialist 	1 1 Hospital pha 1 1 OP 1 OP 1 OP	In In In In Pr	ttron-A ttron-A P3] egasys egasys egasys RBV Combination Pack egasys RBV Combination Pack egasys RBV Combination Pack
<ul> <li>itial application from any specialist. Approvals valid for 12 m ITERFERON ALPHA-2B – PCT – Hospital pharmacy [HP3]- See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen</li></ul>	Specialist 	1 1 Hospital pha 1 1 OP 1 OP	In In In In Pr	ttron-A ttron-A P3] egasys egasys RBV Combination Pack egasys RBV Combination Pack egasys RBV

SA0952 Special Authority for Subsidy Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV) from any specialist. Approvals valid for 48 weeks for applications meeting the following criteria: Either:

1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or

2 Patient has chronic hepatitis C and is co-infected with HIV.

Notes:

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per 🖌 Manufacturer
----------------------------------------------------------------------------------------------

continued...

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 6 months where patient has chronic hepatitis C, genotype 2 or 3 infection.

**Initial application** — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 48 weeks for applications meeting the following criteria:

### All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Either:
  - 5.1 HBeAg positive; or
  - 5.2 serum HBV DNA  $\geq$  2,000 units/ml and significant fibrosis ( $\geq$  Metavir Stage F2); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon.

#### Notes:

96

- Approved dose is 180 µg once weekly.
- The recommended dose of Pegylated Interferon-alpha 2a is 180 µg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alpha 2a dose should be reduced to 135 µg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alpha 2a is not approved for use in children.

	Subsidy (Manufacturer's Pri \$	ce) S Per	Fully Subsidised	Brand or Generic Manufacturer
GYLATED INTERFERON ALPHA-2B WITH RIBAVIRIN – Sp See prescribing guideline on page 94	ecial Authority see	SA0953 b	elow – Hos	spital pharmacy [HP:
Inj 50 $\mu g \times 4$ with ribavirin cap 200 mg $\times$ 112	1,080.40	1 OP		egatron Combination Therapy
Inj 50 $\mu g \times 4$ with ribavirin cap 200 mg $\times$ 84	976.80	1 OP		egatron Combination Therapy
Inj 80 $\mu g \times 4$ with ribavirin cap 200 mg $\times$ 140 $$	1,583.60	1 OP	🖌 Pe	egatron Combination Therapy
Inj 80 $\mu g \times 4$ with ribavirin cap 200 mg $\times$ 168 $\hfill \hfill \hfil$	1,687.20	1 OP	🖌 Pe	egatron Combination Therapy
Inj 80 $\mu g \times 4$ with ribavirin cap 200 mg $\times$ 84 $\hfill shows a state show a state shows a state $	1,376.40	1 OP	🖌 Pe	egatron Combination Therapy
Inj 100 $\mu g \times 4$ with ribavirin cap 200 mg $\times$ 112 $\hfill 112$	1,746.40	1 OP	🖌 Pe	egatron Combination Therapy
Inj 100 $\mu g \times 4$ with ribavirin cap 200 mg $\times$ 84 $\hfill \hfill \hfil$	1,642.80	1 OP	🖌 Pe	egatron Combination Therapy
Inj 120 $\mu g \times 4$ with ribavirin cap 200 mg $\times$ 140 $\hfill \ldots$	2,116.40	1 OP	🖌 Pe	egatron Combination Therapy
Inj 120 $\mu g \times 4$ with ribavirin cap 200 mg $\times$ 84 $\hfill shows a matrix and the matrix of the mat$	1,909.20	1 OP	🖌 Pe	egatron Combination Therapy
Inj 150 $\mu g \times 4$ with ribavirin cap 200 mg $\times$ 140 $\hfill \ldots$	2,516.00	1 OP	🖌 Pe	egatron Combination Therapy
Inj 150 $\mu g \times 4$ with ribavirin cap 200 mg $\times$ 168 $\hfill \ldots$	2,619.60	1 OP	🖌 Pe	egatron Combination Therapy
Inj 150 $\mu g \times 4$ with ribavirin cap 200 mg $\times$ 84 $\hfill $	2,308.80	1 OP	🖌 Pe	egatron Combination Therapy

### ➡SA0953 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV) from any specialist. Approvals valid for 11 months where patient has an existing Special Authority.

Note: Existing current approvals are still valid but no new ap	plications will be accep	ted.		
Urinary Tract Infections				
	10.40	100		
* Tab 1 g		100	Llinun	
	(38.10)		Hiprex	

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
NITROFURANTOIN				
* Tab 50 mg		100	~	Nifuran
* Tab 100 mg		100	~	Nifuran
NORFLOXACIN				
Tab 400 mg - Maximum of 6 tab per prescription; can be				
waived by endorsement - Retail pharmacy - Specialist		100	~	Arrow-Norfloxacin
Vaccines				

### Influenza vaccine

### INFLUENZA VACCINE - Hospital pharmacy [Xpharm]

A) is available between 1 March and 30 June each year for patients who meet the following criteria, as set by the Ministry of Health:

a) all people 65 years of age and over;

- b) people under 65 years of age with:
  - i) the following cardiovascular disease:
    - 1) ischaemic heart disease,
      - 2) congestive heart disease,
      - 3) rheumatic heart disease,
      - 4) congenital heart disease, or
      - 5) cerebo-vascular disease;
  - ii) the following chronic respiratory disease:
    - 1) asthma, if on a regular preventative therapy, or
    - 2) other chronic respiratory disease with impaired lung function;
  - iii) diabetes;
  - iv) chronic renal disease;
  - v) any cancer, excluding basal and squamous skin cancers if not invasive;
  - vi) the following other conditions:
    - a) autoimmune disease,
    - b) immune suppression,
    - c) HIV,
    - d) transplant recipients,
    - e) neuromuscular and CNS diseases,
    - f) haemoglobinopathies, or
    - g) children on long term aspirin.

The following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease,
  - c) pregnancy in the absence of another risk factor.
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor.
- D) Influenza Vaccine does not fall within the definition Community Pharmaceutical as it is not funded directly from the Pharmaceutical Budget. Pharmacists are unable to claim for the dispensing of influenza vaccine from the Funder.

1 🖌 Fluvax	1	Inj9.00
10 Vaxigrip	10	90.00

	Subsidy	\ <b>0</b>	Fully Brand or
	(Manufacturer's Pric \$	e) Su Per	bsidised Generic Manufacturer
Anticholinesterases			
EOSTIGMINE Inj 2.5 mg per ml, 1 ml	20.30	50	✓ AstraZeneca
	20.00	50	Astrazeneca
	10.00	100	
Tab 60 mg		100	<ul> <li>Mestinon</li> </ul>
Anti-inflammatory Non Steroidal Drugs (NSAI	Ds)		
SA0291 Special Authority for Manufacturers Price			
itial application from any medical practitioner. Approvals va	lid for 2 years for appl	ications me	eting the following criteria:
oth:			
1 Inflammatory arthritis (including osteoarthritis with an ir		nt); and	
2 Stabilised and are well controlled on the particular NSA			
enewal from any medical practitioner. Approvals valid for 2	years where the treat	atment rema	ains appropriate and the patier
enefiting from treatment.			
CLOFENAC SODIUM	0.54	100	
Tab EC 25 mg		100	Apo-Diclo
Tab 50 mg dispersible – Additional subsidy by Special			
thority see SA0291 above – Retail pharmacy		20	
Tab EQ 50 ma	(8.00)	500	Voltaren D
Tab EC 50 mg		500	✓ <u>Apo-Diclo</u>
Tab long-acting 75 mg		500	✓ <u>Apo-Diclo SR</u>
Tab long-acting 100 mg		500	Apo-Diclo SR
Inj 25 mg per ml, 3 ml	12.00	5	Voltaren
Up to 5 inj available on a PSO	1.05	10	Valtaran
Suppos 12.5 mg			Voltaren
Suppos 25 mg		10	Voltaren
Suppos 50 mg		10	Voltaren
Up to 10 supp available on a PSO	6.96	10	Valtaran
Suppos 100 mg			Voltaren
UPROFEN – Additional subsidy by Special Authority see SA			
Tab 200 mg		1,000	<ul> <li>Ethics Ibuprofen</li> </ul>
	1.60	100	
	(1.78)		I-Profen
Tab 400 mg		30	5 (
T   000	(4.56)		Brufen
Tab 600 mg		30	De la
	(6.84)	00	Brufen
Tab lana astina 000 ma		30	Design Data and
Tab long-acting 800 mg			
	(9.12)	000!	Brufen Retard
‡ Oral liq 100 mg per 5 ml	(9.12)	200 ml	<ul> <li>Fenpaed</li> </ul>
Tab long-acting 800 mg         ‡ Oral liq 100 mg per 5 ml         Profen Tab 200 mg to be delisted 1 August 2009)	(9.12)	200 ml	
‡ Oral liq 100 mg per 5 ml	(9.12) 3.49		✓ <u>Fenpaed</u>
Oral liq 100 mg per 5 ml Profen Tab 200 mg to be delisted 1 August 2009) ETOPROFEN – Additional subsidy by Special Authority see	(9.12) 3.49 SA0291 above – Reta		✓ <u>Fenpaed</u>
<ul> <li>‡ Oral liq 100 mg per 5 ml</li> <li>Profen Tab 200 mg to be delisted 1 August 2009)</li> <li>ETOPROFEN – Additional subsidy by Special Authority see Cap long-acting 100 mg</li> </ul>	(9.12) 3.49 SA0291 above – Reta 6.72 (21.56)	ail pharmacy 100	✓ <u>Fenpaed</u>
<ul> <li>Profen Tab 200 mg per 5 ml</li> <li>Profen Tab 200 mg to be delisted 1 August 2009)</li> <li>ETOPROFEN – Additional subsidy by Special Authority see</li> </ul>	(9.12) 3.49 SA0291 above – Reta 6.72 (21.56)	ail pharmacy	✓ <u>Fenpaed</u>

	Subsidy (Manufacturer's Pr	ice) Sı	Fully Ibsidised	Brand or Generic
	\$	Per	~	Manufacturer
IEFENAMIC ACID - Additional subsidy by Special Author	•	• •	ge – Reta	ail pharmacy
Cap 250 mg		100	_	
	(18.33)		Po	onstan
APROXEN				
Tab 250 mg	21.00	500	🖌 <u>N</u>	oflam 250
• Tab 500 mg	17.95	250	🖌 <u>N</u>	oflam 500
Tab long-acting 750 mg		90	🖌 Na	aprosyn SR 750
Tab long-acting 1,000 mg	21.00	90	🖌 Na	aprosyn SR 1000
APROXEN SODIUM				
Tab 275 mg	6.00	120	✓ Sc	onaflam
Tab 550 mg		100	🖌 Sy	ynflex
JLINDAC – Additional subsidy by Special Authority see S Tab 100 mg		g page – Rei 100	tail pharm	nacy
	(12.00)		Da	aclin
Tab 200 mg	( )	100	20	··· ·
Tab 200 mg	(20.00)		Da	aclin
	3.36	50		
	(15.87)		CI	linoril
ENOXICAM				
Tab 20 mg	23 75	100	🖌 Ti	Icotil
5				
APROFENIC ACID – Additional subsidy by Special Author			age – Re	etall pharmacy
Tab 300 mg		60	0	Iraom
	(19.26)		31	urgam
NSAIDs Other				
DOMETHACIN				
Cap 25 mg	5.90	100	🖌 Ri	heumacin
Cap 50 mg	6.95	100	🖌 Ri	heumacin
Cap long-acting 75 mg	13.30	100	🖌 Ri	heumacin SR
Suppos 100 mg		30	🖌 Ai	rthrexin
Rheumacin Cap 25 mg to be delisted 1 December 2009)				
heumacin Cap 50 mg to be delisted 1 October 2009)				
ROXICAM				
Tab dispersible 10 mg	3.25	50	🖌 Pi	ram-D
Tab dispersible 20 mg		100	🖌 Pi	ram-D
Antirheumatoid Agents				
JRANOFIN				
Tab 3 mg		60	🖌 Ri	idaura
<b>U</b>				
EFLUNOMIDE Tab 10 mg	55.00	30	🖌 A I	FT-Leflunomide
1ab 10 11g		30		
Tab 20 mg		30		FT-Leflunomide
	108.60	50		
Tab 100 mg		3		
5		5	₹ AI	
	01.00	100		Denomine
Tab 125 mg		100		-Penamine
Tab 250 mg		100	V D-	-Penamine

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
SODIUM AUROTHIOMALATE           Inj 10 mg per 0.5 ml           Inj 20 mg per 0.5 ml           Inj 50 mg per 0.5 ml	113.17	10 10 10	<b>1</b>	Myocrisin Myocrisin Myocrisin
Tumour Necrosis Factor (TNF) Inhibitors				
ADALIMUMAB – Special Authority see SA0812 below – Retail pha Inj 40 mg per 0.8 ml prefilled pen Inj 40 mg per 0.8 ml prefilled syringe	1,799.92	2 2	• •	HumiraPen Humira

#### ➡SA0812 Special Authority for Subsidy

**Initial application** only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient is an adult who has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with at least two of the following (triple therapy): sulphasalazine, prednisone at a dose of at least 7.5 mg per day, azathioprine, intramuscular gold, or hydroxychloroquine sulphate (at maximum tolerated doses); and

#### 5 Either:

- 5.1 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of cyclosporin alone or in combination with another agent; or
- 5.2 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of leflunomide alone or in combination with another agent; and
- 6 Either:
  - 6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
  - 6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 7 Either:
  - 7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  - 7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months; and
- 8 The patient consents to details of their treatment being held on a central registry and has signed a consent form outlining the conditions of ongoing treatment.

Notes: A patient declaration form http://www.pharmac.govt.nz/special_authority_forms/SA0812-declaration.pdf must be signed by the legal guardian of the patient and the prescriber in the presence of a witness (over 18 years of age).

Applicants are requested to register the treatment with the New Zealand Rheumatology Association by completing the forms and questionnaire http://www.pharmac.govt.nz/special_authority_forms/SA0812-survey.pdf.

**Renewal** only from a rheumatologist or general physician on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and

2 Either:

- 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 2.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician.

	Subsidy (Manufacturer's Price) \$		Fully Brand or dised Generic Manufacturer
ETANERCEPT – Retail pharmacy-Specialist prescription – S Inj 25 mg			✔ Enbrel
► SA0868 Special Authority for Subsidy Initial application only from a named specialist or rheuma following criteria: All of the following:	tologist. Approvals valid	for 4 month	ns for applications meeting the
All of the following: 1 To be used as an adjunct to methotrexate therapy or m	nonotherapy where use of	nethotrexat	e is limited

- 1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
- 3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20mg/m² weekly or at the maximum tolerated dose) in combination with oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose); and
- 5 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-15mg/m² weekly or at the maximum tolerated dose) in combination with one other disease-modifying agent; and
- 6 Both:
  - 6.1 Either:
    - 6.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 active, swollen, tender joints; or
    - 6.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
    - 6.2 Physician's global assessment indicating severe disease; and
- 7 The patient or their legal guardian consents to details of their treatment being held on a central registry and has signed a consent form outlining conditions of ongoing treatment.

Note: A patient declaration form http://www.pharmac.govt.nz/special_authority_forms/SA0667-declaration.pdf must be signed by the legal guardian of the patient and the prescriber in the presence of a witness (over 18 years of age)

Renewal only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2 Either:
  - 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
  - 2.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

### **Calcium Homeostasis**

### Alendronate for Osteoporosis

### SA0948 Special Authority for Subsidy

**Initial application** — (Underlying cause – Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mass density (BMD)  $\geq$  2.5 standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq$  -2.5); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or

continued...

Subsidy Fully Brand or
(Manufacturer's Price) Subsidised Generic
\$ Per  Manufacturer

continued...

- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score  $\leq$  -3.0.

Initial application — (Underlying cause – glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and

2 Either:

- 2.1 The patient has documented BMD  $\geq~$  1.5 standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq~$  -1.5); or
- 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically.

**Renewal** — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy ( $\geq$  5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mass density (BMD)  $\geq$  2.5 standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq$  -2.5); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score  $\leq$  -3.0.

Notes:

- a) Evidence used by National Institute for Health and Clinical Excellence (NICE) guidance indicates that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5, and therefore do not require BMD measurement for treatment with bisphosphonates.
- b) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- c) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALENDRONATE SODIUM – Special Authority see SA0948 on the preceding page – Retail pharmacy				
Tab 70 mg	35.91	4	Fosamax	
ALENDRONATE SODIUM WITH CHOLECALCIFEROL - S	Special Authority see SA09	48 on th	e preceding page – Retail pharmacy	

Tab 70 mg with cholecalciferol 2800 iu	 4	Fosamax Plus

### Alendronate for Paget's Disease

#### ➡SA0949 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
  - 2.1 Bone or articular pain; or

continued...

2.2 Bone deformity: or         2.3 Bone, articular or neurological complications; or         2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or         2.5 Preparation for orthopaedic surgery.         Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.         ALENDRONATE SODIUM - Special Authority see SA0949 on the preceding page - Retail pharmacy Tab 40 mg.         Tab 40 mg.       133.00       30       ✓ Fosamax         Other Treatments         CALCITONIN         * In 100 is per mi, 1 ml       110.00       5       ✓ Miacalcic         ETIDRONATE DISODIUM         * Tab 200 mg       .22.80       60       ✓ Didronel         #* Tab 200 mg       .22.80       60       ✓ Didronel         Prescribing Guidelines		Cubaidu		Fully Brand ar
continued       2.2 Bone deformity; or         2.3 Bone, articular or neurological complications; or         2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or         2.5 Preparation for orthopaedic surgery.         Renewal from any relevant practificer. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.         ALENDRONATE SODIUM - Special Authority see SA0949 on the preceding page - Retail pharmacy Tab 40 mg			) Subs	,
2.2 Bone deformity: or         2.3 Bone, articular or neurological complications; or         2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or         2.5 Preparation for orthopaedic surgery.         Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.         ALENDENNATE SODIUM - Special Authority see SA0949 on the preceding page – Retail pharmacy Tab 40 mg.         Tab 40 mg.       30 ✓ Fosamax         Other Treatments         CALCITONIN         * Tab 200 mg.         * Tab 200 mg.         22.80 60 ✓ Didronel         Treatments         CALCITONIN         * Tab 200 mg.         * Tab 200 mg.         * DisDiDIM         * DisDiDIM         * DisDiDIM         * DisDiDIM         * Enzymes         * Painisol         * Painisol         * Painisol         * Painisol         * Painisol         * DisDiDIM         * Other Treatments		\$	Per	<ul> <li>Manufacturer</li> </ul>
2.3 Bone, articular or neurological complications; or 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or 2.5 Preparation for orthopaedic surgery. Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment. ALENDRONATE SODIUM – Special Authority see SA0949 on the preceding page – Retail pharmacy Tab 40 mg	continued			
2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or         2.5 Preparation for orthopaedic surgery.         Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.         ALENDRONATE SODIUM - Special Authority see SA0949 on the preceding page - Retail pharmacy Tab 40 mg				
2.5       Preparation for orthopaedic surgery.         Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.         ALENDRONATE SODIUM - Special Authority see SA0949 on the preceding page - Retail pharmacy Tab 40 mg.       30       ✓ Fosamax         Other Treatments       CALCITONIN       *       Milacalcic         ETIDRONATE DISODIUM       *       Milacalcic         * Tab 200 mg       .22.80       60       ✓ Didronel         * Tab 200 mg       .22.80       60       ✓ Didronel         * Tab 200 mg       .22.80       00       ✓ Etidrate         Prescribing Guidelines       Etidronate for osteoprorsis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should be taken at the same time of the day as any calcium supplementation (minimum dose – 500 mg per day of elemental calcium).         Etidronate should be taken at least 2 hours before or after any food or fluid, except water.       Pamisol         Inj 3 mg per ml, 5 ml       .18.75       1       ✓ Pamisol         Inj 3 mg per ml, 10 ml       .17.50       1       ✓ Pamisol         Inj 3 mg per ml, 10 ml       .18.32       10       ✓ Pamisol         Inj 4 mg per ml, 10 ml       .18.32       1       ✓ Pamisol         Inj 1,500 iu per ml       .64.3				
Renewal from inv relevant practitioner. Approvials valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.         LEINDRONATE SODIUM - Special Authority see SA0949 on the preceding page - Retail pharmacy Tab 40 mg		e to site (base of ski	ill, spine, loi	ng bones of lower limbs); or
benefing from treatment. ALENDRONATE SODIUM → Special Authority see SA0949 on the preceding page – Retail pharmacy Tab 40 ng		nths where the trea	tment remai	ins appropriate and the patient
Tab 40 mg       133.00       30       ✓ Fosamax         Other Treatments         CALCITONIN         *       Inj 100 iu per ml, 1 ml       110.00       5       ✓ Miacalcic         ETIDRONATE DISODIUM         Prescribing Guidelines         Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose – 500 mg per day of elemental calcium).         Etidronate for osteoporosis should be aken at least 2 hours before or after any food or fluid, except water.         PAMIDRONATE DISODIUM       Hospital pharmacy (HP3]         Inj 3 mg per ml, 10 ml       18.75       1       ✓ Pamisol         Inj 3 mg per ml, 10 ml       .112.50       1       ✓ Pamisol         Inj 9 mg per ml, 10 ml       .112.50       1       ✓ Pamisol         Inj 1 500 iu per ml       .118.32       10       10         Enzymes	benefiting from treatment.			
Other Treatments           CALCITONIN           In 100 up per ml, 1 ml           110.00         5         ✓ Miacalcic           ETIDRONATE DISODIUM           * Tab 200 mg         22.80         60         ✓ Didronel           38.00         100         ✓ Etidrate           Prescribing Guidelines           Etidronate for osteoprosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at least 2 hours before or after any food or fluid, except water.           PAMIDRONATE DISODIUM           Hor multiply the same of the day as any calcium supplementation (minimum dose = 500 mg per day of elemental calcium).           Etidronate should be taken at least 2 hours before or after any food or fluid, except water.           PAMIDRONATE DISODIUM - Hospital pharmacy [HP3]           Inj 3 mg per ml, 10 ml         37.50         1         Y Pamisol           Inj 3 mg per ml, 10 ml         37.50         1         Y Pamisol           Inj 9 mg per ml, 10 ml         .112.50         1         Y Pamisol           In 3.75         1         Y Pamisol           In 3.75         1         Y Pamisol           In 2.32 <td< td=""><td>ALENDRONATE SODIUM - Special Authority see SA0949 on th</td><td>e preceding page -</td><td>Retail pharn</td><td>nacy</td></td<>	ALENDRONATE SODIUM - Special Authority see SA0949 on th	e preceding page -	Retail pharn	nacy
CALCITONIN       * Inj 100 µ per ml, 1 ml       110.00       5       ✓ Miacaloic         ETIDRONATE DISODIUM       .22.80       60       ✓ Didronel         38.00       100       ✓ Etidrate         Prescribing Guidelines	Tab 40 mg	133.00	30	Fosamax
** Inj 100 iu per ml, 1 ml       110.00       5       ✓ Miacalcic         ETIDRONATE DISODIUM       38.00       100       ✓ Etidrate         Prescribing Guidelines       38.00       100       ✓ Etidrate         Prescribing Guidelines       38.00       100       ✓ Etidrate         Prescribing Guidelines       60       ✓ Didronel       38.00       100       ✓ Etidrate         Prescribing Guidelines       Etidrate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose – 500 mg per day of elemental calcium).         Etidronate should be taken at least 2 hours before or after any food or fluid, except water.       Pamisol         PAMIDRONATE DISODIUM – Hospital pharmacy [HP3]       18.75       1       ✓ Pamisol         Inj 3 mg per ml, 10 ml	Other Treatments			
ETIDRONATE DISODIUM * Tab 200 mg	CALCITONIN			
* Tab 200 mg	* Inj 100 iu per ml, 1 ml	110.00	5	✓ Miacalcic
38.00       100       ✓ Etidrate         Prescribing Guidelines         Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose – 500 mg per day of elemental calcium).         Etidronate should be taken at least 2 hours before or after any food or fluid, except water.       PAMIDRONATE DISODIUM – Hospital pharmacy [HP3]         Inj 3 mg per ml, 5 ml	ETIDRONATE DISODIUM			
Prescribing Guidelines       Control of the term of the day as any calcium supplementation (minimum dose – 500 mg per day of elemental calcium).         Elidronate should be taken at least 2 hours before or after any food or fluid, except water.         PAMIDRONATE DISODIUM – Hospital pharmacy [HP3]         Inj 3 mg per ml, 5 ml         Inj 3 mg per ml, 10 ml         Inj 6 mg per ml, 10 ml         Inj 9 mg per ml, 10 ml         Inj 9 mg per ml, 10 ml         Inj 9 mg per ml, 10 ml         Inj 10 mg per ml, 10 ml         Inj 9 mg per ml, 10 ml         Inj 500 iu per ml         Inj 100 mg         Enzymes         HYALUPONIDASE         Inj 1,500 iu per ml         Inj 500 iu per ml         Stational         4 DOPURINOL         * Tab 100 mg         5.44       250         ✓ Apo-Allopurinol         COLCHCINE         * Tab 500 µg         * Tab 500 µg         PROBENECID         * Tab 500 mg         * Tab 500 mg         Stational         Muscle Relaxants         BACLOFEN <td< td=""><td>* Tab 200 mg</td><td>22.80</td><td>60</td><td><ul> <li>Didronel</li> </ul></td></td<>	* Tab 200 mg	22.80	60	<ul> <li>Didronel</li> </ul>
Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose – 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water. PAMIDRONATE DISODIUM – Hospital pharmacy [HP3] Inj 3 mg per ml, 10 ml		38.00	100	<ul> <li>Etidrate</li> </ul>
not be taken at the same time of the day as any calcium supplementation (minimum dose – 500 mg per day of elemental calcium). Elidronate should be taken at least 2 hours before or after any food or fluid, except water. PAMIDRONATE DISODIUM – Hospital pharmacy [HP3] Inj 3 mg per ml, 5 ml		) ma in the morning	and ropost	tod overv three months. It show
Etidronate should be taken at least 2 hours before or after any food or fluid, except water. PAMIDRONATE DISODIUM – Hospital pharmacy [HP3] Inj 3 mg per ml, 5 ml				
Inj 3 mg per ml, 5 ml       1       ✓ Pamisol         Inj 3 mg per ml, 10 ml       37.50       1       ✓ Pamisol         Inj 6 mg per ml, 10 ml       75.00       1       ✓ Pamisol         Inj 9 mg per ml, 10 ml       112.50       1       ✓ Pamisol         Inj 9 mg per ml, 10 ml       112.50       1       ✓ Pamisol         Enzymes       (243.24)       Hyalase         HYALUPONIDASE Inj 1,500 iu per ml       18.32       10         (243.24)       Hyalase       Hyalase         HUPperuricaemia and Antigout       4.03       100       ✓ Apo-Allopurinol         * Tab 100 mg       5.44       250       ✓ Apo-Allopurinol         ** Tab 500 µg       9.60       100       ✓ Apo-Allopurinol         COLCHCINE       9.60       100       ✓ Colgout         PROBENECID       *       75.00       100       ✓ AFT         Muscle Relaxants       3.75       100       ✓ Pacifen         DANTROLENE SODIUM       32.96       100       ✓ Dantrium         * Cap 50 mg       32.96       100       ✓ Dantrium         ORPHENADRINE CITRATE       32.96       100       ✓ Dantrium				
Inj 3 mg per ml, 10 ml	PAMIDRONATE DISODIUM – Hospital pharmacy [HP3]			
Inj 6 mg per ml, 10 ml				
Inj 9 mg per ml, 10 ml	3 61 3		-	
Enzymes         HYALURONIDASE Inj 1,500 iu per ml       18.32 (243.24)       10 Hyalase         Hyperuricaemia and Antigout       10       Hyalase         ALLOPURINOL * Tab 100 mg       5.44 * Tab 100 mg       250 * Apo-Allopurinol         * Tab 300 mg       4.03       100       Apo-Allopurinol         COLCHICINE * Tab 500 µg       9.60       100       Colgout         PROBENECID * Tab 500 mg       55.00       100       AFT         Muscle Relaxants       3.75       100       AFT         DANTROLENE SODIUM * Cap 25 mg       32.96       100       Dantrium         * Cap 50 mg       .51.70       100       Dantrium         ORPHENADRINE CITRATE       000       Dantrium       Dantrium				
HYALURONIDASE Inj 1,500 iu per ml      18.32       10         (243.24)       Hyalase         Hyperuricaemia and Antigout         ALLOPURINOL         * Tab 100 mg				
Inj 1,500 iu per ml	Enzymes			
(243.24)       Hyalase         Hyperuricaemia and Antigout       AllOPURINOL         ALLOPURINOL       5.44       250       ✓ Apo-Allopurinol         * Tab 100 mg       4.03       100       ✓ Apo-Allopurinol         COLCHICINE       9.60       100       ✓ Colgout         PROBENECID       9.60       100       ✓ Apo-Allopurinol         * Tab 500 µg       55.00       100       ✓ AFT         Muscle Relaxants       BACLOFEN       3.75       100       ✓ Pacifen         DANTROLENE SODIUM       32.96       100       ✓ Dantrium         * Cap 25 mg       32.96       100       ✓ Dantrium         * Cap 50 mg       51.70       100       ✓ Dantrium         ORPHENADRINE CITRATE       51.70       100       ✓ Dantrium	HYALURONIDASE			
Hyperuricaemia and Antigout           ALLOPURINOL           * Tab 100 mg         5.44         250         ✓ Apo-Allopurinol           * Tab 300 mg         4.03         100         ✓ Apo-Allopurinol           COLCHICINE         9.60         100         ✓ Colgout           * Tab 500 µg         9.60         100         ✓ Colgout           PROBENECID         9.60         100         ✓ AFT           Muscle Relaxants         55.00         100         ✓ AFT           DANTROLENE SODIUM         3.75         100         ✓ Pacifen           ANTROLENE SODIUM         32.96         100         ✓ Dantrium           * Cap 25 mg         32.96         100         ✓ Dantrium           * Cap 50 mg         51.70         100         ✓ Dantrium	Inj 1,500 iu per ml		10	lhudaaa
ALLOPURINOL * Tab 100 mg		(243.24)		nyalase
* Tab 100 mg	Hyperuricaemia and Antigout			
* Tab 300 mg	ALLOPURINOL			
COLCHICINE ★ Tab 500 µg	5			
* Tab 500 µg       9.60       100       ✓ Colgout         PROBENECID       *       Tab 500 mg       100       ✓ AFT         Muscle Relaxants       BACLOFEN       *       Tab 10 mg       ✓ Pacifen         DANTROLENE SODIUM       32.96       100       ✓ Dantrium         * Cap 25 mg       51.70       100       ✓ Dantrium         ORPHENADRINE CITRATE       00       ✓ Dantrium	Ũ	4.03	100	Apo-Allopurinol
PROBENECID       * Tab 500 mg       100       ✓ AFT         Muscle Relaxants       BACLOFEN       *         * Tab 10 mg       37.5       100       ✓ Pacifen         DANTROLENE SODIUM       32.96       100       ✓ Dantrium         * Cap 25 mg       51.70       100       ✓ Dantrium         ORPHENADRINE CITRATE       51.70       100       ✓ Dantrium		0.00	100	
* Tab 500 mg       100       ✓ AFT         Muscle Relaxants       BACLOFEN         * Tab 10 mg       3.75       100       ✓ Pacifen         DANTROLENE SODIUM       32.96       100       ✓ Dantrium         * Cap 25 mg       51.70       100       ✓ Dantrium         ORPHENADRINE CITRATE       00       ✓ Dantrium		9.60	100	
Muscle Relaxants           BACLOFEN           * Tab 10 mg           DANTROLENE SODIUM           * Cap 25 mg           * Cap 50 mg		55.00	100	
BACLOFEN         ★ Tab 10 mg         DANTROLENE SODIUM         ★ Cap 25 mg         ★ Cap 50 mg         Manual Control         51.70         100         ✓ Dantrium         ORPHENADRINE CITRATE			100	
* Tab 10 mg	Muscle Relaxants			
DANTROLENE SODIUM * Cap 25 mg	BACLOFEN			
★         Cap 25 mg         100         ✓         Dantrium           *         Cap 50 mg         100         ✓         Dantrium           ORPHENADRINE CITRATE         000         ✓         Dantrium	* Tab 10 mg	3.75	100	Pacifen
* Cap 50 mg51.70 100 V Dantrium	DANTROLENE SODIUM			4
ORPHENADRINE CITRATE				
			100	✓ Dantrium
10.04 100 mg		18 54	100	✓ Norflex
			100	

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
QUININE SULPHATE				
* Tab 200 mg	15.95	250	V <u>Q</u>	200
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
* Tab 300 mg		500	V Q	300
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully sidised	Brand or Generic Manufacturer
Anaesthetics				
Local				
BUPIVACAINE HYDROCHLORIDE – Hospital pharmacy [HP3] Inj 0.5%, 4 ml Inj 0.5%, 8% glucose, 4 ml		5 5		arcain Isobaric arcain Heavy
LIGNOCAINE HYDROCHLORIDE Inj 0.5%, 5 ml – Up to 5 inj available on a PSO Only if prescribed on prescription for a dialysis patient or of Inj 1%, 5 ml – Up to 5 inj available on a PSO Only if prescribed on prescription for a dialysis patient or of Data if prescription and prescription for a dialysis patient or of New If prescription on the prescription for a dialysis patient or of New If prescription on the prescription for a dialysis patient or of New If prescription on the prescription for a dialysis patient or of New If prescription on the prescription for a dialysis patient or of New If prescription of the prescription for a dialysis patient or of New If prescription of the prescription of th	hild with rheumatic fe	50	n PSO f ✔ <u>X</u>	ylocaine
Only if prescribed on prescription for a dialysis patient or or Inj 1%, 20 ml – Up to 5 inj available on a PSO Only if prescribed on prescription for a dialysis patient or o	23.50	5	✓ X	vlocaine
LIGNOCAINE WITH CHLORHEXIDINE Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes		10	🗸 Pi	fizer
LIGNOCAINE WITH PRILOCAINE – Special Authority see SA09 Crm 2.5% with prilocaine 2.5% Crm 2.5% with prilocaine 2.5% (5 g tubes)		pharmacy [ 0 g OP 5	HP3] <u>E</u>	
► SA0906 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals vali	d for 2 years where	the patient	is a ch	nild with a chronic medica

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

### Analgesics

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 99

### **Non-Opioid Analgesics**

ASPIRIN			
* Tab EC 300 mg	2.15	100	
-	(8.10)		Aspec 300
* Tab dispersible 300 mg - Up to 30 tab available on a PSO	2.15	100	Ethics Aspirin
NEFOPAM HYDROCHLORIDE			
Tab 30 mg	23.40	90	Acupan
PARACETAMOL			
* Tab 500 mg – Up to 30 tab available on a PSO	9.60	1,000	Pharmacare
*‡ Oral liq 120 mg per 5 ml	6.80	1,000 ml	Paracare Junior
a) Up to 200 ml available on a PSO			
b) Not in combination			
* + Oral liq 250 mg per 5 ml	7.00	1,000 ml	Paracare Double
			Strength
a) Up to 100 ml available on a PSO			
b) Not in combination			
* Suppos 125 mg		20	Panadol
* Suppos 250 mg		20	Panadol
* Suppos 500 mg	20.50	50	Paracare

### **NERVOUS SYSTEM**

(	Subsidy Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Opioid Analgesics				
BUPRENORPHINE HYDROCHLORIDE - Only on a controlled dru	g form			
Inj 0.3 mg per ml, 1 ml	7.42	5	-	
	(9.38)		16	emgesic
CODEINE PHOSPHATE				
Tab 15 mg		100	<u> P</u>	
Tab 30 mg		100	✓ P	
Tab 60 mg	18.50	100	✓ P	<u>SM</u>
DEXTROPROPOXYPHENE WITH PARACETAMOL				
Tab napsylate 50 mg with paracetamol 325 mg	14.50	500		
	(22.50)		P	aradex
Cap hydrochloride 32.5 mg with paracetamol 325 mg	19.91	500		
	(33.14)		С	apadex
DIHYDROCODEINE TARTRATE				
Tab long-acting 60 mg	30.30	60	V D	HC Continus
FENTANYL – Special Authority see SA0935 below – Retail pharma a) Only on a controlled drug form	icy			
b) No patient co-payment payable				
Transdermal patch, matrix 25 µg per hour	55 23	5	<b>1</b> D	urogesic
Transdermal patch, matrix 20 µg per hour		5		urogesic
Transdermal patch, matrix 75 µg per hour		5		urogesic
Transdermal patch, matrix 100 µg per hour		5		urogesic
The second secon		Ŭ	÷ D	

#### ➡SA0935 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient is terminally ill and is opioid-responsive; and
- 2 Either:

2.1 is unable to take oral medication; or

2.2 is intolerant to morphine, or morphine is contraindicated.

Renewal from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

#### METHADONE HYDROCHLORIDE

a) Only on a controlled drug form

b) No patient co-payment payable

c) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets).

d) For methadone hydrochloride oral liquid refer, page 163

	Tab 5 mg2.10	10	Methatabs
‡	Oral lig 2 mg per ml	200 ml	Biodone
ŧ	Oral lig 5 mg per ml	200 ml	Biodone Forte
ŧ	Oral lig 10 mg per ml8.95	200 ml	Biodone Extra I
	Inj 10 mg per ml, 1 ml	10	🖌 AFT

Forte

# NERVOUS SYSTEM

	Subsidy		Fully Brand or
	(Manufacturer's F		bsidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
MORPHINE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
t Oral lig 1 mg per ml		200 ml	RA-Morph
Cral lig 2 mg per ml		200 ml	RA-Morph
Cral lig 5 mg per ml		200 ml	RA-Morph
Cral lig 10 mg per ml		200 ml	✓ RA-Morph
MORPHINE SULPHATE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
Tab immediate-release 10 mg	2 64	10	Sevredol
Tab long-acting 10 mg		10	LA-Morph
Tab immediate-release 20 mg		10	✓ <u>Sevredol</u>
Tab long-acting 30 mg		10	LA-Morph
Tab long-acting 60 mg		10	✓ LA-Morph
Tab long-acting 100 mg		10	✓ LA-Morph
Cap long-acting 10 mg		10	✓ m-Eslon
Cap long-acting 30 mg		10	✓ m-Eslon
Cap long-acting 60 mg		10	✓ m-Eslon
Cap long-acting 100 mg		10	✓ m-Eslon
Cap long-acting 200 mg		10	✓ m-Eslon
Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	Mayne
Inj 10 mg per ml, 1 ml - Up to 5 inj available on a PSO.		5	Mayne
Inj 15 mg per ml, 1 ml - Up to 5 inj available on a PSO	4.70	5	Mayne
Inj 30 mg per ml, 1 ml - Up to 5 inj available on a PSO	4.98	5	Mayne
MORPHINE TARTRATE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
Inj 80 mg per ml, 1.5 ml		5	Mayne
Inj 80 mg per ml, 5 ml		5	Mayne
3 81			- <u></u>
DXYCODONE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable Tab controlled-release 5 mg	7.51	20	OxyContin
Tab controlled-release 5 mg		20	✓ OxyContin
Tab controlled-release 20 mg		20	✓ OxyContin
Tab controlled-release 20 mg		20	✓ OxyContin
Tab controlled-release 80 mg		20	✓ OxyContin
Cap 5 mg		20	✓ OxyNorm
Cap 10 mg		20	✓ OxyNorm
Cap 20 mg		20	✓ OxyNorm
Coap 20 mg Coal liq 5 mg per 5 ml		250 ml	✓ OxyNorm
Inj 10 mg per ml, 1 ml		5	✓ OxyNorm
Inj 10 mg per ml, 2 ml		5	✓ OxyNorm
Prescribing Guideline		č	<u></u>
Prescribers should note that oxycodone is significantly mor	e expensive than lor	ng-acting mor	phine sulphate and clinical advice
suggests that it is reasonable to consider this as a second-lin	•		
PARACETAMOL WITH CODEINE			-
<ul> <li>Tab paracetamol 500 mg with codeine phosphate 8 mg .</li> </ul>	2 0/	100	Codalgin
a fao paracetarior ovo ing with coucine phosphate o ing .	0.24	100	+ Oodaigin

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	Generic
	\$	Per	~	Manufacturer
PETHIDINE HYDROCHLORIDE				
<ul> <li>a) Only on a controlled drug form</li> </ul>				
<ul> <li>b) No patient co-payment payable</li> </ul>				
Tab 50 mg	3.00	10	🖌 PS	
Tab 100 mg		10	🖌 P:	
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	M M	
Inj 50 mg per ml, 1.5 ml – Up to 5 inj available on a PSO		5	✓ M	•
Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO	4.18	5	V M	ayne
Antidepressants				
Cyclic and Related Agents				
AMITRIPTYLINE				
Tab 10 mg	2.77	50	🖌 A	mirol
Tab 25 mg	3.40	100		mitrip
Tab 50 mg	5.20	100	🖌 A	mitrip
CLOMIPRAMINE HYDROCHLORIDE				
Tab 10 mg	10.00	100	🖌 C	lopress
Tab 25 mg		500	V C	lopress
DOTHIEPIN HYDROCHLORIDE				
Tab 75 mg	8.75	100	V D	opress
Cap 25 mg	4.75	100	V D	opress
DOXEPIN HYDROCHLORIDE				
Cap 10 mg	5.24	100	🖌 A	nten
Cap 25 mg	5.46	100	🖌 A	nten
Cap 50 mg	7.34	100	🖌 A	nten
IMIPRAMINE HYDROCHLORIDE				
Tab 10 mg	5.48	50		ofranil
Tab 25 mg	8.80	50	🗸 <u>To</u>	ofranil
MAPROTILINE HYDROCHLORIDE				
Tab 25 mg		100		udiomil
Tab 75 mg	21.01	30	🖌 <u>Li</u>	udiomil
MIANSERIN HYDROCHLORIDE - Special Authority see SA08	64 below – Retail pharr	macy		
Tab 30 mg		30	🖌 To	olvon
■SA0864 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid	d for 2 years for applica	ations	meeting the	following criteria:
Both:			·	-
1 Depression; and				
2 Either:				
2.1 Co-existent bladder neck obstruction; or				
2.2 Cardiovascular disease.	and whore the treater	ont	omoine er-	convicto and the national in
Renewal from any relevant practitioner. Approvals valid for 2 y benefiting from treatment.	years where the treatm	ient re	emains appi	rophate and the patient is
NORTRIPTYLINE HYDROCHLORIDE				
Tab 10 mg	5.94	100	N	orpress

	Subsidy (Manufacturer's Price)	Subs	Fully Brand or sidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
TRIMIPRAMINE MALEATE			
Cap 25 mg		100	✓ Tripress
Cap 50 mg		100	✓ Tripress
Monoamine-Oxidase Inhibitors (MAOIs) - Non Se	elective		
PHENELZINE SULPHATE			
Tab 15 mg	95.00	100	V Nardil
TRANYLCYPROMINE SULPHATE Tab 10 mg	22.04	50	✓ Parnate
	22.94	50	✓ Parnate S29 S29
Monoamine-Oxidase Type A Inhibitors			
MOCLOBEMIDE	mide and fluovating	maalahami	de being about three times may
Note: There is a significant cost differential between moclobe expensive). For depressive syndromes it is therefore more co			
ing prescribing moclobemide.			
Tab 150 mg		500	Apo-Moclobemide
Tab 300 mg		100	Apo-Moclobemide
Selective Serotonin Reuptake Inhibitors			
CITALOPRAM HYDROBROMIDE			
* Tab 20 mg		84	Arrow-Citalopram
FLUOXETINE HYDROCHLORIDE			4 -
Tab dispersible 20 mg, scored – Subsidy by endorsement Subsidised by endorsement	5.50	30	✓ <u>Fluox</u>
1) When prescribed for a patient who cannot swallow w	hole tablets or capsu	les and the	prescription is endorsed accord
ingly; or			
<ol> <li>When prescribed in a daily dose that is not a mu endorsed. Note: Tablets should be combined with c</li> </ol>			
* Cap 20 mg		90	✓ <u>Fluox</u>
PAROXETINE HYDROCHLORIDE			
Tab 20 mg	5.90	30	✓ Loxamine
Other Antidepressants			
VENLAFAXINE – Special Authority see SA0789 below – Retail pl	harmacy		
Cap 37.5 mg		28	✓ Efexor XR
Cap 75 mg		28	✓ Efexor XR
Cap 150 mg	45.68	28	<ul> <li>Efexor XR</li> </ul>
SA0789 Special Authority for Subsidy			
Initial application only from a relevant specialist or vocationally	registered general	practitioner	. Approvals valid for 2 years for
applications meeting the following criteria:			

Both:

1 The patient has 'treatment-resistant' depression; and

2 Either:

2.1 The patient must have had a trial of two different antidepressants and failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or

2.2 Both:

Subsidy (Manufacturer's Pr	ice) S	Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and

2.2.2 The patient must have had a trial of one other antidepressant and failed to respond to an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

## **Antiepilepsy Drugs**

## Agents for Control of Status Epilepticus

CLONAZEPAM		10.00	_	
, , , , , , , , , , , , , , , , , , , ,	ml		5	Rivotril
DIAZEPAM				
a) Up to 5 inj av b) Only on a PS			5	🗸 Mayne
,	e endorsed "not for anaesthetic procedu		_	
	J – Up to 5 tube available on a PSO		5	✓ Stesolid
	ng – Up to 5 tube available on a PSO		5	<ul> <li>Stesolid</li> </ul>
PARALDEHYDE				
✤ Inj 5 ml		1,500.00	5	🖌 AFT
PHENYTOIN SODIUM	1			
* Inj 50 mg per ml, 2	2 ml – Up to 5 inj available on a PSO	69.24	5	Mayne
* Inj 50 mg per ml, 5	5 ml – Up to 5 inj available on a PSO	77.27	5	Mayne
Control of Epile	psy			
CARBAMAZEPINE				
		14 53	100	✓ Tegretol
	00 mg		100	✓ Tegretol CR
0 0			100	✓ Tegretol
	00 mg		100	✓ Tegretol CR
*‡ Oral liq 100 mg pe	er 5 ml		250 ml	✓ Tegretol
CLOBAZAM				-
			50	🖌 Frisium
	r extemporaneously compounded oral li			
CLONAZEPAM				
		6.26	100	V Paxam
10			100	✓ Paxam
-	per ml		10 ml OP	✓ Rivotril
ETHOSUXIMIDE	-			
			200	Zarontin
1 0	er 5 ml		200 ml	✓ Zarontin

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Generic
GABAPENTIN - Special Authority see SA0936 below - Retail pha	armacy			
▲ Tab 600 mg	79.79	100	~	Neurontin
▲ Cap 100 mg		100	~	Nupentin
	15.67		~	Neurontin
▲ Cap 300 mg		100	~	Nupentin
	47.00		~	Neurontin
▲ Cap 400 mg		100	~	Nupentin
	62.66		~	Neurontin

## ►SA0936 Special Authority for Subsidy

**Initial application** — (Epilepsy - new patients) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Epilepsy - patient has had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life from gabapentin, topiramate, vigabatrin and/or lamotrigine.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Initial application — (Neuropathic pain - new patients) from any relevant practitioner. Approvals valid for 3 months where the patient has tried and failed, or has been unable to tolerate, treatment with a tricyclic antidepressant.

Initial application — (Neuropathic pain - patient has had an approval for gabapentin for neuropathic pain prior to 1 August 2007) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

If the patient had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

Renewal — (Neuropathic pain) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Note: If the patient had an approval for gabapentin for neuropathic pain prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

MOTRIGINE Tab dispersible 2 mg		Subsidy (Manufacturer's Price)		Fully Brand or Subsidised Generic
Tab dispersible 2 mg		\$	Per	<ul> <li>Manufacturer</li> </ul>
Tab dispersible 5 mg	MOTRIGINE	0.74	~~	<i>.</i>
Tab dispersible 25 mg       15.00       56       ✓ Arrow-Lamotrigine         20.40       20.40       ✓ Arrow-Lamotrigine         20.40       ✓ Mogine       20.90       ✓ Lamictal         Tab dispersible 50 mg       32.97       56       ✓ Logem         34.70       ✓ Arrow-Lamotrigine       ✓ Mogine         Tab dispersible 100 mg       56.91       56       ✓ Logem         Tab dispersible 200 mg       56.91       56       ✓ Logem         Tab dispersible 200 mg       79.16       ✓ Lamictal         Tab dispersible 200 mg       101.80       56       ✓ Arrow-Lamotrigine         VETIRACETAM       - Special Authority see SA0921 below – Retail pharmacy       Arrow-Lamotrigine         Tab				
Tab dispersible 25 mg       19.38       56       ✓ Logem         20.40       ✓ Arrow-Lamotrigine         20.40       ✓ Mogine         29.09       ✓ Lamictal         32.97       56       ✓ Logem         34.70       ✓ Arrow-Lamotrigine         Mogine       47.89       ✓ Lamictal         Tab dispersible 100 mg       56.91       56       ✓ Logem         Tab dispersible 200 mg       79.16       ✓ Lamictal         Tab dispersible 200 mg       101.80       56       ✓ Arrow-Lamotrigine         Yestige       79.16       ✓ Lamictal       ✓ Mogine         EVETIRACETAM       - Special Authority see SA0921 below – Retail pharmacy       Tamictal       ✓ Mogine         VETIRACETAM       - Special Authority for Subsidy       CBS       60       ✓ Keppra         VEXTRACETAM       - Special Authority for Subsidy       CBS       60       ✓ Keppra         VEXTRACETAM       - Special Authority for Subsidy       CBS       60       ✓ Keppra         VEXTRACETAM       - Special Authority see SA0921 below – Retail pharmacy       or:       The Coordinator, Levetiracetam Special Access Panel         Vettrick Application to the Levetiracetam Special Access Panel       Phone: (04) 9167-7553       Facsimile: (09) 929-3226 </td <td>Iab dispersible 5 mg</td> <td></td> <td></td> <td></td>	Iab dispersible 5 mg			
20.40       ✓ Arrow-Lamotrigine         Yes       Wogine         Yes       Yes         Tab dispersible 50 mg       32.97         Stab       Yes         Yes       Yes         Tab dispersible 100 mg       47.89         Yes       Yes         Tab dispersible 100 mg       56.91         Tab dispersible 200 mg       79.16         Yes       Yes         Tab dispersible 200 mg       79.16         Tab dispersible 200 mg       79.16         Yes       Yes         Tab dispersible 200 mg       79.16         Yes       Yes         Tab       Yes         Stab       60         Yes       Yes         Yes       Yes<	Tab diamanihi of mar			
Tab dispersible 50 mg       29.09       * Mogine         Tab dispersible 50 mg       32.97       56       * Lamictal         34.70       * Arrow-Lamotrigine       * Mogine       * Mogine         Tab dispersible 100 mg       56.91       56       * Logem       * Lamictal         Tab dispersible 200 mg       79.16       * Lamictal       * Mogine         Tab dispersible 200 mg       79.16       * Lamictal       * Mogine         VETIRACETAM       - Special Authority see SA0921 below – Retail pharmacy       * Mogine       * Mogine         vist       Arrow-Lamotrigine       * Mogine       * Mogine         vist: Application to the Levetiracetam Special Access Panel       * Keppra       * Sa0921         vist: Application to the Levetiracetam Special Access Panel       Phone: (04) 916-7553       Facsimile: (09) 929-9226         Wellington       Email: Isacoordinator@pharmac.govt.nz       or:         The Coordinator, Levetiracetam Special Access Panel       Phone: (04) 916-7553       Facsimile: (09) 929-9226         Wellington       Email: Isacoordinator@pharmac.govt.nz       or:         The Coordinator, Levetiracetam Special Access Panel       Phone: (04) 916-7553       Facsimile: (09) 929-9226         Wellington       Email: Isacoordinator@pharmac.govt.nz       or:       The Doson t.nz <td>Tab dispersible 25 mg</td> <td></td> <td>56</td> <td>•</td>	Tab dispersible 25 mg		56	•
Tab dispersible 50 mg       29.09       ✓ Lamictal         34.70       ✓ Logem         34.70       ✓ Arrow-Lamotrigine         ✓ Mogine       ✓ Lamictal         Tab dispersible 100 mg       .56.91       56         Tab dispersible 100 mg       .56.91       56         ✓ Logem       .9.90       ✓ Arrow-Lamotrigine         ✓ Mogine       .9.90       ✓ Mogine         Tab dispersible 200 mg       .79.16       ✓ Lamictal         Tab dispersible 200 mg       .01.80       56       ✓ Arrow-Lamotrigine         ✓ Mogine       .79.16       ✓ Lamictal       ✓ Mogine         VETIRACETAM       - Special Authority see SA0921 below – Retail pharmacy .CBS       60       ✓ Keppra         SA0921       Special Authority for Subsidy bisidy by application to the Levetiracetam Special Access Panel tes: Application details may be obtained from PHARIMAC's website       http://www.pharmac.govt.nz       or:         The Coordinator, Levetiracetam Special Access Panel PHARIMAC, PO Box 10 254       Facsimile: (09) 929-3226       Email: Issacoordinator@pharmac.govt.nz         VENDBARBITONE       For phenobarbitone oral liquid refer, page 163 Tab 30 mg       .24.59       500       ✓ PSM         Tab 50 mg       .15.63       .200       ✓ Dilantin Leptintin         Ca		20.40		
Tab dispersible 50 mg		20.00		
34.70       ✓ Arrow-Lamotrigine         Mogine       47.89       ✓ Lamictal         56.91       56       ✓ Logem         59.90       ✓ Arrow-Lamotrigine       ✓ Mogine         7ab dispersible 200 mg       79.16       ✓ Lamictal         Tab dispersible 200 mg       101.80       56       ✓ Arrow-Lamotrigine         YETIRACETAM       – Special Authority see SA0921 below – Retail pharmacy       ✓ Mogine       ✓ Mogine         YETIRACETAM       – Special Authority for Subsidy       CBS       60       ✓ Keppra         YED       Special Authority for Subsidy       CBS       60       ✓ Keppra         YED       Special Authority for Subsidy       CBS       60       ✓ Keppra         YED       Special Authority for Subsidy       CBS       60       ✓ Keppra         YED       Special Authority for Subsidy       CBS       60       ✓ Keppra         YED       Special Authority for Subsidy       CBS       60       ✓ Keppra         YED       Special Authority for Subsidy       CBS       60       ✓ Keppra         YED       Special Authority for Subsidy       CBS       60       ✓ Keppra         YED       Special Authority for Subsidy       CBS       60       ✓ Fepra </td <td>Tab dianaraible E0 mg</td> <td></td> <td>FC</td> <td></td>	Tab dianaraible E0 mg		FC	
Tab dispersible 100 mg       47.89       ✓ Lamictal         Tab dispersible 100 mg       56.91       56       ✓ Lamictal         59.90       ✓ Arrow-Lamotrigine       ✓ Mogine       ✓ Mogine         Tab dispersible 200 mg       79.16       ✓ Lamictal         Tab dispersible 200 mg       101.80       56       ✓ Karow-Lamotrigine         VETIRACETAM       - Special Authority see SA0921 below – Retail pharmacy       ✓ Mogine       ✓ Mogine         Tab			50	
47.89       ✓ Lamictal         Tab dispersible 100 mg       56.91       56         59.90       ✓ Arrow-Lamotrigine         ✓ Mogine       79.16       ✓ Lamictal         Tab dispersible 200 mg       101.80       56       ✓ Lamictal         YETIRACETAM       – Special Authority see SA0921 below – Retail pharmacy       ✓ Mogine       ✓ Mogine         YETIRACETAM       – Special Authority for Subsidy       ✓ Keppra       ✓ Keppra         YEM0921       Special Authority for Subsidy       ✓ Keppra       ✓ Keppra         YEM0921       Special Authority for Subsidy       ✓ Keppra       ✓ Keppra         YEM0921       Special Authority for Subsidy       ✓ Keppra       ✓ Keppra         YEM0921       Special Authority for Subsidy       ✓ Keppra       ✓ Keppra         YEM0921       Special Authority for Subsidy       ✓ Keppra       ✓ Keppra         YEM0921       Special Authority for Subsidy       ✓ Keppra       ✓ Keppra         YEM0921       Special Authority for Subsidy       Facsimile: (09) 929-3226       ✓ Keppra         Vellington       Email: Isacoordinator @ pharmac.govt.nz       Tab 15 mg       23.68       500       ✓ PSM         Tab 15 mg		34.70		<b>u</b>
Tab dispersible 100 mg		47.90		5
59.90       ✓ Arrow-Lamotrigine         79.16       ✓ Lamictal         Tab dispersible 200 mg       101.80       56       ✓ Arrow-Lamotrigine         Yead       101.80       56       ✓ Arrow-Lamotrigine         VETIRACETAM       – Special Authority see SA0921 below – Retail pharmacy       ✓ Mogine       ✓ Mogine         Yead       Special Authority for Subsidy       CBS       60       ✓ Keppra         Yead       Special Authority for Subsidy       Special Access Panel       For Special Authority for Subsidy         beidy by application to the Levetiracetam Special Access Panel       Phone: (04) 916-7553       For Special Authority for Subsidy         PHARMAC, PO Box 10 254       Facsimile: (09) 929-3226       For Sphenobarbitone oral liquid refer, page 163       Facsimile: Isacoordinator@pharmac.govt.nz         For phenobarbitone oral liquid refer, page 163       Tab 30 mg       .23.68       500       ✓ PSM         Tab 30 mg       .23.68       500       ✓ PSM       Tab 30 mg       .24.59       500       ✓ Dilantin         Cap 30 mg       .15.63       200       ✓ Dilantin       .11.19       500 ml       ✓ Dilantin         IMIDONE	Tab dispersible 100 mg		56	
79.16       ✓ Mogine         Tab dispersible 200 mg       101.80       56       ✓ Arrow-Lamotrigine         VETIRACETAM – Special Authority see SA0921 below – Retail pharmacy       CBS       60       ✓ Keppra         VSA0921       Special Authority for Subsidy       CBS       60       ✓ Keppra         VSA0921       Special Authority for Subsidy       CBS       60       ✓ Keppra         VSA0921       Special Authority for Subsidy       CBS       60       ✓ Keppra         VSA0921       Special Authority for Subsidy       CBS       60       ✓ Keppra         VSA0921       Special Authority for Subsidy       CBS       60       ✓ Keppra         VSA0921       Special Authority for Subsidy       CBS       60       ✓ Keppra         VETIRACETAM       Psecial Access Panel       Phone: (04) 916-7553       That State       CBS       60       ✓ PSM         VETIRACE, PO Box 10 254       Facsimilie: (09) 929-3226       Email: Isacoordinator@pharmac.govt.nz       ENOBARBITONE         For phenobarbitone oral liquid refer, page 163       Tab 50 mg       23.68       500       ✓ PSM         EINTOIN SODIUM       Tab 50 mg       15.50       200       ✓ Dilantin       Endition         Cap 30 mg       10 30 mg per 5 ml <t< td=""><td></td><td></td><td>50</td><td>•</td></t<>			50	•
79.16       ✓ Lamittal         Tab dispersible 200 mg       101.80       56       ✓ Arrow-Lamotrigine         VETIRACETAM - Special Authority see SA0921 below - Retail pharmacy       CBS       60       ✓ Keppra         SA0921       Special Authority for Subsidy       CBS       60       ✓ Keppra         Sd0921       Special Authority for Subsidy       CBS       60       ✓ Keppra         Sd0921       Special Authority for Subsidy       CBS       60       ✓ Keppra         Sd0921       Special Authority for Subsidy       CBS       60       ✓ Keppra         Sd0921       Special Authority for Subsidy       CBS       60       ✓ Keppra         Sd0921       Special Authority for Subsidy       CBS       60       ✓ Keppra         Sd0921       Special Authority for Subsidy       CBS       60       ✓ Keppra         Sd0921       Special Authority for Subsidy       CBS       60       ✓ Keppra         Sd0921       Pacintal Access Panel       http://www.pharmac.govt.nz       or:         he Coordinator, Levetiracetam Special Access Panel       Phone: (04) 916-7553       Facsimilie: (09) 929-3226         Velligton       Email:       Isacoordinator@pharmac.govt.nz       ENOBARBITONE         For phenobarbitone oral liquid refer,		59.90		
Tab dispersible 200 mg       101.80       56       ✓ Arrow-Lamotrigine         VETIRACETAM - Special Authority see SA0921 below - Retail pharmacy       CBS       60       ✓ Keppra         'SA0921       Special Authority for Subsidy       0       ✓         'Sa0921       Special Authority for Subsidy       0       ✓         'Sa0921       Special Access Panel       Phone: (04) 916-7553       ************************************		70 16		
VETIRACETAM - Special Authority see SA0921 below - Retail pharmacy Tab       CBS       60       ✓ Keppra         VSA0921       Special Authority for Subsidy       Special Authority for Subsidy       Special Authority for Subsidy         bsidy by application to the Levetiracetam Special Access Panel       tes: Application details may be obtained from PHARMAC's website <a href="http://www.pharmac.govt.nz">http://www.pharmac.govt.nz</a> or: The Coordinator, Levetiracetam Special Access Panel       Phone: (04) 916-7553         PHARMAC, PO Box 10 254       Facsimile: (09) 929-3226       Email: Isacoordinator@pharmac.govt.nz         ENOBARBITONE       For phenobarbitone oral liquid refer, page 163       Tab 30 mg       23.68       500       ✓ PSM         ENVTOIN SODIUM       Tab 50 mg       15.63       200       ✓ Dilantin Infatab         Cap 30 mg       15.63       200       ✓ Dilantin         Cap 30 mg       14.69       200       ✓ Dilantin         Cap 100 mg       11.19       500 ml       ✓ Dilantin         MIDDONE       Tab 250 mg       17.25       100       ✓ Apo-Primidone         DIUM VALPROATE       Tab 100 mg       13.65       100       ✓ Epilim Crushable         Tab 200 mg EC       27.44       100       ✓ Epilim       ✓ Epilim         Cap 100 mg EC       20.48       300 ml       ✓ Epilim <td>Tab dispersible 200 mg</td> <td></td> <td>56</td> <td></td>	Tab dispersible 200 mg		56	
VETIRACETAM - Special Authority see SA0921 below - Retail pharmacy Tab      CBS       60       ✓ Keppra         VSA0921       Special Authority for Subsidy      CBS       60       ✓ Keppra         VSA0921       Special Authority for Subsidy      CBS       60       ✓ Keppra         VSA0921       Special Authority for Subsidy      CBS       60       ✓ Keppra         VSA0921       Special Authority for Subsidy      CBS       60       ✓ Keppra         VSA0921       Special Authority for Subsidy      CBS       60       ✓ Keppra         VSA0921       Special Authority for Subsidy      CBS       60       ✓ Keppra         VSA0921       Special Authority for Subsidy      CBS       60       ✓ Keppra         Velligton       Levetiracetam Special Access Panel       Phone: (04) 916-7553      cs         HARMAC, PO Box 10 254       Facsimile: (09) 929-3226      cs      cs         Vellington       Email: Isacoordinator@pharmac.govt.nz      cs      cs         ENOBARBITONE       For phenobarbitone oral liquid refer, page 163      cs      cs      cs      cs      cs         ENYTOIN SODIUM       Tab 50 mg      cs      cs      cs      cs			50	
Wellington       Email:       Isaccoordinator@pharmac.govt.nz         ENOBARBITONE       For phenobarbitone oral liquid refer, page 163       23.68 $500$ ✓ PSM         Tab 15 mg	, , , , ,		rmaaa	out pa or
IENOBARBITONE         For phenobarbitone oral liquid refer, page 163         Tab 15 mg       23.68       500       ✓ PSM         Tab 30 mg       24.59       500       ✓ PSM         IENYTOIN SODIUM       15.63       200       ✓ Dilantin Infatab         Cap 30 mg       15.50       200       ✓ Dilantin         Cap 30 mg       15.50       200       ✓ Dilantin         Cap 100 mg       14.69       200       ✓ Dilantin         to Carl liq 30 mg per 5 ml       11.19       500 ml       ✓ Dilantin         NIMIDONE       17.25       100       ✓ Apo-Primidone         DDIUM VALPROATE       13.65       100       ✓ Epilim Crushable         Tab 200 mg EC       27.44       100       ✓ Epilim         Tab 500 mg EC       52.24       100       ✓ Epilim         toral liq 200 mg per 5 ml       20.48       300 ml       ✓ Epilim S/F Liquid	The Coordinator, Levetiracetam Special Access Panel	Phone: (04) 916-7553	iniac.y	<u>ovt.nz</u> or.
For phenobarbitone oral liquid refer, page 163         Tab 15 mg       23.68       500       ✓ PSM         Tab 30 mg       24.59       500       ✓ PSM         HENYTOIN SODIUM       15.63       200       ✓ Dilantin Infatab         Cap 30 mg       15.50       200       ✓ Dilantin         Cap 100 mg       14.69       200       ✓ Dilantin         t Oral liq 30 mg per 5 ml       11.19       500 ml       ✓ Dilantin         RIMIDONE       17.25       100       ✓ Apo-Primidone         DDIUM VALPROATE       13.65       100       ✓ Epilim Crushable         Tab 200 mg EC       27.44       100       ✓ Epilim         Tab 500 mg EC       52.24       100       ✓ Epilim         Tab 200 mg EC       52.24       100       ✓ Epilim         Tab 200 mg EC       52.24       100       ✓ Epilim         Tab 200 mg Per 5 ml       20.48       300 ml       ✓ Epilim Syrup	The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254	Phone: (04) 916-7553 Facsimile: (09) 929-3226		
Tab 15 mg       23.68       500       ✓ PSM         Tab 30 mg       24.59       500       ✓ PSM         IENYTOIN SODIUM       15.63       200       ✓ Dilantin Infatab         Tab 50 mg       15.50       200       ✓ Dilantin         Cap 30 mg       15.50       200       ✓ Dilantin         Cap 100 mg       14.69       200       ✓ Dilantin         to cap 100 mg       11.19       500 ml       ✓ Dilantin         tiMIDONE       17.25       100       ✓ Apo-Primidone         DDIUM VALPROATE       13.65       100       ✓ Epilim Crushable         Tab 200 mg EC       27.44       100       ✓ Epilim         Tab 500 mg EC       52.24       100       ✓ Epilim         to cal liq 200 mg per 5 ml       20.48       300 ml       ✓ Epilim Syrup	The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington	Phone: (04) 916-7553 Facsimile: (09) 929-3226		
Tab 30 mg	The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington IENOBARBITONE	Phone: (04) 916-7553 Facsimile: (09) 929-3226		
IENYTOIN SODIUM         Tab 50 mg       15.63       200       ✓ Dilantin Infatab         Cap 30 mg       15.50       200       ✓ Dilantin         Cap 100 mg       14.69       200       ✓ Dilantin         cap 100 mg       14.69       200       ✓ Dilantin         to ral liq 30 mg per 5 ml       11.19       500 ml       ✓ Dilantin         IMIDONE       17.25       100       ✓ Apo-Primidone         IDIUM VALPROATE       13.65       100       ✓ Epilim Crushable         Tab 200 mg EC       27.44       100       ✓ Epilim         Tab 500 mg EC       52.24       100       ✓ Epilim         to ral liq 200 mg per 5 ml       20.48       300 ml       ✓ Epilim Syrup	The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington ENOBARBITONE For phenobarbitone oral liquid refer, page 163	Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@p	harma	c.govt.nz
Tab 50 mg       15.63       200       ✓ Dilantin Infatab         Cap 30 mg       15.50       200       ✓ Dilantin         Cap 100 mg       14.69       200       ✓ Dilantin         Soral liq 30 mg per 5 ml       11.19       500 ml       ✓ Dilantin         IMIDONE       11.19       500 ml       ✓ Dilantin         IMIDONE       17.25       100       ✓ Apo-Primidone         DIUM VALPROATE       13.65       100       ✓ Epilim Crushable         Tab 200 mg EC       27.44       100       ✓ Epilim         Tab 500 mg EC       52.24       100       ✓ Epilim         Tab 500 mg FC       52.24       100       ✓ Epilim         Tab 200 mg per 5 ml       20.48       300 ml       ✓ Epilim S/F Liquid	he Coordinator, Levetiracetam Special Access Panel HARMAC, PO Box 10 254 Vellington ENOBARBITONE For phenobarbitone oral liquid refer, page 163 Tab 15 mg	Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@p	harma 500	c.govt.nz
Cap 30 mg       15.50       200       ✓ Dilantin         Cap 100 mg       14.69       200       ✓ Dilantin         Coral liq 30 mg per 5 ml       11.19       500 ml       ✓ Dilantin         IMIDONE       11.19       500 ml       ✓ Dilantin         IMIDONE       17.25       100       ✓ Apo-Primidone         DIUM VALPROATE       13.65       100       ✓ Epilim Crushable         Tab 200 mg EC       27.44       100       ✓ Epilim         Tab 500 mg EC       52.24       100       ✓ Epilim         Oral liq 200 mg per 5 ml       20.48       300 ml       ✓ Epilim S/F Liquid	The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Vellington ENOBARBITONE For phenobarbitone oral liquid refer, page 163 Tab 15 mg Tab 30 mg	Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@p	harma 500	c.govt.nz
Cap 100 mg       14.69       200       ✓ Dilantin         to ral liq 30 mg per 5 ml       11.19       500 ml       ✓ Dilantin         MIDONE       17.25       100       ✓ Apo-Primidone         DDIUM VALPROATE       13.65       100       ✓ Epilim Crushable         Tab 200 mg EC       27.44       100       ✓ Epilim         Tab 500 mg EC       52.24       100       ✓ Epilim         to ral liq 200 mg per 5 ml       20.48       300 ml       ✓ Epilim Syrup	The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington ENOBARBITONE For phenobarbitone oral liquid refer, page 163 Tab 15 mg Tab 30 mg	Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@p	harma 500 500	c.govt.nz ✓ PSM ✓ PSM
: Oral liq 30 mg per 5 ml       11.19       500 ml       ✓ Dilantin         :IMIDONE       17.25       100       ✓ Apo-Primidone         :DIUM VALPROATE       13.65       100       ✓ Epilim Crushable         Tab 200 mg EC       27.44       100       ✓ Epilim         Tab 500 mg EC       52.24       100       ✓ Epilim         : Oral liq 200 mg per 5 ml       20.48       300 ml       ✓ Epilim S/F Liquid	The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington ENOBARBITONE For phenobarbitone oral liquid refer, page 163 Tab 15 mg Tab 30 mg ENYTOIN SODIUM Tab 50 mg	Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: <u>Isacoordinator@p</u> 	harmad 500 500 200	c.govt.nz ✓ PSM ✓ PSM ✓ Dilantin Infatab
IMIDONE       17.25       100       ✓ Apo-Primidone         IDIUM VALPROATE       13.65       100       ✓ Epilim Crushable         Tab 200 mg EC       27.44       100       ✓ Epilim         Tab 500 mg EC       52.24       100       ✓ Epilim         Yoral liq 200 mg per 5 ml       20.48       300 ml       ✓ Epilim Syrup	The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington ENOBARBITONE For phenobarbitone oral liquid refer, page 163 Tab 15 mg Tab 30 mg ENYTOIN SODIUM Tab 50 mg Cap 30 mg	Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@pi 	500 500 500 200 200	c.govt.nz ✓ PSM ✓ PSM ✓ Dilantin Infatab ✓ Dilantin
Tab 250 mg       17.25       100       ✓ Apo-Primidone         DIUM VALPROATE       13.65       100       ✓ Epilim Crushable         Tab 100 mg       13.65       100       ✓ Epilim Crushable         Tab 200 mg EC       27.44       100       ✓ Epilim         Tab 500 mg EC       52.24       100       ✓ Epilim         • Oral liq 200 mg per 5 ml       20.48       300 ml       ✓ Epilim S/F Liquid	The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Vellington ENOBARBITONE For phenobarbitone oral liquid refer, page 163 Tab 15 mg Tab 30 mg ENYTOIN SODIUM Tab 50 mg Cap 30 mg Cap 100 mg	Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@pi 	500 500 200 200 200	c.govt.nz ✓ PSM ✓ PSM ✓ Dilantin Infatab ✓ Dilantin ✓ Dilantin
DIUM VALPROATE         Tab 100 mg       13.65       100       ✓ Epilim Crushable         Tab 200 mg EC       27.44       100       ✓ Epilim         Tab 500 mg EC       52.24       100       ✓ Epilim         • Oral liq 200 mg per 5 ml       20.48       300 ml       ✓ Epilim S/F Liquid	The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Vellington ENOBARBITONE For phenobarbitone oral liquid refer, page 163 Tab 15 mg Tab 30 mg ENYTOIN SODIUM Tab 50 mg Cap 30 mg Cap 100 mg	Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@pi 	500 500 200 200 200	c.govt.nz ✓ PSM ✓ PSM ✓ Dilantin Infatab ✓ Dilantin ✓ Dilantin
DDIUM VALPROATE         Tab 100 mg         Tab 200 mg EC         Tab 500 mg EC         Tab 500 mg EC         Solor mg EC	The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Vellington IENOBARBITONE For phenobarbitone oral liquid refer, page 163 Tab 15 mg Tab 30 mg ENYTOIN SODIUM Tab 50 mg Cap 30 mg Cap 100 mg toral liq 30 mg per 5 ml	Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@pi 	500 500 200 200 200	c.govt.nz ✓ PSM ✓ PSM ✓ Dilantin Infatab ✓ Dilantin ✓ Dilantin
Tab 100 mg       13.65       100       ✓ Epilim Crushable         Tab 200 mg EC       27.44       100       ✓ Epilim         Tab 500 mg EC       52.24       100       ✓ Epilim         • Oral liq 200 mg per 5 ml       20.48       300 ml       ✓ Epilim S/F Liquid	The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Vellington IENOBARBITONE For phenobarbitone oral liquid refer, page 163 Tab 15 mg IENYTOIN SODIUM Tab 50 mg Cap 30 mg Cap 100 mg Coral liq 30 mg per 5 ml IMIDONE	Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@pl 	500 500 200 200 200 500 ml	c.govt.nz ✓ PSM ✓ PSM ✓ Dilantin Infatab ✓ Dilantin ✓ Dilantin ✓ Dilantin ✓ Dilantin
Tab 200 mg EC       27.44       100       Épilim         Tab 500 mg EC       52.24       100       Epilim         Cral liq 200 mg per 5 ml       20.48       300 ml       Epilim S/F Liquid         Epilim       Epilim       Epilim       Epilim	The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington IENOBARBITONE For phenobarbitone oral liquid refer, page 163 Tab 15 mg Tab 30 mg IENYTOIN SODIUM Tab 50 mg Cap 30 mg Cap 100 mg t Oral liq 30 mg per 5 ml IMIDONE Tab 250 mg	Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@pl 	500 500 200 200 200 500 ml	c.govt.nz ✓ PSM ✓ PSM ✓ Dilantin Infatab ✓ Dilantin ✓ Dilantin ✓ Dilantin ✓ Dilantin
Tab 500 mg EC       100       ✓ Epilim         t Oral liq 200 mg per 5 ml       20.48       300 ml       ✓ Epilim S/F Liquid         ✓ Epilim S/F Liquid       ✓ Epilim S/F Liquid       ✓ Epilim S/F Liquid	The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington IENOBARBITONE For phenobarbitone oral liquid refer, page 163 Tab 15 mg Tab 30 mg Tab 30 mg Cap 30 mg Cap 100 mg Coral liq 30 mg per 5 ml IMIDONE Tab 250 mg DDIUM VALPROATE	Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@pi 	500 500 200 200 200 500 ml 100	c.govt.nz PSM PSM Dilantin Infatab Dilantin Dilantin Apo-Primidone
: Oral liq 200 mg per 5 ml 20.48 300 ml 🖌 Epilim S/F Liquid Epilim Syrup	The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Vellington IENOBARBITONE For phenobarbitone oral liquid refer, page 163 Tab 15 mg Tab 30 mg ENYTOIN SODIUM Tab 50 mg Cap 30 mg Cap 100 mg Oral liq 30 mg per 5 ml IMIDONE Tab 250 mg DUUM VALPROATE Tab 100 mg	Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@pi 	harma 500 500 200 200 200 500 ml 100	c.govt.nz PSM PSM Dilantin Infatab Dilantin Dilantin Dilantin Apo-Primidone Epilim Crushable
✓ Epilim Syrup	The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington IENOBARBITONE For phenobarbitone oral liquid refer, page 163 Tab 15 mg Tab 30 mg IENYTOIN SODIUM Tab 50 mg Cap 30 mg Cap 100 mg toral liq 30 mg per 5 ml IMIDONE Tab 250 mg DDIUM VALPROATE Tab 100 mg Tab 200 mg EC	Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@pi 	500 500 200 200 200 500 ml 100 100	c.govt.nz PSM PSM Dilantin Infatab Dilantin Dilantin Dilantin Apo-Primidone Epilim Crushable Epilim
	The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Vellington IENOBARBITONE For phenobarbitone oral liquid refer, page 163 Tab 15 mg Tab 30 mg ENYTOIN SODIUM Tab 50 mg Cap 30 mg Cap 100 mg Coral liq 30 mg per 5 ml IMIDONE Tab 250 mg DUUM VALPROATE Tab 100 mg Tab 200 mg EC Tab 500 mg EC	Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@pi 	500 500 200 200 200 500 ml 100 100 100	c.govt.nz PSM PSM Dilantin Infatab Dilantin Dilantin Dilantin Apo-Primidone Epilim Crushable Epilim Epilim
	The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington IENOBARBITONE For phenobarbitone oral liquid refer, page 163 Tab 15 mg Tab 30 mg IENYTOIN SODIUM Tab 50 mg Cap 30 mg Cap 30 mg Cap 100 mg Coral liq 30 mg per 5 ml IMIDONE Tab 250 mg DDIUM VALPROATE Tab 100 mg Tab 200 mg EC Tab 500 mg EC	Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@pi 	500 500 200 200 200 500 ml 100 100 100	c.govt.nz PSM PSM Dilantin Infatab Dilantin Dilantin Dilantin Apo-Primidone Epilim Crushable Epilim Epilim Epilim

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully osidised	Brand or Generic Manufacturer
TOPIRAMATE				
▲ Tab 25 mg		60	🖌 To	opamax
▲ Tab 50 mg		60	🖌 To	opamax
▲ Tab 100 mg	75.25	60	🖌 To	opamax
▲ Tab 200 mg	129.85	60	🖌 To	opamax
▲ Sprinkle cap 15 mg	20.84	60	🖌 To	opamax
Sprinkle cap 25 mg		60	🖌 To	opamax
VIGABATRIN – Special Authority see SA0937 below – Retail phar Tab 500 mg		100	🖌 Sa	abril

### ➡SA0937 Special Authority for Subsidy

**Initial application** — (new patients) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Both:

#### 1 Either:

- 1.1 Patient has infantile spasms; or
- 1.2 Both:
  - 1.2.1 Patient has epilepsy; and
  - 1.2.2 Either:
    - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
    - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and

2 Either:

- 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
- 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Initial application — (patient has had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life from gabapentin, topiramate, vigabatrin and or lamotrigine; and
- 2 Either:
  - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for the duration of treatment with vigabatrin; or
  - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and 2 Fither:
  - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or

Subsidy (Manufacturer's Pric	e)	Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

If the patient had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

## **Antimigraine Preparations**

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 99

## **Acute Migraine Treatment**

-			
ERGOTAMINE TARTRATE WITH CAFFEINE Tab 1 mg with caffeine 100 mg	31.00	100	✓ Cafergot
METOCLOPRAMIDE HYDROCHLORIDE WITH PARACETAMOI		100	• <u>ourorgot</u>
Tab 5 mg with paracetamol 500 mg		60	Paramax
RIZATRIPTAN BENZOATE			
Wafer 10 mg	25.32	3	Maxalt Melt
SUMATRIPTAN			
Tab 50 mg	12.00	4	Arrow-Sumatriptan
	22.00		<ul><li>✓ Sumagran</li><li>✓ Imigran</li></ul>
Tab 100 mg		2	✓ Arrow-Sumatriptan
			Sumagran
	22.00		Imigran
Inj 12 mg per ml, 0.5 ml – Hospital pharmacy [HP3]-Speciali Maximum of 10 inj per prescription	st80.00	2 OP	<ul> <li>Imigran</li> </ul>
Prophylaxis of Migraine			
For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SY	STEM, page 52		
CLONIDINE HYDROCHLORIDE	, p		
* Tab 25 μg	17.53	100	Dixarit
PIZOTIFEN			
* Таb 500 µg		100	
	(24.10)		Sandomigran
Antinausea and Vertigo Agents			
For Antispasmodics refer to ALIMENTARY TRACT, page 27			
BETAHISTINE DIHYDROCHLORIDE			
* Tab 16 mg	7.56	84	Vergo 16
CYCLIZINE HYDROCHLORIDE			A
Tab 50 mg	1.99	10	Nausicalm
	14.05	5	Volaid (AET)
Inj 50 mg per ml, 1 ml			Valoid (AFT)
DOMPERIDONE – Additional subsidy by Special Authority see 9 * Tab 10 mg		xt page – Re 100	tail pharmacy
	(7.99)	100	Motilium
	. ,		

	0		<b>–</b> "	
	Subsidy (Manufacturer's Price \$	e) S Per	Fully ubsidised	Brand or Generic Manufacturer
SA0938 Special Authority for Manufacturers Price				
<b>Initial application</b> from any relevant practitioner. Approvals valid	for 6 months where	the patien	t is termin	ally ill and requires control
of nausea and vomiting.		are paren		
Renewal from any relevant practitioner. Approvals valid for 6 m	onths where the trea	atment ren	nains app	propriate and the patient is
benefiting from treatment.				
HYOSCINE (SCOPOLAMINE) – Special Authority see SA0939				
Patches, 1.5 mg	11.95	2	VS	copoderm TTS
► SA0939 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid	t for 1 year for applic	ations me	eting the	following criteria:
All of the following: 1 Control of intractable nausea, vomiting, or inability to swal	low saliva in the trea	tmont of r	nalianana	w or chronic disease: and
<ol> <li>Patient cannot tolerate or does not adequately respond to</li> </ol>			nanynano	y of childrif disease, and
3 The applicant must specify the underlying malignancy or		onto, ana		
Renewal from any relevant practitioner. Approvals valid for 1		ment rem	ains appi	ropriate and the patient is
benefiting from treatment.				
HYOSCINE HYDROBROMIDE				
* Inj 400 μg per ml, 1 ml	6.66	5	🖌 M	layne
METOCLOPRAMIDE HYDROCHLORIDE				
* Tab 10 mg	5.15	100	🖌 M	letamide
* Inj 5 mg per ml, 2 ml - Up to 5 inj available on a PSO	4.50	10	✓ P	fizer
ONDANSETRON – Retail pharmacy-Specialist				
a) Maximum of 12 tab per prescription; can be waived by Sp	ecial Authority see S	A0887 be	low	
b) Maximum of 6 tab per dispensing; can be waived by Spec	cial Authority see SA	0887 belo	W	
c) Not more than one prescription per month; can be waived				V.
d) The maximum of 6 tab per dispensing cannot be waived w				
Tab 4 mg		10		<u>ofran</u> ofran Zudio
Tab disp 4 mg Tab 8 mg		10 20		<u>ofran Zydis</u> ofran
Tab disp 8 mg		10		ofran Zydis
SA0887 Special Authority for Waiver of Rule		10	• -	Undir Lydio
<b>Initial application</b> from any relevant practitioner. Approvals valid	for 12 months where	the natier	t is under	raoina prolonged treatment
with highly emetogenic chemotherapy and/or highly emetogenic				
Renewal from any relevant practitioner. Approvals valid for 12				
highly emetogenic chemotherapy and/or highly emetogenic radia				
PROCHLORPERAZINE				
* Tab 3 mg buccal	5.97	50		
	(15.00)		-	uccastem
* Tab 5 mg – Up to 30 tab available on a PSO		500		ntinaus
* Inj 12.5 mg per ml, 1 ml – Up to 5 inj available on a PSO		10		temetil
* Suppos 25 mg		5	VS	temetil
PROMETHAZINE THEOCLATE				
* Tab 25 mg		10		
	(6.24)		A	vomine
TROPISETRON – Hospital pharmacy [HP3]-Specialist				
a) Maximum of 6 cap per prescription				
b) Maximum of 3 cap per dispensing				
c) Not more than one prescription per month. Cap 5 mg	77 41	5	NI	avoban
oup o my		0	₩ N	

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
Antiparkinson Agents				
Dopamine Agonists and Related Agents				
AMANTADINE HYDROCHLORIDE				
▲ Cap 100 mg	47.81	60	✓ <u>S</u>	<u>ymmetrel</u>
APOMORPHINE HYDROCHLORIDE				
▲ Inj 10 mg per ml, 2 ml	50.43	5	🗸 A	PO-go S29
		_		pomine
▲ Inj 10 mg per ml, 1 ml		5	✓ <u>M</u>	ayne
(APO-go see Inj 10 mg per ml, 2 ml to be delisted 1 October 20	09)			
(Mayne Inj 10 mg per ml, 1 ml to be delisted 1 October 2009)				
BROMOCRIPTINE MESYLATE	00.00	400		lu ha
* Tab 2.5 mg		100	🗸 A	Ipna- Bromocriptine
* Tab 10 mg	120.96	100	🖌 A	•
* Tab TO TING	120.00	100	V A	Bromocriptine
ENTACAPONE				Bronnoonpanio
Tab 200 mg	116.00	100		omtan
5		100	• •	oman
LEVODOPA WITH BENSERAZIDE	10.00	100	• M	adopar
* Tab dispersible 50 mg with benserazide 12.5 mg		100	• <u>IVI</u>	Dispersible
* Cap 50 mg with benserazide 12.5 mg		100	🖌 M	adopar 62.5
* Cap 100 mg with benserazide 25 mg		100		adopar 125
* Cap long-acting 100 mg with benserazide 25 mg		100	V M	adopar HBS
* Cap 200 mg with benserazide 50 mg	25.00	100	✓ <u>M</u>	adopar 250
LEVODOPA WITH CARBIDOPA				
* Tab 100 mg with carbidopa 25 mg		50	🗸 S	indopa
	20.00	100	🗸 S	inemet
* Tab long-acting 200 mg with carbidopa 50 mg - Reta				
pharmacy-Specialist		100		inemet CR
* Tab 250 mg with carbidopa 25 mg	57.50	100	V S	inemet
LISURIDE HYDROGEN MALEATE				
▲ Tab 200 μg	27.50	30	V D	opergin
PERGOLIDE				
▲ Tab 0.25 mg		100	. —	ermax
Tab 1 mg	170.00	100	✓ <u>P</u>	ermax

	Subsidy (Manufacturer's Price) \$	Per	Ful Subsidise	
OPINIROLE HYDROCHLORIDE				
Tab 0.25 mg	7.90	84	~	Ropin
-	19.75	210		
	(31.50)			Requip
▲ Tab 0.25 mg × 42, 0.5 mg × 42 and 1 mg × 21		105		
	(35.70)			Requip Starter Pack
Tab 0.5 mg $ imes$ 42, 1 mg $ imes$ 42 and 2 mg $ imes$ 63		147		
	(122.11)			Requip Follow-on Pack
Tab 1 mg		84	~	Ropin
	(67.20)	•	•	Requip
Tab 2 mg	( /	84	~	Ropin
	(101.21)			Requip
Tab 5 mg		84	~	Ropin
0	(150.00)			Requip
Requip Tab 5 mg to be delisted 1 September 2009) ELEGILINE HYDROCHLORIDE Tab 5 mg	16.06	100		
<ul> <li>Iab 5 mg</li> <li>OLCAPONE – Retail pharmacy-Specialist prescription</li> </ul>		100	v	Ano Cologilino
Specialist must be a neurologist, geriatrician or general phys				Apo-Selegiline
		100	~	<u>Apo-Selegiline</u> Tasmar
Tab 100 mg		100	~	
Tab 100 mg	128.75	100	~	
Tab 100 mg Anticholinergics ENZTROPINE MESYLATE Tab 2 mg		100	~	Tasmar Benztrop
Tab 100 mg Anticholinergics ENZTROPINE MESYLATE			~	Tasmar
Tab 100 mg Anticholinergics ENZTROPINE MESYLATE Tab 2 mg		60	~	Tasmar Benztrop
Tab 100 mg Anticholinergics ENZTROPINE MESYLATE Tab 2 mg Inj 1 mg per ml, 2 ml		60	~	Tasmar Benztrop
Tab 100 mg Anticholinergics ENZTROPINE MESYLATE Tab 2 mg Inj 1 mg per ml, 2 ml a) Up to 5 inj available on a PSO b) Only on a PSO		60	~	Tasmar Benztrop
Tab 100 mg     Anticholinergics ENZTROPINE MESYLATE     Tab 2 mg     Inj 1 mg per ml, 2 ml     a) Up to 5 inj available on a PSO     b) Only on a PSO RPHENADRINE HYDROCHLORIDE		60		Tasmar Benztrop Cogentin
Tab 100 mg         Anticholinergics         ENZTROPINE MESYLATE         Tab 2 mg         Inj 1 mg per ml, 2 ml         a) Up to 5 inj available on a PSO         b) Only on a PSO         RPHENADRINE HYDROCHLORIDE         Tab 50 mg		60 5		Tasmar Benztrop
Tab 100 mg         Anticholinergics         ENZTROPINE MESYLATE         Tab 2 mg         Inj 1 mg per ml, 2 ml         a) Up to 5 inj available on a PSO         b) Only on a PSO         DRPHENADRINE HYDROCHLORIDE         Tab 50 mg         PROCYCLIDINE HYDROCHLORIDE		60 5 250		Tasmar Benztrop Cogentin Disipal
A Tab 100 mg Anticholinergics ENZTROPINE MESYLATE Tab 2 mg Inj 1 mg per ml, 2 ml a) Up to 5 inj available on a PSO b) Only on a PSO RPHENADRINE HYDROCHLORIDE Tab 50 mg		60 5		Tasmar Benztrop Cogentin

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

## Antipsychotics

#### Guidelines for the use of atypical antipsychotic agents

Diagnosis: Schizophrenia and related psychoses when positive symptoms (delusions, hallucinations and thought disorder) are prominent and/or disabling or when both positive symptoms and negative symptoms (flattened affect, emotional and social withdrawal and poverty of speech) are present. Treatment: Before initiating atypical antipsychotic therapy, physicians should consider whether the patient is likely to respond to and/or tolerate conventional antipsychotic therapy and, where appropriate, trial one or more conventional agent prior to use of an atypical agent.

### General

AMISU	ЛР	RIC	)F
/			-

Tab 100 mg Tab 200 mg Tab 400 mg Oral liq 100 mg per ml	97.03 185.44	30 60 60 60 ml	<ul> <li>✓ Solian</li> <li>✓ Solian</li> <li>✓ Solian</li> <li>✓ Solian</li> </ul>
ARIPIPRAZOLE – Special Authority see SA0920 below – Rei Tab 10 mg	ail pharmacy	30	✓ Abilify
Tab 15 mg Tab 20 mg Tab 30 mg	175.28 213.42	30 30 30	<ul> <li>Abilify</li> <li>Abilify</li> <li>Abilify</li> <li>Abilify</li> </ul>

### ➡SA0920 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Patient is suffering from schizophrenia or related psychoses; and

- 2 Either:
  - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
  - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

### CHLORPROMAZINE HYDROCHLORIDE

Tab 10 mg - Up to 30 tab available on a PSO	100 100 100 10	<ul> <li>Largactil</li> <li>Largactil</li> <li>Largactil</li> <li>Largactil</li> </ul>
CLOZAPINE – Hospital pharmacy [HP4]		
Tab 25 mg13.37	50	Clopine
26.74	100	Clopine
13.37	50	Clozaril
26.74	100	Clozaril
Tab 50 mg17.33	50	Clopine
34.65	100	Clopine
Tab 100 mg34.65	50	Clozaril
69.30	100	Clozaril
34.65	50	Clopine
69.30	100	Clopine
Tab 200 mg55.45	50	Clopine
110.90	100	Clopine
Suspension 50 mg/ml34.65	100 ml	<ul> <li>Clopine</li> </ul>

	Subsidy (Manufacturer's Pric \$	ce) Per	Fully Subsidised	Brand or Generic Manufacturer	
HALOPERIDOL	Ť	-			
Tab 500 µg – Up to 30 tab available on a PSO	4 93	100	✓ S	erenace	
Tab 1.5 mg – Up to 30 tab available on a PSO		100		erenace	
Tab 5 mg – Up to 30 tab available on a PSO		100	. —	erenace	
Oral lig 2 mg per ml – Up to 200 ml available on a PSO		100 ml	. —	erenace	
Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO		10	V S	erenace	
LITHIUM CARBONATE			_		
Tab 250 mg	25.45	500	<b>~</b> 1i	ithicarb	
Tab 400 mg		100	•	ithicarb	
Tab long-acting 400 mg		100		riadel	
Cap 250 mg		100	V D	ouglas	
METHOTRIMEPRAZINE				<b>J</b>	
Tab 25 mg	16.03	100	V N	ozinan	
Tab 100 mg		100		ozinan	
Inj 25 mg per ml, 1 ml		10	· · ·	ozinan	
		10	• 11	<b>U</b> LINGI	
OLANZAPINE – Special Authority see SA0741 below – Retail pt		28		VIDROVO	
Tab 2.5 mg		28 28		yprexa yprexa	
Tab 5 mg Tab 10 mg		28 28		yprexa yprexa	
Tab 10 mg	204.49	20	V 2	ургела	

### ►SA0741 Special Authority for Subsidy

Initial application only from a psychiatrist. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 Patient presents with first episode schizophrenia or related psychoses; or
- 2 Both:
  - 2.1 Patient suffering from schizophrenia and related psychoses or acute mania in bipolar disorder who is likely to benefit from antipsychotic treatment; and
  - 2.2 Either:
    - 2.2.1 An effective dose of risperidone had been trialled and has been discontinued because of unacceptable side effects; or
    - 2.2.2 An effective dose of risperidone had been trialled and has been discontinued because of inadequate clinical response after 4 weeks; or
- 3 The patient has suffered from an acute episode of schizophrenia or bipolar mania and has been treated with olanzapine short-acting intra-muscular injection.

Renewal only from a psychiatrist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Initial prescriptions to be written by psychiatrists or psychiatric registrars and subsequent prescriptions can be written by General Practitioners.

PERICYAZINE

Tab 2.5 mg	12.49	100	Neulactil
Tab 10 mg		100	Neulactil
QUETIAPINE			
Tab 25 mg		90	Quetapel
	46.20	60	Seroquel
Tab 100 mg	41.25	90	Quetapel
-	92.40	60	Seroquel
Tab 200 mg	70.88	90	Quetapel
	158.76	60	Seroquel
Tab 300 mg	119.25	90	Quetapel
	267.12	60	<ul> <li>Seroquel</li> </ul>

	Subsidy (Manufacturer's Price)		Fully Brand or Subsidised Generic
	(Manulacturer's Frice) \$	Per	Manufacturer
RISPERIDONE			
Tab 0.5 mg	5.20	20	Ridal
0	15.60	60	Ridal
	5.20	20	Risperdal
Tab 1 mg		60	✓ Ridal
			Risperdal
Tab 2 mg	61.53	60	Ridal
			Risperdal
Tab 3 mg		60	Ridal
			Risperdal
Tab 4 mg		60	Ridal
			Risperdal
Oral liquid 1 mg per ml	45.92	30 ml	Risperdal
IRIFLUOPERAZINE HYDROCHLORIDE			
Tab 1 mg	9.83	100	✓ Stelazine S29
Tab 2 mg		100	✓ Stelazine S29
Tab 5 mg		100	✓ Stelazine S29
IPRASIDONE – Subsidy by endorsement			
effects or inadequate response, and the prescription is en	0,	00	
Cap 20 mg Cap 40 mg Cap 60 mg	87.88 	60 60 60	✓ Zeldox ✓ Zeldox ✓ Zeldox
Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg	87.88 	60	✓ Zeldox
Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg Depot Injections	87.88 	60 60	<ul><li>✓ Zeldox</li><li>✓ Zeldox</li></ul>
Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg Depot Injections FLUPENTHIXOL DECANOATE		60 60 60	✓ Zeldox ✓ Zeldox ✓ Zeldox
Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg Depot Injections FLUPENTHIXOL DECANOATE Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO		60 60 60	<ul> <li>✓ Zeldox</li> <li>✓ Zeldox</li> <li>✓ Zeldox</li> <li>✓ Fluanxol</li> </ul>
Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg Depot Injections FLUPENTHIXOL DECANOATE Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO		60 60 60 5 5	✓ Zeldox ✓ Zeldox ✓ Zeldox ✓ Fluanxol ✓ Fluanxol
Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg <b>Depot Injections</b> ILUPENTHIXOL DECANOATE Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		60 60 60	<ul> <li>✓ Zeldox</li> <li>✓ Zeldox</li> <li>✓ Zeldox</li> <li>✓ Fluanxol</li> </ul>
Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg <b>Depot Injections</b> FLUPENTHIXOL DECANOATE Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		60 60 60 5 5	✓ Zeldox ✓ Zeldox ✓ Zeldox ✓ Fluanxol ✓ Fluanxol
Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg <b>Depot Injections</b> ELUPENTHIXOL DECANOATE Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO ELUPHENAZINE DECANOATE Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a 1		60 60 60 5 5 5 5	<ul> <li>Zeldox</li> <li>Zeldox</li> <li>Zeldox</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Fluanxol</li> </ul>
Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg <b>Depot Injections</b> FLUPENTHIXOL DECANOATE Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		60 60 60 60 5 5 5 5 5	<ul> <li>Zeldox</li> <li>Zeldox</li> <li>Zeldox</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Modecate</li> </ul>
Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg <b>Depot Injections</b> FLUPENTHIXOL DECANOATE Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO FLUPHENAZINE DECANOATE Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		60 60 60 5 5 5 5 5 5 5 5	<ul> <li>Zeldox</li> <li>Zeldox</li> <li>Zeldox</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Modecate</li> <li>Modecate</li> </ul>
Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg <b>Depot Injections</b> EUPENTHIXOL DECANOATE Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO EUPHENAZINE DECANOATE Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 25 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		60 60 60 5 5 5 5 5 5 5 5 5	<ul> <li>Zeldox</li> <li>Zeldox</li> <li>Zeldox</li> <li>Zeldox</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Modecate</li> <li>Modecate</li> <li>Modecate</li> <li>Modecate</li> </ul>
Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg Depot Injections ELUPENTHIXOL DECANOATE Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO ELUPHENAZINE DECANOATE Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO IALOPERIDOL DECANOATE Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO		60 60 60 5 5 5 5 5 5 5 5 5 5 5	<ul> <li>Zeldox</li> <li>Zeldox</li> <li>Zeldox</li> <li>Zeldox</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Modecate</li> <li>Modecate</li> <li>Modecate</li> <li>Haldol</li> </ul>
Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg <b>Depot Injections</b> ¹ UPENTHIXOL DECANOATE Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		60 60 60 5 5 5 5 5 5 5 5 5	<ul> <li>Zeldox</li> <li>Zeldox</li> <li>Zeldox</li> <li>Zeldox</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Modecate</li> <li>Modecate</li> <li>Modecate</li> <li>Modecate</li> </ul>
Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg <b>Depot Injections</b> FLUPENTHIXOL DECANOATE Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		60 60 60 5 5 5 5 5 5 5 5 5 5 5 5 5	<ul> <li>Zeldox</li> <li>Zeldox</li> <li>Zeldox</li> <li>Zeldox</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Modecate</li> <li>Modecate</li> <li>Modecate</li> <li>Haldol</li> <li>Haldol Concentrate</li> </ul>
Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg <b>Depot Injections</b> <b>JUPENTHIXOL DECANOATE</b> Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 25 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO PIPOTHIAZINE PALMITATE Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO		60 60 60 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	<ul> <li>Zeldox</li> <li>Zeldox</li> <li>Zeldox</li> <li>Zeldox</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Modecate</li> <li>Modecate</li> <li>Modecate</li> <li>Modecate</li> <li>Haldol</li> <li>Haldol</li> <li>Haldol Concentrate</li> <li>Piportil</li> </ul>
Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg <b>Depot Injections</b> FLUPENTHIXOL DECANOATE Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		60 60 60 5 5 5 5 5 5 5 5 5 5 5 5 5	<ul> <li>Zeldox</li> <li>Zeldox</li> <li>Zeldox</li> <li>Zeldox</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Modecate</li> <li>Modecate</li> <li>Modecate</li> <li>Haldol</li> <li>Haldol Concentrate</li> </ul>
Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg <b>Depot Injections</b> <b>JUPENTHIXOL DECANOATE</b> Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO Inj 12.5 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO	87.88 	60 60 60 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	<ul> <li>Zeldox</li> <li>Zeldox</li> <li>Zeldox</li> <li>Zeldox</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Modecate</li> <li>Modecate</li> <li>Modecate</li> <li>Modecate</li> <li>Haldol</li> <li>Haldol</li> <li>Haldol Concentrate</li> <li>Piportil</li> </ul>
Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg <b>Depot Injections</b> FLUPENTHIXOL DECANOATE Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO FLUPHENAZINE DECANOATE Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO RISPERIDONE – Special Authority see SA0926 on the next p Microspheres for injection 25 mg		60 60 60 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	<ul> <li>Zeldox</li> <li>Zeldox</li> <li>Zeldox</li> <li>Zeldox</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Modecate</li> <li>Modecate</li> <li>Modecate</li> <li>Haldol</li> <li>Haldol</li> <li>Haldol Concentrate</li> <li>Piportil</li> </ul>
Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg <b>Depot Injections</b> FLUPENTHIXOL DECANOATE Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO Inj 12.5 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO PIPOTHIAZINE PALMITATE Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO RISPERIDONE – Special Authority see SA0926 on the next p		60 60 60 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	<ul> <li>Zeldox</li> <li>Zeldox</li> <li>Zeldox</li> <li>Zeldox</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Fluanxol</li> <li>Modecate</li> <li>Modecate</li> <li>Modecate</li> <li>Modecate</li> <li>Modecate</li> <li>Modecate</li> <li>Modecate</li> <li>Modecate</li> <li>Piportil</li> <li>Piportil</li> </ul>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
➡SA0926 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valic	I for 6 months for applie	cations	meeting t	he following criteria:
All of the following:				
<ol> <li>The patient has schizophrenia or other psychotic disorder</li> </ol>	; and			
2 Has tried but failed to comply with treatment using oral aty				
3 Has been admitted to hospital or treated in respite care, or in last 12 months.	intensive outpatient or	home	-based trea	atment for 30 days or more
Renewal from any relevant practitioner. Approvals valid for 12 m	onths for applications r	neeting	g the follow	ving criteria:
Either:				
1 Both:				
1.1 The patient has had less than 12 months treatment		ospher	es; and	
1.2 There is no clinical reason to discontinue treatment	,			
2 The initiation of risperidone microspheres has been asso				vention than was the case
during a corresponding period of time prior to the initiation				of our other outine obtin
Note: Risperidone microspheres should ideally be used as more				
medication). In some cases, it may be clinically appropriate to a	itempt to treat a patier	it with	typical ant	ipsycholic agents in depo
injectable form before trialing risperidone microspheres.				
ZUCLOPENTHIXOL DECANOATE		_		
Inj 200 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	V C	lopixol
Orodispersible Antipsychotics				

	Special Authority	1 coo \$10720 bolow	Dotail pharmaou
OLANZAFINE	- Special Authonit	y see SA0739 below -	- netali phannacy

•			
Wafer 5 mg		28	Zyprexa Zydis
Wafer 10 m	g204.37	28	Zyprexa Zydis

### ➡SA0739 Special Authority for Subsidy

Initial application only from a psychiatrist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The patient meets the current criteria for standard olanzapine tablets; and
- 2 The patient is unable to take standard olanzapine tablets, or once stabilized refuses to take olanzapine tablets; or the patient is non-adherent to oral therapy with standard olanzapine tablets; and
- 3 The patient is under direct supervision for administration of medicine.

Renewal only from a psychiatrist. Approvals valid for 1 year for applications meeting the following criteria:

### Both:

1 The patient is unable to take standard olanzapine tablets, or once stabilized refuses to take olanzapine tablets; and

2 The patient is under direct supervision for administration of medicine.

Note: Initial prescriptions to be written by psychiatrists and subsequent prescriptions can be written by psychiatric registrars or General Practitioners.

RISPERIDONE - Special Authority see SA0927 below - Retail pharmacy

Orally-disintegrating tablets 0.5 mg2	1.42	28 🖌	Risperdal Quicklet
Orally-disintegrating tablets 1 mg4	2.84	28 🖌	<b>Risperdal Quicklet</b>
Orally-disintegrating tablets 2 mg8	5.71	28 🖌	Risperdal Quicklet

## SA0927 Special Authority for Subsidy

**Initial application — (Acute situations)** from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 For a non-adherent patient on oral therapy with standard risperidone tablets or risperidone oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

Initial application — (Chronic situations) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.
- Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Note: Risperdal Quicklets cost significantly more than risperidone tablets and should only be used where necessary.

## Anxiolytics

ALPRAZOLAM – Month Restriction		
Таb 250 µg3.25	50	Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
Tab 500 μg4.30	50	Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
Tab 1 mg7.85	50	Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
BUSPIRONE HYDROCHLORIDE - Special Authority see SA0863 below - Retail p	oharmacy	
Month Restriction		
Tab 5 mg28.00	100	Pacific Buspirone
Tab 10 mg17.00	100	Pacific Buspirone

### SA0863 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 For use only as an anxiolytic; and

2 Other agents are contraindicated or have failed.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

### DIAZEPAM

Tab 2 mg - Month Restriction8 ‡ Safety cap for extemporaneously compounded oral liquid prepara	.40 tions.	500	<ul> <li>Pro-Pam</li> </ul>
Tab 5 mg - Month Restriction	.00	250	<ul> <li>Pro-Pam</li> </ul>
Tab 10 mg – Month Restriction	.45	100	<ul> <li>Pro-Pam</li> </ul>
LORAZEPAM – Month Restriction			
Tab 1 mg6	.28	250	Ativan
‡ Safety cap for extemporaneously compounded oral liquid prepara	tions.		
Tab 2.5 mg4	.12	100	Ativan
‡ Safety cap for extemporaneously compounded oral liquid prepara	tions.		

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
OXAZEPAM – Month Restriction				
Tab 10 mg		100		
	(5.50)		0	0x-Pam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
Tab 15 mg	2.45	100		
C C	(7.60)		0	x-Pam
+ Safety can for extemporaneously compounded aral liquid	proporations			

‡ Safety cap for extemporaneously compounded oral liquid preparations.

## **Multiple Sclerosis Treatments**

### ►SA0855 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Budget managed by appointed clinicians on the Multiple Sclerosis Treatment Assessments Committee (MSTAC).

Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator	Phone: 04 460 4990
Multiple Sclerosis Treatment Assessment Committee	Facsimile: 04 916 7571
PHARMAC PO Box 10 254	Email: mstaccoordinator@pharmac.govt.nz

### Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Appeals against MSTAC's decision and/or the processing of any application may be lodged with the MSTAC coordinator. Concerns that cannot be or have not been adequately addressed by MSTAC will be forwarded to a separate Appeal Committee if necessary. Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

### Entry Criteria

- Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis should as a rule include MRI confirmation. For patients diagnosed before MRI was widely utilised in New Zealand, confirmation of diagnosis via clinical assessment and laboratory/ancillary data must be provided; and
- 2) patients must have active relapsing MS (confirmed by MR scan where necessary) with or without underlying progression; and
- 3) patients must have either:

a) EDSS score 2.5 - 5.5 with 2+ relapses:

- experienced at least 2 significant relapses of MS in the previous 12 months, and
- an EDSS score of between 2.5 and 5.5 inclusive; or
- b) EDSS score 2.0 with 3+ relapses:
  - experienced at least 3 significant relapses of MS in the previous 12 months, and
  - an EDSS score of 2.0; and
- 4) Each relapse must:
  - a) be confirmed by a neurologist or general physician (the patient may not necessarily have been seen during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
- c) last at least one week;
- d) follow a period of stability of at least one month;
- e) be severe enough to change either the EDSS or at least one of the Kurtzke functional systems scores by at least 1 point;
- f) be distinguishable from the effects of general fatigue; and
- g) not be associated with a fever (T>37.5°C); and
- 5) applications must be made at least four weeks after the date of the onset of the last known relapse; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate (see criteria for stopping).
- applications must be submitted to the Multiple Sclerosis Treatment Assessment Committee (MSTAC) by the patient's neurologist or a general physician; and
- 8) patients must agree (via informed consent) to co-operate if as a result of their meeting the stopping criteria, funding is withdrawn. Patients must agree to the collection of clinical data relating to their MS and use of those data by PHARMAC; and
- 9) patients must agree to allow clinical data to be collected and reviewed by MSTAC annually for each year in which they receive funding for beta-interferon or glatiramer acetate.

## **Stopping Criteria**

- Confirmed progression of disability that is sustained for three months after a minimum of one year of treatment. Progression
  of disability is defined as either an increase of 1 EDSS point from the starting EDSS or an increase in EDSS score to 6.0 or
  more; or
- 2) stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment); or
- 3) pregnancy and/or lactation; or
- within the 12 month approval year, intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- 5) non-compliance with treatment, including refusal to undergo annual assessment or refusal to allow the results of the assessment to be submitted to MSTAC; or
- 6) patients may, subject to conclusions drawn from published evidence available at the time, be excluded if they develop a high titre of neutralising anti-bodies to beta-interferon or glatiramer acetate.

GLATIRAMER ACETATE – Special Authority see SA0855 on the preceding page Inj 20 mg prefilled syringe1,089.25	28	<ul> <li>Copaxone</li> </ul>
INTERFERON BETA-1-ALPHA – Special Authority see SA0855 on the preceding page Inj 6 million iu prefilled syringe	ge 4 4	✓ Avonex ✓ Avonex
INTERFERON BETA-1-BETA – Special Authority see SA0855 on the preceding page Inj 8 million iu per 1 ml	-	<ul> <li>Betaferon</li> </ul>
Sedatives and Hypnotics		
LORMETAZEPAM – Month Restriction		
Tab 1 mg3.11 (23.50)	30	Noctamid
‡ Safety cap for extemporaneously compounded oral liquid preparations.		

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
/IDAZOLAM				
Tab 7.5 mg – Month Restriction	10.38	100		
	(25.00)			Hypnovel
‡ Safety cap for extemporaneously compounded oral liquid				
Inj 1 mg per ml, 5 ml		10		Hypnovel
	(14.73)	_		Pfizer
Inj 5 mg per ml, 3 ml		5		Hypnovel
	(19.64)			Pfizer
ITRAZEPAM – Month Restriction				
Tab 5 mg	2.00	100		
	(4.65)			Nitrados
‡ Safety cap for extemporaneously compounded oral liquid	d preparations.			
EMAZEPAM – Month Restriction				
Tab 10 mg	0.83	25	~	Normison
‡ Safety cap for extemporaneously compounded oral liquid	d preparations.			
RIAZOLAM – Month Restriction				
Tab 125 µg		100		
····	(6.50)			Hypam
‡ Safety cap for extemporaneously compounded oral liquid	()			
Tab 250 µg		100		
	(7.20)			Hypam
‡ Safety cap for extemporaneously compounded oral liquid	d preparations.			
OPICLONE – Month Restriction				
Tab 7.5 mg		500	V	Apo-Zopiclone
•				<u> </u>
Other CNS Agents				
TOMOXETINE – Special Authority see SA0951 below – Retail p	barmaov			
Cap 10 mg		28	~	Strattera
Cap 18 mg		28		Strattera
Cap 25 mg		28		Strattera
Cap 40 mg		28	•	Strattera
Cap 60 mg		28		Strattera
Cap 80 mg		28	•	Strattera
		28		Strattera

## ➡SA0951 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
  - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
  - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
  - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; and

PSM

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamphetamine sulphate tablets.

DEXAMPHETAMINE SULPHATE – Special Authority see SA0907 below – Retail pharmacy

Only on a controlled drug form			-	
Tab 5 mg	 	1(	00	(

## SA0907 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over – new patients) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Both:
    - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 3.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients 5 or over - patient has had an approval for dexamphetamine for ADHD prior to 1 April 2008) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Both:
    - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 2.2.2 Provide name of the recommending specialist.

**Initial application** — (ADHD in patients under 5 – new patients) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (ADHD in patients under 5 - patient has had an approval for dexamphetamine for ADHD in patients under 5 prior to 1 April 2008) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Narcolepsy – new patients) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Initial application — (Narcolepsy - patient has had an approval for dexamphetamine for narcolepsy prior to 1 April 2008) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: Both:

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

1 The treatment remains appropriate and the patient is benefiting from treatment; and

- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Both:
    - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 2.2.2 Provide name of the recommending specialist.

Note: If the patient had an approval for dexamphetamine for ADHD prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for dexamphetamine for ADHD in patients under 5 prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

**Renewal** — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for dexampletamine for narcolepsy prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

#### DISULFIRAM

METHYLPHENIDATE HYDROCHLORIDE - Special Authority see SA0908 below - Retail pharmacy

Only on a controlled drug form

Tab immediate-release 5 mg	30	Rubifen
Tab immediate-release 10 mg4.29	30	Rubifen
Tab immediate-release 20 mg7.85	30	Rubifen
Tab sustained-release 20 mg10.95	30	Rubifen SR

### ➡SA0908 Special Authority for Subsidy

**Initial application** — (ADHD in patients 5 or over – new patients) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Both:
    - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 3.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients 5 or over - patient has had an approval for methylphenidate for ADHD prior to 1 April 2008) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Both:

Subsid (Manufacturer		ully Brand or sed Generic	
\$	Per	<ul> <li>Manufacturer</li> </ul>	

continued...

2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and

2.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients under 5 – new patients) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (ADHD in patients under 5 - patient has had an approval for methylphenidate for ADHD in patients under 5 prior to 1 April 2008) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Narcolepsy – new patients) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Initial application — (Narcolepsy - patient has had an approval for methylphenidate for narcolepsy prior to 1 April 2008) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Both:
    - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 2.2.2 Provide name of the recommending specialist.

Note: If the patient had an approval for methylphenidate for ADHD prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for methylphenidate for ADHD in patients under 5 prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for methylphenidate for narcolepsy prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA0924 on the next page - Retail pharmacy

Only on a controlled drug form

Tab extended-release 18 mg58.96	30	Concerta
Tab extended-release 27 mg65.44	30	Concerta
Tab extended-release 36 mg71.93	30	Concerta
Tab extended-release 54 mg86.24	30	<ul> <li>Concerta</li> </ul>

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
➡SA0924 Special Authority for Subsidy			
Initial application only from a paediatrician, psychiatrist or me	edical practitioner on the	e recommendation	on of a relevant specialist.
Approvals valid for 24 months for applications meeting the follow	ving criteria:		
All of the following:			
1 ADHD (Attention Deficit and Hyperactivity Disorder); and			
2 Diagnosed according to DSM-IV or ICD 10 criteria; and			
3 Either:			
<ul><li>3.1 Applicant is a paediatrician or psychiatrist; or</li><li>3.2 Both:</li></ul>			
3.2 Bount 3.2.1 Applicant is a medical practitioner and cont	firms that a relevant end	vialiet has been	conculted within the last
years and has recommended treatment for		cialist has been	
3.2.2 Provide name of the recommending specia			
4 Either:			
<ul><li>4.1 Patient is taking a currently subsidised formulation release) which has not been effective due to signil</li><li>4.2 There is significant concern regarding the risk of d</li></ul>	icant administration and	l/or compliance o	difficulties; or
ride.		and all and a second	
Renewal only from a paediatrician, psychiatrist or medical practice for any section of the following exiterior		endation of a rele	evant specialist. Approvais
ralid for 24 months for applications meeting the following criteria Both:	l.		
1 The treatment remains appropriate and the patient is ber	efiting from treatment:	and	
2 Either:	ionang nonn aoaanona, a		
2.1 Applicant is a paediatrician or psychiatrist; or			
2.2 Both:			
2.2.1 Applicant is a medical practitioner and con years and has recommended treatment for	the patient; and	cialist has been	consulted within the last 2
2.2.2 Provide name of the recommending specia			
VALTREXONE HYDROCHLORIDE – Special Authority see SA Tab 50 mg	0909 below – Retail pha 180.00	armacy 30 🖌 🖌 <u>R</u>	<u>eVia</u>
SA0909 Special Authority for Subsidy			
nitial application from any medical practitioner. Approvals vali	d for 3 months for applic	ations meeting t	he following criteria:
Both:			
1 Patient is currently enrolled in a recognised comprehensi			
2 Applicant works in a community Alcohol and Drug Servic			
against the New Zealand Alcohol and Other Drug Sector			
Renewal from any medical practitioner. Approvals valid for 3 mo	onths for applications me	eeting the following	ng criteria:
Both:	and		
<ol> <li>Compliance with the medication (prescriber determined);</li> <li>Any of the following:</li> </ol>	anu		
2.1 Patient is still unstable and requires further treatm	ent: or		
2.2 Patient achieved significant improvement but requi		r	
2.3 Patient is well controlled but requires maintenance		-	

2.3 Patient is well controlled but requires maintenance therapy. The patient may not have had more than 1 prior approval in the last 12 months.

## TETRABENAZINE

Fab 25 mg	243.00	112 (	Xenazine 25
-----------	--------	-------	-------------

	Cubaidu		Fully Drand ar	
	Subsidy (Manufacturer's		Fully Brand or sidised Generic	
	\$	Per	<ul> <li>Manufacturer</li> </ul>	
Chemotherapeutic Agents				
Alkylating Agents				
BUSULPHAN – PCT – Retail pharmacy-Specialist				
Tab 2 mg	47.89	100	🖌 Myleran	
CARBOPLATIN – PCT only – Specialist				
Inj 10 mg per ml, 5 ml	12.00	1	<ul> <li>Carboplatin Ebewe</li> </ul>	
Inj 10 mg per ml, 15 ml	18.70	1	<ul> <li>Carboplatin Ebewe</li> </ul>	
Inj 10 mg per ml, 45 ml	55.50	1	<ul> <li>Carboplatin Ebewe</li> </ul>	
Inj 10 mg per ml, 100 ml	135.65	1	Carboplatin Ebewe	
Inj 1 mg for ECP	0.13	1 mg	Baxter	
			Biomed	
CARMUSTINE – PCT only – Specialist				
Inj 100 mg	204.13	1	BiCNU	
Inj 100 mg for ECP		100 mg OP	✓ Baxter	
			✓ Biomed	
CHLORAMBUCIL – PCT – Retail pharmacy-Specialist				
Tab 2 mg	22.35	25	Leukeran FC	
5	22.00	20		
CISPLATIN – PCT only – Specialist			4 a	
Inj 1 mg per ml, 50 ml	19.00	1	Cisplatin Ebewe	
			Mayne	
Inj 1 mg per ml, 100 ml		1	Cisplatin Ebewe	
	0.40	4	Mayne	
Inj 1 mg for ECP	0.46	1 mg	✓ Baxter	
			<ul> <li>Biomed</li> </ul>	
CYCLOPHOSPHAMIDE				
Tab 50 mg – PCT – Retail pharmacy-Specialist		50	Cycloblastin	
Inj 1 g – PCT – Retail pharmacy-Specialist		1	Endoxan	
	127.80	6	Cytoxan	
Inj 2 g – PCT only – Specialist		1	Endoxan	
Inj 1 mg for ECP – PCT only – Specialist	0.02	1 mg	Baxter	
			Biomed	
IFOSFAMIDE – PCT only – Specialist				
Inj 1 g		1	Holoxan	
Inj 2 g		1	Holoxan	
Inj 1 mg for ECP	0.09	1 mg	Baxter	
			Biomed	
LOMUSTINE - PCT only - Specialist				
Cap 10 mg		20	CeeNU	
Cap 40 mg		20	CeeNU	
MELPHALAN				
Tab 2 mg – PCT – Retail pharmacy-Specialist	31 31	25	✓ Alkeran	
Inj 50 mg – PCT – Retail pharmacy-Specialist		25	✓ Alkeran	
		I I	• / inclui	

	Subsidy (Manufacturer's Price) \$		Fully Subsidised	Brand or Generic Manufacturer
OXALIPLATIN – PCT only – Specialist – Special Authority Inj 50 mg		1	V E	loxatin
Inj 100 mg	400.00	1	✓ E	loxatin
Inj 1 mg for ECP	4.36 8.74	1 mg		axter iomed

### ➡SA0900 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

1 Both:

1.1 The patient has metastatic colorectal cancer; and

1.2 To be used for first or second line use as part of a combination chemotherapy regimen; or

2 Both:

- 2.1 The patient has stage III (Duke's C) colorectal* cancer; and
- 2.2 Adjuvant oxaliplatin to be given in combination with a fluoropyrimidine (fluorouracil or capecitabine).

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with * are Unapproved Indications, oxaliplatin is indicated for adjuvant treatment of stage III (Duke's C) colon cancer after complete resection of the primary tumour.

## Antimetabolites

#### CALCIUM FOLINATE

	10	<i></i>
Tab 15 mg – PCT – Hospital pharmacy [HP3]-Specialist63.89	10	Mayne
Inj 3 mg per ml, 1 ml – PCT – Hospital pharmacy [HP1]-		
Specialist	5	Mayne
Inj 50 mg – PCT – Hospital pharmacy [HP1]-Specialist	5	Calcium Folinate
		Ebewe
Inj 100 mg – PCT only – Specialist9.75	1	Calcium Folinate
		Ebewe
Inj 300 mg – PCT only – Specialist	1	Calcium Folinate
		Ebewe
Inj 1 g – PCT only – Specialist100.00	1	Calcium Folinate
, , , , ,		Ebewe
Inj 1 mg for ECP – PCT only – Specialist0.10	1 mg	Baxter
	9	✓ Biomed
	0 4 0 0 0 0 1 1 1 1 1	
CAPECITABINE – Hospital pharmacy [HP1]-Specialist – Special Authority see	e SAU869 Delow	
Tab 150 mg115.00	60	Xeloda
Tab 500 mg705.00	120	Xeloda

#### ➡SA0869 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Any of the following:

- 1 The patient has advanced gastrointestinal malignancy; or
- 2 The patient has metastatic breast cancer*; or
- 3 The patient has stage III (Duke's stage C) colorectal*# cancer and undergone surgery; or

4 Both:

(Manu	Subsidy acturer's Price) \$	Fu Subsidis Per	ully Brand or ed Generic Manufacturer
ontinued			
4.1 The patient has poor venous access or needle phobia*; an			
4.2 The patient requires a substitute for single agent fluoropyri		and a time the f	- Ilin
enewal only from a relevant specialist. Approvals valid for 12 months for ither:	r applications	meeting the to	bilowing criteria:
1 The patient requires continued therapy; or			
2 The tumour has relapsed and requires re-treatment.			
ote: Indications marked with * are Unapproved Indications, # capecitable	ne is approve	d for stage III (	Duke's stage C) colon car
LADRIBINE – PCT only – Specialist			
Inj 2 mg per ml, 5 ml	3.00	1 🖌	Litak S29
Inj 1 mg per ml, 10 ml5,2		7 🖌	Leustatin
Inj 10 mg for ECP7	9.96 10	mg OP 🖌	<ul> <li>Baxter</li> </ul>
		v	<ul> <li>Biomed</li> </ul>
(TARABINE			
Inj 100 mg – PCT – Retail pharmacy-Specialist	80.00	5 🖌	<ul> <li>Mayne</li> </ul>
, , , , , , , , , , , , , , , , , , , ,		v	Pharmacia
Inj 100 mg per ml, 5 ml – PCT – Retail pharmacy-Specialist	5.36	5 🖌	Mayne
Inj 100 mg per ml, 10 ml - PCT - Retail pharmacy-Specialist	2.65	1 🖌	<ul> <li>Mayne</li> </ul>
Inj 100 mg per ml, 20 ml – PCT only – Specialist	34.47	1 🖌	/ Mayne
Inj 1 mg for ECP – PCT only – Specialist	0.03	1 mg 🖌	<ul> <li>Baxter</li> </ul>
		v	Biomed
Inj 100 mg intrathecal syringe for ECP – PCT only – Specialist	6.00 100		<ul> <li>Baxter</li> </ul>
		v	Biomed
UDARABINE PHOSPHATE – PCT only – Specialist			
Tab 10 mg6	60.25	15 🖌	Fludara
Inj 50 mg1,4	80.00	5 🖌	Fludara
Inj 50 mg for ECP2	6.00 50	mg OP 🛛 🖌	<ul> <li>Baxter</li> </ul>
		V	Biomed
UOROURACIL SODIUM			
Inj 50 mg per ml, 10 ml – PCT only – Specialist	4.95	1 🖌	<ul> <li>Fluorouracil Ebewe</li> </ul>
Inj 500 mg per 20 ml – PCT – Retail pharmacy-Specialist	5.60	10 🖌	<ul> <li>Mayne</li> </ul>
Inj 50 mg per ml, 20 ml – PCT only – Specialist			<ul> <li>Fluorouracil Ebewe</li> </ul>
Inj 25 mg per ml, 100 ml – PCT only – Specialist			Mayne
Inj 50 mg per ml, 50 ml – PCT only – Specialist			Fluorouracil Ebewe
Inj 50 mg per ml, 100 ml – PCT only – Specialist			Fluorouracil Ebewe
Inj 1 mg for ECP – PCT only – Specialist	0.01	3	Baxter
auna lai 500 mg nar 00 ml ta ha deliated 1 luly 2000)		v	Biomed
ayne Inj 500 mg per 20 ml to be delisted 1 July 2009)			
MCITABINE HYDROCHLORIDE - PCT only - Specialist - Special			
lnj 1 g2			Gemcitabine Ebewe
	9.20		Gemzar
Inj 200 mg			Gemcitabine Ebewe
	'8.00 0.00	-	Gemzar
Inj 1 mg for ECP	0.26		Baxter
		v	Biomed

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
(Manulacturer 31 fice)	Per		Manufacturer	

### SA0877 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has non small cell lung carcinoma (stage IIIa, or above); or
- 2 The patient has advanced malignant mesothelioma*; or
- 3 The patient has advanced pancreatic carcinoma; or
- 4 The patient has ovarian, fallopian tube* or primary peritoneal carcinoma*; or
- 5 The patient has advanced transitional cell carcinoma of the urothelial tract (locally advanced or metastatic).

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with a * are Unapproved Indications.

IRINOTECAN - PCT only - Specialist - Special Authority see SA0878 below

Inj 20 mg per ml, 2 ml	 1	Camptosar
Inj 20 mg per ml, 5 ml	 1	Camptosar
Inj 1 mg for ECP	 1 mg	Baxter
	-	Biomed

### SA0878 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has metastatic colorectal cancer; and
- 2 Either:
  - 2.1 To be used for first or second line use as part of a combination chemotherapy regimen; or
  - 2.2 As single agent chemotherapy in fluropyrimidine-relapsed disease.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### Either:

1 The patient requires continued therapy; or

2 The tumour has relapsed and requires re-treatment.

MERCAPTOPURINE - PCT - Retail pharmacy-Specialist

.06

25

Purinethol

	Subsidy (Manufacturer's Pric \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
METHOTREXATE				
* Tab 2.5 mg - PCT - Hospital pharmacy [HP3]-Specialist	5.80	30	✓ <u>N</u>	lethoblastin
* Tab 10 mg – PCT – Hospital pharmacy [HP3]-Specialist	40.93	50	✓ <u>N</u>	lethoblastin
* Inj 2.5 mg per ml, 2 ml – PCT – Hospital pharmacy [HP1 Specialist	•	5	V N	layne
* Inj 25 mg per ml, 2 ml - PCT - Hospital pharmacy [HP1	1-			
Specialist	•	5	🖌 N	layne
* Inj 25 mg per ml, 20 ml - PCT - Hospital pharmacy [HP1 Specialist	•	1	🗸 N	layne
* Inj 100 mg per ml, 10 ml - PCT - Hospital pharmacy [HP1 Specialist		1	🗸 N	lethotrexate Ebewe
* Inj 100 mg per ml, 50 ml - PCT - Hospital pharmacy [HP1				
Specialist		1	🗸 N	lethotrexate Ebewe
* Inj 1 mg for ECP – PCT only – Specialist	0.09	1 mg	🖌 В	axter
	0.10	U	🖌 В	liomed
* Inj 5 mg intrathecal syringe for ECP - PCT only - Specialis	st4.73	5 mg OF	, 🖌 В	axter
			🖌 В	liomed
THIOGUANINE – PCT – Hospital pharmacy [HP3]-Specialist				
Tab 40 mg		25	🖌 L	anvis
Other Cytotoxic Agents				
ANAGRELIDE HYDROCHLORIDE – PCT only – Specialist – S Cap 0.5 mg		e SA0879 100		grylin eva

#### ➡SA0879 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has primary thrombocythaemia; and
- 2 Either:
  - 2.1 is at high risk (previous thromboembolic disease, bleeding or platelet count >1500/ml); or
  - 2.2 is intolerant or refractory to hydroxyurea or interferon.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that treatment with anagrelide be initiated only on the recommendation of a haematologist.

ARSENIC TRIOXIDE – PCT only – Specialist Inj 10 mg2,475.5	5 10	✔ AFT S29
BLEOMYCIN SULPHATE – PCT only – Specialist Inj 15,000 iu680.0 Inj 1,000 iu for ECP5.2		<ul> <li>Blenoxane</li> <li>Baxter</li> <li>Biomed</li> </ul>
COLASPASE (L-ASPARAGINASE) – PCT only – Specialist Inj 10,000 iu		<ul> <li>✓ Leunase</li> <li>✓ Baxter</li> <li>✓ Biomed</li> </ul>
DACARBAZINE – PCT only – Specialist Inj 200 mg43.8 Inj 200 mg for ECP43.8		<ul><li>✓ Mayne</li><li>✓ Baxter</li><li>✓ Biomed</li></ul>

Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

(	Subsidy Manufacturer's P \$	Price) Sub Per	Fully sidised	Brand or Generic Manufacturer
DACTINOMYCIN (ACTINOMYCIN D) – PCT only – Specialist				
Inj 0.5 mg	13.52	1	V C	osmegen
Inj 0.5 mg for ECP		0.5 mg OP	🖌 В	axter
,,		J - J -	🗸 В	iomed
DAUNORUBICIN – PCT only – Specialist				
Inj 5 mg per ml, 4 ml	99.00	1	🖌 M	ayne
Inj 20 mg for ECP	99.00	20 mg OP	🖌 В	axter
, .		Ū	🖌 В	iomed
DOCETAXEL - PCT only - Specialist - Special Authority see SAG	880 below			
Inj 20 mg	460.00	1	🖌 Ta	axotere
Inj 80 mg		1	🖌 Ta	axotere
Inj 1 mg for ECP	23.81	1 mg	🖌 В	axter
, ,		5	🗸 В	iomed

### ➡SA0880 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- Any of the following:
  - 1 Both:
    - 1.1 The patient has ovarian*, fallopian* or primary peritoneal cancer*; and
    - 1.2 Either:
      - 1.2.1 Has not received prior chemotherapy; or
      - 1.2.2 Has received prior chemotherapy but has not previously been treated with taxanes; or
  - 2 The patient has metastatic breast cancer; or
  - 3 Both:
    - 3.1 The patient has early breast cancer; and
    - 3.2 Docetaxel is to be given concurrently with trastuzumab; or
  - 4 Both:
    - 4.1 The patient has non small-cell lung cancer; and
    - 4.2 Either:
      - 4.2.1 Has advanced disease (stage IIIa or above); or
      - 4.2.2 Is receiving combined chemotherapy and radiotherapy; or
  - 5 Both:
    - 5.1 The patient has small-cell lung cancer*; and
    - 5.2 Docetaxel is to be used as second-line therapy.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic breast cancer, non small-cell lung cancer, or small-cell lung cancer*; and
- 2 Either:
  - 2.1 The patient requires continued therapy; or
  - 2.2 The tumour has relapsed and requires re-treatment.
- Note: indications marked with * are Unapproved Indications.

#### DOXORUBICIN - PCT only - Specialist

Inj 10 mg	8.80	1	Doxorubicin Ebewe
lnj 50 mg		1	Doxorubicin Ebewe
Inj 100 mg		1	Doxorubicin Ebewe
Inj 200 mg		1	Doxorubicin Ebewe
Inj 1 mg for ECP		1 mg	Baxter
, 0		5	Biomed

	Subsidy		Fully Brand or
	(Manufacturer's Pri		Subsidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
EPIRUBICIN – PCT only – Specialist			
Inj 2 mg per ml, 5 ml	24.70	1	Epirubicin Ebewe
Inj 2 mg per ml, 25 ml		1	Epirubicin Ebewe
Inj 2 mg per ml, 50 ml		1	Epirubicin Ebewe
Inj 2 mg per ml, 100 ml		1	Epirubicin Ebewe
Inj 1 mg for ECP		1 mg	✓ Baxter
, ,		0	Biomed
ETOPOSIDE			
Cap 50 mg – PCT – Hospital pharmacy [HP3]-Specialist		20	Vepesid
Cap 100 mg – PCT – Hospital pharmacy [HP3]-Specialist		10	Vepesid
Inj 20 mg per ml, 5 ml – PCT – Hospital pharmacy [HP1			<u></u>
Specialist		1	Mayne
	612.20	10	Vepesid
Inj 1 mg for ECP – PCT only – Specialist		1 mg	Baxter
	0.30	i niy	Biomed
			Biomed
ETOPOSIDE PHOSPHATE – PCT only – Specialist			
Inj 100 mg (of etoposide base)	40.00	1	<ul> <li>Etopophos</li> </ul>
Inj 1 mg (of etoposide base) for ECP	0.47	1 mg	<ul> <li>Baxter</li> </ul>
			Biomed
HYDROXYUREA – PCT – Retail pharmacy-Specialist			
Cap 500 mg	31 76	100	✓ Hydrea
		100	• Hjulou
IDARUBICIN HYDROCHLORIDE – PCT only – Specialist			
Cap 5 mg		1	Zavedos
Cap 10 mg		1	Zavedos
Inj 5 mg		1	✓ Zavedos
Inj 10 mg		1	Zavedos
Inj 1 mg for ECP		1 mg	✓ Baxter
			<ul> <li>Biomed</li> </ul>
MESNA – PCT only – Specialist			
Tab 400 mg		50	Uromitexan
Tab 600 mg		50	Uromitexan
Inj 100 mg per ml, 4 ml		15	Uromitexan
Inj 100 mg per ml, 10 ml		15	Uromitexan
Inj 1 mg for ECP		1 mg	Baxter
, 0		0	Biomed
MITOMYCIN C – PCT only – Specialist			
Inj 2 mg	202.00	10	✓ Mitomycin-C (\$29)
Inj 2 mg		5	Mitomycin-C S29
, ,			Baxter
Inj 1 mg for ECP		1 mg	✓ Baxter
MITOZANTRONE – PCT only – Specialist			
Inj 2 mg per ml, 5 ml		1	Mitozantrone Ebewe
Inj 2 mg per ml, 10ml		1	<ul> <li>Mitozantrone Ebewe</li> </ul>
Inj 2 mg per ml, 12.5 ml		1	Onkotrone
Inj 1 mg for ECP	12.43	1 mg	Baxter
			Biomed

	Subsidy		Fully Brand or
	(Manufacturer's Price	,	Subsidised Generic
	\$	Per	er 🖌 Manufacturer
PACLITAXEL – PCT only – Specialist			
Inj 30 mg		1	Paclitaxel Ebewe
, ,	189.75	5	Paclitaxel Ebewe
Inj 100 mg		1	✓ Paclitaxel Ebewe
lnj 150 mg		1	Paclitaxel Ebewe
Inj 300 mg		1	Paclitaxel Ebewe
Inj 600 mg		1	Paclitaxel Ebewe
Inj 1 mg for ECP		1 mg	Baxter
, ,		0	✓ Biomed
PENTOSTATIN (DEOXYCOFORMYCIN) - PCT only - Specialis	+		
Inj 10 mg		1	Nipent
			• hipent
PROCARBAZINE HYDROCHLORIDE – PCT only – Specialist			
Cap 50 mg		50	Natulan S29
EMOZOLOMIDE – Special Authority see SA0831 below – Hosp	oital pharmacy [HP3]		
Cap 5 mg		5	Temodal
Cap 20 mg		5	✓ Temodal
		5	✓ Temodal
Cap 100 mg		-	
Cap 250 mg	2,100.00	5	<ul> <li>Temodal</li> </ul>

### SA0831 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 10 months for applications meeting the following criteria: All of the following:

- 1 Patient has newly diagnosed glioblastoma multiforme; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of six cycles of 5 days treatment, at a maximum dose of 200 mg/m².

Notes: Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme. Reapplications will not be approved. Studies of temozolomide show that its benefit is predominantly in those patients with a good performance status (WHO grade 0 or 1 or Karnofsky score >80), and in patients who have had at least a partial resection of the tumour.

TENIPOSIDE - PCT only - Specialist

Inj 10 mg per ml, 5 ml Inj 50 mg for ECP		10 50 mg OP	<ul><li>✓ Vumon</li><li>✓ Baxter</li><li>✓ Biomed</li></ul>
THALIDOMIDE - PCT only - Specialist - Special Authority see Only on a controlled drug form	SA0882 on the	next page	
, .			<b>4 - 1 1 1 1</b>
Cap 50 mg		28	<ul> <li>Thalidomide</li> <li>Pharmion</li> </ul>

Subsidy (Manufacturer's Price)	Fully Subsidised		
\$	Per 🖌	Manufacturer	

### SA0882 Special Authority for Subsidy

Initial application — (for new patients) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has refractory, progressive or relapsed multiple myeloma; and
- 2 The patient has received prior chemotherapy.

Initial application — (for patients receiving thalidomide prior to 1 January 2006) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient was receiving treatment with thalidomide for multiple myeloma on or before 31 December 2005.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

TRETINOIN – PCT only – Specialist Cap 10 mg435.90	100	✓ Vesanoid
VINBLASTINE SULPHATE		
Inj 10 mg – PCT – Retail pharmacy-Specialist137.50	5	Mayne
Inj 1 mg for ECP – PCT only – Specialist	1 mg	Baxter
		Biomed
VINCRISTINE SULPHATE		
Inj 1 mg per ml, 1 ml – PCT – Retail pharmacy-Specialist	5	Mayne
Inj 1 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist	5	Mayne
Inj 1 mg for ECP – PCT only – Specialist	1 mg	✓ Baxter
		Biomed
VINORELBINE - PCT only - Specialist - Special Authority see SA0901 below		
Inj 10 mg per ml, 1 ml42.00	1	Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml210.00	1	Vinorelbine Ebewe
Inj 1 mg for ECP4.75	1 mg	Baxter
		Biomed

### ➡SA0901 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has metastatic breast cancer; or
- 2 The patient has non-small cell lung cancer (stage IIIa, or above); or
- 3 All of the following:
  - 3.1 The patient has stage IB-IIIA non-small cell lung cancer; and
  - 3.2 Vinorelbine is to be given as adjuvant treatment in combination with cisplatin; and
  - 3.3 The patient has good performance status (WHO/ECOG grade 0-1).

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

### **Protein-tyrosine Kinase Inhibitors**

IMATINIB MESYLATE - Special Authority see SA0	643 on the next page
Tab 100 mg	

Glivec

60

		Subsidy (Manufacturer's Priv \$	ce) Su Per	Fully bsidised	Brand or Generic Manufacturer
➡SA0643 Special Auth	ority for Subsidy				
	I by the Glivec Co-ordinator				
Notes: Application details	may be obtained from PHARMAC's	s website http://www.	pharmac.go	vt.nz, ar	nd prescriptions should be
sent to:					
The Glivec Co-ordinator	Phone: (04) 460 4990				
PHARMAC PO Box 10 254	Facsimile: (04) 916 7571 Email: mary.chesterfield@phar	maa aavt nz			
		mac.yovi.nz			
Wellington	for CML – access by application				
a) Funded for patients	with diagnosis (confirmed by a has or in chronic phase.		ronic myeloi	d leukae	emia (CML) in blast crisis,
c) Subsidised for use		phase, and 400 mg/da	y for chronic	c phase (	CML.
d) Initial approvals val		la mana di dana di sa sa di			
should provide deta sponse after 14-18 and cytogenetic res	al(s) are granted on application and ils of the haematological response. months from initiating therapy. All ott ponse if such data is available. App as appaced	The third reapplication her reapplications sho	on should pr uld provide o	ovide de details of	tails of the cytogenetic re- haematological response,
a haematologist or	ation of treatment for patients with	h CMI			
	consider discontinuation of treatme		om initiating	therany	a natient did not obtain a
	ponse as defined as any one of the				a patione dia not obtain a
	ematologic response (as characteri				$) > 1.5 \times 10^9$ /L, platelets
	0 ⁹ /L, absence of peripheral blood				
metaphases	, and absence of extramedullary dis	sease); or			
10 ⁹ /L, abser	of leukaemia (as characterised by a ice of peripheral blood (PB) blasts, of extramedullary disease); or				
	onic phase (as characterised by BM	and PB blasts < 15%	BM and PF	3 blasts a	and promyelocytes $< 30\%$
	s < 20% and absence of extramedul				
	consider discontinuation of treatme				a patient did not obtain a
major cytogenetic r	esponse defined as 0-35% Ph+ met	aphases.			
Special Authority criteria	for GIST – access by application				
<ul> <li>a) Funded for patients</li> </ul>					
	osis (confirmed by an oncologist) o	of unresectable and/or	r metastatic	maligna	nt gastrointestinal stromal
tumour (GIS			and an investigation		
	munohistochemical documentation	of c-kit (CD117) expre	ession by the	e tumour.	
<ul> <li>b) Maximum dose of 4</li> <li>c) Applications to be r</li> </ul>	nade and subsequent prescriptions	oon ho writton by on a	poologist		
	ent applications are valid for one yea			n adequi	ate clinical response to the
	nib (prescriber determined).			ii aucque	
	, , , , , , , , , , , , , , , , , , ,				
Endocrine Therapy					
For GnRH ANALOGUES -	- refer to HORMONE PREPARATIO	NS, Trophic Hormone	s, page 79		
ANASTROZOLE					
		146.46	30	🗸 A	rimidex
ANASTROZOLE-DP - Su					
	tients with hormone receptor positiv	ve advanced breast ca	ancer and th	ie prescr	iption is endorsed accord-
			30	🗸 D	P-Anastrozole
5					

	Subsidy (Manufacturer's Price \$	) Per	Fully Subsidised	Brand or Generic Manufacturer
BICALUTAMIDE – Special Authority see SA0941 below – Retail Tab 50 mg		30	✓ <u>B</u>	icalox_
■>SA0941 Special Authority for Subsidy Initial application from any medical practitioner. Approvals val	id without further re	nowal i	inless notif	ied where the nationt has
advanced prostate cancer.				ied where the patient has
EXEMESTANE				
Tab 25 mg		30	🗸 A	romasin
FLUTAMIDE – Hospital pharmacy [HP3]-Specialist				
Tab 250 mg		100	🗸 F	lutamin
LETROZOLE				
Tab 2.5 mg – Higher subsidy of \$200.00 per 30 with Special				
Authority see SA0943 below		30	E.	
The CARDAR Constant Anthony in the face Album she Contraction	(200.00)			emara
► SA0943 Special Authority for Alternate Subsidy Initial application — (New patients) only from a relevant spe	cialist Approvals v	alid for	5 years for	r applications meeting the
following criteria:	cialist. Approvais vi	allu iui	5 years io	applications meeting the
All of the following:				
1 Patient is a postmenopausal woman; and				
2 Patient has hormone receptor positive early breast cancer;	and			
3 Either:				
3.1 The patient has a very clear history of intolerance to				
3.2 The use of tamoxifen is contraindicated due to a his				
Initial application — (Patient has had a Special Authority ap	•	•		
relevant specialist. Approvals valid without further renewal unless is benefiting from treatment.	nouned where the tr	eatmen	it remains a	appropriate and the patient
<b>Renewal</b> only from a relevant specialist. Approvals valid witho	ut further renewal u	inless r	notified whe	ere the treatment remains
appropriate and the patient is benefiting from treatment.				
Note: If the patient had an approval for letrozole prior to 1 De	cember 2008 the a	pplicant	t is require	d to submit a fresh initial
application in the first instance, not a renewal application. Please	e phone Ministry of	Health	Sector Ser	vices on 0800 243 666 for
clarification if needed.				
MEGESTROL ACETATE – Retail pharmacy-Specialist				
Tab 160 mg	74.25	30	V M	legace
OCTREOTIDE (SOMATOSTATIN ANALOGUE) - Special Authori				
Inj 50 μg per ml, 1 ml		5		ospira
	43.50	_		andostatin
Inj 100 μg per ml, 1 ml		5		ospira andostatin
Inj 500 μg per ml, 1 ml	81.00 175.00	5		andostatin ospira
	399.00	5		andostatin
LAR 10 mg prefilled syringe		1		andostatin LAR
LAR 20 mg prefilled syringe		1		andostatin LAR
LAR 30 mg prefilled syringe		1	✓ S	andostatin LAR
		I	¥ 3	

	Subsidy (Manufacturer's Price \$	e) Su Per	Fully bsidised	Brand or Generic Manufacturer
►SA0563 Special Authority for Subsidy				
Initial application only from a relevant specialist. Approvals valid	for 2 years for appl	ications me	eeting th	e following criteria:
Any of the following:				
1 Both:				
1.1 Acromegaly; and				
1.2 Patient has failed surgery, radiotherapy, bromocriptin				ent state and a to definition
2 VIPomas and Glucagonomas – for patients who are serie	busiy III in order to	improve ti	neir clinio	cal state prior to definitive
surgery; or 3 Both:				
3.1 Gastrinoma: and				
3.2 Either:				
3.2.1 Patient has failed surgery; or				
3.2.2 Patient in metastatic disease after H2 antago	nists (or proton pur	np inhibitor	rs) have t	failed: or
4 Both:	in the barrier barrier	P	-,	
4.1 Insulinomas; and				
4.2 Surgery is contraindicated or has failed; or				
5 For pre-operative control of hypoglycaemia and for mainten	ance therapy; or			
6 Both:				
6.1 Carcinoid syndrome (diagnosed by tissue pathology		AA analysi	s); and	
6.2 Disabling symptoms not controlled by maximal medi				
Note: The use of octreotide in patients with fistulae, oesophagea	al varices, miscella	neous diar	rhoea ar	nd hypotension will not be
funded as a Special Authority item Renewal only from a relevant specialist. Approvals valid for 2 ye	are where the tree	tmont rom	aina ann	rapriate and the patient is
benefiting from treatment.	ars where the trea		ains app	ropriate and the patient is
TAMOXIFEN CITRATE				
* Tab 10 mg	0.00	100	4.6	enox
* Tab 20 mg		100		enox
		100	• 4	
Immunosuppressants				
Cytotoxic Immunosuppressants				
AZATHIOPRINE – Retail pharmacy-Specialist				
* Tab 50 mg		100	🖌 A	zamun
-			🖌 T	hioprine
	(34.90)		In	nuran
* Inj 50 mg	46.33	1		
	(47.72)		In	nuran
(Thioprine Tab 50 mg to be delisted 1 October 2009)				
MYCOPHENOLATE MOFETIL – Special Authority see SA0893 o	n the next page – H	lospital ph	armacy [	HP3]
Tab 500 mg		50		ellcept
Cap 250 mg		100	V C	ellcept
Powder for oral liq 1 g per 5 ml - Subsidy by endorsement		65 ml OP		elicept
Mycophenolate powder for oral liquid is subsidised only fo prescription is endorsed accordingly.	r patients unable to	o swallow ta	ablets an	d capsules, and when the

	Subsidy	Fully	Brand or
	(Manufacturer's Price)	Subsidised	Generic
	\$	Per 🖌	Manufacturer
►>SA0893 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals vali the following criteria:	d without further renev	wal unless notifie	ed for applications meeting

Any of the following:

- 1 Renal transplant recipient; or
- 2 Heart transplant recipient; or
- 3 Patient has an organ transplant and has severe tophaceous gout making azathioprine unsuitable.

### **Immune Modulators**

ANTITHYMOCYTE GLOBULIN (EQUINE) - PCT only -	- Specialist		
Inj 50 mg per ml, 5 ml		5	🖌 ATGAM
RITUXIMAB - PCT only - Specialist - Special Authorit	y see SA0884 below		
Inj 100 mg per 10 ml vial	1,195.00	2	Mabthera
Inj 500 mg per 50 ml vial		1	Mabthera
Inj 1 mg for ECP		1 mg	Baxter
		Ũ	Biomed

### ➡SA0884 Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where the patient has B-cell post-transplant lymphoproliferative disorder*. Note: For no more than 8 treatment cycles.

**Initial application** — (Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where the patient has low grade NHL — relapsed disease following prior chemotherapy.

Note: For no more than 4 treatment cycles.

Initial application — (Large cell lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

1 The patient has treatment naiive large B-cell NHL; and

2 To be used with CHOP (or alternative anthracycline containing multi-agent chemotherapy regimen given with curative intent). Note: For no more than 8 treatment cycles.

Renewal — (Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 The patient has had a treatment-free interval of 6 months or more; and
- 2 Either:
  - 2.1 Has B-cell post-transplant lymphoproliferative disorder*; or
  - 2.2 Has low grade NHL relapsed disease following prior chemotherapy.

Notes: For no more than 4 treatment cycles for low grade NHL.

Indications marked with * are Unapproved Indications.

TRASTUZUMAB - PCT only - Specialist - Special Authority see SA0885 on the next page

Inj 150 mg vial	1,350.00	1	Herceptin
Inj 440 mg vial		1	<ul> <li>Herceptin</li> </ul>
Inj 1 mg for ECP		1 mg	Baxter
		•	Biomed

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

### SA0885 Special Authority for Subsidy

**Initial application** — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the patient has metastatic breast cancer expressing HER-2 IHC 3+ or FISH+.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has metastatic breast cancer; and
- 2 The cancer has not progressed.

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or FISH +; and
- 2 Maximum cumulative dose of 20mg/kg (9 weeks treatment)*; and
- 3 Trastuzumab is to be given concurrently with adjuvant taxane chemotherapy*; and
- 4 Trastuzumab is not to be given concurrently with anthracycline chemotherapy.

Notes: indications marked with * are Unapproved Indications.

It is recommended that for early breast cancer trastuzumab be administered concurrently with docetaxel prior to anthracyclines as per the FinHer regimen (Joensuu H, Kellokumpu-Lehtinen P, Bono P, et al. Adjuvant docetaxel or vinorelbine with or without trastuzumab for breast cancer. N Engl J Med 2006;354(8):809-20).

### Other Immunosuppressants

CYCLOSPORIN A - Special Authority see SA0470 below - Hospital pharmacy [HP3]

Cap 25 mg	 50	Neoral
Cap 50 mg	 50	Neoral
Cap 100 mg	50	Neoral
Oral liq 100 mg per ml	 50 ml OP	Neoral

#### SA0470 Special Authority for Subsidy

**Initial application** — (Organ transplant) only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Initial application — (Bone marrow transplant or Graft v host disease) only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Either:

1 Bone marrow transplant; or

2 Graft v host disease.

Initial application — (Psoriasis) only from a dermatologist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

1 Psoriasis; and

2 Applicant must state which systemic and topical therapies have failed.

**Initial application — (Severe atopic dermatitis)** only from a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 Severe atopic dermatitis; and

2 Not responsive to topical therapy, oral antihistamines and other commonly used orthodox therapies.

Initial application — (Nephrotic Syndrome) only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

1 Nephrotic Syndrome; and

## **ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS**

Subsidy (Manufacturer's Price) Subs \$ Per	Fully idised	Brand or Generic Manufacturer	
--------------------------------------------------	-----------------	-------------------------------------	--

continued...

2 Corticosteroid dependent patients who have failed on cytotoxic therapy.

Initial application — (Endogenous uveitis) only from a relevant specialist. Approvals valid for 2 years where the patient suffers from endogenous uveitis.

Initial application — (Severe rheumatoid arthritis) only from a rheumatologist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Severe rheumatoid arthritis; and
- 2 The patient must be either unresponsive to or unable to tolerate, both sulphasalazine and methotrexate; and
- 3 Patients must have 2 serum creatinine test results within the normal range within the three months prior to initiation of therapy.

Renewal — (Severe atopic dermatitis) only from a dermatologist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

**Renewal** — (Indications other than severe atopic dermatitis) only from a dermatologist, rheumatologist or relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

#### Guidelines for use of cyclosporin A in rheumatoid arthritis

#### Monitoring:

All patients require frequent monitoring for creatinine levels and blood pressure:

- fortnightly, in the first three months of therapy and then monthly, if results are stable;
- if dose is increased or there is a rise in serum creatinine or blood pressure, then more frequent monitoring is required.

#### **Contraindications:**

Cyclosporin A is contraindicated in patients with the following conditions:

- current or past malignancy;
- uncontrolled hypertension;
- renal dysfunction (abnormal serum creatinine for age and sex);
- immunodeficiency and neutropenia;
- · abnormally low white blood cell count or platelet count; or
- liver function tests more than twice the upper limit of normal.

#### Caution in use:

- age above 65 years;
- controlled hypertension;
- use of anti-epileptic medications;
- use of ketoconazole, fluconazole, trimethoprim, erythromycin, verapamil, and diltiazem;
- concurrent or previous use of alkylating agents such as cyclophosphamide;
- use of any experimental drug within the past three months;
- premalignant conditions such as leukoplakia, monoclonal paraproteinaemia, myelodysplastic syndrome and dysplastic naevi;
- active infection may necessitate temporary discontinuation;
- pregnancy and lactation.

Therapy should be discontinued if there has been no improvement after 6 months with the patient on the maximum tolerated dose. For further information please consult the data sheet.

SIROLIMUS - Special Authority see SA0866 on the next page - Hospital pharmacy [HP3]

Tab 1 mg	 100	Rapamune
Tab 2 mg	 100	Rapamune
Oral liq 1 mg per ml	 60 ml OP	Rapamune

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully sidised	Brand or Generic Manufacturer
<ul> <li>⇒SA0866 Special Authority for Subsidy</li> <li>Initial application from any medical practitioner. Approvals valid used for rescue therapy for an organ transplant recipient.</li> <li>Notes: Rescue therapy defined as unresponsive to calcineurin inficalcineurin inhibitor treatment due to any of the following:</li> <li>GFR&lt;30 ml/min; or</li> <li>Rapidly progressive transplant vasculopathy; or</li> <li>HUS or TTP; or</li> <li>Leukoencepthalopathy; or</li> <li>Significant malignant disease</li> </ul>				Ū
TACROLIMUS – Special Authority see SA0669 below – Hospital Cap 0.5 mg Cap 1 mg Cap 5 mg ►SA0669 Special Authority for Subsidy		100 100 50	🖌 Pi	rograf rograf rograf

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Note: Subsidy applies for either primary or rescue therapy.

Per Dital pharmad 1 OP 1 OP cations meet ment remain	Fully Brand or ididsed Generic Manufacturer cy [HP3] Albay Albay ting the following criteria: ms appropriate and the patient is
oital pharmad 1 OP 1 OP cations meet	cy [HP3]  Albay Albay ting the following criteria:
1 OP 1 OP cations meet	<ul> <li>Albay</li> <li>Albay</li> <li>Albay</li> <li>Ating the following criteria:</li> </ul>
1 OP 1 OP cations meet	<ul> <li>Albay</li> <li>Albay</li> <li>Albay</li> <li>Ating the following criteria:</li> </ul>
1 OP cations meet	✓ Albay Albay viting the following criteria:
1 OP cations meet	✓ Albay Albay viting the following criteria:
cations meet	ting the following criteria:
ment remain	
ment remain	
	ns appropriate and the patient is
	ns appropriate and the patient is
	ns appropriate and the patient is
	ns appropriate and the patient is
onital pharm	
ospital pharm	lacy [HP3]
1 OP	🖌 Albay
101	<ul> <li>Albay</li> </ul>
1 OP	Albay
cations meet	ting the following criteria:
	ang the following entertail
ment remain	ns appropriate and the patient is
50	
50	<b>Z</b> a din a
50	Zadine
100	✓ <u>Zetop</u>
100	✓ <u>Zetop</u>
100	✓ <u>Zetop</u> ✓ <u>Cetirizine - AFT</u>
100 200 ml	✓ <u>Zetop</u>
100 200 ml	✓ <u>Zetop</u> ✓ <u>Cetirizine - AFT</u>
100 200 ml	✓ <u>Zetop</u> ✓ <u>Cetirizine - AFT</u>
100 200 ml 500 ml	✓ <u>Zetop</u> ✓ <u>Cetirizine - AFT</u> Histafen
100 200 ml 500 ml	✓ <u>Zetop</u> ✓ <u>Cetirizine - AFT</u> Histafen
100 200 ml 500 ml 100	✓ <u>Zetop</u> ✓ <u>Cetirizine - AFT</u> Histafen
100 200 ml 500 ml 100	✓ <u>Zetop</u> ✓ <u>Cetirizine - AFT</u> Histafen ✓ Periactin
100 200 ml 500 ml 100 50	✓ <u>Zetop</u> ✓ <u>Cetirizine - AFT</u> Histafen ✓ Periactin
100 200 ml 500 ml 100 50	<ul> <li>Zetop</li> <li>Cetirizine - AFT</li> <li>Histafen</li> <li>Periactin</li> <li>Polaramine</li> </ul>
	100 200 ml

	Subsidy		Fully Brand or
	(Manufacturer's \$	Price) Sub Per	sidised Generic Manufacturer
EXOFENADINE HYDROCHLORIDE			
Tab 60 mg	4 34	20	
	(11.53)	20	Telfast
₭ Tab 120 mg		30	Tondot
· · · · · · · · · · · · · · · · · · ·	(29.81)		Telfast
ORATADINE	()		
©RATADINE ≰ Tab 10 mg	2.59	100	<ul> <li>Loraclear Hayfever</li> </ul>
Tab To Tig		100	Relief
• Oral liq 1 mg per ml	3 65	100 ml	✓ Lorapaed
		100 111	• <u>Horapada</u>
PROMETHAZINE HYDROCHLORIDE	0.70	E 0	
K Tab 10 mg		50 50	✓ <u>Allersoothe</u>
k Tab 25 mg		50 100 ml	✓ <u>Allersoothe</u>
r+ Oraniny 5 mg per 5 mil		100 111	Phonorcon
k Inj 25 mg per ml, 2 ml − Up to 5 inj available on a PSO	(8.51)	5	Phenergan Mayne
		5	+ Mayne
RIMEPRAZINE TARTRATE		100 100	
Oral liq 30 mg per 5 ml		100 ml OP	
	(8.06)		Vallergan Forte
Inhaled Corticosteroids			
BECLOMETHASONE DIPROPIONATE	0.5.1	000 1	
Aerosol inhaler, 50 µg per dose		200 dose OP	<ul> <li>Beclazone 50</li> </ul>
Aerosol inhaler, 100 µg per dose		200 dose OP	Beclazone 100
Aerosol inhaler, 250 µg per dose		200 dose OP	<ul> <li>Beclazone 250</li> </ul>
BUDESONIDE			
Powder for inhalation, 100 µg per dose	17.00	200 dose OP	Pulmicort
			Turbuhaler
Powder for inhalation, 200 µg per dose		200 dose OP	Pulmicort
			Turbuhaler
Powder for inhalation, 400 µg per dose		200 dose OP	Pulmicort
			Turbuhaler
LUTICASONE			
Aerosol inhaler, 50 µg per dose CFC-free		120 dose OP	Flixotide
Powder for inhalation, 50 µg per dose		60 dose OP	
, ror	(8.67)		Flixotide Accuhaler
Powder for inhalation, 100 µg per dose	( )	60 dose OP	
	(13.87)		Flixotide Accuhaler
Aerosol inhaler, 125 µg per dose CFC-free	· · · /	120 dose OP	Flixotide
Aerosol inhaler, 250 µg per dose CFC-free		120 dose OP	<ul> <li>Flixotide</li> </ul>
Powder for inhalation, 250 µg per dose		60 dose OP	
	(24.51)		Flixotide Accuhaler

Subsidy		Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

## Inhaled Long-acting Beta-adrenoceptor Agonists

### Prescribing Guideline for Inhaled Long-Acting Beta-Adrenoceptor Agonists

The addition of inhaled long-acting beta-adrenoceptor agonists (LABAs) to inhaled corticosteroids is recommended:

- For younger children (aged under 12 years) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 200 µg beclomethasone or budesonide (or 100 µg fluticasone).
- For adults and older children (aged 12 years and over) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 400 µg beclomethasone or budesonide (or 200 µg fluticasone).

### Note:

Further information on the place of inhaled corticosteroids and inhaled LABAs in the management of asthma can be found in the New Zealand guidelines for asthma in adults (www.nzgg.org.nz) and in the New Zealand guidelines for asthma in children aged 1-15 (www.paediatrics.org.nz).

EFORMOTEROL FUMARATE – See prescribing guideline above Powder for inhalation, 6 μg per dose, breath activated	60 dose OP 60 dose	<ul><li>✓ Oxis Turbuhaler</li><li>✓ Foradil</li></ul>
SALMETEROL – See prescribing guideline above Aerosol inhaler CFC-free, 25 µg per dose	120 dose OP 60 dose OP	<ul> <li>✓ Serevent</li> <li>✓ Serevent Accuhaler</li> </ul>

## Inhaled Corticosteroids with Long-Acting Beta-Adrenoceptor Agonists

### ➡SA0838 Special Authority for Subsidy

**Initial application** only from a relevant specialist or general practitioner. Approvals valid for 2 years for applications meeting the following criteria:

### Either:

- 1 All of the following:
  - 1.1 Patient is a child under the age of 12; and
  - 1.2 All of the following:
    - Has, for 3 months of more, been treated with:
    - 1.2.1 An inhaled long-acting beta adrenoceptor agonist; and
    - 1.2.2 Inhaled corticosteroids at a dose of at least 400 µg per day beclomethasone or budesonide, or 200 µg per day fluticasone; and
  - 1.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product; or
- 2 All of the following:
  - 2.1 Patient is over the age of 12; and
  - 2.2 All of the following:
    - Has, for 3 months of more, been treated with:
    - 2.2.1 An inhaled long-acting beta adrenoceptor agonist; and
    - 2.2.2 Inhaled corticosteroids at a dose of at least 800 µg per day beclomethasone or budesonide, or 500 µg per day fluticasone; and
  - 2.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	0.1.11		
	Subsidy (Manufacturer's		Fully Brand or sidised Generic
	(inianalaotaron e	Per	Manufacturer
	10000 on the	areading page	Detail phormooy
BUDESONIDE WITH EFORMOTEROL – Special Authority see S Aerosol inhaler 100 µg with eformoterol fumarate 6 µg		120 dose OP	Vannair
Powder for inhalation 100 $\mu$ g with eformoterol furnatate 6 $\mu$ g		120 dose OP 120 dose OP	Symbicort
Fowder for initialation foo py with elonnoteror furnarate o py .		120 005e OF	Turbuhaler 100/6
Acress linkslar 000 us with sformateral fumerate 6 us	60.00	100 daga OD	✓ Vannair
Aerosol inhaler 200 µg with eformoterol fumarate 6 µg		120 dose OP 120 dose OP	Symbicort
Powder for inhalation 200 $\mu g$ with eformoterol fumarate 6 $\mu g$ .		120 005e OF	Turbuhaler 200/6
Powder for inhelation 400 up with ofermatoral fumarate 12 up			
Powder for inhalation 400 μg with eformoterol fumarate 12 μg – No more than 2 dose per day	60.00	60 dose OP	✓ Symbicort
		00 dose of	Turbuhaler 400/12
LUTICASONE WITH SALMETEROL – Special Authority see SA			
Aerosol inhaler 50 µg with salmeterol 25 µg		120 dose OP	✓ Seretide
Aerosol inhaler 125 µg with salmeterol 25 µg		120 dose OP	<ul> <li>Seretide</li> </ul>
Powder for inhalation 100 $\mu$ g with salmeterol 50 $\mu$ g – No more	07.40		<b>4</b> 0
than 2 dose per day		60 dose OP	Seretide Accuhaler
Powder for inhalation 250 $\mu g$ with salmeterol 50 $\mu g$ – No more			4.4.1.1.1.1.1
than 2 dose per day		60 dose OP	<ul> <li>Seretide Accuhaler</li> </ul>
Beta-Adrenoceptor Agonists			
ALBUTAMOL			
Oral liq 2 mg per 5 ml		150 ml	Salapin
Infusion 1 mg per ml, 5 ml		10	
	(130.21)	-	Ventolin
Inj 500 $\mu$ g per ml, 1 ml – Up to 5 inj available on a PSO		5	Ventolin
Inhaled Beta-Adrenoceptor Agonists			
SALBUTAMOL			
Aerosol inhaler, 100 µg per dose CFC free – Up to 1000 dose			
available on a PSO	3.80	200 dose OP	Respigen
	0.00	200 0000 01	✓ Salamol
	(6.00)		Ventolin
Nebuliser soln, 1 mg per ml, 2.5 ml – Up to 30 neb available	()		
on a PSO		20	Asthalin
Nebuliser soln, 2 mg per ml, 2.5 ml – Up to 30 neb available			<u> </u>
on a PSO		20	Asthalin
			· <u>· · · · · · · · · · · · · · · · · · </u>
ERBUTALINE SULPHATE Powder for inhalation, 250 µg per dose, breath activated	19.20	200 dose OP	Bricanyl Turbuhaler
	10.20	200 00se OP	
Inhaled Anticholinergic agents			
PRATROPIUM BROMIDE	16.00	200 daga OB	Atrovent
Aerosol inhaler, 20 µg per dose CFC-free		200 dose OP	<ul> <li>Atrovent</li> </ul>
Nebuliser soln, 250 µg per ml, 1 ml – Up to 40 neb available	4.00	00	
on a PSO	4.30	20	✓ <u>Ipratropium</u> Stori-Nob
Nebulisar solo 250 ug par ml 2 ml Up to 40 pob queilable			Steri-Neb
Nebuliser soln, 250 µg per ml, 2 ml – Up to 40 neb available on a PSO	5 05	20	Ipratropium
		20	Steri-Neb
	not not a	atail abarra a a	JIEITINED
IOTROPIUM BROMIDE – Special Authority see SA0872 on the			✓ Spiriva
Powder for inhalation, 18 µg per dose		30 dose	

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

### ➡SA0872 Special Authority for Subsidy

**Initial application** only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialled a dose of at least 40 µg ipratropium q.i.d for one month; and
- 3 Any of the following:
  - The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:
  - 3.1 Grade 4 (stops for breath after walking about 100 meters or after a few minutes on the level); or
  - 3.2 Grade 5 (too breathless to leave the house, or breathless when dressing or undressing); and
- 4 Actual FEV₁ (litres)  $< 0.6 \times$  predicted (litres); and
- 5 Either:
  - 5.1 Patient is not a smoker (for reporting purposes only); or
- 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined); and
- 3 Applicant must state recent measurement of FEV1 (% of predicted).

## Inhaled Beta-Adrenoceptor Agonists with Anticholinergic Agents

innaleu bela-Aurenoceptor Agonists with Anticholinergic	Agents	
SALBUTAMOL WITH IPRATROPIUM BROMIDE Aerosol inhaler, 100 µg with ipratropium bromide, 20 µg per dose	200 dose OP	✔ Combivent
vial, 2.5 ml – Up to 20 neb available on a PSO	20	✓ <u>Duolin</u>
Mast cell stabilisers		
NEDOCROMIL		
Aerosol inhaler, 2 mg per dose CFC-free23.20 (28.07)		Tilade
SODIUM CROMOGLYCATE		
Powder for inhalation, 20 mg per dose	50 dose	Intal Spincaps
Aerosol inhaler, 5 mg per dose CFC-free		Vicrom
Methylxanthines		
AMINOPHYLLINE		
* Inj 25 mg per ml, 10 ml - Up to 5 inj available on a PSO 12.84	5	Mayne
THEOPHYLLINE		
* Tab long-acting 250 mg21.51	100	Nuelin-SR
*‡ Oral liq 80 mg per 15 ml4.06	500 ml	
(15.50)		Nuelin

			Subsidy		Fully	Brand or
		()	/anufacturer's \$		sidised	Generic Manufacturer
Cystic Fibrosis						
ORNASE ALFA – Special Authority s	ee SA0611 be	elow – Hospital	pharmacy [I	HP1]		
Nebuliser soln, 2.5 mg per 2.5 ml a				6	V P	ulmozyme
SA0611 Special Authority for Su						
pecial Authority approved by the Cyst otes: Application details may be obtai			te http://ww	w.pharmac.govt.r	nz or:	
The Co-ordinator, Cystic Fibrosis Adv		Phone: (04) 4		p.iaiaoigerai		
PHARMAC, PO Box 10 254		Facsimile: (04	4) 916 7571			
Wellington rescriptions for patients approved for	treatment mus	Email: CFPa			odiatric	ians who have experien
nd expertise in treating cystic fibrosis.		st be written by	respiratory	physicians of pa	culatific	and who have experien
Nasal Preparations						
Allergy Prophylactics						
ECLOMETHASONE DIPROPIONATE						
Metered aqueous nasal spray, 50 µ Metered aqueous nasal spray, 100	0.			200 dose OP 200 dose OP		<u>lanase</u> lanase
UDESONIDE	µg per uose .		2.40	200 0058 OF	• <u>A</u>	lallase
Metered aqueous nasal spray, 50 µ	ug per dose		2.35	200 dose OP		
Meteored emission menel emission 100			(2.95)		B	utacort Aqueous
Metered aqueous nasal spray, 100	µg per dose .		(3.30)	200 dose OP	В	utacort Aqueous
PRATROPIUM BROMIDE			()			1
Aqueous nasal spray, 0.03%			12.66	30 ml OP	✓ <u>A</u>	po-Ipravent
ODIUM CROMOGLYCATE			10 50			
Nasal spray, 4%			13.50	22 ml OP	✓ <u>R</u>	<u>ex</u>
Respiratory Devices						
ASK FOR SPACER DEVICE						
a) Maximum of 20 dev per WSO b) Only on a WSO						
c)						
<ol> <li>Spacer devices and mask by the paediatrician. Limit</li> </ol>						lesale supply order sigr
2) Only available for children				ia a nospitai pria	macy.	
3) For Space Chamber and			lask wholes	ale supply order	must ir	ndicate clearly if either
spacer device, the mask, 4) Distributed by Airflow Pro						
Airflow Products	Telephone: 04	4 499 1240 or (				
PO Box 1485, Wellington						
Size 2			3.28	1	V F	oremount Child's Silicone Mask

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PEAK FLOW METER				
a) Maximum of 10 dev per WSO				
b) Only on a WSO			4 -	
Low range		1	• -	reath-Alert
Normal range	13.75	1	V B	reath-Alert
SPACER DEVICE				
a) Maximum of 20 dev per WSO				
b) Only on a WSO				
c)				
<ol> <li>Spacer devices and masks also available to paedia</li> </ol>				esale supply order signed
by the paediatrician. Limited to one pack of 20 per of 2) Only available for children aged six years and under		spital p	onarmacy.	
<ul><li>3) For Space Chamber and Foremount Child's Silicon</li></ul>		only or	dar must ir	ndicate clearly if either the
spacer device, the mask, or both are required.	e mask wholesale sup	Jpiy Oi		iuicale clearly il eluier lite
4) Distributed by Airflow Products. Forward orders to:				
Airflow Products Telephone: 04 499 1240 0	or 0800 AIR FLOW			
PO Box 1485, Wellington Facsimile: 04 499 1245 o				
230 ml (autoclavable) – Subsidy by endorsement Available where the prescriber requires a spacer device				pace Chamber utoclave and the WSO is
endorsed accoringly.	0.00	4		nana Chambar
230 ml (single patient)	ბ.აბ	I	V 5	pace Chamber

	Subsidy		Fully Brand or
	(Manufacturer's I		sidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
Ear Preparations			
ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BEN			
For Vosol ear drops with hydrocortisone powder refer, page 1			
Ear drops 2% with 1, 2-Propanediol diacetate 3% and			
benzethonium chloride 0.02 %	6.97	35 ml OP	Vosol
CHLORAMPHENICOL			
Ear drops 0.5%	1 97	5 ml OP	<ul> <li>Chloromycetin</li> </ul>
Eal ulops 0.5%	1.07	5 III OF	Chloronyceun
FLUMETASONE PIVALATE			
Ear drops 0.02% with clioquinol 1%	4.46	7.5 ml OP	Locorten-Vioform
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCI		INI	
		IIN	
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate			A
2.5 mg and gramicidin 250 μg per g	3.35	7.5 ml OP	Kenacomb
Ear/Eve Prenarations			
Ear/Eye Preparations			
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN			
Ear/Eye drops 500 µg with framycetin sulphate 5 mg and			
gramicidin 50 µg per ml	4.50	8 ml OP	
	(9.27)		Sofradex
FRAMYCETIN SULPHATE			
	4 10		
Ear/Eye drops 0.5%		8 ml OP	Cafeenaria
	(8.65)		Soframycin
Eye Preparations			
Lycricparations			
Anti-Infective Preparations			
Anti-Informer reparations			
ACICLOVIR			
* Eye oint 3%	37 53	4.5 g OP	✓ Zovirax
	07.50	4.5 g OI	• Lovilax
CHLORAMPHENICOL			
Eye oint 1%	2.48	4 g OP	Chlorsig
Eye drops 0.5%	1.40	10 ml OP	✓ Chlorsig
			<u> </u>
	10.40		( Ollower
Eye Drops 0.3%		5 ml OP	<ul> <li>Ciloxan</li> </ul>
For treatment of bacterial keratitis or severe bacterial conju	unctivitis resistar	nt to chloramph	enicol.
FUSIDIC ACID			
Eve drops 1%		5 g OP	
-)	(9.83)	- y	Fucithalmic
	(0.00)		r dolthainno
GENTAMICIN SULPHATE			
Eye drops 0.3%	11.40	5 ml OP	<ul> <li>Genoptic</li> </ul>
PROPAMIDINE ISETHIONATE			
	2 07		
* Eye drops 0.1 %		10 ml OP	Brolono
	(7.99)		Brolene
SULPHACETAMIDE SODIUM			
* Eye drops 10%		15 ml OP	Bleph 10
			- Biophi io
TOBRAMYCIN			
Eye oint 0.3%	10.45	3.5 g OP	<ul> <li>Tobrex</li> </ul>
Eye drops 0.3%	11.48	5 ml OP	<ul> <li>Tobrex</li> </ul>

154

## SENSORY ORGANS

	Subsidy		Fully Brand or
	(Manufacturer's	Price) Sub Per	osidised Generic Manufacturer
Corticosteroids and Other Anti-Inflammatory Pr	oparations		
Controsteroids and Other Anti-Inhammatory Fi	eparations		
DEXAMETHASONE			
* Eye oint 0.1%		3.5 g OP	Maxidex
* Eye drops 0.1 %		5 ml OP	Maxidex
DEXAMETHASONE WITH NEOMYCIN AND POLYMYXIN B SUI	PHATE		
* Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin			
B sulphate 6,000 u per g		3.5 g OP	Maxitrol
* Eye drops 0.1% with neomycin sulphate 0.35% and polymy-		- 100	
xin B sulphate 6,000 u per ml	4.50	5 ml OP	Maxitrol
DICLOFENAC SODIUM			
* Eye drops 1 mg per ml	13.80	5 ml OP	Voltaren Ophtha
FLUOROMETHOLONE			
* Eye drops 0.1%	4.30	5 ml OP	✓ <u>Flucon</u>
LEVOCABASTINE			
Eye drops 0.5 mg per ml		4 ml OP	
	(10.34)		Livostin
LODOXAMIDE TROMETAMOL			
Eye drops 0.1%	8.71	10 ml OP	Lomide
PREDNISOLONE ACETATE			
* Eye drops 0.12%		5 ml OP	
Nr. Even decree 10/	(7.53)		Pred Mild
* Eye drops 1%	4.50 (9.44)	5 ml OP	Pred Forte
	(3.44)		Tied Tone
	2.05	10 ml OP	Cromolux
Eye drops 2%	3.95	TO MI OP	Cromolux
Glaucoma Preparations - Beta Blockers			
BETAXOLOL HYDROCHLORIDE			
* Eye drops 0.25%		5 ml OP	Betoptic S
* Eye drops 0.5%	7.50	5 ml OP	Betoptic
LEVOBUNOLOL			
* Eye drops 0.25%		5 ml OP	✓ <u>Betagan</u>
* Eye drops 0.5 %	7.00	5 ml OP	Betagan
TIMOLOL MALEATE			
* Eye drops 0.25%		5 ml OP	Apo-Timop
* Eye drops 0.25%, gel forming		2.5 ml OP	Timoptol XE
* Eye drops 0.5%		5 ml OP 2.5 ml OP	<ul> <li>✓ <u>Apo-Timop</u></li> <li>✓ Timoptol XE</li> </ul>
* Eye drops 0.5%, gel forming	3./0	2.5 m UP	

	Subsidy (Manufacturer's Pri \$	ce) S Per	Fully ubsidised	Brand or Generic Manufacturer
Glaucoma Preparations - Carbonic Anhydrase	Inhibitors			
Prescribing Guidelines irusopt, Cosopt and Azopt are subsidised for use as either mor irusopt, Cosopt and Azopt should not be prescribed for a per laucoma are not contraindicated unless: 1) that person has previously trialled all other such subsidis 2) those trials have indicated that that person does not resp	son in whom less e	expensive f	irst line a tartrate);	gents for the treatment of
CETAZOLAMIDE ≰ Tab 250 mg	10.40	100	✓ <u>D</u>	iamox
BRINZOLAMIDE ▲ Eye Drops 1%	9.77	5 ml OP	🗸 A	zopt
ORZOLAMIDE HYDROCHLORIDE ∉ Eye drops 2%	9.77 (13.95)	5 ml OP	Tr	usopt
ORZOLAMIDE HYDROCHLORIDE WITH TIMOLOL MALEAT Eve drops 2% with timolol maleate 0.5%	-	5 ml OP	✔ C	osopt
Glaucoma Preparations - Prostaglandin Analog	gues			
<ul> <li>Prescribing Guideline</li> <li>bimatoprost, lantanoprost and travoprost are subsidised for us djunctive agent for patients in whom prostaglandin analogue m bimatoprost, lantanoprost and travoprost should not be prescrive atment of glaucoma are not contraindicated unless:         <ol> <li>That person has previously trialled all other such subs hibitors); and</li> <li>Those trials have indicated that that person does not response prescribing guideline above</li> <li>Eye Drops 0.03%</li> </ol> </li> </ul>	onotherapy has bee ibed for a person in idised agents (beta bond adequately to t	n ineffectiv whom les blockers, j	e in contro s expensi pilocarpino vith those	olling intraocular pressur ve first line agents for th e, carbonic anhydrase i
ATANOPROST – Retail pharmacy-Specialist See prescribing guideline above Eye drops 50 μg per ml, 2.5ml		2.5 ml OP	✔ X;	alatan
RAVOPROST – Retail pharmacy-Specialist See prescribing guideline above ▲ Eye drops 0.004%		2.5 ml OP	🖌 Tı	ravatan
Glaucoma Preparations - Other				
RIMONIDINE TARTRATE				

### **Prescribing Guidelines**

Brimonidine tartrate is subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma. Brimonidine tartrate should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- that person has previously trialled all other such subsidised agents (except dorzolamide hydrochloride); and
- those trials have indicated that that person does not respond adequately to or does not tolerate treatment with those other agents.

### BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE

▲ Eye drops 0.2% with timolol maleate 0.5% ......18.50 5 ml OP ✓ Combigan

🖌 AFT

## SENSORY ORGANS

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or osidised Generic Manufacturer
Prescribing Guidelines			
Combigan is subsidised for use as either monotherapy or as an	adjunctive agent	for the treatme	nt of glaucoma.
Combigan should only be prescribed when:			
1) less expensive first line agents for the treatment of glauco	oma are contraind	licated; or	
<ol><li>the response to such subsidised agents is inadequate; or</li></ol>			
<ol><li>the patient cannot tolerate such subsidised agents.</li></ol>			
PILOCARPINE			
* Eye drops 0.5%	3.19	15 ml OP	Pilopt
* Eye drops 1%	3.24	15 ml OP	Pilopt
* Eye drops 2%		15 ml OP	Pilopt
* Eye drops 4%	6.57	15 ml OP	✓ Pilopt
* Eye drops 6%	8.56	15 ml OP	Pilopt
* Eve drops 2% single dose - Special Authority see SA089	5		
below – Hospital pharmacy [HP3]		20 dose	
	(32.72)		Minims
(Pilopt Eye drops 0.5% to be delisted 1 December 2009)	· · · ·		

### ➡SA0895 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items. **Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

## **Mydriatics and Cycloplegics**

ATROPINE SULPHATE		
* Eye drops 1%4.40	15 ml OP	Atropt
CYCLOPENTOLATE HYDROCHLORIDE		
* Eye drops 1%8.76	15 ml OP	Cyclogyl
HOMATROPINE HYDROBROMIDE		
* Eye drops 2%7.18	15 ml OP	Isopto Homatropine
TROPICAMIDE		
* Eye drops 0.5%7.15	15 ml OP	Mydriacyl
* Eye drops 1%	15 ml OP	Mydriacyl
Proparations for Toor Deficiency		
Preparations for Tear Deficiency		
For acetylcysteine eye drops refer, page 163		
HYPROMELLOSE		
* Eye drops 0.3%2.62	15 ml OP	Poly-Tears
* Eye drops 0.5%2.00	15 ml OP	Methopt
POLYVINYL ALCOHOL		
* Eye drops 1.4%2.68	15 ml OP	Vistil
* Eye drops 3%	15 ml OP	Vistil Forte
TYLOXAPOL		
* Eye drops 0.25%8.63	15 ml OP	Enuclene

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## SENSORY ORGANS

	Subsidy (Manufacturer's Pri \$	ice) Sub Per	Fully sidised	Brand or Generic Manufacturer
Other Eye Preparations				
NAPHAZOLINE HYDROCHLORIDE * Eye drops 0.1%	4.15	15 ml OP	🗸 N	aphcon Forte
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN * Eye oint with soft white paraffin		3.5 g OP	✔ <u>La</u>	acri-Lube
PARAFFIN LIQUID WITH WOOL FAT LIQUID * Eye oint 3% with wool fat liq 3%		3.5 g OP	🖌 Po	oly-Visc
PHENYLEPHRINE HYDROCHLORIDE * Eye drops 0.12%	4.47	15 ml OP	✓ P	<u>refrin</u>
PHENYLEPHRINE HYDROCHLORIDE WITH ZINC SULPHATE * Eye drops 0.12% with zinc sulphate 0.25%	4.51	15 ml OP	🗸 Zi	incfrin

## VARIOUS

	Subsidy (Manufacturer's P \$	rice) Sub Per	Fully Brand or sidised Generic ✔ Manufacturer
Agents Used in the Treatment of Poisonings			
See also to MUSCULOSKELETAL, Anticholinesterases, page 99			
CHARCOAL			
* Tab 300 mg	7.13	100	Red Seal
<ul> <li>Oral liq 50 g per 250 ml</li> <li>a) Up to 250 ml available on a PSO</li> <li>b) Only on a PSO</li> </ul>	37.75	250 ml OP	Carbosorb-X
DESFERRIOXAMINE MESYLATE – Hospital pharmacy [HP3]			
* Inj 500 mg	99.00	10	✓ <u>Mayne</u>
IPECACUANHA			
* Tincture		500 ml	
	(43.40)		PSM
NALOXONE HYDROCHLORIDE a) Up to 5 inj available on a PSO b) Only on a PSO			
* Inj 400 μg per ml, 1 ml		5	Mayne
SODIUM CALCIUM EDETATE			
* Inj 200 mg per ml, 5 ml	53.31	6	
	(156.71)		Calcium Disodium Versenate
Detection of Substances in Urine			
ORTHO-TOLIDINE			
* Compound diagnostic sticks	7.50 (8.25)	50 test OP	Hemastix
TETRABROMOPHENOL * Blue diagnostic strips	7.02 (13.92)	100 test OP	Albustix

## INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
  - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
  - b) Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-specialist).
  - c) Menthol crystals only in the following bases:

Aqueous cream Urea cream 10% Wool fat with mineral oil lotion Hydrocortisone 1% with wool fat and mineral oil lotion Glycerol, paraffin and cetyl alcohol lotion.

## Glossary

**Dermatological base:** The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Glycerol with paraffin and cetyl alcohol lotion
- Hydrocortisone with wool fat and mineral oil lotion
- · Oil in water emulsion
- Oily cream
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- Zinc cream BP
- Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

Dermatological galenical: Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution BP up to 10%
- Hydrocortisone powder up to 5%
- Salicylic acid powder
- Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

## **Explanatory notes**

### **Oral liquid mixtures**

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form	qs
Preservative	qs
Suspending agent	qs
Water	to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent. Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

The following practices will not be subsidised:

- Mixing one or more proprietary oral liquids (eg an antihistamine with pholcodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

### Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.


### **Dermatological Preparations**

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 160) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).

One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on page 162 may assist you in deciding whether or not a dermatological ECP is subsidised.



Vosol Ear Drops

# **Standard Formulae**

Glycerol

Water

ACETYLCYSTEINE EYE DROPS Acetylcysteine inj 200 mg per ml, 10 ml Suitable eye drop base	qs qs
ASPIRIN AND CHLOROFORM APPLICATI Aspirin Soluble tabs 300 mg Chloroform	ON 12 tabs to 100 ml
CODEINE LINCTUS PAEDIATRIC (3 mg pe Codeine phosphate Glycerol Preservative Water	er 5 ml) 60 mg 40 ml qs to 100 ml
CODEINE LINCTUS DIABETIC (15 mg per Codeine phosphate Glycerol Preservative Water	5 ml) 300 mg 40 ml qs to 100 ml
FOLINIC MOUTHWASH Calcium folinate 15 mg tab Preservative Water (Preservative should be used if quantity sup more than 5 days. Maximum 500 ml per pre	
MAGNESIUM HYDROXIDE MIXTURE Magnesium hydroxide paste Methyl hydroxybenzoate Water	275 g 1.5 g 770 ml
METHADONE MIXTURE Methadone powder	qs

qs

to 100 ml

METHYL HYDROXYBENZOATE 10% SOL Methyl hydroxybenzoate Propylene glycol (Use 1 ml of the 10% solution per 100 ml of mixture)	10 g to 100 ml
OMEPRAZOLE SUSPENSION Omeprazole capules Sodium bicarbonate powder BP Water	qs 8.4 g to 100 ml
PHENOBARBITONE ORAL LIQUID Phenobarbitone Sodium Glycerol BP Water	1 g 70 ml to 100 ml
PILOCARPINE ORAL LIQUID Pilocarpine 6% eye drops Preservative Water (Preservative should be used if quantity sup more than 5 days.)	qs qs to 500 ml pplied is for
SALIVA SUBSTITUTE FORMULA Methylcellulose Preservative Water (Preservative should be used if quantity sup than 5 days. Maximum 500 ml per prescript	
VOSOL EAR DROPS WITH HYDROCORTISONE POWDER 1% Hydrocortisone powder	1%

to 35 ml

## EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

Collocion flexible				
S     Per     ✓ Manufacturer       Extemporaneously Compounded Preparations and Galenicals       XCETYLCYSTEINE – Hospital pharmacy [HP1]-Specialist Inj 200 mg per ml, 10 ml     137.06 (219.75)     10 (219.75)       Martindale (255.35)     Hospira       SENZOIN     (24.42 500 ml     500 ml       Tincture compound BP     .24.42 Chioroform BP     500 ml       Ohly in aspirin and chloroform application. Chioroform BP     .25.50 (84.20)     500 ml       ODEINE PHOSPHATE     Powder – Only in combination     .63.09 (84.20)     25 g       ODIV in extemporaneously compounded codeline linctus diabetic or codeline linctus paediatric.     b) \$ Satey cap for extemporaneously compounded oral liquid preparations.       SOLLODON FLEXIBLE     .000 ml     ✓ PSM       Collodion flexible     .19.30     100 ml     ✓ PSM       SOMPOUND HYDROXYBENZOATE – Only in combination Only in extemporaneously compounded oral liquid preparations.     .20.00 ml     ✓ ABM       SUCEROL     .19.80     2,000 ml     ✓ ABM       * Liquid – Only in combination     .19.80     .20.00 ml     ✓ ABM       SUCEROL     .22.61     500 g     ✓ PSM       Martinzale     .22.61     500 g     ✓ BSM       MICHANDE HYDROXDE     .22.61     500 g     ✓ BSM       Paste     .22.61     500 g     ✓ SSM       MICH			Prico) C	
Extemporaneously Compounded Preparations and Galenicals         ACETYLCYSTEINE - Hospital pharmacy [HP1]-Specialist         in 200 mg per ml, 10 ml         (219.75)         Martindale         (219.75)         Martindale         (25.53)         BENZOIN         Tincture compound BP       (24.42       500 ml         CHOROFORM - Only in combination         (38.00)       PSM         CHOROFORM - Only in combination         (64.20)       Douglas         a) Only in extemporaneously compounded codeline linctus diabetic or codenie linctus paediatric.         b) ‡ Safety cap for extemporaneously compounded oral liquid preparations.         COLIDON FLEXIBLE         Colloon metabetic or codenie linctus paediatric.         DAVID MYDROXYBENZOATE - Only in combination         Only in extemporaneously compounded oral liquid preparations.         COLDON FLEXIBLE         Colloon metabetic or codenie linctus paediatric.         DAVID MYDROXYBENZOATE - Only in combination         Only in extemporaneously compounded oral liquid preparations.				
ACETYLCYSTEINE - Hospital pharmacy [HP1]-Specialist In 200 mg per ml, 10 ml				
Inj 200 mg per ml, 10 ml       137.06       10         (219.75)       Martindale         Acety(cysteine       (25.35)         Hospira       (38.00)         PSM       (38.00)         CHLOROFORM - Only in combination       (38.00)         Only in aspini and chloroform application.       (64.20)         Chloroform BP       25.50         SODEINE PHOSPHATE       (84.20)         Powder - Only in combination       (63.09       25 g         Only in extemporaneously compounded coaleine linctus diabetic or coaleine linctus paediatric.       b) \$ Safety cap for extemporaneously compounded oral liquid preparations.         SOLLODION FLEXIBLE	Extemporaneously Compounded Preparations	and Galenica	lls	
Inj 200 mg per ml, 10 ml       137.06       10         (219.75)       Martindale         Acety(cysteine       (25.35)         Hospira       38NZOIN         Tincture compound BP       24.42       500 ml         (38.00)       PSM         CHLOROFORM - Only in combination       (38.00)       PSM         CONV in aspini and chloroform application.       63.09       25 g         Chloroform BP       25.50       500 ml       ✓ PSM         CODEINE PHOSPHATE       (84.20)       Douglas         a) Only in extemporaneously compounded codeline linctus diade preparations.       Douglas       a) Only in extemporaneously compounded oral liquid preparations.         SOLLODION FLEXIBLE       .19.30       100 ml       ✓ PSM         Collodion fiexible       .19.30       100 ml       ✓ PSM         Soln       .34.18       100 ml       ✓ David Craig         SIVCEROL       .19.80       2,000 ml       ✓ ABM         * Liquid - Only in combination       .19.80       2,000 ml       ✓ ABM         .19.80       (24.75)       MidWest       MidWest         Ohly in extemporaneously compounded oral liquid preparations.       .20.01 ml       ✓ ABM         .19.01 on a controlled drug form       .19.00 <td>ACETYLCYSTEINE – Hospital pharmacy [HP1]-Specialist</td> <td></td> <td></td> <td></td>	ACETYLCYSTEINE – Hospital pharmacy [HP1]-Specialist			
(25.35)       Hospira         SENZOIN       (38.00)       PSM         Tincture compound BP       (38.00)       PSM         ChLOROFORM - Only in combination       (38.00)       PSM         CODEINE PHOSPHATE       25.50       500 ml       ✓ PSM         CODEINE PHOSPHATE       (84.20)       Douglas       a) Only in extemporaneously compounded codeline linctus paediatric.       b) # Safety cap for extemporaneously compounded oral liquid preparations.         COLLOION FLEXIBLE       Coloring fiexible       19.30       100 ml       ✓ PSM         COMPOUND HYDROXYBENZOATE - Only in combination       .34.18       100 ml       ✓ David Craig         SUCEROL       *       Liquid - Only in combination       .34.18       100 ml       ✓ ABM         24.75       V       PSM       .24.75       MidWest         Only in extemporaneously compounded oral liquid preparations.       .24.75       Y BM         VCEROL       .01 yin combination       .19.80       2,000 ml       ✓ ABM         24.75       .02 yin on a controlled drug form       .24.61       .00 yin a controlled drug form         a) Only on a controlled drug form       .01 yo a controlled drug form       .01 yo a controlled drug form       .01 yo a controlled drug form         b) No patient co-payment payable			10	
(255.35)       Hospira         SENZOIN       Tincture compound BP		(219.75)		Martindale
SENZOIN Tincture compound BP				Acetylcysteine
Tincture compound BP		(255.35)		Hospira
Tincture compound BP				
(38.00)       PSM         CHLOROFORM - Only in combination       Only in aspirin and chloroform application.       Chloroform BP       25.50       500 ml       ✓ PSM         CODEINE PHOSPHATE       Powder - Only in combination       63.09       25 g       (84.20)       Douglas         a) Only in extemporaneously compounded codeine linctus diabetic or codeine linctus paediatric.       b) 1 \$ safety cap for extemporaneously compounded oral liquid preparations.       COLLODION FLEXIBLE       Colloction flexible       19.30       100 ml       ✓ PSM         COMPOUND HYDROXYBENZOATE - Only in combination       0nly in extemporaneously compounded oral nitures.       34.18       100 ml       ✓ David Craig         SUCEROL       *       Liquid - Only in combination       19.80       2,000 ml       ✓ ABM         SUCEROL       *       Liquid - Only in combination       19.80       2,000 ml       ✓ ABM         VETHADONE HYDROXIDE       PSM       22.61       500 g       ✓ PSM         Paste       .22.61       500 g       ✓ PSM         VETHADONE HYDROXIDE       .28.61       500 g       ✓ PSM         Paste       .20.61       500 g       ✓ PSM         VETHADONE HYDROXIDE       .28.61       500 g       ✓ PSM         VETHADONE HYDROXIDE       .7.84       1 g <td></td> <td>24 42</td> <td>500 ml</td> <td></td>		24 42	500 ml	
CHUOROFORM - Only in combination       Only in aspirin and chloroform application.         Chloroform BP       25.50       500 ml       ✓ PSM         CODEINE PHOSPHATE       (84.20)       Douglas         a) Only in extemporaneously compounded codeline linctus diabetic or codeline linctus paediatric.       b) ± Safety cap for extemporaneously compounded oral liquid preparations.       Douglas         COLLODION FLEXIBLE       00 ml       ✓ PSM         Collodion flexible       19.30       100 ml       ✓ PSM         COMPOUND HYDROXYBENZOATE - Only in combination       00 ml       ✓ PSM         COMPOUND HYDROXYBENZOATE - Only in combination       00 ml       ✓ ABM         224.75       ✓ PSM       19.80       2,000 ml       ✓ ABM         244.75       ✓ PSM       19.80       (24.75)       MidWest         Only in extemporaneously compounded oral liquid preparations.       (24.75)       MidWest         VETHADONE HYDROXIDE       22.61       500 g       ✓ PSM         WETHADONE HYDROXIDE       7.84       1 g       ✓ AET         a) Only on a controlled drug form       b) No patient co-payment payable       c) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadon powder, not methadone tablets).       PSM         WETHALONE HYDROXYBENZOATE       Powder			500 111	PSM
Only in aspirin and chloroform application.       25.50       500 ml       ✓ PSM         CDDEINE PHOSPHATE       9wder – Only in combination       63.09       25 g         Powder – Only in combination       63.09       25 g         (84.20)       Douglas       a) Only in extemporaneously compounded codeline linctus diabetic or codeine linctus paediatric.       b) \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		(00.00)		
Chloroform BP				
CODEINE PHOSPHATE       Powder - Only in combination       .63.09       25 g         (84.20)       Douglas         a) Only in extemporaneously compounded codeine linctus diabetic or codeine linctus paediatric.       b) ‡ Safety cap for extemporaneously compounded oral liquid preparations.         COLLODION FLEXIBLE       .19.30       100 ml       ✓ PSM         COMPOUND HYDROXYBENZOATE - Only in combination       .19.30       100 ml       ✓ PSM         COMPOUND HYDROXYBENZOATE - Only in combination       .19.30       2,000 ml       ✓ ABM         24.75       .19.80       2,000 ml       ✓ ABM         24.75       .19.80       .2000 ml       ✓ ABM         24.75       .19.80       .200 g       ✓ PSM         Only in extemporaneously compounded oral liquid preparations.		05 50	500 ml	
Powder - Only in combination       63.09       25 g         (84.20)       Douglas         a) Only in extemporaneously compounded codeine linctus diabetic or codeine linctus paediatric.       b) \$ Safety cap for extemporaneously compounded oral liquid preparations.         COLLODION FLEXIBLE       19.30       100 ml       ✓ PSM         COMPOUND HYDROXYBENZOATE - Only in combination       0nly in extemporaneously compounded oral mixtures.       Soln       ✓ David Craig         SUYCEROL       *       19.80       2,000 ml       ✓ ABM         *       Liquid - Only in combination       19.80       2,000 ml       ✓ ABM         01/ or extemporaneously compounded oral liquid preparations.       4.18       100 ml       ✓ David Craig         SLYCEROL       19.80       2,000 ml       ✓ ABM         24.75       19.80       2,000 ml       ✓ ABM         9.80       (24.75)       MidWest       01/ widWest         Only in extemporaneously compounded oral liquid preparations.       MAGNESIUM HYDROXIDE       PSM         Paste       22.61       500 g       ✓ PSM         VETHADONE HYDROCHLORIDE       7.84       1 g       ✓ AET         a) Only on a controlled drug form       5) No patient co-payment payable       5       10.00       25 g       ✓ AET	Chiorotorm BP	25.50	500 mi	V PSM
(84.20)       Douglas         a) Only in extemporaneously compounded codeine linctus diabetic or codeine linctus paediatric.       b) ‡ Safety cap for extemporaneously compounded oral liquid preparations.         COLLODION FLEXIBLE       Collodion flexible       19.30       100 ml       ✓ PSM         COMPOUND HYDROXYBENZOATE - Only in combination       00 ml       ✓ PSM         COMPOUND HYDROXYBENZOATE - Only in combination       34.18       100 ml       ✓ David Craig         Soln				
a) Only in extemporaneously compounded codeine linctus diabetic or codeine linctus paediatric. b) ‡ Safety cap for extemporaneously compounded oral liquid preparations. COLLODION FLEXIBLE Collocion flexible	Powder – Only in combination	63.09	25 g	
b) ‡ Safety cap for extemporaneously compounded oral liquid preparations. COLLODION FLEXIBLE Collodion flexible				
COLLODION FLEXIBLE       19.30       100 ml       ✓ PSM         COMPOUND HYDROXYBENZOATE - Only in combination       0nly in extemporaneously compounded oral mixtures.       34.18       100 ml       ✓ David Craig         SUPCEROL       34.75       ✓ ABM         * Liquid - Only in combination       19.80       2,000 ml       ✓ ABM         24.75       ✓ PSM         19.80       (24.75)       MidWest         Only in extemporaneously compounded oral liquid preparations.       WGRESIUM HYDROXIDE         Paste       22.61       500 g       ✓ PSM         WETHADONE HYDROCHLORIDE       22.61       500 g       ✓ PSM         WETHADONE HYDROCHLORIDE       2       22.61       500 g       ✓ PSM         a) Only on a controlled drug form       b) No patient co-payment payable       c) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadon powder, not methadone tablets).       Powder       7.84       1 g       ✓ AFT         Y Safety cap for extemporaneously compounded oral liquid preparations.       (18.45)       PSM       MGWETHYLCELLULOSE         Powder       10.00       25 g       ✓ ABM       MidWest         PHENDBARBITONE SODIUM       (17.72)       MidWest       MidWest				ediatric.
Collodion flexible       19.30       100 ml       ✓ PSM         COMPOUND HYDROXYBENZOATE       – Only in combination       0nly in extemporaneously compounded oral mixtures.       34.18       100 ml       ✓ David Craig         SUYCEROL	<ul> <li>b) ‡ Safety cap for extemporaneously compounded oral I</li> </ul>	liquid preparations	S.	
COMPOUND HYDROXYBENZOATE - Only in combination Only in extemporaneously compounded oral mixtures. Soln	COLLODION FLEXIBLE			
Only in extemporaneously compounded oral mixtures.       34.18       100 ml       ✓ David Craig         SLYCEROL       #       Liquid – Only in combination       19.80       2,000 ml       ✓ ABM         24.75       ✓ PSM         19.80       (24.75)       MidWest         Only in extemporaneously compounded oral liquid preparations.       MGNESIUM HYDROXIDE         Paste       .22.61       500 g       ✓ PSM         WETHADONE HYDROCHLORIDE       .22.61       500 g       ✓ PSM         a) Only on a controlled drug form       b) No patient co-payment payable       .22.61       500 g       ✓ PSM         c) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadon powder, not methadone tablets).       Powder       .7.84       1 g       ✓ AFT         Powder       .0.00       25 g       ✓ ABM       METHYL LYDROXYBENZOATE       PSM         Powder       .10.00       25 g       ✓ ABM       MidWest         VETHYLCELLULOSE	Collodion flexible	19.30	100 ml	✓ PSM
Only in extemporaneously compounded oral mixtures.       34.18       100 ml       ✓ David Craig         SLYCEROL       #       Liquid – Only in combination       19.80       2,000 ml       ✓ ABM         24.75       ✓ PSM         19.80       (24.75)       MidWest         Only in extemporaneously compounded oral liquid preparations.       MGNESIUM HYDROXIDE         Paste       .22.61       500 g       ✓ PSM         WETHADONE HYDROCHLORIDE       .22.61       500 g       ✓ PSM         a) Only on a controlled drug form       b) No patient co-payment payable       .22.61       500 g       ✓ PSM         c) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadon powder, not methadone tablets).       Powder       .7.84       1 g       ✓ AFT         Powder       .0.00       25 g       ✓ ABM       METHYL LYDROXYBENZOATE       PSM         Powder       .10.00       25 g       ✓ ABM       MidWest         VETHYLCELLULOSE	COMPOLIND HYDROXYBENZOATE - Only in combination			
Soln				
GLYCEROL ★ Liquid – Only in combination		34.18	100 ml	David Craig
<ul> <li>k Liquid - Only in combination</li></ul>			100 111	• Barra eraig
24.75       ✓ PSM         19.80       (24.75)       MidWest         Only in extemporaneously compounded oral liquid preparations.       MAGNESIUM HYDROXIDE       22.61       500 g       ✓ PSM         Paste		10.00	0.000 ml	
19.80 (24.75)       MidWest         MGNESIUM HYDROXIDE Paste       22.61       500 g       ✓ PSM         WETHADONE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable       22.61       500 g       ✓ PSM         c) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadon powder, not methadone tablets).       Powder       7.84       1 g       ✓ AFT         Y Safety cap for extemporaneously compounded oral liquid preparations.       7.84       1 g       ✓ AFT         Y Safety cap for extemporaneously compounded oral liquid preparations.       10.00       25 g       ✓ ABM         Powder       10.00       25 g       ✓ ABM         Powder       14.00       100 g       ✓ ABM         METHYLCELLULOSE       Powder       14.00       100 g       ✓ ABM         PHENOBARBITONE SODIUM       7.72)       MidWest       2         PHENOBARBITONE SODIUM       325.00       100 g       ✓ MidWest	* Liquid – Only in combination		2,000 mi	
(24.75)       MidWest         Only in extemporaneously compounded oral liquid preparations.       MAGNESIUM HYDROXIDE         Paste				V PSW
Only in extemporaneously compounded oral liquid preparations.         MAGNESIUM HYDROXIDE         Paste				MidMoot
MAGNESIUM HYDROXIDE         Paste       .22.61       500 g       ✓ PSM         METHADONE HYDROCHLORIDE       a) Only on a controlled drug form       b) No patient co-payment payable       c) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets).         Powder       .7.84       1 g       ✓ AFT         ‡ Safety cap for extemporaneously compounded oral liquid preparations.	Only in extemporaneously compounded oral liquid prepa	· · ·		Widwest
Paste		rations.		
METHADONE HYDROCHLORIDE         a) Only on a controlled drug form         b) No patient co-payment payable         c) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadon powder, not methadone tablets).         Powder       7.84       1 g         + Safety cap for extemporaneously compounded oral liquid preparations.         METHYL HYDROXYBENZOATE         Powder       10.00       25 g         VETHYL CELLULOSE         Powder       14.00       100 g         (17.72)       MidWest		00.04	500	4 0014
a) Only on a controlled drug form b) No patient co-payment payable c) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadon powder, not methadone tablets). Powder	Paste		500 g	V PSM
<ul> <li>b) No patient co-payment payable</li> <li>c) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets).</li> <li>Powder</li></ul>	METHADONE HYDROCHLORIDE			
<ul> <li>c) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets).</li> <li>Powder</li></ul>	<ul> <li>a) Only on a controlled drug form</li> </ul>			
powder, not methadone tablets).       7.84       1 g       ✓ AFT         Powder       7.84       1 g       ✓ AFT         ‡ Safety cap for extemporaneously compounded oral liquid preparations.       1 g       ✓ AFT         WETHYL HYDROXYBENZOATE       10.00       25 g       ✓ ABM         Powder       10.00       25 g       ✓ ABM         WETHYLCELLULOSE       100 g       ✓ ABM         Powder       14.00       100 g       ✓ ABM         (17.72)       MidWest         PHENOBARBITONE SODIUM       325.00       100 g       ✓ MidWest         a) Only in children up to 12 years       100 g       ✓ MidWest				
Powder       7.84       1 g       ✓ AFT         ‡ Safety cap for extemporaneously compounded oral liquid preparations.       1 g       ✓ AFT         WETHYL HYDROXYBENZOATE       10.00       25 g       ✓ ABM         Powder       (18.45)       PSM         METHYLCELLULOSE       14.00       100 g       ✓ ABM         Powder       (17.72)       MidWest         PHENOBARBITONE SODIUM       325.00       100 g       ✓ MidWest         Powder       - Only in combination       325.00       100 g       ✓ MidWest		reimbursed at the	rate of the ch	eapest form available (methadon
	· · · · · · · · · · · · · · · · · · ·			
METHYL HYDROXYBENZOATE Powder			1 g	✓ <u>AFT</u>
Powder       10.00       25 g       ✓ ABM         (18.45)       PSM         METHYLCELLULOSE       100 g       ✓ ABM         Powder       14.00       100 g       ✓ ABM         (17.72)       MidWest         PHENOBARBITONE SODIUM       325.00       100 g       ✓ MidWest         a) Only in children up to 12 years       100 g       ✓ MidWest	‡ Safety cap for extemporaneously compounded oral liquestication	uid preparations.		
(18.45) PSM METHYLCELLULOSE Powder14.00 100 g ✔ ABM (17.72) MidWest PHENOBARBITONE SODIUM Powder – Only in combination	METHYL HYDROXYBENZOATE			
METHYLCELLULOSE Powder	Powder	10.00	25 g	🖌 ABM
Powder14.00 100 g V ABM (17.72) MidWest PHENOBARBITONE SODIUM Powder – Only in combination		(18.45)		PSM
Powder14.00 100 g V ABM (17.72) MidWest PHENOBARBITONE SODIUM Powder – Only in combination	METHYLCELLULOSE			
(17.72) MidWest PHENOBARBITONE SODIUM Powder – Only in combination			100 a	ABM
PHENOBARBITONE SODIUM Powder – Only in combination				
Powder – Only in combination		()		
a) Only in children up to 12 years		205.00	100 ~	MidWeet
			100 g	
		liquid proportions		

b) ‡ Safety cap for extemporaneously compounded oral liquid preparations.

## EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy (Manufacturer's P \$	rice) Sul Per	Fully bsidised	Brand or Generic Manufacturer
PROPYLENE GLYCOL				
Only in extemporaneously compounded methyl hydroxybenzo	pate 10% solution	۱.		
Liq		500 ml	🖌 🖌	ЗМ
	17.70		🖌 PS	SM
SODIUM BICARBONATE				
Powder BP – Only in combination	9.80	500 g	🖌 🖌	ЗМ
	(11.99)		Bi	omed
	(29.50)		Da	avid Craig
Only in extemporaneously compounded omeprazole susp	ension.			
SYRUP (PHARMACEUTICAL GRADE) - Only in combination				
Only in extemporaneously compounded oral liquid preparatio	ns.			
Liq		2,000 ml	🖌 <u>Mi</u>	dwest
WATER				
Tap – Only in combination	0.00	1 ml	🖌 Ta	p water

## **EXPLANATORY NOTES**

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

#### **Eligibility for Special Authority**

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

#### Who can apply for Special Authority?

 Initial Applications:
 Only Specialists

 Reapplications:
 Specialist or general practitioner on recommendation of specialist. Reapplications by general practitioners on specialist recommendation must include the name of the specialist and the date the specialist was contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. A supporting letter may be included if desired. Applications must be forwarded to:

Ministry of Health Sector Services Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

#### Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

#### Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

#### Definitions

 Failure to thrive
 An inability to gain or maintain weight resulting in physiological impairment.

 Growth deficiency
 Where the weight of the child is less than the fifth or possibly third percentile for their age, with evidence of malnutrition

Subsidv Fully (Manufacturer's Price) Subsidised Per \$

Brand or Generic Manufacturer

V

## Nutrient Modules

### Carbohydrate

### SA0912 Special Authority for Subsidy

Initial application — (Cystic fibrosis or renal failure) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Either:

- 1 cystic fibrosis; or
- 2 chronic renal failure or continuous ambulatory peritoneal dialysis (CAPD) patient.

Initial application - (Indications other than cystic fibrosis or renal failure) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children; or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 failure to thrive; or
- 4 growth deficiency; or
- 5 bronchopulmonary dysplasia; or
- 6 premature and post premature infant; or
- 7 inborn errors of metabolism.

Renewal — (Cystic fibrosis or renal failure) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal - (Indications other than cystic fibrosis or renal failure) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

CARBOHYDRATE SUPPLEMENT - Special Authority see SA0912 above - Hospital pharmacy [HP3]

Powder		5,000 g	<ul> <li>Morrex Maltodextrin</li> </ul>
	1.30	400 g OP	
	(5.29)	-	Polycal
	1.14	350 g OP	
	(7.85)	-	Polycose
	1.30	368 g OP	
	(12.00)	-	Moducal
olvcose Powder to be delisted 1 October 2009)	. ,		

(Polycose Powder to be ed 1 October 2009,

## Carbohydrate And Fat

### SA0581 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 infant aged four years or under; and
- 2 cvstic fibrosis.

Initial application - (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

Both:

- 1 infant aged four years or under; and
- 2 Any of the following:
  - 2.1 cancer in children; or
  - 2.2 failure to thrive; or
  - 2.3 growth deficiency; or
  - 2.4 bronchopulmonary dysplasia; or
  - 2.5 premature and post premature infants.

**Renewal** — (Cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

CARBOHYDRATE AND FAT SUPPLEMENT - Special Authority see SA0581 on the preceding page - Hospital pharmacy [HP3]

Powder (neutral)	60.31	400 g OP	Duocal Super
			Soluble Powder

### Fat

#### ➡SA0899 Special Authority for Subsidy

**Initial application** — (Inborn errors of metabolism) only from a relevant specialist. Approvals valid for 3 years where the patient has inborn errors of metabolism.

**Initial application — (Indications other than inborn errors of metabolism)** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 failure to thrive where other high calorie products are inappropriate or inadequate; or
- 2 growth deficiency; or
- 3 bronchopulmonary dysplasia; or
- 4 fat malabsorption; or
- 5 lymphangiectasia; or
- 6 short bowel syndrome; or
- 7 infants with necrotising enterocolitis; or
- 8 biliary atresia.

Renewal — (Inborn errors of metabolism) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

	Subsidy (Manufacturer's \$		Fully sidised	Brand or Generic Manufacturer
FAT SUPPLEMENT – Special Authority see SA0899 on the pred	eding page – H	ospital pharmac	y [HP3]	
Emulsion (neutral)		200 ml OP	V C	alogen
	30.75	500 ml OP	V C	alogen
Emulsion (strawberry)		200 ml OP	V C	alogen
Oil		250 ml OP	🖌 Li	iquigen
	30.00	500 ml OP	🗸 M	ICT oil (Nutricia)

## Protein

### ➡SA0582 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 protein losing enteropathy; or
- 2 high protein needs (eg burns).

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Powder	 	225 g OP	Protifar 90
Powder (vanilla)	 	275 g OP	Promod

## **Oral Supplements**

These products are to be used only as supplements to a person's dietary needs. Subsidy for up to 500 ml a day. Amounts prescribed in excess of this amount must be paid for by the patient.

#### ➡SA0583 Special Authority for Subsidy

**Initial application** — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years where the patient has cystic fibrosis.

**Initial application — (Indications other than cystic fibrosis)** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children; or
- 2 inflammatory bowel disease; or
- 3 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 4 malnutrition requiring nutritional support.

Renewal — (Cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

	Subsidy (Manufacturer's F \$	Price) Sut Per	Fully osidised	Brand or Generic Manufacturer
ORAL SUPPLEMENT 1KCAL/ML - Special Authority see SA05	583 on the precedi	ing page – Hos	spital pha	armacy [HP3]
Powder (chocolate)	9.22	900 g OP		ustagen Hospital Formula
	4.75	400 g OP		
	(7.22)		E	nsure
Powder (strawberry)	4.75	400 g OP		
	(7.22)		Ei	nsure
Powder (vanilla)	9.22	900 g OP		ustagen Hospital Formula
	4.75	400 g OP		
	(7.22)	-	E	nsure

## Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

## **Respiratory Products**

### ➡SA0588 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 CORD patients who have hypercapnia; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

CORD ORAL FEED 1.5KCAL/ML - Special Authority see SA0588 above - Hospital pharmacy [HP3]

### Diabetic Products

### SA0594 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Type I and II diabetics who require nutritional supplementation; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

	Subsidy (Manufacturer's \$	Price) Sul Per	Fully osidised	Brand or Generic Manufacturer
DIABETIC ENTERAL FEED 1KCAL/ML – Special Authority see Liquid		oreceding page 1,000 ml OP	✔ D ✔ G	ital pharmacy [HP3] iason RTH ilucerna Select RTH esource Diabetic TF RTH
(Resource Diabetic TF RTH Liquid to be delisted 1 September 20	009)			
ORAL FEED 1KCAL/ML - Special Authority see SA0594 on the	preceding page	- Hospital pha	rmacy [I	HP3]
Liquid (chocolate) Liquid (strawberry) Liquid (vanilla) (Resource Diabetic Liquid (chocolate) to be delisted 1 August 20	1.50 1.78 1.50 1.78 1.88	237 ml OP 200 ml OP 237 ml OP 200 ml OP 237 ml OP 250 ml OP	✓ D ✓ R ✓ D ✓ R	esource Diabetic iasip esource Diabetic iasip esource Diabetic ilucerna Select
Fat Modified Products	•			

#### ➡SA0615 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The product is to be used as a complete diet; and
- 2 Either:
  - 2.1 Patient has metabolic disorders of fat metabolism; or
  - 2.2 Patient has chylothorax.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.
- FAT MODIFIED FEED Special Authority see SA0615 above Hospital pharmacy [HP3]

Р	owder	 	 60.48	400 g OP	Monogen

### **High Protein Products**

#### ➡SA0589 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Anorexia and weight loss; and
- 2 Either:
  - 2.1 decompensating liver disease without encephalopathy; or
  - 2.2 protein losing gastro-enteropathy; and
- 3 Either:
  - 3.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 3.2 The product is to be used as a complete diet.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 Either:

	Subsidy (Manufacturer's Price)		Brand or Generic
	\$	Per 🗸	Manufacturer
<ul> <li>continued</li> <li>2.1 The product is to be used as a supplement (maximu 2.2 The product is to be used as a complete diet; and</li> <li>3 General Practitioners must include the name of the specia</li> </ul>			
ORAL FEED 1KCAL/ML – Special Authority see SA0589 on the Liquid			HP3] f <b>ortimel</b>
Paediatric Products For Children Awaiting Liver	Transplant		
<ul> <li>▶SA0607 Special Authority for Subsidy</li> <li>Initial application only from a paediatrician. Approvals valid for 3 Both:         <ol> <li>Child (up to 18 years) who is awaiting liver transplant; and 2 Either:                 <ol> <li>The product is to be used as a supplement (maximu 2.2 The product is to be used as a complete diet.</li> </ol> </li> <li>Renewal only from a paediatrician. Approvals valid for 3 years for Both:                 <ol> <li>The treatment remains appropriate and the patient is bene 2 Either:</li></ol></li></ol></li></ul>	um 500 ml per day); c r applications meeting fiting from treatment;	or g the following crit and	·
2.2 The product is to be used as a complete diet. ENTERAL/ORAL FEED 1KCAL/ML – Special Authority see SA0 Powder			eneraid Plus
Paediatric Products For Children With Chronic F	Renal Failure		
<ul> <li>SA0606 Special Authority for Subsidy</li> <li>Initial application only from a paediatrician. Approvals valid for 3 Both:         <ol> <li>child (up to 18 years) with chronic renal failure; and</li> <li>Either:                 <ol> <li>The product is to be used as a supplement; or</li> <li>The product is to be used as a complete diet.</li> </ol> </li> </ol></li></ul>	years for application	s meeting the foll	owing criteria:
Renewal only from a paediatrician. Approvals valid for 3 years for	r applications meeting	g the following crit	eria:
Both: 1 The treatment remains appropriate and the patient is bene 2 Either: 2.1 The product is to be used as a supplement; or 2.2 The product is to be used as a complete diet.	fiting from treatment;	and	
ENTERAL/ORAL FEED 1KCAL/ML – Special Authority see SA0 Liquid			lindergen
Paediatric Products		-	
<ul> <li>SA0896 Special Authority for Subsidy</li> <li>Initial application only from a relevant specialist. Approvals valid</li> <li>All of the following:         <ol> <li>infant aged one to eight years; and</li> <li>Any of the following:</li> </ol> </li> </ul>	for 1 year for applica	tions meeting the	following criteria:
2.1 any condition causing malabsorption; or			continued

	Subsidy (Manufacturer's P \$	rice) Sub Per	Fully osidised	Brand or Generic Manufacturer
ontinued				
2.2 failure to thrive; or				
<ol> <li>2.3 increased nutritional requirements; and</li> <li>3 Either:</li> </ol>				
3.1 The product is to be used as a supplement (maxim	um 500 ml ner da	v). or		
3.2 The product is to be used as a complete diet.		<i>y</i> ), 01		
Renewal only from a relevant specialist or general practitioner o	n the recommendation	ation of a rele	vant spe	ecialist. Approvals valid f
year for applications meeting the following criteria:				
All of the following:				
1 The treatment remains appropriate and the patient is ben	efiting from treatm	ent; and		
<ol> <li>2 Either:</li> <li>2.1 The product is to be used as a supplement (maxim</li> </ol>	um 500 ml per da	v): or		
2.1 The product is to be used as a supplement (maxim 2.2 The product is to be used as a complete diet; and	ium 500 mi per ua	y), 01		
3 General Practitioners must include the name of the specia	alist and date conta	acted.		
AEDIATRIC ENTERAL FEED 1.5KCAL/ML – Special Authority			bade – H	lospital pharmacy [HP3]
Liquid		200 ml OP		utrini Energy RTH
	6.00	500 ml OP	🖌 N	utrini Energy RTH
AEDIATRIC ENTERAL FEED 1KCAL/ML - Special Authority s	ee SA0896 on the	preceding pa	ge – Ho	spital pharmacy [HP3]
Liquid		200 ml OP		utrini RTH
	2.68	500 ml OP		utrini RTH ediasure RTH
AEDIATRIC ORAL FEED 1.5KCAL/ML – Special Authority see Liquid (strawberry)		eceding page 200 ml OP		otal pharmacy [HP3] ortini
Liquid (strawberry)	1.60	200 MI OP		utriniDrink
Liquid (vanilla)		200 ml OP		ortini
- 4			V N	utriniDrink
Fortini Liquid (strawberry) to be delisted 1 November 2009)				
Fortini Liquid (vanilla) to be delisted 1 November 2009)				
AEDIATRIC ORAL FEED 1KCAL/ML – Special Authority see S				
Liquid (chocolate)		200 ml OP		ediasure
	1.27	237 ml OP		ediasure
			V K	esource Just for Kids
Liquid (strawberry)	1 07	200 ml OP	V P	ediasure
	1.27	237 ml OP		ediasure
Liquid (vanilla)	1.27	237 ml OP	V P	ediasure
			🖌 R	esource Just for Kids
Pediasure Liquid (chocolate) to be delisted 1 October 2009)				

(Pediasure Liquid (strawberry) to be delisted 1 October 2009) (Resource Just for Kids Liquid (vanilla) to be delisted 1 July 2009)

	Subsidy (Manufacturer's P \$	Price) Subs Per	Fully idised	Brand or Generic Manufacturer
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML – Special A Liquid (chocolate)	,	0896 on page 1 200 ml OP	✔ Fo	ospital pharmacy [HP3] ortini Multifibre utriniDrink Multifibre
Liquid (strawberry)	1.60	200 ml OP	V Nu	ortini Multifibre utriniDrink Multifibre
Liquid (vanilla)	1.60	200 ml OP	V Nu	ortini Multifibre utriniDrink Multifibre
(Fortini Multifibre Liquid (chocolate) to be delisted 1 November 20 (Fortini Multifibre Liquid (strawberry) to be delisted 1 November 20 (Fortini Multifibre Liquid (vanilla) to be delisted 1 November 2009)	009)			
Renal Products				

### ➡SA0587 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 acute or chronic renal failure; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:

2.1 The product is to be used as a supplement (maximum 500 ml per day); or

- 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

ENTERAL FEED 2KCAL/ML - Special Authority see SA0587 a	above – Hospital pł	narmacy [HP3]	
Liquid	6.08	500 ml OP	Nutrison
			Concentrated
RENAL ORAL FEED 2KCAL/ML - Special Authority see SA05	87 above – Hospita		
Liquid	2.43	200 ml OP	Nepro (vanilla)
	2.88	237 ml OP	NovaSource Renal
Liquid (apricot)	2.88	125 ml OP	Renilon 7.5
Liquid (caramel)	2.88	125 ml OP	Renilon 7.5
On a sielie ad And Elemental Draduate			

### **Specialised And Elemental Products**

### ➡SA0592 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Any of the following:
  - 1.1 malabsorption; or
  - 1.2 short bowel syndrome; or
  - 1.3 enterocutaneous fistulas; or

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

1.4 pancreatitis; and

2 Either:

2.1 The product is to be used as a supplement (maximum 500 ml per day); or

2.2 The product is to be used as a complete diet.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 Either:

2.1 The product is to be used as a supplement (maximum 500 ml per day); or

2.2 The product is to be used as a complete diet; and

3 General Practitioners must include the name of the specialist and date contacted.

ENTERAL/ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority see SA0592 on the preceding page – Hospital pharmacy [HP3]

Powder	4.40 7.50	79 g OP 76 g OP	<ul> <li>Vital HN</li> <li>Alitraq</li> </ul>
ORAL ELEMENTAL FEED 0.8KCAL/ML – Special Authority see Liquid (grapefruit) Liquid (pineapple & orange) Liquid (summer fruit)	9.50 9.50	preceding page 250 ml OP 250 ml OP 250 ml OP	<ul> <li>Hospital pharmacy [HP3]</li> <li>✓ Elemental 028 Extra</li> <li>✓ Elemental 028 Extra</li> <li>✓ Elemental 028 Extra</li> </ul>
ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority see S Powder (unflavoured)			Hospital pharmacy [HP3] Vivonex TEN
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML – Special Aut [HP3]			
Liquid	6.02 12.04	500 ml OP 1,000 ml OP	<ul> <li>Peptisorb</li> <li>Peptisorb</li> </ul>

## **Undyalised End Stage Renal Failure**

### ➡SA0586 Special Authority for Subsidy

**Initial application** only from a gastroenterologist or renal physician. Approvals valid for 3 years for applications meeting the following criteria:

Both:

1 undialysed end stage renal patients; and

2 Either:

- 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
- 2.2 The product is to be used as a complete diet.

Note: Where possible, the requirements for oral supplementation should be established in conjunction with assessment by a dietician.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 Either:

	Subsidy (Manufacturer's Pr \$	ice) Subs Per	Fully idised	Brand or Generic Manufacturer
continued 2.1 The product is to be used as a supplement (maxin 2.2 The product is to be used as a complete diet; and 3 General Practitioners must include the name of the speci RENAL ORAL FEED 1KCAL/ML – Special Authority see SA058 Liquid	alist and date conta 6 on the preceding	acted.		macy [HP3] <b>Iplena</b>
Adult Products Standard				
►SA0702 Special Authority for Subsidy Initial application — (Oral feed for cystic fibrosis patient) applications meeting the following criteria:	only from a relev	ant specialist.	Appro	ovals valid for 3 years for

Both:

- 1 Cystic fibrosis; and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet.

Initial application — (Oral feed for indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 any condition causing malabsorption; or
  - 1.2 failure to thrive; or
  - 1.3 increased nutritional requirements; and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet.

Renewal — (Oral feed cystic fibrosis patient) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

- All of the following:
  - 1 The treatment remains appropriate and the patient is benefiting from treatment; and
  - 2 Either:
    - 2.1 The product is to be used as a supplement; or
    - 2.2 The product is to be used as a complete diet; and

3 General Practitioners must include the name of the specialist and date contacted.

Initial application — (Enteral feed) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 enteral feeding; or
  - 1.2 nasogastric; or
  - 1.3 nasoduodenal; or
  - 1.4 nasojejunal; or
  - 1.5 gastrostomy/jejunostomy; and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet.

Renewal — (Enteral feed or Oral feed for indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

Subsidy (Manufacturer's Price)			Brand or Generic
\$	Per	~	Manufacturer

continued...

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 Either:

2.1 The product is to be used as a supplement; or

2.2 The product is to be used as a complete diet; and

3 General Practitioners must include the name of the specialist and date contacted.

Notes: This group of products can be used either as a supplement or as a complete diet.

If a product is being used as a supplement, the limit is 500 ml per day.

Cystic fibrosis patients are exempt the 500 ml per day volume restriction when using Ensure Plus, Fortisip or Resource Plus as a supplement.

supplement.			
ENTERAL FEED 1KCAL/ML - Special Authority see SA0702 on the pr	ecedina r	page – Hospital i	pharmacy [HP3]
Liquid	01	250 ml OP	✓ Isosource HN
		200 0.	✓ Isosource Standard
	2.65	500 ml OP	✓ Nutrison Standard
	2.00		RTH
	5.29	1,000 ml OP	<ul> <li>Nutrison Standard RTH</li> </ul>
			Isosource HN RTH
			<ul> <li>Isosource Standard RTH</li> </ul>
			<ul> <li>Osmolite RTH</li> </ul>
ENTERAL FEED WITH FIBRE 1 KCAL/ML - Special Authority see SA	0702 on t	the preceding pa	ae – Hospital pharmacy [HP3]
Liquid		250 ml OP	✓ Fibresource
- 4			✓ Fibresource HN
	2.65	500 ml OP	✓ Nutrison Multi Fibre
	5.29	1.000 ml OP	Nutrison Multi Fibre
		,	✓ Fibresource HN RTH
			<ul> <li>Fibresource RTH</li> </ul>
			Jevity RTH
(Fibresource Liquid to be delisted 1 December 2009)			
(Fibresource RTH Liquid to be delisted 1 December 2009)			
ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see S/	10702 on	the preceding p	age - Hospital pharmacy [HP3]
Liquid			Ensure Plus RTH
	1.75	250 ml OP	
	7.00	1.000 ml OP	✓ Isosource 1.5
	7.00	1,000 III OI	✓ Nutrison Energy
			Multi Fibre

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or sidised Generic ✓ Manufacturer
AL FEED 1.5KCAL/ML - Special Authority see SA0702 on p	oage 176 – Hospi	tal pharmacy [H	IP3]
Liquid (banana)	1.12	200 ml OP	Fortisip
	(1.45)		Ensure Plus
Liquid (chocolate)	1.12	200 ml OP	<ul> <li>Fortisip</li> </ul>
	1.33	237 ml OP	Resource Plus
	1.12	200 ml OP	
	(1.45)		Ensure Plus
	1.33	237 ml OP	Ensure Plus
Liquid (coffee)	1.33	237 ml OP	Ensure Plus
Liquid (fruit of the forest)	1.12	200 ml OP	
	(1.45)		Ensure Plus
Liquid (strawberry)	1.12	200 ml OP	Fortisip
	1.33	237 ml OP	Resource Plus
	1.12	200 ml OP	
	(1.45)		Ensure Plus
	1.33	237 ml OP	Ensure Plus
Liquid (toffee)	1.12	200 ml OP	✓ Fortisip
Liquid (tropical fruit)	1.12	200 ml OP	✓ Fortisip
Liquid (vanilla)		200 ml OP	✓ Fortisip
	1.33	237 ml OP	Resource Plus
	1.12	200 ml OP	
	(1.45)		Ensure Plus
	1.33	237 ml OP	Ensure Plus
AL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority se	e SA0702 on pag	ie 176 – Hospita	al pharmacy [HP3]
Liquid (chocolate)	1 0	200 ml OP	Fortisip Multi Fibre
Liquid (strawberry)		200 ml OP	<ul> <li>Fortisip Multi Fibre</li> </ul>
Liquid (vanilla)		200 ml OP	<ul> <li>Fortisip Multi Fibre</li> </ul>

## Adult Products High Calorie

### SA0585 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements; and
- 4 Either:
  - 4.1 The product is to be used as a supplement; or
  - 4.2 The product is to be used as a complete diet.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - 1.1 any condition causing malabsorption; or
  - 1.2 failure to thrive; or
  - 1.3 increased nutritional requirements; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements; and
- 4 Either:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per 🖌 Manufacturer
----------------------------------------------------------------------------------------------

continued...

- 4.1 The product is to be used as a supplement; or
- 4.2 The product is to be used as a complete diet.

Renewal — (Cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted; and
- 3 Either:
  - 3.1 The product is to be used as a supplement; or
  - 3.2 The product is to be used as a complete diet.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted; and

3 Either:

- 3.1 The product is to be used as a supplement; or
- 3.2 The product is to be used as a complete diet.

Notes: This product can be used either as a supplement or as a complete diet.

If it is being used as a supplement, the limit is 500 ml per day.

ORAL FEED 2KCAL/ML – Special Authority see SA0585 on the preceding page – Hospital pharmacy [HP3]

## **Food Thickeners**

#### ➡SA0595 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

FOOD THICKENER - Special Authority see SA0595 above - Hospital pl	harmacy	[HP3]	
Powder	3.80	250 g OP	<ul> <li>Resource Thicken</li> <li>Up</li> </ul>
9	1.20	6,000 g OP	<ul> <li>Resource Thicken</li> <li>Up</li> </ul>
	4.56	380 g	
(	(7.25)	-	Karicare Food Thickener

### **Gluten Free Foods**

#### SA0722 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

	Subsidy (Manufacturer's F	Price) Subs	Fully Brand or idised Generic
	(Manulacturer 31 \$	Per	Manufacturer
GLUTEN FREE BAKING MIX – Special Authority see S	SA0722 on the preceding p	age – Hospital I	oharmacy [HP3]
Powder	2.81	1,000 g OP	
	(5.15)		Healtheries Simple Baking Mix
GLUTEN FREE BREAD MIX – Special Authority see S	A0722 on the preceding p	age – Hospital p	harmacy [HP3]
Powder		1,000 g OP	
	(6.88)		NZB Low Gluten Bread Mix
	4.77		
	(8.57)		Bakels Gluten Free Health Bread Mix
	3.51		
	(10.51)		Horleys Bread Mix
GLUTEN FREE FLOUR - Special Authority see SA072	2 on the preceding page -	- Hospital pharm	nacy [HP3]
Powder		2,000 g OP	
	(17.42)	,	Horleys Flour
GLUTEN FREE PASTA – Special Authority see SA0722	( )	Hospital pharm	•
Buckwheat Spirals		250 g OP	
	(3.11)	200 g 01	Orgran
Corn and Parsley Fettucine	( /	250 g OP	Cigian
	(2.63)		Orgran
Corn and Spinach Rigatini		250 g OP	- · J. · · ·
	(2.92)		Orgran
Corn and Vegetable Shells	2.00	250 g OP	Ū.
-	(2.92)	-	Orgran
Corn and Vegetable Spirals	2.00	250 g OP	-
	(2.92)		Orgran
Garlic and Parsley Shells	2.00	250 g OP	
	(2.92)		Orgran
Rice and Corn Garden Herb Pasta		250 g OP	•
Discussion la companya Olympia	(2.92)	000 - 00	Orgran
Rice and Corn Lasagne Sheets		200 g OP	Oraron
Rice and Corn Macaroni	(3.82)	250 a OP	Orgran
	2.00 (2.92)	250 g OP	Orgran
Rice and Corn Penne	( /	250 g OP	Orgian
	(2.92)	200 9 01	Orgran
Rice and Maize Pasta Spirals		Cigian	
	(2.92)		Orgran
Rice and Millet Spirals	( )	250 g OP	g
·····	(3.11)		Orgran
Rice and corn spaghetti noodles	( /	375 g OP	- 3
	(2.92)	0	Orgran
Vegetable and Rice Spirals		250 g OP	-
	(2.92)	-	Orgran
Italian long style spaghetti	2.00	220 g OP	
(Orgran Corn and Parsley Fettucine to be delisted 1 July	(3.11)		Orgran
orgran com and raisley rellucine to be delisted 1 July	/ 2003/		

Subsidv Fully (Manufacturer's Price) Subsidised Per \$

Brand or Generic Manufacturer

V

# Foods And Supplements For Inborn Errors Of Metabolism - Other

#### SA0732 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Either:

- 1 dietary management of homocystinuria; or
- 2 dietary management of maple syrup urine disease.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

#### Prescribing Guideline

It can cost up to \$70,000 a year to keep an adult on protein supplements. Because protein substitutes are so expensive and because they are only effective in controlling PKU if a restricted diet is followed, adults with PKU will be required to demonstrate they are following the prescribed diet by regular blood testing. The requirement for testing applies to those aged over 16 years. Failure to follow an appropriate diet results in high blood phenylalanine levels.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

# Supplements For Homocystinuria

AMINOACID FORMULA WITHOUT METHIONINE - Special Authority see SA	A0732 above – Hospital pharmacy [HP3	]
See prescribing guideline above		
Powder461.94	500 g OP 🖌 🖌 XMET Maxami	um
Ourselander Fee MOUD		

### Supplements For MSUD

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE - Special Authority see SA0732 above - Hospital pharmacy [HP3]

# Foods And Supplements For Inborn Errors Of Metabolism - PKU

#### ➡SA0733 Special Authority for Subsidy

Initial application — (Patient aged over 16) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 dietary management of PKU; and
- 2 The patient's blood phenylalanine level is < 900 mmol/litre (average of tests over last 12 months).

Initial application — (Patient aged 16 or under) only from a relevant specialist. Approvals valid for 3 years where the patient requires dietary management of PKU.

Renewal — (Patient aged over 16) only from a relevant specialist. Approvals valid for 1 year where blood phenylalanine level < 900 mmol/litre (average of tests over last 12 months).

Renewal - (Patient aged 16 or under) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

	Subsidy (Manufacturer's F \$	Price) Subsi Per	Fully Brand or idised Generic ✔ Manufacturer
Prescribing Guideline t can cost up to \$70,000 a year to keep an adult on protein because they are only effective in controlling PKU if a restrict hey are following the prescribed diet by regular blood testing Failure to follow an appropriate diet results in high blood pheny The subsidy for these products reflects the philosophy that the cialised more expensive products.	ed diet is followed, J. The requirement Valanine levels.	adults with PKU for testing appli	will be required to demonstrat es to those aged over 16 years
Foods For PKU			
PHENYL FREE BAKING MIX – Special Authority see SA0733 See prescribing guideline above	3 on the preceding p	bage – Hospital p	bharmacy [HP3]
Powder	6.70 (8.22)	500 g OP	Loprofin Mix
	(0.22)		
PHENYL FREE PASTA – Special Authority see SA0733 on th See prescribing quideline above	( )	Hospital pharma	
PHENYL FREE PASTA – Special Authority see SA0733 on th See prescribing guideline above Animal shapes	e preceding page -	Hospital pharma	
See prescribing guideline above	e preceding page – 		acy [HP3]
See prescribing guideline above Animal shapes	e preceding page – 10.65 (11.91) 5.32 (5.95)	500 g OP	acy [HP3] Loprofin
See prescribing guideline above Animal shapes	e preceding page – 	500 g OP 250 g OP	acy [HP3] Loprofin Loprofin
See prescribing guideline above Animal shapes Lasagne Low protein rice pasta	e preceding page – 10.65 (11.91) 5.32 (5.95) 10.65 (11.91) 5.32 (5.95)	500 g OP 250 g OP 500 g OP	acy [HP3] Loprofin Loprofin Loprofin
See prescribing guideline above Animal shapes Lasagne Low protein rice pasta Macaroni	e preceding page – 	500 g OP 250 g OP 500 g OP 250 g OP	acy [HP3] Loprofin Loprofin Loprofin Loprofin

# **Supplements For PKU**

AMINOACID FORMULA WITHOUT PHENYLALANINE – Special Authority see SA0733 on the preceding page – Hospital pharmacy [HP3]

See prescribing guideline above			
Tabs		75 OP	Phiexy 10
Sachets (pineapple/vanilla) 29 g		30 OP	Minaphlex
Sachets (tropical)		30	Phlexy 10
Infant formula		400 g OP	XP Analog LCP
Powder (orange)		500 g OP	XP Maxamaid
	320.00		XP Maxamum
Powder (unflavoured)		500 g OP	XP Maxamaid
	320.00	-	XP Maxamum
Liquid (berry)		62.5 ml OP	Lophlex LQ
	31.20	125 ml OP	Lophlex LQ
Liquid (citrus)		62.5 ml OP	Lophlex LQ
	31.20	125 ml OP	Lophlex LQ
Liquid (forest berries)		250 ml OP	Easiphen Liquid
Liquid (orange)		62.5 ml OP	Lophlex LQ
	31.20	125 ml OP	Lophlex LQ
Liquid (tropical)		250 ml OP	<ul> <li>Easiphen</li> </ul>

	Subsidy (Manufacturer's P \$	rice) Per	Fully Subsidised	Brand or Generic Manufacturer
Multivitamin And Mineral Supplements				
AMINOACID FORMULA WITH MINERALS WITHOUT PHENY pharmacy [HP3] See prescribing guideline on the preceding page Powder		al Authority 250 g OF		'33 on page 181 – Hospi Ietabolic Mineral Mixture
Multivitamin Supplements For Inborn Errors C	)f Metabolism			Mixture
►SA0600 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals va Renewal only from a relevant specialist or general practitioner 3 years for applications meeting the following criteria: Both:	alid for 3 years wher			
<ol> <li>The treatment remains appropriate and the patient is be</li> <li>General Practitioners must include the name of the spec</li> <li>MULTIVITAMINS – Special Authority see SA0600 above – Hos</li> <li>Tab</li> </ol>	cialist and date cont spital pharmacy [HF	acted.	✓ K	Zetovite
Powder Oral liq		100 g OF 150 ml O	P	aediatric Seravit
Infant Formulae				
For Premature Infants				
► SA0602 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals va at birth. PREMATURE BIRTH FORMULA – Special Authority see SA00				t weighing less than 1.5
Liquid		100 ml O		26LBW Gold RTF
For Williams Syndrome				
<ul> <li>SA0601 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals v Syndrome and associated hypercalcaemia.</li> <li>Renewal only from a relevant specialist or general practitioner 1 year for applications meeting the following criteria: Both:</li> </ul>				-
1 The treatment remains appropriate and the patient is be 2 General Practitioners must include the name of the spec	0			
LOW CALCIUM INFANT FORMULA – Special Authority see S			nacy [HP3]	

Subsidy		Fully	Brand or
(Manufacturer's Price)	:	Subsidised	Generic
\$	Per	~	Manufacturer

### For Gastrointestinal And Other Malabsorptive Problems

#### ➡SA0603 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year where the patient is infant suffering from malabsorption and other gastrointestinal problems.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 General Practitioners must include the name of the specialist and date contacted.

Neocate should be used only as a last resort when the infant is unable to absorb any of the below formulae. The objective with each of the formulae prescribed is to get the infant off them as soon as possible. This may take six months, it may take three years. Because of this, variation on age limit is not regarded as appropriate. These formulae will be available only from a hospital pharmacy. Vivonex Pediatric may be a suitable and less expensive alternative for many children that would otherwise be eligible for a subsidy for Neocate and should, therefore, be tried first in these cases. The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

ELEMENTAL FORMULA - Special Authority see SA0603 above - Hospital pharmacy [HP3]

Powder		450 g OP	
	(19.01)	-	Pepti Junior
	63.97	400 g OP	·
	(67.08)	-	Neocate
	(67.08)		Neocate LCP
	5.62	48.5 g OP	
	(6.00)	·	Vivonex Pediatric
Powder (tropical)		400 g OP	
	(56.00)	-	Neocate Advance
Powder (unflavoured)		400 g OP	
• •	(56.00)	Ū.	Neocate Advance

# For Milk Intolerance

#### ➡SA0604 Special Authority for Subsidy

**Initial application** — (Lactase deficiency or disaccharide intolerance) only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is less than 3 years of age; and
- 2 Either:
  - 2.1 diagnosed as suffering from congenital lactase deficiency; or
  - 2.2 suffering from disaccharide intolerance.

Notes: Secondary lactose intolerance in children is usually short lasting, and can be controlled by dietary measures and by giving sufficient calories to regenerate digestive enzymes.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Initial application — (Infant with intolerance to cows' milk) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 intolerant to cows' milk; and
- 2 patient is less than 3 years of age.

Note: The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

continued...

SPECIAL FOODS

	Subsidy (Manufacturer's Pric \$	Ful e) Subsidise Per •	
continued <b>Renewal — (Infant with intolerance to cows' milk)</b> only from meeting the following criteria: Both:	a relevant specialis	. Approvals valid	for 6 months for applications
1 The treatment remains appropriate and the patient is ben 2 patient is less than 3 years of age.	efiting from treatment	nt; and	
GOATS MILK INFANT FORMULA – Special Authority see SA06 Powder		page – Retail ph 900 g OP	armacy Karicare Goats Milk Infant Formula
LACTOSE FREE INFANT FORMULA – Special Authority see S Powder		ding page – Retai 900 g OP	l pharmacy Delact
SOYA INFANT FORMULA – Special Authority see SA0604 on the Powder	1 01 0	Retail pharmacy 900 g OP	S26 Soy
Infant Formulae - Lactose Intolerance and Cow	s' Milk Protein	Intolerance	
<ul> <li>SA0757 Special Authority for Subsidy</li> <li>Initial application only from a relevant specialist. Approvals valia All of the following:         <ol> <li>The patient is less than 2 years of age; and</li> <li>Intolerant to cows' milk; and</li> <li>Diagnosed as suffering from congenital lactase deficiency</li> </ol> </li> <li>Renewal only from a relevant specialist. Approvals valid for 6 m benefiting from treatment.</li> </ul>	<i>Į</i> .		
INFANT SOY FORMULA – Special Authority see SA0757 above Powder		900 g	Karicare Soy All Ages

# Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

ADRENALINE ✓ Inj 1 in 1,000, 1 ml
AMINOPHYLLINE ✓ Inj 25 mg per ml, 10 ml
AMIODARONE HYDROCHLORIDE ✓ Inj 50 mg per ml, 3 ml
AMOXYCILLIN
✓ Cap 250 mg
✓ Grans for oral lig 125 mg per 5 ml 200 ml
✓ Grans for oral liq 250 mg per 5 ml 200 ml
✓ Inj 1 g5
AMOXYCILLIN CLAVULANATE
✓ Tab amoxycillin 500 mg with potassium
clavulanate 125 mg
✓ Grans for oral liq amoxycillin 125 mg with
potassium clavulanate 31.25 mg per
5 ml
✓ Grans for oral liq amoxycillin 250 mg with
potassium clavulanate 62.5 mg per
5 ml
APPLICATOR ✓ Applicator – See note on page 691
ASPIRIN ✓ Tab dispersible 300 mg
✓ Tab dispersible 300 mg
✓ Tab dispersible 300 mg
✓ Tab dispersible 300 mg
✓ Tab dispersible 300 mg
✓ Tab dispersible 300 mg
✓ Tab dispersible 300 mg
<ul> <li>✓ Tab dispersible 300 mg</li></ul>

ned on a Practitioner's Supply Order
CHARCOAL V Oral liq 50 g per 250 ml 250 ml
CHLORPROMAZINE HYDROCHLORIDE ✓ Tab 10 mg
CIPROFLOXACIN ✓ Tab 250 mg
<ul> <li>CO-TRIMOXAZOLE</li> <li>✓ Tab trimethoprim 80 mg and sulphamethoxazole 400 mg</li></ul>
COMPOUND ELECTROLYTES ✓ Powder for soln for oral use 5 g
CONDOMS       49 mm       144         52 mm       144         52 mm extra strength       144         53 mm       144         53 mm       144         53 mm (chocolate)       144         53 mm (strawberry)       144         53 mm extra strength       144         53 mm extra strength       144         55 mm       144         56 mm       144         56 mm extra strength       144         56 mm       144         56 mm extra strength       144         56 mm       144
DEXAMETHASONE ✓ Tab 1 mg – Retail pharmacy-Specialist
DEXAMETHASONE SODIUM PHOSPHATE           ✓ Inj 4 mg per ml, 1 ml
DEXTROSE ✓ Inj 50%, 10 ml

# PRACTITIONER'S AND WHOLESALE SUPPLY ORDERS

# (continued)

DIAPHRAGM ✓ Diaphragm – See note on page 691
DIAZEPAM ✓ Inj 5 mg per ml, 2 ml – Subsidy by endorsement – See note on page 1115 ✓ Rectal tubes 5 mg5 ✓ Rectal tubes 10 mg5
DICLOFENAC SODIUM           ✓ Inj 25 mg per ml, 3 ml
DIGOXIN ✔ Tab 62.5 µg
DOXYCYCLINE HYDROCHLORIDE           Tab 50 mg
ERGOMETRINE MALEATE ✔ Inj 500 µg per ml, 1 ml
ERYTHROMYCIN ETHYL SUCCINATE Tab 400 mg
ERYTHROMYCIN STEARATE Tab 250 mg
ETHINYLOESTRADIOL WITH DESOGESTREL Tab 20 µg with desogestrel 150 µg
ETHINYLOESTRADIOL WITH GESTODENE Tab 30 µg with gestodene 75 µg and 7 inert tab
<ul> <li>ETHINYLOESTRADIOL WITH LEVONORGESTREL</li> <li>✓ Tab ethinyloestradiol 30 µg with levonorgestrel 50 µg (6) and tab ethinyloestradiol 40 µg with levonorgestrel 75 µg (5), and tab ethinyloestradiol 30 µg with levonorgestrel 125 µg (10) and 7 inert tab</li></ul>
Tab 30 μg with levonorgestrel 150 μg63 ✓ Tab 30 μg with levonorgestrel 150 μg and 7 inert tab84

Tab 20 μg with levonorgestrel 100 μg and 7 inert tab84
<ul> <li>ETHINYLOESTRADIOL WITH NORETHISTERONE</li> <li>✓ Tab 35 µg with norethisterone 1 mg</li></ul>
FLUCLOXACILLIN SODIUM       30         Grans for oral liq 125 mg per 5 ml       200 ml         Grans for oral liq 250 mg per 5 ml       200 ml         Inj 1 g       5
FLUPENTHIXOL DECANOATE         ✓ Inj 20 mg per ml, 1 ml         ✓ Inj 20 mg per ml, 2 ml         ✓ Inj 100 mg per ml, 1 ml
FLUPHENAZINE DECANOATE ✓ Inj 12.5 mg per 0.5 ml, 0.5 ml
FUROSEMIDE ✓ Tab 40 mg
GLUCAGON HYDROCHLORIDE Inj 1 mg syringe kit5
GLYCERYL TRINITRATE ✓ Tab 600 μg100 ✓ Oral pump spray 400 μg per dose
HALOPERIDOL ✓ Tab 500 µg
HALOPERIDOL DECANOATE ✓ Inj 50 mg per ml, 1 ml
HYDROCORTISONE ✔ Inj 50 mg per ml, 2 ml
HYDROXOCOBALAMIN V Inj 1 mg per ml, 1 ml6
HYOSCINE N-BUTYLBROMIDE Inj 20 mg, 1 ml

✓ fully subsidised brand available Please refer to Section A for a definition, and conditions of supply, of Practitioner's Supply Orders.

continued)
IPRATROPIUM BROMIDE ✓ Nebuliser soln, 250 µg per ml, 1 ml40
✓ Nebuliser soln, 250 µg per ml, 2 ml
LEVONORGESTREL Tab 30 μg
LIGNOCAINE HYDROCHLORIDE ✓ Inj 0.5%, 5 ml – See note on page 106
LOPERAMIDE HYDROCHLORIDE V Tab 2 mg
MEDROXYPROGESTERONE ACETATE ✓ Inj 150 mg per ml, 1 ml
METHYLERGOMETRINE ✔ Inj 200 µg per ml, 1 ml10
METOCLOPRAMIDE HYDROCHLORIDE Inj 5 mg per ml, 2 ml
METRONIDAZOLE V Tab 200 mg
MORPHINE SULPHATE ✓ Inj 5 mg per ml, 1 ml – Only on a controlled
drug form5 ✓ Inj 10 mg per ml, 1 ml – Only on a controlled
drug form5 ✓ Inj 15 mg per ml, 1 ml – Only on a controlled drug form5
✓ Inj 30 mg per ml, 1 ml – Only on a controlled drug form
NALOXONE HYDROCHLORIDE ✓ Inj 400 µg per ml, 1 ml
NONOXYNOL-9 V Jelly 2% 108 g
NORETHISTERONE ✓ Tab 350 µg
NORETHISTERONE WITH MESTRANOL Tab 1 mg with mestranol 50 µg and 7 inert tab84
OXYTOCIN ✓ Inj 5 iu per ml, 1 ml

PARACETAMOL	
✓ Tab 500 mg	
<ul> <li>✓ Oral liq 120 mg per 5 ml</li> <li>✓ Oral liq 250 mg per 5 ml</li> </ul>	200 ml
	100 111
PETHIDINE HYDROCHLORIDE	
✓ Inj 50 mg per ml, 1 ml – Only on a control	
drug form ✓ Inj 50 mg per ml, 1.5 ml – Only on a	5
controlled drug form	5
✓ Inj 50 mg per ml, 2 ml – Only on a control	
drug form	
PHENOXYMETHYLPENICILLIN (PENICILLI	
✓ Cap potassium salt 250 mg	
✓ Grans for oral liq 125 mg per 5 ml	200 ml
✔ Grans for oral liq 250 mg per 5 ml	
PHENYTOIN SODIUM	
✓ Inj 50 mg per ml, 2 ml	5
✓ Inj 50 mg per ml, 5 ml	5
PHYTOMENADIONE	
✓ Inj 2 mg per 0.2 ml	5
✓ Inj 10 mg per ml, 1 ml	
PIPOTHIAZINE PALMITATE	
✓ Inj 50 mg per ml, 1 ml	5
✓ Inj 50 mg per ml, 2 ml	5
PREDNISOLONE SODIUM PHOSPHATE	
✓ Oral lig 5 mg per ml – See note on	
page 75	30 ml
PREDNISONE	
✓ Tab 5 mg	
PROCAINE PENICILLIN	
✓ Inj 1.5 mega u	5
PROCHLORPERAZINE ✓ Tab 5 mg	30
<ul> <li>✓ Inj 12.5 mg per ml, 1 ml</li> </ul>	
PROMETHAZINE HYDROCHLORIDE ✓ Inj 25 mg per ml, 2 ml	Б
SALBUTAMOL	F
<ul> <li>✓ Inj 500 µg per ml, 1 ml</li> <li>✓ Aerosol inhaler, 100 µg per dose CFC</li> </ul>	5
free	1000 dose
✓ Nebuliser soln, 1 mg per ml, 2.5 ml	
✓ Nebuliser soln, 2 mg per ml, 2.5 ml	
SALBUTAMOL WITH IPRATROPIUM BROM	
Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml	20
	continued

✓ fully subsidised brand available

(

# PRACTITIONER'S AND WHOLESALE SUPPLY ORDERS

(continued)	TRIMETHOPRIM
SILVER SULPHADIAZINE	🖌 Tab 300 mg
✓ Crm 1% with chlorhexidine digluconate	VERAPAMIL HYDROCHLORIDE
0.2%	✔ Inj 2.5 mg per ml, 2 ml5
SODIUM BICARBONATE         ✓ Inj 8.4%, 50ml         ✓ Inj 8.4%, 100 ml         SODIUM CHLORIDE         ✓ Inf 0.9% – See note on page 44	WATER ✓ Purified for inj 2 ml – See note on page 44
✓ Inj 0.9%, 5 ml5 ✓ Inj 0.9%, 10 ml5	✓ Inj 200 mg per ml, 1 ml

# Pharmaceuticals that may be obtained on a Wholesale Supply Order

INTRA-UTERINE DEVICE

MASK FOR SPACER DEVICE ✓ Size 2

PEAK FLOW METER

✓ Low range

Normal range

PREGNANCY TESTS - HCG URINE Cassette

SPACER DEVICE

✓ 230 ml (autoclavable)

✓ 230 ml (single patient)

### **Rural Areas for Practitioner's Supply Orders**

### NORTH ISLAND

#### Northland DHB

Dargaville Hikurangi Kaeo Kaikohe Kaitaia Kawakawa Kerikeri Mangonui Maungaturoto Moerewa Naunauru Paihia Rawene Ruakaka Russell Tutukaka Waipu Whangaroa

#### Waitemata DHB

Helensville Huapai Kumeu Snells Beach Waimauku Warkworth Wellsford

#### Auckland DHB

Great Barrier Island Oneroa Ostend

#### **Counties Manukau DHB** Tuakau Waiuku

Waikato DHB Coromandel Huntly Kawhia Matamata Morrinsville Ngatea Otorohanga Paeroa Pauanui Beach Putaruru Raglan

Tairua Taumarunui Te Aroha Te Kauwhata Te Kuiti Tokoroa Waihi Whangamata Whitianga

#### **Bay of Plenty DHB**

Edgecumbe Katikati Kawerau Murupara Opotiki Taneatua Te Kaha Waihi Beach Whakatane

#### Lakes DHB Mangakino

Turangi

#### Tairawhiti DHB **Ruatoria** Te Araroa

Te Karaka Te Puia Springs Tikitiki Tokomaru Bay Tolaga Bay

#### Taranaki DHB

Eltham Inglewood Manaia Oakura Okato Opunake Patea Stratford Waverley

#### Hawkes Bay DHB

Chatham Islands Waipawa Waipukurau Wairoa Whanganui DHB

Bulls

Marton Ohakune Raetihi Taihape Waiouru MidCentral DHB Dannevirke

Foxton Levin Otaki Pahiatua Shannon Woodville

#### Wairarapa DHB

Carteron Featherston Grevtown Martinborough

# SOUTH ISLAND

#### Nelson/Marlborough DHB Havelock

Mapua Motueka Murchison Picton Takaka Wakefield

# West Coast DHB

Dobson Grevmouth Hokitika Karamea Reefton South Westland Westport Whataroa

## **Canterbury DHB**

Akaroa Amberlev Amuri Cheviot Darfield Diamond Harbour Hanmer Springs Kaikoura

#### Leeston I incoln Methven Oxford Rakaia Rolleston **Rotherham** Templeton Waikari

#### South Canterbury DHB

Fairlie Geraldine Pleasant Point Temuka Twizel Waimate

#### Otago DHB

Alexandra Balclutha Cromwell Kurow I awrence Milton Oamaru Outram Owaka Palmerston Ranfurly Roxburgh Tapanui Wanaka

#### Southland DHB

Gore Lumsden Mataura Ohan Otautau Queenstown Riverton Te Anau Tokonui Tuatapere Winton

# SECTION F: PART I

A Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule:

a) is exempt from any requirement to dispense in Monthly Lots;

b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is Close Control.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a * within the other sections of the Pharmaceutical Schedule:

a) is exempt from any requirement to dispense in Monthly Lots;

b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is Close Control.

# SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

- a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the prescriber has endorsed the Prescription item(s) on the Prescription to which the exemption applies "certified exemption". In endorsing the Prescription items for a certified exemption, the prescriber is certifying that:
  - i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
  - ii) the patient has been stabilised on the same medicine for a reasonable period of time; and

iii) the prescriber has reason to believe the patient will continue on the medicine and is compliant.

b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:

i) have limited physical mobility;

- ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
- iii) are relocating to another area;
- iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

The following Community Pharmaceuticals are identified with a A within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

ALIMENTARY TRACT AND ME INSULIN ASPART	TABOLISM	MUSCULOSKELETAL SYSTEM PYRIDOSTIGMINE BROMIDE
INSULIN GLARGINE		
INSULIN ISOPHANE		NERVOUS SYSTEM
INSULIN ISOPHANE WITH I	NSULIN NEUTRAL	AMANTADINE HYDROCHLORIDE
INSULIN LISPRO		APOMORPHINE HYDROCHLORIDE
INSULIN LISPRO WITH INS	ULIN LISPRO PROTAMINE	ENTACAPONE
INSULIN NEUTRAL		GABAPENTIN
CARDIOVASCULAR SYSTEM		LAMOTRIGINE
AMIODARONE HYDROCHL		LISURIDE HYDROGEN MALEATE
Tab 100 mg Tab 200 mg	Cordarone-X Cordarone-X	PERGOLIDE
DISOPYRAMIDE PHOSPHA	TE	ROPINIROLE HYDROCHLORIDE
FLECAINIDE ACETATE Tab 50 mg	Tambocor	TOLCAPONE
Tab 100 mg	Tambocor	TOPIRAMATE
Cap long-acting 100 mg Cap long-acting 200 mg		VIGABATRIN
MEXILETINE HYDROCHLOI	RIDE	
PROPAFENONE HYDROCH	LORIDE	SENSORY ORGANS BIMATOPROST
HORMONE PREPARATIONS CONTRACEPTIVE HORMONE		BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE
DESMOPRESSIN	-	BRINZOLAMIDE
Nasal drops 100 µg per ml	Minirin	LATANOPROST
Nasal spray 10 µg per	Desmopressin-PH&T	TRAVOPROST

TRAVOPROST

dose

# SECTION G: SAFETY CAP MEDICINES

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

### **Exemptions**

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular
  person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

### Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

# Safety Caps (NZS 5825:1991)

20 mm	. Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
24 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	PDL FG

# SAFETY CAP MEDICINES

ALMENTARY TRACT AND METABOLISM FERROUS SULPHATE Oral lig 50 mg per sin   Feredan       CLONAZEPAM Oral drops 2.5 mg per Rivotril ml         CARDIOVASCULAR SYSTEM AMILORIDE Oral lig 5 mg per ml       Biomed       DIAZEPAM Tab 2 mg       Pro-Pam Tab 5 mg         CAPTOPRIL Oral lig 5 mg per ml       Capoten       DIAZEPAM Tab 2 mg       Pro-Pam Tab 5 mg         CHOROTHIAZIDE Oral lig 50 mg per ml       Capoten       ETHOSUMIDE Oral lig 50 mg per ml       Lanoxin         DIGOXIN Oral lig 50 mg per ml       Lanoxin       Tab 1 mg       Ativan Tab 1 mg         FUROSEMDE Oral lig 50 mg per ml       Lasix       LORMETAEPAM Tab 1 mg       Noctamid         SPIRONOLACTONE Oral lig 5 mg per ml       Biomed       LORMETAEPAM Tab 1 mg       Noctamid         FUROSEMDE Oral lig 5 mg per ml       Biomed       LORMETAEPAM Tab 1 mg       Noctamid         CONTRACEPTIVE HORNONES       LORMETAZEPAM Tab 5 mg       Noctamid         LEVOTHYRONINE Tab 50 µg       Eltroxin Goldshield       METHADONE HYDROCHLORIDE Oral lig 10 mg per ml       Biodone Forte         Oral lig 100 mg per 5 ml       Fenpaed       MIDAZEPAM Tab 2 mg       MIDADE       Praveations)         MUSCULOSKELETAL SYSTEM IBUPROFEN       Fenpaed       MIDAZEPAM Tab 300 mg       Q300       Nitrados         C/Extemporaneously compounded oral liquid preparations)       MORPHINE HYDROCHLORIDE Oral lig 10 mg per 5 ml				
CARDIOVASCULAR SYSTEM       DIAZEPAM         AMILORIDE       Oral liq 1 mg per ml       Biomed         CAPTOPRIL       Tab 5 mg       Pro-Pam         CAPTOPRIL       Tab 10 mg       Pro-Pam         Oral liq 5 mg per ml       Biomed       Tab 10 mg         CHLOROTHIAZIDE       Oral liq 50 mg per ml       Biomed         DIGXIN       CHLOROTHIAZIDE       Oral liq 50 mg per ml       Biomed         DIGXIN       CHORONCHIAZIDE       Oral liq 50 mg per ml       Lanoxin         FUROSEMIDE       Oral liq 50 mg per ml       Lasix       CAPTOPRIL         Oral liq 50 mg per ml       Biomed       Tab 2 mg       Ativan         FUROSEMIDE       Oral liq 50 mg per ml       Biomed       CAPTOPRIL         Oral liq 50 mg per ml       Biomed       CAPTOPRIL       Contal liq 250 mg or 5 ml         Oral liq 50 mg per ml       Biomed       CAPTOPRIL       Contal liq 10 mg per ml       Biodone         Oral liq 50 mg per ml       Biomed       Contal liq 2 mg per ml       Biodone       Cortal liq 10 mg per ml       Biodone       Cortal liq 2 mg per ml       Biodone       Co	FERROUS SULPHATE		Oral drops 2.5 mg per	Rivotril
AMILORIDE       Tab 2 mg       Pro-Pam         Oral liq 1 mg per ml       Biomed       Tab 5 mg       Pro-Pam         CAPTOPRIL       Tab 10 mg       Pro-Pam         Oral liq 5 mg per ml       Capoten       Tab 10 mg       Pro-Pam         CHLOROTHIAZIDE       ETHOSUXIMIDE       Oral liq 50 mg per ml       ETHOSUXIMIDE         DIGOXIN       LORAZEPAM       Tab 1 mg       Ativan         FUROSEMIDE       Oral liq 5 mg per ml       Lanoxin       Tab 1 mg       Ativan         FUROSEMIDE       Oral liq 5 mg per ml       Biomed       LORAZEPAM       Tab 1 mg       Noctamid         FUROSEMIDE       Oral liq 10 mg per ml       Lasix       LORMETAZEPAM       Tab 1 mg       Noctamid         SPIRONOLACTONE       LOVITHROXINE       LORMETAZEPAM       Tab 1 mg       Noctamid         Tab 50 µg       Eltroxin       Goldshield       Oral liq 1 mg per ml       Biodone       Oral liq 10 mg per ml       Biodone         Tab 50 µg       Eltroxin       Goldshield       Oral liq 10 mg per ml       Biodone       Oral liq 10 mg per ml       Biodone         MUSCULOSKELETAL SYSTEM       IBUPROFEN       Goldshield       MORPHINE HVDROCHLORIDE       Oral liq 1 mg per ml       RA-Morph       Oral liq 10 mg per ml       RA-Morph	Orar lig 150 mg per 5 mi	Felouali	1111	
CAPTOPHIL       Capoten       (Extemporaneously compounded oral liquid preparations)         CHLOROTHIAZIDE       FUROSEMIDE       Oral liq 50 µg per ml       Biomed         DIGOXIN       Canoxin       Tab 1 mg       Ativan         Oral liq 50 µg per ml       Lanoxin       Tab 1 mg       Ativan         Oral liq 50 µg per ml       Lanoxin       Tab 1 mg       Ativan         Oral liq 10 mg per ml       Lasix       LORAZEPAM         SPIRONOLACTONE       Cortantia for ger ml       Biomed       LORMETAZEPAM         Oral liq 5 ng per ml       Biomed       Tab 2.5 mg       Ativan         Oral liq 5 ng per ml       Biomed       LORMETAZEPAM       Tab 1 mg       Noctamid         Oral liq 5 ng per ml       Biomed       Cextemporaneously compounded oral liquid preparations)       METHADONE HYDROCHLORIDE         CONTRACEPTIVE HORMONES       Coral liq 2 mg per ml       Biodone       Forte         LEVOTHYROXINE       Goldshield       METHADONE HYDROCHLORIDE       Oral liq 10 mg per ml       Biodone       Forte         MUSCULOSKELETAL SYSTEM       IBUPROFEN       MORPHINE HYDROCHLORIDE       Oral liq 1 mg per ml       RA-Morph         Oral liq 10 ng per 5 ml       Fenpaed       Oral liq 2 mg per ml       RA-Morph         Oral liq 250 µg <t< td=""><td>AMILORIDE</td><td></td><td>Tab 2 mg Tab 5 mg</td><td>Pro-Pam</td></t<>	AMILORIDE		Tab 2 mg Tab 5 mg	Pro-Pam
Oral liq 50 mg per ml       Biomed       Oral liq 250 mg per 5 ml       Zarontin         DIGOXIN       Oral liq 50 µg per ml       Lanoxin       Tab 1 mg       Ativan         FUROSEMIDE       Tab 1 mg       Ativan         Oral liq 50 µg per ml       Lanoxin       Tab 2.5 mg       Ativan         FUROSEMIDE       Tab 2.5 mg       Ativan         Oral liq 50 µg per ml       Lanoxin       Tab 2.5 mg       Ativan         FUROSEMIDE       Coral liq 10 mg per ml       Lasix       Coral liq 10 mg per ml       LoRMETAZEPAM         Oral liq 5 mg per ml       Biomed       Tab 1 mg       Noctamid         Oral liq 20 mg per ml       Biomed       Tab 1 mg       Noctamid         CONTRACEPTIVE HORMONES       EVENTHYROXINE       Coldshield       Tab 100 µg       Eltroxin         Tab 100 µg       Eltroxin       Goldshield       Oral liq 10 mg per ml       Biodone       Oral liq 10 mg per ml       Biodone         MUSCULOSKELETAL SYSTEM       IBUPROFEN       MORPHINE HYDROCHLORIDE       Oral liq 10 mg per ml       RA-Morph         Oral liq 100 mg per 5 ml       Fenpaed       Oral liq 10 mg per ml       RA-Morph         Oral liq 100 mg per 5 ml       Fenpaed       Oral liq 10 mg per ml       RA-Morph         Oral liq 100 mg per 5		Capoten	Ũ	
Oral liq 50 µg per ml       Lanoxin       Tab 1 mg       Ativan         FUROSEMIDE       Image       Ativan         Oral liq 10 mg per ml       Lasix       Tab 2.5 mg       Ativan         SPIRONOLACTONE       Image       Ativan       Tab 2.5 mg       Ativan         Oral liq 10 mg per ml       Lasix       LORMETAZEPAM       Compounded oral liquid preparations)         Oral liq 5 mg per ml       Biomed       LoRMETAZEPAM       Tab 1 mg       Noctamid         HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES       LORMETAZEPAM       Tab 100 µg       Eltroxin         LEVOTHYROXINE       Goldshield       Oral liq 2 mg per ml       Biodone Forte         Tab 100 µg       Eltroxin       Oral liq 2 mg per ml       Biodone Forte         Goldshield       Oral liq 10 mg per sml       Fenpaed       MIDAZOLAM         MUSCULOSKELETAL SYSTEM       IBUPROFEN       MORPHINE HYDROCHLORIDE       Oral liq 1 mg per ml       RA-Morph         Oral liq 100 mg per 5 ml       Fenpaed       Oral liq 2 mg per ml       RA-Morph         Oral liq 100 mg per 5 ml       Fenpaeatoins)       Oral liq 10 mg per ml       RA-Morph         ALPRAZOLAM       Tab 250 µg       Arrow-Alprazolam       Tab 15 mg       Nitrados         REERYOUS SYSTEM		Biomed		Zarontin
Oral liq 10 mg per ml       Lasix       (Extemporaneously compounded oral liquid preparations)         Oral liq 10 mg per ml       Biomed       LORMETAZEPAM         Tab 10 µg       Eltroxin       (Extemporaneously compounded oral liquid preparations)         CONTRACEPTIVE HORMONES       Goldshield       Oral liq 2 mg per ml       Biodone         Tab 50 µg       Eltroxin       Oral liq 10 mg per ml       Biodone         Tab 10 µg       Eltroxin       Oral liq 2 mg per ml       Biodone         Goldshield       Oral liq 10 mg per ml       Biodone Forte         (Extemporaneously compounded oral liquid preparations)       Oral liq 10 mg per ml       Biodone Extra Forte         MUSCULOSKELETAL SYSTEM       IBUPROFEN       MIDAZOLAM       Tab 7.5 mg       Hypnovel         IBUPROFEN       Oral liq 100 mg per 5 ml       Fenpaed       Oral liq 1 mg per ml       RA-Morph         Oral liq 100 mg per 5 ml       Fenpaead       Oral liq 5 mg per ml       RA-Morph         Oral liq 100 mg per 5 ml       Oral liq 10 mg per ml       RA-Morph         Oral liq 10 mg per ml       RA-Morph       Oral liq 10 mg per ml       RA-Morph         Oral liq 10 mg per ml       RA-Morph       Oral liq 10 mg per ml       RA-Morph         ALPRAZOLAM       Tab 10 mg       Arrow-Alprazolam       Tab		Lanoxin		Ativan
Oral liq 5 mg per mlBiomedTab 1 mgNoctamidHORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONESTab 1 mgNoctamidLEVOTHYROXINE Tab 50 µgEltroxin GoldshieldMETHADONE HYDROCHLORIDE Oral liq 2 mg per mlBiodone Oral liq 10 mg per mlTab 100 µgEltroxin GoldshieldOral liq 2 mg per mlBiodone Oral liq 10 mg per mlMUSCULOSKELETAL SYSTEM IBUPROFEN Oral liq 10 mg per 5 mlFenpaedMIDAZOLAM Tab 200 mgHypnovel (Extemporaneously compounded oral liquid preparations)MUSCULOSKELETAL SYSTEM IBUPROFEN Oral liq 10 mg per 5 mlFenpaedMORPHINE HYDROCHLORIDE Oral liq 2 mg per mlMORPHINE HYDROCHLORIDE Oral liq 1 mg per mlMUSCULOSKELETAL SYSTEM IBUPROFEN Oral liq 10 mg per 5 mlMORPHINE HYDROCHLORIDE Oral liq 1 mg per mlMA-Morph Oral liq 2 mg per mlMURCULS SYSTEM (Extemporaneously compounded oral liquid preparations)MORPHINE HYDROCHLORIDE Oral liq 1 mg per mlNat-Morph Oral liq 1 mg per mlNERVOUS SYSTEM (Extemporaneously compounded oral liquid preparations)NITRAZEPAM Tab 500 µgNitrados Arrow-Alprazolam Tab 15 mgALPRAZOLAM Tab 100 mg CARBAMAZEPINE Oral liq 100 mg per 5 mlTegretolOX/AZEPAM Tab 10 mgOX-Pam Tab 10 mgCLOBAZAM Tab 10 mgFrisum (Extemporaneously compounded oral liquid preparations)OXYCODONE HYDROCHLORIDE Oral liq 120 mg per 5 mlOXYCODONE HYDROCHLORIDE Oral liq 120 mg per 5 mlCLOBAZAM Tab 10 mgFrisum (Extemporaneously compounded oral liquid preparations)OXYCODONE HYDROCHLORIDE Oral liq 120 mg		Lasix		
Informations Preparations - STSTEMIC EXCLUDING         CONTRACEPTIVE HORMONES         LEVOTHYROXINE         Tab 50 µg       Eltroxin         Goldshield         Tab 100 µg       Eltroxin         Goldshield       Oral liq 2 mg per ml         Biodone Forte       Oral liq 10 mg per ml         Biodone Forte       Oral liq 10 mg per ml         Biodone Forte       Oral liq 10 mg per ml         BUPROFEN       MORPHINE HYDROCHLORIDE         Oral liq 10 mg per 5 ml       Fenpaed         QUININE SULPHATE       MORPHINE HYDROCHLORIDE         Tab 200 mg       Q 200         Tab 300 mg       Q 300         (Extemporaneously compounded oral liquid preparations)       MORPHINE HYDROCHLORIDE         NERVOUS SYSTEM       MORPHINE HYDROCHLORIDE         ALPRAZOLAM       Tab 500 µg       Arrow-Alprazolam         Tab 500 µg       Arrow-Alprazolam         Tab 10 mg       Arrow-Alprazolam         Tab 10 mg       Arrow-Alprazolam         CARBAMAZEPINE       Oral liq 10 mg per 5 ml         Oral liq 10 mg per 5 ml       Tegretol         Oral liq 10 mg per 5 ml       OxyNorm         CLOBAZAM       Frisium         Tab 10 mg       Frisium <td< td=""><td></td><td>Biomed</td><td>Tab 1 mg</td><td></td></td<>		Biomed	Tab 1 mg	
Tab 50 µgEltroxin GoldshieldOral liq 2 mg per mlBiodoneTab 100 µgEltroxin GoldshieldOral liq 2 mg per mlBiodone ForteTab 100 µgEltroxin GoldshieldOral liq 10 mg per mlBiodone Extra Forte(Extemporaneously compounded oral liquid preparations)MIDAZOLAM Tab 7.5 mgHypnovelMUSCULOSKELETAL SYSTEM IBUPROFENIBUPROFEN Oral liq 100 mg per 5 mlMORPHINE HYDROCHLORIDE Oral liq 2 mg per mlMA-MorphQUININE SULPHATE Tab 200 mgQ 200 Tab 300 mgQ 200 Oral liq 10 mg per mlRA-MorphQUININE SULPHATE Tab 200 mgQ 200 Q 300Oral liq 2 mg per mlRA-MorphQUININE SULPHATE Tab 200 mgQ 200 Q 300Oral liq 10 mg per mlRA-MorphQLIRADON Tab 300 mgQ 300 Q 300Oral liq 10 mg per mlRA-Morph(Extemporaneously compounded oral liquid preparations)NITRAZEPAM Tab 500 µgNitrados ALPRAZOLAMTab 500 µgArrow-Alprazolam Tab 10 mgOx/AZEPAM Tab 15 mgOx-Pam Tab 15 mgCARBAMAZEPINE Oral liq 100 mg per 5 mlOXYCODONE HYDROCHLORIDE Oral liq 100 mg per 5 mlOXYCODONE HYDROCHLORIDE Oral liq 5 mg per 5 mlCLOBAZAM Tab 10 mgFrisium (Extemporaneously compounded oral liquid preparations)OXYCODONE HYDROCHLORIDE Oral liq 20 mg per 5 mlOXYNormCLOBAZAM Tab 10 mgFrisium (Extemporaneously compounded oral liquid preparations)OXYCODONE HYDROCHLORIDE Oral liq 20 mg per 5 mlOXYNorm	CONTRACEPTIVE HORMONE		(Extemporaneously compounded oral liquid preparation	
Lick of pgLick of pgBiodone ForteTab 100 µgEltroxin GoldshieldOral liq 5 mg per mlBiodone ForteTab 100 µgEltroxin GoldshieldOral liq 10 mg per mlBiodone Extra Forte(Extemporaneously compounded oral liquid preparations)MIDAZOLAM Tab 7.5 mgHypnovelMUSCULOSKELETAL SYSTEM IBUPROFENIBUPROFENMORPHINE HYDROCHLORIDE Oral liq 100 mg per 5 mlMORPHINE HYDROCHLORIDE Oral liq 2 mg per mlMORPHINE HYDROCHLORIDE Oral liq 10 mg per mlNERVOUS SYSTEMKERVOUS SYSTEM Tab 250 µgArrow-Alprazolam Tab 550 µgNitrados Arrow-Alprazolam Tab 550 µgNitrados Arrow-Alprazolam Tab 10 mgOXAZEPAM Tab 15 mgOX-Pam Tab 15 mgCARBAMAZEPINE Oral liq 100 mg per 5 mlCARBAMAZEPINE Oral liq 100 mg per 5 mlOXYCODONE HYDROCHLORIDE OXYCODONE HYDROCHLORIDE Oral liq 100 mg per 5 mlOXYNormCLOBAZAM Tab 10 mgFrisium (Extemporaneously compounded oral liquid preparations)OXYCODONE HYDROCHLORIDE Oral liq 20 mg per 5 mlOXYNormCLOBAZAM Tab 10 mgFrisium (Extemporaneously compounded oral liquid preparations)OXYCODONE HYDROCHLORIDE Oral liq 20 mg per 5 mlOXYNorm				
Tab 100 µgEltroxin GoldshieldOral liq 10 mg per mlBiodone Extra Forte(Extemporaneously compounded oral liquid preparations)MIDAZOLAM Tab 7.5 mgHypnovel (Extemporaneously compounded oral liquid preparations)MUSCULOSKELETAL SYSTEM IBUPROFEN Oral liq 100 mg per 5 mlFenpaedMORPHINE HYDROCHLORIDE Oral liq 2 mg per mlMA-MorphQUININE SULPHATE Tab 200 mg (Extemporaneously compounded oral liquid preparations)MORPHINE HYDROCHLORIDE Oral liq 2 mg per mlMA-MorphQUININE SULPHATE Tab 200 mg (Extemporaneously compounded oral liquid preparations)Oral liq 10 mg per mlRA-MorphNERVOUS SYSTEM (Extemporaneously compounded oral liquid preparations)NITRAZEPAM Tab 500 µgNitrados (Extemporaneously compounded oral liquid preparations)NERVOUS SYSTEM (Extemporaneously compounded oral liquid preparations)OXAZEPAM Tab 10 mgOx-Pam Tab 10 mgCARBAMAZEPINE Oral liq 100 mg per 5 mlCARBAMAZEPINE Oral liq 100 mg per 5 mlOXYCODONE HYDROCHLORIDE Oral liq 5 mg per 5 mlOXYCODONE HYDROCHLORIDE Oral liq 5 mg per 5 mlCLOBAZAM Tab 10 mgFrisium (Extemporaneously compounded oral liquid preparations)OXYCODONE HYDROCHLORIDE Oral liq 100 mg per 5 mlOXYCODONE HYDROCHLORIDE Oral liq 120 mg per 5 ml	Tab 50 µg			
Itel too pgColdshield Goldshield(Extemporaneously compounded oral liquid preparations)MIDAZOLAM Tab 7.5 mgMUSCULOSKELETAL SYSTEM IBUPROFEN Oral liq 100 mg per 5 mlFenpaedOral liq 100 mg per 5 mlFenpaedQUININE SULPHATE Tab 200 mg Tab 300 mgQ 200 Q 300Citetemporaneously compounded oral liquid preparations)Oral liq 1 mg per mlRA-Morph Oral liq 5 mg per mlRA-Morph Oral liq 5 mg per mlRA-Morph Tab 300 mgQ 300(Extemporaneously compounded oral liquid preparations)NITRAZEPAM Tab 5 mgNERVOUS SYSTEM ALPRAZOLAM Tab 250 µgArrow-Alprazolam Arrow-Alprazolam Tab 1 mg(Extemporaneously compounded oral liquid preparations)OXAZEPAM Tab 10 mgCARBAMAZEPINE Oral liq 100 mg per 5 mlTegretolCLBAZAM Tab 10 mgFrisium (Extemporaneously compounded oral liquid preparations)CARBAMAZEPINE Oral liq 100 mg per 5 mlOXYCODONE HYDROCHLORIDE Oral liq 100 mg per 5 mlOXYCODONE HYDROCHLORIDE Oral liq 120 mg per 5 mlOXYNOrmPARACETAMOL Oral liq 120 mg per 5 mlParacare Junior		Goldshield		
(Extemporaneously compounded oral liquid preparations)       MIDAZOLAM Tab 7.5 mg       Hypnovel         MUSCULOSKELETAL SYSTEM IBUPROFEN Oral liq 100 mg per 5 ml       Fenpaed       MORPHINE HYDROCHLORIDE Oral liq 1 mg per ml       MORPHINE HYDROCHLORIDE Oral liq 2 mg per ml       MORPHINE HYDROCHLORIDE Oral liq 2 mg per ml       MA-Morph         QUININE SULPHATE Tab 200 mg       Q 200 Q 300       Oral liq 2 mg per ml       RA-Morph         (Extemporaneously compounded oral liquid preparations)       Oral liq 2 mg per ml       RA-Morph         (Extemporaneously compounded oral liquid preparations)       Oral liq 10 mg per ml       RA-Morph         NERVOUS SYSTEM ALPRAZOLAM Tab 500 µg       Arrow-Alprazolam Tab 500 µg       Nitrados         (Extemporaneously compounded oral liquid preparations)       OXAZEPAM Tab 1 mg       OX-Pam Tab 10 mg         CARBAMAZEPINE Oral liq 100 mg per 5 ml       Tegretol       OXYCODONE HYDROCHLORIDE Oral liq 5 mg per 5 ml       OXYNorm         CLOBAZAM Tab 10 mg       Frisium (Extemporaneously compounded oral liquid preparations)       PARACETAMOL Oral liq 120 mg per 5 ml       Paracare Junior	Tab 100 µg	Eltroxin	Oral liq 10 mg per ml	Biodone Extra Forte
(Extemporaneously compounded oral liquid preparations)       Tab 7.5 mg       Hypnovel         MUSCULOSKELETAL SYSTEM       IBUPROFEN       (Extemporaneously compounded oral liquid preparations)         Oral liq 100 mg per 5 ml       Fenpaed       MORPHINE HYDROCHLORIDE         Oulinine SULPHATE       Oral liq 2 mg per ml       RA-Morph         Tab 200 mg       Q 200       Oral liq 10 mg per ml       RA-Morph         Tab 300 mg       Q 300       Oral liq 10 mg per ml       RA-Morph         (Extemporaneously compounded oral liquid preparations)       NITRAZEPAM       Tab 5 mg       Nitrados         NERVOUS SYSTEM       (Extemporaneously compounded oral liquid preparations)       OXAZEPAM       Tab 5 mg       OX-Pam         Tab 1 mg       Arrow-Alprazolam       Tab 10 mg       Ox-Pam       Tab 15 mg       OX-Pam         (Extemporaneously compounded oral liquid preparations)       OXAZEPAM       Tab 10 mg       OX-Pam         (Extemporaneously compounded oral liquid preparations)       OXYCODONE HYDROCHLORIDE       OXYCODONE HYDROCHLORIDE         Oral liq 100 mg per 5 ml       Tegretol       OXYCODONE HYDROCHLORIDE       OxyNorm         CLOBAZAM       Fisium       PARACETAMOL       Oral liq 120 mg per 5 ml       Paracare Junior		Goldshield		
MUSCULOSKELETAL SYSTEM       (Extemporaneously compounded oral liquid preparations)         IBUPROFEN       Oral liq 100 mg per 5 ml       Fenpaed         Oral liq 100 mg per 5 ml       Fenpaed       Oral liq 1 mg per ml       RA-Morph         QUININE SULPHATE       Oral liq 2 mg per ml       RA-Morph         Tab 200 mg       Q 200       Oral liq 1 0 mg per ml       RA-Morph         Tab 300 mg       Q 300       Oral liq 10 mg per ml       RA-Morph         (Extemporaneously compounded oral liquid preparations)       NITRAZEPAM       Tab 5 mg       Nitrados         NERVOUS SYSTEM       (Extemporaneously compounded oral liquid preparations)       OXAZEPAM       Tab 5 mg       OXAZEPAM         Tab 10 mg       Arrow-Alprazolam       Tab 10 mg       OX-Pam       Tab 15 mg       OX-Pam         (Extemporaneously compounded oral liquid preparations)       OXYCODONE HYDROCHLORIDE       OXYCODONE HYDROCHLORIDE       OXYCODONE HYDROCHLORIDE         Oral liq 100 mg per 5 ml       Tegretol       OXYCODONE HYDROCHLORIDE       OXYOODNE       OXYOODNE HYDROCHLORIDE         Oral liq 100 mg per 5 ml       Teisum       PARACETAMOL       Oral liq 120 mg per 5 ml       Paracare Junior	(Extemporaneously compounded	ed oral liquid preparations)		Hypnoval
MUSCULOSKELETAL SYSTEM         IBUPROFEN         Oral liq 100 mg per 5 ml       Fenpaed         QUININE SULPHATE       Oral liq 100 mg per 1 mg         Tab 200 mg       Q 200         Tab 300 mg       Q 300         (Extemporaneously compounded oral liquid preparations)       Oral liq 1 mg per ml         NERVOUS SYSTEM       Oral liq 10 mg per s ml         ALPRAZOLAM       Tab 250 µg         Tab 200 µg       Arrow-Alprazolam         Tab 1 mg       Arrow-Alprazolam         Tab 1 mg       Arrow-Alprazolam         (Extemporaneously compounded oral liquid preparations)       OXAZEPAM         CLOBAZAM       Tab 10 mg       OX-Pam         Tab 10 mg       Frisium       OXYCODONE HYDROCHLORIDE         Oral liq 100 mg per 5 ml       Tegretol       OXYCODONE HYDROCHLORIDE         Oral liq 100 mg per 5 ml       Tegretol       OXYCODONE HYDROCHLORIDE         Oral liq 100 mg per 5 ml       Frisium       Oral liq 120 mg per 5 ml       Paracare Junior			0	
Oral liq 100 mg per S miFenpaedOral liq 1 mg per mlRA-MorphQUININE SULPHATEOral liq 2 mg per mlRA-MorphTab 200 mgQ 200Oral liq 5 mg per mlRA-MorphTab 300 mgQ 300Oral liq 1 0 mg per mlRA-Morph(Extemporaneously compounded oral liquid preparations)NITRAZEPAMNITRAZEPAMALPRAZOLAMTab 250 µgArrow-AlprazolamTab 5 mgNitradosALPRAZOLAMTab 500 µgArrow-AlprazolamOXAZEPAMTab 1 mgArrow-AlprazolamTab 10 mgOx-Pam(Extemporaneously compounded oral liquid preparations)OXAZEPAMTab 10 mgCLOBAZAMTab 10 mgFrisiumOXYCODONE HYDROCHLORIDEOral liq 100 mg per 5 mlTegretolOXYCCDONE HYDROCHLORIDECLOBAZAMFrisiumOXPACETAMOLGextemporaneously compounded oral liquid preparations)OXYCODONE HYDROCHLORIDEOral liq 100 mgFrisiumOXPACETAMOLOral liq 120 mg per 5 mlParacare Junior		М		
QUININE SULPHATEOral liq 1 mg per miRA-MorphTab 200 mgQ 200Oral liq 2 mg per miRA-MorphTab 200 mgQ 300Oral liq 10 mg per miRA-Morph(Extemporaneously compounded oral liquid preparations)Oral liq 10 mg per miRA-MorphNERVOUS SYSTEMNITRAZEPAMALPRAZOLAMTab 500 µgArrow-AlprazolamTab 1 mgArrow-AlprazolamTab 10 mgTab 1 mgArrow-Alprazolam(Extemporaneously compounded oral liquid preparations)OXAZEPAMCLOBAZAMTag to mg per 5 mlTegretolOral liq 100 mg per 5 mlTegretolOXYCODONE HYDROCHLORIDEOral liq 100 mgFrisiumOXYCODONE HYDROCHLORIDEOral liq 100 mgFrisiumPARACETAMOLOral liq 120 mg per 5 mlParacare Junior	Oral lig 100 mg per 5 ml	Fenpaed		
Tab 200 mgQ 200Oral liq 5 mg per mlRA-MorphTab 300 mgQ 300Oral liq 5 mg per mlRA-Morph(Extemporaneously compounded oral liquid preparations)NITRAZEPAMNERVOUS SYSTEMTab 500 µgArrow-AlprazolamTab 500 µgArrow-AlprazolamOXAZEPAMTab 1 mgArrow-AlprazolamTab 10 mg(Extemporaneously compounded oral liquid preparations)OXAZEPAMCktemporaneously compounded oral liquid preparations)OXAZEPAMCLOBAZAMTab 10 mgFrisiumCLOBAZAMFrisium(Extemporaneously compounded oral liquid preparations)OXYCODONE HYDROCHLORIDEOral liq 100 mg per 5 mlTegretolCLOBAZAMFrisium(Extemporaneously compounded oral liquid preparations)OXYCODONE HYDROCHLORIDEOral liq 100 mgFrisium(Extemporaneously compounded oral liquid preparations)OXYCODONE HYDROCHLORIDEOral liq 100 mg per 5 mlPARACETAMOLOral liq 120 mg per 5 mlParacare Junior			1 01	
Tab 300 mgQ 300Oral liq 10 mg per mlRA-Morph(Extemporaneously compounded oral liquid preparations)NITRAZEPAM Tab 5 mgNitradosNERVOUS SYSTEM ALPRAZOLAM Tab 250 µgArrow-Alprazolam Arrow-Alprazolam Tab 1 mgArrow-Alprazolam Arrow-Alprazolam Tab 1 mgOXAZEPAM Tab 10 mgOX-Pam Tab 10 mg(Extemporaneously compounded oral liquid preparations)OXAZEPAM Tab 10 mgOX-Pam Tab 15 mgOX-Pam Tab 10 mgCARBAMAZEPINE Oral liq 100 mg per 5 mlTegretolOXYCODONE HYDROCHLORIDE Oral liq 5 mg per 5 mlOXYCODONE HYDROCHLORIDE Oral liq 20 mg per 5 mlCLOBAZAM Tab 10 mgFrisium (Extemporaneously compounded oral liquid preparations)OXYCODONE HYDROCHLORIDE Oral liq 20 mg per 5 mlOXYNorm		_		
(Extemporaneously compounded oral liquid preparations)       NITRAZEPAM         NERVOUS SYSTEM       Tab 500 µg         ALPRAZOLAM       Tab 250 µg         Tab 500 µg       Arrow-Alprazolam         Tab 1 mg       Arrow-Alprazolam         Tab 1 mg       Arrow-Alprazolam         (Extemporaneously compounded oral liquid preparations)       OXAZEPAM         Carbon Liquid preparations)       Tab 10 mg         Oxazepam       Ox-Pam         Tab 1 mg       Arrow-Alprazolam         (Extemporaneously compounded oral liquid preparations)       OXAZEPAM         Carbon Liquid preparations)       Tab 10 mg         CARBAMAZEPINE       OXYCODONE HYDROCHLORIDE         Oral liq 100 mg per 5 ml       Tegretol         CLOBAZAM       Frisium         Tab 10 mg       Frisium         (Extemporaneously compounded oral liquid preparations)       OXYCODONE HYDROCHLORIDE         Oral liq 100 mg per 5 ml       Paracare Junior			1 01	
NERVOUS SYSTEM       Tab 5 mg       Nitrados         ALPRAZOLAM       Tab 250 µg       Arrow-Alprazolam       Carbon and the state of the	0		Oral liq 10 mg per mi	RA-Morph
NERVOUS SYSTEM       Tab 5 mg       Nitrados         ALPRAZOLAM       (Extemporaneously compounded oral liquid preparations)       OXAZEPAM         Tab 250 µg       Arrow-Alprazolam       OXAZEPAM         Tab 500 µg       Arrow-Alprazolam       Tab 10 mg       Ox-Pam         Tab 1 mg       Arrow-Alprazolam       Tab 10 mg       Ox-Pam         (Extemporaneously compounded oral liquid preparations)       OXAZEPAM       Tab 10 mg       Ox-Pam         (Extemporaneously compounded oral liquid preparations)       OXYCODONE HYDROCHLORIDE       OXYONOR         CLOBAZAM       Tab 10 mg       Frisium       OXYCODONE HYDROCHLORIDE       OxyNorm         (Extemporaneously compounded oral liquid preparations)       OXYCODONE HYDROCHLORIDE       Oral liq 5 mg per 5 ml       OxyNorm	(Extemporaneously compounde	ed oral liquid preparations)	NITRAZEPAM	
NERVOUS SYSTEM       (Extemporaneously compounded oral liquid preparations)         ALPRAZOLAM       Tab 250 µg       Arrow-Alprazolam         Tab 250 µg       Arrow-Alprazolam       OXAZEPAM         Tab 500 µg       Arrow-Alprazolam       Tab 10 mg       Ox-Pam         Tab 1 mg       Arrow-Alprazolam       Tab 10 mg       Ox-Pam         (Extemporaneously compounded oral liquid preparations)       Tab 10 mg       Ox-Pam         (Extemporaneously compounded oral liquid preparations)       OXYCODONE HYDROCHLORIDE       OxyNorm         CLOBAZAM       Tab 10 mg       Frisium       OXYCODONE HYDROCHLORIDE       Oral liq 5 mg per 5 ml         (Extemporaneously compounded oral liquid preparations)       OXYCODONE HYDROCHLORIDE       Oral liq 5 mg per 5 ml       OxyNorm				Nitrados
Tab 500 µg       Arrow-Alprazolam       OXAZEPAM         Tab 1 mg       Arrow-Alprazolam       Tab 10 mg       Ox-Pam         (Extemporaneously compounded oral liquid preparations)       Tab 10 mg       Ox-Pam         CARBAMAZEPINE Oral liq 100 mg per 5 ml       Tegretol       OXYCODONE HYDROCHLORIDE Oral liq 5 mg per 5 ml       OXYNorm         CLOBAZAM Tab 10 mg       Frisium       PARACETAMOL Oral liq 120 mg per 5 ml       Paracare Junior			0	
Tab 500 µgArrow-AlprazolamTab 10 mgOx-PamTab 1 mgArrow-AlprazolamTab 10 mgOx-Pam(Extemporaneously compounded oral liquid preparations)Tab 15 mgOx-Pam(Extemporaneously compounded oral liquid preparations)CARBAMAZEPINE Oral liq 100 mg per 5 mlOXYCODONE HYDROCHLORIDE Oral liq 5 mg per 5 mlOXYNormCLOBAZAM Tab 10 mgFrisium (Extemporaneously compounded oral liquid preparations)OXYCCDONE HYDROCHLORIDE Oral liq 5 mg per 5 mlOxyNormCLOBAZAM (Extemporaneously compounded oral liquid preparations)PARACETAMOL Oral liq 120 mg per 5 mlParacare Junior	Tab 250 µg	Arrow-Alprazolam	OVAZEDANA	
Iab 1 mg       Arrow-Alprazolam         (Extemporaneously compounded oral liquid preparations)       Tab 15 mg       Ox-Pam         (Extemporaneously compounded oral liquid preparations)       Tab 15 mg       Ox-Pam         CARBAMAZEPINE Oral liq 100 mg per 5 ml       Tegretol       OXYCODONE HYDROCHLORIDE Oral liq 5 mg per 5 ml       OXYNorm         CLOBAZAM Tab 10 mg       Frisium       PARACETAMOL Oral liq 120 mg per 5 ml       Paracare Junior	Tab 500 µg	Arrow-Alprazolam		Ou Dam
(Extemporaneously compounded oral liquid preparations)       (Extemporaneously compounded oral liquid preparations)         CARBAMAZEPINE Oral liq 100 mg per 5 ml       Tegretol         CLOBAZAM Tab 10 mg       Frisium Frisium         (Extemporaneously compounded oral liquid preparations)	Tab 1 mg	Arrow-Alprazolam	0	•••••
CARBAMAZEPINE       OXYCODONE HYDROCHLORIDE         Oral liq 100 mg per 5 ml       Tegretol         CLOBAZAM       Oxal liq 5 mg per 5 ml         Tab 10 mg       Frisium         (Extemporaneously compounded oral liquid preparations)	(Extemporaneously compounde	ed oral liquid preparations)		• • • • • • • • • • • • • • • • • • • •
Oral liq 100 mg per 5 ml       Tegretol       OXYCODONE HYDROCHLORIDE         Oral liq 100 mg per 5 ml       OxyNorm         CLOBAZAM       Tab 10 mg       Frisium         (Extemporaneously compounded oral liquid preparations)       PARACETAMOL       Oral liq 120 mg per 5 ml		, , , , ,	(Extemporaneously compounde	ed oral liquid preparations)
CLOBAZAM Tab 10 mg Frisium (Extemporaneously compounded oral liquid preparations) PARACETAMOL Oral liq 120 mg per 5 ml Paracare Junior		Tegretol		
Tab 10 mg         Frisium         PARACETAMOL           (Extemporaneously compounded oral liquid preparations)         Oral liq 120 mg per 5 ml         Paracare Junior			oraning oring por orini	- All the second s
(Extemporaneously compounded oral liquid preparations) Oral liq 120 mg per 5 ml Paracare Junior		Frisium	PARACETAMOL	
	0		1 01	

# SAFETY CAP MEDICINES

PHENYTOIN SODIUM Oral liq 30 mg per 5 ml Dilantin

SODIUM VALPROATE Oral liq 200 mg per 5 ml

Epilim S/F Liquid Epilim Syrup

### TEMAZEPAM

 Tab 10 mg
 Normison

 (Extemporaneously compounded oral liquid preparations)

TRIAZOLAM Tab 125 µg Hypam Tab 250 µg Hypam (Extemporaneously compounded oral liquid preparations)

#### **RESPIRATORY SYSTEM AND ALLERGIES**

CETIRIZINE HYDROCHLORIDE Oral liq 1 mg per ml Cetirizine - AFT

CHLORPHENIRAMINE MALEATE Oral liq 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE Oral liq 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHLORIDE Oral liq 5 mg per 5 ml Phenergan SALBUTAMOL Oral liq 2 mg per 5 ml Salapin

THEOPHYLLINE Oral liq 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE Oral liq 30 mg per 5 ml Vallergan Forte

#### EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE Powder Douglas (Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE Powder AFT (Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM Powder MidWest (Extemporaneously compounded oral liquid preparations)

- Symbols -
3TC93
- A -
A-Lices64
Abacavir sulphate92
Abacavir sulphate with
lamivudine92
Abilify119
Acarbose29
ACB52
Accu-Chek Performa32
Accupril50
Accuretic 1050
Accuretic 2050
Acebutolol52
Acetazolamide156
Acetic acid with 1, 2- propanediol
diacetate and
benzethonium154
Acetic acid with hydroxyquinoline
and ricinoleic acid73
Acetylcysteine164
Aci-Jel73
Aciclovir
Infection89-90
Sensory154
Acidex25
Acipimox45
Acitretin65
Actigall33
Actos
Actrapid
Actrapid Penfill
Acupan106
Adalat 1054
Adalat Oros54
Adalimumab101
Adefin XL
Adefovir dipivoxil
Adrenaline
Advantan
AFT-Pyrazinamide
Agents Affecting the Renin-Angiotensin System49
Agents Used in the Treatment of
Poisonings
Agrylin
Alanase152 Albay147
Albustix159
Aldara67
Alendronate sodium 103–104

Alendronate sodium with
cholecalciferol 103
Alfacalcidol
Alginic acid25
Alitraq175
Alkeran
Allersoothe148
Allopurinol104
Alpha Adrenoceptor Blockers49
Alpha tocopheryl acetate
Alpha-Bromocriptine
Alpha-Keri Lotion
Alprazolam
Alu-Tab
Aluminium hydroxide25
Amantadine hydrochloride
Amiloride
Amiloride with frusemide
Amiloride with Amiloride with
hydrochlorothiazide
Aminophylling 151
Aminophylline151 Amiodarone hydrochloride51
Amirol
Amisulpride119
Amitrip
Amitriptyline
Amizide
Amlodipine
Amorolfine
Amoxycillin
Amoxycillin clavulanate
Amphotericin B
Ampliolericiii D
Amyl nitrite
Anabolic Agents
Anaesthetics106 Anagrelide hydrochloride135
Analgesics
Anastrozole
Anastrozole-DP140
Androderm
Antabuse
Antacids and Antiflatulants
Anten
Anthelmintics
Anti-inflammatory Non Steroidal
Drugs (NSAIDs)
Antiache Preparations58 Antiallergy Preparations147
Antianergy Preparations147
Antianaemics
Antiandrogen Oral Contraceptives72
Antiarrhythmics51

Antibacterials
Antichalinectoreses 00
Anticholinesterases
Antidepressants109
Antidiarrhoeals25
Antiepilepsy Drugs111
Antifibrinolytics, Haemostatics
and Local Sclerosants 41
Antifungals88
Antifungals Topical
Antihaemorrhoidals26
Antihistamines147
Antihypotensives52
Antimalarials
Antimigraine Preparations115
Antinaus116
Antinausea and Vertigo
Agents 115
Antiparkinson Agents117
Antipruritic Preparations60
Antipsychotics119
Antiretrovirals91
Antiretrovirals - Additional
Therapies
Antirheumatoid Agents100
Antispasmodics and Other
Agents Altering Gut
Motility 27
Motility27
Motility
Motility       27         Antithrombotic Agents       41         Antithymocyte globulin       143         (equine)       143         Antitrichomonal Agents       89         Antituberculotics and       89         Antileprotics       89         Antiucerants       27         Antivirals       89
Motility       27         Antithrombotic Agents       41         Antithymocyte globulin       143         (equine)       143         Antitrichomonal Agents       89         Antituberculotics and       89         Antiuleprotics       89         Antiulcerants       27         Antivirals       89         Anusol       26
Motility       27         Antithrombotic Agents       41         Antithymocyte globulin       (equine)         (equine)       143         Antitrichomonal Agents       89         Antituberculotics and       89         Antileprotics       89         Antiulecrants       27         Antivirals       89         Anusol       26         Anxiolytics       123
Motility       27         Antithrombotic Agents       41         Antithymocyte globulin       (equine)         (equine)       143         Antitrichomonal Agents       89         Antituberculotics and       89         Antileprotics       89         Antilecrants       27         Antivirals       89         Anusol       26         Anxiolytics       123         Apo-Allopurinol       104
Motility       27         Antithrombotic Agents       41         Antithymocyte globulin       (equine)         (equine)       143         Antitrichomonal Agents       89         Antituberculotics and       89         Antileprotics       89         Antilecrants       27         Antivirals       89         Anusol       26         Anxiolytics       123         Apo-Allopurinol       104         Apo-Amlodipine       54
Motility       27         Antithrombotic Agents       41         Antithymocyte globulin       (equine)         (equine)       143         Antitrichomonal Agents       89         Antituberculotics and       89         Antileprotics       89         Antiulcerants       27         Antivirals       89         Ansol       26         Anxiolytics       123         Apo-Anlodipine       54         Apo-Amoxi       86
Motility       27         Antithrombotic Agents       41         Antithrombotic Agents       41         Antithymocyte globulin       (equine)         (equine)       143         Antitrichomonal Agents       89         Antituberculotics and       89         Antileprotics       89         Antiucerants       27         Antivirals       89         Anusol       26         Anxiolytics       123         Apo-Allopurinol       104         Apo-Amlodipine       54         Apo-Amoxi       86         Apo-Ascorbic Acid       37
Motility       27         Antithrombotic Agents       41         Antithymocyte globulin       (equine)         (equine)       143         Antitrichomonal Agents       89         Antituberculotics and       89         Antileprotics       89         Antiulcerants       27         Antivirals       89         Ansol       26         Anxiolytics       123         Apo-Allopurinol       104         Apo-Amoxi       86         Apo-Ascorbic Acid       37         Apo-B-Complex       37
Motility       27         Antithrombotic Agents       41         Antithymocyte globulin       (equine)         (equine)       143         Antitrichomonal Agents       89         Antituberculotics and       89         Antileprotics       89         Antiucerants       27         Antivirals       89         Ansol       26         Anxiolytics       123         Apo-Allopurinol       104         Apo-Amoxi       86         Apo-Ascorbic Acid       37         Apo-B-Complex       37         Apo-Captopril       49
Motility       27         Antithrombotic Agents       41         Antithymocyte globulin       (equine)         (equine)       143         Antitrichomonal Agents       89         Antituberculotics and       89         Antileprotics       89         Antiulcerants       27         Antivirals       89         Ansol       26         Anxiolytics       123         Apo-Allopurinol       104         Apo-Amoxi       86         Apo-Ascorbic Acid       37         Apo-B-Complex       37         Apo-Captopril       49         Apo-Cimetidine       27
Motility       27         Antithrombotic Agents       41         Antithymocyte globulin       (equine)         (equine)       143         Antitrichomonal Agents       89         Antituberculotics and       89         Antileprotics       89         Antiulcerants       27         Antivirals       89         Ansol       26         Anxiolytics       123         Apo-Allopurinol       104         Apo-Amoxi       86         Apo-Ascorbic Acid       37         Apo-Complex       37         Apo-Complex       37         Apo-Complex       37         Apo-Cimetidine       27         Apo-Cimetidine       27
Motility       27         Antithrombotic Agents       41         Antithrombotic Agents       41         Antithymocyte globulin       (equine)         (equine)       143         Antitrichomonal Agents       89         Antituberculotics and       89         Antileprotics       89         Antivirals       89         Ansol       26         Ansolytics       123         Apo-Allopurinol       104         Apo-Allopurinol       104         Apo-Amoxi       86         Apo-Ascorbic Acid       37         Apo-Complex       37         Apo-Complex       37         Apo-Clopidogrel       41         Apo-Diclo       99
Motility       27         Antithrombotic Agents       41         Antithymocyte globulin       (equine)         (equine)       143         Antitrichomonal Agents       89         Antituberculotics and       89         Antileprotics       89         Antivirals       89         Antivirals       89         Antivirals       89         Antosol       26         Anxiolytics       123         Apo-Allopurinol       104         Apo-Amoxi       86         Apo-Ascorbic Acid       37         Apo-Ascorbic Acid       37         Apo-Captopril       49         Apo-Cimetidine       27         Apo-Clopidogrel       41         Apo-Diclo       99
Motility       27         Antithrombotic Agents       41         Antithrombotic Agents       41         Antithrombotic Agents       41         Antithrombotic Agents       89         Antitrichomonal Agents       89         Antituberculotics and       89         Antileprotics       89         Antivirals       89         Antivirals       89         Anusol       26         Anxiolytics       123         Apo-Allopurinol       104         Apo-Amoxi       86         Apo-Ascorbic Acid       37         Apo-Ascorbic Acid       37         Apo-Captopril       49         Apo-Cipoidogrel       41         Apo-Diclo       99         Apo-Diclo SR       99         Apo-Doxazosin       49
Motility       27         Antithrombotic Agents       41         Antithrombotic Agents       41         Antithromoord Agents       89         Antitrichomonal Agents       89         Antituberculotics and       89         Antileprotics       89         Antileprotics       89         Antivirals       89         Anusol       26         Anxiolytics       123         Apo-Allopurinol       104         Apo-Amoxi       86         Apo-Ascorbic Acid       37         Apo-B-Complex       37         Apo-Captopril       49         Apo-Cimetidine       27         Apo-Cimetidine       27         Apo-Diclo       99         Apo-Diclo SR       99         Apo-Folic Acid       40
Motility       27         Antithrombotic Agents       41         Antithrombotic Agents       41         Antithrombotic Agents       41         Antithrombotic Agents       89         Antitrichomonal Agents       89         Antituberculotics and       89         Antileprotics       89         Antivirals       89         Antivirals       89         Anusol       26         Anxiolytics       123         Apo-Allopurinol       104         Apo-Amoxi       86         Apo-Ascorbic Acid       37         Apo-Ascorbic Acid       37         Apo-Captopril       49         Apo-Cipoidogrel       41         Apo-Diclo       99         Apo-Diclo SR       99         Apo-Doxazosin       49

Apo-Ipravent152
Apo-Moclobemide110
Apo-Nadolol53
Apo-Nicotinic Acid45
Apo-Oxybutynin74
Apo-Prazo49
Apo-Prednisone76
Apo-Primidone113
Apo-Pyridoxine
Apo-Selegiline118
Apo-Terazosin49
Apo-Terbinafine
Apo-Thiamine
Apo-Timol54
Apo-Timop155
Apo-Zopiclone126
Apomine117
Apomorphine hydrochloride117
Applicator69
Apresoline57
Aquasun 30+67
Aquasun Oil Free Faces
SPF30+
Aquasun Sensitive SPF 30+67
Aqueous cream63
Aratac51
Arava100
Arimidex140
Aripiprazole119
Aristocort62
Aromasin141
Arrow-Alprazolam123
Arrow Azithromyoin 95
Allow-Azithioniyoni
Arrow-Azithromycin
Arrow-Citalopram110 Arrow-Lamotrigine113
Arrow-Citalopram110 Arrow-Lamotrigine113 Arrow-Lisinopril50
Arrow-Citalopram110 Arrow-Lamotrigine113
Arrow-Citalopram110 Arrow-Lamotrigine113 Arrow-Lisinopril50
Arrow-Citalopram       110         Arrow-Lamotrigine       113         Arrow-Lisinopril       50         Arrow-Metformin       30
Arrow-Citalopram       110         Arrow-Lamotrigine       113         Arrow-Lisinopril       50         Arrow-Metformin       30         Arrow-Nifedipine XR       54
Arrow-Citalopram       110         Arrow-Lamotrigine       113         Arrow-Lisinopril       50         Arrow-Metformin       30         Arrow-Nifedipine XR       54         Arrow-Norfloxacin       98
Arrow-Citalopram       110         Arrow-Lamotrigine       113         Arrow-Lisinopril       50         Arrow-Metformin       30         Arrow-Nifedipine XR       54         Arrow-Norfloxacin       98         Arrow-Ranitidine       27
Arrow-Citalopram110Arrow-Lamotrigine113Arrow-Lisinopril50Arrow-Metformin30Arrow-Nifedipine XR54Arrow-Norfloxacin98Arrow-Ranitidine27Arrow-Roxithromycin85
Arrow-Citalopram       110         Arrow-Lamotrigine       113         Arrow-Lisinopril       .50         Arrow-Metformin       .30         Arrow-Nifedipine XR       .54         Arrow-Norfloxacin       .98         Arrow-Ranitidine       .27         Arrow-Roxithromycin       .85         Arrow-Simva 10mg       .47
Arrow-Citalopram       110         Arrow-Lamotrigine       113         Arrow-Lisinopril       50         Arrow-Metformin       30         Arrow-Nifedipine XR       54         Arrow-Norfloxacin       98         Arrow-Ranitidine       27         Arrow-Roxithromycin       85         Arrow-Simva 10mg       47         Arrow-Simva 20mg       47
Arrow-Citalopram       110         Arrow-Lamotrigine       113         Arrow-Lisinopril       .50         Arrow-Metformin       .30         Arrow-Nifedipine XR       .54         Arrow-Norfloxacin       .98         Arrow-Ranitidine       .27         Arrow-Roxithromycin       .85         Arrow-Simva 10mg       .47         Arrow-Simva 20mg       .47         Arrow-Simva 40mg       .47
Arrow-Citalopram       110         Arrow-Lamotrigine       113         Arrow-Lisinopril       .50         Arrow-Metformin       .30         Arrow-Nifedipine XR       .54         Arrow-Norfolixacin       .98         Arrow-Ranitidine       .27         Arrow-Roxithromycin       .85         Arrow-Simva 10mg       .47         Arrow-Simva 20mg       .47         Arrow-Simva 40mg       .47         Arrow-Simva 80mg       .47
Arrow-Citalopram       110         Arrow-Lamotrigine       113         Arrow-Lisinopril       .50         Arrow-Metformin       .30         Arrow-Nifedipine XR       .54         Arrow-Norfloxacin       .98         Arrow-Ranitidine       .27         Arrow-Roxithromycin       .85         Arrow-Simva 10mg       .47         Arrow-Simva 20mg       .47         Arrow-Simva 40mg       .47         Arrow-Simva 80mg       .47         Arrow-Simva 115
Arrow-Citalopram       110         Arrow-Lamotrigine       113         Arrow-Lisinopril       .50         Arrow-Metformin       .30         Arrow-Nifedipine XR       .54         Arrow-Norfloxacin       .98         Arrow-Ranitidine       .27         Arrow-Ranitidine       .47         Arrow-Simva 10mg       .47         Arrow-Simva 20mg       .47         Arrow-Simva 40mg       .47         Arrow-Simva 80mg       .47         Arrow-Simva 115       Arsenic trioxide
Arrow-Citalopram       110         Arrow-Lamotrigine       113         Arrow-Lisinopril       .50         Arrow-Metformin       .30         Arrow-Nifedipine XR       .54         Arrow-Norfloxacin       .98         Arrow-Ranitidine       .27         Arrow-Ranitidine       .47         Arrow-Simva 10mg       .47         Arrow-Simva 20mg       .47         Arrow-Simva 40mg       .47         Arrow-Simva 80mg       .47         Arrow-Simva 10mg       .47
Arrow-Citalopram110Arrow-Lamotrigine113Arrow-Lisinopril.50Arrow-Metformin.30Arrow-Nifedipine XR.54Arrow-Norfloxacin.98Arrow-Ranitidine.27Arrow-Roxithromycin.85Arrow-Simva 10mg.47Arrow-Simva 20mg.47Arrow-Simva 40mg.47Arrow-Simva 40mg.47Arrow-Simva 115Arsenic trioxideArrow-Simva 80mg.47Arrow-Simva 100g.47Arrow-Simva 80mg.47Arrow-Simva 100g.47Arrow-Simva 80mg.47Arrow-Simva 100g.46
Arrow-Citalopram       110         Arrow-Lamotrigine       113         Arrow-Lisinopril       .50         Arrow-Metformin       .30         Arrow-Nifedipine XR       .54         Arrow-Norfloxacin       .98         Arrow-Ranitidine       .27         Arrow-Ranitidine       .47         Arrow-Simva 10mg       .47         Arrow-Simva 20mg       .47         Arrow-Simva 40mg       .47         Arrow-Simva 80mg       .47         Arrow-Simva 10mg       .47

Blood41
Nervous106
Asthalin150
Atacand50
Atazanavir sulphate93
Atenolol
ATGAM143
Ativan123
Atomoxetine126
Atorvastatin46
Atropine sulphate
Alimentary27
Sensory157
Atropt
Atrovent150
Augmentin86
Auranofin100
Avomine116
Avonex125
Azamun142
Azatadine maleate147
Azathioprine142
Azithromycin85
Azol
Azopt156
AZT
-B-
B-D Micro-Fine 33
B-D Micro-Fine
B-D Ultra Fine33
B-D Ultra Fine33 B-D Ultra Fine II33
B-D Ultra Fine

Beta Adrenoceptor Blockers52
Beta Cream61
Beta Ointment61
Beta Scalp66
Beta-Adrenoceptor Agonists150
Betadine
Betadine Skin Prep64
Betaferon125
Betagan155
Betahistine dihydrochloride115
Betaloc53
Betaloc CR53
Betamethasone dipropionate61
Betamethasone sodium
phosphate with
betamethasone acetate
Betamethasone valerate
Betamethasone valerate with
clioquinol
Betamethasone valerate with
fusidic acid
Betaxolol hydrochloride155
Betnovate61
Detrovate01
Betnovate-C
Betoptic
Betoptic S155
Bezafibrate45
Bezalip Retard45
Bicalox141
Bicalutamide141
Bicillin LA86
BiCNU131
Bimatoprost156
Biodone107
Biodone Extra Forte107
Biodone Forte107
Bisacodyl35
BK Lotion64
Blenoxane135
Bleomycin sulphate135
Bleph 10154
Bonjela
Breath-Alert153
Brevinor 1/2171
Brevinor 1/2871
Brevinor 2171
Bricanyl Turbuhaler150
Brimonidine tartrate156
Brimonidine tartrate with timolol
maleate
Brinzolamide
Brolene
Bromocriptine mesylate117

INDEX Generic Chemicals and Brands

Brufen	
Alimentary25	
Respiratory148, 152	
Budesonide with	
eformoterol150	
Bumetanide55	
Bupivacaine hydrochloride106	
Buprenorphine	
hydrochloride107	
Burinex55	
Buscopan27	
Buserelin acetate80	
Buspirone hydrochloride123	
Busulphan131	
Butacort Aqueous152	

# - C -

- 0 -	
Cabergoline	83
Cafergot	
Cal-d-Forte	37
Calamine	
Calci-Tab 500	38
Calci-Tab 600	38
Calcipotriol	65
Calcitonin	104
Calcitriol	37
Calcitriol-AFT	37
Calcium	
Calcium carbonate	38
Calcium carbonate with	
aminoacetic acid	25
Calcium Channel Blockers	54
Calcium Disodium	
Versenate	159
Calcium folinate	
Calcium Folinate Ebewe	132
Calcium gluconate	38
Calcium Homeostasis	102
Calcium polystyrene	
sulphonate	44
Calcium Resonium	44
Calogen	169
Calsource	38
Camptosar	134
Candesartan	50
Canesten	59
Capadex	107
Capecitabine	132
Capoten	49
Capsaicin	

Captopril49
Carafate
Carbamazepine111
Carbimazole79
Carboplatin131
Carboplatin Ebewe
Carbosorb-X159
Cardinol
Cardinol LA
Cardizem CD54
Carmustine131
Carvedilol52
Catapres55
Catapres-TTS-155
Catapres-TTS-255
Catapres-TTS-355
CeeNU131
Cefaclor monohydrate84
Cefazolin sodium84
Cefoxitin sodium84
Ceftriaxone sodium
Cefuroxime axetil
Cefuroxime sodium
Celestone Chronodose
Celiprolol
Cellcept142
Celol
Cerezyme
Cetirizine - AFT147
Cetirizine hydrochloride147
Cetomacrogol63
Charcoal159
Chemotherapeutic Agents131
Chlorambucil131
Chloramphenicol154
Chlorhexidine gluconate
Alimentary
Dermatological63
Chloroform164
Chloromycetin154
Chlorothiazide
Chlorpheniramine maleate
Chlorpromazine
hydrochloride 119
Chlorsig
Chlorthalidone
Chlorvescent
Cholecalciferol
Cholestyramine with
aspartame
Choline salicylate with
cetalkonium chloride
Ciclopiroxolamine59

Cilazapril49
Cilazapril with
hydrochlorothiazide
Cilicaine
Cilicaine VK
Ciloxan154
Cimetidine27
Ciprofloxacin
Infection87
Sensory154
Cisplatin
Cisplatin Ebewe
Citalopram hydrobromide110
Cladribine133
Clarithromycin85
Climara 10077
Climara 5077
Clindamycin87
Clinistix
Clinitest
Clinoril100
Clobazam111
Clobetasol propionate61, 66
Clobetasone butyrate61
Clomazol
Dermatological59
Genito-Urinary
Clomiphene citrate83
Clomipramine hydrochloride109
Clonazepam111
Clonidine55
Clonidine hydrochloride
Cardiovascular55
Nervous115
Clopidogrel41
Clopine
Clopixol
Clopress
•
Clotrimazole
Dermatological59
Genito-Urinary73
Clozapine119
Clozaril119
Co-Renitec
Co-trimoxazole87
Coal tar
Coal tar with allantoin, menthol,
phenol and sulphur
Coal tar with salicylic acid and
sulphur 66
Coco-Scalp66
Codalgin108
Codeine phosphate

Extemporaneous164
Nervous107
Cogentin118
Colaspase (L-asparaginase)
Colchicine
Colestid
Colestipol hydrochloride45
Colgout104
Colifoam
Colistin sulphomethate87
Colistin-Link87
Collodion flexible164
Colofac27
Coloxyl
Combigan156
Combivent151
Combivir
Compound electrolytes
Compound
hydroxybenzoate164
Comtan117
Concerta129
Condoms69
Condyline67
Contraceptives - Hormonal70
Contraceptives -
Non-hormonal
Copaxone
Copper
Corangin
Cordarone-X51
Corticosteroids and Related
Agents for Systemic Use75
Corticosteroids Topical61
Cosmegen136
Cosopt
Cotazym ECS
Coumadin43
Coversyl
Cozaar
Creon 10000
Creon Forte
Crixivan
Cromolux155
Crotamiton60
Crystacide59
Cyclizine hydrochloride115
Cyclizine lactate115
Cycloblastin131
Cyclogyl157
Cyclopentolate
hydrochloride
Cyclophosphamide131

Cyclosporin A144	
Cyklokapron4	1
Cyprohentadine	
hydrochloride14	7
Cyproterone acetate70	6
Cyproterone acetate with	
ethinyloestradiol	2
Cystic Fibrosis15	2
Cytarabine13	2
Cytotec2	
Cytoxan13	1
•	'
- D -	
D-Penamine10	
D-Zol8	
d4T9	3
Dacarbazine13	5
Daclin10	0
Dactinomvcin (actinomvcin	
D) 130	6
Daivonex6	
Daktarin	
Alimenteria	6
Dermatological6	n
Dalacin C8	7
Danazol8	
Dantrium104	1
Dantrolene sodium104	+ /
Daonil	+
Dapsone	
Daunorubicin13	
DDI	
De-Worm	4
Deca-Durabolin Orgaject	
Delact	2
Depo-Medrol7	b
Depo-Medrol with lidocaine7	b
Depo-Provera72	2
Depo-Testosterone7	
Deprim8	
Derbac-M64	4
Dermol61, 6	6
Desferrioxamine mesylate15	9
Desmopressin8 Desmopressin-PH&T8	3
Desmopressin-PH&T8	3
Detection of Substances in	
Urine 159	9
Dexamethasone	
Hormone	
Sensory15	
Dexamethasone sodium	
phosphate7	5
Dexamethasone with framycetin	

and gramicidin15	54
Dexamethasone with neomycin	
and polymyxin b sulphate15	55
Dexamphetamine sulphate12	27
Dextrochlorpheniramine	
maleate	17
Dextropropoxyphene with	
paracetamol 10	)7
Dextrose	
Dextrose with electrolytes	15
DHC Continus10	
Diabetes	
Diabetes Management	
Diabur 5000	
Diamox	
Diaphragm	
Diasip	71
Diason RTH17	
Diastix	
Diastop	
Diazepam111, 12	
Dibenyline	
Diclocil	36
Diclofenac sodium	
Musculoskeletal System	
Sensory15	
Dicloxacillin	36
Didanosine [DDI]	
Didronel10	)4
Difflam	36
Diflucortolone valerate	51
Diagotivos Indudina	
Enzymes	33
Digoxin	51
Dihydrocodeine tartrate	
Dilantin	13
Dilantin Infatab11	
Dilatrend	
Diltiazem hydrochloride	54
Dilzem	
Dimetriose	
Dipentum	
Diphemanil methylsulphate	20
Diphenovulete budrochleride with	53
Diphenoxylate hydrochloride with	~
atropine sulphate	
Diprosone	51
Diprosone OV	51
Dipyridamole	12
Disinfecting and Cleansing	
Agents6	53
Disipal11	18
Disopyramide phosphate	51
Disulfiram12	28



Dithranol66		
Diuretics		
Diurin 40		
Diurin 50055		
Dixarit115		
Docetaxel		
Docusate sodium		
Docusate sodium with		
sennosides		
Domperidone115		
Dopergin117		
Dopress109		
Dornase alfa152		
Dorzolamide hydrochloride156		
Dorzolamide hydrochloride with		
timolol maleate 156		
Dostinex83		
Dothiepin hydrochloride109		
Doxazosin mesylate49		
Doxepin hydrochloride109		
Doxine		
Doxorubicin136		
Doxorubicin Ebewe136		
Doxy-5087		
Doxycycline hydrochloride87		
DP Lotion64		
DP Lotn HC62		
DP-Anastrozole140		
Dr Reddy's Omeprazole28		
Dr Reddy's Pantoprazole28		
Dr Reddy's Omeprazole28		
Dulcolax		
Duocal Super Soluble		
Powder 168		
Duolin151		
Duphalac35		
Duphaston		
Durex Confidence69		
Durex Extra Safe69		
Durex Select Flavours		
Duride		
Durogesic107		
Dusting Powders63		
Dydrogesterone		
Dynacirc-SRO54		
-E-		
E-Mycin85		
Ear Preparations		
Lor/Lyo Droparations 154		

Duolin		Epirubicin Ebewe
Duphalac	35	Eprex
Duphaston	78	ERA
Durex Confidence	69	Ergometrine male
Durex Extra Safe	69	Ergotamine tartra
Durex Select Flavours	69	caffeine
Duride	56	Erythrocin IV
Durogesic	107	Erythromycin ethy
Dusting Powders	63	Erythromycin lacto
Dydrogesterone	78	Erythromycin stea
Dynacirc-SRO		Erythropoietin alp
Dynacirc-SRO		, ,
Dynacirc-SRO	54	Erythropoietin alp
Dynacirc-SRO - E - E-Mycin	54	Erythropoietin alp Erythropoietin bet Estelle 35-ED Estraderm TTS 10
Dynacirc-SRO - E - E-Mycin Ear Preparations	54 85 154	Erythropoietin alp Erythropoietin bet Estelle 35-ED Estraderm TTS 10 Estraderm TTS 25
Dynacirc-SRO - E - E-Mycin Ear Preparations Ear/Eye Preparations	54 	Erythropoietin alp Erythropoietin bet Estelle 35-ED Estraderm TTS 10 Estraderm TTS 20 Estraderm TTS 50
Dynacirc-SRO - E - E-Mycin Ear Preparations Ear/Eye Preparations Easiphen	54 	Erythropoietin alp Erythropoietin bet Estelle 35-ED Estraderm TTS 10 Estraderm TTS 25
Dynacirc-SRO - E - E-Mycin Ear Preparations Ear/Eye Preparations Easiphen Easiphen Liquid		Erythropoietin alp Erythropoietin bet Estelle 35-ED Estraderm TTS 10 Estraderm TTS 22 Estraderm TTS 50 Estrofem Etanercept
Dynacirc-SRO - E - E-Mycin Ear Preparations Ear/Eye Preparations Easiphen		Erythropoietin alp Erythropoietin bet Estelle 35-ED Estraderm TTS 10 Estraderm TTS 29 Estraderm TTS 50 Estrofem


Efexor XR1	10
Eformoterol fumarate1	
Efudix	
Egopsoryl TA	66
Elemental 028 Extra1	75
Eligard	
0	
Elocon	
Eloxatin1	32
Eltroxin	79
EMLA1	06
Emtricitabine	
Emtriva	93
Emulsifying ointment	63
Enalapril	50
Enalapril with hydrochlorothiazide	E۵
	50
Enbrel1	
Endocrine Therapy1	40
Endoxan1	31
Enerlyte	
Enfuvirtide	
Ensure1	
Ensure Plus1	78
Ensure Plus RTH1	77
Entacapone1	17
Entocort CIR	
Enuclene1	57
Enzymes1	04
Epilim1	13
Epilim Crushable1	12
Epilim IV1	13
Epilim S/F Liquid1	13
Epilim Syrup1	13
Epirubicin1	
Epirubicin Ebewe1	27
Eprex	
ERA	85
Ergometrine maleate	73
Ergotamine tartrate with	
caffeine1	15
Erythrocin IV	
Erythromycin ethyl succinate	85
Erythromycin lactobionate	85
Erythromycin stearate	
Erythropoietin alpha	10
	40
Erythropoietin beta	
Estelle 35-ED	72
Estraderm TTS 100	77
Estraderm TTS 25	
Estraderm TTS 50	77
Estrofem	
Etanercept1 Ethambutol hydrochloride	02
Ethambutol hydrochloride	89
,	-

Ethics Aspirin1	06
Ethics Aspirin EC	41
Ethics Ibuprofen	
Ethinyloestradiol	78
Ethinyloestradiol with	
desogestrel	70
Ethinyloestradiol with	10
gestodene	70
Ethinyloestradiol with	10
levonorgestrel	71
Ethinyloestradiol with	/ 1
norethisterone	71
Ethosuximide1	
Etidrate	
Etidronate disodium1	
Etopophos1	
Etoposide1	37
Etoposide phosphate1	
Eumovate	
Eurax	
Exemestane1	41
Extemporaneously Compounded	
Preparations and	
Galenicals1	
Eye Preparations1	54
Ezetimibe	47
Ezetimibe Ezetimibe with simvastatin	47 48
Ezetimibe Ezetimibe with simvastatin Ezetrol	47 48
Ezetimibe Ezetimibe with simvastatin Ezetrol	47 48 47
Ezetimibe Ezetimibe with simvastatin Ezetrol - F - Famotidine	47 48 47 27
Ezetimibe Ezetimibe with simvastatin Ezetrol Famotidine Famox	47 48 47 27 27
Ezetimibe Ezetimibe with simvastatin Ezetrol Fe- Famotidine Famox Felo 10 ER	47 48 47 27 27 54
Ezetimibe Ezetimibe with simvastatin Ezetrol Famotidine Famox Felo 10 ER Felo 5 ER	47 48 47 27 27 54 54
Ezetimibe	47 48 47 27 27 54 54 54
Ezetimibe           Ezetimibe with simvastatin           Ezetrol           - F -           Famotidine           Famox           Felo 10 ER           Felo 5 ER           Felodipine           Femara           1	47 48 47 27 27 54 54 54 41
Ezetimibe	47 48 47 27 27 54 54 54 41 70
Ezetimibe           Ezetimibe with simvastatin           Ezetrol           -F-           Famotidine           Famox           Felo 10 ER           Felo 5 ER           Felodipine           Femara           Femodene 28           Femtran 100	47 48 47 27 27 54 54 54 41 70 77
Ezetimibe	47 48 47 27 27 54 54 54 41 70 77 77
Ezetimibe	47 48 47 27 27 54 54 54 41 70 77 99
Ezetimibe	47 48 47 27 27 54 54 54 41 70 77 77 99 07
Ezetimibe	47 48 47 27 27 54 54 54 70 77 77 99 07 38
Ezetimibe	47 48 47 27 54 54 54 41 70 77 77 99 07 38 38
Ezetimibe	47 48 47 27 54 54 54 70 77 77 99 07 38 38 38
Ezetimibe	47 48 47 27 54 54 54 41 77 77 99 07 38 38 38 38
Ezetimibe	47 48 47 27 54 54 54 54 77 77 99 07 38 38 38 38 38 38
Ezetimibe           Ezetimibe with simvastatin           Ezetrol           - F -           Famotidine           Famox           Felo 10 ER           Felo 5 ER           Felodipine           Fermara           Permodene 28           Femtran 100           Femtran 50           Fentanyl           FerroGradumet           FerroGradumet           Ferrograd-Folic           Ferrograd-Folic           Ferrous fumarate	47 48 47 27 54 54 54 54 77 77 99 07 38 38 38 38 38 38
Ezetimibe         - F -           Famotidine         - F -           Femotidine         - F -           Felo 10 ER         - F -           Felo 5 ER         - F -           Felodipine         - F -           Femara         1           Femodene 28            Fertran 100            Fentanyl         1           Ferodan	47 48 47 27 54 54 54 54 77 77 99 07 38 38 38 38 38 38 38
Ezetimibe         - F -           Famotidine         - F -           Famotidine         -           Famox         -           Felo 10 ER         -           Felo 5 ER         -           Felodipine         -           Femara         1           Femodene 28         -           Fentran 100         -           Fentanyl         1           Ferodan         -           Ferro-F-Tabs         -           Ferro-Gradumet         -           Ferrograd-Folic         -           Ferrous fumarate         -           Ferrous fumarate with folic         acid	47 48 47 27 54 54 54 54 77 77 99 07 38 38 38 38 38 38 38
Ezetimibe         - F -           Famotidine         - F -           Felo 10 ER         - F -           Felo 5 ER         - F -           Felodipine         - F -           Femara         1           Femodene 28            Femtran 100            Fernoad            Fernoad	47 48 47 27 54 54 54 77 77 99 07 38 38 38 38 38 38 38 38 38 38
Ezetimibe         - F -           Famotidine         - F -           Famoticine         - F -           Felo 10 ER         - F -           Felo 5 ER         - F -           Felodipine         - F -           Femara         1           Femodene 28            Femtran 100            Fernoad            Fernoad	47 48 47 27 54 54 54 77 77 99 07 38 38 38 38 38 38 38 38 38 38
Ezetimibe         - F -           Famotidine         - F -           Felo 10 ER         - F -           Felo 5 ER         - F -           Felodipine            Femdran         1           Femodene 28         -           Femtran 100         -           Fernard         -           Fernoard         -           Fernoard         -           Ferro-F-Tabs         -           Ferro-F-Tabs         -           Ferro-Gradumet         -           Ferrous fumarate         -           Ferrous fumarate         -           Ferrous gluconate with folic         acid           Acid         -           Ferrous sulphate         -	47 48 47 27 54 54 54 54 77 77 99 07 38 38 38 38 38 38 38 38 38 38 38 38 38
Ezetimibe	47 48 47 27 54 54 54 54 77 77 99 07 38 38 38 38 38 38 38 38 38 38 38 38 38

Ferrum H
Fexofenadine hydrochloride148
Fibalip
Fibresource
Fibresource HN177
Fibresource HN RTH177
Fibresource RTH177
Fibro-vein41
Finasteride73
Fintral
Flagyl
Flagyl-S
Flecainide acetate52
Fleet
Fleet Glycerin Suppositories35
Fleet Phosphate Enema
Flixotide
Flixotide Accuhaler148
Florinef
Fluanxol121
Flucloxacillin sodium
Flucloxin
Flucon155
Fluconazole88
Fludara133
Fludarabine phosphate133
Fludrocortisone acetate75
Fluids and Electrolytes44
Flumetasone pivalate
Fluocortolone caproate with
fluocortolone pivalate and
cinchocaine
Fluorometholone155
Fluorouracil Ebewe133
Fluorouracil sodium
Dermatological68
Oncology133
Fluox
Fluoxetine hydrochloride110
Flupenthixol decanoate
Fluphenazine decanoate
Flutamide141
Flutamin141
Fluticasone148
Fluticasone with salmeterol150
Fluvax
Foban58
Folic acid40
Food Thickeners
Foods And Supplements For
Inborn Errors Of Metabolism -
Other
Foods And Supplements For

Inborn Errors Of Metabolism -
PKU 181
Foradil
Foremount Child's Silicone
Mask
Fortimel
Fortini173
Fortini Multifibre174
Fortisip178
Fortisip Multi Fibre178
Fosamax103, 104
Fosamax Plus103
Framycetin sulphate154
Frisium111
Frumil56
Fucicort62
Fucidin88
Fucithalmic154
Fungilin
Furosemide
Fusidic acid
Dermatological58
Infection
Sensory154
Fuzeon
-G-
Gabapentin112
Comments have and
Gamma benzene
hexachloride64
hexachloride
hexachloride       64         Gastrosoothe       27         Gaviscon       25         Gaviscon Double Strength       25         Gaviscon Infant       25         Gemcitabine Ebewe       133         Gemcitabine Hydrochloride       133         Gemzar       133         Generaid Plus       172         Genoptic       154         Genotropin       79
hexachloride       64         Gastrosoothe       27         Gaviscon       25         Gaviscon Double Strength       25         Gaviscon Infant       25         Gemcitabine Ebewe       133         Gemzitabine hydrochloride       133         Generaid Plus       172         Genoptic       154         Genotropin       79         Genox       142         Gentamicin sulphate       142
hexachloride       64         Gastrosoothe       27         Gaviscon       25         Gaviscon Double Strength       25         Gaviscon Infant       25         Gemcitabine Ebewe       133         Gemcitabine hydrochloride       133         Generaid Plus       172         Genotic       154         Genotropin       79         Genox       142
hexachloride       64         Gastrosoothe       27         Gaviscon       25         Gaviscon Double Strength       25         Gaviscon Infant       25         Gemcitabine Ebewe       133         Gemcitabine Hydrochloride       133         Generaid Plus       172         Genoptic       154         Genotropin       79         Genox       142         Infection       88         Sensory       154
hexachloride       64         Gastrosoothe       27         Gaviscon       25         Gaviscon Double Strength       25         Gaviscon Infant       25         Gemcitabine Ebewe       133         Gemcitabine hydrochloride       133         Gemzar       133         Generaid Plus       172         Genoptic       154         Genotropin       79         Genotamicin sulphate       Infection         Infection       88         Sensory       154         Gestrinone       83
hexachloride       64         Gastrosoothe       27         Gaviscon       25         Gaviscon Double Strength       25         Gaviscon Infant       25         Gemcitabine Ebewe       133         Gemcitabine Hydrochloride       133         Generaid Plus       172         Genoptic       154         Genotropin       79         Genox       142         Infection       88         Sensory       154
hexachloride       64         Gastrosoothe       27         Gaviscon       25         Gaviscon Double Strength       25         Gaviscon Infant       25         Gemitabine Ebewe       133         Gemcitabine Hydrochloride       133         Gemzar       133         Generaid Plus       172         Genoptic       154         Genotropin       79         Genox       142         Infection       88         Sensory       154         Gestrinone       83         Glatiramer acetate       125         Gliben       30
hexachloride       64         Gastrosoothe       27         Gaviscon       25         Gaviscon Double Strength       25         Gaviscon Infant       25         Gemitabine Ebewe       133         Gemcitabine Hydrochloride       133         Gemzar       133         Generaid Plus       172         Genoptic       154         Genotropin       79         Genox       142         Gentamicin sulphate       1         Infection       88         Sensory       154         Gestrinone       83         Glatiramer acetate       125         Gliben       30
hexachloride       64         Gastrosoothe       27         Gaviscon       25         Gaviscon Double Strength       25         Gaviscon Infant       25         Gemitabine Ebewe       133         Gemcitabine Ebewe       133         Gemcitabine hydrochloride       133         Gemzar       133         Generaid Plus       172         Genoptic       154         Genotropin       79         Genox       142         Gentamicin sulphate       1         Infection       88         Sensory       154         Gestrinone       83         Glatiramer acetate       125         Gliben       30         Glibenclamide       30         Gliclazide       30
hexachloride       64         Gastrosoothe       27         Gaviscon       25         Gaviscon Double Strength       25         Gaviscon Infant       25         Gemitabine Ebewe       133         Gemcitabine Ebewe       133         Gemcitabine hydrochloride       133         Gemzar       133         Generaid Plus       172         Genotropin       79         Genox       142         Gentamicin sulphate       1         Infection       88         Sensory       154         Gestrinone       83         Glatiramer acetate       125         Gliben       30         Glibenclamide       30         Gliclazide       30
hexachloride       64         Gastrosoothe       27         Gaviscon       25         Gaviscon Double Strength       25         Gaviscon Infant       25         Gemcitabine Ebewe       133         Gemcitabine Ebewe       133         Gemcitabine Ebewe       133         Gemcitabine Ebewe       133         Generaid Plus       172         Genoptic       154         Genotropin       79         Genox       142         Gentamicin sulphate       Infection         Infection       88         Sensory       154         Gestrinone       83         Glibenclamide       30         Glibenclamide       30         Gliclazide       30         Gliozide       30         Glivec       139
hexachloride       64         Gastrosoothe       27         Gaviscon       25         Gaviscon Double Strength       25         Gaviscon Infant       25         Gemcitabine Ebewe       133         Gemcitabine Ebewe       133         Gemcitabine Hydrochloride       133         Generaid Plus       172         Genoptic       154         Gentamicin sulphate       1142         Infection       88         Sensory       154         Gestrinone       83         Glatiramer acetate       125         Gliben       30         Gliclazide       30         Glizela       30
hexachloride       64         Gastrosoothe       27         Gaviscon       25         Gaviscon Double Strength       25         Gaviscon Infant       25         Gemcitabine Ebewe       133         Gemcitabine Ebewe       133         Gemcitabine Hydrochloride       133         Generaid Plus       172         Genoptic       154         Genotropin       79         Genox       142         Gentamicin sulphate       1         Infection       88         Sensory       154         Gestrinone       83         Glatiramer acetate       125         Glibenclamide       30         Gliclazide       30         Glized       30         Glized       30         Glivec       139         Glucagen Hypokit       28
hexachloride       64         Gastrosoothe       27         Gaviscon       25         Gaviscon Double Strength       25         Gaviscon Infant       25         Gemcitabine Ebewe       133         Gemcitabine Ebewe       133         Gemcitabine Hydrochloride       133         Generaid Plus       172         Genoptic       154         Gentamicin sulphate       1142         Infection       88         Sensory       154         Gestrinone       83         Glatiramer acetate       125         Gliben       30         Gliclazide       30         Glizela       30

Glucerna Select RTH171 Glucobay29 Glucose blood diagnostic test
meter
Glucose dehydrogenase
Glucose oxidase
Gluten Free Foods179
Glycerol
Alimentary
Extemporaneous164
Glycerol with paraffin and cetyl
alcohol
Glyceryl trinitrate
Gold Knight69
Goldshield
Gopten
Goserelin acetate81
Growth hormone biosynthetic
human
Gutron
Gynaecological
Anti-infectives
Gynol II
-H-
-н- Habitrol
Haldol
Haldol Concentrate
Haloperidol
Haloperidol decanoate121
Hamilton Sunscreen
Healtheries Iron with Vitamin
C
Healtheries Multi-vitamin
tablets
Healtheries Simple Baking
Mix
Hemastix
Heparin sodium43
Heparinised saline43
Hepsera
Herceptin143
Hexamine hippurate
Hiprex
HISTATON 14/
Histafen
Holoxan131
Holoxan
Holoxan131 Homatropine hydrobromide157 Horleys Bread Mix180
Holoxan131 Homatropine hydrobromide157 Horleys Bread Mix180 Horleys Flour
Holoxan131 Homatropine hydrobromide157 Horleys Bread Mix180 Horleys Flour
Holoxan131 Homatropine hydrobromide157 Horleys Bread Mix180 Horleys Flour



Humalog Mix 50       29         Humira       101         HumiraPen       101         Humulin 30/70       28         Humulin NPH       28         Humulin R       28         Hyalase       104         Hyaluronidase       104         Hybloc       53         Hydrazine       57         Hydracortisone       137
Dermatological61
Hormone
Hydrocortisone ABM61
Hydrocortisone acetate
Hydrocortisone butyrate
Hydrocortisone butyrate with
chlorquinaldol62
Hydrocortisone with
miconazole62
Hydrocortisone with natamycin
and neomycin62
Hydrocortisone with wool fat and
mineral oil62
Hydroderm Lotion64
Hydrogen peroxide
Alimentary36
Dermatological59, 68
Hydroxocobalamin37
Hydroxychloroquine sulphate88
Hydroxyurea137
Hygroton56
Hyoscine (scopolamine)116
Hyoscine hydrobromide116
Hyoscine N-butylbromide27
Hypam126
Hyperuricaemia and
Antigout 104
Hypnovel126
Hypromellose157
Hytrin
Hytrin Starter Pack
Hyzaar51
-1-
I-Profen
Ibiamox
Ibuprofen
Idarubicin hydrochloride137
lfosfamide
Imatinib mesylate
Imiglucerase35

Imigran115
Imipramine hydrochloride109
Imiquimod67
Immune Modulators94
Immunosuppressants142
Imuran
Indapamide56
Indinavir93
Indomethacin100
Infant Formulae183
Influenza vaccine
Inhaled Anticholinergic
agents 150
Inhaled Corticosteroids148
Inhaled Long-acting
Beta-adrenoceptor
Agonists149
Inhibace
Inhibace Plus
Insulin aspart
Insulin glargine
Insulin isophane
Insulin isophane with insulin
neutral
Insulin lispro
protamine
Insulin neutral
Insulin pen needles
Insulin syringes, disposable with
attached needle
Intal Spincaps151
Interferon alpha-2a95
Interferon alpha-2a with
ribavirin
Interferon alpha-2b95
Interferon beta-1-alpha125
Interferon beta-1-beta125
Intra-uterine device69
Intron-A95
Invirase93
Ipecacuanha159
Ipratropium bromide150, 152
Ipratropium Steri-Neb150
Irinotecan134
Iron polymaltose
Ismo 2056
Isogel
Isoniazid
Isoprenaline hydrochloride56
Isoptin55
Isopto Homatropine157
Isosorbide mononitrate56

Isosource 1.5177
Isosource HN177
Isosource HN RTH177
Isosource Standard177
Isosource Standard RTH177
Isotane 1058
Isotane 2058
Isotretinoin58
Isradipine54
Isuprel56
Itraconazole
- J -
Janola63
Jevity RTH177
- K -
۲ <b>۸۰</b> K-Thrombin41
Kaletra
Karicare Food Thickener
Karicare Food Thickener
Formula
Karicare Soy All Ages
Kemadrin118
Kenacomb
Dermatological62
Sensory154
Kenacort-A76
Kenacort-A4076
Keppra113
Keto-Diabur 500032
Keto-Diastix32
Ketoconazole
Dermatological
Infection88
Ketoprofen99
Ketostix32
Ketovite183
Ketovite Liquid183
Ketur-Test32
Kindergen172
Kivexa92
Klacid85
Klamycin85
Kliogest78
Kliovance78
Konakion41
Konakion MM41
Konsyl-D34
LA-Morph108
Labetalol
Lacri-Lube
Lactulose

Lamictal113	
Lamivudine90, 93	
Lamotrigine113	
Lanoxin	
Lanoxin PG51	
Lansoprazole27	
Lantus	
Lantus SoloStar	
Lanvis	
Largactil	
Lasix	
Latanoprost	
Lax-Tabs	
Laxatives	
Laxalives	
Leflunomide	
Lemnis Fatty Cream63	
Lemnis Fatty Cream HC61	
Letrozole	
Leukeran FC	
Leunase	
Leuprorelin	
Leustatin	
Levetiracetam	
Levlen ED71	
Levobunolol155	
Levocabastine155	
Levodopa with benserazide117	
Levodopa with carbidopa117	
Levonorgestrel	
Genito-Urinary72	
Hormone78	
Levothyroxine79	
Lifestyles Flared69	
Lignocaine hydrochloride106	
Lignocaine with	
chlorhexidine	
Lignocaine with prilocaine106	
Lipex	
Lipid Modifying Agents45	
Lipitor46	
Liquigen169	
Lisinopril	
Lisuride hydrogen maleate	
Litak	
Lithicarb	
Lithium carbonate	
Livostin	
Locasol	
Locasol	
Loceityi	
Locoid C	
LUCUID CTEID	

Locoid Lipocream Locorten-Vioform Lodoxamide trometamol Loette Logem Lomustine Lopramide hydrochloride Lophex LQ Lopinavir with ritonavir Lopresor Loprosfin Loprosfin Mix Loraclear Hayfever Relief Loraclear Hayfever Relief Lorapaed Loratadine Loratadine Loratadam Losec Hp7 OAC Loxamine Loxamine Loxamine Loxamine Ludiomil	154 71 113 155 71 25 182 182 182 53 53 182 182 182 182 182 182 182 182 182 125 53 125 53 125 53 125 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 53 51 51 51 51 51 51 51 
Lumigan	156 56

m-Enalapril	50
m-Eslon	108
m-Hydrocortisone	61
Mabthera	
Macrogol 3350	35
Madopar 125	117
Madopar 250	117
Madopar 62.5	
Madopar Dispersible	117
Madopar HBS	
Magnesium hydroxide	164
Magnesium sulphate	
Alimentary	
Dermatological	68
	68
Dermatological Malathion Maprotiline hydrochloride	68 64 109
Dermatological Malathion	68 64 109
Dermatological Malathion Maprotiline hydrochloride	68 64 109 106
Dermatological Malathion Maprotiline hydrochloride Marcain Heavy Marcain Isobaric Marevan	68 64 109 106 106 43
Dermatological Malathion Maprotiline hydrochloride Marcain Heavy Marcain Isobaric Marevan Marine Blue Lotion SPF 30+	68 64 109 106 106 43 67
Dermatological Malathion Maprotiline hydrochloride Marcain Heavy Marcain Isobaric Marevan	68 64 109 106 106 43 67
Dermatological Malathion Maprotiline hydrochloride Marcain Heavy Marcain Isobaric Marevan Marine Blue Lotion SPF 30+	68 64 109 106 106 43 67 69
Dermatological Malathion Maprotiline hydrochloride Marcain Heavy Marcain Isobaric Marevan Marine Blue Lotion SPF 30+ Marquis Black	68 109 106 106 43 67 69 69

Marguis Selecta69
Marquis Sensolite69
Marguis Supalite69
Marquis Titillata69
MarquisTantiliza69
Marvelon 2170
Marvelon 2870
Mask for spacer device152
Mast cell stabilisers151
Maxalt Melt115
Maxidex155
Maxitrol155
MCT oil (Nutricia)169
MDS Quick Card73
Mebendazole84
Mebeverine hydrochloride27
Medrol75
Medroxyprogesterone acetate
Genito-Urinary72
Hormone
Mefenamic acid100
Megace141
Megestrol acetate141
Melphalan131
Menadione sodium bisulphite41
Menthol60
Mercaptopurine134
Mercilon 2170
Mercilon 2870
Mesalazine26
Mesna137
Mestinon99
Metabolic Disorder Agents35
Metabolic Mineral Mixture
Metamide116
Metamucil34
Metformin hydrochloride30
Methadone hydrochloride
Extemporaneous164
Nervous107
Methatabs107
Methoblastin135
Methopt157
Methotrexate135
Methotrexate Ebewe135
Methotrimeprazine120
Methyl hydroxybenzoate164
Methylcellulose164
Methyldopa55
Methylergometrine73
Methylphenidate
hydrochloride

extended-release 129
Methylprednisolone75
Methylprednisolone
aceponate62
Methylprednisolone acetate75
Methylprednisolone acetate with
lignocaine75
Methylprednisolone sodium
succinate
Methylxanthines151
Metoclopramide
hydrochloride
Metoclopramide hydrochloride
with paracetamol
Motopiropo 92
Metopirone83 Metoprolol - AFT CR53
Metoprolol - AFT Ch
Metoprolol succinate
Metoprolol tartrate
Metronidazole
Metyrapone
Mexiletine hydrochloride52
Mexitil
Miacalcic104
Mianserin hydrochloride109
Micanol66
Micelle E
Miconazole
Miconazole
Miconazole36 Miconazole nitrate Dermatological60
Miconazole
Miconazole36 Miconazole nitrate Dermatological60
Miconazole
Miconazole         36           Miconazole nitrate         60           Dermatological         60           Genito-Urinary         73           Micreme         73           Micreme H         62           Microgynon 20 ED         71           Microgynon 30         71           Microgynon 30 ED         71           Microgynon 50 ED         71           Microlax         35
Miconazole
Miconazole         36           Miconazole nitrate         60           Dermatological         60           Genito-Urinary         73           Micreme         73           Micreme H         62           Microgynon 20 ED         71           Microgynon 30         71           Microgynon 30 ED         71           Microgynon 50 ED         71           Microlax         35           Microlut         72           Midazolam         126           Mindidab         38           Miniciab         38           Mino-tabs         87
Miconazole         36           Miconazole nitrate         60           Dermatological         60           Genito-Urinary         73           Micreme         73           Micreme H         62           Microgynon 20 ED         71           Microgynon 30         71           Microgynon 30 ED         71           Microgynon 50 ED         71           Microlax         35           Microlut         72           Midazolam         126           Mindables         38           Mino-tals         38           Mino-tabs         87
Miconazole         36           Miconazole nitrate         60           Dermatological         60           Genito-Urinary         73           Micreme         73           Micreme H         62           Microgynon 20 ED         71           Microgynon 30         71           Microgynon 30 ED         71           Microgynon 50 ED         71           Microlax         35           Microlut         72           Midazolam         126           Miododrine         52           Minaphlex         182           Minerals         38           Minidiab         30           Minirin         83           Minocycline hydrochloride         87           Minowycin         87
Miconazole         36           Miconazole nitrate         60           Dermatological         60           Genito-Urinary         73           Micreme         73           Microgynon 20 ED         71           Microgynon 30         71           Microgynon 30 ED         71           Microgynon 50 ED         71           Microlax         35           Microlut         72           Midazolam         126           Midodrine         52           Minaphlex         182           Minrin         83           Minortabs         87           Minocycline hydrochloride         87           Minorycin         87
Miconazole         36           Miconazole nitrate         60           Dermatological         60           Genito-Urinary         73           Micreme         73           Micreme H         62           Microgynon 20 ED         71           Microgynon 30 ED         71           Microgynon 50 ED         71           Microlut         72           Midazolam         126           Midodrine         52           Minaphlex         182           Minerals         38           Minidiab         30           Minortabs         87           Minocycline hydrochloride         87           Minorycin         87           Minorycin         87           Minotize         64
Miconazole         36           Miconazole nitrate         60           Dermatological         60           Genito-Urinary         73           Micreme         73           Micreme H         62           Microgynon 20 ED         71           Microgynon 30         71           Microgynon 30 ED         71           Microgynon 50 ED         71           Microlax         35           Microlut         72           Midazolam         126           Midodrine         52           Minaphlex         182           Minerals         38           Minidiab         30           Minirin         83           Mino-tabs         87           Minocycline hydrochloride         87           Minorycin         87           Minottas         64           Minulet 28         70           Mirena         78
Miconazole         36           Miconazole nitrate         60           Dermatological         60           Genito-Urinary         73           Micreme         73           Micreme H         62           Microgynon 20 ED         71           Microgynon 30         71           Microgynon 30 ED         71           Microgynon 50 ED         71           Microlax         35           Microlax         35           Microlax         35           Micoldorine         52           Minaphlex         182           Minortabs         30           Minirin         83           Mino-tabs         87           Minonycin         87           Minor Skin Infections         64           Minult 28         70           Mirena         78
Miconazole         36           Miconazole nitrate         60           Dermatological         60           Genito-Urinary         73           Micreme         73           Micreme H         62           Microgynon 20 ED         71           Microgynon 30         71           Microgynon 30 ED         71           Microgynon 50 ED         71           Microlax         35           Microlut         72           Midazolam         126           Midodrine         52           Minaphlex         182           Minerals         38           Minidiab         30           Minirin         83           Mino-tabs         87           Minocycline hydrochloride         87           Minorycin         87           Minottas         64           Minulet 28         70           Mirena         78


Mile	
Mitozantrone	
Mitozantrone Ebewe137	
Mixtard 3028	
Moclobemide110	
Modecate121	
Moducal167	
Mogine113	
Mometasone furoate62	
Monofeme71	
Monogen171	
Morphine hydrochloride108	
Morphine sulphate108	
Morphine tartrate108	
Morrex Maltodextrin167	
Motilium115	
Mouth and Throat	
Movicol	
MSUD Maxamaid181	
MSUD Maxamum181	
Mucilaginous laxatives	
Mucilaginous laxatives with	
stimulants	
Mucilax	
Multiload Cu 37569	
Multiload Cu 375 SL69	
Multiparin43	
Multiple Sclerosis	
Treatments 124	
Multivitamin Supplements For	
Inborn Errors Of	
Metabolism183	
Mupirocin59	
Muscle Relaxants104	
Myambutol	
Mycobutin	
Mycophenolate mofetil142	
Mycostatin60	
Mydriacyl157	
Mylanta P25	
Myleran131	
Myocrisin101	
Myometrial and Vaginal Hormone	
Preparations73	
- N -	

- N -	
Nadolol	53
Nalcrom	26
Naloxone hydrochloride	159
Naltrexone hydrochloride	130
Nandrolone decanoate	75
Napamide	56
Naphazoline hydrochloride	158
Naphcon Forte	158

Naprosyn SR 1000	100
Naprosyn SR 750	100
Naproxen	
Naproxen sodium	100
Nardil	
Nasal Preparations	152
Natulan	
Nausicalm	
Navoban	
Nedocromil	
Nefopam hydrochloride	
Neo-B12	37
Neo-Mercazole	
Neo-Naclex	
Neocate	
Neocate Advance	
Neocate LCP	
Neoral	
NeoRecormon	
Neostigmine	99
Neotigason	65
Nepro (vanilla)	174
Nerisone	61
Neulactil	120
Neurontin	112
Nevirapine	92
Nicotine	57
Nicotinell	
Nicotinic acid	
Nifedipine	
Nifuran	
Nilstat	
Alimentary	36
Genito-Urinary	.73
Infection	
Nipent	
Nitrados	
Nitrates	
Nitrazepam	
Nitroderm TTS	
Nitrofurantoin	
Nitrolingual Pumpspray	
Nizoral	
Dermatological	50
Infection	
Noctamid	
Nodia	
Noflam 250	
Noflam 500	
Nonoxynol-9	09
Nordette 28	/1
Norditropin SimpleXx 10mg	
Norditropin SimpleXx 15mg	80

Norditropin SimpleXx 5mg80
Norethisterone
Genito-Urinary72
Hormone79
Norethisterone with
mestranol71
Norflex104
Norfloxacin
Noriday 2872
Norimin
Norinyl-1/2871
Normacol
Normacol Plus
Normison126
Norpress109
Nortriptyline hydrochloride109
Norvir93
Noten
NovaSource Renal174
NovoFine
NovoRapid29
NovoRapid Penfill29
Nozinan120
Nuelin151
Nuelin-SR151
Nupentin112
Nutraplus63
Nutrient Modules167
Nutrini Energy RTH173
Nutrini RTH173
NutriniDrink173
NutriniDrink Multifibre174
Nutrison Concentrated174
Nutrison Energy Multi Fibre177
Nutrison Multi Fibre177
Nutrison Standard RTH177
Nuvelle78
Nyefax Retard54
Nystatin
Alimentary36
Dermatological60
Genito-Urinary73
Infection88
NZB Low Gluten Bread Mix180
- 0 -
Octreotide (somatostatin
analogue) 141
Oestradiol77
Oestradiol valerate77
Oestradiol with levonorgestrel78
Oestradiol with
norethisterone78
Oestriol

Genito-Urinary73	OxyContin	108
Hormone78	OxyNorm	108
Oestrogens77	Oxypentifylline	57
Oestrogens with	Oxytocin	73
medroxyprogesterone	, -Р-	
Oil in water emulsion63	Pacifen	104
Oily cream63		
Olanzapine	Pacific Buspirone	
Olbetam	Paclitaxel	
Olsalazine	Paclitaxel Ebewe	
Omeprazole	Paediatric Seravit	
Omeprazole, amoxycillin and	Pamidronate disodium	
clarithromycin	Pamisol	
Ondansetron	Panadol	
One-Alpha	Pancreatic enzyme	
Onkotrone	Pancrex V	
	Pancrex V Forte	
Optium 10 second test	Panteston	
Optium 5 second test	Pantocid IV	
Optium Xceed	Pantoprazole	
Orabase	Panzytrat	33
Oracort	Papaverine hydrochloride	
Oral Supplements	Paracare	106
Oral Supplements/Complete Diet	Paracare Double Strength	106
(Nasogastric/Gastrostomy	Paracare Junior	106
Tube Feed) 170	Paracetamol	
Orgran	Paracetamol with codeine	108
Ornidazole	Paradex	107
Orphenadrine citrate104	Paraffin	64
Orphenadrine hydrochloride118	Paraffin liquid with soft white	
Ortho69	paraffin	158
Ortho All-flex69	Paraffin liquid with wool fat	
Ortho Coil69	liquid	158
Ortho-tolidine159	Paraldehyde	111
Oruvail 10099	Paramax	115
Oruvail 20099	Parasiticidal Preparations	
Osmolite RTH177	Parnate	
Ospamox Paediatric Drops86	Parnate S29	
Other CNS Agents126	Paroxetine hydrochloride	
Other Endocrine Agents83	Paxam	
Other Oestrogen	Peak flow meter	
Preparations78	Pedialyte - Bubblegum	
Other Progestogen	Pedialyte - Fruit	40 45
Preparations78	Pedialyte - Plain	
Other Skin Preparations68	Pediasure	
Ovestin	Pediasure RTH	
Genito-Urinary73	Pegasys	
Hormone	Pegasys RBV Combination	90
Ox-Pam124	Pegasys RBV Combination Pack	05
Oxaliplatin132	Pack Pegatron Combination	95
Oxazepam124	Therapy	07
Oxis Turbuhaler149	Degulated interferen eleks 0-	9/ ^~
Oxybutynin74	Pegylated interferon alpha-2a	95
Oxycodone hydrochloride	Pegylated interferon alpha-2b	~~
	with ribavirin	



Penicillamine100
PenMix 3028
PenMix 4028
PenMix 50
Pentasa26
Pentostatin
(deoxycoformycin)
Pepti Junior184
Peptisoothe27
Peptisorb175
Pergolide117
Perhexiline maleate54
Periactin147
Pericyazine120
Perindopril50
Permax
Permethrin65
Persantin42
Pethidine hydrochloride109
Pevaryl
Pexsig54
Pharmacare106
Phenate83
Phenelzine sulphate110
Phenergan
Phenobarbitone113
Phenobarbitone sodium164
Phenoxybenzamine
hydrochloride 49
Phenoxymethylpenicillin
(Penicillin V)
Phentolamine mesylate
Phenylephrine
hydrochloride158
Phenylephrine hydrochloride with
zinc sulphate 158
Phenytoin sodium111, 113
Phlexy 10182
Phosphate-Sandoz45
Phytomenadione41
Pilocarpine157
Pilopt157
Pimafucort62
Pindol
Pindolol
Pinetarsol
Pioglitazone
Piportil121
Pipothiazine palmitate121
Piram-D100
Piroxicam100
Pizotifen115
Plaquenil

Plavix41	
Plendil ER54	
Podophyllotoxin67	
Polaramine	
Polaramine Repetab	
Poloxamer	
Poly-Tears157	
Poly-Visc158	
Polycal167	
Polycose167	
Polytar Emollient	
Polyvinyl alcohol157	
Ponstan100	
Postinor-172	
Potassium bicarbonate45	
Potassium chloride	
Povidone iodine	
Prantal63	
Pravachol46	
Pravastatin46	
Prazosin hydrochloride49	
Pred Forte155	
Pred Mild155	
Prednisolone acetate155	
Prednisolone sodium	
phosphate75	
Prednisone	
Prefrin	
Pregnancy tests - HCG urine73	
Premarin77	
Premia 2.5 Continuous78	
Premia 5 Continuous78	
Priadel120	
Primidone113	
Primolut N79	
Pro-Pam	
Probenecid104	
Procaine penicillin	
Procarbazine hydrochloride	
Prochlorperazine116	
Procyclidine hydrochloride118	
Prodopa55	
Prograf146	
Progynova77	
Promethazine hydrochloride148	
Promethazine theoclate116	
Promod169	
Propafenone hydrochloride 52	
Propafenone hydrochloride52 Propamidine isethionate154	
Propropolal	
Propranolol	
Propylene glycol165	
Protamine sulphate43	
Protaphane28	

Protaphane Penfill	28
Protifar 901	69
Provera77,	79
PSO186–1	89
Psoriasis and Eczema	
Preparations Pulmicort Turbuhaler1	65
Pulmicort Turbuhaler1	48
Pulmocare1	70
Pulmozyme1	52
Purinethol1	34
Pyrazinamide	89
Pvridostiamine bromide	99
Pyridoxine hydrochloride Pytazen SR	37
Pvtazen SR	42
-Q-	
	~-
Q 2001	05
Q 3001	05
Questran-Lite	45
Quetapel1	20
Quetiapine1	20
Quinapril	50
Quinapril with	
hydrochlorothiazide	50
Quinine sulphate1	05
	63
- R -	
- R -	
RA-Morph1	08
RA-Morph1 Ranbaxy Amoxicillin	08 86
RA-Morph1 Ranbaxy Amoxicillin Ranbaxy-Cefaclor	08 86 84
RA-Morph1 Ranbaxy Amoxicillin Ranbaxy-Cefaclor Ranitidine hydrochloride	08 86 84 27
RA-Morph1 Ranbaxy Amoxicillin Ranbaxy-Cefaclor Ranitidine hydrochloride Rapamune	08 86 84 27
RA-Morph1 Ranbaxy Amoxicillin Ranbaxy-Cefaclor Ranitidine hydrochloride Rapamune	08 86 84 27 45
RA-Morph1 Ranbaxy Amoxicillin Ranbaxy-Cefaclor Ranitidine hydrochloride Rapamune	08 86 84 27 45 80
RA-Morph1 Ranbaxy Amoxicillin Ranbaxy-Cefaclor Ranitidine hydrochloride Rapamune Recombinant human growth hormone Redipred	08 86 84 27 45 80 75
RA-Morph       1         Ranbaxy Amoxicillin       1         Ranbaxy-Cefaclor       1         Ranitidine hydrochloride       1         Rapamune       1         Recombinant human growth       1         hormone       1         Redipred       1	08 86 84 27 45 80 75 49
RA-Morph       1         Ranbaxy Amoxicillin       1         Ranbaxy-Cefaclor       1         Ranitidine hydrochloride       1         Rapamune       1         Recombinant human growth       1         hormone       1         Redipred       1         Regitine       1         Renilon 7.5       1	08 86 84 27 45 80 75 49 74
RA-Morph       1         Ranbaxy Amoxicillin       1         Ranbaxy-Cefaclor       1         Ranitidine hydrochloride       1         Rapamune       1         Recombinant human growth       1         hormone       1         Redipred       1         Regitine       1         Renilon 7.5       1         Requip       1	08 86 84 27 45 80 75 49 74 18
RA-Morph       11         Ranbaxy Amoxicillin       11         Ranbaxy-Cefaclor       12         Ranitidine hydrochloride       12         Rapamune       12         Recombinant human growth       12         hormone       12         Redipred       12         Renilon 7.5       12         Requip       11         Requip       12         Requip       13         Requip Follow-on Pack       14	08 86 84 27 45 80 75 49 74 18
RA-Morph       11         Ranbaxy Amoxicillin       11         Ranbaxy-Cefaclor       12         Ranitidine hydrochloride       12         Rapamune       12         Recombinant human growth       12         hormone       12         Redipred       12         Renilon 7.5       11         Requip       11         Requip       12         Requip Follow-on Pack       12         Requip Starter Pack       11	08 86 84 27 45 80 75 49 74 18 18
RA-Morph       11         Ranbaxy Amoxicillin       11         Ranbaxy-Cefaclor       12         Ranitidine hydrochloride       12         Rapamune       12         Recombinant human growth       14         hormone       12         Redipred       12         Renilon 7.5       11         Requip Follow-on Pack       11         Requip Starter Pack       12         Resonium-A       12	08 86 84 27 45 80 75 49 74 18 18 18 18
RA-Morph       11         Ranbaxy Amoxicillin       11         Ranbaxy-Cefaclor       12         Ranitidine hydrochloride       12         Rapamune       12         Recombinant human growth       12         hormone       12         Redipred       12         Renilon 7.5       11         Requip Follow-on Pack       11         Requip Starter Pack       11         Resonium-A       12         Resource Diabetic       11	08 86 84 27 45 80 75 49 74 18 18 18 45 71
RA-Morph       11         Ranbaxy Amoxicillin       11         Ranbaxy-Cefaclor       12         Ranitidine hydrochloride       12         Rapamune       12         Recombinant human growth       12         hormone       12         Redipred       12         Requip       13         Requip       14         Resonium-A       14         Resource       14         Resource       14         Resource       14         Resource       14	08 86 84 27 45 80 75 49 74 18 18 18 45 71 71
RA-Morph       11         Ranbaxy Amoxicillin       11         Ranbaxy-Cefaclor       12         Ranitidine hydrochloride       12         Rapamune       12         Recombinant human growth       12         hormone       12         Redipred       12         Requip       11         Requip       12         Requip Follow-on Pack       11         Resonium-A       12         Resource Diabetic       11         Resource Just for Kids       11	08 86 84 27 45 80 75 49 74 18 18 18 45 71 71 73
RA-Morph       11         Ranbaxy Amoxicillin       11         Ranbaxy-Cefaclor       12         Ranitidine hydrochloride       12         Rapamune       12         Recombinant human growth       12         hormone       12         Redipred       12         Requip       11         Requip       12         Requip Follow-on Pack       11         Resonium-A       12         Resource Diabetic       11         Resource Diabetic       11         Resource Just for Kids       12         Resource Plus       11	08 86 84 27 45 80 75 49 74 18 18 45 71 71 73 78
RA-Morph       11         Ranbaxy Amoxicillin       11         Ranbaxy-Cefaclor       12         Ranitidine hydrochloride       12         Rapamune       12         Recombinant human growth       12         hormone       12         Redipred       12         Requip       11         Requip       12         Requip Follow-on Pack       11         Resonium-A       12         Resource Diabetic       11         Resource Diabetic       11         Resource Just for Kids       12         Resource Plus       11	08 86 84 27 45 80 75 49 74 18 18 45 71 71 73 78
RA-Morph       11         Ranbaxy Amoxicillin       11         Ranbaxy-Cefaclor       12         Ranitidine hydrochloride       12         Rapamune       12         Repombinant human growth       14         hormone       12         Redipred       12         Regitine       12         Requip       11         Requip       12         Requip Follow-on Pack       11         Resonium-A       12         Resource Diabetic       12         Resource Diabetic       12         Resource Plus       11         Resource Plus       11         Resource Thicken Up       11         Resource Thicken Up       11	08 86 84 27 45 80 75 49 74 18 18 18 18 71 71 73 78 79 50
RA-Morph       11         Ranbaxy Amoxicillin       11         Ranbaxy-Cefaclor       12         Ranitidine hydrochloride       12         Rapamune       12         Repombinant human growth       14         hormone       12         Redipred       12         Regitine       12         Requip       11         Requip       12         Requip Follow-on Pack       11         Resonium-A       12         Resource Diabetic       12         Resource Diabetic       12         Resource Plus       11         Resource Plus       11         Resource Thicken Up       11         Resource Thicken Up       11	08 86 84 27 45 80 75 49 74 18 18 18 18 71 71 73 78 79 50
RA-Morph       11         Ranbaxy Amoxicillin       11         Ranbaxy-Cefaclor       12         Ranitidine hydrochloride       12         Rapamune       12         Reparation       12         Report International Human growth       12         hormone       12         Redipred       12         Regitine       12         Requip       11         Requip Follow-on Pack       11         Resource Diabetic       12         Resource Diabetic       12         Resource Diabetic       12         Resource Plus       13         Resource Plus       11         Resource Thicken Up       11         Respigen       12         Respiratory Devices       14	08 86 84 27 45 80 75 974 18 18 45 71 73 78 79 50 52
RA-Morph       11         Ranbaxy Amoxicillin       11         Ranbaxy-Cefaclor       12         Ranitidine hydrochloride       12         Rapamune       12         Recombinant human growth       12         hormone       12         Redipred       12         Requip       11         Requip Follow-on Pack       11         Resonium-A       12         Resource Diabetic       11         Resource Diabetic       11         Resource Dubetic       12         Resource Plus       11         Resource Plus       12         Resource Plus       13         Resource Plus       14         Resource Plus       15         Respiratory Devices       14         Retrovir       14	08 86 84 27 45 80 75 49 74 80 75 49 74 80 75 49 71 73 78 79 52 93
RA-Morph       11         Ranbaxy Amoxicillin       11         Ranbaxy-Cefaclor       12         Ranitidine hydrochloride       12         Rapamune       12         Rapamune       12         Recombinant human growth       12         hormone       12         Redipred       12         Requip       14         Requip       12         Requip Follow-on Pack       11         Requip Starter Pack       11         Resource Diabetic       12         Resource Diabetic       12         Resource Plus for Kids       13         Respigen       14         Respigen       12         Respiratory Devices       13         Retrovir       12         Retvir       12	08 86 84 27 45 80 75 49 74 80 75 49 74 80 75 49 74 80 75 49 71 73 78 79 52 93 30
RA-Morph       11         Ranbaxy Amoxicillin       11         Ranbaxy-Cefaclor       12         Ranitidine hydrochloride       12         Rapamune       12         Recombinant human growth       12         hormone       12         Redipred       12         Requip       11         Requip       11         Requip       12         Requip Follow-on Pack       11         Requip Starter Pack       11         Resonium-A       12         Resource Diabetic       12         Resource Plus       12         Resource Plus       13         Respigen       14         Respigen       12         Respiratory Devices       13         Retrovir       12         Revia       12         Revataz       12	08 86 84 27 45 80 75 49 74 18 18 45 71 73 79 50 293 30 93
RA-Morph       11         Ranbaxy Amoxicillin       11         Ranbaxy-Cefaclor       12         Ranitidine hydrochloride       12         Rapamune       12         Rapamune       12         Recombinant human growth       12         hormone       12         Redipred       12         Requip       14         Requip       12         Requip Follow-on Pack       11         Requip Starter Pack       11         Resource Diabetic       12         Resource Diabetic       12         Resource Plus for Kids       13         Respigen       14         Respigen       12         Respiratory Devices       13         Retrovir       12         Retvir       12	08 86 84 245 80 75 97 49 74 18 18 45 71 73 78 79 50 293 093 00

Ridal12	1
Ridaura100	0
Rifabutin89	9
Rifadin89	9
Rifampicin89	9
Rifinah	
Riodine64	
Risperdal12	
Risperdal Consta12	
Risperdal Quicklet122	
Risperidone121–122	2
Ritonavir	3
Rituximab14	
Rivotril	
Rizatriptan benzoate11	5
Rocaltrol solution	
Boferon BBV Combination	'
Roferon RBV Combination Pack	Б
Roferon RBV Combination Pack	0
Starter Kit	5
Roferon-A	
Ropin11	
Ropinirole hydrochloride118	8
Roxithromycin	
Rubifen	8
Rubifen SR12	
Rythmodan5	1
Rythmodan5 Rytmonorm5	1
Rythmodan5 Rytmonorm5 - S -	1 2
Rythmodan5 Rytmonorm5 - S - S26 Soy18	1 2 5
Rythmodan5 Rytmonorm5 - S - S26 Soy18 S26LBW Gold RTF18	1 2 5 3
Rythmodan5 Rytmonorm5 - S - S26 Soy18	1 2 5 3
Rythmodan         .5           Rytmonorm         .52           S -         .52           S26 Soy         .18           S26LBW Gold RTF         .18           Sabril         .114           Salamol         .151	1 2 5 3 4 0
Rythmodan         .5           Rytmonorm         .52           S26 Soy         .18           S26LBW Gold RTF         .18           Sabril         .11           Salamol         .15           Salapin         .15	1 2 5 3 4 0
Rythmodan         .5           Rytmonorm         .5           - S -         .5           S26 Soy         .18           S26LBW Gold RTF         .18           Sabril         .114           Salamol         .15           Salapin         .15           Salazopyrin         .24	1 2 5 3 4 0 6
Rythmodan         .5           Rytmonorm         .52           S -         .52           S26 Soy         .18           S26LBW Gold RTF         .18           Sabril         .114           Salamol         .151	1 2 5 3 4 0 6
Rythmodan         .5           Rytmonorm         .5           - S -         .5           S26 Soy         .18           S26LBW Gold RTF         .18           Sabril         .11           Salamol         .15           Salapin         .15           Salazopyrin         .20           Salazopyrin EN         .20           Salbutarnol         .15	1 5 3 4 0 6 6
Rythmodan	1 2 5 3 4 0 0 6 0
Rythmodan	1 2 5 3 4 0 0 6 0
Rythmodan         .5           Rytmonorm         .5           S26 Soy         .18           S26LBW Gold RTF         .18           Sabril         .11           Salamol         .15           Salazopyrin         .20           Salazopyrin EN         .20           Salbutamol         .150           Salbicylic acid         .600	12 53400660 16
Rythmodan         .5           Rytmonorm         .5           S26 Soy         .18           S26LBW Gold RTF         .18           Sabril         .11           Salamol         .15           Salazopyrin         .20           Salazopyrin EN         .20           Salbutamol         .150           Salbicylic acid         .600	12 53400660 16
Rythmodan	12 53400660 1695
Rythmodan	12 53400660 1695
Rythmodan       .5         Rytmonorm       .5         S26 Soy       .18         S26LBW Gold RTF       .18         Sabril       .11         Salamol       .150         Salapin       .150         Salazopyrin       .20         Salbutamol       .50         Salbutamol       .50         Salbutamol       .50         Salicylic acid       .60         Salmeterol       .14         Sandostatin       .14	12 53400660 16951
Rythmodan	12 53400660 169511
Rythmodan	12 53400660 1695116
Rythmodan	12 53400660 16951163
Rythmodan	12         53400660         169511636
Rythmodan	12         53400660         1695116366
Rythmodan       .5         Rytmonorm       .5         S26 Soy       .18         S26LBW Gold RTF       .18         Sabril       .11         Sabril       .15         Salazopyrin       .20         Salazopyrin EN       .20         Salbutamol       .150         Salbutamol       .151         Sandorsigran       .114         Sandostatin       .142         Sandoz       .80         Scalp Preparations       .60         Scopoder	12         53400660         16951163666
Rythmodan	12 53400660 169511636665

Serenace120
Seretide150
Seretide Accuhaler150
Serevent149
Serevent Accuhaler149
Seroquel120
Sevredol108
Sex Hormones Non
Contraceptive
Shield 49
Shield Blue69
Shield XL69
Silvazine59
Silver sulphadiazine59
Simethicone25
SimvaRex47
Simvastatin47
Sindopa117
Sinemet117
Sinemet CR117
Sirolimus145
Siterone76
Slow-Lopressor53
Smoking Cessation57
Sodium acid phosphate35
Sodium alginate25
Sodium aurothiomalate101
Sodium bicarbonate
Blood
Extemporaneous165 Sodium calcium edetate159
Sodium calcium edelale
carboxymethylcellulose
Sodium chloride44
Sodium citrate with sodium lauryl
sulphoacetate
Sodium citro-tartrate74
Sodium cromoglycate
Alimentary26
Respiratory151–152
Sensory155
Sodium fluoride
Sodium hypochlorite63
Sodium nitroprusside
Sodium polystyrene
Sodium polystyrene sulphonate
Sodium tetradecyl sulphate41
Sodium valproate113
Sofradex
Sofradex
Solian119
Solox27
Solu-Cortef75

Solu-Medrol75	
Sonaflam100	
Sotacor54	
Sotalol54	
Space Chamber153	
Spacer device153	
Span-K45	
Spiriva150	
Spirotone55	
Sporanox88	
Staphlex86	
Stavudine [d4T]93	
Stelazine	
Stemetil116	
Stesolid111	
Stocrin92	
Stomahesive	
Strattera126	
Sucralfate28	
Sulindac100	
Sulphacetamide sodium154	
Sulphasalazine	
Sulphur66	
Sumagran115	
Sumatriptan115	
Sunscreens67	
Sunscreens, proprietary67	
Suplena	
Suprefact80	
Surgam	
Sustagen Hospital Formula170	
Sustanon Ampoules	
Symbicort Turbuhaler 100/6150	
Symbicort Turbuhaler 200/6150	
Symbicort Turbuhaler	
400/12	
Symmetrel117	
Sympathomimetics	
Synacthen76	
Synacthen Depot76	
Synermox	
Synflex100	
Syntocinon73	
Syntometrine 73	
Syntometrine73 Syrup (pharmaceutical	
grade) 165	
- T -	
Tacrolimus146	
Tambocor	
Tambocor CR	
Tamoxifen citrate142	

INDEX Generic Chemicals and Brands

Tap water1	
Tar with cade oil	.66
Tar with triethanolamine lauryl	
sulphate and fluorescein	
Tasmar1	18
Taxotere1	
Tegretol1	11
Tegretol CR1	11
Telfast1	48
Temazepam1	26
Temgesic1	
Temodal1	38
Temozolomide1	38
Teniposide1	
Tenofovir disoproxil fumarate	.93
Tenoxicam	
Terazosin hydrochloride	49
Terbinafine	
Terbutaline sulphate1	50
Testosterone	
Testosterone cypionate	
Testosterone esters	
Testosterone undecanoate	
Tetrabenazine1	
Tetrabromophenol1	
Tetracosactrin	
Teva1	
Thalidomide1	
Thalidomide Pharmion1	38
Theophylline1	51
Thiamine hydrochloride	37
Thioguanine1	35
Thioprine1	10
Thiophile	26
Thymol glycerin Thyroid and Antithyroid	30
Agents	70
Tiaprofenic acid1	19
Tiberal	
Tilade1	
Tilcotil1	
Timolol maleate	00
Cardiovascular	- 4
Sensory1	55
Timoptol XE1 Tiotropium bromide1	55
Titralac	25
TMP	88
Tobramycin	~~
Infection	88
Sensory1	
Tobrex	
Tofranil1	
Tolcapone1	18

Takian 100
Tolvon109
Topamax114
Topiramate114
Total parenteral nutrition
(TPN) 44
TPN44
Trandate53
Trandolapril50
Tranexamic acid41
Tranylcypromine sulphate110
Trastuzumab143
Travatan156
Travoprost156
Trental 400
Tretinoin
Triamcinolone acetonide
Alimentary
Dermatological62
Hormone
Triamcinolone acetonide with
gramicidin, neomycin and nystatin
Dermatological62
Sensory154
Triamizide56
Triamterene with
hydrochlorothiazide56
Triazolam126
Trichozole
Trifeme71
Trifluoperazine
hydrochloride 121
Trimeprazine tartrate148
Trimethoprim88
Trimipramine maleate110
Triphasil 2871
Tripress
Triquilar ED71
Trisequens
Trisul
Trophic Hormones
Tropicamide
Tropisetron116
Trusopt
Two Cal HN179
Tyloxapol157
- U -
Ultraproct26
Ural74
Lirea 63

Ural	74
Urea	63
Urinary Agents	73
Urinary Tract Infections	97
Uromitexan	137

Ursodeoxycholic acid33
- v - Vaccines
Vallergan Forte148
Valoid (AFT)115
Vancomycin hydrochloride88
Vannair150
Vasodilators57
Vasopressin Agonists
Vaxigrip
Venlafaxine
Ventolin
Vepesid137
Verapamil hydrochloride55
Vergo 16115
Vermox
Verpamil SR55
Vesanoid139
Viaderm KC62
Vicrom151
Videx EC93
Vigabatrin114
Vinblastine sulphate139
Vincristine sulphate139
Vinorelbine139
Vinorelbine Ebewe139
Viramune92
Viramune Suspension92
Viread93
Vistil157
Vistil Forte157
Vitadol C36
Vital HN175
Vitamin A with vitamins D and C36
Vitamin B complex
Vitamins
Vivonex Pediatric
Vivonex TEN
Voltaren
Voltaren D99
Voltaren Ophtha155
Vosol
Vumon
Vytorin
- W -
- w - Warfarin sodium43
Wart Preparations67
Wash venom alleray
Wasp venom allergy treatment147
Water

Blood ......44

Extemporaneous Wholesale Supply Order Wool fat with mineral oil	189	
- X -		
Xalatan		
Xeloda	132	
Xenazine 25	130	
XMET Maxamum	181	
XP Analog LCP	182	
XP Maxamaid		
XP Maxamum		
Xylocaine		
- Z -		
Zadine	147	
Zantac	27	

Zarontin	111
Zavedos	137
Zeffix	
Zeldox	121
Zerit	
Zetop	147
Ziagen	92
Zidovudine [AZT]	
Zidovudine [AZT] with	
lamivudine	
Zinacef	84
Zinc	63
Zinc and castor oil	63
Zinc oxide	26
Zinc sulphate	39

Zincaps Zincfrin Zinnat Ziprasidone Zofran Zydis Zofran Zydis Zoladex Zopiclone Zostrix HP	158 84 121 116 116 81 126 68
Zovirax Zuclopenthixol decanoate Zyprexa Zyprexa Zydis	154 122 120

# Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

# **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

# Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

# Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:
	to change a prescribed medicine in this way is

# Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

# **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

# Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

# Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:
	to change a prescribed medicine in this way is

# Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

# **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

# Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

# Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:
	to change a prescribed medicine in this way is

# Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

# **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

# Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

# Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:
	to change a prescribed medicine in this way is

# Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

# **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

# Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

# Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:
	to change a prescribed medicine in this way is

# Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

# **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

# Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

# Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:
	to change a prescribed medicine in this way is

# Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

# **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

# Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

# Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:
	to change a prescribed medicine in this way is