November 2009

Volume 16 Number 2

Editors

Kaye Wilson & Scott Brydon email: schedule@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, Cigna House 40 Mercer Street PO Box 10 254 Wellington

Freephone Information Line 0800 66 00 50 (9am – 5pm weekdays)

Circulation

Published each April, August and December. Changes to the contents are published in monthly updates. Annual subscription includes three Pharmaceutical Schedule books, 12 updates and occasional information on rule changes and news items. The Schedule is distributed free of charge to

over 9,000 health professionals, and is also available on an annual subscription.

Prices

\$22.22 One Schedule book \$4.44 One Update \$120.00 Annual subscription All prices include postage and exclude GST.

Production

Typeset automatically from XML and TEX. Source XML suitable for database import available on request.

Programmers

therefrom.

Peter Ericson & John Geering email: texschedule@pharmac.govt.nz

http://www.pharmac.govt.nz

ISSN 1172-9376 (Print)
ISSN 1179-3686 (Online)
Copyright © 1994 Pharmaceutical Management Agency. No part may be reproduced in any form or by any process without written permission, nor be used in any form of advertising, sales, promotion or publicity. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising

Introducing PHARMAC

Section A General Rules 12

Section B

Alimentary Tract & Metabolism 25

Blood & Blood Forming Organs 39

Cardiovascular System 48

Dermatologicals 58

Genito Urinary System 69

Hormone Preparations – Systemic 75

Infections – Agents For Systemic Use 83

Musculoskeletal System 100

Nervous System 109

Oncology Agents & Immunosuppressants

Respiratory System & Allergies

Sensory Organs

156

Various 161

Section C Extemporaneous Compounds (ECPs) 162

Section D Special Foods 168

Section E Supply Orders (PSO & WSO) 187

Rural Areas 191

Section F Dispensing Period Exemptions 192

Section G Safety Cap Medicines 194

Index 197

Introducing PHARMAC

PHARMAC, the Pharmaceutical Management Agency, is a Crown entity established pursuant to the New Zealand Public Health and Disability Act 2000 (The Act). The primary objective of PHARMAC is to secure for eligible people in need of pharmaceuticals, the best health outcomes that are reasonably achievable from pharmaceutical treatment and from within the amount of funding provided.

The PHARMAC Board consists of up to six members appointed by the Minister of Health. All decisions relating to PHARMAC's operation are made by or under the authority of the Board. In particular, Board members decide on the strategic direction of PHARMAC and may decide which community pharmaceuticals should be subsidised and at what levels, and determine national prices for some pharmaceuticals to be purchased by and used in DHB Hospitals, and whether or not special conditions are to be applied to such purchases.

Members of the PHARMAC Board

Richard Waddel Kura Denness David Kerr David Moore Adrienne von Tunzelmann Decisions taken by the PHARMAC Board members, or made under the authority of the Board, incorporate a balanced view of the needs of prescribers and patients. The aim is to achieve long-term gains and efficient ways of making pharmaceuticals available to the community and for DHB Hospitals to purchase them.

Murray Georgel, CE MidCentral DHB, attends PHARMAC's Board meetings as an observer.

The functions of PHARMAC are to perform the following, within the amount of funding provided to it in the Pharmaceutical Budget or to DHBs from their own budgets for the use of pharmaceuticals in their hospitals, as applicable, and in accordance with its annual plan and any directions given by the Minister (Section 103 of the Crown Entities Act):

- a) to maintain and manage a pharmaceutical schedule that applies consistently throughout New Zealand, including determining eligibility and criteria for the provision of subsidies;
- b) to manage incidental matters arising out of (a), including in exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the pharmaceutical schedule;
- c) to engage as it sees fit, but within its operational budget, in research to meet its objectives as set out in Section 47(a) of the Act:
- d) to promote the responsible use of pharmaceuticals;
- e) to manage the purchasing of any or all pharmaceuticals, whether used either in a hospital or outside it, on behalf of DHBs;
- f) any other functions given to PHARMAC by or under any enactment or authorised by the Minister.

The policies and criteria set out in the Pharmaceutical Schedule and PHARMAC's Operating Policies and Procedures arise out of, and are designed to help PHARMAC achieve and perform, PHARMAC's objective and functions under the Act.

However PHARMAC may, having regard to its public law obligations, depart from the strict application of those policies and criteria in certain exceptional cases where it considers this necessary or appropriate in the proper exercise of its statutory discretion and to give effect to its objective and functions, particularly with respect to:

- Determining eligibility and criteria for the provision of subsidies; and
- In exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the Pharmaceutical Schedule.

Decision Criteria

PHARMAC updates the Pharmaceutical Schedule at regular intervals to notify prescribers, pharmacists, hospital managers and patients of changes to Community Pharmaceutical subsidies and the prices for Hospital Pharmaceuticals. In making decisions about amendments to the Pharmaceutical Schedule, PHARMAC is guided by its Operating Policies and Procedures, as amended or supplemented from time to time. PHARMAC takes into account the following criteria when making decisions about Community Pharmaceuticals:

- the health needs of all eligible people within New Zealand (eligible defined by the Government's then current rules of eligibility):
- the particular health needs of Māori and Pacific peoples;
- the availability and suitability of existing medicines, therapeutic medical devices and related products and related things;
- the clinical benefits and risks of pharmaceuticals;
- the cost-effectiveness of meeting health needs by funding pharmaceuticals rather than using other publicly funded health and disability support services;
- the budgetary impact (in terms of the pharmaceutical budget and the Government's overall health budget) of any changes to the Pharmaceutical Schedule:
- the direct cost to health service users:
- the Government's priorities for health funding, as set out in any objectives notified by the Crown to PHARMAC, or in PHARMAC's Funding Agreement, or elsewhere; and
- such other criteria as PHARMAC thinks fit. PHARMAC will carry out appropriate consultation when it intends to take any such "other criteria" into account.

The Operating Policies and Procedures, including any supplements, also describe the way in which PHARMAC determines the level of subsidy or purchase price payable for each Community Pharmaceutical or Hospital Pharmaceutical, respectively.

The decision criteria for Hospital Pharmaceuticals are set out in the hospital supplement to the Operating Policies and Procedures and in the introductory part of Section H of the Pharmaceutical Schedule.

Copies of PHARMAC's Operating Policies and Procedures and of any applicable supplements are available on the PHARMAC website (www.pharmac.govt.nz), or on request.

PHARMAC and the Pharmaceutical Schedule:

PHARMAC manages the national Pharmaceutical Schedule, which lists:

- Pharmaceuticals available in the community and subsidised by the Government with funding from the Pharmaceutical Budget; and
- some Pharmaceuticals purchased by DHBs for use in their hospitals, and includes those Hospital Pharmaceuticals for which national prices have been negotiated by PHARMAC.

In the community approximately 1848 Pharmaceuticals are subsidised by the Government. Most are available to all eligible people within New Zealand on prescription by a medical doctor. Some are listed with guidelines or conditions such as 'only if prescribed for a dialysis patient' or 'Special Authority - Retail Pharmacy', to ensure that Pharmaceuticals are used by those people who are most likely to benefit from them. Pharmaceuticals provided to patients for use while in DHB hospitals are not covered by Sections A to G of the Pharmaceutical Schedule.

Section H of the Pharmaceutical Schedule is not a comprehensive list of Pharmaceuticals that are used within the DHB Hospitals. Section H of the Pharmaceutical Schedule includes Pharmaceuticals that can be purchased at a national price by DHBs for use in their hospitals. These are referred to as National Contract Pharmaceuticals.

Section H of the Pharmaceutical Schedule also identifies new Pharmaceuticals used in hospitals, which have been or are being assessed by PHARMAC, the results of that analysis being available to DHB Hospitals via PHARMAC's website.

A list of Discretionary Community Supply Pharmaceuticals, in Section H of the Pharmaceutical Schedule, identifies those products that currently are not subsidised from the Pharmaceutical Budget as Community Pharmaceuticals in Sections A to G of the Pharmaceutical Schedule but which DHBs can at their discretion fund for use in the community from their own budgets without specific Hospital Exceptional Circumstances approval.

PHARMAC's clinical advisors

Pharmacology and Therapeutics Advisory Committee (PTAC)

PHARMAC works closely with the Pharmacology and Therapeutics Advisory Committee (PTAC), an expert medical committee which provides independent advice to PHARMAC on health needs and the clinical benefits of particular pharmaceuticals for use in the community and/or in DHB Hospitals.

The committee members are all senior, practising clinicians. The chair of PTAC sits with the PHARMAC Board in an advisory capacity.

PTAC helps decide which community pharmaceuticals are to be subsidised from public monies by making recommendations to PHARMAC. Part of the role of PTAC is to review whether Community Pharmaceuticals already listed on the Schedule should continue to receive Government funds. The resources freed up can be used to subsidise other community pharmaceuticals with a greater therapeutic worth.

PHARMAC may obtain clinical advice from PTAC in relation to national purchasing strategies for Hospital Pharmaceuticals. There may be additional specialist hospital representatives on PTAC subcommittees, or additional PTAC subcommittees, where PHARMAC considers this necessary.

PTAC members are:

Carl Burgess MBChB, MD, MRCP (UK), FRACP, FRCP, physician/clinical pharmacologist, Chair

lan Hosford MBChB, FRANZCP, psychiatrist

Sisira Jayathissa MBBS, MD, MRCP, FAFPHM, FRCP, FRACP, physician

George Laking PhD, MB, B.Med.Sci, MD, FRACP

Jim Lello BHB, MBChB, DCH, FRNZCGP, general practitioner Graham Mills MBChB, MTropHlth, MD, FRACP, infectious disease specialist

Peter Pillans MBBCh, MD, FCP, FRACP, clinical pharmacologist

Paul Tomlinson MBChB, MD, MRCP, FRACP, BSc, paediatrician, Deputy Chair

Mark Weatherall BA, MBChB, MApplStats, FRACP

Howard Wilson BSc, PhD, MB, BS, Dip Obst, FRNZCGP, general practitioner

Contact PTAC C/-Advisory Committee Manager , Pharmaceutical Management Agency, PO Box 10 254, WELLINGTON, Email: PTAC@pharmac.govt.nz

The PHARMAC Team

The PHARMAC team has a wide range of expertise in health, medicine, economics, commerce, critical analysis, and policy development and implementation.

opment and implementat	tion.		
Matthew Brougham	Chief Executive	Trish Mahoney	Contract Manager
Kate Adams	Health Economist	Adam McRae	Team Leader, Access & Optimal
Paul Alexander	Health Economist		Use
Peter Alsop	Manager, Corporate and External Relations	Scott Metcalfe	Chief Advisor Population Medicine / Public Health
Jason Arnold	Senior Analyst		Physician
Diana Beswethrick	HR Contractor	Peter Moodie	Medical Director
Mike Bignall	Therapeutic Group Manager	Christina Newman	Executive Assistant to Chief
Stephen Boxall	Creative Director		Executive/Office Manager
Scott Brydon	Schedule Analyst	Deborah Nisbet	Receptionist
Davina Carpenter	Records Manager	Leigh Parish	PA to Medical Director
Christine Chapman	Contract Manager	Marama Parore	Manager, Access & Optimal
Yvonne Chen	Tender Analyst		Use & Māori Health
Mary Chesterfield	High Cost Medicines	Chris Peck	Analyst
	Co-ordinator	Melanie Pemberton	Communications Advisor
Steffan Crausaz	Manager, Funding and	Fisher	
	Procurement	Sharon Ponniah	Access and Optimal Use
Andrew Davies	Procurement Initiatives		Manager
	Manager	Matthew Poynton	Analyst/Health Economist
Rachelle Davies	Senior Receptionist	Rachel Pratt	Hospital Exceptional
Jessica Dougherty	Funding and Procurement		Circumstances Panel
	Assistant		Co-ordinator
Sean Dougherty	Therapeutic Group Manager	Jan Quin	Team Leader, Medical Team
Anrik Drenth	Web Developer	Dilky Rasiah	Deputy Medical Director
Kim Ellis	Access & Optimal Use	Kyle Reid	High Cost Medicines Panel
	Co-ordinator	•	Co-ordinator / Growth Hormone
Simon England	Communications Manager	Brian Roulston	Analyst
Andy Erceg	Senior Network and System	Fiona Rutherford	Senior Policy Analyst
	Administrator	Rico Schoeler	Manager, Analysis and
Jackie Evans	Therapeutic Group Manager		Assessment
John Geering	Systems Architect	Merryn Simmons	PHARMAC Seminar Series
Rachel Grocott	Health Economist / Team	,	Co-ordinator
	Leader Assessment	Liz Skelley	Finance Manager
Susan Haniel	Advisory Committee Manager	Moana Tane	Māori Health Manager
David Harland	Health Economist	Jayne Watkins	Community Exceptional
Karen Jacobs	Access & Optimal Use Manager	•	Circumstances Panel
Cherie Jacobson	Corporate Assistant		Co-ordinator
Richard Jaine	Public Health Registrar	Greg Williams	Therapeutic Group Manager
Geoff Lawn	Applications Developer	Lisa Williams	Legal Counsel
Geraldine MacGibbon	Therapeutic Group Manager	Kaye Wilson	Schedule Analyst
Janet Mackay	Access & Optimal Use Manager	Stephen Woodruffe	Therapeutic Group Manager
Rachel Mackay	Manager, Schedule and	•	

Contracts

Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price (if it differs from the Subsidy) and any access conditions that may apply; and
- some Hospital Pharmaceuticals that are purchased and used by DHB Hospitals, including those for which national prices have been negotiated by PHARMAC.

The purpose of the Schedule is not to show the final cost to Government of subsidising each Community Pharmaceutical or to DHBs in purchasing each Hospital Pharmaceutical since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for some Hospital Pharmaceuticals, on any logistics arrangements put in place by individual DHB Hospitals.

Finding Information in the Pharmaceutical Schedule

Community Pharmaceuticals

For Community Pharmaceuticals, the Schedule is organised in a way to help the reader find Community Pharmaceuticals, which may be used to treat similar conditions. To do this, Community Pharmaceuticals are first classified anatomically, originally based on the Anatomical Therapeutic Chemical (ATC) system, and then further classified under section headings structured for the New Zealand medical system.

- Section A lists the General Rules in relation to Community Pharmaceuticals and related products.
- Section B lists Community Pharmaceuticals and related products by anatomical classification, which are further divided into
 one or more therapeutic headings. Community Pharmaceuticals used to treat similar conditions are grouped together.
- Section C lists the rules in relation to Extemporaneously Compounded Products (ECPs) and Community Pharmaceuticals
 that will be subsidised when extemporaneously compounded.
- Section D lists the rules in relation to Special Foods and the Special Foods that are subsidised.
- Section E Part I lists the Community Pharmaceuticals that are subsidised on a Practitioner's Supply Order (PSO) and Wholesale Supply Order (WSO).
- Section E Part II lists rural areas for the purpose of PSOs.
- Section F lists the Community Pharmaceuticals dispensing period exemptions.
- Section G lists the Community Pharmaceuticals eligible for reimbursement of safety cap and related rules.

The listings are displayed alphabetically (where practical) within each level of the classification system. Each anatomical section contains a series of therapeutic headings, some of which may contain a further classification level. Where a Community Pharmaceutical is used in more than one therapeutic area, they may be cross-referenced.

The therapeutic headings in the Pharmaceutical Schedule do not necessarily correspond to the therapeutic groups and therapeutic subgroups, which PHARMAC establishes for the separate purpose of determining the level of subsidy to be paid for each Community Pharmaceutical.

The index located at the back of the book in which Sections A-G of the Pharmaceutical Schedule are published can be used to find page numbers for generic chemical entities, or product brand names.

Hospital Pharmaceuticals

Section **H** lists Pharmaceuticals that DHBs fund from their own budgets. The Hospital Pharmaceuticals are grouped into the following Parts in Section H:


- Part I lists the rules in relation to Hospital Pharmaceuticals.
- Part II lists Hospital Pharmaceuticals for which national contracts exist (National Contract Pharmaceuticals). These are
 listed alphabetically by generic chemical entity name and line item, the relevant Price negotiated by PHARMAC and, if
 applicable, an indication of whether it has Hospital Supply Status (HSS) and any associated Discretionary Variance (DV)
 Pharmaceuticals and DV Limit.
- Part III lists Assessed Pharmaceuticals, which have been or are being assessed by PHARMAC and, where such assessment
 is available, PHARMAC's opinion regarding the use of the Assessed Pharmaceuticals in hospitals. DHB Hospitals are not
 obliged to implement those recommendations.
- Part IV lists Discretionary Community Supply Pharmaceuticals, which are not Community Pharmaceuticals, but which a DHB
 Hospital can, in its discretion, fund for use in the community from its own budget.

The index located at the back of the Section H supplement can be used to find page numbers for generic chemical entities, or product brand names, for Hospital Pharmaceuticals.

Explaining drug entries

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the amount of that subsidy paid to contractors, the supplier's price and the access conditions that may apply.

Example



Glossary

Units of Measure

gram	g	microgram	µg	millimolemmol
kilogram	kg	milligram	mg	unitu
international unit	in	millilitro	ml	

Abbreviations					
Ampoule	Amp	Granules	Gran	Suppository	Supp
Capsule	Сар	Infusion	Inf	Tablet	Tab
Cream	Crm	Injection	Inj	Tincture	Tinc
Device	Dev	Linctus	Linc	Trans Dermal Delivery	
Dispersible	Disp	Liquid	Liq	System	TDDS
Effervescent	Eff	Long Acting	LA		
Emulsion	Emul	Ointment	Oint		
Enteric Coated	EC	Sachet	Sach		
Gelatinous	Gel	Solution	Soln		
BSO Bulk Supply Or	der				

CBS Cost Brand Source. There is no set manufacturer's price, and the Government subsidises the product at the price it is obtained by the pharmacy.

CE Compounded Extemporaneously.

CPD Cost Per Dose. The Funder (as defined in Part I of the General Rules) cost of a standard dose, without mark-ups or fees and excluding GST.

ECP Extemporaneously Compounded Preparation.

HSS Hospital Supply Status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

OP Original Pack – subsidy is rounded up to a multiple at whole packs.

PSO Practitioner's Supply Order.

Sole Subsidised

Supplier Only brand of this medicine subsidised.

WSO Wholesale Supply Order.

XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

- Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner.
- * Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless medicine is endorsed "close control" or "cc" and the endorsement is initialled by the prescriber.
- Safety cap required and subsidised for oral liquid formulations, including extemporaneously compounded preparations. Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a manufacturer's surcharge.
- S29 This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981. Practitioners prescribing this medication should:
 - a) be aware of and comply with their obligations under Section 29 of the Medicines Act 1981 and otherwise under that Act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
 - c) exercise their own skill, judgement, expertise and discretions, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an indication for which it is not approved.

Note: Where medicines supplied under Section 29 that are used for emergency situations, patient details required under Section 29 of the Medicines Act may be retrospectively provided to the supplier.

	Definitions						
Abbrev.	Pharmacy Services Agreement	All other Pharmacy Agreements					
[HP1]	Subsidised when dispensed from pharmacies that have the Complex Medicines Variation of the Pharmacy Services Agreement	Available from selected pharmacies that have an exclusive contract to dispense 'Hospital Pharmacy' [HP1] pharmaceuticals.					
[HP3]	Subsidised when dispensed from pharmacies that have the Pharmacy Services Agreement. A Special Food with [HP3] annotation is subsidised when dispensed by a pharmacy that has a Special Foods Service appended to their Pharmacy Services Agreement by their DHB.	Available from selected pharmacies that have an exclusive contract to dispense 'Hospital Pharmacy' [HP3] pharmaceuticals.					
[HP4]	Subsidised when dispensed from pharmacies that have the Monitored Therapy Variation (for Clozapine Services)	Avaliable from selected pharmacies that have an exclusive contract to dispense 'Hospital Pharmacy' [HP4] pharmaceuticals.					

Patient costs

Community Pharmaceuitical costs met by the Government

Most of the cost of a subsidised prescription Community Pharmaceutical is met by the Government through the Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to Contractors, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to Contractors does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a \checkmark in the product's Schedule listing.

SALBUTAMOL		
Aerosol inhaler 100 μg per dose	3.80	✓ Fully subsidised brand
	(6.00)	Higher priced brand

Pharmaceutical Co-Payments

Some Community Pharmaceutical costs are met by the patient. Generally a patient pays a prescription charge. In addition a patient will sometimes pay a manufacturer's surcharge, after hours service fee and any special packaging fee.

PRESCRIPTION CHARGE

From 1 September 2008, everyone who is eligible for publicly funded health and disability services should in most circumstances pay only \$3 for subsidised medicines.

All prescriptions from a public hospital, a midwife and a Family Planning Clinic are covered for \$3 co-payments.

Prescriptions from the following providers are approved for \$3 co-payments on subsidised medicines if they meet the specified criteria:

- After Hours Accident and Medical Services with a DHB or a PHO contract.
- Youth Health Clinics with a DHB or a PHO contract.
- Dentists who write a prescription that relates to a service being provided under a DHB contract.
- Private specialists (for example, opthalmologists and orthopaedics) who write a prescription for a patient receiving a publicly funded service contracted by the DHB.
- General practitioners who write a prescription during normal business hours to a person who is not enrolled in the general
 practice provided the person is eligible for publicly funded health and disability services and the general practice is part of a
 PHO
- Hospices that have a contract with a DHB.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Eligibility Direction on the Ministry of Health's website.

To check if a medicine is fully subsidised, refer to the Pharmaceutical Schedule on PHARMAC's website or ask your pharmacist or general practitioner.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

NOTE: Information sourced from Ministry of Health Website, for more information please visit www.moh.govt.nz

MANUFACTURER'S SURCHARGE

Not all Community Pharmaceuticals are fully subsidised. Although PHARMAC endeavours to fully subsidise at least one Community Pharmaceutical in each therapeutic group, and has contracts with some suppliers to maintain the price of a particular product, manufacturers are able to set their own price to pharmacies. When these prices exceed the subsidy, the pharmacist may recoup the difference from the patient.

To estimate the amount a patient will pay on top of the prescription charge, take the difference between the manufacturer's price

and the subsidy, and multiply this by 1.86. The 1.86 factor represents the pharmacy mark-up on the surcharge plus other costs such as GST. Pharmacies charge different mark-ups so this may vary.

Manufacturer's surchage to patient = (price - subsidy) \times 1.86

For example, a Community Pharmaceutical with a supplier (ex-manufacturer) cost of \$11.00 per pack with a \$10.00 subsidy will cost the patient a surchage of \$1.86 on top of the prescription charge. The most a patient should pay is therefore \$16.86 - being \$15.00 maximum prescription charge, plus \$1.86.

Hospital Pharmaceutical and Pharmaceutical Cancer Treatment Costs

The cost of purchasing Hospital Pharmaceuticals and Pharmaceutical Cancer Treatments (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) is met by the Funder (in particular, the relevant DHB) from its own budget. As required by section 23(7) of the Act, in performing any of their functions in relation to the supply of Pharmaceuticals including Pharmaceutical Cancer Treatments, DHBs must not act inconsistently with the Pharmaceutical Schedule.

PHARMAC web site

PHARMAC has set up an interactive Schedule on the Internet. It can be used to calculate the cost of a prescribed Community Pharmaceutical. This site at http://www.pharmac.govt.nz takes into account the quantity of Community Pharmaceutical prescribed as well as the patient's age, whether the patient has a community services card, high use health card or prescription subsidy card, the fee for pharmacy services and prescription charges.

Other information about PHARMAC is also available on our website. This includes copies of the Annual Review, Annual Report and Annual Plan, as well as information such as the Pharmaceutical Schedule, Pharmaceutical Schedule Updates, National Hospital Pharmaceutical Strategy, other publications and recent press releases.

Special Authority Applications

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person. Applications must be submitted to the Ministry of Health by the prescriber for the request to be processed.

Subsidy

Once approved, the presciber will be provided a Special Authority number which must appear on the prescription. Specialists who make an application must communicate the valid authority number to the prescriber who will be writing the prescriptions.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Pharmaceutical Budget.

Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website.

For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised. Criteria for each Special Authority Community Pharmaceutical are updated regularly, based on the decision criteria of PHARMAC. The appropriateness of the listing of a Community Pharmaceutical in the Special Authority category will also be regularly reviewed. Applications for inclusion of further Community Pharmaceuticals in the Special Authority category will generally be made by a pharmaceutical supplier.

Special Authority Applications

Application forms can be found at www.pharmac.govt.nz. Requests for fax copies should be made to PHARMAC, phone 04 460 4990. Applications are processed by the Ministry of Health, and should be sent to:

Ministry of Health Sector Services, Fax: (06) 349 1983 or free fax 0800 100 131

Private Bag 3015, WANGANUI 4540

For enquiries, phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666

Note: The Ministry of Health can only provide information on Special Authority applications to prescribers and pharmacists.

Each application must:

- Include the patients name, date of birth and NHI number (codes for AIDS patients' applications)
- Include the practitioner's name, address and Medical Council registration number
- Clearly indicate that the relevant criteria, have been met.
- Be signed by the practitioner.

Exceptional Circumstances policies

The purpose of the Exceptional Circumstances policies are to provide:

- funding from the Community Exceptional Circumstances budget for medication, to be used in the community, in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical Budget is not able to be provided through the Pharmaceutical Schedule ("Community Exceptional Circumstances"); or
- an assessment process for the DHB Hospitals to determine whether they can fund medication, to be used in the community, in circumstances where the medication is neither a Community Pharmaceutical nor a Discretionary Community Supply
 Pharmaceutical and where the patient does not meet the criteria for Community Exceptional Circumstances ("Hospital Exceptional Circumstances"); or
- an assessment process for DHB Hospitals to determine whether they can fund pharmaceuticals for the treatment of cancer
 in their DHB Hospital, or in association with Outpatient services provided in their DHB hospital, in circumstances where the
 pharmaceutical is not identified as a Pharmaceutical Cancer Treatment ("Cancer Exceptional Circumstances") in Sections
 A-H of the Pharmaceutical Schedule.

Upon receipt of an application for approval for Community Exceptional Circumstances or Hospital Exceptional Circumstances, the Exceptional Circumstances Panel first decides whether an application will be assessed initially under the Community Exceptional Circumstances criteria or the Hospital Exceptional Circumstances criteria. Cancer Exceptional Circumstances is a separate process.

Hospital Exceptional Circumstances

If the application is first assessed but not approved under the Community Exceptional Circumstances criteria, the Exceptional Circumstances Panel may recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances.

If the application is first assessed under the Hospital Exceptional Circumstances criteria, the Exceptional Circumstances Panel may:

- a) recommend against the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget, in which case a DHB Hospital must not fund the pharmaceutical from its own budget;
- b) recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances, in which case a DHB Hospital may, but is not obliged to, fund the pharmaceutical from its own budget;
- c) defer its decision until further assessment under the Community Exceptional Circumstances criteria can undertaken; or
- d) recommend interim funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances until further assessment under the Community Exceptional Circumstances criteria can be undertaken.

Permission to fund a pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances will only be granted by PHARMAC where it has been demonstrated that such funding is cost-effective for the relevant DHB in the region in which the patient resides.

If the patient being treated with a pharmaceutical under Hospital Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

Applications for Hospital Exceptional Circumstances should be made on the standard application form available from the PHARMAC website www.pharmac.govt.nz or the address below:

Phone: (04) 916 7521

or fax (09) 523 6870

Email: ecpanel@pharmac.govt.nz

The Coordinator, Hospital Exceptional Circumstances Panel PHARMAC, PO Box 10 254

Wellington

Cancer Exceptional Circumstances

Permission to fund a pharmaceutical for the treatment of cancer from the Hospital's own budget under Cancer Exceptional Circumstances will only be granted by PHARMAC where it has been demonstated that the proposed use meets the criteria.

If the patient being treated with a pharmaceutical under Cancer Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

Community Exceptional Circumstances

In order to qualify for Community Exceptional Circumstances approval one of the following criteria must be met:

- a) the condition must be rare; or
- b) the reaction to alternative funded treatment must be unusual; or
- c) an unusual combination of circumstances applies.

Rare and unusual are considered to be in the order of less than 10 people nationally.

Where one of the above Community Exceptional Circumstances entry criteria is met, the application may then be further examined under supplementary criteria, assessing suitability of the pharmaceutical, clinical benefit, the cost effectiveness of the treatment, and the patient's ability to pay for the treatment. Where these documented criteria are met, a subsidy sufficient to fully fund the pharmaceutical will be made available to the specific patient on whose behalf the application was made.

Community Exceptional Circumstances funding is only available where the criteria are met and is not available for financial reasons alone.

Applications for Community Exceptional Circumstances, Hospital Exceptional Circumstances and Cancer Exceptional Circumstances should be made on the standard application form available from the PHARMAC website www.pharmac.govt.nz or the address below:

The Coordinator, Community Exceptional Circumstances Panel Phone (04) 916 7553

PO Box 10 254 or fax (09) 523 6870

Wellington Email: ecpanel@pharmac.govt.nz

INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor:
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and:
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 November 2009 and is to be referred to as the Pharmaceutical Schedule Volume 16 Number 2, 2009. Distribution will be from 20 November 2009. This Schedule comes into force on 1 November 2009.

PART I

INTERPRETATIONS AND DEFINITIONS

- 1.1 In this Schedule, unless the context otherwise requires:
- "90 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;
- "180 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;
- "Access Exemption Criteria" means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:
 - a) have limited physical mobility;
 - b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - c) are relocating to another area:
 - d) are travelling extensively and will be out of town when the repeat prescriptions are due.
- "Act" means the New Zealand Public Health and Disability Act 2000.
- "Advisory Committee" means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.
- "Alternate Subsidy" means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.
- "Assessed Pharmaceuticals" means the list of Pharmaceuticals set out in Section H Part III of the Schedule, that have been or are being assessed by PHARMAC.
- "Authority to Substitute" means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.
- "Bulk Supply Order" means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.
- "Cancer Exceptional Circumstances" means the policies and criteria administered by PHARMAC relating to the ability to fund, from a DHB hospital's own budget, pharmaceuticals for the treatment of cancer that are not identified as Pharmaceutical

Cancer Treatments in Sections A-H of the Pharmaceutical Schedule.

- "Class B Controlled Drug" means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.
- "Close Control" means the dispensing of a Community Pharmaceutical, in accordance with a Prescription, in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot) for a Community Pharmaceutical referred to in Section F Part I, or in quantities less than a Monthly Lot for any other Community Pharmaceutical, where any of a), b) or c) apply.
 - a) All of the following conditions are met:
 - i) the Community Pharmaceutical has been prescribed for a patient who:
 - 1) is not a resident in a Penal Institution, Rest Home or Residential Disability Care Institution; and
 - 2) either of the following:
 - i) in the opinion of the prescribing Practitioner is:
 - a) frail; or
 - b) infirm; or
 - c) unable to manage their medication without additional support; or
 - d) intellectually impaired; or
 - e) requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only); and
 - f) requires that Community Pharmaceutical to be dispensed in a smaller quantity than that for which it is currently funded, or
 - ii) the Community Pharmaceutical is any of the following:
 - a) a tri-cyclic antidepressant; or
 - b) an antipsychotic; or
 - c) a benzodiazepine; or
 - d) a Class B Controlled Drug; and
 - ii) the prescribing Practitioner has:
 - A) endorsed each Community Pharmaceutical on the Prescription clearly with the words "Close Control" or "CC"; and
 - B) initialled the endorsement in their own handwriting; and
 - C) specified the maximum quantity or period of supply to be dispensed at any one time.
 - b) All of the following conditions are met:
 - i) The Community Pharmaceutical is prescribed for a patient who is a resident in a Rest Home or Residential Disability Care Institution; and
 - A) the quantity or period of supply to be dispensed at any one time is not less than 28 days' supply; and
 - B) the prescriber or pharmacist has written the name of the Rest Home or Residential Disability Care Institution on the prescription; and
 - C) the prescriber or pharmacist has:
 - written on the Prescription the words "Close Control" or "CC" (this applies to all medicines prescribed on the prescription), and
 - 2) initialled the endorsement/annotation in their own handwriting; and
 - 3) specified the maximum quantity or period of supply to be dispensed at any one time.
 - c) All of the following conditions are met:
 - i) where PHARMAC has approved and notified pharmacists to annotate prescriptions for a specified Community Pharmaceutical(s) "Close Control" without prescriber endorsement for a specified time; and
 - ii) the dispensing pharmacist has:
 - A) clearly annotated each of the approved Community Pharmaceuticals that appear on the prescription with the words "Close Control" or "CC"; and
 - B) initialled the annotation in their own handwriting; and
 - c) specified the maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.
- "Community Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances
 Panel relating to funding from the Community Exceptional Circumstances budget for medication, to be used in the community,
 in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical

Budget is not able to be provided through the Pharmaceutical Schedule.

"Community Pharmaceutical" means a Pharmaceutical listed in Sections A to G of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor" means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug" means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply" means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply.

"Dentist" means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"DHB" means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital" means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Discretionary Community Supply Pharmaceutical" means the list of Pharmaceuticals set out in Section H Part IV of the Schedule, which may be funded by a DHB Hospital from its own budget for use in the community.

"**Doctor**" means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical" means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements" - unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Exceptional Circumstances Panel" means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for administering policies in relation to Community Exceptional Circumstances and Hospital Exceptional Circumstances.

"Funder" means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST" means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator" means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances Panel relating to the ability to fund, from a DHB Hospital's own budget, pharmaceuticals for use in the community by a specific patient where a subsidy is not available from the Pharmaceutical Budget or under Community Exceptional Circumstances.

"Hospital Pharmaceuticals" means National Contract Pharmaceuticals, DV Pharmaceuticals, Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals.

"Hospital Pharmacy" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner.

"Hospital Pharmacy-Specialist" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist; or
 - if the treatment of an Outpatient with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a Practitioner endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Practitioner.

"As recommended by a Specialist" to be interpreted as:

- a) follows a substantive consultation with an appropriate Specialist;
- b) the consultation to relate to the Patient for whom the Prescription is written;

- c) consultation to mean communication by referral, telephone, letter, facsimile or email;
- d) except in emergencies consultation to precede annotation of the Prescription; and
- e) both the specialist and the General Practitioner must keep a written record of the consultation.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS" means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination" means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit" means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital" means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot" means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price" means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife" means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month" means a period of 30 consecutive days.

"Month restriction" means that no Subsidy is available:

- a) unless the Community Pharmaceutical is dispensed on the Prescription of a Practitioner; and
- b) for any quantity of that Community Pharmaceutical dispensed on the Prescription (whether or not dispensed as a repeat) in excess of a Monthly Lot.

"Monthly Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"National Contract Pharmaceutical" means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

"National DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Not In Combination" means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

"Nurse Prescriber" means a nurse registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003 and who is approved by the Nursing Council, to prescribe specified prescription medicines relating to his/her scope of practice.

"Optometrist" means a person registered as an optometrist with the Optometrists and Dispensing Opticians Board, who holds a current annual practising certificate under the HPCA Act 2003, and who is authorised by regulations under the Medicines Act 1981 and approved by the Optometrists and Dispensing Opticians Board to prescribe specified medicines.

"Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT" means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

"PCT only" means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsi-

dies.

- "Penal Institution" means a penal institution, as that term is defined in The Penal Institutions Act 1954;
- "PHARMAC" means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC).
- "Pharmaceutical" means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to H of the Schedule.
- "Pharmaceutical Benefits" means the right of:
 - a) a person; and
 - b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.
- "Pharmaceutical Budget" means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals.
- "Pharmaceutical Cancer Treatment" means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must fund, from their own budgets, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.
- "Practitioner" means a Doctor, a Dentist, a Midwife, a Nurse Prescriber or an Optometrist as those terms are defined in the Pharmaceutical Schedule.
- "Practitioner's Supply Order" means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- "Prescription" means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.
- "Private Hospital" means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.
- "Residential Disability Care Institution" means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.
- "Rest Home" means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.
- "Retail Pharmacy-Specialist" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or, in the case of treatment recommended by a Specialist, a Prescription or Practitioner's Supply Order and endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner.
- "As recommended by a Specialist" to be interpreted as:
 - a) follows a substantive consultation with an appropriate Specialist;
 - b) the consultation to relate to the Patient for whom the Prescription is written;
 - c) consultation to mean communication by referral, telephone, letter, facsimile or email;
 - d) except in emergencies consultation to precede annotation of the Prescription; and
 - e) both the Specialist and the General Practitioner must keep a written record of consultation.
- "Retail Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist. For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.
- "Schedule" means this Pharmaceutical Schedule and all its sections and appendices.
- "Section B" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies included in the Schedule.
- "Section C" of this Pharmaceutical Schedule means the list of community extemporaneously compounded preparations and galenicals eligible for Subsidies included in the Schedule.
- "Section D" of this Pharmaceutical Schedule means the list of community special foods eligible for Subsidies included in the Schedule.
- "Section E Part I" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies and available on a Practitioner's Supply Order or a Wholesale Supply Order included in the Schedule.

- "Section E Part II" of this Pharmaceutical Schedule means the list of rural areas for the purpose of community Practitioner's Supply Orders included in the Schedule.
- "Section F Part I" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots, and requirement to dispense in 90 Day Lots or 180 Day Lots, as applicable, in respect of the Community Pharmaceuticals referred to in this part of Section F;
- "Section F Part II" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots in respect of the Community Pharmaceuticals referred to in this part of Section F:
- "Section G" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for reimbursement of safety caps.
- "Section H" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals and the lists of National Contract Pharmaceuticals and any associated DV Pharmaceuticals, of Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals included in Section H of the Schedule.
- "Section H Part I" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals.
- "Section H Part II" of this Pharmaceutical Schedule means the list of National Contract Pharmaceuticals, the relevant Price, an indication of whether the Pharmaceutical has HSS and any associated DV Pharmaceuticals and DV Limit.
- "Section H Part III" of this Pharmaceutical Schedule means the list of Assessed Pharmaceuticals.
- "Section H Part IV" of this Pharmaceutical Schedule means the list of Discretionary Community Supply Pharmaceuticals.
- "Special Authority" means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.
- "Specialist", in relation to a Prescription, a doctor who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

a)

- i) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine: and
- ii) the doctor's vocational scope of practice is one of those listed below: anaesthetics, cardiothoracic surgery, dermatology, diagnostic radiology, emergency medicine, general surgery, internal medicine, neurosurgery, obstetrics and gynaecology, occupational medicine, ophthalmology, oral and maxillofacial surgery, otolaryngology head and neck surgery, orthopaedic surgery, paediatrics surgery, paediatrics, pathology, plastic and reconstructive surgery, psychological medicine or psychiatry, public health medicine, radiation oncology, rehabilitation medicine, urology and venereology:
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that Prescription in the course of practising in that area of medicine;
- c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine
 for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that
 area of medicine;
- d) the doctor writes the Prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.
- "Subsidy" means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.
- "Supply Order" means a Bulk Supply Order, a Practitioner's Supply Order or a Wholesale Supply Order.
- "Unapproved Indication" means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 4.6.
- "Wholesale Supply Order" means a written order by a Practitioner, on a form supplied by the Ministry of Health for the supply of certain Community Pharmaceuticals as listed in Section B and Section E Part I of the Schedule.
 - 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:

- a) the singular includes the plural; and
- b) any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

PART II

COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G of the Schedule, and every preparation (having an inert base) of any of them, is hereby declared to be a Community Pharmaceutical for the purposes of the Schedule, subject to:
 - 2.1.1 clauses 2.2 and 2.3 of the Schedule; and
 - 2.1.2 clauses 3.1 to 4.4 of the Schedule; and
 - 2.1.3 the conditions (if any) specified in Sections B to G of the Schedule;
- 2.2 The following medicines, therapeutic medical devices, or related products or related things are not eligible for Subsidy:
 - 2.2.1 substances, or combinations of substances, ordered for any purpose other than:
 - a) treatment of a patient's medical or dental condition; or
 - b) pregnancy tests; or
 - c) the prevention of sexually transmitted disease: or
 - d) contraception.
 - 2.2.2 substances and combinations of substances packed under pressure in aerosol cans or other similar devices, unless it is specified in Sections B to G of the Schedule that they may be so packed;
 - 2.2.3 electrode jellies;
 - 2.2.4 eye drops packed in single-dose units, unless it is specified in Sections B to G of the Schedule that they may be so packed:
 - 2.2.5 insect repellents and similar preparations;
 - 2.2.6 oral preparations in long-acting form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.7 substances or combinations of substances in lozenge or similar form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.8 machine-spread plasters;
 - 2.2.9 preparations prescribed as foods, unless they are specified in Section D of the Schedule:
 - 2.2.10 substances, combinations of substances, or articles, in the form of proprietary medicines or proprietary articles, unless they are deemed or declared to be Pharmaceuticals elsewhere in the Schedule;
 - 2.2.11 shampoos, other than extemporaneously prepared medicated shampoos, or shampoos specified in Sections B to G of the Schedule intended for the treatment of a patient's medical condition;
 - 2.2.12 toilet preparations:
 - 2.2.13 tooth pastes and powders;
 - 2.2.14 lubricating jellies and catheter lubricants;
 - 2.2.15 sterile diluents for nebulising solutions;
 - 2.2.16 substances in a form intended to enable delivery by transdermal diffusion or osmosis or by the insertion of any solid object or substance into the eye cavity, unless it is specified in Sections B to G of the Schedule that they may be in such a form:
 - 2.2.17 substances in a form intended for intravenous delivery (other than by injection), unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.18 substances packed in pre-loaded syringes known as Min-I-Jets, unless it is specified in Sections B to G of the Schedule that they may be so packed;
 - 2.2.19 Community Pharmaceuticals prescribed as cough mixtures, unless they are specified in Sections B to G of the Schedule otherwise than in combination with other ingredients;
 - 2.2.20 vitamin preparations in capsule form, unless they are specified in Sections B to G of the Schedule;
 - 2.2.21 substances prescribed for use as irrigating solutions, unless it is specified in Sections B to G of the Schedule that they may be prescribed for such use.
- 2.3 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless

the Community Pharmaceuticals so supplied:

- 2.3.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981: or
- 2.3.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
- 2.3.3 in the absence of the standards prescribed in clauses 2.3.1 and 2.3.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
- 2.3.4 in the absence of the standards prescribed in clauses 2.3.1, 2.3.2 and 2.3.3, are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

PART III

PERIOD AND QUANTITY OF SUPPLY

- 3.1 Doctors', Midwives', Nurse Prescribers' and Optometrists' Prescriptions (other than oral contraceptives)
 The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor,
 Midwife, Nurse Prescriber or Optometrist:
 - 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity suffcient to provide treatment for a period not exceeding three Months will be subsidised.
 - 3.1.2 For methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
 - 3.1.3 For a Class B Controlled Drug other than methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity:
 - a) sufficient to provide treatment for a period not exceeding 10 days; and
 - b) which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
 - 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Midwife or Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
 - a) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
 - b) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
 - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
 - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
 - A) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
 - B) both:
 - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
 - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
 - 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
 - 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
 - b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only

that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.

3.1.7 If a Community Pharmaceutical:

- a) is stable for a limited period only, and the Doctor, Midwife, Nurse Prescriber or Optometrist has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
- b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
- c) is Close Control,

The actual quantity dispensed will be subsidised in accordance with any such specification.

3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife or Nurse Prescriber for an oral contraceptive:

- 3.2.1 The prescribing Doctor, Midwife or Nurse Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed:
 - a) three Months if prescribed by a Midwife; or
 - b) six Months if prescribed by a Doctor or Nurse Practitioner.
- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
 - a) in Lots as specified in the Prescription if the Community Pharmaceutical is Close Control; or
 - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 An oral contraceptive prescribed by a Midwife is only eligible for Subsidy if the Prescription under which it has been dispensed has been written within the period of post natal care of the eligible person.
- 3.2.5 Where a Community Pharmaceutical in a Prescription is Close Control and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

3.3 Dentists' Prescriptions

The following provisions apply to every Prescription written by a Dentist:

- 3.3.1 The maximum quantity of a Community Pharmaceutical that will be subsidised is as follows:
 - a) where the Community Pharmaceutical is a Controlled Drug, only such quantity as is necessary to provide treatment for a period not exceeding five days; and
 - b) in any other case, only such quantity as is necessary to provide treatment for a period not exceeding five days and, where the Prescription specifies a repeat, one further period not exceeding five days.
- 3.3.2 Notwithstanding clause 3.3.1, if, in the opinion of the Dentist, an eligible person needs extended treatment with sodium fluoride for up to three Months, the Community Pharmaceutical will be subsidised for that extended period. A Prescription for any such extended supply of sodium fluoride will be subsidised only if it is dispensed in Monthly Lots, unless the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect.
- 3.3.3 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed has been presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.3.4 No Subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) one Month from the date the Community Pharmaceutical was first dispensed; or
 - b) in the case of sodium fluoride, three Months from the date the Community Pharmaceutical was first dispensed.

Only that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.

3.4 Original Packs, and Certain Antibiotics

3.4.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community

Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eliqible for Subsidy, is deemed to be a reference:

- a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
- b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.
- 3.4.2 If a Community Pharmaceutical is the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:
 - a) the difference the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eg; if a prescription is for 105 mls then a 100ml pack would be dispensed); and
 - b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

PART IV

MISCELLANEOUS PROVISIONS

4.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 4.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 4.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 4.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 4.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
 - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
 - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 4.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 4.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

4.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

4.2.1 Subject to clause 4.2.3, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the

- Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 4.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
 - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
 - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 4.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
 - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
 - i) is personally signed and dated by the Practitioner; and
 - ii) sets out the Practitioner's address: and
 - iii) sets out the Community Pharmaceuticals and quantities, and;
 - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 4.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.

4.3 Wholesale Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under Wholesale Supply Orders:

- 4.3.1 Notwithstanding anything contained in the Schedule, but subject nevertheless to subclause 4.3.3 of this clause, a Practitioner may obtain from a wholesaler or distributor, pursuant to a Wholesale Supply Order made on a form supplied by the Ministry of Health, any Community Pharmaceutical specified in Section B and Section E Part I of the Schedule as being available on a Wholesale Supply Order.
- 4.3.2 Subject to clause 4.3.3, Community Pharmaceuticals supplied to Practitioners under Wholesale Supply Orders will be subsidised at a rate not exceeding the Manufacturer's Price for each such Community Pharmaceutical as set out in Section B and Section E Part I of the Schedule.
- 4.3.3 No subsidy will be paid for any quantity of a Community Pharmaceutical supplied to a Practitioner under a Wholesale Supply Order in excess of what is a reasonable monthly allocation for that particular Practitioner, after taking into account stock on hand.
- 4.3.4 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Wholesale Supply Orders until such time as the Ministry of Health notifies otherwise.

4.4 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

4.4.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

4.4.2 **Expiry**

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 4.4.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 4.4.1 and 4.4.2, for the individual Patient.
- 4.4.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 4.4.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the

Ministry of Health's routine auditing procedures.

4.5 Pharmaceutical Cancer Treatments

- 4.5.1 DHBs must provide access to Pharmaceutical Cancer Treatments by funding their use in the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 4.5.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
 - a) has Cancer Exceptional Circumstances approval;
 - b) has Community Exceptional Circumstances or Hospital Exceptional Circumstances approval;
 - c) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
 - d) is being used and funded as part of a paediatric oncology service; or
- e) was being used to treat the patient in question prior to 1 July 2005.
 4.5.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatments with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance
 - a) Part 1:

with:

- b) clauses 2.1 to 2.3:
- c) clauses 3.1 to 3.4: and
- d) clause 4.5.
- of Section A of the Schedule
- 4.5.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 4.5.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 direction from the Minister of Health as to pharmaceuticals and indications for which DHBs must provide funding. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
 - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under the Medicines Act and the Medicines Regulations 1984:
 - b) be aware of and comply with their obligations under the Health and Disability Comissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
 - c) exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions
 with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer
 Treatment for an Unapproved Indication.

4.6 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication:

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

SECTION A: GENERAL RULES

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

4.7 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, subject to:

- a) the Contractor having received a general Authority to Substitute from the Practitioner in relation to the particular medicine or medicines in general; or
- b) the Practitioner having indicated their Authority to Substitute on the prescription; or
- c) the Practitioner having given their Authority to Substitute in relation to the particular prescription.

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and initial the prescription.

4.8 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed but may not alter the total daily dose. If the change will result in additional cost to the DHBs, then:

- a) the Practitioner must authorise and initial the alteration: or
- b) in cases where PHARMAC has approved and notified in writing such a change in dispensing of a named Pharmaceutical due to an out of stock event or short supply, the Contractor must annotate and initial the alteration.

4.9 Amendment of Schedule

PHARMAC may amend the terms of the Schedule from time to time by notice in writing given in such manner as PHARMAC thinks fit, and in accordance with such protocols as agreed with the Pharmacy Guild of New Zealand (Inc) from time to time.

4.10 Conflict in Provisions

If any rules in Sections B-G of this Schedule conflict with the rules in Section A, the rules in Sections B-G apply.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

	\$	Per	Manufacturer
Antacids and Antiflatulants			
Antacids and Reflux Barrier Agents			
ALGINIC ACID			
Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet	4.50	30	✓ Gaviscon Infant
CALCIUM CARBONATE WITH AMINOACETIC ACID * Tab 420 mg with aminoacetic acid 180 mg – Higher subsidy			
of \$6.30 per 100 with Endorsement	(6.30)	100	Titralac
Additional subsidy by endorsement is available for pregnant wo	omen. The p	prescription mu	st be endorsed accordingly.
SIMETHICONE			
Yoral liq aluminium hydroxide 200 mg with magnesium hydroxide 200 mg and activated simethicone 20 mg per 5 ml	1.50 (4.26)	500 ml	Mylanta P
SODIUM ALGINATE			
* Tab 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg - peppermint flavour	1.80 (8.60)	60	Gaviscon Double
* Oral liq 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml	1.50 (4.95)	500 ml	Strength Acidex
* Oral liq 500 mg with sodium bicarbonate 267 mg per 10 ml (aniseed)	, ,	500 ml	Gaviscon
Phosphate Binding Agents			
ALUMINIUM HYDROXIDE	10.50	400	44.71
Tab 600 mg	12.56	100	✓ Alu-Tab
Antidiarrhoeals			
Agents Which Reduce Motility			
DIPHENOXYLATE HYDROCHLORIDE WITH ATROPINE SULPHATE * Tab 2.5 mg with atropine sulphate 25 µg LOPERAMIDE HYDROCHLORIDE – Up to 30 tab available on a PSC	3.90	100	✓ Diastop
* Tab 2 mg		400	✓ <u>Nodia</u>
Rectal and Colonic Anti-inflammatories			
BUDESONIDE			
Cap 3 mg - Special Authority see SA0913 on the next page - Retail pharmacy	166.50	90	✓ Entocort CIR

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Generic Manufacturer

⇒SA0913 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

- 1 Mild to moderate ileal, ileocaecal or proximal Crohn's disease; and
- 2 Any of the following:
 - 2.1 Diabetes; or
 - 2.2 Cushingoid habitus; or
 - 2.3 Osteoporosis where there is significant risk of fracture; or
 - 2.4 Severe acne following treatment with conventional corticosteroid therapy.

Renewal from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

The patient may not have had more than 1 prior approval in the last year.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

HYDROCORTISONE ACETATE

Rectal foam 10 %, CFC-Free (14 applications)	23.00	21.1 g OP	✓ Colifoam
MESALAZINE			
Tab 400 mg	49.50	100	✓ Asacol
Tab long-acting 500 mg	59.05	100	✓ Pentasa
Enema 1 g per 100 ml	45.96	7	✓ Pentasa
Suppos 500 mg	25.20	20	✓ Asacol
Suppos 1 g	50.96	28	✓ Pentasa
OLSALAZINE			
Tab 500 mg	59.86	100	✓ Dipentum
Cap 250 mg	31.51	100	✓ Dipentum
SODIUM CROMOGLYCATE			
Cap 100 mg	89.21	100	✓ Nalcrom
SULPHASALAZINE			
* Tab 500 mg	8.42	100	Salazopyrin
* Tab EC 500 mg	9.44	100	✓ Salazopyrin EN

Antihaemorrhoidals

Corticosteroids

FLUOCORTOLONE	CAPROATE	WITH FLUOCORTOL	ONE PIVALATE AND	CINCHOCAINE

		t 950 μg, with fluocortolone pivalate 920 μg, and cin-	
✓ <u>Ultraproct</u>	30 g OP	chocaine hydrochloride 5 mg per g6.35	
		pos 630 μg, with fluocortolone pivalate 610 μg, and cin-	
Ultraproct	12	chocaine hydrochloride 1 mg	

Soothing Agents

4.50	50 g OP	
(6.67)		Anusol
4.47	12	
(6.49)		Anusol
	4.47	(6.67) 4.47 12

	Subsidy (Manufacturer's Price) 5	Fully Brand or Subsidised Generic
	\$	Per	✓ Manufacturer
Antispasmodics and Other Agents Altering Gut	Motility		
ATROPINE SULPHATE			
 Inj 600 μg, 1 ml - Up to 5 inj available on a PSO Inj 1200 μg, 1 ml - Up to 5 inj available on a PSO 		50 50	✓ AstraZeneca✓ AstraZeneca
HYOSCINE N-BUTYLBROMIDE			
* Tab 10 mg * Inj 20 mg, 1 ml – Up to 5 inj available on a PSO		20 5	✓ <u>Gastrosoothe</u> ✓ Buscopan
MEBEVERINE HYDROCHLORIDE		Ü	<u> </u>
* Tab 135 mg	18.00	90	✓ Colofac
Antiulcerants			
Antisecretory and Cytoprotective			
MISOPROSTOL	F0.70	100	
* Tab 200 µg	52.70	120	✓ Cytotec
Helicobacter Pylori Eradication			
CLARITHROMYCIN Tab 500 mg Subsidy by andersoment	22.20	14	A Klamuoin
Tab 500 mg – Subsidy by endorsement	23.30	14	✓ Klamycin
b) Subsidised only if prescribed for helicobacter pylori erac			0,
Note: the prescription is considered endorsed if clarithromycin is amoxycillin or metronidazole.	prescribed in conjun	ction wi	ith a proton pump inhibitor and either
OMEPRAZOLE, AMOXYCILLIN AND CLARITHROMYCIN			
Omeprazole cap 20 mg $ imes$ 14, amoxycillin cap 500 mg $ imes$ 28		4.00	. 41 11-7 040
and clarithromycin tab 500 mg × 14	55.00	1 OP	✓ Losec Hp7 OAC
H2 Antagonists			
CIMETIDINE – Only on a prescription	5.00	100	
* Tab 200 mg	5.00 (7.50)	100	Apo-Cimetidine
* Tab 400 mg		100	Apo officialite
· · · · · · · · · · · · · · · · · · ·	(12.00)		Apo-Cimetidine
FAMOTIDINE - Only on a prescription			
* Tab 20 mg		250	✓ Famox
* Tab 40 mg	11.35	250	✓ Famox
RANITIDINE HYDROCHLORIDE – Only on a prescription	7.00	050	A America Description
* Tab 150 mg * Tab 300 mg		250 250	✓ Arrow-Ranitidine✓ Arrow-Ranitidine
* Oral lig 150 mg per 10 ml		300 ml	✓ Peptisoothe
* Inj 25 mg per ml, 2 ml		5	✓ Zantac
Proton Pump Inhibitors			
LANSOPRAZOLE			
* Cap 15 mg		28	Solox
* Cap 30 mg	4.65	28	✓ Solox

	Subsidy (Manufacturer's Pric		Fully Subsidised	Brand or Generic
	\$	Per	<i>V</i>	Manufacturer
OMEPRAZOLE				
For omeprazole suspension refer, page 165 * Cap 10 mg	2 14	30	✓ D	r Reddy's
- Cup to mg		00	<u> </u>	Omeprazole
* Cap 20 mg	3.05	30	✓ <u>D</u>	r Reddy's
* Cap 40 mg	3 50	30	4/ D	Omeprazole r Reddy's
- Cap +0 mg		30	• <u>D</u>	Omeprazole
* Inj 40 mg	38.20	5	✓ <u>D</u>	r Reddy's
				Omeprazole
PANTOPRAZOLE	0.04	00	. / D	u Dadduia
* Tab 20 mg	2.24	28	<u> </u>	r Reddy's Pantoprazole
* Tab 40 mg	3.36	28	✓ D	r Reddy's
•			_	Pantoprazole Pantoprazole
* Inj 40 mg	8.75	1	✓ <u>P</u>	antocid IV
Site Protective Agents				
SUCRALFATE				
Tab 1 g	35.50	120		
·	(48.28)		С	arafate
Diabetes				
Hyperglycaemic Agents				
GLUCAGON HYDROCHLORIDE				
Inj 1 mg syringe kit – Up to 5 kit available on a PSO	27.00	1	✓ G	lucagen Hypokit
Insulin - Short-acting Preparations				7,1
NSULIN NEUTRAL				
▲ Inj human 100 u per ml	25.26	10 ml OP	✓ A	ctrapid
				umulin R
▲ Inj human 100 u per ml, 3 ml	42.66	5		ctrapid Penfill
			∨ H	umulin R
Insulin - Intermediate-acting Preparations				
NSULIN ISOPHANE				
▲ Inj human 100 u per ml	17.68	10 ml OP	✓ H	umulin NPH
				rotaphane
▲ Inj human 100 u per ml, 3 ml	29.86	5		umulin NPH
NOUN IN LOOP LANE WITH INC			VP	rotaphane Penfill
NSULIN ISOPHANE WITH INSULIN NEUTRAL Inj human with neutral insulin 100 u per ml	25.26	10 ml OP	₄ ∕⊔	umulin 30/70
nij naman witi neutrar insulih 100 u per III	23.20	TO THE OP		ixtard 30
▲ Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5		umulin 30/70
·				enMix 30
				enMix 40
			VP	enMix 50

Subsidy (Manufacturer's Price)					
\$ Per				. ,	
INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE ▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml, 3 ml		٠ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ	_		
▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml, 3 ml 52.15 5 ✓ Humalog Mix 25 ▲ Inj lispro 50% with insulin lispro protamine 50% 100 u per ml, 3 ml 52.15 5 ✓ Humalog Mix 50 Insulin - Long-acting Preparations INSULIN GLARGINE - Special Authority see SA0834 below - Retail pharmacy 63.00 1 ✓ Lantus ▲ Inj 100 u per ml, 10 ml 94.50 5 ✓ Lantus ▲ Inj 100 u per ml, 3 ml 94.50 5 ✓ Lantus ▲ Inj 100 u per ml, 3 ml disposable pen 94.50 5 ✓ Lantus SoloStar		\$	Per		Manufacturer
3 ml	INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE				
3 ml	▲ Ini lispro 25% with insulin lispro protamine 75% 100 u per ml.				
Minimal Min			5	✓ H	umalog Mix 25
Minimal Min					
Insulin - Long-acting Preparations INSULIN GLARGINE - Special Authority see SA0834 below - Retail pharmacy ▲ Inj 100 u per ml, 10 ml 63.00 1 ✓ Lantus ▲ Inj 100 u per ml, 3 ml 94.50 5 ✓ Lantus ▲ Inj 100 u per ml, 3 ml disposable pen 94.50 5 ✓ Lantus SoloStar			5	✓ H	umalog Mix 50
INSULIN GLARGINE − Special Authority see SA0834 below − Retail pharmacy ▲ Inj 100 u per ml, 10 ml					
▲ Inj 100 u per ml, 10 ml 63.00 1 ✓ Lantus ▲ Inj 100 u per ml, 3 ml 94.50 5 ✓ Lantus ▲ Inj 100 u per ml, 3 ml disposable pen 94.50 5 ✓ Lantus SoloStar	Insulin - Long-acting Preparations				
▲ Inj 100 u per ml, 3 ml 94.50 5 ✓ Lantus ✓ Lantus SoloStar	INSULIN GLARGINE - Special Authority see SA0834 below - Re	etail pharmacy			
▲ Inj 100 u per ml, 3 ml disposable pen94.50 5 Lantus SoloStar	▲ Inj 100 u per ml, 10 ml	63.00	1	✓ La	antus
	▲ Inj 100 u per ml, 3 ml	94.50	5	✓ La	antus
■ SA0834 Special Authority for Subsidy	▲ Inj 100 u per ml, 3 ml disposable pen	94.50	5	✓ La	antus SoloStar
Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:		for 1 year for applicat	ions	meeting the	following criteria:

Either: 1 Both:

- 1.1 Patient has type 1 diabetes and has received an intensive regimen (injections at least three times a day) of an intermediate acting insulin in combination with a rapid acting insulin analogue for at least three months; and
- 1.2 Either:
 - 1.2.1 Patient has experienced more than one unexplained severe hypoglycaemic episode in the previous 12 months (severe defined as requiring the assistance of another person); or
 - 1.2.2 Patient has experienced unexplained symptomatic nocturnal hypoglycaemia, biochemically documented at <3.0 mmol/L, more than once a month despite optimal management; or
- 2 Patient has documented severe, or continuing, systemic or local allergic reaction to existing insulins. Note this does not include hypoglycaemic episodes.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Patient is continuing to derive benefit due to reduced hypoglycaemic events whilst maintaining similar or better glycaemic control; or
- 2 Patient's allergic reaction has significantly decreased, or resolved, following the change to long-acting insulin and patient is continuing to benefit from treatment.

Insulin - Rapid Acting Preparations

INSULIN ASPART ▲ Inj 100 u per ml, 3 ml	5 1	✓ NovoRapid Penfill✓ NovoRapid
INSULIN LISPRO ▲ Inj 100 u per ml, 10 ml	10 ml OP 5	✓ Humalog✓ Humalog
Alpha Glucosidase Inhibitors		
ACARBOSE – Special Authority see SA0925 on the next page – Retail pharmacy * Tab 50 mg	90	✓ Glucobay

Glucobay

Tab 100 mg26.70

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

⇒SA0925 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has type 2 diabetes; and
- 2 Either:
 - 2.1 Metformin is not tolerated, or is contraindicated; or
 - 2.2 The patient has not responded to the maximum appropriate dose of metformin.

Oral Hypoglycaemic Agents

GLIBENCLAMIDE			
* Tab 2.5 mg	3.78	100	✓ Gliben
* Tab 5 mg	3.31	100	✓ Gliben
·	5.00		✓ Daonil
(Gliben Tab 2.5 mg to be delisted 1 February 2010) (Gliben Tab 5 mg to be delisted 1 February 2010)			
GLICLAZIDE			
* Tab 80 mg	22.24	500	✓ Apo-Gliclazide
GLIPIZIDE			
* Tab 5 mg	3 50	100	✓ Minidiab
		100	<u> </u>
METFORMIN HYDROCHLORIDE			
* Tab immediate-release 500 mg	8.09	500	✓ Apotex
	9.75		Arrow-Metformin
* Tab immediate-release 850 mg	6.67	250	✓ Apotex
	8.00		Arrow-Metformin
PIOGLITAZONE - Special Authority see SA0959 below - Retail ph	armacv		
Tab 15 mg	•	28	✓ Pizaccord
	(45.78)		Actos
Tab 30 mg	, ,	28	✓ Pizaccord
J	(70.43)		Actos
Tab 45 mg	(/	28	✓ Pizaccord
	(89.39)		Actos
	(00.00)		710100

(Actos Tab 15 mg to be delisted 1 December 2009)

(Actos Tab 30 mg to be delisted 1 December 2009)

(Actos Tab 45 mg to be delisted 1 December 2009)

▶SA0959 Special Authority for Subsidy

Initial application — (Patients with type 2 diabetes) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has not achieved glycaemic control on maximum doses of metformin and/or a sulphonylurea or where either or both are contraindicated or not tolerated; or
- 2 Patient is on insulin.

Diabetes Management

Glucose/Urine Testing

COPPER

	Subsidy (Manufacturer's \$	Price) Subs	Fully Brand or sidised Generic Manufacturer
GLUCOSE OXIDASE			
Urine diagnostic test - Not on a BSO	4.11	50 strip OP	
	(7.00)		Diabur 5000
Urine diagnostic test with peroxidase - Not on a BSO		50 strip OP	Dinetiv
	(6.26) 4.13		Diastix
	(8.65)		Clinistix
Ketone Testing			
GLUCOSE OXIDASE			
Urine diagnostic test with peroxidase, sodium nitroprusside			
and aminoacetic acid - Not on a BSO	(8.00)	50 stick OP	Keto-Diabur 5000
Urine diagnostic test with peroxidase, potassium iodide,			
sodium nitroprusside and aminoacetic acid — Not on a BSO		50 strip OP	
a boo	(14.87)	30 Strip Oi	Keto-Diastix
(Keto-Diabur 5000 Urine diagnostic test with peroxidase, sodium	, ,	and aminoacetic	c acid to be delisted 1 December
2009) (Keto-Diastix Urine diagnostic test with peroxidase, potassium ioo December 2009)	dide, sodium ni	troprusside and	aminoacetic acid to be delisted 1
KETONE BLOOD BETA-KETONE ELECTRODES – Subsidy by e	ndorsement		
Patient has type 1 diabetes and has had one or more episodes			
of 2 packs per annum. No further prescriptions will be subsidited Test strip – Not on a BSO		ription must be e 10 strip OP	endorsed accordingly. Optium Blood Ketone Test Strips
SODIUM NITROPRUSSIDE			,
* Test strip – Not on a BSO	14.14	20 strip OP	✓ Ketostix
* Urine diagnostic strips, buffered - Not on a BSO		50 strip OP	
	(6.00)		Ketur-Test
	3.40		Ketostix
(Ketur-Test Urine diagnostic strips, buffered to be delisted 1 Decent (Ketostix Urine diagnostic strips, buffered to be delisted 1 Decent			Reloslix
Blood Glucose Testing	2000)		
BLOOD GLUCOSE DIAGNOSTIC TEST METER – Subsidy by er	ndorsement		
a) Maximum of 1 meter per prescription b)			
 A diagnostic blood glucose test meter is subsidised March 2005 or is prescribed for a pregnant woman v 	with diabetes.	•	
Only one meter per patient. No further prescriptions inch.	s will be subsid	ised. The presc	ription must be endorsed accord-
ingly. Meter	6.00	1	✓ CareSens POP
	9.00	•	✓ CareSens II ✓ FreeStyle Lite
	19.00		✓ Optium Xceed✓ Accu-Chek✓ Performa

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sı	ıbsidised	Generic
\$	Per	~	Manufacturer

BLOOD GLUCOSE DIAGNOSTIC TEST STRIP

The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed with insulin or a sulphonylurea but are on a different prescription and the prescription is endorsed accordingly; or
- Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly.

SensoCard blood glucose test strips are subsidised only if prescribed for a patient who is severely visually impaired and is using a SensoCard Plus Talking Blood Glucose Monitor.

Blood glucose test strips \times 50 and lancets \times 5	19.60	1 OP	✓ CareSens
Blood glucose test strips		50 test OP	Accu-ChekPerforma
			✓ FreeStyle Lite✓ Optium 5 second
	26.20		test ✓ SensoCard

Insulin Syringes and Needles

INSULIN PEN NEEDLES - Maximum of 100 dev per prescription

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly.

*	29 g × 12.7 mm	10.50	100	✓ ABM
	•			✓ B-D Micro-Fine
		11.75		SC Profi-Fine
*	31 g \times 5 mm	11.75	100	✓ B-D Micro-Fine
	ů			✓ SC Profi-Fine
*	31 g × 6 mm	10.50	100	✓ ABM
	ů	(26.00)		NovoFine
*	31 g × 8 mm	10.50	100	✓ ABM
	3			✓ B-D Micro-Fine
		11.75		✓ SC Profi-Fine
INIC	NULIN CYDINGES DISDOSADI E WITH ATTACHED NEEDI	□ Maximum of 1	00 day nar m	receriation
	SULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDL			•
*	Syringe 0.3 ml with 29 g \times 12.7 mm needle	13.00	100	✓ ABM
				✓ B-D Ultra Fine
	0 ' 00 '' 01 0	40.00	400	✓ DM Ject
*	Syringe 0.3 ml with 31 g \times 8 mm needle	13.00	100	✓ ABM
				✓ B-D Ultra Fine II
	0 : 05 111 00 10 7 11	40.00	400	✓ DM Ject
*	Syringe 0.5 ml with 29 g \times 12.7 mm needle	13.00	100	✓ ABM
				✓ B-D Ultra Fine
				✓ DM Ject
*	Syringe 0.5 ml with 31 g \times 8 mm needle	13.00	100	✓ ABM
				✓ B-D Ultra Fine II
				✓ DM Ject
*	Syringe 1 ml with 29 g \times 12.7 mm needle	13.00	100	✓ ABM
				B-D Ultra Fine
				DM Ject
*	Syringe 1 ml with 31 g \times 8 mm needle	13.00	100	✓ ABM
				✓ B-D Ultra Fine II
				DM Ject

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

Digestives Including Enzymes

PAN	ICRF	ATIC	FN7	YMF

TANONILATIO LINZTINIL			
Tab EC 1,900 BP u lipase, 1,700 BP u amylase, 110 BP u protease	32.46	300	✓ Pancrex V
Tab EC 5,600 BP u lipase, 5,000 BP u amylase, 330 BP u protease	58.44	300	✓ Pancrex V Forte
Cap 8,000 BP u lipase, 9,000 BP u amylase, 430 BP u protease	67.26	300	✓ Pancrex V
Cap 8,000 USP u lipase, 30,000 USP u amylase, 30,000 USP u protease – Retail pharmacy-Specialist		250	✓ Cotazym ECS
Cap EC 10,000 BP u lipase, 9,000 BP u amylase and 210 BP u protease – Retail pharmacy-Specialist		100	✓ Creon 10000
Cap EC 25,000 BP u lipase, 18,000 BP u amylase,			
1,000 BP u protease – Retail pharmacy-Specialist Cap EC 25,000 BP u lipase, 22,500 BP u amylase,	94.38	100	✓ Creon Forte
1,250 BP u protease - Retail pharmacy-Specialist URSODEOXYCHOLIC ACID - Special Authority see SA0914 below		100 nacy	✓ Panzytrat
Cap 300 mg		100	✓ <u>Actigall</u>

■ SA0914 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2 Patient not requiring a liver transplant (bilirubin > 170umol/l; decompensated cirrhosis).

Note: Liver biopsy is not usually required for diagnosis but is helpful to stage the disease.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Actigall is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 170 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure – doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

Laxatives

Bulk-forming Agents

8.80 g OP	IVIU	CILAGINOUS LAXATIVES – Only on a prescription			
7.92 450 g OP (12.71) Isogel 8.80 500 g OP (16.49) Norma * Dry-original flavour, regular texture only	*	Dry	5.72	325 g OP	Konsyl-D
Sogel R.80 Sou g OP (16.49) Norma			6.69	380 g OP	✓ Mucilax
* Dry-original flavour, regular texture only			7.92	450 g OP	
* Dry-original flavour, regular texture only (16.49) Norma * Dry-original flavour, regular texture only 5.91 336 g OP (12.38) Metam * Sugar Free 4.84 275 g OP			(12.71)		Isogel
* Dry-original flavour, regular texture only 5.91 336 g OP (12.38) Metam * Sugar Free 4.84 275 g OP			8.80	500 g OP	
* Sugar Free			(16.49)	_	Normacol
* Sugar Free	*	Dry-original flavour, regular texture only	5.91	336 g OP	
			(12.38)		Metamucil
(10.60) Mucila:	*	Sugar Free	4.84	275 g OP	
()		-	(10.60)	J	Mucilax

	Subsidy (Manufacturer's I	Price) Sub Per	Fully Brand or sidised Generic Manufacturer
MUCILAGINOUS LAXATIVES WITH STIMULANTS	•		
* Dry	3.52 (7.69) 8.80 (16.49)	200 g OP 500 g OP	Normacol Plus
Faecal Softeners	(10.43)		Normacor Flus
DOCUSATE SODIUM – Only on a prescription			
* Tab 50 mg * Tab 120 mg * Enema conc 18%	6.73	100 100 100 ml OP	✓ Coloxyl✓ Coloxyl✓ Coloxyl
DOCUSATE SODIUM WITH SENNOSIDES * Tab 50 mg with total sennosides 8 mg	7.98	200	✓ Laxsol
POLOXAMER – Only on a prescription * Oral drops 10%	3.78	30 ml OP	✓ Coloxyl
Osmotic Laxatives			
GLYCEROL * Suppos 3.6 g – Only on a prescription	5.00	20	✓ PSM
LACTULOSE - Only on a prescription * Oral liq 10 g per 15 ml	6.65	1,000 ml	✓ Duphalac
MACROGOL 3350 – Special Authority see SA0891 below – Reta Powder 13.125 g, sachets – Maximum of 60 sach per pre- scription	,	30	✓ Movicol
■►SA0891 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals val requiring intervention with a per rectal preparation despite an ad where lactulose is not contraindicated. Renewal from any relevant practitioner. Approvals valid for 12 r benefit from treatment.	id for 6 months lequate trial of o	other oral pharr	macotherapies including lactulose
SODIUM ACID PHOSPHATE – Only on a prescription Enema 16% with sodium phosphate 8%	2.50	1	✓ Fleet Phosphate Enema
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETATE - Enema 90 mg with sodium lauryl sulphoacetate 9 mg per ml,	, ,	scription	
5 ml	7.30	12	✓ Microlax
Stimulant Laxatives			
BISACODYL – Only on a prescription	T 00	000	A Law Take
* Tab 5 mg * Suppos 5 mg		200 6	✓ <u>Lax-Tabs</u>
* Suppos 10 mg	(3.00) 3.96	12	Dulcolax ✓ Fleet
SENNA – Only on a prescription	0.17	100	
* Tab, standardised	(6.16)	100	Senokot

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Metabolic Disorder Agents

Gaucher's Disease

IMIGLUCERASE – Special Authority see SA0473 below – Hospital pharmacy [HP1]

✓ Cerezyme

■ SA0473 Special Authority for Subsidy

Special Authority approved by the Gaucher's Treatment Panel

Notes: Subject to a budgetary cap. Applications will be considered and approved subject to funding availability.

Phone: (04) 460 4990

Facsimile: (04) 916 7571

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Gaucher's Treatment Panel

PHARMAC, PO Box 10 254

Wellington Ema

Email: gaucherpanel@pharmac.govt.nz

Mouth and Throat

Agents Used in Mouth Ulceration

BENZYDAMINE HYDROCHLORIDE			
Soln 0.15%	9.00	500 ml	
	(15.36)		Difflam
CHLORHEXIDINE GLUCONATE			
Mouthwash 0.2%	3.06	200 ml OP	✔ Orion
CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE			
* Adhesive gel 8.7% with cetalkonium chloride 0.01%	2.06	15 g OP	
7 Mandone got 0.7 / With detailed flath difference 0.0 1 / 0	(5.25)	10 9 01	Bonjela
SODIUM CARBOXYMETHYLCELLULOSE	(0.20)		201,101.0
	17.00	56 g OP	✓ Stomahesive
With pectin and gelatin paste	1.52	5 g OP	Stomanesive
	(3.60)	3 g Oi	Orabase
	4.55	15 g OP	Olabase
	(7.90)	10 9 01	Orabase
With pectin and gelatin powder	, ,	28 g OP	
. p	(10.95)	- 3 -	Stomahesive
TRIAMCINOLONE ACETONIDE	, ,		
0.1% in Dental Paste USP	4.38	5 g OP	✓ Oracort
			<u> </u>
Oropharyngeal Anti-infectives			
AMPHOTERICIN B			
Lozenges 10 mg	5.86	20	✓ Fungilin
MICONAZOLE			3
Oral gel 20 mg per g	8 70	40 g OP	✓ Daktarin
		+0 y Oi	₽ Dartailli
NYSTATIN	0.40	04 OD	A Miller of
Oral liq 100,000 u per ml	3.19	24 ml OP	✓ <u>Nilstat</u>

	Subsidy (Manufacturer's F \$	Price) Sub	Fully sidised	Brand or Generic Manufacturer			
Other Oral Agents							
For folinic mouthwash, pilocarpine oral liquid or saliva substitute formula refer, page 165							
HYDROGEN PEROXIDE * Soln 10 vol – Maximum of 200 ml per prescription	1.28	100 ml	✓ PS	SM			
THYMOL GLYCERIN * Compound, BPC	9.15	500 ml	✓ PS	SM			
Vitamins							
Vitamin A							
VITAMIN A WITH VITAMINS D AND C Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops		10 ml OP	✓ Vi	tadol C			
Vitamin B Group							
HYDROXOCOBALAMIN * Inj 1 mg per ml, 1 ml - Up to 6 inj available on a PSO	9.21	3	✔ AI	BM Hydroxocobalamin			
	10.84		✓ Ne	eo-B12			
PYRIDOXINE HYDROCHLORIDE a) No more than 100 mg per dose b) Only on a prescription * Tab 25 mg - No patient co-payment payable	3.06	90	✓ He	ealtheries			
* Tab 50 mg	17.63	500	✓ A _l	oo-Pyridoxine			
THIAMINE HYDROCHLORIDE – Only on a prescription * Tab 50 mg	5.62	100	✓ A	oo-Thiamine			
VITAMIN B COMPLEX * Tab, strong, BPC	12.10	500	✓ A _l	oo-B-Complex			
Vitamin C							
ASCORBIC ACID a) No more than 100 mg per dose b) Only on a prescription							
* Tab 100 mg	17.25	500	✓ A _l	oo-Ascorbic Acid			
Vitamin D							
ALFACALCIDOL Cap 0.25 µg Cap 1 µg Oral drops 2 µg per ml	87.98	100 100 20 ml OP	✓ 0ı	ne-Alpha ne-Alpha ne-Alpha			
CALCITRIOL * Cap 0.25 µg * Cap 0.5 µg	24.95	100 100	✓ Ca	alcitriol-AFT alcitriol-AFT			
* Oral liq 1 µg per ml		10 ml OP		ocaltrol solution			
* Tab 1.25 mg (50,000 iu) – Maximum of 12 tab per prescription	n10.35	12	✓ Ca	al-d-Forte			

ALIMENTARY TRACT AND METABOLISM

Subsidy Fully (Manufacturer's Price) Subsidised Per \$

Brand or Generic Manufacturer

Vitamin E

ALPHA TOCOPHERYL ACETATE - Special Authority see SA0915 below - Hospital pharmacy [HP3] 50 ml OP ✓ Micelle E

■ SA0915 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 Cystic fibrosis patient; or
- 2 Both
 - 2.1 Infant or child with liver disease or short out syndrome: and
 - 2.2 Requires vitamin supplementation.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Multivitamin Preparations

MULTIVITAMINS - Special Authority see SA0963 below	v – Retail pharmacy		
Tab	19.65	100	✓ Ketovite
Powder	36.00	100 g OP	✓ Paediatric Seravit
Oral liq	13.50	150 ml OP	Ketovite Liquid

■ SA0963 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 The patient has inborn errors of metabolism; or
- 2 For use as a supplement to a ketogenic diet in patients diagnosed with epilepsy.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where patient has had a previous approval for multivitamins.

Note: Use of Paediatric Seravit is not recommended as a supplement to a ketogenic diet.

Minerals

* Tab (BPC cap strength)14.80 1.000 / Healtheries Multi-vitamin tablets

Calcium CALCIUM 30 Calsource CALCIUM CARBONATE 250 ✓ Calci-Tab 500 ✓ Calci-Tab 600 250 CALCIUM GLUCONATE ✓ Mayne * Inj 10%, 10 ml21.40 10 **Fluoride**

SODIUM FLUORIDE 100 ✓ PSM

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Pr \$	ice) Su Per	bsidised G	rand or eneric lanufacturer
Iron				
FERROUS FUMARATE Tab 200 mgFERROUS FUMARATE WITH FOLIC ACID	4.35	100	✓ Ferr	o-tab
Tab 310 mg with folic acid 350 µg	4.75	60	✓ Ferr	o-F-Tabs
FERROUS GLUCONATE WITH ASCORBIC ACID * Tab 170 mg with ascorbic acid 40 mg	12.04	500		theries Iron th Vitamin C
FERROUS SULPHATE				
* Tab long-acting 325 mg	5.06 (15.58)	150	Ferro	o-Gradumet
*‡ Oral liq 150 mg per 5 ml	\ /	500 ml	✓ Fero	dan
FERROUS SULPHATE WITH FOLIC ACID				
* Tab long-acting 325 mg with folic acid 350 μg	1.80 (3.73)	30	Ferro	ograd-Folic
IRON POLYMALTOSE Inj 50 mg per ml, 2 ml	20.95	5	✓ <u>Ferr</u>	um H
Magnesium				
For magnesium hydroxide mixture refer, page 165 MAGNESIUM SULPHATE Inj 49.3%	26 60	10	✓ May	ne
Zinc	20.00	10	₩ may	
ZINC SULPHATE * Cap 220 mg	10.00	100	✓ Zinc	aps_

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Antianaemics

Hypoplastic and Haemolytic

⇒SA0922 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Both:
 - 1.1 patient in chronic renal failure; and
 - 1.2 Haemoglobin ≤ 100g/L; and
- 2 Any of the following:
 - 2.1 Both:
 - 2.1.1 patient is not diabetic; and
 - 2.1.2 glomerular filtration rate ≤ 30ml/min; or
 - 2.2 Both:
 - 2.2.1 patient is diabetic; and
 - 2.2.2 glomerular filtration rate ≤ 45ml/min; or
 - 2.3 patient is on haemodialysis or peritoneal dialysis.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Notes: Erythropoietin beta is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

The Cockroft-Gault Formula may be used to estimate glomerular filtration rate (GFR) in persons 18 years and over:

GFR (ml/min) (male) = $(140 - age) \times Ideal Body Weight (kg) / 814 \times serum creatinine (mmol/l)$

GFR (ml/min) (female) = Estimated GFR (male) \times 0.85

ERYTHROPOIETIN ALPHA - Special Authority see SA0922 above	: – Hospital phai	rmacy [HP3]
Let be a server and the server of the server	40.00	^

Inj human recombinant 1,000 iu prefilled syringe	48.68	6	✓ Eprex
Inj human recombinant 2,000 iu, prefilled syringe	120.18	6	✓ Eprex
Inj human recombinant 3,000 iu, prefilled syringe	166.87	6	✓ Eprex
Inj human recombinant 4,000 iu, prefilled syringe	193.13	6	Eprex
Inj human recombinant 5,000 iu, prefilled syringe	243.26	6	Eprex
Inj human recombinant 6,000 iu, prefilled syringe	291.92	6	✓ Eprex
Inj human recombinant 10,000 iu, prefilled syringe	395.18	6	✓ Eprex

ERYTHROPOIETIN BETA - Special Authority see SA0922 above - Hospital pharmacy [HP3]

THE THIRD OILTHE BEING OPOGIAL MALITORITY GOO CHOOLE ABOVE	i ioopitai piiaiii	iacy [i ii o]	
Inj 2,000 iu, prefilled syringe	120.18	6	✓ NeoRecormon
Inj 3,000 iu, prefilled syringe		6	✓ NeoRecormon
Inj 4,000 iu, prefilled syringe		6	✓ NeoRecormon
Inj 5,000 iu, prefilled syringe		6	✓ NeoRecormon
Inj 6,000 iu, prefilled syringe		6	✓ NeoRecormon
Ini 10 000 iu, prefilled syringe		6	✓ NeoRecormon

Megaloblastic

FOLIC ACID

*	Tab 0.8 mg	1,000	✓ Apo-Folic Acid
*	Tab 5 mg	500	✓ Apo-Folic Acid
	Oral liq 50 µg per ml21.05		✓ Biomed

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Antifibrinolytics, Haemostatics and Local Sclero	osants			
SODIUM TETRADECYL SULPHATE				
* Inj 0.5% 2 ml		5		
	(45.52)		F	ibro-vein
* Inj 1% 2 ml		5	_	
Mr. Let 00/ 0 and	(48.98)	_	F	ibro-vein
* Inj 3% 2 ml	(55.91)	5	_	ibro-vein
	(55.91)			ibio-veiii
TRANEXAMIC ACID	10.11	400	4.0	
Tab 500 mg	49.14	100	•	Syklokapron
Vitamin K				
PHYTOMENADIONE				
Tab 10 mg	5.60	10	✓ K	onakion
Inj 2 mg per 0.2 ml - Up to 5 inj available on a PSO	8.00	5	✓ K	Conakion MM
May be administered orally.				
Inj 10 mg per ml, 1 ml - Up to 5 inj available on a PSO	9.21	5	✓ K	Conakion MM
May be administered orally.				
(Konakion Tab 10 mg to be delisted 1 April 2010)				
Antithrombotic Agents				
Antiplatelet Agents				
ASPIRIN				
* Tab 100 mg	16.83	990	✓ E	thics Aspirin EC
CLOPIDOGREL - Special Authority see SA0867 below - Retail				
Tab 75 mg		28		po-Clopidogrel rrow-Clopidogrel

⇒SA0867 Special Authority for Subsidy

Initial application — (aspirin allergic patients) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

(73.38)

Both:

- 1 The patient is allergic to aspirin (see definition below); and
- 2 Any of the following:

The patient has:

- 2.1 suffered from a stroke, or transient ischaemic attack; or
- 2.2 experienced an acute myocardial infarction; or
- 2.3 experienced an episode of pain at rest of greater than 20 minutes duration due to coronary disease that required admission to hospital for at least 24 hours; or
- 2.4 had a troponin T or troponin I test result greater than the upper limit of the reference range; or
- 2.5 had a revascularisation procedure; or
- 2.6 experienced symptomatic peripheral vascular disease of a severity that has required specialist consultation.

Note: Aspirin allergy is defined as a history of anaphylaxis, urticaria or asthma within 4 hours of ingestion of aspirin, other salicylates or NSAIDs.

Initial application — (aspirin tolerant patients and aspirin naive patients) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

continued...

Plavix

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

Any of the following:

The patient has:

- 1 experienced an acute myocardial infarction; or
- 2 had an episode of pain at rest of greater than 20 minutes duration due to coronary disease that required admission to hospital for at least 24 hours: or
- 3 had a troponin T or troponin I test result greater than the upper limit of the reference range; or
- 4 had a revascularisation procedure.

Initial application — (patients awaiting revascularisation) from any relevant practitioner. Approvals valid for 6 months where the patient is on a waiting list or active review list for stenting, coronary artery bypass grafting, or percutaneous coronary angioplasty following acute coronary syndrome.

Initial application — (post stenting) from any relevant practitioner. Approvals valid for 6 months where the patient has had a stent inserted in the previous 4 weeks.

Initial application — **(documented stent thrombosis)** from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has, while on treatment with aspirin or clopidogrel, experienced documented stent thrombosis...

Renewal — (aspirin tolerant patients) from any relevant practitioner. Approvals valid without further renewal unless notified where while on treatment with aspirin the patient has experienced an additional vascular event following the recent cessation of clopidogrel.

Renewal — (acute coronary syndrome - aspirin tolerant patients and aspirin naive patients) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Any of the following:

The patient has:

- 1 experienced an acute myocardial infarction; or
- 2 had an episode of pain at rest of greater than 20 minutes duration due to coronary disease that required admission to hospital for at least 24 hours; or
- 3 had a troponin T or troponin I test result greater than the upper limit of the reference range; or
- 4 had a revascularisation procedure.

Renewal — (patients awaiting revascularisation) from any relevant practitioner. Approvals valid for 6 months where the patient is on a waiting list or active review list for stenting, coronary artery bypass grafting or percutaneous coronary angioplasty following acute coronary syndrome.

Renewal — (post stenting) from any relevant practitioner. Approvals valid for 6 months where the patient has had a stent inserted in the previous 4 weeks.

Renewal — (documented stent thrombosis) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has, while on treatment with aspirin or clopidogrel, experienced documented stent thrombosis.

DIPYRIDAMOLE

*	Tab 25 mg	8.36	84	Persantin
*	Tab long-acting 150 mg	11.52	60	✓ Pytazen SR

Heparin and Antagonist Preparations

ENOXAPARIN SODIUM	 Special Authority 	\prime see SA0975 on the nex	t page – Retail pharmacy
-------------------	---------------------------------------	--------------------------------	--------------------------

Inj 20 mg39.20	10	Clexane
Inj 40 mg52.30	10	✓ Clexane
Inj 60 mg78.85	10	✓ Clexane
Inj 80 mg105.12	10	✓ Clexane
Inj 100 mg135.20	10	✓ Clexane
Inj 120 mg168.00	10	✓ Clexane
Inj 150 mg192.00	10	✓ Clexane

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sub	sidised	Generic
\$	Per	~	Manufacturer

⇒SA0975 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Fither:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic INR with oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing warfarin treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

HEPARIN SODIUM

	Inj 1,000 iu per ml, 5 ml	11.44	10	✓ Pfizer
		46.30	50	✓ Pfizer
		66.80		✓ Mayne
	Inj 1,000 iu per ml, 35 ml	16.00	1	✓ Mayne
	Inj 5,000 iu per ml, 1 ml	14.20	5	✓ Mayne
	Inj 5,000 iu per ml, 5 ml	43.67	10	Multiparin
		118.50	50	✓ Pfizer
	Inj 25,000 iu per ml, 0.2 ml	9.50	5	Mayne
HE	PARINISED SALINE			
*	Inj 10 iu per ml, 5 ml	18.00	50	✓ AstraZeneca
		32.50		✓ Pfizer
(A	straZeneca Inj 10 iu per ml, 5 ml to be delisted 1 April 2010)			
PF	ROTAMINE SULPHATE			
*	Inj 10 mg per ml, 5 ml	22.40	10	
		(86.54)		Artex

Oral Anticoagulants

WARFARIN SODIUM

Note: Marevan and Coumadin are not interchangeable.

*	Tab 1 mg	50	✓ Coumadin
	5.69	100	✓ Marevan
*	Tab 2 mg4.31	50	✓ Coumadin
	Tab 3 mg8.00	100	✓ Marevan
	Tab 5 mg5.93	50	Coumadin
	9.64	100	✓ Marevan

	Subsidy (Manufacturer's Pric	e) Sub Per	Fully osidised	Brand or Generic Manufacturer
Fluids and Electrolytes				
Intravenous Administration				
DEXTROSE				
 * Inj 50%, 10 ml - Up to 5 inj available on a PSO * Inj 50%, 90 ml - Up to 5 inj available on a PSO 		5 1	_	<u>iomed</u> iomed
POTASSIUM CHLORIDE				
* Inj 75 mg per ml, 10 ml		50		straZeneca
* Inj 150 mg per ml, 10 ml	26.00	50	✓ A	straZeneca
SODIUM BICARBONATE				
Inj 8.4%, 50ml	19.95	1	∨ B	iomed
a) Up to 5 inj available on a PSO b) Not in combination				
Inj 8.4%, 100 ml	20.50	1	✓ B	iomed
a) Up to 5 inj available on a PSO				
b) Not in combination				
SODIUM CHLORIDE				
Inf 0.9% – Up to 2000 ml available on a PSO		500 ml	✓ B	
Only if prescribed on a prescription for renal dialysis, mate		1,000 ml	✓ Balance	
for emergency use. (500 ml and 1,000 ml packs)	errilly of post-flatar	care in the	HOHIE O	i tile patient, or on a 1 50
Inj 23.4%, 20 ml	26.50	5	✓ B	iomed
Inj 0.9%, 5 ml - Up to 5 inj available on a PSO		50		straZeneca
Inj 0.9%, 10 ml – Up to 5 inj available on a PSO		50		straZeneca
Inj 0.9%, 20 ml	7.86 11.79	20 30		ultichem harmacia
TOTAL DADENTED AL MILITRITION (TDN)		30	V F	namacia
TOTAL PARENTERAL NUTRITION (TPN) – Hospital pharmacy [I		1 OP	✓ TI	DN
WATER		1 01	• 11	111
1) On a prescription or Practitioner's Supply Order only wher Schedule requiring a solvent or diluent; or 2) On a bulk supply order; or 3) When used in the extemporaneous compounding of eye dre	ops.	m as an inje 50		ted in the Pharmaceutical
	10.51			straZeneca
Purified for inj 10 ml - Up to 5 inj available on a PSO	10.38	50		ultichem
Destination to the constant to the termination of the constant to the constant	11.32	00		straZeneca
Purified for inj 20 ml – Up to 5 inj available on a PSO	5.04	20	V IVI	ultichem
Oral Administration				
CALCIUM POLYSTYRENE SULPHONATE Powder	169.85	300 g OP	✓ C	alcium Resonium
COMPOUND ELECTROLYTES				
Powder for soln for oral use 5 g - Up to 10 sach available on a PSO	2.86	10	✓ <u>E</u>	nerlyte_

	Subsidy (Manufacturer's \$	Price) Sub	Fully Brand or sidised Generic Manufacturer
DEXTROSE WITH ELECTROLYTES Soln with electrolytes	6.66	1,000 ml OP	✓ <u>Pedialyte -</u> Bubblegum
	6.78		✓ Pedialyte - Fruit ✓ Pedialyte - Plain
POTASSIUM BICARBONATE			
Tab eff 315 mg with sodium acid phosphate 1.937 g and sodium bicarbonate 350 mgFor phosphate supplementation		100	✔ Phosphate-Sandoz
POTASSIUM CHLORIDE			
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)		60	
€ Tab long-acting 600 mg	(11.85)	200	Chlorvescent ✓ Span-K
	7.00	200	₽ Spail-N
ODIUM POLYSTYRENE SULPHONATE Powder	89.10	450 g OP	✓ Resonium-A
Lipid Modifying Agents Fibrates			
BEZAFIBRATE			
* Tab 200 mg	9.75	90	✓ Fibalip
* Tab long-acting 400 mg	5.70	30	✓ Bezalip Retard
Other Lipid Modifying Agents			
CIPIMOX			
€ Cap 250 mg	18.75	30	✓ Olbetam
IICOTINIC ACID			
← Tab 50 mg		100	Apo-Nicotinic Acid
← Tab 500 mg	17.60	100	✓ Apo-Nicotinic Acid
Resins			
CHOLESTYRAMINE WITH ASPARTAME			
Sachets 4 g with aspartame	19.25 (28.88)	50	Questran-Lite
COLESTIPOL HYDROCHLORIDE	(20.00)		Guodiuii Lito
Sachets 5 g	16.17	30	✓ Colestid
HMG CoA Reductase Inhibitors (Statins)			

Prescribing Guidelines

Treatment with HMG CoA Reductase Inhibitors (statins) is recommended for patients with dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater.

		Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
ATC	DRVASTATIN – Additional subsidy by Special Authority see SA See prescribing guideline on the preceding page	A0788 below – Retail ı	oharn	nacy	
*	Tab 10 mg	4.03	30		
		(18.32)		L	ipitor
*	Tab 20 mg	5.87	30		
		(26.70)		L	ipitor
*	Tab 40 mg	8.14	30		
	-	(37.02)		L	ipitor
*	Tab 80 mg		30		
	•	(110.50)		L	Lipitor

⇒SA0788 Special Authority for Manufacturers Price

Initial application only from a relevant specialist or general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Fither
 - 2.1 Patient has severe documented intolerance to simvastatin (blood tests are not required); or
 - 2.2 Both:
 - 2.2.1 Patient has been compliant with a dose of simvastatin of 80 mg per day for at least 2 months; and
 - 2.2.2 Either:
 - 2.2.2.1 All of the following:
 - 2.2.2.1.1 Patient has venous CABG; and
 - 2.2.2.1.2 LDL cholesterol test $1 \ge 2.0$ mmol/litre; and
 - 2.2.2.1.3 LDL cholesterol test 2 > 2.0 mmol/litre (at least 1 week after test 1); or
 - 2.2.2.2 All of the following:
 - 2.2.2.2.1 Patient does not have venous CABG: and
 - 2.2.2.2.2 LDL cholesterol test 1 > 2.5 mmol/litre; and
 - 2.2.2.2.3 LDL cholesterol test $2 \ge 2.5$ mmol/litre (at least 1 week after test 1).

Notes: To confirm that cholesterol levels are not still improving, two lipid tests must be carried out during treatment with simvastatin 80 mg, and have results for LDL cholesterol that have reduced by <10% in the second test. The tests must be carried out while the patient is in a fasted state (with the exception of patients with IDDM).

The following indications of intolerance to simvastatin, are known as class effects for all statins, and hence are likely to mean that the patient may also be intolerant of atorvastatin:

- Constipation, flatulence (may occur in >1% of patients)
- Asthenia, abdominal pain, headache (may occur in >1% of patients)
- Myopathy, rhabdomyolysis (may occur in <3% of patients)

Can proporihing quidaling on the propoding r

• Elevated serum transaminase levels (may occur in <1% of patients)

Statins have been shown to be generally well tolerated in clinical studies, with the rate of discontinuation due to adverse reactions being less than 5%, and similar to the discontinuation rate for patients taking a placebo.

PRAVASTATIN - Special Authority see SA0932 on the next page - Retail pharmacy

See prescribing guideline on the preceding page			
Tab 10 mg	27.46	30	Pravachol
Tab 20 mg	42.58	30	✓ Pravachol
Tab 40 mg	65.31	30	✓ Pravachol

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

⇒SA0932 Special Authority for Subsidy

Initial application — (Confirmed HIV/AIDS) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater; and
- 2 Confirmed HIV infection: and
- 3 Patient is being treated with an HIV protease inhibitor.

SIMVASTATIN	- See	prescribing	auideline	on	page 44	1

*	Tab 10 mg2.05	90	✓ Arrow-Simva 10mg
*	Tab 20 mg	90	✓ Arrow-Simva 20mg
	Tab 40 mg5.35	90	✓ Arrow-Simva 40mg
*	Tab 80 mg11.65	90	✓ Arrow-Simva 80mg

Selective Cholesterol Absorption Inhibitors

EZETIMIBE - Special Authority see SA0796 below - Retail pharm	acy		
Tab 10 mg	57.60	30	✓ Ezetrol

⇒SA0796 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 ezetimibe is to be used in combination with simvastatin; or
 - 1.2 ezetimibe is to be used without a statin; and
- 2 Fither:
 - 2.1 All of the following:
 - 2.1.1 Patient has a calculated absolute risk of cardiovascular disease >20% over 5 years; and
 - 2.1.2 Patient cannot tolerate statin therapy at a dose of \geq 40 mg per day; and
 - 2.1.3 Either:
 - 2.1.3.1 All of the following:
 - 2.1.3.1.1 Patient has venous CABG; and
 - 2.1.3.1.2 LDL cholesterol ≥ 2.0 mmol/litre (see note); and
 - 2.1.3.1.3 LDL cholesterol ≥ 2.0 mmol/litre (at least 1 week after test 1 see note); or
 - 2.1.3.2 All of the following:
 - 2.1.3.2.1 Patient does not have venous CABG; and
 - 2.1.3.2.2 LDL cholesterol \geq 2.5 mmol/litre (see note); and
 - 2.1.3.2.3 LDL cholesterol ≥ 2.5 mmol/litre (at least 1 week after test 1 see note); or
 - 2.2 All of the following:
 - 2.2.1 Patient has homozygous familial hypercholesterolemia, or heterozygous familial hypercholesterolemia; and
 - 2.2.2 Patient has been compliant for at least two months with maximum dose statin therapy; and
 - 2.2.3 LDL cholesterol ≥ 5 mmol/litre (see note); and
 - 2.2.4 LDL cholesterol \geq 5 mmol/litre (at least 1 week after test 1 see note).

Note: Two lipid tests are required to assess LDL cholesterol levels, the tests must be at least one week apart, and be carried out in a fasted state (other than for patients with IDDM). The results for LDL cholesterol levels in both tests must be above those specified.

Renewal only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Roth:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 ezetimibe is to be used in combination with simvastatin; or
 - 2.2 ezetimibe is to be used without a statin.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
EZETIMIBE WITH SIMVASTATIN - Special Authority see SA082	6 below – Retail pharr	nacy			
Tab 10 mg with simvastatin 10 mg	69.00	30	✓ V	ytorin	
Tab 10 mg with simvastatin 20 mg	75.00	30	✓ V	ytorin	
Tab 10 mg with simvastatin 40 mg		30	✓ V	ytorin	
Tab 10 mg with simvastatin 80 mg		30	✓ V	ytorin	

■SA0826 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 Patient has a calculated absolute risk of cardiovascular disease >20% over 5 years; and
 - 1.2 Patient cannot tolerate statin therapy at a dose of > 40 mg per day; and
 - 1.3 Either
 - 1.3.1 All of the following:
 - 1.3.1.1 Patient has venous CABG; and
 - 1.3.1.2 LDL cholesterol > 2.0 mmol/litre (see note); and
 - 1.3.1.3 LDL cholesterol \geq 2.0 mmol/litre (at least 1 week after test 1 see note); or
 - 1.3.2 All of the following:
 - 1.3.2.1 Patient does not have venous CABG; and
 - 1.3.2.2 LDL cholesterol > 2.5 mmol/litre (see note); and
 - 1.3.2.3 LDL cholesterol ≥ 2.5 mmol/litre (at least 1 week after test 1 see note); or
- 2 All of the following:
 - 2.1 Patient has homozygous familial hypercholesterolemia, or heterozygous familial hypercholesterolemia; and
 - 2.2 Patient has been compliant for at least two months with maximum dose statin therapy; and
 - 2.3 LDL cholesterol > 5 mmol/litre (see note); and
 - 2.4 LDL cholesterol \geq 5 mmol/litre (at least 1 week after test 1 see note).

Note: Two lipid tests are required to assess LDL cholesterol levels, the tests must be at least one week apart, and be carried out in a fasted state (other than for patients with IDDM). The results for LDL cholesterol levels in both tests must be above those specified. **Renewal** only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Alpha Adrenoceptor Blockers				
DOXAZOSIN MESYLATE				
* Tab 2 mg	22.85	500	✓ A	po-Doxazosin
* Tab 4 mg	30.26	500	✓ <u>A</u>	po-Doxazosin
PHENOXYBENZAMINE HYDROCHLORIDE				
* Cap 10 mg	7.82	30	✓ D	ibenyline S29
PHENTOLAMINE MESYLATE				•
* Inj 10 mg per ml, 1 ml	17.97	5		
.,	(31.65)	-	R	egitine
PRAZOSIN HYDROCHLORIDE	, ,			v
* Tab 1 mg	5.53	100	✓ A	po-Prazo
* Tab 2 mg		100		po-Prazo
* Tab 5 mg		100	✓ A	po-Prazo
TERAZOSIN HYDROCHLORIDE				
* Tab 1 mg	2.50	28	✓ A	po-Terazosin
* Tab 7×1 mg and 7×2 mg		14 OP		ytrin Starter Pack
* Tab 2 mg		500		po-Terazosin

500

✓ Apo-Terazosin

Agents Affecting the Renin-Angiotensin System

Perindopril and trandolapril will be funded to the level of the ex-manufacturer price listed in the Schedule for patients who were taking these ACE inhibitors for the treatment of congestive heart failure prior to 1 June 1998. The prescription must be endorsed accordingly. We recommend that the words used to indicate eligibility are "certified condition" or an appropriate description of the patient such as "congestive heart failure", "CHF", "congestive cardiac failure" or "CCF". Definition of Congestive Heart Failure At the request of some prescribers the PTAC Cardiovascular subcommittee has provided a definition of congestive heart failure for the purposes of the funding of the manufacturer's surcharge: "Clinicians should use their clinical judgement. Existing patients would be eligible for the funding of the surcharge if the patient shows signs and symptoms of congestive heart failure, and requires or has in the past required concomitant treatment with a diuretic. The definition could also be considered to include patients post myocardial infarction with an ejection fraction of less than 40%."

ACE Inhibitors		
CAPTOPRIL * Tab 12.5 mg 10.40 * Tab 25 mg 13.40 * Tab 50 mg 19.00 *‡ Oral liq 5 mg per ml 51.04	500 500 500 95 ml OP	✓ <u>Apo-Captopril</u> ✓ <u>Apo-Captopril</u> ✓ <u>Apo-Captopril</u> ✓ Capoten
Oral liquid restricted to children under 12 years of age. CILAZAPRIL * Tab 0.5 mg	30 28 28	✓ Inhibace ✓ Inhibace ✓ Inhibace
ENALAPRIL * Tab 5 mg	90 90 90	✓ m-Enalapril ✓ m-Enalapril ✓ m-Enalapril

	Subsidy (Manufacturer's Price)		Fully	Brand or Generic
ICINOPPII	\$	Per		Manufacturer
ISINOPRIL ≰ Tab 5 mg	2.06	30	./ 1	Arrow-Lisinopril
€ Tab 10 mg		30		Arrow-Lisinoprii
€ Tab 20 mg		30		Arrow-Lisinopril
	2.07	30	<u> </u>	ATOW-LISITIOPTII
PERINDOPRIL				
★ Tab 2 mg — Higher subsidy of \$18.50 per 30 with Endorsen	4	30		
	(18.50)		C	Coversyl
★ Tab 4 mg — Higher subsidy of \$25.00 per 30 with Endorsen		30		
	(25.00)		(Coversyl
QUINAPRIL				
Tab 5 mg	1.60	30	V <u>P</u>	Accupril
★ Tab 10 mg	1.75	30	V A	ccupril
★ Tab 20 mg	2.35	30	V	ccupril
RANDOLAPRIL				
Cap 1 mg - Higher subsidy of \$18.67 per 28 with Endorsem	nent 3.06	28		
oup 1 mg Thigher cubolay of \$10.07 per 20 war 2 hadroon	(18.67)		Ć.	Ropten
Cap 2 mg - Higher subsidy of \$27.00 per 28 with Endorsen	\ /	28	•	aopton
oup 2 mg mgmor outsidy or \$27.00 per 20 mm 2 mail 2 mail 2	(27.00)		(-	Ropten
ACE Inhibitors with Diuretics	(=::::)			
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE				
Fab 5 mg with hydrochlorothiazide 12.5 mg	6.30	28	V II	nhibace Plus
NALAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 20 mg with hydrochlorothiazide 12.5 mg	3.32	30		
0	(8.70)		C	Co-Renitec
DUINAPRIL WITH HYDROCHLOROTHIAZIDE	, ,			
Tab 10 mg with hydrochlorothiazide 12.5 mg	2 27	30	./ 1	Accuretic 10
* Tab 10 mg with hydrochlorothiazide 12.5 mg		30	_	Accuretic 20
	4.57	30	<u> </u>	iccurette 20
Angiotension II Antagonists				
CANDESARTAN - Special Authority see SA0933 below - Reta	l pharmacy			
★ Tab 4 mg - No more than 1.5 tab per day		30	V	tacand
₹ Tab 8 mg — No more than 1.5 tab per day		30	V	tacand
₹ Tab 16 mg — No more than 1 tab per day		30		tacand
₹ Tab 32 mg – No more than 1 tab per day		30		tacand
SA0022 Special Authority for Subsidy				

■ SA0933 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Patient with congestive heart failure; and
 - 1.2 Either:
 - 1.2.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
 - 1.2.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years; or
- 2 All of the following:
 - 2.1 Patient with raised blood pressure; and

continued...

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

2.2 Use of fully funded beta blockers or diuretics are contraindicated; or not well tolerated; or insufficient to control blood pressure adequately at appropriate doses; and

2.3 Either:

- 2.3.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
- 2.3.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years.

LOSARTAN - Special Authority see SA0911 below - Retail pharmacy

*	Tab 12.5 mg1	7.40	30	✓ Cozaar
	Tab 25 mg		30	✓ Cozaar
*	Tab 50 mg23	3.10	30	✓ Cozaar
	Tab 50 mg with hydrochlorothiazide 12.5 mg3		30	✓ Hyzaar
*	Tab 100 mg38	5.40	30	✓ Cozaar

■ SA0911 Special Authority for Subsidy

Initial application — (ACE inhibitor intolerance) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has persistent ACE inhibitor induced cough that is not resolved by ACE inhibitor retrial (same or new ACE inhibitor); or
- 2 Patient has a history of angioedema.

Initial application — (Unsatisfactory response to ACE inhibitor) from any relevant practitioner. Approvals valid without further renewal unless notified where patient is not adequately controlled on maximum tolerated dose of an ACE inhibitor.

Initial application — (Patient had an approval for Losartan with hydrochlorothiazide prior to 1 May 2008) from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Antiarrhythmics

For lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaesthetics, Local, page 109

AMIODARONE HYDROCHLORIDE

▲ Tab 200 mg − Retail pharmacy-Specialist .30.52 30 ✓ Aratac ✓ Cordarone-X Inj 50 mg per ml, 3 ml − Up to 5 inj available on a PSO .60.84 10 ✓ Cordarone-X DIGOXIN * Tab 62.5 μg − Up to 30 tab available on a PSO .6.94 250 ✓ Lanoxin PG * Tab 250 μg − Up to 30 tab available on a PSO .15.13 250 ✓ Lanoxin *‡ Oral liq 50 μg per ml .16.60 60 ml ✓ Lanoxin DISOPYRAMIDE PHOSPHATE .15.00 100 .23.87) Rythmodan ▲ Cap 100 mg .26.21 100 ✓ Rythmodan FLECAINIDE ACETATE − Retail pharmacy-Specialist .42.82 60 ✓ Tambocor ▲ Tab 100 mg .42.82 60 ✓ Tambocor ▲ Tab 100 mg .42.82 30 ✓ Tambocor CR ▲ Cap long-acting 100 mg .42.82 30 ✓ Tambocor CR ▲ Cap long-acting 200 mg .75.63 30 ✓ Tambocor CR Inj 10 mg per ml, 15 ml .49.02 5 ✓ Tambocor	▲ Tab 100 mg − Retail pharmacy-Specialist18.65	30	✓ Aratac
Inj 50 mg per ml, 3 ml − Up to 5 inj available on a PSO	▲ Tab 200 mg - Retail pharmacy-Specialist30.52	30	✓ Aratac
* Tab 62.5 μg − Up to 30 tab available on a PSO 6.94 250 ✓ Lanoxin PG * Tab 250 μg − Up to 30 tab available on a PSO 15.13 250 ✓ Lanoxin *‡ Oral liq 50 μg per ml 16.60 60 ml ✓ Lanoxin DISOPYRAMIDE PHOSPHATE 15.00 100 Cap 100 mg 15.00 100 (23.87) Rythmodan FLECAINIDE ACETATE − Retail pharmacy-Specialist 76.21 100 ✓ Rythmodan Image: Aceta 100 mg 42.82 60 ✓ Tambocor Image: Aceta 100 mg 75.63 60 ✓ Tambocor Acap long-acting 100 mg 42.82 30 ✓ Tambocor CR Acap long-acting 200 mg 75.63 30 ✓ Tambocor CR	Inj 50 mg per ml, 3 ml - Up to 5 inj available on a PSO60.84	10	
** Tab 250 µg − Up to 30 tab available on a PSO	DIGOXIN		
*‡ Oral liq 50 µg per ml .16.60 60 ml ✓ Lanoxin DISOPYRAMIDE PHOSPHATE .15.00 100 ▲ Cap 100 mg .15.00 100 (23.87) Rythmodan ▲ Cap 150 mg .26.21 100 ✓ Rythmodan FLECAINIDE ACETATE - Retail pharmacy-Specialist	* Tab 62.5 μg – Up to 30 tab available on a PSO	250	Lanoxin PG
DISOPYRAMIDE PHOSPHATE 15.00 100 (23.87) Rythmodan ▲ Cap 150 mg 26.21 100 Rythmodan FLECAINIDE ACETATE - Retail pharmacy-Specialist 42.82 60 Tambocor ▲ Tab 50 mg 42.82 60 Tambocor ▲ Tab 100 mg 75.63 60 Tambocor ▲ Cap long-acting 100 mg 42.82 30 Tambocor CR ▲ Cap long-acting 200 mg 75.63 30 Tambocor CR	* Tab 250 μg – Up to 30 tab available on a PSO15.13	250	Lanoxin
▲ Cap 100 mg 15.00 100 (23.87) Rythmodan ▲ Cap 150 mg 26.21 100 Rythmodan FLECAINIDE ACETATE – Retail pharmacy-Specialist 42.82 60 Tambocor ▲ Tab 50 mg 42.82 60 Tambocor ▲ Tab 100 mg 75.63 60 Tambocor ▲ Cap long-acting 100 mg 42.82 30 Tambocor CR ▲ Cap long-acting 200 mg 75.63 30 Tambocor CR	*‡ Oral liq 50 µg per ml16.60	60 ml	Lanoxin
▲ Cap 100 mg 15.00 100 (23.87) Rythmodan ▲ Cap 150 mg 26.21 100 Rythmodan FLECAINIDE ACETATE – Retail pharmacy-Specialist 42.82 60 Tambocor ▲ Tab 50 mg 42.82 60 Tambocor ▲ Tab 100 mg 75.63 60 Tambocor ▲ Cap long-acting 100 mg 42.82 30 Tambocor CR ▲ Cap long-acting 200 mg 75.63 30 Tambocor CR	DISOPYRAMIDE PHOSPHATE		
(23.87) Rythmodan ▲ Cap 150 mg .26.21 100 Rythmodan FLECAINIDE ACETATE – Retail pharmacy-Specialist 42.82 60 Tambocor ▲ Tab 50 mg .42.82 60 Tambocor ▲ Tab 100 mg .75.63 60 Tambocor ▲ Cap long-acting 100 mg .42.82 30 Tambocor CR ▲ Cap long-acting 200 mg .75.63 30 Tambocor CR		100	
FLECAINIDE ACETATE − Retail pharmacy-Specialist 42.82 60 ✓ Tambocor ▲ Tab 50 mg 75.63 60 ✓ Tambocor ▲ Cap long-acting 100 mg 42.82 30 ✓ Tambocor CR ▲ Cap long-acting 200 mg 75.63 30 ✓ Tambocor CR			Rythmodan
▲ Tab 50 mg .42.82 60 ✓ Tambocor ▲ Tab 100 mg .75.63 60 ✓ Tambocor ▲ Cap long-acting 100 mg .42.82 30 ✓ Tambocor CR ▲ Cap long-acting 200 mg .75.63 30 ✓ Tambocor CR	▲ Cap 150 mg26.21	100	✓ Rythmodan
▲ Tab 50 mg .42.82 60 ✓ Tambocor ▲ Tab 100 mg .75.63 60 ✓ Tambocor ▲ Cap long-acting 100 mg .42.82 30 ✓ Tambocor CR ▲ Cap long-acting 200 mg .75.63 30 ✓ Tambocor CR	FLECAINIDE ACETATE - Retail pharmacy-Specialist		
▲ Tab 100 mg .75.63 60 ✓ Tambocor ▲ Cap long-acting 100 mg .42.82 30 ✓ Tambocor CR ▲ Cap long-acting 200 mg .75.63 30 ✓ Tambocor CR	. , ,	60	✓ Tambocor
▲ Cap long-acting 100 mg .42.82 30 ✓ Tambocor CR ▲ Cap long-acting 200 mg .75.63 30 ✓ Tambocor CR		60	✓ Tambocor
		30	Tambocor CR
Inj 10 mg per ml, 15 ml	▲ Cap long-acting 200 mg75.63	30	Tambocor CR
	Inj 10 mg per ml, 15 ml49.02	5	✓ Tambocor

	Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
	\$	Per	<i>\</i>	Manufacturer	
MEXILETINE HYDROCHLORIDE					
▲ Cap 50 mg	23.52	100	✓ M	exitil	
▲ Cap 200 mg	55.05	100	✓ M	exitil	
PROPAFENONE HYDROCHLORIDE - Retail pharmacy-Specialis	st				
▲ Tab 150 mg	40.90	50	✓ Ry	ytmonorm	
Antihypotensives					
MIDODRINE - Special Authority see SA0934 below - Hospital ph	armacv [HP3]				
Tab 2.5 mg	,	100	✓ G	utron	
Tab 5 mg	79.00	100	✓ G	utron	

⇒SA0934 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Disabling orthostatic hypotension not due to drugs; and
- 2 Patient has tried fludrocortisone (unless contra-indicated) with unsatisfactory results; and
- 3 Patient has tried non pharmacological treatments such as support hose, increased salt intake, exercise, and elevation of head and trunk at night.

Notes: Treatment should be started with small doses and titrated upwards as necessary.

Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Beta Adrenoceptor Blockers				
ACEBUTOLOL * Cap 100 mg * Cap 200 mg (ACB Cap 100 mg to be delisted 1 February 2010)		100 100	✓ ACB ✓ ACB	
ATENOLOL * Tab 50 mg	0.39 6.18	30 500	✓ Noten S29 ✓ Pacific Atenolol	
* Tab 100 mg	10.73	500	✓ Pacific Atenolol	
CARVEDILOL Tab 6.25 mg Tab 12.5 mg Tab 25 mg	27.00	30 30 30	✓ Dilatrend✓ Dilatrend✓ Dilatrend	
CELIPROLOL * Tab 200 mg	19.00	180	✓ Celol	
LABETALOL * Tab 50 mg * Tab 100 mg * Tab 200 mg * Tab 400 mg * Inj 5 mg per ml, 20 ml	10.59 18.47 34.44 59.06	100 100 100 100 5	✓ Hybloc ✓ Hybloc ✓ Hybloc ✓ Hybloc	
	(88.60)		Trandate	

		Subsidy		Fully Brand or
		(Manufacturer's Price) \$	Per	Subsidised Generic Manufacturer
_	TODDO! 01 01/00/1/175	<u> </u>		· managemen
	TOPROLOL SUCCINATE	0.70	20	A Motorvolel AET CD
*	Tab long-acting 23.75 mg		30	✓ Metoprolol - AFT CR
*	Toh long acting 47.5 mg	3.61	30	✓ Betaloc CR
*	Tab long-acting 47.5 mg	4.50	30	✓ Metoprolol - AFT CR ✓ Betaloc CR
*	Tab long-acting 95 mg		30	✓ Metoprolol - AFT CR
不	Tab long-acting 95 mg	7.40	30	✓ Betaloc CR
*	Tab long-acting 190 mg		30	✓ Metoprolol - AFT CR
*	Tab long acting 150 mg	12.50	00	✓ Betaloc CR
	TORROLOL TARTRATE	12.00		Detailed off
	TOPROLOL TARTRATE	10.50	400	
*	Tab 50 mg		100	✓ Lopresor
*	Tab 100 mg		60	Lopressor
*	Tab long-acting 200 mg		28	✓ Slow-Lopressor
*	Inj 1 mg per ml 5 ml		5	Datalas
		(34.00)		Betaloc
NA	DOLOL			
*	Tab 40 mg	14.97	100	✓ Apo-Nadolol
*	Tab 80 mg	22.19	100	✓ Apo-Nadolol
PIN	IDOLOL			
*	Tab 5 mg	4.50	100	✓ Pindol
*	Tab 10 mg	8.35	100	✓ Pindol
*	Tab 15 mg	12.00	100	✔ Pindol
PR	OPRANOLOL			
*	Tab 10 mg	3 55	100	✓ Cardinol
*	Tab 40 mg		100	✓ Cardinol
*	Cap long-acting 160 mg		100	✓ Cardinol LA
	TALOL			
*		27.50	500	4 Mulan
*	Tab 80 mg Tab 160 mg		100	✓ <u>Mylan</u> ✓ Mylan
*	Inj 10 mg per ml, 4 ml		5	✓ Sotacor
•	,	41.04	5	Solacoi
	OLOL MALEATE			4.4
*	Tab 10 mg	10.55	100	✓ <u>Apo-Timol</u>
С	alcium Channel Blockers			
D	ihydropyridine Calcium Channel Blockers (DHI	P CCBs)		
		,		
	LODIPINE			
*	Tab 5 mg		100	Apo-Amlodipine
*	Tab 10 mg	11.79	100	Apo-Amlodipine
FE	LODIPINE			
*	Tab long-acting 2.5 mg - No more than 1 tab per day	10.38	30	✔ Plendil ER
*	Tab long-acting 5 mg	10.73	90	✓ Felo 5 ER
*	Tab long-acting 10 mg	15.60	90	Felo 10 ER
ISF	RADIPINE			
.01	Cap long-acting 2.5 mg	7.50	30	✓ Dynacirc-SRO
	Cap long-acting 5 mg		30	✓ Dynacirc-SRO
	, 5 5 5			•

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic Manufacturer
IIFEDIPINE			
★ Tab long-acting 10 mg	17.72	60	Adalat 10
* Tab long-acting 20 mg		100	✓ Nyefax Retard
* Tab long-acting 30 mg	10.70	30	✓ Adefin XL
			Arrow-Nifedipine XR
	5.50		•
	(19.90)		Adalat Oros
Tab long-acting 60 mg		30	✓ Adefin XL
and a grand grand grand			✓ Arrow-Nifedipine XR
	8.00		
	(29.50)		Adalat Oros
Other Calcium Channel Blockers	(1 1 1)		
LTIAZEM HYDROCHLORIDE			
Tab 30 mg	4.60	100	✓ Dilzem
Tab 60 mg		100	✓ Dilzem
Cap long-acting 120 mg (once per day)		30	✓ Cardizem CD
Cap long-acting 180 mg		30	✓ Cardizem CD
Cap long-acting 240 mg		30	✓ Cardizem CD
ERHEXILINE MALEATE – Special Authority see SA0256 belo		-	•
Tab 100 mg	02.90	100	✓ Pexsig
riteria: oth: 1 Refractory angina; and			
Patient is already on maximal anti-anginal therapy. Patient is already on maximal anti-anginal therapy.	als valid for 2 years wh	nere th	ne treatment remains appropriate
enewal only from a cardiologist or general physician. Approve e patient is benefiting from treatment.	als valid for 2 years wh	nere th	ne treatment remains appropriate
enewal only from a cardiologist or general physician. Approve e patient is benefiting from treatment. ERAPAMIL HYDROCHLORIDE	·		
enewal only from a cardiologist or general physician. Approve patient is benefiting from treatment. ERAPAMIL HYDROCHLORIDE Tab 40 mg	7.01	100	✓ Isoptin
enewal only from a cardiologist or general physician. Approve patient is benefiting from treatment. ERAPAMIL HYDROCHLORIDE Tab 40 mg	7.01 11.74	100 100	✓ Isoptin ✓ Isoptin
enewal only from a cardiologist or general physician. Approve patient is benefiting from treatment. ERAPAMIL HYDROCHLORIDE Tab 40 mg	7.01 11.74 15.20	100 100 250	✓ Isoptin✓ Isoptin✓ Verpamil SR
enewal only from a cardiologist or general physician. Approve patient is benefiting from treatment. ERAPAMIL HYDROCHLORIDE Tab 40 mg	7.01 11.74 15.20 25.00	100 100 250 250	✓ Isoptin ✓ Isoptin ✓ Verpamil SR ✓ Verpamil SR
enewal only from a cardiologist or general physician. Approve patient is benefiting from treatment. ERAPAMIL HYDROCHLORIDE Tab 40 mg Tab 80 mg Tab long-acting 120 mg Tab long-acting 240 mg Inj 2.5 mg per ml, 2 ml — Up to 5 inj available on a PSO	7.01 11.74 15.20 25.00	100 100 250	✓ Isoptin✓ Isoptin✓ Verpamil SR
enewal only from a cardiologist or general physician. Approve patient is benefiting from treatment. ERAPAMIL HYDROCHLORIDE Tab 40 mg	7.01 11.74 15.20 25.00	100 100 250 250	✓ Isoptin ✓ Isoptin ✓ Verpamil SR ✓ Verpamil SR
enewal only from a cardiologist or general physician. Approve e patient is benefiting from treatment. ERAPAMIL HYDROCHLORIDE Tab 40 mg	7.01 11.74 15.20 25.00 7.54	100 100 250 250 5	✓ Isoptin ✓ Isoptin ✓ Verpamil SR ✓ Verpamil SR ✓ Isoptin
enewal only from a cardiologist or general physician. Approve e patient is benefiting from treatment. ERAPAMIL HYDROCHLORIDE Tab 40 mg	7.01 11.74 15.20 25.00 7.54	100 100 250 250 5	✓ Isoptin ✓ Isoptin ✓ Verpamil SR ✓ Verpamil SR ✓ Isoptin
enewal only from a cardiologist or general physician. Approve patient is benefiting from treatment. ERAPAMIL HYDROCHLORIDE Tab 40 mg	7.01 11.74 15.20 25.00 7.54	100 100 250 250 5	✓ Isoptin ✓ Isoptin ✓ Verpamil SR ✓ Verpamil SR ✓ Isoptin ✓ Catapres-TTS-1 ✓ Catapres-TTS-2
enewal only from a cardiologist or general physician. Approve e patient is benefiting from treatment. ERAPAMIL HYDROCHLORIDE Tab 40 mg	7.01 11.74 15.20 25.00 7.54	100 100 250 250 5	✓ Isoptin ✓ Isoptin ✓ Verpamil SR ✓ Verpamil SR ✓ Isoptin
enewal only from a cardiologist or general physician. Approve e patient is benefiting from treatment. ERAPAMIL HYDROCHLORIDE Tab 40 mg	7.01 11.74 15.20 25.00 7.54	100 100 250 250 5	✓ Isoptin ✓ Isoptin ✓ Verpamil SR ✓ Verpamil SR ✓ Isoptin ✓ Catapres-TTS-1 ✓ Catapres-TTS-2
enewal only from a cardiologist or general physician. Approve patient is benefiting from treatment. ERAPAMIL HYDROCHLORIDE Tab 40 mg	7.01 11.74 15.20 25.00 7.54 23.30 32.80 41.20	100 100 250 250 5	✓ Isoptin ✓ Isoptin ✓ Verpamil SR ✓ Verpamil SR ✓ Isoptin ✓ Catapres-TTS-1 ✓ Catapres-TTS-2
enewal only from a cardiologist or general physician. Approve e patient is benefiting from treatment. ERAPAMIL HYDROCHLORIDE Tab 40 mg		100 100 250 250 5	✓ Isoptin ✓ Isoptin ✓ Verpamil SR ✓ Verpamil SR ✓ Isoptin ✓ Catapres-TTS-1 ✓ Catapres-TTS-2 ✓ Catapres-TTS-3
enewal only from a cardiologist or general physician. Approve e patient is benefiting from treatment. ERAPAMIL HYDROCHLORIDE Tab 40 mg		100 100 250 250 5	✓ Isoptin ✓ Isoptin ✓ Verpamil SR ✓ Verpamil SR ✓ Isoptin ✓ Catapres-TTS-1 ✓ Catapres-TTS-2 ✓ Catapres-TTS-3 ✓ Catapres
enewal only from a cardiologist or general physician. Approve patient is benefiting from treatment. ERAPAMIL HYDROCHLORIDE Tab 40 mg	7.0111.7415.2025.007.5423.3032.8041.2033.0015.45	100 100 250 250 5	✓ Isoptin ✓ Isoptin ✓ Verpamil SR ✓ Verpamil SR ✓ Isoptin ✓ Catapres-TTS-1 ✓ Catapres-TTS-2 ✓ Catapres-TTS-3 ✓ Catapres

100

100

✔ Prodopa

✔ Prodopa

Tab 250 mg13.10

	Subsidy (Manufacturer's Pric	ce) Subs Per	Fully sidised	Brand or Generic Manufacturer
Diuretics				
Loop Diuretics				
BUMETANIDE * Tab 1 mg	7.95 10.75 12.00 10.66 48.14	1,000 1,000 100 30 ml OP 5 50	✓ Bu	six
Potassium Sparing Diuretics				
AMILORIDE ‡ Oral liq 1 mg per ml SPIRONOLACTONE		25 ml OP	✓ Bi	
* Tab 25 mg * Tab 100 mg ‡ Oral liq 5 mg per ml	21.70	100 100 25 ml OP		oirotone oirotone omed
Potassium Sparing Combination Diuretics				
AMILORIDE WITH FRUSEMIDE * Tab 5 mg with frusemide 40 mg	4.67 (8.63)	28	Fr	umil
AMILORIDE WITH HYDROCHLOROTHIAZIDE * Tab 5 mg with hydrochlorothiazide 50 mg	13.00	500	✓ Ar	mizide
TRIAMTERENE WITH HYDROCHLOROTHIAZIDE * Tab 50 mg with hydrochlorothiazide 25 mg (Triamizide Tab 50 mg with hydrochlorothiazide 25 mg to be delist)		100 (0)	✓ Tri	iamizide
Thiazide and Related Diuretics				
BENDROFLUAZIDE * Tab 2.5 mg - Up to 150 tab available on a PSO May be supplied on a PSO for reasons other than emerge	ncy.	500		eo-Naclex
* Tab 5 mg CHLOROTHIAZIDE	21.50	500	✓ Ne	eo-Naclex
‡ Oral liq 50 mg per ml	22.60	25 ml OP	✓ Bi	omed
CHLORTHALIDONE * Tab 25 mg	8.00	50	✓ Hy	/groton
INDAPAMIDE * Tab 2.5 mg	4.00	100	✓ Na	apamide

	Subsidy (Manufacturer's \$		Fully Brand or sidised Generic Manufacturer
Nitrates			
GLYCERYL TRINITRATE			
* Tab 600 µg - Up to 100 tab available on a PSO	8.00	100 OP	✓ <u>Lycinate</u>
* Oral pump spray 400 μg per dose – Up to 250 dose available		OEO doos OD	A Nitralianual
on a PSO		250 dose OP	✓ <u>Nitrolingual</u> Pumpspray
* TDDS 5 mg		30	Nitroderm TTS
* TDDS 10 mg	19.60	30	✓ <u>Nitroderm TTS</u>
ISOSORBIDE MONONITRATE * Tab 20 mg	18.00	100	✓ Ismo 20
* Tab long-acting 40 mg		30	✓ Corangin
* Tab long-acting 60 mg	4.15	90	✓ Duride
Smoking Cessation			
Nicotine Gum			
NICOTINE			
a) Maximum of 768 piece per prescription			
b) Maximum of 384 piece per dispensingc) For the avoidance of doubt Nicotine will not be funded Clos	se Control in an	nounts less than	4 weeks
Gum 2 mg (Fruit)		96 OP	✓ <u>Habitrol</u>
• • •	23.41		✓ NicotineII
Gum 2 mg (Mint)		96 OP	Habitrol
Gum 4 mg (Fruit)	23.41	96 OP	✓ Nicotinell✓ Habitrol
	23.41	00 01	✓ NicotineII
Gum 4 mg (Mint)		96 OP	✓ <u>Habitrol</u>
Nisstina Langua	23.41		✓ Nicotinell
Nicotine Lozenge			
NICOTINE			
a) Maximum of 432 loz per prescription b) Maximum of 216 loz per dispensing			
c) For the avoidance of doubt Nicotine will not be funded Clos	se Control in an	nounts less than	4 weeks.
Lozenge 1 mg		36 OP	✓ <u>Habitrol</u>
Lozenge 2 mg	11.08	36 OP	✓ <u>Habitrol</u>
Nicotine Patch			
NICOTINE			
a) Maximum of 56 patch per prescription			
b) Maximum of 28 patch per dispensingc) For the avoidance of doubt Nicotine will not be funded Clos	se Control in an	nounts less than	1 wooks
Patch 7 mg		7 OP	✓ <u>Habitrol</u>
Patch 14 mg		7 OP	✓ Habitrol
Patch 21 mg	12.32	7 OP	✓ <u>Habitrol</u>
Other Agents			
BUPROPION HYDROCHLORIDE			
Tab modified-release 150 mg	65.00	30	✓ Zyban

	Subsidy		Fully Brar	nd or
	(Manufacturer's Price)	S Per	Subsidised Gen	
Sympathomimetics				
DRENALINE				
Inj 1 in 1,000, 1 ml – Up to 5 inj available on a PSO	4.98	5	✓ Aspen	Adrenaline
,,	5.25	Ü	✓ Mayne	
Inj 1 in 10,000, 10 ml - Up to 5 inj available on a PSO	27.00	5	✓ Mayne	
SOPRENALINE HYDROCHLORIDE				
f Inj 200 μg per ml, 1 ml	36.80	25		
	(135.00)		Isuprel	
Vasodilators				
MYL NITRITE				
Ampoule, 0.3 ml crushable	62.92	12		
	(73.40)		Baxter	
YDRALAZINE				
f Inj 20 mg per ml, 1 ml	25.90	5	✓ Apreso	oline
XYPENTIFYLLINE - Hospital pharmacy [HP3]				
Tab 400 mg	36.94	50		
•	(42.26)		Trental	400
APAVERINE HYDROCHLORIDE				
Inj 12 mg per ml, 10 ml	73.12	5	Mayne	
Endothelin Receptor Antagonists				
SA0967 Special Authority for Subsidy				
pecial Authority approved by the Pulmonary Arterial Hypertensi	ion Panel			
otes: Application details may be obtained from PHARMAC's we	ebsite http://www.phar	mac.go	vt.nz or:	
he Coordinator, PAH Panel				
HARMAC, PO Box 10-254, WELLINGTON				
el: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.	govt.nz			
OSENTAN - Special Authority see SA0967 above - Hospital p	,		4	
Tab 62.5 mg		60	✓ Tracle	
Tab 125 mg	4,585.00	60	✓ Tracle	er
Phosphodiesterase Type 5 Inhibitors				
SA0968 Special Authority for Subsidy				
pecial Authority approved by the Pulmonary Arterial Hypertensi				
otes: Application details may be obtained from PHARMAC's we	ebsite nttp://www.phar	mac.go	vi.nz or:	
he Coordinator, PAH Panel HARMAC, PO Box 10-254, WELLINGTON				
nahiyiac, PO Box 10-234, Wellington el: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.;	govt.nz			
				
ILDENAFIL – Special Authority see SA0968 above – Hospital Tab 25 mg	,	4	✓ Viagra	
•			•	
Tab 50 mg	59.50	4	Viagra	

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or
Generic
Manufacturer

Prostacyclin Analogues

⇒SA0969 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

ILOPROST - Special Authority see SA0969 above - Hospital pharmacy [HP1]

30

✔ Ventavis

DERMATOLOGICALS

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

Antiacne Preparations

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 83

,			
ISOTRETINOIN	- Special Authority see SA0955 below - Retail pharmacy		
Cap 10 mg		100	✓ Isotane 10
	48.48	180	Oratane
Cap 20 mg		100	✓ Isotane 20
	69.70	180	Oratane

(Isotane 10 Cap 10 mg to be delisted 1 February 2010) (Isotane 20 Cap 20 mg to be delisted 1 February 2010)

■ SA0955 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has had an adequate trial on other available treatments and has failed these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 4 Either:
 - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
 - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has had an adequate trial on other available treatments and has failed these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 4 Either:
 - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
 - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

	Subsidy		Fully Brand or	=
	(Manufacturer's	Price) Sub	sidised Generic	
	\$	Per	✓ Manufacturer	
Antibacterials Topical				
For systemic antibacterials, refer to INFECTIONS, Antibacter	erials, page 83			
FUSIDIC ACID				
Crm 2 %	3.95	15 g OP	✓ Foban	
a) Maximum of 15 g per prescription b) Only on a prescription c) Not in combination Oint 2 %	3 95	15 g OP	✓ Foban	
a) Maximum of 15 g per prescription b) Only on a prescription c) Not in combination		10 g 01	, <u>, , , , , , , , , , , , , , , , , , </u>	
HYDROGEN PEROXIDE				
* Crm 1%	8.56	10 g OP	Crystacide	
MUPIROCIN Oint 2%	6.60 (9.26)	15 g OP	Bactroban	
a) Only on a prescriptionb) Not in combination	, ,			
SILVER SULPHADIAZINE	45.04	400 · OD	. d Ollessates	
Crm 1% with chlorhexidine digluconate 0.2%	15.04	100 g OP	✓ Silvazine	
Antifungals Topical				
For systemic antifungals, refer to INFECTIONS, Antifungals	. page 87			
AMOROLFINE	, p. 9			
a) Only on a prescription				
b) Not in combination				
Nail soln 5%	37.86 (61.87)	5 ml OP	Loceryl	
CICLOPIROXOLAMINE				
a) Only on a prescription b) Not in combination				
Crm 1%	1.00	20 g OP		
9 1/2	(12.82)	_0 9 0.	Batrafen	
Nail soln 8%	19.85	3.5 ml OP	✓ Batrafen	
Soln 1%		20 ml OP	5	
	(11.54)		Batrafen	
CLOTRIMAZOLE	0.50	00 00	. 4 01	
Crm 1%	0.50	20 g OP	✓ <u>Clomazol</u>	
* Soln 1%	4.36	20 ml OP		
	(7.55)		Canesten	
a) Only on a prescription				
b) Not in combination				

DERMATOLOGICALS

	Subsidy (Manufacturer's F \$	Price) S Per	Fully Brand or ubsidised Generic Manufacturer
ECONAZOLE NITRATE			
Crm 1%	1.00 (7.48)	20 g OP	Pevaryl
a) Only on a prescription b) Not in combination	(1112)		
Foaming soln 1%, 10 ml sachets	9.89 (17.23)	3	Pevaryl
a) Only on a prescription b) Not in combination	, ,		·
KETOCONAZOLE			
Crm 2%	1.00 (9.50)	15 g OP	Nizoral
a) Only on a prescription b) Not in combination			
MICONAZOLE NITRATE			
* Crm 2%	0.42	15 g OP	✓ <u>Multichem</u>
b) Not in combination			
* Lotn 2%	4.36 (10.03)	30 ml OP	Daktarin
a) Only on a prescription b) Not in combination			
* Tinct 2%	4.36 (12.10)	30 ml OP	Daktarin
a) Only on a prescriptionb) Not in combination			
NYSTATIN			
Crm 100,000 u per g	1.00 (5.10)	15 g OP	Mycostatin
a) Only on a prescription b) Not in combination			
Antipruritic Preparations			
CALAMINE			
a) Only on a prescriptionb) Not in combination			
Crm, aqueous, BP	(3.02)	100 g	✓ healthE ABM
Lotn, BP	16.70 (19.44)	2,000 ml	✓ API ABM
(ABM Crm, aqueous, BP to be delisted 1 January 2010) (ABM Lotn, BP to be delisted 1 January 2010)			
CROTAMITON a) Only on a prescription			
b) Not in combination Crm 10%		20 g OP	Eurax
	(4.45)		Luiax

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
MENTHOL – Only in combination Only in combination with aqueous cream, 10% urea cream, we mineral oil lotion, and glycerol, paraffin and cetyl alcohol lotion		l lotio	n, 1% hydro	cortisone with wool fat and
Crystals	7.40	25 g 100 g	V P	SM lidWest

Corticosteroids Topical

For systemic corticosteroids, refer to CORTICOSTEROIDS AND RELATED AGENTS, page 75

Corticosteroids - Plain

BE	TAMETHASONE DIPROPIONATE			
	Crm 0.05%	2.96	15 g OP	
		(6.91)	J	Diprosone
		8.97 [′]	50 a OP	·
		(18.36)	3 -	Diprosone
	Crm 0.05% in propylene glycol base	\ /	30 g OP	F
	,	(13.83)	3 -	Diprosone OV
	Oint 0.05%	2.96 [′]	15 g OP	·
		(6.51)	- 3 -	Diprosone
		8.97	50 g OP	F
		(17.11)	3 -	Diprosone
	Oint 0.05% in propylene glycol base		30 g OP	F
	h 16.	(13.83)	3 -	Diprosone OV
DE	TAMETHASONE VALERATE	(/		F
*	Crm 0.1%	2.00	50 g OP	✓ Beta Cream
* *	Oint 0.1%		0	✓ Beta Cream ✓ Beta Ointment
*	Lotn 0.1%		50 g OP 50 ml OP	✓ Betnovate
•		10.05	30 IIII OF	Detriovate
CL	OBETASOL PROPIONATE			
*	Crm 0.05%		30 g OP	✓ Dermol
*	Oint 0.05%	3.48	30 g OP	✓ Dermol
CL	OBETASONE BUTYRATE			
-	Crm 0.05%	5.38	30 g OP	
		(7.09)	33 3	Eumovate
		16.13	100 g OP	
		(22.00)		Eumovate
חו	FLUCORTOLONE VALERATE	(==:00)		
ווע		0.07	50 = OD	
	Crm 0.1%		50 g OP	Marianna
	Fatter aliat 0.40/	(15.86)	50 = OD	Nerisone
	Fatty oint 0.1%		50 g OP	Nerisone
		(15.86)		Nerisone
HY	'DROCORTISONE			
*	Crm 1% - Only on a prescription	2.44	100 g	✓ Lemnis Fatty Cream HC
		12.20	500 g	✓ PSM
*	Powder - Only in combination	33.00	25 g	✓ ABM
	Up to 5% in a dermatological base (not proprietary galenicals. Refer, page 162	Topical Corticosterio		h or without other dermatological

DERMATOLOGICALS

	Subsidy (Manufacturer's \$	Price) Sub	Fully Brand or sidised Generic Manufacturer
HYDROCORTISONE BUTYRATE	Ψ	1 61	→ INGUIGIACIAICI
Lipocream 0.1%	5.00	30 g OP	✓ Locoid Lipocream
Lipoticum 0.170	15.00	100 g OP	✓ Locoid Lipocream
Oint 0.1%		100 g OP	✓ Locoid
Milky emul 0.1%		30 ml OP	✓ Locoid Crelo
Wilky Citial 0.170	15.00	100 ml OP	✓ Locoid Crelo
HYDROCORTISONE WITH WOOL FAT AND MINERAL OIL			
Loth 1% with wool fat hydrous 3% and mineral oil - Only or			
a prescription		250 ml	✓ DP Lotn HC
·		250 1111	₩ <u>Bi Edui ilo</u>
METHYLPREDNISOLONE ACEPONATE		05	4.4.
Crm 0.1%		15 g OP	✓ Advantan
Oint 0.1%	4.95	15 g OP	✓ Advantan
MOMETASONE FUROATE			
Crm 0.1%	2.38	15 g OP	m-Mometasone
	4.55	45 g OP	m-Mometasone
	3.96	15 g OP	✓ Elocon
	10.82	45 g OP	✓ Elocon
Oint 0.1%	2.38	15 g OP	m-Mometasone
	4.55	45 g OP	m-Mometasone
	3.96	15 g OP	✓ Elocon
	10.82	45 g OP	✓ Elocon
Lotn 0.1%	4.80	30 ml OP	✓ Elocon
TRIAMCINOLONE ACETONIDE			
Crm 0.02%	6.63	100 g OP	✓ Aristocort
Oint 0.02%		100 g OP	✓ Aristocort
Corticosteroids - Combination			
BETAMETHASONE VALERATE WITH CLIOQUINOL - Only on a	a prescription		
Crm 0.1% with clioquinol 3%		15 g OP	
	(4.90)	3 -	Betnovate-C
Oint 0.1% with clioquinol 3%	3.49 [′]	15 g OP	
'	(4.90)	Ü	Betnovate-C
BETAMETHASONE VALERATE WITH FUSIDIC ACID	, ,		
Crm 0.1% with fusidic acid 2%	3 40	15 g OP	
Offit 0.170 With reside acid 270	(9.61)	13 9 01	Fucicort
a) Maximum of 15 g per prescription	(5.01)		i dolooit
b) Only on a prescription			
, , , ,	Onl		
HYDROCORTISONE BUTYRATE WITH CHLORQUINALDOL –			✓ Locoid C
Crm 0.1% with chlorquinaldol 3%		15 g OP	Locold C
HYDROCORTISONE WITH MICONAZOLE $-$ Only on a prescrip	tion		
★ Crm 1% with miconazole nitrate 2%	2.20	15 g OP	✓ Micreme H
HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - Or	nly on a prescrip	otion	
Crm 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	✓ Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	✓ Pimafucort
RIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCI		_	
		IIN	
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg		45 00	
and avanciable OFO on payor. Only an accommodation			
and gramicidin 250 μg per g - Only on a prescription	3.49 (6.60)	15 g OP	Viaderm KC

Subsidy Fully Brand or (Manufacturer's Price) Subsidised \$

500 g

Generic Per Manufacturer

Disinfecting and Cleansing Agents

CHLORHEXIDINE GLUCONATE - Subsidy by endorsement

- a) No more than 500 ml per month
- b) Only if prescribed for a dialysis patient and the prescription is endorsed accordingly.
- 500 ml Orion 500 ml ✔ Orion
- SODIUM HYPOCHLORITE Subsidy by endorsement

Only if prescribed for a dialysis patient and the prescription is endorsed accordingly.

Soln2.71 2.500 ml Janola

Dusting Powders

DIPHEMANIL METHYLSULPHATE - Subsidy by endorsement

Only if prescribed for an amputee with an artificial limb, or for a paraplegic patient and the prescription endorsed accordingly.

(13.54)Prantal

Barrier Creams and Emollients

Daw	~ "	$rac{1}{2}$	
Darr	ler	Crean	115

ZIING	
Crm BP	6.55

(12.00)**PSM**

ZINC AND CASTOR OIL

Oint BP5.11 500 g ✓ PSM

Emollients 1011E0110 0DE111

AG	UEOUS CREAM			
*	Crm	2.28	500 a	✓ AFT

CETOMACROGOL

500 g PSM

FMULSIFYING OINTMENT

✓ AFT 500 g

GLYCEROL WITH PARAFFIN AND CETYL ALCOHOL - Only on a prescription

250 ml QV

OIL IN WATER EMULSION 500 a ✓ Lemnis Fatty Cream

OILY CREAM

500 g

(13.60)**David Craig** (15.40)**PSM**

UREA

* Crm 10% 2.52 100 g OP

(3.07)**Nutraplus**

✓ healthE Fatty Cream

(Lemnis Fatty Cream Crm to be delisted 1 December 2009)

DERMATOLOGICALS

	Subsidy	Dries\ Ol-	Fully	Brand or
	(Manufacturer's \$	Price) Sub Per	sidised	Generic Manufacturer
VOOL FAT WITH MINERAL OIL - Only on a prescription				
Lotn hydrous 3% with mineral oil	1.40	250 ml OP		
	(2.92)		Н	ydroderm Lotion
	5.60	1,000 ml		yaroaomii Lonom
	(9.54)	1,000 1111	Н	vdroderm Lotion
	1.40	250 ml OP		yaroaomii Lonom
	(3.50)	200 1111 01	D	P Lotion
	5.60	1,000 ml		Lottori
	(10.90)	1,000 1111	D	P Lotion
	(20.53)		_	lpha-Keri Lotion
	1.40	250 ml OP	^	ipila Noti Lotion
	(7.73)	200 IIII OF	R	K Lotion
	5.60	1,000 ml	Ь	IX LOUGH
	(23.91)	1,000 1111	D	K Lotion
	(20.91)		D	IX LOUIDIT
Other Dermatological Bases				
PARAFFIN				
White soft - Only in combination	20.20	2,500 g	✓ IF	W
•	3.58	500 g		
	(8.69)	3	P	SM
Only in combination with a dermatological galenical or as a		oprietary Topica	al Cortic	costeroid - Plain.
Minor Skin Infections	·	1 2 1		
POVIDONE IODINE				
Oint 10%	2.88	25 g OP		
	(3.27)	_0 g 0.	В	etadine
a) Maximum of 100 g per prescription	(0.2.)		_	o ta a ii i o
b) Only on a prescription				
Antiseptic soln 10%	6.20	500 ml	✓ B	etadine
Antiophic son 1070	0.20	300 1111		iodine
Skin preparation, povidone iodine 10% with 30% alcohol	10.00	500 ml		etadine Skin Prep
Skin preparation, povidone iodine 10% with 70% alcohol		500 ml	₩ D	ctaume onm Frep
onit proparation, povidone tourne 1070 with 7070 alcohol	(18.63)	300 1111	\cap	rion
	(10.03)		0	11011
Parasiticidal Preparations				
GAMMA BENZENE HEXACHLORIDE				
Crm 1%	3.50	50 g OP	✓ B	enhex
		00 g 01		
MALATHION	4.00	000 1		and a set M
Liq 0.5%		200 ml	_	erbac-M
Shampoo 1%	2.83	30 ml OP	✓ <u>A</u>	<u>-Lices</u>

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

PERMETHRIN

- 1) Should be strictly reserved for use as second line therapy in:
 - 1) patients unable to tolerate the other medications, such as infants, young children and patients with allergies or eczema:
 - 2) cases of scabies which are resistent to gamma benzene hexachloride and resistant to malathion.
- 2) Verification of drug resistance is dependent on the persistence of the condition after treatment. In order to establish whether there is drug resistance, the following criteria should be fulfilled:
 - 1) a definite diagnosis of scabies should be made;
 - 2) it should be ascertained that the medication was administered properly;

3) the possibility of reinfestation should have been excluded.

Crm 5%4.20 30 g OP **✓ Lyderm**

Psoriasis and Eczema Preparations

		see SA0954 below – Retail pharmacy	ACITRETIN - Special Authority s
Neotigason	100	75.80	Cap 10 mg
✓ Neotigason	100	162.96	Cap 25 mg

■ SA0954 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Fither:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
 - 3.2 Patient is male.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
 - 3.2 Patient is male.

CALCIPOTRIOL

Crm 50 µg per g20	.76 30 g OP	Daivonex
57	.89 100 g OP	Daivonex
Oint 50 µg per g20	.76 30 g OP	Daivonex
57	.89 100 g OP	Daivonex
Soln 50 µg per ml20	.78 30 ml OP	Daivonex
34	.72 60 ml OP	Daivonex

DERMATOLOGICALS

	Subsidy (Manufacturer's	Drino) Cul	Fully Brand or posidised Generic
	(Manuacturer S	Per Per	✓ Manufacturer
COAL TAR			
Soln BP – Only in combination	36.48	500 ml	✓ PSM
,-	12.98	200 ml	
	(16.20)		David Craig
Up to 10 % Only in combination with a dermatological batter With or without other dermatological galenicals.	ase or proprietar	ry Topical Corti	costeriod - Plain, refer, page 162
COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULF	PHUR		
Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and			
allantoin crm 2.5%		30 g OP	
	(4.35)	22 9 21	Egopsoryl TA
	6.59	75 g OP	_g-p,
	(8.00)	3 -	Egopsoryl TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR	, ,		31 ,
Soln 12% with salicylic acid 2% and sulphur 4% oint	7 95	40 g OP	✓ Coco-Scalp
, ,	1.33	40 g Oi	V Coco-scarp
DITHRANOL		05	4
Crm 1%	27.50	50 g OP	✓ Micanol
SALICYLIC ACID			
Powder - Only in combination	15.00	500 g	✓ ABM
	18.88	250 g	✓ PSM
 Only in combination with a dermatological base or p page 162 	roprietary Topica	al Corticosteroi	d – Plain or collodion flexible, refer,
With or without other dermatological galenicals.			
Maximum 20 g or 20 ml per prescription when pres	cribed with white	e soft paraffin o	r collodion flexible.
SULPHUR			
Precipitated - Only in combination	6.50	100 g	✓ ABM
	(9.25)		PSM
 Only in combination with a dermatological base or With or without other dermatological galenicals. 	proprietary Topic	al Corticostero	id – Plain, refer, page 162
TAR WITH CADE OIL			
Bath emul 7.5% coal tar, 2.5% cade oil, 7.5% compound	9.70	350 ml	
·	(29.60)		Polytar Emollient
TAR WITH TRIETHANOLAMINE LAURYL SULPHATE AND FLU	ORESCEIN - C	nly on a presci	ription
* Soln 2.3% with triethanolamine lauryl sulphate and fluores		, o a p. 555.	
cein sodium		500 ml	✓ Pinetarsol
Scalp Preparations		330	<u></u>
BETAMETHASONE VALERATE			
* Scalp app 0.1%	7 22	100 ml OP	✓ Beta Scalp
	1.22	100 IIII OF	beta Scarp
CLOBETASOL PROPIONATE			
* Scalp app 0.05%	6.36	30 ml OP	✓ Dermol
HYDROCORTISONE BUTYRATE			
Scalp lotn 0.1%	7.52	100 ml OP	✓ Locoid
KETOCONAZOLE			
Shampoo 2%	3 48	100 ml OP	✓ Sebizole
a) Maximum of 100 ml per prescription		100 1111 01	33312010
b) Only on a prescription			
·, -···) -·· - p			

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$

Per ✓ Manufacturer

Sunscreens

SUNSCREENS, PROPRIETARY - Subsidy by endorsement

Only if prescribed for a patient with severe photosensitivity secondary to a defined clinical condition and the prescription is endorsed accordingly.

endorsed accordingly. Crm	2.55	100 g OP	
	(5.89)	Ü	Hamilton Sunscreen
	1.28	50 g OP	
	(5.50)		Aquasun Oil Free Faces SPF30+
Lotn	2.55	100 ml OP	✓ Marine Blue Lotion SPF 30+
	5.10	200 ml OP	✓ Marine Blue Lotion SPF 30+
	3.19	125 ml OP	
	(6.94)		Aquasun 30+
	(8.82)		Aquasun Sensitive SPF 30+

(Aquasun Sensitive SPF 30+ Lotn to be delisted 1 May 2010)

Wart Preparations

For salicylic acid preparations refer to PSORIASIS AND ECZEMA PREPARATIONS, page 65

IMIQUIMOD - Special Authority see SA0923 below - Retail pharmacy

■SA0923 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following:

- 1 The patient has external anogenital warts and podophyllotoxin has been tried and failed (or is contraindicated); or
- 2 The patient has external anogenital warts and podophyllotoxin is unable to be applied accurately to the site; or
- 3 The patient has confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate.

Notes: Superficial basal cell carcinoma

- Surgical excision remains first-line treatment for superficial basal cell carcinoma as it has a higher cure rate than imiquimod and allows histological assessment of tumour clearance.
- Imiquimod has not been evaluated for the treatment of superficial basal cell carcinoma within 1 cm of the hairline, eyes, nose, mouth or ears.
- Imiguimod is not indicated for recurrent, invasive, infiltrating, or nodular basal cell carcinoma.

External anogenital warts

• Imiquimod is only indicated for external genital and perianal warts (condyloma acuminata).

Renewal from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following:

- 1 Inadequate response to initial treatment for anogenital warts; or
- 2 New confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate; or
- 3 Inadequate response to initial treatment for superficial basal cell carcinoma.

Note: Confirmation that the lesion is a superficial basal cell carcinoma should be obtained using a biopsy

PODOPHYLLOTOXIN

- a) Maximum of 3.5 ml per prescription
- b) Only on a prescription

DERMATOLOGICALS

Subsidy (Manufacturer's Price) Per \$

Fully Subsidised Brand or Generic Manufacturer

	10
Other Skin Preparation	Ю

Antinoo	NIACTIAC
Antineo	เมลรมเเร

FLUOROURACIL SODIUM

20 q OP ✓ Efudix

Topical Analgesia

For aspirin & chloroform application refer, page 165

CAPSAICIN - Subsidy by endorsement

Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly.

45 g OP ✓ Zostrix HP

Wound Management Products

HYDROGEN PEROXIDE

500 ml Soln 20 vol - Maximum of 500 ml per prescription......3.13 **PSM**

MAGNESIUM SULPHATE 80 g **PSM** (4.90)

		Subsidy (Manufacturer's Price		Fully Subsidised	Brand or Generic
		\$	Per		Manufacturer
С	ontraceptives - Non-hormonal				
C	ondoms				
	NDOMS				
*	49 mm - Up to 144 dev available on a PSO	13.36	144	✓ Ma	old Knight arquisTantiliza nield 49
*	52 mm - Up to 144 dev available on a PSO	13.36	144	✓ Ma	arquis Selecta arquis Sensolite
*	F2 mm outro atropath. Up to 144 day available on a BSO	12.26	144		arquis Supalite arquis Protecta
-	52 mm extra strength – Up to 144 dev available on a PSO 53 mm – Up to 144 dev available on a PSO		144		old Knight
4.	OF THE CONTROL OF THE		144	✓ Ma	arquis Black arquis Titillata nield Blue
*	53 mm (chocolate) - Up to 144 dev available on a PSO	13.36	144		old Knight
*	1		144		old Knight
*			144	✓ Go	old Knight
*	54 mm, shaped - Up to 144 dev available on a PSO	13.36	144		
		(14.84)			festyles Flared
*	55 mm – Up to 144 dev available on a PSO		144	✓ Ma	old Knight arquis Conforma
*	56 mm - Up to 144 dev available on a PSO	13.36	144		urex Select Flavours
*	56 mm extra strength - Up to 144 dev available on a PSO		144		urex Extra Safe
*	56 mm, shaped – Up to 144 dev available on a PSO		144 144		urex Confidence nield XL
S	permicidal Agents				
AP	PLICATOR				
*	When ordered with a spermicide. Applicator – Up to 1 dev available on a PSO	4.34	1	✓ 0ı	rtho
NO	NOXYNOL-9 Jelly 2% – Up to 108 g available on a PSO	10.95	108 g O	P V G	ynol II
C	ontraceptive Devices				
DIA	PHRAGM				
*	Diaphragm – Up to 1 dev available on a PSO	42.90	1		rtho All-flex rtho Coil
	One of each size is permitted on a PSO.				
INT	RA-UTERINE DEVICE - Only on a WSO				
	IUD	39.50	1		ultiload Cu 375 ultiload Cu 375 SL
	Distributed by Pharmaco NZ Ltd, PO Box 4079, Auckland F	Ph 09 377 3336			

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Contraceptives - Hormonal

Combined Oral Contraceptives

▶SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 Patient is on a Social Welfare benefit: or
 - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon, Marvelon, Minulet and Femodene.

The additional subsidy will fund Mercilon, Marvelon, Minulet and Femodene up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit: or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

ETHINYLOESTRADIOL WITH DESOGESTREL

*	Tab 20 μg with desogestrel 150 μg	6.62	63	
	((16.50)		Mercilon 21
	 a) Higher subsidy of \$13.80 per 63 with Special Authority see SA b) Up to 63 tab available on a PSO 	0500 above		
*	Tab 20 μg with desogestrel 150 μg and 7 inert tab	6.62 (16.50)	84	Mercilon 28
	A) Higher subsidy of \$13.80 per 84 with Special Authority see SA b) Up to 84 tab available on a PSO	,		
*	Tab 30 μg with desogestrel 150 μg(6.62 (16.50)	63	Marvelon 21
	 a) Higher subsidy of \$13.80 per 63 with Special Authority see SA b) Up to 63 tab available on a PSO 	.0500 above		
*	Tab 30 μg with desogestrel 150 μg and 7 inert tab(6.62 (16.50)	84	Marvelon 28
	a) Higher subsidy of \$13.80 per 84 with Special Authority see SAb) Up to 84 tab available on a PSO	0500 above		
ETI	HINYLOESTRADIOL WITH GESTODENE			
*	Tab 30 μg with gestodene 75 μg and 7 inert tab(6.62 (16.50)	84	Femodene 28
	 a) Higher subsidy of \$14.49 per 84 with Special Authority see SA b) Up to 84 tab available on a PSO 	.0500 above		

GENITO-URINARY SYSTEM

		Subsidy (Manufacturer's Price) \$	Per	Full Subsidise	d Generic
FT	HINYLOESTRADIOL WITH LEVONORGESTREL				
*	Tab ethinyloestradiol 30 μg with levonorgestrel 50 μg (6) and tab ethinyloestradiol 40 μg with levonorgestrel 75 μg (5), and tab ethinyloestradiol 30 μg with levonorgestrel 125 μg				
	(10) and 7 inert tab	6.62 (9.45)	84	~	Trifeme Triquilar ED
	 a) Higher subsidy of up to \$9.45 per 84 with Special Author b) Up to 84 tab available on a PSO 	rity see SA0500 on th	ne pre	ceding pa	age
*	Tab 50 μg with levonorgestrel 125 μg and 7 inert tab – Up to				
	84 tab available on a PSO		84	~	Microgynon 50 ED
*	Tab 30 μg with levonorgestrel 150 μg		63		
		(16.50)			Microgynon 30
	 a) Higher subsidy of \$15.00 per 63 with Special Authority s b) Up to 63 tab available on a PSO 	ee SA0500 on the pr	ecedii	ng page	
*	Tab 30 μg with levonorgestrel 150 μg and 7 inert tab	6.62	84	~	Levlen ED
				~	Monofeme
		(14.49)			Nordette 28
	a) Higher subsidy of up to \$15.00 per 84 with Special Author	(16.50)			Microgynon 30 ED
	b) Up to 84 tab available on a PSO quilar ED Tab ethinyloestradiol 30 μg with levonorgestrel 50 μg d tab ethinyloestradiol 30 μg with levonorgestrel 125 μg (10) and	(6) and tab ethinyloe	stradi	ol 40 μg ι	with levonorgestrel 75 μg (5)
	HINYLOESTRADIOL WITH NORETHISTERONE				,
*	Tab 35 μg with norethisterone 1 mg – Up to 63 tab available				
•••	on a PSO	6.62	63	~	Brevinor 1/21
*	Tab 35 μg with norethisterone 1 mg and 7 inert tab $$ – Up to				
	84 tab available on a PSO	6.62	84	~	Brevinor 1/28
*	Tab 35 μ g with norethisterone 500 μ g – Up to 63 tab available				
	on a PSO	6.62	63	~	Brevinor 21
*	Tab 35 μg with norethisterone 500 μg and 7 inert tab – Up to	0.00	0.4		Maulusia
	84 tab available on a PSO	6.62	84	V	Norimin
	RETHISTERONE WITH MESTRANOL				
*	Tab 1 mg with mestranol 50 μg and 7 inert tab		84		Navian I 4/00
	a) Higher subsidy of \$13.80 per 84 with Special Authority s b) Up to 84 tab available on a PSO	(13.80) ee SA0500 on the pr	ecedii	ng page	Norinyl-1/28
C	ombined Oral Contraceptives - Other				
	UNIVERSE DADIOL WITH LEVEL DESCRIPTION				
	HINYLOESTRADIOL WITH LEVONORGESTREL				
*	Tab 20 μg with levonorgestrel 100 μg and 7 inert tab – Up to 84 tab available on a PSO	6.60	84		
	04 tab available off a FSO	(16.50)	04		Loette

(16.50)

Microgynon 20 ED

GENITO-URINARY SYSTEM

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Progestogen-only Contraceptives

⇒SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 Patient is on a Social Welfare benefit: or
 - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

- Patient is on a Social Welfare benefit: or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon, Marvelon, Minulet and Femodene.

The additional subsidy will fund Mercilon, Marvelon, Minulet and Femodene up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit: or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

6 62

Q/I

LE\	/ONORGESTREL
*	Tab 30 ug

7 100 00 pg	0-1	
(16.50)		Microlut
a) Higher subsidy of \$13.80 per 84 with Special Authority see SA0500 above		
b) Up to 84 tab available on a PSO		
MEDROXYPROGESTERONE ACETATE		
* Inj 150 mg per ml, 1 ml - Up to 5 inj available on a PSO8.05	1	✓ Depo-Provera
* Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a PSO8.05	1	✓ Depo-Provera
NORETHISTERONE		
* Tab 350 μg – Up to 84 tab available on a PSO7.15	84	✓ Noriday 28
Emergency Contraceptives		
LEVONORGESTREL		
* Tab 1.5 mg12.50	1	✓ Postinor-1

b) Up to 5 tab available on a PSO Antiandrogen Oral Contraceptives

a) Maximum of 2 tab per prescription

Prescribers may code prescriptions "contraceptive" (code "O") when used as indicated for contraception. The period of supply and prescription charge will be as per other contraceptives, as follows:

- \$3.00 prescription charge (patient co-payment) will apply.
- prescription may be written for up to six months supply.

Prescriptions coded in any other way are subject to the non contraceptive prescription charges, and the non-contraceptive period of supply. ie. Prescriptions may be written for up to three months supply.

CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL

*	Tab 2 mg with ethinyloestradiol 35 μg and 7 inert tabs	4.91	84	✓ Ginet 84
		6.30		✓ Estelle 35-FD

Brand or

Fully

	(Manufacturer's F	Price) Sub Per	sidised Generic Manufacturer
Gynaecological Anti-infectives			
ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC A	CID		
Jelly with glacial acetic acid 0.94%, hydroxyquinoline sul-			
phate 0.025%, glycerol 5% and ricinoleic acid 0.75% with applicator		100 g OP	
ирриоског	(11.32)	100 g 01	Aci-Jel
CLOTRIMAZOLE			
* Vaginal crm 1% with applicator(s)		35 g OP	✓ <u>Clomazol</u>
* Vaginal crm 2% with applicators	2.75	20 g OP	✓ <u>Clomazol</u>
MICONAZOLE NITRATE * Vaginal crm 2% with applicator	0.75	40 a OB	
* Vaginal crm 2% with applicator	(3.70)	40 g OP	Micreme
NYSTATIN	,		
Vaginal crm 100,000 u per 5 g with applicator(s)	4.71	75 g OP	✓ Nilstat
Myometrial and Vaginal Hormone Preparations			
ERGOMETRINE MALEATE			
Inj 500 μg per ml, 1 ml - Up to 5 inj available on a PSO	11.60	5	✓ Mayne
METHYLERGOMETRINE	0.00	40	411
Inj 200 µg per ml, 1 ml – Up to 10 inj available on a PSO	9.28	10	✓ Hospira S29
OESTRIOL * Crm 1 mg per g with applicator	7.00	15 g OP	✓ Ovestin
* Pessaries 500 µg		15	✓ Ovestin
OXYTOCIN - Up to 5 inj available on a PSO			
Inj 5 iu per ml, 1 ml		5	✓ Syntocinon
Inj 10 iu per ml, 1 mlInj 5 iu with ergometrine maleate 500 µg per ml, 1 ml		5 5	✓ Syntocinon✓ Syntometrine
, , , , , , , , , , , , , , , , , , , ,	10.12	5	Syntometrine
Pregnancy Tests - HCG Urine			
PREGNANCY TESTS - HCG URINE - Only on a WSO			
Cassette		25 test	✓ MDS Quick Card
Distributed by MDS Diagnostics, PO Box 24-162, Royal Oa	ak, Auckland. Pr	109 570 5761	
Urinary Agents			
For urinary tract Infections refer to INFECTIONS, Antibacterials, p	age 94		
5-Alpha Reductase Inhibitors			
FINASTERIDE - Special Authority see SA0928 on the next page	- Retail pharma	acy	4

Subsidy

30

✓ Fintral

Tab 5 mg19.20

GENITO-URINARY SYSTEM

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Service Per ✓ Manufacturer

⇒SA0928 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 Either:
 - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
 - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Note: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride.

Other Urinary Agents

OXYBUTYNIN			
* Tab 5 mg	44.79	500	Apo-Oxybutynin
* Oral liq 5 mg per 5 ml	50.40	473 ml OP	✓ Apo-Oxybutynin
SODIUM CITRO-TARTRATE			
* Grans off A a sachate	2 75	28	✓ IIral

	Subsidy (Manufacturer's P	rico) Sub	Fully Brand or sidised Generic
	(Manulacturer S.F.	Per	✓ Manufacturer
Anabolic Agents			
NANDROLONE DECANOATE - Retail pharmacy-Specialist			
Inj 50 mg per ml, 1 ml	21.15	1	Deca-DurabolinOrgaject
Corticosteroids and Related Agents for Systemi	c Use		
BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHAS	SONE ACETATE		
* Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1ml	19.20	5	
	(33.60)		Celestone
			Chronodose
DEXAMETHASONE			
* Tab 1 mg - Retail pharmacy-Specialist	16.08	100	✓ Douglas
Up to 30 tab available on a PSO * Tab 4 mg - Retail pharmacy-Specialist	61.00	100	✓ Douglas
Up to 30 tab available on a PSO	01.09	100	Douglas
Oral lig 1 mg per ml - Retail pharmacy-Specialist	39.90	25 ml OP	✓ Biomed
Oral liq prescriptions:			
1) Must be written by a Paediatrician or Paediatric Car	•		
On the recommendation of a Paediatrician or Paedi	atric Cardiologist.		
DEXAMETHASONE SODIUM PHOSPHATE		_	4
* Inj 4 mg per ml, 1 ml – Up to 5 inj available on a PSO		5 5	✓ Mayne
* Inj 4 mg per ml, 2 ml – Up to 5 inj available on a PSO	31.00	5	✓ Mayne
FLUDROCORTISONE ACETATE	7.60	100	✓ Florinef
* Tab 100 μg	1.02	100	Florinei
HYDROCORTISONE * Tab 5 mg	0.25	100	✓ Douglas
* Tab 20 mg		100	✓ Douglas ✓ Douglas
* Inj 50 mg per ml, 2 ml		1	✓ Solu-Cortef
a) Up to 5 inj available on a PSO			
b) Only on a PSO			
METHYLPREDNISOLONE - Retail pharmacy-Specialist			
* Tab 4 mg		100	Medrol Medrol
* Tab 100 mg	166.52	20	✓ Medrol
METHYLPREDNISOLONE ACETATE			45
Inj 40 mg per ml, 1 ml	6.03	1	✓ <u>Depo-Medrol</u>
METHYLPREDNISOLONE ACETATE WITH LIGNOCAINE			4
Inj 40 mg per ml with lignocaine 1 ml	6.03	1	✓ <u>Depo-Medrol with</u> lidocaine
METHYLPREDNISOLONE SODIUM SUCCINATE - Retail pharm	noov Choololist		<u>iidocairie</u>
Inj 40 mg per ml, 1 ml		25	✓ Solu-Medrol
Inj 62.5 mg per ml, 2 ml		25	✓ Solu-Medrol
Inj 500 mg		1	✓ Solu-Medrol
lnj 1 g	42.57	1	✓ Solu-Medrol
PREDNISOLONE SODIUM PHOSPHATE			
* Oral liq 5 mg per ml – Up to 30 ml available on a PSO Restricted to children under 12 years of age.	9.95	30 ml OP	✓ Redipred

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
PREDNISONE				
* Tab 1 mg	10.68	500		Apo-Prednisone
* Tab 2.5 mg		500	-	Apo-Prednisone
* Tab 5 mg – Up to 30 tab available on a PSO		500	-	Apo-Prednisone
* Tab 20 mg	29.03	500	V .	Apo-Prednisone
TETRACOSACTRIN				
* Inj 250 µg		10		Synacthen_
* Inj 1 mg per ml, 1 ml	26.88	1		Synacthen Depot
TRIAMCINOLONE ACETONIDE				
Inj 10 mg per ml, 1 ml		5	-	Kenacort-A
Inj 40 mg per ml, 1 ml	28.09	5	~	Kenacort-A40
Sex Hormones Non Contraceptive				
Androgen Agonists and Antagonists				
CYPROTERONE ACETATE - Hospital pharmacy [HP3]-Specialist				
Tab 50 mg		50	~	<u>Siterone</u>
Tab 100 mg		50	~	Siterone
TESTOSTERONE				
Transdermal patch 2.5 mg per day	80.00	60	~	Androderm
TESTOSTERONE CYPIONATE - Retail pharmacy-Specialist				
Inj long-acting 100 mg per ml, 10 ml	61.41	1	~	Depo-Testosterone
TESTOSTERONE ESTERS – Retail pharmacy-Specialist		-		
Inj 250 mg per ml, 1 ml	12 98	1	V	Sustanon Ampoules
, , , , , , , , , , , , , , , , , , , ,	12.00			ouotation Ampoulos
TESTOSTERONE UNDECANOATE - Retail pharmacy-Specialist				

Hormone Replacement Therapy - Systemic

Cap 40 mg60.71

⇒SA0312 | Special Authority for Alternate Subsidy

Initial application only from an obstetrician, gynaecologist, general practitioner or general physician. Approvals valid for 5 years for applications meeting the following criteria:

Any of the following:

- 1 acute or significant liver disease where oral oestrogens are contraindicated as determined by a gastroenterologist or general physician. The applicant must keep written confirmation from such a specialist with the patient's record; or
- 2 oestrogen induced hypertension requiring antihypertensive therapy documented evidence must be kept on file that raised blood pressure levels or inability to control blood pressure adequately occurred post oral oestrogens; or
- 3 hypertriglyceridaemia documented evidence must be kept on file that triglyceride levels increased to at least 2 × normal triglyceride levels post oral oestrogens.

Note: Prescriptions with a valid Special Authority (CHEM) number will be reimbursed at the level of the lowest priced TDDS product within the specified dose group.

Renewal only from an obstetrician, gynaecologist, general practitioner or general physician. Approvals valid for 5 years where the treatment remains appropriate and the patient is benefiting from treatment.

Prescribing Guideline

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

60

✓ Andriol Testocaps
✓ Panteston

		Subsidy (Manufacturer's P	rice) Su Per	Fully bsidised	Brand or Generic Manufacturer
0	estrogens				
OE	STRADIOL - See prescribing guideline on the preceding page)			
*	Tab 1 mg		28 OP	_	
V	Tab 2 mg	(10.55)	00 OD	Es	trofem
*	rab 2 mg	(10.55)	28 OP	Fo	strofem
*	TDDS 25 µg per day		8	Lo	MOIGH
	131	(10.86)		Es	straderm TTS 25
	 a) Higher subsidy of \$10.86 per 8 with Special Authority se b) No more than 2 patch per week c) Only on a prescription 	e SA0312 on the	e preceding p	age	
*	TDDS 3.9 mg (releases 50 µg of oestradiol per day)	4.12	4		
		(14.50)			imara 50
		(32.50)			mtran 50
	 a) Higher subsidy of \$13.18 per 4 with Special Authority se b) No more than 1 patch per week c) Only on a prescription 	e SA0312 on the	e preceding p	age	
*	TDDS 50 µg per day	4.12	8		
		(13.18)			traderm TTS 50
	 a) Higher subsidy of \$13.18 per 8 with Special Authority se b) No more than 2 patch per week c) Only on a prescription 	e SA0312 on the	e preceding p	age	
*	TDDS 7.8 mg (releases 100 µg of oestradiol per day)	7.05	4		
		(17.75)			imara 100
	a) I l'altre anno le cide e f \$40.44 anno 4 anille On aniel Authorite ann	(35.00)			mtran 100
	 a) Higher subsidy of \$16.14 per 4 with Special Authority se b) No more than 1 patch per week c) Only on a prescription 	e SAU312 on the	e preceaing p	age	
*	TDDS 100 µg per day	7.05	8		
		(16.14)			traderm TTS 100
	a) Higher subsidy of \$16.14 per 8 with Special Authority seb) No more than 2 patch per weekc) Only on a prescription	e SA0312 on the	e preceding p	age	
OE	STRADIOL VALERATE - See prescribing guideline on the pre	ceding page			
*	Tab 1 mg		56		ogynova
*	Tab 2 mg		56	₽ Pr	ogynova
	STROGENS - See prescribing guideline on the preceding page				
*	Conjugated, equine tab 300 µg		28	D.,	
*	Conjugated, equine tab 625 µg	(11.48)	28	Pr	emarin
~	Conjugated, equine tab 025 µg	(11.48)	20	Pr	emarin
P	rogestogens	(11115)			
		Para and the sa	.P		
₩ *	EDROXYPROGESTERONE ACETATE - See prescribing guide Tab 2.5 mg		eding page 30	√ D∗	overa
**	Tab 5 mg		100	. –	<u>overa</u> overa
*	Tab 10 mg		30	. –	overa
	·			_	

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

Per Manufacturer **Progestogen and Oestrogen Combined Preparations** OESTRADIOL WITH LEVONORGESTREL - See prescribing guideline on page 76 Tab 2 mg with 75 µg levonorgestrel (36) and tab 2 mg oestra-84 ✓ Nuvelle (Nuvelle Tab 2 mg with 75 µg levonorgestrel (36) and tab 2 mg oestradiol (48) to be delisted 1 December 2009) OESTRADIOL WITH NORETHISTERONE - See prescribing guideline on page 76 28 OP Kliovance 28 OP Klioaest Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg oestradiol tab (12) and 1 mg oestradiol tab (6)5.40 28 OP Trisequens OESTROGENS WITH MEDROXYPROGESTERONE - See prescribing quideline on page 76 Tab 625 µg conjugated equine with 2.5 mg medroxyproges-28 OP (22.96)Premia 2.5 Continuous Tab 625 µg conjugated equine with 5 mg medroxyproges-28 OP Premia 5 Continuous Other Oestrogen Preparations ETHINYI OESTRADIOI Tab 10 µg17.60 100 NZ Medical and Scientific **OESTRIOL** Ovestin 30 Other Progestogen Preparations DYDROGESTERONE Tab 10 mg27.50 50 Duphaston LEVONORGESTRE * Levonorgestrel - releasing intrauterine system 20ug/24 hr -Special Authority see SA0782 below - Retail pharmacy 269.50 1 ✓ Mirena ⇒SA0782 Special Authority for Subsidy Initial application — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for

applications meeting the following criteria:

All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- - 3.1 serum ferritin level < 16 μ g/l (within the last 12 months); or
 - 3.2 haemoglobin level < 120 g/l.

			_
Subsidy	Fully	Brand or	_
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

continued...

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Initial application — (Previous use before 1 October 2002) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient had a clinical diagnosis of heavy menstrual bleeding; and
- 2 Patient demonstrated clinical improvement of heavy menstrual bleeding; and
- 3 Applicant to state date of the previous insertion.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
 - 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

MEDROXYPROGESTERONE ACETATE

* Tab 100 mg - Retail pharmacy-Specialist	104.26	100	✓ Provera	
* Tab 200 mg - Retail pharmacy-Specialist	78.06	30	✓ Provera	
NORETHISTERONE				
* Tab 5 mg - Up to 30 tab available on a PSO	25.00	100	✓ Primolut N	
Thyroid and Antithyroid Agents				
CARBIMAZOLE				
* Tab 5 mg	10.80	100	✓ Neo-Mercazole	
LEVOTHYROXINE				
* Tab 50 µg	1.71	28	✓ Goldshield	
	45.00	1,000	✓ Synthroid	
	64.28		✓ Eltroxin	
‡ Safety cap for extemporaneously compounded ora				
* Tab 100 μg	1.78	28	✓ Goldshield	
	46.75	1,000	Synthroid	
	66.78		✓ Eltroxin	
‡ Safety cap for extemporaneously compounded ora	I liquid preparations.			
* Таb 25 µg		1,000	Synthroid	
‡ Safety cap for extemporaneously compounded ora	I liquid preparations.			

Trophic Hormones

Growth Hormones

■SA0755 Special Authority for Subsidy

Special Authority approved by the Growth Hormone Committee

Notes: Subject to budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

NZGHC Coordinator

PHARMAC. PO Box 10-254. WELLINGTON

Tel: 0800 808 476, Fax: (09) 929 3221, Email: growthhormone@pharmac.govt.nz

		Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Generic
GR	OWTH HORMONE BIOSYNTHETIC HUMAN - Special Autho	rity see SA0755 on th	ne pre	eceding pa	ge
*	Cartridge 16 iu per vial	1,600.00	5	V	Genotropin
*	Cartridge 36 iu per vial	3,600.00	5	~	Genotropin
RE	COMBINANT HUMAN GROWTH HORMONE - Special Author	rity see SA0755 on th	ne pre	eceding pa	ge
	Inj 5 mg	•	1	0 1	Norditropin SimpleXx 5mg
*	Inj 10 mg	600.00	1	V I	Norditropin SimpleXx 10mg
*	Inj 15 mg	900.00	1	/ I	Norditropin SimpleXx 15mg

GnRH Analogues

	acy [HP3]	cial Authority see SA0835 below – Hospital phar	BUSERELIN ACETATE – Specia
	2	195.00	Inj 1 mg per ml, 5.5 ml
Suprefact		(272.53)	

▶SA0835 Special Authority for Subsidy

Initial application — (Breast cancer) from any medical practitioner. Approvals valid for 1 year where the patient is a premenopausal woman with breast cancer.

Initial application — (Prostate cancer) only from an oncologist, urologist or endocrinologist. Approvals valid for 1 year where the patient has advanced prostatic cancer.

Note: Not to be prescribed with an anti-androgen except for a period of three weeks, if necessary, when GnRH analogue therapy is intiated

Initial application — (Endometriosis) only from a gynaecologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Endometriosis: and
- 2 Either:
 - 2.1 6 months treatment with medroxyprogesterone acetate, danazol or dimetriose has proven ineffective; or
- 2.2 The patient has failed to tolerate the treatment with medroxyprogesterone acetate, danazol or dimetriose for 6 months. Note: The maximum treatment period for a GnRH analogue is:
 - 3 months to assess whether surgery is appropriate
 - 3 months for infertile patients after surgery
 - 6 months for patients with symptoms of endometriosis After the first 3 months patients should be assessed to determine whether there has been a satisfactory response to the first 3 months treatment.

Initial application — (**Precocious puberty**) only from a paediatrician or endocrinologist. Approvals valid for 1 year where the patient is affected by gonadotropin dependent precocious puberty.

Renewal — (Breast or prostate cancer) from any medical practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

Renewal — (Endometriosis) from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 There has been a satisfactory response to the first 3 months treatment; and
 - 1.2 Surgery is inappropriate; or
- 2 The first three months of therapy did not follow surgery for infertility.

			_	=
Subsidy (Manufacturer's Price) S	Fully ubsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

Renewal — (Precocious puberty) only from a paediatrician or endocrinologist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

GOSERELIN ACETATE – Hospital pharmacy [HP3]			
Inj 3.6 mg	221.60	1	✓ Zoladex
Inj 10.8 mg	554.70	1	✓ Zoladex
LEUPRORELIN - Hospital pharmacy [HP3]			
Inj 3.75 mg prefilled syringe	221.60	1	✓ Lucrin Depot PDS
Inj 3.75 mg	221.60	1	✓ Lucrin Depot
Inj 7.5 mg	166.20	1	✓ Eligard
Inj 11.25 mg prefilled syringe	591.68	1	✓ Lucrin Depot PDS
Inj 11.25 mg	591.68	1	✓ Lucrin Depot
Inj 22.5 mg	443.76	1	✓ Eligard
Inj 30 mg	591.68	1	✓ Eligard
Inj 30 mg prefilled syringe		1	✓ Lucrin Depot PDS
Inj 45 mg	832.05	1	✓ Eligard

Vasopressin Agonists

DESMOPRESSIN	ı
--------------	---

▲ Nasal drops 100 μg per ml − Retail pharmacy-Specialist39.03 ▲ Nasal spray 10 μg per dose − Retail pharmacy-Specialist29.94		✓ Minirin ✓ <u>Desmopressin-</u> PH&T
Inj 4 µg per ml, 1 ml – Special Authority see SA0090 below – Hospital pharmacy [HP3]67.18	10	✓ Minirin

⇒SA0090 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Other Endocrine Agents

CABERGOLINE

Tab 0.5 mg - Maximum of 2 tab per prescription; can be		
waived by Special Authority see SA0175 below26.26	2	Arrow-Cabergoline
105.03	8	Arrow-Cabergoline
		✓ Dostiney

⇒SA0175 Special Authority for Waiver of Rule

Initial application only from an obstetrician, endocrinologist or gynaecologist. Approvals valid for 2 years where the patient has pathological hyperprolactinemia.

Renewal only from an obstetrician, endocrinologist or gynaecologist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

CLOMIPHENE CITRATE - Retail pharmacy-Specialist
Only a prescription for a female patient.

Tab 50 mg2.	.50 5	✓ Phenate
-------------	-------	-----------

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
DANAZOL - Retail pharmacy-Specialist				
Cap 100 mg	68.33	100	V	Azol
Cap 200 mg	29.35	30	~	D-Zol
GESTRINONE – Retail pharmacy-Specialist Cap 2.5 mg	101.87	8 OP	~	Dimetriose
METYRAPONE Cap 250 mg - Hospital pharmacy [HP3]-Specialist	238.00	50	~	Metopirone

	Subsidy (Manufacturer's Price	ı)	Fully Subsidised	Brand or Generic
	\$	Per		Manufacturer
Anthelmintics				
MEBENDAZOLE - Only on a prescription				
Tab 100 mg	17.28	24	✓ <u>D</u>	e-Worm
Oral liq 100 mg per 5 ml	2.18	15 ml		
	(7.17)		Ve	ermox
Antibacterials				
a) For topical antibacterials, refer to DERMATOLOGICALS, page	59			
b) For anti-infective eye preparations, refer to SENSORY ORGAN				
Cephalosporins and Cephamycins				
CEFACLOR MONOHYDRATE				

Cephalosporins and Cephamycins			
CEFACLOR MONOHYDRATE Cap 250 mgGrans for oral liq 125 mg per 5 ml		100 100 ml	✓ Ranbaxy-Cefaclor ✓ Ranbaxy-Cefaclor
CEFAZOLIN SODIUM – Hospital pharmacy [HP3] – Subsidy by end Only if prescribed for dialysis or cystic fibrosis patient and the pr Inj 500 mg	escription is er	ndorsed acco 5 5	ordingly. <u>Mospira</u> <u>Hospira</u>
CEFOXITIN SODIUM — Hospital pharmacy [HP3]-Specialist — Subsi Only if prescribed for dialysis or cystic fibrosis patient and the pr Inj 1 g	escription is er		ordingly. Mayne
CEFTRIAXONE SODIUM – Hospital pharmacy [HP3] – Subsidy by a) Up to 5 inj available on a PSO b) Subsidised only if prescribed for a dialysis or cystic fibrosis gonorrhoea, or the treatment of suspected meningitis in patients PSO is endorsed accordingly. Inj 500 mg	patient, or the who have a kr		
CEFUROXIME AXETIL – Subsidy by endorsement Only if prescribed for prophylaxis of endocarditis and the prescri Tab 250 mg		sed according 50	ıly. ✔ Zinnat
CEFUROXIME SODIUM – Hospital pharmacy [HP3] Inj 250 mg – Maximum of 3 inj per prescription; can be waived	20.07	10	√ Mayna
by endorsement Inj 750 mg – Maximum of 1 inj per prescription; can be waived by endorsement		5	✓ Mayne
Inj 1.5 g - Hospital pharmacy [HP3]-Specialist - Subsidy by	10.7 1	o .	✓ Zinacef

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

Macrolides

AZITHROMYCIN - Subsidy by endorsement

- a) Maximum of 2 tab per prescription; can be waived by Special Authority see SA0964 below
- b) Up to 4 tab available on a PSO
- c) Subsidised only if prescribed for patients with uncomplicated urethritis or cervicitis proven or presumed to be due to chlamydia trachomatis and their sexual contacts and prescription or PSO is endorsed accordingly; can be waived by Special Authority see SA0964.

■ SA0964 Special Authority for Waiver of Rule

Initial application only from a respiratory specialist or paediatrician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The applicant is part of multidisciplinary team experienced in the management of cystic fibrosis; and
- 2 The patient has been definitively diagnosed with cystic fibrosis*; and
- 3 The patient has chronic infection with Pseudomonas aeruginosa or Pseudomonas related gram negative organisms as defined by two positive respiratory tract cultures at least three months apart*; and
- 4 The patient has negative cultures for non-tuberculous mycobacteria.

Notes: Caution is advised if using azithromycin as an antibiotic in the treatment of cystic fibrosis patients with pneumonia.

Testing for non-tuberculosis mycobacteria should occur annually.

Indications marked with * are Unapproved Indications (refer to Section A: General Rules, Part I (Interpretations and Definitions) and Part IV (Miscellaneous Provisions) rule 4.6).

CLARITHROMYCIN - Maximum of 500 mg per prescription; can be waived by Special Authority see SA0988 below

Tab 250 mg	7.75	14	Klamycin
Grans for oral liquid 125 mg per 5 ml	23.12	70 ml	Klacid

■ SA0988 Special Authority for Waiver of Rule

Initial application — **(Mycobacterial infections)** only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 Mycobacterium Avium Intracellulare Complex infections in patient with AIDS; or
- 2 Atypical and drug-resistant mycobacterial infection; or
- 3 All of the following:
 - 3.1 Prophylaxis against disseminated Mycobacterium Avium Intracellulare Complex infection; and
 - 3.2 HIV infection: and
 - 3.3 CD4 count \leq 50 cells/mm³.

Renewal — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

ERYTHROMYCIN ETHYL SUCCINATE

Tab 400 mg - Up to 30 tab available on a PSO		100	E-Mycin
Grans for oral liq 200 mg per 5 ml - Up to 200 ml available on a PSO	4.35	100 ml	✓ E-Mycin
Grans for oral liq 400 mg per 5 ml - Up to 200 ml available on a PSO	5.85	100 ml	✓ E-Mycin
ERYTHROMYCIN LACTOBIONATE			<u> </u>

Inj 1 g

μıg	10.93	· · · · · · · · · · · · · · · · · · ·	Erythrocin iv
-----	-------	---------------------------------------	---------------

	Subsidy (Manufacturer's F		Fully bsidised	Brand or Generic
	\$	Per		Manufacturer
ERYTHROMYCIN STEARATE				
Tab 250 mg - Up to 30 tab available on a PSO		100		
T 500	(22.29)	400	El	RA
Tab 500 mg		100		
	(44.58)		El	RA
ROXITHROMYCIN				
Tab 150 mg	8.98	50	✓ <u>A</u> I	
				Roxithromycin_
Tab 300 mg	16.48	50	✓ <u>Aı</u>	
B1-102				Roxithromycin
Penicillins				
AMOXYCILLIN				
Cap 250 mg - Up to 30 cap available on a PSO	17.30	500	✓ A	oo-Amoxi
Cap 500 mg	27.25	500	✓ A	oo-Amoxi
Grans for oral liq 125 mg per 5 ml - Up to 200 ml available				
on a PSO		100 ml	✓ Ra	anbaxy Amoxicillin
Grans for oral liq 250 mg per 5 ml - Up to 200 ml available				
on a PSO		100 ml		anbaxy Amoxicillin
Drops 125 mg per 1.25 ml	4.00	30 ml OP		spamox Paediatric
In: 050 mm	10.40	10		<u>Drops</u>
Inj 250 mg Inj 500 mg		10 10		<u>iamox</u> iamox
Inj 1 g – Up to 5 inj available on a PSO		10		iamox
, , , ,	21.02	10	<u> 113</u>	Idiliox
AMOXYCILLIN CLAVULANATE				
Tab amoxycillin 500 mg with potassium clavulanate 125 mg		100		/ID 0 HIM 0 1/
– Up to 30 tab available on a PSO		100	V 3	<u>/nermox</u>
Grans for oral liq amoxycillin 125 mg with potassium clavu- lanate 31.25 mg per 5 ml – Up to 200 ml available on a				
PSO		100 ml	✓ Cı	ıram
100	2.75	100 1111		ugmentin
Grans for oral liq amoxycillin 250 mg with potassium clavu-			• /	ag
lanate 62.5 mg per 5 ml - Up to 200 ml available on a				
PSO		100 ml	✓ Ci	uram
	4.75			ugmentin
BENZATHINE BENZYLPENICILLIN				
Inj 1.2 mega u per 2.3 ml – Up to 5 inj available on a PSO	315.00	10	✓ Bi	cillin LA
BENZYLPENICILLIN SODIUM (PENICILLIN G)				
Inj 1 mega u – Up to 5 inj available on a PSO	10.40	10	1 / S	andoz
	10.43	10	<u> </u>	andoz
FLUCLOXACILLIN SODIUM	10.50	050		ambla
Cap 250 mg - Up to 30 cap available on a PSO		250 500		aphlex
Cap 500 mg		500	₩ 31	aphlex
Grans for oral liq 125 mg per 5 ml - Up to 200 ml available on a PSO		100 ml	✓ Al	FΤ
Grans for oral liq 250 mg per 5 ml - Up to 200 ml available		100 1111	₹ Al	•
on a PSO		100 ml	✓ Al	FT
Inj 250 mg		100 1111		ucloxin
		10	¥ <u>11</u>	**************************************
Inj 500 mg	10.40	10	✓ FI	ucloxin

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy		Fully	Brand or
	(Manufacturer's Pr	rice) S Per	Subsidised •	Generic Manufacturer
DUENOVAMETUVI DENIGULUN (DENUGULUN VA	*			
PHENOXYMETHYLPENICILLIN (PENICILLIN V) Cap potassium salt 250 mg - Up to 30 cap available on a PS	0 429	50	V	Cilicaine VK
Cap potassium salt 500 mg		50		Cilicaine VK
Grans for oral liq 125 mg per 5 ml - Up to 200 ml available			_	
on a PSO	1.68	100 ml	V !	<u>AFT</u>
Grans for oral liq 250 mg per 5 ml - Up to 200 ml available on a PSO	1.82	100 ml	V 1	AFT
PROCAINE PENICILLIN			_	
Inj 1.5 mega u – Up to 5 inj available on a PSO	50.86	5	V	Cilicaine
Tetracyclines			_	
DOXYCYCLINE HYDROCHLORIDE				
★ Tab 50 mg - Up to 30 tab available on a PSO	2.90	30		
	(6.00)		[Doxy-50
★ Tab 100 mg – Up to 30 tab available on a PSO	8.10	250	~ [Doxine
MINOCYCLINE HYDROCHLORIDE				
* Tab 50 mg		60		
k Con 100 mg	(12.05)	100	N	/lino-tabs
≮ Cap 100 mg	(52.04)	100	N	Minomycin
Other Authorites	(52.04)			minornyoni
Other Antibiotics				
For topical antibiotics, refer to DERMATOLOGICALS, page 59				
CIPROFLOXACIN				
Tab 250 mg - Up to 5 tab available on a PSO		30		Rex Medical
Tab 500 mg – Up to 5 tab available on a PSO		30 30	_	Rex Medical
Tab 750 mg - Retail pharmacy-Specialist	7.54	30	<u> </u>	Rex Medical
CLINDAMYCIN Con Involved Indiana 150 and Marines and 4 and the street areas and the second s				
Cap hydrochloride 150 mg — Maximum of 4 cap per prescription; can be waived by endorsement - Retail pharmacy -				
Specialist	11.39	16	~ [Dalacin C
Inj phosphate 150 mg per ml, 4 ml - Retail pharmacy-				
Specialist	19.45	1	~ [Dalacin C
CO-TRIMOXAZOLE				
★ Tab trimethoprim 80 mg and sulphamethoxazole 400 mg -				
Up to 30 tab available on a PSO	17.00	500	✓ 1	risul
For Oral liq sugar-free trimethoprim 40 mg and sulphamethoxa-				
zole 200 mg per 5 ml - Up to 200 ml available on a	F 00	500 ml		Mani
PSO K Oral lig trimethoprim 40 mg and sulphamethoxazole 200 mg	5.90	500 ml	V	risul
per 5 ml – Up to 200 ml available on a PSO	2.15	100 ml	√ [Deprim
Trisul Oral liq sugar-free trimethoprim 40 mg and sulphamethoxaz				- 1
COLISTIN SULPHOMETHATE - Hospital pharmacy [HP3]-Specia	0 /			,
Only if prescribed for dialysis or cystic fibrosis patient and the				
Inj 150 mg		1	0,1	Colistin-Link

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised •	d Generic
FUSIDIC ACID				
Tab 250 mg - Hospital pharmacy [HP3]-SpecialistInj 500 mg sodium fusidate per 10 ml - Hospital pharmacy		12	~	Fucidin
[HP3]-Specialist – Subsidy by endorsement		1		Footbe
Only if prescribed for a dialysis or cystic fibrosis patient an	(17.80)	endorse		Fucidin
GENTAMICIN SULPHATE	a and procential in the)	ou 000010	9.7.
Inj 10 mg per ml, 1 ml - Hospital pharmacy [HP3] - Subsidy				
by endorsement		5		Mayne
Only if prescribed for a dialysis or cystic fibrosis patient of accordingly.	,	ndocard	aitis and	the prescription is endorsed
Inj 40 mg per ml, 2 ml – Hospital pharmacy [HP3] – Subsidy by endorsement		10	./	Pfizer
Only if prescribed for a dialysis or cystic fibrosis patient or				
accordingly.				
TOBRAMYCIN				
Inj 40 mg per ml, 2 ml – Hospital pharmacy [HP3] – Subsidy		E	.,	Marina
by endorsementOnly if prescribed for dialysis or cystic fibrosis patient and		5 dorsed		Mayne Iglv.
TRIMETHOPRIM				37.
* Tab 300 mg - Up to 30 tab available on a PSO	8.69	50	~	<u>TMP</u>
VANCOMYCIN HYDROCHLORIDE - Hospital pharmacy [HP3] -	, ,			
Only if prescribed for a dialysis or cystic fibrosis patient or in	the treatment of pse	udome	mbranou	s colitis or for prophylaxis of
endocarditis and the prescription is endorsed accordingly. Inj 50 mg per ml, 10 ml	5.04	1	V	Pacific
Antifungals				
<u> </u>				
a) For topical antifungals refer to DERMATOLOGICALS, page 59 b) For topical antifungals refer to GENITO URINARY, page 73				
FLUCONAZOLE - Hospital pharmacy [HP3]-Specialist				
Cap 50 mg	6.82	28	~	<u>Pacific</u>
Cap 150 mg		1		Pacific Pacific
Cap 200 mg	19.05	28	•	<u>Pacific</u>
TRACONAZOLE – Hospital pharmacy [HP3]-Specialist Cap 100 mg	22.70	15	./	Sporanox
KETOCONAZOLE	23.70	15	•	<u> Эроганох</u>
Tab 200 mg - Retail pharmacy-Specialist	38.12	30	V	Nizoral
NYSTATIN				
Tab 500,000 u	9.60	50	~	Nilstat S29
Cap 500,000 u	11.64	50	~	<u>Nilstat</u>
TERBINAFINE				
Tab 250 mg	25.50	100	~	Apo-Terbinafine
Antimalarials				
Antimalarials HYDROXYCHLOROQUINE SULPHATE				

	Subsidy		Fully	
	(Manufacturer's Price \$) Subsid	ilsed •	
Antitrichomonal Agents				
METRONIDAZOLE				
Tab 200 mg – Up to 30 tab available on a PSO		100		Trichozole
Tab 400 mg Oral lig benzoate 200 mg per 5 ml		100 100 ml	٠.	Trichozole Flagyl-S
Suppos 500 mg		10		Flagyl
ORNIDAZOLE				
Tab 500 mg	12.38	10	V.	Tiberal
Antituberculotics and Antileprotics				
Note: There is no co-payment charge for all pharmaceuticals list	ed in the Antituberc	ulotics and A	ntile	protics group regardless of
immigration status.				
DAPSONE – No patient co-payment payable			٠.	_
Tab 100 mg		100 100		Dapsone Dapsone
Tab 100 mg ETHAMBUTOL HYDROCHLORIDE – No patient co-payment pay		100	•	Dapsone
Tab 400 mg		56	V 1	Myambutol S29
ISONIAZID – Retail pharmacy-Specialist			•	,
No patient co-payment payable				
* Tab 100 mg		100	-	PSM
* Tab 100 mg with rifampicin 150 mg		100 100		Rifinah Rifinah
* Tab 150 mg with rifampicin 300 mg	179.57	100	•	niinan
PYRAZINAMIDE – Retail pharmacy-Specialist No patient co-payment payable				
* Tab 500 mg	59.00	100	1	AFT-Pyrazinamide
RIFABUTIN - Hospital pharmacy [HP3]-Specialist				-
No patient co-payment payable				
* Cap 150 mg	213.19	30	<u> </u>	<u>Mycobutin</u>
RIFAMPICIN – Retail pharmacy-Specialist				
No patient co-payment payable * Tab 600 mg	114 40	30	~ I	Rifadin
* Cap 150 mg		100	-	Rifadin
* Cap 300 mg		100		Rifadin
* Oral liq 100 mg per 5 ml	12.66	60 ml	/	Rifadin
Antivirals				
For eye preparations refer to Eye Preparations, Anti-Infective Preparations	parations, page 156			
Hepatitis B Treatment				
поравия в пеависи				
ADEFOVIR DIPIVOXIL - Special Authority see SA0829 on the ne		•		Uanaana
Tab 10 mg	6/0.00	30	V	Hepsera

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per 🗸 Manufacturer

■SA0829 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and
 - Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT (> 1 × ULN); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Either:
 - 5.1 Both:
 - 5.1.1 Patient is cirrhotic; and
 - 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or
 - 5.2 Both:
 - 5.2.1 Patient is not cirrhotic: and
 - 5.2.2 adefovir dipivoxil to be used as monotherapy.

Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as:

- i) raised serum ALT (> 1 × ULN); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- iii) Detection of N236T or A181T/V mutation.

Adefovir dipivoxil should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines. Adefovir dipivoxil should be avoided in pregnant women and children.

ENTECAVIR - Special Authority see SA0977 below - Retail pharmacy

⇒SA0977 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naive; and
- 3 Entecavir dose 0.5 mg/day: and
- 4 Either:
 - 4.1 ALT greater than upper limit of normal; or
 - 4.2 Bridging fibrosis or cirrhosis (Metavir stage 3 or greater) on liver histology; and
- 5 Either:
 - 5.1 HBeAg positive; or
 - 5.2 patient has $\geq 2,000$ IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV, HIV or HDV; and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

Notes:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

continued...

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss
 of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced fibrosis
 (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE - Special Authority see SA0832 below - Retail phar	rmacy		
Tab 100mg	143.00	28	Zeffix
Oral liq 5 mg per ml	90.00	240 ml	✓ Zeffix

■ SA0832 Special Authority for Subsidy

Initial application only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 All of the following:
 - 1.1.1 HBsAg positive for more than 6 months; and
 - 1.1.2 HBeAg positive or HBV DNA positive defined as > 100,000 copies per ml by quantitative PCR at a reference laboratory; and
 - 1.1.3 ALT greater than twice upper limit of normal or bridging fibrosis or cirrhosis (Metavir stage 3 or 4 or equivalent) on liver histology clinical/radiological evidence of cirrhosis: or
 - 1.2 HBV DNA positive cirrhosis prior to liver transplantation; or
 - 1.3 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
 - 1.4 Hepatitis B surface antigen positive (HbsAg) patient who is receiving chemotherapy for a malignancy, or who has received such treatment within the previous two months; and
- 2 All of the following:
 - 2.1 No continuing alcohol abuse or intravenous drug use; and
 - 2.2 Not coinfected with HCV or HDV; and
 - 2.3 Neither ALT nor AST greater than 10 times upper limit of normal; and
 - 2.4 No history of hypersensitivity to lamivudine; and
 - 2.5 No previous lamivudine therapy with genotypically proven lamivudine resistance.

Renewal only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

Renewal for patients who have maintained continuous treatment and response to lamivudine

- 1 All of the following:
 - 1.1 Have maintained continuous treatment with lamivudine; and
 - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
 - 1.3 HBV DNA <100,00 copies per ml by quantitative PCR at a reference laboratory; or

Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine

- 2 All of the following:
 - 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and
 - 2.2 Patient is cirrhotic; and

Documented resistance to lamivudine, defined as:

- 2.3 Patient has raised serum ALT (> 1 × ULN); and
- 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
- 2.5 Detection of M204I or M204V mutation; or

Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

- 3 All of the following:
 - 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and

(Manı	Subsidy	Fully	Brand or
	ufacturer's Price)	Subsidised	Generic
	\$ Per	V	Manufacturer

continued...

Documented resistance to adefovir, defined as:

- 3.2 Patient has raised serum ALT (> $1 \times ULN$); and
- 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
- 3.4 Detection of N236T or A181T/V mutation.

Herpesvirus Treatments

ACICI OVIR

* Tab dispersible 200 mg	1.98	25	Lovir
* Tab dispersible 400 mg		56	Lovir
* Tab dispersible 800 mg	7.38	35	✓ Lovir
VALACICLOVIR - Special Authority see SA0957 below	- Retail pharmacy		
Tab 500 mg	102.72	30	✓ Valtrex

⇒SA0957 Special Authority for Subsidy

Initial application — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the patient has genital herpes with 2 or more breakthrough episodes in any 6 month period while treated with aciclovir 400 mg twice daily.

Renewal — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (ophthalmic zoster) from any medical practitioner. Approvals valid without further renewal unless notified where the patient has previous history of ophthalmic zoster and the patient is at risk of vision impairment.

Initial application — (CMV prophylaxis) from any medical practitioner. Approvals valid for 3 months where the patient has undergone organ transplantation.

Antiretrovirals

⇒SA0779 Special Authority for Subsidy

Initial application — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Confirmed HIV infection: and
- 2 Any of the following:
 - 2.1 Symptomatic patient; or
 - 2.2 Patient aged 12 months and under; or
 - 2.3 Both:
 - 2.3.1 Patient aged 1 to 5 years; and
 - 2.3.2 Any of the following:
 - 2.3.2.1 CD4 counts < 1000 cells/mm³; or
 - 2.3.2.2 CD4 counts $< 0.25 \times \text{total lymphocyte count: or}$
 - 2.3.2.3 Viral load counts > 100000 copies per ml; or
 - 2.4 Both:
 - 2.4.1 Patient aged 6 years and over; and
 - 2.4.2 CD4 counts < 350 cells/mm³.

Note: Subsidies for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or saquinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to anti-retrovirals.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Subsidy		Fully	Brand or
(Manufacturer's Price)	Su	bsidised	Generic
\$	Per	~	Manufacturer

continued...

Note: Subsidies for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or saquinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to anti-retrovirals.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Prevention of maternal foetal transmission: or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Subsidies for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or saquinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to anti-retrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Renewal — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ - Special Authority see SA0779 on the prece	eding page – Hospital pha	rmacy [HP1]
Tab 50 mg	158.33	30	✓ Stocrin
Tab 200 mg	474.99	90	✓ Stocrin
Tab 600 mg	474.99	30	✓ Stocrin
Cap 50 mg	158.33	30	✓ Stocrin
Cap 200 mg	474.99	90	✓ Stocrin
(Stocrin Cap 50 mg to be delisted 1 December 2009)			
(Stocrin Cap 200 mg to be delisted 1 December 2009)			
NEVIRAPINE - Special Authority see SA0779 on the pred	ceding page - Hospital ph	narmacy [HP	21]
Tab 200 mg	319.80	60	✓ <u>Viramune</u>
Oral suspension 10 mg per ml	134.55	240 ml	✓ <u>Viramune</u>
			Suspension

Nucleosides Reverse Transcriptase Inhibitors

preceding page - 458.00 100.00	- Hospital pharr 60 240 ml OP	nacy [HP1] ✓ Ziagen ✓ Ziagen
		page – Hospital pharmacy [HP1] Special Authority. ✓ Kivexa
ceding page - Ho	ospital pharmac	y [HP1]
115.05	30	✓ Videx EC
184.08	30	✓ Videx EC
230.10	30	✓ Videx EC
368.16	30	✓ Videx EC
ding page – Hosp	ital pharmacy [HP1]
307.20	30	✓ Emtriva
page – Hospital	pharmacy [HP	1]
307.20	60	✓ 3TC
100.00	240 ml OP	✓ 3TC
	458.00	

	Subsidy (Manufacturer's Price) \$	Subsi Per	Fully Brand or dised Generic Manufacturer
STAVUDINE [D4T] — Special Authority see SA0779 on page 91 — Cap 20 mg Cap 30 mg Cap 40 mg Powder for oral soln 1 mg per ml	317.10 377.80 503.80	[HP1] 60 60 60 00 ml OP	✓ Zerit ✓ Zerit ✓ Zerit ✓ Zerit
TENOFOVIR DISOPROXIL FUMARATE – Special Authority see Tab 300 mg		– Hospital p 30	harmacy [HP1] ✓ Viread
ZIDOVUDINE [AZT] – Special Authority see SA0779 on page 91 Cap 100 mg Oral liq 10 mg per ml	290.00	/ [HP1] 100 00 ml OP	✓ Retrovir✓ Retrovir
ZIDOVUDINE [AZT] WITH LAMIVUDINE – Special Authority see Combivir counts as two anti-retroviral medications for the pur Tab 300 mg with lamivudine 150 mg	ooses of the anti-retr		
Protease Inhibitors			
ATAZANAVIR SULPHATE – Special Authority see SA0779 on pag Cap 150 mg Cap 200 mg	568.34	rmacy [HP1] 60 60] ✔ Reyataz ✔ Reyataz
INDINAVIR — Special Authority see SA0779 on page 91 — Hospit Cap 200 mg Cap 400 mg	519.75	360 180	✓ Crixivan ✓ Crixivan
LOPINAVIR WITH RITONAVIR – Special Authority see SA0779 of Tab 200 mg with ritonavir 50 mg	735.00	nl pharmacy 120 10 ml OP	[HP1] ✓ Kaletra ✓ Kaletra
RITONAVIR – Special Authority see SA0779 on page 91 – Hospi Cap 100 mg Oral liq 80 mg per ml	121.27	84 0 ml OP	✓ Norvir ✓ Norvir
SAQUINAVIR – Special Authority see SA0779 on page 91 – Hos Tab 500 mg] 120	✓ Invirase
Strand Transfer Inhibitors			
RALTEGRAVIR POTASSIUM – Special Authority see SA0779 on Tab 400 mg		pharmacy [H 60	HP1] ✓ Isentress
Antiretrovirals - Additional Therapies			
HIV Fusion Inhibitors			
ENFUVIRTIDE - Special Authority see SA0845 on the next page Powder for inj 90 mg per ml × 60		y [HP1] 1	✓ Fuzeon

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

⇒SA0845 Special Authority for Subsidy

Initial application only from a named specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Confirmed HIV infection: and
- 2 Enfuvirtide to be given in combination with optimized background therapy (including at least 1 other antiretroviral drug that the patient has never previously been exposed to) for treatment failure; and
- 3 Either:
 - 3.1 Patient has evidence of HIV replication, despite ongoing therapy; or
 - 3.2 Patient has treatment-limiting toxicity to previous antiretroviral agents; and
- 4 Previous treatment with 3 different antiretroviral regimens has failed; and
- 5 All of the following:
 - 5.1 Previous treatment with a non-nucleoside reverse transcriptase inhibitor has failed; and
 - 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed; and
 - 5.3 Previous treatment with a protease inhibitor has failed.

Renewal only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

- 1 Evidence of at least a 10 fold reduction in viral load at 12: and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Immune Modulators

Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

Criteria for Treatment

- 1) Diagnosis
 - Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
 - PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
 - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.
- 2) Establishing Active Chronic Liver Disease
 - Confirmed HCV infection and serum ALT/AST levels measured on at least three occasions over six months averaging
 1.5 × upper limit of normal. (ALT is the preferable enzyme); or
 - Liver biopsy showing significant inflammatory activity (active hepatitis) with or without cirrhosis. This is not a necessary requirement for those patients with coagulopathy. (Some patients have active disease on histology with normal transaminase enzymes).

Exclusion Criteria

- 1) Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- 2) Pregnancy.
- 3) Neutropenia ($<2.0 \times 10^9$) and/or thrombocytopenia.
- 4) Continuing alcohol abuse and/or continuing intravenous drug users.

Dosage

The current recommended dosage is 3 million units of interferon alpha-2a or interferon aplha-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
INTERESPONDENCE OF THE STATE OF	*	101		Marialastarsi
INTERFERON ALPHA-2A – PCT – Hospital pharmacy [HP3]-S	pecialist			
a) See prescribing guideline on the preceding page				
b) Only one multidose cartridge starter pack to be prescribed				
Inj 3 m iu prefilled syringe		1		oferon-A
Inj 4.5 m iu prefilled syringe		1		oferon-A
Inj 6 m iu prefilled syringe		1		oferon-A
Inj 9 m iu prefilled syringe		1		oferon-A
Inj 18 m iu multidose cartridge		1		oferon-A
Inj 18 m iu multidose cartridge × 2 starter pack	375.84	1	✓ R	oferon-A
INTERFERON ALPHA-2A WITH RIBAVIRIN - Special Authority	see SA0784 below -	Hospi	tal pharmac	v [HP3]
See prescribing guideline on the preceding page			iai piiaiiiao	, [o]
Inj 18 m iu multidose cartridge \times 2 with ribavirin tab 200 m	ď			
× 168		I OP	✓ R	oferon RBV
× 100	1,070.01		•	Combination Pack
Inj 18 m iu multidose cartridge × 2 with with pen and needle	10			Oomomadon rack
with ribavirin tab 200 mg × 168		I OP	4/ D	oferon RBV
with fibavitin tab 200 filg × 100	1,3/3.04	UF		Combination Pack
				Starter Kit
				Starter Kit
Initial application from any specialist. Approvals valid for 12 mc INTERFERON ALPHA-2B — PCT – Hospital pharmacy [HP3]-S See prescribing guideline on the preceding page	Specialist			
Inj 18 m iu, 1.2 ml multidose pen		1		tron-A
Inj 30 m iu, 1.2 ml multidose pen		1		tron-A
Inj 60 m iu, 1.2 ml multidose pen	626.40	1	✓ In	tron-A
PEGYLATED INTERFERON ALPHA-2A – Special Authority see See prescribing guideline on the preceding page	SA0952 below - Hosp	oital p	harmacy [H	P3]
Inj 135 μg prefilled syringe	362.00	1		egasys
Inj 180 μg prefilled syringe	450.00	1	✓ Po	egasys
Inj 135 μg prefilled syringe $ imes$ 4 with ribavirin tab 200 mg $ imes$	×			
112		OP	✓ Po	egasys RBV
	,			
Inj 135 μg prefilled syringe × 4 with ribavirin tab 200 mg >				• .
168	~			Combination Pack
		ı OB	4 / D	Combination Pack
100		I OP		Combination Pack
	1,975.00	I OP		Combination Pack
Inj 180 μ g prefilled syringe \times 4 with ribavirin tab 200 mg \times	1,975.00 ×			Combination Pack egasys RBV Combination Pack
	1,975.00 ×	I OP		Combination Pack egasys RBV Combination Pack egasys RBV
Inj 180 μ g prefilled syringe \times 4 with ribavirin tab 200 mg \times	1,975.00 ×			Combination Pack egasys RBV Combination Pack
Inj 180 μ g prefilled syringe \times 4 with ribavirin tab 200 mg \times	1,975.00 × × 2,059.84			Combination Pack egasys RBV Combination Pack egasys RBV
Inj 180 μg prefilled syringe × 4 with ribavirin tab 200 mg × 112	1,975.00 × × 2,059.84 ×		✔ Pe	Combination Pack egasys RBV Combination Pack egasys RBV

■ SA0952 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV) from any specialist. Approvals valid for 48 weeks for applications meeting the following criteria:

Either:

- 1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
- 2 Patient has chronic hepatitis C and is co-infected with HIV.

Notes:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

continued...

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400.000IU/ml

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 6 months where patient has chronic hepatitis C, genotype 2 or 3 infection.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 48 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal: and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Either:
 - 5.1 HBeAg positive: or
 - 5.2 serum HBV DNA ≥ 2,000 units/ml and significant fibrosis (≥ Metavir Stage F2); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon.

Notes:

- Approved dose is 180 µg once weekly.
- The recommended dose of Pegylated Interferon-alpha 2a is 180 μg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alpha 2a dose should be reduced to 135 ug once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alpha 2a is not approved for use in children.

PEGYLATED INTERFERON ALPHA-2B WITH RIBAVIRIN — Special Authority see SA0953 on the next page — Hospital pharmacy [HP3] See prescribing guideline on page 94 Inj 50 µg × 4 with ribavirin cap 200 mg × 112		Subsidy		Fully	Brand or	
FeGYLATED INTERFERON ALPHA-2B WITH RIBAVIRIN — Special Authority see SA0953 on the next page — Hospital pharmacy [HP3] See prescribing guideline on page 94 Inj 50 μg × 4 with ribavirin cap 200 mg × 112 1,080.40 1 OP			Price) S			
See prescribing guideline on page 94		` .		~	Manufacturer	
See prescribing guideline on page 94	PEGVLATED INTERFERON ALPHA-2R WITH RIRAVIRIN _ Sno	ocial Authority so	2 SΔ0053 on	the nevt i	nage – Hospital nh	armacy
See prescribing guideline on page 94 Inj 50 μg × 4 with ribavirin cap 200 mg × 112		olal Authority 30	5 0A0000 011	uic rickt	riospitai pri	arriacy
Inj 50 μg × 4 with ribavirin cap 200 mg × 112	•					
Therapy		1,080.40	1 OP	✓ Pe	egatron	
Inj 50 μg × 4 with ribavirin cap 200 mg × 84	, 10				Combination	
Combination Therapy Inj 80 μg × 4 with ribavirin cap 200 mg × 140					Therapy	
Therapy	Inj 50 μ g \times 4 with ribavirin cap 200 mg \times 84	976.80	1 OP	✓ Pe	egatron	
Inj 80 μ g × 4 with ribavirin cap 200 mg × 140					Combination	
Combination Therapy Inj 80 μg × 4 with ribavirin cap 200 mg × 168					Therapy	
Therapy Pegatron Combination Therapy Inj 80 μg × 4 with ribavirin cap 200 mg × 84	Inj 80 μ g \times 4 with ribavirin cap 200 mg \times 140	1,583.60	1 OP	✓ Pe	egatron	
Inj 80 μg × 4 with ribavirin cap 200 mg × 168						
Inj 80 μg × 4 with ribavirin cap 200 mg × 84						
Inj 80 μg × 4 with ribavirin cap 200 mg × 84	Inj 80 μ g \times 4 with ribavirin cap 200 mg \times 168	1,687.20	1 OP		•	
Inj 80 μg × 4 with ribavirin cap 200 mg × 84						
Inj 100 μg × 4 with ribavirin cap 200 mg × 112	1 100 4 11 11 11 000 04	4 070 40	4.00			
Inj 100 μ g × 4 with ribavirin cap 200 mg × 112	Inj 80 μ g \times 4 with ribavirin cap 200 mg \times 84	1,376.40	1 OP		•	
Inj 100 μg × 4 with ribavirin cap 200 mg × 112						
Inj 100 μg × 4 with ribavirin cap 200 mg × 84	Ini 100 ug x 4 with ribovirin con 200 mg x 110	1 746 40	1 OP			
Inj 100 μg × 4 with ribavirin cap 200 mg × 84	III, 100 μg × 4 with πραγιτίπ cap 200 mg × 112	1,740.40	TOP			
Inj 100 μg × 4 with ribavirin cap 200 mg × 84						
Inj 120 μg × 4 with ribavirin cap 200 mg × 1402,116.40 1 OP Pegatron Combination Therapy Inj 120 μg × 4 with ribavirin cap 200 mg × 841,909.20 1 OP Pegatron Combination Therapy Inj 150 μg × 4 with ribavirin cap 200 mg × 1402,516.00 1 OP Pegatron Combination Therapy Inj 150 μg × 4 with ribavirin cap 200 mg × 1682,619.60 1 OP Pegatron Combination Therapy Inj 150 μg × 4 with ribavirin cap 200 mg × 1682,619.60 1 OP Pegatron Combination Therapy Inj 150 μg × 4 with ribavirin cap 200 mg × 842,308.80 1 OP Pegatron Combination Therapy Inj 150 μg × 4 with ribavirin cap 200 mg × 842,308.80 1 OP Pegatron Combination Therapy (Pegatron Combination Therapy Inj 50 μg × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μg × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μg × 4 with ribavirin cap 200 mg × 186 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μg × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μg × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μg × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μg × 4 with ribavirin cap 200 mg × 120 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μg × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μg × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μg × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μg × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μg × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010)	Ini 100 μ g \times 4 with ribayirin can 200 mg \times 84	1 642 80	1 OP			
Inj 120 μg × 4 with ribavirin cap 200 mg × 1402,116.40 1 OP Pegatron Combination Therapy Inj 120 μg × 4 with ribavirin cap 200 mg × 841,909.20 1 OP Pegatron Combination Therapy Inj 150 μg × 4 with ribavirin cap 200 mg × 1402,516.00 1 OP Pegatron Combination Therapy Inj 150 μg × 4 with ribavirin cap 200 mg × 1682,619.60 1 OP Pegatron Combination Therapy Inj 150 μg × 4 with ribavirin cap 200 mg × 1682,619.60 1 OP Pegatron Combination Therapy Inj 150 μg × 4 with ribavirin cap 200 mg × 84	ing 100 pg x 4 with industrial cup 200 mg x 04	1,042.00	1 01			
Inj 120 μg × 4 with ribavirin cap 200 mg × 140					Therapy	
Inj 120 μg × 4 with ribavirin cap 200 mg × 84	Ini 120 ug \times 4 with ribayirin cap 200 mg \times 140	2.116.40	1 OP			
Inj 120 μg × 4 with ribavirin cap 200 mg × 84	, 10	•			•	
Inj 150 μg × 4 with ribavirin cap 200 mg × 1402,516.00 1 OP Pegatron Combination Therapy Inj 150 μg × 4 with ribavirin cap 200 mg × 1682,619.60 1 OP Pegatron Combination Therapy Inj 150 μg × 4 with ribavirin cap 200 mg × 842,308.80 1 OP Pegatron Combination Therapy Inj 150 μg × 4 with ribavirin cap 200 mg × 842,308.80 1 OP Pegatron Combination Therapy (Pegatron Combination Therapy Inj 50 μg × 4 with ribavirin cap 200 mg × 112 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 50 μg × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μg × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μg × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μg × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μg × 4 with ribavirin cap 200 mg × 112 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μg × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μg × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μg × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μg × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μg × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μg × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μg × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μg × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010)					Therapy	
Inj 150 μg × 4 with ribavirin cap 200 mg × 140	Inj 120 μ g \times 4 with ribavirin cap 200 mg \times 84	1,909.20	1 OP	✓ Pe	egatron	
Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 140					Combination	
Inj 150 μ g × 4 with ribavirin cap 200 mg × 168						
Inj 150 μ g × 4 with ribavirin cap 200 mg × 168	Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 140	2,516.00	1 OP		•	
Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 168						
Inj 150 μg × 4 with ribavirin cap 200 mg × 84						
Inj 150 μ g × 4 with ribavirin cap 200 mg × 84	Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 168	2,619.60	1 OP		•	
Inj 150 μ g × 4 with ribavirin cap 200 mg × 84						
Combination Therapy (Pegatron Combination Therapy Inj 50 μ g × 4 with ribavirin cap 200 mg × 112 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 50 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010)	Ini 150 ug x 4 with ribovirin con 200 mg x 24	2 200 00	1 OP			
(Pegatron Combination Therapy Inj 50 μ g × 4 with ribavirin cap 200 mg × 112 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 50 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010)	III] 150 μg × 4 with πραγιτίπ cap 200 mg × 64	2,300.00	TOP		•	
(Pegatron Combination Therapy Inj 50 μ g × 4 with ribavirin cap 200 mg × 112 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 50 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 mg × 112 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010)						
(Pegatron Combination Therapy Inj 50 μ g \times 4 with ribavirin cap 200 mg \times 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g \times 4 with ribavirin cap 200 mg \times 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g \times 4 with ribavirin cap 200 mg \times 168 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g \times 4 with ribavirin cap 200 mg \times 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g \times 4 with ribavirin cap 200 mg \times 112 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g \times 4 with ribavirin cap 200 mg \times 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g \times 4 with ribavirin cap 200 mg \times 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g \times 4 with ribavirin cap 200 mg \times 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 168 to be delisted 1 March 2010)	(Pegatron Combination Therapy Ini 50 ug × 4 with ribayirin can 2	00 ma × 112 to I	he delisted 1			
(Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 mg × 112 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010)						
(Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 mg × 112 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010)						
(Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 μ g × 112 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 μ g × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 μ g × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 μ g × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 μ g × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 μ g × 168 to be delisted 1 March 2010)	(Pegatron Combination Therapy Inj 80 μ g $ imes$ 4 with ribavirin cap 2	00 mg $ imes$ 168 to $ ilde{ ilde{l}}$	be delisted 1	March 20	10)	
(Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010)	1, , 10				,	
(Pegatron Combination Therapy Inj 120 μ g \times 4 with ribavirin cap 200 mg \times 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g \times 4 with ribavirin cap 200 mg \times 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 168 to be delisted 1 March 2010)	, , , , , , , , , , , , , , , , , , , ,	•			,	
(Pegatron Combination Therapy Inj 120 μ g \times 4 with ribavirin cap 200 mg \times 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 168 to be delisted 1 March 2010)						
(Pegatron Combination Therapy Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 168 to be delisted 1 March 2010)	, , , , , , , , , , , , , , , , , , , ,	•			,	
(Pegatron Combination Therapy Inj 150 μg × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010)						

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

⇒SA0953 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV) from any specialist. Approvals valid for 11 months where patient has an existing Special Authority.

Note: Existing current approvals are still valid but no new applications will be accepted.

Urinary Tract Infections		
HEXAMINE HIPPURATE		
* Tab 1 g18.40	100	
(38.10)		Hiprex
NITROFURANTOIN		
* Tab 50 mg17.90	100	✓ Nifuran
* Tab 100 mg30.25	100	✓ Nifuran
NORFLOXACIN		
Tab 400 mg - Maximum of 6 tab per prescription; can be		
waived by endorsement - Retail pharmacy - Specialist22.50	100	Arrow-Norfloxacin

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Vaccines

Influenza vaccine

INFLUENZA VACCINE - Hospital pharmacy [Xpharm]

- A) is available between 1 March and 30 June each year for patients who meet the following criteria, as set by the Ministry of Health:
 - a) all people 65 years of age and over;
 - b) people under 65 years of age with:
 - i) the following cardiovascular disease:
 - 1) ischaemic heart disease,
 - 2) congestive heart disease.
 - 3) rheumatic heart disease,
 - 4) congenital heart disease, or
 - 5) cerebo-vascular disease:
 - ii) the following chronic respiratory disease:
 - 1) asthma, if on a regular preventative therapy, or
 - 2) other chronic respiratory disease with impaired lung function;
 - iii) diabetes;
 - iv) chronic renal disease;
 - v) any cancer, excluding basal and squamous skin cancers if not invasive;
 - vi) the following other conditions:
 - a) autoimmune disease,
 - b) immune suppression,
 - c) HIV.
 - d) transplant recipients.
 - e) neuromuscular and CNS diseases,
 - f) haemoglobinopathies, or
 - g) children on long term aspirin.

The following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy.
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease,
- c) pregnancy in the absence of another risk factor.
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor.
- D) Influenza Vaccine does not fall within the definition Community Pharmaceutical as it is not funded directly from the Pharmaceutical Budget. Pharmacists are unable to claim for the dispensing of influenza vaccine from the Funder.

Fluvax	1	9.00	nj
Fluarix			
Fluarix	10	90.00	
✓ Vaxigri			

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

	\$	Per	Manufacturer
Anticholinesterases			
NEOSTIGMINE Inj 2.5 mg per ml, 1 ml	20.30	50	✓ <u>AstraZeneca</u>
PYRIDOSTIGMINE BROMIDE Tab 60 mg	40.08	100	✓ Mestinon
Anti-inflammatory Non Steroidal Drugs (NSAIDs)			

Anti-inflammatory Non Steroldal Drugs (NSAIDs)

▶SA0291 Special Authority for Manufacturers Price

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

- 1 Inflammatory arthritis (including osteoarthritis with an inflammatory component); and
- 2 Stabilised and are well controlled on the particular NSAID medication.

Renewal from any medical practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

DIC.	CLOFFNAC CODUM				
	CLOFENAC SODIUM	1.00	50		Dieleheuel
*	Tab EC 25 mg		50	-	Diclohexal
		3.51	100	V	Apo-Diclo
*	Tab 50 mg dispersible - Additional subsidy by Special A				
	thority see SA0291 above - Retail pharmacy		20		
		(8.00)			Voltaren D
*	Tab EC 50 mg	2.13	50	~	Diclohexal
		25.88	500	~	Apo-Diclo
*	Tab long-acting 75 mg	3.10	30	~	Diclax SR
		19.60	100	~	Voltaren SR
		22.78	500	~	Apo-Diclo SR
*	Tab long-acting 100 mg	34.32	500	~	Apo-Diclo SR
*	Inj 25 mg per ml, 3 ml	12.00	5	V	Voltaren
	Up to 5 inj available on a PSO				
*	Suppos 12.5 mg	1.85	10	V	Voltaren
*	Suppos 25 mg		10		Voltaren
*	Suppos 50 mg		10		Voltaren
	Up to 10 supp available on a PSO				
*	Suppos 100 mg	6.36	10	V	Voltaren
ını					
	JPROFEN - Additional subsidy by Special Authority see SA				Estate a Union of the
*	Tab 200 mg		1,000	V	Ethics Ibuprofen
*	Tab 400 mg		30		D (
	T 000	(4.56)	00		Brufen
*	Tab 600 mg		30		
		(6.84)			Brufen
*	Tab long-acting 800 mg		30		
		(9.12)			Brufen Retard
*	: Oral liq 100 mg per 5 ml	3.49	200 ml	~	<u>Fenpaed</u>
KE	TOPROFEN - Additional subsidy by Special Authority see S	SA0291 above – Re	etail pharmacy		
*	Cap long-acting 100 mg		100		
•	g g	(21.56)			Oruvail 100
*	Cap long-acting 200 mg	, ,	100		0.0.00
		(43.12)	100		Oruvail 200
		(40.12)			01444II 200

	Subsidy (Manufacturer's Price)		Fully	Brand or
	(Manufacturer's Price)) Per	Subsidised	Generic Manufacturer
MEFENAMIC ACID - Additional subsidy by Special Authority s	ee SA0291 on the pred	ceding	page – Ret	ail pharmacy
* Cap 250 mg		100		,
	(18.33)		Р	onstan
VAPROXEN				
* Tab 250 mg	23.70	500	✓ N	loflam 250
* Tab 500 mg		250		oflam 500
* Tab long-acting 750 mg		90		laprosyn SR 750
* Tab long-acting 1,000 mg	21.00	90		laprosyn SR 1000
NAPROXEN SODIUM				. ,
	6.00	120	./ 0	onaflam
		100	_	ynflex
				•
SULINDAC – Additional subsidy by Special Authority see SA02			Retail pharr	nacy
* Tab 100 mg		100		
	(12.00)		D	aclin
* Tab 200 mg	6.72	100		
	(20.00)		D	aclin
	3.36	50		
	(15.87)		C	linoril
FENOXICAM				
* Tab 20 mg	23.75	100	✓ T	ilcotil
FIAPROFENIC ACID - Additional subsidy by Special Authority				
, , , ,	'	,	y paye – R	etail phannacy
* Tab 300 mg		60	0	uraam
	(19.26)		٥	urgam
NSAIDs Other				
NDOMETHACIN				
* Cap 25 mg	5.90	100	✓ R	heumacin
* Cap long-acting 75 mg		100		heumacin SR
* Suppos 100 mg		30		rthrexin
(Rheumacin Cap 25 mg to be delisted 1 December 2009)				
PIROXICAM				
* Tab dispersible 10 mg	3 25	50	√ D	iram-D
* Tab dispersible 10 mg		100		irani-D
		100	¥ F	numru
Antirheumatoid Agents				
AURANOFIN			<u>-</u> -	
Tab 3 mg	68.99	60	✓ R	idaura
ŭ				-
LEFLUNOMIDE	EE 00	20		ET I offuncacida
Tab 10 mg		30		FT-Leflunomide
Tob 00 mg	79.27	20		rava
Tab 20 mg		30		FT-Leflunomide
Tal: 100	108.60	0		rava
Tab 100 mg	54.44	3	✓ A	ırava
PENICILLAMINE				
Tob 105 mg	61.02	100	✓ D	-Penamine
Tab 125 mg	01.93	100		1 Chamino

MUSCULOSKELETAL SYSTEM

	Subsidy (Manufacturer's Price)	Su Per	Fully bsidised	Brand or Generic Manufacturer
SODIUM AUROTHIOMALATE				
Inj 10 mg per 0.5 ml	76.87	10	✓ M	yocrisin
Inj 20 mg per 0.5 ml	113.17	10	✓ M	yocrisin
Inj 50 mg per 0.5 ml	217.23	10	✓ M	yocrisin
Tumour Necrosis Factor (TNF) Inhibitors				
ADALIMUMAB – Special Authority see SA0974 below – Retail ph Inj 40 mg per 0.8 ml prefilled pen Inj 40 mg per 0.8 ml prefilled syringe	1,799.92	2 2	✓ Hi	umiraPen umira

⇒SA0974 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with at least two of the following (triple therapy): sulphasalazine, prednisone at a dose of at least 7.5 mg per day, azathioprine, intramuscular gold, or hydroxychloroguine sulphate (at maximum tolerated doses); and
- 5 Either:
 - 5.1 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of cyclosporin alone or in combination with another agent; or
 - 5.2 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of leflunomide alone or in combination with another agent: and
- 6 Either:
 - 6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
 - 6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 7 Fither
 - 7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe active Crohn's disease; and
- 2 Any of the following:
 - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
 - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
 - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
 - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

MUSCULOSKELETAL SYSTEM

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

continued...

All of the following:

- 1 Either:
 - 1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
 - 1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
- 2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin: and
- 3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
- 4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
- 2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
- 3 Patient has bilateral sacroillitis demonstrated by plain radiographs. CT or MRI scan; and
- 4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regimen supervised by a physiotherapist; and
- 5 Either:
 - 5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by a score of at least 1 on each of the lumbar flexion and lumbar side flexion measurements of the Bath Ankylosing Spondylitis Metrology Index (BASMI): or
 - 5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
- 6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale; and
- 7 Either:
 - 7.1 An elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 7.2 A C-reactive protein (CRP) level greater than 15 mg per litre.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI, ESR and CRP measures must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm

65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
- 2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- 4 Either:
 - 4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
 - 4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 5 Any of the following:
 - 5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application: or
 - 5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Fither:
 - 3.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician.

Renewal — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Fither:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Both:

MUSCULOSKELETAL SYSTEM

Subsidy (Manufacturer's Price) Fully Subsidised Brand or Generic Manufacturer

continued...

- 2.1.1 Patient has "whole body" severe chronic plague psoriasis; and
- 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
- 2.2 Both:
 - 2.2.1 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot; and
 - 2.2.2 Either:
 - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value

Note: An adalimumab treatment course is defined as a minimum of 12 weeks adalimumab treatment.

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks of adalimumab treatment, BASDAI has improved by 4 or more points from pre-adalimumab baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 ESR or CRP is within the normal range; and
- 4 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Fither:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the treating physician; or
 - 2.2 The patient demonstrates at least a continuing 50% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician.

ETANERCEPT - Retail pharmacy-Specialist prescription - Special Authority see SA0868 below

■SA0868 Special Authority for Subsidy

Initial application only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
- 3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20mg/m² weekly or at the maximum tolerated dose) in combination with oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose); and
- 5 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-15mg/m² weekly or at the maximum tolerated dose) in combination with one other disease-modifying agent; and
- 3 Both:
 - 6.1 Either:
 - 6.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 active, swollen, tender joints; or
 - 6.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 6.2 Physician's global assessment indicating severe disease; and
- 7 The patient or their legal guardian consents to details of their treatment being held on a central registry and has signed a consent form outlining conditions of ongoing treatment.

Note: A patient declaration form http://www.pharmac.govt.nz/special_authority_forms/SA0667-declaration.pdf must be signed by the legal guardian of the patient and the prescriber in the presence of a witness (over 18 years of age)

Renewal only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2 Fither:
 - 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline: or
 - 2.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Calcium Homeostasis

Alendronate for Osteoporosis

⇒SA0990 Special Authority for Subsidy

Initial application — (Underlying cause – Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mass density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score < -3.0: or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Dubbo) which incorporates BMD measurements.

Initial application — (Underlying cause – glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Fither:

MUSCULOSKELETAL SYSTEM

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
Per ✔ Manufacturer

continued...

- 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score < -1.5); or
- 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mass density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0; or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Dubbo) which incorporates BMD measurements.

Notes:

- a) Evidence used by National Institute for Health and Clinical Excellence (NICE) guidance indicates that patients aged 75 years
 and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score
 -2.5, and therefore do not require BMD measurement for treatment with bisphosphonates.
- b) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- c) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALENDRONATE SODIUM - Special Authority see SA0990 on the	ne preceding page	- Retail pha	armacy
Tab 70 mg	35.91	4	✓ Fosamax
ALENDRONATE SODIUM WITH CHOLECALCIFEROL - Specia	al Authority see SA	.0990 on the	preceding page – Retail pharmacy
Tab 70 mg with cholecalciferol 2800 iu	35.91	4	✓ Fosamax Plus
Tab 70 mg with cholecalciferol 5600 iu	35.91	4	✓ Fosamax Plus

Alendronate for Paget's Disease

⇒SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
 - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

MUSCULOSKELETAL SYSTEM

Manufacturer's Price Subsidised Generic Per Per Wanufacturer Per Wanufacturer	_	Subsidy (Manufacturer's Price)		ully Brand or
Tab 40 mg		(Manufacturer's Price) \$		
CALCITONIN * Inj 100 iu per ml, 1 ml	· · · · · · · · · · · · · · · · · · ·			T
# Inj 100 iu per ml, 1 ml	Other Treatments			
# Tab 200 mg				
# Tab 200 mg		110.00	5	<u>Miacalcic</u>
23.95 100		22.80	60 4	/ Didronal
Section Sec	* Tab 200 Hig			
Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose − 500 mg per day of elemental calcium). Etidronate should be taken at the same time of the day as any calcium supplementation (minimum dose − 500 mg per day of elemental calcium). Etidronate should be taken at the same time of the day as any calcium supplementation (minimum dose − 500 mg per day of elemental calcium). Etidronate should be taken at the same time of the day as any calcium supplementation (minimum dose − 500 mg per day of elemental calcium). Etidronate should be taken at the same time of the day as any calcium supplementation (minimum dose − 500 mg per day of elemental calcium). Etidronate should be taken at the same time of the day as any calcium supplementation (minimum dose − 500 mg per day of elemental calcium). Etidronate should be taken at the same time of the day as any calcium supplementation (minimum dose − 500 mg per day of elemental calcium). Etidronate should be taken at the same time of the day as any calcium supplementation (minimum dose − 500 mg per day of elemental calcium). Etidronate should be taken at the same time of the day as any calcium should be taken. Pamisol 1				
PAMIDRONATE DISODIUM − Hospital pharmacy [HP3] in j 3 mg per ml, 5 ml	Etidronate \tilde{f} or osteoporosis should be prescribed for 14 days (400 not be taken at the same time of the day as any calcium supplement \tilde{f} 00 of the day as any calcium supplement \tilde{f} 10 of \tilde{f} 11 of \tilde{f} 21 of \tilde{f} 22 of \tilde{f} 32 of \tilde{f} 33 of \tilde{f} 33 of \tilde{f} 34 of \tilde{f} 35 of \tilde{f} 36 of \tilde{f} 36 of \tilde{f} 37 of \tilde{f} 36 of \tilde{f} 37 of \tilde{f} 37 of \tilde{f} 37 of \tilde{f} 38 of \tilde{f} 39 of \tilde{f} 39 of \tilde{f} 30 of \tilde{f} 39 of \tilde{f} 30 of	ntation (minimum do	se – 500 mg	
Inj 3 mg per ml, 5 ml	•	or haid, except wat	01.	
Inj 3 mg per ml, 10 ml 37.50 1		18.75	1 6	✓ Pamisol
Inj 9 mg per ml, 10 ml	Inj 3 mg per ml, 10 ml	37.50	1 6	✓ Pamisol
Enzymes HYALURONIDASE Inj 1,500 iu per ml				
HYALURONIDASE Inj 1,500 iu per ml	Inj 9 mg per ml, 10 ml	112.50	1 6	/ Pamisol
Inj 1,500 iu per ml	Enzymes			
Hyperuricaemia and Antigout ALLOPURINOL * Tab 100 mg	HYALURONIDASE			
Hyperuricaemia and Antigout ALLOPURINOL * Tab 100 mg	Inj 1,500 iu per ml	18.32	10	
ALLOPURINOL * Tab 100 mg		(243.24)		Hyalase
* Tab 100 mg	Hyperuricaemia and Antigout			
* Tab 100 mg	ALL OPLIBINOL			
COLCHICINE * Tab 500 μg		5.44	250	✓ Apo-Allopurinol
* Tab 500 μg 9.60 100 ✓ Colgout PROBENECID * Tab 500 mg 55.00 100 ✓ AFT Muscle Relaxants BACLOFEN * Tab 10 mg 4.75 100 ✓ Pacifen DANTROLENE SODIUM * Cap 25 mg 32.96 100 ✓ Dantrium * Cap 50 mg 51.70 100 ✓ Dantrium ORPHENADRINE CITRATE Tab 100 mg 18.54 100 ✓ Norflex QUININE SULPHATE * Tab 200 mg 15.95 250 ✓ Q 200 ‡ Safety cap for extemporaneously compounded oral liquid preparations. * Tab 300 mg 54.06 500 ✓ Q 300	•			
PROBENECID * Tab 500 mg	COLCHICINE			
* Tab 500 mg .55.00 100 ✓ AFT Muscle Relaxants BACLOFEN .4.75 100 ✓ Pacifen DANTROLENE SODIUM .4.75 100 ✓ Dantrium * Cap 25 mg .32.96 100 ✓ Dantrium * Cap 50 mg .51.70 100 ✓ Dantrium ORPHENADRINE CITRATE	* Tab 500 µg	9.60	100	✓ Colgout
Muscle Relaxants BACLOFEN * Tab 10 mg	PROBENECID			
BACLOFEN * Tab 10 mg	* Tab 500 mg	55.00	100	/ AFT
* Tab 10 mg	Muscle Relaxants			
DANTROLENE SODIUM * Cap 25 mg	BACLOFEN			
* Cap 25 mg 32.96 100 ✓ Dantrium * Cap 50 mg 51.70 100 ✓ Dantrium ORPHENADRINE CITRATE 100 ✓ Norflex Tab 100 mg 18.54 100 ✓ Norflex QUININE SULPHATE 15.95 250 ✓ Q 200 ‡ Safety cap for extemporaneously compounded oral liquid preparations. ✓ Q 300 * Tab 300 mg 54.06 500 ✓ Q 300	* Tab 10 mg	4.75	100	✓ Pacifen
* Cap 50 mg	DANTROLENE SODIUM			
ORPHENADRINE CITRATE Tab 100 mg 18.54 100 ✓ Norflex QUININE SULPHATE 15.95 250 ✓ Q 200 ‡ Safety cap for extemporaneously compounded oral liquid preparations. ✓ Q 300 * Tab 300 mg 54.06 500 ✓ Q 300	* Cap 25 mg	32.96	100	✓ Dantrium
Tab 100 mg 18.54 100 ✓ Norflex QUININE SULPHATE 15.95 250 ✓ Q 200 ‡ Safety cap for extemporaneously compounded oral liquid preparations. ✓ Q 300 * Tab 300 mg 54.06 500 ✓ Q 300	* Cap 50 mg	51.70	100	✓ Dantrium
QUININE SULPHATE ★ Tab 200 mg	ORPHENADRINE CITRATE			
* Tab 200 mg	Tab 100 mg	18.54	100	Norflex
‡ Safety cap for extemporaneously compounded oral liquid preparations. ★ Tab 300 mg				
* Tab 300 mg54.06 500 ✔ Q 300			250	✓ Q 200
			500 4	✓ O 300
	•		J00 •	v 4 300

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Anaesthetics

Local

BUPIVACAINE HYDROCHLORIDE – Hospital pharmacy [HP3 Inj 0.5%, 4 ml	•	5	✓ Marcain Isobaric
Inj 0.5%, 8% glucose, 4 ml		5	✓ Marcain Heavy
LIGNOCAINE HYDROCHLORIDE			
Inj 0.5%, 5 ml - Up to 5 inj available on a PSO	44.10	50	✓ <u>Xylocaine</u>
Only if prescribed on prescription for a dialysis patient o	r child with rheumati	c fever or on	a PSO for emergency use.
Inj 1%, 5 ml - Up to 5 inj available on a PSO	42.00	50	Xylocaine
Only if prescribed on prescription for a dialysis patient of			a PSO for emergency use.
Inj 1%, 20 ml – Up to 5 inj available on a PSO	23.50	5	Xylocaine
Only if prescribed on prescription for a dialysis patient of	r child with rheumati	c fever or on	a PSO for emergency use.
LIGNOCAINE WITH CHLORHEXIDINE			
Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes .	43.26	10	✔ Pfizer
LIGNOCAINE WITH PRILOCAINE - Special Authority see SA	.0906 below – Hospit	tal pharmacy	[HP3]
Crm 2.5% with prilocaine 2.5%	41.00	30 g OP	✓ EMLA
Crm 2.5% with prilocaine 2.5% (5 g tubes)	41.00	5	✓ EMLA

⇒SA0906 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Analgesics

ASPIRIN

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 100

Non-Opioid Analgesics

ASFININ			
* Tab EC 300 mg	2.15	100	
·	(8.10)		Aspec 300
* Tab dispersible 300 mg - Up to 30 tab available on a PSO	2.15	100	Ethics Aspirin
NEFOPAM HYDROCHLORIDE			
Tab 30 mg	23.40	90	✓ Acupan
PARACETAMOL			
* Tab 500 mg - Up to 30 tab available on a PSO	9.60	1,000	✓ Pharmacare
*‡ Oral liq 120 mg per 5 ml		1,000 ml	✓ Paracare Junior
a) Up to 200 ml available on a PSO			
b) Not in combination			
*‡ Oral liq 250 mg per 5 ml	7.00	1,000 ml	✓ Paracare Double
			<u>Strength</u>
a) Up to 100 ml available on a PSO			
b) Not in combination			
* Suppos 125 mg	7.49	20	✓ Panadol
* Suppos 250 mg	14.40	20	✓ Panadol
* Suppos 500 mg	20.50	50	✓ Paracare

	Subsidy (Manufacturer's Price)	Fully Brand or Subsidised Generic
	\$	Per	
Opioid Analgesics			
BUPRENORPHINE HYDROCHLORIDE - Only on a controlled			
Inj 0.3 mg per ml, 1 ml		5	
	(9.38)		Temgesic
CODEINE PHOSPHATE			
Tab 15 mg	5.50	100	✓ <u>PSM</u>
Tab 30 mg	8.50	100	✓ <u>PSM</u>
Tab 60 mg	18.50	100	✓ <u>PSM</u>
DEXTROPROPOXYPHENE WITH PARACETAMOL			
Tab napsylate 50 mg with paracetamol 325 mg	14.50	500	
	(22.50)		Paradex
Cap hydrochloride 32.5 mg with paracetamol 325 mg	19.91	500	
	(33.14)		Capadex
DIHYDROCODEINE TARTRATE			
Tab long-acting 60 mg	30.30	60	✔ DHC Continus
FENTANYL - Special Authority see SA0935 below - Retail phar	rmacy		
a) Only on a controlled drug form	mady		
b) No patient co-payment payable			
Transdermal patch, matrix 25 μg per hour	55.23	5	✓ Durogesic
Transdermal patch, matrix 50 µg per hour		5	✓ Durogesic
Transdermal patch, matrix 75 µg per hour		5	✓ Durogesic
Transdermal patch, matrix 100 µg per hour	171.22	5	✓ Durogesic
▶ SA0935 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals valid	for 3 months for app	lication	ns meeting the following criteria:
Both:	• • • • • • • • • • • • • • • • • • • •		3
1 Patient is terminally ill and is opioid-responsive; and			
2 Either:			
2.1 is unable to take oral medication; or			
2.2 is intolerant to morphine, or morphine is contrainding			
Renewal from any relevant practitioner. Approvals valid for 3 m	onths where the treat	tment r	remains appropriate and the patier
benefiting from treatment.			
FENTANYL CITRATE			
a) Only on a controlled drug form			
b) No patient co-payment payable		_	4
lnj 50 μg per ml, 2 ml		5	✓ Hospira
Inj 50 μg per ml, 10 ml	15.65	5	✓ Hospira
METHADONE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Extemporaneously compounded methadone will only be	reimbursed at the rate	e of the	e cheapest form available (methade
powder, not methadone tablets).			
d) For methadone hydrochloride oral liquid refer, page 165	0.40	40	Mathat-I-
Tab 5 mg		10	Methatabs
Oral lig 2 mg per ml Oral lig 5 mg per ml		200 ml 200 ml	
Oral liq 5 mg per ml Oral liq 10 mg per ml		200 mi 200 ml	·
‡ Oral liq 10 mg per ml		200 mi	✓ AFT
nij to nig pet till, t till	01.00	10	₩ MFI

	Subsidy (Manufacturer's F	Price) Su	Fully bsidised	Brand or Generic
	\$	Per	✓	Manufacturer
ORPHINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
Oral liq 1 mg per ml	8.84	200 ml	✓ R.	A-Morph
Oral liq 2 mg per ml	11.62	200 ml	✓ R.	A-Morph
Oral liq 5 mg per ml	14.65	200 ml	✓ R.	A-Morph
Oral liq 10 mg per ml	21.55	200 ml	✓ R.	A-Morph
ORPHINE SULPHATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
Tab immediate-release 10 mg	2 80	10	✓ S	evredol
Tab long-acting 10 mg		10		A-Morph
Tab immediate-release 20 mg		10		evredol
Tab long-acting 30 mg		10		A-Morph
Tab long-acting 60 mg		10		A-Morph
Tab long-acting 100 mg		10		A-Morph
Cap long-acting 10 mg		10		-Eslon
Cap long-acting 30 mg		10		-Eslon
Cap long-acting 60 mg		10		-Eslon
Cap long-acting 100 mg		10		-Eslon
Cap long-acting 200 mg		10		-Eslon
Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	✓ M	
Inj 10 mg per ml, 1 ml — Up to 5 inj available on a PSO		5		ayne
Inj 15 mg per ml, 1 ml — Up to 5 inj available on a PSO	4 70	5	✓ M	-
Inj 30 mg per ml, 1 ml – Up to 5 inj available on a PSO		5		ayne
ORPHINE TARTRATE a) Only on a controlled drug form b) No patient co-payment payable Inj 80 mg per ml, 1.5 ml		5		ayne
Inj 80 mg per ml, 5 ml	67.37	5	✓ M	ayne
(YCODONE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable	7.54	00		Oomtin
Tab controlled-release 5 mg		20		xyContin
Tab controlled release 10 mg		20		xyContin
Tab controlled-release 20 mg Tab controlled-release 40 mg		20 20		xyContin
				xyContin
Tab controlled-release 80 mg		20		xyContin
Cap 10 mg		20 20		xyNorm xyNorm
Cap 10 mg		20		xyNorm
Cap 20 mg		250 ml		xyNorm
Oral liq 5 mg per 5 ml				xyNorm xyNorm
Inj 10 mg per ml, 1 ml		5 5		
Inj 10 mg per ml, 2 ml	∠0.00	J	<u> </u>	<u>xyNorm</u>
escribing Guideline	who has le	na natina m==	nhina a:-	Inhata and aliain-1 -
escribers should note that oxycodone is significantly more or ggests that it is reasonable to consider this as a second-line or CONSTRUCT NOTE OF THE				ipriate and clinical a
ARACETAMOL WITH CODEINE		400	4.0	
Tab paracetamol 500 mg with codeine phosphate 8 mg	3.24	100	V C	odalgin

	Subsidy		Fully Brand or
	(Manufacturer's Price)		Subsidised Generic
	\$	Per	✓ Manufacturer
PETHIDINE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			4
Tab 50 mg		10	PSM
Tab 100 mg		10	PSM
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	Mayne
Inj 50 mg per ml, 1.5 ml – Up to 5 inj available on a PSO		5 5	Mayne
Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	5.50	5	✓ Mayne
Antidepressants			
Cyclic and Related Agents			
AMITRIPTYLINE			
Tab 10 mg	2.77	50	✓ Amirol
Tab 25 mg		100	✓ Amitrip
Tab 50 mg	5.20	100	✓ Amitrip
CLOMIPRAMINE HYDROCHLORIDE			
Tab 10 mg	10.00	100	✓ Clopress
Tab 25 mg		500	✓ Clopress
DOTHIEPIN HYDROCHLORIDE			
Tab 75 mg	9.75	100	✓ Dopress
Cap 25 mg		100	✓ Dopress
DOXEPIN HYDROCHLORIDE		100	C 20p.000
Cap 10 mg	5.24	100	✓ Anten
Cap 25 mg		100	✓ Anten
Cap 50 mg		100	Anten
IMIPRAMINE HYDROCHLORIDE			
Tab 10 mg	5.48	50	✓ Tofranil
Tab 25 mg		50	✓ Tofranil
•		00	· Tonum
MAPROTILINE HYDROCHLORIDE	25.06	100	✓ Ludiomil
Tab 25 mg		30	✓ Ludiomil
Tab 75 mg			Ludioiiii
MIANSERIN HYDROCHLORIDE - Special Authority see SA0864	•	•	. / Taluan
Tab 30 mg	29.25	30	✓ Tolvon
⇒SA0864 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals valid for	or 2 years for applic	ations	meeting the following criteria:
Both:			
1 Depression; and			
Either: 2.1 Co-existent bladder neck obstruction; or			
2.1 Co-existent bladder neck obstruction, or 2.2 Cardiovascular disease.			
Renewal from any relevant practitioner. Approvals valid for 2 year benefiting from treatment.	ars where the treatr	ment re	emains appropriate and the patient is
NORTRIPTYLINE HYDROCHLORIDE			
Tab 10 mg	5 94	100	✓ Norpress
Tab 25 mg		180	✓ Norpress

	Subsidy (Manufacturer's Price) \$	Su Per	Fully bsidised	d Generic
TRIMIPRAMINE MALEATE Cap 25 mg Cap 50 mg (Tripress Cap 25 mg to be delisted 1 March 2010)		100 100		Tripress Tripress
Monoamine-Oxidase Inhibitors (MAOIs) - Non Se	lective			
PHENELZINE SULPHATE Tab 15 mg TRANYLCYPROMINE SULPHATE Tab 10 mg		100		Nardil Parnate
Monoamine-Oxidase Type A Inhibitors				Turnato
MOCLOBEMIDE Note: There is a significant cost differential between moclober expensive). For depressive syndromes it is therefore more cos ing prescribing moclobemide. Tab 150 mg	t-effective to start tre		vith flu	
Tab 300 mg	69.23 18.80	500 60	~	Moclobemide Apo-Moclobemide GenRx Moclobemide Apo-Moclobemide
Selective Serotonin Reuptake Inhibitors	J.103		•	7. p 00
CITALOPRAM HYDROBROMIDE * Tab 20 mg FLUOXETINE HYDROCHLORIDE	3.78	84	~	Arrow-Citalopram
 * Tab dispersible 20 mg, scored – Subsidy by endorsement Subsidised by endorsement 1) When prescribed for a patient who cannot swallow with the control of the control of		30 les and th		Fluox scription is endorsed accord-
ingly; or 2) When prescribed in a daily dose that is not a mult endorsed. Note: Tablets should be combined with ca * Cap 20 mg	psules to facilitate in		al 10 m	
PAROXETINE HYDROCHLORIDE Tab 20 mg	5.90	30	~	Loxamine
Other Antidepressants				
MIRTAZAPINE - Special Authority see SA0994 on the next page Tab 30 mg Tab 45 mg	22.00	30 30	-	Avanza Avanza

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

28

✓ Efexor XR
✓ Efexor XR

✓ Efexor XR

⇒SA0994 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

- 1 The patient has a severe major depressive episode; and
- 2 Either:
 - 2.1 The patient must have had a trial of two different antidepressants and was unable to tolerate the treatments or failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or
 - 2.2 Both:
 - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
 - 2.2.2 The patient must have had a trial of one other antidepressant and either could not tolerate it or failed to respond to an adequate dose over an adequate period of time.

Renewal from any relevant practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

VENLAFAXINE – Special Authority see SA0789 below – Retail pharmacy	
Cap 37.5 mg18.64	28
Cap 75 mg	28

Cap 150 mg45.68

⇒SA0789 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both

- 1 The patient has 'treatment-resistant' depression; and
- 2 Either:
 - 2.1 The patient must have had a trial of two different antidepressants and failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or
 - 2.2 Both:
 - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
 - 2.2.2 The patient must have had a trial of one other antidepressant and failed to respond to an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

Antiepilepsy Drugs

Agents for Control of Status Epilepticus

CLONAZEPAM		
Inj 1 mg per ml, 1 ml19.00	5	✔ Rivotril
DIAZEPAM		
Inj 5 mg per ml, 2 ml - Subsidy by endorsement9.24	5	Mayne
a) Up to 5 inj available on a PSO		
b) Only on a PSO		
 c) PSO must be endorsed "not for anaesthetic procedures". 		
Rectal tubes 5 mg - Up to 5 tube available on a PSO25.05	5	Stesolid
Rectal tubes 10 mg - Up to 5 tube available on a PSO30.50	5	Stesolid
PARALDEHYDE		
* Inj 5 ml	5	✓ AFT
•	3	▼ All
PHENYTOIN SODIUM		
* Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO69.24	5	Mayne
* Inj 50 mg per ml, 5 ml – Up to 5 inj available on a PSO77.27	5	Mayne

(1	Subsidy Manufacturer's Pr	rice) Sub	Fully sidised	Brand or Generic
,	\$	Per	~	Manufacturer
Control of Epilepsy				
CARBAMAZEPINE				
★ Tab 200 mg	14.53	100	✓ To	egretol
* Tab long-acting 200 mg		100		egretol CR
★ Tab 400 mg		100	✓ To	egretol
* Tab long-acting 400 mg		100	✓ To	egretol CR
k‡ Oral liq 100 mg per 5 ml	26.37	250 ml	✓ To	egretol
CLOBAZAM				
Tab 10 mg	9.12	50	✓ F	risium
‡ Safety cap for extemporaneously compounded oral liquid p				
CLONAZEPAM				
Tab 500 μg	6.26	100	✓ P	axam_
Tab 2 mg		100		axam axam
Oral drops 2.5 mg per ml		10 ml OP		ivotril
			•	
THOSUXIMIDE	20.00	200	./7	arontin
k Cap 250 mg		200 200 ml	-	aronun arontin
¢‡ Oral liq 250 mg per 5 ml	11.90	200 1111	V 2	aronun
GABAPENTIN – Special Authority see SA0936 below – Retail phar	macy			
▲ Cap 100 mg	7.16	100	–	<u>upentin</u>
▲ Cap 300 mg	11.50	100	✓ N	<u>upentin</u>
▲ Cap 400 mg	14.75	100	✓ N	upentin_

⇒SA0936 Special Authority for Subsidy

Initial application — **(Epilepsy - new patients)** from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Epilepsy - patient has had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life from gabapentin, topiramate, vigabatrin and/or lamotrigine.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Initial application — (Neuropathic pain - new patients) from any relevant practitioner. Approvals valid for 3 months where the patient has tried and failed, or has been unable to tolerate, treatment with a tricyclic antidepressant.

Initial application — (Neuropathic pain - patient has had an approval for gabapentin for neuropathic pain prior to 1 August 2007) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Fither:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

continued...

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

If the patient had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

Renewal — (Neuropathic pain) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in

Note: If the patient had an approval for gabapentin for neuropathic pain prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

G/	ABAPENTIN (NEURONTIN) - Special Authority see SA0973 below -	 Retail pharma 	асу	
	Tab 600 mg	79.79	100	✓ Neurontin
	Cap 100 mg	15.67	100	✓ Neurontin
	Cap 300 mg		100	✓ Neurontin
	Cap 400 mg		100	✓ Neurontin

⇒SA0973 Special Authority for Subsidy

Notes: Subsidy for patients pre-approved by PHARMAC on 1 August 2009. Approvals valid without further renewal unless notified. No new approvals will be granted from 1 August 2009.

LAMOTRIGINE

	Tab dispersible 2 mg	6.74	30	✓ Lamictal
	Tab dispersible 5 mg		30	✓ Lamictal
		15.00	56	Arrow-Lamotrigine
	Tab dispersible 25 mg	19.38	56	✓ Logem
		20.40		✓ Arrow-Lamotrigine
				✓ Mogine
		29.09		✓ Lamictal
	Tab dispersible 50 mg	32.97	56	✓ Logem
	1	34.70		✓ Arrow-Lamotrigine
				✓ Mogine
		47.89		✓ Lamictal
	Tab dispersible 100 mg	56.91	56	✓ Logem
	,	59.90		✓ Arrow-Lamotrigine
				✓ Mogine
		79.16		✓ Lamictal
	Tab dispersible 200 mg	101.80	56	Arrow-Lamotrigine
	,			✓ Mogine
(Ar	row-Lamotrigine Tab dispersible 200 mg to be delisted 1 l	May 2010)		•
,	paine Tab dispersible 200 mg to be delisted 1 March 2010	, ,		

(Mogine Tab dispersible 200 mg to be delisted 1 March 2010)

LEVETIRACETAM - Special Authority see SA0921 below - Retail pharmacy		
TabCBS	60	Keppra

⇒SA0921 Special Authority for Subsidy

Subsidy by application to the Levetiracetam Special Access Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, Levetiracetam Special Access Panel Phone: (04) 916-7553 Facsimile: (09) 929-3226

PHARMAC, PO Box 10 254

Wellington Email: Isacoordinator@pharmac.govt.nz

	Subsidy (Manufacturer's F \$	Price) Per	Fully Subsidised	Brand or Generic Manufacturer
HENOBARBITONE				
For phenobarbitone oral liquid refer, page 165				
← Tab 15 mg	23.68	500	✓ P	SM
← Tab 30 mg	24.59	500	✓ P	SM
HENYTOIN SODIUM				
₹ Tab 50 mg	15.63	200	✓ D	ilantin Infatab
Cap 30 mg		200	✓ D	ilantin
€ Cap 100 mg		200		ilantin
‡ Oral liq 30 mg per 5 ml		500 ml	✓ D	ilantin
RIMIDONE				
Tab 250 mg	17.05	100	4/ A	po-Primidone
· ·	17.20	100	₩ A	po-Fillindone
ODIUM VALPROATE				
Fab 100 mg		100		pilim Crushable
Fab 200 mg EC		100	V E	
E Tab 500 mg EC		100	✓ E	•
‡ Oral liq 200 mg per 5 ml	20.48	300 ml		pilim S/F Liquid
				pilim Syrup
Inj 100 mg per ml, 4 ml	41.50	1	VE	pilim IV
OPIRAMATE				
▲ Tab 25 mg	26.04	60	✓ To	opamax
▲ Tab 50 mg	44.26	60	✓ To	opamax
Tab 100 mg	75.25	60	✓ To	opamax
▲ Tab 200 mg	129.85	60	✓ To	opamax
Sprinkle cap 15 mg	20.84	60	✓ To	opamax
Sprinkle cap 25 mg	26.04	60	✓ To	opamax
IGABATRIN - Special Authority see SA0937 below - Retain	il pharmacy			
▲ Tab 500 mg	,	100	√ S	abril

⇒SA0937 Special Authority for Subsidy

Initial application — (new patients) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Patient has infantile spasms; or
 - 1.2 Both:
 - 1.2.1 Patient has epilepsy; and
 - 1.2.2 Either:
 - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
 - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and
- 2 Either:
 - 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Generic Manufacturer

continued...

Initial application — (patient has had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life from gabapentin, topiramate, vigabatrin and or lamotrigine; and
- 2 Either:
 - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for the duration of treatment with vigabatrin; or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- 2 Either:
 - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

If the patient had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

Antimigraine Preparations

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 100

Acute Migraine Treatment

ERGOTAMINE TARTRATE WITH CAFFEINE Tab 1 mg with caffeine 100 mg	31.00	100	✓ Cafergot
METOCLOPRAMIDE HYDROCHLORIDE WITH PARACETAMOL Tab 5 mg with paracetamol 500 mg	6.77	60	✓ Paramax
RIZATRIPTAN BENZOATE Wafer 10 mg	25.32	3	✓ Maxalt Melt
SUMATRIPTAN			
Tab 50 mg	12.00	4	✓ Arrow-Sumatriptan✓ Sumagran
	22.00		✓ Imigran
Tab 100 mg	12.00	2	✓ Arrow-Sumatriptan✓ Sumagran
	22.00		✓ Imigran
Inj 12 mg per ml, 0.5 ml - Hospital pharmacy [HP3]-Specialist . Maximum of 10 inj per prescription	80.00	2 OP	✓ Imigran

	Subsidy (Manufacturer's Pri \$	ce) Su Per	Fully Brand or bsidised Generic Manufacturer
Prophylaxis of Migraine			
For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR	SYSTEM, page 51		
CLONIDINE HYDROCHLORIDE			
* Таb 25 µg	19.25	100	✓ Dixarit
PIZOTIFEN	01.10	100	
* Tab 500 μg	(24.10)	100	Sandomigran
Antinausea and Vertigo Agents	(=)		
For Antispasmodics refer to ALIMENTARY TRACT, page 27	9 1		
APREPITANT – Special Authority see SA0987 below – Reta Cap 2 × 80 mg and 1 × 125 mg	'	3 OP	✓ Emend Tri-Pack
⇒SA0987 Special Authority for Subsidy	110.00	0 01	Lincia III-i dek
nitial application from any relevant practitioner. Approvals v	alid for 12 months whe	ere the patie	nt is undergoing highly emetogeni
chemotherapy and/or anthracycline-based chemotherapy for			
Renewal from any relevant practitioner. Approvals valid for 12 apy and/or anthracycline-based chemotherapy for the treatme		ent is underq	going highly emetogenic chemothe
apy and/or antimacycline-based chemotherapy for the treating	on mangnancy.		
* Tab 16 mg	9.26	84	✓ Vergo 16
CYCLIZINE HYDROCHLORIDE			·
Tab 50 mg	1.59	10	✓ Nausicalm
CYCLIZINE LACTATE			
Inj 50 mg per ml, 1 ml		5	✓ Valoid (AFT)
DOMPERIDONE - Additional subsidy by Special Authority s			су
* Tab 10 mg	3.90 (7.99)	100	Motilium
■ SA0938 Special Authority for Manufacturers Price	(7.55)		Wouldti
Initial application from any relevant practitioner. Approvals v	alid for 6 months where	the patient	is terminally ill and requires contro
of nausea and vomiting.			
Renewal from any relevant practitioner. Approvals valid for 6 benefiting from treatment.	6 months where the tre	atment rem	ains appropriate and the patient i
Derienting from treatment. HYOSCINE (SCOPOLAMINE) - Special Authority see SA09	30 halow — Hoenital nh	armaoy [HE	021
Patches, 1.5 mg		2	✓ Scopoderm TTS
⇒SA0939 Special Authority for Subsidy			
initial application from any relevant practitioner. Approvals v	alid for 1 year for appli	cations mee	eting the following criteria:
All of the following:			
1 Control of intractable nausea, vomiting, or inability to s2 Patient cannot tolerate or does not adequately respon	:Wallow saliva in the tre	atment of it	ialignancy or chronic disease; and
3 The applicant must specify the underlying malignancy		gorno, and	
Renewal from any relevant practitioner. Approvals valid for		atment rema	ains appropriate and the patient i
penefiting from treatment.			
HYOSCINE HYDROBROMIDE ☀ Inj 400 μg per ml, 1 ml	8 88	5	✓ Mayne
★ 11) 400 pg per 11i, 1 11ii METOCLOPRAMIDE HYDROCHLORIDE	0.00	J	₩ IVIQYIIC
* Tab 10 mg	5.15	100	✓ Metamide
* Inj 5 mg per ml, 2 ml - Up to 5 inj available on a PSO		10	✓ <u>Pfizer</u>

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	Sub Per	sidised	Generic Manufacturer
	Ψ	1 01		Mandidotaror
ONDANSETRON – Retail pharmacy-Specialist	:-I AHa:H	0007 hala		
 a) Maximum of 12 tab per prescription; can be waived by Spe b) Maximum of 6 tab per dispensing; can be waived by Speci 			W	
c) Not more than one prescription per month; can be waived			7 halov	ı
d) The maximum of 6 tab per dispensing cannot be waived vi			7 DCIOV	
Tab 4 mg		10	✓ Z	ofran
Tab disp 4 mg		10	✓ Z	ofran Zydis
Tab 8 mg	33.89	20	✓ Z	<u>ofran</u>
Tab disp 8 mg	20.43	10	✓ <u>Z</u>	ofran Zydis
▶SA0887 Special Authority for Waiver of Rule				
Initial application from any relevant practitioner. Approvals valid f	or 12 months where the	ne patient i	s under	going prolonged treatment
with highly emetogenic chemotherapy and/or highly emetogenic r				
Renewal from any relevant practitioner. Approvals valid for 12 m				
highly emetogenic chemotherapy and/or highly emetogenic radiate	tion therapy for the tre	eatment of	maligna	ancy.
PROCHLORPERAZINE				
* Tab 3 mg buccal		50	_	
ate. Tab Farra . The te 00 tab and labels are a BOO	(15.00)	500		uccastem
* Tab 5 mg – Up to 30 tab available on a PSO		500		ntinaus temetil
 Inj 12.5 mg per ml, 1 ml – Up to 5 inj available on a PSO Suppos 25 mg 		10 5		temetii temetii
***	23.01	5	V 3	temetii
PROMETHAZINE THEOCLATE				
* Tab 25 mg		10	۸.	
	(6.24)		A	vomine
TROPISETRON – Hospital pharmacy [HP3]-Specialist				
a) Maximum of 6 cap per prescription				
b) Maximum of 3 cap per dispensing				
c) Not more than one prescription per month.	77.41	-	a / N	avahan.
Cap 5 mg	77.41	5	V N	avoban
Antiparkinson Agents				
Dopamine Agonists and Related Agents				
AMANTADINE HYDROCHLORIDE				
▲ Cap 100 mg	47.81	60	✓ S	ymmetrel
APOMORPHINE HYDROCHLORIDE				
▲ Inj 10 mg per ml, 2 ml	50.43	5	4/ N	pomine
		5	VA	ponnie
BROMOCRIPTINE MESYLATE	00.00	100		L. L.
* Tab 2.5 mg	32.08	100	V A	lpha-
ate. Tale 40 are	100.00	100		Bromocriptine
* Tab 10 mg	120.86	100	V A	lpha-
W Con Ema	60.40	100		Bromocriptine
* Cap 5 mg	00.43	100	✓ A	Bromocriptine S29
(Alpha-Bromocriptine Tab 10 mg to be delisted 1 March 2010)				
ENTACAPONE				
▲ Tab 200 mg	116.00	100	✓ C	<u>omtan</u>

	Subsidy (Manufacturer's Price)	Per	Fully Brand or Subsidised Generic Manufacturer
LEVODODA WITH DENIGEDATIDE	Ψ	1 01	• Manadator
LEVODOPA WITH BENSERAZIDE * Tab dispersible 50 mg with benserazide 12.5 mg	10.00	100	✓ Madopar Dispersible Output Dispersible Dispersible Output Dispersible Dispersible Output Dispersible Disp
* Cap 50 mg with benserazide 12.5 mg	8.00	100	✓ Madopar 62.5
* Cap 100 mg with benserazide 25 mg		100	✓ Madopar 125
* Cap long-acting 100 mg with benserazide 25 mg		100	✓ Madopar HBS
* Cap 200 mg with benserazide 50 mg	25.00	100	✓ Madopar 250
LEVODOPA WITH CARBIDOPA			
* Tab 100 mg with carbidopa 25 mg	10.00	50	✓ Sindopa
· · · · · · · · · · · · · · · · · · ·	20.00	100	✓ Sinemet
* Tab long-acting 200 mg with carbidopa 50 mg	47.50	100	✓ Sinemet CR
* Tab 250 mg with carbidopa 25 mg		100	✓ Sinemet
LISURIDE HYDROGEN MALEATE			
▲ Tab 200 µg	27 50	30	✓ Dopergin
1.0		00	0 20po.g
PERGOLIDE	40.00	100	A Dormay
▲ Tab 0.25 mg		100 100	Permax Permax
▲ Tab 1 mg	170.00	100	✓ <u>Permax</u>
ROPINIROLE HYDROCHLORIDE			4-
▲ Tab 0.25 mg		84	Ropin
▲ Tab 1 mg		84	Ropin
▲ Tab 2 mg		84	Ropin
▲ Tab 5 mg	90.00	84	✓ Ropin
SELEGILINE HYDROCHLORIDE			
* Tab 5 mg	16.06	100	✓ Apo-Selegiline
TOLCAPONE - Retail pharmacy-Specialist prescription Specialist must be a neurologist, geriatrician or general phys	sician.		
▲ Tab 100 mg	128.75	100	✓ Tasmar
Anticholinergics			
BENZTROPINE MESYLATE			
Tab 2 mg	7.99	60	✓ Benztrop
Inj 1 mg per ml, 2 ml		5	✓ Cogentin
a) Up to 5 inj available on a PSO b) Only on a PSO		-	
ORPHENADRINE HYDROCHLORIDE			
Tab 50 mg	31.93	250	✓ Disipal
· ·			pa-
PROCYCLIDINE HYDROCHLORIDE	7.40	100	1/ Kamadrin
Tab 5 mg	/.40	100	✓ Kemadrin

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised Brand or Generic Manufacturer

Antipsychotics

Guidelines for the use of atypical antipsychotic agents

Diagnosis: Schizophrenia and related psychoses when positive symptoms (delusions, hallucinations and thought disorder) are prominent and/or disabling or when both positive symptoms and negative symptoms (flattened affect, emotional and social withdrawal and poverty of speech) are present. Treatment: Before initiating atypical antipsychotic therapy, physicians should consider whether the patient is likely to respond to and/or tolerate conventional antipsychotic therapy and, where appropriate, trial one or more conventional agent prior to use of an atypical agent.

General

AMISULPRIDE			
Tab 100 mg	22.52	30	Solian
Tab 200 mg	97.03	60	Solian
Tab 400 mg	185.44	60	Solian
Oral liq 100 mg per ml	55.44	60 ml	Solian
ARIPIPRAZOLE - Special Authority see SA0920 below - Reta	il pharmacy		
Tab 10 mg	123.54	30	Abilify
Tab 15 mg	175.28	30	✓ Abilify
Tab 20 mg	213.42	30	✓ Abilify
Tab 30 mg	260.07	30	✓ Abilify

⇒SA0920 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Either:
 - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
 - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

CHLORPROMAZINE HYDROCHLORIDE

Tab 10 mg - Up to 30 tab available on a PSO12.36	100	Largactil
Tab 25 mg - Up to 30 tab available on a PSO13.02	100	✓ Largactil
Tab 100 mg - Up to 30 tab available on a PSO30.61	100	✓ Largactil
Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO25.66	10	✓ Largactil
CLOZAPINE - Hospital pharmacy [HP4]		
Tab 25 mg13.37	50	Clozaril
26.74	100	Clozaril
6.69	50	Clopine
13.37	100	✓ Clopine
Tab 50 mg8.67	50	✓ Clopine
17.33	100	✓ Clopine
Tab 100 mg34.65	50	✓ Clozaril
69.30	100	Clozaril
17.33	50	Clopine
34.65	100	Clopine
Tab 200 mg34.65	50	Clopine
69.30	100	✓ Clopine
Suspension 50 mg per ml17.33	100 ml	✓ Clopine

	Subsidy (Manufacturer's Price)	Sub Per	Fully sidised	Brand or Generic Manufacturer
HALOPERIDOL				
Tab 500 μg – Up to 30 tab available on a PSO	4.93	100	√ S	Serenace
Tab 1.5 mg - Up to 30 tab available on a PSO		100	_	Serenace
Tab 5 mg - Up to 30 tab available on a PSO		100		Serenace
Oral liq 2 mg per ml - Up to 200 ml available on a PSO		00 ml	✓ S	Serenace
Inj 5 mg per ml, 1 ml - Up to 5 inj available on a PSO	17.04	10	✓ S	Serenace
LITHIUM CARBONATE				
Tab 250 mg	36.10	500	VL	ithicarb
Tab 400 mg		100	VL	ithicarb.
Tab long-acting 400 mg		100	✓ P	Priadel
Cap 250 mg		100	V D	Douglas
METHOTRIMEPRAZINE				•
Tab 25 mg	16.93	100	V N	lozinan
Tab 100 mg		100	V	lozinan
Inj 25 mg per ml, 1 ml		10	✓ N	lozinan
OLANZAPINE - Special Authority see SA0741 below - Retail pha				
Tab 2.5 mg	•	28	VZ	Zyprexa
Tab 5 mg		28		Zyprexa
Tab 10 mg		28		Zyprexa

⇒SA0741 Special Authority for Subsidy

Initial application only from a psychiatrist. Approvals valid for 2 years for applications meeting the following criteria: Any of the following:

- 1 Patient presents with first episode schizophrenia or related psychoses; or
- 2 Both:
 - 2.1 Patient suffering from schizophrenia and related psychoses or acute mania in bipolar disorder who is likely to benefit from antipsychotic treatment; and
 - 2.2 Either:
 - 2.2.1 An effective dose of risperidone had been trialled and has been discontinued because of unacceptable side effects; or
 - 2.2.2 An effective dose of risperidone had been trialled and has been discontinued because of inadequate clinical response after 4 weeks; or
- 3 The patient has suffered from an acute episode of schizophrenia or bipolar mania and has been treated with olanzapine short-acting intra-muscular injection.

Renewal only from a psychiatrist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Initial prescriptions to be written by psychiatrists or psychiatric registrars and subsequent prescriptions can be written by General Practitioners.

PERICYAZINE			
Tab 2.5 mg1	2.49 1	100	Neulactil
Tab 10 mg4	4.45 1	100	Neulactil
QUETIAPINE			
Tab 25 mg2	0.62	90	Quetapel
4	6.20	60	Seroquel
Tab 100 mg4	1.25	90	Quetapel
9	2.40	60	Seroquel
Tab 200 mg7	0.88	90	Quetapel
15	8.76	60	Seroquel
Tab 300 mg11	9.25	90	Quetapel
26	7.12	60	Seroquel

	Subsidy (Manufacturer's Price)		Full Subsidise	
	(Manuacturer S Frice)	Per		
RISPERIDONE				
Tab 0.5 mg	5.20	20	V	Ridal
	15.60	60	~	Ridal
	5.20	20	V	Risperdal
Tab 1 mg	30.77	60		Ridal
·			~	Risperdal
Tab 2 mg	61.53	60	~	Ridal
·			~	Risperdal
Tab 3 mg	92.32	60	~	Ridal
•			~	Risperdal
Tab 4 mg	123.05	60	~	Ridal
·			~	Risperdal
Oral liq 1 mg per ml	18.35	30 ml	~	Risperon
1 31	45.92			Risperdal
RIFLUOPERAZINE HYDROCHLORIDE			•	
	0.00	100	.,	Ctolozina coo
Tab 1 mg		100		Stelazine S29 Stelazine S29
Tab 2 mg		100	٠.	
Tab 5 mg	10.00	100	V	Stelazine S29
risperidone or quetiapine that has been discontinued, or is in the effects or inadequate response, and the prescription is endors Cap 20 mg	ed accordingly. 87.88	60	~	Zeldox
effects or inadequate response, and the prescription is endors Cap 20 mg Cap 40 mg	ed accordingly. 87.88 164.78	60 60	V	Zeldox Zeldox
effects or inadequate response, and the prescription is endors Cap 20 mg Cap 40 mg Cap 60 mg	ed accordingly. 87.88 164.78 247.17	60	\ \ \	Zeldox
effects or inadequate response, and the prescription is endors Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg	ed accordingly. 87.88 164.78 247.17	60 60 60	\ \ \	Zeldox Zeldox Zeldox
effects or inadequate response, and the prescription is endors Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg	ed accordingly. 87.88 164.78 247.17 329.56	60 60 60	\ \ \ \	Zeldox Zeldox Zeldox
effects or inadequate response, and the prescription is endors Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg UCLOPENTHIXOL HYDROCHLORIDE Tab 10 mg	ed accordingly. 87.88 164.78 247.17 329.56	60 60 60	\ \ \ \	Zeldox Zeldox Zeldox Zeldox
effects or inadequate response, and the prescription is endors Cap 20 mg	ed accordingly. 87.88 164.78 247.17 329.56	60 60 60	\ \ \ \	Zeldox Zeldox Zeldox Zeldox
effects or inadequate response, and the prescription is endors Cap 20 mg	ed accordingly	60 60 60 60	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Zeldox Zeldox Zeldox Zeldox Clopixol
effects or inadequate response, and the prescription is endors Cap 20 mg	ed accordingly	60 60 60 60 100	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Zeldox Zeldox Zeldox Zeldox Clopixol
effects or inadequate response, and the prescription is endors Cap 20 mg	ed accordingly	60 60 60 60 100	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Zeldox Zeldox Zeldox Zeldox Clopixol Fluanxol
effects or inadequate response, and the prescription is endors Cap 20 mg	ed accordingly	60 60 60 60 100	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Zeldox Zeldox Zeldox Zeldox Clopixol
effects or inadequate response, and the prescription is endors Cap 20 mg	ed accordingly87.88164.78247.17329.5631.45	60 60 60 60 100)))))))))))))))))))	Zeldox Zeldox Zeldox Clopixol Fluanxol Fluanxol Fluanxol
effects or inadequate response, and the prescription is endors Cap 20 mg	ed accordingly87.88164.78247.17329.5631.4513.1420.9040.87	60 60 60 100 5 5 5)	Zeldox Zeldox Zeldox Zeldox Clopixol Fluanxol Fluanxol Fluanxol Modecate
effects or inadequate response, and the prescription is endors Cap 20 mg	ed accordingly87.88164.78247.17329.5631.4513.1420.9040.87	60 60 60 100 5 5 5 5)	Zeldox Zeldox Zeldox Zeldox Clopixol Fluanxol Fluanxol Fluanxol Modecate Modecate
effects or inadequate response, and the prescription is endors Cap 20 mg	ed accordingly87.88164.78247.17329.5631.4513.1420.9040.87	60 60 60 100 5 5 5)	Zeldox Zeldox Zeldox Zeldox Clopixol Fluanxol Fluanxol Fluanxol Modecate
effects or inadequate response, and the prescription is endors Cap 20 mg	ed accordingly87.88164.78247.17329.5631.4513.1420.9040.87	60 60 60 100 5 5 5 5)	Zeldox Zeldox Zeldox Zeldox Clopixol Fluanxol Fluanxol Fluanxol Modecate Modecate
effects or inadequate response, and the prescription is endors Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg CUCLOPENTHIXOL HYDROCHLORIDE Tab 10 mg Depot Injections FLUPENTHIXOL DECANOATE Inj 20 mg per ml, 1 ml — Up to 5 inj available on a PSO Inj 100 mg per ml, 2 ml — Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml — Up to 5 inj available on a PSO Inj 25 mg per 0.5 ml, 0.5 ml — Up to 5 inj available on a PSO Inj 25 mg per ml, 1 ml — Up to 5 inj available on a PSO Inj 25 mg per ml, 1 ml — Up to 5 inj available on a PSO Inj 25 mg per ml, 1 ml — Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml — Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml — Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml — Up to 5 inj available on a PSO	ed accordingly87.88164.78247.17329.5631.4513.1420.9040.8717.6027.90154.50	60 60 60 100 5 5 5 5		Zeldox Zeldox Zeldox Zeldox Clopixol Fluanxol Fluanxol Fluanxol Modecate Modecate
effects or inadequate response, and the prescription is endors Cap 20 mg	ed accordingly87.88164.78247.17329.5631.4513.1420.9040.8717.6027.90154.50	60 60 60 60 100 5 5 5 5 5		Zeldox Zeldox Zeldox Zeldox Clopixol Fluanxol Fluanxol Fluanxol Modecate Modecate Modecate Modecate
effects or inadequate response, and the prescription is endors Cap 20 mg	ed accordingly87.88164.78247.17329.5631.4513.1420.9040.8717.6027.90154.50	60 60 60 60 100 5 5 5 5 5		Zeldox Zeldox Zeldox Zeldox Clopixol Fluanxol Fluanxol Fluanxol Modecate Modecate Modecate Haldol
effects or inadequate response, and the prescription is endors Cap 20 mg	ed accordingly87.88164.78247.17329.5631.4513.1420.9040.8717.6027.90154.50154.50	60 60 60 60 100 5 5 5 5 5 5		Zeldox Zeldox Zeldox Zeldox Clopixol Fluanxol Fluanxol Fluanxol Modecate Modecate Modecate Haldol Haldol Concentrate
effects or inadequate response, and the prescription is endors Cap 20 mg	ed accordingly87.88164.78247.17329.5631.4513.1420.9040.8717.6027.90154.5028.3955.90	60 60 60 60 100 5 5 5 5 5 5 5	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Zeldox Zeldox Zeldox Zeldox Clopixol Fluanxol Fluanxol Fluanxol Modecate Modecate Modecate Haldol Haldol Concentrate Piportil
effects or inadequate response, and the prescription is endors Cap 20 mg	ed accordingly87.88164.78247.17329.5631.4513.1420.9040.8717.6027.90154.5028.3955.90178.48353.32	60 60 60 60 100 5 5 5 5 5 5	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Zeldox Zeldox Zeldox Zeldox Clopixol Fluanxol Fluanxol Fluanxol Modecate Modecate Modecate Haldol Haldol Concentrate
effects or inadequate response, and the prescription is endors Cap 20 mg	ed accordingly87.88164.78247.17329.5631.4513.1420.9040.8717.6027.90154.5028.3955.90178.48353.32 - Retail pharmacy	60 60 60 60 100 5 5 5 5 5 5 5 10 10		Zeldox Zeldox Zeldox Zeldox Clopixol Fluanxol Fluanxol Fluanxol Modecate Modecate Modecate Haldol Haldol Concentrate Piportil Piportil
effects or inadequate response, and the prescription is endors Cap 20 mg Cap 40 mg Cap 60 mg Cap 80 mg Cap 80 mg CUCLOPENTHIXOL HYDROCHLORIDE Tab 10 mg Pepot Injections FLUPENTHIXOL DECANOATE Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO	ed accordingly87.88164.78247.17329.5631.4513.1420.9040.8717.6027.90154.5028.3955.90178.48353.32 - Retail pharmacy175.00	60 60 60 60 100 5 5 5 5 5 5 5 10 10		Zeldox Zeldox Zeldox Zeldox Zeldox Clopixol Fluanxol Fluanxol Fluanxol Modecate Modecate Modecate Haldol Haldol Concentrate Piportil Piportil Risperdal Consta
effects or inadequate response, and the prescription is endors Cap 20 mg	ed accordingly87.88164.78247.17329.5631.4513.1420.9040.8717.6027.90154.5028.3955.90178.48353.32 - Retail pharmacy175.00230.00	60 60 60 60 100 5 5 5 5 5 5 5 10 10	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Zeldox Zeldox Zeldox Zeldox Zeldox Clopixol Fluanxol Fluanxol Fluanxol Modecate Modecate Modecate Haldol Haldol Concentrate Piportil Piportil

NERVOUS SYSTEM

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

⇒SA0926 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient has schizophrenia or other psychotic disorder; and
- 2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had less than 12 months treatment with risperidone microspheres; and
 - 1.2 There is no clinical reason to discontinue treatment; or
- 2 The initiation of risperidone microspheres has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of risperidone microspheres.

Note: Risperidone microspheres should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone microspheres.

ZUCLOPENTHIXOL DECANOATE

Inj 200 mg per ml, 1 ml − Up to 5 inj available on a PSO19.80 5 ✓ Clopixol

Orodispersible Antipsychotics

OLANZAPINE - Special Authority see SA0739 below -	- Retail pharmacy		
Wafer 5 mg	102.19	28	Zyprexa Zydis
Wafer 10 mg	204.37	28	Zyprexa Zydis

⇒SA0739 Special Authority for Subsidy

Initial application only from a psychiatrist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The patient meets the current criteria for standard olanzapine tablets; and
- 2 The patient is unable to take standard olanzapine tablets, or once stabilized refuses to take olanzapine tablets; or the patient is non-adherent to oral therapy with standard olanzapine tablets; and
- 3 The patient is under direct supervision for administration of medicine.

Renewal only from a psychiatrist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is unable to take standard olanzapine tablets, or once stabilized refuses to take olanzapine tablets; and
- 2 The patient is under direct supervision for administration of medicine.

Note: Initial prescriptions to be written by psychiatrists and subsequent prescriptions can be written by psychiatric registrars or General Practitioners.

RISPERIDONE - Special Authority see SA0927 below - Retail pharmacy

Orally-disintegrating tablets 0.5 mg21.42	28	Risperdal Quicklet
Orally-disintegrating tablets 1 mg42.84	28	Risperdal Quicklet
Orally-disintegrating tablets 2 mg85.71	28	Risperdal Quicklet

▶SA0927 Special Authority for Subsidy

Initial application — (Acute situations) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 For a non-adherent patient on oral therapy with standard risperidone tablets or risperidone oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Subsidy		Fully	Brand or
(Manufacturer's Price)	S	ubsidised	Generic
\$	Per	~	Manufacturer

continued...

Initial application — (Chronic situations) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid: and
- 2 The patient is under direct supervision for administration of medicine.

Note: Risperdal Quicklets cost significantly more than risperidone tablets and should only be used where necessary.

Anxiolytics

ALPRAZOLAM – Month Restriction		
Tab 250 μg	3.25 50	✓ Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.	
Tab 500 μg		Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.	
Tab 1 mg	7.85 50	Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.	
BUSPIRONE HYDROCHLORIDE - Special Authority see SA0863	3 below – Retail pharmacy	
Month Restriction		
Tab 5 mg	28.00 100	Pacific Buspirone
Tab 10 mg	17.00 100	✔ Pacific Buspirone

⇒SA0863 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 For use only as an anxiolytic; and
- 2 Other agents are contraindicated or have failed.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

DIAZEPAM

Tab 2 mg - Month Restriction	8.40	500	Pro-Pam
	11.44		Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral lie	quid preparations.		·
Tab 5 mg - Month Restriction	5.00	250	✓ Pro-Pam
•	13.71	500	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral lie	quid preparations.		·
Tab 10 mg - Month Restriction	3.45	100	✓ Pro-Pam
‡ Safety cap for extemporaneously compounded oral lie			
(Pro-Pam Tab 2 mg to be delisted 1 February 2010)			
(Pro-Pam Tab 5 mg to be delisted 1 March 2010)			
(Pro-Pam Tab 10 mg to be delisted 1 April 2010)			
, ,			
LORAZEPAM – Month Restriction			
Tab 1 mg	6.28	250	Ativan
‡ Safety cap for extemporaneously compounded oral lie	quid preparations.		
Tab 2.5 mg	4.12	100	✓ Ativan

‡ Safety cap for extemporaneously compounded oral liquid preparations.

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
OXAZEPAM – Month Restriction				
Tab 10 mg	1.98	100		
•	(5.89)		0	x-Pam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
Tab 15 mg	2.45	100		
·	(8.13)		0	x-Pam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			

Multiple Sclerosis Treatments

⇒SA0855 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Budget managed by appointed clinicians on the Multiple Sclerosis Treatment Assessments Committee (MSTAC).

Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Appeals against MSTAC's decision and/or the processing of any application may be lodged with the MSTAC coordinator. Concerns that cannot be or have not been adequately addressed by MSTAC will be forwarded to a separate Appeal Committee if necessary. Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis should as a rule include MRI confirmation. For patients diagnosed before MRI was widely utilised in New Zealand, confirmation of diagnosis via clinical assessment and laboratory/ancillary data must be provided: and
- patients must have active relapsing MS (confirmed by MR scan where necessary) with or without underlying progression; and
- 3) patients must have either:
 - a) EDSS score 2.5 5.5 with 2+ relapses:
 - experienced at least 2 significant relapses of MS in the previous 12 months, and
 - an EDSS score of between 2.5 and 5.5 inclusive: or
 - b) EDSS score 2.0 with 3+ relapses:
 - experienced at least 3 significant relapses of MS in the previous 12 months, and
 - an EDSS score of 2.0: and
- 4) Each relapse must:
 - a) be confirmed by a neurologist or general physician (the patient may not necessarily have been seen during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
- c) last at least one week;
- d) follow a period of stability of at least one month:
- e) be severe enough to change either the EDSS or at least one of the Kurtzke functional systems scores by at least 1
 point;
- f) be distinguishable from the effects of general fatigue; and
- g) not be associated with a fever (T>37.5°C); and
- 5) applications must be made at least four weeks after the date of the onset of the last known relapse; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate (see criteria for stopping).
- 7) applications must be submitted to the Multiple Sclerosis Treatment Assessment Committee (MSTAC) by the patient's neurologist or a general physician; and
- 8) patients must agree (via informed consent) to co-operate if as a result of their meeting the stopping criteria, funding is withdrawn. Patients must agree to the collection of clinical data relating to their MS and use of those data by PHARMAC; and
- 9) patients must agree to allow clinical data to be collected and reviewed by MSTAC annually for each year in which they receive funding for beta-interferon or glatiramer acetate.

Stopping Criteria

- Confirmed progression of disability that is sustained for three months after a minimum of one year of treatment. Progression
 of disability is defined as either an increase of 1 EDSS point from the starting EDSS or an increase in EDSS score to 6.0 or
 more; or
- 2) stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment); or
- 3) pregnancy and/or lactation; or
- 4) within the 12 month approval year, intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate: or
- 5) non-compliance with treatment, including refusal to undergo annual assessment or refusal to allow the results of the assessment to be submitted to MSTAC; or
- 6) patients may, subject to conclusions drawn from published evidence available at the time, be excluded if they develop a high titre of neutralising anti-bodies to beta-interferon or glatiramer acetate.

GLATIRAMER ACETATE - Special Authority see SA0855 or	n the preceding page		
Inj 20 mg prefilled syringe	1,089.25	28	Copaxone
INTERFERON BETA-1-ALPHA - Special Authority see SA0	855 on the preceding	page	
Inj 6 million iu prefilled syringe	1,329.65	4	✓ Avonex
Inj 6 million iu per vial	1,329.65	4	✓ Avonex
INTERFERON BETA-1-BETA - Special Authority see SA08	55 on the preceding pa	age	
Inj 8 million iu per 1 ml	1,436.79	15	Betaferon
Sedatives and Hypnotics			

LORMETAZEPAM - Month Restriction			
Tab 1 mg	3.11	30	
	(23.50)		Noctamid
‡ Safety cap for extemporaneously compounded oral	liquid preparations.		

	Subsidy (Manufacturer's Price) \$) Per	Fully Brand or Subsidised Generic Manufacturer
MIDAZOLAM			
Tab 7.5 mg - Month Restriction	10.38	100	
	(25.00)		Hypnovel
‡ Safety cap for extemporaneously compounded oral liqu			4
Inj 1 mg per ml, 5 ml		10	✓ Hypnovel
	(14.73)	_	Pfizer
Inj 5 mg per ml, 3 ml		5	✓ Hypnovel
	(19.64)		Pfizer
NITRAZEPAM – Month Restriction			
Tab 5 mg	2.00	100	
	(4.98)		Nitrados
‡ Safety cap for extemporaneously compounded oral liqu	iid preparations.		
TEMAZEPAM - Month Restriction			
Tab 10 mg	0.83	25	✓ Normison
‡ Safety cap for extemporaneously compounded oral liqu	iid preparations.		
TRIAZOLAM - Month Restriction			
Tab 125 µg	5.10	100	
	(6.50)		Hypam
‡ Safety cap for extemporaneously compounded oral liqu	id preparations.		,,
Tab 250 μg	4.10	100	
	(7.20)		Hypam
‡ Safety cap for extemporaneously compounded oral liqu	iid preparations.		
ZOPICLONE - Month Restriction			
Tab 7.5 mg	21.02	500	✓ Apo-Zopiclone
Other CNS Agents			
Other CNS Agents			
ATOMOXETINE - Special Authority see SA0951 below - Retail	pharmacy		
Cap 10 mg	,	28	✓ Strattera
Cap 18 mg		28	✓ Strattera
Cap 25 mg	107.03	28	✓ Strattera
Cap 40 mg	107.03	28	✓ Strattera
Cap 60 mg	107.03	28	✓ Strattera
Cap 80 mg	139.11	28	✓ Strattera
Cap 100 mg	139.11	28	✓ Strattera

⇒SA0951 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
 - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
 - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
 - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; and



Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamphetamine sulphate tablets.

DEXAMPHETAMINE SULPHATE - Special Authority see SA0907 below - Retail pharmacy

Only on a controlled drug form

100

PSM

⇒SA0907 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over - new patients) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Both:
 - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 3.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients 5 or over - patient has had an approval for dexamphetamine for ADHD prior to 1 April 2008) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Both:
 - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 2.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients under 5 - new patients) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (ADHD in patients under 5 - patient has had an approval for dexamphetamine for ADHD in patients under 5 prior to 1 April 2008) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Narcolepsy - new patients) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Initial application — (Narcolepsy - patient has had an approval for dexamphetamine for narcolepsy prior to 1 April 2008) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment..

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: Both:

Subsidy		Fully	Brand or
(Manufacturer's Price)	S	ubsidised	Generic
\$	Per	~	Manufacturer

continued...

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Both:
 - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 2.2.2 Provide name of the recommending specialist.

Note: If the patient had an approval for dexamphetamine for ADHD prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for dexamphetamine for ADHD in patients under 5 prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for dexamphetamine for narcolepsy prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

DISULFIRAM

Tab 200 mg	24.30	100	✓ Antabuse
METHYLPHENIDATE HYDROCHLORIDE - Special Authority see	e SA0908 below	- Retail pha	rmacy
Only on a controlled drug form			
Tab immediate-release 5 mg	3.20	30	Rubifen
Tab immediate-release 10 mg		30	✓ Ritalin
· ·			✓ Rubifen
Tab immediate-release 20 mg	7.85	30	Rubifen
Tab sustained-release 20 mg		30	Rubifen SR
·	50.00	100	Ritalin SR

■SA0908 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over – new patients) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria: and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Both:
 - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 3.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients 5 or over - patient has had an approval for methylphenidate for ADHD prior to 1 April 2008) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:

Subsidy (Manufacturer's Price) Sul \$ Per

Fully Subsidised Brand or Generic Manufacturer

continued...

- 2.1 Applicant is a paediatrician or psychiatrist; or
- 2.2 Both:
 - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 2.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients under 5 – new patients) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (ADHD in patients under 5 - patient has had an approval for methylphenidate for ADHD in patients under 5 prior to 1 April 2008) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Narcolepsy – new patients) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Initial application — (Narcolepsy - patient has had an approval for methylphenidate for narcolepsy prior to 1 April 2008) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment..

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Both:
 - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 2.2.2 Provide name of the recommending specialist.

Note: If the patient had an approval for methylphenidate for ADHD prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed

Renewal — **(ADHD in patients under 5)** only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for methylphenidate for ADHD in patients under 5 prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for methylphenidate for narcolepsy prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA0924 below - Retail pharmacy

Only on a controlled drug form		
Tab extended-release 18 mg58.96	30	Concerta
Tab extended-release 27 mg65.44	30	Concerta
Tab extended-release 36 mg71.93	30	Concerta
Tab extended-release 54 mg86.24	30	Concerta
Cap modified-release 20 mg25.50	30	Ritalin LA
Cap modified-release 30 mg31.90	30	Ritalin LA
Cap modified-release 40 mg38.25	30	Ritalin LA

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

■ SA0924 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Both:
 - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 vears and has recommended treatment for the patient; and
 - 3.2.2 Provide name of the recommending specialist; and
- 4 Either:
 - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or compliance difficulties; or
 - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Both:
 - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 2.2.2 Provide name of the recommending specialist.

NALTREXONE HYDROCHLORIDE − Special Authority see SA0909 below − Retail pharmacy
Tab 50 mg180.00 30
✓ ReVia

⇒SA0909 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in a community Alcohol and Drug Service contracted to one of the 21 District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

Renewal from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
 - 2.1 Patient is still unstable and requires further treatment; or
 - 2.2 Patient achieved significant improvement but requires further treatment; or
 - 2.3 Patient is well controlled but requires maintenance therapy.

The patient may not have had more than 1 prior approval in the last 12 months.

TETRABENAZINE

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Chemotherapeutic Agents

Alk	/lating	Aq	ents

BUSULPHAN – PCT – Retail pharmacy-Specialist Tab 2 mg	//7 8 0	100	✓ Myleran
· ·	47.03	100	Wiyiciali
CARBOPLATIN – PCT only – Specialist Inj 10 mg per ml, 5 ml	20.00	1	✓ Carboplatin Ebewe
Inj 10 mg per ml, 15 ml		1	✓ Carboplatin Ebewe
Inj 10 mg per ml, 45 ml		i	✓ Carboplatin Ebewe
Inj 10 mg per ml, 100 ml		1	✓ Carboplatin Ebewe
Inj 1 mg for ECP		1 mg	✓ Baxter
CARMUSTINE - PCT only - Specialist		· ·	
Inj 100 mg	204.13	1	✓ BiCNU
Inj 100 mg for ECP		100 mg OP	✓ Baxter
CHLORAMBUCIL – PCT – Retail pharmacy-Specialist		3 -	
Tab 2 mg	22 35	25	✓ Leukeran FC
· ·		20	Leakeran
CISPLATIN – PCT only – Specialist	10.00	1	✓ Cisplatin Ebewe
Inj 1 mg per ml, 50 ml	19.00	ı	✓ Mayne
Inj 1 mg per ml, 100 ml	38.00	1	✓ Cisplatin Ebewe
11, 1 11g poi 111, 100 111		•	✓ Mayne
Inj 1 mg for ECP	0.46	1 mg	✓ Baxter
CYCLOPHOSPHAMIDE		Ü	
Tab 50 mg - PCT - Retail pharmacy-Specialist	25.71	50	✓ Cycloblastin
Inj 1 g - PCT - Retail pharmacy-Specialist		1	✓ Endoxan
, · g · · · · · · · · · · · · · · · · ·	127.80	6	✓ Cytoxan
Inj 2 g - PCT only - Specialist	47.30	1	✓ Endoxan
Inj 1 mg for ECP - PCT only - Specialist	0.03	1 mg	✓ Baxter
IFOSFAMIDE - PCT only - Specialist			
Inj 1 g	96.00	1	✓ Holoxan
Inj 2 g	180.00	1	✓ Holoxan
Inj 1 mg for ECP	0.10	1 mg	✓ Baxter
LOMUSTINE - PCT only - Specialist			
Cap 10 mg	132.59	20	✓ CeeNU
Cap 40 mg		20	✓ CeeNU
MELPHALAN			
Tab 2 mg - PCT - Retail pharmacy-Specialist	31.31	25	✓ Alkeran
Inj 50 mg - PCT only - Specialist	52.15	1	✓ Alkeran
OXALIPLATIN - PCT only - Specialist - Special Authority se	e SA0900 on the	next page	
Inj 50 mg		1	Oxaliplatin Ebewe
, ,	200.00		✓ Eloxatin
Inj 100 mg	130.00	1	Oxaliplatin Ebewe
	400.00		✓ Eloxatin
Inj 1 mg for ECP	4.36	1 mg	✓ Baxter

Subsidy Fully Brand or Subsidised Generic Per Per Manufacturer

■SA0900 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 Both:
 - 1.1 The patient has metastatic colorectal cancer; and
 - 1.2 To be used for first or second line use as part of a combination chemotherapy regimen; or
- 2 Both:
 - 2.1 The patient has stage III (Duke's C) colorectal* cancer; and
 - 2.2 Adjuvant oxaliplatin to be given in combination with a fluoropyrimidine (fluorouracil or capecitabine).

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

1 The patient requires continued therapy; or

THIOTEPA - PCT only - Specialist

2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with * are Unapproved Indications, oxaliplatin is indicated for adjuvant treatment of stage III (Duke's C) colon cancer after complete resection of the primary tumour.

Inj 15 mgCBS	1	✓ Bedford S29
Antimetabolites		
CALCIUM FOLINATE		
Tab 15 mg - PCT - Hospital pharmacy [HP3]-Specialist63.89 Inj 3 mg per ml, 1 ml - PCT - Hospital pharmacy [HP1]-	10	✓ Mayne
Specialist17.10	5	✓ Mayne
Inj 50 mg – PCT – Hospital pharmacy [HP1]-Specialist24.50	5	✓ <u>Calcium Folinate</u> <u>Ebewe</u>
Inj 100 mg - PCT only - Specialist9.75	1	✓ Calcium Folinate Ebewe
Inj 300 mg - PCT only - Specialist30.00	1	Calcium Folinate Ebewe
Inj 1 g - PCT only - Specialist100.00	1	✓ Calcium Folinate Ebewe
Inj 1 mg for ECP - PCT only - Specialist0.10	1 mg	✓ Baxter
CAPECITABINE - Hospital pharmacy [HP1]-Specialist - Special Authority see	e SA0869 below	
Tab 150 mg115.00	60	✓ Xeloda
Tab 500 mg705.00	120	✓ Xeloda

⇒SA0869 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Any of the following:

- 1 The patient has advanced gastrointestinal malignancy: or
- 2 The patient has metastatic breast cancer*; or
- 3 The patient has stage III (Duke's stage C) colorectal*# cancer and undergone surgery; or
- 4 Both
 - 4.1 The patient has poor venous access or needle phobia*; and
 - 4.2 The patient requires a substitute for single agent fluoropyrimidine*.

Renewal only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Fither:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Generic Manufacturer

continued...

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with * are Unapproved Indications, # capecitabine is approved for stage III (Duke's stage C) colon cancer.

CLADRIBINE - PCT only - Specialist Inj 2 mg per ml, 5 ml	
, 01	
Inj 1 mg per ml, 10 ml	aun
Inj 10 mg for ECP	
CYTARABINE	
· · · · · · · · · · · · · · · · · · ·	
Inj 100 mg → PCT → Retail pharmacy-Specialist80.00 5 Mayne Pharm	
· · · · · · · · · · · · · · · · · · ·	
Inj 100 mg per ml, 5 ml – PCT – Retail pharmacy-Specialist95.36 5 Mayne	
Inj 100 mg per ml, 10 ml → PCT → Retail pharmacy-Specialist42.65	
Inj 100 mg per ml, 20 ml — PCT only — Specialist	
Inj 1 mg for ECP - PCT only - Specialist	
Inj 100 mg intrathecal syringe for ECP - PCT only - Specialist16.00 100 mg OP 🗸 Baxter	r
FLUDARABINE PHOSPHATE - PCT only - Specialist	
Tab 10 mg	ra
867.00 20 ✓ Fluda i	
Inj 50 mg	
Inj 50 mg for ECP	
FLUOROURACIL SODIUM	
	ouracil Ebewe
,,,,	ouracil Ebewe
Inj 25 mg per ml, 100 ml → PCT only → Specialist	
, , ,	ouracil Ebewe
	ouracil Ebewe
Inj 1 mg for ECP — PCT only — Specialist	
	'
GEMCITABINE HYDROCHLORIDE - PCT only - Specialist - Special Authority see SA0877 below	
.,	itabine Ebewe
349.20 ✓ Gemz	ar
Inj 200 mg49.00 1 V Gemc	itabine Ebewe
78.00 ✓ Gemz a	ar
	r

⇒SA0877 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has non small cell lung carcinoma (stage IIIa, or above); or
- 2 The patient has advanced malignant mesothelioma*; or
- 3 The patient has advanced pancreatic carcinoma; or
- 4 The patient has ovarian, fallopian tube* or primary peritoneal carcinoma*; or
- 5 The patient has advanced transitional cell carcinoma of the urothelial tract (locally advanced or metastatic).

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with a * are Unapproved Indications.

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
IRINOTECAN - PCT only - Specialist - Special Authority see S	A0878 below			
Inj 20 mg per ml, 2 ml	124.00	1	✓ Call	amptosar
Inj 20 mg per ml, 5 ml	310.00	1	✓ C	amptosar
Inj 1 mg for ECP	3.19	l mg	✓ Ba	axter

⇒SA0878 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic colorectal cancer; and
- 2 Either:
 - 2.1 To be used for first or second line use as part of a combination chemotherapy regimen; or
 - 2.2 As single agent chemotherapy in fluropyrimidine-relapsed disease.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- Either:
 - 1 The patient requires continued therapy; or
 - 2 The tumour has relapsed and requires re-treatment.

	APTOPURINE – PCT – Retail pharmacy-Specialist p5 mg	47.06	25	✓ Purinethol
METHO	DTREXATE			
* Tab	2.5 mg - PCT - Hospital pharmacy [HP3]-Specialist	5.22	30	✓ <u>Methoblastin</u>
* Tab	o 10 mg - PCT - Hospital pharmacy [HP3]-Specialist	40.93	50	✓ <u>Methoblastin</u>
* Inj	2.5 mg per ml, 2 ml - PCT - Hospital pharmacy [HP1]-			
	Specialist	23.65	5	✓ Mayne
* Inj	25 mg per ml, 2 ml - PCT - Hospital pharmacy [HP1]-			
	Specialist	46.10	5	✓ Mayne
* Inj	25 mg per ml, 20 ml - PCT - Hospital pharmacy [HP1]-			
	Specialist	80.25	1	✓ Mayne
* Inj	100 mg per ml, 10 ml - PCT - Hospital pharmacy [HP1]-			4
	Specialist	27.50	1	✓ <u>Methotrexate Ebewe</u>
* Inj	100 mg per ml, 50 ml - PCT - Hospital pharmacy [HP1]-	105.00		4.4
ata Lui	Specialist		1	Methotrexate Ebewe
	1 mg for ECP — PCT only — Specialist		1 mg	✓ Baxter
,	5 mg intrathecal syringe for ECP — PCT only — Specialist	4.73	5 mg OP	✓ Baxter
	UANINE – PCT – Hospital pharmacy [HP3]-Specialist			
Tab	0 40 mg	97.16	25	✓ Lanvis
Othe	r Cytotoxic Agents			
ΔΜSΔΟ	CRINE - PCT only - Specialist			
	75 mg	CBS	6	✓ Amsidine ©29
			-	
	RELIDE HYDROCHLORIDE - PCT only - Specialist - Spec p 0.5 mg	•	ee SA0879 on 100	rthe next page ✓ Agrylin s29
Ca	μ 0.5 mg		100	✓ Agryllif 529 ✓ Teva 529

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

⇒SA0879 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has primary thrombocythaemia; and
- 2 Either:
 - 2.1 is at high risk (previous thromboembolic disease, bleeding or platelet count >1500/ml); or
 - 2.2 is intolerant or refractory to hydroxyurea or interferon.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that treatment with an agrelide be initiated only on the recommendation of a haematologist.

ARSENIC TRIOXIDE - PCT only - Specialist Inj 10 mg	4,817.00	10	✓ AFT S29
BLEOMYCIN SULPHATE - PCT only - Specialist Inj 15,000 iu Inj 1,000 iu for ECP		10 1,000 iu	✓ Blenoxane✓ Baxter
COLASPASE (L-ASPARAGINASE) — PCT only — Specialist Inj 10,000 iu		1 10,000 iu OP	✓ Leunase✓ Baxter
DACARBAZINE – PCT only – Specialist Inj 200 mg Inj 200 mg for ECP		1 200 mg OP	✓ Mayne✓ Baxter
DACTINOMYCIN (ACTINOMYCIN D) – PCT only – Specialist Inj 0.5 mg	13.52	1 0.5 mg OP	✓ Cosmegen✓ Baxter
DAUNORUBICIN – PCT only – Specialist Inj 2 mg per ml, 10 ml Inj 5 mg per ml, 4 ml Inj 20 mg for ECP	99.00	1 1 20 mg OP	✓ Pfizer S29 ✓ Mayne ✓ Baxter
DOCETAXEL – PCT only – Specialist – Special Authority see Inj 20 mg	460.00 1,650.00	1 1 1 mg	✓ Taxotere ✓ Taxotere ✓ Baxter

⇒SA0880 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
 - 1.1 The patient has ovarian*, fallopian* or primary peritoneal cancer*; and
 - 1.2 Fither:
 - 1.2.1 Has not received prior chemotherapy; or
 - 1.2.2 Has received prior chemotherapy but has not previously been treated with taxanes; or
- 2 The patient has metastatic breast cancer; or
- 3 Both:
 - 3.1 The patient has early breast cancer; and
 - 3.2 Docetaxel is to be given concurrently with trastuzumab; or
- 4 Both:

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- 4.1 The patient has non small-cell lung cancer; and
- 4.2 Either:
 - 4.2.1 Has advanced disease (stage IIIa or above); or
 - 4.2.2 Is receiving combined chemotherapy and radiotherapy; or
- 5 Both:
 - 5.1 The patient has small-cell lung cancer*; and
 - 5.2 Docetaxel is to be used as second-line therapy.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic breast cancer, non small-cell lung cancer, or small-cell lung cancer*; and
- 2 Either:
 - 2.1 The patient requires continued therapy; or
 - 2.2 The tumour has relapsed and requires re-treatment.

Note: indications marked with * are Unapproved Indications.

DOXORUBICIN - PCT only - Specialist		
Inj 10 mg8.80	1	✓ Doxorubicin Ebewe
Inj 50 mg39.40	1	Doxorubicin Ebewe
Inj 100 mg81.00	1	✓ Doxorubicin Ebewe
Inj 200 mg162.00	1	Doxorubicin Ebewe
Inj 1 mg for ECP	1 mg	✓ Baxter
EPIRUBICIN - PCT only - Specialist		
Inj 2 mg per ml, 5 ml25.00	1	✓ Epirubicin Ebewe
Inj 2 mg per ml, 25 ml87.50	1	✓ Epirubicin Ebewe
Inj 2 mg per ml, 50 ml155.00	1	✓ Epirubicin Ebewe
Inj 2 mg per ml, 100 ml310.00	1	Epirubicin Ebewe
Inj 1 mg for ECP1.90	1 mg	✓ Baxter
ETOPOSIDE		
Cap 50 mg - PCT - Hospital pharmacy [HP3]-Specialist340.73	20	✓ Vepesid
Cap 100 mg - PCT - Hospital pharmacy [HP3]-Specialist340.73	10	✓ Vepesid
Inj 20 mg per ml, 5 ml - PCT - Hospital pharmacy [HP1]-		
Specialist	1	✓ Mayne
612.20	10	✓ Vepesid
Inj 1 mg for ECP - PCT only - Specialist	1 mg	✓ Baxter
ETOPOSIDE PHOSPHATE - PCT only - Specialist		
Inj 100 mg (of etoposide base)40.00	1	✓ Etopophos
Inj 1 mg (of etoposide base) for ECP0.47	1 mg	✓ Baxter
HYDROXYUREA - PCT - Retail pharmacy-Specialist		
Cap 500 mg31.76	100	✓ Hydrea
IDARUBICIN HYDROCHLORIDE - PCT only - Specialist		
Cap 5 mg115.00	1	✓ Zavedos
Cap 10 mg144.50	1	✓ Zavedos
Inj 5 mg170.00	1	✓ Zavedos
Inj 10 mg340.00	1	✓ Zavedos
Inj 1 mg for ECP37.74	1 mg	✓ Baxter

	Subsidy		Full	
(N	fanufacturer's Price) \$	Per	Subsidise	
ESNA - PCT only - Specialist				
Tab 400 mg	168.30	50	~	Uromitexan
Tab 600 mg		50	V	Uromitexan
Inj 100 mg per ml, 4 ml		15	V	Uromitexan
Inj 100 mg per ml, 10 ml		15		Uromitexan
Inj 1 mg for ECP		1 mg	~	Baxter
TOMYCIN C - PCT only - Specialist				
Inj 2 mg	283.00	10	~	Mitomycin-C S29
Inj 10 mg		5		Mitomycin-C S29
Inj 1 mg for ECP		1 mg		Baxter
TOZANTRONE - PCT only - Specialist		3		
Inj 2 mg per ml, 5 ml	110.00	1	V	Mitozantrone Ebewe
Inj 2 mg per ml, 10ml		1	-	Mitozantrone Ebewe
Inj 2 mg per ml, 12.5 ml		1	-	Onkotrone
Inj 1 mg for ECP		1 mg	V	Baxter
CLITAXEL - PCT only - Specialist		3		
Inj 30 mg	189.75	5	~	Paclitaxel Ebewe
Inj 100 mg		1	-	Paclitaxel Ebewe
Inj 150 mg		1		Paclitaxel Ebewe
Inj 300 mg		1	V	Paclitaxel Ebewe
Inj 600 mg		1	V	Paclitaxel Ebewe
Inj 1 mg for ECP		1 mg	~	Baxter
NTOSTATIN (DEOXYCOFORMYCIN) - PCT only - Specialist		_		
Inj 10 mg	CBS	1	V	Nipent S29
ROCARBAZINE HYDROCHLORIDE - PCT only - Specialist				
Cap 50 mg	225.00	50	~	Natulan S29
MOZOLOMIDE - Special Authority see SA0831 below - Hospital		•	•	
Cap 5 mg		5	V	Temodal
Cap 20 mg		5		Temodal
Cap 100 mg		5	-	Temodal
Cap 250 mg		5		Temodal
SA0831 Special Authority for Subsidy	_,	J	•	Tomoun

■SA0831 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 10 months for applications meeting the following criteria: All of the following:

- 1 Patient has newly diagnosed glioblastoma multiforme; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of six cycles of 5 days treatment, at a maximum dose of 200 mg/m².

Notes: Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme. Reapplications will not be approved. Studies of temozolomide show that its benefit is predominantly in those patients with a good performance status (WHO grade 0 or 1 or Karnofsky score >80), and in patients who have had at least a partial resection of the tumour.



	Subsidy (Manufacturer's Price) \$	Per	Brand or Generic Manufacturer	
THALIDOMIDE – PCT only – Specialist – Special Authority see	SA0882 below			
Cap 50 mg	490.00	28	 halidomide Pharmion	

▶SA0882 Special Authority for Subsidy

Initial application — (for new patients) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has refractory, progressive or relapsed multiple myeloma; and
- 2 The patient has received prior chemotherapy.

DCT only Charielist

Initial application — (for patients receiving thalidomide prior to 1 January 2006) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient was receiving treatment with thalidomide for multiple myeloma on or before 31 December 2005.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

Cap 10 mg435.90	100	✓ Vesanoid
VINBLASTINE SULPHATE		
Inj 10 mg - PCT - Retail pharmacy-Specialist137.50	5	✓ Mayne
Inj 1 mg for ECP - PCT only - Specialist	1 mg	✓ Baxter
VINCRISTINE SULPHATE		
Inj 1 mg per ml, 1 ml - PCT - Retail pharmacy-Specialist99.00	5	✓ Mayne
Inj 1 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist	5	✓ Mayne
Inj 1 mg for ECP - PCT only - Specialist21.46	1 mg	✓ Baxter
VINORELBINE - PCT only - Specialist - Special Authority see SA0901 below		
Inj 10 mg per ml, 1 ml24.00	1	✓ Navelbine
42.00		✓ Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml120.00	1	✓ Navelbine
210.00		✓ Vinorelbine Ebewe
	1 mg	✓ Baxter

■ SA0901 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

TOUTINION

- 1 The patient has metastatic breast cancer; or
- 2 The patient has non-small cell lung cancer (stage Illa, or above); or
- 3 All of the following:
 - 3.1 The patient has stage IB-IIIA non-small cell lung cancer; and
 - 3.2 Vinorelbine is to be given as adjuvant treatment in combination with cisplatin; and
 - 3.3 The patient has good performance status (WHO/ECOG grade 0-1).

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

	(Manufacturer's Price) \$	Sub Per		
Protein-tyrosine Kinase Inhibitors				
DASATINIB – Special Authority see SA0976 below Tab 20 mg Tab 50 mg	-,	60 60	✓ SI ✓ SI	orycel orycel

Subsidy

Fully

60

Brand or

Sprycel

⇒SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: mary.chesterfield@pharmac.govt.nz

Wellington

Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - 1) complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5×10^9 /L, platelets > 100×10^9 /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0 × 10⁹/L, platelets > 20 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - 3) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

IMATINIB MESYLATE - Special Authority see SA0643 on the	ne next page		
Tab 100 mg	2,400.00	60	✓ Glivec

Subsidy (Manufacturer's Price) Substitution Substitution

Fully Subsidised

y Brand or d Generic Manufacturer

■ SA0643 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: mary.chesterfield@pharmac.govt.nz

Wellington

Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 600 mg/day for accelerated or blast phase, and 400 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if after 6 months from initiating therapy a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10⁹/L, platelets > 100 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - 2) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0×10^9 /L, platelets > 20×10^9 /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - 3) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if after 18 months from initiating therapy a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

Special Authority criteria for GIST – access by application

- a) Funded for patients:
 - 1) with a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST); and
 - 2) who have immunohistochemical documentation of c-kit (CD117) expression by the tumour.
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

Endocrine Therapy

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

⇒SA0941 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the patient has advanced prostate cancer.

EXEMESTANE

Tab 25 mg175.0	00 30	✓ Aromasin
FLUTAMIDE – Hospital pharmacy [HP3]-Specialist Tab 250 mg48.3	30 100	✓ Flutamin
LETROZOLE		
Tab 2.5 mg - Higher subsidy of \$200.00 per 30 with Special		
Authority see SA0943 below146.4	46 30	
(200.0	00)	Femara

■ SA0943 Special Authority for Alternate Subsidy

Initial application — (New patients) only from a relevant specialist. Approvals valid for 5 years for applications meeting the following criteria:

All of the following:

- 1 Patient is a postmenopausal woman; and
- 2 Patient has hormone receptor positive early breast cancer; and
- 3 Either:
 - 3.1 The patient has a very clear history of intolerance to tamoxifen; or
 - 3.2 The use of tamoxifen is contraindicated due to a history of thromboembolic disease.

Initial application — (Patient has had a Special Authority approval for letrozole prior to 1 December 2008) only from a relevant specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal only from a relevant specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for letrozole prior to 1 December 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone Ministry of Health Sector Services on 0800 243 666 for clarification if needed.

MEGESTROL ACETATE – Retail pharmacy-Specialist Tab 160 mg74.25

OCTREOTIDE (SOMATOSTATIN ANALOGUE) - Special	Authority see SA0563 be	low – Hosp	oital pharmacy [HP3]
Inj 50 μg per ml, 1 ml	25.65	5	✓ Hospira
	43.50		✓ Sandostatin
Inj 100 μg per ml, 1 ml	48.50	5	✓ Hospira
, 101	81.00		✓ Sandostatin
lnj 500 μg per ml, 1 ml	175.00	5	✓ Hospira
, 101	399.00		✓ Sandostatin
LAR 10 mg prefilled syringe	1,772.50	1	Sandostatin LAR
LAR 20 mg prefilled syringe		1	Sandostatin LAR
LAR 30 mg prefilled syringe		1	✓ Sandostatin LAR

⇒SA0563 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Any of the following:

- 1 Both:
 - 1.1 Acromegaly; and
 - 1.2 Patient has failed surgery, radiotherapy, bromocriptine and other oral therapies; or
- 2 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or

continued...

30

' Megace

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- 3 Both:
 - 3.1 Gastrinoma; and
 - 3.2 Either:
 - 3.2.1 Patient has failed surgery: or
 - 3.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or
- 4 Both:
 - 4.1 Insulinomas: and
 - 4.2 Surgery is contraindicated or has failed; or
- 5 For pre-operative control of hypoglycaemia and for maintenance therapy; or
- 6 Both:
 - 6.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
 - 6.2 Disabling symptoms not controlled by maximal medical therapy.

Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

TAMOXIFEN CITRATE

*	Tab 10 mg10.80	100	✓ Genox
*	Tab 20 mg	60	✓ Tamoxifen Sandoz
	11.10	100	✓ Genox

Immunosuppressants

Cytotoxic Immunosuppressants

AZATHIOPRINE - Retail pharm	nacy-Specialist			
* Tab 50 mg		25.00	100	Azamun
-	(34.90)		Imuran
* Inj 50 mg		46.33	1	
	(47.72)		Imuran
MYCODUENOLATE MOEETII	Charial Authority and CA0060 halaw	Hoopital n	hormooy [LID3	1

MYCOPHENOLATE MOFETIL – Special Authority see SA0960 below – Hospital pharmacy [HP3]

Tab 500 mg	206.66	50	Cellcept
Cap 250 mg	206.66	100	Cellcept
Powder for oral lig 1 g per 5 ml – Subsidy by endorse	ment285.00	165 ml OP	✓ Cellcept

Mycophenolate powder for oral liquid is subsidised only for patients unable to swallow tablets and capsules, and when the prescription is endorsed accordingly.

■ SA0960 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Renal transplant recipient; or
- 2 Heart transplant recipient; or
- 3 Liver transplant recipient; or
- 4 Patient has an organ transplant and has severe tophaceous gout making azathioprine unsuitable.

Immune Modulators

ANTITHYMOCYTE GLOBULIN (EQUINE) — PCT only — Sp	pecialist		
Ini 50 mg per ml. 5 ml	2.137.50	5	✓ ATGAM

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
RITUXIMAB - PCT only - Specialist - Special Authority see SA	.0961 below			
Inj 100 mg per 10 ml vial	1,195.00	2	✓ M	abthera
Inj 500 mg per 50 ml vial	2,987.00	1	✓ M	abthera
Inj 1 mg for ECP	6.27	1 mg	✓ Ba	axter

⇒SA0961 | Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 2 To be used for a maximum of 8 treatment cycles.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

Fither:

- 1 Both:
 - 1.1 The patient has indolent low grade NHL with relapsed disease following prior chemotherapy; and
 - 1.2 To be used for a maximum of 4 treatment cycles: or
- 2 Both:
 - 2.1 The patient has indolent, low grade lymphoma requiring first-line systemic chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. Rituximab is not funded for Chronic lymphocytic leukaemia/small lymphocytic lymphoma.

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- 1 The patient has treatment-naive aggressive CD20 positive NHL; and
- 2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 3 To be used for a maximum of 8 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 4 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. Rituximab is not funded for Chronic lymphocytic leukaemia/small lymphocytic lymphoma.

Renewal — (**Post-transplant**) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

ne next page	PCT only – Specialist – Special Authority see SA0885 on the next page	TRASTUZUMAB
1 V Herceptin	1,350.00	Inj 150 mg via
1 V Herceptin	3,875.00 1	Inj 440 mg via
1 mg Saxter	9.36 1 mg	Inj 1 mg for E

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Fer ✓ Manufacturer

■SA0885 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the patient has metastatic breast cancer expressing HER-2 IHC 3+ or FISH.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic breast cancer; and
- 2 The cancer has not progressed.

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or FISH +; and
- 2 Maximum cumulative dose of 20mg/kg (9 weeks treatment)*; and
- 3 Trastuzumab is to be given concurrently with adjuvant taxane chemotherapy*; and
- 4 Trastuzumab is not to be given concurrently with anthracycline chemotherapy.

Notes: indications marked with * are Unapproved Indications.

It is recommended that for early breast cancer trastuzumab be administered concurrently with docetaxel prior to anthracyclines as per the FinHer regimen (Joensuu H, Kellokumpu-Lehtinen P, Bono P, et al. Adjuvant docetaxel or vinorelbine with or without trastuzumab for breast cancer. N Engl J Med 2006;354(8):809-20).

Other Immunosuppressants

CYCLOSPORIN A – Hospital pharmacy [HP3]		
Cap 25 mg85.00	50	✓ Neoral
Cap 50 mg169.34	50	✓ Neoral
Cap 100 mg338.69	50	✓ Neoral
Oral liq 100 mg per ml	50 ml OP	✓ Neoral
SIROLIMUS - Special Authority see SA0866 below - Hospital pharmacy [HP3]		
Tab 1 mg813.00	100	Rapamune
Tab 2 mg	100	✓ Rapamune
Oral liq 1 mg per ml	60 ml OP	✓ Rapamune

■ SA0866 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR<30 ml/min; or
- Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- . HUS or TTP; or
- · Leukoencepthalopathy; or
- Significant malignant disease

TACROLIMUS - Special Authority see S	A0669 below – Hospital pharmacy [HP3]		
Cap 0.5 mg	214.00	100	✓ Prograf
Cap 1 mg	428.00	100	✓ Prograf
Cap 5 mg	1,070.00	50	✓ Prograf

⇒SA0669 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Note: Subsidy applies for either primary or rescue therapy.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Antiallergy Preparations

BEE VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Hospital pharmacy [HP3]

Maintenance kit - 6 vials 120 µg freeze dried venom, 6 diluent

⇒SA0053 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

WASP VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Hospital pharmacy [HP3]

Treatment kit (Paper wasp venom) - 1 vial 550 ug freeze dried

polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml285.00 1 OP ✓ Albay
Treatment kit (Yellow jacket venom) - 1 vial 550 μg freeze

dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml285.00 1 OP ✓ Albay

⇒SA0053 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Antihistamines

AZATADINE MALEATE			
* Tab 1 mg	6.94	50	
	(16.90)		Zadine
(Zadine Tab 1 mg to be delisted 1 February 2010)			
CETIRIZINE HYDROCHLORIDE			
* Tab 10 mg	2.21	100	✓ Zetop
*‡ Oral liq 1 mg per ml	3.50	200 ml	✓ Cetirizine - AFT
CHLORPHENIRAMINE MALEATE			
*‡ Oral liq 2 mg per 5 ml	8.06	500 ml	✓ Histafen
CYPROHEPTADINE HYDROCHLORIDE			
* Tah 4 mg	6 27	100	✓ Periactin

	Subsidy		Fully Brand or
	(Manufacturer's		sidised Generic
	\$	Per	✓ Manufacturer
DEXTROCHLORPHENIRAMINE MALEATE			
* Tab 2 mg	2.02	40	
•	(7.99)		Polaramine
* Tab long-acting 6 mg	5.40	40	
	(12.56)		Polaramine
			Colour-Free
			Repetab
	(12.56)		Polaramine Repetab
*‡ Oral liq 2 mg per 5 ml	1.77	100 ml	
	(10.29)		Polaramine
(Polaramine Repetab Tab long-acting 6 mg to be delisted 1 January	ary 2010)		
FEXOFENADINE HYDROCHLORIDE			
* Tab 60 mg	4.34	20	
	(11.53)		Telfast
* Tab 120 mg	14.22	30	
	(29.81)		Telfast
LORATADINE			
* Tab 10 mg	3.58	100	✓ Loraclear Hayfever
•			Relief
* Oral liq 1 mg per ml	3.65	100 ml	✓ Lorapaed
PROMETHAZINE HYDROCHLORIDE			
* Tab 10 mg	2.72	50	✓ Allersoothe
* Tab 25 mg	4.44	50	✓ Allersoothe
*‡ Oral liq 5 mg per 5 ml	3.53	100 ml	<u> </u>
	(8.51)		Phenergan
* Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO	11.00	5	✓ Mayne
TRIMEPRAZINE TARTRATE			
‡ Oral liq 30 mg per 5 ml	2.79	100 ml OP	
	(8.06)		Vallergan Forte
Inhaled Corticosteroids			
initialed Corticosteroids			
BECLOMETHASONE DIPROPIONATE			
Aerosol inhaler, 100 μg per dose CFC-free	12.50	200 dose OP	✓ Beclazone 100
Aerosol inhaler, 250 µg per dose CFC-free	22.67	200 dose OP	✓ Beclazone 250
Aerosol inhaler, 50 µg per dose CFC-free	8.54	200 dose OP	✓ Beclazone 50
Aerosol inhaler, 50 µg per dose	8.54	200 dose OP	✓ Beclazone 50
Aerosol inhaler, 100 μg per dose	12.50	200 dose OP	✓ Beclazone 100
Aerosol inhaler, 250 µg per dose		200 dose OP	✓ Beclazone 250
(Beclazone 50 Aerosol inhaler, 50 μg per dose to be delisted 1 Fo			
(Beclazone 100 Aerosol inhaler, 100 µg per dose to be delisted 1	,	,	
(Beclazone 250 Aerosol inhaler, 250 μg per dose to be delisted 1	February 2010)	
BUDESONIDE			
Powder for inhalation, 100 µg per dose	17.00	200 dose OP	✓ Pulmicort
			Turbuhaler
Powder for inhalation, 200 µg per dose	19.00	200 dose OP	✓ Pulmicort
			Turbuhaler
Powder for inhalation, 400 µg per dose	32.00	200 dose OP	✓ Pulmicort
			Turbuhaler

	Subsidy (Manufacturer's \$	Price) Subs	Fully sidised	Brand or Generic Manufacturer
FLUTICASONE				
Aerosol inhaler, 50 µg per dose CFC-free	7.50	120 dose OP	✓ F	lixotide
Powder for inhalation, 50 µg per dose	5.10	60 dose OP		
	(8.67)		F	lixotide Accuhaler
Powder for inhalation, 100 µg per dose	7.50	60 dose OP		
	(13.87)		F	lixotide Accuhaler
Aerosol inhaler, 125 μg per dose CFC-free	13.60	120 dose OP	✓ F	lixotide
Aerosol inhaler, 250 μg per dose CFC-free	27.20	120 dose OP	✓ F	lixotide
Powder for inhalation, 250 µg per dose	13.60	60 dose OP		
	(24.51)		F	lixotide Accuhaler

Inhaled Long-acting Beta-adrenoceptor Agonists

Prescribing Guideline for Inhaled Long-Acting Beta-Adrenoceptor Agonists

The addition of inhaled long-acting beta-adrenoceptor agonists (LABAs) to inhaled corticosteroids is recommended:

- For younger children (aged under 12 years) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 200 µg beclomethasone or budesonide (or 100 µg fluticasone).
- For adults and older children (aged 12 years and over) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 400 μg beclomethasone or budesonide (or 200 μg fluticasone).

Note:

Further information on the place of inhaled corticosteroids and inhaled LABAs in the management of asthma can be found in the New Zealand guidelines for asthma in adults (www.nzgg.org.nz) and in the New Zealand guidelines for asthma in children aged 1-15 (www.paediatrics.org.nz).

EFORMOTEROL FUMARATE – See prescribing guideline above Powder for inhalation, 6 μg per dose, breath activated	60 dose OP 60 dose	✓ Oxis Turbuhaler✓ Foradil
SALMETEROL – See prescribing guideline above Aerosol inhaler CFC-free, 25 µg per dose		✓ Serevent ✓ Serevent Accuhaler

Inhaled Corticosteroids with Long-Acting Beta-Adrenoceptor Agonists

■SA0958 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 Patient is a child under the age of 12; and
 - 1.2 All of the following:

Has, for 3 months of more, been treated with:

- 1.2.1 An inhaled long-acting beta adrenoceptor agonist; and
- 1.2.2 Inhaled corticosteroids at a dose of at least 400 μg per day beclomethasone or budesonide, or 200 μg per day fluticasone; and
- 1.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product; or
- 2 All of the following:
 - 2.1 Patient is over the age of 12; and
 - 2.2 All of the following:

Has, for 3 months of more, been treated with:

2.2.1 An inhaled long-acting beta adrenoceptor agonist; and

continued...

	Subsidy (Manufacturer's \$		Fully sidised	Brand or Generic Manufacturer
continued				
2.2.2 Inhaled corticosteroids at a dose of at least	800 µg per day l	beclomethasone	or bude	esonide, or 500 µg per day
fluticasone; and 2.3 The prescriber considers that the patient would re	accivo additiona	al olinical bonofit	from o	witching to a combination
product.	sceive additions	ii ciiilicai bellelli	110111 5	witching to a combination
Renewal from any relevant practitioner. Approvals valid for 2 y benefiting from treatment.	ears where the	treatment remain	ns app	ropriate and the patient is
BUDESONIDE WITH EFORMOTEROL - Special Authority see	SA0958 on the	preceding page -	- Retail	pharmacy
Aerosol inhaler 100 μg with eformoterol fumarate 6 μg		120 dose OP		annair
Powder for inhalation 100 μg with eformoterol fumarate 6 μg	55.00	120 dose OP		ymbicort Turbuhaler 100/6
Aerosol inhaler 200 μg with eformoterol fumarate 6 μg		120 dose OP		annair
Powder for inhalation 200 μg with eformoterol fumarate 6 μg	60.00	120 dose OP	✓ S	ymbicort Turbuhaler 200/6
Powder for inhalation 400 μg with eformoterol fumarate 12 μ				
- No more than 2 dose per day	60.00	60 dose OP	✓ S	ymbicort Turbuhaler 400/12
FLUTICASONE WITH SALMETEROL - Special Authority see S	A0958 on the p	receding page -	Retail p	oharmacy
Aerosol inhaler 50 μg with salmeterol 25 μg		120 dose OP		eretide
Aerosol inhaler 125 μg with salmeterol 25 μg		120 dose OP	✓ S	eretide
Powder for inhalation 100 μg with salmeterol 50 μg – No more		00 de e OD		anaklala Alandadan
than 2 dose per day		60 dose OP	V 5	eretide Accuhaler
Powder for inhalation 250 µg with salmeterol 50 µg – No more than 2 dose per day		60 dose OP	✓ S	eretide Accuhaler
Beta-Adrenoceptor Agonists		00 0000 0.		
Beta-Adrenoceptor Agomsts				
SALBUTAMOL				
‡ Oral liq 2 mg per 5 ml		150 ml	✓ S	<u>alapin</u>
Infusion 1 mg per ml, 5 ml		10	1/	antalin
Inj 500 μg per ml, 1 ml - Up to 5 inj available on a PSO	(130.21) 12.90	5	-	entolin entolin
	12.00	3	• •	CITOMI
Inhaled Beta-Adrenoceptor Agonists				
SALBUTAMOL				
Aerosol inhaler, 100 µg per dose CFC free — Up to 1000 dose available on a PSO		200 dose OP		espigen
				alamol
	(6.00)		Ve	entolin
Nebuliser soln, 1 mg per ml, 2.5 ml – Up to 30 neb available on a PSO	3.52	20	✓ <u>A</u>	<u>sthalin</u>
Nebuliser soln, 2 mg per ml, 2.5 ml – Up to 30 neb available on a PSO		20	✓ <u>A</u>	<u>sthalin</u>
TERBUTALINE SULPHATE				
Powder for inhalation, 250 µg per dose, breath activated	18.20	200 dose OP	✓ B	ricanyl Turbuhaler

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

Inhaled Anticholinergic agents

IPRATROPIUM BROMIDE			
Aerosol inhaler, 20 μg per dose CFC-free	16.20	200 dose OP	✓ Atrovent
Nebuliser soln, 250 μg per ml, 1 ml – Up to 40 neb available			
on a PSO	4.30	20	Ipratropium
			Steri-Neb
Nebuliser soln, 250 μg per ml, 2 ml – Up to 40 neb available			_
on a PSO	5.25	20	Ipratropium
			Steri-Neb
TIOTROPIUM BROMIDE - Special Authority see SA0872 below -	Retail pharma	су	
Powder for inhalation, 18 µg per dose	70.00	30 dose	Spiriva

▶SA0872 Special Authority for Subsidy

Initial application only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialled a dose of at least 40 µg ipratropium g.i.d for one month; and
- 3 Any of the following:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- 3.1 Grade 4 (stops for breath after walking about 100 meters or after a few minutes on the level); or
- 3.2 Grade 5 (too breathless to leave the house, or breathless when dressing or undressing); and
- 4 Actual FEV₁ (litres) < 0.6 × predicted (litres); and
- 5 Either:
 - 5.1 Patient is not a smoker (for reporting purposes only); or
 - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined); and
- 3 Applicant must state recent measurement of FEV₁ (% of predicted).

Inhaled Beta-Adrenoceptor Agonists with Anticholinergic Agents

		(20.07)		Tilade
SOE	DIUM CROMOGLYCATE			
	Powder for inhalation, 20 mg per dose	16.31	50 dose	
	•	(17.94)		Intal Spincaps
	Aerosol inhaler, 5 mg per dose CFC-free	23.20	112 dose OP	
		(28.07)		Vicrom

	Subsidy (Manufacturer's Pric \$	ce) S Per	Fully ubsidised	Brand or Generic Manufacturer	
Methylxanthines					
AMINOPHYLLINE * Inj 25 mg per ml, 10 ml – Up to 5 inj available on THEOPHYLLINE	a PSO12.84	5	✓ M	layne	
* Tab long-acting 250 mg* † Oral liq 80 mg per 15 ml		100 500 ml	•	uelin-SR uelin	
Cystic Fibrosis					
DORNASE ALFA - Special Authority see SA0611 be Nebuliser soln, 2.5 mg per 2.5 ml ampoule		6	√ P	ulmozyme	
■ SA0611 Special Authority for Subsidy Special Authority approved by the Cystic Fibrosis Adv Notes: Application details may be obtained from PHAI		narmac.gov	vt.nz or:		
The Co-ordinator, Cystic Fibrosis Advisory Panel PHARMAC, PO Box 10 254 Wellington	Phone: (04) 460 4990 Facsimile: (04) 916 7571 Email: CFPanel@pharmac.g	jovt.nz			
Prescriptions for patients approved for treatment mus and expertise in treating cystic fibrosis.			paediatric	ians who have exp	perien
Nasal Preparations					

Allergy Prophylactics

BECLOMETHASONE DIPROPIONATE		
Metered aqueous nasal spray, 50 µg per dose2.35	200 dose OP	✓ Alanase
Metered aqueous nasal spray, 100 µg per dose2.46	200 dose OP	✓ Alanase
BUDESONIDE		
Metered aqueous nasal spray, 50 μg per dose2.35	200 dose OP	
(4.00)		Butacort Aqueous
Metered aqueous nasal spray, 100 µg per dose2.61	200 dose OP	
(4.81)		Butacort Aqueous
IPRATROPIUM BROMIDE		
Aqueous nasal spray, 0.03%12.66	30 ml OP	✓ Apo-Ipravent
SODIUM CROMOGLYCATE		
Nasal spray, 4%15.85	22 ml OP	✓ Rex

Per Manufacturer \$ **Respiratory Devices** MASK FOR SPACER DEVICE a) Maximum of 20 dev per WSO b) Only on a WSO c) 1) Only available for children aged six years and under. 2) For Space Chamber and Foremount Child's Silicone Mask wholesale supply order must indicate clearly if either the spacer device, the mask, or both are required. 3) Distributed by Airflow Products. Forward orders to: Airflow Products Telephone: 04 499 1240 or 0800 AIR FLOW PO Box 1485, Wellington Facsimile: 04 499 1245 or 0800 323 270 1 ✔ Foremount Child's Silicone Mask PEAK FLOW METER a) Maximum of 10 dev per WSO b) Only on a WSO ✓ Breath-Alert **Breath-Alert** SPACER DEVICE a) Maximum of 20 dev per WSO b) Only on a WSO c) 1) For Space Chamber and Foremount Child's Silicone Mask wholesale supply order must indicate clearly if either the spacer device, the mask, or both are required. Space Chamber distributed by Airflow Products. Forward orders to: Airflow Products - PO Box 1485, Wellington Telephone: 04 499 1240 or 0800 AIR FLOW, Facsimile: 04 499 1245 or 0800 323 270 Volumatic Distributed by GlaxoSmithKline. Forward orders to: Telephone: 0800 877 789 Facsimile: 0800 877 785 ✓ Space Chamber Available where the prescriber requires a spacer device that is capable of sterilisation in an autoclave and the WSO is endorsed accoringly.

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

1

✓ <u>Space Chamber</u>
✓ Volumatic

800 ml8.50

	Subsidy		Fully Brand or
	(Manufacturer's	Price) Sub	sidised Generic
	\$	Per	✓ Manufacturer
Ear Preparations			
ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BE	NZETHONILIM		
For Vosol ear drops with hydrocortisone powder refer, page			
, , , , , , , , , , , , , , , , , , , ,			
Ear drops 2% with 1, 2-Propanediol diacetate 3% and		05 00	. A Manada
benzethonium chloride 0.02 %	6.97	35 ml OP	✓ Vosol
CHLORAMPHENICOL			
Ear drops 0.5%	1.87	5 ml OP	✓ Chloromycetin
'			, , , , , , , , , , , , , , , , , , , ,
FLUMETASONE PIVALATE			4
Ear drops 0.02% with clioquinol 1%	4.46	7.5 ml OP	✓ Locorten-Vioform
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYC	IN AND NYSTAT	IN	
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate			
		7.5 ml OP	✓ Kenacomb
2.5 mg and gramicidin 250 μg per g	ა.აა	7.5 IIII OP	₩ Keliacollin
Ear/Eye Preparations			
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN			
Ear/Eye drops 500 μg with framycetin sulphate 5 mg and	b		
gramicidin 50 µg per ml	4.50	8 ml OP	
	(9.27)		Sofradex
ED ALOVOETINI OLII BULATE	()		
FRAMYCETIN SULPHATE			
Ear/Eye drops 0.5%		8 ml OP	
	(8.65)		Soframycin
Eye Preparations			
Lye Freparations			
Anti-Infective Preparations			
Anti-infective r reparations			
ACICLOVIR			
* Eye oint 3%	37.53	4.5 g OP	✓ Zovirax
•		9 -	
CHLORAMPHENICOL	0.07	4 00	4011
Eye oint 1%		4 g OP	✓ <u>Chlorsig</u>
Eye drops 0.5%	1.40	10 ml OP	✓ Chlorsig
CIPROFLOXACIN			
Eye Drops 0.3%	12 43	5 ml OP	✓ Ciloxan
· · · ·			
For treatment of bacterial keratitis or severe bacterial conj	uncuvius iesislai	ii io oniorampii	CHICOL.
FUSIDIC ACID			
Eye drops 1%	4.50	5 g OP	
	(10.68)		Fucithalmic
GENTAMICIN SULPHATE			
	11.40	5 ml OD	4/ Conontio
Eye drops 0.3%	11.40	5 ml OP	✓ Genoptic
PROPAMIDINE ISETHIONATE			
* Eye drops 0.1 %	2.97	10 ml OP	
. ,	(7.99)		Brolene
OUR BUILDOFTAMIDE CODUINA	()		
SULPHACETAMIDE SODIUM			4
* Eye drops 10%	4.41	15 ml OP	✓ Bleph 10
TOBRAMYCIN			
Eye oint 0.3%	10.45	3.5 g OP	✓ Tobrex
		-	✓ Tobrex
Eye drops 0.3%	11.40	5 ml OP	₩ IODICX

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Generic Price Per

Nanufacturer

Corticosteroids and Other Anti-Inflammatory Preparations		
DEXAMETHASONE		
* Eye oint 0.1%	3.5 g OP	✓ Maxidex
* Eye drops 0.1 %	5 ml OP	✓ Maxidex
DEXAMETHASONE WITH NEOMYCIN AND POLYMYXIN B SULPHATE		
* Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin		
B sulphate 6,000 u per g5.39	3.5 g OP	✓ Maxitrol
* Eye drops 0.1% with neomycin sulphate 0.35% and polymy-		4
xin B sulphate 6,000 u per ml4.50	5 ml OP	✓ Maxitrol
DICLOFENAC SODIUM		
* Eye drops 1 mg per ml	5 ml OP	✓ Voltaren Ophtha
FLUOROMETHOLONE		
* Eye drops 0.1%4.05	5 ml OP	✓ FML
(4.30) (Flucon Eye drops 0.1% to be delisted 1 December 2009)		Flucon
LEVOCABASTINE Eye drops 0.5 mg per ml8.71	4 ml OP	
(10.34)	4 IIII OF	Livostin
		Livodiii
LODOXAMIDE TROMETAMOL Eye drops 0.1%8.71	10 ml OP	✓ Lomide
PREDNISOLONE ACETATE	10 1111 01	Lonnide
* Eye drops 0.12%	5 ml OP	
(7.53)	31111 01	Pred Mild
* Eye drops 1%	5 ml OP	
(9.44)		Pred Forte
SODIUM CROMOGLYCATE		
Eye drops 2%	10 ml OP	✓ Cromolux
Glaucoma Preparations - Beta Blockers		
BETAXOLOL HYDROCHLORIDE		
* Eye drops 0.25%11.80	5 ml OP	✓ Betoptic S
* Eye drops 0.5%	5 ml OP	✓ Betoptic
LEVOBUNOLOL		
* Eye drops 0.25%7.00	5 ml OP	✓ Betagan
* Eye drops 0.5 %7.00	5 ml OP	✓ Betagan
TIMOLOL MALEATE		
* Eye drops 0.25%	5 ml OP	✓ Apo-Timop
* Eye drops 0.25%, gel forming	2.5 ml OP	✓ Timoptol XE
* Eye drops 0.5%	5 ml OP	Apo-Timop Timoptol VE
* Eye drops 0.5%, gel forming	2.5 ml OP	✓ Timoptol XE

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

Glaucoma Preparations - Carbonic Anhydrase Inhibitors

Prescribing Guidelines

Trusopt, Cosopt and Azopt are subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma. Trusopt, Cosopt and Azopt should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- 1) that person has previously trialled all other such subsidised agents (except brimonidine tartrate); and
- 2) those trials have indicated that that person does not respond adequately to treatment with those other agents.

ACFTAZOLAMIDE

* Tab 250 mg	.10.40	100	✓ Diamox
BRINZOLAMIDE A Eye Drops 1%	9.77	5 ml OP	✓ Azopt
DORZOLAMIDE HYDROCHLORIDE * Eye drops 2%		5 ml OP	·
, ,	(13.95)	31111 01	Trusopt
DORZOLAMIDE HYDROCHLORIDE WITH TIMOLOL MALEATE * Eye drops 2% with timolol maleate 0.5%	.15.50	5 ml OP	✓ Cosopt

Glaucoma Preparations - Prostaglandin Analogues

Prescribing Guideline

Bimatoprost, lantanoprost and travoprost are subsidised for use in the treatment of glaucoma as either monotherapy or as an adjunctive agent for patients in whom prostaglandin analogue monotherapy has been ineffective in controlling intraocular pressure. Bimatoprost, lantanoprost and travoprost should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- That person has previously trialled all other such subsidised agents (beta-blockers, pilocarpine, carbonic anhydrase inhibitors); and
- 2) Those trials have indicated that that person does not respond adequately to treatment with those other agents.

BIMATOPROST - Retail pharmacy-Specialist

•	See prescribing guideline above Eye Drops 0.03%	19.50	3 ml OP	✓ Lumigan
	ANOPROST – Retail pharmacy-Specialist See prescribing guideline above			
	Eye drops 50 μg per ml, 2.5ml	9.75 19.50	2.5 ml OP	✓ Hysite✓ Xalatan
	AVOPROST – Retail pharmacy-Specialist See prescribing guideline above			
	Eye drops 0.004%	19.50	2.5 ml OP	✓ Travatan

Glaucoma Preparations - Other

BRIMONIDINE TARTRATE

Prescribing Guidelines

Brimonidine tartrate is subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma. Brimonidine tartrate should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- that person has previously trialled all other such subsidised agents (except dorzolamide hydrochloride); and
- those trials have indicated that that person does not respond adequately to or does not tolerate treatment with those other agents.

SENSORY ORGANS

	Subsidy (Manufacturer's \$	Price) Sul Per	Fully Brand or bsidised Generic Manufacturer
BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE A Eye drops 0.2% with timolol maleate 0.5%	18.50	5 ml OP	✓ Combigan
Prescribing Guidelines Combigan is subsidised for use as either monotherapy or as an Combigan should only be prescribed when: 1) less expensive first line agents for the treatment of glaud 2) the response to such subsidised agents is inadequate; of 3) the patient cannot tolerate such subsidised agents.	coma are contraind		nt of glaucoma.
PILOCARPINE			
* Eye drops 0.5%		15 ml OP	✓ Pilopt
* Eye drops 1%		15 ml OP	Pilopt
. =	4.26		✓ Isopto Carpine S29
* Eye drops 2%		15 ml OP	Pilopt
Mr. For door 40/	5.35	45 OD	✓ Isopto Carpine S29
* Eye drops 4%	5.57 7.99	15 ml OP	Pilopt
* Evo dropp 60/		15 ml OP	✓ Isopto Carpine S29 ✓ Pilopt
* Eye drops 6%		15 1111 0F	Pilopt
* Eye drops 2% single dose – Special Authority see SA08		20 dose	
below – Hospital pharmacy [HP3]	(32.72)	20 uose	Minims
(Pilopt Eye drops 0.5% to be delisted 1 December 2009)	(32.72)		WIIIIIIII
(Pilopt Eye drops 1% to be delisted 1 March 2010)			
(Pilopt Eye drops 2% to be delisted 1 January 2010)			

⇒SA0895 Special Authority for Subsidy

(Pilopt Eye drops 4% to be delisted 1 April 2010) (Pilopt Eye drops 6% to be delisted 1 February 2010)

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Mydriatics and Cycloplegics

ATROPINE SULPHATE * Eye drops 1%	15 ml OP	✓ Atropt
CYCLOPENTOLATE HYDROCHLORIDE * Eye drops 1%	15 ml OP	✓ Cyclogyl
HOMATROPINE HYDROBROMIDE * Eye drops 2%	15 ml OP	✓ Isopto Homatropine
TROPICAMIDE * Eye drops 0.5%	15 ml OP 15 ml OP	✓ Mydriacyl✓ Mydriacyl

	Subsidy (Manufacturer's F \$	Price) Sub Per	Fully Brand or sidised Generic Manufacturer	
Preparations for Tear Deficiency				
For acetylcysteine eye drops refer, page 165				
HYPROMELLOSE				
* Eye drops 0.3%		15 ml OP	✓ Poly-Tears	
* Eye drops 0.5%	2.00	15 ml OP	✓ <u>Methopt</u>	
POLYVINYL ALCOHOL	0.60	15 ml OP	A Mintil	
* Eye drops 1.4% * Eye drops 3%		15 ml OP	✓ <u>Vistil</u> ✓ Vistil Forte	
TYLOXAPOL		10 1111 01	VIOLIT OILO	
* Eye drops 0.25%	8.63	15 ml OP	✓ Enuclene	
Other Eye Preparations				
NAPHAZOLINE HYDROCHLORIDE				
* Eye drops 0.1%	4.15	15 ml OP	Naphcon Forte	
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN				
* Eye oint with soft white paraffin	3.63	3.5 g OP	✓ <u>Lacri-Lube</u>	
PARAFFIN LIQUID WITH WOOL FAT LIQUID				
* Eye oint 3% with wool fat liq 3%	3.63	3.5 g OP	✓ Poly-Visc	
PHENYLEPHRINE HYDROCHLORIDE		45 100	45.41	
* Eye drops 0.12%	4.47	15 ml OP	✓ <u>Prefrin</u>	
PHENYLEPHRINE HYDROCHLORIDE WITH ZINC SULPHATE	4.54	45 ml OD	. / Time afaire	
* Eye drops 0.12% with zinc sulphate 0.25%	4.51	15 ml OP	✓ Zincfrin	



Per Manufacturer \$ Agents Used in the Treatment of Poisonings See also to MUSCULOSKELETAL, Anticholinesterases, page 100 CHARCOAL * Tab 300 mg7.13 100 ✔ Red Seal 250 ml OP Carbosorb-X a) Up to 250 ml available on a PSO b) Only on a PSO DESFERRIOXAMINE MESYLATE - Hospital pharmacy [HP3] 10 ✓ Mayne **IPECACUANHA** 500 ml (43.40)**PSM** NALOXONE HYDROCHLORIDE a) Up to 5 inj available on a PSO b) Only on a PSO * Inj 400 μg per ml, 1 ml33.00 5 ✓ Mayne SODIUM CALCIUM EDETATE * Inj 200 mg per ml, 5 ml53.31 6 Calcium Disodium (156.71)Versenate **Detection of Substances in Urine** ORTHO-TOLIDINE 50 test OP (8.25)Hemastix **TETRABROMOPHENOL**

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

100 test OP

Albustix

(13.92)

INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
 - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
 - b) Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-specialist).
 - c) Menthol crystals only in the following bases:

Aqueous cream

Urea cream 10%

Wool fat with mineral oil lotion

Hydrocortisone 1% with wool fat and mineral oil lotion

Glycerol, paraffin and cetyl alcohol lotion.

Glossary

Dermatological base: The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Glycerol with paraffin and cetyl alcohol lotion
- Hvdrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Oily cream
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- Zinc cream BP
- . Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

Dermatological galenical: Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution BP up to 10%
- Hydrocortisone powder up to 5%
- Salicylic acid powder
- Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

Explanatory notes

Oral liquid mixtures

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form qs
Preservative qs
Suspending agent qs
Water to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent. Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

The following practices will not be subsidised:

- Mixing one or more proprietary oral liquids (eg an antihistamine with pholoodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

Dermatological Preparations

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 162) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).


One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on page 164 may assist you in deciding whether or not a dermatological ECP is subsidised.

Dermatological ECPs

Is it subsidised?



EXTEMPORANEOUSLY COMPOUNDED PRODUCTS & GALENICALS

Standard Formulae METHYL HYDROXYBENZOATE 10% SOLUTION ACETYLCYSTEINE EYE DROPS Methyl hydroxybenzoate Acetylcysteine inj 200 mg per ml, 10 ml gs Propylene glycol to 100 ml Suitable eve drop base (Use 1 ml of the 10% solution per 100 ml of oral liquid mixture) ASPIRIN AND CHLOROFORM APPLICATION Aspirin Soluble tabs 300 mg 12 tabs OMEPRAZOLE SUSPENSION Chloroform to 100 ml Omeprazole capules as CODEINE LINCTUS PAEDIATRIC (3 mg per 5 ml) Sodium bicarbonate powder BP 8.4 q Codeine phosphate 60 mg Water to 100 ml Glycerol 40 ml Preservative PHENOBARBITONE ORAL LIQUID as Water to 100 ml Phenobarbitone Sodium 1 a Glycerol BP 70 ml CODEINE LINCTUS DIABETIC (15 mg per 5 ml) Water to 100 ml Codeine phosphate 300 mg Glycerol 40 ml PILOCARPINE ORAL LIQUID Preservative as Pilocarpine 4% eye drops qs Water to 100 ml Preservative as **FOLINIC MOUTHWASH** Water to 500 ml Calcium folinate 15 mg tab (Preservative should be used if quantity supplied is for 1 tab more than 5 days.) Preservative as Water to 500 ml SALIVA SUBSTITUTE FORMULA (Preservative should be used if quantity supplied is for Methylcellulose 5 g more than 5 days. Maximum 500 ml per prescription.) Preservative qs MAGNESIUM HYDROXIDE MIXTURE Water to 500 ml Magnesium hydroxide paste 275 g (Preservative should be used if quantity supplied is for more Methyl hydroxybenzoate 1.5 g than 5 days. Maximum 500 ml per prescription.) Water 770 ml VOSOL EAR DROPS METHADONE MIXTURE WITH HYDROCORTISONE POWDER 1% Methadone powder qs

qs

to 100 ml

Hydrocortisone powder

Vosol Ear Drops

1%

to 35 ml

Glycerol

Water

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
Per ✔ Manufacturer

Extemporaneously Compounded Preparations	and Galenica	ıls	
	ana dalemea		
ACETYLCYSTEINE – Hospital pharmacy [HP1]-Specialist Inj 200 mg per ml, 10 ml	137.06	10	
ing 200 mg per mi, 10 mi	(219.75)	10	Martindale
	(=:::::)		Acetylcysteine
	(255.35)		Hospira
BENZOIN			
Tincture compound BP	24.42	500 ml	
	(38.00)		PSM
CHLOROFORM - Only in combination			
Only in aspirin and chloroform application.	05.50	500 I	4 2011
Chloroform BP	25.50	500 ml	✓ PSM
CODEINE PHOSPHATE	00.00	05	
Powder - Only in combination	(90.09)	25 g	Douglas
a) Only in extemporaneously compounded codeine linct	, ,	ine linctus na	
b) ‡ Safety cap for extemporaneously compounded oral			odd i i o
COLLODION FLEXIBLE			
Collodion flexible	19.30	100 ml	✓ PSM
COMPOUND HYDROXYBENZOATE - Only in combination			
Only in extemporaneously compounded oral mixtures.			
Soln	34.18	100 ml	David Craig
GLYCEROL			
* Liquid – Only in combination		2,000 ml	✓ ABM
	24.75		✓ PSM
	19.80 (24.75)		MidWest
Only in extemporaneously compounded oral liquid prepa			Midvicot
MAGNESIUM HYDROXIDE			
Paste	22.61	500 g	✓ PSM
METHADONE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Extemporaneously compounded methadone will only be	reimbursed at the	rate of the ch	eapest form available (methadone
powder, not methadone tablets). Powder	7 9/	1 g	✓ AFT
‡ Safety cap for extemporaneously compounded oral liqu		ı y	₩ AFI
METHYL HYDROXYBENZOATE	ara proparationo.		
Powder	10.00	25 g	✓ ABM
	(18.45)	J	PSM
METHYLCELLULOSE			
Powder	14.00	100 g	✓ ABM
	(17.72)		MidWest

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy (Manufacturer's F \$	Price) Su Per	Fully	Brand or Generic Manufacturer
	Ψ	rei		Manuacturer
PHENOBARBITONE SODIUM				
Powder – Only in combination	52.50	10 g	✓ M	lidWest
	325.00	100 g	✓ M	lidWest
a) Only in children up to 12 years				
b) ‡ Safety cap for extemporaneously compounded oral li	quid preparations			
PROPYLENE GLYCOL				
Only in extemporaneously compounded methyl hydroxybenz	oate 10% solution	n		
Liq		500 ml	✓ A	RM
Liq	17.70	000 1111	✓ P:	
	17.70		• 1	OW
SODIUM BICARBONATE				
Powder BP - Only in combination		500 g	✓ A	
	(11.99)		Bi	iomed
	(29.50)		D	avid Craig
Only in extemporaneously compounded omeprazole susp	ension.			
SYRUP (PHARMACEUTICAL GRADE) - Only in combination				
Only in extemporaneously compounded oral liquid preparation	ons.			
Lig		2.000 ml	✓ M	lidwest
WATER		,	_	
	0.00	1 ml	./ T	an water
Tap - Only in combination	0.00	1 ml	V 18	ap water

EXPLANATORY NOTES

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

Eligibility for Special Authority

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

Who can apply for Special Authority?

Initial Applications: Only Specialists

Reapplications: Specialist or general practitioner on recommendation of specialist. Reapplica-

tions by general practitioners on specialist recommendation must include the

name of the specialist and the date the specialist was contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. A supporting letter may be included if desired. Applications must be forwarded to:

Ministry of Health Sector Services

Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

Definitions

Failure to thrive

An inability to gain or maintain weight resulting in physiological impairment.

Growth deficiency

Where the weight of the child is less than the fifth or possibly third percentile for

their age, with evidence of malnutrition

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

Nutrient Modules

Carbohydrate

⇒SA0912 Special Authority for Subsidy

Initial application — (Cystic fibrosis or renal failure) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Either:

- 1 cystic fibrosis; or
- 2 chronic renal failure or continuous ambulatory peritoneal dialysis (CAPD) patient.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children; or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 failure to thrive; or
- 4 growth deficiency; or
- 5 bronchopulmonary dysplasia; or
- 6 premature and post premature infant; or
- 7 inborn errors of metabolism.

Renewal — (Cystic fibrosis or renal failure) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

CARBOHYDRATE SUPPLEMENT - Special Authority see SA0912 above - Hospital pharmacy [HP3]

Powder	36.50	5,000 g	Morrex Maltodextrin
	1.30	400 g OP	
	(5.29)		Polycal
(12.00)	368 g OP	Moducal

Carbohydrate And Fat

■ SA0581 | Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 infant aged four years or under; and
- 2 cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 infant aged four years or under; and
- 2 Any of the following:
 - 2.1 cancer in children; or

continued...

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 2.2 failure to thrive; or
- 2.3 growth deficiency; or
- 2.4 bronchopulmonary dysplasia; or
- 2.5 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Fat

⇒SA0899 Special Authority for Subsidy

Initial application — (Inborn errors of metabolism) only from a relevant specialist. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 failure to thrive where other high calorie products are inappropriate or inadequate; or
- 2 growth deficiency: or
- 3 bronchopulmonary dysplasia; or
- 4 fat malabsorption; or
- 5 lymphangiectasia; or
- 6 short bowel syndrome; or
- 7 infants with necrotising enterocolitis: or
- 8 biliary atresia.

Renewal — (Inborn errors of metabolism) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

FAT SUPPLEMENT – Special Authority see SA0899 above – Hospital pharmacy [HP3]

Emulsion (neutral)	12.30	200 ml OP	✓ Calogen
	30.75	500 ml OP	✓ Calogen
Emulsion (strawberry)	12.30	200 ml OP	✓ Calogen
Oil	28.73	250 ml OP	✓ Liquigen
	30.00	500 ml OP	✓ MCT oil (Nutricia)

Subsidy Fully Brand or (Manufacturer's Price) Generic Subsidised Per Manufacturer \$

Protein

⇒SA0582 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 protein losing enteropathy; or
- 2 high protein needs (eg burns).

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

PROTEIN SUPPLEMENT - Special Authority see SA0582 above	e – Hospital phar	macy [HP3]	
Powder	7.90	225 g OP	Protifar
Powder (vanilla)	12 90	275 a OP	✓ Promod

Oral Supplements

These products are to be used only as supplements to a person's dietary needs. Subsidy for up to 500 ml a day. Amounts prescribed in excess of this amount must be paid for by the patient.

⇒SA0583 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years where the patient has cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children; or
- 2 inflammatory bowel disease: or
- 3 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or 4 malnutrition requiring nutritional support.

Renewal — (Cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

- Both:
 - 1 The treatment remains appropriate and the patient is benefiting from treatment; and
 - 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

ORAL SUPPLEMENT 1KCAL/ML - Special Authority see SA0583 above - Hospital pharmacy [HP3]

Powder (chocolate)	9.22	900 g OP	Sustagen Hospital Formula
	4.75	400 g OP	
	(7.22)		Ensure
Powder (strawberry) .	4.75	400 g OP	
	(7.22)		Ensure
Powder (vanilla)	9.22	900 g OP	Sustagen Hospital Formula
	4.75	400 g OP	
	(7.22)	_	Ensure

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

Respiratory Products

▶SA0588 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

- 1 CORD patients who have hypercapnia; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

Diabetic Products

⇒SA0594 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Type I and II diabetics who require nutritional supplementation; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML - Special Authority se Liquid			
ORAL FEED 1KCAL/ML - Special Authority see SA0594 abov	e – Hospital pharn	nacy [HP3]	
Liquid (strawberry)	1.50	200 ml OP	✓ Diasip
	1.78	237 ml OP	Resource Diabetic
Liquid (vanilla)	1.50	200 ml OP	✓ Diasip

237 ml OP

250 ml OP

Resource Diabetic

Glucerna Select

1.78

1.88

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Fat Modified Products

⇒SA0615 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The product is to be used as a complete diet; and
- 2 Either:
 - 2.1 Patient has metabolic disorders of fat metabolism; or
 - 2.2 Patient has chylothorax.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

FAT MODIFIED FEED - Special Authority see SA0615 above - Hospital pharmacy [HP3]

High Protein Products

■SA0589 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Anorexia and weight loss: and
- 2 Either:
 - 2.1 decompensating liver disease without encephalopathy; or
 - 2.2 protein losing gastro-enteropathy; and
- 3 Either:
 - 3.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 3.2 The product is to be used as a complete diet.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Fither:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

ORAL FEED 1KCAL/ML - Special Authority see SA0589 above - Hospital pharmacy [HP3]

Paediatric Products For Children Awaiting Liver Transplant

⇒SA0607 | Special Authority for Subsidy

Initial application only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria:

- 1 Child (up to 18 years) who is awaiting liver transplant; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet.

Renewal only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria: Both:

continued...

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised

Brand or Generic Manufacturer

continued...

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA0607 on the preceding page - Hospital pharmacy [HP3]

Paediatric Products For Children With Chronic Renal Failure

⇒SA0606 Special Authority for Subsidy

Initial application only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 child (up to 18 years) with chronic renal failure; and
- 2 Either:
 - 2.1 The product is to be used as a supplement; or
 - 2.2 The product is to be used as a complete diet.

Renewal only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Fither:
 - 2.1 The product is to be used as a supplement; or
 - 2.2 The product is to be used as a complete diet.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA0606 above - Hospital pharmacy [HP3]

Paediatric Products

■ SA0896 | Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 infant aged one to eight years; and
- 2 Any of the following:
 - 2.1 any condition causing malabsorption; or
 - 2.2 failure to thrive: or
 - 2.3 increased nutritional requirements; and
- 3 Either:
 - 3.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 3.2 The product is to be used as a complete diet.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

	Subsidy (Manufacturer's Pr \$	rice) Subs Per	Fully sidised	Brand or Generic Manufacturer
PAEDIATRIC ENTERAL FEED 1KCAL/ML - Special Authority se Liquid		preceding pag 200 ml OP 500 ml OP	✓ N	spital pharmacy [HP3] utrini RTH utrini RTH ediasure RTH
PAEDIATRIC ORAL FEED 1.5KCAL/ML - Special Authority see Liquid (strawberry) Liquid (vanilla)	1.60 ·	receding page 200 ml OP 200 ml OP	✓ N	ital pharmacy [HP3] utriniDrink utriniDrink
PAEDIATRIC ORAL FEED 1KCAL/ML - Special Authority see S. Liquid (chocolate) Liquid (strawberry) Liquid (vanilla)	1.07 1.07	ceding page – 200 ml OP 200 ml OP 237 ml OP	✓ Pe	al pharmacy [HP3] ediasure ediasure ediasure
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML - Special / [HP3]	Authority see SA08	896 on the pred	ceding	page – Hospital pharmacy
Liquid (chocolate)	1.60	200 ml OP		utriniDrink Multifibre
Liquid (strawberry)	1.60	200 ml OP		utriniDrink Multifibre
Liquid (vanilla)	1.60	200 ml OP		utriniDrink Multifibre
Renal Products				

Renal Products

⇒SA0587 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 acute or chronic renal failure: and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

ENTERAL FEED 2KCAL/ML - Special Authority see	SA0587 above – Hospital ph	narmacy [HP3]	
Liquid	6.08	500 ml OP	✓ Nutrison
'			Concentrated
RENAL ORAL FEED 2KCAL/ML - Special Authority	see SA0587 above - Hospita	al pharmacy [HI	P3]
Liquid	2.43	200 ml OP	✓ Nepro (vanilla)
•	2.88	237 ml OP	✓ NovaSource Renal
Liquid (apricot)	2.88	125 ml OP	Renilon 7.5
Liquid (caramel)	2.88	125 ml OP	Renilon 7.5

Subsidy (Manufacturer's Price) Per \$

Fully Subsidised

Brand or Generic Manufacturer

Specialised And Elemental Products

⇒SA0592 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Any of the following:
 - 1.1 malabsorption; or
 - 1.2 short bowel syndrome; or
 - 1.3 enterocutaneous fistulas: or
 - 1.4 pancreatitis; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

PowderPowder	,		ital pharmacy [HP3] ✓ Vital HN
	7.50	76 g OP	✓ Alitraq
ORAL ELEMENTAL FEED 0.8KCAL/ML - Special Authority see S	SA0592 above -	Hospital pharm	nacy [HP3]
Liquid (grapefruit)	9.50	250 ml OP	Elemental 028 Extra
Liquid (pineapple & orange)	9.50	250 ml OP	Elemental 028 Extra
Liquid (summer fruit)	9.50	250 ml OP	✓ Elemental 028 Extra
ORAL ELEMENTAL FEED 1KCAL/ML - Special Authority see SA	N0592 above – H	lospital pharma	cy [HP3]
Powder (unflavoured)	4.00	80.4 g OP	✓ Vivonex TEN
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML - Special Autho	rity see SA0592	above - Hospi	tal pharmacy [HP3]
Liquid	12.04	1.000 ml OP	✓ Peptisorb

Undyalised End Stage Renal Failure

⇒SA0586 Special Authority for Subsidy

Initial application only from a gastroenterologist or renal physician. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 undialysed end stage renal patients; and
- - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet.

Note: Where possible, the requirements for oral supplementation should be established in conjunction with assessment by a dietician.

continued...

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

RENAL ORAL FEED 1KCAL/ML - Special Authority see SA0586 on the preceding page - Hospital pharmacy [HP3]

Adult Products Standard

■ SA0702 | Special Authority for Subsidy

Initial application — (Oral feed for cystic fibrosis patient) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 Cystic fibrosis: and
- 2 Either:
 - 2.1 The product is to be used as a supplement; or
 - 2.2 The product is to be used as a complete diet.

Initial application — (Oral feed for indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 failure to thrive; or
 - 1.3 increased nutritional requirements; and
- 2 Either:
 - 2.1 The product is to be used as a supplement; or
 - 2.2 The product is to be used as a complete diet.

Renewal — (Oral feed cystic fibrosis patient) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement: or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

Initial application — (Enteral feed) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 enteral feeding; or
 - 1.2 nasogastric; or
 - 1.3 nasoduodenal; or
 - 1.4 nasojejunal; or
 - 1.5 gastrostomy/jejunostomy; and
- 2 Either:

continued...

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 2.1 The product is to be used as a supplement; or
- 2.2 The product is to be used as a complete diet.

Renewal — (Enteral feed or Oral feed for indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement; or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

Notes: This group of products can be used either as a supplement or as a complete diet.

If a product is being used as a supplement, the limit is 500 ml per day.

Cystic fibrosis patients are exempt the 500 ml per day volume restriction when using Ensure Plus, Fortisip or Resource Plus as a supplement.

ENTERAL FEED 1KCAL/ML – Special Authority see SA0702 on the pre	ecedina n	age – Hospital r	pharmacy [HP3]
Liquid	0 1	250 ml OP	✓ Isosource HN ✓ Isosource Standard
	2.65	500 ml OP	Nutrison Standard RTH
	5.29	1,000 ml OP	✓ Nutrison Standard RTH
			✓ Isosource HN RTH ✓ Isosource Standard RTH
			✓ Osmolite RTH
ENTERAL FEED WITH FIBRE 1 KCAL/ML - Special Authority see SA0	702 on th	ne preceding pa	ge – Hospital pharmacy [HP3]
Liquid	1.24	250 ml OP	✓ Fibersource✓ Fibersource HN
	2.65	500 ml OP	✓ Nutrison Multi Fibre
	5.29	1,000 ml OP	✓ Nutrison Multi Fibre ✓ Fibersource HN RTH ✓ Fibersource RTH ✓ Jevity RTH
(Fibersource Liquid to be delisted 1 December 2009)			
(Fibersource RTH Liquid to be delisted 1 December 2009)			
ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see SA Liquid			✓ Ensure Plus RTH
			Multi Fibre

\$ Per						
Liquid (banana) 1.12 200 ml OP ✓ Fortisip (1.45) Ensure Plus Liquid (chocolate) 1.12 200 ml OP ✓ Fortisip 1.33 237 ml OP ✓ Resource Plus 1.12 200 ml OP						
Liquid (banana) 1.12 200 ml OP ✓ Fortisip (1.45) Ensure Plus Liquid (chocolate) 1.12 200 ml OP ✓ Fortisip 1.33 237 ml OP ✓ Resource Plus 1.12 200 ml OP						
(1.45) Ensure Plus Liquid (chocolate)						
1.33 237 ml OP ✓ Resource Plus 1.12 200 ml OP						
1.12 200 ml OP						
= === =.						
(1.45) Ensure Plus						
1.33 237 ml OP ✓ Ensure Plus						
Liquid (coffee)1.33 237 ml OP ✓ Ensure Plus						
Liquid (fruit of the forest)1.12 200 ml OP						
(1.45) Ensure Plus						
Liquid (strawberry)1.12 200 ml OP V Fortisip						
1.33 237 ml OP ✓ Resource Plus						
1.12 200 ml OP						
(1.45) Ensure Plus						
1.33 237 ml OP ✓ Ensure Plus						
Liquid (toffee)						
Liquid (tropical fruit)						
Liquid (vanilla)						
1.33 237 ml OP ✓ Resource Plus						
1.12 200 ml OP						
(1.45) Ensure Plus						
1.33 237 ml OP ✓ Ensure Plus						
ORAL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority see SA0702 on page 177 - Hospital pharmacy [HP3]						
Liquid (chocolate)						
Liquid (strawberry)1.12 200 ml OP ✓ Fortisip Multi Fibre						
Liquid (vanilla)						

Subsidy

Fully

Brand or

Adult Products High Calorie

⇒SA0585 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements; and
- 4 Either:
 - 4.1 The product is to be used as a supplement; or
 - 4.2 The product is to be used as a complete diet.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 failure to thrive; or
 - 1.3 increased nutritional requirements; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements; and
- 4 Either:

continued...

Thickener

Subsidy	Fully	
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 4.1 The product is to be used as a supplement; or
- 4.2 The product is to be used as a complete diet.

Renewal — **(Cystic fibrosis)** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted; and
- 2 General r
 - 3.1 The product is to be used as a supplement; or
 - 3.2 The product is to be used as a complete diet.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted; and
- 3 Either:
 - 3.1 The product is to be used as a supplement; or
 - 3.2 The product is to be used as a complete diet.

Notes: This product can be used either as a supplement or as a complete diet.

If it is being used as a supplement, the limit is 500 ml per day.

ORAL FEED 2KCAL/ML - Special Authority see SA0585 on the preceding page - Hospital pharmacy [HP3]
Liquid (vanilla)2.25 237 ml OP ✓ Two Cal HN

Food Thickeners

■ SA0595 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

FOOD THICKENER - Special Authority see SA0595 above - Hospital pharmacy [HP3]

Gluten Free Foods

⇒SA0722 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

SPECIAL FOODS

	Subsidy (Manufacturer's		Fully Brand or lised Generic		
	\$	Per	✓ Manufacturer		
GLUTEN FREE BAKING MIX – Special Authority see SA0722 on the preceding page – Hospital pharmacy [HP3] Powder2.81 1,000 g OP					
rowdei	(5.15)	1,000 g OF	Healtheries Simple Baking Mix		
GLUTEN FREE BREAD MIX - Special Authority see SA0722 on	the preceding r	page – Hospital ph	•		
Powder		1.000 a OP			
	(6.88)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	NZB Low Gluten Bread Mix		
	4.77				
	(8.57)		Bakels Gluten Free Health Bread Mix		
	3.51				
	(10.51)		Horleys Bread Mix		
GLUTEN FREE FLOUR – Special Authority see SA0722 on the Powder	0, 0	 Hospital pharma 2,000 g OP 	acy [HP3]		
	(17.42)		Horleys Flour		
GLUTEN FREE PASTA - Special Authority see SA0722 on the preceding page - Hospital pharmacy [HP3]					
Buckwheat Spirals	0,0	250 g OP	o) [o]		
'	(3.11)	· ·	Orgran		
Corn and Spinach Rigatini	2.00	250 g OP	•		
	(2.92)	-	Orgran		
Corn and Vegetable Shells	2.00	250 g OP			
	(2.92)		Orgran		
Corn and Vegetable Spirals	2.00	250 g OP			
	(2.92)		Orgran		
Garlic and Parsley Shells		250 g OP			
B: 10 0 1 11 1 B 1	(2.92)	050 00	Orgran		
Rice and Corn Garden Herb Pasta		250 g OP	0		
Disa and Compliance Charts	(2.92)	000 ± 0D	Orgran		
Rice and Corn Lasagne Sheets		200 g OP	Oraran		
Rice and Corn Macaroni	(3.82)	250 g OP	Orgran		
nice and com Macaroni	(2.92)	250 g OF	Orgran		
Rice and Corn Penne	' '	250 g OP	Olgian		
Thos and com Forms	(2.92)	200 g 01	Orgran		
Rice and Maize Pasta Spirals	' '	250 g OP	0.9		
	(2.92)		Orgran		
Rice and Millet Spirals	2.00 [′]	250 g OP	· ·		
•	(3.11)	· ·	Orgran		
Rice and corn spaghetti noodles	2.00 [°]	375 g OP	· ·		
	(2.92)	-	Orgran		
Vegetable and Rice Spirals	2.00	250 g OP	-		
	(2.92)		Orgran		
Italian long style spaghetti		220 g OP			
	(3.11)		Orgran		
(Orgran Corn and Spinach Rigatini to be delisted 1 March 2010)					
(Orgran Garlic and Parsley Shells to be delisted 1 March 2010)					
(Orgran Rice and Corn Garden Herb Pasta to be delisted 1 March	n 2010)				

Subsidy

Fully Brand or

Subsidy (Manufacturer's Price) Per

Fully Subsidised

Brand or Generic Manufacturer

Foods And Supplements For Inborn Errors Of Metabolism - Other

⇒SA0732 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Either:

- 1 dietary management of homocystinuria; or
- 2 dietary management of maple syrup urine disease.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Prescribing Guideline

It can cost up to \$70,000 a year to keep an adult on protein supplements. Because protein substitutes are so expensive and because they are only effective in controlling PKU if a restricted diet is followed, adults with PKU will be required to demonstrate they are following the prescribed diet by regular blood testing. The requirement for testing applies to those aged over 16 years. Failure to follow an appropriate diet results in high blood phenylalanine levels.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Supplements For Homocystinuria

AMINOACID FORMULA WITHOUT METHIONINE - Special Authority see SA0732 above - Hospital pharmacy [HP3]

See prescribing guideline above

500 q OP ✓ XMET Maxamum

Supplements For MSUD

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE - Special Authority see SA0732 above - Hospital pharmacy [HP3]

See prescribing guideline above

500 q OP ✓ MSUD Maxamaid ✓ MSUD Maxamum

Foods And Supplements For Inborn Errors Of Metabolism - PKU

Prescribing Guideline

It can cost up to \$70,000 a year to keep an adult on protein supplements. Because protein substitutes are so expensive and because they are only effective in controlling PKU if a restricted diet is followed, adults with PKU will be required to demonstrate they are following the prescribed diet by regular blood testing. The requirement for testing applies to those aged over 16 years. Failure to follow an appropriate diet results in high blood phenylalanine levels.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Foods and Supplements For PKU

■ SA0733 Special Authority for Subsidy

Initial application — (Patient aged over 16) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 dietary management of PKU: and
- 2 The patient's blood phenylalanine level is < 900 mmol/litre (average of tests over last 12 months).

continued...

SPECIAL FOODS

Subsidy		Fully	Brand or
(Manufacturer's Price)	S	ubsidised	Generic
\$	Per	~	Manufacturer

continued...

Initial application — (Patient aged 16 or under) only from a relevant specialist. Approvals valid for 3 years where the patient requires dietary management of PKU.

Renewal — (Patient aged over 16) only from a relevant specialist. Approvals valid for 1 year where blood phenylalanine level < 900 mmol/litre (average of tests over last 12 months).

Renewal — (Patient aged 16 or under) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

AMINOACID FORMULA WITHOUT PHENYLALANINE - Special Authority see SA0733 on the preceding page - Hospital pharmacy [HP3]

See prescribing guideline on the preceding page Tabs	99.00	75 OP	✓ Phlexy 10
Sachets (pineapple/vanilla) 29 g		30 OP	✓ Minaphlex
Sachets (tropical)		30	✓ Phlexy 10
Infant formula		400 g OP	✓ PKU Anamix Infa
			XP Analog LCP
Powder (orange)	221.00	500 g OP	XP Maxamaid
, ,	320.00		XP Maxamum
Powder (unflavoured)	221.00	500 g OP	XP Maxamaid
,	320.00		XP Maxamum
Liquid (berry)	15.65	62.5 ml OP	✓ Lophlex LQ
	31.20	125 ml OP	✓ Lophlex LQ
	15.65	62.5 ml OP	✔ PKU Lophlex LQ
	31.20	125 ml OP	✔ PKU Lophlex LQ
Liquid (citrus)	15.65	62.5 ml OP	✓ Lophlex LQ
	31.20	125 ml OP	✓ Lophlex LQ
	15.65	62.5 ml OP	✔ PKU Lophlex LQ
	31.20	125 ml OP	✔ PKU Lophlex LQ
Liquid (forest berries)	30.00	250 ml OP	✓ Easiphen Liquid
Liquid (orange)		62.5 ml OP	✓ Lophlex LQ
	31.20	125 ml OP	✓ Lophlex LQ
	15.65	62.5 ml OP	✔ PKU Lophlex LQ
	31.20	125 ml OP	✔ PKU Lophlex LQ
Liquid (tropical)	30.00	250 ml OP	✓ Easiphen
NYL FREE BAKING MIX - Special Authority see S See prescribing guideline on the preceding page	A0733 on the preceding	page – Hospital	pharmacy [HP3]
Powder	6.70	500 g OP	

	Subsidy		Fully Brand or
	(Manufacturer's	Price) Subsi	
	\$	Per	✓ Manufacturer
ENYL FREE PASTA - Special Authority see SA073	O an naga 100 . Haanital i	nharmanı [LID0]	
	o on page 102 - nospilai	priarriacy [HF3]	
See prescribing guideline on page 182			
Animal shapes	10.65	500 g OP	
	(11.91)		Loprofin
Lasagne	5.32	250 g OP	
	(5.95)		Loprofin
Low protein rice pasta	10.65 [°]	500 g OP	'
F	(11.91)		Loprofin
Macaroni	, ,	250 g OP	Lopiomi
Wasarotti	(5.95)	200 g 01	Loprofin
Danna	` '	500 ± 0D	Lopiolili
Penne		500 g OP	
	(11.91)		Loprofin
Spaghetti	10.65	500 g OP	
	(11.91)		Loprofin
Spirals	10.65	500 g OP	
•	(11.91)	-	Loprofin

Multivitamin And Mineral Supplements

⇒SA0962 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Dietary management of phenylketonuria (PKU); or
- 2 For use as a supplement to the ketogenic diet in patients diagnosed with epilepsy; or
- 3 Patient has had a previous approval for metabolic mineral mixture.

AMINOACID FORMULA WITH MINERALS WITHOUT PHENYLALANINE – Special Authority see SA0962 above – Retail pharmacy See prescribing guideline on page 182

Infant Formulae

For Premature Infants

⇒SA0602 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 6 months where the patient is infant weighing less than 1.5 kg at birth.

PREMATURE BIRTH FORMULA - Special Authority see SA0602 above - Hospital pharmacy [HP3]

For Williams Syndrome

⇒SA0601 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.



Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

For Gastrointestinal And Other Malabsorptive Problems

⇒SA0603 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year where the patient is infant suffering from malabsorption and other gastrointestinal problems.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Neocate should be used only as a last resort when the infant is unable to absorb any of the below formulae. The objective with each of the formulae prescribed is to get the infant off them as soon as possible. This may take six months, it may take three years. Because of this, variation on age limit is not regarded as appropriate. These formulae will be available only from a hospital pharmacy. Vivonex Pediatric may be a suitable and less expensive alternative for many children that would otherwise be eligible for a subsidy for Neocate and should, therefore, be tried first in these cases. The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

ELEMENTAL FORMULA - Special Authority see SA0603 above - Hospital pharmacy [HP3]

Powder		450 g OP	
	(15.21)	.00 g 0.	Pepti Junior Gold
	`15.52 [´]		'
	(19.01)		Pepti Junior
	63.97	400 g OP	
	(67.08)		Neocate
	(67.08)		Neocate LCP
	5.62	48.5 g OP	
	(6.00)		Vivonex Pediatric
Powder (tropical)	52.90	400 g OP	
	(56.00)		Neocate Advance
Powder (unflavoured)	52.90	400 g OP	
	(56.00)		Neocate Advance

For Milk Intolerance

■SA0604 Special Authority for Subsidy

Initial application — (Lactase deficiency or disaccharide intolerance) only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is less than 3 years of age; and
- 2 Either:
 - 2.1 diagnosed as suffering from congenital lactase deficiency; or
 - 2.2 suffering from disaccharide intolerance.

Notes: Secondary lactose intolerance in children is usually short lasting, and can be controlled by dietary measures and by giving sufficient calories to regenerate digestive enzymes.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Initial application — (Infant with intolerance to cows' milk) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

continued...



Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

Both:

- 1 intolerant to cows' milk; and
- 2 patient is less than 3 years of age.

Note: The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Renewal — (Infant with intolerance to cows' milk) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 patient is less than 3 years of age.

GOATS MILK INFANT FORMULA - Special Authority see SA0604 on the preceding page - Retail pharmacy

(22.75)

Karicare Goats Milk Infant Formula

LACTOSE FREE INFANT FORMULA - Special Authority see SA0604 on the preceding page - Retail pharmacy

Powder5.66

(17.95)

Delact

SOYA INFANT FORMULA - Special Authority see SA0604 on the preceding page - Retail pharmacy

(19.57) S26 Soy

900 a

900 g OP

900 a OP

Infant Formulae - Lactose Intolerance and Cows' Milk Protein Intolerance

▶SA0757 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient is less than 2 years of age; and
- 2 Intolerant to cows' milk; and
- 3 Diagnosed as suffering from congenital lactase deficiency.

Renewal only from a relevant specialist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

INFANT SOY FORMULA - Special Authority see SA0757 above - Retail pharmacy

(16.35)

Karicare Soy All Ages

Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

ADRENALINE ✓ Inj 1 in 1,000, 1 ml5	CHARCOAL ✓ Oral liq 50 g per 250 ml250 ml
✓ Inj 1 in 10,000, 10 ml5	
AMINOPHYLLINE	CHLORPROMAZINE HYDROCHLORIDE
✓ Inj 25 mg per ml, 10 ml5	✓ Tab 10 mg
	✓ Tab 25 mg
AMIODARONE HYDROCHLORIDE	✓ Tab 100 mg
✓ Inj 50 mg per ml, 3 ml5	✓ Inj 25 mg per ml, 2 ml5
AMOXYCILLIN	CIPROFLOXACIN
✓ Cap 250 mg30	✓ Tab 250 mg5
✓ Grans for oral liq 125 mg per 5 ml200 ml	✓ Tab 500 mg5
✓ Grans for oral liq 250 mg per 5 ml 200 ml	00 TDIMOVAZOLE
✓ Inj 1 g5	CO-TRIMOXAZOLE
AMOXYCILLIN CLAVULANATE	✓ Tab trimethoprim 80 mg and
✓ Tab amoxycillin 500 mg with potassium	sulphamethoxazole 400 mg30
clavulanate 125 mg30	✓ Oral liq sugar-free trimethoprim 40 mg and
✓ Grans for oral liq amoxycillin 125 mg with	sulphamethoxazole 200 mg per
potassium clavulanate 31.25 mg per	5 ml
5 ml200 ml	✓ Oral liq trimethoprim 40 mg and
✓ Grans for oral lig amoxycillin 250 mg with	sulphamethoxazole 200 mg per
potassium clavulanate 62.5 mg per	5 ml
5 ml200 ml	COMPOUND ELECTROLYTES
APPLICATOR	✓ Powder for soln for oral use 5 g10
✓ Applicator – See note on page 691	7 - C. 100 - 101 -
	CONDOMS
ASPIRIN	✓ 49 mm144
✓ Tab dispersible 300 mg30	✓ 52 mm
ATROPINE SULPHATE	✓ 52 mm extra strength144
✓ Inj 600 µg, 1 ml5	✓ 53 mm
✓ Inj 1200 µg, 1 ml5	✓ 53 mm (chocolate)144
AZITHROMYCIN	✓ 53 mm (strawberry)
✓ Tab 500 mg – Subsidy by endorsement –	✓ 53 mm extra strength
See note on page 844	54 mm, shaped
. •	✓ 55 mm
BENDROFLUAZIDE	✓ 56 mm extra strength
✓ Tab 2.5 mg – See note on page 54150	✓ 56 mm, shaped
BENZATHINE BENZYLPENICILLIN	✓ 60 mm
✓ Inj 1.2 mega u per 2.3 ml5	00 11111
BENZTROPINE MESYLATE	DEXAMETHASONE
✓ Inj 1 mg per ml, 2 ml5	✓ Tab 1 mg – Retail pharmacy-Specialist30
	✓ Tab 4 mg – Retail pharmacy-Specialist30
BENZYLPENICILLIN SODIUM (PENICILLIN G)	DEVANETUA CONE CODUNA DUCODUATE
✓ Inj 1 mega u5	DEXAMETHASONE SODIUM PHOSPHATE
CEFTRIAXONE SODIUM	✓ Inj 4 mg per ml, 1 ml
✓ Inj 500 mg – Hospital pharmacy [HP3] –	▼ IIIJ 4 IIIQ Pel IIII, ∠ IIII5
Subsidy by endorsement – See note on	DEXTROSE
page 835	✓ Inj 50%, 10 ml5
✓ Inj 1 g – Hospital pharmacy [HP3] – Subsidy	✓ Inj 50%, 90 ml5
by endorsement – See note on page 835	continued

PRACTITIONER'S AND WHOLESALE SUPPLY ORDERS

continued) DIAPHRAGM	Tab 20 μg with levonorgestrel 100 μg and 7 inert tab	34
✓ Diaphragm – See note on page 691 DIAZEPAM	ETHINYLOESTRADIOL WITH NORETHISTERONE ✓ Tab 35 µg with norethisterone 1 mg6	33
✓ Inj 5 mg per ml, 2 ml – Subsidy by endorsement – See note on page 1145	✓ Tab 35 µg with norethisterone 1 mg and 7 inert tab8	
 ✓ Rectal tubes 5 mg	✓ Tab 35 µg with norethisterone 500 µg6 ✓ Tab 35 µg with norethisterone 500 µg and 7	33
DICLOFENAC SODIUM ✓ Inj 25 mg per ml, 3 ml5	inert tab	34
✓ Suppos 50 mg10	✓ Cap 250 mg	
DIGOXIN ✓ Tab 62.5 μg	✓ Grans for oral liq 250 mg per 5 ml	ηl
DOXYCYCLINE HYDROCHLORIDE Tab 50 mg30	FLUPENTHIXOL DECANOATE ✓ Inj 20 mg per ml, 1 ml ✓ Inj 20 mg per ml, 2 ml	
✓ Tab 100 mg30 ERGOMETRINE MALEATE	✓ Inj 100 mg per ml, 1 ml	
✓ Inj 500 µg per ml, 1 ml5 ERYTHROMYCIN ETHYL SUCCINATE	FLUPHENAZINE DECANOATE ✓ Inj 12.5 mg per 0.5 ml, 0.5 ml ✓ Inj 25 mg per ml, 1 ml	
✓ Tab 400 mg	✓ Inj 100 mg per ml, 1 ml	.5
ERYTHROMYCIN STEARATE Tab 250 mg30	✓ Tab 40 mg	
ETHINYLOESTRADIOL WITH DESOGESTREL Tab 20 µg with desogestrel 150 µg63	GLUCAGON HYDROCHLORIDE ✓ Inj 1 mg syringe kit	.5
Tab 20 μg with desogestrel 150 μg and 7 inert tab84	GLYCERYL TRINITRATE ✓ Tab 600 µg10	
Tab 30 μg with desogestrel 150 μg63 Tab 30 μg with desogestrel 150 μg and 7	✓ Oral pump spray 400 µg per dose 250 dos HALOPERIDOL	
inert tab84 ETHINYLOESTRADIOL WITH GESTODENE	✓ Tab 500 μg	30
Tab 30 μg with gestodene 75 μg and 7 inert tab84	✓ Tab 5 mg	ml
ETHINYLOESTRADIOL WITH LEVONORGESTREL Tab ethinyloestradiol 30 μg with levonorgestrel 50 μg (6) and tab	HALOPERIDOL DECANOATE ✓ Inj 50 mg per ml, 1 ml	
ethinyloestradiol 40 µg with levonorgestrel 75 µg (5), and tab ethinyloestradiol 30 µg with levonorgestrel 125 µg (10) and 7	✓ Inj 100 mg per ml, 1 ml HYDROCORTISONE	
inert tab84 ✓ Tab 50 µg with levonorgestrel 125 µg and 7	✓ Inj 50 mg per ml, 2 ml HYDROXOCOBALAMIN ✓ Inj 1 mg per ml, 1 ml	
inert tab	HYOSCINE N-BUTYLBROMIDE ✓ Inj 20 mg, 1 ml	
inert tab84	continued	

PRACTITIONER'S AND WHOLESALE SUPPLY ORDERS

continued)		PARACETAMOL
IPRATROPIUM BROMIDE		✓ Tab 500 mg30
✓ Nebuliser soln, 250 µg per ml, 1 ml		✓ Oral liq 120 mg per 5 ml
✓ Nebuliser soln, 250 µg per ml, 2 ml	40	✓ Oral liq 250 mg per 5 ml100 ml
LEVONORGESTREL		PETHIDINE HYDROCHLORIDE
Tab 30 µg		✓ Inj 50 mg per ml, 1 ml – Only on a controlled
✓ Tab 1.5 mg	5	drug form5
LIGNOCAINE HYDROCHLORIDE		✓ Inj 50 mg per ml, 1.5 ml – Only on a
✓ Inj 0.5%, 5 ml – See note on page 109	5	controlled drug form5
✓ Inj 1%, 5 ml – See note on page 109		✓ Inj 50 mg per ml, 2 ml – Only on a controlled
✓ Inj 1%, 20 ml – See note on page 109	5	drug form5
LOPERAMIDE HYDROCHLORIDE		PHENOXYMETHYLPENICILLIN (PENICILLIN V)
✓ Tab 2 mg	30	✓ Cap potassium salt 250 mg30
		✓ Grans for oral liq 125 mg per 5 ml 200 ml
MEDROXYPROGESTERONE ACETATE	_	✓ Grans for oral liq 250 mg per 5 ml 200 ml
✓ Inj 150 mg per ml, 1 ml ✓ Inj 150 mg per ml, 1 ml syringe		PHENYTOIN SODIUM
III 150 Hig per Hil, Titli Syninge		✓ Inj 50 mg per ml, 2 ml5
METHYLERGOMETRINE		✓ Inj 50 mg per ml, 5 ml5
✓ Inj 200 µg per ml, 1 ml	10	PHYTOMENADIONE
METOCLOPRAMIDE HYDROCHLORIDE		✓ Inj 2 mg per 0.2 ml – See note on page 405
✓ Inj 5 mg per ml, 2 ml	5	✓ Inj 10 mg per ml, 1 ml – See note on page 405
METRONIDAZOLE		PIPOTHIAZINE PALMITATE
✓ Tab 200 mg	30	✓ Inj 50 mg per ml, 1 ml5
		✓ Inj 50 mg per ml, 2 ml
MORPHINE SULPHATE		
✓ Inj 5 mg per ml, 1 ml – Only on a controlled	_	PREDNISOLONE SODIUM PHOSPHATE
drug form	5	✓ Oral liq 5 mg per ml – See note on page 7530 ml
✓ Inj 10 mg per ml, 1 ml – Only on a controlled	_	
drug form ✓ Inj 15 mg per ml, 1 ml – Only on a controlled		PREDNISONE
drug form	5	✓ Tab 5 mg30
✓ Inj 30 mg per ml, 1 ml – Only on a controlled		PROCAINE PENICILLIN
drug form	5	✓ Inj 1.5 mega u5
•		PROCHLORPERAZINE
NALOXONE HYDROCHLORIDE ✓ Inj 400 µg per ml, 1 ml	5	✓ Tab 5 mg30
		✓ Inj 12.5 mg per ml, 1 ml5
NONOXYNOL-9		PROMETHAZINE HYDROCHLORIDE
✓ Jelly 2%	108 g	✓ Inj 25 mg per ml, 2 ml5
NORETHISTERONE		
✓ Tab 350 µg	84	SALBUTAMOL
✓ Tab 5 mg		✓ Inj 500 µg per ml, 1 ml5 ✓ Aerosol inhaler, 100 µg per dose CFC
NORETHISTERONE WITH MESTRANOL		free1000 dose
Tab 1 mg with mestranol 50 μg and 7 inert tab	84	✓ Nebuliser soln, 1 mg per ml, 2.5 ml30
		✓ Nebuliser soln, 2 mg per ml, 2.5 ml
OXYTOCIN ✓ Inj 5 iu per ml, 1 ml	E	SALBUTAMOL WITH IPRATROPIUM BROMIDE
✓ Inj 10 iu per ml, 1 ml		✓ Nebuliser soln, 2.5 mg with ipratropium
✓ Inj 5 iu with ergometrine maleate 500 µg per		bromide 0.5 mg per vial, 2.5 ml20
ml, 1 ml	5	continued
,		continuea

PRACTITIONER'S AND WHOLESALE SUPPLY ORDERS

(continued) SILVER SULPHADIAZINE	TRIMETHOPRIM ✓ Tab 300 mg	30
✓ Crm 1% with chlorhexidine digluconate 0.2%500 g	VERAPAMIL HYDROCHLORIDE ✓ Inj 2.5 mg per ml, 2 ml	{
SODIUM BICARBONATE ✓ Inj 8.4%, 50ml 5 ✓ Inj 8.4%, 100 ml 5 SODIUM CHLORIDE	WATER ✓ Purified for inj 5 ml – See note on page 43 ✓ Purified for inj 10 ml – See note on page 43 ✓ Purified for inj 20 ml – See note on page 43	5
✓ Inf 0.9% – See note on page 43	ZUCLOPENTHIXOL DECANOATE ✓ Inj 200 mg per ml, 1 ml	5

Pharmaceuticals that may be obtained on a Wholesale Supply Order

INTRA-UTERINE DEVICE

✓ IUD

MASK FOR SPACER DEVICE

✓ Size 2

PEAK FLOW METER

✓ Low range

✓ Normal range

PREGNANCY TESTS - HCG URINE

✓ Cassette

SPACER DEVICE

✓ 230 ml (autoclavable)

✓ 230 ml (single patient)

✓ 800 ml

Rural Areas for Practitioner's Supply Orders

NORTH ISLAND
Tairua
Taumarunui
Northland DHB
Te Aroha
Dargaville
Hikurangi
Kaeo
Tokoroa
Tairua
Taumarunui
Te Aroha
Te Kauwhata
Te Kuiti
Tokoroa

Waiouru Rakaia Rolleston Kaikohe MidCentral DHB Waihi Rotherham Kaitaia Dannevirke Whangamata Templeton Kawakawa Foxton Whitianga Waikari Kerikeri Levin

Marton

Raetihi

Taihape

Ohakune

Leeston

I incoln

Oxford

Fairlie

Methven

South Canterbury DHB

Mangonui Bay of Plenty DHB Otaki
Maungaturoto Edgecumbe Pahiatua
Moerewa Katikati Shannon
Ngunguru Kawerau Woodville

Geraldine Murupara Paihia Wairarapa DHB Pleasant Point Opotiki Rawene Carteron Temuka Ruakaka Taneatua Featherston Twizel Te Kaha Russell Grevtown Waimate Waihi Beach Tutukaka

Waipu Whakatane Martinborough
Whangaroa Lakes DHB

Waitemata DHB Mangakino SOUTH ISLAND Otago DHB
Helensville Turangi Alexandra

Balclutha Nelson/Marlborough DHB Huapai Tairawhiti DHB Cromwell Havelock Kumeu Ruatoria Kurow Mapua Snells Beach Te Araroa Lawrence Motueka Waimauku Te Karaka Murchison Milton Warkworth Te Puia Springs Oamaru Picton

Wellsford Tikitiki Takaka Outram

Auckland DHB Tokomaru Bay Wakefield Owaka

Great Barrier Island Tolaga Bay Palmerston

Oneroa Taranaki DHB Dobson Roxburgh
Counties Manufau DHB Inglewood Manufau DHB Inglewood Manufau DHB Inglewood

Counties Manukau DHB Inglewood Hokitika Wanaka
Tuakau Manaia Karamea
Waiuku Oakura Reefton
Okato

South Westland Waikato DHB Opunake Southland DHB Westport Coromandel Patea Gore Whataroa Huntly Stratford Lumsden Kawhia Waverley Canterbury DHB Mataura

Matamata Akaroa Ohan Hawkes Bay DHB Morrinsville Amberlev Otautau Chatham Islands Ngatea Amuri Queenstown Waipawa Otorohanga Cheviot Riverton Waipukurau Paeroa Darfield Te Anau Wairoa Pauanui Beach Diamond Harbour Tokonui

Putaruru Whanganui DHB Hanmer Springs Tuatapere Raglan Bulls Kaikoura Winton

SECTION F: PART I

A Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is Close Control.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is Close Control.

SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

- a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the prescriber has endorsed the Prescription item(s) on the Prescription to which the exemption applies "certified exemption". In endorsing the Prescription items for a certified exemption, the prescriber is certifying that:
 - i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
 - ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
 - iii) the prescriber has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
 - i) have limited physical mobility:
 - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - iii) are relocating to another area;
 - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

The following Community Pharmaceuticals are identified with a \blacktriangle within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

ALIMENTARY TRACT AND METABOLISM

INSULIN ASPART

INSULIN GLARGINE

INSULIN ISOPHANE

INSULIN ISOPHANE WITH INSULIN NEUTRAL

INSULIN LISPRO

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

INSULIN NEUTRAL

CARDIOVASCULAR SYSTEM

AMIODARONE HYDROCHLORIDE

Tab 100 mg Cordarone-X Tab 200 mg Cordarone-X

DISOPYRAMIDE PHOSPHATE

FLECAINIDE ACETATE

Tab 50 mg Tambocor
Tab 100 mg Tambocor
Cap long-acting 100 mg
Cap long-acting 200 mg
Tambocor CR
Tambocor CR
Tambocor CR

MEXILETINE HYDROCHLORIDE

PROPAFENONE HYDROCHLORIDE

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN

Nasal drops 100 µg per Minirin

ml

Nasal spray 10 µg per Desmopressin-PH&T

dose

MUSCULOSKELETAL SYSTEM

PYRIDOSTIGMINE BROMIDE

NERVOUS SYSTEM

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

ENTACAPONE

GABAPENTIN

GABAPENTIN (NEURONTIN)

LAMOTRIGINE

LISURIDE HYDROGEN MALEATE

PERGOLIDE

ROPINIROLE HYDROCHLORIDE

TOLCAPONE TOPIRAMATE

VIGABATRIN

SENSORY ORGANS

BIMATOPROST

BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE

BRINZOLAMIDE

LATANOPROST

TRAVOPROST

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

Safety Caps (NZS 5825:1991)

lic-Loc, United Closures & Plastics PLC, England
err, Cormack Packaging, Sydney, under licence to Kerr USA
lic-Loc, United Closures & Plastics PLC, England
lic-Loc, ACI Closures under license to Owens-Illinois
err, Cormack Packaging, Sydney, under licence to Kerr USA
lic-Loc, United Closures & Plastics PLC, England
lic-Loc, ACI Closures under license to Owens-Illinois
err, Cormack Packaging, Sydney, under licence to Kerr USA
DL Squeezlok
DL FG
UL FG

SAFETY CAP MEDICINES

ALIMENTARY TRACT AND METABOLISM

FERROUS SULPHATE

Oral liq 150 mg per 5 ml Ferodan

CARDIOVASCULAR SYSTEM

AMILORIDE

Oral lig 1 mg per ml Biomed

CAPTOPRIL

Oral lig 5 mg per ml

Capoten

CHLOROTHIAZIDE

Oral liq 50 mg per ml Biomed

DIGOXIN

0 11 50

Oral liq 50 µg per ml Lanoxin

FUROSEMIDE

Oral lig 10 mg per ml Lasix

SPIRONOLACTONE

Oral liq 5 mg per ml Biomed

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

LEVOTHYROXINE

Tab 50 µg Eltroxin

Goldshield

Synthroid

Tab 100 µg Eltroxin

Goldshield

Synthroid

Tab 25 μg Synthroid

(Extemporaneously compounded oral liquid preparations)

MUSCULOSKELETAL SYSTEM

IBUPROFEN

Oral lig 100 mg per 5 ml Fenpaed

QUININE SULPHATE

Tab 200 mg Q 200 Tab 300 mg Q 300

(Extemporaneously compounded oral liquid preparations)

NERVOUS SYSTEM

ALPRAZOLAM

Tab 250 μg Arrow-Alprazolam
Tab 500 μg Arrow-Alprazolam
Tab 1 mg Arrow-Alprazolam
(Extemporaneously compounded oral liquid preparations)

CARBAMAZEPINE

Oral lig 100 mg per 5 ml Tegretol

CLOBAZAM

Tab 10 mg Frisium

(Extemporaneously compounded oral liquid preparations)

CLONAZEPAM

Oral drops 2.5 mg per Rivotril

ml

DIAZEPAM

Tab 2 mg Pro-Pam

Arrow-Diazepam

Tab 5 mg Pro-Pam
Arrow-Diazepam

Tab 10 mg Pro-Pam

(Extemporaneously compounded oral liquid preparations)

ETHOSUXIMIDE

Oral lig 250 mg per 5 ml Zarontin

LORAZEPAM

Tab 1 mg Ativan

Tab 2.5 mg Ativan

(Extemporaneously compounded oral liquid preparations)

LORMETAZEPAM

Tab 1 mg Noctamid

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Oral liq 2 mg per ml Biodone
Oral liq 5 mg per ml Biodone Forte

Oral lig 10 mg per ml Biodone Extra Forte

0.00.09

mg per mi Biodene Ext

MIDAZOLAM

Tab 7.5 mg Hypnovel

(Extemporaneously compounded oral liquid preparations)

MORPHINE HYDROCHLORIDE

Oral liq 1 mg per ml
Oral liq 2 mg per ml
Oral liq 5 mg per ml
RA-Morph
RA-Morph
RA-Morph

Oral lig 10 mg per ml RA-Morph

NITRAZEPAM

Tab 5 mg Nitrados

(Extemporaneously compounded oral liquid preparations)

OXAZEPAM

Tab 10 mg Ox-Pam
Tab 15 mg Ox-Pam

(Extemporaneously compounded oral liquid preparations)

OXYCODONE HYDROCHLORIDE

Oral liq 5 mg per 5 ml OxyNorm

PARACETAMOL

Oral liq 120 mg per 5 ml Paracare Junior

Oral liq 250 mg per 5 ml Paracare Double Strength

PHENYTOIN SODIUM

Oral liq 30 mg per 5 ml Dilantin

SODIUM VALPROATE

Oral lig 200 mg per 5 ml Epilim S/F Liquid

Epilim Syrup

TEMAZEPAM

Tab 10 mg Normison

(Extemporaneously compounded oral liquid preparations)

TRIAZOLAM

Tab 125 μg Hypam
Tab 250 μg Hypam

(Extemporaneously compounded oral liquid preparations)

RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE

Oral lig 1 mg per ml Cetirizine - AFT

CHLORPHENIRAMINE MALEATE

Oral lig 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHI ORIDE

Oral lig 5 mg per 5 ml Phenergan

SALBUTAMOL

Oral liq 2 mg per 5 ml Salapin

THEOPHYLLINE

Oral lig 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE

Oral lig 30 mg per 5 ml Vallergan Forte

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE

Powder

Douglas

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Powder AFT

(Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM

Powder MidWest

(Extemporaneously compounded oral liquid preparations)

INDEX Generic Chemicals and Brands

- Symbols -		Alendronate sodium with		Contraceptives	72
3TC	00	cholecalciferol	107	Antiarrhythmics	50
	92	Alfacalcidol	36	Antibacterials	83
- A -		Alginic acid	25	Antibacterials Topical	59
A-Lices		Alitraq		Anticholinesterases	
Abacavir sulphate	92	Alkeran		Antidepressants	
Abacavir sulphate with		Allersoothe	150	Antidiarrhoeals	
lamivudine	92	Allopurinol		Antiepilepsy Drugs	
Abilify		Alpha Adrenoceptor Blockers		Antifibrinolytics, Haemostatics	
Acarbose		Alpha tocopheryl acetate		and Local Sclerosants	
ACB	51	Alpha-Bromocriptine		Antifungals	
Accu-Chek Performa	31, 32	Alpha-Keri Lotion		Antifungals Topical	
Accupril	49	Alprazolam		Antihaemorrhoidals	
Accuretic 10	49	Alu-Tab		Antihistamines	
Accuretic 20	49	Aluminium hydroxide		Antihypotensives	
Acebutolol	51	Amantadine hydrochloride		Antimalarials	
Acetazolamide	158	Amiloride		Antimigraine Preparations	
Acetic acid with 1, 2- propar	nediol	Amiloride with frusemide		Antinaus	
diacetate and		Amiloride with	34		120
benzethonium	156		E /	Antinausea and Vertigo	110
Acetic acid with hydroxyquin		hydrochlorothiazide		Agents	
and ricinoleic acid		Aminophylline		Antiparkinson Agents	
Acetylcysteine		Amiodarone hydrochloride		Antipruritic Preparations	
Aci-Jel		Amirol		Antipsychotics	
Aciclovir		Amisulpride		Antiretrovirals	91
Infection	91	Amitrip		Antiretrovirals - Additional	
Sensory		Amitriptyline		Therapies	
Acidex		Amizide		Antirheumatoid Agents	101
Acipimox		Amlodipine		Antispasmodics and Other	
Acitretin		Amorolfine		Agents Altering Gut	
Actigall		Amoxycillin		Motility	
0		Amoxycillin clavulanate		Antithrombotic Agents	40
Actropid		Amphotericin B		Antithymocyte globulin	
Actrapid		Amsacrine		(equine)	146
Actrapid Penfill		Amsidine	138	Antitrichomonal Agents	88
Acupan		Amyl nitrite	56	Antituberculotics and	
Adalat 10		Anabolic Agents	75	Antileprotics	88
Adalat Oros		Anaesthetics	109	Antiulcerants	27
Adalimumab		Anagrelide hydrochloride	138	Antivirals	88
Adefin XL		Analgesics		Anusol	26
Adefovir dipivoxil		Anastrozole	144	Anxiolytics	126
Adrenaline		Andriol Testocaps		API	60
Advantan		Androderm	76	Apo-Allopurinol	
AFT-Pyrazinamide	88	Antabuse	131	Apo-Amlodipine	
Agents Affecting the		Antacids and Antiflatulants		Apo-Amoxi	
Renin-Angiotensin System		Anten		Apo-Ascorbic Acid	
Agents Used in the Treatme		Anthelmintics		Apo-B-Complex	
Poisonings	161	Anti-inflammatory Non Steroid		Apo-Bromocriptine	
Agrylin		Drugs (NSAIDs)		Apo-Captopril	
Alanase	154	Antiacne Preparations		Apo-Cimetidine	
Albay	149	Antiallergy Preparations		Apo-Clopidogrel	
Albustix	161	Antianaemics		Apo-Diclo	
Aldara	67				
Alandronata sodium		Antiandrogen Oral		Apo-Diclo SR	100

INDEX Generic Chemicals and Brands

Apo-Doxazosin	48
Apo-Folic Acid	39
Apo-Gliclazide	30
Apo-Ipravent	154
Apo-Moclobemide	
Apo-Nadolol	
Apo-Nicotinic Acid	
Apo-Oxybutynin	74
Apo-Prazo	
Apo-Prednisone	
Apo-Primidone	
Apo-PyridoxineApo-Selegiline	05
Apo-Terazosin Apo-Terbinafine	
Apo-Thiamine	
Apo-Timol	
Apo-Timop	
Apo-Zopiclone	129
Apomine	
Apomorphine hydrochloride	120
Applicator	
Aprepitant	119
Apresoline	56
Aquasun 30+	
Aguasun Oil Free Faces	
SPF30+	67
	07
Aquasun Sensitive SPF 30+	67
Aquasun Sensitive SPF 30+ Aqueous cream	67
	67 63
Aqueous cream	67 63
Aqueous cream Aratac Arava Arimidex	67 50 101 144
Aqueous cream Aratac Arava Arimidex Aripiprazole	67 50 101 144 122
Aqueous cream Aratac Arava Arimidex Aripiprazole Aristocort	67 50 101 144 122
Aqueous cream Aratac Arava Arimidex Aripiprazole Aristocort Aromasin	67 50 101 144 122 62
Aqueous cream Aratac Arava Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam	67 50 101 122 62 145
Aqueous cream Aratac Arava Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin	67 50 101 122 62 126 126
Aqueous cream Aratac Arava Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin Arrow-Cabergoline	67 50 101 144 62 145 126 84
Aqueous cream Aratac Arava Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Cabergoline Arrow-Citalopram	67 50 101 122 62 145 126 84 81
Aqueous cream Aratac Arava Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin Arrow-Cabergoline Arrow-Citalopram Arrow-Clopidogrel	67 50 101 122 62 145 126 84 81
Aqueous cream Aratac Aratac Arava Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin Arrow-Cabergoline Arrow-Citalopram Arrow-Clopidogrel Arrow-Diazepam	67 50 101 144 62 145 126 84 81 13
Aqueous cream Aratac Aratac Arava Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Cabergoline Arrow-Citalopram Arrow-Cipidogrel Arrow-Diazepam Arrow-Etidronate	675010114412262145126811340126
Aqueous cream Aratac Aratac Arava Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin Arrow-Cabergoline Arrow-Citalopram Arrow-Clopidogrel Arrow-Diazepam Arrow-Etidronate Arrow-Lamotrigine	675010114412262145126811340116
Aqueous cream Aratac Aratac Arava Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin Arrow-Cabergoline Arrow-Citalopram Arrow-Diazepam Arrow-Diazepam Arrow-Etidronate Arrow-Lamotrigine Arrow-Lisinopril	67501011441226214512684811340126
Aqueous cream Aratac Aratac Arava Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin Arrow-Cabergoline Arrow-Citalopram Arrow-Citalopram Arrow-Etidronate Arrow-Etidronate Arrow-Lamotrigine Arrow-Lisinopril Arrow-Metformin	676350101144122
Aqueous cream Aratac Aratac Arava Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin Arrow-Cabergoline Arrow-Citalopram Arrow-Diazepam Arrow-Diazepam Arrow-Lamotrigine Arrow-Lamotrigine Arrow-Metformin Arrow-Metformin Arrow-Nifedipine XR	
Aqueous cream Aratac Aratac Arava Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin Arrow-Cabergoline Arrow-Citalopram Arrow-Citalopram Arrow-Diazepam Arrow-Diazepam Arrow-Lamotrigine Arrow-Lamotrigine Arrow-Lisinopril Arrow-Metformin Arrow-Nifedipine XR Arrow-Norfloxacin	
Aqueous cream Aratac Aratac Arava Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin Arrow-Cabergoline Arrow-Citalopram Arrow-Citalopram Arrow-Diazepam Arrow-Etidronate Arrow-Etidronate Arrow-Lamotrigine Arrow-Lisinopril Arrow-Metformin Arrow-Nifedipine XR Arrow-Norfloxacin Arrow-Ranitidine	
Aqueous cream Aratac Aratac Arava Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin Arrow-Cabergoline Arrow-Citalopram Arrow-Citalopram Arrow-Diazepam Arrow-Etidronate Arrow-Lamotrigine Arrow-Lamotrigine Arrow-Metformin Arrow-Nifedipine XR Arrow-Norfloxacin Arrow-Ranitidine Arrow-Ranitidine Arrow-Ranitidine Arrow-Roxithromycin	
Aqueous cream Aratac Aratac Arava Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Cabergoline Arrow-Citalopram Arrow-Citalopram Arrow-Diazepam Arrow-Etidronate Arrow-Lisinopril Arrow-Metformin Arrow-Metformin Arrow-Norfloxacin Arrow-Norfloxacin Arrow-Ranitidine Arrow-Ranitidine Arrow-Roxithromycin Arrow-Roxithromycin Arrow-Roxithromycin Arrow-Simva 10mg	
Aqueous cream Aratac Aratac Arava Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin Arrow-Cabergoline Arrow-Citalopram Arrow-Citalopram Arrow-Diazepam Arrow-Etidronate Arrow-Lamotrigine Arrow-Lamotrigine Arrow-Metformin Arrow-Nifedipine XR Arrow-Norfloxacin Arrow-Ranitidine Arrow-Ranitidine Arrow-Ranitidine Arrow-Roxithromycin	

Arrow-Sumatriptan	118
Arsenic trioxide	139
Arthrexin	101
Asacol	
Ascorbic acid	36
Aspec 300	
Aspen Adrenaline	56
Aspirin	
Blood	40
Nervous	
Asthalin	
Atacand	
Atazanavir sulphate	93
Atenolol	
ATGAM	
Ativan	
Atomoxetine	
Atorvastatin	
Atropine sulphate	0
Alimentary	27
Sensory	150
Atropt	150
Atrovent	153
Augmentin	85
Auranofin	
Avanza	
Avomine	120
Avonex	120
Azamun	1/6
Azatadine maleate	1/10
Azathioprine	1/16
Azithromycin	84
Azol	22 22
Azopt	
AZT	
-B-	90
B-D Micro-Fine	00
B-D Illian Fine	32
B-D Ultra FineB-D Ultra Fine II	32
B-D Ultra Fine II	32
Baclofen	108
BactrobanBakels Gluten Free Health Bread	59
Mix	404
Baraclude	89
Barrier Creams and Emollients	00
Batrafen	
Beclazone 100	150
Beclazone 250	150
Beclazone 50	150
Beclomethasone	
dipropionate 150	154

Bee venom allergy	
treatment1	
Bendrofluazide	
Benhex	
Benzathine benzylpenicillin	
Benzoin1	
Benztrop1	21
Benztropine mesylate1	21
Benzydamine hydrochloride	35
Benzylpenicillin sodium (penicillin G)	85
Beta Adrenoceptor Blockers	51
Beta Cream	61
Beta Ointment	
Beta Scalp	66
Beta-Adrenoceptor Agonists1	52
Betadine	64
Betadine Skin Prep	64
Betaferon1	
Betagan1	57
Betahistine dihydrochloride1	19
Betaloc	
Betaloc CR	52
Betamethasone dipropionate	61
Betamethasone sodium	
phosphate with	
betamethasone acetate	
	15
Betamethasone valerate61, Betamethasone valerate with	
Betamethasone valerate61, Betamethasone valerate with	66
Betamethasone valerate61,	66
Betamethasone valerate61, Betamethasone valerate with clioquinol Betamethasone valerate with	66 62
Betamethasone valerate61, Betamethasone valerate with clioquinol Betamethasone valerate with fusidic acid	66 62 62
Betamethasone valerate61, Betamethasone valerate with clioquinol	66 62 62 57
Betamethasone valerate61, Betamethasone valerate with clioquinol	66 62 57 61
Betamethasone valerate61, Betamethasone valerate with clioquinol	66 62 57 61 62
Betamethasone valerate61, Betamethasone valerate with clioquinol	66 62 57 61 62 57
Betamethasone valerate61, Betamethasone valerate with clioquinol	66 62 57 61 62 57 57
Betamethasone valerate61, Betamethasone valerate with clioquinol	66 62 57 61 62 57 57 44
Betamethasone valerate	66 62 57 61 62 57 57 44 44
Betamethasone valerate	66 62 57 61 62 57 44 44 44
Betamethasone valerate	66 62 57 61 62 57 44 44 44 44
Betamethasone valerate	66 62 57 61 62 57 44 44 44 44 85
Betamethasone valerate	66 62 57 61 62 57 57 44 44 44 48 35
Betamethasone valerate	66 62 57 61 62 57 44 44 44 48 535 58
Betamethasone valerate	66 62 57 61 62 57 44 44 44 85 35 58 10
Betamethasone valerate	66 62 57 61 62 57 44 44 48 35 58 10
Betamethasone valerate	66 62 57 61 62 57 44 44 44 85 35 58 10 10
Betamethasone valerate	66 62 57 61 62 57 57 44 44 44 85 58 10 10 34
Betamethasone valerate	66 62 57 61 62 57 44 44 44 85 58 10 10 34 64 39
Betamethasone valerate	66 62 57 61 62 57 44 44 44 85 58 10 10 34 64 39
Betamethasone valerate	66 62 57 61 62 57 44 44 48 58 10 10 34 64 39 39

INDEX

meter	31	Calcium folinate	136	Chioramphenicoi	156
Blood glucose diagnostic tes		Calcium Folinate Ebewe	136	Chlorhexidine gluconate	
strip	32	Calcium gluconate	37	Alimentary	35
Bonjela	35	Calcium Homeostasis	106	Dermatological	63
Bosentan	56	Calcium polystyrene		Chloroform	166
Breath-Alert	155	sulphonate	43	Chloromycetin	156
Brevinor 1/21	71	Calcium Resonium	43	Chlorothiazide	54
Brevinor 1/28	71	Calogen	170	Chlorpheniramine maleate	149
Brevinor 21	71	Calsource	37	Chlorpromazine	
Bricanyl Turbuhaler	152	Camptosar	138	hydrochloride	122
Brimonidine tartrate	158	Candesartan	49	Chlorsig	156
Brimonidine tartrate with time	olol	Canesten	59	Chlorthalidone	54
maleate	159	Capadex	110	Chlorvescent	44
Brinzolamide	158	Capecitabine		Cholecalciferol	36
Brolene	156	Capoten	48	Cholestyramine with	
Bromocriptine mesylate	120	Capsaicin		aspartame	44
Brufen	100	Captopril	48	Choline salicylate with	
Brufen Retard	100	Carafate	28	cetalkonium chloride	35
Buccastem	120	Carbamazepine	115	Ciclopiroxolamine	59
Budesonide		Carbimazole	79	Cilazapril	48
Alimentary	25	Carboplatin	135	Cilazapril with	
Respiratory		Carboplatin Ebewe	135	hydrochlorothiazide	49
Budesonide with		Carbosorb-X	161	Cilicaine	86
eformoterol	152	Cardinol	52	Cilicaine VK	86
Bumetanide	54	Cardinol LA	52	Ciloxan	156
Bupivacaine hydrochloride .	109	Cardizem CD	53	Cimetidine	27
Buprenorphine		CareSens	32	Ciprofloxacin	
hydrochloride	110	CareSens II	31	Infection	86
Bupropion hydrochloride	55	CareSens POP	31	Sensory	156
Burinex	54	Carmustine	135	Cisplatin	135
Buscopan	27	Carvedilol	51	Cisplatin Ebewe	135
Buserelin acetate	80	Catapres	53	Citalopram hydrobromide	113
Buspirone hydrochloride	126	Catapres-TTS-1	53	Cladribine	137
Busulphan	135	Catapres-TTS-2	53	Clarithromycin	
Butacort Aqueous	154	Catapres-TTS-3	53	Alimentary	27
- C -		CeeNU	135	Infection	
Cabergoline	81	Cefaclor monohydrate	83	Clexane	41
Cafergot		Cefazolin sodium	83	Climara 100	
Cal-d-Forte		Cefoxitin sodium		Climara 50	
Calamine		Ceftriaxone sodium		Clindamycin	
Calci-Tab 500		Cefuroxime axetil		Clinistix	
Calci-Tab 600		Cefuroxime sodium	83	Clinitest	
Calcipotriol		Celestone Chronodose	75	Clinoril	101
Calcitonin		Celiprolol	51	Clobazam	
Calcitriol		Cellcept		Clobetasol propionate	
Calcitriol-AFT		Celol		Clobetasone butyrate	61
Calcium		Cerezyme		Clomazol	
Calcium carbonate		Cetirizine - AFT		Dermatological	
Calcium carbonate with	****	Cetirizine hydrochloride		Genito-Urinary	
aminoacetic acid	25	Cetomacrogol		Clomiphene citrate	
Calcium Channel Blockers .		Charcoal		Clomipramine hydrochloride	
Calcium Disodium		Chemotherapeutic Agents		Clonazepam	114–115
Versenate	161	Chlorambucil	135	Clonidine	53

INDEX Generic Chemicals and Brands


Clonidine hydrochloride	
Cardiovascular	53
Nervous	
Clopidogrel	
Clopine	.122
Clopixol124,	125
Clopress	
Clotrimazole	
Dermatological	59
Genito-Urinary	
Clozapine	
Clozaril	
Co-Renitec	
Co-trimoxazole	
Coal tar	66
Coal tar with allantoin, menthol,	
phenol and sulphur	66
Coal tar with salicylic acid and	00
sulphur	66
Coco-Scalp	
Codalgin	
Codeine phosphate	
Extemporaneous	.166
Nervous	
Cogentin	
Colaspase (L-asparaginase)	
Colchicine	
Colestid	
Colestipol hydrochloride	
Colgout	
Colifoam	
Colistin sulphomethate	
Colistin-Link	
Collodion flexible	.166
Colofac	
Coloxyl	34
Combigan	
Combivent	
Combivir	
Compound electrolytes	43
Compound	
hydroxybenzoate	. 166
Comtan	
Concerta	.133
Condoms	
Condyline	
Contraceptives - Hormonal	70
Contraceptives -	
Non-hormonal	69
Copaxone	
Copper	
Corangin	55
Cordarone-X	

Corticosteroids and Related	
Agents for Systemic Use	75
Corticosteroids Topical	61
Cosmegen	139
Cosopt	158
Cotazym ECS	33
Coumadin	42
Coversyl	
Cozaar	50
Creon 10000	33
Creon Forte	33
Crixivan	93
Cromolux	
Crotamiton	
Crystacide	59
Curam	
Cyclizine hydrochloride	119
Cyclizine lactate	119
Cycloblastin	135
Cyclogyl	
Cyclopentolate	100
hydrochloride	150
Cyclophosphamide	125
Cyclosporin A	1/19
Cyklokapron	۱۴۵
	40
Cyproheptadine hydrochloride	140
nydrocriioride	. 149
Cyproterone acetate	/6
Cyproterone acetate with	70
ethinyloestradiol	/2
Cystic Fibrosis	154
Cytarabine	
Cytotec	27
Cytoxan	135
- D -	
D-Penamine	101
D-Zol	82
d4T	92
Dacarbazine	139
Daclin	101
Dactinomycin (actinomycin	
D)	139
Daivonex	65
Daktarin	00
Alimentary	35
Dermatological	60
Dalacin C	
Danazol	
Dantrium	ع0
Dantrolene sodium	
Daonil	30
Dapsone	88

Daunorubicin	
DDI	92
De-Worm	83
Deca-Durabolin Orgaject	75
Delact	.186
Depo-Medrol	75
Depo-Medrol with lidocaine	75
Depo-Provera	72
Depo-Testosterone	
Deprim	86
Derbac-M	
Dermol61	I, 66
Desferrioxamine mesylate	
DesmopressinDesmopressin-PH&T	81
Desmopressin-PH&T	81
Detection of Substances in	
Urine	161
Dexamethasone	
Hormone	
Sensory	.157
Dexamethasone sodium	
phosphate	75
Dexamethasone with framycetin	
and gramicidin	156
Dexamethasone with neomycin	
and polymyxin b sulphate	.157
Dexamphetamine sulphate	.130
Dextrochlorpheniramine	
maleate	150
Dextropropoxyphene with	
paracetamol	
Dextrose	43
Dextrose with electrolytes	
DHC Continus	
Diabetes	28
Diabetes Management	30
Diabur 5000	
Diamox	.158
Diaphragm	69
Diasip	
Diason RTH	
Diastix	
Diastop	
Diazepam114,	
Dibenyline	
Diclax SR	.100
Diclofenac sodium	
Musculoskeletal System	.100
Sensory	.157
Diclohexal	.100
Didanosine [DDI]	
Didronel	.108
Difflam	35

INDEX Generic Chemicals and Brands

Diflucortolone valerate	61	Dr Reddy's Pantoprazole	28	Enzymes	108
Digestives Including		Dulcolax	34	Epilim	117
Enzymes	33	Duocal Super Soluble		Epilim Crushable	117
Digoxin		Powder	170	Epilim IV	117
Dihydrocodeine tartrate		Duolin	153	Epilim S/F Liquid	
Dilantin		Duphalac	34	Epilim Syrup	117
Dilantin Infatab		Duphaston		Epirubicin	
Dilatrend		Durex Confidence		Epirubicin Ebewe	
Diltiazem hydrochloride		Durex Extra Safe		Eprex	
Dilzem		Durex Select Flavours		ERA	
Dimetriose		Duride		Ergometrine maleate	
Dipentum		Durogesic		Ergotamine tartrate with	
Diphemanil methylsulphate		Dusting Powders		caffeine	118
Diphenoxylate hydrochloride		Dydrogesterone		Erythrocin IV	
atropine sulphate		Dynacirc-SRO		Erythromycin ethyl succinate	
Diprosone				Erythromycin lactobionate	
Diprosone OV		-E-		Erythromycin stearate	
Dipyridamole		E-Mycin		Erythropoietin alpha	
Disinfecting and Cleansing		Ear Preparations		Erythropoietin beta	
	62	Ear/Eye Preparations		Estelle 35-ED	
Agents Disipal		Easiphen		Estraderm TTS 100	
Disopyramide phosphate		Easiphen Liquid		Estraderm TTS 25	
Disulfiram		Econazole nitrate		Estraderm TTS 50	
Dithranol		Efavirenz		Estrofem	
		Efexor XR			
Diuretics		Eformoterol fumarate		Etanercept	
Diurin 40		Efudix	68	Ethambutol hydrochloride	
Diurin 500		Egopsoryl TA		Ethics Aspirin	
Dixarit		Elemental 028 Extra		Ethics Aspirin EC	
DM Ject		Eligard	81	Ethics Ibuprofen	
Docetaxel		Elocon	62	Ethinyloestradiol	/8
Docusate sodium	34	Eloxatin	135	Ethinyloestradiol with	70
Docusate sodium with	0.4	Eltroxin	79	desogestrel	/0
sennosides		Emend Tri-Pack	119	Ethinyloestradiol with	70
Domperidone		EMLA	109	gestodene	/0
Dopergin		Emtricitabine	92	Ethinyloestradiol with	
Dopress		Emtriva	92	levonorgestrel	/1
Dornase alfa		Emulsifying ointment	63	Ethinyloestradiol with	
Dorzolamide hydrochloride		Enalapril	48	norethisterone	
Dorzolamide hydrochloride w		Enalapril with		Ethosuximide	
timolol maleate		hydrochlorothiazide	49	Etidrate	
Dostinex		Enbrel		Etidronate disodium	
Dothiepin hydrochloride		Endocrine Therapy	144	Etopophos	
Doxazosin mesylate		Endoxan	135	Etoposide	
Doxepin hydrochloride		Enerlyte	43	Etoposide phosphate	
Doxine		Enfuvirtide	93	Eumovate	
Doxorubicin		Enoxaparin sodium	41	Eurax	
Doxorubicin Ebewe		Ensure		Exemestane	
Doxy-50		Ensure Plus		Extemporaneously Compound	ed
Doxycycline hydrochloride		Ensure Plus RTH		Preparations and	
DP Lotion		Entacapone		Galenicals	
DP Lotn HC		Entecavir		Eye Preparations	
DP-Anastrozole		Entocort CIR		Ezetimibe	
Dr Reddy's Omeprazole	28	Fnuclene		Ezetimibe with simvastatin	47



Ezetrol46
-F-
Famotidine27
Famox27
Felo 10 ER52
Felo 5 ER52
Felodipine52
Femara145
Femodene 2870
Femtran 10077
Femtran 5077
Fenpaed100
Fentanyl110
Fentanyl citrate110
Ferodan38
Ferro-F-Tabs38
Ferro-Gradumet38
Ferro-tab38
Ferrograd-Folic38
Ferrous fumarate38
Ferrous fumarate with folic
acid38
Ferrous gluconate with ascorbic
acid38
Ferrous sulphate38
Ferrous sulphate with folic
acid38
Ferrum H38
Fexofenadine hydrochloride150
Fibalip44
Fibersource
Fibersource HN178
Fibersource HN RTH178
Fibersource RTH178
Fibro-vein40
Finasteride73
Fintral
Flagyl88
Flagyl-S88
Flecainide acetate50
Fleet
Fleet Phosphate Enema34
Flixotide151
Flixotide Accuhaler151
Florinef75
Fluanxol124
Fluarix99
Flucloxacillin sodium85
Flucloxin85
Flucon157
Fluconazole87
Fludara137
Fludara Oral 137

Fludarabine phosphate	137
Fludrocortisone acetate	75
Fluids and Electrolytes	43
Flumetasone pivalate	156
Fluocortolone caproate with	
fluocortolone pivalate and	
cinchocaine	. 26
Fluorometholone	
Fluorouracil Ebewe	137
Fluorouracil sodium	
Dermatological	68
Oncology	137
Fluox	113
Fluoxetine hydrochloride	113
Flupenthixol decanoate	124
Fluphenazine decanoate	124
Flutamide	145
Flutamin	1/6
Fluticasone	151
Fluticasone with salmeterol	151
Fluvax	
FML	
FobanFolic acid	ე:
Food Thickeners	
	100
Foods And Supplements For Inborn Errors Of Metabolism -	
INDOM Errors of Metadolism -	400
Other	182
Foods And Supplements For	
Inborn Errors Of Metabolism -	400
PKU	
Foradil	151
Foremount Child's Silicone	
Mask	
Fortimel	173
Fortisip	1/9
Fortisip Multi Fibre	
Fosamax107,	108
Fosamax Plus	107
Framycetin sulphate	156
FreeStyle Lite31	
Frisium	
Frumil	
Fucicort	
Fucidin	
Fucithalmic	
Fungilin	
Furosemide	E /
Fusidic acid	54
Dermatological	
	59

- G -	
Gabapentin	115
Gabapentin (Neurontin)	116
Gamma benzene	
hexachloride	64
Gastrosoothe	
Gaviscon	25
Gaviscon Double Strength	25
Gaviscon Infant	25
Gemcitabine Ebewe	
Gemcitabine hydrochloride	137
Gemzar	137
Generaid Plus	174
Genoptic	
Genotropin	80
Genox	146
GenRx Moclobemide	113
Gentamicin sulphate	
Infection	87
Sensory	
Gestrinone	82
Ginet 84	72
Glatiramer acetate	
Gliben	
Glibenclamide	
Gliclazide	
Glipizide	30
Glivec	143
Glucagen Hypokit	28
Glucagon hydrochloride	28
Glucerna Select	
Glucerna Select RTH	172
Glucobay	29
Glucose oxidase	31
Gluten Free Foods	
Glycerol	
Alimentary	34
Extemporaneous	
Glycerol with paraffin and cetyl	
alcohol	63
Glyceryl trinitrate	55
Gold Knight	
Goldshield	
Gopten	
Goserelin acetate	
Growth hormone biosynthetic	
human	80
Gutron	
Gynaecological	
Anti-infectives	73
Gynol II	

Generic Chemicals and Brands

- H -
Habitrol55
Haldol124
Haldol Concentrate124
Haloperidol123
Haloperidol decanoate124
Hamilton Sunscreen67
healthE60
healthE Fatty Cream63
Healtheries Iron with Vitamin
C38
Healtheries Multi-vitamin
tablets
Healtheries Simple Baking
Mix181
Hemastix161
Heparin sodium42
Heparinised saline42
Hepsera88
Herceptin147
Hexamine hippurate98
Hiprex98
Histafen149
Holoxan
Homatropine hydrobromide159
Horleys Bread Mix181
Horleys Flour181
Hormone Replacement Therapy -
Systemic76
Humalog29
Humalog Mix 2529
Humalog Mix 5029 Humira102
HumiraPen102 Humulin 30/7028
Humulin NPH28
Humulin R28
Hyalase108
Hyaluronidase108
Hybloc51
Hydralazine56
Hydrea140
Hydrocortisone
Dermatological61
Hormone75
Hydrocortisone acetate26
Hydrocortisone butyrate62, 66
Hydrocortisone butyrate with
chlorquinaldol62
Hydrocortisone with
miconazole62
Hydrocortisone with natamycin

and neomycin62
Hydrocortisone with wool fat and
mineral oil
Hydroderm Lotion64
Hydrogen peroxide
Alimentary36
Dermatological59, 68
Hydroxocobalamin36
Hudroxocobalamin
Hydroxychloroquine sulphate87
Hydroxyurea140
Hygroton54
Hyoscine (scopolamine)119
Hyoscine hydrobromide119
Hyoscine N-butylbromide27
Hypam129
Hyperuricaemia and
Antigout108
Hypnovel129
Hypromellose160
Hysite158
Hytrin Starter Pack48
Hyzaar50
-1-
•
Ibiamox85
Ibuprofen100
Idarubicin hydrochloride140
Ifosfamide135
Iloprost57
Imatinib mesylate143
Imiglucerase35
Imigran118
Imipramine hydrochloride112
Imiquimod67
Immune Modulators94
Immunosuppressants146
Imuran146
Indapamide54
Indinavir93
Indomethacin101
Infant Formulae184
Influenza vaccine 99
Influenza vaccine99
Inhaled Anticholinergic
Inhaled Anticholinergic agents

Insulin isophane28

and the form have with the offer	
nsulin isophane with insulin	00
neutral	28
nsulin lispro	29
nsulin lispro with insulin lispro	00
protamine	
nsulin neutral	
nsulin pen needles	32
nsulin syringes, disposable with	00
attached needle	32
ntal Spincaps1	
nterferon alpha-2a	95
nterferon alpha-2a with	OE.
ribavirin	90
nterferon alpha-2b	95
nterferon beta-1-alpha1	
nterferon beta-1-beta1	
ntra-uterine device	
ntron-A	
nvirase	
pecacuanha1 pratropium bromide153–1	
pratropium Steri-Neb1 rinotecan1	ეკ ეი
ron polymaltose	
sentress	
smo 20	
sogel	
soniazidsoprenaline hydrochloride	00
soptinsoptin	20
sopto Carpine1	DO En
sopto Homatropine1	59
sosorbide mononitrate	55
sosource 1.51	
sosource HN1	
sosource HN RTH1	
sosource Standard1	70 70
sosource Standard RTH1	70 70
sotane 10	70 50
sotane 20	
sotretinoin	
sradipine	
suprel	
traconazole	
- J -	O1
Janola	60
Jevity RTH1	79
	10
- K -	
Kaletra	
Karicare Food Thickener1	80
Karicare Goats Milk Infant	
Formula 1	46

INDEX Generic Chemicals and Brands

Karicare Soy All Ages	186
Kemadrin	121
Kenacomb	156
Kenacort-A	76
Kenacort-A40	76
Keppra	116
Keto-Diabur 5000	31
Keto-Diastix	31
Ketoconazole	
Dermatological	
Infection	87
Ketone blood beta-ketone	
electrodes	31
Ketoprofen	100
Ketostix	
Ketovite	37
Ketovite Liquid	37
Ketur-Test	31
Kindergen	
Kivexa	92
Klacid	84
Klamycin	
Alimentary	27
Infection	
Kliogest	78
Kliovance	
Konakion	
Konakion MM	
Konsyl-D	33
-L-	
LA-Morph	111
Labetalol	51
Lacri-Lube	160
Lactulose	34
Lamictal	116
Lamivudine	
Lamotrigine	116
Lanoxin	50
Lanoxin PG Lansoprazole	JC
Lantus	
Lantus SoloStar	25
Lanvis	∠১
Largactil	100
LargacuiLasix	
Latanoprost Lax-Tabs	الادا م
Laxatives	40 دو
Laxsol	ى م
Leflunomide	101
Lemnis Fatty Cream	دع ۱۱۱۱
Lemnis Fatty Cream Lemnis Fatty Cream HC	61
Letrozolo	1 / 1

Leukeran FC	135
Leunase	139
Leuprorelin	81
Leustatin	137
Levetiracetam	116
Levlen ED	71
Levobunolol	157
Levocabastine	157
Levodopa with benserazide	
Levodopa with carbidopa	121
Levonorgestrel	
Genito-Urinary	72
Hormone	78
Levothyroxine	79
Lifestyles Flared	69
Lignocaine hydrochloride	109
Lignocaine with	
chlorhexidine	109
Lignocaine with prilocaine	109
Lipid Modifying Agents	44
Lipitor	45
Liquigen	170
Lisinopril	49
Lisuride hydrogen maleate	121
Litak	137
Lithicarb	123
Lithium carbonate	123
Livostin	157
Locasol	185
Loceryl	59
Locoid62	, 66
Locoid C	62
Locoid Crelo	62
Locoid Lipocream	62
Locorten-Vioform	156
Lodoxamide trometamol	15/
Loette	/1
Logem	110
Lomide Lomustine	107
Loperamide hydrochloride	133
Lophlex LQ	∠0
Lopinavir with ritonavir	100
Lopresor	93
Lopressor	52
Loprofin	OZ
Loprofin Mix	104
Loprofin Mix Loraclear Hayfever Relief	150
Lorapaed	150
Loratadine	150
Lorazepam	126
Lormetazepam	120
Lonnetazepani	140

Losec Hp7 OAC	27
Lovir	91
Loxamine	113
Lucrin Depot Lucrin Depot PDS	81
Lucrin Depot PDS	81
Ludiomil	112
Lumigan	158
Lycinate	55
Lyderm	65
- M -	
- м - m-Enalapril	40
m-Eslon	
m-Mometasone	02
Mabthera	
Macrogol 3350	
Madopar 125	121
Madopar 250	
Madopar 62.5	121
Madopar Dispersible	
Madopar HBS	121
Magnesium hydroxide	166
Magnesium sulphate	
Alimentary	38
Dermatological	
Malathion	64
Maprotiline hydrochloride	112
Marcain Heavy Marcain Isobaric	109
Marcain Isobaric	109
Marevan Marine Blue Lotion SPF 30+	42
Marine Blue Lotion SPF 30+	67
Marquis Black	69
Marquis Conforma	69
Marquis Protecta	69
Marquis Selecta	69
Marquis Sensolite	
Marquis Supalite	69
Marquis Titillata	
MarquisTantiliza	69
Marvelon 21	70
Marvelon 28	70
Mask for spacer device	155
Mast cell stabilisers	
Maxalt Melt	118
Maxidex	157
Maxitrol	157
MCT oil (Nutricia)	170
MCT oil (Nutricia) MDS Quick Card	73
Mebendazole	83
Mebeverine hydrochloride	27
Medrol	75
Medroxyprogesterone acetate	
Genito-Urinary	72

Generic Chemicals and Brands

Hormone	77, 79	Mexiletine hydrochloride	51	Mucilaginous laxatives with	
Mefenamic acid	101	Mexitil	51	stimulants	34
Megace	145	Miacalcic	108	Mucilax	33
Megestrol acetate	145	Mianserin hydrochloride	112	Multiload Cu 375	69
Melphalan	135	Micanol	66	Multiload Cu 375 SL	69
Menthol	61	Micelle E	37	Multiparin	42
Mercaptopurine	138	Miconazole	35	Multiple Sclerosis	
Mercilon 21		Miconazole nitrate		Treatments	127
Mercilon 28	70	Dermatological	60	Multivitamins	37
Mesalazine	26	Genito-Urinary	73	Mupirocin	59
Mesna	141	Micreme		Muscle Relaxants	
Mestinon		Micreme H	62	Myambutol	88
Metabolic Disorder Agents .	35	Microgynon 20 ED	71	Mycobutin	88
Metabolic Mineral Mixture	184	Microgynon 30		Mycophenolate mofetil	146
Metamide	119	Microgynon 30 ED		Mycostatin	
Metamucil		Microgynon 50 ED		Mydriacyl	
Metformin hydrochloride	30	Microlax		Mylan	52
Methadone hydrochloride		Microlut	72	Mylanta P	
Extemporaneous	166	Midazolam		Myleran	
Nervous		Midodrine	51	Myocrisin	
Methatabs		Minaphlex		Myometrial and Vaginal Horm	
Methoblastin		Minerals		Preparations	
Methopt		Minidiab		- N -	
Methotrexate		Minirin		Nadolol	
Methotrexate Ebewe		Mino-tabs			
Methotrimeprazine		Minocycline hydrochloride		Nalcrom	
Methyl hydroxybenzoate		Minomycin		Naloxone hydrochloride	
Methylcellulose		Minor Skin Infections		Naltrexone hydrochloride	
Methyldopa		Mirena		Nandrolone decanoate	
Methylergometrine		Mirtazapine		Napamide	
Methylphenidate		Misoprostol		Naphazoline hydrochloride	
hydrochloride	131	Mitomycin C		Naphcon Forte	
Methylphenidate hydrochloric		Mitomycin-C		Naprosyn SR 1000	
extended-release		Mitozantrone		Naprosyn SR 750	
Methylprednisolone		Mitozantrone Ebewe		Naproxen	
Methylprednisolone		Mixtard 30		Naproxen sodium	
aceponate	62	Moclobemide		Nardil	
Methylprednisolone acetate		Modecate		Nasal Preparations	
Methylprednisolone acetate				Natulan	
lignocaine		Moducal Mogine		Nausicalm	
•	73	Mometasone furoate		Navelbine	
Methylprednisolone sodium	75	Monofeme		Navoban	
succinate				Nedocromil	
Methylxanthines	134	Monogen		Nefopam hydrochloride	
Metoclopramide	110	Morphine hydrochloride		Neo-B12	
hydrochloride		Morphine sulphate		Neo-Mercazole	
Metoclopramide hydrochloric		Morphine tartrate		Neo-Naclex	54
with paracetamol		Morrex Maltodextrin		Neocate	185
Metopirone		Motilium		Neocate Advance	185
Metoprolol - AFT CR		Mouth and Throat		Neocate LCP	
Metoprolol succinate		Movicol		Neoral	
Metoprolol tartrate		MSUD Maxamaid		NeoRecormon	
Metronidazole		MSUD Maxamum		Neostigmine	
Metyrapone	82	Mucilaginous laxatives	33	-	

Generic Chemicals and Brands

Neotigason	65	NovoRapid	29	Orabase	35
Nepro (vanilla)	175	NovoRapid Penfill	29	Oracort	35
Nerisone	61	Nozinan	123	Oral Supplements	171
Neulactil		Nuelin	154	Oral Supplements/Complete Di	et
Neurontin	116	Nuelin-SR	154	(Nasogastric/Gastrostomy	
Nevirapine	92	Nupentin	115	Tube Feed)	172
Nicotine		Nutraplus		Oratane	
Nicotinell		Nutrient Modules		Orgran	
Nicotinic acid		Nutrini Energy RTH		Ornidazole	
Nifedipine		Nutrini RTH		Orphenadrine citrate	
Nifuran		NutriniDrink		Orphenadrine hydrochloride	
Nilstat		NutriniDrink Multifibre		Ortho	
Alimentary	35	Nutrison Concentrated		Ortho All-flex	
Genito-Urinary		Nutrison Energy Multi Fibre .		Ortho Coil	
Infection		Nutrison Multi Fibre		Ortho-tolidine	
Nipent		Nutrison Standard RTH		Oruvail 100	
Nitrados		Nuvelle		Oruvail 200	
Nitrates		Nyefax Retard		Osmolite RTH	
Nitrazepam		Nystatin		Ospamox Paediatric Drops	
Nitroderm TTS		Alimentary	35	Other CNS Agents	
Nitrofurantoin		Dermatological		Other Endocrine Agents	
Nitrolingual Pumpspray		Genito-Urinary		Other Oestrogen	01
Nizoral		Infection		Preparations	78
Dermatological	60	NZB Low Gluten Bread Mix		Other Progestogen	70
Infection			101	Preparations	78
Noctamid		- 0 -		Other Skin Preparations	
Nodia		Octreotide (somatostatin	1.45	Ovestin	00
Noflam 250		analogue)		Genito-Urinary	73
Noflam 500		Oestradiol		Hormone	
Nonoxynol-9		Oestradiol valerate		Ox-Pam	
Nordette 28		Oestradiol with levonorgestre	I/8	Oxaliplatin	
		Oestradiol with	70	•	
Norditropin SimpleXx 10mg Norditropin SimpleXx 15mg		norethisterone	/8	Oxaliplatin Ebewe Oxazepam	
Norditropin SimpleXx 5mg.		Oestriol	70	Oxis Turbuhaler	
Norethisterone	00	Genito-Urinary			
	70	Hormone		Oxybutynin	
Genito-Urinary Hormone		Oestrogens	//	Oxycodone hydrochloride	
Norethisterone with	19	Oestrogens with	70	OxyContin	
mestranol	71	medroxyprogesterone		OxyNorm	
Norflex		Oil in water emulsion		Oxypentifylline	
		Oily cream		Oxytocin	73
Norfloxacin		Olanzapine		- P -	
Noriday 28		Olbetam		Pacifen	
Norimin		Olsalazine		Pacific Buspirone	126
Norinyl-1/28		Omeprazole		Paclitaxel	141
Normacol		Omeprazole, amoxycillin and		Paclitaxel Ebewe	141
Normacol Plus		clarithromycin		Paediatric Seravit	
Normison		Ondansetron		Pamidronate disodium	108
Norpress		One-Alpha		Pamisol	108
Nortriptyline hydrochloride .		Onkotrone		Panadol	109
Norvir		Optium 5 second test	32	Pancreatic enzyme	33
Noten		Optium Blood Ketone Test		Pancrex V	33
NovaSource Renal		Strips		Pancrex V Forte	
NovoFine	32	Optium Xceed	31	Panteston	76

INDEX

Pantocid IV	28	Persantin	41	Postinor-1	72
Pantoprazole	28	Pethidine hydrochloride	112	Potassium bicarbonate	44
Panzytrat	33	Pevaryl	60	Potassium chloride	43-44
Papaverine hydrochloride	56	Pexsig	53	Povidone iodine	64
Paracare		Pharmacare	109	Prantal	63
Paracare Double Strength .	109	Phenate	81	Pravachol	45
Paracare Junior	109	Phenelzine sulphate	113	Pravastatin	45
Paracetamol		Phenergan	150	Prazosin hydrochloride	
Paracetamol with codeine .		Phenobarbitone		Pred Forte	
Paradex	110	Phenobarbitone sodium		Pred Mild	
Paraffin		Phenoxybenzamine		Prednisolone acetate	
Paraffin liquid with soft white		hydrochloride	48	Prednisolone sodium	
paraffin		Phenoxymethylpenicillin		phosphate	75
Paraffin liquid with wool fat		(Penicillin V)	86	Prednisone	
liquid	160	Phentolamine mesylate		Prefrin	
Paraldehyde		Phenylephrine		Pregnancy tests - HCG urine	
Paramax		hydrochloride	160	Premarin	
Parasiticidal Preparations		Phenylephrine hydrochlori		Premia 2.5 Continuous	
Parnate		zinc sulphate		Premia 5 Continuous	
Paroxetine hydrochloride		Phenytoin sodium		Priadel	
Paxam		Phlexy 10		Primidone	
Peak flow meter		Phosphate-Sandoz		Primolut N	
Pedialyte - Bubblegum		Phytomenadione		Pro-Pam	
Pedialyte - Fruit		Pilocarpine		Probenecid	
Pedialyte - Plain		Pilopt		Procaine penicillin	
Pediasure		Pimafucort		Procarbazine hydrochloride	
Pediasure RTH		Pindol		Prochlorperazine	
Pegasys		Pindolol		Procyclidine hydrochloride	
Pegasys RBV Combination		Pinetarsol		, ,	
• .				Prodopa Prograf	
Pack	95	Pioglitazone		Progynova	
Pegatron Combination	07	Piportil			
Therapy		Pipothiazine palmitate		Promethazine hydrochloride	
Pegylated interferon alpha-2		Piram-D		Promethazine theoclate	
Pegylated interferon alpha-2		Piroxicam		Promod	
with ribavirin		Pizaccord		Propafenone hydrochloride	
Penicillamine		Pizotifen		Propamidine isethionate	
PenMix 30		PKU Anamix Infant		Propranolol	
PenMix 40		PKU Lophlex LQ		Propylene glycol	
PenMix 50		Plaquenil		Protamine sulphate	42
Pentasa	26	Plavix		Protaphane	
Pentostatin	444	Plendil ER		Protaphane Penfill	
(deoxycoformycin)		Podophyllotoxin		Protifar	
Pepti Junior		Polaramine	150	Provera	,
Pepti Junior Gold		Polaramine Colour-Free	150	PSO1	187-190
Peptisoothe		Repetab		Psoriasis and Eczema	0.5
Peptisorb		Polaramine Repetab		Preparations	
Pergolide		Poloxamer		Pulmicort Turbuhaler	
Perhexiline maleate		Poly-Tears		Pulmocare	
Periactin		Poly-Visc		Pulmozyme	
Pericyazine		Polycal		Purinethol	
Perindopril		Polytar Emollient		Pyrazinamide	
Permax		Polyvinyl alcohol		Pyridostigmine bromide	
Permethrin	65	Ponstan	101	Pyridoxine hydrochloride	36

INDEX Generic Chemicals and Brands

Pytazen SR	41
. Q -	
Q 200	108
Q 300	
Questran-Lite	44
Quetapel	123
Quetiapine	123
Quinapril	49
Quinapril with	
hydrochlorothiazide	. 49
Quinine sulphate	
QV	63
- R -	
RA-Morph	111
Raltegravir potassium	
Ranbaxy Amoxicillin	85
Ranbaxy-Cefaclor	83
Ranitidine hydrochloride	27
Rapamune	148
Recombinant human growth	
hormone	
Redipred	
RegitineRenilon 7.5	48
Resonium-A	
Resource Diabetic	
Resource Plus	
Resource Thicken Up	120
Respigen	
Respiratory Devices	
Retrovir	.93
ReVia	
Reyataz	
Rheumacin	
Rheumacin SR	101
Ridal	124
Ridaura	101
Rifabutin	
Rifadin	
Rifampicin	88
Rifinah	
Riodine	
Risperdal	124
Risperdal Consta	
Risperdal Quicklet	
Risperon124–	127
Ritalin	
Ritalin LA	
Ritalin SR	
Ritonavir	
Rituximab	

Rivotril114,	115
Rizatriptan benzoate	
Rocaltrol solution	.36
Roferon RBV Combination	
Pack	. 95
Roferon RBV Combination Pack	
Starter Kit	. 95
Roferon-A	.95
Ropin	
Ropinirole hydrochloride	
Roxithromycin	.85
Rubifen	131
Rubifen SR	
Rythmodan	
Rytmonorm	.51
- S -	
	186
S26 SoyS26LBW Gold RTF	184
Sabril	
Salamol	
Salapin	
Salazopyrin	26
Salazopyrin EN	26
Salbutamol	
Salbutamol with ipratropium	102
bromide	153
Salicylic acid	.66
Salmeterol	
Sandomigran	
Sandostatin	
Sandostatin LAR	
Sandoz	.85
Saguinavir	
SC Profi-Fine	
Scalp Preparations	.66
Scopoderm TTS	119
Sebizole	
Sedatives and Hypnotics	128
Selegiline hydrochloride	121
Senna	.34
Senokot	.34
SensoCard	
Serenace	123
Seretide	152
Seretide Accuhaler	152
Serevent	151
Serevent Accuhaler	151
Seroquel	
Sevredol	111
Sex Hormones Non	
Contraceptive	. 76
Shield 49	.69

Shield Blue69

Shield XL	
Sildenafil	.56
Silvazine	
Silver sulphadiazine	.59
Simethicone	.25
Simvastatin	
Sindopa1	
Sinemet	21
Sinemet CR1	21
Sirolimus1	48
Siterone	.76
Slow-Lopressor	
Smoking Cessation	.55
Sodium acid phosphate	.34
Sodium alginate	.25
Sodium aurothiomalate1	02
Sodium bicarbonate	
Blood	.43
Extemporaneous1	67
Sodium calcium edetate1	
Sodium	
carboxymethylcellulose	35
Sodium chloride	.43
Sodium citrate with sodium lauryl	
sulphoacetate	34
Sodium citro-tartrate	.74
Sodium cromoglycate	
Alimentary	.26
Respiratory153-1	54
Sensory	
Sodium fluoride	.37
Sodium hypochlorite	
Sodium nitroprusside	
Sodium polystyrene	
Sodium polystyrene sulphonate	44
Sodium tetradecyl sulphate	40
Sodium valproate1	
Sofradex	56
Soframycin1	
Solian1	
Solox	27
Solu-Cortef	
Solu-Medrol	
Sonaflam	
Sotacor	
Sotalol	
Space Chamber1	55
Spacer device1	55
Span-K	44
Spiriva1	53
Spironolactone	54
Sporanox	
Spiriva1	53
Spirotone	

INDEX

Generic Chemicals and Brands

0	4.40	T	400	The management of the	40
Sprycel		Temazepam		Tranexamic acid	
Staphlex		Temgesic		Tranylcypromine sulphate	
Stavudine [d4T]		Temodal		Trastuzumab	
Stelazine		Temozolomide		Travatan	
Stemetil		Teniposide		Travoprost	
Stesolid		Tenofovir disoproxil fumarate .		Trental 400	
Stocrin		Tenoxicam		Tretinoin	142
Stomahesive	35	Terazosin hydrochloride	48	Triamcinolone acetonide	
Strattera	129	Terbinafine	87	Alimentary	35
Sucralfate	28	Terbutaline sulphate	152	Dermatological	62
Sulindac	101	Testosterone	76	Hormone	76
Sulphacetamide sodium	156	Testosterone cypionate	76	Triamcinolone acetonide with	
Sulphasalazine	26	Testosterone esters	76	gramicidin, neomycin and ny	statin
Sulphur		Testosterone undecanoate	76	Dermatological	
Sumagran		Tetrabenazine		Sensory	
Sumatriptan		Tetrabromophenol		Triamizide	
Sunscreens		Tetracosactrin		Triamterene with	
Sunscreens, proprietary		Teva		hydrochlorothiazide	54
Suplena	177	Thalidomide		Triazolam	
Suprefact		Thalidomide Pharmion		Trichozole	
•		Theophylline		Trifeme	
Surgam				Trifluoperazine	/ 1
Sustagen Hospital Formula		Thiamine hydrochloride			101
Sustanon Ampoules		Thioguanine		hydrochloride	
Symbicort Turbuhaler 100/6		Thiotepa		Trimeprazine tartrate	
Symbicort Turbuhaler 200/6	152	Thymol glycerin	36	Trimethoprim	
Symbicort Turbuhaler		Thyroid and Antithyroid		Trimipramine maleate	
400/12		Agents		Tripress	
Symmetrel		Tiaprofenic acid		Triquilar ED	
Sympathomimetics		Tiberal		Trisequens	
Synacthen	76	Tilade		Trisul	86
Synacthen Depot		Tilcotil	101	Trophic Hormones	
Synermox	85	Timolol maleate		Tropicamide	159
Synflex	101	Cardiovascular	52	Tropisetron	120
Synthroid	79	Sensory	157	Trusopt	158
Syntocinon		Timoptol XE		Two Cal HN	180
Syntometrine		Tiotropium bromide	153	Tyloxapol	160
Syrup (pharmaceutical		Titralac	25	- U -	
grade)	167	TMP	87	Ultraproct	26
-T-		Tobramycin		•	
•	110	Infection	87	Ural	
Tacrolimus		Sensory		Urea	
Tambocor		Tobrex		Urinary Agents	
Tambocor CR		Tofranil		Urinary Tract Infections	
Tamoxifen citrate		Tolcapone		Uromitexan	
Tamoxifen Sandoz		Tolvon		Ursodeoxycholic acid	33
Tap water				- V -	
Tar with cade oil	66	Topamax		Vaccines	99
Tar with triethanolamine lauryl		Topiramate	11/	Valaciclovir	
sulphate and fluorescein	66	Total parenteral nutrition	40	Vallergan Forte	
Tasmar		(TPN)		Valoid (AFT)	
Taxotere	139	TPN		Valtrex	
Tegretol	115	Tracleer		Vancomycin hydrochloride	
Tegretol CR		Trandate		Vannair	
Telfast		Trandolapril	49	va:::: aii	152

INDEX Generic Chemicals and Brands

Vasodilators	56
Vasopressin Agonists	81
Vaxigrip	
Venlafaxine	
Ventavis	57
Ventolin	152
Vepesid	140
Verapamil hydrochloride	53
Vergo 16	119
Vermox	
Verpamil SR	53
Vesanoid	142
Viaderm KC	62
Viagra	56
Vicrom	153
Videx EC	92
Vigabatrin	117
Vinblastine sulphate	142
Vincristine sulphate	142
Vinorelbine	
Vinorelbine Ebewe	142
Viramune	92
Viramune Suspension	92
Viread	93
Vistil	160
Vistil Forte	160
Vitadol C	36
Vital HN	176
Vitamin A with vitamins D and	
C	36
Vitamin B complex	
Vitamins	
Vivoney Podietrie	105

Vivonex TEN	170
Voltaren	100
Voltaren D	100
Voltaren Ophtha	
Voltaren SR	
Volumatic	
Vosol	
Vumon	
Vytorin	
- W -	
Warfarin sodium	42
Wart Preparations	
Wasp venom allergy	
treatment	. 149
Water	
Blood	4
Extemporaneous	
Wholesale Supply Order	190
Wool fat with mineral oil	6
- X -	
Xalatan	158
Xeloda	
Xenazine 25	
XMET Maxamum	
XP Analog LCP	
XP Maxamaid	
XP Maxamum	
Xylocaine	
Z -	
Zadine	140
Zantac	

Zavedos	140
Zeffix	
Zeldox	124
Zerit	
Zetop	
Ziagen	
Zidovudine [AZT]	93
Zidovudine [AZT] with	
lamivudine	93
Zinacef	83
Zinc	63
Zinc and castor oil	63
Zinc oxide	
Zinc sulphate	38
Zincaps	
Zincfrin	160
Zinnat	83
Ziprasidone	
Zofran	
Zofran Zydis	120
Zoladex	
Zopiclone	129
Zostrix HP	68
Zovirax	156
Zuclopenthixol decanoate	125
Zuclopenthixol	
hydrochloride	124
Zyban	
Zyprexa	
Zyprexa Zydis	125

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:	
Signature:	Date:	

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:	
Signature:	Date:	

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:	
Signature:	Date:	