February 2010

Volume 17 Number 0

Editors

Kaye Wilson & Scott Brydon email: schedule@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

Freephone Information Line 0800 66 00 50 (9am - 5pm weekdays)

Circulation

Published each April, August and December. Changes to the contents are published in monthly updates. subscription includes three Pharmaceutical Schedule books, 12 updates and occasional

information on rule changes and news items. The Schedule is distributed free of charge to over 9,000 health professionals, and is also available on an annual subscription.

Prices

\$22.22 One Schedule book \$4.44 One Update \$120.00 Annual subscription

All prices include postage and exclude GST.

Production

Typeset automatically from XML and TEX. See www.pharmac.govt.nz/schedule/archive/ for the XML version of this Schedule.

Programmers

Anrik Drenth & John Geering email: texschedule@pharmac.govt.nz

© Pharmaceutical Management Agency



This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit:

creativecommons.org/licenses/by/3.0/nz/.

Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

Introducing PHARMAC

Section A General Rules 12

Section B	Alimentary Tract & Metabolism	25
	Blood & Blood Forming Organs	40

Cardiovascular System 49 Dermatologicals 59 Genito Urinary System 70

Hormone Preparations – Systemic 76 Infections – Agents For Systemic Use 84

Musculoskeletal System 102 Nervous System 112

Oncology Agents & Immunosuppressants 138 Respiratory System & Allergies 153 Sensory Organs 160

Section C Extemporaneous Compounds (ECPs) 165

Section E Supply Orders (PSO & WSO) 190 Rural Areas 194

Section F Dispensing Period Exemptions 195

Section G Safety Cap Medicines 197

Index 200

Introducing PHARMAC

PHARMAC, the Pharmaceutical Management Agency, is a Crown entity established pursuant to the New Zealand Public Health and Disability Act 2000 (The Act). The primary objective of PHARMAC is to secure for eligible people in need of pharmaceuticals, the best health outcomes that are reasonably achievable from pharmaceutical treatment and from within the amount of funding provided.

The PHARMAC Board consists of up to six members appointed by the Minister of Health. All decisions relating to PHARMAC's operation are made by or under the authority of the Board. In particular, Board members decide on the strategic direction of PHARMAC and may decide which community pharmaceuticals should be subsidised and at what levels, and determine national prices for some pharmaceuticals to be purchased by and used in DHB Hospitals, and whether or not special conditions are to be applied to such purchases.

Members of the PHARMAC Board

Richard Waddel Kura Denness David Kerr

Stuart McLaughlan David Moore Adrienne von Tunzelmann

Decisions taken by the PHARMAC Board members, or made under the authority of the Board, incorporate a balanced view of the needs of prescribers and patients. The aim is to achieve long-term gains and efficient ways of making pharmaceuticals available to the community and for DHB Hospitals to purchase them.

Murray Georgel, CE MidCentral DHB, attends PHARMAC's Board meetings as an observer.

The functions of PHARMAC are to perform the following, within the amount of funding provided to it in the Pharmaceutical Budget or to DHBs from their own budgets for the use of pharmaceuticals in their hospitals, as applicable, and in accordance with its annual plan and any directions given by the Minister (Section 103 of the Crown Entities Act):

- a) to maintain and manage a pharmaceutical schedule that applies consistently throughout New Zealand, including determining eligibility and criteria for the provision of subsidies;
- b) to manage incidental matters arising out of (a), including in exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the pharmaceutical schedule;
- c) to engage as it sees fit, but within its operational budget, in research to meet its objectives as set out in Section 47(a) of the Act:
- d) to promote the responsible use of pharmaceuticals;
- e) to manage the purchasing of any or all pharmaceuticals, whether used either in a hospital or outside it, on behalf of DHBs;
- f) any other functions given to PHARMAC by or under any enactment or authorised by the Minister.

The policies and criteria set out in the Pharmaceutical Schedule and PHARMAC's Operating Policies and Procedures arise out of, and are designed to help PHARMAC achieve and perform, PHARMAC's objective and functions under the Act.

However PHARMAC may, having regard to its public law obligations, depart from the strict application of those policies and criteria in certain exceptional cases where it considers this necessary or appropriate in the proper exercise of its statutory discretion and to give effect to its objective and functions, particularly with respect to:

- Determining eligibility and criteria for the provision of subsidies; and
- In exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the Pharmaceutical Schedule.

Decision Criteria

PHARMAC updates the Pharmaceutical Schedule at regular intervals to notify prescribers, pharmacists, hospital managers and patients of changes to Community Pharmaceutical subsidies and the prices for Hospital Pharmaceuticals. In making decisions about amendments to the Pharmaceutical Schedule, PHARMAC is guided by its Operating Policies and Procedures, as amended or supplemented from time to time. PHARMAC takes into account the following criteria when making decisions about Community Pharmaceuticals:

- the health needs of all eligible people within New Zealand (eligible defined by the Government's then current rules of eligibility):
- the particular health needs of Māori and Pacific peoples;
- the availability and suitability of existing medicines, therapeutic medical devices and related products and related things:
- the clinical benefits and risks of pharmaceuticals;
- the cost-effectiveness of meeting health needs by funding pharmaceuticals rather than using other publicly funded health and disability support services;
- the budgetary impact (in terms of the pharmaceutical budget and the Government's overall health budget) of any changes to the Pharmaceutical Schedule;
- the direct cost to health service users:
- the Government's priorities for health funding, as set out in any objectives notified by the Crown to PHARMAC, or in PHARMAC's Funding Agreement, or elsewhere; and
- such other criteria as PHARMAC thinks fit. PHARMAC will carry out appropriate consultation when it intends to take any such "other criteria" into account.

The Operating Policies and Procedures, including any supplements, also describe the way in which PHARMAC determines the level of subsidy or purchase price payable for each Community Pharmaceutical or Hospital Pharmaceutical, respectively.

The decision criteria for Hospital Pharmaceuticals are set out in the hospital supplement to the Operating Policies and Procedures and in the introductory part of Section H of the Pharmaceutical Schedule.

Copies of PHARMAC's Operating Policies and Procedures and of any applicable supplements are available on the PHARMAC website (www.pharmac.govt.nz), or on request.

PHARMAC and the Pharmaceutical Schedule:

PHARMAC manages the national Pharmaceutical Schedule, which lists:

- Pharmaceuticals available in the community and subsidised by the Government with funding from the Pharmaceutical Budget; and
- some Pharmaceuticals purchased by DHBs for use in their hospitals, and includes those Hospital Pharmaceuticals for which national prices have been negotiated by PHARMAC.

In the community approximately 1848 Pharmaceuticals are subsidised by the Government. Most are available to all eligible people within New Zealand on prescription by a medical doctor. Some are listed with guidelines or conditions such as 'only if prescribed for a dialysis patient' or 'Special Authority - Retail Pharmacy', to ensure that Pharmaceuticals are used by those people who are most likely to benefit from them. Pharmaceuticals provided to patients for use while in DHB hospitals are not covered by Sections A to G of the Pharmaceutical Schedule.

Section H of the Pharmaceutical Schedule is not a comprehensive list of Pharmaceuticals that are used within the DHB Hospitals. Section H of the Pharmaceutical Schedule includes Pharmaceuticals that can be purchased at a national price by DHBs for use in their hospitals. These are referred to as National Contract Pharmaceuticals.

Section H of the Pharmaceutical Schedule also identifies new Pharmaceuticals used in hospitals, which have been or are being assessed by PHARMAC, the results of that analysis being available to DHB Hospitals via PHARMAC's website.

A list of Discretionary Community Supply Pharmaceuticals, in Section H of the Pharmaceutical Schedule, identifies those products that currently are not subsidised from the Pharmaceutical Budget as Community Pharmaceuticals in Sections A to G of the Pharmaceutical Schedule but which DHBs can at their discretion fund for use in the community from their own budgets without specific Hospital Exceptional Circumstances approval.

PHARMAC's clinical advisors

Pharmacology and Therapeutics Advisory Committee (PTAC)

PHARMAC works closely with the Pharmacology and Therapeutics Advisory Committee (PTAC), an expert medical committee which provides independent advice to PHARMAC on health needs and the clinical benefits of particular pharmaceuticals for use in the community and/or in DHB Hospitals.

The committee members are all senior, practising clinicians. The chair of PTAC sits with the PHARMAC Board in an advisory capacity.

PTAC helps decide which community pharmaceuticals are to be subsidised from public monies by making recommendations to PHARMAC. Part of the role of PTAC is to review whether Community Pharmaceuticals already listed on the Schedule should continue to receive Government funds. The resources freed up can be used to subsidise other community pharmaceuticals with a greater therapeutic worth.

PHARMAC may obtain clinical advice from PTAC in relation to national purchasing strategies for Hospital Pharmaceuticals. There may be additional specialist hospital representatives on PTAC subcommittees, or additional PTAC subcommittees, where PHARMAC considers this necessary.

PTAC members are:

Carl Burgess MBChB, MD, MRCP (UK), FRACP, FRCP, physician/clinical pharmacologist, Chair

Marianne Empson BHB, MbChB, MMed(ClinEpi), FRACP, FRCPA, immunologist

lan Hosford MBChB, FRANZCP, psychiatrist

Sisira Jayathissa MBBS, MD, MRCP, FAFPHM, FRCP, FRACP, physician

George Laking PhD, MB, B.Med.Sci, MD, FRACP

Jim Lello BHB, MBChB, DCH, FRNZCGP, general practitioner

Graham Mills MBChB, MTropHlth, MD, FRACP, infectious disease specialist

Peter Pillans MBBCh, MD, FCP, FRACP, clinical pharmacologist

Mark Weatherall BA, MBChB, MApplStats, FRACP

Howard Wilson BSc, PhD, MB, BS, Dip Obst, FRNZCGP, general practitioner, Deputy Chair

Contact PTAC C/-Advisory Committee Manager , Pharmaceutical Management Agency, PO Box 10 254, WELLINGTON, Email: PTAC@pharmac.govt.nz

The PHARMAC Team

The PHARMAC team has a wide range of expertise in health, medicine, economics, commerce, critical analysis, and policy development and implementation.

opment and implement	ation.	,	, , , , , ,
Matthew Brougham	Chief Executive	Rachel Mackay	Manager, Schedule and
Lauren Abernethy	Funding and Procurement	,	Contracts
,	Assistant	Trish Mahoney	Contract Manager
Kate Adams	Health Economist	Adam McRae	Team Leader, Access & Optimal
Paul Alexander	Health Economist		Use
Jason Arnold	Senior Analyst	Scott Metcalfe	Chief Advisor Population
Diana Beswethrick	HR Contractor	Cook Motoano	Medicine / Public Health
Mike Bignall	Therapeutic Group Manager		Physician
Stephen Boxall	Creative Director	Peter Moodie	Medical Director
Scott Brydon	Schedule Analyst	Christina Newman	Executive Assistant to Chief
Davina Carpenter	Records Manager	Official a Nowman	Executive/Office Manager
Christine Chapman	Contract Manager	Leigh Parish	PA to Medical Director
Yvonne Chen	Tender Analyst	Marama Parore	Manager, Access & Optimal
Mary Chesterfield	High Cost Medicines	Warama r arore	Use & Māori Health
	Co-ordinator	Chris Peck	Analyst
Steffan Crausaz	Manager, Funding and	Melanie Pemberton	Communications Advisor
	Procurement	Fisher	Communications Advisor
Andrew Davies	Procurement Initiatives	Sharon Ponniah	Access and Optimal Use
	Manager	Onaron i omnan	Manager
Rachelle Davies	Senior Receptionist	Matthew Poynton	Analyst/Health Economist
Jessica Dougherty	Corporate Team Assistant	Rachel Pratt	Hospital Exceptional
Sean Dougherty	Therapeutic Group Manager	ridoriori ratt	Circumstances Panel
Anrik Drenth	Database Analyst		Co-ordinator
Kim Ellis	Access & Optimal Use	Rosanna Price	Receptionist
	Co-ordinator	Jan Quin	Team Leader, Medical Team
Simon England	Communications Manager	Dilky Rasiah	Deputy Medical Director
Andy Erceg	Senior Network and System	Kyle Reid	High Cost Medicines Panel
	Administrator	19.0 110.0	Co-ordinator / Growth Hormone
Jackie Evans	Therapeutic Group Manager	Brian Roulston	Analyst
John Geering	Systems Architect	Fiona Rutherford	Senior Policy Analyst
Rachel Grocott	Health Economist / Team	Rico Schoeler	Manager, Analysis and
	Leader Assessment		Assessment
Susan Haniel	Advisory Committee Manager	Merryn Simmons	PHARMAC Seminar Series
David Harland	Health Economist		Co-ordinator
Karen Jacobs	Access & Optimal Use Manager	Liz Skelley	Finance Manager
Cherie Jacobson	One Heart Many Lives	Jayne Watkins	Community Exceptional
	programme co-ordinator		Circumstances Panel
Richard Jaine	Public Health Registrar		Co-ordinator
Geoff Lawn	Applications Developer	Greg Williams	Therapeutic Group Manager
Geraldine MacGibbon	Therapeutic Group Manager	Lisa Williams	Legal Counsel
Janet Mackay	Access & Optimal Use Manager	Kaye Wilson	Schedule Analyst
		Stephen Woodruffe	Therapeutic Group Manager
		•	

Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price (if it differs from the Subsidy) and any access conditions that may apply; and
- some Hospital Pharmaceuticals that are purchased and used by DHB Hospitals, including those for which national prices have been negotiated by PHARMAC.

The purpose of the Schedule is not to show the final cost to Government of subsidising each Community Pharmaceutical or to DHBs in purchasing each Hospital Pharmaceutical since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for some Hospital Pharmaceuticals, on any logistics arrangements put in place by individual DHB Hospitals.

Finding Information in the Pharmaceutical Schedule

Community Pharmaceuticals

For Community Pharmaceuticals, the Schedule is organised in a way to help the reader find Community Pharmaceuticals, which may be used to treat similar conditions. To do this, Community Pharmaceuticals are first classified anatomically, originally based on the Anatomical Therapeutic Chemical (ATC) system, and then further classified under section headings structured for the New Zealand medical system.

- Section A lists the General Rules in relation to Community Pharmaceuticals and related products.
- Section B lists Community Pharmaceuticals and related products by anatomical classification, which are further divided into
 one or more therapeutic headings. Community Pharmaceuticals used to treat similar conditions are grouped together.
- Section C lists the rules in relation to Extemporaneously Compounded Products (ECPs) and Community Pharmaceuticals
 that will be subsidised when extemporaneously compounded.
- Section D lists the rules in relation to Special Foods and the Special Foods that are subsidised.
- Section E Part I lists the Community Pharmaceuticals that are subsidised on a Practitioner's Supply Order (PSO) and Wholesale Supply Order (WSO).
- Section E Part II lists rural areas for the purpose of PSOs.
- Section F lists the Community Pharmaceuticals dispensing period exemptions.
- Section G lists the Community Pharmaceuticals eligible for reimbursement of safety cap and related rules.

The listings are displayed alphabetically (where practical) within each level of the classification system. Each anatomical section contains a series of therapeutic headings, some of which may contain a further classification level. Where a Community Pharmaceutical is used in more than one therapeutic area, they may be cross-referenced.

The therapeutic headings in the Pharmaceutical Schedule do not necessarily correspond to the therapeutic groups and therapeutic subgroups, which PHARMAC establishes for the separate purpose of determining the level of subsidy to be paid for each Community Pharmaceutical.

The index located at the back of the book in which Sections A-G of the Pharmaceutical Schedule are published can be used to find page numbers for generic chemical entities, or product brand names.

Hospital Pharmaceuticals

Section **H** lists Pharmaceuticals that DHBs fund from their own budgets. The Hospital Pharmaceuticals are grouped into the following Parts in Section H:


- Part I lists the rules in relation to Hospital Pharmaceuticals.
- Part II lists Hospital Pharmaceuticals for which national contracts exist (National Contract Pharmaceuticals). These are
 listed alphabetically by generic chemical entity name and line item, the relevant Price negotiated by PHARMAC and, if
 applicable, an indication of whether it has Hospital Supply Status (HSS) and any associated Discretionary Variance (DV)
 Pharmaceuticals and DV Limit.
- Part III lists Assessed Pharmaceuticals, which have been or are being assessed by PHARMAC and, where such assessment
 is available, PHARMAC's opinion regarding the use of the Assessed Pharmaceuticals in hospitals. DHB Hospitals are not
 obliged to implement those recommendations.
- Part IV lists Discretionary Community Supply Pharmaceuticals, which are not Community Pharmaceuticals, but which a DHB
 Hospital can, in its discretion, fund for use in the community from its own budget.

The index located at the back of the Section H supplement can be used to find page numbers for generic chemical entities, or product brand names, for Hospital Pharmaceuticals.

Explaining drug entries

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the amount of that subsidy paid to contractors, the supplier's price and the access conditions that may apply.

Example



Glossary

Units of Measure

gram	g	microgram	µg	millimolemmol
kilogram	kg	milligram	mg	unitu
international unit	in	millilitro	ml	

Abbreviations					
Ampoule	Amp	Granules	Gran	Suppository	Supp
Capsule	Сар	Infusion	Inf	Tablet	Tab
Cream	Crm	Injection	Inj	Tincture	Tinc
Device	Dev	Linctus	Linc	Trans Dermal Delivery	
Dispersible	Disp	Liquid	Liq	System	TDDS
Effervescent	Eff	Long Acting	LA		
Emulsion	Emul	Ointment	Oint		
Enteric Coated	EC	Sachet	Sach		
Gelatinous	Gel	Solution	Soln		
BSO Bulk Supply Or	der				

CBS Cost Brand Source. There is no set manufacturer's price, and the Government subsidises the product at the price it is obtained by the pharmacy.

CE Compounded Extemporaneously.

CPD Cost Per Dose. The Funder (as defined in Part I of the General Rules) cost of a standard dose, without mark-ups or fees and excluding GST.

ECP Extemporaneously Compounded Preparation.

HSS Hospital Supply Status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

OP Original Pack – subsidy is rounded up to a multiple at whole packs.

PSO Practitioner's Supply Order.

Sole Subsidised

Supplier Only brand of this medicine subsidised.

WSO Wholesale Supply Order.

XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

- Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner.
- * Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless medicine is endorsed "close control" or "cc" and the endorsement is initialled by the prescriber.
- Safety cap required and subsidised for oral liquid formulations, including extemporaneously compounded preparations. Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a manufacturer's surcharge.
- S29 This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981. Practitioners prescribing this medication should:
 - a) be aware of and comply with their obligations under Section 29 of the Medicines Act 1981 and otherwise under that Act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
 - c) exercise their own skill, judgement, expertise and discretions, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an indication for which it is not approved.

Note: Where medicines supplied under Section 29 that are used for emergency situations, patient details required under Section 29 of the Medicines Act may be retrospectively provided to the supplier.

	Definitions				
Abbrev.	Pharmacy Services Agreement	All other Pharmacy Agreements			
[HP1]	Subsidised when dispensed from pharmacies that have the Complex Medicines Variation of the Pharmacy Services Agreement	Available from selected pharmacies that have an ex- clusive contract to dispense 'Hospital Pharmacy' [HP1] pharmaceuticals.			
[HP3]	Subsidised when dispensed from pharmacies that have the Pharmacy Services Agreement. A Special Food with [HP3] annotation is subsidised when dispensed by a pharmacy that has a Special Foods Service appended to their Pharmacy Services Agreement by their DHB.	Available from selected pharmacies that have an exclusive contract to dispense 'Hospital Pharmacy' [HP3] pharmaceuticals.			
[HP4]	Subsidised when dispensed from pharmacies that have the Monitored Therapy Variation (for Clozapine Services)	Avaliable from selected pharmacies that have an exclusive contract to dispense 'Hospital Pharmacy' [HP4] pharmaceuticals.			

Patient costs

Community Pharmaceuitical costs met by the Government

Most of the cost of a subsidised prescription Community Pharmaceutical is met by the Government through the Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to Contractors, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to Contractors does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a \checkmark in the product's Schedule listing.

SALBUTAMOL		
Aerosol inhaler 100 μg per dose	3.80	✓ Fully subsidised brand
	(6.00)	Higher priced brand

Pharmaceutical Co-Payments

Some Community Pharmaceutical costs are met by the patient. Generally a patient pays a prescription charge. In addition a patient will sometimes pay a manufacturer's surcharge, after hours service fee and any special packaging fee.

PRESCRIPTION CHARGE

From 1 September 2008, everyone who is eligible for publicly funded health and disability services should in most circumstances pay only \$3 for subsidised medicines.

All prescriptions from a public hospital, a midwife and a Family Planning Clinic are covered for \$3 co-payments.

Prescriptions from the following providers are approved for \$3 co-payments on subsidised medicines if they meet the specified criteria:

- After Hours Accident and Medical Services with a DHB or a PHO contract.
- Youth Health Clinics with a DHB or a PHO contract.
- Dentists who write a prescription that relates to a service being provided under a DHB contract.
- Private specialists (for example, opthalmologists and orthopaedics) who write a prescription for a patient receiving a publicly funded service contracted by the DHB.
- General practitioners who write a prescription during normal business hours to a person who is not enrolled in the general
 practice provided the person is eligible for publicly funded health and disability services and the general practice is part of a
 PHO
- Hospices that have a contract with a DHB.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Eligibility Direction on the Ministry of Health's website.

To check if a medicine is fully subsidised, refer to the Pharmaceutical Schedule on PHARMAC's website or ask your pharmacist or general practitioner.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

NOTE: Information sourced from Ministry of Health Website, for more information please visit www.moh.govt.nz

MANUFACTURER'S SURCHARGE

Not all Community Pharmaceuticals are fully subsidised. Although PHARMAC endeavours to fully subsidise at least one Community Pharmaceutical in each therapeutic group, and has contracts with some suppliers to maintain the price of a particular product, manufacturers are able to set their own price to pharmacies. When these prices exceed the subsidy, the pharmacist may recoup the difference from the patient.

To estimate the amount a patient will pay on top of the prescription charge, take the difference between the manufacturer's price

and the subsidy, and multiply this by 1.86. The 1.86 factor represents the pharmacy mark-up on the surcharge plus other costs such as GST. Pharmacies charge different mark-ups so this may vary.

Manufacturer's surchage to patient = $(price - subsidy) \times 1.86$

For example, a Community Pharmaceutical with a supplier (ex-manufacturer) cost of \$11.00 per pack with a \$10.00 subsidy will cost the patient a surchage of \$1.86 on top of the prescription charge. The most a patient should pay is therefore \$16.86 - being \$15.00 maximum prescription charge, plus \$1.86.

Hospital Pharmaceutical and Pharmaceutical Cancer Treatment Costs

The cost of purchasing Hospital Pharmaceuticals and Pharmaceutical Cancer Treatments (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) is met by the Funder (in particular, the relevant DHB) from its own budget. As required by section 23(7) of the Act, in performing any of their functions in relation to the supply of Pharmaceuticals including Pharmaceutical Cancer Treatments, DHBs must not act inconsistently with the Pharmaceutical Schedule.

PHARMAC web site

PHARMAC has set up an interactive Schedule on the Internet. It can be used to calculate the cost of a prescribed Community Pharmaceutical. This site at http://www.pharmac.govt.nz takes into account the quantity of Community Pharmaceutical prescribed as well as the patient's age, whether the patient has a community services card, high use health card or prescription subsidy card, the fee for pharmacy services and prescription charges.

Other information about PHARMAC is also available on our website. This includes copies of the Annual Review, Annual Report and Annual Plan, as well as information such as the Pharmaceutical Schedule, Pharmaceutical Schedule Updates, National Hospital Pharmaceutical Strategy, other publications and recent press releases.

Special Authority Applications

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person. Applications must be submitted to the Ministry of Health by the prescriber for the request to be processed.

Subsidy

Once approved, the presciber will be provided a Special Authority number which must appear on the prescription. Specialists who make an application must communicate the valid authority number to the prescriber who will be writing the prescriptions.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Pharmaceutical Budget.

Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website.

For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised. Criteria for each Special Authority Community Pharmaceutical are updated regularly, based on the decision criteria of PHARMAC. The appropriateness of the listing of a Community Pharmaceutical in the Special Authority category will also be regularly reviewed. Applications for inclusion of further Community Pharmaceuticals in the Special Authority category will generally be made by a pharmaceutical supplier.

Special Authority Applications

Application forms can be found at www.pharmac.govt.nz. Requests for fax copies should be made to PHARMAC, phone 04 460 4990. Applications are processed by the Ministry of Health, and should be sent to:

Ministry of Health Sector Services, Fax: (06) 349 1983 or free fax 0800 100 131

Private Bag 3015, WANGANUI 4540

For enquiries, phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666

Note: The Ministry of Health can only provide information on Special Authority applications to prescribers and pharmacists.

Each application must:

- Include the patients name, date of birth and NHI number (codes for AIDS patients' applications)
- Include the practitioner's name, address and Medical Council registration number
- Clearly indicate that the relevant criteria, have been met.
- Be signed by the practitioner.

Exceptional Circumstances policies

The purpose of the Exceptional Circumstances policies are to provide:

- funding from the Community Exceptional Circumstances budget for medication, to be used in the community, in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical Budget is not able to be provided through the Pharmaceutical Schedule ("Community Exceptional Circumstances"); or
- an assessment process for the DHB Hospitals to determine whether they can fund medication, to be used in the community, in circumstances where the medication is neither a Community Pharmaceutical nor a Discretionary Community Supply
 Pharmaceutical and where the patient does not meet the criteria for Community Exceptional Circumstances ("Hospital Exceptional Circumstances"); or
- an assessment process for DHB Hospitals to determine whether they can fund pharmaceuticals for the treatment of cancer
 in their DHB Hospital, or in association with Outpatient services provided in their DHB hospital, in circumstances where the
 pharmaceutical is not identified as a Pharmaceutical Cancer Treatment ("Cancer Exceptional Circumstances") in Sections
 A-H of the Pharmaceutical Schedule.

Upon receipt of an application for approval for Community Exceptional Circumstances or Hospital Exceptional Circumstances, the Exceptional Circumstances Panel first decides whether an application will be assessed initially under the Community Exceptional Circumstances criteria or the Hospital Exceptional Circumstances criteria. Cancer Exceptional Circumstances is a separate process.

Hospital Exceptional Circumstances

If the application is first assessed but not approved under the Community Exceptional Circumstances criteria, the Exceptional Circumstances Panel may recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances.

If the application is first assessed under the Hospital Exceptional Circumstances criteria, the Exceptional Circumstances Panel may:

- a) recommend against the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget, in which case a DHB Hospital must not fund the pharmaceutical from its own budget;
- b) recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances, in which case a DHB Hospital may, but is not obliged to, fund the pharmaceutical from its own budget;
- c) defer its decision until further assessment under the Community Exceptional Circumstances criteria can undertaken; or
- d) recommend interim funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances until further assessment under the Community Exceptional Circumstances criteria can be undertaken.

Permission to fund a pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances will only be granted by PHARMAC where it has been demonstrated that such funding is cost-effective for the relevant DHB in the region in which the patient resides.

If the patient being treated with a pharmaceutical under Hospital Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

Applications for Hospital Exceptional Circumstances should be made on the standard application form available from the PHARMAC website www.pharmac.govt.nz or the address below:

Phone: (04) 916 7521

or fax (09) 523 6870

Email: ecpanel@pharmac.govt.nz

The Coordinator, Hospital Exceptional Circumstances Panel PHARMAC, PO Box 10 254

Wellington

Cancer Exceptional Circumstances

Permission to fund a pharmaceutical for the treatment of cancer from the Hospital's own budget under Cancer Exceptional Circumstances will only be granted by PHARMAC where it has been demonstated that the proposed use meets the criteria.

If the patient being treated with a pharmaceutical under Cancer Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

Community Exceptional Circumstances

In order to qualify for Community Exceptional Circumstances approval one of the following criteria must be met:

- a) the condition must be rare; or
- b) the reaction to alternative funded treatment must be unusual; or
- c) an unusual combination of circumstances applies.

Rare and unusual are considered to be in the order of less than 10 people nationally.

Where one of the above Community Exceptional Circumstances entry criteria is met, the application may then be further examined under supplementary criteria, assessing suitability of the pharmaceutical, clinical benefit, the cost effectiveness of the treatment, and the patient's ability to pay for the treatment. Where these documented criteria are met, a subsidy sufficient to fully fund the pharmaceutical will be made available to the specific patient on whose behalf the application was made.

Community Exceptional Circumstances funding is only available where the criteria are met and is not available for financial reasons alone.

Applications for Community Exceptional Circumstances, Hospital Exceptional Circumstances and Cancer Exceptional Circumstances should be made on the standard application form available from the PHARMAC website www.pharmac.govt.nz or the address below:

The Coordinator, Community Exceptional Circumstances Panel Phone (04) 916 7553

PO Box 10 254 or fax (09) 523 6870

Wellington Email: ecpanel@pharmac.govt.nz

INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor:
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and:
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 February 2010 and is to be referred to as the Pharmaceutical Schedule Volume 17 Number 0, 2010. Distribution will be from 20 February 2010. This Schedule comes into force on 1 February 2010.

PART I

INTERPRETATIONS AND DEFINITIONS

- 1.1 In this Schedule, unless the context otherwise requires:
- "90 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;
- "180 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;
- "Access Exemption Criteria" means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:
 - a) have limited physical mobility:
 - b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - c) are relocating to another area:
 - d) are travelling extensively and will be out of town when the repeat prescriptions are due.
- "Act" means the New Zealand Public Health and Disability Act 2000.
- "Advisory Committee" means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.
- "Alternate Subsidy" means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.
- "Assessed Pharmaceuticals" means the list of Pharmaceuticals set out in Section H Part III of the Schedule, that have been or are being assessed by PHARMAC.
- "Authority to Substitute" means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.
- "Bulk Supply Order" means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.
- "Cancer Exceptional Circumstances" means the policies and criteria administered by PHARMAC relating to the ability to fund, from a DHB hospital's own budget, pharmaceuticals for the treatment of cancer that are not identified as Pharmaceutical

Cancer Treatments in Sections A-H of the Pharmaceutical Schedule.

- "Class B Controlled Drug" means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.
- "Close Control" means the dispensing of a Community Pharmaceutical, in accordance with a Prescription, in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot) for a Community Pharmaceutical referred to in Section F Part I, or in quantities less than a Monthly Lot for any other Community Pharmaceutical, where any of a), b) or c) apply.
 - a) All of the following conditions are met:
 - i) the Community Pharmaceutical has been prescribed for a patient who:
 - 1) is not a resident in a Penal Institution, Rest Home or Residential Disability Care Institution; and
 - 2) either of the following:
 - i) in the opinion of the prescribing Practitioner is:
 - a) frail; or
 - b) infirm; or
 - c) unable to manage their medication without additional support; or
 - d) intellectually impaired; or
 - e) requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only); and
 - f) requires that Community Pharmaceutical to be dispensed in a smaller quantity than that for which it is currently funded, or
 - ii) the Community Pharmaceutical is any of the following:
 - a) a tri-cyclic antidepressant; or
 - b) an antipsychotic; or
 - c) a benzodiazepine; or
 - d) a Class B Controlled Drug; and
 - ii) the prescribing Practitioner has:
 - A) endorsed each Community Pharmaceutical on the Prescription clearly with the words "Close Control" or "CC"; and
 - B) initialled the endorsement in their own handwriting; and
 - C) specified the maximum quantity or period of supply to be dispensed at any one time.
 - b) All of the following conditions are met:
 - i) The Community Pharmaceutical is prescribed for a patient who is a resident in a Rest Home or Residential Disability Care Institution; and
 - A) the quantity or period of supply to be dispensed at any one time is not less than 28 days' supply; and
 - B) the prescriber or pharmacist has written the name of the Rest Home or Residential Disability Care Institution on the prescription; and
 - C) the prescriber or pharmacist has:
 - written on the Prescription the words "Close Control" or "CC" (this applies to all medicines prescribed on the prescription), and
 - 2) initialled the endorsement/annotation in their own handwriting; and
 - 3) specified the maximum quantity or period of supply to be dispensed at any one time.
 - c) All of the following conditions are met:
 - i) where PHARMAC has approved and notified pharmacists to annotate prescriptions for a specified Community Pharmaceutical(s) "Close Control" without prescriber endorsement for a specified time; and
 - ii) the dispensing pharmacist has:
 - A) clearly annotated each of the approved Community Pharmaceuticals that appear on the prescription with the words "Close Control" or "CC"; and
 - B) initialled the annotation in their own handwriting; and
 - c) specified the maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.
- "Community Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances
 Panel relating to funding from the Community Exceptional Circumstances budget for medication, to be used in the community,
 in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical

Budget is not able to be provided through the Pharmaceutical Schedule.

"Community Pharmaceutical" means a Pharmaceutical listed in Sections A to G of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor" means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug" means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply" means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply.

"Dentist" means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"DHB" means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital" means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Discretionary Community Supply Pharmaceutical" means the list of Pharmaceuticals set out in Section H Part IV of the Schedule, which may be funded by a DHB Hospital from its own budget for use in the community.

"**Doctor**" means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical" means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements" - unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Exceptional Circumstances Panel" means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for administering policies in relation to Community Exceptional Circumstances and Hospital Exceptional Circumstances.

"Funder" means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST" means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator" means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances Panel relating to the ability to fund, from a DHB Hospital's own budget, pharmaceuticals for use in the community by a specific patient where a subsidy is not available from the Pharmaceutical Budget or under Community Exceptional Circumstances.

"Hospital Pharmaceuticals" means National Contract Pharmaceuticals, DV Pharmaceuticals, Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals.

"Hospital Pharmacy" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner.

"Hospital Pharmacy-Specialist" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist; or
 - if the treatment of an Outpatient with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a Practitioner endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Practitioner.

"As recommended by a Specialist" to be interpreted as:

- a) follows a substantive consultation with an appropriate Specialist;
- b) the consultation to relate to the Patient for whom the Prescription is written;

- c) consultation to mean communication by referral, telephone, letter, facsimile or email;
- d) except in emergencies consultation to precede annotation of the Prescription; and
- e) both the specialist and the General Practitioner must keep a written record of the consultation.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS" means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination" means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit" means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital" means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot" means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price" means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife" means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month" means a period of 30 consecutive days.

"Month restriction" means that no Subsidy is available:

- a) unless the Community Pharmaceutical is dispensed on the Prescription of a Practitioner; and
- b) for any quantity of that Community Pharmaceutical dispensed on the Prescription (whether or not dispensed as a repeat) in excess of a Monthly Lot.

"Monthly Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"National Contract Pharmaceutical" means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

"National DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Not In Combination" means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

"Nurse Prescriber" means a nurse registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003 and who is approved by the Nursing Council, to prescribe specified prescription medicines relating to his/her scope of practice.

"Optometrist" means a person registered as an optometrist with the Optometrists and Dispensing Opticians Board, who holds a current annual practising certificate under the HPCA Act 2003, and who is authorised by regulations under the Medicines Act 1981 and approved by the Optometrists and Dispensing Opticians Board to prescribe specified medicines.

"Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT" means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

"PCT only" means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsi-

dies.

- "Penal Institution" means a penal institution, as that term is defined in The Penal Institutions Act 1954;
- "PHARMAC" means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC).
- "Pharmaceutical" means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to H of the Schedule.
- "Pharmaceutical Benefits" means the right of:
 - a) a person; and
 - b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.
- "Pharmaceutical Budget" means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals.
- "Pharmaceutical Cancer Treatment" means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must fund, from their own budgets, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.
- "Practitioner" means a Doctor, a Dentist, a Midwife, a Nurse Prescriber or an Optometrist as those terms are defined in the Pharmaceutical Schedule.
- "Practitioner's Supply Order" means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- "Prescription" means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.
- "Private Hospital" means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.
- "Residential Disability Care Institution" means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.
- "Rest Home" means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.
- "Retail Pharmacy-Specialist" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or, in the case of treatment recommended by a Specialist, a Prescription or Practitioner's Supply Order and endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner.
- "As recommended by a Specialist" to be interpreted as:
 - a) follows a substantive consultation with an appropriate Specialist;
 - b) the consultation to relate to the Patient for whom the Prescription is written;
 - c) consultation to mean communication by referral, telephone, letter, facsimile or email;
 - d) except in emergencies consultation to precede annotation of the Prescription; and
 - e) both the Specialist and the General Practitioner must keep a written record of consultation.
- "Retail Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist. For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.
- "Schedule" means this Pharmaceutical Schedule and all its sections and appendices.
- "Section B" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies included in the Schedule.
- "Section C" of this Pharmaceutical Schedule means the list of community extemporaneously compounded preparations and galenicals eligible for Subsidies included in the Schedule.
- "Section D" of this Pharmaceutical Schedule means the list of community special foods eligible for Subsidies included in the Schedule.
- "Section E Part I" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies and available on a Practitioner's Supply Order or a Wholesale Supply Order included in the Schedule.

- "Section E Part II" of this Pharmaceutical Schedule means the list of rural areas for the purpose of community Practitioner's Supply Orders included in the Schedule.
- "Section F Part I" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots, and requirement to dispense in 90 Day Lots or 180 Day Lots, as applicable, in respect of the Community Pharmaceuticals referred to in this part of Section F;
- "Section F Part II" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots in respect of the Community Pharmaceuticals referred to in this part of Section F:
- "Section G" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for reimbursement of safety caps.
- "Section H" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals and the lists of National Contract Pharmaceuticals and any associated DV Pharmaceuticals, of Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals included in Section H of the Schedule.
- "Section H Part I" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals.
- "Section H Part II" of this Pharmaceutical Schedule means the list of National Contract Pharmaceuticals, the relevant Price, an indication of whether the Pharmaceutical has HSS and any associated DV Pharmaceuticals and DV Limit.
- "Section H Part III" of this Pharmaceutical Schedule means the list of Assessed Pharmaceuticals.
- "Section H Part IV" of this Pharmaceutical Schedule means the list of Discretionary Community Supply Pharmaceuticals.
- "Special Authority" means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.
- "Specialist", in relation to a Prescription, a doctor who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

a)

- i) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine: and
- ii) the doctor's vocational scope of practice is one of those listed below: anaesthetics, cardiothoracic surgery, dermatology, diagnostic radiology, emergency medicine, general surgery, internal medicine, neurosurgery, obstetrics and gynaecology, occupational medicine, ophthalmology, oral and maxillofacial surgery, otolaryngology head and neck surgery, orthopaedic surgery, paediatrics surgery, paediatrics, pathology, plastic and reconstructive surgery, psychological medicine or psychiatry, public health medicine, radiation oncology, rehabilitation medicine, urology and venereology:
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that Prescription in the course of practising in that area of medicine;
- c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine
 for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that
 area of medicine;
- d) the doctor writes the Prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.
- "Subsidy" means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.
- "Supply Order" means a Bulk Supply Order, a Practitioner's Supply Order or a Wholesale Supply Order.
- "Unapproved Indication" means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 4.6.
- "Wholesale Supply Order" means a written order by a Practitioner, on a form supplied by the Ministry of Health for the supply of certain Community Pharmaceuticals as listed in Section B and Section E Part I of the Schedule.
 - 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:

- a) the singular includes the plural; and
- b) any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

PART II

COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G of the Schedule, and every preparation (having an inert base) of any of them, is hereby declared to be a Community Pharmaceutical for the purposes of the Schedule, subject to:
 - 2.1.1 clauses 2.2 and 2.3 of the Schedule; and
 - 2.1.2 clauses 3.1 to 4.4 of the Schedule; and
 - 2.1.3 the conditions (if any) specified in Sections B to G of the Schedule;
- 2.2 The following medicines, therapeutic medical devices, or related products or related things are not eligible for Subsidy:
 - 2.2.1 substances, or combinations of substances, ordered for any purpose other than:
 - a) treatment of a patient's medical or dental condition; or
 - b) pregnancy tests; or
 - c) the prevention of sexually transmitted disease: or
 - d) contraception.
 - 2.2.2 substances and combinations of substances packed under pressure in aerosol cans or other similar devices, unless it is specified in Sections B to G of the Schedule that they may be so packed;
 - 2.2.3 electrode jellies;
 - 2.2.4 eye drops packed in single-dose units, unless it is specified in Sections B to G of the Schedule that they may be so packed:
 - 2.2.5 insect repellents and similar preparations;
 - 2.2.6 oral preparations in long-acting form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.7 substances or combinations of substances in lozenge or similar form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.8 machine-spread plasters;
 - 2.2.9 preparations prescribed as foods, unless they are specified in Section D of the Schedule:
 - 2.2.10 substances, combinations of substances, or articles, in the form of proprietary medicines or proprietary articles, unless they are deemed or declared to be Pharmaceuticals elsewhere in the Schedule;
 - 2.2.11 shampoos, other than extemporaneously prepared medicated shampoos, or shampoos specified in Sections B to G of the Schedule intended for the treatment of a patient's medical condition;
 - 2.2.12 toilet preparations:
 - 2.2.13 tooth pastes and powders;
 - 2.2.14 lubricating jellies and catheter lubricants;
 - 2.2.15 sterile diluents for nebulising solutions;
 - 2.2.16 substances in a form intended to enable delivery by transdermal diffusion or osmosis or by the insertion of any solid object or substance into the eye cavity, unless it is specified in Sections B to G of the Schedule that they may be in such a form:
 - 2.2.17 substances in a form intended for intravenous delivery (other than by injection), unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.18 substances packed in pre-loaded syringes known as Min-I-Jets, unless it is specified in Sections B to G of the Schedule that they may be so packed;
 - 2.2.19 Community Pharmaceuticals prescribed as cough mixtures, unless they are specified in Sections B to G of the Schedule otherwise than in combination with other ingredients;
 - 2.2.20 vitamin preparations in capsule form, unless they are specified in Sections B to G of the Schedule;
 - 2.2.21 substances prescribed for use as irrigating solutions, unless it is specified in Sections B to G of the Schedule that they may be prescribed for such use.
- 2.3 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless

the Community Pharmaceuticals so supplied:

- 2.3.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981: or
- 2.3.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
- 2.3.3 in the absence of the standards prescribed in clauses 2.3.1 and 2.3.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
- 2.3.4 in the absence of the standards prescribed in clauses 2.3.1, 2.3.2 and 2.3.3, are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

PART III

PERIOD AND QUANTITY OF SUPPLY

- 3.1 Doctors', Midwives', Nurse Prescribers' and Optometrists' Prescriptions (other than oral contraceptives)
 The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor,
 Midwife, Nurse Prescriber or Optometrist:
 - 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity suffcient to provide treatment for a period not exceeding three Months will be subsidised.
 - 3.1.2 For methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
 - 3.1.3 For a Class B Controlled Drug other than methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity:
 - a) sufficient to provide treatment for a period not exceeding 10 days; and
 - b) which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
 - 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Midwife or Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
 - a) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
 - b) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
 - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
 - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
 - A) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
 - B) both:
 - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
 - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
 - 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
 - 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
 - b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only

that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.

3.1.7 If a Community Pharmaceutical:

- a) is stable for a limited period only, and the Doctor, Midwife, Nurse Prescriber or Optometrist has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
- b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
- c) is Close Control,

The actual quantity dispensed will be subsidised in accordance with any such specification.

3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife or Nurse Prescriber for an oral contraceptive:

- 3.2.1 The prescribing Doctor, Midwife or Nurse Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed:
 - a) three Months if prescribed by a Midwife; or
 - b) six Months if prescribed by a Doctor or Nurse Practitioner.
- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
 - a) in Lots as specified in the Prescription if the Community Pharmaceutical is Close Control; or
 - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 An oral contraceptive prescribed by a Midwife is only eligible for Subsidy if the Prescription under which it has been dispensed has been written within the period of post natal care of the eligible person.
- 3.2.5 Where a Community Pharmaceutical in a Prescription is Close Control and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

3.3 Dentists' Prescriptions

The following provisions apply to every Prescription written by a Dentist:

- 3.3.1 The maximum quantity of a Community Pharmaceutical that will be subsidised is as follows:
 - a) where the Community Pharmaceutical is a Controlled Drug, only such quantity as is necessary to provide treatment for a period not exceeding five days; and
 - b) in any other case, only such quantity as is necessary to provide treatment for a period not exceeding five days and, where the Prescription specifies a repeat, one further period not exceeding five days.
- 3.3.2 Notwithstanding clause 3.3.1, if, in the opinion of the Dentist, an eligible person needs extended treatment with sodium fluoride for up to three Months, the Community Pharmaceutical will be subsidised for that extended period. A Prescription for any such extended supply of sodium fluoride will be subsidised only if it is dispensed in Monthly Lots, unless the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect.
- 3.3.3 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed has been presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.3.4 No Subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) one Month from the date the Community Pharmaceutical was first dispensed; or
 - b) in the case of sodium fluoride, three Months from the date the Community Pharmaceutical was first dispensed.

Only that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.

3.4 Original Packs, and Certain Antibiotics

3.4.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community

Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eliqible for Subsidy, is deemed to be a reference:

- a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
- b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.
- 3.4.2 If a Community Pharmaceutical is the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:
 - a) the difference the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eg; if a prescription is for 105 mls then a 100ml pack would be dispensed); and
 - b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

PART IV

MISCELLANEOUS PROVISIONS

4.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 4.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 4.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 4.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 4.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
 - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
 - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 4.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 4.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

4.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

4.2.1 Subject to clause 4.2.3, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the

- Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 4.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
 - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
 - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 4.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
 - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
 - i) is personally signed and dated by the Practitioner; and
 - ii) sets out the Practitioner's address: and
 - iii) sets out the Community Pharmaceuticals and quantities, and;
 - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 4.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.

4.3 Wholesale Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under Wholesale Supply Orders:

- 4.3.1 Notwithstanding anything contained in the Schedule, but subject nevertheless to subclause 4.3.3 of this clause, a Practitioner may obtain from a wholesaler or distributor, pursuant to a Wholesale Supply Order made on a form supplied by the Ministry of Health, any Community Pharmaceutical specified in Section B and Section E Part I of the Schedule as being available on a Wholesale Supply Order.
- 4.3.2 Subject to clause 4.3.3, Community Pharmaceuticals supplied to Practitioners under Wholesale Supply Orders will be subsidised at a rate not exceeding the Manufacturer's Price for each such Community Pharmaceutical as set out in Section B and Section E Part I of the Schedule.
- 4.3.3 No subsidy will be paid for any quantity of a Community Pharmaceutical supplied to a Practitioner under a Wholesale Supply Order in excess of what is a reasonable monthly allocation for that particular Practitioner, after taking into account stock on hand.
- 4.3.4 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Wholesale Supply Orders until such time as the Ministry of Health notifies otherwise.

4.4 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

4.4.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

4.4.2 **Expiry**

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 4.4.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 4.4.1 and 4.4.2, for the individual Patient.
- 4.4.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 4.4.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the

Ministry of Health's routine auditing procedures.

4.5 Pharmaceutical Cancer Treatments

- 4.5.1 DHBs must provide access to Pharmaceutical Cancer Treatments by funding their use in the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 4.5.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
 - a) has Cancer Exceptional Circumstances approval;
 - b) has Community Exceptional Circumstances or Hospital Exceptional Circumstances approval;
 - c) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
 - d) is being used and funded as part of a paediatric oncology service; or
- e) was being used to treat the patient in question prior to 1 July 2005.
 4.5.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatments with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance
 - a) Part 1:

with:

- b) clauses 2.1 to 2.3:
- c) clauses 3.1 to 3.4: and
- d) clause 4.5.
- of Section A of the Schedule
- 4.5.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 4.5.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 direction from the Minister of Health as to pharmaceuticals and indications for which DHBs must provide funding. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
 - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under the Medicines Act and the Medicines Regulations 1984:
 - b) be aware of and comply with their obligations under the Health and Disability Comissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
 - c) exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions
 with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer
 Treatment for an Unapproved Indication.

4.6 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication:

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

SECTION A: GENERAL RULES

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

4.7 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, subject to:

- a) the Contractor having received a general Authority to Substitute from the Practitioner in relation to the particular medicine or medicines in general; or
- b) the Practitioner having indicated their Authority to Substitute on the prescription; or
- c) the Practitioner having given their Authority to Substitute in relation to the particular prescription.

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and initial the prescription.

4.8 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed but may not alter the total daily dose. If the change will result in additional cost to the DHBs, then:

- a) the Practitioner must authorise and initial the alteration: or
- b) in cases where PHARMAC has approved and notified in writing such a change in dispensing of a named Pharmaceutical due to an out of stock event or short supply, the Contractor must annotate and initial the alteration.

4.9 Amendment of Schedule

PHARMAC may amend the terms of the Schedule from time to time by notice in writing given in such manner as PHARMAC thinks fit, and in accordance with such protocols as agreed with the Pharmacy Guild of New Zealand (Inc) from time to time.

4.10 Conflict in Provisions

If any rules in Sections B-G of this Schedule conflict with the rules in Section A, the rules in Sections B-G apply.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

	\$	Per	Manufacturer
Antacids and Antiflatulants			
Antacids and Reflux Barrier Agents			
ALGINIC ACID			
Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet	4.50	30	✓ Gaviscon Infant
CALCIUM CARBONATE WITH AMINOACETIC ACID * Tab 420 mg with aminoacetic acid 180 mg – Higher subsidy			
of \$6.30 per 100 with Endorsement	(6.30)	100	Titralac
Additional subsidy by endorsement is available for pregnant wo	omen. The p	prescription mu	st be endorsed accordingly.
SIMETHICONE			
Yoral liq aluminium hydroxide 200 mg with magnesium hydroxide 200 mg and activated simethicone 20 mg per 5 ml	1.50 (4.26)	500 ml	Mylanta P
SODIUM ALGINATE			
* Tab 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg - peppermint flavour	1.80 (8.60)	60	Gaviscon Double
* Oral liq 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml	1.50 (4.95)	500 ml	Strength Acidex
* Oral liq 500 mg with sodium bicarbonate 267 mg per 10 ml (aniseed)	, ,	500 ml	Gaviscon
Phosphate Binding Agents			
ALUMINIUM HYDROXIDE	10.50	400	44.71
Tab 600 mg	12.56	100	✓ Alu-Tab
Antidiarrhoeals			
Agents Which Reduce Motility			
DIPHENOXYLATE HYDROCHLORIDE WITH ATROPINE SULPHATE * Tab 2.5 mg with atropine sulphate 25 µg LOPERAMIDE HYDROCHLORIDE – Up to 30 tab available on a PSC	3.90	100	✓ Diastop
* Tab 2 mg		400	✓ <u>Nodia</u>
Rectal and Colonic Anti-inflammatories			
BUDESONIDE			
Cap 3 mg - Special Authority see SA0913 on the next page - Retail pharmacy	166.50	90	✓ Entocort CIR

Subsidy		. ,	Brand or
(Manufacturer's Price)	Sub	sidised	Generic
\$	Per	~	Manufacturer

⇒SA0913 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Mild to moderate ileal, ileocaecal or proximal Crohn's disease; and
- 2 Any of the following:
 - 2.1 Diabetes; or
 - 2.2 Cushingoid habitus; or
 - 2.3 Osteoporosis where there is significant risk of fracture; or
- 2.4 Severe acne following treatment with conventional corticosteroid therapy.

Renewal from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

The patient may not have had more than 1 prior approval in the last year.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

HYDROCORTISONE ACETATE

Rectal foam 10 %, CFC-Free (14 applications)23.00	21.1 g OP	✓ Colifoam
MESALAZINE		
Tab EC 500 mg49.50	100	✓ Asamax
Tab 400 mg49.50	100	✓ Asacol
Tab long-acting 500 mg59.05	5 100	✓ Pentasa
Enema 1 g per 100 ml45.96	3 7	✓ Pentasa
Suppos 500 mg25.20	20	✓ Asacol
Suppos 1 g50.96	5 28	✓ Pentasa
OLSALAZINE		
Tab 500 mg59.86	5 100	✓ Dipentum
Cap 250 mg31.51	I 100	✓ Dipentum
SODIUM CROMOGLYCATE		
Cap 100 mg89.21	100	✓ Nalcrom
SULPHASALAZINE		
* Tab 500 mg8.42	2 100	Salazopyrin
* Tab EC 500 mg		✓ Salazopyrin EN

Antihaemorrhoidals

Corticosteroids

FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVALATE AND CINCHOCAIN	CORTOLONE PIVALATE AND CI	INCHOCAINE
---	---------------------------	------------

chocaine hydrochloride 5 mg per g	30 g OP	✓ <u>Ultraproct</u>
Suppos 630 μg, with fluocortolone pivalate 610 μg, and cin-		
chocaine hydrochloride 1 mg2.66	12	Ultraproct

Soothing Agents

71	NIC	OX	חר
/ I	INC.	()A	ᇚᇧ

Oint zinc oxide with balsam peru	4.50 5	60 g OP
·	(6.67)	Anusol
Suppos zinc oxide with balsam peru	4.47	12
	(6.49)	Anusol

	Subsidy (Manufacturer's Price) \$) S Per	Fully subsidised	Brand or Generic Manufacturer
Antispasmodics and Other Agents Altering Gut I	Motility			
ATROPINE SULPHATE * Inj 600 μg, 1 ml – Up to 5 inj available on a PSO * Inj 1200 μg, 1 ml – Up to 5 inj available on a PSO		50 50	_	<u>straZeneca</u> straZeneca
HYOSCINE N-BUTYLBROMIDE * Tab 10 mg * Inj 20 mg, 1 ml - Up to 5 inj available on a PSO		20 5		astrosoothe uscopan
MEBEVERINE HYDROCHLORIDE * Tab 135 mg	18.00	90	√ <u>C</u>	olofac
Antiulcerants				
Antisecretory and Cytoprotective				
MISOPROSTOL * Tab 200 μg	52.70	120	√ C	ytotec
Helicobacter Pylori Eradication				
CLARITHROMYCIN Tab 500 mg – Subsidy by endorsement		14		lamycin
b) Subsidised only if prescribed for helicobacter pylori eradi Note: the prescription is considered endorsed if clarithromycin is pamoxycillin or metronidazole. OMEPRAZOLE, AMOXYCILLIN AND CLARITHROMYCIN Omeprazole cap 20 mg × 14, amoxycillin cap 500 mg × 28	prescribed in conjun	ction wit	h a protor	n pump inhibitor and either
and clarithromycin tab 500 mg × 14	55.00	1 OP	V L	osec Hp7 OAC
H2 Antagonists				
CIMETIDINE – Only on a prescription * Tab 200 mg * Tab 400 mg	(7.50) 10.00	100 100		po-Cimetidine
FAMOTIDINE – Only on a prescription * Tab 20 mg		250	✓ Fa	po-Cimetidine amox
* Tab 40 mg RANITIDINE HYDROCHLORIDE – Only on a prescription		250		amox
* Tab 150 mg * Tab 300 mg * Oral liq 150 mg per 10 ml * Inj 25 mg per ml, 2 ml	10.94 7.95	250 250 300 ml 5	✓ A ✓ P	rrow-Ranitidine rrow-Ranitidine e <u>ptisoothe</u> antac
Proton Pump Inhibitors				
LANSOPRAZOLE * Cap 15 mg * Cap 30 mg		28 28	✓ S ✓ S	

		Subsidy (Manufacturer's Prices)	e) Su Per	Fully bsidised	Brand or Generic Manufacturer
ОМ	EPRAZOLE				
Ne.	For omeprazole suspension refer, page 168	0.14	00	. / D	. Do al alcala
*	Cap 10 mg	2.14	30		<u>' Reddy's</u> Omeprazole
*	Cap 20 mg	3.05	30	✓ Di	Reddy's
*	Cap 40 mg	3.59	30	✓ Di	Omeprazole Reddy's Omeprazole
*	Inj 40 mg	38.20	5	✓ Di	<u>Omeprazole</u> <u>' Reddy's</u> Omeprazole
PAN	ITOPRAZOLE			•	<u>Omeprazoie</u>
*	Tab 20 mg	2.24	28		Reddy's
*	Tab 40 mg	3.36	28	✓ Di	<u>Pantoprazole</u> <u>· Reddy's</u> Pantoprazole
*	Inj 40 mg	8.75	1		entocid IV
Si	te Protective Agents				
SU	CRALFATE				
	Tab 1 g	35.50 (48.28)	120	Ca	arafate
Di	abetes				
Н	perglycaemic Agents				
GLI	JCAGON HYDROCHLORIDE Inj 1 mg syringe kit - Up to 5 kit available on a PSO	27.00	1	✓ GI	ucagen Hypokit
In	sulin - Short-acting Preparations				
INS	ULIN NEUTRAL				
	Inj human 100 u per ml	25.26	10 ml OP		ctrapid _
A	Inj human 100 u per ml, 3 ml	42.66	5	✓ A	umulin R ctrapid Penfill umulin R
In	sulin - Intermediate-acting Preparations			V 110	amami n
INS	ULIN ISOPHANE Inj human 100 u per ml	17.68	10 ml OP	✓ Hı	umulin NPH
					otaphane
A	Inj human 100 u per ml, 3 ml	29.86	5		umulin NPH otaphane Penfill
INS	ULIN ISOPHANE WITH INSULIN NEUTRAL			•	otaphano i omin
	Inj human with neutral insulin 100 u per ml	25.26	10 ml OP		umulin 30/70
A	Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5	✓ Hu ✓ Pe	ixtard 30 umulin 30/70 enMix 30 enMix 40 enMix 50

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE				
▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml, 3 ml	52.15	5	✓ H	umalog Mix 25
▲ Inj lispro 50% with insulin lispro protamine 50% 100 u per ml,3 ml	52.15	5	✓ H	umalog Mix 50
Insulin - Long-acting Preparations				
INSULIN GLARGINE - Special Authority see SA0834 below - Re	etail pharmacy			
▲ Inj 100 u per ml, 10 ml		1	✓ La	antus
▲ Inj 100 u per ml, 3 ml	94.50	5	✓ La	antus
▲ Inj 100 u per ml, 3 ml disposable pen	94.50	5	✓ La	antus SoloStar
■ SA0834 Special Authority for Subsidy				
Initial application only from a relevant specialist. Approvals valid	for 1 year for applicat	ions	meeting the	following criteria:

1 Both:

Fither:

- 1.1 Patient has type 1 diabetes and has received an intensive regimen (injections at least three times a day) of an intermediate acting insulin in combination with a rapid acting insulin analogue for at least three months; and
- 1.2 Either:
 - 1.2.1 Patient has experienced more than one unexplained severe hypoglycaemic episode in the previous 12 months (severe defined as requiring the assistance of another person); or
 - 1.2.2 Patient has experienced unexplained symptomatic nocturnal hypoglycaemia, biochemically documented at <3.0 mmol/L, more than once a month despite optimal management; or
- 2 Patient has documented severe, or continuing, systemic or local allergic reaction to existing insulins. Note this does not include hypoglycaemic episodes.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Patient is continuing to derive benefit due to reduced hypoglycaemic events whilst maintaining similar or better glycaemic control; or
- 2 Patient's allergic reaction has significantly decreased, or resolved, following the change to long-acting insulin and patient is continuing to benefit from treatment.

Insulin - Rapid Acting Preparations

INSULIN ASPART ▲ Inj 100 u per ml, 3 ml	5 1	✓ NovoRapid Penfill ✓ NovoRapid
INSULIN LISPRO ▲ Inj 100 u per ml, 10 ml	10 ml OP 5	✓ Humalog✓ Humalog
Alpha Glucosidase Inhibitors		
ACARBOSE – Special Authority see SA0925 on the next page – Retail pharmacy * Tab 50 mg	90 90	✓ Glucobay ✓ Glucobay

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

⇒SA0925 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has type 2 diabetes; and
- 2 Either:
 - 2.1 Metformin is not tolerated, or is contraindicated; or
 - 2.2 The patient has not responded to the maximum appropriate dose of metformin.

Oral Hypoglycaemic Agents

GLIBENCLAMIDE	400	4 D 11
* Tab 5 mg5.00	100	✓ Daonil
GLICLAZIDE		
* Tab 80 mg22.24	500	✓ Apo-Gliclazide
GLIPIZIDE		
* Tab 5 mg3.50	100	✓ Minidiab
METFORMIN HYDROCHLORIDE		
* Tab immediate-release 500 mg8.09	500	✓ Apotex
·		✓ Arrow-Metformin
* Tab immediate-release 850 mg	250	✓ Apotex
		Arrow-Metformin
(Arrow-Metformin Tab immediate-release 500 mg to be delisted 1 April 2010) (Arrow-Metformin Tab immediate-release 850 mg to be delisted 1 April 2010)		
, , ,		
PIOGLITAZONE – Special Authority see SA0959 below – Retail pharmacy	28	✓ Pizaccord
Tab 15 mg	20 28	✓ Pizaccord
Tab 30 mg	20 28	✓ Pizaccord
140 45 mg	20	₩ I IZUCCOIU

■ SA0959 Special Authority for Subsidy

Initial application — (Patients with type 2 diabetes) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

1 Patient has not achieved glycaemic control on maximum doses of metformin and/or a sulphonylurea or where either or both are contraindicated or not tolerated; or

Diabetes Management

Glucose/Urine Testing

*	Tab, diagnostic – Not on a BSO	5.02	36 OP	
		(31.80)		Clinitest
GL	JCOSE OXIDASE			
	Urine diagnostic test - Not on a BSO	4.11	50 strip OP	
	•	(7.00)	·	Diabur 5000
	Urine diagnostic test with peroxidase - Not on a BSO	4.11	50 strip OP	
		(6.26)		Diastix
		4.13		
		(8.65)		Clinistix

² Patient is on insulin.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ **Ketone Testing** KETONE BLOOD BETA-KETONE ELECTRODES - Subsidy by endorsement Patient has type 1 diabetes and has had one or more episodes of ketoacidosis (excluding first presentation). Maximum quantity of 2 packs per annum. No further prescriptions will be subsidised. The prescription must be endorsed accordingly. 10 strip OP Optium Blood Ketone Test Strips SODIUM NITROPRUSSIDE * Test strip - Not on a BSO......14.14 20 strip OP ✓ Ketostix **Blood Glucose Testing** BLOOD GLUCOSE DIAGNOSTIC TEST METER - Subsidy by endorsement a) Maximum of 1 meter per prescription b) 1) A diagnostic blood glucose test meter is subsidised for patients who begin insulin or sulphonylurea therapy after 1 March 2005 or is prescribed for a pregnant woman with diabetes. 2) Only one meter per patient. No further prescriptions will be subsidised. The prescription must be endorsed accordingly. ✓ CareSens POP ✓ CareSens II 9.00 ✔ FreeStyle Lite On Call Advanced ✓ Optium Xceed ✓ Accu-Chek 19.00 Performa BLOOD GLUCOSE DIAGNOSTIC TEST STRIP The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed with insulin or a sulphonylurea but are on a different prescription and the prescription is endorsed accordingly; or
- 2) Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed:
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly.

SensoCard blood glucose test strips are subsidised only if prescribed for a patient who is severely visually impaired and is using a SensoCard Plus Talking Blood Glucose Monitor. Pland alugano toot atring > FO and langets > F 40 40 4 00 A On Call Advanced

blood glucose test strips \times 50 and lancels \times 5	19.10	I OP	Un Call Advanced
	19.60		✓ CareSens
Blood glucose test strips	21.65	50 test OP	✓ Accu-Chek
			Performa
			✓ FreeStyle Lite
			✓ Optium 5 second test
	26.20		✓ SensoCard

Subsidy (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

Insulin Syringes and Needles

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly.

INSULIN PEN NEEDLES - Maximum of 100 dev per prescrip	otion		37
* 29 g × 12.7 mm		100	✓ ABM
			✓ B-D Micro-Fine
	11.75		SC Profi-Fine
* 31 g × 5 mm	11.75	100	✓ B-D Micro-Fine
			✓ SC Profi-Fine
* 31 g × 6 mm		100	✓ ABM
	11.75		✓ Fine Ject
	10.50		
d. 04	(26.00)	400	NovoFine
* 31 g × 8 mm	10.50	100	✓ ABM
	11.75		✓ B-D Micro-Fine ✓ SC Profi-Fine
INSULIN SYRINGES, DISPOSABLE WITH ATTACHED NEED			
$*$ Syringe 0.3 ml with 29 g \times 12.7 mm needle	13.00	100	✓ ABM
			✓ B-D Ultra Fine
die Oraine Oranie die Odere Oranie die	10.00	400	✓ DM Ject
$*$ Syringe 0.3 ml with 31 g \times 8 mm needle	13.00	100	✓ ABM ✓ B-D Ultra Fine II
			✓ DM Ject
* Syringe 0.5 ml with 29 g × 12.7 mm needle	13.00	100	✓ ABM
* Syllinge 0.5 IIII with 29 g × 12.7 IIIII Heedile	13.00	100	✓ B-D Ultra Fine
			✓ DM Ject
* Syringe 0.5 ml with 31 g × 8 mm needle	13.00	100	✓ ABM
The Cylings old the Mar of g X o then nooded		100	✓ B-D Ultra Fine II
			✓ DM Ject
$*$ Syringe 1 ml with 29 g \times 12.7 mm needle	13.00	100	✓ ABM
, 0			✓ B-D Ultra Fine
			✓ DM Ject
* Syringe 1 ml with 31 g × 8 mm needle	13.00	100	✓ ABM
			✓ B-D Ultra Fine II

✓ DM Ject

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

Digestives Including Enzymes

PANCREATIC ENZYME

TANONILATIO LINZTINIL			
Tab EC 1,900 BP u lipase, 1,700 BP u amylase, 110 BP u protease	32.46	300	✓ Pancrex V
Tab EC 5,600 BP u lipase, 5,000 BP u amylase, 330 BP u protease	58.44	300	✓ Pancrex V Forte
Cap 8,000 BP u lipase, 9,000 BP u amylase, 430 BP u protease	67.26	300	✓ Pancrex V
Cap 8,000 USP u lipase, 30,000 USP u amylase, 30,000 USP u protease – Retail pharmacy-Specialist		250	✓ Cotazym ECS
Cap EC 10,000 BP u lipase, 9,000 BP u amylase and 210 BP u protease – Retail pharmacy-Specialist		100	✓ Creon 10000
Cap EC 25,000 BP u lipase, 18,000 BP u amylase,			
1,000 BP u protease – Retail pharmacy-Specialist Cap EC 25,000 BP u lipase, 22,500 BP u amylase,	94.38	100	✓ Creon Forte
1,250 BP u protease - Retail pharmacy-Specialist URSODEOXYCHOLIC ACID - Special Authority see SA0914 below		100 nacy	✓ Panzytrat
Cap 300 mg		100	✓ Actigall

■ SA0914 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2 Patient not requiring a liver transplant (bilirubin > 170umol/l; decompensated cirrhosis).

Note: Liver biopsy is not usually required for diagnosis but is helpful to stage the disease.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Actigall is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 170 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure – doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

Laxatives

Bulk-forming Agents

	Dry	5.72	325 g OP	✓ Konsyl-D
	·	6.69	380 g OP	✓ Mucilax
		7.92	450 g OP	
		(12.71)		Isogel
		8.80	500 g OP	
		(16.49)		Normacol
*	Dry-original flavour, regular texture only	5.91	336 g OP	
		(12.38)		Metamucil
*	Sugar Free	4.84	275 g OP	
		(10.60)		Mucilax

	Subsidy (Manufacturer's F	Price) Sub	Fully	Brand or Generic	
	\$	Per	~	Manufacturer	
MUCILAGINOUS LAXATIVES WITH STIMULANTS					
* Dry		200 g OP	N	ormacol Plus	
	(7.69) 8.80	500 g OP	IN	offiacor Flus	
	(16.49)	3	N	ormacol Plus	
Faecal Softeners					
DOCUSATE SODIUM - Only on a prescription					
* Tab 50 mg		100		oloxyl	
* Tab 120 mg		100		oloxyl	
* Enema conc 18%	5.40	100 ml OP	✓ C	oloxyl	
DOCUSATE SODIUM WITH SENNOSIDES					
* Tab 50 mg with total sennosides 8 mg	7.98	200	✓ L	axsol	
POLOXAMER - Only on a prescription					
* Oral drops 10%	3.78	30 ml OP	✓ <u>C</u>	<u>oloxyl</u>	
Osmotic Laxatives					
GLYCEROL			4-		
* Suppos 3.6 g – Only on a prescription	6.00	20	✓ P	SM	
LACTULOSE – Only on a prescription			4 -		
* Oral liq 10 g per 15 ml		1,000 ml	<u>✓ D</u>	<u>uphalac</u>	
MACROGOL 3350 - Special Authority see SA0891 below - Reta	il pharmacy				
Powder 13.125 g, sachets - Maximum of 60 sach per pre-					
scription	18.14	30	✓ M	ovicol	
⇒SA0891 Special Authority for Subsidy					
Initial application from any relevant practitioner. Approvals val					
requiring intervention with a per rectal preparation despite an ac where lactulose is not contraindicated.	lequate trial of c	other oral pharn	nacothe	erapies including lactulose	
Renewal from any relevant practitioner. Approvals valid for 12 i	months where th	na nationt is co	mnliant	and is continuing to gair	
benefit from treatment.	months where th	ic patient is co	πριιαπι	and is continuing to gain	
SODIUM ACID PHOSPHATE – Only on a prescription					
Enema 16% with sodium phosphate 8%	2.50	1	✓ F	leet Phosphate	
• •				Enema	
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETATE - Only on a prescription					
Enema 90 mg with sodium lauryl sulphoacetate 9 mg per ml,		·			
5 ml		12	✓ M	icrolax	
Stimulant Laxatives					
BISACODYL - Only on a prescription					
* Tab 5 mg	5.09	200	✓ <u>L</u>	ax-Tabs	
* Suppos 5 mg	2.35	6	_		
16. 0	(3.00)	40		ulcolax	
* Suppos 10 mg	3.96	12	✓ F	leet	
(Fleet Suppos 10 mg to be delisted 1 August 2010)					
SENNA – Only on a prescription	- ·-	465			
* Tab, standardised		100	0	analrat	
	(6.16)		S	enokot	

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Metabolic Disorder Agents

Gaucher's Disease

IMIGLUCERASE – Special Authority see SA0473 below – Hospital pharmacy [HP1]

✓ Cerezyme

■ SA0473 Special Authority for Subsidy

Special Authority approved by the Gaucher's Treatment Panel

Notes: Subject to a budgetary cap. Applications will be considered and approved subject to funding availability.

Phone: (04) 460 4990

Facsimile: (04) 916 7571

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Gaucher's Treatment Panel

PHARMAC, PO Box 10 254

Wellington Ema

Email: gaucherpanel@pharmac.govt.nz

Mouth and Throat

Agents Used in Mouth Ulceration

BENZYDAMINE HYDROCHLORIDE			
Soln 0.15%	9.00	500 ml	
	(15.36)		Difflam
CHLORHEXIDINE GLUCONATE			
Mouthwash 0.2%	3.06	200 ml OP	✔ Orion
CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE			
* Adhesive gel 8.7% with cetalkonium chloride 0.01%	2.06	15 g OP	
7 Mandone got 0.7 / With detailed flath difference 0.0 1 / 0	(5.25)	10 9 01	Bonjela
SODIUM CARBOXYMETHYLCELLULOSE	(0.20)		201,101.0
	17.00	56 g OP	✓ Stomahesive
With pectin and gelatin paste	1.52	5 g OP	Stomanesive
	(3.60)	3 g Oi	Orabase
	4.55	15 g OP	Olabase
	(7.90)	10 9 01	Orabase
With pectin and gelatin powder	, ,	28 g OP	
. p	(10.95)	- 3 -	Stomahesive
TRIAMCINOLONE ACETONIDE	, ,		
0.1% in Dental Paste USP	4.38	5 g OP	✓ Oracort
			<u> </u>
Oropharyngeal Anti-infectives			
AMPHOTERICIN B			
Lozenges 10 mg	5.86	20	✓ Fungilin
MICONAZOLE			3
Oral gel 20 mg per g	8 70	40 g OP	✓ Daktarin
		+0 y Oi	₽ Dartailli
NYSTATIN	0.40	04 OD	A Miller of
Oral liq 100,000 u per ml	3.19	24 ml OP	✓ <u>Nilstat</u>

	Subsidy (Manufacturer's Pri \$	ce) Sub Per	Fully sidised	Brand or Generic Manufacturer
Other Oral Agents				
For folinic mouthwash, pilocarpine oral liquid or saliva substitute f HYDROGEN PEROXIDE	ormula refer, page	168		
* Soln 10 vol – Maximum of 200 ml per prescription THYMOL GLYCERIN	1.28	100 ml	✓ PS	M
* Compound, BPC	9.15	500 ml	✓ PS	М
Vitamins				
Vitamin A				
VITAMIN A WITH VITAMINS D AND C Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops		10 ml OP	✔ Vit	adol C
Vitamin B Group				
HYDROXOCOBALAMIN * Inj 1 mg per ml, 1 ml - Up to 6 inj available on a PSO	6.15	3	✔ AB	M Hydroxocobalamin
PYRIDOXINE HYDROCHLORIDE a) No more than 100 mg per dose b) Only on a prescription	10.84		✓ Ne	o-B12
* Tab 25 mg - No patient co-payment payable * Tab 50 mg		90 500		altheries o-Pyridoxine
THIAMINE HYDROCHLORIDE – Only on a prescription * Tab 50 mg	5.62	100	✓ Ap	o-Thiamine
* Tab, strong, BPC	12.10	500	✓ Ap	o-B-Complex
Vitamin C				
ASCORBIC ACID a) No more than 100 mg per dose b) Only on a prescription				
* Tab 100 mg	17.25	500	✓ Ap	o-Ascorbic Acid
Vitamin D				
ALFACALCIDOL Cap 0.25 μg Cap 1 μg Oral drops 2 μg per ml	87.98	100 100 20 ml OP	On	e-Alpha e-Alpha e-Alpha

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's F \$	Price) Sul Per	Fully bsidised	Brand or Generic Manufacturer
CALCITRIOL				
* Cap 0.25 µg	3.03	30	✓ A	irflow
	10.10	100	V C	alcitriol-AFT
* Cap 0.5 μg	5.62	30	✓ A	irflow
	18.73	100	V C	alcitriol-AFT
* Oral liq 1 μg per ml (Calcitriol-AFT Cap 0.25 μg to be delisted 1 May 2010) (Calcitriol-AFT Cap 0.5 μg to be delisted 1 May 2010)	39.40	10 ml OP	✓ R	ocaltrol solution
CHOLECALCIFEROL				
* Tab 1.25 mg (50,000 iu) – Maximum of 12 tab per prescription	n7.76	12	✓ C	al-d-Forte
Vitamin E				
ALPHA TOCOPHERYL ACETATE – Special Authority see SA0915 Water solubilised soln 156 iu/ml, with calibrated dropper SA0915 Special Authority for Subsidy				icelle E
Initial application from any relevant practitioner. Approvals valid for	or 2 vears for an	onlications me	etina the	following criteria:

- Either:

 1 Cystic fibrosis patient; or
 - 2 Both:
 - 2.1 Infant or child with liver disease or short gut syndrome; and
 - 2.2 Requires vitamin supplementation.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Multivitamin Preparations

MULTIVITAMINS - Special Authority see SA0963	below - Retail pharmacy		
Tab	19.65	100	✓ Ketovite
Powder	36.00	100 g OP	✓ Paediatric Seravit
Oral lig	13.50	150 ml OP	Ketovite Liquid
•			

⇒SA0963 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 The patient has inborn errors of metabolism; or
- 2 For use as a supplement to a ketogenic diet in patients diagnosed with epilepsy.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where patient has had a previous approval for multivitamins.

Note: Use of Paediatric Seravit is not recommended as a supplement to a ketogenic diet.

VITAMINS

Minerals

Calcium

CALCIUM

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's l	Price) Sul	Fully bsidised	Brand or Generic
	\$	Per	~	Manufacturer
CALCIUM CARBONATE				
* Tab 1.25 g		250		alci-Tab 500
* Tab 1.5 g	10.33	250	V C	alci-Tab 600
CALCIUM GLUCONATE * Inj 10%, 10 ml	21.40	10	✓ M	ayne
Fluoride				
SODIUM FLUORIDE				
Tab 1.1 mg	4.00	100	✓ P:	SM
Iron				
FERROUS FUMARATE				
Tab 200 mg	4.35	100	✓ F	erro-tab
FERROUS FUMARATE WITH FOLIC ACID				
Tab 310 mg with folic acid 350 μg	4.75	60	✓ F	erro-F-Tabs
FERROUS GLUCONATE WITH ASCORBIC ACID			4	
* Tab 170 mg with ascorbic acid 40 mg	12.04	500	✓ H	ealtheries Iron with Vitamin C
(Healtheries Iron with Vitamin C Tab 170 mg with ascorbic acid	40 ma to he delist	ted 1 August 21	010)	WILLI VILAIIIII C
FERROUS SULPHATE	To mg to be delict	ou / /luguot Et	310)	
* Tab long-acting 325 mg	5.06	150		
	(15.58)		Fe	erro-Gradumet
*‡ Oral liq 150 mg per 5 ml	10.30	500 ml	✓ <u>F</u>	<u>erodan</u>
FERROUS SULPHATE WITH FOLIC ACID				
* Tab long-acting 325 mg with folic acid 350 µg		30	г.	anna anna d'Ealia
	(3.73)		F	errograd-Folic
RON POLYMALTOSE Inj 50 mg per ml, 2 ml	20.95	5	√ E	errum H
	20.93	J	<u> </u>	<u>arrum rr</u>
Magnesium				
For magnesium hydroxide mixture refer, page 168				
MAGNESIUM SULPHATE			4	
Inj 49.3%	26.60	10	✓ M	ayne
Zinc				
ZINC SULPHATE			4	
* Cap 220 mg	10.00	100	✓ <u>Zi</u>	ncaps_
Agents Used in the Treatment of Poisonings				
CHARCOAL				
* Tab 300 mg		100		ed Seal
* Oral liq 50 g per 250 ml	43.50	250 ml OP	V C	arbosorb-X
a) Up to 250 ml available on a PSO b) Only on a PSO				
PECACUANHA				
	41.20	500 ml		
* Tincture	41.20	300 1111		

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price)	S Per	Fully ubsidised	Brand or Generic Manufacturer
SODIUM CALCIUM EDETATE				
* Inj 200 mg per ml, 5 ml	53.31	6		
	(156.71)			alcium Disodium Versenate

Subsidy Fully (Manufacturer's Price) Subsidised
\$ Per ✔

y Brand or d Generic Manufacturer

Antianaemics

Hypoplastic and Haemolytic

⇒SA0922 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Both:
 - 1.1 patient in chronic renal failure; and
 - 1.2 Haemoglobin \leq 100g/L; and
- 2 Any of the following:
 - 2.1 Both:
 - 2.1.1 patient is not diabetic; and
 - 2.1.2 glomerular filtration rate ≤ 30ml/min; or
 - 2.2 Both:
 - 2.2.1 patient is diabetic; and
 - 2.2.2 glomerular filtration rate ≤ 45ml/min; or
 - 2.3 patient is on haemodialysis or peritoneal dialysis.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Notes: Erythropoietin beta is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

The Cockroft-Gault Formula may be used to estimate glomerular filtration rate (GFR) in persons 18 years and over:

GFR (ml/min) (male) = $(140 - age) \times Ideal Body Weight (kg) / 814 \times serum creatinine (mmol/l)$

GFR (ml/min) (female) = Estimated GFR (male) \times 0.85

ERYTHROPOIETIN ALPHA - Special Authority see SA0922 above - Hos	spital pharmacy [HP3]
Inj human recombinant 1,000 iu prefilled syringe48	3.68 6	✓ Eprex
Inj human recombinant 2,000 iu, prefilled syringe120	0.18 6	✓ Eprex
Inj human recombinant 3,000 iu, prefilled syringe166	6.87	✓ Eprex
Inj human recombinant 4,000 iu, prefilled syringe193	3.13 6	✓ Eprex
Inj human recombinant 5,000 iu, prefilled syringe243	3.26 6	✓ Eprex
Inj human recombinant 6,000 iu, prefilled syringe291		✓ Eprex
Inj human recombinant 10,000 iu, prefilled syringe395	5.18 6	✓ Eprex
ERYTHROPOIETIN BETA - Special Authority see SA0922 above - Hospi	ital pharmacy [H	P3]
Inj 2,000 iu, prefilled syringe120	0.18 6	✓ NeoRecorr
liana i mulii		4

Inj 2,000 iu, prefilled syringe	120.18	6	✓ NeoRecormon
Inj 3,000 iu, prefilled syringe	166.87	6	✓ NeoRecormon
Inj 4,000 iu, prefilled syringe		6	✓ NeoRecormon
Inj 5,000 iu, prefilled syringe		6	✓ NeoRecormon
Inj 6,000 iu, prefilled syringe		6	✓ NeoRecormon
Inj 10,000 iu, prefilled syringe		6	✓ NeoRecormon

Megaloblastic

FO	LIC ACID		
*	Tab 0.8 mg19.80	1,000	✓ Apo-Folic
*	Tab 5 mg10.21	500	✓ Apo-Folic

Oral liq 50 µg per ml21.05

25 ml OP

Acid Acid

✓ Biomed

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Antifibrinolytics, Haemostatics and Local Sclero	sants			
SODIUM TETRADECYL SULPHATE				
* Inj 0.5% 2 ml	23.20 (45.52)	5	Fi	bro-vein
* Inj 1% 2 ml	' '	5		bro-vein
* Inj 3% 2 ml	28.50 [°]	5		bro-vein
TRANEXAMIC ACID	(55.91)		Г	bro-veiri
Tab 500 mg	49.14	100	✓ Cy	yklokapron
Vitamin K				
PHYTOMENADIONE				
Tab 10 mg	5.60	10	✓ Ko	onakion
Inj 2 mg per 0.2 ml – Up to 5 inj available on a PSO		5	✓ Ko	onakion MM
Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO May be administered orally. (Konakion Tab 10 mg to be delisted 1 April 2010)	9.21	5	✓ Ko	onakion MM

Antithrombotic Agents

Antiplatelet Agents

ASPIRIN * Tab 100 mg	16.83	990	✓ Ethics Aspirin EC
· ·	nority see SA0867 below – Retail pharmacy		
Tab 75 mg	25.00	28	✓ Apo-Clopidogrel✓ Arrow-Clopidogrel
	(73.38)		Plavix

⇒SA0867 Special Authority for Subsidy

Initial application — (aspirin allergic patients) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient is allergic to aspirin (see definition below); and
- 2 Any of the following:

The patient has:

- 2.1 suffered from a stroke, or transient ischaemic attack; or
- 2.2 experienced an acute myocardial infarction; or
- 2.3 experienced an episode of pain at rest of greater than 20 minutes duration due to coronary disease that required admission to hospital for at least 24 hours; or
- 2.4 had a troponin T or troponin I test result greater than the upper limit of the reference range; or
- 2.5 had a revascularisation procedure; or
- 2.6 experienced symptomatic peripheral vascular disease of a severity that has required specialist consultation.

Note: Aspirin allergy is defined as a history of anaphylaxis, urticaria or asthma within 4 hours of ingestion of aspirin, other salicylates or NSAIDs.

Initial application — (aspirin tolerant patients and aspirin naive patients) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

Any of the following:

The patient has:

- 1 experienced an acute myocardial infarction; or
- 2 had an episode of pain at rest of greater than 20 minutes duration due to coronary disease that required admission to hospital for at least 24 hours; or
- 3 had a troponin T or troponin I test result greater than the upper limit of the reference range; or
- 4 had a revascularisation procedure.

Initial application — **(patients awaiting revascularisation)** from any relevant practitioner. Approvals valid for 6 months where the patient is on a waiting list or active review list for stenting, coronary artery bypass grafting, or percutaneous coronary angioplasty following acute coronary syndrome.

Initial application — (post stenting) from any relevant practitioner. Approvals valid for 6 months where the patient has had a stent inserted in the previous 4 weeks.

Initial application — (documented stent thrombosis) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has, while on treatment with aspirin or clopidogrel, experienced documented stent thrombosis.

Renewal — (aspirin tolerant patients) from any relevant practitioner. Approvals valid without further renewal unless notified where while on treatment with aspirin the patient has experienced an additional vascular event following the recent cessation of clopidogrel.

Renewal — (acute coronary syndrome - aspirin tolerant patients and aspirin naive patients) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Any of the following:

The patient has:

- 1 experienced an acute myocardial infarction; or
- 2 had an episode of pain at rest of greater than 20 minutes duration due to coronary disease that required admission to hospital for at least 24 hours; or
- 3 had a troponin T or troponin I test result greater than the upper limit of the reference range; or
- 4 had a revascularisation procedure.

Renewal — (patients awaiting revascularisation) from any relevant practitioner. Approvals valid for 6 months where the patient is on a waiting list or active review list for stenting, coronary artery bypass grafting or percutaneous coronary angioplasty following acute coronary syndrome.

Renewal — (post stenting) from any relevant practitioner. Approvals valid for 6 months where the patient has had a stent inserted in the previous 4 weeks.

Renewal — (documented stent thrombosis) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has, while on treatment with aspirin or clopidogrel, experienced documented stent thrombosis.

DIPYRIDAMOLE

*	Tab 25 mg	84	Persantin
*	Tab long-acting 150 mg11.52	60	Pytazen SR

Heparin and Antagonist Preparations

ENOXAPARIN SODIUM - Special Authority see SA097	75 on the next page - Retail	pharmacy	
Inj 20 mg	39.20	10	✓ Clexane
Inj 40 mg	52.30	10	✓ Clexane
Inj 60 mg		10	✓ Clexane
Inj 80 mg	105.12	10	✓ Clexane
Inj 100 mg	135.20	10	✓ Clexane
Inj 120 mg	168.00	10	✓ Clexane
Inj 150 mg	192.00	10	✓ Clexane

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

■SA0975 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Fither:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic INR with oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing warfarin treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

HEPARIN SODIUM

Inj 1,000 iu per ml, 5 ml	11.44	10	✓ Pfizer
	46.30	50	✓ Pfizer
	66.80		Mayne
Inj 1,000 iu per ml, 35 ml	16.00	1	✓ Mayne
Inj 5,000 iu per ml, 1 ml	14.20	5	✓ Mayne
Inj 5,000 iu per ml, 5 ml		10	Multiparin
	118.50	50	✓ Pfizer
Inj 25,000 iu per ml, 0.2 ml	9.50	5	Mayne
HEPARINISED SALINE			
* Inj 10 iu per ml, 5 ml	18.00	50	✓ AstraZeneca
	32.50		✓ Pfizer
(AstraZeneca Inj 10 iu per ml, 5 ml to be delisted 1 April 2010,)		
PROTAMINE SULPHATE			
* Inj 10 mg per ml, 5 ml	22.40	10	
, , ,	(86.54)		Artex

Oral Anticoagulants

WARFARIN SODIUM Note: Mareyan and Coumadin are not interchangeable

	Note. Marevair and Cournadir are not interestangeable.			
*	Tab 1 mg3	.46	50	Coumadin
	5	.69	100	Marevan
*	Tab 2 mg4	.31	50	Coumadin
*	Tab 3 mg8	.00	100	✓ Marevan
	Tab 5 mg5		50	✓ Coumadin
	· ·	.64	100	✓ Marevan

	Subsidy (Manufacturer's Pri	ce) Sub Per	Fully osidised	Brand or Generic Manufacturer
Fluids and Electrolytes				
Intravenous Administration				
DEXTROSE	00.75	-	. 4 5	
 Inj 50%, 10 ml – Up to 5 inj available on a PSO Inj 50%, 90 ml – Up to 5 inj available on a PSO 		5 1		<u>iomed</u> iomed
POTASSIUM CHLORIDE				
* Inj 75 mg per ml, 10 ml		50		straZeneca
* Inj 150 mg per ml, 10 ml		50	✓ A	straZeneca
SODIUM BICARBONATE				
Inj 8.4%, 50ml	19.95	1	✓ B	iomed
a) Up to 5 inj available on a PSO				
b) Not in combination	00.50	1		iomed
Inj 8.4%, 100 ml	20.50	1	VB	iomea
b) Not in combination				
SODIUM CHLORIDE				
Inf 0.9% – Up to 2000 ml available on a PSO	3.06 4.06	500 ml 1.000 ml	✓ B	
Only if prescribed on a prescription for renal dialysis, mate		,		
for emergency use. (500 ml and 1,000 ml packs)	, ,			,
Inj 23.4%, 20 ml		5		iomed
Inj 0.9%, 5 ml — Up to 5 inj available on a PSO		50 50		straZeneca straZeneca
Inj 0.9%, 20 ml		20		ultichem
	11.79	30	✓ P	harmacia
TOTAL PARENTERAL NUTRITION (TPN) - Hospital pharmacy [H			4	
Infusion	CBS	1 OP	✓ TI	PN
WATER 1) On a prescription or Practitioner's Supply Order only when Schedule requiring a solvent or diluent; or	on the same for	m as an inje	ection lis	ted in the Pharmaceutical
2) On a bulk supply order; or				
 When used in the extemporaneous compounding of eye dro Purified for inj 5 ml – Up to 5 inj available on a PSO 		50	az M	ultichem
Fulliled for Inj 5 mil – Op to 5 inj avaliable on a F50	10.51	50	*	straZeneca
Purified for inj 10 ml - Up to 5 inj available on a PSO	10.38	50		ultichem
Purified for inj 20 ml – Up to 5 inj available on a PSO	11.32	20		straZeneca ultichem
Oral Administration		20	V IVI	unuchem
CALCIUM POLYSTYRENE SULPHONATE Powder	169.85	300 g OP	√ C	alcium Resonium
COMPOUND ELECTROLYTES		550 g Oi	- 0	
Powder for soln for oral use 5 g – Up to 10 sach available on				
a PSO	2.86	10	✓ <u>E</u>	<u>nerlyte</u>

Subsidy

Fully

Brand or

	Subsidy	Duite Out	Fully Brand or
	(Manufacturer's \$	Price) Sub Per	sidised Generic Manufacturer
DEXTROSE WITH ELECTROLYTES			
Soln with electrolytes	6.66	1,000 ml OP	✓ Pedialyte -
			Bubblegum
	6.78		✓ Pedialyte - Fruit ✓ Pedialyte - Plain
OCTA CCILINA DICA DDONIATE	0.70		redialyte - Flaiii
OTASSIUM BICARBONATE Tab off 315 mg with codium soid phosphoto 1,937 g an	d		
Tab eff 315 mg with sodium acid phosphate 1.937 g an sodium bicarbonate 350 mg		100	✓ Phosphate-Sandoz
For phosphate supplementation		100	T Hoophato canacz
OTASSIUM CHLORIDE			
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	5.26	60	
	(11.85)		Chlorvescent
* Tab long-acting 600 mg	7.00	200	✓ <u>Span-K</u>
SODIUM POLYSTYRENE SULPHONATE			45
Powder	89.10	450 g OP	✓ Resonium-A
Lipid Modifying Agents			
Fibrates			
BEZAFIBRATE			
★ Tab 200 mg		90	✓ <u>Fibalip</u>
Fab long-acting 400 mg	5.70	30	✓ Bezalip Retard
Other Lipid Modifying Agents			
CIPIMOX			
k Cap 250 mg	18.75	30	✓ Olbetam
IICOTINIC ACID			
₭ Tab 50 mg		100	✓ Apo-Nicotinic Acid
≰ Tab 500 mg	17.60	100	✓ Apo-Nicotinic Acid
Resins			
CHOLESTYRAMINE WITH ASPARTAME			
Sachets 4 g with aspartame	19.25	50	
	(28.88)		Questran-Lite
COLESTIPOL HYDROCHLORIDE			
Sachets 5 g	16.17	30	✓ <u>Colestid</u>
HMG CoA Reductase Inhibitors (Statins)			

Prescribing Guidelines

Treatment with HMG CoA Reductase Inhibitors (statins) is recommended for patients with dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater.

		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
ATC	DRVASTATIN - Additional subsidy by Special Authority see SA	0788 below - Retail	pharn	nacy	
	See prescribing guideline on the preceding page				
*	Tab 10 mg	4.03	30		
	•	(18.32)		Li	pitor
*	Tab 20 mg	5.87 [′]	30		
	ů	(26.70)		Li	pitor
*	Tab 40 mg	' '	30	_	r
•••		(37.02)		Li	pitor
*	Tab 80 mg	, ,	30		Pitoi
-14	100 00 mg	(110.50)	00	Li	pitor

⇒SA0788 Special Authority for Manufacturers Price

Initial application only from a relevant specialist or general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Fither:
 - 2.1 Patient has severe documented intolerance to simvastatin (blood tests are not required); or
 - 2.2 Both:
 - 2.2.1 Patient has been compliant with a dose of simvastatin of 80 mg per day for at least 2 months; and
 2.2.2 Either:
 - 2.2.2.1 All of the following:
 - 2.2.2.1.1 Patient has venous CABG; and
 - 2.2.2.1.2 LDL cholesterol test $1 \ge 2.0$ mmol/litre; and
 - 2.2.2.1.3 LDL cholesterol test 2 ≥ 2.0 mmol/litre (at least 1 week after test 1); or
 - 2.2.2.2 All of the following:
 - 2.2.2.2.1 Patient does not have venous CABG: and
 - 2.2.2.2.2 LDL cholesterol test 1 > 2.5 mmol/litre; and
 - 2.2.2.2.3 LDL cholesterol test $2 \ge 2.5$ mmol/litre (at least 1 week after test 1).

Notes: To confirm that cholesterol levels are not still improving, two lipid tests must be carried out during treatment with simvastatin 80 mg, and have results for LDL cholesterol that have reduced by <10% in the second test. The tests must be carried out while the patient is in a fasted state (with the exception of patients with IDDM).

The following indications of intolerance to simvastatin, are known as class effects for all statins, and hence are likely to mean that the patient may also be intolerant of atorvastatin:

- Constipation, flatulence (may occur in >1% of patients)
- Asthenia, abdominal pain, headache (may occur in >1% of patients)
- Myopathy, rhabdomyolysis (may occur in <3% of patients)
- Elevated serum transaminase levels (may occur in <1% of patients)

Statins have been shown to be generally well tolerated in clinical studies, with the rate of discontinuation due to adverse reactions being less than 5%, and similar to the discontinuation rate for patients taking a placebo.

PRAVASTATIN - Special Authority see SA0932 on the next page - Retail pharmacy

See prescribing guideline on the preceding page			
Tab 10 mg	.27.46	30	Pravachol
Tab 20 mg	.42.58	30	Pravachol
Tab 40 mg	.65.31	30	Pravachol

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

■SA0932 Special Authority for Subsidy

Initial application — (Confirmed HIV/AIDS) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater; and
- 2 Confirmed HIV infection: and
- 3 Patient is being treated with an HIV protease inhibitor.

SIMVASTATIN - See prescribing guideline on page 45

*	Tab 10 mg2.05	90	✓ Arrow-Simva 10mg
	Tab 20 mg	90	✓ Arrow-Simva 20mg
	Tab 40 mg5.35	90	✓ Arrow-Simva 40mg
*	Tab 80 mg11.65	90	✓ Arrow-Simva 80mg

Selective Cholesterol Absorption Inhibitors

EZETIMIBE - Special Authority see SA0796 below - Retail pharmacy			
Tab 10 mg	.57.60	30	✓ Ezetrol

⇒SA0796 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 ezetimibe is to be used in combination with simvastatin; or
 - 1.2 ezetimibe is to be used without a statin; and
- 2 Either:
 - 2.1 All of the following:
 - 2.1.1 Patient has a calculated absolute risk of cardiovascular disease >20% over 5 years; and
 - 2.1.2 Patient cannot tolerate statin therapy at a dose of ≥ 40 mg per day; and
 - 2.1.3 Either:
 - 2.1.3.1 All of the following:
 - 2.1.3.1.1 Patient has venous CABG; and
 - 2.1.3.1.2 LDL cholesterol ≥ 2.0 mmol/litre (see note); and
 - 2.1.3.1.3 LDL cholesterol > 2.0 mmol/litre (at least 1 week after test 1 see note); or
 - 2.1.3.2 All of the following:
 - 2.1.3.2.1 Patient does not have venous CABG; and
 - 2.1.3.2.2 LDL cholesterol \geq 2.5 mmol/litre (see note); and
 - 2.1.3.2.3 LDL cholesterol ≥ 2.5 mmol/litre (at least 1 week after test 1 see note); or
 - 2.2 All of the following:
 - 2.2.1 Patient has homozygous familial hypercholesterolemia, or heterozygous familial hypercholesterolemia; and
 - 2.2.2 Patient has been compliant for at least two months with maximum dose statin therapy; and
 - 2.2.3 LDL cholesterol ≥ 5 mmol/litre (see note); and
 - 2.2.4 LDL cholesterol \geq 5 mmol/litre (at least 1 week after test 1 see note).

Note: Two lipid tests are required to assess LDL cholesterol levels, the tests must be at least one week apart, and be carried out in a fasted state (other than for patients with IDDM). The results for LDL cholesterol levels in both tests must be above those specified. **Renewal** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 ezetimibe is to be used in combination with simvastatin; or
 - 2.2 ezetimibe is to be used without a statin.

	Subsidy (Manufacturer's Price) \$	Per		Brand or Generic Manufacturer	
EZETIMIBE WITH SIMVASTATIN - Special Authority see SA082	6 below – Retail pharr	nacy			
Tab 10 mg with simvastatin 10 mg	69.00	30	✓ Vy	rtorin e	
Tab 10 mg with simvastatin 20 mg	75.00	30	✓ Vy	rtorin	
Tab 10 mg with simvastatin 40 mg		30	✓ Vy	rtorin	
Tab 10 mg with simvastatin 80 mg		30	✓ Vy	rtorin	

⇒SA0826 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 Patient has a calculated absolute risk of cardiovascular disease >20% over 5 years; and
 - 1.2 Patient cannot tolerate statin therapy at a dose of ≥ 40 mg per day; and
 - 1.3 Either:
 - 1.3.1 All of the following:
 - 1.3.1.1 Patient has venous CABG; and
 - 1.3.1.2 LDL cholesterol \geq 2.0 mmol/litre (see note); and
 - 1.3.1.3 LDL cholesterol \geq 2.0 mmol/litre (at least 1 week after test 1 see note); or
 - 1.3.2 All of the following:
 - 1.3.2.1 Patient does not have venous CABG; and
 - 1.3.2.2 LDL cholesterol ≥ 2.5 mmol/litre (see note); and
 - 1.3.2.3 LDL cholesterol \geq 2.5 mmol/litre (at least 1 week after test 1 see note); or
- 2 All of the following:
 - 2.1 Patient has homozygous familial hypercholesterolemia, or heterozygous familial hypercholesterolemia; and
 - 2.2 Patient has been compliant for at least two months with maximum dose statin therapy; and
 - 2.3 LDL cholesterol ≥ 5 mmol/litre (see note); and
 - 2.4 LDL cholesterol \geq 5 mmol/litre (at least 1 week after test 1 see note).

Note: Two lipid tests are required to assess LDL cholesterol levels, the tests must be at least one week apart, and be carried out in a fasted state (other than for patients with IDDM). The results for LDL cholesterol levels in both tests must be above those specified. **Renewal** only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Iron Overload

DESFERRIOXAMINE MESYLATE - Hospital pharmacy [HP3]			
* Inj 500 mg	99.00	10	✓ <u>Mayne</u>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
Alpha Adrenoceptor Blockers				
DOXAZOSIN MESYLATE				
* Tab 2 mg	22.85	500	~	Apo-Doxazosin
* Tab 4 mg		500	-	Apo-Doxazosin
•			-	
PHENOXYBENZAMINE HYDROCHLORIDE	7.00	20		Olhanulina 👓
* Cap 10 mg	1.02	30	V 1	Dibenyline S29
PHENTOLAMINE MESYLATE				
* Inj 10 mg per ml, 1 ml	17.97	5		
	(31.65)		F	Regitine
PRAZOSIN HYDROCHLORIDE				
* Tab 1 mg	5.53	100	V	Apo-Prazo
* Tab 2 mg		100	-	Apo-Prazo
* Tab 5 mg		100	V	Apo-Prazo
TERAZOSIN HYDROCHLORIDE			_	<u>. </u>
	2.50	28		Apo-Terazosin
• •••		20 14 OP		Hytrin Starter Pack
		500		•
·			-	A <u>po-Terazosin</u> Apo-Terazosin
* Tab 5 mg	29.00	500	<u> </u>	Apo-Terazosifi

Agents Affecting the Renin-Angiotensin System

Perindopril and trandolapril will be funded to the level of the ex-manufacturer price listed in the Schedule for patients who were taking these ACE inhibitors for the treatment of congestive heart failure prior to 1 June 1998. The prescription must be endorsed accordingly. We recommend that the words used to indicate eligibility are "certified condition" or an appropriate description of the patient such as "congestive heart failure", "CHF", "congestive cardiac failure" or "CCF". **Definition of Congestive Heart Failure** At the request of some prescribers the PTAC Cardiovascular subcommittee has provided a definition of congestive heart failure for the purposes of the funding of the manufacturer's surcharge: "Clinicians should use their clinical judgement. Existing patients would be eligible for the funding of the surcharge if the patient shows signs and symptoms of congestive heart failure, and requires or has in the past required concomitant treatment with a diuretic. The definition could also be considered to include patients post myocardial infarction with an ejection fraction of less than 40%."

ACE Inhibitors

CAPTOPRIL			
* Tab 12.5 mg	10.40	500	Apo-Captopril
* Tab 25 mg	13.40	500	✓ Apo-Captopril
* Tab 50 mg	19.00	500	✓ Apo-Captopril
*‡ Oral liq 5 mg per ml		95 ml OP	Capoten
Oral liquid restricted to children under 12 years of age.			·
CILAZAPRIL			
* Tab 0.5 mg	2.20	30	✓ Inhibace
* Tab 2.5 mg	4.10	28	✓ Inhibace
* Tab 5 mg	6.01	28	✓ Inhibace
ENALAPRIL			
* Tab 5 mg	2.19	90	m-Enalapril
* Tab 10 mg		90	✓ m-Enalapril
* Tab 20 mg		90	✓ m-Enalapril
~			

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	I Generic
LISINOPRIL	Ψ	101		Manufacturer
* Tab 5 mg	2.06	30	~	Arrow-Lisinopril
* Tab 10 mg		30		Arrow-Lisinopril
* Tab 20 mg	2.87	30		Arrow-Lisinopril
PERINDOPRIL				
* Tab 2 mg - Higher subsidy of \$18.50 per 30 with Endorse	ement3.00	30		
3 3 · · · · · · · · · · · · · · · · · ·	(18.50)		(Coversyl
* Tab 4 mg - Higher subsidy of \$25.00 per 30 with Endorse	ement4.05	30		•
	(25.00)		(Coversyl
QUINAPRIL				
* Tab 5 mg	1.60	30	V	Accupril
* Tab 10 mg	1.75	30	V	Accupril
* Tab 20 mg	2.35	30	V .	Accupril
TRANDOLAPRIL				
* Cap 1 mg - Higher subsidy of \$18.67 per 28 with Endorse	ement3.06	28		
	(18.67)		(Gopten
* Cap 2 mg - Higher subsidy of \$27.00 per 28 with Endorse	ement4.43	28		
	(27.00)		(Gopten
ACE Inhibitors with Diuretics				
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 5 mg with hydrochlorothiazide 12.5 mg	6.30	28	V	Inhibace Plus
ENALAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 20 mg with hydrochlorothiazide 12.5 mg	3.32	30		
Tub 20 mg with ny droomoroumazido 12.0 mg	(8.70)	00		Co-Renitec
QUINAPRIL WITH HYDROCHLOROTHIAZIDE	(5 5)			
* Tab 10 mg with hydrochlorothiazide 12.5 mg	3 37	30	1	Accuretic 10
* Tab 20 mg with hydrochlorothiazide 12.5 mg		30	-	Accuretic 20
		00	<u>, , , , , , , , , , , , , , , , , , , </u>	100010110 20
Angiotension II Antagonists				
CANDESARTAN - Special Authority see SA0933 below - Re	tail pharmacy			
* Tab 4 mg - No more than 1.5 tab per day		30	V	Atacand
* Tab 8 mg - No more than 1.5 tab per day		30		Atacand
* Tab 16 mg - No more than 1 tab per day		30		Atacand
* Tab 32 mg - No more than 1 tab per day	38.50	30	V	Atacand

■ SA0933 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Patient with congestive heart failure; and
 - 1.2 Either:
 - 1.2.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
 - 1.2.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years; or
- 2 All of the following:
 - 2.1 Patient with raised blood pressure; and

continued...

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 2.2 Use of fully funded beta blockers or diuretics are contraindicated; or not well tolerated; or insufficient to control blood pressure adequately at appropriate doses; and
- 2.3 Either:
 - 2.3.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
 - 2.3.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years.

LC	SARTAN - Special Authority see SA0911 below - Retail pharmacy		
*	Tab 12.5 mg	30	Cozaar
*	Tab 25 mg21.76	30	Cozaar
	Tab 50 mg23.10	30	✓ Cozaar
	Tab 50 mg with hydrochlorothiazide 12.5 mg30.00	30	✓ Hyzaar
*		30	✓ Cozaar

⇒SA0911 Special Authority for Subsidy

Initial application — (ACE inhibitor intolerance) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has persistent ACE inhibitor induced cough that is not resolved by ACE inhibitor retrial (same or new ACE inhibitor); or
- 2 Patient has a history of angioedema.

Initial application — (Unsatisfactory response to ACE inhibitor) from any relevant practitioner. Approvals valid without further renewal unless notified where patient is not adequately controlled on maximum tolerated dose of an ACE inhibitor.

Initial application — (Patient had an approval for Losartan with hydrochlorothiazide prior to 1 May 2008) from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Antiarrhythmics

AMIODARONE HYDROCHLORIDE	je 112	
▲ Tab 100 mg — Retail pharmacy-Specialist	30	✓ Aratac ✓ Cordarone-X
▲ Tab 200 mg − Retail pharmacy-Specialist30.52	30	✓ Aratac ✓ Cordarone-X
Inj 50 mg per ml, 3 ml - Up to 5 inj available on a PSO60.84	10	✓ Cordarone-X
DIGOXIN		
* Tab 62.5 μg – Up to 30 tab available on a PSO6.94	250	Lanoxin PG
* Tab 250 µg - Up to 30 tab available on a PSO15.13	250	Lanoxin
*‡ Oral liq 50 μg per ml16.60	60 ml	Lanoxin
DISOPYRAMIDE PHOSPHATE		
▲ Cap 100 mg15.00	100	
(23.87)		Rythmodan
▲ Cap 150 mg26.21	100	Rythmodan
FLECAINIDE ACETATE - Retail pharmacy-Specialist		
▲ Tab 50 mg45.82	60	✓ Tambocor
▲ Tab 100 mg80.92	60	✓ Tambocor
▲ Cap long-acting 100 mg45.82	30	Tambocor CR
▲ Cap long-acting 200 mg80.92	30	Tambocor CR
Inj 10 mg per ml, 15 ml52.45	5	Tambocor

For lignocaine bydrochloride refer to NERVOUS SYSTEM Anaesthetics, Local, page 112

	Subsidy (Manufacturer's Price \$) Per	Fully Subsidised	Brand or Generic Manufacturer
MEXILETINE HYDROCHLORIDE				
▲ Cap 50 mg	23.52	100	✓ N	Nexitil
▲ Cap 200 mg	55.05	100	✓ N	Nexitil
PROPAFENONE HYDROCHLORIDE - Retail pharmacy-Specialis				
▲ Tab 150 mg	40.90	50	✓ F	Rytmonorm
Antihypotensives				
MIDODRINE - Special Authority see SA0934 below - Hospital ph	armacy [HP3]			<u> </u>
Tab 2.5 mg	53.00	100	V 0	autron
Tab 5 mg	79.00	100	V 0	autron

■ SA0934 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Disabling orthostatic hypotension not due to drugs; and
 - 2 Patient has tried fludrocortisone (unless contra-indicated) with unsatisfactory results; and
 - 3 Patient has tried non pharmacological treatments such as support hose, increased salt intake, exercise, and elevation of head and trunk at night.

Notes: Treatment should be started with small doses and titrated upwards as necessary.

Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Beta Adrenoceptor Blockers

ACEBUTOLOL		
* Cap 200 mg	5.94 100	✓ ACB
ATENOLOL		
* Tab 50 mg	0.39 30	✓ Noten S29
	6.18 500	✓ Pacific Atenolol
* Tab 100 mg1	0.73 500	✓ Pacific Atenolol
(Noten S29 Tab 50 mg to be delisted 1 June 2010)		
CARVEDILOL		
Tab 6.25 mg2	1.00 30	✓ Dilatrend
Tab 12.5 mg	7.00 30	✓ Dilatrend
Tab 25 mg3	3.75 30	✓ Dilatrend
CELIPROLOL		
* Tab 200 mg	9.00 180	✓ Celol
LABETALOL		
* Tab 50 mg	8.66 100	✓ Hybloc
* Tab 100 mg1		✓ Hybloc
* Tab 200 mg1	8.47 100	✓ Hybloc
* Tab 400 mg	34.44 100	✓ Hybloc
* Inj 5 mg per ml, 20 ml	9.06 5	
3)	88.60)	Trandate

	Subsidy		Fully Brand or		
	(Manufacturer's Price) \$	Per	Subsidised Generic Manufacturer		
METOPROLOL SUCCINATE					
★ Tab long-acting 23.75 mg	2.73	30	✓ Betaloc CR		
			✓ Metoprolol - AFT CR		
₭ Tab long-acting 47.5 mg	3 41	30	✓ Betaloc CR		
in the long downing the might		00	✓ Metoprolol - AFT CR		
★ Tab long-acting 95 mg	5.88	30	✓ Betaloc CR		
			✓ Metoprolol - AFT CR		
₭ Tab long-acting 190 mg	10.63	30	✓ Betaloc CR		
and a grand gr			✓ Metoprolol - AFT CR		
METOPROLOL TARTRATE					
₭ Tab 50 mg	16.50	100	✓ Lopresor		
k Tab 100 mg		60	✓ Lopressor		
★ Tab long-acting 200 mg		28	✓ Slow-Lopressor		
k Inj 1 mg per ml 5 ml		5	· F		
, 91-	(34.00)	-	Betaloc		
IADOLOL	(/				
K Tab 40 mg	14 07	100	✓ Apo-Nadolol		
k Tab 80 mg		100	✓ Apo-Nadolol		
•		100	₩ <u>Apo-ivauoloi</u>		
PINDOLOL	4 ===	400	4.00		
€ Tab 5 mg		100	Pindol		
T-1- 40	5.40	400	✓ Apo-Pindolol		
Fab 10 mg		100	Pindol		
N Tol. 45	9.19	400	✓ Apo-Pindolol		
★ Tab 15 mg		100	✓ Pindol		
	13.80		✓ Apo-Pindolol		
PROPRANOLOL					
★ Tab 10 mg		100	✓ Cardinol		
★ Tab 40 mg		100	✓ Cardinol		
Cap long-acting 160 mg	16.90	100	Cardinol LA		
SOTALOL					
€ Tab 80 mg	27.50	500	✓ Mylan		
₭ Tab 160 mg		100	✓ Mylan		
k Inj 10 mg per ml, 4 ml		5	✓ Sotacor		
IMOLOL MALEATE					
Tab 10 mg	10.55	100	✓ Apo-Timol		
	10.55	100	₩ Apo-Hillor		
Calcium Channel Blockers					
Dihydropyridine Calcium Channel Blockers (D	HP CCBs)				
	,				
AMLODIPINE	7.00	100	Ana Amiladiala		
₭ Tab 5 mg		100	Apo-Amlodipine		
★ Tab 10 mg	11.79	100	Apo-Amlodipine		
ELODIPINE					
★ Tab long-acting 2.5 mg - No more than 1 tab per day	10.38	30	✔ Plendil ER		
★ Tab long-acting 5 mg		90	✓ Felo 5 ER		
* Tab long-acting 10 mg		90	Felo 10 ER		

	Subsidy (Manufacturer's Dries)		Fully Brand or
	(Manufacturer's Price) \$	Per	Subsidised Generic Manufacturer
SRADIPINE			
Cap long-acting 2.5 mg	7.50	30	✓ Dynacirc-SRO
Cap long-acting 5 mg	7.85	30	✓ Dynacirc-SRO
VIFEDIPINE			•
* Tab long-acting 10 mg	17.72	60	✓ Adalat 10
* Tab long-acting 20 mg		100	✓ Nyefax Retard
★ Tab long-acting 30 mg		30	✓ Adefin XL
0 0			Arrow-Nifedipine XR
	5.50		•
	(19.90)		Adalat Oros
★ Tab long-acting 60 mg	15.35	30	✓ Adefin XL
			Arrow-Nifedipine XR
	8.00		
	(29.50)		Adalat Oros
Other Calcium Channel Blockers			
DILTIAZEM HYDROCHLORIDE			
★ Tab 30 mg	4.60	100	✓ <u>Dilzem</u>
★ Tab 60 mg	8.50	100	✓ <u>Dilzem</u>
Cap long-acting 120 mg (once per day)		30	✓ Cardizem CD
★ Cap long-acting 180 mg		30	✓ Cardizem CD
* Cap long-acting 240 mg	8.67	30	✓ Cardizem CD
PERHEXILINE MALEATE - Special Authority see SA0256 belo	w – Hospital pharmacy	[HP3	5]
* Tab 100 mg	62 90	100	✓ Pexsig
★ Tab 100 mg SA0256 Special Authority for Subsidy	02.00	100	
■►SA0256 Special Authority for Subsidy nitial application only from a cardiologist or general physician rifteria: Both: Refractory angina; and Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approve	. Approvals valid for 2	years	for applications meeting the follow
■►SA0256 Special Authority for Subsidy nitial application only from a cardiologist or general physician riteria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approve ne patient is benefiting from treatment.	. Approvals valid for 2	years	for applications meeting the follow
■►SA0256 Special Authority for Subsidy nitial application only from a cardiologist or general physician riteria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approve ne patient is benefiting from treatment. /ERAPAMIL HYDROCHLORIDE	. Approvals valid for 2 als valid for 2 years wh	years	for applications meeting the follow ne treatment remains appropriate a
■►SA0256 Special Authority for Subsidy nitial application only from a cardiologist or general physician riteria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approvence patient is benefiting from treatment. //ERAPAMIL HYDROCHLORIDE * Tab 40 mg	. Approvals valid for 2 als valid for 2 years when the control of	years	for applications meeting the follow the treatment remains appropriate a solution is solved.
■►SA0256 Special Authority for Subsidy nitial application only from a cardiologist or general physician rriteria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approve the patient is benefiting from treatment. //ERAPAMIL HYDROCHLORIDE ★ Tab 40 mg	. Approvals valid for 2 als valid for 2 years wh7.01	years nere th	for applications meeting the follow ne treatment remains appropriate a
■►SA0256 Special Authority for Subsidy nitial application only from a cardiologist or general physician rriteria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approve the patient is benefiting from treatment. /ERAPAMIL HYDROCHLORIDE ★ Tab 40 mg	. Approvals valid for 2 als valid for 2 years wh7.0111.74	years nere th	for applications meeting the following the treatment remains appropriate a solution is solution.
■►SA0256 Special Authority for Subsidy nitial application only from a cardiologist or general physician riteria: Soth: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approve the patient is benefiting from treatment. //ERAPAMIL HYDROCHLORIDE	. Approvals valid for 2 als valid for 2 years wh	years nere th	for applications meeting the following treatment remains appropriate a solution is soptimally lisoptimally Verpamil SR
■►SA0256 Special Authority for Subsidy nitial application only from a cardiologist or general physician riteria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approvine patient is benefiting from treatment. //ERAPAMIL HYDROCHLORIDE	. Approvals valid for 2 als valid for 2 years wh	years nere th	for applications meeting the following treatment remains appropriate a solution in the solution is solved in the solution in the solution is solved in the solution is solved in the solution in the solution in the solution is solved in the solution in the solution in the solution is solved in the solution in the solution in the solution is solved in the solution in the solution in the solution in the solution is solved in the solution in the s
■►SA0256 Special Authority for Subsidy nitial application only from a cardiologist or general physician rriteria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approve the patient is benefiting from treatment. //ERAPAMIL HYDROCHLORIDE Tab 40 mg	. Approvals valid for 2 als valid for 2 years wh	years nere th	for applications meeting the following treatment remains appropriate a solution in the solution is solved in the solution in the solution is solved in the solution is solved in the solution in the solution in the solution is solved in the solution in the solution in the solution is solved in the solution in the solution in the solution is solved in the solution in the solution in the solution in the solution is solved in the solution in the s
■►SA0256 Special Authority for Subsidy Initial application only from a cardiologist or general physician rifteria: Both: Refractory angina; and Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approve the patient is benefiting from treatment. FRAPAMIL HYDROCHLORIDE Tab 40 mg Tab 80 mg Tab long-acting 120 mg Tab long-acting 240 mg Inj 2.5 mg per ml, 2 ml − Up to 5 inj available on a PSO Centrally Acting Agents CONIDINE	Approvals valid for 2 als valid for 2 years wh7.0111.7415.2025.007.54	100 100 250 250 5	for applications meeting the following treatment remains appropriate a solution in the solution is solved in the solution is solved in the solution in the solution is solved in the solution in the solution is solved in the solution is solved in the solution in the solution in the solution is solved in the solution in the solution is solved in the solution in the solution is solved in the solution in the solution in the solution is solved in the solution in the solution in the solution is solved in the solution in the solution is solved in the solution in the solution in the solution is solved in the solution in the solution in the solution in the solution is solved in the solution in the
■SA0256 Special Authority for Subsidy nitial application only from a cardiologist or general physician rifteria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approve the patient is benefiting from treatment. //ERAPAMIL HYDROCHLORIDE * Tab 40 mg		years nere th	for applications meeting the following treatment remains appropriate a solution in the solution is solved in the solution in the solution in the solution is solved in the solution in the solution in the solution is solved in the solution in the solution in the solution is solved in the solution in the solution in the solution in the solution is solved in the solution in the solution in the solution is solved in the solution in the solution in the solution is solved in the solution in
Special Authority for Subsidy nitial application only from a cardiologist or general physician riteria: toth: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approve the patient is benefiting from treatment. RERAPAMIL HYDROCHLORIDE RETAB 40 mg RETAB 80 mg RETAB 10ng-acting 120 mg RETAB 10ng-acting 240 mg RETAB 10ng-acting 240 mg RETAB 10ng-acting 240 mg RETAB 10ng-acting 240 mg RETAB 10ng-acting Agents CONIDINE RETAB 2.5 mg, 100 µg per day — Only on a prescription		years nere the 100 100 250 250 5	for applications meeting the following the treatment remains appropriate of the second
Special Authority for Subsidy nitial application only from a cardiologist or general physician riteria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approve the patient is benefiting from treatment. //ERAPAMIL HYDROCHLORIDE Tab 40 mg		100 100 250 250 5	for applications meeting the following treatment remains appropriate a solution in the solution is solved in the solution in the solution in the solution is solved in the solution in the solution in the solution is solved in the solution in the solution in the solution is solved in the solution in the solution in the solution in the solution is solved in the solution in the solution in the solution is solved in the solution in the solution in the solution is solved in the solution in
■ SA0256 Special Authority for Subsidy nitial application only from a cardiologist or general physician priteria: 3oth: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approve the patient is benefiting from treatment. //ERAPAMIL HYDROCHLORIDE ★ Tab 40 mg		100 100 250 250 5	for applications meeting the following treatment remains appropriate a solution in the solution is solved in the solution in the solution in the solution is solved in the solution in the solution in the solution is solved in the solution in the solution in the solution is solved in the solution in the solution in the solution is solved in the solution in the solution in the solution is solved in the solution in the solution in the solution is solved in the solution in the solution in the solution is solved in the solution in

	Subsidy		Fully Brand or	
	(Manufacturer's		sidised Generic	
	\$	Per	✓ Manufactu	ırer
METHYLDOPA	40.00	400	45	
* Tab 125 mg		100	Prodopa	
* Tab 500 mg		100 100	✓ <u>Prodopa</u>✓ Prodopa	
Diuretics	20.00	100	<u>11000pa</u>	
Loop Diuretics				
BUMETANIDE			4	
* Tab 1 mg		100	✓ Burinex	
* Inj 500 µg per ml, 4 ml	7.95	5	✓ Burinex	
FUROSEMIDE	10.75	4 000	4 80 1 40	
* Tab 40 mg - Up to 30 tab available on a PSO * Tab 500 mg		1,000 100	✓ <u>Diurin 40</u> ✓ Diurin 500	
* 1ab 500 Hig	50.00	50	✓ Urex Forte	620
*‡ Oral liq 10 mg per ml		30 ml OP	✓ Lasix	329
* Infusion 10 mg per ml, 25 ml		5	✓ Lasix	
* Inj 10 mg per ml, 2 ml - Up to 5 inj available on a PSO	29.50	50	✓ Mayne	
Potassium Sparing Diuretics				
AMILORIDE				
‡ Oral liq 1 mg per ml	26.20	25 ml OP	✓ Biomed	
SPIRONOLACTONE				
* Tab 25 mg	8.50	100	✓ Spirotone	
* Tab 100 mg	21.70	100	✓ Spirotone	
‡ Oral liq 5 mg per ml	26.80	25 ml OP	✓ Biomed	
Potassium Sparing Combination Diuretics				
AMILORIDE WITH FRUSEMIDE				
* Tab 5 mg with frusemide 40 mg	4.67	28		
Ç Ç	(8.63)		Frumil	
AMILORIDE WITH HYDROCHLOROTHIAZIDE				
* Tab 5 mg with hydrochlorothiazide 50 mg	13.00	500	Amizide	
Thiazide and Related Diuretics				
BENDROFLUAZIDE				
* Tab 2.5 mg - Up to 150 tab available on a PSO	13.50	500	✓ Neo-Naclex	
May be supplied on a PSO for reasons other than emerge				
* Tab 5 mg		500	✓ Neo-Naclex	
CHLOROTHIAZIDE				
‡ Oral liq 50 mg per ml	22.60	25 ml OP	✓ Biomed	
CHLORTHALIDONE				
* Tab 25 mg	8.00	50	✓ Hygroton	
INDAPAMIDE				
* Tab 2.5 mg	4.00	100	✓ Napamide	
			•	

		Subsidy		Fully	Brand or
		(Manufacturer's	Price) Subs Per	sidised •	Generic Manufacturer
N	itrates				
GL'	YCERYL TRINITRATE				
*	Tab 600 μg – Up to 100 tab available on a PSO		100 OP	✓ <u>L</u>	<u>ycinate</u>
*	Oral pump spray 400 μg per dose – Up to 250 dose available on a PSO		250 dose OP		itrolingual
*	TDDS 5 mg	16.56	30		<u>Pumpspray</u> itroderm TTS
*	TDDS 10 mg		30	<u>✓ N</u>	itroderm TTS
ISC *	OSORBIDE MONONITRATE Tab 20 mg	18.00	100	√ lo	mo 20
*	Tab long-acting 40 mg		30		orangin
*	Tab long-acting 60 mg	4.15	90	✓ D	uride
S	moking Cessation				
N	icotine Gum				
NIC	COTINE				
	a) Maximum of 768 piece per prescription b) Maximum of 384 piece per dispensing				
	c) For the avoidance of doubt Nicotine will not be funded Clos	se Control in am	nounts less than	4 week	ïS.
	Gum 2 mg (Fruit)	14.97 23.41	96 OP		<u>abitrol</u> icotinell
	Gum 2 mg (Mint)		96 OP		<u>abitrol</u>
	Gum 4 mg (Fruit)	23.41	96 OP		icotinell abitrol
	Cum 4 mg (Fruit)	23.41	90 OI	_	icotinell
	Gum 4 mg (Mint)	20.02 23.41	96 OP		<u>abitrol</u> icotinell
N	icotine Lozenge	20.11		•	
NIC	COTINE				
	a) Maximum of 432 loz per prescription				
	b) Maximum of 216 loz per dispensingc) For the avoidance of doubt Nicotine will not be funded Clos	se Control in am	nounts less than	4 week	ïS.
	Lozenge 1 mg		36 OP		abitrol
N	Lozenge 2 mgicotine Patch	11.08	36 OP	<u> H</u>	<u>abitrol</u>
NIC	COTINE a) Maximum of 56 patch per prescription				
	b) Maximum of 28 patch per dispensing				
	c) For the avoidance of doubt Nicotine will not be funded Clos Patch 7 mg		nounts less than a 7 OP		s. abitrol
	Patch 14 mg	11.63	7 OP	✓ <u>H</u>	abitrol
0	Patch 21 mg	12.32	7 OP	У <u>Н</u>	<u>abitrol</u>
O	ther Agents				
BU	PROPION HYDROCHLORIDE Tab modified-release 150 mg	65.00	30	✓ Z	yhan
	Tab modified foldage for flig		00	¥ 2;	, ~~···

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic Manufacturer
Sympathomimetics			
NDRENALINE Inj 1 in 1,000, 1 ml – Up to 5 inj available on a PSO		5	✓ Aspen Adrenaline
Inj 1 in 10,000, 10 ml – Up to 5 inj available on a PSO	5.25 27.00	5	✓ Mayne ✓ Mayne
SOPRENALINE HYDROCHLORIDE ≰ Inj 200 µg per ml, 1 ml	36.80 (135.00)	25	Isuprel
Vasodilators			
MYL NITRITE * Ampoule, 0.3 ml crushable	62.92 (73.40)	12	Baxter
HYDRALAZINE k Inj 20 mg per ml, 1 ml	25.90	5	✓ Apresoline
Tab 400 mg	36.94 (42.26)	50	Trental 400
PAPAVERINE HYDROCHLORIDE k Inj 12 mg per ml, 10 ml	73.12	5	✓ Mayne
Endothelin Receptor Antagonists			
■►SA0967 Special Authority for Subsidy Special Authority approved by the Pulmonary Arterial Hypertensic Notes: Application details may be obtained from PHARMAC's web The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.go	osite http://www.phari	nac.g	jovt.nz or:
BOSENTAN – Special Authority see SA0967 above – Hospital ph Tab 62.5 mg	4,585.00	60	✓ Tracleer ✓ Tracleer
Phosphodiesterase Type 5 Inhibitors	4,505.00	60	V ITacleel
■ SA0968 Special Authority for Subsidy Special Authority approved by the Pulmonary Arterial Hypertensic Notes: Application details may be obtained from PHARMAC's web The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.gr	bsite http://www.phari	mac.g	jovt.nz or:
SILDENAFIL – Special Authority see SA0968 above – Hospital pl Tab 25 mg	harmacy [HP1] 52.00 59.50	4 4 4	✔ Viagra ✔ Viagra ✔ Viagra

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

Prostacyclin Analogues

■ SA0969 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

ILOPROST - Special Authority see SA0969 above - Hospital pharmacy [HP1]

Nebuliser soln 10 μg per ml, 2 ml1,185.00

30

✔ Ventavis

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

Antiacne Preparations

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 84
ISOTRETINOIN – Special Authority see SA0955 below – Retail pharmacy
Cap 10 mg

 Cap 10 mg
 48.48
 180
 ✓ Oratane

 Cap 20 mg
 69.70
 180
 ✓ Oratane

⇒SA0955 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Patient has had an adequate trial on other available treatments and has failed these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 4 Either:
 - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
 - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has had an adequate trial on other available treatments and has failed these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 4 Either:
 - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
 - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Antibacterials Topical

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 84

FUSIDIC ACID

- b) Only on a prescription
- c) Not in combination

- a) Maximum of 15 g per prescription
- b) Only on a prescription
- c) Not in combination

	Subsidy	D.:() C :	Fully Brand or
	(Manufacturer's \$	Price) Sub Per	bsidised Generic Manufacturer
HYDROGEN PEROXIDE			
* Crm 1%	8 56	10 g OP	✓ Crystacide
		10 9 01	• Orystaciae
MUPIROCIN	2.22	45 00	
Oint 2%		15 g OP	Destruktur
0.0	(9.26)		Bactroban
a) Only on a prescription			
b) Not in combination			
SILVER SULPHADIAZINE			4
Crm 1%	12.30	50 g OP	✓ Flamazine
a) Up to 250 g available on a PSO			
b) Not in combination			4.00
Crm 1% with chlorhexidine digluconate 0.2%	15.04	100 g OP	✓ Silvazine
a) Up to 500 g available on a PSO			
b) Not in combination	h . d . l' . d . d . d . d . d . d . d . d . d .	2)	
Silvazine Crm 1% with chlorhexidine digluconate 0.2% to	pe aeiistea 1 July 2010	<i>'</i>	
Antifungals Topical			
<u> </u>	00		
For systemic antifungals, refer to INFECTIONS, Antifungals	s, page 88		
AMOROLFINE			
a) Only on a prescription			
b) Not in combination			
Nail soln 5%		5 ml OP	
	(61.87)		Loceryl
CICLOPIROXOLAMINE			
a) Only on a prescription			
b) Not in combination			
Crm 1%	1.00	20 g OP	
	(12.82)		Batrafen
Nail soln 8%	19.85	3.5 ml OP	✓ <u>Batrafen</u>
Soln 1%	4.36	20 ml OP	
	(11.54)		Batrafen
CLOTRIMAZOLE			
* Crm 1%	0.50	20 g OP	✓ Clomazol
a) Only on a prescription		3 -	
b) Not in combination			
★ Soln 1%	4.36	20 ml OP	
	(7.55)		Canesten
a) Only on a prescription	, ,		
b) Not in combination			
ECONAZOLE NITRATE			
Crm 1%	1.00	20 g OP	
	(7.48)	9 0.	Pevaryl
a) Only on a prescription	(0)		. 0.0
b) Not in combination			
Foaming soln 1%, 10 ml sachets	9.89	3	
	(17.23)	Ü	Pevaryl
a) Only on a prescription	(17.20)		· oranji
h) Not in combination			

b) Not in combination

KETOCONAZOLE Crm 2% a) Only on a prescription b) Not in combination	(9.50)	15 g OP	Nizoral
	0.42		
	0.42		
MICONAZOLE NITRATE	0.42		
Crm 2%		15 g OP	✓ <u>Multichem</u>
	4.36 (10.03)	30 ml OP	Daktarin
a) Only on a prescription b) Not in combination			
* Tinct 2%	4.36 (12.10)	30 ml OP	Daktarin
a) Only on a prescription b) Not in combination			
NYSTATIN			
Crm 100,000 u per g	1.00 (5.10)	15 g OP	Mycostatin
a) Only on a prescription b) Not in combination			
Antipruritic Preparations			
CALAMINE			
a) Only on a prescription			
b) Not in combination			4
Crm, aqueous, BP		100 g	healthE
Lotn, BP	.16.70	2,000 ml	✓ <u>API</u>
CROTAMITON			
a) Only on a prescription b) Not in combination			
Crm 10%	4.26	20 g OP	
	(4.45)	_0 g 0.	Eurax
MENTHOL – Only in combination	•		
Only in combination with aqueous cream, 10% urea cream, wool fat mineral oil lotion, and glycerol, paraffin and cetyl alcohol lotion	with minera	l oil lotion, 1	% hydrocortisone with wool fat and
Crystals	7.40	25 g	✓ PSM
	29.60	100 g	✓ MidWest

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Corticosteroids Topical

For systemic corticosteroids, refer to CORTICOSTEROIDS AND RELATED AGENTS, page 76

Corticoste	roids -	Plain
------------	---------	-------

BETAMETHASONE DIPROPIONATE			
Crm 0.05%	2.96	15 g OP	
	(6.91)	•	Diprosone
	8.97	50 g OP	·
	(18.36)	•	Diprosone
Crm 0.05% in propylene glycol base	4.33	30 g OP	
	(13.83)		Diprosone OV
Oint 0.05%	2.96	15 g OP	
	(6.51)	-	Diprosone
	8.97	50 g OP	
	(17.11)		Diprosone
Oint 0.05% in propylene glycol base	4.33	30 g OP	
	(13.83)	-	Diprosone OV
BETAMETHASONE VALERATE			
* Crm 0.1%	2 00	50 g OP	✓ Beta Cream
* Oint 0.1%		50 g OP	✓ Beta Ointment
* Lotn 0.1%		50 ml OP	✓ Betnovate
		00 1111 01	- Bolliovato
CLOBETASOL PROPIONATE	0.40	00 - 00	. d Dammal
* Crm 0.05%		30 g OP	Dermol
* Oint 0.05%	3.48	30 g OP	✓ <u>Dermol</u>
CLOBETASONE BUTYRATE			
Crm 0.05%	5.38	30 g OP	
	(7.09)		Eumovate
	16.13	100 g OP	
	(22.00)		Eumovate
DIFLUCORTOLONE VALERATE			
Crm 0.1%	8.97	50 g OP	
	(15.86)	Ü	Nerisone
Fatty oint 0.1%	8.97 [′]	50 g OP	
•	(15.86)	Ü	Nerisone
HYDROCORTISONE	, ,		
* Crm 1% – Only on a prescription	2.44	100 g	✓ Lemnis Fatty Cream
* Only on a prescription	2.44	100 g	HC
	12.20	500 g	✓ PSM
* Powder – Only in combination	. — . — .	25 q	✓ ABM
Up to 5% in a dermatological base (not proprietary 1		0	
galenicals. Refer, page 165	opical Corticosteri	ou – Fiairi) Willi	or without other dermatological
HYDROCORTISONE BUTYRATE			4
Lipocream 0.1%		30 g OP	✓ Locoid Lipocream
0:10.40/	6.85	100 g OP	✓ Locoid Lipocream
Oint 0.1%		100 g OP	✓ Locoid
Milky emul 0.1%	6.85	100 ml OP	✓ Locoid Crelo

	Subsidy		Fully Brand or
	(Manufacturer's P	rice) Sub Per	osidised Generic Manufacturer
	Ψ	1 61	Wallulacturel
YDROCORTISONE WITH WOOL FAT AND MINERAL OIL			
Lotn 1% with wool fat hydrous 3% and mineral oil - Only on	0.05	050	. 4 DD 1 - t 110
a prescription	9.95	250 ml	✓ <u>DP Lotn HC</u>
ETHYLPREDNISOLONE ACEPONATE			
Crm 0.1%		15 g OP	✓ Advantan
Oint 0.1%	4.95	15 g OP	✓ Advantan
OMETASONE FUROATE			
Crm 0.1%	2.38	15 g OP	✓ Elocon
	4.55	45 g OP	✓ Elocon
	2.38	15 g OP	m-Mometasone
	4.55	45 g OP	m-Mometasone
Oint 0.1%		15 g OP	Elocon
	4.55	45 g OP	Elocon
	2.38	15 g OP	✓ m-Mometasone
1 . 0 40/	4.55	45 g OP	✓ m-Mometasone
Lotn 0.1%	4.80	30 ml OP	✓ Elocon
Elocon Crm 0.1% to be delisted 1 April 2010) Elocon Oint 0.1% to be delisted 1 April 2010)			
RIAMCINOLONE ACETONIDE			
Crm 0.02%	6.63	100 g OP	✓ Aristocort
Oint 0.02%	6.69	100 g OP	✓ Aristocort
Corticosteroids - Combination			
ETAMETHASONE VALERATE WITH CLIOQUINOL — Only on a	nrescription		
Crm 0.1% with clioquinol 3%		15 g OP	
0.11. 0.1.70 min snoquino. 070 min snoquino.	(4.90)	.0 9 0.	Betnovate-C
Oint 0.1% with clioquinol 3%	3.49	15 g OP	
'	(4.90)	Ü	Betnovate-C
ETAMETHASONE VALERATE WITH FUSIDIC ACID	, ,		
Crm 0.1% with fusidic acid 2%	3 49	15 g OP	
2 2, 2 1 1 2 2 2	(9.61)	. o g o.	Fucicort
a) Maximum of 15 g per prescription	(0.0.)		. 400001
b) Only on a prescription			
YDROCORTISONE BUTYRATE WITH CHLORQUINALDOL —		•	41 110
Crm 0.1% with chlorquinaldol 3%	3.49	15 g OP	✓ Locoid C
YDROCORTISONE WITH MICONAZOLE - Only on a prescript	ion		
Crm 1% with miconazole nitrate 2%	2.20	15 g OP	✓ Micreme H
YDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - On	lv on a prescrint	ion	
Crm 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	✓ Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	✓ Pimafucort
RIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN		Ü	
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg	A VIND IN 19 IVIII	I VI	
and gramicidin 250 µg per g - Only on a prescription	3 /10	15 g OP	
and gramiolum 250 µg per g - Only on a prescription	(6.60)	15 g OF	Viaderm KC
	(0.00)		VIAUCIIII NO

	Subsidy (Manufacturer's F \$	Price) Sub	Fully Brand or sidised Generic Manufacturer
Disinfecting and Cleansing Agents	Ψ	1 61	Wandacturer
CHLORHEXIDINE GLUCONATE – Subsidy by endorsement			
a) No more than 500 ml per month			
b) Only if prescribed for a dialysis patient and the prescriptio Handrub 1% with ethanol 70%		cordingly. 500 ml	✓ Orion
* Soln 4%	7.20	500 ml	✓ <u>Orion</u>
SODIUM HYPOCHLORITE – Subsidy by endorsement Only if prescribed for a dialysis patient and the prescription is	s endorsed accor	dingly.	
* Soln		2,500 ml	✓ Janola
Dusting Powders			
DIPHEMANIL METHYLSULPHATE – Subsidy by endorsement Only if prescribed for an amputee with an artificial limb, or fo	r a paraplagia pai	tiont and the pr	occription andorsed accordingly
Powder 2%		50 g OP	,
- · · · · · · · · · · · · · · · · · · ·	(13.54)		Prantal
Barrier Creams and Emollients			
Barrier Creams			
ZINC	0.55	500	
Crm BP	(12.00)	500 g	PSM
ZINC AND CASTOR OIL	F 44	500	. 4 POM
Oint BP	5.11	500 g	✓ <u>PSM</u>
AQUEOUS CREAM * Crm	2.28	500 g	✓ <u>AFT</u>
CETOMACROGOL			4.500
* Crm BP	3.50	500 g	✓ <u>PSM</u>
* Oint BP	3.69	500 g	✓ <u>AFT</u>
GLYCEROL WITH PARAFFIN AND CETYL ALCOHOL - Only o		250 ml	
* Lotn 5% with paraffin liq 5% and cetyl alcohol 2%	(8.10)	250 IIII	QV
OIL IN WATER EMULSION	0.00	500	4
* Crm	2.80	500 g	✓ healthE Fatty Cream
* Crm BP		500 g	
	(13.60) (15.40)		David Craig PSM
UREA	,		
* Crm 10%	2.52 (3.07)	100 g OP	Nutraplus
	(0.07)		· · · · · · · · · · · · · · · · · · · ·

Subsidy

Fully

Brand or

Fu Subsidis	ully Brand or sed Generic
Per	✓ Manufacturer
50 ml OP	
	DP Lotion
,000 ml	
	DP Lotion
50 ml OP	
	Hydroderm Lotion
,000 ml	
	Hydroderm Lotion
	Alpha-Keri Lotion
50 ml OP	
	BK Lotion
,000 ml	
	BK Lotion
2,500 g	/ IPW
500 g	
-	PSM
etary Topical C	Corticosteroid – Plain.
25 g OP	
25 y OF	Betadine
	Detaulile
500 ml	✓ Betadine
	✓ Riodine
-	✓ Betadine Skin Prep
500 ml	Betaume Skill Flep
300 1111	Orion
50 g OP •	✓ Benhex
o y Oi	PCIIIICY
'	4.5
	Derbac-M
0 ml OP	A-Lices
30 g OP	
-	Lyderm
0 ml OP	✓ A-Scabies
0	ml OP

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

Psoriasis and Eczema Preparations

ACITRETIN - Special Authority see SA0954 below - Retail pharmacy		
Cap 10 mg75.80	100	Neotigason
Cap 25 mg162.96	100	✓ Neotigason

⇒SA0954 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Fither:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
 - 3.2 Patient is male.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
 - 3.2 Patient is male.

CAL		
UAL	ГОІ	UL

Crm 50 µg per g	20.20	30 g OP	Daivonex
	56.32	100 g OP	Daivonex
Oint 50 μg per g	20.20	30 g OP	Daivonex
101	56.32	100 g OP	Daivonex
Soln 50 µg per ml	20.22	30 ml OP	Daivonex
	33.79	60 ml OP	Daivonex
COAL TAR			
Soln BP - Only in combination	36.48	500 ml	✓ PSM
·	12.98	200 ml	
	(16.20)		David Craig

Up to 10 % Only in combination with a dermatological base or proprietary Topical Corticosteriod – Plain, refer, page 165 With or without other dermatological galenicals.

COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULPHUR

oin 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% ar	nd .		
allantoin crm 2.5%	3.43	30 g OP	
	(4.35)		Egopsoryl TA
	6.59	75 g OP	
	(8.00)		Egopsoryl TA

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or sidised Generic Manufacturer
COAL TAR WITH SALICYLIC ACID AND SULPHUR			
Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	✓ Coco-Scalp
DITHRANOL			
Crm 1%	27.50	50 g OP	✓ Micanol
(Micanol Crm 1% to be delisted 1 July 2010)			
SALICYLIC ACID			4
Powder – Only in combination	15.00 18.88	500 g	✓ ABM ✓ PSM
1) Only in combination with a dermatological base or p		250 g al Corticosteroio	
page 165 2) With or without other dermatological galenicals.			
Maximum 20 g or 20 ml per prescription when	cribed with white	e soft paraffin o	r collodion flexible.
SULPHUR			
Precipitated - Only in combination	6.50 (9.25)	100 g	✓ ABM PSM
 Only in combination with a dermatological base or p With or without other dermatological galenicals. 	proprietary Topic	cal Corticostero	id – Plain, refer, page 165
TAR WITH CADE OIL			
Bath emul 7.5% coal tar, 2.5% cade oil, 7.5% compound	9.70 (29.60)	350 ml	Polytar Emollient
TAR WITH TRIETHANOLAMINE LAURYL SULPHATE AND FLUC	ORESCEIN - C	Only on a prescr	ription
* Soln 2.3% with triethanolamine lauryl sulphate and fluores-			4
cein sodium	2.90	500 ml	✓ <u>Pinetarsol</u>
Scalp Preparations			
BETAMETHASONE VALERATE			
* Scalp app 0.1%	7.22	100 ml OP	✓ Beta Scalp
CLOBETASOL PROPIONATE			
* Scalp app 0.05%	6.36	30 ml OP	✓ <u>Dermol</u>
HYDROCORTISONE BUTYRATE			
Scalp lotn 0.1%	3.65	100 ml OP	✓ <u>Locoid</u>
KETOCONAZOLE			
Shampoo 2%a) Maximum of 100 ml per prescription b) Only on a prescription	3.48	100 ml OP	✓ <u>Sebizole</u>

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

Sunscreens

SUNSCREENS, PROPRIETARY - Subsidy by endorsement

Only if prescribed for a patient with severe photosensitivity secondary to a defined clinical condition and the prescription is endorsed accordingly.

endorsed accordingly.			
Crm	2.55	100 g OP	
	(5.89)		Hamilton Sunscreen
	1.28	50 g OP	
	(5.50)		Aquasun Oil Free Faces SPF30+
Lotn	2.55	100 ml OP	✓ Marine Blue Lotion SPF 30+
	5.10	200 ml OP	✓ Marine Blue Lotion SPF 30+
	3.19	125 ml OP	
	(6.94)		Aquasun 30+
	(8.82)		Aquasun Sensitive SPF 30+

(Aquasun Sensitive SPF 30+ Lotn to be delisted 1 May 2010)

Wart Preparations

For salicylic acid preparations refer to PSORIASIS AND ECZEMA PREPARATIONS, page 66

IMIQUIMOD - Special Authority see SA0923 below - Retail pharmacy

⇒SA0923 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following:

- 1 The patient has external anogenital warts and podophyllotoxin has been tried and failed (or is contraindicated); or
- 2 The patient has external anogenital warts and podophyllotoxin is unable to be applied accurately to the site; or
- 3 The patient has confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate.

Notes: Superficial basal cell carcinoma

- Surgical excision remains first-line treatment for superficial basal cell carcinoma as it has a higher cure rate than imiquimod
 and allows histological assessment of tumour clearance.
- Imiquimod has not been evaluated for the treatment of superficial basal cell carcinoma within 1 cm of the hairline, eyes, nose, mouth or ears.
- Imiguimod is not indicated for recurrent, invasive, infiltrating, or nodular basal cell carcinoma.

External anogenital warts

• Imiquimod is only indicated for external genital and perianal warts (condyloma acuminata).

Renewal from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following:

- 1 Inadequate response to initial treatment for anogenital warts; or
- 2 New confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate; or
- 3 Inadequate response to initial treatment for superficial basal cell carcinoma.

Note: Confirmation that the lesion is a superficial basal cell carcinoma should be obtained using a biopsy

PODOPHYLLOTOXIN

- a) Maximum of 3.5 ml per prescription
- b) Only on a prescription

Subsidy (Manufacturer's Price) Fully Brand or Subsidised Generic

80 g

PSM

(4.90)

	\$	Per	✓ Manufacturer	
Other Skin Preparations				
Antineoplastics				
FLUOROURACIL SODIUM Crm 5%	26.49	20 g OP	✓ Efudix	
Topical Analgesia				
For aspirin & chloroform application refer, page 168 CAPSAICIN – Subsidy by endorsement Subsidised only if prescribed for post-herpetic neuralgia or accordingly. Crm 0.075%		al neuropathy 45 g OP	and the prescription is er	ndorsed
Wound Management Products				
HYDROGEN PEROXIDE * Soln 20 vol – Maximum of 500 ml per prescription	3.13 (7.00)	500 ml	PSM	
MAGNESIUM SULPHATE				

		Subsidy (Manufacturer's Pr \$	ice) Sub: Per	Fully Brand or sidised Generic Manufacturer
С	ontraceptives - Non-hormonal			
С	ondoms			
	NDOMS			
*	49 mm - Up to 144 dev available on a PSO	13.36	144	✓ Gold Knight ✓ MarquisTantiliza ✓ Shield 49
*	52 mm - Up to 144 dev available on a PSO	13.36	144	✓ Marquis Selecta ✓ Marquis Sensolite ✓ Marquis Supalite
*	52 mm extra strength – Up to 144 dev available on a PSO	13.36	144	✓ Marquis Supante ✓ Marquis Protecta
*	53 mm - Up to 144 dev available on a PSO		144	✓ Gold Knight ✓ Marquis Black ✓ Marquis Titillata ✓ Shield Blue
*	53 mm (chocolate) - Up to 144 dev available on a PSO		144	✓ Gold Knight
	53 mm (strawberry) – Up to 144 dev available on a PSO		144	✓ Gold Knight
*	53 mm extra strength – Up to 144 dev available on a PSO 54 mm, shaped – Up to 144 dev available on a PSO		144 144	✓ Gold Knight
*	34 mm, shaped – Op to 144 dev available on a F30	(14.84)	144	Lifestyles Flared
*	55 mm - Up to 144 dev available on a PSO	` '	144	✓ Gold Knight ✓ Marquis Conforma
*	56 mm - Up to 144 dev available on a PSO	13.36	144	✓ Durex Select Flavours
*	56 mm extra strength - Up to 144 dev available on a PSO		144	Durex Extra Safe
	56 mm, shaped – Up to 144 dev available on a PSO		144	✓ Durex Confidence
*	60 mm - Up to 144 dev available on a PSO	13.36	144	✓ Shield XL
S	permicidal Agents			
AP	PLICATOR When ordered with a spermicide.			
	Applicator – Up to 1 dev available on a PSO NOXYNOL-9	4.34	1	✓ Ortho
INC	Jelly 2% – Up to 108 g available on a PSO	10.95	108 g OP	✓ Gynol II
C	ontraceptive Devices			
	NPHRAGM Diaphragm – Up to 1 dev available on a PSO	42.90	1	✓ Ortho All-flex ✓ Ortho Coil
דואן	One of each size is permitted on a PSO. TRA-UTERINE DEVICE – Only on a WSO			
	IUD	39.50	1	✓ Multiload Cu 375✓ Multiload Cu 375 SL

Subsidy

Fully

Brand or

Distributed by Pharmaco NZ Ltd, PO Box 4079, Auckland Ph 09 377 3336

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

Contraceptives - Hormonal

Combined Oral Contraceptives

▶SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Patient is on a Social Welfare benefit: or
 - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon, Marvelon, Minulet and Fernodene.

The additional subsidy will fund Mercilon, Marvelon, Minulet and Femodene up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

ETHINYLOESTRADIOL WITH DESOGESTREL

* Tab 20 µg with desogestrel 150 µg	6.62	63	
	(16.50)		Mercilon 21
a) Higher subsidy of \$13.80 per 63 with Special Authority s	' '		
, , , , , , , , , , , , , , , , , , , ,	cc onodoo above		
b) Up to 63 tab available on a PSO			
* Tab 20 μg with desogestrel 150 μg and 7 inert tab	6.62	84	
	(16.50)		Mercilon 28
a) Higher subsidy of \$13.80 per 84 with Special Authority s	ee SA0500 above		
b) Up to 84 tab available on a PSO			
* Tab 30 µg with desogestrel 150 µg	6.62	63	
	(16.50)		Marvelon 21
a) Higher subsidy of \$13.80 per 63 with Special Authority s	ee SA0500 above		
b) Up to 63 tab available on a PSO	00 0/10000 00010		
, 1	6.60	0.4	
* Tab 30 μg with desogestrel 150 μg and 7 inert tab		84	
	(16.50)		Marvelon 28
 a) Higher subsidy of \$13.80 per 84 with Special Authority s 	ee SA0500 above		
b) Up to 84 tab available on a PSO			
ETHINYLOESTRADIOL WITH GESTODENE			
* Tab 30 µg with gestodene 75 µg and 7 inert tab	6 62	84	
i ab oo pg mai goolodono ro pg and r more tab	(16.50)	0.	Femodene 28
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	,		i emodene 20
a) Higher subsidy of \$14.49 per 84 with Special Authority s	ee SA0500 above		
b) Up to 84 tab available on a PSO			
(Femodene 28 Tab 30 μg with gestodene 75 μg and 7 inert tab to l	be delisted 1 June	2010)	

GENITO-URINARY SYSTEM

=		Subsidy		Full	v Brand or
		(Manufacturer's Price)		Subsidise	,
		\$	Per	v	 Manufacturer
ET	HINYLOESTRADIOL WITH LEVONORGESTREL				
*	Tab ethinyloestradiol 30 μg with levonorgestrel 50 μg (6) and				
	tab ethinyloestradiol 40 µg with levonorgestrel 75 µg (5),				
	and tab ethinyloestradiol 30 μg with levonorgestrel 125 μg				
	(10) and 7 inert tab - Up to 84 tab available on a PSO	6.62	84	~	Trifeme
*	Tab 50 μg with levonorgestrel 125 μg and 7 inert tab – Up to				
	84 tab available on a PSO		84		Microgynon 50 ED
*	Tab 30 μg with levonorgestrel 150 μg		63		Missassas 00
	a) Higher authorists of \$15.00 per 62 with Chariel Authority of	(16.50)	o o o di		Microgynon 30
	 a) Higher subsidy of \$15.00 per 63 with Special Authority s b) Up to 63 tab available on a PSO 	ee SA0500 on the pr	eceuii	ng page	
*	Tab 30 μg with levonorgestrel 150 μg and 7 inert tab	6.62	84	~	Levlen ED
•••	tab oo pg man lovonorgood or noo pg and r more tab		٠.		Monofeme
		(14.49)		-	Nordette 28
		(16.50)			Microgynon 30 ED
	a) Higher subsidy of up to \$15.00 per 84 with Special Author	ority see SA0500 on	the pr	eceding p	page
	b) Up to 84 tab available on a PSO				
ΕT	HINYLOESTRADIOL WITH NORETHISTERONE				
*	Tab 35 μg with norethisterone 1 mg $-$ Up to 63 tab available				
	on a PSO	6.62	63	~	Brevinor 1/21
*	Tab 35 μg with norethisterone 1 mg and 7 inert tab - Up to				
	84 tab available on a PSO	6.62	84	~	Brevinor 1/28
*	Tab 35 μg with norethisterone 500 μg – Up to 63 tab available				-
	on a PSO	6.62	63	•	Brevinor 21
*	Tab 35 μg with norethisterone 500 μg and 7 inert tab — Up to	0.00	0.4		Manimin
	84 tab available on a PSO	6.62	84	•	Norimin
	RETHISTERONE WITH MESTRANOL				
*	Tab 1 mg with mestranol 50 μg and 7 inert tab		84		Naviand 4/00
	a) Higher subsidy of \$13.80 per 84 with Special Authority s	(13.80)	ooodii		Norinyl-1/28
	b) Up to 84 tab available on a PSO	ee SA0500 on the pr	eceun	ig page	
_	, · ·				
C	ombined Oral Contraceptives - Other				
ET	HINYLOESTRADIOL WITH LEVONORGESTREL				
*	Tab 20 μg with levonorgestrel 100 μg and 7 inert tab – Up to				
	84 tab available on a PSO	6.62	84		
		(16.50)			Loette
		(16.50)			Microgynon 20 ED

Progestogen-only Contraceptives

⇒SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 Patient is on a Social Welfare benefit; or
 - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

continued...

GENITO-URINARY SYSTEM

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

Fither:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon, Marvelon, Minulet and Femodene.

The additional subsidy will fund Mercilon, Marvelon, Minulet and Femodene up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

LEVONORGESTRE

a) Higher subsidy of \$13.80 per 84 with Special Authority see SA0500 on the preceding page

b) Up to 84 tab available on a PSO

MEDROXYPROGESTERONE ACETATE

★ Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a PSO7.15
1
✓ Depo-Provera

NORETHISTERONE

* Tab 350 μg − Up to 84 tab available on a PSO......7.15
84
✓ Noriday 28

Emergency Contraceptives

LEVONORGESTREL

- a) Maximum of 2 tab per prescription
- b) Up to 5 tab available on a PSO

Antiandrogen Oral Contraceptives

Prescribers may code prescriptions "contraceptive" (code "O") when used as indicated for contraception. The period of supply and prescription charge will be as per other contraceptives, as follows:

- \$3.00 prescription charge (patient co-payment) will apply.
- prescription may be written for up to six months supply.

Prescriptions coded in any other way are subject to the non contraceptive prescription charges, and the non-contraceptive period of supply. ie. Prescriptions may be written for up to three months supply.

CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL

★ Tab 2 mg with ethinyloestradiol 35 μg and 7 inert tabs4.91 84 ✓ Ginet 84 Estelle 35-ED

(Estelle 35-ED Tab 2 mg with ethinyloestradiol 35 µg and 7 inert tabs to be delisted 1 April 2010)

Gynaecological Anti-infectives

ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC ACID

applicator8.43 100 g OP (11.32) Aci-Jel

GENITO-URINARY SYSTEM

	Subsidy (Manufacturer's Pr	rice) Su Per	Fully bsidised	Brand or Generic Manufacturer
CLOTRIMAZOLE				
* Vaginal crm 1% with applicator(s)	1.45	35 g OP	✓ <u>C</u>	lomazol
* Vaginal crm 2% with applicators	2.75	20 g OP	✓ <u>C</u>	<u>lomazol</u>
MICONAZOLE NITRATE				
* Vaginal crm 2% with applicator	2.75	40 g OP		
	(3.70)		M	licreme
NYSTATIN				
Vaginal crm 100,000 u per 5 g with applicator(s)	4.71	75 g OP	✓ N	ilstat
Myometrial and Vaginal Hormone Preparations				
ERGOMETRINE MALEATE				
Inj 500 μg per ml, 1 ml - Up to 5 inj available on a PSO	11.60	5	✓ M	layne
METHYLERGOMETRINE				
Inj 200 µg per ml, 1 ml - Up to 10 inj available on a PSO	9.28	10	✓ H	ospira S29
DESTRIOL				
* Crm 1 mg per g with applicator	7.00	15 g OP	V 0	vestin
* Pessaries 500 μg		15	V 0	vestin
OXYTOCIN - Up to 5 inj available on a PSO				
Inj 5 iu per ml, 1 ml	5.94	5	✓ S	yntocinon
Inj 10 iu per ml, 1 ml		5	√ S	yntocinon
Inj 5 iu with ergometrine maleate 500 μg per ml, 1 ml	10.12	5	✓ S	yntometrine
Pregnancy Tests - HCG Urine				
PREGNANCY TESTS - HCG URINE			· · · · · · · · · · · · · · · · · · ·	
a) Up to 200 test available on a PSO				
b) Only on a PSO				
Cassette	19.00	25 test OP	✓ M	IDS Quick Card
Urinary Agents		_		

Urinary Agents

For urinary tract Infections refer to INFECTIONS, Antibacterials, page 96

5-Alpha Reductase Inhibitors

FINASTERIDE – Special Authority see SA0928 below – Retail pharmacy
Tab 5 mg19.20 30 Fintral

⇒SA0928 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 Either:
 - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
 - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Note: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride.

Hemastix

Albustix

	Subsidy (Manufacturer's F \$	Price) Sub: Per	Fully Brand or sidised Generic Manufacturer
Other Urinary Agents			
OXYBUTYNIN * Tab 5 mg * Oral liq 5 mg per 5 ml		500 473 ml OP	✓ <u>Apo-Oxybutynin</u> ✓ <u>Apo-Oxybutynin</u>
SODIUM CITRO-TARTRATE * Grans eff 4 g sachets	2.75	28	✓ <u>Ural</u>
SOLIFENACIN SUCCINATE – Special Authority see SA0998 belong the Same Same Same Same Same Same Same Sam	56.50	macy 30 30	✓ Vesicare ✓ Vesicare
Special Authority for Subsidy Initial application from any relevant practitioner. Approvals vali overactive bladder and a documented intolerance of oxybutynin.		er renewal unles	ss notified where the patient has
Detection of Substances in Urine			
ORTHO-TOLIDINE * Compound diagnostic sticks	7.50	50 test OP	

(8.25)

(13.92)

100 test OP

TETRABROMOPHENOL

* Blue diagnostic strips7.02

Subsidy

Fully

Brand or

Generic

(Manufacturer's Price) Subsidised Per Manufacturer \$ **Anabolic Agents** NANDROLONE DECANOATE - Retail pharmacy-Specialist Inj 50 mg per ml, 1 ml21.15 1 ✓ Deca-Durabolin Orgaject Corticosteroids and Related Agents for Systemic Use BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHASONE ACETATE Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1ml19.20 5 Celestone Chronodose DEXAMETHASONE 100 Douglas Up to 30 tab available on a PSO 100 Douglas Up to 30 tab available on a PSO Oral liq 1 mg per ml - Retail pharmacy-Specialist39.90 25 ml OP ✓ Biomed Oral lig prescriptions: 1) Must be written by a Paediatrician or Paediatric Cardiologist; or 2) On the recommendation of a Paediatrician or Paediatric Cardiologist. DEXAMETHASONE SODIUM PHOSPHATE Inj 4 mg per ml, 1 ml – Up to 5 inj available on a PSO21.50 5 ✓ Mayne Inj 4 mg per ml, 2 ml - Up to 5 inj available on a PSO31.00 5 ✓ Mayne FLUDROCORTISONE ACETATE * Tab 100 μg7.62 100 ✔ Florinef HYDROCORTISONE 100 ✓ Douglas ✓ Douglas 100 ✓ Solu-Cortef 1 a) Up to 5 inj available on a PSO b) Only on a PSO METHYLPREDNISOLONE - Retail pharmacy-Specialist Tab 4 mg48.57 100 Medrol Tab 100 mg166.52 20 Medrol METHYLPREDNISOLONE ACETATE 1 ✓ Depo-Medrol METHYLPREDNISOLONE ACETATE WITH LIGNOCAINE Inj 40 mg per ml with lignocaine 1 ml6.03 1 ✓ Depo-Medrol with lidocaine METHYLPREDNISOLONE SODIUM SUCCINATE - Retail pharmacy-Specialist 25 ✓ Solu-Medrol Inj 62.5 mg per ml, 2 ml412.59 25 ✓ Solu-Medrol 1 ✓ Solu-Medrol Inj 1 g42.57 ' Solu-Medrol PREDNISOLONE SODIUM PHOSPHATE Oral lig 5 mg per ml - Up to 30 ml available on a PSO9.95 30 ml OP Redipred Restricted to children under 12 years of age.

	Subsidy (Manufacturer's Price)		Fully Subsidised	
	\$	Per	oubsidise(
PREDNISONE				
* Tab 1 mg	10.68	500	~	Apo-Prednisone
* Tab 2.5 mg	12.09	500		Apo-Prednisone
* Tab 5 mg - Up to 30 tab available on a PSO		500	~	Apo-Prednisone
★ Tab 20 mg	29.03	500	~	Apo-Prednisone
TETRACOSACTRIN				
* Inj 250 μg		10	~	Synacthen _
₭ Inj 1 mg per ml, 1 ml	26.88	1	~	Synacthen Depot
TRIAMCINOLONE ACETONIDE				
Inj 10 mg per ml, 1 ml	11.11	5	~	Kenacort-A
Inj 40 mg per ml, 1 ml	28.09	5	V	Kenacort-A40
Sex Hormones Non Contraceptive				
Androgen Agonists and Antagonists				
CYPROTERONE ACETATE - Hospital pharmacy [HP3]-Specialisi	t			
Tab 50 mg		50	~	Siterone
Tab 100 mg	41.50	50	~	Siterone
ESTOSTERONE				
Transdermal patch 2.5 mg per day	80.00	60	V	Androderm
ESTOSTERONE CYPIONATE - Retail pharmacy-Specialist				
Inj long-acting 100 mg per ml, 10 ml	61 41	1	~	Depo-Testosterone
, , ,			•	
"ESTOSTERONE ESTERS – Retail pharmacy-Specialist Inj 250 mg per ml, 1 ml	12.08	1		Sustanon Ampoules
, , , , , , , , , , , , , , , , , , , ,		'	•	Justanon Ampoules
*ESTOSTERONE UNDECANOATE – Retail pharmacy-Specialist		00		
Cap 40 mg	60.71	60		Andriol Testocaps Panteston

Hormone Replacement Therapy - Systemic

⇒SA0312 Special Authority for Alternate Subsidy

Initial application only from an obstetrician, gynaecologist, general practitioner or general physician. Approvals valid for 5 years for applications meeting the following criteria:

Any of the following:

- 1 acute or significant liver disease where oral oestrogens are contraindicated as determined by a gastroenterologist or general physician. The applicant must keep written confirmation from such a specialist with the patient's record; or
- 2 oestrogen induced hypertension requiring antihypertensive therapy documented evidence must be kept on file that raised blood pressure levels or inability to control blood pressure adequately occurred post oral oestrogens; or
- 3 hypertriglyceridaemia documented evidence must be kept on file that triglyceride levels increased to at least 2 × normal triglyceride levels post oral oestrogens.

Note: Prescriptions with a valid Special Authority (CHEM) number will be reimbursed at the level of the lowest priced TDDS product within the specified dose group.

Renewal only from an obstetrician, gynaecologist, general practitioner or general physician. Approvals valid for 5 years where the treatment remains appropriate and the patient is benefiting from treatment.

Prescribing Guideline

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

Subsidy

Fully

Brand or

		(Manufacturer's Pr	rice) Sub	sidised Generic
		\$	Per	✓ Manufacturer
0	estrogens			
OE	STRADIOL - See prescribing guideline on the preceding page	Э		
*	Tab 1 mg	4.12	28 OP	
		(10.55)		Estrofem
*	Tab 2 mg		28 OP	
	TDD0 or	(10.55)	•	Estrofem
*	TDDS 25 µg per day		8	Fatradarm TTC 05
	a) Higher subsidy of \$10.86 per 8 with Special Authority se	(10.86)	proceding pa	Estraderm TTS 25
	b) No more than 2 patch per week	e SAUSTZ UIT IITE	preceding pa	ye
	c) Only on a prescription			
*	TDDS 3.9 mg (releases 50 µg of oestradiol per day)	4.12	4	
		(14.50)		Climara 50
		(32.50)		Femtran 50
	a) Higher subsidy of \$13.18 per 4 with Special Authority se	ee SA0312 on the	preceding pa	ge
	b) No more than 1 patch per week			
*	c) Only on a prescription TDDS 50 µg per day	4.10	8	
*	TDD3 30 µg per day	(13.18)	O	Estraderm TTS 50
	a) Higher subsidy of \$13.18 per 8 with Special Authority se	, ,	nreceding na	
	b) No more than 2 patch per week	00 07 100 12 011 1110	proceding pa	90
	c) Only on a prescription			
*	TDDS 7.8 mg (releases 100 µg of oestradiol per day)	7.05	4	
		(17.75)		Climara 100
		(35.00)		Femtran 100
	a) Higher subsidy of \$16.14 per 4 with Special Authority se	ee SA0312 on the	preceding pa	ge
	b) No more than 1 patch per weekc) Only on a prescription			
*	TDDS 100 µg per day	7.05	8	
•	.220 :00 pg po: 00,	(16.14)	ŭ	Estraderm TTS 100
	a) Higher subsidy of \$16.14 per 8 with Special Authority se	ee SA0312 on the	preceding pa	ge
	b) No more than 2 patch per week			•
	c) Only on a prescription			
OE	STRADIOL VALERATE - See prescribing guideline on the pre	eceding page		
*	Tab 1 mg		56	✓ Progynova
*	Tab 2 mg	8.24	56	✓ Progynova
OE	STROGENS - See prescribing guideline on the preceding page	-		
*	Conjugated, equine tab 300 µg		28	
N/e	Conjugated anning tab COT up	(11.48)	00	Premarin
*	Conjugated, equine tab 625 μg	(11.48)	28	Premarin
		(11.40)		Fiemann
P	rogestogens			
ME	DROXYPROGESTERONE ACETATE - See prescribing guide	line on the prece	ding page	
*	Tab 2.5 mg		30	✓ Provera
*	Tab 5 mg		100	✓ Provera
	Tab 10 mg		30	✓ Provera
				

	Subsidy (Manufacturer's Pr \$	rice) Sul Per	Fully Brand or bsidised Generic Manufacturer
Progestogen and Oestrogen Combined Prepara	tions		
OESTRADIOL WITH NORETHISTERONE – See prescribing gui * Tab 1 mg with 0.5 mg norethisterone acetate	1 0	7 28 OP	Kliovance
* Tab 2 mg with 1 mg norethisterone acetate	5.40 (14.52)	28 OP	Kliogest
* Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg oestradiol tab (12) and 1 mg oestradiol tab (6)		28 OP	Trisequens
OESTROGENS WITH MEDROXYPROGESTERONE – See pres * Tab 625 µg conjugated equine with 2.5 mg medroxyproges-	0 0	on page 77	
terone acetate tab (28)	5.40 (22.96)	28 OP	Premia 2.5 Continuous
* Tab 625 µg conjugated equine with 5 mg medroxyprogesterone acetate tab (28)		28 OP	Premia 5 Continuous
Other Oestrogen Preparations			
ETHINYLOESTRADIOL * Tab 10 μg	17.60	100	✓ NZ Medical and Scientific
OESTRIOL	7.00	30	✓ Ovestin
Other Progestogen Preparations			
DYDROGESTERONE Tab 10 mg	27.50 (29.90)	50	Duphaston
LEVONORGESTREL * Levonorgestrel - releasing intrauterine system 20µg/24 hr - Special Authority see SA0782 below - Retail pharmacy		1	✓ Mirena

⇒SA0782 Special Authority for Subsidy

Initial application — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- 3 Either:
 - 3.1 serum ferritin level < 16 µg/l (within the last 12 months); or
 - 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Initial application — (Previous use before 1 October 2002) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- 1 The patient had a clinical diagnosis of heavy menstrual bleeding; and
- 2 Patient demonstrated clinical improvement of heavy menstrual bleeding; and
- 3 Applicant to state date of the previous insertion.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
 - 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

MEDROXYPROGESTERONE ACETATE

*	Tab 100 mg - Retail pharmacy-Specialist	96.50	100	✔ Provera
*	Tab 200 mg - Retail pharmacy-Specialist	70.50	30	✓ Provera
NC	PRETHISTERONE			
*	Tab 5 mg - Up to 30 tab available on a PSO	25.00	100	Primolut N

3 -1			
Thyroid and Antithyroid Agents			
CARBIMAZOLE			
* Tab 5 mg	10.80	100	✓ Neo-Mercazole
LEVOTHYROXINE			
* Tab 50 μg	1.71	28	✓ Goldshield
	45.00	1,000	✓ Synthroid
	64.28		✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral liqu	id preparations.		
* Tab 100 μg	1.78	28	✓ Goldshield
	46.75	1,000	✓ Synthroid
	66.78		✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral liqu	iid preparations.		
* Tab 25 µg ‡ Safety cap for extemporaneously compounded oral liqu		1,000	✓ Synthroid

Trophic Hormones

Growth Hormones

⇒SA0755 Special Authority for Subsidy

Special Authority approved by the Growth Hormone Committee

Notes: Subject to budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

NZGHC Coordinator

PHARMAC, PO Box 10-254, WELLINGTON

Tel: 0800 808 476, Fax: (09) 929 3221, Email: growthhormone@pharmac.govt.nz

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
SOMATROPIN - Special Authority see SA0755 on the preceding	page			
* Inj 5 mg	300.00	1	✓ N	lorditropin SimpleXx 5mg
* Inj 10 mg	600.00	1	✓ N	lorditropin SimpleXx 10mg
* Inj 15 mg	900.00	1	✓ N	lorditropin SimpleXx 15mg
* Inj cartridge 16 iu per vial	249.60	1	V 0	Genotropin
* Inj cartridge 36 iu per vial		1	✓ G	Genotropin
GnRH Analogues				

■SA0835 Special Authority for Subsidy

Initial application — (Breast cancer) from any medical practitioner. Approvals valid for 1 year where the patient is a premenopausal woman with breast cancer.

Initial application — (Prostate cancer) only from an oncologist, urologist or endocrinologist. Approvals valid for 1 year where the patient has advanced prostatic cancer.

Note: Not to be prescribed with an anti-androgen except for a period of three weeks, if necessary, when GnRH analogue therapy is intiated.

Initial application — (Endometriosis) only from a gynaecologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Endometriosis: and
- 2 Either:
 - 2.1 6 months treatment with medroxyprogesterone acetate, danazol or dimetriose has proven ineffective; or
 - 2.2 The patient has failed to tolerate the treatment with medroxyprogesterone acetate, danazol or dimetriose for 6 months.
- Note: The maximum treatment period for a GnRH analogue is:

 3 months to assess whether surgery is appropriate
 - 3 months for infertile patients after surgery
 - 6 months for patients with symptoms of endometriosis After the first 3 months patients should be assessed to determine whether there has been a satisfactory response to the first 3 months treatment.

Initial application — (Precocious puberty) only from a paediatrician or endocrinologist. Approvals valid for 1 year where the patient is affected by gonadotropin dependent precocious puberty.

Renewal — (Breast or prostate cancer) from any medical practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

Renewal — (Endometriosis) from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 There has been a satisfactory response to the first 3 months treatment; and
 - 1.2 Surgery is inappropriate; or
- 2 The first three months of therapy did not follow surgery for infertility.

Subsidy (Manufacturer's Price)	Fu Subsidis	illy	Brand or Generic
\$	Per	~	Manufacturer

continued...

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

Renewal — (**Precocious puberty**) only from a paediatrician or endocrinologist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

GOSERELIN ACETATE - Hospital pharmacy [HP3]			
Inj 3.6 mg	200.00	1	✓ Zoladex
Inj 10.8 mg	500.00	1	✓ Zoladex
LEUPRORELIN - Hospital pharmacy [HP3]			
Inj 3.75 mg prefilled syringe	221.60	1	✓ Lucrin Depot PDS
Inj 3.75 mg	221.60	1	✓ Lucrin Depot
Inj 7.5 mg	166.20	1	✓ Eligard
Inj 11.25 mg prefilled syringe	591.68	1	✓ Lucrin Depot PDS
Inj 11.25 mg	591.68	1	✓ Lucrin Depot
Inj 22.5 mg	443.76	1	✓ Eligard
Inj 30 mg		1	✓ Eligard
Inj 30 mg prefilled syringe	1,109.40	1	✓ Lucrin Depot PDS
Inj 45 mg	832.05	1	✓ Eligard

Vasopressin Agonists

DESM		RESSIN
DEGIN	IOFF	1LOOIIV

Nasal drops 100 µg per ml — Retail pharmacy-Specialist39.03 Nasal spray 10 µg per dose — Retail pharmacy-Specialist29.94	2.5 ml OP 6 ml OP	✓ Minirin ✓ <u>Desmopressin-</u> PH&T
Inj 4 μg per ml, 1 ml – Special Authority see SA0090 below –	40	. A Miladala
Hospital pharmacy [HP3]67.18	10	Minirin

⇒SA0090 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Other Endocrine Agents

CABERGOLINE

Tab 0.5 mg - Maximum of 2 tab per prescription; can be		
waived by Special Authority see SA0175 below66.00	8	✓ Dostinex
26.26	2	✓ Arrow-Cabergoline
105.03	8	✓ Arrow-Cabergoline

⇒SA0175 Special Authority for Waiver of Rule

Initial application only from an obstetrician, endocrinologist or gynaecologist. Approvals valid for 2 years where the patient has pathological hyperprolactinemia.

Renewal only from an obstetrician, endocrinologist or gynaecologist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

CLOMIPHENE CITRATE - Retail pharmacy-Specialist		
Only a prescription for a female patient.		
Tab 50 mg2.50	5	Phenate

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
DANAZOL - Retail pharmacy-Specialist				
Cap 100 mg	68.33	100	V	Azol
Cap 200 mg	29.35	30	~	D-Zol
GESTRINONE – Retail pharmacy-Specialist Cap 2.5 mg	101.87	8 OP	~	Dimetriose
METYRAPONE Cap 250 mg – Hospital pharmacy [HP3]-Specialist	238.00	50	~	Metopirone

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Anthelmintics

Tab 100 mg	17.28	24	✓ De-Worm
Oral liq 100 mg per 5 ml	2.18	15 ml	
	(7.17)		Vermox

Antibacterials

- a) For topical antibacterials, refer to DERMATOLOGICALS, page 59
- b) For anti-infective eye preparations, refer to SENSORY ORGANS, page 160

Cephalosporins and Cephamycins

CEFACLOR MONOHYDRATE Cap 250 mg Grans for oral lig 125 mg per 5 ml		100 100 ml	✓ Ranbaxy-Cefaclor ✓ Ranbaxy-Cefaclor
CEFAZOLIN SODIUM – Hospital pharmacy [HP3] – Subsidy by enc Only if prescribed for dialysis or cystic fibrosis patient and the pr	escription is e		
Inj 500 mg Inj 1 g		5 5	✓ Hospira ✓ Hospira
CEFOXITIN SODIUM – Hospital pharmacy [HP3]-Specialist – Subs Only if prescribed for dialysis or cystic fibrosis patient and the pr Inj 1 g	escription is e		rdingly. ✓ Mayne
CEFTRIAXONE SODIUM – Hospital pharmacy [HP3] – Subsidy by a) Up to 5 inj available on a PSO b) Subsidised only if prescribed for a dialysis or cystic fibrosis gonorrhoea, or the treatment of suspected meningitis in patients PSO is endorsed accordingly. Inj 500 mg Inj 1 g	patient, or the who have a ki		
CEFUROXIME AXETIL – Subsidy by endorsement Only if prescribed for prophylaxis of endocarditis and the prescri Tab 250 mg		sed accordingl	y. ✔ Zinnat
CEFUROXIME SODIUM - Hospital pharmacy [HP3] Inj 250 mg - Maximum of 3 inj per prescription; can be waived by endorsement	00.07	10	
,	201 U /		✓ Mayna
Inj 750 mg - Maximum of 1 inj per prescription; can be waived by endorsement		10 5	✓ Mayne✓ Zinacef
	10.71	5	✓ Zinacef ✓ Zinacef

CEPHALEXIN MONOHYDRATE - Hospital pharmacy [HP3]

Grans for oral liq 125 mg per 5 ml8.50

Grans for oral liq 250 mg per 5 ml11.50

100 ml

100 ml

✓ Cefalexin Sandoz

✓ Cefalexin Sandoz

Macrolides

AZITHROMYCIN - Subsidy by endorsement; can be waived by Special Authority see SA0964 below

- a) Maximum of 2 tab per prescription; can be waived by Special Authority see SA0964 below
- b) Up to 4 tab available on a PSO
- c) Subsidised only if prescribed for patients with uncomplicated urethritis or cervicitis proven or presumed to be due to chlamydia trachomatis and their sexual contacts and prescription or PSO is endorsed accordingly; can be waived by Special Authority see SA0964.

⇒SA0964 Special Authority for Waiver of Rule

Initial application only from a respiratory specialist or paediatrician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The applicant is part of multidisciplinary team experienced in the management of cystic fibrosis; and
- 2 The patient has been definitively diagnosed with cystic fibrosis*; and
- 3 The patient has chronic infection with Pseudomonas aeruginosa or Pseudomonas related gram negative organisms as defined by two positive respiratory tract cultures at least three months apart*; and
- 4 The patient has negative cultures for non-tuberculous mycobacteria.

Notes: Caution is advised if using azithromycin as an antibiotic in the treatment of cystic fibrosis patients with pneumonia.

Testing for non-tuberculosis mycobacteria should occur annually.

Indications marked with * are Unapproved Indications (refer to Section A: General Rules, Part I (Interpretations and Definitions) and Part IV (Miscellaneous Provisions) rule 4.6).

CLARITHROMYCIN - Maximum of 500 mg per prescription; can be waived by Special Authority see SA0988 below

Tab 250 mg	7.75	14	Klamycin
Grans for oral liquid 125 mg per 5 m	ıl23.12	70 ml	✓ Klacid

⇒SA0988 Special Authority for Waiver of Rule

Initial application — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

1 Mycobacterium Avium Intracellulare Complex infections in patient with AIDS; or

- 2 Atypical and drug-resistant mycobacterial infection; or
- 3 All of the following:
 - 3.1 Prophylaxis against disseminated Mycobacterium Avium Intracellulare Complex infection; and
 - 3.2 HIV infection: and
 - 3.3 CD4 count \leq 50 cells/mm³.

Renewal — **(Mycobacterial infections)** only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

ERYTHROMYCIN ETHYL SUCCINATE

Grans for oral lig 200 mg per 5 ml - Up to 200 ml available			
on a PSO	4.35	100 ml	✓ E-Mycin
Grans for oral liq 400 mg per 5 ml - Up to 200 ml available			4=
on a PSO	5.85	100 ml	✓ <u>E-Mycin</u>
ERYTHROMYCIN LACTOBIONATE			
Inj 1 g	10.93	1	Erythrocin IV

100

✓ E-Mycin

	Subsidy		Fully	Brand or
	(Manufacturer's P		Subsidised	Generic
	\$	Per	~	Manufacturer
ERYTHROMYCIN STEARATE				
Tab 250 mg – Up to 30 tab available on a PSO	14.95	100		
·	(22.29)		FI	RA
Tab 500 mg	, ,	100		
1ab 500 filg		100	-	D.A.
	(44.58)		E	RA
ROXITHROMYCIN				
Tab 150 mg	8 08	50	«/ A	rrow-
1ab 130 mg	0.30	30		
T 1 000				<u>Roxithromycin</u>
Tab 300 mg	16.48	50		rrow-
				Roxithromycin
Daniaillina				
Penicillins				
AMOXYCILLIN				
	17.00	F00		na Amavi
Cap 250 mg - Up to 30 cap available on a PSO		500	_	po-Amoxi
Cap 500 mg	27.25	500	✓ <u>A</u>	po-Amoxi
Grans for oral lig 125 mg per 5 ml - Up to 200 ml available				
on a PSO	1 00	100 ml	✓ R	anbaxy Amoxicillin
011 01 00	1.55	100 1111		spamox
			• 0	Spaniox
Grans for oral liq 250 mg per 5 ml - Up to 200 ml available				
on a PSO	1.10	100 ml	~ 0	spamox
	1.27		✓ R	anbaxy Amoxicillin
Drops 125 mg per 1.25 ml	4.00	30 ml Ol		spamox Paediatric
210p0 120 mg p01 1.20 m		00 1111 01		Drops
In: 050 mm	10.40	10		
Inj 250 mg		10		<u>iamox</u>
Inj 500 mg		10	_	<u>piamox</u>
Inj 1 g - Up to 5 inj available on a PSO	21.62	10	✓ <u>lb</u>	<u>iamox</u>
(Ranbaxy Amoxicillin Grans for oral liq 250 mg per 5 ml to be delis	sted 1 May 2010))		
	, ,			
AMOXYCILLIN CLAVULANATE				
Tab amoxycillin 500 mg with potassium clavulanate 125 mg				
- Up to 30 tab available on a PSO	25.10	100	✓ S	ynermox
Grans for oral lig amoxycillin 125 mg with potassium clavu-			_	
lanate 31.25 mg per 5 ml – Up to 200 ml available on a				
• • • • • • • • • • • • • • • • • • • •		100 1		
PSO		100 ml		uram
	(2.75)		Αι	ugmentin
Grans for oral liq amoxycillin 250 mg with potassium clavu-				
lanate 62.5 mg per 5 ml - Up to 200 ml available on a				
PSO		100 ml	✓ C	uram
100	(4.75)	100 1111		ugmentin
(4	\ /			•
(Augmentin Grans for oral liq amoxycillin 125 mg with potassium of				
(Augmentin Grans for oral liq amoxycillin 250 mg with potassium of	clavulanate 62.5 i	mg per 5 n	n to be delis	sted 1 April 2010)
BENZATHINE BENZYLPENICILLIN				
	215.00	10	./ D	ioillin I A
Inj 1.2 mega u per 2.3 ml – Up to 5 inj available on a PSO	313.00	10	₽ B	icillin LA
BENZYLPENICILLIN SODIUM (PENICILLIN G)				
Inj 1 mega u – Up to 5 inj available on a PSO	10 49	10	✓ S	andoz_
			¥ <u>01</u>	

	Subsidy		Fully Brar	ıd or
	(Manufacturer's F		Subsidised Gen	eric
	\$	Per	✓ Man	ufacturer
FLUCLOXACILLIN SODIUM				
Cap 250 mg - Up to 30 cap available on a PSO	18.50	250	✓ Staphle	ex
	32.00		✓ AFT	
Cap 500 mg	57.90	500	✓ Staphle	ex
	110.00		✓ AFT	
Grans for oral lig 125 mg per 5 ml - Up to 200 ml available				
on a PSO	3.12	100 ml	✓ AFT	
Grans for oral lig 250 mg per 5 ml - Up to 200 ml available			· 	
on a PSO	3.55	100 ml	✓ AFT	
Inj 250 mg	9.00	10	Flucio	<u>kin</u>
Inj 500 mg	10.40	10	✓ Flucion	<u>rin</u>
Inj 1 g - Up to 5 inj available on a PSO	14.00	10	✓ Flucion	<u>tin</u>
PHENOXYMETHYLPENICILLIN (PENICILLIN V)				
Cap potassium salt 250 mg – Up to 30 cap available on a PS	O4.29	50	✓ Cilicair	ne VK
Cap potassium salt 500 mg		50	✓ Cilicair	
Grans for oral lig 125 mg per 5 ml – Up to 200 ml available				
on a PSO	1.68	100 ml	✓ AFT	
Grans for oral lig 250 mg per 5 ml – Up to 200 ml available			· <u> </u>	
on a PSO	1.82	100 ml	✓ AFT	
			· <u> </u>	
PROCAINE PENICILLIN	F0.00	-	. / ОШ	
Inj 1.5 mega u – Up to 5 inj available on a PSO	50.86	5	✓ <u>Cilicair</u>	<u>1e</u>
Tetracyclines				
DOXYCYCLINE HYDROCHLORIDE				
* Tab 50 mg - Up to 30 tab available on a PSO	2.90	30		
• ,	(6.00)		Doxy-5	0
* Tab 100 mg - Up to 30 tab available on a PSO	8.10	250	✓ Doxine	
MINOCYCLINE HYDROCHLORIDE				
* Tab 50 mg	5 79	60		
Tab oo nig	(12.05)	00	Mino-ta	bs
* Cap 100 mg		100	Willio to	
	(52.04)	100	Minomy	/cin
Other Autibiotics	(/			
Other Antibiotics				
For topical antibiotics, refer to DERMATOLOGICALS, page 59				
CIPROFLOXACIN				
Tab 250 mg – Up to 5 tab available on a PSO	3.35	30	✓ Rex Me	edical
Tab 500 mg – Up to 5 tab available on a PSO		30	✓ Rex Me	
Tab 750 mg - Retail pharmacy-Specialist		30	✓ Rex Me	
CLINDAMYCIN				
Cap hydrochloride 150 mg – Maximum of 4 cap per prescrip-				
tion; can be waived by endorsement - Retail pharmacy -	11 20	16	✓ Dalacir	
Specialist	11.39	10	₩ DaiaCii	10
Inj phosphate 150 mg per ml, 4 ml - Retail pharmacy-	16.00	1	✓ Dalacir	
Specialist	10.00	ı	₩ DaidCii	10

	Subsidy (Manufacturer's Pri	ce) S	Fully Subsidised	I Generic
CO-TRIMOXAZOLE				
* Tab trimethoprim 80 mg and sulphamethoxazole 400 mg — Up to 30 tab available on a PSO		500	V.	Trisul
* Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg per 5 ml - Up to 200 ml available on a PSO		100 ml	/	Deprim
COLISTIN SULPHOMETHATE – Hospital pharmacy [HP3]-Speci Only if prescribed for dialysis or cystic fibrosis patient and the				
Inj 150 mg	65.00	1	<u> </u>	Colistin-Link
FUSIDIC ACID	04.50	10		Fraidia
Tab 250 mg - Hospital pharmacy [HP3]-SpecialistInj 500 mg sodium fusidate per 10 ml - Hospital pharmacy		12	V	Fucidin
[HP3]-Specialist – Subsidy by endorsement		1		
	(17.80)			Fucidin
Only if prescribed for a dialysis or cystic fibrosis patient and	d the prescription	is endorse	d accord	ingly.
GENTAMICIN SULPHATE Inj 10 mg per ml, 1 ml – Hospital pharmacy [HP3] – Subsidy				
by endorsement		5	V	Mayne
Only if prescribed for a dialysis or cystic fibrosis patient or		f endocard		
accordingly.				
Inj 40 mg per ml, 2 ml - Hospital pharmacy [HP3] - Subsidy by endorsement		10	~	Pfizer
Only if prescribed for a dialysis or cystic fibrosis patient or accordingly.				
TOBRAMYCIN				
Inj 40 mg per ml, 2 ml - Hospital pharmacy [HP3] - Subsidy		_		
by endorsement		5 andorsad		Mayne glv
TRIMETHOPRIM	ine prescription is	Chaorsca	according	gıy.
* Tab 300 mg - Up to 30 tab available on a PSO	8.69	50	1	TMP_
VANCOMYCIN HYDROCHLORIDE - Hospital pharmacy [HP3] -	Subsidy by endo	rsement		
Only if prescribed for a dialysis or cystic fibrosis patient or in endocarditis and the prescription is endorsed accordingly.	the treatment of p	seudomer	mbranous	s colitis or for prophylaxis of
Inj 50 mg per ml, 10 ml	5.04	1	/	Pacific Pacific
Antifungals				
a) For topical antifungals refer to DERMATOLOGICALS, page 60				
b) For topical antifungals refer to GENITO URINARY, page 73				
FLUCONAZOLE - Hospital pharmacy [HP3]-Specialist				
Cap 50 mg		28	-	Pacific
Cap 150 mg		1 28		<u>Pacific</u> Pacific
	19.05	20	<u> </u>	racilic
ITRACONAZOLE – Hospital pharmacy [HP3]-Specialist Cap 100 mg	23.70	15	V	Sporanox
KETOCONAZOLE				
Tab 200 mg - Retail pharmacy-Specialist	38.12	30	/	Nizoral
NYSTATIN				
Tab 500,000 u		50		Nilstat S29
Cap 500,000 u	11.64	50	V	<u>Nilstat</u>

	Subsidy		Fully Brand or
	(Manufacturer's P		bsidised Generic
	\$	Per	✓ Manufacturer
ERBINAFINE			
Tab 250 mg	25.50	100	Apo-Terbinafine
Antimalarials			
IYDROXYCHLOROQUINE SULPHATE			
€ Tab 200 mg	22.50	100	✓ Plaquenil
Antitrichomonal Agents			
METPONIDAZOLE			
METRONIDAZOLE	0.50	100	✓ Trichozole
Tab 200 mg - Up to 30 tab available on a PSO Tab 400 mg		100	✓ Trichozole
Oral lig benzoate 200 mg per 5 ml		100 ml	✓ Flagyl-S
Suppos 500 mg		100 1111	✓ Flagyl
11	24.40	10	▼ Tiagyi
RNIDAZOLE Tab 500 mg	10.00	10	✓ Tiberal
,	12.30	10	V Tiberai
Antituberculotics and Antileprotics			
lote: There is no co-payment charge for all pharmaceuticals I	isted in the Antitub	erculotics an	d Antileprotics group regardle
nmigration status.			- · · · · · · · · · · · · · · · · · · ·
APSONE - No patient co-payment payable			
Tah 25 mg	95.00	100	✓ Dansone
Tab 25 mg Tab 100 mg		100 100	✓ Dapsone✓ Dapsone
Tab 100 mg	110.00		✓ Dapsone✓ Dapsone
Tab 100 mgTab 100 mg Parient co-payment p	110.00 payable	100	✓ Dapsone
Tab 100 mg THAMBUTOL HYDROCHLORIDE – No patient co-payment p Tab 100 mg	110.00 payable 57.81	100 56	✓ Dapsone ✓ Myambutol \$29
Tab 100 mg THAMBUTOL HYDROCHLORIDE – No patient co-payment p Tab 100 mg Tab 400 mg	110.00 payable 57.81	100	✓ Dapsone
Tab 100 mg THAMBUTOL HYDROCHLORIDE – No patient co-payment p Tab 100 mg Tab 400 mg ONIAZID – Retail pharmacy-Specialist	110.00 payable 57.81	100 56	✓ Dapsone ✓ Myambutol \$29
Tab 100 mg THAMBUTOL HYDROCHLORIDE – No patient co-payment p Tab 100 mg Tab 400 mg ONIAZID – Retail pharmacy-Specialist No patient co-payment payable	110.00 Payable57.81 56.84	100 56 56	✓ Dapsone ✓ Myambutol \$29 ✓ Myambutol \$29
Tab 100 mg	110.00 hayable57.81 56.84	100 56 56 56	✓ Dapsone ✓ Myambutol \$29 ✓ Myambutol \$29 ✓ PSM
Tab 100 mg		100 56 56 56	✓ Dapsone ✓ Myambutol \$29 ✓ Myambutol \$29 ✓ PSM ✓ Rifinah
Tab 100 mg THAMBUTOL HYDROCHLORIDE – No patient co-payment p Tab 100 mg Tab 400 mg ONIAZID – Retail pharmacy-Specialist No patient co-payment payable Tab 100 mg Tab 100 mg with rifampicin 150 mg		100 56 56 56	✓ Dapsone ✓ Myambutol \$29 ✓ Myambutol \$29 ✓ PSM
Tab 100 mg		100 56 56 56	✓ Dapsone ✓ Myambutol \$29 ✓ Myambutol \$29 ✓ PSM ✓ Rifinah
Tab 100 mg		100 56 56 100 100 100	✓ Dapsone ✓ Myambutol \$29 ✓ Myambutol \$29 ✓ PSM ✓ Rifinah ✓ Rifinah
Tab 100 mg		100 56 56 56	✓ Dapsone ✓ Myambutol \$29 ✓ Myambutol \$29 ✓ PSM ✓ Rifinah
Tab 100 mg		100 56 56 100 100 100	✓ Dapsone ✓ Myambutol \$29 ✓ Myambutol \$29 ✓ PSM ✓ Rifinah ✓ Rifinah
Tab 100 mg		100 56 56 100 100 100	✓ Dapsone ✓ Myambutol \$29 ✓ Myambutol \$29 ✓ PSM ✓ Rifinah ✓ Rifinah
Tab 100 mg		100 56 56 100 100 100	✓ Dapsone ✓ Myambutol \$29 ✓ Myambutol \$29 ✓ PSM ✓ Rifinah ✓ Rifinah
Tab 100 mg		100 56 56 100 100 100	✓ Dapsone ✓ Myambutol \$29 ✓ Myambutol \$29 ✓ PSM ✓ Rifinah ✓ Rifinah ✓ AFT-Pyrazinamide
Tab 100 mg		100 56 56 100 100 100	✓ Dapsone ✓ Myambutol \$29 ✓ Myambutol \$29 ✓ PSM ✓ Rifinah ✓ Rifinah ✓ AFT-Pyrazinamide
Tab 100 mg		100 56 56 100 100 100 100	✓ Dapsone ✓ Myambutol \$29 ✓ Myambutol \$29 ✓ PSM ✓ Rifinah ✓ Rifinah ✓ AFT-Pyrazinamide
Tab 100 mg THAMBUTOL HYDROCHLORIDE — No patient co-payment processed from the second comparison of the second comparison		100 56 56 100 100 100	✓ Dapsone ✓ Myambutol \$29 ✓ Myambutol \$29 ✓ PSM ✓ Rifinah ✓ Rifinah ✓ AFT-Pyrazinamide ✓ Mycobutin
Tab 100 mg		100 56 56 100 100 100 100 30	✓ Dapsone ✓ Myambutol \$29 ✓ Myambutol \$29 ✓ PSM ✓ Rifinah ✓ Rifinah ✓ AFT-Pyrazinamide ✓ Mycobutin ✓ Rifadin

89

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

Antivirals

For eve preparations refer to Eve Preparations, Anti-Infective Preparations, page 160

Hepatitis B Treatment

ADEFOVIR DIPIVOXIL - Special Authority see SA0829 below - Retail pharmacy

Tab 10 mg670.00

30 Hepsera

⇒SA0829 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT (> 1 × ULN); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Either:
 - 5.1 Both:
 - 5.1.1 Patient is cirrhotic; and
 - 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or
 - 5.2 Both:
 - 5.2.1 Patient is not cirrhotic: and
 - 5.2.2 adefovir dipivoxil to be used as monotherapy.

Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined

- i) raised serum ALT (> 1 \times ULN); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- iii) Detection of N236T or A181T/V mutation.

Adefovir dipivoxil should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines.

Adefovir dipivoxil should be avoided in pregnant women and children.

ENTECAVIR - Special Authority see SA0977 below - Retail pharmacy

Tab 0.5 mg400.00

✔ Baraclude

⇒SA0977 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naive; and
- 3 Entecavir dose 0.5 mg/day: and
- 4 Either:
 - 4.1 ALT greater than upper limit of normal; or
 - 4.2 Bridging fibrosis or cirrhosis (Metavir stage 3 or greater) on liver histology; and
- 5 Either:

Subsidy (Manufacturer's Price) Per \$

Fully Subsidised

Brand or Generic Manufacturer

continued...

- 5.1 HBeAg positive; or
- 5.2 patient has ≥ 2,000 IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV. HIV or HDV: and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE	- Special	Authority se	e SA0832 belo	ow - Retail pharmacy
------------	-----------	--------------	---------------	----------------------

Tab 100mg143.00 Zeffix Oral lig 5 mg per ml90.00 ✓ Zeffix 240 ml

■ SA0832 Special Authority for Subsidy

Initial application only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Any of the following:
 - 1.1 All of the following:
 - 1.1.1 HBsAg positive for more than 6 months; and
 - 1.1.2 HBeAg positive or HBV DNA positive defined as > 100,000 copies per ml by quantitative PCR at a reference laboratory: and
 - 1.1.3 ALT greater than twice upper limit of normal or bridging fibrosis or cirrhosis (Metavir stage 3 or 4 or equivalent) on liver histology clinical/radiological evidence of cirrhosis; or
 - 1.2 HBV DNA positive cirrhosis prior to liver transplantation; or
 - 1.3 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
 - 1.4 Hepatitis B surface antigen positive (HbsAg) patient who is receiving chemotherapy for a malignancy, or who has received such treatment within the previous two months; and
 - 2 All of the following:
 - 2.1 No continuing alcohol abuse or intravenous drug use: and
 - 2.2 Not coinfected with HCV or HDV: and
 - 2.3 Neither ALT nor AST greater than 10 times upper limit of normal; and
 - 2.4 No history of hypersensitivity to lamivudine; and
 - 2.5 No previous lamivudine therapy with genotypically proven lamivudine resistance.

Renewal only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

Renewal for patients who have maintained continuous treatment and response to lamivudine

- 1 All of the following:
 - 1.1 Have maintained continuous treatment with lamivudine: and
 - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
 - 1.3 HBV DNA <100,00 copies per ml by quantitative PCR at a reference laboratory; or

Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine

- 2 All of the following:
 - 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

2.2 Patient is cirrhotic: and

Documented resistance to lamivudine, defined as:

- 2.3 Patient has raised serum ALT (> 1 × ULN); and
- 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir: and
- 2.5 Detection of M204I or M204V mutation; or

Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

- 3 All of the following:
 - 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and Documented resistance to adefovir, defined as:
 - 3.2 Patient has raised serum ALT (> 1 × ULN); and
 - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
 - 3.4 Detection of N236T or A181T/V mutation.

Herpesvirus Treatments

ACICLOVIR

 * Tab dispersible 200 mg * Tab dispersible 400 mg * Tab dispersible 800 mg 	6.64	25 56 35	✓ Lovir✓ Lovir✓ Lovir
VALACICLOVIR - Special Authority see SA0957 below - Retail p	oharmacy		
Tab 500 mg	102.72	30	✓ Valtrex

■SA0957 Special Authority for Subsidy

Initial application — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the patient has genital herpes with 2 or more breakthrough episodes in any 6 month period while treated with aciclovir 400 mg twice daily.

Renewal — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (ophthalmic zoster) from any medical practitioner. Approvals valid without further renewal unless notified where the patient has previous history of ophthalmic zoster and the patient is at risk of vision impairment.

Initial application — (CMV prophylaxis) from any medical practitioner. Approvals valid for 3 months where the patient has undergone organ transplantation.

Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE – Subsidy by endorsement; can be waived by Special Authority see SA0997 on the next page

Endorsement for treatment of HIV/AIDS: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA0779 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note:

- Tenofovir disoproxil fumarate prescribed under endorsement for the treatment of HIV/AIDS is included in the count of up to 3 subsidised antiretrovirals for the purposes of Special Authority SA0779, page 93
- Subsidy for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or saquinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Tab 300 mg531.00 30 ✓ Viread

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

■ SA0997 Special Authority for Waiver of Rule

Initial application — (Drug-Resistant Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
- 3 All of the following:

Documented drug resistance, defined as both:

- 3.1 ALT greater than upper limit of normal; or ≥ Metavir Stage F3; and
- 3.2 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
- 4 Any of the following:
 - 4.1 Hepatitis B virus resistant to lamivudine with detection of M204I/V mutation; or
 - 4.2 Hepatitis B virus resistant to adefovir with detection of A181T/V or N236T mutation; or
 - 4.3 Hepatitis B virus resistant to entecavir with detection of I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation.

Renewal — (Drug-Resistant Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg
 positive prior to commencing Tenofovir disoproxil fumarate.
- The recommended dose of Tenofovir disoproxil furnarate for the treatment of hepatitis B is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

Antiretrovirals

⇒SA0779 Special Authority for Subsidy

Initial application — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Confirmed HIV infection: and
- 2 Any of the following:
 - 2.1 Symptomatic patient; or
 - 2.2 Patient aged 12 months and under; or
 - 2.3 Both:
 - 2.3.1 Patient aged 1 to 5 years; and
 - 2.3.2 Any of the following:
 - 2.3.2.1 CD4 counts < 1000 cells/mm³; or
 - 2.3.2.2 CD4 counts $< 0.25 \times$ total lymphocyte count; or
 - 2.3.2.3 Viral load counts > 100000 copies per ml; or
 - 2.4 Both
 - 2.4.1 Patient aged 6 years and over; and
 - 2.4.2 CD4 counts < 350 cells/mm³.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 3 subsidised antiretrovirals.

Subsidies for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or saquinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to anti-retrovirals.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

continued...

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil furnarate prescribed under endorsement for HIV/AIDS is included in the count of up to 3 subsidised antiretrovirals.

Subsidies for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or saquinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to anti-retrovirals.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Prevention of maternal foetal transmission: or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 3 subsidised antiretrovirals.

Subsidies for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or saquinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to anti-retrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Renewal — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ - Special Authority see SA0779 on the preced	ing page - Hospital ph	armacy [HP1]]
Tab 50 mg	158.33	30	✓ Stocrin
Tab 200 mg	474.99	90	✓ Stocrin
Tab 600 mg	474.99	30	✓ Stocrin
NEVIRAPINE - Special Authority see SA0779 on the prece	ding page - Hospital p	harmacy [HP	1]
Tab 200 mg	319.80	60	✓ <u>Viramune</u>
Oral suspension 10 mg per ml	134.55	240 ml	✓ <u>Viramune</u>
			Suspension

Nucleosides Reverse Transcriptase Inhibitors

ABACAVIR SULPHATE – Special Authority see SA0779 on th Tab 300 mg Oral liq 20 mg per ml	458.00	Hospital phar 60 240 ml OP	Ziagen
ABACAVIR SULPHATE WITH LAMIVUDINE – Special Authori Note: Kivexa counts as two anti-retroviral medications for t Tab 600 mg with lamivudine 300 mg	he purposes of the	1 0	, , , , , , ,
DIDANOSINE [DDI] - Special Authority see SA0779 on the pr	eceding page - Hos	spital pharmad	cy [HP1]
Cap 125 mg	115.05	30	✓ Videx EC
Cap 200 mg	184.08	30	✓ Videx EC
Cap 250 mg	230.10	30	✓ Videx EC
Cap 400 mg	368.16	30	✓ Videx EC
EMTRICITABINE - Special Authority see SA0779 on the preci	eding page – Hospi	tal pharmacy	[HP1]
Cap 200 mg	010	. ,	✓ Emtriva

	Subsidy (Manufacturer's Pr \$	rice) Subs Per	Fully Brand or idised Generic ✓ Manufacturer
LAMIVUDINE – Special Authority see SA0779 on page 93 – Hos Tab 150 mgOral liq 10 mg per ml	307.20	HP1] 60 240 ml OP	✓ 3TC ✓ 3TC
STAVUDINE [D4T] – Special Authority see SA0779 on page 93 – Cap 20 mg Cap 30 mg Cap 40 mg Powder for oral soln 1 mg per ml	317.10 377.80 503.80	60 60 60 60 200 ml OP	✓ Zerit ✓ Zerit ✓ Zerit ✓ Zerit ✓ Zerit
ZIDOVUDINE [AZT] – Special Authority see SA0779 on page 93 Cap 100 mg Oral liq 10 mg per ml ZIDOVUDINE [AZT] WITH LAMIVUDINE – Special Authority see	290.00 58.00	100 200 ml OP	✓ Retrovir ✓ Retrovir
Combivir counts as two anti-retroviral medications for the pur Tab 300 mg with lamivudine 150 mg	poses of the anti-		
Protease Inhibitors			
ATAZANAVIR SULPHATE - Special Authority see SA0779 on pa Cap 150 mg Cap 200 mg	568.34	pharmacy [HP1 60 60] ✓ Reyataz ✓ Reyataz
NDINAVIR - Special Authority see SA0779 on page 93 - Hospit Cap 200 mg Cap 400 mg	519.75	1] 360 180	✓ Crixivan ✓ Crixivan
OPINAVIR WITH RITONAVIR — Special Authority see SA0779 of Tab 200 mg with ritonavir 50 mg	735.00	pital pharmacy 120 300 ml OP	[HP1] Kaletra Kaletra
RITONAVIR – Special Authority see SA0779 on page 93 – Hospi Cap 100 mg Oral liq 80 mg per ml	121.27	91] 84 90 ml OP	✓ Norvir ✓ Norvir
Strand Transfer Inhibitors			
RALTEGRAVIR POTASSIUM - Special Authority see SA0779 on Tab 400 mg		tal pharmacy [F	HP1] ✓ Isentress
Antiretrovirals - Additional Therapies			
HIV Fusion Inhibitors			
ENFUVIRTIDE – Special Authority see SA0845 below – Hospital Powder for inj 90 mg per ml \times 60		1	✓ Fuzeon
■ SA0845 Special Authority for Subsidy Initial application only from a named specialist. Approvals valid All of the following:	for 3 months for a	applications med	eting the following criteria:

- 1 Confirmed HIV infection; and
- 2 Enfuvirtide to be given in combination with optimized background therapy (including at least 1 other antiretroviral drug that the patient has never previously been exposed to) for treatment failure; and
- 3 Either:
 - 3.1 Patient has evidence of HIV replication, despite ongoing therapy; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- 3.2 Patient has treatment-limiting toxicity to previous antiretroviral agents; and
- 4 Previous treatment with 3 different antiretroviral regimens has failed; and
- 5 All of the following:
 - 5.1 Previous treatment with a non-nucleoside reverse transcriptase inhibitor has failed; and
 - 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed; and
 - 5.3 Previous treatment with a protease inhibitor has failed.

Renewal only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Roth:

- 1 Evidence of at least a 10 fold reduction in viral load at 12; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Immune Modulators

Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

Criteria for Treatment

- 1) Diagnosis
 - Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
 - PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
 - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.
- 2) Establishing Active Chronic Liver Disease
 - Confirmed HCV infection and serum ALT/AST levels measured on at least three occasions over six months averaging
 1.5 × upper limit of normal. (ALT is the preferable enzyme); or
 - Liver biopsy showing significant inflammatory activity (active hepatitis) with or without cirrhosis. This is not a necessary requirement for those patients with coagulopathy. (Some patients have active disease on histology with normal transaminase enzymes).

Exclusion Criteria

- Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- 2) Pregnancy.
- 3) Neutropenia ($<2.0 \times 10^9$) and/or thrombocytopenia.
- 4) Continuing alcohol abuse and/or continuing intravenous drug users.

Dosage

The current recommended dosage is 3 million units of interferon alpha-2a or interferon aplha-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

	Subsidy	_	Fully Brand or
	(Manufacturer's Pri	ce) Sı Per	ubsidised Generic Manufacturer
NITEDEEDON ALDUA CA. DOT II. SILI. SILI.	*	1 01	• Mandidataror
NTERFERON ALPHA-2A – PCT – Hospital pharmacy [HP3] a) See prescribing guideline on the preceding page	-Specialist		
b) Only one multidose cartridge starter pack to be prescrib	and dispensed ne	r nationt	
Inj 3 m iu prefilled syringe		1 patient.	✓ Roferon-A
Inj 4.5 m iu prefilled syringe		1	✓ Roferon-A
Inj 6 m iu prefilled syringe		1	✓ Roferon-A
Inj 9 m iu prefilled syringe		1	✓ Roferon-A
Inj 18 m iu multidose cartridge		1	✔ Roferon-A
Inj 18 m iu multidose cartridge × 2 starter pack		1	✔ Roferon-A
Roferon-A Inj 4.5 m iu prefilled syringe to be delisted 1 Augus	t 2010)		
Roferon-A Inj 18 m iu multidose cartridge to be delisted 1 Aug	ust 2010)		
Roferon-A Inj 18 m iu multidose cartridge $ imes$ 2 starter pack to I	be delisted 1 August 2	2010)	
NTERFERON ALPHA-2A WITH RIBAVIRIN - Special Author	ity see SA0784 below	/ – Hospital	pharmacy [HP3]
See prescribing guideline on the preceding page	,		i
Inj 18 m iu multidose cartridge × 2 with ribavirin tab 200	mg		
× 168	1,375.84	1 OP	✓ Roferon RBV
			Combination Pack
Inj 18 m iu multidose cartridge × 2 with with pen and need	les		
with ribavirin tab 200 mg × 168	1,375.84	1 OP	✓ Roferon RBV
•			Combination Pack
			Oombination rack
Roferon RBV Combination Pack Inj 18 m iu multidose cartridg Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido			Starter Kit < 168 to be delisted 1 August 201
Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido	se cartridge × 2 with	with pen ar	Starter Kit < 168 to be delisted 1 August 201 nd needles with ribavirin tab 200 n
Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido 168 to be delisted 1 August 2010) ■SA0784 Special Authority for Subsidy nitial application from any specialist. Approvals valid for 12 n	se $cartridge \times 2$ with months where patient	with pen ar	Starter Kit < 168 to be delisted 1 August 201 nd needles with ribavirin tab 200 n
Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido 168 to be delisted 1 August 2010) ■SA0784 Special Authority for Subsidy nitial application from any specialist. Approvals valid for 12 n	se $cartridge \times 2$ with months where patient	with pen ar	Starter Kit < 168 to be delisted 1 August 201 nd needles with ribavirin tab 200 n
Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido 168 to be delisted 1 August 2010) SA0784 Special Authority for Subsidy nitial application from any specialist. Approvals valid for 12 n NTERFERON ALPHA-2B - PCT - Hospital pharmacy [HP3]	se cartridge × 2 with nonths where patient -Specialist	with pen ar	Starter Kit < 168 to be delisted 1 August 201 nd needles with ribavirin tab 200 n
Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido (168 to be delisted 1 August 2010) SA0784 Special Authority for Subsidy nitial application from any specialist. Approvals valid for 12 n NTERFERON ALPHA-2B — PCT — Hospital pharmacy [HP3] See prescribing guideline on the preceding page	nonths where patient -Specialist187.92	with pen ar	Starter Kit < 168 to be delisted 1 August 201 and needles with ribavirin tab 200 n c hepatitis C (all genotypes).
Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido (168 to be delisted 1 August 2010) SA0784 Special Authority for Subsidy nitial application from any specialist. Approvals valid for 12 n NTERFERON ALPHA-2B — PCT — Hospital pharmacy [HP3] See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen	nonths where patient -Specialist	with pen ar has chronic	Starter Kit < 168 to be delisted 1 August 201 ad needles with ribavirin tab 200 n c hepatitis C (all genotypes).
Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido (168 to be delisted 1 August 2010) SA0784 Special Authority for Subsidy nitial application from any specialist. Approvals valid for 12 n NTERFERON ALPHA-2B — PCT — Hospital pharmacy [HP3] See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen	nonths where patient -Specialist	with pen ar has chronic 1 1 1	Starter Kit < 168 to be delisted 1 August 201 ind needles with ribavirin tab 200 in the hepatitis C (all genotypes). Intron-A Intron-A Intron-A
Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido (c. 168 to be delisted 1 August 2010) SA0784 Special Authority for Subsidy nitial application from any specialist. Approvals valid for 12 m NTERFERON ALPHA-2B — PCT — Hospital pharmacy [HP3] See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen	nonths where patient -Specialist	with pen ar has chronic 1 1 1 xt page – H	Starter Kit < 168 to be delisted 1 August 201 and needles with ribavirin tab 200 n c hepatitis C (all genotypes). Intron-A Intron-A Intron-A
Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido (c. 168 to be delisted 1 August 2010) ■ SA0784 Special Authority for Subsidy nitial application from any specialist. Approvals valid for 12 m NTERFERON ALPHA-2B — PCT — Hospital pharmacy [HP3] See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen	nonths where patient -Specialist	with pen ar has chronic 1 1 1 xt page – H	Starter Kit 168 to be delisted 1 August 201 ind needles with ribavirin tab 200 in the hepatitis C (all genotypes). Intron-A Intron-A ospital pharmacy [HP3] Pegasys
Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido (168 to be delisted 1 August 2010) ■ SA0784 Special Authority for Subsidy nitial application from any specialist. Approvals valid for 12 m NTERFERON ALPHA-2B — PCT — Hospital pharmacy [HP3] See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen	nonths where patient -Specialist	with pen ar has chronic 1 1 1 xt page – H	Starter Kit < 168 to be delisted 1 August 201 ind needles with ribavirin tab 200 in the hepatitis C (all genotypes). Intron-A Intron-A Intron-A ospital pharmacy [HP3]
Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido 168 to be delisted 1 August 2010) SA0784 Special Authority for Subsidy Itial application from any specialist. Approvals valid for 12 m NTERFERON ALPHA-2B — PCT — Hospital pharmacy [HP3] See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen	nonths where patient -Specialist	with pen ar has chronic 1 1 1 xt page – H 1	Starter Kit 168 to be delisted 1 August 201 od needles with ribavirin tab 200 of the hepatitis C (all genotypes). Intron-A Intron-A ospital pharmacy [HP3] Pegasys Pegasys
Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido 168 to be delisted 1 August 2010) → SA0784 Special Authority for Subsidy Itial application from any specialist. Approvals valid for 12 m ITERFERON ALPHA-2B — PCT — Hospital pharmacy [HP3] See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen	nonths where patient -Specialist	with pen ar has chronic 1 1 1 xt page – H	Starter Kit 168 to be delisted 1 August 200 of the delisted 1 August 200
Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido 168 to be delisted 1 August 2010) SA0784 Special Authority for Subsidy Itial application from any specialist. Approvals valid for 12 m ITERFERON ALPHA-2B — PCT — Hospital pharmacy [HP3] See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen	nonths where patient -Specialist	with pen ar has chronic 1 1 1 xt page – H 1	Starter Kit 168 to be delisted 1 August 200 of the delisted 1 August 200
Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido 168 to be delisted 1 August 2010) SA0784 Special Authority for Subsidy Itial application from any specialist. Approvals valid for 12 m NTERFERON ALPHA-2B — PCT — Hospital pharmacy [HP3] See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen	nonths where patient -Specialist	with pen ar has chronic 1 1 1 xt page – H 1 1 1 OP	Starter Kit 168 to be delisted 1 August 200 of the delisted 1 August 200
Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido 168 to be delisted 1 August 2010) SA0784 Special Authority for Subsidy Itial application from any specialist. Approvals valid for 12 m NTERFERON ALPHA-2B — PCT — Hospital pharmacy [HP3] See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen	nonths where patient -Specialist	with pen ar has chronic 1 1 1 xt page – H 1	Starter Kit 168 to be delisted 1 August 201 ad needles with ribavirin tab 200 r chepatitis C (all genotypes). Intron-A Intron-A Ospital pharmacy [HP3] Pegasys Pegasys Pegasys RBV Combination Pack Pegasys RBV
Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido (168 to be delisted 1 August 2010) ■ SA0784 Special Authority for Subsidy Initial application from any specialist. Approvals valid for 12 m NTERFERON ALPHA-2B — PCT — Hospital pharmacy [HP3]. See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen	nonths where patient -Specialist	with pen ar has chronic 1 1 1 xt page – H 1 1 1 OP	Starter Kit 168 to be delisted 1 August 201 ind needles with ribavirin tab 200 rice hepatitis C (all genotypes). Intron-A Intron-A Ospital pharmacy [HP3] Pegasys Pegasys Pegasys RBV Combination Pack
Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido (168 to be delisted 1 August 2010) ■ SA0784 Special Authority for Subsidy Itial application from any specialist. Approvals valid for 12 m NTERFERON ALPHA-2B — PCT — Hospital pharmacy [HP3]. See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen	nonths where patient -Specialist	has chronic that page – H The page – H Th	Starter Kit 168 to be delisted 1 August 201 ind needles with ribavirin tab 200 rich hepatitis C (all genotypes). Intron-A Intron-A Ospital pharmacy [HP3] Pegasys Pegasys Pegasys Pegasys RBV Combination Pack Pegasys RBV Combination Pack
Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido (168 to be delisted 1 August 2010) ■ SA0784 Special Authority for Subsidy Initial application from any specialist. Approvals valid for 12 m NTERFERON ALPHA-2B — PCT — Hospital pharmacy [HP3]. See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen	nonths where patient -Specialist	with pen ar has chronic 1 1 1 xt page – H 1 1 1 OP	Starter Kit 168 to be delisted 1 August 201 ind needles with ribavirin tab 200 received hepatitis C (all genotypes). Intron-A Intron-A Ospital pharmacy [HP3] Pegasys Pegasys Pegasys RBV Combination Pack Pegasys RBV Combination Pack Pegasys RBV Combination Pack
Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido (168 to be delisted 1 August 2010) ■ SA0784 Special Authority for Subsidy Ititial application from any specialist. Approvals valid for 12 n NTERFERON ALPHA-2B — PCT — Hospital pharmacy [HP3]. See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen Inj 30 m iu, 1.2 ml multidose pen Inj 60 m iu, 1.2 ml multidose pen Inj 60 m iu, 1.2 ml multidose pen EGYLATED INTERFERON ALPHA-2A — Special Authority so See prescribing guideline on the preceding page Inj 135 μg prefilled syringe Inj 135 μg prefilled syringe Inj 135 μg prefilled syringe × 4 with ribavirin tab 200 mg 112 Inj 135 μg prefilled syringe × 4 with ribavirin tab 200 mg 168 Inj 180 μg prefilled syringe × 4 with ribavirin tab 200 mg 1180 μg prefilled syringe × 4 with ribavirin tab 200 mg	nonths where patient -Specialist	has chronic that page – H The page – H Th	Starter Kit 168 to be delisted 1 August 201 ind needles with ribavirin tab 200 in the hepatitis C (all genotypes). Intron-A Intron-A Ospital pharmacy [HP3] Pegasys Pegasys Pegasys Pegasys RBV Combination Pack Pegasys RBV Combination Pack
Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido (x 168 to be delisted 1 August 2010) ■→SA0784 Special Authority for Subsidy (nitial application from any specialist. Approvals valid for 12 m (NTERFERON ALPHA-2B — PCT — Hospital pharmacy [HP3] See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen	nonths where patient -Specialist	with pen ar has chronic 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Starter Kit 168 to be delisted 1 August 201 ind needles with ribavirin tab 200 in the hepatitis C (all genotypes). Intron-A Intron-A Ospital pharmacy [HP3] Pegasys Pegasys Pegasys Pegasys Pegasys RBV Combination Pack Pegasys RBV Combination Pack Pegasys RBV Combination Pack Combination Pack
Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido (168 to be delisted 1 August 2010) ■ SA0784 Special Authority for Subsidy nitial application from any specialist. Approvals valid for 12 n NTERFERON ALPHA-2B — PCT — Hospital pharmacy [HP3]. See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen	nonths where patient -Specialist	has chronic that page – H The page – H Th	Starter Kit 168 to be delisted 1 August 201 ind needles with ribavirin tab 200 received hepatitis C (all genotypes). Intron-A Intron-A Ospital pharmacy [HP3] Pegasys Pegasys Pegasys RBV Combination Pack Pegasys RBV Combination Pack Pegasys RBV Combination Pack

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

⇒SA0952 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV) from any specialist. Approvals valid for 48 weeks for applications meeting the following criteria:

Fither:

- 1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
- 2 Patient has chronic hepatitis C and is co-infected with HIV.

Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 6 months where patient has chronic hepatitis C, genotype 2 or 3 infection.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 48 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Either:
 - 5.1 HBeAg positive; or
 - 5.2 serum HBV DNA ≥ 2,000 units/ml and significant fibrosis (≥ Metavir Stage F2); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon.

Notes:

- Approved dose is 180 µg once weekly.
- The recommended dose of Pegylated Interferon-alpha 2a is 180 μg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alpha 2a dose should be reduced to 135 μg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alpha 2a is not approved for use in children.

\$ Per ✔ Manufacturer PEGYLATED INTERFERON ALPHA-2B WITH RIBAVIRIN – Special Authority see SA0953 on the next page – Hospital pharmacy		Subsidy (Manufacturer's P	rice) 9	Fully Subsidised	Brand or Generic
See prescribing guideline on page 96		` .			
See prescribing guideline on page 96	PEGYLATED INTERFERON ALPHA-2B WITH RIBAVIRIN - S	pecial Authority see	SA0953 or	n the next	page – Hospital pharmacy
Inj 50 μg × 4 with ribavirin cap 200 mg × 112	[HP3]				
Combination Therapy Pegatron Combination Therapy Inj 80 μg × 4 with ribavirin cap 200 mg × 140		1 000 10	4 OD		
Inj 50 μg × 4 with ribavirin cap 200 mg × 84	Inj 50 μ g \times 4 with ribavirin cap 200 mg \times 112	1,080.40	1 OP	P	•
Inj 50 μg × 4 with ribavirin cap 200 mg × 84					
Combination Therapy Inj 80 μg × 4 with ribavirin cap 200 mg × 140	Ini 50 ug × 4 with ribayirin cap 200 mg × 84	976.80	1 OP	✓ P	
Inj 80 μ g \times 4 with ribavirin cap 200 mg \times 140	injoo pg /				•
Combination Therapy Inj 80 μg × 4 with ribavirin cap 200 mg × 168					Therapy
In 80 μ g × 4 with ribavirin cap 200 mg × 168	Inj 80 μ g \times 4 with ribavirin cap 200 mg \times 140	1,583.60	1 OP	✓ Po	egatron
Inj 80 μ g × 4 with ribavirin cap 200 mg × 168					Combination
Inj 80 μg × 4 with ribavirin cap 200 mg × 84					Therapy
Inj 80 μg × 4 with ribavirin cap 200 mg × 84	Inj 80 μ g \times 4 with ribavirin cap 200 mg \times 168	1,687.20	1 OP		
Inj 80 μg × 4 with ribavirin cap 200 mg × 84					
Inj 100 μg × 4 with ribavirin cap 200 mg × 112				4-	• •
Inj 100 μg × 4 with ribavirin cap 200 mg × 112	Inj 80 μ g \times 4 with ribavirin cap 200 mg \times 84	1,376.40	1 OP	V P	•
Inj 100 μg × 4 with ribavirin cap 200 mg × 112					
Inj 100 μg × 4 with ribavirin cap 200 mg × 84	Ini 100 ug × 4 with ribayirin can 200 mg × 112	1 7/16 //0	1 OP	√ D	• •
Inj 100 μg × 4 with ribavirin cap 200 mg × 84	111 100 μg × 4 with hbavilli cap 200 mg × 112	1,740.40	1 01	• •	•
Inj 100 μg × 4 with ribavirin cap 200 mg × 84					
Inj 120 μg × 4 with ribavirin cap 200 mg × 140	Ini 100 ug \times 4 with ribavirin cap 200 mg \times 84	1.642.80	1 OP	✓ P	.,
Inj 120 μg × 4 with ribavirin cap 200 mg × 140	,, 3	,-			•
Inj 120 μg × 4 with ribavirin cap 200 mg × 84					Therapy
Inj 120 μg × 4 with ribavirin cap 200 mg × 84	Inj 120 μ g \times 4 with ribavirin cap 200 mg \times 140	2,116.40	1 OP	✓ P	egatron
Inj 120 μg × 4 with ribavirin cap 200 mg × 84					
Inj 150 μg × 4 with ribavirin cap 200 mg × 140					• •
Inj 150 μg × 4 with ribavirin cap 200 mg × 140	Inj 120 μ g \times 4 with ribavirin cap 200 mg \times 84	1,909.20	1 OP	✓ P	
Inj 150 μ g × 4 with ribavirin cap 200 mg × 140					
Inj 150 μg × 4 with ribavirin cap 200 mg × 168	lai 450 4 with silverinia con 000 may . 440	0.510.00	4 OD		• •
Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 168	Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 140	2,516.00	TOP	VP	•
Inj 150 μ g × 4 with ribavirin cap 200 mg × 168					
Inj 150 μg × 4 with ribavirin cap 200 mg × 84	Ini 150 ug × 4 with ribayirin cap 200 mg × 168	2.619.60	1 OP		
Inj 150 μ g × 4 with ribavirin cap 200 mg × 84	, pg /	,0.0.00			•
Combination Therapy (Pegatron Combination Therapy Inj 50 μ g × 4 with ribavirin cap 200 mg × 112 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 50 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 mg × 112 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010)					Therapy
(Pegatron Combination Therapy Inj 50 μ g × 4 with ribavirin cap 200 mg × 112 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 50 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 mg × 112 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010)	Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 84	2,308.80	1 OP	✓ Po	egatron
(Pegatron Combination Therapy Inj 50 μ g × 4 with ribavirin cap 200 mg × 112 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 50 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 mg × 112 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010)					
(Pegatron Combination Therapy Inj 50 μ g \times 4 with ribavirin cap 200 mg \times 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g \times 4 with ribavirin cap 200 mg \times 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g \times 4 with ribavirin cap 200 mg \times 168 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g \times 4 with ribavirin cap 200 mg \times 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g \times 4 with ribavirin cap 200 mg \times 112 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g \times 4 with ribavirin cap 200 mg \times 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g \times 4 with ribavirin cap 200 mg \times 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g \times 4 with ribavirin cap 200 mg \times 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 168 to be delisted 1 March 2010)					
(Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 mg × 112 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010)	1, 1, 10	•			,
(Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 mg × 112 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010)	(Pegatron Combination Therapy Inj 50 μ g \times 4 with ribavirin cap	$200 \text{ mg} \times 84 \text{ to be}$	e delisted 1	Warch 201	(U)
(Pegatron Combination Therapy Inj 80 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 mg × 112 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g × 4 with ribavirin cap 200 mg × 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g × 4 with ribavirin cap 200 mg × 168 to be delisted 1 March 2010)					
(Pegatron Combination Therapy Inj 100 μ g \times 4 with ribavirin cap 200 mg \times 112 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 100 μ g \times 4 with ribavirin cap 200 mg \times 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g \times 4 with ribavirin cap 200 mg \times 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g \times 4 with ribavirin cap 200 mg \times 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 168 to be delisted 1 March 2010)					
(Pegatron Combination Therapy Inj 120 μ g \times 4 with ribavirin cap 200 mg \times 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 120 μ g \times 4 with ribavirin cap 200 mg \times 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 168 to be delisted 1 March 2010)					
(Pegatron Combination Therapy Inj 120 μ g \times 4 with ribavirin cap 200 mg \times 84 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 168 to be delisted 1 March 2010)	(Pegatron Combination Therapy Inj 100 $\mu g \times 4$ with ribavirin ca	p 200 mg $ imes$ 84 to b	e delisted 1	March 20	010)
(Pegatron Combination Therapy Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 140 to be delisted 1 March 2010) (Pegatron Combination Therapy Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 168 to be delisted 1 March 2010)					
(Pegatron Combination Therapy Inj 150 μ g \times 4 with ribavirin cap 200 mg \times 168 to be delisted 1 March 2010)					

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

⇒SA0953 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV) from any specialist. Approvals valid for 11 months where patient has an existing Special Authority.

Note: Existing current approvals are still valid but no new applications will be accepted.

Urinary Tract Infections	
--------------------------	--

HEXAMINE HIPPURATE			
* Tab 1 g	18.40	100	
·	(38.10)		Hiprex
NITROFURANTOIN			
* Tab 50 mg	17.90	100	✓ Nifuran
* Tab 100 mg	30.25	100	✓ Nifuran
NORFLOXACIN			
Tab 400 mg - Maximum of 6 tab per prescription; can be			
waived by endorsement - Retail pharmacy - Specialist	22.50	100	✓ Arrow-Norfloxacin

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Vaccines

Influenza vaccine

INFLUENZA VACCINE - Hospital pharmacy [Xpharm]

- A) is available between 1 March and 30 June each year for patients who meet the following criteria, as set by the Ministry of Health:
 - a) all people 65 years of age and over;
 - b) people under 65 years of age with:
 - i) the following cardiovascular disease:
 - 1) ischaemic heart disease.
 - 2) congestive heart disease.
 - 3) rheumatic heart disease,
 - 4) congenital heart disease, or
 - 5) cerebo-vascular disease;
 - ii) the following chronic respiratory disease:
 - 1) asthma, if on a regular preventative therapy, or
 - 2) other chronic respiratory disease with impaired lung function;
 - iii) diabetes;
 - iv) chronic renal disease;
 - v) any cancer, excluding basal and squamous skin cancers if not invasive;
 - vi) the following other conditions:
 - a) autoimmune disease,
 - b) immune suppression,
 - c) HIV.
 - d) transplant recipients.
 - e) neuromuscular and CNS diseases,
 - f) haemoglobinopathies, or
 - g) children on long term aspirin.
 - c) people under 65 years of age who are:
 - i) pregnant;or
 - ii) morbidly obsese
 - d) children under the age of 5 who are enrolled with an Access Primary Health Organisation

The following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease,
- c) pregnancy in the absence of another risk factor.
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor.
- D) Influenza Vaccine does not fall within the definition Community Pharmaceutical as it is not funded directly from the Pharmaceutical Budget. Pharmacists are unable to claim for the dispensing of influenza vaccine from the Funder.

Fluvax	1	9.00	lnj
Fluarix			
Fluarix	10	90.00	
✓ Vaxigrip			

	(Manufacturer's Price)	Per	Subsidised	Generic Manufacturer
Anticholinesterases				
NEOSTIGMINE Inj 2.5 mg per ml, 1 ml	20.30	50	✓ <u>A</u>	straZeneca_
PYRIDOSTIGMINE BROMIDE Tab 60 mg	40.08	100	✓ M	estinon

Subsidy

Fully

Brand or

Anti-inflammatory Non Steroidal Drugs (NSAIDs)

■ SA0291 Special Authority for Manufacturers Price

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

- 1 Inflammatory arthritis (including osteoarthritis with an inflammatory component); and
- 2 Stabilised and are well controlled on the particular NSAID medication.

Renewal from any medical practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

DICLOFENAC SODIUM

*	Tab EC 25 mg - Additional subsidy by Special Authority	see		
	SA0291 above – Retail pharmacy		50	Diclohexal
	,	3.26	100	
		(3.51)		Apo-Diclo
*	Tab 50 mg dispersible - Additional subsidy by Special	` '		F
•	thority see SA0291 above – Retail pharmacy		20	
		(8.00)		Voltaren D
*	Tab EC 50 mg - Additional subsidy by Special Authority	` '		
71.	SA0291 above – Retail pharmacy		50	✓ Diclohexal
	Oriozof abovo Floraii priarritacy	21.30	500	• Biolonoxui
		(25.88)	000	Apo-Diclo
*	Tab long-acting 75 mg	' '	30	✓ Diclax SR
•	income and the second s	32.80	500	✓ Diclax SR
		19.60	100	✓ Voltaren SR
		22.78	500	✓ Apo-Diclo SR
*	Tab long-acting 100 mg	34.32	500	✓ Apo-Diclo SR
	3 3	63.22		✓ Diclax SR
*	Inj 25 mg per ml, 3 ml		5	✓ Voltaren
	Up to 5 inj available on a PSO			
*	Suppos 12.5 mg	1.85	10	✓ Voltaren
*	Suppos 25 mg		10	✓ Voltaren
*	Suppos 50 mg	3.84	10	✓ Voltaren
	Up to 10 supp available on a PSO			
*	Suppos 100 mg	6.36	10	✓ Voltaren
(Ap	po-Diclo Tab EC 25 mg to be delisted 1 March 2010)			
(Ap	po-Diclo Tab EC 50 mg to be delisted 1 March 2010)			

	Subsidy	:\ O	Fully Brand or
	(Manufacturer's Pr \$	Per	ıbsidised Generic ✓ Manufacturer
BUPROFEN - Additional subsidy by Special Authority	and CARROLL on the proceed	ina naga D	latail pharmany
Fig. 7 Tab 200 mg	'	1,000	✓ Ethics Ibuprofen
★ Tab 400 mg		,	<u>Luncs ibuproten</u>
F 1ab 400 mg	4	30	Dente
Tab 000	(4.56)	00	Brufen
★ Tab 600 mg		30	D (
	(6.84)		Brufen
* Tab long-acting 800 mg		30	
	(9.12)		Brufen Retard
k‡ Oral liq 100 mg per 5 ml	3.49	200 ml	✓ Fenpaed
ETOPROFEN - Additional subsidy by Special Author	ity see SA0291 on the prece	edina page -	- Retail pharmacy
Cap long-acting 100 mg		100	, , , , , , , , , , , , , , , , , , , ,
oup long doing foo mg	(21.56)	100	Oruvail 100
Cap long-acting 200 mg	\ /	100	Gravan 100
s Cap long acting 200 mg	(43.12)	100	Oruvail 200
	,		
MEFENAMIC ACID - Additional subsidy by Special Au	thority see SA0291 on the p	receding pa	ge – Retail pharmacy
← Cap 250 mg	2.50	100	
	(18.33)		Ponstan
IAPROXEN			
	22.70	500	✓ Noflam 250
₭ Tab 500 mg		250	✓ <u>Noflam 500</u>
* Tab long-acting 750 mg		90	Naprosyn SR 750
Fab long-acting 1,000 mg	21.00	90	✓ Naprosyn SR 1000
IAPROXEN SODIUM			
★ Tab 275 mg	6.00	120	✓ Sonaflam
≮ Tab 550 mg		100	✓ Synflex
			•
SULINDAC - Additional subsidy by Special Authority so			tail pharmacy
★ Tab 100 mg		100	
	(12.00)		Daclin
★ Tab 200 mg	6.72	100	
	(20.00)		Daclin
	3.36	50	
	(15.87)		Clinoril
ENOXICAM	, ,		
	00.75	100	✓ Tilcotil
€ Tab 20 mg	23./5	100	Filcotti
TAPROFENIC ACID - Additional subsidy by Special A	Authority see SA0291 on the	preceding p	page – Retail pharmacy
★ Tab 300 mg	4.03	60	
•	(19.26)		Surgam
NOAID OIL	,		<u> </u>
NSAIDs Other			
NDOMETHACIN			
Cap long-acting 75 mg	13.30	100	✓ Rheumacin SR
		30	✓ Arthrexin
Suppos 100 mg	14.30	30	₩ AIUII@XIII
PIROXICAM			
A Tabadhan and tabadh A O man	2.05	50	✓ Piram-D
Fab dispersible 10 mg	3.23	50	V Filalli-D

	(Manufacturer's Price) \$	Sub: Per	sidised	Generic Manufacturer
Antirheumatoid Agents				
AURANOFIN				
Tab 3 mg	68.99	60	✓ R	idaura
LEFLUNOMIDE				
Tab 10 mg	55.00	30	✓ A	FT-Leflunomide
	79.27		✓ A	rava
Tab 20 mg	76.00	30	✓ A	FT-Leflunomide
	108.60		✓ A	
Tab 100 mg	54.44	3	✓ A	rava
PENICILLAMINE				
Tab 125 mg	61.93	100	✓ D	-Penamine
Tab 250 mg		100	✓ D	-Penamine
SODIUM AUROTHIOMALATE				
Inj 10 mg per 0.5 ml	76.87	10	✓ M	lyocrisin
Inj 20 mg per 0.5 ml		10	✓ M	lyocrisin
Inj 50 mg per 0.5 ml		10	✓ M	lyocrisin
Tumour Necrosis Factor (TNF) Inhibitors				
ADALIMUMAB - Special Authority see SA0974 below - Retail ph	armacy			
Inj 40 mg per 0.8 ml prefilled pen		2	✓ H	umiraPen
Inj 40 mg per 0.8 ml prefilled syringe	1,799.92	2	✓ H	umira

Subsidy

Fully

Brand or

⇒SA0974 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with at least two of the following (triple therapy): sulphasalazine, prednisone at a dose of at least 7.5 mg per day, azathioprine, intramuscular gold, or hydroxychloroquine sulphate (at maximum tolerated doses); and
- 5 Either:
 - 5.1 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of cyclosporin alone or in combination with another agent; or
 - 5.2 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of leflunomide alone or in combination with another agent; and
- 6 Either:
 - 6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
 - 6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 7 Either:
 - 7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

MUSCULOSKELETAL SYSTEM

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe active Crohn's disease: and
- 2 Any of the following:
 - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
 - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
 - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
 - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
 - 1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
- 2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin: and
- 3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
- 4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
- 2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
- 3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
- 4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regimen supervised by a physiotherapist; and
- 5 Either:
 - 5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by a score of at least 1 on each of the lumbar flexion and lumbar side flexion measurements of the Bath Ankylosing Spondylitis Metrology Index (BASMI); or
 - 5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
- 6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale; and
- 7 Either:

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 7.1 An elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
- 7.2 A C-reactive protein (CRP) level greater than 15 mg per litre.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAL ESR and CRP measures must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm: Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm: Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm: Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
- 2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- - 4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
 - 4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 5 Any of the following:
 - 5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application: or
 - 5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician.

Renewal — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

1 Fither:

MUSCULOSKELETAL SYSTEM

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

continued...

- 1.1 Applicant is a gastroenterologist; or
- 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Fither:
 - 2.1 Both:
 - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis; and
 - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot; and
 - 2.2.2 Either:
 - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value.

Note: An adalimumab treatment course is defined as a minimum of 12 weeks adalimumab treatment.

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment: and
- 2 Following 12 weeks of adalimumab treatment, BASDAI has improved by 4 or more points from pre-adalimumab baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 ESR or CRP is within the normal range; and
- 4 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the treating physician; or
 - 2.2 The patient demonstrates at least a continuing 50% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician.

MUSCULOSKELETAL SYSTEM

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

ETANERCEPT - Retail pharmacy-Specialist prescription - Special Authority see SA0868 below

⇒SA0868 Special Authority for Subsidy

Initial application only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
- 3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20mg/m² weekly or at the maximum tolerated dose) in combination with oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose); and
- 5 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-15mg/m² weekly or at the maximum tolerated dose) in combination with one other disease-modifying agent; and
- 6 Both:
 - 6.1 Either:
 - 6.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 active, swollen, tender ioints: or
 - 6.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 6.2 Physician's global assessment indicating severe disease; and
- 7 The patient or their legal guardian consents to details of their treatment being held on a central registry and has signed a consent form outlining conditions of ongoing treatment.

Note: A patient declaration form http://www.pharmac.govt.nz/special_authority_forms/SA0667-declaration.pdf must be signed by the legal guardian of the patient and the prescriber in the presence of a witness (over 18 years of age)

Renewal only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2 Either:
 - 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 2.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Calcium Homeostasis

Alendronate for Osteoporosis

⇒SA0990 Special Authority for Subsidy

Initial application — (Underlying cause – Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mass density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or

MUSCULOSKELETAL SYSTEM

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per V Manufacturer

continued...

- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0; or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Dubbo) which incorporates BMD measurements.

Initial application — (Underlying cause – glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Either:
 - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -1.5); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically.

Renewal — **(Underlying cause was, and remains, glucocorticosteroid therapy)** from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mass density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score < -3.0: or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Dubbo) which incorporates BMD measurements.

Notes:

- a) Evidence used by National Institute for Health and Clinical Excellence (NICE) guidance indicates that patients aged 75 years
 and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score
 -2.5, and therefore do not require BMD measurement for treatment with bisphosphonates.
- b) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- c) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALE	NDRONATE SODIUM - Special Authority see SAUS	990 on the preceding pag	ge – Retail ph	ıarmacy	
	Tab 70 mg	35.91	4	Fosamax	
ALE	NDRONATE SODIUM WITH CHOLECALCIFEROL	- Special Authority see S	SA0990 on th	e preceding page – R	etail pharmac
	Tab 70 mg with cholecalciferol 5600 iu	35.91	4	✓ Fosamax Plu	us
	Tab 70 mg with cholecalciferol 2800 iu	35.91	4	✓ Fosamax Plu	us

MUSCULOSKELETAL SYSTEM

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

Alendronate for Paget's Disease

⇒SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
 - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

ALENDRONATE SODIUM - Special Authority see SA0949 above - Retail pt Tab 40 mg	,	✓ Fosamax
Other Treatments		
CALCITONIN * Inj 100 iu per ml, 1 ml110.00	5	✓ <u>Miacalcic</u>
ETIDRONATE DISODIUM		
* Tab 200 mg23.95	5 100	✓ Arrow-Etidronate✓ Etidrate
14.37	7 60	
(22.80	0)	Didronel
(Etidrate Tab 200 mg to be delisted 1 April 2010)	,	
(Didronel Tab 200 mg to be delisted 1 April 2010)		
Prescribing Guidelines		
Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the not be taken at the same time of the day as any calcium supplementation (mi	0,	•

d Etidronate should be taken at least 2 hours before or after any food or fluid, except water. DAMIDDONATE DICODILIM . Hassital shares as [LID0]

18.75	1	✓ Pamisol
	1	✓ Pamisol
75.00	1	✓ Pamisol
	1	✓ Pamisol
	18.75 37.50 75.00 112.50	37.50 1 75.00 1

Inj 9 mg per ml, 10 ml112.50	1	✓ Pamisol
Enzymes		
HYALURONIDASE		
Inj 1,500 iu per ml18.32	10	
(243.24)		Hyalase
Hyperuricaemia and Antigout		
ALLOPURINOL		
* Tab 100 mg5.44	250	Apo-Allopurinol

	20. 0			
*	Tab 100 mg	5.44	250	✓ Apo-Allopurinol
	Tab 300 mg			✓ Apo-Allopurinol
CC	DLCHICINE			
*	Tab 500 μg	9.60	100	✓ Colgout

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
PROBENECID					
* Tab 500 mg	55.00	100	✓ Al	FT	
Muscle Relaxants					
BACLOFEN					
* Tab 10 mg	4.75	100	✓ Pa	acifen_	
DANTROLENE SODIUM					
* Cap 25 mg	32.96	100	✓ Da	antrium	
* Cap 50 mg		100	✓ Da	antrium	
ORPHENADRINE CITRATE					
Tab 100 mg	18.54	100	✓ No	orflex	
QUININE SULPHATE					
* Tab 200 mg	15.95	250			
	(17.20)		Q	200	
‡ Safety cap for extemporaneously compounded oral liquid	oreparations.				
* Tab 300 mg		500	√ <u>Q</u>	300	
± Safety cap for extemporaneously compounded oral liquid is	preparations.				

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

Anaesthetics

Local

BUPIVACAINE HYDROCHLORIDE - Hospital pharmacy [HP3		5	✓ Marcain Isobaric
Inj 0.5%, 8% glucose, 4 ml	24.50	5	✓ Marcain Heavy
LIGNOCAINE HYDROCHLORIDE			
Inj 0.5%, 5 ml - Up to 5 inj available on a PSO	44.10	50	✓ <u>Xylocaine</u>
Only if prescribed on prescription for a dialysis patient or	r child with rheumati	c fever or on a	a PSO for emergency use.
Inj 1%, 5 ml - Up to 5 inj available on a PSO	42.00	50	Xylocaine
Only if prescribed on prescription for a dialysis patient or	r child with rheumati	c fever or on a	a PSO for emergency use.
Inj 1%, 20 ml - Up to 5 inj available on a PSO	23.50	5	Xylocaine
Only if prescribed on prescription for a dialysis patient or	r child with rheumati	c fever or on a	a PSO for emergency use.
LIGNOCAINE WITH CHLORHEXIDINE			
Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes .	43.26	10	✔ Pfizer
LIGNOCAINE WITH PRILOCAINE - Special Authority see SAG	0906 below – Hospit	al pharmacy	[HP3]
Crm 2.5% with prilocaine 2.5%	41.00	30 g OP	✓ EMLA
Crm 2.5% with prilocaine 2.5% (5 g tubes)	41.00	5	✓ EMLA

⇒SA0906 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Analgesics

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 102

Non-Opioid Analgesics

ASPIRIN	
* Tab EC 300 mg2.15 100	
(8.10)	Aspec 300
* Tab dispersible 300 mg - Up to 30 tab available on a PSO2.15	Ethics Aspirin
NEFOPAM HYDROCHLORIDE	
Tab 30 mg23.40 90	✓ Acupan
PARACETAMOL	
* Tab 500 mg - Up to 30 tab available on a PSO	✓ Pharmacare
*‡ Oral lig 120 mg per 5 ml	✓ Paracare Junior
a) Up to 200 ml available on a PSO	<u> </u>
b) Not in combination	
*‡ Oral liq 250 mg per 5 ml	✓ Paracare Double
	<u>Strength</u>
a) Up to 100 ml available on a PSO	
b) Not in combination	. d Danielal
* Suppos 125 mg	✓ Panadol
* Suppos 250 mg	✓ Panadol
* Suppos 500 mg20.50 50	✓ Paracare

	Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic
	\$	Per	V	Manufacturer
Opioid Analgesics				
BUPRENORPHINE HYDROCHLORIDE - Only on a controlle	d drug form			
Inj 0.3 mg per ml, 1 ml		5		
	(9.38)		Te	emgesic
CODEINE PHOSPHATE				
Tab 15 mg	5.39	100	✓ <u>P</u>	<u>SM</u>
Tab 30 mg	8.25	100	✓ <u>P</u>	<u>SM</u>
Tab 60 mg	17.76	100	✓ <u>P</u>	SM_
DEXTROPROPOXYPHENE WITH PARACETAMOL				
Tab napsylate 50 mg with paracetamol 325 mg	14.50	500		
	(22.50)		P	aradex
Cap hydrochloride 32.5 mg with paracetamol 325 mg	(/	500	-	
	(33.14)		С	apadex
DILIVEDOCODEINE TARTRATE	(/			
DIHYDROCODEINE TARTRATE	20.20	60	4 / D	HC Continus
Tab long-acting 60 mg		00	• 0	no continus
FENTANYL – Special Authority see SA0935 below – Retail ph	narmacy			
a) Only on a controlled drug form				
b) No patient co-payment payable				
Transdermal patch, matrix 25 µg per hour		5		urogesic
Transdermal patch, matrix 50 µg per hour		5		urogesic
Transdermal patch, matrix 75 μg per hour		5		urogesic
Transdermal patch, matrix 100 μg per hour	171.22	5	✓ D	urogesic
■ SA0935 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals va	llid for 3 months for app	licatior	ns meeting t	he following criteria:
Both:				
 Patient is terminally ill and is opioid-responsive; and 				
2 Either:				
2.1 is unable to take oral medication; or				
2.2 is intolerant to morphine, or morphine is contrain				
Renewal from any relevant practitioner. Approvals valid for 3	months where the treat	ment r	emains app	ropriate and the patient
penefiting from treatment.				
FENTANYL CITRATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
Inj 50 µg per ml, 2 ml	6.10	5		ospira
Inj 50 μg per ml, 10 ml	15.65	5	✓ H	ospira
METHADONE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Extemporaneously compounded methadone will only b	e reimbursed at the rate	of the	cheapest f	orm available (methador
powder, not methadone tablets).			T	- (
d) For methadone hydrochloride oral liquid refer, page 168	}			
Tab 5 mg		10	✓ M	lethatabs
‡ Oral liq 2 mg per ml		200 ml	_	iodone
t Oral liq 5 mg per ml	5.55	200 ml	✓ B	iodone Forte
. O I I'm 40		000		

200 ml

10

✓ Biodone Extra Forte

✓ AFT

Oral liq 10 mg per ml8.95

Inj 10 mg per ml, 1 ml61.00

	Subsidy		Fully Brand or	
	(Manufacturer's F		bsidised Generic	
	\$	Per	✓ Manufacturer	
MORPHINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
‡ Oral liq 1 mg per ml		200 ml	✓ <u>RA-Morph</u>	
‡ Oral liq 2 mg per ml		200 ml	RA-Morph	
‡ Oral liq 5 mg per ml		200 ml	RA-Morph	
‡ Oral liq 10 mg per ml	21.55	200 ml	✓ <u>RA-Morph</u>	
MORPHINE SULPHATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
Tab immediate-release 10 mg		10	✓ <u>Sevredol</u>	
Tab long-acting 10 mg	1.80	10	✓ LA-Morph	
Tab immediate-release 20 mg		10	✓ <u>Sevredol</u>	
Tab long-acting 30 mg	3.60	10	✓ LA-Morph	
Tab long-acting 60 mg	7.20	10	✓ LA-Morph	
Tab long-acting 100 mg		10	✓ LA-Morph	
Cap long-acting 10 mg		10	✓ m-Eslon	
Cap long-acting 30 mg		10	✓ m-Eslon	
Cap long-acting 60 mg		10	✓ m-Eslon	
Cap long-acting 100 mg		10	✓ m-Eslon	
Cap long-acting 200 mg		10	m-Eslon	
Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	Mayne	
Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	Mayne Mayne	
Inj 15 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	✓ Mayne	
Inj 30 mg per ml, 1 ml - Up to 5 inj available on a PSO	4.98	5	✓ <u>Mayne</u>	
MORPHINE TARTRATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
Inj 80 mg per ml, 1.5 ml		5	✓ Mayne	
Inj 80 mg per ml, 5 ml	67.37	5	✓ Mayne	
OXYCODONE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
Tab controlled-release 5 mg	7.51	20	✓ OxyContin	
Tab controlled-release 10 mg	11.14	20	✓ OxyContin	
Tab controlled-release 20 mg		20	OxyContin	
Tab controlled-release 40 mg	33.29	20	OxyContin	
Tab controlled-release 80 mg	58.03	20	✓ OxyContin	
Cap 5 mg		20	✓ OxyNorm	
Cap 10 mg		20	✓ OxyNorm	
Cap 20 mg		20	✓ OxyNorm	
‡ Oral liq 5 mg per 5 ml		250 ml	✓ <u>OxyNorm</u>	
Inj 10 mg per ml, 1 ml		5	✓ <u>OxyNorm</u>	
Inj 10 mg per ml, 2 ml	28.80	5	✓ OxyNorm	
Prescribing Guideline				
Prescribers should note that oxycodone is significantly more				dvic
suggests that it is reasonable to consider this as a second-line a	agent to be used a	tter morphine.		
PARACETAMOL WITH CODEINE				
* Tab paracetamol 500 mg with codeine phosphate 8 mg	2.45	100	✔ ParaCode	
	3.24		✓ Codalgin	
	U.L.T		- ooungii	

	Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
	(Manuacturer S Frice)	Per	Subsidised	Manufacturer
ETHIDINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
Tab 50 mg	3.20	10	✓ P:	
Tab 100 mg		10	✓ P	
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	✓ M	•
Inj 50 mg per ml, 1.5 ml – Up to 5 inj available on a PSO.		5	✓ M	•
Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	5.50	5	✓ M	ayne
Antidepressants				
Cyclic and Related Agents				
MITRIPTYLINE				
Tab 10 mg	2.77	50	✓ A	mirol
Tab 25 mg	3.40	100	✓ A	mitrip
Tab 50 mg	5.20	100	✓ A	mitrip
CLOMIPRAMINE HYDROCHLORIDE				
Tab 10 mg	10.00	100	√ C	lopress
	12.60		✓ A	po-Clomipramine
Tab 25 mg	8.68	100		po-Clomipramine
	26.00	500	✓ C	lopress
Clopress Tab 10 mg to be delisted 1 June 2010)				
OOTHIEPIN HYDROCHLORIDE				
Tab 75 mg	8.75	100	✓ D	opress
Cap 25 mg	4.75	100	✓ D	opress
OOXEPIN HYDROCHLORIDE				
Cap 10 mg	5.24	100	✓ A	nten
Cap 25 mg		100	✓ A	nten
Cap 50 mg	7.34	100	✓ A	nten
MIPRAMINE HYDROCHLORIDE				
Tab 10 mg	5.48	50	✓ To	ofranil
Tab 25 mg		50	✓ To	ofranil
MAPROTILINE HYDROCHLORIDE				
Tab 25 mg	25.06	100	✓ 1 i	udiomil
Tab 75 mg		30		udiomil
· ·			Ţ <u>-</u>	
MANSERIN HYDROCHLORIDE - Special Authority see SA0 Tab 30 mg		nacy 30	√ T	olvon

Both:

- 1 Depression; and
- 2 Either:
 - 2.1 Co-existent bladder neck obstruction; or
 - 2.2 Cardiovascular disease.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

NORTRIPTYLINE HYDROCHLORIDE Tab 10 mg Tab 25 mg TRIMIPRAMINE MALEATE Cap 25 mg Cap 50 mg (Tripress Cap 25 mg to be delisted 1 March 2010) (Tripress Cap 50 mg to be delisted 1 August 2010) Monoamine-Oxidase Inhibitors (MAOIs) - Non Selective PHENELZINE SULPHATE Tab 15 mg TRANYLCYPROMINE SULPHATE Tab 10 mg Monoamine-Oxidase Type A Inhibitors MOCLOBEMIDE Note: There is a significant cost differential between moclobemide a expensive). For depressive syndromes it is therefore more cost-effecting prescribing moclobemide. Tab 150 mg	Subsidy facturer's Price)			/ Brand or
Tab 10 mg	Ψ.	Subsi Per	Fully dised	d Generic
Tab 10 mg Tab 25 mg TRIMIPRAMINE MALEATE Cap 25 mg Cap 50 mg Cap 50 mg Car 50 mg to be delisted 1 March 2010) Tripress Cap 25 mg to be delisted 1 August 2010) Monoamine-Oxidase Inhibitors (MAOIs) - Non Selective PHENELZINE SULPHATE Tab 15 mg TRANYLCYPROMINE SULPHATE Tab 10 mg Monoamine-Oxidase Type A Inhibitors MOCLOBEMIDE Note: There is a significant cost differential between moclobemide a expensive). For depressive syndromes it is therefore more cost-effecting prescribing moclobemide. Tab 150 mg		rei		Manuacturer
Tab 25 mg	5 94	100	/	Norpress
Cap 25 mg Cap 50 mg Cap 50 mg Cap 50 mg Cap 50 mg to be delisted 1 March 2010) (Tripress Cap 50 mg to be delisted 1 August 2010) Monoamine-Oxidase Inhibitors (MAOIs) - Non Selective PHENELZINE SULPHATE Tab 15 mg TRANYLCYPROMINE SULPHATE Tab 10 mg Monoamine-Oxidase Type A Inhibitors MOCLOBEMIDE Note: There is a significant cost differential between moclobemide a expensive). For depressive syndromes it is therefore more cost-effecting prescribing moclobemide. Tab 150 mg		180		Norpress
Cap 50 mg (Tripress Cap 25 mg to be delisted 1 March 2010) (Tripress Cap 50 mg to be delisted 1 August 2010) Monoamine-Oxidase Inhibitors (MAOIs) - Non Selective PHENELZINE SULPHATE Tab 15 mg TRANYLCYPROMINE SULPHATE Tab 10 mg Monoamine-Oxidase Type A Inhibitors MOCLOBEMIDE Note: There is a significant cost differential between moclobemide a expensive). For depressive syndromes it is therefore more cost-effecting prescribing moclobemide. Tab 150 mg				
(Tripress Cap 25 mg to be delisted 1 March 2010) (Tripress Cap 50 mg to be delisted 1 August 2010) Monoamine-Oxidase Inhibitors (MAOIs) - Non Selective PHENELZINE SULPHATE Tab 15 mg		100		Tripress
(Tripress Cap 50 mg to be delisted 1 August 2010) Monoamine-Oxidase Inhibitors (MAOIs) - Non Selective PHENELZINE SULPHATE Tab 15 mg	11.20	100	/	Tripress
PHENELZINE SULPHATE Tab 15 mg				
Tab 15 mg TRANYLCYPROMINE SULPHATE Tab 10 mg Monoamine-Oxidase Type A Inhibitors MOCLOBEMIDE Note: There is a significant cost differential between moclobemide a expensive). For depressive syndromes it is therefore more cost-effecting prescribing moclobemide. Tab 150 mg	ve			
TRANYLCYPROMINE SULPHATE Tab 10 mg Monoamine-Oxidase Type A Inhibitors MOCLOBEMIDE Note: There is a significant cost differential between moclobemide a expensive). For depressive syndromes it is therefore more cost-effecting prescribing moclobemide. Tab 150 mg				
Tab 10 mg	95.00	100	/	Nardil
Monoamine-Oxidase Type A Inhibitors MOCLOBEMIDE Note: There is a significant cost differential between moclobemide a expensive). For depressive syndromes it is therefore more cost-effecting prescribing moclobemide. Tab 150 mg				
MOCLOBEMIDE Note: There is a significant cost differential between moclobemide a expensive). For depressive syndromes it is therefore more cost-effecting prescribing moclobemide. Tab 150 mg	22.94	50	/	Parnate
Note: There is a significant cost differential between moclobemide a expensive). For depressive syndromes it is therefore more cost-effecting prescribing moclobemide. Tab 150 mg				
	ctive to start tre		n flu	•
				Moclobemide
Tab 300 mg		500 60		Apo-Moclobemide GenRx
Tab 300 Hig	10.00	00	•	Moclobemide
	31.33	100	~	Apo-Moclobemide
Selective Serotonin Reuptake Inhibitors				
CITALOPRAM HYDROBROMIDE				
* Tab 20 mg	3.78	84	~	Arrow-Citalopram
FLUOXETINE HYDROCHLORIDE * Tab dispersible 20 mg, scored – Subsidy by endorsement	5 50	30	/	Fluox
Subsidised by endorsement			•	<u>- 1444</u>
 When prescribed for a patient who cannot swallow whole to ingly; or 	ablets or capsul	es and the	pres	scription is endorsed accord
2) When prescribed in a daily dose that is not a multiple o	f 20 mg in wh	ich case th	е рі	rescription is deemed to b
endorsed. Note: Tablets should be combined with capsules				•
* Cap 20 mg	4.39	90	V	<u>Fluox</u>
PAROXETINE HYDROCHLORIDE Tab 20 mg		30	/	Loxamine
Other Antidepressants	5.90	00	•	LONGITHIC
· · · · · · · · · · · · · · · · · · ·	5.90			
MIRTAZAPINE – Special Authority see SA0994 on the next page – Reta Tab 30 mg				
Tab 45 mg	ail pharmacy	30	,	Avanza

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

⇒SA0994 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The patient has a severe major depressive episode; and
- 2 Either:
 - 2.1 The patient must have had a trial of two different antidepressants and was unable to tolerate the treatments or failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or
 - 2.2 Both:
 - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
 - 2.2.2 The patient must have had a trial of one other antidepressant and either could not tolerate it or failed to respond to an adequate dose over an adequate period of time.

Renewal from any relevant practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

VENLAFAXINE - Special Authority see SA0789 below - Reta	il pharmacy		
Cap 37.5 mg	18.64	28	Efexor XR
Cap 75 mg	37.27	28	Efexor XR
Cap 150 mg	45.68	28	Efexor XR

■ SA0789 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 The patient has 'treatment-resistant' depression; and
- 2 Fither
 - 2.1 The patient must have had a trial of two different antidepressants and failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or
 - 2.2 Both:
 - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
 - 2.2.2 The patient must have had a trial of one other antidepressant and failed to respond to an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

Antiepilepsy Drugs

Agents for Control of Status Epilepticus

CLONAZEPAM		
Inj 1 mg per ml, 1 ml19.00	5	✔ Rivotril
DIAZEPAM		
Inj 5 mg per ml, 2 ml - Subsidy by endorsement9.24	5	Mayne
a) Up to 5 inj available on a PSO		
b) Only on a PSO		
 c) PSO must be endorsed "not for anaesthetic procedures". 		
Rectal tubes 5 mg - Up to 5 tube available on a PSO25.05	5	Stesolid
Rectal tubes 10 mg - Up to 5 tube available on a PSO30.50	5	Stesolid
PARALDEHYDE		
* Inj 5 ml	5	✓ AFT
•		
PHENYTOIN SODIUM	F	4 Mayre
* Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO	5	✓ Mayne
* Inj 50 mg per ml, 5 ml – Up to 5 inj available on a PSO77.27	5	Mayne

	(Manufacturer's P	rice) Sub	osidised Generic
	\$	Per	✓ Manufacturer
Control of Epilepsy			
CARBAMAZEPINE * Tab 200 mg	14.53	100	✓ Tegretol
* Tab long-acting 200 mg		100	✓ Tegretol CR
* Tab 400 mg		100	✓ Tegretol
* Tab long-acting 400 mg		100	✓ Tegretol CR
*‡ Oral liq 100 mg per 5 ml	26.37	250 ml	✓ Tegretol
CLOBAZAM			
Tab 10 mg	9.12	50	✓ Frisium
‡ Safety cap for extemporaneously compounded oral liquid	d preparations.		
CLONAZEPAM			
Tab 500 μg	6.26	100	✓ Paxam
Tab 2 mg		100	✓ Paxam
‡ Oral drops 2.5 mg per ml		10 ml OP	Rivotril
ETHOSUXIMIDE			
* Cap 250 mg	32 90	200	✓ Zarontin
*‡ Oral liq 250 mg per 5 ml		200 ml	✓ Zarontin
•		200 1111	Latonan
GABAPENTIN – Special Authority see SA0936 below – Retail ph	,	100	4.51
▲ Cap 100 mg		100	Nupentin
▲ Cap 300 mg		100	Nupentin
▲ Cap 400 mg	14./5	100	✓ Nupentin

Subsidy

Fully

Brand or

⇒SA0936 Special Authority for Subsidy

Initial application — (Epilepsy - new patients) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Epilepsy - patient has had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life from gabapentin, topiramate, vigabatrin and/or lamotrigine.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Initial application — (Neuropathic pain - new patients) from any relevant practitioner. Approvals valid for 3 months where the patient has tried and failed, or has been unable to tolerate, treatment with a tricyclic antidepressant.

Initial application — (Neuropathic pain - patient has had an approval for gabapentin for neuropathic pain prior to 1 August 2007) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life.

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

If the patient had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

Renewal — (Neuropathic pain) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Note: If the patient had an approval for gabapentin for neuropathic pain prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

GA	BAPENTIN (NEURONTIN) - Special Authority see	e SA0973 below - Retail phar	macy	
	Tab 600 mg	79.79	100	Neurontin
	Cap 100 mg	15.67	100	Neurontin
	Cap 300 mg		100	✓ Neurontin
	Cap 400 mg		100	✓ Neurontin
	<u> </u>			

■SA0973 Special Authority for Subsidy

Notes: Subsidy for patients pre-approved by PHARMAC on 1 August 2009. Approvals valid without further renewal unless notified. No new approvals will be granted from 1 August 2009.

671

20

/ Lamietel

LAMOTRIGINE

▲ Tah dispersible 2 mg

Tab dispersible 2 mg	. 30	Lamiliciai
▲ Tab dispersible 5 mg	30	✓ Lamictal
15.00	56	Arrow-Lamotrigine
▲ Tab dispersible 25 mg19.38	56	✓ Logem
20.40		✓ Arrow-Lamotrigine
		✓ Mogine
29.09)	✓ Lamictal
Tab dispersible 50 mg32.97	56	✓ Logem
34.70)	✓ Arrow-Lamotrigine
		✓ Mogine
47.89)	✓ Lamictal
Tab dispersible 100 mg56.91	56	✓ Logem
59.90)	Arrow-Lamotrigine
		✓ Mogine
79.16	i	✓ Lamictal
Tab dispersible 200 mg101.80	56	Arrow-Lamotrigine
•		✓ Mogine
Arrow-Lamotrigine Tab dispersible 200 mg to be delisted 1 May 2010)		-

(Arrow-Lamotrigine Tab dispersible 200 mg to be delisted 1 May 2010) (Mogine Tab dispersible 200 mg to be delisted 1 March 2010)

Phone: (04) 916-7553

■ SA0921 | Special Authority for Subsidy

Subsidy by application to the Levetiracetam Special Access Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254

PHARMAC, PO Box 10 254

Wellington

Facsimile: (09) 929-3226

Email: |saccoordinator@pharmac.govt.nz

500 500 200 200 200 500 ml	PSM PSM Dilantin Infatab Dilantin Dilantin
200 200 200 200	PSM Dilantin Infatab Dilantin Dilantin
200 200 200 200	PSM Dilantin Infatab Dilantin Dilantin
200 200 200	✓ Dilantin Infatab ✓ Dilantin ✓ Dilantin
200 200	✓ Dilantin✓ Dilantin
200 200	✓ Dilantin✓ Dilantin
200	✓ Dilantin
500 ml	
	Dilantin
100	✓ Apo-Primidone
	•
100	✓ Epilim Crushable
	✓ Epilim
	✓ Epilim
	✓ Epilim S/F Liquid
	✓ Epilim Syrup
1	✓ Epilim IV
60	✓ Topamax
	✓ Topamax
60	✓ Topamax
100	✓ Sabril
	100 100 100 100 300 ml 1 60 60 60 60 60 60

⇒SA0937 Special Authority for Subsidy

Initial application — (new patients) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Patient has infantile spasms; or
 - 1.2 Both:
 - 1.2.1 Patient has epilepsy; and
 - 1.2.2 Either:
 - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
 - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and
- 2 Either:
 - 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Subsidy (Manufacturer's	Price)	Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

Initial application — (patient has had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life from gabapentin, topiramate, vigabatrin and or lamotrigine; and
- 2 Fither:
 - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for the duration of treatment with vigabatrin: or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- 2 Either:
 - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

If the patient had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

Antimigraine Preparations

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 102

Acute Migraine Treatment

ERGOTAMINE TARTRATE WITH CAFFEINE Tab 1 mg with caffeine 100 mg31.00	100	✓ Cafergot
METOCLOPRAMIDE HYDROCHLORIDE WITH PARACETAMOL Tab 5 mg with paracetamol 500 mg6.77	60	✓ Paramax
RIZATRIPTAN BENZOATE Wafer 10 mg25.32	3	✓ Maxalt Melt

	Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic
	\$	Per		Manufacturer
SUMATRIPTAN				
Tab 50 mg		100	✓ A	Arrow-Sumatriptan
	1.55	4		'uma aran
	(12.00) (22.00)			Sumagran migran
Tab 100 mg	, ,	100		Arrow-Sumatriptan
	1.55	2	•	
	(12.00)			Sumagran
1.140	(22.00)			migran
Inj 12 mg per ml, 0.5 ml — Hospital pharmacy [HP3]-Specialist Maximum of 10 inj per prescription (Sumagran Tab 50 mg to be delisted 1 May 2010) (Imigran Tab 50 mg to be delisted 1 May 2010) (Sumagran Tab 100 mg to be delisted 1 May 2010)	80.00	2 OP	VII	migran
(Imigran Tab 100 mg to be delisted 1 May 2010)				
Prophylaxis of Migraine				
For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYS	TEM, page 52			
CLONIDINE HYDROCHLORIDE				
* Tab 25 µg	19.25	100	<u> </u>	<u>Dixarit</u>
PIZOTIFEN				
* Таb 500 µg	21.10	100	√ S	Sandomigran
Antinausea and Vertigo Agents				
For Antispasmodics refer to ALIMENTARY TRACT, page 27				
APREPITANT - Special Authority see SA0987 below - Retail pha	rmacy			
Cap 2 \times 80 mg and 1 \times 125 mg	116.00	3 OP	✓ E	mend Tri-Pack
■SA0987 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid for			itient is und	dergoing highly emetogeni
chemotherapy and/or anthracycline-based chemotherapy for the tr Renewal from any relevant practitioner. Approvals valid for 12 mont			lergoing hig	ably emetogenic chemothe
apy and/or anthracycline-based chemotherapy for the treatment of				ing amatagama anamama
BETAHISTINE DIHYDROCHLORIDE				
* Tab 16 mg	9.26	84	V	ergo 16
CYCLIZINE HYDROCHLORIDE				
Tab 50 mg	1.59	10	<u> </u>	lausicalm_
CYCLIZINE LACTATE				
Inj 50 mg per ml, 1 ml	14.95	5	V	/aloid (AFT)
DOMPERIDONE - Additional subsidy by Special Authority see SA	A0938 below – Reta	il phari	macy	
* Tab 10 mg		100		
	(7.99)		N	Notilium
■ SA0938 Special Authority for Manufacturers Price Initial application from any relevant practitioner. Approvals valid for nausea and vomiting.		·		
Renewal from any relevant practitioner. Approvals valid for 6 mor benefiting from treatment.	nths where the treat	tment r	emains app	propriate and the patient
HYOSCINE (SCOPOLAMINE) - Special Authority see SA0939 or	. •			
Patches, 1.5 mg	11.95	2	√ 9	Scopoderm TTS

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
■ SA0939 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid All of the following:	for 1 year for applicati	ons meeting the	following criteria:

- 1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease; and
 - 2 Patient cannot tolerate or does not adequately respond to oral anti-nausea agents; and
 - 3 The applicant must specify the underlying malignancy or chronic disease.

Renewal from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is

benefiting from treatment.	your whore the tre		and appropriate and t
HYOSCINE HYDROBROMIDE			
* Inj 400 μg per ml, 1 ml	6.66	5	Mayne
METOCLOPRAMIDE HYDROCHLORIDE			
* Tab 10 mg	5.15	100	Metamide
* Inj 5 mg per ml, 2 ml - Up to 5 inj available on a PSO	4.50	10	✓ <u>Pfizer</u>
ONDANSETRON - Retail pharmacy-Specialist			
a) Maximum of 12 tab per prescription; can be waived by S	pecial Authority see	SA0887 be	low
b) Maximum of 6 tab per dispensing; can be waived by Spe			
c) Not more than one prescription per month; can be waive			887 below.
d) The maximum of 6 tab per dispensing cannot be waived		on Criteria.	
Tab 4 mg		10	✓ Zofran
Tab disp 4 mg	17.18	10	Zofran Zydis
Tab 8 mg	33.89	20	✓ Zofran
Tab disp 8 mg	20.43	10	Zofran Zydis

■SA0887 Special Authority for Waiver of Rule

Initial application from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing prolonged treatment with highly emetogenic chemotherapy and/or highly emetogenic radiation therapy for the treatment of malignancy.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing prolonged treatment with highly emetogenic chemotherapy and/or highly emetogenic radiation therapy for the treatment of malignancy.

PROCHLORPERAZINE

* Tab 3 mg buccal	5.97	50	
•	(15.00)		Buccastem
* Tab 5 mg - Up to 30 tab available on a PSO	16.85	500	✓ Antinaus
* Inj 12.5 mg per ml, 1 ml - Up to 5 inj available on a PSO	25.81	10	✓ Stemetil
* Suppos 25 mg	23.87	5	✓ Stemetil
PROMETHAZINE THEOCLATE			
* Tab 25 mg	1.20	10	
	(6.24)		Avomine
TROPISETRON - Hospital pharmacy [HP3]-Specialist			
a) Maximum of 6 cap per prescription			
b) Maximum of 3 cap per dispensing			
c) Not more than one prescription per month.			
Cap 5 mg	77.41	5	✓ Navoban

Antiparkinson Agents

Dopamine Agonists and Related Agents

AMANTADINE HYDROCHLORIDE ▲ Cap 100 mg	47.81	60	✓ <u>Symmetrel</u>
APOMORPHINE HYDROCHLORIDE Inj 10 mg per ml, 2 ml	50.43	5	✓ Apomine

		Subsidy (Manufacturer's Price)		Fully Brand or Subsidised Generic
		(Manufacturer's Price) \$	Per	✓ Manufacturer
ROM	OCRIPTINE MESYLATE			
	b 2.5 mg	32.08	100	✓ Alpha-
	S			Bromocriptine
				✓ Apo-Bromocriptine
* Ta	b 10 mg	120.86	100	✓ Alpha-
	•			Bromocriptine
* Ca	ap 5 mg	60.43	100	✓ Apo-
				Bromocriptine S29
(Alpha	-Bromocriptine Tab 2.5 mg to be delisted 1 June 2010)			
'Alpha	-Bromocriptine Tab 10 mg to be delisted 1 March 2010)			
ENTAC	CAPONE			
▲ Ta	b 200 mg	116.00	100	✓ Comtan
FVOI	OOPA WITH BENSERAZIDE			
	b dispersible 50 mg with benserazide 12.5 mg	10.00	100	✓ Madopar
				Dispersible
* Ca	ap 50 mg with benserazide 12.5 mg	8.00	100	✓ Madopar 62.5
	ap 100 mg with benserazide 25 mg		100	✓ Madopar 125
	ap long-acting 100 mg with benserazide 25 mg		100	✓ Madopar HBS
	ap 200 mg with benserazide 50 mg		100	✓ Madopar 250
FVOI	DOPA WITH CARBIDOPA			
	b 100 mg with carbidopa 25 mg	10.00	50	✓ Sindopa
		20.00	100	Sinemet
* Ta	b long-acting 200 mg with carbidopa 50 mg		100	✓ Sinemet CR
	b 250 mg with carbidopa 25 mg		100	✓ Sinemet
ISUR	IDE HYDROGEN MALEATE			
	b 200 µg	27.50	30	✓ Dopergin
	OLIDE			
	b 0.25 mg	48.00	100	✓ Permax
	b 1 mg		100	✓ Permax
	·		100	T CHINAX
	IIROLE HYDROCHLORIDE	7.00	0.4	A Panin
	b 0.25 mgb 1 mg		84 84	✓ <u>Ropin</u> ✓ Ropin
	b 2 mg		84	✓ Ropin
	b 5 mg		84	✓ Ropin
			-	<u></u> -
	GILINE HYDROCHLORIDE lb 5 mg	16.06	100	✓ Apo-Selegiline
		10.00	100	Apo-Selegilille
	APONE – Retail pharmacy-Specialist prescription	tt		
	pecialist must be a neurologist, geriatrician or general phy		100	1/ Toomer
	b 100 mg	128.73	100	✓ Tasmar
Anti	cholinergics			
BENZ1	FROPINE MESYLATE			
	b 2 mg	7.99	60	✓ Benztrop
	1 mg per ml, 2 ml		5	✓ Cogentin
,	a) Up to 5 inj available on a PSO			ŭ
	b) Only on a PSO			
ORPH	ENADRINE HYDROCHLORIDE			
		31.93	250	✓ Disipal

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
PROCYCLIDINE HYDROCHLORIDE Tab 5 mg	7.40	100	✓ K	emadrin	

Antipsychotics

Guidelines for the use of atypical antipsychotic agents

Diagnosis: Schizophrenia and related psychoses when positive symptoms (delusions, hallucinations and thought disorder) are prominent and/or disabling or when both positive symptoms and negative symptoms (flattened affect, emotional and social withdrawal and poverty of speech) are present. Treatment: Before initiating atypical antipsychotic therapy, physicians should consider whether the patient is likely to respond to and/or tolerate conventional antipsychotic therapy and, where appropriate, trial one or more conventional agent prior to use of an atypical agent.

General

AMISULPRIDE			
Tab 100 mg	22.52	30	Solian
Tab 200 mg	97.03	60	Solian
Tab 400 mg	185.44	60	Solian
Oral liq 100 mg per ml	55.44	60 ml	Solian
ARIPIPRAZOLE - Special Authority see SA0920 below - Reta	il pharmacy		
Tab 10 mg	123.54	30	Abilify
Tab 15 mg	175.28	30	✓ Abilify
Tab 20 mg	213.42	30	✓ Abilify
Tab 30 mg	260.07	30	✓ Abilify

■ SA0920 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Fither:
 - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
 - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

CHLORPROMAZINE HYDROCHLORIDE

Tab 10 mg - Up to 30 tab available on a PSO12.36	100	Largactil
Tab 25 mg - Up to 30 tab available on a PSO13.02	100	✓ Largactil
Tab 100 mg - Up to 30 tab available on a PSO30.61	100	✓ Largactil
Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO25.66	10	✓ Largactil

	Subsidy		Fully	
	(Manufacturer's Pric \$	e) Per	Subsidised	
CLOZADINE Hospital pharmacu [HD4]	*			
CLOZAPINE – Hospital pharmacy [HP4]	12 27	50		Clozaril
Tab 25 mg	26.74	100	-	Clozarii
	26.74 6.69		-	
	13.37	50 100		Clopine Clopine
Tab E0 mg		50		•
Tab 50 mg	17.33	100		Clopine
Tab 100 mg				Clopine Clozaril
Tab 100 mg		50		Clozarii
	69.30	100		
	17.33	50		Clopine
T-b 000	34.65	100		Clopine
Tab 200 mg		50		Clopine
0	69.30	100		Clopine
Suspension 50 mg per ml	17.33	100 ml		Clopine
HALOPERIDOL				
Tab 500 μg – Up to 30 tab available on a PSO	4.93	100	V :	<u>Serenace</u>
Tab 1.5 mg - Up to 30 tab available on a PSO	7.45	100	V :	<u>Serenace</u>
Tab 5 mg - Up to 30 tab available on a PSO	23.49	100	V :	<u>Serenace</u>
Oral liq 2 mg per ml - Up to 200 ml available on a PSO	18.06	100 ml	V :	<u>Serenace</u>
Inj 5 mg per ml, 1 ml - Up to 5 inj available on a PSO	17.04	10	V :	Serenace
LITHIUM CARBONATE				
Tab 250 mg	36.10	500	~	Lithicarb
Tab 400 mg		100		Lithicarb
Tab long-acting 400 mg		100		Priadel
Cap 250 mg		100		Douglas
METHOTRIMEPRAZINE Tab 05 areas	40.00	400		M = -!
Tab 25 mg		100		Nozinan
Tab 100 mg		100		Nozinan
Inj 25 mg per ml, 1 ml		10	•	Nozinan
OLANZAPINE - Special Authority see SA0741 below - Retail pl	narmacy			
Tab 2.5 mg	51.07	28	V 7	Zyprexa
Tab 5 mg	101.21	28	V 7	Zyprexa
Tab 10 mg	204.49	28	V 7	Zyprexa

⇒SA0741 Special Authority for Subsidy

Initial application only from a psychiatrist. Approvals valid for 2 years for applications meeting the following criteria: Any of the following:

- 1 Patient presents with first episode schizophrenia or related psychoses; or
- 2 Both:
 - 2.1 Patient suffering from schizophrenia and related psychoses or acute mania in bipolar disorder who is likely to benefit from antipsychotic treatment; and
 - 2.2 Either:
 - 2.2.1 An effective dose of risperidone had been trialled and has been discontinued because of unacceptable side effects; or
 - 2.2.2 An effective dose of risperidone had been trialled and has been discontinued because of inadequate clinical response after 4 weeks; or
- 3 The patient has suffered from an acute episode of schizophrenia or bipolar mania and has been treated with olanzapine short-acting intra-muscular injection.

Subsidy		Fully	Brand or
(Manufacturer's Price)	Su	bsidised	Generic
\$	Per	~	Manufacturer

continued...

Renewal only from a psychiatrist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Initial prescriptions to be written by psychiatrists or psychiatric registrars and subsequent prescriptions can be written by General Practitioners.

General Practitioners.		
PERICYAZINE Tab 2.5 mg12.49	100	✓ Neulactil
Tab 10 mg	100	✓ Neulactil
•	100	• Neulactii
QUETIAPINE The SE was	00	
Tab 25 mg	90	Quetapel
46.20	60	✓ Seroquel
Tab 100 mg	90 60	✓ Quetapel✓ Seroquel
Tab 200 mg56.70	90	✓ Quetapel
158.76	60	✓ Seroquel
Tab 300 mg95.40	90	✓ Quetapel
267.12	60	✓ Seroquel
		00.04.0.
RISPERIDONE Tob 0.5 mg	60	✓ Apo-Risperidone
Tab 0.5 mg3.51 5.20	20	✓ Apo-hisperidorie ✓ Ridal
15.60	60	✓ Ridal
5.20	20	✓ Risperdal
Tab 1 mg	60	✓ Apo-Risperidone
	00	✓ Dr Reddy's Risperidone
30.77		✓ Ridal
00.77		✓ Risperdal
Tab 2 mg11.00	60	✓ Apo-Risperidone
		✓ Dr Reddy's Risperidone
61.53		✓ Ridal ✓ Risperdal
Tab 3 mg15.00	60	✓ Apo-Risperidone
		✓ Dr Reddy's Risperidone
92.32		✓ Ridal
		✓ Risperdal
Tab 4 mg20.00	60	✓ Apo-Risperidone ✓ Dr Reddy's
100.05		Risperidone ✓ Ridal
123.05		✓ Risperdal
Oral lig 1 mg per ml18.35	30 ml	✓ Apo-Risperidone
Oral liq 1 mg por mir10.00	00 1111	✓ Risperon
45.92		✓ Risperdal
TRIFLUOPERAZINE HYDROCHLORIDE		
Tab 1 mg9.83	100	✓ Stelazine S29
Tab 2 mg	100	✓ Stelazine S29
Tab 5 mg16.66	100	✓ Stelazine S29
•		

	Subsidy (Manufacturer's Price)	F Subsid	Fully Brand or ised Generic
`	\$	Per	✓ Manufacturer
ZIPRASIDONE – Subsidy by endorsement			
Ziprasidone is subsidised for patients suffering from schizoph risperidone or quetiapine that has been discontinued, or is in the	e process of being		
effects or inadequate response, and the prescription is endorse Cap 20 mg	0,	60	✓ Zeldox
Cap 40 mg			✓ Zeldox
Cap 60 mg			✓ Zeldox
Cap 80 mg		60	✓ Zeldox
ZUCLOPENTHIXOL HYDROCHLORIDE			
Tab 10 mg	31.45	100	✓ Clopixol
Depot Injections			
FLUPENTHIXOL DECANOATE			
Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO	13.14	5	✓ Fluanxol
Inj 20 mg per ml, 2 ml - Up to 5 inj available on a PSO	20.90	5	✓ Fluanxol
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO	40.87	5	✓ Fluanxol
FLUPHENAZINE DECANOATE			
Inj 12.5 mg per 0.5 ml, 0.5 ml - Up to 5 inj available on a PSO	17.60	5	✓ Modecate
Inj 25 mg per ml, 1 ml - Up to 5 inj available on a PSO	27.90	5	✓ Modecate
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO	154.50	5	✓ Modecate
HALOPERIDOL DECANOATE			
Inj 50 mg per ml, 1 ml - Up to 5 inj available on a PSO	28.39	5	✓ Haldol
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO	55.90	5	✓ Haldol Concentrate
PIPOTHIAZINE PALMITATE			
Inj 50 mg per ml, 1 ml - Up to 5 inj available on a PSO	178.48	10	✓ Piportil
Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	353.32	10	✓ Piportil
RISPERIDONE - Special Authority see SA0926 below - Retail pha	armacy		
Microspheres for injection 25 mg	175.00	1 (✓ Risperdal Consta
Microspheres for injection 37.5 mg	230.00	1 (✓ Risperdal Consta
Microspheres for injection 50 mg	280.00	1 (✓ Risperdal Consta
▶ SA0926 Special Authority for Subsidy			

Subsidy

E. II.

Brand or

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has schizophrenia or other psychotic disorder; and
- 2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 Both:
 - 1.1 The patient has had less than 12 months treatment with risperidone microspheres; and
 - 1.2 There is no clinical reason to discontinue treatment; or
- 2 The initiation of risperidone microspheres has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of risperidone microspheres.

Note: Risperidone microspheres should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone microspheres.

ZUCLOPENTHIXOL DECANOATE

Inj 200 mg per ml, 1 ml - Up to 5 inj available on a PSO19.80 ✔ Clopixol

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
Orodispersible Antipsychotics					
OLANZAPINE – Special Authority see SA0739 below – Retail ph Wafer 5 mg Wafer 10 mg	102.19	28 28		yprexa Zydis yprexa Zydis	

⇒SA0739 Special Authority for Subsidy

Initial application only from a psychiatrist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient meets the current criteria for standard olanzapine tablets; and
- 2 The patient is unable to take standard olanzapine tablets, or once stabilized refuses to take olanzapine tablets; or the patient is non-adherent to oral therapy with standard olanzapine tablets; and
- 3 The patient is under direct supervision for administration of medicine.

Renewal only from a psychiatrist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The patient is unable to take standard olanzapine tablets, or once stabilized refuses to take olanzapine tablets; and
- 2 The patient is under direct supervision for administration of medicine.

Note: Initial prescriptions to be written by psychiatrists and subsequent prescriptions can be written by psychiatric registrars or General Practitioners.

Risperdal Quicklet
Risperdal Quicklet
Risperdal Quicklet

■SA0927 Special Authority for Subsidy

Initial application — (Acute situations) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 For a non-adherent patient on oral therapy with standard risperidone tablets or risperidone oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Initial application — (Chronic situations) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Note: Risperdal Quicklets cost significantly more than risperidone tablets and should only be used where necessary.

Anxiolytics

ALPRAZOLAM – Month Restriction		
Tab 250 μg3.15	50	Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
Tab 500 μg4.10	50	Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
Tab 1 mg7.25	50	Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
BUSPIRONE HYDROCHLORIDE - Special Authority see SA08	63 below – Retail phar	macy		
Month Restriction	00.00	400		ne di e Decembro
Tab 5 mg		100 100		Pacific Buspirone Pacific Buspirone
Tab 10 mg	17.00	100	V 1	acilic buspirone
■ SA0863 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid Both:	for 2 years for applica	tions	meeting th	e following criteria:
1 For use only as an anxiolytic; and				
2 Other agents are contraindicated or have failed.				
Renewal from any relevant practitioner. Approvals valid for 2 y	ears where the treatm	ent re	emains app	propriate and the patient is
benefiting from treatment.				•
DIAZEPAM				
Tab 2 mg - Month Restriction	11.44	500	V 1	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liqui	d preparations.			•
Tab 5 mg - Month Restriction	5.00	250	✓ I	Pro-Pam
	13.71	500	V 1	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liqui				
Tab 10 mg - Month Restriction		100	~ I	Pro-Pam
‡ Safety cap for extemporaneously compounded oral liqui	d preparations.			
(Pro-Pam Tab 5 mg to be delisted 1 March 2010)				
(Pro-Pam Tab 10 mg to be delisted 1 April 2010)				
LORAZEPAM – Month Restriction				
Tab 1 mg		250		Ativan
‡ Safety cap for extemporaneously compounded oral liqui		400		
Tab 2.5 mg		100	V 1	Ativan
‡ Safety cap for extemporaneously compounded oral liqui	d preparations.			
OXAZEPAM – Month Restriction				
Tab 10 mg		100		2 5
+ Cofeby con few outcomposance uply composance de discussions	(5.89)		(Ox-Pam
‡ Safety cap for extemporaneously compounded oral liqui		100		
Tab 15 mg	(8.13)	100	,	Ox-Pam

Multiple Sclerosis Treatments

■SA0855 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Budget managed by appointed clinicians on the Multiple Sclerosis Treatment Assessments Committee (MSTAC).

Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

NERVOUS SYSTEM

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Appeals against MSTAC's decision and/or the processing of any application may be lodged with the MSTAC coordinator. Concerns that cannot be or have not been adequately addressed by MSTAC will be forwarded to a separate Appeal Committee if necessary. Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

Entry Criteria

- Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis should as a rule include MRI confirmation. For patients diagnosed before MRI was widely utilised in New Zealand, confirmation of diagnosis via clinical assessment and laboratory/ancillary data must be provided; and
- 2) patients must have active relapsing MS (confirmed by MR scan where necessary) with or without underlying progression; and
- 3) patients must have either:
 - a) EDSS score 2.5 5.5 with 2+ relapses:
 - experienced at least 2 significant relapses of MS in the previous 12 months, and
 - an EDSS score of between 2.5 and 5.5 inclusive; or
 - b) EDSS score 2.0 with 3+ relapses:
 - experienced at least 3 significant relapses of MS in the previous 12 months, and
 - an EDSS score of 2.0; and
- 4) Each relapse must:
 - a) be confirmed by a neurologist or general physician (the patient may not necessarily have been seen during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria):
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) follow a period of stability of at least one month;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke functional systems scores by at least 1 point:
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T>37.5°C); and
- 5) applications must be made at least four weeks after the date of the onset of the last known relapse; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate (see criteria for stopping).
- 7) applications must be submitted to the Multiple Sclerosis Treatment Assessment Committee (MSTAC) by the patient's neurologist or a general physician; and
- 8) patients must agree (via informed consent) to co-operate if as a result of their meeting the stopping criteria, funding is withdrawn. Patients must agree to the collection of clinical data relating to their MS and use of those data by PHARMAC; and
- 9) patients must agree to allow clinical data to be collected and reviewed by MSTAC annually for each year in which they receive funding for beta-interferon or glatiramer acetate.

Stopping Criteria

Confirmed progression of disability that is sustained for three months after a minimum of one year of treatment. Progression
of disability is defined as either an increase of 1 EDSS point from the starting EDSS or an increase in EDSS score to 6.0 or
more; or

Fully Brand or ubsidised Generic Manufacturer	
6	Subsidised Generic

continued...

- 2) stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment); or
- 3) pregnancy and/or lactation; or
- 4) within the 12 month approval year, intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate: or
- 5) non-compliance with treatment, including refusal to undergo annual assessment or refusal to allow the results of the assessment to be submitted to MSTAC; or
- 6) patients may, subject to conclusions drawn from published evidence available at the time, be excluded if they develop a high titre of neutralising anti-bodies to beta-interferon or glatiramer acetate.

GLATIRAMER ACETATE – Special Authority see SA0855 Inj 20 mg prefilled syringe		28	✓ Copaxone
INTERFERON BETA-1-ALPHA – Special Authority see SA		0	Сориноно
Inj 6 million iu prefilled syringe		4	✓ Avonex
Inj 6 million iu per vial		4	✓ Avonex
INTERFERON BETA-1-BETA - Special Authority see SA0	355 on page 130		
Ini 8 million ju per 1 ml	, ,	15	✓ Betaferon

Sedatives and Hypnotics

LORMETAZEPAM - Month Restriction			
Tab 1 mg	3.11	30	
-	(23.50)		Noctamid

‡ Safety cap for extemporaneously compounded oral liquid preparations.

MIDAZOLAM

Note: Midazolam injection will be funded if prescribed for intranasal administration for use in palliative care. Note that only the Hypnovel brand is currently indicated for intranasal administration.

Tab 7.5 mg - Month Restriction	10.38	100	
	(25.00)		Hypnovel
‡ Safety cap for extemporaneously compounded ora	al liquid preparations.		
Inj 1 mg per ml, 5 ml	10.75	10	Hypnovel
	(14.73)		Pfizer
Inj 5 mg per ml, 3 ml	11.90	5	Hypnovel
	(19.64)		Pfizer
NITRAZEPAM - Month Restriction			
Tab 5 mg	2.00	100	
	(4.98)		Nitrados
‡ Safety cap for extemporaneously compounded ora	al liquid preparations.		
TEMAZEPAM - Month Restriction			
Tab 10 mg	0.83	25	✓ Normison
‡ Safety cap for extemporaneously compounded ora	al liquid preparations.		
TRIAZOLAM - Month Restriction			
Tab 125 μg	5.10	100	
	(6.50)		Hypam
‡ Safety cap for extemporaneously compounded ora	al liquid preparations.		
Tab 250 μg	4.10	100	
	(7.20)		Hypam
‡ Safety cap for extemporaneously compounded ora	al liquid preparations.		
ZOPICLONE - Month Restriction			
Tab 7.5 mg	21.02	500	✓ Apo-Zopiclo

Subsidy		Fully	Brand or
(Manufacturer's Price)	S	ubsidised	Generic
\$	Per	~	Manufacturer

Other CNS Agents

ATOMOXETINE - Special Authority see SA0951 below -	Retail pharmacy		
Cap 10 mg	107.03	28	Strattera
Cap 18 mg	107.03	28	Strattera
Cap 25 mg	107.03	28	Strattera
Cap 40 mg	107.03	28	Strattera
Cap 60 mg	107.03	28	Strattera
Cap 80 mg	139.11	28	Strattera
Cap 100 mg	139.11	28	✓ Strattera

■ SA0951 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
 - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
 - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
 - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamphetamine sulphate tablets.

DEXAMPHETAMINE SULPHATE - Special Authority see SA0907 below - Retail pharmacy

Only on a controlled drug form

Tab 5 mg16.50 100 ✓ PSM

⇒SA0907 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over – new patients) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Both:
 - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 3.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients 5 or over - patient has had an approval for dexamphetamine for ADHD prior to 1 April 2008) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

NERVOUS SYSTEM

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Both:
 - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 2.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients under 5 – new patients) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (ADHD in patients under 5 - patient has had an approval for dexamphetamine for ADHD in patients under 5 prior to 1 April 2008) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Narcolepsy – new patients) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Initial application — (Narcolepsy - patient has had an approval for dexamphetamine for narcolepsy prior to 1 April 2008) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment..

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Both:
 - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 2.2.2 Provide name of the recommending specialist.

Note: If the patient had an approval for dexamphetamine for ADHD prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for dexamphetamine for ADHD in patients under 5 prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for dexamphetamine for narcolepsy prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

DISULFIRAM

Tab 200 mg24.30 100 ✔ Antabuse

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
METHYLPHENIDATE HYDROCHLORIDE - Special Authority see	SA0908 below – Re	tail n	harmacv		
Only on a controlled drug form		.с р			
Tab immediate-release 5 mg	3.20	30	✓ R	ubifen	
Tab immediate-release 10 mg		30	✓ R	italin	
			✓ R	ubifen	
Tab immediate-release 20 mg	7.85	30	✓ R	ubifen	
Tab sustained-release 20 mg	10.95	30	✓ R	ubifen SR	
	50.00	100	✓ R	italin SR	

⇒SA0908 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over – new patients) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Fither:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Both:
 - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 3.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients 5 or over - patient has had an approval for methylphenidate for ADHD prior to 1 April 2008) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist: or
 - 2.2 Both:
 - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 2.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients under 5 – new patients) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (ADHD in patients under 5 - patient has had an approval for methylphenidate for ADHD in patients under 5 prior to 1 April 2008) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Narcolepsy – new patients) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Initial application — (Narcolepsy - patient has had an approval for methylphenidate for narcolepsy prior to 1 April 2008) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 vears and has recommended treatment for the patient; and
 - 2.2.2 Provide name of the recommending specialist.

Note: If the patient had an approval for methylphenidate for ADHD prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for methylphenidate for ADHD in patients under 5 prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for methylphenidate for narcolepsy prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA0924 below - Retail pharmacy

Only on a controlled drug form		
Tab extended-release 18 mg58.96	30	Concerta
Tab extended-release 27 mg65.44	30	Concerta
Tab extended-release 36 mg71.93	30	Concerta
Tab extended-release 54 mg86.24	30	Concerta
Cap modified-release 10 mg19.50	30	Ritalin LA
Cap modified-release 20 mg25.50	30	Ritalin LA
Cap modified-release 30 mg31.90	30	Ritalin LA
Cap modified-release 40 mg	30	Ritalin LA

■SA0924 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Both:
 - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 vears and has recommended treatment for the patient; and
 - 3.2.2 Provide name of the recommending specialist: and
- 4 Either:
 - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustainedrelease) which has not been effective due to significant administration and/or compliance difficulties; or
 - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochlo-

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

NERVOUS SYSTEM

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ continued... Both: 1 The treatment remains appropriate and the patient is benefiting from treatment; and 2.1 Applicant is a paediatrician or psychiatrist; or 2.2 Both: 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 vears and has recommended treatment for the patient; and 2.2.2 Provide name of the recommending specialist. NALOXONE HYDROCHLORIDE a) Up to 5 inj available on a PSO b) Only on a PSO * Inj 400 μg per ml, 1 ml33.00 ✓ Mavne NALTREXONE HYDROCHLORIDE - Special Authority see SA0909 below - Retail pharmacy ReVia ■ SA0909 Special Authority for Subsidy Initial application from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both: 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and 2 Applicant works in a community Alcohol and Drug Service contracted to one of the 21 District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard. Renewal from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both: 1 Compliance with the medication (prescriber determined); and 2 Any of the following: 2.1 Patient is still unstable and requires further treatment; or 2.2 Patient achieved significant improvement but requires further treatment: or

2.3 Patient is well controlled but requires maintenance therapy.

The patient may not have had more than 1 prior approval in the last 12 months.

TETRABENAZINE

Tab 25 mg243.00 112 **✓ Xenazine 25**

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Chemotherapeutic Agents

Alkylating Agents

BUSULPHAN – PCT – Retail pharmacy-Specialist Tab 2 mg	47.80	100	✓ Myleran
· ·	47.09	100	Wiyiciali
CARBOPLATIN – PCT only – Specialist Inj 10 mg per ml, 5 ml	20.00	1	✓ Carboplatin Ebewe
Inj 10 mg per ml, 15 ml		1	✓ Carboplatin Ebewe
Inj 10 mg per ml, 45 ml		1	✓ Carboplatin Ebewe
Inj 10 mg per ml, 100 ml		i	✓ Carboplatin Ebewe
Inj 1 mg for ECP		1 mg	✓ Baxter
CARMUSTINE - PCT only - Specialist		9	
Inj 100 mg	20/113	1	✓ BiCNU
Inj 100 mg for ECP		100 mg OP	✓ Baxter
	204.10	100 mg Oi	Daxiel
CHLORAMBUCIL – PCT – Retail pharmacy-Specialist	00.05	0.5	
Tab 2 mg	22.35	25	✓ Leukeran FC
CISPLATIN - PCT only - Specialist			
Inj 1 mg per ml, 50 ml	19.00	1	Cisplatin Ebewe
			✓ Mayne
Inj 1 mg per ml, 100 ml	38.00	1	✓ Cisplatin Ebewe
			Mayne
Inj 1 mg for ECP	0.46	1 mg	✓ Baxter
CYCLOPHOSPHAMIDE			
Tab 50 mg - PCT - Retail pharmacy-Specialist		50	Cycloblastin
Inj 1 g - PCT - Retail pharmacy-Specialist	23.65	1	✓ Endoxan
	127.80	6	Cytoxan
Inj 2 g - PCT only - Specialist		1	✓ Endoxan
Inj 1 mg for ECP - PCT only - Specialist	0.03	1 mg	✓ Baxter
IFOSFAMIDE - PCT only - Specialist			
Inj 1 g	96.00	1	✓ Holoxan
lnj 2 g	180.00	1	✓ Holoxan
Inj 1 mg for ECP	0.10	1 mg	✓ Baxter
LOMUSTINE - PCT only - Specialist			
Cap 10 mg	132.59	20	✓ CeeNU
Cap 40 mg		20	✓ CeeNU
MELPHALAN			
Tab 2 mg - PCT - Retail pharmacy-Specialist	31 31	25	✓ Alkeran
Inj 50 mg - PCT only - Specialist		1	✓ Alkeran
, ,		nout none	7
OXALIPLATIN - PCT only - Specialist - Special Authority se Inj 50 mg		next page 1	✓ Oxaliplatin Ebewe
IIIJ 50 IIIg	200.00	ı	✓ Eloxatin
Inj 100 mg		1	✓ Oxaliplatin Ebewe
iiij 100 iiig	400.00	1	✓ Eloxatin
Inj 1 mg for ECP		1 mg	✓ Baxter
ng r mg lor Lor	1.74	illig	DUALGI

Subsidy Fully Brand or Subsidised Generic Per Per Manufacturer

■ SA0900 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 Both:
 - 1.1 The patient has metastatic colorectal cancer; and
 - 1.2 To be used for first or second line use as part of a combination chemotherapy regimen; or
- 2 Both:
 - 2.1 The patient has stage III (Duke's C) colorectal* cancer; and
 - 2.2 Adjuvant oxaliplatin to be given in combination with a fluoropyrimidine (fluorouracil or capecitabine).

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

1 The patient requires continued therapy; or

THIOTEPA - PCT only - Specialist

2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with * are Unapproved Indications, oxaliplatin is indicated for adjuvant treatment of stage III (Duke's C) colon cancer after complete resection of the primary tumour.

Inj 15 mgCBS	1	✓ Bedford S29
Antimetabolites		
CALCIUM FOLINATE		
Tab 15 mg - PCT - Hospital pharmacy [HP3]-Specialist	9 10	✓ Mayne
Specialist	5	✓ Mayne
Inj 50 mg - PCT - Hospital pharmacy [HP1]-Specialist24.50	5	✓ <u>Calcium Folinate</u> <u>Ebewe</u>
Inj 100 mg - PCT only - Specialist9.75	5 1	Calcium Folinate Ebewe
Inj 300 mg - PCT only - Specialist30.00) 1	✓ Calcium Folinate Ebewe
Inj 1 g - PCT only - Specialist100.00) 1	Calcium FolinateEbewe
Inj 1 mg for ECP - PCT only - Specialist0.10	0 1 mg	✓ Baxter
CAPECITABINE - Hospital pharmacy [HP1]-Specialist - Special Authority se	ee SA0869 below	
Tab 150 mg115.00	0 60	✓ Xeloda
Tab 500 mg705.00		✓ Xeloda

⇒SA0869 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Any of the following:

- 1 The patient has advanced gastrointestinal malignancy: or
- 2 The patient has metastatic breast cancer*; or
- 3 The patient has stage III (Duke's stage C) colorectal*# cancer and undergone surgery; or
- 4 Roth
 - 4.1 The patient has poor venous access or needle phobia*; and
 - 4.2 The patient requires a substitute for single agent fluoropyrimidine*.

Renewal only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Fither:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

- 1 The patient requires continued therapy; or
 - 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with * are Unapproved Indications, #	capecitabine is app	proved for stage	III (Duke's stage C) colon cand
CLADRIBINE - PCT only - Specialist			
Inj 2 mg per ml, 5 ml	873.00	1	✓ Litak S29
Inj 1 mg per ml, 10 ml	5,249.72	7	Leustatin
Inj 10 mg for ECP	749.96	10 mg OP	✓ Baxter
CYTARABINE			
Inj 100 mg - PCT - Retail pharmacy-Specialist	80.00	5	✓ Mayne
, , , , , , , , , , , , , , , , , , , ,			✓ Pharmacia
Inj 100 mg per ml, 5 ml - PCT - Retail pharmacy-Specia	list95.36	5	✓ Mayne
Inj 100 mg per ml, 10 ml - PCT - Retail pharmacy-Speci	alist42.65	1	✓ Mayne
Inj 100 mg per ml, 20 ml - PCT only - Specialist	34.47	1	✓ Mayne
Inj 1 mg for ECP - PCT only - Specialist	0.03	1 mg	✓ Baxter
Inj 100 mg intrathecal syringe for ECP - PCT only - Speci	alist16.00	100 mg OP	✓ Baxter
FLUDARABINE PHOSPHATE - PCT only - Specialist			
Tab 10 mg	650.25	15	✓ Fludara
and a g	867.00	20	Fludara Oral
Inj 50 mg	1,430.00	5	✓ Fludara
Inj 50 mg for ECP		50 mg OP	✓ Baxter
(Fludara Tab 10 mg to be delisted 1 July 2010)		J	
FLUOROURACIL SODIUM			
Inj 50 mg per ml, 10 ml - PCT only - Specialist	4 95	1	✓ Fluorouracil Ebewe
Inj 50 mg per ml, 20 ml — PCT only — Specialist		1	✓ Fluorouracil Ebewe
Inj 25 mg per ml, 100 ml - PCT only - Specialist		i	✓ Mayne
Inj 50 mg per ml, 50 ml — PCT only — Specialist		1	✓ Fluorouracil Ebewe
Inj 50 mg per ml, 100 ml - PCT only - Specialist		1	✓ Fluorouracil Ebewe
Inj 1 mg for ECP - PCT only - Specialist		1 mg	✓ Baxter
GEMCITABINE HYDROCHLORIDE - PCT only - Specialist	- Special Authority	see SA0877 on	the next page
Inj 1 g	,	1	✓ Gemcitabine Ebewe
, . 9	349.20	•	✓ Gemzar
Inj 200 mg		1	✓ Gemcitabine Ebewe
·· , ·· · · ·	78.00	•	✓ Gemzar
Inj 1 mg for ECP	0.26	1 mg	✓ Baxter
		-	

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

■SA0877 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has non small cell lung carcinoma (stage IIIa, or above); or
- 2 The patient has advanced malignant mesothelioma*; or
- 3 The patient has advanced pancreatic carcinoma; or
- 4 The patient has ovarian, fallopian tube* or primary peritoneal carcinoma*; or
- 5 The patient has advanced transitional cell carcinoma of the urothelial tract (locally advanced or metastatic).

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with a * are Unapproved Indications.

		• • • • • • • • • • • • • • • • • • • •
		IRINOTECAN - PCT only - Specialist - Special Authority see SA0878 below
Camptosar	1	Inj 20 mg per ml, 2 ml124.00
Camptosar	1	Inj 20 mg per ml, 5 ml310.00
✓ Baxter	1 mg	Inj 1 mg for ECP

■SA0878 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both

- 1 The patient has metastatic colorectal cancer; and
- 2 Either:
 - 2.1 To be used for first or second line use as part of a combination chemotherapy regimen; or
 - 2.2 As single agent chemotherapy in fluropyrimidine-relapsed disease.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

MEDCARTORIDINE DOT Datail phormacon Consciplint		
MERCAPTOPURINE – PCT – Retail pharmacy-Specialist		
Tab 50 mg47.06	25	✓ Purinethol
METHOTREXATE		
* Tab 2.5 mg - PCT - Hospital pharmacy [HP3]-Specialist	30	Methoblastin
* Tab 10 mg - PCT - Hospital pharmacy [HP3]-Specialist	50	✓ Methoblastin
* Inj 2.5 mg per ml, 2 ml - PCT - Hospital pharmacy [HP1]-		
Specialist	5	✓ Mayne
* Inj 25 mg per ml, 2 ml - PCT - Hospital pharmacy [HP1]-		
Specialist	5	Mayne
* Inj 25 mg per ml, 20 ml - PCT - Hospital pharmacy [HP1]-		
Specialist	1	✓ Mayne
* Inj 100 mg per ml, 10 ml - PCT - Hospital pharmacy [HP1]-		
Specialist	1	✓ Methotrexate Ebewe
* Inj 100 mg per ml, 50 ml - PCT - Hospital pharmacy [HP1]-		
Specialist	1	✓ Methotrexate Ebewe
* Inj 1 mg for ECP - PCT only - Specialist	1 mg	✓ Baxter
* Inj 5 mg intrathecal syringe for ECP - PCT only - Specialist4.73	5 mg OP	✓ Baxter
Till 3 mg initiatifecal syringe for Lor = FOT only = Specialist4.73	Jilly OF	▼ Daxtel

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
THIOGUANINE – PCT – Hospital pharmacy [HP3]-Specialist Tab 40 mg	97.16	25	✓ La	anvis
Other Cytotoxic Agents				
AMSACRINE – PCT only – Specialist Inj 75 mg	CBS	6	✓ A	msidine (\$29)
ANAGRELIDE HYDROCHLORIDE – PCT only – Specialist – Specia	,	A0879 100	✓ A	grylin (S29) eva (S29)

⇒SA0879 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- Both:
 - 1 The patient has primary thrombocythaemia; and
 - 2 Either:
 - 2.1 is at high risk (previous thromboembolic disease, bleeding or platelet count >1500/ml); or
 - 2.2 is intolerant or refractory to hydroxyurea or interferon.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that treatment with anagrelide be initiated only on the recommendation of a haematologist.

	, , , , , ,		
ARSENIC TRIOXIDE - PCT only - Specialist Inj 10 mg	4,817.00	10	✓ AFT S29
BLEOMYCIN SULPHATE - PCT only - Specialist	,		
Inj 15,000 iu	120.00	1	✓ DBL Bleomycin Sulfate
	680.00	10	✓ Blenoxane
Inj 1,000 iu for ECP(Blenoxane Inj 15,000 iu to be delisted 1 June 2010)	9.28	1,000 iu	✓ Baxter
COLASPASE (L-ASPARAGINASE) - PCT only - Specialist			
Inj 10,000 iu	102.32	1	✓ Leunase
Inj 10,000 iu for ECP	102.32	10,000 iu OP	✓ Baxter
DACARBAZINE - PCT only - Specialist			
Inj 200 mg	43.86	1	✓ Mayne
Inj 200 mg for ECP	43.86	200 mg OP	✓ Baxter
DACTINOMYCIN (ACTINOMYCIN D) - PCT only - Specialist			
Inj 0.5 mg	13.52	1	✓ Cosmegen
Inj 0.5 mg for ECP	13.52	0.5 mg OP	✓ Baxter
DAUNORUBICIN - PCT only - Specialist		-	
Inj 2 mg per ml, 10 ml	99.00	1	✓ Pfizer S29
Inj 5 mg per ml, 4 ml		1	✓ Mayne
Inj 20 mg for ECP		20 mg OP	✓ Baxter
DOCETAXEL - PCT only - Specialist - Special Authority see	SA0880 on the r	ext page	
Inj 20 mg		1	✓ Docetaxel Ebewe
, ,	460.00		✓ Taxotere
Inj 80 mg	1,300.00	1	Docetaxel Ebewe
	1,650.00		✓ Taxotere
Inj 1 mg for ECP	17.55	1 mg	✓ Baxter

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✓ Manufacturer

⇒SA0880 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
 - 1.1 The patient has ovarian*, fallopian* or primary peritoneal cancer*; and
 - 1.2 Either:
 - 1.2.1 Has not received prior chemotherapy; or
 - 1.2.2 Has received prior chemotherapy but has not previously been treated with taxanes; or
- 2 The patient has metastatic breast cancer; or
- 3 Both:
 - 3.1 The patient has early breast cancer; and
 - 3.2 Docetaxel is to be given concurrently with trastuzumab; or
- 4 Both:
 - 4.1 The patient has non small-cell lung cancer; and
 - 4.2 Either:
 - 4.2.1 Has advanced disease (stage IIIa or above); or
 - 4.2.2 Is receiving combined chemotherapy and radiotherapy; or
- 5 Both:
 - 5.1 The patient has small-cell lung cancer*; and
 - 5.2 Docetaxel is to be used as second-line therapy.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic breast cancer, non small-cell lung cancer, or small-cell lung cancer*; and
- 2 Either:
 - 2.1 The patient requires continued therapy; or
 - 2.2 The tumour has relapsed and requires re-treatment.

Note: indications marked with * are Unapproved Indications.

DOYORI IRICIN - PCT only - Specialist

DOXORUBICIN - PCT only - Specialist			
Inj 10 mg	8.80	1	Doxorubicin Ebewe
Inj 50 mg		1	Doxorubicin Ebewe
Inj 100 mg		1	Doxorubicin Ebewe
Inj 200 mg		1	✓ Doxorubicin Ebewe
Inj 1 mg for ECP		1 mg	✓ Baxter
EPIRUBICIN - PCT only - Specialist			
Inj 2 mg per ml, 5 ml	25.00	1	Epirubicin Ebewe
Inj 2 mg per ml, 25 ml	87.50	1	✓ Epirubicin Ebewe
Inj 2 mg per ml, 50 ml	155.00	1	✓ Epirubicin Ebewe
Inj 2 mg per ml, 100 ml		1	✓ Epirubicin Ebewe
Inj 1 mg for ECP		1 mg	✓ Baxter
ETOPOSIDE			
Cap 50 mg - PCT - Hospital pharmacy [HP3]-Specia	list340.73	20	✓ Vepesid
Cap 100 mg - PCT - Hospital pharmacy [HP3]-Speci	alist340.73	10	✓ Vepesid
Inj 20 mg per ml, 5 ml - PCT - Hospital pharmacy	[HP1]-		
Specialist	25.00	1	✓ Mayne
	612.20	10	✓ Vepesid
Inj 1 mg for ECP - PCT only - Specialist	0.30	1 mg	✓ Baxter

	Subsidy		Fully Brand or
	(Manufacturer's Pric	e) S Per	ubsidised Generic Manufacturer
ETODOCIDE DI IOCDI IATE DOT cult. Consistint	*		-
ETOPOSIDE PHOSPHATE – PCT only – Specialist Inj 100 mg (of etoposide base)	40.00	1	✓ Etopophos
Inj 1 mg (of etoposide base) for ECP	40.00	1 mg	✓ Baxter
	0.47	Tilly	Daxtel
HYDROXYUREA – PCT – Retail pharmacy-Specialist	04.70	100	4.1
Cap 500 mg	31./6	100	✓ Hydrea
IDARUBICIN HYDROCHLORIDE – PCT only – Specialist			
Cap 5 mg		1	✓ Zavedos
Cap 10 mg		1	Zavedos
Inj 5 mg		1	Zavedos
Inj 10 mg		_ 1	Zavedos
Inj 1 mg for ECP	37.74	1 mg	✓ Baxter
MESNA - PCT only - Specialist			
Tab 400 mg		50	✓ Uromitexan
Tab 600 mg		50	✓ Uromitexan
Inj 100 mg per ml, 4 ml		15	✓ Uromitexan
Inj 100 mg per ml, 10 ml		15	Uromitexan
Inj 1 mg for ECP	0.02	1 mg	✓ Baxter
MITOMYCIN C - PCT only - Specialist			
Inj 2 mg	283.00	10	✓ Mitomycin-C (\$29)
Inj 10 mg		5	✓ Mitomycin-C (S29)
Inj 1 mg for ECP	11.85	1 mg	✓ Baxter
(Mitomycin-C S29 Inj 10 mg to be delisted 1 June 2010)			
MITOZANTRONE - PCT only - Specialist			
Inj 2 mg per ml, 5 ml	110.00	1	Mitozantrone Ebewe
Inj 2 mg per ml, 10ml		1	Mitozantrone Ebewe
Inj 2 mg per ml, 12.5 ml		1	✓ Onkotrone
Inj 1 mg for ECP	12.43	1 mg	✓ Baxter
PACLITAXEL - PCT only - Specialist			
Inj 30 mg	189.75	5	✔ Paclitaxel Ebewe
Inj 100 mg	125.35	1	✔ Paclitaxel Ebewe
Inj 150 mg		1	✓ Paclitaxel Ebewe
Inj 300 mg		1	Paclitaxel Ebewe
Inj 600 mg		_ 1	✓ Paclitaxel Ebewe
Inj 1 mg for ECP	1.32	1 mg	✓ Baxter
PENTOSTATIN (DEOXYCOFORMYCIN) - PCT only - Speciali	st		
Inj 10 mg	CBS	1	✓ Nipent S29
PROCARBAZINE HYDROCHLORIDE - PCT only - Specialist			
Cap 50 mg	225.00	50	✓ Natulan (\$29)
TEMOZOLOMIDE - Special Authority see SA0831 on the next		macy [HE	23]
Cap 5 mg		5	✓ Temodal
Cap 20 mg		5	✓ Temodal
Cap 100 mg		5	✓ Temodal
Cap 250 mg		5	✓ Temodal
	-,	-	

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

⇒SA0831 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 10 months for applications meeting the following criteria: All of the following:

- 1 Patient has newly diagnosed glioblastoma multiforme; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of six cycles of 5 days treatment, at a maximum dose of 200 mg/m².

Notes: Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme. Reapplications will not be approved. Studies of temozolomide show that its benefit is predominantly in those patients with a good performance status (WHO grade 0 or 1 or Karnofsky score >80), and in patients who have had at least a partial resection of the tumour.

TENIPOSIDE – PCT only – Specialist Inj 10 mg per ml, 5 ml845.1	1 10	✓ Vumon
Inj 50 mg for ECP84.5: (Vumon Inj 10 mg per ml, 5 ml to be delisted 1 May 2010)	1 50 mg OP	✓ Baxter
(Baxter Inj 50 mg for ECP to be delisted 1 May 2010)		
THALIDOMIDE - PCT only - Specialist - Special Authority see SA0882 be Only on a controlled drug form	elow	
Cap 50 mg490.00	0 28	✓ Thalidomide

■SA0882 Special Authority for Subsidy

Initial application — (for new patients) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has refractory, progressive or relapsed multiple myeloma; and
- 2 The patient has received prior chemotherapy.

Initial application — (for patients receiving thalidomide prior to 1 January 2006) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient was receiving treatment with thalidomide for multiple myeloma on or before 31 December 2005.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

TRETINOIN – PCT only – Specialist Cap 10 mg435.90	100	✓ Vesanoid
VINBLASTINE SULPHATE		
Inj 10 mg - PCT - Retail pharmacy-Specialist137.50	5	✓ Mayne
Inj 1 mg for ECP - PCT only - Specialist	1 mg	✓ Baxter
VINCRISTINE SULPHATE		
Inj 1 mg per ml, 1 ml - PCT - Retail pharmacy-Specialist99.00	5	✓ Mayne
Inj 1 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist	5	✓ Mayne
Inj 1 mg for ECP - PCT only - Specialist21.46	1 mg	✓ Baxter
VINORELBINE - PCT only - Specialist - Special Authority see SA0901 on the r	next page	
Inj 10 mg per ml, 1 ml24.00	1	✓ Navelbine
42.00		✓ Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml120.00	1	✓ Navelbine
210.00		✓ Vinorelbine Ebewe
Inj 1 mg for ECP2.71	1 mg	✓ Baxter

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

⇒SA0901 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has metastatic breast cancer; or
- 2 The patient has non-small cell lung cancer (stage Illa, or above); or
- 3 All of the following:
 - 3.1 The patient has stage IB-IIIA non-small cell lung cancer; and
 - 3.2 Vinorelbine is to be given as adjuvant treatment in combination with cisplatin; and
 - 3.3 The patient has good performance status (WHO/ECOG grade 0-1).

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Protein-tyrosine Kinase Inhibitors

Tab 20 mg3,774.06	60	Sprycel
Tab 50 mg6,214.20	60	✓ Sprycel
Tab 70 mg7,692.58	60	✓ Sprycel
Tab 100 mg6,214.20	30	✓ Sprycel

⇒SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: mary.chesterfield@pharmac.govt.nz

Wellington

Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10⁹/L, platelets > 100 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or

continued...

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 2) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0 × 10⁹/L, platelets > 20 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
- 3) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

IMATINIB MESYLATE - Special Authority see SA0643 below

Tab 100 mg2,400.00 60 ✓ Glivec

⇒SA0643 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: mary.chesterfield@pharmac.govt.nz

Wellington

Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 600 mg/day for accelerated or blast phase, and 400 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if after 6 months from initiating therapy a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10⁹/L, platelets > 100 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - 2) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0 × 10⁹/L, platelets > 20 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - 3) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if after 18 months from initiating therapy a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

Special Authority criteria for GIST – access by application

- a) Funded for patients:
 - 1) with a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST); and
 - 2) who have immunohistochemical documentation of c-kit (CD117) expression by the tumour.
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

	Subsidy		Fully Brand or
	(Manufacturer's Price \$) Sub Per	osidised Generic Manufacturer
	Ψ	rei	ivianulacturer
Aromatase Inhibitors			
ANASTROZOLE			
Tab 1 mg	26.55 29.50	30	✓ Arimidex✓ DP-Anastrozole
EXEMESTANE – Additional subsidy by Special Authority see SA Tab 25 mg		pharmacy 30	Aromasin
▶ SA1000 Special Authority for Alternate Subsidy			
Initial application from any relevant practitioner. Approvals valid All of the following:	for 5 years for applic	ations mee	eting the following criteria:
1 Patient is a postmenopausal woman; and			
2 Patient has hormone receptor positive breast cancer; and3 Any of the following:			
3.1 The patient was receiving funded exemestane prior	to 1 February 2010;	or	
3.2 The patient has advanced breast cancer and a very			anastrozole or letrozole; or
3.3 The patient has advanced breast cancer and disease	e has progressed follo	owing treat	ment with anastrozole or letrozole.
Renewal from any relevant practitioner. Approvals valid without further priate and the patient is benefitting from treatment.	irther renewal unless	notified w	here the treatment remains appro-
LETROZOLE			
Tab 2.5 mg		30	✓ Letara
	146.46		✓ Femara
Endocrine Therapy			
For GnRH ANALOGUES – refer to HORMONE PREPARATIONS,	Trophic Hormones,	page 80	
BICALUTAMIDE - Special Authority see SA0941 below - Retail	pharmacy		
Tab 50 mg	27.10	30	✓ <u>Bicalox</u>
▶ SA0941 Special Authority for Subsidy			
Initial application from any medical practitioner. Approvals val	id without further re	newal unle	ss notified where the patient has
advanced prostate cancer.			
FLUTAMIDE – Hospital pharmacy [HP3]-Specialist	40.00	100	. / Flutamin
Tab 250 mg	48.30	100	✓ Flutamin
MEGESTROL ACETATE – Retail pharmacy-Specialist	74.05	00	
Tab 160 mg		30	Megace
OCTREOTIDE (SOMATOSTATIN ANALOGUE) - Special Authori			
lnj 50 μg per ml, 1 ml	43.50	5	✓ Hospira✓ Sandostatin
Inj 100 μg per ml, 1 ml		5	✓ Hospira
п, 100 рд рог пп, 1 пп	81.00	Ü	✓ Sandostatin
Inj 500 µg per ml, 1 ml		5	✓ Hospira
	399.00		✓ Sandostatin
LAR 10 mg prefilled syringe		1	✓ Sandostatin LAR
LAR 20 mg prefilled syringe		1	Sandostatin LAR
LAR 30 mg prefilled syringe	2,951.25	1	✓ Sandostatin LAR

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Fer ✓ Manufacturer

▶SA0563 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Any of the following:

- 1 Both:
 - 1.1 Acromegaly; and
 - 1.2 Patient has failed surgery, radiotherapy, bromocriptine and other oral therapies; or
- 2 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 3 Both:
 - 3.1 Gastrinoma; and
 - 3.2 Either:
 - 3.2.1 Patient has failed surgery; or
 - 3.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or
- 4 Both:
 - 4.1 Insulinomas; and
 - 4.2 Surgery is contraindicated or has failed; or
- 5 For pre-operative control of hypoglycaemia and for maintenance therapy; or
- 6 Both
 - 6.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
 - 6.2 Disabling symptoms not controlled by maximal medical therapy.

Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

TAMOXIFEN CITRATE

*	Tab 10 mg	10.80	100	✓ Genox
*	Tab 20 mg	6.66	60	✓ Tamoxifen Sandoz
	· ·	11.10	100	✓ Genox

Immunosuppressants

Cytotoxic Immunosuppressants

AZI	ATHIOPHINE - Retail pharmacy-Specialist			
*	Tab 50 mg	26.75	100	Azamun
	•	25.00		
		(34.90)		Imuran
*	Inj 50 mg	46.33	1	
		(47.72)		Imuran

MYCOPHENOLATE MOFETIL - Special Authority see SA0960	on the next page	- Hospital pha	rmacy [HP3]
Tab 500 mg	206.66	50	✓ Cellcept
Cap 250 mg	206.66	100	✓ Cellcept
Powder for oral lig 1 g per 5 ml – Subsidy by endorsement	285.00	165 ml OP	✓ Cellcept

Mycophenolate powder for oral liquid is subsidised only for patients unable to swallow tablets and capsules, and when the prescription is endorsed accordingly.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per V Manufacturer

⇒SA0960 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Renal transplant recipient; or
- 2 Heart transplant recipient; or
- 3 Liver transplant recipient; or
- 4 Patient has an organ transplant and has severe tophaceous gout making azathioprine unsuitable.

Immune Modulators

	only – Specialist	ANTITHYMOCYTE GLOBULIN (EQUII
5 🗸 A	2,137.50 5 ~ ATGAM	Inj 50 mg per ml, 5 ml
	uthority see SA0961 below	RITUXIMAB - PCT only - Specialist
2	1,195.00 2 Mabthera	Inj 100 mg per 10 ml vial
1 🗸 I	2,987.00 1 Mabthera	Inj 500 mg per 50 ml vial
1 mg 🗸 E		Inj 1 mg for ECP

■SA0961 Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 2 To be used for a maximum of 8 treatment cycles.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: Either:

- 1 Both:
 - 1.1 The patient has indolent low grade NHL with relapsed disease following prior chemotherapy; and
 - 1.2 To be used for a maximum of 4 treatment cycles; or
- 2 Both:
 - 2.1 The patient has indolent, low grade lymphoma requiring first-line systemic chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. Rituximab is not funded for Chronic lymphocytic leukaemia/small lymphocytic lymphoma.

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has treatment-naive aggressive CD20 positive NHL; and
- 2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 3 To be used for a maximum of 8 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 4 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. Rituximab is not funded for Chronic lymphocytic leukaemia/small lymphocytic lymphoma.

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

continued...

Renewal — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist.

Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

TRASTUZUMAB -	- PCT only – Specialist – Special Authority see SA0885 below		
Inj 150 mg vial	1,350.00	1	Herceptin
Inj 440 mg vial	3,875.00	1	✓ Herceptin
Inj 1 mg for ECF	9.36	1 mg	✓ Baxter

⇒SA0885 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the patient has metastatic breast cancer expressing HER-2 IHC 3+ or FISH+.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic breast cancer; and
- 2 The cancer has not progressed.

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or FISH +: and
 - 2 Maximum cumulative dose of 20mg/kg (9 weeks treatment)*; and
 - 3 Trastuzumab is to be given concurrently with adjuvant taxane chemotherapy*; and
 - 4 Trastuzumab is not to be given concurrently with anthracycline chemotherapy.

Notes: indications marked with * are Unapproved Indications.

It is recommended that for early breast cancer trastuzumab be administered concurrently with docetaxel prior to anthracyclines as per the FinHer regimen (Joensuu H, Kellokumpu-Lehtinen P, Bono P, et al. Adjuvant docetaxel or vinorelbine with or without trastuzumab for breast cancer. N Engl J Med 2006;354(8):809-20).

Other Immunosuppressants

CYCLOSPORIN - Hospital pharmacy [HP3]			
Cap 25 mg	59.50	50	✓ Neoral
Cap 50 mg	118.54	50	✓ Neoral
Cap 100 mg	237.08	50	✓ Neoral
Oral liq 100 mg per ml	264.17	50 ml OP	✓ Neoral
SIROLIMUS - Special Authority see SA0866 on the next page	e – Hospital pharma	acy [HP3]	
Tab 1 mg	813.00	100	Rapamune
Tab 2 mg	1,626.00	100	✓ Rapamune
Oral liq 1 mg per ml	487.80	60 ml OP	✓ Rapamune

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

⇒SA0866 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR<30 ml/min; or
- Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- HUS or TTP; or
- · Leukoencepthalopathy; or
- Significant malignant disease

TACROLIMUS - Special Authority see SA0669 below - Hospital pharmacy [HP3]

Cap 0.5 mg		100	✓ Prograf
Cap 1 mg	428.00	100	✓ Prograf
Cap 5 mg	1,070.00	50	✓ Prograf

⇒SA0669 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Note: Subsidy applies for either primary or rescue therapy.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Antiallergy Preparations

BEE VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Hospital pharmacy [HP3]

Maintenance kit - 6 vials 120 µg freeze dried venom, 6 diluent

1.8 ml	285.00	1 OP	Albay
Treatment kit - 1 vial 550 µg freeze dried venom, 1 diluent			
9 ml 3 diluent 1 8 ml	285.00	1 OP	✓ ∆lhav

⇒SA0053 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

WASP VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Hospital pharmacy [HP3]

Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried

polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml285.00	1 OP	Albay
Treatment kit (Yellow jacket venom) - 1 vial 550 µg freeze		
dried vespula venom, 1 diluent 9 ml, 1 diluent 1,8 ml	1 OP	Albay

⇒SA0053 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Antihistamines

CETIRIZINE HYDROCHLORIDE * Tab 10 mg* *† Oral liq 1 mg per ml		100 200 ml	✓ <u>Zetop</u> ✓ <u>Cetirizine - AFT</u>
CHLORPHENIRAMINE MALEATE *‡ Oral liq 2 mg per 5 ml	8.06	500 ml	✓ Histafen
CYPROHEPTADINE HYDROCHLORIDE * Tab 4 mg	6.27	100	✓ Periactin
DEXTROCHLORPHENIRAMINE MALEATE			
* Tab 2 mg	2.02	40	
	(7.99)		Polaramine
* Tab long-acting 6 mg	5.40	40	
	(12.56)		Polaramine Colour-Free Repetab
*‡ Oral liq 2 mg per 5 ml	1.77	100 ml	
	(10.29)		Polaramine
(Polaramine Colour-Free Repetab Tab long-acting 6 mg to be deliste	d 1 August 20	10)	

	Subsidy	Duine)	Fully Brand or
	(Manufacturer's	Price) Sub Per	sidised Generic Manufacturer
TEVOLENIA DINIE LIVODOCI II ODIDE	•	-	
FEXOFENADINE HYDROCHLORIDE * Tab 60 mg	A 2A	20	
* Tab 60 Hig		20	Telfast
* Tab 120 mg	(11.53)	30	Tellast
* Tab 120 Hig	(29.81)	30	Telfast
	(23.01)		Tellast
ORATADINE			4
* Tab 10 mg	3.58	100	Loraclear Hayfever
Y. Orol lig 1 mg por ml	2.65	100 ml	Relief
* Oral liq 1 mg per ml	3.00	100 mi	✓ Lorapaed
PROMETHAZINE HYDROCHLORIDE			
* Tab 10 mg		50	✓ <u>Allersoothe</u>
* Tab 25 mg		50	Allersoothe
*‡ Oral liq 5 mg per 5 ml	3.10	100 ml	✓ Promethazine
	0.50		Winthrop Elixir
	3.53		Dhamanan
W. Ini OF man man and O and I lim to F ini nomitable on a DCO	(8.51)	-	Phenergan
★ Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO	11.00	5	✓ Mayne
TRIMEPRAZINE TARTRATE			
Oral liq 30 mg per 5 ml	2.79	100 ml OP	
	(8.06)		Vallergan Forte
Inhaled Corticosteroids			
BECLOMETHASONE DIPROPIONATE			
Aerosol inhaler, 100 µg per dose CFC-free	12.50	200 dose OP	✓ Beclazone 100
Aerosol inhaler, 250 µg per dose CFC-free		200 dose OP	✓ Beclazone 250
Aerosol inhaler, 50 µg per dose CFC-free		200 dose OP	✓ Beclazone 50
		200 dosc OI	- Decideone so
BUDESONIDE	17.00	000 doos OD	A Dulminant
Powder for inhalation, 100 µg per dose	17.00	200 dose OP	✓ Pulmicort Turbuhaler
Decides for inhelation, 200 up and does	10.00	000 4 00	
Powder for inhalation, 200 µg per dose	19.00	200 dose OP	✓ Pulmicort
Devides for inhelation, 400 up and does	00.00	000 4 00	Turbuhaler
Powder for inhalation, 400 µg per dose	32.00	200 dose OP	✓ Pulmicort
			Turbuhaler
FLUTICASONE			
Aerosol inhaler, 50 µg per dose CFC-free		120 dose OP	✓ Flixotide
Powder for inhalation, 50 μg per dose		60 dose OP	
D ('	(8.67)	00 1 05	Flixotide Accuhaler
Powder for inhalation, 100 μg per dose		60 dose OP	Filtra Cala Associa I
Agreed inheles 405 up you do a 050 for	(13.87)	100 4 05	Flixotide Accuhaler
Aerosol inhaler, 125 µg per dose CFC-free		120 dose OP	✓ Flixotide
Aerosol inhaler, 250 µg per dose CFC-free		120 dose OP	✓ Flixotide
Powder for inhalation, 250 µg per dose		60 dose OP	Elivatida Acquidatar
	(24.51)		Flixotide Accuhaler

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

Inhaled Long-acting Beta-adrenoceptor Agonists

Prescribing Guideline for Inhaled Long-Acting Beta-Adrenoceptor Agonists

The addition of inhaled long-acting beta-adrenoceptor agonists (LABAs) to inhaled corticosteroids is recommended:

- For younger children (aged under 12 years) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 200 up beclomethasone or budesonide (or 100 up fluticasone).
- For adults and older children (aged 12 years and over) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 400 µg beclomethasone or budesonide (or 200 µg fluticasone).

Note:

Further information on the place of inhaled corticosteroids and inhaled LABAs in the management of asthma can be found in the New Zealand guidelines for asthma in adults (www.nzgg.org.nz) and in the New Zealand guidelines for asthma in children aged 1-15 (www.paediatrics.org.nz).

EFORMOTEROL FUMARATE – See prescribing guideline above Powder for inhalation, 6 μg per dose, breath activated	60 dose OP 60 dose	✓ Oxis Turbuhaler ✓ Foradil
SALMETEROL – See prescribing guideline above Aerosol inhaler CFC-free, 25 µg per dose	120 dose OP 60 dose OP	✓ Serevent ✓ Serevent Accuhaler

Inhaled Corticosteroids with Long-Acting Beta-Adrenoceptor Agonists

■SA0958 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 Patient is a child under the age of 12; and
 - 1.2 All of the following:

Has, for 3 months of more, been treated with:

- 1.2.1 An inhaled long-acting beta adrenoceptor agonist; and
- 1.2.2 Inhaled corticosteroids at a dose of at least 400 μg per day beclomethasone or budesonide, or 200 μg per day fluticasone; and
- 1.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product; or
- 2 All of the following:
 - 2.1 Patient is over the age of 12; and
 - 2.2 All of the following:

Has, for 3 months of more, been treated with:

- 2.2.1 An inhaled long-acting beta adrenoceptor agonist; and
- 2.2.2 Inhaled corticosteroids at a dose of at least 800 μg per day beclomethasone or budesonide, or 500 μg per day fluticasone: and
- 2.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy		Fully Brand or
	(Manufacturer's		sidised Generic
	\$	Per	✓ Manufacturer
BUDESONIDE WITH EFORMOTEROL - Special Authority see S	\$40958 on the	nreceding page	- Retail pharmacy
Aerosol inhaler 100 μg with eformoterol fumarate 6 μg		120 dose OP	✓ Vannair
10			
Powder for inhalation 100 μg with eformoterol fumarate 6 μg	55.00	120 dose OP	✓ Symbicort
			Turbuhaler 100/6
Aerosol inhaler 200 μg with eformoterol fumarate 6 μg		120 dose OP	✓ Vannair
Powder for inhalation 200 μg with eformoterol fumarate 6 μg	60.00	120 dose OP	✓ Symbicort
			Turbuhaler 200/6
Powder for inhalation 400 µg with eformoterol fumarate 12 µg			
– No more than 2 dose per day		60 dose OP	✓ Symbicort
The more than 2 does per day		00 0000 01	Turbuhaler 400/12
FLUTICASONE WITH SALMETEROL – Special Authority see SA	10958 on the pi	receding page -	Retail pharmacy
Aerosol inhaler 50 μg with salmeterol 25 μg	37.48	120 dose OP	✓ Seretide
Aerosol inhaler 125 μg with salmeterol 25 μg	49.69	120 dose OP	✓ Seretide
Powder for inhalation 100 μg with salmeterol 50 μg – No more			
than 2 dose per day		60 dose OP	✓ Seretide Accuhaler
		oo dose Oi	Seretide Accumater
Powder for inhalation 250 μg with salmeterol 50 μg – No more		00 1 00	40 4
than 2 dose per day	49.69	60 dose OP	Seretide Accuhaler
Beta-Adrenoceptor Agonists			
Deta-Autenoceptor Agonists			
SALBUTAMOL			
	2.25	150 ml	4/ Colonin
			✓ <u>Salapin</u>
Infusion 1 mg per ml, 5 ml		10	M
	(130.21)		Ventolin
Inj 500 μg per ml, 1 ml - Up to 5 inj available on a PSO	12.90	5	✓ Ventolin
Inhaled Beta-Adrenoceptor Agonists			
illialed beta-Adienoceptor Agonists			
SALBUTAMOL			
Aerosol inhaler, 100 µg per dose CFC free - Up to 1000 dose			
available on a PSO		200 doos OB	4/ Poonigon
available on a FSO	3.00	200 dose OP	✓ Respigen
	(0.00)		✓ Salamol
	(6.00)		Ventolin
Nebuliser soln, 1 mg per ml, 2.5 ml - Up to 30 neb available			
on a PSO	3.52	20	✓ Asthalin
Nebuliser soln, 2 mg per ml, 2.5 ml - Up to 30 neb available			
on a PSO		20	✓ Asthalin
		20	Astrialiii
TERBUTALINE SULPHATE			
Powder for inhalation, 250 µg per dose, breath activated	18.20	200 dose OP	Bricanyl Turbuhaler
July 1 and And Salva Proposition of the Control of			
Inhaled Anticholinergic agents			
IDDATEONIUM DEOMINE			
IPRATROPIUM BROMIDE			4.4.
Aerosol inhaler, 20 μg per dose CFC-free		200 dose OP	✓ Atrovent
Nebuliser soln, 250 µg per ml, 1 ml - Up to 40 neb available			
on a PSO		20	✓ Ipratropium
			Steri-Neb
Nebuliser soln, 250 μg per ml, 2 ml - Up to 40 neb available			
on a PSO		20	✓ Ipratropium
υπα τ OO		20	
			<u>Steri-Neb</u>
TIOTROPIUM BROMIDE - Special Authority see SA0872 on the			
Powder for inhalation, 18 µg per dose	70.00	30 dose	Spiriva

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

⇒SA0872 Special Authority for Subsidy

Initial application only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialled a dose of at least 40 µg ipratropium q.i.d for one month; and
- 3 Any of the following:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- 3.1 Grade 4 (stops for breath after walking about 100 meters or after a few minutes on the level); or
- 3.2 Grade 5 (too breathless to leave the house, or breathless when dressing or undressing); and
- 4 Actual FEV₁ (litres) < 0.6 × predicted (litres); and
- 5 Either:
 - 5.1 Patient is not a smoker (for reporting purposes only); or
 - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined); and
- 3 Applicant must state recent measurement of FEV1 (% of predicted).

Inhaled Beta-Adrenoceptor Agonists with Anticholinergic Agents

SALBUTAMOL WITH IPRATROPIUM BROMIDE Aerosol inhaler, 100 μg with ipratropium bromide, 20 μg per dose	. 13.50	200 dose OP	✓ Combivent
Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml – Up to 20 neb available on a PSO	4.29	20	✓ <u>Duolin</u>
Mast cell stabilisers			
NEDOCROMIL Aerosol inhaler, 2 mg per dose CFC-free	.23.20 (28.07)	112 dose OP	Tilade
SODIUM CROMOGLYCATE Powder for inhalation, 20 mg per dose	. 16.31 (17.94)	50 dose	Intal Spincaps
Aerosol inhaler, 5 mg per dose CFC-free	` '	112 dose OP	Vicrom
Methylxanthines			
AMINOPHYLLINE * Inj 25 mg per ml, 10 ml – Up to 5 inj available on a PSO THEOPHYLLINE	.12.84	5	✓ Mayne
* Tab long-acting 250 mg *‡ Oral liq 80 mg per 15 ml	4.06	100 500 ml	✓ Nuelin-SR
	(15.50)		Nuelin

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

Cystic Fibrosis

⇒SA0611 Special Authority for Subsidy

Special Authority approved by the Cystic Fibrosis Advisory Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Cystic Fibrosis Advisory Panel
PHARMAC, PO Box 10 254
Wellington
Phone: (04) 460 4990
Facsimile: (04) 916 7571
Email: CFPanel@pharmac.govt.nz

Prescriptions for patients approved for treatment must be written by respiratory physicians or paediatricians who have experience and expertise in treating cystic fibrosis.

Nasal Preparations

Allergy Prophylactics

BECLOMETHASONE DIPROPIONATE		
Metered aqueous nasal spray, 50 μg per dose2.35	200 dose OP	✓ Alanase
Metered aqueous nasal spray, 100 μg per dose2.46	200 dose OP	✓ Alanase
BUDESONIDE		
Metered aqueous nasal spray, 50 μg per dose2.35	200 dose OP	
(4.00)		Butacort Aqueous
Metered aqueous nasal spray, 100 µg per dose2.61	200 dose OP	
(4.81)		Butacort Aqueous
FLUTICASONE PROPIONATE		
Metered agueous nasal spray, 50 µg per dose	120 dose OP	✓ Flixonase Hayfever
1 7 101		& Allergy
IPRATROPIUM BROMIDE		
Aqueous nasal spray, 0.03%	30 ml OP	✓ Apo-Ipravent
SODIUM CROMOGLYCATE	00 00	. / Day
Nasal spray, 4%15.85	22 ml OP	✓ Rex

Respiratory Devices

MASK FOR SPACER DEVICE

- a) Maximum of 20 dev per WSO
- b) Only on a WSO
- c)
- 1) Only available for children aged six years and under.
- For Space Chamber and Foremount Child's Silicone Mask wholesale supply order must indicate clearly if either the spacer device, the mask, or both are required.
- 3) Distributed by Airflow Products. Forward orders to:

Airflow Products Telephone: 04 499 1240 or 0800 AIR FLOW PO Box 1485, Wellington Facsimile: 04 499 1245 or 0800 323 270

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
PEAK FLOW METER				
a) Maximum of 10 dev per WSO				
b) Only on a WSO				
Low range		1	_	reath-Alert
Normal range	13.75	1	✓ <u>B</u>	reath-Alert
SPACER DEVICE				
a) Maximum of 20 dev per WSO				
b) Only on a WSO				
c)	- Maalaadaalaada		and a second to	and a second and a second and a second as
 For Space Chamber and Foremount Child's Silicon spacer device, the mask, or both are required. 	e Mask wholesale sup	рју о	rder must II	idicate clearly if either the
Space Chamber distributed by Airflow Products. Forward	ard orders to:			
Airflow Products - PO Box 1485, Wellington				
Telephone: 04 499 1240 or 0800 AIR FLOW, Facsimile	: 04 499 1245 or 0800	323	270	
Volumatic Distributed by GlaxoSmithKline. Forward orc	lers to:			
Telephone: 0800 877 789 Facsimile: 0800 877 785				
230 ml (autoclavable) - Subsidy by endorsement	11.60	1	√ <u>S</u>	pace Chamber
Available where the prescriber requires a spacer device endorsed accordingly.	that is capable of ste	rilisa	tion in an a	utoclave and the WSO is
230 ml (single patient)	8.38	1	√ <u>S</u>	pace Chamber
800 ml	8.50	1	✓ V	olumatic

	Subsidy (Manufacturer's F	Prico) Sub	Fully Brand or sidised Generic
	(Manulacturer 5 i	Per	✓ Manufacturer
Ear Preparations			
ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BEN	NZETHONIUM		
For Vosol ear drops with hydrocortisone powder refer, page 1			
Ear drops 2% with 1, 2-Propanediol diacetate 3% and benzethonium chloride 0.02 %		٥٥ سا ٥٥	✓ Vosol
	0.97	35 ml OP	VOSOI
CHLORAMPHENICOL Ear drops 0.5%	1.87	5 ml OP	✓ Chloromycetin
FLUMETASONE PIVALATE		· · · · · · ·	
Ear drops 0.02% with clioquinol 1%	4.46	7.5 ml OP	✓ Locorten-Vioform
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCI		N	
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate			
2.5 mg and gramicidin 250 μg per g	3.35	7.5 ml OP	✓ Kenacomb
Ear/Eye Preparations			
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN			
Ear/Eye drops 500 µg with framycetin sulphate 5 mg and			
gramicidin 50 µg per ml		8 ml OP	
	(9.27)		Sofradex
FRAMYCETIN SULPHATE	4.10	0 ml OD	
Ear/Eye drops 0.5%	(8.65)	8 ml OP	Soframycin
Eye Preparations	(0.00)		oonanyon.
Lye Fleparations			
Anti-Infective Preparations			
ACICLOVIR			
* Eye oint 3%	37.53	4.5 g OP	✓ Zovirax
CHLORAMPHENICOL			
Eye oint 1%		4 g OP	✓ Chlorsig
Eye drops 0.5%	1.40	10 ml OP	✓ Chlorsig
CIPROFLOXACIN Eye Drops 0.3%	10.40	5 ml OP	✓ Ciloxan
For treatment of bacterial keratitis or severe bacterial conjugate			
FUSIDIC ACID			
Eye drops 1%	4.50	5 g OP	
	(10.68)		Fucithalmic
GENTAMICIN SULPHATE			4.0
Eye drops 0.3%	11.40	5 ml OP	✓ Genoptic
PROPAMIDINE ISETHIONATE * Eye drops 0.1 %	2 07	10 ml OP	
т Lyo diops 0.1 /0	(7.99)	IO IIII OF	Brolene
SULPHACETAMIDE SODIUM	\/		
* Eye drops 10%	4.41	15 ml OP	✓ Bleph 10
TOBRAMYCIN			
Eye oint 0.3%		3.5 g OP	Tobrex
Eye drops 0.3%	11.48	5 ml OP	✓ Tobrex

Fully

Brand or

Subsidy

	Subsidy (Manufacturer's F \$	Price) Sub Per	Fully Brand or sidised Generic Manufacturer
Corticosteroids and Other Anti-Inflammatory Pr	eparations		
DEXAMETHASONE * Eye oint 0.1% * Eye drops 0.1 %	4.50	3.5 g OP 5 ml OP	✓ Maxidex ✓ Maxidex
DEXAMETHASONE WITH NEOMYCIN AND POLYMYXIN B SU * Eye oint 0.1% with neomycin sulphate 0.35% and polymyxir B sulphate 6,000 u per g	1	3.5 g OP	✓ Maxitrol
* Eye drops 0.1% with neomycin sulphate 0.35% and polymy- xin B sulphate 6,000 u per ml		5 ml OP	✓ Maxitrol
DICLOFENAC SODIUM * Eye drops 1 mg per ml FLUOROMETHOLONE	13.80	5 ml OP	✓ <u>Voltaren Ophtha</u>
* Eye drops 0.1%	4.05	5 ml OP	✓ <u>FML</u>
Eye drops 0.5 mg per ml	8.71 (10.34)	4 ml OP	Livostin
LODOXAMIDE TROMETAMOL Eye drops 0.1% PREDNISOLONE ACETATE	8.71	10 ml OP	✓ Lomide
* Eye drops 0.12%	(7.53)	5 ml OP	Pred Mild
* Eye drops 1%	4.50 (9.44)	5 ml OP	Pred Forte
SODIUM CROMOGLYCATE Eye drops 2%	3.95	10 ml OP	✓ Cromolux
Glaucoma Preparations - Beta Blockers			
BETAXOLOL HYDROCHLORIDE * Eye drops 0.25% * Eye drops 0.5%		5 ml OP 5 ml OP	✓ Betoptic S✓ Betoptic
LEVOBUNOLOL * Eye drops 0.25% * Eye drops 0.5 %		5 ml OP 5 ml OP	✓ <u>Betagan</u> ✓ <u>Betagan</u>
TIMOLOL MALEATE * Eye drops 0.25%		5 ml OP	✓ Apo-Timop
# Eye drops 0.25%, gel forming # Eye drops 0.5%	2.29	2.5 ml OP 5 ml OP 2.5 ml OP	✓ Timoptol XE ✓ <u>Apo-Timop</u> ✓ Timoptol XE

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

Glaucoma Preparations - Carbonic Anhydrase Inhibitors

Prescribing Guidelines

Trusopt, Cosopt and Azopt are subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma. Trusopt, Cosopt and Azopt should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- 1) that person has previously trialled all other such subsidised agents (except brimonidine tartrate); and
- 2) those trials have indicated that that person does not respond adequately to treatment with those other agents.

ACETAZOL AMIDE

* Tab 250 mg	10.40	100	✓ Diamox
BRINZOLAMIDE A Eye Drops 1%	9.77	5 ml OP	✓ Azopt
DORZOLAMIDE HYDROCHLORIDE * Eye drops 2%	9.77	5 ml OP	
2 - Victoria	(13.95)		Trusopt
DORZOLAMIDE HYDROCHLORIDE WITH TIMOLOL MALEATE * Eye drops 2% with timolol maleate 0.5%	15.50	5 ml OP	✓ Cosopt

Glaucoma Preparations - Prostaglandin Analogues

Prescribina Guideline

Bimatoprost, lantanoprost and travoprost are subsidised for use in the treatment of glaucoma as either monotherapy or as an adjunctive agent for patients in whom prostaglandin analogue monotherapy has been ineffective in controlling intraocular pressure. Bimatoprost, lantanoprost and travoprost should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- 1) That person has previously trialled all other such subsidised agents (beta-blockers, pilocarpine, carbonic anhydrase inhibitors); and
- 2) Those trials have indicated that that person does not respond adequately to treatment with those other agents.

BIMATOPROST – Retail pharmacy-Specialist See prescribing quideline above

▲ Eye Drops 0.03%	19.50	3 ml OP	Lumigan
LATANOPROST - Retail pharmacy-Specialist			
See prescribing guideline above			
▲ Eye drops 50 μg per ml, 2.5ml	9.75	2.5 ml OP	Hysite
	(19.50)		Xalatan
(Xalatan Eye drops 50 µg per ml, 2.5ml to be delisted 1 March 2010)			
TRAVOPROST - Retail pharmacy-Specialist			
See prescribing guideline above			
▲ Eye drops 0.004%	19.50	2.5 ml OP	Travatan

Glaucoma Preparations - Other

BRIMONIDINE TARTRATE

וום	INIONDINE MATTERIA		
*	Eye Drops 0.2%7.93	5 ml OP	✓ AFT

Prescribing Guidelines

Brimonidine tartrate is subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma. Brimonidine tartrate should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- that person has previously trialled all other such subsidised agents (except dorzolamide hydrochloride); and
- those trials have indicated that that person does not respond adequately to or does not tolerate treatment with those other agents.

	Subsidy (Manufacturer's Pr \$	ice) Sub Per	Fully sidised	Brand or Generic Manufacturer
BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE A Eye drops 0.2% with timolol maleate 0.5%	18.50	5 ml OP	✓ Co	ombigan
Prescribing Guidelines Combigan is subsidised for use as either monotherapy or as an a Combigan should only be prescribed when: 1) less expensive first line agents for the treatment of glaucon 2) the response to such subsidised agents is inadequate; or 3) the patient cannot tolerate such subsidised agents.	,		nt of glau	icoma.
PILOCARPINE				
* Eye drops 1%	3.24 4.26	15 ml OP	✓ Pil ✓ Iso	lopt opto Carpine S29
* Eye drops 2%	5.35	15 ml OP	✓ Iso	opto Carpine S29
* Eye drops 4%	6.57 7.99	15 ml OP	✓ Pil ✓ Iso	lopt opto Carpine S29
* Eye drops 2% single dose - Special Authority see SA0895				
below – Hospital pharmacy [HP3]	31.95 (32.72)	20 dose	Mi	nims
(Pilopt Eye drops 1% to be delisted 1 March 2010)				

(Pilopt Eye drops 4% to be delisted 1 April 2010)

⇒SA0895 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Mydriatics and Cycloplegics

ATROPINE SULPHATE * Eye drops 1%	15 ml OP	✓ Atropt
CYCLOPENTOLATE HYDROCHLORIDE * Eye drops 1%8.76	15 ml OP	✓ Cyclogyl
HOMATROPINE HYDROBROMIDE * Eye drops 2%7.18	15 ml OP	✓ Isopto Homatropine
TROPICAMIDE * Eye drops 0.5%	15 ml OP 15 ml OP	✓ Mydriacyl ✓ Mydriacyl
* Eye drops 1%8.66 Preparations for Tear Deficiency	15 1111 OF	wyunacyi
For acetylcysteine eye drops refer, page 168		
HYPROMELLOSE		
* Eye drops 0.3%2.62	15 ml OP	✓ Poly-Tears
* Eye drops 0.5%	15 ml OP	✓ Methopt
POLYVINYL ALCOHOL		
* Eye drops 1.4%2.68	15 ml OP	✓ Vistil
* Eye drops 3%	15 ml OP	✓ Vistil Forte

SENSORY ORGANS

	Subsidy (Manufacturer's P \$	rice) Subs Per	Fully sidised	Brand or Generic Manufacturer
TYLOXAPOL * Eye drops 0.25%	8.63	15 ml OP	✓ Ei	nuclene
Other Eye Preparations				
NAPHAZOLINE HYDROCHLORIDE * Eye drops 0.1%	4.15	15 ml OP	✓ Na	aphcon Forte
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN * Eye oint with soft white paraffin	3.63	3.5 g OP	✓ <u>La</u>	acri-Lube
PARAFFIN LIQUID WITH WOOL FAT LIQUID * Eye oint 3% with wool fat liq 3%	3.63	3.5 g OP	✓ Po	oly-Visc
PHENYLEPHRINE HYDROCHLORIDE * Eye drops 0.12%	4.47	15 ml OP	✓ <u>P</u> i	refrin_
PHENYLEPHRINE HYDROCHLORIDE WITH ZINC SULPHATE * Eye drops 0.12% with zinc sulphate 0.25%	4.51	15 ml OP	✓ Zi	ncfrin

INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
 - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
 - b) Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-specialist).
 - c) Menthol crystals only in the following bases:

Aqueous cream

Urea cream 10%

Wool fat with mineral oil lotion

Hydrocortisone 1% with wool fat and mineral oil lotion

Glycerol, paraffin and cetyl alcohol lotion.

Glossary

Dermatological base: The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Glycerol with paraffin and cetyl alcohol lotion
- Hvdrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Oily cream
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- Zinc cream BP
- . Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

Dermatological galenical: Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution BP up to 10%
- Hydrocortisone powder up to 5%
- Salicylic acid powder
- Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

Explanatory notes

Oral liquid mixtures

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form qs
Preservative qs
Suspending agent qs
Water to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent. Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

The following practices will not be subsidised:

- Mixing one or more proprietary oral liquids (eg an antihistamine with pholoodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

Dermatological Preparations

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 165) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).


One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on page 167 may assist you in deciding whether or not a dermatological ECP is subsidised.

Dermatological ECPs

Is it subsidised?



EXTEMPORANEOUSLY COMPOUNDED PRODUCTS & GALENICALS

Standard Formulae METHYL HYDROXYBENZOATE 10% SOLUTION ACETYLCYSTEINE EYE DROPS Methyl hydroxybenzoate Acetylcysteine inj 200 mg per ml, 10 ml gs Propylene glycol to 100 ml Suitable eve drop base (Use 1 ml of the 10% solution per 100 ml of oral liquid mixture) ASPIRIN AND CHLOROFORM APPLICATION Aspirin Soluble tabs 300 mg 12 tabs OMEPRAZOLE SUSPENSION Chloroform to 100 ml Omeprazole capules as CODEINE LINCTUS PAEDIATRIC (3 mg per 5 ml) Sodium bicarbonate powder BP 8.4 q Codeine phosphate 60 mg Water to 100 ml Glycerol 40 ml Preservative PHENOBARBITONE ORAL LIQUID as Water to 100 ml Phenobarbitone Sodium 1 a Glycerol BP 70 ml CODEINE LINCTUS DIABETIC (15 mg per 5 ml) Water to 100 ml Codeine phosphate 300 mg Glycerol 40 ml PILOCARPINE ORAL LIQUID Preservative as Pilocarpine 4% eye drops qs Water to 100 ml Preservative as **FOLINIC MOUTHWASH** Water to 500 ml Calcium folinate 15 mg tab (Preservative should be used if quantity supplied is for 1 tab more than 5 days.) Preservative as Water to 500 ml SALIVA SUBSTITUTE FORMULA (Preservative should be used if quantity supplied is for Methylcellulose 5 g more than 5 days. Maximum 500 ml per prescription.) Preservative qs MAGNESIUM HYDROXIDE MIXTURE Water to 500 ml Magnesium hydroxide paste 275 g (Preservative should be used if quantity supplied is for more Methyl hydroxybenzoate 1.5 g than 5 days. Maximum 500 ml per prescription.) Water 770 ml

qs

qs

to 100 ml

VOSOL EAR DROPS

Vosol Ear Drops

Hydrocortisone powder

WITH HYDROCORTISONE POWDER 1%

1%

to 35 ml

METHADONE MIXTURE

Methadone powder

Glycerol

Water

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

Extemporaneously Compounded Preparations	and Galenica	ıls	
ACETYLCYSTEINE - Hospital pharmacy [HP1]-Specialist			
Inj 200 mg per ml, 10 ml	137.06	10	
	(219.75)		Martindale
			Acetylcysteine
	(255.35)		Hospira
BENZOIN			
Tincture compound BP	24.42	500 ml	
	(38.00)		PSM
CHLOROFORM - Only in combination			
Only in aspirin and chloroform application.			
Chloroform BP	25.50	500 ml	✓ PSM
CODEINE PHOSPHATE			
Powder – Only in combination	63.09	25 g	
	(90.09)	_0 g	Douglas
a) Only in extemporaneously compounded codeine linctu	'	eine linctus pae	
b) ‡ Safety cap for extemporaneously compounded oral li			
COLLODION FLEXIBLE			
Collodion flexible	19.30	100 ml	✓ PSM
COMPOUND HYDROXYBENZOATE - Only in combination			
Only in extemporaneously compounded oral mixtures.			
Soln	34.18	100 ml	✓ David Craig
GLYCEROL			v 2g
* Liquid – Only in combination	10.90	2,000 ml	✓ ABM
Targula - Only in combination	24.75	2,000 1111	✓ PSM
	19.80		₩ F SW
	(24.75)		MidWest
Only in extemporaneously compounded oral liquid prepar			
MAGNESIUM HYDROXIDE			
Paste	22.61	500 g	✓ PSM
METHADONE HYDROCHLORIDE		222 9	
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Extemporaneously compounded methadone will only be	reimbursed at the	rate of the ch	neanest form available (methadone
powder, not methadone tablets).	TOTTIBUTOUG GE GTO	rate of the on	Toupout form available (methadene
Powder	7.84	1 g	✓ AFT
‡ Safety cap for extemporaneously compounded oral liqu		3	
METHYL HYDROXYBENZOATE			
Powder	10.00	25 g	✓ ABM
	(18.45)	3	PSM
METHYLCELLULOSE	(-
Powder	14 00	100 g	✓ ABM
1 OWGG1	(17.72)	100 g	MidWest
	(11.12)		IVIIUVVGSL

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

PHENOBARBITONE SODIUM Powder - Only in combination
Powder − Only in combination
a) Only in children up to 12 years b) ‡ Safety cap for extemporaneously compounded oral liquid preparations. PROPYLENE GLYCOL Only in extemporaneously compounded methyl hydroxybenzoate 10% solution. ✓ MidWest
a) Only in children up to 12 years b) ‡ Safety cap for extemporaneously compounded oral liquid preparations. PROPYLENE GLYCOL Only in extemporaneously compounded methyl hydroxybenzoate 10% solution.
b) ‡ Safety cap for extemporaneously compounded oral liquid preparations. PROPYLENE GLYCOL Only in extemporaneously compounded methyl hydroxybenzoate 10% solution.
PROPYLENE GLYCOL Only in extemporaneously compounded methyl hydroxybenzoate 10% solution.
Only in extemporaneously compounded methyl hydroxybenzoate 10% solution.
Lig12.00 500 ml ✓ ABM
17.70 ✔ PSM
SODIUM BICARBONATE
Powder BP − Only in combination
(11.99) Biomed
(29.50) David Craig
Only in extemporaneously compounded omeprazole suspension.
SYRUP (PHARMACEUTICAL GRADE) - Only in combination
Only in extemporaneously compounded oral liquid preparations.
Lig
WATER
Tap − Only in combination

EXPLANATORY NOTES

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

Eligibility for Special Authority

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

Who can apply for Special Authority?

Initial Applications: Only Specialists

Reapplications: Specialist or general practitioner on recommendation of specialist. Reapplica-

tions by general practitioners on specialist recommendation must include the

name of the specialist and the date the specialist was contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. A supporting letter may be included if desired. Applications must be forwarded to:

Ministry of Health Sector Services

Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

Definitions

Failure to thrive

An inability to gain or maintain weight resulting in physiological impairment.

Where the weight of the child is less than the fifth or possibly third percentile for

their age, with evidence of malnutrition

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

Nutrient Modules

Carbohydrate

⇒SA0912 Special Authority for Subsidy

Initial application — (Cystic fibrosis or renal failure) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Either:

- 1 cystic fibrosis; or
- 2 chronic renal failure or continuous ambulatory peritoneal dialysis (CAPD) patient.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children; or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 failure to thrive; or
- 4 growth deficiency; or
- 5 bronchopulmonary dysplasia; or
- 6 premature and post premature infant; or
- 7 inborn errors of metabolism.

Renewal — (Cystic fibrosis or renal failure) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

CARBOHYDRATE SUPPLEMENT - Special Authority see SA0912 above - Hospital pharmacy [HP3]

Powder	36.50	5,000 g	Morrex Maltodextrin
	1.30	400 g OP	
	(5.29)		Polycal
(12.00)	368 g OP	Moducal

Carbohydrate And Fat

■SA0581 | Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 infant aged four years or under; and
- 2 cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 infant aged four years or under; and
- 2 Any of the following:
 - 2.1 cancer in children; or

continued...

Subsidy (Manufacturer's Price) \$ Per Fully Subsidised Brand or Generic Manufacturer

continued...

- 2.2 failure to thrive; or
- 2.3 growth deficiency; or
- 2.4 bronchopulmonary dysplasia; or
- 2.5 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Fat

⇒SA0899 Special Authority for Subsidy

Initial application — (Inborn errors of metabolism) only from a relevant specialist. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 failure to thrive where other high calorie products are inappropriate or inadequate; or
- 2 growth deficiency: or
- 3 bronchopulmonary dysplasia; or
- 4 fat malabsorption; or
- 5 lymphangiectasia; or
- 6 short bowel syndrome; or
- 7 infants with necrotising enterocolitis: or
- 8 biliary atresia.

Renewal — (Inborn errors of metabolism) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

FAT SUPPLEMENT – Special Authority see SA0899 above – Hospital pharmacy [HP3]

Emulsion (neutral)	12.30	200 ml OP	✓ Calogen
	30.75	500 ml OP	✓ Calogen
Emulsion (strawberry)	12.30	200 ml OP	✓ Calogen
Oil	28.73	250 ml OP	✓ Liquigen
	30.00	500 ml OP	✓ MCT oil (Nutricia)

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

Protein

⇒SA0582 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 protein losing enteropathy; or
- 2 high protein needs (eg burns).

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

PROTEIN SUPPLEMENT - Special Authority see SA0582 above	e – Hospital phar	macy [HP3]	
Powder	7.90	225 g OP	Protifar
Powder (vanilla)	12 90	275 a OP	✓ Promod

Oral Supplements

These products are to be used only as supplements to a person's dietary needs. Subsidy for up to 500 ml a day. Amounts prescribed in excess of this amount must be paid for by the patient.

■SA0583 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years where the patient has cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children; or
- 2 inflammatory bowel disease: or
- 3 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or 4 malnutrition requiring nutritional support.

Renewal — **(Cystic fibrosis)** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

ORAL SUPPLEMENT 1KCAL/ML - Special Authority see SA0583 above - Hospital pharmacy [HP3]

Powder (chocolate)	9.22	900 g OP	Sustagen Hospital Formula
	4.75	400 g OP	
	(7.22)		Ensure
Powder (strawberry) .	4.75	400 g OP	
	(7.22)		Ensure
Powder (vanilla)	9.22	900 g OP	Sustagen Hospital Formula
	4.75	400 g OP	
	(7.22)		Ensure

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

Respiratory Products

⇒SA0588 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

- 1 CORD patients who have hypercapnia; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

Diabetic Products

⇒SA0594 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

- 1 Type I and II diabetics who require nutritional supplementation; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML - Special Authority see SA0594 above	- Hospital pharn	nacy [HP3]
Liquid7.50	1,000 ml OP	✓ Diason RTH ✓ Glucerna Select RTH
ORAL FEED 1KCAL/ML - Special Authority see SA0594 above - Hospital pha	rmacy [HP3]	
Liquid (strawberry)1.50	200 ml OP	✓ Diasip
1.78	237 ml OP	✓ Resource Diabetic
Liquid (vanilla)1.50	200 ml OP	✓ Diasip
1.78	237 ml OP	✓ Resource Diabetic

1.88

250 ml OP

Glucerna Select

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Fat Modified Products

⇒SA0615 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The product is to be used as a complete diet; and
- 2 Either:
 - 2.1 Patient has metabolic disorders of fat metabolism; or
 - 2.2 Patient has chylothorax.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

FAT MODIFIED FEED - Special Authority see SA0615 above - Hospital pharmacy [HP3]

High Protein Products

■SA0589 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Anorexia and weight loss: and
- 2 Either:
 - 2.1 decompensating liver disease without encephalopathy; or
 - 2.2 protein losing gastro-enteropathy; and
- 3 Either:
 - 3.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 3.2 The product is to be used as a complete diet.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Fither
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted

ORAL FEED 1KCAL/ML - Special Authority see SA0589 above - Hospital pharmacy [HP3]

Paediatric Products For Children Awaiting Liver Transplant

⇒SA0607 | Special Authority for Subsidy

Initial application only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria:

- 1 Child (up to 18 years) who is awaiting liver transplant; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet.

Renewal only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria: Both:

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA0607 on the preceding page - Hospital pharmacy [HP3]

Paediatric Products For Children With Chronic Renal Failure

■ SA0606 | Special Authority for Subsidy

Initial application only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 child (up to 18 years) with chronic renal failure; and
- 2 Either:
 - 2.1 The product is to be used as a supplement; or
 - 2.2 The product is to be used as a complete diet.

Renewal only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Fither:
 - 2.1 The product is to be used as a supplement; or
 - 2.2 The product is to be used as a complete diet.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA0606 above - Hospital pharmacy [HP3]

Paediatric Products

■ SA0896 | Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 infant aged one to eight years; and
- 2 Any of the following:
 - 2.1 any condition causing malabsorption; or
 - 2.2 failure to thrive: or
 - 2.3 increased nutritional requirements; and
- 3 Either:
 - 3.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 3.2 The product is to be used as a complete diet.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

	Subsidy (Manufacturer's P \$	rice) Subs Per	Fully sidised	Brand or Generic Manufacturer
PAEDIATRIC ENTERAL FEED 1KCAL/ML - Special Authority se Liquid		preceding pag 200 ml OP 500 ml OP	✓ Nu	spital pharmacy [HP3] utrini RTH utrini RTH diasure RTH
PAEDIATRIC ORAL FEED 1.5KCAL/ML – Special Authority see Liquid (strawberry) Liquid (vanilla)	1.60 ·	receding page - 200 ml OP 200 ml OP	✓ Nu	tal pharmacy [HP3] utriniDrink utriniDrink
PAEDIATRIC ORAL FEED 1KCAL/ML - Special Authority see S/Liquid (chocolate)	1.07 1.07	ceding page – I 200 ml OP 200 ml OP 237 ml OP	✓ Pe	l pharmacy [HP3] ediasure ediasure ediasure
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML - Special A [HP3]	Authority see SA0	896 on the pred	ceding p	page – Hospital pharmacy
Liquid (chocolate)	1.60	200 ml OP		utriniDrink Multifibre
Liquid (strawberry)	1.60	200 ml OP		utriniDrink Multifibre
Liquid (vanilla)	1.60	200 ml OP	✓ No	utriniDrink Multifibre
Renal Products				

■SA0587 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 acute or chronic renal failure: and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

ENTERAL FEED 2KCAL/ML - Special Authority see SAC Liquid		, , ,	NutrisonConcentrated
RENAL ORAL FEED 2KCAL/ML - Special Authority see	SA0587 above - Hospita	al pharmacy [H	P3]
Liquid	2.43	200 ml OP	✓ Nepro (vanilla)
•	2.88	237 ml OP	✓ NovaSource Renal
Liquid (apricot)	2.88	125 ml OP	✓ Renilon 7.5
Liquid (caramel)	2.88	125 ml ∩P	✓ Renilon 7.5

Subsidy F (Manufacturer's Price) Subsidi \$ Per

Fully Brand or Subsidised Generic Manufacturer

Specialised And Elemental Products

■SA0592 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Any of the following:
 - 1.1 malabsorption; or
 - 1.2 short bowel syndrome; or
 - 1.3 enterocutaneous fistulas; or
 - 1.4 pancreatitis; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

PowderPowder	•	2 above – Hosp 79 g OP 76 g OP	oltal pharmacy [HP3] ✓ Vital HN ✓ Alitraq
ORAL ELEMENTAL FEED 0.8KCAL/ML - Special Authority see Saliquid (grapefruit)	9.50 9.50	250 ml OP	macy [HP3] Flemental 028 Extra Elemental 028 Extra Elemental 028 Extra
ORAL ELEMENTAL FEED 1KCAL/ML - Special Authority see SAC Powder (unflavoured)	4.00 ity see SA0592	80.4 g OP 2 above – Hosp	✓ Vivonex TEN ital pharmacy [HP3]
Liquid	12.04	1,000 ml OP	✓ Peptisorb

Undyalised End Stage Renal Failure

⇒SA0586 Special Authority for Subsidy

Initial application only from a gastroenterologist or renal physician. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 undialysed end stage renal patients; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet.

Note: Where possible, the requirements for oral supplementation should be established in conjunction with assessment by a dietician.

continued...

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

RENAL ORAL FEED 1KCAL/ML - Special Authority see SA0586 on the preceding page - Hospital pharmacy [HP3]

Adult Products Standard

■ SA0702 | Special Authority for Subsidy

Initial application — (Oral feed for cystic fibrosis patient) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 Cystic fibrosis: and
- 2 Either:
 - 2.1 The product is to be used as a supplement; or
 - 2.2 The product is to be used as a complete diet.

Initial application — (Oral feed for indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 failure to thrive; or
 - 1.3 increased nutritional requirements; and
- 2 Either:
 - 2.1 The product is to be used as a supplement; or
 - 2.2 The product is to be used as a complete diet.

Renewal — (Oral feed cystic fibrosis patient) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement: or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

Initial application — (Enteral feed) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 enteral feeding; or
 - 1.2 nasogastric; or
 - 1.3 nasoduodenal; or
 - 1.4 nasojejunal; or
 - 1.5 gastrostomy/jejunostomy; and
- 2 Either:

continued...

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 2.1 The product is to be used as a supplement; or
- 2.2 The product is to be used as a complete diet.

Renewal — (Enteral feed or Oral feed for indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement; or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

Notes: This group of products can be used either as a supplement or as a complete diet.

If a product is being used as a supplement, the limit is 500 ml per day.

Cystic fibrosis patients are exempt the 500 ml per day volume restriction when using Ensure Plus, Fortisip or Resource Plus as a supplement.

ENTERAL FEED 1KCAL/ML - Special Authority see SA0702 on the preceding page - Hospital pharmacy [HP3]

Liquid	1.24	250 ml OP	✓ Isosource HN
			✓ Isosource Standard
	2.65	500 ml OP	Nutrison Standard RTH
	5.29	1,000 ml OP	Nutrison Standard RTH
			✓ Isosource HN RTH ✓ Isosource Standard RTH
			✓ Osmolite RTH
ENTERAL FEED WITH FIBRE 1 KCAL/ML - Special Authority se	ee SA0702 on t	the preceding pa	ge - Hospital pharmacy [HP3]
Liquid		250 ml OP	
·	2.65	500 ml OP	✓ Nutrison Multi Fibre
	5.29	1,000 ml OP	✓ Nutrison Multi Fibre✓ Fibersource HN RTH✓ Jevity RTH
ENTERAL FEED WITH FIBRE 1.5KCAL/ML - Special Authority	see SA0702 or	the preceding p	age – Hospital pharmacy [HP3]
Liquid	7.00	1,000 ml OP	✓ Ensure Plus RTH
	1.75	250 ml OP	✓ Isosource 1.5
	7.00	1,000 ml OP	✓ Isosource 1.5
			Nutrison Energy Multi Fibre

	(Manufacturer's	Price) Sub	sidised Generic
	\$	Per	✓ Manufacturer
ORAL FEED 1.5KCAL/ML - Special Authority see SA0702 on pa	age 180 – Hospi	tal pharmacy [H	IP31
Liquid (banana)	•	200 ml OP	✓ Fortisip
4 (,	(1.45)		Ensure Plus
Liquid (chocolate)	` ,	200 ml OP	✓ Fortisip
	1.33	237 ml OP	✓ Resource Plus
	1.12	200 ml OP	
	(1.45)		Ensure Plus
	1.33	237 ml OP	✓ Ensure Plus
Liquid (coffee latte)	1.33	237 ml OP	✓ Ensure Plus
Liquid (fruit of the forest)		200 ml OP	
	(1.45)		Ensure Plus
Liquid (strawberry)	1.12	200 ml OP	✓ Fortisip
	1.33	237 ml OP	✓ Resource Plus
	1.12	200 ml OP	
	(1.45)		Ensure Plus
	1.33	237 ml OP	Ensure Plus
Liquid (toffee)	1.12	200 ml OP	✔ Fortisip
Liquid (tropical fruit)	1.12	200 ml OP	✓ Fortisip
Liquid (vanilla)		200 ml OP	✓ Fortisip
	1.33	237 ml OP	✓ Resource Plus
	1.12	200 ml OP	
	(1.45)		Ensure Plus
	1.33	237 ml OP	✓ Ensure Plus
ORAL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority see	SA0702 on pag	je 180 – Hospita	al pharmacy [HP3]
Liquid (chocolate)		200 ml OP	✓ Fortisip Multi Fibre
Liquid (strawberry)	1.12	200 ml OP	✓ Fortisip Multi Fibre

Subsidy

Fully

Brand or

✔ Fortisip Multi Fibre

Adult Products High Calorie

■ SA0585 | Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements; and

- 4 Either:
 - 4.1 The product is to be used as a supplement; or
 - 4.2 The product is to be used as a complete diet.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 failure to thrive; or
 - 1.3 increased nutritional requirements; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements; and
- 4 Either:

continued...

200 ml OP

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- 4.1 The product is to be used as a supplement; or
- 4.2 The product is to be used as a complete diet.

Renewal — **(Cystic fibrosis)** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted; and
- 2 C:U---
 - 3.1 The product is to be used as a supplement; or
 - 3.2 The product is to be used as a complete diet.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted; and
- 3 Either:
 - 3.1 The product is to be used as a supplement; or
 - 3.2 The product is to be used as a complete diet.

Notes: This product can be used either as a supplement or as a complete diet.

If it is being used as a supplement, the limit is 500 ml per day.

ORAL FEED 2KCAL/ML - Special Authority see SA0585 on the preceding page - Hospital pharmacy [HP3]
Liquid (vanilla)2.25 237 ml OP ✓ Two Cal HN

Food Thickeners

■ SA0595 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

FOOD THICKENER - Special Authority see SA0595 above - Hospital pharmacy [HP3]

Gluten Free Foods

⇒SA0722 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

SPECIAL FOODS

	Subsidy (Manufacturer's F \$		Fully Brand or dised Generic Manufacturer
GLUTEN FREE BAKING MIX - Special Authority see SA0722 o	n the preceding r	page – Hospital p	harmacy [HP3]
Powder	2.81	1,000 g OP	,
	(5.15)		Healtheries Simple Baking Mix
GLUTEN FREE BREAD MIX - Special Authority see SA0722 or	the preceding p	age – Hospital ph	narmacy [HP3]
Powder		1,000 g OP	,,
	(7.32)	, 0	NZB Low Gluten Bread Mix
	4.77		
	(8.71)		Bakels Gluten Free Health Bread Mix
	3.51		
	(10.87)		Horleys Bread Mix
GLUTEN FREE FLOUR – Special Authority see SA0722 on the Powder		- Hospital pharma 2,000 g OP	acy [HP3]
	(18.10)		Horleys Flour
GLUTEN FREE PASTA – Special Authority see SA0722 on the p Buckwheat Spirals	0, 0	Hospital pharma	cy [HP3]
Buokwiout Opiralo	(3.11)	200 g O1	Orgran
Corn and Spinach Rigatini		250 g OP	Orgitari
John and Opination rigation	(2.92)	200 g 0.	Orgran
Corn and Vegetable Shells		250 g OP	- · g· · · ·
	(2.92)	3 -	Orgran
Corn and Vegetable Spirals	2.00 [′]	250 g OP	Ü
	(2.92)	Ü	Orgran
Garlic and Parsley Shells	2.00 [′]	250 g OP	Ü
•	(2.92)	Ü	Orgran
Rice and Corn Garden Herb Pasta	2.00 [°]	250 g OP	· ·
	(2.92)		Orgran
Rice and Corn Lasagne Sheets	1.60	200 g OP	
	(3.82)		Orgran
Rice and Corn Macaroni	2.00	250 g OP	
	(2.92)		Orgran
Rice and Corn Penne	2.00	250 g OP	
	(2.92)		Orgran
Rice and Maize Pasta Spirals		250 g OP	
	(2.92)		Orgran
Rice and Millet Spirals		250 g OP	_
5 1	(3.11)		Orgran
Rice and corn spaghetti noodles		375 g OP	•
V	(2.92)	050 00	Orgran
Vegetable and Rice Spirals		250 g OP	0
Malian languatula anambatti	(2.92)	000 = OD	Orgran
Italian long style spaghetti		220 g OP	Oraran
(Orgran Corn and Spinach Rigatini to be delisted 1 March 2010)	(3.11)		Orgran

⁽Orgran Garlic and Parsley Shells to be delisted 1 March 2010)
(Orgran Rice and Corn Garden Herb Pasta to be delisted 1 March 2010)

Subsidy (Manufacturer's Price) S \$ Per

Fully Subsidised

Brand or Generic Manufacturer

Foods And Supplements For Inborn Errors Of Metabolism - Other

⇒SA0732 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Either:

- 1 dietary management of homocystinuria; or
- 2 dietary management of maple syrup urine disease.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Prescribing Guideline

It can cost up to \$70,000 a year to keep an adult on protein supplements. Because protein substitutes are so expensive and because they are only effective in controlling PKU if a restricted diet is followed, adults with PKU will be required to demonstrate they are following the prescribed diet by regular blood testing. The requirement for testing applies to those aged over 16 years. Failure to follow an appropriate diet results in high blood phenylalanine levels.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Supplements For Homocystinuria

AMINOACID FORMULA WITHOUT METHIONINE - Special Authority see SA0732 above - Hospital pharmacy [HP3]

See prescribing guideline above

Supplements For MSUD

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE - Special Authority see SA0732 above - Hospital pharmacy [HP3]

See prescribing guideline above

Foods And Supplements For Inborn Errors Of Metabolism - PKU

Prescribing Guideline

It can cost up to \$70,000 a year to keep an adult on protein supplements. Because protein substitutes are so expensive and because they are only effective in controlling PKU if a restricted diet is followed, adults with PKU will be required to demonstrate they are following the prescribed diet by regular blood testing. The requirement for testing applies to those aged over 16 years. Failure to follow an appropriate diet results in high blood phenylalanine levels.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Foods and Supplements For PKU

⇒SA0733 Special Authority for Subsidy

Initial application — (Patient aged over 16) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 dietary management of PKU: and
- 2 The patient's blood phenylalanine level is < 900 mmol/litre (average of tests over last 12 months).

continued...

SPECIAL FOODS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

Initial application — (Patient aged 16 or under) only from a relevant specialist. Approvals valid for 3 years where the patient requires dietary management of PKU.

Renewal — (Patient aged over 16) only from a relevant specialist. Approvals valid for 1 year where blood phenylalanine level < 900 mmol/litre (average of tests over last 12 months).

Renewal — (Patient aged 16 or under) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

AMINOACID FORMULA WITHOUT PHENYLALANINE - Special Authority see SA0733 on the preceding page - Hospital pharmacy [HP3]

See prescribing guideline on the preceding page			
Tabs	99.00	75 OP	✓ Phlexy 10
Sachets (pineapple/vanilla) 29 g	330.10	30 OP	✓ Minaphlex
Sachets (tropical)		30	✓ Phlexy 10
Infant formula		400 g OP	✓ PKU Anamix Infant
			XP Analog LCP
Powder (orange)	221.00	500 g OP	✓ XP Maxamaid
, ,	320.00		XP Maxamum
Powder (unflavoured)	221.00	500 g OP	XP Maxamaid
	320.00	•	XP Maxamum
Liquid (berry)	15.65	62.5 ml OP	✓ Lophlex LQ
	31.20	125 ml OP	✓ Lophlex LQ
	15.65	62.5 ml OP	✓ PKU Lophlex LQ
	31.20	125 ml OP	✓ PKU Lophlex LQ
Liquid (citrus)	15.65	62.5 ml OP	✓ Lophlex LQ
	31.20	125 ml OP	✓ Lophlex LQ
	15.65	62.5 ml OP	✓ PKU Lophlex LQ
	31.20	125 ml OP	✓ PKU Lophlex LQ
Liquid (forest berries)	30.00	250 ml OP	✓ Easiphen Liquid
Liquid (orange)		62.5 ml OP	✓ Lophlex LQ
	31.20	125 ml OP	✓ Lophlex LQ
	15.65	62.5 ml OP	✓ PKU Lophlex LQ
	31.20	125 ml OP	✓ PKU Lophlex LQ
Liquid (tropical)	30.00	250 ml OP	✓ Easiphen
ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page	33 on the preceding	page – Hospital	pharmacy [HP3]
Powder	6.70	500 g OP	
	(8.22)	Ü	Loprofin Mix

	Subsidy		Fully Brand or	
	(Manufacturer's F	Price) Subs	idised Generic	
	\$	Per	✓ Manufacturer	
IENYL FREE PASTA - Special Authority see SA0733 of	on page 185 – Hospital r	oharmacy [HP3]		
See prescribing guideline on page 185	1.0			
Animal shapes	10.65	500 g OP		
	(11.91)	•	Loprofin	
Lasagne	5.32	250 g OP		
	(5.95)		Loprofin	
Low protein rice pasta	10.65	500 g OP		
	(11.91)		Loprofin	
Macaroni	5.32	250 g OP		
	(5.95)		Loprofin	
Penne	10.65	500 g OP		
	(11.91)		Loprofin	
Spaghetti	10.65	500 g OP		
	(11.91)		Loprofin	
Spirals		500 g OP		
	(11.91)		Loprofin	

Multivitamin And Mineral Supplements

⇒SA0962 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Dietary management of phenylketonuria (PKU); or
- 2 For use as a supplement to the ketogenic diet in patients diagnosed with epilepsy; or
- 3 Patient has had a previous approval for metabolic mineral mixture.

AMINOACID FORMULA WITH MINERALS WITHOUT PHENYLALANINE – Special Authority see SA0962 above – Retail pharmacy See prescribing guideline on page 185

Infant Formulae

For Premature Infants

■SA0602 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 6 months where the patient is infant weighing less than 1.5 kg at birth.

PREMATURE BIRTH FORMULA - Special Authority see SA0602 above - Hospital pharmacy [HP3]

For Williams Syndrome

⇒SA0601 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.



Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

For Gastrointestinal And Other Malabsorptive Problems

⇒SA0603 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year where the patient is infant suffering from malabsorption and other gastrointestinal problems.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Neocate should be used only as a last resort when the infant is unable to absorb any of the below formulae. The objective with each of the formulae prescribed is to get the infant off them as soon as possible. This may take six months, it may take three years. Because of this, variation on age limit is not regarded as appropriate. These formulae will be available only from a hospital pharmacy. Vivonex Pediatric may be a suitable and less expensive alternative for many children that would otherwise be eligible for a subsidy for Neocate and should, therefore, be tried first in these cases. The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

ELEMENTAL FORMULA - Special Authority see SA0603 above - Hospital pharmacy [HP3]

Powder	11.72	450 g OP	
	(15.21)	3 -	Pepti Junior Gold
	15.52 [°]		•
	(19.01)		Pepti Junior
	63.97	400 g OP	
	(67.08)		Neocate
	(67.08)		Neocate LCP
	5.62	48.5 g OP	
	(6.00)		Vivonex Pediatric
Powder (tropical)	52.90	400 g OP	
	(56.00)		Neocate Advance
Powder (unflavoured)	52.90	400 g OP	
	(56.00)		Neocate Advance

For Milk Intolerance

⇒SA0604 Special Authority for Subsidy

Initial application — (Lactase deficiency or disaccharide intolerance) only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is less than 3 years of age; and
- 2 Either:
 - 2.1 diagnosed as suffering from congenital lactase deficiency; or
 - 2.2 suffering from disaccharide intolerance.

Notes: Secondary lactose intolerance in children is usually short lasting, and can be controlled by dietary measures and by giving sufficient calories to regenerate digestive enzymes.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Initial application — (Infant with intolerance to cows' milk) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

continued...

Both:

- 1 intolerant to cows' milk; and
- 2 patient is less than 3 years of age.

Note: The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Renewal — (Infant with intolerance to cows' milk) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 patient is less than 3 years of age.

GOATS MILK INFANT FORMULA - Special Authority see SA0604 on the preceding page - Retail pharmacy

(22.75) Karicare Goats Milk

Infant Formula

LACTOSE FREE INFANT FORMULA - Special Authority see SA0604 on the preceding page - Retail pharmacy

(17.95) Delact

900 g OP

SOYA INFANT FORMULA - Special Authority see SA0604 on the preceding page - Retail pharmacy

(19.57) S26 Soy

Infant Formulae - Lactose Intolerance and Cows' Milk Protein Intolerance

■SA0757 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient is less than 2 years of age; and
- 2 Intolerant to cows' milk; and
- 3 Diagnosed as suffering from congenital lactase deficiency.

Renewal only from a relevant specialist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

INFANT SOY FORMULA - Special Authority see SA0757 above - Retail pharmacy

Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

ADRENALINE	CHARCOAL
✓ Inj 1 in 1,000, 1 ml5	✓ Oral liq 50 g per 250 ml
✓ Inj 1 in 10,000, 10 ml5	CHLORPROMAZINE HYDROCHLORIDE
AMINOPHYLLINE	✓ Tab 10 mg30
✓ Inj 25 mg per ml, 10 ml5	✓ Tab 25 mg
AMIODARONE HYDROCHLORIDE	✓ Tab 100 mg
	✓ Inj 25 mg per ml, 2 ml
✓ Inj 50 mg per ml, 3 ml5	• III] 25 IIIg per IIII, 2 IIII
AMOXYCILLIN	CIPROFLOXACIN
✓ Cap 250 mg30	✓ Tab 250 mg5
✓ Grans for oral liq 125 mg per 5 ml 200 ml	✓ Tab 500 mg5
✓ Grans for oral liq 250 mg per 5 ml 200 ml	
✓ Inj 1 g5	CO-TRIMOXAZOLE
AMOXYCILLIN CLAVULANATE	✓ Tab trimethoprim 80 mg and
✓ Tab amoxycillin 500 mg with potassium	sulphamethoxazole 400 mg30
clavulanate 125 mg30	✓ Oral liq trimethoprim 40 mg and
✓ Grans for oral liq amoxycillin 125 mg with	sulphamethoxazole 200 mg per
potassium clavulanate 31.25 mg per	5 ml200 ml
5 ml	COMPOUND ELECTROLYTES
✓ Grans for oral liq amoxycillin 250 mg with	COMPOUND ELECTROLYTES
potassium clavulanate 62.5 mg per	✓ Powder for soln for oral use 5 g10
5 ml200 ml	CONDOMS
	✓ 49 mm144
APPLICATOR	✓ 52 mm
✓ Applicator – See note on page 701	✓ 52 mm extra strength
ASPIRIN	✓ 53 mm144
✓ Tab dispersible 300 mg30	✓ 53 mm (chocolate)144
ATROPINE SULPHATE	✓ 53 mm (strawberry)144
✓ Inj 600 µg, 1 ml5	✓ 53 mm extra strength144
✓ Inj 1200 µg, 1 ml	54 mm, shaped144
	✓ 55 mm144
AZITHROMYCIN	✓ 56 mm144
✓ Tab 500 mg – Subsidy by endorsement –	✓ 56 mm extra strength144
See note on page 854	✓ 56 mm, shaped144
BENDROFLUAZIDE	✓ 60 mm144
✓ Tab 2.5 mg – See note on page 55150	DEVANETUACONE
BENZATHINE BENZYLPENICILLIN	DEXAMETHASONE
✓ Inj 1.2 mega u per 2.3 ml5	✓ Tab 1 mg – Retail pharmacy-Specialist
	✓ Tab 4 mg – Retail pharmacy-Specialist30
BENZTROPINE MESYLATE	DEXAMETHASONE SODIUM PHOSPHATE
✓ Inj 1 mg per ml, 2 ml5	✓ Inj 4 mg per ml, 1 ml5
BENZYLPENICILLIN SODIUM (PENICILLIN G)	✓ Inj 4 mg per ml, 2 ml
✓ Inj 1 mega u5	· · · · · · · · · · · · · · · · · · ·
CEFTRIAXONE SODIUM	DEXTROSE
	✓ Inj 50%, 10 ml5
✓ Inj 500 mg – Hospital pharmacy [HP3] –	✓ Inj 50%, 90 ml5
Subsidy by endorsement – See note on	DIADUDACM
page 84	DIAPHRAGM
✓ Inj 1 g – Hospital pharmacy [HP3] – Subsidy	✓ Diaphragm – See note on page 701
by endorsement – See note on page 845	continued

PRACTITIONER'S AND WHOLESALE SUPPLY ORDERS

continued) DIAZEPAM		ETHINYLOESTRADIOL WITH NORETHISTER Tab 35 μg with norethisterone 1 mg	
✓ Inj 5 mg per ml, 2 ml – Subsidy by endorsement – See note on page 117	5	✓ Tab 35 µg with norethisterone 1 mg and 7 inert tab	84
✓ Rectal tubes 5 mg	5	✓ Tab 35 µg with norethisterone 500 µg	
✓ Rectal tubes 10 mg	5	✓ Tab 35 µg with norethisterone 500 µg and 7 inert tab	84
DICLOFENAC SODIUM ✓ Inj 25 mg per ml, 3 ml	5	FLUCLOXACILLIN SODIUM	
Suppos 50 mg.		✓ Cap 250 mg	30
DIGOXIN		Grans for oral liq 125 mg per 5 ml	
✓ Tab 62.5 µg	30	✓ Grans for oral liq 250 mg per 5 ml	
✓ Tab 250 µg	30		
DOXYCYCLINE HYDROCHLORIDE		FLUPENTHIXOL DECANOATE ✓ Inj 20 mg per ml, 1 ml	ı
Tab 50 mg		✓ Inj 20 mg per ml, 2 ml	
✓ Tab 100 mg	30	✓ Inj 100 mg per ml, 1 ml	
ERGOMETRINE MALEATE		FLUPHENAZINE DECANOATE	
✓ Inj 500 µg per ml, 1 ml	5	✓ Inj 12.5 mg per 0.5 ml, 0.5 ml	
ERYTHROMYCIN ETHYL SUCCINATE		✓ Inj 25 mg per ml, 1 ml	
✓ Tab 400 mg	30	✓ Inj 100 mg per ml, 1 ml	
Grans for oral liq 200 mg per 5 ml		FUROSEMIDE	
✓ Grans for oral liq 400 mg per 5 ml	00 ml	✓ Tab 40 mg	
ERYTHROMYCIN STEARATE		✓ Inj 10 mg per ml, 2 ml	
Tab 250 mg	30	GLUCAGON HYDROCHLORIDE	
ETHINYLOESTRADIOL WITH DESOGESTREL		✓ Inj 1 mg syringe kit	
Tab 20 μg with desogestrel 150 μg	63	GLYCERYL TRINITRATE	
Tab 20 μg with desogestrel 150 μg and 7		✓ Tab 600 µg	
inert tab		✓ Oral pump spray 400 µg per dose	250 0086
Tab 30 μg with desogestrel 150 μg Tab 30 μg with desogestrel 150 μg and 7	03	HALOPERIDOL	
inert tab	84	✓ Tab 500 µg	
		✓ Tab 1.5 mg ✓ Tab 5 mg	
ETHINYLOESTRADIOL WITH GESTODENE		✓ Oral liq 2 mg per ml	
Tab 30 µg with gestodene 75 µg and 7 inert tab	84	✓ Inj 5 mg per ml, 1 ml	
		HALOPERIDOL DECANOATE	
ETHINYLOESTRADIOL WITH LEVONORGESTREL		✓ Inj 50 mg per ml, 1 ml	
✓ Tab ethinyloestradiol 30 μg with levonorgestrel 50 μg (6) and tab		✓ Inj 100 mg per ml, 1 ml	
ethinyloestradiol 40 µg with levonorgestrel		HYDROCORTISONE	
75 μg (5), and tab ethinyloestradiol 30 μg		✓ Inj 50 mg per ml, 2 ml	
with levonorgestrel 125 μg (10) and 7		HYDROXOCOBALAMIN	
inert tab	84	✓ Inj 1 mg per ml, 1 ml	6
Tab 50 μg with levonorgestrel 125 μg and 7 inert tab	Ω/I	HYOSCINE N-BUTYLBROMIDE	
Tab 30 μg with levonorgestrel 150 μg		✓ Inj 20 mg, 1 ml	
✓ Tab 30 µg with levonorgestrel 150 µg and 7		IPRATROPIUM BROMIDE	
inert tab	84	✓ Nebuliser soln, 250 µg per ml, 1 ml	40
Tab 20 μg with levonorgestrel 100 μg and 7		✓ Nebuliser soln, 250 µg per ml, 2 ml	
inert tab	84	cor	ntinued

PRACTITIONER'S AND WHOLESALE SUPPLY ORDERS

continued)	PETHIDINE HYDROCHLORIDE
LEVONORGESTREL	✓ Inj 50 mg per ml, 1 ml – Only on a controlled
Tab 30 μg84	drug form5
✓ Tab 1.5 mg5	✓ Inj 50 mg per ml, 1.5 ml – Only on a
LIGNOCAINE HYDROCHLORIDE	controlled drug form5
✓ Inj 0.5%, 5 ml – See note on page 1125	✓ Inj 50 mg per ml, 2 ml – Only on a controlled
✓ Inj 1%, 5 ml – See note on page 1125	drug form5
✓ Inj 1%, 20 ml – See note on page 1125	PHENOXYMETHYLPENICILLIN (PENICILLIN V)
LOPERAMIDE HYDROCHLORIDE	✓ Cap potassium salt 250 mg30
✓ Tab 2 mg30	✓ Grans for oral liq 125 mg per 5 ml
	✓ Grans for oral liq 250 mg per 5 ml 200 ml
MEDROXYPROGESTERONE ACETATE	
✓ Inj 150 mg per ml, 1 ml syringe5	PHENYTOIN SODIUM
METHYLERGOMETRINE	✓ Inj 50 mg per ml, 2 ml
✓ Inj 200 µg per ml, 1 ml10	V III 50 IIIg per IIII, 5 IIII5
METOCLOPRAMIDE HYDROCHLORIDE	PHYTOMENADIONE
✓ Inj 5 mg per ml, 2 ml5	✓ Inj 2 mg per 0.2 ml – See note on page 415
	✓ Inj 10 mg per ml, 1 ml – See note on page 415
METRONIDAZOLE	PIPOTHIAZINE PALMITATE
✓ Tab 200 mg30	✓ Inj 50 mg per ml, 1 ml5
MORPHINE SULPHATE	✓ Inj 50 mg per ml, 2 ml
✓ Inj 5 mg per ml, 1 ml – Only on a controlled	
drug form5	PREDNISOLONE SODIUM PHOSPHATE
✓ Inj 10 mg per ml, 1 ml – Only on a controlled	✓ Oral liq 5 mg per ml – See note on
drug form5	page 7630 ml
✓ Inj 15 mg per ml, 1 ml – Only on a controlled	PREDNISONE
drug form5	✓ Tab 5 mg30
✓ Inj 30 mg per ml, 1 ml – Only on a controlled	
drug form5	PREGNANCY TESTS - HCG URINE
NALOXONE HYDROCHLORIDE	✓ Cassette
✓ Inj 400 µg per ml, 1 ml5	PROCAINE PENICILLIN
	✓ Inj 1.5 mega u5
NONOXYNOL-9	
✓ Jelly 2%108 g	PROCHLORPERAZINE
NORETHISTERONE	✓ Tab 5 mg
✓ Tab 350 µg84	✓ Inj 12.5 mg per ml, 1 ml5
✓ Tab 5 mg30	PROMETHAZINE HYDROCHLORIDE
NORETHISTERONE WITH MESTRANOL	✓ Inj 25 mg per ml, 2 ml5
Tab 1 mg with mestranol 50 µg and 7 inert tab84	CALPLITANO
	SALBUTAMOL
OXYTOCIN	✓ Inj 500 µg per ml, 1 ml5 ✓ Aerosol inhaler, 100 µg per dose CFC
✓ Inj 5 iu per ml, 1 ml	free
✓ Inj 10 iu per ml, 1 ml5 ✓ Inj 5 iu with ergometrine maleate 500 µg per	✓ Nebuliser soln, 1 mg per ml, 2.5 ml30
ml, 1 ml5	✓ Nebuliser soln, 2 mg per ml, 2.5 ml
PARACETAMOL	SALBUTAMOL WITH IPRATROPIUM BROMIDE
✓ Tab 500 mg30	✓ Nebuliser soln, 2.5 mg with ipratropium
✓ Oral liq 120 mg per 5 ml	bromide 0.5 mg per vial, 2.5 ml20
✓ Oral liq 250 mg per 5 ml 100 ml	continued

PRACTITIONER'S AND WHOLESALE SUPPLY ORDERS

Continued SILVER SULPHADIAZINE	TRIMETHOPRIM ✓ Tab 300 mg
SODIUM BICARBONATE ✓ Inj 8.4%, 50ml	WATER ✓ Purified for inj 5 ml – See note on page 44
✓ Inf 0.9% – See note on page 44	ZUCLOPENTHIXOL DECANOATE ✓ Inj 200 mg per ml, 1 ml5

Pharmaceuticals that may be obtained on a Wholesale Supply Order

INTRA-UTERINE DEVICE

✓ IUD

MASK FOR SPACER DEVICE

✓ Size 2

PEAK FLOW METER

✓ Low range

✓ Normal range

SPACER DEVICE

- ✓ 230 ml (autoclavable)
- ✓ 230 ml (single patient)
- **✓** 800 ml

Rural Areas for Practitioner's Supply Orders

NORTH ISLAND Tairua Marton Taumarunui Ohakune Northland DHB Te Aroha Raetihi Dargaville Te Kauwhata Taihape Hikurangi Te Kuiti Waiouru Kaeo Tokoroa Kaikohe

Kaeo Tokoroa Rolleston
Kaikohe Waihi MidCentral DHB Rotherham
Kaitaia Whangamata Dannevirke Templeton
Kawakawa Whitianga Foxton Waikari
Kerikeri Levin

Leeston

I incoln

Oxford

Rakaia

Fairlie

South Canterbury DHB

Methven

Mangonui Bay of Plenty DHB Otaki
Maungaturoto Edgecumbe Pahiatua
Moerewa Katikati Shannon
Ngunguru Kawerau Woodville

Geraldine Murupara Paihia Wairarapa DHB Pleasant Point Opotiki Rawene Carteron Temuka Ruakaka Taneatua Featherston Twizel Te Kaha Russell Grevtown Waimate Waihi Beach Tutukaka

Waipu Whakatane Martinborough
Whangaroa Lakea PUB

Whangaroa Lakes DHB

Waitemata DHB

Helensville

Wangakino

Turangi

Mangakino

Alexandra

Balclutha Nelson/Marlborough DHB Huapai Tairawhiti DHB Cromwell Havelock Kumeu Ruatoria Kurow Mapua Snells Beach Te Araroa Lawrence Motueka Waimauku Te Karaka Murchison Milton Warkworth Te Puia Springs Oamaru Picton Wellsford

Wellstord Tikitiki Takaka Outram
Auckland DHB Tokomaru Bay Wakefield Owaka
Great Barrier Island Tolaga Bay Palmerston
Oneroa Taranaki DHB West Coast DHB Ranfurly

Oneroa Taranaki DHB West Coast DHB Ranfurly
Ostend Eltham Dobson Roxburgh
Counties Manukau DHB Inglewood Hokitika Wanaka

Taranaki DHB West Coast DHB Ranfurly
Dobson Roxburgh
Greymouth Tapanui
Hokitika Wanaka

 Counties Manukau DHB
 Inglewood
 Hokitika
 Wana

 Tuakau
 Manaia
 Karamea

 Waiuku
 Oakura
 Reefton

 Okato
 South Westland

Waikato DHB Opunake Southland DHB Westport Coromandel Patea Gore Whataroa Huntly Stratford Lumsden Kawhia Waverley Canterbury DHB Mataura Matamata Akaroa Ohan

Hawkes Bay DHB Morrinsville Amberlev Otautau Chatham Islands Ngatea Amuri Queenstown Waipawa Otorohanga Cheviot Riverton Waipukurau Paeroa Darfield Te Anau Wairoa Pauanui Beach Diamond Harbour Tokonui

PutaruruWhanganui DHBHanmer SpringsTuatapereRaglanBullsKaikouraWinton

SECTION F: PART I

A Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is Close Control.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is Close Control.

SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

- a) the Community Pharmaceutical is identified with a \blacktriangle within the other sections of the Pharmaceutical Schedule and the prescriber has endorsed the Prescription item(s) on the Prescription to which the exemption applies "certified exemption". In endorsing the Prescription items for a certified exemption, the prescriber is certifying that:
 - i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
 - ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
 - iii) the prescriber has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
 - i) have limited physical mobility:
 - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - iii) are relocating to another area;
 - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

The following Community Pharmaceuticals are identified with a \blacktriangle within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

ALIMENTARY TRACT AND METABOLISM

INSULIN ASPART

INSULIN GLARGINE

INSULIN ISOPHANE

INSULIN ISOPHANE WITH INSULIN NEUTRAL

INSULIN LISPRO

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

INSULIN NEUTRAL

CARDIOVASCULAR SYSTEM

AMIODARONE HYDROCHLORIDE

Tab 100 mg Cordarone-X Tab 200 mg Cordarone-X

DISOPYRAMIDE PHOSPHATE

FLECAINIDE ACETATE

Tab 50 mg Tambocor
Tab 100 mg Tambocor
Cap long-acting 100 mg
Cap long-acting 200 mg
Tambocor CR
Tambocor CR
Tambocor CR

MEXILETINE HYDROCHLORIDE

PROPAFENONE HYDROCHLORIDE

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN

Nasal drops 100 µg per Minirin

ml

Nasal spray 10 µg per Desmopressin-PH&T

dose

MUSCULOSKELETAL SYSTEM

PYRIDOSTIGMINE BROMIDE

NERVOUS SYSTEM

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

ENTACAPONE

GABAPENTIN

GABAPENTIN (NEURONTIN)

LAMOTRIGINE

LISURIDE HYDROGEN MALEATE

PERGOLIDE

ROPINIROLE HYDROCHLORIDE

TOLCAPONE TOPIRAMATE

VIGABATRIN

SENSORY ORGANS

BIMATOPROST

BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE

BRINZOLAMIDE

LATANOPROST

TRAVOPROST

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

Safety Caps (NZS 5825:1991)

20 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
04	
24 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	,
	PDL FG

SAFETY CAP MEDICINES

ALIMENTARY TRACT AND METABOLISM

FERROUS SULPHATE

Oral lig 150 mg per 5 ml Ferodan

CARDIOVASCULAR SYSTEM

AMILORIDE

Oral lig 1 mg per ml Biomed

CAPTOPRIL

Oral lig 5 mg per ml Capoten

CHLOROTHIAZIDE

Oral liq 50 mg per ml Biomed

DIGOXIN

Oral lig 50 µg per ml Lanoxin

FUROSEMIDE

Oral lig 10 mg per ml Lasix

SPIRONOLACTONE

Oral liq 5 mg per ml Biomed

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

LEVOTHYROXINE

Tab 50 ug Eltroxin

Goldshield

Synthroid

Tab 100 µg Eltroxin

Goldshield Synthroid

Tab 25 ug Synthroid

(Extemporaneously compounded oral liquid preparations)

MUSCULOSKELETAL SYSTEM

IBUPROFEN

Oral liq 100 mg per 5 ml Fenpaed

QUININE SULPHATE

Tab 200 mg Q 200 Tab 300 mg Q 300

(Extemporaneously compounded oral liquid preparations)

NERVOUS SYSTEM

ALPRAZOLAM

Tab 250 µg Arrow-Alprazolam
Tab 500 µg Arrow-Alprazolam
Tab 1 mg Arrow-Alprazolam

(Extemporaneously compounded oral liquid preparations)

CARBAMAZEPINE

Oral liq 100 mg per 5 ml Tegretol

CLOBAZAM

Tab 10 mg Frisium

(Extemporaneously compounded oral liquid preparations)

CLONAZEPAM

Oral drops 2.5 mg per Rivotril

ml

DIAZEPAM

Tab 2 mg Arrow-Diazepam Tab 5 mg Pro-Pam

Arrow-Diazepam

Tab 10 mg Pro-Pam

(Extemporaneously compounded oral liquid preparations)

ETHOSUXIMIDE

Oral lig 250 mg per 5 ml Zarontin

LORAZEPAM

Tab 1 mg Ativan

Tab 2.5 mg Ativan

(Extemporaneously compounded oral liquid preparations)

LORMETAZEPAM

Tab 1 mg Noctamid

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Oral liq 2 mg per ml
Oral liq 5 mg per ml
Oral liq 10 mg per ml
Biodone Forte
Biodone Extra Forte

MIDAZOLAM

Tab 7.5 mg Hypnovel

(Extemporaneously compounded oral liquid preparations)

MORPHINE HYDROCHLORIDE

Oral liq 1 mg per ml
Oral liq 2 mg per ml
Oral liq 5 mg per ml
Oral liq 5 mg per ml
Oral liq 10 mg per ml
RA-Morph
RA-Morph

NITRAZEPAM

Tab 5 mg Nitrados

(Extemporaneously compounded oral liquid preparations)

OXAZEPAM

Tab 10 mg Ox-Pam
Tab 15 mg Ox-Pam

(Extemporaneously compounded oral liquid preparations)

OXYCODONE HYDROCHLORIDE

Oral lig 5 mg per 5 ml OxyNorm

SAFETY CAP MEDICINES

PARACETAMOL

Oral liq 120 mg per 5 ml Paracare Junior

Oral lig 250 mg per 5 ml Paracare Double Strength

PHENYTOIN SODIUM

Oral liq 30 mg per 5 ml Dilantin

SODIUM VALPROATE

Oral liq 200 mg per 5 ml Epilim S/F Liquid

Epilim Syrup

TEMAZEPAM

Tab 10 mg Normison

(Extemporaneously compounded oral liquid preparations)

TRIAZOLAM

Tab 125 μg Hypam

Tab 250 μg Hypam

(Extemporaneously compounded oral liquid preparations)

RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE

Oral lig 1 mg per ml Cetirizine - AFT

CHLORPHENIRAMINE MALEATE

Oral lig 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHLORIDE

Oral liq 5 mg per 5 ml Phenergan

Promethazine Winthrop

Elixir

SALBUTAMOL

Oral liq 2 mg per 5 ml Salapin

THEOPHYLLINE

Oral liq 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE

Oral liq 30 mg per 5 ml Vallergan Forte

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE

Powder Douglas

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Powder AFT

(Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM

Powder MidWest

(Extemporaneously compounded oral liquid preparations)

- Symbols -	Alendronate sodium109	- 110	Antiandrogen Oral
3TC95	Alendronate sodium with		Contraceptives
- A -	cholecalciferol	109	Antiarrhythmics
••	Alfacalcidol	36	Antibacterials
A-Lices	Alginic acid	25	Antibacterials Topical
A-Scabies65	Alitraq	179	Anticholinesterases
Abacavir sulphate94	Alkeran	138	Antidepressants
Abacavir sulphate with	Allersoothe	154	Antidiarrhoeals
lamivudine94	Allopurinol	110	Antiepilepsy Drugs
Abilify125	Alpha Adrenoceptor Blockers		Antifibrinolytics, Haemo
Acarbose29	Alpha tocopheryl acetate		and Local Sclerosant
ACB52	Alpha-Bromocriptine		Antifungals
Accu-Chek Performa31	Alpha-Keri Lotion		Antifungals Topical
Accupril50	Alprazolam		Antihaemorrhoidals
Accuretic 1050	Alu-Tab		Antihistamines
Accuretic 2050	Aluminium hydroxide		Antihypotensives
Acebutolol52	Amantadine hydrochloride		Antimalarials
Acetazolamide162	Amiloride		Antimigraine Preparatio
Acetic acid with 1, 2- propanediol	Amiloride with frusemide		Antinaus
diacetate and	Amiloride with		Antinausea and Vertigo
benzethonium160	hydrochlorothiazide	55	Agents
Acetic acid with hydroxyquinoline	Aminophylline		Antiparkinson Agents
and ricinoleic acid73	Amiodarone hydrochloride		Antipruritic Preparations
Acetylcysteine169	Amirol		Antipsychotics
Aci-Jel73	Amisulpride		Antiretrovirals
Aciclovir	Amitrip		Antiretrovirals - Addition
Infection92	Amitriptyline		Therapies
Sensory160	Amizide		Antirheumatoid Agents
Acidex25	Amlodipine		Antispasmodics and Oth
Acipimox45	Amorolfine		
Acitretin66			Agents Altering Gut
Actigall33	Amoxycillin alayylanata		Motility
Actrapid28	Amoxycillin clavulanate		Antithrombotic Agents
Actrapid Penfill28	Amphotericin B		Antithymocyte globulin
Acupan112	Amsacrine		(equine)
Adalat 1054	Amsidine		Antitrichomonal Agents
Adalat Oros54	Amyl nitrite		Antituberculotics and
Adalimumab104	Anabolic Agents		Antileprotics
Adefin XL54	Anaesthetics		Antiulcerants
Adefovir dipivoxil90	Anagrelide hydrochloride		Antivirals
Adrenaline57	Analgesics		Anusol
Advantan63	Anastrozole		Anxiolytics
AFT-Pyrazinamide89	Andriol Testocaps		API
Agents Affecting the	Androderm		Apo-Allopurinol
Renin-Angiotensin System49	Antabuse		Apo-Amlodipine
Agents Used in the Treatment of	Antacids and Antiflatulants		Apo-Amoxi
Poisonings38	Anten		Apo-Ascorbic Acid
Agrylin142	Anthelmintics	84	Apo-B-Complex
Airflow37	Anti-inflammatory Non Steroidal		Apo-Bromocriptine
Alanase	Drugs (NSAIDs)		Apo-Captopril
Albay153	Antiacne Preparations		Apo-Cimetidine
Albustix75	Antiallergy Preparations		Apo-Clomipramine
Alders CO	Antianaemics	40	Apo-Clopidogrel

Contraceptives73	
Antiarrhythmics51	
Antibacterials84	
Antibacterials Topical59	
Anticholinesterases102	
Antidepressants115	
Antidiarrhoeals25	
Antiepilepsy Drugs117	
Antifibrinolytics, Haemostatics	
and Local Sclerosants41	
Antifungals88	
Antifungals Topical60	
Antihaemorrhoidals26	
Antihistamines153	
Antihypotensives52	
Antimalarials89	
Antimigraine Preparations121	
Antinaus123	
Antinausea and Vertigo	
Agents122	
Antiparkinson Agents123	
Antipruritic Preparations61	
Antipsychotics125	
Antiretrovirals93	
Antiretrovirals - Additional	
Antiretrovirals - Additional Therapies95	
Antirheumatoid Agents104	
Austinum annum alian aunal Othan	
Agents Altering Gut	
Motility27	
Antithrombotic Agents41	
Antithymocyte alobulin	
(equine)150	
Antitrichomonal Agents89	
Antituberculotics and	
Antileprotics89	
Antiulcerants27	
Antivirals90	
Anusol26	
Anxiolytics129	
API61	
Apo-Allopurinol110	
Apo-Amlodipine53	
Apo-Amoxi86	
Apo-Ascorbic Acid36	
Apo-B-Complex36	
Apo-Bromocriptine124	
Apo-Captopril49	
Apo-Cimetidine27	
Apo-Clomipramine115	
Ana Clanidagral 41	

Apo-Diclo	.102
Apo-Diclo SR	.102
Apo-Doxazosin	
Apo-Folic Acid	
Apo-Gliclazide	
Apo-Ipravent	
Apo-Moclobemide	
Apo-Nadolol	
Apo-Nicotinic Acid	
Apo-Oxybutynin	
Apo-Pindolol	53
Apo-Prazo	
Apo-Prednisone	
Apo-Primidone	
Apo-Pyridoxine	
Apo-Risperidone	
Apo-Selegiline	
Apo-Terazosin	49
Apo-Terbinafine	
Apo-Thiamine	
Apo-Timol	
Apo-Timop	
Apo-Zopiclone	132
Apomine	
Apomorphine hydrochloride	123
Applicator	
Aprepitant	122
Apresoline	
Aquasun 30+	
Aquasun Oil Free Faces	00
Aquasuri Oli Free Faces	
CDE201	60
SPF30+ SPF 30+	68
Aquasun Sensitive SPF 30+	68
Aquasun Sensitive SPF 30+ Aqueous cream	68 64
Aquasun Sensitive SPF 30+ Aqueous creamAratac	68 64 51
Aquasun Sensitive SPF 30+ Aqueous cream Aratac Arava	68 64 51 .104
Aquasun Sensitive SPF 30+ Aqueous cream Aratac Arava Arimidex	68 64 51 .104 .148
Aquasun Sensitive SPF 30+ Aqueous cream Aratac Arava Arimidex Aripiprazole	68 64 51 .104 .148
Aquasun Sensitive SPF 30+ Aqueous cream Aratac Arava Arimidex Aripiprazole Aristocort	68 64 51 .104 .148 .125
Aquasun Sensitive SPF 30+ Aqueous cream Aratac Arava Arimidex Aripiprazole Aristocort Aromasin	68 64 51 .104 .148 .125 63
Aquasun Sensitive SPF 30+	68 64 51 .104 .148 .125 63 .148
Aquasun Sensitive SPF 30+	68 64 51 .104 .125 63 .148 .148
Aquasun Sensitive SPF 30+	68 64 51 .104 .148 .125 63 .148 .129 85
Aquasun Sensitive SPF 30+	68 51 .104 .148 .125 63 .148 .129 85 82
Aquasun Sensitive SPF 30+	68 51 .104 .148 .125 63 .148 .148 .129 85 82
Aquasun Sensitive SPF 30+	686451 .104 .148 .12563 .148 .12985828241
Aquasun Sensitive SPF 30+	68 64 51 .104 .148 .125 63 .148 .129 85 82 82
Aquasun Sensitive SPF 30+	68 64 51 .104 .148 .125 63 .148 .149 85 82 .116 41
Aquasun Sensitive SPF 30+	686451 .10412563 .148 .1298582 .11641 .130 .110 .119
Aquasun Sensitive SPF 30+	686451 .104 .148 .12563 .148 .1298582 .11641 .130 .110 .11950
Aquasun Sensitive SPF 30+	686451 .104 .148 .12563 .148 .1298582 .11641 .1301195030
Aquasun Sensitive SPF 30+	686451104516341858281414141503054
Aquasun Sensitive SPF 30+	686451 .104 .148 .12563 .148 .1298582 .11641 .130505050

Arrow-Roxithromycin	86
Arrow-Simva 10mg	
Arrow-Simva 20mg	47
Arrow-Simva 40mg	47
Arrow-Simva 80mg	
Arrow-Sumatriptan	
Arsenic trioxide	142
Arthrexin	
Asacol	
Asamax	
Ascorbic acid	26
Aspec 300	
Aspen Adrenaline	. I I 2
	5/
Aspirin Blood	
Blood	41
Nervous	.112
Asthalin	.156
Atacand	
Atazanavir sulphate	
Atenolol	
ATGAM	
Ativan	.130
Atomoxetine	
Atorvastatin	46
Atropine sulphate	
Alimentary	27
Sensory	.163
Atropt	.163
Atrovent	.156
Augmentin	
Auranofin	
Avanza	.116
Avomine	.123
Avonex	.132
Azamun	149
Azathioprine	149
Azithromycin	85
Azol	
Azopt	
AZT	95
-B-	
B-D Micro-Fine	20
B-D Ultra Fine	
B-D Ultra Fine II	ა∠
Baclofen	
Bactroban	60
Bakels Gluten Free Health Bread	
Mix	
Baraclude	90
Barrier Creams and	_
Emollients	
Batrafen	60
	454

Beclazone 2501	
	E 4
Beclazone 501	24
Beclomethasone	
dipropionate154, 15	58
Bedford1	39
Bee venom allergy	
treatment1	53
Bendrofluazide	
Benhex	65
Benzathine benzylpenicillin	
Benzoin10	
Benztrop12	24
Benztropine mesylate12	
Benzydamine hydrochloride	35
Benzylpenicillin sodium (penicillin	
G)	86
Beta Adrenoceptor Blockers	
Beta Cream	
Beta Ointment	
Beta Scalp	67
Beta-Adrenoceptor Agonists1	56
Betadine	65
Betadine Skin Prep	65
Betaferon13	
Betagan10	
Betahistine dihydrochloride12	22
Betaloc	53
Betaloc CR	53
Betamethasone dipropionate6	62
Betamethasone sodium	
phosphate with	
betamethasone acetate	
Betamethasone valerate62, 6	67
Betamethasone valerate with	
clioquinol	63
Betamethasone valerate with	
fusidic acid	63
Betaxolol hydrochloride16	61
Betnovate	
Betnovate-C	
Betoptic10	
Betoptic S16	61
Bezafibrate	45
Bezalip Retard	
Bicalox14	48
Bicalutamide14	48
Bicillin LA	
BiCNU1	
Bimatoprost10	
Biodone1	13
Biodone Extra Forte1	13
Biodone Forte1	13

BK Lotion	65	Calcium carbonate with		Cetirizine - AFT	153
Blenoxane	142	aminoacetic acid	25	Cetirizine hydrochloride	153
Bleomycin sulphate	142	Calcium Channel Blockers	53	Cetomacrogol	64
Bleph 10	160	Calcium Disodium Versenate	39	Charcoal	38
Blood glucose diagnostic to	est	Calcium folinate	139	Chemotherapeutic Agents	
meter	31	Calcium Folinate Ebewe	139	Chlorambucil	138
Blood glucose diagnostic to	est	Calcium gluconate	38	Chloramphenicol	
strip		Calcium Homeostasis		Chlorhexidine gluconate	
Bonjela		Calcium polystyrene		Alimentary	35
Bosentan	57	sulphonate	44	Dermatological	
Breath-Alert		Calcium Resonium		Chloroform	
Brevinor 1/21	72	Calogen	173	Chloromycetin	160
Brevinor 1/28	72	Calsource	37	Chlorothiazide	
Brevinor 21	72	Camptosar	141	Chlorpheniramine maleate .	153
Bricanyl Turbuhaler	156	Candesartan	50	Chlorpromazine	
Brimonidine tartrate	162	Canesten		hydrochloride	125
Brimonidine tartrate with ti	molol	Capadex	113	Chlorsig	
maleate	163	Capecitabine	139	Chlorthalidone	
Brinzolamide	162	Capoten	49	Chlorvescent	45
Brolene	160	Capsaicin		Cholecalciferol	
Bromocriptine mesylate	124	Captopril		Cholestyramine with	
Brufen	103	Carafate		aspartame	45
Brufen Retard	103	Carbamazepine	118	Choline salicylate with	
Buccastem	123	Carbimazole	80	cetalkonium chloride	35
Budesonide		Carboplatin		Ciclopiroxolamine	
Alimentary	25	Carboplatin Ebewe		Cilazapril	
Respiratory		Carbosorb-X		Cilazapril with	
Budesonide with		Cardinol		hydrochlorothiazide	50
eformoterol	156	Cardinol LA	53	Cilicaine	87
Bumetanide	55	Cardizem CD		Cilicaine VK	
Bupivacaine hydrochloride	112	CareSens	31	Ciloxan	160
Buprenorphine		CareSens II	31	Cimetidine	
hydrochloride	113	CareSens POP	31	Ciprofloxacin	
Bupropion hydrochloride	56	Carmustine		Infection	87
Burinex	55	Carvedilol	52	Sensory	
Buscopan		Catapres		Cisplatin	
Buserelin acetate	81	Catapres-TTS-1		Cisplatin Ebewe	
Buspirone hydrochloride	130	Catapres-TTS-2	54	Citalopram hydrobromide	116
Busulphan		Catapres-TTS-3		Cladribine	
Butacort Aqueous		CeeNU	138	Clarithromycin	
- C -		Cefaclor monohydrate		Alimentary	27
Cabergoline	82	Cefalexin Sandoz	84	Infection	85
Cafergot		Cefazolin sodium	84	Clexane	
Cal-d-Forte		Cefoxitin sodium		Climara 100	
Calamine		Ceftriaxone sodium		Climara 50	
Calci-Tab 500		Cefuroxime axetil	84	Clindamycin	87
Calci-Tab 600		Cefuroxime sodium		Clinistix	
Calcipotriol		Celestone Chronodose	76	Clinitest	
Calcitonin		Celiprolol	52	Clinoril	103
Calcitriol		Cellcept		Clobazam	
Calcitriol-AFT		Celol		Clobetasol propionate	62, 67
Calcium		Cephalexin monohydrate		Clobetasone butyrate	
Calcium carbonate		Cerezyme		Clomazol	
Calcialli Calbollato		•			

Dermatological	60
Genito-Urinary	74
Clomiphene citrate	82
Clomipramine hydrochloride	115
Clonazepam117-	-118
Clonidine	54
Clonidine hydrochloride	
Cardiovascular	54
Nervous	122
Clopidogrel	41
Clopine	126
Clopixol	128
Clopress	115
Clotrimazole	
Dermatological	60
Genito-Urinary	74
Clozapine	126
Clozaril	126
Co-Renitec	50
Co-trimoxazole	88
Coal tar	66
Coal tar with allantoin, menthol,	
phenol and sulphur	66
Coal tar with salicylic acid and	
sulphur	67
Coco-Scalp	67
Codalgin	114
Codeine phosphate	
Extemporaneous	
Nervous	113
Cogentin	124
Colaspase (L-asparaginase)	142
Colchicine	
Colestid	45
Colestipol hydrochloride	45
Colgout	110
Colifoam	26
Colistin sulphomethate	
Colistin-Link	88
Collodion flexible	
Colofac	
Coloxyl	34
Combigan	. 103
Combiner	157
Combivir	95
Compound electrolytes	44
Compound hydroxybenzoate	160
Comtan	. 109 104
Concerta	
Condoms	
Condyline	0،
Contractions Harman	00 71

Contraceptives -	
Non-hormonal7	7(
Copaxone13	32
Copper3	30
Corangin5	
Cordarone-X5	51
Corticosteroids and Related	
Agents for Systemic Use 7	6
Corticosteroids Topical6	32
Cosmegen14	2
Cosopt16	2
Cotazym ECS3	
Coumadin4	
Coversyl5	60
Cozaar5	51
Creon 100003	33
Creon Forte3	33
Crixivan9	95
Cromolux16	
Crotamiton6	31
Crystacide6	36
Curam8	36
Cyclizine hydrochloride12	2
Cyclizine lactate12	2
Cycloblastin13	88
Cyclogyl16	33
Cyclopentolate	
hydrochloride16	33
Cyclophosphamide13	88
Cyclosporin15	51
Cyklokapron4	ŀ1
Cyproheptadine	
hydrochloride15	3
Cyproterone acetate7	7
Cyproterone acetate with	
ethinyloestradiol7	73
Cystic Fibrosis15	38
Cytarabine14	ŀC
Cytotec2	27
Cytoxan13	88
- D -	
D-Penamine10	۱4
D-Zol8	23
d4T9).
Dacarbazine14	12
Daclin10	
Dactinomycin (actinomycin	,
D)14	מ
Daivonex6	
Daktarin	,,
Alimentary3	Q F
Dermatological 6	

Danazol	83
Dantrium1	11
Dantrolene sodium1	11
Daonil	
Dapsone	89
Dasatinib1	46
Daunorubicin1	42
DBL Bleomycin Sulfate1	42
DDI	
De-Worm	
Deca-Durabolin Orgaject	76
Delact1	
Depo-Medrol	76
Depo-Medrol with lidocaine	76
Depo-Provera	73
Depo-Testosterone	
Deprim	
Derbac-M	85
Dermol62,	67
Desferrioxamine mesylate	10
Desmopressin	
Desmopressin-PH&T	02
Detection of Substances in	02
Urine	75
Dexamethasone	70
Hormone	76
Sensory1	ЬΙ
Dexamethasone sodium phosphate	70
pnospnate	/ (
Dexamethasone with framycetin and gramicidin1	^
and gramicidin1	ы
Dexamethasone with neomycin	
and polymyxin b sulphate1	61
Dexamphetamine sulphate1	33
Dextrochlorpheniramine	
maleate 1	53
Dextropropoxyphene with	
paracetamol1	13
Dextrose	44
Dextrose with electrolytes	45
DHC Continus1	13
Diabetes	28
Diabetes Management Diabur 5000	30
Diabur 5000	30
Diamox1	62
Diaphragm	70
Diasip1	75
Diason RTH1	75
Diastix	30
Diastop	25
Diazepam117, 1	30
Dibenyline	
	_



Diclofenac sodium	Doxorubicin	143	Enerlyte	44
Musculoskeletal System102	2 Doxorubicin Ebewe	143	Enfuvirtide	95
Sensory161		87	Enoxaparin sodium	42
Diclohexal102		87	Ensure	
Didanosine [DDI]94			Ensure Plus	182
Didronel110			Ensure Plus RTH	
Difflam35			Entacapone	
Diflucortolone valerate62			Entecavir	
Digestives Including	Dr Reddy's Pantoprazole		Entocort CIR	
Enzymes33			Enuclene	
Digoxin51	Dulcolax		Enzymes	
Dihydrocodeine tartrate113			Epilim	
Dilantin120	_ ·	173	Epilim Crushable	
Dilantin Infatab120			Epilim IV	
Dilatrend52			Epilim S/F Liquid	
Diltiazem hydrochloride54	'		Epilim Syrup	
Dilzem54	•		Epirubicin	
Dimetriose83			Epirubicin Ebewe	
Dipentum26			Eprex	
Diphemanil methylsulphate64			ERA	
Diphenoxylate hydrochloride with	Durogesic		Ergometrine maleate	
atropine sulphate25			Ergotamine tartrate with	
Diprosone62	•		caffeine	121
Diprosone OV62	, ,		Erythrocin IV	
Dipyridamole42			Erythromycin ethyl succinate .	
Disinfecting and Cleansing	E-Mycin	95	Erythromycin lactobionate	
-	□-IVIYCII I			
Agents 64	Far Proparations		Erythromycin stearate	86
Agents	Lai i reparationo	160	Erythromycin stearate Erythropoietin alpha	
Agents	Ear/Eye Preparations	160 160		40
Disipal124	Ear/Eye Preparations Easiphen	160 160 186	Erythropoietin alpha	40 40
Disipal124 Disopyramide phosphate51	Ear/Eye Preparations Easiphen	160 160 186	Erythropoietin alphaErythropoietin beta	40 40 73
Disipal	Ear/Eye Preparations Easiphen Easiphen Liquid Econazole nitrate	160 160 186 186	Erythropoietin alphaErythropoietin beta Estelle 35-ED Estraderm TTS 100	40 73 78
Disipal 124 Disopyramide phosphate 51 Disulfiram 134 Dithranol 67	Ear/Eye Preparations Easiphen Easiphen Liquid Econazole nitrate Efavirenz	160 160 186 186 60	Erythropoietin alpha Erythropoietin beta Estelle 35-ED	40 73 78
Disipal 124 Disopyramide phosphate 51 Disulfiram 134 Dithranol 67 Diuretics 55	Ear/Eye Preparations Easiphen Easiphen Liquid Econazole nitrate Efavirenz Efexor XR	160 160 186 186 60 94	Erythropoietin alphaErythropoietin betaEstelle 35-EDEstraderm TTS 100Estraderm TTS 25	40 73 78 78
Disipal 124 Disopyramide phosphate 51 Disulfiram 134 Dithranol 67 Diuretics 55 Diurin 40 55 Diurin 500 55	Ear/Eye Preparations Easiphen Easiphen Liquid Econazole nitrate Efavirenz Efexor XR Eformoterol fumarate	160 186 186 60 94 117	Erythropoietin alpha Erythropoietin beta Estelle 35-ED Estraderm TTS 100 Estraderm TTS 25 Estraderm TTS 50	40 73 78 78 78
Disipal 124 Disopyramide phosphate 51 Disulfiram 134 Dithranol 67 Diuretics 55 Diurin 40 55 Diurin 500 55 Dixarit 122	Ear/Eye Preparations Easiphen Easiphen Liquid Econazole nitrate Efavirenz Efexor XR Eformoterol fumarate Efudix		Erythropoietin alpha Erythropoietin beta Estelle 35-ED Estraderm TTS 100 Estraderm TTS 25 Estraderm TTS 50 Estrofem Etanercept	40 73 78 78 78 78
Disipal 124 Disopyramide phosphate 51 Disulfiram 134 Dithranol 67 Diuretics 55 Diurin 40 55 Diurin 500 55 Dixarit 122 DM Ject 32	Ear/Eye Preparations Easiphen Easiphen Liquid Econazole nitrate Efavirenz Efexor XR Eformoterol fumarate Efudix Egopsoryl TA		Erythropoietin alpha Erythropoietin beta Estelle 35-ED Estraderm TTS 100 Estraderm TTS 25 Estraderm TTS 50 Estrofem Etanercept Ethambutol hydrochloride	40 73 78 78 78 78 108
Disipal 124 Disopyramide phosphate 51 Disulfiram 134 Dithranol 67 Diuretics 55 Diurin 40 55 Diurin 500 55 Dixarit 122	Ear/Eye Preparations Easiphen Easiphen Liquid Econazole nitrate Efavirenz Efexor XR Eformoterol fumarate Efudix Egopsoryl TA Elemental 028 Extra		Erythropoietin alpha Erythropoietin beta Estelle 35-ED Estraderm TTS 100 Estraderm TTS 25 Estraderm TTS 50 Estrofem Etanercept Ethambutol hydrochloride Ethics Aspirin	40 73 78 78 78 78 108 108
Disipal 124 Disopyramide phosphate 51 Disulfiram 134 Dithranol 67 Diuretics 55 Diurin 40 55 Diurin 500 55 Dixarit 122 DM Ject 32 Docetaxel 142	Ear/Eye Preparations Easiphen Easiphen Liquid Econazole nitrate Efavirenz Efexor XR Eformoterol fumarate Efudix Egopsoryl TA Elemental 028 Extra Eligard		Erythropoietin alpha Erythropoietin beta Estelle 35-ED Estraderm TTS 100 Estraderm TTS 25 Estraderm TTS 50 Estrofem Etanercept Ethambutol hydrochloride Ethics Aspirin Ethics Aspirin EC	40 73 78 78 78 78 78 108 108
Disipal 124 Disopyramide phosphate 51 Disulfiram 134 Dithranol 67 Diuretics 55 Diurin 40 55 Diurin 500 55 Dixarit 122 DM Ject 32 Docetaxel 142 Docetaxel Ebewe 142	Ear/Eye Preparations Easiphen Easiphen Liquid Econazole nitrate Efavirenz Efexor XR Eformoterol fumarate Efudix Egopsoryl TA Elemental 028 Extra Eligard Elocon		Erythropoietin alpha Erythropoietin beta Estelle 35-ED Estraderm TTS 100 Estraderm TTS 25 Estraderm TTS 50 Estrofem Etanercept Ethambutol hydrochloride Ethics Aspirin Ethics Aspirin EC Ethics Ibuprofen	40404040
Disipal 124 Disopyramide phosphate .51 Disulfiram 134 Dithranol .67 Diurretics .55 Diurin 40 .55 Diurin 500 .55 Divarit .122 DM Ject .32 Docetaxel .142 Docetaxel Ebewe .142 Docusate sodium .34	Ear/Eye Preparations Easiphen Easiphen Liquid Econazole nitrate Efavirenz Efexor XR Eformoterol fumarate Efudix Egopsoryl TA Elemental 028 Extra Eligard Elocon Eloxatin		Erythropoietin alpha Erythropoietin beta Estelle 35-ED Estraderm TTS 100 Estraderm TTS 25 Estraderm TTS 50 Estrofem Etanercept Ethambutol hydrochloride Ethics Aspirin Ethics Aspirin EC	404040407378787878
Disipal 124 Disopyramide phosphate .51 Disulfiram 134 Dithranol .67 Diurretics .55 Diurin 40 .55 Diurin 500 .55 Dixarit .122 DM Ject .33 Docetaxel .144 Docetaxel Ebewe .142 Docusate sodium .34 Docusate sodium with sennosides .34	Ear/Eye Preparations Easiphen Easiphen Liquid Econazole nitrate Efavirenz Efexor XR Eformoterol fumarate Efudix Egopsoryl TA Elemental 028 Extra Eligard Elocon Eloxatin Eltroxin		Erythropoietin alpha Erythropoietin beta Estelle 35-ED Estraderm TTS 100 Estraderm TTS 25 Estraderm TTS 50 Estrofem Etanercept Etthics Aspirin Ethics Aspirin EC Ethics Ibuprofen Ethinyloestradiol Ethinyloestradiol with	40 40 73 78 78 78 108 89 112 41 41 103
Disipal 124 Disopyramide phosphate .51 Disulfiram 134 Dithranol .67 Diuretics .55 Diurin 40 .55 Diurin 500 .55 Dixarit .122 DM Ject .33 Docetaxel .144 Docusate sodium .34 Docusate sodium with sennosides .34 Domperidone .122	Ear/Eye Preparations Easiphen Easiphen Liquid Econazole nitrate Efavirenz Efexor XR Eformoterol fumarate Egopsoryl TA Elemental 028 Extra Eligard Elocon Eloxatin Eltroxin Emend Tri-Pack		Erythropoietin alpha Erythropoietin beta Estelle 35-ED Estraderm TTS 100 Estraderm TTS 25 Estraderm TTS 50 Estrofem Etanercept Ethambutol hydrochloride Ethics Aspirin Ethics Aspirin EC Ethics lbuprofen Ethinyloestradiol	40 40 73 78 78 78 108 89 112 41 41 103
Disipal 124 Disopyramide phosphate .51 Disulfiram 134 Dithranol .67 Diurretics .55 Diurin 40 .55 Diurin 500 .55 Dixarit .122 DM Ject .33 Docetaxel .144 Docetaxel Ebewe .142 Docusate sodium .34 Docusate sodium with sennosides .34	Ear/Eye Preparations Easiphen Easiphen Liquid Econazole nitrate Efavirenz Efexor XR Eformoterol fumarate Egopsoryl TA Elemental 028 Extra Eligard Elocon Eloxatin Eltroxin Emend Tri-Pack EMLA		Erythropoietin alpha Erythropoietin beta Estelle 35-ED Estraderm TTS 100 Estraderm TTS 25 Estraderm TTS 50 Estrofem Etanercept Ethambutol hydrochloride Ethics Aspirin Ethics Aspirin EC Ethics lbuprofen Ethinyloestradiol Ethinyloestradiol with desogestrel	
Disipal 124 Disopyramide phosphate .51 Disulfiram 134 Dithranol .67 Diuretics .55 Diurin 40 .55 Diurin 500 .55 Dixarit .122 DM Ject .32 Docetaxel .144 Docetaxel Ebewe .144 Docusate sodium .34 Docusate sodium with sennosides .34 Domperidone .122 Dopergin .124	Ear/Eye Preparations Easiphen Easiphen Liquid Econazole nitrate Efavirenz Efexor XR Eformoterol fumarate Egopsoryl TA Elemental 028 Extra Eligard Elocon Eloxatin Eltroxin Emend Tri-Pack EMLA Emtricitabine		Erythropoietin alpha Erythropoietin beta Estelle 35-ED Estraderm TTS 100 Estraderm TTS 25 Estraderm TTS 50 Estrofem Etanercept Ethambutol hydrochloride Ethics Aspirin Ethics Aspirin EC Ethics Ibuprofen Ethinyloestradiol Ethinyloestradiol with desogestrel Ethinyloestradiol with	
Disipal 124 Disopyramide phosphate .51 Disulfiram 134 Dithranol .67 Diuretics .55 Diurin 40 .55 Diurin 500 .55 Dixarit .122 DM Ject .32 Docetaxel .142 Docetaxel Ebewe .144 Docusate sodium .34 Docusate sodium with sennosides .34 Domperidone .122 Dopergin .124 Dopress .115	Ear/Eye Preparations Easiphen Easiphen Liquid Econazole nitrate Efavirenz Efexor XR Eformoterol fumarate Efudix Egopsoryl TA Elemental 028 Extra Eligard Elocon Eloxatin Eltroxin Emend Tri-Pack EMLA Emtricitabine Emtriva		Erythropoietin alpha Erythropoietin beta Estelle 35-ED Estraderm TTS 100 Estraderm TTS 25 Estraderm TTS 50 Estrofem Etanercept Ethambutol hydrochloride Ethics Aspirin Ethics Aspirin EC Ethics Ibuprofen Ethinyloestradiol Ethinyloestradiol with desogestrel Ethinyloestradiol with gestodene Ethinyloestradiol with	40
Disipal 124 Disopyramide phosphate .51 Disulfiram .134 Dithranol .67 Diuretics .55 Diurin 40 .55 Diurin 500 .55 Dixarit .122 DM Ject .32 Docetaxel .142 Docetaxel Ebewe .144 Docusate sodium .34 Docusate sodium with sennosides .34 Domperidone .122 Dopergin .124 Dopress .115 Dornase alfa .158	Ear/Eye Preparations Easiphen Easiphen Liquid Econazole nitrate Efavirenz Efexor XR Eformoterol fumarate Efudix Egopsoryl TA Elemental 028 Extra Eligard Elocon Eloxatin Eltroxin Emend Tri-Pack EMLA Emtricatabine Emtriva Emulsifying ointment		Erythropoietin alpha Erythropoietin beta Estelle 35-ED Estraderm TTS 100 Estraderm TTS 50 Estraderm TTS 50 Estrofem Etanercept Ethambutol hydrochloride Ethics Aspirin Ethics Aspirin EC Ethics Ibuprofen Ethinyloestradiol Ethinyloestradiol with desogestrel Ethinyloestradiol with gestodene	40
Disipal 124 Disopyramide phosphate .51 Disulfiram .134 Dithranol .67 Diuretics .55 Diurin 40 .55 Diurin 500 .55 Dixarit .122 DM Ject .32 Docetaxel .142 Docetaxel Ebewe .142 Docusate sodium .34 Docusate sodium with sennosides .34 Domperidone .122 Dopergin .124 Dopress .115 Dornase alfa .156 Dorzolamide hydrochloride .162	Ear/Eye Preparations Easiphen Easiphen Liquid Econazole nitrate Efavirenz Efexor XR Eformoterol fumarate Efudix Egopsoryl TA Elemental 028 Extra Eligard Elocon Eloxatin Eltroxin Emend Tri-Pack EMLA Emtricitabine Emtriva Emulsifying ointment Enalapril		Erythropoietin alpha Erythropoietin beta Estelle 35-ED Estraderm TTS 100 Estraderm TTS 25 Estraderm TTS 50 Estrofem Etanercept Ethambutol hydrochloride Ethics Aspirin Ethics Aspirin EC Ethics Ibuprofen Ethinyloestradiol Ethinyloestradiol with desogestrel Ethinyloestradiol with gestodene Ethinyloestradiol with levonorgestrel	40407378787878108891121037971
Disipal 124 Disopyramide phosphate .51 Disulfiram .134 Dithranol .67 Diuretics .55 Diurin 40 .55 Diurin 500 .55 Dixarit .122 DM Ject .32 Docetaxel .142 Docetaxel Ebewe .142 Docusate sodium .34 Docusate sodium with sennosides .34 Domperidone .122 Dopergin .124 Dopress .115 Dornase alfa .158 Dorzolamide hydrochloride with .162	Ear/Eye Preparations Easiphen Easiphen Liquid Econazole nitrate Efavirenz Efexor XR Eformoterol fumarate Efudix Egopsoryl TA Elemental 028 Extra Eligard Elocon Eloxatin Eltroxin Emend Tri-Pack EMLA Emtricitabine Emtriva Emulsifying ointment Enalapril Enalapril Enalapril Enalapril		Erythropoietin alpha Erythropoietin beta Estelle 35-ED Estraderm TTS 100 Estraderm TTS 25 Estraderm TTS 50 Estrofem Etanercept Ethambutol hydrochloride Ethics Aspirin Ethics Aspirin EC Ethics Ibuprofen Ethinyloestradiol Ethinyloestradiol with desogestrel Ethinyloestradiol with gestodene Ethinyloestradiol with levonorgestrel Ethinyloestradiol with	4040737878787810889112103797171
Disipal 124 Disopyramide phosphate .51 Disulfiram .134 Dithranol .67 Diuretics .55 Diurin 40 .55 Diurin 500 .55 Dixarit .122 DM Ject .32 Docetaxel .142 Docetaxel Ebewe .142 Docusate sodium .34 Docusate sodium with sennosides .34 Domperidone .122 Dopergin .124 Dopress .115 Dornase alfa .158 Dorzolamide hydrochloride with timolol maleate .162	Ear/Eye Preparations Easiphen Easiphen Liquid Econazole nitrate Efavirenz Efexor XR Eformoterol fumarate Efudix Egopsoryl TA Elemental 028 Extra Eligard Elocon Eloxatin Eltroxin Emend Tri-Pack EMLA Emtricitabine Emulsifying ointment Enalapril Ena		Erythropoietin alpha Erythropoietin beta Estelle 35-ED Estraderm TTS 100 Estraderm TTS 25 Estraderm TTS 50 Estrofem Etanercept Ethambutol hydrochloride Ethics Aspirin Ethics Aspirin EC Ethics Ibuprofen Ethinyloestradiol with desogestrel Ethinyloestradiol with gestodene Ethinyloestradiol with levonorgestrel Ethinyloestradiol with levonorgestrel Ethinyloestradiol with	4040737878787889112103797171
Disipal 124 Disopyramide phosphate .51 Disulfiram 134 Dithranol .67 Diurretics .55 Diurin 40 .55 Diurin 500 .55 Dixarit .122 DM Ject .32 Docetaxel .142 Docetaxel Ebewe .142 Docusate sodium .34 Docusate sodium with sennosides .34 Domperidone .122 Dopergin .124 Dopress .115 Dornase alfa .152 Dorzolamide hydrochloride .162 Dorzolamide hydrochloride with timolol maleate .162 Dostinex .82	Ear/Eye Preparations Easiphen Easiphen Liquid Econazole nitrate Efavirenz Efexor XR Eformoterol fumarate Efudix Egopsoryl TA Elemental 028 Extra Eligard Elocon Eloxatin Eltroxin Emend Tri-Pack EMLA Emtricitabine Emtriva Emalapril Enalapril Enalapril Enalapril Enalapril Enbrel		Erythropoietin alpha Erythropoietin beta Estelle 35-ED Estraderm TTS 100 Estraderm TTS 25 Estraderm TTS 50 Estrofem Etanercept Ethambutol hydrochloride Ethics Aspirin Ethics Aspirin EC Ethics Ibuprofen Ethinyloestradiol Ethinyloestradiol with desogestrel Ethinyloestradiol with gestodene Ethinyloestradiol with levonorgestrel Ethinyloestradiol with norethisterone Ethosuximide Etidrate Etidronate disodium	40407378787878
Disipal 124 Disopyramide phosphate .51 Disulfiram 134 Dithranol .67 Diurretics .55 Diurin 40 .55 Diurin 500 .55 Dixarit 122 DM Ject .33 Docetaxel 144 Docusate sodium .34 Docusate sodium with sennosides .34 Domperidone .122 Dopergin .124 Dopress .115 Dornase alfa .156 Dorzolamide hydrochloride with timolol maleate .162 Dostinex .82 Dothiepin hydrochloride .115	Ear/Eye Preparations Easiphen Easiphen Liquid Econazole nitrate Efavirenz Efexor XR Eformoterol fumarate Efudix Egopsoryl TA Elemental 028 Extra Eligard Elocon Eloxatin Eltroxin Emend Tri-Pack EMLA Emtricitabine Emtriva Emulsifying ointment Enalapril Enalapril with hydrochlorothiazide Endocrine Therapy Endocrine		Erythropoietin alpha Erythropoietin beta Estelle 35-ED Estraderm TTS 100 Estraderm TTS 25 Estraderm TTS 50 Estrofem Etanercept Ethambutol hydrochloride Ethics Aspirin Ethics Aspirin EC Ethics Ibuprofen Ethinyloestradiol with desogestrel Ethinyloestradiol with gestoden Ethinyloestradiol with levonorgestrel Ethinyloestradiol with norethisterone Ethosuximide Ethosuximide Etidrate	

Etoposide phosphate
Exemestane148
Extemporaneously Compounded
Preparations and
Galenicals
Eve Preparations160
Ezetimibe47
Ezetimibe with simvastatin48
Ezetrol47
- F -
Famotidine27
Famox27
Felo 10 ER53
Felo 5 ER53
Felodipine53 Femara148
Femodene 2871
Femtran 10078
Femtran 5078
Fenpaed103
Fentanyl113
Fentanyl citrate113
Feridanyi citrate
Ferro-F-Tabs38
Ferro-Gradumet38
Ferro-tab38
Ferrograd-Folic38
Ferrous fumarate38
Ferrous furnarate with folic
acid38
Ferrous gluconate with ascorbic
acid38
Ferrous sulphate38
Ferrous sulphate with folic
acid38
Ferrum H38
Fexofenadine hydrochloride154
Fibalip45
Fibersource HN181
Fibersource HN RTH181
Fibro-vein41
Finasteride74
Fine Ject32
Fintral74
Flagyl89
Flagyl-S89
Flamazine60
Flecainide acetate51
Fleet34
Fleet Phosphate Enema34
Flixonase Hayfever &

Allergy 158
Flixotide154
Flixotide Accuhaler154
Florinef76
Fluanxol128
Fluarix101
Flucloxacillin sodium87
Flucloxin87
Fluconazole88
Fludara140
Fludara Oral140
Fludarabine phosphate140
Fludrocortisone acetate76
Fluids and Electrolytes44
Flumetasone pivalate160
Fluocortolone caproate with
fluocortolone pivalate and
cinchocaine26
Fluorometholone161
Fluorouracil Ebewe140
Fluorouracil sodium
Dermatological69
Oncology140
Fluox
Fluoxetine hydrochloride116
Flupenthixol decanoate128
Fluphenazine decanoate128
Flutamide148
Flutamin148
Fluticasone154
Fluticasone propionate158
Fluticasone with salmeterol156
Fluvax101
FML161
Foban59
Folic acid40
Food Thickeners183
Foods And Supplements For
Inborn Errors Of Metabolism -
Other 185
Foods And Supplements For
Inborn Errors Of Metabolism -
PKU185
Foradil155
Foremount Child's Silicone
Mask158
Fortimel Regular176
Fortisip182
Fortisip Multi Fibre182
Fosamax109, 110
Fosamax Plus109
Framycetin sulphate160
FreeStyle Lite31

Frisium118
Frumil55
Fucicort63
Fucidin88
Fucithalmic160
Fungilin35
Furosemide55
Fusidic acid
Dermatological59
Infection88
Sensory160
Fuzeon95
- G -
Gabapentin118
Gabapentin (Neurontin)119
Gamma benzene
hexachloride65
Gastrosoothe27
Gaviscon25
Gaviscon Double Strength25
Gaviscon Infant25
Gemcitabine Ebewe140
Gemcitabine hydrochloride140
Gemzar140
Generaid Plus177
Genoptic160
Genotropin81
Genox149
GenRx Moclobemide116
Gentamicin sulphate
Infection88
Sensory160
Gestrinone83
Ginet 8473
Glatiramer acetate132
Glibenclamide30
Gliclazide30
Glipizide30
Glivec147
Glucagen Hypokit28
Glucagon hydrochloride28
Glucerna Select175
Glucerna Select RTH175
Glucobay29
Glucose oxidase30
Gluten Free Foods183
Glycerol
Alimentary34
Extemporaneous169 Glycerol with paraffin and cetyl
alcohol64
Glyceryl trinitrate56
Gold Knight70
dola rangili

Goldshield	
Gopten	50
Goserelin acetate	
Gutron	52
Gynaecological	
Anti-infectives	73
Gynol II	70
-H-	
Habitrol	56
Haldol	128
Haldol Concentrate	128
Haloperidol	126
Haloperidol decanoate	128
Hamilton Sunscreen	
healthE	61
healthE Fatty Cream	64
Healtheries Iron with Vitamin	
C	38
Healtheries Multi-vitamin	
tablets	37
Healtheries Simple Baking	404
Mix	. 184
Hemastix Heparin sodium	5 /
Heparinised saline	ن4 مر
Hepsera	4ა იი
Herceptin	151
Hexamine hippurate	100
Hiprex	100
Histafen	153
Holoxan	138
Homatropine hydrobromide	163
Horleys Bread Mix	184
Horleys Flour	184
Hormone Replacement Therapy -	
Systemic	77
Humalog	29
Humalog Mix 25	29
Humalog Mix 50	29
Humira	104
HumiraPen	104
Humulin 30/70	28
Humulin NPH	
Humulin R	
Hyalase	110
Hyaluronidase	110
Hybloc	52
Hydralazine	57
Hydrea	144
Hydrocortisone Dermatological	00
Dermatological	62

Hydrocortisone acetate	26
Hydrocortisone butyrate62,	67
Hydrocortisone butyrate62, Hydrocortisone butyrate with	
chlorquinaldol	63
Hydrocortisone with	
miconazole	63
Hydrocortisone with natamycin	
and neomycin	63
Hydrocortisone with wool fat and	
mineral oil	
Hydroderm Lotion	65
Hydrogen peroxide	~~
Alimentary	36
Dermatological60,	69
Hydroxocobalamin	30
Hydroxychloroquine sulphate	44
Hydroxyurea1 Hygroton	44
Hyoscine (scopolamine)1	22
Hyoscine hydrobromide1	22
Hyoscine N-butylbromide	27
Hypam1	30
Hyperuricaemia and	02
Antigout1	10
Hypnovel1	32
Hypromellose1	63
Hysite1	62
Hytrin Starter Pack	49
Hyzaar	
-1-	
Ibiamox	86
Ibuprofen1	03
Idarubicin hydrochloride1	44
Ifosfamide1	38
lloprost	58
Imatinib mesylate1	47
Imiglucerase	35
Imigran1	22
Imipramine hydrochloride1	15
Imiquimod	68
Immune Modulators	96
Immunosuppressants1	49
Imuran1	
Indapamide	55
Indinavir	95
Indomethacin1	03
Infant Formulae1	87
Influenza vaccine1	U1
Inhaled Anticholinergic	EC
agents 1 Inhaled Corticosteroids 1	20
	54
Inhaled Long-acting	

bela-auteriocepioi	
Agonists	
Inhibace	.49
Inhibace Plus	
Insulin aspart	.29
Insulin glargine	.29
Insulin isophane	.28
Insulin isophane with insulin	
neutral	. 28
Insulin lispro	.29
Insulin lispro with insulin lispro	
protamine	. 29
protaminelnsulin neutral	.28
Insulin pen needles	.32
Insulin syringes, disposable with	
attached needle	. 32
Intal Spincaps	157
Interferon alpha-2a	.97
Interferon alpha-2a with	
ribavirin	. 97
Interferon alpha-2b	
Interferon beta-1-alpha	132
Interferon beta-1-beta	
Intra-uterine device	
Intron-A	.97
lpecacuanha	.38
lpratropium bromide156, 1	158
pratropium Steri-Neb	156
Irinotecan	
Iron Overload	
Iron polymaltose	
Isentress	
Ismo 20	.56
Isogel	.33
Isoniazid	.89
Isoprenaline hydrochloride	
Isoptin	
Isopto Carpine	
Isopto HomatropineIsosorbide mononitrate	103
Isosource 1.5	.00
Isosource HN	
Isosource HN RTH	101
legeourge Standard	101
Isosource Standard	181
Isotretinoin	50
Isradipine	
Isuprel	
Itraconazole	
- J -	.55
Janola	64
Janiola	.04

- K -
Kaletra95
Karicare Food Thickener183
Karicare Goats Milk Infant
Formula189
Karicare Soy All Ages189
Kemadrin125
Kenacomb160
Kenacort-A77
Kenacort-A4077
Keppra119
Ketoconazole
Dermatological61, 67
Infection88
Ketone blood beta-ketone
electrodes31
Ketoprofen103
Ketostix31
Ketovite37
Ketovite Liquid37
Kindergen177
Kivexa94
Klacid85
Klamycin
Alimentary27
Infection85
Kliogest79
Kliovance79
Konakion41
Konakion MM41
Konsyl-D33
.L.
LA-Morph114
Labetalol52
Lacri-Lube164
Lactulose34
Lamictal119
Lamivudine91, 95
Lamotrigine119
Lanoxin51
Lanoxin PG51
Lansoprazole27
Lantus29
Lantus SoloStar29
Lanvis
Largactil
Lasix55
Latanoprost
Lax-Tabs34
Laxatives33
Laxsol34
Laflunomida 104

Lemnis Fatty Cream HC	62
Letara	148
Letrozole	148
Leukeran FC	
Leunase	
Leuprorelin	
Leustatin	140
Levetiracetam	
Levlen ED	
Levobunolol	
Levocabastine	161
Levodopa with benserazide	
Levodopa with carbidopa	124
Levonorgestrel Genito-Urinary	70
Hormone	
Levothyroxine Lifestyles Flared	00
Lignocaine hydrochloride	110
Lignocaine hydrochionde	2
chlorhexidine	110
Lignocaine with prilocaine	110 110
Lipid Modifying Agents	I I Z
Lipitor	45
Liquigen	
Lisinopril	۱/ ۵
Lisuride hydrogen maleate	124
Litak	
Lithicarb	
Lithium carbonate	126
Livostin	
Locasol	
Loceryl	
Locoid62	
Locoid C	
Locoid Crelo	62
Locoid Lipocream	62
Locorten-Vioform	160
Lodoxamide trometamol	161
Loette	72
Logem	
Lomide	
Lomustine	
Loperamide hydrochloride	25
Lophlex LQ	186
Lopinavir with ritonavir	95
Lopresor	
Lopressor	
Loprofin	187
Loprofin Mix	186
Loraclear Hayfever Relief	154
Lorapaed	154
Loratadine	154

Lorazepam1	130
Lormetazepam1	
Losartan	.51
Losec Hp7 OAC	.27
Lovir	.92
Loxamine1	
Lucrin Depot	.82
Lucrin Depot PDS	.82
Ludiomil1	115
Lumigan1	
Lycinate	.56
Lyderm	.65
- M -	
m-Enalapril	.49
m-Eslon	
m-Mometasone	.63
Mabthera1	
Macrogol 3350	.34
Madopar 1251	124
Madopar 2501	124
Madopar 62.51	124
Madopar Dispersible1	124
Madopar HBS1	124
Magnesium hydroxide1	169
Magnesium sulphate	
Alimentary	.38
Dermatological	.69
Malathion	.65
Maprotiline hydrochloride1	115
Marcain Heavy Marcain Isobaric	112
Marcain Isobaric1	112
Marevan Marine Blue Lotion SPF 30+	.43
Marine Blue Lotion SPF 30+	.68
Marquis Black	.70
Marquis Conforma	.70
Marquis Protecta	
Marquis Selecta	
Marquis Sensolite	.70
Marquis Supalite	.70
Marquis Titillata	.70
MarquisTantiliza	
Marvelon 21	
Marvelon 28	
Mask for spacer device	158
Mast cell stabilisers	
Maxalt Melt1	
Maxidex1	
Maxitrol	161
MCT oil (Nutricia) MDS Quick Card	1/3
Mebendazole Mebeverine hydrochloride	
Medrol	
IVICUIUI	. 70



Medroxyprogesterone acetate	Metronidazole	89	MSUD Maxamum	185
Genito-Urinary73	Metyrapone	83	Mucilaginous laxatives	33
Hormone78, 80	Mexiletine hydrochloride	52	Mucilaginous laxatives with	
Mefenamic acid103	Mexitil	52	stimulants	34
Megace148	Miacalcic	110	Mucilax	33
Megestrol acetate148	Mianserin hydrochloride	115	Multiload Cu 375	70
Melphalan138	Micanol	67	Multiload Cu 375 SL	70
Menthol61	Micelle E	37	Multiparin	43
Mercaptopurine141	Miconazole	35	Multiple Sclerosis	
Mercilon 2171	Miconazole nitrate		Treatments	130
Mercilon 2871	Dermatological	61	Multivitamins	
Mesalazine26	Genito-Urinary		Mupirocin	
Mesna144	Micreme		Muscle Relaxants	
Mestinon102	Micreme H	63	Myambutol	
Metabolic Disorder Agents35	Microgynon 20 ED		Mycobutin	
Metabolic Mineral Mixture187	Microgynon 30		Mycophenolate mofetil	
Metamide123	Microgynon 30 ED		Mycostatin	
Metamucil33	Microgynon 50 ED		Mydriacyl	
Metformin hydrochloride30	Microlax		Mylan	
Methadone hydrochloride	Microlut		Mylanta P	
Extemporaneous169	Midazolam		Myleran	
Nervous113	Midodrine		Myocrisin	
Methatabs113	Minaphlex		Myometrial and Vaginal Hormo	
Methoblastin141	Minerals		Preparations	
Methopt163	Minidiab			
Methotrexate141	Minirin		- N -	
Methotrexate Ebewe141	Mino-tabs		Nadolol	
			Nalcrom	26
Methotrimeprazine126	Minocycline hydrochloride	87		
Methotrimeprazine	Minocycline hydrochloride Minomycin		Naloxone hydrochloride	137
Methyl hydroxybenzoate169	Minomycin	87	Naloxone hydrochloride Naltrexone hydrochloride	137 137
Methyl hydroxybenzoate169 Methylcellulose169	Minomycin Minor Skin Infections	87 65	Naloxone hydrochloride Naltrexone hydrochloride Nandrolone decanoate	137 137 76
Methyl hydroxybenzoate	Minomycin	87 65 79	Naloxone hydrochloride Naltrexone hydrochloride Nandrolone decanoate Napamide	137 137 76 55
Methyl hydroxybenzoate 169 Methylcellulose 169 Methyldopa .55 Methylergometrine .74	Minomycin Minor Skin Infections Mirena Mirtazapine	87 65 79 116	Naloxone hydrochloride Naltrexone hydrochloride Nandrolone decanoate Napamide Naphazoline hydrochloride	137 76 55
Methyl hydroxybenzoate 169 Methylcellulose 169 Methyldopa .55 Methylergometrine .74 Methylphenidate	Minomycin Minor Skin Infections Mirena Mirtazapine Misoprostol	87 65 79 116	Naloxone hydrochloride Naltrexone hydrochloride Nandrolone decanoate Napamide Naphazoline hydrochloride Naphcon Forte	137 76 55 164
Methyl hydroxybenzoate 169 Methylcellulose 169 Methyldopa .55 Methylergometrine .74 Methylphenidate hydrochloride 135	Minomycin Minor Skin Infections Mirena Mirtazapine Misoprostol Mitomycin C	87 65 79 116 27	Naloxone hydrochloride Naltrexone hydrochloride Nandrolone decanoate Napamide Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000	137 76 55 164 164
Methyl hydroxybenzoate 169 Methylcellulose 169 Methyldopa .55 Methylergometrine .74 Methylphenidate	Minomycin	87 65 79 116 27 144	Naloxone hydrochloride Naltrexone hydrochloride Nandrolone decanoate Napamide Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750	137 76 55 164 103
Methyl hydroxybenzoate	Minomycin Minor Skin Infections Mirena Mirtazapine Misoprostol Mitomycin C	87 65 79 116 27 144 144	Naloxone hydrochloride Naltrexone hydrochloride Nandrolone decanoate Napamide Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen	137 76 55 164 103 103
Methyl hydroxybenzoate	Minomycin	87 65 116 27 144 144 144	Naloxone hydrochloride Naltrexone hydrochloride Nandrolone decanoate Napamide Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Naproxen sodium	137 137 76 164 103 103 103
Methyl hydroxybenzoate	Minomycin Minor Skin Infections Mirena Mirtazapine Misoprostol Mitomycin C Mitomycin-C Mitozantrone Mitozantrone Ebewe Mixtard 30	87 65 79 116 27 144 144 144 144	Naloxone hydrochloride Naltrexone hydrochloride Nandrolone decanoate Napamide Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Naproxen sodium Nardil	137 76 55 164 103 103 103 103
Methyl hydroxybenzoate	Minomycin		Naloxone hydrochloride Naltrexone hydrochloride Nandrolone decanoate Napamide Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Naproxen sodium Nardil Nasal Preparations	137 76 55 164 103 103 103 103 103
Methyl hydroxybenzoate	Minomycin Minor Skin Infections Mirena Mirtazapine Misoprostol Mitomycin C Mitomycin-C Mitozantrone Mitozantrone Ebewe Mixtard 30		Naloxone hydrochloride Naltrexone hydrochloride Nandrolone decanoate Napamide Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Naproxen sodium Nardil Nasal Preparations Natulan	137 76 55 164 103 103 103 103 116 158
Methyl hydroxybenzoate	Minomycin Minor Skin Infections Mirena Mirtazapine Misoprostol Mitomycin C Mitomycin-C Mitozantrone Miozantrone Ebewe Mixtard 30 Moclobemide Modecate Moducal		Naloxone hydrochloride Naltrexone hydrochloride Nandrolone decanoate Napamide Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Naproxen sodium Nardil Nasal Preparations Natulan Nausicalm	137 76 55 164 103 103 103 103 116 158 144 122
Methyl hydroxybenzoate	Minomycin Minor Skin Infections Mirena Mirtazapine Misoprostol Mitomycin C Mitomycin-C Mitozantrone Mitozantrone Ebewe Mixtard 30 Moclobemide Modecate Moducal Mogine		Naloxone hydrochloride Naltrexone hydrochloride Nandrolone decanoate Napamide Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Naproxen sodium Nardii Nasal Preparations Natulan Nausicalm Navelbine	137 76 55 164 103 103 103 103 116 158 144 122
Methyl hydroxybenzoate	Minomycin Minor Skin Infections Mirena Mirtazapine Misoprostol Mitomycin C Mitomycin-C Mitozantrone Mitozantrone Ebewe Mixtard 30 Moclobemide Modecate Moducal Mogine Mometasone furoate		Naloxone hydrochloride Naltrexone hydrochloride Nandrolone decanoate Napamide Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Naproxen sodium Nardil Nasal Preparations Natulan Nausicalm Navelbine Navoban	1371377655164103103103116158144122145123
Methyl hydroxybenzoate	Minomycin Minor Skin Infections Mirena Mirtazapine Misoprostol Mitomycin C Mitomycin-C Mitozantrone Mitozantrone Ebewe Mixtard 30 Moclobemide Modecate Moducal Mogine Mometasone furoate Monofeme		Naloxone hydrochloride Naltrexone hydrochloride Nandrolone decanoate Napamide Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Naproxen Nardil Nasal Preparations Natulan Nausicalm Navoban Navoban Nedocromil	1371377655164103103103116158144122145157
Methyl hydroxybenzoate 169 Methylcellulose 169 Methyldopa .55 Methylergometrine .74 Methylphenidate hydrochloride hydrochloride 135 Methylphenidate hydrochloride .76 extended-release 136 Methylprednisolone .76 Methylprednisolone .63 Methylprednisolone acetate .76 Methylprednisolone acetate with lignocaine .76 Methylprednisolone sodium succinate .76 Methylxanthines .157	Minomycin Minor Skin Infections Mirena Mirtazapine Misoprostol Mitomycin C Mitomycin-C Mitozantrone Mitozantrone Ebewe Mixtard 30 Moclobemide Modecate Moducal Mogine Mometasone furoate Monofeme Monogen		Naloxone hydrochloride Naltrexone hydrochloride Nandrolone decanoate Napamide Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Naproxen sodium Nardil Nasal Preparations Natulan Nausicalm Navelbine Navoban Nefopam hydrochloride	13713776551641031031031031158144122145123157
Methyl hydroxybenzoate 169 Methylcellulose 169 Methyldopa .55 Methylergometrine .74 Methylphenidate hydrochloride hydrochloride 135 Methylphenidate hydrochloride .76 extended-release 136 Methylprednisolone .76 Methylprednisolone .63 Methylprednisolone acetate .76 Methylprednisolone acetate with lignocaine .76 Methylprednisolone sodium succinate .76 Methylxanthines .157 Metoclopramide .157	Minomycin Minor Skin Infections Mirena Mirtazapine Misoprostol Mitomycin C Mitomycin-C Mitozantrone Mitozantrone Ebewe Mixtard 30 Moclobemide Modecate Moducal Mogine Mometasone furoate Monofeme Monogen Morphine hydrochloride		Naloxone hydrochloride Naltrexone hydrochloride Nandrolone decanoate Napamide Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Naproxen Nardil Nasal Preparations Natulan Nausicalm Navelbine Navoban Nedocromil Nefopam hydrochloride Neo-B12	1371377655164103103103116118144122145123157112
Methyl hydroxybenzoate 169 Methylcellulose 169 Methyldopa .55 Methylergometrine .74 Methylphenidate hydrochloride hydrochloride 135 Methylphenidate hydrochloride .76 extended-release 136 Methylprednisolone .76 Methylprednisolone .63 Methylprednisolone acetate with lignocaine .76 Methylprednisolone sodium succinate .76 Methylprednisolone sodium succinate .76 Methylxanthines .157 Metoclopramide hydrochloride .123	Minomycin Minor Skin Infections Mirena Mirtazapine Misoprostol Mitomycin C Mitomycin-C Mitozantrone Mitozantrone Ebewe Mixtard 30 Moclobemide Modecate Moducal Mogine Mometasone furoate Monofeme Monogen Morphine hydrochloride Morphine sulphate		Naloxone hydrochloride Naltrexone hydrochloride Nandrolone decanoate Napamide Naphazoline hydrochloride Naphosyn SR 1000 Naprosyn SR 750 Naproxen Naproxen Nardil Nasal Preparations Natulan Nausicalm Navelbine Navoban Nedocromil Nefopam hydrochloride Neo-B12 Neo-Mercazole	1371377655164103103103116158144122145123157112
Methyl hydroxybenzoate 169 Methylcellulose 169 Methyldopa .55 Methylergometrine .74 Methylphenidate hydrochloride hydrochloride 135 Methylphenidate hydrochloride .76 extended-release 136 Methylprednisolone .76 Methylprednisolone .63 Methylprednisolone acetate .76 Methylprednisolone acetate with lignocaine .76 Methylprednisolone sodium succinate .76 Methylxanthines .157 Metoclopramide .157	Minomycin Minor Skin Infections Mirena Mirtazapine Misoprostol Mitomycin C Mitomycin-C Mitozantrone Mitozantrone Ebewe Mixtard 30 Moclobemide Modecate Moducal Mogine Mometasone furoate Monofeme Monogen Morphine hydrochloride		Naloxone hydrochloride Naltrexone hydrochloride Nandrolone decanoate Napamide Naphazoline hydrochloride Naphoson Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Naproxen Nardil Nasal Preparations Natulan Nausicalm Navelbine Navoban Nedocromil Nefopam hydrochloride Neo-B12 Neo-Mercazole Neo-Naclex	1371377655164103103103116158144122145123157112
Methyl hydroxybenzoate 169 Methylcellulose 169 Methyldopa .55 Methylergometrine .74 Methylphenidate hydrochloride hydrochloride 135 Methylphenidate hydrochloride 24 extended-release 136 Methylprednisolone .76 Methylprednisolone .63 Methylprednisolone acetate with lignocaine .76 Methylprednisolone sodium succinate .76 Methylxanthines .157 Metoclopramide hydrochloride .123 Metoclopramide hydrochloride with paracetamol .121	Minomycin Minor Skin Infections Mirena Mirtazapine Misoprostol Mitomycin C Mitomycin-C Mitozantrone Mitozantrone Ebewe Mixtard 30 Moclobemide Modecate Moducal Mogine Mometasone furoate Monofeme Monogen Morphine hydrochloride Morphine sulphate Morphine tartrate		Naloxone hydrochloride Naltrexone hydrochloride Nandrolone decanoate Napamide Naphazoline hydrochloride Naphosyn SR 1000 Naprosyn SR 750 Naproxen Naproxen Nardil Nasal Preparations Natulan Nausicalm Navelbine Navoban Nedocromil Nefopam hydrochloride Neo-B12 Neo-Mercazole Neo-Naclex Neocate	1371377655164103103103116158144122145123157112368080
Methyl hydroxybenzoate 169 Methylcellulose 169 Methyldopa .55 Methylergometrine .74 Methylphenidate hydrochloride hydrochloride extended-release 136 Methylprednisolone .76 Methylprednisolone .63 Methylprednisolone acetate with .136 Methylprednisolone acetate with .76 Methylprednisolone sodium succinate .76 Methylprednisolone sodium succinate .76 Methylxanthines .157 Metoclopramide hydrochloride .123 Metoclopramide hydrochloride with paracetamol .121 Metopirone .83	Minomycin Minor Skin Infections Mirena Mirtazapine Misoprostol Mitomycin C Mitomycin-C Mitozantrone Mitozantrone Ebewe Mixtard 30 Moclobemide Modecate Moducal Mogine Mometasone furoate Monofeme Monogen Morphine hydrochloride Morphine sulphate Morphine tartrate Morrex Maltodextrin		Naloxone hydrochloride Naltrexone hydrochloride Nandrolone decanoate Napamide Naphazoline hydrochloride Naprosyn SR 1000 Naprosyn SR 750 Naproxen Naproxen sodium Nardil Nasal Preparations Natulan Nausicalm Navelbine Navoban Nedocromil Nedocromil Neo-B12 Neo-Mercazole Neo-Naclex Neocate Neocate	1371377655164103103116158144122145123157112
Methyl hydroxybenzoate 169 Methylcellulose 169 Methyldopa .55 Methylergometrine .74 Methylphenidate hydrochloride hydrochloride .135 Methylphenidate hydrochloride extended-release .136 Methylprednisolone .76 Methylprednisolone .63 Methylprednisolone acetate with lignocaine .76 Methylprednisolone acetate with lignocaine .76 Methylprednisolone sodium succinate .76 Methylprathines .157 Metoclopramide .123 Metoclopramide hydrochloride with paracetamol .121 Metopirone .83 Metoprolol - AFT CR .53	Minomycin Minor Skin Infections Mirena Mirtazapine Misoprostol Mitomycin C Mitomycin-C Mitozantrone Mitozantrone Ebewe Mixtard 30 Moclobemide Modecate Moducal Mogine Mometasone furoate Monogen Morphine hydrochloride Morphine sulphate Morrex Maltodextrin Motilium		Naloxone hydrochloride Naltrexone hydrochloride Nandrolone decanoate Napamide Naphazoline hydrochloride Naphoon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Naproxen sodium Nardil Nasal Preparations Natulan Nausicalm Navelbine Navoban Nedocromil Nefopam hydrochloride Neo-B12 Neo-Mercazole Neo-Alecx Neocate Neocate	13713776551641031031131161581441221451231571123680555188188
Methyl hydroxybenzoate 169 Methylcellulose 169 Methyldopa .55 Methylergometrine .74 Methylphenidate hydrochloride hydrochloride extended-release 136 Methylprednisolone .76 Methylprednisolone .63 Methylprednisolone acetate with .136 Methylprednisolone acetate with .76 Methylprednisolone sodium succinate .76 Methylprednisolone sodium succinate .76 Methylxanthines .157 Metoclopramide hydrochloride .123 Metoclopramide hydrochloride with paracetamol .121 Metopirone .83	Minomycin Minor Skin Infections Mirena Mirtazapine Misoprostol Mitomycin C Mitozantrone Mitozantrone Ebewe Mixtard 30 Moclobemide Modecate Moducal Mogine Mometasone furoate Monofeme Monogen Morphine hydrochloride Morphine sulphate Morrex Maltodextrin Motilium Mouth and Throat		Naloxone hydrochloride Naltrexone hydrochloride Nandrolone decanoate Napamide Naphazoline hydrochloride Naprosyn SR 1000 Naprosyn SR 750 Naproxen Naproxen sodium Nardil Nasal Preparations Natulan Nausicalm Navelbine Navoban Nedocromil Nedocromil Neo-B12 Neo-Mercazole Neo-Naclex Neocate Neocate	1371377655164103103103116158144122145123157112368055188188

Neostigmine	102	NovoFine	32	Orabase	35
Neotigason	66	NovoRapid	29	Oracort	35
Nepro (vanilla)	178	NovoRapid Penfill	29	Oral Supplements	174
Nerisone	62	Nozinan	126	Oral Supplements/Complete Di	et
Neulactil		Nuelin		(Nasogastric/Gastrostomy	
Neurontin	119	Nuelin-SR	157	Tube Feed)	175
Nevirapine		Nupentin		Oratane	
Nicotine	56	Nutraplus	64	Orgran	
Nicotinell		Nutrient Modules		Ornidazole	
Nicotinic acid	45	Nutrini Energy RTH	177	Orphenadrine citrate	
Nifedipine		Nutrini RTH		Orphenadrine hydrochloride	
Nifuran		NutriniDrink		Ortho	
Nilstat		NutriniDrink Multifibre	178	Ortho All-flex	
Alimentary	35	Nutrison Concentrated		Ortho Coil	
Genito-Urinary		Nutrison Energy Multi Fibre		Ortho-tolidine	
Infection		Nutrison Multi Fibre		Oruvail 100	
Nipent		Nutrison Standard RTH		Oruvail 200	
Nitrados		Nyefax Retard		Osmolite RTH	
Nitrates		Nystatin		Ospamox	
Nitrazepam		Alimentary	35	Ospamox Paediatric Drops	
Nitroderm TTS		Dermatological		Other CNS Agents	
Nitrofurantoin		Genito-Urinary		Other Endocrine Agents	
Nitrolingual Pumpspray		Infection		Other Oestrogen	
Nizoral		NZB Low Gluten Bread Mix		Preparations	79
Dermatological	61	-0-		Other Progestogen	
Infection		Octreotide (somatostatin		Preparations	79
Noctamid		analogue)	1/18	Other Skin Preparations	
Nodia		Oestradiol		Ovestin	
Noflam 250		Oestradiol valerate		Genito-Urinary	74
Noflam 500		Oestradiol with	10	Hormone	
Nonoxynol-9		norethisterone	70	Ox-Pam	
Nordette 28		Oestriol	10	Oxaliplatin	
Norditropin SimpleXx 10mg		Genito-Urinary	7/	Oxaliplatin Ebewe	
Norditropin SimpleXx 15mg		Hormone		Oxazepam	
Norditropin SimpleXx 5mg		Oestrogens		Oxis Turbuhaler	
Norethisterone		Oestrogens with	10	Oxybutynin	
Genito-Urinary	73	medroxyprogesterone	70	Oxycodone hydrochloride	
Hormone		Oil in water emulsion		OxyContin	
Norethisterone with		Oily cream		OxyNorm	
mestranol	72	Olanzapine		Oxypentifylline	
Norflex		Olbetam		Oxytocin	
Norfloxacin		Olsalazine		.P.	
Noriday 28	73	Omeprazole		Pacifen	111
Norimin	72	Omeprazole, amoxycillin and	20	Pacific Buspirone	
Norinyl-1/28	72	clarithromycin	27	Paclitaxel	
Normacol	33	On Call Advanced		Paclitaxel Ebewe	
Normacol Plus	34	Ondansetron		Paediatric Seravit	
Normison	132	One-Alpha		Pamidronate disodium	
Norpress	116	Onkotrone		Pamisol	
Nortriptyline hydrochloride		Optium 5 second test		Panadol	
Norvir		Optium Blood Ketone Test		Pancreatic enzyme	
Noten	52	Strips	31	Pancrex V	
NovaSource Renal	178	Optium Xceed		Pancrex V Forte	



Panteston	//	Permax	124	Ponstan	103
Pantocid IV	28	Permethrin	65	Postinor-1	73
Pantoprazole	28	Persantin	42	Potassium bicarbonate	45
Panzytrat	33	Pethidine hydrochloride	115	Potassium chloride	44-45
Papaverine hydrochloride	57	Pevaryl	60	Povidone iodine	65
Paracare	112	Pexsig	54	Prantal	64
Paracare Double Strength	112	Pharmacare	112	Pravachol	
Paracare Junior	112	Phenate	82	Pravastatin	46
Paracetamol	112	Phenelzine sulphate	116	Prazosin hydrochloride	
Paracetamol with codeine		Phenergan	154	Pred Forte	
ParaCode	114	Phenobarbitone		Pred Mild	161
Paradex	113	Phenobarbitone sodium	170	Prednisolone acetate	161
Paraffin	65	Phenoxybenzamine		Prednisolone sodium	
Paraffin liquid with soft white		hydrochloride	49	phosphate	76
paraffin	164	Phenoxymethylpenicillin		Prednisone	77
Paraffin liquid with wool fat		(Penicillin V)	87	Prefrin	
liquid	164	Phentolamine mesylate		Pregnancy tests - HCG urine	
Paraldehyde		Phenylephrine		Premarin	
Paramax		hydrochloride	164	Premia 2.5 Continuous	
Parasiticidal Preparations		Phenylephrine hydrochloric		Premia 5 Continuous	
Parnate		zinc sulphate		Priadel	
Paroxetine hydrochloride		Phenytoin sodium		Primidone	
Paxam		Phlexy 10		Primolut N	
Peak flow meter		Phosphate-Sandoz		Pro-Pam	
Pedialyte - Bubblegum		Phytomenadione		Probenecid	
Pedialyte - Fruit		Pilocarpine		Procaine penicillin	
Pedialyte - Plain		Pilopt		Procarbazine hydrochloride .	
Pediasure		Pimafucort		Prochlorperazine	
Pediasure RTH		Pindol		Procyclidine hydrochloride	
Pegasys		Pindolol		Prodopa	
Pegasys RBV Combination		Pinetarsol		Prograf	
Pack	97	Pioglitazone		Progynova	
Pegatron Combination		Piportil		Promethazine hydrochloride	
Therapy	99	Pipothiazine palmitate		Promethazine theoclate	
Pegylated interferon alpha-2a		Piram-D		Promethazine Winthrop	
Pegylated interferon alpha-2b		Piroxicam		Elixir	154
with ribavirin		Pizaccord		Promod	
Penicillamine		Pizotifen		Propafenone hydrochloride .	
PenMix 30		PKU Anamix Infant		Propamidine isethionate	
PenMix 40		PKU Lophlex LQ		Propranolol	
PenMix 50		Plaguenil		Propylene glycol	
Pentasa		Plavix		Protamine sulphate	
Pentostatin		Plendil ER		Protaphane	
(deoxycoformycin)	144	Podophyllotoxin		Protaphane Penfill	
Pepti Junior		Polaramine		Protifar	
Pepti Junior Gold		Polaramine Colour-Free		Provera	
Peptisoothe		Repetab	153	PSO	
Peptisorb		Poloxamer		Psoriasis and Eczema	100
Pergolide	194	Poly-Tears		Preparations	66
Perhexiline maleate		Poly-Visc		Pulmicort Turbuhaler	
Periactin		*		Pulmocare	
Pericyazine		Polycal Polytar Emollient		Pulmozyme	
•		,			
Perindopril	00	Polyvinyl alcohol	103	Purinethol	141

Pyrazinamide	89	Rivotril	117, 118	Sildenafil
Pyridostigmine bromide	102	Rizatriptan benzoate		Silvazine
Pyridoxine hydrochloride		Rocaltrol solution	37	Silver sulphadia:
Pytazen SR	42	Roferon RBV Combination		Simethicone
- Q -		Pack	97	Simvastatin
Q 200	111	Roferon RBV Combination	Pack	Sindopa
Q 300		Starter Kit	97	Sinemet
Questran-Lite		Roferon-A	97	Sinemet CR
		Ropin	124	Sirolimus
Quetapel		Ropinirole hydrochloride	124	Siterone
Quetiapine		Roxithromycin		Slow-Lopressor
Quinapril	50	Rubifen		Smoking Cessat
Quinapril with	50	Rubifen SR		Sodium acid pho
hydrochlorothiazide		Rythmodan		Sodium alginate
Quinine sulphate		Rytmonorm		Sodium aurothio
QV	64			Sodium bicarbor
- R -		-\$-	100	Blood
RA-Morph		S26 Soy		Extemporane
Raltegravir potassium	95	S26LBW Gold RTF		Sodium calcium
Ranbaxy Amoxicillin	86	Sabril		Sodium
Ranbaxy-Cefaclor	84	Salamol		carboxymethy
Ranitidine hydrochloride	27	Salapin		Sodium chloride
Rapamune	151	Salazopyrin		Sodium citrate w
Redipred	76	Salazopyrin EN		
Regitine		Salbutamol		sulphoacetate Sodium citro-tari
Renilon 7.5	178	Salbutamol with ipratropiun	n	
Resonium-A		bromide		Sodium cromogl
Resource Diabetic	175	Salicylic acid	67	Alimentary
Resource Plus	182	Salmeterol	155	Respiratory
Resource Thicken Up	183	Sandomigran	122	Sensory
Respigen	156	Sandostatin		Sodium fluoride
Respiratory Devices		Sandostatin LAR		Sodium hypochlo
Retrovir		Sandoz	86	Sodium nitroprus
ReVia	137	SC Profi-Fine	32	Sodium polystyr
Reyataz	95	Scalp Preparations	67	sulphonate
Rheumacin SR		Scopoderm TTS		Sodium tetradeo
Ridal	127	Sebizole	67	Sodium valproat
Ridaura	104	Sedatives and Hypnotics	132	Sofradex
Rifabutin	89	Selegiline hydrochloride	124	Soframycin
Rifadin	89	Senna	34	Solian
Rifampicin		Senokot	34	Solifenacin succ
Rifinah		SensoCard	31	Solox
Riodine		Serenace	126	Solu-Cortef
Risperdal		Seretide	156	Solu-Medrol
Risperdal Consta		Seretide Accuhaler	156	Somatropin
Risperdal Quicklet		Serevent	155	Sonaflam
Risperidone		Serevent Accuhaler	155	Sotacor
Risperon		Seroquel	127	Sotalol
Ritalin		Sevredol	114	Space Chamber
Ritalin LA		Sex Hormones Non		Spacer device
Ritalin SR		Contraceptive	77	Span-K
Ritonavir		Shield 49	70	Spiriva
Rituximab		Shield Blue	70	Spironolactone .
		Shield XL		Spirotone

Sildenafil	
Silvazine	
Silver sulphadiazine	
Simethicone	
Simvastatin	.47
Sindopa	124
Sinemet	
Sinemet CR	124
Sirolimus	151
Siterone	.77
Slow-Lopressor	
Smoking Cessation	.56
Sodium acid phosphate	
Sodium alginate	
Sodium aurothiomalate	104
Sodium bicarbonate	
Blood	
Extemporaneous	
Sodium calcium edetate	.39
Sodium	
carboxymethylcellulose	. 35
Sodium chloride	.44
Sodium citrate with sodium lauryl	
sulphoacetatesodium iauryi	. 34
Sodium citro-tartrate	.75
Sodium cromoglycate	
Alimentary	.26
Respiratory157-	158
Sensory	161
Sodium fluoride	.38
Sodium hypochlorite	.64
Sodium nitroprusside	.31
Sodium polystyrene	
sulphonate	
Sodium tetradecyl sulphate	
Sodium valproate	120
Sofradex	160
Soframycin	
Solian	
Solifenacin succinate	
Solox	.27
Solu-Cortef	./6
Solu-Medrol	./6
Somatropin	
Sonaflam	
Sotacor	
Sotalol	.53
Space Chamber	
Spacer device	
Span-K	
Spiriva	
Spironolactone	
Spirotone	.55

INDEX

Sporanox	88	Tegretol CR	118	Trandate	52
Sprycel	146	Telfast	154	Trandolapril	50
Staphlex	87	Temazepam	132	Tranexamic acid	41
Stavudine [d4T]	95	Temgesic	113	Tranylcypromine sulphate	116
Stelazine	127	Temodal	144	Trastuzumab	151
Stemetil	123	Temozolomide	144	Travatan	162
Stesolid	117	Teniposide	145	Travoprost	162
Stocrin	94	Tenofovir disoproxil fumarate	92	Trental 400	57
Stomahesive	35	Tenoxicam	103	Tretinoin	145
Strattera	133	Terazosin hydrochloride	49	Triamcinolone acetonide	
Sucralfate	28	Terbinafine	89	Alimentary	35
Sulindac	103	Terbutaline sulphate	156	Dermatological	63
Sulphacetamide sodium	160	Testosterone	77	Hormone	77
Sulphasalazine	26	Testosterone cypionate	77	Triamcinolone acetonide with	
Sulphur	67	Testosterone esters	77	gramicidin, neomycin and ny	/statin
Sumagran	122	Testosterone undecanoate	77	Dermatological	63
Sumatriptan		Tetrabenazine	137	Sensory	160
Sunscreens		Tetrabromophenol	75	Triazolam	132
Sunscreens, proprietary	68	Tetracosactrin	77	Trichozole	89
Suplena		Teva	142	Trifeme	72
Suprefact	81	Thalidomide	145	Trifluoperazine	
Surgam	103	Thalidomide Pharmion	145	hydrochloride	127
Sustagen Hospital Formula	174	Theophylline	157	Trimeprazine tartrate	154
Sustanon Ampoules	77	Thiamine hydrochloride	36	Trimethoprim	88
Symbicort Turbuhaler 100/6 .	156	Thioguanine		Trimipramine maleate	116
Symbicort Turbuhaler 200/6 .	156	Thiotepa	139	Tripress	116
Symbicort Turbuhaler		Thymol glycerin	36	Trisequens	79
400/12	156	Thyroid and Antithyroid		Trisul	88
Symmetrel	123	Agents	80	Trophic Hormones	80
Sympathomimetics	57	Tiaprofenic acid	103	Tropicamide	163
Synacthen	77	Tiberal	89	Tropisetron	123
Synacthen Depot	77	Tilade	157	Trusopt	162
Synermox	86	Tilcotil	103	Two Cal HN	183
Synflex	103	Timolol maleate		Tyloxapol	164
Synthroid	80	Cardiovascular	53	- U -	
Syntocinon	74	Sensory	161	Ultraproct	26
Syntometrine	74	Timoptol XE	161	Ural	
Syrup (pharmaceutical		Tiotropium bromide	156	Urea	
grade)	170	Titralac	25	Urex Forte	
-T-		TMP	88	Urinary Agents	
Tacrolimus	152	Tobramycin		Urinary Tract Infections	
Tambocor		Infection	88	Uromitexan	
Tambocor CR		Sensory	160	Ursodeoxycholic acid	
Tamoxifen citrate		Tobrex	160	- V -	
Tamoxifen Sandoz		Tofranil		•	101
Tap water		Tolcapone	124	Vaccines	
Tar with cade oil		Tolvon	115	Vallaciclovir	
Tar with triethanolamine laury		Topamax	120	Vallergan Forte	
sulphate and fluorescein		Topiramate	120	Valoid (AFT)	
Tasmar		Total parenteral nutrition		Valtrex	
Taxotere		(TPN)		Vancomycin hydrochloride Vannair	
Tegretol		TPN		Vasodilators	
Ü		Tracleer	57	vasoullators	

Vasopressin Agonists	82
Vaxigrip	
Venlafaxine	
Ventavis	
Ventolin	
Vepesid	
Verapamil hydrochloride	
Vergo 16	
Vermox	
Verpamil SR	54
Vesanoid	
Vesicare	75
Viaderm KC	63
Viagra	57
Vicrom	
Videx EC	94
Vigabatrin	120
Vinblastine sulphate	145
Vincristine sulphate	145
Vinorelbine	
Vinorelbine Ebewe	145
Viramune	94
Viramune Suspension	94
Viread	92
Vistil	163
Vistil Forte	
Vitadol C	36
Vital HN	179
Vitamin A with vitamins D and	
C	
Vitamin B complex	

Vivonex Pediatric18	38
Vivonex TEN17	
Voltaren10	
Voltaren D10	
Voltaren Ophtha16	
Voltaren SR10	
Volumatic15	
Vosol16	
Vumon14	15
Vytorin4	
- W -	
Warfarin sodium4	13
Wart Preparations6	
Wasp venom allergy	
treatment15	3
Water	
Blood4	
Extemporaneous17	
Wholesale Supply Order19)3
Wool fat with mineral oil6	35
- X -	
Xalatan16	32
Xeloda13	
Xenazine 2513	
XMET Maxamum18	
XP Analog LCP18	
XP Maxamaid18	
XP Maxamum18	
Xylocaine11	2
- Z -	

Zarontin	118
Zavedos	144
Zeffix	
Zeldox	128
Zerit	
Zetop	153
Ziagen	
Zidovudine [AZT]	95
Zidovudine [AZT] with	
lamivudine	95
Zinacef	
Zinc	64
Zinc and castor oil	64
Zinc oxide	26
Zinc sulphate	
Zincaps	38
Zincfrin	
Zinnat	84
Ziprasidone	128
Zofran	
Zofran Zydis	123
Zoladex	82
Zopiclone	132
Zostrix HP	
Zovirax	160
Zuclopenthixol decanoate	128
Zuclopenthixol	
hydrochloride	128
Zyban	
Zyprexa	126
Zyprexa Zydis	

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date: