# March 2010

### Volume 17 Number 0

#### **Editors**

Kaye Wilson & Scott Brydon email: schedule@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

Freephone Information Line 0800 66 00 50 (9am - 5pm weekdays)

#### Circulation

Published each April, August and December. Changes to the contents are published in monthly updates. subscription includes three Pharmaceutical Schedule books, 12 updates and occasional information on rule changes and news items.

The Schedule is distributed free of charge to over 9,000 health professionals, and is also available on an annual subscription.

#### **Prices**

\$22.22 One Schedule book \$4.44 One Update \$120.00 Annual subscription

All prices include postage and exclude GST.


#### Production

Typeset automatically from XML and TEX. See www.pharmac.govt.nz/schedule/archive/ for the XML version of this Schedule.

## **Programmers**

Anrik Drenth & John Geering email: texschedule@pharmac.govt.nz

© Pharmaceutical Management Agency



This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit:

creativecommons.org/licenses/by/3.0/nz/.

Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

## Introducing PHARMAC

Section A General Rules 12

Section B Alimentary Tract & Metabolism 25

Blood & Blood Forming Organs 40 Cardiovascular System 49

> Dermatologicals 59 Genito Urinary System 70

Hormone Preparations – Systemic 76 Infections – Agents For Systemic Use 84

Musculoskeletal System 100

Nervous System 110 Oncology Agents & Immunosuppressants 136 Respiratory System & Allergies 151

Sensory Organs 158

Section C Extemporaneous Compounds (ECPs) 163

Section D Special Foods 169

Section E

Supply Orders (PSO & WSO) 188

Section F Dispensing Period Exemptions 193

Section G Safety Cap Medicines 195

Index 198

Rural Areas 192

## Introducing PHARMAC

PHARMAC, the Pharmaceutical Management Agency, is a Crown entity established pursuant to the New Zealand Public Health and Disability Act 2000 (The Act). The primary objective of PHARMAC is to secure for eligible people in need of pharmaceuticals, the best health outcomes that are reasonably achievable from pharmaceutical treatment and from within the amount of funding provided.

The PHARMAC Board consists of up to six members appointed by the Minister of Health. All decisions relating to PHARMAC's operation are made by or under the authority of the Board. In particular, Board members decide on the strategic direction of PHARMAC and may decide which community pharmaceuticals should be subsidised and at what levels, and determine national prices for some pharmaceuticals to be purchased by and used in DHB Hospitals, and whether or not special conditions are to be applied to such purchases.

### Members of the PHARMAC Board

Richard Waddel Kura Denness David Kerr

Stuart McLaughlan David Moore Adrienne von Tunzelmann

Decisions taken by the PHARMAC Board members, or made under the authority of the Board, incorporate a balanced view of the needs of prescribers and patients. The aim is to achieve long-term gains and efficient ways of making pharmaceuticals available to the community and for DHB Hospitals to purchase them.

Murray Georgel, CE MidCentral DHB, attends PHARMAC's Board meetings as an observer.

The functions of PHARMAC are to perform the following, within the amount of funding provided to it in the Pharmaceutical Budget or to DHBs from their own budgets for the use of pharmaceuticals in their hospitals, as applicable, and in accordance with its annual plan and any directions given by the Minister (Section 103 of the Crown Entities Act):

- a) to maintain and manage a pharmaceutical schedule that applies consistently throughout New Zealand, including determining eligibility and criteria for the provision of subsidies;
- b) to manage incidental matters arising out of (a), including in exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the pharmaceutical schedule;
- c) to engage as it sees fit, but within its operational budget, in research to meet its objectives as set out in Section 47(a) of the Act:
- d) to promote the responsible use of pharmaceuticals;
- e) to manage the purchasing of any or all pharmaceuticals, whether used either in a hospital or outside it, on behalf of DHBs;
- f) any other functions given to PHARMAC by or under any enactment or authorised by the Minister.

The policies and criteria set out in the Pharmaceutical Schedule and PHARMAC's Operating Policies and Procedures arise out of, and are designed to help PHARMAC achieve and perform, PHARMAC's objective and functions under the Act.

However PHARMAC may, having regard to its public law obligations, depart from the strict application of those policies and criteria in certain exceptional cases where it considers this necessary or appropriate in the proper exercise of its statutory discretion and to give effect to its objective and functions, particularly with respect to:

- Determining eligibility and criteria for the provision of subsidies; and
- In exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the Pharmaceutical Schedule.

#### **Decision Criteria**

PHARMAC updates the Pharmaceutical Schedule at regular intervals to notify prescribers, pharmacists, hospital managers and patients of changes to Community Pharmaceutical subsidies and the prices for Hospital Pharmaceuticals. In making decisions about amendments to the Pharmaceutical Schedule, PHARMAC is guided by its Operating Policies and Procedures, as amended or supplemented from time to time. PHARMAC takes into account the following criteria when making decisions about Community Pharmaceuticals:

- the health needs of all eligible people within New Zealand (eligible defined by the Government's then current rules of eligibility):
- the particular health needs of Māori and Pacific peoples;
- the availability and suitability of existing medicines, therapeutic medical devices and related products and related things:
- the clinical benefits and risks of pharmaceuticals;
- the cost-effectiveness of meeting health needs by funding pharmaceuticals rather than using other publicly funded health and disability support services;
- the budgetary impact (in terms of the pharmaceutical budget and the Government's overall health budget) of any changes to the Pharmaceutical Schedule;
- the direct cost to health service users:
- the Government's priorities for health funding, as set out in any objectives notified by the Crown to PHARMAC, or in PHARMAC's Funding Agreement, or elsewhere; and
- such other criteria as PHARMAC thinks fit. PHARMAC will carry out appropriate consultation when it intends to take any such "other criteria" into account.

The Operating Policies and Procedures, including any supplements, also describe the way in which PHARMAC determines the level of subsidy or purchase price payable for each Community Pharmaceutical or Hospital Pharmaceutical, respectively.

The decision criteria for Hospital Pharmaceuticals are set out in the hospital supplement to the Operating Policies and Procedures and in the introductory part of Section H of the Pharmaceutical Schedule.

Copies of PHARMAC's Operating Policies and Procedures and of any applicable supplements are available on the PHARMAC website (www.pharmac.govt.nz), or on request.

## PHARMAC and the Pharmaceutical Schedule:

PHARMAC manages the national Pharmaceutical Schedule, which lists:

- Pharmaceuticals available in the community and subsidised by the Government with funding from the Pharmaceutical Budget; and
- some Pharmaceuticals purchased by DHBs for use in their hospitals, and includes those Hospital Pharmaceuticals for which national prices have been negotiated by PHARMAC.

In the community approximately 1848 Pharmaceuticals are subsidised by the Government. Most are available to all eligible people within New Zealand on prescription by a medical doctor. Some are listed with guidelines or conditions such as 'only if prescribed for a dialysis patient' or 'Special Authority - Retail Pharmacy', to ensure that Pharmaceuticals are used by those people who are most likely to benefit from them. Pharmaceuticals provided to patients for use while in DHB hospitals are not covered by Sections A to G of the Pharmaceutical Schedule.

Section H of the Pharmaceutical Schedule is not a comprehensive list of Pharmaceuticals that are used within the DHB Hospitals. Section H of the Pharmaceutical Schedule includes Pharmaceuticals that can be purchased at a national price by DHBs for use in their hospitals. These are referred to as National Contract Pharmaceuticals.

Section H of the Pharmaceutical Schedule also identifies new Pharmaceuticals used in hospitals, which have been or are being assessed by PHARMAC, the results of that analysis being available to DHB Hospitals via PHARMAC's website.

A list of Discretionary Community Supply Pharmaceuticals, in Section H of the Pharmaceutical Schedule, identifies those products that currently are not subsidised from the Pharmaceutical Budget as Community Pharmaceuticals in Sections A to G of the Pharmaceutical Schedule but which DHBs can at their discretion fund for use in the community from their own budgets without specific Hospital Exceptional Circumstances approval.

#### PHARMAC's clinical advisors

#### Pharmacology and Therapeutics Advisory Committee (PTAC)

PHARMAC works closely with the Pharmacology and Therapeutics Advisory Committee (PTAC), an expert medical committee which provides independent advice to PHARMAC on health needs and the clinical benefits of particular pharmaceuticals for use in the community and/or in DHB Hospitals.

The committee members are all senior, practising clinicians. The chair of PTAC sits with the PHARMAC Board in an advisory capacity.

PTAC helps decide which community pharmaceuticals are to be subsidised from public monies by making recommendations to PHARMAC. Part of the role of PTAC is to review whether Community Pharmaceuticals already listed on the Schedule should continue to receive Government funds. The resources freed up can be used to subsidise other community pharmaceuticals with a greater therapeutic worth.

PHARMAC may obtain clinical advice from PTAC in relation to national purchasing strategies for Hospital Pharmaceuticals. There may be additional specialist hospital representatives on PTAC subcommittees, or additional PTAC subcommittees, where PHARMAC considers this necessary.

#### PTAC members are:

Carl Burgess MBChB, MD, MRCP (UK), FRACP, FRCP, physician/clinical pharmacologist, Chair

Marianne Empson BHB, MbChB, MMed(ClinEpi), FRACP, FRCPA, immunologist

lan Hosford MBChB, FRANZCP, psychiatrist

Sisira Jayathissa MBBS, MD, MRCP, FAFPHM, FRCP, FRACP, physician

George Laking PhD, MB, B.Med.Sci, MD, FRACP

Jim Lello BHB, MBChB, DCH, FRNZCGP, general practitioner

Graham Mills MBChB, MTropHlth, MD, FRACP, infectious disease specialist

Peter Pillans MBBCh, MD, FCP, FRACP, clinical pharmacologist

Mark Weatherall BA, MBChB, MApplStats, FRACP

Howard Wilson BSc, PhD, MB, BS, Dip Obst, FRNZCGP, general practitioner, Deputy Chair

Contact PTAC C/-Advisory Committee Manager , Pharmaceutical Management Agency, PO Box 10 254, WELLINGTON, Email: PTAC@pharmac.govt.nz

## The PHARMAC Team

The PHARMAC team has a wide range of expertise in health, medicine, economics, commerce, critical analysis, and policy development and implementation.

opment and implement	ation.	,	, , , , ,
Matthew Brougham	Chief Executive	Rachel Mackay	Manager, Schedule and
Lauren Abernethy	Funding and Procurement	,	Contracts
,	Assistant	Trish Mahoney	Contract Manager
Kate Adams	Health Economist	Adam McRae	Team Leader, Access & Optimal
Paul Alexander	Health Economist		Use
Jason Arnold	Senior Analyst	Scott Metcalfe	Chief Advisor Population
Diana Beswethrick	HR Contractor	Cook Motoano	Medicine / Public Health
Mike Bignall	Therapeutic Group Manager		Physician
Stephen Boxall	Creative Director	Peter Moodie	Medical Director
Scott Brydon	Schedule Analyst	Christina Newman	Executive Assistant to Chief
Davina Carpenter	Records Manager	Official a Nowman	Executive/Office Manager
Christine Chapman	Contract Manager	Leigh Parish	PA to Medical Director
Yvonne Chen	Tender Analyst	Marama Parore	Manager, Access & Optimal
Mary Chesterfield	High Cost Medicines	Warama r arore	Use & Māori Health
	Co-ordinator	Chris Peck	Analyst
Steffan Crausaz	Manager, Funding and	Melanie Pemberton	Communications Advisor
	Procurement	Fisher	Communications Advisor
Andrew Davies	Procurement Initiatives	Sharon Ponniah	Access and Optimal Use
	Manager	Onaron i omnan	Manager
Rachelle Davies	Senior Receptionist	Matthew Poynton	Analyst/Health Economist
Jessica Dougherty	Corporate Team Assistant	Rachel Pratt	Hospital Exceptional
Sean Dougherty	Therapeutic Group Manager	ridoriori ratt	Circumstances Panel
Anrik Drenth	Database Analyst		Co-ordinator
Kim Ellis	Access & Optimal Use	Rosanna Price	Receptionist
	Co-ordinator	Jan Quin	Team Leader, Medical Team
Simon England	Communications Manager	Dilky Rasiah	Deputy Medical Director
Andy Erceg	Senior Network and System	Kyle Reid	High Cost Medicines Panel
	Administrator	19.0 110.0	Co-ordinator / Growth Hormone
Jackie Evans	Therapeutic Group Manager	Brian Roulston	Analyst
John Geering	Systems Architect	Fiona Rutherford	Senior Policy Analyst
Rachel Grocott	Health Economist / Team	Rico Schoeler	Manager, Analysis and
	Leader Assessment		Assessment
Susan Haniel	Advisory Committee Manager	Merryn Simmons	PHARMAC Seminar Series
David Harland	Health Economist		Co-ordinator
Karen Jacobs	Access & Optimal Use Manager	Liz Skelley	Finance Manager
Cherie Jacobson	One Heart Many Lives	Jayne Watkins	Community Exceptional
	programme co-ordinator		Circumstances Panel
Richard Jaine	Public Health Registrar		Co-ordinator
Geoff Lawn	Applications Developer	Greg Williams	Therapeutic Group Manager
Geraldine MacGibbon	Therapeutic Group Manager	Lisa Williams	Legal Counsel
Janet Mackay	Access & Optimal Use Manager	Kaye Wilson	Schedule Analyst
		Stephen Woodruffe	Therapeutic Group Manager
		•	

## **Purpose of the Pharmaceutical Schedule**

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price (if it differs from the Subsidy) and any access conditions that may apply; and
- some Hospital Pharmaceuticals that are purchased and used by DHB Hospitals, including those for which national prices have been negotiated by PHARMAC.

The purpose of the Schedule is not to show the final cost to Government of subsidising each Community Pharmaceutical or to DHBs in purchasing each Hospital Pharmaceutical since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for some Hospital Pharmaceuticals, on any logistics arrangements put in place by individual DHB Hospitals.

## Finding Information in the Pharmaceutical Schedule

## **Community Pharmaceuticals**

For Community Pharmaceuticals, the Schedule is organised in a way to help the reader find Community Pharmaceuticals, which may be used to treat similar conditions. To do this, Community Pharmaceuticals are first classified anatomically, originally based on the Anatomical Therapeutic Chemical (ATC) system, and then further classified under section headings structured for the New Zealand medical system.

- Section A lists the General Rules in relation to Community Pharmaceuticals and related products.
- Section B lists Community Pharmaceuticals and related products by anatomical classification, which are further divided into
  one or more therapeutic headings. Community Pharmaceuticals used to treat similar conditions are grouped together.
- Section C lists the rules in relation to Extemporaneously Compounded Products (ECPs) and Community Pharmaceuticals
  that will be subsidised when extemporaneously compounded.
- Section D lists the rules in relation to Special Foods and the Special Foods that are subsidised.
- Section E Part I lists the Community Pharmaceuticals that are subsidised on a Practitioner's Supply Order (PSO) and Wholesale Supply Order (WSO).
- Section E Part II lists rural areas for the purpose of PSOs.
- Section F lists the Community Pharmaceuticals dispensing period exemptions.
- Section G lists the Community Pharmaceuticals eligible for reimbursement of safety cap and related rules.

The listings are displayed alphabetically (where practical) within each level of the classification system. Each anatomical section contains a series of therapeutic headings, some of which may contain a further classification level. Where a Community Pharmaceutical is used in more than one therapeutic area, they may be cross-referenced.

The therapeutic headings in the Pharmaceutical Schedule do not necessarily correspond to the therapeutic groups and therapeutic subgroups, which PHARMAC establishes for the separate purpose of determining the level of subsidy to be paid for each Community Pharmaceutical.

The index located at the back of the book in which Sections A-G of the Pharmaceutical Schedule are published can be used to find page numbers for generic chemical entities, or product brand names.

# **Hospital Pharmaceuticals**

Section **H** lists Pharmaceuticals that DHBs fund from their own budgets. The Hospital Pharmaceuticals are grouped into the following Parts in Section H:


- Part I lists the rules in relation to Hospital Pharmaceuticals.
- Part II lists Hospital Pharmaceuticals for which national contracts exist (National Contract Pharmaceuticals). These are
  listed alphabetically by generic chemical entity name and line item, the relevant Price negotiated by PHARMAC and, if
  applicable, an indication of whether it has Hospital Supply Status (HSS) and any associated Discretionary Variance (DV)
  Pharmaceuticals and DV Limit.
- Part III lists Assessed Pharmaceuticals, which have been or are being assessed by PHARMAC and, where such assessment
  is available, PHARMAC's opinion regarding the use of the Assessed Pharmaceuticals in hospitals. DHB Hospitals are not
  obliged to implement those recommendations.
- Part IV lists Discretionary Community Supply Pharmaceuticals, which are not Community Pharmaceuticals, but which a DHB
  Hospital can, in its discretion, fund for use in the community from its own budget.

The index located at the back of the Section H supplement can be used to find page numbers for generic chemical entities, or product brand names, for Hospital Pharmaceuticals.

# **Explaining drug entries**

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the amount of that subsidy paid to contractors, the supplier's price and the access conditions that may apply.

#### Example



## Glossary

## **Units of Measure**

gram	g	microgram	µg	millimolemmol
kilogram	kg	milligram	mg	unitu
international unit	in	millilitro	ml	

Abbreviations					
Ampoule	Amp	Granules	Gran	Suppository	Supp
Capsule	Сар	Infusion	Inf	Tablet	Tab
Cream	Crm	Injection	Inj	Tincture	Tinc
Device	Dev	Linctus	Linc	Trans Dermal Delivery	
Dispersible	Disp	Liquid	Liq	System	TDDS
Effervescent	Eff	Long Acting	LA		
Emulsion	Emul	Ointment	Oint		
Enteric Coated	EC	Sachet	Sach		
Gelatinous	Gel	Solution	Soln		
BSO Bulk Supply Or	der				

CBS Cost Brand Source. There is no set manufacturer's price, and the Government subsidises the product at the price it is obtained by the pharmacy.

CE Compounded Extemporaneously.

CPD Cost Per Dose. The Funder (as defined in Part I of the General Rules) cost of a standard dose, without mark-ups or fees and excluding GST.

**ECP** Extemporaneously Compounded Preparation.

HSS Hospital Supply Status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

OP Original Pack – subsidy is rounded up to a multiple at whole packs.

**PSO** Practitioner's Supply Order.

## Sole Subsidised

Supplier Only brand of this medicine subsidised.

WSO Wholesale Supply Order.

XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

- Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner.
- \* Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless medicine is endorsed "close control" or "cc" and the endorsement is initialled by the prescriber.
- Safety cap required and subsidised for oral liquid formulations, including extemporaneously compounded preparations. Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a manufacturer's surcharge.
- S29 This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981. Practitioners prescribing this medication should:
  - a) be aware of and comply with their obligations under Section 29 of the Medicines Act 1981 and otherwise under that Act and the Medicines Regulations 1984;
  - b) be aware of and comply with their obligations under the Health and disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
  - c) exercise their own skill, judgement, expertise and discretions, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an indication for which it is not approved.

Note: Where medicines supplied under Section 29 that are used for emergency situations, patient details required under Section 29 of the Medicines Act may be retrospectively provided to the supplier.

	Definitions	
Abbrev.	Pharmacy Services Agreement	All other Pharmacy Agreements
[HP1]	Subsidised when dispensed from pharmacies that have the Complex Medicines Variation of the Pharmacy Services Agreement	Available from selected pharmacies that have an ex- clusive contract to dispense 'Hospital Pharmacy' [HP1] pharmaceuticals.
[HP3]	Subsidised when dispensed from pharmacies that have the Pharmacy Services Agreement. A Special Food with [HP3] annotation is subsidised when dispensed by a pharmacy that has a Special Foods Service appended to their Pharmacy Services Agreement by their DHB.	Available from selected pharmacies that have an exclusive contract to dispense 'Hospital Pharmacy' [HP3] pharmaceuticals.
[HP4]	Subsidised when dispensed from pharmacies that have the Monitored Therapy Variation (for Clozapine Services)	Avaliable from selected pharmacies that have an exclusive contract to dispense 'Hospital Pharmacy' [HP4] pharmaceuticals.

## **Patient costs**

#### Community Pharmaceuitical costs met by the Government

Most of the cost of a subsidised prescription Community Pharmaceutical is met by the Government through the Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to Contractors, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to Contractors does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a  $\checkmark$  in the product's Schedule listing.

SALBUTAMOL		
Aerosol inhaler 100 μg per dose	3.80	✓ Fully subsidised brand
	(6.00)	Higher priced brand

#### **Pharmaceutical Co-Payments**

Some Community Pharmaceutical costs are met by the patient. Generally a patient pays a prescription charge. In addition a patient will sometimes pay a manufacturer's surcharge, after hours service fee and any special packaging fee.

#### PRESCRIPTION CHARGE

From 1 September 2008, everyone who is eligible for publicly funded health and disability services should in most circumstances pay only \$3 for subsidised medicines.

All prescriptions from a public hospital, a midwife and a Family Planning Clinic are covered for \$3 co-payments.

Prescriptions from the following providers are approved for \$3 co-payments on subsidised medicines if they meet the specified criteria:

- After Hours Accident and Medical Services with a DHB or a PHO contract.
- Youth Health Clinics with a DHB or a PHO contract.
- Dentists who write a prescription that relates to a service being provided under a DHB contract.
- Private specialists (for example, opthalmologists and orthopaedics) who write a prescription for a patient receiving a publicly funded service contracted by the DHB.
- General practitioners who write a prescription during normal business hours to a person who is not enrolled in the general
  practice provided the person is eligible for publicly funded health and disability services and the general practice is part of a
  PHO
- Hospices that have a contract with a DHB.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Eligibility Direction on the Ministry of Health's website.

To check if a medicine is fully subsidised, refer to the Pharmaceutical Schedule on PHARMAC's website or ask your pharmacist or general practitioner.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

NOTE: Information sourced from Ministry of Health Website, for more information please visit www.moh.govt.nz

#### MANUFACTURER'S SURCHARGE

Not all Community Pharmaceuticals are fully subsidised. Although PHARMAC endeavours to fully subsidise at least one Community Pharmaceutical in each therapeutic group, and has contracts with some suppliers to maintain the price of a particular product, manufacturers are able to set their own price to pharmacies. When these prices exceed the subsidy, the pharmacist may recoup the difference from the patient.

To estimate the amount a patient will pay on top of the prescription charge, take the difference between the manufacturer's price

and the subsidy, and multiply this by 1.86. The 1.86 factor represents the pharmacy mark-up on the surcharge plus other costs such as GST. Pharmacies charge different mark-ups so this may vary.

Manufacturer's surchage to patient =  $(price - subsidy) \times 1.86$ 

For example, a Community Pharmaceutical with a supplier (ex-manufacturer) cost of \$11.00 per pack with a \$10.00 subsidy will cost the patient a surchage of \$1.86 on top of the prescription charge. The most a patient should pay is therefore \$16.86 - being \$15.00 maximum prescription charge, plus \$1.86.

#### Hospital Pharmaceutical and Pharmaceutical Cancer Treatment Costs

The cost of purchasing Hospital Pharmaceuticals and Pharmaceutical Cancer Treatments (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) is met by the Funder (in particular, the relevant DHB) from its own budget. As required by section 23(7) of the Act, in performing any of their functions in relation to the supply of Pharmaceuticals including Pharmaceutical Cancer Treatments, DHBs must not act inconsistently with the Pharmaceutical Schedule.

#### PHARMAC web site

PHARMAC has set up an interactive Schedule on the Internet. It can be used to calculate the cost of a prescribed Community Pharmaceutical. This site at <a href="http://www.pharmac.govt.nz">http://www.pharmac.govt.nz</a> takes into account the quantity of Community Pharmaceutical prescribed as well as the patient's age, whether the patient has a community services card, high use health card or prescription subsidy card, the fee for pharmacy services and prescription charges.

Other information about PHARMAC is also available on our website. This includes copies of the Annual Review, Annual Report and Annual Plan, as well as information such as the Pharmaceutical Schedule, Pharmaceutical Schedule Updates, National Hospital Pharmaceutical Strategy, other publications and recent press releases.

## **Special Authority Applications**

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person. Applications must be submitted to the Ministry of Health by the prescriber for the request to be processed.

## Subsidy

Once approved, the presciber will be provided a Special Authority number which must appear on the prescription. Specialists who make an application must communicate the valid authority number to the prescriber who will be writing the prescriptions.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Pharmaceutical Budget.

#### Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website.

For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised. Criteria for each Special Authority Community Pharmaceutical are updated regularly, based on the decision criteria of PHARMAC. The appropriateness of the listing of a Community Pharmaceutical in the Special Authority category will also be regularly reviewed. Applications for inclusion of further Community Pharmaceuticals in the Special Authority category will generally be made by a pharmaceutical supplier.

### **Special Authority Applications**

Application forms can be found at www.pharmac.govt.nz. Requests for fax copies should be made to PHARMAC, phone 04 460 4990. Applications are processed by the Ministry of Health, and should be sent to:

Ministry of Health Sector Services, Fax: (06) 349 1983 or free fax 0800 100 131

Private Bag 3015, WANGANUI 4540

For enquiries, phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666

Note: The Ministry of Health can only provide information on Special Authority applications to prescribers and pharmacists.

#### Each application must:

- Include the patients name, date of birth and NHI number (codes for AIDS patients' applications)
- Include the practitioner's name, address and Medical Council registration number
- Clearly indicate that the relevant criteria, have been met.
- Be signed by the practitioner.

## **Exceptional Circumstances policies**

The purpose of the Exceptional Circumstances policies are to provide:

- funding from the Community Exceptional Circumstances budget for medication, to be used in the community, in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical Budget is not able to be provided through the Pharmaceutical Schedule ("Community Exceptional Circumstances"); or
- an assessment process for the DHB Hospitals to determine whether they can fund medication, to be used in the community, in circumstances where the medication is neither a Community Pharmaceutical nor a Discretionary Community Supply
  Pharmaceutical and where the patient does not meet the criteria for Community Exceptional Circumstances ("Hospital Exceptional Circumstances"); or
- an assessment process for DHB Hospitals to determine whether they can fund pharmaceuticals for the treatment of cancer
  in their DHB Hospital, or in association with Outpatient services provided in their DHB hospital, in circumstances where the
  pharmaceutical is not identified as a Pharmaceutical Cancer Treatment ("Cancer Exceptional Circumstances") in Sections
  A-H of the Pharmaceutical Schedule.

Upon receipt of an application for approval for Community Exceptional Circumstances or Hospital Exceptional Circumstances, the Exceptional Circumstances Panel first decides whether an application will be assessed initially under the Community Exceptional Circumstances criteria or the Hospital Exceptional Circumstances criteria. Cancer Exceptional Circumstances is a separate process.

## **Hospital Exceptional Circumstances**

If the application is first assessed but not approved under the Community Exceptional Circumstances criteria, the Exceptional Circumstances Panel may recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances.

If the application is first assessed under the Hospital Exceptional Circumstances criteria, the Exceptional Circumstances Panel may:

- a) recommend against the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget, in which case a DHB Hospital must not fund the pharmaceutical from its own budget;
- b) recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances, in which case a DHB Hospital may, but is not obliged to, fund the pharmaceutical from its own budget;
- c) defer its decision until further assessment under the Community Exceptional Circumstances criteria can undertaken; or
- d) recommend interim funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances until further assessment under the Community Exceptional Circumstances criteria can be undertaken.

Permission to fund a pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances will only be granted by PHARMAC where it has been demonstrated that such funding is cost-effective for the relevant DHB in the region in which the patient resides.

If the patient being treated with a pharmaceutical under Hospital Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

Applications for Hospital Exceptional Circumstances should be made on the standard application form available from the PHARMAC website www.pharmac.govt.nz or the address below:

Phone: (04) 916 7521

or fax (09) 523 6870

Email: ecpanel@pharmac.govt.nz

The Coordinator, Hospital Exceptional Circumstances Panel PHARMAC, PO Box 10 254

Wellington

## **Cancer Exceptional Circumstances**

Permission to fund a pharmaceutical for the treatment of cancer from the Hospital's own budget under Cancer Exceptional Circumstances will only be granted by PHARMAC where it has been demonstated that the proposed use meets the criteria.

If the patient being treated with a pharmaceutical under Cancer Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

## **Community Exceptional Circumstances**

In order to qualify for Community Exceptional Circumstances approval one of the following criteria must be met:

- a) the condition must be rare; or
- b) the reaction to alternative funded treatment must be unusual; or
- c) an unusual combination of circumstances applies.

Rare and unusual are considered to be in the order of less than 10 people nationally.

Where one of the above Community Exceptional Circumstances entry criteria is met, the application may then be further examined under supplementary criteria, assessing suitability of the pharmaceutical, clinical benefit, the cost effectiveness of the treatment, and the patient's ability to pay for the treatment. Where these documented criteria are met, a subsidy sufficient to fully fund the pharmaceutical will be made available to the specific patient on whose behalf the application was made.

Community Exceptional Circumstances funding is only available where the criteria are met and is not available for financial reasons alone.

Applications for Community Exceptional Circumstances, Hospital Exceptional Circumstances and Cancer Exceptional Circumstances should be made on the standard application form available from the PHARMAC website www.pharmac.govt.nz or the address below:

The Coordinator, Community Exceptional Circumstances Panel Phone (04) 916 7553

PO Box 10 254 or fax (09) 523 6870

Wellington Email: ecpanel@pharmac.govt.nz

## INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor:
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and:
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 March 2010 and is to be referred to as the Pharmaceutical Schedule Volume 17 Number 0, 2010. Distribution will be from 20 March 2010. This Schedule comes into force on 1 March 2010.

#### PART I

#### INTERPRETATIONS AND DEFINITIONS

- 1.1 In this Schedule, unless the context otherwise requires:
- "90 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;
- "180 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;
- "Access Exemption Criteria" means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:
  - a) have limited physical mobility:
  - b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
  - c) are relocating to another area:
  - d) are travelling extensively and will be out of town when the repeat prescriptions are due.
- "Act" means the New Zealand Public Health and Disability Act 2000.
- "Advisory Committee" means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.
- "Alternate Subsidy" means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.
- "Assessed Pharmaceuticals" means the list of Pharmaceuticals set out in Section H Part III of the Schedule, that have been or are being assessed by PHARMAC.
- "Authority to Substitute" means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.
- "Bulk Supply Order" means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.
- "Cancer Exceptional Circumstances" means the policies and criteria administered by PHARMAC relating to the ability to fund, from a DHB hospital's own budget, pharmaceuticals for the treatment of cancer that are not identified as Pharmaceutical

Cancer Treatments in Sections A-H of the Pharmaceutical Schedule.

- "Class B Controlled Drug" means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.
- "Close Control" means the dispensing of a Community Pharmaceutical, in accordance with a Prescription, in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot) for a Community Pharmaceutical referred to in Section F Part I, or in quantities less than a Monthly Lot for any other Community Pharmaceutical, where any of a), b) or c) apply.
  - a) All of the following conditions are met:
    - i) the Community Pharmaceutical has been prescribed for a patient who:
      - 1) is not a resident in a Penal Institution, Rest Home or Residential Disability Care Institution; and
      - 2) either of the following:
        - i) in the opinion of the prescribing Practitioner is:
          - a) frail; or
          - b) infirm; or
          - c) unable to manage their medication without additional support; or
          - d) intellectually impaired; or
          - e) requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only); and
          - f) requires that Community Pharmaceutical to be dispensed in a smaller quantity than that for which it is currently funded, or
        - ii) the Community Pharmaceutical is any of the following:
          - a) a tri-cyclic antidepressant; or
          - b) an antipsychotic; or
          - c) a benzodiazepine; or
          - d) a Class B Controlled Drug; and
    - ii) the prescribing Practitioner has:
      - A) endorsed each Community Pharmaceutical on the Prescription clearly with the words "Close Control" or "CC"; and
      - B) initialled the endorsement in their own handwriting; and
      - C) specified the maximum quantity or period of supply to be dispensed at any one time.
  - b) All of the following conditions are met:
    - i) The Community Pharmaceutical is prescribed for a patient who is a resident in a Rest Home or Residential Disability Care Institution; and
      - A) the quantity or period of supply to be dispensed at any one time is not less than 28 days' supply; and
      - B) the prescriber or pharmacist has written the name of the Rest Home or Residential Disability Care Institution on the prescription; and
      - C) the prescriber or pharmacist has:
        - written on the Prescription the words "Close Control" or "CC" (this applies to all medicines prescribed on the prescription), and
        - 2) initialled the endorsement/annotation in their own handwriting; and
        - 3) specified the maximum quantity or period of supply to be dispensed at any one time.
  - c) All of the following conditions are met:
    - i) where PHARMAC has approved and notified pharmacists to annotate prescriptions for a specified Community Pharmaceutical(s) "Close Control" without prescriber endorsement for a specified time; and
    - ii) the dispensing pharmacist has:
      - A) clearly annotated each of the approved Community Pharmaceuticals that appear on the prescription with the words "Close Control" or "CC"; and
      - B) initialled the annotation in their own handwriting; and
      - c) specified the maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.
- "Community Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances
  Panel relating to funding from the Community Exceptional Circumstances budget for medication, to be used in the community,
  in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical

Budget is not able to be provided through the Pharmaceutical Schedule.

"Community Pharmaceutical" means a Pharmaceutical listed in Sections A to G of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor" means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug" means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply" means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply.

"Dentist" means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"DHB" means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital" means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Discretionary Community Supply Pharmaceutical" means the list of Pharmaceuticals set out in Section H Part IV of the Schedule, which may be funded by a DHB Hospital from its own budget for use in the community.

"**Doctor**" means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical" means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements" - unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Exceptional Circumstances Panel" means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for administering policies in relation to Community Exceptional Circumstances and Hospital Exceptional Circumstances.

"Funder" means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST" means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator" means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances Panel relating to the ability to fund, from a DHB Hospital's own budget, pharmaceuticals for use in the community by a specific patient where a subsidy is not available from the Pharmaceutical Budget or under Community Exceptional Circumstances.

"Hospital Pharmaceuticals" means National Contract Pharmaceuticals, DV Pharmaceuticals, Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals.

"Hospital Pharmacy" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner.

"Hospital Pharmacy-Specialist" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist; or
  - if the treatment of an Outpatient with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a Practitioner endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Practitioner.

"As recommended by a Specialist" to be interpreted as:

- a) follows a substantive consultation with an appropriate Specialist;
- b) the consultation to relate to the Patient for whom the Prescription is written;

- c) consultation to mean communication by referral, telephone, letter, facsimile or email;
- d) except in emergencies consultation to precede annotation of the Prescription; and
- e) both the specialist and the General Practitioner must keep a written record of the consultation.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS" means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination" means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit" means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital" means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot" means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price" means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife" means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month" means a period of 30 consecutive days.

"Month restriction" means that no Subsidy is available:

- a) unless the Community Pharmaceutical is dispensed on the Prescription of a Practitioner; and
- b) for any quantity of that Community Pharmaceutical dispensed on the Prescription (whether or not dispensed as a repeat) in excess of a Monthly Lot.

"Monthly Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"National Contract Pharmaceutical" means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

"National DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Not In Combination" means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

"Nurse Prescriber" means a nurse registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003 and who is approved by the Nursing Council, to prescribe specified prescription medicines relating to his/her scope of practice.

"Optometrist" means a person registered as an optometrist with the Optometrists and Dispensing Opticians Board, who holds a current annual practising certificate under the HPCA Act 2003, and who is authorised by regulations under the Medicines Act 1981 and approved by the Optometrists and Dispensing Opticians Board to prescribe specified medicines.

"Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT" means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

"PCT only" means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsi-

dies.

- "Penal Institution" means a penal institution, as that term is defined in The Penal Institutions Act 1954;
- "PHARMAC" means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC).
- "Pharmaceutical" means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to H of the Schedule.
- "Pharmaceutical Benefits" means the right of:
  - a) a person; and
  - b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.
- "Pharmaceutical Budget" means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals.
- "Pharmaceutical Cancer Treatment" means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must fund, from their own budgets, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.
- "Practitioner" means a Doctor, a Dentist, a Midwife, a Nurse Prescriber or an Optometrist as those terms are defined in the Pharmaceutical Schedule.
- "Practitioner's Supply Order" means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- "Prescription" means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.
- "Private Hospital" means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.
- "Residential Disability Care Institution" means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.
- "Rest Home" means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.
- "Retail Pharmacy-Specialist" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or, in the case of treatment recommended by a Specialist, a Prescription or Practitioner's Supply Order and endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner.
- "As recommended by a Specialist" to be interpreted as:
  - a) follows a substantive consultation with an appropriate Specialist;
  - b) the consultation to relate to the Patient for whom the Prescription is written;
  - c) consultation to mean communication by referral, telephone, letter, facsimile or email;
  - d) except in emergencies consultation to precede annotation of the Prescription; and
  - e) both the Specialist and the General Practitioner must keep a written record of consultation.
- "Retail Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist. For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.
- "Schedule" means this Pharmaceutical Schedule and all its sections and appendices.
- "Section B" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies included in the Schedule.
- "Section C" of this Pharmaceutical Schedule means the list of community extemporaneously compounded preparations and galenicals eligible for Subsidies included in the Schedule.
- "Section D" of this Pharmaceutical Schedule means the list of community special foods eligible for Subsidies included in the Schedule.
- "Section E Part I" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies and available on a Practitioner's Supply Order or a Wholesale Supply Order included in the Schedule.

- "Section E Part II" of this Pharmaceutical Schedule means the list of rural areas for the purpose of community Practitioner's Supply Orders included in the Schedule.
- "Section F Part I" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots, and requirement to dispense in 90 Day Lots or 180 Day Lots, as applicable, in respect of the Community Pharmaceuticals referred to in this part of Section F;
- "Section F Part II" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots in respect of the Community Pharmaceuticals referred to in this part of Section F:
- "Section G" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for reimbursement of safety caps.
- "Section H" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals and the lists of National Contract Pharmaceuticals and any associated DV Pharmaceuticals, of Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals included in Section H of the Schedule.
- "Section H Part I" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals.
- "Section H Part II" of this Pharmaceutical Schedule means the list of National Contract Pharmaceuticals, the relevant Price, an indication of whether the Pharmaceutical has HSS and any associated DV Pharmaceuticals and DV Limit.
- "Section H Part III" of this Pharmaceutical Schedule means the list of Assessed Pharmaceuticals.
- "Section H Part IV" of this Pharmaceutical Schedule means the list of Discretionary Community Supply Pharmaceuticals.
- "Special Authority" means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.
- "Specialist", in relation to a Prescription, a doctor who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

a)

- i) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine: and
- ii) the doctor's vocational scope of practice is one of those listed below: anaesthetics, cardiothoracic surgery, dermatology, diagnostic radiology, emergency medicine, general surgery, internal medicine, neurosurgery, obstetrics and gynaecology, occupational medicine, ophthalmology, oral and maxillofacial surgery, otolaryngology head and neck surgery, orthopaedic surgery, paediatrics surgery, paediatrics, pathology, plastic and reconstructive surgery, psychological medicine or psychiatry, public health medicine, radiation oncology, rehabilitation medicine, urology and venereology:
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that Prescription in the course of practising in that area of medicine;
- c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine
  for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that
  area of medicine;
- d) the doctor writes the Prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.
- "Subsidy" means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.
- "Supply Order" means a Bulk Supply Order, a Practitioner's Supply Order or a Wholesale Supply Order.
- "Unapproved Indication" means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 4.6.
- "Wholesale Supply Order" means a written order by a Practitioner, on a form supplied by the Ministry of Health for the supply of certain Community Pharmaceuticals as listed in Section B and Section E Part I of the Schedule.
  - 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:

- a) the singular includes the plural; and
- b) any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

#### **PART II**

## **COMMUNITY PHARMACEUTICALS SUBSIDY**

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G of the Schedule, and every preparation (having an inert base) of any of them, is hereby declared to be a Community Pharmaceutical for the purposes of the Schedule, subject to:
  - 2.1.1 clauses 2.2 and 2.3 of the Schedule; and
  - 2.1.2 clauses 3.1 to 4.4 of the Schedule; and
  - 2.1.3 the conditions (if any) specified in Sections B to G of the Schedule;
- 2.2 The following medicines, therapeutic medical devices, or related products or related things are not eligible for Subsidy:
  - 2.2.1 substances, or combinations of substances, ordered for any purpose other than:
    - a) treatment of a patient's medical or dental condition; or
    - b) pregnancy tests; or
    - c) the prevention of sexually transmitted disease: or
    - d) contraception.
  - 2.2.2 substances and combinations of substances packed under pressure in aerosol cans or other similar devices, unless it is specified in Sections B to G of the Schedule that they may be so packed;
  - 2.2.3 electrode jellies;
  - 2.2.4 eye drops packed in single-dose units, unless it is specified in Sections B to G of the Schedule that they may be so packed:
  - 2.2.5 insect repellents and similar preparations;
  - 2.2.6 oral preparations in long-acting form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
  - 2.2.7 substances or combinations of substances in lozenge or similar form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
  - 2.2.8 machine-spread plasters;
  - 2.2.9 preparations prescribed as foods, unless they are specified in Section D of the Schedule:
  - 2.2.10 substances, combinations of substances, or articles, in the form of proprietary medicines or proprietary articles, unless they are deemed or declared to be Pharmaceuticals elsewhere in the Schedule;
  - 2.2.11 shampoos, other than extemporaneously prepared medicated shampoos, or shampoos specified in Sections B to G of the Schedule intended for the treatment of a patient's medical condition;
  - 2.2.12 toilet preparations:
  - 2.2.13 tooth pastes and powders;
  - 2.2.14 lubricating jellies and catheter lubricants;
  - 2.2.15 sterile diluents for nebulising solutions;
  - 2.2.16 substances in a form intended to enable delivery by transdermal diffusion or osmosis or by the insertion of any solid object or substance into the eye cavity, unless it is specified in Sections B to G of the Schedule that they may be in such a form:
  - 2.2.17 substances in a form intended for intravenous delivery (other than by injection), unless it is specified in Sections B to G of the Schedule that they may be in such a form;
  - 2.2.18 substances packed in pre-loaded syringes known as Min-I-Jets, unless it is specified in Sections B to G of the Schedule that they may be so packed;
  - 2.2.19 Community Pharmaceuticals prescribed as cough mixtures, unless they are specified in Sections B to G of the Schedule otherwise than in combination with other ingredients;
  - 2.2.20 vitamin preparations in capsule form, unless they are specified in Sections B to G of the Schedule;
  - 2.2.21 substances prescribed for use as irrigating solutions, unless it is specified in Sections B to G of the Schedule that they may be prescribed for such use.
- 2.3 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless

the Community Pharmaceuticals so supplied:

- 2.3.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981: or
- 2.3.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
- 2.3.3 in the absence of the standards prescribed in clauses 2.3.1 and 2.3.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
- 2.3.4 in the absence of the standards prescribed in clauses 2.3.1, 2.3.2 and 2.3.3, are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

## PART III

## PERIOD AND QUANTITY OF SUPPLY

- 3.1 Doctors', Midwives', Nurse Prescribers' and Optometrists' Prescriptions (other than oral contraceptives)
  The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor,
  Midwife, Nurse Prescriber or Optometrist:
  - 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity suffcient to provide treatment for a period not exceeding three Months will be subsidised.
  - 3.1.2 For methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
  - 3.1.3 For a Class B Controlled Drug other than methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity:
    - a) sufficient to provide treatment for a period not exceeding 10 days; and
    - b) which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
  - 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Midwife or Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
    - a) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
    - b) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
      - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
      - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
        - A) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
        - B) both:
          - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
          - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
  - 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
    - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
    - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
  - 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
    - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
    - b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only

that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.

#### 3.1.7 If a Community Pharmaceutical:

- a) is stable for a limited period only, and the Doctor, Midwife, Nurse Prescriber or Optometrist has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
- b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
- c) is Close Control,

The actual quantity dispensed will be subsidised in accordance with any such specification.

#### 3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife or Nurse Prescriber for an oral contraceptive:

- 3.2.1 The prescribing Doctor, Midwife or Nurse Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed:
  - a) three Months if prescribed by a Midwife; or
  - b) six Months if prescribed by a Doctor or Nurse Practitioner.
- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
  - a) in Lots as specified in the Prescription if the Community Pharmaceutical is Close Control; or
  - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 An oral contraceptive prescribed by a Midwife is only eligible for Subsidy if the Prescription under which it has been dispensed has been written within the period of post natal care of the eligible person.
- 3.2.5 Where a Community Pharmaceutical in a Prescription is Close Control and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

#### 3.3 Dentists' Prescriptions

The following provisions apply to every Prescription written by a Dentist:

- 3.3.1 The maximum quantity of a Community Pharmaceutical that will be subsidised is as follows:
  - a) where the Community Pharmaceutical is a Controlled Drug, only such quantity as is necessary to provide treatment for a period not exceeding five days; and
  - b) in any other case, only such quantity as is necessary to provide treatment for a period not exceeding five days and, where the Prescription specifies a repeat, one further period not exceeding five days.
- 3.3.2 Notwithstanding clause 3.3.1, if, in the opinion of the Dentist, an eligible person needs extended treatment with sodium fluoride for up to three Months, the Community Pharmaceutical will be subsidised for that extended period. A Prescription for any such extended supply of sodium fluoride will be subsidised only if it is dispensed in Monthly Lots, unless the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect.
- 3.3.3 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed has been presented to the Contractor:
  - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
  - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.3.4 No Subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
  - a) one Month from the date the Community Pharmaceutical was first dispensed; or
  - b) in the case of sodium fluoride, three Months from the date the Community Pharmaceutical was first dispensed.

Only that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.

#### 3.4 Original Packs, and Certain Antibiotics

3.4.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community

Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eliqible for Subsidy, is deemed to be a reference:

- a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
- b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.
- 3.4.2 If a Community Pharmaceutical is the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:
  - a) the difference the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eg; if a prescription is for 105 mls then a 100ml pack would be dispensed); and
  - b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

## **PART IV**

#### MISCELLANEOUS PROVISIONS

### 4.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 4.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 4.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 4.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 4.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
  - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
  - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 4.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 4.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

#### 4.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

4.2.1 Subject to clause 4.2.3, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the

- Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 4.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
  - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
  - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 4.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
  - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
    - i) is personally signed and dated by the Practitioner; and
    - ii) sets out the Practitioner's address: and
    - iii) sets out the Community Pharmaceuticals and quantities, and;
  - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 4.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.

### 4.3 Wholesale Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under Wholesale Supply Orders:

- 4.3.1 Notwithstanding anything contained in the Schedule, but subject nevertheless to subclause 4.3.3 of this clause, a Practitioner may obtain from a wholesaler or distributor, pursuant to a Wholesale Supply Order made on a form supplied by the Ministry of Health, any Community Pharmaceutical specified in Section B and Section E Part I of the Schedule as being available on a Wholesale Supply Order.
- 4.3.2 Subject to clause 4.3.3, Community Pharmaceuticals supplied to Practitioners under Wholesale Supply Orders will be subsidised at a rate not exceeding the Manufacturer's Price for each such Community Pharmaceutical as set out in Section B and Section E Part I of the Schedule.
- 4.3.3 No subsidy will be paid for any quantity of a Community Pharmaceutical supplied to a Practitioner under a Wholesale Supply Order in excess of what is a reasonable monthly allocation for that particular Practitioner, after taking into account stock on hand.
- 4.3.4 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Wholesale Supply Orders until such time as the Ministry of Health notifies otherwise.

#### 4.4 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

## 4.4.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

#### 4.4.2 **Expiry**

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 4.4.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 4.4.1 and 4.4.2, for the individual Patient.
- 4.4.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 4.4.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the

Ministry of Health's routine auditing procedures.

#### 4.5 Pharmaceutical Cancer Treatments

- 4.5.1 DHBs must provide access to Pharmaceutical Cancer Treatments by funding their use in the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 4.5.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
  - a) has Cancer Exceptional Circumstances approval;
  - b) has Community Exceptional Circumstances or Hospital Exceptional Circumstances approval;
  - c) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
  - d) is being used and funded as part of a paediatric oncology service; or
- e) was being used to treat the patient in question prior to 1 July 2005.
   4.5.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatments with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance
  - a) Part 1:

with:

- b) clauses 2.1 to 2.3:
- c) clauses 3.1 to 3.4: and
- d) clause 4.5.
- of Section A of the Schedule
- 4.5.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 4.5.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 direction from the Minister of Health as to pharmaceuticals and indications for which DHBs must provide funding. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
  - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under the Medicines Act and the Medicines Regulations 1984:
  - b) be aware of and comply with their obligations under the Health and Disability Comissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
  - c) exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions
    with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer
    Treatment for an Unapproved Indication.

#### 4.6 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication:

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

### **SECTION A: GENERAL RULES**

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

#### 4.7 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, subject to:

- a) the Contractor having received a general Authority to Substitute from the Practitioner in relation to the particular medicine or medicines in general; or
- b) the Practitioner having indicated their Authority to Substitute on the prescription; or
- c) the Practitioner having given their Authority to Substitute in relation to the particular prescription.

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and initial the prescription.

#### 4.8 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed but may not alter the total daily dose. If the change will result in additional cost to the DHBs, then:

- a) the Practitioner must authorise and initial the alteration: or
- b) in cases where PHARMAC has approved and notified in writing such a change in dispensing of a named Pharmaceutical due to an out of stock event or short supply, the Contractor must annotate and initial the alteration.

#### 4.9 Amendment of Schedule

PHARMAC may amend the terms of the Schedule from time to time by notice in writing given in such manner as PHARMAC thinks fit, and in accordance with such protocols as agreed with the Pharmacy Guild of New Zealand (Inc) from time to time.

#### 4.10 Conflict in Provisions

If any rules in Sections B-G of this Schedule conflict with the rules in Section A, the rules in Sections B-G apply.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

	\$	Per	Manufacturer
Antacids and Antiflatulants			
Antacids and Reflux Barrier Agents			
ALGINIC ACID			
Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet	4.50	30	✓ Gaviscon Infant
CALCIUM CARBONATE WITH AMINOACETIC ACID  * Tab 420 mg with aminoacetic acid 180 mg – Higher subsidy			
of \$6.30 per 100 with Endorsement	(6.30)	100	Titralac
Additional subsidy by endorsement is available for pregnant wo	omen. The p	prescription mu	st be endorsed accordingly.
SIMETHICONE			
Yoral liq aluminium hydroxide 200 mg with magnesium hydroxide 200 mg and activated simethicone 20 mg per 5 ml	1.50 (4.26)	500 ml	Mylanta P
SODIUM ALGINATE			
* Tab 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg - peppermint flavour	1.80 (8.60)	60	Gaviscon Double
* Oral liq 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml	1.50 (4.95)	500 ml	Strength  Acidex
* Oral liq 500 mg with sodium bicarbonate 267 mg per 10 ml (aniseed)	, ,	500 ml	Gaviscon
Phosphate Binding Agents			
ALUMINIUM HYDROXIDE	10.50	400	44.71
Tab 600 mg	12.56	100	✓ Alu-Tab
Antidiarrhoeals			
Agents Which Reduce Motility			
DIPHENOXYLATE HYDROCHLORIDE WITH ATROPINE SULPHATE  * Tab 2.5 mg with atropine sulphate 25 µg  LOPERAMIDE HYDROCHLORIDE – Up to 30 tab available on a PSC	3.90	100	✓ Diastop
* Tab 2 mg		400	✓ <u>Nodia</u>
Rectal and Colonic Anti-inflammatories			
BUDESONIDE			
Cap 3 mg - Special Authority see SA0913 on the next page - Retail pharmacy	166.50	90	✓ Entocort CIR

Subsidy		. ,	Brand or
(Manufacturer's Price)	Sı	ubsidised	Generic
\$	Per	~	Manufacturer

## **⇒**SA0913 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Mild to moderate ileal, ileocaecal or proximal Crohn's disease; and
- 2 Any of the following:
  - 2.1 Diabetes; or
  - 2.2 Cushingoid habitus; or
  - 2.3 Osteoporosis where there is significant risk of fracture; or
  - 2.4 Severe acne following treatment with conventional corticosteroid therapy.

Renewal from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

The patient may not have had more than 1 prior approval in the last year.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

#### HYDROCORTISONE ACETATE

Rectal foam 10%, CFC-Free (14 applications)23.00	21.1 g OP	✓ Colifoam
MESALAZINE		
Tab EC 500 mg49.50	100	✓ Asamax
Tab 400 mg49.50	100	✓ Asacol
Tab long-acting 500 mg59.05	100	✔ Pentasa
Enema 1 g per 100 ml45.96	7	✓ Pentasa
Suppos 500 mg25.20	20	✓ Asacol
Suppos 1 g50.96	28	✓ Pentasa
OLSALAZINE		
Tab 500 mg59.86	100	✓ Dipentum
Cap 250 mg31.51	100	✓ Dipentum
SODIUM CROMOGLYCATE		
Cap 100 mg89.21	100	✓ Nalcrom
SULPHASALAZINE		
* Tab 500 mg11.68	100	Salazopyrin
* Tab EC 500 mg12.89	100	✓ Salazopyrin EN

## **Antihaemorrhoidals**

## Corticosteroids

FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVALATE AND CINCHOCAIN	CORTOLONE PIVALATE AND CI	INCHOCAINE
---	---------------------------	------------

chocaine hydrochloride 5 mg per g	30 g OP	✓ <u>Ultraproct</u>
Suppos 630 μg, with fluocortolone pivalate 610 μg, and cin-		
chocaine hydrochloride 1 mg2.66	12	Ultraproct

## **Soothing Agents**

ZII	VС	OXI	DE

Oint zinc oxide with balsam peru	4.50	50 g OP	
	(6.67)		Anusol
Suppos zinc oxide with balsam peru	4.47	12	
	(6.49)		Anusol

	Subsidy (Manufacturer's Price) \$	) S Per	Fully subsidised	Brand or Generic Manufacturer
Antispasmodics and Other Agents Altering Gut I	Motility			
ATROPINE SULPHATE  * Inj 600 μg, 1 ml – Up to 5 inj available on a PSO  * Inj 1200 μg, 1 ml – Up to 5 inj available on a PSO		50 50	_	<u>straZeneca</u> straZeneca
HYOSCINE N-BUTYLBROMIDE           * Tab 10 mg           * Inj 20 mg, 1 ml         - Up to 5 inj available on a PSO		20 5		astrosoothe uscopan
MEBEVERINE HYDROCHLORIDE  * Tab 135 mg	18.00	90	<b>√</b> <u>C</u>	olofac
Antiulcerants				
Antisecretory and Cytoprotective				
MISOPROSTOL  * Tab 200 μg	52.70	120	<b>√</b> C	ytotec
Helicobacter Pylori Eradication				
CLARITHROMYCIN Tab 500 mg – Subsidy by endorsement		14		lamycin
b) Subsidised only if prescribed for helicobacter pylori eradi Note: the prescription is considered endorsed if clarithromycin is pamoxycillin or metronidazole. OMEPRAZOLE, AMOXYCILLIN AND CLARITHROMYCIN Omeprazole cap 20 mg × 14, amoxycillin cap 500 mg × 28	prescribed in conjun	ction wit	h a protor	n pump inhibitor and either
and clarithromycin tab 500 mg × 14	55.00	1 OP	V L	osec Hp7 OAC
H2 Antagonists				
CIMETIDINE – Only on a prescription     * Tab 200 mg      * Tab 400 mg	(7.50) 10.00	100 100		po-Cimetidine
FAMOTIDINE – Only on a prescription  * Tab 20 mg		250	<b>✓</b> Fa	po-Cimetidine amox
* Tab 40 mg  RANITIDINE HYDROCHLORIDE – Only on a prescription		250		amox
* Tab 150 mg  * Tab 300 mg  * Oral liq 150 mg per 10 ml  * Inj 25 mg per ml, 2 ml	10.94 7.95	250 250 300 ml 5	✓ A ✓ P	rrow-Ranitidine rrow-Ranitidine e <u>ptisoothe</u> antac
Proton Pump Inhibitors				
LANSOPRAZOLE  * Cap 15 mg  * Cap 30 mg		28 28	✓ S ✓ S	

	Subsidy (Manufacturer's Price		Fully Subsidised	Brand or Generic
	\$	Per	~	Manufacturer
DMEPRAZOLE				
For omeprazole suspension refer, page 166  Cap 10 mg	2 14	30	✓ D	r Reddy's
		00		Omeprazole
★ Cap 20 mg	3.05	30		r Reddy's
<b>≮</b> Cap 40 mg	3.59	30		Omeprazole r Reddy's
, ,			_	Omeprazole
k Inj 40 mg	38.20	5		r Reddy's
PANTOPRAZOLE				<u>Omeprazole</u>
ANTOFRAZOLE ★ Tab 20 mg	2.24	28	<b>✓</b> D	r Reddy's
ŭ			_	Pantoprazole Pantoprazole
≮ Tab 40 mg	3.36	28		r Reddy's
<b>₭</b> Inj 40 mg	8.75	1		Pantoprazole antocid IV
Site Protective Agents				
· ·				
SUCRALFATE Tab.1.6	25 50	100		
Tab 1 g	(48.28)	120	C	arafate
Diabetes	(10.20)			ar arato
Diabetes				
Hyperglycaemic Agents				
GLUCAGON HYDROCHLORIDE				
Inj 1 mg syringe kit - Up to 5 kit available on a PSO	27.00	1	<b>✓</b> G	lucagen Hypokit
Insulin - Short-acting Preparations				
NSULIN NEUTRAL				
▲ Inj human 100 u per ml	25.26	10 ml OF		ctrapid
▲ Inj human 100 u per ml, 3 ml	40.66	5		umulin R ctrapid Penfill
Inj numan 100 u per mi, 3 mi	42.00	5		umulin R
Insulin - Intermediate-acting Preparations				
NSULIN ISOPHANE				
▲ Inj human 100 u per ml	17.68	10 ml OF	✓ H	umulin NPH
				rotaphane
▲ Inj human 100 u per ml, 3 ml	29.86	5		umulin NPH
NOUL IN LEADER AND MITH INC. II IN NEUTRAL			V PI	rotaphane Penfill
NSULIN ISOPHANE WITH INSULIN NEUTRAL  ▲ Inj human with neutral insulin 100 u per ml	25.26	10 ml OF	• <b>⊌</b> H	umulin 30/70
				ixtard 30
▲ Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5		umulin 30/70
				enMix 30 enMix 40
				enMix 50

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE				
▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml, 3 ml	52.15	5	<b>✓</b> H	umalog Mix 25
▲ Inj lispro 50% with insulin lispro protamine 50% 100 u per ml,3 ml	52.15	5	<b>✓</b> H	umalog Mix 50
Insulin - Long-acting Preparations				
INSULIN GLARGINE - Special Authority see SA0834 below - Re	etail pharmacy			
▲ Inj 100 u per ml, 10 ml		1	<b>✓</b> La	antus
▲ Inj 100 u per ml, 3 ml	94.50	5	<b>✓</b> La	antus
▲ Inj 100 u per ml, 3 ml disposable pen	94.50	5	<b>✓</b> La	antus SoloStar
<b>■</b> SA0834 Special Authority for Subsidy				
Initial application only from a relevant specialist. Approvals valid	for 1 year for applicat	ions	meeting the	following criteria:

## 1 Both:

Fither:

- 1.1 Patient has type 1 diabetes and has received an intensive regimen (injections at least three times a day) of an intermediate acting insulin in combination with a rapid acting insulin analogue for at least three months; and
- 1.2 Either:
  - 1.2.1 Patient has experienced more than one unexplained severe hypoglycaemic episode in the previous 12 months (severe defined as requiring the assistance of another person); or
  - 1.2.2 Patient has experienced unexplained symptomatic nocturnal hypoglycaemia, biochemically documented at <3.0 mmol/L, more than once a month despite optimal management; or
- 2 Patient has documented severe, or continuing, systemic or local allergic reaction to existing insulins. Note this does not include hypoglycaemic episodes.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Either:

- 1 Patient is continuing to derive benefit due to reduced hypoglycaemic events whilst maintaining similar or better glycaemic control; or
- 2 Patient's allergic reaction has significantly decreased, or resolved, following the change to long-acting insulin and patient is continuing to benefit from treatment.

# **Insulin - Rapid Acting Preparations**

INSULIN ASPART  ▲ Inj 100 u per ml, 3 ml	5 1	✓ NovoRapid Penfill ✓ NovoRapid
INSULIN LISPRO  ▲ Inj 100 u per ml, 10 ml	10 ml OP 5	<ul><li>✓ Humalog</li><li>✓ Humalog</li></ul>
Alpha Glucosidase Inhibitors		
ACARBOSE – Special Authority see SA0925 on the next page – Retail pharmacy  * Tab 50 mg	90 90	✓ Glucobay ✓ Glucobay

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

## ⇒SA0925 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has type 2 diabetes; and
- 2 Either:
  - 2.1 Metformin is not tolerated, or is contraindicated; or
  - 2.2 The patient has not responded to the maximum appropriate dose of metformin.

## **Oral Hypoglycaemic Agents**

GLIBENCLAMIDE			
* Tab 5 mg	5.00	100	✓ Daonil
GLICLAZIDE			
* Tab 80 mg	22.24	500	✓ Apo-Gliclazide
GLIPIZIDE			
* Tab 5 mg	3.50	100	✓ Minidiab
METFORMIN HYDROCHLORIDE			
* Tab immediate-release 500 mg	8.09	500	✓ Apotex
3			Arrow-Metformin
* Tab immediate-release 850 mg	6.67	250	✓ Apotex
			Arrow-Metformin
(Arrow-Metformin Tab immediate-release 500 mg to be de	, ,		
(Arrow-Metformin Tab immediate-release 850 mg to be de	elisted 1 May 2010)		
PIOGLITAZONE - Special Authority see SA0959 below -			
Tab 15 mg		28	✓ Pizaccord
Tab 30 mg		28	✓ <u>Pizaccord</u>
Tab 45 mg	7.80	28	✓ <u>Pizaccord</u>

#### ■ SA0959 | Special Authority for Subsidy

Initial application — (Patients with type 2 diabetes) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Either:

1 Patient has not achieved glycaemic control on maximum doses of metformin and/or a sulphonylurea or where either or both are contraindicated or not tolerated; or

## **Diabetes Management**

## Glucose/Urine Testing

#### **COPPER**

(Clinitest Tab, diagnostic to be delisted 1 September 2010)

<sup>2</sup> Patient is on insulin.

	ALIMENT	ANT INACI	AND WE IABOLISM
	Subsidy (Manufacturer's P \$	rice) Subs Per	Fully Brand or sidised Generic  Manufacturer
GLUCOSE OXIDASE			
Urine diagnostic test - Not on a BSO  Urine diagnostic test with peroxidase - Not on a BSO	(7.00)	50 strip OP 50 strip OP	Diabur 5000
· ·	(6.26) 4.13	·	Diastix
(Diabur 5000 Urine diagnostic test to be delisted 1 September 2 (Diastix Urine diagnostic test with peroxidase to be delisted 1 Se (Clinistix Urine diagnostic test with peroxidase to be delisted 1 Se	eptember 2010)		Clinistix
Ketone Testing			
KETONE BLOOD BETA-KETONE ELECTRODES – Subsidy by Patient has type 1 diabetes and has had one or more episod of 2 packs per annum. No further prescriptions will be subsi Test strip – Not on a BSO	es of ketoacidosis dised. The prescri 8.50		
	14.14	20 Strip OF	Retostix
Blood Glucose Testing			
BLOOD GLUCOSE DIAGNOSTIC TEST METER – Subsidy by 6 a) Maximum of 1 meter per prescription b)	endorsement		
A diagnostic blood glucose test meter is subsidise March 2005 or is prescribed for a pregnant womar     Only one meter per patient. No further prescription	n with diabetes.	Ü	
ingly. Meter	6.00 9.00	1	✓ CareSens POP ✓ CareSens II ✓ FreeStyle Lite ✓ On Call Advanced
	19.00		<ul><li>✓ Optium Xceed</li><li>✓ Accu-Chek</li></ul>

Performa

Subsidy		Fully	Brand or
(Manufacturer's Price)	Su	bsidised	Generic
\$	Per	~	Manufacturer

#### BLOOD GLUCOSE DIAGNOSTIC TEST STRIP

The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed with insulin or a sulphonylurea but are on a different prescription and the prescription is endorsed accordingly; or
- Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly.

SensoCard blood glucose test strips are subsidised only if prescribed for a patient who is severely visually impaired and is using a SensoCard Plus Talking Blood Glucose Monitor.

moodard i las failting blood didoose Monitor.			
Blood glucose test strips $\times$ 50 and lancets $\times$ 5	19.10	1 OP	On Call Advanced
	19.60		✓ CareSens
Blood glucose test strips	21.65	50 test OP	✓ Accu-Chek
•			Performa
			✓ FreeStyle Lite
			Optium 5 second test
	26.20		✓ SensoCard

## **Insulin Syringes and Needles**

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly.

#### INSULIN PEN NEEDLES – Maximum of 100 dev per prescription

IIV	SOLIN FEN NEEDLES - Maximum of 100 dev per prescription			
*	29 g × 12.7 mm	10.50	100	✓ ABM
	·			✓ B-D Micro-Fine
		11.75		SC Profi-Fine
*	31 g × 5 mm	11.75	100	✓ B-D Micro-Fine
	v			SC Profi-Fine
*	31 g × 6 mm	10.50	100	✓ ABM
	•	11.75		Fine Ject
		10.50		
		(26.00)		NovoFine
*	31 g × 8 mm	10.50	100	✓ ABM
	•			✓ B-D Micro-Fine
		11.75		SC Profi-Fine

		Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
INS *	SULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE Syringe 0.3 ml with 29 g $\times$ 12.7 mm needle		dev pe 100	✓ AI ✓ B-	
*	Syringe 0.3 ml with 31 g $\times$ 8 mm needle	13.00	100	✓ AI ✓ B-	
*	Syringe 0.5 ml with 29 g $\times$ 12.7 mm needle $\hdots$	13.00	100	✓ AI ✓ B-	
*	Syringe 0.5 ml with 31 g $\times$ 8 mm needle	13.00	100	✓ AI ✓ B-	
*	Syringe 1 ml with 29 g $\times$ 12.7 mm needle	13.00	100		BM D Ultra Fine N Ject
*	Syringe 1 ml with 31 g $\times$ 8 mm needle	13.00	100		BM D Ultra Fine II M Ject

## **Digestives Including Enzymes**

PAN	$\sim$ D	EAT	ᄗ	ΙΖΥΙ	
FAIN	$\cup$ n	CAL	יום טו	N∠ TI	VII.

protease32.46	300	✓ Pancrex V
Tab EC 5,600 BP u lipase, 5,000 BP u amylase, 330 BP u protease58.44	300	✓ Pancrex V Forte
Cap 8,000 BP u lipase, 9,000 BP u amylase, 430 BP u protease67.26	300	✓ Pancrex V
Cap 8,000 USP u lipase, 30,000 USP u amylase, 30,000 USP u protease – Retail pharmacy-Specialist85.00	250	✓ Cotazym ECS
Cap EC 10,000 BP u lipase, 9,000 BP u amylase and 210 BP u protease – Retail pharmacy-Specialist	100	✓ Creon 10000
Cap EC 25,000 BP u lipase, 18,000 BP u amylase, 1,000 BP u protease – Retail pharmacy-Specialist94.38	100	✓ Creon Forte
Cap EC 25,000 BP u lipase, 22,500 BP u amylase, 1,250 BP u protease – Retail pharmacy-Specialist94.40	100	✓ Panzytrat
URSODEOXYCHOLIC ACID – Special Authority see SA1003 below – Retail phar Cap 300 mg179.00	rmacy 100	✓ Actigall
Cap 600 mg	100	₩ <u>Actigan</u>

## **⇒**SA1003 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Either:

- 1 Patient diagnosed with cholestasis of pregnancy; or
- 2 Both:
  - 2.1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
  - 2.2 Patient not requiring a liver transplant (bilirubin > 170umol/l; decompensated cirrhosis).

Note: Liver biopsy is not usually required for diagnosis but is helpful to stage the disease.

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)	Su	bsidised	Generic
\$	Per	~	Manufacturer

continued...

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 170 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure – doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

## Laxatives

## **Bulk-forming Agents**

MUCILAGINOUS LAXATIVES – Only on a prescription	F 70	005 - 05	A Kanand B
* Dry		325 g OP	✓ Konsyl-D
	6.69	380 g OP	✓ Mucilax
	7.92	450 g OP	loogol
	(12.71) 8.80	500 g OP	Isogel
	(16.49)	500 g OF	Normacol
* Dry-original flavour, regular texture only	,	336 g OP	Normacor
* Dry-original flavour, regular texture only	(12.38)	330 g OF	Metamucil
* Sugar Free		275 g OP	Metamucii
- Ougai 1100	(10.60)	275 g Oi	Mucilax
	(10.00)		Widoliax
MUCILAGINOUS LAXATIVES WITH STIMULANTS	0.50	200 - 200	
* Dry		200 g OP	Name and Dive
	(7.69)	500 · OD	Normacol Plus
	8.80	500 g OP	Naveseal Phys
	(16.49)		Normacol Plus
Faecal Softeners			
DOCUSATE SODIUM - Only on a prescription			
* Tab 50 mg	4.89	100	✓ Coloxyl
* Tab 120 mg		100	✓ Coloxyl
* Enema conc 18%	5.40	100 ml OP	✓ Coloxyl
DOCUSATE SODIUM WITH SENNOSIDES			•
* Tab 50 mg with total sennosides 8 mg	7 98	200	✓ Laxsol
· ·	700	200	Landoi
POLOXAMER – Only on a prescription	0.70	00 100	401
* Oral drops 10%	3.78	30 ml OP	✓ <u>Coloxyl</u>
Osmotic Laxatives			
GLYCEROL			
* Suppos 3.6 g – Only on a prescription	6.00	20	✓ PSM
LACTULOSE – Only on a prescription  * Oral lig 10 g per 15 ml	6.65	1,000 ml	A Dunhalas
		,	✓ <u>Duphalac</u>
MACROGOL 3350 - Special Authority see SA0891 on the next page	<ul> <li>Retail pha</li> </ul>	rmacy	
Powder 13.125 g, sachets - Maximum of 60 sach per pre-			
scription	18.14	30	✓ Movicol

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$

\$ Per ✔ Manufacturer

## ■SA0891 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months where the patient has problematic constipation requiring intervention with a per rectal preparation despite an adequate trial of other oral pharmacotherapies including lactulose where lactulose is not contraindicated.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is compliant and is continuing to gain benefit from treatment.

SODIUM ACID PHOSPHATE - Only on a prescription

Enema 16% with sodium phosphate 8% .......2.50 1 ✓ Fleet Phosphate Enema

SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETATE - Only on a prescription

Enema 90 mg with sodium lauryl sulphoacetate 9 mg per ml,

# Stimulant Laxatives

Stimulant Laxatives			
BISACODYL - Only on a prescription			
* Tab 5 mg	5.09	200	✓ Lax-Tabs
* Suppos 5 mg	2.35	6	
•	(3.00)		Dulcolax
* Suppos 10 mg	3.96 <sup>°</sup>	12	✓ Fleet
(Fleet Suppos 10 mg to be delisted 1 August 2010)			
SENNA - Only on a prescription			
* Tab, standardised	2.17	100	
	(6.16)		Senokot

## **Metabolic Disorder Agents**

## **Gaucher's Disease**

#### ▶SA0473 Special Authority for Subsidy

Special Authority approved by the Gaucher's Treatment Panel

Notes: Subject to a budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Gaucher's Treatment Panel Phone: (04) 460 4990 PHARMAC. PO Box 10 254 Facsimile: (04) 916 7571

Wellington Email: gaucherpanel@pharmac.govt.nz

## Mouth and Throat

## **Agents Used in Mouth Ulceration**

BENZYDAMINE HYDROCHLORIDE Soln 0.15%	9.00	500 ml	
0011 0.10 / 0	(15.36)	300 1111	Difflam
CHLORHEXIDINE GLUCONATE  Mouthwash 0.2%	3.06	200 ml OP	✓ Orion
CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE  * Adhesive gel 8.7% with cetalkonium chloride 0.01%	2.06	15 g OP	
<b>3</b>	(5.25)	- 3 -	Bonjela

	Subsidy		Fully Brand or
	(Manufacturer's F	Price) Sub	osidised Generic
	\$	Per	✓ Manufacturer
SODIUM CARBOXYMETHYLCELLULOSE			
With pectin and gelatin paste	17.20	56 g OP	✓ Stomahesive
	1.52	5 g OP	
	(3.60)	J	Orabase
	4.55	15 g OP	
	(7.90)		Orabase
With pectin and gelatin powder	8.48	28 g OP	
	(10.95)		Stomahesive
TRIAMCINOLONE ACETONIDE			
0.1% in Dental Paste USP	4.38	5 g OP	✓ Oracort
Oropharyngeal Anti-infectives		•	
AMPHOTERICIN B			
Lozenges 10 mg	5.86	20	✓ Fungilin
VICONAZOLE		-	• •
Oral gel 20 mg per g	8.70	40 g OP	✓ Daktarin
		40 y OF	<b>▼</b> Dantailli
NYSTATIN	0.40	04 1 00	Allian
Oral liq 100,000 u per ml	3.19	24 ml OP	✓ <u>Nilstat</u>
Other Oral Agents			
For folinic mouthwash, pilocarpine oral liquid or saliva substitute for	ormula refer, paç	ge 166	
HYDROGEN PEROXIDE			
* Soln 10 vol - Maximum of 200 ml per prescription	1.28	100 ml	✓ PSM
THYMOL GLYCERIN			
* Compound, BPC	9.15	500 ml	✓ PSM
		000 1111	
Vitamins			
Vitamin A			
VITAMIN A WITH VITAMINS D AND C			
Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg			
per 10 drops	4.50	10 ml OP	✓ Vitadol C
Vitamin B Group			
Vitaliili B Gloup			
HYDROXOCOBALAMIN			
* Inj 1 mg per ml, 1 ml - Up to 6 inj available on a PSO	6.15	3	✓ ABM
			Hydroxocobalamin
	10.84		✓ Neo-B12
PYRIDOXINE HYDROCHLORIDE			
a) No more than 100 mg per dose			
b) Only on a prescription			
* Tab 25 mg - No patient co-payment payable	3.06	90	✓ Healtheries
* Tab 50 mg	17.63	500	Apo-Pyridoxine
THIAMINE HYDROCHLORIDE - Only on a prescription			
* Tab 50 mg	5.62	100	✓ Apo-Thiamine
VITAMIN B COMPLEX			•
* Tab, strong, BPC	12 10	500	✓ Apo-B-Complex
· · · · · · · · · · · · · · · · · · ·			- The P sollibley

### **ALIMENTARY TRACT AND METABOLISM**

	Subsidy (Manufacturer's \$	Price) Su Per	bsidised G	rand or eneric lanufacturer
Vitamin C				
ASCORBIC ACID a) No more than 100 mg per dose b) Only on a prescription * Tab 100 mg	17.25	500	<b>✓</b> Apo	-Ascorbic Acid
Vitamin D				
ALFACALCIDOL Cap 0.25 µg Cap 1 µg Oral drops 2 µg per ml	87.98	100 100 20 ml OP	✓ One ✓ One	-Alpha
CALCITRIOL  * Cap 0.25 µg	10.10	30 100	✓ Airfl ✓ Calc	ow itriol-AFT
* Cap 0.5 µg  * Oral liq 1 µg per ml  (Calcitriol-AFT Cap 0.25 µg to be delisted 1 May 2010)	18.73	30 100 10 ml OP		ow itriol-AFT altrol solution
(Calcitriol-AFT Cap 0.5 µg to be delisted 1 May 2010)  CHOLECALCIFEROL  * Tab 1.25 mg (50,000 iu) – Maximum of 12 tab per prescr	iption7.76	12	✓ Cal-	d-Forte
Vitamin E				
ALPHA TOCOPHERYL ACETATE – Special Authority see SA Water solubilised soln 156 iu/ml, with calibrated dropper .		oital pharmacy 50 ml OP	[HP3]	elle E
➤SA0915 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals va Either:  1 Cystic fibrosis patient; or	alid for 2 years for a	applications me	eting the fo	llowing criteria:
Both:     2.1 Infant or child with liver disease or short gut syn-     2.2 Requires vitamin supplementation.  Renewal from any relevant practitioner. Approvals valid for 2.		treatment rema	ains approp	riate and the patie

benefiting from treatment.

# **Multivitamin Preparations**

MULTIVITAMINS - Special Authority see SA0963 on the next p	age – Retail phar	macy	
Tab	19.65	100	✓ Ketovite
Powder	36.00	100 g OP	✓ Paediatric Seravit
Oral liq	13.50	150 ml OP	Ketovite Liquid
(Ketovite Tab to be delisted 1 September 2010)			
(Ketovite Liquid Oral liq to be delisted 1 September 2010)			

#### ALIMENTARY TRACT AND METABOLISM

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

Vitabdeck

#### **⇒**SA0963 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Either:

- 1 The patient has inborn errors of metabolism; or
- 2 For use as a supplement to a ketogenic diet in patients diagnosed with epilepsy.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where patient has had a previous approval for multivitamins.

Note: Use of Paediatric Seravit is not recommended as a supplement to a ketogenic diet.

SA1002 below – Retail pharmacy ......23.40

#### VITAMINS

*	Tab (BPC cap strength)	80 1,000	✓ Healtheries Multi-vitamin tablets
*	Cap (fat soluble vitamins A, D, E, K) - Special Authority see		

#### ■ SA1002 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Either:

- 1 Patient has cystic fibrosis with pancreatic insufficiency; or
- 2 Patient is an infant or child with liver disease or short gut syndrome.

Minerals		
Calcium		
CALCIUM  * Tab eff 1 g (elemental)	30	✓ <u>Calsource</u>
* Tab 1.25 g	250 250	<ul><li>✓ Calci-Tab 500</li><li>✓ Calci-Tab 600</li></ul>
CALCIUM GLUCONATE  * Inj 10%, 10 ml21.40	10	✓ Mayne
Fluoride		
SODIUM FLUORIDE Tab 1.1 mg4.00	100	<b>✓</b> PSM
Iron		
FERROUS FUMARATE Tab 200 mg4.35	100	✓ Ferro-tab
FERROUS FUMARATE WITH FOLIC ACID  Tab 310 mg with folic acid 350 µg4.75	60	✓ Ferro-F-Tabs
FERROUS GLUCONATE WITH ASCORBIC ACID  * Tab 170 mg with ascorbic acid 40 mg12.04	500	✓ Healtheries Iron

(Healtheries Iron with Vitamin C Tab 170 mg with ascorbic acid 40 mg to be delisted 1 August 2010)

with Vitamin C

### **ALIMENTARY TRACT AND METABOLISM**

	Subsidy (Manufacturer's F	Orion) Cub	Fully Brand or osidised Generic	
	(Manuacturer ST	Per	✓ Manufacturer	
FERROUS SULPHATE				
* Tab long-acting 325 mg	5.06	150		
· · · · · · · · · · · · · · · · · · ·	(15.58)		Ferro-Gradumet	
*‡ Oral liq 150 mg per 5 ml	10.30	500 ml	✓ Ferodan	
FERROUS SULPHATE WITH FOLIC ACID				
* Tab long-acting 325 mg with folic acid 350 µg	1.80	30		
σ σ σ σ σ σ σ σ σ σ σ σ σ σ σ σ σ σ σ	(3.73)		Ferrograd-Folic	
IRON POLYMALTOSE				
Inj 50 mg per ml, 2 ml	20.95	5	✓ Ferrum H	
Magnesium				
For magnesium hydroxide mixture refer, page 166				
MAGNESIUM SULPHATE				
Inj 49.3%, 5 ml	26.60	10	✓ Mayne	
Zinc				
ZINC SULPHATE				
* Cap 220 mg	10.00	100	✓ Zincaps	
Agents Used in the Treatment of Poisonings				
CHARCOAL				
* Tab 300 mg	7.13	100	✓ Red Seal	
* Oral liq 50 g per 250 ml	43.50	250 ml OP	✓ Carbosorb-X	
a) Up to 250 ml available on a PSO				
b) Only on a PSO				
IPECACUANHA  * Tincture	41 20	500 ml		
* Illiotuio	(43.40)	300 1111	PSM	
SODIUM CALCIUM EDETATE	()			
* Inj 200 mg per ml, 5 ml	53.31	6		
III 200 III POI IIII, 0 III	(156.71)	v	Calcium Disodium	
	. ,		Versenate	

Subsidy Fully (Manufacturer's Price) Subsidised 
\$ Per ✔

y Brand or d Generic Manufacturer

#### **Antianaemics**

### Hypoplastic and Haemolytic

#### ⇒SA0922 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Both:
  - 1.1 patient in chronic renal failure; and
  - 1.2 Haemoglobin  $\leq$  100g/L; and
- 2 Any of the following:
  - 2.1 Both:
    - 2.1.1 patient is not diabetic; and
    - 2.1.2 glomerular filtration rate ≤ 30ml/min; or
  - 2.2 Both:
    - 2.2.1 patient is diabetic; and
    - 2.2.2 glomerular filtration rate ≤ 45ml/min; or
  - 2.3 patient is on haemodialysis or peritoneal dialysis.

**Renewal** only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Notes: Erythropoietin beta is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

The Cockroft-Gault Formula may be used to estimate glomerular filtration rate (GFR) in persons 18 years and over:

GFR (ml/min) (male) =  $(140 - age) \times Ideal Body Weight (kg) / 814 \times serum creatinine (mmol/l)$ 

GFR (ml/min) (female) = Estimated GFR (male)  $\times$  0.85

ERYTHROPOIETIN ALPHA - Special Authority see SA0922 above - Hos	spital pharmacy [	HP3]
Inj human recombinant 1,000 iu prefilled syringe48	3.68 6	✓ Eprex
Inj human recombinant 2,000 iu, prefilled syringe120	0.18 6	✓ Eprex
Inj human recombinant 3,000 iu, prefilled syringe166	6.87	✓ Eprex
Inj human recombinant 4,000 iu, prefilled syringe193	3.13 6	✓ Eprex
Inj human recombinant 5,000 iu, prefilled syringe243	3.26 6	✓ Eprex
Inj human recombinant 6,000 iu, prefilled syringe291		✓ Eprex
Inj human recombinant 10,000 iu, prefilled syringe395	5.18 6	✓ Eprex
ERYTHROPOIETIN BETA - Special Authority see SA0922 above - Hospi	ital pharmacy [H	P3]
Inj 2,000 iu, prefilled syringe120	0.18 6	✓ NeoRecorr
liana i mulii		4

Inj 2,000 iu, prefilled syringe	120.18	6	✓ NeoRecormon
Inj 3,000 iu, prefilled syringe	166.87	6	✓ NeoRecormon
Inj 4,000 iu, prefilled syringe		6	✓ NeoRecormon
Inj 5,000 iu, prefilled syringe		6	✓ NeoRecormon
Inj 6,000 iu, prefilled syringe		6	✓ NeoRecormon
Inj 10,000 iu, prefilled syringe		6	✓ NeoRecormon

### Megaloblastic

FO	LIC ACID		
*	Tab 0.8 mg19.80	1,000	✓ Apo-Folic
*	Tab 5 mg10.21	500	✓ Apo-Folic

Oral liq 50 µg per ml ......21.05

25 ml OP

Acid Acid

✓ Biomed

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Antifibrinolytics, Haemostatics and Local Sclero	sants			
SODIUM TETRADECYL SULPHATE				
* Inj 0.5% 2 ml	23.20 (45.52)	5	Fi	bro-vein
* Inj 1% 2 ml	' '	5		bro-vein
* Inj 3% 2 ml	28.50 <sup>°</sup>	5		bro-vein
TRANEXAMIC ACID	(55.91)		Г	bro-veiri
Tab 500 mg	49.14	100	✓ Cy	yklokapron
Vitamin K				
PHYTOMENADIONE				
Tab 10 mg	5.60	10	✓ Ko	onakion
Inj 2 mg per 0.2 ml – Up to 5 inj available on a PSO		5	✓ Ko	onakion MM
Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO May be administered orally. (Konakion Tab 10 mg to be delisted 1 April 2010)	9.21	5	<b>✓</b> Ko	onakion MM

#### Antithrombotic Agents

### **Antiplatelet Agents**

ASPIRIN  * Tab 100 mg	16.83	990	✓ Ethics Aspirin EC
· ·	nority see SA0867 below – Retail pharmacy		
Tab 75 mg	25.00	28	<ul><li>✓ Apo-Clopidogrel</li><li>✓ Arrow-Clopidogrel</li></ul>
	(73.38)		Plavix

### **⇒**SA0867 Special Authority for Subsidy

Initial application — (aspirin allergic patients) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Both:

- 1 The patient is allergic to aspirin (see definition below); and
- 2 Any of the following:

The patient has:

- 2.1 suffered from a stroke, or transient ischaemic attack; or
- 2.2 experienced an acute myocardial infarction; or
- 2.3 experienced an episode of pain at rest of greater than 20 minutes duration due to coronary disease that required admission to hospital for at least 24 hours; or
- 2.4 had a troponin T or troponin I test result greater than the upper limit of the reference range; or
- 2.5 had a revascularisation procedure; or
- 2.6 experienced symptomatic peripheral vascular disease of a severity that has required specialist consultation.

Note: Aspirin allergy is defined as a history of anaphylaxis, urticaria or asthma within 4 hours of ingestion of aspirin, other salicylates or NSAIDs.

Initial application — (aspirin tolerant patients and aspirin naive patients) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

continued...

Any of the following:

The patient has:

- 1 experienced an acute myocardial infarction; or
- 2 had an episode of pain at rest of greater than 20 minutes duration due to coronary disease that required admission to hospital for at least 24 hours; or
- 3 had a troponin T or troponin I test result greater than the upper limit of the reference range; or
- 4 had a revascularisation procedure.

**Initial application** — **(patients awaiting revascularisation)** from any relevant practitioner. Approvals valid for 6 months where the patient is on a waiting list or active review list for stenting, coronary artery bypass grafting, or percutaneous coronary angioplasty following acute coronary syndrome.

Initial application — (post stenting) from any relevant practitioner. Approvals valid for 6 months where the patient has had a stent inserted in the previous 4 weeks.

**Initial application — (documented stent thrombosis)** from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has, while on treatment with aspirin or clopidogrel, experienced documented stent thrombosis.

Renewal — (aspirin tolerant patients) from any relevant practitioner. Approvals valid without further renewal unless notified where while on treatment with aspirin the patient has experienced an additional vascular event following the recent cessation of clopidogrel.

Renewal — (acute coronary syndrome - aspirin tolerant patients and aspirin naive patients) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Any of the following:

The patient has:

- 1 experienced an acute myocardial infarction; or
- 2 had an episode of pain at rest of greater than 20 minutes duration due to coronary disease that required admission to hospital for at least 24 hours; or
- 3 had a troponin T or troponin I test result greater than the upper limit of the reference range; or
- 4 had a revascularisation procedure.

Renewal — (patients awaiting revascularisation) from any relevant practitioner. Approvals valid for 6 months where the patient is on a waiting list or active review list for stenting, coronary artery bypass grafting or percutaneous coronary angioplasty following acute coronary syndrome.

**Renewal — (post stenting)** from any relevant practitioner. Approvals valid for 6 months where the patient has had a stent inserted in the previous 4 weeks.

Renewal — (documented stent thrombosis) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has, while on treatment with aspirin or clopidogrel, experienced documented stent thrombosis.

#### **DIPYRIDAMOLE**

*	Tab 25 mg	84	Persantin
*	Tab long-acting 150 mg11.52	60	Pytazen SR

### **Heparin and Antagonist Preparations**

ENOXAPARIN SODIUM - Special Authority see SA097	75 on the next page - Retail	pharmacy	
Inj 20 mg	39.20	10	✓ Clexane
Inj 40 mg	52.30	10	✓ Clexane
Inj 60 mg		10	✓ Clexane
Inj 80 mg	105.12	10	✓ Clexane
Inj 100 mg	135.20	10	✓ Clexane
Inj 120 mg	168.00	10	✓ Clexane
Inj 150 mg	192.00	10	✓ Clexane

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

### ■SA0975 Special Authority for Subsidy

**Initial application — (Pregnancy or Malignancy)** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Fither:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

**Initial application — (Venous thromboembolism other than in pregnancy or malignancy)** from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

#### Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic INR with oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing warfarin treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

#### HEPARIN SODIUM

Inj 1,000 iu per ml, 5 ml	11.44	10	✓ Pfizer
	46.30	50	✓ Pfizer
	66.80		Mayne
Inj 1,000 iu per ml, 35 ml	16.00	1	✓ Mayne
Inj 5,000 iu per ml, 1 ml	14.20	5	✓ Mayne
Inj 5,000 iu per ml, 5 ml		10	Multiparin
	118.50	50	✓ Pfizer
Inj 25,000 iu per ml, 0.2 ml	9.50	5	Mayne
HEPARINISED SALINE			
* Inj 10 iu per ml, 5 ml	18.00	50	✓ AstraZeneca
	32.50		✓ Pfizer
(AstraZeneca Inj 10 iu per ml, 5 ml to be delisted 1 April 2010,	)		
PROTAMINE SULPHATE			
* Inj 10 mg per ml, 5 ml	22.40	10	
, , ,	(86.54)		Artex

#### **Oral Anticoagulants**

# WARFARIN SODIUM Note: Mareyan and Coumadin are not interchangeable

	Note. Marevair and Cournadir are not interestangeable.			
*	Tab 1 mg3	.46	50	Coumadin
	5	.69	100	Marevan
*	Tab 2 mg4	.31	50	Coumadin
*	Tab 3 mg8	.00	100	✓ Marevan
	Tab 5 mg5		50	✓ Coumadin
	· ·	.64	100	✓ Marevan

	Subsidy (Manufacturer's Pri	ce) Sub Per	Fully osidised	Brand or Generic Manufacturer
Fluids and Electrolytes				
Intravenous Administration				
DEXTROSE	00.75	-		
<ul> <li>Inj 50%, 10 ml – Up to 5 inj available on a PSO</li> <li>Inj 50%, 90 ml – Up to 5 inj available on a PSO</li> </ul>		5 1		<u>iomed</u> iomed
POTASSIUM CHLORIDE				
* Inj 75 mg per ml, 10 ml		50		straZeneca
* Inj 150 mg per ml, 10 ml		50	✓ A	straZeneca
SODIUM BICARBONATE				
Inj 8.4%, 50ml	19.95	1	<b>✓</b> B	iomed
a) Up to 5 inj available on a PSO				
b) Not in combination	00.50	1		iomed
Inj 8.4%, 100 mla) Up to 5 inj available on a PSO	20.50	1	VB	iomea
b) Not in combination				
SODIUM CHLORIDE				
Inf 0.9% – Up to 2000 ml available on a PSO	3.06 4.06	500 ml 1.000 ml	✓ B	
Only if prescribed on a prescription for renal dialysis, mate		,		
for emergency use. (500 ml and 1,000 ml packs)	, ,			,
Inj 23.4%, 20 ml		5		iomed
Inj 0.9%, 5 ml — Up to 5 inj available on a PSO		50 50		straZeneca straZeneca
Inj 0.9%, 20 ml		20		ultichem
	11.79	30	✓ P	harmacia
TOTAL PARENTERAL NUTRITION (TPN) - Hospital pharmacy [H			4	
Infusion	CBS	1 OP	✓ TI	PN
WATER  1) On a prescription or Practitioner's Supply Order only when Schedule requiring a solvent or diluent; or	on the same for	m as an inje	ection lis	ted in the Pharmaceutical
2) On a bulk supply order; or				
<ol> <li>When used in the extemporaneous compounding of eye dro Purified for inj, 5 ml – Up to 5 inj available on a PSO</li> </ol>		50	✓ M	ultichem
Turned for my, 5 mil. Op to 5 my available on a 1 00	10.51	30	*	straZeneca
Purified for inj, 10 ml - Up to 5 inj available on a PSO		50		ultichem
Purified for inj, 20 ml – Up to 5 inj available on a PSO	11.32	20		straZeneca ultichem
Oral Administration		20	IVI	unuchem
CALCIUM POLYSTYRENE SULPHONATE Powder	169.85	300 g OP	<b>√</b> 0	alcium Resonium
COMPOUND ELECTROLYTES		550 g Oi	- 0	
Powder for soln for oral use 5 g – Up to 10 sach available on				
a PSO	2.86	10	<b>✓</b> <u>E</u>	<u>nerlyte</u>

Subsidy

Fully

Brand or

	Subsidy	Duite Out	Fully Brand or
	(Manufacturer's \$	Price) Sub Per	sidised Generic  Manufacturer
DEXTROSE WITH ELECTROLYTES			
Soln with electrolytes	6.66	1,000 ml OP	✓ Pedialyte -
			Bubblegum
	6.78		✓ Pedialyte - Fruit ✓ Pedialyte - Plain
OCTA CCILINA DICA DDONIATE	0.70		redialyte - Flaiii
OTASSIUM BICARBONATE  Tab off 315 mg with codium soid phosphoto 1,937 g an	d		
Tab eff 315 mg with sodium acid phosphate 1.937 g an sodium bicarbonate 350 mg		100	✓ Phosphate-Sandoz
For phosphate supplementation		100	T Hoophato canacz
OTASSIUM CHLORIDE			
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	5.26	60	
	(11.85)		Chlorvescent
* Tab long-acting 600 mg	7.00	200	✓ <u>Span-K</u>
SODIUM POLYSTYRENE SULPHONATE			45
Powder	89.10	450 g OP	✓ Resonium-A
Lipid Modifying Agents			
Fibrates			
BEZAFIBRATE			
★ Tab 200 mg		90	✓ <u>Fibalip</u>
Fab long-acting 400 mg	5.70	30	✓ Bezalip Retard
Other Lipid Modifying Agents			
CIPIMOX			
k Cap 250 mg	18.75	30	✓ Olbetam
IICOTINIC ACID			
₭ Tab 50 mg		100	✓ Apo-Nicotinic Acid
≰ Tab 500 mg	17.60	100	✓ Apo-Nicotinic Acid
Resins			
CHOLESTYRAMINE WITH ASPARTAME			
Sachets 4 g with aspartame	19.25	50	
	(28.88)		Questran-Lite
COLESTIPOL HYDROCHLORIDE			
Sachets 5 g	16.17	30	✓ <u>Colestid</u>
HMG CoA Reductase Inhibitors (Statins)			

### **Prescribing Guidelines**

Treatment with HMG CoA Reductase Inhibitors (statins) is recommended for patients with dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater.

		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
ATC	DRVASTATIN - Additional subsidy by Special Authority see SA	0788 below - Retail	pharn	nacy	
	See prescribing guideline on the preceding page				
*	Tab 10 mg	4.03	30		
	•	(18.32)		Li	pitor
*	Tab 20 mg	5.87 <sup>′</sup>	30		
	ů	(26.70)		Li	pitor
*	Tab 40 mg	' '	30	_	r
•••		(37.02)		Li	pitor
*	Tab 80 mg	, ,	30		Pitoi
-14	100 00 mg	(110.50)	00	Li	pitor

#### **⇒**SA0788 | Special Authority for Manufacturers Price

**Initial application** only from a relevant specialist or general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Both:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Fither:
  - 2.1 Patient has severe documented intolerance to simvastatin (blood tests are not required); or
  - 2.2 Both:
    - 2.2.1 Patient has been compliant with a dose of simvastatin of 80 mg per day for at least 2 months; and
      2.2.2 Either:
      - 2.2.2.1 All of the following:
        - 2.2.2.1.1 Patient has venous CABG; and
        - 2.2.2.1.2 LDL cholesterol test  $1 \ge 2.0$  mmol/litre; and
        - 2.2.2.1.3 LDL cholesterol test 2 ≥ 2.0 mmol/litre (at least 1 week after test 1); or
      - 2.2.2.2 All of the following:
        - 2.2.2.2.1 Patient does not have venous CABG: and
        - 2.2.2.2.2 LDL cholesterol test 1 > 2.5 mmol/litre; and
        - 2.2.2.2.3 LDL cholesterol test  $2 \ge 2.5$  mmol/litre (at least 1 week after test 1).

Notes: To confirm that cholesterol levels are not still improving, two lipid tests must be carried out during treatment with simvastatin 80 mg, and have results for LDL cholesterol that have reduced by <10% in the second test. The tests must be carried out while the patient is in a fasted state (with the exception of patients with IDDM).

The following indications of intolerance to simvastatin, are known as class effects for all statins, and hence are likely to mean that the patient may also be intolerant of atorvastatin:

- Constipation, flatulence (may occur in >1% of patients)
- Asthenia, abdominal pain, headache (may occur in >1% of patients)
- Myopathy, rhabdomyolysis (may occur in <3% of patients)</li>
- Elevated serum transaminase levels (may occur in <1% of patients)

Statins have been shown to be generally well tolerated in clinical studies, with the rate of discontinuation due to adverse reactions being less than 5%, and similar to the discontinuation rate for patients taking a placebo.

#### PRAVASTATIN - Special Authority see SA0932 on the next page - Retail pharmacy

See prescribing guideline on the preceding page			
Tab 10 mg	.27.46	30	Pravachol
Tab 20 mg	.42.58	30	Pravachol
Tab 40 mg	.65.31	30	Pravachol

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

### ■SA0932 Special Authority for Subsidy

Initial application — (Confirmed HIV/AIDS) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater; and
- 2 Confirmed HIV infection: and
- 3 Patient is being treated with an HIV protease inhibitor.

#### SIMVASTATIN - See prescribing guideline on page 45

*	Tab 10 mg2.05	90	✓ Arrow-Simva 10mg
	Tab 20 mg	90	✓ Arrow-Simva 20mg
	Tab 40 mg5.35	90	✓ Arrow-Simva 40mg
*	Tab 80 mg11.65	90	✓ Arrow-Simva 80mg

### **Selective Cholesterol Absorption Inhibitors**

EZETIMIBE - Special Authority see SA0796 below - Retail pharmacy			
Tab 10 mg	.57.60	30	✓ Ezetrol

### ⇒SA0796 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Either:
  - 1.1 ezetimibe is to be used in combination with simvastatin; or
  - 1.2 ezetimibe is to be used without a statin; and
- 2 Either:
  - 2.1 All of the following:
    - 2.1.1 Patient has a calculated absolute risk of cardiovascular disease >20% over 5 years; and
    - 2.1.2 Patient cannot tolerate statin therapy at a dose of ≥ 40 mg per day; and
    - 2.1.3 Either:
      - 2.1.3.1 All of the following:
        - 2.1.3.1.1 Patient has venous CABG; and
        - 2.1.3.1.2 LDL cholesterol ≥ 2.0 mmol/litre (see note); and
        - 2.1.3.1.3 LDL cholesterol > 2.0 mmol/litre (at least 1 week after test 1 see note); or
      - 2.1.3.2 All of the following:
        - 2.1.3.2.1 Patient does not have venous CABG; and
        - 2.1.3.2.2 LDL cholesterol  $\geq$  2.5 mmol/litre (see note); and
        - 2.1.3.2.3 LDL cholesterol ≥ 2.5 mmol/litre (at least 1 week after test 1 see note); or
  - 2.2 All of the following:
    - 2.2.1 Patient has homozygous familial hypercholesterolemia, or heterozygous familial hypercholesterolemia; and
    - 2.2.2 Patient has been compliant for at least two months with maximum dose statin therapy; and
    - 2.2.3 LDL cholesterol ≥ 5 mmol/litre (see note); and
    - 2.2.4 LDL cholesterol  $\geq$  5 mmol/litre (at least 1 week after test 1 see note).

Note: Two lipid tests are required to assess LDL cholesterol levels, the tests must be at least one week apart, and be carried out in a fasted state (other than for patients with IDDM). The results for LDL cholesterol levels in both tests must be above those specified. **Renewal** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 ezetimibe is to be used in combination with simvastatin; or
  - 2.2 ezetimibe is to be used without a statin.

	Subsidy (Manufacturer's Price) \$	Per		Brand or Generic Manufacturer	
EZETIMIBE WITH SIMVASTATIN - Special Authority see SA082	6 below – Retail pharr	nacy			
Tab 10 mg with simvastatin 10 mg	69.00	30	✓ Vy	rtorin	
Tab 10 mg with simvastatin 20 mg	75.00	30	✓ Vy	rtorin	
Tab 10 mg with simvastatin 40 mg		30	✓ Vy	rtorin	
Tab 10 mg with simvastatin 80 mg		30	<b>✓</b> Vy	rtorin	

#### ⇒SA0826 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 All of the following:
  - 1.1 Patient has a calculated absolute risk of cardiovascular disease >20% over 5 years; and
  - 1.2 Patient cannot tolerate statin therapy at a dose of  $\geq 40$  mg per day; and
  - 1.3 Either:
    - 1.3.1 All of the following:
      - 1.3.1.1 Patient has venous CABG; and
      - 1.3.1.2 LDL cholesterol  $\geq$  2.0 mmol/litre (see note); and
      - 1.3.1.3 LDL cholesterol  $\geq$  2.0 mmol/litre (at least 1 week after test 1 see note); or
    - 1.3.2 All of the following:
      - 1.3.2.1 Patient does not have venous CABG; and
      - 1.3.2.2 LDL cholesterol ≥ 2.5 mmol/litre (see note); and
      - 1.3.2.3 LDL cholesterol  $\geq$  2.5 mmol/litre (at least 1 week after test 1 see note); or
- 2 All of the following:
  - 2.1 Patient has homozygous familial hypercholesterolemia, or heterozygous familial hypercholesterolemia; and
  - 2.2 Patient has been compliant for at least two months with maximum dose statin therapy; and
  - 2.3 LDL cholesterol ≥ 5 mmol/litre (see note); and
  - 2.4 LDL cholesterol  $\geq$  5 mmol/litre (at least 1 week after test 1 see note).

Note: Two lipid tests are required to assess LDL cholesterol levels, the tests must be at least one week apart, and be carried out in a fasted state (other than for patients with IDDM). The results for LDL cholesterol levels in both tests must be above those specified. **Renewal** only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

#### Iron Overload

DESFERRIOXAMINE MESYLATE - Hospital pharmacy [HP3]			
* Inj 500 mg	99.00	10	✓ <u>Mayne</u>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
Alpha Adrenoceptor Blockers				
DOXAZOSIN MESYLATE				
* Tab 2 mg	22.85	500	~	Apo-Doxazosin
* Tab 4 mg		500	-	Apo-Doxazosin
•			-	
PHENOXYBENZAMINE HYDROCHLORIDE	7.00	20		Olhanulina 👓
* Cap 10 mg	1.02	30	V 1	Dibenyline S29
PHENTOLAMINE MESYLATE				
* Inj 10 mg per ml, 1 ml	17.97	5		
	(31.65)		F	Regitine
PRAZOSIN HYDROCHLORIDE				
* Tab 1 mg	5.53	100	V	Apo-Prazo
* Tab 2 mg		100	-	Apo-Prazo
* Tab 5 mg		100	V	Apo-Prazo
TERAZOSIN HYDROCHLORIDE			_	<u>.                                      </u>
	2.50	28		Apo-Terazosin
• •••		20 14 OP		Hytrin Starter Pack
		500		•
·			-	A <u>po-Terazosin</u> Apo-Terazosin
* Tab 5 mg	29.00	500	<u> </u>	Apo-Terazosifi

### Agents Affecting the Renin-Angiotensin System

Perindopril and trandolapril will be funded to the level of the ex-manufacturer price listed in the Schedule for patients who were taking these ACE inhibitors for the treatment of congestive heart failure prior to 1 June 1998. The prescription must be endorsed accordingly. We recommend that the words used to indicate eligibility are "certified condition" or an appropriate description of the patient such as "congestive heart failure", "CHF", "congestive cardiac failure" or "CCF". **Definition of Congestive Heart Failure** At the request of some prescribers the PTAC Cardiovascular subcommittee has provided a definition of congestive heart failure for the purposes of the funding of the manufacturer's surcharge: "Clinicians should use their clinical judgement. Existing patients would be eligible for the funding of the surcharge if the patient shows signs and symptoms of congestive heart failure, and requires or has in the past required concomitant treatment with a diuretic. The definition could also be considered to include patients post myocardial infarction with an ejection fraction of less than 40%."

### **ACE Inhibitors**

CAPTOPRIL			
* Tab 12.5 mg	10.40	500	Apo-Captopril
* Tab 25 mg	13.40	500	✓ Apo-Captopril
* Tab 50 mg	19.00	500	✓ Apo-Captopril
*‡ Oral liq 5 mg per ml		95 ml OP	Capoten
Oral liquid restricted to children under 12 years of age.			·
CILAZAPRIL			
* Tab 0.5 mg	2.20	30	✓ Inhibace
* Tab 2.5 mg	4.10	28	✓ Inhibace
* Tab 5 mg	6.01	28	✓ Inhibace
ENALAPRIL			
* Tab 5 mg	2.19	90	m-Enalapril
* Tab 10 mg		90	✓ m-Enalapril
* Tab 20 mg		90	✓ m-Enalapril
~			

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	I Generic
LISINOPRIL	Ψ	101		Manufacturer
* Tab 5 mg	2.06	30	~	Arrow-Lisinopril
* Tab 10 mg		30		Arrow-Lisinopril
* Tab 20 mg	2.87	30		Arrow-Lisinopril
PERINDOPRIL				
* Tab 2 mg - Higher subsidy of \$18.50 per 30 with Endorse	ement3.00	30		
3 3 · · · · · · · · · · · · · · · · · ·	(18.50)		(	Coversyl
* Tab 4 mg - Higher subsidy of \$25.00 per 30 with Endorse	ement4.05	30		•
	(25.00)		(	Coversyl
QUINAPRIL				
* Tab 5 mg	1.60	30	V	Accupril
* Tab 10 mg	1.75	30	V	Accupril
* Tab 20 mg	2.35	30	V .	Accupril
TRANDOLAPRIL				
* Cap 1 mg - Higher subsidy of \$18.67 per 28 with Endorse	ement3.06	28		
	(18.67)		(	Gopten
* Cap 2 mg - Higher subsidy of \$27.00 per 28 with Endorse	ement4.43	28		
	(27.00)		(	Gopten
ACE Inhibitors with Diuretics				
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 5 mg with hydrochlorothiazide 12.5 mg	6.30	28	<b>V</b>	Inhibace Plus
ENALAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 20 mg with hydrochlorothiazide 12.5 mg	3.32	30		
Tub 20 mg with ny droomoroumazido 12.0 mg	(8.70)	00		Co-Renitec
QUINAPRIL WITH HYDROCHLOROTHIAZIDE	(5 5)			
* Tab 10 mg with hydrochlorothiazide 12.5 mg	3 37	30	1	Accuretic 10
* Tab 20 mg with hydrochlorothiazide 12.5 mg		30	-	Accuretic 20
		00	<u>, , , , , , , , , , , , , , , , , , , </u>	100010110 20
Angiotension II Antagonists				
CANDESARTAN - Special Authority see SA0933 below - Re	tail pharmacy			
* Tab 4 mg - No more than 1.5 tab per day		30	V	Atacand
* Tab 8 mg - No more than 1.5 tab per day		30		Atacand
* Tab 16 mg - No more than 1 tab per day		30		Atacand
* Tab 32 mg - No more than 1 tab per day	38.50	30	<b>V</b>	Atacand

#### ■ SA0933 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Either:

- 1 Both:
  - 1.1 Patient with congestive heart failure; and
  - 1.2 Either:
    - 1.2.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
    - 1.2.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years; or
- 2 All of the following:
  - 2.1 Patient with raised blood pressure; and

continued...

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

#### continued...

- 2.2 Use of fully funded beta blockers or diuretics are contraindicated; or not well tolerated; or insufficient to control blood pressure adequately at appropriate doses; and
- 2.3 Either:
  - 2.3.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
  - 2.3.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years.

LC	SARTAN - Special Authority see SA0911 below - Retail pharmacy		
*	Tab 12.5 mg	30	Cozaar
*	Tab 25 mg21.76	30	Cozaar
	Tab 50 mg23.10	30	✓ Cozaar
	Tab 50 mg with hydrochlorothiazide 12.5 mg30.00	30	✓ Hyzaar
*		30	✓ Cozaar

### **⇒**SA0911 Special Authority for Subsidy

**Initial application — (ACE inhibitor intolerance)** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Either:

- 1 Patient has persistent ACE inhibitor induced cough that is not resolved by ACE inhibitor retrial (same or new ACE inhibitor); or
- 2 Patient has a history of angioedema.

Initial application — (Unsatisfactory response to ACE inhibitor) from any relevant practitioner. Approvals valid without further renewal unless notified where patient is not adequately controlled on maximum tolerated dose of an ACE inhibitor.

Initial application — (Patient had an approval for Losartan with hydrochlorothiazide prior to 1 May 2008) from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

### **Antiarrhythmics**

AMIODARONE HYDROCHLORIDE	, page 110	
▲ Tab 100 mg - Retail pharmacy-Specialist18.65	30	<ul><li>✓ Aratac</li><li>✓ Cordarone-X</li></ul>
▲ Tab 200 mg − Retail pharmacy-Specialist30.52	30	✓ Aratac ✓ Cordarone-X
Inj 50 mg per ml, 3 ml - Up to 5 inj available on a PSO	10	✓ Cordarone-X
* Tab 62.5 μg – Up to 30 tab available on a PSO	250	✓ Lanoxin PG
* Tab 250 µg — Up to 30 tab available on a PSO	250	✓ Lanoxin
*‡ Oral liq 50 µg per ml	60 ml	✓ Lanoxin
DISOPYRAMIDE PHOSPHATE		
▲ Cap 100 mg15.00	100	
(23.87)		Rythmodan
▲ Cap 150 mg	100	Rythmodan
FLECAINIDE ACETATE - Retail pharmacy-Specialist		
▲ Tab 50 mg	60	✓ Tambocor
▲ Tab 100 mg80.92	60	✓ Tambocor
▲ Cap long-acting 100 mg45.82	30	Tambocor CR
▲ Cap long-acting 200 mg80.92	30	Tambocor CR
Inj 10 mg per ml, 15 ml52.45	5	✓ Tambocor

For lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaesthetics, Local, page 110

	Subsidy (Manufacturer's Price \$	) Per	Fully Subsidised	Brand or Generic Manufacturer
MEXILETINE HYDROCHLORIDE				
▲ Cap 50 mg	23.52	100	✓ N	<b>Nexitil</b>
▲ Cap 200 mg	55.05	100	✓ N	<b>Nexitil</b>
PROPAFENONE HYDROCHLORIDE - Retail pharmacy-Specialis				
▲ Tab 150 mg	40.90	50	<b>✓</b> F	Rytmonorm
Antihypotensives				
MIDODRINE - Special Authority see SA0934 below - Hospital ph	armacy [HP3]			<u> </u>
Tab 2.5 mg	53.00	100	<b>V</b> 0	autron
Tab 5 mg	79.00	100	<b>V</b> 0	autron

■ SA0934 | Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Disabling orthostatic hypotension not due to drugs; and
  - 2 Patient has tried fludrocortisone (unless contra-indicated) with unsatisfactory results; and
  - 3 Patient has tried non pharmacological treatments such as support hose, increased salt intake, exercise, and elevation of head and trunk at night.

Notes: Treatment should be started with small doses and titrated upwards as necessary.

Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

### **Beta Adrenoceptor Blockers**

ACEBUTOLOL		
* Cap 200 mg	5.94 100	✓ ACB
ATENOLOL		
* Tab 50 mg	0.39 30	✓ Noten S29
	6.18 500	✓ Pacific Atenolol
* Tab 100 mg1	0.73 500	✓ Pacific Atenolol
(Noten S29 Tab 50 mg to be delisted 1 June 2010)		
CARVEDILOL		
Tab 6.25 mg2	1.00 30	✓ Dilatrend
Tab 12.5 mg	7.00 30	✓ Dilatrend
Tab 25 mg3	3.75 30	✓ Dilatrend
CELIPROLOL		
* Tab 200 mg	9.00 180	✓ Celol
LABETALOL		
* Tab 50 mg	8.66 100	✓ Hybloc
* Tab 100 mg1		✓ Hybloc
* Tab 200 mg1	8.47 100	✓ Hybloc
* Tab 400 mg	34.44 100	✓ Hybloc
* Inj 5 mg per ml, 20 ml	9.06 5	
3)	88.60)	Trandate

	Subsidy (Manufacturer's Pric	e) :	Fully Brand or Subsidised Generic
	\$	Per	✓ Manufacturer
METOPROLOL SUCCINATE			
* Tab long-acting 23.75 mg	2.73	30	✓ Betaloc CR
★ Tab long-acting 47.5 mg	3 41	30	✓ Metoprolol - AFT CR ✓ Betaloc CR
tab long doding 17.0 mg		00	✓ Metoprolol - AFT CR
★ Tab long-acting 95 mg	5.88	30	✓ Betaloc CR
			✓ Metoprolol - AFT CR
* Tab long-acting 190 mg	10.63	30	✓ Betaloc CR
AFTODDOLOL TADEDATE			✓ Metoprolol - AFT CR
METOPROLOL TARTRATE	16.50	100	A I ammanan
₹ Tab 50 mg ₹ Tab 100 mg		100 60	<ul><li>✓ Lopresor</li><li>✓ Lopressor</li></ul>
<ul> <li>₹ Tab 100 mg</li> <li>₹ Tab long-acting 200 mg</li> </ul>		28	✓ Slow-Lopressor
Fig. 1 mg per ml 5 ml		5	♥ Slow-Lopiessor
tilj i nig per nii 5 nii	(34.00)	J	Betaloc
IAPOLOI	(04.00)		Detailoc
IADOLOL ≰ Tab 40 mg	1/1 07	100	✓ Apo-Nadolol
€ Tab 80 mg		100	✓ Apo-Nadolol
•	22.19	100	Apo-Nadoloi
INDOLOL ≰ Tab 5 mg	4.50	100	✓ Pindol
· Tab 5 mg	5.40	100	✓ Apo-Pindolol
₹ Tab 10 mg		100	✓ Pindol
. 100 10 mg	9.19	100	✓ Apo-Pindolol
₹ Tab 15 mg		100	✓ Pindol
- 120 13 mg	13.80		✓ Apo-Pindolol
Pindol Tab 5 mg to be delisted 1 June 2010) Pindol Tab 10 mg to be delisted 1 June 2010) Pindol Tab 15 mg to be delisted 1 June 2010)			
ROPRANOLOL			
★ Tab 10 mg	3.55	100	✓ Cardinol
• 1ab 10 111g			
★ Tab 40 mg		100	✓ Cardinol
· ·		100 100	<ul><li>✓ Cardinol</li><li>✓ Cardinol LA</li></ul>
★ Tab 40 mg      ★ Cap long-acting 160 mg  OTALOL	16.90	100	✓ Cardinol LA
F Tab 40 mg	16.90	100	✓ Cardinol LA  ✓ Mylan
F Tab 40 mg	16.90 27.50 10.50	100 500 100	✓ Cardinol LA  ✓ Mylan  ✓ Mylan
F Tab 40 mg	16.90 27.50 10.50	100	✓ Cardinol LA  ✓ Mylan
K Tab 40 mg Cap long-acting 160 mg COTALOL Tab 80 mg Tab 160 mg Inj 10 mg per ml, 4 ml		100 500 100 5	✓ Cardinol LA  ✓ Mylan  ✓ Mylan  ✓ Sotacor
K Tab 40 mg Cap long-acting 160 mg COTALOL Tab 80 mg Tab 160 mg Inj 10 mg per ml, 4 ml		100 500 100	✓ Cardinol LA  ✓ Mylan  ✓ Mylan
K Tab 40 mg Cap long-acting 160 mg COTALOL Tab 80 mg Tab 160 mg Inj 10 mg per ml, 4 ml		100 500 100 5	✓ Cardinol LA  ✓ Mylan  ✓ Mylan  ✓ Sotacor
K Tab 40 mg		100 500 100 5	✓ Cardinol LA  ✓ Mylan  ✓ Mylan  ✓ Sotacor
K Tab 40 mg		100 500 100 5	✓ Cardinol LA  ✓ Mylan  ✓ Mylan  ✓ Sotacor
K Tab 40 mg		100 500 100 5	✓ Cardinol LA  ✓ Mylan  ✓ Mylan  ✓ Sotacor
* Tab 40 mg		500 100 5 100	✓ Cardinol LA  ✓ Mylan ✓ Mylan ✓ Sotacor ✓ Apo-Timol
K Tab 40 mg Cap long-acting 160 mg Tab 80 mg Tab 160 mg Inj 10 mg per ml, 4 ml TIMOLOL MALEATE Tab 10 mg Calcium Channel Blockers  Dihydropyridine Calcium Channel Blockers ( MLODIPINE Tab 5 mg Tab 10 mg Tab 10 mg		100 500 100 5 100	✓ Cardinol LA  ✓ Mylan ✓ Mylan ✓ Sotacor ✓ Apo-Timol  ✓ Apo-Amlodipine
* Tab 40 mg		100 500 100 5 100	Mylan Mylan Sotacor  Apo-Timol  Apo-Amlodipine Apo-Amlodipine
K Tab 40 mg Cap long-acting 160 mg Tab 80 mg Tab 160 mg Inj 10 mg per ml, 4 ml TIMOLOL MALEATE Tab 10 mg Calcium Channel Blockers  Dihydropyridine Calcium Channel Blockers ( MLODIPINE Tab 5 mg Tab 10 mg Tab 10 mg		100 500 100 5 100	✓ Cardinol LA  ✓ Mylan  Mylan ✓ Sotacor  ✓ Apo-Timol  ✓ Apo-Amlodipine

<sup>‡</sup> safety cap \*Three months or six months, as applicable, dispensed all-at-once

<sup>▲</sup>Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's Price)	CL	Fully Brand or osidised Generic
	(Manulacturer S Frice)	Per	✓ Manufacturer
ISRADIPINE			
Cap long-acting 2.5 mg	7.50	30	✓ Dynacirc-SRO
Cap long-acting 5 mg		30	✓ Dynacirc-SRO
NIFEDIPINE			<b>,</b>
* Tab long-acting 10 mg	17 79	60	✓ Adalat 10
* Tab long-acting 20 mg		100	✓ Nyefax Retard
* Tab long-acting 30 mg		30	✓ Adefin XL
			✓ Arrow-Nifedipine XR
	5.50		·
	(19.90)		Adalat Oros
* Tab long-acting 60 mg	15.35	30	✓ Adefin XL
			Arrow-Nifedipine XR
	8.00		
	(29.50)		Adalat Oros
Other Calcium Channel Blockers			
DILTIAZEM HYDROCHLORIDE			
* Tab 30 mg	4.60	100	✓ Dilzem
* Tab 60 mg		100	Dilzem
* Cap long-acting 120 mg		30	✓ Cardizem CD
* Cap long-acting 180 mg	6.50	30	✓ Cardizem CD
* Cap long-acting 240 mg	8.67	30	✓ Cardizem CD
PERHEXILINE MALEATE - Special Authority see SA0256 belo	w – Hospital pharmacy	/ [HP3]	
* Tab 100 mg	62.90	100	✔ Pexsig
⇒SA0256 Special Authority for Subsidy			
Initial application only from a cardiologist or general physician.	Approvals valid for 2	years for	applications meeting the following
criteria:			
Both:			
1 Refractory angina; and			
2 Patient is already on maximal anti-anginal therapy.			
Renewal only from a cardiologist or general physician. Approva	als valid for 2 years w	nere the ti	reatment remains appropriate and
the patient is benefiting from treatment.			
VERAPAMIL HYDROCHLORIDE	7.04	100	4
* Tab 40 mg		100	✓ Isoptin
* Tab long-acting 120 mg		100 250	<ul><li>✓ Isoptin</li><li>✓ Verpamil SR</li></ul>
* Tab long-acting 120 mg  Tab long-acting 240 mg		250	✓ Verpamil SR
* Inj 2.5 mg per ml, 2 ml – Up to 5 inj available on a PSO		5	✓ Isoptin
	7.07	3	• торин
Centrally Acting Agents			
CLONIDINE			
* TDDS 2.5 mg, 100 μg per day – Only on a prescription	23.30	4	✓ Catapres-TTS-1
* TDDS 5 mg, 200 µg per day — Only on a prescription		4	✓ Catapres-TTS-2
* TDDS 7.5 mg, 300 µg per day — Only on a prescription		4	✓ Catapres-TTS-3
CLONIDINE HYDROCHLORIDE		-	
* Tab 150 µg	33 00	100	✓ Catapres
* Таб 150 µg * Inj 150 µg per ml, 1 ml		5	✓ Catapres
11, 100 pg por 111, 1 111		J	- Juliupi Co

	Subsidy		Fully Brand or	
	(Manufacturer's		sidised Generic	
	\$	Per	✓ Manufactu	ırer
METHYLDOPA	40.00	400	45	
* Tab 125 mg		100	Prodopa	
* Tab 500 mg		100 100	✓ Prodopa ✓ Prodopa	
Diuretics	20.00	100	<u>11000pa</u>	
Loop Diuretics				
BUMETANIDE			4	
* Tab 1 mg		100	✓ Burinex	
* Inj 500 µg per ml, 4 ml	7.95	5	✓ Burinex	
FUROSEMIDE	10.75	4 000	4 81 1 40	
* Tab 40 mg - Up to 30 tab available on a PSO  * Tab 500 mg		1,000 100	✓ <u>Diurin 40</u> ✓ Diurin 500	
* 1ab 500 Hig	50.00	50	✓ Urex Forte	620
*‡ Oral liq 10 mg per ml		30 ml OP	✓ Lasix	329
* Infusion 10 mg per ml, 25 ml		5	✓ Lasix	
* Inj 10 mg per ml, 2 ml - Up to 5 inj available on a PSO	29.50	50	✓ Mayne	
Potassium Sparing Diuretics				
AMILORIDE				
‡ Oral liq 1 mg per ml	26.20	25 ml OP	✓ Biomed	
SPIRONOLACTONE				
* Tab 25 mg	8.50	100	✓ Spirotone	
* Tab 100 mg	21.70	100	✓ Spirotone	
‡ Oral liq 5 mg per ml	26.80	25 ml OP	✓ Biomed	
Potassium Sparing Combination Diuretics				
AMILORIDE WITH FRUSEMIDE				
* Tab 5 mg with frusemide 40 mg	4.67	28		
Ç Ç	(8.63)		Frumil	
AMILORIDE WITH HYDROCHLOROTHIAZIDE				
* Tab 5 mg with hydrochlorothiazide 50 mg	13.00	500	Amizide	
Thiazide and Related Diuretics				
BENDROFLUAZIDE				
* Tab 2.5 mg - Up to 150 tab available on a PSO	13.50	500	✓ Neo-Naclex	
May be supplied on a PSO for reasons other than emerge				
* Tab 5 mg		500	✓ Neo-Naclex	
CHLOROTHIAZIDE				
‡ Oral liq 50 mg per ml	22.60	25 ml OP	✓ Biomed	
CHLORTHALIDONE				
* Tab 25 mg	8.00	50	✓ Hygroton	
INDAPAMIDE				
* Tab 2.5 mg	4.00	100	✓ Napamide	
			•	

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	

#### **Nitrates**

GLYCERYL TRINITRATE			
* Tab 600 µg - Up to 100 tab available on a PSO	8.00	100 OP	✓ Lycinate
* Oral pump spray 400 µg per dose – Up to 250 dose available			
on a PSO	5.16	250 dose OP	✓ <u>Nitrolingual</u>
			Pumpspray
* TDDS 5 mg	16.56	30	✓ Nitroderm TTS
* TDDS 10 mg		30	✓ Nitroderm TTS
ISOSORBIDE MONONITRATE			
* Tab 20 mg	18.00	100	✓ Ismo 20
* Tab long-acting 40 mg	14.84	30	✓ Corangin
* Tab long-acting 60 mg	4.15	90	✓ Duride

### **Smoking Cessation**

#### **Nicotine Gum**

#### NICOTINE

- a) Maximum of 768 piece per prescription
- b) Maximum of 384 piece per dispensing
- c) For the avoidance of doubt Nicotine will not be funded Close Control in amounts less than 4 weeks.
- d) The maximum of 384 piece per dispensing cannot be waived via Access Exemption Criteria.

Gum 2 mg (Fruit)	14.97	96 OP	✓ <u>Habitrol</u>
• , ,	23.41		✓ Nicotinell
Gum 2 mg (Mint)	14.97	96 OP	✓ Habitrol
• , ,	23.41		✓ NicotineII
Gum 4 mg (Fruit)	20.02	96 OP	Habitrol
• , ,	23.41		✓ NicotineII
Gum 4 mg (Mint)	20.02	96 OP	Habitrol
,	23.41		✓ NicotineII

### **Nicotine Lozenge**

#### NICOTINE

- a) Maximum of 432 loz per prescription
- b) Maximum of 216 loz per dispensing
- c) For the avoidance of doubt Nicotine will not be funded Close Control in amounts less than 4 weeks.
- d) The maximum of 216 loz per dispensing cannot be waived via Access Exemption Criteria.

Lozenge 1 mg	.11.08	36 OP	✓ <u>Habitrol</u>
Lozenge 2 mg	.11.08	36 OP	✓ <u>Habitrol</u>

#### **Nicotine Patch**

#### **NICOTINE**

- a) Maximum of 56 patch per prescription
- b) Maximum of 28 patch per dispensing
- c) For the avoidance of doubt Nicotine will not be funded Close Control in amounts less than 4 weeks.
- d) The maximum of 28 patch per dispensing cannot be waived via Access Exemption Criteria.

Patch 7 mg	 	 	10.53	7 OP	✓ <u>Habitrol</u>
Patch 14 mg	 	 	11.63	7 OP	✓ <u>Habitrol</u>
Patch 21 mg	 	 	12.32	7 OP	✓ Habitrol

	Subsidy		Fully Brand or
	(Manufacturer's Price \$	e) S Per	Subsidised Generic  Manufacturer
Other Agents			
BUPROPION HYDROCHLORIDE			
Tab modified-release 150 mg	65.00	30	✓ Zyban
Sympathomimetics			
ADRENALINE	4.00	-	A Annan Advanalina
Inj 1 in 1,000, 1 ml  – Up to 5 inj available on a PSO	5.25	5	<ul><li>Aspen Adrenaline</li><li>Mayne</li></ul>
Inj 1 in 10,000, 10 ml - Up to 5 inj available on a PSO	27.00	5	✓ Mayne
SOPRENALINE HYDROCHLORIDE			
* Inj 200 μg per ml, 1 ml	36.80	25	Isuprel
Vasodilators	(100.00)		ючргог
AMYL NITRITE  * Ampoule, 0.3 ml crushable	62.02	12	
Ampoule, 0.5 mi crushable	(73.40)	12	Baxter
HYDRALAZINE	,		
* Inj 20 mg per ml, 1 ml	25.90	5	✓ Apresoline
DXYPENTIFYLLINE – Hospital pharmacy [HP3]	00.04		
Tab 400 mg	(42.26)	50	Trental 400
PAPAVERINE HYDROCHLORIDE	( ====)		
* Inj 12 mg per ml, 10 ml	73.12	5	✓ Mayne
Endothelin Receptor Antagonists			
■ SA0967 Special Authority for Subsidy Special Authority approved by the Pulmonary Arterial Hyperte			
Notes: Application details may be obtained from PHARMAC's The Coordinator, PAH Panel	website http://www.pna	ırmac.go	or:
PHARMAC, PO Box 10-254, WELLINGTON			
Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharma	ac.govt.nz		
BOSENTAN - Special Authority see SA0967 above - Hospita Tab 62.5 mg		60	✓ Tracleer
Tab 125 mg		60	✓ Tracleer
Phosphodiesterase Type 5 Inhibitors			
▶SA0968 Special Authority for Subsidy			
Special Authority approved by the Pulmonary Arterial Hyperte		rmaa aa	nd na or:
Notes: Application details may be obtained from PHARMAC's		armac.go	ovt.nz or:
Special Authority approved by the Pulmonary Arterial Hyperte Notes: Application details may be obtained from PHARMAC's The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON	website http://www.pha	armac.go	or:
Special Authority approved by the Pulmonary Arterial Hyperte Notes: Application details may be obtained from PHARMAC's Ine Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Iel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharma	website http://www.pha	armac.go	vt.nz or:
Special Authority approved by the Pulmonary Arterial Hyperte Notes: Application details may be obtained from PHARMAC's The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharma	website <a href="http://www.pha">http://www.pha</a> <a a="" href="http://www.pha&lt;/a&gt; &lt;a href=" http:="" www.pha<=""> </a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a>		

<sup>▲</sup>Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

### **Prostacyclin Analogues**

■ SA0969 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

ILOPROST - Special Authority see SA0969 above - Hospital pharmacy [HP1]

Nebuliser soln 10 μg per ml, 2 ml .......1,185.00

30

✔ Ventavis

#### **DERMATOLOGICALS**

Subsidy Fully Brand or Subsidised Generic Per Per Manufacturer

### **Antiacne Preparations**

### ▶SA0955 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Patient has had an adequate trial on other available treatments and has failed these treatments or these are contraindicated;
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 4 Either:
  - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
  - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has had an adequate trial on other available treatments and has failed these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 4 Either:
  - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
  - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

### **Antibacterials Topical**

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 84

### FUSIDIC ACID

- - a) Maximum of 15 g per prescriptionb) Only on a prescription
  - c) Not in combination

15 q OP

Foban

### **DERMATOLOGICALS**

	Subsidy	D.:() C :	Fully Brand or
	(Manufacturer's \$	Price) Sub Per	bsidised Generic  Manufacturer
HYDROGEN PEROXIDE			
* Crm 1%	8 56	10 g OP	✓ Crystacide
		10 9 01	• Orystaciae
MUPIROCIN	2.22	45 00	
Oint 2%		15 g OP	Destruktur
0.0	(9.26)		Bactroban
a) Only on a prescription			
b) Not in combination			
SILVER SULPHADIAZINE			4
Crm 1%	12.30	50 g OP	✓ Flamazine
a) Up to 250 g available on a PSO			
b) Not in combination			4.00
Crm 1% with chlorhexidine digluconate 0.2%	15.04	100 g OP	✓ Silvazine
a) Up to 500 g available on a PSO			
b) Not in combination	h . d . l' . d . d . d . d . d . d . d . d . d .	2)	
Silvazine Crm 1% with chlorhexidine digluconate 0.2% to	pe aeiistea 1 July 2010	<i>'</i>	
Antifungals Topical			
<u> </u>	00		
For systemic antifungals, refer to INFECTIONS, Antifungals	s, page 88		
AMOROLFINE			
a) Only on a prescription			
b) Not in combination			
Nail soln 5%		5 ml OP	
	(61.87)		Loceryl
CICLOPIROXOLAMINE			
a) Only on a prescription			
b) Not in combination			
Crm 1%	1.00	20 g OP	
	(12.82)		Batrafen
Nail soln 8%	19.85	3.5 ml OP	✓ <u>Batrafen</u>
Soln 1%	4.36	20 ml OP	
	(11.54)		Batrafen
CLOTRIMAZOLE			
* Crm 1%	0.50	20 g OP	✓ Clomazol
a) Only on a prescription		3 -	
b) Not in combination			
<b>★</b> Soln 1%	4.36	20 ml OP	
	(7.55)		Canesten
a) Only on a prescription	, ,		
b) Not in combination			
ECONAZOLE NITRATE			
Crm 1%	1.00	20 g OP	
	(7.48)	9 0.	Pevaryl
a) Only on a prescription	(0)		. 0.0
b) Not in combination			
Foaming soln 1%, 10 ml sachets	9.89	3	
	(17.23)	Ü	Pevaryl
a) Only on a prescription	(17.20)		· oranji
h) Not in combination			

b) Not in combination

	Subsidy (Manufacturer's I	Price) Sul	Fully Brand or osidised Generic	
	\$	Per	✓ Manufacturer	
ETOCONAZOLE				
Crm 2%	1.00	15 g OP		
	(9.50)		Nizoral	
a) Only on a prescription				
b) Not in combination				
MICONAZOLE NITRATE				
k Crm 2%	0.42	15 g OP	✓ Multichem	
a) Only on a prescription				
b) Not in combination				
k Lotn 2%	4.36	30 ml OP		
	(10.03)		Daktarin	
a) Only on a prescription				
b) Not in combination				
₹ Tinct 2%		30 ml OP		
	(12.10)		Daktarin	
a) Only on a prescription				
b) Not in combination				
IYSTATIN				
Crm 100,000 u per g	1.00	15 g OP		
	(5.10)		Mycostatin	
a) Only on a prescription				
b) Not in combination				
Antipruritic Preparations				
CALAMINE				
a) Only on a prescription				
b) Not in combination				
Crm, aqueous, BP	2.78	100 g	✓ healthE	
Lotn, BP	16.70	2,000 ml	✓ API	
CROTAMITON			<del></del>	
a) Only on a prescription				
b) Not in combination				
Crm 10%	3 79	20 g OP	✓ Itch-Soothe	
0111 10/0	4.26	20 g 0.	V IIIII GGGIIIG	
	(4.45)		Eurax	
MENTHOL – Only in combination	( )			
Only in combination with aqueous cream, 10% urea cream.	wool fat with mino	val oil lotion 10	% hydrocortisone with wool fo	at an
mineral oil lotion, and glycerol, paraffin and cetyl alcohol lo		nai oli lollori, T	70 Hydrocordsone with Wool la	ai ai i
Crystals		25 g	✓ PSM	
UI VOIGIO		20 y	₩ I. OIM	

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

# **Corticosteroids Topical**

For systemic corticosteroids, refer to CORTICOSTEROIDS AND RELATED AGENTS, page 76

Cortic	osteroids	- Plain
--------	-----------	---------

BETAMETHASONE DIPROPIONATE			
Crm 0.05%	2.96	15 g OP	
	(6.91)		Diprosone
	8.97	50 g OP	·
	(18.36)		Diprosone
Crm 0.05% in propylene glycol base	4.33	30 g OP	
	(13.83)		Diprosone OV
Oint 0.05%	2.96	15 g OP	
	(6.51)		Diprosone
	8.97	50 g OP	
	(17.11)		Diprosone
Oint 0.05% in propylene glycol base	4.33	30 g OP	
	(13.83)		Diprosone OV
BETAMETHASONE VALERATE			
* Crm 0.1%	2.00	50 g OP	✓ Beta Cream
* Oint 0.1%		50 g OP	✓ Beta Ointment
* Lotn 0.1%	10.05	50 ml OP	✓ Betnovate
CLOBETASOL PROPIONATE			
* Crm 0.05%	0.40	30 g OP	✓ Dermol
* Oint 0.05%		0	✓ <u>Dermol</u>
	3.46	30 g OP	<u>Dermoi</u>
CLOBETASONE BUTYRATE			
Crm 0.05%		30 g OP	
	(7.09)		Eumovate
	16.13	100 g OP	
	(22.00)		Eumovate
DIFLUCORTOLONE VALERATE			
Crm 0.1%	8.97	50 g OP	
	(15.86)		Nerisone
Fatty oint 0.1%	8.97	50 g OP	
	(15.86)		Nerisone
HYDROCORTISONE			
* Crm 1% – Only on a prescription	2 44	100 g	✓ Lemnis Fatty Cream
The Only on a procential manner.		100 g	HC
	12.20	500 g	✓ PSM
* Powder – Only in combination		25 g	✓ ABM
Up to 5% in a dermatological base (not proprietary To		•	
galenicals. Refer, page 163			
HYDROCORTISONE BUTYRATE			
Lipocream 0.1%	2.30	30 g OP	Locoid Lipocream
	6.85	100 g OP	Locoid Lipocream
Oint 0.1%		100 g OP	Locoid
Milky emul 0.1%	6.85	100 ml OP	✓ Locoid Crelo

	Subsidy		Fully Brand or
	(Manufacturer's P	rice) Sub Per	osidised Generic  Manufacturer
	Ψ	1 61	Wallulacturel
YDROCORTISONE WITH WOOL FAT AND MINERAL OIL			
Lotn 1% with wool fat hydrous 3% and mineral oil - Only on	0.05	050	. 4 DD 1 - t 110
a prescription	9.95	250 ml	✓ <u>DP Lotn HC</u>
ETHYLPREDNISOLONE ACEPONATE			
Crm 0.1%		15 g OP	✓ Advantan
Oint 0.1%	4.95	15 g OP	✓ Advantan
OMETASONE FUROATE			
Crm 0.1%	2.38	15 g OP	✓ Elocon
	4.55	45 g OP	✓ Elocon
	2.38	15 g OP	m-Mometasone
	4.55	45 g OP	m-Mometasone
Oint 0.1%		15 g OP	Elocon
	4.55	45 g OP	Elocon
	2.38	15 g OP	✓ m-Mometasone
1 . 0 40/	4.55	45 g OP	✓ m-Mometasone
Lotn 0.1%	4.80	30 ml OP	✓ Elocon
Elocon Crm 0.1% to be delisted 1 April 2010) Elocon Oint 0.1% to be delisted 1 April 2010)			
RIAMCINOLONE ACETONIDE			
Crm 0.02%	6.63	100 g OP	✓ Aristocort
Oint 0.02%	6.69	100 g OP	✓ Aristocort
Corticosteroids - Combination			
ETAMETHASONE VALERATE WITH CLIOQUINOL — Only on a	nrescription		
Crm 0.1% with clioquinol 3%		15 g OP	
0.11. 0.1.70 min snoquino. 070 min snoquino.	(4.90)	.0 9 0.	Betnovate-C
Oint 0.1% with clioquinol 3%	3.49	15 g OP	
'	(4.90)	Ü	Betnovate-C
ETAMETHASONE VALERATE WITH FUSIDIC ACID	, ,		
Crm 0.1% with fusidic acid 2%	3 49	15 g OP	
2 2, 2 1 1 2 2 2	(9.61)	. o g o.	Fucicort
a) Maximum of 15 g per prescription	(0.0.)		. 400001
b) Only on a prescription			
YDROCORTISONE BUTYRATE WITH CHLORQUINALDOL —		•	41 110
Crm 0.1% with chlorquinaldol 3%	3.49	15 g OP	✓ Locoid C
YDROCORTISONE WITH MICONAZOLE - Only on a prescript	ion		
Crm 1% with miconazole nitrate 2%	2.20	15 g OP	✓ Micreme H
YDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - On	lv on a prescrint	ion	
Crm 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	✓ Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	✓ Pimafucort
RIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN		Ü	
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg	A VIND IN 19 IVIII	I VI	
and gramicidin 250 µg per g - Only on a prescription	3.40	15 g OP	
and gramiolum 250 µg per g - Only on a prescription	(6.60)	15 g OF	Viaderm KC
	(0.00)		VIAUCIIII NO

	Subsidy (Manufacturer's Pr		Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
Disinfecting and Cleansing Agents			
CHLORHEXIDINE GLUCONATE – Subsidy by endorsement			
<ul><li>a) No more than 500 ml per month</li><li>b) Only if prescribed for a dialysis patient and the prescription</li></ul>	is andorsed aco	ordinaly	
* Handrub 1% with ethanol 70%		500 ml	✓ healthE
* Soln 4%	5.40	500 ml	✓ Orion ✓ Orion
SODIUM HYPOCHLORITE – Subsidy by endorsement	1.20	300 1111	V OHOII
Only if prescribed for a dialysis patient and the prescription is			
* Soln	2.71	2,500 ml	✓ Janola
Dusting Powders			
DIPHEMANIL METHYLSULPHATE – Subsidy by endorsement			
Only if prescribed for an amputee with an artificial limb, or for Powder 2%		ent and the pro 50 g OP	escription endorsed accordingly.
1 511451 270	(13.54)	00 g 0.	Prantal
Barrier Creams and Emollients			
Barrier Creams			
ZINC Crm BP	6.55	500 g	
	(12.00)	000 g	PSM
ZINC AND CASTOR OIL			4
Oint BP	5.11	500 g	✓ <u>PSM</u>
Emollients			
AQUEOUS CREAM	0.00	500	
* Crm	2.28	500 g	✓ <u>AFT</u>
* Crm BP	3.50	500 g	✓ PSM
EMULSIFYING OINTMENT			
* Oint BP		500 g	✓ <u>AFT</u>
GLYCEROL WITH PARAFFIN AND CETYL ALCOHOL – Only on * Lotn 5% with paraffin liq 5% and cetyl alcohol 2%		250 ml	
2001 070 Will paramit ind 070 and octyl albottol 270	(8.10)	200 1111	QV
OIL IN WATER EMULSION			4
* Crm	2.80	500 g	✓ healthE Fatty Cream
OILY CREAM  * Crm BP	2.80	500 g	
	(13.60)	3	David Craig
LIDEA	(15.40)		PSM
WREA	2.52	100 g OP	
	(3.07)	Ü	Nutraplus

Subsidy

Fully

Brand or

Fu Subsidis	ully Brand or sed Generic
Per	✓ Manufacturer
50 ml OP	
	DP Lotion
,000 ml	
	DP Lotion
50 ml OP	
	Hydroderm Lotion
,000 ml	
	Hydroderm Lotion
	Alpha-Keri Lotion
50 ml OP	
	BK Lotion
,000 ml	
	BK Lotion
2,500 g	/ IPW
500 g	
-	PSM
etary Topical C	Corticosteroid – Plain.
25 g OP	
25 y OF	Betadine
	Detaulile
500 ml	✓ Betadine
	✓ Riodine
-	✓ Betadine Skin Prep
500 ml	Betaume Skill Flep
300 1111	Orion
50 g OP •	✓ Benhex
o y Oi	PCIIIICY
'	4.5
	Derbac-M
0 ml OP	A-Lices
30 g OP	
-	Lyderm
0 ml OP	✓ A-Scabies
0	ml OP

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

# **Psoriasis and Eczema Preparations**

ACITRETIN - Special Authority see SA0954 below - Retail pharmacy		
Cap 10 mg75.80	100	✓ Neotigason
Cap 25 mg162.96	100	✓ Neotigason

#### ⇒SA0954 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Fither:
  - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
  - 3.2 Patient is male.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
  - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
  - 3.2 Patient is male.

$\triangle VI$	$\sim$ 1		rn.	
CAL	.CI	PU	ΙK	IUL

Crm 50 µg per g		30 g OP	✓ Daivonex
Oint 50 µg per g	56.32 20.20	100 g OP 30 g OP	<ul><li>✓ Daivonex</li><li>✓ Daivonex</li></ul>
	56.32	100 g OP	Daivonex
Soln 50 µg per ml	20.22	30 ml OP	Daivonex
	33.79	60 ml OP	Daivonex
COAL TAR			
Soln BP - Only in combination	36.48	500 ml	✓ PSM
	12.98	200 ml	
	(16.20)		David Craig

Up to 10 % Only in combination with a dermatological base or proprietary Topical Corticosteriod – Plain, refer, page 163 With or without other dermatological galenicals.

#### COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULPHUR

oin 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and			
allantoin crm 2.5%	3.43	30 g OP	
	(4.35)	_	Egopsoryl TA
	6.59	75 g OP	
	(8.00)		Egopsoryl TA

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or osidised Generic  Manufacturer
COAL TAR WITH SALICYLIC ACID AND SULPHUR			
Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	✓ Coco-Scalp
DITHRANOL			
Crm 1%	27.50	50 g OP	✓ Micanol
(Micanol Crm 1% to be delisted 1 July 2010)			
SALICYLIC ACID			
Powder - Only in combination	15.00 18.88	500 g	✓ ABM ✓ PSM
1) Only in combination with a dermatological base or		250 g al Corticosteroio	
page 163	. , ,		
2) With or without other dermatological galenicals.			
3) Maximum 20 g or 20 ml per prescription when pres	scribed with white	e soft paraffin o	r collodion flexible.
SULPHUR Precipitated – Only in combination	6.50	100 g	✓ ABM
Frecipitated – Only in combination	(9.25)	100 g	PSM
1) Only in combination with a dermatological base or	' '	cal Corticosteroi	id – Plain, refer, page 163
<ol><li>With or without other dermatological galenicals.</li></ol>			
TAR WITH CADE OIL			
Bath emul 7.5% coal tar, 2.5% cade oil, 7.5% compound	9.70 (29.60)	350 ml	Polytar Emollient
TAD MUTILITATE I MAIOL AMINE LAUDVI. CUI DUATE AND ELL	, ,	\al	,
TAR WITH TRIETHANOLAMINE LAURYL SULPHATE AND FLU  * Soln 2.3% with triethanolamine lauryl sulphate and fluores		only on a prescr	iption
cein sodium		500 ml	✓ Pinetarsol
Scalp Preparations			
Scalp Fleparations			
BETAMETHASONE VALERATE			45.4
* Scalp app 0.1%	7.22	100 ml OP	✓ Beta Scalp
CLOBETASOL PROPIONATE	0.00	00 I OD	. / Dawn al
* Scalp app 0.05%	ხ.ან	30 ml OP	✓ <u>Dermol</u>
HYDROCORTISONE BUTYRATE Scalp lotn 0.1%	2 65	100 ml OP	✓ Locoid
KETOCONAZOLE		100 IIII OF	₩ <u>LUCUIU</u>
Shampoo 2%	3.48	100 ml OP	✓ Sebizole
a) Maximum of 100 ml per prescription		•••••••••••••••••••••••••••••••••••••••	
b) Only on a prescription			

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

#### Sunscreens

SUNSCREENS, PROPRIETARY - Subsidy by endorsement

Only if prescribed for a patient with severe photosensitivity secondary to a defined clinical condition and the prescription is endorsed accordingly

endorsed accordingly.			
Crm	2.55	100 g OP	
	(5.89)		Hamilton Sunscreen
	1.28	50 g OP	
	(5.50)		Aquasun Oil Free Faces SPF30+
Lotn	2.55	100 ml OP	✓ Marine Blue Lotion SPF 30+
	5.10	200 ml OP	✓ Marine Blue Lotion SPF 30+
	3.19	125 ml OP	
	(6.94)		Aquasun 30+
	(8.82)		Aquasun Sensitive SPF 30+

(Aquasun Sensitive SPF 30+ Lotn to be delisted 1 May 2010)

### **Wart Preparations**

For salicylic acid preparations refer to PSORIASIS AND ECZEMA PREPARATIONS, page 66

IMIQUIMOD - Special Authority see SA0923 below - Retail pharmacy

#### **⇒**SA0923 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following:

- 1 The patient has external anogenital warts and podophyllotoxin has been tried and failed (or is contraindicated); or
- 2 The patient has external anogenital warts and podophyllotoxin is unable to be applied accurately to the site; or
- 3 The patient has confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate.

Notes: Superficial basal cell carcinoma

- Surgical excision remains first-line treatment for superficial basal cell carcinoma as it has a higher cure rate than imiquimod
  and allows histological assessment of tumour clearance.
- Imiquimod has not been evaluated for the treatment of superficial basal cell carcinoma within 1 cm of the hairline, eyes, nose, mouth or ears.
- Imiguimod is not indicated for recurrent, invasive, infiltrating, or nodular basal cell carcinoma.

External anogenital warts

• Imiquimod is only indicated for external genital and perianal warts (condyloma acuminata).

**Renewal** from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following:

- 1 Inadequate response to initial treatment for anogenital warts; or
- 2 New confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate; or
- 3 Inadequate response to initial treatment for superficial basal cell carcinoma.

Note: Confirmation that the lesion is a superficial basal cell carcinoma should be obtained using a biopsy

#### PODOPHYLLOTOXIN

- a) Maximum of 3.5 ml per prescription
- b) Only on a prescription

### **DERMATOLOGICALS**

Subsidy Fully Brand or (Manufacturer's Price) Subsidised \$

Generic Per Manufacturer

Other Skin F	Preparations
--------------	--------------

### **Antineoplastics**

FLUOROURACIL SODIUM

20 q OP ✓ Efudix

## **Topical Analgesia**

For aspirin & chloroform application refer, page 166

CAPSAICIN - Subsidy by endorsement

Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly.

Crm 0.075% ......12.50 45 g OP ✓ Zostrix HP

### **Wound Management Products**

#### HYDROGEN PEROXIDE

\* Soln 20 vol - Maximum of 500 ml per prescription......3.13 500 ml **PSM** (7.00)

MAGNESIUM SULPHATE 80 g **PSM** (4.90)

		Subsidy (Manufacturer's Pr	ice) Sub: Per	Fully Brand sidised Generi	С
С	ontraceptives - Non-hormonal				
С	ondoms				
	NDOMS				
*	49 mm - Up to 144 dev available on a PSO	13.36	144	✓ Gold Kni ✓ MarquisT ✓ Shield 49	antiliza
*	52 mm - Up to 144 dev available on a PSO	13.36	144	✓ Marquis ✓ Marquis ✓ Marquis	Selecta Sensolite
*	52 mm extra strength – Up to 144 dev available on a PSO	13.36	144	✓ Marquis	
*	53 mm - Up to 144 dev available on a PSO		144	✓ Gold Kni ✓ Marquis ✓ Marquis ✓ Shield B	ght Black Titillata
*	53 mm (chocolate) - Up to 144 dev available on a PSO		144	✓ Gold Kni	
	53 mm (strawberry) – Up to 144 dev available on a PSO		144	✓ Gold Kni	•
*	53 mm extra strength – Up to 144 dev available on a PSO 54 mm, shaped – Up to 144 dev available on a PSO		144 144	✓ Gold Kni	gnt
*	34 mm, shaped – Op to 144 dev available on a F30	(14.84)	144	Lifestyles	Flared
*	55 mm - Up to 144 dev available on a PSO	` '	144	✓ Gold Kni ✓ Marquis	ght
*	56 mm - Up to 144 dev available on a PSO	13.36	144	✓ Durex Se	elect
*	56 mm extra strength - Up to 144 dev available on a PSO		144	✓ Durex Ex	
	56 mm, shaped – Up to 144 dev available on a PSO		144	✓ Durex Co	
*	60 mm - Up to 144 dev available on a PSO	13.36	144	✓ Shield XI	_
S	permicidal Agents				
AP	PLICATOR When ordered with a spermicide.				
	Applicator – Up to 1 dev available on a PSO  NOXYNOL-9	4.34	1	✓ Ortho	
140	Jelly 2% – Up to 108 g available on a PSO	10.95	108 g OP	Gynol II	
C	ontraceptive Devices				
	NPHRAGM Diaphragm – Up to 1 dev available on a PSO	42.90	1	✓ Ortho All	
INI	One of each size is permitted on a PSO.  **RA-UTERINE DEVICE – Only on a WSO**				
	IUD	39.50	1	✓ Multiload ✓ Multiload	

Subsidy

Fully

Brand or

Distributed by Pharmaco NZ Ltd, PO Box 4079, Auckland Ph 09 377 3336

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per Brand or Generic Manufacturer

### Contraceptives - Hormonal

### **Combined Oral Contraceptives**

### **▶**SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Either:
  - 1.1 Patient is on a Social Welfare benefit; or
  - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon, Marvelon, Minulet and Fernodene.

The additional subsidy will fund Mercilon, Marvelon, Minulet and Femodene up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

# ETHINYLOESTRADIOL WITH DESOGESTREL

*	lab 20 μg with desogestrel 150 μg6.62	63	
	(16.50)		Mercilon 21
	a) Higher subsidy of \$13.80 per 63 with Special Authority see SA0500 above		
	b) Up to 63 tab available on a PSO		
*	Tab 20 µg with desogestrel 150 µg and 7 inert tab6.62	84	
71.	(16.50)	04	Mercilon 28
	,		MEIGION 20
	a) Higher subsidy of \$13.80 per 84 with Special Authority see SA0500 above		
	b) Up to 84 tab available on a PSO		
*	Tab 30 μg with desogestrel 150 μg6.62	63	
	(16.50)		Marvelon 21
	a) Higher subsidy of \$13.80 per 63 with Special Authority see SA0500 above		
	b) Up to 63 tab available on a PSO		
*	Tab 30 μg with desogestrel 150 μg and 7 inert tab6.62	84	
•••	(16.50)	01	Marvelon 28
	( /		Mai veloti 20
	a) Higher subsidy of \$13.80 per 84 with Special Authority see SA0500 above		
	b) Up to 84 tab available on a PSO		
ETI	HINYLOESTRADIOL WITH GESTODENE		
*	Tab 30 μg with gestodene 75 μg and 7 inert tab	84	
	(16.50)		Femodene 28
	a) Higher subsidy of \$14.49 per 84 with Special Authority see SA0500 above		
	, , , , , , , , , , , , , , , , , , , ,		
/=-	b) Up to 84 tab available on a PSO	040)	
(Fe	modene 28 Tab 30 μg with gestodene 75 μg and 7 inert tab to be delisted 1 June 2	010)	

### **GENITO-URINARY SYSTEM**

=		Subsidy		Full	v Brand or
		(Manufacturer's Price)		Subsidise	,
		\$	Per	v	<ul> <li>Manufacturer</li> </ul>
ET	HINYLOESTRADIOL WITH LEVONORGESTREL				
*	Tab ethinyloestradiol 30 μg with levonorgestrel 50 μg (6) and				
	tab ethinyloestradiol 40 µg with levonorgestrel 75 µg (5),				
	and tab ethinyloestradiol 30 μg with levonorgestrel 125 μg				
	(10) and 7 inert tab - Up to 84 tab available on a PSO	6.62	84	~	Trifeme
*	Tab 50 $\mu g$ with levonorgestrel 125 $\mu g$ and 7 inert tab – Up to				
	84 tab available on a PSO		84		Microgynon 50 ED
*	Tab 30 μg with levonorgestrel 150 μg		63		Missassas 00
	a) Higher authorists of \$15.00 per 62 with Chariel Authority a	(16.50)	o o o di		Microgynon 30
	<ul> <li>a) Higher subsidy of \$15.00 per 63 with Special Authority s</li> <li>b) Up to 63 tab available on a PSO</li> </ul>	ee SA0500 on the pr	eceuii	ng page	
*	Tab 30 μg with levonorgestrel 150 μg and 7 inert tab	6.62	84	~	Levlen ED
•••	tab oo pg that totallargeonal too pg and t mark tab		٠.		Monofeme
		(14.49)		-	Nordette 28
		(16.50)			Microgynon 30 ED
	a) Higher subsidy of up to \$15.00 per 84 with Special Author	ority see SA0500 on	the pr	eceding p	page
	b) Up to 84 tab available on a PSO				
ΕT	HINYLOESTRADIOL WITH NORETHISTERONE				
*	Tab 35 $\mu g$ with norethisterone 1 mg $-$ Up to 63 tab available				
	on a PSO	6.62	63	~	Brevinor 1/21
*	Tab 35 $\mu g$ with norethisterone 1 mg and 7 inert tab - Up to				
	84 tab available on a PSO	6.62	84	~	Brevinor 1/28
*	Tab 35 μg with norethisterone 500 μg – Up to 63 tab available				<b>-</b>
	on a PSO	6.62	63	•	Brevinor 21
*	Tab 35 μg with norethisterone 500 μg and 7 inert tab — Up to	0.00	0.4		Manimin
	84 tab available on a PSO	6.62	84	•	Norimin
	RETHISTERONE WITH MESTRANOL				
*	Tab 1 mg with mestranol 50 μg and 7 inert tab		84		Naviand 4/00
	a) Higher subsidy of \$13.80 per 84 with Special Authority s	(13.80)	ooodii		Norinyl-1/28
	b) Up to 84 tab available on a PSO	ee SA0500 on the pr	eceun	ig page	
_	, · ·				
C	ombined Oral Contraceptives - Other				
ET	HINYLOESTRADIOL WITH LEVONORGESTREL				
*	Tab 20 μg with levonorgestrel 100 μg and 7 inert tab – Up to				
	84 tab available on a PSO	6.62	84		
		(16.50)			Loette
		(16.50)			Microgynon 20 ED

## **Progestogen-only Contraceptives**

#### **⇒**SA0500 Special Authority for Alternate Subsidy

**Initial application** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Either:
  - 1.1 Patient is on a Social Welfare benefit; or
  - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

continued...

## **GENITO-URINARY SYSTEM**

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

Fither:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon, Marvelon, Minulet and Femodene.

The additional subsidy will fund Mercilon, Marvelon, Minulet and Femodene up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

#### LEVONORGESTRE

a) Higher subsidy of \$13.80 per 84 with Special Authority see SA0500 on the preceding page

b) Up to 84 tab available on a PSO

#### MEDROXYPROGESTERONE ACETATE

★ Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a PSO .......7.15
1
✓ Depo-Provera

**NORETHISTERONE** 

\* Tab 350 μg − Up to 84 tab available on a PSO......7.15
84
✓ Noriday 28

# **Emergency Contraceptives**

#### LEVONORGESTREL

- a) Maximum of 2 tab per prescription
- b) Up to 5 tab available on a PSO

## **Antiandrogen Oral Contraceptives**

Prescribers may code prescriptions "contraceptive" (code "O") when used as indicated for contraception. The period of supply and prescription charge will be as per other contraceptives, as follows:

- \$3.00 prescription charge (patient co-payment) will apply.
- prescription may be written for up to six months supply.

Prescriptions coded in any other way are subject to the non contraceptive prescription charges, and the non-contraceptive period of supply. ie. Prescriptions may be written for up to three months supply.

#### CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL

★ Tab 2 mg with ethinyloestradiol 35 μg and 7 inert tabs .......4.91 84 ✓ Ginet 84 Estelle 35-ED

(Estelle 35-ED Tab 2 mg with ethinyloestradiol 35 µg and 7 inert tabs to be delisted 1 April 2010)

# Gynaecological Anti-infectives

## ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC ACID

applicator ......8.43 100 g OP (11.32) Aci-Jel

# **GENITO-URINARY SYSTEM**

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or osidised Generic Manufacturer
CLOTRIMAZOLE			
* Vaginal crm 1% with applicator(s)		35 g OP	✓ <u>Clomazol</u>
* Vaginal crm 2% with applicators	2.75	20 g OP	✓ <u>Clomazol</u>
MICONAZOLE NITRATE	0.75	40 00	
* Vaginal crm 2% with applicator	(3.70)	40 g OP	Micreme
NIVOTATINI	(3.70)		Micreme
NYSTATIN  Vaginal crm 100,000 u per 5 g with applicator(s)	4.71	75 g OP	✓ Nilstat
Myometrial and Vaginal Hormone Preparations			
ERGOMETRINE MALEATE			
Inj 500 μg per ml, 1 ml – Up to 5 inj available on a PSO	11.60	5	✓ Mayne
METHYLERGOMETRINE Inj 200 µg per ml, 1 ml – Up to 10 inj available on a PSO	9.28	10	✓ Hospira S29
OESTRIOL			
* Crm 1 mg per g with applicator	7.00	15 g OP	✓ Ovestin
* Pessaries 500 μg	7.25	15	✓ Ovestin
OXYTOCIN - Up to 5 inj available on a PSO			
Inj 5 iu per ml, 1 ml		5	Syntocinon Syntocinon
Inj 10 iu per ml, 1 ml Inj 5 iu with ergometrine maleate 500 µg per ml, 1 ml		5 5	✓ <u>Syntocinon</u> ✓ Syntometrine
7 0 101	10.12	J .	Syntometrine
Pregnancy Tests - hCG Urine			
PREGNANCY TESTS - HCG URINE			
a) Up to 200 test available on a PSO     b) Only on a PSO			
Cassette	19.00	25 test OP	✓ MDS Quick Card
	22.80	40 test OP	✓ Innovacon hCG One Step Pregnancy Test

# **Urinary Agents**

For urinary tract Infections refer to INFECTIONS, Antibacterials, page 96

# 5-Alpha Reductase Inhibitors

FINASTERIDE - Special Authority see SA0928 below - Retail pharmacy
Tab 5 mg ......19.20 30 ✓ Fintral

### ■ SA0928 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 Either:
  - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
  - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Note: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride.

Hemastix

Albustix

	Subsidy (Manufacturer's F \$	Price) Sub: Per	Fully Brand or sidised Generic  Manufacturer
Other Urinary Agents			
OXYBUTYNIN  * Tab 5 mg  * Oral liq 5 mg per 5 ml		500 473 ml OP	✓ <u>Apo-Oxybutynin</u> ✓ <u>Apo-Oxybutynin</u>
SODIUM CITRO-TARTRATE  * Grans eff 4 g sachets	2.75	28	✓ <u>Ural</u>
SOLIFENACIN SUCCINATE – Special Authority see SA0998 belong the Same Same Same Same Same Same Same Sam	56.50	macy 30 30	✓ Vesicare ✓ Vesicare
Special Authority for Subsidy Initial application from any relevant practitioner. Approvals vali overactive bladder and a documented intolerance of oxybutynin.		er renewal unles	ss notified where the patient has
Detection of Substances in Urine			
ORTHO-TOLIDINE  * Compound diagnostic sticks	7.50	50 test OP	

(8.25)

(13.92)

100 test OP

**TETRABROMOPHENOL** 

\* Blue diagnostic strips ......7.02

Subsidy

Fully

Brand or

Generic

(Manufacturer's Price) Subsidised Per Manufacturer \$ **Anabolic Agents** NANDROLONE DECANOATE - Retail pharmacy-Specialist Inj 50 mg per ml, 1 ml ......21.15 1 ✓ Deca-Durabolin Orgaject Corticosteroids and Related Agents for Systemic Use BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHASONE ACETATE Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1ml ......19.20 5 Celestone Chronodose DEXAMETHASONE 100 Douglas Up to 30 tab available on a PSO 100 Douglas Up to 30 tab available on a PSO Oral liq 1 mg per ml - Retail pharmacy-Specialist ......39.90 25 ml OP ✓ Biomed Oral lig prescriptions: 1) Must be written by a Paediatrician or Paediatric Cardiologist; or 2) On the recommendation of a Paediatrician or Paediatric Cardiologist. DEXAMETHASONE SODIUM PHOSPHATE Inj 4 mg per ml, 1 ml – Up to 5 inj available on a PSO ......21.50 5 ✓ Mayne Inj 4 mg per ml, 2 ml - Up to 5 inj available on a PSO ......31.00 5 ✓ Mayne FLUDROCORTISONE ACETATE \* Tab 100 μg ......7.62 100 ✔ Florinef HYDROCORTISONE 100 ✓ Douglas ✓ Douglas 100 ✓ Solu-Cortef 1 a) Up to 5 inj available on a PSO b) Only on a PSO METHYLPREDNISOLONE - Retail pharmacy-Specialist Tab 4 mg .......48.57 100 Medrol Tab 100 mg .......166.52 20 Medrol METHYLPREDNISOLONE ACETATE 1 ✓ Depo-Medrol METHYLPREDNISOLONE ACETATE WITH LIGNOCAINE Inj 40 mg per ml with lignocaine 1 ml ......6.03 1 ✓ Depo-Medrol with lidocaine METHYLPREDNISOLONE SODIUM SUCCINATE - Retail pharmacy-Specialist 25 ✓ Solu-Medrol Inj 62.5 mg per ml, 2 ml .......412.59 25 ✓ Solu-Medrol 1 ✓ Solu-Medrol Inj 1 g .......42.57 ' Solu-Medrol PREDNISOLONE SODIUM PHOSPHATE Oral lig 5 mg per ml - Up to 30 ml available on a PSO ......9.95 30 ml OP Redipred Restricted to children under 12 years of age.

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	I Generic
PREDNISONE				
* Tab 1 mg	10.68	500	V	Apo-Prednisone
* Tab 2.5 mg	12.09	500	V	Apo-Prednisone
* Tab 5 mg - Up to 30 tab available on a PSO		500	-	Apo-Prednisone
* Tab 20 mg	29.03	500	<i>\(\begin{align*} \left\)</i>	Apo-Prednisone
TETRACOSACTRIN				
* Inj 250 μg	177.18	10		Synacthen
* Inj 1 mg per ml, 1 ml	26.88	1	V	Synacthen Depot
TRIAMCINOLONE ACETONIDE				
Inj 10 mg per ml, 1 ml	11.11	5	<b>/</b>	Kenacort-A
Inj 40 mg per ml, 1 ml	28.09	5	<b>/</b>	Kenacort-A40
Sex Hormones Non Contraceptive				
Androgen Agonists and Antagonists				
CYPROTERONE ACETATE - Hospital pharmacy [HP3]-Specialis	t			
Tab 50 mg	21.10	50	~	<u>Siterone</u>
Tab 100 mg	41.50	50	~	Siterone
TESTOSTERONE				
Transdermal patch, 2.5 mg per day	80.00	60	V	Androderm
TESTOSTERONE CYPIONATE – Retail pharmacy-Specialist				
Inj long-acting 100 mg per ml, 10 ml	61 41	1	~	Depo-Testosterone
, , ,			•	DOPO TOOLOGICATIO
TESTOSTERONE ESTERS – Retail pharmacy-Specialist	12.00	1		Sustanon Ampoules
Inj 250 mg per ml, 1 ml		1		Sustanion Ampoules
TESTOSTERONE UNDECANOATE – Retail pharmacy-Specialis				
Cap 40 mg	60.71	60		Andriol Testocaps
			~	Panteston

# Hormone Replacement Therapy - Systemic

## **⇒**SA0312 Special Authority for Alternate Subsidy

**Initial application** only from an obstetrician, gynaecologist, general practitioner or general physician. Approvals valid for 5 years for applications meeting the following criteria:

## Any of the following:

- 1 acute or significant liver disease where oral oestrogens are contraindicated as determined by a gastroenterologist or general physician. The applicant must keep written confirmation from such a specialist with the patient's record; or
- 2 oestrogen induced hypertension requiring antihypertensive therapy documented evidence must be kept on file that raised blood pressure levels or inability to control blood pressure adequately occurred post oral oestrogens; or
- 3 hypertriglyceridaemia documented evidence must be kept on file that triglyceride levels increased to at least 2 × normal triglyceride levels post oral oestrogens.

Note: Prescriptions with a valid Special Authority (CHEM) number will be reimbursed at the level of the lowest priced TDDS product within the specified dose group.

**Renewal** only from an obstetrician, gynaecologist, general practitioner or general physician. Approvals valid for 5 years where the treatment remains appropriate and the patient is benefiting from treatment.

#### Prescribina Guideline

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

Subsidy

Fully

Brand or

		(Manufacturer's Pr	rice) Sub	sidised Generic
		\$	Per	✓ Manufacturer
0	estrogens			
OE	STRADIOL - See prescribing guideline on the preceding page	Э		
*	Tab 1 mg	4.12	28 OP	
		(10.55)		Estrofem
*	Tab 2 mg		28 OP	
	TDD0 or	(10.55)	•	Estrofem
*	TDDS 25 µg per day		8	Fatradarm TTC 05
	a) Higher subsidy of \$10.86 per 8 with Special Authority se	(10.86)	proceding pa	Estraderm TTS 25
	b) No more than 2 patch per week	e SAUSTZ UIT IITE	preceding pa	ye
	c) Only on a prescription			
*	TDDS 3.9 mg (releases 50 µg of oestradiol per day)	4.12	4	
		(14.50)		Climara 50
		(32.50)		Femtran 50
	a) Higher subsidy of \$13.18 per 4 with Special Authority se	ee SA0312 on the	preceding pa	ge
	b) No more than 1 patch per week			
*	c) Only on a prescription TDDS 50 µg per day	4.10	8	
*	TDD3 30 µg per day	(13.18)	O	Estraderm TTS 50
	a) Higher subsidy of \$13.18 per 8 with Special Authority se	, ,	nreceding na	
	b) No more than 2 patch per week	00 07 100 12 011 1110	proceding pa	90
	c) Only on a prescription			
*	TDDS 7.8 mg (releases 100 µg of oestradiol per day)	7.05	4	
		(17.75)		Climara 100
		(35.00)		Femtran 100
	a) Higher subsidy of \$16.14 per 4 with Special Authority se	ee SA0312 on the	preceding pa	ge
	<ul><li>b) No more than 1 patch per week</li><li>c) Only on a prescription</li></ul>			
*	TDDS 100 µg per day	7.05	8	
•	.220 :00 pg po: 00,	(16.14)	ŭ	Estraderm TTS 100
	a) Higher subsidy of \$16.14 per 8 with Special Authority se	ee SA0312 on the	preceding pa	ge
	b) No more than 2 patch per week			•
	c) Only on a prescription			
OE	STRADIOL VALERATE - See prescribing guideline on the pre	eceding page		
*	Tab 1 mg		56	✓ Progynova
*	Tab 2 mg	8.24	56	✓ Progynova
OE	STROGENS - See prescribing guideline on the preceding page	-		
*	Conjugated, equine tab 300 µg		28	
N/e	Conjugated anning tab COT up	(11.48)	00	Premarin
*	Conjugated, equine tab 625 μg	(11.48)	28	Premarin
		(11.40)		Fiemann
P	rogestogens			
ME	DROXYPROGESTERONE ACETATE - See prescribing guide	line on the prece	ding page	
*	Tab 2.5 mg		30	✓ Provera
*	Tab 5 mg		100	✓ Provera
	Tab 10 mg		30	✓ Provera
				<del></del>

	Subsidy (Manufacturer's Pr \$	rice) Sul Per	Fully Brand or bsidised Generic  Manufacturer
Progestogen and Oestrogen Combined Prepara	tions		
OESTRADIOL WITH NORETHISTERONE – See prescribing gui  * Tab 1 mg with 0.5 mg norethisterone acetate	1 0	7 28 OP	Kliovance
* Tab 2 mg with 1 mg norethisterone acetate	5.40 (14.52)	28 OP	Kliogest
* Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg oestradiol tab (12) and 1 mg oestradiol tab (6)		28 OP	Trisequens
OESTROGENS WITH MEDROXYPROGESTERONE – See pres * Tab 625 µg conjugated equine with 2.5 mg medroxyproges-	0 0	on page 77	
terone acetate tab (28)	5.40 (22.96)	28 OP	Premia 2.5 Continuous
* Tab 625 µg conjugated equine with 5 mg medroxyprogesterone acetate tab (28)		28 OP	Premia 5 Continuous
Other Oestrogen Preparations			
ETHINYLOESTRADIOL  * Tab 10 μg	17.60	100	✓ NZ Medical and Scientific
OESTRIOL	7.00	30	✓ Ovestin
Other Progestogen Preparations			
DYDROGESTERONE Tab 10 mg	27.50 (29.90)	50	Duphaston
LEVONORGESTREL  * Levonorgestrel - releasing intrauterine system 20µg/24 hr - Special Authority see SA0782 below - Retail pharmacy		1	✓ Mirena

# ⇒SA0782 Special Authority for Subsidy

Initial application — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- 3 Either:
  - 3.1 serum ferritin level < 16 µg/l (within the last 12 months); or
  - 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Initial application — (Previous use before 1 October 2002) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

#### continued...

- 1 The patient had a clinical diagnosis of heavy menstrual bleeding; and
- 2 Patient demonstrated clinical improvement of heavy menstrual bleeding; and
- 3 Applicant to state date of the previous insertion.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

#### Both:

- 1 Either:
  - 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
  - 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

### MEDROXYPROGESTERONE ACETATE

*	Tab 100 mg - Retail pharmacy-Specialist	96.50	100	✔ Provera
*	Tab 200 mg - Retail pharmacy-Specialist	70.50	30	✓ Provera
NC	PRETHISTERONE			
*	Tab 5 mg - Up to 30 tab available on a PSO	25.00	100	Primolut N

3 -1			
Thyroid and Antithyroid Agents			
CARBIMAZOLE			
* Tab 5 mg	10.80	100	✓ Neo-Mercazole
LEVOTHYROXINE			
* Tab 50 μg	1.71	28	✓ Goldshield
	45.00	1,000	✓ Synthroid
	64.28		✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral liqu	id preparations.		
* Tab 100 μg	1.78	28	✓ Goldshield
	46.75	1,000	✓ Synthroid
	66.78		✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral liqu	iid preparations.		
* Tab 25 µg ‡ Safety cap for extemporaneously compounded oral liqu		1,000	✓ Synthroid

## **Trophic Hormones**

### **Growth Hormones**

## **⇒**SA0755 Special Authority for Subsidy

Special Authority approved by the Growth Hormone Committee

Notes: Subject to budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

NZGHC Coordinator

PHARMAC, PO Box 10-254, WELLINGTON

Tel: 0800 808 476, Fax: (09) 929 3221, Email: growthhormone@pharmac.govt.nz

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
SOMATROPIN - Special Authority see SA0755 on the preceding	page			
* Inj 5 mg	300.00	1	<b>✓</b> N	lorditropin SimpleXx 5mg
* Inj 10 mg	600.00	1	<b>✓</b> N	lorditropin SimpleXx 10mg
* Inj 15 mg	900.00	1	<b>✓</b> N	lorditropin SimpleXx 15mg
* Inj cartridge 16 iu per vial	249.60	1	<b>V</b> 0	Genotropin
* Inj cartridge 36 iu per vial		1	<b>✓</b> G	Genotropin
GnRH Analogues				

## ■SA0835 Special Authority for Subsidy

**Initial application — (Breast cancer)** from any medical practitioner. Approvals valid for 1 year where the patient is a premenopausal woman with breast cancer.

Initial application — (Prostate cancer) only from an oncologist, urologist or endocrinologist. Approvals valid for 1 year where the patient has advanced prostatic cancer.

Note: Not to be prescribed with an anti-androgen except for a period of three weeks, if necessary, when GnRH analogue therapy is intiated.

Initial application — (Endometriosis) only from a gynaecologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Endometriosis: and
- 2 Either:
  - 2.1 6 months treatment with medroxyprogesterone acetate, danazol or dimetriose has proven ineffective; or
  - 2.2 The patient has failed to tolerate the treatment with medroxyprogesterone acetate, danazol or dimetriose for 6 months.
- Note: The maximum treatment period for a GnRH analogue is:

   3 months to assess whether surgery is appropriate
  - 3 months for infertile patients after surgery
  - 6 months for patients with symptoms of endometriosis After the first 3 months patients should be assessed to determine whether there has been a satisfactory response to the first 3 months treatment.

Initial application — (Precocious puberty) only from a paediatrician or endocrinologist. Approvals valid for 1 year where the patient is affected by gonadotropin dependent precocious puberty.

Renewal — (Breast or prostate cancer) from any medical practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

Renewal — (Endometriosis) from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 There has been a satisfactory response to the first 3 months treatment; and
  - 1.2 Surgery is inappropriate; or
- 2 The first three months of therapy did not follow surgery for infertility.

Subsidy (Manufacturer's Price)	Fu Subsidis	illy	Brand or Generic
\$	Per	~	Manufacturer

continued...

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

**Renewal** — (**Precocious puberty**) only from a paediatrician or endocrinologist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

GOSERELIN ACETATE - Hospital pharmacy [HP3]			
Inj 3.6 mg	200.00	1	✓ Zoladex
Inj 10.8 mg	500.00	1	✓ Zoladex
LEUPRORELIN - Hospital pharmacy [HP3]			
Inj 3.75 mg prefilled syringe	221.60	1	✓ Lucrin Depot PDS
Inj 3.75 mg	221.60	1	✓ Lucrin Depot
Inj 7.5 mg	166.20	1	✓ Eligard
Inj 11.25 mg prefilled syringe	591.68	1	✓ Lucrin Depot PDS
Inj 11.25 mg	591.68	1	✓ Lucrin Depot
Inj 22.5 mg	443.76	1	✓ Eligard
Inj 30 mg		1	✓ Eligard
Inj 30 mg prefilled syringe	1,109.40	1	✓ Lucrin Depot PDS
Inj 45 mg	832.05	1	✓ Eligard

# Vasopressin Agonists

DESM		RESSIN
DEGIN	IOFF	1LOOIIV

Nasal drops 100 µg per ml — Retail pharmacy-Specialist39.03 Nasal spray 10 µg per dose — Retail pharmacy-Specialist29.94	2.5 ml OP 6 ml OP	✓ Minirin ✓ <u>Desmopressin-</u> PH&T
Inj 4 μg per ml, 1 ml – Special Authority see SA0090 below –	40	. A Miladala
Hospital pharmacy [HP3]67.18	10	Minirin

# **⇒**SA0090 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

# Other Endocrine Agents

#### **CABERGOLINE**

Tab 0.5 mg - Maximum of 2 tab per prescription; can be		
waived by Special Authority see SA0175 below66.00	8	Dostinex
26.26	2	✓ Arrow-Cabergoline
105.03	8	✓ Arrow-Cabergoline

### **⇒**SA0175 Special Authority for Waiver of Rule

Initial application only from an obstetrician, endocrinologist or gynaecologist. Approvals valid for 2 years where the patient has pathological hyperprolactinemia.

Renewal only from an obstetrician, endocrinologist or gynaecologist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

CLOMIPHENE CITRATE - Retail pharmacy-Specialist		
Only a prescription for a female patient.		
Tab 50 mg2.50	5	Phenate

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	
DANAZOL - Retail pharmacy-Specialist				
Cap 100 mg	68.33	100	<b>V</b>	Azol
Cap 200 mg	29.35	30	~	D-Zol
GESTRINONE – Retail pharmacy-Specialist Cap 2.5 mg	101.87	8 OP	<b>~</b>	Dimetriose
METYRAPONE  Cap 250 mg – Hospital pharmacy [HP3]-Specialist	238.00	50	<b>~</b>	Metopirone

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

# **Anthelmintics**

===: t=: t=============================			
Tab 100 mg	17.28	24	✓ De-Worm
Oral liq 100 mg per 5 ml	2.18	15 ml	
	(7 17)		Vermov

# **Antibacterials**

- a) For topical antibacterials, refer to DERMATOLOGICALS, page 59
- b) For anti-infective eye preparations, refer to SENSORY ORGANS, page 158

# Cephalosporins and Cephamycins

CEFACLOR MONOHYDRATE			
Cap 250 mg	28.90	100	Ranbaxy-Cefaclor
Grans for oral liq 125 mg per 5 ml	3.92	100 ml	Ranbaxy-Cefaclor
CEFAZOLIN SODIUM – Hospital pharmacy [HP3] – Subsidy by end Only if prescribed for dialysis or cystic fibrosis patient and the pr		ndorsed acco	ordingly.
Inj 500 mg		5	✓ Hospira
Inj 1 g	8.00	5	✓ Hospira
CEFOXITIN SODIUM – Hospital pharmacy [HP3]-Specialist – Subs Only if prescribed for dialysis or cystic fibrosis patient and the pr Inj 1 g	escription is e		ordingly.   Mayne
CEFTRIAXONE SODIUM – Hospital pharmacy [HP3] – Subsidy by a) Up to 5 inj available on a PSO b) Subsidised only if prescribed for a dialysis or cystic fibrosis gonorrhoea, or the treatment of suspected meningitis in patients PSO is endorsed accordingly.	patient, or th		•
Inj 500 mg	3.99	1	✓ AFT
lnj 1 g		1	✓ AFT
CEFUROXIME AXETIL – Subsidy by endorsement Only if prescribed for prophylaxis of endocarditis and the prescri Tab 250 mg		sed accordino	gly. <b>✓ Zinnat</b>
CEFUROXIME SODIUM - Hospital pharmacy [HP3]			
Inj 250 mg – Maximum of 3 inj per prescription; can be waived			
by endorsement	20.97	10	✓ Mayne
Ini 750 mg – Maximum of 1 ini per prescription; can be waived			-

by endorsement	20.97	10	✓ wayne
Inj 750 mg - Maximum of 1 inj per prescription; can be waived			
by endorsement	10.71	5	Zinacef
Inj 1.5 g - Hospital pharmacy [HP3]-Specialist - Subsidy by			

endorsement......4.04 ✓ Zinacef Only if prescribed for a dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.

CEPHALEXIN MONOHYDRATE - Hospital pharmacy [HP3]

Grans for oral liq 125 mg per 5 ml	8.50	100 ml	Cefalexin Sandoz
Grans for oral liq 250 mg per 5 ml	11.50	100 ml	✓ Cefalexin Sandoz

### **Macrolides**

AZITHROMYCIN - Subsidy by endorsement; can be waived by Special Authority see SA0964 below

- a) Maximum of 2 tab per prescription; can be waived by Special Authority see SA0964 below
- b) Up to 4 tab available on a PSO
- c) Subsidised only if prescribed for patients with uncomplicated urethritis or cervicitis proven or presumed to be due to chlamydia trachomatis and their sexual contacts and prescription or PSO is endorsed accordingly; can be waived by Special Authority see SA0964.

## ⇒SA0964 Special Authority for Waiver of Rule

**Initial application** only from a respiratory specialist or paediatrician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The applicant is part of multidisciplinary team experienced in the management of cystic fibrosis; and
- 2 The patient has been definitively diagnosed with cystic fibrosis\*; and
- 3 The patient has chronic infection with Pseudomonas aeruginosa or Pseudomonas related gram negative organisms as defined by two positive respiratory tract cultures at least three months apart\*; and
- 4 The patient has negative cultures for non-tuberculous mycobacteria.

Notes: Caution is advised if using azithromycin as an antibiotic in the treatment of cystic fibrosis patients with pneumonia.

Testing for non-tuberculosis mycobacteria should occur annually.

Indications marked with \* are Unapproved Indications (refer to Section A: General Rules, Part I (Interpretations and Definitions) and Part IV (Miscellaneous Provisions) rule 4.6).

CLARITHROMYCIN - Maximum of 500 mg per prescription; can be waived by Special Authority see SA0988 below

Tab 250 mg	7.75	14	Klamycin
Grans for oral lig 125 mg per 5 ml	23.12	70 ml	✓ Klacid

## **⇒**SA0988 Special Authority for Waiver of Rule

Initial application — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years for applications meeting the following criteria:

#### Any of the following:

1 Mycobacterium Avium Intracellulare Complex infections in patient with AIDS; or

- 2 Atypical and drug-resistant mycobacterial infection; or
- 3 All of the following:
  - 3.1 Prophylaxis against disseminated Mycobacterium Avium Intracellulare Complex infection; and
  - 3.2 HIV infection: and
  - 3.3 CD4 count  $\leq$  50 cells/mm<sup>3</sup>.

**Renewal** — **(Mycobacterial infections)** only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

## ERYTHROMYCIN ETHYL SUCCINATE

Grans for oral lig 200 mg per 5 ml - Up to 200 ml available			
on a PSO	4.35	100 ml	✓ E-Mycin
Grans for oral liq 400 mg per 5 ml - Up to 200 ml available			4=
on a PSO	5.85	100 ml	✓ <u>E-Mycin</u>
ERYTHROMYCIN LACTOBIONATE			
Inj 1 g	10.93	1	Erythrocin IV

100

✓ E-Mycin

	Subsidy	:>	Fully	Brand or Generic
	(Manufacturer's Pr \$	Per	Subsidised	Manufacturer
ERYTHROMYCIN STEARATE				
Tab 250 mg – Up to 30 tab available on a PSO	14.95	100		
Tab 200 mg op to 00 tab available on a 1 00	(22.29)	100	EF	RA
Tab 500 mg	, ,	100		
	(44.58)		EF	RA
ROXITHROMYCIN				
Tab 150 mg	8.98	50	✓ Ar	row-
				Roxithromycin
Tab 300 mg	16.48	50	✓ Ar	
Penicillins				
AMOXYCILLIN				
Cap 250 mg - Up to 30 cap available on a PSO	17.30	500	✓ Ar	oo-Amoxi
Cap 500 mg		500		oo-Amoxi
Grans for oral lig 125 mg per 5 ml - Up to 200 ml available			_	
on a PSO		100 ml	<b>✓</b> Ra	anbaxy Amoxicillin
	1.55			spamox
Grans for oral lig 250 mg per 5 ml - Up to 200 ml available				•
on a PSO		100 ml	<b>✓</b> 0s	spamox
	1.27		✓ Ra	anbaxy Amoxicillin
Drops 125 mg per 1.25 ml	4.00	30 ml Of		spamox Paediatric
,				Drops
Inj 250 mg	12.42	10	✓ Ibi	iamox
Inj 500 mg	14.24	10	✓ Ibi	<u>iamox</u>
Inj 1 g - Up to 5 inj available on a PSO		10	✓ <u>Ibi</u>	<u>amox</u>
(Ranbaxy Amoxicillin Grans for oral liq 125 mg per 5 ml to be delis (Ranbaxy Amoxicillin Grans for oral liq 250 mg per 5 ml to be delis		2010)		
AMOXYCILLIN CLAVULANATE				
Tab amoxycillin 500 mg with potassium clavulanate 125 mg				
- Up to 30 tab available on a PSO		100	V Sy	nermox
Grans for oral liq amoxycillin 125 mg with potassium clavu-				
lanate 31.25 mg per 5 ml - Up to 200 ml available on a				
PSO	2.20	100 ml	<b>✓</b> Cı	ıram
	(2.75)		Αu	igmentin
Grans for oral liq amoxycillin 250 mg with potassium clavu-				
lanate 62.5 mg per 5 ml - Up to 200 ml available on a				
PSO	3.85	100 ml	<b>✓</b> Cı	ıram
	(4.75)		Αu	igmentin
(Augmentin Grans for oral liq amoxycillin 125 mg with potassium of (Augmentin Grans for oral liq amoxycillin 250 mg with potassium of (Augmentin Grans for oral liq amoxycillin 250 mg with potassium of (Augmentin Grans for oral liq amoxycillin 250 mg with potassium of (Augmentin Grans for oral liq amoxycillin 250 mg with potassium of (Augmentin Grans for oral liq amoxycillin 125 mg with potassium of (Augmentin Grans for oral liq amoxycillin 125 mg with potassium of (Augmentin Grans for oral liq amoxycillin 125 mg with potassium of (Augmentin Grans for oral liq amoxycillin 125 mg with potassium of (Augmentin Grans for oral liq amoxycillin 125 mg with potassium of (Augmentin Grans for oral liq amoxycillin 125 mg with potassium of (Augmentin Grans for oral liq amoxycillin 125 mg with potassium of (Augmentin Grans for oral liq amoxycillin 125 mg with potassium of (Augmentin Grans for oral liq amoxycillin 125 mg with potassium of (Augmentin Grans for oral liq amoxycillin 125 mg with potassium of (Augmentin Grans for oral liq amoxycillin 125 mg with potassium of (Augmentin Grans for oral liq amoxycillin 125 mg with potassium oral li		0,		' '
BENZATHINE BENZYLPENICILLIN				
Inj 1.2 mega u per 2.3 ml – Up to 5 inj available on a PSO	315.00	10	<b>✓</b> Bi	cillin LA
BENZYLPENICILLIN SODIUM (PENICILLIN G) Inj 1 mega u – Up to 5 inj available on a PSO	10.40	10	<b>✓</b> Sa	ndoz
ing i mega u – op to o ing avallable on a roo	10.43	10	₩ <u>38</u>	IIIUUL

20)	Fully Brand or Subsidised Generic
ce) Si Per	✓ Manufacturer
250	✓ Staphlex
200	✓ AFT
500	✓ Staphlex
000	✓ AFT
	·
100 ml	✓ AFT
100 1111	<u> </u>
100 ml	✓ AFT
100 1111	Flucloxin
10	✓ Flucioxin
10	✓ Flucloxin
10	TIGGIOXIII
	4.000 1 100
50	Cilicaine VK
50	✓ Cilicaine VK
100 ml	✓ <u>AFT</u>
100 ml	✓ <u>AFT</u>
5	✓ <u>Cilicaine</u>
J	V Cilicalite
30	
	Doxy-50
250	✓ Doxine
00	
60	Marital
400	Mino-tabs
100	
	Minomycin
30	✓ Rex Medical
30	✓ Rex Medical
30	
30	✓ Rex Medical
16	✓ Dalacin C
1	✓ Dalacin C
	1

	Subsidy (Manufacturer's Pri	ce) S	Fully Subsidised	I Generic
CO-TRIMOXAZOLE				
* Tab trimethoprim 80 mg and sulphamethoxazole 400 mg — Up to 30 tab available on a PSO		500	V.	Trisul
Yoral liq trimethoprim 40 mg and sulphamethoxazole 200 mg per 5 ml - Up to 200 ml available on a PSO		100 ml	<b>/</b>	Deprim
COLISTIN SULPHOMETHATE – Hospital pharmacy [HP3]-Speci Only if prescribed for dialysis or cystic fibrosis patient and the				
Inj 150 mg	65.00	1	<u> </u>	Colistin-Link
FUSIDIC ACID	04.50	10		Fraidia
Tab 250 mg - Hospital pharmacy [HP3]-SpecialistInj 500 mg sodium fusidate per 10 ml - Hospital pharmacy		12	<b>V</b>	Fucidin
[HP3]-Specialist – Subsidy by endorsement		1		
	(17.80)			Fucidin
Only if prescribed for a dialysis or cystic fibrosis patient and	d the prescription	is endorse	d accord	ingly.
GENTAMICIN SULPHATE Inj 10 mg per ml, 1 ml – Hospital pharmacy [HP3] – Subsidy				
by endorsement		5	<b>V</b>	Mayne
Only if prescribed for a dialysis or cystic fibrosis patient or		f endocard		
accordingly.				
Inj 40 mg per ml, 2 ml - Hospital pharmacy [HP3] - Subsidy by endorsement		10	~	Pfizer
Only if prescribed for a dialysis or cystic fibrosis patient or accordingly.				
TOBRAMYCIN				
Inj 40 mg per ml, 2 ml - Hospital pharmacy [HP3] - Subsidy		_		
by endorsement		5 andorsad		Mayne glv
TRIMETHOPRIM	ine prescription is	Chaorsca	according	gıy.
* Tab 300 mg - Up to 30 tab available on a PSO	8.69	50	1	TMP_
VANCOMYCIN HYDROCHLORIDE - Hospital pharmacy [HP3] -	Subsidy by endo	rsement		
Only if prescribed for a dialysis or cystic fibrosis patient or in endocarditis and the prescription is endorsed accordingly.	the treatment of p	seudomer	mbranous	s colitis or for prophylaxis of
Inj 50 mg per ml, 10 ml	5.04	1	<b>/</b>	Pacific Pacific
Antifungals				
a) For topical antifungals refer to DERMATOLOGICALS, page 60				
b) For topical antifungals refer to GENITO URINARY, page 73				
FLUCONAZOLE - Hospital pharmacy [HP3]-Specialist				
Cap 50 mg		28	-	Pacific
Cap 150 mg		1 28		<u>Pacific</u> Pacific
	19.05	20	<u> </u>	racilic
ITRACONAZOLE – Hospital pharmacy [HP3]-Specialist Cap 100 mg	23.70	15	V	Sporanox
KETOCONAZOLE				<del></del>
Tab 200 mg - Retail pharmacy-Specialist	38.12	30	<b>/</b>	Nizoral
NYSTATIN				
Tab 500,000 u		50		Nilstat S29
Cap 500,000 u	11.64	50	<b>V</b>	<u>Nilstat</u>

	Subsidy		Fully Brand or
	(Manufacturer's P		bsidised Generic
	\$	Per	✓ Manufacturer
ERBINAFINE			
Tab 250 mg	25.50	100	Apo-Terbinafine
Antimalarials			
IYDROXYCHLOROQUINE SULPHATE			
€ Tab 200 mg	22.50	100	✓ Plaquenil
Antitrichomonal Agents			
METPONIDAZOLE			
METRONIDAZOLE	0.50	100	✓ Trichozole
Tab 200 mg - Up to 30 tab available on a PSO  Tab 400 mg		100	✓ Trichozole
Oral lig benzoate 200 mg per 5 ml		100 ml	✓ Flagyl-S
Suppos 500 mg		100 1111	✓ Flagyl
11	24.40	10	<b>▼</b> Tiagyi
RNIDAZOLE Tab 500 mg	10.00	10	✓ Tiberal
,	12.30	10	V Tiberai
Antituberculotics and Antileprotics			
lote: There is no co-payment charge for all pharmaceuticals I	isted in the Antitub	erculotics an	d Antileprotics group regardle
nmigration status.			- · · · · · · · · · · · · · · · · · · ·
APSONE - No patient co-payment payable			
Tah 25 mg	95.00	100	✓ Dansone
Tab 25 mg Tab 100 mg		100 100	<ul><li>✓ Dapsone</li><li>✓ Dapsone</li></ul>
Tab 100 mg	110.00		<ul><li>✓ Dapsone</li><li>✓ Dapsone</li></ul>
Tab 100 mgTab 100 mg Pab 100 mg	110.00 payable	100	✓ Dapsone
Tab 100 mg THAMBUTOL HYDROCHLORIDE – No patient co-payment p Tab 100 mg	110.00 payable 57.81	100 56	✓ Dapsone ✓ Myambutol \$29
Tab 100 mg THAMBUTOL HYDROCHLORIDE – No patient co-payment p Tab 100 mg Tab 400 mg	110.00 payable 57.81	100	✓ Dapsone
Tab 100 mg  THAMBUTOL HYDROCHLORIDE – No patient co-payment p Tab 100 mg  Tab 400 mg  ONIAZID – Retail pharmacy-Specialist	110.00 payable 57.81	100 56	✓ Dapsone ✓ Myambutol \$29
Tab 100 mg  THAMBUTOL HYDROCHLORIDE – No patient co-payment p Tab 100 mg  Tab 400 mg  ONIAZID – Retail pharmacy-Specialist No patient co-payment payable	110.00 Payable57.81 56.84	100 56 56	✓ Dapsone  ✓ Myambutol \$29  ✓ Myambutol \$29
Tab 100 mg	110.00 hayable57.81 56.84	100 56 56 56	✓ Dapsone  ✓ Myambutol \$29  ✓ Myambutol \$29  ✓ PSM
Tab 100 mg		100 56 56 56	✓ Dapsone  ✓ Myambutol \$29  ✓ Myambutol \$29  ✓ PSM ✓ Rifinah
Tab 100 mg  THAMBUTOL HYDROCHLORIDE – No patient co-payment p Tab 100 mg  Tab 400 mg  ONIAZID – Retail pharmacy-Specialist  No patient co-payment payable Tab 100 mg  Tab 100 mg with rifampicin 150 mg		100 56 56 56	✓ Dapsone  ✓ Myambutol \$29  ✓ Myambutol \$29  ✓ PSM
Tab 100 mg		100 56 56 56	✓ Dapsone  ✓ Myambutol \$29  ✓ Myambutol \$29  ✓ PSM ✓ Rifinah
Tab 100 mg		100 56 56 100 100 100	✓ Dapsone  ✓ Myambutol \$29  ✓ Myambutol \$29  ✓ PSM ✓ Rifinah ✓ Rifinah
Tab 100 mg		100 56 56 56	✓ Dapsone  ✓ Myambutol \$29  ✓ Myambutol \$29  ✓ PSM ✓ Rifinah
Tab 100 mg		100 56 56 100 100 100	✓ Dapsone  ✓ Myambutol \$29  ✓ Myambutol \$29  ✓ PSM ✓ Rifinah ✓ Rifinah
Tab 100 mg		100 56 56 100 100 100	✓ Dapsone  ✓ Myambutol \$29  ✓ Myambutol \$29  ✓ PSM ✓ Rifinah ✓ Rifinah
Tab 100 mg		100 56 56 100 100 100	✓ Dapsone  ✓ Myambutol \$29  ✓ Myambutol \$29  ✓ PSM ✓ Rifinah ✓ Rifinah
Tab 100 mg		100 56 56 100 100 100	✓ Dapsone  ✓ Myambutol \$29  ✓ Myambutol \$29  ✓ PSM ✓ Rifinah ✓ Rifinah ✓ AFT-Pyrazinamide
Tab 100 mg		100 56 56 100 100 100	✓ Dapsone  ✓ Myambutol \$29  ✓ Myambutol \$29  ✓ PSM ✓ Rifinah ✓ Rifinah ✓ AFT-Pyrazinamide
Tab 100 mg		100 56 56 100 100 100 100	✓ Dapsone  ✓ Myambutol \$29  ✓ Myambutol \$29  ✓ PSM ✓ Rifinah ✓ Rifinah ✓ AFT-Pyrazinamide
Tab 100 mg  THAMBUTOL HYDROCHLORIDE — No patient co-payment processed to the payment processed t		100 56 56 100 100 100	✓ Dapsone  ✓ Myambutol \$29  ✓ Myambutol \$29  ✓ PSM ✓ Rifinah ✓ Rifinah ✓ AFT-Pyrazinamide  ✓ Mycobutin
Tab 100 mg		100 56 56 100 100 100 100 30	✓ Dapsone  ✓ Myambutol \$29  ✓ Myambutol \$29  ✓ PSM ✓ Rifinah ✓ Rifinah ✓ AFT-Pyrazinamide  ✓ Mycobutin ✓ Rifadin

89

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

## **Antivirals**

For eve preparations refer to Eve Preparations, Anti-Infective Preparations, page 158

# **Hepatitis B Treatment**

ADEFOVIR DIPIVOXIL - Special Authority see SA0829 below - Retail pharmacy

Tab 10 mg ......670.00

### ⇒SA0829 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT (> 1 × ULN); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Either:
  - 5.1 Both:
    - 5.1.1 Patient is cirrhotic; and
    - 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or
  - 5.2 Both:
    - 5.2.1 Patient is not cirrhotic: and
    - 5.2.2 adefovir dipivoxil to be used as monotherapy.

**Renewal** only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as:

- i) raised serum ALT (> 1  $\times$  ULN); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- iii) Detection of N236T or A181T/V mutation.

Adefovir dipivoxil should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines.

Adefovir dipivoxil should be avoided in pregnant women and children.

ENTECAVIR - Special Authority see SA0977 below - Retail pharmacy

Tab 0.5 mg .......400.00

30 Saraclude

### ► SA0977 | Special Authority for Subsidy

**Initial application** only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naive; and
- 3 Entecavir dose 0.5 mg/day; and
- 4 Either:
  - 4.1 ALT greater than upper limit of normal; or
  - 4.2 Bridging fibrosis or cirrhosis (Metavir stage 3 or greater) on liver histology; and
- 5 Either:

Subsidy (Manufacturer's Price) Per \$

Fully Subsidised

Brand or Generic Manufacturer

continued...

- 5.1 HBeAg positive; or
- 5.2 patient has ≥ 2,000 IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV. HIV or HDV: and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

#### Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE	- Special	Authority se	e SA0832 belo	ow - Retail pharmacy
------------	-----------	--------------	---------------	----------------------

Tab 100mg .......143.00 Zeffix Oral lig 5 mg per ml ......90.00 ✓ Zeffix 240 ml

## ■ SA0832 Special Authority for Subsidy

Initial application only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Any of the following:
  - 1.1 All of the following:
    - 1.1.1 HBsAg positive for more than 6 months; and
    - 1.1.2 HBeAg positive or HBV DNA positive defined as > 100,000 copies per ml by quantitative PCR at a reference laboratory: and
    - 1.1.3 ALT greater than twice upper limit of normal or bridging fibrosis or cirrhosis (Metavir stage 3 or 4 or equivalent) on liver histology clinical/radiological evidence of cirrhosis; or
  - 1.2 HBV DNA positive cirrhosis prior to liver transplantation; or
  - 1.3 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
  - 1.4 Hepatitis B surface antigen positive (HbsAg) patient who is receiving chemotherapy for a malignancy, or who has received such treatment within the previous two months; and
  - 2 All of the following:
    - 2.1 No continuing alcohol abuse or intravenous drug use: and
    - 2.2 Not coinfected with HCV or HDV: and
    - 2.3 Neither ALT nor AST greater than 10 times upper limit of normal; and
    - 2.4 No history of hypersensitivity to lamivudine; and
    - 2.5 No previous lamivudine therapy with genotypically proven lamivudine resistance.

Renewal only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

Renewal for patients who have maintained continuous treatment and response to lamivudine

- 1 All of the following:
  - 1.1 Have maintained continuous treatment with lamivudine: and
  - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
  - 1.3 HBV DNA <100,00 copies per ml by quantitative PCR at a reference laboratory; or

Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine

- 2 All of the following:
  - 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

continued...

2.2 Patient is cirrhotic: and

Documented resistance to lamivudine, defined as:

- 2.3 Patient has raised serum ALT (> 1 × ULN); and
- 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir: and
- 2.5 Detection of M204I or M204V mutation; or

Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

- 3 All of the following:
  - 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and Documented resistance to adefovir, defined as:
  - 3.2 Patient has raised serum ALT (> 1 × ULN); and
  - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
  - 3.4 Detection of N236T or A181T/V mutation.

## **Herpesvirus Treatments**

#### **ACICLOVIR**

<ul> <li>* Tab dispersible 200 mg</li> <li>* Tab dispersible 400 mg</li> <li>* Tab dispersible 800 mg</li> </ul>	6.64	25 56 35	<ul><li>✓ Lovir</li><li>✓ Lovir</li><li>✓ Lovir</li></ul>
VALACICLOVIR - Special Authority see SA0957 below - Retail p	oharmacy		
Tab 500 mg	102.72	30	✓ Valtrex

### ■SA0957 Special Authority for Subsidy

Initial application — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the patient has genital herpes with 2 or more breakthrough episodes in any 6 month period while treated with aciclovir 400 mg twice daily.

Renewal — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

**Initial application — (ophthalmic zoster)** from any medical practitioner. Approvals valid without further renewal unless notified where the patient has previous history of ophthalmic zoster and the patient is at risk of vision impairment.

**Initial application — (CMV prophylaxis)** from any medical practitioner. Approvals valid for 3 months where the patient has undergone organ transplantation.

# **Hepatitis B/ HIV/AIDS Treatment**

TENOFOVIR DISOPROXIL FUMARATE – Subsidy by endorsement; can be waived by Special Authority see SA0997 on the next page

Endorsement for treatment of HIV/AIDS: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA0779 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

#### Note:

- Tenofovir disoproxil fumarate prescribed under endorsement for the treatment of HIV/AIDS is included in the count of up to 3 subsidised antiretrovirals for the purposes of Special Authority SA0779, page 93
- Subsidy for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or saquinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Tab 300 mg .......531.00 30 ✓ Viread

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

### ■ SA0997 Special Authority for Waiver of Rule

Initial application — (Drug-Resistant Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
- 3 All of the following:

Documented drug resistance, defined as both:

- 3.1 ALT greater than upper limit of normal; or ≥ Metavir Stage F3; and
- 3.2 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
- 4 Any of the following:
  - 4.1 Hepatitis B virus resistant to lamivudine with detection of M204I/V mutation; or
  - 4.2 Hepatitis B virus resistant to adefovir with detection of A181T/V or N236T mutation; or
  - 4.3 Hepatitis B virus resistant to entecavir with detection of I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation.

Renewal — (Drug-Resistant Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg
  positive prior to commencing Tenofovir disoproxil fumarate.
- The recommended dose of Tenofovir disoproxil fumarate for the treatment of hepatitis B is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

### **Antiretrovirals**

# **⇒**SA0779 Special Authority for Subsidy

Initial application — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Confirmed HIV infection: and
- 2 Any of the following:
  - 2.1 Symptomatic patient; or
  - 2.2 Patient aged 12 months and under; or
  - 2.3 Both:
    - 2.3.1 Patient aged 1 to 5 years; and
    - 2.3.2 Any of the following:
      - 2.3.2.1 CD4 counts < 1000 cells/mm<sup>3</sup>; or
      - 2.3.2.2 CD4 counts  $< 0.25 \times$  total lymphocyte count; or
      - 2.3.2.3 Viral load counts > 100000 copies per ml; or
  - 2.4 Both
    - 2.4.1 Patient aged 6 years and over; and
    - 2.4.2 CD4 counts < 350 cells/mm<sup>3</sup>.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 3 subsidised antiretrovirals.

Subsidies for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or saquinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to anti-retrovirals.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

continued...

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil furnarate prescribed under endorsement for HIV/AIDS is included in the count of up to 3 subsidised antiretrovirals.

Subsidies for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or saquinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to anti-retrovirals.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Prevention of maternal foetal transmission: or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 3 subsidised antiretrovirals.

Subsidies for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or saquinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to anti-retrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Renewal — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

# Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ - Special Authority see SA0779 on the preced	ing page - Hospital ph	armacy [HP1]	]
Tab 50 mg	158.33	30	✓ Stocrin
Tab 200 mg	474.99	90	✓ Stocrin
Tab 600 mg	474.99	30	✓ Stocrin
NEVIRAPINE - Special Authority see SA0779 on the prece	ding page - Hospital p	harmacy [HP	1]
Tab 200 mg	319.80	60	✓ <u>Viramune</u>
Oral suspension 10 mg per ml	134.55	240 ml	✓ <u>Viramune</u>
			Suspension

# **Nucleosides Reverse Transcriptase Inhibitors**

ABACAVIR SULPHATE – Special Authority see SA0779 on th Tab 300 mg Oral liq 20 mg per ml	458.00	Hospital phar 60 240 ml OP	Ziagen
ABACAVIR SULPHATE WITH LAMIVUDINE – Special Authori Note: Kivexa counts as two anti-retroviral medications for t Tab 600 mg with lamivudine 300 mg	he purposes of the	1 0	, , , , , , ,
DIDANOSINE [DDI] - Special Authority see SA0779 on the pr	eceding page - Hos	spital pharmad	cy [HP1]
Cap 125 mg	115.05	30	✓ Videx EC
Cap 200 mg	184.08	30	✓ Videx EC
Cap 250 mg	230.10	30	✓ Videx EC
Cap 400 mg	368.16	30	✓ Videx EC
EMTRICITABINE - Special Authority see SA0779 on the preci	eding page – Hospi	tal pharmacy	[HP1]
Cap 200 mg	010	. ,	✓ Emtriva

	Subsidy (Manufacturer's Pr \$	rice) Subs Per	Fully Brand or idised Generic  ✓ Manufacturer
LAMIVUDINE – Special Authority see SA0779 on page 93 – Hos Tab 150 mgOral liq 10 mg per ml	307.20	HP1] 60 240 ml OP	✓ 3TC ✓ 3TC
STAVUDINE [D4T] – Special Authority see SA0779 on page 93 – Cap 20 mg Cap 30 mg Cap 40 mg Powder for oral soln 1 mg per ml	317.10 377.80 503.80	60 60 60 60 200 ml OP	✓ Zerit ✓ Zerit ✓ Zerit ✓ Zerit ✓ Zerit
ZIDOVUDINE [AZT] – Special Authority see SA0779 on page 93  Cap 100 mg  Oral liq 10 mg per ml  ZIDOVUDINE [AZT] WITH LAMIVUDINE – Special Authority see	290.00 58.00	100 200 ml OP	Retrovir Retrovir
Combivir counts as two anti-retroviral medications for the pur Tab 300 mg with lamivudine 150 mg	poses of the anti-		
Protease Inhibitors			
ATAZANAVIR SULPHATE - Special Authority see SA0779 on pa Cap 150 mg Cap 200 mg	568.34	pharmacy [HP1 60 60	] ✓ Reyataz ✓ Reyataz
NDINAVIR - Special Authority see SA0779 on page 93 - Hospit Cap 200 mg Cap 400 mg	519.75	1] 360 180	✓ Crixivan ✓ Crixivan
OPINAVIR WITH RITONAVIR — Special Authority see SA0779 of Tab 200 mg with ritonavir 50 mg	735.00	pital pharmacy 120 300 ml OP	[HP1]  Kaletra  Kaletra
RITONAVIR – Special Authority see SA0779 on page 93 – Hospi Cap 100 mg Oral liq 80 mg per ml	121.27	91] 84 90 ml OP	✓ Norvir ✓ Norvir
Strand Transfer Inhibitors			
RALTEGRAVIR POTASSIUM - Special Authority see SA0779 on Tab 400 mg		tal pharmacy [F	HP1] ✓ Isentress
Antiretrovirals - Additional Therapies			
HIV Fusion Inhibitors			
ENFUVIRTIDE – Special Authority see SA0845 below – Hospital Powder for inj 90 mg per ml $\times$ 60		1	✓ Fuzeon
■ SA0845 Special Authority for Subsidy Initial application only from a named specialist. Approvals valid All of the following:	for 3 months for a	applications med	eting the following criteria:

- 1 Confirmed HIV infection; and
- 2 Enfuvirtide to be given in combination with optimized background therapy (including at least 1 other antiretroviral drug that the patient has never previously been exposed to) for treatment failure; and
- 3 Either:
  - 3.1 Patient has evidence of HIV replication, despite ongoing therapy; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

continued...

- 3.2 Patient has treatment-limiting toxicity to previous antiretroviral agents; and
- 4 Previous treatment with 3 different antiretroviral regimens has failed; and
- 5 All of the following:
  - 5.1 Previous treatment with a non-nucleoside reverse transcriptase inhibitor has failed; and
  - 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed; and
  - 5.3 Previous treatment with a protease inhibitor has failed.

Renewal only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Roth:

- 1 Evidence of at least a 10 fold reduction in viral load at 12; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

#### Immune Modulators

#### Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

#### Criteria for Treatment

- 1) Diagnosis
  - Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
  - PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
  - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.
- 2) Establishing Active Chronic Liver Disease
  - Confirmed HCV infection and serum ALT/AST levels measured on at least three occasions over six months averaging
     1.5 × upper limit of normal. (ALT is the preferable enzyme); or
  - Liver biopsy showing significant inflammatory activity (active hepatitis) with or without cirrhosis. This is not a necessary requirement for those patients with coagulopathy. (Some patients have active disease on histology with normal transaminase enzymes).

#### **Exclusion Criteria**

- Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- 2) Pregnancy.
- 3) Neutropenia ( $<2.0 \times 10^9$ ) and/or thrombocytopenia.
- 4) Continuing alcohol abuse and/or continuing intravenous drug users.

#### Dosage

The current recommended dosage is 3 million units of interferon alpha-2a or interferon aplha-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

#### **Exit Criteria**

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

	Subsidy		Fully Brand or
	(Manufacturer's P \$	rice) Su Per	ubsidised Generic  ✓ Manufacturer
NTERFERON ALPHA-2A - PCT - Hospital pharmacy [HP3]	1-Specialist		
a) See prescribing guideline on the preceding page	j-opecialist		
b) Only one multidose cartridge starter pack to be prescri	bed and dispensed p	er patient.	
Inj 3 m iu prefilled syringe		1	✓ Roferon-A
Inj 4.5 m iu prefilled syringe		1	✓ Roferon-A
Inj 6 m iu prefilled syringe	62.64	1	✓ Roferon-A
Inj 9 m iu prefilled syringe	93.96	1	✓ Roferon-A
Inj 18 m iu multidose cartridge	187.92	1	✓ Roferon-A
Inj 18 m iu multidose cartridge $\times$ 2 starter pack	375.84	1	✓ Roferon-A
Roferon-A Inj 4.5 m iu prefilled syringe to be delisted 1 Augus	,		
Roferon-A Inj 18 m iu multidose cartridge to be delisted 1 Au	,		
Roferon-A Inj 18 m iu multidose cartridge $\times$ 2 starter pack to	be delisted 1 August	2010)	
NTERFERON ALPHA-2A WITH RIBAVIRIN - Special Author	rity see SA0784 belo	w – Hospital	pharmacy [HP3]
See prescribing guideline on the preceding page			
Inj 18 m iu multidose cartridge $\times$ 2 with ribavirin tab 200	•		
× 168	1,375.84	1 OP	✓ Roferon RBV
			Combination Pack
Inj 18 m iu multidose cartridge $\times$ 2 with with pen and need			
		1 OP	✓ Roferon RBV
with ribavirin tab 200 mg $\times$ 168	1,375.84	I OF	
with ribavirin tab 200 mg $\times$ 168	1,375.84	TOF	Combination Pack
Roferon RBV Combination Pack Inj 18 m iu multidose cartrid	ge × 2 with ribavirin	tab 200 mg ×	Combination Pack Starter Kit < 168 to be delisted 1 August 201
Roferon RBV Combination Pack Inj 18 m iu multidose cartrid Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido 168 to be delisted 1 August 2010)  SA0784 Special Authority for Subsidy	ge  imes 2 with ribavirin ose cartridge $ imes 2$ wit	tab 200 mg > h with pen an	Combination Pack Starter Kit < 168 to be delisted 1 August 201 and needles with ribavirin tab 200 n
Roferon RBV Combination Pack Inj 18 m iu multidose cartrido Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido × 168 to be delisted 1 August 2010)  SSA0784 Special Authority for Subsidy  nitial application from any specialist. Approvals valid for 12	$ge \times 2$ with ribavirin ose cartridge $\times 2$ with months where patien	tab 200 mg > h with pen an	Combination Pack Starter Kit < 168 to be delisted 1 August 201 and needles with ribavirin tab 200 n
Roferon RBV Combination Pack Inj 18 m iu multidose cartrido Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido × 168 to be delisted 1 August 2010)  SA0784 Special Authority for Subsidy  nitial application from any specialist. Approvals valid for 12 in NTERFERON ALPHA-2B — PCT — Hospital pharmacy [HP3]	$ge \times 2$ with ribavirin ose cartridge $\times 2$ with months where patien	tab 200 mg > h with pen an	Combination Pack Starter Kit < 168 to be delisted 1 August 201 and needles with ribavirin tab 200 n
Roferon RBV Combination Pack Inj 18 m iu multidose cartrid Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido < 168 to be delisted 1 August 2010)	$ge \times 2$ with ribavirin ose cartridge $\times 2$ with months where patien ]-Specialist	tab 200 mg > h with pen an	Combination Pack Starter Kit < 168 to be delisted 1 August 201 and needles with ribavirin tab 200 n
Roferon RBV Combination Pack Inj 18 m iu multidose cartrido Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido (168 to be delisted 1 August 2010)  SA0784 Special Authority for Subsidy  nitial application from any specialist. Approvals valid for 12 Interpretation  NTERFERON ALPHA-2B — PCT — Hospital pharmacy [HP3]  See prescribing guideline on the preceding page	ge × 2 with ribavirin ose cartridge × 2 with months where patien ]-Specialist	tab 200 mg × h with pen an	Combination Pack Starter Kit  < 168 to be delisted 1 August 201 and needles with ribavirin tab 200 n c hepatitis C (all genotypes).
Roferon RBV Combination Pack Inj 18 m iu multidose cartrido Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido (c. 168 to be delisted 1 August 2010) SA0784 Special Authority for Subsidy nitial application from any specialist. Approvals valid for 12 In NTERFERON ALPHA-2B — PCT — Hospital pharmacy [HP3] See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen	ge × 2 with ribavirin ose cartridge × 2 with months where patien ]-Specialist 187.92 313.20	tab 200 mg > h with pen an t has chronic	Combination Pack Starter Kit  < 168 to be delisted 1 August 201 and needles with ribavirin tab 200 n c hepatitis C (all genotypes).
Roferon RBV Combination Pack Inj 18 m iu multidose cartridor Roferon RBV Combination Pack Starter Kit Inj 18 m iu multidos (168 to be delisted 1 August 2010)  SA0784 Special Authority for Subsidy nitial application from any specialist. Approvals valid for 12 See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen	ge × 2 with ribavirin ose cartridge × 2 with months where patien ]-Specialist187.92313.20626.40	tab 200 mg > h with pen an t has chronic  1 1 1	Combination Pack Starter Kit  < 168 to be delisted 1 August 201 ind needles with ribavirin tab 200 in the hepatitis C (all genotypes).  Intron-A Intron-A Intron-A
Roferon RBV Combination Pack Inj 18 m iu multidose cartrido Roferon RBV Combination Pack Starter Kit Inj 18 m iu multidos (168 to be delisted 1 August 2010)  SA0784 Special Authority for Subsidy nitial application from any specialist. Approvals valid for 12 See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen	ge × 2 with ribavirin ose cartridge × 2 with months where patien ]-Specialist187.92313.20626.40	tab 200 mg > h with pen an t has chronic  1 1 1	Combination Pack Starter Kit  < 168 to be delisted 1 August 201 ind needles with ribavirin tab 200 in the hepatitis C (all genotypes).  Intron-A Intron-A Intron-A
Roferon RBV Combination Pack Inj 18 m iu multidose cartrido Roferon RBV Combination Pack Starter Kit Inj 18 m iu multidos (168 to be delisted 1 August 2010)  SA0784 Special Authority for Subsidy nitial application from any specialist. Approvals valid for 12 See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen	ge × 2 with ribavirin ose cartridge × 2 with months where patien ]-Specialist187.92313.20626.40 see SA0952 on the n	tab 200 mg > h with pen an t has chronic  1 1 1	Combination Pack Starter Kit  < 168 to be delisted 1 August 201 ind needles with ribavirin tab 200 in the hepatitis C (all genotypes).  Intron-A Intron-A Intron-A
Roferon RBV Combination Pack Inj 18 m iu multidose cartrido Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido	ge × 2 with ribavirin ose cartridge × 2 with months where patien ]-Specialist187.92313.20626.40 see SA0952 on the n362.00	tab 200 mg > h with pen an  t has chronic  1 1 1 1 ext page – He	Combination Pack Starter Kit  4 168 to be delisted 1 August 201 and needles with ribavirin tab 200 received the partition of the patition o
Roferon RBV Combination Pack Inj 18 m iu multidose cartridose Roferon RBV Combination Pack Starter Kit Inj 18 m iu multidose 168 to be delisted 1 August 2010)  ▶SA0784 Special Authority for Subsidy  nitial application from any specialist. Approvals valid for 12 logology  NTERFERON ALPHA-2B — PCT — Hospital pharmacy [HP3]  See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen	ge × 2 with ribavirin ose cartridge × 2 with months where patien ]-Specialist187.92313.20626.40 see SA0952 on the n362.00450.00	tab 200 mg > h with pen an  t has chronic  1 1 1 ext page – He	Combination Pack Starter Kit  4 168 to be delisted 1 August 201 of needles with ribavirin tab 200 of the hepatitis C (all genotypes). Intron-A Intron-A Intron-A ospital pharmacy [HP3] Pegasys
Roferon RBV Combination Pack Inj 18 m iu multidose cartridose Roferon RBV Combination Pack Starter Kit Inj 18 m iu multidose 168 to be delisted 1 August 2010)  ▶SA0784 Special Authority for Subsidy  Initial application from any specialist. Approvals valid for 12 in See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen	ge × 2 with ribavirin ose cartridge × 2 with months where patien ]-Specialist187.92313.20626.40 see SA0952 on the n362.00450.00 g ×	tab 200 mg > h with pen an  t has chronic  1 1 1 ext page – He	Combination Pack Starter Kit  168 to be delisted 1 August 200 of the de
Roferon RBV Combination Pack Inj 18 m iu multidose cartridose Roferon RBV Combination Pack Starter Kit Inj 18 m iu multidose 168 to be delisted 1 August 2010)  ▶SA0784 Special Authority for Subsidy  Initial application from any specialist. Approvals valid for 12 Interpretation from any specialist. Approvals valid for 12 Interpretati	ge × 2 with ribavirin ose cartridge × 2 with months where patien ]-Specialist187.92313.20626.40 see SA0952 on the n362.00450.00 g ×	tab 200 mg > h with pen an  t has chronic  1 1 1 ext page – He	Combination Pack Starter Kit  4 168 to be delisted 1 August 200 of the
Roferon RBV Combination Pack Inj 18 m iu multidose cartridose Roferon RBV Combination Pack Starter Kit Inj 18 m iu multidose 168 to be delisted 1 August 2010)  ▶SA0784 Special Authority for Subsidy  Initial application from any specialist. Approvals valid for 12 Interpretation from any specialist. Approvals valid for 12 Interpretati	ge × 2 with ribavirin ose cartridge × 2 with months where patien ]-Specialist	tab 200 mg > h with pen an  t has chronic  1 1 1 ext page – He	Combination Pack Starter Kit  < 168 to be delisted 1 August 200 of the patitis C (all genotypes).  Intron-A Intron-A Intron-A ospital pharmacy [HP3]  Pegasys Pegasys Pegasys RBV
Roferon RBV Combination Pack Inj 18 m iu multidose cartridose Roferon RBV Combination Pack Starter Kit Inj 18 m iu multidose to be delisted 1 August 2010)  ■ SA0784 Special Authority for Subsidy  Initial application from any specialist. Approvals valid for 12 Interpretation	ge × 2 with ribavirin ose cartridge × 2 with months where patien ]-Specialist	tab 200 mg > h with pen an  t has chronic  1 1 1 ext page – He	Combination Pack Starter Kit  < 168 to be delisted 1 August 201 ad needles with ribavirin tab 200 r  c hepatitis C (all genotypes).  Intron-A Intron-A ospital pharmacy [HP3]  Pegasys Pegasys Pegasys RBV
Roferon RBV Combination Pack Inj 18 m iu multidose cartrido Roferon RBV Combination Pack Starter Kit Inj 18 m iu multidos 168 to be delisted 1 August 2010)  ■SA0784 Special Authority for Subsidy nitial application from any specialist. Approvals valid for 12 INTERFERON ALPHA-2B — PCT — Hospital pharmacy [HP3] See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen Inj 30 m iu, 1.2 ml multidose pen Inj 60 m iu, 1.2 ml multidose pen Ing 60 m iu, 1.2 ml multidose pen Ing 60 m iu, 1.2 ml multidose pen Ing 135 µg prefilled syringe Inj 135 µg prefilled syringe X 4 with ribavirin tab 200 mm 112  Inj 135 µg prefilled syringe X 4 with ribavirin tab 200 mm 168 Inj 135 µg prefilled syringe X 4 with	ge × 2 with ribavirin ose cartridge × 313.20	tab 200 mg > h with pen an  t has chronic  1 1 1 ext page – He 1 1 OP	Combination Pack Starter Kit  168 to be delisted 1 August 201 ad needles with ribavirin tab 200 re chepatitis C (all genotypes).  Intron-A Intron-A Ospital pharmacy [HP3]  Pegasys Pegasys Pegasys Combination Pack
Roferon RBV Combination Pack Inj 18 m iu multidose cartrido Roferon RBV Combination Pack Starter Kit Inj 18 m iu multidos (168 to be delisted 1 August 2010)  ■SA0784 Special Authority for Subsidy nitial application from any specialist. Approvals valid for 12 Interpretation f	ge × 2 with ribavirin ose cartridge × 313.20	tab 200 mg > h with pen an  t has chronic  1 1 1 ext page – He 1 1 OP	Combination Pack Starter Kit  168 to be delisted 1 August 201 and needles with ribavirin tab 200 m c hepatitis C (all genotypes).  Intron-A Intron-A ospital pharmacy [HP3]  Pegasys Pegasys Pegasys Pegasys Combination Pack Combination Pack
Roferon RBV Combination Pack Inj 18 m iu multidose cartrido Roferon RBV Combination Pack Starter Kit Inj 18 m iu multidos 168 to be delisted 1 August 2010)  ■SA0784 Special Authority for Subsidy nitial application from any specialist. Approvals valid for 12 INTERFERON ALPHA-2B — PCT — Hospital pharmacy [HP3] See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen Inj 30 m iu, 1.2 ml multidose pen Inj 60 m iu, 1.2 ml multidose pen Ing 60 m iu, 1.2 ml multidose pen Ing 60 m iu, 1.2 ml multidose pen Ing 135 µg prefilled syringe Inj 135 µg prefilled syringe X 4 with ribavirin tab 200 mm 112  Inj 135 µg prefilled syringe X 4 with ribavirin tab 200 mm 168 Inj 135 µg prefilled syringe X 4 with	ge × 2 with ribavirin ose cartridge × 313.20	tab 200 mg > h with pen an  t has chronic  1 1 1 ext page – He 1 1 OP	Combination Pack Starter Kit  168 to be delisted 1 August 201 and needles with ribavirin tab 200 m c hepatitis C (all genotypes).  Intron-A Intron-A Ospital pharmacy [HP3]  Pegasys Pegasys Pegasys Pegasys Pegasys Combination Pack Pegasys RBV Combination Pack Pegasys RBV Combination Pack
Roferon RBV Combination Pack Inj 18 m iu multidose cartridose Roferon RBV Combination Pack Starter Kit Inj 18 m iu multidose to be delisted 1 August 2010)  ■SA0784 Special Authority for Subsidy  nitial application from any specialist. Approvals valid for 12 Inj 18 m iu, 1.2 ml multidose pen Inj 18 m iu, 1.2 ml multidose pen Inj 30 m iu, 1.2 ml multidose pen Inj 60 m iu, 1.2 ml multidose pen Inj 60 m iu, 1.2 ml multidose pen Inj 135 µg prefilled syringe Inj 180 µg prefilled syringe Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 135 µg prefilled syringe X 4 with ribavirin tab 200 mm 168 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 168 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 168 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 168 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 168 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 168 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 168 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 168 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 168 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin	ge × 2 with ribavirin ose cartridge × 2 with months where patien ]-Specialist	tab 200 mg > h with pen an  t has chronic  1 1 1 ext page – He 1 1 OP	Combination Pack Starter Kit  168 to be delisted 1 August 201 and needles with ribavirin tab 200 r  chepatitis C (all genotypes).  Intron-A Intron-A ospital pharmacy [HP3]  Pegasys Pegasys Pegasys Combination Pack  Pegasys RBV Combination Pack
Roferon RBV Combination Pack Inj 18 m iu multidose cartrido Roferon RBV Combination Pack Starter Kit Inj 18 m iu multido 168 to be delisted 1 August 2010)  SA0784 Special Authority for Subsidy nitial application from any specialist. Approvals valid for 12 Interpretation from	ge × 2 with ribavirin ose cartridge × 2 with ribavirin ose sale of the ribavirin ose sale ose SA0952 on the number of the ribavirin ose sale ose SA0952 on the number of the ribavirin ose sale os sale ose sale os sale os sale ose sale os sale	tab 200 mg > h with pen an  t has chronic  1 1 1 ext page – He 1 1 OP 1 OP	Combination Pack Starter Kit  168 to be delisted 1 August 201 and needles with ribavirin tab 200 m chepatitis C (all genotypes).  Intron-A Intron-A Intron-A ospital pharmacy [HP3]  Pegasys Pegasys Pegasys Pegasys Pegasys Pegasys Pegasys RBV Combination Pack Pegasys RBV Combination Pack Combination Pack
Roferon RBV Combination Pack Inj 18 m iu multidose cartridose Roferon RBV Combination Pack Starter Kit Inj 18 m iu multidose to be delisted 1 August 2010)  ■SA0784 Special Authority for Subsidy  nitial application from any specialist. Approvals valid for 12 in See prescribing guideline on the preceding page Inj 18 m iu, 1.2 ml multidose pen Inj 30 m iu, 1.2 ml multidose pen Inj 60 m iu, 1.2 ml multidose pen Inj 60 m iu, 1.2 ml multidose pen Inj 135 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 135 µg prefilled syringe X 4 with ribavirin tab 200 mm 168 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 168 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 168 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 168 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 168 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 168 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 168 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 168 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 168 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 Inj 180 µg prefilled syringe X 4 with ribavirin tab 200 mm 112 I	ge × 2 with ribavirin ose cartridge × 2 with ribavirin ose sale of the ribavirin ose sale ose SA0952 on the number of the ribavirin ose sale ose SA0952 on the number of the ribavirin ose sale os sale ose sale os sale os sale ose sale os sale	tab 200 mg > h with pen an  t has chronic  1 1 1 ext page – He 1 1 OP	Combination Pack Starter Kit  168 to be delisted 1 August 200 of the patitis C (all genotypes).  Intron-A Intron-A Ospital pharmacy [HP3]  Pegasys Pegasys Pegasys Pegasys Pegasys RBV Combination Pack Pegasys RBV Combination Pack Pegasys RBV Combination Pack

Subsidy		Fully	Brand or
(Manufacturer's Price)	S	ubsidised	Generic
\$	Per	~	Manufacturer

#### ⇒SA0952 | Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV) from any specialist. Approvals valid for 48 weeks for applications meeting the following criteria:

#### Fither:

- 1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
- 2 Patient has chronic hepatitis C and is co-infected with HIV.

#### Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 6 months where patient has chronic hepatitis C, genotype 2 or 3 infection.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 48 weeks for applications meeting the following criteria:

#### All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Either:
  - 5.1 HBeAg positive; or
  - 5.2 serum HBV DNA ≥ 2,000 units/ml and significant fibrosis (≥ Metavir Stage F2); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon.

#### Notes:

- Approved dose is 180 µg once weekly.
- The recommended dose of Pegylated Interferon-alpha 2a is 180 μg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alpha 2a dose should be reduced to 135 μg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alpha 2a is not approved for use in children.

# **Urinary Tract Infections**

HEXAMINE HIPPURATE		
* Tab 1 g18.40	100	
(38.10)		Hiprex
NITROFURANTOIN		
* Tab 50 mg17.90	100	✓ Nifuran
* Tab 100 mg30.25	100	✓ Nifuran
NORFLOXACIN		
Tab 400 mg - Maximum of 6 tab per prescription; can be		
waived by endorsement - Retail pharmacy - Specialist22.50	100	Arrow-Norfloxacin

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

## **Vaccines**

### Influenza vaccine

INFLUENZA VACCINE - Hospital pharmacy [Xpharm]

- A) is available between 1 March and 30 June each year for patients who meet the following criteria, as set by the Ministry of Health:
  - a) all people 65 years of age and over;
  - b) people under 65 years of age with:
    - i) the following cardiovascular disease:
      - 1) ischaemic heart disease.
      - 2) congestive heart disease.
      - 3) rheumatic heart disease.
      - 4) congenital heart disease, or
      - 5) cerebo-vascular disease;
    - ii) the following chronic respiratory disease:
      - 1) asthma, if on a regular preventative therapy, or
      - 2) other chronic respiratory disease with impaired lung function;
    - iii) diabetes;
    - iv) chronic renal disease;
    - v) any cancer, excluding basal and squamous skin cancers if not invasive;
    - vi) the following other conditions:
      - a) autoimmune disease,
      - b) immune suppression,
      - c) HIV.
      - d) transplant recipients.
      - e) neuromuscular and CNS diseases.
      - f) haemoglobinopathies, or
      - g) children on long term aspirin.
  - c) people under 65 years of age who are:
    - i) pregnant: or
    - ii) morbidly obsese
  - d) children under the age of 5 who are enrolled with an Access Primary Health Organisation

The following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease,
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor.
- D) Influenza Vaccine does not fall within the definition Community Pharmaceutical as it is not funded directly from the Pharmaceutical Budget. Pharmacists are unable to claim for the dispensing of influenza vaccine from the Funder.

Fluvax	1	9.00	Inj
Fluarix			
Fluarix	10	90.00	
Influvac			
✓ Vaxiqrip			

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

## **Anticholinesterases NEOSTIGMINE** Inj 2.5 mg per ml, 1 ml ......20.30 50 ✓ AstraZeneca PYRIDOSTIGMINE BROMIDE ▲ Tab 60 mg ......40.08 100 ✓ Mestinon

# **Anti-inflammatory Non Steroidal Drugs (NSAIDs)**

# **■** SA0291 Special Authority for Manufacturers Price

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

- 1 Inflammatory arthritis (including osteoarthritis with an inflammatory component); and
- 2 Stabilised and are well controlled on the particular NSAID medication.

Renewal from any medical practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

## **DICLOFENAC SODIUM**

DIC	COL FINAC SOCION			
*	Tab EC 25 mg	1.63	50	✓ <u>Diclohexal</u>
*	Tab 50 mg dispersible - Additional subsidy by Special Au-			
	thority see SA0291 above - Retail pharmacy	1.50	20	
		(8.00)		Voltaren D
*	Tab EC 50 mg	2.13	50	✓ <u>Diclohexal</u>
*	Tab long-acting 75 mg	3.10	30	✓ Diclax SR
		32.80	500	✓ Diclax SR
		19.60	100	✓ Voltaren SR
		22.78	500	Apo-Diclo SR
*	Tab long-acting 100 mg	34.32	500	✓ Apo-Diclo SR
		63.22		✓ Diclax SR
*	Inj 25 mg per ml, 3 ml	12.00	5	✓ Voltaren
	Up to 5 inj available on a PSO			
*	Suppos 12.5 mg	1.85	10	✓ Voltaren
*	Suppos 25 mg	2.22	10	✓ Voltaren
*	Suppos 50 mg	3.84	10	✓ Voltaren
	Up to 10 supp available on a PSO			
*	Suppos 100 mg	6.36	10	✓ Voltaren
IRI	IPROFEN - Additional subsidy by Special Authority see SA02	91 above – Retai	il nharmacy	
*	Tab 200 mg		1,000	✓ Ethics Ibuprofen
*	Tab 400 mg		30	Zanoo isapioion
•••		(4.56)		Brufen
*	Tab 600 mg	` '	30	
	3	(6.84)		Brufen
*	Tab long-acting 800 mg	` '	30	
		(9.12)		Brufen Retard
<b>*</b> ±	Oral liq 100 mg per 5 ml	(- /	200 ml	✓ Fenpaed
	TOPROFEN - Additional subsidy by Special Authority see SA		tail pharmanu	<del></del>
*	Cap long-acting 100 mg		100	Oruvail 100
*	Can lang acting 200 mg	(21.56)	100	Oruvaii 100
*	Cap long-acting 200 mg		100	Orungil 000
		(43.12)		Oruvail 200

	Subsidy (Manufacturer's Pr \$	rice) Sı Per	Fully Brand or ubsidised Generic Manufacturer
AFFENIANIC ACID. Additional subside by Chasial Authority	*		
MEFENAMIC ACID – Additional subsidy by Special Authority			age – Hetaii pharmacy
≰ Cap 250 mg	4	100	Ponstan
	(18.33)		FUISIAII
NAPROXEN			4 11 41
* Tab 250 mg		500	Noflam 250
k Tab 500 mg		250	✓ <u>Noflam 500</u>
* Tab long-acting 750 mg		90	Naprosyn SR 750
* Tab long-acting 1,000 mg	21.00	90	✓ Naprosyn SR 1000
NAPROXEN SODIUM			
★ Tab 275 mg		120	✓ <u>Sonaflam</u>
★ Tab 550 mg	12.80	100	✓ Synflex
SULINDAC - Additional subsidy by Special Authority see SAG	0291 on the preceding	g page – Re	tail pharmacy
₭ Tab 100 mg	5.32	100	
	(12.00)		Daclin
Fab 200 mg	6.72	100	
	(20.00)		Daclin
	3.36	50	
	(15.87)		Clinoril
ENOXICAM			
Fab 20 mg	23.75	100	✓ Tilcotil
IAPROFENIC ACID - Additional subsidy by Special Authorit	ty see SAN291 on the	nreceding i	nage – Retail pharmacy
* Tab 300 mg		60	page Tiolaii phamaey
r 100 000 mg	(19.26)	00	Surgam
NSAIDs Other	( 3 3)		<b>3</b>
NID OMETI LA OINI			
NDOMETHACIN	10.00	100	A Dhaumaain CD
k Cap long-acting 75 mg		100	✓ Rheumacin SR ✓ Arthrexin
Suppos 100 mg	14.50	30	✔ Arunrexin
PIROXICAM			
k Tab dispersible 10 mg		50	✓ Piram-D
Fab dispersible 20 mg	5.50	100	✓ Piram-D
Antirheumatoid Agents			
URANOFIN			
Tab 3 mg	68 99	60	✓ Ridaura
•	00.00	00	▼ Illuaula
EFLUNOMIDE T-b-10 mm	55.00	00	AFTI office and do
Tab 10 mg		30	✓ AFT-Leflunomide
Toh 20 mg	79.27	20	✓ Arava ✓ AFT-Leflunomide
Tab 20 mg		30	✓ Ar I-Leffunomide ✓ Arava
Tab 100 mg	108.60 54.44	3	✓ Arava
		3	₩ MIQVQ
		46-	4.5.5
		100	D-Penamine
Tab 125 mg			4
		100	✓ D-Penamine
Tab 125 mg Tab 250 mg			✔ D-Penamine
Tab 125 mg Tab 250 mg	98.98		<ul><li>✓ D-Penamine</li><li>✓ Myocrisin</li></ul>
Tab 250 mgSODIUM AUROTHIOMALATE	98.98	100	

<sup>▲</sup>Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

# **Tumour Necrosis Factor (TNF) Inhibitors**

### **⇒**SA0974 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with at least two of the following (triple therapy): sulphasalazine, prednisone at a dose of at least 7.5 mg per day, azathioprine, intramuscular gold, or hydroxychloroguine sulphate (at maximum tolerated doses); and
- 5 Either:
  - 5.1 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of cyclosporin alone or in combination with another agent; or
  - 5.2 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of leflunomide alone or in combination with another agent; and
- 6 Either:
  - 6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
  - 6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 7 Either:
  - 7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  - 7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

#### All of the following:

- 1 Patient has severe active Crohn's disease; and
- 2 Any of the following:
  - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
  - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
  - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
  - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

**Initial application** — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 Either:

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised Brand or Generic Manufacturer

continued...

- 1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
- 1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
- 2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
- 3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
- 4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting

the following criteria: All of the following:

- 1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
- 2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
- 3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
- 4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regimen supervised by a physiotherapist; and
- 5 Either:
  - 5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by a score of at least 1 on each of the lumbar flexion and lumbar side flexion measurements of the Bath Ankylosing Spondylitis Metrology Index (BASMI); or
  - 5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
- 6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale; and
- 7 Either:
  - 7.1 An elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
  - 7.2 A C-reactive protein (CRP) level greater than 15 mg per litre.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI, ESR and CRP measures must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
- 2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- 4 Either:
  - 4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
  - 4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 5 Any of the following:
  - 5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  - 5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
  - 5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
  - 3.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician.

**Renewal — (Crohn's disease)** only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
  - 1.1 Applicant is a gastroenterologist; or
  - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
  - 2 The treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
  - 1.1 Applicant is a dermatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis; and

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
- 2.2 Both:
  - 2.2.1 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot; and
  - 2.2.2 Either:
    - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
    - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value.

Note: An adalimumab treatment course is defined as a minimum of 12 weeks adalimumab treatment.

**Renewal — (ankylosing spondylitis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks of adalimumab treatment, BASDAI has improved by 4 or more points from pre-adalimumab baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 ESR or CRP is within the normal range; and
- 4 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate.

**Renewal — (psoriatic arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the treating physician; or
  - 2.2 The patient demonstrates at least a continuing 50% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician.

ETANERCEPT - Retail pharmacy-Specialist prescription - Special Authority see SA0868 below

Inj 25 mg .......949.96 4 **✔ Enbrel** 

# **⇒**SA0868 Special Authority for Subsidy

Initial application only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
- 3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20mg/m<sup>2</sup> weekly or at the maximum tolerated dose) in combination with oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose); and

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 5 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-15mg/m<sup>2</sup> weekly or at the maximum tolerated dose) in combination with one other disease-modifying agent; and
- 6 Both:
  - 6.1 Either:
    - 6.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 active, swollen, tender joints; or
    - 6.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
  - 6.2 Physician's global assessment indicating severe disease; and
- 7 The patient or their legal guardian consents to details of their treatment being held on a central registry and has signed a consent form outlining conditions of ongoing treatment.

Note: A patient declaration form <a href="http://www.pharmac.govt.nz/special\_authority\_forms/SA0667-declaration.pdf">http://www.pharmac.govt.nz/special\_authority\_forms/SA0667-declaration.pdf</a> must be signed by the legal guardian of the patient and the prescriber in the presence of a witness (over 18 years of age)

Renewal only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

- 1 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2 Fither:
  - 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
  - 2.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

### **Calcium Homeostasis**

# Alendronate for Osteoporosis

# ■SA0990 Special Authority for Subsidy

Initial application — (Underlying cause – Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mass density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0; or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Dubbo) which incorporates BMD measurements.

Initial application — (Underlying cause – glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Either:
  - 2.1 The patient has documented BMD  $\geq 1.5$  standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq -1.5$ ); or
  - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

( "

continued...

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mass density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0; or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Dubbo) which incorporates BMD measurements.

#### Notes:

- a) Evidence used by National Institute for Health and Clinical Excellence (NICE) guidance indicates that patients aged 75 years
  and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score
   -2.5, and therefore do not require BMD measurement for treatment with bisphosphonates.
- b) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- c) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALENDRONATE SODIUM – Special Authority see SA0990 on the p	receding page – R	etail pharma	acy
Tab 70 mg	35.91	4	✓ Fosamax
ALENDRONATE SODIUM WITH CHOLECALCIFEROL - Special A	uthority see SA099	0 on the pre	eceding page – Retail pharmacy
Tab 70 mg with cholecalciferol 5,600 iu	35.91	4	✓ Fosamax Plus
Tab 70 mg with cholecalciferol 2,800 iu	35.91	4	✓ Fosamax Plus
(Fosamay Plus Tah 70 mg with cholecalciferol 2 800 iu to he delisted			

# **Alendronate for Paget's Disease**

### ■SA0949 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease: and
- 2 Any of the following:
  - 2.1 Bone or articular pain; or
  - 2.2 Bone deformity; or
  - 2.3 Bone, articular or neurological complications; or
  - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
  - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

ALENDRONATE SODIUM - S	Special Authority see SA0949 abov	ve – Retail pharmac	У	
Tab 40 mg		133.00	30	✓ Fosamax

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic Manufacturer
Other Treatments			
CALCITONIN	110.00	_	4 Missolais
* Inj 100 iu per ml, 1 ml ETIDRONATE DISODIUM	110.00	5	✓ <u>Miacalcic</u>
* Tab 200 mg	23.95	100	✓ Arrow-Etidronate
· ·			✓ Etidrate
	14.37 (22.80)	60	Didronel
Etidrate Tab 200 mg to be delisted 1 April 2010) Didronel Tab 200 mg to be delisted 1 April 2010) Prescribing Guidelines	(22.00)		Bidiofici
Etidronate for osteoporosis should be prescribed for 14 day not be taken at the same time of the day as any calcium suletidronate should be taken at least 2 hours before or after a	oplementation (minimum do	se – 5	
PAMIDRONATE DISODIUM – Hospital pharmacy [HP3]			45
Inj 3 mg per ml, 5 ml Inj 3 mg per ml, 10 ml		1	✓ Pamisol ✓ Pamisol
Inj 6 mg per ml, 10 ml		1	✓ Pamisol
Inj 9 mg per ml, 10 ml		1	✓ Pamisol
Enzymes			
HYALURONIDASE			
Inj 1,500 iu per ml	18.32	10	
	(243.24)		Hyalase
Hyperuricaemia and Antigout			
ALLOPURINOL			
* Tab 100 mg	5.44	250	✓ Apo-Allopurinol
* Tab 300 mg	4.03	100	✓ Apo-Allopurinol
COLCHICINE	0.00	100	Oalmand
* Tab 500 μg	9.60	100	✓ <u>Colgout</u>
PROBENECID * Tab 500 mg	55.00	100	✓ AFT
Muscle Relaxants			
BACLOFEN			
* Tab 10 mg	4.75	100	✓ Pacifen
DANTROLENE SODIUM			<u></u>
* Cap 25 mg	32.96	100	✓ Dantrium
* Cap 50 mg	51.70	100	✓ Dantrium
DRPHENADRINE CITRATE	10.51	100	4 11 11
Tab 100 mg	18.54	100	✓ Norflex

# **MUSCULOSKELETAL SYSTEM**

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
QUININE SULPHATE					
* Tab 200 mg	15.95	250			
·	(17.20)		Q	200	
‡ Safety cap for extemporaneously compounded oral liqui	id preparations.				
* Tab 300 mg	54.06	500	<b>√</b> Q	300	
‡ Safety cap for extemporaneously compounded oral liqui	id preparations.			<u></u>	

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 

\$ Per ✔ Manufacturer

# **Anaesthetics**

## Local

BUPIVACAINE HYDROCHLORIDE – Hospital pharmacy [HP3 Inj 0.5%, 4 ml Inj 0.5%, 8% glucose, 4 ml	29.35	5 5	✓ <u>Marcain Isobaric</u> ✓ Marcain Heavy
LIGNOCAINE HYDROCHLORIDE			<u></u>
Inj 0.5%, 5 ml - Up to 5 inj available on a PSO	44.10	50	✓ Xylocaine
Only if prescribed on prescription for a dialysis patient of	or child with rheumation	c fever or on	a PSO for emergency use.
Inj 1%, 5 ml - Up to 5 inj available on a PSO	42.00	50	Xylocaine
Only if prescribed on prescription for a dialysis patient of	or child with rheumation	c fever or on	a PSO for emergency use.
Inj 1%, 20 ml - Up to 5 inj available on a PSO	23.50	5	Xylocaine
Only if prescribed on prescription for a dialysis patient of	or child with rheumation	c fever or on	a PSO for emergency use.
LIGNOCAINE WITH CHLORHEXIDINE			
Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes	43.26	10	✔ Pfizer
LIGNOCAINE WITH PRILOCAINE - Special Authority see SA	A0906 below – Hospit	al pharmacy	[HP3]
Crm 2.5% with prilocaine 2.5%	41.00	30 g OP	✓ EMLA
Crm 2.5% with prilocaine 2.5% (5 g tubes)	41.00	5	✓ EMLA

## ⇒SA0906 | Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

# **Analgesics**

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 100

# **Non-Opioid Analgesics**

ASPIRIN		
* Tab EC 300 mg2.15	100	
(8.10)		Aspec 300
* Tab dispersible 300 mg - Up to 30 tab available on a PSO2.15	100	✓ Ethics Aspirin
NEFOPAM HYDROCHLORIDE		
Tab 30 mg23.40	90	✓ Acupan
PARACETAMOL		
* Tab 500 mg - Up to 30 tab available on a PSO9.60	1,000	✓ Pharmacare
*‡ Oral liq 120 mg per 5 ml	1,000 ml	✓ Paracare Junior
a) Up to 200 ml available on a PSO		
b) Not in combination		
*‡ Oral liq 250 mg per 5 ml7.00	1,000 ml	✓ Paracare Double
		<u>Strength</u>
a) Up to 100 ml available on a PSO		
b) Not in combination		
* Suppos 125 mg7.49	20	✓ Panadol
* Suppos 250 mg14.40	20	✓ Panadol
* Suppos 500 mg20.50	50	✓ Paracare

	Subsidy (Manufacturer's Price \$	e) Per	Fully Brand or Subsidised Generic  Manufacturer
Opioid Analgesics			
BUPRENORPHINE HYDROCHLORIDE - Only on a controlle	d drua form		
Inj 0.3 mg per ml, 1 ml		5	
	(9.38)		Temgesic
CODEINE PHOSPHATE			
Tab 15 mg	5.39	100	✓ PSM
Tab 30 mg		100	PSM
Tab 60 mg		100	✓ PSM
DEXTROPROPOXYPHENE WITH PARACETAMOL			<del></del>
Tab napsylate 50 mg with paracetamol 325 mg	14.50	500	
Tab hapsylate 30 mg with paracetamor 323 mg	(22.50)	300	Paradex
Cap hydrochloride 32.5 mg with paracetamol 325 mg		500	i didu <del>c</del> x
oup hydrodillolide oz.o mg with paracetamor ozo mg	(33.14)	500	Capadex
	(00.14)		Capadex
DIHYDROCODEINE TARTRATE			4 - 11 - 11
Tab long-acting 60 mg	30.30	60	✓ DHC Continus
FENTANYL - Special Authority see SA0935 below - Retail ph	narmacy		
a) Only on a controlled drug form			
b) No patient co-payment payable			
Transdermal patch, matrix 25 µg per hour	55.23	5	✓ Durogesic
Transdermal patch, matrix 50 µg per hour	100.52	5	✓ Durogesic
Transdermal patch, matrix 75 µg per hour		5	✓ Durogesic
Transdermal patch, matrix 100 µg per hour	171.22	5	✓ Durogesic
■ SA0935 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals va	alid for 3 months for ann	lication	s meeting the following criteria:
Both:	and to to the thing to tapp		o mooning and lonorning official
Patient is terminally ill and is opioid-responsive; and			
2 Either:			
2.1 is unable to take oral medication; or			
2.2 is intolerant to morphine, or morphine is contrain	idicated.		
Renewal from any relevant practitioner. Approvals valid for 3		tment r	emains appropriate and the patient
penefiting from treatment.			
ENTANYL CITRATE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
Inj 50 µg per ml, 2 ml	6.10	5	✓ Hospira
Inj 50 µg per ml, 10 ml		5	✓ Hospira
, , , , ,		5	•opa
METHADONE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable	a material control of	( 11	ala a a a a farma a callabla ( a d
c) Extemporaneously compounded methadone will only b	e reimbursed at the rat	e of the	e cneapest form available (methadoi
powder, not methadone tablets).			
d) For methadone hydrochloride oral liquid refer, page 166			4.00
Tab 5 mg		10	Methatabs No. 1
Oral liq 2 mg per ml		200 ml	
Oral lia E ma nor ml	E E E	000	

200 ml

200 ml

10

**Biodone Forte** 

✓ AFT

✓ Biodone Extra Forte

Inj 10 mg per ml, 1 ml ......61.00

	Subsidy		Fully Brand or
	(Manufacturer's F \$	Price) Su Per	bsidised Generic  Manufacturer
	Ÿ	1 01	• Manadalata
MORPHINE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable	0.04	000 ml	A DA Marrib
† Oral liq 1 mg per ml		200 ml 200 ml	✓ <u>RA-Morph</u> ✓ RA-Morph
Oral liq 2 mg per ml      Oral liq 5 mg per ml		200 ml	✓ RA-Morph
Oral liq 3 mg per ml      Oral liq 10 mg per ml		200 ml	✓ RA-Morph
MORPHINE SULPHATE	21.00	200 1111	TIA-MOIDII
a) Only on a controlled drug form			
b) No patient co-payment payable			
Tab immediate-release 10 mg	2.80	10	✓ Sevredol
Tab long-acting 10 mg		10	LA-Morph
Tab immediate-release 20 mg		10	✓ Sevredol
Tab long-acting 30 mg		10	LA-Morph
Tab long-acting 60 mg		10	✓ LA-Morph
Tab long-acting 100 mg		10	✓ LA-Morph
Cap long-acting 10 mg		10	✓ m-Eslon
Cap long-acting 30 mg		10	✓ m-Eslon
Cap long-acting 60 mg		10	✓ m-Esion
Cap long-acting 100 mg		10	✓ m-Eslon
Cap long-acting 200 mg		10	✓ m-Eslon
Inj 5 mg per ml, 1 ml - Up to 5 inj available on a PSO		5	✓ Mayne
Inj 10 mg per ml, 1 ml - Up to 5 inj available on a PSO		5	✓ Mayne
Inj 15 mg per ml, 1 ml - Up to 5 inj available on a PSO		5	✓ Mayne
Inj 30 mg per ml, 1 ml - Up to 5 inj available on a PSO		5	✓ Mayne
MORPHINE TARTRATE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
Inj 80 mg per ml, 1.5 ml	20.20	5	✓ Mayne
Inj 80 mg per ml, 5 ml	67.37	5	✓ Mayne
OXYCODONE HYDROCHLORIDE			•
a) Only on a controlled drug form			
b) No patient co-payment payable			
Tab controlled-release 5 mg	7.51	20	✓ OxyContin
Tab controlled-release 10 mg	11.14	20	✓ OxyContin
Tab controlled-release 20 mg	18.93	20	✓ OxyContin
Tab controlled-release 40 mg		20	✓ OxyContin
Tab controlled-release 80 mg	58.03	20	✓ OxyContin
Cap 5 mg	2.83	20	✓ OxyNorm
Cap 10 mg	5.58	20	✓ OxyNorm
Cap 20 mg	9.77	20	✓ OxyNorm
‡ Oral liq 5 mg per 5 ml		250 ml	✓ OxyNorm
Inj 10 mg per ml, 1 ml		5	✓ OxyNorm
Inj 10 mg per ml, 2 ml	28.80	5	✓ OxyNorm

**Prescribing Guideline** 

Prescribers should note that oxycodone is significantly more expensive than long-acting morphine sulphate and clinical advice suggests that it is reasonable to consider this as a second-line agent to be used after morphine.

	Subsidy		Fully Brand or
	(Manufacturer's Price) \$	Per	Subsidised Generic  Manufacturer
ARACETAMOL WITH CODEINE			
* Tab paracetamol 500 mg with codeine phosphate 8 mg	2.45 (3.24)	100	✓ ParaCode Codalgin
Codalgin Tab paracetamol 500 mg with codeine phosphate 8 m	\ /	2010	
ETHIDINE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
Tab 50 mg		10	✓ PSM
Tab 100 mg		10	✓ PSM
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	✓ Mayne
Inj 50 mg per ml, 1.5 ml – Up to 5 inj available on a PSO		5 5	✓ Mayne
Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO	0.00	0	✓ Mayne
Antidepressants			
Cyclic and Related Agents			
•			
MITRIPTYLINE	0.77	<b>F</b> 0	. A Amelical
Tab 10 mg		50 100	✓ Amirol ✓ Amitrip
Tab 25 mg Tab 50 mg		100	✓ Amitrip
v		100	Amurip
CLOMIPRAMINE HYDROCHLORIDE	10.00	100	4 Clanzaca
Tab 10 mg	12.60	100	<ul><li>✓ Clopress</li><li>✓ Apo-Clomipramine</li></ul>
Tab 25 mg		100	✓ Apo-Clomipramine
Tab 20 mg	26.00	500	✓ Apo-ciompramme ✓ Clopress
Clopress Tab 10 mg to be delisted 1 June 2010)			
OTHIEPIN HYDROCHLORIDE			
Tab 75 mg	8.75	100	✓ Dopress
Cap 25 mg	4.75	100	✓ Dopress
OXEPIN HYDROCHLORIDE			
Cap 10 mg	5.24	100	✓ Anten
Cap 25 mg		100	✓ Anten
Cap 50 mg		100	✓ Anten
MIPRAMINE HYDROCHLORIDE			
Tab 10 mg	5.48	50	✓ Tofranil
Tab 25 mg		50	✓ Tofranil
MAPROTILINE HYDROCHLORIDE			
Tab 25 mg	25.06	100	✓ Ludiomil
		30	✓ Ludiomil

(Manufacturer's Price) Subsidised Generic Per Manufacturer \$ **⇒**SA0864 Special Authority for Subsidy **Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both: 1 Depression: and 2 Either: 2.1 Co-existent bladder neck obstruction: or 2.2 Cardiovascular disease. Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. NORTRIPTYLINE HYDROCHLORIDE 100 **Norpress** 180 **Norpress** TRIMIPRAMINE MAI FATE Cap 50 mg ......11.20 100 Tripress (Tripress Cap 50 mg to be delisted 1 August 2010) Monoamine-Oxidase Inhibitors (MAOIs) - Non Selective PHENELZINE SULPHATE Tab 15 mg ......95.00 100 Nardil TRANYLCYPROMINE SULPHATE 50 ✔ Parnate Monoamine-Oxidase Type A Inhibitors MOCLOBEMIDE Note: There is a significant cost differential between moclobemide and fluoxetine (moclobemide being about three times more expensive). For depressive syndromes it is therefore more cost-effective to start treatment with fluoxetine first before considering prescribing moclobemide. Tab 150 mg .......8.31 ✓ GenRx 60 Moclobemide 69.23 500 ✓ Apo-Moclobemide ✓ GenRx 60 Moclobemide 31.33 100 ✓ Apo-Moclobemide Selective Serotonin Reuptake Inhibitors CITALOPRAM HYDROBROMIDE ✓ Arrow-Citalopram 84 FLUOXETINE HYDROCHLORIDE Tab dispersible 20 mg, scored – Subsidy by endorsement ..................5.50 ✓ Fluox Subsidised by endorsement 1) When prescribed for a patient who cannot swallow whole tablets or capsules and the prescription is endorsed accord-2) When prescribed in a daily dose that is not a multiple of 20 mg in which case the prescription is deemed to be endorsed. Note: Tablets should be combined with capsules to facilitate incremental 10 mg doses. ✓ Fluox PAROXETINE HYDROCHLORIDE ✓ Loxamine

Subsidy

Fully

Brand or

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
Other Antidepressants				
MIRTAZAPINE - Special Authority see SA0994 below - Retail ph	armacy			
Tab 30 mg	22.00	30	✓ A	vanza
Tab 45 mg	35.00	30	<b>✓</b> A	vanza

# ■SA0994 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

- 1 The patient has a severe major depressive episode; and
- 2 Fither:
  - 2.1 The patient must have had a trial of two different antidepressants and was unable to tolerate the treatments or failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or
  - 2.2 Both:
    - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
    - 2.2.2 The patient must have had a trial of one other antidepressant and either could not tolerate it or failed to respond to an adequate dose over an adequate period of time.

Renewal from any relevant practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

VENLAFAXINE - Special Authority see SA0789 below - Retail pharmacy

Cap 37.5 mg	18.64	28	Efexor XR
Cap 75 mg	37.27	28	Efexor XR
Cap 150 mg	45.68	28	✓ Efexor XR

# **⇒**SA0789 Special Authority for Subsidy

**Initial application** only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 2 years for applications meeting the following criteria:

## Both:

- 1 The patient has 'treatment-resistant' depression; and
- 2 Either:
  - 2.1 The patient must have had a trial of two different antidepressants and failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or
  - 2.2 Both:
    - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
    - 2.2.2 The patient must have had a trial of one other antidepressant and failed to respond to an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

# **Antiepilepsy Drugs**

# Agents for Control of Status Epilepticus

CLONAZEPAM Inj 1 mg per ml, 1 ml19	9.00	5 <b>v</b>	' Rivotril
DIAZEPAM			
Inj 5 mg per ml, 2 ml - Subsidy by endorsement9	9.24	5	Mayne
a) Up to 5 inj available on a PSO			
b) Only on a PSO			
c) PSO must be endorsed "not for anaesthetic procedures".			
Rectal tubes 5 mg - Up to 5 tube available on a PSO25	5.05	5 🗸	Stesolid 2 1
Rectal tubes 10 mg - Up to 5 tube available on a PSO30	).50	5	Stesolid

PARALDEHYDE  * Inj 5 ml
PHENYTOIN SODIUM  * Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO
★ Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO       69.24       5       ✓ Mayne         ★ Inj 50 mg per ml, 5 ml - Up to 5 inj available on a PSO       77.27       5       ✓ Mayne         Control of Epilepsy         CARBAMAZEPINE         ★ Tab 200 mg       14.53       100       ✓ Tegretol         ★ Tab long-acting 200 mg       16.98       100       ✓ Tegretol CR         ★ Tab 400 mg       34.58       100       ✓ Tegretol CR         ★ Tab long-acting 400 mg       39.17       100       ✓ Tegretol CR         ★‡ Oral liq 100 mg per 5 ml       26.37       250 ml       ✓ Tegretol         CLOBAZAM         Tab 10 mg       9.12       50       ✓ Frisium         ‡ Safety cap for extemporaneously compounded oral liquid preparations.
★ Inj 50 mg per ml, 5 ml – Up to 5 inj available on a PSO
Control of Epilepsy  CARBAMAZEPINE  * Tab 200 mg
CARBAMAZEPINE  * Tab 200 mg
★ Tab 200 mg       14.53       100       ✓ Tegretol         ★ Tab long-acting 200 mg       16.98       100       ✓ Tegretol CR         ★ Tab 400 mg       34.58       100       ✓ Tegretol         ★ Tab long-acting 400 mg       39.17       100       ✓ Tegretol CR         ★‡ Oral liq 100 mg per 5 ml       26.37       250 ml       ✓ Tegretol         CLOBAZAM         Tab 10 mg       9.12       50       ✓ Frisium         ‡ Safety cap for extemporaneously compounded oral liquid preparations.
* Tab long-acting 200 mg       16.98       100       ✓ Tegretol CR         * Tab 400 mg       34.58       100       ✓ Tegretol         * Tab long-acting 400 mg       39.17       100       ✓ Tegretol CR         *‡ Oral liq 100 mg per 5 ml       26.37       250 ml       ✓ Tegretol         CLOBAZAM         Tab 10 mg       9.12       50       ✓ Frisium         ‡ Safety cap for extemporaneously compounded oral liquid preparations.
* Tab 400 mg       34.58       100       ✓ Tegretol         * Tab long-acting 400 mg       39.17       100       ✓ Tegretol CR         *‡ Oral liq 100 mg per 5 ml       26.37       250 ml       ✓ Tegretol         CLOBAZAM         Tab 10 mg       9.12       50       ✓ Frisium         ‡ Safety cap for extemporaneously compounded oral liquid preparations.
* Tab long-acting 400 mg
#‡ Oral liq 100 mg per 5 ml
CLOBAZAM  Tab 10 mg
Tab 10 mg9.12 50 ✓ Frisium ‡ Safety cap for extemporaneously compounded oral liquid preparations.
‡ Safety cap for extemporaneously compounded oral liquid preparations.
CLONAZEPAM
Tab 500 µg6.26 100 ✔ <u>Paxam</u>
Tab 2 mg11.15 100 ✓ <u>Paxam</u>
‡ Oral drops 2.5 mg per ml
ETHOSUXIMIDE
* Cap 250 mg
<b>*</b> ‡ Oral liq 250 mg per 5 ml
GABAPENTIN – Special Authority see SA0936 below – Retail pharmacy
△ Cap 100 mg
▲ Cap 300 mg

### **⇒**SA0936 Special Authority for Subsidy

**Initial application — (Epilepsy - new patients)** from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

### Fither:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Epilepsy - patient has had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life from gabapentin, topiramate, vigabatrin and/or lamotrigine.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

**Initial application** — (Neuropathic pain - new patients) from any relevant practitioner. Approvals valid for 3 months where the patient has tried and failed, or has been unable to tolerate, treatment with a tricyclic antidepressant.

Initial application — (Neuropathic pain - patient has had an approval for gabapentin for neuropathic pain prior to 1 August 2007) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Subsidy		Eully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

#### Either:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

If the patient had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

Renewal — (Neuropathic pain) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

#### Either:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Note: If the patient had an approval for gabapentin for neuropathic pain prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

GABAPENTIN (NEURONTIN) – Special Authority see SA0973 below – Re	etail pharmacy	
▲ Tab 600 mg	.79 1	Neurontin
▲ Cap 100 mg15	.67 1	Neurontin
▲ Cap 300 mg		Neurontin
▲ Cap 400 mg		Neurontin

# **■**SA0973 Special Authority for Subsidy

Notes: Subsidy for patients pre-approved by PHARMAC on 1 August 2009. Approvals valid without further renewal unless notified. No new approvals will be granted from 1 August 2009.

### LAMOTRIGINE

▲ Tab dispersible 2 mg	6.74	30	✓ Lamictal
▲ Tab dispersible 5 mg		30	✓ Lamictal
	15.00	56	Arrow-Lamotrigine
▲ Tab dispersible 25 mg	19.38	56	✓ Logem
,	20.40		✓ Arrow-Lamotrigine
			✓ Mogine
	29.09		✓ Lamictal
▲ Tab dispersible 50 mg	32.97	56	✓ Logem
,	34.70		✓ Arrow-Lamotrigine
			✓ Mogine
	47.89		✓ Lamictal
▲ Tab dispersible 100 mg	56.91	56	✓ Logem
3	59.90		✓ Arrow-Lamotrigine
			✓ Mogine
	79.16		✓ Lamictal
▲ Tab dispersible 200 mg	101.80	56	✓ Arrow-Lamotrigine
(Arrow-Lamotrigine Tab dispersible 200 mg to be delisted			•
LEVETIRACETAM - Special Authority see SA0921 on the	next page – Retail phar	macv	
Tab	1 0	60	✓ Keppra

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised Brand or Generic Manufacturer

## **⇒**SA0921 Special Authority for Subsidy

Subsidy by application to the Levetiracetam Special Access Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, Levetiracetam Special Access Panel Phone: (04) 916-7553 PHARMAC, PO Box 10 254 Facsimile: (09) 929-3226

Wellington Email: Isacoordinator@pharmac.govt.nz

#### PHENORARRITONE

PHENOBARBITONE		
For phenobarbitone oral liquid refer, page 166		4 2011
* Tab 15 mg		✓ PSM
* Tab 30 mg	5.00 500	✓ PSM
PHENYTOIN SODIUM		
* Tab 50 mg15	5.63 200	Dilantin Infatab
* Cap 30 mg15	5.50 200	Dilantin
* Cap 100 mg14	1.69 200	Dilantin
*‡ Oral liq 30 mg per 5 ml1	l.19 500 m	Dilantin
PRIMIDONE		
* Tab 250 mg	7.25 100	✓ Apo-Primidone
SODIUM VALPROATE		
	3.65 100	✓ Epilim Crushable
		✓ Epilim
* Tab 200 mg EC		✓ Epilim
		. '
*‡ Oral liq 200 mg per 5 ml20	J.40 300 III	✓ Epilim Syrup
* Inj 100 mg per ml, 4 ml4	.50 1	✓ Epilim IV
	1.50	<b>Б</b> рини 14
TOPIRAMATE		4-
▲ Tab 25 mg		✓ Topamax
▲ Tab 50 mg44		✓ Topamax
▲ Tab 100 mg		✓ Topamax
▲ Tab 200 mg129		✓ Topamax
▲ Sprinkle cap 15 mg		✓ Topamax
▲ Sprinkle cap 25 mg	60 60	✓ Topamax
VIGABATRIN - Special Authority see SA0937 below - Retail pharmacy		
▲ Tab 500 mg119	9.30 100	✓ Sabril

### ■SA0937 Special Authority for Subsidy

Initial application — (new patients) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

#### Both:

- 1 Either:
  - 1.1 Patient has infantile spasms; or
  - 1.2 Both:
    - 1.2.1 Patient has epilepsy; and
    - 1.2.2 Either:
      - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
      - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and
- 2 Either:

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter): or
- 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Initial application — (patient has had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life from gabapentin, topiramate, vigabatrin and or lamotrigine; and
- 2 Either:
  - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for the duration of treatment with vigabatrin; or
  - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- 2 Either:
  - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
  - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

If the patient had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

# **Antimigraine Preparations**

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 100

# **Acute Migraine Treatment**

ERGOTAMINE TARTRATE WITH CAFFEINE Tab 1 mg with caffeine 100 mg31.00	100	✓ Cafergot
METOCLOPRAMIDE HYDROCHLORIDE WITH PARACETAMOL  Tab 5 mg with paracetamol 500 mg	60	✓ Paramax
RIZATRIPTAN BENZOATE Wafer 10 mg25.32	3	✓ Maxalt Melt

	Subsidy (Manufacturer's Price	,)	Fully Subsidised	
	(Manulacturer S Frice	Per		Manufacturer
SUMATRIPTAN				
Tab 50 mg	38.83	100	V 1	Arrow-Sumatriptan
	1.55	4		_
	(12.00)			Sumagran
Tob 100 mg	(22.00)	100		migran
Tab 100 mg	1.55	100 2	V 1	Arrow-Sumatriptan
	(12.00)	_	5	Sumagran
	(22.00)			migran
Inj 12 mg per ml, 0.5 ml — Hospital pharmacy [HP3]-Specialis Maximum of 10 inj per prescription (Sumagran Tab 50 mg to be delisted 1 May 2010) (Imigran Tab 50 mg to be delisted 1 May 2010) (Sumagran Tab 100 mg to be delis	st80.00	2 OP	<b>~</b> 1	migran
Prophylaxis of Migraine				
For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYS	STEM, page 52			
CLONIDINE HYDROCHLORIDE	71 0			
* Tab 25 µg	19.25	100	<b>/</b> [	<u>Dixarit</u>
PIZOTIFEN				
* Tab 500 μg	21.10	100	V 9	Sandomigran
Antinausea and Vertigo Agents				
For Antispasmodics refer to ALIMENTARY TRACT, page 27				
APREPITANT - Special Authority see SA0987 below - Retail ph	ormoov			
Cap $2 \times 80$ mg and $1 \times 125$ mg	116 00	3 OP	<b>✓</b> F	Emend Tri-Pack
■SA0987 Special Authority for Subsidy		0 01		inona mraok
Initial application from any relevant practitioner. Approvals valid	for 12 months where	e the pa	atient is und	dergoing highly emetogeni
chemotherapy and/or anthracycline-based chemotherapy for the t				0 0 0 7 0
Renewal from any relevant practitioner. Approvals valid for 12 mon		nt is unc	dergoing hig	ghly emetogenic chemothe
apy and/or anthracycline-based chemotherapy for the treatment o	of malignancy.			
BETAHISTINE DIHYDROCHLORIDE			4.	
* Tab 16 mg	9.26	84	V \	/ergo 16
CYCLIZINE HYDROCHLORIDE				
Tab 50 mg	1.59	10	<u> </u>	<u>lausicalm</u>
CYCLIZINE LACTATE				
Inj 50 mg per ml, 1 ml		5		/aloid (AFT)
DOMPERIDONE - Additional subsidy by Special Authority see S			macy	
* Tab 10 mg		100		# PP
	(7.99)		ľ	Motilium
⇒SA0938 Special Authority for Manufacturers Price	for 6 months where	ho rou	ant in tarre	nally ill and requires ast-
Initial application from any relevant practitioner. Approvals valid to finausea and vomiting.	ior 6 months where 1	ne pati	ent is termi	nany in and requires contro
Renewal from any relevant practitioner. Approvals valid for 6 mo benefiting from treatment.	onths where the trea	tment r	remains ap	propriate and the patient i
HYOSCINE (SCOPOLAMINE) - Special Authority see SA0939 o	on the next nade – H	nsnital	nharmacu	[HP3]
Patch 1.5 mg	, ,	uspitai 2		Scopoderm TTS

		I	NER	VOUS SYSTEM
	Subsidy (Manufacturer's Price) \$		Fully dised	Brand or Generic Manufacturer
■SA0939 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals vali	d for 1 year for applicat	ions meeting	g the f	following criteria:
All of the following:  1 Control of intractable nausea, vomiting, or inability to swa  2 Patient cannot tolerate or does not adequately respond to			gnancy	y or chronic disease; and
3 The applicant must specify the underlying malignancy or		ito, una		
<b>Renewal</b> from any relevant practitioner. Approvals valid for 1 benefiting from treatment.		ent remains	appr	opriate and the patient is
HYOSCINE HYDROBROMIDE				
* Inj 400 μg per ml, 1 ml	6.66	5	✓ M	ayne
METOCLOPRAMIDE HYDROCHLORIDE				
* Tab 10 mg	5.15	100	✓ M	etamide
* Inj 5 mg per ml, 2 ml - Up to 5 inj available on a PSO	4.50	10	✓ Pf	<u>fizer</u>
ONDANSETRON - Retail pharmacy-Specialist				
d) The maximum of 6 tab per dispensing cannot be waived Tab 4 mg Tab disp 4 mg Tab 8 mg Tab disp 8 mg	17.18 17.18 33.89	10 10 20	✓ Zo	ofran Zydis
■SA0887 Special Authority for Waiver of Rule			_	
Initial application from any relevant practitioner. Approvals valid with highly emetogenic chemotherapy and/or highly emetogenic Renewal from any relevant practitioner. Approvals valid for 12 highly emetogenic chemotherapy and/or highly emetogenic radi	radiation therapy for the months where the pati	e treatment ent is under	of ma	llignancy. prolonged treatment with
PROCHLORPERAZINE				
* Tab 3 mg buccal		50	_	
	(15.00)			uccastem
* Tab 5 mg – Up to 30 tab available on a PSO				ntinaus
* Inj 12.5 mg per ml, 1 ml – Up to 5 inj available on a PSO				emetil
* Suppos 25 mg	23.87	5	✓ St	temetil
PROMETHAZINE THEOCLATE				
* Tab 25 mg	1.20	10		
	(6.24)		A۱	vomine
TROPISETRON - Hospital pharmacy [HP3]-Specialist				
a) Maximum of 6 cap per prescription				
h) Maximum of 2 can now dianonaina				

# **Antiparkinson Agents**

# **Dopamine Agonists and Related Agents**

Cap 5 mg .......77.41

b) Maximum of 3 cap per dispensing c) Not more than one prescription per month.

AMANTADINE HYDROCHLORIDE  ▲ Cap 100 mg	47.81	60	✓ <u>Symmetrel</u>
APOMORPHINE HYDROCHLORIDE  ▲ Inj 10 mg per ml, 2 ml	110.00	5	✓ Apomine

5

✓ Navoban

	Subsidy (Manufacturer's Price	١	Fully Brand or
	(Manufacturer's Price \$	) Per	Subsidised Generic  Manufacturer
BROMOCRIPTINE MESYLATE			
* Tab 2.5 mg	32.08	100	✓ Alpha-
•			Bromocriptine
			✓ Apo-Bromocriptine
* Cap 5 mg	60.43	100	✓ Apo-
			Bromocriptine S29
(Alpha-Bromocriptine Tab 2.5 mg to be delisted 1 June 2010)			
ENTACAPONE			
▲ Tab 200 mg	116.00	100	✓ Comtan
LEVODOPA WITH BENSERAZIDE			
* Tab dispersible 50 mg with benserazide 12.5 mg	10.00	100	✓ Madopar
			Dispersible
* Cap 50 mg with benserazide 12.5 mg	8.00	100	✓ Madopar 62.5
* Cap 100 mg with benserazide 25 mg		100	✓ Madopar 125
* Cap long-acting 100 mg with benserazide 25 mg	17.00	100	✓ Madopar HBS
* Cap 200 mg with benserazide 50 mg	25.00	100	✓ Madopar 250
LEVODOPA WITH CARBIDOPA			
* Tab 100 mg with carbidopa 25 mg	10.00	50	✓ Sindopa
	20.00	100	✓ Sinemet
* Tab long-acting 200 mg with carbidopa 50 mg		100	✓ Sinemet CR
* Tab 250 mg with carbidopa 25 mg	40.00	100	✓ Sinemet
LISURIDE HYDROGEN MALEATE			
▲ Tab 200 μg	27.50	30	Dopergin
PERGOLIDE			
▲ Tab 0.25 mg	48.00	100	✓ Permax
▲ Tab 1 mg	170.00	100	✓ Permax
ROPINIROLE HYDROCHLORIDE			
▲ Tab 0.25 mg	7.90	84	✓ Ropin
▲ Tab 1 mg		84	Ropin
▲ Tab 2 mg	60.72	84	Ropin
▲ Tab 5 mg	90.00	84	✓ Ropin
SELEGILINE HYDROCHLORIDE			
* Tab 5 mg	16.06	100	✓ Apo-Selegiline
TOLCAPONE - Retail pharmacy-Specialist prescription			
Specialist must be a neurologist, geriatrician or general ph	vsician.		
▲ Tab 100 mg	•	100	✓ Tasmar
Anticholinergics			
BENZTROPINE MESYLATE			
Tab 2 mg	7.99	60	✓ Benztrop
Inj 1 mg per ml, 2 ml		5	✓ Cogentin
a) Up to 5 inj available on a PSO		J	
b) Only on a PSO			
ORPHENADRINE HYDROCHLORIDE			
Tab 50 mg	31.93	250	✓ Disipal
PROCYCLIDINE HYDROCHLORIDE			
Tab 5 mg	7.40	100	✓ Kemadrin
1ab J 111y		100	₩ Neiliaulili

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

# **Antipsychotics**

### Guidelines for the use of atypical antipsychotic agents

Diagnosis: Schizophrenia and related psychoses when positive symptoms (delusions, hallucinations and thought disorder) are prominent and/or disabling or when both positive symptoms and negative symptoms (flattened affect, emotional and social withdrawal and poverty of speech) are present. Treatment: Before initiating atypical antipsychotic therapy, physicians should consider whether the patient is likely to respond to and/or tolerate conventional antipsychotic therapy and, where appropriate, trial one or more conventional agent prior to use of an atypical agent.

## General

AMISULPRIDE Tab 100 mg Tab 200 mg Tab 400 mg Oral liq 100 mg per ml	97.03 185.44	30 60 60 60 ml	✓ Solian ✓ Solian ✓ Solian ✓ Solian
ARIPIPRAZOLE - Special Authority see SA0920 below - Retail ph Tab 10 mg	123.54 175.28 213.42	30 30 30 30	Abilify Abilify Abilify Abilify

### **▶**SA0920 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Either:
  - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
  - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

12 36

100

/ Largactil

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

#### CHLORPROMAZINE HYDROCHLORIDE

Tah 10 mg - Un to 30 tah available on a PSO

1ab 10 mg - 0p to 30 tab available on a F3012.30	0 100	Largaciii
Tab 25 mg - Up to 30 tab available on a PSO13.00	2 100	✓ Largactil
Tab 100 mg - Up to 30 tab available on a PSO30.6	1 100	✓ Largactil
Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO25.6	6 10	✓ Largactil
CLOZAPINE - Hospital pharmacy [HP4]		
Tab 25 mg13.3	7 50	Clozaril
26.7	4 100	Clozaril
6.6	9 50	Clopine
13.3	7 100	✓ Clopine
Tab 50 mg8.6	7 50	✓ Clopine
17.3		✓ Clopine
Tab 100 mg34.6	5 50	✓ Clozaril
69.3	0 100	Clozaril
17.3	3 50	Clopine
34.6	5 100	✓ Clopine
Tab 200 mg34.6	5 50	✓ Clopine
69.3		✓ Clopine
Suspension 50 mg per ml17.3	3 100 ml	✓ Clopine

	Subsidy (Manufacturer's Pric	e) Per	Fully Subsidised	Brand or Generic Manufacturer
HALOPERIDOL				
Tab 500 μg – Up to 30 tab available on a PSO	4.93	100	✓ Se	erenace
Tab 1.5 mg - Up to 30 tab available on a PSO	7.45	100	✓ Se	<u>erenace</u>
Tab 5 mg - Up to 30 tab available on a PSO	23.49	100	✓ Se	erenace
Oral liq 2 mg per ml - Up to 200 ml available on a PSO	18.06	100 ml	✓ Se	erenace
Inj 5 mg per ml, 1 ml - Up to 5 inj available on a PSO	17.04	10	✓ S	erenace
LITHIUM CARBONATE				
Tab 250 mg	36.10	500	🗸 Li	ithicarb
Tab 400 mg	13.50	100	🗸 Li	ithicarb
Tab long-acting 400 mg	17.65	100	<b>✓</b> Pi	riadel
Cap 250 mg	7.73	100	<b>✓</b> D	ouglas
METHOTRIMEPRAZINE				
Tab 25 mg	16.93	100	✓ N	ozinan
Tab 100 mg	43.96	100	✓ N	ozinan
Inj 25 mg per ml, 1 ml	73.68	10	✓ N	ozinan
OLANZAPINE - Special Authority see SA0741 below - Retail ph	armacy			
Tab 2.5 mg	51.07	28	✓ Zy	yprexa
Tab 5 mg	101.21	28	✓ Z	yprexa
Tab 10 mg		28		yprexa

# **⇒**SA0741 Special Authority for Subsidy

**Initial application** only from a psychiatrist. Approvals valid for 2 years for applications meeting the following criteria: Any of the following:

- 1 Patient presents with first episode schizophrenia or related psychoses; or
- 2 Both:
  - 2.1 Patient suffering from schizophrenia and related psychoses or acute mania in bipolar disorder who is likely to benefit from antipsychotic treatment; and
  - 2.2 Either:
    - 2.2.1 An effective dose of risperidone had been trialled and has been discontinued because of unacceptable side effects; or
    - 2.2.2 An effective dose of risperidone had been trialled and has been discontinued because of inadequate clinical response after 4 weeks; or
- 3 The patient has suffered from an acute episode of schizophrenia or bipolar mania and has been treated with olanzapine short-acting intra-muscular injection.

Renewal only from a psychiatrist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Initial prescriptions to be written by psychiatrists or psychiatric registrars and subsequent prescriptions can be written by General Practitioners.

PERICYAZINE			
Tab 2.5 mg	12.49	100	✓ Neulactil
Tab 10 mg	44.45	100	Neulactil
QUETIAPINE			
Tab 25 mg	16.78	90	Quetapel
	46.20	60	✓ Seroquel
Tab 100 mg	32.59	90	Quetapel
	92.40	60	✓ Seroquel
Tab 200 mg	56.70	90	Quetapel
•	158.76	60	✓ Seroquel
Tab 300 mg	95.40	90	Quetapel
-	267.12	60	✓ Seroquel

RISPERIDONE		Subsidy		Fully Brand or
RISPERIDONE Tab 0.5 mg			Por	
Tab 0.5 mg		\$	Per	Manufacturer
5.20				
Tab 1 mg	Tab 0.5 mg			
Tab 1 mg				
Tab 1 mg				
Tab 2 mg				
Tab 2 mg	lab 1 mg	6.00	60	✓ Dr Reddy's
Tab 2 mg		30.77		•
Tab 2 mg				
Tab 3 mg	Tab 2 mg	11.00	60	
Tab 3 mg	· · · <b>g</b>			✓ Dr Reddy's
Tab 3 mg		61.53		✓ Ridal
Preddy's Risperidone   92.32   Risperidone   92.32   Risperidone   Risperidone   Risperidone   Risperidone   Preddy's   Preddy's   Preddy's   Preddy's   Preddy's   Preddy's   Preddy's   Preddy's   Preddy's   Preddy's				✓ Risperdal
92.32	Tab 3 mg	15.00	60	✓ Dr Reddy's
Tab 4 mg		92.32		•
Tab 4 mg		02.02		
Oral liq 1 mg per ml	Tab 4 mg	20.00	60	<ul><li>✓ Apo-Risperidone</li><li>✓ Dr Reddy's</li></ul>
Oral liq 1 mg per ml		123.05		✓ Ridal
TRIFLUOPERAZINE HYDROCHLORIDE  Tab 1 mg	Oral liq 1 mg per ml	18.35	30 ml	✓ Apo-Risperidone
Tab 1 mg		45.92		✓ Risperdal
Tab 1 mg	TRIFLUOPERAZINE HYDROCHLORIDE			
Tab 2 mg		9.83	100	✓ Stelazine
ZIPRASIDONE – Subsidy by endorsement  Ziprasidone is subsidised for patients suffering from schizophrenia or related psychoses after a trial of an effective do risperidone or quetiapine that has been discontinued, or is in the process of being discontinued, because of unacceptable effects or inadequate response, and the prescription is endorsed accordingly.  Cap 20 mg	Tab 2 mg	14.64	100	✓ Stelazine
Ziprasidone is subsidised for patients suffering from schizophrenia or related psychoses after a trial of an effective do risperidone or quetiapine that has been discontinued, or is in the process of being discontinued, because of unacceptable effects or inadequate response, and the prescription is endorsed accordingly.  Cap 20 mg	Tab 5 mg	16.66	100	✓ Stelazine
Cap 40 mg       164.78       60       ✓ Zeldox         Cap 60 mg       247.17       60       ✓ Zeldox         Cap 80 mg       329.56       60       ✓ Zeldox         ZUCLOPENTHIXOL HYDROCHLORIDE       31.45       100       ✓ Clopixol         Depot Injections         FLUPENTHIXOL DECANOATE         Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO       13.14       5       ✓ Fluanxol	Ziprasidone is subsidised for patients suffering from schiz risperidone or quetiapine that has been discontinued, or is	n the process of being		
Cap 60 mg	Cap 20 mg	87.88	60	✓ Zeldox
Cap 80 mg	Cap 40 mg	164.78	60	✓ Zeldox
ZUCLOPENTHIXOL HYDROCHLORIDE  Tab 10 mg	Cap 60 mg	247.17	60	✓ Zeldox
Tab 10 mg	Cap 80 mg	329.56	60	✓ Zeldox
FLUPENTHIXOL DECANOATE  Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO13.14 5 Fluanxol		31.45	100	✓ Clopixol
FLUPENTHIXOL DECANOATE  Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO13.14 5 Fluanxol	Depot Injections			
Inj 20 mg per ml, 1 ml − Up to 5 inj available on a PSO13.14 5 Fluanxol				
Inj 100 mg per ml, 1 ml − Up to 5 inj available on a PSO40.87 5 Fluanxol	Inj 20 mg per ml, 1 ml - Up to 5 inj available on a PSO Inj 20 mg per ml, 2 ml - Up to 5 inj available on a PSO	20.90	5	✓ Fluanxol

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
FLUPHENAZINE DECANOATE				
Inj 12.5 mg per 0.5 ml, 0.5 ml - Up to 5 inj available on a PSO	17.60	5	<b>/</b>	Modecate
Inj 25 mg per ml, 1 ml - Up to 5 inj available on a PSO	27.90	5	<b>/</b>	Modecate
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO	154.50	5	<b>/</b>	Modecate
HALOPERIDOL DECANOATE				
Inj 50 mg per ml, 1 ml - Up to 5 inj available on a PSO	28.39	5	<b>V</b>	Haldol
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO	55.90	5	<b>~</b>	Haldol Concentrate
PIPOTHIAZINE PALMITATE				
Inj 50 mg per ml, 1 ml - Up to 5 inj available on a PSO	178.48	10	<b>V</b>	Piportil
Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	353.32	10	<b>/</b>	Piportil
RISPERIDONE - Special Authority see SA0926 below - Retail pha	armacy			
Microspheres for injection 25 mg	•	1	<b>V</b>	Risperdal Consta
Microspheres for injection 37.5 mg		1	<b>/</b>	Risperdal Consta
Microspheres for injection 50 mg	280.00	1	<b>~</b>	Risperdal Consta

■SA0926 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient has schizophrenia or other psychotic disorder; and
- 2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Fither:

- 1 Both:
  - 1.1 The patient has had less than 12 months treatment with risperidone microspheres; and
  - 1.2 There is no clinical reason to discontinue treatment: or

Inj 200 mg per ml, 1 ml - Up to 5 inj available on a PSO .......19.80

2 The initiation of risperidone microspheres has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of risperidone microspheres.

Note: Risperidone microspheres should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone microspheres.

#### **ZUCLOPENTHIXOL DECANOATE**

### ■ SA0739 Special Authority for Subsidy

**Initial application** only from a psychiatrist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The patient meets the current criteria for standard olanzapine tablets; and
- 2 The patient is unable to take standard olanzapine tablets, or once stabilized refuses to take olanzapine tablets; or the patient is non-adherent to oral therapy with standard olanzapine tablets; and
- 3 The patient is under direct supervision for administration of medicine.

**Renewal** only from a psychiatrist. Approvals valid for 1 year for applications meeting the following criteria: Both:

continued...

✔ Clopixol

Subsidy (Manufacturer's Price)	Fully Subsidised Per	Brand or Generic Manufacturer
--------------------------------	----------------------	-------------------------------------

continued...

- 1 The patient is unable to take standard olanzapine tablets, or once stabilized refuses to take olanzapine tablets; and
- 2 The patient is under direct supervision for administration of medicine.

Note: Initial prescriptions to be written by psychiatrists and subsequent prescriptions can be written by psychiatric registrars or General Practitioners.

RISPERIDONE – Special Authority see SA0927 below – Re	etail pharmacy	
Orally-disintegrating tablets 0.5 mg	21.42 28	Risperdal Quicklet
Orally-disintegrating tablets 1 mg	42.84 28	Risperdal Quicklet
Orally-disintegrating tablets 2 mg	85.71 28	Risperdal Quicklet

### **⇒**SA0927 Special Authority for Subsidy

Initial application — (Acute situations) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

#### Both:

- 1 For a non-adherent patient on oral therapy with standard risperidone tablets or risperidone oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Initial application — (Chronic situations) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

**Renewal** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Note: Risperdal Quicklets cost significantly more than risperidone tablets and should only be used where necessary.

### **Anxiolytics**

ALPRAZOLAM – Month Restriction		
Tab 250 μg3.15	50	✓ <u>Arrow-Alprazolam</u>
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
Tab 500 μg4.10	50	✓ <u>Arrow-Alprazolam</u>
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
Tab 1 mg7.25	50	✓ <u>Arrow-Alprazolam</u>
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
BUSPIRONE HYDROCHLORIDE - Special Authority see SA0863 below - Retail	pharmacy	
Month Restriction		
Tab 5 mg28.00	100	Pacific Buspirone
Tab 10 mg17.00	100	Pacific Buspirone

### **⇒**SA0863 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 For use only as an anxiolytic; and
- 2 Other agents are contraindicated or have failed.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
DIAZEPAM				
Tab 2 mg - Month Restriction	11.44	500	V	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid				
Tab 5 mg - Month Restriction		500	V	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
Tab 10 mg - Month Restriction		100	<b>✓</b> F	Pro-Pam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
(Pro-Pam Tab 10 mg to be delisted 1 April 2010)				
LORAZEPAM - Month Restriction				
Tab 1 mg		250	V	Ativan
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
Tab 2.5 mg		100	V	Ativan
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
OXAZEPAM - Month Restriction				
Tab 10 mg	1.98	100		
	(5.89)		(	Ox-Pam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
Tab 15 mg	2.45	100		
	(8.13)		(	Ox-Pam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			

# **Multiple Sclerosis Treatments**

### **⇒**SA0855 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Budget managed by appointed clinicians on the Multiple Sclerosis Treatment Assessments Committee (MSTAC).

Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Appeals against MSTAC's decision and/or the processing of any application may be lodged with the MSTAC coordinator. Concerns that cannot be or have not been adequately addressed by MSTAC will be forwarded to a separate Appeal Committee if necessary. Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

## **Entry Criteria**

 Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis should as a rule include MRI confirmation. For patients diagnosed before MRI was widely utilised in New Zealand, confirmation of diagnosis via clinical assessment and laboratory/ancillary data must be provided; and

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised Brand or Generic Manufacturer

continued...

- 2) patients must have active relapsing MS (confirmed by MR scan where necessary) with or without underlying progression; and
- 3) patients must have either:
  - a) EDSS score 2.5 5.5 with 2+ relapses:
    - experienced at least 2 significant relapses of MS in the previous 12 months, and
    - an EDSS score of between 2.5 and 5.5 inclusive; or
  - b) EDSS score 2.0 with 3+ relapses:
    - experienced at least 3 significant relapses of MS in the previous 12 months, and
    - an EDSS score of 2.0: and
- 4) Each relapse must:
  - a) be confirmed by a neurologist or general physician (the patient may not necessarily have been seen during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week;
  - d) follow a period of stability of at least one month;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke functional systems scores by at least 1 point;
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T>37.5°C); and
- 5) applications must be made at least four weeks after the date of the onset of the last known relapse; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate (see criteria for stopping).
- 7) applications must be submitted to the Multiple Sclerosis Treatment Assessment Committee (MSTAC) by the patient's neurologist or a general physician; and
- 8) patients must agree (via informed consent) to co-operate if as a result of their meeting the stopping criteria, funding is withdrawn. Patients must agree to the collection of clinical data relating to their MS and use of those data by PHARMAC; and
- 9) patients must agree to allow clinical data to be collected and reviewed by MSTAC annually for each year in which they receive funding for beta-interferon or glatiramer acetate.

#### Stopping Criteria

- Confirmed progression of disability that is sustained for three months after a minimum of one year of treatment. Progression
  of disability is defined as either an increase of 1 EDSS point from the starting EDSS or an increase in EDSS score to 6.0 or
  more; or
- 2) stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment); or
- 3) pregnancy and/or lactation; or
- 4) within the 12 month approval year, intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- 5) non-compliance with treatment, including refusal to undergo annual assessment or refusal to allow the results of the assessment to be submitted to MSTAC; or
- 6) patients may, subject to conclusions drawn from published evidence available at the time, be excluded if they develop a high titre of neutralising anti-bodies to beta-interferon or glatiramer acetate.

GLATIRAMER ACETATE - Special Authority see SA0855 on	the preceding page		
Inj 20 mg prefilled syringe	1,089.25	28	Copaxone
INTERFERON BETA-1-ALPHA - Special Authority see SA08	355 on the preceding pag	ge	
Inj 6 million iu prefilled syringe	1,329.65	4	Avonex
Inj 6 million iu per vial		4	Avonex
INTERFERON BETA-1-BETA - Special Authority see SA085	5 on the preceding page		
Inj 8 million iu per 1 ml	1,436.79	15	Betaferon

	0.1.11			
	Subsidy (Manufacturer's Price)		Fully Subsidised	
	\$	Per	oubsidisec. ✓	
Sedatives and Hypnotics				
LORMETAZEPAM – Month Restriction				
Tab 1 mg	3.11	30		
<b>3</b>	(23.50)			Noctamid
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
MIDAZOLAM				
Note: Midazolam injection will be funded if prescribed for intra	anasal administration	for us	e in pallia	tive care. Note that only the
Hypnovel brand is currently indicated for intranasal administra				,
Tab 7.5 mg - Month Restriction		100		
· ·	(25.00)			Hypnovel
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
Inj 1 mg per ml, 5 ml	10.75	10	~	Hypnovel
	(14.73)			Pfizer
Inj 5 mg per ml, 3 ml	11.90	5	~	Hypnovel
	(19.64)			Pfizer
NITRAZEPAM – Month Restriction				
Tab 5 mg	2.00	100		
· ·	(4.98)			Nitrados
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
TEMAZEPAM – Month Restriction				
Tab 10 mg	0.83	25	~	Normison
‡ Safety cap for extemporaneously compounded oral liquid				
TRIAZOLAM – Month Restriction				
Таb 125 µg	5 10	100		
145 126 pg	(6.50)	100		Hypam
‡ Safety cap for extemporaneously compounded oral liquid				)  - • · · · ·
Tab 250 µg		100		
	(7.20)			Hypam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			,,
ZOPICLONE – Month Restriction				
Tab 7.5 mg	21.02	500	V	Apo-Zopiclone
Other CNS Agents				
ATOMOXETINE – Special Authority see SA0951 on the next page	Dotail pharmacy			
Cap 10 mg		28	1	Strattera
Cap 18 mg		28		Strattera
Cap 25 mg		28	· .	Strattera
Cap 40 mg		28		Strattera
Cap 60 mg		28		Strattera
Cap 80 mg		28	V	Strattera
Cap 100 mg	139.11	28	V	Strattera

### **NERVOUS SYSTEM**

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

# ■SA0951 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
  - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
  - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
  - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamphetamine sulphate tablets.

DEXAMPHETAMINE SULPHATE - Special Authority see SA0907 below - Retail pharmacy

Only on a controlled drug form

Tab 5 mg .......16.50 100 ✓ <u>PSM</u>

# ■SA0907 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over – new patients) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Fither
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Both:
    - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 3.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients 5 or over - patient has had an approval for dexamphetamine for ADHD prior to 1 April 2008) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment: and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Both:
    - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 2.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients under 5 – new patients) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (ADHD in patients under 5 - patient has had an approval for dexamphetamine for ADHD in patients under 5 prior to 1 April 2008) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Narcolepsy – new patients) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Initial application — (Narcolepsy - patient has had an approval for dexamphetamine for narcolepsy prior to 1 April 2008) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment..

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Both:
    - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 2.2.2 Provide name of the recommending specialist.

Note: If the patient had an approval for dexamphetamine for ADHD prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for dexamphetamine for ADHD in patients under 5 prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

**Renewal** — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for dexamphetamine for narcolepsy prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

# DISULFIRAM

rab 200 mg	24.30	100	Antabuse
METHYLPHENIDATE HYDROCHLORIDE – Special A Only on a controlled drug form	Authority see SA0908 on the I	next page –	Retail pharmacy
Tab immediate-release 5 mg	3.20	30	Rubifen
Tab immediate-release 10 mg	3.00	30	Ritalin
-			Rubifen
Tab immediate-release 20 mg	7.85	30	Rubifen
Tab sustained-release 20 mg	10.95	30	Rubifen SR
-	50.00	100	Ritalin SR

### **NERVOUS SYSTEM**

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised

Brand or Generic Manufacturer

# **⇒**SA0908 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over – new patients) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Both:
    - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 3.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients 5 or over - patient has had an approval for methylphenidate for ADHD prior to 1 April 2008) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Both:
    - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 2.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients under 5 – new patients) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (ADHD in patients under 5 - patient has had an approval for methylphenidate for ADHD in patients under 5 prior to 1 April 2008) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Narcolepsy – new patients) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Initial application — (Narcolepsy - patient has had an approval for methylphenidate for narcolepsy prior to 1 April 2008) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment..

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Both:
    - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 2.2.2 Provide name of the recommending specialist.

Note: If the patient had an approval for methylphenidate for ADHD prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for methylphenidate for ADHD in patients under 5 prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

**Renewal** — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for methylphenidate for narcolepsy prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA0924 below - Retail pharmacy

Only	/ on	а	controlled	drua	form
OHIN	/ OH	а	controlled	arua	10111

Tab extended-release 18 mg58.96	30	Concerta
Tab extended-release 27 mg65.44	30	Concerta
Tab extended-release 36 mg71.93	30	Concerta
Tab extended-release 54 mg86.24	30	Concerta
Cap modified-release 10 mg19.50	30	✓ Ritalin LA
Cap modified-release 20 mg25.50	30	✓ Ritalin LA
Cap modified-release 30 mg31.90	30	✓ Ritalin LA
Cap modified-release 40 mg	30	✓ Ritalin LA
<u> </u>		

## ⇒SA0924 | Special Authority for Subsidy

**Initial application** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Fither:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Both:
    - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 3.2.2 Provide name of the recommending specialist: and
- 4 Fither:
  - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or compliance difficulties; or
  - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

**Renewal** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Both:
    - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 2.2.2 Provide name of the recommending specialist.

### **NERVOUS SYSTEM**

✓ Xenazine 25

112

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ NAI OXONE HYDROCHI ORIDE a) Up to 5 inj available on a PSO b) Only on a PSO ✓ Mayne NALTREXONE HYDROCHLORIDE - Special Authority see SA0909 below - Retail pharmacy ' ReVia ⇒SA0909 Special Authority for Subsidy Initial application from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria: 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and 2 Applicant works in a community Alcohol and Drug Service contracted to one of the 21 District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard. Renewal from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both: 1 Compliance with the medication (prescriber determined); and 2 Any of the following: 2.1 Patient is still unstable and requires further treatment; or 2.2 Patient achieved significant improvement but requires further treatment; or 2.3 Patient is well controlled but requires maintenance therapy. The patient may not have had more than 1 prior approval in the last 12 months. TETRABENAZINE

Tab 25 mg ......243.00

Subsidy Fully (Manufacturer's Price) Per \$

Subsidised

Brand or Generic Manufacturer

# **Chemotherapeutic Agents**

# **Alkylating Agents**

BUSULPHAN - PCT - Retail pharmacy-Specialist			4
Tab 2 mg	47.89	100	✓ Myleran
CARBOPLATIN – PCT only – Specialist	22.22		40 1 1 1 5
Inj 10 mg per ml, 5 ml		1	Carboplatin Ebewe
Inj 10 mg per ml, 15 ml		1 1	Carboplatin Ebewe
Inj 10 mg per ml, 45 ml		1	Carboplatin Ebewe
Inj 10 mg per ml, 100 ml			Carboplatin Ebewe
Inj 1 mg for ECP	0.15	1 mg	✓ Baxter
CARMUSTINE - PCT only - Specialist			4 = 1 = 1
Inj 100 mg		1	BICNU
Inj 100 mg for ECP	204.13	100 mg OP	✓ Baxter
CHLORAMBUCIL - PCT - Retail pharmacy-Specialist			
Tab 2 mg	22.35	25	✓ Leukeran FC
CISPLATIN - PCT only - Specialist			
Inj 1 mg per ml, 50 ml	19.00	1	✓ Cisplatin Ebewe
11) 1 119 pc1 111, 00 111		'	✓ Mayne
Inj 1 mg per ml, 100 ml	38.00	1	✓ Cisplatin Ebewe
, <del>.</del> pe,		·	✓ Mayne
Inj 1 mg for ECP	0.46	1 mg	✓ Baxter
CYCLOPHOSPHAMIDE		9	
	05.71	50	✓ Cycloblastin
Tab 50 mg - PCT - Retail pharmacy-SpecialistInj 1 g - PCT - Retail pharmacy-Specialist		1	✓ <u>Cyclobiastili</u> ✓ Endoxan
IIIJ I g - POI - netali priarriacy-specialist	127.80	6	✓ Cytoxan
Inj 2 g - PCT only - Specialist		1	✓ Endoxan
Inj 1 mg for ECP — PCT only — Specialist		1 mg	✓ Baxter
		1 1119	Dunto
IFOSFAMIDE – PCT only – Specialist	00.00		. 🗸 11-1
Inj 1 g		1	✓ Holoxan
Inj 2 g		1	✓ Holoxan
Inj 1 mg for ECP	0.10	1 mg	✓ Baxter
LOMUSTINE - PCT only - Specialist			
Cap 10 mg		20	✓ CeeNU
Cap 40 mg	399.15	20	✓ CeeNU
MELPHALAN			
Tab 2 mg - PCT - Retail pharmacy-Specialist	31.31	25	✓ Alkeran
Inj 50 mg - PCT only - Specialist	52.15	1	✓ Alkeran
OXALIPLATIN - PCT only - Specialist - Special Authority se	e SA0900 on the	next nage	
Inj 50 mg		1	✓ Oxaliplatin Ebewe
, ••	200.00	•	✓ Eloxatin
Inj 100 mg		1	✓ Oxaliplatin Ebewe
, 3	400.00	-	✓ Eloxatin
Inj 1 mg for ECP		1 mg	✓ Baxter

Subsidy (Manufacturer's Price) Subsidised Generic Per ✓ Manufacturer

# ■SA0900 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### Fither:

- 1 Both:
  - 1.1 The patient has metastatic colorectal cancer; and
  - 1.2 To be used for first or second line use as part of a combination chemotherapy regimen; or
- 2 Both:
  - 2.1 The patient has stage III (Duke's C) colorectal\* cancer; and
  - 2.2 Adjuvant oxaliplatin to be given in combination with a fluoropyrimidine (fluorouracil or capecitabine).

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### Either:

1 The patient requires continued therapy; or

THIOTEPA - PCT only - Specialist

2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with \* are Unapproved Indications, oxaliplatin is indicated for adjuvant treatment of stage III (Duke's C) colon cancer after complete resection of the primary tumour.

Inj 15 mgCBS	1	✓ Bedford S29
Antimetabolites		
CALCIUM FOLINATE		
Tab 15 mg — PCT – Hospital pharmacy [HP3]-Specialist	10	✓ Mayne
Specialist	) 5	✓ Mayne
Inj 50 mg - PCT - Hospital pharmacy [HP1]-Specialist24.50	5	✓ <u>Calcium Folinate</u> <u>Ebewe</u>
Inj 100 mg - PCT only - Specialist9.75	5 1	✓ Calcium Folinate Ebewe
Inj 300 mg - PCT only - Specialist30.00	) 1	Calcium Folinate Ebewe
Inj 1 g - PCT only - Specialist100.00	) 1	✓ Calcium Folinate Ebewe
Inj 1 mg for ECP - PCT only - Specialist0.10	) 1 mg	✓ Baxter
CAPECITABINE - Hospital pharmacy [HP1]-Specialist - Special Authority se	ee SA0869 below	
Tab 150 mg115.00	60	✓ Xeloda
Tab 500 mg705.00		✓ Xeloda

# **⇒**SA0869 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Any of the following:

- 1 The patient has advanced gastrointestinal malignancy: or
- 2 The patient has metastatic breast cancer\*; or
- 3 The patient has stage III (Duke's stage C) colorectal\*# cancer and undergone surgery; or
- 4 Both
  - 4.1 The patient has poor venous access or needle phobia\*; and
  - 4.2 The patient requires a substitute for single agent fluoropyrimidine\*.

Renewal only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Fither:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

## continued...

- 1 The patient requires continued therapy; or
  - 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with * are Unapproved Indications, # capecitabine is a	approved for stage III	(Duke's stage C) colon cand
CLADRIBINE - PCT only - Specialist		
Inj 2 mg per ml, 5 ml873.00	1 (	/ Litak S29
Inj 1 mg per ml, 10 ml	7	Leustatin
Inj 10 mg for ECP749.96	10 mg OP	✓ Baxter
CYTARABINE		
Inj 100 mg - PCT - Retail pharmacy-Specialist80.00	5	/ Mayne
, ,,,		✓ Pharmacia
Inj 100 mg per ml, 5 ml - PCT - Retail pharmacy-Specialist95.36	5	/ Mayne
Inj 100 mg per ml, 10 ml - PCT - Retail pharmacy-Specialist42.65	1 (	✓ Mayne
Inj 100 mg per ml, 20 ml - PCT only - Specialist34.47	1 (	✓ Mayne
Inj 1 mg for ECP - PCT only - Specialist	1 mg (	✓ Baxter
Inj 100 mg intrathecal syringe for ECP - PCT only - Specialist16.00	100 mg OP	✓ Baxter
FLUDARABINE PHOSPHATE - PCT only - Specialist		
Tab 10 mg	15	✓ Fludara
867.00		Fludara Oral
Inj 50 mg1,430.00		/ Fludara
Inj 50 mg for ECP286.00		/ Baxter
(Fludara Tab 10 mg to be delisted 1 July 2010)	J	
FLUOROURACIL SODIUM		
Inj 50 mg per ml, 10 ml - PCT only - Specialist4.95	1 (	/ Fluorouracil Ebewe
Inj 50 mg per ml, 20 ml — PCT only — Specialist		✓ Fluorouracil Ebewe
Inj 25 mg per ml, 100 ml - PCT only - Specialist		/ Mayne
Inj 50 mg per ml, 50 ml - PCT only - Specialist21.50		✓ Fluorouracil Ebewe
Inj 50 mg per ml, 100 ml - PCT only - Specialist43.00	1	✓ Fluorouracil Ebewe
Inj 1 mg for ECP - PCT only - Specialist	1 mg	✓ Baxter
GEMCITABINE HYDROCHLORIDE - PCT only - Specialist - Special Author	ritv see SA0877 on th	e next page
Inj 1 g245.00	,	✓ Gemcitabine Ebewe
349.20		✓ Gemzar
Inj 200 mg49.00	1	✓ Gemcitabine Ebewe
78.00		✓ Gemzar
Inj 1 mg for ECP	1 mg	✓ Baxter

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

### ⇒SA0877 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has non small cell lung carcinoma (stage IIIa, or above); or
- 2 The patient has advanced malignant mesothelioma\*; or
- 3 The patient has advanced pancreatic carcinoma; or
- 4 The patient has ovarian, fallopian tube\* or primary peritoneal carcinoma\*; or
- 5 The patient has advanced transitional cell carcinoma of the urothelial tract (locally advanced or metastatic).

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with a \* are Unapproved Indications.

IRINOTECAN - PCT only - Specialist - Special Authority see SA08	378 below		
Inj 20 mg per ml, 2 ml	124.00	1	Camptosar
Inj 20 mg per ml, 5 ml	310.00	1	✓ Camptosar
Inj 1 mg for ECP	3.19	1 mg	✔ Baxter

### **▶**SA0878 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### Both

- 1 The patient has metastatic colorectal cancer; and
- 2 Either:
  - 2.1 To be used for first or second line use as part of a combination chemotherapy regimen; or
  - 2.2 As single agent chemotherapy in fluropyrimidine-relapsed disease.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

ME	RCAPTOPURINE - PCT - Retail pharmacy-Specialist			
	Tab 50 mg	47.06	25	✓ Purinethol
ME	THOTREXATE			
*	Tab 2.5 mg - PCT - Hospital pharmacy [HP3]-Specialist	5.22	30	✓ <u>Methoblastin</u>
*	Tab 10 mg - PCT - Hospital pharmacy [HP3]-Specialist	40.93	50	✓ <u>Methoblastin</u>
*	Inj 2.5 mg per ml, 2 ml - PCT - Hospital pharmacy [HP1]-			
	Specialist	23.65	5	✓ Mayne
*	Inj 25 mg per ml, 2 ml - PCT - Hospital pharmacy [HP1]-			,
	Specialist	46.10	5	✓ Mayne
*	Inj 25 mg per ml, 20 ml - PCT - Hospital pharmacy [HP1]-			•
	Specialist	80.25	1	✓ Mayne
*	Inj 100 mg per ml, 10 ml - PCT - Hospital pharmacy [HP1]-			•
	Specialist	27.50	1	✓ Methotrexate Ebewe
*	Inj 100 mg per ml, 50 ml - PCT - Hospital pharmacy [HP1]-			
	Specialist	135.00	1	✓ Methotrexate Ebewe
*	Inj 1 mg for ECP - PCT only - Specialist	0.09	1 mg	✓ Baxter
*	Inj 5 mg intrathecal syringe for ECP - PCT only - Specialist	4.73	5 mg OP	✓ Baxter
			-	

	Subsidy (Manufacturer's Price) \$	Su Per	Fully bsidised	Brand or Generic Manufacturer
THIOGUANINE – PCT – Hospital pharmacy [HP3]-Specialist Tab 40 mg	97.16	25	<b>✓</b> La	anvis
Other Cytotoxic Agents				
AMSACRINE – PCT only – Specialist Inj 75 mg	CBS	6	✓ Aı	msidine (\$29
ANAGRELIDE HYDROCHLORIDE – PCT only – Specialist – Specia	,	A0879 b 100	✓ A	grylin S29 eva S29

### **⇒**SA0879 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has primary thrombocythaemia; and
- 2 Either:
  - 2.1 is at high risk (previous thromboembolic disease, bleeding or platelet count >1500/ml); or
  - 2.2 is intolerant or refractory to hydroxyurea or interferon.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that treatment with anagrelide be initiated only on the recommendation of a haematologist.

, , , , , ,		
4,817.00	10	✓ AFT S29
120.00	1	✓ DBL Bleomycin Sulfate
680.00	10	✓ Blenoxane
9.28	1,000 iu	✓ Baxter
102.32	1	✓ Leunase
102.32	10,000 iu OP	✓ Baxter
43.86	1	✓ Mayne
43.86	200 mg OP	✓ Baxter
	Ü	
13 52	1	✓ Cosmegen
13.52	-	✓ Baxter
	3 -	
99 00	1	✓ Pfizer S29
	1	✓ Mayne
	20 ma OP	✓ Baxter
	_	
	1	✓ Docetaxel Ebewe
		✓ Taxotere
	1	✓ Docetaxel Ebewe
1,650.00		✓ Taxotere
23.81	1 mg	✓ Baxter
	680.00 9.28 102.32 43.86 43.86 13.52 13.52 99.00 99.00 99.00 99.00 99.00 99.00 99.00 99.00 99.00	

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✓ Manufacturer

# **⇒**SA0880 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
  - 1.1 The patient has ovarian\*, fallopian\* or primary peritoneal cancer\*; and
  - 1.2 Either:
    - 1.2.1 Has not received prior chemotherapy; or
    - 1.2.2 Has received prior chemotherapy but has not previously been treated with taxanes; or
- 2 The patient has metastatic breast cancer; or
- 3 Both:
  - 3.1 The patient has early breast cancer; and
  - 3.2 Docetaxel is to be given concurrently with trastuzumab; or
- 4 Both:
  - 4.1 The patient has non small-cell lung cancer; and
  - 4.2 Either:
    - 4.2.1 Has advanced disease (stage IIIa or above); or
    - 4.2.2 Is receiving combined chemotherapy and radiotherapy; or
- 5 Both:
  - 5.1 The patient has small-cell lung cancer\*; and
  - 5.2 Docetaxel is to be used as second-line therapy.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic breast cancer, non small-cell lung cancer, or small-cell lung cancer\*; and
- 2 Either:
  - 2.1 The patient requires continued therapy; or
  - 2.2 The tumour has relapsed and requires re-treatment.

Note: indications marked with \* are Unapproved Indications.

DOXORUBICIN – PCT only – Specialist		
Inj 10 mg8.80	1	Doxorubicin Ebewe
Inj 50 mg39.40	1	Doxorubicin Ebewe
Inj 100 mg81.00	1	Doxorubicin Ebewe
Inj 200 mg162.00	1	Doxorubicin Ebewe
Inj 1 mg for ECP0.87	1 mg	✓ Baxter
EPIRUBICIN - PCT only - Specialist		
Inj 2 mg per ml, 5 ml25.00	1	Epirubicin Ebewe
Inj 2 mg per ml, 25 ml87.50	1	✓ Epirubicin Ebewe
Inj 2 mg per ml, 50 ml155.00	1	✓ Epirubicin Ebewe
Inj 2 mg per ml, 100 ml310.00	1	✓ Epirubicin Ebewe
Inj 1 mg for ECP1.90	1 mg	✓ Baxter
ETOPOSIDE		
Cap 50 mg - PCT - Hospital pharmacy [HP3]-Specialist340.73	20	✓ Vepesid
Cap 100 mg - PCT - Hospital pharmacy [HP3]-Specialist340.73	10	✓ Vepesid
Inj 20 mg per ml, 5 ml - PCT - Hospital pharmacy [HP1]-		
Specialist	1	✓ Mayne
612.20	10	✓ Vepesid
Inj 1 mg for ECP - PCT only - Specialist	1 mg	✓ Baxter

	Subsidy		Fully	Brand or
	(Manufacturer's F \$	rice) S Per	Subsidised	Generic Manufacturer
TOPOCIDE PHOCPHATE DCT only Charlest				
TOPOSIDE PHOSPHATE - PCT only - Specialist Inj 100 mg (of etoposide base)	40.00	1	./ E	topophos
Inj 1 mg (of etoposide base)		1 mg	✓ B	
, , ,	0.47	i ilig	V D	axter
YDROXYUREA – PCT – Retail pharmacy-Specialist			4	
Cap 500 mg	31.76	100	✓ H	ydrea
ARUBICIN HYDROCHLORIDE - PCT only - Specialist				
Cap 5 mg	115.00	1	✓ Za	avedos
Cap 10 mg	144.50	1	✓ Za	avedos
Inj 5 mg	170.00	1	✓ Za	avedos
Inj 10 mg	340.00	1	✓ Za	avedos
Inj 1 mg for ECP	37.74	1 mg	✓ Ball	axter
SNA - PCT only - Specialist				
Tab 400 mg	168.30	50	V U	romitexan
Tab 600 mg		50	<b>✓</b> U	romitexan
Inj 100 mg per ml, 4 ml		15	V U	romitexan
Inj 100 mg per ml, 10 ml		15	<b>✓</b> U	romitexan
Inj 1 mg for ECP	0.02	1 mg	✓ Balletine	axter
TOMYCIN C - PCT only - Specialist		ŭ		
	283 00	10	✓ M	itomycin-C S29
Inj 10 mg		5		itomycin-C S29
Inj 1 mg for ECP		1 mg	<b>✓</b> B:	•
itomycin-C s29 Inj 2 mg to be delisted 1 September 2010) itomycin-C s29 Inj 10 mg to be delisted 1 June 2010)				
TOZANTRONE - PCT only - Specialist				
102/11/11/01/2 1 01 only openium				
Inj 2 mg per ml, 5 ml	110.00	1		
Inj 2 mg per ml, 5 ml Inj 2 mg per ml, 10 ml	220.00	1	✓ M	itozantrone Ebewe
Inj 2 mg per ml, 5 ml	220.00 407.50	1 1	✓ M ✓ O	itozantrone Ebewe nkotrone
Inj 2 mg per ml, 5 ml Inj 2 mg per ml, 10 ml	220.00 407.50	1	✓ M	itozantrone Ebewe nkotrone
Inj 2 mg per ml, 5 ml Inj 2 mg per ml, 10 ml Inj 2 mg per ml, 12.5 ml Inj 1 mg for ECP	220.00 407.50	1 1	✓ M ✓ O	itozantrone Ebewe nkotrone
Inj 2 mg per ml, 5 ml Inj 2 mg per ml, 10 ml Inj 2 mg per ml, 12.5 ml Inj 1 mg for ECP	220.00 407.50 12.43	1 1	✓ M ✓ O ✓ B	itozantrone Ebewe nkotrone
Inj 2 mg per ml, 5 ml Inj 2 mg per ml, 10 ml Inj 2 mg per ml, 12.5 ml Inj 1 mg for ECP  CLITAXEL – PCT only – Specialist	220.00 407.50 12.43	1 1 1 mg	✓ M ✓ O ✓ Ba	itozantrone Ebewe nkotrone axter
Inj 2 mg per ml, 5 ml Inj 2 mg per ml, 10 ml Inj 2 mg per ml, 12.5 ml Inj 1 mg for ECP  CLITAXEL - PCT only - Specialist Inj 30 mg	220.00 407.50 12.43 189.75 125.35	1 1 1 mg 5	M O B P P P	itozantrone Ebewe nkotrone axter aclitaxel Ebewe
Inj 2 mg per ml, 5 ml Inj 2 mg per ml, 10 ml Inj 2 mg per ml, 12.5 ml Inj 1 mg for ECP  CLITAXEL - PCT only - Specialist Inj 30 mg Inj 100 mg	220.00 407.50 12.43 189.75 125.35 188.03	1 1 1 mg 5 1	M O B O P O P O P O P O O P O O O O O O O	itozantrone Ebewe nkotrone axter aclitaxel Ebewe aclitaxel Ebewe
Inj 2 mg per ml, 5 ml Inj 2 mg per ml, 10 ml Inj 2 mg per ml, 12.5 ml Inj 1 mg for ECP  CLITAXEL — PCT only — Specialist Inj 30 mg Inj 100 mg Inj 150 mg Inj 300 mg Inj 600 mg Inj 600 mg		1 1 mg 5 1	✓ M ✓ O ✓ B ✓ P ✓ P ✓ P ✓ P ✓ P ✓ P	itozantrone Ebewe nkotrone axter aclitaxel Ebewe aclitaxel Ebewe aclitaxel Ebewe aclitaxel Ebewe aclitaxel Ebewe
Inj 2 mg per ml, 5 ml Inj 2 mg per ml, 10 ml Inj 2 mg per ml, 12.5 ml Inj 1 mg for ECP  CLITAXEL – PCT only – Specialist Inj 30 mg Inj 100 mg Inj 150 mg Inj 300 mg Inj 300 mg		1 1 1 mg 5 1 1	M O B O P O P O P O P O P O P O P O P O P	itozantrone Ebewe nkotrone axter aclitaxel Ebewe aclitaxel Ebewe aclitaxel Ebewe aclitaxel Ebewe aclitaxel Ebewe
Inj 2 mg per ml, 5 ml Inj 2 mg per ml, 10 ml Inj 2 mg per ml, 12.5 ml Inj 1 mg for ECP  CLITAXEL - PCT only - Specialist Inj 30 mg Inj 100 mg Inj 150 mg Inj 300 mg Inj 600 mg Inj 1 mg for ECP		1 1 mg 5 1 1 1	✓ M ✓ O ✓ B ✓ P ✓ P ✓ P ✓ P ✓ P ✓ P	itozantrone Ebewe nkotrone axter aclitaxel Ebewe aclitaxel Ebewe aclitaxel Ebewe aclitaxel Ebewe aclitaxel Ebewe
Inj 2 mg per ml, 5 ml Inj 2 mg per ml, 10 ml Inj 2 mg per ml, 12.5 ml Inj 1 mg for ECP  CLITAXEL - PCT only - Specialist Inj 30 mg Inj 100 mg Inj 150 mg Inj 300 mg Inj 600 mg Inj 1 mg for ECP		1 1 mg 5 1 1 1	✓ M ✓ O ✓ B: ✓ P: ✓ P: ✓ P: ✓ P: ✓ P: ✓ P: ✓ B:	itozantrone Ebewe nkotrone axter aclitaxel Ebewe aclitaxel Ebewe aclitaxel Ebewe aclitaxel Ebewe aclitaxel Ebewe
Inj 2 mg per ml, 5 ml Inj 2 mg per ml, 10 ml Inj 2 mg per ml, 12.5 ml Inj 1 mg for ECP  CLITAXEL - PCT only - Specialist Inj 30 mg Inj 100 mg Inj 150 mg Inj 300 mg Inj 600 mg Inj 1 mg for ECP  NTOSTATIN (DEOXYCOFORMYCIN) - PCT only - Special inj 10 mg		1 1 mg 5 1 1 1 1 mg	✓ M ✓ O ✓ B: ✓ P: ✓ P: ✓ P: ✓ P: ✓ P: ✓ P: ✓ B:	itozantrone Ebewe nkotrone axter aclitaxel Ebewe aclitaxel Ebewe aclitaxel Ebewe aclitaxel Ebewe aclitaxel Ebewe aclitaxel Ebewe axter
Inj 2 mg per ml, 5 ml Inj 2 mg per ml, 10 ml Inj 2 mg per ml, 12.5 ml Inj 1 mg for ECP  CLITAXEL - PCT only - Specialist Inj 30 mg Inj 100 mg Inj 150 mg Inj 300 mg Inj 600 mg Inj 600 mg Inj 1 mg for ECP  NTOSTATIN (DEOXYCOFORMYCIN) - PCT only - Specialist Inj 10 mg  OCARBAZINE HYDROCHLORIDE - PCT only - Specialist		1 1 mg 5 1 1 1 1 mg	MM O O O B B O P P O P P O P P O P P O P P O P O	itozantrone Ebewe nkotrone axter aclitaxel Ebewe aclitaxel Ebewe aclitaxel Ebewe aclitaxel Ebewe aclitaxel Ebewe aclitaxel Ebewe axter
Inj 2 mg per ml, 5 ml Inj 2 mg per ml, 10 ml Inj 2 mg per ml, 12.5 ml Inj 1 mg for ECP  CLITAXEL — PCT only — Specialist Inj 30 mg Inj 150 mg Inj 300 mg Inj 600 mg Inj 600 mg Inj 1 mg for ECP  NTOSTATIN (DEOXYCOFORMYCIN) — PCT only — Specialist Inj 10 mg  OCARBAZINE HYDROCHLORIDE — PCT only — Specialis		1 1 mg 5 1 1 1 1 mg 1	MM O O B O P O P O P O P O O O O O O O O O	itozantrone Ebewe nkotrone axter aclitaxel Ebewe aclitaxel Ebewe aclitaxel Ebewe aclitaxel Ebewe aclitaxel Ebewe aclitaxel Ebewe axter
Inj 2 mg per ml, 5 ml Inj 2 mg per ml, 10 ml Inj 2 mg per ml, 12.5 ml Inj 1 mg for ECP  CLITAXEL - PCT only - Specialist Inj 30 mg Inj 150 mg Inj 150 mg Inj 600 mg Inj 1 mg for ECP  NTOSTATIN (DEOXYCOFORMYCIN) - PCT only - Special Inj 10 mg  OCARBAZINE HYDROCHLORIDE - PCT only - Specialis Cap 50 mg  MOZOLOMIDE - Special Authority see SA0831 on the next		1 1 mg 5 1 1 1 1 mg 1 50	✓ M ✓ O ✓ B ✓ P ✓ P ✓ P ✓ P ✓ P ✓ N ✓ N	itozantrone Ebeweinkotrone axter  aclitaxel Ebeweinchitaxel
Inj 2 mg per ml, 5 ml Inj 2 mg per ml, 10 ml Inj 2 mg per ml, 12.5 ml Inj 1 mg for ECP  CLITAXEL — PCT only — Specialist Inj 30 mg Inj 150 mg Inj 300 mg Inj 600 mg Inj 600 mg Inj 1 mg for ECP  INTOSTATIN (DEOXYCOFORMYCIN) — PCT only — Specialist Inj 10 mg IOCARBAZINE HYDROCHLORIDE — PCT only — Specialist Cap 50 mg  MOZOLOMIDE — Special Authority see SA0831 on the next		1 1 mg 5 1 1 1 1 mg 1 50 narmacy [HF	✓ M ✓ O ✓ B ✓ P ✓ P ✓ P ✓ P ✓ P ✓ P ✓ P ✓ P ✓ T ✓ N	itozantrone Ebeweinkotrone axter  aclitaxel Ebeweinkotrone aclitaxel Ebeweinkotrone aclitaxel Ebeweinkotrone aclitaxel Ebeweinkotrone aclitaxel Ebeweinkotrone aclitaxel Ebeweinkotrone axter  ipent \$29  atulan \$29
Inj 2 mg per ml, 5 ml Inj 2 mg per ml, 10 ml Inj 2 mg per ml, 12.5 ml Inj 1 mg for ECP  CLITAXEL — PCT only — Specialist Inj 30 mg Inj 100 mg Inj 150 mg Inj 600 mg Inj 600 mg Inj 1 mg for ECP  NTOSTATIN (DEOXYCOFORMYCIN) — PCT only — Specialist Inj 10 mg  COCARBAZINE HYDROCHLORIDE — PCT only — Specialist Cap 50 mg  MOZOLOMIDE — Special Authority see SA0831 on the next Cap 5 mg Cap 20 mg		1 1 mg 5 1 1 1 1 mg 1 50 narmacy [HF 5	MM V OO V BB V Pa	axter  actitaxel Ebewe axter  atulan \$29  atulan \$29
Inj 2 mg per ml, 5 ml Inj 2 mg per ml, 10 ml Inj 2 mg per ml, 12.5 ml Inj 1 mg for ECP  CLITAXEL — PCT only — Specialist Inj 30 mg Inj 150 mg Inj 150 mg Inj 600 mg Inj 600 mg Inj 1 mg for ECP  ENTOSTATIN (DEOXYCOFORMYCIN) — PCT only — Special Inj 10 mg INGCARBAZINE HYDROCHLORIDE — PCT only — Special Ing 50 mg IMOZOLOMIDE — Special Authority see SA0831 on the next Cap 5 mg		1 1 mg 5 1 1 1 1 mg 1 50 narmacy [HF	MM V O V B V P V P V P V P V P V P V P V T T T T T	itozantrone Ebeweinkotrone axter  aclitaxel Ebeweinkotrone aclitaxel Ebeweinkotrone aclitaxel Ebeweinkotrone aclitaxel Ebeweinkotrone aclitaxel Ebeweinkotrone aclitaxel Ebeweinkotrone axter  ipent \$29  atulan \$29

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 

\$ Per ✓ Manufacturer

# ■ SA0831 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 10 months for applications meeting the following criteria: All of the following:

- 1 Patient has newly diagnosed glioblastoma multiforme; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of six cycles of 5 days treatment, at a maximum dose of 200 mg/m².

Notes: Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme. Reapplications will not be approved. Studies of temozolomide show that its benefit is predominantly in those patients with a good performance status (WHO grade 0 or 1 or Karnofsky score >80), and in patients who have had at least a partial resection of the tumour.

TENIPOSIDE – PCT only – Specialist Inj 10 mg per ml, 5 ml Inj 50 mg for ECP (Wumon Inj 10 mg per ml, 5 ml to be delisted 1 May 2010) (Baxter Inj 50 mg for ECP to be delisted 1 May 2010)	10 50 mg OP	✓ Vumon ✓ Baxter
THALIDOMIDE – PCT only – Specialist – Special Authority see SA Only on a controlled drug form Cap 50 mg	28	✓ Thalidomide

# **■**SA0882 Special Authority for Subsidy

Initial application — (for new patients) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has refractory, progressive or relapsed multiple myeloma; and
- 2 The patient has received prior chemotherapy.

Initial application — (for patients receiving thalidomide prior to 1 January 2006) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient was receiving treatment with thalidomide for multiple myeloma on or before 31 December 2005.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

TRETINOIN – PCT only – Specialist  Cap 10 mg435.90	100	✓ Vesanoid
VINBLASTINE SULPHATE		
Inj 10 mg - PCT - Retail pharmacy-Specialist137.50	5	✓ Mayne
Inj 1 mg for ECP - PCT only - Specialist	1 mg	✓ Baxter
VINCRISTINE SULPHATE		
Inj 1 mg per ml, 1 ml - PCT - Retail pharmacy-Specialist99.00	5	✓ Mayne
Inj 1 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist199.00	5	✓ Mayne
Inj 1 mg for ECP - PCT only - Specialist21.46	1 mg	✓ Baxter
VINORELBINE - PCT only - Specialist - Special Authority see SA0901 on the r	next page	
Inj 10 mg per ml, 1 ml24.00	1	✓ Navelbine
42.00		✓ Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml120.00	1	✓ Navelbine
210.00		✓ Vinorelbine Ebewe
Ini 1 ma for ECP2.71	1 ma	✓ Baxter

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

## ⇒SA0901 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has metastatic breast cancer; or
- 2 The patient has non-small cell lung cancer (stage Illa, or above); or
- 3 All of the following:
  - 3.1 The patient has stage IB-IIIA non-small cell lung cancer; and
  - 3.2 Vinorelbine is to be given as adjuvant treatment in combination with cisplatin; and
  - 3.3 The patient has good performance status (WHO/ECOG grade 0-1).

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

# Protein-tyrosine Kinase Inhibitors

DASATINIB - Special Authority see SA0976 below

Tab 20 mg3,774.06	60	Sprycel
Tab 50 mg6,214.20	60	✓ Sprycel
Tab 70 mg	60	✓ Sprycel
Tab 100 mg6,214.20	30	✓ Sprycel

## ■SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <a href="http://www.pharmac.govt.nz">http://www.pharmac.govt.nz</a>, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: mary.chesterfield@pharmac.govt.nz

Wellington

#### Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

### Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
  - complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10<sup>9</sup>/L, platelets > 100 × 10<sup>9</sup>/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or</li>

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 2) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) >  $1.0 \times 10^9$ /L, platelets >  $20 \times 10^9$ /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
- 3) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

IMATINIB MESYLATE - Special Authority see SA0643 below

Tab 100 mg ......2,400.00 60 ✓ Glivec

# **⇒**SA0643 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <a href="http://www.pharmac.govt.nz">http://www.pharmac.govt.nz</a>, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: mary.chesterfield@pharmac.govt.nz

Wellington

## Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 600 mg/day for accelerated or blast phase, and 400 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

## Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if after 6 months from initiating therapy a patient did not obtain a haematological response as defined as any one of the following three levels of response:
  - complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10<sup>9</sup>/L, platelets > 100 × 10<sup>9</sup>/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or</li>
  - 2) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0 × 10<sup>9</sup>/L, platelets > 20 × 10<sup>9</sup>/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - 3) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if after 18 months from initiating therapy a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

## Special Authority criteria for GIST – access by application

- a) Funded for patients:
  - 1) with a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST); and
  - 2) who have immunohistochemical documentation of c-kit (CD117) expression by the tumour.
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

	0.1.11		F = D -
	Subsidy (Manufacturer's Price)	\ Cuk	Fully Brand or bsidised Generic
	(Manuacturer S Price)	Per	✓ Manufacturer
	*		
Aromatase Inhibitors			
ANASTROZOLE			
Tab 1 mg	26.55 29.50	30	<ul><li>✓ Arimidex</li><li>✓ DP-Anastrozole</li></ul>
EXEMESTANE - Additional subsidy by Special Authority see SA	1000 below - Retail i	pharmacv	
Tab 25 mg		30	
•	(175.00)		Aromasin
■SA1000 Special Authority for Alternate Subsidy			
Initial application from any relevant practitioner. Approvals valid	for 5 years for application	ations mee	eting the following criteria:
All of the following:	,		3
1 Patient is a postmenopausal woman; and			
2 Patient has hormone receptor positive breast cancer; and			
3 Any of the following:			
3.1 The patient was receiving funded exemestane prior			
3.2 The patient has advanced breast cancer and a very	,		
3.3 The patient has advanced breast cancer and diseas	, ,	•	
Renewal from any relevant practitioner. Approvals valid without for	urther renewal unless	notified w	here the treatment remains appr
priate and the patient is benefitting from treatment.			
LETROZOLE			
Tab 2.5 mg		30	✓ Letara
	146.46		✓ Femara
<b>Endocrine Therapy</b>			
For GnRH ANALOGUES – refer to HORMONE PREPARATIONS		page 80	
BICALUTAMIDE - Special Authority see SA0941 below - Retail			
Tab 50 mg	27.10	30	✓ <u>Bicalox</u>
■SA0941 Special Authority for Subsidy			
Initial application from any medical practitioner. Approvals va	lid without further rer	newal unle	ess notified where the patient ha
advanced prostate cancer.			
FLUTAMIDE - Hospital pharmacy [HP3]-Specialist			
Tab 250 mg	48.30	100	✓ Flutamin
MEGESTROL ACETATE - Retail pharmacy-Specialist			
Tab 160 mg	57.92	30	✓ Apo-Megestrol
<b>3</b>	74.25		✓ Megace
OCTREOTIDE (SOMATOSTATIN ANALOGUE) - Special Author	rity see SAN563 on th	a navt nac	a – Hospital pharmacy (HP3)
Inj 50 μg per ml, 1 ml		5	✓ Hospira
п оо ру рог пп, т пп	43.50	Ü	✓ Sandostatin
Inj 100 μg per ml, 1 ml		5	✓ Hospira
., F3 F,	81.00		✓ Sandostatin
Inj 500 µg per ml, 1 ml		5	✔ Hospira
πη 500 μg per mi, τ mi	1/5.00	•	• Hoopiia
iiij 500 µg pei iiii, i iiii	399.00	· ·	✓ Sandostatin
Inj LAR 10 mg prefilled syringe	399.00	1	•
	399.00 1,772.50 2,358.75		✓ Sandostatin

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✓ Manufacturer

# **⇒**SA0563 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Any of the following:

- 1 Both:
  - 1.1 Acromegaly; and
  - 1.2 Patient has failed surgery, radiotherapy, bromocriptine and other oral therapies; or
- 2 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 3 Both:
  - 3.1 Gastrinoma; and
  - 3.2 Either:
    - 3.2.1 Patient has failed surgery; or
    - 3.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or
- 4 Both:
  - 4.1 Insulinomas; and
  - 4.2 Surgery is contraindicated or has failed; or
- 5 For pre-operative control of hypoglycaemia and for maintenance therapy; or
- 6 Roth
  - 6.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
  - 6.2 Disabling symptoms not controlled by maximal medical therapy.

Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item

**Renewal** only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

## TAMOXIFEN CITRATE

*	lab 10 mg10.80	100	✓ Genox
*	Tab 20 mg6.66	60	Tamoxifen Sandoz
	11.10	100	✓ Genox

# **Immunosuppressants**

# Cytotoxic Immunosuppressants

AZI	ATHIOPRINE - Retail pharmacy-Specialist			
*	Tab 50 mg	26.75	100	Azamun
	•	25.00		
		(34.90)		Imuran
*	Inj 50 mg	46.33	1	
		(47.72)		Imuran
*	ınj 50 mg		I	Imura

MYCOPHENOLATE MOFETIL - Special Authority see SA0960 on the next page - Hospital pharmacy [HP3]

Tab 500 mg	206.66	50	✓ Cellcept
Cap 250 mg	206.66	100	✓ Cellcept
Powder for oral liq 1 g per 5 ml – Subsidy by 6	endorsement285.00	165 ml OP	✓ Cellcept

Mycophenolate powder for oral liquid is subsidised only for patients unable to swallow tablets and capsules, and when the prescription is endorsed accordingly.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per V Manufacturer

## ⇒SA0960 | Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Renal transplant recipient; or
- 2 Heart transplant recipient; or
- 3 Liver transplant recipient; or
- 4 Patient has an organ transplant and has severe tophaceous gout making azathioprine unsuitable.

# **Immune Modulators**

ANTITHYMOCYTE GLOBULIN (EQUINE) - PCT only - Specialist		
Inj 50 mg per ml, 5 ml2,137.50	5	✓ ATGAM
RITUXIMAB - PCT only - Specialist - Special Authority see SA0961 below		
Inj 100 mg per 10 ml vial1,195.00	2	Mabthera
Inj 500 mg per 50 ml vial2,987.00	1	Mabthera
Inj 1 mg for ECP	1 mg	✓ Baxter

# ⇒SA0961 | Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 2 To be used for a maximum of 8 treatment cycles.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: Either:

- 1 Both:
  - 1.1 The patient has indolent low grade NHL with relapsed disease following prior chemotherapy; and
  - 1.2 To be used for a maximum of 4 treatment cycles; or
- 2 Both:
  - 2.1 The patient has indolent, low grade lymphoma requiring first-line systemic chemotherapy; and
  - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. Rituximab is not funded for Chronic lymphocytic leukaemia/small lymphocytic lymphoma.

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### All of the following:

- 1 The patient has treatment-naive aggressive CD20 positive NHL; and
- 2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 3 To be used for a maximum of 8 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

**Renewal — (Indolent, Low-grade lymphomas)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 4 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. Rituximab is not funded for Chronic lymphocytic leukaemia/small lymphocytic lymphoma.

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

continued...

**Renewal** — (**Post-transplant**) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

TRASTUZUMAB -	- PCT only - Specialist - Special Authority see SA0885 below		
Inj 150 mg vial		1	✓ Herceptin
Inj 440 mg vial	3,875.00	1	✓ Herceptin
Inj 1 mg for ECF	9.36	1 mg	✓ Baxter

# ▶SA0885 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the patient has metastatic breast cancer expressing HER-2 IHC 3+ or FISH+.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- 1 The patient has metastatic breast cancer; and
- 2 The cancer has not progressed.

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

- All of the following:
  - 1 The patient has early breast cancer expressing HER 2 IHC 3+ or FISH +; and
  - 2 Maximum cumulative dose of 20mg/kg (9 weeks treatment)\*; and
  - 3 Trastuzumab is to be given concurrently with adjuvant taxane chemotherapy\*; and
  - 4 Trastuzumab is not to be given concurrently with anthracycline chemotherapy.

Notes: indications marked with \* are Unapproved Indications.

It is recommended that for early breast cancer trastuzumab be administered concurrently with docetaxel prior to anthracyclines as per the FinHer regimen (Joensuu H, Kellokumpu-Lehtinen P, Bono P, et al. Adjuvant docetaxel or vinorelbine with or without trastuzumab for breast cancer. N Engl J Med 2006;354(8):809-20).

# Other Immunosuppressants

CYCLOSPORIN - Hospital pharmacy [HP3]			
Cap 25 mg	59.50	50	✓ Neoral
Cap 50 mg	118.54	50	✓ Neoral
Cap 100 mg	237.08	50	✓ Neoral
Oral liq 100 mg per ml	264.17	50 ml OP	✓ Neoral
SIROLIMUS - Special Authority see SA0866 on the next page	e – Hospital pharma	acy [HP3]	
Tab 1 mg	813.00	100	Rapamune
Tab 2 mg	1,626.00	100	✓ Rapamune
Oral liq 1 mg per ml	487.80	60 ml OP	✓ Rapamune

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Generic Manufacturer

# **⇒**SA0866 Special Authority for Subsidy

**Initial application** from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR<30 ml/min; or
- Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- HUS or TTP; or
- · Leukoencepthalopathy; or
- Significant malignant disease

TACROLIMUS - Special Authority see SA0669 below - Hospital pharmacy [HP3]

Cap 0.5 mg		100	✓ Prograf
Cap 1 mg	428.00	100	✓ Prograf
Cap 5 mg	1,070.00	50	✓ Prograf

# **⇒**SA0669 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Note: Subsidy applies for either primary or rescue therapy.

# **Antiallergy Preparations**

BEE VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Hospital pharmacy [HP3]

Maintenance kit - 6 vials 120  $\mu g$  freeze dried venom, 6 diluent

# **⇒**SA0053 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

**Renewal** only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

WASP VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Hospital pharmacy [HP3]

Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried

# **⇒**SA0053 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

**Renewal** only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

# **Antihistamines**

CETIRIZINE HYDROCHLORIDE			
* Tab 10 mg		100	✓ Zetop
*‡ Oral liq 1 mg per ml	3.50	200 ml	Cetirizine - AFT
CHLORPHENIRAMINE MALEATE			
*‡ Oral liq 2 mg per 5 ml	8.06	500 ml	✓ Histafen
CYPROHEPTADINE HYDROCHLORIDE			
* Tab 4 mg	6.27	100	✓ Periactin
(Periactin Tab 4 mg to be delisted 1 September 2010)			
DEXTROCHLORPHENIRAMINE MALEATE			
* Tab 2 mg	2.02	40	
-	(7.99)		Polaramine
* Tab long-acting 6 mg	5.40	40	
	(12.56)		Polaramine
			Colour-Free
			Repetab
*‡ Oral liq 2 mg per 5 ml	1.77	100 ml	
	(10.29)		Polaramine
(Polaramine Colour-Free Repetab Tab long-acting 6 mg	to be delisted 1 August 20	10)	

	Subsidy	Duine)	Fully Brand or
	(Manufacturer's	Price) Sub Per	sidised Generic  Manufacturer
TEVOLENIA DINIE LIVODOCI II ODIDE	•	-	
FEXOFENADINE HYDROCHLORIDE  * Tab 60 mg	A 2A	20	
* Tab 60 Hig		20	Telfast
* Tab 120 mg	(11.53)	30	Tellast
* Tab 120 Hig	(29.81)	30	Telfast
	(23.01)		Tellast
ORATADINE			4
* Tab 10 mg	3.58	100	Loraclear Hayfever
Y. Orol lig 1 mg por ml	2.65	100 ml	Relief
* Oral liq 1 mg per ml	3.00	100 mi	✓ Lorapaed
PROMETHAZINE HYDROCHLORIDE			
* Tab 10 mg		50	✓ <u>Allersoothe</u>
* Tab 25 mg		50	Allersoothe
*‡ Oral liq 5 mg per 5 ml	3.10	100 ml	✓ Promethazine
	0.50		Winthrop Elixir
	3.53		Dhamanan
W. Ini OF man man and O and I lim to F ini nomitable on a DCO	(8.51)	-	Phenergan
★ Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO	11.00	5	✓ Mayne
TRIMEPRAZINE TARTRATE			
Oral liq 30 mg per 5 ml	2.79	100 ml OP	
	(8.06)		Vallergan Forte
Inhaled Corticosteroids			
BECLOMETHASONE DIPROPIONATE			
Aerosol inhaler, 100 µg per dose CFC-free	12.50	200 dose OP	✓ Beclazone 100
Aerosol inhaler, 250 µg per dose CFC-free		200 dose OP	✓ Beclazone 250
Aerosol inhaler, 50 µg per dose CFC-free		200 dose OP	✓ Beclazone 50
		200 dosc OI	- Decideone so
BUDESONIDE	17.00	000 doos OD	A Dulminant
Powder for inhalation, 100 µg per dose	17.00	200 dose OP	✓ Pulmicort Turbuhaler
Decides for inhelation, 200 up and does	10.00	000 4 00	
Powder for inhalation, 200 µg per dose	19.00	200 dose OP	✓ Pulmicort
Devides for inhelation, 400 up and does	00.00	000 4 00	Turbuhaler
Powder for inhalation, 400 µg per dose	32.00	200 dose OP	✓ Pulmicort
			Turbuhaler
FLUTICASONE			
Aerosol inhaler, 50 µg per dose CFC-free		120 dose OP	✓ Flixotide
Powder for inhalation, 50 μg per dose		60 dose OP	
D   ( '	(8.67)	00 1 05	Flixotide Accuhaler
Powder for inhalation, 100 μg per dose		60 dose OP	Filtra Cala Associa I
Agreed inheles 405 up you do a 050 for	(13.87)	100 4 05	Flixotide Accuhaler
Aerosol inhaler, 125 µg per dose CFC-free		120 dose OP	✓ Flixotide
Aerosol inhaler, 250 µg per dose CFC-free		120 dose OP	✓ Flixotide
Powder for inhalation, 250 µg per dose		60 dose OP	Elivatida Acquidatar
	(24.51)		Flixotide Accuhaler

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

# Inhaled Long-acting Beta-adrenoceptor Agonists

# Prescribing Guideline for Inhaled Long-Acting Beta-Adrenoceptor Agonists

The addition of inhaled long-acting beta-adrenoceptor agonists (LABAs) to inhaled corticosteroids is recommended:

- For younger children (aged under 12 years) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 200 up beclomethasone or budesonide (or 100 up fluticasone).
- For adults and older children (aged 12 years and over) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 400 µg beclomethasone or budesonide (or 200 µg fluticasone).

#### Note:

Further information on the place of inhaled corticosteroids and inhaled LABAs in the management of asthma can be found in the New Zealand guidelines for asthma in adults (www.nzgg.org.nz) and in the New Zealand guidelines for asthma in children aged 1-15 (www.paediatrics.org.nz).

EFORMOTEROL FUMARATE – See prescribing guideline above Powder for inhalation, 6 μg per dose, breath activated	60 dose OP 60 dose	✓ Oxis Turbuhaler ✓ Foradil
SALMETEROL – See prescribing guideline above Aerosol inhaler CFC-free, 25 µg per dose	120 dose OP 60 dose OP	✓ Serevent ✓ Serevent Accuhaler

# Inhaled Corticosteroids with Long-Acting Beta-Adrenoceptor Agonists

# ⇒SA0958 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 All of the following:
  - 1.1 Patient is a child under the age of 12; and
  - 1.2 All of the following:

Has, for 3 months of more, been treated with:

- 1.2.1 An inhaled long-acting beta adrenoceptor agonist; and
- 1.2.2 Inhaled corticosteroids at a dose of at least  $400~\mu g$  per day beclomethasone or budesonide, or  $200~\mu g$  per day fluticasone; and
- 1.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product; or
- 2 All of the following:
  - 2.1 Patient is over the age of 12; and
  - 2.2 All of the following:

Has, for 3 months of more, been treated with:

- 2.2.1 An inhaled long-acting beta adrenoceptor agonist; and
- 2.2.2 Inhaled corticosteroids at a dose of at least 800 μg per day beclomethasone or budesonide, or 500 μg per day fluticasone: and
- 2.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	0.1.11		5 " B .
	Subsidy (Manufacturer)		Fully Brand or sidised Generic
	(Manufacturer's	Per	✓ Manufacturer
	Ψ		
BUDESONIDE WITH EFORMOTEROL - Special Authority see S	A0958 on the	preceding page -	- Retail pharmacy
Aerosol inhaler 100 μg with eformoterol fumarate 6 μg	55.00	120 dose OP	✓ Vannair
Powder for inhalation 100 µg with eformoterol fumarate 6 µg	55.00	120 dose OP	✓ Symbicort
			Turbuhaler 100/6
Aerosol inhaler 200 µg with eformoterol fumarate 6 µg	60.00	120 dose OP	✓ Vannair
Powder for inhalation 200 µg with eformoterol fumarate 6 µg		120 dose OP	✓ Symbicort
			Turbuhaler 200/6
Powder for inhalation 400 µg with eformoterol fumarate 12 µg			
No more than 2 dose per day		60 dose OP	✓ Symbicort
No more than 2 dose per day	00.00	00 0030 01	Turbuhaler 400/12
FLUTICASONE WITH SALMETEROL - Special Authority see SA		receding page -	. ,
Aerosol inhaler 50 μg with salmeterol 25 μg	37.48	120 dose OP	✓ Seretide
Aerosol inhaler 125 μg with salmeterol 25 μg	49.69	120 dose OP	✓ Seretide
Powder for inhalation 100 µg with salmeterol 50 µg - No more			
than 2 dose per day		60 dose OP	✓ Seretide Accuhaler
Powder for inhalation 250 μg with salmeterol 50 μg – No more			
than 2 dose per day		60 dose OP	✓ Seretide Accuhaler
		00 0000 01	• Ceretide Adduntater
Beta-Adrenoceptor Agonists			
SALBUTAMOL			
‡ Oral liq 2 mg per 5 ml		150 ml	✓ Salapin
Infusion 1 mg per ml, 5 ml	118.38	10	
	(130.21)		Ventolin
Inj 500 μg per ml, 1 ml - Up to 5 inj available on a PSO	12.90	5	✓ Ventolin
Inhaled Beta-Adrenoceptor Agonists			
illialed beta-Adrenoceptor Agonists			
SALBUTAMOL			
Aerosol inhaler, 100 μg per dose CFC free – Up to 1000 dose			
available on a PSO		200 dose OP	✓ Respigen
available oil a F30	3.00	200 00se OF	✓ Respigen ✓ Salamol
	(0.00)		
	(6.00)		Ventolin
Nebuliser soln, 1 mg per ml, 2.5 ml – Up to 30 neb available			4
on a PSO		20	✓ <u>Asthalin</u>
Nebuliser soln, 2 mg per ml, 2.5 ml - Up to 30 neb available			
on a PSO	3.70	20	✓ Asthalin
TERBUTALINE SULPHATE			
Powder for inhalation, 250 µg per dose, breath activated	18.20	200 dose OP	✓ Bricanyl Turbuhaler
	10.20	200 dose OF	Bricarry Turburialer
Inhaled Anticholinergic agents			
• •			
IPRATROPIUM BROMIDE			
Aerosol inhaler, 20 µg per dose CFC-free	16.20	200 dose OP	✓ Atrovent
Nebuliser soln, 250 µg per ml, 1 ml - Up to 40 neb available			
on a PSO		20	✓ <u>Ipratropium</u>
			Steri-Neb
Nebuliser soln, 250 μg per ml, 2 ml - Up to 40 neb available			<u></u>
on a PSO		20	✓ <u>Ipratropium</u>
			Steri-Neb
TIOTROPIUM BROMIDE - Special Authority see SA0872 on the	novt noce	otail pharman:	
Powder for inhalation, 18 µg per dose		30 dose	✓ Spiriva
i owaei ioi iiiiiaialioii, io µy pei aose		00 009E	₹ Spiliva

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✓ Manufacturer

# **⇒**SA0872 Special Authority for Subsidy

**Initial application** only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialled a dose of at least 40 µg ipratropium q.i.d for one month; and
- 3 Any of the following:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- 3.1 Grade 4 (stops for breath after walking about 100 meters or after a few minutes on the level); or
- 3.2 Grade 5 (too breathless to leave the house, or breathless when dressing or undressing); and
- 4 Actual FEV<sub>1</sub> (litres) < 0.6 × predicted (litres); and
- 5 Either:
  - 5.1 Patient is not a smoker (for reporting purposes only); or
  - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

**Renewal** only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined); and
- 3 Applicant must state recent measurement of FEV<sub>1</sub> (% of predicted).

# Inhaled Beta-Adrenoceptor Agonists with Anticholinergic Agents

SALBUTAMOL WITH IPRATROPIUM BROMIDE  Aerosol inhaler, 100 µg with ipratropium bromide, 20 µg per  dose	13.50	200 dose OP	✓ Combivent
Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml – Up to 20 neb available on a PSO	4.29	20	✓ <u>Duolin</u>
Mast cell stabilisers			
NEDOCROMIL Aerosol inhaler, 2 mg per dose CFC-free	23.20 (28.07)	112 dose OP	Tilade
SODIUM CROMOGLYCATE Powder for inhalation, 20 mg per dose	16.31	50 dose	Intal Spincaps
Aerosol inhaler, 5 mg per dose CFC-free	,	112 dose OP	Vicrom
Methylxanthines			
AMINOPHYLLINE  * Inj 25 mg per ml, 10 ml – Up to 5 inj available on a PSO  THEOPHYLLINE	12.84	5	✓ Mayne
* Tab long-acting 250 mg *‡ Oral liq 80 mg per 15 ml		100 500 ml	✓ Nuelin-SR
*+ Oral ing outing por 10 fill	(15.50)	500 1111	Nuelin

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per 🗸 Manufacturer

# **Cystic Fibrosis**

# **⇒**SA0611 Special Authority for Subsidy

Special Authority approved by the Cystic Fibrosis Advisory Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Cystic Fibrosis Advisory Panel Phone: (04) 460 4990 PHARMAC, PO Box 10 254 Pacsimile: (04) 916 7571

Wellington Email: CFPanel@pharmac.govt.nz

Prescriptions for patients approved for treatment must be written by respiratory physicians or paediatricians who have experience and expertise in treating cystic fibrosis.

# **Nasal Preparations**

# Allergy Prophylactics

BECLOMETHASONE DIPROPIONATE		
Metered aqueous nasal spray, 50 µg per dose2.35	200 dose OP	✓ Alanase
Metered aqueous nasal spray, 100 μg per dose2.46	200 dose OP	✓ Alanase
BUDESONIDE		
Metered aqueous nasal spray, 50 µg per dose2.35	200 dose OP	
(4.00)		Butacort Aqueous
Metered aqueous nasal spray, 100 µg per dose2.61	200 dose OP	
(4.81)		Butacort Aqueous
FLUTICASONE PROPIONATE		
Metered aqueous nasal spray, 50 µg per dose13.34	120 dose OP	✓ Flixonase Hayfever
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		& Allergy
IPRATROPIUM BROMIDE		
Aqueous nasal spray, 0.03%12.66	30 ml OP	✓ Apo-Ipravent
SODIUM CROMOGLYCATE		
Nasal spray, 4%15.85	22 ml OP	✓ <u>Rex</u>

# **Respiratory Devices**

#### MASK FOR SPACER DEVICE

- a) Maximum of 20 dev per WSO
- b) Only on a WSO
- c)
- 1) Only available for children aged six years and under.
- For Space Chamber and Foremount Child's Silicone Mask wholesale supply order must indicate clearly if either the spacer device, the mask, or both are required.
- 3) Distributed by Airflow Products. Forward orders to:

Airflow Products Telephone: 04 499 1240 or 0800 AIR FLOW PO Box 1485, Wellington Facsimile: 04 499 1245 or 0800 323 270

	Subsidy (Manufacturer's Price) \$	Fu Subsidis Per	
PEAK FLOW METER  a) Maximum of 10 dev per WSO b) Only on a WSO Low range			<u>' Breath-Alert</u> ' Breath-Alert
Normal range			
Space Chamber distributed by Airflow Products. Forwa Airflow Products - PO Box 1485, Wellington Telephone: 04 499 1240 or 0800 AIR FLOW, Facsimile Volumatic Distributed by GlaxoSmithKline. Forward ord Telephone: 0800 877 789 Facsimile: 0800 877 785 230 ml (autoclavable) – Subsidy by endorsement	: 04 499 1245 or 080 ers to: 11.60	1 🗸	' <u>Space Chamber</u> n autoclave and the WSO is
endorsed accordingly.  800 ml		1	Volumatic

	Subsidy (Manufacturer's F	Prica) Sub	Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
Ear Preparations			
ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BEN	IZETHONIUM		
For Vosol ear drops with hydrocortisone powder refer, page 1	66		
Ear drops 2% with 1, 2-Propanediol diacetate 3% and		05l OD	. A Marcal
benzethonium chloride 0.02%	6.97	35 ml OP	✓ Vosol
CHLORAMPHENICOL Ear drops 0.5%	1.87	5 ml OP	✓ Chloromycetin
FLUMETASONE PIVALATE	1.07	31111 01	Chioromyceum
Ear drops 0.02% with cliquinol 1%	4.46	7.5 ml OP	✓ Locorten-Vioform
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCI			
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate			
2.5 mg and gramicidin 250 μg per g	3.35	7.5 ml OP	✓ Kenacomb
Ear/Eye Preparations			
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN			
Ear/Eye drops 500 µg with framycetin sulphate 5 mg and			
gramicidin 50 µg per ml		8 ml OP	
	(9.27)		Sofradex
FRAMYCETIN SULPHATE			
Ear/Eye drops 0.5%	4.13 (8.65)	8 ml OP	Soframycin
·	(6.05)		Solialityciii
Eye Preparations			
Anti-Infective Preparations			
ACICLOVIR			
* Eye oint 3%	37.53	4.5 g OP	✓ Zovirax
CHLORAMPHENICOL		9	
Eye oint 1%	2.37	4 g OP	✓ Chlorsig
Eye drops 0.5%	1.40	10 ml OP	✓ Chlorsig
CIPROFLOXACIN			4.00
Eye Drops 0.3%  For treatment of bacterial keratitis or severe bacterial conjugate to the conjugate t		5 ml OP	✓ Ciloxan
FUSIDIC ACID	unclivilio resistai	it to chloramph	eriicoi.
Eye drops 1%	4.50	5 g OP	
	(10.68)	· ·	Fucithalmic
GENTAMICIN SULPHATE			
Eye drops 0.3%	11.40	5 ml OP	✓ Genoptic
PROPAMIDINE ISETHIONATE	0.07	10   00	
* Eye drops 0.1%	2.97 (7.99)	10 ml OP	Brolene
SULPHACETAMIDE SODIUM	(1.00)		Diolono
* Eye drops 10%	4.41	15 ml OP	✓ Bleph 10
TOBRAMYCIN			•
Eye oint 0.3%		3.5 g OP	✓ Tobrex
Eye drops 0.3%	11.48	5 ml OP	✓ Tobrex

Fully

Subsidy

Brand or

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or psidised Generic Manufacturer
Corticosteroids and Other Anti-Inflammatory P	reparations		
DEXAMETHASONE			
* Eye oint 0.1%		3.5 g OP	✓ Maxidex
* Eye drops 0.1%		5 ml OP	✓ Maxidex
DEXAMETHASONE WITH NEOMYCIN AND POLYMYXIN B SI			
Eye oint 0.1% with neomycin sulphate 0.35% and polymyx B sulphate 6,000 u per g		3.5 g OP	✓ Maxitrol
* Eye drops 0.1% with neomycin sulphate 0.35% and polym		3.3 g Oi	WINDARCIO
xin B sulphate 6,000 u per ml		5 ml OP	✓ Maxitrol
DICLOFENAC SODIUM			
* Eye drops 1 mg per ml	13.80	5 ml OP	✓ Voltaren Ophtha
FLUOROMETHOLONE			
* Eye drops 0.1%	4.05	5 ml OP	✓ FML
LEVOCABASTINE			<u></u>
Eye drops 0.5 mg per ml	8.71	4 ml OP	
, , ,	(10.34)		Livostin
LODOXAMIDE TROMETAMOL			
Eye drops 0.1%	8.71	10 ml OP	✓ Lomide
PREDNISOLONE ACETATE			
* Eye drops 0.12%	4.50	5 ml OP	
	(7.53)		Pred Mild
* Eye drops 1%		5 ml OP	Pred Forte
	(9.44)		Pred Forte
SODIUM CROMOGLYCATE	2.05	10 ml OP	✓ Cromolux
Eye drops 2%		10 1111 OF	Cromotux
Glaucoma Preparations - Beta Blockers			
BETAXOLOL HYDROCHLORIDE			
* Eye drops 0.25%		5 ml OP	✓ Betoptic S
* Eye drops 0.5%	7.50	5 ml OP	✓ Betoptic
LEVOBUNOLOL			4.5.
* Eye drops 0.25%		5 ml OP	✓ <u>Betagan</u>
* Eye drops 0.5%	7.00	5 ml OP	✓ Betagan
TIMOLOL MALEATE	0.07	5 I OD	. / Ana Timan
* Eye drops 0.25%  * Eye drops 0.25%, gel forming		5 ml OP 2.5 ml OP	✓ <u>Apo-Timop</u> ✓ Timoptol XE
* Eye drops 0.25%, ger forming*  * Eye drops 0.5%		5 ml OP	✓ Apo-Timop
* Eye drops 0.5%, gel forming		2.5 ml OP	✓ Timoptol XE

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

# Glaucoma Preparations - Carbonic Anhydrase Inhibitors

#### **Prescribing Guidelines**

Trusopt, Cosopt and Azopt are subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma. Trusopt, Cosopt and Azopt should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- 1) that person has previously trialled all other such subsidised agents (except brimonidine tartrate); and
- 2) those trials have indicated that that person does not respond adequately to treatment with those other agents.

#### **ACETAZOLAMIDE**

*	Tab 250 mg	.10.40	100	✓ Diamox
BR	INZOLAMIDE			
$\blacktriangle$	Eye Drops 1%	9.77	5 ml OP	Azopt
DC	PRZOLAMIDE HYDROCHLORIDE			
*	Eye drops 2%	9.77	5 ml OP	
		(13 95)		Trusont

DORZOLAMIDE HYDROCHI ORIDE WITH TIMOLOL MALEATE

# Glaucoma Preparations - Prostaglandin Analogues

#### Prescribing Guideline

Bimatoprost, lantanoprost and travoprost are subsidised for use in the treatment of glaucoma as either monotherapy or as an adjunctive agent for patients in whom prostaglandin analogue monotherapy has been ineffective in controlling intraocular pressure. Bimatoprost, lantanoprost and travoprost should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- 1) That person has previously trialled all other such subsidised agents (beta-blockers, pilocarpine, carbonic anhydrase inhibitors); and
- 2) Those trials have indicated that that person does not respond adequately to treatment with those other agents.

## BIMATOPROST - Retail pharmacy-Specialist

<b>A</b>	Eye Drops 0.03%19.50	3 ml OP	✓ Lumigan
LA	TANOPROST - Retail pharmacy-Specialist		
	See prescribing guideline above		
$\color{red}\blacktriangle$	Eye drops 50 μg per ml, 2.5ml9.75	2.5 ml OP	✓ <u>Hysite</u>
TR	AVOPROST – Retail pharmacy-Specialist		
	See prescribing guideline above		
$\blacktriangle$	Eye drops 0.004%19.50	2.5 ml OP	Travatan

# **Glaucoma Preparations - Other**

# BRIMONIDINE TARTRATE

# **Prescribing Guidelines**

Brimonidine tartrate is subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma. Brimonidine tartrate should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- that person has previously trialled all other such subsidised agents (except dorzolamide hydrochloride); and
- those trials have indicated that that person does not respond adequately to or does not tolerate treatment with those other agents.

## BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE

Subsidy (Manufacturer's Price)	Fu Subsidis	ılly	Brand or Generic	
\$	Per	~	Manufacturer	

## Prescribing Guidelines

Combigan is subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma. Combigan should only be prescribed when:

- 1) less expensive first line agents for the treatment of glaucoma are contraindicated; or
- 2) the response to such subsidised agents is inadequate; or
- 3) the patient cannot tolerate such subsidised agents.

#### PII OCARPINE

	.00/11111112		
*	Eye drops 1%4.26	15 ml OP	✓ Isopto Carpine S29
*	Eye drops 2%5.35	15 ml OP	✓ Isopto Carpine S29
*	Eye drops 4%6.57	15 ml OP	✓ Pilopt
	7.99		✓ Isopto Carpine S29
*	Eye drops 2% single dose - Special Authority see SA0895		
	below – Hospital pharmacy [HP3]31.95	20 dose	
	(32.72)		Minims

(Pilopt Eye drops 4% to be delisted 1 April 2010)

# **⇒**SA0895 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

# **Mydriatics and Cycloplegics**

ATDODINE SHI DUATE

	Eye drops 1%	15 ml OP	✓ Atropt
	LOPENTOLATE HYDROCHLORIDE  Eye drops 1%8.76	15 ml OP	✓ Cyclogyl
	IATROPINE HYDROBROMIDE Eye drops 2%7.18	15 ml OP	✓ Isopto Homatropine
TRO	PICAMIDE		
	Eye drops 0.5%       7.15         Eye drops 1%       8.66	15 ml OP 15 ml OP	<ul><li>Mydriacyl</li><li>Mydriacyl</li></ul>
	, ,		<ul><li>Mydriacyl</li><li>Mydriacyl</li></ul>

# **Preparations for Tear Deficiency**

For acetylcysteine eye drops refer, page 166			
HYPROMELLOSE			
* Eye drops 0.3%	2.62	15 ml OP	Poly-Tears
* Eye drops 0.5%	2.00	15 ml OP	✓ Methopt
POLYVINYL ALCOHOL			
* Eye drops 1.4%	2.68	15 ml OP	✓ Vistil
* Eye drops 3%	3.75	15 ml OP	✓ <u>Vistil Forte</u>
TYLOXAPOL			

15 ml OP

✓ Enuclene

# **SENSORY ORGANS**

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

Other Eye Preparations		
NAPHAZOLINE HYDROCHLORIDE  * Eye drops 0.1%	15 ml OP	✓ Naphcon Forte
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN  * Eye oint with soft white paraffin	3.5 g OP	✓ <u>Lacri-Lube</u>
PARAFFIN LIQUID WITH WOOL FAT LIQUID  * Eye oint 3% with wool fat liq 3%	3.5 g OP	✓ Poly-Visc
PHENYLEPHRINE HYDROCHLORIDE  * Eye drops 0.12%	15 ml OP	✓ <u>Prefrin</u>
PHENYLEPHRINE HYDROCHLORIDE WITH ZINC SULPHATE  * Eye drops 0.12% with zinc sulphate 0.25%	15 ml OP 2010)	✓ Zincfrin

# INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
  - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
  - b) Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-specialist).
  - c) Menthol crystals only in the following bases:

Aqueous cream

Urea cream 10%

Wool fat with mineral oil lotion

Hydrocortisone 1% with wool fat and mineral oil lotion

Glycerol, paraffin and cetyl alcohol lotion.

# Glossary

**Dermatological base:** The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Glycerol with paraffin and cetyl alcohol lotion
- Hvdrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Oily cream
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- Zinc cream BP
- . Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

**Dermatological galenical:** Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution BP up to 10%
- Hydrocortisone powder up to 5%
- Salicylic acid powder
- Sulphur precipitated powder

**Standard formulae:** Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

# **Explanatory notes**

#### Oral liquid mixtures

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form qs
Preservative qs
Suspending agent qs
Water to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent. Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

The following practices will not be subsidised:

- Mixing one or more proprietary oral liquids (eg an antihistamine with pholoodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

#### Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

# **Dermatological Preparations**

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 163) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).


One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on page 165 may assist you in deciding whether or not a dermatological ECP is subsidised.

# Dermatological ECPs

Is it subsidised?



# EXTEMPORANEOUSLY COMPOUNDED PRODUCTS & GALENICALS

#### Standard Formulae METHYL HYDROXYBENZOATE 10% SOLUTION ACETYLCYSTEINE EYE DROPS Methyl hydroxybenzoate Acetylcysteine inj 200 mg per ml, 10 ml gs Propylene glycol to 100 ml Suitable eve drop base (Use 1 ml of the 10% solution per 100 ml of oral liquid mixture) ASPIRIN AND CHLOROFORM APPLICATION Aspirin Soluble tabs 300 mg 12 tabs OMEPRAZOLE SUSPENSION Chloroform to 100 ml Omeprazole capules as CODEINE LINCTUS PAEDIATRIC (3 mg per 5 ml) Sodium bicarbonate powder BP 8.4 q Codeine phosphate 60 mg Water to 100 ml Glycerol 40 ml Preservative PHENOBARBITONE ORAL LIQUID as Water to 100 ml Phenobarbitone Sodium 1 a Glycerol BP 70 ml CODEINE LINCTUS DIABETIC (15 mg per 5 ml) Water to 100 ml Codeine phosphate 300 mg Glycerol 40 ml PILOCARPINE ORAL LIQUID Preservative as Pilocarpine 4% eye drops qs Water to 100 ml Preservative as **FOLINIC MOUTHWASH** Water to 500 ml Calcium folinate 15 mg tab (Preservative should be used if quantity supplied is for 1 tab more than 5 days.) Preservative as Water to 500 ml SALIVA SUBSTITUTE FORMULA (Preservative should be used if quantity supplied is for Methylcellulose 5 g more than 5 days. Maximum 500 ml per prescription.) Preservative qs MAGNESIUM HYDROXIDE MIXTURE Water to 500 ml Magnesium hydroxide paste 275 g (Preservative should be used if quantity supplied is for more Methyl hydroxybenzoate 1.5 g than 5 days. Maximum 500 ml per prescription.) Water 770 ml VOSOL EAR DROPS

qs

qs

to 100 ml

WITH HYDROCORTISONE POWDER 1%

1%

to 35 ml

Hydrocortisone powder

Vosol Ear Drops

METHADONE MIXTURE

Methadone powder

Glycerol

Water

# EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
Per ✔ Manufacturer

Extemporaneously Compounded Preparations	and Galenica	ıls	
	ana dalemea		
ACETYLCYSTEINE – Hospital pharmacy [HP1]-Specialist Inj 200 mg per ml, 10 ml	137.06	10	
ing 200 mg per mi, 10 mi	(219.75)	10	Martindale
	(=:::::)		Acetylcysteine
	(255.35)		Hospira
BENZOIN			
Tincture compound BP	24.42	500 ml	
	(38.00)		PSM
CHLOROFORM - Only in combination			
Only in aspirin and chloroform application.	05.50	500 I	4 2011
Chloroform BP	25.50	500 ml	✓ PSM
CODEINE PHOSPHATE	00.00	05	
Powder - Only in combination	(90.09)	25 g	Douglas
a) Only in extemporaneously compounded codeine linct	, ,	ine linctus na	
b) ‡ Safety cap for extemporaneously compounded oral			odd iio
COLLODION FLEXIBLE			
Collodion flexible	19.30	100 ml	✓ PSM
COMPOUND HYDROXYBENZOATE - Only in combination			
Only in extemporaneously compounded oral mixtures.			
Soln	34.18	100 ml	David Craig
GLYCEROL			
* Liquid – Only in combination		2,000 ml	✓ ABM
	24.75		✓ PSM
	19.80 (24.75)		MidWest
Only in extemporaneously compounded oral liquid prepa			Midvicot
MAGNESIUM HYDROXIDE			
Paste	22.61	500 g	✓ PSM
METHADONE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Extemporaneously compounded methadone will only be	reimbursed at the	rate of the ch	eapest form available (methadone
powder, not methadone tablets). Powder	7 9/	1 g	✓ AFT
‡ Safety cap for extemporaneously compounded oral liqu		ı y	₩ AFI
METHYL HYDROXYBENZOATE	ara proparationo.		
Powder	10.00	25 g	✓ ABM
	(18.45)	J	PSM
METHYLCELLULOSE			
Powder	14.00	100 g	✓ ABM
	(17.72)		MidWest

# EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy		Fully	Brand or
	(Manufacturer's P	Price) Su Per	bsidised	Generic Manufacturer
DUENOD ADDITONE CODUM	*			
PHENOBARBITONE SODIUM	50.50	40		! -BA/ 4
Powder – Only in combination		10 g		idWest
	325.00	100 g	✓ IVI	idWest
a) Only in children up to 12 years				
<ul><li>b) ‡ Safety cap for extemporaneously compounded oral lice</li></ul>	quid preparations			
PROPYLENE GLYCOL				
Only in extemporaneously compounded methyl hydroxybenzo	oate 10% solution	٦.		
Liq	12.00	500 ml	✓ A	BM
•	17.70		✓ P	SM
SODIUM BICARBONATE				
Powder BP - Only in combination	9.80	500 g	✓ A	BM
Tondor Br Only in combination	(11.99)	000 g		iomed
	(29.50)			avid Craig
Only in extemporaneously compounded omeprazole susp	' '			avia Oraig
	011010111			
SYRUP (PHARMACEUTICAL GRADE) – Only in combination				
Only in extemporaneously compounded oral liquid preparation		0.000		! do d
Liq	21.75	2,000 ml	V IV	<u>idwest</u>
WATER				
Tap - Only in combination	0.00	1 ml	✓ Ta	ap water

## **EXPLANATORY NOTES**

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

# Eligibility for Special Authority

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

# Who can apply for Special Authority?

Initial Applications: Only Specialists

Reapplications: Specialist or general practitioner on recommendation of specialist. Reapplica-

tions by general practitioners on specialist recommendation must include the

name of the specialist and the date the specialist was contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. A supporting letter may be included if desired. Applications must be forwarded to:

Ministry of Health Sector Services

Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

#### Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

## Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

#### **Definitions**

Failure to thrive

An inability to gain or maintain weight resulting in physiological impairment.

Where the weight of the child is less than the fifth or possibly third percentile for

their age, with evidence of malnutrition

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 

\$ Per ✔ Manufacturer

# **Nutrient Modules**

# Carbohydrate

# **⇒**SA0912 Special Authority for Subsidy

Initial application — (Cystic fibrosis or renal failure) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Either:

- 1 cystic fibrosis; or
- 2 chronic renal failure or continuous ambulatory peritoneal dialysis (CAPD) patient.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children; or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 failure to thrive; or
- 4 growth deficiency; or
- 5 bronchopulmonary dysplasia; or
- 6 premature and post premature infant; or
- 7 inborn errors of metabolism.

Renewal — (Cystic fibrosis or renal failure) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

CARBOHYDRATE SUPPLEMENT - Special Authority see SA0912 above - Hospital pharmacy [HP3]

Powder	36.50	5,000 g	Morrex Maltodextrin
	1.30	400 g OP	
	(5.29)		Polycal
	(12.00)	368 g OP	Moducal

## Carbohydrate And Fat

# ■SA0581 | Special Authority for Subsidy

**Initial application — (Cystic fibrosis)** only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 infant aged four years or under; and
- 2 cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 infant aged four years or under; and
- 2 Any of the following:
  - 2.1 cancer in children; or

continued...

Subsidy (Manufacturer's Price) Per \$

Fully Subsidised

Brand or Generic Manufacturer

continued...

- 2.2 failure to thrive; or
- 2.3 growth deficiency; or
- 2.4 bronchopulmonary dysplasia; or
- 2.5 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

CARBOHYDRATE AND FAT SUPPLEMENT - Special Authority see SA0581 on the preceding page - Hospital pharmacy [HP3] Powder (neutral) ......60.31 400 g OP Duocal Super Soluble Powder

# Fat

# **⇒**SA0899 Special Authority for Subsidy

Initial application — (Inborn errors of metabolism) only from a relevant specialist. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a relevant specialist. Approvals valid for 1 vear for applications meeting the following criteria:

Any of the following:

- 1 failure to thrive where other high calorie products are inappropriate or inadequate; or
- 2 growth deficiency: or
- 3 bronchopulmonary dysplasia; or
- 4 fat malabsorption; or
- 5 lymphangiectasia: or
- 6 short bowel syndrome; or
- 7 infants with necrotising enterocolitis: or
- 8 biliary atresia.

Renewal — (Inborn errors of metabolism) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

FAT SUPPLEMENT - Special Authority see SA0899 above - Hospital pharmacy [HP3]

Emulsion (neutral)12.30	200 ml OP	✓ Calogen
30.75	500 ml OP	✓ Calogen
Emulsion (strawberry)12.30	200 ml OP	✓ Calogen
Oil	250 ml OP	✓ Liquigen
30.00	500 ml OP	✓ MCT oil (Nutricia)

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

# **Protein**

## ⇒SA0582 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 protein losing enteropathy; or
- 2 high protein needs (eg burns).

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

PROTEIN SUPPLEMENT - Special Authority see SA0582 at	bove - Hospital phar	macy [HP3]	
Powder	7.90	225 g OP	Protifar
Powder (vanilla)	12.90	275 a OP	✔ Promod

# **Oral Supplements**

These products are to be used only as supplements to a person's dietary needs. Subsidy for up to 500 ml a day. Amounts prescribed in excess of this amount must be paid for by the patient.

## ⇒SA0583 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years where the patient has cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children; or
- 2 inflammatory bowel disease: or
- 3 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or4 malnutrition requiring nutritional support.

**Renewal** — **(Cystic fibrosis)** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

## Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

ORAL SUPPLEMENT 1KCAL/ML - Special Authority see SA0583 above - Hospital pharmacy [HP3]

Powder (chocolate)	9.22	900 g OP	<ul><li>Sustagen Hospital Formula</li></ul>
	4.75	400 g OP	
	(7.22)		Ensure
Powder (strawberry)	4.75	400 g OP	
	(7.22)	-	Ensure
Powder (vanilla)	9.22	900 g OP	<ul><li>Sustagen Hospital Formula</li></ul>
	4.75	400 g OP	
	(7.22)		Ensure

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

# Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

# **Respiratory Products**

# ▶SA0588 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

- 1 CORD patients who have hypercapnia; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

#### All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

## **Diabetic Products**

# **⇒**SA0594 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Type I and II diabetics who require nutritional supplementation; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

# All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML - Special Au Liquid			✓ Diason RTH	
ODAL FEED 1/CAL/MI Special Authority and SAG	504 above. Haspital pharm	ooy [UD2]	✓ Glucerna Select RTH	
ORAL FEED 1KCAL/ML - Special Authority see SA0	1594 above – Hospitai priarri	acy [np3]		
Liquid (strawberry)	1.50	200 ml OP	✓ Diasip	
	1.78	237 ml OP	✔ Resource Diabetic	

1.78

1.88

237 ml OP

250 ml OP

✔ Resource Diabetic

Glucerna Select

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

## **Fat Modified Products**

# ⇒SA0615 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The product is to be used as a complete diet; and
- 2 Either:
  - 2.1 Patient has metabolic disorders of fat metabolism; or
  - 2.2 Patient has chylothorax.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

FAT MODIFIED FEED - Special Authority see SA0615 above - Hospital pharmacy [HP3]

# **High Protein Products**

## ■ SA0589 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Anorexia and weight loss: and
- 2 Either:
  - 2.1 decompensating liver disease without encephalopathy; or
  - 2.2 protein losing gastro-enteropathy; and
- 3 Either:
  - 3.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 3.2 The product is to be used as a complete diet.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Fither
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

ORAL FEED 1KCAL/ML - Special Authority see SA0589 above - Hospital pharmacy [HP3]

# Paediatric Products For Children Awaiting Liver Transplant

## ⇒SA0607 | Special Authority for Subsidy

**Initial application** only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria:

- 1 Child (up to 18 years) who is awaiting liver transplant; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

**Renewal** only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria: Both:

continued...

Subsidy Fully (Manufacturer's Price) Subsidised Per ✔

Brand or Generic Manufacturer

continued...

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA0607 on the preceding page - Hospital pharmacy [HP3]

## Paediatric Products For Children With Chronic Renal Failure

# ■ SA0606 | Special Authority for Subsidy

**Initial application** only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 child (up to 18 years) with chronic renal failure; and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet.

**Renewal** only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Fither:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA0606 above - Hospital pharmacy [HP3]

# **Paediatric Products**

## ■ SA0896 | Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 infant aged one to eight years; and
- 2 Any of the following:
  - 2.1 any condition causing malabsorption; or
  - 2.2 failure to thrive: or
  - 2.3 increased nutritional requirements; and
- 3 Either:
  - 3.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 3.2 The product is to be used as a complete diet.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

	Subsidy (Manufacturer's F \$	Price) Sub	Fully sidised	Brand or Generic Manufacturer
PAEDIATRIC ENTERAL FEED 1KCAL/ML - Special Authority se Liquid		e preceding pag 200 ml OP 500 ml OP	✓ Nu ✓ Nu	pital pharmacy [HP3] trini RTH trini RTH diasure RTH
PAEDIATRIC ORAL FEED 1.5KCAL/ML - Special Authority see Liquid (strawberry) Liquid (vanilla)	1.60	receding page 200 ml OP 200 ml OP	<b>✓</b> Nu	al pharmacy [HP3] htriniDrink htriniDrink
PAEDIATRIC ORAL FEED 1KCAL/ML - Special Authority see S. Liquid (chocolate)	1.07 1.07	eceding page – 200 ml OP 200 ml OP 237 ml OP	✓ Pe ✓ Pe	pharmacy [HP3] diasure diasure diasure
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML - Special / [HP3]	Authority see SAC	0896 on the pre	ceding p	age – Hospital pharmacy
Liquid (chocolate)	1.60	200 ml OP		triniDrink Multifibre
Liquid (strawberry)	1.60	200 ml OP		triniDrink Multifibre
Liquid (vanilla)	1.60	200 ml OP		triniDrink Multifibre
Renal Products				

## **⇒**SA0587 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 acute or chronic renal failure: and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

#### All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

ENTERAL FEED 2KCAL/ML - Special Authority see SA08 Liquid		,	✓ Nutrison Concentrated
RENAL ORAL FEED 2KCAL/ML - Special Authority see S	SA0587 above – Hospita	al pharmacy [H	P3]
Liquid	2.43	200 ml OP	✓ Nepro (vanilla)
	2.88	237 ml OP	✓ NovaSource Renal
Liquid (apricot)	2.88	125 ml OP	✓ Renilon 7.5
Liquid (caramal)	2 88	125 ml ∩P	✓ Renilon 7.5

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

# **Specialised And Elemental Products**

# ⇒SA0592 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Any of the following:
  - 1.1 malabsorption; or
  - 1.2 short bowel syndrome; or
  - 1.3 enterocutaneous fistulas; or
  - 1.4 pancreatitis; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

PowderPowder		2 above – Hosp 79 g OP 76 g OP	ortal pharmacy [HP3]  ✓ Vital HN  ✓ Alitraq	
ORAL ELEMENTAL FEED 0.8KCAL/ML - Special Authority see SAC	592 above -	Hospital pharr	nacy [HP3]	
Liquid (grapefruit)	9.50	250 ml OP	✓ Elemental 028 Extra	
Liquid (pineapple & orange)	9.50	250 ml OP	Elemental 028 Extra	
Liquid (summer fruit)	9.50	250 ml OP	Elemental 028 Extra	
ORAL ELEMENTAL FEED 1KCAL/ML - Special Authority see SA05	92 above – F	lospital pharma	acy [HP3]	
Powder (unflavoured)	4.00	80.4 g OP	✓ Vivonex TEN	
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML − Special Authority see SA0592 above − Hospital pharmacy [HP3] Liquid12.04 1,000 ml OP ✓ Peptisorb				

# **Undyalised End Stage Renal Failure**

## **⇒**SA0586 Special Authority for Subsidy

Initial application only from a gastroenterologist or renal physician. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 undialysed end stage renal patients; and
- - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

Note: Where possible, the requirements for oral supplementation should be established in conjunction with assessment by a dietician.

continued...

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

RENAL ORAL FEED 1KCAL/ML - Special Authority see SA0586 on the preceding page - Hospital pharmacy [HP3]

## **Adult Products Standard**

## ⇒SA0702 Special Authority for Subsidy

**Initial application — (Oral feed for cystic fibrosis patient)** only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

#### Both:

- 1 Cystic fibrosis: and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet.

Initial application — (Oral feed for indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 any condition causing malabsorption; or
  - 1.2 failure to thrive; or
  - 1.3 increased nutritional requirements; and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet.

Renewal — (Oral feed cystic fibrosis patient) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Eithor:
  - 2.1 The product is to be used as a supplement: or
  - 2.2 The product is to be used as a complete diet; and
  - 3 General Practitioners must include the name of the specialist and date contacted.

Initial application — (Enteral feed) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 enteral feeding; or
  - 1.2 nasogastric; or
  - 1.3 nasoduodenal; or
  - 1.4 nasojejunal; or
  - 1.5 gastrostomy/jejunostomy; and
- 2 Either:

continued...

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 2.1 The product is to be used as a supplement; or
- 2.2 The product is to be used as a complete diet.

Renewal — (Enteral feed or Oral feed for indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

Notes: This group of products can be used either as a supplement or as a complete diet.

If a product is being used as a supplement, the limit is 500 ml per day.

Cystic fibrosis patients are exempt the 500 ml per day volume restriction when using Ensure Plus, Fortisip or Resource Plus as a supplement.

ENTERAL FEED 1KCAL/ML - Special Authority see SA0702 on the preceding page - Hospital pharmacy [HP3]

Liquid		250 ml OP	✓ Isosource HN
1			✓ Isosource Standard
	2.65	500 ml OP	✓ Nutrison Standard RTH
	5.29	1,000 ml OP	✓ Nutrison Standard RTH
			✓ Isosource HN RTH ✓ Isosource Standard RTH
			Osmolite RTH
ENTERAL FEED WITH FIBRE 1 KCAL/ML – Special Authority see Liquid		250 ml OP	<ul><li>✓ Fibersource HN</li><li>✓ Nutrison Multi Fibre</li></ul>
ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see Liquid			age – Hospital pharmacy [HP3]  Ensure Plus RTH  Isosource 1.5  Nutrison Energy  Multi Fibre

	(Manufacturer's Price) Subsidised Generic		
	\$	Per	✓ Manufacturer
AL FEED 1.5KCAL/ML - Special Authority see SA0702 on	page 178 – Hospi	tal pharmacy [H	HP31
Liquid (banana)		200 ml OP	✓ Fortisip
1 ( )	(1.45)		Ensure Plus
Liquid (chocolate)	` '	200 ml OP	✓ Fortisip
	1.33	237 ml OP	✓ Resource Plus
	1.12	200 ml OP	
	(1.45)		Ensure Plus
	1.33	237 ml OP	✓ Ensure Plus
Liquid (coffee latte)	1.33	237 ml OP	✓ Ensure Plus
Liquid (fruit of the forest)		200 ml OP	
,	(1.45)		Ensure Plus
Liquid (strawberry)	1.12 <sup>′</sup>	200 ml OP	✓ Fortisip
100000000	1.33	237 ml OP	✓ Resource Plus
	1.12	200 ml OP	
	(1.45)		Ensure Plus
	1.33	237 ml OP	Ensure Plus
Liquid (toffee)	1.12	200 ml OP	✓ Fortisip
Liquid (tropical fruit)		200 ml OP	✓ Fortisip
Liquid (vanilla)	1.12	200 ml OP	✓ Fortisip
	1.33	237 ml OP	✓ Resource Plus
	1.12	200 ml OP	
	(1.45)		Ensure Plus
	1.33	237 ml OP	Ensure Plus
AL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority se	ee SA0702 on pad	je 178 – Hospita	al pharmacy [HP3]
Liquid (chocolate)		200 ml OP	✓ Fortisip Multi Fibre
Liquid (strawberry)		200 ml OP	✔ Fortisip Multi Fibre
Liquid (vanilla)		200 ml OP	✔ Fortisip Multi Fibre

Subsidy

Fully

Brand or

# **Adult Products High Calorie**

# ■ SA0585 | Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements; and
- 4 Either:
  - 4.1 The product is to be used as a supplement; or
  - 4.2 The product is to be used as a complete diet.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - 1.1 any condition causing malabsorption; or
  - 1.2 failure to thrive; or
  - 1.3 increased nutritional requirements; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements; and
- 4 Either:

continued...

Subsidy Fully Brand or	Subsidy
Manufacturer's Price) Subsidised Generic	(Manufacturer's Price)
\$ Per  Manufacturer	\$

continued...

- 4.1 The product is to be used as a supplement; or
- 4.2 The product is to be used as a complete diet.

**Renewal** — **(Cystic fibrosis)** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted; and
- 2 General r
  - 3.1 The product is to be used as a supplement; or
  - 3.2 The product is to be used as a complete diet.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted; and
- 3 Either:
  - 3.1 The product is to be used as a supplement; or
  - 3.2 The product is to be used as a complete diet.

Notes: This product can be used either as a supplement or as a complete diet.

If it is being used as a supplement, the limit is 500 ml per day.

ORAL FEED 2KCAL/ML - Special Authority see SA0585 on the preceding page - Hospital pharmacy [HP3]
Liquid (vanilla) .......2.25 237 ml OP ✓ Two Cal HN

### **Food Thickeners**

### ■ SA0595 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

FOOD THICKENER - Special Authority see SA0595 above - Hospital pharmacy [HP3]

### Gluten Free Foods

### **⇒**SA0722 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Either:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

### **SPECIAL FOODS**

	Subsidy (Manufacturer's F	Price) Subsid	
	\$	Per	✓ Manufacturer
GLUTEN FREE BAKING MIX - Special Authority see SA0722	, ,,		harmacy [HP3]
Powder		1,000 g OP	
	(5.15)		Healtheries Simple Baking Mix
GLUTEN FREE BREAD MIX - Special Authority see SA0722 of	on the preceding p	age – Hospital pł	narmacy [HP3]
Powder		1,000 g OP	,
	(7.32)	,	NZB Low Gluten Bread Mix
	4.77		
	(8.71)		Bakels Gluten Free Health Bread Mix
	3.51		
	(10.87)		Horleys Bread Mix
GLUTEN FREE FLOUR - Special Authority see SA0722 on the	e preceding page -	- Hospital pharma	acy [HP3]
Powder		2,000 g OP	,. ,
	(18.10)	-	Horleys Flour
GLUTEN FREE PASTA - Special Authority see SA0722 on the	preceding page -	Hospital pharma	cv [HP3]
Buckwheat Spirals		250 g OP	, []
•	(3.11)	J	Orgran
Corn and Vegetable Shells	2.00	250 g OP	·
	(2.92)		Orgran
Corn and Vegetable Spirals		250 g OP	
	(2.92)		Orgran
Rice and Corn Lasagne Sheets		200 g OP	
B: 10 M	(3.82)	050 00	Orgran
Rice and Corn Macaroni		250 g OP	Oraran
Rice and Corn Penne	(2.92)	250 g OP	Orgran
nice and com remie	(2.92)	250 g OF	Orgran
Rice and Maize Pasta Spirals	, ,	250 g OP	Orgian
Tiloc and Maize Facta Ophaio	(2.92)	200 g 01	Orgran
Rice and Millet Spirals		250 g OP	0.9
	(3.11)	3 -	Orgran
Rice and corn spaghetti noodles	\ /	375 g OP	J
. •	(2.92)	-	Orgran
Vegetable and Rice Spirals	2.00	250 g OP	
	(2.92)		Orgran
Italian long style spaghetti		220 g OP	_
	(3.11)		Orgran

# Foods And Supplements For Inborn Errors Of Metabolism - Other

### **⇒**SA0732 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Either:

- 1 dietary management of homocystinuria; or
- 2 dietary management of maple syrup urine disease.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
Per ✓ Manufacturer

continued...

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

### **Prescribing Guideline**

It can cost up to \$70,000 a year to keep an adult on protein supplements. Because protein substitutes are so expensive and because they are only effective in controlling PKU if a restricted diet is followed, adults with PKU will be required to demonstrate they are following the prescribed diet by regular blood testing. The requirement for testing applies to those aged over 16 years. Failure to follow an appropriate diet results in high blood phenylalanine levels.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

### Supplements For Homocystinuria

AMINOACID FORMULA WITHOUT METHIONINE - Special Authority see SA0732 on the preceding page - Hospital pharmacy IHP31

See prescribing guideline above

### Supplements For MSUD

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE — Special Authority see SA0732 on the preceding page — Hospital pharmacy [HP3]

See prescribing guideline above

### Foods And Supplements For Inborn Errors Of Metabolism - PKU

#### **Prescribing Guideline**

It can cost up to \$70,000 a year to keep an adult on protein supplements. Because protein substitutes are so expensive and because they are only effective in controlling PKU if a restricted diet is followed, adults with PKU will be required to demonstrate they are following the prescribed diet by regular blood testing. The requirement for testing applies to those aged over 16 years. Failure to follow an appropriate diet results in high blood phenylalanine levels.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

# Foods and Supplements For PKU

#### ■ SA0733 Special Authority for Subsidy

**Initial application — (Patient aged over 16)** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 dietary management of PKU; and
- 2 The patient's blood phenylalanine level is < 900 mmol/litre (average of tests over last 12 months).

Initial application — (Patient aged 16 or under) only from a relevant specialist. Approvals valid for 3 years where the patient requires dietary management of PKU.

Renewal — (Patient aged over 16) only from a relevant specialist. Approvals valid for 1 year where blood phenylalanine level < 900 mmol/litre (average of tests over last 12 months).

Renewal — (Patient aged 16 or under) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

(Manufacturer's Price) Subsidised Generic Per Manufacturer AMINOACID FORMULA WITHOUT PHENYLALANINE - Special Authority see SA0733 on the preceding page - Hospital pharmacy [HP3] See prescribing guideline on the preceding page 75 OP ✔ Phlexv 10 Sachets (pineapple/vanilla) 29 g .......330.10 30 OP Minaphlex ✔ Phlexy 10 30 ✓ PKU Anamix Infant 400 a OP XP Analog LCP 500 g OP XP Maxamaid ✓ XP Maxamum 320.00 Powder (unflavoured) ......221.00 500 q OP XP Maxamaid ✓ XP Maxamum Liquid (berry) ......15.65 62.5 ml OP ✓ Lophlex LQ ✓ Lophlex LQ 125 ml OP 31.20 62.5 ml OP ✔ PKU Lophlex LQ 15.65 125 ml OP ✓ PKU Lophlex LQ 31.20 62.5 ml OP ✓ Lophlex LQ 31.20 125 ml OP ✓ Lophlex LQ ✔ PKU Lophlex LQ 15.65 62.5 ml OP 125 ml OP ✔ PKU Lophlex LQ 31.20 250 ml OP Easiphen Liquid 62.5 ml OP ✓ Lophlex LQ 31.20 125 ml OP ✓ Lophlex LQ ✓ PKU Lophlex LQ 62.5 ml OP 15.65 31.20 125 ml OP ✔ PKU Lophlex LQ Liquid (tropical) .......30.00 250 ml OP Easiphen PHENYL FREE BAKING MIX - Special Authority see SA0733 on the preceding page - Hospital pharmacy [HP3] See prescribing guideline on the preceding page 500 g OP Loprofin Mix PHENYL FREE PASTA - Special Authority see SA0733 on the preceding page - Hospital pharmacy [HP3] See prescribing guideline on the preceding page Animal shapes ......10.65 500 g OP (11.91)Loprofin 250 g OP Loprofin 500 g OP Loprofin 250 g OP Loprofin

Subsidy

Fully

Brand or

500 g OP

500 g OP

500 g OP

(11.91)

Loprofin

Loprofin

Loprofin

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

/ Brand or d Generic Manufacturer

### **Multivitamin And Mineral Supplements**

### ■SA0962 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Dietary management of phenylketonuria (PKU); or
- 2 For use as a supplement to the ketogenic diet in patients diagnosed with epilepsy; or
- 3 Patient has had a previous approval for metabolic mineral mixture.

AMINOACID FORMULA WITH MINERALS WITHOUT PHENYLALANINE - Special Authority see SA0962 above - Retail pharmacy

See prescribing guideline on page 183

250 g OP

✓ Metabolic Mineral Mixture

### Infant Formulae

#### For Premature Infants

### ⇒SA0602 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 6 months where the patient is infant weighing less than 1.5 kg at birth.

PREMATURE BIRTH FORMULA - Special Authority see SA0602 above - Hospital pharmacy [HP3]

## For Williams Syndrome

### ■ SA0601 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

LOW CALCIUM INFANT FORMULA - Special Authority see SA0601 above - Hospital pharmacy [HP3]

## For Gastrointestinal And Other Malabsorptive Problems

### ⇒SA0603 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year where the patient is infant suffering from malabsorption and other gastrointestinal problems.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Neocate should be used only as a last resort when the infant is unable to absorb any of the below formulae. The objective with each of the formulae prescribed is to get the infant off them as soon as possible. This may take six months, it may take three years. Because of this, variation on age limit is not regarded as appropriate. These formulae will be available only from a hospital pharmacy. Vivonex Pediatric may be a suitable and less expensive alternative for many children that would otherwise be eligible for a subsidy for Neocate and should, therefore, be tried first in these cases. The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Subsidy		Fully	Brand or
(Manufacturer's Price)	9	Subsidised	Generic
\$	Per	<b>U</b>	Manufacturer

ELEMENTAL FORMULA - Special Authority see SA0603 on	the preceding page	- Hospital pharn	nacy [HP3]
Powder	11.72	450 g OP	
	(15.21)		Pepti Junior Gold
	15.52		
	(19.01)		Pepti Junior
	63.97	400 g OP	
	(67.08)		Neocate
	(67.08)		Neocate LCP
	5.62	48.5 g OP	
	(6.00)		Vivonex Pediatric
Powder (tropical)	52.90	400 g OP	
	(56.00)		Neocate Advance
Powder (unflavoured)	52.90	400 g OP	
	(56.00)		Neocate Advance

### For Milk Intolerance

### **⇒**SA0604 Special Authority for Subsidy

Initial application — (Lactase deficiency or disaccharide intolerance) only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is less than 3 years of age; and
- 2 Either:
  - 2.1 diagnosed as suffering from congenital lactase deficiency; or
  - 2.2 suffering from disaccharide intolerance.

Notes: Secondary lactose intolerance in children is usually short lasting, and can be controlled by dietary measures and by giving sufficient calories to regenerate digestive enzymes.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Initial application — (Infant with intolerance to cows' milk) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 intolerant to cows' milk; and
- 2 patient is less than 3 years of age.

Note: The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Renewal — (Infant with intolerance to cows' milk) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 patient is less than 3 years of age.

Powder		900 g OP	
	(22.75)	3 3	Karicare Goats Milk Infant Formula
LACTOSE FREE INFANT FORMULA - Special Authority see	SA0604 above – R	etail pharmacy	
Powder		900 g OP	
	(17.95)	-	Delact
SOYA INFANT FORMULA - Special Authority see SA0604 about	ove – Retail pharm	acy	
Powder	6.34	900 g OP	
	(19.57)	-	S26 Soy



Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per V Manufacturer

### Infant Formulae - Lactose Intolerance and Cows' Milk Protein Intolerance

### **⇒**SA0757 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient is less than 2 years of age; and
- 2 Intolerant to cows' milk; and
- 3 Diagnosed as suffering from congenital lactase deficiency.

**Renewal** only from a relevant specialist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

benefiting from treatment.		
INFANT SOY FORMULA - Special Authority see SA0757 above - Retail pharma	су	
Powder	900 g	
(16.35)		Karicare Soy All Ages

# Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

ADRENALINE	CHARCOAL
✓ Inj 1 in 1,000, 1 ml5	✓ Oral liq 50 g per 250 ml
✓ Inj 1 in 10,000, 10 ml5	CHLORPROMAZINE HYDROCHLORIDE
AMINOPHYLLINE	✓ Tab 10 mg30
✓ Inj 25 mg per ml, 10 ml5	✓ Tab 25 mg
AMIODARONE HYDROCHLORIDE	✓ Tab 100 mg30
	✓ Inj 25 mg per ml, 2 ml
✓ Inj 50 mg per ml, 3 ml5	• III] 25 IIIg per IIII, 2 IIII
AMOXYCILLIN	CIPROFLOXACIN
✓ Cap 250 mg30	✓ Tab 250 mg5
✓ Grans for oral liq 125 mg per 5 ml200 ml	✓ Tab 500 mg5
✓ Grans for oral liq 250 mg per 5 ml 200 ml	
✓ Inj 1 g5	CO-TRIMOXAZOLE
AMOXYCILLIN CLAVULANATE	✓ Tab trimethoprim 80 mg and
✓ Tab amoxycillin 500 mg with potassium	sulphamethoxazole 400 mg30
clavulanate 125 mg30	✓ Oral liq trimethoprim 40 mg and
✓ Grans for oral liq amoxycillin 125 mg with	sulphamethoxazole 200 mg per
potassium clavulanate 31.25 mg per	5 ml200 ml
5 ml	COMPOUND ELECTROLYTES
✓ Grans for oral liq amoxycillin 250 mg with	COMPOUND ELECTROLYTES
potassium clavulanate 62.5 mg per	✓ Powder for soln for oral use 5 g10
5 ml200 ml	CONDOMS
	✓ 49 mm144
APPLICATOR	✓ 52 mm
✓ Applicator – See note on page 701	✓ 52 mm extra strength
ASPIRIN	<b>✓</b> 53 mm144
✓ Tab dispersible 300 mg30	✓ 53 mm (chocolate)144
ATROPINE SULPHATE	✓ 53 mm (strawberry)144
✓ Inj 600 µg, 1 ml5	✓ 53 mm extra strength144
✓ Inj 1200 µg, 1 ml	54 mm, shaped144
	<b>✓</b> 55 mm144
AZITHROMYCIN	<b>✓</b> 56 mm144
✓ Tab 500 mg – Subsidy by endorsement –	✓ 56 mm extra strength144
See note on page 854	✓ 56 mm, shaped144
BENDROFLUAZIDE	<b>✓</b> 60 mm144
✓ Tab 2.5 mg – See note on page 55150	DEVANETUACONE
BENZATHINE BENZYLPENICILLIN	DEXAMETHASONE
✓ Inj 1.2 mega u per 2.3 ml5	✓ Tab 1 mg – Retail pharmacy-Specialist
	✓ Tab 4 mg – Retail pharmacy-Specialist30
BENZTROPINE MESYLATE	DEXAMETHASONE SODIUM PHOSPHATE
✓ Inj 1 mg per ml, 2 ml5	✓ Inj 4 mg per ml, 1 ml5
BENZYLPENICILLIN SODIUM (PENICILLIN G)	✓ Inj 4 mg per ml, 2 ml
✓ Inj 1 mega u5	· · · · · · · · · · · · · · · · · · ·
CEFTRIAXONE SODIUM	DEXTROSE
	✓ Inj 50%, 10 ml5
✓ Inj 500 mg – Hospital pharmacy [HP3] –	✓ Inj 50%, 90 ml5
Subsidy by endorsement – See note on	DIADUDACM
page 84	DIAPHRAGM
✓ Inj 1 g – Hospital pharmacy [HP3] – Subsidy	✓ Diaphragm – See note on page 701
by endorsement – See note on page 845	continued

# PRACTITIONER'S AND WHOLESALE SUPPLY ORDERS

continued) DIAZEPAM		ETHINYLOESTRADIOL WITH NORETHISTERON  ✓ Tab 35 µg with norethisterone 1 mg	
✓ Inj 5 mg per ml, 2 ml – Subsidy by	E	✓ Tab 35 µg with norethisterone 1 mg and 7	
endorsement – See note on page 115		inert tab	
✓ Rectal tubes 5 mg ✓ Rectal tubes 10 mg		✓ Tab 35 µg with norethisterone 500 µg	03
Friedai tubes 10 mg	5	✓ Tab 35 µg with norethisterone 500 µg and 7 inert tab	9/1
DICLOFENAC SODIUM			04
✓ Inj 25 mg per ml, 3 ml		FLUCLOXACILLIN SODIUM	
✓ Suppos 50 mg	10	✓ Cap 250 mg	
DIGOXIN		Grans for oral liq 125 mg per 5 ml	
✓ Tab 62.5 µg	30	✓ Grans for oral liq 250 mg per 5 ml	
✓ Tab 250 µg		✓ Inj 1 g	
		FLUPENTHIXOL DECANOATE	
DOXYCYCLINE HYDROCHLORIDE	20	✓ Inj 20 mg per ml, 1 ml	
Tab 50 mg  ✓ Tab 100 mg		✓ Inj 20 mg per ml, 2 ml	
ŭ	30	✓ Inj 100 mg per ml, 1 ml	5
ERGOMETRINE MALEATE		FLUPHENAZINE DECANOATE	
✓ Inj 500 µg per ml, 1 ml	5	✓ Inj 12.5 mg per 0.5 ml, 0.5 ml	5
ERYTHROMYCIN ETHYL SUCCINATE		✓ Inj 25 mg per ml, 1 ml	
✓ Tab 400 mg	30	✓ Inj 100 mg per ml, 1 ml	
✓ Grans for oral liq 200 mg per 5 ml		FUROSEMIDE	
✓ Grans for oral liq 400 mg per 5 ml20		✓ Tab 40 mg	30
. •		✓ Inj 10 mg per ml, 2 ml	
ERYTHROMYCIN STEARATE	00		
Tab 250 mg	30	GLUCAGON HYDROCHLORIDE	_
ETHINYLOESTRADIOL WITH DESOGESTREL		✓ Inj 1 mg syringe kit	
Tab 20 μg with desogestrel 150 μg	63	GLYCERYL TRINITRATE	
Tab 20 µg with desogestrel 150 µg and 7		✓ Tab 600 µg	
inert tab		✓ Oral pump spray 400 µg per dose2	50 dose
Tab 30 μg with desogestrel 150 μg	63	HALOPERIDOL	
Tab 30 μg with desogestrel 150 μg and 7		✓ Tab 500 µg	30
inert tab	84	✓ Tab 1.5 mg	
ETHINYLOESTRADIOL WITH GESTODENE		✓ Tab 5 mg	30
Tab 30 μg with gestodene 75 μg and 7 inert		✓ Oral liq 2 mg per ml	. 200 m
tab	84	✓ Inj 5 mg per ml, 1 ml	5
		HALOPERIDOL DECANOATE	
ETHINYLOESTRADIOL WITH LEVONORGESTREL		✓ Inj 50 mg per ml, 1 ml	5
✓ Tab ethinyloestradiol 30 µg with		✓ Inj 100 mg per ml, 1 ml	
levonorgestrel 50 μg (6) and tab		HYDROCORTISONE	
ethinyloestradiol 40 µg with levonorgestrel		✓ Inj 50 mg per ml, 2 ml	5
75 μg (5), and tab ethinyloestradiol 30 μg with levonorgestrel 125 μg (10) and 7		• • •	
inert tab	84	HYDROXOCOBALAMIN	
✓ Tab 50 µg with levonorgestrel 125 µg and 7	04	✓ Inj 1 mg per ml, 1 ml	6
inert tab	84	HYOSCINE N-BUTYLBROMIDE	
Tab 30 µg with levonorgestrel 150 µg		✓ Inj 20 mg, 1 ml	5
✓ Tab 30 µg with levonorgestrel 150 µg and 7	50	IPRATROPIUM BROMIDE	
inert tab	84	✓ Nebuliser soln, 250 µg per ml, 1 ml	40
Tab 20 μg with levonorgestrel 100 μg and 7		✓ Nebuliser soln, 250 µg per ml, 2 ml	
inert tab	84		nued
		COTTU	naca

# PRACTITIONER'S AND WHOLESALE SUPPLY ORDERS

continued)	PETHIDINE HYDROCHLORIDE
LEVONORGESTREL	✓ Inj 50 mg per ml, 1 ml – Only on a controlled
Tab 30 μg84	drug form5
✓ Tab 1.5 mg5	✓ Inj 50 mg per ml, 1.5 ml – Only on a
LIGNOCAINE HYDROCHLORIDE	controlled drug form5
✓ Inj 0.5%, 5 ml – See note on page 1105	✓ Inj 50 mg per ml, 2 ml – Only on a controlled
✓ Inj 1%, 5 ml – See note on page 1105	drug form5
✓ Inj 1%, 20 ml – See note on page 1105	DUENOVAMETUVI DENICULUNI (DENICULUNI VI
	PHENOXYMETHYLPENICILLIN (PENICILLIN V)  ✓ Cap potassium salt 250 mg30
LOPERAMIDE HYDROCHLORIDE	✓ Grans for oral lig 125 mg per 5 ml
✓ Tab 2 mg30	✓ Grans for oral liq 250 mg per 5 ml
MEDROXYPROGESTERONE ACETATE	
✓ Inj 150 mg per ml, 1 ml syringe5	PHENYTOIN SODIUM
METHYLERGOMETRINE	✓ Inj 50 mg per ml, 2 ml5
✓ Inj 200 µg per ml, 1 ml	✓ Inj 50 mg per ml, 5 ml5
	PHYTOMENADIONE
METOCLOPRAMIDE HYDROCHLORIDE	✓ Inj 2 mg per 0.2 ml – See note on page 415
✓ Inj 5 mg per ml, 2 ml5	✓ Inj 10 mg per ml, 1 ml – See note on page 415
METRONIDAZOLE	
✓ Tab 200 mg30	PIPOTHIAZINE PALMITATE
MORPHINE SULPHATE	✓ Inj 50 mg per ml, 1 ml
✓ Inj 5 mg per ml, 1 ml – Only on a controlled	✓ Inj 50 mg per ml, 2 ml5
drug form5	PREDNISOLONE SODIUM PHOSPHATE
✓ Inj 10 mg per ml, 1 ml – Only on a controlled	✓ Oral liq 5 mg per ml – See note on
drug form5	page 7630 ml
✓ Inj 15 mg per ml, 1 ml – Only on a controlled	PREDNISONE
drug form5	✓ Tab 5 mg30
✓ Inj 30 mg per ml, 1 ml – Only on a controlled	▶ Tab 5 mg
drug form5	PREGNANCY TESTS - HCG URINE
	✓ Cassette
NALOXONE HYDROCHLORIDE  ✓ Inj 400 µg per ml, 1 ml5	PROCAINE PENICILLIN
ν III 400 μg per IIII, 1 III	✓ Inj 1.5 mega u5
NONOXYNOL-9	• III 1.0 Illoga a
✓ Jelly 2%108 g	PROCHLORPERAZINE
NORETHISTERONE	✓ Tab 5 mg30
✓ Tab 350 µg84	✓ Inj 12.5 mg per ml, 1 ml5
✓ Tab 5 mg30	PROMETHAZINE HYDROCHLORIDE
NORETHISTERONE WITH MESTRANOL	✓ Inj 25 mg per ml, 2 ml5
Tab 1 mg with mestranol 50 μg and 7 inert tab84	
rab i mg with mestianor 30 μg and / mertiab 04	SALBUTAMOL
OXYTOCIN	✓ Inj 500 µg per ml, 1 ml5
✓ Inj 5 iu per ml, 1 ml5	✓ Aerosol inhaler, 100 µg per dose CFC
✓ Inj 10 iu per ml, 1 ml5	free
✓ Inj 5 iu with ergometrine maleate 500 µg per	
ml, 1 ml5	✓ Nebuliser soln, 2 mg per ml, 2.5 ml30
PARACETAMOL	SALBUTAMOL WITH IPRATROPIUM BROMIDE
✓ Tab 500 mg30	✓ Nebuliser soln, 2.5 mg with ipratropium
✓ Oral liq 120 mg per 5 ml200 ml	bromide 0.5 mg per vial, 2.5 ml20
✓ Oral liq 250 mg per 5 ml 100 ml	continued

# PRACTITIONER'S AND WHOLESALE SUPPLY ORDERS

Continued)  SILVER SULPHADIAZINE  ✓ Crm 1%	TRIMETHOPRIM  ✓ Tab 300 mg
SODIUM BICARBONATE  ✓ Inj 8.4%, 50ml	WATER  ✓ Purified for inj, 5 ml – See note on page 44
✓ Inf 0.9% – See note on page 44	ZUCLOPENTHIXOL DECANOATE  ✓ Inj 200 mg per ml, 1 ml5

# Pharmaceuticals that may be obtained on a Wholesale Supply Order

INTRA-UTERINE DEVICE

✓ IUD

MASK FOR SPACER DEVICE

✓ Size 2

PEAK FLOW METER

✓ Low range

✓ Normal range

### SPACER DEVICE

- ✓ 230 ml (autoclavable)
- **✓** 800 ml
- ✓ 230 ml (single patient)

191

### **Rural Areas for Practitioner's Supply Orders**

NORTH ISLAND Tairua Taumarunui Northland DHB Te Aroha Dargaville Te Kauwhata Hikurangi Te Kuiti Tokoroa

Kaeo Kaikohe Waihi Kaitaia Whangamata Kawakawa Whitianga

Kerikeri Levin Bay of Plenty DHB Otaki Mangonui Maungaturoto Edgecumbe Pahiatua Moerewa Katikati Shannon Woodville

Naunauru Kawerau Murupara Paihia Opotiki Rawene Ruakaka Taneatua Te Kaha Russell Waihi Beach

Tutukaka Martinborough Whakatane Waipu

Whangaroa Lakes DHB SOUTH ISLAND Mangakino Waitemata DHB

Turangi Helensville Nelson/Marlborough DHB Huapai Tairawhiti DHB Havelock Kumeu Ruatoria Mapua Snells Beach Te Araroa Motueka Waimauku

Te Karaka Murchison Milton Warkworth Te Puia Springs Oamaru Picton Wellsford Tikitiki Outram Takaka Tokomaru Bay Owaka **Auckland DHB** Wakefield Tolaga Bay Palmerston

Marton

Raetihi

Taihape

Waiouru

Dannevirke

Foxton

MidCentral DHB

Wairarapa DHB

Carteron

Grevtown

Featherston

Ohakune

Leeston

I incoln

Oxford

Rakaia

Rolleston

Rotherham

Templeton

South Canterbury DHB

Waikari

Fairlie

Geraldine

Temuka

Waimate

Otago DHB

Alexandra

Balclutha

Cromwell

Lawrence

Kurow

Twizel

Pleasant Point

Methven

Great Barrier Island West Coast DHB Oneroa Ranfurly Taranaki DHB Dobson Ostend Roxburgh Eltham Grevmouth Tapanui

Inglewood Counties Manukau DHB Hokitika Wanaka Manaia Tuakau Karamea Oakura Waiuku Reefton

Okato South Westland Waikato DHB Opunake Southland DHB Westport Coromandel Patea Gore Whataroa Huntly Stratford Lumsden Kawhia

Waverley Canterbury DHB Mataura Matamata Akaroa Ohan Hawkes Bay DHB Morrinsville Amberlev Otautau Chatham Islands Ngatea Amuri Queenstown Waipawa Otorohanga Cheviot Riverton Waipukurau Paeroa Darfield Te Anau Wairoa Pauanui Beach

Diamond Harbour Tokonui Putaruru Whanganui DHB Hanmer Springs Tuatapere Raglan Bulls Kaikoura Winton

### **SECTION F: PART I**

A Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is Close Control.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a \* within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is Close Control.

# SECTION F: PART II: <u>CERTIFIED EXEMPT</u>IONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

- a) the Community Pharmaceutical is identified with a within the other sections of the Pharmaceutical Schedule and the prescriber has endorsed the Prescription item(s) on the Prescription to which the exemption applies "certified exemption". In endorsing the Prescription items for a certified exemption, the prescriber is certifying that:
  - i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
  - ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
  - iii) the prescriber has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
  - i) have limited physical mobility:
  - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
  - iii) are relocating to another area;
  - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

The following Community Pharmaceuticals are identified with a  $\blacktriangle$  within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

**ALIMENTARY TRACT AND METABOLISM** 

**INSULIN ASPART** 

INSULIN GLARGINE

**INSULIN ISOPHANE** 

INSULIN ISOPHANE WITH INSULIN NEUTRAL

**INSULIN LISPRO** 

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

**INSULIN NEUTRAL** 

**CARDIOVASCULAR SYSTEM** 

AMIODARONE HYDROCHLORIDE

Tab 100 mg Cordarone-X Tab 200 mg Cordarone-X

DISOPYRAMIDE PHOSPHATE

FLECAINIDE ACETATE

Tab 50 mg Tambocor
Tab 100 mg Tambocor
Cap long-acting 100 mg
Cap long-acting 200 mg
Tambocor CR
Tambocor CR
Tambocor CR

MEXILETINE HYDROCHLORIDE

PROPAFENONE HYDROCHLORIDE

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

**DESMOPRESSIN** 

Nasal drops 100 µg per Minirin

ml

Nasal spray 10 µg per Desmopressin-PH&T

dose

MUSCULOSKELETAL SYSTEM

PYRIDOSTIGMINE BROMIDE

**NERVOUS SYSTEM** 

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

**ENTACAPONE** 

**GABAPENTIN** 

GABAPENTIN (NEURONTIN)

LAMOTRIGINE

LISURIDE HYDROGEN MALEATE

**PERGOLIDE** 

ROPINIROLE HYDROCHLORIDE

TOLCAPONE TOPIRAMATE

**VIGABATRIN** 

SENSORY ORGANS

**BIMATOPROST** 

BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE

BRINZOLAMIDE

**LATANOPROST** 

**TRAVOPROST** 

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

### **Exemptions**

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

#### Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

### Safety Caps (NZS 5825:1991)

20 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
04	
24 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	,
	PDL FG

### **SAFETY CAP MEDICINES**

**ALIMENTARY TRACT AND METABOLISM** 

FERROUS SULPHATE

Oral lig 150 mg per 5 ml Ferodan

CARDIOVASCULAR SYSTEM

**AMILORIDE** 

Oral lig 1 mg per ml Biomed

**CAPTOPRIL** 

Oral lig 5 mg per ml Capoten

**CHLOROTHIAZIDE** 

Oral liq 50 mg per ml Biomed

DIGOXIN

Oral lig 50 µg per ml Lanoxin

**FUROSEMIDE** 

Oral lig 10 mg per ml Lasix

**SPIRONOLACTONE** 

Oral liq 5 mg per ml Biomed

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

**LEVOTHYROXINE** 

Tab 50 ug Eltroxin

Goldshield

Synthroid Eltroxin

Tab 100 μg Eltroxin

Goldshield Synthroid

Tab 25 µg Synthroid

(Extemporaneously compounded oral liquid preparations)

MUSCULOSKELETAL SYSTEM

**IBUPROFEN** 

Oral liq 100 mg per 5 ml Fenpaed

QUININE SULPHATE

Tab 200 mg Q 200 Tab 300 mg Q 300

(Extemporaneously compounded oral liquid preparations)

NERVOUS SYSTEM

ALPRAZOLAM

Tab 250 μg Arrow-Alprazolam
Tab 500 μg Arrow-Alprazolam
Tab 1 mg Arrow-Alprazolam

(Extemporaneously compounded oral liquid preparations)

**CARBAMAZEPINE** 

Oral lig 100 mg per 5 ml Tegretol

**CLOBAZAM** 

Tab 10 mg Frisium

(Extemporaneously compounded oral liquid preparations)

CLONAZEPAM

Oral drops 2.5 mg per Rivotril

ml

DIAZEPAM

Tab 2 mg Arrow-Diazepam
Tab 5 mg Arrow-Diazepam
Tab 10 mg Pro-Pam

(Extemporaneously compounded oral liquid preparations)

**ETHOSUXIMIDE** 

Oral lig 250 mg per 5 ml Zarontin

LORAZEPAM

Tab 1 mg Ativan
Tab 2.5 mg Ativan

(Extemporaneously compounded oral liquid preparations)

LORMETAZEPAM

Tab 1 mg Noctamid

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Oral liq 2 mg per ml
Oral liq 5 mg per ml
Oral liq 10 mg per ml
Biodone Forte
Biodone Extra Forte

MIDAZOLAM

Tab 7.5 mg Hypnovel

(Extemporaneously compounded oral liquid preparations)

MORPHINE HYDROCHLORIDE

Oral liq 1 mg per ml
Oral liq 2 mg per ml
Oral liq 5 mg per ml
Oral liq 5 mg per ml
Oral liq 10 mg per ml
RA-Morph
RA-Morph

NITRAZEPAM

Tab 5 mg Nitrados

(Extemporaneously compounded oral liquid preparations)

OXAZEPAM

Tab 10 mg Ox-Pam
Tab 15 mg Ox-Pam

(Extemporaneously compounded oral liquid preparations)

OXYCODONE HYDROCHLORIDE

Oral lig 5 mg per 5 ml OxyNorm

# **SAFETY CAP MEDICINES**

**PARACETAMOL** 

Oral liq 120 mg per 5 ml Paracare Junior

Oral lig 250 mg per 5 ml Paracare Double Strength

PHENYTOIN SODIUM

Oral liq 30 mg per 5 ml Dilantin

SODIUM VALPROATE

Oral liq 200 mg per 5 ml Epilim S/F Liquid

Epilim Syrup

**TEMAZEPAM** 

Tab 10 mg Normison

(Extemporaneously compounded oral liquid preparations)

**TRIAZOLAM** 

Tab 125 μg Hypam

Tab 250 μg Hypam

(Extemporaneously compounded oral liquid preparations)

RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE

Oral lig 1 mg per ml Cetirizine - AFT

CHLORPHENIRAMINE MALEATE

Oral lig 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHLORIDE

Oral liq 5 mg per 5 ml Phenergan

Promethazine Winthrop

Elixir

SALBUTAMOL

Oral liq 2 mg per 5 ml Salapin

**THEOPHYLLINE** 

Oral liq 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE

Oral liq 30 mg per 5 ml Vallergan Forte

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE

Powder Douglas

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Powder AFT

(Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM

Powder MidWest

(Extemporaneously compounded oral liquid preparations)

# INDEX Generic Chemicals and Brands

- Symbols -		Alendronate sodium	107	Antiandrogen Orai	
3TC	95	Alendronate sodium with		Contraceptives	73
		cholecalciferol	107	Antiarrhythmics	51
- A -	0.5	Alfacalcidol	37	Antibacterials	84
A-Lices		Alginic acid	25	Antibacterials Topical	59
A-Scabies		Alitraq		Anticholinesterases	
Abacavir sulphate	94	Alkeran		Antidepressants	
Abacavir sulphate with		Allersoothe		Antidiarrhoeals	
lamivudine		Allopurinol		Antiepilepsy Drugs	
Abilify	123	Alpha Adrenoceptor Blockers		Antifibrinolytics, Haemostatics	
Acarbose	29	Alpha tocopheryl acetate		and Local Sclerosants	41
ACB	52	Alpha-Bromocriptine		Antifungals	
Accu-Chek Performa	31, 32	Alpha-Keri Lotion		Antifungals Topical	
Accupril	50	Alprazolam		Antihaemorrhoidals	
Accuretic 10	50	Alu-Tab		Antihistamines	
Accuretic 20	50				
Acebutolol	52	Aluminium hydroxide		Antihypotensives	
Acetazolamide	160	Amantadine hydrochloride		Antimalarials	
Acetic acid with 1, 2- propaned	liol	Amiloride		Antimigraine Preparations	
diacetate and		Amiloride with frusemide	55	Antinaus	121
benzethonium	158	Amiloride with		Antinausea and Vertigo	400
Acetic acid with hydroxyquinoli		hydrochlorothiazide		Agents	
and ricinoleic acid		Aminophylline		Antiparkinson Agents	
Acetylcysteine		Amiodarone hydrochloride		Antipruritic Preparations	
Aci-Jel		Amirol		Antipsychotics	
Aciclovir		Amisulpride		Antiretrovirals	93
Infection	92	Amitrip		Antiretrovirals - Additional	
Sensory		Amitriptyline		Therapies	
Acidex		Amizide		Antirheumatoid Agents	101
Acipimox		Amlodipine		Antispasmodics and Other	
Acitretin		Amorolfine		Agents Altering Gut	
Actigall		Amoxycillin	86	Motility	
•		Amoxycillin clavulanate		Antithrombotic Agents	41
Actrapid		Amphotericin B		Antithymocyte globulin	
Actrapid Penfill		Amsacrine	140	(equine)	148
Acupan		Amsidine	140	Antitrichomonal Agents	89
Adalat Orac		Amyl nitrite	57	Antituberculotics and	
Adalat Oros		Anabolic Agents	76	Antileprotics	89
Adalimumab		Anaesthetics	110	Antiulcerants	27
Adefin XL		Anagrelide hydrochloride	140	Antivirals	90
Adefovir dipivoxil		Analgesics	110	Anusol	26
Adrenaline		Anastrozole	146	Anxiolytics	127
Advantan		Andriol Testocaps	77	API	61
AFT-Pyrazinamide	89	Androderm	77	Apo-Allopurinol	108
Agents Affecting the		Antabuse	132	Apo-Amlodipine	53
Renin-Angiotensin System		Antacids and Antiflatulants	25	Apo-Amoxi	
Agents Used in the Treatment		Anten	113	Apo-Ascorbic Acid	
Poisonings		Anthelmintics		Apo-B-Complex	
Agrylin		Anti-inflammatory Non Steroida		Apo-Bromocriptine	
Airflow		Drugs (NSAIDs)		Apo-Captopril	
Alanase		Antiacne Preparations		Apo-Cimetidine	
Albay		Antiallergy Preparations		Apo-Clomipramine	
Albustix		Antianaemics		Apo-Clopidogrel	
Aldara	68			L	

# INDEX Generic Chemicals and Brands

Apo-Diclo SR	100
Apo-Doxazosin	49
Apo-Folic Acid	40
Apo-Gliclazide	
Apo-Ipravent	156
Apo-Megestrol	
Apo-Moclobemide	
Apo-Nadolol	
Apo-Nicotinic Acid	
Apo-Oxybutynin	75
Apo-Pindolol	53
Apo-Prazo	49
Apo-Prednisone	//
Apo-Primidone	
Apo-Pyridoxine	
Apo-Risperidone	
Apo-Selegiline	
Apo-Terazosin	
Apo-Terbinafine	
Apo-Thiamine	3b
Apo-Timop	120
Apo-Zopiclone	101
Apomine  Apomorphine hydrochloride	101
Applicator	
Aprepitant	120
Apresoline	120
Aquasun 30+	57
Aquasun Oil Free Faces	00
SPE30+	68
SPF30+ Aquasun Sensitive SPF 30+	68
Aqueous cream	
Aratac	
Arava	
Arimidex	
Aripiprazole	
Aristocort	
Aromasin	146
Aromatase Inhibitors	
Arrow-Alprazolam	
Arrow-Azithromycin	85
Arrow-Cabergoline	
Arrow-Citalopram	114
Arrow-Clopidogrel	41
Arrow-Diazepam	400
Arrow-Etidronate	
	108
Arrow-Lamotrigine	108 117
Arrow-Lisinopril	108 117 50
Arrow-Lisinopril	108 117 50 30
Arrow-LisinoprilArrow-MetforminArrow-Nifedipine XR	108 117 50 30
Arrow-Lisinopril	108 117 50 30

Arrow-Roxithromycin	86
Arrow-Simva 10mg	
Arrow-Simva 20mg	47
Arrow-Simva 40mg	
Arrow-Simva 80mg	47
Arrow-Sumatriptan	
Arsenic trioxide	140
Arthrexin	
Asacol	
Asamax	
Ascorbic acid	
Aspec 300	
Aspen Adrenaline	. I I U
	57
Aspirin Blood	44
Nervous	.110
Asthalin	.154
Atacand	50
Atazanavir sulphate	95
Atenolol	52
ATGAM	
Ativan	
Atomoxetine	
Atorvastatin	46
Atropine sulphate	
Alimentary	27
Sensory	.161
Atropt	.161
Atrovent	.154
Augmentin	86
Auranofin	.101
Avanza	.115
Avomine	.121
Avonex	.129
Azamun	.147
Azathioprine	
Azithromycin	85
Azol	
Azopt	
AZT	
-B-	
B-D Micro-Fine	32
B-D Ultra Fine	
B-D Ultra Fine II	oc
Baclofen	
BactrobanBakels Gluten Free Health Bread	00
Mix	100
IVIIX	182
Baraclude	90
Barrier Creams and Emollients	^ 4
Batrafen	
	Th'

Beclazone 2501	52
Beclazone 501	52
Beclomethasone	
dipropionate 152, 1	56
Bedford1	37
Bee venom allerav	0,
treatment1	51
Bendrofluazide	55
Benhex	
Benzathine benzylpenicillin	98
Benzoin1	60 67
Benztrop1	
Benztropine mesylate1	
Benzydamine hydrochloride	
Benzylpenicillin sodium (penicillin	SS
G)	06
Beta Adrenoceptor Blockers	50
Beta Cream	
Beta Ointment	
Beta Scalp	
Beta-Adrenoceptor Agonists1	
Betadine	65
Betadine Skin Prep	
Betaferon1	
Betagan1	59
Betahistine dihydrochloride1	20
Betaloc	
Betaloc CR	
Betamethasone dipropionate	62
Betamethasone sodium	
phosphate with	
betamethasone acetate	
Betamethasone valerate62,	67
Betamethasone valerate with	
clioquinol	63
Betamethasone valerate with	
fusidic acid	63
Betaxolol hydrochloride1	59
Betnovate	
Betnovate-C	
Betoptic1	
Betoptic S1	
Bezafibrate	45
Bezalip Retard	
Bicalox1	46
Bicalutamide1	
Bicillin LA	
BiCNU1	
Bimatoprost1	
Biodone1	11
Biodone Extra Forte1	11
Biodone Forte1	11

# **Generic Chemicals and Brands**

BK Lotion	65	Calcium carbonate with		Cetirizine - AFT	151
Blenoxane	140	aminoacetic acid	25	Cetirizine hydrochloride	151
Bleomycin sulphate	140	Calcium Channel Blockers	53	Cetomacrogol	64
Bleph 10	158	Calcium Disodium Versenate	39	Charcoal	39
Blood glucose diagnostic te	est	Calcium folinate	137	Chemotherapeutic Agents	136
meter	31	Calcium Folinate Ebewe	137	Chlorambucil	
Blood glucose diagnostic te		Calcium gluconate	38	Chloramphenicol	
strip		Calcium Homeostasis		Chlorhexidine gluconate	
Bonjela		Calcium polystyrene		Alimentary	35
Bosentan		sulphonate	44	Dermatological	64
Breath-Alert		Calcium Resonium		Chloroform	
Brevinor 1/21	72	Calogen		Chloromycetin	
Brevinor 1/28	72	Calsource		Chlorothiazide	
Brevinor 21	72	Camptosar		Chlorpheniramine maleate	
Bricanyl Turbuhaler		Candesartan		Chlorpromazine	
Brimonidine tartrate		Canesten		hydrochloride	123
Brimonidine tartrate with tir		Capadex		Chlorsig	158
maleate		Capecitabine		Chlorthalidone	
Brinzolamide		Capoten		Chlorvescent	
Brolene		Capsaicin		Cholecalciferol	
Bromocriptine mesylate		Captopril		Cholestyramine with	
Brufen		Carafate		aspartame	4
Brufen Retard		Carbamazepine		Choline salicylate with	
Buccastem		Carbimazole		cetalkonium chloride	31
Budesonide	121	Carboplatin		Ciclopiroxolamine	
Alimentary	25	Carboplatin Ebewe		Cilazapril	۸۵۸
Respiratory		Carbosorb-X		Cilazapril with	
Budesonide with	102, 100	Cardinol		hydrochlorothiazide	50
eformoterol	15/	Cardinol LA		Cilicaine	٥٠٠
Bumetanide		Cardizem CD		Cilicaine VK	
Bupivacaine hydrochloride		CareSens		Ciloxan	
Buprenorphine	110	CareSens II		Cimetidine	
hydrochloride	111	CareSens POP		Ciprofloxacin	
Bupropion hydrochloride		Carmustine			0-
				Infection	
Burinex		Carvedilol		Sensory	
Buscopan		Catapres		Cisplatin	
Buserelin acetate		Catapres-TTS-1		Cisplatin Ebewe	
Buspirone hydrochloride		Catapres-TTS-2		Citalopram hydrobromide	
Busulphan		Catapres-TTS-3		Cladribine	138
Butacort Aqueous	130	CeeNU		Clarithromycin	0-
- C -		Cefaclor monohydrate		Alimentary	
Cabergoline	82	Cefalexin Sandoz		Infection	
Cafergot	119	Cefazolin sodium		Clexane	
Cal-d-Forte	37	Cefoxitin sodium		Climara 100	
Calamine	61	Ceftriaxone sodium		Climara 50	
Calci-Tab 500		Cefuroxime axetil		Clindamycin	
Calci-Tab 600	38	Cefuroxime sodium		Clinistix	
Calcipotriol		Celestone Chronodose		Clinitest	
Calcitonin	108	Celiprolol		Clinoril	
Calcitriol	37	Cellcept		Clobazam	
Calcitriol-AFT	37	Celol		Clobetasol propionate	
Calcium	38	Cephalexin monohydrate		Clobetasone butyrate	62
Calcium carbonate		Cerezyme	35	Clomazol	

# INDEX Generic Chemicals and Brands

Dermatological	60
Genito-Urinary	74
Clomiphene citrate	82
Clomipramine hydrochloride	113
Clonazepam115-	116
Clonidine	54
Clonidine hydrochloride	
Cardiovascular	54
Nervous	120
Clopidogrel	41
Clopine	123
Clopixol125, Clopress	140
Clotrimazole	110
Dermatological	60
Genito-Urinary	00
Clozapine	123
Clozaril	123
Co-Renitec	50
Co-trimoxazole	88
Co-trimoxazole	66
Coal tar with allantoin, menthol.	
phenol and sulphur	. 66
Coal tar with salicylic acid and	
sulphur	. 67
Coco-Scalp	67
Codalgin	113
Codeine phosphate	
Extemporaneous	
Nervous	111
Cogentin	122
Colaspase (L-asparaginase)	.140
Colchicine	
Colestid	45
Colestipol hydrochloride	45
Colgout	108
Colifoam	26
Colistin sulphomethate	
Collodion flexible	88
Colofac	
Coloxyl	
Combigan	160
Combivent	155
Combivir	95
Compound electrolytes	44
Compound	
hydroxybenzoate	167
Comtan	122
Concerta	134
Condoms	70
Condyline	68
Controportivos Hormanal	71

Contraceptives -	
Non-hormonal	70
Copaxone	129
Copper	30
Corangin	56
Cordarone-X	51
Corticosteroids and Related	
Agents for Systemic Use	76
Corticosteroids Topical	62
Cosmegen	140
Cosopt	160
Cotazym ECS	33
Coumadin	
Coversyl	50
Cozaar	51
Creon 10000	33
Creon Forte	33
Crixivan	
Cromolux	159
Crotamiton	61
Crystacide	60
Curam	86
Cyclizine hydrochloride	120
Cyclizine lactate	120
Cycloblastin	136
Cyclogyl	161
Cyclopentolate	
hydrochloride	161
Cyclophosphamide	136
Cyclosporin	149
Cyklokapron	41
Cyproheptadine	
hydrochloride	151
Cyproterone acetate	77
Cyproterone acetate with	
ethinyloestradiol	73
Cystic Fibrosis	156
Cytarabine	138
Cytotec	
Cytoxan	136
. D -	
D-Penamine	101
D-Zol	10 i
d4T	
Dacarbazine	140
Daclin	
Dactinomycin (actinomycin	101
D)	1/10
Daivonex	۱۴۱ ۵۵
Daktarin	00
Alimentary	20
Dermatological	

Danazol	83
Dantrium	.108
Dantrolene sodium	.108
Daonil	30
Dapsone	89
Dasatinib	.144
Daunorubicin	.140
DBL Bleomycin Sulfate	.140
DDI	94
De-Worm	
Deca-Durabolin Orgaject	76
Delact	.186
Depo-Medrol	76
Depo-Medrol with lidocaine	76
Depo-Provera	73
Depo-Testosterone	77
Deprim	
Derbac-M	65
Dermol62	2, 67
Desferrioxamine mesylate	48
Desmopressin	82
Desmopressin-PH&T	82
Detection of Substances in	
Urine	75
Dexamethasone	
Hormone	76
Sensory	.159
Dexamethasone sodium	
phosphate	76
Devamethasone with framvcetin	
and gramicidin	. 158
Dexamethasone with neomycin	
and polymyxin b sulphate	159
Dexamphetamine sulphate	.131
Dextrochlorpheniramine	
maleate	. 151
Dextropropoxyphene with	
paracetamol	. 111
Dextrose	44
Dextrose with electrolytes	45
DHC Continus	.111
Diabetes	28
Diabetes Management	30
Diabur 5000	31
Diamox	.160
Diaphragm	70
Diasip	.173
Diason RTH	.173
Diastix	31
Diastop	25
Diazepam115,	128
Dibenyline	



Musculoskeletal System   100   Doxorubicin Ebewe   141   Enfuvirtide   9.9   Sensory   159   Doxy-50   87   Enoxaparin sodium   44   Diclohexal   100   Doxycycline hydrochloride   87   Ensure   177   Ensure   177   Ensure   178   Ensure   178   Ensure   179	Diclofenac sodium		Doxorubicin	141	Enerlyte	44
Sensory   159   Doxy-50	Musculoskeletal System	100	Doxorubicin Ebewe	141		
Didansine [DDI	Sensory	159	Doxy-50	87		
Didansine [DDI   9.4   DP Lotion   6.5   Ensure Plus   18	Diclohexal	100	Doxycycline hydrochloride	87	Ensure	172
Didronel   108					Ensure Plus	180
Diffucortolone valerate         62         Dr Reddy's Pantoprazole         2.8         Entecavir         9.9           Digestives Including         Dr Reddy's Pantoprazole         2.8         Entecavir         9.9           Enzymes         33         Dr Reddy's Risperidone         125         Enuclene         16           Digoxin         51         Ducoal         35         Enzymes         16           Dilipydrocodeine tartate         111         Ducoal         Super Soluble         Epilim         118           Diliantin         118         Powder         171         Epilim Crushable         118           Diliantin Initata         118         Duoin         155         Epilim IV         118           Dilatrend         52         Duphalac         34         Epilim SFI Liquid         118           Dilitatem         54         Duphalac         34         Epilim SFI Liquid         118           Dilitazem         54         Durbaston         79         Epilim SFI Liquid         118           Dilitazem         54         Durex Scalect Flavours         70         Epilim SFI Liquid         118           Diperatur         26         Durex Extra Safa         70         Epirubicin Ebewe         14*<	Didronel	108			Ensure Plus RTH	179
Diffucortolone valerate         62         Dr Reddy's Pantoprazole         2.8         Entecavir         9.9           Digestives Including         Dr Reddy's Pantoprazole         2.8         Entecavir         9.9           Enzymes         33         Dr Reddy's Risperidone         125         Enuclene         16           Digoxin         51         Ducoal         35         Enzymes         16           Dilipydrocodeine tartate         111         Ducoal         Super Soluble         Epilim         118           Diliantin         118         Powder         171         Epilim Crushable         118           Diliantin Initata         118         Duoin         155         Epilim IV         118           Dilatrend         52         Duphalac         34         Epilim SFI Liquid         118           Dilitatem         54         Duphalac         34         Epilim SFI Liquid         118           Dilitazem         54         Durbaston         79         Epilim SFI Liquid         118           Dilitazem         54         Durex Scalect Flavours         70         Epilim SFI Liquid         118           Diperatur         26         Durex Extra Safa         70         Epirubicin Ebewe         14*<	Difflam	35	DP-Anastrozole	146	Entacapone	122
Digestives Including	Diflucortolone valerate	62	Dr Reddy's Omeprazole	28		
Enzymes	Digestives Including		Dr Reddy's Pantoprazole	28		
Dipoxicin   15		33			Enuclene	161
Diliyardinocodeine tartrate			Dulcolax	35	Enzymes	108
Dilantin         118         Powder         171         Epilim Crushable         118           Dilatriend         52         Duphalac         34         Epilim SVF Liquid         118           Dilitzeren         54         Duphalac         34         Epilim SVrup         118           Dilitzeren         54         Duphaenson         79         Epilim SVrup         118           Dilitzeren         54         Durex Confidence         70         Epirubicin Ebewe         14           Dipersone         64         Durex Scalect Flavours         70         Epirubicin Ebewe         14           Diphenoxylate hydrochloride with atropine sulphate         64         Durde         56         ERA         86           Diprosone         62         Dydrogesterone         79         Eprex         44           Diprosone         62         Dynacirc-SRO         54         Erythromycin enaleate         7.           Diprosone         62         Dynacirc-SRO         54         Erythromycin enaleate         7.           Diprosone         62         Dynacirc-SRO         54         Erythromycin enaleate         7.           Agents         64         Erythromycin ethyl succinate         8.         Erythromycin eth			Duocal Super Soluble		Epilim	118
Dilatrin Infatab         .118         Duolin         .155         Epilim IV         .118           Dilitarend         .52         Duphalac         .34         Epilim SyF Liquid         .118           Dilitarend         .52         Duphaston         .79         Epilim Syrup         .118           Dilitarend         .54         Durex Confidence         .70         Epirubicin         .14           Dimetriose         .83         Durex Select Flavours         .70         Epirubicin Ebewe         .14           Diphemanil methylsulphate         .64         Diphemanil methylsulphate         .64         Eprex         .44           Diphemanil methylsulphate         .64         Duride         .56         ERA         .86           Diphemanil methylsulphate         .25         Duride         .56         ERA         .86           Diphemanil methylsulphate         .25         Duride         .56         ERA         .86           Diprosone         .62         Dursenders         .64         Ergotamine tartrate with         .60           Diprosone OV         .62         Dynacirc-SRO         .54         Erythrocin IV         .88           Earlysing and Cleansing         .64         Earlysing         .85	Dilantin	118	Powder	171		
Dilatered         52         Duphalac         34         Epilim S/F Liquid         118           Dilitazem         54         Durbaston         79         Epilim Syrup         118           Dimetriose         83         Durex Confidence         70         Epirublicin         14*           Dipentum         26         Durex Select Flavours         70         Epirublicin Ebewe         14*           Diphemanil methylsulphate         64         Durde         56         ERA         88           Diphenoxylate hydrochloride with atropine sulphate         25         Dusting Powders         64         Ergometrine maleate         7-           Diprosone         62         Dydrogesterone         79         Caffeine         111         Ergometrine maleate         7-           Dipridamole         42         E-Mycin         54         Erythromycin ealeate         11         26         Erythromycin ealeate         11         26         Erythromycin ealeate         11         26         Erythromycin ealeate         12         Erythromycin ealeate         12         Erythromycin ealeate         12         Erythromycin ealeate         12         Erythromycin ealeate         18         Erythromycin ealeate         18         Erythromycin ealeate         18         E	Dilantin Infatab	118	Duolin	155	Epilim IV	118
Dilitazem hydrochloride         .54         Duphaston         .79         Epilim Syrup         .11           Dilzem         .54         Durex Confidence         .70         Epirubicin         .14           Dimetriose         .83         Durex Select Flavours         .70         Epirubicin Ebwe         .14           Diphenoxylate hydrochloride with atropine sulphate         .64         Durde         .56         ERA         .86           Diprosone         .62         Dydrogesterone         .79         caffeine         .11           Diprosone         .62         Dynacirc-SRO         .54         Erythromycin ethyl succinate         .85           Dipridamole         .42         -E         E-Mycin         .85         Erythromycin ethyl succinate         .86           Dispirlamole         .42         -E         E-Mycin         .85         Erythromycin ethyl succinate         .86           Dispirlamole         .42         -E         -E         Erythromycin ethyl succinate         .86           Dispirlamole         .42         -E         E-Mycin         .85         Erythromycin ethyl succinate         .86         Erythromycin ethyl succinate         .86         Erythromycin ethyl succinate         .86         Erythromycin ethyl succinate         .	Dilatrend	52	Duphalac	34	Epilim S/F Liquid	118
Dizer	Diltiazem hydrochloride	54	Duphaston	79	Epilim Syrup	118
Dimentum         .83         Durex Extra Safe         .70         Epirubicin Ebewe         .14*           Diphenmanii methylsulphate         .64         Dursex Select Flavours         .70         Eprex         .44           Diphemanii methylsulphate         .64         Duride         .66         ERA         .86           Diprosone sulphate         .25         Dusting Powders         .64         Ergotamine tartrate with         .67           Diprosone OV         .62         Dynacirc-SRO         .54         Ergythromycin ethyl succinate         .85           Dipryidamole         .42         .42         E-Mycin         .85         Erythromycin ethyl succinate         .88           Disinfecting and Cleansing Agents         .64         Ear Preparations         .158         Erythromycin ethyl succinate         .88           Agents         .64         Ear Preparations         .158         Erythromycin stearate         .88           Early Preparations         .158         Erythromycin stearate         .88         Erythromycin stearate         .88           Early Preparations         .158         Erythromycin stearate         .88         Erythromycin stearate         .88           Disuptine Sol         .55         Earlicula         .84         Erythromycin			Durex Confidence	70	Epirubicin	141
Dipentum         26         Durex Select Flavours         70         Eprex         44           Diphenoxylate hydrochloride with atropine sulphate         64         Duride         56         ERA         86           Diphenoxylate hydrochloride with atropine sulphate         25         Dusting Powders         64         Ergotamine tartrate with caffeine         111         Ergometrine maleate         72           Diprosone         62         Dynacirc-SRO         54         Ergytamine tartrate with caffeine         118         118         Ergytamine tartrate with caffeine         118         118         Ergytamine tartrate with caffeine         118         118         Ergythromycin ethyl succinate         88         Erythromycin ethyl succinate         88         Erythrom	Dimetriose	83	Durex Extra Safe	70		
Diphemanil methylsulphate         64         Duride         .56         ERA         88           Diphemoxylate hydrochloride with atropine sulphate         25         Dusting Powders         .64         Ergotamine tartrate with         .77           Diprosone         .62         Dydrogesterone         .79         caffeine         .115           Diprofamole         .42         Dynacirc-SRO         .54         Erythrocin IV         .88           Disinfecting and Cleansing Agents         .64         Ear Preparations         .518         Erythromycin lactobionate         .85           Agents         .64         Ear Preparations         .158         Erythromycin lactobionate         .85           Disopyramide phosphate         .51         Ear/Eye Preparations         .158         Erythromycin lactobionate         .85           Disopyramide phosphate         .51         Ear/Eye Preparations         .158         Erythromycin lactobionate         .85           Disopyramide phosphate         .51         Ear/Eye Preparations         .158         Erythromycin lactobionate         .85           Disupris Comparities         .52         Ear/Eye Preparations         .158         Erythromycin lactobionate         .85           Ear/Eye Preparations         .158         Erythromycin lactobion	Dipentum	26	Durex Select Flavours	70	Eprex	40
Diphenoxylate hydrochloride with atropine sulphate         Dusting Powders         64         Ergometrine maleate         7-4           Diprosone         .62         Dusting Powders         .64         Ergotamine tartrate with         .115           Diprosone OV         .62         Dydrogesterone         .79         caffeine         .115           Diprosone OV         .62         Dynacirc-SRO         .54         Erythrocin IV         .88           Dippriction of Color of Col	Diphemanil methylsulphate .	64	Duride	56		
atropine sulphate         25         Dusting Powders         64         Ergotamine tartrate with caffeine         115           Diprosone         .62         Dydrogesterone         .79         caffeine         .115           Diprosone OV         .62         Dynacirc-SRO         .54         Erythrocin IV         .85           Diprosone OV         .62         Dynacirc-SRO         .54         Erythromycin ethyl succinate         .88           Diprosone OV         .62         Dynacirc-SRO         .54         Erythromycin ethyl succinate         .88           Diprosone OV         .62         Dynacirc-SRO         .54         Erythromycin ethyl succinate         .88           Diprosone OV         .62         Erythromycin ethyl succinate         .88         Erythromycin stearate         .88           Dispal         .62         Easiphen Liquid         .18         Erythropoietin alpha         .44         .42           Dispal         .67         Easiphen Liquid         .184         Estalle 35-ED         .77         .78           Diuretics         .55         Efexor XR         .15         Estraderm TTS 100         .77         .78         .78         Estraderm TTS 25         .78         .78         .79         .79         .79 <td< td=""><td></td><td></td><td>Durogesic</td><td>111</td><td>Ergometrine maleate</td><td>74</td></td<>			Durogesic	111	Ergometrine maleate	74
Diprosone         .62         Dydrogesterone         .79         Caffeine         .115           Diprosone OV         .62         Dynacirc-SRO         .54         Erythrocin IV         .85           Dispridamole         .42         - E-         Erythromycin lactobionate         .85           Disinfecting and Cleansing         85         Erythromycin lactobionate         .85           Agents         64         Ear Preparations         .158         Erythromycin stearate         .86           Dispal         122         Ear/Eye Preparations         .158         Erythropoietin alpha         .44           Disuffiram         132         Easiphen         .184         Erythropoietin beta         .44           Disuffiram         132         Easiphen Liquid         .184         Erythropoietin beta         .44           Disurin Soo         .55         Efavirenz         .94         Estraderm TTS 100         .76           Diurin 40         .55         Efexor XR         .115         Estraderm TTS 25         .77           Divarit         .120         Efudix         .69         Estrofter         .75           Divarit         .120         Efudix         .69         Ethoshotoloride         .88			•			
Diprosone OV			•		caffeine	119
Dipyridamole					Erythrocin IV	85
Disinfecting and Cleansing Agents						
Agents         64         Ear Preparations         158         Erythromycin stearate         86           Disipal         122         Ear/Eye Preparations         158         Erythropoietin alpha         40           Disupfiram         132         Easiphen         184         Erythropoietin alpha         40           Disupfiram         132         Easiphen         184         Erythropoietin alpha         40           Disupfiram         132         Easiphen         184         Erythropoietin alpha         40           Disurin form         132         Easiphen         184         Erythropoietin alpha         40           Disurin form         132         Easiphen         184         Erythropoietin alpha         40           Divarin         132         Easiphen         184         Erythropoietin alpha         40           Divarin         60         Estradem         140         Estradem         70           Divarin         50         Eformorel or Intrate         60         Estraderm TTS 20         76           Efoxor XR         115         Estraderm TTS 25         76         76           Dixarit         120         Efudix         69         Etanercept         10				95		
Disipal         122         Ear/Eye Preparations         158         Erythropoietin alpha         44           Disopyramide phosphate         51         Easiphen         184         Erythropoietin beta         44           Disulfiram         132         Easiphen Liquid         184         Estelle 35-ED         75           Dibranol         .67         Econazole nitrate         .60         Estraderm TTS 100         76           Diurin 40         .55         Efavor XR         115         Estraderm TTS 25         76           Diurin 500         .55         Eformoterol fumarate         153         Estraderm TTS 50         78           Dixarit         120         Efudix         69         Etanercept         10           Docetaxel         140         Elemental 028 Extra         177         Ethics Aspirin         110           Docetaxel Ebewe         140         Eligard         82         Ethics Aspirin EC         44           Docusate sodium with senosides         34         Elicon         63         Ethics Ibuprofen         100           Eloxatin         136         Ethinyloestradiol with         Ethinyloestradiol with         Ethinyloestradiol with           Dopress         113         Emtriva         94		64				
Disopyramide phosphate         51         Easiphen         184         Erythropoietin beta         44           Disulfiram         132         Easiphen Liquid         184         Estelle 35-ED         77           Diurin 40         55         Econazole nitrate         60         Estraderm TTS 100         76           Diurin 40         55         Efavirenz         94         Estraderm TTS 25         78           Diurin 500         55         Eformoterol fumarate         153         Estraderm TTS 50         78           Dixarit         120         Efudix         69         Estraderm TTS 50         78           Dixarit         120         Efudix         69         Etanercept         10           Dox 20 sac solium         140         Elemental 028 Extra         177         Ethics Aspirin         111           Docusate sodium with sennosides         34         Eliocon         63         Ethics Aspirin EC         44           Dopergin         120         Emad Tri-Pack         120         Ethics Inyloestradiol with           Dopergin         122         EMLA         110         Ethinyloestradiol with           Dorzolamide hydrochloride         160         Emulsifying ointment         64         Invinyloestradiol						
Disulfiram         132         Easiphen Liquid         184         Estelle 35-ED         73           Dithranol         .67         Econazole nitrate         .60         Estraderm TTS 100         .76           Diurin 40         .55         Efexor XR         .115         Estraderm TTS 50         .76           Diurin 500         .55         Efexor XR         .115         Estraderm TTS 50         .76           Divarit         .120         Eformoterol fumarate         .153         Estrofem         .78           Divarit         .120         Efudix         .69         Etanercept         .10           Docetaxel         .140         Elemental 028 Extra         .177         Ethics Aspirin         .11           Docetaxel Ebewe         .140         Eligard         .82         Ethics Aspirin EC         .44           Elocon         .63         Ethics Aspirin EC         .44           Elocon         .63         Ethics Ibuprofen         .10           Dorusate sodium with         Elocon         .63         Ethics Ibuprofen         .10           Encoraziole subrocale s	•				Erythropoietin beta	40
Ditribution   Comparison   Co						
Diuretics         55         Efavirenz         94         Estraderm TTS 25         78           Diurin 40         55         Efexor XR         115         Estraderm TTS 25         78           Diurin 500         55         Eformoterol fumarate         153         Estrofem         78           Dixarit         120         Efudix         69         Etanercept         100           DM Ject         33         Egopsoryl TA         66         Ethambutol hydrochloride         88           Docetaxel Ebewe         140         Elemental 028 Extra         177         Ethics Aspirin         110           Docusate Sodium         34         Elocon         63         Ethics Aspirin EC         4*           Bocusate sodium with sennosides         34         Elocon         63         Ethics Ibuprofen         100           Dorpardione         120         Emend Tri-Pack         120         Ethinyloestradiol with         Ethinyloestradiol with           Dopergin         122         EMLA         110         Ethinyloestradiol with         Ethinyloestradiol with           Dorrase alfa         156         Emtriva         94         Ethinyloestradiol with           Borzolamide hydrochloride with timolol maleate         160         Emalapril	Dithranol	67			Estraderm TTS 100	78
Diurin 40         55         Efexor XR         115         Estraderm TTS 50         78           Diurin 500         55         Eformoterol fumarate         153         Estrofem         76           Dixarit         120         Efudix         69         Etanercept         106           Docetaxel         140         Elemental 028 Extra         177         Ethics Aspirin         110           Docetaxel Ebewe         140         Eligard         82         Ethics Aspirin EC         4*           Docusate sodium         34         Elocon         63         Ethics Ibuprofen         100           Docusate sodium with sennosides         34         Eltroxin         80         Ethinyloestradiol         76           Borpergin         120         Emend Tri-Pack         120         Ethinyloestradiol with         20           Dopress         113         Emrtriva         94         Ethinyloestradiol with         20           Dorzolamide hydrochloride         160         Emtriva         94         Ethinyloestradiol with         20           Dostinex         82         Entriva         94         Ethinyloestradiol with         20           Boxazosin mesylate         49         Endocrine Therapy         146	Diuretics	55			Estraderm TTS 25	78
Diurin 500         55         Eformoterol fumarate         153         Estrofem         76           Dixarit         120         Efudix         69         Etanercept         105           DM Ject         33         Egopsoryl TA         66         Ethambutol hydrochloride         85           Docetaxel         140         Elemental 028 Extra         177         Ethics Aspirin         110           Docusate sodium         34         Elocon         63         Ethics Ibuprofen         100           Docusate sodium with sennosides         34         Eloxatin         136         Ethinyloestradiol         76           Bomperidone         120         Emend Tri-Pack         120         Ethinyloestradiol with         68           Dopergin         122         EMLA         110         Ethinyloestradiol with         68           Dornase alfa         156         Emtriva         94         Ethinyloestradiol with         94           Dorzolamide hydrochloride with timolol maleate         160         Emtriva         94         Ethinyloestradiol with         160           Dostinex         82         Dothiepin hydrochloride         113         Emalapril with         49         Ethinyloestradiol with         160           Do	Diurin 40	55			Estraderm TTS 50	78
Dixarit         120         Efudix         69         Etanercept         100           DM Ject         33         Egopsoryl TA         66         Ethambutol hydrochloride         85           Docetaxel         140         Elemental 028 Extra         177         Ethics Aspirin         110           Docetaxel Ebewe         140         Eligard         82         Ethics Aspirin EC         4*           Docusate sodium with         Elocon         63         Ethics Ibuprofen         100           Docusate sodium with         Eloxatin         136         Ethinyloestradiol         7*           sennosides         34         Eltroxin         80         Ethinyloestradiol with         68           Dompergion         120         Emend Tri-Pack         120         Ethinyloestradiol with         68           Dopress         113         Emtricitabine         94         Ethinyloestradiol with         98           Dorzolamide hydrochloride         160         Emtriva         94         Ethinyloestradiol with         180           Dorzolamide hydrochloride with timolol maleate         160         Emalapril with         160         160         160         160         160         160         160         160         160 <t< td=""><td>Diurin 500</td><td>55</td><td></td><td></td><td></td><td></td></t<>	Diurin 500	55				
DM Ject         33         Egopsoryl TA         .66         Ethambutlol hydrochloride         .88           Docetaxel         .140         Elemental 028 Extra         .177         Ethics Aspirin         .110           Docusate sodium         .34         Eligard         .82         Ethics Aspirin EC         .47           Docusate sodium with sennosides         .34         Elocon         .63         Ethics Ibuprofen         .100           Domperidone         .120         Eltroxin         .80         Ethinyloestradiol with         Ethinyloestradiol with           Dopergin         .122         EMLA         .110         desogestrel         .7           Dopress         .113         Emtriva         .94         Ethinyloestradiol with         gestodene         .7           Dorzolamide hydrochloride with timolol maleate         .160         Emtriva         .94         Ethinyloestradiol with         levonorgestrel         .72           Dothiepin hydrochloride         .113         Enalapril with         .94         Ethinyloestradiol with         levonorgestrel         .72           Dothiepin hydrochloride         .113         Enalapril with         norethisterone         .72           Enbrel         .105         Ethosuximide         .116 <tr< td=""><td>Dixarit</td><td>120</td><td></td><td></td><td></td><td></td></tr<>	Dixarit	120				
Docetaxel						
Docetaxel Ebewe	Docetaxel	140				
Docusate sodium         34         Elocon         63         Ethics Ibuprofen         100           Docusate sodium with sennosides         34         Eloxatin         136         Ethinyloestradiol         75           Dopergion         120         Emend Tri-Pack         120         Ethinyloestradiol with         20           Dopergin         122         EMLA         110         Ethinyloestradiol with         20           Dopress         113         Emtricitabine         94         Ethinyloestradiol with         20           Dorzolamide hydrochloride         156         Emtriva         94         Ethinyloestradiol with         20           Emtriva         94         Ethinyloestradiol with         20         20         20           Dorzolamide hydrochloride with timolol maleate         160         Emulsifying ointment         64         Ethinyloestradiol with         20         20           Enalapril         49         Ethinyloestradiol with         40         20	Docetaxel Ebewe	140			Ethics Aspirin EC	4
Docusate sodium with sennosides         34 Elivatin         136 Ethinyloestradiol         Ethinyloestradiol with desogestrel         75 Ethinyloestradiol with desogestrel         76 Ethinyloestradiol with desogestrel         77 Ethinyloestradiol with desogestrel         76 Ethinyloestradiol with desogestrel         77 Ethinyloestradiol with desogestrel </td <td>Docusate sodium</td> <td>34</td> <td></td> <td></td> <td></td> <td></td>	Docusate sodium	34				
sennosides         34         Eltroxin         80         Ethinyloestradiol with desogestrel         7°           Dompergion         120         Emend Tri-Pack         120         Ethinyloestradiol with desogestrel         7°           Dopress         113         Emend Tri-Pack         120         Ethinyloestradiol with gestodene         7°           Dornase alfa         156         Emtriva         94         Ethinyloestradiol with gestodene         7°           Dorzolamide hydrochloride         160         Emtriva         94         Ethinyloestradiol with levonorgestrel         7°           Dorzolamide hydrochloride with timolol maleate         160         Enalapril         49         Ethinyloestradiol with levonorgestrel         7°           Dostinex         82         Dothiepin hydrochloride         113         Enalapril with hydrochlorothiazide         50         Ethosuximide         114           Doxazosin mesylate         49         Endocrine Therapy         146         Etidronate disodium         100           Doxepin hydrochloride         113         Endocrine Therapy         146         Etiopophos         142	Docusate sodium with				Ethinyloestradiol	79
Domperidone         120         Emend Tri-Pack         120         desogestrel         7°           Dopergin         122         EMLA         110         Ethinyloestradiol with         gestodene         7°           Dornase alfa         156         Emtriva         94         Ethinyloestradiol with         Ethinyloestradiol with         10         Ethinyloestradiol with         10	sennosides	34				
Dopergin	Domperidone	120			desogestrel	7
Dopress	Dopergin	122			Ethinyloestradiol with	
Dornase alfa					gestodene	7
Dorzolamide hydrochloride	Dornase alfa	156			Ethinyloestradiol with	
timolol maleate	Dorzolamide hydrochloride	160			levonorgestrel	72
timolol maleate         160         Enalapril with         norethisterone         72           Dostinex         82         Enalapril with         Ethosuximide         116           Dothiepin hydrochloride         113         Enbrel         105         Etidrate         106           Doxazosin mesylate         49         Endocrine Therapy         146         Etidronate disodium         108           Doxepin hydrochloride         113         Endocrine Therapy         136         Etopophos         142					_	
Dostinex         82         hydrochlorothiazide         50         Ethosuximide         116           Dothiepin hydrochloride         113         Enbrel         105         Etidrate         108           Doxazosin mesylate         49         Endocrine Therapy         146         Etidronate disodium         108           Doxepin hydrochloride         113         Fndovan         136         Etopophos         142						72
Dothiepin hydrochloride				50	Ethosuximide	116
Doxazosin mesylate	Dothiepin hydrochloride	113	•		Etidrate	108
Doxepin hydrochloride113 Endovan 136 Etopophos						
Doxine87 Etoposide					Etopophos	142
			Επαθλάπ		Etoposide	141


# INDEX Generic Chemicals and Brands

Etoposide phosphate14	2
Eumovate6	
Eurax6	
Exemestane14	6
Extemporaneously Compounded	
Preparations and	
Galenicals16	7
Eye Preparations15	
Ezetimibe4	7
Ezetimibe with simvastatin4	8
Ezetrol4	
.F.	
Famotidine2	7
Famox	
Felo 10 ER5	
Felo 5 ER5	
Felodipine5	
Femara14	
Femodene 287	
Femtran 1007	
Femtran 507	
Fenpaed10	0
Fentanyl11	
Fentanyl citrate11	1
Ferodan3	9
Ferro-F-Tabs3	8
Ferro-Gradumet3	9
Ferro-tab3	8
Ferrograd-Folic39	
Ferrous fumarate3	
Ferrous fumarate with folic	-
acid3	R
Ferrous gluconate with ascorbic	•
acid	Ω
Ferrous sulphate3	
Ferrous sulphate with folic	J
acid3	^
Ferrum H3	
Fexofenadine hydrochloride15	
Fibalip4	5
Fibersource HN17	9
Fibersource HN RTH17	
Fibro-vein4	
Finasteride7	
Fine Ject3	
Fintral7	
Flagyl8	
Flagyl-S8	9
Flamazine6	0
Flecainide acetate5	1
Fleet3	5
Fleet Phosphate Enema3	5
Elivanaca Hayfayar &	

Allergy	156
Flixotide	152
Flixotide Accuhaler	152
Florinef	76
Fluanxol	125
Fluarix	99
Flucloxacillin sodium	
Flucloxin	87
Fluconazole	88
Fludara	138
Fludara Oral	138
Fludarabine phosphate	138
Fludrocortisone acetate	76
Fluids and Electrolytes	44
Flumetasone pivalate	158
Fluocortolone caproate with	
fluocortolone pivalate and	
cinchocaine	26
Fluorometholone	
Fluorouracil Ebewe	138
Fluorouracil sodium	
Dermatological	69
Oncology	138
Fluox	114
Fluoxetine hydrochloride	
Flupenthixol decanoate	125
Fluphenazine decanoate	
Flutamide	146
Flutamin	146
Fluticasone	152
Fluticasone propionate	156
Fluticasone with salmeterol	
Fluvax	
FML	159
Foban	
Folic acid	40
Food Thickeners	181
Foods And Supplements For	
Inborn Errors Of Metabolism -	
Other	182
Foods And Supplements For	
Inborn Errors Of Metabolism -	
PKU	183
Foradil	153
Foremount Child's Silicone	
Mask	
Fortimel Regular	174
Fortisip	180
Fortisip Multi Fibre	180
Fosamax	107
Fosamax Plus	
Framvcetin sulphate	158

Frisium	116
Frumil	
Fucicort	63
Fucidin	88
Fucithalmic	
Fungilin	36
Furosemide	55
Fusidic acid	
Dermatological	59
Infection	88
Sensory	158
Fuzeon	95
- G -	
Gabapentin	116
Gabapentin (Neurontin)	117
Gamma benzene	
hexachloride	65
Gastrosoothe	
Gaviscon	
Gaviscon Double Strength	25
Gaviscon Infant	
Gemcitabine Ebewe	138
Gemcitabine hydrochloride	138
Gemzar	
Generaid Plus	175
Genoptic	
Genotropin	
Genox	147
GenRx Moclobemide	
Gentamicin sulphate	
Infection	88
Sensory	
Gestrinone	83
Ginet 84	73
Glatiramer acetate	129
Glibenclamide	
Gliclazide	
Glipizide	
Glivec	
Glucagen Hypokit	
Glucagon hydrochloride	28
Glucerna Select	173
Glucerna Select RTH	
Glucobay	29
Glucose oxidase	
Gluten Free Foods	181
Glycerol	
Alimentary	34
Extemporaneous	167
Glycerol with paraffin and cetyl	
alcohol	64
Glyceryl trinitrate	56
Gold Knight	

# INDEX Generic Chemicals and Brands



Hydrocortisone acetate	26
Hydrocortisone butyrate62	2, 67
Hydrocortisone butyrate62 Hydrocortisone butyrate with	
chlorquinaldol	63
Hydrocortisona with	
miconazole	63
Hydrocortisone with natamycin	
and neomycin	63
Hydrocortisone with wool fat and	
mineral oil	
Hydroderm Lotion	65
Hydrogen peroxide	
Alimentary	36
Dermatological60	), 69
Hydroxocobalamin	36
Hydroxychloroquine sulphate	
Hydroxyurea	.142
Hygroton	55
Hyoscine (scopolamine)	.120
Hyoscine hydrobromide	.121
Hyoscine N-butylbromide	27
Hypam	.130
Hyperuricaemia and	
Antigout	108
Hypnovel	.130
Hypromellose	
Hysite	.160
Hytrin Starter Pack	
Hyzaar	51
-1-	
Ibiamox	
Ibuprofen	.100
Idarubicin hydrochloride	
Ifosfamide	.136
lloprost	58
Imatinib mesylate	.145
Imiglucerase	35
Imigran	
Imipramine hydrochloride	
Imiquimod	68
Immune Modulators	96
Immunosuppressants	.147
Imuran	
Indapamide	55
Indinavir	95
Indomethacin	
Infant Formulae	.185
Influenza vaccine	99
Influvac	99
Inhaled Anticholinergic	
agents	154
Inhaled Corticosteroids	.152

Inhaled Long-acting	
Beta-adrenoceptor	
Agonists	
Inhibace	49
Inhibace Plus	50
Innovacon hCG One Step	
Pregnancy Test	74
Insulin aspart	29
Insulin glargine	29
Insulin isophane	28
Insulin isophane with insulin	
neutral	28
Insulin lispro	29
Insulin lispro with insulin lispro	
protamine	29
Insulin neutral	
Insulin pen needles	
Insulin syringes, disposable with	
attached needle	33
Intal Spincaps	.155
Interferon alpha-2a	97
Interferon alpha-2a with	
ribavirin	97
Interferon alpha-2b	97
Interferon beta-1-alpha	
Interferon beta-1-beta	.129
Intra-uterine device	
Intron-A	97
Ipecacuanha	
Ipratropium bromide154,	
Ipratropium Steri-Neb	.154
Irinotecan	.139
Iron Overload	
Iron polymaltose	39
Isentress	95
Ismo 20	
Isogel	
IsoniazidIsoprenaline hydrochloride	57
Isoptin	54
Isopto Carpine	
Isopto Homatropine	
Isosorbide mononitrate	56
Isosource 1.5	
Isosource HN	.179
Isosource HN RTH	
Isosource Standard	.179
Isosource Standard RTH	.179
Isotretinoin	59
Isradipine	54
Isuprel	57
Itch-Soothe	
Itraconazole	

# INDEX Generic Chemicals and Brands

- J -
Janola64
Jevity RTH179
- K -
Kaletra95
Karicare Food Thickener181
Karicare Goats Milk Infant
Formula186
Karicare Soy All Ages187
Kemadrin122
Kenacomb158
Kenacort-A77
Kenacort-A4077
Keppra117
Ketoconazole
Dermatological61, 67
Infection88
Ketone blood beta-ketone
electrodes
Ketoprofen
Ketovite37
Ketovite Liquid37
Kindergen175
Kivexa94
Klacid
Klamycin
Alimentary27
Infection85
Kliogest79
Kliovance79
Konakion41
Konakion MM41
Konsyl-D34
-L-
LA-Morph112
Labetalol52
Lacri-Lube162
Lactulose34
Lamictal117
Lamivudine91, 95
Lamotrigine117
Lanoxin51
Lanoxin PG51
Lansoprazole27
Lantus29
Lantus SoloStar29
Lanvis140
Largactil123
Lasix55
Latanoprost

Laxatives	34
Laxsol	34
Leflunomide	101
Lemnis Fatty Cream HC	62
Letara	146
Letrozole	146
Leukeran FC	136
Leunase	140
Leuprorelin	82
Leustatin	138
Levetiracetam	
Levlen ED	
Levobunolol	
Levocabastine	150
Levodopa with benserazide	122
Levodopa with carbidopa	122
Levonorgestrel	122
Genito-Urinary	73
Hormone	70
Levothyroxine	, c
Lifestyles Flared	oc
Lignocaine hydrochloride	110
Lignocaine with	110
chlorhexidine	110
Lignocaine with prilocaine	110
Lipid Modifying Agents	110
Lipitor	4c
Liquigen	40 171
Lisinopril	1/1
Lisuride hydrogen maleate	DC
Litak	100
Lithicarb	124
Lithium carbonate	124
Livostin	105
Locasol	185
Loceryl	60
Locoid62	
Locoid C	ხა
Locoid Crelo	62
Locoid Lipocream	62
Locorten-Vioform	158
Lodoxamide trometamol	
Loette	
Logem	11/
Lomide	158
Lomustine	136
Loperamide hydrochloride	
Lophlex LQ	184
Lopinavir with ritonavir	
Lopresor	53
Lopressor	53
Loprofin	184

Loraclear Hayfever Relief	152
Lorapaed	152
Loratadine	152
Lorazepam	128
Lormetazepam	130
Losartan	51
Losec Hp7 OAC	27
Lovir	
Loxamine	114
Lucrin Depot	82
Lucrin Depot PDS	82
Ludiomil	113
Lumigan	
Lycinate	
Lyderm	65
- M -	
m-Enalapril	10
m-Eslon	410
m-Mometasone	
Mabthera	146
Macrogol 3350	20
Madopar 125	122
Madopar 250	122
Madopar 62.5	122
Madopar Dispersible	122
Madopar HBS	122
Magnesium hydroxide	167
Magnesium sulphate	
Alimentary	39
Dermatological	69
Malathion	65
Maprotiline hydrochloride	113
Marcain Heavy	110
Marcain Isobaric	110
Marevan	43
Marine Blue Lotion SPF 30+	68
Marquis Black	
Marquis Conforma	
Marquis Protecta	
Marquis Selecta	70
Marquis Sensolite	70
Marquis Supalite	70
Marquis Titillata	70
MarquisTantiliza	70
Marvelon 21	71
Marvelon 28	71
Mask for spacer device	156
Mast cell stabilisers	155
Maxalt Melt	119
Maxidex	159
Maxitrol	159
MCT oil (Nutricia)	171
MDS Quick Card	74

Mebendazole	84	Metoprolol - AFT CR	53	Mouth and Throat	35
Mebeverine hydrochloride	27	Metoprolol succinate	53	Movicol	34
Medrol	76	Metoprolol tartrate	53	MSUD Maxamaid	
Medroxyprogesterone acetate		Metronidazole	89	MSUD Maxamum	183
Genito-Urinary	73	Metyrapone		Mucilaginous laxatives	
Hormone		Mexiletine hydrochloride	52	Mucilaginous laxatives with	
Mefenamic acid	101	Mexitil	52	stimulants	34
Megace	146	Miacalcic	108	Mucilax	
Megestrol acetate		Mianserin hydrochloride	113	Multiload Cu 375	70
Melphalan		Micanol		Multiload Cu 375 SL	
Menthol		Micelle E	37	Multiparin	43
Mercaptopurine	139	Miconazole	36	Multiple Sclerosis	
Mercilon 21		Miconazole nitrate		Treatments	128
Mercilon 28		Dermatological	61	Multivitamins	
Mesalazine	26	Genito-Urinary		Mupirocin	
Mesna	142	Micreme		Muscle Relaxants	
Mestinon		Micreme H	63	Myambutol	
Metabolic Disorder Agents	35	Microgynon 20 ED	72	Mycobutin	
Metabolic Mineral Mixture		Microgynon 30		Mycophenolate mofetil	147
Metamide		Microgynon 30 ED	72	Mycostatin	6
Metamucil		Microgynon 50 ED		Mydriacyl	161
Metformin hydrochloride		Microlax		Mylan	53
Methadone hydrochloride		Microlut		Mylanta P	25
Extemporaneous	167	Midazolam		Myleran	
Nervous		Midodrine		Myocrisin	
Methatabs		Minaphlex		Myometrial and Vaginal Hormor	
Methoblastin		Minerals		Preparations	
Methopt	161	Minidiah	30		
Methopt Methotrexate		Minidiab Minirin		- N -	F(
Methotrexate	139	Minirin	82	- N - Nadolol	
Methotrexate Methotrexate Ebewe	139 139	Minirin Mino-tabs	82 87	- N - Nadolol Nalcrom	26
Methotrexate	139 139 124	Mino-tabs Minocycline hydrochloride	82 87 87	- N - Nadolol Nalcrom Naloxone hydrochloride	26 135
Methotrexate	139 139 124 167	Minirin Mino-tabs Minocycline hydrochloride Minomycin	82 87 87	- N - Nadolol Nalcrom Naloxone hydrochloride Naltrexone hydrochloride	26 135 135
Methotrexate	139 139 124 167	Miniorin Mino-tabs Minocycline hydrochloride Minomycin Minor Skin Infections	82 87 87 87	- N - Nadolol Nalcrom Naloxone hydrochloride Naltrexone hydrochloride Nandrolone decanoate	26 135 135
Methotrexate	139 124 167 167 167	Minirin	82 87 87 65 79	- N - Nadolol	26 135 135 76
Methotrexate	139 124 167 167 167	Minirin	82 87 87 65 79	- N -  Nadolol	135 135 76 55
Methotrexate	139 139 124 167 167 55	Minirin	82 87 87 65 79 115 27	- N -  Nadolol	26 135 76 55 162
Methotrexate	139 139 124 167 167 55 74	Minirin		- N -  Nadolol	26 135 76 55 162
Methotrexate	139 139 124 167 167 55 74	Minirin		- N -  Nadolol	261351357616216210
Methotrexate	139 139 167 167 55 74 132	Minirin Mino-tabs Minocycline hydrochloride Minomycin Minor Skin Infections Mirena Mirtazapine Misoprostol Mitomycin C Mitomycin-C Mitozantrone	828787657911527142142142	- N -  Nadolol	261381381621621621010
Methotrexate	139 139 167 167 55 74 132	Minirin Mino-tabs Minocycline hydrochloride Minomycin Minor Skin Infections Mirena Mirtazapine Misoprostol Mitomycin C Mitomycin-C Mitozantrone Mitozantrone Ebewe	82878785	- N -  Nadolol	261357616216710
Methotrexate	139139124167557413213476	Minirin		Nadolol	2613515516216210101011
Methotrexate	139124167167557413213476	Minirin		Nadolol	261351621621010101010101010
Methotrexate	13912416716755741321347676	Minirin		- N - Nadolol	
Methotrexate	1391241671675574132134767676	Minirin		- N - Nadolol	
Methotrexate	1391241671675574132134767676	Minirin		- N - Nadolol	
Methotrexate	1391391241675574132767676	Minirin		- N - Nadolol	
Methotrexate	139139124167557413276767676	Minirin		- N - Nadolol	
Methotrexate	139139124167557413276767676	Minirin Mino-tabs Minocycline hydrochloride Minomycin Minor Skin Infections Mirena Mirtazapine Misoprostol Mitomycin C Mitomycin-C Mitozantrone Mixtard 30 Moclobemide Modecate Moducal Mogine Mometasone furoate Monofeme Monocycline		- N - Nadolol	
Methotrexate	1391391241675574132767676767676	Minirin Mino-tabs Minocycline hydrochloride Minomycin Minor Skin Infections Mirena Mirtazapine Misoprostol Mitomycin C Mitomycin-C Mitozantrone Mitozantrone Ebewe Mixtard 30 Moclobemide Modecate Moducal Mogine Mometasone furoate Monogen Morphine hydrochloride		- N - Nadolol	
Methotrexate	1391391241675574132767676767676767676	Minirin Mino-tabs Minocycline hydrochloride Minomycin Minor Skin Infections Mirena Mirtazapine Misoprostol Mitomycin C Mitomycin-C Mitozantrone Mitozantrone Ebewe Mixtard 30 Moclobemide Modecate Moducal Mogine Mometasone furoate Monogen Morphine hydrochloride Morphine sulphate		- N - Nadolol	
Methotrexate	1391391241675574132767676767676767676	Minirin		- N - Nadolol	26 26 26 26 26 26 26 26 26 26 26 26 26 2
Methotrexate	1391391241675574132134767676767676	Minirin Mino-tabs Minocycline hydrochloride Minomycin Minor Skin Infections Mirena Mirtazapine Misoprostol Mitomycin C Mitomycin-C Mitozantrone Mitozantrone Ebewe Mixtard 30 Moclobemide Modecate Moducal Mogine Mometasone furoate Monogen Morphine hydrochloride Morphine sulphate		- N - Nadolol	

# **Generic Chemicals and Brands**

Neocate LCP186	Norvir	95
Neoral149	Noten	52
NeoRecormon40	NovaSource Renal1	76
Neostigmine100	NovoFine	32
Neotigason66	NovoRapid	.29
Nepro (vanilla)176	NovoRapid Penfill	29
Nerisone62	Nozinan1	
Neulactil124	Nuelin1	55
Neurontin117	Nuelin-SR1	55
Nevirapine94	Nupentin1	16
Nicotine56	Nutraplus	64
Nicotinell56	Nutrient Modules1	70
Nicotinic acid45	Nutrini Energy RTH1	75
Nifedipine54	Nutrini RTH1	76
Nifuran98	NutriniDrink1	
Nilstat	NutriniDrink Multifibre1	
Alimentary36	Nutrison Concentrated1	
Genito-Urinary74	Nutrison Energy Multi Fibre1	
Infection88	Nutrison Multi Fibre1	
Nipent142	Nutrison Standard RTH1	
Nitrados	Nyefax Retard	
Nitrates56	Nystatin	
Nitrazepam130	Alimentary	36
Nitroderm TTS56	Dermatological	
Nitrofurantoin98	Genito-Urinary	
Nitrolingual Pumpspray56	Infection	
Nizoral	NZB Low Gluten Bread Mix1	
Dermatological61	- O -	02
Infection88	~	
	Octreotide (somatostatin	16
Noctamid130	analogue)1	
Noctamid	analogue) 1 Oestradiol	78
Noctamid	analogue)	78
Noctamid         130           Nodia         25           Noflam 250         101           Noflam 500         101	analogue)	.78 .78
Noctamid         130           Nodia         25           Noflam 250         101           Noflam 500         101           Nonoxynol-9         70	analogue)	.78 .78
Noctamid         130           Nodia         25           Noflam 250         101           Noflam 500         101           Nonoxynol-9         70           Nordette 28         72	analogue)	.78 .78 .79
Noctamid       130         Nodia       25         Noflam 250       101         Noflam 500       101         Nonoxynol-9       70         Nordette 28       72         Norditropin SimpleXx 10mg       81	analogue)	.78 .78 .79
Noctamid         130           Nodia         25           Noflam 250         101           Noflam 500         101           Nonoxynol-9         70           Nordette 28         72           Norditropin SimpleXx 10mg         81           Norditropin SimpleXx 15mg         81	analogue)	.78 .78 .79 .74
Noctamid         130           Nodia         25           Noflam 250         101           Noflam 500         101           Nonoxynol-9         70           Nordette 28         72           Norditropin SimpleXx 10mg         81           Norditropin SimpleXx 15mg         81           Norditropin SimpleXx 5mg         81	analogue)	.78 .78 .79 .74
Noctamid         130           Nodia         25           Noflam 250         101           Noflam 500         101           Nonoxynol-9         70           Nordette 28         72           Norditropin SimpleXx 10mg         81           Norditropin SimpleXx 15mg         81           Norditropin SimpleXx 5mg         81           Norethisterone         81	analogue)	.78 .78 .79 .74 .79
Noctamid         130           Nodia         25           Noflam 250         101           Noflam 500         101           Nonoxynol-9         70           Nordette 28         72           Norditropin SimpleXx 10mg         81           Norditropin SimpleXx 15mg         81           Norditropin SimpleXx 5mg         81           Norethisterone         Genito-Urinary         73	analogue)	.78 .78 .79 .74 .79 .78
Noctamid         130           Nodia         25           Noflam 250         101           Noflam 500         101           Nonoxynol-9         70           Nordette 28         72           Norditropin SimpleXx 10mg         81           Norditropin SimpleXx 15mg         81           Norditropin SimpleXx 5mg         81           Norethisterone         6           Genito-Urinary         73           Hormone         80	analogue)	.78 .78 .79 .74 .79 .78 .79 .64
Noctamid         130           Nodia         25           Noflam 250         101           Noflam 500         101           Nonoxynol-9         70           Nordette 28         72           Norditropin SimpleXx 10mg         81           Norditropin SimpleXx 5mg         81           Norethisterone         Genito-Urinary         73           Hormone         80           Norethisterone with	analogue)	.78 .78 .79 .74 .79 .78 .79 .64 .64
Noctamid         130           Nodia         25           Noflam 250         101           Noflam 500         101           Nonoxynol-9         70           Nordette 28         72           Norditropin SimpleXx 10mg         81           Norditropin SimpleXx 5mg         81           Norethisterone         81           Genito-Urinary         73           Hormone         80           Norethisterone with mestranol         72	analogue)	78 79 74 79 78 79 64 64 26
Noctamid         130           Nodia         25           Noflam 250         101           Noflam 500         101           Nonoxynol-9         70           Nordette 28         72           Norditropin SimpleXx 10mg         81           Norditropin SimpleXx 15mg         81           Norditropin SimpleXx 5mg         81           Norethisterone         Genito-Urinary         73           Hormone         80           Norethisterone with mestranol         72           Norflex         108	analogue)	78 79 74 79 78 79 64 64 26 45
Noctamid         130           Nodia         25           Noflam 250         101           Noflam 500         101           Nonoxynol-9         70           Nordette 28         72           Norditropin SimpleXx 10mg         81           Norditropin SimpleXx 15mg         81           Norditropin SimpleXx 5mg         81           Norethisterone         6           Genito-Urinary         73           Hormone         80           Norethisterone with         72           Norflex         108           Norfloxacin         98	analogue)	78 79 74 79 78 79 64 64 26 45
Noctamid         130           Nodia         25           Noflam 250         101           Noflam 500         101           Nonoxynol-9         70           Nordette 28         72           Norditropin SimpleXx 10mg         81           Norditropin SimpleXx 5mg         81           Norethisterone         81           Genito-Urinary         73           Hormone         80           Norethisterone with         72           Norflex         108           Norfloxacin         98           Noriday 28         73	analogue)	78 79 74 79 78 79 64 64 26 45
Noctamid         130           Nodia         25           Noflam 250         101           Noflam 500         101           Nonoxynol-9         70           Nordette 28         72           Norditropin SimpleXx 10mg         81           Norditropin SimpleXx 15mg         81           Norditropin SimpleXx 5mg         81           Norethisterone         Genito-Urinary         73           Hormone         80           Norethisterone with mestranol         72           Norflex         108           Norfloxacin         98           Noriday 28         73           Norimin         72	analogue)	78 79 74 79 78 79 64 64 26 45 26
Noctamid         130           Nodia         25           Noflam 250         101           Noflam 500         101           Nonoxynol-9         70           Nordette 28         72           Norditropin SimpleXx 10mg         81           Norditropin SimpleXx 15mg         81           Norethisterone         81           Genito-Urinary         73           Hormone         80           Norethisterone with         72           Norflex         108           Norfloxacin         98           Noriday 28         73           Norimin         72           Norinyl-1/28         72	analogue)	78 79 74 79 78 79 64 64 26 45 26 28
Noctamid         130           Nodia         25           Noflam 250         101           Noflam 500         101           Nonoxynol-9         70           Nordette 28         72           Norditropin SimpleXx 10mg         81           Norditropin SimpleXx 15mg         81           Norethisterine SimpleXx 5mg         81           Norethisterone         80           Norethisterone with mestranol         72           Norflex         108           Norfloxacin         98           Noriday 28         73           Norimin         72           Norinyl-1/28         72           Normacol         34	analogue)	78 78 79 74 79 64 64 26 45 26 27 32
Noctamid         130           Nodia         25           Noflam 250         101           Noflam 500         101           Nonoxynol-9         70           Nordette 28         72           Norditropin SimpleXx 10mg         81           Norditropin SimpleXx 15mg         81           Norditropin SimpleXx 5mg         81           Norethisterone         Genito-Urinary         73           Hormone         80           Norethisterone with         80           Norflex         108           Norfloxacin         98           Noriday 28         73           Norimin         72           Norinyl-1/28         72           Normacol         34           Normacol Plus         34	analogue)	78 79 74 79 64 64 26 45 26 27 32 21
Noctamid         130           Nodia         25           Noflam 250         101           Noflam 500         101           Nonoxynol-9         70           Nordette 28         72           Norditropin SimpleXx 10mg         81           Norditropin SimpleXx 15mg         81           Norditropin SimpleXx 5mg         81           Norethisterone         Genito-Urinary         73           Hormone         80           Norethisterone with         80           Norflex         108           Norfloxacin         98           Noriday 28         73           Norimin         72           Norinyl-1/28         72           Normacol         34           Normson         130	analogue)	.78 .79 .74 .79 .78 .79 .64 .64 .26 .28 .27 .32 .21 .37
Noctamid         130           Nodia         25           Noflam 250         101           Noflam 500         101           Nonoxynol-9         70           Nordette 28         72           Norditropin SimpleXx 10mg         81           Norditropin SimpleXx 15mg         81           Norditropin SimpleXx 5mg         81           Norethisterone         Genito-Urinary         73           Hormone         80           Norethisterone with         80           Norflex         108           Norfloxacin         98           Noriday 28         73           Norimin         72           Norinyl-1/28         72           Normacol         34           Normacol Plus         34	analogue)	78 79 74 79 64 64 64 26 45 27 32 21 37 42

Optium Blood Ketone Test	
Strips	31
Optium Xceed	
Orabase	
Oracort	
Oral Supplements	.172
Oral Supplements/Complete Diet	
(Nasogastric/Gastrostomy	
Tube Feed)	173
Oratane	59
Orgran	.182
Ornidazole	89
Orphenadrine citrate	.108
Orphenadrine hydrochloride	122
Ortho	70
Ortho All-flex	70
Ortho Coil	
Ortho-tolidine	
Oruvail 100	100
Oruvail 200	
Ormalia DTL	.100
Osmolite RTH	.178
Ospamox	86
Ospamox Paediatric Drops	
Other CNS Agents	
Other Endocrine Agents	82
Other Oestrogen	
Preparations	79
Other Progestogen	
Preparations	79
Other Skin Preparations	69
Ovestin	
Genito-Urinary	
Hormone	79
Ox-Pam	.128
Oxaliplatin	.136
Oxaliplatin Ebewe	.136
Oxazepam	.128
Oxis Turbuhaler	.153
Oxybutynin	75
Oxycodone hydrochloride	.112
OxyContin	
OxyNorm	
Oxypentifylline	57
Oxytocin	o.
- P -	/¬
	400
Pacifen	.108
Pacific Buspirone	
Paclitaxel	.142
Paclitaxel Ebewe	.142
Paediatric Seravit	37
Pamidronate disodium	.108
Pamisol	.108

Pancreatic enzyme	33	Permethrin	65	Postinor-1	7
Pancrex V	33	Persantin	42	Potassium bicarbonate	
Pancrex V Forte	33	Pethidine hydrochloride	113	Potassium chloride	44-4
Panteston	77	Pevaryl	60	Povidone iodine	
Pantocid IV	28	Pexsig		Prantal	
Pantoprazole	28	Pharmacare	110	Pravachol	
Panzytrat		Phenate		Pravastatin	
Papaverine hydrochloride		Phenelzine sulphate	114	Prazosin hydrochloride	
Paracare		Phenergan		Pred Forte	
Paracare Double Strength		Phenobarbitone		Pred Mild	
Paracare Junior		Phenobarbitone sodium		Prednisolone acetate	
Paracetamol		Phenoxybenzamine		Prednisolone sodium	
Paracetamol with codeine		hydrochloride	49	phosphate	70
ParaCode		Phenoxymethylpenicillin		Prednisone	
Paradex		(Penicillin V)	87	Prefrin	
Paraffin		Phentolamine mesylate		Pregnancy Tests - hCG Urine	
Paraffin liquid with soft white		Phenylephrine		Pregnancy tests - HCG urine	
paraffin	162	hydrochloride	162	Premarin	
Paraffin liquid with wool fat		Phenylephrine hydrochlorid		Premia 2.5 Continuous	
liquid	162	zinc sulphate		Premia 5 Continuous	
Paraldehyde		Phenytoin sodium		Priadel	
Paramax		Phlexy 10		Primidone	
Parasiticidal Preparations		Phosphate-Sandoz		Primolut N	
Parnate		Phytomenadione		Pro-Pam	
Paroxetine hydrochloride		Pilocarpine		Probenecid	
Paxam		Pilopt		Procaine penicillin	
Peak flow meter		Pimafucort		Procarbazine hydrochloride	14
Pedialyte - Bubblegum		Pindol		Prochlorperazine	
Pedialyte - Fruit		Pindolol		Procyclidine hydrochloride	
Pedialyte - Plain		Pinetarsol		Prodopa	
Pediasure		Pioglitazone		Prograf	
Pediasure RTH		Piportil		Progynova	
Pegasys		Pipothiazine palmitate		Promethazine hydrochloride	15
Pegasys RBV Combination		Piram-D		Promethazine theoclate	
Pack	97	Piroxicam		Promethazine Winthrop	
Pegylated interferon alpha-2a		Pizaccord		Elixir	15
Penicillamine		Pizotifen		Promod	
PenMix 30		PKU Anamix Infant		Propafenone hydrochloride	
PenMix 40		PKU Lophlex LQ		Propamidine isethionate	
PenMix 50		Plaquenil		Propranolol	
Pentasa		Plavix		Propylene glycol	16
Pentostatin		Plendil ER		Protamine sulphate	
(deoxycoformycin)	142	Podophyllotoxin		Protaphane	
Pepti Junior		Polaramine		Protaphane Penfill	
Pepti Junior Gold		Polaramine Colour-Free		Protifar	
Peptisoothe		Repetab	151	Provera	
Peptisorb		Poloxamer		PSO18	-,-
Pergolide		Poly-Tears		Psoriasis and Eczema	0
Perhexiline maleate		Poly-Visc		Preparations	6
Periactin		Polycal		Pulmicort Turbuhaler	
Pericyazine		Polytar Emollient		Pulmocare	17
Perindopril		Polyvinyl alcohol		Pulmozyme	
Permax		Ponstan		Purinethol	

# INDEX Generic Chemicals and Brands

Pyrazinamide	90	Rivotril	115 116
Pyridostigmine bromide		Rizatriptan benzoate	110, 110
Pyridoxine hydrochloride		Rocaltrol solution	
Pytazen SR		Roferon RBV Combination	
	42	Pack	97
- Q -		Roferon RBV Combination P	
Q 200		Starter Kit	
Q 300			
Questran-Lite		Roferon-A	
Quetapel		Ropin	
Quetiapine		Ropinirole hydrochloride	
Quinapril	50	Roxithromycin	
Quinapril with		Rubifen	
hydrochlorothiazide	50	Rubifen SR	
Quinine sulphate	109	Rythmodan	
QV	64	Rytmonorm	52
- R -		- S -	
RA-Morph	112	S26 Soy	186
Raltegravir potassium	95	S26LBW Gold RTF	
Ranbaxy Amoxicillin		Sabril	118
Ranbaxy-Cefaclor		Salamol	154
Ranitidine hydrochloride		Salapin	154
Rapamune		Salazopyrin	
Redipred		Salazopyrin EN	26
Regitine		Salbutamol	154
Renilon 7.5		Salbutamol with ipratropium	
Resonium-A		bromide	155
Resource Diabetic		Salicylic acid	67
Resource Plus	180	Salmeterol	153
Resource Thicken Up	181	Sandomigran	120
Respigen	154	Sandostatin	
Respiratory Devices	156	Sandostatin LAR	
Retrovir		Sandoz	
ReVia	135	SC Profi-Fine	
Reyataz	95	Scalp Preparations	
Rheumacin SR		Scopoderm TTS	
Ridal	125	Sebizole	
Ridaura	101	Sedatives and Hypnotics	130
Rifabutin	89	Selegiline hydrochloride	122
Rifadin	89	Senna	
Rifampicin	89	Senokot	
Rifinah	89	SensoCard	
Riodine	65	Serenace	124
Risperdal	125	Seretide	
Risperdal Consta	126	Seretide Accuhaler	
Risperdal Quicklet		Serevent	
Risperidone125		Serevent Accuhaler	
Risperon		Seroquel	
Ritalin		Sevredol	
Ritalin LA	134	Sex Hormones Non	
Ritalin SR		Contraceptive	
Ritonavir	95	Shield 49	
Rituximab	148	Shield Blue	
		Shield XL	70

Divotvil 115	110
Rivotril115, Rizatriptan benzoate	110
Rocaltrol solutionRoferon RBV Combination	37
Pack	07
Roferon RBV Combination Pack	91
Starter Kit	07
Roferon-A	<i>31</i> 07
Ropin	
Ropinirole hydrochloride	
Roxithromycin	86
Rubifen	
Rubifen SR	
Rythmodan	
Rytmonorm	
- S -	0_
	106
S26 SoyS26LBW Gold RTF	100
Sabril	
Salamol	
Salapin	
Salazopyrin	26
Salazopyrin EN	26
Salbutamol	
Salbutamol with ipratropium	.107
bromide	155
Salicylic acid	67
Salmeterol	153
Sandomigran	
Sandostatin	
Sandostatin LAR	
Sandoz	
SC Profi-Fine	
Scalp Preparations	67
Scopoderm TTS	.120
Sebizole	
Sedatives and Hypnotics	130
Selegiline hydrochloride	.122
Senna	
Senokot	35
SensoCard	32
Serenace	.124
Seretide	
Seretide Accuhaler	.154
Serevent	.153
Serevent Accuhaler	.153
Seroquel	
Sevredol	.112
Sex Hormones Non	
Contraceptive	
Shield 49	
Shield Blue	70

Sildenafil	
Silvazine	.60
Silver sulphadiazine	.60
Simethicone	.25
Simvastatin	.47
Sindopa1	22
Sinemet1	22
Sinemet CR1	122
Sirolimus1	149
Siterone	.77
Slow-Lopressor	.53
Smoking Cessation	.56
Sodium acid phosphate	
Sodium alginate	25
Sodium aurothiomalate1	  01
Sodium bicarbonate	
Blood	11
Extemporaneous1	
Sodium calcium edetate	วด
Sodium	.00
carboxymethylcellulose	26
Sodium chloride	11
Sodium citrate with sodium lauryl	.44
sulphoacetate	25
Sodium citro-tartrate	75
Sodium cromoglycate	.75
Alimentary	26
Respiratory155–1	
Sensory1	150
Sodium fluoride	
Sodium hypochlorite	
Sodium nitroprusside	.०न २1
Sodium polystyrene	.01
sulphonate	15
Sodium tetradecyl sulphate	//1
Sodium valproate1	.+ı  10
Sofradex1	150
Soframycin	150 150
Solian1	133
Solifenacin succinate	75
Solox	.10 77
Solu-Cortef	.21 76
Solu-Medrol	70.
Somatropin	70. م
Sonaflam1	.01
Sotacor	101
Sotatol	.ეკ
Space Chamber1	.53
Space Chamber	157
Spacer device1	/د سر
Span-K	.45
Spiriva1	54
Spironolactone	
Spirotone	.55

# INDEX

# **Generic Chemicals and Brands**

Sporanox	88	Tegretol CR	116	Trandate	52
Sprycel	144	Telfast	152	Trandolapril	50
Staphlex	87	Temazepam	130	Tranexamic acid	41
Stavudine [d4T]	95	Temgesic	111	Tranylcypromine sulphate	114
Stelazine	125	Temodal	142	Trastuzumab	149
Stemetil	121	Temozolomide	142	Travatan	160
Stesolid	115	Teniposide	143	Travoprost	160
Stocrin	94	Tenofovir disoproxil fumarate	92	Trental 400	
Stomahesive		Tenoxicam		Tretinoin	
Strattera		Terazosin hydrochloride		Triamcinolone acetonide	
Sucralfate		Terbinafine		Alimentary	36
Sulindac		Terbutaline sulphate		Dermatological	
Sulphacetamide sodium		Testosterone		Hormone	
Sulphasalazine		Testosterone cypionate		Triamcinolone acetonide with	
Sulphur		Testosterone esters		gramicidin, neomycin and nys	statin
Sumagran		Testosterone undecanoate		Dermatological	
Sumatriptan		Tetrabenazine		Sensory	
Sunscreens		Tetrabromophenol		Triazolam	
		Tetracosactrin		Trichozole	
Sunscreens, proprietary		Teva		Trifeme	
Suplena					12
Suprefact		Thalidomide		Trifluoperazine	105
Surgam		Thalidomide Pharmion		hydrochloride	
Sustagen Hospital Formula		Theophylline		Trimeprazine tartrate	
Sustanon Ampoules		Thiamine hydrochloride		Trimethoprim	
Symbicort Turbuhaler 100/6		Thioguanine		Trimipramine maleate	
Symbicort Turbuhaler 200/6	154	Thiotepa		Tripress	
Symbicort Turbuhaler		Thymol glycerin	36	Trisequens	
400/12		Thyroid and Antithyroid		Trisul	
Symmetrel		Agents		Trophic Hormones	
Sympathomimetics		Tiaprofenic acid		Tropicamide	
Synacthen		Tiberal		Tropisetron	
Synacthen Depot		Tilade		Trusopt	
Synermox		Tilcotil	101	Two Cal HN	
Synflex		Timolol maleate		Tyloxapol	161
Synthroid		Cardiovascular	53	- U -	
Syntocinon	74	Sensory	159	Ultraproct	26
Syntometrine	74	Timoptol XE	159	Ural	
Syrup (pharmaceutical		Tiotropium bromide	154	Urea	
grade)	168	Titralac		Urex Forte	
-T-		TMP	88	Urinary Agents	
Tacrolimus	150	Tobramycin		Urinary Tract Infections	
Tambocor		Infection	88	Uromitexan	
Tambocor CR		Sensory	158	Ursodeoxycholic acid	
Tamoxifen citrate		Tobrex	158	•	
Tamoxifen Sandoz		Tofranil	113	- V -	
Tap water		Tolcapone	122	Vaccines	
Tar with cade oil		Tolvon	113	Valaciclovir	
Tar with triethanolamine lauryl	01	Topamax	118	Vallergan Forte	
sulphate and fluorescein	67	Topiramate	118	Valoid (AFT)	
Tasmar		Total parenteral nutrition		Valtrex	
Taxotere		(TPN)	44	Vancomycin hydrochloride	
Tegretol		TPN		Vannair	
10910101	110	Tracleer		Vasodilators	57

# **Generic Chemicals and Brands**

Vasopressin Agonists	82
Vaxigrip	
Venlafaxine	115
Ventavis	58
Ventolin	154
Vepesid	141
Verapamil hydrochloride	54
Vergo 16	
Vermox	84
Verpamil SR	54
Vesanoid	
Vesicare	75
Viaderm KC	
Viagra	57
Vicrom	
Videx EC	94
Vigabatrin	118
Vinblastine sulphate	143
Vincristine sulphate	
Vinorelbine	
Vinorelbine Ebewe	143
Viramune	
Viramune Suspension	94
Viread	
Vistil	161
Vistil Forte	161
Vitabdeck	
Vitadol C	
Vital HN	177
Vitamin A with vitamins D and	
C	36
Vitamin B complex	

Vitamins	36, 38
Vivonex Pediatric	186
Vivonex TEN	
Voltaren	100
Voltaren D	100
Voltaren Ophtha	
Voltaren SR	100
Volumatic	157
Vosol	158
Vumon	143
Vytorin	48
- W -	
Warfarin sodium	43
Wart Preparations	68
Wasp venom allergy	
treatment	151
Water	
Blood	44
Extemporaneous	168
Wholesale Supply Order	191
Wool fat with mineral oil	65
- X -	
Xeloda	137
Xenazine 25	135
XMET Maxamum	183
XP Analog LCP	184
XP Maxamaid	184
XP Maxamum	184
Xylocaine	110
- Z -	

Zarontin	116
Zavedos	142
Zeffix	
Zeldox	12
Zerit	
Zetop	
Ziagen	
Zidovudine [AZT]	9
Zidovudine [AZT] with	
lamivudine	9
Zinacef	
Zinc	
Zinc and castor oil	64
Zinc oxide	26
Zinc sulphate	
Zincaps	39
Zincfrin	162
Zinnat	
Ziprasidone	12
Zofran	
Zofran Zydis	12 <sup>.</sup>
Zoladex	
Zopiclone	
Zostrix HP	69
Zovirax	158
Zuclopenthixol decanoate	126
Zuclopenthixol	
hydrochloride	12
Zyban	5
Zyprexa	124
Zyprexa Zydis	126

### **Dear Pharmacist**

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

### **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### **Exceptions**

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:

### **Dear Pharmacist**

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

### **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### **Exceptions**

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:

### **Dear Pharmacist**

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

### **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### **Exceptions**

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:

### **Dear Pharmacist**

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

### **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### **Exceptions**

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:

### **Dear Pharmacist**

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

### **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### **Exceptions**

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:

### **Dear Pharmacist**

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

### **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### **Exceptions**

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date: