# April 2010

# Volume 17 Number 1

## Editors

Kaye Wilson & Scott Brydon email: schedule@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

# Freephone Information Line

0800 66 00 50 (9am - 5pm weekdays)

## Circulation

Published each April, August and December. Changes to the contents are published in monthly updates. Annual subscription includes three Pharmaceutical Schedule books, 12 updates and occasional information on rule changes and news items. The Schedule is distributed free of charge to over 9,000 health professionals, and is also available on an annual subscription.

### Prices

\$22.22 One Schedule book \$4.44 One Update \$120.00 Annual subscription All prices include postage and exclude GST.

## Production

Typeset automatically from XML and TEX. See www.pharmac.govt.nz/schedule/archive/ for the XML version of this Schedule.

## Programmers

Anrik Drenth & John Geering email: texschedule@pharmac.govt.nz

© Pharmaceutical Management Agency



ISSN 1179-3686 pdf ISSN 1172-9376 print

This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit:

creativecommons.org/licenses/by/3.0/nz/.

Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

Introducing PHARMAC


# Section A

# General Rules 12

2

- Section B Alimentary Tract & Metabolism 25
  - Blood & Blood Forming Organs 40
    - Cardiovascular System 49
      - Dermatologicals 59
  - Genito Urinary System 70
  - Hormone Preparations Systemic 76
  - Infections Agents For Systemic Use 84
    - Musculoskeletal System 100
  - Nervous System 109 Oncology Agents & Immunosuppressants 136
    - - Respiratory System & Allergies 151
        - Sensory Organs 158

Section C Extemporaneous Compounds (ECPs) 163



# Introducing PHARMAC

PHARMAC, the Pharmaceutical Management Agency, is a Crown entity established pursuant to the New Zealand Public Health and Disability Act 2000 (The Act). The primary objective of PHARMAC is to secure for eligible people in need of pharmaceuticals, the best health outcomes that are reasonably achievable from pharmaceutical treatment and from within the amount of funding provided.

The PHARMAC Board consists of up to six members appointed by the Minister of Health. All decisions relating to PHARMAC's operation are made by or under the authority of the Board. In particular, Board members decide on the strategic direction of PHARMAC and may decide which community pharmaceuticals should be subsidised and at what levels, and determine national prices for some pharmaceuticals to be purchased by and used in DHB Hospitals, and whether or not special conditions are to be applied to such purchases.

## Members of the PHARMAC Board

Richard Waddel	Kura Denness	David Kerr
Stuart McLaughlan	David Moore	Adrienne von Tunzelmann

Decisions taken by the PHARMAC Board members, or made under the authority of the Board, incorporate a balanced view of the needs of prescribers and patients. The aim is to achieve long-term gains and efficient ways of making pharmaceuticals available to the community and for DHB Hospitals to purchase them.

Murray Georgel, CE MidCentral DHB, attends PHARMAC's Board meetings as an observer.

The functions of PHARMAC are to perform the following, within the amount of funding provided to it in the Pharmaceutical Budget or to DHBs from their own budgets for the use of pharmaceuticals in their hospitals, as applicable, and in accordance with its annual plan and any directions given by the Minister (Section 103 of the Crown Entities Act):

- a) to maintain and manage a pharmaceutical schedule that applies consistently throughout New Zealand, including determining eligibility and criteria for the provision of subsidies;
- b) to manage incidental matters arising out of (a), including in exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the pharmaceutical schedule;
- c) to engage as it sees fit, but within its operational budget, in research to meet its objectives as set out in Section 47(a) of the Act;
- d) to promote the responsible use of pharmaceuticals;
- e) to manage the purchasing of any or all pharmaceuticals, whether used either in a hospital or outside it, on behalf of DHBs;
- f) any other functions given to PHARMAC by or under any enactment or authorised by the Minister.

The policies and criteria set out in the Pharmaceutical Schedule and PHARMAC's Operating Policies and Procedures arise out of, and are designed to help PHARMAC achieve and perform, PHARMAC's objective and functions under the Act.

However PHARMAC may, having regard to its public law obligations, depart from the strict application of those policies and criteria in certain exceptional cases where it considers this necessary or appropriate in the proper exercise of its statutory discretion and to give effect to its objective and functions, particularly with respect to:

- Determining eligibility and criteria for the provision of subsidies; and
- In exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the Pharmaceutical Schedule.

## Decision Criteria

PHARMAC updates the Pharmaceutical Schedule at regular intervals to notify prescribers, pharmacists, hospital managers and patients of changes to Community Pharmaceutical subsidies and the prices for Hospital Pharmaceuticals. In making decisions about amendments to the Pharmaceutical Schedule, PHARMAC is guided by its Operating Policies and Procedures, as amended or supplemented from time to time. PHARMAC takes into account the following criteria when making decisions about Community Pharmaceuticals:

- the health needs of all eligible people within New Zealand (eligible defined by the Government's then current rules of eligibility);
- the particular health needs of Maori and Pacific peoples;
- the availability and suitability of existing medicines, therapeutic medical devices and related products and related things;
- the clinical benefits and risks of pharmaceuticals;
- the cost-effectiveness of meeting health needs by funding pharmaceuticals rather than using other publicly funded health and disability support services;
- the budgetary impact (in terms of the pharmaceutical budget and the Government's overall health budget) of any changes to the Pharmaceutical Schedule;
- the direct cost to health service users;
- the Government's priorities for health funding, as set out in any objectives notified by the Crown to PHARMAC, or in PHARMAC's Funding Agreement, or elsewhere; and
- such other criteria as PHARMAC thinks fit. PHARMAC will carry out appropriate consultation when it intends to take any such "other criteria" into account.

The Operating Policies and Procedures, including any supplements, also describe the way in which PHARMAC determines the level of subsidy or purchase price payable for each Community Pharmaceutical or Hospital Pharmaceutical, respectively.

The decision criteria for Hospital Pharmaceuticals are set out in the hospital supplement to the Operating Policies and Procedures and in the introductory part of Section H of the Pharmaceutical Schedule.

Copies of PHARMAC's Operating Policies and Procedures and of any applicable supplements are available on the PHARMAC website (www.pharmac.govt.nz), or on request.

# PHARMAC and the Pharmaceutical Schedule:

PHARMAC manages the national Pharmaceutical Schedule, which lists:

- Pharmaceuticals available in the community and subsidised by the Government with funding from the Pharmaceutical Budget; and
- some Pharmaceuticals purchased by DHBs for use in their hospitals, and includes those Hospital Pharmaceuticals for which national prices have been negotiated by PHARMAC.

In the community approximately 1848 Pharmaceuticals are subsidised by the Government. Most are available to all eligible people within New Zealand on prescription by a medical doctor. Some are listed with guidelines or conditions such as 'only if prescribed for a dialysis patient' or 'Special Authority - Retail Pharmacy', to ensure that Pharmaceuticals are used by those people who are most likely to benefit from them. Pharmaceuticals provided to patients for use while in DHB hospitals are not covered by Sections A to G of the Pharmaceutical Schedule.

Section H of the Pharmaceutical Schedule is not a comprehensive list of Pharmaceuticals that are used within the DHB Hospitals. Section H of the Pharmaceutical Schedule includes Pharmaceuticals that can be purchased at a national price by DHBs for use in their hospitals. These are referred to as National Contract Pharmaceuticals.

Section H of the Pharmaceutical Schedule also identifies new Pharmaceuticals used in hospitals, which have been or are being assessed by PHARMAC, the results of that analysis being available to DHB Hospitals via PHARMAC's website.

A list of Discretionary Community Supply Pharmaceuticals, in Section H of the Pharmaceutical Schedule, identifies those products that currently are not subsidised from the Pharmaceutical Budget as Community Pharmaceuticals in Sections A to G of the Pharmaceutical Schedule but which DHBs can at their discretion fund for use in the community from their own budgets without specific Hospital Exceptional Circumstances approval.

## PHARMAC's clinical advisors

### Pharmacology and Therapeutics Advisory Committee (PTAC)

PHARMAC works closely with the Pharmacology and Therapeutics Advisory Committee (PTAC), an expert medical committee which provides independent advice to PHARMAC on health needs and the clinical benefits of particular pharmaceuticals for use in the community and/or in DHB Hospitals.

The committee members are all senior, practising clinicians. The chair of PTAC sits with the PHARMAC Board in an advisory capacity.

PTAC helps decide which community pharmaceuticals are to be subsidised from public monies by making recommendations to PHARMAC. Part of the role of PTAC is to review whether Community Pharmaceuticals already listed on the Schedule should continue to receive Government funds. The resources freed up can be used to subsidise other community pharmaceuticals with a greater therapeutic worth.

PHARMAC may obtain clinical advice from PTAC in relation to national purchasing strategies for Hospital Pharmaceuticals. There may be additional specialist hospital representatives on PTAC subcommittees, or additional PTAC subcommittees, where PHARMAC considers this necessary.

#### PTAC members are:

Carl Burgess Marianne Empson Ian Hosford	MBChB, MD, MRCP (UK), FRACP, FRCP, physician/clinical pharmacologist, Chair BHB, MBChB, MMed(ClinEpi), FRACP, FRCPA, immunologist MBChB, FRANZCP, psychiatrist
Sisira Jayathissa	MMedSc (Clin Epi), MMBS, MD, MRCP (UK), FRCP (Edin), FRACP, FAFPHM, Dip Clin Epi,
,	Dip OHP, Dip HSM, MBS
George Laking	PhD, MB, B.Med.Sci, MD, FRACP
Jim Lello	BHB, MBChB, DCH, FRNZCGP, general practitioner
Graham Mills	MBChB, MTropHlth, MD, FRACP, infectious disease specialist and general physician
Peter Pillans	MBBCh, MD, FCP, FRACP, clinical pharmacologist
Mark Weatherall	BA, MBChB, MApplStats, FRACP
Howard Wilson	BSc, PhD, MB, BS, Dip Obst, FRNZCGP, FRACGP, general practitioner, Deputy Chair

Contact PTAC C/-Advisory Committee Manager , Pharmaceutical Management Agency, PO Box 10 254, WELLINGTON, Email: PTAC@pharmac.govt.nz

## The PHARMAC Team

The PHARMAC team has a wide range of expertise in health, medicine, economics, commerce, critical analysis, and policy development and implementation.

Matthew Brougham Lauren Abernethy

Kate Adams Paul Alexander Jason Arnold Diana Beswethrick Mike Bignall Stephen Boxall Scott Brydon Davina Carpenter Christine Chapman Yvonne Chen Mary Chesterfield

Steffan Crausaz

Andrew Davies

Rachelle Davies Jessica Dougherty Sean Dougherty Anrik Drenth Kim Ellis

Simon England Andy Erceg

Jackie Evans John Geering Rachel Grocott

Susan Haniel David Harland Ben Healey Karen Jacobs Cherie Jacobson

Helen Knight Geoff Lawn Geraldine MacGibbon Janet Mackay Rachel Mackay

Trish Mahoney

Chief Executive Funding and Procurement Assistant Health Economist Health Economist Senior Analyst **HR** Contractor Therapeutic Group Manager Creative Director Schedule Analyst **Records Manager** Therapeutic Group Manager Tender Analyst High Cost Medicines Co-ordinator Manager, Funding and Procurement Procurement Initiatives Manager Senior Receptionist Corporate Team Assistant Therapeutic Group Manager Database Analyst Access & Optimal Use Co-ordinator Communications Manager Senior Network and System Administrator Therapeutic Group Manager Systems Architect Health Economist / Team Leader Assessment Advisory Committee Manager Health Economist Analvst Access & Optimal Use Manager One Heart Many Lives Programme Co-ordinator Accounts Pavable Co-ordinator Applications Developer Therapeutic Group Manager Access & Optimal Use Manager Manager, Schedule and Contracts Contract Manager

Adam McRae Scott Metcalfe Peter Moodie Christina Newman Leigh Parish Marama Parore Chris Peck Sharon Ponniah Matthew Poynton **Rachel Pratt** Rosanna Price Jan Quin Dilky Rasiah Kyle Reid Awhimai Reynolds Brian Roulston Fiona Rutherford **Rico Schoeler** Merryn Simmons Liz Skellev Jude Urlich Jayne Watkins Bryce Wigodsky Greg Williams Lisa Williams Kaye Wilson Stephen Woodruffe Sue Anne Yee Michael Young

Team Leader, Access & Optimal Use **Chief Advisor Population** Medicine / Public Health Physician Medical Director Executive Assistant to Chief Executive/Office Manager PA to Medical Director Manager, Access & Optimal Use & Māori Health Analyst Access and Optimal Use Manager Analyst/Health Economist Hospital Exceptional Circumstances Panel Co-ordinator Receptionist Team Leader, Medical Team Deputy Medical Director High Cost Medicines Panel Co-ordinator / Growth Hormone Māori Health Manager Contract Manager Senior Policy Analyst Manager. Analysis and Assessment PHARMAC Seminar Series Co-ordinator Finance Manager Manager. Corporate and External Relations Community Exceptional **Circumstances** Panel Co-ordinator Communications Advisor Therapeutic Group Manager Legal Counsel Schedule Analyst Therapeutic Group Manager Therapeutic Group Manager Analyst

# Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price (if it differs from the Subsidy) and any access conditions that may apply; and
- some Hospital Pharmaceuticals that are purchased and used by DHB Hospitals, including those for which national prices have been negotiated by PHARMAC.

The purpose of the Schedule is not to show the final cost to Government of subsidising each Community Pharmaceutical or to DHBs in purchasing each Hospital Pharmaceutical since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for some Hospital Pharmaceuticals, on any logistics arrangements put in place by individual DHB Hospitals.

# Finding Information in the Pharmaceutical Schedule

## **Community Pharmaceuticals**

For Community Pharmaceuticals, the Schedule is organised in a way to help the reader find Community Pharmaceuticals, which may be used to treat similar conditions. To do this, Community Pharmaceuticals are first classified anatomically, originally based on the Anatomical Therapeutic Chemical (ATC) system, and then further classified under section headings structured for the New Zealand medical system.

- Section A lists the General Rules in relation to Community Pharmaceuticals and related products.
- Section **B** lists Community Pharmaceuticals and related products by anatomical classification, which are further divided into one or more therapeutic headings. Community Pharmaceuticals used to treat similar conditions are grouped together.
- Section C lists the rules in relation to Extemporaneously Compounded Products (ECPs) and Community Pharmaceuticals that will be subsidised when extemporaneously compounded.
- Section D lists the rules in relation to Special Foods and the Special Foods that are subsidised.
- Section E Part I lists the Community Pharmaceuticals that are subsidised on a Practitioner's Supply Order (PSO) and Wholesale Supply Order (WSO).
- Section E Part II lists rural areas for the purpose of PSOs.
- Section F lists the Community Pharmaceuticals dispensing period exemptions.
- Section G lists the Community Pharmaceuticals eligible for reimbursement of safety cap and related rules.

The listings are displayed alphabetically (where practical) within each level of the classification system. Each anatomical section contains a series of therapeutic headings, some of which may contain a further classification level. Where a Community Pharmaceutical is used in more than one therapeutic area, they may be cross-referenced.

The therapeutic headings in the Pharmaceutical Schedule do not necessarily correspond to the therapeutic groups and therapeutic subgroups, which PHARMAC establishes for the separate purpose of determining the level of subsidy to be paid for each Community Pharmaceutical.

The index located at the back of the book in which Sections A-G of the Pharmaceutical Schedule are published can be used to find page numbers for generic chemical entities, or product brand names.

# **Hospital Pharmaceuticals**

Section H lists Pharmaceuticals that DHBs fund from their own budgets. The Hospital Pharmaceuticals are grouped into the following Parts in Section H:


- Part I lists the rules in relation to Hospital Pharmaceuticals.
- Part II lists Hospital Pharmaceuticals for which national contracts exist (National Contract Pharmaceuticals). These are
  listed alphabetically by generic chemical entity name and line item, the relevant Price negotiated by PHARMAC and, if
  applicable, an indication of whether it has Hospital Supply Status (HSS) and any associated Discretionary Variance (DV)
  Pharmaceuticals and DV Limit.
- Part III lists Assessed Pharmaceuticals, which have been or are being assessed by PHARMAC and, where such assessment
  is available, PHARMAC's opinion regarding the use of the Assessed Pharmaceuticals in hospitals. DHB Hospitals are not
  obliged to implement those recommendations.
- Part IV lists Discretionary Community Supply Pharmaceuticals, which are not Community Pharmaceuticals, but which a DHB Hospital can, in its discretion, fund for use in the community from its own budget.

The index located at the back of the Section H supplement can be used to find page numbers for generic chemical entities, or product brand names, for Hospital Pharmaceuticals.

# **Explaining drug entries**

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the amount of that subsidy paid to contractors, the supplier's price and the access conditions that may apply.

### Example



# Glossary

## Units of Measure

gramg	microgramµg
kilogramkg	milligrammg
international unitiu	millilitreml

millimole	mmol
unit	u

## Abbreviations

Ampoule	Amp	Granules	Gran	Suppository	Supp
Capsule	Сар	Infusion	Inf	Tablet	Tab
Cream	Crm	Injection	Inj	Tincture	Tinc
Device	Dev	Linctus	Linc	Trans Dermal Delivery	
Dispersible	Disp	Liquid	Liq	System	TDDS
Effervescent	Eff	Long Acting	LA		
Emulsion	Emul	Ointment	Oint		
Enteric Coated	EC	Sachet	Sach		
Gelatinous	Gel	Solution	Soln		

BSO Bulk Supply Order.

- CBS Cost Brand Source. There is no set manufacturer's price, and the Government subsidises the product at the price it is obtained by the pharmacy.
- CE Compounded Extemporaneously.
- CPD Cost Per Dose. The Funder (as defined in Part I of the General Rules) cost of a standard dose, without mark-ups or fees and excluding GST.
- ECP Extemporaneously Compounded Preparation.
- HSS Hospital Supply Status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.
- OP Original Pack subsidy is rounded up to a multiple at whole packs.
- PSO Practitioner's Supply Order.

## Sole Subsidised

Supplier Only brand of this medicine subsidised.

WSO Wholesale Supply Order.

XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

- ▲ Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner.
- \* Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless medicine is endorsed "close control" or "cc" and the endorsement is initialled by the prescriber.

\$ Safety cap required and subsidised for oral liquid formulations, including extemporaneously compounded preparations.

- Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a
  manufacturer's surcharge.
- S29 This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981. Practitioners prescribing this medication should:
  - a) be aware of and comply with their obligations under Section 29 of the Medicines Act 1981 and otherwise under that Act and the Medicines Regulations 1984;
  - b) be aware of and comply with their obligations under the Health and disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
  - c) exercise their own skill, judgement, expertise and discretions, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an indication for which it is not approved.

Note: Where medicines supplied under Section 29 that are used for emergency situations, patient details required under Section 29 of the Medicines Act may be retrospectively provided to the supplier.

	Definitions						
Abbrev.	Pharmacy Services Agreement	All other Pharmacy Agreements					
[HP1]	Subsidised when dispensed from pharmacies that have the Complex Medicines Variation of the Phar- macy Services Agreement	Available from selected pharmacies that have an ex- clusive contract to dispense 'Hospital Pharmacy' [HP1] pharmaceuticals.					
[HP3]	Subsidised when dispensed from pharmacies that have the Pharmacy Services Agreement. A Special Food with [HP3] annotation is subsidised when dis- pensed by a pharmacy that has a Special Foods Ser- vice appended to their Pharmacy Services Agreement by their DHB.	Available from selected pharmacies that have an ex- clusive contract to dispense 'Hospital Pharmacy' [HP3] pharmaceuticals.					
[HP4]	Subsidised when dispensed from pharmacies that have the Monitored Therapy Variation (for Clozapine Services)	Avaliable from selected pharmacies that have an ex- clusive contract to dispense 'Hospital Pharmacy' [HP4] pharmaceuticals.					

# Patient costs

## Community Pharmaceuitical costs met by the Government

Most of the cost of a subsidised prescription Community Pharmaceutical is met by the Government through the Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to Contractors, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to Contractors does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a  $\checkmark$  in the product's Schedule listing.

SALBUTAMOL		
Aerosol inhaler 100 µg per dose		Fully subsidised brand
	(6.00)	Higher priced brand

## Pharmaceutical Co-Payments

Some Community Pharmaceutical costs are met by the patient. Generally a patient pays a prescription charge. In addition a patient will sometimes pay a manufacturer's surcharge, after hours service fee and any special packaging fee.

PRESCRIPTION CHARGE

From 1 September 2008, everyone who is eligible for publicly funded health and disability services should in most circumstances pay only \$3 for subsidised medicines.

All prescriptions from a public hospital, a midwife and a Family Planning Clinic are covered for \$3 co-payments.

Prescriptions from the following providers are approved for \$3 co-payments on subsidised medicines if they meet the specified criteria:

- After Hours Accident and Medical Services with a DHB or a PHO contract.
- Youth Health Clinics with a DHB or a PHO contract.
- Dentists who write a prescription that relates to a service being provided under a DHB contract.
- Private specialists (for example, opthalmologists and orthopaedics) who write a prescription for a patient receiving a publicly funded service contracted by the DHB.
- General practitioners who write a prescription during normal business hours to a person who is not enrolled in the general
  practice provided the person is eligible for publicly funded health and disability services and the general practice is part of a
  PHO.
- Hospices that have a contract with a DHB.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Eligibility Direction on the Ministry of Health's website.

To check if a medicine is fully subsidised, refer to the Pharmaceutical Schedule on PHARMAC's website or ask your pharmacist or general practitioner.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

NOTE: Information sourced from Ministry of Health Website, for more information please visit www.moh.govt.nz

## MANUFACTURER'S SURCHARGE

Not all Community Pharmaceuticals are fully subsidised. Although PHARMAC endeavours to fully subsidise at least one Community Pharmaceutical in each therapeutic group, and has contracts with some suppliers to maintain the price of a particular product, manufacturers are able to set their own price to pharmacies. When these prices exceed the subsidy, the pharmacist may recoup the difference from the patient.

To estimate the amount a patient will pay on top of the prescription charge, take the difference between the manufacturer's price

and the subsidy, and multiply this by 1.86. The 1.86 factor represents the pharmacy mark-up on the surcharge plus other costs such as GST. Pharmacies charge different mark-ups so this may vary.

### Manufacturer's surchage to patient = (price - subsidy) $\times$ 1.86

For example, a Community Pharmaceutical with a supplier (ex-manufacturer) cost of \$11.00 per pack with a \$10.00 subsidy will cost the patient a surchage of \$1.86 on top of the prescription charge. The most a patient should pay is therefore \$16.86 - being \$15.00 maximum prescription charge, plus \$1.86.

### Hospital Pharmaceutical and Pharmaceutical Cancer Treatment Costs

The cost of purchasing Hospital Pharmaceuticals and Pharmaceutical Cancer Treatments (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) is met by the Funder (in particular, the relevant DHB) from its own budget. As required by section 23(7) of the Act, in performing any of their functions in relation to the supply of Pharmaceuticals including Pharmaceutical Cancer Treatments, DHBs must not act inconsistently with the Pharmaceutical Schedule.

## PHARMAC web site

PHARMAC has set up an interactive Schedule on the Internet. It can be used to calculate the cost of a prescribed Community Pharmaceutical. This site at *http://www.pharmac.govt.nz* takes into account the quantity of Community Pharmaceutical prescribed as well as the patient's age, whether the patient has a community services card, high use health card or prescription subsidy card, the fee for pharmacy services and prescription charges.

Other information about PHARMAC is also available on our website. This includes copies of the Annual Review, Annual Report and Annual Plan, as well as information such as the Pharmaceutical Schedule, Pharmaceutical Schedule Updates, National Hospital Pharmaceutical Strategy, other publications and recent press releases.

# **Special Authority Applications**

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person. Applications must be submitted to the Ministry of Health by the prescriber for the request to be processed.

### Subsidy

Once approved, the presciber will be provided a Special Authority number which must appear on the prescription. Specialists who make an application must communicate the valid authority number to the prescriber who will be writing the prescriptions.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Pharmaceutical Budget.

#### Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website.

For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised. Criteria for each Special Authority Community Pharmaceutical are updated regularly, based on the decision criteria of PHARMAC. The appropriateness of the listing of a Community Pharmaceutical in the Special Authority category will also be regularly reviewed. Applications for inclusion of further Community Pharmaceuticals in the Special Authority category will generally be made by a pharmaceutical supplier.

### **Special Authority Applications**

Application forms can be found at www.pharmac.govt.nz. Requests for fax copies should be made to PHARMAC, phone 04 460 4990. Applications are processed by the Ministry of Health, and should be sent to:

Ministry of Health Sector Services, Private Bag 3015, WANGANUI 4540 Fax: (06) 349 1983 or free fax 0800 100 131

For enquiries, phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666

Note: The Ministry of Health can only provide information on Special Authority applications to prescribers and pharmacists.

Each application must:

- Include the patients name, date of birth and NHI number (codes for AIDS patients' applications)
- Include the practitioner's name, address and Medical Council registration number
- Clearly indicate that the relevant criteria, have been met.
- Be signed by the practitioner.

# **Exceptional Circumstances policies**

The purpose of the Exceptional Circumstances policies are to provide:

- funding from the Community Exceptional Circumstances budget for medication, to be used in the community, in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical Budget is not able to be provided through the Pharmaceutical Schedule ("Community Exceptional Circumstances"); or
- an assessment process for the DHB Hospitals to determine whether they can fund medication, to be used in the community, in circumstances where the medication is neither a Community Pharmaceutical nor a Discretionary Community Supply Pharmaceutical and where the patient does not meet the criteria for Community Exceptional Circumstances ("Hospital Exceptional Circumstances"); or
- an assessment process for DHB Hospitals to determine whether they can fund pharmaceuticals for the treatment of cancer in their DHB Hospital, or in association with Outpatient services provided in their DHB hospital, in circumstances where the pharmaceutical is not identified as a Pharmaceutical Cancer Treatment ("Cancer Exceptional Circumstances") in Sections A-H of the Pharmaceutical Schedule.

Upon receipt of an application for approval for Community Exceptional Circumstances or Hospital Exceptional Circumstances, the Exceptional Circumstances Panel first decides whether an application will be assessed initially under the Community Exceptional Circumstances criteria or the Hospital Exceptional Circumstances criteria. Cancer Exceptional Circumstances is a separate process.

# **Hospital Exceptional Circumstances**

If the application is first assessed but not approved under the Community Exceptional Circumstances criteria, the Exceptional Circumstances Panel may recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances.

If the application is first assessed under the Hospital Exceptional Circumstances criteria, the Exceptional Circumstances Panel may:

- a) recommend against the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget, in which case a DHB Hospital must not fund the pharmaceutical from its own budget;
- b) recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances, in which case a DHB Hospital may, but is not obliged to, fund the pharmaceutical from its own budget;
- c) defer its decision until further assessment under the Community Exceptional Circumstances criteria can undertaken; or
- d) recommend interim funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances until further assessment under the Community Exceptional Circumstances criteria can be undertaken.

Permission to fund a pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances will only be granted by PHARMAC where it has been demonstrated that such funding is cost-effective for the relevant DHB in the region in which the patient resides.

If the patient being treated with a pharmaceutical under Hospital Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

Applications for Hospital Exceptional Circumstances should be made on the standard application form available from the PHARMAC website www.pharmac.govt.nz or the address below:

The Coordinator, Hospital Exceptional Circumstances Panel PHARMAC, PO Box 10 254 Wellington

Phone: (04) 916 7521 or fax (09) 523 6870 Email: ecpanel@pharmac.govt.nz

# **Cancer Exceptional Circumstances**

Permission to fund a pharmaceutical for the treatment of cancer from the Hospital's own budget under Cancer Exceptional Circumstances will only be granted by PHARMAC where it has been demonstated that the proposed use meets the criteria.

If the patient being treated with a pharmaceutical under Cancer Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

# **Community Exceptional Circumstances**

In order to qualify for Community Exceptional Circumstances approval one of the following criteria must be met:

- a) the condition must be rare; or
- b) the reaction to alternative funded treatment must be unusual; or
- c) an unusual combination of circumstances applies.

Rare and unusual are considered to be in the order of less than 10 people nationally.

Where one of the above Community Exceptional Circumstances entry criteria is met, the application may then be further examined under supplementary criteria, assessing suitability of the pharmaceutical, clinical benefit, the cost effectiveness of the treatment, and the patient's ability to pay for the treatment. Where these documented criteria are met, a subsidy sufficient to fully fund the pharmaceutical will be made available to the specific patient on whose behalf the application was made.

Community Exceptional Circumstances funding is only available where the criteria are met and is not available for financial reasons alone.

Applications for Community Exceptional Circumstances, Hospital Exceptional Circumstances and Cancer Exceptional Circumstances should be made on the standard application form available from the PHARMAC website www.pharmac.govt.nz or the address below:

The Coordinator, Community Exceptional Circumstances Panel PO Box 10 254 Wellington Phone (04) 916 7553 or fax (09) 523 6870 Email: ecpanel@pharmac.govt.nz

## INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and;
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services.

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 April 2010 and is to be referred to as the Pharmaceutical Schedule Volume 17 Number 1, 2010. Distribution will be from 20 April 2010. This Schedule comes into force on 1 April 2010.

# PART I

## INTERPRETATIONS AND DEFINITIONS

1.1 In this Schedule, unless the context otherwise requires:

"90 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;

"**180 Day Lot**" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;

"Access Exemption Criteria" means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:

a) have limited physical mobility;

- b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
- c) are relocating to another area;
- d) are travelling extensively and will be out of town when the repeat prescriptions are due.

"Act" means the New Zealand Public Health and Disability Act 2000.

"Advisory Committee" means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.

"Alternate Subsidy" means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.

"Assessed Pharmaceuticals" means the list of Pharmaceuticals set out in Section H Part III of the Schedule, that have been or are being assessed by PHARMAC.

"Authority to Substitute" means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.

"Bulk Supply Order" means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.

"Cancer Exceptional Circumstances" means the policies and criteria administered by PHARMAC relating to the ability to fund, from a DHB hospital's own budget, pharmaceuticals for the treatment of cancer that are not identified as Pharmaceutical

Cancer Treatments in Sections A-H of the Pharmaceutical Schedule.

"Class B Controlled Drug" means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.

"Close Control" means the dispensing of a Community Pharmaceutical, in accordance with a Prescription, in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot) for a Community Pharmaceutical referred to in Section F Part I, or in quantities less than a Monthly Lot for any other Community Pharmaceutical, where any of a), b) or c) apply.

- a) All of the following conditions are met:
  - i) the Community Pharmaceutical has been prescribed for a patient who:
    - 1) is not a resident in a Penal Institution, Rest Home or Residential Disability Care Institution; and
    - 2) either of the following:
      - i) in the opinion of the prescribing Practitioner is:
        - a) frail; or
        - b) infirm; or
        - c) unable to manage their medication without additional support; or
        - d) intellectually impaired; or
        - e) requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only); and
        - f) requires that Community Pharmaceutical to be dispensed in a smaller quantity than that for which it is currently funded, or
      - ii) the Community Pharmaceutical is any of the following:
        - a) a tri-cyclic antidepressant; or
        - b) an antipsychotic; or
        - c) a benzodiazepine; or
        - d) a Class B Controlled Drug; and
  - ii) the prescribing Practitioner has:
    - A) endorsed each Community Pharmaceutical on the Prescription clearly with the words "Close Control" or "CC"; and
    - B) initialled the endorsement in their own handwriting; and
    - C) specified the maximum quantity or period of supply to be dispensed at any one time.
- b) All of the following conditions are met:
  - i) The Community Pharmaceutical is prescribed for a patient who is a resident in a Rest Home or Residential Disability Care Institution; and
    - A) the quantity or period of supply to be dispensed at any one time is not less than 28 days' supply; and
    - B) the prescriber or pharmacist has written the name of the Rest Home or Residential Disability Care Institution on the prescription; and
    - C) the prescriber or pharmacist has:
      - written on the Prescription the words "Close Control" or "CC" (this applies to all medicines prescribed on the prescription), and
      - 2) initialled the endorsement/annotation in their own handwriting; and
    - 3) specified the maximum quantity or period of supply to be dispensed at any one time.
- c) All of the following conditions are met:
  - i) where PHARMAC has approved and notified pharmacists to annotate prescriptions for a specified Com-
  - munity Pharmaceutical(s) "Close Control" without prescriber endorsement for a specified time; and
  - ii) the dispensing pharmacist has:
    - A) clearly annotated each of the approved Community Pharmaceuticals that appear on the prescription with the words "Close Control" or "CC"; and
    - B) initialed the annotation in their own handwriting; and
    - C) specified the maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

"Community Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances Panel relating to funding from the Community Exceptional Circumstances budget for medication, to be used in the community, in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical Budget is not able to be provided through the Pharmaceutical Schedule.

"Community Pharmaceutical" means a Pharmaceutical listed in Sections A to G of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor" means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug" means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply" means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply.

"Dentist" means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"DHB" means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital" means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Discretionary Community Supply Pharmaceutical" means the list of Pharmaceuticals set out in Section H Part IV of the Schedule, which may be funded by a DHB Hospital from its own budget for use in the community.

"Doctor" means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical" means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements" - unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Exceptional Circumstances Panel" means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for administering policies in relation to Community Exceptional Circumstances and Hospital Exceptional Circumstances.

"Funder" means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST" means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator" means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances Panel relating to the ability to fund, from a DHB Hospital's own budget, pharmaceuticals for use in the community by a specific patient where a subsidy is not available from the Pharmaceutical Budget or under Community Exceptional Circumstances.

"Hospital Pharmaceuticals" means National Contract Pharmaceuticals, DV Pharmaceuticals, Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals.

"Hospital Pharmacy" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner. "Hospital Pharmacy-Specialist" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist; or

if the treatment of an Outpatient with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a Practitioner endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Practitioner.

"As recommended by a Specialist" to be interpreted as:

- a) follows a substantive consultation with an appropriate Specialist;
- b) the consultation to relate to the Patient for whom the Prescription is written;

c) consultation to mean communication by referral, telephone, letter, facsimile or email;

d) except in emergencies consultation to precede annotation of the Prescription; and

e) both the specialist and the General Practitioner must keep a written record of the consultation.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

a) to an Outpatient; and

b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS" means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination" means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit" means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital" means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot" means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price" means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife" means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month" means a period of 30 consecutive days.

"Month restriction" means that no Subsidy is available:

- a) unless the Community Pharmaceutical is dispensed on the Prescription of a Practitioner; and
- b) for any quantity of that Community Pharmaceutical dispensed on the Prescription (whether or not dispensed as a repeat) in excess of a Monthly Lot.

"Monthly Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"National Contract Pharmaceutical" means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

"National DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Not In Combination" means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

"Nurse Prescriber" means a nurse registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003 and who is approved by the Nursing Council, to prescribe specified prescription medicines relating to his/her scope of practice.

"Optometrist" means a person registered as an optometrist with the Optometrists and Dispensing Opticians Board, who holds a current annual practising certificate under the HPCA Act 2003, and who is authorised by regulations under the Medicines Act 1981 and approved by the Optometrists and Dispensing Opticians Board to prescribe specified medicines.

"Outpatient" , in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT" means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

"PCT only" means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsi-

#### dies.

"Penal Institution" means a penal institution, as that term is defined in The Penal Institutions Act 1954;

"PHARMAC" means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC).

"Pharmaceutical" means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to H of the Schedule.

"Pharmaceutical Benefits" means the right of:

- a) a person; and
- b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.

"Pharmaceutical Budget" means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals.

"Pharmaceutical Cancer Treatment" means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must fund, from their own budgets, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.

"Practitioner" means a Doctor, a Dentist, a Midwife, a Nurse Prescriber or an Optometrist as those terms are defined in the Pharmaceutical Schedule.

"Practitioner's Supply Order" means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

"Prescription" means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.

"Private Hospital" means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.

"Residential Disability Care Institution" means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.

"Rest Home" means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.

"Retail Pharmacy-Specialist" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or, in the case of treatment recommended by a Specialist, a Prescription or Practitioner's Supply Order and endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner.

"As recommended by a Specialist" to be interpreted as:

- a) follows a substantive consultation with an appropriate Specialist;
- b) the consultation to relate to the Patient for whom the Prescription is written;
- c) consultation to mean communication by referral, telephone, letter, facsimile or email;
- d) except in emergencies consultation to precede annotation of the Prescription; and

e) both the Specialist and the General Practitioner must keep a written record of consultation.

"Retail Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist. For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"Schedule" means this Pharmaceutical Schedule and all its sections and appendices.

"Section B" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies included in the Schedule.

"Section C" of this Pharmaceutical Schedule means the list of community extemporaneously compounded preparations and galenicals eligible for Subsidies included in the Schedule.

"Section D" of this Pharmaceutical Schedule means the list of community special foods eligible for Subsidies included in the Schedule.

"Section E Part I" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies and available on a Practitioner's Supply Order or a Wholesale Supply Order included in the Schedule.

"Section E Part II" of this Pharmaceutical Schedule means the list of rural areas for the purpose of community Practitioner's Supply Orders included in the Schedule.

"Section F Part I" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots, and requirement to dispense in 90 Day Lots or 180 Day Lots, as applicable, in respect of the Community Pharmaceuticals referred to in this part of Section F;

"Section F Part II" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots in respect of the Community Pharmaceuticals referred to in this part of Section F;

"Section G" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for reimbursement of safety caps.

"Section H" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals and the lists of National Contract Pharmaceuticals and any associated DV Pharmaceuticals, of Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals included in Section H of the Schedule.

"Section H Part I" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals.

"Section H Part II" of this Pharmaceutical Schedule means the list of National Contract Pharmaceuticals, the relevant Price, an indication of whether the Pharmaceutical has HSS and any associated DV Pharmaceuticals and DV Limit.

"Section H Part III" of this Pharmaceutical Schedule means the list of Assessed Pharmaceuticals.

"Section H Part IV" of this Pharmaceutical Schedule means the list of Discretionary Community Supply Pharmaceuticals. "Special Authority" means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.

"Specialist", in relation to a Prescription, a doctor who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

- a)
- i) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine; and
- ii) the doctor's vocational scope of practice is one of those listed below: anaesthetics, cardiothoracic surgery, dermatology, diagnostic radiology, emergency medicine, general surgery, internal medicine, neurosurgery, obstetrics and gynaecology, occupational medicine, ophthalmology, oral and maxillofacial surgery, otolaryngology head and neck surgery, orthopaedic surgery, paediatric surgery, paediatrics, pathology, plastic and reconstructive surgery, psychological medicine or psychiatry, public health medicine, radiation oncology, rehabilitation medicine, urology and venereology;
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that Prescription in the course of practising in that area of medicine;
- c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that area of medicine;
- d) the doctor writes the Prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.

"Subsidy" means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.

"Supply Order" means a Bulk Supply Order, a Practitioner's Supply Order or a Wholesale Supply Order.

"Unapproved Indication" means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 4.6.

"Wholesale Supply Order" means a written order by a Practitioner, on a form supplied by the Ministry of Health for the supply of certain Community Pharmaceuticals as listed in Section B and Section E Part I of the Schedule.

1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:

- a) the singular includes the plural; and
- b) any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

# PART II

# COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G of the Schedule, and every preparation (having an inert base) of any of them, is hereby declared to be a Community Pharmaceutical for the purposes of the Schedule, subject to:
  - 2.1.1 clauses 2.2 and 2.3 of the Schedule; and
  - 2.1.2 clauses 3.1 to 4.4 of the Schedule; and
  - 2.1.3 the conditions (if any) specified in Sections B to G of the Schedule;
- 2.2 The following medicines, therapeutic medical devices, or related products or related things are not eligible for Subsidy:
  - 2.2.1 substances, or combinations of substances, ordered for any purpose other than:
    - a) treatment of a patient's medical or dental condition; or
    - b) pregnancy tests; or
    - c) the prevention of sexually transmitted disease; or
    - d) contraception.
  - 2.2.2 substances and combinations of substances packed under pressure in aerosol cans or other similar devices, unless it is specified in Sections B to G of the Schedule that they may be so packed;
  - 2.2.3 electrode jellies;
  - 2.2.4 eye drops packed in single-dose units, unless it is specified in Sections B to G of the Schedule that they may be so packed;
  - 2.2.5 insect repellents and similar preparations;
  - 2.2.6 oral preparations in long-acting form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
  - 2.2.7 substances or combinations of substances in lozenge or similar form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
  - 2.2.8 machine-spread plasters;
  - 2.2.9 preparations prescribed as foods, unless they are specified in Section D of the Schedule;
  - 2.2.10 substances, combinations of substances, or articles, in the form of proprietary medicines or proprietary articles, unless they are deemed or declared to be Pharmaceuticals elsewhere in the Schedule;
  - 2.2.11 shampoos, other than extemporaneously prepared medicated shampoos, or shampoos specified in Sections B to G of the Schedule intended for the treatment of a patient's medical condition;
  - 2.2.12 toilet preparations;
  - 2.2.13 tooth pastes and powders;
  - 2.2.14 lubricating jellies and catheter lubricants;
  - 2.2.15 sterile diluents for nebulising solutions;
  - 2.2.16 substances in a form intended to enable delivery by transdermal diffusion or osmosis or by the insertion of any solid object or substance into the eye cavity, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
  - 2.2.17 substances in a form intended for intravenous delivery (other than by injection), unless it is specified in Sections B to G of the Schedule that they may be in such a form;
  - 2.2.18 substances packed in pre-loaded syringes known as Min-I-Jets, unless it is specified in Sections B to G of the Schedule that they may be so packed;
  - 2.2.19 Community Pharmaceuticals prescribed as cough mixtures, unless they are specified in Sections B to G of the Schedule otherwise than in combination with other ingredients;
  - 2.2.20 vitamin preparations in capsule form, unless they are specified in Sections B to G of the Schedule;
  - 2.2.21 substances prescribed for use as irrigating solutions, unless it is specified in Sections B to G of the Schedule that they may be prescribed for such use.
- 2.3 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless

the Community Pharmaceuticals so supplied:

- 2.3.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981; or
- 2.3.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
- 2.3.3 in the absence of the standards prescribed in clauses 2.3.1 and 2.3.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
- 2.3.4 in the absence of the standards prescribed in clauses 2.3.1, 2.3.2 and 2.3.3, are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

# PART III

# PERIOD AND QUANTITY OF SUPPLY

- 3.1 Doctors', Midwives', Nurse Prescribers' and Optometrists' Prescriptions (other than oral contraceptives) The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor, Midwife, Nurse Prescriber or Optometrist:
  - 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity suffcient to provide treatment for a period not exceeding three Months will be subsidised.
  - 3.1.2 For methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
  - 3.1.3 For a Class B Controlled Drug other than methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity:
    - a) sufficient to provide treatment for a period not exceeding 10 days; and
    - b) which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
  - 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Midwife or Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
    - a) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
    - b) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
      - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
      - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
        - A) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
        - B) both:
          - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
          - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
  - 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
    - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
    - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
  - 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
    - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
    - b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only

that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.

- 3.1.7 If a Community Pharmaceutical:
  - a) is stable for a limited period only, and the Doctor, Midwife, Nurse Prescriber or Optometrist has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
  - b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
  - c) is Close Control,

The actual quantity dispensed will be subsidised in accordance with any such specification.

#### 3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife or Nurse Prescriber for an oral contraceptive:

- 3.2.1 The prescribing Doctor, Midwife or Nurse Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed:
  - a) three Months if prescribed by a Midwife; or
  - b) six Months if prescribed by a Doctor or Nurse Practitioner.
- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
  - a) in Lots as specified in the Prescription if the Community Pharmaceutical is Close Control; or
  - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 An oral contraceptive prescribed by a Midwife is only eligible for Subsidy if the Prescription under which it has been dispensed has been written within the period of post natal care of the eligible person.
- 3.2.5 Where a Community Pharmaceutical in a Prescription is Close Control and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

#### 3.3 Dentists' Prescriptions

- The following provisions apply to every Prescription written by a Dentist:
- 3.3.1 The maximum quantity of a Community Pharmaceutical that will be subsidised is as follows:
  - a) where the Community Pharmaceutical is a Controlled Drug, only such quantity as is necessary to provide treatment for a period not exceeding five days; and
  - b) in any other case, only such quantity as is necessary to provide treatment for a period not exceeding five days and, where the Prescription specifies a repeat, one further period not exceeding five days.
- 3.3.2 Notwithstanding clause 3.3.1, if, in the opinion of the Dentist, an eligible person needs extended treatment with sodium fluoride for up to three Months, the Community Pharmaceutical will be subsidised for that extended period. A Prescription for any such extended supply of sodium fluoride will be subsidised only if it is dispensed in Monthly Lots, unless the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect.
- 3.3.3 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed has been presented to the Contractor:
  - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
  - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.3.4 No Subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
  - a) one Month from the date the Community Pharmaceutical was first dispensed; or
  - b) in the case of sodium fluoride, three Months from the date the Community Pharmaceutical was first dispensed.
  - Only that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.

#### 3.4 Original Packs, and Certain Antibiotics

3.4.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community

Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:

- a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
- b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.
- 3.4.2 If a Community Pharmaceutical is the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:
  - a) the difference the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eg; if a prescription is for 105 mls then a 100ml pack would be dispensed); and
  - b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

# PART IV MISCELLANEOUS PROVISIONS

- 4.1 Bulk Supply Orders
  - The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:
  - 4.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
  - 4.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
  - 4.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
  - 4.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
  - 4.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
    - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
    - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
  - 4.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
  - 4.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

#### 4.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

4.2.1 Subject to clause 4.2.3, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the

# SECTION A: GENERAL RULES

Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

- 4.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
  - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
  - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 4.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
  - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
    - i) is personally signed and dated by the Practitioner; and
    - ii) sets out the Practitioner's address; and
    - iii) sets out the Community Pharmaceuticals and quantities, and;
    - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 4.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.

#### 4.3 Wholesale Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under Wholesale Supply Orders:

- 4.3.1 Notwithstanding anything contained in the Schedule, but subject nevertheless to subclause 4.3.3 of this clause, a Practitioner may obtain from a wholesaler or distributor, pursuant to a Wholesale Supply Order made on a form supplied by the Ministry of Health, any Community Pharmaceutical specified in Section B and Section E Part I of the Schedule as being available on a Wholesale Supply Order.
- 4.3.2 Subject to clause 4.3.3, Community Pharmaceuticals supplied to Practitioners under Wholesale Supply Orders will be subsidised at a rate not exceeding the Manufacturer's Price for each such Community Pharmaceutical as set out in Section B and Section E Part I of the Schedule.
- 4.3.3 No subsidy will be paid for any quantity of a Community Pharmaceutical supplied to a Practitioner under a Wholesale Supply Order in excess of what is a reasonable monthly allocation for that particular Practitioner, after taking into account stock on hand.
- 4.3.4 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Wholesale Supply Orders until such time as the Ministry of Health notifies otherwise.

#### 4.4 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

### 4.4.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

#### 4.4.2 Expiry

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 4.4.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 4.4.1 and 4.4.2, for the individual Patient.
- 4.4.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 4.4.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the

Ministry of Health's routine auditing procedures.

### 4.5 Pharmaceutical Cancer Treatments

- 4.5.1 DHBs must provide access to Pharmaceutical Cancer Treatments by funding their use in the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 4.5.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
  - a) has Cancer Exceptional Circumstances approval;
  - b) has Community Exceptional Circumstances or Hospital Exceptional Circumstances approval;
  - c) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
    - d) is being used and funded as part of a paediatric oncology service; or
  - e) was being used to treat the patient in question prior to 1 July 2005.
- 4.5.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatements with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
  - a) Part 1;
  - b) clauses 2.1 to 2.3;
  - c) clauses 3.1 to 3.4; and
  - d) clause 4.5,
  - of Section A of the Schedule
- 4.5.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 4.5.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 direction from the Minister of Health as to pharmaceuticals and indications for which DHBs must provide funding. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
  - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under the Medicines Act and the Medicines Regulations 1984;
  - b) be aware of and comply with their obligations under the Health and Disability Comissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
  - c) exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.

#### 4.6 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication;

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

## 4.7 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, subject to:

- a) the Contractor having received a general Authority to Substitute from the Practitioner in relation to the particular medicine or medicines in general; or
- b) the Practitioner having indicated their Authority to Substitute on the prescription; or
- c) the Practitioner having given their Authority to Substitute in relation to the particular prescription.

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and initial the prescription.

### 4.8 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed but may not alter the total daily dose. If the change will result in additional cost to the DHBs, then:

- a) the Practitioner must authorise and initial the alteration; or
- b) in cases where PHARMAC has approved and notified in writing such a change in dispensing of a named Pharmaceutical due to an out of stock event or short supply, the Contractor must annotate and initial the alteration.

#### 4.9 Amendment of Schedule

PHARMAC may amend the terms of the Schedule from time to time by notice in writing given in such manner as PHARMAC thinks fit, and in accordance with such protocols as agreed with the Pharmacy Guild of New Zealand (Inc) from time to time.

#### 4.10 Conflict in Provisions

If any rules in Sections B-G of this Schedule conflict with the rules in Section A, the rules in Sections B-G apply.

# SECTION B: ALIMENTARY TRACT AND METABOLISM

	Subsidy		Fully Brand or
	(Manufacturer's P		osidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
Antacids and Antiflatulants			
Antacids and Reflux Barrier Agents			
ALGINIC ACID			
Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet		30	<ul> <li>Gaviscon Infant</li> </ul>
CALCIUM CARBONATE WITH AMINOACETIC ACID			
* Tab 420 mg with aminoacetic acid 180 mg – Higher subsidy		400	
of \$6.30 per 100 tab with Endorsement	3.00 (6.30)	100	Titralac
Additional subsidy by endorsement is available for pregnar	( )	rescription mu	
SIMETHICONE	· · · · · · · · · · · · · · · · · · ·		
* Oral liq aluminium hydroxide 200 mg with magnesium hydrox-			
ide 200 mg and activated simethicone 20 mg per 5 ml	1.50	500 ml	
	(4.26)		Mylanta P
SODIUM ALGINATE			
* Tab 500 mg with sodium bicarbonate 267 mg and calcium			
carbonate 160 mg - peppermint flavour		60	Gaviscon Double
	(8.60)		Strength
* Oral lig 500 mg with sodium bicarbonate 267 mg and calcium			ouongui
carbonate 160 mg per 10 ml		500 ml	
	(4.95)		Acidex
* Oral liq 500 mg with sodium bicarbonate 267 mg per 10 ml		500 ml	
(aniseed)	1.50 (8.64)	500 ml	Gaviscon
Physical and Physical Association	(0.04)		Caviscon
Phosphate Binding Agents			
ALUMINIUM HYDROXIDE			
Tab 600 mg		100	Alu-Tab
Antidiarrhoeals			
Agents Which Reduce Motility			
DIPHENOXYLATE HYDROCHLORIDE WITH ATROPINE SULPH	ATE		
* Tab 2.5 mg with atropine sulphate 25 μg	3.90	100	🖌 Diastop
LOPERAMIDE HYDROCHLORIDE – Up to 30 tab available on a	PSO		
* Tab 2 mg	11.50	400	✓ Nodia
Rectal and Colonic Anti-inflammatories			
BUDESONIDE			
Cap 3 mg - Special Authority see SA0913 on the next page			
- Retail pharmacy		90	<ul> <li>Entocort CIR</li> </ul>

	Subsidy (Manufacturer's Pri \$	ce) Sul Per	Fully osidised	Brand or Generic Manufacturer
► SA0913 Special Authority for Subsidy	( ) " (			
Initial application from any relevant practitioner. Approvals valid Both:	for 3 months for a	oplications in	leeting t	ne tollowing criteria:
<ol> <li>Mild to moderate ileal, ileocaecal or proximal Crohn's disea</li> <li>Any of the following:         <ol> <li>Diabetes; or</li> <li>Cushingoid habitus; or</li> <li>Osteoporosis where there is significant risk of fractu</li> <li>Severe acne following treatment with conventional c</li> </ol> </li> </ol>	re; or orticosteroid thera			verviete and the nations is
<b>Renewal</b> from any relevant practitioner. Approvals valid for 3 mo benefiting from treatment.	nuns where the tre	alment rema	ans app	propriate and the patient is
The patient may not have had more than 1 prior approval in the la	st year.			
Note: Clinical trials for Entocort CIR use beyond three months der	monstrated no imp	provement in	relapse	rate.
HYDROCORTISONE ACETATE				
Rectal foam 10%, CFC-Free (14 applications)	23.00	21.1 g OP	✓ <u>C</u>	<u>olifoam</u>
MESALAZINE				
Tab 400 mg		100		sacol
Tab EC 500 mg		100 100		samax entasa
Tab long-acting 500 mg Enema 1 g per 100 ml		7	· · ·	entasa
Suppos 500 mg		20		sacol
Suppos 500 mg		28		entasa
OLSALAZINE		20	• 1	Cintubu
Tab 500 mg	50.86	100	<b>1</b> D	ipentum
Cap 250 mg		100		lipentum
		100	• •	ipontani
SODIUM CROMOGLYCATE Cap 100 mg	90.01	100		alcrom
	09.21	100	₩ N	acrom
SULPHASALAZINE	44.00	100		
* Tab 500 mg		100		alazopyrin
* Tab EC 500 mg	12.89	100	VS	alazopyrin EN
Antihaemorrhoidals				
Corticosteroids				
FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVA Oint 950 µg, with fluocortolone pivalate 920 µg, and cin-		HOCAINE		
chocaine hydrochloride 5 mg per g		30 g OP	✓ <u>U</u>	Itraproct
Suppos 630 µg, with fluocortolone pivalate 610 µg, and cin- chocaine hydrochloride 1 mg		12	✓ <u>U</u>	Itraproct
Soothing Agents				
ZINC OXIDE				
Oint zinc oxide with balsam peru	4.50	50 g OP		
- · · · · · · · · · · · · · · · · · · ·	(6.67)		А	nusol
Suppos zinc oxide with balsam peru		12		
·	(6.49)		A	nusol

26

	Subsidy (Manufacturer's Price \$	e) Su Per	Fully Brand or ubsidised Generic ✓ Manufacturer
Antispasmodics and Other Agents Altering Gut	Motility		
ATROPINE SULPHATE * Inj 600 µg, 1 ml – Up to 5 inj available on a PSO * Inj 1200 µg, 1 ml – Up to 5 inj available on a PSO		50 50	<ul> <li>✓ <u>AstraZeneca</u></li> <li>✓ AstraZeneca</li> </ul>
HYOSCINE N-BUTYLBROMIDE           * Tab 10 mg         Tab 10 mg           * Inj 20 mg, 1 ml         Up to 5 inj available on a PSO	1.62 8.04	20 5	✓ <u>Gastrosoothe</u> ✓ Buscopan
MEBEVERINE HYDROCHLORIDE * Tab 135 mg		90	✓ <u>Colofac</u>
Antiulcerants			
Antisecretory and Cytoprotective			
MISOPROSTOL * Tab 200 μg	52.70	120	✔ Cytotec
Helicobacter Pylori Eradication			
CLARITHROMYCIN Tab 500 mg – Subsidy by endorsement a) Maximum of 14 tab per prescription b) Subsidised only if prescribed for helicobacter pylori erad		14	✓ Klamycin
<ul> <li>Note: the prescription is considered endorsed if clarithromycin is amoxycillin or metronidazole.</li> <li>OMEPRAZOLE, AMOXYCILLIN AND CLARITHROMYCIN</li> <li>Omeprazole cap 20 mg × 14, amoxycillin cap 500 mg × 28 and clarithromycin tab 500 mg × 14</li> </ul>	prescribed in conju		
H2 Antagonists		TOP	Cosec npr OAC
CIMETIDINE – Only on a prescription * Tab 200 mg	5.00 (7.50)	100	Apo-Cimetidine
* Tab 400 mg	· · · ·	100	Apo-Cimetidine
FAMOTIDINE – Only on a prescription * Tab 20 mg * Tab 40 mg		250 250	<ul><li>Famox</li><li>Famox</li></ul>
RANITIDINE HYDROCHLORIDE         Only on a prescription           *         Tab 150 mg	10.94 7.95	250 250 300 ml 5	<ul> <li>Arrow-Ranitidine</li> <li>Arrow-Ranitidine</li> <li><u>Peptisoothe</u></li> <li>Zantac</li> </ul>
Proton Pump Inhibitors			
LANSOPRAZOLE * Cap 15 mg * Cap 30 mg		28 28	✓ Solox ✓ Solox

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
OMEPRAZOLE				
For omeprazole suspension refer, page 166 * Cap 10 mg	0.14	30		r Reddy's
* Cap TO Thy	2.14	30		Omeprazole
* Cap 20 mg	3.05	30		Reddy's
* Cap 40 mg	3.59	30	D	<u>Omeprazole</u> r Reddy's Omeprezole
卷 Inj 40 mg		5		<u>Omeprazole</u> <u>r Reddy's</u> Omeprazole
PANTOPRAZOLE				Omeprazore
* Tab 20 mg	2.24	28		r Reddy's
* Tab 40 mg	3.36	28	D	Pantoprazole r Reddy's
* Inj 40 mg		1		Pantoprazole antocid IV
Site Protective Agents				
SUCRALFATE				
Tab 1 g		120	C	arafate
Diabetes				
Hyperglycaemic Agents				
GLUCAGON HYDROCHLORIDE Inj 1 mg syringe kit – Up to 5 kit available on a PSO	27.00	1	🖌 G	lucagen Hypokit
Insulin - Short-acting Preparations				
INSULIN NEUTRAL				
▲ Inj human 100 u per ml		10 ml OF		ctrapid
▲ Inj human 100 u per ml, 3 ml		5	V A	umulin R ctrapid Penfill umulin R
Insulin - Intermediate-acting Preparations			• n	
INSULIN ISOPHANE <ul> <li>Inj human 100 u per ml</li> </ul>	17.68	10 ml OF	H	umulin NPH
			🖌 Pi	rotaphane
Inj human 100 u per ml, 3 ml		5		umulin NPH otaphane Penfill
INSULIN ISOPHANE WITH INSULIN NEUTRAL				
▲ Inj human with neutral insulin 100 u per ml		10 ml OF		umulin 30/70 ixtard 30
Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5	✓ Hi ✓ Pe	umulin 30/70 enMix 30 enMix 40 enMix 50

28

	Subsidy (Manufacturer's Price) \$	Su Per	Fully bsidised	Brand or Generic Manufacturer
INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE				
Inj lispro 25% with insulin lispro protamine 75% 100 u per ml, 3 ml		5	🗸 Н	umalog Mix 25
▲ Inj lispro 50% with insulin lispro protamine 50% 100 u per ml,3 ml		5	🗸 Н	umalog Mix 50
Insulin - Long-acting Preparations				
INSULIN GLARGINE - Special Authority see SA0834 below - Re	etail pharmacy			
▲ Inj 100 u per ml, 10 ml		1	🖌 La	antus
▲ Inj 100 u per ml, 3 ml		5	🖌 🖌 La	antus
▲ Inj 100 u per ml, 3 ml disposable pen	94.50	5	🖌 La	antus SoloStar

## SA0834 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Both:
  - 1.1 Patient has type 1 diabetes and has received an intensive regimen (injections at least three times a day) of an intermediate acting insulin in combination with a rapid acting insulin analogue for at least three months; and
  - 1.2 Either:
    - 1.2.1 Patient has experienced more than one unexplained severe hypoglycaemic episode in the previous 12 months (severe defined as requiring the assistance of another person); or
    - 1.2.2 Patient has experienced unexplained symptomatic nocturnal hypoglycaemia, biochemically documented at <3.0 mmol/L, more than once a month despite optimal management; or
- 2 Patient has documented severe, or continuing, systemic or local allergic reaction to existing insulins. Note this does not include hypoglycaemic episodes.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Patient is continuing to derive benefit due to reduced hypoglycaemic events whilst maintaining similar or better glycaemic control; or
- 2 Patient's allergic reaction has significantly decreased, or resolved, following the change to long-acting insulin and patient is continuing to benefit from treatment.

# Insulin - Rapid Acting Preparations

INSULIN ASPART         ▲ Inj 100 u per ml, 3 ml         ▲ Inj 100 u per ml, 10 ml         ▲ Inj 100 u per ml, 30.03	5 1 10 ml OP 5	<ul> <li>✓ NovoRapid Penfill</li> <li>✓ NovoRapid</li> <li>✓ Humalog</li> <li>✓ Humalog</li> </ul>
Alpha Glucosidase Inhibitors		
ACARBOSE – Special Authority see SA0925 on the next page – Retail pharmacy * Tab 50 mg	90 90	✓ <u>Glucobay</u> ✓ <u>Glucobay</u>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
The CARDON Connected Authority for Cubrish	φ	rei	~	Manulaciulei
<ul> <li>SA0925 Special Authority for Subsidy</li> <li>Initial application from any relevant practitioner. Approvals valid the following criteria:</li> <li>Both:         <ol> <li>The patient has type 2 diabetes; and</li> <li>Either:                 <ol></ol></li></ol></li></ul>	without further renew	val un	less notifie	d for applications meeting
2.2 The patient has not responded to the maximum app	ropriate dose of metfo	ormin.		
Oral Hypoglycaemic Agents				
GLIBENCLAMIDE				
* Tab 5 mg	5.00	100	🖌 Da	aonil
GLICLAZIDE				
* Tab 80 mg		500	✓ <u>A</u>	po-Gliclazide
GLIPIZIDE				
* Tab 5 mg	3.50	100	✓ <u>М</u>	inidiab
METFORMIN HYDROCHLORIDE				
* Tab immediate-release 500 mg	8.09	500		potex
the Table in the second second second	0.07	050		rrow-Metformin
* Tab immediate-release 850 mg	6.67	250		potex rrow-Metformin
(Arrow-Metformin Tab immediate-release 500 mg to be delisted 1	Mav 2010)		• •	
(Arrow-Metformin Tab immediate-release 850 mg to be delisted 1				
PIOGLITAZONE - Special Authority see SA0959 below - Retail g	harmacy			
Tab 15 mg	2.61	28	🖌 <u>Pi</u>	zaccord
Tab 30 mg	5.23	28	🖌 <u>Pi</u>	zaccord
Tab 45 mg	7.80	28	✓ <u>Pi</u>	zaccord
■>SA0959 Special Authority for Subsidy				
Initial application — (Patients with type 2 diabetes) from ar	y relevant practitione	r. Ap	provals val	id without further renewal
unless notified for applications meeting the following criteria:				

Either:

1 Patient has not achieved glycaemic control on maximum doses of metformin and/or a sulphonylurea or where either or both are contraindicated or not tolerated; or

2 Patient is on insulin.

# **Diabetes Management**

# **Glucose/Urine Testing**

COPPER			
* Tab, diagnostic – Not on a BSO	5.02	36 OP	
-	(31.80)		Clinitest
(Clinitest Tab. diagnostic to be delisted 1 September 2010)			

	Subsidy (Manufacturer's I \$	Price) Sub Per	Fully Brand or sidised Generic Manufacturer
GLUCOSE OXIDASE Urine diagnostic test – Not on a BSO	4.11 (7.00)	50 strip OP	Diabur 5000
Urine diagnostic test with peroxidase - Not on a BSO	4.11 (6.26) 4.13	50 strip OP	Diastix
(Diabur 5000 Urine diagnostic test to be delisted 1 September 2 (Diastix Urine diagnostic test with peroxidase to be delisted 1 Se (Clinistix Urine diagnostic test with peroxidase to be delisted 1 S	eptember 2010)		Clinistix
Ketone Testing			
KETONE BLOOD BETA-KETONE ELECTRODES – Subsidy by Patient has type 1 diabetes and has had one or more episod of 2 packs per annum. No further prescriptions will be subsi Test strip – Not on a BSO SODIUM NITROPRUSSIDE * Test strip – Not on a BSO	es of ketoacidosis dised. The prescr 8.50		
Blood Glucose Testing			
BLOOD GLUCOSE DIAGNOSTIC TEST METER – Subsidy by ( a) Maximum of 1 meter per prescription b)	endorsement		
<ol> <li>A diagnostic blood glucose test meter is subsidise March 2005 or is prescribed for a pregnant womar</li> <li>Only one meter per patient. No further prescriptio ingly.</li> </ol>	with diabetes.	Ū	
Meter	6.00 9.00	1	<ul> <li>CareSens POP</li> <li>CareSens II</li> <li>FreeStyle Lite</li> <li>On Call Advanced</li> <li>Optium Xceed</li> </ul>
	19.00		Accu-Chek

Performa

	Subsidy (Manufacturer's Priv \$	ce) Sub Per	Fully sidised	Brand or Generic Manufacturer
<ul> <li>BLOOD GLUCOSE DIAGNOSTIC TEST STRIP</li> <li>The number of test strips available on a prescription is restrict</li> <li>1) Prescribed with insulin or a sulphonylurea but are on a difference</li> <li>2) Prescribed on the same prescription as insulin or a sulphonor</li> <li>3) Prescribed for a pregnant woman with diabetes and endor</li> <li>SensoCard blood glucose test strips are subsidised only if prescriptions</li> </ul>	erent prescription a nylurea in which ca sed accordingly.	ase the presc	ription i	s deemed to be endorsed;
Blood glucose test strips $\times$ 50 and lancets $\times$ 5	19.10 19.60	1 OP		n Call Advanced areSens
Blood glucose test strips	21.65 26.20	50 test OP	✓ Fi ✓ 0	ccu-Chek Performa reeStyle Lite ptium 5 second test ensoCard
Insulin Syringes and Needles				

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly.

			0,
INS	SULIN PEN NEEDLES – Maximum of 100 dev per prescription		
*	$29~\text{g}\times12.7~\text{mm}$	100	🖌 ABM
			B-D Micro-Fine
	11.75		SC Profi-Fine
*	31 g × 5 mm	100	B-D Micro-Fine
			SC Profi-Fine
*	31 g × 6 mm	100	🖌 ABM
	11.75		Fine Ject
	10.50		
	(26.00)		NovoFine
*	31 g × 8 mm	100	🖌 ABM
	•		B-D Micro-Fine
	11.75		SC Profi-Fine

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic ✓ Manufacturer
INSULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE * Syringe 0.3 ml with 29 g $\times$ 12.7 mm needle		dev per 100	<ul><li>✓ ABM</li><li>✓ B-D Ultra Fine</li></ul>
* Syringe 0.3 ml with 31 g $\times$ 8 mm needle	13.00	100	<ul> <li>✓ DM Ject</li> <li>✓ ABM</li> <li>✓ B-D Ultra Fine II</li> </ul>
* Syringe 0.5 ml with 29 g $\times$ 12.7 mm needle	13.00	100	<ul> <li>✓ DM Ject</li> <li>✓ ABM</li> <li>✓ B-D Ultra Fine</li> </ul>
* Syringe 0.5 ml with 31 g $\times$ 8 mm needle	13.00	100	<ul> <li>✓ DM Ject</li> <li>✓ ABM</li> <li>✓ B-D Ultra Fine II</li> <li>✓ B-D Ultra Fine II</li> </ul>
* Syringe 1 ml with 29 g $\times$ 12.7 mm needle	13.00	100	<ul> <li>✓ DM Ject</li> <li>✓ ABM</li> <li>✓ B-D Ultra Fine</li> </ul>
* Syringe 1 ml with 31 g $\times$ 8 mm needle	13.00	100	<ul> <li>✓ DM Ject</li> <li>✓ ABM</li> <li>✓ B-D Ultra Fine II</li> <li>✓ DM Ject</li> </ul>
Digestives Including Enzymes			
PANCREATIC ENZYME Tab EC 1,900 BP u lipase, 1,700 BP u amylase, 110 BP u protease		300	✓ Pancrex V
Tab EC 5,600 BP u lipase, 5,000 BP u amylase, 330 BP u protease Cap 8,000 BP u lipase, 9,000 BP u amylase, 430 BP u pro-	58.44	300	✓ Pancrex V Forte
tease Cap 8,000 USP u lipase, 30,000 USP u amylase,		300	Pancrex V
30,000 USP u protease – Retail pharmacy-Specialist Cap EC 10,000 BP u lipase, 9,000 BP u amylase and		250	<ul> <li>Cotazym ECS</li> </ul>
210 BP u protease – Retail pharmacy-Specialist		100	<ul> <li>Creon 10000</li> </ul>
Cap EC 25,000 BP u lipase, 18,000 BP u amylase, 1,000 BP u protease – Retail pharmacy-Specialist	94.38	100	<ul> <li>Creon Forte</li> </ul>
Cap EC 25,000 BP u lipase, 22,500 BP u amylase, 1,250 BP u protease – Retail pharmacy-Specialist	94.40	100	<ul> <li>Panzytrat</li> </ul>
URSODEOXYCHOLIC ACID – Special Authority see SA1003 bel Cap 300 mg		y 100	✓ <u>Actigall</u>

## ➡SA1003 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Either:

1 Patient diagnosed with cholestasis of pregnancy; or

- 2 Both:
  - 2.1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
  - 2.2 Patient not requiring a liver transplant (bilirubin > 170umol/l; decompensated cirrhosis).

Note: Liver biopsy is not usually required for diagnosis but is helpful to stage the disease.

continued...

Subsidy	Fully	Brand or
cturer's Price) Subsid	lised	Generic
 \$ Per	~	

continued...

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 170 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure – doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

# Laxatives

## **Bulk-forming Agents**

MUCILAGINOUS LAXATIVES - Only on a prescription			
* Dry	5.72	325 g OP	🖌 Konsyl-D
	6.69	380 g OP	Mucilax
	7.92	450 g OP	
	(12.71)		Isogel
	8.80	500 g OP	
	(16.49)		Normacol
* Dry-original flavour, regular texture only		336 g OP	
	(12.38)	_	Metamucil
* Sugar Free		275 g OP	
	(10.60)		Mucilax
MUCILAGINOUS LAXATIVES WITH STIMULANTS			
* Dry	3.52	200 g OP	
	(7.69)	-	Normacol Plus
	8.80	500 g OP	
	(16.49)		Normacol Plus
Faecal Softeners			
DOCUSATE SODIUM – Only on a prescription			
* Tab 50 mg	3.95	100	✓ Laxofast 50
······································	4.89		Coloxyl
* Tab 120 mg		100	✓ Laxofast 120
U	6.73		✓ Coloxyl
* Enema conc 18%	5.40	100 ml OP	✓ Coloxyl
DOCUSATE SODIUM WITH SENNOSIDES			•
* Tab 50 mg with total sennosides 8 mg	6.38	200	✓ Laxsol
ъ така стана с Стана стана стан		200	
POLOXAMER – Only on a prescription	0.70	00	
* Oral drops 10%	3.78	30 ml OP	✓ Coloxyl
Osmotic Laxatives			
GLYCEROL			
* Suppos 3.6 g – Only on a prescription	6.00	20	✔ PSM
LACTULOSE – Only on a prescription		-	
* Oral liq 10 g per 15 ml	6 65	1.000 ml	Duphalac
		,	
MACROGOL 3350 - Special Authority see SA0891 on the next p	0	armacy	
Powder 13.125 g, sachets - Maximum of 60 sach per pre-			A
scription		30	Movicol

34

	Subsidy (Manufacturer's) \$	Price) Sul Per	Fully Brand or bsidised Generic Manufacturer	
SA0891 Special Authority for Subsidy				
<b>Initial application</b> from any relevant practitioner. App	rovals valid for 6 months	where the pa	tient has problematic	constipation
requiring intervention with a per rectal preparation desp				
where lactulose is not contraindicated.				
Renewal from any relevant practitioner. Approvals vali	id for 12 months where the	he patient is c	ompliant and is contir	uing to gain
benefit from treatment.				
SODIUM ACID PHOSPHATE – Only on a prescription Enema 16% with sodium phosphate 8%	2.50	1	Fleet Phospha	to
Enema 10% with source phosphate 0%	2.00	I	Enema	le
SODIUM CITRATE WITH SODIUM LAURYL SULPHOA	CETATE - Only on a prev	ecription		
Enema 90 mg with sodium lauryl sulphoacetate 9 n		scription		
5 ml	01	12	Microlax	
			•	
Stimulant Laxatives				
BISACODYL – Only on a prescription				
* Tab 5 mg		200	Lax-Tabs	
* Suppos 5 mg		6	<ul> <li>Dulcolax</li> </ul>	
* Suppos 10 mg		6	Dulcolax	
(Fleet Suppos 10 mg to be delisted 1 August 2010)	3.96	12	<ul> <li>Fleet</li> </ul>	
SENNA – Only on a prescription * Tab. standardised	2 17	100		
	(6.16)	100	Senokot	
Metabolic Disorder Agents				
Gaucher's Disease				
IMIGLUCERASE – Special Authority see SA0473 below Inj 40 iu per ml, 200 iu vial	v – Hospital pharmacy [H 1,072.00	P1] 1	<ul> <li>Cerezyme</li> </ul>	
►SA0473 Special Authority for Subsidy	,			
Special Authority approved by the Gaucher's Treatment	Panel			
Notes: Subject to a budgetary cap. Applications will be o	considered and approved	subject to fund	ling availability.	
Application details may be obtained from PHARMAC's w	vebsite http://www.pharm	ac.govt.nz or:		
	ne: (04) 460 4990			
	simile: (04) 916 7571			
Wellington Ema	ail: gaucherpanel@pharn	nac.govt.nz		
Mouth and Throat				
Agents Used in Mouth Ulceration				
BENZYDAMINE HYDROCHLORIDE				
Soln 0.15%	9.00	500 ml		
	(15.36)		Difflam	
CHLORHEXIDINE GLUCONATE				
Mouthwash 0.2%		200 ml OP	<ul> <li>Orion</li> </ul>	
CHOLINE SALICYLATE WITH CETALKONIUM CHLOR	IDE			
* Adhesive gel 8.7% with cetalkonium chloride 0.01%		15 g OP		
-	(5.25)	-	Bonjela	

	Subsidy		Fully Brand or
	(Manufacturer's I \$	Price) Sul Per	osidised Generic ✓ Manufacturer
ODIUM CARBOXYMETHYLCELLULOSE			
With pectin and gelatin paste		56 g OP	Stomahesive
	4.55	15 g OP	
	(7.90)	0	Orabase
With pectin and gelatin powder	8.48	28 g OP	
	(10.95)		Stomahesive
RIAMCINOLONE ACETONIDE			
0.1% in Dental Paste USP	4.38	5 g OP	Oracort
		0 9 0.	• ••••••
Oropharyngeal Anti-infectives			
MPHOTERICIN B			
Lozenges 10 mg	5.86	20	<ul> <li>Fungilin</li> </ul>
/ICONAZOLE			
Oral gel 20 mg per g	8.70	40 g OP	Daktarin
NYSTATIN		0	
Oral liq 100,000 u per ml	3 10	24 ml OP	✓ <u>Nilstat</u>
		24 111 01	• <u>Inistat</u>
Other Oral Agents			
or folinic mouthwash, pilocarpine oral liquid or saliva substitute	e formula refer, pag	ge 166	
HYDROGEN PEROXIDE		-	
<ul> <li>Soln 10 vol – Maximum of 200 ml per prescription</li> </ul>	1.28	100 ml	✓ PSM
"HYMOL GLYCERIN ₭ Compound, BPC	0.15	500 ml	🖌 PSM
		500 111	V FSW
Vitamins			
Vitamin A			
/ITAMIN A WITH VITAMINS D AND C			
Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 n	na		
per 10 drops	0	10 ml OP	Vitadol C
Vitamin B Group			
HYDROXOCOBALAMIN			
Inj 1 mg per ml, 1 ml – Up to 6 inj available on a PSO	6.15	3	V ABM
			Hydroxocobalamin
	(10.84)		Neo-B12
Neo-B12 Inj 1 mg per ml, 1 ml to be delisted 1 July 2010)			
YRIDOXINE HYDROCHLORIDE			
a) No more than 100 mg per dose			
b) Only on a prescription			
K Tab 25 mg – No patient co-payment payable	3.06	90	<ul> <li>Healtheries</li> </ul>
₭ Tab 50 mg	17.63	500	Apo-Pyridoxine
HIAMINE HYDROCHLORIDE – Only on a prescription			
₭ Tab 50 mg	5.62	100	Apo-Thiamine
/ITAMIN B COMPLEX			
★ Tab, strong, BPC	12 10	500	✓ Apo-B-Complex
	12.10	500	Aho-p-complex

36

# ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's F \$	Price) Sub Per	Fully Brand or osidised Generic Manufacturer
Vitamin C	φ	Fei	<ul> <li>Manufacturer</li> </ul>
ASCORBIC ACID a) No more than 100 mg per dose b) Only on a prescription * Tab 100 mg		500	✔ Apo-Ascorbic Acid
Vitamin D			·
ALFACALCIDOL Cap 0.25 µg Cap 1 µg Oral drops 2 µg per ml CALCITRIOL * Cap 0.25 µg * Cap 0.5 µg * Oral liq 1 µg per ml (Calcitriol-AFT Cap 0.25 µg to be delisted 1 May 2010) (Calcitriol-AFT Cap 0.5 µg to be delisted 1 May 2010)		100 100 20 ml OP 30 100 30 100 10 ml OP	<ul> <li>One-Alpha</li> <li>One-Alpha</li> <li>One-Alpha</li> <li>One-Alpha</li> <li>Airflow</li> <li>Calcitriol-AFT</li> <li>Airflow</li> <li>Calcitriol-AFT</li> <li>Rocaltrol solution</li> </ul>
CHOLECALCIFEROL * Tab 1.25 mg (50,000 iu) – Maximum of 12 tab per prescripti	on7.76	12	✓ Cal-d-Forte
Vitamin E			
ALPHA TOCOPHERYL ACETATE – Special Authority see SA09 Water solubilised soln 156 iu/ml, with calibrated dropper SA0915 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valic Either: 1 Cystic fibrosis patient; or 2 Both: 2.1 Infant or child with liver disease or short gut syndro 2.2 Requires vitamin supplementation. Renewal from any relevant practitioner. Approvals valid for 2 y benefiting from treatment.	I for 2 years for a for	50 ml OP	Micelle E eting the following criteria:
Multivitamin Preparations			
MULTIVITAMINS – Special Authority see SA0963 on the next pa Tab Powder Oral liq Kotavito Tab to be delicated 1 September 2010)		nacy 100 100 g OP 150 ml OP	<ul> <li>✓ Ketovite</li> <li>✓ Paediatric Seravit</li> <li>✓ Ketovite Liquid</li> </ul>

(Ketovite Tab to be delisted 1 September 2010)

(Ketovite Liquid Oral liq to be delisted 1 September 2010)

	Subsidy (Manufacturer's Pr \$	ice) Su Per	Fully bsidised	Brand or Generic Manufacturer
■SA0963 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals val the following criteria: Either:	lid without further r	enewal unles	ss notifie	d for applications meeting
1 The patient has inborn errors of metabolism; or				
2 For use as a supplement to a ketogenic diet in patients di Renewal from any relevant practitioner. Approvals valid without approval for multivitamins. Note: Use of Paediatric Seravit is not recommended as a supple	further renewal ur	less notified	where p	patient has had a previous
VITAMINS	-			
* Tab (BPC cap strength)		1,000		ealtheries Multi-vitamin tablets
* Cap (fat soluble vitamins A, D, E, K) – Special Authority se SA1002 below – Retail pharmacy		60	🖌 V	itabdeck
►SA1002 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals val the following criteria:	lid without further re	enewal unles	ss notifie	d for applications meeting
Either: 1 Patient has cystic fibrosis with pancreatic insufficiency; or 2 Patient is an infant or child with liver disease or short gut				
Minerals	,			
Calcium				
CALCIUM				
* Tab eff 1 g (elemental)	6.54	30	✓ <u>C</u>	alsource
CALCIUM CARBONATE * Tab 1.25 g	9.18	250	✓ C	alci-Tab 500
* Tab 1.5 g		250		alci-Tab 600
CALCIUM GLUCONATE	01.40	10	. <b>.</b>	
* Inj 10%, 10 ml Fluoride	21.40	10	✔ M	ayne
Fluoride				
SODIUM FLUORIDE Tab 1.1 mg	4.00	100	V P	SM
Iron				
FERROUS FUMARATE Tab 200 mg	4.35	100	🖌 Fe	erro-tab
FERROUS FUMARATE WITH FOLIC ACID Tab 310 mg with folic acid 350 µg		60	🖌 Fe	erro-F-Tabs
FERROUS GLUCONATE WITH ASCORBIC ACID				
Tab 170 mg with ascorbic acid 40 mg      (Healtheries Iron with Vitamin C Tab 170 mg with ascorbic acid 4		500		ealtheries Iron with Vitamin C

(Healtheries Iron with Vitamin C Tab 170 mg with ascorbic acid 40 mg to be delisted 1 August 2010)

# ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Pri \$	ce) Su Per	Fully Brand or bsidised Generic Manufacturer
FERROUS SULPHATE			
* Tab long-acting 325 mg		150	E
*‡ Oral lig 150 mg per 5 ml	(15.58) 10.30	500 ml	Ferro-Gradumet
FERROUS SULPHATE WITH FOLIC ACID			·
* Tab long-acting 325 mg with folic acid 350 μg	1.80 (3.73)	30	Ferrograd-Folic
IRON POLYMALTOSE Inj 50 mg per ml, 2 ml	20.95	5	✓ <u>Ferrum H</u>
Magnesium			
For magnesium hydroxide mixture refer, page 166 MAGNESIUM SULPHATE Inj 49.3%, 5 ml	26.60	10	🗸 Mayne
Zinc		10	• mayne
ZINC SULPHATE * Cap 220 mg	10.00	100	Zincaps
Agents Used in the Treatment of Poisonings		100	
CHARCOAL			
<ul> <li>* Tab 300 mg</li> <li>* Oral liq 50 g per 250 ml</li> <li>a) Up to 250 ml available on a PSO</li> <li>b) Only on a PSO</li> </ul>		100 250 ml OP	<ul> <li>✓ Red Seal</li> <li>✓ Carbosorb-X</li> </ul>
IPECACUANHA			
* Tincture	41.20 (43.40)	500 ml	PSM
SODIUM CALCIUM EDETATE			
* Inj 200 mg per ml, 5 ml	53.31 (156.71)	6	Calcium Disodium Versenate

	Subsidy (Manufacturer's Price \$	e) S Per	Fully Subsidised	Brand or Generic Manufacturer
Antianaemics	Ŷ		•	
Hypoplastic and Haemolytic				
<ul> <li>⇒SA0922 Special Authority for Subsidy         Initial application only from a relevant specialist. Approvals value         Both:         <ol> <li>1 Both:</li> <li>1.1 patient in chronic renal failure; and</li> <li>1.2 Haemoglobin ≤ 100g/L; and</li> </ol> </li> <li>2 Any of the following:         <ol> <li>2.1 Both:</li> <li>2.1.1 patient is not diabetic; and</li> <li>2.1.2 glomerular filtration rate ≤ 30ml/min; or</li> <li>2.2 Both:</li> <li>2.2.1 patient is diabetic; and</li> <li>2.2.2 glomerular filtration rate ≤ 45ml/min; or</li> <li>2.3 patient is on haemodialysis or peritoneal dialysis.</li> </ol> </li> <li>Renewal only from a relevant specialist. Approvals valid for 2 y benefiting from treatment.</li> <li>Notes: Erythropoietin beta is indicated in the treatment of anaem anaemia other than CRF is detected and there is adequate monit The Cockroft-Gault Formula may be used to estimate glomerular GFR (ml/min) (male) = (140 - age) × Ideal Body Weight (kg) / 81 GFR (ml/min) (female) = Estimated GFR (male) × 0.85</li> <li>ERYTHROPOIETIN ALPHA – Special Authority see SA0922 abc Inj human recombinant 1,000 iu prefilled syringe</li></ul>	ears where the treat ia associated with cl oring of iron stores a filtration rate (GFR) 4 × serum creatinir we – Hospital pharm 	tment rer nronic rer and iron r in persor in persor le (mmol	nains appr nal failure ( eplacemer is 18 years /I) 3]	ropriate and the patient is (CRF) where no cause fo nt therapy. s and over: prex prex prex prex prex
Inj human recombinant 5,000 iu, prefilled syringe Inj human recombinant 6,000 iu, prefilled syringe Inj human recombinant 10,000 iu, prefilled syringe	243.26 291.92	6 6 6	✓ Er ✓ Er ✓ Er	orex orex
ERYTHROPOIETIN BETA – Special Authority see SA0922 above Inj 2,000 iu, prefilled syringe Inj 3,000 iu, prefilled syringe Inj 4,000 iu, prefilled syringe Inj 5,000 iu, prefilled syringe Inj 6,000 iu, prefilled syringe Inj 10,000 iu, prefilled syringe	e – Hospital pharma 	cy [HP3] 6 6 6 6 6 6 6		eoRecormon eoRecormon eoRecormon eoRecormon eoRecormon eoRecormon
Megaloblastic				
FOLIC ACID * Tab 0.8 mg * Tab 5 mg Oral liq 50 μg per ml	10.21	1,000 500 5 ml OP	V A	po-Folic Acid po-Folic Acid omed

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Antifibrinolytics, Haemostatics and Local Sclerc	osants			
SODIUM TETRADECYL SULPHATE * Inj 0.5% 2 ml	23.20 (45.52)	5	F	- ibro-vein
* Inj 1% 2 ml		5		ibro-vein
* Inj 3% 2 ml		5	F	ibro-vein
TRANEXAMIC ACID Tab 500 mg		100	<b>~</b> (	Cyklokapron
Vitamin K				
PHYTOMENADIONE Inj 2 mg per 0.2 ml – Up to 5 inj available on a PSO May be administered orally.	8.00	5	•	Konakion MM
Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO May be administered orally.	9.21	5	<b>v</b> k	Konakion MM
Antithrombotic Agents				
Antiplatelet Agents				
ASPIRIN * Tab 100 mg CLOPIDOGREL – Special Authority see SA0867 below – Retail (		990	✓ <u>E</u>	Ethics Aspirin EC
Tab 75 mg	,	28		Apo-Clopidogrel Arrow-Clopidogrel
	(73.38)			Plavix

#### SA0867 Special Authority for Subsidy

**Initial application** — (aspirin allergic patients) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient is allergic to aspirin (see definition below); and
- 2 Any of the following:
  - The patient has:
  - 2.1 suffered from a stroke, or transient ischaemic attack; or
  - 2.2 experienced an acute myocardial infarction; or
  - 2.3 experienced an episode of pain at rest of greater than 20 minutes duration due to coronary disease that required admission to hospital for at least 24 hours; or
  - 2.4 had a troponin T or troponin I test result greater than the upper limit of the reference range; or
  - 2.5 had a revascularisation procedure; or
  - 2.6 experienced symptomatic peripheral vascular disease of a severity that has required specialist consultation.

Note: Aspirin allergy is defined as a history of anaphylaxis, urticaria or asthma within 4 hours of ingestion of aspirin, other salicylates or NSAIDs.

Initial application — (aspirin tolerant patients and aspirin naive patients) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Any of the following:

The patient has:

continued...

	Subsidy	Fully	Brand or
(N	lanufacturer's Price)	Subsidised	Generic
	\$	Per 🖌	Manufacturer

continued...

- 1 experienced an acute myocardial infarction; or
- 2 had an episode of pain at rest of greater than 20 minutes duration due to coronary disease that required admission to hospital for at least 24 hours; or
- 3 had a troponin T or troponin I test result greater than the upper limit of the reference range; or
- 4 had a revascularisation procedure.

Initial application — (patients awaiting revascularisation) from any relevant practitioner. Approvals valid for 6 months where the patient is on a waiting list or active review list for stenting, coronary artery bypass grafting, or percutaneous coronary angioplasty following acute coronary syndrome.

Initial application — (post stenting) from any relevant practitioner. Approvals valid for 6 months where the patient has had a stent inserted in the previous 4 weeks.

**Initial application** — (documented stent thrombosis) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has, while on treatment with aspirin or clopidogrel, experienced documented stent thrombosis.

Renewal — (aspirin tolerant patients) from any relevant practitioner. Approvals valid without further renewal unless notified where while on treatment with aspirin the patient has experienced an additional vascular event following the recent cessation of clopidogrel.

**Renewal** — (acute coronary syndrome - aspirin tolerant patients and aspirin naive patients) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Any of the following:

The patient has:

- 1 experienced an acute myocardial infarction; or
- 2 had an episode of pain at rest of greater than 20 minutes duration due to coronary disease that required admission to hospital for at least 24 hours; or
- 3 had a troponin T or troponin I test result greater than the upper limit of the reference range; or
- 4 had a revascularisation procedure.

Renewal — (patients awaiting revascularisation) from any relevant practitioner. Approvals valid for 6 months where the patient is on a waiting list or active review list for stenting, coronary artery bypass grafting or percutaneous coronary angioplasty following acute coronary syndrome.

Renewal — (post stenting) from any relevant practitioner. Approvals valid for 6 months where the patient has had a stent inserted in the previous 4 weeks.

Renewal — (documented stent thrombosis) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has, while on treatment with aspirin or clopidogrel, experienced documented stent thrombosis.

DIPYRIDAMOLE

*	Tab 25 mg	8.36	84	Persantin
*	Tab long-acting 150 mg	11.52	60	Pytazen SR

#### **Heparin and Antagonist Preparations**

ENOXAPARIN SODIUM - Special Authority see SA0975 on the next page - Retail pharmacy

Inj 20 mg	 10	Clexane
Inj 40 mg	 10	Clexane
Inj 60 mg	10	Clexane
Inj 80 mg	 10	Clexane
Inj 100 mg	 10	Clexane
Inj 120 mg	10	Clexane
Inj 150 mg	10	Clexane

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	ubsidised	Generic	
\$	Per	~	Manufacturer	

#### ➡SA0975 Special Authority for Subsidy

**Initial application** — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.
- Initial application (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic INR with oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing warfarin treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

#### HEPARIN SODIUM

Inj 1,000 iu per ml, 5 ml	11.44	10	Pfizer
	46.30	50	Pfizer
	66.80		Mayne
Inj 1,000 iu per ml, 35 ml	16.00	1	Mayne
Inj 5,000 iu per ml, 1 ml		5	Mayne
Inj 5,000 iu per ml, 5 ml		10	Multiparin
	118.50	50	✓ Pfizer
Inj 25,000 iu per ml, 0.2 ml	9.50	5	Mayne
HEPARINISED SALINE			
* Inj 10 iu per ml, 5 ml	32.50	50	✓ Pfizer
PROTAMINE SULPHATE			
* Inj 10 mg per ml, 5 ml	22.40	10	
· · · · · · · · · · · · · · · · · · ·	(86.54)		Artex

#### **Oral Anticoagulants**

WARFA	ARIN SODIUM			
	te: Marevan and Coumadin are not interchang	reable		
		·		
* Tab	o 1 mg	3.46	50	Coumadin
	-	5.69	100	Marevan
* Tab	o 2 mg	4.31	50	Coumadin
* Tab	o 3 mg	8.00	100	Marevan
	o 5 mg		50	Coumadin
	Ũ	9.64	100	Marevan

	Subsidy		Fully	Brand or
	(Manufacturer's Pric \$	e) Sul Per	osidised ✓	Generic Manufacturer
Fluids and Electrolytes				
Intravenous Administration				
DEXTROSE				
* Inj 50%, 10 ml – Up to 5 inj available on a PSO		5		iomed
* Inj 50%, 90 ml – Up to 5 inj available on a PSO	11.25	1	V B	iomed
POTASSIUM CHLORIDE * Inj 75 mg per ml, 10 ml	26.00	50		straZeneca
* Inj 150 mg per ml, 10 ml		50		straZeneca
(AstraZeneca Inj 150 mg per ml, 10 ml to be delisted 1 June 2010				
SODIUM BICARBONATE				
Inj 8.4%, 50ml	19.95	1	🖌 Bi	iomed
a) Up to 5 inj available on a PSO				
b) Not in combination Inj 8.4%, 100 ml	20.50	1	V B	iomed
a) Up to 5 inj available on a PSO	20.00	1	• •	lonica
b) Not in combination				
SODIUM CHLORIDE				
Inf 0.9% – Up to 2000 ml available on a PSO		500 ml	V Ba	
Only if proceering an a processistion for rand dislusion mat	4.06	1,000 ml	✓ Bi	
Only if prescribed on a prescription for renal dialysis, mat for emergency use. (500 ml and 1,000 ml packs)	ernity or post-natal	care in the	nome o	T the patient, or on a PSC
Inj 23.4%, 20 ml		5	🖌 Bi	iomed
Inj 0.9%, 5 ml – Up to 5 inj available on a PSO		50		straZeneca
Inj 0.9%, 10 ml – Up to 5 inj available on a PSO		50		straZeneca
Inj 0.9%, 20 ml		20 30		ultichem harmacia
		50	• FI	nannacia
TOTAL PARENTERAL NUTRITION (TPN) – Hospital pharmacy [ Infusion		1 OP	🗸 TI	PN
WATER	020		• •	
1) On a prescription or Practitioner's Supply Order only whe	n on the same forr	n as an inie	ection lis	ted in the Pharmaceutica
Schedule requiring a solvent or diluent; or				
2) On a bulk supply order; or				
<ol> <li>When used in the extemporaneous compounding of eye di Purified for inj, 5 ml – Up to 5 inj available on a PSO</li> </ol>		50	🗸 M	ultichem
	10.51	50		straZeneca
Purified for inj, 10 ml – Up to 5 inj available on a PSO	10.38	50	🖌 M	ultichem
	11.32			straZeneca
Purified for inj, 20 ml – Up to 5 inj available on a PSO	5.04	20	✔ M	ultichem
Oral Administration				
CALCIUM POLYSTYRENE SULPHONATE				
Powder		300 g OP	V C	alcium Resonium
COMPOUND ELECTROLYTES				
Powder for soln for oral use 5 g – Up to 10 sach available on		10		
a PSO	2.86	10	• <u>El</u>	nerlyte

	Subsidy	Drice) Cub	Fully Brand or
	(Manufacturer's \$	Price) Sub: Per	sidised Generic Manufacturer
DEXTROSE WITH ELECTROLYTES			
Soln with electrolytes	6.66	1,000 ml OP	<ul> <li>✓ <u>Pedialyte -</u> <u>Bubblegum</u></li> <li>✓ Pedialyte - Fruit</li> </ul>
	6.78		Pedialyte - Plain
POTASSIUM BICARBONATE			
Tab eff 315 mg with sodium acid phosphate 1.937 sodium bicarbonate 350 mg For phosphate supplementation	•	100	✓ Phosphate-Sandoz
POTASSIUM CHLORIDE			
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m e		60	
* Tab long-acting 600 mg SODIUM POLYSTYRENE SULPHONATE	(11.85) 7.00	200	Chlorvescent ✓ <u>Span-K</u>
Powder		450 g OP	Resonium-A
Lipid Modifying Agents			
Fibrates			
BEZAFIBRATE * Tab 200 mg * Tab long-acting 400 mg		90 30	<ul> <li>✓ <u>Fibalip</u></li> <li>✓ Bezalip Retard</li> </ul>
Other Lipid Modifying Agents			
ACIPIMOX			
* Cap 250 mg		30	<ul> <li>Olbetam</li> </ul>
	5.00	100	<b>/ .</b>
* Tab 50 mg * Tab 500 mg		100 100	<ul> <li>Apo-Nicotinic Acid</li> <li>Apo-Nicotinic Acid</li> </ul>
Resins			
CHOLESTYRAMINE WITH ASPARTAME			
Sachets 4 g with aspartame		50	Questran-Lite
COLESTIPOL HYDROCHLORIDE Sachets 5 g		30	✓ <u>Colestid</u>
HMG CoA Reductase Inhibitors (Statins)			
Prosprihing Guidelines			

#### **Prescribing Guidelines**

Treatment with HMG CoA Reductase Inhibitors (statins) is recommended for patients with dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater.

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🖌	Generic
ATORVASTATIN - Additional subsidy by Special Authority see S	A0788 below – Retail p	oharmacy	
See prescribing guideline on the preceding page			
* Tab 10 mg	4.03	30	
0	(18.32)	l	_ipitor
* Tab 20 mg		30	•
0	(26.70)	l	_ipitor
* Tab 40 mg		30	
	(37.02)	l	_ipitor
* Tab 80 mg	( )	30	
······································	(110.50)		_ipitor

#### SA0788 Special Authority for Manufacturers Price

**Initial application** only from a relevant specialist or general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Either:
  - 2.1 Patient has severe documented intolerance to simvastatin (blood tests are not required); or
  - 2.2 Both:
    - 2.2.1 Patient has been compliant with a dose of simvastatin of 80 mg per day for at least 2 months; and 2.2.2 Either:
      - 2.2.2.1 All of the following:
        - 2.2.2.1.1 Patient has venous CABG; and
        - 2.2.2.1.2 LDL cholesterol test 1  $\geq$  2.0 mmol/litre; and
        - 2.2.2.1.3 LDL cholesterol test  $2 \ge 2.0$  mmol/litre (at least 1 week after test 1); or
      - 2.2.2.2 All of the following:
        - 2.2.2.2.1 Patient does not have venous CABG; and
        - 2.2.2.2.2 LDL cholesterol test 1  $\geq$  2.5 mmol/litre; and
        - 2.2.2.2.3 LDL cholesterol test  $2 \ge 2.5$  mmol/litre (at least 1 week after test 1).

Notes: To confirm that cholesterol levels are not still improving, two lipid tests must be carried out during treatment with simvastatin 80 mg, and have results for LDL cholesterol that have reduced by <10% in the second test. The tests must be carried out while the patient is in a fasted state (with the exception of patients with IDDM).

The following indications of intolerance to simvastatin, are known as class effects for all statins, and hence are likely to mean that the patient may also be intolerant of atorvastatin:

- Constipation, flatulence (may occur in >1% of patients)
- Asthenia, abdominal pain, headache (may occur in >1% of patients)
- Myopathy, rhabdomyolysis (may occur in <3% of patients)
- Elevated serum transaminase levels (may occur in <1% of patients)

Statins have been shown to be generally well tolerated in clinical studies, with the rate of discontinuation due to adverse reactions being less than 5%, and similar to the discontinuation rate for patients taking a placebo.

PRAVASTATIN - Special Authority see SA0932 on the next page - Retail pharmacy

See prescribing guideline on the preceding page

Tab 10 mg27.46	30	Pravachol
Tab 20 mg42.58	30	Pravachol
Tab 40 mg	30	Pravachol

	Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
	(Manulacturer 31 1100) \$	Per		Manufacturer
➡SA0932 Special Authority for Subsidy				
<b>Initial application — (Confirmed HIV/AIDS)</b> from any relevant pr	actitioner Approvals	valid	without furth	ner renewal unless notified
for applications meeting the following criteria:	actitioner. Approvate	vanu	without furth	ici renewai unicos notineu
All of the following:				
1 Patient has dyslipidaemia and an absolute 5 year cardiovas	cular risk of 15% or	greate	er; and	
2 Confirmed HIV infection; and		0		
3 Patient is being treated with an HIV protease inhibitor.				
SIMVASTATIN – See prescribing guideline on page 45				
* Tab 10 mg	2.05	90	✓ <u>A</u>	rrow-Simva 10mg
* Tab 20 mg		90		rrow-Simva 20mg
* Tab 40 mg	5.35	90		rrow-Simva 40mg
* Tab 80 mg	11.65	90	✓ <u>A</u>	rrow-Simva 80mg
Selective Cholesterol Absorption Inhibitors				
EZETIMIBE - Special Authority see SA0796 below - Retail pharr	•		4-	
Tab 10 mg		30	V E	zetrol
SA0796 Special Authority for Subsidy				
Initial application only from a relevant specialist. Approvals valid	for 2 years for applic	ations	meeting the	e following criteria:
Both:				
1 Either:	tin: or			
<ol> <li>ezetimibe is to be used in combination with simvasta</li> <li>ezetimibe is to be used without a statin; and</li> </ol>				
2 Either:				
2.1 All of the following:				
2.1.1 Patient has a calculated absolute risk of cardi	ovascular disease >	20% o	ver 5 years:	and
2.1.2 Patient cannot tolerate statin therapy at a dos				
2.1.3 Either:				
2.1.3.1 All of the following:				
2.1.3.1.1 Patient has venous CABG; and				
2.1.3.1.2 LDL cholesterol $\geq$ 2.0 mmol/litr				ta)
2.1.3.1.3 LDL cholesterol $\geq$ 2.0 mmol/litre 2.1.3.2 All of the following:	e (at least 1 week an	ter tes	t I – see no	ite); or
2.1.3.2.1 Patient does not have venous C	ABC: and			
2.1.3.2.2 LDL cholesterol $\geq$ 2.5 mmol/litro				
2.1.3.2.3 LDL cholesterol $\geq$ 2.5 mmol/litro		ter tes	t 1 – see no	te); or
2.2 All of the following:	,			,.
2.2.1 Patient has homozygous familial hypercholes				
2.2.2 Patient has been compliant for at least two m		dose	statin thera	py; and
2.2.3 LDL cholesterol $\geq$ 5 mmol/litre (see note); an				
2.2.4 LDL cholesterol $\geq$ 5 mmol/litre (at least 1 week		,	ono wool: -	port and be serviced as the
Note: Two lipid tests are required to assess LDL cholesterol levels				
a fasted state (other than for patients with IDDM). The results for LI Renewal only from a relevant specialist. Approvals valid for 2 year				
Both:		Joung		y ontonu.
1 The treatment remains appropriate and the patient is benef	iting from treatment;	and		
<ol> <li>2 Either:</li> <li>2.1 ezetimibe is to be used in combination with simvasta</li> </ol>	itin: or			
2.1 ezetimibe is to be used in combination with sinvasta 2.2 ezetimibe is to be used without a statin.	um, 01			

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
EZETIMIBE WITH SIMVASTATIN – Special Authority see SA082	6 below – Retail pharr	nacy		
Tab 10 mg with simvastatin 10 mg		30	🖌 V	ytorin
Tab 10 mg with simvastatin 20 mg		30	🖌 V	ytorin
Tab 10 mg with simvastatin 40 mg		30	🖌 V	ytorin
Tab 10 mg with simvastatin 80 mg		30	🖌 V	ytorin

#### SA0826 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 All of the following:
  - 1.1 Patient has a calculated absolute risk of cardiovascular disease >20% over 5 years; and
  - 1.2 Patient cannot tolerate statin therapy at a dose of  $\geq$  40 mg per day; and
  - 1.3 Either:
    - 1.3.1 All of the following:
      - 1.3.1.1 Patient has venous CABG; and
      - 1.3.1.2 LDL cholesterol  $\geq$  2.0 mmol/litre (see note); and
      - 1.3.1.3 LDL cholesterol  $\geq$  2.0 mmol/litre (at least 1 week after test 1 see note); or
    - 1.3.2 All of the following:
      - 1.3.2.1 Patient does not have venous CABG; and
      - 1.3.2.2 LDL cholesterol  $\geq$  2.5 mmol/litre (see note); and
      - 1.3.2.3 LDL cholesterol  $\geq$  2.5 mmol/litre (at least 1 week after test 1 see note); or
- 2 All of the following:
  - 2.1 Patient has homozygous familial hypercholesterolemia, or heterozygous familial hypercholesterolemia; and
  - 2.2 Patient has been compliant for at least two months with maximum dose statin therapy; and
  - 2.3 LDL cholesterol  $\geq$  5 mmol/litre (see note); and
  - 2.4 LDL cholesterol  $\geq$  5 mmol/litre (at least 1 week after test 1 see note).

Note: Two lipid tests are required to assess LDL cholesterol levels, the tests must be at least one week apart, and be carried out in a fasted state (other than for patients with IDDM). The results for LDL cholesterol levels in both tests must be above those specified. **Renewal** only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

#### Iron Overload

DESFERRIOXAMINE MESYLATE – Hospital pharmacy [HP3]

00

10

Mayne

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
Alpha Adrenoceptor Blockers				
DOXAZOSIN MESYLATE				
* Tab 2 mg		500	V .	Apo-Doxazosin
* Tab 4 mg		500	V .	Apo-Doxazosin
PHENOXYBENZAMINE HYDROCHLORIDE				
* Cap 10 mg	7.82	30	~	Dibenyline S29
PHENTOLAMINE MESYLATE				
* Inj 10 mg per ml, 1 ml	17.97	5		
	(31.65)			Regitine
PRAZOSIN HYDROCHLORIDE				
* Tab 1 mg	5.53	100	V .	Apo-Prazo
* Tab 2 mg	7.00	100	V .	Apo-Prazo
* Tab 5 mg	11.70	100	V .	Apo-Prazo
TERAZOSIN HYDROCHLORIDE				
* Tab 1 mg	2.50	28	V .	Apo-Terazosin
* Tab 7 $\times$ 1 mg and 7 $\times$ 2 mg	0.74	14 OP	~	Hytrin Starter Pack
* Tab 2 mg		500	~	Apo-Terazosin
* Tab 5 mg	29.00	500	<ul> <li>✓</li> </ul>	Apo-Terazosin

#### Agents Affecting the Renin-Angiotensin System

Perindopril and trandolapril will be funded to the level of the ex-manufacturer price listed in the Schedule for patients who were taking these ACE inhibitors for the treatment of congestive heart failure prior to 1 June 1998. The prescription must be endorsed accordingly. We recommend that the words used to indicate eligibility are "certified condition" or an appropriate description of the patient such as "congestive heart failure", "CHF", "congestive cardiac failure" or "CCF". **Definition of Congestive Heart Failure** At the request of some prescribers the PTAC Cardiovascular subcommittee has provided a definition of congestive heart failure for the purposes of the funding of the manufacturer's surcharge: "Clinicians should use their clinical judgement. Existing patients would be eligible for the funding of the surcharge if the patient shows signs and symptoms of congestive heart failure, and requires or has in the past required concomitant treatment with a diuretic. The definition could also be considered to include patients post myocardial infarction with an ejection fraction of less than 40%."

#### **ACE Inhibitors**

CAPTOPRIL       10.40         * Tab 12.5 mg       10.40         * Tab 25 mg       13.40         * Tab 50 mg       19.00         *‡ Oral liq 5 mg per ml       51.04         Oral liquid restricted to children under 12 years of age.	500 500 500 95 ml OP	<ul> <li>✓ <u>Apo-Captopril</u></li> <li>✓ <u>Apo-Captopril</u></li> <li>✓ <u>Apo-Captopril</u></li> <li>✓ Capoten</li> </ul>
CILAZAPRIL		
* Tab 0.5 mg2.20	30	Inhibace
* Tab 2.5 mg4.10	28	Inhibace
* Tab 5 mg6.01	28	Inhibace
ENALAPRIL		
* Tab 5 mg2.19	90	🖌 m-Enalapril
* Tab 10 mg2.76	90	🖌 m-Enalapril
* Tab 20 mg	90	🖌 m-Enalapril

	Subsidy		Full	y Brand or
	(Manufacturer's Price) \$	Per	Subsidise	
	φ	rei		Manulaclurer
LISINOPRIL	0.00	~~		
* Tab 5 mg		30		Arrow-Lisinopril
* Tab 10 mg		30 30		<u>Arrow-Lisinopril</u> Arrow-Lisinopril
* Tab 20 mg	2.87	30	~	Arrow-Lisinoprii
PERINDOPRIL				
* Tab 2 mg - Higher subsidy of \$18.50 per 30 tab with En-		~~		
dorsement		30		Onumeral
No. Tak Anna I listan adaida ( 005.00 ang 00 ketaritt. Fr	(18.50)			Coversyl
* Tab 4 mg - Higher subsidy of \$25.00 per 30 tab with En-	4.05	20		
dorsement	(25.00)	30		Coversyl
	(20.00)			Coversyl
QUINAPRIL	4.00	00		A
* Tab 5 mg		30		<u>Accupril</u> Accupril
* Tab 10 mg * Tab 20 mg		30 30		Accupril
0	2.00	50		Accupin
TRANDOLAPRIL				
* Cap 1 mg - Higher subsidy of \$18.67 per 28 cap with En-	0.00	00		
dorsement		28		Conton
W Car O man Ulinhan subside of \$07.00 man 00 can with En	(18.67)			Gopten
* Cap 2 mg – Higher subsidy of \$27.00 per 28 cap with En- dorsement.	1 12	28		
uorsement	(27.00)	20		Gopten
	(27.00)			dopton
ACE Inhibitors with Diuretics				
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 5 mg with hydrochlorothiazide 12.5 mg		28	~	Inhibace Plus
ENALAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 20 mg with hydrochlorothiazide 12.5 mg	3 32	30		
	(8.70)	00		Co-Renitec
QUINAPRIL WITH HYDROCHLOROTHIAZIDE	()			
* Tab 10 mg with hydrochlorothiazide 12.5 mg	3 37	30	~	Accuretic 10
* Tab 20 mg with hydrochlorothiazide 12.5 mg		30		Accuretic 20
			•	
Angiotension II Antagonists				
CANDESARTAN - Special Authority see SA0933 below - Retail	pharmacy			
* Tab 4 mg – No more than 1.5 tab per day		30	~	Atacand
* Tab 8 mg - No more than 1.5 tab per day		30	~	Atacand
* Tab 16 mg - No more than 1 tab per day	23.54	30	~	Atacand
* Tab 32 mg – No more than 1 tab per day		30	~	Atacand

#### SA0933 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

50

1 Both:

- 1.1 Patient with congestive heart failure; and
- 1.2 Either:

continued...

(N	Subsidy	Fully		Brand or
	/anufacturer's Price)	Subsidised		Generic
· · · · · · · · · · · · · · · · · · ·	\$	Per	V	Manufacturer

continued...

- 1.2.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
- 1.2.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years; or
- 2 All of the following:
  - 2.1 Patient with raised blood pressure; and
  - 2.2 Use of fully funded beta blockers or diuretics are contraindicated; or not well tolerated; or insufficient to control blood pressure adequately at appropriate doses; and
  - 2.3 Either:
    - 2.3.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
    - 2.3.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years.

LOSARTAN - Special Authority see SA0911 below - Retail pharmacy

*	Tab 12.5 mg	30	Cozaar
*	Tab 25 mg	30	Cozaar
*	Tab 50 mg23.10	30	Cozaar
	Tab 50 mg with hydrochlorothiazide 12.5 mg	30	🖌 Hyzaar
*	Tab 100 mg	30	Cozaar

#### ➡SA0911 Special Authority for Subsidy

**Initial application** — (ACE inhibitor intolerance) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has persistent ACE inhibitor induced cough that is not resolved by ACE inhibitor retrial (same or new ACE inhibitor); or
- 2 Patient has a history of angioedema.

Initial application — (Unsatisfactory response to ACE inhibitor) from any relevant practitioner. Approvals valid without further renewal unless notified where patient is not adequately controlled on maximum tolerated dose of an ACE inhibitor.

Initial application — (Patient had an approval for Losartan with hydrochlorothiazide prior to 1 May 2008) from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Antiarrhythmics

For lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaesthetics, Local, page 109

AMIODARONE HYDROCHLORIDE

▲ Tab 100 mg - Retail pharmacy-Specialist	30	<ul> <li>✓ Aratac</li> <li>✓ Cordarone-X</li> </ul>
▲ Tab 200 mg – Retail pharmacy-Specialist	30	✓ Aratac ✓ Cordarone-X
Inj 50 mg per ml, 3 ml – Up to 5 inj available on a PSO60.84	10	✓ Cordarone-X
DIGOXIN		
* Tab 62.5 μg – Up to 30 tab available on a PSO6.94	250	Lanoxin PG
* Tab 250 µg – Up to 30 tab available on a PSO	250	Lanoxin
*‡ Oral liq 50 µg per ml16.60	60 ml	Lanoxin
DISOPYRAMIDE PHOSPHATE		
▲ Cap 100 mg15.00	100	
(23.87)		Rythmodan
▲ Cap 150 mg26.21	100	<ul> <li>Rythmodan</li> </ul>

	Subsidy		Fully Brand or
	(Manufacturer's Price) \$	Per	Subsidised Generic Manufacturer
	Ť		
FLECAINIDE ACETATE – Retail pharmacy-Specialist	45.00	60	✓ Tambocor
▲ Tab 50 mg ▲ Tab 100 mg		60 60	✓ Tambocor ✓ Tambocor
▲ Cap long-acting 100 mg		30	✓ Tambocor CR
▲ Cap long-acting 200 mg		30	✓ Tambocor CR
Inj 10 mg per ml, 15 ml		5	✓ Tambocor
MEXILETINE HYDROCHLORIDE			
▲ Cap 50 mg		100	Mexitil
▲ Cap 200 mg		100	✓ Mexitil
PROPAFENONE HYDROCHLORIDE – Retail pharmacy-Speciali	et		
▲ Tab 150 mg		50	Rytmonorm
Antihypotensives			
MIDODRINE - Special Authority see SA0934 below - Hospital pl	narmacy [HP3]		
Tab 2.5 mg		100	<ul> <li>Gutron</li> </ul>
Tab 5 mg	79.00	100	<ul> <li>Gutron</li> </ul>
➡SA0934 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals valid	for 2 years for applic	ations	meeting the following criteria:
All of the following:	ion - youro ion applion		fice any the fellowing effected.
1 Disabling orthostatic hypotension not due to drugs; and			
2 Patient has tried fludrocortisone (unless contra-indicated)	,		
3 Patient has tried non pharmacological treatments such as	s support hose, incre	eased s	salt intake, exercise, and elevation of
head and trunk at night.	unwarda an nanana	<b>M</b> 7	
Notes: Treatment should be started with small doses and titrated Hypertension should be avoided, and the usual target is a standing			
<b>Renewal</b> from any relevant practitioner. Approvals valid for 2 ye			
benefiting from treatment.		nent re	inalits appropriate and the patient is
Beta Adrenoceptor Blockers			
ACEBUTOLOL			
* Cap 200 mg		100	V ACB
(ACB Cap 200 mg to be delisted 1 October 2010)			•
ATENOLOL			
* Tab 50 mg	0.30	30	Voten S29
* Tab 50 mg	6.18	500	✓ Pacific Atenolol
* Tab 100 mg		500	✓ Pacific Atenolol
(Noten s29 Tab 50 mg to be delisted 1 June 2010)		000	
CARVEDILOL	01.00	20	Dilatrand
Tab 6.25 mg		30	<ul> <li>Dilatrend</li> <li>Dilatrend</li> </ul>
Tab 12.5 mg		30 30	<ul> <li>Dilatrend</li> <li>Dilatrend</li> </ul>
Tab 25 mg		30	
CELIPROLOL	10.57		
* Tab 200 mg	19.00	180	Celol

		Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
		(Manulacturer 51 Hee) \$	Per	V Subsidised	Manufacturer
AB	ETALOL				
ŧ	Tab 50 mg	8.66	100	🖌 Н	ybloc
÷	Tab 100 mg		100	🖌 Н	ybloc
÷	Tab 200 mg		100	🖌 Н	ybloc
-	Tab 400 mg		100	🖌 Н	ybloc
	Inj 5 mg per ml, 20 ml		5		•
		(88.60)		Tr	andate
E٦	TOPROLOL SUCCINATE				
	Tab long-acting 23.75 mg	2.73	30	🖌 В	etaloc CR
				🖌 M	etoprolol - AFT CR
	Tab long-acting 47.5 mg		30	🖌 В	etaloc CR
				🖌 M	etoprolol - AFT CR
	Tab long-acting 95 mg		30	🖌 В	etaloc CR
	0 0 0			🖌 M	etoprolol - AFT CR
	Tab long-acting 190 mg		30	🖌 В	etaloc CR
					etoprolol - AFT CR
E٦	OPROLOL TARTRATE				
	Tab 50 mg		100	V L	opresor
	Tab 100 mg		60	🖌 Lo	opressor
	Tab long-acting 200 mg		28	🗸 S	low-Lopressor
	Inj 1 mg per ml 5 ml		5		•
	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	(34.00)		B	etaloc
٩C	OOLOL				
	Tab 40 mg		100	🗸 A	po-Nadolol
	Tab 80 mg		100	🗸 🗸	po-Nadolol
NI	DOLOL				
	Tab 5 mg	4 50	100	V P	indol
		5.40	100		po-Pindolol
	Tab 10 mg		100		indol
		9.19	100		po-Pindolol
	Tab 15 mg	••••	100		indol
		13.80	100		po-Pindolol
in	dol Tab 5 mg to be delisted 1 June 2010)	10.00		• •	
	dol Tab 10 mg to be delisted 1 June 2010)				
lin	dol Tab 15 mg to be delisted 1 June 2010)				
20	PRANOLOL				
	Tab 10 mg	3 55	100		ardinol
	Tab 40 mg		100		ardinol
	Cap long-acting 160 mg		100		ardinol LA
			100	÷ 0	
	ALOL	07.50			
	Tab 80 mg		500	✓ <u>M</u>	
	Tab 160 mg		100	<u> M</u>	
	Inj 10 mg per ml, 4 ml		5	V S	otacor
۸.	OLOL MALEATE				
VI					

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	9 Per	Subsidised	Generic Manufacturer
	÷		· ·	manalastarsi
Calcium Channel Blockers				
Dihydropyridine Calcium Channel Blockers (DF	IP CCBs)			
AMLODIPINE				
* Tab 5 mg		100		po-Amlodipine
k Tab 10 mg	11.79	100	✓ <u>A</u>	po-Amlodipine
ELODIPINE				
Tab long-acting 2.5 mg – No more than 1 tab per day		30		lendil ER
* Tab long-acting 5 mg		90		elo 5 ER
<ul> <li>Tab long-acting 10 mg</li> </ul>		90	<u>v</u> <u>F</u>	<u>elo 10 ER</u>
SRADIPINE	_			
Cap long-acting 2.5 mg		30		ynacirc-SRO
Cap long-acting 5 mg	7.85	30	VD	ynacirc-SRO
IIFEDIPINE				
* Tab long-acting 10 mg		60		dalat 10
K Tab long-acting 20 mg		100		yefax Retard
<ul> <li>Tab long-acting 30 mg</li> </ul>	10.70	30		defin XL
	5.50		V A	rrow-Nifedipine XR
	(19.90)		Δ	dalat Oros
← Tab long-acting 60 mg	· /	30		defin XL
				rrow-Nifedipine XR
	8.00			
	(29.50)		A	dalat Oros
Other Calcium Channel Blockers				
ILTIAZEM HYDROCHLORIDE				
⊱ Tab 30 mg		100	V <u>D</u>	ilzem
<ul> <li>Tab 60 mg</li> </ul>		100	✓ <u>□</u>	ilzem
<ul> <li>Cap long-acting 120 mg</li> </ul>		30	. –	ardizem CD
Cap long-acting 180 mg		30		ardizem CD
Cap long-acting 240 mg		30	<u>v</u> <u>c</u>	ardizem CD
ERHEXILINE MALEATE - Special Authority see SA0256 below				
Tab 100 mg	62.90	100	🗸 P	exsig
SA0256 Special Authority for Subsidy				
nitial application only from a cardiologist or general physician.	. Approvals valid for 2	years f	or applica	tions meeting the following
riteria:				
oth:				
1 Befractory angina: and				
<ol> <li>Refractory angina; and</li> <li>Patient is already on maximal anti-anginal therapy</li> </ol>				
<ol> <li>Patient is already on maximal anti-anginal therapy.</li> <li>Renewal only from a cardiologist or general physician. Approva</li> </ol>	als valid for 2 years wh	nere the	e treatmer	t remains appropriate a
2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approva- ne patient is benefiting from treatment.	als valid for 2 years wh	nere the	e treatmer	it remains appropriate a
2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approva ne patient is benefiting from treatment. /ERAPAMIL HYDROCHLORIDE		nere the		t remains appropriate a
2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approva- ne patient is benefiting from treatment. /ERAPAMIL HYDROCHLORIDE ★ Tab 40 mg	7.01		🖌 İs	
2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approva he patient is benefiting from treatment. /ERAPAMIL HYDROCHLORIDE k Tab 40 mg		100	<ul> <li>Is</li> <li>V</li> <li>V</li> </ul>	soptin soptin erpamil SR
2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Approva he patient is benefiting from treatment. /ERAPAMIL HYDROCHLORIDE		100 100	V Is V Is V V V V	soptin

	Subsidy (Manufacturer's P	riaa) Cub	Fully Brand or sidised Generic
	(Manulaciulei S F \$	Per	Manufacturer
Centrally Acting Agents			
CLONIDINE			
<ul> <li>TDDS 2.5 mg, 100 µg per day – Only on a prescription</li> <li>TDDS 5 mg, 200 µg per day – Only on a prescription</li> </ul>		4 4	✓ <u>Catapres-TTS-1</u> ✓ Catapres-TTS-2
<ul> <li>TDDS 7.5 mg, 300 µg per day – Only on a prescription</li> </ul>		4	✓ Catapres-TTS-3
CLONIDINE HYDROCHLORIDE * Tab 150 µg	22.00	100	✓ <u>Catapres</u>
* Inj 150 μg per ml, 1 ml		5	✓ <u>Catapres</u>
METHYLDOPA	10.00	100	
* Tab 125 mg * Tab 250 mg		100 100	<ul> <li>✓ <u>Prodopa</u></li> <li>✓ Prodopa</li> </ul>
* Tab 500 mg	20.85	100	✓ Prodopa
Diuretics			
Loop Diuretics			
BUMETANIDE	10.00	100	
<ul> <li>* Tab 1 mg</li> <li>* Inj 500 μg per ml, 4 ml</li> </ul>		100 5	<ul> <li>Burinex</li> <li>Burinex</li> </ul>
FUROSEMIDE			
<ul> <li>* Tab 40 mg - Up to 30 tab available on a PSO</li> <li>* Tab 500 mg</li> </ul>		1,000 100	✓ <u>Diurin 40</u> ✓ Diurin 500
-	50.00	50	✔ Urex Forte S29
*‡ Oral liq 10 mg per ml * Infusion 10 mg per ml, 25 ml		30 ml OP 5	<ul> <li>Lasix</li> <li>Lasix</li> </ul>
* Inj 10 mg per ml, 2 ml - Up to 5 inj available on a PSO		50	Mayne
Potassium Sparing Diuretics			
AMILORIDE ‡ Oral lig 1 mg per ml	26.20	25 ml OP	✓ Biomed
Toral liq 1 mg per ml     SPIRONOLACTONE	20.20	23 III OF	✓ Biomed
* Tab 25 mg		100	✓ Spirotone
Tab 100 mg     Oral liq 5 mg per ml		100 25 ml OP	<ul> <li>Spirotone</li> <li>Biomed</li> </ul>
Potassium Sparing Combination Diuretics			
AMILORIDE WITH FRUSEMIDE			
* Tab 5 mg with frusemide 40 mg	4.67 (8.63)	28	Frumil
AMILORIDE WITH HYDROCHLOROTHIAZIDE	(0.00)		
* Tab 5 mg with hydrochlorothiazide 50 mg	13.00	500	Amizide
Thiazide and Related Diuretics			
BENDROFLUAZIDE * Tab 2.5 mg – Up to 150 tab available on a PSO	13 50	500	✓ Neo-Naclex
May be supplied on a PSO for reasons other than emerger		500	
* Tab 5 mg	21.50	500	✓ Neo-Naclex

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy	Drice) Cub	Fully Brand or
	(Manufacturer's \$	Per Sub	sidised Generic Manufacturer
CHLOROTHIAZIDE			
Cral liq 50 mg per ml	22.60	25 ml OP	Biomed
		20 111 01	• Diomed
	0.00	50	. / Illumentan
* Tab 25 mg	8.00	50	<ul> <li>Hygroton</li> </ul>
NDAPAMIDE	4.00	100	<b>A N N</b>
* Tab 2.5 mg	4.00	100	Napamide
Nitrates			
GLYCERYL TRINITRATE			
<ul> <li>Tab 600 μg – Up to 100 tab available on a PSO</li> </ul>	8 00	100 OP	Lycinate
<ul> <li>* Oral pump spray 400 μg per dose – Up to 250 dose available</li> </ul>		100 01	• <u>Lycinate</u>
on a PSO		250 dose OP	Nitrolingual
		200 0000 01	Pumpspray
* TDDS 5 mg		30	✓ Nitroderm TTS
* TDDS 10 mg		30	✓ Nitroderm TTS
SOSORBIDE MONONITRATE			
* Tab 20 mg	18.00	100	🖌 Ismo 20
* Tab long-acting 40 mg		30	Corangin
* Tab long-acting 60 mg		90	✓ Duride
Smelving Coccetion			
Smoking Cessation			
Nicotine Gum			
NICOTINE			
<ul> <li>a) Maximum of 768 piece per prescription</li> </ul>			
b) Maximum of 384 piece per dispensing			
c) For the avoidance of doubt Nicotine will not be funded Close			
d) The maximum of 384 piece per dispensing cannot be waiv		•	
Gum 2 mg (Fruit)	14.97 23.41	96 OP	✓ <u>Habitrol</u> ✓ Nicotinell
Gum 2 mg (Mint)		96 OP	<ul> <li>Micotineii</li> <li>Habitrol</li> </ul>
		30 OF	✓ <u>Habitroi</u> ✓ Nicotinell
Gum 4 mg (Fruit)		96 OP	✓ Habitrol
	23.41	00 01	✓ Nicotinell
Gum 4 mg (Mint)		96 OP	✓ Habitrol
	23.41		✓ Nicotinell
Niesting Language			
Nicotine Lozenge			
VICOTINE			
a) Maximum of 432 loz per prescription			
b) Maximum of 216 loz per dispensing			
c) For the avoidance of doubt Nicotine will not be funded Close	se Control in an	nounts less than	4 weeks.
d) The maximum of 216 loz per dispensing cannot be waived			
Lozenge 1 mg	11.08	36 OP	✓ <u>Habitrol</u>
Lozenge 2 mg	11.08	36 OP	✓ Habitrol

	0.1.11			
	Subsidy (Manufacturer's Price	) Subs	Fully	Brand or Generic
	\$	Per	~	Manufacturer
Nicotine Patch				
NICOTINE a) Maximum of 56 patch per prescription b) Maximum of 28 patch per dispensing c) For the avoidance of doubt Nicotine will not be funded Clos d) The maximum of 28 patch per dispensing cannot be waived Database	d via Access Exemp			
Patch 7 mg Patch 14 mg Patch 21 mg	11.63	7 OP 7 OP 7 OP	✓ <u>H</u>	labitrol labitrol labitrol
Other Agents				
BUPROPION HYDROCHLORIDE Tab modified-release 150 mg	65.00	30	✓ Z	yban
Sympathomimetics				
ADRENALINE Inj 1 in 1,000, 1 ml – Up to 5 inj available on a PSO		5		spen Adrenaline
Inj 1 in 10,000, 10 ml – Up to 5 inj available on a PSO	5.25 27.00	5		layne layne
ISOPRENALINE HYDROCHLORIDE * Inj 200 μg per ml, 1 ml		25	ls	suprel
Vasodilators				
AMYL NITRITE * Ampoule, 0.3 ml crushable	62.92 (73.40)	12	В	axter
HYDRALAZINE * Inj 20 mg per ml, 1 ml	25.90	5	🗸 A	presoline
OXYPENTIFYLLINE – Hospital pharmacy [HP3] Tab 400 mg		50	Т	rental 400
PAPAVERINE HYDROCHLORIDE * Inj 12 mg per ml, 10 ml	73.12	5	V N	layne
Endothelin Receptor Antagonists				
►SA0967 Special Authority for Subsidy Special Authority approved by the Pulmonary Arterial Hypertensio Notes: Application details may be obtained from PHARMAC's web The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 916 7512, Fax: (04) 974 4858, Email: <u>PAH@pharmac.gr</u>	osite <u>http://www.pha</u>	armac.govt.n	<u>z</u> or:	
AMBRISENTAN – Special Authority see SA0967 above – Hospita Tab 5 mg Tab 10 mg	4,585.00	30 30		olibris olibris

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully sidised	Brand or Generic Manufacturer
BOSENTAN – Special Authority see SA0967 on the preceding pa Tab 62.5 mg Tab 125 mg	4,585.00	acy [HP1] 60 60	•	racleer racleer
Phosphodiesterase Type 5 Inhibitors				
► SA0968 Special Authority for Subsidy Special Authority approved by the Pulmonary Arterial Hypertension Notes: Application details may be obtained from PHARMAC's we The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.g	bsite http://www.phar	rmac.govt.n	iz or:	
SILDENAFIL – Special Authority see SA0968 above – Hospital p Tab 25 mg Tab 50 mg Tab 100 mg		4 4 4	Vi Vi Vi	iagra
Prostacyclin Analogues				
► SA0969 Special Authority for Subsidy Special Authority approved by the Pulmonary Arterial Hypertension Notes: Application details may be obtained from PHARMAC's we The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.g	bsite http://www.phar	rmac.govt.n	iz or:	
ILOPROST – Special Authority see SA0969 above – Hospital ph Nebuliser soln 10 μg per ml, 2 ml		30	V Ve	entavis

Qui	osidy		Fully	Brand or
(Manufact	urer's Price)		idised	Generic
	\$	Per	~	Manufacturer
Antiacne Preparations				
For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 84				
ISOTRETINOIN - Special Authority see SA0955 below - Retail pharmacy				
Cap 10 mg		180	✓ <u>Or</u>	
Cap 20 mg69.7	/0	180	✓ <u>Ora</u>	atane
Initial application from any relevant practitioner. Approvals valid for 1 year	for applicati	ions meetir	na the fo	bllowing criteria:
All of the following:			.9	
1 Patient has had an adequate trial on other available treatments and ha	as failed the	ese treatme	ents or t	hese are contraindicated;
and 2 Applicant is a vocationally registered dermatologist, vocationally regis	tered aene	ral practitio	ner orr	urse practitioner working
in a relevant scope of practice; and	torou gono	rai praotito		laree practice in working
3 Applicant has an up to date knowledge of the treatment options for ac	ne and is a	ware of the	safety i	ssues around isotretinoin
and is competent to prescribe isotretinoin; and 4 Either:				
4.1 Patient is female and has been counselled and understands	the risk of	teratogeni	city if is	otretinoin is used during
pregnancy and the applicant has ensured that the possibility of				
ment of the treatment and that the patient is informed that she period of one month after the completion of the treatment; or	must not b	ecome pre	gnant d	luring treatment and for a
4.2 Patient is male.				
Note: Applicants are recommended to either have used or be familiar with u	sing a deci	sion suppo	rt tool a	ccredited by their profes-
sional body. Renewal from any relevant practitioner. Approvals valid for 1 year for applica	ations meet	ting the foll	owina c	riteria.
All of the following:			onnig o	
1 Patient has had an adequate trial on other available treatments and ha	as failed the	ese treatme	ents or t	hese are contraindicated;
and 2 Applicant is a vocationally registered dermatologist, vocationally regis	tered aene	ral practitio	ner orr	urse practitioner working
in a relevant scope of practice; and	torou gono	rai praotito		laroo pradaloridi Working
3 Applicant has an up to date knowledge of the treatment options for ac	ne and is a	ware of the	safety i	ssues around isotretinoin
and is competent to prescribe isotretinoin; and 4 Either:				
4.1 Patient is female and has been counselled and understands	the risk of	teratogeni	city if is	otretinoin is used during
pregnancy and the applicant has ensured that the possibility of				
ment of the treatment and that the patient is informed that she period of one month after the completion of the treatment; or	must not b	ecome pre	gnant o	luring treatment and for a
4.2 Patient is male.				
Note: Applicants are recommended to either have used or be familiar with u	sing a deci	sion suppo	rt tool a	ccredited by their profes-
sional body.				
Antibacterials Topical				
For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 84				
FUSIDIC ACID Crm 2%	)E 10	5 g OP	✓ Fo	han
a) Maximum of 15 g per prescription	30 IC	у UF	• <u>F0</u>	Dall
b) Only on a prescription				
c) Not in combination				han
Oint 2%	15 15	5 g OP	✓ Fo	<u>vali</u>
b) Only on a prescription				
c) Not in combination				

	Subsidy (Manufacturer's \$	Price) Sul Per	Fully Brand or bsidised Generic ✓ Manufacturer
HYDROGEN PEROXIDE			
* Crm 1%	8.56	10 g OP	Crystacide
MUPIROCIN			
Oint 2%	6.60	15 g OP	
	(9.26)		Bactroban
<ul><li>a) Only on a prescription</li><li>b) Not in combination</li></ul>			
SILVER SULPHADIAZINE			
Crm 1%	12.30	50 g OP	Flamazine
a) Up to 250 g available on a PSO			
b) Not in combination			1.00
Crm 1% with chlorhexidine digluconate 0.2%		100 g OP	Silvazine
a) Up to 500 g available on a PSO			
b) Not in combination (Silvazine Crm 1% with chlorhexidine digluconate 0.2% to l	be delisted 1 July 2010	))	
Antifungals Topical			
For systemic antifungals, refer to INFECTIONS, Antifungals	, page 88		
AMOROLFINE			
a) Only on a prescription			
b) Not in combination			
Nail soln 5%		5 ml OP	
	(61.87)		Loceryl
CICLOPIROXOLAMINE			
a) Only on a prescription			
b) Not in combination			
Órm 1%	1.00	20 g OP	
	(12.82)	Ū	Batrafen
Nail soln 8%		3.5 ml OP	Batrafen
Soln 1%	4.36	20 ml OP	
	(11.54)		Batrafen
CLOTRIMAZOLE			
* Crm 1%	0.50	20 g OP	✓ Clomazol
a) Only on a prescription		-	
b) Not in combination			
* Soln 1%	4.36	20 ml OP	
	(7.55)		Canesten
<ul> <li>a) Only on a prescription</li> </ul>			
b) Not in combination			
ECONAZOLE NITRATE			
Crm 1%	1.00	20 g OP	
	(7.48)		Pevaryl
a) Only on a prescription			
b) Not in combination			
Foaming soln 1%, 10 ml sachets		3	
	(17.23)		Pevaryl
a) Only on a prescription			
b) Not in combination			

	Subsidy (Manufacturer's		Fully Brand or bsidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
KETOCONAZOLE			
Crm 2%	1.00	15 g OP	
	(9.50)		Nizoral
<ul> <li>a) Only on a prescription</li> </ul>			
b) Not in combination			
MICONAZOLE NITRATE			
* Crm 2%	0.42	15 g OP	Multichem
<ul> <li>a) Only on a prescription</li> </ul>			
b) Not in combination			
* Lotn 2%	4.36	30 ml OP	
	(10.03)		Daktarin
a) Only on a prescription			
b) Not in combination			
* Tinct 2%		30 ml OP	
	(12.10)		Daktarin
a) Only on a prescription			
b) Not in combination			
NYSTATIN			
Crm 100,000 u per g		15 g OP	
	(5.10)		Mycostatin
a) Only on a prescription			
b) Not in combination			
Antipruritic Preparations			
CALAMINE			
a) Only on a prescription			
b) Not in combination			
Órm, aqueous, BP	2.78	100 g	✓ healthE
Lotn, BP		2,000 ml	
CROTAMITON			
a) Only on a prescription			
b) Not in combination			
Crm 10%		20 g OP	✓ Itch-Soothe
	4.26		
	(4.45)		Eurax
MENTHOL – Only in combination	. ,		
Only in combination with aqueous cream, 10% urea crear	n wool fat with mine	eral oil lotion 1	% hydrocortisone with wool fat an
mineral oil lotion, and glycerol, paraffin and cetyl alcohol			A hydrocordsone with woor lat an
Crystals		25 g	V PSM
	29.60	100 g	✔ MidWest

	Subsidy (Manufacturer's	Price) Out	Fully Brand or
	(Manufacturer's) \$	Price) Suc Per	osidised Generic Manufacturer
Corticosteroids Topical			
For systemic corticosteroids, refer to CORTICOSTEROIDS AND	RELATED AGEN	TS nage 76	
•		110, page 70	
Corticosteroids - Plain			
BETAMETHASONE DIPROPIONATE	0.07		
Crm 0.05%		50 g OP	Diprocono
Crm 0.05% in propylene glycol base	(18.36) 4.33	30 g OP	Diprosone
	(13.83)	00 g 01	Diprosone OV
Oint 0.05%		50 g OP	
	(17.11)	5 9 5	Diprosone
Oint 0.05% in propylene glycol base		30 g OP	·
	(13.83)	·	Diprosone OV
BETAMETHASONE VALERATE			
* Crm 0.1%		50 g OP	<ul> <li>Beta Cream</li> </ul>
₭ Oint 0.1%		50 g OP	<ul> <li>Beta Ointment</li> </ul>
₭ Lotn 0.1%		50 ml OP	Betnovate
CLOBETASOL PROPIONATE			
₭ Crm 0.05%		30 g OP	✓ <u>Dermol</u>
₭ Oint 0.05%	3.48	30 g OP	✓ <u>Dermol</u>
CLOBETASONE BUTYRATE			
Crm 0.05%	5.38	30 g OP	
	(7.09)		Eumovate
	16.13	100 g OP	
	(22.00)		Eumovate
DIFLUCORTOLONE VALERATE			
Crm 0.1%		50 g OP	
	(15.86)		Nerisone
Fatty oint 0.1%		50 g OP	
	(15.86)		Nerisone
HYDROCORTISONE			
Crm 1% – Only on a prescription	2.44	100 g	<ul> <li>Lemnis Fatty Cream HC</li> </ul>
	3.75		Pharmacy Health
	12.20	500 g	✓ <u>PSM</u>
Powder – Only in combination		25 g	✓ <u>ABM</u>
Up to 5% in a dermatological base (not proprietary Topi galenicals. Refer, page 163	cal Corticosterio	od – Plain) wit	h or without other dermatologic
IYDROCORTISONE BUTYRATE			
Lipocream 0.1%		30 g OP	Locoid Lipocream
Oint 0.10/	6.85	100 g OP	Locoid Lipocream
Oint 0.1%		100 g OP 100 ml OP	<ul> <li>✓ Locoid</li> <li>✓ Locoid Crelo</li> </ul>
Milky emul 0.1%			
HYDROCORTISONE WITH WOOL FAT AND MINERAL OIL			
Lotn 1% with wool fat hydrous 3% and mineral oil – Only on			
a prescription	9.95	250 ml	✓ <u>DP Lotn HC</u>

	Subsidy	<b>.</b>	Fully	
	(Manufacturer's I \$	Price) Per	Subsidised	d Generic Manufacturer
METHYLPREDNISOLONE ACEPONATE				
Crm 0.1%	4 95	15 g OP	~	Advantan
Oint 0.1%		15 g OF		Advantan
MOMETASONE FUROATE		10 9 01	•	Advantan
Crm 0.1%	0.00	15 g OP		m-Mometasone
OIIII 0.170	4.55	45 g OP		m-Mometasone
Oint 0.1%		15 g OF		m-Mometasone
	4.55	45 g OP		m-Mometasone
Lotn 0.1%	4.80	30 ml OF		Elocon
TRIAMCINOLONE ACETONIDE				
Crm 0.02%	6.63	100 g Ol	· ·	Aristocort
Oint 0.02%		100 g OI		Aristocort
			•	<u></u>
Corticosteroids - Combination				
BETAMETHASONE VALERATE WITH CLIOQUINOL - Only on	a prescription			
Crm 0.1% with clioquinol 3%		15 g OP		
	(4.90)	- 0 -		Betnovate-C
Oint 0.1% with clioquinol 3%		15 g OP		
	(4.90)	•		Betnovate-C
BETAMETHASONE VALERATE WITH FUSIDIC ACID				
Crm 0.1% with fusidic acid 2%		15 g OP		
	(9.61)	0		Fucicort
a) Maximum of 15 g per prescription				
b) Only on a prescription				
HYDROCORTISONE BUTYRATE WITH CHLORQUINALDOL -	Only on a presci	ription		
Crm 0.1% with chlorquinaldol 3%		15 g OP	~	Locoid C
HYDROCORTISONE WITH MICONAZOLE - Only on a prescrip	otion			
* Crm 1% with miconazole nitrate 2%		15 g OP	~	Micreme H
HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - O	nly on a prescrin	0		
Crm 1% with natamycin 1% and neomycin sulphate 0.5%	, , ,	15 g OP	~	Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP		Pimafucort
		•	-	
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYC Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg		11 11		
and gramicidin 250 µg per g – Only on a prescription	0	15 g OP		
and granicidin 230 µg per g – Only on a prescription	(6.60)	15 9 01		Viaderm KC
	(0.00)			
Disinfecting and Cleansing Agents				
CHLORHEXIDINE GLUCONATE – Subsidy by endorsement				
a) No more than 500 ml per month				
b) Only if prescribed for a dialysis patient and the prescriptio	n is endorsed ac	cordingly.		
* Handrub 1% with ethanol 70%		500 ml	~	healthE
	5.40		~	Orion
* Soln 4%	7.20	500 ml	~	Orion
SODIUM HYPOCHLORITE – Subsidy by endorsement				
Only if prescribed for a dialysis patient and the prescription is	s endorsed accor	rdingly.		
* Soln		2,500 m	· ·	Janola

	Subsidy (Manufacturer's Pi \$	ice) S Per	Fully ubsidised	Brand or Generic Manufacturer
Dusting Powders				
DIPHEMANIL METHYLSULPHATE – Subsidy by endorsement Only if prescribed for an amputee with an artificial limb, or fo Powder 2%		ent and the 50 g OP	prescriptic	on endorsed accordingly.
	(13.54)	-	Pr	antal
Barrier Creams and Emollients				
Barrier Creams				
ZINC				
Crm BP	6.55 (12.00)	500 g	PS	GM
ZINC AND CASTOR OIL Oint BP	5.11	500 g	✓ <u>P</u> S	<u>SM</u>
Emollients				
AQUEOUS CREAM				
* Crm	2.28	500 g	✓ <u>AF</u>	<u>-T</u>
CETOMACROGOL * Crm BP		500 g	🗸 PS	SM
EMULSIFYING OINTMENT		0		
* Oint BP		500 g	✓ <u>AF</u>	<u>-T</u>
GLYCEROL WITH PARAFFIN AND CETYL ALCOHOL − Only o ★ Lotn 5% with paraffin liq 5% and cetyl alcohol 2%		250 ml	Q	V
DIL IN WATER EMULSION			4.	
* Crm	2.80	500 g	V he	ealthE Fatty Cream
DILY CREAM ⋇ Crm BP	2.80 (13.60) (15.40)	500 g		avid Craig SM
JREA ₩ Crm 10%	2.52 (3.07)	100 g OP	Nu	utraplus

	Subsidy		Fully Brand or
	(Manufacturer's \$	Price) Sub Per	sidised Generic Manufacturer
	Ŷ	1.01	
OOL FAT WITH MINERAL OIL – Only on a prescription		050 100	
Even hydrous 3% with mineral oil		250 ml OP	
	(3.50)		DP Lotion
	5.60	1,000 ml	DD Lation
	(10.90)	050	DP Lotion
	1.40	250 ml OP	Lively a dama Lation
	(3.50)	1 000 ml	Hydroderm Lotion
	5.60	1,000 ml	Lludrodorm Lation
	(9.54)		Hydroderm Lotion
	(20.53)		Alpha-Keri Lotion
	1.40	250 ml OP	BK Lotion
	(7.73)	1 000 ml	DR LUUUII
	5.60	1,000 ml	BK Lotion
	(23.91)		DK LOUON
Other Dermatological Bases			
ARAFFIN			
White soft – Only in combination		2,500 g	V IPW
	3.58	500 g	
<b>.</b>	(8.69)		PSM
Only in combination with a dermatological galenical or as	a diluent for a pr	oprietary Topica	al Corticosteroid – Plain.
Minor Skin Infections			
OVIDONE IODINE	0.00	05 × 00	
Oint 10%		25 g OP	Datada
	(3.27)		Betadine
a) Maximum of 100 g per prescription			
b) Only on a prescription	0.00	500 ml	A Datadina
Antiseptic soln 10%	6.20	500 ml	Betadine
Chin proparation polyidana indina 100/ with 200/ started	10.00	E00 ~	Riodine
Skin preparation, povidone iodine 10% with 30% alcohol Skin preparation, povidone iodine 10% with 70% alcohol		500 ml 500 ml	<ul> <li>Betadine Skin Prep</li> </ul>
Skin preparation, povidone todine 10% with 70% alconol		500 m	Orion
	(18.63)		
Parasiticidal Preparations			
AMMA BENZENE HEXACHLORIDE			
Crm 1%		50 g OP	Benhex
ALATHION		5	
IALATHION Liq 0.5%	4.00	200 ml	A Dorboo M
		200 mi 30 ml OP	✓ <u>Derbac-M</u>
Shampoo 1%	2.03	30 111 0P	✓ <u>A-Lices</u>
ERMETHRIN			
Crm 5%	3.65	30 g OP	
	(4.20)		Lyderm
Lotn 5%		30 ml OP	A-Scabies

	Subsidy (Manufacturer's	Price) Sut	Fully Brand or osidised Generic
	(Manalacturer 5 \$	Per	Manufacturer
Psoriasis and Eczema Preparations			
ACITRETIN – Special Authority see SA0954 below – Retail pha			
Cap 10 mg		100	<ul> <li>Neotigason</li> </ul>
Cap 25 mg	162.96	100	<ul> <li>Neotigason</li> </ul>
■SA0954 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals valid	d for 1 year for ap	plications meet	ing the following criteria:
All of the following:			
<ol> <li>Applicant is a vocationally registered dermatologist, vocat in a relevant scope of practice; and</li> </ol>	ionally registered	general practiti	oner, or nurse practitioner working
2 Applicant has an up to date knowledge of the treatment of of the safety issues around acitretin and is competent to			ders of keratinisation and is aware
3 Either:			
3.1 Patient is female and has been counselled and un			
nancy and the applicant has ensured that the poss of the treatment and that the patient is informed that			
of two years after the completion of the treatment;		econie pregnan	t during treatment and for a period
3.2 Patient is male.	01		
Renewal from any relevant practitioner. Approvals valid for 1 year	ar for applications	meeting the fo	llowing criteria:
All of the following:			
1 Applicant is a vocationally registered dermatologist, vocat	ionally registered	general practiti	oner, or nurse practitioner working
in a relevant scope of practice; and 2 Applicant has an up to date knowledge of the treatment of	ntiona for pooria	is and of disor	dara of karatinization and is awara
of the safety issues around acitretin and is competent to			
3 Either:		, and	
3.1 Patient is female and has been counselled and un	derstands the ris	k of teratogenic	city if acitretin is used during preg-
nancy and the applicant has ensured that the poss			
of the treatment and that the patient is informed that		ecome pregnan	t during treatment and for a period
of two years after the completion of the treatment; 3.2 Patient is male.	or		
CALCIPOTRIOL			
Crm 50 µg per g		30 g OP	✓ Daivonex
	56.32	100 g OP	✓ Daivonex
Oint 50 µg per g	20.20	30 g OP	Daivonex
	56.32	100 g OP	✓ Daivonex
Soln 50 µg per ml		30 ml OP	✓ Daivonex
	33.79	60 ml OP	<ul> <li>Daivonex</li> </ul>
COAL TAR	00.40	500 ml	
Soln BP – Only in combination		500 ml	✓ PSM
	12.98 (16.20)	200 ml	David Craig
Up to 10 % Only in combination with a dermatological b		v Topical Corti	
With or without other dermatological galenicals.	in the first of	,	
COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SUL	PHUR		
Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% an			
allantoin crm 2.5%		30 g OP	
	(4.35)		Egopsoryl TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR			
Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	Coco-Scalp

		Fully Brand or sidised Generic Manufacturer
φ	Fei	
	50 a OP	Micanol
	00 g 0.	
15.00 18.88	500 g 250 g	✔ ABM ✔ PSM
oprietary Topica	I Corticosteroio	d – Plain or collodion flexible, refer,
ribed with white	soft paraffin or	r collodion flexible.
6.50 (9.25)	100 g	✓ ABM PSM
oprietary Topica	al Corticosteroi	d – Plain, refer, page 163
9.70 (29.60)	350 ml	Polytar Emollient
RESCEIN - O	nly on a prescr	iption
	, ,	
2.90	500 ml	✓ Pinetarsol
7.22	100 ml OP	✓ Beta Scalp
6.36	30 ml OP	✓ <u>Dermol</u>
3.65	100 ml OP	✓ Locoid
3.48	100 ml OP	Sebizole
	(Manufacturer <sup>2</sup> s F \$	(Manufacturer's Price)         Sub           \$         Per

	Subsidy (Manufacturer's	Drico) Out	Fully Brand or sidised Generic
	(Manulacturers	Price) Suc Per	sidised Generic Manufacturer
inscreens			
NSCREENS, PROPRIETARY – Subsidy by endorsement			
Only if prescribed for a patient with severe photosensitiv	vity secondary to a	defined clinical	condition and the prescription
endorsed accordingly.	0.55	100 a OB	
Crm	(5.89)	100 g OP	Hamilton Sunscreen
	1.28	50 g OP	
	(5.50)		Aquasun Oil Free Faces SPF30+
Lotn	2.55	100 ml OP	✓ Marine Blue Lotion SPF 30+
	5.10	200 ml OP	✓ Marine Blue Lotion SPF 30+
	3.19	125 ml OP	
	(6.94)		Aquasun 30+
	(8.82)		Aquasun Sensitive SPF 30+
uasun Sensitive SPF 30+ Lotn to be delisted 1 May 2010)			
art Preparations			
salicylic acid preparations refer to PSORIASIS AND ECZE	EMA PREPARATIO	NS, page 66	
QUIMOD – Special Authority see SA0923 below – Retail p			
Crm 5%	110.40	12	Aldara
SA0923 Special Authority for Subsidy			
al application from any relevant practitioner. Approvals v		connligations m	
	alid for 4 months for	applications m	eeting the following criteria:
of the following:			0 0
1 The patient has external anogenital warts and podophy	llotoxin has been tr	ied and failed (	or is contraindicated); or
<ol> <li>The patient has external anogenital warts and podophy</li> <li>The patient has external anogenital warts and podophy</li> </ol>	/llotoxin has been tr /llotoxin is unable to	ried and failed ( be applied acc	or is contraindicated); or urately to the site; or
<ol> <li>The patient has external anogenital warts and podophy</li> <li>The patient has external anogenital warts and podophy</li> <li>The patient has confirmed superficial basal cell carcino</li> </ol>	/llotoxin has been tr /llotoxin is unable to	ried and failed ( be applied acc	or is contraindicated); or urately to the site; or
<ol> <li>The patient has external anogenital warts and podophy</li> <li>The patient has external anogenital warts and podophy</li> <li>The patient has confirmed superficial basal cell carcino contraindicated or inappropriate.</li> </ol>	/llotoxin has been tr /llotoxin is unable to	ried and failed ( be applied acc	or is contraindicated); or urately to the site; or
<ol> <li>The patient has external anogenital warts and podophy</li> <li>The patient has external anogenital warts and podophy</li> <li>The patient has confirmed superficial basal cell carcino contraindicated or inappropriate.</li> <li>Es: Superficial basal cell carcinoma</li> </ol>	rllotoxin has been tr rllotoxin is unable to ma where other sta	ried and failed ( be applied acc andard treatmen	or is contraindicated); or urately to the site; or ts, including surgical excision,
<ol> <li>The patient has external anogenital warts and podophy</li> <li>The patient has external anogenital warts and podophy</li> <li>The patient has confirmed superficial basal cell carcino contraindicated or inappropriate.</li> </ol>	rllotoxin has been tr rllotoxin is unable to ma where other sta icial basal cell carci	ried and failed ( be applied acc andard treatmen	or is contraindicated); or urately to the site; or ts, including surgical excision,
<ol> <li>The patient has external anogenital warts and podophy</li> <li>The patient has external anogenital warts and podophy</li> <li>The patient has confirmed superficial basal cell carcino contraindicated or inappropriate.</li> <li>Superficial basal cell carcinoma</li> <li>Surgical excision remains first-line treatment for superfi</li> </ol>	rllotoxin has been tr rllotoxin is unable to oma where other sta icial basal cell carci e.	ried and failed ( be applied acc andard treatmen noma as it has	or is contraindicated); or urately to the site; or ts, including surgical excision, a a higher cure rate than imiquir
<ol> <li>The patient has external anogenital warts and podophy</li> <li>The patient has external anogenital warts and podophy</li> <li>The patient has confirmed superficial basal cell carcino contraindicated or inappropriate.</li> <li>Superficial basal cell carcinoma</li> <li>Surgical excision remains first-line treatment for superf and allows histological assessment of tumour clearanc</li> <li>Imiquimod has not been evaluated for the treatment of nose, mouth or ears.</li> </ol>	rllotoxin has been tr rllotoxin is unable to oma where other sta icial basal cell carci e. of superficial basal	ried and failed ( be applied acc andard treatmen noma as it has cell carcinoma	or is contraindicated); or urately to the site; or ts, including surgical excision, a higher cure rate than imiquin within 1 cm of the hairline, ey
<ol> <li>The patient has external anogenital warts and podophy</li> <li>The patient has external anogenital warts and podophy</li> <li>The patient has confirmed superficial basal cell carcino contraindicated or inappropriate.</li> <li>Superficial basal cell carcinoma</li> <li>Surgical excision remains first-line treatment for superf and allows histological assessment of tumour clearanc</li> <li>Imiquimod has not been evaluated for the treatment of nose, mouth or ears.</li> <li>Imiquimod is not indicated for recurrent, invasive, infiltra</li> </ol>	rllotoxin has been tr rllotoxin is unable to oma where other sta icial basal cell carci e. of superficial basal	ried and failed ( be applied acc andard treatmen noma as it has cell carcinoma	or is contraindicated); or urately to the site; or ts, including surgical excision, a higher cure rate than imiquin within 1 cm of the hairline, ey
<ol> <li>The patient has external anogenital warts and podophy</li> <li>The patient has external anogenital warts and podophy</li> <li>The patient has confirmed superficial basal cell carcino contraindicated or inappropriate.</li> <li>Superficial basal cell carcinoma</li> <li>Surgical excision remains first-line treatment for superf and allows histological assessment of tumour clearanc</li> <li>Imiquimod has not been evaluated for the treatment of nose, mouth or ears.</li> <li>Imiquimod is not indicated for recurrent, invasive, infiltrer and anogenital warts</li> </ol>	rllotoxin has been tr rllotoxin is unable to ma where other sta icial basal cell carci e. of superficial basal ating, or nodular ba	ried and failed ( be applied acc andard treatmen noma as it has cell carcinoma sal cell carcinor	or is contraindicated); or urately to the site; or ts, including surgical excision, i a higher cure rate than imiquin within 1 cm of the hairline, ey na.
<ol> <li>The patient has external anogenital warts and podophy</li> <li>The patient has external anogenital warts and podophy</li> <li>The patient has confirmed superficial basal cell carcino contraindicated or inappropriate.</li> <li>Superficial basal cell carcinoma</li> <li>Surgical excision remains first-line treatment for superf and allows histological assessment of tumour clearanc</li> <li>Imiquimod has not been evaluated for the treatment or nose, mouth or ears.</li> <li>Imiquimod is not indicated for recurrent, invasive, infiltrernal anogenital warts</li> <li>Imiquimod is only indicated for external genital and per</li> </ol>	rllotoxin has been tr rllotoxin is unable to ma where other sta icial basal cell carci e. of superficial basal ating, or nodular ba ianal warts (condylo	ried and failed ( be applied acc andard treatmen noma as it has cell carcinoma sal cell carcinor oma acuminata)	or is contraindicated); or urately to the site; or ts, including surgical excision, a a higher cure rate than imiquim within 1 cm of the hairline, ey na.
<ol> <li>The patient has external anogenital warts and podophy</li> <li>The patient has external anogenital warts and podophy</li> <li>The patient has confirmed superficial basal cell carcino contraindicated or inappropriate.</li> <li>Superficial basal cell carcinoma</li> <li>Surgical excision remains first-line treatment for superf and allows histological assessment of tumour clearanc</li> <li>Imiquimod has not been evaluated for the treatment of nose, mouth or ears.</li> <li>Imiquimod is not indicated for recurrent, invasive, infiltrer and anogenital warts</li> <li>Imiquimod is only indicated for external genital and per newal from any relevant practitioner. Approvals valid for 4 for</li> </ol>	rllotoxin has been tr rllotoxin is unable to ma where other sta icial basal cell carci e. of superficial basal ating, or nodular ba ianal warts (condylo	ried and failed ( be applied acc andard treatmen noma as it has cell carcinoma sal cell carcinor oma acuminata)	or is contraindicated); or urately to the site; or ts, including surgical excision, i a higher cure rate than imiquin within 1 cm of the hairline, ey na.
<ol> <li>The patient has external anogenital warts and podophy</li> <li>The patient has external anogenital warts and podophy</li> <li>The patient has confirmed superficial basal cell carcino contraindicated or inappropriate.</li> <li>Superficial basal cell carcinoma</li> <li>Surgical excision remains first-line treatment for superf and allows histological assessment of tumour clearanc</li> <li>Imiquimod has not been evaluated for the treatment or nose, mouth or ears.</li> <li>Imiquimod is not indicated for recurrent, invasive, infiltra ernal anogenital warts</li> <li>Imiquimod is only indicated for external genital and per newal from any relevant practitioner. Approvals valid for 4 in of the following:</li> </ol>	rllotoxin has been tr rllotoxin is unable to ma where other sta icial basal cell carci e. of superficial basal ating, or nodular ba ianal warts (condylor months for applicati	ried and failed ( be applied acc andard treatmen noma as it has cell carcinoma sal cell carcinor oma acuminata)	or is contraindicated); or urately to the site; or ts, including surgical excision, a a higher cure rate than imiquim within 1 cm of the hairline, ey na.
<ol> <li>The patient has external anogenital warts and podophy</li> <li>The patient has external anogenital warts and podophy</li> <li>The patient has confirmed superficial basal cell carcino contraindicated or inappropriate.</li> <li>Superficial basal cell carcinoma</li> <li>Surgical excision remains first-line treatment for superf and allows histological assessment of tumour clearanc</li> <li>Imiquimod has not been evaluated for the treatment or nose, mouth or ears.</li> <li>Imiquimod is not indicated for recurrent, invasive, infiltrernal anogenital warts</li> <li>Imiquimod is only indicated for external genital and per newal from any relevant practitioner. Approvals valid for 4 if of the following:</li> <li>Inadequate response to initial treatment for anogenital</li> </ol>	rllotoxin has been tr rllotoxin is unable to ma where other sta icial basal cell carci e. of superficial basal ating, or nodular ba ianal warts (condylor months for applicati warts; or	ried and failed ( be applied acc andard treatment noma as it has cell carcinoma sal cell carcinor oma acuminata ons meeting the	or is contraindicated); or urately to the site; or ts, including surgical excision, a a higher cure rate than imiquin within 1 cm of the hairline, ey na.
<ol> <li>The patient has external anogenital warts and podophy</li> <li>The patient has external anogenital warts and podophy</li> <li>The patient has confirmed superficial basal cell carcino contraindicated or inappropriate.</li> <li>Superficial basal cell carcinoma</li> <li>Surgical excision remains first-line treatment for superf and allows histological assessment of tumour clearanc</li> <li>Imiquimod has not been evaluated for the treatment or nose, mouth or ears.</li> <li>Imiquimod is not indicated for recurrent, invasive, infiltrernal anogenital warts</li> <li>Imiquimod is only indicated for external genital and per tewal from any relevant practitioner. Approvals valid for 4 if of the following:</li> <li>Inadequate response to initial treatment for anogenital</li> <li>New confirmed superficial basal cell carcinoma where</li> </ol>	rllotoxin has been tr rllotoxin is unable to ma where other sta icial basal cell carci e. of superficial basal ating, or nodular ba ianal warts (condylor months for applicati warts; or	ried and failed ( be applied acc andard treatment noma as it has cell carcinoma sal cell carcinor oma acuminata ons meeting the	or is contraindicated); or urately to the site; or ts, including surgical excision, a a higher cure rate than imiquirr within 1 cm of the hairline, ey na.
<ol> <li>The patient has external anogenital warts and podophy</li> <li>The patient has external anogenital warts and podophy</li> <li>The patient has confirmed superficial basal cell carcino contraindicated or inappropriate.</li> <li>Superficial basal cell carcinoma</li> <li>Surgical excision remains first-line treatment for superf and allows histological assessment of tumour clearanc</li> <li>Imiquimod has not been evaluated for the treatment or nose, mouth or ears.</li> <li>Imiquimod is not indicated for recurrent, invasive, infiltrernal anogenital warts</li> <li>Imiquimod is only indicated for external genital and per newal from any relevant practitioner. Approvals valid for 4 to of the following:</li> <li>Inadequate response to initial treatment for anogenital</li> <li>New confirmed superficial basal cell carcinoma where cated or inappropriate; or</li> </ol>	rllotoxin has been tr rllotoxin is unable to ma where other sta icial basal cell carci e. of superficial basal ating, or nodular ba ianal warts (condylo months for applicati warts; or other standard treat	ried and failed ( be applied acc andard treatment noma as it has cell carcinoma sal cell carcinor oma acuminata) ons meeting the ments, including	or is contraindicated); or urately to the site; or ts, including surgical excision, a a higher cure rate than imiquirr within 1 cm of the hairline, ey na.
<ol> <li>The patient has external anogenital warts and podophy</li> <li>The patient has external anogenital warts and podophy</li> <li>The patient has confirmed superficial basal cell carcino contraindicated or inappropriate.</li> <li>Superficial basal cell carcinoma</li> <li>Surgical excision remains first-line treatment for superf and allows histological assessment of tumour clearance</li> <li>Imiquimod has not been evaluated for the treatment or nose, mouth or ears.</li> <li>Imiquimod is not indicated for recurrent, invasive, infiltreernal anogenital warts</li> <li>Imiquimod is only indicated for external genital and per tewal from any relevant practitioner. Approvals valid for 4 to of the following:</li> <li>Inadequate response to initial treatment for anogenital</li> <li>New confirmed superficial basal cell carcinoma where cated or inappropriate; or</li> <li>Inadequate response to initial treatment for superficial</li> </ol>	rllotoxin has been tr rllotoxin is unable to ma where other sta icial basal cell carci e. of superficial basal ating, or nodular ba ianal warts (condylo months for applicati warts; or other standard treat basal cell carcinoma	ried and failed ( be applied acc andard treatment noma as it has cell carcinoma sal cell carcinor oma acuminata) ons meeting the ments, including a.	or is contraindicated); or urately to the site; or ts, including surgical excision, a a higher cure rate than imiquirr within 1 cm of the hairline, ey na. b following criteria: g surgical excision, are contrair
<ol> <li>The patient has external anogenital warts and podophy</li> <li>The patient has external anogenital warts and podophy</li> <li>The patient has confirmed superficial basal cell carcino contraindicated or inappropriate.</li> <li>Superficial basal cell carcinoma</li> <li>Surgical excision remains first-line treatment for superf and allows histological assessment of tumour clearance</li> <li>Imiquimod has not been evaluated for the treatment or nose, mouth or ears.</li> <li>Imiquimod is not indicated for recurrent, invasive, infiltrernal anogenital warts</li> <li>Imiquimod is only indicated for external genital and per tewal from any relevant practitioner. Approvals valid for 4 if of the following:</li> <li>Inadequate response to initial treatment for anogenital</li> <li>New confirmed superficial basal cell carcinoma where cated or inappropriate; or</li> <li>Inadequate response to initial treatment for superficial e: Every effort should be made to biopsy the lesion to con</li> </ol>	rllotoxin has been tr rllotoxin is unable to ma where other sta icial basal cell carci e. of superficial basal ating, or nodular ba ianal warts (condylo months for applicati warts; or other standard treat basal cell carcinoma	ried and failed ( be applied acc andard treatment noma as it has cell carcinoma sal cell carcinor oma acuminata) ons meeting the ments, including a.	or is contraindicated); or urately to the site; or ts, including surgical excision, a a higher cure rate than imiquim within 1 cm of the hairline, ey na. b following criteria: g surgical excision, are contrain
<ol> <li>The patient has external anogenital warts and podophy</li> <li>The patient has external anogenital warts and podophy</li> <li>The patient has confirmed superficial basal cell carcino contraindicated or inappropriate.</li> <li>Superficial basal cell carcinoma</li> <li>Surgical excision remains first-line treatment for superf and allows histological assessment of tumour clearance</li> <li>Imiquimod has not been evaluated for the treatment or nose, mouth or ears.</li> <li>Imiquimod is not indicated for recurrent, invasive, infiltreernal anogenital warts</li> <li>Imiquimod is only indicated for external genital and per netwal from any relevant practitioner. Approvals valid for 4 to of the following:</li> <li>Inadequate response to initial treatment for anogenital</li> <li>New confirmed superficial basal cell carcinoma where cated or inappropriate; or</li> <li>Inadequate response to initial treatment for superficial the: Every effort should be made to biopsy the lesion to con DOPHYLLOTOXIN</li> </ol>	rilotoxin has been tr rilotoxin is unable to ma where other sta icial basal cell carci e. of superficial basal ating, or nodular ba ianal warts (condyle months for applicati warts; or other standard treat basal cell carcinoma firm that it is a supe	ried and failed ( be applied acc andard treatment noma as it has cell carcinoma sal cell carcinor oma acuminata) ons meeting the ments, including a.	or is contraindicated); or urately to the site; or ts, including surgical excision, a a higher cure rate than imiquim within 1 cm of the hairline, ey na. b following criteria: g surgical excision, are contrain carcinoma.
<ol> <li>The patient has external anogenital warts and podophy</li> <li>The patient has external anogenital warts and podophy</li> <li>The patient has confirmed superficial basal cell carcino contraindicated or inappropriate.</li> <li>Superficial basal cell carcinoma</li> <li>Surgical excision remains first-line treatment for superf and allows histological assessment of tumour clearance</li> <li>Imiquimod has not been evaluated for the treatment or nose, mouth or ears.</li> <li>Imiquimod is not indicated for recurrent, invasive, infiltrernal anogenital warts</li> <li>Imiquimod is only indicated for external genital and per tewal from any relevant practitioner. Approvals valid for 4 if of the following:</li> <li>Inadequate response to initial treatment for anogenital</li> <li>New confirmed superficial basal cell carcinoma where cated or inappropriate; or</li> <li>Inadequate response to initial treatment for superficial e: Every effort should be made to biopsy the lesion to con</li> </ol>	rilotoxin has been tr rilotoxin is unable to ma where other sta icial basal cell carci e. of superficial basal ating, or nodular ba ianal warts (condyle months for applicati warts; or other standard treat basal cell carcinoma firm that it is a supe	ried and failed ( be applied acc andard treatment noma as it has cell carcinoma sal cell carcinor oma acuminata) ons meeting the ments, including a.	or is contraindicated); or urately to the site; or ts, including surgical excision, a a higher cure rate than imiquim within 1 cm of the hairline, ey na. b following criteria: g surgical excision, are contrain

	Subsidy (Manufacturer's Prie \$	ce) Sub Per	Fully osidised	Brand or Generic Manufacturer
Other Skin Preparations				
Antineoplastics				
FLUOROURACIL SODIUM Crm 5%	26.49	20 g OP	🖌 Ef	udix
Topical Analgesia				
For aspirin & chloroform application refer, page 166 CAPSAICIN – Subsidy by endorsement Subsidised only if prescribed for post-herpetic neuralgia or or accordingly. Crm 0.075%		I neuropathy 45 g OP		prescription is endorsed
Wound Management Products		10 9 01		
HYDROGEN PEROXIDE * Soln 20 vol – Maximum of 500 ml per prescription	3.13 (7.00)	500 ml	PS	SM
MAGNESIUM SULPHATE Paste	2.98 (4.90)	80 g	PS	SM

#### **GENITO-URINARY SYSTEM**

	Subsidy (Manufacturer's Pric \$	ce) Su Per	ubsidised (	Brand or Generic Manufacturer
Contraceptives - Non-hormonal				
Condoms				
CONDOMS				
₭ 49 mm – Up to 144 dev available on a PSO	13.36	144		d Knight quisTantiliza eld 49
k 52 mm − Up to 144 dev available on a PSO	13.36	144	✓ Mar ✓ Mar	quis Selecta quis Sensolite quis Supalite
✤ 52 mm extra strength – Up to 144 dev available on a PSC	)13.36	144		quis Protecta
* 53 mm – Up to 144 dev available on a PSO	13.36	144	✔ Mar ✔ Mar	d Knight quis Black quis Titillata eld Blue
* 53 mm (chocolate) – Up to 144 dev available on a PSO	13.36	144	🖌 Gol	d Knight
# 53 mm (strawberry) – Up to 144 dev available on a PSO.		144		d Knight
<ul> <li>53 mm extra strength – Up to 144 dev available on a PSC</li> <li>54 mm, shaped – Up to 144 dev available on a PSO</li> </ul>		144 144		d Knight
* 55 mm – Up to 144 dev available on a PSO	(14.84) 13.36	144	🖌 Gol	styles Flared d Knight
✤ 56 mm - Up to 144 dev available on a PSO	13.36	144	🖌 Dur	quis Conforma ex Select avours
<ul> <li>56 mm extra strength – Up to 144 dev available on a PSC</li> <li>56 mm, shaped – Up to 144 dev available on a PSO</li> <li>60 mm – Up to 144 dev available on a PSO</li> </ul>	13.36	144 144 144	🖌 Dur	ex Extra Safe ex Confidence
Spermicidal Agents				
APPLICATOR When ordered with a spermicide.				
<ul> <li>Applicator – Up to 1 dev available on a PSO</li> <li>NONOXYNOL-9</li> </ul>		1	V Ortl	ho
Jelly 2% – Up to 108 g available on a PSO	10.95	108 g OP	🖌 Gyr	nol II
Contraceptive Devices				
DIAPHRAGM				
* Diaphragm – Up to 1 dev available on a PSO		1	<ul> <li>✓ Orti</li> <li>✓ Orti</li> </ul>	ho All-flex ho Coil
One of each size is permitted on a PSO.				
INTRA-UTERINE DEVICE – Only on a WSO * IUD		1	🖌 Mul	tiload Cu 375
Distributed by Pharmaco NZ Ltd, PO Box 4079, Aucklar				tiload Cu 375 SL

# **GENITO-URINARY SYSTEM**

Subsidy		Fully
(Manufacturer's Price)		Subsidised
¢ .	Por	1

Brand or Generic Manufacturer

#### **Contraceptives - Hormonal**

#### **Combined Oral Contraceptives**

#### SA0500 Special Authority for Alternate Subsidy

**Initial application** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Either:
  - 1.1 Patient is on a Social Welfare benefit; or
  - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

1 Patient is on a Social Welfare benefit; or

2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon, Marvelon, Minulet and Femodene.

The additional subsidy will fund Mercilon, Marvelon, Minulet and Femodene up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

#### ETHINYLOESTRADIOL WITH DESOGESTREL

*	Tab 20 µg with desogestrel 150 µg	6.62	63	
		(16.50)		Mercilon 21
	a) Higher subsidy of \$13.80 per 63 tab with Special	Authority see SA0500 ab	ove	
	b) Up to 63 tab available on a PSO	,		
*			84	
	···· -• F.3 ····· •••• 3·•··• •• F.3 ····• · ··· · ···	(16.50)		Mercilon 28
	a) Higher subsidy of \$13.80 per 84 tab with Special	( /	IOVE	
	b) Up to 84 tab available on a PSO			
*		6 62	63	
		(16.50)	00	Marvelon 21
	a) Higher subsidy of \$13.80 per 63 tab with Special	· · · /		Marvolon El
	b) Up to 63 tab available on a PSO	Autionty See OA0500 at	000	
*		6 62	84	
~	Tab bo µg with desogestich 150 µg and 7 ment tab	(16.50)	04	Marvelon 28
	a) Higher subsidy of \$12.90 per 94 tob with Special	( /		IVIAI VEIDIT 20
	a) Higher subsidy of \$13.80 per 84 tab with Special	Authomy see SA0500 at	love	
	b) Up to 84 tab available on a PSO			
E٦	THINYLOESTRADIOL WITH GESTODENE			
*	Tab 30 µg with gestodene 75 µg and 7 inert tab		84	
		(16.50)		Femodene 28
	a) Higher subsidy of \$14.49 per 84 tab with Special	Authority see SA0500 ab	ove	
	<ul> <li>b) Up to 84 tab available on a PSO</li> </ul>			
(F	emodene 28 Tab 30 $\mu g$ with gestodene 75 $\mu g$ and 7 inert	tab to be delisted 1 June	2010)	

#### **GENITO-URINARY SYSTEM**

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic ✔ Manufacturer
ETHINYLOESTRADIOL WITH LEVONORGESTREL			
Tab ethinyloestradiol 30 µg with levonorgestrel 50 µg (6) and tab ethinyloestradiol 40 µg with levonorgestrel 75 µg (5), and tab ethinyloestradiol 30 µg with levonorgestrel 125 µg (10) and 7 inert tab – Up to 84 tab available on a PSO	6.62	84	✔ Trifeme
<ul> <li>* Tab 50 μg with levonorgestrel 125 μg and 7 inert tab – Up to</li> </ul>		04	• meme
84 tab available on a PSO	9.45	84	Microgynon 50 ED
* Tab 30 µg with levonorgestrel 150 µg	6.62	63	
	(16.50)		Microgynon 30
a) Higher subsidy of \$15.00 per 63 tab with Special Author	ity see SA0500 on th	e prec	ceding page
b) Up to 63 tab available on a PSO	0.00	0.4	
* Tab 30 μg with levonorgestrel 150 μg and 7 inert tab		84	<ul> <li>Levlen ED</li> <li>Monofeme</li> </ul>
	(14.49)		Nordette 28
	(16.50)		Microgynon 30 ED
a) Higher subsidy of up to \$15.00 per 84 tab with Special A	· /	on th	
b) Up to 84 tab available on a PSO	,		
ETHINYLOESTRADIOL WITH NORETHISTERONE			
* Tab 35 μg with norethisterone 1 mg – Up to 63 tab available on a PSO	6.62	63	✓ Brevinor 1/21
* Tab 35 µg with norethisterone 1 mg and 7 inert tab – Up to 84 tab available on a PSO	6.62	84	✓ Brevinor 1/28
* Tab 35 μg with norethisterone 500 μg – Up to 63 tab available			
on a PSO	6.62	63	Brevinor 21
* Tab 35 μg with norethisterone 500 μg and 7 inert tab – Up to 84 tab available on a PSO	6.62	84	✓ Norimin
NORETHISTERONE WITH MESTRANOL			
* Tab 1 mg with mestranol 50 µg and 7 inert tab	6.62	84	
	(13.80)		Norinyl-1/28
<ul> <li>a) Higher subsidy of \$13.80 per 84 tab with Special Authori</li> <li>b) Up to 84 tab available on a PSO</li> </ul>	ity see SA0500 on th	e prec	ceding page
Combined Oral Contraceptives - Other			
ETHINYLOESTRADIOL WITH LEVONORGESTREL * Tab 20 µg with levonorgestrel 100 µg and 7 inert tab – Up to 84 tab available on a PSO		84	
	(16.50) (16.50)	5.	Loette Microgynon 20 ED
Progestogen-only Contraceptives			

#### ➡SA0500 Special Authority for Alternate Subsidy

**Initial application** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Either:

- 1.1 Patient is on a Social Welfare benefit; or
- 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

continued...

### **GENITO-URINARY SYSTEM**

Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic
\$	Per 🖌	Manufacturer

continued...

Either:

1 Patient is on a Social Welfare benefit; or

2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon, Marvelon, Minulet and Femodene.

The additional subsidy will fund Mercilon, Marvelon, Minulet and Femodene up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

• on a Social Welfare benefit; or

• have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

LEVONORGESTREL

* Tab 30 μg	6.62 (16.50)	84	Microlut
a) Higher subsidy of \$13.80 per 84 tab with Spe b) Up to 84 tab available on a PSO	ecial Authority see SA0500 on	the prece	ding page
MEDROXYPROGESTERONE ACETATE			
* Inj 150 mg per ml, 1 ml syringe – Up to 5 inj availa	ble on a PSO7.15	1	Depo-Provera
NORETHISTERONE * Tab 350 μg – Up to 84 tab available on a PSO	7.15	84	✓ <u>Noriday 28</u>
Emergency Contraceptives			
LEVONORGESTREL	10.50	4	A Dectiner 1
<ul> <li>* Tab 1.5 mga) Maximum of 2 tab per prescription</li> <li>b) Up to 5 tab available on a PSO</li> </ul>	12.50	1	<ul> <li>Postinor-1</li> </ul>

### **Antiandrogen Oral Contraceptives**

Prescribers may code prescriptions "contraceptive" (code "O") when used as indicated for contraception. The period of supply and prescription charge will be as per other contraceptives, as follows:

• \$3.00 prescription charge (patient co-payment) will apply.

• prescription may be written for up to six months supply.

Prescriptions coded in any other way are subject to the non contraceptive prescription charges, and the non-contraceptive period of supply. ie. Prescriptions may be written for up to three months supply.

CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL

✤ Tab 2 mg with ethinyloestradiol 35 µg and 7 inert tabs	4.91	84	Ginet 84	
Gynaecological Anti-infectives				
ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC ACIE	)			
Jelly with glacial acetic acid 0.94%, hydroxyquinoline sul-				
phate 0.025%, glycerol 5% and ricinoleic acid 0.75% with				
applicator		100 g OP		
	(24.00)		Aci-Jel	
CLOTRIMAZOLE				
* Vaginal crm 1% with applicator(s)	1.45	35 g OP	Clomazol	
* Vaginal crm 2% with applicators	2.75	20 g OP	Clomazol	

. . .

# **GENITO-URINARY SYSTEM**

	Subsidy		Fully Brand or
	(Manufacturer's \$	Price) Sub Per	sidised Generic Manufacturer
	φ	rei	
MICONAZOLE NITRATE * Vaginal crm 2% with applicator	0.75	40 g OP	
	(3.70)	40 Y OF	Micreme
NYSTATIN	(0.70)		
Vaginal crm 100,000 u per 5 g with applicator(s)	4.71	75 g OP	✓ Nilstat
Myometrial and Vaginal Hormone Preparation	15		
ERGOMETRINE MALEATE			
Inj 500 $\mu$ g per ml, 1 ml $-$ Up to 5 inj available on a PSO .	11.60	5	Mayne
METHYLERGOMETRINE			
Inj 200 $\mu$ g per ml, 1 ml $-$ Up to 10 inj available on a PSO	9.28	10	Hospira S29
OESTRIOL			
* Crm 1 mg per g with applicator		15 g OP	V Ovestin
* Pessaries 500 μg	7.25	15	<ul> <li>Ovestin</li> </ul>
OXYTOCIN – Up to 5 inj available on a PSO	/	_	
Inj 5 iu per ml, 1 ml Inj 10 iu per ml, 1 ml		5	Syntocinon
Inj 5 iu with ergometrine maleate 500 µg per ml, 1 ml		5 5	<ul> <li>✓ <u>Syntocinon</u></li> <li>✓ Syntometrine</li> </ul>
		5	• <u>Syntometrine</u>
Pregnancy Tests - hCG Urine			
PREGNANCY TESTS - HCG URINE			
a) Up to 200 test available on a PSO			
b) Only on a PSO			
Cassette		25 test OP	MDS Quick Card
	22.80	40 test OP	Innovacon hCG One Stop Brognopour
			Step Pregnancy Test
Ilduam. Augusta			1001
Urinary Agents			
For urinary tract Infections refer to INFECTIONS, Antibacteria	ls, page 96		
5-Alpha Poduotasa Inhihitara			
5-Alpha Reductase Inhibitors			
FINASTERIDE - Special Authority see SA0928 below - Reta	ail pharmacy		
Tab 5 mg	19.20	30	✓ <u>Fintral</u>
SA0928 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals	valid without further	r renewal unless	s notified for applications meeting
the following criteria: Both:			
<ol> <li>Patient has symptomatic benign prostatic hyperplasia;</li> </ol>	and		
2 Either:	and		
2.1 The patient is intolerant of non-selective alpha b	blockers or these are	e contraindicate	d; or
2.2 Symptoms are not adequately controlled with no			
Note: Patients with enlarged prostates are the appropriate ca	ndidates for therapy	with finasteride	).
Other Urinary Agents			
OXYBUTYNIN			
* Tab 5 mg		500	✓ Apo-Oxybutynin
* Oral liq 5 mg per 5 ml		473 ml OP	✓ Apo-Oxybutynin

 ✓ fully subsidised
 S29
 Unapproved medicine supplied under Section 29

 74
 [HP1], [HP3], [HP4] refer page 8
 Sole Subsidised Supply

# **GENITO-URINARY SYSTEM**

(	Subsidy Manufacturer's Price) \$	Per		Brand or Generic Manufacturer
SODIUM CITRO-TARTRATE # Grans eff 4 g sachets	2.75	28	✓ <u>U</u>	ral
SOLIFENACIN SUCCINATE - Special Authority see SA0998 below	/ – Retail pharmacy			
Tab 5 mg		30	🖌 Ve	esicare
Tab 10 mg	56.50	30	🖌 Ve	esicare
The CA COCO Creatian Authority for Cyclicity				

#### ➡SA0998 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has overactive bladder and a documented intolerance of oxybutynin.

### **Detection of Substances in Urine**

ORTHO-TOLIDINE  * Compound diagnostic sticks	7.50	50 test OP	
	(8.25)		Hemastix
TETRABROMOPHENOL			
* Blue diagnostic strips	7.02	100 test OP	
	(13.92)		Albustix

	0.1.11		
	Subsidy (Manufacturer's Pr	ice) Sub	Fully Brand or osidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
Anabolic Agents			
VANDROLONE DECANOATE – Retail pharmacy-Specialist Inj 50 mg per ml, 1 ml	01.15	1	V Deca-Durabolin
	21.10	I	Orgaject
Corticosteroids and Related Agents for System	ic Use		
ETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHA	SONE ACETATE		
k Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1ml	19.20	5	
	(33.60)		Celestone
			Chronodose
DEXAMETHASONE	10.00	100	
Tab 1 mg – Retail pharmacy-Specialist Up to 30 tab available on a PSO	16.08	100	Douglas
Tab 4 mg – Retail pharmacy-Specialist	61 89	100	✓ Douglas
Up to 30 tab available on a PSO		100	+ Bougius
Oral liq 1 mg per ml – Retail pharmacy-Specialist		25 ml OP	Biomed
Oral liq prescriptions:			
1) Must be written by a Paediatrician or Paediatric Ca	0		
<ol><li>On the recommendation of a Paediatrician or Paed</li></ol>	liatric Cardiologist.		
EXAMETHASONE SODIUM PHOSPHATE	04 50	_	<i>(</i> <b>1</b>
<ul> <li>Inj 4 mg per ml, 1 ml – Up to 5 inj available on a PSO</li> <li>Inj 4 mg per ml, 2 ml – Up to 5 inj available on a PSO</li> </ul>		5 5	<ul><li>✓ Mayne</li><li>✓ Mayne</li></ul>
		5	• Mayne
LUDROCORTISONE ACETATE ≰ Tab 100 μg	7.60	100	✓ Florinef
	1.02	100	FIOIIIIei
IYDROCORTISONE ₭ Tab 5 mg	0.05	100	✓ Douglas
k Tab 5 mg		100	✓ <u>Douglas</u> ✓ Douglas
<ul> <li>Init 50 mg per ml, 2 ml</li> </ul>		1	Solu-Cortef
a) Up to 5 inj available on a PSO			
b) Only on a PSO			
IETHYLPREDNISOLONE – Retail pharmacy-Specialist			
€ Tab 4 mg		100	Medrol
• Tab 100 mg	166.52	20	Medrol
IETHYLPREDNISOLONE ACETATE			
Inj 40 mg per ml, 1 ml	6.03	1	Depo-Medrol
IETHYLPREDNISOLONE ACETATE WITH LIGNOCAINE			
Inj 40 mg per ml with lignocaine 1 ml	6.03	1	Depo-Medrol with
	<b>a</b>		lidocaine
IETHYLPREDNISOLONE SODIUM SUCCINATE – Retail phar		05	Colu Moduel
Inj 40 mg per ml, 1 ml Inj 62.5 mg per ml, 2 ml		25 25	✓ <u>Solu-Medrol</u> ✓ Solu-Medrol
Inj 62.5 mg per mi, 2 mi		25	✓ <u>Solu-Medrol</u>
Inj 1 g		1	Solu-Medrol
PREDNISOLONE SODIUM PHOSPHATE			
In Contraction of the second of the seco	9.95	30 ml OP	Redipred
Restricted to children under 12 years of age.			

(	Subsidy Manufacturer's Price) \$	S Per	Fully ubsidised	Brand or Generic Manufacturer
PREDNISONE				
* Tab 1 mg	10.68	500	✓ <u>A</u>	po-Prednisone
* Tab 2.5 mg		500	✓ <u>A</u>	po-Prednisone
* Tab 5 mg – Up to 30 tab available on a PSO	11.09	500		po-Prednisone
* Tab 20 mg	29.03	500	✓ <u>A</u>	po-Prednisone
TETRACOSACTRIN				
* Inj 250 μg	177.18	10	✓ <u>S</u>	ynacthen
* Inj 1 mg per ml, 1 ml		1	🖌 <u>S</u>	ynacthen Depot
TRIAMCINOLONE ACETONIDE				
Inj 10 mg per ml, 1 ml		5	V K	enacort-A
Inj 40 mg per ml, 1 ml		5	K	enacort-A40
Androgen Agonists and Antagonists				
CYPROTERONE ACETATE – Hospital pharmacy [HP3]-Specialist	01.10	50		
Tab 50 mg		50		iterone
Tab 100 mg	41.50	50	V <u>5</u>	iterone_
ESTOSTERONE				
Transdermal patch, 2.5 mg per day	80.00	60	🗸 A	ndroderm
ESTOSTERONE CYPIONATE – Retail pharmacy-Specialist				
Inj long-acting 100 mg per ml, 10 ml	61.41	1	✓ <u>D</u>	epo-Testosterone
ESTOSTERONE ESTERS – Retail pharmacy-Specialist				
Inj 250 mg per ml, 1 ml	12.98	1	🗸 S	ustanon Ampoules
ESTOSTERONE UNDECANOATE – Retail pharmacy-Specialist				- p
Cap 40 mg	60.71	60	<b>~</b> A	ndriol Testocaps

## Hormone Replacement Therapy - Systemic

### SA0312 Special Authority for Alternate Subsidy

**Initial application** only from an obstetrician, gynaecologist, general practitioner or general physician. Approvals valid for 5 years for applications meeting the following criteria:

Any of the following:

- 1 acute or significant liver disease where oral oestrogens are contraindicated as determined by a gastroenterologist or general physician. The applicant must keep written confirmation from such a specialist with the patient's record; or
- 2 oestrogen induced hypertension requiring antihypertensive therapy documented evidence must be kept on file that raised blood pressure levels or inability to control blood pressure adequately occurred post oral oestrogens; or
- 3 hypertriglyceridaemia documented evidence must be kept on file that triglyceride levels increased to at least 2 × normal triglyceride levels post oral oestrogens.

Note: Prescriptions with a valid Special Authority (CHEM) number will be reimbursed at the level of the lowest priced TDDS product within the specified dose group.

Renewal only from an obstetrician, gynaecologist, general practitioner or general physician. Approvals valid for 5 years where the treatment remains appropriate and the patient is benefiting from treatment.

### Prescribing Guideline

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

	Subsidy (Manufacturer's Pr \$	rice) Su Per	Fully Brand or bsidised Generic Manufacturer
Oestrogens			
ESTRADIOL – See prescribing guideline on the preceding page	ge		
Tab 1 mg	4.12	28 OP	
	(10.55)		Estrofem
<ul> <li>Tab 2 mg</li> </ul>		28 OP	
	(10.55)		Estrofem
F TDDS 25 μg per day		8	E
	(10.86)		Estraderm TTS 25
<ul> <li>a) Higher subsidy of \$10.86 per 8 patch with Special Auth</li> <li>b) No more than 2 patch per week</li> </ul>	nority see SA0312	on the prece	ding page
c) Only on a prescription			
<ul> <li>TDDS 3.9 mg (releases 50 µg of oestradiol per day)</li> </ul>		4	
	(14.50)		Climara 50
	(32.50)		Femtran 50
<ul> <li>a) Higher subsidy of \$13.18 per 4 patch with Special Auth</li> <li>b) No more than 1 patch per week</li> <li>c) Only on a prescription</li> </ul>	nority see SA0312	on the prece	ding page
FDDS 50 μg per day	4.12	8	
	(13.18)		Estraderm TTS 50
<ul> <li>a) Higher subsidy of \$13.18 per 8 patch with Special Auth</li> <li>b) No more than 2 patch per week</li> <li>c) Only on a prescription</li> <li>€ TDDS 7.8 mg (releases 100 µg of oestradiol per day)</li> </ul>		4	Climara 100
a) History subsidy of \$10.14 year 4 yearsh with Openial Auth	(35.00)		Femtran 100
<ul> <li>a) Higher subsidy of \$16.14 per 4 patch with Special Auth</li> <li>b) No more than 1 patch per week</li> <li>c) Only on a prescription</li> </ul>		on the prece	ding page
← TDDS 100 µg per day	7.05	8	
	(16.14)		Estraderm TTS 100
<ul> <li>a) Higher subsidy of \$16.14 per 8 patch with Special Auth</li> <li>b) No more than 2 patch per week</li> <li>c) Only on a prescription</li> </ul>	nority see SA0312	on the prece	ding page
DESTRADIOL VALERATE – See prescribing guideline on the p	01 0		
Fab 1 mg		56	Progynova
← Tab 2 mg	8.24	56	Progynova
ESTROGENS - See prescribing guideline on the preceding particular	age		
← Conjugated, equine tab 300 µg	3.01	28	
	(11.48)		Premarin
<ul> <li>Conjugated, equine tab 625 μg</li> </ul>		28	
	(11.48)		Premarin
Progestogens			
EDROXYPROGESTERONE ACETATE – See prescribing guid	leline on the prece	ding page	
← Tab 2.5 mg		30	Provera
<ul> <li>← Tab 5 mg</li> </ul>		100	✓ Provera

78

	Subsidy (Manufacturer's Prio \$	ce) Sul Per	Fully Brand or osidised Generic ✔ Manufacturer
Progestogen and Oestrogen Combined Prepara	tions		
OESTRADIOL WITH NORETHISTERONE – See prescribing gui * Tab 1 mg with 0.5 mg norethisterone acetate	1 0	28 OP	Kliovance
* Tab 2 mg with 1 mg norethisterone acetate	5.40 (14.52)	28 OP	Kliogest
* Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg oestradiol tab (12) and 1 mg oestradiol tab (6)		28 OP	Trisequens
OESTROGENS WITH MEDROXYPROGESTERONE – See pres * Tab 625 μg conjugated equine with 2.5 mg medroxyproges- terone acetate tab (28)		n page 77 28 OP	Premia 2.5
* Tab 625 µg conjugated equine with 5 mg medroxyproges- terone acetate tab (28)		28 OP	Continuous Premia 5 Continuous
Other Oestrogen Preparations			
ETHINYLOESTRADIOL * Tab 10 μg	17.60	100	✓ <u>NZ Medical and</u> <u>Scientific</u>
OESTRIOL * Tab 2 mg	7.00	30	✓ Ovestin
Other Progestogen Preparations			
DYDROGESTERONE Tab 10 mg	27.50 (29.90)	50	Duphaston
LEVONORGESTREL * Levonorgestrel - releasing intrauterine system 20µg/24 hr – Special Authority see SA0782 below – Retail pharmacy		1	🗸 Mirena

### SA0782 Special Authority for Subsidy

**Initial application** — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- 3 Either:
  - 3.1 serum ferritin level < 16  $\mu g/l$  (within the last 12 months); or
  - 3.2 haemoglobin level < 120 g/l.
- Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Initial application — (Previous use before 1 October 2002) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

	Subsidy (Manufacturer's Price \$	e) Su Per	Fully ubsidised	Brand or Generic Manufacturer
continued				
1 The patient had a clinical diagnosis of heavy menstrua	l bleeding; and			
2 Patient demonstrated clinical improvement of heavy me	enstrual bleeding; and			
3 Applicant to state date of the previous insertion.	antropontion avaant wh	are they m	a at the a	hava aritaria
Note: Applications are not to be made for use in patients as c Renewal only from a relevant specialist or general practitione				
criteria:	1. Approvais valid ior o		i applicat	ions meeting the lollowing
Both:				
1 Either:				
1.1 Patient demonstrated clinical improvement of he				
1.2 Previous insertion was removed or expelled with	nin 3 months of insertion	n; and		
2 Applicant to state date of the previous insertion.				
	00 50	100		
<ul> <li>Tab 100 mg – Retail pharmacy-Specialist</li> <li>Tab 200 mg – Retail pharmacy-Specialist</li> </ul>		100 30		rovera rovera
0 1 7 1		30	• <u>F</u>	IOVEIA
NORETHISTERONE * Tab 5 mg – Up to 30 tab available on a PSO	25.00	100		rimolut N
5	23.00	100	<u> </u>	
Thyroid and Antithyroid Agents				
CARBIMAZOLE				
* Tab 5 mg		100	🖌 N	eo-Mercazole
LEVOTHYROXINE				
* Tab 50 μg	1.71	28	🖌 G	oldshield
	45.00	1,000		ynthroid
	64.28		🖌 E	ltroxin
‡ Safety cap for extemporaneously compounded oral I			4.0	
* Tab 100 μg	1.78 46.75	28		oldshield ynthroid
	46.75 66.78	1,000		Itroxin
\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	•••••		¥ L	
* Tab 25 μg		1,000	🖌 S	ynthroid
‡ Safety cap for extemporaneously compounded oral I	iquid preparations.			-

### **Trophic Hormones**

### **Growth Hormones**

#### ➡SA0755 Special Authority for Subsidy

Special Authority approved by the Growth Hormone Committee

Notes: Subject to budgetary cap. Applications will be considered and approved subject to funding availability. Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

NZGHC Coordinator

PHARMAC, PO Box 10-254, WELLINGTON

Tel: 0800 808 476, Fax: (09) 929 3221, Email: growthhormone@pharmac.govt.nz

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
SOMATROPIN - Special Authority see SA0755 on the preceding	g page			
* Inj 5 mg		1		orditropin SimpleXx 5mg
* Inj 10 mg	600.00	1		orditropin SimpleXx 10mg
* Inj 15 mg	900.00	1	🖌 No	orditropin SimpleXx 15mg
* Inj cartridge 16 iu (5.3 mg)		1	🖌 G	enotropin
Inj cartridge 36 iu (12 mg)	)	1	V G	enotropin
GnRH Analogues				
BUSERELIN ACETATE – Special Authority see SA0835 below – Inj 1 mg per ml, 5.5 ml		IP3] 2	Su	uprefact
SA0835 Special Authority for Subsidy Initial application — (Breast cancer) from any medical prac	stitioner. Approvals v	alid f	or 1 vear wh	here the patient is a pre-
menopausal woman with breast cancer.	PF		,	
Initial application — (Prostate cancer) only from an oncologist patient has advanced prostatic cancer.	, urologist or endocrine	ologis	st. Approvals	valid for 1 year where the
Note: Not to be prescribed with an anti-androgen except for a per intiated.	iod of three weeks, if r	neces	sary, when (	GnRH analogue therapy is
Initial application — (Endometriosis) only from a gynaecolo	ogist. Approvals valid	for 3	3 months for	applications meeting the

Initial application — (Endometriosis) only from a gynaecologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Endometriosis; and
- 2 Either:
  - 2.1 6 months treatment with medroxyprogesterone acetate, danazol or dimetriose has proven ineffective; or

2.2 The patient has failed to tolerate the treatment with medroxyprogesterone acetate, danazol or dimetriose for 6 months. Note: The maximum treatment period for a GnRH analogue is:

- 3 months to assess whether surgery is appropriate
- 3 months for infertile patients after surgery
- 6 months for patients with symptoms of endometriosis After the first 3 months patients should be assessed to determine whether there has been a satisfactory response to the first 3 months treatment.

**Initial application** — (**Precocious puberty**) only from a paediatrician or endocrinologist. Approvals valid for 1 year where the patient is affected by gonadotropin dependent precocious puberty.

Renewal — (Breast or prostate cancer) from any medical practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

Renewal — (Endometriosis) from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 There has been a satisfactory response to the first 3 months treatment; and
- 1.2 Surgery is inappropriate; or
- 2 The first three months of therapy did not follow surgery for infertility.

	Subsidy (Manufacturer's Price \$	) Sub: Per	Fully sidised	Brand or Generic Manufacturer
continued				
Note: If a patient had an approval for any GnRH analogue prior application, not a renewal application.	to 1 July 2006 the	applicant is	require	ed to submit a fresh initial
Renewal - (Precocious puberty) only from a paediatrician or	endocrinologist. Ap	provals val	id for 1	year where the treatment
remains appropriate and the patient is benefiting from treatment. Note: If a patient had an approval for any GnRH analogue prior	to 1 July 2006 the	annlicant is	require	ed to submit a fresh initial
application, not a renewal application.			require	
GOSERELIN ACETATE – Hospital pharmacy [HP3]				
Inj 3.6 mg		1		oladex oladex
Inj 10.8 mg		I	<b>v</b> 20	Jadex
LEUPRORELIN – Hospital pharmacy [HP3] Inj 3.75 mg	221.60	1	🖌 Li	ucrin Depot
Inj 3.75 mg prefilled syringe		1		crin Depot PDS
lnj 7.5 mg		1	🖌 El	
Inj 11.25 mg	591.68	1	🖌 Lu	ucrin Depot
Inj 11.25 mg prefilled syringe		1		crin Depot PDS
Inj 22.5 mg		1	🖌 El	•
Inj 30 mg		1	V El	
Inj 30 mg prefilled syringe		1		ucrin Depot PDS
Inj 45 mg		1	🖌 El	igard
Vasopressin Agonists				
DESMOPRESSIN				
▲ Nasal drops 100 µg per ml – Retail pharmacy-Specialist		.5 ml OP	🖌 M	inirin
▲ Nasal spray 10 µg per dose – Retail pharmacy-Specialist		6 ml OP		<u>esmopressin-</u> PH&T
Inj 4 μg per ml, 1 ml – Special Authority see SA0090 below – Hospital pharmacy [HP3]	67.18	10	✔ M	inirin
SA0090 Special Authority for Subsidy				
Initial application only from a relevant specialist. Approvals vali	d for 2 years where	the patient	canno	t use desmopressin nasal
spray or nasal drops.				enviete and the neticet is
Renewal only from a relevant specialist. Approvals valid for 2 ye benefiting from treatment.	ars where the treat	ment remai	ns appi	ropriate and the patient is
Other Endocrine Agents				
CABERGOLINE				
Tab 0.5 mg – Maximum of 2 tab per prescription; can be waived by Special Authority see SA0175 below	66.00	8		ostinex
waived by Special Authonity see SA0175 below	26.26	2		rrow-Cabergoline
	105.03	8		rrow-Cabergoline
■SA0175 Special Authority for Waiver of Rule				J
Initial application only from an obstetrician, endocrinologist or g	ynaecologist. Appr	ovals valid f	ior 2 ye	ars where the patient has
pathological hyperprolactinemia.		lial face O cost		we then two stars and women's a
<b>Renewal</b> only from an obstetrician, endocrinologist or gynaecolo appropriate and the patient is benefiting from treatment.	ogist. Approvais va	lid for 2 yea	ars whe	ere the treatment remains
CLOMIPHENE CITRATE – Retail pharmacy-Specialist				
Only a prescription for a female patient.				
Tab 50 mg	2.50	5	🖌 Pi	nenate

	Subsidy (Manufacturer's Price) \$	) Per	Fully Subsidised	Brand or Generic Manufacturer
DANAZOL – Retail pharmacy-Specialist				
Cap 100 mg		100	🗸 A	zol
Cap 200 mg	29.35	30	V D	)-Zol
	97.83	100	🗸 🗸	zol
GESTRINONE – Retail pharmacy-Specialist				
Cap 2.5 mg	101.87	8 OP	V D	limetriose
METYRAPONE Cap 250 mg – Hospital pharmacy [HP3]-Specialist	238.00	50	🗸 N	letopirone

	-		
	Subsidy	a) 0.	Fully Brand or
	(Manufacturer's Pric \$	e) Su Per	ubsidised Generic Manufacturer
	Ŷ	1.01	
Anthelmintics			
MEBENDAZOLE – Only on a prescription			
Tab 100 mg		24	✓ <u>De-Worm</u>
Oral liq 100 mg per 5 ml		15 ml	
	(7.17)		Vermox
Antibacterials			
a) For topical antibacterials, refer to DERMATOLOGICALS, page 5	50		
b) For anti-infective eye preparations, refer to SENSORY ORGAN			
Cephalosporins and Cephamycins			
CEFACLOR MONOHYDRATE Cap 250 mg	28.00	100	Ranbaxy-Cefaclor
Grans for oral lig 125 mg per 5 ml		100 ml	✓ Ranbaxy-Cefaclor
		100 111	Thanbuxy bondolon
CEFAZOLIN SODIUM – Hospital pharmacy [HP3] – Subsidy by e Only if prescribed for dialysis or cystic fibrosis patient and the		lorsed acc	ordinaly
Inj 500 mg		5	V Hospira
Inj 1 g		5	✓ Hospira
CEFOXITIN SODIUM – Hospital pharmacy [HP3]-Specialist – Su		ent	
Only if prescribed for dialysis or cystic fibrosis patient and the	, ,		ordinaly.
lnj 1 g		5	Mayne
CEFTRIAXONE SODIUM - Hospital pharmacy [HP3] - Subsidy I	ov endorsement		
a) Up to 5 inj available on a PSO	-,		
b) Subsidised only if prescribed for a dialysis or cystic fibros	sis patient, or the	treatment	of confirmed ciprofloxacin-resistant
gonorrhoea, or the treatment of suspected meningitis in patier	nts who have a kno	wn allergy	to penicillin, and the prescription or
PSO is endorsed accordingly.	0.00		
Inj 500 mg		1 1	✓ AFT ✓ AFT
lnj 1 g	5.40	I	V AFI
CEFUROXIME AXETIL – Subsidy by endorsement	and all and a second second		-1 -
Only if prescribed for prophylaxis of endocarditis and the pres Tab 250 mg		d according 50	giy. V Zinnat
5	29.40	50	
CEFUROXIME SODIUM – Hospital pharmacy [HP3]			
Inj 250 mg – Maximum of 3 inj per prescription; can be waived		10	Mayna
by endorsement		10	Mayne
Inj 750 mg – Maximum of 1 inj per prescription; can be waived by endorsement		5	✓ Zinacef
Inj 1.5 g – Hospital pharmacy [HP3]-Specialist – Subsidy by		5	
endorsement	4.04	1	Zinacef
Only if prescribed for a dialysis or cystic fibrosis patient and		s endorsed	
CEPHALEXIN MONOHYDRATE – Hospital pharmacy [HP3]			
Grans for oral liq 125 mg per 5 ml		100 ml	Cefalexin Sandoz
Grans for oral liq 250 mg per 5 ml		100 ml	Cefalexin Sandoz

84

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully sidised	Brand or Generic Manufacturer
Macrolides				
AZITHROMYCIN – Subsidy by endorsement; can be waived by S a) Maximum of 2 tab per prescription; can be waived by Spec b) Up to 4 tab available on a PSO c) Subsidised only if prescribed for patients with uncomplicated trachomatis and their sexual contacts and prescription or PSO SA0964. Tab 500 mg	d urethritis or cervicitis o is endorsed accordir	964 belov s proven o	r presun pe waive	
►>SA0964 Special Authority for Waiver of Rule Initial application only from a respiratory specialist or paediatri applications meeting the following criteria: All of the following:	cian. Approvals valid	I without 1	further r	enewal unless notified for
<ol> <li>The applicant is part of multidisciplinary team experienced</li> <li>The patient has been definitively diagnosed with cystic fibr</li> <li>The patient has chronic infection with Pseudomonas aei defined by two positive respiratory tract cultures at least th</li> <li>The patient has negative cultures for non-tuberculous myc</li> </ol>	osis*; and ruginosa or Pseudom ree months apart*; an	ionas rela		
Notes: Caution is advised if using azithromycin as an antibiotic in Testing for non-tuberculosis mycobacteria should occur annually. Indications marked with * are Unapproved Indications (refer to Ser Part IV (Miscellaneous Provisions) rule 4.6).				
CLARITHROMYCIN – Maximum of 500 mg per prescription; can Tab 250 mg Grans for oral liq 125 mg per 5 ml		Authority 14 70 ml	✓ <u>K</u>	0988 below Iamycin Iacid
► SA0988 Special Authority for Waiver of Rule Initial application — (Mycobacterial infections) only from a re Approvals valid for 2 years for applications meeting the following of Any of the following:		nfectious o	lisease	specialist or paediatrician.
<ol> <li>Mycobacterium Avium Intracellulare Complex infections in</li> <li>Atypical and drug-resistant mycobacterial infection; or</li> <li>All of the following:</li> </ol>	patient with AIDS; or			
<ul> <li>3.1 Prophylaxis against disseminated Mycobacterium A</li> <li>3.2 HIV infection; and</li> <li>3.3 CD4 count &lt; 50 cells/mm<sup>3</sup>.</li> </ul>	vium Intracellulare Co	omplex inf	ection; a	and
Renewal — (Mycobacterial infections) only from a respiratory s valid for 2 years where the treatment remains appropriate and the ERYTHROMYCIN ETHYL SUCCINATE				or paediatrician. Approvals
Tab 400 mg – Up to 30 tab available on a PSO Grans for oral lig 200 mg per 5 ml – Up to 200 ml available		100	✓ <u>E</u>	-Mycin
on a PSO Grans for oral lig 400 mg per 5 ml – Up to 200 ml available		00 ml	✓ <u>E</u>	-Mycin
on a PSO		00 ml	✓ <u>E</u>	-Mycin
ERYTHROMYCIN LACTOBIONATE Inj 1 g		1	🖌 E	rythrocin IV

	Subsidy (Manufacturer's Pri	20) 6	Fully Brand or ubsidised Generic
	(Manulacturers Fri \$	Per	Manufacturer
RYTHROMYCIN STEARATE			
Tab 250 mg – Up to 30 tab available on a PSO		100	
	(22.29)		ERA
Tab 500 mg		100	
Ĵ	(44.58)		ERA
DXITHROMYCIN			
Tab 150 mg	8 98	50	✓ Arrow-
	0.30	50	Roxithromycin
Tab 300 mg	16.48	50	✓ Arrow-
		50	Roxithromycin
			noximioniyem
Penicillins			
MOXYCILLIN			
Cap 250 mg – Up to 30 cap available on a PSO		500	✓ Apo-Amoxi
Cap 500 mg		500	✓ Apo-Amoxi
Grans for oral lig 125 mg per 5 ml - Up to 200 ml available			
on a PSO		100 ml	Ranbaxy Amoxicillin
	1.55		Ospamox
Grans for oral lig 250 mg per 5 ml – Up to 200 ml available			·
on a PSO		100 ml	Ospamox
	1.27		✓ Ranbaxy Amoxicillin
Drops 125 mg per 1.25 ml		30 ml OP	✓ Ospamox Paediatric
			Drops
Inj 250 mg		10	V Ibiamox
Inj 500 mg		10	✓ Ibiamox
Inj 1 g – Up to 5 inj available on a PSO		10	V Ibiamox
Ranbaxy Amoxicillin Grans for oral liq 125 mg per 5 ml to be delis	sted 1 September	2010)	
Ranbaxy Amoxicillin Grans for oral liq 250 mg per 5 ml to be delis		,	
MOXYCILLIN CLAVULANATE			
Tab amoxycillin 500 mg with potassium clavulanate 125 mg			
- Up to 30 tab available on a PSO		100	Synermox
Grans for oral lig amoxycillin 125 mg with potassium clavu-		100	+ Oynomiox
lanate 31.25 mg per 5 ml – Up to 200 ml available on a			
PSO		100 ml	Curam
Grans for oral liq amoxycillin 250 mg with potassium clavu-			
lanate 62.5 mg per 5 ml – Up to 200 ml available on a			
PSO		100 ml	Curam
		100 111	
ENZATHINE BENZYLPENICILLIN			
Inj 1.2 mega u per 2.3 ml – Up to 5 inj available on a PSO		10	Bicillin LA
ENZYLPENICILLIN SODIUM (PENICILLIN G)			
			Sandoz

86

	Subsidy		Fully Brand or	
	(Manufacturer's P	rice) Si	ubsidised Generic	
	\$	Per	<ul> <li>Manufacturer</li> </ul>	
FLUCLOXACILLIN SODIUM				
Cap 250 mg – Up to 30 cap available on a PSO	18 50	250	Staphlex	
	32.00	200	✓ AFT	
Cap 500 mg		500	✓ Staphlex	
	110.00		✓ AFT	
Grans for oral liq 125 mg per 5 ml - Up to 200 ml available				
on a PSO	3.12	100 ml	✓ AFT	
Grans for oral liq 250 mg per 5 ml - Up to 200 ml available				
on a PSO		100 ml	✓ <u>AFT</u>	
Inj 250 mg		10	✓ Flucloxin	
Inj 500 mg		10	Flucloxin	
Inj 1 g – Up to 5 inj available on a PSO	14.00	10	Flucloxin	
(Staphlex Cap 250 mg to be delisted 1 June 2010)				
(Staphlex Cap 500 mg to be delisted 1 June 2010)				
PHENOXYMETHYLPENICILLIN (PENICILLIN V)				
Cap potassium salt 250 mg – Up to 30 cap available on a PS		50	Cilicaine VK	
Cap potassium salt 500 mg	8.15	50	Cilicaine VK	
Grans for oral liq 125 mg per 5 ml - Up to 200 ml available			4 · · · · ·	
on a PSO	1.68	100 ml	✓ <u>AFT</u>	
Grans for oral liq 250 mg per 5 ml – Up to 200 ml available			4 · · · ·	
on a PSO	1.82	100 ml	✓ <u>AFT</u>	
PROCAINE PENICILLIN				
Inj 1.5 mega u – Up to 5 inj available on a PSO	50.86	5	✓ <u>Cilicaine</u>	
Tetracyclines				
•				
DOXYCYCLINE HYDROCHLORIDE				
* Tab 50 mg – Up to 30 tab available on a PSO		30	_	
	(6.00)	050	Doxy-50	
* Tab 100 mg – Up to 30 tab available on a PSO	8.10	250	Doxine	
MINOCYCLINE HYDROCHLORIDE				
* Tab 50 mg	5.79	60		
	(12.05)		Mino-tabs	
* Cap 100 mg		100	Min constants	
	(52.04)		Minomycin	
Other Antibiotics				
For topical antibiotics, refer to DEPMATOLOGICALS, page 50				
For topical antibiotics, refer to DERMATOLOGICALS, page 59				
CIPROFLOXACIN	0.05	20	A Day Madiaal	
Tab 250 mg – Up to 5 tab available on a PSO Tab 500 mg – Up to 5 tab available on a PSO		30 30	<ul> <li>✓ <u>Rex Medical</u></li> <li>✓ Rex Medical</li> </ul>	
Tab 750 mg – Retail pharmacy-Specialist		30	✓ Rex Medical	
		00		
CLINDAMYCIN				
Cap hydrochloride 150 mg – Maximum of 4 cap per prescrip-				
tion; can be waived by endorsement - Retail pharmacy - Specialist	11 20	16	Dalacin C	
•	11.09	10		
Inj phosphate 150 mg per ml, 4 ml – Retail pharmacy- Specialist	16.00	1	Dalacin C	
opecialist		I		

	Subsidy (Manufacturer's Price	a) (	Fully Subsidised	Brand or Generic
	\$	Per	<pre>v</pre>	Manufacturer
CO-TRIMOXAZOLE				
* Tab trimethoprim 80 mg and sulphamethoxazole 400 mg -				
Up to 30 tab available on a PSO		500	🖌 Т	risul
<ul> <li>Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg per 5 ml – Up to 200 ml available on a PSO</li> </ul>		100 ml	<b>~</b> D	eprim
COLISTIN SULPHOMETHATE – Hospital pharmacy [HP3]-Spec Only if prescribed for dialysis or cystic fibrosis patient and the	prescription is endo		cordingly.	
Inj 150 mg	65.00	1	✓ <u>c</u>	colistin-Link
FUSIDIC ACID				
Tab 250 mg – Hospital pharmacy [HP3]-Specialist		12	🗸 F	ucidin
Inj 500 mg sodium fusidate per 10 ml – Hospital pharmacy				
[HP3]-Specialist – Subsidy by endorsement		1	-	ucidin
Only if prescribed for a dialysis or cystic fibrosis patient an	(17.80) d the prescription is	andorse		
	a the prescription is	enuorse		igiy.
GENTAMICIN SULPHATE				
Inj 10 mg per ml, 1 ml – Hospital pharmacy [HP3] – Subsidy by endorsement		5		layne
Only if prescribed for a dialysis or cystic fibrosis patient o				
accordingly.		naooure		
Inj 40 mg per ml, 2 ml – Hospital pharmacy [HP3] – Subsidy				
by endorsement		10	✓ P	fizer
Only if prescribed for a dialysis or cystic fibrosis patient o accordingly.	r for prophylaxis of e	endocard	ditis and th	e prescription is endorsed
TOBRAMYCIN				
Inj 40 mg per ml, 2 ml – Hospital pharmacy [HP3] – Subsidy				
by endorsement		5		layne
Only if prescribed for dialysis or cystic fibrosis patient and	the prescription is e	ndorsed	according	ly.
TRIMETHOPRIM				
* Tab 300 mg – Up to 30 tab available on a PSO	8.69	50	✓ <u>⊺</u>	MP
VANCOMYCIN HYDROCHLORIDE – Hospital pharmacy [HP3] - Only if prescribed for a dialysis or cystic fibrosis patient or in endocarditis and the prescription is endorsed accordingly.			mbranous	colitis or for prophylaxis of
Inj 50 mg per ml, 10 ml	5.04	1	✓ P	acific
Antifungals				
a) For topical antifungals refer to DERMATOLOGICALS, page 60 b) For topical antifungals refer to GENITO URINARY, page 73				
FLUCONAZOLE – Hospital pharmacy [HP3]-Specialist				
Cap 50 mg	6.82	28	✓ P	acific
Cap 150 mg		1		acific
Cap 200 mg	19.05	28	✓ P	acific
ITRACONAZOLE – Hospital pharmacy [HP3]-Specialist				
Cap 100 mg	23.70	15	✓ <u>s</u>	poranox
KETOCONAZOLE				
Tab 200 mg - Retail pharmacy-Specialist		30	V N	lizoral
NYSTATIN				
Tab 500,000 u	9.60	50	V N	lilstat
Cap 500,000 u		50		lilstat

	Subsidy (Manufacturer's P	Price) Su	Fully Brand or Ibsidised Generic
	(Wandlacturers F	Per	Manufacturer
ERBINAFINE			
Tab 250 mg	25.50	100	✓ <u>Apo-Terbinafine</u>
Antimalarials			
/DROXYCHLOROQUINE SULPHATE			
Tab 200 mg	22.50	100	Plaquenil
Intitrichomonal Agents			
TRONIDAZOLE			
Tab 200 mg – Up to 30 tab available on a PSO		100	<ul> <li>Trichozole</li> </ul>
Tab 400 mg		100	<ul> <li>Trichozole</li> </ul>
Oral liq benzoate 200 mg per 5 ml		100 ml	FlagyI-S
Suppos 500 mg	24.48	10	Flagyl
RNIDAZOLE Tab 500 mg		10	Tiberal
Intituberculotics and Antileprotics			
te: There is no co-payment charge for all pharmaceutica	als listed in the Antitub	orculatics an	d Antileprotics aroup regardle
migration status.		erculotics an	u Antilepiolics group regardle
APSONE – No patient co-payment payable			
Tab 25 mg	95.00	100	Dapsone
Tab 100 mg		100	✓ Dapsone
<b>C</b>			
HAMBUTOL HYDROCHLORIDE – No patient co-payme	110.00 nt payable	100	✓ Dapsone
<b>U</b>	110.00 nt payable 57.81		
HAMBUTOL HYDROCHLORIDE – No patient co-payme Tab 100 mg Tab 400 mg	110.00 nt payable 57.81	100 56	<ul> <li>Dapsone</li> <li>Myambutol \$29</li> </ul>
HAMBUTOL HYDROCHLORIDE – No patient co-payme Tab 100 mg Tab 400 mg	110.00 nt payable 57.81	100 56	<ul> <li>Dapsone</li> <li>Myambutol \$29</li> </ul>
HAMBUTOL HYDROCHLORIDE – No patient co-payme Tab 100 mg Tab 400 mg DNIAZID – Retail pharmacy-Specialist No patient co-payment payable	110.00 nt payable 57.81 56.84	100 56	<ul> <li>Dapsone</li> <li>Myambutol \$29</li> <li>Myambutol \$29</li> <li>PSM</li> </ul>
HAMBUTOL HYDROCHLORIDE – No patient co-payme Tab 100 mg Tab 400 mg DNIAZID – Retail pharmacy-Specialist No patient co-payment payable Tab 100 mg	110.00 nt payable 57.81 56.84 20.00	100 56 56	<ul> <li>Dapsone</li> <li>Myambutol \$29</li> <li>Myambutol \$29</li> <li>PSM</li> <li>Rifinah</li> </ul>
HAMBUTOL HYDROCHLORIDE – No patient co-payme Tab 100 mg Tab 400 mg ONIAZID – Retail pharmacy-Specialist No patient co-payment payable Tab 100 mg Tab 100 mg with rifampicin 150 mg		100 56 56 100	<ul> <li>Dapsone</li> <li>Myambutol \$29</li> <li>Myambutol \$29</li> <li>PSM</li> </ul>
HAMBUTOL HYDROCHLORIDE – No patient co-payme Tab 100 mg Tab 400 mg ONIAZID – Retail pharmacy-Specialist No patient co-payment payable Tab 100 mg Tab 100 mg with rifampicin 150 mg Tab 150 mg with rifampicin 300 mg		100 56 56 100 100	<ul> <li>Dapsone</li> <li>Myambutol \$29</li> <li>Myambutol \$29</li> <li>PSM</li> <li>Rifinah</li> </ul>
HAMBUTOL HYDROCHLORIDE – No patient co-payme Tab 100 mg Tab 400 mg ONIAZID – Retail pharmacy-Specialist No patient co-payment payable Tab 100 mg Tab 100 mg with rifampicin 150 mg Tab 150 mg with rifampicin 300 mg Tab 150 mg with rifampicin 300 mg (RAZINAMIDE – Retail pharmacy-Specialist No patient co-payment payable		100 56 56 100 100 100	<ul> <li>Dapsone</li> <li>Myambutol \$29</li> <li>Myambutol \$29</li> <li>PSM</li> <li>Rifinah</li> <li>Rifinah</li> </ul>
HAMBUTOL HYDROCHLORIDE – No patient co-payme Tab 100 mg Tab 400 mg ONIAZID – Retail pharmacy-Specialist No patient co-payment payable Tab 100 mg Tab 100 mg with rifampicin 150 mg Tab 150 mg with rifampicin 300 mg (RAZINAMIDE – Retail pharmacy-Specialist No patient co-payment payable		100 56 56 100 100	<ul> <li>Dapsone</li> <li>Myambutol \$29</li> <li>Myambutol \$29</li> <li>PSM</li> <li>Rifinah</li> </ul>
HAMBUTOL HYDROCHLORIDE – No patient co-payme Tab 100 mg Tab 400 mg ONIAZID – Retail pharmacy-Specialist No patient co-payment payable Tab 100 mg Tab 100 mg with rifampicin 150 mg Tab 150 mg with rifampicin 300 mg (RAZINAMIDE – Retail pharmacy-Specialist No patient co-payment payable Tab 500 mg		100 56 56 100 100 100	<ul> <li>Dapsone</li> <li>Myambutol \$29</li> <li>Myambutol \$29</li> <li>PSM</li> <li>Rifinah</li> <li>Rifinah</li> </ul>
HAMBUTOL HYDROCHLORIDE – No patient co-payme Tab 100 mg Tab 400 mg ONIAZID – Retail pharmacy-Specialist No patient co-payment payable Tab 100 mg Tab 100 mg with rifampicin 150 mg Tab 150 mg with rifampicin 300 mg RAZINAMIDE – Retail pharmacy-Specialist No patient co-payment payable Tab 500 mg		100 56 56 100 100 100	<ul> <li>Dapsone</li> <li>Myambutol \$29</li> <li>Myambutol \$29</li> <li>PSM</li> <li>Rifinah</li> <li>Rifinah</li> </ul>
HAMBUTOL HYDROCHLORIDE – No patient co-payme Tab 100 mg Tab 400 mg ONIAZID – Retail pharmacy-Specialist No patient co-payment payable Tab 100 mg Tab 100 mg with rifampicin 150 mg Tab 150 mg with rifampicin 300 mg Tab 150 mg with rifampicin 300 mg Tab 150 mg with rifampicin 300 mg FAZINAMIDE – Retail pharmacy-Specialist No patient co-payment payable Tab 500 mg FABUTIN – Hospital pharmacy [HP3]-Specialist No patient co-payment payable		100 56 56 100 100 100	<ul> <li>Dapsone</li> <li>Myambutol \$29</li> <li>Myambutol \$29</li> <li>PSM</li> <li>Rifinah</li> <li>Rifinah</li> </ul>
HAMBUTOL HYDROCHLORIDE – No patient co-payme Tab 100 mg Tab 400 mg DNIAZID – Retail pharmacy-Specialist No patient co-payment payable Tab 100 mg with rifampicin 150 mg Tab 100 mg with rifampicin 300 mg Tab 150 mg with rifampicin 300 mg RAZINAMIDE – Retail pharmacy-Specialist No patient co-payment payable Tab 500 mg FABUTIN – Hospital pharmacy [HP3]-Specialist No patient co-payment payable Cap 150 mg		100 56 56 100 100 100	<ul> <li>Dapsone</li> <li>Myambutol \$29</li> <li>Myambutol \$29</li> <li>PSM</li> <li>Rifinah</li> <li>Rifinah</li> <li>AFT-Pyrazinamide</li> </ul>
HAMBUTOL HYDROCHLORIDE – No patient co-payme Tab 100 mg Tab 400 mg DNIAZID – Retail pharmacy-Specialist No patient co-payment payable Tab 100 mg with rifampicin 150 mg Tab 100 mg with rifampicin 300 mg Tab 150 mg with rifampicin 300 mg RAZINAMIDE – Retail pharmacy-Specialist No patient co-payment payable Tab 500 mg FABUTIN – Hospital pharmacy [HP3]-Specialist No patient co-payment payable Cap 150 mg		100 56 56 100 100 100	<ul> <li>Dapsone</li> <li>Myambutol \$29</li> <li>Myambutol \$29</li> <li>PSM</li> <li>Rifinah</li> <li>Rifinah</li> <li>AFT-Pyrazinamide</li> <li>Mycobutin</li> </ul>
HAMBUTOL HYDROCHLORIDE – No patient co-payme Tab 100 mg Tab 400 mg DNIAZID – Retail pharmacy-Specialist No patient co-payment payable Tab 100 mg with rifampicin 150 mg Tab 100 mg with rifampicin 300 mg Tab 150 mg with rifampicin 300 mg FAZINAMIDE – Retail pharmacy-Specialist No patient co-payment payable Tab 500 mg FABUTIN – Hospital pharmacy [HP3]-Specialist No patient co-payment payable Cap 150 mg FAMPICIN – Retail pharmacy-Specialist		100 56 56 100 100 100	<ul> <li>Dapsone</li> <li>Myambutol \$29</li> <li>Myambutol \$29</li> <li>PSM</li> <li>Rifinah</li> <li>Rifinah</li> <li>AFT-Pyrazinamide</li> <li><u>Mycobutin</u></li> <li>Rifadin</li> </ul>
HAMBUTOL HYDROCHLORIDE – No patient co-payme Tab 100 mg         Tab 400 mg         ONIAZID – Retail pharmacy-Specialist         No patient co-payment payable         Tab 100 mg         Tab 100 mg         Tab 100 mg with rifampicin 150 mg         Tab 100 mg with rifampicin 300 mg         Tab 150 mg with rifampicin 300 mg         (RAZINAMIDE – Retail pharmacy-Specialist         No patient co-payment payable         Tab 500 mg         FABUTIN – Hospital pharmacy [HP3]-Specialist         No patient co-payment payable         Cap 150 mg         FAMPICIN – Retail pharmacy-Specialist         No patient co-payment payable         Cap 150 mg         Cap 150 mg		100 56 56 100 100 100 100 30 30 100	<ul> <li>Dapsone</li> <li>Myambutol \$29</li> <li>Myambutol \$29</li> <li>PSM</li> <li>Rifinah</li> <li>Rifinah</li> <li>AFT-Pyrazinamide</li> <li>Mycobutin</li> <li>Rifadin</li> <li>Rifadin</li> </ul>
THAMBUTOL HYDROCHLORIDE       – No patient co-payme         Tab 100 mg		100 56 56 100 100 100 100 30 30	<ul> <li>Dapsone</li> <li>Myambutol \$29</li> <li>Myambutol \$29</li> <li>PSM</li> <li>Rifinah</li> <li>Rifinah</li> <li>AFT-Pyrazinamide</li> <li><u>Mycobutin</u></li> <li>Rifadin</li> </ul>

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🖌	
Antivirals			
For eye preparations refer to Eye Preparations, Anti-Infective Prep	parations, page 158		
Hepatitis B Treatment			
ADEFOVIR DIPIVOXIL – Special Authority see SA0829 below – I Tab 10 mg		30 🗸 I	lepsera
<ul> <li>▶SA0829 Special Authority for Subsidy</li> <li>Initial application only from a gastroenterologist or infectious dise the following criteria:</li> <li>All of the following:         <ol> <li>Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as:</li> <li>Patient has raised serum ALT (&gt; 1 × ULN); and</li> <li>Patient has HBV DNA greater than 100,000 copies per mL</li> <li>Detection of M204I or M204V mutation; and</li> <li>Either:                 <ol> <li>S.1.1 Patient is cirrhotic; and</li> <li>S.1.2 adefovir dipivoxil to be used in combination w</li> <li>S.2.1 Patient is not cirrhotic; and</li> <li>S.2.2 adefovir dipivoxil to be used as monotherapy.</li> </ol> </li> </ol></li></ul>	, or viral load ≥ 10 fc rith lamivudine; or		
Renewal only from a gastroenterologist or infectious disease sp treating physician, treatment remains appropriate and patient is be Notes: Lamivudine should be added to adefovir dipivoxil if a patie as:	ecialist. Approvals v enefiting from treatme	ent.	·
<ul> <li>i) raised serum ALT (&gt; 1 × ULN); and</li> <li>ii) HBV DNA greater than 100,000 copies per mL, or viral load</li> <li>iii) Detection of N236T or A181T/V mutation.</li> <li>Adefovir dipivoxil should be stopped 6 months following HBeAg se adefovir dipivoxil.</li> <li>The recommended dose of adefovir dipivoxil is no more than 10m In patients with renal insufficiency adefovir dipivoxil dose should be Avoided in pregnant women and childi</li> </ul>	roconversion for patie g daily. e reduced in accorda	ents who were HI	
ENTECAVIR – Special Authority see SA0977 below – Retail phar Tab 0.5 mg	rmacy	30 🖌 I	Baraclude
<ul> <li>SA0977 Special Authority for Subsidy</li> <li>Initial application only from a gastroenterologist or infectious dinotified for applications meeting the following criteria:</li> <li>All of the following:         <ol> <li>Patient has confirmed Hepatitis B infection (HBsAg positive 2 Patient is Hepatitis B nucleoside analogue treatment-naive:</li> <li>Entecavir dose 0.5 mg/day; and</li> <li>Either:                 <ol> <li>All T greater than upper limit of normal; or</li> <li>Bridging fibrosis or cirrhosis (Metavir stage 3 or greating 5 Either:</li> </ol> </li> </ol></li></ul>	e for more than 6 mor ; and	tths); and	nout further renewal unless

90

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- 5.1 HBeAg positive; or
- 5.2 patient has ≥ 2,000 IU HBV DNA units per mI and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV, HIV or HDV; and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

#### Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

#### LAMIVUDINE - Special Authority see SA0832 below - Retail pharmacy

Tab 100mg	.143.00	28	🖌 Zeffix
Oral liq 5 mg per ml	90.00	240 ml	🖌 Zeffix

### SA0832 Special Authority for Subsidy

**Initial application** only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 All of the following:
    - 1.1.1 HBsAg positive for more than 6 months; and
    - 1.1.2 HBeAg positive or HBV DNA positive defined as > 100,000 copies per ml by quantitative PCR at a reference laboratory; and
    - 1.1.3 ALT greater than twice upper limit of normal or bridging fibrosis or cirrhosis (Metavir stage 3 or 4 or equivalent) on liver histology clinical/radiological evidence of cirrhosis; or
  - 1.2 HBV DNA positive cirrhosis prior to liver transplantation; or
  - 1.3 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
  - 1.4 Hepatitis B surface antigen positive (HbsAg) patient who is receiving chemotherapy for a malignancy, or who has received such treatment within the previous two months; and
- 2 All of the following:
  - 2.1 No continuing alcohol abuse or intravenous drug use; and
  - 2.2 Not coinfected with HCV or HDV; and
  - 2.3 Neither ALT nor AST greater than 10 times upper limit of normal; and
  - 2.4 No history of hypersensitivity to lamivudine; and
  - 2.5 No previous lamivudine therapy with genotypically proven lamivudine resistance.

Renewal only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

#### Any of the following:

- Renewal for patients who have maintained continuous treatment and response to lamivudine
- 1 All of the following:
  - 1.1 Have maintained continuous treatment with lamivudine; and
  - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
  - 1.3 HBV DNA <100,00 copies per ml by quantitative PCR at a reference laboratory; or

Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine

- 2 All of the following:
  - 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and

Subsidy (Manufacturer's Price)			Brand or Generic
 \$	Per	~	Manufacturer

#### continued...

- 2.2 Patient is cirrhotic; and
  - Documented resistance to lamivudine, defined as:
- 2.3 Patient has raised serum ALT (> 1  $\times\,$  ULN); and
- 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and 2.5 Detection of M204I or M204V mutation; or
- Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

#### 3 All of the following:

- 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and
  - Documented resistance to adefovir, defined as:
- 3.2 Patient has raised serum ALT (> 1  $\times\,$  ULN); and
- 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
- 3.4 Detection of N236T or A181T/V mutation.

### **Herpesvirus Treatments**

#### ACICLOVIR

* Tab dispersible 200 mg1.98	25	Lovir
* Tab dispersible 400 mg6.64	56	Lovir
* Tab dispersible 800 mg7.38	35	Lovir
VALACICLOVIR - Special Authority see SA0957 below - Retail pharmacy		
Tab 500 mg102.72	30	<ul> <li>Valtrex</li> </ul>

### ➡SA0957 Special Authority for Subsidy

Initial application — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the patient has genital herpes with 2 or more breakthrough episodes in any 6 month period while treated with aciclovir 400 mg twice daily.

Renewal — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

**Initial application** — (ophthalmic zoster) from any medical practitioner. Approvals valid without further renewal unless notified where the patient has previous history of ophthalmic zoster and the patient is at risk of vision impairment.

Initial application — (CMV prophylaxis) from any medical practitioner. Approvals valid for 3 months where the patient has undergone organ transplantation.

### Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE - Subsidy by endorsement; can be waived by Special Authority see SA0997 on the next page

Endorsement for treatment of HIV/AIDS: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA0779 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note:

92

- Tenofovir disoproxil fumarate prescribed under endorsement for the treatment of HIV/AIDS is included in the count of up to 3 subsidised antiretrovirals for the purposes of Special Authority SA0779, page 93
- Subsidy for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or saquinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Tab 300 mg	531.00 3	) 🖌	Viread
------------	----------	-----	--------

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

### SA0997 Special Authority for Waiver of Rule

Initial application — (Drug-Resistant Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
- 3 All of the following:
  - Documented drug resistance, defined as both:
  - 3.1 ALT greater than upper limit of normal; or  $\geq\,$  Metavir Stage F3; and
  - 3.2 HBV DNA greater than 20,000 IU/mL or increased  $\geq~$  10 fold over nadir; and
- 4 Any of the following:
  - 4.1 Hepatitis B virus resistant to lamivudine with detection of M204I/V mutation; or
  - 4.2 Hepatitis B virus resistant to adefovir with detection of A181T/V or N236T mutation; or
  - 4.3 Hepatitis B virus resistant to entecavir with detection of I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation.

Renewal — (Drug-Resistant Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg
  positive prior to commencing Tenofovir disoproxil fumarate.
- The recommended dose of Tenofovir disoproxil fumarate for the treatment of hepatitis B is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

### Antiretrovirals

#### ➡SA0779 Special Authority for Subsidy

**Initial application** — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Confirmed HIV infection; and
- 2 Any of the following:
  - 2.1 Symptomatic patient; or
  - 2.2 Patient aged 12 months and under; or
  - 2.3 Both:
    - 2.3.1 Patient aged 1 to 5 years; and
    - 2.3.2 Any of the following:
      - 2.3.2.1 CD4 counts < 1000 cells/mm<sup>3</sup>; or
      - 2.3.2.2 CD4 counts  $< 0.25 \times$  total lymphocyte count; or
      - 2.3.2.3 Viral load counts > 100000 copies per ml; or
  - 2.4 Both:
    - 2.4.1 Patient aged 6 years and over; and
    - 2.4.2 CD4 counts < 350 cells/mm<sup>3</sup>.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 3 subsidised antiretrovirals.

Subsidies for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or saquinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to anti-retrovirals.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer
--

#### continued...

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 3 subsidised antiretrovirals.

Subsidies for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or saquinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to anti-retrovirals.

**Initial application** — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Prevention of maternal foetal transmission; or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 3 subsidised antiretrovirals.

Subsidies for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or saquinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to anti-retrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Renewal — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

### Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ - Special Authority see SA0779 on the precedi	ng page – Hospital ph	armacy [HP1	]
Tab 50 mg		30	<ul> <li>Stocrin</li> </ul>
Tab 200 mg		90	<ul> <li>Stocrin</li> </ul>
Tab 600 mg		30	<ul> <li>Stocrin</li> </ul>
NEVIRAPINE - Special Authority see SA0779 on the precedence	ding page – Hospital p	harmacy [HP	1]
Tab 200 mg		60	Viramune
Oral suspension 10 mg per ml		240 ml	Viramune
			Suspension

### **Nucleosides Reverse Transcriptase Inhibitors**

ABACAVIR SULPHATE – Special Authority see SA0779 on the p Tab 300 mg Oral liq 20 mg per ml	458.00	Hospital phan 60 240 ml OP	macy [HP1] V Ziagen V Ziagen		
ABACAVIR SULPHATE WITH LAMIVUDINE – Special Authority Note: Kivexa counts as two anti-retroviral medications for the Tab 600 mg with lamivudine 300 mg	purposes of the				
DIDANOSINE [DDI] - Special Authority see SA0779 on the prec	eding page – Ho	spital pharmac	y [HP1]		
Cap 125 mg		30	Videx EC		
Cap 200 mg		30	Videx EC		
Cap 250 mg		30	Videx EC		
Cap 400 mg		30	Videx EC		
EMTRICITABINE – Special Authority see SA0779 on the preceding page – Hospital pharmacy [HP1]					
Cap 200 mg		30	<ul> <li>Emtriva</li> </ul>		

94

	Subsidy (Manufacturer's Pr		Fully Brand or sidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
LAMIVUDINE – Special Authority see SA0779 on page 93 – Hos Tab 150 mg Oral liq 10 mg per ml		IP1] 60 240 ml OP	✓ 3TC ✓ 3TC
STAVUDINE [D4T] – Special Authority see SA0779 on page 93 - Cap 20 mg Cap 30 mg Cap 40 mg Powder for oral soln 1 mg per ml		cy [HP1] 60 60 60 200 ml OP	✓ Zerit ✓ Zerit ✓ Zerit ✓ Zerit
ZIDOVUDINE [AZT] – Special Authority see SA0779 on page 93 Cap 100 mg Oral liq 10 mg per ml		acy [HP1] 100 200 ml OP	<ul><li>✓ Retrovir</li><li>✓ Retrovir</li></ul>
ZIDOVUDINE [AZT] WITH LAMIVUDINE – Special Authority see Combivir counts as two anti-retroviral medications for the pur Tab 300 mg with lamivudine 150 mg	rposes of the anti-		, ,, ,, ,,
Protease Inhibitors			
ATAZANAVIR SULPHATE – Special Authority see SA0779 on pa Cap 150 mg Cap 200 mg		oharmacy [HP 60 60	1] ✔ Reyataz ✔ Reyataz
INDINAVIR – Special Authority see SA0779 on page 93 – Hospit Cap 200 mg Cap 400 mg		1] 360 180	<ul><li>✓ Crixivan</li><li>✓ Crixivan</li></ul>
LOPINAVIR WITH RITONAVIR – Special Authority see SA0779 Tab 200 mg with ritonavir 50 mg Oral liq 80 mg with ritonavir 20 mg per ml		pital pharmacy 120 300 ml OP	(HP1) ✔ Kaletra ✔ Kaletra
RITONAVIR – Special Authority see SA0779 on page 93 – Hosp Cap 100 mg Oral liq 80 mg per ml		1] 84 90 ml OP	<ul><li>Norvir</li><li>Norvir</li></ul>
Strand Transfer Inhibitors			
RALTEGRAVIR POTASSIUM – Special Authority see SA0779 or Tab 400 mg		tal pharmacy [ 60	HP1] ✔ Isentress
Antiretrovirals - Additional Therapies			
HIV Fusion Inhibitors			
$\begin{array}{llllllllllllllllllllllllllllllllllll$		1	✔ Fuzeon
<ul> <li>SA0845 Special Authority for Subsidy</li> <li>Initial application only from a named specialist. Approvals valid</li> <li>All of the following:         <ol> <li>Confirmed HIV infection; and</li> <li>Enfuvirtide to be given in combination with optimized back the patient has never previously been exposed to) for treat</li> <li>Either:</li> </ol> </li> </ul>	kground therapy (i tment failure; and		
3.1 Patient has evidence of HIV replication, despite ong	going therapy; or		

Subsidy		Fully	Brand or	
(Manufacturer's P	rice) Sub	sidised	Generic	
\$	Per	~	Manufacturer	

#### continued...

3.2 Patient has treatment-limiting toxicity to previous antiretroviral agents; and

4 Previous treatment with 3 different antiretroviral regimens has failed; and

- 5 All of the following:
  - 5.1 Previous treatment with a non-nucleoside reverse transcriptase inhibitor has failed; and
  - 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed; and
  - 5.3 Previous treatment with a protease inhibitor has failed.

Renewal only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Evidence of at least a 10 fold reduction in viral load at 12; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

### **Immune Modulators**

#### Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

#### Criteria for Treatment

1) Diagnosis

- Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
- PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
- Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.
- 2) Establishing Active Chronic Liver Disease
  - Confirmed HCV infection and serum ALT/AST levels measured on at least three occasions over six months averaging > 1.5 × upper limit of normal. (ALT is the preferable enzyme); or
  - Liver biopsy showing significant inflammatory activity (active hepatitis) with or without cirrhosis. This is not a necessary requirement for those patients with coagulopathy. (Some patients have active disease on histology with normal transaminase enzymes).

#### Exclusion Criteria

- 1) Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- 2) Pregnancy.
- 3) Neutropenia (<2.0  $\times$  10<sup>9</sup>) and/or thrombocytopenia.
- 4) Continuing alcohol abuse and/or continuing intravenous drug users.

#### Dosage

The current recommended dosage is 3 million units of interferon alpha-2a or interferon aplha-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

#### Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic ✔ Manufacturer	
INTERFERON ALPHA-2A – PCT – Hospital pharmacy [HP3]-Sp	pecialist			
a) See prescribing guideline on the preceding page				
b) Only one multidose cartridge starter pack to be prescribed				
Inj 3 m iu prefilled syringe		1	✓ Roferon-A	
Inj 4.5 m iu prefilled syringe		1 1	<ul> <li>Roferon-A</li> <li>Roferon-A</li> </ul>	
Inj 6 m iu prefilled syringe Inj 9 m iu prefilled syringe		1	✓ Roferon-A	
Inj 18 m iu multidose cartridge		1	✓ Roferon-A	
Inj 18 m iu multidose cartridge × 2 starter pack		1	✓ Roferon-A	
(Roferon-A Inj 4.5 m iu prefilled syringe to be delisted 1 August 20 (Roferon-A Inj 18 m iu multidose cartridge to be delisted 1 August	010) t 2010)			
(Roferon-A Inj 18 m iu multidose cartridge $\times$ 2 starter pack to be	aelistea 1 August 2010	0)		
INTERFERON ALPHA-2A WITH RIBAVIRIN - Special Authority	see SA0784 below - I	lospit	tal pharmacy [HP3]	
See prescribing guideline on the preceding page				
Inj 18 m iu multidose cartridge $\times$ 2 with ribavirin tab 200 mg		00		
× 168	,	OP	<ul> <li>Roferon RBV Combination Pack</li> </ul>	
Inj 18 m iu multidose cartridge $\times$ 2 with with pen and needles		00		
with ribavirin tab 200 mg $ imes$ 168	1,375.84 1	OP	<ul> <li>Roferon RBV</li> <li>Combination Pack</li> <li>Starter Kit</li> </ul>	
►SA0784 Special Authority for Subsidy Initial application from any specialist. Approvals valid for 12 mor INTERFERON ALPHA-2B – PCT – Hospital pharmacy [HP3]-Sp See prescribing guideline on the preceding page		chroi	nic hepatitis C (all genotypes).	
Inj 18 m iu, 1.2 ml multidose pen		1	Intron-A	
Inj 30 m iu, 1.2 ml multidose pen		1	✓ Intron-A	
Inj 60 m iu, 1.2 ml multidose pen		1	Intron-A	
PEGYLATED INTERFERON ALPHA-2A – Special Authority see See prescribing guideline on the preceding page	SA0952 on the next p	age –	Hospital pharmacy [HP3]	
Inj 135 µg prefilled syringe		1	Pegasys	
Inj 180 µg prefilled syringe		1	Pegasys	
Inj 135 µg prefilled syringe $ imes$ 4 with ribavirin tab 200 mg $ imes$				
112	1,799.68 1	OP	Pegasys RBV	
			Combination Pack	
Inj 135 µg prefilled syringe $\times$ 4 with ribavirin tab 200 mg $\times$ 168		OP	✓ <u>Pegasys RBV</u> Combination Pack	
Inj 180 µg prefilled syringe $ imes$ 4 with ribavirin tab 200 mg $ imes$				
112		OP	✓ <u>Pegasys RBV</u> Combination Pack	
Inj 180 µg prefilled syringe $ imes$ 4 with ribavirin tab 200 mg $ imes$			Compination Pack	
168		OP	✓ Pegasys RBV	

	Subsidy (Manufacturer's Price) \$	l Subsic Per	=ully lised ✔	Brand or Generic Manufacturer
► SA0952 Special Authority for Subsidy Initial application — (chronic hepatitis C - genotype 1, 4, 5 Approvals valid for 48 weeks for applications meeting the following Either:		o-infection	with	HIV) from any specialist.
1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infect 2 Patient has chronic hepatitis C and is co-infected with HIV. Notes:				
<ul> <li>Consider stopping treatment if there is absence of a virolo following 12 weeks of treatment since this is predictive of the Consider reducing treatment to 24 weeks if serum HCV R than 50IU/ml) AND Baseline serum HCV RNA is less than Initial application — (chronic hepatitis C - genotype 2 or 3 Approvals valid for 6 months where patient has chronic hepatitis C) Initial application — (Hepatitis B) only from a gastroenterolog valid for 48 weeks for applications meeting the following:</li> </ul>	reatment failure. NA level at Week 4 is 400,000IU/ml infection without co C, genotype 2 or 3 infe	undetectabl <b>p-infection</b> ection.	e by with	sensitive PCR assay (less
<ol> <li>Patient has confirmed Hepatitis B infection (HBsAg positive 2 Patient is Hepatitis B treatment-naive; and</li> <li>ALT &gt; 2 times Upper Limit of Normal; and</li> <li>HBV DNA &lt; 10 log10 IU/ml; and</li> <li>Either:</li> </ol>	e for more than 6 mon	ths); and		
<ul> <li>5.1 HBeAg positive; or</li> <li>5.2 serum HBV DNA ≥ 2,000 units/ml and significant fi</li> <li>6 Compensated liver disease; and</li> <li>7 No continuing alcohol abuse or intravenous drug use; and</li> <li>8 Not co-infected with HCV, HIV or HDV; and</li> <li>9 Neither ALT nor AST &gt; 10 times upper limit of normal; and</li> </ul>	,	age F2); and		
10 No history of hypersensitivity or contraindications to pegyla Notes:	ated interferon.			
<ul> <li>Approved dose is 180 µg once weekly.</li> <li>The recommended dose of Pegylated Interferon-alpha 2a i</li> <li>In patients with renal insufficiency (calculated creatinine cl should be reduced to 135 µg once weekly.</li> <li>In patients with neutropaenia and thrombocytopaenia, dose</li> </ul>	earance less than 50r	ml/min), Peg		
<ul> <li>Pegylated Interferon-alpha 2a is not approved for use in ch Urinary Tract Infections</li> </ul>	ildren.			
HEXAMINE HIPPURATE				
* Tab 1 g	18.40 (38.10)	100	Hi	prex
NITROFURANTOIN           * Tab 50 mg           * Tab 100 mg           NORFLOXACIN				ifuran Ifuran
Tab 400 mg – Maximum of 6 tab per prescription; can be waived by endorsement - Retail pharmacy - Specialist		100	✓ A	rrow-Norfloxacin

98

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

### Vaccines

### Influenza vaccine

INFLUENZA VACCINE - Hospital pharmacy [Xpharm]

- A) is available between 1 March and 30 June each year for patients who meet the following criteria, as set by the Ministry of Health:
  - a) all people 65 years of age and over;
  - b) people under 65 years of age with:
    - i) the following cardiovascular disease:
      - 1) ischaemic heart disease,
      - 2) congestive heart disease,
      - 3) rheumatic heart disease,
      - 4) congenital heart disease, or
      - 5) cerebo-vascular disease;
    - ii) the following chronic respiratory disease:
      - 1) asthma, if on a regular preventative therapy, or
      - 2) other chronic respiratory disease with impaired lung function;
    - iii) diabetes;
    - iv) chronic renal disease;
    - v) any cancer, excluding basal and squamous skin cancers if not invasive;
    - vi) the following other conditions:
      - a) autoimmune disease,
      - b) immune suppression,
      - c) HIV,
      - d) transplant recipients,
      - e) neuromuscular and CNS diseases,
      - f) haemoglobinopathies, or
      - g) children on long term aspirin.
  - c) people under 65 years of age who are:
    - i) pregnant; or
    - ii) morbidly obsese
  - d) children aged over 6 months and under 5 years who are from high deprivation backgrounds
- The following conditions are excluded from funding:
  - a) asthma not requiring regular preventative therapy,
  - b) hypertension and/or dyslipidaemia without evidence of end-organ disease,
  - B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
  - C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor.
  - D) Influenza Vaccine does not fall within the definition Community Pharmaceutical as it is not funded directly from the Pharmaceutical Budget. Pharmacists are unable to claim for the dispensing of influenza vaccine from the Funder.

Inj	9.00	1	Fluvax
	90.00	10	Influvac
			Vaxigrin

=				
		Subsidy		Fully Brand or
		(Manufacturer's Price \$	e) Si Per	ubsidised Generic Manufacturer
		ψ	I EI	
Α	nticholinesterases			
NE	OSTIGMINE			
	Inj 2.5 mg per ml, 1 ml	20.30	50	AstraZeneca
υV				- <u></u>
		40.00	100	Mastinan
	Tab 60 mg		100	<ul> <li>Mestinon</li> </ul>
Α	nti-inflammatory Non Steroidal Drugs (NSAIDs)	)		
-	SA0291 Special Authority for Manufacturers Price			
	ial application from any medical practitioner. Approvals valid f	or 2 years for appli	cations me	eeting the following criteria:
Bot		,		5 5
	1 Inflammatory arthritis (including osteoarthritis with an inflan	nmatory componen	t); and	
	2 Stabilised and are well controlled on the particular NSAID r		,,	
Re	newal from any medical practitioner. Approvals valid for 2 year		ment rem	ains appropriate and the patient i
	nefiting from treatment.			
	CLOFENAC SODIUM			
*	Tab EC 25 mg		50	Diclohexal
*	Tab 50 mg dispersible – Additional subsidy by Special Au-		00	Diolonicxul
ጥ	thority see SA0291 above – Retail pharmacy	1 50	20	
	thomy see SA0291 above - Hetali pharmacy	(8.00)	20	Voltaren D
*	Tab EC 50 mg		50	✓ Diclohexal
*	Tab long-acting 75 mg		30	✓ Diclax SR
ጥ	Tab long-acting 75 mg	32.80	500	✓ Diclax SR
		19.60	100	Voltaren SR
		22.78	500	✓ Apo-Diclo SR
*	Tab long-acting 100 mg		500	✓ Apo-Diclo SR
~	Tab long acting 100 mg	63.22	500	✓ Diclax SR
*	Inj 25 mg per ml, 3 ml		5	✓ Voltaren
~~	Up to 5 inj available on a PSO		0	Voluren
*	Suppos 12.5 mg	1 85	10	Voltaren
	Suppos 25 mg		10	✓ Voltaren
	Suppos 50 mg		10	Voltaren
.4.	Up to 10 supp available on a PSO		10	volution
*	Suppos 100 mg	6.36	10	<ul> <li>Voltaren</li> </ul>
	Itaren SR Tab long-acting 75 mg to be delisted 1 June 2010)			· <u></u>
		Od alaassa Datailaa	h a	
	JPROFEN – Additional subsidy by Special Authority see SA029			Ethics Inversion
*	Tab 200 mg Tab 400 mg		1,000 30	Ethics Ibuprofen
T	1au 400 mg	(4.56)	30	Brufen
×	Tab 600 mg	( )	30	Ditteri
*	100 000 mg	(6.84)	50	Brufen
*	Tab long-acting 800 mg		30	Ditteri
ጥ	Tab long doling ood mg	(9.12)	50	Brufen Retard
*+	Oral liq 100 mg per 5 ml	( )	200 ml	Fenpaed
	TOPROFEN – Additional subsidy by Special Authority see SA			У
*	Cap long-acting 100 mg		100	0 11 4 6 5
		(21.56)		Oruvail 100
*	Cap long-acting 200 mg		100	0
		(43.12)		Oruvail 200

	Subsidy		Fully Brand	or
	(Manufacturer's Pr	ice) Su	ibsidised Gener	
	\$	Per	<ul> <li>Manuf</li> </ul>	acturer
MEFENAMIC ACID - Additional subsidy by Special Authority	see SA0291 on the p	preceding pa	ge – Retail phar	macy
* Cap 250 mg		100	3- · · · · · · · · · ·	,
	(18.33)		Ponstan	
NAPROXEN	· · · ·			
* Tab 250 mg	23 70	500	✓ Noflam 2	50
* Tab 500 mg		250	✓ Noflam 5	
* Tab long-acting 750 mg		90	✓ Naprosy	
* Tab long-acting 1,000 mg		90	Naprosy	
NAPROXEN SODIUM				
* Tab 275 mg	6.00	120	<ul> <li>Sonaflar</li> </ul>	n
* Tab 550 mg		100	✓ Synflex	<u>u</u>
			-	
SULINDAC – Additional subsidy by Special Authority see SA		g page – Rei 100	all pharmacy	
* Tab 100 mg		100	Daclin	
* Tab 200 mg	(12.00)	100	Daciiii	
* Tab 200 mg	(20.00)	100	Daclin	
	3.36	50	Daciin	
	(15.87)	00	Clinoril	
TENOVICANA	(10101)		0	
TENOXICAM	00.75	100	Tilcotil	
* Tab 20 mg		100		
TIAPROFENIC ACID – Additional subsidy by Special Author			oage – Retail pha	armacy
* Tab 300 mg		60		
	(19.26)		Surgam	
NSAIDs Other				
INDOMETHACIN				
* Cap long-acting 75 mg	13.30	100	Rheuma	cin SB
* Suppos 100 mg		30	✓ Arthrexi	
PIROXICAM				
* Tab dispersible 10 mg	2.05	50	Piram-D	
<ul> <li>Tab dispersible 10 mg</li> <li>* Tab dispersible 20 mg</li> </ul>		100	✓ Piram-D	
		100	• Than b	
Antirheumatoid Agents				
AURANOFIN				
Tab 3 mg	68 99	60	🖌 Ridaura	
C C C C C C C C C C C C C C C C C C C		00		
LEFLUNOMIDE	55.00			
Tab 10 mg		30	✓ AFT-Lefl	unomide
Tob 20 mg	79.27	20	<ul> <li>Arava</li> <li>AFT-Left</li> </ul>	unomido
Tab 20 mg	108.60	30	AFI-Lei	unomide
Tab 100 mg		3	<ul> <li>Arava</li> <li>Arava</li> </ul>	
		5	→ Alava	
	01.00	100		
Tab 125 mg		100	✓ D-Penan	
Tab 250 mg		100	D-Penan	iine
SODIUM AUROTHIOMALATE				
Inj 10 mg per 0.5 ml		10	Myocrisi	
Inj 20 mg per 0.5 ml Inj 50 mg per 0.5 ml		10	<ul> <li>Myocrisi</li> <li>Myocrisi</li> </ul>	
		10		

‡ safety cap \*Three months or six months, as applicable, dispensed all-at-once ▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
Tumour Necrosis Factor (TNF) Inhibitors					
ADALIMUMAB – Special Authority see SA0974 below – Retail ph Inj 40 mg per 0.8 ml prefilled pen Inj 40 mg per 0.8 ml prefilled syringe	1,799.92	2 2	V H	umiraPen umira	

### ➡SA0974 Special Authority for Subsidy

**Initial application** — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with at least two of the following (triple therapy): sulphasalazine, prednisone at a dose of at least 7.5 mg per day, azathioprine, intramuscular gold, or hydroxychloroquine sulphate (at maximum tolerated doses); and
- 5 Either:
  - 5.1 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of cyclosporin alone or in combination with another agent; or
  - 5.2 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of leflunomide alone or in combination with another agent; and
- 6 Either:
  - 6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
  - 6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 7 Either:
  - 7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  - 7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe active Crohn's disease; and
- 2 Any of the following:
  - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
  - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
  - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
  - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 Either:

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
- 1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
- 2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
- 3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
- 4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting

Initial application — (ankylosing spondylitis) only from a meumatologist. Approvals valid for 6 months for application the following criteria:

### All of the following:

- 1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
- 2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
- 3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
- 4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regimen supervised by a physiotherapist; and
- 5 Either:
  - 5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by a score of at least 1 on each of the lumbar flexion and lumbar side flexion measurements of the Bath Ankylosing Spondylitis Metrology Index (BASMI); or
  - 5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
- 6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale; and

7 Either:

- 7.1 An elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
- 7.2 A C-reactive protein (CRP) level greater than 15 mg per litre.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI, ESR and CRP measures must be no more than 1 month old at the time of initial application.

- Average normal chest expansion corrected for age and gender:
- 18-24 years Male: 7.0 cm; Female: 5.5 cm
- 25-34 years Male: 7.5 cm; Female: 5.5 cm
- 35-44 years Male: 6.5 cm; Female: 4.5 cm
- 45-54 years Male: 6.0 cm; Female: 5.0 cm
- 55-64 years Male: 5.5 cm; Female: 4.0 cm

65-74 years - Male: 4.0 cm; Female: 4.0 cm

75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

(Mar	Subsidy nufacturer's Price)	Ful Subsidise	
	\$	Per •	<ul> <li>Manufacturer</li> </ul>

continued...

- 1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
- 2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- 4 Either:
  - 4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
  - 4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 5 Any of the following:
  - 5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  - 5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
  - 5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

**Renewal** — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
  - 1 Either:
    - 1.1 Applicant is a rheumatologist; or
    - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
  - 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  - 3 Either:
    - 3.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
    - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician.

**Renewal** — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

- Both:
  - 1 Either:
    - 1.1 Applicant is a gastroenterologist; or
    - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
  - 2 The treatment remains appropriate and the patient is benefiting from treatment.

**Renewal — (severe chronic plaque psoriasis)** only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

- Both: 1 Either:
  - 1.1 Applicant is a dermatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
  - 2 Either:
    - 2.1 Both:
      - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis; and

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
- 2.2 Both:
  - 2.2.1 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot; and 2.2.2 Either:
    - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
    - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value.

Note: An adalimumab treatment course is defined as a minimum of 12 weeks adalimumab treatment.

**Renewal** — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks of adalimumab treatment, BASDAI has improved by 4 or more points from pre-adalimumab baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 ESR or CRP is within the normal range; and
- 4 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate.

**Renewal** — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the treating physician; or
  - 2.2 The patient demonstrates at least a continuing 50% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician.

ETANERCEPT - Retail pharmacy-Specialist prescription - Special Authority see SA0868 below

### ➡SA0868 Special Authority for Subsidy

**Initial application** only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
- 3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20mg/m<sup>2</sup> weekly or at the maximum tolerated dose) in combination with oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose); and

Subsidy (Manufacturer's Price) \$	Sut Per	Fully bsidised	Brand or Generic Manufacturer	

continued...

- 5 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-15mg/m<sup>2</sup> weekly or at the maximum tolerated dose) in combination with one other disease-modifying agent; and
- 6 Both:
  - 6.1 Either:
    - 6.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 active, swollen, tender joints; or
    - 6.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
  - 6.2 Physician's global assessment indicating severe disease; and
- 7 The patient or their legal guardian consents to details of their treatment being held on a central registry and has signed a consent form outlining conditions of ongoing treatment.

Note: A patient declaration form http://www.pharmac.govt.nz/special\_authority\_forms/SA0667-declaration.pdf must be signed by the legal guardian of the patient and the prescriber in the presence of a witness (over 18 years of age)

Renewal only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2 Either:
  - 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
  - 2.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

### **Calcium Homeostasis**

### Alendronate for Osteoporosis

#### ➡SA0990 Special Authority for Subsidy

**Initial application** — (Underlying cause – Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD)  $\geq$  2.5 standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq$  -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score  $\leq$  -3.0 (see Note); or
- 5 A 10-year risk of hip fracture  $\geq$  3%, calculated using a published risk assessment algorithm (e.g. FRAX or Dubbo) which incorporates BMD measurements (see Note).

Initial application — (Underlying cause – glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and

2 Either:

- 2.1 The patient has documented BMD  $\geq~$  1.5 standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq~$  -1.5) (see Note); or
- 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically.

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

**Renewal** — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy ( $\geq 5$  mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

### Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD)  $\geq$  2.5 standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq$  -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score  $\leq$  -3.0 (see Note); or
- 5 A 10-year risk of hip fracture  $\geq$  3%, calculated using a published risk assessment algorithm (e.g. FRAX or Dubbo) which incorporates BMD measurements (see Note).

Notes:

- a) T-Score must be derived using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence used by National Institute for Health and Clinical Excellence (NICE) guidance indicates that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5, and therefore do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALENDRONATE SODIUM – Special Authority see SA0990 on the preceding page – Retail pharmacy							
Tab 70 mg		4	Fosamax				
ALENDRONATE SODIUM WITH CHOLECALCIFEROL	- Special Authority see SA099	) on th	e preceding page – Retail pharmacy				
Tab 70 mg with cholecalciferol 5,600 iu		4	Fosamax Plus				
Tab 70 mg with cholecalciferol 2,800 iu		4	Fosamax Plus				

 Tab 70 mg with cholecalciferol 2,800 iu
 35.91
 4

 (Fosamax Plus Tab 70 mg with cholecalciferol 2,800 iu to be delisted 1 September 2010)

### Alendronate for Paget's Disease

#### ➡SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
  - 2.1 Bone or articular pain; or
  - 2.2 Bone deformity; or
  - 2.3 Bone, articular or neurological complications; or
  - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
  - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy (Manufacturer's Pric \$	ce) Per	Fully Subsidised	Brand or Generic Manufacturer
ALENDRONATE SODIUM – Special Authority see SA0949 on th Tab 40 mg	1 01 0	- Retail pl 30		osamax
Other Treatments				
CALCITONIN * Inj 100 iu per ml, 1 ml	110.00	5	✓ M	liacalcic_
ETIDRONATE DISODIUM  * Tab 200 mg	23.95	100	✓ <u>A</u>	rrow-Etidronate
Prescribing Guidelines Etidronate for osteoporosis should be prescribed for 14 days (400 not be taken at the same time of the day as any calcium supplement Etidronate should be taken at least 2 hours before or after any for PAMIDRONATE DISODIUM – Hospital pharmacy [HP3]	entation (minimum	dose – 5	•	,
Inj 3 mg per ml, 5 ml		1	· · · · ·	amisol
Inj 3 mg per ml, 10 ml Inj 6 mg per ml, 10 ml		1 1		a <u>misol</u> amisol
Inj 9 mg per ml, 10 ml		1	V Pa	amisol
Enzymes				
HYALURONIDASE				
Inj 1,500 iu per ml		10	Ц	yalase
Hyperuricaemia and Antigout	(2+0.2+)		11	yalast
ALLOPURINOL * Tab 100 mg	5 44	250		po-Allopurinol
* Tab 300 mg		100		po-Allopurinol
COLCHICINE * Таb 500 µg	9.60	100	✓ <u>c</u>	olgout
PROBENECID  * Tab 500 mg	55.00	100	🗸 A	FT
Muscle Relaxants		100	• //	
BACLOFEN				
* Tab 10 mg	4.75	100	✓ <u>Pa</u>	acifen_
DANTROLENE SODIUM				
* Cap 25 mg * Cap 50 mg		100 100		antrium antrium
ORPHENADRINE CITRATE		100	₩ D	unutum
Tab 100 mg		100	🖌 N	orflex
QUININE SULPHATE	15.05	050		
* Tab 200 mg		250	Q	200
‡ Safety cap for extemporaneously compounded oral liquid	d preparations.			
<ul> <li>Tab 300 mg</li> <li>‡ Safety cap for extemporaneously compounded oral liquid</li> </ul>		500	✓ <u>Q</u>	300

	Subsidy (Manufacturer's Price) \$	) Sub Per	Fully osidised	Brand or Generic Manufacturer
Anaesthetics				
Local				
BUPIVACAINE HYDROCHLORIDE – Hospital pharmacy [HP3] Inj 0.5%, 4 ml Inj 0.5%, 8% glucose, 4 ml		5 5		<u>arcain Isobaric</u> arcain Heavy
LIGNOCAINE HYDROCHLORIDE Inj 0.5%, 5 ml – Up to 5 inj available on a PSO Only if prescribed on prescription for a dialysis patient or c Inj 1%, 5 ml – Up to 5 inj available on a PSO Only if prescribed on prescription for a dialysis patient or c Inj 1%, 20 ml – Up to 5 inj available on a PSO Only if prescribed on prescription for a dialysis patient or c	hild with rheumatic fe 42.00 hild with rheumatic fe 23.50	50 ever or on 5	a PSO f	ylocaine or emergency use. ylocaine
LIGNOCAINE WITH CHLORHEXIDINE Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes		10	🗸 Pi	fizer
LIGNOCAINE WITH PRILOCAINE – Special Authority see SA09 Crm 2.5% with prilocaine 2.5% Crm 2.5% with prilocaine 2.5% (5 g tubes) ■SA0906 Special Authority for Subsidy		pharmacy 80 g OP 5	[HP3] ✓ <u>EI</u> ✓ <u>EI</u>	
<b>Initial application</b> from any relevant practitioner. Approvals vali	d for 2 years where	the patien	t is a ch	ild with a chronic medic

condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

### Analgesics

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 100

### **Non-Opioid Analgesics**

ASPIRIN		
* Tab EC 300 mg2.15	100	
(8.10)		Aspec 300
* Tab dispersible 300 mg – Up to 30 tab available on a PSO2.15	100	Ethics Aspirin
NEFOPAM HYDROCHLORIDE		
Tab 30 mg23.40	90	Acupan
PARACETAMOL		·
* Tab 500 mg – Up to 30 tab available on a PSO	1.000	Pharmacare
*‡ Oral liq 120 mg per 5 ml6.80	1,000 ml	Paracare Junior
a) Up to 200 ml available on a PSO		
b) Not in combination		
*‡ Oral liq 250 mg per 5 ml7.00	1,000 ml	Paracare Double
		Strength
a) Up to 100 ml available on a PSO		
b) Not in combination		4
* Suppos 125 mg	20	Panadol
* Suppos 250 mg14.40	20	Panadol
* Suppos 500 mg20.50	50	Paracare

			_	
	Subsidy (Manufacturer's Price)		Fully Subsidised	
	\$	Per	V	
Opioid Analgesics				
BUPRENORPHINE HYDROCHLORIDE - Only on a controlled of	drug form			
Inj 0.3 mg per ml, 1 ml	•	5		
	(9.38)			Temgesic
CODEINE PHOSPHATE				
Tab 15 mg		100	~	PSM
Tab 30 mg		100		PSM
Tab 60 mg	17.76	100	~	PSM
DEXTROPROPOXYPHENE WITH PARACETAMOL				
Tab napsylate 50 mg with paracetamol 325 mg	()	500		
One hade the ide OO Francisk and the OOF and	(22.50)	500		Paradex
Cap hydrochloride 32.5 mg with paracetamol 325 mg	( · · · )	500		Canaday
	(33.14)			Capadex
DIHYDROCODEINE TARTRATE	07.07	00		
Tab long-acting 60 mg		60	v	DHC Continus
FENTANYL - Special Authority see SA0935 below - Retail phar	macy			
a) Only on a controlled drug form				
<li>b) No patient co-payment payable Transdermal patch, matrix 25 µg per hour</li>	55.23	5	1	Durogesic
Transdermal patch, matrix 50 µg per hour		5		Durogesic
Transdermal patch, matrix 75 µg per hour	139.18	5		Durogesic
Transdermal patch, matrix 100 µg per hour		5		Durogesic
■SA0935 Special Authority for Subsidy				·
Initial application from any relevant practitioner. Approvals valid	for 3 months for appl	ication	s meeting	the following criteria:
Both:			-	·
1 Patient is terminally ill and is opioid-responsive; and				
2 Either:				
<ul><li>2.1 is unable to take oral medication; or</li><li>2.2 is intolerant to morphine, or morphine is contraindic</li></ul>	otod			
Renewal from any relevant practitioner. Approvals valid for 3 mo		mant r	omaine ar	propriate and the patient i
benefiting from treatment.		nonit i	cinano a	
FENTANYL CITRATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
lnj 50 µg per ml, 2 ml	6.10	5	~	Hospira
lnj 50 μg per ml, 10 ml	15.65	5	~	Hospira
METHADONE HYDROCHLORIDE				
a) Only on a controlled drug form				
<ul> <li>b) No patient co-payment payable</li> </ul>				
c) Extemporaneously compounded methadone will only be r	eimbursed at the rate	of the	e cheapes	t form available (methadone
powder, not methadone tablets).				
d) For methadone hydrochloride oral liquid refer, page 166	0 10	10		Mothataba
Tab 5 mg ‡ Oral lig 2 mg per ml		10 200 ml		<u>Methatabs</u> Biodone
Oral liq 2 mg per ml     Oral liq 5 mg per ml		200 ml		Biodone Forte
the first of the period o		200 ml		Biodone Extra Forte
Inj 10 mg per ml, 1 ml	61.00	10		AFT

		Subsidy (Manufacturer's P	rice) Su	Fully Brand or bsidised Generic
		\$	Per	<ul> <li>Manufacturer</li> </ul>
MORPHINE HY	DROCHLORIDE			
a) Only on a	a controlled drug form			
b) No patier	t co-payment payable			
	g per ml	8.84	200 ml	RA-Morph
‡ Oral liq 2 m	g per ml	11.62	200 ml	RA-Morph
‡ Oral liq 5 m	g per ml	14.65	200 ml	RA-Morph
‡ Oral liq 10 r	ng per ml	21.55	200 ml	RA-Morph
MORPHINE SU	LPHATE			
a) Only on a	a controlled drug form			
· •	t co-payment payable			
	ate-release 10 mg	2.80	10	Sevredol
	ting 10 mg		10	✓ LA-Morph
Tab immedi	ate-release 20 mg	5.52	10	Sevredol
Tab long-ac	ting 30 mg	3.60	10	LA-Morph
Tab long-ac	ting 60 mg	7.20	10	LA-Morph
Tab long-ac	ting 100 mg	8.50	10	LA-Morph
Cap long-ad	ting 10 mg	1.80	10	✓ m-Eslon
Cap long-ad	ting 30 mg	2.64	10	🖌 m-Eslon
Cap long-ad	ting 60 mg	7.20	10	🖌 m-Eslon
	ting 100 mg		10	🖌 m-Eslon
Cap long-ad	ting 200 mg	17.00	10	🖌 m-Eslon
Inj 5 mg per	ml, 1 ml – Up to 5 inj available on a PSO	5.17	5	Mayne
Inj 10 mg pe	er ml, 1 ml – Up to 5 inj available on a PSO	4.50	5	Mayne
lnj 15 mg pe	er ml, 1 ml – Up to 5 inj available on a PSO	4.70	5	Mayne
Inj 30 mg pe	er ml, 1 ml – Up to 5 inj available on a PSO	4.98	5	Mayne
MORPHINE TAP	RTRATE			
	a controlled drug form			
, ,	it co-payment payable			
	er ml, 1.5 ml		5	Mayne
	er ml, 5 ml		5	Mayne
, ,,	IYDROCHLORIDE			
	a controlled drug form			
, ,	t co-payment payable			
/ !	ed-release 5 mg	7 51	20	OxyContin
	ed-release 10 mg		20	✓ OxyContin
	ed-release 20 mg		20	✓ OxyContin
	ed-release 40 mg		20	✓ OxyContin
	ed-release 80 mg		20	✓ OxyContin
			20	✓ OxyNorm
1 0			20	✓ OxyNorm
1 0			20	✓ OxyNorm
	g per 5 ml		250 ml	✓ <u>OxyNorm</u>
	er ml, 1 ml		5	✓ OxyNorm
, ,,	er ml, 2 ml		5	✓ OxyNorm

### **Prescribing Guideline**

Prescribers should note that oxycodone is significantly more expensive than long-acting morphine sulphate and clinical advice suggests that it is reasonable to consider this as a second-line agent to be used after morphine.

	Subsidy (Manufacturer's Price \$	e) Su Per	Fully Brand or ubsidised Generic Manufacturer
	φ	rei	
PARACETAMOL WITH CODEINE * Tab paracetamol 500 mg with codeine phosphate 8 mg	2.45	100	✓ ParaCode
(Codelain Tab paraostomal 500 mg with codeing phasebate 9 m	(3.24)	0010	Codalgin
(Codalgin Tab paracetamol 500 mg with codeine phosphate 8 m	g lo be delisted T Jul	ie 2010)	
PETHIDINE HYDROCHLORIDE a) Only on a controlled drug form			
b) No patient co-payment payable			
Tab 50 mg		10	V PSM
Tab 100 mg		10	✓ PSM
Inj 50 mg per ml, 1 ml - Up to 5 inj available on a PSO		5	Mayne
Inj 50 mg per ml, 1.5 ml – Up to 5 inj available on a PSO		5	Mayne
Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO	5.50	5	🖌 Mayne
Antidepressants			
Cyclic and Related Agents			
AMITRIPTYLINE			
Tab 10 mg	2.77	50	Amirol
Tab 25 mg	3.40	100	Amitrip
Tab 50 mg	5.20	100	<ul> <li>Amitrip</li> </ul>
CLOMIPRAMINE HYDROCHLORIDE			
Tab 10 mg		100	Clopress
	12.60		Apo-Clomipramine
Tab 25 mg		100	Apo-Clomipramine
	26.00	500	Clopress
(Clopress Tab 10 mg to be delisted 1 June 2010)			
			4-
Tab 75 mg		100	✓ Dopress
Cap 25 mg	4./5	100	Dopress
DOXEPIN HYDROCHLORIDE	/		<b>4</b> • ·
Cap 10 mg		100	<ul> <li>Anten</li> </ul>
Cap 25 mg		100 100	<ul> <li>Anten</li> <li>Anten</li> </ul>
Cap 50 mg		100	V Anten
MIPRAMINE HYDROCHLORIDE	5.40		
Tab 10 mg		50	<ul> <li>Tofranil</li> <li>Tofranil</li> </ul>
Tab 25 mg	8.80	50	<ul> <li>Tofranil</li> </ul>
	05.00	100	<b>4 1 1 1</b>
Tab 25 mg		100	Ludiomil
Tab 75 mg		30	Ludiomil
MIANSERIN HYDROCHLORIDE - Special Authority see SA086			
Tab 30 mg		30	<ul> <li>Tolvon</li> </ul>

112

	Subsidy (Manufacturer's Price) \$	) S Per	Fully Subsidised	Brand or Generic Manufacturer
SA0864 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid Both: Depression: and	for 2 years for applic	ations n	neeting the	following criteria:
<ol> <li>Depression; and</li> <li>Either:         <ol> <li>Co-existent bladder neck obstruction; or</li> <li>Cardiovascular disease.</li> </ol> </li> </ol>				
Renewal from any relevant practitioner. Approvals valid for 2 yes benefiting from treatment.	ears where the treatr	nent rer	mains app	ropriate and the patient is
NORTRIPTYLINE HYDROCHLORIDE Tab 10 mg Tab 25 mg		100 180		orpress orpress
TRIMIPRAMINE MALEATE Cap 50 mg ( <i>Tripress Cap 50 mg to be delisted 1 August 2010</i> )	11.20	100	🗸 Tr	ripress
Monoamine-Oxidase Inhibitors (MAOIs) - Non Se	elective			
PHENELZINE SULPHATE Tab 15 mg	95.00	100	🗸 N	ardil
TRANYLCYPROMINE SULPHATE Tab 10 mg	22.94	50	🖌 Pa	arnate
Monoamine-Oxidase Type A Inhibitors				
MOCLOBEMIDE Note: There is a significant cost differential between moclobe expensive). For depressive syndromes it is therefore more co- ing prescribing moclobemide.		·		0
Tab 150 mg	8.31	60		enRx Moclobemide
Tab 300 mg	69.23 18.80	500 60	🖌 G	po-Moclobemide enRx Moclobemide
	31.33	100		po-Moclobemide
Selective Serotonin Reuptake Inhibitors				
CITALOPRAM HYDROBROMIDE * Tab 20 mg FLUOXETINE HYDROCHLORIDE	3.78	84	✓ <u>A</u>	rrow-Citalopram
* Tab dispersible 20 mg, scored – Subsidy by endorsement Subsidised by endorsement		30	✓ <u>FI</u>	
<ol> <li>When prescribed for a patient who cannot swallow v ingly; or</li> <li>When prescribed in a daily dose that is not a mu and end Nate. Tablete about the combined with a</li> </ol>	Itiple of 20 mg in wl	hich cas	e the pres	scription is deemed to be
endorsed. Note: Tablets should be combined with c * Cap 20 mg PAROXETINE HYDROCHLORIDE	•	90	ntai 10 mg ✔ <u>FI</u>	
Tab 20 mg	5.90	30	✓ Lo	oxamine

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Other Antidepressants				
MIRTAZAPINE – Special Authority see SA0994 below – Retail Tab 30 mg Tab 45 mg		30 30		vanza vanza
SA0994 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals va Both:	lid for 2 years for application	ations r	neeting the	following criteria:
<ol> <li>The patient has a severe major depressive episode; and 2 Either:</li> </ol>	1			
<ol> <li>2.1 The patient must have had a trial of two different to respond to an adequate dose over an adequat 2.2 Both:</li> </ol>				
<ul><li>2.2.1 The patient is currently a hospital in-patier</li><li>2.2.2 The patient must have had a trial of one oth to an adequate dose over an adequate per</li></ul>	ner antidepressant and e			
<b>tenewal</b> from any relevant practitioner. Approvals valid for 2 y nined).	ears where the patient	has a l	nigh risk of	relapse (prescriber dete
/ENLAFAXINE - Special Authority see SA0789 below - Retai	l pharmacy			
Cap 37.5 mg		28 28		fexor XR fexor XR
Cap 75 mg Cap 150 mg		20 28		fexor XR
SA0789 Special Authority for Subsidy nitial application only from a relevant specialist or vocation pplications meeting the following criteria:	ally registered general	practitio	oner. Appr	ovals valid for 2 years fo
oth: 1 The patient has 'treatment-resistant' depression; and				
2 Either:				
<ol> <li>2.1 The patient must have had a trial of two different adequate period of time (usually at least four wee 2.2 Both:</li> </ol>		led to r	espond to	an adequate dose over a
2.2 DOIII.				de end

- 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
- 2.2.2 The patient must have had a trial of one other antidepressant and failed to respond to an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

### **Antiepilepsy Drugs**

### Agents for Control of Status Epilepticus

CLONAZEPAM Inj 1 mg per ml, 1 ml19.00	5	✓ Rivotril	
DIAZEPAM			
Inj 5 mg per ml, 2 ml – Subsidy by endorsement9.24	5	Mayne	
a) Up to 5 inj available on a PSO			
b) Only on a PSO			
c) PSO must be endorsed "not for anaesthetic procedures".			
Rectal tubes 5 mg – Up to 5 tube available on a PSO	5	Stesolid	
Rectal tubes 10 mg – Up to 5 tube available on a PSO	5	<ul> <li>Stesolid</li> </ul>	

	Subsidy (Manufacturer's Price		Fully bsidised	Brand or Generic
	(Manulacturer's Frice \$	Per		Manufacturer
PARALDEHYDE				
* Inj 5 ml	1,500.00	5	🗸 A	FT
PHENYTOIN SODIUM				
* Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO		5		ayne
* Inj 50 mg per ml, 5 ml – Up to 5 inj available on a PSO	77.27	5	V M	ayne
Control of Epilepsy				
CARBAMAZEPINE				
* Tab 200 mg	14.53	100	🖌 Te	egretol
* Tab long-acting 200 mg		100		egretol CR
* Tab 400 mg		100		egretol
* Tab long-acting 400 mg *‡ Oral liq 100 mg per 5 ml		100 250 ml		egretol CR egretol
CLOBAZAM	20.07	200 111	•	cyrctor
Tab 10 mg	9 12	50	V F	risium
\$ Safety cap for extemporaneously compounded oral liquity		00	• •	
CLONAZEPAM				
Таb 500 µg	6.26	100	✓ <u>P</u>	axam
Tab 2 mg		100		axam
the second	7.38 1	10 ml OP	V R	ivotril
ETHOSUXIMIDE			4 -	
* Cap 250 mg		200		arontin
*‡ Oral liq 250 mg per 5 ml		200 ml	V Zi	arontin
GABAPENTIN – Special Authority see SA1009 below – Retail p		100	. / N	montin
▲ Cap 100 mg ▲ Cap 300 mg		100 100		<u>upentin</u> upentin
▲ Cap 300 mg		100		upentin

#### ➡SA1009 Special Authority for Subsidy

**Initial application** — (Epilepsy - new patients) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Epilepsy - patient has had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life from gabapentin; or
- 2 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents, or seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Initial application — (Neuropathic pain - new patients) from any relevant practitioner. Approvals valid for 3 months where the patient has tried and failed, or has been unable to tolerate, treatment with a tricyclic antidepressant.

Initial application — (Neuropathic pain - patient has had an approval for gabapentin for neuropathic pain prior to 1 August 2007) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

If the patient had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

Renewal — (Neuropathic pain) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Note: If the patient had an approval for gabapentin for neuropathic pain prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

#### GABAPENTIN (NEURONTIN) - Special Authority see SA0973 below - Retail pharmacy

Tab 600 mg		100	Neurontin
Cap 100 mg	15.67	100	Neurontin
Cap 300 mg		100	Neurontin
Cap 400 mg		100	Neurontin

#### ■SA0973 Special Authority for Subsidy

Notes: Subsidy for patients pre-approved by PHARMAC on 1 August 2009. Approvals valid without further renewal unless notified. No new approvals will be granted from 1 August 2009.

	Subsidy (Manufacturer's Pric	a) (	Fully Brand or Subsidised Generic
	\$	Per	Manufacturer
AMOTRIGINE			
Tab dispersible 2 mg	6.74	30	Lamictal
Tab dispersible 5 mg	9.64	30	Lamictal
	15.00	56	Arrow-Lamotrigine
Tab dispersible 25 mg		56	Logem
	20.40		Arrow-Lamotrigine
			✓ Mogine
	29.09		✓ Lamictal
Tab dispersible 50 mg		56	✓ Logem
	34.70		<ul> <li>Arrow-Lamotrigine</li> </ul>
	01110		✓ Mogine
	47.89		✓ Lamictal
Tab dispersible 100 mg		56	✓ Logem
	59.90	50	<ul> <li>Arrow-Lamotrigine</li> </ul>
	09.90		
	79.16		<ul> <li>Mogine</li> <li>Lamictal</li> </ul>
Tab diagonaible 000 mm		50	
Tab dispersible 200 mg rrow-Lamotrigine Tab dispersible 200 mg to be delisted		56	Arrow-Lamotrigine
osidy by application to the Levetiracetam Special Acces	s Panel	60 armac.go	✓ Keppra
►SA0921 Special Authority for Subsidy bsidy by application to the Levetiracetam Special Acces tes: Application details may be obtained from PHARMA The Coordinator, Levetiracetam Special Access Panel	s Panel C's website <u>http://www.ph</u> Phone: (04) 916-7553	armac.go	
►SA0921 Special Authority for Subsidy ubsidy by application to the Levetiracetam Special Access otes: Application details may be obtained from PHARMA The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254	s Panel C's website <u>http://www.ph</u>	armac.go	vt.nz or:
SA0921 Special Authority for Subsidy ubsidy by application to the Levetiracetam Special Access otes: Application details may be obtained from PHARMA The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington	s Panel C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226	armac.go	vt.nz or:
►SA0921 Special Authority for Subsidy ibsidy by application to the Levetiracetam Special Access ites: Application details may be obtained from PHARMA The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington IENOBARBITONE	s Panel C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226	armac.go	vt.nz or:
<ul> <li>SA0921 Special Authority for Subsidy</li> <li>bsidy by application to the Levetiracetam Special Access ites: Application details may be obtained from PHARMA</li> <li>The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254</li> <li>Wellington</li> <li>HENOBARBITONE</li> <li>For phenobarbitone oral liquid refer, page 166</li> </ul>	s Panel C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@	armac.go S pharmac.	vt.nz or: govt.nz
Special Authority for Subsidy     bsidy by application to the Levetiracetam Special Access     tes: Application details may be obtained from PHARMA     Fhe Coordinator, Levetiracetam Special Access Panel     PHARMAC, PO Box 10 254     Wellington     IENOBARBITONE     For phenobarbitone oral liquid refer, page 166     Tab 15 mg	s Panel C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@	armac.go pharmac. 500	vt.nz or: govt.nz V PSM
Special Authority for Subsidy     bsidy by application to the Levetiracetam Special Access tes: Application details may be obtained from PHARMA The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington IENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg Tab 30 mg	s Panel C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@	armac.go S pharmac.	vt.nz or: govt.nz
Special Authority for Subsidy     bsidy by application to the Levetiracetam Special Access tes: Application details may be obtained from PHARMA The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington IENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg Tab 30 mg IENYTOIN SODIUM	s Panel C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@	armac.go bharmac. 500 500	vt.nz or: govt.nz ✓ PSM ✓ PSM
Special Authority for Subsidy     bsidy by application to the Levetiracetam Special Access tes: Application details may be obtained from PHARMA The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington IENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg Tab 30 mg IENYTOIN SODIUM Tab 50 mg	s Panel C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@ 	armac.go bharmac. 500 500 200	vt.nz or: govt.nz ✓ PSM ✓ PSM ✓ Dilantin Infatab
SA0921 Special Authority for Subsidy     bsidy by application to the Levetiracetam Special Access     tes: Application details may be obtained from PHARMA     The Coordinator, Levetiracetam Special Access Panel     PHARMAC, PO Box 10 254     Wellington     IENOBARBITONE     For phenobarbitone oral liquid refer, page 166     Tab 15 mg     Tab 30 mg     IENYTOIN SODIUM     Tab 50 mg     Cap 30 mg	s Panel C's website <u>http://www.ph</u> Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: <u>Isacoordinator@</u> 	armac.go s) pharmac. 500 500 200 200	vt.nz or: govt.nz PSM PSM Dilantin Infatab Dilantin
Special Authority for Subsidy         bsidy by application to the Levetiracetam Special Access         tes: Application details may be obtained from PHARMA         The Coordinator, Levetiracetam Special Access Panel         PHARMAC, PO Box 10 254         Vellington         IENOBARBITONE         For phenobarbitone oral liquid refer, page 166         Tab 15 mg         Tab 30 mg         IENYTOIN SODIUM         Tab 50 mg         Cap 30 mg         Cap 100 mg	s Panel C's website <u>http://www.ph</u> Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: <u>Isacoordinator@</u> 	armac.go s) pharmac. 500 500 200 200 200 200	vt.nz or: govt.nz PSM PSM Dilantin Infatab Dilantin Dilantin
Special Authority for Subsidy           bsidy by application to the Levetiracetam Special Access           tes: Application details may be obtained from PHARMA           The Coordinator, Levetiracetam Special Access Panel           PHARMAC, PO Box 10 254           Wellington           IENOBARBITONE           For phenobarbitone oral liquid refer, page 166           Tab 15 mg           Tab 30 mg           IENYTOIN SODIUM           Tab 50 mg           Cap 30 mg	s Panel C's website <u>http://www.ph</u> Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: <u>Isacoordinator@</u> 	armac.go s) pharmac. 500 500 200 200	vt.nz or: govt.nz PSM PSM Dilantin Infatab Dilantin
SA0921 Special Authority for Subsidy     bsidy by application to the Levetiracetam Special Access tes: Application details may be obtained from PHARMA The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington IENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg Tab 30 mg IENYTOIN SODIUM Tab 50 mg Cap 30 mg Cap 100 mg Oral liq 30 mg per 5 ml	s Panel C's website <u>http://www.ph</u> Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: <u>Isacoordinator@</u> 	armac.go s) pharmac. 500 500 200 200 200 200	vt.nz or: govt.nz PSM PSM Dilantin Infatab Dilantin Dilantin
SA0921 Special Authority for Subsidy     bsidy by application to the Levetiracetam Special Access tes: Application details may be obtained from PHARMA The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington IENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg Tab 30 mg IENYTOIN SODIUM Tab 50 mg Cap 30 mg Cap 100 mg Oral liq 30 mg per 5 ml IMIDONE	s Panel C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@ 25.00 26.00 15.63 15.50 14.69 11.19	armac.go pharmac. 500 500 200 200 200 500 ml	vt.nz or: govt.nz ✓ PSM ✓ PSM ✓ Dilantin Infatab ✓ Dilantin ✓ Dilantin ✓ Dilantin
SA0921 Special Authority for Subsidy     bidy by application to the Levetiracetam Special Access tes: Application details may be obtained from PHARMA The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington IENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg Tab 30 mg Cap 30 mg Cap 100 mg Cap 100 mg Tab 250 mg Cap 100 mg Cap 30 mg Cap 100 mg Cap 100 mg Cap 30 mg Cap 100 mg Cap 30 mg Cap 100 mg C	s Panel C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@ 25.00 26.00 15.63 15.50 14.69 11.19	armac.go s) pharmac. 500 500 200 200 200 200	vt.nz or: govt.nz PSM PSM Dilantin Infatab Dilantin Dilantin
SA0921 Special Authority for Subsidy bisdy by application to the Levetiracetam Special Access tes: Application details may be obtained from PHARMA The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg Tab 30 mg ENYTOIN SODIUM Tab 50 mg Cap 100 mg Cap 250 mg C	s Panel C's website <u>http://www.ph</u> Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: <u>Isacoordinator@</u> 	armac.go pharmac. 500 500 200 200 200 500 ml 100	vt.nz or: govt.nz PSM PSM Dilantin Infatab Dilantin Dilantin Dilantin Apo-Primidone
SA0921 Special Authority for Subsidy bisdy by application to the Levetiracetam Special Access tes: Application details may be obtained from PHARMA The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg Tab 30 mg Cap 30 mg Cap 30 mg Cap 30 mg Cap 100 mg Cap 100 mg Cap 30 mg Cap 100 mg Cap 30 mg Cap 100 mg Cap 30 mg Cap	s Panel C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@ 25.00 26.00 15.63 15.50 14.69 11.19 17.25 	armac.go pharmac. 500 500 200 200 200 500 ml 100 100	vt.nz or: govt.nz PSM PSM Dilantin Infatab Dilantin Dilantin Dilantin Apo-Primidone Epilim Crushable
SA0921 Special Authority for Subsidy bisidy by application to the Levetiracetam Special Access tes: Application details may be obtained from PHARMA The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg Tab 30 mg Cap 30 mg Cap 30 mg Cap 30 mg Cap 100 mg Cap 30 mg Cap 100 mg Cap 30 mg Cap 100 mg Cap 30 mg Cap 30 mg Cap 100 mg Cap 30 mg Cap 100 mg Cap 30 mg Cap 100 mg Cap 30 mg C	s Panel C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@ 25.00 26.00 15.63 15.50 14.69 11.19 17.25 13.65 27.44	armac.go spharmac. 500 500 200 200 200 500 ml 100 100 100	vt.nz or: govt.nz PSM PSM Dilantin Infatab Dilantin Dilantin Dilantin Apo-Primidone Epilim Crushable Epilim
SA0921 Special Authority for Subsidy     bidy by application to the Levetiracetam Special Access tes: Application details may be obtained from PHARMA The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg Tab 30 mg Cap 30 mg Cap 30 mg Cap 100 mg Cap 100 mg Cap 100 mg Cap 250 mg DIUM VALPROATE Tab 250 mg Tab 200 mg EC Tab 500 mg EC Tab 500 mg EC	s Panel C's website <u>http://www.ph</u> Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: <u>Isacoordinator@</u> 25.00 26.00 15.63 15.50 14.69 11.19 17.25 13.65 27.44 52.24	armac.go spharmac. 500 500 200 200 200 500 ml 100 100 100 100	vt.nz or: govt.nz PSM PSM Dilantin Infatab Dilantin Dilantin Dilantin Apo-Primidone Epilim Crushable Epilim
SA0921 Special Authority for Subsidy     bidy by application to the Levetiracetam Special Access tes: Application details may be obtained from PHARMA The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg Tab 30 mg Cap 30 mg Cap 30 mg Cap 100 mg Cap 100 mg Cap 100 mg Cap 250 mg DIUM VALPROATE Tab 250 mg Tab 200 mg EC Tab 500 mg EC Tab 500 mg EC	s Panel C's website <u>http://www.ph</u> Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: <u>Isacoordinator@</u> 25.00 26.00 15.63 15.50 14.69 11.19 17.25 13.65 27.44 52.24	armac.go spharmac. 500 500 200 200 200 500 ml 100 100 100	vt.nz or: govt.nz PSM PSM Dilantin Infatab Dilantin Dilantin Dilantin Apo-Primidone Epilim Epilim Epilim Epilim Epilim
SA0921 Special Authority for Subsidy by application to the Levetiracetam Special Access tes: Application details may be obtained from PHARMA The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg Tab 30 mg Cap 30 mg Cap 30 mg Cap 100 mg C	s Panel C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@ 25.00 26.00 15.63 15.50 14.69 11.19 17.25 13.65 27.44 52.24 20.48	armac.go spharmac. 500 500 200 200 200 500 ml 100 100 100 100	vt.nz or: govt.nz PSM PSM Dilantin Infatab Dilantin Dilantin Dilantin Apo-Primidone Epilim Crushable Epilim

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
TOPIRAMATE				
▲ Tab 25 mg	11.07	60	~	Arrow-Topiramate
	26.04		~	Topamax
▲ Tab 50 mg		60	~	Arrow-Topiramate
-	44.26		~	Topamax
▲ Tab 100 mg		60	~	Arrow-Topiramate
-	75.25		~	Topamax
▲ Tab 200 mg		60	~	Arrow-Topiramate
-	129.85		~	Topamax
Sprinkle cap 15 mg		60	~	Topamax
Sprinkle cap 25 mg		60	V	Topamax
VIGABATRIN - Special Authority see SA1010 below - Retail phar	macy			
▲ Tab 500 mg	119.30	100	V	Sabril

#### ➡SA1010 Special Authority for Subsidy

**Initial application — (new patients)** from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Both:

### 1 Either:

- 1.1 Patient has infantile spasms; or
- 1.2 Both:
  - 1.2.1 Patient has epilepsy; and
  - 1.2.2 Either:
    - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
    - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and
- 2 Either:
  - 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
  - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Initial application — (patient has had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for the duration of treatment with vigabatrin; or
- 2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Note: Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- 2 Either:
  - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
  - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Subsidy (Manufacturer's Price)	Fully Subsidised	
 \$	Per 🖌	Manufacturer

continued...

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages. If the patient had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

### **Antimigraine Preparations**

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 100

### **Acute Migraine Treatment**

ERGOTAMINE TARTRATE WITH CAFFEINE			
Tab 1 mg with caffeine 100 mg	31.00	100	Cafergot
METOCLOPRAMIDE HYDROCHLORIDE WITH PARACETAMOL Tab 5 mg with paracetamol 500 mg	6 77	60	✓ Paramax
RIZATRIPTAN BENZOATE	0.77	00	
Wafer 10 mg2	25.32	3	✓ Maxalt Melt
SUMATBIPTAN		-	
Tab 50 mg	8.83	100	<ul> <li>Arrow-Sumatriptan</li> </ul>
	1.55	4	0
	2.00) 22.00)		Sumagran Imigran
Tab 100 mg7	,	100	✓ Arrow-Sumatriptan
	1.55	2	
	2.00)		Sumagran
2) Inj 12 mg per ml, 0.5 ml – Hospital pharmacy [HP3]-Specialist£	22.00)	2 OP	Imigran <b>Imigran</b>
Maximum of 10 inj per prescription (Sumagran Tab 50 mg to be delisted 1 May 2010) (Imigran Tab 50 mg to be delisted 1 May 2010) (Sumagran Tab 100 mg to be delisted 1 May 2010) (Imigran Tab 100 mg to be delisted 1 May 2010)			
Prophylaxis of Migraine			
For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYSTEM, CLONIDINE HYDROCHLORIDE	bage 52		
* Tab 25 μg1	9.25	100	✓ <u>Dixarit</u>
PIZOTIFEN			
* Tab 500 μg2	21.10	100	<ul> <li>Sandomigran</li> </ul>
Antinausea and Vertigo Agents			
For Antispasmodics refer to ALIMENTARY TRACT, page 27			
$\begin{array}{l} \mbox{APREPITANT} & - \mbox{Special Authority see SA0987 on the next page - Retail} \\ \mbox{Cap 2} \times 80 \mbox{ mg and 1} \times 125 \mbox{ mg } \\ $		3 OP	<ul> <li>Emend Tri-Pack</li> </ul>

1	Subsidy		Fully Brand or
	(Manufacturer's Pri \$	ice) S Per	ubsidised Generic Manufacturer
A0987 Special Authority for Subsidy	÷		
al application from any relevant practitioner. Approvals valid	for 12 months whe	ere the patie	ent is undergoing highly emetogeni
notherapy and/or anthracycline-based chemotherapy for the t ewal from any relevant practitioner. Approvals valid for 12 mor			aning highly amotogonic chamatha
and/or anthracycline-based chemotherapy for the treatment c			going highly effetogenic chemothe
AHISTINE DIHYDROCHLORIDE			
Tab 16 mg	9.26	84	Vergo 16
			-
Tab 50 mg	1.59	10	✓ Nausicalm
LIZINE LACTATE			
Inj 50 mg per ml, 1 ml	14.95	5	<ul> <li>Valoid (AFT)</li> </ul>
IPERIDONE - Additional subsidy by Special Authority see S	A0938 below – Re	etail pharma	acy
Tab 10 mg	3.90	100	
	(7.99)		Motilium
A0938 Special Authority for Manufacturers Price			
al application from any relevant practitioner. Approvals valid	for 6 months where	e the patien	t is terminally ill and requires contro
ausea and vomiting. ewal from any relevant practitioner. Approvals valid for 6 mc	onthe whore the tr	ootmont ron	naine appropriate and the patient i
ewar non any relevant practitioner. Approvals valid for o me efiting from treatment.			nams appropriate and the patient i
SCINE (SCOPOLAMINE) – Special Authority see SA0939 b	elow – Hospital pł	harmacy [H]	P31
Patch 1.5 mg		2	Scopoderm TTS
A0939 Special Authority for Subsidy			
al application from any relevant practitioner. Approvals valid	for 1 year for appli	ications me	eting the following criteria:
f the following:			
1 Control of intractable nausea, vomiting, or inability to swall			malignancy or chronic disease; and
2 Patient cannot tolerate or does not adequately respond to 3 The applicant must specify the underlying malignancy or c		gents; and	
ewal from any relevant practitioner. Approvals valid for 1 y		atment rem	ains appropriate and the patient i
efiting from treatment.			
SCINE HYDROBROMIDE			
Inj 400 μg per ml, 1 ml	6.66	5	Mayne
OCLOPRAMIDE HYDROCHLORIDE			
Tab 10 mg	5.15	100	Metamide
Inj 5 mg per ml, 2 ml – Up to 5 inj available on a PSO	4.50	10	✓ Pfizer
DANSETRON – Retail pharmacy-Specialist			
a) Maximum of 12 tab per prescription; can be waived by Spe			
b) Maximum of 6 tab per dispensing; can be waived by Speci			
c) Not more than one prescription per month; can be waived d) The maximum of 6 tab per dispensing cannot be waived vi			
		on Griefía.	
, , , , , , , , , , , , , , , , , , , ,			
Tab 4 mg	17.18	10 10	✓ Zofran
, , , , , , , , , , , , , , , , , , , ,		10	

**>**SA0887 Special Authority for Waiver of Rule Initial application from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing prolonged treatment with highly emetogenic chemotherapy and/or highly emetogenic radiation therapy for the treatment of malignancy.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing prolonged treatment with highly emetogenic chemotherapy and/or highly emetogenic radiation therapy for the treatment of malignancy.

	Subsidy (Manufacturer's Price		Fully Brand or Subsidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
PROCHLORPERAZINE  * Tab 3 mg buccal	5.07	50	
	(15.00)	50	Buccastem
* Tab 5 mg – Up to 30 tab available on a PSO		500	✓ Antinaus
<ul> <li>Inj 12.5 mg per ml, 1 ml – Up to 5 inj available on a PSO</li> </ul>		10	Stemetil
* Suppos 25 mg		5	Stemetil
	20.07	5	• Stemeth
	4.00	4.0	
* Tab 25 mg		10	Augustina
	(6.24)		Avomine
TROPISETRON – Hospital pharmacy [HP3]-Specialist			
<ul> <li>a) Maximum of 6 cap per prescription</li> </ul>			
<ul> <li>b) Maximum of 3 cap per dispensing</li> </ul>			
<li>c) Not more than one prescription per month.</li>			
Cap 5 mg	77.41	5	Navoban
Antiparkinson Agents			
Dopamine Agonists and Related Agents			
AMANTADINE HYDROCHLORIDE			
▲ Cap 100 mg	47.81	60	Symmetrel
APOMORPHINE HYDROCHLORIDE			
▲ Inj 10 mg per ml, 2 ml		5	Apomine
BROMOCRIPTINE MESYLATE			·
★ Tab 2.5 mg	22.09	100	🖌 Alpha-
™ 1ab 2.5 mg		100	Bromocriptine
			✓ Apo-Bromocriptine
₭ Cap 5 mg	60.43	100	Apo-Bromocriptine
		100	Bromocriptine S29
Alpha-Bromocriptine Tab 2.5 mg to be delisted 1 June 2010)			
, , ,			
INTACAPONE			
Tab 200 mg		100	Comtan
EVODOPA WITH BENSERAZIDE			
* Tab dispersible 50 mg with benserazide 12.5 mg		100	Madopar
			Dispersible
₭ Cap 50 mg with benserazide 12.5 mg	8.00	100	Madopar 62.5
₭ Cap 100 mg with benserazide 25 mg		100	Madopar 125
Cap long-acting 100 mg with benserazide 25 mg		100	Madopar HBS
Cap 200 mg with benserazide 50 mg		100	🖌 Madopar 250
EVODOPA WITH CARBIDOPA			
<ul> <li>Tab 100 mg with carbidopa 25 mg</li> </ul>		50	Sindopa
	20.00	100	✓ Sinemet
* Tab long-acting 200 mg with carbidopa 50 mg		100	Sinemet CR
* Tab 250 mg with carbidopa 25 mg		100	✓ Sinemet
ISURIDE HYDROGEN MALEATE			
▲ Tab 200 μg	27 50	30	Dopergin
		50	
PERGOLIDE	10.00		4-
▲ Tab 0.25 mg		100	Permax
Tab 1 mg	170.00	100	Permax

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

(1	Subsidy Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
ROPINIROLE HYDROCHLORIDE				
▲ Tab 0.25 mg	7.90	84	✓ <u>F</u>	<u>lopin</u>
▲ Tab 1 mg	40.32	84		<u>lopin</u>
▲ Tab 2 mg		84		<u>lopin</u>
▲ Tab 5 mg	90.00	84	✓ <u>F</u>	lopin
SELEGILINE HYDROCHLORIDE				
* Tab 5 mg	16.06	100	VA	po-Selegiline
<ul> <li>TOLCAPONE – Retail pharmacy-Specialist prescription Specialist must be a neurologist, geriatrician or general physicia</li> <li>▲ Tab 100 mg</li> <li>Anticholinergics</li> </ul>		100	<b>√</b> T	asmar
-				
BENZTROPINE MESYLATE	7.00	60		Benztrop
Tab 2 mg Inj 1 mg per ml, 2 ml		60 5		Cogentin
a) Up to 5 inj available on a PSO b) Only on a PSO		Ū		
ORPHENADRINE HYDROCHLORIDE				
Tab 50 mg	31.93	250	V D	Disipal
PROCYCLIDINE HYDROCHLORIDE				
Tab 5 mg	7.40	100	<b>V</b> K	Cemadrin
			•	
Antipsychotics				

#### Guidelines for the use of atypical antipsychotic agents

Diagnosis: Schizophrenia and related psychoses when positive symptoms (delusions, hallucinations and thought disorder) are prominent and/or disabling or when both positive symptoms and negative symptoms (flattened affect, emotional and social withdrawal and poverty of speech) are present. Treatment: Before initiating atypical antipsychotic therapy, physicians should consider whether the patient is likely to respond to and/or tolerate conventional antipsychotic therapy and, where appropriate, trial one or more conventional agent prior to use of an atypical agent.

### General

AMISULPRIDE			
Tab 100 mg		30	Solian
Tab 200 mg		60	Solian
Tab 400 mg		60	Solian
Oral liq 100 mg per ml	55.44	60 ml	Solian
ARIPIPRAZOLE - Special Authority see SA0920 on the	next page – Retail pharm	acy	
Tab 10 mg		30	Abilify
Tab 15 mg	175.28	30	Abilify
Tab 20 mg	213.42	30	Abilify
Tab 30 mg		30	<ul> <li>Abilify</li> </ul>

	Subsidy		Fully Brand or
	(Manufacturer's Pr \$	ice) Su Per	Ibsidised Generic ✓ Manufacturer
	Ψ	I EI	<ul> <li>Manulaciurei</li> </ul>
SA0920 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals valic Both:	I for 2 years for app	olications me	eeting the following criteria:
<ol> <li>Patient is suffering from schizophrenia or related psychos</li> </ol>	es: and		
2 Either:	,		
2.1 An effective dose of risperidone or quetiapine has	been trialled and	has been di	iscontinued, or is in the process
being discontinued, because of unacceptable side			
2.2 An effective dose of risperidone or quetiapine has		has been di	iscontinued, or is in the process
being discontinued, because of inadequate clinical			
Renewal from any relevant practitioner. Approvals valid for 2 y benefiting from treatment.	ears where the tre	eatment remain	ains appropriate and the patient
5			
CHLORPROMAZINE HYDROCHLORIDE	10.96	100	
Tab 10 mg – Up to 30 tab available on a PSO Tab 25 mg – Up to 30 tab available on a PSO		100 100	<ul> <li>Largactil</li> <li>Largactil</li> </ul>
Tab 100 mg – Up to 30 tab available on a PSO		100	✓ Largactil
Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO		100	✓ Largactil
	20.00	10	• Laiguotii
CLOZAPINE – Hospital pharmacy [HP4]	12.27	50	Clozaril
Tab 25 mg	26.74	100	✓ Clozaril
	6.69	50	✓ Clopine
	13.37	100	✓ Clopine
Tab 50 mg		50	✓ Clopine
J. J	17.33	100	✓ Clopine
Tab 100 mg		50	<ul> <li>Clozaril</li> </ul>
	69.30	100	<ul> <li>Clozaril</li> </ul>
	17.33	50	Clopine
	34.65	100	Clopine
Tab 200 mg		50	Clopine
Suspension 50 mg per ml	69.30	100 100 ml	<ul><li>Clopine</li><li>Clopine</li></ul>
	17.33	100 111	Clopine
HALOPERIDOL	4.00	100	
Tab 500 μg – Up to 30 tab available on a PSO Tab 1.5 mg – Up to 30 tab available on a PSO		100 100	<ul> <li>✓ <u>Serenace</u></li> <li>✓ Serenace</li> </ul>
Tab 5 mg – Up to 30 tab available on a PSO		100	✓ Serenace
Oral liq 2 mg per ml – Up to 200 ml available on a PSO		100 ml	✓ Serenace
Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO		10	✓ Serenace
LITHIUM CARBONATE			
Tab 250 mg	36 10	500	Lithicarb
Tab 400 mg		100	
Tab long-acting 400 mg		100	✓ Priadel
Cap 250 mg		100	🖌 Douglas
METHOTRIMEPRAZINE			
Tab 25 mg		100	Nozinan
Tab 100 mg		100	<ul> <li>Nozinan</li> </ul>
Inj 25 mg per ml, 1 ml		10	Nozinan
OLANZAPINE - Special Authority see SA0741 on the next page	e – Retail pharmac	V	
Tab 2.5 mg		, 28	Zyprexa
5			
Tab 5 mg	101.21	28	<ul><li>✓ Zyprexa</li><li>✓ Zyprexa</li></ul>

(Ma	Subsidy nufacturer's Price) \$	Subs Per	Fully idised	Brand or Generic Manufacturer
➡SA0741 Special Authority for Subsidy				
Initial application only from a psychiatrist. Approvals valid for 2 years	for applications n	neeting the	e follow	ving criteria:
Any of the following:				
<ol> <li>Patient presents with first episode schizophrenia or related psyc</li> </ol>	hoses; or			
2 Both:				
2.1 Patient suffering from schizophrenia and related psychos	es or acute mani	a in bipola	r disor	der who is likely to benefit
from antipsychotic treatment; and				
2.2 Either:				
2.2.1 An effective dose of risperidone had been trialled effects; or	and has been d	Iscontinue	a peca	ause of unacceptable side
2.2.2 An effective dose of risperidone had been trialled response after 4 weeks; or	and has been di	scontinue	d beca	use of inadequate clinical
3 The patient has suffered from an acute episode of schizophrer	nia or bipolar ma	nia and h	as bee	n treated with olanzapine
short-acting intra-muscular injection.	ia el pipela lla			in troutou intil olunizapino
<b>Renewal</b> only from a psychiatrist. Approvals valid for 2 years where the	treatment remai	ns approp	riate a	nd the patient is benefiting
from treatment.				
Note: Initial prescriptions to be written by psychiatrists or psychiatric	registrars and su	ubsequent	presc	riptions can be written by
General Practitioners.				
General Practitioners. PERICYAZINE				
		100		eulactil
PERICYAZINE		100 100		eulactil eulactil
PERICYAZINE Tab 2.5 mg				
PERICYAZINE Tab 2.5 mg Tab 10 mg QUETIAPINE	44.45		✔ N	eulactil
PERICYAZINE Tab 2.5 mg Tab 10 mg		100		
PERICYAZINE Tab 2.5 mg Tab 10 mg QUETIAPINE	44.45 16.78 46.20	90		uetapel
PERICYAZINE Tab 2.5 mg Tab 10 mg QUETIAPINE Tab 25 mg	44.45 16.78 46.20 32.59	90 60		eulactil uetapel eroquel
PERICYAZINE Tab 2.5 mg Tab 10 mg QUETIAPINE Tab 25 mg		90 60 90		eulactil uetapel eroquel uetapel
PERICYAZINE Tab 2.5 mg Tab 10 mg QUETIAPINE Tab 25 mg Tab 100 mg Tab 200 mg		90 60 90 60		eulactil uetapel eroquel uetapel eroquel
PERICYAZINE Tab 2.5 mg Tab 10 mg QUETIAPINE Tab 25 mg Tab 100 mg Tab 200 mg	44.45 16.78 .46.20 32.59 92.40 56.70 158.76	90 60 90 60 90 90		eulactil uetapel eroquel uetapel eroquel uetapel

RISPERIDONE         3.51         60         ✓ Apo-Risperidone           Tab 0.5 mg         5.20         20         ✓ Ridal           15.60         60         ✓ Apo-Risperidone         ✓ Risperidone           Tab 1 mg         6.00         60         ✓ Apo-Risperidone           30.77         ✓ Risperidone         ✓ Dr Reddy's         Risperidone           30.77         ✓ Risperidone         ✓ Dr Reddy's         Risperidone           1ab 2 mg         11.00         60         ✓ Apo-Risperidone           ✓ Dr Reddy's         Risperidone         ✓ Risperidone         ✓ Dr Reddy's           Tab 3 mg         15.00         60         ✓ Apo-Risperidone         ✓ Dr Reddy's           Tab 3 mg         15.00         60         ✓ Apo-Risperidone         ✓ Dr Reddy's           Tab 4 mg         .20.00         60         ✓ Apo-Risperidone         ✓ Dr Reddy's           Tab 4 mg         .20.00         60         ✓ Apo-Risperidone         ✓ Dr Reddy's           17ab 4 mg         .20.00         60         ✓ Apo-Risperidone         ✓ Risperidone           121.05         ✓ Risperidone         ✓ Risperidone         ✓ Risperidone         ✓ Risperidone           122.05         ✓ Ridal         ✓ Risperidone		Subsidy (Manufacturer's Price \$	) Si Per	Fully Brand or ubsidised Generic Manufacturer
Tab 0.5 mg       3.51       60       ✓ Apo-Risperidone         5.20       20       ✓ Ridal         15.60       60       ✓ Apo-Risperidone         5.20       20       ✓ Apo-Risperidone         5.20       20       ✓ Apo-Risperidone         5.20       20       ✓ Risperidone         5.20       20       ✓ Risperidone         5.20       20       ✓ Risperidone         7ab 1 mg       6.00       Ø       Apo-Risperidone         30.77       ✓ Ridal       ✓ Risperidone         7ab 2 mg       11.00       60       ✓ Apo-Risperidone         61.53       ✓ Ridal       ✓ Risperidone         92.32       ✓ Ridal       ✓ Risperidone         92.32       ✓ Ridal       ✓ Risperidone         123.05       ✓ Risperidone       ✓ Dr Reddy's         Risperidane       123.05       ✓ Risperidane         121.01       ✓ Apo-Risperidone       ✓ Risperidane         122.02       ✓ Risperidane       ✓ Risperidane         123.05       ✓ Ridal       ✓ Risperidane         123.05       ✓ Ridal       ✓ Risperidane         124 mg       9.83       100       ✓ Stelazine         125 n		φ	Fei	
5.20       20       ✓ Ridal         15.60       60       ✓ Ridal         15.60       60       ✓ Apo-Risperidan         7ab 1 mg		2.51	60	Ano-Picnoridono
15.60       60       ✓ Risperdal         5.20       20       ✓ Apo-Risperidone         7 ab 1 mg	Tab 0.5 mg			
5.20       20       ✓ Risperdal         Tab 1 mg       6.00       60       ✓ App-Risperidone         30.77       ✓ Ridal       ✓ Risperdal         Tab 2 mg       11.00       60       ✓ App-Risperidone         Tab 2 mg       11.00       60       ✓ App-Risperidone         61.53       ✓ Risperdal       ✓ Risperdal         Tab 3 mg       15.00       60       ✓ App-Risperidone         92.32       ✓ Risperdal       ✓ Risperdal       ✓ Risperdal         Tab 4 mg       20.00       60       ✓ App-Risperidone       ✓ Risperdal         1ab 4 mg       20.00       60       ✓ App-Risperidone       ✓ Risperdal         1ab 4 mg       20.00       60       ✓ App-Risperidone       ✓ Risperdal         1ab 4 mg       20.00       60       ✓ App-Risperidone       ✓ Risperdal         1ab 4 mg       20.00       60       ✓ App-Risperidone       ✓ Risperdal         1ab 4 mg       .20.00       60       ✓ App-Risperidone       ✓ Risperdal         1ab 1 mg       .98.3       100       ✓ Stelazine       ✓ Risperdal         1ctab 2 mg       .16.66       100       ✓ Stelazine       ✓ Risperdal         2IPRASIDONE – Subsidy by endorsement<				
Tab 1 mg       6.00       60       ✓ Apo-Risperidone         30.77       ✓ Ridal         Tab 2 mg       11.00       60       ✓ Apo-Risperidone         Tab 2 mg       11.00       60       ✓ Apo-Risperidone         61.53       ✓ Risperidane       ✓ Risperidone         61.53       ✓ Risperidone       ✓ Risperidone         61.53       ✓ Risperidone       ✓ Risperidone         7ab 3 mg       15.00       60       ✓ Apo-Risperidone         92.32       ✓ Ridal       ✓ Risperidone         123.05       ✓ Risperidone       ✓ Risperidone         123.07       ✓ Risperidone<				
Join Reddy's         30.77       ✓ Dir Reddy's         Risperidone         30.77       ✓ Risperidone         Tab 2 mg       11.00       60       ✓ Apo-Risperidone         61.53       ✓ Risperidal       ✓ Risperidal         Tab 3 mg       15.00       60       ✓ Apo-Risperidone         92.32       ✓ Ridal       ✓ Risperidal         Tab 4 mg       20.00       60       ✓ Apo-Risperidone         92.32       ✓ Ridal       ✓ Risperidal         Tab 4 mg       20.00       60       ✓ Apo-Risperidone         92.32       ✓ Risperidal       ✓ Risperidal         Tab 4 mg       20.00       60       ✓ Apo-Risperidone         92.32       ✓ Ridal       ✓ Risperidal         Tab 4 mg       20.00       60       ✓ Apo-Risperidone         123.05       ✓ Ridal       ✓ Risperdal         Oral lig 1 mg per ml       18.35       30 ml       ✓ Apo-Risperidone         123.05       ✓ Risperdal       ✓ Risperdal       ✓ Risperdal         Oral lig 1 mg per ml       18.35       30 ml       ✓ Apo-Risperidone         123.05       ✓ Risperdal       ✓ Risperdal       ✓ Risperdal         Tab 2 mg       16.66	Tab 1 mg			•
Risperidone         30.77       ✓ Risperidone         7 ab 2 mg       11.00       60       ✓ Apo-Risperidone         7 ab 2 mg       11.00       60       ✓ Apo-Risperidone         61.53       ✓ Risperidone         61.53       ✓ Risperidone         7 ab 3 mg	J. J			✓ Dr Reddy's
Tab 2 mg       11.00       60       ✓ Apo-Risperidone         ✓ Dr Reddy's Risperidone       61.53       ✓ Risperidone         Tab 3 mg       15.00       60       ✓ Apo-Risperidone         92.32       ✓ Ridal       ✓ Risperidone         17ab 4 mg       20.00       60       ✓ Apo-Risperidone         17ab 2 mg       1830       ✓ Risperdal       ✓ Risperdal         0ral liq 1 mg per ml       18.35       30 ml       ✓ Apo-Risperidone         17200       45.92       ✓ Risperdal       ✓ Apo-Risperidone         17217       1730       ✓ Stelazine       ✓ Risperdal         1700				
Tab 2 mg       11.00       60       ✓ Apo-Risperidone         0       Fildal       ✓ Rickeridone         61.53       ✓ Ridal       ✓ Risperidone         1       60       ✓ Apo-Risperidone         61.53       ✓ Rickeridone       ✓ Apo-Risperidone         ✓ Apo-Risperidone       ✓ Apo-Risperidone         ✓ Preddy's       Risperidone         92.32       ✓ Ridal         ✓ Risperidone       ✓ Risperidone         ✓ Preddy's       Risperidone         123.05       ✓ Ridal         ✓ Risperidone       ✓ Risperidone         ✓ Apo-Risperidone       ✓ Risperidone         ✓ Risperidone       ✓ Risperidone         ✓ Risperidone <td></td> <td>30.77</td> <td></td> <td>Ridal</td>		30.77		Ridal
Comparison of the second				•
File       File         Tab 3 mg       15.00         Tab 3 mg       15.00         Tab 3 mg       15.00         File       V Risperidone         V Picked       V Pickedy's         Risperidone       V Pickedy's         V Pickedy's       V Pickedy's         Risperidone       V Pickedy's         Risperidone       V Pickedy's         Risperidone       V Risperidone         V Picker       V Picker         Tab 1 mg       9.83       100         V Stelazine       V Risperidone         Tab 2 mg	Tab 2 mg	11.00	60	
61.53 <ul> <li>Risperidal</li> <li>Risperidal</li> <li>Apo-Risperidone</li> <li>Dr Reddy's</li> <li>Risperidal</li> <li>Risperidane</li> <li>92.32</li> <li>Risperidane</li> <li>Prisperidane</li> <li>Prispe</li></ul>				•
Tab 3 mg				•
Tab 3 mg       15.00       60       ✓ Apo-Risperidone         92.32       ✓ Risperidane         92.32       ✓ Risperidane         Tab 4 mg       20.00       60       ✓ Apo-Risperidone         ✓ Tab 4 mg       20.00       60       ✓ Apo-Risperidone         ✓ Dr Reddy's       Risperidane       ✓ Risperidane         123.05       ✓ Ridal       ✓ Risperidane         Oral liq 1 mg per ml       18.35       30 ml       ✓ Apo-Risperidone         45.92       ✓ Risperidane       ✓ Risperidane         Tab 1 mg       9.83       100       ✓ Stelazine         Tab 2 mg       14.64       100       ✓ Stelazine         Tab 5 mg       16.66       100       ✓ Stelazine         Tab 5 mg       16.66       100       ✓ Stelazine         ZIPRASIDONE – Subsidy by endorsement       Ziprasidone is subsidised for patients suffering from schizophrenia or related psychoses after a trial of an effective dose or risperidone or quetapine that has been discontinued, or is in the process of being discontinued, because of unacceptable side effects or inadequate response, and the prescription is endorsed accordingly.       Cap 20 mg       ✓ Zeldox         Cap 20 mg       247.17       60       ✓ Zeldox       Zeldox         Cap 80 mg       329.56       ✓ Zeldox		61.53		
y       Dr Reddy's Risperidone         92.32       ✓ Ridal         7ab 4 mg       ✓ Risperdal         20.00       60       ✓ Apo-Risperidone         ✓ Dr Reddy's Risperdal       ✓ Dr Reddy's Risperdal         0ral liq 1 mg per ml       123.05       ✓ Ridal         0ral liq 1 mg per ml       18.35       30 ml       ✓ Apo-Risperidone         123.05       ✓ Ridal       ✓ Risperdal         0ral liq 1 mg per ml       18.35       30 ml       ✓ Apo-Risperidone         45.92       ✓ Risperdal       ✓ Risperdal         TRIFLUOPERAZINE HYDROCHLORIDE       9.83       100       ✓ Stelazine         Tab 1 mg       9.83       100       ✓ Stelazine         Tab 5 mg       14.64       100       ✓ Stelazine         ZIPRASIDONE – Subsidy by endorsement       Ziprasidone is subsidised for patients suffering from schizophrenia or related psychoses after a trial of an effective dose or risperidone or quetiapine that has been discontinued, or is in the process of being discontinued, because of unacceptable side effects or inadequate response, and the prescription is endorsed accordingly.       Zap 20 mg       ✓ Zeldox         Cap 20 mg       87.88       60       ✓ Zeldox       Zeldox         Cap 40 mg       164.78       60       ✓ Zeldox       Zeldox         C	Teb 0 mm	15.00	<u> </u>	
P3.32       Isperidone         92.32       Ridal         Yellow       Apo-Risperidone         20.00       60       Apo-Risperidone         Yellow       Presentation         123.05       Risperidone         123.05       Risperidone         123.05       Risperidone         Vapo-Risperidone       Risperidone         123.05       Risperidone         123.05       Risperidone         Vapo-Risperidone       Risperidone         Tab 1 mg       9.83       100       Stelazine         ZIPRASIDONE – Subsidy by endorsement       Ziprasidone is subsidised for patients suffering from schizophrenia or related psychoses after a trial of an effective dose or risperidone is endorsed accordingly.         Cap 20 mg       87.88       60       Zeldox <t< td=""><td>Tab 3 mg</td><td>15.00</td><td>60</td><td></td></t<>	Tab 3 mg	15.00	60	
92.32 <ul> <li>Ridal</li> <li>Risperdal</li> <li>Risperdal</li> <li>Apo-Risperidone</li> <li>Dr Reddy's</li> <li>Risperidone</li> </ul> 123.05 <li>Ridal</li> <li>Pisperdan</li> Oral liq 1 mg per ml         18.35         30 ml <li>Apo-Risperidone</li> <li>Y Apo-Risperidone</li> <li>Y Stelazine</li>				
Tab 4 mg       20.00       60       ✓ Risperdal         Y Apo-Risperidone       ✓ Dr Reddy's       Risperidone         123.05       ✓ Ridal       ✓ Risperdal         Oral liq 1 mg per ml       18.35       30 ml       ✓ Apo-Risperidone         45.92       ✓ Risperdal       ✓ Apo-Risperidone         Tab 1 mg       9.83       100       ✓ Stelazine         Tab 2 mg       14.64       100       ✓ Stelazine         Tab 5 mg       16.66       100       ✓ Stelazine         ZIPRASIDONE – Subsidy by endorsement       Ziprasidone is subsidised for patients suffering from schizophrenia or related psychoses after a trial of an effective dose or risperidone or quetiapine that has been discontinued, or is in the process of being discontinued, because of unacceptable side effects or inadequate response, and the prescription is endorsed accordingly.         Cap 20 mg       87.88       60       ✓ Zeldox         Cap 40 mg       247.17       60       ✓ Zeldox         Cap 80 mg       247.17       60       ✓ Zeldox         Cap 80 mg       31.45       100       ✓ Clopixol         Depot Injections         FLUPENTHIXOL DECANOATE         Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO       13.14       5       ✓ Fluanxol         Inj 20 mg pe		00.00		•
Tab 4 mg       20.00       60       ✓ Apo-Risperidone         Variable       Variable       Variable       Risperidone         123.05       ✓ Ridal       ✓ Risperidone         123.05       ✓ Risperidone       ✓ Risperidone         Oral liq 1 mg per ml       18.35       30 ml       ✓ Apo-Risperidone         45.92       ✓ Risperidone       ✓ Risperidone         Tab 1 mg       9.83       100       ✓ Stelazine         Tab 2 mg       14.64       100       ✓ Stelazine         Tab 5 mg       16.66       100       ✓ Stelazine         ZIPRASIDONE – Subsidy by endorsement       Ziprasidone is subsidised for patients suffering from schizophrenia or related psychoses after a trial of an effective dose or risperidone or quetiapine that has been discontinued, or is in the process of being discontinued, because of unacceptable side effects or inadequate response, and the prescription is endorsed accordingly.         Cap 40 mg		92.52		
✓ Dr Reddy's         Risperidone         123.05       ✓ Ridal         ✓ Risperidone         123.05       ✓ Risperidone         ✓ Stelazine         Tab 1 mg           Risperidone is subsidised for patients suffering from schizophrenia or related psychoses after a trial of an effective dose or risperidone or quetiapine that has been discontinued, or is in the process of being discontinued, because of unacceptable side effects or inadequate response, and the prescription is endorsed accordingly.         Cap 20 mg       ✓ Zeldox<	Tab 4 mg	20.00	60	•
Risperidone         123.05       ✓ Ridal         23.05       ✓ Risperdal         Oral liq 1 mg per ml       18.35       30 ml       ✓ Apo-Risperidone         ✓ Apo-Risperidone       ✓ Risperdal         TRIFLUOPERAZINE HYDROCHLORIDE       ✓ Risperdal         Tab 1 mg       9.83       100       ✓ Stelazine         Tab 2 mg       14.64       100       ✓ Stelazine         Tab 5 mg       16.66       100       ✓ Stelazine         ZIPRASIDONE – Subsidy by endorsement       Ziprasidone is subsidised for patients suffering from schizophrenia or related psychoses after a trial of an effective dose or risperidone or quetiapine that has been discontinued, or is in the process of being discontinued, because of unacceptable side effects or inadequate response, and the prescription is endorsed accordingly.         Cap 20 mg       87.88       60       ✓ Zeldox         Cap 40 mg       164.78       60       ✓ Zeldox         Cap 80 mg       329.56       60       ✓ Zeldox         ZUCLOPENTHIXOL HYDROCHLORIDE       31.45       100       ✓ Clopixol         Depot Injections         FLUPENTHIXOL DECANOATE         Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO       13.14       5       ✓ Fluanxol	146 T Hig	20.00	00	
Oral liq 1 mg per ml       18.35       30 ml       ✓ Apo-Risperidone         V       Risperdal         178.35       30 ml       ✓ Apo-Risperidone         V       Risperdal         178.92       ✓ Stelazine         178.95       mg         178.95       100       ✓ Stelazine         178.95       100       ✓ Stelazine         21PRASIDONE – Subsidy by endorsement       2       2         21PRASIDONE is subsidised for patients suffering from schizophrenia or related psychoses after a trial of an effective dose or risperidone or quetiapine that has been discontinued, or is in the process of being discontinued, because of unacceptable side effects or inadequate response, and the prescription is endorsed accordingly.         Cap 20 mg				-
Oral liq 1 mg per ml       18.35       30 ml       ✓ Apo-Risperidone         45.92       ✓ Risperon         TRIFLUOPERAZINE HYDROCHLORIDE       9.83       100       ✓ Stelazine         Tab 1 mg       9.83       100       ✓ Stelazine         Tab 2 mg       14.64       100       ✓ Stelazine         Tab 5 mg       16.66       100       ✓ Stelazine         ZIPRASIDONE – Subsidy by endorsement       Ziprasidone is subsidised for patients suffering from schizophrenia or related psychoses after a trial of an effective dose or risperidone or quetiapine that has been discontinued, or is in the process of being discontinued, because of unacceptable side effects or inadequate response, and the prescription is endorsed accordingly.         Cap 20 mg       87.88       60       ✓ Zeldox         Cap 40 mg       247.17       60       ✓ Zeldox         Cap 80 mg       329.56       60       ✓ Zeldox         ZUCLOPENTHIXOL HYDROCHLORIDE       31.45       100       ✓ Clopixol         Depot Injections       71.45       100       ✓ Clopixol         FLUPENTHIXOL DECANOATE       13.14       5       ✓ Fluanxol         Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO       20.90       5       ✓ Fluanxol		123.05		✓ Ridal
45.92       ✓ Risperon         45.92       ✓ Risperdal         TRIFLUOPERAZINE HYDROCHLORIDE				Risperdal
45.92       ✓ Risperdal         TRIFLUOPERAZINE HYDROCHLORIDE       9.83       100       ✓ Stelazine         Tab 1 mg       9.83       100       ✓ Stelazine         Tab 2 mg       14.64       100       ✓ Stelazine         Tab 5 mg       16.66       100       ✓ Stelazine         ZiPRASIDONE – Subsidy by endorsement       Ziprasidone is subsidised for patients suffering from schizophrenia or related psychoses after a trial of an effective dose of risperidone or quetiapine that has been discontinued, or is in the process of being discontinued, because of unacceptable side effects or inadequate response, and the prescription is endorsed accordingly.         Cap 20 mg       87.88       60       ✓ Zeldox         Cap 40 mg       164.78       60       ✓ Zeldox         Cap 60 mg       247.17       60       ✓ Zeldox         Cap 80 mg       329.56       60       ✓ Zeldox         ZUCLOPENTHIXOL HYDROCHLORIDE       31.45       100       ✓ Clopixol         Depot Injections       31.45       100       ✓ Clopixol         FLUPENTHIXOL DECANOATE       13.14       5       ✓ Fluanxol         Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO       20.90       5       ✓ Fluanxol	Oral liq 1 mg per ml		30 ml	
TRIFLUOPERAZINE HYDROCHLORIDE         Tab 1 mg       9.83       100       ✓ Stelazine         Tab 2 mg       14.64       100       ✓ Stelazine         Tab 5 mg       16.66       100       ✓ Stelazine         ZIPRASIDONE – Subsidy by endorsement       16.66       100       ✓ Stelazine         Ziprasidone is subsidised for patients suffering from schizophrenia or related psychoses after a trial of an effective dose or risperidone or quetiapine that has been discontinued, or is in the process of being discontinued, because of unacceptable side effects or inadequate response, and the prescription is endorsed accordingly.         Cap 20 mg       87.88       60       ✓ Zeldox         Cap 40 mg       164.78       60       ✓ Zeldox         Cap 60 mg       247.17       60       ✓ Zeldox         Cap 80 mg       329.56       60       ✓ Zeldox         ZUCLOPENTHIXOL HYDROCHLORIDE       31.45       100       ✓ Clopixol         Depot Injections       31.45       100       ✓ Clopixol         FLUPENTHIXOL DECANOATE       13.14       5       ✓ Fluanxol         Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO       20.90       5       ✓ Fluanxol				•
Tab 1 mg		45.92		Risperdal
Tab 2 mg       14.64       100       ✓ Stelazine         Tab 5 mg       16.66       100       ✓ Stelazine         ZIPRASIDONE – Subsidy by endorsement       16.66       100       ✓ Stelazine         ZIPRASIDONE – Subsidised for patients suffering from schizophrenia or related psychoses after a trial of an effective dose or risperidone or quetiapine that has been discontinued, or is in the process of being discontinued, because of unacceptable side effects or inadequate response, and the prescription is endorsed accordingly.         Cap 20 mg       87.88       60       ✓ Zeldox         Cap 40 mg       164.78       60       ✓ Zeldox         Cap 60 mg       247.17       60       ✓ Zeldox         Cap 80 mg       329.56       60       ✓ Zeldox         ZUCLOPENTHIXOL HYDROCHLORIDE       31.45       100       ✓ Clopixol         Depot Injections       31.45       100       ✓ Clopixol         FLUPENTHIXOL DECANOATE       13.14       5       ✓ Fluanxol         Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO       20.90       5       ✓ Fluanxol	TRIFLUOPERAZINE HYDROCHLORIDE			
Tab 5 mg	Tab 1 mg	9.83	100	
ZIPRASIDONE – Subsidy by endorsement Ziprasidone is subsidised for patients suffering from schizophrenia or related psychoses after a trial of an effective dose of risperidone or quetiapine that has been discontinued, or is in the process of being discontinued, because of unacceptable side effects or inadequate response, and the prescription is endorsed accordingly. Cap 20 mg				
Ziprasidone is subsidised for patients suffering from schizophrenia or related psychoses after a trial of an effective dose or risperidone or quetiapine that has been discontinued, or is in the process of being discontinued, because of unacceptable side effects or inadequate response, and the prescription is endorsed accordingly. Cap 20 mg	Tab 5 mg		100	<ul> <li>Stelazine</li> </ul>
risperidone or quetiapine that has been discontinued, or is in the process of being discontinued, because of unacceptable side effects or inadequate response, and the prescription is endorsed accordingly. Cap 20 mg	ZIPRASIDONE – Subsidy by endorsement			
effects or inadequate response, and the prescription is endorsed accordingly. Cap 20 mg				
Cap 20 mg       87.88       60       ✓ Zeldox         Cap 40 mg       164.78       60       ✓ Zeldox         Cap 60 mg       247.17       60       ✓ Zeldox         Cap 80 mg       329.56       60       ✓ Zeldox         ZUCLOPENTHIXOL HYDROCHLORIDE       31.45       100       ✓ Clopixol         Depot Injections         FLUPENTHIXOL DECANOATE         Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO       13.14       5       ✓ Fluanxol         Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO       20.90       5       ✓ Fluanxol			discontir	nued, because of unacceptable side
Cap 40 mg       164.78       60       ✓ Zełdox         Cap 60 mg       247.17       60       ✓ Zełdox         Cap 80 mg       329.56       60       ✓ Zełdox         ZUCLOPENTHIXOL HYDROCHLORIDE       31.45       100       ✓ Clopixol         Depot Injections         FLUPENTHIXOL DECANOATE         Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO       13.14       5       ✓ Fluanxol         Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO       20.90       5       ✓ Fluanxol		0,		<b>4 -</b> • •
Cap 60 mg	1 5		•••	
Cap 80 mg			•••	
ZUCLOPENTHIXOL HYDROCHLORIDE Tab 10 mg				
Tab 10 mg			00	
Depot Injections FLUPENTHIXOL DECANOATE Inj 20 mg per ml, 1 ml − Up to 5 inj available on a PSO13.14 5 ✓ Fluanxol Inj 20 mg per ml, 2 ml − Up to 5 inj available on a PSO20.90 5 ✓ Fluanxol		04.45	100	
FLUPENTHIXOL DECANOATE         Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO         Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO         Solution         20.90         5         Fluanxol	Tab 10 mg		100	Clopixol
Inj 20 mg per ml, 1 ml − Up to 5 inj available on a PSO13.14       5       ✓ Fluanxol         Inj 20 mg per ml, 2 ml − Up to 5 inj available on a PSO	Depot Injections			
Inj 20 mg per ml, 1 ml − Up to 5 inj available on a PSO13.14       5       ✓ Fluanxol         Inj 20 mg per ml, 2 ml − Up to 5 inj available on a PSO	FLUPENTHIXOL DECANOATE			
Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO20.90 5 🖌 Fluanxol			5	Fluanxol
			5	
			5	Fluanxol

(	Subsidy Manufacturer's Price) \$	Per	Full Subsidise	d Generic
FLUPHENAZINE DECANOATE				
Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO.	17.60	5	~	Modecate
Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO	27.90	5	~	Modecate
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	154.50	5	~	Modecate
HALOPERIDOL DECANOATE				
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	~	Haldol
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	55.90	5	~	Haldol Concentrate
PIPOTHIAZINE PALMITATE				
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	178.48	10	~	Piportil
Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	353.32	10	~	Piportil
RISPERIDONE - Special Authority see SA0926 below - Retail pha	armacy			
Microspheres for injection 25 mg		1	~	Risperdal Consta
Microspheres for injection 37.5 mg	230.00	1	~	Risperdal Consta
Microspheres for injection 50 mg	280.00	1	~	Risperdal Consta

#### ➡SA0926 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient has schizophrenia or other psychotic disorder; and
- 2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

**Renewal** from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 Both:
  - 1.1 The patient has had less than 12 months treatment with risperidone microspheres; and
  - 1.2 There is no clinical reason to discontinue treatment; or
- 2 The initiation of risperidone microspheres has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of risperidone microspheres.

Note: Risperidone microspheres should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone microspheres.

ZUCLOPEN I HIXOL DECANOALE Inj 200 mg per ml, 1 ml – Up to 5 inj available on a PSO19.80	5	<ul> <li>Clopixol</li> </ul>
Orodispersible Antipsychotics		
OLANZAPINE - Special Authority see SA0739 below - Retail pharmacy		_
Wafer 5 mg102.19	28	Zyprexa Zydis
Wafer 10 mg204.37	28	Zvprexa Zvdis

#### ➡SA0739 Special Authority for Subsidy

Initial application only from a psychiatrist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The patient meets the current criteria for standard olanzapine tablets; and
- 2 The patient is unable to take standard olanzapine tablets, or once stabilized refuses to take olanzapine tablets; or the patient is non-adherent to oral therapy with standard olanzapine tablets; and
- 3 The patient is under direct supervision for administration of medicine.

**Renewal** only from a psychiatrist. Approvals valid for 1 year for applications meeting the following criteria: Both:

(**	Subsidy lanufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
ntinued				
1 The patient is unable to take standard olanzapine tablets, or or	nce stabilized ref	uses to	take olanz	apine tablets; and
2 The patient is under direct supervision for administration of me				
ote: Initial prescriptions to be written by psychiatrists and subsequences	uent prescriptions	s can b	pe written b	by psychiatric registrars of
eneral Practitioners.				
SPERIDONE - Special Authority see SA0927 below - Retail pharm	macy		4 -	
Orally-disintegrating tablets 0.5 mg		28		isperdal Quicklet
Orally-disintegrating tablets 1 mg		28		isperdal Quicklet
Orally-disintegrating tablets 2 mg	85.71	28	V R	isperdal Quicklet
SA0927 Special Authority for Subsidy				
itial application — (Acute situations) from any relevant practitio	ner. Approvals v	alid for	6 weeks fo	or applications meeting th
lowing criteria:				
oth:				
1 For a non-adherent patient on oral therapy with standard rispe		risperic	tone oral lic	quid; and
2 The patient is under direct supervision for administration of me				
itial application — (Chronic situations) from any relevant practi	tioner. Approvais	valid to	or 1 year to	or applications meeting tr
lowing criteria:				
th: The patient is upplie to take standard vienavidens tablets as an	ral liquid ar anaa	atabilia	ad rations	ta taka rianaridana tahla
<ol> <li>The patient is unable to take standard risperidone tablets or or or oral liquid; and</li> </ol>	al liquid, or once	Stabiliz	eu reiuses	to take risperidorie table
2 The patient is under direct supervision for administration of me	odicino			
enewal from any relevant practitioner. Approvals valid for 1 year for		ting the	e following	critoria:
th:	applications mee	ung un	c lollowing	entena.
1 The patient is unable to take standard risperidone tablets or or	ral liquid or once	stabiliz	red refuses	to take risperidone table
or oral liquid; and	al liquid, of onloo	otabiliz		
2 The patient is under direct supervision for administration of me	edicine.			
ote: Risperdal Quicklets cost significantly more than risperidone tab		onlv be	used where	e necessarv.
		,		,,
Anxiolytics				
PRAZOLAM – Month Restriction				
Tab 250 µg	3.15	50	🖌 A	rrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid pro			· · ·	
Tab 500 µg	•	50	🖌 A	rrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid pro	eparations.			
	7.25	50	🗸 🗸	rrow-Alprazolam
Tab 1 mg		50	✓ <u>A</u>	rrow-Alprazolam
Tab 1 mg ‡ Safety cap for extemporaneously compounded oral liquid pro-	eparations.		✓ <u>A</u>	rrow-Alprazolam
Tab 1 mg ‡ Safety cap for extemporaneously compounded oral liquid pro JSPIRONE HYDROCHLORIDE – Special Authority see SA0863 be	eparations.		✓ <u>A</u>	<u>rrow-Alprazolam</u>
Tab 1 mg ‡ Safety cap for extemporaneously compounded oral liquid pro JSPIRONE HYDROCHLORIDE – Special Authority see SA0863 bo Month Restriction	eparations. elow – Retail pha		_	rrow-Alprazolam acific Buspirone
Tab 1 mg ‡ Safety cap for extemporaneously compounded oral liquid pro- JSPIRONE HYDROCHLORIDE – Special Authority see SA0863 br Month Restriction Tab 5 mg	eparations. elow – Retail pha 28.00	rmacy	✓ P	
Tab 1 mg ‡ Safety cap for extemporaneously compounded oral liquid pro JSPIRONE HYDROCHLORIDE – Special Authority see SA0863 bo Month Restriction Tab 5 mg Tab 10 mg	eparations. elow – Retail pha 28.00	rmacy 100	✓ P	acific Buspirone
Tab 1 mg ‡ Safety cap for extemporaneously compounded oral liquid pro- JSPIRONE HYDROCHLORIDE – Special Authority see SA0863 br Month Restriction Tab 5 mg	eparations. elow – Retail pha 28.00 17.00	rmacy 100 100	✓ P ✓ P	acific Buspirone acific Buspirone

1 For use only as an anxiolytic; and

2 Other agents are contraindicated or have failed.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

(	Subsidy Manufacturer's Price) \$	Per	Fully Subsidised	
DIAZEPAM				
Tab 2 mg – Month Restriction	11.44	500	~	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid p	reparations.			
Tab 5 mg – Month Restriction		500	~	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid p	reparations.			
LORAZEPAM – Month Restriction				
Tab 1 mg	16.42	250	~	Ativan
‡ Safety cap for extemporaneously compounded oral liquid p	reparations.			
Tab 2.5 mg	11.17	100	~	Ativan
‡ Safety cap for extemporaneously compounded oral liquid p	reparations.			
OXAZEPAM – Month Restriction				
Tab 10 mg		100		
-	(5.89)		(	Ox-Pam
‡ Safety cap for extemporaneously compounded oral liquid p	reparations.			
Tab 15 mg	2.45	100		
-	(8.13)		(	Ox-Pam
‡ Safety cap for extemporaneously compounded oral liquid p	reparations.			

### **Multiple Sclerosis Treatments**

#### SA0855 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Budget managed by appointed clinicians on the Multiple Sclerosis Treatment Assessments Committee (MSTAC).

Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

6 7571
ordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Appeals against MSTAC's decision and/or the processing of any application may be lodged with the MSTAC coordinator. Concerns that cannot be or have not been adequately addressed by MSTAC will be forwarded to a separate Appeal Committee if necessary. Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

#### **Entry Criteria**

- Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis should as a rule include MRI confirmation. For patients diagnosed before MRI was widely utilised in New Zealand, confirmation of diagnosis via clinical assessment and laboratory/ancillary data must be provided; and
- 2) patients must have active relapsing MS (confirmed by MR scan where necessary) with or without underlying progression; and
- 3) patients must have either:
  - a) EDSS score 2.5 5.5 with 2+ relapses:

Subsidy		Fully	Brand or
(Manufacturer's Price)	Su	ubsidised	Generic
\$	Per	~	Manufacturer

continued...

- experienced at least 2 significant relapses of MS in the previous 12 months, and
   an EDSS score of between 2.5 and 5.5 inclusive: or
- b) EDSS score 2.0 with 3+ relapses:
  - experienced at least 3 significant relapses of MS in the previous 12 months, and
  - an EDSS score of 2.0; and
- 4) Each relapse must:
  - a) be confirmed by a neurologist or general physician (the patient may not necessarily have been seen during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week;
  - d) follow a period of stability of at least one month;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke functional systems scores by at least 1 point;
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T>37.5°C); and
- 5) applications must be made at least four weeks after the date of the onset of the last known relapse; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate (see criteria for stopping).
- applications must be submitted to the Multiple Sclerosis Treatment Assessment Committee (MSTAC) by the patient's neurologist or a general physician; and
- patients must agree (via informed consent) to co-operate if as a result of their meeting the stopping criteria, funding is withdrawn. Patients must agree to the collection of clinical data relating to their MS and use of those data by PHARMAC; and
- 9) patients must agree to allow clinical data to be collected and reviewed by MSTAC annually for each year in which they receive funding for beta-interferon or glatiramer acetate.

#### **Stopping Criteria**

- Confirmed progression of disability that is sustained for three months after a minimum of one year of treatment. Progression
  of disability is defined as either an increase of 1 EDSS point from the starting EDSS or an increase in EDSS score to 6.0 or
  more; or
- 2) stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment); or
- 3) pregnancy and/or lactation; or
- within the 12 month approval year, intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- non-compliance with treatment, including refusal to undergo annual assessment or refusal to allow the results of the assessment to be submitted to MSTAC; or
- 6) patients may, subject to conclusions drawn from published evidence available at the time, be excluded if they develop a high titre of neutralising anti-bodies to beta-interferon or glatiramer acetate.

INTERFERON BETA-1-ALPHA - Special Authority see	SA0855 on the preceding pa	ge	
Inj 6 million iu prefilled syringe	1,329.65	4	Avonex
Inj 6 million iu per vial		4	Avonex
INTERFERON BETA-1-BETA - Special Authority see S	A0855 on the preceding page	е	
Inj 8 million iu per 1 ml	1,436.79	15	Betaferon

Copaxone

	Subsidy (Manufacturer's Price)		Fully Brand or ubsidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
Sedatives and Hypnotics			
ORMETAZEPAM – Month Restriction			
Tab 1 mg	3.11	30	
	(23.50)		Noctamid
‡ Safety cap for extemporaneously compounded oral lice	uid preparations.		
IIDAZOLAM			
Note: Midazolam injection will be funded if prescribed for i		n for use i	in palliative care. Note that only
Hypnovel brand is currently indicated for intranasal admini			
Tab 7.5 mg – Month Restriction		100	
	(25.00)		Hypnovel
‡ Safety cap for extemporaneously compounded oral lic		10	
Inj 1 mg per ml, 5 ml		10	<ul> <li>Hypnovel</li> </ul>
	(14.73)	-	Pfizer
Inj 5 mg per ml, 3 ml		5	✓ Hypnovel
	(19.64)		Pfizer
ITRAZEPAM – Month Restriction			
Tab 5 mg		100	
	(4.98)		Nitrados
‡ Safety cap for extemporaneously compounded oral lice	quid preparations.		
EMAZEPAM – Month Restriction			
Tab 10 mg		25	✓ Normison
‡ Safety cap for extemporaneously compounded oral lice	quid preparations.		
RIAZOLAM – Month Restriction			
Tab 125 µg	5.10	100	
	(6.50)		Hypam
\$ Safety cap for extemporaneously compounded oral lice			
Tab 250 µg		100	
	(7.20)		Hypam
‡ Safety cap for extemporaneously compounded oral lice	quid preparations.		
OPICLONE – Month Restriction			
Tab 7.5 mg	21.02	500	Apo-Zopiclone
Other CNS Agents			
TOMOXETINE - Special Authority see SA0951 on the next p	age – Betail pharmacy		
Cap 10 mg	0 1 7	28	✓ Strattera
Cap 18 mg		28	✓ Strattera
Cap 25 mg		28	✓ Strattera
Cap 40 mg		28	✓ Strattera
Cap 60 mg		28	✓ Strattera
Cap 80 mg		28	✓ Strattera
Cap 100 mg		28	✓ Strattera

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🖌	

#### ➡SA0951 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
  - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
  - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
  - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamphetamine sulphate tablets.

DEXAMPHETAMINE SULPHATE - Special Authority see SA0907 below - Retail pharmacy

Only on a controlled drug form			
Tab 5 mg	16.50	100	🖌 PSM

### ►SA0907 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over – new patients) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Both:
    - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 3.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients 5 or over - patient has had an approval for dexamphetamine for ADHD prior to 1 April 2008) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Both:
    - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 2.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients under 5 – new patients) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria: Both:

1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and

Cubaidu		Fully	Drandar
Subsidy		Fully	
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (ADHD in patients under 5 - patient has had an approval for dexamphetamine for ADHD in patients under 5 prior to 1 April 2008) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Narcolepsy – new patients) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Initial application — (Narcolepsy - patient has had an approval for dexampletamine for narcolepsy prior to 1 April 2008) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or

2.2 Both:

- 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
- 2.2.2 Provide name of the recommending specialist.

Note: If the patient had an approval for dexampletamine for ADHD prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

**Renewal** — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for dexamphetamine for ADHD in patients under 5 prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

**Renewal** — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for dexampletamine for narcolepsy prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

#### DISULFIRAM

Tab 200 mg	24.30	100	<ul> <li>Antabuse</li> </ul>
METHYLPHENIDATE HYDROCHLORIDE – Special Authority se Only on a controlled drug form	e SA0908 on the	next page -	Retail pharmacy
Tab immediate-release 5 mg	3.20	30	Rubifen
Tab immediate-release 10 mg		30	Ritalin
-			Rubifen
Tab immediate-release 20 mg	7.85	30	Rubifen
Tab sustained-release 20 mg		30	Rubifen SR
° °	50.00	100	Ritalin SR

Subsidy (Manufacturer's Price)	Subs	Fully idised	Brand or Generic
\$	Per	~	Manufacturer

### SA0908 Special Authority for Subsidy

**Initial application** — (ADHD in patients 5 or over – new patients) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Both:
    - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 3.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients 5 or over - patient has had an approval for methylphenidate for ADHD prior to 1 April 2008) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 Either:

- 2.1 Applicant is a paediatrician or psychiatrist; or
- 2.2 Both:
  - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
  - 2.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients under 5 – new patients) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (ADHD in patients under 5 - patient has had an approval for methylphenidate for ADHD in patients under 5 prior to 1 April 2008) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Narcolepsy – new patients) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Initial application — (Narcolepsy - patient has had an approval for methylphenidate for narcolepsy prior to 1 April 2008) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

- Both:
  - 1 The treatment remains appropriate and the patient is benefiting from treatment; and
  - 2 Either:
    - 2.1 Applicant is a paediatrician or psychiatrist; or
    - 2.2 Both:
      - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
      - 2.2.2 Provide name of the recommending specialist.

Note: If the patient had an approval for methylphenidate for ADHD prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

#### continued...

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for methylphenidate for ADHD in patients under 5 prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for methylphenidate for narcolepsy prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA0924 below - Retail pharmacy

Only on a controlled drug form

Tab extended-release 18 mg	 30	Concerta
	 30	Concerta
Tab extended-release 36 mg	 30	Concerta
Tab extended-release 54 mg	 30	Concerta
Cap modified-release 10 mg	 30	Ritalin LA
Cap modified-release 20 mg	 30	🖌 Ritalin LA
Cap modified-release 30 mg	 30	Ritalin LA
Cap modified-release 40 mg	 30	Ritalin LA

#### ➡SA0924 Special Authority for Subsidy

**Initial application** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Both:
    - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 3.2.2 Provide name of the recommending specialist; and
- 4 Either:
  - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or compliance difficulties; or
  - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 Either:

- 2.1 Applicant is a paediatrician or psychiatrist; or
- 2.2 Both:
  - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
  - 2.2.2 Provide name of the recommending specialist.

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	Generic
	\$	Per		Manufacturer
NALOXONE HYDROCHLORIDE				
a) Up to 5 inj available on a PSO				
b) Only on a PSO				
* Inj 400 μg per ml, 1 ml		5	🖌 M	ayne
NALTREXONE HYDROCHLORIDE - Special Authority see SA09	009 below – Retail ph	arma	CV	
Tab 50 mg		30	°, 🖌 R	eVia
SA0909 Special Authority for Subsidy			•	
	for 0 months for snali	ootion	a maating t	a fallowing aritaria
Initial application from any medical practitioner. Approvals valid Both:	ior 3 monuns ior appli	callor	is meeting t	he following chiena:
				and an and
1 Patient is currently enrolled in a recognised comprehensive	1 0			
2 Applicant works in a community Alcohol and Drug Service				
against the New Zealand Alcohol and Other Drug Sector S				
Renewal from any medical practitioner. Approvals valid for 3 mon	ths for applications m	neetin	g the followi	ng criteria:
Both:				
<ol> <li>Compliance with the medication (prescriber determined); a</li> </ol>	nd			
2 Any of the following:				
2.1 Patient is still unstable and requires further treatmer				
2.2 Patient achieved significant improvement but require		or		
2.3 Patient is well controlled but requires maintenance t	herapy.			
The patient may not have had more than 1 prior approval in the la	st 12 months.			
TETRABENAZINE				
Tab 25 mg	243.00	112	🗸 X	enazine 25
5				

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully osidised	Brand or Generic Manufacturer
Chemotherapeutic Agents				
Alkylating Agents				
BUSULPHAN – PCT – Retail pharmacy-Specialist				
Tab 2 mg	47.89	100	V M	yleran
CARBOPLATIN – PCT only – Specialist	00.00			when let in Eheure
Inj 10 mg per ml, 5 ml Inj 10 mg per ml, 15 ml		1		arboplatin Ebewe arboplatin Ebewe
Inj 10 mg per ml, 45 ml		1		arboplatin Ebewe
Inj 10 mg per ml, 40 ml		1		arboplatin Ebewe
Inj 1 mg for ECP		1 mg	✓ Ba	•
, .		i ing	• 00	
CARMUSTINE – PCT only – Specialist	004.40			
Inj 100 mg		1	V Bi	
Inj 100 mg for ECP		100 mg OP	V Ba	axter
CHLORAMBUCIL – PCT – Retail pharmacy-Specialist				
Tab 2 mg	22.35	25	🖌 Le	eukeran FC
CISPLATIN – PCT only – Specialist				
Inj 1 mg per ml, 50 ml		1	🖌 Ci	splatin Ebewe
			🖌 M	
Inj 1 mg per ml, 100 ml		1		splatin Ebewe
			🖌 M	ayne
Inj 1 mg for ECP	0.46	1 mg	🖌 Ba	axter
CYCLOPHOSPHAMIDE		•		
Tab 50 mg - PCT - Retail pharmacy-Specialist	25 71	50		vcloblastin
Inj 1 g – PCT – Retail pharmacy-Specialist		1	-	ndoxan
	127.80	6		vtoxan
Inj 2 g – PCT only – Specialist		1		ndoxan
Inj 1 mg for ECP – PCT only – Specialist		1 mg	V Ba	
IFOSFAMIDE – PCT only – Specialist		5		
Inj 1 g	06.00	1	<b>1</b>	oloxan
Inj 1 g Inj 2 g		1	• • • •	oloxan
Inj 1 mg for ECP		1 mg	✓ Ba	
, ,		i ing	• 00	
LOMUSTINE – PCT only – Specialist	100 50		10	
Cap 10 mg		20	V C	
Cap 40 mg		20	V C	eenu
MELPHALAN				
Tab 2 mg – PCT – Retail pharmacy-Specialist		25		keran
Inj 50 mg – PCT only – Specialist	52.15	1	🖌 Al	keran
OXALIPLATIN - PCT only - Specialist - Special Authority see	SA0900 on the n	ext page		
lnj 50 mg		1	V 0	xaliplatin Ebewe
	200.00			oxatin
Inj 100 mg		1	V 0	xaliplatin Ebewe
	400.00		🖌 El	oxatin
Inj 1 mg for ECP	1 42	1 mg	🖌 Ba	axter

Subsidy (Manufacturer's Price)	Ful Subsidise	,	
 \$	Per •	<ul> <li>Manufacturer</li> </ul>	

### ►SA0900 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

1 Both:

- 1.1 The patient has metastatic colorectal cancer; and
- 1.2 To be used for first or second line use as part of a combination chemotherapy regimen; or

2 Both:

- 2.1 The patient has stage III (Duke's C) colorectal\* cancer; and
- 2.2 Adjuvant oxaliplatin to be given in combination with a fluoropyrimidine (fluorouracil or capecitabine).

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

1 The patient requires continued therapy; or

2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with \* are Unapproved Indications, oxaliplatin is indicated for adjuvant treatment of stage III (Duke's C) colon cancer after complete resection of the primary tumour.

THIOTEPA – PCT only – Specialist Inj 15 mgCBS	1	✔ Bedford ©29
Antimetabolites		
CALCIUM FOLINATE		
Tab 15 mg – PCT – Hospital pharmacy [HP3]-Specialist63.89 Inj 3 mg per ml, 1 ml – PCT – Hospital pharmacy [HP1]-	10	<ul> <li>Mayne</li> </ul>
Specialist	5	Mayne
Inj 50 mg – PCT – Hospital pharmacy [HP1]-Specialist24.50	5	Calcium Folinate <u>Ebewe</u>
Inj 100 mg – PCT only – Specialist9.75	1	<ul> <li>Calcium Folinate</li> <li>Ebewe</li> </ul>
Inj 300 mg – PCT only – Specialist	1	<ul> <li>Calcium Folinate</li> <li>Ebewe</li> </ul>
Inj 1 g – PCT only – Specialist100.00	1	<ul> <li>Calcium Folinate Ebewe</li> </ul>
Inj 1 mg for ECP – PCT only – Specialist0.10	1 mg	✓ Baxter
CAPECITABINE - Hospital pharmacy [HP1]-Specialist - Special Authority see S	A0869 below	
Tab 150 mg115.00	60	✓ Xeloda
Tab 500 mg705.00	120	✓ Xeloda

#### ➡SA0869 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Any of the following:

- 1 The patient has advanced gastrointestinal malignancy; or
- 2 The patient has metastatic breast cancer\*; or
- 3 The patient has stage III (Duke's stage C) colorectal\*# cancer and undergone surgery; or
- 4 Both:
  - 4.1 The patient has poor venous access or needle phobia\*; and
  - 4.2 The patient requires a substitute for single agent fluoropyrimidine\*.

**Renewal** only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

	Subsidy (Manufacturer's \$		Fully Brand or sidised Generic ✔ Manufacturer
continued 1 The patient requires continued therapy; or 2 The tumour has relapsed and requires re-treatment.			
Note: Indications marked with * are Unapproved Indications, # cap	pecitabine is ap	proved for stage	III (Duke's stage C) colon cancer.
CLADRIBINE – PCT only – Specialist			
Inj 2 mg per ml, 5 ml		1	Litak S29
Inj 1 mg per ml, 10 ml	5,249.72	7	Leustatin
Inj 10 mg for ECP	749.96	10 mg OP	Baxter
CYTARABINE			
Inj 100 mg – PCT – Retail pharmacy-Specialist		5	Mayne
			Pharmacia
Inj 100 mg per ml, 5 ml – PCT – Retail pharmacy-Specialist		5	Mayne
Inj 100 mg per ml, 10 ml – PCT – Retail pharmacy-Specialis		1	Mayne
Inj 100 mg per ml, 20 ml – PCT only – Specialist		1	Mayne
Inj 1 mg for ECP – PCT only – Specialist		1 mg	✓ Baxter
Inj 100 mg intrathecal syringe for ECP – PCT only – Specialis	st16.00	100 mg OP	Baxter
FLUDARABINE PHOSPHATE – PCT only – Specialist			
Tab 10 mg	650.25	15	Fludara
	867.00	20	Fludara Oral
Inj 50 mg		5	Fludara
Inj 50 mg for ECP		50 mg OP	✓ Baxter
(Fludara Tab 10 mg to be delisted 1 July 2010)			
FLUOROURACIL SODIUM			
Inj 50 mg per ml, 10 ml – PCT only – Specialist		1	Fluorouracil Ebewe
Inj 50 mg per ml, 20 ml – PCT only – Specialist		1	Fluorouracil Ebewe
Inj 25 mg per ml, 100 ml – PCT only – Specialist		1	Mayne
Inj 50 mg per ml, 50 ml – PCT only – Specialist		1	<ul> <li>Fluorouracil Ebewe</li> </ul>
Inj 50 mg per ml, 100 ml – PCT only – Specialist		1	✓ Fluorouracil Ebewe
Inj 1 mg for ECP – PCT only – Specialist	0.01	1 mg	Baxter
GEMCITABINE HYDROCHLORIDE - PCT only - Specialist - S	Special Authorit	y see SA0877 o	
Inj 1 g		1	<ul> <li>Gemcitabine Ebewe</li> </ul>
	349.20		✔ Gemzar
Inj 200 mg		1	Gemcitabine Ebewe
	78.00		Gemzar
Inj 1 mg for ECP	0.26	1 mg	Baxter

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

#### SA0877 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has non small cell lung carcinoma (stage IIIa, or above); or
- 2 The patient has advanced malignant mesothelioma\*; or
- 3 The patient has advanced pancreatic carcinoma; or
- 4 The patient has ovarian, fallopian tube\* or primary peritoneal carcinoma\*; or
- 5 The patient has advanced transitional cell carcinoma of the urothelial tract (locally advanced or metastatic).

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with a \* are Unapproved Indications.

IRINOTECAN - PCT only - Specialist - Special Authority see SA0878 below

Inj 20 mg per ml, 2 ml		1	Camptosar
Inj 20 mg per ml, 5 ml		1	Camptosar
Inj 1 mg for ECP	3.19	1 mg	<ul> <li>Baxter</li> </ul>

#### SA0878 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic colorectal cancer; and
- 2 Either:
  - 2.1 To be used for first or second line use as part of a combination chemotherapy regimen; or
  - 2.2 As single agent chemotherapy in fluropyrimidine-relapsed disease.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.
- MERCAPTOPURINE PCT Retail pharmacy-Specialist

	Tab 50 mg	47.06	25	Purinethol
ME	THOTREXATE			
*	Tab 2.5 mg - PCT - Hospital pharmacy [HP3]-Specialist	5.22	30	✓ Methoblastin
*	Tab 10 mg – PCT – Hospital pharmacy [HP3]-Specialist	40.93	50	Methoblastin
*	Inj 2.5 mg per ml, 2 ml – PCT – Hospital pharmacy [HP1]-			
	Specialist	23.65	5	Mayne
*	Inj 25 mg per ml, 2 ml – PCT – Hospital pharmacy [HP1]-			
	Specialist	46.10	5	Mayne
*	Inj 25 mg per ml, 20 ml – PCT – Hospital pharmacy [HP1]-			
	Specialist	80.25	1	Mayne
*	Inj 100 mg per ml, 10 ml – PCT – Hospital pharmacy [HP1]-			
	Specialist	27.50	1	Methotrexate Ebewe
*	Inj 100 mg per ml, 50 ml – PCT – Hospital pharmacy [HP1]-			
	Specialist		1	Methotrexate Ebewe
*	Inj 1 mg for ECP – PCT only – Specialist		1 mg	Baxter
*	Inj 5 mg intrathecal syringe for ECP – PCT only – Specialist	4.73	5 mg OP	Baxter

	0.1		<b>-</b> "	
	Subsidy (Manufacturer's Pri		Fully	Brand or Generic
	\$	Per	~	Manufacturer
THIOGUANINE – PCT – Hospital pharmacy [HP3]-Specialist Tab 40 mg	97.16	25	🖌 La	anvis
Other Cytotoxic Agents				
AMSACRINE – PCT only – Specialist Inj 75 mg	CBS	6	🗸 A	msidine S29
ANAGRELIDE HYDROCHLORIDE - PCT only - Specialist - S		e SA0879 be	low	
Cap 0.5 mg		100	🖌 A	grylin S29 eva S29
➡SA0879 Special Authority for Subsidy				
Initial application only from a relevant specialist or medical practice of the special state	ctitioner on the reco	mmendation	of a rele	evant specialist. Approvals
valid for 12 months for applications meeting the following criteria				
Both:				
1 The patient has primary thrombocythaemia; and				
2 Either:				
2.1 is at high risk (previous thromboembolic disease, b		count >1500/	mi); or	
2.2 is intolerant or refractory to hydroxyurea or interfer Renewal only from a relevant specialist or medical practitioner of		tion of a rola	iont chi	voialist Approvals valid for
12 months where the treatment remains appropriate and the pat				cialist. Appiovais valiu ioi
Note: It is recommended that treatment with anagrelide be initial				ematologist.
ARSENIC TRIOXIDE – PCT only – Specialist				
Inj 10 mg	4.817.00	10	V A	FT S29
BLEOMYCIN SULPHATE – PCT only – Specialist			•	
Inj 15,000 iu	120.00	1	<b>и</b> п	BL Bleomycin
		1		Sulfate
	680.00	10	🖌 В	lenoxane
Inj 1,000 iu for ECP	9.28	1,000 iu	✓ B	axter
(Blenoxane Inj 15,000 iu to be delisted 1 June 2010)				
COLASPASE (L-ASPARAGINASE) - PCT only - Specialist				
Inj 10,000 iu		1	V L	eunase
Inj 10,000 iu for ECP		0,000 iu OP	🗸 В	axter
DACARBAZINE - PCT only - Specialist				
	40.00	4	. / M	

In 200 mg		1	V wayne
Inj 200 mg for ECP		200 mg OP	<ul> <li>Baxter</li> </ul>
DACTINOMYCIN (ACTINOMYCIN D) - PC	CT only – Specialist		
Inj 0.5 mg		1	Cosmegen
Inj 0.5 mg for ECP		0.5 mg OP	✓ Baxter
DAUNORUBICIN - PCT only - Specialist			
Inj 2 mg per ml, 10 ml		1	Pfizer S29
Inj 5 mg per ml, 4 ml		1	Mayne
Inj 20 mg for ECP		20 mg OP	Baxter
DOCETAXEL - PCT only - Specialist - Speciali	pecial Authority see SA0880 on the n	ext page	
Inj 20 mg		1	Docetaxel Ebewe
, ,	460.00		Taxotere
lnj 80 mg		1	Docetaxel Ebewe
	1,650.00		Taxotere
Inj 1 mg for ECP		1 mg	Baxter

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per V	
BCA0000 Chastel Authority for Cubeidy	÷		
► SA0880 Special Authority for Subsidy Initial application only from a relevant specialist or medical practi	tioner on the recomm	endation of a re	levant specialist. Approvals
valid for 12 months for applications meeting the following criteria:			
Any of the following:			
1 Both:			
1.1 The patient has ovarian*, fallopian* or primary perito	neal cancer*; and		
1.2 Either:			
1.2.1 Has not received prior chemotherapy; or	nroviously been treat	ad with taxana	
<ol> <li>1.2.2 Has received prior chemotherapy but has not</li> <li>2 The patient has metastatic breast cancer; or</li> </ol>	previously been treat	eu with taxaries	5, Of
3 Both:			
3.1 The patient has early breast cancer; and			
3.2 Docetaxel is to be given concurrently with trastuzum	ab; or		
4 Both:			
4.1 The patient has non small-cell lung cancer; and			
4.2 Either:			
4.2.1 Has advanced disease (stage Illa or above);			
<ul><li>4.2.2 Is receiving combined chemotherapy and rad</li><li>5 Both:</li></ul>	iotherapy; or		
5.1 The patient has small-cell lung cancer*; and			
5.2 Docetaxel is to be used as second-line therapy.			
<b>Renewal</b> only from a relevant specialist or medical practitioner on	the recommendation	of a relevant sp	pecialist. Approvals valid for
12 months for applications meeting the following criteria:			
Both:			
1 The patient has metastatic breast cancer, non small-cell lur	ng cancer, or small-ce	II lung cancer*;	and
2 Either:			
<ol> <li>2.1 The patient requires continued therapy; or</li> <li>2.2 The tumour has relapsed and requires re-treatment.</li> </ol>			
Note: indications marked with * are Unapproved Indications.			
DOXORUBICIN – PCT only – Specialist			
Inj 10 mg	8 80	1	Doxorubicin Ebewe
Inj 50 mg			Doxorubicin Ebewe
Inj 100 mg		1 🖌	Doxorubicin Ebewe
Inj 200 mg		1 🖌	Doxorubicin Ebewe
Inj 1 mg for ECP	0.87 1	mg 🖌	Baxter
EPIRUBICIN – PCT only – Specialist			
Inj 2 mg per ml, 5 ml		1 🖌	Epirubicin Ebewe
Inj 2 mg per ml, 25 ml			Epirubicin Ebewe
Inj 2 mg per ml, 50 ml			Epirubicin Ebewe
Inj 2 mg per ml, 100 ml Inj 1 mg for ECP			Epirubicin Ebewe Baxter
	1.90	mg 🗸	Daxier
ETOPOSIDE	0.40 70		Veneral d
Cap 50 mg – PCT – Hospital pharmacy [HP3]-Specialist			Vepesid
Cap 100 mg – PCT – Hospital pharmacy [HP3]-Specialist Inj 20 mg per ml, 5 ml – PCT – Hospital pharmacy [HP1]-		10	Vepesid
Specialist	25.00	1	Mayne
	612.20		Vepesid
Inj 1 mg for ECP – PCT only – Specialist	• · = · = •		Baxter

	Subsidy		Fully	Brand or
	(Manufacturer's P \$	rice) Su Per	bsidised	Generic Manufacturer
	Ŷ		·	manatatation
DPOSIDE PHOSPHATE - PCT only - Specialist Inj 100 mg (of etoposide base)	40.00	1	./ 5	topophos
Inj 1 mg (of etoposide base) for ECP		1 mg		laxter
	0.47	i ing	•	dALCI
DROXYUREA – PCT – Retail pharmacy-Specialist				
Cap 500 mg		100	V H	lydrea
RUBICIN HYDROCHLORIDE – PCT only – Specialist				
Cap 5 mg	115.00	1		avedos
Cap 10 mg	144.50	1	🗸 Z	avedos
Inj 5 mg	170.00	1	🗸 Z	avedos
Inj 10 mg		1		avedos
Inj 1 mg for ECP	37.74	1 mg	V B	axter
SNA – PCT only – Specialist				
Tab 400 mg		50	🖌 U	Iromitexan
Tab 600 mg		50	🖌 U	Iromitexan
Inj 100 mg per ml, 4 ml		15	🖌 U	Iromitexan
Inj 100 mg per ml, 10 ml	251.73	15	🖌 U	Iromitexan
Inj 1 mg for ECP	0.02	1 mg	🖌 В	axter
OMYCIN C – PCT only – Specialist				
Inj 2 mg	283.00	10		litomycin-C S29
Inj 10 mg		5		litomycin-C S29
Inj 1 mg for ECP		1 mg		laxter
, ,				
FOZANTRONE – PCT only – Specialist Inj 2 mg per ml, 5 ml	110.00	1		litozantrone Ebewe
Inj 2 mg per ml, 10 ml		1		litozantrone Ebewe
Inj 2 mg per ml, 12.5 ml		1		nkotrone
Inj 1 mg for ECP		1 mg		laxter
, ,	12.40	i ing	•	date
CLITAXEL – PCT only – Specialist	100 75	_		
Inj 30 mg		5		aclitaxel Ebewe
Inj 100 mg		1		aclitaxel Ebewe
Inj 150 mg		1		aclitaxel Ebewe
Inj 300 mg		1	• •	aclitaxel Ebewe
Inj 600 mg		1	· · ·	aclitaxel Ebewe axter
Inj 1 mg for ECP		1 mg	•	ater
NTOSTATIN (DEOXYCOFORMYCIN) – PCT only – Speciali				
Inj 10 mg	CBS	1	V N	lipent S29
CARBAZINE HYDROCHLORIDE - PCT only - Specialist				
Cap 50 mg		50	🖌 N	latulan S29
NOZOLOMIDE – Special Authority see SA0831 on the next p		armacy (HDS	1	
Cap 5 mg		5		emodal
oup o mg		5		emodal
Cap 20 mg				
Cap 20 mg Cap 100 mg		5		emodal

	Subsidy (Manufacturer's Pric \$	e) Sub Per	Fully sidised	Brand or Generic Manufacturer
►SA0831 Special Authority for Subsidy				
Initial application only from a relevant specialist. Approvals valid	for 10 months for a	applications	meeting	the following criteria:
All of the following:			C C	, u
1 Patient has newly diagnosed glioblastoma multiforme; and				
2 Temozolomide is to be (or has been) given concomitantly w	ith radiotherapy; a	nd		
3 Following concomitant treatment temozolomide is to be used dose of 200 mg/m <sup>2</sup> .	d for a maximum o	f six cycles o	of 5 days	s treatment, at a maximum
Notes: Temozolomide is not subsidised for the treatment of relapse	ed glioblastoma m	ultiforme. Re	applica	tions will not be approved.
Studies of temozolomide show that its benefit is predominantly in t	hose patients with	a good per	ormanc	e status (WHO grade 0 or
1 or Karnofsky score >80), and in patients who have had at least a	partial resection of	of the tumou	r.	
TENIPOSIDE – PCT only – Specialist				
Inj 10 mg per ml, 5 ml	845.11	10	🖌 V	umon
Inj 50 mg for ECP		50 mg OP	🖌 В	axter
(Vumon Inj 10 mg per ml, 5 ml to be delisted 1 May 2010)		•		
(Baxter Inj 50 mg for ECP to be delisted 1 May 2010)				
THALIDOMIDE - PCT only - Specialist - Special Authority see S Only on a controlled drug form	SA0882 below			
Cap 50 mg	100 00	28	<b>и</b> т	halidomide
Cap 50 mg		20	• II	Pharmion
SA0882 Special Authority for Subsidy				
Initial application - (for new patients) only from a relevant spec	ialist or medical pr	actitioner on	the rec	ommendation of a relevant
specialist. Approvals valid for 12 months for applications meeting t	he following criteri	a:		
Both:				
1 The nation has refractory progressive or relansed multiple	myoloma: and			

1 The patient has refractory, progressive or relapsed multiple myeloma; and

2 The patient has received prior chemotherapy.

Initial application — (for patients receiving thalidomide prior to 1 January 2006) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient was receiving treatment with thalidomide for multiple myeloma on or before 31 December 2005.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

TRETINOIN	<ul> <li>PCT only – Specialist</li> </ul>	
Con 10 r	na	

Cap 10 mg		100	Vesanoid
VINBLASTINE SULPHATE			
Inj 10 mg – PCT – Retail pharmacy-Specialist		5	Mayne
Inj 1 mg for ECP – PCT only – Specialist	3.05	1 mg	Baxter
VINCRISTINE SULPHATE			
Inj 1 mg per ml, 1 ml – PCT – Retail pharmacy-S	pecialist	5	Mayne
Inj 1 mg per ml, 2 ml - PCT - Retail pharmacy-S	pecialist199.00	5	Mayne
Inj 1 mg for ECP – PCT only – Specialist		1 mg	<ul> <li>Baxter</li> </ul>
VINORELBINE - PCT only - Specialist - Special Au	thority see SA0901 on the nex	t page	
Inj 10 mg per ml, 1 ml		í Ĩ	Navelbine
	42.00		<ul> <li>Vinorelbine Ebewe</li> </ul>
Inj 10 mg per ml, 5 ml		1	Navelbine
	210.00		Vinorelbine Ebewe
Inj 1 mg for ECP	2.71	1 mg	Baxter

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

#### SA0901 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has metastatic breast cancer; or
- 2 The patient has non-small cell lung cancer (stage IIIa, or above); or
- 3 All of the following:
  - 3.1 The patient has stage IB-IIIA non-small cell lung cancer; and
  - 3.2 Vinorelbine is to be given as adjuvant treatment in combination with cisplatin; and
  - 3.3 The patient has good performance status (WHO/ECOG grade 0-1).

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

### Protein-tyrosine Kinase Inhibitors

#### DASATINIB - Special Authority see SA0976 below

Tab 20 mg	60	Sprycel
Tab 50 mg6,214.20	60	Sprycel
Tab 70 mg7,692.58	60	Sprycel
Tab 100 mg6,214.20	30	Sprycel

#### ➡SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CML/GIST Co-ordinator	Phone: (04) 460 4990
PHARMAC	Facsimile: (04) 916 7571
PO Box 10 254	Email: mary.chesterfield@pharmac.govt.nz
147 112 1	

Wellington

#### Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

#### Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
  - complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10<sup>9</sup>/L, platelets > 100 × 10<sup>9</sup>/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or</li>

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🖌	Manufacturer	

continued...

- 2) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) >  $1.0 \times 10^9$ /L, platelets >  $20 \times 10^9$ /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
- return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).</li>
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

IMATINIB MESYLATE - Special Authority see SA0643 below

Tab 100 mg ......2,400.00 60 🗸 Glivec

#### ➡SA0643 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <u>http://www.pharmac.govt.nz</u>, and prescriptions should be sent to:

The CML/GIST Co-ordinator	Phone: (04) 460 4990
PHARMAC	Facsimile: (04) 916 7571
PO Box 10 254	Email: mary.chesterfield@pharmac.govt.nz
Wallington	

### Wellington

### Special Authority criteria for CML – access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 600 mg/day for accelerated or blast phase, and 400 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

#### Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if after 6 months from initiating therapy a patient did not obtain a haematological response as defined as any one of the following three levels of response:
  - 1) complete haematologic response (as characterised by an absolute neutrophil count (ANC) >  $1.5 \times 10^9$ /L, platelets >  $100 \times 10^9$ /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0 × 10<sup>9</sup>/L, platelets > 20 × 10<sup>9</sup>/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or</li>
  - return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).</li>
- b) Prescribers should consider discontinuation of treatment if after 18 months from initiating therapy a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

### Special Authority criteria for GIST – access by application

- a) Funded for patients:
  - 1) with a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST); and
  - 2) who have immunohistochemical documentation of c-kit (CD117) expression by the tumour.
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

	Subsidy		Fully Brand or
	(Manufacturer's Pri \$	ice) Si Per	ubsidised Generic Manufacturer
	Ψ	1.61	Wandacurer
Aromatase Inhibitors			
NASTROZOLE			
Tab 1 mg		30	Arimidex
	29.50		DP-Anastrozole
EXEMESTANE - Additional subsidy by Special Authority see	SA1000 below - Reta	ail pharmacy	<i>I</i>
Note: Repeat dispensings for Aromasin will be fully subsid		•	
Tab 25 mg		30	
	(175.00)		Aromasin
SA1000 Special Authority for Alternate Subsidy	,		
<b>itial application</b> from any relevant practitioner. Approvals va	alid for 5 years for apr	lications me	eeting the following criteria:
Il of the following:	and for o youro for app		sound the following official
1 Patient is a postmenopausal woman; and			
2 Patient has hormone receptor positive breast cancer; a	ind		
3 Any of the following:	· •		
3.1 The patient was receiving funded exemestane p	rior to 1 Februarv 201	0: or	
3.2 The patient has advanced breast cancer and a v			anastrozole or letrozole: or
3.3 The patient has advanced breast cancer and dise			
enewal from any relevant practitioner. Approvals valid without			
riate and the patient is benefitting from treatment.			
ETROZOLE			
lan 2.5 md	26 55	30	V Letara
Tab 2.5 mg		30	✓ Letara
0	26.55 (146.46)	30	Femara
Femara Tab 2.5 mg to be delisted 1 July 2010)		30	
Femara Tab 2.5 mg to be delisted 1 July 2010)		30	
Femara Tab 2.5 mg to be delisted 1 July 2010) Endocrine Therapy	(146.46)		
Femara Tab 2.5 mg to be delisted 1 July 2010) Endocrine Therapy or GnRH ANALOGUES – refer to HORMONE PREPARATIO	(146.46) NS, Trophic Hormone		
Femara Tab 2.5 mg to be delisted 1 July 2010) Endocrine Therapy or GnRH ANALOGUES – refer to HORMONE PREPARATIO ICALUTAMIDE – Special Authority see SA0941 below – Re	(146.46) NS, Trophic Hormone tail pharmacy	s, page 80	Femara
Femara Tab 2.5 mg to be delisted 1 July 2010) Endocrine Therapy or GnRH ANALOGUES – refer to HORMONE PREPARATIO ICALUTAMIDE – Special Authority see SA0941 below – Re Tab 50 mg	(146.46) NS, Trophic Hormone tail pharmacy		
Femara Tab 2.5 mg to be delisted 1 July 2010) Endocrine Therapy or GnRH ANALOGUES – refer to HORMONE PREPARATIO ICALUTAMIDE – Special Authority see SA0941 below – Re Tab 50 mg	(146.46) NS, Trophic Hormone tail pharmacy 27.10	s, page 80 30	Femara
Femara Tab 2.5 mg to be delisted 1 July 2010) Endocrine Therapy or GnRH ANALOGUES – refer to HORMONE PREPARATIO ICALUTAMIDE – Special Authority see SA0941 below – Re Tab 50 mg →SA0941 Special Authority for Subsidy itial application from any medical practitioner. Approvals	(146.46) NS, Trophic Hormone tail pharmacy 27.10	s, page 80 30	Femara
Femara Tab 2.5 mg to be delisted 1 July 2010) Endocrine Therapy or GnRH ANALOGUES – refer to HORMONE PREPARATIO ICALUTAMIDE – Special Authority see SA0941 below – Re Tab 50 mg	(146.46) NS, Trophic Hormone tail pharmacy 27.10	s, page 80 30	Femara
Eemara Tab 2.5 mg to be delisted 1 July 2010) Endocrine Therapy or GnRH ANALOGUES – refer to HORMONE PREPARATIO ICALUTAMIDE – Special Authority see SA0941 below – Re Tab 50 mg	(146.46) NS, Trophic Hormone tail pharmacy 27.10 valid without further	s, page 80 30	Femara
Femara Tab 2.5 mg to be delisted 1 July 2010) Endocrine Therapy or GnRH ANALOGUES – refer to HORMONE PREPARATIO ICALUTAMIDE – Special Authority see SA0941 below – Re Tab 50 mg	(146.46) NS, Trophic Hormone tail pharmacy 27.10 valid without further	s, page 80 30	Femara
Femara Tab 2.5 mg to be delisted 1 July 2010) Endocrine Therapy or GnRH ANALOGUES – refer to HORMONE PREPARATIO ICALUTAMIDE – Special Authority see SA0941 below – Re Tab 50 mg	(146.46) NS, Trophic Hormone tail pharmacy 27.10 valid without further	s, page 80 30 renewal un	Femara <u> Femara</u> Bicalox less notified where the patient H
Femara Tab 2.5 mg to be delisted 1 July 2010) Endocrine Therapy or GnRH ANALOGUES – refer to HORMONE PREPARATIO ICALUTAMIDE – Special Authority see SA0941 below – Re Tab 50 mg	(146.46) NS, Trophic Hormone tail pharmacy 27.10 valid without further 	s, page 80 30 renewal un 100	Femara <u> Femara</u> <u> Bicalox</u> less notified where the patient
Temara Tab 2.5 mg to be delisted 1 July 2010)  Tendocrine Therapy  or GnRH ANALOGUES – refer to HORMONE PREPARATIO ICALUTAMIDE – Special Authority see SA0941 below – Re Tab 50 mg  SA0941 Special Authority for Subsidy itial application from any medical practitioner. Approvals dvanced prostate cancer.  LUTAMIDE – Hospital pharmacy [HP3]-Specialist Tab 250 mg	(146.46) NS, Trophic Hormone tail pharmacy 27.10 valid without further 48.30 	s, page 80 30 renewal un	Femara
Femara Tab 2.5 mg to be delisted 1 July 2010) Endocrine Therapy or GnRH ANALOGUES – refer to HORMONE PREPARATIO ICALUTAMIDE – Special Authority see SA0941 below – Re Tab 50 mg SA0941 Special Authority for Subsidy itial application from any medical practitioner. Approvals dvanced prostate cancer. LUTAMIDE – Hospital pharmacy [HP3]-Specialist Tab 250 mg EGESTROL ACETATE – Retail pharmacy-Specialist Tab 160 mg	(146.46) NS, Trophic Hormone tail pharmacy 27.10 valid without further 48.30 	s, page 80 30 renewal un 100 30	Femara
Femara Tab 2.5 mg to be delisted 1 July 2010) Endocrine Therapy or GnRH ANALOGUES – refer to HORMONE PREPARATIO ICALUTAMIDE – Special Authority see SA0941 below – Re Tab 50 mg SA0941 Special Authority for Subsidy itial application from any medical practitioner. Approvals dvanced prostate cancer. LUTAMIDE – Hospital pharmacy [HP3]-Specialist Tab 250 mg EGESTROL ACETATE – Retail pharmacy-Specialist Tab 160 mg CTREOTIDE (SOMATOSTATIN ANALOGUE) – Special Aut	(146.46) NS, Trophic Hormone tail pharmacy valid without further 	s, page 80 30 renewal un 100 30 the next pa	Femara
Femara Tab 2.5 mg to be delisted 1 July 2010) Endocrine Therapy or GnRH ANALOGUES – refer to HORMONE PREPARATIO ICALUTAMIDE – Special Authority see SA0941 below – Re Tab 50 mg SA0941 Special Authority for Subsidy itial application from any medical practitioner. Approvals dvanced prostate cancer. LUTAMIDE – Hospital pharmacy [HP3]-Specialist Tab 250 mg EGESTROL ACETATE – Retail pharmacy-Specialist Tab 160 mg	(146.46) NS, Trophic Hormone tail pharmacy 27.10 valid without further 48.30 	s, page 80 30 renewal un 100 30	Femara
Temara Tab 2.5 mg to be delisted 1 July 2010) Endocrine Therapy or GnRH ANALOGUES – refer to HORMONE PREPARATIO ICALUTAMIDE – Special Authority see SA0941 below – Re Tab 50 mg	(146.46) NS, Trophic Hormone tail pharmacy 27.10 valid without further 48.30 	s, page 80 30 renewal un 100 30 the next pa 5	Femara
Femara Tab 2.5 mg to be delisted 1 July 2010) Endocrine Therapy or GnRH ANALOGUES – refer to HORMONE PREPARATIO ICALUTAMIDE – Special Authority see SA0941 below – Re Tab 50 mg SA0941 Special Authority for Subsidy itial application from any medical practitioner. Approvals dvanced prostate cancer. LUTAMIDE – Hospital pharmacy [HP3]-Specialist Tab 250 mg IEGESTROL ACETATE – Retail pharmacy-Specialist Tab 160 mg CTREOTIDE (SOMATOSTATIN ANALOGUE) – Special Aut	(146.46) NS, Trophic Hormone tail pharmacy 27.10 valid without further 48.30 	s, page 80 30 renewal un 100 30 the next pa	Femara
Femara Tab 2.5 mg to be delisted 1 July 2010) Endocrine Therapy or GnRH ANALOGUES – refer to HORMONE PREPARATIO ICALUTAMIDE – Special Authority see SA0941 below – Re Tab 50 mg	(146.46) NS, Trophic Hormone tail pharmacy 27.10 valid without further 48.30 48.30 	s, page 80 30 renewal un 100 30 the next pa 5	Femara
Femara Tab 2.5 mg to be delisted 1 July 2010) Endocrine Therapy or GnRH ANALOGUES – refer to HORMONE PREPARATIO ICALUTAMIDE – Special Authority see SA0941 below – Re Tab 50 mg	(146.46) NS, Trophic Hormone tail pharmacy27.10 valid without further48.3048.30	s, page 80 30 renewal un 100 30 the next pa 5	Femara
Femara Tab 2.5 mg to be delisted 1 July 2010) Endocrine Therapy or GnRH ANALOGUES – refer to HORMONE PREPARATIO ICALUTAMIDE – Special Authority see SA0941 below – Re Tab 50 mg	(146.46) NS, Trophic Hormone tail pharmacy27.10 valid without further48.3025.65 43.5048.50 81.00175.00 399.00	s, page 80 30 renewal un 100 30 the next pa 5 5 5	Femara
Femara Tab 2.5 mg to be delisted 1 July 2010) Endocrine Therapy or GnRH ANALOGUES – refer to HORMONE PREPARATIO ICALUTAMIDE – Special Authority see SA0941 below – Re Tab 50 mg SA0941 Special Authority for Subsidy nitial application from any medical practitioner. Approvals dvanced prostate cancer. LUTAMIDE – Hospital pharmacy [HP3]-Specialist Tab 250 mg IEGESTROL ACETATE – Retail pharmacy-Specialist Tab 160 mg OCTREOTIDE (SOMATOSTATIN ANALOGUE) – Special Aut Inj 50 μg per ml, 1 ml Inj 500 μg per ml, 1 ml Inj LAR 10 mg prefilled syringe	(146.46) NS, Trophic Hormone tail pharmacy 27.10 valid without further 48.30 25.65 43.50 48.50 81.00 175.00 399.00 1,772.50	s, page 80 30 renewal un 100 30 the next pa 5 5 5 5	Femara <u>Bicalox</u> less notified where the patient h <u>Flutamin</u> <u>Apo-Megestrol</u> <u>Megace</u> ige – Hospital pharmacy [HP3] <u>Hospira</u> <u>Sandostatin</u> <u>Hospira</u> <u>Sandostatin</u> <u>Hospira</u> <u>Sandostatin</u> <u>Sandostatin</u> <u>Sandostatin</u> <u>Sandostatin</u> <u>Sandostatin</u> <u>Sandostatin</u>
Fermara Tab 2.5 mg to be delisted 1 July 2010) Endocrine Therapy For GnRH ANALOGUES – refer to HORMONE PREPARATIO BICALUTAMIDE – Special Authority see SA0941 below – Re Tab 50 mg  →SA0941 Special Authority for Subsidy nitial application from any medical practitioner. Approvals advanced prostate cancer. FLUTAMIDE – Hospital pharmacy [HP3]-Specialist Tab 250 mg  MEGESTROL ACETATE – Retail pharmacy-Specialist Tab 160 mg  COTREOTIDE (SOMATOSTATIN ANALOGUE) – Special Aut Inj 50 μg per ml, 1 ml Inj 500 μg per ml, 1 ml	(146.46) NS, Trophic Hormone tail pharmacy 27.10 valid without further 48.30 25.65 43.50 25.65 43.50 81.00 175.00 399.00 1,772.50 2,358.75	s, page 80 30 renewal un 100 30 the next pa 5 5 5	Femara

	Subsidy (Manufacturer's P \$	rice) Sul Per	Fully osidised	Brand or Generic Manufacturer
■>SA0563 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals va Any of the following: 1 Both:	alid for 2 years for a	oplications me	eting the	e following criteria:
<ol> <li>Both:</li> <li>1.1 Acromegaly; and</li> <li>1.2 Patient has failed surgery, radiotherapy, bromocri</li> <li>2 VIPomas and Glucagonomas – for patients who are s surgery; or</li> <li>3 Both:</li> </ol>			eir clinic	al state prior to definitive
<ul> <li>3.1 Gastrinoma; and</li> <li>3.2 Either:</li> <li>3.2.1 Patient has failed surgery; or</li> <li>3.2.2 Patient in metastatic disease after H2 anta</li> </ul>	agonists (or proton p	oump inhibitor	s) have f	ailed; or
<ul> <li>4 Both:</li> <li>4.1 Insulinomas; and</li> <li>4.2 Surgery is contraindicated or has failed; or</li> <li>5 For pre-operative control of hypoglycaemia and for mair</li> <li>6 Both:</li> <li>6.1 Carcinoid syndrome (diagnosed by tissue pathole</li> <li>6.2 Disabling symptoms not controlled by maximal m</li> </ul>	ogy and/or urinary 5		s); and	
Note: The use of octrectide in patients with fistulae, oesopha funded as a Special Authority item <b>Renewal</b> only from a relevant specialist. Approvals valid for 2 benefiting from treatment. TAMOXIFEN CITRATE				
* Tab 10 mg * Tab 20 mg		100 60 100	✓ Go ✓ Ta ✓ Go	amoxifen Sandoz
Immunosuppressants				
Cytotoxic Immunosuppressants				
AZATHIOPRINE – Retail pharmacy-Specialist * Tab 50 mg	26.75 25.00	100	🖌 Az	zamun
* Inj 50 mg	(34.90) 46.33 (47.72)	1		nuran
MYCOPHENOLATE MOFETIL – Special Authority see SA096 Tab 500 mg Cap 250 mg Powder for oral liq 1 g per 5 ml – Subsidy by endorsement Mycophenolate powder for oral liquid is subsidied only	0 on the next page - 	50 100 165 ml OP	armacy [l Co Co Co Co	HP3] elicept elicept elicept

Mycophenolate powder for oral liquid is subsidised only for patients unable to swallow tablets and capsules, and when the prescription is endorsed accordingly.

(M	Subsidy anufacturer's Price) \$	Su Per	Fully ubsidised	Brand or Generic Manufacturer
<ul> <li>►&gt;SA0960 Special Authority for Subsidy</li> <li>Initial application only from a relevant specialist. Approvals valid with the following criteria:</li> <li>Any of the following:         <ol> <li>Renal transplant recipient; or</li> <li>Heart transplant recipient; or</li> <li>Liver transplant recipient; or</li> <li>Patient has an organ transplant and has severe tophaceous go</li> </ol> </li> </ul>				
Immune Modulators				
ANTITHYMOCYTE GLOBULIN (EQUINE) – PCT only – Specialist Inj 50 mg per ml, 5 ml		5	🖌 A	TGAM
RITUXIMAB – PCT only – Specialist – Special Authority see SA096 Ini 100 mg per 10 ml vial		2	🖌 M	abthera

Iviabuliela	2	10 III viai	ing too ing per to ini via
Mabthera	1	50 ml vial2,987.00	Inj 500 mg per 50 ml vial
Baxter	1 mg	D6.27	Inj 1 mg for ECP

### ➡SA0961 Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 2 To be used for a maximum of 8 treatment cycles.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: Fither:

1 Both:

- 1.1 The patient has indolent low grade NHL with relapsed disease following prior chemotherapy; and
- 1.2 To be used for a maximum of 4 treatment cycles; or
- 2 Both:
  - 2.1 The patient has indolent, low grade lymphoma requiring first-line systemic chemotherapy; and
  - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. Rituximab is not funded for Chronic lymphocytic leukaemia/small lymphocytic lymphoma.

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has treatment-naive aggressive CD20 positive NHL; and
- 2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 3 To be used for a maximum of 8 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 4 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. Rituximab is not funded for Chronic lymphocytic leukaemia/small lymphocytic lymphoma.

continued...

Subsidy	F	ully Bra	and or
(Manufacturer's Price)	Subsidi	sed Ge	eneric
\$	Per	🖌 Ma	nufacturer

continued...

Renewal — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

TRASTUZUMAB - PCT only - Specialist - Special Authority see SA0885 below

Inj 150 mg vial	1	<ul> <li>Herceptin</li> </ul>
Inj 440 mg vial	1	<ul> <li>Herceptin</li> </ul>
Inj 1 mg for ECP9.36	1 mg	<ul> <li>Baxter</li> </ul>

### SA0885 Special Authority for Subsidy

**Initial application** — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the patient has metastatic breast cancer expressing HER-2 IHC 3+ or FISH+.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has metastatic breast cancer; and
- 2 The cancer has not progressed.

**Initial application** — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or FISH +; and
- 2 Maximum cumulative dose of 20mg/kg (9 weeks treatment)\*; and
- 3 Trastuzumab is to be given concurrently with adjuvant taxane chemotherapy\*; and
- 4 Trastuzumab is not to be given concurrently with anthracycline chemotherapy.

Notes: indications marked with \* are Unapproved Indications.

It is recommended that for early breast cancer trastuzumab be administered concurrently with docetaxel prior to anthracyclines as per the FinHer regimen (Joensuu H, Kellokumpu-Lehtinen P, Bono P, et al. Adjuvant docetaxel or vinorelbine with or without trastuzumab for breast cancer. N Engl J Med 2006;354(8):809-20).

### Other Immunosuppressants

CYCLOSPORIN – Hospital pharmacy [HP3]			
Cap 25 mg		50	Neoral
Cap 50 mg	118.54	50	Neoral
Cap 100 mg		50	Neoral
Oral liq 100 mg per ml		50 ml OP	Neoral
SIROLIMUS - Special Authority see SA0866 on the next pa	ge – Hospital pharma	acy [HP3]	
Tab 1 mg		100	Rapamune
Tab 2 mg		100	Rapamune
Oral liq 1 mg per ml		60 ml OP	Rapamune

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
<ul> <li>⇒SA0866 Special Authority for Subsidy</li> <li>Initial application from any medical practitioner. Approvals valid used for rescue therapy for an organ transplant recipient.</li> <li>Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment due to any of the following:</li> <li>GFR&lt;30 ml/min; or</li> <li>Rapidly progressive transplant vasculopathy; or</li> <li>HUS or TTP; or</li> <li>Leukoencepthalopathy; or</li> <li>Significant malignant disease</li> </ul>				Ũ
TACROLIMUS – Special Authority see SA0669 below – Hospital p Cap 0.5 mg Cap 1 mg Cap 5 mg ⇒SA0669 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid	214.00 	100 100 50 ewal u	✔ Pr ✔ Pr	ograf ograf ograf ed where the patient is an

organ transplant recipient.

Note: Subsidy applies for either primary or rescue therapy.

	Subsidy		Fully Brand or
	(Manufacturer's F	Price) Su	bsidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
Antiallergy Preparations			
BEE VENOM ALLERGY TREATMENT - Special Authority see	e SA0053 below – H	lospital pharn	nacy [HP3]
Maintenance kit - 6 vials 120 µg freeze dried venom, 6 dilu			
1.8 ml		1 OP	Albay
Treatment kit - 1 vial 550 µg freeze dried venom, 1 dilu 9 ml, 3 diluent 1.8 ml		1 OP	✓ Albay
	205.00	TOP	V Albay
SA0053 Special Authority for Subsidy nitial application only from a relevant specialist. Approvals vi	alid for 2 years for a	nnlications m	eeting the following criteria:
oth:	and for 2 years for a		coung the following entertai
1 RAST or skin test positive; and			
2 Patient has had severe generalised reaction to the sens	0 0		
enewal only from a relevant specialist. Approvals valid for 2 enefiting from treatment.	2 years where the t	reatment rem	ains appropriate and the patient
VASP VENOM ALLERGY TREATMENT – Special Authority s	see SA0053 below -	- Hospital pha	rmacy [HP3]
Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dr		- nospital pila	lindoy [in o]
polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml		1 OP	Albay
Treatment kit (Yellow jacket venom) - 1 vial 550 µg free	eze		
dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml .		1 OP	Albay
SA0053 Special Authority for Subsidy nitial application only from a relevant specialist. Approvals vi late:	alid for 2 years for a	pplications m	eeting the following criteria:
nitial application only from a relevant specialist. Approvals vi Both:	alid for 2 years for a	pplications m	eeting the following criteria:
nitial application only from a relevant specialist. Approvals ve Both: 1 RAST or skin test positive; and		pplications m	eeting the following criteria:
nitial application only from a relevant specialist. Approvals vi Both: 1 RAST or skin test positive; and 2 Patient has had severe generalised reaction to the sens Renewal only from a relevant specialist. Approvals valid for 2	itising agent.		
nitial application only from a relevant specialist. Approvals vi Both: 1 RAST or skin test positive; and 2 Patient has had severe generalised reaction to the sens Renewal only from a relevant specialist. Approvals valid for 2	itising agent.		
nitial application only from a relevant specialist. Approvals vision:         1       RAST or skin test positive; and         2       Patient has had severe generalised reaction to the sens         Renewal only from a relevant specialist. Approvals valid for a generalised from the sens	itising agent.		
nitial application only from a relevant specialist. Approvals version Both: 1 RAST or skin test positive; and 2 Patient has had severe generalised reaction to the sens Renewal only from a relevant specialist. Approvals valid for 2 enefiting from treatment. Antihistamines	itising agent.		
<b>itial application</b> only from a relevant specialist. Approvals vision:         1       RAST or skin test positive; and         2       Patient has had severe generalised reaction to the sens <b>tenewal</b> only from a relevant specialist. Approvals valid for 2         enefiting from treatment.         Antihistamines         ETIRIZINE HYDROCHLORIDE	itising agent. 2 years where the t		ains appropriate and the patient
<ul> <li>itial application only from a relevant specialist. Approvals visioth:         <ol> <li>RAST or skin test positive; and</li> <li>Patient has had severe generalised reaction to the sens</li> </ol> </li> <li>tenewal only from a relevant specialist. Approvals valid for 2 enefiting from treatment.</li> <li>Antihistamines</li> <li>ETIRIZINE HYDROCHLORIDE</li> <li>Tab 10 mg</li> </ul>	itising agent. 2 years where the t	reatment rem	
<b>itial application</b> only from a relevant specialist. Approvals vioth:         1       RAST or skin test positive; and         2       Patient has had severe generalised reaction to the sens         tenewal only from a relevant specialist. Approvals valid for 2         enefiting from treatment.         Antihistamines         ETIRIZINE HYDROCHLORIDE         Tab 10 mg         Cral liq 1 mg per ml	itising agent. 2 years where the t	reatment rem	ains appropriate and the patient
itial application only from a relevant specialist. Approvals vision:         1       RAST or skin test positive; and         2       Patient has had severe generalised reaction to the sens         tenewal only from a relevant specialist. Approvals valid for 2         enefiting from treatment.         Antihistamines         ETIRIZINE HYDROCHLORIDE         ← Tab 10 mg         ← Oral liq 1 mg per ml         CHORPHENIRAMINE MALEATE	itising agent. 2 years where the t 2.21 	reatment rem	ains appropriate and the patient
itial application only from a relevant specialist. Approvals visioth:         1       RAST or skin test positive; and         2       Patient has had severe generalised reaction to the sensitenewal only from a relevant specialist. Approvals valid for 2 enefiting from treatment.         Antihistamines         EETIRIZINE HYDROCHLORIDE         ← Tab 10 mg         ← Tab 10 mg         EHLORPHENIRAMINE MALEATE         & Oral liq 2 mg per 5 ml	itising agent. 2 years where the t 2.21 	reatment rem 100 200 ml	ains appropriate and the patient <u>Zetop</u> <u>Cetirizine - AFT</u>
itial application only from a relevant specialist. Approvals vision:         1       RAST or skin test positive; and         2       Patient has had severe generalised reaction to the sensitenewal only from a relevant specialist. Approvals valid for 2 enefiting from treatment.         Antihistamines         CETIRIZINE HYDROCHLORIDE <ul> <li>Tab 10 mg</li> <li>CHLORPHENIRAMINE MALEATE</li> <li>CHORPHENIRAMINE MALEATE</li> <li>Cal liq 2 mg per 5 ml</li> <li>CYPROHEPTADINE HYDROCHLORIDE</li> </ul>	itising agent. 2 years where the t 2.21 	reatment rem 100 200 ml	ains appropriate and the patient <u>Zetop</u> <u>Cetirizine - AFT</u>
itial application only from a relevant specialist. Approvals visioth:         1       RAST or skin test positive; and         2       Patient has had severe generalised reaction to the sensitenewal only from a relevant specialist. Approvals valid for 2 enefiting from treatment.         Antihistamines         EETIRIZINE HYDROCHLORIDE <ul> <li>Tab 10 mg</li> <li>Cral liq 1 mg per ml</li> <li>CHLORPHENIRAMINE MALEATE</li> <li>YPROHEPTADINE HYDROCHLORIDE</li> <li>Tab 4 mg</li> </ul>	itising agent. 2 years where the t 2.21 	100 200 ml 500 ml	ains appropriate and the patient ✓ <u>Zetop</u> ✓ <u>Cetirizine - AFT</u> ✓ Histafen
itial application only from a relevant specialist. Approvals vision:         1       RAST or skin test positive; and         2       Patient has had severe generalised reaction to the sensitenewal only from a relevant specialist. Approvals valid for 2 enefiting from treatment.         Antihistamines         EETIRIZINE HYDROCHLORIDE <ul> <li>Tab 10 mg</li> <li>Tab 10 mg per ml</li> <li>CHLORPHENIRAMINE MALEATE</li> <li>Oral liq 2 mg per 5 ml</li> <li>YPROHEPTADINE HYDROCHLORIDE</li> <li>Tab 4 mg</li> <li>Periactin Tab 4 mg to be delisted 1 September 2010)</li> <li>EXTROCHLORPHENIRAMINE MALEATE</li> </ul>	2 years where the t 2 years where the t 2 years where the t 2 years where the t 2 years where the t	100 200 ml 500 ml 100	ains appropriate and the patient ✓ <u>Zetop</u> ✓ <u>Cetirizine - AFT</u> ✓ Histafen
itial application only from a relevant specialist. Approvals violt:         1       RAST or skin test positive; and         2       Patient has had severe generalised reaction to the sensemeral only from a relevant specialist. Approvals valid for 2 enefiting from treatment.         Antihistamines         ETIRIZINE HYDROCHLORIDE         © Tab 10 mg         *‡ Oral liq 1 mg per ml         *HLORPHENIRAMINE MALEATE         *‡ Oral liq 2 mg per 5 ml         YPROHEPTADINE HYDROCHLORIDE         © Tab 4 mg         Periactin Tab 4 mg to be delisted 1 September 2010)         EXTROCHLORPHENIRAMINE MALEATE	itising agent. 2 years where the t 2.21 3.50 8.06 	100 200 ml 500 ml	ains appropriate and the patient ✓ <u>Zetop</u> ✓ <u>Cetirizine - AFT</u> ✓ Histafen ✓ Periactin
itial application only from a relevant specialist. Approvals values         1       RAST or skin test positive; and         2       Patient has had severe generalised reaction to the sensitenewal only from a relevant specialist. Approvals valid for 2 enefiting from treatment.         Antihistamines         EETIRIZINE HYDROCHLORIDE         © Tab 10 mg         © Tab 10 mg         CHIRIZINE HYDROCHLORIDE         © Tab 10 mg         © Tab 10 mg         CHIRIZINE HYDROCHLORIDE         © Tab 10 mg         © Tab 10 mg         CHORPHENIRAMINE MALEATE         © Tab 1 liq 2 mg per 5 ml         CYPROHEPTADINE HYDROCHLORIDE         © Tab 4 mg         © Tab 4 mg to be delisted 1 September 2010)         ©EXTROCHLORPHENIRAMINE MALEATE         © Tab 2 mg	itising agent. 2 years where the t 2.21 	100 200 ml 500 ml 100 40	ains appropriate and the patient ✓ <u>Zetop</u> ✓ <u>Cetirizine - AFT</u> ✓ Histafen
itial application only from a relevant specialist. Approvals values         itial application only from a relevant specialist. Approvals values         itial application only from a relevant specialist. Approvals values         itial application only from a relevant specialist. Approvals values         itial application only from a relevant specialist. Approvals values         itial application only from a relevant specialist. Approvals values         itial application only from a relevant specialist. Approvals values         itial application only from a relevant specialist. Approvals values         itial application only from a relevant specialist. Approvals values         itial application only from a relevant specialist. Approvals values         itial application only from a relevant specialist. Approvals values         itial application only from a relevant specialist. Approvals values         itial application only from a relevant specialist. Approvals values         itial application only from a relevant specialist. Approvals values         itial application only from a relevant specialist. Approvals values         itial application only from a relevant specialist. Approvals values         itial application only from a relevant specialist. Approvals values         itial application only from treatment.         Application only from treatment.         Application on the special applic	itising agent. 2 years where the t 2.21 	100 200 ml 500 ml 100	ains appropriate and the patient ✓ <u>Zetop</u> ✓ <u>Cetirizine - AFT</u> ✓ Histafen ✓ Periactin
<b>itial application</b> only from a relevant specialist. Approvals values <b>itial application</b> only from a relevant specialist. Approvals values         Both:       1 <b>1</b> RAST or skin test positive; and       2 <b>2</b> Patient has had severe generalised reaction to the sense <b>Renewal</b> only from a relevant specialist. Approvals valid for 2 <b>Antihistamines CETIRIZINE HYDROCHLORIDE K</b> Tab 10 mg <b>K</b> Oral liq 1 mg per ml         CHLORPHENIRAMINE MALEATE <b>K</b> Oral liq 2 mg per 5 ml         CYPROHEPTADINE HYDROCHLORIDE <b>K</b> Tab 4 mg <b>K</b> Tab 4 mg to be delisted 1 September 2010) <b>DEXTROCHLORPHENIRAMINE MALEATE K</b> Tab 2 mg	itising agent. 2 years where the t 2.21 3.50 8.06 6.27 6.27 2.02 (7.99) 5.40	100 200 ml 500 ml 100 40	ains appropriate and the patient <ul> <li>Zetop</li> <li>Cetirizine - AFT</li> <li>Histafen</li> <li>Periactin</li> </ul>
itial application only from a relevant specialist. Approvals values         itial application only from a relevant specialist. Approvals values         itial application only from a relevant specialist. Approvals values         itial application only from a relevant specialist. Approvals values         itial application only from a relevant specialist. Approvals values         itial application only from a relevant specialist. Approvals values         itial application only from a relevant specialist. Approvals values         iting from treatment.         Antihistamines         SETIRIZINE HYDROCHLORIDE         iting from general         iting from general         iting a mg per ml         CHLORPHENIRAMINE MALEATE         iting a mg per 5 ml         CYPROHEPTADINE HYDROCHLORIDE         iting application to be delisted 1 September 2010)         DEXTROCHLORPHENIRAMINE MALEATE         iting a mg         iting a mg         iting a mg         iting a mg         iting a mg to be delisted 1 September 2010)         DEXTROCHLORPHENIRAMINE MALEATE         iting a mg         iting a mg         iting a mg         iting a mg         iting a mg to be delisted 1 September 2010)         DEXTROCHLORPHENIRAMINE MALEATE         iting a	itising agent. 2 years where the t 2.21 3.50 8.06 6.27 6.27 (7.99) 5.40 (12.56)	100 200 ml 500 ml 100 40	ains appropriate and the patient <ul> <li>Zetop</li> <li>Cetirizine - AFT</li> <li>Histafen</li> <li>Periactin</li> </ul> Polaramine <ul> <li>Polaramine</li> </ul>
<b>nitial application</b> only from a relevant specialist. Approvals values <b>Both:</b> 1 RAST or skin test positive; and         2 Patient has had severe generalised reaction to the sense <b>Renewal</b> only from a relevant specialist. Approvals valid for 2         penefiting from treatment. <b>Antihistamines</b> CETIRIZINE HYDROCHLORIDE <ul> <li>Tab 10 mg</li> <li>Tab 10 mg</li> <li>CHLORPHENIRAMINE MALEATE</li> <li>Oral liq 2 mg per 5 ml</li> <li>CYPROHEPTADINE HYDROCHLORIDE</li> <li>Tab 4 mg</li> <li>Periactin Tab 4 mg to be delisted 1 September 2010)</li> <li>DEXTROCHLORPHENIRAMINE MALEATE</li> <li>Tab 2 mg</li> </ul>	itising agent. 2 years where the t 2.21 3.50 8.06 6.27 6.27 (7.99) 5.40 (12.56)	100 200 ml 500 ml 100 40	ains appropriate and the patient <ul> <li>Zetop</li> <li>Cetirizine - AFT</li> <li>Histafen</li> <li>Periactin</li> </ul> Polaramine <ul> <li>Polaramine</li> <li>Colour-Free</li> </ul>

	Subsidy	<b>D</b> · · · · · · · · · · · · · · · · · · ·	Fully Brand or
	(Manufacturer's \$	Price) Suc Per	osidised Generic Manufacturer
EXOFENADINE HYDROCHLORIDE			
★ Tab 60 mg	4.34	20	
5	(11.53)		Telfast
₭ Tab 120 mg		30	
	(29.81)		Telfast
ORATADINE			
₭ Tab 10 mg	3.58	100	Loraclear Hayfever
			Relief
✤ Oral liq 1 mg per ml	3.65	100 ml	Lorapaed
PROMETHAZINE HYDROCHLORIDE			
* Tab 10 mg	2.72	50	✓ Allersoothe
* Tab 25 mg		50	Allersoothe
κ‡ Oral liq 5 mg per 5 ml	3.10	100 ml	<ul> <li>Promethazine Winthrop Elixir</li> </ul>
	(8.51)		Phenergan
Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO	11.00	5	✓ Mayne
Phenergan Oral liq 5 mg per 5 ml to be delisted 1 July 2010)			
IRIMEPRAZINE TARTRATE			
Oral liq 30 mg per 5 ml	2.79	100 ml OP	
	(8.06)		Vallergan Forte
Inhaled Corticosteroids			
BECLOMETHASONE DIPROPIONATE			
Aerosol inhaler, 100 µg per dose CFC-free	12.50	200 dose OP	Beclazone 100
Aerosol inhaler, 250 µg per dose CFC-free		200 dose OP	✓ Beclazone 250
Aerosol inhaler, 50 µg per dose CFC-free		200 dose OP	Beclazone 50
BUDESONIDE			
Powder for inhalation, 100 µg per dose	17.00	200 dose OP	Pulmicort
r onder for militadion, roo pg per dood		200 0000 01	Turbuhaler
Powder for inhalation, 200 µg per dose		200 dose OP	✓ Pulmicort
····· , ····· ···			Turbuhaler
Powder for inhalation, 400 µg per dose		200 dose OP	Pulmicort
			Turbuhaler
FLUTICASONE			
Aerosol inhaler, 50 µg per dose CFC-free	7.50	120 dose OP	Flixotide
Powder for inhalation, 50 µg per dose		60 dose OP	
	(8.67)		Flixotide Accuhaler
Powder for inhalation, 100 µg per dose		60 dose OP	
	(13.87)		Flixotide Accuhaler
Aerosol inhaler, 125 µg per dose CFC-free		120 dose OP	<ul> <li>Flixotide</li> </ul>
Aerosol inhaler, 250 µg per dose CFC-free		120 dose OP	<ul> <li>Flixotide</li> </ul>
Powder for inhalation, 250 µg per dose		60 dose OP	
	(24.51)		Flixotide Accuhaler

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

### Inhaled Long-acting Beta-adrenoceptor Agonists

#### Prescribing Guideline for Inhaled Long-Acting Beta-Adrenoceptor Agonists

The addition of inhaled long-acting beta-adrenoceptor agonists (LABAs) to inhaled corticosteroids is recommended:

- For younger children (aged under 12 years) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 200 µg beclomethasone or budesonide (or 100 µg fluticasone).
- For adults and older children (aged 12 years and over) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 400 µg beclomethasone or budesonide (or 200 µg fluticasone).

### Note:

Further information on the place of inhaled corticosteroids and inhaled LABAs in the management of asthma can be found in the New Zealand guidelines for asthma in adults (www.nzgg.org.nz) and in the New Zealand guidelines for asthma in children aged 1-15 (www.paediatrics.org.nz).

EFORMOTEROL FUMARATE – See prescribing guideline above Powder for inhalation, 6 μg per dose, breath activated	60 dose OP 60 dose	<ul><li>✓ Oxis Turbuhaler</li><li>✓ Foradil</li></ul>
SALMETEROL – See prescribing guideline above Aerosol inhaler CFC-free, 25 µg per dose		<ul> <li>✓ Serevent</li> <li>✓ Serevent Accuhaler</li> </ul>

### Inhaled Corticosteroids with Long-Acting Beta-Adrenoceptor Agonists

### SA0958 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 All of the following:
  - 1.1 Patient is a child under the age of 12; and
  - 1.2 All of the following:
    - Has, for 3 months of more, been treated with:
    - 1.2.1 An inhaled long-acting beta adrenoceptor agonist; and
    - 1.2.2 Inhaled corticosteroids at a dose of at least 400 µg per day beclomethasone or budesonide, or 200 µg per day fluticasone; and
  - 1.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product; or
- 2 All of the following:
  - 2.1 Patient is over the age of 12; and
  - 2.2 All of the following:
    - Has, for 3 months of more, been treated with:
    - 2.2.1 An inhaled long-acting beta adrenoceptor agonist; and
    - 2.2.2 Inhaled corticosteroids at a dose of at least 800 µg per day beclomethasone or budesonide, or 500 µg per day fluticasone; and
  - 2.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	0.1.1		
	Subsidy (Manufacturer's		Fully Brand or sidised Generic
	(Manalaotaror 3 \$	Per	Manufacturer
	ADDER on the	areading page	Detail phormooy
BUDESONIDE WITH EFORMOTEROL – Special Authority see S Aerosol inhaler 100 μg with eformoterol fumarate 6 μg		120 dose OP	Vannair
Powder for inhalation 100 µg with eformoterol fumatate 6 µg		120 dose OP	✓ Symbicort
Powder for initialation foo µg with elothoteror furnalate o µg		120 005e OF	Turbuhaler 100/6
Acress linkslar 000 up with of restard furnerate 6 up	60.00	100 daga OD	✓ Vannair
Aerosol inhaler 200 µg with eformoterol fumarate 6 µg		120 dose OP 120 dose OP	Symbicort
Powder for inhalation 200 $\mu$ g with eformoterol fumarate 6 $\mu$ g		120 005e OF	Turbuhaler 200/6
Powder for inhelation 400 up with oformatoral fumerate 12 up			
Powder for inhalation 400 μg with eformoterol fumarate 12 μg – No more than 2 dose per day	60.00	60 dose OP	✓ Symbicort
	00.00	00 dose of	Turbuhaler 400/12
LUTICASONE WITH SALMETEROL – Special Authority see SA			
Aerosol inhaler 50 µg with salmeterol 25 µg		120 dose OP	✓ Seretide
Aerosol inhaler 125 µg with salmeterol 25 µg		120 dose OP	<ul> <li>Seretide</li> </ul>
Powder for inhalation 100 $\mu$ g with salmeterol 50 $\mu$ g – No more			4.4
than 2 dose per day		60 dose OP	Seretide Accuhaler
Powder for inhalation 250 $\mu g$ with salmeterol 50 $\mu g$ – No more			4.4
than 2 dose per day		60 dose OP	<ul> <li>Seretide Accuhaler</li> </ul>
Beta-Adrenoceptor Agonists			
ALBUTAMOL			
Oral liq 2 mg per 5 ml		150 ml	Salapin
Infusion 1 mg per ml, 5 ml	118.38	10	
	(130.21)		Ventolin
Inj 500 $\mu$ g per ml, 1 ml – Up to 5 inj available on a PSO	12.90	5	<ul> <li>Ventolin</li> </ul>
Inhaled Beta-Adrenoceptor Agonists			
SALBUTAMOL			
Aerosol inhaler, 100 µg per dose CFC free – Up to 1000 dose			
available on a PSO	3.80	200 dose OP	Respigen
		200 0030 01	✓ Salamol
	(6.00)		Ventolin
Nebuliser soln, 1 mg per ml, 2.5 ml - Up to 30 neb available	(0.00)		Vontoint
on a PSO	3 52	20	Asthalin
Nebuliser soln, 2 mg per ml, 2.5 ml – Up to 30 neb available	0.0L	20	Astrain
on a PSO	3 70	20	Asthalin
		20	Astrain
ERBUTALINE SULPHATE	10.00		A Data and Taskahalan
Powder for inhalation, 250 µg per dose, breath activated		200 dose OP	<ul> <li>Bricanyl Turbuhaler</li> </ul>
Inhaled Anticholinergic agents			
			<b>/ •</b> · ·
Aerosol inhaler, 20 µg per dose CFC-free	16.20	200 dose OP	Atrovent
Nebuliser soln, 250 µg per ml, 1 ml – Up to 40 neb available			<b>4</b>
on a PSO	4.30	20	Ipratropium
			Steri-Neb
Nebuliser soln, 250 µg per ml, 2 ml – Up to 40 neb available	E 05	<u></u>	. Involuenter
on a PSO	5.25	20	✓ Ipratropium
			Steri-Neb
IOTROPIUM BROMIDE - Special Authority see SA0872 on the			
Powder for inhalation, 18 µg per dose	70.00	30 dose	<ul> <li>Spiriva</li> </ul>

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

#### SA0872 Special Authority for Subsidy

Initial application only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialled a dose of at least 40 µg ipratropium q.i.d for one month; and
- 3 Any of the following:
  - The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:
  - 3.1 Grade 4 (stops for breath after walking about 100 meters or after a few minutes on the level); or
  - 3.2 Grade 5 (too breathless to leave the house, or breathless when dressing or undressing); and
- 4 Actual FEV<sub>1</sub> (litres)  $< 0.6 \times$  predicted (litres); and
- 5 Fither:
  - 5.1 Patient is not a smoker (for reporting purposes only); or
- 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined); and
- 3 Applicant must state recent measurement of FEV<sub>1</sub> (% of predicted).

200 dose OP 20	<ul> <li>✓ Combivent</li> <li>✓ Duolin</li> </ul>
	✔ Duolin
	Tilade
	Intal Spincaps
	Vicrom
5	🗸 Mayne
500 ml	Vuelin-SR
	50 dose 112 dose OP 5 5 100

	Subsidy		Fully Brand or
	(Manufacturer's Price \$	e) Sub Per	sidised Generic Manufacturer
Cystic Fibrosis			
DORNASE ALFA – Special Authority see SA0611 be	ow – Hospital pharmacy [HP1]		
Nebuliser soln, 2.5 mg per 2.5 ml ampoule		6	<ul> <li>Pulmozyme</li> </ul>
SA0611 Special Authority for Subsidy			
pecial Authority approved by the Cystic Fibrosis Adv lotes: Application details may be obtained from PHAI		armac.govt.	nz or:
The Co-ordinator, Cystic Fibrosis Advisory Panel	Phone: (04) 460 4990		<u> </u>
PHARMAC, PO Box 10 254 Wellington	Facsimile: (04) 916 7571 Email: CFPanel@pharmac.ge	out nz	
Prescriptions for patients approved for treatment mus			ediatricians who have experien
nd expertise in treating cystic fibrosis.	, , ,,,		
Nasal Preparations			
Allergy Prophylactics			
ECLOMETHASONE DIPROPIONATE			
Metered aqueous nasal spray, 50 µg per dose Metered aqueous nasal spray, 100 µg per dose		0 dose OP 0 dose OP	<ul><li>Alanase</li><li>Alanase</li></ul>
UDESONIDE	0.05		
Metered aqueous nasal spray, 50 µg per dose	2.35 20 (4.00)	0 dose OP	Butacort Aqueous
Metered aqueous nasal spray, 100 $\mu g$ per dose		0 dose OP	Butacort Aqueous
LUTICASONE PROPIONATE			
Metered aqueous nasal spray, 50 µg per dose		0 dose OP	Flixonase Hayfever <u>&amp; Allergy</u>
PRATROPIUM BROMIDE			
Aqueous nasal spray, 0.03%		30 ml OP	Apo-Ipravent
ODIUM CROMOGLYCATE Nasal spray, 4%		22 ml OP	✓ Rex
Respiratory Devices			
IASK FOR SPACER DEVICE			
a) Maximum of 20 dev per WSO			
b) Only on a WSO c)			
1) Only available for children aged six year	s and under.		
<ol> <li>For Space Chamber and Foremount Ch spacer device, the mask, or both are rec</li> </ol>		supply order	must indicate clearly if either
3) Distributed by Airflow Products. Forward			
	499 1240 or 0800 AIR FLOW		
PO Box 1485, Wellington Facsimile: 04 Size 2		1	Foremount Child's
		·	Silicone Mask

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully sidised	Brand or Generic Manufacturer
PEAK FLOW METER				
a) Maximum of 10 dev per WSO				
b) Only on a WSO				
Low range		1	✓ <u>B</u>	reath-Alert
Normal range		1	✓ <u>B</u>	reath-Alert
SPACER DEVICE				
a) Maximum of 20 dev per WSO				
b) Only on a WSO				
c)				
<ol> <li>For Space Chamber and Foremount Child's Silicon spacer device, the mask, or both are required.</li> </ol>	e Mask wholesale su	oply order	must ir	ndicate clearly if either the
Space Chamber distributed by Airflow Products. Forwa	rd orders to:			
Airflow Products - PO Box 1485, Wellington Telephone: 04 499 1240 or 0800 AIR FLOW, Facsimile	: 04 499 1245 or 0800	) 323 270		
Volumatic Distributed by GlaxoSmithKline. Forward ord	ers to:			
Telephone: 0800 877 789 Facsimile: 0800 877 785				
230 ml (autoclavable) – Subsidy by endorsement Available where the prescriber requires a spacer device		1 erilisation		pace Chamber autoclave and the WSO is
endorsed accordingly.	0.50			- I
800 ml		1		olumatic
230 ml (single patient)	ช.38	1	v <u>s</u>	pace Chamber

	Subsidy		Fully Brand or
	(Manufacturer's I		sidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
Ear Preparations			
ACETIC ACID WITH 1. 2- PROPANEDIOL DIACETATE AND BEN			
,			
For Vosol ear drops with hydrocortisone powder refer, page 1			
Ear drops 2% with 1, 2-Propanediol diacetate 3% and			
benzethonium chloride 0.02%		35 ml OP	Vosol
CHLORAMPHENICOL			
Ear drops 0.5%		5 ml OP	<ul> <li>Chloromycetin</li> </ul>
FLUMETASONE PIVALATE			-
	4.46		✓ Locorten-Vioform
Ear drops 0.02% with clioquinol 1%		7.5 ml OP	Cocorten-violorm
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCII	N AND NYSTATI	N	
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate			
2.5 mg and gramicidin 250 µg per g		7.5 ml OP	Kenacomb
		-	
Ear/Eye Preparations			
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN			
Ear/Eye drops 500 µg with framycetin sulphate 5 mg and			
gramicidin 50 µg per ml	4.50	8 ml OP	
	(9.27)		Sofradex
FRAMYCETIN SULPHATE			
Ear/Eye drops 0.5%	1 12	8 ml OP	
Lai/Lye diops 0.5 %		0 IIII OF	Soframucin
	(8.65)		Soframycin
Eye Preparations			
Anti-Infective Preparations			
ACICLOVIR			
* Eye oint 3%		4.5 g OP	Zovirax
CHLORAMPHENICOL		5	
	0.07		A Chloroig
Eye oint 1%		4 g OP	Chlorsig
Eye drops 0.5%	2.40	10 ml OP	<ul> <li>Chlorsig</li> </ul>
CIPROFLOXACIN			
Eye Drops 0.3%		5 ml OP	<ul> <li>Ciloxan</li> </ul>
For treatment of bacterial keratitis or severe bacterial conju		nt to chloramph	enicol.
FUSIDIC ACID			
Eve drops 1%	1 50	5 g OP	
Lye ulups 170		5 y OF	Fucitbalmic
	(10.68)		Fucithalmic
GENTAMICIN SULPHATE			
Eye drops 0.3%	11.40	5 ml OP	<ul> <li>Genoptic</li> </ul>
PROPAMIDINE ISETHIONATE			-
	2.07		
* Eye drops 0.1%		10 ml OP	Drolono
	(7.99)		Brolene
SULPHACETAMIDE SODIUM			
* Eye drops 10%	4.41	15 ml OP	Bleph 10
			- <b>-</b> -
TOBRAMYCIN	40.45	0.5 . 0.5	
Eye oint 0.3%		3.5 g OP	✓ Tobrex
Eye drops 0.3%	11.48	5 ml OP	<ul> <li>Tobrex</li> </ul>

158

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or osidised Generic Manufacturer
Corticosteroids and Other Anti-Inflammatory Pro	eparations		
DEXAMETHASONE			
* Eye oint 0.1% * Eye drops 0.1%		3.5 g OP 5 ml OP	<ul> <li>Maxidex</li> <li>Maxidex</li> </ul>
DEXAMETHASONE WITH NEOMYCIN AND POLYMYXIN B SUL * Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin	PHATE		
B sulphate 6,000 u per g * Eye drops 0.1% with neomycin sulphate 0.35% and polymy-		3.5 g OP	Maxitrol
xin B sulphate 6,000 u per ml		5 ml OP	Maxitrol
DICLOFENAC SODIUM  * Eye drops 1 mg per ml	13.80	5 ml OP	✓ Voltaren Ophtha
FLUOROMETHOLONE  * Eye drops 0.1%	4.05	5 ml OP	✓ <u>FML</u>
	0.71	1 ml OD	
Eye drops 0.5 mg per ml	8.71 (10.34)	4 ml OP	Livostin
LODOXAMIDE TROMETAMOL	, , , , , , , , , , , , , , , , , , ,		
Eye drops 0.1%	8.71	10 ml OP	Lomide
PREDNISOLONE ACETATE * Eve drops 0.12%	4 50	5 ml OP	✓ Pred Mild
* Eye drops 1%		5 ml OP	<ul> <li>Pred Mild</li> <li>Pred Forte</li> </ul>
SODIUM CROMOGLYCATE			
Eye drops 2%	3.95	10 ml OP	Cromolux
Glaucoma Preparations - Beta Blockers			
BETAXOLOL HYDROCHLORIDE			
* Eye drops 0.25%		5 ml OP	Betoptic S
* Eye drops 0.5%		5 ml OP	<ul> <li>Betoptic</li> </ul>
LEVOBUNOLOL * Eye drops 0.25%	7.00	5 ml OP	✓ Betagan
* Eye drops 0.5%		5 ml OP	✓ Betagan
TIMOLOL MALEATE			
* Eye drops 0.25%		5 ml OP	✓ <u>Apo-Timop</u>
* Eye drops 0.25%, gel forming     * Eye drops 0.5%		2.5 ml OP 5 ml OP	<ul> <li>✓ Timoptol XE</li> <li>✓ Apo-Timop</li> </ul>
* Eye drops 0.5% gel forming		2.5 ml OP	✓ <u>Apo-Timop</u> ✓ Timoptol XE
Glaucoma Preparations - Carbonic Anhydrase I			·

**Glaucoma Preparations - Carbonic Anhydrase Inhibitors** 

### **Prescribing Guidelines**

Trusopt, Cosopt and Azopt are subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma. Trusopt, Cosopt and Azopt should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

1) that person has previously trialled all other such subsidised agents (except brimonidine tartrate); and

2) those trials have indicated that that person does not respond adequately to treatment with those other agents.

AC	CETAZOLAMIDE	
*	Tab 250 mg	 100

Diamox

	Subsidy (Manufacturer's F \$	Price) Sul Per	Fully Brand or osidised Generic Manufacturer	
RINZOLAMIDE				
Eye Drops 1%	9.77	5 ml OP	<ul> <li>Azopt</li> </ul>	
	0.77	- 100		
Eye drops 2%	9.77 (13.95)	5 ml OP	Trusopt	
ORZOLAMIDE HYDROCHLORIDE WITH TIMOLOL MALEATE	. ,		nucopt	
Eye drops 2% with timolol maleate 0.5%		5 ml OP	✓ Cosopt	
Glaucoma Preparations - Prostaglandin Analog	ues			
rescribing Guideline				
<ul> <li>matoprost, lantanoprost and travoprost are subsidised for us djunctive agent for patients in whom prostaglandin analogue momentation and travoprost should not be prescribered attement of glaucoma are not contraindicated unless:</li> <li>1) That person has previously trialled all other such subsinibitors); and</li> <li>2) Those trials have indicated that that person does not respective.</li> </ul>	onotherapy has be bed for a person dised agents (be	een ineffective in whom less ta-blockers, pi	in controlling intraocular expensive first line agen locarpine, carbonic anhy	pressure ts for the
MATOPROST – Retail pharmacy-Specialist			-	
See prescribing guideline above	10 50		<b>.</b>	
Eye Drops 0.03%		3 ml OP	<ul> <li>Lumigan</li> </ul>	
ATANOPROST – Retail pharmacy-Specialist See prescribing guideline above				
Eye drops 50 μg per ml, 2.5ml	9.75	2.5 ml OP	✓ <u>Hysite</u>	
RAVOPROST – Retail pharmacy-Specialist				
<ul> <li>a) See prescribing guideline above</li> <li>b) Additional subsidy by endorsement is available for patient Additional subsidy valid until 30 September 2010. Phat prescribed travoprost prior to 1 April 2010 in which case the able to show a clear documented dispensing history for the prescribed 0.004% – Higher subsidy of \$19.50 per 2.5 ml wit</li> </ul>	armacists may an prescription is de patient. The prese h	notate prescrip eemed to be e cription must b	ptions for patients who we ndorsed. The pharmacist	ere bein
Endorsement	9.75 (19.50)	2.5 ml OP	Travatan	
Glaucoma Preparations - Other	× 7			
RIMONIDINE TARTRATE				
Eye Drops 0.2%	7.93	5 ml OP	✓ <u>AFT</u>	

are not contraindicated unless:

- that person has previously trialled all other such subsidised agents (except dorzolamide hydrochloride); and
- those trials have indicated that that person does not respond adequately to or does not tolerate treatment with those other agents.

BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE

Eye drops 0.2% with timolol maleate 0.5%	18.50 5	ml OP 🛛 🖌	Combigan
--	---------	-----------	----------

	Subsidy (Manufacturer's Price) \$	Sul Per	Fully osidised	Brand or Generic Manufacturer
Prescribing Guidelines				
Combigan is subsidised for use as either monotherapy or as an a	adjunctive agent for the	e treatme	nt of glai	ucoma.
Combigan should only be prescribed when:				
1) less expensive first line agents for the treatment of glauco	ma are contraindicate	d; or		
2) the response to such subsidised agents is inadequate; or				
<ol><li>the patient cannot tolerate such subsidised agents.</li></ol>				
PILOCARPINE				
* Eye drops 1%		ml OP	🖌 İs	opto Carpine S29
* Eye drops 2%		ml OP	🖌 İs	opto Carpine S29
* Eye drops 4%		ml OP	🖌 İs	opto Carpine S29
* Eye drops 2% single dose - Special Authority see SA0895	5			
below – Hospital pharmacy [HP3]		0 dose		
	(32.72)		Μ	inims
SA0895 Special Authority for Subsidy				

**Example 2 Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items. **Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Mydriatics and Cycloplegics		
ATROPINE SULPHATE * Eye drops 1%17.36	15 ml OP	✓ Atropt
CYCLOPENTOLATE HYDROCHLORIDE * Eye drops 1%8.76	15 ml OP	✔ Cyclogyl
HOMATROPINE HYDROBROMIDE * Eye drops 2%7.18	15 ml OP	Isopto Homatropine
TROPICAMIDE  * Eye drops 0.5%	15 ml OP 15 ml OP	<ul> <li>Mydriacyl</li> <li>Mydriacyl</li> </ul>
Preparations for Tear Deficiency		
For acetylcysteine eye drops refer, page 166		
HYPROMELLOSE <ul> <li>¥ Eye drops 0.3%</li> <li>2.62</li> <li>¥ Eye drops 0.5%</li> <li>2.00</li> </ul>	15 ml OP 15 ml OP	<ul> <li>Poly-Tears</li> <li><u>Methopt</u></li> </ul>
POLYVINYL ALCOHOL * Eye drops 1.4%	15 ml OP 15 ml OP	✓ <u>Vistil</u> ✓ Vistil Forte
TYLOXAPOL * Eye drops 0.25%	15 ml OP	✓ Enuclene
Other Eye Preparations		
NAPHAZOLINE HYDROCHLORIDE * Eye drops 0.1%4.15	15 ml OP	✓ Naphcon Forte

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's Pr \$	ice) Sub Per	Fully sidised	Brand or Generic Manufacturer
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN * Eye oint with soft white paraffin	3.63	3.5 g OP	✓ <u>La</u>	cri-Lube
PARAFFIN LIQUID WITH WOOL FAT LIQUID * Eye oint 3% with wool fat liq 3%	3.63	3.5 g OP	🖌 Po	oly-Visc
PHENYLEPHRINE HYDROCHLORIDE * Eye drops 0.12%	4.47	15 ml OP	✓ <u>Pr</u>	efrin
PHENYLEPHRINE HYDROCHLORIDE WITH ZINC SULPHATE * Eye drops 0.12% with zinc sulphate 0.25%		15 ml OP 10)	🖌 Zii	ncfrin

# INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
  - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
  - b) Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-specialist).
  - c) Menthol crystals only in the following bases: Aqueous cream Urea cream 10% Wool fat with mineral oil lotion Hydrocortisone 1% with wool fat and mineral oil lotion Glycerol, paraffin and cetyl alcohol lotion.

# Glossary

**Dermatological base:** The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Glycerol with paraffin and cetyl alcohol lotion
- Hydrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Oily cream
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- Zinc cream BP
- Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

**Dermatological galenical:** Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution BP up to 10%
- Hydrocortisone powder up to 5%
- Salicylic acid powder
- Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

# **Explanatory notes**

### Oral liquid mixtures

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form	qs
Preservative	qs
Suspending agent	qs
Water	to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent. Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

The following practices will not be subsidised:

- Mixing one or more proprietary oral liquids (eg an antihistamine with pholcodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

#### Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.


#### **Dermatological Preparations**

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 163) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).

One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on page 165 may assist you in deciding whether or not a dermatological ECP is subsidised.



# EXTEMPORANEOUSLY COMPOUNDED PRODUCTS & GALENICALS

to 100 ml

# **Standard Formulae**

ACETYLCYSTEINE EYE DROPS Acetylcysteine inj 200 mg per ml, 10 ml Suitable eye drop base	qs qs
ASPIRIN AND CHLOROFORM APPLICATI Aspirin Soluble tabs 300 mg Chloroform	ON 12 tabs to 100 ml
CODEINE LINCTUS PAEDIATRIC (3 mg pe Codeine phosphate Glycerol Preservative Water	er 5 ml) 60 mg 40 ml qs to 100 ml
CODEINE LINCTUS DIABETIC (15 mg per Codeine phosphate Glycerol Preservative Water	5 ml) 300 mg 40 ml qs to 100 ml
FOLINIC MOUTHWASH Calcium folinate 15 mg tab Preservative Water (Preservative should be used if quantity sup more than 5 days. Maximum 500 ml per pres	
MAGNESIUM HYDROXIDE MIXTURE Magnesium hydroxide paste Methyl hydroxybenzoate Water	275 g 1.5 g 770 ml
METHADONE MIXTURE Methadone powder Glycerol	qs qs

METHYL HYDROXYBENZOATE 10% SOL Methyl hydroxybenzoate Propylene glycol (Use 1 ml of the 10% solution per 100 ml of mixture)	10 g to 100 ml
OMEPRAZOLE SUSPENSION Omeprazole capules Sodium bicarbonate powder BP Water	qs 8.4 g to 100 ml
PHENOBARBITONE ORAL LIQUID Phenobarbitone Sodium Glycerol BP Water	1 g 70 ml to 100 ml
PILOCARPINE ORAL LIQUID Pilocarpine 4% eye drops Preservative Water (Preservative should be used if quantity sup more than 5 days.)	qs qs to 500 ml oplied is for
SALIVA SUBSTITUTE FORMULA Methylcellulose Preservative Water (Preservative should be used if quantity sup than 5 days. Maximum 500 ml per prescript	
VOSOL EAR DROPS WITH HYDROCORTISONE POWDER 1% Hydrocortisone powder Vosol Ear Drops	1% to 35 ml

Water

# EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy		Fully Brand or
	(Manufacturer's Pri \$	ice) Sul Per	bsidised Generic Manufacturer
Extemporaneously Compounded Preparations a	nd Galenicals	S	
ACETYLCYSTEINE – Hospital pharmacy [HP1]-Specialist			
Inj 200 mg per ml, 10 ml		10	Martindale
	(219.75)		Acetylcysteine
	(255.35)		Hospira
BENZOIN			
Tincture compound BP	24.42	500 ml	
	(38.00)		PSM
CHLOROFORM – Only in combination			
Only in aspirin and chloroform application.			4
Chloroform BP	25.50	500 ml	✓ PSM
CODEINE PHOSPHATE			
Powder – Only in combination		25 g	Develop
a) Only in extemporaneously compounded codeine linctus	(90.09) diabatia ar codair	o linotuc nav	Douglas
b) ‡ Safety cap for extemporaneously compounded codeline inclus		ie inicius pae	
COLLODION FLEXIBLE	ala proparationo.		
Collodion flexible		100 ml	🖌 PSM
COMPOUND HYDROXYBENZOATE - Only in combination			
Only in extemporaneously compounded oral mixtures.			
Soln	34.18	100 ml	David Craig
GLYCEROL			
* Liquid – Only in combination	19.80	2,000 ml	🖌 АВМ
	24.75		✓ PSM
	19.80		
Only in automation caugh, compared and liquid areas	(24.75)		MidWest
Only in extemporaneously compounded oral liquid prepara	uons.		
MAGNESIUM HYDROXIDE Paste	22.61	500 g	V PSM
METHADONE HYDROCHLORIDE	22.01	500 g	♥ F GIVI
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Extemporaneously compounded methadone will only be re	eimbursed at the r	ate of the ch	eapest form available (methadone
powder, not methadone tablets).			
Powder		1 g	🖌 AFT
‡ Safety cap for extemporaneously compounded oral liquid	preparations.		
METHYL HYDROXYBENZOATE			
Powder		25 g	✓ ABM PSM
	(18.45)		FOIVI
METHYLCELLULOSE	14.00	100 a	
Powder	14.00 (17.72)	100 g	✓ ABM MidWest
	(17.72)		IVIIUVVESL

# EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy (Manufacturer's Pr	ice) S	Fully Brand or ubsidised Generic	
	(Manulactarer 311) \$	Per	Manufacturer	
PHENOBARBITONE SODIUM				
Powder – Only in combination		10 g	✓ MidWest	
	325.00	100 g	MidWest	
a) Only in children up to 12 years				
<ul> <li>b) ‡ Safety cap for extemporaneously compounded oral lic</li> </ul>	juid preparations.			
PROPYLENE GLYCOL				
Only in extemporaneously compounded methyl hydroxybenzo			(	
Liq		500 ml	✓ ABM	
	17.70		V PSM	
SODIUM BICARBONATE				
Powder BP – Only in combination		500 g	V ABM	
	(11.99)		Biomed	
	(29.50)		David Craig	
Only in extemporaneously compounded omeprazole suspe	ension.			
SYRUP (PHARMACEUTICAL GRADE) – Only in combination				
Only in extemporaneously compounded oral liquid preparatio			4	
Liq		2,000 ml	✓ <u>Midwest</u>	
WATER				
Tap – Only in combination	0.00	1 ml	Tap water	

### **EXPLANATORY NOTES**

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

### **Eligibility for Special Authority**

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

#### Who can apply for Special Authority?

 Initial Applications:
 Only Specialists

 Reapplications:
 Specialist or general practitioner on recommendation of specialist. Reapplications by general practitioners on specialist recommendation must include the name of the specialist and the date the specialist was contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. A supporting letter may be included if desired. Applications must be forwarded to:

Ministry of Health Sector Services Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

#### Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

#### Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

#### Definitions

Failure to thrive<br/>Growth deficiencyAn inability to gain or maintain weight resulting in physiological impairment.Where the weight of the child is less than the fifth or possibly third percentile for<br/>their age, with evidence of malnutrition

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

### **Nutrient Modules**

### Carbohydrate

### SA0912 Special Authority for Subsidy

**Initial application** — (Cystic fibrosis or renal failure) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Either:

- 1 cystic fibrosis; or
- 2 chronic renal failure or continuous ambulatory peritoneal dialysis (CAPD) patient.

**Initial application — (Indications other than cystic fibrosis or renal failure)** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children; or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 failure to thrive; or
- 4 growth deficiency; or
- 5 bronchopulmonary dysplasia; or
- 6 premature and post premature infant; or
- 7 inborn errors of metabolism.

Renewal — (Cystic fibrosis or renal failure) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

CARBOHYDRATE SUPPLEMENT – Special Authority see SA0912 above – Hospital pharmacy [HP3]

Powder		5,000 g 400 g OP	<ul> <li>Morrex Maltodextrin</li> </ul>
	(5.29) (12.00)	368 g OP	Polycal Moducal

### **Carbohydrate And Fat**

#### ➡SA0581 Special Authority for Subsidy

**Initial application** — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 infant aged four years or under; and
- 2 cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 infant aged four years or under; and
- 2 Any of the following:
  - 2.1 cancer in children; or

continued...

### SPECIAL FOODS

Subsidy	F	ully	Brand or	
(Manufacturer's Price)	Subsidi	sed	Generic	
\$	Per	V	Manufacturer	

continued...

- 2.2 failure to thrive; or
- 2.3 growth deficiency; or
- 2.4 bronchopulmonary dysplasia; or
- 2.5 premature and post premature infants.

**Renewal** — (Cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

CARBOHYDRATE AND FAT SUPPLEME	NT - Special Authority see SA0581	on the preceding	page - Hospital pharmacy [HP3]
Powder (neutral)		400 g OP	✓ Duocal Super
		-	Soluble Powder

### Fat

#### ➡SA0899 Special Authority for Subsidy

**Initial application** — (Inborn errors of metabolism) only from a relevant specialist. Approvals valid for 3 years where the patient has inborn errors of metabolism.

**Initial application — (Indications other than inborn errors of metabolism)** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 failure to thrive where other high calorie products are inappropriate or inadequate; or
- 2 growth deficiency; or
- 3 bronchopulmonary dysplasia; or
- 4 fat malabsorption; or
- 5 lymphangiectasia; or
- 6 short bowel syndrome; or
- 7 infants with necrotising enterocolitis; or
- 8 biliary atresia.

**Renewal — (Inborn errors of metabolism)** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 General Practitioners must include the name of the specialist and date contacted.

FAT SUPPLEMENT - Special Authority see SA0899	above – Hospital pharmacy	[HP3]	
Emulsion (neutral)		200 ml OP	Calogen
	30.75	500 ml OP	Calogen
Emulsion (strawberry)		200 ml OP	Calogen
Oil		250 ml OP	Liquigen
	30.00	500 ml OP	MCT oil (Nutricia)

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	ubsidised	Generic	
\$	Per	~	Manufacturer	

### Protein

### ➡SA0582 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 protein losing enteropathy; or
- 2 high protein needs (eg burns).

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

PROTEIN SUPPLEMENT – Special Authority see SA0582 above – Hospital pharmacy [HP3]

Powder	•	7.90	225 g OP	<ul> <li>Protifar</li> </ul>
Powder (vanilla)		12.90	275 g OP	<ul> <li>Promod</li> </ul>

### **Oral Supplements**

These products are to be used only as supplements to a person's dietary needs. Subsidy for up to 500 ml a day. Amounts prescribed in excess of this amount must be paid for by the patient.

#### ➡SA0583 Special Authority for Subsidy

**Initial application** — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years where the patient has cystic fibrosis.

**Initial application** — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children; or
- 2 inflammatory bowel disease; or
- 3 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 4 malnutrition requiring nutritional support.

**Renewal** — (Cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

#### Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

ORAL SUPPLEMENT 1KCAL/ML - Special Authority see SA0583 above - Hospital pharmacy [HP3]

Powder (chocolate)	9.22	900 g OP	<ul> <li>Sustagen Hospital Formula</li> </ul>
	4.75	400 g OP	
	(7.22)	Ũ	Ensure
Powder (strawberry)		400 g OP	
	(7.22)	-	Ensure
Powder (vanilla)		900 g OP	<ul> <li>Sustagen Hospital Formula</li> </ul>
	4.75	400 g OP	
	(7.22)	-	Ensure

#### Subsidv Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ ~ Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed) **Respiratory Products** SA0588 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both: 1 CORD patients who have hypercapnia; and 2 Either: 2.1 The product is to be used as a supplement (maximum 500 ml per day); or 2.2 The product is to be used as a complete diet. Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following: 1 The treatment remains appropriate and the patient is benefiting from treatment; and 2 Either: 2.1 The product is to be used as a supplement (maximum 500 ml per day); or 2.2 The product is to be used as a complete diet; and 3 General Practitioners must include the name of the specialist and date contacted. CORD ORAL FEED 1.5KCAL/ML - Special Authority see SA0588 above - Hospital pharmacy [HP3] 237 ml OP Pulmocare **Diabetic Products** SA0594 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both: 1 Type I and II diabetics who require nutritional supplementation: and 2 Either: 2.1 The product is to be used as a supplement (maximum 500 ml per day); or 2.2 The product is to be used as a complete diet. Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following: 1 The treatment remains appropriate and the patient is benefiting from treatment; and 2 Either: 2.1 The product is to be used as a supplement (maximum 500 ml per day); or 2.2 The product is to be used as a complete diet; and 3 General Practitioners must include the name of the specialist and date contacted. DIABETIC ENTERAL FEED 1KCAL/ML - Special Authority see SA0594 above - Hospital pharmacy [HP3] 1.000 ml OP Diason RTH Glucerna Select RTH ORAL FEED 1KCAL/ML - Special Authority see SA0594 above - Hospital pharmacy [HP3] 200 ml OP Diasip 1.78 237 ml OP ✔ Resource Diabetic 200 ml OP Diasip 237 ml OP Resource Diabetic 1.78 1.88 250 ml OP Glucerna Select

SPECIAL FOODS

	Subsidy (Manufacturer's Price) \$	F Subsid Per	Fully ised ✔	Brand or Generic Manufacturer
Fat Modified Products				
►SA0615 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals vali Both:	id for 1 year for applica	tions meetinę	g the	following criteria:
<ol> <li>The product is to be used as a complete diet; and</li> <li>Either:         <ol> <li>Patient has metabolic disorders of fat metabolism;</li> <li>Patient has chylothorax.</li> </ol> </li> <li>Renewal only from a relevant specialist or general practitioner of the specialist or general practitist or general practitist or generalist or general practitist</li></ol>		of a relevan	t spe	cialist. Approvals valid for
1 year for applications meeting the following criteria: Both:				
1 The treatment remains appropriate and the patient is ben 2 General Practitioners must include the name of the specia				
FAT MODIFIED FEED – Special Authority see SA0615 above – Powder		-	M	onogen
High Protein Products		-		-
<ul> <li>Special Authority for Subsidy</li> <li>Initial application only from a relevant specialist. Approvals valia All of the following:         <ol> <li>Anorexia and weight loss; and</li> <li>Either:                 <ol> <li>decompensating liver disease without encephalopa 2.2 protein losing gastro-enteropathy; and</li> <li>Either:</li> </ol> </li> </ol></li></ul>		tions meeting	g the	following criteria:
<ul> <li>3.1 The product is to be used as a supplement (maxim 3.2 The product is to be used as a complete diet.</li> <li>Renewal only from a relevant specialist or general practitioner of 1 year for applications meeting the following criteria:</li> <li>All of the following:</li> </ul>			t spe	ecialist. Approvals valid fo
The treatment remains appropriate and the patient is ben     Either:	efiting from treatment;	and		
<ul><li>2.1 The product is to be used as a supplement (maxim</li><li>2.2 The product is to be used as a complete diet; and</li></ul>				
3 General Practitioners must include the name of the special ORAL FEED 1KCAL/ML – Special Authority see SA0589 above				
Liquid			✓ F	ortimel Regular
Paediatric Products For Children Awaiting Live	r Transplant			
► SA0607 Special Authority for Subsidy Initial application only from a paediatrician. Approvals valid for	3 years for applications	s meeting the	e follo	owing criteria:
Both: 1 Child (up to 18 years) who is awaiting liver transplant; and 2 Either:	Ł			
2.1 The product is to be used as a supplement (maxim 2.2 The product is to be used as a complete diet.	num 500 ml per day); o	r	n orit	

Renewal only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria: Both:

continued...

Subsidy	Fully		Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

1 The treatment remains appropriate and the patient is benefiting from treatment; and

- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

### Paediatric Products For Children With Chronic Renal Failure

#### ➡SA0606 Special Authority for Subsidy

**Initial application** only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 child (up to 18 years) with chronic renal failure; and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet.

Renewal only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet.

ENTERAL/ORAL FEED 1KCAL/ML – Special Authority see SA0606 above – Hospital pharmacy [HP3]

### **Paediatric Products**

#### ►SA0896 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 infant aged one to eight years; and
- 2 Any of the following:
  - 2.1 any condition causing malabsorption; or
  - 2.2 failure to thrive; or
  - 2.3 increased nutritional requirements; and
- 3 Either:
  - 3.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 3.2 The product is to be used as a complete diet.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and

3 General Practitioners must include the name of the specialist and date contacted.

PAEDIATRIC ENTERAL FEED 1.5KCAL/ML - Special Authority	see SA0896 abo	ove – Hospital p	harmacy [HP3]
Liquid	1.60	200 ml OP	Nutrini Energy RTH
	6.00	500 ml OP	Nutrini Energy RTH

	Outedate		Fully Duraday
	Subsidy (Manufacturer's		Fully Brand or sidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
AEDIATRIC ENTERAL FEED 1KCAL/ML - Special Authority			
Liquid		200 ml OP	✓ Nutrini RTH
	2.68	500 ml OP	✓ Nutrini RTH ✓ Pediasure RTH
AEDIATRIC ORAL FEED 1.5KCAL/ML - Special Authority se	e SA0896 on the	preceding page	- Hospital pharmacy [HP3]
Liquid (strawberry)		200 ml OP	✓ NutriniDrink
Liquid (vanilla)	1.60	200 ml OP	NutriniDrink
AEDIATRIC ORAL FEED 1KCAL/ML – Special Authority see	SA0896 on the pr	eceding page -	Hospital pharmacy [HP3]
Liquid (chocolate)		200 ml OP	Pediasure
Liquid (strawberry)		200 ml OP	Pediasure
Liquid (vanilla)		237 ml OP	Pediasure
AEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML – Specia	I Authority see SA	.0896 on the pre	eceding page – Hospital pharmad
Liquid (chocolate)		200 ml OP	NutriniDrink
1 ( )			Multifibre
Liquid (strawberry)	1.60	200 ml OP	NutriniDrink
			Multifibre
Liquid (vanilla)	1.60	200 ml OP	NutriniDrink
			Multifibre
Renal Products			
SA0587 Special Authority for Subsidy			
nitial application only from a relevant specialist. Approvals va	lid for 3 years for a	applications me	eting the following criteria:
Both:			
1 acute or chronic renal failure; and			
2 Either:			
2.1 The product is to be used as a supplement (maxin	mum 500 ml per d	lay); or	
2.2 The product is to be used as a complete diet.	on the recommon	dation of a rala	ant anagialist Approvale valid f
tenewal only from a relevant specialist or general practitioner years for applications meeting the following criteria:	on the recommen	uation of a relev	vant specialist. Approvais valiu i
Il of the following:			
1 The treatment remains appropriate and the patient is be	nefiting from treatr	ment; and	
2 Either:	5		
2.1 The product is to be used as a supplement (maxi		lay); or	
2.2 The product is to be used as a complete diet; and			
3 General Practitioners must include the name of the spec			
INTERAL FEED 2KCAL/ML – Special Authority see SA0587 a			
Liquid	6.08	500 ml OP	V Nutrison
			Concentrated
RENAL ORAL FEED 2KCAL/ML - Special Authority see SA05			-
Liquid	2.43	200 ml OP	Vepro (vanilla)
	2.88	237 ml OP	✓ NovaSource Renal
Liquid (apricot) Liquid (caramel)	2.88	237 ml OP 125 ml OP 125 ml OP	<ul> <li>NovaSource Renal</li> <li>Renilon 7.5</li> <li>Renilon 7.5</li> </ul>

	Subsidy (Manufacturer's Pr \$	ice) Pei	Fully Subsidised r	Brand or Generic Manufacturer
Specialised And Elemental Products				
►SA0592 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid Both:	for 1 year for app	lications	meeting the	following criteria:
<ol> <li>Any of the following:         <ol> <li>malabsorption; or</li> <li>short bowel syndrome; or</li> <li>enterocutaneous fistulas; or</li> <li>pancreatitis; and</li> </ol> </li> <li>Either:</li> </ol>				
<ul><li>2.1 The product is to be used as a supplement (maximu 2.2 The product is to be used as a complete diet.</li><li>Notes: Each of these products is highly specialised and would be products of the second seco</li></ul>		,-	t for a specif	ic disorder. The alternative
is hospitalisation. Elemental 028 Extra is more expensive than other products liste have been tried first and/or are unsuitable.	d in this section a	Ind shoul	ld only be us	sed where the alternatives
Renewal only from a relevant specialist or general practitioner or 1 year for applications meeting the following criteria: All of the following: 1 The treatment remains appropriate and the patient is bene 2 Either:			relevant spe	ecialist. Approvals valid for
<ul><li>2.1 The product is to be used as a supplement (maximu</li><li>2.2 The product is to be used as a complete diet; and</li><li>3 General Practitioners must include the name of the special</li></ul>		,.		
ENTERAL/ORAL ELEMENTAL FEED 1KCAL/ML – Special Auth Powder		above – 79 g O 76 g O	P 🕐 V	urmacy [HP3] i <b>tal HN</b> litraq
ORAL ELEMENTAL FEED 0.8KCAL/ML – Special Authority see Liquid (grapefruit) Liquid (pineapple & orange) Liquid (summer fruit)	9.50 9.50	Hospital   250 ml ( 250 ml ( 250 ml (	OP VE	IP3] Iemental 028 Extra Iemental 028 Extra Iemental 028 Extra
ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority see S/ Powder (unflavoured)		ospital ph 80.4 g (		3] ivonex TEN
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML – Special Author Liquid	,	above – I 1,000 ml		rmacy [HP3] eptisorb

# Undyalised End Stage Renal Failure

▶ SA0586 Special Authority for Subsidy Initial application only from a gastroenterologist or renal physician. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 undialysed end stage renal patients; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

Note: Where possible, the requirements for oral supplementation should be established in conjunction with assessment by a dietician.

continued...

Subsid	dy	Fully	Brand or
(Manufacture	er's Price) S	Subsidised	Generic
\$	Per	~	Manufacturer

continued...

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

RFNAI	ORAL FF	FD 1KC	AI/MI —	Special	Authority	see	SA0586	on the	preceding	page -	- Hospital	pharmacy	(HP	31
				opeoidi		000	0/10000	011 1110	procounty	pugo	rioopitui	priarinady	11.11	<b>U</b>

Liquid	Suplena
--------	---------

### **Adult Products Standard**

#### ►SA0702 Special Authority for Subsidy

**Initial application** — (Oral feed for cystic fibrosis patient) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 Cystic fibrosis; and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet.

Initial application — (Oral feed for indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 any condition causing malabsorption; or
  - 1.2 failure to thrive; or
  - 1.3 increased nutritional requirements; and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet.

Renewal — (Oral feed cystic fibrosis patient) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

Initial application — (Enteral feed) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 enteral feeding; or
  - 1.2 nasogastric; or
  - 1.3 nasoduodenal; or
  - 1.4 nasojejunal; or
  - 1.5 gastrostomy/jejunostomy; and

2 Either:

continued...

SPECIAL FOODS

	Subsidy (Manufacturer's \$	Price) Pe	Fully Subsidised er	Brand or Generic Manufacturer
<ul> <li>continued</li> <li>2.1 The product is to be used as a supplement; or</li> <li>2.2 The product is to be used as a complete diet.</li> <li>Renewal — (Enteral feed or Oral feed for indications other th practitioner on the recommendation of a relevant specialist. Approv All of the following:</li> <li>1 The treatment remains appropriate and the patient is benef</li> <li>2 Either:</li> <li>2.1 The product is to be used as a supplement; or</li> <li>2.2 The product is to be used as a complete diet; and</li> <li>3 General Practitioners must include the name of the speciali</li> <li>Notes: This group of products can be used either as a supplement if a product is being used as a supplement, the limit is 500 ml per Cystic fibrosis patients are exempt the 500 ml per day volume ressupplement.</li> </ul>	vals valid for 1 y iting from treat st and date con t or as a compl day. triction when u	year for ap ment; and ntacted. ete diet. using Ensu	plications m re Plus, For	eeting the following criteria: tisip or Resource Plus as a
ENTERAL FEED 1KCAL/ML – Special Authority see SA0702 on 1 Liquid		age – Ho: 250 ml 500 ml	OP VI	sosource HN sosource Standard Nutrison Standard
	5.29	1,000 m		RTH Jutrison Standard RTH sosource HN RTH sosource Standard RTH Dsmolite RTH
ENTERAL FEED WITH FIBRE 1 KCAL/ML – Special Authority se Liquid		he preced 250 ml 500 ml 1,000 m		lospital pharmacy [HP3] Fibersource HN Nutrison Multi Fibre Vutrison Multi Fibre Fibersource HN RTH levity RTH
ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority s Liquid		the prece 1,000 m 250 ml 1,000 m	IOP VE OP VE IOP VE	Hospital pharmacy [HP3] Ensure Plus RTH sosource 1.5 sosource 1.5 Jutrison Energy Multi Fibre

# SPECIAL FOODS

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or sidised Generic Manufacturer
AL FEED 1.5KCAL/ML - Special Authority see SA0702 on p	oage 178 – Hospi	tal pharmacy [H	IP3]
Liquid (banana)	1.12	200 ml OP	Fortisip
	(1.45)		Ensure Plus
Liquid (chocolate)	1.12	200 ml OP	Fortisip
	1.33	237 ml OP	Resource Plus
	1.12	200 ml OP	
	(1.45)		Ensure Plus
	1.33	237 ml OP	Ensure Plus
Liquid (coffee latte)	1.33	237 ml OP	Ensure Plus
Liquid (fruit of the forest)	1.12	200 ml OP	
	(1.45)		Ensure Plus
Liquid (strawberry)	1.12	200 ml OP	Fortisip
	1.33	237 ml OP	Resource Plus
	1.12	200 ml OP	
	(1.45)		Ensure Plus
	1.33	237 ml OP	Ensure Plus
Liquid (toffee)	1.12	200 ml OP	<ul> <li>Fortisip</li> </ul>
Liquid (tropical fruit)	1.12	200 ml OP	Fortisip
Liquid (vanilla)	1.12	200 ml OP	<ul> <li>Fortisip</li> </ul>
	1.33	237 ml OP	Resource Plus
	1.12	200 ml OP	
	(1.45)		Ensure Plus
	1.33	237 ml OP	Ensure Plus
AL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority se	e SA0702 on pag	ie 178 – Hospita	al pharmacy [HP3]
Liquid (chocolate)	1 0	200 ml OP	Fortisip Multi Fibre
Liquid (strawberry)		200 ml OP	<ul> <li>Fortisip Multi Fibre</li> </ul>
Liquid (vanilla)		200 ml OP	<ul> <li>Fortisip Multi Fibre</li> </ul>

### Adult Products High Calorie

#### SA0585 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements; and
- 4 Either:
  - 4.1 The product is to be used as a supplement; or
  - 4.2 The product is to be used as a complete diet.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - 1.1 any condition causing malabsorption; or
  - 1.2 failure to thrive; or
  - 1.3 increased nutritional requirements; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements; and
- 4 Either:

continued...

#### SPECIAL FOODS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per 🖌 Manufacturer
--

continued...

- 4.1 The product is to be used as a supplement; or
- 4.2 The product is to be used as a complete diet.

Renewal — (Cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted; and
- 3 Either:
  - 3.1 The product is to be used as a supplement; or
  - 3.2 The product is to be used as a complete diet.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the followina:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted; and

3 Either:

- 3.1 The product is to be used as a supplement; or
- 3.2 The product is to be used as a complete diet.

Notes: This product can be used either as a supplement or as a complete diet.

If it is being used as a supplement, the limit is 500 ml per day.

ORAL FEED 2KCAL/ML – Special Authority see SA0585 on the preceding page – Hospital pharmacy [HP3]

#### **Food Thickeners**

#### ➡SA0595 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

FOOD THICKENER - Special Authority see SA0595 above	e – Hospital pharmacy	[HP3]	
Powder	3.80	250 g OP	Resource Thicken
			Up
	4.56	380 g	
	(7.25)		Karicare Food
			Thickener

#### **Gluten Free Foods**

#### SA0722 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

### SPECIAL FOODS

	Subsidy (Manufacturer's I \$	Price) Subsi Per	Fully Brand or dised Generic ✔ Manufacturer
GLUTEN FREE BAKING MIX – Special Authority see SA0722 Powder		page – Hospital p 1,000 g OP	bharmacy [HP3]
	(5.15)	1,000 g 01	Healtheries Simple Baking Mix
GLUTEN FREE BREAD MIX - Special Authority see SA0722	on the preceding p	age – Hospital pl	harmacy [HP3]
Powder	3.93	1,000 g OP	
	(7.32)		NZB Low Gluten Bread Mix
	4.77		
	(8.71)		Bakels Gluten Free Health Bread Mix
	3.51		
	(10.87)		Horleys Bread Mix
GLUTEN FREE FLOUR – Special Authority see SA0722 on th Powder		<ul> <li>Hospital pharm</li> <li>2,000 g OP</li> </ul>	acy [HP3]
	(18.10)	, <b>5</b>	Horleys Flour
GLUTEN FREE PASTA - Special Authority see SA0722 on the	preceding page -	Hospital pharma	acy [HP3]
Buckwheat Spirals	1 01 0	250 g OP	xoy [ o]
	(3.11)		Orgran
Corn and Vegetable Shells		250 g OP	0
	(2.92)		Orgran
Corn and Vegetable Spirals	2.00	250 g OP	
	(2.92)		Orgran
Rice and Corn Lasagne Sheets		200 g OP	•
Discourse Manager	(3.82)	050 00	Orgran
Rice and Corn Macaroni		250 g OP	Oraron
Rice and Corn Penne	(2.92)	250 g OP	Orgran
	(2.92)	200 g 01	Orgran
Rice and Maize Pasta Spirals	`` '	250 g OP	orgian
	(2.92)	200 9 0.	Orgran
Rice and Millet Spirals		250 g OP	0
·	(3.11)	-	Orgran
Rice and corn spaghetti noodles	2.00	375 g OP	
	(2.92)		Orgran
Vegetable and Rice Spirals		250 g OP	
	(2.92)		Orgran
Italian long style spaghetti		220 g OP	0
	(3.11)		Orgran

### Foods And Supplements For Inborn Errors Of Metabolism - Other

#### SA0732 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Either:

- 1 dietary management of homocystinuria; or
- 2 dietary management of maple syrup urine disease.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

continued...

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 General Practitioners must include the name of the specialist and date contacted.

#### Prescribing Guideline

It can cost up to \$70,000 a year to keep an adult on protein supplements. Because protein substitutes are so expensive and because they are only effective in controlling PKU if a restricted diet is followed, adults with PKU will be required to demonstrate they are following the prescribed diet by regular blood testing. The requirement for testing applies to those aged over 16 years. Failure to follow an appropriate diet results in high blood phenylalanine levels.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

#### Supplements For Homocystinuria

AMINOACID FORMULA WITHOUT METHIONINE - Special Authority see SA0732 on the preceding page - Hospital pharmacy [HP3]

See prescribing guideline above

500 a OP XMET Maxamum 

#### Supplements For MSUD

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE - Special Authority see SA0732 on the preceding page - Hospital pharmacy [HP3] See prescribing guideline above

ooo procoribii	g guideline abore			
Powder		500 g OP	V	MSUD Maxamaid
	437.22		V	MSUD Maxamum

### Foods And Supplements For Inborn Errors Of Metabolism - PKU

#### **Prescribing Guideline**

It can cost up to \$70,000 a year to keep an adult on protein supplements. Because protein substitutes are so expensive and because they are only effective in controlling PKU if a restricted diet is followed, adults with PKU will be required to demonstrate they are following the prescribed diet by regular blood testing. The requirement for testing applies to those aged over 16 years. Failure to follow an appropriate diet results in high blood phenylalanine levels.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

#### Foods and Supplements For PKU

#### SA0733 Special Authority for Subsidy

Initial application — (Patient aged over 16) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 dietary management of PKU; and
- 2 The patient's blood phenylalanine level is < 900 mmol/litre (average of tests over last 12 months).

Initial application — (Patient aged 16 or under) only from a relevant specialist. Approvals valid for 3 years where the patient requires dietary management of PKU.

Renewal — (Patient aged over 16) only from a relevant specialist. Approvals valid for 1 year where blood phenylalanine level < 900 mmol/litre (average of tests over last 12 months).

Renewal - (Patient aged 16 or under) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

## SPECIAL FOODS

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or osidised Generic ✓ Manufacturer
IINOACID FORMULA WITHOUT PHENYLALANINE – S	pecial Authority see	SA0733 on the	e preceding page - Hospital p
cy [HP3]			
See prescribing guideline on the preceding page			4
Tabs		75 OP	Phlexy 10
Sachets (pineapple/vanilla) 29 g		30 OP	Minaphlex
Sachets (tropical)		30	Phlexy 10
Infant formula	174.72	400 g OP	PKU Anamix Infant
			XP Analog LCP
Powder (orange)	221.00	500 g OP	XP Maxamaid
	320.00		XP Maxamum
Powder (unflavoured)	221.00	500 g OP	XP Maxamaid
	320.00		XP Maxamum
Liquid (berry)	15.65	62.5 ml OP	Lophlex LQ
	31.20	125 ml OP	Lophlex LQ
	15.65	62.5 ml OP	PKU Lophlex LQ
	31.20	125 ml OP	PKU Lophlex LQ
Liquid (citrus)		62.5 ml OP	Lophlex LQ
	31.20	125 ml OP	Lophlex LQ
	15.65	62.5 ml OP	PKU Lophlex LQ
	31.20	125 ml OP	✓ PKU Lophlex LQ
Liquid (forest berries)		250 ml OP	<ul> <li>Easiphen Liquid</li> </ul>
Liquid (orange)		62.5 ml OP	✓ Lophlex LQ
	31.20	125 ml OP	✓ Lophlex LQ
	15.65	62.5 ml OP	✓ PKU Lophlex LQ
	31.20	125 ml OP	✓ PKU Lophlex LQ
Liquid (tropical)		250 ml OP	<ul> <li>Easiphen</li> </ul>
			•
ENYL FREE BAKING MIX - Special Authority see SA07	33 on the preceding	page – Hospita	I pharmacy [HP3]
See prescribing guideline on the preceding page			
Powder		500 g OP	
	(8.22)		Loprofin Mix
ENYL FREE PASTA - Special Authority see SA0733 on the	the preceding page -	<ul> <li>Hospital pharr</li> </ul>	macy [HP3]
See prescribing guideline on the preceding page	10.65		
Animal shapes		500 g OP	Lonrofin
1	(11.91)		Loprofin
Lasagne		250 g OP	1
	(5.95)		Loprofin
Low protein rice pasta		500 g OP	
	(11.91)	_	Loprofin
Macaroni	5.32	250 g OP	
	(5.95)		Loprofin
Penne	10.65	500 g OP	
	(11.91)		Loprofin
Spaghetti	10.65	500 g OP	
	(11.91)	-	Loprofin
Spirals	10.65	500 g OP	-
Opirais			

	Subsidy (Manufacturer's Pri \$	ice) Sul Per	Fully osidised	Brand or Generic Manufacturer
Multivitamin And Mineral Supplements				
<ul> <li>SA0962 Special Authority for Subsidy</li> <li>Initial application from any relevant practitioner. Approvals valid the following criteria:</li> <li>Any of the following:         <ol> <li>Dietary management of phenylketonuria (PKU); or</li> <li>For use as a supplement to the ketogenic diet in patients di</li> </ol> </li> </ul>	agnosed with epi		s notified	d for applications meeting
3 Patient has had a previous approval for metabolic mineral r AMINOACID FORMULA WITH MINERALS WITHOUT PHENYLAL		Authority see	SA0962	2 above – Retail pharmacy
See prescribing guideline on page 183 Powder		250 g OP	✔ Me	etabolic Mineral Mixture
Infant Formulae				
For Premature Infants				
⇒SA0602 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid at birth. PREMATURE BIRTH FORMULA – Special Authority see SA0602 Liquid	above – Hospita		HP3]	weighing less than 1.5 kg 26LBW Gold RTF
For Williams Syndrome				
<ul> <li>Special Authority for Subsidy</li> <li>Initial application only from a relevant specialist. Approvals valid Syndrome and associated hypercalcaemia.</li> <li>Renewal only from a relevant specialist or general practitioner on 1 year for applications meeting the following criteria:</li> <li>Both:         <ol> <li>The treatment remains appropriate and the patient is benef 2 General Practitioners must include the name of the specialist</li> <li>LOW CALCIUM INFANT FORMULA – Special Authority see SA00 Powder</li> </ol> </li> </ul>	the recommenda iting from treatme ist and date conta 601 above – Hosp	tion of a rele ent; and cted.	vant spe :y [HP3]	0
For Gastrointestinal And Other Malabsorptive Pr	oblems			
SA0603 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid from a other gastrointestinal problems. Renewal only from a relevant specialist or general practitioner on 1 year for applications meeting the following criteria:				Ū I

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Neocate should be used only as a last resort when the infant is unable to absorb any of the below formulae. The objective with each of the formulae prescribed is to get the infant off them as soon as possible. This may take six months, it may take three years. Because of this, variation on age limit is not regarded as appropriate. These formulae will be available only from a hospital pharmacy. Vivonex Pediatric may be a suitable and less expensive alternative for many children that would otherwise be eligible for a subsidy for Neocate and should, therefore, be tried first in these cases. The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

	Subsidy (Manufacturer's F \$		ully Brand or sed Generic ✓ Manufacturer
ELEMENTAL FORMULA - Special Authority see SA0603 on the	preceding page	– Hospital pharma	acy [HP3]
Powder		450 g OP	
	(15.21)		Pepti Junior Gold
	15.52		
	(19.01)		Pepti Junior
	63.97	400 g OP	
	(67.08)	·	Neocate
	(67.08)		Neocate LCP
	5.62	48.5 g OP	
	(6.00)	-	Vivonex Pediatric
Powder (tropical)		400 g OP	
	(56.00)	0	Neocate Advance
Powder (unflavoured)		400 g OP	
	(56.00)	Ū	Neocate Advance

#### For Milk Intolerance

#### ➡SA0604 Special Authority for Subsidy

**Initial application** — (Lactase deficiency or disaccharide intolerance) only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is less than 3 years of age; and
- 2 Either:
  - 2.1 diagnosed as suffering from congenital lactase deficiency; or
  - 2.2 suffering from disaccharide intolerance.

Notes: Secondary lactose intolerance in children is usually short lasting, and can be controlled by dietary measures and by giving sufficient calories to regenerate digestive enzymes.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

**Initial application** — (Infant with intolerance to cows' milk) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 intolerant to cows' milk; and
- 2 patient is less than 3 years of age.

Note: The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Renewal — (Infant with intolerance to cows' milk) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

0 4 0 0 0 4 -1

Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 patient is less than 3 years of age.

Powder		
	(22.75)	Karicare Goats Milk Infant Formula
LACTOSE FREE INFANT FORMULA - Spec	cial Authority see SA0604 above – Retail pharmacy	
Powder		
	(17.95)	Delact
SOYA INFANT FORMULA - Special Authority	y see SA0604 above – Retail pharmacy	
Powder	6.34 900 g OP	
	(19.57)	S26 Soy

### SPECIAL FOODS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Infant Formulae - Lactose Intolerance and Cows	3' Milk Protein Int	olera	ance	
► SA0757 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid All of the following:	l for 6 months for appli	cation	s meeting t	the following criteria:

1 The patient is less than 2 years of age; and

2 Intolerant to cows' milk; and

3 Diagnosed as suffering from congenital lactase deficiency.

Renewal only from a relevant specialist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

INFANT SOY FORMULA - Special Authority see SA0757 above - Retail pharmacy

(16.35)

900 g

Karicare Soy All Ages

### Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

ADRENALINE ✓ Inj 1 in 1,000, 1 ml
AMINOPHYLLINE ✓ Inj 25 mg per ml, 10 ml5
AMIODARONE HYDROCHLORIDE ✓ Inj 50 mg per ml, 3 ml
AMOXYCILLIN
<ul> <li>✓ Cap 250 mg</li></ul>
AMOXYCILLIN CLAVULANATE
<ul> <li>✓ Tab amoxycillin 500 mg with potassium clavulanate 125 mg</li></ul>
potassium clavulanate 31.25 mg per 5 ml
✓ Grans for oral liq amoxycillin 250 mg with potassium clavulanate 62.5 mg per 5 ml
APPLICATOR Applicator – See note on page 701
ASPIRIN
✓ Tab dispersible 300 mg30
✓ Tab dispersible 300 mg
<ul> <li>✓ Tab dispersible 300 mg</li></ul>
✓ Tab dispersible 300 mg
<ul> <li>✓ Tab dispersible 300 mg</li></ul>

CHARCOAL ✓ Oral liq 50 g per 250 ml
CHLORPROMAZINE HYDROCHLORIDE ✓ Tab 10 mg
CIPROFLOXACIN ✓ Tab 250 mg
CO-TRIMOXAZOLE ✓ Tab trimethoprim 80 mg and sulphamethoxazole 400 mg
COMPOUND ELECTROLYTES ✓ Powder for soln for oral use 5 g
CONDOMS       144         \$ 49 mm.       144         \$ 52 mm.       144         \$ 53 mm.       144         \$ 53 mm.       144         \$ 53 mm.       144         \$ 53 mm.       144         \$ 53 mm.       144         \$ 53 mm (chocolate).       144         \$ 53 mm (strawberry).       144         \$ 53 mm extra strength.       144         \$ 53 mm.       144         \$ 55 mm.       144         \$ 56 mm.       144         \$ 56 mm.       144         \$ 56 mm.       144         \$ 56 mm.       144         \$ 56 mm.       144         \$ 56 mm.       144         \$ 56 mm.       144         \$ 56 mm.       144         \$ 60 mm.       144
DEXAMETHASONE ✓ Tab 1 mg – Retail pharmacy-Specialist
DEXAMETHASONE SODIUM PHOSPHATE ✓ Inj 4 mg per ml, 1 ml
DEXTROSE ✔ Inj 50%, 10 ml5 ✔ Inj 50%, 90 ml5
DIAPHRAGM ✓ Diaphragm – See note on page 701 continued

### (continued)

DIAZEPAM
✓ Inj 5 mg per ml, 2 ml – Subsidy by
endorsement - See note on page 1145
✓ Rectal tubes 5 mg5
✓ Rectal tubes 10 mg5
DICLOFENAC SODIUM
✓ Inj 25 mg per ml, 3 ml
✓ Suppos 50 mg
DIGOXIN
✓ Tab 62.5 µg
✓ Tab 250 µg30
DOXYCYCLINE HYDROCHLORIDE
Tab 50 mg
✓ Tab 100 mg
ERGOMETRINE MALEATE ✓ Inj 500 µg per ml, 1 ml
ERYTHROMYCIN ETHYL SUCCINATE
✓ Tab 400 mg30
✔ Grans for oral liq 200 mg per 5 ml 200 ml
✓ Grans for oral liq 400 mg per 5 ml 200 ml
ERYTHROMYCIN STEARATE
Tab 250 mg
ETHINYLOESTRADIOL WITH DESOGESTREL
Tab 20 µg with desogestrel 150 µg63
Tab 20 μg with desogestrel 150 μg63 Tab 20 μg with desogestrel 150 μg and 7
Tab 20 μg with desogestrel 150 μg63 Tab 20 μg with desogestrel 150 μg and 7 inert tab84
Tab 20 μg with desogestrel 150 μg63         Tab 20 μg with desogestrel 150 μg and 7         inert tab       84         Tab 30 μg with desogestrel 150 μg63
Tab 20 μg with desogestrel 150 μg63Tab 20 μg with desogestrel 150 μg and 7inert tab84Tab 30 μg with desogestrel 150 μgTab 30 μg with desogestrel 150 μg and 7
Tab 20 μg with desogestrel 150 μg63         Tab 20 μg with desogestrel 150 μg and 7         inert tab       84         Tab 30 μg with desogestrel 150 μg63
Tab 20 μg with desogestrel 150 μg63Tab 20 μg with desogestrel 150 μg and 7inert tab84Tab 30 μg with desogestrel 150 μgTab 30 μg with desogestrel 150 μg and 7
Tab 20 µg with desogestrel 150 µg63         Tab 20 µg with desogestrel 150 µg and 7         inert tab       84         Tab 30 µg with desogestrel 150 µg63         Tab 30 µg with desogestrel 150 µg and 7         inert tab       84         ETHINYLOESTRADIOL WITH GESTODENE
Tab 20 µg with desogestrel 150 µg63Tab 20 µg with desogestrel 150 µg and 7
Tab 20 µg with desogestrel 150 µg       63         Tab 20 µg with desogestrel 150 µg and 7       63         inert tab       84         Tab 30 µg with desogestrel 150 µg       63         Tab 30 µg with desogestrel 150 µg and 7       63         Tab 30 µg with desogestrel 150 µg and 7       63         Tab 30 µg with desogestrel 150 µg and 7       84         ETHINYLOESTRADIOL WITH GESTODENE       84         Tab 30 µg with gestodene 75 µg and 7 inert       84
Tab 20 µg with desogestrel 150 µg       63         Tab 20 µg with desogestrel 150 µg and 7       63         inert tab       84         Tab 30 µg with desogestrel 150 µg       63         Tab 30 µg with desogestrel 150 µg and 7       63         Tab 30 µg with desogestrel 150 µg and 7       63         Tab 30 µg with desogestrel 150 µg and 7       84         ETHINYLOESTRADIOL WITH GESTODENE       84         ETHINYLOESTRADIOL WITH GESTODENE       84         ETHINYLOESTRADIOL WITH LEVONORGESTREL       84
Tab 20 µg with desogestrel 150 µg63 Tab 20 µg with desogestrel 150 µg and 7 inert tab
Tab 20 μg with desogestrel 150 μg       63         Tab 20 μg with desogestrel 150 μg and 7       inert tab         inert tab       84         Tab 30 μg with desogestrel 150 μg       63         Tab 30 μg with desogestrel 150 μg and 7       63         Tab 30 μg with desogestrel 150 μg and 7       63         Tab 30 μg with desogestrel 150 μg and 7       84         ETHINYLOESTRADIOL WITH GESTODENE       84         ETHINYLOESTRADIOL WITH LEVONORGESTREL       84         ETHINYLOESTRADIOL WITH LEVONORGESTREL       7         Tab ethinyloestradiol 30 μg with       levonorgestrel 50 μg (6) and tab
Tab 20 μg with desogestrel 150 μg       63         Tab 20 μg with desogestrel 150 μg and 7       63         inert tab       84         Tab 30 μg with desogestrel 150 μg       63         Tab 30 μg with desogestrel 150 μg and 7       63         Tab 30 μg with desogestrel 150 μg and 7       63         Tab 30 μg with desogestrel 150 μg and 7       84         ETHINYLOESTRADIOL WITH GESTODENE       84         ETHINYLOESTRADIOL WITH LEVONORGESTREL       ¥         V       Tab ethinyloestradiol 30 μg with         levonorgestrel 50 μg (6) and tab       ethinyloestradiol 40 μg with levonorgestrel
Tab 20 μg with desogestrel 150 μg       63         Tab 20 μg with desogestrel 150 μg and 7       63         inert tab       84         Tab 30 μg with desogestrel 150 μg       63         Tab 30 μg with desogestrel 150 μg and 7       63         Tab 30 μg with desogestrel 150 μg and 7       63         Tab 30 μg with desogestrel 150 μg and 7       84         ETHINYLOESTRADIOL WITH GESTODENE       84         ETHINYLOESTRADIOL WITH LEVONORGESTREL       ¥         V       Tab ethinyloestradiol 30 μg with         levonorgestrel 50 μg (6) and tab       ethinyloestradiol 40 μg with levonorgestrel         75 μg (5), and tab ethinyloestradiol 30 μg       100
Tab 20 μg with desogestrel 150 μg       63         Tab 20 μg with desogestrel 150 μg and 7       63         inert tab       84         Tab 30 μg with desogestrel 150 μg       63         Tab 30 μg with desogestrel 150 μg and 7       63         Tab 30 μg with desogestrel 150 μg and 7       63         Tab 30 μg with desogestrel 150 μg and 7       84         ETHINYLOESTRADIOL WITH GESTODENE       84         ETHINYLOESTRADIOL WITH LEVONORGESTREL       ¥         V       Tab ethinyloestradiol 30 μg with         levonorgestrel 50 μg (6) and tab       ethinyloestradiol 40 μg with levonorgestrel         75 μg (5), and tab ethinyloestradiol 30 μg       with levonorgestrel 125 μg (10) and 7
Tab 20 μg with desogestrel 150 μg
Tab 20 μg with desogestrel 150 μg       63         Tab 20 μg with desogestrel 150 μg and 7       inert tab         inert tab       84         Tab 30 μg with desogestrel 150 μg       63         Tab 30 μg with desogestrel 150 μg and 7       63         Tab 30 μg with desogestrel 150 μg and 7       63         Tab 30 μg with desogestrel 150 μg and 7       64         ETHINYLOESTRADIOL WITH GESTODENE       84         ETHINYLOESTRADIOL WITH LEVONORGESTREL       ¥         Tab ethinyloestradiol 30 μg with       1evonorgestrel 50 μg (6) and tab         ethinyloestradiol 40 μg with levonorgestrel       75 μg (5), and tab ethinyloestradiol 30 μg         with levonorgestrel 125 μg (10) and 7       1nert tab         Y Tab 50 μg with levonorgestrel 125 μg and 7
Tab 20 μg with desogestrel 150 μg       63         Tab 20 μg with desogestrel 150 μg and 7       inert tab         inert tab       84         Tab 30 μg with desogestrel 150 μg       63         Tab 30 μg with desogestrel 150 μg and 7       63         inert tab       84         ETHINYLOESTRADIOL WITH GESTODENE       84         ETHINYLOESTRADIOL WITH GESTODENE       84         ETHINYLOESTRADIOL WITH LEVONORGESTREL       ✓         ✓ Tab ethinyloestradiol 30 μg with       levonorgestrel 50 μg (6) and tab         ethinyloestradiol 40 μg with levonorgestrel       75 μg (5), and tab ethinyloestradiol 30 μg         with levonorgestrel 125 μg (10) and 7       inert tab         Math       84
Tab 20 μg with desogestrel 150 μg       63         Tab 20 μg with desogestrel 150 μg and 7       inert tab         inert tab       84         Tab 30 μg with desogestrel 150 μg       63         Tab 30 μg with desogestrel 150 μg and 7       inert tab         inert tab       84         ETHINYLOESTRADIOL WITH GESTODENE       84         ETHINYLOESTRADIOL WITH LEVONORGESTREL       ✓         Tab ethinyloestradiol 30 μg with       levonorgestrel 50 μg (6) and tab         ethinyloestradiol 40 μg with levonorgestrel       75 μg (5), and tab ethinyloestradiol 30 μg         with levonorgestrel 125 μg (10) and 7       inert tab         #       Tab 50 μg with levonorgestrel 125 μg and 7         inert tab       84
Tab 20 μg with desogestrel 150 μg       63         Tab 20 μg with desogestrel 150 μg and 7       inert tab         inert tab       84         Tab 30 μg with desogestrel 150 μg       63         Tab 30 μg with desogestrel 150 μg and 7       inert tab         inert tab       84         ETHINYLOESTRADIOL WITH GESTODENE       84         ETHINYLOESTRADIOL WITH LEVONORGESTREL       ✓         Tab ethinyloestradiol 30 μg with       levonorgestrel 50 μg (6) and tab         ethinyloestradiol 40 μg with levonorgestrel       75 μg (5), and tab ethinyloestradiol 30 μg         with levonorgestrel 125 μg (10) and 7       inert tab         #       Tab 50 μg with levonorgestrel 125 μg and 7         inert tab       84         Tab 30 μg with levonorgestrel 150 μg       63
Tab 20 μg with desogestrel 150 μg       63         Tab 20 μg with desogestrel 150 μg and 7       inert tab         inert tab       84         Tab 30 μg with desogestrel 150 μg       63         Tab 30 μg with desogestrel 150 μg and 7       inert tab         inert tab       84         ETHINYLOESTRADIOL WITH GESTODENE       84         ETHINYLOESTRADIOL WITH LEVONORGESTREL       ✓         Tab ethinyloestradiol 30 μg with       levonorgestrel 50 μg (6) and tab         ethinyloestradiol 40 μg with levonorgestrel       75 μg (5), and tab ethinyloestradiol 30 μg         with levonorgestrel 125 μg (10) and 7       inert tab         #       Tab 50 μg with levonorgestrel 125 μg and 7         inert tab       84

ETHINYLOESTRADIOL WITH NORETHISTERONE
$\checkmark$ Tab 35 µg with norethisterone 1 mg63 $\checkmark$ Tab 35 µg with norethisterone 1 mg and 7
inert tab
✓ Tab 35 µg with norethisterone 500 µg63
✓ Tab 35 µg with norethisterone 500 µg and 7 inert tab
FLUCLOXACILLIN SODIUM
✓ Cap 250 mg
✔ Grans for oral liq 125 mg per 5 ml 200 ml
✔ Grans for oral liq 250 mg per 5 ml 200 ml
✓ Inj 1 g5
FLUPENTHIXOL DECANOATE
<ul> <li>✓ Inj 20 mg per ml, 1 ml</li> <li>✓ Inj 20 mg per ml, 2 ml</li> </ul>
✓ Inj 100 mg per ml, 1 ml
FLUPHENAZINE DECANOATE
✓ Inj 12.5 mg per 0.5 ml, 0.5 ml5
✓ lnj 25 mg per ml, 1 ml5
✓ Inj 100 mg per ml, 1 ml5
FUROSEMIDE
<ul> <li>✓ Tab 40 mg</li></ul>
GLUCAGON HYDROCHLORIDE ✓ Inj 1 mg syringe kit5
GLYCERYL TRINITRATE
✓ Tab 600 µg100
✓ Oral pump spray 400 µg per dose
HALOPERIDOL
✓ Tab 500 µg
✓ Tab 5 mg
✓ Oral liq 2 mg per ml 200 ml
✓ Inj 5 mg per ml, 1 ml5
HALOPERIDOL DECANOATE
✓ Inj 50 mg per ml, 1 ml
✓ Inj 100 mg per ml, 1 ml
HYDROCORTISONE ✓ Inj 50 mg per ml, 2 ml
HYDROXOCOBALAMIN
✓ Inj 1 mg per ml, 1 ml
HYOSCINE N-BUTYLBROMIDE
✓ Inj 20 mg, 1 ml
IPRATROPIUM BROMIDE
✓ Nebuliser soln, 250 µg per ml, 1 ml
✓ Nebuliser soln, 250 µg per ml, 2 ml40
continued

✓ fully subsidised brand available Please refer to Section A for a definition, and conditions of supply, of Practitioner's Supply Orders.

#### (continued)

LEVONORGESTREL Tab 30 µg
✓ Tab 1.5 mg
LIGNOCAINE HYDROCHLORIDE ✓ Inj 0.5%, 5 ml – See note on page 109
LOPERAMIDE HYDROCHLORIDE ✓ Tab 2 mg
MEDROXYPROGESTERONE ACETATE Inj 150 mg per ml, 1 ml syringe
METHYLERGOMETRINE ✔ Inj 200 µg per ml, 1 ml
METOCLOPRAMIDE HYDROCHLORIDE ✓ Inj 5 mg per ml, 2 ml
METRONIDAZOLE ✓ Tab 200 mg
MORPHINE SULPHATE ✓ Inj 5 mg per ml, 1 ml – Only on a controlled drug form
✓ Inj 10 mg per ml, 1 ml – Only on a controlled drug form
✓ Inj 15 mg per ml, 1 ml – Only on a controlled drug form
✓ Inj 30 mg per ml, 1 ml – Only on a controlled drug form
NALOXONE HYDROCHLORIDE V Inj 400 µg per ml, 1 ml5
NONOXYNOL-9 ✔ Jelly 2% 108 g
NORETHISTERONE ✓ Tab 350 µg
NORETHISTERONE WITH MESTRANOL Tab 1 mg with mestranol 50 µg and 7 inert tab84
OXYTOCIN ✓ Inj 5 iu per ml, 1 ml
PARACETAMOL ✓ Tab 500 mg

#### PETHIDINE HYDROCHLORIDE

<ul> <li>✓ Inj 50 mg per ml, 1 ml – Only on a controlled drug form</li></ul>
PHENOXYMETHYLPENICILLIN (PENICILLIN V) ✓ Cap potassium salt 250 mg
PHENYTOIN SODIUM ✔ Inj 50 mg per ml, 2 ml5 ✔ Inj 50 mg per ml, 5 ml5
PHYTOMENADIONE ✓ Inj 2 mg per 0.2 ml – See note on page 415 ✓ Inj 10 mg per ml, 1 ml – See note on page 415
PIPOTHIAZINE PALMITATE ✔ Inj 50 mg per ml, 1 ml
PREDNISOLONE SODIUM PHOSPHATE ✓ Oral liq 5 mg per ml – See note on page 76
PREDNISONE ✔ Tab 5 mg
PREGNANCY TESTS - HCG URINE Cassette
PROCAINE PENICILLIN ✓ Inj 1.5 mega u5
PROCHLORPERAZINE ✓ Tab 5 mg
PROMETHAZINE HYDROCHLORIDE ✔ Inj 25 mg per ml, 2 ml5
SALBUTAMOL ✓ Inj 500 μg per ml, 1 ml
SALBUTAMOL WITH IPRATROPIUM BROMIDE Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml

✓ fully subsidised brand available

### PRACTITIONER'S AND WHOLESALE SUPPLY ORDERS

#### (continued)

SILVER SULPHADIAZINE ✔ Crm 1%	
✓ Crm 1% with chlorhexidine digluconate 0.2%	
SODIUM BICARBONATE ✓ Inj 8.4%, 50ml	
SODIUM CHLORIDE           ✓ Inf 0.9% - See note on page 44	

TRIMETHOPRIM           ✓ Tab 300 mg
VERAPAMIL HYDROCHLORIDE VInj 2.5 mg per ml, 2 ml
WATER ✓ Purified for inj, 5 ml – See note on page 44
ZUCLOPENTHIXOL DECANOATE V Inj 200 mg per ml, 1 ml

### Pharmaceuticals that may be obtained on a Wholesale Supply Order

INTRA-UTERINE DEVICE

MASK FOR SPACER DEVICE ✓ Size 2

PEAK FLOW METER

✓ Low range

✓ Normal range

SPACER DEVICE

✓ 230 ml (autoclavable)

🖌 800 ml

✓ 230 ml (single patient)

#### **Rural Areas for Practitioner's Supply Orders**

#### NORTH ISLAND

#### Northland DHB

Dargaville Hikurangi Kaeo Kaikohe Kaitaia Kawakawa Kerikeri Mangonui Maungaturoto Moerewa Naunauru Paihia Rawene Ruakaka Russell Tutukaka Waipu Whangaroa

#### Waitemata DHB

Helensville Huapai Kumeu Snells Beach Waimauku Warkworth Wellsford

#### Auckland DHB

Great Barrier Island Oneroa Ostend

#### **Counties Manukau DHB** Tuakau Waiuku

Waikato DHB Coromandel Huntly Kawhia Matamata Morrinsville Ngatea Otorohanga Paeroa Pauanui Beach

Tairua Taumarunui Te Aroha Te Kauwhata Te Kuiti Tokoroa Waihi Whangamata Whitianga

#### **Bay of Plenty DHB**

Edgecumbe Katikati Kawerau Murupara Opotiki Taneatua Te Kaha Waihi Beach Whakatane

#### Lakes DHB Mangakino

Turangi

#### Tairawhiti DHB **Ruatoria**

Te Araroa Te Karaka Te Puia Springs Tikitiki Tokomaru Bay Tolaga Bay

#### Taranaki DHB

Eltham Inglewood Manaia Oakura Okato Opunake Patea Stratford Waverley

#### Hawkes Bay DHB

Chatham Islands Waipawa Waipukurau Wairoa Whanganui DHB

Bulls

Marton Ohakune Raetihi Taihape Waiouru MidCentral DHB Dannevirke

Foxton Levin Otaki Pahiatua Shannon Woodville

#### Wairarapa DHB

Carteron Featherston Grevtown Martinborough

#### SOUTH ISLAND

Nelson/Marlborough DHB Havelock

Mapua Motueka Murchison Picton Takaka Wakefield

#### West Coast DHB

Dobson Grevmouth Hokitika Karamea Reefton South Westland Westport Whataroa

#### **Canterbury DHB**

Akaroa Amberlev Amuri Cheviot Darfield Diamond Harbour Hanmer Springs Kaikoura

#### Leeston I incoln Methven Oxford Rakaia Rolleston **Rotherham** Templeton Waikari

#### South Canterbury DHB

Fairlie Geraldine Pleasant Point Temuka Twizel Waimate

#### Otago DHB

Alexandra Balclutha Cromwell Kurow I awrence Milton Oamaru Outram Owaka Palmerston Ranfurly Roxburgh Tapanui Wanaka

#### Southland DHB

Gore Lumsden Mataura Ohan Otautau Queenstown Riverton Te Anau Tokonui Tuatapere Winton

Putaruru

Raglan

### SECTION F: PART I

A Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule:

a) is exempt from any requirement to dispense in Monthly Lots;

b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is Close Control.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a \* within the other sections of the Pharmaceutical Schedule:

a) is exempt from any requirement to dispense in Monthly Lots;

b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is Close Control.

### SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

- a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the prescriber has endorsed the Prescription item(s) on the Prescription to which the exemption applies "certified exemption". In endorsing the Prescription items for a certified exemption, the prescriber is certifying that:
  - i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
  - ii) the patient has been stabilised on the same medicine for a reasonable period of time; and

iii) the prescriber has reason to believe the patient will continue on the medicine and is compliant.

b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:

i) have limited physical mobility;

- ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
- iii) are relocating to another area;
- iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

The following Community Pharmaceuticals are identified with a A within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

ALIMENTARY TRACT AND ME INSULIN ASPART	ETABOLISM
INSULIN GLARGINE	
INSULIN ISOPHANE	
INSULIN ISOPHANE WITH	INSULIN NEUTRAL
INSULIN LISPRO	
INSULIN LISPRO WITH INS	ULIN LISPRO PROTAMINE
INSULIN NEUTRAL	
CARDIOVASCULAR SYSTEM AMIODARONE HYDROCHL Tab 100 mg Tab 200 mg	Cordarone-X Cordarone-X
DISOPYRAMIDE PHOSPHA	πe
FLECAINIDE ACETATE Tab 50 mg Tab 100 mg Cap long-acting 100 mg Cap long-acting 200 mg	
MEXILETINE HYDROCHLO	RIDE
PROPAFENONE HYDROCH	ILORIDE

MUSCULOSKELETAL SYSTEM PYRIDOSTIGMINE BROMIDE

NERVOUS SYSTEM AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

ENTACAPONE

GABAPENTIN

GABAPENTIN (NEURONTIN)

LAMOTRIGINE

LISURIDE HYDROGEN MALEATE

PERGOLIDE

ROPINIROLE HYDROCHLORIDE

TOLCAPONE

TOPIRAMATE

VIGABATRIN

SENSORY ORGANS

BIMATOPROST

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN Nasal drops 100 µg per Minirin ml Nasal spray 10 µg per Desmopressin-PH&T dose BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE

BRINZOLAMIDE

LATANOPROST

TRAVOPROST

### SECTION G: SAFETY CAP MEDICINES

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

#### Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular
  person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

#### Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

#### Safety Caps (NZS 5825:1991)

20 mm	. Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
24 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	PDL FG

### SAFETY CAP MEDICINES

FERROUS SULPHATE Oral liq 150 mg per 5 ml Ferodan

#### CARDIOVASCULAR SYSTEM

AMILORIDE Oral liq 1 mg per ml Biomed CAPTOPRIL

Oral liq 5 mg per ml Capoten

Oral liq 50 mg per ml	Biomed
DIGOXIN Oral liq 50 µg per ml	Lanoxin

FUROSEMIDE Oral liq 10 mg per ml Lasix SPIRONOLACTONE

Oral liq 5 mg per ml Biomed

### HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

Tab 50 µg	Eltroxin
	Goldshield
	Synthroid
Tab 100 µg	Eltroxin
	Goldshield
	Synthroid
Tab 25 µg	Synthroid
Futomporopooluolu compo	unded and liquid properties

(Extemporaneously compounded oral liquid preparations)

#### MUSCULOSKELETAL SYSTEM

IBUPROFEN Oral liq 100 mg per 5 ml Fenpaed

QUININE SULPHATE Tab 200 mg Q 200 Tab 300 mg Q 300 (Extemporaneously compounded oral liquid preparations)

#### NERVOUS SYSTEM

ALPRAZOLAM Tab 250 µg Arrow-Alprazolam Tab 500 µg Arrow-Alprazolam Tab 1 mg Arrow-Alprazolam (Extemporaneously compounded oral liquid preparations)

CARBAMAZEPINE Oral lig 100 mg per 5 ml Tegretol

CLOBAZAM Tab 10 mg Frisium (Extemporaneously compounded oral liquid preparations) **CLONAZEPAM** Oral drops 2.5 mg per Rivotril ml **DIAZEPAM** Arrow-Diazepam Tab 2 mg Tab 5 mg Arrow-Diazepam (Extemporaneously compounded oral liquid preparations) **ETHOSUXIMIDE** Oral liq 250 mg per 5 ml Zarontin LORAZEPAM Tab 1 mg Ativan Tab 2.5 mg Ativan (Extemporaneously compounded oral liquid preparations) LORMETAZEPAM Noctamid Tab 1 mg (Extemporaneously compounded oral liquid preparations) METHADONE HYDROCHLORIDE Oral lig 2 mg per ml Biodone **Biodone Forte** Oral lig 5 mg per ml Oral liq 10 mg per ml Biodone Extra Forte MIDAZOLAM Tab 7.5 mg Hypnovel (Extemporaneously compounded oral liquid preparations) MORPHINE HYDROCHLORIDE Oral lig 1 mg per ml **RA-Morph** Oral lig 2 mg per ml **RA-Morph** Oral lig 5 mg per ml RA-Morph Oral liq 10 mg per ml **RA-Morph** NITRA7FPAM Tab 5 mg Nitrados (Extemporaneously compounded oral liquid preparations) OXAZEPAM Tab 10 mg Ox-Pam Tab 15 mg Ox-Pam (Extemporaneously compounded oral liquid preparations) **OXYCODONE HYDROCHLORIDE** Oral lig 5 mg per 5 ml OxyNorm

### SAFETY CAP MEDICINES

#### PARACETAMOL

Oral liq 120 mg per 5 ml Oral liq 250 mg per 5 ml

PHENYTOIN SODIUM Oral liq 30 mg per 5 ml Dilantin

SODIUM VALPROATE Oral liq 200 mg per 5 ml

Epilim S/F Liquid Epilim Syrup

Paracare Junior

Paracare Double Strength

#### TEMAZEPAM

Tab 10 mg Normison (Extemporaneously compounded oral liquid preparations)

#### TRIAZOLAM

Tab 125 µg Hypam Tab 250 µg Hypam (Extemporaneously compounded oral liquid preparations)

#### **RESPIRATORY SYSTEM AND ALLERGIES**

CETIRIZINE HYDROCHLORIDE Oral liq 1 mg per ml Cetirizine - AFT

CHLORPHENIRAMINE MALEATE Oral liq 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE Oral liq 2 mg per 5 ml Polaramine

#### PROMETHAZINE HYDROCHLORIDE

Oral liq 5 mg per 5 ml Phenergan

Promethazine Winthrop Elixir

SALBUTAMOL Oral liq 2 mg per 5 ml Salapin

THEOPHYLLINE Oral liq 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE Oral liq 30 mg per 5 ml Vallergan Forte

# EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE Powder Douglas (Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE Powder AFT (Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM Powder MidWest (Extemporaneously compounded oral liquid preparations)

- Symbols -
3TC95
- A -
A-Lices65
A-Scabies65
Abacavir sulphate94
Abacavir sulphate with
lamivudine
Abilify122
Acarbose
ACB
Accu-Chek Performa31, 32
Accupril50
Accuretic 1050
Accuretic 2050
Acebutolol52
Acetazolamide159
Acetic acid with 1, 2- propanediol
diacetate and
benzethonium 158
Acetic acid with hydroxyquinoline
and ricinoleic acid
Acetylcysteine
Aci-Jel73 Aciclovir
Infection
Sensory158 Acidex25
Acipimox45
Acipiniox
Actigall
Actigali
Actrapid Penfill28
Acupan109
Adalat 1054
Adalat Oros54
Adalimumab102
Adefin XL54
Adefovir dipivoxil90
Adrenaline
Advantan63
AFT-Pyrazinamide89
Agents Affecting the
Renin-Angiotensin System49
Agents Used in the Treatment of
Poisonings
Agrylin140
Alanase
Albay151
Albustix
Aldara68
Alendronate sodium107–108

Alendronate sodium with
cholecalciferol 107
Alfacalcidol
Alginic acid25
Alitraq177
Alkeran136
Allersoothe152
Allopurinol108
Alpha Adrenoceptor Blockers49
Alpha tocopheryl acetate
Alpha-Bromocriptine
Alpha-Keri Lotion65
Alprazolam127
Alu-Tab25
Aluminium hydroxide25
Amantadine hydrochloride121
Ambrisentan57
Amiloride55
Amiloride with frusemide55
Amiloride with
hydrochlorothiazide55
Aminophylline155
Amiodarone hydrochloride51
Amirol112
Amisulpride122
Amitrip112
Amitriptyline112
Amizide55
Amlodipine54
Amorolfine60
Amoxycillin86
Amoxycillin clavulanate86
Amphotericin B
Amsacrine140
Amsidine
Amyl nitrite57
Anabolic Agents76
Anaesthetics109
Anagrelide hydrochloride140
Analgesics109
Anastrozole
Andriol Testocaps77
Androderm
Antabuse
Antacids and Antiflatulants
Anten
Anthelmintics
Anti-inflammatory Non Steroidal
Drugs (NSAIDs)
Antiallergy Preparations
Antialergy Preparations
Anuanaemics40

Antiandrogen Oral
Contraceptives73
Antiarrhythmics51
Antibacterials84
Antibacterials Topical59
Anticholinesterases100
Antidepressants112
Antidiarrhoeals25
Antiepilepsy Drugs114
Antifibrinolytics, Haemostatics
and Local Sclerosants
Antifungals88
Antifungals Topical60
Antihaemorrhoidals26
Antihistamines
Antihypotensives
Antimalarials
Antimigraine Preparations119
Antinaus
Antinausea and Vertigo
Agents 119
Antiparkinson Agents
Antipruritic Preparations
Antipsychotics
Antiretrovirals
Antiretrovirals - Additional
Therapies
Antirheumatoid Agents101
Antispasmodics and Other
Agents Altering Gut
Motility27
Antithrombotic Agents41
Antithymocyte globulin
(equine)148
Antitrichomonal Agents
Antituberculotics and
Antileprotics
Antiulcerants
Antivirals
Anusol
Anxiolytics127
Ann Allemuninel 100
Apo-Allopurinol
Apo-Amlodipine54
Apo-Amlodipine54 Apo-Amoxi
Apo-Amlodipine54 Apo-Amoxi86 Apo-Ascorbic Acid37
Apo-Amlodipine54 Apo-Amoxi86 Apo-Ascorbic Acid37 Apo-B-Complex36
Apo-Amlodipine54 Apo-Amoxi86 Apo-Ascorbic Acid37 Apo-B-Complex36 Apo-Bromocriptine121
Apo-Amlodipine
Apo-Amlodipine
Apo-Amlodipine
Apo-Amlodipine

Apo-Doxazosin49
Apo-Folic Acid40
Apo-Gliclazide
Apo-Ipravent156
Apo-Megestrol146
Apo-Moclobemide113
Apo-Nadolol53
Apo-Nicotinic Acid45
Apo-Oxybutynin74
Apo-Pindolol53
Apo-Prazo
Apo-Prednisone
Apo-Primidone117
Apo-Pyridoxine
Apo-Risperidone
Apo-Selegiline
Apo-Terazosin
Apo-Terbinafine
Apo-Terbinanne
Apo-Timol
Apo-Timop
Apo-Zopiclone
Apomine
Apomorphine hydrochloride
Applicator70
Aprepitant119
Apresoline57
Apresoline
Apresoline57 Aquasun 30+68 Aquasun Oil Free Faces
Apresoline
Apresoline
Apresoline
Apresoline
Apresoline
Apresoline
Apresoline
Apresoline
Apresoline
Apresoline
Apresoline
Apresoline
Apresoline
Apresoline
Apresoline
Apresoline
Apresoline
Apresoline
Apresoline
Apresoline
Apresoline
Apresoline
Apresoline
Apresoline

Arrow-Simva 10mg47
Arrow-Simva 20mg47
Arrow-Simva 40mg47
Arrow-Simva 80mg47
Arrow-Sumatriptan119
Arrow-Topiramate118
Arsenic trioxide140
Arthrexin101
Asacol
Asamax26
Ascorbic acid37
Aspec 300109
Aspen Adrenaline
Aspirin
Blood41
Nervous109
Asthalin154
Atacand
Atazanavir sulphate
Atenolol
ATGAM
Ativan
Atomoxetine
Atorvastatin
Atropine sulphate Alimentary27
Sensory161
Atropt
Atrovent
Auranofin101
Avanza
Avomine121
Avonex
Azamun147
Azathioprine147
Azithromycin85
Azol
Azopt160
AZT95
- B -
B-D Micro-Fine
B-D Ultra Fine
B-D Ultra Fine II
Baclofen108
Bactroban60
Bakels Gluten Free Health Bread
Mix
Baraclude90
Barrier Creams and
Emollients
Batrafen
Beclazone 100152
Beclazone 250

Beclazone 50152
Beclomethasone
dipropionate 152, 156
Bee venom allergy
treatment
Bendrofluazide
Benhex
Benzathine benzylpenicillin
Benzoin
Benztrop122
Benztropine mesylate122
Benzydamine hydrochloride
Benzylpenicillin sodium (penicillin
G) 86
Beta Adrenoceptor Blockers
Beta Cream
Beta Ointment62
Beta Scalp67
Beta-Adrenoceptor Agonists154
Betadine65
Betadine Skin Prep65
Betaferon129
Betagan159
Betahistine dihydrochloride
Betaloc53
Betaloc CR53
Betamethasone dipropionate62
Betamethasone sodium
phosphate with
betamethasone acetate76
Betamethasone valerate62, 67
Betamethasone valerate with
clioquinol63
Betamethasone valerate with
fusidic acid
Betaxolol hydrochloride159
Betnovate
Betnovate-C
Betoptic
Betoptic S
Bezafibrate45 Bezalip Retard45
Bicalox
Bicalutamide146 Bicillin LA86
BiCNU
Bimatoprost
Biodone110
Biodone Extra Forte110
Biodone Forte
Bisacodyl
BK Lotion
Blenoxane140



Bleomycin sulphate140
Bleph 10158
Blood glucose diagnostic test
meter
Blood glucose diagnostic test
strip
Bonjela
Bosentan
Breath-Alert157
Brevinor 1/21
Brevinor 1/28
Brevinor 21
Bricanyl Turbuhaler
Brimonidine tartrate
Brimonidine tartrate with timolol
maleate
Brinzolamide
Brolene158
Bromocriptine mesylate121
Brufen100
Brufen Retard100
Buccastem121
Budesonide
Alimentary25
Respiratory152, 156
Budesonide with
eformoterol154
Bumetanide55
Bupivacaine hydrochloride109
Buprenorphine
hydrochloride110
Bupropion hydrochloride57
Burinex
Buscopan27
Buserelin acetate81
Buspirone hydrochloride
Busulphan136
Butacort Aqueous156
1
- C -
Cabergoline82
Cafergot119
Cal-d-Forte37
Calamine61
Calci-Tab 50038
Calai Tab 600 00

aminoacetic acid ......25

Calcium carbonate with

Calcium Channel Blockers54	
Calcium Disodium Versenate	
Calcium folinate137	
Calcium Folinate Ebewe137	
Calcium gluconate	
Calcium Homeostasis106	
Calcium polystyrene	
sulphonate	
Calcium Resonium44	
Calogen171	
Calsource	
Camptosar139	
Candesartan50	
Canesten	
Capadex110	
Capecitabine	
Capoten	
Capsaicin69	
Captopril49	
Carafate	
Carbamazepine115	
Carbimazole80 Carboplatin136	
Carboplatin136	
Carboplatin Ebewe136	
Carbosorb-X	
Cardinol53	
Cardinol LA53	
Cardizem CD54	
CareSens32	
CareSens II31	
CareSens POP31	
Carmustine136	
Carvedilol52	
Catapres55	
Catapres-TTS-155	
Catapres-TTS-255	
Catapres-TTS-355	
CeeNU136	
Cefaclor monohydrate84	
Cefalexin Sandoz84	
Cefazolin sodium84	
Cefoxitin sodium84	
Ceftriaxone sodium84	
Cefuroxime axetil84	
Cefuroxime sodium84	
Celestone Chronodose76	
Celiprolol	
Cellcept147	
Celol	
Cephalexin monohydrate84	
Cerezyme 35	
Cerezyme	
Cetirizine hydrochloride151	
Comence nyaroonionace	

Cetomacrogol64
Charcoal
Chemotherapeutic Agents136
Chlorambucil
Chloramphenicol158
Chiloramphenicol
Chlorhexidine gluconate
Alimentary
Dermatological63
Chloroform167
Chloromycetin158
Chlorothiazide
Chlorpheniramine maleate151
Chlorpromazine
hydrochloride
Chlorsig158
Chlorthalidone56
Chlorvescent45
Cholecalciferol37
Cholestyramine with
aspartame45
Choline salicylate with
cetalkonium chloride
Ciclopiroxolamine60
Cilazapril
Cilazapril with
hydrochlorothiazide
Cilicaine87
Cilicaine VK87
Ciloxan158
Cimetidine27
Ciprofloxacin
Infection
Sensory158
Cisplatin
Cispidin
Cisplatin Ebewe
Citalopram hydrobromide113
Cladribine
Clarithromycin
Alimentary27
Infection
Clexane
Climara 100
Climara 50
Clindamycin
Clinistix
Clinitest
Clinoril
Clobazam115
Clobetasol propionate62, 67
Clobetasone butyrate62
Clomazol
Dermatological60
Genito-Urinary


	INDEX
<b>Generic Chemicals and</b>	Brands

Clomiphene citrate
Clonazepam114–115
Clonidine
Clonidine hydrochloride
Cardiovascular
Nervous119
Clopidogrel41
Clopine
Clopixol
Clopress
Clotrimazole
Dermatological60
Genito-Urinary
Clozapine
Clozaril
Co-Renitec50
Co-trimoxazole
Coal tar66
Coal tar with allantoin, menthol,
phenol and sulphur66
Coal tar with salicylic acid and
sulphur66
Coco-Scalp66
Codalgin112
Codeine phosphate
Extemporaneous167
Nervous110
Cogentin122
Colaspase (L-asparaginase)
Colchicine108
Colestid45
Colestipol hydrochloride45
Colgout108
Colifoam26
Colistin sulphomethate
Colistin-Link
Collodion flexible167
Colofac27
Coloxyl
Combigan160
Combivent155
Combivir95
Compound electrolytes44
Compound
hydroxybenzoate 167
Comtan121
Concerta134
Condoms70
Condyline
Contraceptives - Hormonal71
Contraceptives -
Non-hormonal70

Copaxone129
Copper
Corangin56
Cordarone-X51
Corticosteroids and Related
Agents for Systemic Use
Corticosteroids Topical
Cosmegen140
Cosopt
Cotazym ECS
Coumadin43
Coversyl
Cozaar
Creon 10000
Crixivan
Cromolux159
Crotamiton61
Crystacide60
Curam86
Cyclizine hydrochloride120
Cyclizine lactate120
Cycloblastin136
Cyclogyl161
Cyclopentolate
hydrochloride 161
Cyclophosphamide136
Cyclosporin149
Cyklokapron41
Cyproheptadine
hydrochloride151
Cyproterone acetate
Cyproterone acetate with
ethinyloestradiol
Cystic Fibrosis
Cytarabine
Cytotec
Cytoxan
- D -
D-Penamine101
D-Zol83
d4T95
Dacarbazine140
Daclin101
Dactinomycin (actinomycin
D) 140
Daivonex
Daktarin
Alimentary
Dermatological61
Dalacin C
Danazol83

Dantrium ......108

Dantrolene sodium108
Daonil30
Dapsone89
Dasatinib144
Daunorubicin140
DBL Bleomycin Sulfate140
DDI94
De-Worm84
Deca-Durabolin Orgaject76
Delact
Depo-Medrol
Depo-Medrol with lidocaine
Depo-ivieuror with ildocaine
Depo-Provera
Depo-Testosterone77
Deprim
Derbac-M65
Dermol62, 67
Desferrioxamine mesylate
Desmopressin82
Desmopressin-PH&T82
Detection of Substances in
Urine
Dexamethasone
Hormone
Sensory159
Dexamethasone sodium phosphate76
pnospnate
Dexamethasone with framycetin
and gramicidin 158
Dexamethasone with neomycin
and polymyxin b sulphate159
Dexamphetamine sulphate
Dextrochlorpheniramine
maleate 151
Dextropropoxyphene with
paracetamol 110
Dextrose
Dextrose with electrolytes45
DHC Continus
Diabetes
Diabetes Management
Diabetes Management
Diabur 500031
Diamox159
Diaphragm70
Diasip173
Diason RTH173
Diastix
Diastop25
Diazepam114, 128
Dibenyline
Diclax SR100
Diclofenac sodium
Musculoskeletal System



Sensory159
Diclohexal100
Didanosine [DDI]94
Difflam
Diflucortolone valerate
Diluconolorie valerate
Digestives Including
Enzymes
Digoxin51
Dihydrocodeine tartrate110
Dilantin117
Dilantin Infatab117
Dilatrend
Diltiazem hydrochloride
Dilzem
Dimetriose83
Dipentum26
Diphemanil methylsulphate64
Diphenoxylate hydrochloride with
atropine sulphate25
Diprosone
Diprosone OV62
Dipyridamole
Disinfecting and Cleansing
Agente Clearising
Agents
Disipal122
Disopyramide phosphate51
Disulfiram132
Dithranol67
Diuretics55
Diurin 4055
Diurin 500
Dixarit
DM Ject
Docetaxel
Docetaxel Ebewe140
Docusate sodium34
Docusate sodium with
sennosides34
Domperidone120
Dopergin121
Dopress112
Dornase alfa
Dorzolamide hydrochloride
Dorzolarnide hydrochlonde
Dorzolamide hydrochloride with
timolol maleate160
Dostinex82
Dothiepin hydrochloride112
Doxazosin mesylate49
Doxepin hydrochloride112
Doxine
Doxorubicin141
Doxorubicin Ebewe
Doxy-5087

Doxycycline hydrochloride	87
DP Lotion	65
DP Lotn HC	62
DP-Anastrozole	146
Dr Reddy's Omeprazole	28
Dr Reddy's Pantoprazole	28
Dr Reddy's Risperidone	
Dulcolax	
Duocal Super Soluble	
Powder	171
Duolin	155
Duphalac	34
Duphaston	79
Durex Confidence	70
Durex Extra Safe	70
Durex Select Flavours	70
Duride	56
Durogesic	110
Dusting Powders	64
Dydrogesterone	79
Dynacirc-SRO	54

#### - E -

E-Mycin	
Ear Preparations	158
Ear/Eye Preparations	
Easiphen	
Easiphen Liquid	
Econazole nitrate	60
Efavirenz	94
Efexor XR	
Eformoterol fumarate	
Efudix	
Egopsoryl TA	
Elemental 028 Extra	
Eligard	82
Elocon	
Eloxatin	
Eltroxin	80
Emend Tri-Pack	119
EMLA	
Emtricitabine	94
Emtriva	
Emulsifying ointment	64
Enalapril	
Enalapril with	
hydrochlorothiazide	50
Enbrel	
Endocrine Therapy	
Endoxan	
Enerlyte	44
Enfuvirtide	95
Enoxaparin sodium	42
Ensure	

Ensure Plus18	^
Ensure Plus RTH179	
Entacapone12	1
Entecavir9	
Entocort CIR	
Enuclene16	
Enzymes108	8
Epilim11	
Epilim Orushahla 11	7
Epilim Crushable11	
Epilim IV11	7
Epilim S/F Liquid11	7
Epilim Syrup11	7
Epirubicin	4
Epirubicin Ebewe14	1
Eprex4	0
ERA8	
Ergometrine maleate	
5	4
Ergotamine tartrate with	
caffeine11	9
Erythrocin IV8	
Erythromycin ethyl succinate8	5
Erythromycin lactobionate8	
Erythromycin stearate8	6
Erythropoietin alpha4	0
Erythropoietin beta	
	0
Estraderm TTS 1007	8
Estraderm TTS 2578	8
Estraderm TTS 5078	8
Estrofem	
Etanercept10	5
Ethambutol hydrochloride89	9
Ethics Aspirin109	9
Ethics Aspirin EC4	1
Ethics Ibuprofen10	
	0
Ethinyloestradiol79	9
Ethinyloestradiol with	
desogestrel	1
Ethinyloestradiol with	
	4
gestodene	1
Ethinyloestradiol with	
levonorgestrel	2
Ethinyloestradiol with	
norethisterone	n
Ethosuximide11	
Etidronate disodium108	8
Etopophos14	2
Etoposide14	1
Eloposide	
Etoposide phosphate14	
Eumovate6	2
Eurax6	1
Exemestane14	
Extemporaneously Compounded	5
Preparations and	

Galenicals	. 167
Eye Preparations	.158
Ezetimibe	
Ezetimibe with simvastatin	
Ezetrol	
Famotidine	27
Famox	
Felo 10 ER	
Felo 5 ER	
Felodipine	
Femara	
Femodene 28	
Femtran 100	
Femtran 50	
Fenpaed	
Fentanyl	110
Fentanyl citrate	110
Ferodan	
Ferro-F-Tabs	
Ferro-Gradumet	
Ferro-tab	
Ferrograd-Folic	
Ferrous fumarate	
Ferrous furnarate with folic	
acid	20
Ferrous gluconate with ascorbic	30
i enous giuconale willi ascorbic	
acid	38
acid	
Ferrous sulphate	
Ferrous sulphate Ferrous sulphate with folic	39
Ferrous sulphate Ferrous sulphate with folic acid	39 39
Ferrous sulphate Ferrous sulphate with folic acid Ferrum H	39 39 39
Ferrous sulphate Ferrous sulphate with folic acid Ferrum H Fexofenadine hydrochloride	39 39 39 152
Ferrous sulphate Ferrous sulphate with folic acid Ferrum H Fexofenadine hydrochloride Fibalip	39 39 39 152 45
Ferrous sulphate Ferrous sulphate with folic acid Ferrum H Fexofenadine hydrochloride Fibalip Fibersource HN	39 39 39 152 45 179
Ferrous sulphate Ferrous sulphate with folic acid Ferrum H Fexofenadine hydrochloride Fibalip Fibersource HN Fibersource HN RTH	39 39 152 45 179 179
Ferrous sulphate Ferrous sulphate with folic acid Ferrum H Fexofenadine hydrochloride Fibalip Fibersource HN Fibersource HN RTH Fibro-vein	39 39 39 45 45 179 41
Ferrous sulphate Ferrous sulphate with folic acid Ferrum H Fexofenadine hydrochloride Fibalip Fibersource HN Fibersource HN RTH Fibro-vein Finasteride	39 39 152 45 179 179 41 74
Ferrous sulphate Ferrous sulphate with folic acid Ferrum H Fexofenadine hydrochloride Fibalip Fibersource HN Fibersource HN RTH Fibro-vein Finasteride Fine Ject	39 39 45 179 179 179 41 74 32
Ferrous sulphate Ferrous sulphate with folic acid Ferrum H Fexofenadine hydrochloride Fibalip Fibersource HN Fibersource HN RTH Fibro-vein Finasteride Fina Ject Fintral	39 39 152 45 179 41 74 74 74 74
Ferrous sulphate Ferrous sulphate with folic acid Ferrum H Fexofenadine hydrochloride Fibalip Fibersource HN Fibersource HN RTH Fibro-vein Finasteride Finasteride Fintral Flagyl	39 39 152 45 179 41 74 74 74 74 89
Ferrous sulphate Ferrous sulphate with folic acid Ferrum H Fexofenadine hydrochloride Fibalip Fibersource HN Fibersource HN RTH Fibro-vein Finasteride Finasteride Finagyl Flagyl	39 39 152 45 179 74 74 74 74 74 74 74 74 74 74 74 74 74 74 
Ferrous sulphate Ferrous sulphate with folic acid Ferrum H Fexofenadine hydrochloride Fibalip Fibersource HN Fibersource HN RTH Fibersource HN RTH Finasteride Finasteride Finateride	39 39 152 45 .179 74 74 74 74 89 89 60
Ferrous sulphate Ferrous sulphate with folic acid Ferrum H Fexofenadine hydrochloride Fibalip Fibersource HN Fibersource HN RTH Fibersource HN RTH Finasteride Finasteride Finasteride Finateride	39 39 .152 45 .179 .179 74 74 74 89 60 52
Ferrous sulphate Ferrous sulphate with folic acid Ferrum H Fexofenadine hydrochloride Fibalip Fibersource HN Fibersource HN RTH Fibro-vein Finasteride Finasteride Finagyl Flagyl Flagyl Flamazine Flecainide acetate Fleet	39 39 152 45 179 41 74 74 89 89 89 52 35
Ferrous sulphate Ferrous sulphate with folic acid Ferrum H Fexofenadine hydrochloride Fibalip Fibersource HN Fibersource HN RTH Fibro-vein Finasteride Finasteride Finasteride Finasteride Finasteride Finasteride Filagyl Flagyl Flagyl Flamazine Flecainide acetate Fleet Phosphate Enema	39 39 152 45 179 41 74 74 89 89 89 52 35
Ferrous sulphate Ferrous sulphate with folic acid Ferrum H Fexofenadine hydrochloride Fibalip Fibersource HN RTH Fibersource HN RTH Finasteride Finasteride Finasteride Finasteride Finasteride Finasteride Filagyl Flagyl Flagyl Flagyl Fleat Fleet Phosphate Enema Flixonase Hayfever &	39 39 .152 45 .179 .179 74 74 74 74 89 60 52 35
Ferrous sulphate Ferrous sulphate with folic acid Ferrum H Fexofenadine hydrochloride Fibalip Fibersource HN RTH Fibersource HN RTH Fibro-vein Finasteride Finasteride Finasteride Finagyl Flagyl Flagyl Flagyl Flamazine Fleet Phosphate Enema Flixonase Hayfever & Allergy	39 39 39 152 45 179 41 74 74 74 74 89 89 89 80 52 35 35
Ferrous sulphate Ferrous sulphate with folic acid Ferrum H Fexofenadine hydrochloride Fibalip Fibersource HN RTH Fibersource HN RTH Fibro-vein Finasteride Finasteride Finasteride Finagyl Flagyl Flagyl Flagyl Flagyl Fleet Fleet Fleet Fleet Fleet Fleet Fleet Fleet Fleret Flixonase Hayfever & Allergy Flixotide	39 39 152 45 179 45 74 74 89 60 52 35 35 156 152
Ferrous sulphate Ferrous sulphate with folic acid Ferrum H Fexofenadine hydrochloride Fibalip Fibersource HN RTH Fibersource HN RTH Fibro-vein Finasteride Finasteride Finasteride Finagyl Flagyl Flagyl Flagyl Flamazine Fleet Phosphate Enema Flixonase Hayfever & Allergy	39 39 152 45 179 41 74 74 89 60 52 35 35 35 35
Ferrous sulphate Ferrous sulphate with folic acid Ferrum H Fexofenadine hydrochloride Fibalip Fibersource HN Fibersource HN RTH Fibro-vein Finasteride Finasteride Finagyl Flagyl Flagyl Flagyl Flagyl Flamazine Fleet Fleet Phosphate Enema Flixonase Hayfever & Allergy Flixotide Accuhaler Florinef	39 39 52 45 79 74 74 74 74 74 74 
Ferrous sulphate Ferrous sulphate with folic acid Ferrum H Fexofenadine hydrochloride Fibalip Fibersource HN RTH Fibersource HN RTH Fibro-vein Finasteride Finasteride Finasteride Finateride Finateride Flagyl Flagyl Flagyl Flagyl.S Flamazine Fleet Fleet Phosphate Enema Flixonase Hayfever & Allergy Flixotide Flixotide Accuhaler	39 39 152 45 179 179 41 74 32 35 35 35 35 35 76 72

Flucloxin
cinchocaine
Fluorometholone159
Fluorouracil Ebewe138
Fluorouracil sodium
Dermatological69
Oncology138
Fluox113
Fluoxetine hydrochloride113
Flupenthixol decanoate
Fluphenazine decanoate126 Flutamide
Flutamin146
Fluticasone
Fluticasone propionate
Fluticasone with salmeterol
Fluvax
FML159
Foban59
Folic acid40
Food Thickeners181
Foods And Supplements For
Inborn Errors Of Metabolism -
Other
Inborn Errors Of Metabolism -
PKU
Foradil
Foremount Child's Silicone
Mask 156
Fortimel Regular174
Fortisip180
Fortisip Multi Fibre180
Fosamax107, 108
Fosamax Plus107
Framycetin sulphate
FreeStyle Lite31, 32 Frisium115
Frisium
Fucicort
Fucidin
Fucithalmic158
Fungilin
Furosemide55

	INDEX
<b>Generic Chemicals and</b>	Brands

Fusidic acid	
Dermatological	59
Infection	88
Sensory1	
Fuzeon	95
- G -	
Gabapentin1	15
Gabapentin (Neurontin)1	10
	10
Gamma benzene	~-
hexachloride	
Gastrosoothe	
Gaviscon	25
Gaviscon Double Strength	
Gaviscon Infant	
Gemcitabine Ebewe1	38
Gemcitabine hydrochloride1	38
Gemzar1	38
Generaid Plus1	75
Genoptic1	
Genotropin	81
Genox1	
GenRx Moclobemide1	
Gentamicin sulphate	10
Infection	88
Sensory1	
Gestrinone	
Ginet 84	
Glatiramer acetate1	
Glibenclamide	
Gliclazide	
Glipizide	
Glivec1	
Glucagen Hypokit	
Glucagon hydrochloride	
Glucerna Select1	73
Glucerna Select RTH1	
Glucobay	29
Glucose oxidase	31
Gluten Free Foods1	81
Glycerol	
Alimentary	34
Extemporaneous1	
Glycerol with paraffin and cetyl	0,
alcohol	64
Glyceryl trinitrate	56
Gold Knight	70
Goldshield	
Gopten	
Goserelin acetate	
Gutron	52
Gynaecological	-
Anti-infectives	
Gynol II	70

- H -	
Habitrol56,	57
Haldol1	
Haldol Concentrate1	26
Haloperidol1	
Haloperidol decanoate1	26
Hamilton Sunscreen	.68
Healtheries Iron with Vitamin	
С	38
Healtheries Multi-vitamin	
tablets	38
Healtheries Simple Baking	
Mix 1	82
Hemastix	.75
Heparin sodium	.43
Heparinised saline	.43
Hepsera	.90
Herceptin1	
Hexamine hippurate	.98
Hiprex	
Histafen1	
Holoxan1	
Homatropine hydrobromide1	61
Horleys Bread Mix1	82
Horleys Flour1	
Hormone Replacement Therapy -	
Systemic	77
Humalog	.29
Humalog Mix 25	.29
Humalog Mix 50	.29
Humira1	
HumiraPen1	
Humulin 30/70	.28
Humulin NPH	
Humulin R	
Hyalase1	80
Hyaluronidase1	80
Hybloc	.53
Hydralazine	
Hydrea1	42
Hydrocortisone	
Dermatological	
Hormone	
Hydrocortisone acetate	.26
Hydrocortisone butyrate62, Hydrocortisone butyrate with	67
Hydrocortisone butyrate with	
chlorquinaldol	63
Hydrocortisone with	
miconazole	63
Hydrocortisone with natamycin	
and neomycin	63
Hydrocortisone with wool fat and	

mineral oil62	
Hydroderm Lotion65	
Hydrogen peroxide	
Alimentary	
Dermatological60, 69	
Hydroxocobalamin	
Hydroxychloroquine sulphate89	
Hydroxyurea142	
Hygroton	
Hyoscine (scopolamine)120	
Hyoscine hydrobromide120	
Hyoscine N-butylbromide27	
Hypam130	
Hypani	
Hyperuricaemia and Antigout	
Antigout 108	
Hypnovel130	
Hypromellose161	
Hysite	
Hytrin Starter Pack49	
Hyzaar51	
-1-	
Ibiamox86	
Ibuprofen100	
Idarubicin hydrochloride142	
Ifosfamide	
lloprost58	
Imatinib mesylate145	
Imiglucerase	
Imigran119	
Imipramine hydrochloride112	
Imiquimod68	
Immune Modulators96	
Immunosuppressants147	
Imuran147	
Indapamide56	
Indinavir95	
Indomethacin101	
Infant Formulae185	
Influenza vaccine99	
Influvac	
Inhaled Anticholineraic	
agents 154	
Inhaled Corticosteroids152	
Inhaled Long-acting	
Beta-adrenoceptor	
Agonists 153	
Inhibace	
Inhibace Plus50	
Innovacon hCG One Step	
Pregnancy Test74	
Insulin aspart29	
Insulin glargine29	

Insulin isophane	28
Insulin isophane with insulin	
neutral	28
Insulin lispro	
Insulin lispro with insulin lispro	
protamine	29
Insulin neutral	28
Insulin pen needles	32
Insulin syringes, disposable with	
attached needle	
Intal Spincaps	
Interferon alpha-2a	97
Interferon alpha-2a with	
ribavirin	97
Interferon alpha-2b	97
Interferon beta-1-alpha	
Interferon beta-1-beta	
Intra-uterine device	
Intron-A	
Ipecacuanha	39
Ipratropium bromide154, Ipratropium Steri-Neb	156
Ipratropium Steri-Neb	154
Irinotecan	139
Iron Overload	
Iron polymaltose Isentress	
Ismo 20	
Isogel	
Isoniazid	
Isoprenaline hydrochloride	
Isoptin	
Isopto Carpine	
Isopto Homatropine	
Isosorbide mononitrate	
Isosource 1.5	.179
Isosource HN	
Isosource HN RTH	.179
Isosource Standard	.179
Isosource Standard RTH	
Isotretinoin	
Isradipine	54
Isuprel	
Itch-Soothe	
Itraconazole	88
- J -	
Janola	63
Jevity RTH	179
- K -	
Kaletra	95
Karicare Food Thickener	.181
Karicare Goats Milk Infant	
Formula	186

Karicare Soy All Ages Kemadrin Kenacomb Kenacort-A Keppra Ketoconazole	122 158 77 77
Dermatological	61.67
Infection	
Ketone blood beta-ketone	
electrodes	31
Ketoprofen	
Ketostix	
Ketovite	
Ketovite Liquid	
Kindergen	
Kivexa	
Klacid	
Klamycin	
Alimentary	27
Infection	
Kliogest	
Kliovance	
Konakion MM	
Konsyl-D	
NUIISYI-D	

- L -

-	
LA-Morph	111
Labetalol	
Lacri-Lube	162
Lactulose	34
Lamictal	117
Lamivudine	91,95
Lamotrigine	
Lanoxin	
Lanoxin PG	
Lansoprazole	
Lantus	
Lantus SoloStar	
Lanvis	
Largactil	
Lasix	
Latanoprost	
Lax-Tabs	
Laxatives	
Laxofast 120	
Laxofast 50	
Laxsol	
Leflunomide	
Lemnis Fatty Cream HC	
Letara	
Letrozole	
Leukeran FC	
Leunase	

Leuprorelin	82
Leustatin1	38
Levetiracetam1	
Levlen ED	
Levobunolol1	
Levocabastine1	
Levodopa with benserazide1	04
Levodopa with perhidere	21
Levodopa with carbidopa1	21
Levonorgestrel	
Genito-Urinary	
Hormone	
Levothyroxine	80
Lifestyles Flared	70
Lignocaine hydrochloride1	09
Lignocaine with	
chlorhexidine1	09
Lignocaine with prilocaine1	
Lipid Modifying Agents	
Lipitor	
Liquigen1	
Lisinopril	
Lisuida huduanan malanta d	00
Lisuride hydrogen maleate1	21
Litak1	
Lithicarb1	
Lithium carbonate1	
Livostin1	
Locasol1	85
Loceryl	
Locoid	67
Locoid C	63
Locoid Crelo	62
Locoid Lipocream	62
Locorten-Vioform1	
Lodoxamide trometamol1	59
Loette	
Logem1	
Lomide1	
Lomustine1	
Loperamide hydrochloride	00
Lophlex LQ1	84
Lopinavir with ritonavir	95
Lopresor	53
Lopressor	
Loprofin1	84
Loprofin Mix1	84
Loraclear Hayfever Relief1	52
Lorapaed	52
Loratadine1	52
Lorazepam1	28
Lormetazepam1	30
Losartan	51
Losec Hp7 OAC	27
Lovir	
LOVII	52

			INDEX
Generic	Chemicals	and	Brands

Loxamine	113
Lucrin Depot	82
Lucrin Depot PDS	82
Ludiomil	112
Lumigan	160
Lycinate	56
Lyderm	65

#### - M -

m-Enalapril	49
m-Eslon	
m-Mometasone	63
Mabthera	
Macrogol 3350	34
Madopar 125	121
Madopar 250	
Madopar 62.5	121
Madopar Dispersible	121
Madopar HBS	
Magnesium hydroxide	167
Magnesium sulphate	
Alimentary	39
Dermatological	69
Malathion	
Maprotiline hydrochloride	112
Marcain Heavy	109
Marcain Isobaric	109
Marevan	
Marine Blue Lotion SPF 30+	
Marquis Black	70
Marquis Conforma	70
Marquis Protecta	70
Marquis Selecta	70
Marquis Sensolite	70
Marquis Supalite	
Marquis Titillata	
MarguisTantiliza	
Marvelon 21	71
Marvelon 28	71
Mask for spacer device	156
Mast cell stabilisers	155
Maxalt Melt	
Maxidex	159
Maxitrol	159
MCT oil (Nutricia)	171
MDS Quick Card	74
Mebendazole	84
Mebeverine hydrochloride	27
Medrol	76
Medroxyprogesterone acetate	
Genito-Urinary	73
Hormone78	, 80
Mefenamic acid	101



Megace146
Megestrol acetate146
Melphalan136
Menthol61
Mercaptopurine139
Mercilon 2171
Mercilon 2871
Mesalazine
Mesna
Mestinon100
Metabolic Disorder Agents
Metabolic Disorder Agents
Metamide
Metamucil
Metformin hydrochloride
Methadone hydrochloride Extemporaneous167
Nervous110
Methatabs
Methoblastin
Methopt161
Methotrexate139
Methotrexate Ebewe139
Methotrimeprazine123
Methyl hydroxybenzoate167
Methylcellulose167
Methyldopa55
Methylergometrine74
Methylphenidate
hydrochloride132
Methylphenidate hydrochloride
extended-release
Methylprednisolone76
Methylprednisolone
aceponate
Methylprednisolone acetate
Methylprednisolone acetate with
lignocaine
Methylprednisolone sodium
succinate
Methylxanthines155
Metoclopramide
hydrochloride
Metoclopramide hydrochloride
with paracetamol 119
Metopirone
Metoprolol - AFT CR53
Metoprolol succinate
Metoprolol tartrate53
Metronidazole
Metyrapone83
Mexiletine hydrochloride52
Mexitil

Miacalcic108
Mianserin hydrochloride112
Micanol
Micelle E
Miconazole
Miconazole nitrate
Dermatological
Genito-Urinary74
Genilo-Onnary
Micreme74
Micreme H63
Microgynon 20 ED72
Microgynon 3072
Microgynon 30 ED72
Microgynon 50 ED72
Microlax
Microlut73
Midazolam130
Midodrine52
Minaphlex184
Minerals
Minidiab
Minirin
Mino-tabs
Minocycline hydrochloride87
Minocycline nydrochionde
Minomycin
Minor Skin Infections65
Mirena79
Mirtazapine114
Misoprostol27
Mitomycin C142
Mitomycin-C142
Mitozantrone142
Mitozantrone Ebewe142
Mixtard 30
Moclobemide113
Modecate
Moducal
Mogine
Mometasone furoate63
Monofeme
Monogen
Morphine hydrochloride111
Morphine sulphate111
Morphine tartrate111
Morrex Maltodextrin170
Motilium120
Mouth and Throat35
Movicol
MSUD Maxamaid183
MSUD Maxamum183
Mucilaginous laxatives
Mucilaginous laxatives with
stimulants

Mucilax
Multiload Cu 37570
Multiload Cu 375 SL70
Multiparin43
Multiple Sclerosis
Treatments 128
Multivitamins
Mupirocin60
Muscle Relaxants108
Myambutol
Mycobutin
Mycophenolate mofetil147
Mycostatin61
Mydriacyl161
Mylan53
Mylanta P25
Myleran136
Mvocrisin
Myometrial and Vaginal Hormone
Preparations
- N -
Nadolol
Nalcrom
Naloxone hydrochloride135
Naltrexone hydrochloride
Nandrolone decanoate
Napamide
Naphazoline hydrochloride
Naphcon Forte161
Naprosyn SR 1000101
Naprosyn SR 750101
Naproxen
Naproxen sodium101
Nardil
Nasal Preparations156
Natulan
Nausicalm120
Navelbine143
Navoban121
Nedocromil155
Nefopam hydrochloride109
Nefopam hydrochloride109 Neo-B1236
Neo-Mercazole80
Neo-Naclex55
Neocate186
Neocate Advance186
Neocate LCP
Neoral
NeoRecormon40
Neostigmine100
Neotigason66
Nepro (vanilla)176

Nerisone ......62


			INDEX
Generic	Chemicals	and	Brands

Neulactil124
Neurontin116
Nevirapine94
Nicotine
Nicotinell
Nicotinic acid45
Nifedipine54
Nifuran
Nilstat
Alimentary
Genito-Urinary74
Infection
Nipent142
Nitrados
Nitrates
Nitrazepam130
Nitroderm TTS
Nitrofurantoin
Nitrolingual Pumpspray
Nizoral
Dermatological61
Infection
Noctamid130
Nodia
Noflam 250
Noflam 500
Nonoxynol-9
Nordette 28
Norditropin SimpleXx 10mg81
Norditropin SimpleXx 15mg81
Norditropin SimpleXx 5mg81
Norethisterone
Genito-Urinary73
Hormone80
Norethisterone with
mestranol72
Norflex108
Norfloxacin98
Noriday 2873
Norimin72
Norinyl-1/2872
Normacol34
Normacol Plus34
Normison130
Norpress113
Nortriptyline hydrochloride113
Norvir95
Noten52
NovaSource Renal176
NovoFine
NovoRapid29
NovoRapid Penfill
Nozinan

Nuelin155
Nuelin-SR155
Nupentin115
Nutraplus64 Nutrient Modules170
Nutrini Energy RTH175
Nutrini RTH
NutriniDrink176
NutriniDrink Multifibre176
Nutrison Concentrated176
Nutrison Energy Multi Fibre179
Nutrison Multi Fibre179
Nutrison Standard RTH179
Nyefax Retard54
Nystatin
Alimentary36
Dermatological61
Genito-Urinary74
Infection
NZB Low Gluten Bread Mix182
- 0 -
Octreotide (somatostatin
analogue) 146
Oestradiol
Oestradiol valerate
Oestradiol with norethisterone79
Oestriol
Genito-Urinary74
Hormone79
Oestrogens78
Oestrogens with
medroxyprogesterone79
Oil in water emulsion64
Oily cream64
Olanzapine123, 126
Olbetam45
Olsalazine26
Omeprazole28
Omeprazole, amoxycillin and
clarithromycin27
On Call Advanced31, 32
Ondansetron120
One-Alpha
Onkotrone142
Optium 5 second test32
Optium Blood Ketone Test
Strips
Optium Xceed
Orabase
Oracort
Oral Supplements172
Oral Supplements/Complete Diet
Ulai Supplements/Complete Diel

#### (Nasogastric/Gastrostomy Tube Feed)

Tube Feed)	173
Oratane	
Orgran	182
Ornidazole	
Orphenadrine citrate	
Orphenadrine hydrochloride	
Ortho	
Ortho All-flex	
Ortho Coil	
Ortho-tolidine	
Oruvail 100	100
Oruvail 200	
Osmolite RTH	170
Ospamox	
Ospamox Paediatric Drops	88
Other CNS Agents	
Other Endocrine Agents	130
	02
Other Oestrogen Preparations	70
	79
Other Progestogen	70
Preparations	/9
Other Skin Preparations	69
Ovestin	
Genito-Urinary	
Hormone	
Ox-Pam	
Oxaliplatin	136
Oxaliplatin Ebewe	136
Oxazepam	128
Oxis Turbuhaler	153
Oxybutynin	
Oxycodone hydrochloride	111
OxyContin	
OxyNorm	111
Oxypentifylline	57
Oxytocin	74
- P -	
Pacifen	108
Pacific Buspirone	
Paclitaxel	
Paclitaxel Ebewe	142
Paediatric Seravit	
Pamidronate disodium	108
Pamisol	108
Panadol	100
Pancreatic enzyme	
Pancrex V	
Pancrex V Forte	
Panteston	
Pantocid IV	
Pantoprazole	
· unoprazoro	



Panzytrat
Papaverine hydrochloride57
Paracare
Paracare Double Strength109
Paracare Junior
Paracetamol
Paracetamol with codeine112
ParaCode
Paradex
Paraffin65
Paraffin liquid with soft white
paraffin 162
Paraffin liquid with wool fat
liquid
Paraldehyde115
Paramax
Parasiticidal Preparations65
Parnate113
Paroxetine hydrochloride113
Paxam
Peak flow meter
Pedialyte - Bubblegum45
Pedialyte - Bubblegum45
Pedialyte - Fruit45
Pedialyte - Plain45
Pediasure176
Pediasure RTH176
Pegasys97
Pegasys97 Pegasys RBV Combination
Pegasys97 Pegasys RBV Combination
Pegasys97 Pegasys RBV Combination Pack97
Pegasys97 Pegasys RBV Combination Pack97 Pegylated interferon alpha-2a97
Pegasys97 Pegasys RBV Combination Pack97 Pegylated interferon alpha-2a97 Penicillamine101
Pegasys97 Pegasys RBV Combination Pack97 Pegylated interferon alpha-2a97 Penicillamine101 PenMix 30
Pegasys
Pegasys
Pegasys
Pegasys
Pegasys
Pegasys
Pegasys
Pegasys
Pegasys
Pegasys
Pegasys
Pegasys
Pegasys
Pegasys
Pegasys
Pegasys
Pegasys
Pegasys
Pegasys
Pegasys
Pegasys


Phenate82
Phenelzine sulphate113
Phenergan
Phenobarbitone117
Phenobarbitone sodium168
Phenoxybenzamine
hydrochloride
Phenoxymethylpenicillin
(Penicillin V)87
Phentolamine mesylate
Phenylephrine
hydrochloride
Phenylephrine hydrochloride with
zinc sulphate
Phenytoin sodium115, 117
Phlexy 10
Phosphate-Sandoz45
Phytomenadione41
Pilocarpine
Pimafucort63
Pindol
Pindolol
Pinetarsol
Pioglitazone
Piportil
Pipothiazine palmitate
Piram-D101
Piroxicam101
Pizaccord
Pizotifen119
PKU Anamix Infant
PKU Lophlex LQ
Plaquenil
Plavix41
Plendil ER54
Podophyllotoxin
Polaramine151
Polaramine Colour-Free
Repetab 151
Poloxamer
Poly-Tears161
Poly-Visc162
Polycal170
Polytar Emollient
Polyvinyl alcohol
Ponstan101
Postinor-173
Potassium bicarbonate45
Potassium chloride
Povidone iodine
Prantal64
Pravachol46
Pravastatin46

Prazosin hydrochloride	.49
Pred Forte	
Pred Mild	
Prednisolone acetate	159
Prednisolone sodium	
phosphate	. 76
Prednisone	77
Prefrin	
Pregnancy Tests - hCG Urine	74
Pregnancy tests - HCG urine	74
Premarin	78
Premia 2.5 Continuous	
Premia 5 Continuous	
Priadel	
Primidone	
Primolut N	
Probenecid	108
Procaine penicillin	87
Procarbazine hydrochloride	1/2
Prochlorperazine	121
Procyclidine hydrochloride	
Prodopa	
Prograf	150
Progynova	
Promethazine hydrochloride	152
Promethazine theoclate	121
Promethazine Winthrop	
Elixir	152
Promod	172
Propafenone hydrochloride	52
Propamidine isethionate	
Propranolol	
Propylene glycol	
Protamine sulphate	
Protaphane	28
Protaphane Penfill	
Protifar	
Provera	
	·
PSO188-	191
Psoriasis and Eczema	
Preparations	66
Pulmicort Turbuhaler	152
Pulmocare	173
Pulmozyme	
Purinethol	
Pyrazinamide	89
Pyridostigmine bromide	100
Pyridoxine hydrochloride	36
Pytazen SR	.42
•	
- Q -	
Q 200	108
Q 300	108
Questran-Lite	45

Quetapel124 Quetiapine124
Quinapril50
Quinapril with
hydrochlorothiazide
Quinine sulphate108
QV64
- R -
RA-Morph111
Raltegravir potassium95
Ranbaxy Amoxicillin86
Ranbaxy-Cefaclor84
Ranitidine hydrochloride27
Rapamune149
Redipred76
Regitine49
Renilon 7.5176
Resonium-A45
Resource Diabetic173
Resource Plus180
Resource Thicken Up181
Respigen154
Respiratory Devices
Retrovir
ReVia
Reyataz95
Rheumacin SR101
Ridal
Ridaura101
Rifabutin
Rifadin
Rifampicin
Rifinah
Riodine65
Risperdal125
Risperdal Consta126
Risperdal Quicklet
Risperdal Quicklet
Risperon125
Ritalin
Ritalin LA134
Ritalin SR132
Ritonavir95
Rituximab148
Rivotril114, 115
Rizatriptan benzoate119
Rocaltrol solution
Roferon RBV Combination
Pack
Roferon RBV Combination Pack
Starter Kit97
Roferon-A97
Ropin122

Ropinirole hydrochloride122
Roxithromycin86
Rubifen
Rubifen SR132
Rythmodan51
Rytmonorm52
- S -
- 5 -
S26 Soy
Sabril
Salamol154
Salapin154
Salazopyrin26
Salazopyrin EN26
Salbutamol154
Salbutamol with ipratropium
bromide 155
Salicylic acid67
Salmeterol153
Sandomigran119
Sandostatin146
Sandostatin LAR146
Sandoz86
SC Profi-Fine32
Scalp Preparations67
Scopoderm TTS120
Sebizole67
Sedatives and Hypnotics130
Selegiline hydrochloride122
Senna
Senokot
SensoCard
Serenace123
Seretide154
Seretide Accuhaler154
Serevent153
Serevent Accuhaler153
Seroquel124
Sevredol
Sex Hormones Non
Contraceptive
Shield 49
Shield Blue
Shield XL
Sildenafil
Silvazine
Silver sulphadiazine60
Sinver supriadiazine
Simvastatin
Sindopa121
Sinemet121
Sinemet CR
Sirolimus149
Siroinnus149

Siterone77
Slow-Lopressor
Smoking Cessation56
Sodium acid phosphate35
Sodium alginate25
Sodium aurothiomalate101
Sodium bicarbonate
Blood44
Extemporaneous
Sodium calcium edetate
Sodium
carboxymethylcellulose
Sodium chloride44
Sodium citrate with sodium lauryl
sulphoacetate
Sodium citro-tartrate
Sodium cromoglycate
Alimentary
Respiratory155–156
Sensory
Sodium fluoride
Sodium hypochlorite63
Sodium nitroprusside31
Sodium polystyrene
sulphonate 45
Sodium tetradecyl sulphate41
Sodium valproate117
Sofradex158
Soframycin158
Solian122
Solifenacin succinate75
Solox27
Solu-Cortef76
Solu-Medrol76
Somatropin81
Sonaflam101
Sotacor53
Sotalol53
Space Chamber157
Spacer device157
Span-K45
Spiriva154
Spironolactone55
Spirotone55
Sporanox88
Sprycel144
Staphlex
Stavudine [d4T]95
Stelazine125
Stemetil
Stesolid114
Stocrin
Stomahesive



Strattera130
Sucralfate
Sulindac101
Sulphacetamide sodium158
Sulphasalazine
Sulphur67
Sumagran119
Sumatriptan119
Sunscreens68
Sunscreens, proprietary68
Suplena178
Suprefact81
Surgam101
Sustagen Hospital Formula
Sustanon Ampoules
Symbicort Turbuhaler 100/6154
Symplcort Turbunaler 100/6
Symbicort Turbuhaler 200/6154
Symbicort Turbuhaler
400/12
Symmetrel121
Sympathomimetics57
Synacthen77
Synacthen Depot77
Synermox
Synflex101
Synthroid80
Syntocinon74
Syntometrine74
Syrup (pharmaceutical
grade)
- T -
Tacrolimus150
Tambocor
Tambocor CR
Tamoxifen citrate147
Tamoxifen Sandoz147
Tap water168
Tar with cade oil67
Tar with triethanolamine lauryl
sulphate and fluorescein
Tasmar122
Taxotere140
Tegretol115
Tegretol CR115
Telfast
Temazepam130
Temgesic110
Temodal142
Temozolomide142
Teniposide143
Tenofovir disoproxil fumarate
Tenoxicam101

Terazosin hydrochloride49
Terbinafine
Terbutaline sulphate154
Testosterone
Testosterone cypionate77
Testosterone esters77
Testosterone undecanoate77
Tetrabenazine135
Tetrabromophenol75
Tetracosactrin77
Teva140
Thalidomide143
Thalidomide Pharmion143
Theophylline155
Thiamine hydrochloride
Thioguanine140
Thiotepa137
Thymol glycerin36
Thyroid and Antithyroid Agents
Agents 80
Tiaprofenic acid101
Tiberal89
Tilade155
Tilcotil101
Timolol maleate
Cardiovascular53
Sensory159
Timoptol XE159
Tiotropium bromide154
Titralac25
TMP88
Tobramycin
Infection
Sensory158
Tobrex158
Tofranil112
Tolcapone122
Tolvon112
Topamax118
Topiramate118
Total parenteral nutrition
(TPN)
TPN
Tracleer58
Trandate53
Trandolapril50
Tranexamic acid41
Tranylcypromine sulphate113
Trastuzumab149
Travatan160
Travoprost160
Trental 40057
Tretinoin143

Triamcinolone acetonide	
Alimentary	36
Dermatological	63
Hormone	
Triamcinolone acetonide with	
gramicidin, neomycin and nys	tatin
Dermatological	63
Sensory	158
Triazolam	130
Trichozole	89
Trifeme	72
Trifluoperazine	
hydrochloride	125
Trimeprazine tartrate	
Trimethoprim	88
Trimipramine maleate	
Tripress	
Trisequens	79
Trisul	
Trophic Hormones	80
Tropicamide	
Tropisetron	
Trusopt	
Two Cal HN	
Tyloxapol	161
- U -	
Ultraproct	
Ural	75
Urea	64
Urex Forte	55
Urinary Agents	74
Urinary Tract Infections	98
Uromitexan	
Ursodeoxycholic acid	33

#### - V -

Vaccines	99
Valaciclovir	92
Vallergan Forte	
Valoid (AFT)	
Valtrex	
Vancomycin hydrochloride	
Vannair	
Vasodilators	57
Vasopressin Agonists	
Vaxigrip	
Venlafaxine	
Ventavis	
Ventolin	
Vepesid	141
Verapamil hydrochloride	
Vergo 16	
Vermox	

Verpamil SR Vesanoid Vesicare Viaderm KC Viagra Vicrom Vicrom Videx EC Vigabatrin Vinbastine sulphate Vincristine br>Vistil Forte Vitabdeck Vitadol C Vital HN Vitamin A with vitamins D and	143 75 63 58 155 94 118 143 143 143 143 143 94 94 94 92 161 161 38 36 36 177
Vitamin A with vitamins D and	
С	
Vitamin B complex	
Vitamins	
Vivonex Pediatric	
Vivonex TEN	
Volibris	
Voltaren	
Voltaren D	100

Voltaren Ophtha159
Voltaren SR100
Volumatic157
Vosol158
Vumon143
Vytorin48
- W -
Warfarin sodium43
Wart Preparations68
Wasp venom allergy
treatment151
Water
Blood44
Extemporaneous168
Wholesale Supply Order191
Wool fat with mineral oil65
- X -
Xeloda137
Xenazine 25135
XMET Maxamum183

XMET Maxamum	.183
XP Analog LCP	.184
XP Maxamaid	.184
XP Maxamum	.184
Xylocaine	.109

### - Z -

Zantac27
Zarontin115
Zavedos142
Zeffix91

Zeldox	125
Zerit	95
Zetop	
Ziagen	
Zidovudine [AZT]	
	90
Zidovudine [AZT] with	05
lamivudine	
Zinacef	
Zinc	
Zinc and castor oil	
Zinc oxide	26
Zinc sulphate	39
Zincaps	39
Zincfrin	162
Zinnat	84
Ziprasidone	125
Zofran	
Zofran Zydis	
Zoladex	
Zopiclone	
Zostrix HP	
Zovirax	
Zuclopenthixol decanoate	
Zuclopenthixol	120
	105
hydrochloride	
Zyban	
Zyprexa	
Zyprexa Zydis	126

NOTES

# AUTHORITY TO SUBSTITUTE

### Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

### **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:
	to change a prescribed medicine in this way is

Authority for the dispensing pharmacist to change a prescribed medicine in this way is contained in regulation 42 (4) of the Medicines Regulations 1984.

NOTES

# AUTHORITY TO SUBSTITUTE

### Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

### **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:
	to change a prescribed medicine in this way is

Authority for the dispensing pharmacist to change a prescribed medicine in this way is contained in regulation 42 (4) of the Medicines Regulations 1984.

NOTES

# AUTHORITY TO SUBSTITUTE

### Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

### **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:
	to change a prescribed medicine in this way is

Authority for the dispensing pharmacist to change a prescribed medicine in this way is contained in regulation 42 (4) of the Medicines Regulations 1984.

NOTES

# AUTHORITY TO SUBSTITUTE

### Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

### **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:
	to change a prescribed medicine in this way is

Authority for the dispensing pharmacist to change a prescribed medicine in this way is contained in regulation 42 (4) of the Medicines Regulations 1984.

NOTES

# AUTHORITY TO SUBSTITUTE

### Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

### **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:
	to change a prescribed medicine in this way is

Authority for the dispensing pharmacist to change a prescribed medicine in this way is contained in regulation 42 (4) of the Medicines Regulations 1984.

NOTES

# AUTHORITY TO SUBSTITUTE

### Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

### **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:
	to change a prescribed medicine in this way is

Authority for the dispensing pharmacist to change a prescribed medicine in this way is contained in regulation 42 (4) of the Medicines Regulations 1984.

NOTES