# May 2010

### Volume 17 Number 1

### **Editors**

Kaye Wilson & Scott Brydon email: schedule@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

Freephone Information Line 0800 66 00 50 (9am – 5pm weekdays)

#### Circulation

Published each April, August and December. Changes to the contents are published in monthly updates. Annual subscription includes three Pharmaceutical Schedule books, 12 updates and occasional information on rule changes and news items.

information on rule changes and news items. The Schedule is distributed free of charge to over 9,000 health professionals, and is also available on an annual subscription.

#### Prices

\$22.22 One Schedule book \$4.44 One Update \$120.00 Annual subscription

All prices include postage and exclude GST.

#### Production

Typeset automatically from XML and TEX. See www.pharmac.govt.nz/schedule/archive/ for the XML version of this Schedule.

# **Programmers**

Anrik Drenth & John Geering email: texschedule@pharmac.govt.nz

© Pharmaceutical Management Agency



This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit:

creativecommons.org/licenses/by/3.0/nz/.
Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken

in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

Introducing PHARMAC

Section A General Rules 12

Section B Alimentary Tract & Metabolism 25

Blood & Blood Forming Organs 40

Cardiovascular System 49

Dermatologicals 58

Genito Urinary System 69

Hormone Preparations – Systemic 75

Infections – Agents For Systemic Use

Musculoskeletal System

99

Nervous System 108

Oncology Agents & Immunosuppressants 136

Respiratory System & Allergies 151

Sensory Organs 158

Section C Extemporaneous Compounds (ECPs) 163

Section D Special Foods 169

Section E Supply Orders (PSO & WSO) 188

Section F Dispensing Period Exemptions 193

Section G Safety Cap Medicines 195

Index 198

Rural Areas 192

# Introducing PHARMAC

PHARMAC, the Pharmaceutical Management Agency, is a Crown entity established pursuant to the New Zealand Public Health and Disability Act 2000 (The Act). The primary objective of PHARMAC is to secure for eligible people in need of pharmaceuticals, the best health outcomes that are reasonably achievable from pharmaceutical treatment and from within the amount of funding provided.

The PHARMAC Board consists of up to six members appointed by the Minister of Health. All decisions relating to PHARMAC's operation are made by or under the authority of the Board. In particular, Board members decide on the strategic direction of PHARMAC and may decide which community pharmaceuticals should be subsidised and at what levels, and determine national prices for some pharmaceuticals to be purchased by and used in DHB Hospitals, and whether or not special conditions are to be applied to such purchases.

### Members of the PHARMAC Board

Richard Waddel Kura Denness David Kerr

Stuart McLaughlan David Moore Adrienne von Tunzelmann

Decisions taken by the PHARMAC Board members, or made under the authority of the Board, incorporate a balanced view of the needs of prescribers and patients. The aim is to achieve long-term gains and efficient ways of making pharmaceuticals available to the community and for DHB Hospitals to purchase them.

Murray Georgel, CE MidCentral DHB, attends PHARMAC's Board meetings as an observer.

The functions of PHARMAC are to perform the following, within the amount of funding provided to it in the Pharmaceutical Budget or to DHBs from their own budgets for the use of pharmaceuticals in their hospitals, as applicable, and in accordance with its annual plan and any directions given by the Minister (Section 103 of the Crown Entities Act):

- a) to maintain and manage a pharmaceutical schedule that applies consistently throughout New Zealand, including determining eligibility and criteria for the provision of subsidies;
- b) to manage incidental matters arising out of (a), including in exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the pharmaceutical schedule;
- c) to engage as it sees fit, but within its operational budget, in research to meet its objectives as set out in Section 47(a) of the Act:
- d) to promote the responsible use of pharmaceuticals;
- e) to manage the purchasing of any or all pharmaceuticals, whether used either in a hospital or outside it, on behalf of DHBs;
- f) any other functions given to PHARMAC by or under any enactment or authorised by the Minister.

The policies and criteria set out in the Pharmaceutical Schedule and PHARMAC's Operating Policies and Procedures arise out of, and are designed to help PHARMAC achieve and perform, PHARMAC's objective and functions under the Act.

However PHARMAC may, having regard to its public law obligations, depart from the strict application of those policies and criteria in certain exceptional cases where it considers this necessary or appropriate in the proper exercise of its statutory discretion and to give effect to its objective and functions, particularly with respect to:

- Determining eligibility and criteria for the provision of subsidies; and
- In exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the Pharmaceutical Schedule.

#### **Decision Criteria**

PHARMAC updates the Pharmaceutical Schedule at regular intervals to notify prescribers, pharmacists, hospital managers and patients of changes to Community Pharmaceutical subsidies and the prices for Hospital Pharmaceuticals. In making decisions about amendments to the Pharmaceutical Schedule, PHARMAC is guided by its Operating Policies and Procedures, as amended or supplemented from time to time. PHARMAC takes into account the following criteria when making decisions about Community Pharmaceuticals:

- the health needs of all eligible people within New Zealand (eligible defined by the Government's then current rules of eligibility):
- the particular health needs of Māori and Pacific peoples;
- the availability and suitability of existing medicines, therapeutic medical devices and related products and related things:
- the clinical benefits and risks of pharmaceuticals;
- the cost-effectiveness of meeting health needs by funding pharmaceuticals rather than using other publicly funded health and disability support services;
- the budgetary impact (in terms of the pharmaceutical budget and the Government's overall health budget) of any changes to the Pharmaceutical Schedule;
- the direct cost to health service users:
- the Government's priorities for health funding, as set out in any objectives notified by the Crown to PHARMAC, or in PHARMAC's Funding Agreement, or elsewhere; and
- such other criteria as PHARMAC thinks fit. PHARMAC will carry out appropriate consultation when it intends to take any such "other criteria" into account.

The Operating Policies and Procedures, including any supplements, also describe the way in which PHARMAC determines the level of subsidy or purchase price payable for each Community Pharmaceutical or Hospital Pharmaceutical, respectively.

The decision criteria for Hospital Pharmaceuticals are set out in the hospital supplement to the Operating Policies and Procedures and in the introductory part of Section H of the Pharmaceutical Schedule.

Copies of PHARMAC's Operating Policies and Procedures and of any applicable supplements are available on the PHARMAC website (www.pharmac.govt.nz), or on request.

### PHARMAC and the Pharmaceutical Schedule:

PHARMAC manages the national Pharmaceutical Schedule, which lists:

- Pharmaceuticals available in the community and subsidised by the Government with funding from the Pharmaceutical Budget; and
- some Pharmaceuticals purchased by DHBs for use in their hospitals, and includes those Hospital Pharmaceuticals for which national prices have been negotiated by PHARMAC.

In the community approximately 1848 Pharmaceuticals are subsidised by the Government. Most are available to all eligible people within New Zealand on prescription by a medical doctor. Some are listed with guidelines or conditions such as 'only if prescribed for a dialysis patient' or 'Special Authority - Retail Pharmacy', to ensure that Pharmaceuticals are used by those people who are most likely to benefit from them. Pharmaceuticals provided to patients for use while in DHB hospitals are not covered by Sections A to G of the Pharmaceutical Schedule.

Section H of the Pharmaceutical Schedule is not a comprehensive list of Pharmaceuticals that are used within the DHB Hospitals. Section H of the Pharmaceutical Schedule includes Pharmaceuticals that can be purchased at a national price by DHBs for use in their hospitals. These are referred to as National Contract Pharmaceuticals.

Section H of the Pharmaceutical Schedule also identifies new Pharmaceuticals used in hospitals, which have been or are being assessed by PHARMAC, the results of that analysis being available to DHB Hospitals via PHARMAC's website.

A list of Discretionary Community Supply Pharmaceuticals, in Section H of the Pharmaceutical Schedule, identifies those products that currently are not subsidised from the Pharmaceutical Budget as Community Pharmaceuticals in Sections A to G of the Pharmaceutical Schedule but which DHBs can at their discretion fund for use in the community from their own budgets without specific Hospital Exceptional Circumstances approval.

#### PHARMAC's clinical advisors

#### Pharmacology and Therapeutics Advisory Committee (PTAC)

PHARMAC works closely with the Pharmacology and Therapeutics Advisory Committee (PTAC), an expert medical committee which provides independent advice to PHARMAC on health needs and the clinical benefits of particular pharmaceuticals for use in the community and/or in DHB Hospitals.

The committee members are all senior, practising clinicians. The chair of PTAC sits with the PHARMAC Board in an advisory capacity.

PTAC helps decide which community pharmaceuticals are to be subsidised from public monies by making recommendations to PHARMAC. Part of the role of PTAC is to review whether Community Pharmaceuticals already listed on the Schedule should continue to receive Government funds. The resources freed up can be used to subsidise other community pharmaceuticals with a greater therapeutic worth.

PHARMAC may obtain clinical advice from PTAC in relation to national purchasing strategies for Hospital Pharmaceuticals. There may be additional specialist hospital representatives on PTAC subcommittees, or additional PTAC subcommittees, where PHARMAC considers this necessary.

#### PTAC members are:

Carl Burgess MBChB, MD, MRCP (UK), FRACP, FRCP, physician/clinical pharmacologist, Chair

Marianne Empson BHB, MBChB, MMed(ClinEpi), FRACP, FRCPA, immunologist

lan Hosford MBChB, FRANZCP, psychiatrist

Sisira Jayathissa MMedSc (Clin Epi), MMBS, MD, MRCP (UK), FRCP (Edin), FRACP, FAFPHM, Dip Clin Epi,

Dip OHP, Dip HSM, MBS

George Laking PhD, MB, B.Med.Sci, MD, FRACP

Jim Lello BHB, MBChB, DCH, FRNZCGP, general practitioner

Graham Mills MBChB, MTropHlth, MD, FRACP, infectious disease specialist and general physician

Peter Pillans MBBCh, MD, FCP, FRACP, clinical pharmacologist

Mark Weatherall BA, MBChB, MApplStats, FRACP

Howard Wilson BSc, PhD, MB, BS, Dip Obst, FRNZCGP, FRACGP, general practitioner, Deputy Chair

Contact PTAC C/-Advisory Committee Manager , Pharmaceutical Management Agency, PO Box 10 254, WELLINGTON, Email: PTAC@pharmac.govt.nz

### The PHARMAC Team

The PHARMAC team has a wide range of expertise in health, medicine, economics, commerce, critical analysis, and policy development and implementation.

opment and implementat	ion.		
Matthew Brougham	Chief Executive	Adam McRae	Team Leader, Access & Optimal
Lauren Abernethy	Funding and Procurement		Use
	Assistant	Scott Metcalfe	Chief Advisor Population
Kate Adams	Health Economist		Medicine / Public Health
Paul Alexander	Health Economist		Physician
Jason Arnold	Senior Analyst	Peter Moodie	Medical Director
Diana Beswethrick	HR Contractor	Christina Newman	Executive Assistant to Chief
Mike Bignall	Therapeutic Group Manager		Executive/Office Manager
Stephen Boxall	Creative Director	Leigh Parish	PA to Medical Director
Scott Brydon	Schedule Analyst	Marama Parore	Manager, Access & Optimal
Davina Carpenter	Records Manager		Use & Māori Health
Christine Chapman	Therapeutic Group Manager	Chris Peck	Analyst
Yvonne Chen	Tender Analyst	Sharon Ponniah	Access and Optimal Use
Mary Chesterfield	High Cost Medicines	Ondron'r onnidir	Manager
	Co-ordinator	Matthew Poynton	Analyst/Health Economist
Steffan Crausaz	Manager, Funding and	Rachel Pratt	Hospital Exceptional
	Procurement	riadioi i ratt	Circumstances Panel
Andrew Davies	Procurement Initiatives		Co-ordinator
	Manager	Rosanna Price	Receptionist
Rachelle Davies	Senior Receptionist	Jan Quin	Team Leader, Medical Team
Jessica Dougherty	Corporate Team Assistant	Dilky Rasiah	Deputy Medical Director
Sean Dougherty	Therapeutic Group Manager	Kyle Reid	High Cost Medicines Panel
Anrik Drenth	Database Analyst	Tylo Floid	Co-ordinator / Growth Hormone
Kim Ellis	Access & Optimal Use	Awhimai Reynolds	Māori Health Manager
	Co-ordinator	Brian Roulston	Contract Manager
Simon England	Communications Manager	Fiona Rutherford	Senior Policy Analyst
Andy Erceg	Senior Network and System	Rico Schoeler	Manager, Analysis and
, ,	Administrator	11100 001100101	Assessment
Jackie Evans	Therapeutic Group Manager	Merryn Simmons	PHARMAC Seminar Series
John Geering	Systems Architect	Wich yn Oliminono	Co-ordinator
Rachel Grocott	Health Economist / Team	Liz Skelley	Finance Manager
	Leader Assessment	Jude Urlich	Manager, Corporate and
Susan Haniel	Advisory Committee Manager	oude officia	External Relations
David Harland	Health Economist	Jayne Watkins	Community Exceptional
Ben Healey	Analyst	Jayrie Walkins	Circumstances Panel
Karen Jacobs	Access & Optimal Use Manager		Co-ordinator
Cherie Jacobson	One Heart Many Lives	Bryce Wigodsky	Communications Advisor
	Programme Co-ordinator	Greg Williams	Therapeutic Group Manager
Helen Knight	Accounts Payable Co-ordinator	Lisa Williams	Legal Counsel
Geoff Lawn	Applications Developer	Kaye Wilson	Schedule Analyst
Geraldine MacGibbon	Therapeutic Group Manager	Stephen Woodruffe	Therapeutic Group Manager
Janet Mackay	Access & Optimal Use Manager	Sue Anne Yee	Therapeutic Group Manager
Rachel Mackay	Manager, Schedule and	Michael Young	Analyst
•	Contracts	Mondon Toding	, maryot
T: 1 14 1	0		

Trish Mahoney

Contract Manager

# **Purpose of the Pharmaceutical Schedule**

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price (if it differs from the Subsidy) and any access conditions that may apply; and
- some Hospital Pharmaceuticals that are purchased and used by DHB Hospitals, including those for which national prices have been negotiated by PHARMAC.

The purpose of the Schedule is not to show the final cost to Government of subsidising each Community Pharmaceutical or to DHBs in purchasing each Hospital Pharmaceutical since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for some Hospital Pharmaceuticals, on any logistics arrangements put in place by individual DHB Hospitals.

# Finding Information in the Pharmaceutical Schedule

### **Community Pharmaceuticals**

For Community Pharmaceuticals, the Schedule is organised in a way to help the reader find Community Pharmaceuticals, which may be used to treat similar conditions. To do this, Community Pharmaceuticals are first classified anatomically, originally based on the Anatomical Therapeutic Chemical (ATC) system, and then further classified under section headings structured for the New Zealand medical system.

- Section A lists the General Rules in relation to Community Pharmaceuticals and related products.
- Section B lists Community Pharmaceuticals and related products by anatomical classification, which are further divided into
  one or more therapeutic headings. Community Pharmaceuticals used to treat similar conditions are grouped together.
- Section C lists the rules in relation to Extemporaneously Compounded Products (ECPs) and Community Pharmaceuticals
  that will be subsidised when extemporaneously compounded.
- Section D lists the rules in relation to Special Foods and the Special Foods that are subsidised.
- Section E Part I lists the Community Pharmaceuticals that are subsidised on a Practitioner's Supply Order (PSO) and Wholesale Supply Order (WSO).
- Section E Part II lists rural areas for the purpose of PSOs.
- Section F lists the Community Pharmaceuticals dispensing period exemptions.
- Section G lists the Community Pharmaceuticals eligible for reimbursement of safety cap and related rules.

The listings are displayed alphabetically (where practical) within each level of the classification system. Each anatomical section contains a series of therapeutic headings, some of which may contain a further classification level. Where a Community Pharmaceutical is used in more than one therapeutic area, they may be cross-referenced.

The therapeutic headings in the Pharmaceutical Schedule do not necessarily correspond to the therapeutic groups and therapeutic subgroups, which PHARMAC establishes for the separate purpose of determining the level of subsidy to be paid for each Community Pharmaceutical.

The index located at the back of the book in which Sections A-G of the Pharmaceutical Schedule are published can be used to find page numbers for generic chemical entities, or product brand names.

# **Hospital Pharmaceuticals**

Section **H** lists Pharmaceuticals that DHBs fund from their own budgets. The Hospital Pharmaceuticals are grouped into the following Parts in Section H:


- Part I lists the rules in relation to Hospital Pharmaceuticals.
- Part II lists Hospital Pharmaceuticals for which national contracts exist (National Contract Pharmaceuticals). These are
  listed alphabetically by generic chemical entity name and line item, the relevant Price negotiated by PHARMAC and, if
  applicable, an indication of whether it has Hospital Supply Status (HSS) and any associated Discretionary Variance (DV)
  Pharmaceuticals and DV Limit.
- Part III lists Assessed Pharmaceuticals, which have been or are being assessed by PHARMAC and, where such assessment
  is available, PHARMAC's opinion regarding the use of the Assessed Pharmaceuticals in hospitals. DHB Hospitals are not
  obliged to implement those recommendations.
- Part IV lists Discretionary Community Supply Pharmaceuticals, which are not Community Pharmaceuticals, but which a DHB
  Hospital can, in its discretion, fund for use in the community from its own budget.

The index located at the back of the Section H supplement can be used to find page numbers for generic chemical entities, or product brand names, for Hospital Pharmaceuticals.

# **Explaining drug entries**

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the amount of that subsidy paid to contractors, the supplier's price and the access conditions that may apply.

#### Example



# Glossary

# **Units of Measure**

gram	g	microgram	µg	millimolemmol
kilogram	kg	milligram	mg	unitu
international unit	in	millilitro	ml	

Abbreviations					
Ampoule	Amp	Granules	Gran	Suppository	Supp
Capsule	Сар	Infusion	Inf	Tablet	Tab
Cream	Crm	Injection	Inj	Tincture	Tinc
Device	Dev	Linctus	Linc	Trans Dermal Delivery	
Dispersible	Disp	Liquid	Liq	System	TDDS
Effervescent	Eff	Long Acting	LA		
Emulsion	Emul	Ointment	Oint		
Enteric Coated	EC	Sachet	Sach		
Gelatinous	Gel	Solution	Soln		
BSO Bulk Supply Or	der				

CBS Cost Brand Source. There is no set manufacturer's price, and the Government subsidises the product at the price it is obtained by the pharmacy.

CE Compounded Extemporaneously.

CPD Cost Per Dose. The Funder (as defined in Part I of the General Rules) cost of a standard dose, without mark-ups or fees and excluding GST.

**ECP** Extemporaneously Compounded Preparation.

HSS Hospital Supply Status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

OP Original Pack – subsidy is rounded up to a multiple at whole packs.

**PSO** Practitioner's Supply Order.

### Sole Subsidised

Supplier Only brand of this medicine subsidised.

WSO Wholesale Supply Order.

XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

- Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner.
- \* Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless medicine is endorsed "close control" or "cc" and the endorsement is initialled by the prescriber.
- Safety cap required and subsidised for oral liquid formulations, including extemporaneously compounded preparations. Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a manufacturer's surcharge.
- S29 This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981. Practitioners prescribing this medication should:
  - a) be aware of and comply with their obligations under Section 29 of the Medicines Act 1981 and otherwise under that Act and the Medicines Regulations 1984;
  - b) be aware of and comply with their obligations under the Health and disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
  - c) exercise their own skill, judgement, expertise and discretions, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an indication for which it is not approved.

Note: Where medicines supplied under Section 29 that are used for emergency situations, patient details required under Section 29 of the Medicines Act may be retrospectively provided to the supplier.

	Definitions						
Abbrev.	Pharmacy Services Agreement	All other Pharmacy Agreements					
[HP1]	Subsidised when dispensed from pharmacies that have the Complex Medicines Variation of the Pharmacy Services Agreement	Available from selected pharmacies that have an exclusive contract to dispense 'Hospital Pharmacy' [HP1] pharmaceuticals.					
[HP3]	Subsidised when dispensed from pharmacies that have the Pharmacy Services Agreement. A Special Food with [HP3] annotation is subsidised when dispensed by a pharmacy that has a Special Foods Service appended to their Pharmacy Services Agreement by their DHB.	Available from selected pharmacies that have an exclusive contract to dispense 'Hospital Pharmacy' [HP3] pharmaceuticals.					
[HP4]	Subsidised when dispensed from pharmacies that have the Monitored Therapy Variation (for Clozapine Services)	Avaliable from selected pharmacies that have an exclusive contract to dispense 'Hospital Pharmacy' [HP4] pharmaceuticals.					

# Patient costs

#### Community Pharmaceuitical costs met by the Government

Most of the cost of a subsidised prescription Community Pharmaceutical is met by the Government through the Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to Contractors, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to Contractors does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a  $\checkmark$  in the product's Schedule listing.

SALBUTAMOL		
Aerosol inhaler 100 μg per dose	3.80	✓ Fully subsidised brand
	(6.00)	Higher priced brand

#### Pharmaceutical Co-Payments

Some Community Pharmaceutical costs are met by the patient. Generally a patient pays a prescription charge. In addition a patient will sometimes pay a manufacturer's surcharge, after hours service fee and any special packaging fee.

#### PRESCRIPTION CHARGE

From 1 September 2008, everyone who is eligible for publicly funded health and disability services should in most circumstances pay only \$3 for subsidised medicines.

All prescriptions from a public hospital, a midwife and a Family Planning Clinic are covered for \$3 co-payments.

Prescriptions from the following providers are approved for \$3 co-payments on subsidised medicines if they meet the specified criteria:

- After Hours Accident and Medical Services with a DHB or a PHO contract.
- Youth Health Clinics with a DHB or a PHO contract.
- Dentists who write a prescription that relates to a service being provided under a DHB contract.
- Private specialists (for example, opthalmologists and orthopaedics) who write a prescription for a patient receiving a publicly funded service contracted by the DHB.
- General practitioners who write a prescription during normal business hours to a person who is not enrolled in the general
  practice provided the person is eligible for publicly funded health and disability services and the general practice is part of a
  PHO
- Hospices that have a contract with a DHB.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Eligibility Direction on the Ministry of Health's website.

To check if a medicine is fully subsidised, refer to the Pharmaceutical Schedule on PHARMAC's website or ask your pharmacist or general practitioner.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

NOTE: Information sourced from Ministry of Health Website, for more information please visit www.moh.govt.nz

#### MANUFACTURER'S SURCHARGE

Not all Community Pharmaceuticals are fully subsidised. Although PHARMAC endeavours to fully subsidise at least one Community Pharmaceutical in each therapeutic group, and has contracts with some suppliers to maintain the price of a particular product, manufacturers are able to set their own price to pharmacies. When these prices exceed the subsidy, the pharmacist may recoup the difference from the patient.

To estimate the amount a patient will pay on top of the prescription charge, take the difference between the manufacturer's price

and the subsidy, and multiply this by 1.86. The 1.86 factor represents the pharmacy mark-up on the surcharge plus other costs such as GST. Pharmacies charge different mark-ups so this may vary.

Manufacturer's surchage to patient =  $(price - subsidy) \times 1.86$ 

For example, a Community Pharmaceutical with a supplier (ex-manufacturer) cost of \$11.00 per pack with a \$10.00 subsidy will cost the patient a surchage of \$1.86 on top of the prescription charge. The most a patient should pay is therefore \$16.86 - being \$15.00 maximum prescription charge, plus \$1.86.

#### Hospital Pharmaceutical and Pharmaceutical Cancer Treatment Costs

The cost of purchasing Hospital Pharmaceuticals and Pharmaceutical Cancer Treatments (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) is met by the Funder (in particular, the relevant DHB) from its own budget. As required by section 23(7) of the Act, in performing any of their functions in relation to the supply of Pharmaceuticals including Pharmaceutical Cancer Treatments, DHBs must not act inconsistently with the Pharmaceutical Schedule.

### PHARMAC web site

PHARMAC has set up an interactive Schedule on the Internet. It can be used to calculate the cost of a prescribed Community Pharmaceutical. This site at <a href="http://www.pharmac.govt.nz">http://www.pharmac.govt.nz</a> takes into account the quantity of Community Pharmaceutical prescribed as well as the patient's age, whether the patient has a community services card, high use health card or prescription subsidy card, the fee for pharmacy services and prescription charges.

Other information about PHARMAC is also available on our website. This includes copies of the Annual Review, Annual Report and Annual Plan, as well as information such as the Pharmaceutical Schedule, Pharmaceutical Schedule Updates, National Hospital Pharmaceutical Strategy, other publications and recent press releases.

# **Special Authority Applications**

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person. Applications must be submitted to the Ministry of Health by the prescriber for the request to be processed.

### Subsidy

Once approved, the presciber will be provided a Special Authority number which must appear on the prescription. Specialists who make an application must communicate the valid authority number to the prescriber who will be writing the prescriptions.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Pharmaceutical Budget.

#### Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website.

For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised. Criteria for each Special Authority Community Pharmaceutical are updated regularly, based on the decision criteria of PHARMAC. The appropriateness of the listing of a Community Pharmaceutical in the Special Authority category will also be regularly reviewed. Applications for inclusion of further Community Pharmaceuticals in the Special Authority category will generally be made by a pharmaceutical supplier.

### **Special Authority Applications**

Application forms can be found at www.pharmac.govt.nz. Requests for fax copies should be made to PHARMAC, phone 04 460 4990. Applications are processed by the Ministry of Health, and should be sent to:

Ministry of Health Sector Services, Fax: (06) 349 1983 or free fax 0800 100 131

Private Bag 3015, WANGANUI 4540

For enquiries, phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666

Note: The Ministry of Health can only provide information on Special Authority applications to prescribers and pharmacists.

#### Each application must:

- Include the patients name, date of birth and NHI number (codes for AIDS patients' applications)
- Include the practitioner's name, address and Medical Council registration number
- Clearly indicate that the relevant criteria, have been met.
- Be signed by the practitioner.

# **Exceptional Circumstances policies**

The purpose of the Exceptional Circumstances policies are to provide:

- funding from the Community Exceptional Circumstances budget for medication, to be used in the community, in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical Budget is not able to be provided through the Pharmaceutical Schedule ("Community Exceptional Circumstances"); or
- an assessment process for the DHB Hospitals to determine whether they can fund medication, to be used in the community, in circumstances where the medication is neither a Community Pharmaceutical nor a Discretionary Community Supply
  Pharmaceutical and where the patient does not meet the criteria for Community Exceptional Circumstances ("Hospital Exceptional Circumstances"); or
- an assessment process for DHB Hospitals to determine whether they can fund pharmaceuticals for the treatment of cancer
  in their DHB Hospital, or in association with Outpatient services provided in their DHB hospital, in circumstances where the
  pharmaceutical is not identified as a Pharmaceutical Cancer Treatment ("Cancer Exceptional Circumstances") in Sections
  A-H of the Pharmaceutical Schedule.

Upon receipt of an application for approval for Community Exceptional Circumstances or Hospital Exceptional Circumstances, the Exceptional Circumstances Panel first decides whether an application will be assessed initially under the Community Exceptional Circumstances criteria or the Hospital Exceptional Circumstances criteria. Cancer Exceptional Circumstances is a separate process.

# **Hospital Exceptional Circumstances**

If the application is first assessed but not approved under the Community Exceptional Circumstances criteria, the Exceptional Circumstances Panel may recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances.

If the application is first assessed under the Hospital Exceptional Circumstances criteria, the Exceptional Circumstances Panel may:

- a) recommend against the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget, in which case a DHB Hospital must not fund the pharmaceutical from its own budget;
- b) recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances, in which case a DHB Hospital may, but is not obliged to, fund the pharmaceutical from its own budget;
- c) defer its decision until further assessment under the Community Exceptional Circumstances criteria can undertaken; or
- d) recommend interim funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances until further assessment under the Community Exceptional Circumstances criteria can be undertaken.

Permission to fund a pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances will only be granted by PHARMAC where it has been demonstrated that such funding is cost-effective for the relevant DHB in the region in which the patient resides.

If the patient being treated with a pharmaceutical under Hospital Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

Applications for Hospital Exceptional Circumstances should be made on the standard application form available from the PHARMAC website www.pharmac.govt.nz or the address below:

Phone: (04) 916 7521

or fax (09) 523 6870

Email: ecpanel@pharmac.govt.nz

The Coordinator, Hospital Exceptional Circumstances Panel PHARMAC, PO Box 10 254

Wellington

# **Cancer Exceptional Circumstances**

Permission to fund a pharmaceutical for the treatment of cancer from the Hospital's own budget under Cancer Exceptional Circumstances will only be granted by PHARMAC where it has been demonstated that the proposed use meets the criteria.

If the patient being treated with a pharmaceutical under Cancer Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

# **Community Exceptional Circumstances**

In order to qualify for Community Exceptional Circumstances approval one of the following criteria must be met:

- a) the condition must be rare; or
- b) the reaction to alternative funded treatment must be unusual; or
- c) an unusual combination of circumstances applies.

Rare and unusual are considered to be in the order of less than 10 people nationally.

Where one of the above Community Exceptional Circumstances entry criteria is met, the application may then be further examined under supplementary criteria, assessing suitability of the pharmaceutical, clinical benefit, the cost effectiveness of the treatment, and the patient's ability to pay for the treatment. Where these documented criteria are met, a subsidy sufficient to fully fund the pharmaceutical will be made available to the specific patient on whose behalf the application was made.

Community Exceptional Circumstances funding is only available where the criteria are met and is not available for financial reasons alone.

Applications for Community Exceptional Circumstances, Hospital Exceptional Circumstances and Cancer Exceptional Circumstances should be made on the standard application form available from the PHARMAC website www.pharmac.govt.nz or the address below:

The Coordinator, Community Exceptional Circumstances Panel Phone (04) 916 7553

PO Box 10 254 or fax (09) 523 6870

Wellington Email: ecpanel@pharmac.govt.nz

### INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and:
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 May 2010 and is to be referred to as the Pharmaceutical Schedule Volume 17 Number 1, 2010. Distribution will be from 20 May 2010. This Schedule comes into force on 1 May 2010.

### PART I

### INTERPRETATIONS AND DEFINITIONS

- 1.1 In this Schedule, unless the context otherwise requires:
- "90 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;
- "180 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;
- "Access Exemption Criteria" means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:
  - a) have limited physical mobility;
  - b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
  - c) are relocating to another area:
  - d) are travelling extensively and will be out of town when the repeat prescriptions are due.
- "Act" means the New Zealand Public Health and Disability Act 2000.
- "Advisory Committee" means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.
- "Alternate Subsidy" means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.
- "Assessed Pharmaceuticals" means the list of Pharmaceuticals set out in Section H Part III of the Schedule, that have been or are being assessed by PHARMAC.
- "Authority to Substitute" means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.
- "Bulk Supply Order" means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.
- "Cancer Exceptional Circumstances" means the policies and criteria administered by PHARMAC relating to the ability to fund, from a DHB hospital's own budget, pharmaceuticals for the treatment of cancer that are not identified as Pharmaceutical

Cancer Treatments in Sections A-H of the Pharmaceutical Schedule.

- "Class B Controlled Drug" means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.
- "Close Control" means the dispensing of a Community Pharmaceutical, in accordance with a Prescription, in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot) for a Community Pharmaceutical referred to in Section F Part I, or in quantities less than a Monthly Lot for any other Community Pharmaceutical, where any of a), b) or c) apply.
  - a) All of the following conditions are met:
    - i) the Community Pharmaceutical has been prescribed for a patient who:
      - 1) is not a resident in a Penal Institution, Rest Home or Residential Disability Care Institution; and
      - 2) either of the following:
        - i) in the opinion of the prescribing Practitioner is:
          - a) frail; or
          - b) infirm; or
          - c) unable to manage their medication without additional support; or
          - d) intellectually impaired; or
          - e) requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only); and
          - f) requires that Community Pharmaceutical to be dispensed in a smaller quantity than that for which it is currently funded, or
        - ii) the Community Pharmaceutical is any of the following:
          - a) a tri-cyclic antidepressant; or
          - b) an antipsychotic; or
          - c) a benzodiazepine; or
          - d) a Class B Controlled Drug; and
    - ii) the prescribing Practitioner has:
      - A) endorsed each Community Pharmaceutical on the Prescription clearly with the words "Close Control" or "CC"; and
      - B) initialled the endorsement in their own handwriting; and
      - C) specified the maximum quantity or period of supply to be dispensed at any one time.
  - b) All of the following conditions are met:
    - i) The Community Pharmaceutical is prescribed for a patient who is a resident in a Rest Home or Residential Disability Care Institution; and
      - A) the quantity or period of supply to be dispensed at any one time is not less than 28 days' supply; and
      - B) the prescriber or pharmacist has written the name of the Rest Home or Residential Disability Care Institution on the prescription; and
      - C) the prescriber or pharmacist has:
        - written on the Prescription the words "Close Control" or "CC" (this applies to all medicines prescribed on the prescription), and
        - 2) initialled the endorsement/annotation in their own handwriting; and
        - 3) specified the maximum quantity or period of supply to be dispensed at any one time.
  - c) All of the following conditions are met:
    - i) where PHARMAC has approved and notified pharmacists to annotate prescriptions for a specified Community Pharmaceutical(s) "Close Control" without prescriber endorsement for a specified time; and
    - ii) the dispensing pharmacist has:
      - A) clearly annotated each of the approved Community Pharmaceuticals that appear on the prescription with the words "Close Control" or "CC"; and
      - B) initialed the annotation in their own handwriting; and
      - c) specified the maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.
- "Community Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances Panel relating to funding from the Community Exceptional Circumstances budget for medication, to be used in the community, in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical

Budget is not able to be provided through the Pharmaceutical Schedule.

"Community Pharmaceutical" means a Pharmaceutical listed in Sections A to G of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor" means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug" means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply" means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply.

"Dentist" means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"DHB" means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital" means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Discretionary Community Supply Pharmaceutical" means the list of Pharmaceuticals set out in Section H Part IV of the Schedule, which may be funded by a DHB Hospital from its own budget for use in the community.

"**Doctor**" means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical" means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements" - unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Exceptional Circumstances Panel" means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for administering policies in relation to Community Exceptional Circumstances and Hospital Exceptional Circumstances.

"Funder" means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST" means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator" means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances Panel relating to the ability to fund, from a DHB Hospital's own budget, pharmaceuticals for use in the community by a specific patient where a subsidy is not available from the Pharmaceutical Budget or under Community Exceptional Circumstances.

"Hospital Pharmaceuticals" means National Contract Pharmaceuticals, DV Pharmaceuticals, Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals.

"Hospital Pharmacy" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner.

"Hospital Pharmacy-Specialist" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist; or
  - if the treatment of an Outpatient with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a Practitioner endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Practitioner.

"As recommended by a Specialist" to be interpreted as:

- a) follows a substantive consultation with an appropriate Specialist;
- b) the consultation to relate to the Patient for whom the Prescription is written;

- c) consultation to mean communication by referral, telephone, letter, facsimile or email;
- d) except in emergencies consultation to precede annotation of the Prescription; and
- e) both the specialist and the General Practitioner must keep a written record of the consultation.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS" means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination" means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit" means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital" means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot" means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price" means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife" means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month" means a period of 30 consecutive days.

"Month restriction" means that no Subsidy is available:

- a) unless the Community Pharmaceutical is dispensed on the Prescription of a Practitioner; and
- b) for any quantity of that Community Pharmaceutical dispensed on the Prescription (whether or not dispensed as a repeat) in excess of a Monthly Lot.

"Monthly Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"National Contract Pharmaceutical" means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

"National DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Not In Combination" means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

"Nurse Prescriber" means a nurse registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003 and who is approved by the Nursing Council, to prescribe specified prescription medicines relating to his/her scope of practice.

"Optometrist" means a person registered as an optometrist with the Optometrists and Dispensing Opticians Board, who holds a current annual practising certificate under the HPCA Act 2003, and who is authorised by regulations under the Medicines Act 1981 and approved by the Optometrists and Dispensing Opticians Board to prescribe specified medicines.

"Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT" means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

"PCT only" means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsi-

dies.

- "Penal Institution" means a penal institution, as that term is defined in The Penal Institutions Act 1954;
- "PHARMAC" means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC).
- "Pharmaceutical" means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to H of the Schedule.
- "Pharmaceutical Benefits" means the right of:
  - a) a person; and
  - b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.
- "Pharmaceutical Budget" means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals.
- "Pharmaceutical Cancer Treatment" means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must fund, from their own budgets, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.
- "Practitioner" means a Doctor, a Dentist, a Midwife, a Nurse Prescriber or an Optometrist as those terms are defined in the Pharmaceutical Schedule.
- "Practitioner's Supply Order" means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- "Prescription" means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.
- "Private Hospital" means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.
- "Residential Disability Care Institution" means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.
- "Rest Home" means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.
- "Retail Pharmacy-Specialist" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or, in the case of treatment recommended by a Specialist, a Prescription or Practitioner's Supply Order and endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner.
- "As recommended by a Specialist" to be interpreted as:
  - a) follows a substantive consultation with an appropriate Specialist;
  - b) the consultation to relate to the Patient for whom the Prescription is written;
  - c) consultation to mean communication by referral, telephone, letter, facsimile or email;
  - d) except in emergencies consultation to precede annotation of the Prescription; and
  - e) both the Specialist and the General Practitioner must keep a written record of consultation.
- "Retail Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist. For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.
- "Schedule" means this Pharmaceutical Schedule and all its sections and appendices.
- "Section B" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies included in the Schedule.
- "Section C" of this Pharmaceutical Schedule means the list of community extemporaneously compounded preparations and galenicals eligible for Subsidies included in the Schedule.
- "Section D" of this Pharmaceutical Schedule means the list of community special foods eligible for Subsidies included in the Schedule.
- "Section E Part I" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies and available on a Practitioner's Supply Order or a Wholesale Supply Order included in the Schedule.

- "Section E Part II" of this Pharmaceutical Schedule means the list of rural areas for the purpose of community Practitioner's Supply Orders included in the Schedule.
- "Section F Part I" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots, and requirement to dispense in 90 Day Lots or 180 Day Lots, as applicable, in respect of the Community Pharmaceuticals referred to in this part of Section F;
- "Section F Part II" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots in respect of the Community Pharmaceuticals referred to in this part of Section F:
- "Section G" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for reimbursement of safety caps.
- "Section H" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals and the lists of National Contract Pharmaceuticals and any associated DV Pharmaceuticals, of Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals included in Section H of the Schedule.
- "Section H Part I" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals.
- "Section H Part II" of this Pharmaceutical Schedule means the list of National Contract Pharmaceuticals, the relevant Price, an indication of whether the Pharmaceutical has HSS and any associated DV Pharmaceuticals and DV Limit.
- "Section H Part III" of this Pharmaceutical Schedule means the list of Assessed Pharmaceuticals.
- "Section H Part IV" of this Pharmaceutical Schedule means the list of Discretionary Community Supply Pharmaceuticals.
- "Special Authority" means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.
- "Specialist", in relation to a Prescription, a doctor who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

a)

- i) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine: and
- ii) the doctor's vocational scope of practice is one of those listed below: anaesthetics, cardiothoracic surgery, dermatology, diagnostic radiology, emergency medicine, general surgery, internal medicine, neurosurgery, obstetrics and gynaecology, occupational medicine, ophthalmology, oral and maxillofacial surgery, otolaryngology head and neck surgery, orthopaedic surgery, paediatrics surgery, paediatrics, pathology, plastic and reconstructive surgery, psychological medicine or psychiatry, public health medicine, radiation oncology, rehabilitation medicine, urology and venereology:
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that Prescription in the course of practising in that area of medicine;
- c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine
  for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that
  area of medicine;
- d) the doctor writes the Prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.
- "Subsidy" means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.
- "Supply Order" means a Bulk Supply Order, a Practitioner's Supply Order or a Wholesale Supply Order.
- "Unapproved Indication" means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 4.6.
- "Wholesale Supply Order" means a written order by a Practitioner, on a form supplied by the Ministry of Health for the supply of certain Community Pharmaceuticals as listed in Section B and Section E Part I of the Schedule.
  - 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:

- a) the singular includes the plural; and
- b) any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

#### **PART II**

### **COMMUNITY PHARMACEUTICALS SUBSIDY**

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G of the Schedule, and every preparation (having an inert base) of any of them, is hereby declared to be a Community Pharmaceutical for the purposes of the Schedule, subject to:
  - 2.1.1 clauses 2.2 and 2.3 of the Schedule; and
  - 2.1.2 clauses 3.1 to 4.4 of the Schedule; and
  - 2.1.3 the conditions (if any) specified in Sections B to G of the Schedule;
- 2.2 The following medicines, therapeutic medical devices, or related products or related things are not eligible for Subsidy:
  - 2.2.1 substances, or combinations of substances, ordered for any purpose other than:
    - a) treatment of a patient's medical or dental condition; or
    - b) pregnancy tests; or
    - c) the prevention of sexually transmitted disease: or
    - d) contraception.
  - 2.2.2 substances and combinations of substances packed under pressure in aerosol cans or other similar devices, unless it is specified in Sections B to G of the Schedule that they may be so packed;
  - 2.2.3 electrode jellies;
  - 2.2.4 eye drops packed in single-dose units, unless it is specified in Sections B to G of the Schedule that they may be so packed:
  - 2.2.5 insect repellents and similar preparations;
  - 2.2.6 oral preparations in long-acting form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
  - 2.2.7 substances or combinations of substances in lozenge or similar form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
  - 2.2.8 machine-spread plasters;
  - 2.2.9 preparations prescribed as foods, unless they are specified in Section D of the Schedule:
  - 2.2.10 substances, combinations of substances, or articles, in the form of proprietary medicines or proprietary articles, unless they are deemed or declared to be Pharmaceuticals elsewhere in the Schedule;
  - 2.2.11 shampoos, other than extemporaneously prepared medicated shampoos, or shampoos specified in Sections B to G of the Schedule intended for the treatment of a patient's medical condition;
  - 2.2.12 toilet preparations:
  - 2.2.13 tooth pastes and powders;
  - 2.2.14 lubricating jellies and catheter lubricants;
  - 2.2.15 sterile diluents for nebulising solutions;
  - 2.2.16 substances in a form intended to enable delivery by transdermal diffusion or osmosis or by the insertion of any solid object or substance into the eye cavity, unless it is specified in Sections B to G of the Schedule that they may be in such a form:
  - 2.2.17 substances in a form intended for intravenous delivery (other than by injection), unless it is specified in Sections B to G of the Schedule that they may be in such a form;
  - 2.2.18 substances packed in pre-loaded syringes known as Min-I-Jets, unless it is specified in Sections B to G of the Schedule that they may be so packed;
  - 2.2.19 Community Pharmaceuticals prescribed as cough mixtures, unless they are specified in Sections B to G of the Schedule otherwise than in combination with other ingredients;
  - 2.2.20 vitamin preparations in capsule form, unless they are specified in Sections B to G of the Schedule;
  - 2.2.21 substances prescribed for use as irrigating solutions, unless it is specified in Sections B to G of the Schedule that they may be prescribed for such use.
- 2.3 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless

the Community Pharmaceuticals so supplied:

- 2.3.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981: or
- 2.3.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
- 2.3.3 in the absence of the standards prescribed in clauses 2.3.1 and 2.3.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
- 2.3.4 in the absence of the standards prescribed in clauses 2.3.1, 2.3.2 and 2.3.3, are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

# PART III

# PERIOD AND QUANTITY OF SUPPLY

- 3.1 Doctors', Midwives', Nurse Prescribers' and Optometrists' Prescriptions (other than oral contraceptives)
  The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor,
  Midwife, Nurse Prescriber or Optometrist:
  - 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity suffcient to provide treatment for a period not exceeding three Months will be subsidised.
  - 3.1.2 For methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
  - 3.1.3 For a Class B Controlled Drug other than methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity:
    - a) sufficient to provide treatment for a period not exceeding 10 days; and
    - b) which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
  - 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Midwife or Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
    - a) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
    - b) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
      - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
      - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
        - A) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
        - B) both:
          - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
          - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
  - 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
    - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
    - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
  - 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
    - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
    - b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only

that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.

#### 3.1.7 If a Community Pharmaceutical:

- a) is stable for a limited period only, and the Doctor, Midwife, Nurse Prescriber or Optometrist has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
- b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
- c) is Close Control,

The actual quantity dispensed will be subsidised in accordance with any such specification.

#### 3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife or Nurse Prescriber for an oral contraceptive:

- 3.2.1 The prescribing Doctor, Midwife or Nurse Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed:
  - a) three Months if prescribed by a Midwife; or
  - b) six Months if prescribed by a Doctor or Nurse Practitioner.
- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
  - a) in Lots as specified in the Prescription if the Community Pharmaceutical is Close Control; or
  - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 An oral contraceptive prescribed by a Midwife is only eligible for Subsidy if the Prescription under which it has been dispensed has been written within the period of post natal care of the eligible person.
- 3.2.5 Where a Community Pharmaceutical in a Prescription is Close Control and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

#### 3.3 Dentists' Prescriptions

The following provisions apply to every Prescription written by a Dentist:

- 3.3.1 The maximum quantity of a Community Pharmaceutical that will be subsidised is as follows:
  - a) where the Community Pharmaceutical is a Controlled Drug, only such quantity as is necessary to provide treatment for a period not exceeding five days; and
  - b) in any other case, only such quantity as is necessary to provide treatment for a period not exceeding five days and, where the Prescription specifies a repeat, one further period not exceeding five days.
- 3.3.2 Notwithstanding clause 3.3.1, if, in the opinion of the Dentist, an eligible person needs extended treatment with sodium fluoride for up to three Months, the Community Pharmaceutical will be subsidised for that extended period. A Prescription for any such extended supply of sodium fluoride will be subsidised only if it is dispensed in Monthly Lots, unless the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect.
- 3.3.3 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed has been presented to the Contractor:
  - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
  - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.3.4 No Subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
  - a) one Month from the date the Community Pharmaceutical was first dispensed; or
  - b) in the case of sodium fluoride, three Months from the date the Community Pharmaceutical was first dispensed.

Only that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.

#### 3.4 Original Packs, and Certain Antibiotics

3.4.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community

Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eliqible for Subsidy, is deemed to be a reference:

- a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
- b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.
- 3.4.2 If a Community Pharmaceutical is the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:
  - a) the difference the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eg; if a prescription is for 105 mls then a 100ml pack would be dispensed); and
  - b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

### **PART IV**

### MISCELLANEOUS PROVISIONS

### 4.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 4.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 4.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 4.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 4.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
  - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
  - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 4.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 4.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

#### 4.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

4.2.1 Subject to clause 4.2.3, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the

- Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 4.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
  - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
  - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 4.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
  - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
    - i) is personally signed and dated by the Practitioner; and
    - ii) sets out the Practitioner's address: and
    - iii) sets out the Community Pharmaceuticals and quantities, and;
  - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 4.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.

### 4.3 Wholesale Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under Wholesale Supply Orders:

- 4.3.1 Notwithstanding anything contained in the Schedule, but subject nevertheless to subclause 4.3.3 of this clause, a Practitioner may obtain from a wholesaler or distributor, pursuant to a Wholesale Supply Order made on a form supplied by the Ministry of Health, any Community Pharmaceutical specified in Section B and Section E Part I of the Schedule as being available on a Wholesale Supply Order.
- 4.3.2 Subject to clause 4.3.3, Community Pharmaceuticals supplied to Practitioners under Wholesale Supply Orders will be subsidised at a rate not exceeding the Manufacturer's Price for each such Community Pharmaceutical as set out in Section B and Section E Part I of the Schedule.
- 4.3.3 No subsidy will be paid for any quantity of a Community Pharmaceutical supplied to a Practitioner under a Wholesale Supply Order in excess of what is a reasonable monthly allocation for that particular Practitioner, after taking into account stock on hand.
- 4.3.4 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Wholesale Supply Orders until such time as the Ministry of Health notifies otherwise.

#### 4.4 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

### 4.4.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

#### 4.4.2 **Expiry**

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 4.4.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 4.4.1 and 4.4.2, for the individual Patient.
- 4.4.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 4.4.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the

Ministry of Health's routine auditing procedures.

#### 4.5 Pharmaceutical Cancer Treatments

- 4.5.1 DHBs must provide access to Pharmaceutical Cancer Treatments by funding their use in the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 4.5.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
  - a) has Cancer Exceptional Circumstances approval;
  - b) has Community Exceptional Circumstances or Hospital Exceptional Circumstances approval;
  - c) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
  - d) is being used and funded as part of a paediatric oncology service; or
- e) was being used to treat the patient in question prior to 1 July 2005.
   4.5.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatments with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance
  - a) Part 1:

with:

- b) clauses 2.1 to 2.3:
- c) clauses 3.1 to 3.4: and
- d) clause 4.5.
- of Section A of the Schedule
- 4.5.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 4.5.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 direction from the Minister of Health as to pharmaceuticals and indications for which DHBs must provide funding. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
  - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under the Medicines Act and the Medicines Regulations 1984:
  - b) be aware of and comply with their obligations under the Health and Disability Comissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
  - c) exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions
    with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer
    Treatment for an Unapproved Indication.

#### 4.6 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication:

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

### **SECTION A: GENERAL RULES**

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

#### 4.7 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, subject to:

- a) the Contractor having received a general Authority to Substitute from the Practitioner in relation to the particular medicine or medicines in general; or
- b) the Practitioner having indicated their Authority to Substitute on the prescription; or
- c) the Practitioner having given their Authority to Substitute in relation to the particular prescription.

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and initial the prescription.

#### 4.8 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed but may not alter the total daily dose. If the change will result in additional cost to the DHBs, then:

- a) the Practitioner must authorise and initial the alteration: or
- b) in cases where PHARMAC has approved and notified in writing such a change in dispensing of a named Pharmaceutical due to an out of stock event or short supply, the Contractor must annotate and initial the alteration.

#### 4.9 Amendment of Schedule

PHARMAC may amend the terms of the Schedule from time to time by notice in writing given in such manner as PHARMAC thinks fit, and in accordance with such protocols as agreed with the Pharmacy Guild of New Zealand (Inc) from time to time.

#### 4.10 Conflict in Provisions

If any rules in Sections B-G of this Schedule conflict with the rules in Section A, the rules in Sections B-G apply.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

	\$	Per	Manufacturer
Antacids and Antiflatulants			
Antacids and Reflux Barrier Agents			
ALGINIC ACID			
Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet	4.50	30	✓ Gaviscon Infant
CALCIUM CARBONATE WITH AMINOACETIC ACID			
* Tab 420 mg with aminoacetic acid 180 mg - Higher subsidy of \$6.30 per 100 tab with Endorsement		100	
Additional subsidy by endorsement is available for pregnant wo	(6.30)	procerintian mu	Titralac
SIMETHICONE	omen. me p	nescription mu	st be endorsed accordingly.
* Oral lig aluminium hydroxide 200 mg with magnesium hydrox-			
ide 200 mg and activated simethicone 20 mg per 5 ml	1.50 (4.26)	500 ml	Mylanta P
SODIUM ALGINATE			
* Tab 500 mg with sodium bicarbonate 267 mg and calcium			
carbonate 160 mg - peppermint flavour	(8.60)	60	Gaviscon Double Strength
* Oral liq 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml	1.50	500 ml	·
	(4.95)		Acidex
* Oral liq 500 mg with sodium bicarbonate 267 mg per 10 ml (aniseed)	1.50 (8.64)	500 ml	Gaviscon
Phosphate Binding Agents	, ,		
ALUMINIUM HYDROXIDE			
Tab 600 mg	12.56	100	✓ Alu-Tab
Antidiarrhoeals			
Agents Which Reduce Motility			
DIPHENOXYLATE HYDROCHLORIDE WITH ATROPINE SULPHATE			
* Tab 2.5 mg with atropine sulphate 25 μg		100	✓ Diastop
LOPERAMIDE HYDROCHLORIDE – Up to 30 tab available on a PSC  * Tab 2 mg		400	✓ <u>Nodia</u>
Rectal and Colonic Anti-inflammatories			
BUDESONIDE			
Cap 3 mg - Special Authority see SA0913 on the next page			
- Retail pharmacy	166.50	90	✓ Entocort CIR

Subsidy		Fully	Brand or
(Manufacturer's Price)	5	Subsidised	Generic
\$	Per	~	Manufacturer

### ⇒SA0913 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Mild to moderate ileal, ileocaecal or proximal Crohn's disease; and
- 2 Any of the following:
  - 2.1 Diabetes; or
  - 2.2 Cushingoid habitus; or
  - 2.3 Osteoporosis where there is significant risk of fracture; or
- 2.4 Severe acne following treatment with conventional corticosteroid therapy.

Renewal from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

The patient may not have had more than 1 prior approval in the last year.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

#### HYDROCORTISONE ACETATE

Rectal foam 10%, CFC-Free (14 applications)23	.00 21.1 g OP	✓ Colifoam
MESALAZINE		
Tab 400 mg49	.50 100	✓ Asacol
Tab EC 500 mg49	.50 100	✓ Asamax
Tab long-acting 500 mg59	.05 100	✔ Pentasa
Enema 1 g per 100 ml45	.96 7	✓ Pentasa
Suppos 500 mg25	.20 20	✓ Asacol
Suppos 1 g50	.96 28	✓ Pentasa
OLSALAZINE		
Tab 500 mg59	.86 100	✓ Dipentum
Cap 250 mg31	.51 100	✓ Dipentum
SODIUM CROMOGLYCATE		
Cap 100 mg89	.21 100	✓ Nalcrom
SULPHASALAZINE		
* Tab 500 mg11		Salazopyrin
* Tab EC 500 mg	.89 100	✓ Salazopyrin EN

# **Antihaemorrhoidals**

### Corticosteroids

### FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVALATE AND CINCHOCAINE

chocaine hydrochloride 5 mg per g6.35	30 g OP	✓ <u>Ultraproct</u>
Suppos 630 μg, with fluocortolone pivalate 610 μg, and cin-		
chocaine hydrochloride 1 mg2.66	12	✓ Ultraproct

# **Soothing Agents**

71	NIC	OVI	DE
71	INC.	OXI	υE

Oint zinc oxide with balsam peru	4.50	50 g OP	
	(6.67)	•	Anusol
Suppos zinc oxide with balsam peru	4.47	12	
	(6.49)		Anusol

	Subsidy (Manufacturer's Price) \$	) S Per	Fully subsidised	Brand or Generic Manufacturer
Antispasmodics and Other Agents Altering Gut I	Motility			
ATROPINE SULPHATE  * Inj 600 μg, 1 ml – Up to 5 inj available on a PSO  * Inj 1200 μg, 1 ml – Up to 5 inj available on a PSO		50 50	_	<u>straZeneca</u> straZeneca
HYOSCINE N-BUTYLBROMIDE           * Tab 10 mg           * Inj 20 mg, 1 ml         - Up to 5 inj available on a PSO		20 5		astrosoothe uscopan
MEBEVERINE HYDROCHLORIDE  * Tab 135 mg	18.00	90	<b>√</b> <u>C</u>	olofac
Antiulcerants				
Antisecretory and Cytoprotective				
MISOPROSTOL  * Tab 200 μg	52.70	120	<b>√</b> C	ytotec
Helicobacter Pylori Eradication				
CLARITHROMYCIN Tab 500 mg – Subsidy by endorsement		14		lamycin
b) Subsidised only if prescribed for helicobacter pylori eradi Note: the prescription is considered endorsed if clarithromycin is pamoxycillin or metronidazole.  OMEPRAZOLE, AMOXYCILLIN AND CLARITHROMYCIN  Omeprazole cap 20 mg × 14, amoxycillin cap 500 mg × 28	prescribed in conjun	ction wit	h a protor	n pump inhibitor and either
and clarithromycin tab 500 mg × 14	55.00	1 OP	V L	osec Hp7 OAC
H2 Antagonists				
CIMETIDINE - Only on a prescription  * Tab 200 mg  * Tab 400 mg	(7.50) 10.00	100 100		po-Cimetidine
FAMOTIDINE – Only on a prescription  * Tab 20 mg		250	<b>✓</b> Fa	po-Cimetidine amox
* Tab 40 mg  RANITIDINE HYDROCHLORIDE – Only on a prescription		250		amox
* Tab 150 mg  * Tab 300 mg  * Oral liq 150 mg per 10 ml  * Inj 25 mg per ml, 2 ml	10.94 7.95	250 250 300 ml 5	✓ A ✓ P	rrow-Ranitidine rrow-Ranitidine e <u>ptisoothe</u> antac
Proton Pump Inhibitors				
LANSOPRAZOLE  * Cap 15 mg  * Cap 30 mg		28 28	✓ S ✓ S	

	Subsidy (Manufacturer's Price		Fully Subsidised	Brand or Generic
	\$	Per	~	Manufacturer
DMEPRAZOLE				
For omeprazole suspension refer, page 166  Cap 10 mg	2 14	30	✓ D	r Reddy's
· • • • • • • • • • • • • • • • • • • •		00		Omeprazole
★ Cap 20 mg	3.05	30		r Reddy's
<b>≮</b> Cap 40 mg	3.59	30		Omeprazole r Reddy's
, ,			_	Omeprazole
k Inj 40 mg	38.20	5		r Reddy's
PANTOPRAZOLE				<u>Omeprazole</u>
ANTOFRAZOLE ★ Tab 20 mg	2.24	28	<b>✓</b> D	r Reddy's
ŭ			_	Pantoprazole Pantoprazole
≮ Tab 40 mg	3.36	28		r Reddy's
<b>₭</b> Inj 40 mg	8.75	1		Pantoprazole antocid IV
Site Protective Agents				
· ·				
SUCRALFATE Tab.1.6	25 50	100		
Tab 1 g	(48.28)	120	C	arafate
Diabetes	(10.20)			ar arato
Diabetes				
Hyperglycaemic Agents				
GLUCAGON HYDROCHLORIDE				
Inj 1 mg syringe kit - Up to 5 kit available on a PSO	27.00	1	<b>✓</b> G	lucagen Hypokit
Insulin - Short-acting Preparations				
NSULIN NEUTRAL				
▲ Inj human 100 u per ml	25.26	10 ml OF		ctrapid
▲ Inj human 100 u per ml, 3 ml	40.66	5		umulin R ctrapid Penfill
Inj numan 100 u per mi, 3 mi	42.00	5		umulin R
Insulin - Intermediate-acting Preparations				
NSULIN ISOPHANE				
▲ Inj human 100 u per ml	17.68	10 ml OF	✓ H	umulin NPH
				rotaphane
▲ Inj human 100 u per ml, 3 ml	29.86	5		umulin NPH
NOUL IN LEADER AND MITH INC. II IN NEUTRAL			V PI	rotaphane Penfill
NSULIN ISOPHANE WITH INSULIN NEUTRAL  ▲ Inj human with neutral insulin 100 u per ml	25.26	10 ml OF	• <b>⊌</b> H	umulin 30/70
				ixtard 30
▲ Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5		umulin 30/70
				enMix 30 enMix 40
				enMix 50

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE				
▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml, 3 ml	52.15	5	<b>✓</b> H	umalog Mix 25
▲ Inj lispro 50% with insulin lispro protamine 50% 100 u per ml,3 ml	52.15	5	<b>✓</b> H	umalog Mix 50
Insulin - Long-acting Preparations				
INSULIN GLARGINE - Special Authority see SA0834 below - Re	etail pharmacy			
▲ Inj 100 u per ml, 10 ml		1	<b>✓</b> La	antus
▲ Inj 100 u per ml, 3 ml	94.50	5	<b>✓</b> La	antus
▲ Inj 100 u per ml, 3 ml disposable pen	94.50	5	<b>✓</b> La	antus SoloStar
<b>■</b> SA0834 Special Authority for Subsidy				
Initial application only from a relevant specialist. Approvals valid	for 1 year for applicat	ions	meeting the	following criteria:

# 1 Both:

Fither:

- 1.1 Patient has type 1 diabetes and has received an intensive regimen (injections at least three times a day) of an intermediate acting insulin in combination with a rapid acting insulin analogue for at least three months; and
- 1.2 Either:
  - 1.2.1 Patient has experienced more than one unexplained severe hypoglycaemic episode in the previous 12 months (severe defined as requiring the assistance of another person); or
  - 1.2.2 Patient has experienced unexplained symptomatic nocturnal hypoglycaemia, biochemically documented at <3.0 mmol/L, more than once a month despite optimal management; or
- 2 Patient has documented severe, or continuing, systemic or local allergic reaction to existing insulins. Note this does not include hypoglycaemic episodes.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Either:

- 1 Patient is continuing to derive benefit due to reduced hypoglycaemic events whilst maintaining similar or better glycaemic control; or
- 2 Patient's allergic reaction has significantly decreased, or resolved, following the change to long-acting insulin and patient is continuing to benefit from treatment.

# **Insulin - Rapid Acting Preparations**

INSULIN ASPART  ▲ Inj 100 u per ml, 3 ml	5 1	✓ NovoRapid Penfill ✓ NovoRapid
INSULIN LISPRO  ▲ Inj 100 u per ml, 10 ml	10 ml OP 5	<ul><li>✓ Humalog</li><li>✓ Humalog</li></ul>
Alpha Glucosidase Inhibitors		
ACARBOSE – Special Authority see SA0925 on the next page – Retail pharmacy  * Tab 50 mg	90 90	✓ Glucobay ✓ Glucobay

Subsidy Fully Brand or Generic Subsidised Per Manufacturer

### ⇒SA0925 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has type 2 diabetes; and
- 2 Either:
  - 2.1 Metformin is not tolerated, or is contraindicated; or
  - 2.2 The patient has not responded to the maximum appropriate dose of metformin.

# **Oral Hypoglycaemic Agents**

GLIBENCLAMIDE  * Tab 5 mg	100	✓ Daonil
GLICLAZIDE	500	✓ Apo-Gliclazide
GLIPIZIDE	100	✓ Minidiab
METFORMIN HYDROCHLORIDE  * Tab immediate-release 500 mg	500 250	✓ Apotex ✓ Apotex
PIOGLITAZONE – Special Authority see SA0959 below – Retail pharmacy Tab 15 mg	28	✓ <u>Apotex</u> ✓ Pizaccord
Tab 30 mg	28 28	✓ <u>Pizaccord</u> ✓ <u>Pizaccord</u> ✓ <u>Pizaccord</u>

# **▶**SA0959 Special Authority for Subsidy

**Initial application — (Patients with type 2 diabetes)** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Either:

- 1 Patient has not achieved glycaemic control on maximum doses of metformin and/or a sulphonylurea or where either or both are contraindicated or not tolerated; or
- 2 Patient is on insulin.

# **Diabetes Management**

# **Glucose/Urine Testing**

COPPER			
* Tab, diagnostic - Not on a BSO	5.02	36 OP	
	(31.80)		Clinitest
(Clinitest Tab, diagnostic to be delisted 1 September 2010)			
GLUCOSE OXIDASE			
Urine diagnostic test - Not on a BSO	4.11	50 strip OP	
	(7.00)		Diabur 5000
Urine diagnostic test with peroxidase - Not on a BSO	4.11	50 strip OP	
	(6.26)		Diastix
	4.13		
	(8.65)		Clinistix
(Diabur 5000 Urine diagnostic test to be delisted 1 September 2010	)		
(Diastix Urine diagnostic test with peroxidase to be delisted 1 Septe	mber 2010)		
(Clinistix Urine diagnostic test with peroxidase to be delisted 1 Sept	,		

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ **Ketone Testing** KETONE BLOOD BETA-KETONE ELECTRODES - Subsidy by endorsement Patient has type 1 diabetes and has had one or more episodes of ketoacidosis (excluding first presentation). Maximum quantity of 2 packs per annum. No further prescriptions will be subsidised. The prescription must be endorsed accordingly. 10 strip OP Optium Blood Ketone Test Strips SODIUM NITROPRUSSIDE \* Test strip - Not on a BSO......14.14 20 strip OP ✓ Ketostix **Blood Glucose Testing** BLOOD GLUCOSE DIAGNOSTIC TEST METER - Subsidy by endorsement a) Maximum of 1 meter per prescription b) 1) A diagnostic blood glucose test meter is subsidised for patients who begin insulin or sulphonylurea therapy after 1 March 2005 or is prescribed for a pregnant woman with diabetes. 2) Only one meter per patient. No further prescriptions will be subsidised. The prescription must be endorsed accordingly. ✓ CareSens POP ✓ CareSens II 9.00 ✔ FreeStyle Lite On Call Advanced ✓ Optium Xceed ✓ Accu-Chek 19.00 Performa BLOOD GLUCOSE DIAGNOSTIC TEST STRIP The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed with insulin or a sulphonylurea but are on a different prescription and the prescription is endorsed accordingly; or
- 2) Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed:
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly.

SensoCard blood glucose test strips are subsidised only if prescribed for a patient who is severely visually impaired and is using a SensoCard Plus Talking Blood Glucose Monitor. Pland alugano toot atring > FO and langets > F 40 40 4 00 A On Call Advanced

blood glucose test strips $\times$ 50 and lancets $\times$ 5	19.10	I OP	Un Call Advanced
	19.60		✓ CareSens
Blood glucose test strips	21.65	50 test OP	✓ Accu-Chek
			Performa
			✓ FreeStyle Lite
			✓ Optium 5 second test
	26.20		✓ SensoCard

Subsidy (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

# **Insulin Syringes and Needles**

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly.

INSULIN PEN NEEDLES - Maximum of 100 dev per prescrip	otion		37
* 29 g × 12.7 mm		100	✓ ABM
			✓ B-D Micro-Fine
	11.75		SC Profi-Fine
* 31 g × 5 mm	11.75	100	✓ B-D Micro-Fine
			✓ SC Profi-Fine
* 31 g × 6 mm		100	✓ ABM
	11.75		✓ Fine Ject
	10.50		
d. 04	(26.00)	400	NovoFine
* 31 g × 8 mm	10.50	100	✓ ABM
	11.75		✓ B-D Micro-Fine ✓ SC Profi-Fine
INSULIN SYRINGES, DISPOSABLE WITH ATTACHED NEED			
$\divideontimes$ Syringe 0.3 ml with 29 g $\times$ 12.7 mm needle	13.00	100	✓ ABM
			✓ B-D Ultra Fine
die Oraine Oranie die Odere Oranie die	10.00	400	✓ DM Ject
$*$ Syringe 0.3 ml with 31 g $\times$ 8 mm needle	13.00	100	✓ ABM ✓ B-D Ultra Fine II
			✓ DM Ject
* Syringe 0.5 ml with 29 g × 12.7 mm needle	13.00	100	✓ ABM
* Syllinge 0.5 IIII with 29 g × 12.7 IIIII Heedile	13.00	100	✓ B-D Ultra Fine
			✓ DM Ject
* Syringe 0.5 ml with 31 g × 8 mm needle	13.00	100	✓ ABM
The Cylings old the Mar of g X o then nooded		100	✓ B-D Ultra Fine II
			✓ DM Ject
$*$ Syringe 1 ml with 29 g $\times$ 12.7 mm needle	13.00	100	✓ ABM
, 0			✓ B-D Ultra Fine
			✓ DM Ject
* Syringe 1 ml with 31 g × 8 mm needle	13.00	100	✓ ABM
			✓ B-D Ultra Fine II

✓ DM Ject

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

# **Digestives Including Enzymes**

PAN	<b>ICRF</b>	ATIC	FN7	YMF

TANOTIE/THO ENZIME			
Tab EC 1,900 BP u lipase, 1,700 BP u amylase, 110 BP u protease	32.46	300	✓ Pancrex V
Tab EC 5,600 BP u lipase, 5,000 BP u amylase, 330 BP u protease	58.44	300	✓ Pancrex V Forte
Cap 8,000 BP u lipase, 9,000 BP u amylase, 430 BP u protease		300	✓ Pancrex V
Cap 8,000 USP u lipase, 30,000 USP u amylase,	07.20	300	
30,000 USP u protease - Retail pharmacy-Specialist Cap EC 10,000 BP u lipase, 9,000 BP u amylase and	85.00	250	✓ Cotazym ECS
210 BP u protease - Retail pharmacy-Specialist	34.93	100	✓ Creon 10000
Cap EC 25,000 BP u lipase, 18,000 BP u amylase, 1,000 BP u protease – Retail pharmacy-Specialist	94.38	100	✔ Creon Forte
1,250 BP u protease – Retail pharmacy-Specialist	94.40	100	✔ Panzytrat
URSODEOXYCHOLIC ACID - Special Authority see SA1003 below		•	4 4 11 11
Cap 300 mg	179.00	100	Actigall

# **⇒**SA1003 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Either:

- 1 Patient diagnosed with cholestasis of pregnancy: or
- 2 Both:
  - 2.1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2.2 Patient not requiring a liver transplant (bilirubin > 170umol/l; decompensated cirrhosis).

Note: Liver biopsy is not usually required for diagnosis but is helpful to stage the disease.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 170 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure – doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatique, histological progression by two stages, or to cirrhosis, need for transplantation.

#### Laxatives

# Bulk-forming Agents

ΜL	CILAGINOUS LAXATIVES – Only on a prescription			
*	Dry	5.72	325 g OP	Konsyl-D
		6.69	380 g OP	✓ Mucilax
		7.92	450 g OP	
		(12.71)		Isogel
		8.80	500 g OP	
		(16.49)	_	Normacol
*	Dry-original flavour, regular texture only	5.91	336 g OP	
		(12.38)		Metamucil
*	Sugar Free	4.84	275 g OP	
		(10.60)	-	Mucilax

	Subsidy		Fully Brand or
	(Manufacturer's	Price) Sub Per	osidised Generic  Manufacturer
	ð	Per	Manufacturer
MUCILAGINOUS LAXATIVES WITH STIMULANTS			
* Dry		200 g OP	Names and Dive
	(7.69) 8.80	500 a OP	Normacol Plus
	(16.49)	500 g OP	Normacol Plus
- 10 ti	(10.43)		Normacor Flus
Faecal Softeners			
DOCUSATE SODIUM - Only on a prescription			
* Tab 50 mg		100	✓ Coloxyl
* Tab 120 mg	6.73	100	✓ Coloxyl
* Cap 50 mg	3.95	100	✓ Laxofast 50
* Cap 120 mg		100	✓ Laxofast 120
* Enema conc 18%	5.40	100 ml OP	✓ Coloxyl
DOCUSATE SODIUM WITH SENNOSIDES			
* Tab 50 mg with total sennosides 8 mg	6.38	200	✓ Laxsol
POLOXAMER - Only on a prescription			
* Oral drops 10%	3.78	30 ml OP	✓ Coloxyl
Osmotic Laxatives			
GLYCEROL			
* Suppos 3.6 g – Only on a prescription	6.00	20	✓ PSM
		20	V I OW
LACTULOSE – Only on a prescription	0.05	1 000	. C Dumbalas
* Oral liq 10 g per 15 ml		1,000 ml	✓ <u>Duphalac</u>
MACROGOL 3350 - Special Authority see SA0891 below - Reta	il pharmacy		
Powder 13.125 g, sachets - Maximum of 60 sach per pre-			
scription	18.14	30	✓ Movicol
■ SA0891 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals val			
requiring intervention with a per rectal preparation despite an ad	equate trial of	other oral pharr	macotherapies including lactulos
where lactulose is not contraindicated.			
Renewal from any relevant practitioner. Approvals valid for 12 r	nonths where t	he patient is co	empliant and is continuing to gai
benefit from treatment.			
SODIUM ACID PHOSPHATE – Only on a prescription	0.50		451.51.1.
Enema 16% with sodium phosphate 8%	2.50	1	✓ Fleet Phosphate
			Enema
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETATE	<ul> <li>Only on a pres</li> </ul>	scription	
Enema 90 mg with sodium lauryl sulphoacetate 9 mg per ml,			
5 ml	7.30	12	✓ Microlax
Stimulant Laxatives			
BISACODYL - Only on a prescription			
* Tab 5 mg	5.09	200	✓ <u>Lax-Tabs</u>
* Suppos 5 mg		6	Dulcolax
* Suppos 10 mg		6	✓ Dulcolax
•	3.96	12	✓ Fleet
(Fleet Suppos 10 mg to be delisted 1 August 2010)			

	Subsidy (Manufacturer's Price) \$	Per		Brand or Generic Manufacturer
SENNA - Only on a prescription				
* Tab, standardised	2.17	100		
	(6.16)		Sr	enokot

# Gaucher's Disease

IMIGLUCERASE - Special Authority see SA0473 below - Hospital pharmacy [HP1] ✓ Cerezyme

### ■ SA0473 Special Authority for Subsidy

Special Authority approved by the Gaucher's Treatment Panel

Notes: Subject to a budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Gaucher's Treatment Panel Phone: (04) 460 4990 PHARMAC, PO Box 10 254 Facsimile: (04) 916 7571

Wellington Email: gaucherpanel@pharmac.govt.nz

# **Mouth and Throat**

BENZYDAMINE HYDROCHLORIDE Soln 0.15%	9.00 (15.36)	500 ml	Difflam
CHLORHEXIDINE GLUCONATE  Mouthwash 0.2%	3.06	200 ml OP	✓ Orion
CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE  * Adhesive gel 8.7% with cetalkonium chloride 0.01%	2.06 (5.25)	15 g OP	Bonjela
SODIUM CARBOXYMETHYLCELLULOSE With pectin and gelatin paste	4.55	56 g OP 15 g OP	✓ Stomahesive
With pectin and gelatin powder	(7.90) 8.48 (10.95)	28 g OP	Orabase Stomahesive
TRIAMCINOLONE ACETONIDE 0.1% in Dental Paste USP	4.38	5 g OP	✓ <u>Oracort</u>
Oropharyngeal Anti-infectives			
AMPHOTERICIN B Lozenges 10 mg	5.86	20	✓ Fungilin
MICONAZOLE Oral gel 20 mg per g	8.70	40 g OP	✓ Daktarin
NYSTATIN Oral liq 100,000 u per ml	3.19	24 ml OP	✓ <u>Nilstat</u>

Chanulacturer's Price   Subsidised   Chanulacturer		Subsidy		Fully Brand or
Other Oral Agents           For folinic mouthwash, pilocarpine oral liquid or saliva substitute formula refer, page 166           HYDROGEN PEROXIDE         * Son 10 vol – Maximum of 200 ml per prescription		(Manufacturer's P	,	sidised Generic
For folinic mouthwash, pilocarpine oral liquid or saliva substitute formula refer, page 166 HYDROGEN PEROXIDE  * Soin 10 vol – Maximum of 200 ml per prescription		\$	Per	Manufacturer
HYDROGEN PEROXIDE  ★ Soln 10 vol — Maximum of 200 ml per prescription	Other Oral Agents			
# Soln 10 vol − Maximum of 200 ml per prescription	For folinic mouthwash, pilocarpine oral liquid or saliva substitute	formula refer, pag	e 166	
THYMOL GLYCERIN  ★ Compound, BPC	HYDROGEN PEROXIDE	4.00	400	. 4 POM
★ Compound, BPC         9.15         500 ml         ✓ PSM           Vitamins           Vitamin A           VITAMIN A WITH VITAMINS D AND C Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops         4.50         10 ml OP         ✓ Vitadol C           Vitamin B Group           HYDROXOCOBALAMIN * Inj 1 mg per ml, 1 ml - Up to 6 inj available on a PSO         6.15         3         ✓ ABM Hydroxocobalamin Neo-B12           (Neo-B12 Inj 1 mg per ml, 1 ml to be delisted 1 July 2010)           PYRIDOXINE HYDROCHLORIDE a) No more than 100 mg per dose b) Only on a prescription           ** Tab 55 mg         17.63         500         ✓ Apo-Pyridoxine           ** Tab 55 mg         17.63         500         ✓ Apo-Pyridoxine           ** Tab 55 mg         5.62         100         ✓ Apo-Pyridoxine           ** Tab 55 mg         5.62         100         ✓ Apo-Thiamine           VITAMIN B COMPLEX ** Tab, strong, BPC         12.10         500         ✓ Apo-B-Complex           Vitamin C         ASCORBIC ACID a) No more than 100 mg per dose b) Only on a prescription         17.25         500         ✓ Apo-Ascorbic Acid           Vitamin D         ALFACALCIDOL Cap 0.25 µg         26.32         100         ✓ One-Alpha ✓ One-Alpha           Oral drops 2 µ	····	1.28	100 mi	<b>₽</b> PSM
Vitamin S           Vitamin A           VITAMIN A WITH VITAMINS D AND C           Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops         4.50         10 ml OP         ✓ Vitadol C           Vitamin B Group           HYDROXOCOBALAMIN           ** Inj 1 mg per ml, 1 ml - Up to 6 inj available on a PSO         6.15         3         ✓ ABM         Hydroxocobalamin         Neo-B12         Neo-B12         Neo-B12         ABM         Hydroxocobalamin         Neo-B12         Neo-B12         Neo-B12         Healtheries         Apo-Pyridoxine         Thushin Hydroxocobalamin		9.15	500 ml	✓ PSM
Vitamin A         Vitamin S D AND C         Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops         4.50         10 ml OP         ✓ Vitadol C           Vitamin B Group           HYDROXOCOBALAMIN           ** Inj 1 mg per ml, 1 ml – Up to 6 inj available on a PSO         6.15         3         ✓ ABM Hydroxocobalamin Neo-B12           (Neo-B12 lnj 1 mg per ml, 1 ml to be delisted 1 July 2010)           PYRIDOXINE HYDROCHLORIDE           a) No more than 100 mg per dose         b) Only on a prescription           ** Tab 25 mg — No patient co-payment payable         3.06         90         ✓ Healtheries           ** Tab 50 mg         17.63         500         ✓ Apo-Pyridoxine           THIAMINE HYDROCHLORIDE — Only on a prescription           ** Tab 50 mg         5.62         100         ✓ Apo-Thiamine           VITAMIN B COMPLEX         * Tab, strong, BPC         12.10         500         ✓ Apo-B-Complex           Vitamin C           ASCORBIC ACID           a) No more than 100 mg per dose         b) Only on a prescription         * Tab 100 mg         17.25         500         ✓ Apo-Ascorbic Acid           Vitamin D           ALFACALCIDOL         Cap 25 µg         26.32         10				
Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops	Vitamin A			
Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops	VITAMINI A WITH VITAMINIS D AND C			
Vitamin B Group		q		
HYDROXOCOBALAMIN  ★ Inj 1 mg per ml, 1 ml − Up to 6 inj available on a PSO	per 10 drops	4.50	10 ml OP	✓ Vitadol C
* Inj 1 mg per ml, 1 ml — Up to 6 inj available on a PSO	Vitamin B Group			
Hydroxocobalamin   Neo-B12   Inj 1 mg per ml, 1 ml to be delisted 1 July 2010	HYDROXOCOBALAMIN			
(Neo-B12 Inj 1 mg per ml, 1 ml to be delisted 1 July 2010)  PYRIDOXINE HYDROCHLORIDE  a) No more than 100 mg per dose b) Only on a prescription  * Tab 25 mg — No patient co-payment payable	* Inj 1 mg per ml, 1 ml – Up to 6 inj available on a PSO	6.15	3	
PYRIDOXINE HYDROCHLORIDE  a) No more than 100 mg per dose b) Only on a prescription  * Tab 25 mg − No patient co-payment payable		(10.84)		•
a) No more than 100 mg per dose b) Only on a prescription  * Tab 25 mg − No patient co-payment payable	(Neo-B12 Inj 1 mg per ml, 1 ml to be delisted 1 July 2010)			
b) Only on a prescription  * Tab 25 mg − No patient co-payment payable	PYRIDOXINE HYDROCHLORIDE			
* Tab 50 mg       17.63       500       ✓ Apo-Pyridoxine         THIAMINE HYDROCHLORIDE – Only on a prescription       5.62       100       ✓ Apo-Thiamine         VITAMIN B COMPLEX       12.10       500       ✓ Apo-B-Complex         Vitamin C       ASCORBIC ACID       a) No more than 100 mg per dose       b) Only on a prescription         * Tab 100 mg       17.25       500       ✓ Apo-Ascorbic Acid         Vitamin D         ALFACALCIDOL       26.32       100       ✓ One-Alpha         Cap 1 μg       87.98       100       ✓ One-Alpha         Oral drops 2 μg per ml       60.68       20 ml OP       ✓ One-Alpha         CALCITRIOL				
THIAMINE HYDROCHLORIDE − Only on a prescription  * Tab 50 mg				
* Tab 50 mg       5.62       100       ✓ Apo-Thiamine         VITAMIN B COMPLEX       * Tab, strong, BPC       12.10       500       ✓ Apo-B-Complex         Vitamin C         ASCORBIC ACID         a) No more than 100 mg per dose       b) Only on a prescription         * Tab 100 mg       17.25       500       ✓ Apo-Ascorbic Acid         Vitamin D         ALFACALCIDOL         Cap 0.25 μg       26.32       100       ✓ One-Alpha         Cap 1 μg       87.98       100       ✓ One-Alpha         Oral drops 2 μg per ml       60.68       20 ml OP       ✓ One-Alpha         CALCITRIOL	•	17.63	500	Apo-Pyridoxine
VITAMIN B COMPLEX  * Tab, strong, BPC		5.62	100	✓ Apo-Thiamine
Vitamin C         ASCORBIC ACID <ul> <li>a) No more than 100 mg per dose</li> <li>b) Only on a prescription</li> <li>★ Tab 100 mg</li> <li>17.25</li> <li>500</li> <li>✓ Apo-Ascorbic Acid</li> </ul> Vitamin D         ALFACALCIDOL         Cap 0.25 μg       26.32       100       ✓ One-Alpha         Cap 1 μg       87.98       100       ✓ One-Alpha         Oral drops 2 μg per ml       60.68       20 ml OP       ✓ One-Alpha         CALCITRIOL	VITAMIN B COMPLEX			
ASCORBIC ACID  a) No more than 100 mg per dose b) Only on a prescription  ★ Tab 100 mg	* Tab, strong, BPC	12.10	500	✓ Apo-B-Complex
a) No more than 100 mg per dose b) Only on a prescription  * Tab 100 mg	Vitamin C			
b) Only on a prescription  * Tab 100 mg	ASCORBIC ACID			
* Tab 100 mg       17.25       500       ✓ Apo-Ascorbic Acid         Vitamin D         ALFACALCIDOL         Cap 0.25 μg       26.32       100       ✓ One-Alpha         Cap 1 μg       87.98       100       ✓ One-Alpha         Oral drops 2 μg per ml       60.68       20 ml OP       ✓ One-Alpha         CALCITRIOL				
Vitamin D         ALFACALCIDOL         Cap 0.25 μg		17.25	500	✓ Apo-Ascorbic Acid
Cap 0.25 μg       .26.32       100       ✓ One-Alpha         Cap 1 μg       .87.98       100       ✓ One-Alpha         Oral drops 2 μg per ml       .60.68       20 ml OP       ✓ One-Alpha         CALCITRIOL				, , , , , , , , , , , , , , , , , , ,
Cap 0.25 μg       .26.32       100       ✓ One-Alpha         Cap 1 μg       .87.98       100       ✓ One-Alpha         Oral drops 2 μg per ml       .60.68       20 ml OP       ✓ One-Alpha         CALCITRIOL	ALFACALCIDOL			
Oral drops 2 µg per ml60.68 20 ml OP ✓ One-Alpha  CALCITRIOL	Cap 0.25 μg		100	✓ One-Alpha
CALCITRIOL	_ ' ' *			
	, , , , , ,	00.00	20 1111 01	₹ Olio-Alphiα
	* Cap 0.25 µg		30	✓ <u>Airflow</u>
1 101	* Oral liq 1 µg per ml	39.40	10 1111 0P	P NOCALITOI SOLULION
		ion7.76	12	✓ Cal-d-Forte

### **ALIMENTARY TRACT AND METABOLISM**

Subsidy (Manufacturer's Price) Subsequence Subsider

Fully Subsidised

Brand or Generic Manufacturer

#### Vitamin E

#### ■ SA0915 | Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 Cystic fibrosis patient; or
- 2 Both:
  - 2.1 Infant or child with liver disease or short gut syndrome; and
  - 2.2 Requires vitamin supplementation.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

### **Multivitamin Preparations**

MULTIVITAMINS - Special Authority see SA0963 below - Retail pharmacy

Tab19.65	100	Ketovite
Powder36.00	100 g OP	✓ Paediatric Seravit
Oral lig	150 ml OP	Ketovite Liquid

(Ketovite Tab to be delisted 1 September 2010)

(Ketovite Liquid Oral liq to be delisted 1 September 2010)

#### **⇒**SA0963 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 The patient has inborn errors of metabolism; or
- 2 For use as a supplement to a ketogenic diet in patients diagnosed with epilepsy.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where patient has had a previous approval for multivitamins.

Note: Use of Paediatric Seravit is not recommended as a supplement to a ketogenic diet.

#### **VITAMINS**

*	Tab (BPC cap strength)	14.80	1,000	Healtheries
				Multi-vitamin
				tablets

\* Cap (fat soluble vitamins A, D, E, K) - Special Authority see

SA1002 below – Retail pharmacy .......23.40 60 Vitabdeck

#### ■ SA1002 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Either:

- 1 Patient has cystic fibrosis with pancreatic insufficiency; or
- 2 Patient is an infant or child with liver disease or short gut syndrome.

### **ALIMENTARY TRACT AND METABOLISM**

	Subsidy (Manufacturer's Price) \$	Su Per	Fully bsidised	Brand or Generic Manufacturer
Minerals				
Calcium				
CALCIUM CARBONATE  * Tab eff 1.75 g (1 g elemental)  * Tab 1.25 g (500 mg elemental)  * Tab 1.5 g (600 mg elemental)  CALCIUM GLUCONATE  * Inj 10%, 10 ml	9.18 10.33	30 250 250	✓ Ca	Isource Ici-Tab 500 Ici-Tab 600
Fluoride		10	• 1110	yiio
SODIUM FLUORIDE Tab 1.1 mg (0.5 mg elemental)	4.00	100	<b>✓</b> PS	М
Iron				
FERROUS FUMARATE Tab 200 mg (65 mg elemental)	4.35	100	<b>✓</b> Fe	rro-tab
FERROUS FUMARATE WITH FOLIC ACID  Tab 310 mg (100 mg elemental) with folic acid 350 µg	4.75	60	<b>✓</b> Fe	rro-F-Tabs
FERROUS GLUCONATE WITH ASCORBIC ACID  * Tab 170 mg (20 mg elemental) with ascorbic acid 40 mg	12.04	500		altheries Iron vith Vitamin C
(Healtheries Iron with Vitamin C Tab 170 mg (20 mg elemental) w	ith ascorbic acid 40 r	ng to be		
FERROUS SULPHATE  * Tab long-acting 325 mg (105 mg elemental)	5.06	150	Fo	rro-Gradumet
*‡ Oral liq 150 mg per 5 ml (30 mg elemental per 5 ml)	( /	500 ml	✓ Fe	
FERROUS SULPHATE WITH FOLIC ACID  * Tab long-acting 325 mg (105 mg elemental) with folic acid 350 μg		30	Fe	rrograd-Folic
IRON POLYMALTOSE Inj 50 mg per ml, 2 ml	,	5		rrum H
Magnesium				
For magnesium hydroxide mixture refer, page 166 MAGNESIUM SULPHATE Inj 49.3%, 5 ml	26.60	10	<b>✓</b> Ma	vne
Zinc		-		
ZINC SULPHATE  * Cap 137.4 mg (50 mg elemental)	10.00	100	✓ <u>Zir</u>	ncaps

Subsidy

Fully

Brand or

### **ALIMENTARY TRACT AND METABOLISM**

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

	~		
CHARCOAL			
* Tab 300 mg	7.13	100	✓ Red Seal
* Oral liq 50 g per 250 ml	43.50	250 ml OP	✓ Carbosorb-X
a) Up to 250 ml available on a PSO			
b) Only on a PSO			
IPECACUANHA			
* Tincture	41.20	500 ml	
	(43.40)		PSM
SODIUM CALCIUM EDETATE			
* Inj 200 mg per ml, 5 ml	53.31	6	
, 01	(156.71)		Calcium Disodium Versenate

Subsidy Fully (Manufacturer's Price) Subsidised 
\$ Per ✔

y Brand or d Generic Manufacturer

#### **Antianaemics**

### Hypoplastic and Haemolytic

#### ⇒SA0922 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Both:
  - 1.1 patient in chronic renal failure; and
  - 1.2 Haemoglobin  $\leq$  100g/L; and
- 2 Any of the following:
  - 2.1 Both:
    - 2.1.1 patient is not diabetic; and
    - 2.1.2 glomerular filtration rate ≤ 30ml/min; or
  - 2.2 Both:
    - 2.2.1 patient is diabetic; and
    - 2.2.2 glomerular filtration rate ≤ 45ml/min; or
  - 2.3 patient is on haemodialysis or peritoneal dialysis.

**Renewal** only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Notes: Erythropoietin beta is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

The Cockroft-Gault Formula may be used to estimate glomerular filtration rate (GFR) in persons 18 years and over:

GFR (ml/min) (male) =  $(140 - age) \times Ideal Body Weight (kg) / 814 \times serum creatinine (mmol/l)$ 

GFR (ml/min) (female) = Estimated GFR (male)  $\times$  0.85

ERYTHROPOIETIN ALPHA - Special Authority see SA0922 above - Hos	spital pharmacy [	HP3]
Inj human recombinant 1,000 iu prefilled syringe48	3.68 6	✓ Eprex
Inj human recombinant 2,000 iu, prefilled syringe120	0.18 6	✓ Eprex
Inj human recombinant 3,000 iu, prefilled syringe166	6.87	✓ Eprex
Inj human recombinant 4,000 iu, prefilled syringe193	3.13 6	✓ Eprex
Inj human recombinant 5,000 iu, prefilled syringe243	3.26 6	✓ Eprex
Inj human recombinant 6,000 iu, prefilled syringe291		✓ Eprex
Inj human recombinant 10,000 iu, prefilled syringe395	5.18 6	✓ Eprex
ERYTHROPOIETIN BETA - Special Authority see SA0922 above - Hospi	ital pharmacy [H	P3]
Inj 2,000 iu, prefilled syringe120	0.18 6	✓ NeoRecorr
liana i mulii		4

Inj 2,000 iu, prefilled syringe	120.18	6	✓ NeoRecormon
Inj 3,000 iu, prefilled syringe	166.87	6	✓ NeoRecormon
Inj 4,000 iu, prefilled syringe		6	✓ NeoRecormon
Inj 5,000 iu, prefilled syringe		6	✓ NeoRecormon
Inj 6,000 iu, prefilled syringe		6	✓ NeoRecormon
Inj 10,000 iu, prefilled syringe		6	✓ NeoRecormon

### Megaloblastic

FO	LIC ACID		
*	Tab 0.8 mg19.80	1,000	✓ Apo-Folic
*	Tab 5 mg10.21	500	✓ Apo-Folic

Oral liq 50 µg per ml ......21.05

25 ml OP

Acid Acid

✓ Biomed

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Antifibrinolytics, Haemostatics and Local Sclero	osants			
SODIUM TETRADECYL SULPHATE				
* Inj 0.5% 2 ml	23.20	5		
,	(45.52)		F	ibro-vein
* Inj 1% 2 ml	25.00	5		
	(48.98)		F	ibro-vein
* Inj 3% 2 ml	28.50	5		
	(55.91)		F	ibro-vein
TRANEXAMIC ACID				
Tab 500 mg	32.92	100	V 0	yklokapron
Vitamin K				
PHYTOMENADIONE				
Inj 2 mg per 0.2 ml - Up to 5 inj available on a PSO	8.00	5	<b>✓</b> K	Conakion MM
May be administered orally.				
Inj 10 mg per ml, 1 ml - Up to 5 inj available on a PSO May be administered orally.	9.21	5	<b>✓</b> K	onakion MM
Antithrombotic Agents				
Antiplatelet Agents				
ASPIRIN				
* Tab 100 mg	16.83	990	<b>√</b> E	thics Aspirin EC
CLOPIDOGREL - Special Authority see SA0867 below - Retail				
Tab 75 mg	,	28	✓ A	po-Clopidogrel
iab / J ilig	23.00	20		rrow-Clopidogrel
	(73.38)			lavix
	(. 5.55)			

### **⇒**SA0867 Special Authority for Subsidy

Initial application — (aspirin allergic patients) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient is allergic to aspirin (see definition below); and
- 2 Any of the following:

The patient has:

- 2.1 suffered from a stroke, or transient ischaemic attack; or
- 2.2 experienced an acute myocardial infarction; or
- 2.3 experienced an episode of pain at rest of greater than 20 minutes duration due to coronary disease that required admission to hospital for at least 24 hours; or
- 2.4 had a troponin T or troponin I test result greater than the upper limit of the reference range; or
- 2.5 had a revascularisation procedure; or
- 2.6 experienced symptomatic peripheral vascular disease of a severity that has required specialist consultation.

Note: Aspirin allergy is defined as a history of anaphylaxis, urticaria or asthma within 4 hours of ingestion of aspirin, other salicylates or NSAIDs.

Initial application — (aspirin tolerant patients and aspirin naive patients) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Any of the following:

The patient has:

continued...

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 1 experienced an acute myocardial infarction; or
- 2 had an episode of pain at rest of greater than 20 minutes duration due to coronary disease that required admission to hospital for at least 24 hours; or
- 3 had a troponin T or troponin I test result greater than the upper limit of the reference range; or
- 4 had a revascularisation procedure.

Initial application — (patients awaiting revascularisation) from any relevant practitioner. Approvals valid for 6 months where the patient is on a waiting list or active review list for stenting, coronary artery bypass grafting, or percutaneous coronary angioplasty following acute coronary syndrome.

Initial application — (post stenting) from any relevant practitioner. Approvals valid for 6 months where the patient has had a stent inserted in the previous 4 weeks.

**Initial application** — **(documented stent thrombosis)** from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has, while on treatment with aspirin or clopidogrel, experienced documented stent thrombosis...

Renewal — (aspirin tolerant patients) from any relevant practitioner. Approvals valid without further renewal unless notified where while on treatment with aspirin the patient has experienced an additional vascular event following the recent cessation of clopidogrel.

Renewal — (acute coronary syndrome - aspirin tolerant patients and aspirin naive patients) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Any of the following:

The patient has:

- 1 experienced an acute myocardial infarction: or
- 2 had an episode of pain at rest of greater than 20 minutes duration due to coronary disease that required admission to hospital for at least 24 hours; or
- 3 had a troponin T or troponin I test result greater than the upper limit of the reference range; or
- 4 had a revascularisation procedure.

Renewal — (patients awaiting revascularisation) from any relevant practitioner. Approvals valid for 6 months where the patient is on a waiting list or active review list for stenting, coronary artery bypass grafting or percutaneous coronary angioplasty following acute coronary syndrome.

Renewal — (post stenting) from any relevant practitioner. Approvals valid for 6 months where the patient has had a stent inserted in the previous 4 weeks.

Renewal — (documented stent thrombosis) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has, while on treatment with aspirin or clopidogrel, experienced documented stent thrombosis.

#### DIPYRIDAMOLE

*	Tab 25 mg	84	Persantin
*	Tab long-acting 150 mg11.52	60	Pytazen SR

### **Heparin and Antagonist Preparations**

ENOXAPARIN SODIUM - Spe	ecial Authority see S	SA0975 on the next	page – Retail pharmacy
-------------------------	-----------------------	--------------------	------------------------

Inj 20 mg39.20	10	Clexane
Inj 40 mg52.30		✓ Clexane
Inj 60 mg78.85		✓ Clexane
Inj 80 mg105.12	10	✓ Clexane
Inj 100 mg135.20		✓ Clexane
Inj 120 mg168.00		✓ Clexane
Inj 150 mg		✓ Clexane

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

#### **⇒**SA0975 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Fither:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

**Initial application — (Venous thromboembolism other than in pregnancy or malignancy)** from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

#### Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic INR with oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing warfarin treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

#### HEPARIN SODIUM

Inj 1,000 iu per ml, 5 ml	11.44	10	Pfizer
	46.30	50	✓ Pfizer
	66.80		Mayne
Inj 1,000 iu per ml, 35 ml	16.00	1	✓ Mayne
Inj 5,000 iu per ml, 1 ml		5	✓ Mayne
Inj 5,000 iu per ml, 5 ml	43.67	10	✓ Multiparir
	118.50	50	✓ Pfizer
Inj 25,000 iu per ml, 0.2 ml	9.50	5	Mayne
HEPARINISED SALINE			
* Inj 10 iu per ml, 5 ml	32.50	50	✔ Pfizer
PROTAMINE SULPHATE			
* Inj 10 mg per ml, 5 ml	22.40	10	
,	(86.54)		Artex

### **Oral Anticoagulants**

#### WARFARIN SODIUM

	Note: Marevan and Coumadin are not interchangeable.		
*	Tab 1 mg3.46	50	Coumadin
	5.69	100	Marevan

*	Tab 2 mg4.	.31	50	✓ Coumadin
	Tab 3 mg8.		100	✓ Marevan
*	Tab 5 mg5.	.93	50	✔ Coumadin

<sup>9.64 100</sup> **V** Marevan

	Subsidy (Manufacturer's Pri	ce) Sub Per	Fully osidised	Brand or Generic Manufacturer
Fluids and Electrolytes				
Intravenous Administration				
DEXTROSE	00.75	-		
<ul> <li>Inj 50%, 10 ml – Up to 5 inj available on a PSO</li> <li>Inj 50%, 90 ml – Up to 5 inj available on a PSO</li> </ul>		5 1		<u>iomed</u> iomed
POTASSIUM CHLORIDE				
* Inj 75 mg per ml, 10 ml		50		straZeneca
* Inj 150 mg per ml, 10 ml		50	✓ A	straZeneca
SODIUM BICARBONATE				
Inj 8.4%, 50ml	19.95	1	<b>✓</b> B	iomed
a) Up to 5 inj available on a PSO				
b) Not in combination	00.50	1		iomed
Inj 8.4%, 100 ml	20.50	1	VB	iomea
b) Not in combination				
SODIUM CHLORIDE				
Inf 0.9% – Up to 2000 ml available on a PSO	3.06 4.06	500 ml 1.000 ml	✓ B	
Only if prescribed on a prescription for renal dialysis, mate		,		
for emergency use. (500 ml and 1,000 ml packs)	, ,			,
Inj 23.4%, 20 ml		5		iomed
Inj 0.9%, 5 ml — Up to 5 inj available on a PSO		50 50		straZeneca straZeneca
Inj 0.9%, 20 ml		20		ultichem
	11.79	30	✓ P	harmacia
TOTAL PARENTERAL NUTRITION (TPN) - Hospital pharmacy [H			4	
Infusion	CBS	1 OP	✓ TI	PN
WATER  1) On a prescription or Practitioner's Supply Order only when Schedule requiring a solvent or diluent; or	on the same for	m as an inje	ection lis	ted in the Pharmaceutical
2) On a bulk supply order; or				
<ol> <li>When used in the extemporaneous compounding of eye dro Purified for inj, 5 ml – Up to 5 inj available on a PSO</li> </ol>		50	✓ M	ultichem
Turned for my, 5 mil. Op to 5 my available on a 1 00	10.51	30	*	straZeneca
Purified for inj, 10 ml - Up to 5 inj available on a PSO		50		ultichem
Purified for inj, 20 ml – Up to 5 inj available on a PSO	11.32	20		straZeneca ultichem
Oral Administration		20	IVI	unuchem
CALCIUM POLYSTYRENE SULPHONATE Powder	169.85	300 g OP	<b>√</b> C	alcium Resonium
COMPOUND ELECTROLYTES		550 g Oi	- 0	alviani ilooviilaili
Powder for soln for oral use 5 g – Up to 10 sach available on				
a PSO	2.86	10	<b>✓</b> <u>E</u>	<u>nerlyte</u>

Subsidy

Fully

Brand or

	Subsidy	Duite Out	Fully Brand or
	(Manufacturer's \$	Price) Sub Per	sidised Generic  Manufacturer
DEXTROSE WITH ELECTROLYTES			
Soln with electrolytes	6.66	1,000 ml OP	✓ Pedialyte -
			Bubblegum
	6.78		✓ Pedialyte - Fruit ✓ Pedialyte - Plain
OCTA CCILINA DICA DDONIATE	0.70		redialyte - Flaiii
OTASSIUM BICARBONATE  Tab off 315 mg with codium soid phosphoto 1,937 g an	d		
Tab eff 315 mg with sodium acid phosphate 1.937 g an sodium bicarbonate 350 mg		100	✓ Phosphate-Sandoz
For phosphate supplementation		100	T Hoophato canacz
OTASSIUM CHLORIDE			
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	5.26	60	
	(11.85)		Chlorvescent
* Tab long-acting 600 mg	7.00	200	✓ <u>Span-K</u>
SODIUM POLYSTYRENE SULPHONATE			45
Powder	89.10	450 g OP	✓ Resonium-A
Lipid Modifying Agents			
Fibrates			
BEZAFIBRATE			
★ Tab 200 mg		90	✓ <u>Fibalip</u>
Fab long-acting 400 mg	5.70	30	✓ Bezalip Retard
Other Lipid Modifying Agents			
CIPIMOX			
k Cap 250 mg	18.75	30	✓ Olbetam
IICOTINIC ACID			
₭ Tab 50 mg		100	✓ Apo-Nicotinic Acid
≰ Tab 500 mg	17.60	100	✓ Apo-Nicotinic Acid
Resins			
CHOLESTYRAMINE WITH ASPARTAME			
Sachets 4 g with aspartame	19.25	50	
	(28.88)		Questran-Lite
COLESTIPOL HYDROCHLORIDE			
Sachets 5 g	16.17	30	✓ <u>Colestid</u>
HMG CoA Reductase Inhibitors (Statins)			

### **Prescribing Guidelines**

Treatment with HMG CoA Reductase Inhibitors (statins) is recommended for patients with dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater.

		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
ATC	DRVASTATIN - Additional subsidy by Special Authority see SA	0788 below - Retail	pharn	nacy	
	See prescribing guideline on the preceding page				
*	Tab 10 mg	4.03	30		
	•	(18.32)		Li	pitor
*	Tab 20 mg	5.87 <sup>′</sup>	30		•
	ů	(26.70)		Li	pitor
*	Tab 40 mg	' '	30	_	r
•••		(37.02)		Li	pitor
*	Tab 80 mg	, ,	30		Pitoi
-14	100 00 mg	(110.50)	00	Li	pitor

#### **⇒**SA0788 Special Authority for Manufacturers Price

**Initial application** only from a relevant specialist or general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Both:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Fither:
  - 2.1 Patient has severe documented intolerance to simvastatin (blood tests are not required); or
  - 2.2 Both:
    - 2.2.1 Patient has been compliant with a dose of simvastatin of 80 mg per day for at least 2 months; and
      2.2.2 Either:
      - 2.2.2.1 All of the following:
        - 2.2.2.1.1 Patient has venous CABG; and
        - 2.2.2.1.2 LDL cholesterol test  $1 \ge 2.0$  mmol/litre; and
        - 2.2.2.1.3 LDL cholesterol test 2 ≥ 2.0 mmol/litre (at least 1 week after test 1); or
      - 2.2.2.2 All of the following:
        - 2.2.2.2.1 Patient does not have venous CABG: and
        - 2.2.2.2.2 LDL cholesterol test 1 > 2.5 mmol/litre; and
        - 2.2.2.2.3 LDL cholesterol test  $2 \ge 2.5$  mmol/litre (at least 1 week after test 1).

Notes: To confirm that cholesterol levels are not still improving, two lipid tests must be carried out during treatment with simvastatin 80 mg, and have results for LDL cholesterol that have reduced by <10% in the second test. The tests must be carried out while the patient is in a fasted state (with the exception of patients with IDDM).

The following indications of intolerance to simvastatin, are known as class effects for all statins, and hence are likely to mean that the patient may also be intolerant of atorvastatin:

- Constipation, flatulence (may occur in >1% of patients)
- Asthenia, abdominal pain, headache (may occur in >1% of patients)
- Myopathy, rhabdomyolysis (may occur in <3% of patients)</li>
- Elevated serum transaminase levels (may occur in <1% of patients)

Statins have been shown to be generally well tolerated in clinical studies, with the rate of discontinuation due to adverse reactions being less than 5%, and similar to the discontinuation rate for patients taking a placebo.

#### PRAVASTATIN - Special Authority see SA0932 on the next page - Retail pharmacy

See prescribing guideline on the preceding page			
Tab 10 mg	.27.46	30	Pravachol
Tab 20 mg	.42.58	30	Pravachol
Tab 40 mg	.65.31	30	Pravachol

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

#### ■SA0932 Special Authority for Subsidy

Initial application — (Confirmed HIV/AIDS) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater; and
- 2 Confirmed HIV infection: and
- 3 Patient is being treated with an HIV protease inhibitor.

#### SIMVASTATIN - See prescribing guideline on page 45

*	Tab 10 mg2.05	90	✓ Arrow-Simva 10mg
	Tab 20 mg	90	✓ Arrow-Simva 20mg
	Tab 40 mg5.35	90	✓ Arrow-Simva 40mg
*	Tab 80 mg11.65	90	✓ Arrow-Simva 80mg

### **Selective Cholesterol Absorption Inhibitors**

EZETIMIBE - Special Authority see SA0796 below - Retail pharmacy			
Tab 10 mg	.57.60	30	✓ Ezetrol

#### ⇒SA0796 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Either:
  - 1.1 ezetimibe is to be used in combination with simvastatin; or
  - 1.2 ezetimibe is to be used without a statin; and
- 2 Either:
  - 2.1 All of the following:
    - 2.1.1 Patient has a calculated absolute risk of cardiovascular disease >20% over 5 years; and
    - 2.1.2 Patient cannot tolerate statin therapy at a dose of ≥ 40 mg per day; and
    - 2.1.3 Either:
      - 2.1.3.1 All of the following:
        - 2.1.3.1.1 Patient has venous CABG; and
        - 2.1.3.1.2 LDL cholesterol ≥ 2.0 mmol/litre (see note); and
        - 2.1.3.1.3 LDL cholesterol > 2.0 mmol/litre (at least 1 week after test 1 see note); or
      - 2.1.3.2 All of the following:
        - 2.1.3.2.1 Patient does not have venous CABG; and
        - 2.1.3.2.2 LDL cholesterol  $\geq$  2.5 mmol/litre (see note); and
        - 2.1.3.2.3 LDL cholesterol ≥ 2.5 mmol/litre (at least 1 week after test 1 see note); or
  - 2.2 All of the following:
    - 2.2.1 Patient has homozygous familial hypercholesterolemia, or heterozygous familial hypercholesterolemia; and
    - 2.2.2 Patient has been compliant for at least two months with maximum dose statin therapy; and
    - 2.2.3 LDL cholesterol ≥ 5 mmol/litre (see note); and
    - 2.2.4 LDL cholesterol  $\geq$  5 mmol/litre (at least 1 week after test 1 see note).

Note: Two lipid tests are required to assess LDL cholesterol levels, the tests must be at least one week apart, and be carried out in a fasted state (other than for patients with IDDM). The results for LDL cholesterol levels in both tests must be above those specified. **Renewal** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 ezetimibe is to be used in combination with simvastatin; or
  - 2.2 ezetimibe is to be used without a statin.

	Subsidy (Manufacturer's Price) \$	Per		Brand or Generic Manufacturer	
EZETIMIBE WITH SIMVASTATIN - Special Authority see SA082	6 below – Retail pharr	nacy			
Tab 10 mg with simvastatin 10 mg	69.00	30	✓ Vy	rtorin e	
Tab 10 mg with simvastatin 20 mg	75.00	30	✓ Vy	rtorin	
Tab 10 mg with simvastatin 40 mg		30	✓ Vy	rtorin	
Tab 10 mg with simvastatin 80 mg		30	<b>✓</b> Vy	rtorin	

#### ⇒SA0826 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 All of the following:
  - 1.1 Patient has a calculated absolute risk of cardiovascular disease >20% over 5 years; and
  - 1.2 Patient cannot tolerate statin therapy at a dose of  $\geq 40$  mg per day; and
  - 1.3 Either:
    - 1.3.1 All of the following:
      - 1.3.1.1 Patient has venous CABG; and
      - 1.3.1.2 LDL cholesterol  $\geq$  2.0 mmol/litre (see note); and
      - 1.3.1.3 LDL cholesterol  $\geq$  2.0 mmol/litre (at least 1 week after test 1 see note); or
    - 1.3.2 All of the following:
      - 1.3.2.1 Patient does not have venous CABG; and
      - 1.3.2.2 LDL cholesterol ≥ 2.5 mmol/litre (see note); and
      - 1.3.2.3 LDL cholesterol  $\geq$  2.5 mmol/litre (at least 1 week after test 1 see note); or
- 2 All of the following:
  - 2.1 Patient has homozygous familial hypercholesterolemia, or heterozygous familial hypercholesterolemia; and
  - 2.2 Patient has been compliant for at least two months with maximum dose statin therapy; and
  - 2.3 LDL cholesterol ≥ 5 mmol/litre (see note); and
  - 2.4 LDL cholesterol  $\geq$  5 mmol/litre (at least 1 week after test 1 see note).

Note: Two lipid tests are required to assess LDL cholesterol levels, the tests must be at least one week apart, and be carried out in a fasted state (other than for patients with IDDM). The results for LDL cholesterol levels in both tests must be above those specified. **Renewal** only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

#### Iron Overload

DESFERRIOXAMINE MESYLATE - Hospital pharmacy [HP3]			
* Inj 500 mg	99.00	10	✓ <u>Mayne</u>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
Alpha Adrenoceptor Blockers				
DOXAZOSIN MESYLATE				
* Tab 2 mg	22.85	500	~	Apo-Doxazosin
* Tab 4 mg		500	-	Apo-Doxazosin
•			-	
PHENOXYBENZAMINE HYDROCHLORIDE	7.00	20		Olhanulina 👓
* Cap 10 mg	1.02	30	V 1	Dibenyline S29
PHENTOLAMINE MESYLATE				
* Inj 10 mg per ml, 1 ml	17.97	5		
	(31.65)		F	Regitine
PRAZOSIN HYDROCHLORIDE				
* Tab 1 mg	5.53	100	V	Apo-Prazo
* Tab 2 mg		100	-	Apo-Prazo
* Tab 5 mg		100	V	Apo-Prazo
TERAZOSIN HYDROCHLORIDE			_	<u>.                                      </u>
	2.50	28		Apo-Terazosin
• •••		20 14 OP		Hytrin Starter Pack
		500		•
·			-	A <u>po-Terazosin</u> Apo-Terazosin
* Tab 5 mg	29.00	500	<u> </u>	Apo-Terazosifi

### Agents Affecting the Renin-Angiotensin System

Perindopril and trandolapril will be funded to the level of the ex-manufacturer price listed in the Schedule for patients who were taking these ACE inhibitors for the treatment of congestive heart failure prior to 1 June 1998. The prescription must be endorsed accordingly. We recommend that the words used to indicate eligibility are "certified condition" or an appropriate description of the patient such as "congestive heart failure", "CHF", "congestive cardiac failure" or "CCF". **Definition of Congestive Heart Failure** At the request of some prescribers the PTAC Cardiovascular subcommittee has provided a definition of congestive heart failure for the purposes of the funding of the manufacturer's surcharge: "Clinicians should use their clinical judgement. Existing patients would be eligible for the funding of the surcharge if the patient shows signs and symptoms of congestive heart failure, and requires or has in the past required concomitant treatment with a diuretic. The definition could also be considered to include patients post myocardial infarction with an ejection fraction of less than 40%."

### **ACE Inhibitors**

CAPTOPRIL			
* Tab 12.5 mg	10.40	500	Apo-Captopril
* Tab 25 mg	13.40	500	✓ Apo-Captopril
* Tab 50 mg	19.00	500	✓ Apo-Captopril
*‡ Oral liq 5 mg per ml		95 ml OP	Capoten
Oral liquid restricted to children under 12 years of age.			·
CILAZAPRIL			
* Tab 0.5 mg	2.20	30	✓ Inhibace
* Tab 2.5 mg	4.10	28	✓ Inhibace
* Tab 5 mg	6.01	28	✓ Inhibace
ENALAPRIL			
* Tab 5 mg	2.19	90	m-Enalapril
* Tab 10 mg		90	✓ m-Enalapril
* Tab 20 mg		90	✓ m-Enalapril
~			

### **CARDIOVASCULAR SYSTEM**

	Subsidy (Manufacturer's Price)	Subsic	Fully lised	Brand or Generic
	\$	Per	~	Manufacturer
LISINOPRIL				
* Tab 5 mg	2.06	30	<b>√</b> <u>P</u>	Arrow-Lisinopril
* Tab 10 mg	2.36	30	<b>√</b> <u>F</u>	Arrow-Lisinopril
* Tab 20 mg	2.87	30	V I	Arrow-Lisinopril
PERINDOPRIL				
* Tab 2 mg - Higher subsidy of \$18.50 per 30 tab with En-				
dorsement	3.00	30		
	(18.50)		(	Coversyl
* Tab 4 mg - Higher subsidy of \$25.00 per 30 tab with En-	(10.00)		•	ovoloji
dorsement	4.05	30		
401001110111111111111111111111111111111	(25.00)	00	(	Coversyl
OLUMADDU	(20.00)		•	, , , , , , , , , , , , , , , , , , , ,
QUINAPRIL	1.60	20	.,,	\ oounril
* Tab 5 mg			_	Accupril
* Tab 10 mg		30 30		Accupril Accupril
* Tab 20 mg	2.35	30	<u> </u>	<u>ACCUPIII</u>
TRANDOLAPRIL				
* Cap 1 mg - Higher subsidy of \$18.67 per 28 cap with En-				
dorsement	3.06	28		
	(18.67)		(	Gopten
* Cap 2 mg - Higher subsidy of \$27.00 per 28 cap with En-				
dorsement		28		
	(27.00)		(	Gopten
ACE Inhibitors with Diuretics				
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 5 mg with hydrochlorothiazide 12.5 mg	6.30	28	<b>/</b> li	nhibace Plus
ENALAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 20 mg with hydrochlorothiazide 12.5 mg	2 22	30		
* Tab 20 mg with hydrochiorothiazide 12.5 mg	(8.70)	30	(	Co-Renitec
	(0.70)			DO-Nerillec
QUINAPRIL WITH HYDROCHLOROTHIAZIDE			٠.	
* Tab 10 mg with hydrochlorothiazide 12.5 mg			_	Accuretic 10
* Tab 20 mg with hydrochlorothiazide 12.5 mg	4.57	30	<u> </u>	Accuretic 20
Angiotension II Antagonists				
CANDESARTAN - Special Authority see SA0933 below - Retail p	harmacy			
* Tab 4 mg - No more than 1.5 tab per day	,	30	V 1	Atacand
* Tab 8 mg – No more than 1.5 tab per day			٠.	Atacand
* Tab 16 mg - No more than 1 tab per day				Atacand
* Tab 32 mg - No more than 1 tab per day		30		Atacand
3 · · · · · · · · · · · · · · · · · · ·				

### **⇒**SA0933 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Either:

- 1 Both:
  - 1.1 Patient with congestive heart failure; and
  - 1.2 Either:

continued...

Cozaar

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

continued...

- 1.2.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
- 1.2.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years; or
- 2 All of the following:
  - 2.1 Patient with raised blood pressure; and
  - 2.2 Use of fully funded beta blockers or diuretics are contraindicated; or not well tolerated; or insufficient to control blood pressure adequately at appropriate doses; and
  - 2.3 Either:
    - 2.3.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
    - 2.3.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years.

LU	SARTAN - Special Authority see SA0911 below - Retail pharmacy			
*	Tab 12.5 mg	17.40	30	Cozaar
*	Tab 25 mg	21.76	30	Cozaar
	Tab 50 mg		30	✓ Cozaar
	Tah 50 mg with hydrochlorothiazide 12 5 mg	30.00	30	✓ Hyzaar

# Tab 50 mg with hydrochlorothiazide 12.5 mg 30.00 30 \* Tab 100 mg 35.40 30

**⇒**SA0911 Special Authority for Subsidy

Initial application — (ACE inhibitor intolerance) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Either

- 1 Patient has persistent ACE inhibitor induced cough that is not resolved by ACE inhibitor retrial (same or new ACE inhibitor); or
- 2 Patient has a history of angioedema.

Initial application — (Unsatisfactory response to ACE inhibitor) from any relevant practitioner. Approvals valid without further renewal unless notified where patient is not adequately controlled on maximum tolerated dose of an ACE inhibitor.

Initial application — (Patient had an approval for Losartan with hydrochlorothiazide prior to 1 May 2008) from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

### **Antiarrhythmics**

For lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaesthetics, Local, pa AMIODARONE HYDROCHLORIDE	ge 108	
▲ Tab 100 mg - Retail pharmacy-Specialist	30	✓ Aratac
		✓ Cordarone-X
▲ Tab 200 mg - Retail pharmacy-Specialist30.52	30	✓ Aratac
		Cordarone-X
Inj 50 mg per ml, 3 ml – Up to 5 inj available on a PSO60.84	10	Cordarone-X
DIGOXIN		
* Tab 62.5 μg – Up to 30 tab available on a PSO6.94	250	Lanoxin PG
* Tab 250 μg – Up to 30 tab available on a PSO15.13	250	Lanoxin
*‡ Oral liq 50 µg per ml16.60	60 ml	Lanoxin
DISOPYRAMIDE PHOSPHATE		
▲ Cap 100 mg15.00	100	
(23.87)		Rythmodan
▲ Cap 150 mg26.21	100	Rythmodan

### **CARDIOVASCULAR SYSTEM**

	Subsidy Manufacturer's Price) \$	Per	Fully Subsidised	Generic
FLECAINIDE ACETATE - Retail pharmacy-Specialist				
▲ Tab 50 mg	45.82	60	V.	Tambocor
▲ Tab 100 mg	80.92	60	V.	Tambocor
▲ Cap long-acting 100 mg	45.82	30	V.	Tambocor CR
▲ Cap long-acting 200 mg	80.92	30	V.	Tambocor CR
Inj 10 mg per ml, 15 ml	52.45	5	V.	Tambocor
MEXILETINE HYDROCHLORIDE				
▲ Cap 50 mg	23.52	100	<b>/</b>	Mexitil
▲ Cap 200 mg	55.05	100	<b>/</b>	Mexitil
PROPAFENONE HYDROCHLORIDE - Retail pharmacy-Specialist				
▲ Tab 150 mg		50	<b>✓</b> I	Rytmonorm
Antihypotensives				
MIDODRINE - Special Authority see SA0934 below - Hospital pha	rmacy [HP3]			
Tab 2.5 mg	53.00	100	~	Gutron
Tab 5 mg		100	~	Gutron
TARREST CONTRACTOR AND				

#### **▶**SA0934 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Disabling orthostatic hypotension not due to drugs; and
- 2 Patient has tried fludrocortisone (unless contra-indicated) with unsatisfactory results; and
- 3 Patient has tried non pharmacological treatments such as support hose, increased salt intake, exercise, and elevation of head and trunk at night.

Notes: Treatment should be started with small doses and titrated upwards as necessary.

Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

### **Beta Adrenoceptor Blockers**

ACEBUTOLOL  * Cap 200 mg	5.94	100	' ACB
ATENOLOL			
* Tab 50 mg	0.39	30	Noten S29
	6.18	500 🗸	Pacific Atenolol
* Tab 100 mg10	0.73	500 🗸	Pacific Atenolol
(Noten S29 Tab 50 mg to be delisted 1 June 2010)			
CARVEDILOL			
Tab 6.25 mg2	1.00	30	Dilatrend
Tab 12.5 mg		30	Dilatrend
Tab 25 mg3		30	Dilatrend
CELIPROLOL			
* Tab 200 mg19	9.00	180	Celol

		Subsidy (Manufacturer's Pri	\	Fully Subsidised	Brand or Generic
		(Manufacturer's Pri	Per	Subsidised	Manufacturer
ΑI	BETALOL				
*	Tab 50 mg	8.66	100	<b>✓</b> H	ybloc
*	Tab 100 mg		100		ybloc
*	Tab 200 mg	18.47	100	<b>✓</b> H	ybloc
*	Tab 400 mg		100	<b>✓</b> H	ybloc
*	Inj 5 mg per ml, 20 ml		5		•
	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	(88.60)	-	Tr	andate
ИΕ	TOPROLOL SUCCINATE				
*	Tab long-acting 23.75 mg	2.73	30	<b>✓</b> B	etaloc CR
				✓ M	etoprolol - AFT CR
*	Tab long-acting 47.5 mg	3.41	30		etaloc CR
	g g	•			etoprolol - AFT CR
*	Tab long-acting 95 mg	5.88	30		etaloc CR
			-		etoprolol - AFT CR
*	Tab long-acting 190 mg	10.63	30		etaloc CR
•			50		etoprolol - AFT CR
ЛF	TOPROLOL TARTRATE				•
**	Tab 50 mg	16.50	100	V 1	opresor
*	Tab 100 mg		60		opressor
*	Tab long-acting 200 mg		28		low-Lopressor
*	Inj 1 mg per ml 5 ml		5	• •	ion zoprocco.
•	This is the post through the same same same same same same same sam	(34.00)	O	В	etaloc
Δ۱	DOLOL	()			
*/ *	Tab 40 mg	14 97	100	✓ A	po-Nadolol
* *	Tab 80 mg		100	_	po-Nadolol
	v		100	<u> </u>	po-Madoloi
	IDOLOL				
*	Tab 5 mg		100		indol
		5.40			po-Pindolol
*	Tab 10 mg		100		indol
		9.19			po-Pindolol
*	Tab 15 mg	12.00	100		indol
		13.80		✓ A	po-Pindolol
•	ndol Tab 5 mg to be delisted 1 June 2010)				
•	ndol Tab 10 mg to be delisted 1 June 2010)				
Pil	ndol Tab 15 mg to be delisted 1 June 2010)				
PR	OPRANOLOL				
* *	Tab 10 mg	3.55	100	<b>√</b> C	ardinol
*	Tab 40 mg		100		ardinol
*	Cap long-acting 160 mg		100		ardinol LA
	, , ,		.00		·
	TALOL	07.50	E00		ulan
*	Tab 80 mg		500	<u>/ M</u>	
*	Tab 160 mg		100	V M	
*	Inj 10 mg per ml, 4 ml	41.34	5	<b>√</b> S	otacor
ΠN	IOLOL MALEATE				
	Tab 10 mg	40.55	100		po-Timol

	Subsidy (Manufacturar's Prior	s) C:	Fully Brand or ubsidised Generic
	(Manufacturer's Price \$	Per	Manufacturer
Outsians Observed Blooks	•		
Calcium Channel Blockers			
Dihydropyridine Calcium Channel Blockers (D	HP CCBs)		
AMLODIPINE			
* Tab 5 mg		100	✓ Apo-Amlodipine
* Tab 10 mg	11.79	100	Apo-Amlodipine
FELODIPINE			4
* Tab long-acting 2.5 mg - No more than 1 tab per day  Tab long-acting 5 mg		30 90	✓ Plendil ER ✓ Felo 5 ER
Tab long-acting 5 mg      Tab long-acting 10 mg		90	Felo 10 ER
ISRADIPINE		00	1010 10 211
Cap long-acting 2.5 mg	7 50	30	✓ Dynacirc-SRO
Cap long-acting 5 mg		30	✓ Dynacirc-SRO
NIFEDIPINE			•
* Tab long-acting 10 mg	17.72	60	✓ Adalat 10
* Tab long-acting 20 mg		100	✓ Nyefax Retard
* Tab long-acting 30 mg	10.70	30	✓ Adefin XL
	5.50		Arrow-Nifedipine XR
	5.50 (19.90)		Adalat Oros
* Tab long-acting 60 mg		30	✓ Adefin XL
in the same seems of the same seems and the same seems are same seems		00	✓ Arrow-Nifedipine XR
	8.00		•
	(29.50)		Adalat Oros
Other Calcium Channel Blockers			
DILTIAZEM HYDROCHLORIDE			
* Tab 30 mg	4.60	100	✓ Dilzem
* Tab 60 mg		100	✓ <u>Dilzem</u>
* Cap long-acting 120 mg		30	Cardizem CD
* Cap long-acting 180 mg      * Cap long-acting 240 mg		30 30	<ul><li>✓ <u>Cardizem CD</u></li><li>✓ Cardizem CD</li></ul>
1 0 0			V Odralzeni OD
PERHEXILINE MALEATE - Special Authority see SA0256 bel  * Tab 100 mg		ty [HP3] 100	✓ Pexsig
⇒SA0256 Special Authority for Subsidy	02.00	100	₩ 1 CASIG
Initial application only from a cardiologist or general physicia	n. Approvals valid for	2 vears fo	r applications meeting the following
criteria:		_ ,	pp
Both:			
1 Refractory angina; and			
2 Patient is already on maximal anti-anginal therapy.	vala valid for 2 vaara v	whore the	trootmont romaina appropriata and
<b>Renewal</b> only from a cardiologist or general physician. Appro the patient is benefiting from treatment.	vais valiu ioi 2 yeals l	wilele lile	пеаннени теннаніз арргорнате апс
VERAPAMIL HYDROCHLORIDE			
* Tab 40 mg	7.01	100	✓ Isoptin
* Tab 80 mg		100	✓ Isoptin
* Tab long-acting 120 mg		250	✓ Verpamil SR
* Tab long-acting 240 mg	25.00	250	✓ Verpamil SR
* Inj 2.5 mg per ml, 2 ml - Up to 5 inj available on a PSO	7.54	5	✓ Isoptin

Subsidy

Fully

Brand or

	Subsidy (Manufacturer's Pric	ce) Su Per	Fully bsidised	Brand or Generic Manufacturer
Centrally Acting Agents				
CLONIDINE  * TDDS 2.5 mg, 100 µg per day — Only on a prescription		4		atapres-TTS-1
* TDDS 5 mg, 200 µg per day – Only on a prescription * TDDS 7.5 mg, 300 µg per day – Only on a prescription		4 4		atapres-TTS-2 atapres-TTS-3
CLONIDINE HYDROCHLORIDE  * Tab 150 µg  * Ini 150 µg per ml. 1 ml		100 5		atapres
METHYLDOPA			_	atapres
* Tab 125 mg * Tab 250 mg * Tab 500 mg	13.10	100 100 100	<b>✓</b> Pi	<u>rodopa</u> rodopa rodopa
Diuretics				
Loop Diuretics				
BUMETANIDE  * Tab 1 mg  * Inj 500 μg per ml, 4 ml  FUROSEMIDE		100 5		urinex urinex
* Tab 40 mg - Up to 30 tab available on a PSO     * Tab 500 mg		1,000 100 50	<b>✓</b> Di	iurin 40 iurin 500 rex Forte s29
*‡ Oral liq 10 mg per ml * Infusion 10 mg per ml, 25 ml * Inj 10 mg per ml, 2 ml – Up to 5 inj available on a PSO (Diurin 500 Tab 500 mg to be delisted 1 November 2010)	48.14	30 ml OP 5 50	La La M	asix
Potassium Sparing Diuretics				
AMILORIDE  ‡ Oral liq 1 mg per ml	26.20	25 ml OP	<b>✓</b> Bi	iomed
* Tab 25 mg * Tab 100 mg ‡ Oral liq 5 mg per ml	21.70	100 100 25 ml OP	<b>✓</b> S <sub>l</sub>	pirotone pirotone iomed
Potassium Sparing Combination Diuretics				
AMILORIDE WITH FRUSEMIDE  * Tab 5 mg with frusemide 40 mg	4.67 (8.63)	28	Fr	rumil
AMILORIDE WITH HYDROCHLOROTHIAZIDE  * Tab 5 mg with hydrochlorothiazide 50 mg	13.00	500	✓ A	mizide

### **CARDIOVASCULAR SYSTEM**

	Subsidy (Manufacturer's \$	Price) Subs	Fully Brand or sidised Generic  Manufacturer
Thiazide and Related Diuretics			
BENDROFLUAZIDE  * Tab 2.5 mg – Up to 150 tab available on a PSO		500	✓ Arrow- Bendrofluazide
May be supplied on a PSO for reasons other than emerger  * Tab 5 mg	•	500	✓ Neo-Naclex  ✓ Arrow- Bendrofluazide
	21.50		✓ Neo-Naclex
CHLOROTHIAZIDE  ‡ Oral liq 50 mg per ml  CHLORTHALIDONE	22.60	25 ml OP	✓ Biomed
* Tab 25 mg	8.00	50	✓ Hygroton
INDAPAMIDE  * Tab 2.5 mg	4.00	100	✓ Napamide
Nitrates			
GLYCERYL TRINITRATE  * Tab 600 μg – Up to 100 tab available on a PSO		100 OP	✓ <u>Lycinate</u>
* Oral pump spray 400 μg per dose – Up to 250 dose available on a PSO		250 dose OP	✓ <u>Nitrolingual</u> Pumpspray
* TDDS 5 mg  * TDDS 10 mg  ISOSORBIDE MONONITRATE		30 30	✓ <u>Nitroderm TTS</u> ✓ <u>Nitroderm TTS</u>
* Tab 20 mg  * Tab long-acting 40 mg  * Tab long-acting 60 mg	14.84	100 30 90	✓ Ismo 20 ✓ Corangin ✓ Duride
Sympathomimetics			
ADRENALINE Inj 1 in 1,000, 1 ml - Up to 5 inj available on a PSO	4.98 5.25	5	✓ Aspen Adrenaline ✓ Mayne
Inj 1 in 10,000, 10 ml - Up to 5 inj available on a PSO	27.00	5	✓ Mayne
ISOPRENALINE HYDROCHLORIDE  * Inj 200 μg per ml, 1 ml	36.80 (135.00)	25	Isuprel
Vasodilators			
AMYL NITRITE  * Ampoule, 0.3 ml crushable	62.92 (73.40)	12	Baxter
HYDRALAZINE  * Inj 20 mg per ml, 1 ml	25.90	5	✓ Apresoline
OXYPENTIFYLLINE – Hospital pharmacy [HP3] Tab 400 mg	36.94 (42.26)	50	Trental 400

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
PAPAVERINE HYDROCHLORIDE  * Inj 12 mg per ml, 10 ml	73.12	5	✓ Ma	ayne	
Endothelin Receptor Antagonists					
Special Authority approved by the Pulmonary Arterial Hypertensic	on Panel				

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

AMBRISENTAN - Special Authority see SA0967 above	ve – Hospital pharmacy [HP1]		
Tab 5 mg	4,585.00	30	✓ Volibris
Tab 10 mg	4,585.00	30	✓ Volibris
BOSENTAN - Special Authority see SA0967 above -	Hospital pharmacy [HP1]		
Tab 62.5 mg	4,585.00	60	✓ Tracleer
Tab 125 mg	4,585.00	60	✓ Tracleer

### **Phosphodiesterase Type 5 Inhibitors**

#### ⇒SA0968 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

SILDENAFIL - Special Authority see SA0968 above - Hospita	al pharmacy [HP1]		
Tab 25 mg	52.00	4	Viagra
Tab 50 mg	59.50	4	✓ Viagra
Tah 100 mg	68.00	4	✓ Viagra

### **Prostacyclin Analogues**

#### ⇒SA0969 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

ILOPROST - Special Authority see SA0969 above - Hospital pharmacy [HP1]

Nebuliser soln 10 μg per ml, 2 ml .......1,185.00 ✔ Ventavis

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 

\$ Per ✔ Manufacturer

### **Antiacne Preparations**

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 83

ISOTRETINOIN - Special Authority see SA0955 below - Retail pharmacy

Cap 10 mg	.48.48	180	✓ Oratane
Cap 20 mg	.69.70	180	✓ Oratane

#### ⇒SA0955 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has had an adequate trial on other available treatments and has failed these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 4 Either:
  - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
  - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has had an adequate trial on other available treatments and has failed these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 4 Either:
  - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
  - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

### **Antibacterials Topical**

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 83

### FUSIDIC ACID

a) Maximum of 15 g per prescription

b) Only on a prescription

c) Not in combination

a) Maximum of 15 g per prescription

- b) Only on a prescription
- c) Not in combination

(	Subsidy (Manufacturer's F \$	Price) Sub Per	Fully Brand or osidised Generic Manufacturer	
YDROGEN PEROXIDE				
€ Crm 1%	8.56	10 g OP	Crystacide	
IUPIROCIN				
Oint 2%	6.60 (9.26)	15 g OP	Bactroban	
a) Only on a prescription     b) Not in combination	, ,			
ILVER SULPHADIAZINE				
Crm 1%	12.30	50 g OP	✓ Flamazine	
Crm 1% with chlorhexidine digluconate 0.2%		100 g OP	✓ Silvazine	

### Antifungals Topical

For systemic antifungals, refer to INFECTIONS, Antifungals, page 87			
AMOROLFINE			
a) Only on a prescription			
b) Not in combination			
Nail soln 5%	37.86	5 ml OP	
	(61.87)		Loceryl
CICLOPIROXOLAMINE			
a) Only on a prescription			
b) Not in combination			
Crm 1%	1.00	20 g OP	
	(12.82)	-	Batrafen
Nail soln 8%	19.85	3.5 ml OP	✓ Batrafen
Soln 1%	4.36	20 ml OP	
	(11.54)		Batrafen
CLOTRIMAZOLE			
* Crm 1%	0.50	20 g OP	✓ Clomazol
a) Only on a prescription		-	
b) Not in combination			
* Soln 1%	4.36	20 ml OP	
	(7.55)		Canesten
a) Only on a prescription			
b) Not in combination			
ECONAZOLE NITRATE			
Crm 1%	1.00	20 g OP	
	(7.48)		Pevaryl
a) Only on a prescription			
b) Not in combination			
Foaming soln 1%, 10 ml sachets		3	
\ O	(17.23)		Pevaryl
a) Only on a prescription			
b) Not in combination			

<sup>▲</sup>Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's \$	Price) Sul Per	Fully Brand or bsidised Generic Manufacturer
KETOCONAZOLE Crm 2%	1.00 (9.50)	15 g OP	Nizoral
<ul><li>a) Only on a prescription</li><li>b) Not in combination</li></ul>			
MICONAZOLE NITRATE  * Crm 2%	0.42	15 g OP	✓ <u>Multichem</u>
b) Not in combination  * Lotn 2%	4.36 (10.03)	30 ml OP	Daktarin
b) Not in combination  * Tinct 2%	4.36 (12.10)	30 ml OP	Daktarin
a) Only on a prescription     b) Not in combination  NYSTATIN			
Crm 100,000 u per g	1.00 (5.10)	15 g OP	Mycostatin
Antipruritic Preparations			
CALAMINE a) Only on a prescription b) Not in combination Crm, aqueous, BP		100 g 2,000 ml	✓ <u>healthE</u> ✓ <u>API</u>
CROTAMITON a) Only on a prescription b) Not in combination Crm 10%	3.79 (4.45)	20 g OP	✓ Itch-Soothe Eurax
(Eurax Crm 10% to be delisted 1 August 2010)	(1.10)		Lutux
MENTHOL – Only in combination Only in combination with aqueous cream, 10% urea cream mineral oil lotion, and glycerol, paraffin and cetyl alcohol lo		eral oil lotion, 1º	% hydrocortisone with wool fat and
Crystals		25 g 100 g	✓ PSM ✓ MidWest

Subsidy (Manufacturer's Price) Fully Brand or Subsidised Generic \$ Per Manufacturer

### **Corticosteroids Topical**

For systemic corticosteroids, refer to CORTICOSTEROIDS AND RELATED AGENTS, page 75

•			D
( 'Ort	ICOCT	araide	: - Plain

BETAMETHASONE DIPROPIONATE			
Crm 0.05%	8.97	50 g OP	
	(18.36)		Diprosone
Crm 0.05% in propylene glycol base	4.33	30 g OP	
	(13.83)		Diprosone OV
Oint 0.05%	8.97	50 g OP	
	(17.11)		Diprosone
Oint 0.05% in propylene glycol base		30 g OP	
	(13.83)		Diprosone OV
BETAMETHASONE VALERATE			
* Crm 0.1%	2.00	50 g OP	✓ Beta Cream
* Oint 0.1%	2.20	50 g OP	✓ Beta Ointment
* Lotn 0.1%	10.05	50 ml OP	✓ Betnovate
CLOBETASOL PROPIONATE			
* Crm 0.05%	3.48	30 g OP	✓ <u>Dermol</u>
* Oint 0.05%		30 g OP	✓ Dermol
		50 g 5.	<u> </u>
CLOBETASONE BUTYRATE Crm 0.05%	E 00	20 ~ OD	
CIII 0.05%		30 g OP	Cumayata
	(7.09) 16.13	100 g OP	Eumovate
	(22.00)	100 g OF	Eumovate
	(22.00)		Lumovate
DIFLUCORTOLONE VALERATE			
Crm 0.1%		50 g OP	
=	(15.86)	05	Nerisone
Fatty oint 0.1%		50 g OP	
	(15.86)		Nerisone
HYDROCORTISONE			
* Crm 1% - Only on a prescription	2.44	100 g	✓ Lemnis Fatty Cream HC
	3.75		✓ Pharmacy Health
	12.20	500 g	✓ PSM
* Powder – Only in combination	33.00	25 g	✓ <u>ABM</u>
Up to 5% in a dermatological base (not proprietary Topica galenicals. Refer, page 163	I Corticosteri	od - Plain) with	or without other dermatological
(Lemnis Fatty Cream HC Crm 1% to be delisted 1 November 2010)			
HYDROCORTISONE BUTYRATE			
Lipocream 0.1%	2 30	30 g OP	✓ Locoid Lipocream
—p - 0.1 / 0	6.85	100 g OP	✓ Locoid Lipocream
Oint 0.1%		100 g OP	✓ Locoid
Milky emul 0.1%		100 ml OP	✓ Locoid Crelo
HYDROCORTISONE WITH WOOL FAT AND MINERAL OIL			
Loth 1% with wool fat hydrous 3% and mineral oil — Only on			
,	0.05	250 ml	A DD Lote HC
a prescription	9.95	200 IIII	✓ <u>DP Lotn HC</u>

<sup>▲</sup>Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's I	Prico\ C.	Fully	Brand or
	(Manufacturer's F	Price) Su Per	bsidised	Generic Manufacturer
ETHYLPREDNISOLONE ACEPONATE				
Crm 0.1%	4.95	15 g OP	✓ A	dvantan
Oint 0.1%		15 g OP		dvantan
OMETASONE FUROATE				
Crm 0.1%	2.38	15 g OP	✓ m	n-Mometasone
OIII 0.170	4.55	45 g OP		n-Mometasone
Oint 0.1%		15 g OP		n-Mometasone
	4.55	45 g OP	_	n-Mometasone
Lotn 0.1%	4.80	30 ml OP		locon
RIAMCINOLONE ACETONIDE				
Crm 0.02%	6.63	100 g OP	<b>✓</b> Δ	ristocort
Oint 0.02%		100 g OP		ristocort
			· ·	
Corticosteroids - Combination				
ETAMETHASONE VALERATE WITH CLIOQUINOL - Only on				
Crm 0.1% with clioquinol 3%		15 g OP		
01.0.00	(4.90)		В	etnovate-C
Oint 0.1% with clioquinol 3%		15 g OP	_	
	(4.90)		В	etnovate-C
ETAMETHASONE VALERATE WITH FUSIDIC ACID				
Crm 0.1% with fusidic acid 2%	3.49	15 g OP		
	(9.61)		F	ucicort
a) Maximum of 15 g per prescription     b) Only on a prescription				
YDROCORTISONE BUTYRATE WITH CHLORQUINALDOL -	Only on a presci	rintion		
Crm 0.1% with chlorquinaldol 3%	, ,	15 g OP	V 1	ocoid C
·		10 g 01	· -	00014 0
YDROCORTISONE WITH MICONAZOLE - Only on a prescri Crm 1% with miconazole nitrate 2%		15 a OD	. / N	liarama U
		15 g OP	V IV	licreme H
YDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - C			4 -	
Crm 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP		imafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%	2.79	15 g OP	<b>₽</b> P	imafucort
RIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYC	IN AND NYSTATI	IN		
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 m	g			
and gramicidin 250 μg per g - Only on a prescription	3.49	15 g OP		
	(6.60)		V	iaderm KC
Disinfecting and Cleansing Agents				
HLORHEXIDINE GLUCONATE – Subsidy by endorsement				
a) No more than 500 ml per month				
b) Only if prescribed for a dialysis patient and the prescription	on is endorsed ac	cordingly		
Handrub 1% with ethanol 70%		500 ml	<b>✓</b> h	ealthE
	(5.40)			Prion
Soln 4%		500 ml	<b>V</b> 0	
Orion Handrub 1% with ethanol 70% to be delisted 1 August 20				
ODIUM HYPOCHLORITE – Subsidy by endorsement	*			
Only if prescribed for a dialysis patient and the prescription	is endorsed accor	rdinaly		
Soln		2,500 ml	<b>√</b> .1	anola
Out	∠./ 1	١١١١ کارې	- 0	unolu

Subsidy (Manufacturer's Price) Per \$

Fully Subsidised Brand or Generic Manufacturer

## **Dusting Powders**

DIPHEMANIL METHYLSULPHATE	<ul> <li>Subsidy b</li> </ul>	v endorsement
---------------------------	-------------------------------	---------------

Only if prescribed for an amputee with an artificial limb, or for a paraplegic patient and the prescription endorsed accordingly.

Powder 2% .......6.81

(13.54)

Prantal

### **Barrier Creams and Emollients**

Barrier	<b>Creams</b>
Dailiei	CICallia

7	п	A	١.	$\overline{}$
/	н	I١	u	

Crm BP .......6.55 500 g

(12.00)

2 80

**PSM** 

ZINC AND CASTOR OIL

Oint BP ......5.11

500 g

✓ PSM

### **Emollients**

AQUEOUS CREA	AM
--------------	----

*	Crm	2.28	500 g	✓ <u>AFT</u>
CE	ETOMACROGOL			

### \* Crm RP

*	Crm BP	500 g	✓ PSM

### **EMULSIFYING OINTMENT**

*	Oint BP	 3.69	500 g	✓ AFI

#### GLYCEROL WITH PARAFFIN AND CETYL ALCOHOL - Only on a prescription

*	Lotn 5% with paraffin liq 5% and cetyl alcohol 2%1.4	·0 250 ml
	(8.1	0) QV

#### OIL IN WATER EMULSION

*	Crm2.80	500 g	✓ healthE Fatty Cream

#### **OILY CREAM** \* Crm RP

	000 g	L.00	OIIII DI	
David Craig	)	(13.60)		
PSM	)	(15.40)		

### **PSM**

500 a

#### **UREA**

*	Crm 10%	2.	52	100 g OP	
		(3.)	07)		Nutraplus

	Subsidy		Fully Brand or
	(Manufacturer's F	Price) Sub Per	sidised Generic  Manufacturer
OOL FAT WITH MINERAL OIL Och and a secondaria	*		
OOL FAT WITH MINERAL OIL – Only on a prescription  Lotn hydrous 3% with mineral oil	1.40	250 ml OP	
Lotn hydrous 3% with mineral oil		250 IIII OP	DP Lotion
	(3.50) 5.60	1,000 ml	DP LOUON
	(10.90)	1,000 1111	DP Lotion
	1.40	250 ml OP	DF LOUIDIT
	(3.50)	230 IIII OF	Hydroderm Lotion
	5.60	1,000 ml	Trydrodeith Lotion
	(9.54)	1,000 1111	Hydroderm Lotion
	(20.53)		Alpha-Keri Lotion
	1.40	250 ml OP	Alpha Non Louon
	(7.73)	200 1111 01	BK Lotion
	5.60	1,000 ml	DIT EUROII
	(23.91)	1,000 1111	BK Lotion
Ather Democratic mine   Democratic	(20.01)		DIX EQUOIT
Other Dermatological Bases			
RAFFIN			
White soft - Only in combination	20.20	2,500 g	✓ IPW
	3.58	500 g	
	(8.69)		PSM
Only in combination with a dermatological galenical or as	a diluent for a pro	oprietary Topica	al Corticosteroid – Plain.
Ainor Skin Infections			
OVIDONE IODINE			
Oint 10%	2.88	25 g OP	
<b>9</b> 10/2	(3.27)	_0 g 0.	Betadine
a) Maximum of 100 g per prescription	(5.2.)		
,			
b) Only on a prescription			
b) Only on a prescription Antiseptic soln 10%	6.20	500 ml	✓ Betadine
b) Only on a prescription Antiseptic soln 10%	6.20	500 ml	✓ Betadine ✓ Riodine
Antiseptic soln 10%			✓ Riodine
Antiseptic soln 10%	10.00	500 ml 500 ml 500 ml	
Antiseptic soln 10%	10.00	500 ml	<ul><li>✓ Riodine</li><li>✓ Betadine Skin Prep</li></ul>
Antiseptic soln 10%	10.00	500 ml	✓ Riodine
Antiseptic soln 10%	10.00	500 ml	<ul><li>✓ Riodine</li><li>✓ Betadine Skin Prep</li></ul>
Antiseptic soln 10%	10.00	500 ml	<ul><li>✓ Riodine</li><li>✓ Betadine Skin Prep</li></ul>
Antiseptic soln 10%	10.00 8.13 (18.63)	500 ml	<ul><li>✓ Riodine</li><li>✓ Betadine Skin Prep</li></ul>
Antiseptic soln 10%	10.00 8.13 (18.63)	500 ml 500 ml	✓ Riodine ✓ Betadine Skin Prep Orion
Antiseptic soln 10%		500 ml 500 ml	✓ Riodine ✓ Betadine Skin Prep  Orion  ✓ Benhex
Antiseptic soln 10%	10.008.13 (18.63)3.50	500 ml 500 ml 50 g OP 200 ml	✓ Riodine ✓ Betadine Skin Prep  Orion  ✓ Benhex ✓ Derbac-M
Antiseptic soln 10%	10.008.13 (18.63)3.50	500 ml 500 ml	✓ Riodine ✓ Betadine Skin Prep  Orion  ✓ Benhex
Antiseptic soln 10%		500 ml 500 ml 50 g OP 200 ml 30 ml OP	Perbac-M A-Lices
Antiseptic soln 10%		500 ml 500 ml 50 g OP 200 ml	✓ Riodine ✓ Betadine Skin Prep  Orion  ✓ Benhex ✓ Derbac-M
Antiseptic soln 10%		500 ml 500 ml 50 g OP 200 ml 30 ml OP	Perbac-M A-Lices
Antiseptic soln 10%		500 ml 500 ml 50 g OP 200 ml 30 ml OP	Perbac-M A-Lices
Antiseptic soln 10%		500 ml 500 ml 50 g OP 200 ml 30 ml OP	✓ Riodine ✓ Betadine Skin Prep  Orion  ✓ Benhex ✓ Derbac-M ✓ A-Lices ✓ A-Scabies
Antiseptic soln 10%		500 ml 500 ml 50 g OP 200 ml 30 ml OP	Perbac-M A-Lices

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

#### ■ SA0954 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
  - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
  - 3.2 Patient is male.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
  - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
  - 3.2 Patient is male.

CALCIPOTRIOL			
Crm 50 µg per g	20.20	30 g OP	Daivonex
	56.32	100 g OP	Daivonex
Oint 50 µg per g	20.20	30 g OP	Daivonex
	56.32	100 g OP	Daivonex
Soln 50 µg per ml	20.22	30 ml OP	Daivonex
	33.79	60 ml OP	Daivonex
COAL TAR			
Soln BP - Only in combination	36.48	500 ml	✓ PSM
·	12.98	200 ml	
	(16.20)		David Craig
			~

Up to 10 % Only in combination with a dermatological base or proprietary Topical Corticosteriod – Plain, refer, page 163 With or without other dermatological galenicals.

## COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULPHUR Soln 5% with sulphur 0.5% menthol 0.75% phenol 0.5% and

allantoin crm 2.5%	3.43	30 g OP	
	(4.35)	9	Egopsoryl TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	✓ Coco-Scalp
DITHRANOL Crm 1%	27.50	50 g OP	✓ Micanol
(Micanol Crm 1% to be delisted 1 July 2010)			

	Subsidy		Fully Brand or
	(Manufacturer's	Price) Sub Per	osidised Generic  Manufacturer
SALICYLIC ACID	•		
Powder – Only in combination	15.00	500 g	✓ ABM
Tondor Only in combination	18.88	250 g	✓ PSM
<ol> <li>Only in combination with a dermatological base or page 163</li> </ol>	r proprietary Topica		d - Plain or collodion flexible, refer
<ul><li>2) With or without other dermatological galenicals.</li><li>3) Maximum 20 g or 20 ml per prescription when pre</li></ul>	escribed with white	soft paraffin o	r collodion flexible.
SULPHUR			
Precipitated - Only in combination		100 g	✓ ABM
4\ Onto the combination with a demonstrate test there are	(9.25)	-1.0	PSM
Only in combination with a dermatological base o     With or without other dermatological galenicals.  The WITH CARE OF	r proprietary Topic	ai Corticosteroi	id – Piain, refer, page 163
TAR WITH CADE OIL  Bath emul 7.5% coal tar, 2.5% cade oil, 7.5% compound	0.70	350 ml	
Datif emul 7.5% coal tal, 2.5% cade oil, 7.5% compound	(29.60)	330 1111	Polytar Emollient
TAR WITH TRIETHANOLAMINE LAURYL SULPHATE AND FL	, ,	inly on a proper	,
* Soln 2.3% with triethanolamine lauryl sulphate and fluore		rilly off a prescr	ιριιστι
cein sodium		500 ml	✓ Pinetarsol
		000 1111	<u> </u>
Scalp Preparations			
BETAMETHASONE VALERATE			
* Scalp app 0.1%	7.22	100 ml OP	✓ Beta Scalp
CLOBETASOL PROPIONATE			
* Scalp app 0.05%	6.36	30 ml OP	✓ <u>Dermol</u>
HYDROCORTISONE BUTYRATE			
Scalp lotn 0.1%	3.65	100 ml OP	✓ Locoid
KETOCONAZOLE			
Shampoo 2%	3.48	100 ml OP	✓ <u>Sebizole</u>
a) Maximum of 100 ml per prescription			
b) Only on a prescription			
Sunscreens			
CLINICODEENIC DECEDENTARY Codesido horando consent			
SUNSCREENS, PROPRIETARY – Subsidy by endorsement Only if prescribed for a patient with severe photosensitivit	ty secondary to a	defined clinical	I condition and the prescription is
endorsed accordingly.	ly secondary to a	delined elinica	r condition and the prescription is
Crm	2.55	100 g OP	
	(5.89)	J	Hamilton Sunscreen
	1.28	50 g OP	
	(5.50)		Aquasun Oil Free Faces SPF30+
Lotn	2.55	100 ml OP	✓ Marine Blue Lotion SPF 30+
	5.10	200 ml OP	✓ Marine Blue Lotion SPF 30+
	5.10 3.19 (6.94)	200 ml OP 125 ml OP	✓ Marine Blue Lotion

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

### **Wart Preparations**

For salicylic acid preparations refer to PSORIASIS AND ECZEMA PREPARATIONS, page 64

IMIQUIMOD - Special Authority see SA0923 below - Retail pharmacy

12 ✓ Aldara 

#### **▶**SA0923 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has external anogenital warts and podophyllotoxin has been tried and failed (or is contraindicated); or
- 2 The patient has external anogenital warts and podophyllotoxin is unable to be applied accurately to the site; or
- 3 The patient has confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate.

Notes: Superficial basal cell carcinoma

- Surgical excision remains first-line treatment for superficial basal cell carcinoma as it has a higher cure rate than imiguimod and allows histological assessment of tumour clearance.
- Imiquimod has not been evaluated for the treatment of superficial basal cell carcinoma within 1 cm of the hairline, eyes, nose, mouth or ears.
- Imiguimod is not indicated for recurrent, invasive, infiltrating, or nodular basal cell carcinoma.

External anogenital warts

• Imiguimod is only indicated for external genital and perianal warts (condyloma acuminata).

Renewal from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Any of the following:

- 1 Inadequate response to initial treatment for anogenital warts; or
- 2 New confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate; or
- 3 Inadequate response to initial treatment for superficial basal cell carcinoma.

Note: Every effort should be made to biopsy the lesion to confirm that it is a superficial basal cell carcinoma.

#### **PODOPHYLLOTOXIN**

3.5 ml OP ✓ Condyline

- a) Maximum of 3.5 ml per prescription
- b) Only on a prescription

### Other Skin Preparations

### **Antineoplastics**

FLUOROURACIL SODIUM

20 a OP ✓ Efudix

#### **Topical Analgesia**

For aspirin & chloroform application refer, page 166

CAPSAICIN - Subsidy by endorsement

Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly.

45 q OP ✓ Zostrix HP

### **Wound Management Products**

#### HYDROGEN PEROXIDE

500 ml **PSM** (7.00)

67

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
MAGNESIUM SULPHATE Paste	2.98	80 g		
	(4.90)		P:	SM

		Subsidy (Manufacturer's Price		Fully Subsidised	Brand or Generic
		\$	Per	- V	Manufacturer
С	ontraceptives - Non-hormonal				
C	ondoms				
	NDOMS				
*	49 mm - Up to 144 dev available on a PSO	13.36	144	✓ Ma	old Knight arquisTantiliza nield 49
*	52 mm - Up to 144 dev available on a PSO	13.36	144	✓ Ma	arquis Selecta arquis Sensolite
*	F2 mm outro atropath. Up to 144 day available on a BSO	12.26	144		arquis Supalite arquis Protecta
-	52 mm extra strength – Up to 144 dev available on a PSO 53 mm – Up to 144 dev available on a PSO		144		old Knight
4.	OF THE CONTROL OF THE		144	✓ Ma	arquis Black arquis Titillata hield Blue
*	53 mm (chocolate) - Up to 144 dev available on a PSO	13.36	144		old Knight
*	1		144		old Knight
*			144	✓ G	old Knight
*	54 mm, shaped - Up to 144 dev available on a PSO	13.36	144		
		(14.84)			festyles Flared
*	55 mm – Up to 144 dev available on a PSO		144	✓ Ma	old Knight arquis Conforma
*	56 mm - Up to 144 dev available on a PSO	13.36	144		urex Select Flavours
*	56 mm extra strength - Up to 144 dev available on a PSO		144		urex Extra Safe
*	56 mm, shaped – Up to 144 dev available on a PSO		144 144		urex Confidence nield XL
S	permicidal Agents				
AP	PLICATOR				
*	When ordered with a spermicide.  Applicator – Up to 1 dev available on a PSO	4.34	1	<b>✓</b> 0	rtho
NO	NOXYNOL-9 Jelly 2% – Up to 108 g available on a PSO	10.95	108 g O	P V G	ynol II
C	ontraceptive Devices				
DIA	PHRAGM				
*	Diaphragm – Up to 1 dev available on a PSO	42.90	1		rtho All-flex rtho Coil
	One of each size is permitted on a PSO.				
INT	RA-UTERINE DEVICE - Only on a WSO				
	IUD	39.50	1		ultiload Cu 375 ultiload Cu 375 SL
	Distributed by Pharmaco NZ Ltd, PO Box 4079, Auckland F	Ph 09 377 3336			· · · · · · <del>·</del>

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

### Contraceptives - Hormonal

#### **Combined Oral Contraceptives**

#### **⇒**SA0500 Special Authority for Alternate Subsidy

**Initial application** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Either:
  - 1.1 Patient is on a Social Welfare benefit: or
  - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon, Marvelon and Femodene.

The additional subsidy will fund Mercilon, Marvelon and Femodene up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

• on a Social Welfare benefit; or

ETHINIVI OFCTDADIOL WITH DECOCECTDE

• have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

6.62	63	
		Mercilon 21
` ,	hovo	WOTOHOTT ET
ulifority see SA0300 at	bove	
6.62	84	
(16.50)		Mercilon 28
uthority see SA0500 al	bove	
•		
6.62	63	
		Marvelon 21
` ,	hove	
ullionly see shoot a	DOVE	
0.00	0.4	
	84	
(16.50)		Marvelon 28
uthority see SA0500 al	bove	
6.62	84	
	04	Femodene 28
, ,		remodene 20
uthority see SA0500 a	bove	
ab to be delisted 1 Jun	e 2010)	
		(16.50) uthority see SA0500 above

		Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
ET	HINYLOESTRADIOL WITH LEVONORGESTREL				
*	Tab ethinyloestradiol 30 μg with levonorgestrel 50 μg (6) and tab ethinyloestradiol 40 μg with levonorgestrel 75 μg (5), and tab ethinyloestradiol 30 μg with levonorgestrel 125 μg (10) and 7 inert tab — Up to 84 tab available on a PSO	6.60	84	√ Tı	ifeme
*	Tab 50 μg with levonorgestrel 125 μg and 7 inert tab – Up to	0.02	04	<b>V</b> II	Hellie
~	84 tab available on a PSO	9.45	84	✓ M	icrogynon 50 ED
*	Tab 30 μg with levonorgestrel 150 μg	6.62	63		
		(16.50)		М	icrogynon 30
	a) Higher subsidy of \$15.00 per 63 tab with Special Author	ity see SA0500 on the	e pred	ceding page	
	b) Up to 63 tab available on a PSO				
*	Tab 30 μg with levonorgestrel 150 μg and 7 inert tab	6.62	84		evlen ED
		(14.40)			onofeme ordette 28
		(14.49) (16.50)			icrogynon 30 ED
	a) Higher subsidy of up to \$15.00 per 84 tab with Special A	` '	on th		•••
tab	b) Up to 84 tab available on a PSO ifeme Tab ethinyloestradiol 30 μg with levonorgestrel 50 μg (6) a ethinyloestradiol 30 μg with levonorgestrel 125 μg (10) and 7 if HINYLOESTRADIOL WITH NORETHISTERONE				
*	Tab 35 μg with norethisterone 1 mg – Up to 63 tab available	6.60	60	. / D	way in a w 1/01
*	on a PSO  Tab 35 µg with norethisterone 1 mg and 7 inert tab — Up to	0.02	63	V <u>D</u>	revinor 1/21
不	84 tab available on a PSO	6 62	84	✓ Bi	revinor 1/28
*	Tab 35 μg with norethisterone 500 μg – Up to 63 tab available		01	<u> </u>	10411101-1/20
	on a PSO	6.62	63	<b>✓</b> Bi	revinor 21
*	Tab 35 µg with norethisterone 500 µg and 7 inert tab – Up to			_	
	84 tab available on a PSO	6.62	84	✓ N	orimin
NC	PRETHISTERONE WITH MESTRANOL				
	Tab 1 mg with mestranol 50 μg and 7 inert tab	6.62	84		
		(13.80)		No	orinyl-1/28
	<ul><li>a) Higher subsidy of \$13.80 per 84 tab with Special Author</li><li>b) Up to 84 tab available on a PSO</li></ul>	ity see SA0500 on th	e pred	ceding page	
C	ombined Oral Contraceptives - Other				
FT	HINYLOESTRADIOL WITH LEVONORGESTREL				
	Tab 20 μg with levonorgestrel 100 μg and 7 inert tab – Up to				
~	84 tab available on a PSO	6.62	84		
		(16.50)	٠.	Lo	pette

### **Progestogen-only Contraceptives**

#### **⇒**SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

(16.50)

- 1 Fithor
  - 1.1 Patient is on a Social Welfare benefit; or
  - 1.2 Patient has an income no greater than the benefit; and

continued...

Microgynon 20 ED

### **GENITO-URINARY SYSTEM**

	Subsidy (Manufacturer's F	Price) S Per	Fully Subsidised	Brand or Generic Manufacturer
continued  2 Has tried at least one of the fully funded options and has be	en unable to to	lerate it		
Renewal from any medical practitioner. Approvals valid for 2 years			e following	criteria:
Either:		_		
<ol> <li>Patient is on a Social Welfare benefit; or</li> <li>Patient has an income no greater than the benefit.</li> </ol>				
Notes: The approval numbers of Special Authorities approved a Marvelon and Fernodene.	after 1 Novemb	er 1999 are	interchan	geable between Mercilon,
The additional subsidy will fund Mercilon, Marvelon and Femode identified on the Schedule at 1 November 1999.	ne up to the ma	anufacturer's	price for e	each of these products as
Special Authorities approved before 1 November 1999 remain valiare still either:	d until the expiry	date and ca	an be rene	wed providing that women
on a Social Welfare benefit; or      beyone income no greater than the benefit.				
<ul> <li>have an income no greater than the benefit.</li> <li>The approval numbers of Special Authorities approved before 1 N</li> </ul>	lovember 1999	are interchar	ngeable fo	r products within the com-
bined oral contraceptives and progestogen-only contraceptives grundle LEVONORGESTREL				
* Таb 30 µg	6.62	84		
10	(16.50)		M	licrolut
<ul><li>a) Higher subsidy of \$13.80 per 84 tab with Special Author</li><li>b) Up to 84 tab available on a PSO</li></ul>	ity see SA0500	on the prece	ding page	•
MEDROXYPROGESTERONE ACETATE  * Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a PS	O7.15	1	<b>✓</b> D	epo-Provera
NORETHISTERONE  * Tab 350 µg - Up to 84 tab available on a PSO	7.15	84	✓ <u>N</u>	oriday 28
<b>Emergency Contraceptives</b>				
LEVONORGESTREL				
* Tab 1.5 mg	12.50	1	<b>✓</b> Po	ostinor-1
b) Up to 5 tab available on a PSO				
Antiandrogen Oral Contraceptives				
Prescribers may code prescriptions "contraceptive" (code "O") who prescription charge will be as per other contraceptives, as follows:  • \$3.00 prescription charge (patient co-payment) will apply.  • prescription may be written for up to six months supply.		cated for con	traception.	. The period of supply and
Prescriptions coded in any other way are subject to the non contr of supply. ie. Prescriptions may be written for up to three months s		iption charge	es, and the	e non-contraceptive period
CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL	4.01	84	./ 0	inet 84
* Tab 2 mg with ethinyloestradiol 35 μg and 7 inert tabs	4.91	04	V <u>u</u>	inet 04
Gynaecological Anti-infectives				
ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC A	CID			
Jelly with glacial acetic acid 0.94%, hydroxyquinoline sul-				
phate 0.025%, glycerol 5% and ricinoleic acid 0.75% with	0.40	100 a OD		
applicator	(24.00)	100 g OP	A	ci-Jel

	Subsidy (Manufacturer's I \$	Price) Sub Per	Fully Brand or sidised Generic  Manufacturer
CLOTRIMAZOLE			
* Vaginal crm 1% with applicator(s)	1.45	35 g OP	✓ Clomazol
* Vaginal crm 2% with applicators	2.75	20 g OP	✓ Clomazol
MICONAZOLE NITRATE			
* Vaginal crm 2% with applicator	2.75 (3.70)	40 g OP	Micreme
NYSTATIN			
Vaginal crm 100,000 u per 5 g with applicator(s)	4.71	75 g OP	✓ Nilstat
Myometrial and Vaginal Hormone Preparations			
ERGOMETRINE MALEATE			
Inj 500 μg per ml, 1 ml - Up to 5 inj available on a PSO	11.60	5	✓ Mayne
METHYLERGOMETRINE Inj 200 µg per ml, 1 ml - Up to 10 inj available on a PSO	9.28	10	✓ Hospira S29
OESTRIOL			
* Crm 1 mg per g with applicator		15 g OP	✓ Ovestin
* Pessaries 500 μg	7.25	15	✓ Ovestin
OXYTOCIN – Up to 5 inj available on a PSO	5.04	_	40
Inj 5 iu per ml, 1 ml Inj 10 iu per ml, 1 ml		5 5	✓ <u>Syntocinon</u> ✓ <u>Syntocinon</u>
Inj 5 iu with ergometrine maleate 500 µg per ml, 1 ml		5	✓ Syntometrine
Pregnancy Tests - hCG Urine			
PREGNANCY TESTS - HCG URINE a) Up to 200 test available on a PSO b) Only on a PSO			
Cassette	22.80	40 test OP	✓ Innovacon hCG One Step Pregnancy Test
	14.25	25 test OP	
	(19.00)		MDS Quick Card
(MDS Quick Card Cassette to be delisted 1 August 2010)			
Urinary Agents			
For uning much the et Info etions, metallity INFFOTIONIC, Antilha etanicle,	0.5		

For urinary tract Infections refer to INFECTIONS, Antibacterials, page 95

### 5-Alpha Reductase Inhibitors

FINASTERIDE − Special Authority see SA0928 below − Retail pharmacy
Tab 5 mg ......19.20 30 ✓ Fintral

## **⇒**SA0928 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 Either:
  - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
  - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Note: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride.

# **GENITO-URINARY SYSTEM**

	Subsidy (Manufacturer's F \$	Price) Sub Per	Fully Brand or sidised Generic Manufacturer	
Other Urinary Agents				
OXYBUTYNIN  * Tab 5 mg		500	✓ Apo-Oxybutynin	
* Oral liq 5 mg per 5 ml	50.40	473 ml OP	✓ <u>Apo-Oxybutynin</u>	
* Grans eff 4 g sachets		28	✓ <u>Ural</u>	
SOLIFENACIN SUCCINATE - Special Authority see SA0998 be Tab 5 mg		macy 30	✓ Vesicare	
Tab 10 mg		30	✓ Vesicare	
■ SA0998   Special Authority for Subsidy   Initial application from any relevant practitioner. Approvals va overactive bladder and a documented intolerance of oxybutynin.	lid without furthe	r renewal unle	ss notified where the p	atient has
Detection of Substances in Urine				
ORTHO-TOLIDINE				
* Compound diagnostic sticks	7.50 (8.25)	50 test OP	Hemastix	
TETRABROMOPHENOL  * Blue diagnostic strips	7.02	100 test OP		

(13.92)

Albustix

	Subsidy		Fully Brand or
	(Manufacturer's P		osidised Generic
	\$	Per	✓ Manufacturer
Anabolic Agents			
NANDROLONE DECANOATE - Retail pharmacy-Specialist			
Inj 50 mg per ml, 1 ml	21.15	1	<ul><li>Deca-Durabolin</li><li>Orgaject</li></ul>
Corticosteroids and Related Agents for Systemi	c Use		
BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHAS	SONE ACETATE		
* Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1ml	19.20	5	
	(33.60)		Celestone
			Chronodose
DEXAMETHASONE			
* Tab 1 mg - Retail pharmacy-Specialist	16.08	100	✓ Douglas
Up to 30 tab available on a PSO			-
* Tab 4 mg - Retail pharmacy-Specialist	61.89	100	✓ Douglas
Up to 30 tab available on a PSO			
Oral liq 1 mg per ml – Retail pharmacy-Specialist	39.90	25 ml OP	✓ Biomed
Oral liq prescriptions:			
Must be written by a Paediatrician or Paediatric Car     Application of a Paediatric Car	•		
2) On the recommendation of a Paediatrician or Paedi	atric Cardiologist.		
DEXAMETHASONE SODIUM PHOSPHATE	04.50	_	4.11
* Inj 4 mg per ml, 1 ml – Up to 5 inj available on a PSO		5 5	✓ Mayne
* Inj 4 mg per ml, 2 ml – Up to 5 inj available on a PSO	31.00	5	✓ Mayne
FLUDROCORTISONE ACETATE			4
* Tab 100 μg	7.62	100	✓ Florinef
HYDROCORTISONE			
* Tab 5 mg		100	✓ <u>Douglas</u>
* Tab 20 mg		100	✓ <u>Douglas</u>
* Inj 50 mg per ml, 2 ml	3.72	1	✓ Solu-Cortef
a) Up to 5 inj available on a PSO			
b) Only on a PSO			
METHYLPREDNISOLONE – Retail pharmacy-Specialist	40 E7	100	. / Madval
* Tab 4 mg * Tab 100 mg		20	✓ <u>Medrol</u> ✓ Medrol
-	100.52	20	<u>INIEGIOI</u>
METHYLPREDNISOLONE ACETATE	0.00		. A Danie Market
Inj 40 mg per ml, 1 ml	6.03	1	✓ <u>Depo-Medrol</u>
METHYLPREDNISOLONE ACETATE WITH LIGNOCAINE			
Inj 40 mg per ml with lignocaine 1 ml	6.03	1	✓ <u>Depo-Medrol with</u>
			<u>lidocaine</u>
METHYLPREDNISOLONE SODIUM SUCCINATE - Retail pharr		0.5	40
Inj 40 mg per ml, 1 ml		25 25	✓ <u>Solu-Medrol</u> ✓ <u>Solu-Medrol</u>
Inj 62.5 mg per ml, 2 ml Inj 500 mg		25 1	Solu-Medrol
Inj 1 g		1	Solu-Medrol
, •			- OUIN MONIO
PREDNISOLONE SODIUM PHOSPHATE  ** Oral lig 5 mg per ml _ Lip to 30 ml available on a PSO	0.05	30 ml OP	✓ Redipred
* Oral liq 5 mg per ml – Up to 30 ml available on a PSO Restricted to children under 12 years of age.	9.90	JU IIII UP	<u>neuipieu</u>

	Subsidy (Manufacturer's Price)	) Per	Fully Subsidised	d Generic
PREDNISONE				
* Tab 1 mg	10.68	500	~	Apo-Prednisone
* Tab 2.5 mg	12.09	500	~	Apo-Prednisone
* Tab 5 mg - Up to 30 tab available on a PSO	11.09	500	~	Apo-Prednisone
* Tab 20 mg	29.03	500	~	Apo-Prednisone
TETRACOSACTRIN				
* Inj 250 μg	177.18	10	~	Synacthen
* Inj 1 mg per ml, 1 ml		1	~	Synacthen Depot
TRIAMCINOLONE ACETONIDE				
Inj 10 mg per ml, 1 ml	11.11	5	~	Kenacort-A
Inj 40 mg per ml, 1 ml		5	~	Kenacort-A40
Sex Hormones Non Contraceptive				

## Androgen Agonists and Antagonists

CYPROTERONE ACETATE - Hospital pharmacy [HP3]-Specialist			
Tab 50 mg	21.10	50	✓ <u>Siterone</u>
Tab 100 mg	41.50	50	✓ <u>Siterone</u>
TESTOSTERONE			
Transdermal patch, 2.5 mg per day	80.00	60	✓ Androderm
TESTOSTERONE CYPIONATE - Retail pharmacy-Specialist			
Inj long-acting 100 mg per ml, 10 ml	61.41	1	✓ <u>Depo-Testosterone</u>
TESTOSTERONE ESTERS - Retail pharmacy-Specialist			
Inj 250 mg per ml, 1 ml	12.98	1	Sustanon Ampoules
TESTOSTERONE UNDECANOATE - Retail pharmacy-Specialist			
Cap 40 mg	60.71	60	Andriol Testocaps
			✓ Panteston
	79.92	100	Arrow-Testosterone

# **Hormone Replacement Therapy - Systemic**

#### ■ SA0312 | Special Authority for Alternate Subsidy

Initial application only from an obstetrician, gynaecologist, general practitioner or general physician. Approvals valid for 5 years for applications meeting the following criteria:

Any of the following:

- 1 acute or significant liver disease where oral oestrogens are contraindicated as determined by a gastroenterologist or general physician. The applicant must keep written confirmation from such a specialist with the patient's record; or
- 2 oestrogen induced hypertension requiring antihypertensive therapy documented evidence must be kept on file that raised blood pressure levels or inability to control blood pressure adequately occurred post oral oestrogens; or
- 3 hypertriglyceridaemia documented evidence must be kept on file that triglyceride levels increased to at least 2 × normal triglyceride levels post oral oestrogens.

Note: Prescriptions with a valid Special Authority (CHEM) number will be reimbursed at the level of the lowest priced TDDS product within the specified dose group.

Renewal only from an obstetrician, gynaecologist, general practitioner or general physician. Approvals valid for 5 years where the treatment remains appropriate and the patient is benefiting from treatment.

#### **Prescribing Guideline**

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

	Subsidy		Fully Brand or
	(Manufacturer's Pr \$	rice) Sub Per	sidised Generic  Manufacturer
	<u> </u>		· managata.o.
Oestrogens			
OESTRADIOL - See prescribing guideline on the preceding p	age		
* Tab 1 mg	4.12	28 OP	
	(10.55)		Estrofem
* Tab 2 mg	4.12	28 OP	
	(10.55)		Estrofem
* TDDS 25 μg per day		8	
	(10.86)		Estraderm TTS 25
a) Higher subsidy of \$10.86 per 8 patch with Special At	uthority see SA0312	on the preced	ing page
b) No more than 2 patch per week			
c) Only on a prescription	4.40	4	
* TDDS 3.9 mg (releases 50 μg of oestradiol per day)		4	Climara 50
	(14.50) (32.50)		Femtran 50
a) Higher subsidy of \$13.18 per 4 patch with Special A	` ,	on the presed	
b) No more than 1 patch per week	illionly see SA0312	on the preced	ing page
c) Only on a prescription			
* TDDS 50 µg per day	4 12	8	
7. 1550 00 pg por day	(13.18)	0	Estraderm TTS 50
a) Higher subsidy of \$13.18 per 8 patch with Special A		on the preced	
b) No more than 2 patch per week	attionty 600 07 100 12	on the process	ing page
c) Only on a prescription			
* TDDS 7.8 mg (releases 100 µg of oestradiol per day)	7.05	4	
	(17.75)		Climara 100
	(35.00)		Femtran 100
a) Higher subsidy of \$16.14 per 4 patch with Special A	uthority see SA0312	on the preced	ing page
b) No more than 1 patch per week			
c) Only on a prescription			
* TDDS 100 μg per day		8	
	(16.14)		Estraderm TTS 100
a) Higher subsidy of \$16.14 per 8 patch with Special At	uthority see SA0312	on the preced	ing page
b) No more than 2 patch per week			
c) Only on a prescription			
OESTRADIOL VALERATE – See prescribing guideline on the	1 010	50	4.5
* Tab 1 mg		56	✓ Progynova
* Tab 2 mg	8.24	56	✓ Progynova
OESTROGENS – See prescribing guideline on the preceding			
* Conjugated, equine tab 300 μg		28	
	(11.48)		Premarin
* Conjugated, equine tab 625 μg		28	
	(11.48)		Premarin
Progestogens			
MEDROXYPROGESTERONE ACETATE - See prescribing gu	ideline on the preced	ding page	
* Tab 2.5 mg		30	✓ Provera
* Tab 5 mg		100	✓ Provera
* Tab 10 mg		30	✓ Provera
•			

	Subsidy (Manufacturer's Price \$	e) S Per	Fully Brand or Subsidised Generic Manufacturer
Progestogen and Oestrogen Combined Preparat	ions		
OESTRADIOL WITH NORETHISTERONE — See prescribing guid  * Tab 1 mg with 0.5 mg norethisterone acetate	1 0	28 OP	Kliovance
* Tab 2 mg with 1 mg norethisterone acetate	` '	28 OP	Kliogest
* Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg oestradiol tab (12) and 1 mg oestradiol tab (6)	5.40 (14.52)	28 OP	Trisequens
OESTROGENS WITH MEDROXYPROGESTERONE - See prese	cribing guideline or	page 76	
* Tab 625 µg conjugated equine with 2.5 mg medroxyprogesterone acetate tab (28)	5.40 (22.96)	28 OP	Premia 2.5 Continuous
* Tab 625 µg conjugated equine with 5 mg medroxyprogesterone acetate tab (28)	5.40 (22.96)	28 OP	Premia 5 Continuous
Other Oestrogen Preparations			
ETHINYLOESTRADIOL  * Tab 10 μg	17.60	100	✓ NZ Medical and Scientific
OESTRIOL  * Tab 2 mg	7.00	30	✓ Ovestin
Other Progestogen Preparations			
DYDROGESTERONE Tab 10 mg	15.40 (16.75)	28	Duphaston
LEVONORGESTREL  * Levonorgestrel - releasing intrauterine system 20µg/24 hr - Special Authority see SA0782 below - Retail pharmacy	269.50	1	✓ Mirena

### **⇒**SA0782 Special Authority for Subsidy

Initial application — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- 3 Either:
  - 3.1 serum ferritin level < 16 µg/l (within the last 12 months); or
  - 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Initial application — (Previous use before 1 October 2002) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
. 2	Por 🗸	Manufacturer

#### continued...

- 1 The patient had a clinical diagnosis of heavy menstrual bleeding; and
- 2 Patient demonstrated clinical improvement of heavy menstrual bleeding; and
- 3 Applicant to state date of the previous insertion.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

#### Both:

#### 1 Either:

- 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
- 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

#### MEDROXYPROGESTERONE ACETATE

* Tab 100 mg - Retail pharmacy-Specialist	96.50	100	✔ Provera
* Tab 200 mg - Retail pharmacy-Specialist	70.50	30	✓ Provera
NORETHISTERONE			
* Tab 5 mg - Up to 30 tab available on a PSO	25.00	100	Primolut N

Thyroid and Antithyroid Agents			
CARBIMAZOLE  * Tab 5 mg	10.80	100	✓ Neo-Mercazole
LEVOTHYROXINE			
* Tab 50 μg	1.71	28	✓ Goldshield
	45.00	1,000	✓ Synthroid
	64.28		✓ Eltroxin
‡ Safety cap for extemporaneously compounded	ed oral liquid preparations.		
* Tab 100 μg	1.78	28	✓ Goldshield
	46.75	1,000	✓ Synthroid
	66.78		✓ Eltroxin
‡ Safety cap for extemporaneously compounded	ed oral liquid preparations.		
* Tab 25 µgt Safety can for extemporaneously compounds		1,000	✓ Synthroid

### **Trophic Hormones**

#### **Growth Hormones**

### **⇒**SA0755 Special Authority for Subsidy

Special Authority approved by the Growth Hormone Committee

Notes: Subject to budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

NZGHC Coordinator

PHARMAC, PO Box 10-254, WELLINGTON

Tel: 0800 808 476, Fax: (09) 929 3221, Email: growthhormone@pharmac.govt.nz

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
SOMATROPIN - Special Authority see SA0755 on the preceding	page			
* Inj 5 mg	300.00	1		orditropin SimpleXx 5mg
* Inj 10 mg	600.00	1		orditropin SimpleXx 10mg
* Inj 15 mg	900.00	1		orditropin SimpleXx 15mg
* Inj cartridge 16 iu (5.3 mg)		1	<b>✓</b> G	enotropin
* Inj cartridge 36 iu (12 mg)	360.00	1	<b>✓</b> G	enotropin
(Norditropin SimpleXx 5mg Inj 5 mg to be delisted 1 July 2010) (Norditropin SimpleXx 10mg Inj 10 mg to be delisted 1 July 2010) (Norditropin SimpleXx 15mg Inj 15 mg to be delisted 1 July 2010)				

### **GnRH Analogues**

#### **⇒**SA0835 Special Authority for Subsidy

Initial application — (Breast cancer) from any medical practitioner. Approvals valid for 1 year where the patient is a premenopausal woman with breast cancer.

**Initial application** — **(Prostate cancer)** only from an oncologist, urologist or endocrinologist. Approvals valid for 1 year where the patient has advanced prostatic cancer.

Note: Not to be prescribed with an anti-androgen except for a period of three weeks, if necessary, when GnRH analogue therapy is intiated.

Initial application — (Endometriosis) only from a gynaecologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Endometriosis: and
- 2 Either:
  - 2.1 6 months treatment with medroxyprogesterone acetate, danazol or dimetriose has proven ineffective; or
- 2.2 The patient has failed to tolerate the treatment with medroxyprogesterone acetate, danazol or dimetriose for 6 months. Note: The maximum treatment period for a GnRH analogue is:
  - 3 months to assess whether surgery is appropriate
  - 3 months for infertile patients after surgery
  - 6 months for patients with symptoms of endometriosis After the first 3 months patients should be assessed to determine whether there has been a satisfactory response to the first 3 months treatment.

**Initial application** — (**Precocious puberty**) only from a paediatrician or endocrinologist. Approvals valid for 1 year where the patient is affected by gonadotropin dependent precocious puberty.

**Renewal** — (Breast or prostate cancer) from any medical practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

Renewal — (Endometriosis) from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 There has been a satisfactory response to the first 3 months treatment; and
  - 1.2 Surgery is inappropriate; or
- 2 The first three months of therapy did not follow surgery for infertility.

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	<b>V</b>	Manufacturer

continued...

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

Renewal — (Precocious puberty) only from a paediatrician or endocrinologist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

GOSERELIN ACETATE - Hospital pharmacy [HP3]			
Inj 3.6 mg	200.00	1	✓ Zoladex
Inj 10.8 mg	500.00	1	✓ Zoladex
LEUPRORELIN - Hospital pharmacy [HP3]			
Inj 3.75 mg	221.60	1	✓ Lucrin Depot
Inj 3.75 mg prefilled syringe	221.60	1	✓ Lucrin Depot PDS
Inj 7.5 mg	166.20	1	✓ Eligard
Inj 11.25 mg	591.68	1	✓ Lucrin Depot
Inj 11.25 mg prefilled syringe	591.68	1	✓ Lucrin Depot PDS
Inj 22.5 mg		1	✓ Eligard
Inj 30 mg		1	✓ Eligard
Inj 30 mg prefilled syringe	1,109.40	1	✓ Lucrin Depot PDS
Inj 45 mg		1	✓ Eligard

## Vasopressin Agonists

DESMOPRESSIN	I
--------------	---

Nasal drops 100 µg per ml — Retail pharmacy-Specialist39.03 Nasal spray 10 µg per dose — Retail pharmacy-Specialist29.94	2.5 ml OP 6 ml OP	✓ Minirin ✓ <u>Desmopressin-</u> PH&T
Inj 4 µg per ml, 1 ml – Special Authority see SA0090 below – Hospital pharmacy [HP3]67.18	10	✓ Minirin

## **⇒**SA0090 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

# Other Endocrine Agents

#### **CABERGOLINE**

			iab 0.5 mg - Maximum of 2 tab per prescription; can be
Dostinex	V	8	waived by Special Authority see SA0175 below66.00
✓ Arrow-Cabergoline	V	2	26.26
✓ Arrow-Cabergoline	V	8	105.03

#### ⇒SA0175 Special Authority for Waiver of Rule

**Initial application** only from an obstetrician, endocrinologist or gynaecologist. Approvals valid for 2 years where the patient has pathological hyperprolactinemia.

**Renewal** only from an obstetrician, endocrinologist or gynaecologist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

# CLOMIPHENE CITRATE - Retail pharmacy-Specialist

Only a prescription for a female patient.

Tab 50 mg	2.50 5	~	' Phenate
-----------	--------	---	-----------

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
DANAZOL - Retail pharmacy-Specialist				
Cap 100 mg	68.33	100	VA	Azol
Cap 200 mg	29.35	30	<b>✓</b> D	)-Zol
	97.83	100	VA	Azol
(D-Zol Cap 200 mg to be delisted 1 November 2010)				
GESTRINONE - Retail pharmacy-Specialist				
Cap 2.5 mg	101.87	8 OP	<b>V</b> D	Dimetriose
METYRAPONE				
Cap 250 mg - Hospital pharmacy [HP3]-Specialist	238.00	50	✓ N	Metopirone

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
Anthelmintics				
MEBENDAZOLE - Only on a prescription Tab 100 mg Oral liq 100 mg per 5 ml		24 15 ml		e-Worm ermox
Antibacterials				
<ul> <li>a) For topical antibacterials, refer to DERMATOLOGICALS, page b) For anti-infective eye preparations, refer to SENSORY ORGAL</li> </ul>				
Cephalosporins and Cephamycins				
CEFACLOR MONOHYDRATE  Cap 250 mgGrans for oral liq 125 mg per 5 ml		100 100 ml		anbaxy-Cefaclor anbaxy-Cefaclor
CEFAZOLIN SODIUM – Hospital pharmacy [HP3] – Subsidy by Only if prescribed for dialysis or cystic fibrosis patient and the Inj 500 mg	ne prescription is end	orsed a 5 5	<u>й</u> <u>н</u>	ospira ospira
CEFOXITIN SODIUM — Hospital pharmacy [HP3]-Specialist — S Only if prescribed for dialysis or cystic fibrosis patient and th Inj 1 g	ne prescription is end		0,	layne

CEFTRIAXONE SODIUM - Hospital pharmacy [HP3] - Subsidy by endorsemen	t
a) Up to 5 inj available on a PSO	

b) Subsidised only if prescribed for a dialysis or cystic fibrosis patient, or the treatment of confirmed ciprofloxacin-resistant gonorrhoea, or the treatment of suspected meningitis in patients who have a known allergy to penicillin, and the prescription or PSO is endorsed accordingly.

Inj 500 mg3.99	1	✓ AFI
Inj 1 g	1	✓ AFT

 $\label{eq:ceful} \textbf{CEFUROXIME AXETIL} - \textbf{Subsidy by endorsement}$ 

CEFUROXIME SODIUM - Hospital pharmacy [HP3]

Inj 250 mg − Maximum of 3 inj per prescription; can be waived by endorsement.......20.97 10 ✓ Mayne
Inj 750 mg − Maximum of 1 inj per prescription; can be waived

Only if prescribed for a dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.

CEPHALEXIN MONOHYDRATE - Hospital pharmacy [HP3]

Subsidy (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

### **Macrolides**

AZITHROMYCIN - Subsidy by endorsement; can be waived by Special Authority see SA0964 below

- a) Maximum of 2 tab per prescription; can be waived by Special Authority see SA0964 below
- b) Up to 4 tab available on a PSO
- c) Subsidised only if prescribed for patients with uncomplicated urethritis or cervicitis proven or presumed to be due to chlamydia trachomatis and their sexual contacts and prescription or PSO is endorsed accordingly; can be waived by Special Authority see SA0964.

#### ■ SA0964 Special Authority for Waiver of Rule

**Initial application** only from a respiratory specialist or paediatrician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The applicant is part of multidisciplinary team experienced in the management of cystic fibrosis; and
- 2 The patient has been definitively diagnosed with cystic fibrosis\*; and
- 3 The patient has chronic infection with Pseudomonas aeruginosa or Pseudomonas related gram negative organisms as defined by two positive respiratory tract cultures at least three months apart\*; and
- 4 The patient has negative cultures for non-tuberculous mycobacteria.

Notes: Caution is advised if using azithromycin as an antibiotic in the treatment of cystic fibrosis patients with pneumonia.

Testing for non-tuberculosis mycobacteria should occur annually.

Indications marked with \* are Unapproved Indications (refer to Section A: General Rules, Part I (Interpretations and Definitions) and Part IV (Miscellaneous Provisions) rule 4.6).

CLARITHROMYCIN - Maximum of 500 mg per prescription; can be waived by Special Authority see SA0988 below

Tab 250 mg	7.75	14	Klamycin
Grans for oral lig 125 mg per 5 ml	23.12	70 ml	Klacid

#### **⇒**SA0988 Special Authority for Waiver of Rule

**Initial application — (Mycobacterial infections)** only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 Mycobacterium Avium Intracellulare Complex infections in patient with AIDS; or
- 2 Atypical and drug-resistant mycobacterial infection; or
- 3 All of the following:
  - 3.1 Prophylaxis against disseminated Mycobacterium Avium Intracellulare Complex infection; and
  - 3.2 HIV infection: and
  - 3.3 CD4 count  $\leq$  50 cells/mm<sup>3</sup>.

Renewal — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

### ERYTHROMYCIN ETHYL SUCCINATE

E-Mycin	100	16.95	Tab 400 mg - Up to 30 tab available on a PSO
✓ E-Mycin	100 ml		Grans for oral liq 200 mg per 5 ml – Up to 200 ml available on a PSO
✓ <u>E-Mycin</u>	100 ml		Grans for oral liq 400 mg per 5 ml - Up to 200 ml available on a PSO
■ Eruthrooin II	1	10.02	ERYTHROMYCIN LACTOBIONATE

	Subsidy		Fully Brand or
	(Manufacturer's Price	e) Per	Subsidised Generic  Manufacturer
ERYTHROMYCIN STEARATE			
Tab 250 mg - Up to 30 tab available on a PSO	14.95	100	
	(22.29)		ERA
Tab 500 mg	29.90	100	
	(44.58)		ERA
ROXITHROMYCIN			
Tab 150 mg	8.98	50	✓ <u>Arrow-</u>
			Roxithromycin
Tab 300 mg	16.48	50	✓ Arrow-
			Roxithromycin
Penicillins			
MOXYCILLIN			
Cap 250 mg - Up to 30 cap available on a PSO	17.30	500	✓ Apo-Amoxi
Cap 500 mg		500	✓ Apo-Amoxi
Grans for oral liq 125 mg per 5 ml - Up to 200 ml available			
on a PSO		100 ml	
	1.55		Ospamox
Grans for oral liq 250 mg per 5 ml - Up to 200 ml available			4.5
on a PSO		100 ml	
Drops 125 mg per 1.25 ml	4.00	30 ml Ol	P Ospamox Paediatric Drops
Inj 250 mg	12 42	10	✓ Ibiamox
Inj 500 mg		10	✓ Ibiamox
Inj 1 g – Up to 5 inj available on a PSO		10	✓ Ibiamox
Ranbaxy Amoxicillin Grans for oral lig 125 mg per 5 ml to be delis		2010)	<u></u>
MOXYCILLIN CLAVULANATE	,	,	
Tab amoxycillin 500 mg with potassium clavulanate 125 mg			
- Up to 30 tab available on a PSO	25 10	100	✓ Synermox
Grans for oral liq amoxycillin 125 mg with potassium clavu-		100	<u> </u>
lanate 31.25 mg per 5 ml - Up to 200 ml available on a			
PSO	2.20	100 ml	✓ Curam
Grans for oral liq amoxycillin 250 mg with potassium clavu-			
lanate 62.5 mg per 5 ml - Up to 200 ml available on a			
PSO	3.85	100 ml	✓ Curam
ENZATHINE BENZYLPENICILLIN			
Inj 1.2 mega u per 2.3 ml - Up to 5 inj available on a PSO	315.00	10	✓ Bicillin LA
ENZYLPENICILLIN SODIUM (PENICILLIN G)			
Inj 1 mega u – Up to 5 inj available on a PSO	10.49	10	✓ Sandoz
,ga a ep to o, atalianto on a roominimimimi		. •	- <u></u>

	Subsidy		Fully Brand or
	(Manufacturer's P	rice) S	Subsidised Generic
	\$	Per	Manufacturer
FLUCLOXACILLIN SODIUM			
Cap 250 mg - Up to 30 cap available on a PSO	18.50	250	✓ Staphlex
	32.00		✓ AFT
Cap 500 mg		500	✓ Staphlex
	110.00		✓ AFT
Grans for oral liq 125 mg per 5 ml - Up to 200 ml available			
on a PSO	3.12	100 ml	✓ <u>AFT</u>
Grans for oral liq 250 mg per 5 ml - Up to 200 ml available			
on a PSO	3.55	100 ml	✓ <u>AFT</u>
Inj 250 mg	9.00	10	✓ <u>Flucloxin</u>
Inj 500 mg		10	✓ <u>Flucloxin</u>
Inj 1 g - Up to 5 inj available on a PSO	14.00	10	✓ <u>Flucloxin</u>
(Staphlex Cap 250 mg to be delisted 1 June 2010)			
(Staphlex Cap 500 mg to be delisted 1 June 2010)			
PHENOXYMETHYLPENICILLIN (PENICILLIN V)			
Cap potassium salt 250 mg - Up to 30 cap available on a PS	O4.29	50	✓ Cilicaine VK
Cap potassium salt 500 mg		50	✓ Cilicaine VK
Grans for oral liq 125 mg per 5 ml - Up to 200 ml available			
on a PSO	1.68	100 ml	✓ <u>AFT</u>
Grans for oral liq 250 mg per 5 ml - Up to 200 ml available			
on a PSO	1.82	100 ml	✓ <u>AFT</u>
PROCAINE PENICILLIN			
Inj 1.5 mega u – Up to 5 inj available on a PSO	50.86	5	✓ Cilicaine
Tetracyclines			
DOXYCYCLINE HYDROCHLORIDE			
* Tab 50 mg - Up to 30 tab available on a PSO	2.90	30	
3 1 <sub>1</sub>	(6.00)		Doxy-50
* Tab 100 mg - Up to 30 tab available on a PSO	` '	250	✓ Doxine
MINOCYCLINE HYDROCHLORIDE			
* Tab 50 mg	5 70	60	
* Tab 50 mg	(12.05)	00	Mino-tabs
* Cap 100 mg		100	Will tabe
	(52.04)		Minomycin
Other Antibiotics	, ,		•
Other Antibiotics			
For topical antibiotics, refer to DERMATOLOGICALS, page 58			
CIPROFLOXACIN			
Tab 250 mg - Up to 5 tab available on a PSO	3.35	30	✓ Rex Medical
Tab 500 mg - Up to 5 tab available on a PSO		30	✓ Rex Medical
Tab 750 mg - Retail pharmacy-Specialist	7.54	30	✓ Rex Medical
CLINDAMYCIN			
Cap hydrochloride 150 mg – Maximum of 4 cap per prescrip-			
tion; can be waived by endorsement - Retail pharmacy -			
Specialist	11.39	16	✓ Dalacin C
Inj phosphate 150 mg per ml, 4 ml - Retail pharmacy-			<del>-</del>
Specialist	16.00	1	✓ Dalacin C
- F		·	<del>-</del>

	Subsidy	. , .	Fully Brand or
	(Manufacturer's P \$	rice) Su Per	ıbsidised Generic  ✓ Manufacturer
CO-TRIMOXAZOLE			
* Tab trimethoprim 80 mg and sulphamethoxazole 400 mg -			
Up to 30 tab available on a PSO		500	✓ Trisul
* Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg			
per 5 ml - Up to 200 ml available on a PSO	2.15	100 ml	✓ Deprim
COLISTIN SULPHOMETHATE - Hospital pharmacy [HP3]-Specia			
Only if prescribed for dialysis or cystic fibrosis patient and the			0,
Inj 150 mg	65.00	1	✓ Colistin-Link
FUSIDIC ACID			
Tab 250 mg - Hospital pharmacy [HP3]-Specialist	34.50	12	✓ Fucidin
Inj 500 mg sodium fusidate per 10 ml – Hospital pharmacy	10.07	4	
[HP3]-Specialist – Subsidy by endorsement	12.87	1	Fucidin
Only if prescribed for a dialysis or cystic fibrosis patient and	' '	is endorsed	
GENTAMICIN SULPHATE	p. 000ptioi		
Inj 10 mg per ml, 1 ml - Hospital pharmacy [HP3] - Subsidy			
by endorsement	8.56	5	✓ Mayne
Only if prescribed for a dialysis or cystic fibrosis patient or		of endocarditi	•
accordingly.			
Inj 40 mg per ml, 2 ml - Hospital pharmacy [HP3] - Subsidy			4 = 0
by endorsement		10	✓ <u>Pfizer</u>
Only if prescribed for a dialysis or cystic fibrosis patient or accordingly.	for propriylaxis	or endocarditi	is and the prescription is endorse
TOBRAMYCIN			
Inj 40 mg per ml, 2 ml - Hospital pharmacy [HP3] - Subsidy			
by endorsement	34.50	5	✓ Mayne
Only if prescribed for dialysis or cystic fibrosis patient and t		s endorsed a	•
TRIMETHOPRIM			
* Tab 300 mg - Up to 30 tab available on a PSO	8.69	50	✓ <u>TMP</u>
VANCOMYCIN HYDROCHLORIDE - Hospital pharmacy [HP3] -	Subsidy by end	orsement	
Only if prescribed for a dialysis or cystic fibrosis patient or in			branous colitis or for prophylaxis
endocarditis and the prescription is endorsed accordingly.			
Inj 50 mg per ml, 10 ml	5.04	1	✓ Pacific
Antifungals			
a) For topical antifungals refer to DERMATOLOGICALS, page 59			
b) For topical antifungals refer to GENITO URINARY, page 72			
FLUCONAZOLE - Hospital pharmacy [HP3]-Specialist			
Cap 50 mg		28	✓ Pacific
Cap 150 mg	1.30	1	✓ Pacific
Cap 200 mg	19.05	28	✓ Pacific
TRACONAZOLE - Hospital pharmacy [HP3]-Specialist			
Cap 100 mg	23.70	15	✓ Sporanox
KETOCONAZOLE			
Tab 200 mg - Retail pharmacy-Specialist	38.12	30	✓ Nizoral
Tab 200 mg Trotail pharmady opodialiot			
NYSTATIN  Tab 500,000 u  Cap 500,000 u		50 50	✓ <u>Nilstat</u> ✓ Nilstat

<sup>▲</sup>Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturar's Pr	ina) C	Fully Brand or
	(Manufacturer's Pr	Per	bsidised Generic  Manufacturer
TERRINASINS	•		
TERBINAFINE	05.50	100	Ana Tarkinatina
Tab 250 mg	25.50	100	✓ Apo-Terbinafine
Antimalarials			
HYDROXYCHLOROQUINE SULPHATE			
* Tab 200 mg	22.50	100	✓ Plaquenil
	22.00	100	<u>r iaqueriii</u>
Antitrichomonal Agents			
METRONIDAZOLE			
Tab 200 mg – Up to 30 tab available on a PSO	9.50	100	✓ Trichozole
Tab 400 mg		100	✓ Trichozole
Oral lig benzoate 200 mg per 5 ml		100 ml	✓ Flagyl-S
Suppos 500 mg		10	✓ Flagyl
ORNIDAZOLE			· ·
Tab 500 mg	12.38	10	✓ Tiberal
	12.00	10	1100101
Antituberculotics and Antileprotics			
Note: There is no co-payment charge for all pharmaceuticals list	ed in the Antitube	erculotics and	d Antileprotics group regardless of
immigration status.			
DAPSONE - No patient co-payment payable			
Tab 25 mg	95.00	100	✓ Dapsone
Tab 100 mg		100	✓ Dapsone
ETHAMBUTOL HYDROCHLORIDE – No patient co-payment pay	ahla		·
Tab 100 mg		56	✓ Myambutol ©29
Tab 400 mg		56	✓ Myambutol S29
· ·		00	wyumbutor 625
ISONIAZID – Retail pharmacy-Specialist			
No patient co-payment payable	00.00	100	. / DOM
* Tab 100 mg		100 100	✓ PSM ✓ Rifinah
* Tab 100 mg with rifampicin 150 mg			✓ Rifinah
* Tab 150 mg with rifampicin 300 mg	179.57	100	Kifinan
PYRAZINAMIDE – Retail pharmacy-Specialist			
No patient co-payment payable			
* Tab 500 mg	59.00	100	AFT-Pyrazinamide
RIFABUTIN - Hospital pharmacy [HP3]-Specialist			
No patient co-payment payable			
* Cap 150 mg	213.19	30	✓ <u>Mycobutin</u>
RIFAMPICIN - Retail pharmacy-Specialist			
No patient co-payment payable			
* Tab 600 mg	114.40	30	✓ Rifadin
* Cap 150 mg		100	✓ Rifadin
* Cap 300 mg		100	✓ Rifadin
* Oral lig 100 mg per 5 ml		60 ml	✓ Rifadin

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

### **Antivirals**

For eye preparations refer to Eye Preparations, Anti-Infective Preparations, page 158

# **Hepatitis B Treatment**

ADEFOVIR DIPIVOXIL - Special Authority see SA0829 below - Retail pharmacy

Tab 10 mg .......670.00

### **⇒**SA0829 Special Authority for Subsidy

**Initial application** only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT (> 1 × ULN); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Either:
  - 5.1 Both:
    - 5.1.1 Patient is cirrhotic; and
    - 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or
  - 5.2 Both:
    - 5.2.1 Patient is not cirrhotic; and
    - 5.2.2 adefovir dipivoxil to be used as monotherapy.

**Renewal** only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as:

- i) raised serum ALT (> 1  $\times$  ULN); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- iii) Detection of N236T or A181T/V mutation.

Adefovir dipivoxil should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines.

Adefovir dipivoxil should be avoided in pregnant women and children.

ENTECAVIR - Special Authority see SA0977 below - Retail pharmacy

Tab 0.5 mg .......400.00

30

✓ Baraclude

### **⇒**SA0977 Special Authority for Subsidy

**Initial application** only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naive; and
- 3 Entecavir dose 0.5 mg/day; and
- 4 Either:
  - 4.1 ALT greater than upper limit of normal; or
  - 4.2 Bridging fibrosis or cirrhosis (Metavir stage 3 or greater) on liver histology; and
- 5 Either:

Subsidy (Manufacturer's Price) Sub \$ Per

Fully Subsidised Brand or Generic Manufacturer

continued...

- 5.1 HBeAg positive; or
- 5.2 patient has ≥ 2,000 IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV. HIV or HDV: and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

#### Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss
  of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced fibrosis
  (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE – Special Authority see SA0832 below – Retail pharmacy
Tab 100mg .......143.00 28

 Tab 100mg
 143.00
 28
 ✓ Zeffix

 Oral liq 5 mg per ml
 90.00
 240 ml
 ✓ Zeffix

### **⇒**SA0832 Special Authority for Subsidy

Initial application only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 All of the following:
    - 1.1.1 HBsAg positive for more than 6 months; and
    - 1.1.2 HBeAg positive or HBV DNA positive defined as > 100,000 copies per ml by quantitative PCR at a reference laboratory; and
    - 1.1.3 ALT greater than twice upper limit of normal or bridging fibrosis or cirrhosis (Metavir stage 3 or 4 or equivalent) on liver histology clinical/radiological evidence of cirrhosis; or
  - 1.2 HBV DNA positive cirrhosis prior to liver transplantation; or
  - 1.3 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
  - 1.4 Hepatitis B surface antigen positive (HbsAg) patient who is receiving chemotherapy for a malignancy, or who has received such treatment within the previous two months; and
- 2 All of the following:
  - 2.1 No continuing alcohol abuse or intravenous drug use; and
  - 2.2 Not coinfected with HCV or HDV; and
  - 2.3 Neither ALT nor AST greater than 10 times upper limit of normal; and
  - 2.4 No history of hypersensitivity to lamivudine; and
  - 2.5 No previous lamivudine therapy with genotypically proven lamivudine resistance.

**Renewal** only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

Renewal for patients who have maintained continuous treatment and response to lamivudine

- 1 All of the following:
  - 1.1 Have maintained continuous treatment with lamivudine; and
  - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
  - 1.3 HBV DNA <100,00 copies per ml by quantitative PCR at a reference laboratory; or

Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine

- 2 All of the following:
  - 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$

continued...

2.2 Patient is cirrhotic; and

Documented resistance to lamivudine, defined as:

- 2.3 Patient has raised serum ALT (> 1 × ULN); and
- 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
- 2.5 Detection of M204I or M204V mutation; or

Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

- 3 All of the following:
  - 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and Documented resistance to adefovir. defined as:
  - 3.2 Patient has raised serum ALT (> 1 × ULN); and
  - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
  - 3.4 Detection of N236T or A181T/V mutation.

### **Herpesvirus Treatments**

#### **ACICLOVIR**

* Tab dispersible 200 mg	1.98	25	✓ Lovir
* Tab dispersible 400 mg		56	✓ Lovir
* Tab dispersible 800 mg		35	✓ Lovir
VALACICLOVIR - Special Authority see SA0957 below - Reta			
Tab 500 mg	102.72	30	✓ Valtrex

#### ■ SA0957 | Special Authority for Subsidy

Initial application — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the patient has genital herpes with 2 or more breakthrough episodes in any 6 month period while treated with aciclovir 400 mg twice daily.

Renewal — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

**Initial application — (ophthalmic zoster)** from any medical practitioner. Approvals valid without further renewal unless notified where the patient has previous history of ophthalmic zoster and the patient is at risk of vision impairment.

Initial application — (CMV prophylaxis) from any medical practitioner. Approvals valid for 3 months where the patient has undergone organ transplantation.

## Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE - Subsidy by endorsement; can be waived by Special Authority see SA0997 on the next page

Endorsement for treatment of HIV/AIDS: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA0779 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

#### Note:

- Tenofovir disoproxil furnarate prescribed under endorsement for the treatment of HIV/AIDS is included in the count of up to 3 subsidised antiretrovirals for the purposes of Special Authority SA0779, page 92
- Subsidy for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

### ■ SA0997 Special Authority for Waiver of Rule

Initial application — (Drug-Resistant Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
- 3 All of the following:

Documented drug resistance, defined as both:

- 3.1 ALT greater than upper limit of normal; or ≥ Metavir Stage F3; and
- 3.2 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
- 4 Any of the following:
  - 4.1 Hepatitis B virus resistant to lamivudine with detection of M204I/V mutation; or
  - 4.2 Hepatitis B virus resistant to adefovir with detection of A181T/V or N236T mutation; or
  - 4.3 Hepatitis B virus resistant to entecavir with detection of I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation.

Renewal — (Drug-Resistant Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg
  positive prior to commencing Tenofovir disoproxil fumarate.
- The recommended dose of Tenofovir disoproxil fumarate for the treatment of hepatitis B is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

### **Antiretrovirals**

# **⇒**SA0779 Special Authority for Subsidy

Initial application — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Confirmed HIV infection: and
- 2 Any of the following:
  - 2.1 Symptomatic patient; or
  - 2.2 Patient aged 12 months and under; or
  - 2.3 Both:
    - 2.3.1 Patient aged 1 to 5 years; and
    - 2.3.2 Any of the following:
      - 2.3.2.1 CD4 counts < 1000 cells/mm<sup>3</sup>: or
      - 2.3.2.2 CD4 counts  $< 0.25 \times \text{total lymphocyte count}$ ; or
      - 2.3.2.3 Viral load counts > 100000 copies per ml; or
  - 2.4 Both:
    - 2.4.1 Patient aged 6 years and over; and
    - 2.4.2 CD4 counts < 350 cells/mm<sup>3</sup>.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 3 subsidised antiretrovirals.

Subsidies for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to anti-retrovirals.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

continued...

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 3 subsidised antiretrovirals.

Subsidies for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to anti-retrovirals

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Prevention of maternal foetal transmission: or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 3 subsidised antiretrovirals.

Subsidies for a combination of up to three anti-retroviral medications, including a maximum of two protease inhibitors. Combinations including ritonavir plus indinavir or atazanavir will be counted as one protease inhibitor for the purpose of accessing funding to anti-retrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Renewal — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

## Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ - Special Authority see SA0779 on the prec	eding page – Hospital ph	armacy [HP1	]
Tab 50 mg	158.33	30	✓ Stocrin
Tab 200 mg	474.99	90	✓ Stocrin
Tab 600 mg		30	✓ Stocrin
NEVIRAPINE - Special Authority see SA0779 on the pre	ceding page - Hospital p	harmacy [HP	1]
Tab 200 mg	319.80	60	✓ Viramune
Oral suspension 10 mg per ml	134.55	240 ml	✓ Viramune
			Suspension

### **Nucleosides Reverse Transcriptase Inhibitors**

ABACAVIR SULPHATE – Special Authority see SA0779 on Tab 300 mg	458.00	Hospital phar 60 240 ml OP	Ziagen
ABACAVIR SULPHATE WITH LAMIVUDINE – Special Auth Note: Kivexa counts as two anti-retroviral medications for Tab 600 mg with lamivudine 300 mg	ority see SA0779 on the purposes of the	anti-retroviral	
DIDANOSINE [DDI] - Special Authority see SA0779 on the	preceding page - Ho	spital pharma	cv [HP1]
Cap 125 mg		30	✓ Videx EC
Cap 200 mg		30	✓ Videx EC
Cap 250 mg	230.10	30	✓ Videx EC
Cap 400 mg	368.16	30	✓ Videx EC
EMTRICITABINE - Special Authority see SA0779 on the pr	eceding page – Hospi	tal pharmacy	[HP1]
Cap 200 mg	0, 0		• •

	Subsidy (Manufacturer's Prio \$	ce) Subs Per	Fully Brand or idised Generic Manufacturer
LAMIVUDINE – Special Authority see SA0779 on page 92 – Ho Tab 150 mg Oral liq 10 mg per ml	153.60	P1] 60 240 ml OP	✓ 3TC ✓ 3TC
STAVUDINE [D4T] – Special Authority see SA0779 on page 92 Cap 20 mg Cap 30 mg Cap 40 mg Powder for oral soln 1 mg per ml	317.10 377.80 503.80	ey [HP1] 60 60 60 200 ml OP	✓ Zerit ✓ Zerit ✓ Zerit ✓ Zerit
ZIDOVUDINE [AZT] – Special Authority see SA0779 on page 98 Cap 100 mg Oral liq 10 mg per ml	145.00	acy [HP1] 100 200 ml OP	<ul><li>✓ Retrovir</li><li>✓ Retrovir</li></ul>
ZIDOVUDINE [AZT] WITH LAMIVUDINE — Special Authority se Combivir counts as two anti-retroviral medications for the pu Tab 300 mg with lamivudine 150 mg	rposes of the anti-re		
Protease Inhibitors			
ATAZANAVIR SULPHATE – Special Authority see SA0779 on p Cap 150 mg Cap 200 mg	568.34	harmacy [HP1 60 60	∫ ✓ Reyataz ✓ Reyataz
INDINAVIR – Special Authority see SA0779 on page 92 – Hosp Cap 200 mg Cap 400 mg	519.75	360 180	✓ Crixivan ✓ Crixivan
LOPINAVIR WITH RITONAVIR – Special Authority see SA0779 Tab 200 mg with ritonavir 50 mg Oral liq 80 mg with ritonavir 20 mg per ml	735.00	ital pharmacy 120 300 ml OP	[HP1]  ✓ Kaletra  ✓ Kaletra
RITONAVIR – Special Authority see SA0779 on page 92 – Hosp Cap 100 mg Oral liq 80 mg per ml	121.27	84 90 ml OP	✓ Norvir ✓ Norvir
Strand Transfer Inhibitors			
RALTEGRAVIR POTASSIUM – Special Authority see SA0779 o Tab 400 mg		al pharmacy [l 60	HP1] ✓ Isentress
Antiretrovirals - Additional Therapies			
HIV Fusion Inhibitors			
ENFUVIRTIDE – Special Authority see SA0845 below – Hospita Powder for inj 90 mg per ml × 60		1	✓ Fuzeon
■►SA0845 Special Authority for Subsidy Initial application only from a named specialist. Approvals valid All of the following:  1 Confirmed HIV infection; and 2 Enfuvirtide to be given in combination with optimized back the patient has never previously been exposed to) for treating a Either:	kground therapy (ir tment failure; and		

continued...

3.1 Patient has evidence of HIV replication, despite ongoing therapy; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
Per ✔ Manufacturer

continued...

- 3.2 Patient has treatment-limiting toxicity to previous antiretroviral agents; and
- 4 Previous treatment with 3 different antiretroviral regimens has failed; and
- 5 All of the following:
  - 5.1 Previous treatment with a non-nucleoside reverse transcriptase inhibitor has failed; and
  - 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed; and
  - 5.3 Previous treatment with a protease inhibitor has failed.

Renewal only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Evidence of at least a 10 fold reduction in viral load at 12; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

#### Immune Modulators

#### Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

#### **Criteria for Treatment**

- 1) Diagnosis
  - Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
  - PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
  - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.
- 2) Establishing Active Chronic Liver Disease
  - Confirmed HCV infection and serum ALT/AST levels measured on at least three occasions over six months averaging
     1.5 × upper limit of normal. (ALT is the preferable enzyme); or
  - Liver biopsy showing significant inflammatory activity (active hepatitis) with or without cirrhosis. This is not a necessary requirement for those patients with coagulopathy. (Some patients have active disease on histology with normal transaminase enzymes).

#### **Exclusion Criteria**

- Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- 2) Pregnancy.
- 3) Neutropenia ( $<2.0 \times 10^9$ ) and/or thrombocytopenia.
- 4) Continuing alcohol abuse and/or continuing intravenous drug users.

#### Dosage

The current recommended dosage is 3 million units of interferon alpha-2a or interferon aplha-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

#### **Exit Criteria**

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

	Subsidy (Manufacturer's Price) \$	Su Per	Fully bsidised	Brand or Generic Manufacturer			
INTERFERON ALPHA-2A - PCT - Hospital pharmacy [HP3]-Sp	ecialist						
a) See prescribing guideline on the preceding page							
b) Only one multidose cartridge starter pack to be prescribed and dispensed per patient.							
Inj 3 m iu prefilled syringe							
Inj 4.5 m iu prefilled syringe	46.98	1	✓ Re	oferon-A			
Inj 6 m iu prefilled syringe	62.64	1	✓ Re	oferon-A			
Inj 9 m iu prefilled syringe	93.96	1	✓ Re	oferon-A			
Inj 18 m iu multidose cartridge	187.92	1	✓ Re	oferon-A			
Inj 18 m iu multidose cartridge × 2 starter pack	375.84	1	✓ Re	oferon-A			
(Roferon-A Inj 4.5 m iu prefilled syringe to be delisted 1 August 20	010)						
(Roferon-A Inj 18 m iu multidose cartridge to be delisted 1 August							
(Roferon-A Inj 18 m iu multidose cartridge $\times$ 2 starter pack to be	delisted 1 August 201	10)					
INTERFERON ALPHA-2A WITH RIBAVIRIN - Special Authority	see SA0784 below -	Hospital	pharmac	v [HP3]			
See prescribing guideline on the preceding page			,	) [· · · •]			
Inj 18 m iu multidose cartridge × 2 with ribavirin tab 200 mg							
× 168	1,375.84	1 OP	✓ Re	oferon RBV			
				Combination Pack			
Inj 18 m iu multidose cartridge × 2 with with pen and needles							
with ribavirin tab 200 mg × 168	1,375.84	1 OP	✓ R	oferon RBV			
·				Combination Pack			
				Starter Kit			
(Roferon RBV Combination Pack Starter Kit Inj 18 m iu multidose × 168 to be delisted 1 August 2010)  ■>SA0784 Special Authority for Subsidy Initial application from any specialist. Approvals valid for 12 mon	Ü	,		·			
INTERFERON ALPHA-2B - PCT - Hospital pharmacy [HP3]-Sp				( 0 )1 /			
See prescribing guideline on the preceding page	Coldilot						
Inj 18 m iu, 1.2 ml multidose pen	187.92	1	✓ In	tron-A			
Inj 30 m iu, 1.2 ml multidose pen		1		tron-A			
Inj 60 m iu, 1.2 ml multidose pen		1	✓ In	tron-A			
PEGYLATED INTERFERON ALPHA-2A – Special Authority see		2200 H	ocnital nh	oarmaay [HD2]			
See prescribing guideline on the preceding page	SAUSSE OIL THE HEXT F	Jaye - I ic	ospitai pi	iailliacy [i ir oj			
Inj 135 µg prefilled syringe	362.00	1	✓ Pa	egasys			
Inj 180 µg prefilled syringe		1		egasys			
Inj 135 µg prefilled syringe $ imes$ 4 with ribavirin tab 200 mg $ imes$		•	<u> </u>	<u>ogacy o</u>			
112	1 700 68	1 OP	<b>√</b> P <sub>4</sub>	egasys RBV			
116	1,700.00	. 01		Combination Pack			
Inj 135 $\mu g$ prefilled syringe $ imes$ 4 with ribavirin tab 200 mg $ imes$				COMBINATION 1 dok			
168	1.975.00	1 OP	✓ Pe	egasys RBV			
				Combination Pack			
Inj 180 µg prefilled syringe $\times$ 4 with ribavirin tab 200 mg $\times$							
112	2,059.84	1 OP	✓ Pe	egasys RBV			
				Combination Pack			
Inj 180 µg prefilled syringe $\times$ 4 with ribavirin tab 200 mg $\times$							
168	2,190.00	1 OP		egasys RBV			
				Combination Pack			

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Fer Manufacturer

### ■SA0952 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV) from any specialist. Approvals valid for 48 weeks for applications meeting the following criteria:

#### Fither:

- 1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
- 2 Patient has chronic hepatitis C and is co-infected with HIV.

#### Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 6 months where patient has chronic hepatitis C, genotype 2 or 3 infection.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 48 weeks for applications meeting the following criteria:

#### All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Either:
  - 5.1 HBeAg positive; or
  - 5.2 serum HBV DNA ≥ 2,000 units/ml and significant fibrosis (≥ Metavir Stage F2); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon.

#### Notes:

- Approved dose is 180 µg once weekly.
- The recommended dose of Pegylated Interferon-alpha 2a is 180 μg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alpha 2a dose should be reduced to 135 ug once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alpha 2a is not approved for use in children.

# **Urinary Tract Infections**

HEXAMINE HIPPURATE			
* Tab 1 g	18.40	100	
·	(38.10)		Hiprex
NITROFURANTOIN			
* Tab 50 mg	17.90	100	✓ Nifuran
* Tab 100 mg	30.25	100	✓ Nifuran
NORFLOXACIN			
Tab 400 mg - Maximum of 6 tab per prescription;	can be		
waived by endorsement - Retail pharmacy - Spe	cialist22.50	100	Arrow-Norfloxacin

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

### **Vaccines**

#### Influenza vaccine

INFLUENZA VACCINE - Hospital pharmacy [Xpharm]

- A) is available between 1 March and 30 June each year for patients who meet the following criteria, as set by the Ministry of Health:
  - a) all people 65 years of age and over;
  - b) people under 65 years of age with:
    - i) the following cardiovascular disease:
      - 1) ischaemic heart disease,
      - 2) congestive heart disease.
      - 3) rheumatic heart disease.
      - 4) congenital heart disease, or
      - 5) cerebo-vascular disease:
    - ii) the following chronic respiratory disease:
      - 1) asthma, if on a regular preventative therapy, or
      - 2) other chronic respiratory disease with impaired lung function;
    - iii) diabetes:
    - iv) chronic renal disease;
    - v) any cancer, excluding basal and squamous skin cancers if not invasive;
    - vi) the following other conditions:
      - a) autoimmune disease,
      - b) immune suppression,
      - c) HIV,
      - d) transplant recipients.
      - e) neuromuscular and CNS diseases,
      - f) haemoglobinopathies, or
      - g) children on long term aspirin.
  - c) people under 65 years of age who are:
    - i) pregnant: or
    - ii) morbidly obsese
  - d) children aged over 6 months and under 5 years who are from high deprivation backgrounds

The following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease,
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor.
- D) Influenza Vaccine does not fall within the definition Community Pharmaceutical as it is not funded directly from the Pharmaceutical Budget. Pharmacists are unable to claim for the dispensing of influenza vaccine from the Funder.

✔ Fluvax	1	9.00	ln
✓ Influvac	10	90.00	
✓ Vaxigrir			

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Anticholinesterases				
NEOSTIGMINE Inj 2.5 mg per ml, 1 ml	20.30	50	✓ <u>As</u>	straZeneca_
PYRIDOSTIGMINE BROMIDE  Tab 60 mg	40.08	100	✓ Me	estinon
Anti-inflammatory Non Staroidal Drugs (NSAIDs)				

### Anti-inflammatory Non Steroidal Drugs (NSAIDs)

### **⇒**SA0291 Special Authority for Manufacturers Price

DICLOFENAC SODILIM

**Initial application** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Inflammatory arthritis (including osteoarthritis with an inflammatory component); and
- 2 Stabilised and are well controlled on the particular NSAID medication.

**Renewal** from any medical practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

DICLOFENAC SODIUM			
* Tab EC 25 mg	1.63	50	✓ Diclohexal
* Tab 50 mg dispersible - Additional subsidy by	Special Au-		
thority see SA0291 above - Retail pharmacy	,1.50	20	
, , , , , , , , , , , , , , , , , , ,	(8.00)		Voltaren D
* Tab EC 50 mg	' '	50	✓ Diclohexal
* Tab long-acting 75 mg		100	✓ Voltaren SR
	22.78	500	✓ Apo-Diclo SR
	32.80		✓ Diclax SR
* Tab long-acting 100 mg		500	✓ Apo-Diclo SR
Tab long assing rooming	63.22	000	✓ Diclax SR
* Inj 25 mg per ml, 3 ml		5	✓ Voltaren
Up to 5 inj available on a PSO	12.00	Ü	V VOILUICII
* Suppos 12.5 mg	1.85	10	✓ Voltaren
* Suppos 25 mg		10	✓ <u>Voltaren</u> Voltaren
* Suppos 50 mg		10	✓ Voltaren
Up to 10 supp available on a PSO		10	Voltaren
* Suppos 100 mg	6.26	10	✓ Voltaren
(Voltaren SR Tab long-acting 75 mg to be delisted 1 J		10	<u>voitaren</u>
,	,		
(Apo-Diclo SR Tab long-acting 75 mg to be delisted 1			
(Apo-Diclo SR Tab long-acting 100 mg to be delisted	,		
IBUPROFEN – Additional subsidy by Special Authori	ty see SA0291 above – Retai	l pharmacy	
* Tab 200 mg	16.00	1,000	Ethics Ibuprofen
* Tab 400 mg	1.07	30	
	(4.56)		Brufen
* Tab 600 mg	1.60	30	
	(6.84)		Brufen
* Tab long-acting 800 mg	1.50	30	
	(9.12)		Brufen Retard
* Oral lig 100 mg per 5 ml	3.49 <sup>°</sup>	200 ml	✓ Fenpaed
KETOPROFEN – Additional subsidy by Special Author		tail nharmaou	<del></del>
, , ,	,	iaii priarmacy 100	
* Cap long-acting 100 mg		100	Oruvail 100
W Con long acting 200 mg	(21.56)	100	Oruvali 100
* Cap long-acting 200 mg		100	Orangil 000
	(43.12)		Oruvail 200

<sup>‡</sup> safety cap

<sup>▲</sup>Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturar's P	rion) O	Fully Brand or Subsidised Generic		
	(Manufacturer's Pi \$	Per		Manufacturer	
IEFENAMIC ACID - Additional subsidy by Special Aut	hority see SAN201 on the	nreceding na	na – Ratai	I nharmacy	
Cap 250 mg		100	ige – i ielai	i priarriacy	
σαρ 200 mg	(18.33)	100	Por	nstan	
APROXEN	(10.00)		1 01	lotari	
: Tab 250 mg	23.70	500	<b>√</b> Not	flam 250	
: Tab 500 mg		250		flam 500	
Tab long-acting 750 mg		90		prosyn SR 750	
Tab long-acting 1,000 mg		90		prosyn SR 1000	
• •				,	
APROXEN SODIUM · Tab 275 mg	6.00	120	4/ 50	naflam	
Tab 550 mg		100	✓ Syr		
•			-		
JLINDAC – Additional subsidy by Special Authority se Tab 100 mg			taii pharma	асу	
Tab 100 mg	(	100	Day	olin	
Tab 200 mg	(12.00)	100	Dad	JIII	
Tab 200 mg	(	100	Dao	olin	
	(20.00) 3.36	50	Dat	JIII I	
	(15.87)	30	Clir	noril	
TNOVIOANA	(13.07)		OIII	10111	
ENOXICAM Tab 20 mg	00.75	100	. A TU		
Tab 20 mg		100	✓ Tild		
APROFENIC ACID - Additional subsidy by Special A		e preceding p	oage – Ret	ail pharmacy	
Tab 300 mg		60	_		
	(19.26)		Sur	rgam	
NSAIDs Other					
IDOMETHACIN					
Cap long-acting 75 mg	13.30	100	✓ Rho	eumacin SR	
Suppos 100 mg		30	✓ Art		
ROXICAM					
Tab dispersible 10 mg	3.25	50	✓ Pira	am-D	
Tab dispersible 20 mg		100	✓ Pira		
· •			÷ . III		
Antirheumatoid Agents					
JRANOFIN					
Tab 3 mg	68.99	60	✓ Rid	laura	
FLUNOMIDE					
Tab 10 mg	55.00	30	✓ AF	T-Leflunomide	
Tab 10 mg	79.27	50	✓ Ara		
Tab 20 mg		30		T-Leflunomide	
···g ·····	108.60	30	✓ Ara		
Tab 100 mg		3	✓ Ara		
ENICILLAMINE					
Tab 125 mg	61 03	100	✓ D-5	Penamine	
Tab 250 mg		100		Penamine Penamine	
v		100	₩ 5-1	CHAITING	
ODIUM AUROTHIOMALATE	70.07	10			
Inj 10 mg per 0.5 ml		10		ocrisin	
Inj 20 mg per 0.5 ml		10		ocrisin ocrisin	
Inj 50 mg per 0.5 ml	217.23	10	<b>✓</b> IVIY	ocrisin	

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic S Per Manufacturer

### **Tumour Necrosis Factor (TNF) Inhibitors**

		A0974 below – Retail pharmacy	ADALIMUMAB - Special Authority see SA097
HumiraPen	2	1,799.92	Inj 40 mg per 0.8 ml prefilled pen
Humira	2	1,799.92	Inj 40 mg per 0.8 ml prefilled syringe

### **⇒**SA0974 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with at least two of the following (triple therapy): sulphasalazine, prednisone at a dose of at least 7.5 mg per day, azathioprine, intramuscular gold, or hydroxychloroquine sulphate (at maximum tolerated doses); and
- 5 Either:
  - 5.1 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of cyclosporin alone or in combination with another agent; or
  - 5.2 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of leflunomide alone or in combination with another agent; and
- 6 Either:
  - 6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
  - 6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 7 Either:
  - 7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  - 7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

#### All of the following:

- 1 Patient has severe active Crohn's disease; and
- 2 Any of the following:
  - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
  - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
  - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
  - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

**Initial application** — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 Either:

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
- 1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
- 2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
- 3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
- 4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting

**Initial application — (ankylosing spondylitis)** only from a rheumatologist. Approvals valid for 6 months for applications meetin the following criteria:

All of the following:

- 1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
- 2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
- 3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
- 4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regimen supervised by a physiotherapist; and
- 5 Either:
  - 5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by a score of at least 1 on each of the lumbar flexion and lumbar side flexion measurements of the Bath Ankylosing Spondylitis Metrology Index (BASMI); or
  - 5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
- 6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale; and
- 7 Either:
  - 7.1 An elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
  - 7.2 A C-reactive protein (CRP) level greater than 15 mg per litre.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI, ESR and CRP measures must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
- 2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- - 4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
  - 4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 5 Any of the following:
  - 5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  - 5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
  - 5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance: and
- 3 Either:
  - 3.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician.

Renewal — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- - 1 Either:
    - 1.1 Applicant is a gastroenterologist; or
    - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
  - 2 The treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (severe chronic plague psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist gist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Either:
  - 1.1 Applicant is a dermatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Fither:
  - 2.1 Both:
    - 2.1.1 Patient has "whole body" severe chronic plague psoriasis; and

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
- 2.2 Both:
  - 2.2.1 Patient has severe chronic plague psoriasis of the face, or palm of a hand or sole of a foot; and
  - 2.2.2 Either:
    - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
    - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value.

Note: An adalimumab treatment course is defined as a minimum of 12 weeks adalimumab treatment.

**Renewal** — **(ankylosing spondylitis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks of adalimumab treatment, BASDAI has improved by 4 or more points from pre-adalimumab baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 ESR or CRP is within the normal range; and
- 4 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Fither:
  - 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the treating physician; or
  - 2.2 The patient demonstrates at least a continuing 50% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician.

■ SA0868 | Special Authority for Subsidy

Initial application only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
- 3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20mg/m² weekly or at the maximum tolerated dose) in combination with oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose); and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

continued...

- 5 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-15mg/m<sup>2</sup> weekly or at the maximum tolerated dose) in combination with one other disease-modifying agent; and
- 6 Both:
  - 6.1 Either:
    - 6.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 active, swollen, tender
    - 6.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
  - 6.2 Physician's global assessment indicating severe disease; and
- 7 The patient or their legal guardian consents to details of their treatment being held on a central registry and has signed a consent form outlining conditions of ongoing treatment.

Note: A patient declaration form http://www.pharmac.govt.nz/special\_authority\_forms/SA0667-declaration.pdf must be signed by the legal guardian of the patient and the prescriber in the presence of a witness (over 18 years of age)

Renewal only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

- 1 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance: and
- 2 Either:
  - 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
  - 2.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

#### Calcium Homeostasis

# Alendronate for Osteoporosis

# ⇒SA0990 Special Authority for Subsidy

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Note); or
- 5 A 10-year risk of hip fracture  $\geq 3\%$ , calculated using a published risk assessment algorithm (e.g. FRAX or Dubbo) which incorporates BMD measurements (see Note).

Initial application — (Underlying cause – glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Either:
  - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score < -1.5) (see Note); or
  - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically.

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Dubbo) which incorporates BMD measurements (see Note).

#### Notes

- a) T-Score must be derived using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence used by National Institute for Health and Clinical Excellence (NICE) guidance indicates that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score -2.5, and therefore do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALENDRONATE SODIUM - Special Authority see SA0990 on	the preceding page -	- Retail ph	armacy	
Tab 70 mg	35.91	4	✓ Fosamax	
ALENDRONATE SODIUM WITH CHOLECALCIFEROL - Spe	cial Authority see SAC	990 on th	e preceding page – Retail pharr	macy
Tab 70 mg with cholecalciferol 5,600 iu	35.91	4	✓ Fosamax Plus	
Tab 70 mg with cholecalciferol 2,800 iu	35.91	4	✓ Fosamax Plus	
(Fosamax Plus Tab 70 mg with cholecalciferol 2,800 iu to be de				

# **Alendronate for Paget's Disease**

### ⇒SA0949 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Paget's disease; and
- 2 Any of the following:
  - 2.1 Bone or articular pain; or
  - 2.2 Bone deformity; or
  - 2.3 Bone, articular or neurological complications; or
  - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
  - 2.5 Preparation for orthopaedic surgery.

**Renewal** from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	
ALENDRONATE SODIUM – Special Authority see SA0949 on the Tab 40 mg		Retail p		Fosamax
Other Treatments				
CALCITONIN  * Inj 100 iu per ml, 1 ml	110.00	5	~	<u>Miacalcic</u>
* Tab 200 mg	23.95	100	~	Arrow-Etidronate
Prescribing Guidelines Etidronate for osteoporosis should be prescribed for 14 days (400 not be taken at the same time of the day as any calcium suppleme Etidronate should be taken at least 2 hours before or after any food	ntation (minimum	dose – 5	•	,
PAMIDRONATE DISODIUM – Hospital pharmacy [HP3] Inj 3 mg per ml, 5 ml	18.75	1	~	Pamisol
Inj 3 mg per ml, 10 ml	37.50	1	~	Pamisol
Inj 6 mg per ml, 10 ml		1		Pamisol Pamisol
Inj 9 mg per ml, 10 ml Enzymes	112.50	1		Pamisol
HYALURONIDASE Inj 1,500 iu per ml	10 20	10		
ing 1,500 tu per mi	(243.24)	10		Hyalase
Hyperuricaemia and Antigout				•
ALLOPURINOL				
* Tab 100 mg	5.44	250		Apo-Allopurinol
* Tab 300 mg	4.03	100	~	Apo-Allopurinol
COLCHICINE				
* Tab 500 µg	9.60	100	•	<u>Colgout</u>
PROBENECID  * Tab 500 mg	55.00	100	./	AFT
Muscle Relaxants		100		AFI
BACLOFEN  * Tab 10 mg	4.75	100	~	Pacifen
DANTROLENE SODIUM		100	•	<u>r dollett</u>
* Cap 25 mg	32.96	100	V	Dantrium
* Cap 50 mg		100	~	Dantrium
ORPHENADRINE CITRATE				
Tab 100 mg	18.54	100	~	Norflex
QUININE SULPHATE				
* Tab 200 mg		250		0.000
‡ Safety cap for extemporaneously compounded oral liquid	(17.20)			Q 200
* Tab 300 mg		500	~	Q 300
‡ Safety cap for extemporaneously compounded oral liquid				

	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
Anaesthetics				
Local				
BUPIVACAINE HYDROCHLORIDE - Hospital pharmacy [HP3]				
Inj 0.5%, 4 ml	29.35	5	✓ M	arcain Isobaric
Inj 0.5%, 8% glucose, 4 ml		5	✓ M	arcain Heavy
LIGNOCAINE				
Gel 2%, 10 ml urethral syringe	43.26	10	✓ Pf	fizer
LIGNOCAINE HYDROCHLORIDE				
Inj 0.5%, 5 ml – Up to 5 inj available on a PSO	44.10	50	✓ X	ylocaine
Only if prescribed on prescription for a dialysis patient or c			_	
Inj 1%, 5 ml - Up to 5 inj available on a PSO	42.00	50	✓ X	<u>ylocaine</u>
Only if prescribed on prescription for a dialysis patient or c	hild with rheumatic fe	ver or c	n a PSO f	or emergency use.
Inj 1%, 20 ml - Up to 5 inj available on a PSO	23.50	5	✓ X	<u>ylocaine</u>
Only if prescribed on prescription for a dialysis patient or c	hild with rheumatic fe	ver or c	n a PSO f	or emergency use.
LIGNOCAINE WITH CHLORHEXIDINE				
Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes	43.26	10	✓ Pf	fizer
LIGNOCAINE WITH PRILOCAINE - Special Authority see SA09	06 below – Hospital r	harma	cv [HP3]	

Subsidy

Fully

Brand or

### **⇒**SA0906 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

# **Analgesics**

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 99

Non-Opioid Analgesics			
ASPIRIN			
* Tab EC 300 mg	2.15	100	
•	(8.10)		Aspec 300
* Tab dispersible 300 mg - Up to 30 tab available on a PSO	2.15	100	Ethics Aspirin
NEFOPAM HYDROCHLORIDE			
Tab 30 mg	23.40	90	✓ Acupan

30 g OP

✓ EMLA

	Subsidy (Manufacturer's F	Price) Sub	Fully Brand or osidised Generic
	\$	Per	✓ Manufacturer
PARACETAMOL			
* Tab 500 mg - Up to 30 tab available on a PSO	9.60	1,000	✓ Pharmacare
*‡ Oral liq 120 mg per 5 ml	6.80	1,000 ml	Paracare Junior
a) Up to 200 ml available on a PSO			
b) Not in combination	7.00	4 000	45 5 11
*‡ Oral liq 250 mg per 5 ml	7.00	1,000 ml	✓ Paracare Double
a) Up to 100 ml available on a PSO			<u>Strength</u>
b) Not in combination			
* Suppos 125 mg	7.49	20	✓ Panadol
* Suppos 250 mg		20	✓ Panadol
* Suppos 500 mg	20.50	50	✓ Paracare
Opioid Analgesics			
Opiola Allaigeoloo			
BUPRENORPHINE HYDROCHLORIDE - Only on a controlle	d drug form		
Inj 0.3 mg per ml, 1 ml	7.42	5	
	(9.38)		Temgesic
CODEINE PHOSPHATE			
Tab 15 mg	5.39	100	✓ PSM
Tab 30 mg	8.25	100	✓ PSM
Tab 60 mg	17.76	100	✓ PSM
DEXTROPROPOXYPHENE WITH PARACETAMOL			
Tab napsylate 50 mg with paracetamol 325 mg	14.50	500	
	(22.50)		Paradex
Cap hydrochloride 32.5 mg with paracetamol 325 mg		500	
/a / a /	(33.14)	(-)	Capadex
(Paradex Tab napsylate 50 mg with paracetamol 325 mg to be	•	,	
(Capadex Cap hydrochloride 32.5 mg with paracetamol 325 m	g to be delisted 1 A	ugust 2010)	
DIHYDROCODEINE TARTRATE			4.500.00
Tab long-acting 60 mg	27.27	60	✓ DHC Continus
FENTANYL - Special Authority see SA0935 below - Retail ph	armacy		
a) Only on a controlled drug form			
b) No patient co-payment payable			
Transdermal patch, matrix 25 μg per hour		5	✓ Durogesic
Transdermal patch, matrix 50 µg per hour		5	✓ Durogesic
Transdermal patch, matrix 75 µg per hour		5 5	<ul><li>✓ Durogesic</li><li>✓ Durogesic</li></ul>
Transdermal patch, matrix 100 µg per hour	171.22	o o	<b>₩</b> Dulogesic

**▶**SA0935 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient is terminally ill and is opioid-responsive; and
- 2 Either:
  - 2.1 is unable to take oral medication; or
  - 2.2 is intolerant to morphine, or morphine is contraindicated.

**Renewal** from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

_	Subsidy		Fully Brand or
	(Manufacturer's Pric \$	e) S Per	Subsidised Generic  Manufacturer
FENTANYL CITRATE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
Inj 50 μg per ml, 2 ml	6.10	5	✓ Hospira
Inj 50 μg per ml, 10 ml	15.65	5	✓ Hospira
METHADONE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Extemporaneously compounded methadone will only be	reimbursed at the ra	te of the	cheapest form available (methadone
powder, not methadone tablets).			
d) For methadone hydrochloride oral liquid refer, page 166			
Tab 5 mg		10	✓ Methatabs
‡ Oral liq 2 mg per ml		200 ml	✓ <u>Biodone</u>
‡ Oral liq 5 mg per ml		200 ml	✓ Biodone Forte
‡ Oral liq 10 mg per ml		200 ml	✓ Biodone Extra Forte
Inj 10 mg per ml, 1 ml	61.00	10	✓ AFT
MORPHINE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
‡ Oral liq 1 mg per ml		200 ml	RA-Morph
‡ Oral liq 2 mg per ml		200 ml	RA-Morph
‡ Oral liq 5 mg per ml		200 ml	RA-Morph
‡ Oral liq 10 mg per ml	21.55	200 ml	✓ <u>RA-Morph</u>
MORPHINE SULPHATE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
Tab immediate-release 10 mg		10	✓ <u>Sevredol</u>
Tab long-acting 10 mg		10	✓ LA-Morph
Tab immediate-release 20 mg		10	Sevredol Sevredol
Tab long-acting 30 mg		10 10	LA-Morph
Tab long-acting 60 mg Tab long-acting 100 mg		10	✓ LA-Morph ✓ LA-Morph
Cap long-acting 10 mg		10	✓ m-Eslon
Cap long-acting 30 mg	2 64	10	✓ m-Esion
Cap long-acting 60 mg		10	✓ m-Eslon
Cap long-acting 100 mg		10	✓ m-Eslon
Cap long-acting 200 mg		10	✓ m-Eslon
Inj 5 mg per ml, 1 ml - Up to 5 inj available on a PSO		5	✓ Mayne
Inj 10 mg per ml, 1 ml - Up to 5 inj available on a PSO	4.50	5	✓ <u>Mayne</u>
Inj 15 mg per ml, 1 ml - Up to 5 inj available on a PSO		5	✓ Mayne
Inj 30 mg per ml, 1 ml - Up to 5 inj available on a PSO	4.98	5	✓ <u>Mayne</u>
MORPHINE TARTRATE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
Inj 80 mg per ml, 1.5 ml	20.20	5	✓ Mayne
Inj 80 mg per ml, 5 ml	67.37	5	✓ Mayne

	Subsidy	luina) O	Fully Brand or
	(Manufacturer's F \$	rice) Si Per	ubsidised Generic  Manufacturer
XYCODONE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
Tab controlled-release 5 mg	7.51	20	✓ OxyContin
Tab controlled-release 10 mg	11.14	20	✓ OxyContin
Tab controlled-release 20 mg	18.93	20	OxyContin
Tab controlled-release 40 mg	33.29	20	✓ OxyContin
Tab controlled-release 80 mg	58.03	20	✓ OxyContin
Cap 5 mg		20	✓ OxyNorm
Cap 10 mg	5.58	20	✓ OxyNorm
Cap 20 mg		20	✓ OxyNorm
Cral liq 5 mg per 5 ml	11.20	250 ml	✓ <u>OxyNorm</u>
Inj 10 mg per ml, 1 ml		5	✓ <u>OxyNorm</u>
Inj 10 mg per ml, 2 ml	28.80	5	✓ <u>OxyNorm</u>
Prescribing Guideline Prescribers should note that oxycodone is significantly more exaggests that it is reasonable to consider this as a second-line are			
PARACETAMOL WITH CODEINE			4
★ Tab paracetamol 500 mg with codeine phosphate 8 mg		100	✓ ParaCode
Cadalain Tab nareastamal 500 mg with addaing phaephata 8 m	(3.24)	luna 2010)	Codalgin
(Codalgin Tab paracetamol 500 mg with codeine phosphate 8 mg	y to be delisted i	June 2010)	
PETHIDINE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
b) No patient co-payment payable Tab 50 mg		10	✓ PSM
b) No patient co-payment payable Tab 50 mg Tab 100 mg	4.20	10	<b>✓</b> PSM
b) No patient co-payment payable Tab 50 mg Tab 100 mg Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	4.20 5.20	10 5	✓ PSM ✓ Mayne
b) No patient co-payment payable Tab 50 mg Tab 100 mg Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 1.5 ml – Up to 5 inj available on a PSO	4.20 5.20 4.35	10 5 5	✓ PSM ✓ Mayne ✓ Mayne
b) No patient co-payment payable Tab 50 mg Tab 100 mg Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	4.20 5.20 4.35	10 5	✓ PSM ✓ Mayne
b) No patient co-payment payable Tab 50 mg Tab 100 mg Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 1.5 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO	4.20 5.20 4.35	10 5 5	✓ PSM ✓ Mayne ✓ Mayne
b) No patient co-payment payable Tab 50 mg Tab 100 mg Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 1.5 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO	4.20 5.20 4.35	10 5 5	✓ PSM ✓ Mayne ✓ Mayne
b) No patient co-payment payable Tab 50 mg Tab 100 mg Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 1.5 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO Antidepressants  Cyclic and Related Agents  AMITRIPTYLINE	4.20 5.20 4.35 5.50	10 5 5	PSM Mayne Mayne Mayne Mayne
b) No patient co-payment payable Tab 50 mg Tab 100 mg Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 1.5 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO Antidepressants  Cyclic and Related Agents	4.20 5.20 4.35 5.50	10 5 5	✓ PSM ✓ Mayne ✓ Mayne
b) No patient co-payment payable Tab 50 mg Tab 100 mg Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 1.5 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO Antidepressants  Cyclic and Related Agents  AMITRIPTYLINE	4.20 5.20 4.35 5.50	10 5 5 5 5	PSM Mayne Mayne Mayne Mayne
b) No patient co-payment payable Tab 50 mg Tab 100 mg Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 1.5 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO  Antidepressants  Cyclic and Related Agents  AMITRIPTYLINE Tab 10 mg	4.20 5.20 4.35 5.50 2.77 3.40	10 5 5 5 5	PSM Mayne Mayne Mayne Mayne Mayne
b) No patient co-payment payable Tab 50 mg	4.20 5.20 4.35 5.50 2.77 3.40	10 5 5 5 5	PSM Mayne Mayne Mayne Mayne  Mayne  Amirol Amitrip
b) No patient co-payment payable Tab 50 mg	4.20 5.20 4.35 5.50 2.77 2.77 3.40 5.20	10 5 5 5 5 5 50 100 100	PSM Mayne Mayne Mayne Mayne  Amirol Amitrip Amitrip
b) No patient co-payment payable Tab 50 mg Tab 100 mg Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 1.5 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO  Antidepressants  Cyclic and Related Agents  AMITRIPTYLINE Tab 10 mg Tab 25 mg Tab 50 mg	4.20 5.20 4.35 5.50 2.77 3.40 5.20	10 5 5 5 5	PSM Mayne Mayne Mayne Mayne  Amirol Amitrip Amitrip Clopress
b) No patient co-payment payable Tab 50 mg	4.20 5.20 4.35 5.50 2.77 3.40 5.20 10.00 12.60	10 5 5 5 5 5 100 100 100	PSM Mayne Mayne Mayne Mayne  Amirol Amitrip Amitrip Clopress Apo-Clomipramine
b) No patient co-payment payable Tab 50 mg	4.20 5.20 4.35 5.50 2.77 3.40 5.20 10.00 12.60 8.68	10 5 5 5 5 5 50 100 100 100	PSM Mayne Mayne Mayne Mayne  Amirol Amitrip Amitrip Clopress Apo-Clomipramine Apo-Clomipramine
b) No patient co-payment payable Tab 50 mg	4.20 5.20 4.35 5.50 2.77 3.40 5.20 10.00 12.60	10 5 5 5 5 5 100 100 100	PSM Mayne Mayne Mayne Mayne  Amirol Amitrip Amitrip Clopress Apo-Clomipramine
b) No patient co-payment payable Tab 50 mg	4.20 5.20 4.35 5.50 2.77 3.40 5.20 10.00 12.60 8.68	10 5 5 5 5 5 50 100 100 100	PSM Mayne Mayne Mayne Mayne  Amirol Amitrip Amitrip Clopress Apo-Clomipramine Apo-Clomipramine
b) No patient co-payment payable Tab 50 mg	4.20 5.20 4.35 5.50 2.77 3.40 5.20 10.00 12.60 8.68	10 5 5 5 5 5 50 100 100 100	PSM Mayne Mayne Mayne Mayne  Amirol Amitrip Amitrip Clopress Apo-Clomipramine Apo-Clomipramine
b) No patient co-payment payable Tab 50 mg	4.20 5.20 5.50 2.77 3.40 5.20 10.00 12.60 8.68 26.00	10 5 5 5 5 5 50 100 100 100	PSM Mayne Mayne Mayne Mayne  Amirol Amitrip Amitrip Clopress Apo-Clomipramine Apo-Clomipramine

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer	
DOXEPIN HYDROCHLORIDE					
Cap 10 mg	5.24	100	✓ A	nten	
Cap 25 mg	5.46	100	✓ A	nten	
Cap 50 mg		100	✓ A	nten	
IMIPRAMINE HYDROCHLORIDE					
Tab 10 mg	5.48	50	✓ To	ofranil	
Tab 25 mg	8.80	50	✓ To	ofranil	
MAPROTILINE HYDROCHLORIDE					
Tab 25 mg		100	<b>✓</b> L	udiomil	
Tab 75 mg	21.01	30	<b>✓</b> L	udiomil	
MIANSERIN HYDROCHLORIDE - Special Authority see SAC	) 1864 below – Retail pha	armacy			
Tab 30 mg	29.25	30	✓ To	olvon	
SA0864 Special Authority for Subsidy					

#### ■SA0864 | Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Depression; and
- 2 Either:
  - 2.1 Co-existent bladder neck obstruction; or
  - 2.2 Cardiovascular disease.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

NORTRIPTYLINE HYDROCHLORIDE			
Tab 10 mg	5.94	100	✓ Norpress
Tab 25 mg		180	✓ Norpress
TRIMIPRAMINE MALEATE			
Cap 50 mg	11.20	100	✓ Tripress
(Tripress Cap 50 mg to be delisted 1 August 2010)			
Monoamine-Oxidase Inhibitors (MAOIs) - Nor	Selective		
PHENELZINE SULPHATE			
Tab 15 mg	95.00	100	✓ Nardil
TRANYLCYPROMINE SULPHATE			

# Monoamine-Oxidase Type A Inhibitors

Tab 10 mg ......22.94

#### MOCLOBEMIDE

Note: There is a significant cost differential between moclobemide and fluoxetine (moclobemide being about three times more expensive). For depressive syndromes it is therefore more cost-effective to start treatment with fluoxetine first before considering prescribing moclobemide.

Tab 150 mg	8.31	60	✓ GenRx Moclobemide
	69.23	500	✓ Apo-Moclobemide
Tab 300 mg	18.80	60	✓ GenRx Moclobemide
	31.33	100	✓ Apo-Moclobemide

(GenRx Moclobemide Tab 150 mg to be delisted 1 November 2010) (GenRx Moclobemide Tab 300 mg to be delisted 1 November 2010) ✔ Parnate

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully idised	Brand or Generic Manufacturer
Selective Serotonin Reuptake Inhibitors				
CITALOPRAM HYDROBROMIDE  * Tab 20 mg  FLUOXETINE HYDROCHLORIDE	3.78	84	✓ <u>A</u>	rrow-Citalopram
Tab dispersible 20 mg, scored – Subsidy by endorsement  Subsidised by endorsement	5.50	30	✓ <u>F</u>	<u>luox</u>
<ol> <li>When prescribed for a patient who cannot swallow wingly; or</li> <li>When prescribed in a daily dose that is not a mulendorsed. Note: Tablets should be combined with c</li></ol>	Itiple of 20 mg in wh	nich case th	ne pre	scription is deemed to be
* Cap 20 mg	4.39	90	✓ <u>F</u>	<u>luox</u>
PAROXETINE HYDROCHLORIDE Tab 20 mg	5.90	30	<b>✓</b> <u>L</u>	oxamine_
Other Antidepressants				
MIRTAZAPINE – Special Authority see SA0994 below – Retail ph Tab 30 mg Tab 45 mg	22.00	30 30		vanza vanza

#### ⇒SA0994 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The patient has a severe major depressive episode; and
- 2 Either:
  - 2.1 The patient must have had a trial of two different antidepressants and was unable to tolerate the treatments or failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or
  - 2.2 Both:
  - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
    - 2.2.2 The patient must have had a trial of one other antidepressant and either could not tolerate it or failed to respond to an adequate dose over an adequate period of time.

Renewal from any relevant practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

VENLAFAXINE - Special Authority see SA0789 below - Retail pharmacy		
Cap 37.5 mg	1 28	Efexor XR
Cap 75 mg	7 28	Efexor XR
Cap 150 mg45.68	3 28	✓ Efexor XR

# **⇒**SA0789 Special Authority for Subsidy

**Initial application** only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 2 years for applications meeting the following criteria:

#### Both:

- 1 The patient has 'treatment-resistant' depression; and
- 2 Either:
  - 2.1 The patient must have had a trial of two different antidepressants and failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or
  - 2.2 Both:
    - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
    - 2.2.2 The patient must have had a trial of one other antidepressant and failed to respond to an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

	` \$	Per	✓ Manufacturer
Antiepilepsy Drugs			
Agents for Control of Status Epilepticus			
CLONAZEPAM			
Inj 1 mg per ml, 1 ml	19.00	5	✓ Rivotril
DIAZEPAM  Inj 5 mg per ml, 2 ml – Subsidy by endorsement	9.24	5	✓ Mayne
<ul><li>b) Only on a PSO</li><li>c) PSO must be endorsed "not for anaesthetic procedures".</li></ul>			
Rectal tubes 5 mg – Up to 5 tube available on a PSO		5	✓ Stesolid
Rectal tubes 10 mg - Up to 5 tube available on a PSO		5	✓ Stesolid
PARALDEHYDE			
* Inj 5 ml	1,500.00	5	✓ AFT
PHENYTOIN SODIUM			
* Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO		5	✓ Mayne
* Inj 50 mg per ml, 5 ml - Up to 5 inj available on a PSO	77.27	5	✓ Mayne
Control of Epilepsy			
CARBAMAZEPINE			
* Tab 200 mg		100	✓ Tegretol
* Tab long-acting 200 mg		100	✓ Tegretol CR
* Tab 400 mg		100	✓ Tegretol
* Tab long-acting 400 mg*      *‡ Oral lig 100 mg per 5 ml*		100 250 ml	✓ Tegretol CR ✓ Tegretol
	20.37	230 1111	regretor
CLOBAZAM  Tab 10 mg	0.10	50	✓ Frisium
‡ Safety cap for extemporaneously compounded oral liquid		30	riisiuiii
CLONAZEPAM	proparations.		
Tab 500 μg	6.26	100	✓ Paxam
Tab 2 mg		100	Paxam
‡ Oral drops 2.5 mg per ml		10 ml OP	Rivotril
ETHOSUXIMIDE			
* Cap 250 mg	32.90	200	✓ Zarontin
*‡ Oral liq 250 mg per 5 ml	11.96	200 ml	✓ Zarontin
GABAPENTIN - Special Authority see SA1009 below - Retail pha			
▲ Cap 100 mg		100	✓ Nupentin
▲ Cap 300 mg		100	Nupentin Numerical Numeric
▲ Cap 400 mg	14./5	100	✓ <u>Nupentin</u>
■SA1009 Special Authority for Subsidy			

Subsidy

(Manufacturer's Price)

Fully

Subsidised Generic

Brand or

#### ■SA1009 | Special Authority for Subsidy

Initial application — (Epilepsy - new patients) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

### Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Subsidy (Manufacturer's Price) Fully Subsidised Per Brand or Generic Manufacturer

continued...

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Epilepsy - patient has had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Either:

- 1 Patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life from gabapentin; or
- 2 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents, or seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Initial application — (Neuropathic pain - new patients) from any relevant practitioner. Approvals valid for 3 months where the patient has tried and failed, or has been unable to tolerate, treatment with a tricyclic antidepressant.

Initial application — (Neuropathic pain - patient has had an approval for gabapentin for neuropathic pain prior to 1 August 2007) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

If the patient had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

Renewal — (Neuropathic pain) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

#### Either:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Note: If the patient had an approval for gabapentin for neuropathic pain prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

GΑ	ABAPENTIN (NEURONTIN)  – Special Authority see SA0973 below – Reta	il pharmacy	
	Tab 600 mg79.79	100	V
	Cap 100 mg15.67	7 100	~
	Cap 300 mg	100	~

Cap 400 mg .......62.66

# **⇒**SA0973 Special Authority for Subsidy

Notes: Subsidy for patients pre-approved by PHARMAC on 1 August 2009. Approvals valid without further renewal unless notified. No new approvals will be granted from 1 August 2009.

100

Neurontin Neurontin Neurontin

Neurontin

# **NERVOUS SYSTEM**

	Subsidy (Manufacturer's Price	e) S	Fully Brand or subsidised Generic
	\$	Per	✓ Manufacturer
AMOTRIGINE			
Tab dispersible 2 mg		30	✓ Lamictal
Tab dispersible 5 mg		30	✓ Lamictal
	15.00	56	✓ Arrow-Lamotrigine
Tab dispersible 25 mg		56	Logem
	20.40		Arrow-Lamotrigine
			✓ Mogine
	29.09		✓ Lamictal
Tab dispersible 50 mg		56	Logem
	34.70		✓ Arrow-Lamotrigine
			✓ Mogine
	47.89		✓ Lamictal
Tab dispersible 100 mg		56	✓ Logem
	59.90		✓ Arrow-Lamotrigine
			✓ Mogine
	79.16		✓ Lamictal
VETIRACETAM - Special Authority see SA0921 below	v – Retail pharmacy		
Tab	CBŚ	60	✓ Keppra
ubsidy by application to the Levetiracetam Special Acceptes: Application details may be obtained from PHARMA	AC's website http://www.ph	armac.go	vt.nz or:
ubsidy by application to the Levetiracetam Special Acces		3	
PHARMAC, PO Box 10 254 Wellington	AC's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226	3	
ubsidy by application to the Levetiracetam Special Accesotes: Application details may be obtained from PHARM/ The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE	AC's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226	3	
ubsidy by application to the Levetiracetam Special Accesotes: Application details may be obtained from PHARM/ The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 166	AC's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email:  sacoordinator@	S pharmac.ç	govt.nz
ubsidy by application to the Levetiracetam Special Accesotes: Application details may be obtained from PHARM/ The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg	AC's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: lsacoordinator@	spharmac.ç	govt.nz ✓ PSM
ubsidy by application to the Levetiracetam Special Accesotes: Application details may be obtained from PHARM/The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg	AC's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: lsacoordinator@	S pharmac.ç	govt.nz
bsidy by application to the Levetiracetam Special Accestes: Application details may be obtained from PHARMATHE Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg	AC's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: lsacoordinator@pl	500 500	govt.nz  PSM PSM
Ibsidy by application to the Levetiracetam Special Accestes: Application details may be obtained from PHARM/The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg	AC's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: lsacoordinator@pl	500 500 500 500	govt.nz  PSM PSM Dilantin Infatab
Ibsidy by application to the Levetiracetam Special Accestes: Application details may be obtained from PHARMAThe Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg	AC's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: lsacoordinator@p 25.0026.00 15.6315.50	500 500 500 500 200 200	govt.nz  PSM PSM Dilantin Infatab Dilantin
Ibsidy by application to the Levetiracetam Special Accestes: Application details may be obtained from PHARMAThe Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg	AC's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: lsacoordinator@p 25.0026.00 15.6315.5014.69	500 500 500 200 200 200	govt.nz  PSM PSM Dilantin Infatab Dilantin Dilantin
Ibsidy by application to the Levetiracetam Special Accestes: Application details may be obtained from PHARMAThe Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg	AC's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: lsacoordinator@p 25.0026.00 15.6315.5014.69	500 500 500 500 200 200	govt.nz  PSM PSM Dilantin Infatab Dilantin
ubsidy by application to the Levetiracetam Special Accestes: Application details may be obtained from PHARMAThe Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg	AC's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: lsacoordinator@	500 500 500 200 200 200	y PSM PSM Dilantin Infatab Dilantin Dilantin Dilantin
Ibsidy by application to the Levetiracetam Special Accesotes: Application details may be obtained from PHARMAThe Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg	AC's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: lsacoordinator@	500 500 500 200 200 200	govt.nz  PSM PSM Dilantin Infatab Dilantin Dilantin
ubsidy by application to the Levetiracetam Special Accesotes: Application details may be obtained from PHARM/The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg	AC's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: lsacoordinator@	500 500 500 200 200 200 500 ml	y PSM PSM Dilantin Infatab Dilantin Dilantin Dilantin
Jobsidy by application to the Levetiracetam Special Accesotes: Application details may be obtained from PHARM/The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg	AC's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: lsacoordinator@	500 500 500 200 200 200 500 ml	PSM PSM Dilantin Infatab Dilantin Dilantin Dilantin Apo-Primidone
ubsidy by application to the Levetiracetam Special Accesotes: Application details may be obtained from PHARMAThe Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg	AC's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: lsacoordinator@	500 500 500 200 200 200 500 ml	PSM PSM Dilantin Infatab Dilantin Dilantin Dilantin Apo-Primidone Epilim Crushable
ubsidy by application to the Levetiracetam Special Accesotes: Application details may be obtained from PHARMAThe Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg	AC's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: lsacoordinator@	500 500 500 200 200 200 500 ml	PSM PSM Dilantin Infatab Dilantin Dilantin Dilantin Dilantin Epilim Crushable Epilim
ubsidy by application to the Levetiracetam Special Accesotes: Application details may be obtained from PHARMAThe Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg	AC's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@	500 500 500 200 200 200 500 ml 100	PSM PSM Dilantin Infatab Dilantin Dilantin Dilantin Dilantin Dilantin Epilim Crushable Epilim Epilim
Jubsidy by application to the Levetiracetam Special Accesotes: Application details may be obtained from PHARMAThe Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 166 Tab 15 mg	AC's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@	500 500 500 200 200 200 500 ml 100 100 100	PSM PSM Dilantin Infatab Dilantin Dilantin Dilantin Dilantin Epilim Crushable Epilim

(	Subsidy Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
OPIRAMATE				
▲ Tab 25 mg	11.07	60	~	Arrow-Topiramate
·	26.04		~	Topamax
▲ Tab 50 mg	18.81	60	~	Arrow-Topiramate
·	44.26		~	Topamax
▲ Tab 100 mg	31.99	60	~	Arrow-Topiramate
•	75.25		~	Topamax
▲ Tab 200 mg	55.19	60	~	Arrow-Topiramate
•	129.85		~	Topamax
Sprinkle cap 15 mg	20.84	60	~	Topamax
Sprinkle cap 25 mg	26.04	60	~	Topamax
	nacy			•
Tab 500 mg	,	100	~	Sabril

# **⇒**SA1010 Special Authority for Subsidy

**Initial application — (new patients)** from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

#### Both:

- 1 Fither:
  - 1.1 Patient has infantile spasms; or
  - 1.2 Both:
    - 1.2.1 Patient has epilepsy; and
    - 1.2.2 Either:
      - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
      - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and
- 2 Either:
  - 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
  - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages,

Initial application — (patient has had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

### Either:

- 1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for the duration of treatment with vigabatrin; or
- 2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Note: Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

## Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- 2 Either:
  - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
  - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

continued...

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

If the patient had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

# **Antimigraine Preparations**

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 99

Acute Migraine Treatment			
ERGOTAMINE TARTRATE WITH CAFFEINE Tab 1 mg with caffeine 100 mg	31.00	100	✓ Cafergot
METOCLOPRAMIDE HYDROCHLORIDE WITH PARACETAMOL Tab 5 mg with paracetamol 500 mg	6.77	60	✓ Paramax
RIZATRIPTAN BENZOATE Wafer 10 mg	25.32	3	✓ Maxalt Melt
SUMATRIPTAN			
Tab 50 mg		100	Arrow-Sumatriptan
Tab 100 mg Inj 12 mg per ml, 0.5 ml – Hospital pharmacy [HP3]-Specialist Maximum of 10 inj per prescription		100 2 OP	✓ <u>Arrow-Sumatriptan</u> ✓ Imigran
Prophylaxis of Migraine			
For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYS CLONIDINE HYDROCHLORIDE	TEM, page 52		
* Tab 25 μg	19.25	100	✓ <u>Dixarit</u>
PIZOTIFEN			
* Tab 500 µg	21.10	100	✓ <u>Sandomigran</u>
Antinausea and Vertigo Agents			
For Antispasmodics refer to ALIMENTARY TRACT, page 27			
APREPITANT - Special Authority see SA0987 below - Retail phar	rmacy		
Cap 2 $\times$ 80 mg and 1 $\times$ 125 mg	116.00	3 OP	✓ Emend Tri-Pack
■SA0987   Special Authority for Subsidy   Initial application from any relevant practitioner. Approvals valid for chemotherapy and/or anthracycline-based chemotherapy for the treatment of apy and/or anthracycline-based chemotherapy for the treatment of	eatment of malig	gnancy.	
BETAHISTINE DIHYDROCHLORIDE	,		
* Tab 16 mg	9.26	84	✓ Vergo 16
CYCLIZINE HYDROCHLORIDE Tab 50 mg	1.59	10	✓ Nausicalm
CYCLIZINE LACTATE		10	
OT OCICIAC DIOTALE			

Inj 50 mg per ml, 1 ml ......14.95

✓ Valoid (AFT)

5

	Subsidy (Manufacturer's Price)	Subs Per	Fully idised	Brand or Generic Manufacturer
DOMPERIDONE - Additional subsidy by Special Authority see S		. ,		
* Tab 10 mg	(7.99)	100	M	lotilium

#### ■ SA0938 Special Authority for Manufacturers Price

**Initial application** from any relevant practitioner. Approvals valid for 6 months where the patient is terminally ill and requires control of nausea and vomiting.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

# **⇒**SA0939 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease; and
- 2 Patient cannot tolerate or does not adequately respond to oral anti-nausea agents; and
- 3 The applicant must specify the underlying malignancy or chronic disease.

**Renewal** from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

## HYOSCINE HYDROBROMIDE

* Inj 400 μg per ml, 1 ml6	5.66	5	✓ Mayne
METOCLOPRAMIDE HYDROCHLORIDE			
* Tab 10 mg5	.15	100	✓ Metamide
* Inj 5 mg per ml, 2 ml - Up to 5 inj available on a PSO4	.50	10	✓ <u>Pfizer</u>

#### ONDANSETRON - Retail pharmacy-Specialist

- a) Maximum of 12 tab per prescription; can be waived by Special Authority see SA0887 below
- b) Maximum of 6 tab per dispensing; can be waived by Special Authority see SA0887 below
- c) Not more than one prescription per month; can be waived by Special Authority see SA0887 below.
- d) The maximum of 6 tab per dispensing cannot be waived via Access Exemption Criteria

u) The maximum of a lab per dispensing carmor i	de waiveu via Access Exemplic	JII OIIIEIIa.	
Tab 4 mg	17.18	10	Zofran
Tab disp 4 mg		10	✓ Zofran Zydis
Tab 8 mg		20	✓ Zofran
Tab disp 8 mg	20.43	10	✓ Zofran Zydis

# **⇒**SA0887 Special Authority for Waiver of Rule

**Initial application** from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing prolonged treatment with highly emetogenic chemotherapy and/or highly emetogenic radiation therapy for the treatment of malignancy.

**Renewal** from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing prolonged treatment with highly emetogenic chemotherapy and/or highly emetogenic radiation therapy for the treatment of malignancy.

# **PROCHLORPERAZINE**

*	Tab 3 mg buccal	5.97	50	
	•	(15.00)		Buccastem
*	Tab 5 mg - Up to 30 tab available on a PSO	16.85	500	Antinaus
*	Inj 12.5 mg per ml, 1 ml - Up to 5 inj available on a PSO	25.81	10	✓ Stemetil
*	Suppos 25 mg	23.87	5	✓ Stemetil
PR	OMETHAZINE THEOCLATE			
*	Tab 25 mg	1.20	10	
	•	(6.24)		Avomine

		Subsidy		Fully	Brand or
		(Manufacturer's Price)		Subsidised	Generic
		\$	Per	oubsidisca /	Manufacturer
		Ψ	1 61		Mandiacidiei
TROPISETRON - Hospital pharmacy	[HP3]-Specialist				
<ul> <li>a) Maximum of 6 cap per prescript</li> </ul>					
<ul><li>b) Maximum of 3 cap per dispensir</li></ul>	ng				
c) Not more than one prescription	ner month				
,	•	77 /11	5	AZ N	avoban
Cap 5 mg			5	<u> </u>	avobaii
Agents for Parkinsonism and	d Related Disorders	;			
Dopamine Agonists and Rel	ated Agents				
AMANTADINE HYDROCHLORIDE					
▲ Cap 100 mg		47.81	60	✓ S	ymmetrel
				_	
APOMORPHINE HYDROCHLORIDE					
▲ Inj 10 mg per ml, 2 ml		110.00	5	<b>✓</b> A	pomine
BROMOCRIPTINE MESYLATE					
		00.00	400		l. L.
* Tab 2.5 mg		32.08	100	<b>∨</b> A	lpha-
					Bromocriptine
				✓ A	po-Bromocriptine
* Cap 5 mg		60.43	100	✓ A	
* Cap 5 mg		00.43	100	VA	
					Bromocriptine S29
(Alpha-Bromocriptine Tab 2.5 mg to be	delisted 1 June 2010)				
ENTACADONE	•				
ENTACAPONE					
▲ Tab 200 mg		116.00	100	<u> </u>	<u>omtan</u>
LEVODOPA WITH BENSERAZIDE					
		40.00	400		
* Tab dispersible 50 mg with benser	azide 12.5 mg	10.00	100		adopar
					Dispersible
* Cap 50 mg with benserazide 12.5	ma	800	100	✓ M	adopar 62.5
* Cap 100 mg with benserazide 25 r	•		100		adopar 125
. •	•		100		•
* Cap long-acting 100 mg with bens	•				adopar HBS
* Cap 200 mg with benserazide 50 r	ng	25.00	100	✓ M	adopar 250
LEVODOPA WITH CARBIDOPA					
		10.00	EΟ		indono
* Tab 100 mg with carbidopa 25 mg			50		indopa
		20.00	100	✓ Si	inemet
* Tab long-acting 200 mg with carbic	dopa 50 mg	47.50	100	✓ Si	inemet CR
* Tab 250 mg with carbidopa 25 mg	,	40.00	100	✓ S	inemet
, ,					
LISURIDE HYDROGEN MALEATE					
▲ Tab 200 μg		27.50	30	<b>✓</b> D	opergin
PERSONINE					
PERGOLIDE					
▲ Tab 0.25 mg		48.00	100	<b>✓</b> <u>P</u> (	<u>ermax</u>
▲ Tab 1 mg		170.00	100	✓ Po	ermax
DODINIDOLE LIVEDOCLII ODIDE					
ROPINIROLE HYDROCHLORIDE					
▲ Tab 0.25 mg		7.90	84	✓ R	<u>opin</u>
▲ Tab 1 mg		40.32	84	✓ R	opin
▲ Tab 2 mg			84	✓ R	
•			84	✓ R	
▲ Tab 5 mg		90.00	04	<b>₩</b> <u>R</u>	υμιι
SELEGILINE HYDROCHLORIDE					
* Tab 5 mg		16.06	100	✓ ∆	po-Selegiline
				* ^	

	Subsidy (Manufacturer's Price) \$	S Per	Fully subsidised	Brand or Generic Manufacturer
TOLCAPONE − Retail pharmacy-Specialist prescription Specialist must be a neurologist, geriatrician or general physi  Tab 100 mg		100	<b>✓</b> Ta	smar
Anticholinergics				
BENZTROPINE MESYLATE Tab 2 mg		60 5		enztrop ogentin
ORPHENADRINE HYDROCHLORIDE Tab 50 mg	31.93	250	<b>✓</b> Di	sipal
PROCYCLIDINE HYDROCHLORIDE Tab 5 mg	7.40	100	<b>✓</b> Ke	emadrin
Agents for Essential Tremor, Chorea and Related	d Disorders			
TETRABENAZINE Tab 25 mg	243.00	112	<b>✓</b> Xe	enazine 25

# **Antipsychotics**

## Guidelines for the use of atypical antipsychotic agents

Diagnosis: Schizophrenia and related psychoses when positive symptoms (delusions, hallucinations and thought disorder) are prominent and/or disabling or when both positive symptoms and negative symptoms (flattened affect, emotional and social withdrawal and poverty of speech) are present. Treatment: Before initiating atypical antipsychotic therapy, physicians should consider whether the patient is likely to respond to and/or tolerate conventional antipsychotic therapy and, where appropriate, trial one or more conventional agent prior to use of an atypical agent.

#### General

AMISULPRIDE			
Tab 100 mg	22.52	30	Solian
Tab 200 mg	97.03	60	Solian
Tab 400 mg	185.44	60	Solian
Oral liq 100 mg per ml	55.44	60 ml	✓ Solian
ARIPIPRAZOLE - Special Authority see SA0920 on the next p	oage – Retail pharm	acy	
Tab 10 mg	123.54	30	Abilify
Tab 15 mg	175.28	30	Abilify
Tab 20 mg	213.42	30	Abilify
Tab 30 mg	260.07	30	✓ Abilify

Subsidy (Manufacturer's Price) Subs

Fully Subsidised Brand or Generic Manufacturer

### ⇒SA0920 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Either:
  - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
  - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

bononing nom acamona			
CHLORPROMAZINE HYDROCHLORIDE			
Tab 10 mg - Up to 30 tab available on a PSO	12.36	100	Largactil
Tab 25 mg - Up to 30 tab available on a PSO	13.02	100	✓ Largactil
Tab 100 mg - Up to 30 tab available on a PSO	30.61	100	✓ Largactil
Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO	25.66	10	✓ Largactil
CLOZAPINE - Hospital pharmacy [HP4]			
Tab 25 mg	13 37	50	✓ Clozaril
140 20 mg	26.74	100	✓ Clozarii
	6.69	50	✓ Clopine
	13.37	100	✓ Clopine
Tab 50 mg	8.67	50	✓ Clopine
	17.33	100	✓ Clopine
Tab 100 mg	34.65	50	✓ Clozaril
and the g	69.30	100	✓ Clozaril
	17.33	50	✓ Clopine
	34.65	100	✓ Clopine
Tab 200 mg	34.65	50	✓ Clopine
ŭ	69.30	100	✓ Clopine
Suspension 50 mg per ml	17.33	100 ml	✓ Clopine
HALOPERIDOL			•
Tab 500 μg – Up to 30 tab available on a PSO	4 93	100	✓ Serenace
Tab 1.5 mg – Up to 30 tab available on a PSO		100	✓ Serenace
Tab 5 mg — Up to 30 tab available on a PSO		100	✓ Serenace
Oral lig 2 mg per ml — Up to 200 ml available on a PSO		100 ml	✓ Serenace
Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO		10	✓ Serenace
LITHIUM CARBONATE			
Tab 250 mg	36.10	500	✓ Lithicarb
Tab 400 mg		100	✓ Lithicarb
Tab long-acting 400 mg		100	✓ Priadel
Cap 250 mg		100	✓ Douglas
METHOTRIMEPRAZINE			v 200g.00
	16.00	100	✓ Nozinan
Tab 25 mg		100	✓ Nozinan
Tab 100 mg		100	✓ Nozinan
Inj 25 mg per ml, 1 ml			₩ NOZIIIdfi
OLANZAPINE - Special Authority see SA0741 on the next page		•	4 -
Tab 2.5 mg		28	✓ Zyprexa
Tab 5 mg		28	✓ Zyprexa
Tab 10 mg	204.49	28	Zyprexa

# **NERVOUS SYSTEM**

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	Subsidised	Generic	
\$	Per	~	Manufacturer	

### **⇒**SA0741 Special Authority for Subsidy

**Initial application** only from a psychiatrist. Approvals valid for 2 years for applications meeting the following criteria: Any of the following:

- 1 Patient presents with first episode schizophrenia or related psychoses; or
- 2 Both:
  - 2.1 Patient suffering from schizophrenia and related psychoses or acute mania in bipolar disorder who is likely to benefit from antipsychotic treatment; and
  - 2.2 Either:
    - 2.2.1 An effective dose of risperidone had been trialled and has been discontinued because of unacceptable side effects; or
    - 2.2.2 An effective dose of risperidone had been trialled and has been discontinued because of inadequate clinical response after 4 weeks; or
- 3 The patient has suffered from an acute episode of schizophrenia or bipolar mania and has been treated with olanzapine short-acting intra-muscular injection.

Renewal only from a psychiatrist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Initial prescriptions to be written by psychiatrists or psychiatric registrars and subsequent prescriptions can be written by General Practitioners.

0.0.10.0.0.10.00.0.			
PERICYAZINE			
Tab 2.5 mg	12.49	100	Neulactil
Tab 10 mg	44.45	100	Neulactil
QUETIAPINE			
Tab 25 mg	16.78	90	Quetapel
•	46.20	60	✓ Seroquel
Tab 100 mg	32.59	90	Quetapel
•	92.40	60	✓ Seroquel
Tab 200 mg	56.70	90	Quetapel
ŭ	158.76	60	✓ Seroquel
Tab 300 mg	95.40	90	Quetapel
3	267.12	60	✓ Seroquel

	0.1		5 ll D l
	Subsidy (Manufacturer's Price)		Fully Brand or Subsidised Generic
	\$	Per	✓ Manufacturer
RISPERIDONE			
Tab 0.5 mg	3 51	60	✓ Apo-Risperidone
Tab 0.5 mg	5.20	20	✓ Apo-nisperidorie ✓ Risperdal
	0.20	20	✓ Ridal
	15.60	60	✓ Ridal
Tab 1 mg	6.00	60	✓ Apo-Risperidone
·			✓ Dr Reddy's
			Risperidone
	30.77		✓ Ridal
			✓ Risperdal
Tab 2 mg	11.00	60	Apo-Risperidone
			✓ Dr Reddy's
			Risperidone
	61.53		✓ Ridal
			✓ Risperdal
Tab 3 mg	15.00	60	✓ Apo-Risperidone
			✓ Dr Reddy's
			Risperidone
	92.32		Ridal
Tab A man	00.00	00	✓ Risperdal
Tab 4 mg	20.00	60	✓ Apo-Risperidone
			✓ Dr Reddy's
	100.05		Risperidone ✔ Ridal
	123.05		✓ Risperdal
Oral lig 1 mg per ml	10.25	30 ml	✓ Apo-Risperidone
Oral liq 1 mg per mi	10.00	00 1111	✓ Risperon
	45.92		✓ Risperdal
TRIFLUOREDAZINE LIVEROCUILORIDE	40.0L		Moperati
TRIFLUOPERAZINE HYDROCHLORIDE	0.00	100	✓ Stelazine
Tab 1 mg Tab 2 mg		100	✓ Stelazine ✓ Stelazine
Tab 5 mg		100	✓ Stelazine
· ·	10.00	100	• Stelazille
ZIPRASIDONE – Subsidy by endorsement			
Ziprasidone is subsidised for patients suffering from schizop			
risperidone or quetiapine that has been discontinued, or is in t		aisconi	linued, because of unacceptable side
effects or inadequate response, and the prescription is endors  Cap 20 mg		60	✓ Zeldox
Cap 40 mg		60	✓ Zeldox ✓ Zeldox
Cap 60 mg		60	✓ Zeldox
Cap 80 mg		60	✓ Zeldox
ZUCLOPENTHIXOL HYDROCHLORIDE	01.45	100	A Clanival
Tab 10 mg	31.43	100	✓ Clopixol
Depot Injections			
FLUPENTHIXOL DECANOATE			
Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO	13.14	5	✓ Fluanxol
Inj 20 mg per ml, 2 ml - Up to 5 inj available on a PSO		5	✓ Fluanxol
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO		5	✓ Fluanxol

	Subsidy Manufacturer's Price)	Sul	Fully	Brand or Generic
	\$	Per	~	Manufacturer
FLUPHENAZINE DECANOATE				
Inj 12.5 mg per 0.5 ml, 0.5 ml - Up to 5 inj available on a PSO.	17.60	5	✓ M	odecate
Inj 25 mg per ml, 1 ml - Up to 5 inj available on a PSO	27.90	5	✓ M	odecate
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO	154.50	5	✓ M	odecate
HALOPERIDOL DECANOATE				
Inj 50 mg per ml, 1 ml - Up to 5 inj available on a PSO	28.39	5	✓ Ha	aldol
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO		5	✓ Ha	aldol Concentrate
PIPOTHIAZINE PALMITATE				
Inj 50 mg per ml, 1 ml - Up to 5 inj available on a PSO	178.48	10	<b>✓</b> Pi	iportil
Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	353.32	10	✔ Pi	iportil
RISPERIDONE - Special Authority see SA0926 below - Retail pha	armacv			
Microspheres for injection 25 mg		1	✓ Ri	isperdal Consta
Microspheres for injection 37.5 mg		1	✓ Ri	isperdal Consta
Microspheres for injection 50 mg	280.00	1	✓ Ri	isperdal Consta
The CACOOC Connected And benefits for Corbetts				

**■**SA0926 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient has schizophrenia or other psychotic disorder; and
- 2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Fither:

- 1 Both:
  - 1.1 The patient has had less than 12 months treatment with risperidone microspheres; and
  - 1.2 There is no clinical reason to discontinue treatment: or

Ini 200 mg ner ml 1 ml – I ln to 5 ini available on a PSO

2 The initiation of risperidone microspheres has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of risperidone microspheres.

10.80

Note: Risperidone microspheres should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone microspheres.

#### **ZUCLOPENTHIXOL DECANOATE**

my 200 mg por mi, 1 mi	op to o mij avanabie on a r oo	U	• Glopixoi	
Orodispersible Antipe	sychotics			
OLANZAPINE - Special Auth	nority see SA0739 below – Retail pharmacy			
Wafer 5 mg	102.19	28	Zyprexa Zydis	
Wafer 10 mg	204.37	28	✓ Zyprexa Zydis	

#### **⇒**SA0739 Special Authority for Subsidy

**Initial application** only from a psychiatrist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The patient meets the current criteria for standard olanzapine tablets; and
- 2 The patient is unable to take standard olanzapine tablets, or once stabilized refuses to take olanzapine tablets; or the patient is non-adherent to oral therapy with standard olanzapine tablets; and
- 3 The patient is under direct supervision for administration of medicine.

**Renewal** only from a psychiatrist. Approvals valid for 1 year for applications meeting the following criteria: Both:

continued...

A Clanival

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sul	bsidised	Generic
\$	Per	~	Manufacturer

#### continued...

- 1 The patient is unable to take standard olanzapine tablets, or once stabilized refuses to take olanzapine tablets; and
- 2 The patient is under direct supervision for administration of medicine.

Note: Initial prescriptions to be written by psychiatrists and subsequent prescriptions can be written by psychiatric registrars or General Practitioners.

RISPERIDONE - Special Authority see SA0927 below - Retail phan	macy		
Orally-disintegrating tablets 0.5 mg	21.42	28	Risperdal Quicklet
Orally-disintegrating tablets 1 mg	42.84	28	Risperdal Quicklet
Orally-disintegrating tablets 2 mg	85.71	28	Risperdal Quicklet

#### ⇒SA0927 | Special Authority for Subsidy

Initial application — (Acute situations) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

#### Both:

- 1 For a non-adherent patient on oral therapy with standard risperidone tablets or risperidone oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Initial application — (Chronic situations) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Note: Risperdal Quicklets cost significantly more than risperidone tablets and should only be used where necessary.

# **Anxiolytics**

ALPRAZOLAM - Month Restriction		
Tab 250 μg	3.15 50	✓ <u>Arrow-Alprazolam</u>
‡ Safety cap for extemporaneously compounded oral liquid	preparations.	
Tab 500 μg	4.10 50	Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.	
Tab 1 mg	7.25 50	Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.	
BUSPIRONE HYDROCHLORIDE - Special Authority see SA0863	below - Retail pharmacy	
Month Restriction		
Tab 5 mg	28.00 100	Pacific Buspirone
Tab 10 mg	17.00 100	✔ Pacific Buspirone

#### ⇒SA0863 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 For use only as an anxiolytic; and
- 2 Other agents are contraindicated or have failed.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

(N	Subsidy Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
DIAZEPAM				
Tab 2 mg - Month Restriction	11.44	500	✓ A	rrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid p	reparations.			
Tab 5 mg - Month Restriction	13.71	500	✓ A	rrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid p	reparations.			
LORAZEPAM - Month Restriction				
Tab 1 mg	16.42	250	✓ A	tivan
‡ Safety cap for extemporaneously compounded oral liquid p				
Tab 2.5 mg	11.17	100	✓ A	tivan
‡ Safety cap for extemporaneously compounded oral liquid p	reparations.			
OXAZEPAM - Month Restriction				
Tab 10 mg	1.98	100		
· ·	(5.89)		0	x-Pam
‡ Safety cap for extemporaneously compounded oral liquid p	reparations.			
Tab 15 mg	2.45	100		
	(8.13)		0	x-Pam
‡ Safety cap for extemporaneously compounded oral liquid p	reparations.			

# **Multiple Sclerosis Treatments**

#### ▶SA0855 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Budget managed by appointed clinicians on the Multiple Sclerosis Treatment Assessments Committee (MSTAC).

Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Appeals against MSTAC's decision and/or the processing of any application may be lodged with the MSTAC coordinator. Concerns that cannot be or have not been adequately addressed by MSTAC will be forwarded to a separate Appeal Committee if necessary. Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

## **Entry Criteria**

- Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis should as a rule include MRI confirmation. For patients diagnosed before MRI was widely utilised in New Zealand, confirmation of diagnosis via clinical assessment and laboratory/ancillary data must be provided; and
- 2) patients must have active relapsing MS (confirmed by MR scan where necessary) with or without underlying progression; and
- 3) patients must have either:
  - a) EDSS score 2.5 5.5 with 2+ relapses:

Subsidy (Manufacturer's Price) \$ Per Fully Subsidised Brand or Generic Manufacturer

#### continued...

- experienced at least 2 significant relapses of MS in the previous 12 months, and
  - an EDSS score of between 2.5 and 5.5 inclusive: or
- b) EDSS score 2.0 with 3+ relapses:
  - experienced at least 3 significant relapses of MS in the previous 12 months, and
  - an EDSS score of 2.0: and
- 4) Each relapse must:
  - a) be confirmed by a neurologist or general physician (the patient may not necessarily have been seen during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week:
  - d) follow a period of stability of at least one month;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke functional systems scores by at least 1
    point;
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T>37.5°C); and
- 5) applications must be made at least four weeks after the date of the onset of the last known relapse; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate (see criteria for stopping).
- 7) applications must be submitted to the Multiple Sclerosis Treatment Assessment Committee (MSTAC) by the patient's neurologist or a general physician; and
- 8) patients must agree (via informed consent) to co-operate if as a result of their meeting the stopping criteria, funding is withdrawn. Patients must agree to the collection of clinical data relating to their MS and use of those data by PHARMAC; and
- 9) patients must agree to allow clinical data to be collected and reviewed by MSTAC annually for each year in which they receive funding for beta-interferon or glatiramer acetate.

#### Stopping Criteria

- Confirmed progression of disability that is sustained for three months after a minimum of one year of treatment. Progression
  of disability is defined as either an increase of 1 EDSS point from the starting EDSS or an increase in EDSS score to 6.0 or
  more; or
- 2) stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment); or
- 3) pregnancy and/or lactation; or
- 4) within the 12 month approval year, intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- 5) non-compliance with treatment, including refusal to undergo annual assessment or refusal to allow the results of the assessment to be submitted to MSTAC; or
- 6) patients may, subject to conclusions drawn from published evidence available at the time, be excluded if they develop a high titre of neutralising anti-bodies to beta-interferon or glatiramer acetate.

GLATIRAMER ACETATE – Special Authority see SA0855 on Inj 20 mg prefilled syringe		28	✓ Copaxone
INTERFERON BETA-1-ALPHA - Special Authority see SA08	355 on the preceding pa	age	
Inj 6 million iu prefilled syringe	1,329.65	4	Avonex
Inj 6 million iu per vial		4	Avonex
INTERFERON BETA-1-BETA - Special Authority see SA085	5 on the preceding pag	je	
Inj 8 million iu per 1 ml	1,436.79	15	Betaferon

	0.1	_	
	Subsidy (Manufacturer's Price)	Fu Subsidis	ully Brand or sed Generic
	\$	Per	✓ Manufacturer
Sedatives and Hypnotics			
LORMETAZEPAM – Month Restriction			
Tab 1 mg	3.11	30	
	(23.50)		Noctamid
‡ Safety cap for extemporaneously compounded oral liquid	preparations.		
MIDAZOLAM			
Note: Midazolam injection will be funded if prescribed for intra		for use in pal	liative care. Note that only the
Hypnovel brand is currently indicated for intranasal administra  Tab 7.5 mg – Month Restriction		100	
Tab 7.5 mg - Month Restriction	(25.00)	100	Hypnovel
‡ Safety cap for extemporaneously compounded oral liquid			Пурночог
Inj 1 mg per ml, 5 ml		10	/ Hypnovel
	(14.73)		Pfizer
Inj 5 mg per ml, 3 ml	11.90	5	/ Hypnovel
	(19.64)		Pfizer
NITRAZEPAM - Month Restriction			
Tab 5 mg		100	
	(4.98)		Nitrados
‡ Safety cap for extemporaneously compounded oral liquid	preparations.		
TEMAZEPAM – Month Restriction	0.00	0.5	4.1.
Tab 10 mg		25	Normison Normison
‡ Safety cap for extemporaneously compounded oral liquid	preparations.		
TRIAZOLAM – Month Restriction Tab 125 µg	E 10	100	
1αυ 123 μg	(6.50)	100	Hypam
‡ Safety cap for extemporaneously compounded oral liquid			Πγραπ
Tab 250 μg		100	
	(7.20)		Hypam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.		
ZOPICLONE - Month Restriction			
Tab 7.5 mg	21.02	500	Apo-Zopiclone
Stimulants/ADHD treatments			
ATOMOXETINE - Special Authority see SA0951 on the next page	e – Retail pharmacy		
Cap 10 mg			Strattera
Cap 18 mg			Strattera
Cap 40 mg			Strattera
Cap 40 mg Cap 60 mg			✓ Strattera ✓ Strattera
Cap 80 mg			Strattera
Cap 100 mg			✓ Strattera
1 0			

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

#### **⇒**SA0951 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
  - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
  - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
  - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamphetamine sulphate tablets.

DEXAMPHETAMINE SULPHATE - Special Authority see SA0907 below - Retail pharmacy

Only on a controlled drug form

## ■SA0907 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over – new patients) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Fither
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Both:
    - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 3.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients 5 or over - patient has had an approval for dexamphetamine for ADHD prior to 1 April 2008) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

**Both** 

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Both:
    - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 2.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients under 5 – new patients) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and

Subsidy (Manufacturer's Price) \$ P

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (ADHD in patients under 5 - patient has had an approval for dexamphetamine for ADHD in patients under 5 prior to 1 April 2008) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Narcolepsy – new patients) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Initial application — (Narcolepsy - patient has had an approval for dexamphetamine for narcolepsy prior to 1 April 2008) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment..

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Both:
    - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 2.2.2 Provide name of the recommending specialist.

Note: If the patient had an approval for dexamphetamine for ADHD prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for dexamphetamine for ADHD in patients under 5 prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

**Renewal** — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for dexamphetamine for narcolepsy prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

METHYLPHENIDATE HYDROCHLORIDE - Special Authority see SA0908 below - Retail pharmacy

Only on a controlled drug form			
Tab immediate-release 5 mg	3.20	30	Rubifen
Tab immediate-release 10 mg		30	Ritalin
•			Rubifen
Tab immediate-release 20 mg	7.85	30	Rubifen
Tab sustained-release 20 mg		30	Rubifen SR
ů	50.00	100	Ritalin SR

## ■SA0908 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over – new patients) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 3.2 Both:
  - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
  - 3.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients 5 or over - patient has had an approval for methylphenidate for ADHD prior to 1 April 2008) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Both:
    - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 2.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients under 5 – new patients) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (ADHD in patients under 5 - patient has had an approval for methylphenidate for ADHD in patients under 5 prior to 1 April 2008) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Narcolepsy – new patients) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Initial application — (Narcolepsy - patient has had an approval for methylphenidate for narcolepsy prior to 1 April 2008) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment..

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Both:
    - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 2.2.2 Provide name of the recommending specialist.

Note: If the patient had an approval for methylphenidate for ADHD prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for methylphenidate for ADHD in patients under 5 prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

**Renewal** — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for methylphenidate for narcolepsy prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE	- Special Authority	see S/	A0924 belo	w – Retail pharma	су
Only on a controlled drug form					
Tab extended-release 18 mg	58.96	30	✓ Co	oncerta	
Tab extended-release 27 mg	65.44	30	✓ Co	oncerta	
Tab extended-release 36 mg		30	✓ Co	oncerta	
Tab extended-release 54 mg		30	✓ Co	oncerta	
Cap modified-release 10 mg		30	✓ Ri	talin LA	
Cap modified-release 20 mg		30	✓ Ri	talin LA	
Cap modified-release 30 mg		30	✓ Ri	talin LA	
Cap modified-release 40 mg		30	✓ Ri	talin LA	

## ■SA0924 Special Authority for Subsidy

**Initial application** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

- All of the following:
  - 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
  - 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
  - 3 Either:
    - 3.1 Applicant is a paediatrician or psychiatrist; or
    - 3.2 Both:
      - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
      - 3.2.2 Provide name of the recommending specialist; and
  - 4 Either:
    - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or compliance difficulties; or
    - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

**Renewal** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Both:
    - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 2.2.2 Provide name of the recommending specialist.

# **Treatments for Opioid Overdose**

#### NALOXONE HYDROCHLORIDE

a) Up to 5 inj available on a PSO

b) Only on a PSO

Treatments for Substance Dependence			
BUPROPION HYDROCHLORIDE  Tab modified-release 150 mg	30	✓ Zyban	
DISULFIRAM Tab 200 mg24.30	100	✓ Antabuse	

## **NERVOUS SYSTEM**

	(Manufacturer's Price)		ıbsidised		
NALTREXONE HYDROCHLORIDE – Special Authority see SA09 Tab 50 mg		armacy 30	✓ <u>Re</u>	eVia_	

Subsidy

Fully

Brand or

#### **⇒**SA0909 Special Authority for Subsidy

**Initial application** from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in a community Alcohol and Drug Service contracted to one of the 21 District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

Renewal from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
  - 2.1 Patient is still unstable and requires further treatment; or
  - 2.2 Patient achieved significant improvement but requires further treatment; or
  - 2.3 Patient is well controlled but requires maintenance therapy.

The patient may not have had more than 1 prior approval in the last 12 months.

#### **Nicotine Gum**

#### NICOTINE

- a) Maximum of 768 piece per prescription
- b) Maximum of 384 piece per dispensing
- c) For the avoidance of doubt Nicotine will not be funded Close Control in amounts less than 4 weeks.
- d) The maximum of 384 piece per dispensing cannot be waived via Access Exemption Criteria.

Gum 2 mg (Fruit)	14.97	96 OP	✓ <u>Habitrol</u>
	23.41		✓ NicotineII
Gum 2 mg (Mint)	14.97	96 OP	✓ <u>Habitrol</u>
	23.41		✓ Nicotinell
Gum 4 mg (Fruit)	20.02	96 OP	✓ <u>Habitrol</u>
	23.41		✓ NicotineII
Gum 4 mg (Mint)	20.02	96 OP	✓ <u>Habitrol</u>
	23.41		✓ NicotineII

# **Nicotine Lozenge**

### NICOTINE

- a) Maximum of 432 loz per prescription
- b) Maximum of 216 loz per dispensing
- c) For the avoidance of doubt Nicotine will not be funded Close Control in amounts less than 4 weeks.
- d) The maximum of 216 loz per dispensing cannot be waived via Access Exemption Criteria.

Lozenge 1 mg	11.08	36 OP	✓ <u>Habitrol</u>
Lozenge 2 mg	11.08	36 OP	✓ Habitrol

# **NERVOUS SYSTEM**

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

### **Nicotine Patch**

### NICOTINE

- a) Maximum of 56 patch per prescription
- b) Maximum of 28 patch per dispensing
- c) For the avoidance of doubt Nicotine will not be funded Close Control in amounts less than 4 weeks.
- d) The maximum of 28 patch per dispensing cannot be waived via Access Exemption Criteria.

a) The maximum of 20 paters per dispersioning carmet 20 marred than			
Patch 7 mg	10.53	7 OP	✓ Habitrol
Patch 14 mg	11.63	7 OP	✓ Habitrol
Patch 21 mg		7 OP	✓ Habitrol

Subsidy Fully (Manufacturer's Price) Subsidised 
\$ Per ✔

Brand or Generic Manufacturer

# **Chemotherapeutic Agents**

# **Alkylating Agents**

BUSULPHAN – PCT – Retail pharmacy-Specialist	47.00	100	. A Marlaman	
Tab 2 mg	47.89	100	✓ Myleran	
CARBOPLATIN – PCT only – Specialist	00.00	1	A Corbonistin Ebour	_
Inj 10 mg per ml, 5 ml Inj 10 mg per ml, 15 ml		1	<ul><li>✓ Carboplatin Ebewe</li><li>✓ Carboplatin Ebewe</li></ul>	
Inj 10 mg per ml, 45 ml		1	✓ Carboplatin Ebew	
Inj 10 mg per ml, 100 ml		1	✓ Carboplatin Ebew	
Inj 1 mg for ECP		1 mg	✓ Baxter	•
CARMUSTINE - PCT only - Specialist		1 1119	Junto	
Inj 100 mg	204.13	1	✓ BiCNU	
Inj 100 mg for ECP		100 mg OP	✓ Baxter	
CHLORAMBUCIL – PCT – Retail pharmacy-Specialist				
Tab 2 mg	20.25	25	✓ Leukeran FC	
· ·	22.33	25	Leukeran FC	
CISPLATIN - PCT only - Specialist			4	
Inj 1 mg per ml, 50 ml		1	✓ Cisplatin Ebewe	
114	19.00		Mayne	
Inj 1 mg per ml, 100 ml		1	✓ Cisplatin Ebewe	
let 4 mm for EOD	38.00	4	Mayne	
Inj 1 mg for ECP	0.46	1 mg	✓ Baxter	
CYCLOPHOSPHAMIDE				
Tab 50 mg - PCT - Retail pharmacy-Specialist		50	Cycloblastin	
Inj 1 g - PCT - Retail pharmacy-Specialist	23.65	1	✓ Endoxan	
	127.80	6	✓ Cytoxan	
Inj 2 g - PCT only - Specialist		. 1	✓ Endoxan	
Inj 1 mg for ECP - PCT only - Specialist	0.03	1 mg	✓ Baxter	
IFOSFAMIDE - PCT only - Specialist				
Inj 1 g	96.00	1	✓ Holoxan	
Inj 2 g	180.00	1	✓ Holoxan	
Inj 1 mg for ECP	0.10	1 mg	✓ Baxter	
LOMUSTINE - PCT only - Specialist				
Cap 10 mg	132.59	20	✓ CeeNU	
Cap 40 mg		20	✓ CeeNU	
MELPHALAN				
Tab 2 mg — PCT — Retail pharmacy-Specialist	31 31	25	✓ Alkeran	
Inj 50 mg - PCT only - Specialist		1	✓ Alkeran	
		-	America	
OXALIPLATIN - PCT only - Specialist - Special Authority se		1 0	4 Ovalinlatin Chaus	
Inj 50 mg		1	<ul><li>✓ Oxaliplatin Ebewe</li><li>✓ Eloxatin</li></ul>	
Inj 100 mg	200.00	1	✓ Coxatin ✓ Oxaliplatin Ebewe	
IIIJ 100 IIIg	400.00	ı	✓ Eloxatin	
Inj 1 mg for ECP		1 ma	✓ Baxter	
iiij i iiig iul Euf	1.42	1 mg	₩ Daxiei	

Subsidy (Manufacturer's Price) Subsidised Generic Per ✓ Manufacturer

## ■SA0900 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### Fither:

- 1 Both:
  - 1.1 The patient has metastatic colorectal cancer; and
  - 1.2 To be used for first or second line use as part of a combination chemotherapy regimen; or
- 2 Both:
  - 2.1 The patient has stage III (Duke's C) colorectal\* cancer; and
  - 2.2 Adjuvant oxaliplatin to be given in combination with a fluoropyrimidine (fluorouracil or capecitabine).

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### Either:

1 The patient requires continued therapy; or

THIOTEPA - PCT only - Specialist

2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with \* are Unapproved Indications, oxaliplatin is indicated for adjuvant treatment of stage III (Duke's C) colon cancer after complete resection of the primary tumour.

Inj 15 mgCBS	1	✓ Bedford S29
Antimetabolites		
CALCIUM FOLINATE		
Tab 15 mg - PCT - Hospital pharmacy [HP3]-Specialist63.89 Inj 3 mg per ml, 1 ml - PCT - Hospital pharmacy [HP1]-	10	✓ Mayne
Specialist	5	✓ Mayne
Inj 50 mg – PCT – Hospital pharmacy [HP1]-Specialist24.50	5	✓ <u>Calcium Folinate</u> <u>Ebewe</u>
Inj 100 mg - PCT only - Specialist9.75	1	✓ Calcium Folinate Ebewe
Inj 300 mg - PCT only - Specialist30.00	1	Calcium Folinate Ebewe
Inj 1 g - PCT only - Specialist100.00	1	✓ Calcium Folinate Ebewe
Inj 1 mg for ECP - PCT only - Specialist0.10	1 mg	✓ Baxter
CAPECITABINE - Hospital pharmacy [HP1]-Specialist - Special Authority see	e SA0869 below	
Tab 150 mg115.00	60	✓ Xeloda
Tab 500 mg705.00	120	✓ Xeloda

# **⇒**SA0869 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Any of the following:

- 1 The patient has advanced gastrointestinal malignancy; or
- 2 The patient has metastatic breast cancer\*; or
- 3 The patient has stage III (Duke's stage C) colorectal\*# cancer and undergone surgery; or
- 4 Both
  - 4.1 The patient has poor venous access or needle phobia\*; and
  - 4.2 The patient requires a substitute for single agent fluoropyrimidine\*.

Renewal only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Fither:

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully sidised	Brand or Generic Manufacturer
continued  1 The patient requires continued therapy; or  2 The tumour has relapsed and requires re-treatment.  Note: Indications marked with * are Unapproved Indications, # ca	pecitabine is approved	for stage	III (Duk	e's stage C) colon cancer.
CLADRIBINE - PCT only - Specialist Inj 2 mg per ml, 5 ml	873.00	1	Li	tak S29

CLADRIBINE - PCT only - Specialist			
Inj 2 mg per ml, 5 ml	873.00	1	✓ Litak S29
Inj 1 mg per ml, 10 ml	5,249.72	7	✓ Leustatin
Inj 10 mg for ECP		10 mg OP	✓ Baxter
CYTARABINE		•	
Inj 100 mg - PCT - Retail pharmacy-Specialist	90.00	5	✓ Mayne
ing 100 mg = POT = hetail pharmacy-specialist	00.00	5	✓ Pharmacia
Ini 100 ma par ml E ml DCT Datail pharmagy Chaoic	list OF 26	5	
Inj 100 mg per ml, 5 ml – PCT – Retail pharmacy-Specia			✓ Mayne
Inj 100 mg per ml, 10 ml — PCT – Retail pharmacy-Spec		1	✓ Mayne
Inj 100 mg per ml, 20 ml — PCT only — Specialist		1	Mayne
Inj 1 mg for ECP — PCT only — Specialist		1 mg	✓ Baxter
Inj 100 mg intrathecal syringe for ECP - PCT only - Spec	ialist16.00	100 mg OP	✓ Baxter
FLUDARABINE PHOSPHATE - PCT only - Specialist			
Tab 10 mg	650.25	15	✓ Fludara
ŭ	867.00	20	✓ Fludara Oral
Inj 50 mg	1.430.00	5	✓ Fludara
Inj 50 mg for ECP	286.00	50 mg OP	Baxter
(Fludara Tab 10 mg to be delisted 1 July 2010)			
FLUOROURACIL SODIUM	04.75	_	4 = 1
Inj 50 mg per ml, 10 ml — PCT only — Specialist		5	Fluorouracil Ebewe
Inj 50 mg per ml, 20 ml — PCT only — Specialist		1	Fluorouracil Ebewe
Inj 25 mg per ml, 100 ml - PCT only - Specialist		1	✓ Mayne
Inj 50 mg per ml, 50 ml - PCT only - Specialist		1	✓ Fluorouracil Ebewe
Inj 50 mg per ml, 100 ml – PCT only – Specialist	43.00	1	✓ Fluorouracil Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.01	1 mg	✓ Baxter
GEMCITABINE HYDROCHLORIDE - PCT only - Specialist	- Special Authority	see SA1012 be	elow
Inj 1 g		1	✓ Gemcitabine Ebewe
·· , · · 5 ····························	349.20		✓ Gemzar
Inj 200 mg		1	✓ Gemcitabine Ebewe
iiij 200 iiig	78.00	'	✓ Gemzar
Ini 1 mg for ECD		1 ma	✓ Baxter
Inj 1 mg for ECP	0.20	1 mg	▶ Daxter

### ■SA1012 Special Authority for Subsidy

Initial application — (Hodgkin's Disease) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has Hodgkin's Disease\*; and
- 2 Any of the following:
  - 2.1 Disease has failed to respond to second-line salvage chemotherapy treatment; or
  - 2.2 Disease has relapsed following transplant; or
  - 2.3 The patient is unsuitable for, or intolerant to, second-line salvage chemotherapy or high dose chemotherapy and transplant; and
- 3 Gemcitabine to be given for a maximum of 6 treatment cycles.

Initial application — (T-Cell Lymphoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

continued...

Both:

- 1 The patient has T-cell Lymphoma\*; and
- 2 Gemcitabine to be given for a maximum of 6 treatment cycles.

**Initial application — (Other indications)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 1 The patient has non small cell lung carcinoma (stage IIIa, or above); or
- 2 The patient has advanced malignant mesothelioma; or
- 3 The patient has advanced pancreatic carcinoma; or
- 4 The patient has ovarian, fallopian tube\* or primary peritoneal carcinoma\*; or
- 5 The patient has advanced transitional cell carcinoma of the urothelial tract (locally advanced or metastatic).

Renewal — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with a \* are Unapproved Indications.

		IRINOTECAN - PCT only - Specialist - Special Authority see SA0878 below
Camptosar	1	Inj 20 mg per ml, 2 ml124.00
✓ Camptosar	1	Inj 20 mg per ml, 5 ml310.00
✓ Baxter	1 ma	Ini 1 mg for ECP

# **■**SA0878 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- Both
  - 1 The patient has metastatic colorectal cancer; and
  - 2 Either:
    - 2.1 To be used for first or second line use as part of a combination chemotherapy regimen; or
    - 2.2 As single agent chemotherapy in fluropyrimidine-relapsed disease.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- Either:
  - 1 The patient requires continued therapy; or
  - 2 The tumour has relapsed and requires re-treatment.

MERCAPTOPURINE	<ul> <li>PCT – Retail pharmacy-Specialist</li> </ul>			
Tab 50 mg		47.06	25	✓ Puring

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
METHOTREXATE				
* Tab 2.5 mg - PCT - Hospital pharmacy [HP3]-Specialist	5.22	30	✓ N	lethoblastin
* Tab 10 mg - PCT - Hospital pharmacy [HP3]-Specialist	40.93	50	✓ N	lethoblastin_
* Inj 2.5 mg per ml, 2 ml - PCT - Hospital pharmacy [HP1]- Specialist		5	✓ N	layne
* Inj 25 mg per ml, 2 ml - PCT - Hospital pharmacy [HP1]- Specialist		5	<b>✓</b> N	layne
* Inj 25 mg per ml, 20 ml - PCT - Hospital pharmacy [HP1]- Specialist	80.25	1	✓ N	layne
* Inj 100 mg per ml, 10 ml - PCT - Hospital pharmacy [HP1]- Specialist		1	✓ <u>N</u>	lethotrexate Ebewe
* Inj 100 mg per ml, 50 ml – PCT – Hospital pharmacy [HP1]- Specialist		1	✓ N	lethotrexate Ebewe
* Inj 1 mg for ECP - PCT only - Specialist		1 mg	<b>✓</b> B	axter
* Inj 5 mg intrathecal syringe for ECP - PCT only - Specialist	4.73	5 mg Öl	P 🗸 B	axter
THIOGUANINE – PCT – Hospital pharmacy [HP3]-Specialist Tab 40 mg	97.16	25	<b>√</b> L	anvis
Other Cytotoxic Agents				
AMSACRINE – PCT only – Specialist Inj 75 mg		6		msidine S29
ANAGRELIDE HYDROCHLORIDE – PCT only – Specialist – Specia	pecial Authority see	SA087	9 below	

## **▶**SA0879 Special Authority for Subsidy

ADCENIC TRIOVIDE DOT only Charlete

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has primary thrombocythaemia; and
- 2 Either:
  - 2.1 is at high risk (previous thromboembolic disease, bleeding or platelet count >1500/ml); or
  - 2.2 is intolerant or refractory to hydroxyurea or interferon.

Cap 0.5 mg ......CBS

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that treatment with anagrelide be initiated only on the recommendation of a haematologist.

Inj 10 mg	4,817.00	10	✓ AFT S29
BLEOMYCIN SULPHATE - PCT only - Specialist			4
Inj 15,000 iu	120.00	1	✓ DBL Bleomycin Sulfate
	680.00	10	✓ Blenoxane
Inj 1,000 iu for ECP(Blenoxane Inj 15,000 iu to be delisted 1 June 2010)	9.28	1,000 iu	✓ Baxter
COLASPASE (L-ASPARAGINASE) - PCT only - Specialist			
Inj 10,000 iu	102.32	1	✓ Leunase
Inj 10,000 iu for ECP	102.32	10,000 iu OP	✓ Baxter

✓ Agrylin S29 ✓ Teva S29

	Subsidy (Manufacturer's F \$	Price) Subs Per	Fully Brand or sidised Generic  Manufacturer
DACARBAZINE – PCT only – Specialist Inj 200 mg Inj 200 mg for ECP		1 200 mg OP	<ul><li>✓ Mayne</li><li>✓ Baxter</li></ul>
DACTINOMYCIN (ACTINOMYCIN D) – PCT only – Specialist Inj 0.5 mg		1 0.5 mg OP	✓ Cosmegen ✓ Baxter
DAUNORUBICIN – PCT only – Specialist Inj 2 mg per ml, 10 ml Inj 5 mg per ml, 4 ml Inj 20 mg for ECP	99.00	1 1 20 mg OP	✓ Pfizer S29 ✓ Mayne ✓ Baxter
DOCETAXEL – PCT only – Specialist – Special Authority see S. Inj 20 mg	325.00 460.00	1	✓ Docetaxel Ebewe ✓ Taxotere ✓ Docetaxel Ebewe
Inj 1 mg for ECP	1,650.00	1 mg	✓ Taxotere ✓ Baxter

## ■ SA0880 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
  - 1.1 The patient has ovarian\*, fallopian\* or primary peritoneal cancer\*; and
  - 1.2 Either:
    - 1.2.1 Has not received prior chemotherapy; or
    - 1.2.2 Has received prior chemotherapy but has not previously been treated with taxanes: or
- 2 The patient has metastatic breast cancer; or
- 3 Both:
  - 3.1 The patient has early breast cancer; and
  - 3.2 Docetaxel is to be given concurrently with trastuzumab; or
- 4 Both:
  - 4.1 The patient has non small-cell lung cancer; and
  - 4.2 Either:
    - 4.2.1 Has advanced disease (stage IIIa or above); or
    - 4.2.2 Is receiving combined chemotherapy and radiotherapy; or
- 5 Both:
  - 5.1 The patient has small-cell lung cancer\*; and
  - 5.2 Docetaxel is to be used as second-line therapy.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### Both:

- 1 The patient has metastatic breast cancer, non small-cell lung cancer, or small-cell lung cancer\*; and
- 2 Either:
  - 2.1 The patient requires continued therapy; or
  - 2.2 The tumour has relapsed and requires re-treatment.

Note: indications marked with \* are Unapproved Indications.

	Subsidy		Fully Brand or		
	(Manufacturer's Price \$	) Per	Subsidised Generic  Manufacturer		
DOXORUBICIN - PCT only - Specialist	•				
Inj 10 mg	8 80	1	✓ Doxorubicin Ebewe		
Inj 50 mg		1	✓ Doxorubicin Ebewe		
Inj 100 mg		i	✓ Doxorubicin Ebewe		
Inj 200 mg		1	✓ Doxorubicin Ebewe		
Inj 1 mg for ECP		1 mg	✓ Baxter		
, •		9	<b>5 23</b> .10.		
EPIRUBICIN – PCT only – Specialist Inj 2 mg per ml, 5 ml	25.00	1	✓ Epirubicin Ebewe		
Inj 2 mg per ml, 25 ml		1	✓ Epirubicin Ebewe		
Inj 2 mg per ml, 50 ml		1	✓ Epirubicin Ebewe		
Inj 2 mg per ml, 100 ml		1	✓ Epirubicin Ebewe		
Inj 1 mg for ECP		1 mg	✓ Baxter		
		1 1119	Daktor		
ETOPOSIDE  Cap 50 mg - PCT - Hospital pharmacy [HP3]-Specialist	3/10 72	20	✓ Vepesid		
Cap 100 mg — PCT — Hospital pharmacy [HP3]-Specialist		10	✓ Vepesid		
		10	vepesiu		
Inj 20 mg per ml, 5 ml — PCT — Hospital pharmacy [HP1]- Specialist		1	✓ Mayne		
Specialist	612.20	10	✓ Vepesid		
Inj 1 mg for ECP - PCT only - Specialist		1 mg	✓ Baxter		
, , ,		i ilig	Daxter		
ETOPOSIDE PHOSPHATE – PCT only – Specialist	40.00	_	. d Phonomboo		
Inj 100 mg (of etoposide base)		1	Etopophos		
Inj 1 mg (of etoposide base) for ECP	0.47	1 mg	✓ Baxter		
HYDROXYUREA - PCT - Retail pharmacy-Specialist					
Cap 500 mg	31.76	100	✓ Hydrea		
IDARUBICIN HYDROCHLORIDE - PCT only - Specialist					
Cap 5 mg	115.00	1	✓ Zavedos		
Cap 10 mg	144.50	1	✓ Zavedos		
Inj 5 mg	170.00	1	✓ Zavedos		
Inj 10 mg	340.00	1	✓ Zavedos		
Inj 1 mg for ECP	37.74	1 mg	✓ Baxter		
MESNA - PCT only - Specialist					
Tab 400 mg	168.30	50	✓ Uromitexan		
Tab 600 mg		50	✓ Uromitexan		
Inj 100 mg per ml, 4 ml	109.63	15	✓ Uromitexan		
Inj 100 mg per ml, 10 ml	251.73	15	✓ Uromitexan		
Inj 1 mg for ECP	0.02	1 mg	✓ Baxter		
MITOMYCIN C - PCT only - Specialist					
Inj 2 mg	283.00	10	✓ Mitomycin-C S29		
Inj 10 mg		5	✓ Mitomycin-C S29		
Inj 1 mg for ECP		1 mg	✓ Baxter		
MITOZANTRONE - PCT only - Specialist	-	J			
Inj 2 mg per ml, 5 ml	110.00	1	✓ Mitozantrone Ebewe		
Inj 2 mg per ml, 10 ml		1	✓ Mitozantrone Ebewe		
Inj 2 mg per ml, 12.5 ml		1	✓ Onkotrone		
Inj 1 mg for ECP		1 mg	✓ Baxter		
11) 1 119 101 E01	12.70	· ····g	₹ DUATOI		

	Subsidy (Manufacturer's Price \$	) Per	Fully Subsidised	Brand or Generic Manufacturer
PACLITAXEL - PCT only - Specialist				
Inj 30 mg	189.75	5	<b>✓</b> P	aclitaxel Ebewe
Inj 100 mg	125.35	1	<b>✓</b> P	aclitaxel Ebewe
Inj 150 mg	188.03	1	<b>✓</b> P	aclitaxel Ebewe
Inj 300 mg	376.05	1	<b>✓</b> P	aclitaxel Ebewe
Inj 600 mg	724.50	1	<b>✓</b> P	aclitaxel Ebewe
Inj 1 mg for ECP		1 mg	<b>✓</b> B	axter
PENTOSTATIN (DEOXYCOFORMYCIN) - PCT only - Specialis	t			
Inj 10 mg		1	✓ N	lipent S29
, •				
PROCARBAZINE HYDROCHLORIDE – PCT only – Specialist	225.00	50	₄∕ N	atulan S29
Cap 50 mg			₩ IV	iatuiaii 529
TEMOZOLOMIDE - Special Authority see SA0831 below - Hosp	oital pharmacy [HP3]			
Cap 5 mg	50.00	5		emodal
Cap 20 mg	170.00	5	✓ T	emodal
Cap 100 mg		5	✓ T	emodal
Cap 250 mg	2,100.00	5	✓ T	emodal
SACA0921 Special Authority for Subsidy				

#### **⇒**SA0831 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 10 months for applications meeting the following criteria: All of the following:

- 1 Patient has newly diagnosed glioblastoma multiforme; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of six cycles of 5 days treatment, at a maximum dose of 200 mg/m².

Notes: Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme. Reapplications will not be approved. Studies of temozolomide show that its benefit is predominantly in those patients with a good performance status (WHO grade 0 or 1 or Karnofsky score >80), and in patients who have had at least a partial resection of the tumour.

THALIDOMIDE − PCT only − Specialist − Special Authority see SA0882 below
Only on a controlled drug form
Cap 50 mg .......490.00 28 

✓ Thalidomide Pharmion

# **⇒**SA0882 Special Authority for Subsidy

Initial application — (for new patients) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has refractory, progressive or relapsed multiple myeloma; and
- 2 The patient has received prior chemotherapy.

Initial application — (for patients receiving thalidomide prior to 1 January 2006) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient was receiving treatment with thalidomide for multiple myeloma on or before 31 December 2005.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

TRETINOIN – PCT only – Specialist		
Cap 10 mg435.90	100	Vesanoid
VINBLASTINE SULPHATE		
Inj 10 mg - PCT - Retail pharmacy-Specialist137.50	5	Mayne
Inj 1 mg for ECP - PCT only - Specialist	1 mg	Baxter

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
VINCRISTINE SULPHATE				
Inj 1 mg per ml, 1 ml - PCT - Retail pharmacy-Specialist	99.00	5	<b>/</b>	Mayne
Inj 1 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist	199.00	5	<b>/</b>	Mayne
Inj 1 mg for ECP - PCT only - Specialist	21.46	1 mg	<b>/</b>	Baxter
VINORELBINE - PCT only - Specialist - Special Authority see S	SA1013 below			
Inj 10 mg per ml, 1 ml	24.00	1	<b>/</b>	Navelbine
	42.00		~	Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml	120.00	1	<b>/</b>	Navelbine
	210.00		~	Vinorelbine Ebewe
Inj 1 mg for ECP	2.71	1 mg	<b>/</b>	Baxter

#### **⇒**SA1013 Special Authority for Subsidy

Initial application — (Hodgkin's Disease) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has Hodgkin's Disease\*; and
- 2 Any of the following:
  - 2.1 Disease has failed to respond to second-line salvage chemotherapy treatment; or
  - 2.2 Disease has relapsed following transplant; or
  - 2.3 The patient is unsuitable for, or intolerant to, second-line salvage chemotherapy or high dose chemotherapy and transplant; and
- 3 Vinorelbine to be given for a maximum of 6 treatment cycles.

Initial application — (T-Cell Lymphoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has T-cell Lymphoma\*; and
- 2 Vinorelbine to be given for a maximum of 6 treatment cycles.

**Initial application** — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has metastatic breast cancer; or
- 2 The patient has non-small cell lung cancer (stage Illa, or above); or
- 3 All of the following:
  - 3.1 The patient has stage IB-IIIA non-small cell lung cancer; and
  - 3.2 Vinorelbine is to be given as adjuvant treatment in combination with cisplatin; and
  - 3.3 The patient has good performance status (WHO/ECOG grade 0-1).

Renewal — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with a \* are Unapproved Indications.

# Protein-tyrosine Kinase Inhibitors

d page		
3,774.06	60	Sprycel
6,214.20	60	Sprycel
7,692.58	60	✓ Sprycel
6,214.20	30	Sprycel
	3,774.06 6,214.20 7,692.58	

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

y Brand or d Generic Manufacturer

### **⇒**SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <a href="http://www.pharmac.govt.nz">http://www.pharmac.govt.nz</a>, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: mary.chesterfield@pharmac.govt.nz

Wellington

## Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

#### Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
  - 1) complete haematologic response (as characterised by an absolute neutrophil count (ANC) >  $1.5 \times 10^9$ /L, platelets >  $100 \times 10^9$ /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - 2) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) >  $1.0 \times 10^9$ /L, platelets >  $20 \times 10^9$ /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - 3) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

IMATINIB MESYLATE - Special Authority see SA0643 below

Tab 100 mg ......2,400.00 60 ✓ Glivec

## **⇒**SA0643 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <a href="http://www.pharmac.govt.nz">http://www.pharmac.govt.nz</a>, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: mary.chesterfield@pharmac.govt.nz

Wellington

#### Special Authority criteria for CML – access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 600 mg/day for accelerated or blast phase, and 400 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

continued...

- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

#### Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if after 6 months from initiating therapy a patient did not obtain a haematological response as defined as any one of the following three levels of response:
  - complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10<sup>9</sup>/L, platelets > 100 × 10<sup>9</sup>/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or</li>
  - no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0 × 10<sup>9</sup>/L, platelets > 20 × 10<sup>9</sup>/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or</li>
  - 3) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if after 18 months from initiating therapy a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

#### Special Authority criteria for GIST - access by application

- a) Funded for patients:
  - 1) with a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST); and
  - 2) who have immunohistochemical documentation of c-kit (CD117) expression by the tumour.
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

#### **Aromatase Inhibitors**

ANASTROZOLE			
Tab 1 mg	26.55	30	✓ Arimidex
•	29.50		✔ DP-Anastrozole
EXEMESTANE – Additional subsidy by Special Authority see Note: Repeat dispensings for Aromasin will be fully subside		, ,	
Tab 25 mg		30	,
· ·	(175.00)		Aromasin

#### ⇒SA1000 | Special Authority for Alternate Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 years for applications meeting the following criteria: All of the following:

- 1 Patient is a postmenopausal woman; and
- 2 Patient has hormone receptor positive breast cancer; and
- 3 Any of the following:
  - 3.1 The patient was receiving funded exemestane prior to 1 February 2010; or
  - 3.2 The patient has advanced breast cancer and a very clear history of intolerance to anastrozole or letrozole; or
  - 3.3 The patient has advanced breast cancer and disease has progressed following treatment with anastrozole or letrozole.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefitting from treatment.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
LETROZOLE Tab 2.5 mg	26.55 (146.46)	30		etara Temara
(Femara Tab 2.5 mg to be delisted 1 July 2010)	( /			
Endocrine Therapy				
For GnRH ANALOGUES – refer to HORMONE PREPARATIONS	, Trophic Hormones, p	age 7	79	
BICALUTAMIDE - Special Authority see SA0941 below - Retail Tab 50 mg	, ,	30	✓ <u>B</u>	<u> Bicalox</u>
■►SA0941 Special Authority for Subsidy Initial application from any medical practitioner. Approvals va advanced prostate cancer.	lid without further ren	ewal	unless noti	fied where the patient has
FLUTAMIDE - Hospital pharmacy [HP3]-Specialist				
Tab 250 mg	48.30	100	<b>✓</b> F	lutamin
MEGESTROL ACETATE - Retail pharmacy-Specialist				
Tab 160 mg		30		Apo-Megestrol
(Megace Tab 160 mg to be delisted 1 August 2010)	(74.25)		N	Megace
OCTREOTIDE (SOMATOSTATIN ANALOGUE) - Special Author	ity soo SAN563 holow	_ Ho	enital nharr	nacy [HD3]
Inj 50 µg per ml, 1 ml	•	5		lospira
, 131	43.50		<b>√</b> S	Sandostatin
Inj 100 μg per ml, 1 ml		5		lospira
1:500	81.00	_		Sandostatin
Inj 500 μg per ml, 1 ml	175.00	5		lospira Sandostatin
Inj LAR 10 mg prefilled syringe		1		Sandostatin LAR
Inj LAR 20 mg prefilled syringe		i		Sandostatin LAR
Inj LAR 30 mg prefilled syringe		1	<b>✓</b> S	Sandostatin LAR

## ⇒SA0563 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Any of the following:

- 1 Both:
  - 1.1 Acromegaly; and
  - 1.2 Patient has failed surgery, radiotherapy, bromocriptine and other oral therapies; or
- 2 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 3 Both:
  - 3.1 Gastrinoma: and
  - 3.2 Either:
    - 3.2.1 Patient has failed surgery; or
    - 3.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or
- 4 Both:
  - 4.1 Insulinomas; and
  - 4.2 Surgery is contraindicated or has failed; or
- 5 For pre-operative control of hypoglycaemia and for maintenance therapy; or
- 6 Both
  - 6.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
  - 6.2 Disabling symptoms not controlled by maximal medical therapy.

Subsidy		Fully	Brand or
(Manufacturer's Price)	Su	bsidised	Generic
\$	Per	~	Manufacturer

continued...

Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

#### TAMOXIFFN CITRATE

*	Tab 10 mg10.80	100	✓ Genox
*	Tab 20 mg6.66	60	✓ Tamoxifen Sandoz
	11 10	100	✓ Genov

#### **Immunosuppressants**

## Cytotoxic Immunosuppressants

AZATHIOPRINE - Retail pharmacy-Specialist			
* Tab 50 mg	26.75	100	Azamun
-	25.00		
	(34.90)		Imuran
* Inj 50 mg	46.33	1	
, •	(47.72)		Imuran
MYCOPHENOLATE MOFETIL - Special Authority see SA0	960 below – Hospital pl	narmacy [Hi	P3]
Tab 500 mg	206.66	50	✓ Cellcept

Mycophenolate powder for oral liquid is subsidised only for patients unable to swallow tablets and capsules, and when the prescription is endorsed accordingly.

#### ■ SA0960 | Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Renal transplant recipient; or
- 2 Heart transplant recipient; or
- 3 Liver transplant recipient; or
- 4 Patient has an organ transplant and has severe tophaceous gout making azathioprine unsuitable.

#### Immune Modulators

ANTITHYMOCYTE GLOBULIN (EQUINE) - PCT only - Specialist		
Inj 50 mg per ml, 5 ml2,137.50	5	✓ ATGAM
RITUXIMAB - PCT only - Specialist - Special Authority see SA0961 below		
Inj 100 mg per 10 ml vial1,195.00	2	Mabthera
Inj 500 mg per 50 ml vial2,987.00	1	Mabthera
Inj 1 mg for ECP	1 mg	Baxter

## **⇒**SA0961 | Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 2 To be used for a maximum of 8 treatment cycles.

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised Per Brand or Generic Manufacturer

continued...

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

Fither:

- 1 Both:
  - 1.1 The patient has indolent low grade NHL with relapsed disease following prior chemotherapy; and
  - 1.2 To be used for a maximum of 4 treatment cycles; or
- 2 Both:
  - 2.1 The patient has indolent, low grade lymphoma requiring first-line systemic chemotherapy; and
  - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. Rituximab is not funded for Chronic lymphocytic leukaemia/small lymphocytic lymphoma.

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has treatment-naive aggressive CD20 positive NHL; and
- 2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 3 To be used for a maximum of 8 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 4 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. Rituximab is not funded for Chronic lymphocytic leukaemia/small lymphocytic lymphoma.

**Renewal — (Post-transplant)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

TRASTUZUMAB - PCT only - Specialist - Special Authority see SA0885 below

Inj 150 mg vial	1,350.00	1	Herceptin
Inj 440 mg vial	3,875.00	1	✔ Herceptin
Inj 1 mg for ECP	9.36	1 mg	Baxter

#### ■ SA0885 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the patient has metastatic breast cancer expressing HER-2 IHC 3+ or FISH+.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic breast cancer; and
- 2 The cancer has not progressed.

**Initial application — (early breast cancer)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or FISH +; and
- 2 Maximum cumulative dose of 20mg/kg (9 weeks treatment)\*; and
- 3 Trastuzumab is to be given concurrently with adjuvant taxane chemotherapy\*; and
- 4 Trastuzumab is not to be given concurrently with anthracycline chemotherapy.

Notes: indications marked with \* are Unapproved Indications.

It is recommended that for early breast cancer trastuzumab be administered concurrently with docetaxel prior to anthracyclines as per the FinHer regimen (Joensuu H, Kellokumpu-Lehtinen P, Bono P, et al. Adjuvant docetaxel or vinorelbine with or without trastuzumab for breast cancer. N Engl J Med 2006;354(8):809-20).

## Other Immunosuppressants

CYCLOSPORIN – Hospital pharmacy [HP3]			
Cap 25 mg	59.50	50	✓ Neoral
Cap 50 mg	118.54	50	✓ Neoral
Cap 100 mg	237.08	50	✓ Neoral
Oral liq 100 mg per ml	264.17	50 ml OP	✓ Neoral
SIROLIMUS - Special Authority see SA0866 below - Hos	pital pharmacy [HP3]		
Tab 1 mg	813.00	100	Rapamune
Tab 2 mg	1,626.00	100	Rapamune
Oral lig 1 mg per ml	487.80	60 ml OP	✓ Rapamune

#### **⇒**SA0866 Special Authority for Subsidy

**Initial application** from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR<30 ml/min; or
- Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- . HUS or TTP; or
- · Leukoencepthalopathy; or
- Significant malignant disease

TACROLIMUS – Special Authority see SA0669 below – Hospital pharmacy [HP3]	
Cap 0.5 mg214.00	1

Cap 0.5 mg	214.00	100	✔ Prograf
Cap 1 mg	428.00	100	Prograf
Cap 5 mg	1,070.00	50	Prograf

#### ⇒SA0669 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Note: Subsidy applies for either primary or rescue therapy.

## **Antiallergy Preparations**

BEE VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Hospital pharmacy [HP3]

Maintenance kit - 6 vials 120  $\mu g$  freeze dried venom, 6 diluent

#### **⇒**SA0053 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

**Renewal** only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

WASP VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Hospital pharmacy [HP3]

Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried

## **⇒**SA0053 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

**Renewal** only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

#### **Antihistamines**

CETIRIZINE HYDROCHLORIDE			
* Tab 10 mg		100	✓ Zetop
*‡ Oral liq 1 mg per ml	3.50	200 ml	Cetirizine - AFT
CHLORPHENIRAMINE MALEATE			
*‡ Oral liq 2 mg per 5 ml	8.06	500 ml	✓ Histafen
CYPROHEPTADINE HYDROCHLORIDE			
* Tab 4 mg	6.27	100	✓ Periactin
(Periactin Tab 4 mg to be delisted 1 September 2010)			
DEXTROCHLORPHENIRAMINE MALEATE			
* Tab 2 mg	2.02	40	
-	(7.99)		Polaramine
* Tab long-acting 6 mg	5.40	40	
	(12.56)		Polaramine
			Colour-Free
			Repetab
*‡ Oral liq 2 mg per 5 ml	1.77	100 ml	
	(10.29)		Polaramine
(Polaramine Colour-Free Repetab Tab long-acting 6 mg	to be delisted 1 August 20	10)	

	Subsidy	D: \	Fully Brand or
	(Manufacturer's \$	Price) Sub Per	osidised Generic  Manufacturer
FEXOFENADINE HYDROCHLORIDE			
* Tab 60 mg	4.34	20	
* Tab 00 mg	(11.53)	20	Telfast
* Tab 120 mg	, ,	30	Tondot
	(29.81)		Telfast
LORATADINE			
* Tab 10 mg	3.58	100	✓ Loraclear Hayfever
* Oral lig 1 mg per ml	3 65	100 ml	Relief  ✓ Lorapaed
, ,,		100 1111	<u> </u>
PROMETHAZINE HYDROCHLORIDE	0.70	50	Allow out to
* Tab 10 mg		50 50	Allersoothe
* Tab 25 mg		50	Allersoothe
*‡ Oral liq 5 mg per 5 ml	3.10	100 ml	Promethazine Winthrop Elixir
	(8.51)		Phenergan
* Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO (Phenergan Oral liq 5 mg per 5 ml to be delisted 1 July 2010)	11.00	5	✓ Mayne
TRIMEPRAZINE TARTRATE			
‡ Oral liq 30 mg per 5 ml	2 79	100 ml OP	
+ Old IIQ 00 IIIg por 0 III	(8.06)	100 1111 01	Vallergan Forte
Inhaled Corticosteroids			
BECLOMETHASONE DIPROPIONATE			
Aerosol inhaler, 100 µg per dose CFC-free	12 50	200 dose OP	✓ Beclazone 100
Aerosol inhaler, 250 µg per dose CFC-free		200 dose OP	✓ Beclazone 250
Aerosol inhaler, 50 µg per dose CFC-free		200 dose OP	✓ Beclazone 50
BUDESONIDE		200 0000 01	V Bookazonio oo
Powder for inhalation, 100 µg per dose	17.00	200 dose OP	✓ Pulmicort
Towaer for initial attorit, 100 pg per dose	17.00	200 dose Oi	Turbuhaler
Powder for inhalation, 200 µg per dose	19.00	200 dose OP	✓ Pulmicort
Toward for initial allott, 200 µg per dose	10.00	200 0030 01	Turbuhaler
Powder for inhalation, 400 µg per dose	32.00	200 dose OP	✓ Pulmicort
73 75 75 75 75 75 75 75 75 75 75 75 75 75			Turbuhaler
FLUTICASONE			
Aerosol inhaler, 50 µg per dose CFC-free	7.50	120 dose OP	✓ Flixotide
Powder for inhalation, 50 µg per dose		60 dose OP	
	(8.67)		Flixotide Accuhaler
Powder for inhalation, 100 µg per dose	` ,	60 dose OP	
, ror	(13.87)	<del>-</del> -	Flixotide Accuhaler
Aerosol inhaler, 125 µg per dose CFC-free	, ,	120 dose OP	✓ Flixotide
Aerosol inhaler, 250 µg per dose CFC-free		120 dose OP	✓ Flixotide
Powder for inhalation, 250 µg per dose		60 dose OP	. :::::::::::::::::::::::::::::::::::::
LA be. 2000	(24.51)		Flixotide Accuhaler
	(=)		

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

## Inhaled Long-acting Beta-adrenoceptor Agonists

#### Prescribing Guideline for Inhaled Long-Acting Beta-Adrenoceptor Agonists

The addition of inhaled long-acting beta-adrenoceptor agonists (LABAs) to inhaled corticosteroids is recommended:

- For younger children (aged under 12 years) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 200 up beclomethasone or budesonide (or 100 up fluticasone).
- For adults and older children (aged 12 years and over) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 400 µg beclomethasone or budesonide (or 200 µg fluticasone).

#### Note:

Further information on the place of inhaled corticosteroids and inhaled LABAs in the management of asthma can be found in the New Zealand guidelines for asthma in adults (www.nzgg.org.nz) and in the New Zealand guidelines for asthma in children aged 1-15 (www.paediatrics.org.nz).

EFORMOTEROL FUMARATE – See prescribing guideline above Powder for inhalation, 6 μg per dose, breath activated	60 dose OP 60 dose	✓ Oxis Turbuhaler ✓ Foradil
SALMETEROL – See prescribing guideline above Aerosol inhaler CFC-free, 25 µg per dose	120 dose OP 60 dose OP	✓ Serevent ✓ Serevent Accuhaler

## Inhaled Corticosteroids with Long-Acting Beta-Adrenoceptor Agonists

## ⇒SA0958 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 All of the following:
  - 1.1 Patient is a child under the age of 12; and
  - 1.2 All of the following:

Has, for 3 months of more, been treated with:

- 1.2.1 An inhaled long-acting beta adrenoceptor agonist; and
- 1.2.2 Inhaled corticosteroids at a dose of at least  $400~\mu g$  per day beclomethasone or budesonide, or  $200~\mu g$  per day fluticasone; and
- 1.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product; or
- 2 All of the following:
  - 2.1 Patient is over the age of 12; and
  - 2.2 All of the following:

Has, for 3 months of more, been treated with:

- 2.2.1 An inhaled long-acting beta adrenoceptor agonist; and
- 2.2.2 Inhaled corticosteroids at a dose of at least 800 μg per day beclomethasone or budesonide, or 500 μg per day fluticasone: and
- 2.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	0.1.11		5 " B .
	Subsidy (Manufacturer)		Fully Brand or sidised Generic
	(Manufacturer's	Per	✓ Manufacturer
	Ψ		
BUDESONIDE WITH EFORMOTEROL - Special Authority see S	A0958 on the	preceding page -	- Retail pharmacy
Aerosol inhaler 100 μg with eformoterol fumarate 6 μg	55.00	120 dose OP	✓ Vannair
Powder for inhalation 100 µg with eformoterol fumarate 6 µg	55.00	120 dose OP	✓ Symbicort
			Turbuhaler 100/6
Aerosol inhaler 200 µg with eformoterol fumarate 6 µg	60.00	120 dose OP	✓ Vannair
Powder for inhalation 200 µg with eformoterol fumarate 6 µg		120 dose OP	✓ Symbicort
			Turbuhaler 200/6
Powder for inhalation 400 µg with eformoterol fumarate 12 µg			
No more than 2 dose per day		60 dose OP	✓ Symbicort
No more than 2 dose per day	00.00	00 0030 01	Turbuhaler 400/12
FLUTICASONE WITH SALMETEROL - Special Authority see SA		receding page -	. ,
Aerosol inhaler 50 μg with salmeterol 25 μg	37.48	120 dose OP	✓ Seretide
Aerosol inhaler 125 μg with salmeterol 25 μg	49.69	120 dose OP	✓ Seretide
Powder for inhalation 100 µg with salmeterol 50 µg - No more			
than 2 dose per day		60 dose OP	✓ Seretide Accuhaler
Powder for inhalation 250 μg with salmeterol 50 μg – No more			
than 2 dose per day		60 dose OP	✓ Seretide Accuhaler
		00 0000 01	• Ceretide Adduntater
Beta-Adrenoceptor Agonists			
SALBUTAMOL			
‡ Oral liq 2 mg per 5 ml		150 ml	✓ Salapin
Infusion 1 mg per ml, 5 ml	118.38	10	
	(130.21)		Ventolin
Inj 500 μg per ml, 1 ml - Up to 5 inj available on a PSO	12.90	5	✓ Ventolin
Inhaled Beta-Adrenoceptor Agonists			
illialed beta-Adrenoceptor Agonists			
SALBUTAMOL			
Aerosol inhaler, 100 μg per dose CFC free – Up to 1000 dose			
available on a PSO		200 dose OP	✓ Respigen
available oil a F30	3.00	200 00se OF	✓ Respigen ✓ Salamol
	(0.00)		
	(6.00)		Ventolin
Nebuliser soln, 1 mg per ml, 2.5 ml – Up to 30 neb available			4
on a PSO		20	✓ <u>Asthalin</u>
Nebuliser soln, 2 mg per ml, 2.5 ml - Up to 30 neb available			
on a PSO	3.70	20	✓ Asthalin
TERBUTALINE SULPHATE			
Powder for inhalation, 250 µg per dose, breath activated	18.20	200 dose OP	✓ Bricanyl Turbuhaler
	10.20	200 dose OF	Bricarry Turburialer
Inhaled Anticholinergic agents			
• •			
IPRATROPIUM BROMIDE			
Aerosol inhaler, 20 µg per dose CFC-free	16.20	200 dose OP	✓ Atrovent
Nebuliser soln, 250 µg per ml, 1 ml - Up to 40 neb available			
on a PSO		20	✓ <u>Ipratropium</u>
			Steri-Neb
Nebuliser soln, 250 μg per ml, 2 ml - Up to 40 neb available			<u></u>
on a PSO		20	✓ <u>Ipratropium</u>
			Steri-Neb
TIOTROPIUM BROMIDE - Special Authority see SA0872 on the	novt noce	otail pharman:	
Powder for inhalation, 18 µg per dose		30 dose	✓ Spiriva
i owaei ioi iiiiiaialioii, io µy pei aose		00 009E	₹ Spiliva

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✓ Manufacturer

## **⇒**SA0872 Special Authority for Subsidy

**Initial application** only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialled a dose of at least 40 µg ipratropium q.i.d for one month; and
- 3 Any of the following:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- 3.1 Grade 4 (stops for breath after walking about 100 meters or after a few minutes on the level); or
- 3.2 Grade 5 (too breathless to leave the house, or breathless when dressing or undressing); and
- 4 Actual FEV<sub>1</sub> (litres) < 0.6 × predicted (litres); and
- 5 Either:
  - 5.1 Patient is not a smoker (for reporting purposes only); or
  - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

**Renewal** only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined); and
- 3 Applicant must state recent measurement of FEV<sub>1</sub> (% of predicted).

## Inhaled Beta-Adrenoceptor Agonists with Anticholinergic Agents

SALBUTAMOL WITH IPRATROPIUM BROMIDE  Aerosol inhaler, 100 µg with ipratropium bromide, 20 µg per  dose	13.50	200 dose OP	✓ Combivent
Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml – Up to 20 neb available on a PSO	4.29	20	✓ <u>Duolin</u>
Mast cell stabilisers			
NEDOCROMIL Aerosol inhaler, 2 mg per dose CFC-free	23.20 (28.07)	112 dose OP	Tilade
SODIUM CROMOGLYCATE Powder for inhalation, 20 mg per dose	16.31	50 dose	Intal Spincaps
Aerosol inhaler, 5 mg per dose CFC-free	,	112 dose OP	Vicrom
Methylxanthines			
AMINOPHYLLINE  * Inj 25 mg per ml, 10 ml – Up to 5 inj available on a PSO  THEOPHYLLINE	12.84	5	✓ Mayne
* Tab long-acting 250 mg *‡ Oral liq 80 mg per 15 ml		100 500 ml	✓ Nuelin-SR
*+ Oral ing outing por 10 fill	(15.50)	500 1111	Nuelin

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per V Manufacturer

## **Cystic Fibrosis**

## **⇒**SA0611 Special Authority for Subsidy

Special Authority approved by the Cystic Fibrosis Advisory Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Cystic Fibrosis Advisory Panel Phone: (04) 460 4990 PHARMAC, PO Box 10 254 Pacsimile: (04) 916 7571

Wellington Email: CFPanel@pharmac.govt.nz

Prescriptions for patients approved for treatment must be written by respiratory physicians or paediatricians who have experience and expertise in treating cystic fibrosis.

## **Nasal Preparations**

## Allergy Prophylactics

BECLOMETHASONE DIPROPIONATE		
Metered aqueous nasal spray, 50 µg per dose2.35	200 dose OP	✓ Alanase
Metered aqueous nasal spray, 100 μg per dose2.46	200 dose OP	✓ Alanase
BUDESONIDE		
Metered aqueous nasal spray, 50 µg per dose2.35	200 dose OP	
(4.00)		Butacort Aqueous
Metered aqueous nasal spray, 100 µg per dose2.61	200 dose OP	
(4.81)		Butacort Aqueous
FLUTICASONE PROPIONATE		
Metered aqueous nasal spray, 50 µg per dose13.34	120 dose OP	✓ Flixonase Hayfever
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		& Allergy
IPRATROPIUM BROMIDE		
Aqueous nasal spray, 0.03%12.66	30 ml OP	✓ Apo-Ipravent
SODIUM CROMOGLYCATE		
Nasal spray, 4%15.85	22 ml OP	✓ <u>Rex</u>

## **Respiratory Devices**

#### MASK FOR SPACER DEVICE

- a) Maximum of 20 dev per WSO
- b) Only on a WSO
- c)
- 1) Only available for children aged six years and under.
- For Space Chamber and Foremount Child's Silicone Mask wholesale supply order must indicate clearly if either the spacer device, the mask, or both are required.
- 3) Distributed by Airflow Products. Forward orders to:

Airflow Products Telephone: 04 499 1240 or 0800 AIR FLOW PO Box 1485, Wellington Facsimile: 04 499 1245 or 0800 323 270

	Subsidy (Manufacturer's Price) \$	Fu Subsidis Per	
PEAK FLOW METER  a) Maximum of 10 dev per WSO b) Only on a WSO Low range			<u>' Breath-Alert</u> ' Breath-Alert
Normal range			
Space Chamber distributed by Airflow Products. Forwa Airflow Products - PO Box 1485, Wellington Telephone: 04 499 1240 or 0800 AIR FLOW, Facsimile Volumatic Distributed by GlaxoSmithKline. Forward ord Telephone: 0800 877 789 Facsimile: 0800 877 785 230 ml (autoclavable) – Subsidy by endorsement	: 04 499 1245 or 080 ers to: 11.60	1 🗸	' <u>Space Chamber</u> n autoclave and the WSO is
endorsed accordingly.  800 ml		1	Volumatic

	Subsidy (Manufacturer's F	Prico) Sub	Fully Brand or sidised Generic
	(Manulacturer 5 i	Per	✓ Manufacturer
Ear Preparations			
ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BEN	NZETHONIUM		
For Vosol ear drops with hydrocortisone powder refer, page 1			
Ear drops 2% with 1, 2-Propanediol diacetate 3% and benzethonium chloride 0.02%		25 ml OD	✓ Vosol
	0.97	35 ml OP	<b>₽</b> 10501
CHLORAMPHENICOL Ear drops 0.5%	1.87	5 ml OP	✓ Chloromycetin
FLUMETASONE PIVALATE		· · · · · ·	· · · · · · · · · · · · · · · · · · ·
Ear drops 0.02% with clioquinol 1%	4.46	7.5 ml OP	✓ Locorten-Vioform
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCI		N	
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate			
2.5 mg and gramicidin 250 μg per g	3.35	7.5 ml OP	✓ Kenacomb
Ear/Eye Preparations			
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN			
Ear/Eye drops 500 µg with framycetin sulphate 5 mg and			
gramicidin 50 µg per ml		8 ml OP	
	(9.27)		Sofradex
FRAMYCETIN SULPHATE	4.10	0 ml OD	
Ear/Eye drops 0.5%	(8.65)	8 ml OP	Soframycin
Eye Preparations	(0.00)		oonanyon.
Lye Fleparations			
Anti-Infective Preparations			
ACICLOVIR			
* Eye oint 3%	37.53	4.5 g OP	✓ Zovirax
CHLORAMPHENICOL			
Eye oint 1%		4 g OP	✓ Chlorsig
Eye drops 0.5%	2.40	10 ml OP	✓ Chlorsig
CIPROFLOXACIN Eye Drops 0.3%	10.40	5 ml OP	✓ Ciloxan
For treatment of bacterial keratitis or severe bacterial conjugate			
FUSIDIC ACID		it to omorampin	
Eye drops 1%	4.50	5 g OP	
	(10.68)		Fucithalmic
GENTAMICIN SULPHATE			4.0
Eye drops 0.3%	11.40	5 ml OP	✓ Genoptic
PROPAMIDINE ISETHIONATE  * Eye drops 0.1%	2 07	10 ml OP	
ж Lyc чторэ 0.1 /0	(7.99)	IO IIII OF	Brolene
SULPHACETAMIDE SODIUM	\/		
* Eye drops 10%	4.41	15 ml OP	✓ Bleph 10
TOBRAMYCIN			
Eye oint 0.3%		3.5 g OP	Tobrex
Eye drops 0.3%	11.48	5 ml OP	✓ Tobrex

Fully

Brand or

Subsidy

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or sidised Generic  Manufacturer
Corticosteroids and Other Anti-Inflammatory Pro	eparations		
DEXAMETHASONE			
* Eye oint 0.1%		3.5 g OP	Maxidex
* Eye drops 0.1%		5 ml OP	✓ Maxidex
DEXAMETHASONE WITH NEOMYCIN AND POLYMYXIN B SUL			
Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin B sulphate 6,000 u per g		3.5 g OP	✓ Maxitrol
* Eye drops 0.1% with neomycin sulphate 0.35% and polymy-		0.5 g Oi	<b>▼</b> IVIDATION
xin B sulphate 6,000 u per ml		5 ml OP	✓ Maxitrol
DICLOFENAC SODIUM			
* Eye drops 1 mg per ml	13.80	5 ml OP	✓ Voltaren Ophtha
FLUOROMETHOLONE			
* Eye drops 0.1%	4.05	5 ml OP	✓ <u>FML</u>
LEVOCABASTINE			
Eye drops 0.5 mg per ml		4 ml OP	
	(10.34)		Livostin
LODOXAMIDE TROMETAMOL	0.74	40 100	41
Eye drops 0.1%	8./1	10 ml OP	✓ Lomide
PREDNISOLONE ACETATE	4.50	ГI ОП	· / Duned Milel
* Eye drops 0.12%*  Eye drops 1%		5 ml OP 5 ml OP	✓ Pred Mild ✓ Pred Forte
SODIUM CROMOGLYCATE		0 1111 01	• Trod Forto
Eye drops 2%	3.95	10 ml OP	✓ Cromolux
Glaucoma Preparations - Beta Blockers			
BETAXOLOL HYDROCHLORIDE			
* Eye drops 0.25%		5 ml OP	✓ Betoptic S
* Eye drops 0.5%	7.50	5 ml OP	✓ Betoptic
LEVOBUNOLOL			4.5
* Eye drops 0.25%		5 ml OP	Betagan  Betagan
* Eye drops 0.5%	7.00	5 ml OP	✓ <u>Betagan</u>
TIMOLOL MALEATE  * Eye drops 0.25%	2 37	5 ml OP	✓ Apo-Timop
* Eye drops 0.25%, gel forming		2.5 ml OP	✓ Timoptol XE
* Eye drops 0.5%		5 ml OP	✓ <u>Apo-Timop</u>
* Eye drops 0.5%, gel forming	3.78	2.5 ml OP	✓ Timoptol XE
Glaucoma Preparations - Carbonic Anhydrase Ir	hibitors		
Prescribing Guidelines			and for the above to the following
Trusopt, Cosopt and Azopt are subsidised for use as either mono Trusopt, Cosopt and Azopt should not be prescribed for a perso			
glaucoma are not contraindicated unless:	211 III WIIOIII 163	ovhensive IIIs	i iiio agonio ioi ilie ileaililelli t
1) that person has previously trialled all other such subsidised			
2) those trials have indicated that that person does not respon	nd adequately to	treatment with	those other agents.
ACETAZOLAMIDE	,	46-	4 = 1
* Tab 250 mg	10.40	100	✓ <u>Diamox</u>

## SENSORY ORGANS

SENSONT ONGANS				
	Subsidy (Manufacturer's P	,	Fully bsidised	Brand or Generic
	\$	Per	~	Manufacturer
BRINZOLAMIDE				
▲ Eye Drops 1%	9.77	5 ml OP	✓ Az	opt
DORZOLAMIDE HYDROCHLORIDE				
* Eye drops 2%		5 ml OP		
	(13.95)		Tru	usopt
DORZOLAMIDE HYDROCHLORIDE WITH TIMOLOL MALEATE	=			
* Eye drops 2% with timolol maleate 0.5%	15.50	5 ml OP	✓ Co	sopt
Glaucoma Preparations - Prostaglandin Analog	ues			
Prescribing Guideline				
Bimatoprost, lantanoprost and travoprost are subsidised for us adjunctive agent for patients in whom prostaglandin analogue more Bimatoprost, lantanoprost and travoprost should not be prescrib treatment of glaucoma are not contraindicated unless:	onotherapy has be	en ineffective	in contro	lling intraocular pressure.

1) That person has previously trialled all other such subsidised agents (beta-blockers, pilocarpine, carbonic anhydrase in-

BIMATOPROST - Retail pharmacy-Specialist

See prescribing guideline above

hibitors): and

2) Those trials have indicated that that person does not respond adequately to treatment with those other agents.

LATANOPROST - Retail pharmacy-Specialist

See prescribing guideline above

#### TRAVOPROST - Retail pharmacy-Specialist

- a) See prescribing guideline above
- b) Additional subsidy by endorsement is available for patients who were being prescribed travoprost prior to 1 April 2010. Note additional subsidy valid until 30 September 2010. Pharmacists may annotate prescriptions for patients who were being prescribed travoprost prior to 1 April 2010 in which case the prescription is deemed to be endorsed. The pharmacist must be able to show a clear documented dispensing history for the patient. The prescription must be endorsed accordingly.

## **Glaucoma Preparations - Other**

#### BRIMONIDINE TARTRATE

#### **Prescribing Guidelines**

Brimonidine tartrate is subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma. Brimonidine tartrate should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- that person has previously trialled all other such subsidised agents (except dorzolamide hydrochloride); and
- those trials have indicated that that person does not respond adequately to or does not tolerate treatment with those other agents.

#### BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE

Subsidy (Manufacturer's Price)	s	Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

#### **Prescribing Guidelines**

Combigan is subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma. Combigan should only be prescribed when:

- 1) less expensive first line agents for the treatment of glaucoma are contraindicated; or
- 2) the response to such subsidised agents is inadequate; or
- 3) the patient cannot tolerate such subsidised agents.

#### PIL OCARPINE

FIL	OCANFINE		
*	Eye drops 1%4.26	15 ml OP	✓ Isopto Carpine S29
*	Eye drops 2%5.35	15 ml OP	✓ Isopto Carpine (\$29)
*	Eye drops 4%	15 ml OP	✓ Isopto Carpine S29
*	Eye drops 2% single dose - Special Authority see SA0895		
	below – Hospital pharmacy [HP3]31.95	20 dose	
	(32.72)		Minims

## ■ SA0895 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

## **Mydriatics and Cycloplegics**

* Eye drops 1%17.36	15 ml OP	✓ Atropt
CYCLOPENTOLATE HYDROCHLORIDE  * Eye drops 1%	5 15 ml OP	✓ Cyclogyl
HOMATROPINE HYDROBROMIDE  * Eye drops 2%	3 15 ml OP	✓ Isopto Homatropine
TROPICAMIDE	15 ml OD	A Marabia and
* Eye drops 0.5%       7.15         * Eye drops 1%       8.66		<ul><li>Mydriacyl</li><li>Mydriacyl</li></ul>
Preparations for Tear Deficiency		
For acetylcysteine eye drops refer, page 166		

#### For acetylcysteine eye drops refer, page 16

**HYPROMELLOSE** 

* Eye drops 0.3%	2 15 ml OP	✓ Poly-Tears
* Eye drops 0.5%2.0	0 15 ml OP	✓ Methopt
POLYVINYL ALCOHOL		
* Eye drops 1.4%	8 15 ml OP	✓ <u>Vistil</u>
* Eye drops 3%	5 15 ml OP	✓ <u>Vistil Forte</u>
TYLOXAPOL		
* Eye drops 0.25%8.6	3 15 ml OP	✓ Enuclene

## **Other Eye Preparations**

NAPHAZOLINE HYDROCHLORIDE		
* Eye drops 0.1%4.15	15 ml OP	Naphcon Forte

## **SENSORY ORGANS**

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or sidised Generic  Manufacturer
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN  * Eye oint with soft white paraffin	3.63	3.5 g OP	✓ <u>Lacri-Lube</u>
PARAFFIN LIQUID WITH WOOL FAT LIQUID  * Eye oint 3% with wool fat liq 3%	3.63	3.5 g OP	✓ Poly-Visc
PHENYLEPHRINE HYDROCHLORIDE  * Eye drops 0.12%	4.47	15 ml OP	✓ <u>Prefrin</u>
PHENYLEPHRINE HYDROCHLORIDE WITH ZINC SULPHATE  * Eye drops 0.12% with zinc sulphate 0.25%(Zincfrin Eye drops 0.12% with zinc sulphate 0.25% to be delisted.)		15 ml OP 2010)	✓ Zincfrin

## INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
  - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
  - b) Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-specialist).
  - c) Menthol crystals only in the following bases:

Aqueous cream

Urea cream 10%

Wool fat with mineral oil lotion

Hydrocortisone 1% with wool fat and mineral oil lotion

Glycerol, paraffin and cetyl alcohol lotion.

## Glossary

**Dermatological base:** The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Glycerol with paraffin and cetyl alcohol lotion
- Hvdrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Oily cream
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- Zinc cream BP
- . Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

**Dermatological galenical:** Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution BP up to 10%
- Hydrocortisone powder up to 5%
- Salicylic acid powder
- Sulphur precipitated powder

**Standard formulae:** Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

## **Explanatory notes**

#### Oral liquid mixtures

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form qs
Preservative qs
Suspending agent qs
Water to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent. Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

The following practices will not be subsidised:

- Mixing one or more proprietary oral liquids (eg an antihistamine with pholoodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

#### Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

#### **Dermatological Preparations**

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 163) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).


One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on page 165 may assist you in deciding whether or not a dermatological ECP is subsidised.

# Dermatological ECPs

Is it subsidised?



## EXTEMPORANEOUSLY COMPOUNDED PRODUCTS & GALENICALS

#### Standard Formulae METHYL HYDROXYBENZOATE 10% SOLUTION ACETYLCYSTEINE EYE DROPS Methyl hydroxybenzoate Acetylcysteine inj 200 mg per ml, 10 ml gs Propylene glycol to 100 ml Suitable eve drop base (Use 1 ml of the 10% solution per 100 ml of oral liquid mixture) ASPIRIN AND CHLOROFORM APPLICATION Aspirin Soluble tabs 300 mg 12 tabs OMEPRAZOLE SUSPENSION Chloroform to 100 ml Omeprazole capules as CODEINE LINCTUS PAEDIATRIC (3 mg per 5 ml) Sodium bicarbonate powder BP 8.4 q Codeine phosphate 60 mg Water to 100 ml Glycerol 40 ml Preservative PHENOBARBITONE ORAL LIQUID as Water to 100 ml Phenobarbitone Sodium 1 a Glycerol BP 70 ml CODEINE LINCTUS DIABETIC (15 mg per 5 ml) Water to 100 ml Codeine phosphate 300 mg Glycerol 40 ml PILOCARPINE ORAL LIQUID Preservative as Pilocarpine 4% eye drops qs Water to 100 ml Preservative as **FOLINIC MOUTHWASH** Water to 500 ml Calcium folinate 15 mg tab (Preservative should be used if quantity supplied is for 1 tab more than 5 days.) Preservative as Water to 500 ml SALIVA SUBSTITUTE FORMULA (Preservative should be used if quantity supplied is for Methylcellulose 5 g more than 5 days. Maximum 500 ml per prescription.) Preservative qs MAGNESIUM HYDROXIDE MIXTURE Water to 500 ml Magnesium hydroxide paste 275 g (Preservative should be used if quantity supplied is for more Methyl hydroxybenzoate 1.5 g than 5 days. Maximum 500 ml per prescription.) Water 770 ml VOSOL EAR DROPS

qs

qs

to 100 ml

WITH HYDROCORTISONE POWDER 1%

1%

to 35 ml

Hydrocortisone powder

Vosol Ear Drops

METHADONE MIXTURE

Methadone powder

Glycerol

Water

## EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
Per ✔ Manufacturer

Extemporaneously Compounded Preparations	and Galenica	ıls	
	ana dalemea		
ACETYLCYSTEINE – Hospital pharmacy [HP1]-Specialist Inj 200 mg per ml, 10 ml	137.06	10	
ing 200 mg per mi, 10 mi	(219.75)	10	Martindale
	(=:::::)		Acetylcysteine
	(255.35)		Hospira
BENZOIN			
Tincture compound BP	24.42	500 ml	
	(38.00)		PSM
CHLOROFORM - Only in combination			
Only in aspirin and chloroform application.	05.50	500 I	4 2011
Chloroform BP	25.50	500 ml	✓ PSM
CODEINE PHOSPHATE	00.00	05	
Powder - Only in combination	(90.09)	25 g	Douglas
a) Only in extemporaneously compounded codeine linct	, ,	ine linctus na	
b) ‡ Safety cap for extemporaneously compounded oral			odd iio
COLLODION FLEXIBLE			
Collodion flexible	19.30	100 ml	✓ PSM
COMPOUND HYDROXYBENZOATE - Only in combination			
Only in extemporaneously compounded oral mixtures.			
Soln	34.18	100 ml	David Craig
GLYCEROL			
* Liquid – Only in combination		2,000 ml	✓ ABM
	24.75		✓ PSM
	19.80 (24.75)		MidWest
Only in extemporaneously compounded oral liquid prepa			Midvicot
MAGNESIUM HYDROXIDE			
Paste	22.61	500 g	✓ PSM
METHADONE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Extemporaneously compounded methadone will only be	reimbursed at the	rate of the ch	eapest form available (methadone
powder, not methadone tablets). Powder	7 9/	1 g	✓ AFT
‡ Safety cap for extemporaneously compounded oral liqu		ı y	₩ AFI
METHYL HYDROXYBENZOATE	ara proparationo.		
Powder	10.00	25 g	✓ ABM
	(18.45)	J	PSM
METHYLCELLULOSE			
Powder	14.00	100 g	✓ ABM
	(17.72)		MidWest

## EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy		Fully	Brand or
	(Manufacturer's P	Price) Su Per	bsidised	Generic Manufacturer
DUENOD ADDITONE CODUM	*			
PHENOBARBITONE SODIUM	50.50	40		! -BA/ 4
Powder – Only in combination		10 g		idWest
	325.00	100 g	✓ IVI	idWest
a) Only in children up to 12 years				
<ul><li>b) ‡ Safety cap for extemporaneously compounded oral lice</li></ul>	quid preparations			
PROPYLENE GLYCOL				
Only in extemporaneously compounded methyl hydroxybenzo	oate 10% solution	٦.		
Liq	12.00	500 ml	✓ A	BM
•	17.70		✓ P	SM
SODIUM BICARBONATE				
Powder BP - Only in combination	9.80	500 g	✓ A	BM
Tondor Br Only in combination	(11.99)	000 g		iomed
	(29.50)			avid Craig
Only in extemporaneously compounded omeprazole susp	' '			avia Oraig
	011010111			
SYRUP (PHARMACEUTICAL GRADE) – Only in combination				
Only in extemporaneously compounded oral liquid preparation		0.000		! do d
Liq	21.75	2,000 ml	V IV	<u>idwest</u>
WATER				
Tap - Only in combination	0.00	1 ml	✓ Ta	ap water

#### **EXPLANATORY NOTES**

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

## Eligibility for Special Authority

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

#### Who can apply for Special Authority?

Initial Applications: Only Specialists

Reapplications: Specialist or general practitioner on recommendation of specialist. Reapplica-

tions by general practitioners on specialist recommendation must include the

name of the specialist and the date the specialist was contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. A supporting letter may be included if desired. Applications must be forwarded to:

Ministry of Health Sector Services

Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

#### Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

#### Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

#### **Definitions**

Failure to thrive

An inability to gain or maintain weight resulting in physiological impairment.

Where the weight of the child is less than the fifth or possibly third percentile for

their age, with evidence of malnutrition

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 

\$ Per ✔ Manufacturer

#### **Nutrient Modules**

## Carbohydrate

## **⇒**SA0912 Special Authority for Subsidy

Initial application — (Cystic fibrosis or renal failure) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Either:

- 1 cystic fibrosis; or
- 2 chronic renal failure or continuous ambulatory peritoneal dialysis (CAPD) patient.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children; or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 failure to thrive; or
- 4 growth deficiency; or
- 5 bronchopulmonary dysplasia; or
- 6 premature and post premature infant; or
- 7 inborn errors of metabolism.

Renewal — (Cystic fibrosis or renal failure) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

CARBOHYDRATE SUPPLEMENT - Special Authority see SA0912 above - Hospital pharmacy [HP3]

Powder	36.50	5,000 g	Morrex Maltodextrin
	1.30	400 g OP	
	(5.29)		Polycal
	(12.00)	368 g OP	Moducal

#### Carbohydrate And Fat

## ■SA0581 | Special Authority for Subsidy

**Initial application — (Cystic fibrosis)** only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 infant aged four years or under; and
- 2 cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 infant aged four years or under; and
- 2 Any of the following:
  - 2.1 cancer in children; or

Subsidy (Manufacturer's Price) Per \$

Fully Subsidised

Brand or Generic Manufacturer

continued...

- 2.2 failure to thrive; or
- 2.3 growth deficiency; or
- 2.4 bronchopulmonary dysplasia; or
- 2.5 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

CARBOHYDRATE AND FAT SUPPLEMENT - Special Authority see SA0581 on the preceding page - Hospital pharmacy [HP3] Powder (neutral) ......60.31 400 g OP Duocal Super Soluble Powder

#### Fat

## **⇒**SA0899 Special Authority for Subsidy

Initial application — (Inborn errors of metabolism) only from a relevant specialist. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a relevant specialist. Approvals valid for 1 vear for applications meeting the following criteria:

Any of the following:

- 1 failure to thrive where other high calorie products are inappropriate or inadequate; or
- 2 growth deficiency: or
- 3 bronchopulmonary dysplasia; or
- 4 fat malabsorption; or
- 5 lymphangiectasia: or
- 6 short bowel syndrome; or
- 7 infants with necrotising enterocolitis: or
- 8 biliary atresia.

Renewal — (Inborn errors of metabolism) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

FAT SUPPLEMENT - Special Authority see SA0899 above - Hospital pharmacy [HP3]

Emulsion (neutral)12.30	200 ml OP	✓ Calogen
30.75	500 ml OP	✓ Calogen
Emulsion (strawberry)12.30	200 ml OP	✓ Calogen
Oil	250 ml OP	✓ Liquigen
30.00	500 ml OP	✓ MCT oil (Nutricia)

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

## **Protein**

#### ⇒SA0582 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 protein losing enteropathy; or
- 2 high protein needs (eg burns).

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

PROTEIN SUPPLEMENT - Special Authority see SA0582 at	bove - Hospital phar	macy [HP3]	
Powder	7.90	225 g OP	Protifar
Powder (vanilla)	12.90	275 a OP	✔ Promod

## **Oral Supplements**

These products are to be used only as supplements to a person's dietary needs. Subsidy for up to 500 ml a day. Amounts prescribed in excess of this amount must be paid for by the patient.

#### ⇒SA0583 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years where the patient has cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children; or
- 2 inflammatory bowel disease: or
- 3 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
   4 malnutrition requiring nutritional support.

**Renewal** — **(Cystic fibrosis)** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

ORAL SUPPLEMENT 1KCAL/ML - Special Authority see SA0583 above - Hospital pharmacy [HP3]

Powder (chocolate)	9.22	900 g OP	<ul><li>Sustagen Hospital Formula</li></ul>
	4.75	400 g OP	
	(7.22)		Ensure
Powder (strawberry)	4.75	400 g OP	
	(7.22)	-	Ensure
Powder (vanilla)	9.22	900 g OP	<ul><li>Sustagen Hospital Formula</li></ul>
	4.75	400 g OP	
	(7.22)		Ensure

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

## Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

#### **Respiratory Products**

## ▶SA0588 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

- 1 CORD patients who have hypercapnia; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

#### All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

#### **Diabetic Products**

## **⇒**SA0594 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Type I and II diabetics who require nutritional supplementation; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

#### All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML - Special Au Liquid		✓ Diason RTH	
ODAL FEED 1/CAL/MI Special Authority and SAG	504 above. Haspital pharm	ooy [UD2]	✓ Glucerna Select RTH
ORAL FEED 1KCAL/ML - Special Authority see SA0	1594 above – Hospitai priarri	acy [np3]	
Liquid (strawberry)	1.50	200 ml OP	✓ Diasip
	1.78	237 ml OP	✔ Resource Diabetic

1.78

1.88

237 ml OP

250 ml OP

✔ Resource Diabetic

Glucerna Select

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

#### **Fat Modified Products**

#### ⇒SA0615 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The product is to be used as a complete diet; and
- 2 Either:
  - 2.1 Patient has metabolic disorders of fat metabolism; or
  - 2.2 Patient has chylothorax.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

FAT MODIFIED FEED - Special Authority see SA0615 above - Hospital pharmacy [HP3]

## **High Protein Products**

#### ■ SA0589 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Anorexia and weight loss: and
- 2 Either:
  - 2.1 decompensating liver disease without encephalopathy; or
  - 2.2 protein losing gastro-enteropathy; and
- 3 Either:
  - 3.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 3.2 The product is to be used as a complete diet.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Fither
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

ORAL FEED 1KCAL/ML - Special Authority see SA0589 above - Hospital pharmacy [HP3]

## Paediatric Products For Children Awaiting Liver Transplant

#### ⇒SA0607 | Special Authority for Subsidy

**Initial application** only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria:

- 1 Child (up to 18 years) who is awaiting liver transplant; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

**Renewal** only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria: Both:

Subsidy Fully (Manufacturer's Price) Subsidised Per ✔

Brand or Generic Manufacturer

continued...

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA0607 on the preceding page - Hospital pharmacy [HP3]

#### Paediatric Products For Children With Chronic Renal Failure

#### ■ SA0606 | Special Authority for Subsidy

**Initial application** only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 child (up to 18 years) with chronic renal failure; and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet.

**Renewal** only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Fither:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA0606 above - Hospital pharmacy [HP3]

#### **Paediatric Products**

#### ■ SA0896 | Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 infant aged one to eight years; and
- 2 Any of the following:
  - 2.1 any condition causing malabsorption; or
  - 2.2 failure to thrive: or
  - 2.3 increased nutritional requirements; and
- 3 Either:
  - 3.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 3.2 The product is to be used as a complete diet.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

	Subsidy (Manufacturer's F \$	Price) Sub	Fully sidised	Brand or Generic Manufacturer
PAEDIATRIC ENTERAL FEED 1KCAL/ML - Special Authority se Liquid		e preceding pag 200 ml OP 500 ml OP	✓ Nu ✓ Nu	pital pharmacy [HP3] trini RTH trini RTH diasure RTH
PAEDIATRIC ORAL FEED 1.5KCAL/ML - Special Authority see Liquid (strawberry) Liquid (vanilla)	1.60	receding page 200 ml OP 200 ml OP	<b>✓</b> Nu	al pharmacy [HP3] htriniDrink htriniDrink
PAEDIATRIC ORAL FEED 1KCAL/ML - Special Authority see S. Liquid (chocolate)	1.07 1.07	eceding page – 200 ml OP 200 ml OP 237 ml OP	✓ Pe ✓ Pe	pharmacy [HP3] diasure diasure diasure
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML - Special / [HP3]	Authority see SAC	0896 on the pre	ceding p	age – Hospital pharmacy
Liquid (chocolate)	1.60	200 ml OP		triniDrink Multifibre
Liquid (strawberry)	1.60	200 ml OP		triniDrink Multifibre
Liquid (vanilla)	1.60	200 ml OP		triniDrink Multifibre
Renal Products				

#### **⇒**SA0587 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 acute or chronic renal failure: and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

#### All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

ENTERAL FEED 2KCAL/ML - Special Authority see SA08 Liquid		,	✓ Nutrison Concentrated
RENAL ORAL FEED 2KCAL/ML - Special Authority see S	SA0587 above – Hospita	al pharmacy [H	P3]
Liquid	2.43	200 ml OP	✓ Nepro (vanilla)
	2.88	237 ml OP	✓ NovaSource Renal
Liquid (apricot)	2.88	125 ml OP	✓ Renilon 7.5
Liquid (caramal)	2 88	125 ml ∩P	✓ Renilon 7.5

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

## **Specialised And Elemental Products**

## ⇒SA0592 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Any of the following:
  - 1.1 malabsorption; or
  - 1.2 short bowel syndrome; or
  - 1.3 enterocutaneous fistulas; or
  - 1.4 pancreatitis; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

PowderPowder		2 above – Hosp 79 g OP 76 g OP	✓ Vital HN ✓ Alitraq
ORAL ELEMENTAL FEED 0.8KCAL/ML - Special Authority see SAC	592 above -	Hospital pharr	macy [HP3]
Liquid (grapefruit)	9.50	250 ml OP	✓ Elemental 028 Extra
Liquid (pineapple & orange)	9.50	250 ml OP	✓ Elemental 028 Extra
Liquid (summer fruit)	9.50	250 ml OP	✓ Elemental 028 Extra
ORAL ELEMENTAL FEED 1KCAL/ML - Special Authority see SA05	92 above – F	lospital pharma	acy [HP3]
Powder (unflavoured)	4.00	80.4 g OP	✓ Vivonex TEN
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML - Special Authority Liquid			ital pharmacy [HP3]  ✓ Peptisorb

#### **Undyalised End Stage Renal Failure**

#### **⇒**SA0586 Special Authority for Subsidy

Initial application only from a gastroenterologist or renal physician. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 undialysed end stage renal patients; and
- - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

Note: Where possible, the requirements for oral supplementation should be established in conjunction with assessment by a dietician.

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

RENAL ORAL FEED 1KCAL/ML - Special Authority see SA0586 on the preceding page - Hospital pharmacy [HP3]

#### **Adult Products Standard**

#### ⇒SA0702 Special Authority for Subsidy

**Initial application — (Oral feed for cystic fibrosis patient)** only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

#### Both:

- 1 Cystic fibrosis: and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet.

Initial application — (Oral feed for indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 any condition causing malabsorption; or
  - 1.2 failure to thrive; or
  - 1.3 increased nutritional requirements; and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet.

Renewal — (Oral feed cystic fibrosis patient) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Eithor:
  - 2.1 The product is to be used as a supplement: or
  - 2.2 The product is to be used as a complete diet; and
  - 3 General Practitioners must include the name of the specialist and date contacted.

Initial application — (Enteral feed) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 enteral feeding; or
  - 1.2 nasogastric; or
  - 1.3 nasoduodenal; or
  - 1.4 nasojejunal; or
  - 1.5 gastrostomy/jejunostomy; and
- 2 Either:

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 2.1 The product is to be used as a supplement; or
- 2.2 The product is to be used as a complete diet.

Renewal — (Enteral feed or Oral feed for indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

Notes: This group of products can be used either as a supplement or as a complete diet.

If a product is being used as a supplement, the limit is 500 ml per day.

Cystic fibrosis patients are exempt the 500 ml per day volume restriction when using Ensure Plus, Fortisip or Resource Plus as a supplement.

ENTERAL FEED 1KCAL/ML - Special Authority see SA0702 on the preceding page - Hospital pharmacy [HP3]

Liquid		250 ml OP	✓ Isosource HN
1			✓ Isosource Standard
	2.65	500 ml OP	✓ Nutrison Standard RTH
	5.29	1,000 ml OP	✓ Nutrison Standard RTH
			✓ Isosource HN RTH ✓ Isosource Standard RTH
			Osmolite RTH
ENTERAL FEED WITH FIBRE 1 KCAL/ML – Special Authority see Liquid		250 ml OP	<ul><li>✓ Fibersource HN</li><li>✓ Nutrison Multi Fibre</li></ul>
ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see Liquid			age – Hospital pharmacy [HP3]  Ensure Plus RTH  Isosource 1.5  Nutrison Energy  Multi Fibre

	(Manufacturer's	Price) Sub	sidised Generic
	\$	Per	✓ Manufacturer
AL FEED 1.5KCAL/ML - Special Authority see SA0702 on	page 178 – Hospi	tal pharmacy [H	HP31
Liquid (banana)		200 ml OP	✓ Fortisip
1 ( )	(1.45)		Ensure Plus
Liquid (chocolate)	` '	200 ml OP	✓ Fortisip
T - ( )	1.33	237 ml OP	✓ Resource Plus
	1.12	200 ml OP	
	(1.45)		Ensure Plus
	1.33	237 ml OP	✓ Ensure Plus
Liquid (coffee latte)	1.33	237 ml OP	✓ Ensure Plus
Liquid (fruit of the forest)		200 ml OP	
,	(1.45)		Ensure Plus
Liquid (strawberry)	1.12 <sup>′</sup>	200 ml OP	✓ Fortisip
, , , , , , , , , , , , , , , , , , , ,	1.33	237 ml OP	✓ Resource Plus
	1.12	200 ml OP	
	(1.45)		Ensure Plus
	1.33	237 ml OP	Ensure Plus
Liquid (toffee)	1.12	200 ml OP	✓ Fortisip
Liquid (tropical fruit)		200 ml OP	✓ Fortisip
Liquid (vanilla)	1.12	200 ml OP	✓ Fortisip
	1.33	237 ml OP	✓ Resource Plus
	1.12	200 ml OP	
	(1.45)		Ensure Plus
	1.33	237 ml OP	Ensure Plus
AL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority se	ee SA0702 on pad	je 178 – Hospita	al pharmacy [HP3]
Liquid (chocolate)		200 ml OP	✓ Fortisip Multi Fibre
Liquid (strawberry)		200 ml OP	✔ Fortisip Multi Fibre
Liquid (vanilla)		200 ml OP	✔ Fortisip Multi Fibre

Subsidy

Fully

Brand or

## **Adult Products High Calorie**

#### ■ SA0585 | Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements; and
- 4 Either:
  - 4.1 The product is to be used as a supplement; or
  - 4.2 The product is to be used as a complete diet.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - 1.1 any condition causing malabsorption; or
  - 1.2 failure to thrive; or
  - 1.3 increased nutritional requirements; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements; and
- 4 Either:

Subsidy Fully Brand or	Subsidy
Manufacturer's Price) Subsidised Generic	(Manufacturer's Price)
\$ Per  Manufacturer	\$

continued...

- 4.1 The product is to be used as a supplement; or
- 4.2 The product is to be used as a complete diet.

**Renewal** — **(Cystic fibrosis)** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted; and
- 2 General r
  - 3.1 The product is to be used as a supplement; or
  - 3.2 The product is to be used as a complete diet.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted; and
- 3 Either:
  - 3.1 The product is to be used as a supplement; or
  - 3.2 The product is to be used as a complete diet.

Notes: This product can be used either as a supplement or as a complete diet.

If it is being used as a supplement, the limit is 500 ml per day.

ORAL FEED 2KCAL/ML - Special Authority see SA0585 on the preceding page - Hospital pharmacy [HP3]
Liquid (vanilla) .......2.25 237 ml OP ✓ Two Cal HN

### **Food Thickeners**

### ■ SA0595 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

FOOD THICKENER - Special Authority see SA0595 above - Hospital pharmacy [HP3]

### Gluten Free Foods

### **⇒**SA0722 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Either:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

### **SPECIAL FOODS**

	Subsidy (Manufacturer's F	Price) Subsid	
	\$	Per	✓ Manufacturer
GLUTEN FREE BAKING MIX - Special Authority see SA0722	, ,,		harmacy [HP3]
Powder		1,000 g OP	
	(5.15)		Healtheries Simple Baking Mix
GLUTEN FREE BREAD MIX - Special Authority see SA0722 of	on the preceding p	age – Hospital pł	narmacy [HP3]
Powder		1,000 g OP	,
	(7.32)	,	NZB Low Gluten Bread Mix
	4.77		
	(8.71)		Bakels Gluten Free Health Bread Mix
	3.51		
	(10.87)		Horleys Bread Mix
GLUTEN FREE FLOUR - Special Authority see SA0722 on the	e preceding page -	- Hospital pharma	acy [HP3]
Powder		2,000 g OP	,. ,
	(18.10)	-	Horleys Flour
GLUTEN FREE PASTA - Special Authority see SA0722 on the	preceding page -	Hospital pharma	cv [HP3]
Buckwheat Spirals		250 g OP	, []
•	(3.11)	J	Orgran
Corn and Vegetable Shells	2.00	250 g OP	·
	(2.92)		Orgran
Corn and Vegetable Spirals		250 g OP	
	(2.92)		Orgran
Rice and Corn Lasagne Sheets		200 g OP	
B: 10 M	(3.82)	050 00	Orgran
Rice and Corn Macaroni		250 g OP	Oraran
Rice and Corn Penne	(2.92)	250 g OP	Orgran
nice and com remie	(2.92)	250 g OF	Orgran
Rice and Maize Pasta Spirals	, ,	250 g OP	Orgian
Tiloc and Maize Facta Ophaio	(2.92)	200 g 01	Orgran
Rice and Millet Spirals		250 g OP	0.9
	(3.11)	3 -	Orgran
Rice and corn spaghetti noodles	\ /	375 g OP	J
. •	(2.92)	-	Orgran
Vegetable and Rice Spirals	2.00	250 g OP	
	(2.92)		Orgran
Italian long style spaghetti		220 g OP	_
	(3.11)		Orgran

# Foods And Supplements For Inborn Errors Of Metabolism - Other

### **⇒**SA0732 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Either:

- 1 dietary management of homocystinuria; or
- 2 dietary management of maple syrup urine disease.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
Per ✓ Manufacturer

continued...

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

### **Prescribing Guideline**

It can cost up to \$70,000 a year to keep an adult on protein supplements. Because protein substitutes are so expensive and because they are only effective in controlling PKU if a restricted diet is followed, adults with PKU will be required to demonstrate they are following the prescribed diet by regular blood testing. The requirement for testing applies to those aged over 16 years. Failure to follow an appropriate diet results in high blood phenylalanine levels.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

### Supplements For Homocystinuria

AMINOACID FORMULA WITHOUT METHIONINE - Special Authority see SA0732 on the preceding page - Hospital pharmacy IHP31

See prescribing guideline above

### Supplements For MSUD

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE — Special Authority see SA0732 on the preceding page — Hospital pharmacy [HP3]

See prescribing guideline above

## Foods And Supplements For Inborn Errors Of Metabolism - PKU

#### **Prescribing Guideline**

It can cost up to \$70,000 a year to keep an adult on protein supplements. Because protein substitutes are so expensive and because they are only effective in controlling PKU if a restricted diet is followed, adults with PKU will be required to demonstrate they are following the prescribed diet by regular blood testing. The requirement for testing applies to those aged over 16 years. Failure to follow an appropriate diet results in high blood phenylalanine levels.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

# Foods and Supplements For PKU

#### ■ SA0733 Special Authority for Subsidy

**Initial application — (Patient aged over 16)** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 dietary management of PKU; and
- 2 The patient's blood phenylalanine level is < 900 mmol/litre (average of tests over last 12 months).

Initial application — (Patient aged 16 or under) only from a relevant specialist. Approvals valid for 3 years where the patient requires dietary management of PKU.

Renewal — (Patient aged over 16) only from a relevant specialist. Approvals valid for 1 year where blood phenylalanine level < 900 mmol/litre (average of tests over last 12 months).

Renewal — (Patient aged 16 or under) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

(Manufacturer's Price) Subsidised Generic Per Manufacturer AMINOACID FORMULA WITHOUT PHENYLALANINE - Special Authority see SA0733 on the preceding page - Hospital pharmacy [HP3] See prescribing guideline on the preceding page 75 OP ✔ Phlexv 10 30 OP Minaphlex ✔ Phlexy 10 30 ✓ PKU Anamix Infant 400 a OP XP Analog LCP 500 g OP XP Maxamaid ✓ XP Maxamum 320.00 Powder (unflavoured) ......221.00 500 q OP XP Maxamaid ✓ XP Maxamum Liquid (berry) ......15.65 62.5 ml OP ✓ Lophlex LQ ✓ Lophlex LQ 125 ml OP 31.20 62.5 ml OP ✔ PKU Lophlex LQ 15.65 125 ml OP ✓ PKU Lophlex LQ 31.20 62.5 ml OP ✓ Lophlex LQ 31.20 125 ml OP ✓ Lophlex LQ ✔ PKU Lophlex LQ 15.65 62.5 ml OP 125 ml OP ✔ PKU Lophlex LQ 31.20 250 ml OP Easiphen Liquid 62.5 ml OP ✓ Lophlex LQ 31.20 125 ml OP ✓ Lophlex LQ ✓ PKU Lophlex LQ 62.5 ml OP 15.65 31.20 125 ml OP ✔ PKU Lophlex LQ Liquid (tropical) .......30.00 250 ml OP Easiphen PHENYL FREE BAKING MIX - Special Authority see SA0733 on the preceding page - Hospital pharmacy [HP3] See prescribing guideline on the preceding page 500 g OP Loprofin Mix PHENYL FREE PASTA - Special Authority see SA0733 on the preceding page - Hospital pharmacy [HP3] See prescribing guideline on the preceding page Animal shapes ......10.65 500 g OP (11.91)Loprofin 250 g OP Loprofin 500 g OP Loprofin 250 g OP Loprofin

Subsidy

Fully

Brand or

500 g OP

500 g OP

500 g OP

(11.91)

Loprofin

Loprofin

Loprofin

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

/ Brand or d Generic Manufacturer

### **Multivitamin And Mineral Supplements**

### ■SA0962 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Dietary management of phenylketonuria (PKU); or
- 2 For use as a supplement to the ketogenic diet in patients diagnosed with epilepsy; or
- 3 Patient has had a previous approval for metabolic mineral mixture.

AMINOACID FORMULA WITH MINERALS WITHOUT PHENYLALANINE - Special Authority see SA0962 above - Retail pharmacy

See prescribing guideline on page 183

250 g OP

✓ Metabolic Mineral Mixture

### Infant Formulae

#### For Premature Infants

### ⇒SA0602 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 6 months where the patient is infant weighing less than 1.5 kg at birth.

PREMATURE BIRTH FORMULA - Special Authority see SA0602 above - Hospital pharmacy [HP3]

## For Williams Syndrome

## ■ SA0601 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

LOW CALCIUM INFANT FORMULA - Special Authority see SA0601 above - Hospital pharmacy [HP3]

## For Gastrointestinal And Other Malabsorptive Problems

### ⇒SA0603 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year where the patient is infant suffering from malabsorption and other gastrointestinal problems.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Neocate should be used only as a last resort when the infant is unable to absorb any of the below formulae. The objective with each of the formulae prescribed is to get the infant off them as soon as possible. This may take six months, it may take three years. Because of this, variation on age limit is not regarded as appropriate. These formulae will be available only from a hospital pharmacy. Vivonex Pediatric may be a suitable and less expensive alternative for many children that would otherwise be eligible for a subsidy for Neocate and should, therefore, be tried first in these cases. The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Subsidy		Fully	Brand or
(Manufacturer's Price)	9	Subsidised	Generic
\$	Per	<b>U</b>	Manufacturer

ELEMENTAL FORMULA - Special Authority see SA0603 on	the preceding page	- Hospital pharn	nacy [HP3]
Powder	11.72	450 g OP	
	(15.21)		Pepti Junior Gold
	15.52		
	(19.01)		Pepti Junior
	63.97	400 g OP	
	(67.08)		Neocate
	(67.08)		Neocate LCP
	5.62	48.5 g OP	
	(6.00)		Vivonex Pediatric
Powder (tropical)	52.90	400 g OP	
	(56.00)		Neocate Advance
Powder (unflavoured)	52.90	400 g OP	
	(56.00)		Neocate Advance

### For Milk Intolerance

### **⇒**SA0604 Special Authority for Subsidy

Initial application — (Lactase deficiency or disaccharide intolerance) only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is less than 3 years of age; and
- 2 Either:
  - 2.1 diagnosed as suffering from congenital lactase deficiency; or
  - 2.2 suffering from disaccharide intolerance.

Notes: Secondary lactose intolerance in children is usually short lasting, and can be controlled by dietary measures and by giving sufficient calories to regenerate digestive enzymes.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Initial application — (Infant with intolerance to cows' milk) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 intolerant to cows' milk; and
- 2 patient is less than 3 years of age.

Note: The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Renewal — (Infant with intolerance to cows' milk) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 patient is less than 3 years of age.

Powder		900 g OP	
	(22.75)	3 3	Karicare Goats Milk Infant Formula
LACTOSE FREE INFANT FORMULA - Special Authority see	SA0604 above – R	etail pharmacy	
Powder		900 g OP	
	(17.95)	-	Delact
SOYA INFANT FORMULA - Special Authority see SA0604 about	ove – Retail pharm	acy	
Powder	6.34	900 g OP	
	(19.57)	-	S26 Soy



Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per V Manufacturer

### Infant Formulae - Lactose Intolerance and Cows' Milk Protein Intolerance

### **⇒**SA0757 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient is less than 2 years of age; and
- 2 Intolerant to cows' milk; and
- 3 Diagnosed as suffering from congenital lactase deficiency.

**Renewal** only from a relevant specialist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

benefiting from treatment.		
INFANT SOY FORMULA - Special Authority see SA0757 above - Retail pharma	су	
Powder	900 g	
(16.35)		Karicare Soy All Ages

# Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

ADRENALINE	CHARCOAL
✓ Inj 1 in 1,000, 1 ml5	✓ Oral liq 50 g per 250 ml
✓ Inj 1 in 10,000, 10 ml5	CHLORPROMAZINE HYDROCHLORIDE
AMINOPHYLLINE	✓ Tab 10 mg30
✓ Inj 25 mg per ml, 10 ml5	✓ Tab 25 mg
AMIODARONE HYDROCHLORIDE	✓ Tab 100 mg
	✓ Inj 25 mg per ml, 2 ml
✓ Inj 50 mg per ml, 3 ml5	• III] 25 IIIg pei IIII, 2 III
AMOXYCILLIN	CIPROFLOXACIN
✓ Cap 250 mg30	✓ Tab 250 mg5
✓ Grans for oral liq 125 mg per 5 ml 200 ml	✓ Tab 500 mg5
✓ Grans for oral liq 250 mg per 5 ml 200 ml	
✓ Inj 1 g5	CO-TRIMOXAZOLE
AMOXYCILLIN CLAVULANATE	✓ Tab trimethoprim 80 mg and
✓ Tab amoxycillin 500 mg with potassium	sulphamethoxazole 400 mg30
clavulanate 125 mg30	✓ Oral liq trimethoprim 40 mg and
✓ Grans for oral liq amoxycillin 125 mg with	sulphamethoxazole 200 mg per
potassium clavulanate 31.25 mg per	5 ml200 ml
5 ml	COMPOUND ELECTROLYTES
✓ Grans for oral liq amoxycillin 250 mg with	COMPOUND ELECTROLYTES
potassium clavulanate 62.5 mg per	✓ Powder for soln for oral use 5 g10
5 ml200 ml	CONDOMS
	✓ 49 mm144
APPLICATOR	✓ 52 mm
✓ Applicator – See note on page 691	✓ 52 mm extra strength
ASPIRIN	<b>✓</b> 53 mm144
✓ Tab dispersible 300 mg30	✓ 53 mm (chocolate)144
ATROPINE SULPHATE	✓ 53 mm (strawberry)144
✓ Inj 600 µg, 1 ml5	✓ 53 mm extra strength144
✓ Inj 1200 µg, 1 ml	54 mm, shaped144
	<b>✓</b> 55 mm144
AZITHROMYCIN	<b>✓</b> 56 mm144
✓ Tab 500 mg – Subsidy by endorsement –	✓ 56 mm extra strength144
See note on page 844	✓ 56 mm, shaped144
BENDROFLUAZIDE	<b>✓</b> 60 mm144
✓ Tab 2.5 mg – See note on page 56	DEVANCELIACONE
BENZATHINE BENZYLPENICILLIN	DEXAMETHASONE
✓ Inj 1.2 mega u per 2.3 ml5	✓ Tab 1 mg – Retail pharmacy-Specialist
	✓ Tab 4 mg – Retail pharmacy-Specialist30
BENZTROPINE MESYLATE	DEXAMETHASONE SODIUM PHOSPHATE
✓ Inj 1 mg per ml, 2 ml5	✓ Inj 4 mg per ml, 1 ml
BENZYLPENICILLIN SODIUM (PENICILLIN G)	✓ Inj 4 mg per ml, 2 ml5
✓ Inj 1 mega u5	· · · · · · · · · · · · · · · · · · ·
CEFTRIAXONE SODIUM	DEXTROSE
	✓ Inj 50%, 10 ml5
✓ Inj 500 mg – Hospital pharmacy [HP3] –	✓ Inj 50%, 90 ml5
Subsidy by endorsement – See note on	DIADUDAGA
page 83	DIAPHRAGM
✓ Inj 1 g – Hospital pharmacy [HP3] – Subsidy	✓ Diaphragm – See note on page 691
by endorsement – See note on page 835	continued

# PRACTITIONER'S AND WHOLESALE SUPPLY ORDERS

continued) DIAZEPAM		ETHINYLOESTRADIOL WITH NORETHISTERO  Tab 35 μg with norethisterone 1 mg	
✓ Inj 5 mg per ml, 2 ml – Subsidy by endorsement – See note on page 114	E	✓ Tab 35 µg with norethisterone 1 mg and 7 inert tab	
✓ Rectal tubes 5 mg		✓ Tab 35 µg with norethisterone 500 µg	
✓ Rectal tubes 10 mg		✓ Tab 35 µg with norethisterone 500 µg and 7	
· ·		inert tab	84
DICLOFENAC SODIUM	-		
✓ Inj 25 mg per ml, 3 ml		FLUCLOXACILLIN SODIUM	00
✓ Suppos 50 mg	10	✓ Cap 250 mg ✓ Grans for oral liq 125 mg per 5 ml	
DIGOXIN		✓ Grans for oral liq 250 mg per 5 ml	
✓ Tab 62.5 µg	30	✓ Inj 1 g	
✓ Tab 250 µg	30		
DOXYCYCLINE HYDROCHLORIDE		FLUPENTHIXOL DECANOATE	_
Tab 50 mg	30	✓ Inj 20 mg per ml, 1 ml	
✓ Tab 100 mg		✓ Inj 20 mg per ml, 2 ml	
· ·		✓ Inj 100 mg per ml, 1 ml	
ERGOMETRINE MALEATE	-	FLUPHENAZINE DECANOATE	
✓ Inj 500 µg per ml, 1 ml	5	✓ Inj 12.5 mg per 0.5 ml, 0.5 ml	5
ERYTHROMYCIN ETHYL SUCCINATE		✓ Inj 25 mg per ml, 1 ml	
✓ Tab 400 mg	30	✓ Inj 100 mg per ml, 1 ml	5
✓ Grans for oral liq 200 mg per 5 ml	00 ml	FUROSEMIDE	
✓ Grans for oral liq 400 mg per 5 ml	00 ml	✓ Tab 40 mg	30
ERYTHROMYCIN STEARATE		✓ Inj 10 mg per ml, 2 ml	5
Tab 250 mg	30	GLUCAGON HYDROCHLORIDE	
	00	✓ Inj 1 mg syringe kit	F
ETHINYLOESTRADIOL WITH DESOGESTREL	00		
Tab 20 µg with desogestrel 150 µg	63	GLYCERYL TRINITRATE	100
Tab 20 μg with desogestrel 150 μg and 7	0.4	✓ Tab 600 µg ✓ Oral pump spray 400 µg per dose	
inert tab		Votal pullip spray 400 µg per dose	200 00SE
Tab 30 μg with desogestrel 150 μg	03	HALOPERIDOL	
Tab 30 μg with desogestrel 150 μg and 7	0.4	<b>✓</b> Tab 500 μg	
inert tab	04	✓ Tab 1.5 mg	
ETHINYLOESTRADIOL WITH GESTODENE		✓ Tab 5 mg	
Tab 30 μg with gestodene 75 μg and 7 inert		✓ Oral liq 2 mg per ml	
tab	84	✓ Inj 5 mg per ml, 1 ml	
ETHINYLOESTRADIOL WITH LEVONORGESTREL		HALOPERIDOL DECANOATE	
✓ Tab ethinyloestradiol 30 µg with		✓ Inj 50 mg per ml, 1 ml	
levonorgestrel 50 µg (6) and tab		✓ Inj 100 mg per ml, 1 ml	5
ethinyloestradiol 40 µg with levonorgestrel		HYDROCORTISONE	
75 μg (5), and tab ethinyloestradiol 30 μg		✓ Inj 50 mg per ml, 2 ml	5
with levonorgestrel 125 μg (10) and 7		HYDROXOCOBALAMIN	
inert tab	84	✓ Inj 1 mg per ml, 1 ml	6
✓ Tab 50 µg with levonorgestrel 125 µg and 7		· · · · · · · · · · · · · · · · · · ·	
inert tab		HYOSCINE N-BUTYLBROMIDE	_
Tab 30 μg with levonorgestrel 150 μg	63	✓ Inj 20 mg, 1 ml	5
✓ Tab 30 µg with levonorgestrel 150 µg and 7		IPRATROPIUM BROMIDE	
inert tab	84	✓ Nebuliser soln, 250 µg per ml, 1 ml	
Tab 20 μg with levonorgestrel 100 μg and 7		✓ Nebuliser soln, 250 µg per ml, 2 ml	40
inert tab	84	con	ntinued

# PRACTITIONER'S AND WHOLESALE SUPPLY ORDERS

continued)	PETHIDINE HYDROCHLORIDE
LEVONORGESTREL	✓ Inj 50 mg per ml, 1 ml – Only on a controlled
Tab 30 µg84	drug form5
✓ Tab 1.5 mg5	✓ Inj 50 mg per ml, 1.5 ml – Only on a
LIGNOCAINE HYDROCHLORIDE	controlled drug form5
✓ Inj 0.5%, 5 ml – See note on page 1085	✓ Inj 50 mg per ml, 2 ml – Only on a controlled
✓ Inj 1%, 5 ml – See note on page 1085	drug form5
✓ Inj 1%, 20 ml – See note on page 1085	PHENOXYMETHYLPENICILLIN (PENICILLIN V)
LOPERAMIDE HYDROCHLORIDE	✓ Cap potassium salt 250 mg30
✓ Tab 2 mg30	✓ Grans for oral liq 125 mg per 5 ml
	✓ Grans for oral liq 250 mg per 5 ml 200 ml
MEDROXYPROGESTERONE ACETATE	
✓ Inj 150 mg per ml, 1 ml syringe5	PHENYTOIN SODIUM
METHYLERGOMETRINE	✓ Inj 50 mg per ml, 2 ml
✓ Inj 200 µg per ml, 1 ml10	✓ Inj 50 mg per ml, 5 ml5
	PHYTOMENADIONE
METOCLOPRAMIDE HYDROCHLORIDE  ✓ Inj 5 mg per ml, 2 ml	✓ Inj 2 mg per 0.2 ml – See note on page 415
V III] 5 IIIg per IIII, 2 III	✓ Inj 10 mg per ml, 1 ml – See note on page 415
METRONIDAZOLE	DIDOTI HAZINE DALMITATE
✓ Tab 200 mg30	PIPOTHIAZINE PALMITATE
MORPHINE SULPHATE	✓ Inj 50 mg per ml, 1 ml
✓ Inj 5 mg per ml, 1 ml – Only on a controlled	• III] 50 IIIg per IIII, 2 IIII
drug form5	PREDNISOLONE SODIUM PHOSPHATE
✓ Inj 10 mg per ml, 1 ml – Only on a controlled	✓ Oral liq 5 mg per ml – See note on
drug form5	page 7530 ml
✓ Inj 15 mg per ml, 1 ml – Only on a controlled	PREDNISONE
drug form5	✓ Tab 5 mg30
✓ Inj 30 mg per ml, 1 ml – Only on a controlled	
drug form5	PREGNANCY TESTS - HCG URINE
NALOVONE LIVEROCLII ORIDE	✓ Cassette
NALOXONE HYDROCHLORIDE  ✓ Inj 400 µg per ml, 1 ml5	PROCAINE PENICILLIN
ν III, 400 μg per IIII, 1 III	✓ Inj 1.5 mega u5
NONOXYNOL-9	₩ IIIj 1.5 IIIoga u
✓ Jelly 2%108 g	PROCHLORPERAZINE
NORETHISTERONE	✓ Tab 5 mg30
✓ Tab 350 µg84	✓ Inj 12.5 mg per ml, 1 ml5
✓ Tab 5 mg30	PROMETHAZINE HYDROCHLORIDE
NORETHISTERONE WITH MESTRANOL	✓ Inj 25 mg per ml, 2 ml5
Tab 1 mg with mestranol 50 μg and 7 inert tab84	SALBUTAMOL
OXYTOCIN	✓ Inj 500 µg per ml, 1 ml5
✓ Inj 5 iu per ml, 1 ml5	✓ Aerosol inhaler, 100 µg per dose CFC
✓ Inj 10 iu per ml, 1 ml5	free
✓ Inj 5 iu with ergometrine maleate 500 µg per	✓ Nebuliser soln, 1 mg per ml, 2.5 ml
ml, 1 ml5	✓ Nebuliser soln, 2 mg per ml, 2.5 ml30
PARACETAMOL	SALBUTAMOL WITH IPRATROPIUM BROMIDE
✓ Tab 500 mg30	✓ Nebuliser soln, 2.5 mg with ipratropium
✓ Oral liq 120 mg per 5 ml200 ml	bromide 0.5 mg per vial, 2.5 ml20
✓ Oral liq 250 mg per 5 ml 100 ml	continued

# PRACTITIONER'S AND WHOLESALE SUPPLY ORDERS

Continued)  SILVER SULPHADIAZINE  ✓ Crm 1%	TRIMETHOPRIM  ✓ Tab 300 mg
SODIUM BICARBONATE  ✓ Inj 8.4%, 50ml	WATER  ✓ Purified for inj, 5 ml – See note on page 44
✓ Inf 0.9% – See note on page 44	ZUCLOPENTHIXOL DECANOATE  ✓ Inj 200 mg per ml, 1 ml5

# Pharmaceuticals that may be obtained on a Wholesale Supply Order

INTRA-UTERINE DEVICE

✓ IUD

MASK FOR SPACER DEVICE

✓ Size 2

PEAK FLOW METER

✓ Low range

✓ Normal range

### SPACER DEVICE

- ✓ 230 ml (autoclavable)
- **✓** 800 ml
- ✓ 230 ml (single patient)

191

## **Rural Areas for Practitioner's Supply Orders**

NORTH ISLAND Tairua Taumarunui Northland DHB Te Aroha Dargaville Te Kauwhata Hikurangi Te Kuiti Tokoroa

Kaeo Kaikohe Waihi Kaitaia Whangamata Kawakawa Whitianga

Kerikeri Levin Bay of Plenty DHB Otaki Mangonui Maungaturoto Edgecumbe Pahiatua Moerewa Katikati Shannon Woodville

Naunauru Kawerau Murupara Paihia Opotiki Rawene Ruakaka Taneatua Te Kaha Russell Waihi Beach

Tutukaka Martinborough Whakatane Waipu

Whangaroa Lakes DHB SOUTH ISLAND Mangakino Waitemata DHB

Turangi Helensville Nelson/Marlborough DHB Huapai Tairawhiti DHB Havelock Kumeu Ruatoria Mapua Snells Beach Te Araroa Motueka Waimauku

Te Karaka Murchison Milton Warkworth Te Puia Springs Oamaru Picton Wellsford Tikitiki Outram Takaka Tokomaru Bay Owaka **Auckland DHB** Wakefield Tolaga Bay Palmerston

Marton

Raetihi

Taihape

Waiouru

Dannevirke

Foxton

MidCentral DHB

Wairarapa DHB

Carteron

Grevtown

Featherston

Ohakune

Leeston

I incoln

Oxford

Rakaia

Rolleston

Rotherham

Templeton

South Canterbury DHB

Waikari

Fairlie

Geraldine

Temuka

Waimate

Otago DHB

Alexandra

Balclutha

Cromwell

Lawrence

Kurow

Twizel

Pleasant Point

Methven

Great Barrier Island West Coast DHB Oneroa Ranfurly Taranaki DHB Dobson Ostend Roxburgh Eltham Grevmouth Tapanui

Inglewood Counties Manukau DHB Hokitika Wanaka Manaia Tuakau Karamea Oakura Waiuku Reefton

Okato South Westland Waikato DHB Opunake Southland DHB Westport Coromandel Patea Gore Whataroa Huntly Stratford Lumsden Kawhia

Waverley Canterbury DHB Mataura Matamata Akaroa Ohan Hawkes Bay DHB Morrinsville Amberlev Otautau Chatham Islands Ngatea Amuri Queenstown Waipawa Otorohanga Cheviot Riverton Waipukurau Paeroa Darfield Te Anau Wairoa Pauanui Beach

Diamond Harbour Tokonui Putaruru Whanganui DHB Hanmer Springs Tuatapere Raglan Bulls Kaikoura Winton

### **SECTION F: PART I**

A Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is Close Control.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a \* within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is Close Control.

# SECTION F: PART II: <u>CERTIFIED EXEMPT</u>IONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

- a) the Community Pharmaceutical is identified with a within the other sections of the Pharmaceutical Schedule and the prescriber has endorsed the Prescription item(s) on the Prescription to which the exemption applies "certified exemption". In endorsing the Prescription items for a certified exemption, the prescriber is certifying that:
  - i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
  - ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
  - iii) the prescriber has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
  - i) have limited physical mobility:
  - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
  - iii) are relocating to another area;
  - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

The following Community Pharmaceuticals are identified with a  $\blacktriangle$  within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

**ALIMENTARY TRACT AND METABOLISM** 

**INSULIN ASPART** 

INSULIN GLARGINE

**INSULIN ISOPHANE** 

INSULIN ISOPHANE WITH INSULIN NEUTRAL

**INSULIN LISPRO** 

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

**INSULIN NEUTRAL** 

**CARDIOVASCULAR SYSTEM** 

AMIODARONE HYDROCHLORIDE

Tab 100 mg Cordarone-X Tab 200 mg Cordarone-X

DISOPYRAMIDE PHOSPHATE

FLECAINIDE ACETATE

Tab 50 mg Tambocor
Tab 100 mg Tambocor
Cap long-acting 100 mg
Cap long-acting 200 mg
Tambocor CR
Tambocor CR
Tambocor CR

MEXILETINE HYDROCHLORIDE

PROPAFENONE HYDROCHLORIDE

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

**DESMOPRESSIN** 

Nasal drops 100 µg per Minirin

ml

Nasal spray 10 µg per Desmopressin-PH&T

dose

MUSCULOSKELETAL SYSTEM

PYRIDOSTIGMINE BROMIDE

**NERVOUS SYSTEM** 

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

**ENTACAPONE** 

**GABAPENTIN** 

GABAPENTIN (NEURONTIN)

LAMOTRIGINE

LISURIDE HYDROGEN MALEATE

**PERGOLIDE** 

ROPINIROLE HYDROCHLORIDE

TOLCAPONE TOPIRAMATE

**VIGABATRIN** 

SENSORY ORGANS

**BIMATOPROST** 

BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE

**BRINZOLAMIDE** 

**LATANOPROST** 

**TRAVOPROST** 

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

### **Exemptions**

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

#### Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

### Safety Caps (NZS 5825:1991)

20 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
04	
24 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	,
	PDL FG

### SAFETY CAP MEDICINES

ALIMENTARY TRACT AND METABOLISM

**FERROUS SULPHATE** 

Oral lig 150 mg per 5 ml

(30 mg elemental per

5 ml)

CARDIOVASCULAR SYSTEM

**AMILORIDE** 

Oral lig 1 mg per ml

Biomed

**CAPTOPRIL** 

Oral liq 5 mg per ml Capoten

**CHLOROTHIAZIDE** 

Oral lig 50 mg per ml Biomed

DIGOXIN

Oral lig 50 µg per ml Lanoxin

**FUROSEMIDE** 

Oral liq 10 mg per ml Lasix

**SPIRONOLACTONE** 

Oral lig 5 mg per ml **Biomed** 

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING **CONTRACEPTIVE HORMONES** 

LEVOTHYROXINE

**Fltroxin** Tab 50 µg

Goldshield

Synthroid

Tab 100 μg **Fltroxin** 

Goldshield Synthroid

Synthroid

Tab 25 µg (Extemporaneously compounded oral liquid preparations)

MUSCULOSKELETAL SYSTEM

**IBUPROFEN** 

Oral lig 100 mg per 5 ml Fenpaed

QUININE SULPHATE

Tab 200 mg Q 200 Q 300 Tab 300 mg

(Extemporaneously compounded oral liquid preparations)

**NERVOUS SYSTEM** 

**ALPRAZOLAM** 

Tab 250 µg Arrow-Alprazolam Arrow-Alprazolam Tab 500 µg Tab 1 mg Arrow-Alprazolam

(Extemporaneously compounded oral liquid preparations)

**CARBAMAZEPINE** 

Oral lig 100 mg per 5 ml Tegretol

**CLOBAZAM** 

Tab 10 mg Frisium

(Extemporaneously compounded oral liquid preparations)

CI ONAZEPAM

Oral drops 2.5 mg per Rivotril

DIAZEPAM

Arrow-Diazepam Tab 2 mg Tab 5 mg Arrow-Diazepam

(Extemporaneously compounded oral liquid preparations)

**ETHOSUXIMIDE** 

Oral liq 250 mg per 5 ml Zarontin

LORAZEPAM

Tab 1 mg Ativan Tab 2.5 mg Ativan

(Extemporaneously compounded oral liquid preparations)

LORMETAZEPAM

Noctamid Tab 1 mg

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

**Biodone** Oral lig 2 mg per ml Biodone Forte Oral lig 5 mg per ml Oral liq 10 mg per ml Biodone Extra Forte

**MIDAZOLAM** 

Tab 7.5 mg Hypnovel

(Extemporaneously compounded oral liquid preparations)

MORPHINE HYDROCHLORIDE

Oral lig 1 mg per ml RA-Morph Oral liq 2 mg per ml RA-Morph Oral lig 5 mg per ml RA-Morph Oral liq 10 mg per ml RA-Morph

NITRA7FPAM

Tab 5 mg **Nitrados** 

(Extemporaneously compounded oral liquid preparations)

**OXAZEPAM** 

Tab 10 mg Ox-Pam Tab 15 mg Ox-Pam

(Extemporaneously compounded oral liquid preparations)

OXYCODONE HYDROCHLORIDE

Oral lig 5 mg per 5 ml OxyNorm

# **SAFETY CAP MEDICINES**

**PARACETAMOL** 

Oral liq 120 mg per 5 ml Paracare Junior

Oral lig 250 mg per 5 ml Paracare Double Strength

PHENYTOIN SODIUM

Oral liq 30 mg per 5 ml Dilantin

SODIUM VALPROATE

Oral liq 200 mg per 5 ml Epilim S/F Liquid

Epilim Syrup

**TEMAZEPAM** 

Tab 10 mg Normison

(Extemporaneously compounded oral liquid preparations)

**TRIAZOLAM** 

Tab 125 μg Hypam

Tab 250 μg Hypam

(Extemporaneously compounded oral liquid preparations)

RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE

Oral lig 1 mg per ml Cetirizine - AFT

CHLORPHENIRAMINE MALEATE

Oral lig 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHLORIDE

Oral liq 5 mg per 5 ml Phenergan

Promethazine Winthrop

Elixir

SALBUTAMOL

Oral liq 2 mg per 5 ml Salapin

**THEOPHYLLINE** 

Oral liq 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE

Oral liq 30 mg per 5 ml Vallergan Forte

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE

Powder Douglas

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Powder AFT

(Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM

Powder MidWest

(Extemporaneously compounded oral liquid preparations)

# INDEX Generic Chemicals and Brands

- Symbols -	
3TC	94
- A -	
A-Lices	
A-Scabies	
Abacavir sulphate	93
Abacavir sulphate with lamivudine	വാ
Abilify	
Acarbose	
ACB	
Accu-Chek Performa	31
Accupril	
Accuretic 10	
Accuretic 20	50
Acebutolol	
Acetazolamide	
Acetic acid with 1, 2- propanediol	
diacetate and	
benzethonium	. 158
Acetic acid with hydroxyquinoline	
and ricinoleic acid	72
Acetylcysteine	
Aci-Jel	72
Aciclovir	
Infection	
Sensory	
Acidex	25
Acipimox	
Acitretin	
Actigall	
Actrapid	
Actrapid Penfill	28
Adalat 10	
Adalat Oros	
Adalimumab	
Adefin XL	
Adefovir dipivoxil	
Adrenaline	
Advantan	
AFT-Pyrazinamide	88
Agents Affecting the	
Renin-Angiotensin System	49
Agents for Parkinsonism and	
Related Disorders	. 120
Agents Used in the Treatment of	
Poisonings	
Agrylin	
Alanase	
Albay	
Albustix	74

Aldara	67
Alendronate sodium106	<del>-</del> 107
Alendronate sodium with	
cholecalciferol	106
Alfacalcidol	36
Alginic acid	25
Alitraq	177
Alkeran	136
Allersoothe	152
Allopurinol	107
Alpha Adrenoceptor Blockers	49
Alpha tocopheryl acetate	37
Alpha-Bromocriptine	120
Alpha-Keri Lotion	64
Alprazolam	
Alu-Tab	25
Aluminium hydroxide	25
Amantadine hydrochloride	120
Ambrisentan	
Amiloride	57
Amiloride with frusemide	55
Amiloride with	
hydrochlorothiazide	
Aminophylline	155
Amiodarone hydrochloride	100
Amirol	
Amisulpride	!!!
Amitrip	∠
Amitriotulina	!!!
Amitriptyline	! ! !
Amizide	55
Amlodipine	54
Amorolfine	58
Amoxycillin	85
Amoxycillin clavulanate	
Amphotericin B	35
Amsacrine	140
Amsidine	
Amyl nitrite	56
Anabolic Agents	/5
Anaesthetics	108
Anagrelide hydrochloride	
Analgesics	108
Anastrozole	
Andriol Testocaps	76
Androderm	
Antabuse	133
Antacids and Antiflatulants	25
Anten	112
Anthelmintics	83
Anti-inflammatory Non Steroidal	
Drugs (NSAIDs)	99
Antiacne Preparations	58

Antiallergy Preparations15	1
Antianaemics4	0
Antiandrogen Oral	
Contraceptives	2
Antiarrhythmics5	
Antibacterials8	3
Antibacterials Topical5	8
Anticholinesterases9	19
Antidepressants11	1
Antidiarrhoeals2	
Antiepilepsy Drugs11	4
Antifibrinolytics, Haemostatics	
and Local Sclerosants4	
Antifungals8	
Antifungals Topical5	
Antihaemorrhoidals2	
Antihistamines15	
Antihypotensives5	
Antimalarials8	8
Antimigraine Preparations11	8
Antinaus11	9
Antinausea and Vertigo	_
Agents11	8
Antipruritic Preparations6	
Antipsychotics12	
Antiretrovirals9	2
Antiretrovirals - Additional	
Therapies9	14
Antirheumatoid Agents10	U
Antispasmodics and Other	
Agents Altering Gut	_
Motility2	
Antithrombotic Agents4	-1
Antithymocyte globulin	_
(equine)14	8
Antitrichomonal Agents8	8
Antituberculotics and	
Antileprotics8	
Antiulcerants2	
Antivirals8	
Anusol2	
Anxiolytics12	
Apo-Allopurinol10	
Apo-Amlodipine5	
Apo-Amoxi8	
Apo-Ascorbic Acid3	6
Apo-B-Complex3	6
Apo-Bromocriptine12	
Apo-Captopril4	
Apo-Cimetidine2	:7
Apo-Clonipramine11	
ADD-L'IODIGOGRAI A	

# INDEX Generic Chemicals and Brands

A D: 1 OD 00
Apo-Diclo SR99
Apo-Doxazosin49
Apo-Folic Acid40
Apo-Gliclazide30
Apo-Ipravent156
Apo-Megestrol147
Apo-Moclobemide112
Apo-Nadolol53
Apo-Nicotinic Acid45
Apo-Oxybutynin74
Apo-Pindolol53
Apo-Prazo49
Apo-Prednisone76
Apo-Primidone116
Apo-Pyridoxine36
Apo-Risperidone124
Apo-Selegiline120
Apo-Terazosin49
Apo-Terbinafine88
Apo-Thiamine36
Apo-Timol53
Apo-Timop159
Apo-Zopiclone129
Apomine120
Apomorphine hydrochloride120
Applicator69
Applicator
Aprepitant118
Aprepitant118 Apresoline56
Aprepitant       118         Apresoline       56         Aquasun 30+       66
Aprepitant       118         Apresoline       .56         Aquasun 30+       .66         Aquasun Oil Free Faces
Aprepitant
Aprepitant       118         Apresoline       .56         Aquasun 30+       .66         Aquasun Oil Free Faces       SPF30+       .66         Aqueous cream       .63
Aprepitant       118         Apresoline       .56         Aquasun 30+       .66         Aquasun Oil Free Faces       SPF30+       .66         Aqueous cream       .63         Aratac       .51
Aprepitant       118         Apresoline       .56         Aquasun 30+       .66         Aquasun Oil Free Faces       SPF30+       .66         Aqueous cream       .63         Aratac       .51         Arava       .100
Aprepitant       118         Apresoline       .56         Aquasun 30+       .66         Aquasun Oil Free Faces       SPF30+       .66         Aqueous cream       .63         Aratac       .51         Arava       .100         Arimidex       .146
Aprepitant       118         Apresoline       .56         Aquasun 30+       .66         Aquasun Oil Free Faces       SPF30+       .66         Aqueous cream       .63         Aratac       .51         Arava       .100         Arimidex       .146         Aripiprazole       .121
Aprepitant       118         Apresoline       .56         Aquasun 30+       .66         Aquasun Oil Free Faces       SPF30+       .66         Aqueous cream       .63         Aratac       .51         Arawa       .100         Arimidex       .146         Aripiprazole       .121         Aristocort       .62
Aprepitant       118         Apresoline       .56         Aquasun 30+       .66         Aquasun Oil Free Faces       .66         SPF30+       .66         Aqueous cream       .63         Aratac       .51         Arava       .100         Arimidex       .146         Aripiprazole       .121         Aristocort       .62         Aromasin       .146
Aprepitant       118         Apresoline       .56         Aquasun 30+       .66         Aquasun Oil Free Faces       SPF30+       .66         Aqueous cream       .63         Aratac       .51         Arava       .100         Arimidex       .146         Aripiprazole       .121         Aristocort       .62         Aromasin       .146         Aromatase Inhibitors       .146
Aprepitant       118         Apresoline       .56         Aquasun 30+       .66         Aquasun Oil Free Faces       SPF30+       .66         Aqueous cream       .63         Aratac       .51         Arava       .100         Arimidex       .146         Aripiprazole       .121         Aristocort       .62         Aromasin       .146         Arrow-Alprazolam       .126
Aprepitant         118           Apresoline         .56           Aquasun 30+         .66           Aquasun Oil Free Faces         SPF30+         .66           Aqueous cream         .63           Aratac         .51           Arava         .100           Arimidex         .146           Aripiprazole         .121           Aristocort         .62           Aromasin         .146           Arrow-Alprazolam         .126           Arrow-Azithromycin         .84
Aprepitant       118         Apresoline       .56         Aquasun 30+       .66         Aquasun Oil Free Faces       SPF30+       .66         Aqueous cream       .63         Aratac       .51         Arava       .100         Arimidex       .146         Aripiprazole       .121         Aristocort       .62         Aromasin       .146         Aromatase Inhibitors       .146         Arrow-Alprazolam       .126         Arrow-Azithromycin       .84         Arrow-Bendrofluazide       .56
Aprepitant       118         Apresoline       .56         Aquasun 30+       .66         Aquasun Oil Free Faces       SPF30+       .66         Aqueous cream       .63         Aratac       .51         Arava       .100         Arimidex       .146         Aripiprazole       .121         Aristocort       .62         Aromasin       .146         Aromatase Inhibitors       .146         Arrow-Alprazolam       .126         Arrow-Azithromycin       .84         Arrow-Bendrofluazide       .56         Arrow-Cabergoline       .81
Aprepitant         118           Apresoline         .56           Aquasun 30+         .66           Aquasun Oil Free Faces         SPF30+         .66           Aqueous cream         .63           Aratac         .51           Arava         .100           Arimidex         .146           Aripiprazole         .121           Aristocort         .62           Aromasin         .146           Arrow-Alprazolam         .126           Arrow-Azithromycin         .84           Arrow-Bendrofluazide         .56           Arrow-Cabergoline         .81           Arrow-Citalopram         .113
Aprepitant         118           Apresoline         .56           Aquasun 30+         .66           Aquasun Oil Free Faces         SPF30+         .66           Aqueous cream         .63           Aratac         .51           Arava         .100           Arimidex         .146           Aripiprazole         .121           Aristocort         .62           Aromasin         .146           Aromatase Inhibitors         .146           Arrow-Alprazolam         .126           Arrow-Azithromycin         .84           Arrow-Bendrofluazide         .56           Arrow-Cabergoline         .81           Arrow-Citalopram         .113           Arrow-Clopidogrel         .41
Aprepitant         118           Apresoline         .56           Aquasun 30+         .66           Aquasun Oil Free Faces         SPF30+         .66           Aqueous cream         .63           Aratac         .51           Arava         .100           Arimidex         .146           Aripiprazole         .121           Aristocort         .62           Aromasin         .146           Aromatase Inhibitors         .146           Arrow-Alprazolam         .126           Arrow-Azithromycin         .84           Arrow-Bendrofluazide         .56           Arrow-Cabergoline         .81           Arrow-Citalopram         .113           Arrow-Clopidogrel         .41           Arrow-Diazepam         .127
Aprepitant         118           Apresoline         .56           Aquasun 30+         .66           Aquasun Oil Free Faces         SPF30+         .66           Aqueous cream         .63           Aratac         .51           Arava         .100           Arimidex         .146           Aripiprazole         .121           Aristocort         .62           Aromasin         .146           Aromatase Inhibitors         .146           Arrow-Alprazolam         .126           Arrow-Azithromycin         .84           Arrow-Bendrofluazide         .56           Arrow-Cabergoline         .81           Arrow-Citalopram         .113           Arrow-Clopidogrel         .41           Arrow-Diazepam         .127           Arrow-Etidronate         .107
Aprepitant         118           Apresoline         .56           Aquasun 30+         .66           Aquasun Oil Free Faces         .66           SPF30+         .66           Aqueous cream         .63           Aratac         .51           Arava         .100           Arimidex         .146           Aripiprazole         .121           Aristocort         .62           Aromasin         .146           Arrow-Alprazolam         .126           Arrow-Azithromycin         .84           Arrow-Bendrofluazide         .56           Arrow-Cabergoline         .81           Arrow-Citalopram         .113           Arrow-Clopidogrel         .41           Arrow-Diazepam         .127           Arrow-Etidronate         .107           Arrow-Lamotrigine         .116
Aprepitant         118           Apresoline         .56           Aquasun 30+         .66           Aquasun Oil Free Faces         .66           SPF30+         .66           Aqueous cream         .63           Aratac         .51           Arava         .100           Arimidex         .146           Aripiprazole         .121           Aristocort         .62           Aromasin         .146           Aromatase Inhibitors         .146           Arrow-Alprazolam         .126           Arrow-Azithromycin         .84           Arrow-Bendrofluazide         .56           Arrow-Cabergoline         .81           Arrow-Citalopram         .113           Arrow-Clopidogrel         .41           Arrow-Diazepam         .127           Arrow-Lamotrigine         .116           Arrow-Lisinopril         .50
Aprepitant         118           Apresoline         .56           Aquasun 30+         .66           Aquasun Oil Free Faces         .66           SPF30+         .66           Aqueous cream         .63           Aratac         .51           Arava         .100           Arimidex         .146           Aripiprazole         .121           Aristocort         .62           Aromasin         .146           Arrow-Alprazolam         .126           Arrow-Azithromycin         .84           Arrow-Bendrofluazide         .56           Arrow-Cabergoline         .81           Arrow-Citalopram         .113           Arrow-Clopidogrel         .41           Arrow-Diazepam         .127           Arrow-Etidronate         .107           Arrow-Lamotrigine         .116           Arrow-Lisinopril         .50           Arrow-Nifedipine XR         .54
Aprepitant         118           Apresoline         .56           Aquasun 30+         .66           Aquasun Oil Free Faces         .69           SPF30+         .66           Aqueous cream         .63           Aratac         .51           Arava         .100           Arimidex         .146           Aripiprazole         .121           Aristocort         .62           Aromasin         .146           Aromatase Inhibitors         .146           Arrow-Alprazolam         .126           Arrow-Azithromycin         .84           Arrow-Bendrofluazide         .56           Arrow-Cabergoline         .81           Arrow-Citalopram         .113           Arrow-Citalopram         .113           Arrow-Diazepam         .127           Arrow-Litdronate         .107           Arrow-Lamotrigine         .116           Arrow-Lisinopril         .50           Arrow-Nifedipine XR         .54           Arrow-Norfloxacin         .97
Aprepitant         118           Apresoline         .56           Aquasun 30+         .66           Aquasun Oil Free Faces         .66           SPF30+         .66           Aqueous cream         .63           Aratac         .51           Arava         .100           Arimidex         .146           Aripiprazole         .121           Aristocort         .62           Aromasin         .146           Arrow-Alprazolam         .126           Arrow-Azithromycin         .84           Arrow-Bendrofluazide         .56           Arrow-Cabergoline         .81           Arrow-Citalopram         .113           Arrow-Clopidogrel         .41           Arrow-Diazepam         .127           Arrow-Etidronate         .107           Arrow-Lamotrigine         .116           Arrow-Lisinopril         .50           Arrow-Nifedipine XR         .54

Arrow-Simva 10mg47
Arrow-Simva 20mg47
Arrow-Simva 40mg47
Arrow-Simva 80mg47
Arrow-Sumatriptan118
Arrow-Testosterone76
Arrow-Topiramate117
Arsenic trioxide140
Arthrexin100
Asacol26
Asamax26
Ascorbic acid36
Aspec 300108
Aspen Adrenaline56
Aspirin
Blood41
Nervous108
Asthalin154
Atacand50
Atazanavir sulphate94
Atenolol52
ATGAM148
Ativan127
Atomoxetine129
Atorvastatin46
Atropine sulphate
Alimentary27
Sensory161
Atropt161
Atrovent154
Auranofin100
Avanza113
Avomine
Azamun148
Azathioprine148
Azithromycin84
Azol82
Azopt160
AZT94
- B -
B-D Micro-Fine32
B-D Ultra Fine32
B-D Ultra Fine II32
Baclofen107
Bactroban59
Bakels Gluten Free Health Bread
Mix182
Baraclude89
Barrier Creams and
Emollients
Batrafen59
Beclazone 100152

Beclazone 250	152
Beclazone 50	152
Beclomethasone	
dipropionate152,	156
Bee venom allergy	
treatment	151
Bendrofluazide	56
Benhex	
Benzathine benzylpenicillin	
Benzoin	
Benztrop	
Benztropine mesylate	121
Benzydamine hydrochloride	35
Benzylpenicillin sodium (penicillin	
G)	. 85
Beta Adrenoceptor Blockers	
Beta Cream	
Beta Ointment	61
Beta Scalp	66
Beta-Adrenoceptor Agonists	154
Betadine	64
Betadine Skin Prep	
Betaferon	
Betagan	159
Betahistine dihydrochloride	118
Betaloc	53
Betaloc CR	53
Betamethasone dipropionate	61
Betamethasone sodium	
phosphate with	
betamethasone acetate	
Betamethasone valerate61	, 66
Betamethasone valerate with	
clioquinol	. 62
Betamethasone valerate with	
fusidic acid	. 62
Betaxolol hydrochloride	159
Betnovate	61
Betnovate-C	62
Betoptic	
Betoptic S	
Bezafibrate	
Bezalip Retard	45
Bicalox	147
Bicalutamide	
Bicillin LA	
BiCNU	
Bimatoprost	
Biodone	110
Biodone Extra Forte	110
Biodone Forte	
Bisacodyl	34

# INDEX Generic Chemicals and Brands

Blenoxane	140	Calcium Disodium Versenate	39	Charcoal	39
Bleomycin sulphate	140	Calcium folinate	137	Chemotherapeutic Agents	136
Bleph 10	158	Calcium Folinate Ebewe	137	Chlorambucil	136
Blood glucose diagnostic test		Calcium gluconate	38	Chloramphenicol	158
meter	31	Calcium Homeostasis	105	Chlorhexidine gluconate	
Blood glucose diagnostic test		Calcium polystyrene		Alimentary	35
strip	31	sulphonate	44	Dermatological	
Bonjela		Calcium Resonium	44	Chloroform	167
Bosentan	57	Calogen	171	Chloromycetin	158
Breath-Alert		Calsource		Chlorothiazide	
Brevinor 1/21	71	Camptosar		Chlorpheniramine maleate	
Brevinor 1/28	71	Candesartan		Chlorpromazine	
Brevinor 21		Canesten		hydrochloride	122
Bricanyl Turbuhaler		Capadex		Chlorsig	
Brimonidine tartrate		Capecitabine		Chlorthalidone	
Brimonidine tartrate with timolol		Capoten		Chlorvescent	
maleate		Capsaicin		Cholecalciferol	
Brinzolamide		Captopril		Cholestyramine with	
Brolene		Carafate		aspartame	45
Bromocriptine mesylate		Carbamazepine		Choline salicylate with	
Brufen		Carbimazole		cetalkonium chloride	35
Brufen Retard		Carboplatin		Ciclopiroxolamine	
Buccastem		Carboplatin Ebewe		Cilazapril	
Budesonide		Carbosorb-X		Cilazapril with	
Alimentary	25	Cardinol		hydrochlorothiazide	50
Respiratory15		Cardinol LA		Cilicaine	
Budesonide with	,, 100	Cardizem CD		Cilicaine VK	
eformoterol	154	CareSens		Ciloxan	
Bumetanide		CareSens II		Cimetidine	
Bupivacaine hydrochloride		CareSens POP		Ciprofloxacin	
Buprenorphine		Carmustine		Infection	86
hydrochloride	109	Carvedilol		Sensory	
Bupropion hydrochloride		Catapres		Cisplatin	
Burinex		Catapres-TTS-1		Cisplatin Ebewe	
Buscopan		Catapres-TTS-2		Citalopram hydrobromide	
Buserelin acetate		Catapres-TTS-3		Cladribine	
Buspirone hydrochloride		CeeNU		Clarithromycin	
Busulphan		Cefaclor monohydrate		Alimentary	27
Butacort Aqueous		Cefalexin Sandoz		Infection	
	100	Cefazolin sodium		Clexane	
- C -		Cefoxitin sodium		Climara 100	
Cabergoline		Ceftriaxone sodium		Climara 50	
Cafergot		Cefuroxime axetil		Clindamycin	
Cal-d-Forte		Cefuroxime sodium		Clinistix	
Calamine		Celestone Chronodose		Clinitest	
Calci-Tab 500		Celiprolol		Clinoril	
Calci-Tab 600		Cellcept		Clobazam	
Calcipotriol		Celol		Clobetasol propionate	
Calcitonin		Cephalexin monohydrate		Clobetasone butyrate	01, 00 61
Calcitriol		Cerezyme		Clomazol	
Calcium carbonate	38	Cetirizine - AFT		Dermatological	59
Calcium carbonate with	0.5	Cetirizine hydrochloride		Genito-Urinary	
aminoacetic acid		Cetomacrogol		Clomiphene citrate	
Calcium Channel Blockers	54			C.Simpilotio ottato	

# INDEX Generic Chemicals and Brands

Clomipramine hydrochloride	111
Clonazepam	114
Clonidine	55
Clonidine hydrochloride	
Cardiovascular	
Nervous	
Clopidogrel	
Clopine	122
Clopixol124,	
Clopress Clotrimazole	111
Dermatological	E0
Genito-Urinary	
Clozapine	122
Clozaril	
Co-Renitec	
Co-trimoxazole	
Coal tar	
Coal tar with allantoin, menthol,	
phenol and sulphur	. 65
Coal tar with salicylic acid and	
sulphur	. 65
Coco-Scalp	
Codalgin	111
Codeine phosphate	
Extemporaneous	
Nervous	
Cogentin	121
Colaspase (L-asparaginase)	
Colchicine	
Colestid	
Colestipol hydrochloride	
Colgout	107
Colifoam Colistin sulphomethate	20
Colistin-Link	
Collodion flexible	07
Colofac	
Coloxyl	
Combigan	
Combivent	
Combivir	
Compound electrolytes	44
Compound	
hydroxybenzoate	167
Comtan	120
Concerta	133
Condoms	69
Condyline	
Contraceptives - Hormonal	70
Contraceptives -	
Non-hormonal	
Copaxone	128

Copper	.30
Corangin	.56
Cordarone-X	.51
Corticosteroids and Related	
Agents for Systemic Use	75
Corticosteroids Topical	61
Cosmegen1	.0 I
Cosopt1	60
Cotazym ECS	20
Coumadin	43. دم
Coversyl	
Cozaar	.51
Creon 10000	.33
Creon Forte	.33
Crixivan	.94
Cromolux1	59
Crotamiton	.60
Crystacide	.59
Curam	.85
Cyclizine hydrochloride1	
Cyclizine lactate1	18
Cycloblastin1	36
Cyclogyl1	61
Cyclopentolate	
hydrochloride1	61
Cyclophosphamide1	36
Cyclosporin1	50
Cyklokapron	41
Cyproheptadine	
hydrochloride1	51
Cyproterone acetate	76
Cyproterone acetate with	., 0
ethinyloestradiol	72
Cystic Fibrosis1	56
Cytarabine1	20
Cytotec	
Cytoxan1	30
- D -	
D-Penamine1	
D-Zol	.82
d4T	.94
Dacarbazine1	41
Daclin1	00
Dactinomycin (actinomycin	
D)1	41
Daivonex	.65
Daktarin	
Alimentary	.35
Dermatological	.60
Dalacin C	
Danazol	
Dantrium 1	

Dantrolene sodium ......107

Daonil	30
Dapsone	
Dasatinib	144
Daunorubicin	141
DBL Bleomycin Sulfate	140
DDI	
De-Worm	
Deca-Durabolin Orgaject	75
Delact	.186
Depo-Medrol	75
Depo-Medrol with lidocaine	75
Depo-Provera	72
Depo-Testosterone	76
Deprim	87
Derbac-M	
Dermol61	, 66
Desferrioxamine mesylate	
DesmopressinDesmopressin-PH&T	81
Desmopressin-PH&T	81
Detection of Substances in	
Urine	74
Dexamethasone	
Hormone	75
Sensory	159
Dexamethasone sodium	
phosphate	75
Dexamethasone with framycetin	
and gramicidin	158
Dexamethasone with neomycin	
and polymyxin b sulphate	.159
Dexamphetamine sulphate	.130
Dextrochlorpheniramine	
maleate	151
Dextropropoxyphene with	
paracetamol	
Dextrose	
Dextrose with electrolytes	
DHC Continus	
Diabetes	28
Diabetes Management	30
Diabur 5000	
Diamox	
Diaphragm	
Diasip	
Diason RTH	
Diastix	
Diastop	
Diazepam114,	
Dibenyline	
Diclax SR Diclofenac sodium	99
Musculoskeletal System	00
Sensory	
OCHOUR	. 108

# INDEX Generic Chemicals and Brands

Diclohexal	99	DP Lotion	64	Ensure Plus RTH	179
Didanosine [DDI]	93	DP Lotn HC	61	Entacapone	120
Difflam	35	DP-Anastrozole	146	Entecavir	
Diflucortolone valerate	61	Dr Reddy's Omeprazole	28	Entocort CIR	25
Digestives Including		Dr Reddy's Pantoprazole	28	Enuclene	
Enzymes	33	Dr Reddy's Risperidone		Enzymes	
Digoxin		Dulcolax		Epilim	
Dihydrocodeine tartrate		Duocal Super Soluble		Epilim Crushable	
Dilantin		Powder	171	Epilim IV	
Dilantin Infatab		Duolin		Epilim S/F Liquid	
Dilatrend		Duphalac		Epilim Syrup	116
Diltiazem hydrochloride		Duphaston		Epirubicin	142
Dilzem		Durex Confidence		Epirubicin Ebewe	
Dimetriose		Durex Extra Safe		Eprex	
Dipentum		Durex Select Flavours		ERA	
Diphemanil methylsulphate		Duride		Ergometrine maleate	
Diphenoxylate hydrochloride		Durogesic		Ergotamine tartrate with	
atropine sulphate		Dusting Powders		caffeine	118
Diprosone		Dydrogesterone		Erythrocin IV	
Diprosone OV		Dynacirc-SRO	54	Erythromycin ethyl succinate	
Dipyridamole				Erythromycin lactobionate	
Disinfecting and Cleansing	42	-E-		Erythromycin stearate	
Agents	62	E-Mycin		Erythropoietin alpha	
Disipal		Ear Preparations		Erythropoietin beta	
Disopyramide phosphate		Ear/Eye Preparations		Estraderm TTS 100	
Disulfiram		Easiphen		Estraderm TTS 25	
Dithranol		Easiphen Liquid		Estraderm TTS 50	
Diuretics		Econazole nitrate		Estrofem	
Diurin 40		Efavirenz			
Diurin 500		Efexor XR		Etanercept	
		Eformoterol fumarate	153	Ethambutol hydrochloride	
Dixarit		Efudix	67	Ethics Aspirin	
DM Ject		Egopsoryl TA	65	Ethics Aspirin EC	
Docetaxel		Elemental 028 Extra	177	Ethics Ibuprofen	
Docetaxel Ebewe		Eligard		Ethinyloestradiol	/0
Docusate sodium	34	Elocon	62	Ethinyloestradiol with	70
Docusate sodium with	0.4	Eloxatin		desogestrel	/ (
sennosides		Eltroxin	79	Ethinyloestradiol with	70
Domperidone		Emend Tri-Pack	118	gestodene	/(
Dopergin		EMLA	108	Ethinyloestradiol with	7.
Dopress		Emtricitabine	93	levonorgestrel	/
Dornase alfa		Emtriva	93	Ethinyloestradiol with	
Dorzolamide hydrochloride		Emulsifying ointment	63	norethisterone	
Dorzolamide hydrochloride		Enalapril	49	Ethosuximide	
timolol maleate		Enalapril with		Etidronate disodium	
Dostinex		hydrochlorothiazide	50	Etopophos	
Dothiepin hydrochloride		Enbrel	104	Etoposide	
Doxazosin mesylate		Endocrine Therapy	147	Etoposide phosphate	
Doxepin hydrochloride		Endoxan		Eumovate	
Doxine		Enerlyte	44	Eurax	
Doxorubicin		Enfuvirtide	94	Exemestane	
Doxorubicin Ebewe		Enoxaparin sodium	42	Extemporaneously Compounded	ľ
Doxy-50		Ensure		Preparations and	
Doxycycline hydrochloride .	86	Ensure Plus		Galenicals	167

# INDEX Generic Chemicals and Brands

Eye Preparations	.158
Ezetimibe	47
Ezetimibe with simvastatin	
Ezetrol	47
-F-	
Famotidine	27
Famox	27
Felo 10 ER	54
Felo 5 ER	54
Felodipine	54
Femara	
Femodene 28	
Femtran 100	70
Femtran 50	//
Femilian 50	//
Fenpaed	99
Fentanyl	.109
Fentanyl citrate	.110
Ferodan	
Ferro-F-Tabs	38
Ferro-Gradumet	38
Ferro-tab	38
Ferrograd-Folic	38
Ferrous fumarate	38
Ferrous fumarate with folic	
acid	38
Ferrous gluconate with ascorbic	
acid	38
Ferrous sulphate	38
Ferrous sulphate with folic	
acid	38
Ferrum H	38
Fexofenadine hydrochloride	.152
Fibalip	45
Fibersource HN	.179
Fibersource HN RTH	.179
Fibro-vein	41
Finasteride	
Fine Ject	32
Fintral	73
Flagyl	
Flagyl-S	88
Flamazine	
Flecainide acetate	
Fleet	
Fleet Phosphate Enema	
Flixonase Hayfever &	04
Allergy	156
Flixotide	150
Flixotide Accuhaler	.102
Florinef	/5
Fluanxol	
Flucloxacillin sodium	86

Fluconazole	87
Fludara	
Fludara Oral	.138
Fludarabine phosphate	.138
Fludrocortisone acetate	75
Fluids and Electrolytes	44
Flumetasone pivalate	.158
Fluocortolone caproate with	
fluocortolone pivalate and	
cinchocaine	26
Fluorometholone	.159
Fluorouracil Ebewe	.138
Fluorouracil sodium	
Dermatological	67
Oncology	.138
Fluox	.113
Fluoxetine hydrochloride	.113
Flupenthixol decanoate	.124
Fluphenazine decanoate	.125
Flutamide	.147
Flutamin	.147
Fluticasone	.152
Fluticasone propionate	.156
Fluticasone with salmeterol	.154
Fluvax	98
FML	.159
Foban	58
Folic acid	40
Food Thickeners	.181
Foods And Supplements For	
Inborn Errors Of Metabolism -	
Other	182
Foods And Supplements For	
Inborn Errors Of Metabolism -	
PKU	183
Foradil	.153
Foremount Child's Silicone	
Mask	156
Fortimel Regular	.174
Fortisip	
Fortisip Multi Fibre	.180
Fosamax106,	107
Fosamax Plus	106
Framycetin sulphate	158
FreeStyle Lite	
Frisium	114
Frumil	55
Fucicort	62
Fucidin	
Fucithalmic	
Fungilin	
Furosemide	55
Fusidic acid	50

Dermatological	
Infection	87
Sensory	158
Fuzeon	94
- G -	
Gabapentin	114
Gabapentin (Neurontin)	115
Gamma benzene	
hexachloride	64
Gastrosoothe	
Gaviscon	
Gaviscon Double Strength	25
Gaviscon Infant	
Gemcitabine Ebewe	138
Gemcitabine hydrochloride	138
Gemzar	138
Generaid Plus	175
Genoptic	
Genotropin	130
Genox	
GenRx Moclobemide	110
Gentamicin sulphate	1 12
Infection	97
Sensory	
Gestrinone	100
Ginet 84	02
Glatiramer acetate	129
Glibenclamide	
Gliclazide	
Glipizide	
Glivec	1/1
Glucagen Hypokit	٠٠٠ ١٠٠٠
Glucagon hydrochloride	22
Glucerna Select	179
Glucerna Select RTH	179
Glucobay	
Glucose oxidase	
Gluten Free Foods	١٥٠
Glycerol	10
Alimentary	2/
Extemporaneous	167
Glycerol with paraffin and cetyl	107
alcohol	60
Glyceryl trinitrate	
Gold Knight	ىد
Goldshield	שלט זכ
Gopten	
Goserelin acetate	)C
Gutron	
Gynaecological	32
Anti-infectives	70
Gynol II	12
CANTIOL II	

# Generic Chemicals and Brands

- H -	
Habitrol134,	135
Haldol	
Haldol Concentrate	
Haloperidol	122
Haloperidol decanoate	125
Hamilton Sunscreen	66
Healtheries Iron with Vitamin	
C	38
Healtheries Multi-vitamin tablets	27
Healtheries Simple Baking	3/
Mix	192
Hemastix	7/1
Heparin sodium	
Heparinised saline	
Hepsera	89
Herceptin	
Hexamine hippurate	
Hiprex	97
Histafen	151
Holoxan	136
Homatropine hydrobromide	161
Horleys Bread Mix	182
Horleys Flour	182
Hormone Replacement Therapy -	
Systemic	76
Humalog Humalog Mix 25	29
Humalog Mix 50	29
Humira	
HumiraPen	
Humulin 30/70	
Humulin NPH	28
Humulin R	
Hyalase	107
Hyaluronidase	107
Hybloc	53
Hydralazine	
Hydrea	142
Hydrocortisone	
Dermatological	
Hormone	
Hydrocortisone acetate	26
Hydrocortisone butyrate61 Hydrocortisone butyrate with	, 00
chlorquinaldol	62
Hydrocortisone with	02
miconazole	. 62
Hydrocortisone with natamycin	52
and neomycin	62
Hydrocortisone with wool fat and	

mineral oil61
Hydroderm Lotion64
Hydrogen peroxide
Alimentary36
Dermatological59, 67
Hydroxocobalamin36
Hydroxychloroquine sulphate88
Hydroxyurea142
Hygroton56
Hyoscine (scopolamine)119
Hyoscine hydrobromide119
Hyoscine N-butylbromide27
Hypam129
Hyperuricaemia and Antigout107
Hypnovel
Hypromellose161
Hysite160
Hytrin Starter Pack49
Hyzaar51
-1-
Ibiamox85
Ibuprofen99
Idarubicin hydrochloride142
Ifosfamide136
Iloprost57
Imatinib mesylate145
Imiglucerase35
Imigran118
Imipramine hydrochloride112
Imiquimod67
Immune Modulators95
Immunosuppressants148
Imuran148
Indapamide56
Indinavir94
Indomethacin100
Infant Formulae185
Influenza vaccine98
Influvac98
Inhaled Anticholinergic
agents
Inhaled Corticosteroids152
Inhaled Long-acting
Beta-adrenoceptor
Agonists 153
Inhibace49
Inhibace Plus50
Innovacon hCG One Step
Pregnancy Test
Insulin aspart
Insulin glargine29

nsulin isophane	28
nsulin isophane with insulin	
neutral	. 28
nsulin lispro	
nsulin lispro with insulin lispro	
protamine	. 29
nsulin neutral	
nsulin pen needles	32
nsulin syringes, disposable with	
attached needle	. 32
ntal Spincaps	155
nterferon alpha-2a	
nterferon alpha-2a with	
ribavirin	. 96
nterferon alpha-2b	
nterferon beta-1-alpha	
nterferon beta-1-beta	128
ntra-uterine device	
ntron-A	
pecacuanha	
pratropium bromide154,	
pratropium Steri-Neb	
rinotecan	
ron Overload	
ron polymaltose	
sentress	94
smo 20	
sogel	
soniazid	
soprenaline hydrochloride	
soptin	.54
sopto Carpine	
sopto Homatropine	
sosorbide mononitrate	
sosource 1.5	179
sosource HN	179
sosource HN RTH	179
sosource Standard	
sosource Standard RTH	179
sotretinoin	
sradipine	
suprel	
tch-Soothe	
traconazole	
- J -	
Janola	62
Jevity RTH	179
- K -	.,,
- <b>K -</b> Kaletra	0.4
Naieura Food Thisters	94
Karicare Food Thickener	ı
Karicare Goats Milk Infant	100

# INDEX Generic Chemicals and Brands

37
21
58
76
76
16
. ~
36
37
•
31
99
31
37
37
75
93
34
27
34
78
78
11
33
_
10
53
53
53 52 34
53 52 34 16
53 52 34 16
53 34 16 94
53 34 16 51
53 52 34 16 51
53 34 16 51 51
53 34 16 51 51 27
53 34 16 51 51 27 29
53 52 34 16 51 51 51 27 29
53 52 34 16 51 51 51 29 29
53 52 34 16 51 51 52 52 55 55
53 52 34 16 51 51 51 52 52 55 55 56 60
53 52 34 16 51 51 51 52 55 56 60 84
53 52 34 16 51 51 52 55 56 56 34 33
53 52 34 16 51 51 51 52 55 55 56 56 57 58 58 58 58 58 58 58 58 58 58 58 58 58
53 53 53 53 54 54 55 55 55 55 56 56 56 56 56 56 56 56 56
533 532 533 533 54 54 55 55 55 55 55 56 56 56 56 56 56 56 56
533 532 533 533 54 55 55 55 55 55 56 56 56 56 56 56 56 56
533 532 533 64 64 64 64 64 64 64 64 64 64 64 64 64
5334 3416 3416 3516 3516 3616 3616 3616 3616 3616 36
533 532 533 64 64 64 64 64 64 64 64 64 64 64 64 64

Leuprorelin	.81
Leustatin1	38
Levetiracetam1	16
Levlen ED	.71
Levobunolol1	59
Levocabastine	59
Levodopa with benserazide	20
Levodopa with carbidopa1	20
Levonorgestrel	_
Genito-Urinary	72
Hormone	78
Levothyroxine	70
Lifestyles Flared	60 60
Lignocaine	
Lignocaine hydrochloride1	n
Lignocaine with	UC
chlorhexidine1	^
Liganopoino with prilogging	00
Lignocaine with prilocaine1	30
Lipid Modifying Agents	.45
Lipitor	.40
Liquigen1	/1
Lisinopril	.50
Lisuride hydrogen maleate1	20
Litak1	38
Lithicarb1	22
Lithium carbonate	
Livostin1	59
Locasol	85
Loceryl	.59
Locoid61,	66
Locoid C	.62
Locoid Crelo	.61
Locoid Lipocream	.61
Locorten-Vioform1	58
Lodoxamide trometamol1	59
Loette	.71
Logem1	16
Lomide1	59
Lomustine1	36
Loperamide hydrochloride	.25
Lophlex LQ	84
Lopinavir with ritonavir	.94
Lopresor	
Lopressor	53
Loprofin	84
Loprofin Mix	
Loraclear Hayfever Relief1	52
Lorapaed1	52
Loratadine	50
Lorazenam	27
Lorazepam	21
Lormetazepam1	Z 2
Losartan	.5

Lovir	91
Loxamine	113
Lucrin Depot	81
Lucrin Depot PDS	81
Ludiomil	112
Lumigan	
Lycinate	56
•	
- M -	
m-Enalapril	49
m-Eslon	110
m-Mometasone	
Mabthera	148
Macrogol 3350	
Madopar 125	120
Madopar 250 Madopar 62.5	120
Madopar 62.5	120
Madopar Dispersible	120
Madopar HBS	120
Magnesium hydroxide	167
Magnesium sulphate	
Alimentary	38
Dermatological	68
Malathion	64
Maprotiline hydrochloride Marcain Heavy	112
Marcain Heavy	108
Marcain Isobaric	108
Marevan	43
Marine Blue Lotion SPF 30+	66
Marquis Black	69
Marquis Conforma	69
Marquis Protecta	69
Marquis Protecta Marquis Selecta	69
Marquis Sensolite	69
Marquis Supalite	69
Marquis Titillata	69
MarquisTantiliza	69
Marvelon 21	70
Marvelon 28	70
Mask for spacer device	156
Mast cell stabilisers	155
Maxalt Melt	118
Maxidex	159
Maxitrol	159
MCT oil (Nutricia)	171
MDS Quick Card	
Mebendazole	
Mebeverine hydrochloride	00 77
Medrol	
Madrovinragostarana acatata	
Genito-Urinary	70
Hormone	1∠ 77 7∩
Mefenamic acid	100

Megace147	Miacalcic	107	Mucilax	33
Megestrol acetate147	Mianserin hydrochloride	112	Multiload Cu 375	69
Melphalan136	Micanol	65	Multiload Cu 375 SL	69
Menthol60	Micelle E	37	Multiparin	43
Mercaptopurine139	Miconazole	35	Multiple Sclerosis	
Mercilon 2170	Miconazole nitrate		Treatments	127
Mercilon 2870	Dermatological	60	Multivitamins	
Mesalazine26	Genito-Urinary	73	Mupirocin	59
Mesna142	Micreme	73	Muscle Relaxants	
Mestinon99	Micreme H	62	Myambutol	
Metabolic Disorder Agents35	Microgynon 20 ED	71	Mycobutin	88
Metabolic Mineral Mixture185	Microgynon 30		Mycophenolate mofetil	148
Metamide119	Microgynon 30 ED		Mycostatin	
Metamucil33	Microgynon 50 ED		Mydriacyl	
Metformin hydrochloride30	Microlax		Mylan	
Methadone hydrochloride	Microlut		Mylanta P	
Extemporaneous167	Midazolam	129	Myleran	
Nervous110	Midodrine	52	Myocrisin	
Methatabs110	Minaphlex		Myometrial and Vaginal Hormo	
Methoblastin140	Minerals		Preparations	
Methopt161	Minidiab		- N -	
Methotrexate140	Minirin			E0
Methotrexate Ebewe140	Mino-tabs		Nadolol	
Methotrimeprazine122	Minocycline hydrochloride		Nalcrom	
Methyl hydroxybenzoate167	Minomycin		Naloxone hydrochloride	
Methylcellulose167	Minor Skin Infections		Naltrexone hydrochloride	
Methyldopa55	Mirena		Nandrolone decanoate	
Methylergometrine73	Mirtazapine		Napamide	
Methylphenidate	Misoprostol		Naphazoline hydrochloride	
hydrochloride131	Mitomycin C		Naphcon Forte	
Methylphenidate hydrochloride	Mitomycin-C		Naprosyn SR 1000	
extended-release	Mitozantrone		Naprosyn SR 750	
Methylprednisolone75	Mitozantrone Ebewe		Naproxen	
Methylprednisolone	Mixtard 30		Naproxen sodium	
aceponate62	Moclobemide		Nardil	
Methylprednisolone acetate75	Modecate		Nasal Preparations	
Methylprednisolone acetate with	Moducal		Natulan	
lignocaine75	Mogine		Nausicalm	
Methylprednisolone sodium	Mometasone furoate		Navelbine	
succinate75	Monofeme		Navoban	
Methylxanthines155	Monogen		Nedocromil	
Metoclopramide	Morphine hydrochloride		Nefopam hydrochloride	
hydrochloride119	Morphine sulphate		Neo-B12	
Metoclopramide hydrochloride	Morphine tartrate		Neo-Mercazole	
with paracetamol118	Morrex Maltodextrin		Neo-Naclex	
Metopirone82	Motilium		Neocate	
Metoprolol - AFT CR53	Mouth and Throat		Neocate Advance	
Metoprolol succinate53	Movicol		Neocate LCP	
Metoprolol tartrate53	MSUD Maxamaid		Neoral	
Metronidazole88	MSUD Maxamum		NeoRecormon	
Metyrapone82	Mucilaginous laxatives		Neostigmine	99
Mexiletine hydrochloride52	Mucilaginous laxatives with		Neotigason	64
Mexitil52	stimulants	34	Nepro (vanilla)	1/6
UL			Nerisone	61

# INDEX Generic Chemicals and Brands

Neulactil	123
Neurontin	
Nevirapine	
Nicotine13	
Nicotinell	
Nicotinic acid	45
Nifedipine	54
Nifuran	
Nilstat	
Alimentary	O.F.
Allmentary	35
Genito-Urinary	/3
Infection	
Nipent	143
Nitrados	129
Nitrates	56
Nitrazepam	129
Nitroderm TTS	56
Nitrofurantoin	07
Nitrolingual Pumpspray	91
	50
Nizoral	
Dermatological	
Infection	87
Noctamid	129
Nodia	25
Noflam 250	100
Noflam 500	
Nonoxynol-9	
Nordette 28	
Norditropin SimpleXx 10mg	/ 1
Norditropin Simplexx Turng	80
Norditropin SimpleXx 15mg	80
Norditropin SimpleXx 5mg	80
Norethisterone	
Genito-Urinary	
Hormone	79
Norethisterone with	
mestranol	71
Norflex	
Norfloxacin	
Noriday 28	
Norimin	
Norinyl-1/28	
Normacol	
Normacol Plus	34
Normison	129
Norpress	112
Nortriptyline hydrochloride	112
Norvir	94
Noten	
NovaSource Renal	
NovoFine	
NovoRapid	29
NovoRapid Penfill	29
Mozinan	122

Nuelin155
Nuelin-SR155
Nupentin114
Nutraplus63
Nutrient Modules170
Nutrini Energy RTH175
Nutrini RTH176
NutriniDrink176
NutriniDrink Multifibre176
Nutrino Consentrated 170
Nutrison Concentrated176
Nutrison Energy Multi Fibre179
Nutrison Multi Fibre179
Nutrison Standard RTH179
Nyefax Retard54
Nystatin
Alimentary35
Dermatological60
Genito-Urinary73
Infection87
NZB Low Gluten Bread Mix182
- 0 -
Octreotide (somatostatin
analogue)147
Oestradiol77
Oestradiol valerate77
Oestradiol with
norethisterone78
Oestriol
Genito-Urinary73
Hormone78
Oestrogens
Oestrogens with
medroxyprogesterone
Oil in water emulsion63
Oily cream63
Olanzapine122, 125
Olbetam45
Olsalazine26
Omeprazole28
Omeprazole, amoxycillin and
clarithromycin27
On Call Advanced31
Ondansetron119
One-Alpha36
Onkotrone142
Optium 5 second test31
Optium Blood Ketone Test
Strips31
Optium Xceed31
Orabase35
Oracort35
Oral Supplements172
Oral Supplements/Complete Diet

(Nasogastric/Gastrostomy	470
Tube Feed)	
Oratane	
Orgran	
Ornidazole	
Orphenadrine citrate	107
Orphenadrine hydrochloride	121
Ortho	
Ortho All-flex	
Ortho Coil	
Ortho-tolidine	
Oruvail 100	
Oruvail 200	
Osmolite RTH	
Ospamox	85
Ospamox Paediatric Drops	85
Other Endocrine Agents	81
Other Oestrogen	
Preparations	78
Other Progestogen	
Preparations	78
Other Skin Preparations	67
Ovestin	
Genito-Urinary	
Hormone	78
Ox-Pam	127
Oxaliplatin	136
Oxaliplatin Ebewe	
Oxazepam	127
Oxis Turbuhaler	
Oxybutynin	74
Oxycodone hydrochloride	111
OxyContin	111
OxyNorm	
Oxypentifylline	56
Oxytocin	
, P.	
Pacifen	107
Pacific Buspirone	126
Paclitaxel	143
Paclitaxel Ebewe	143
Paediatric Seravit	37
Paediatric Seravit Pamidronate disodium	107
Pamisol	
Panadol	
Pancreatic enzyme	
Pancrex V	ეე
Pancrex V Forte	ეე
Panteston	
Pantocid IV	
Pantoprazole	
Pantoprazoie	
ran∠viiai	აპ

# INDEX

Papaverine nydrochioride	5/	Pneneizine suipnate	112	Pred Forte	158
Paracare	109	Phenergan	152	Pred Mild	159
Paracare Double Strength	109	Phenobarbitone	116	Prednisolone acetate	159
Paracare Junior	109	Phenobarbitone sodium	168	Prednisolone sodium	
Paracetamol	109	Phenoxybenzamine		phosphate	75
Paracetamol with codeine	111	hydrochloride	49	Prednisone	
ParaCode	111	Phenoxymethylpenicillin		Prefrin	162
Paradex	109	(Penicillin V)	86	Pregnancy Tests - hCG Urine	73
Paraffin	64	Phentolamine mesylate	49	Pregnancy tests - HCG urine	73
Paraffin liquid with soft white		Phenylephrine		Premarin	77
paraffin	162	hydrochloride	162	Premia 2.5 Continuous	78
Paraffin liquid with wool fat		Phenylephrine hydrochloric	de with	Premia 5 Continuous	78
liquid	162	zinc sulphate	162	Priadel	122
Paraldehyde	114	Phenytoin sodium	114, 116	Primidone	116
Paramax	118	Phlexy 10	184	Primolut N	79
Parasiticidal Preparations	64	Phosphate-Sandoz		Probenecid	107
Parnate	112	Phytomenadione	41	Procaine penicillin	86
Paroxetine hydrochloride	113	Pilocarpine	161	Procarbazine hydrochloride	143
Paxam		Pimafucort		Prochlorperazine	
Peak flow meter	157	Pindol	53	Procyclidine hydrochloride	
Pedialyte - Bubblegum	45	Pindolol	53	Prodopa	55
Pedialyte - Fruit		Pinetarsol	66	Prograf	150
Pedialyte - Plain	45	Pioglitazone	30	Progynova	77
Pediasure	176	Piportil	125	Promethazine hydrochloride	152
Pediasure RTH	176	Pipothiazine palmitate	125	Promethazine theoclate	
Pegasys	96	Piram-D	100	Promethazine Winthrop	
Pegasys RBV Combination		Piroxicam	100	Elixir	152
Pack	96	Pizaccord	30	Promod	172
Pegylated interferon alpha-2a	96	Pizotifen	118	Propafenone hydrochloride	52
Penicillamine	100	PKU Anamix Infant	184	Propamidine isethionate	158
PenMix 30	28	PKU Lophlex LQ	184	Propranolol	53
PenMix 40	28	Plaquenil	88	Propylene glycol	168
PenMix 50	28	Plavix	41	Protamine sulphate	43
Pentasa	26	Plendil ER	54	Protaphane	
Pentostatin		Podophyllotoxin	67	Protaphane Penfill	
(deoxycoformycin)	143	Polaramine	151	Protifar	172
Pepti Junior	186	Polaramine Colour-Free		Provera	77, 79
Pepti Junior Gold	186	Repetab	151	PSO1	188–191
Peptisoothe		Poloxamer	34	Psoriasis and Eczema	
Peptisorb	177	Poly-Tears	161	Preparations	64
Pergolide	120	Poly-Visc	162	Pulmicort Turbuhaler	152
Perhexiline maleate	54	Polycal	170	Pulmocare	173
Periactin		Polytar Emollient		Pulmozyme	156
Pericyazine	123	Polyvinyl alcohol	161	Purinethol	139
Perindopril	50	Ponstan	100	Pyrazinamide	88
Permax	120	Postinor-1	72	Pyridostigmine bromide	99
Permethrin	64	Potassium bicarbonate	45	Pyridoxine hydrochloride	
Persantin	42	Potassium chloride		Pytazen SR	42
Pethidine hydrochloride	111	Povidone iodine	64	- Q -	
Pevaryl		Prantal		Q 200	107
Pexsig	54	Pravachol	46	Q 300	
Pharmacare	109	Pravastatin	46	Questran-Lite	
Phenate	81	Prazosin hydrochloride	49		

# INDEX Generic Chemicals and Brands

Quetapel123
Quetiapine123
Quinapril50
Quinapril with
hydrochlorothiazide50
Quinine sulphate107
QV63
- R -
RA-Morph110
Raltegravir potassium94
Ranbaxy Amoxicillin85
Ranbaxy-Cefaclor83
Ranitidine hydrochloride27
Rapamune
Redipred75
Regitine49
Renilon 7.5176
Resonium-A45
Resource Diabetic173
Resource Plus180
Resource Thicken Up181
Respigen154
Respiratory Devices156
Retrovir94
ReVia134
Reyataz94
Rheumacin SR100
Ridal124
Ridaura100
Rifabutin88
Rifadin88
Rifampicin88
Rifinah88
Riodine64
Risperdal124
Risperdal Consta125
Risperdal Quicklet126
Risperidone124–126
Risperon124
•
Ritalin
Ritalin LA
Ritalin SR131
Ritonavir94
Rituximab148
Rivotril114
Rizatriptan benzoate118
Rocaltrol solution36
Roferon RBV Combination
Pack96
Roferon RBV Combination Pack
Starter Kit96
Roferon-A96
Davids 400

Ropinirole hydrochloride	120
Roxithromycin	85
Rubifen	131
Rubifen SR	131
Rythmodan	51
Rytmonorm	57
	52
-S-	
S26 Soy	186
S26LBW Gold RTF	185
Sabril	117
Salamol	154
Salapin	154
Salazopyrin	26
Salazopyrin EN	26
Salbutamol	154
Salbutamol with ipratropium	
bromide	. 155
Salicylic acid	66
Salmeterol	153
Sandomigran	118
Sandostatin	147
Sandostatin LAR	147
Sandoz	
SC Profi-Fine	
Scalp Preparations	
Scopoderm TTS	110
Sebizole	۱۱۱۵ ۵۵
Sedatives and Hypnotics	100
Selegiline hydrochloride	100
Senna	
Senokot	٠٥٠
SensoCard	3C
SensoCard	ا ک
Serenace	122
Seretide	154
Seretide Accuhaler	154
Serevent	153
Serevent Accuhaler	153
Seroquel	
Sevredol	110
Sex Hormones Non	
Contraceptive	76
Shield 49	
Shield Blue	
Shield XL	
Sildenafil	57
Silvazine	59
Silver sulphadiazine	
Simethicone	
Simvastatin	47
Sindopa	120
Sinemet	120
Sinemet CR	120
O	

Siterone	.76
Slow-Lopressor	.53
Sodium acid phosphate	.34
Sodium alginate	25
Sodium aurothiomalate	. <u></u> . I N N
Sodium bicarbonate	100
Blood	11
Extemporaneous	. <del></del>
Sodium calcium edetate	വ
Sodium	.05
carboxymethylcellulose	25
Carboxymetriyiceiiulose	33
Sodium chloride	.44
Sodium citrate with sodium lauryl sulphoacetate	0.4
sulpnoacetate	34
Sodium citro-tartrate	. /4
Sodium cromoglycate	
Alimentary	.26
Respiratory155-1	156
Sensory1	
Sodium fluoride	
Sodium hypochlorite	.62
Sodium nitroprusside	.31
Sodium polystyrene	
sulphonate	45
Sodium tetradecyl sulphate	.41
Sodium valproate	116
Sofradex	
Soframycin	158
Solian	121
Solifenacin succinate	.74
Solox	.27
Solu-Cortef	.75
Solu-Medrol	.75
Somatropin	.80
Sonaflam	100
Sotacor	.53
Sotalol	.53
Space Chamber	157
Spacer device	157
Span-K	.45
Spiriva1	154
Spironolactone	.55
Spirotone	.55
Sporanox	.87
Sprycel	. o . I 44
Staphlex	86
Stavudine [d4T]	94
Stelazine	124
Stemetil	
Stesolid	 I 1 //
Stimulants/ADHD	
treatments	120
Stocrin	

### INDEX

# **Generic Chemicals and Brands**

Stomahesive	35
Strattera	
Sucralfate	28
Sulindac	100
Sulphacetamide sodium	158
Sulphasalazine	
Sulphur	
Sumatriptan	
Sunscreens	
Sunscreens, proprietary	
Suplena	
Suprefact	
Surgam	
Sustagen Hospital Formula	172
Sustanon Ampoules	76
Symbicort Turbuhaler 100/6	154
Symbicort Turbuhaler 200/6	154
Symbicort Turbuhaler	
400/12	154
Symmetrel	120
Sympathomimetics	56
Synacthen	
Synacthen Depot	76
Synermox	
Synflex	100
Synthroid	79
Syntocinon	73
Syntometrine	
Syrup (pharmaceutical	
grade)	168
• T -	
Tacrolimus	150
Tambocor	
Tambocor CR	
Tamoxifen citrate	
Tamoxifen Sandoz	140
Top woter	160
Tap water	
Tar with cade oil	00
Tar with triethanolamine lauryl	
	66
sulphate and fluorescein	
Tasmar	121
Tasmar Taxotere	121 141
Tasmar	121 141 114
Tasmar Taxotere Tegretol Tegretol CR	121 141 114 114
Tasmar Taxotere Tegretol Tegretol CR Telfast	121 141 114 114 152
Tasmar Taxotere Tegretol Tegretol CR Telfast Temazepam	121 141 114 114 152 129
Tasmar	121 141 114 114 152 129 109
Tasmar	121 141 114 114 152 129 109 143
Tasmar	121 141 114 114 152 129 109 143 143
Tasmar	121 141 114 152 129 109 143 143
Tasmar	121 141 114 114 152 129 109 143 143 91
Tasmar	121 141 114 114 152 129 109 143 143 91 100

Terbutaline sulphate	154
Testosterone	76
Testosterone cypionate	76
Testosterone esters	76
Testosterone undecanoate	76
Tetrabenazine	121
Tetrabromophenol	74
Tetracosactrin	76
Teva	140
Thalidomide	143
Thalidomide Pharmion	143
Theophylline	155
Thiamine hydrochloride	36
Thioguanine	140
Thiotepa	
Thymol glycerin	
Thyroid and Antithyroid	
Agente	70
Agents Tiaprofenic acid	۰۰۰۰۰ / ۵
Tiberal	00
Tilade	155
Tilcotil	100
Timolol maleate	
Cardiovascular	5
Sensory	159
Timoptol XE	159
Tiotropium bromide	154
Titralac	
TMP	87
Tobramycin	
Infection	87
Sensory	158
Tobrex	158
Tofranil	
Tolcapone	121
Tolvon	112
Topamax	117
Topiramate	117
Total parenteral nutrition	
(TPN)	44
TPN	44
Tracleer	57
Trandate	53
Trandolapril	50
Tranexamic acid	41
Tranylcypromine sulphate	112
Trastuzumab	140
Travatan	
Travoprost	160
Treatments for Opioid	100
Overdose	100
Treatments for Substance	133
Dependence	100

Trental 400	56
Tretinoin	
Triamcinolone acetonide	
Alimentary	35
Dermatological	62
Hormone	76
Triamcinolone acetonide with	
gramicidin, neomycin and nysta	
Dermatological	
Sensory	
Triazolam	
Trichozole	
Trifeme	71
Trifluoperazine	
hydrochloride	124
Trimeprazine tartrate	.152
Trimethoprim	
Trimipramine maleate	
Tripress	
Trisequens	
Trisul	
Trophic Hormones	
Tropicamide	
Tropisetron	
Trusopt	
Two Cal HN	
* '	.161
- U -	
- U - Ultraproct	26
- U - Ultraproct Ural	26 74
- U - Ultraproct	26 74 63
- U - Ultraproct	26 74 63 55
- U - Ultraproct	26 74 63 55
- U - Ultraproct	26 74 63 55 73
- U - Ultraproct	26 74 63 55 73 97
Ural Urea Urea Urinary Agents Urinary Tract Infections Uromitexan Ursodeoxycholic acid	26 74 63 55 73 97
- U - Ultraproct	26 74 63 55 73 97 .142 33
Ural Urea Urea Urinary Agents Urinary Tract Infections Ursodeoxycholic acid Vaccines Vaccines	26 74 63 55 73 97 .142 33
- U -  Ultraproct	26 74 63 55 97 .142 33
Ural Urea Urea Urinary Agents Urinary Tract Infections Ursodeoxycholic acid Vaccines Valaciclovir Vallergan Forte	26 74 55 73 97 .142 33
Ural Urea Urea Urinary Agents Urinary Tract Infections Uromitexan Ursodeoxycholic acid Vaccines Valaciclovir Vallergan Forte Valoid (AFT)	26 74 55 73 97 .142 33
Ural	26 74 63 97 97 93 98 91 91
Ural	26 74 63 97 97 93 98 91 91 91
- U -  Ultraproct	26 74 63 55 97 .142 91 91 91 91 91
- U -  Ultraproct	26 74 55 73 97 .142 33 98 91 91 91 91
- U -  Ultraproct	267463557397 .142339891 .152 .1189187568198
- U -  Ultraproct	267463557397 .142339891 .152 .1189187568198
- U -  Ultraproct	267463557397 .142339891 .152 .11887568198113
Utraproct	267463557397 .14233989156819811357154
Utraproct	26746397 .14291 .1529191959191919191

# INDEX Generic Chemicals and Brands

Vergo 16	118
Vermox	83
Verpamil SR	
Vesanoid	
Vesicare	
Viaderm KC	62
Viagra	
Vicrom	
Videx EC	
Vigabatrin	
Vinblastine sulphate	
Vincristine sulphate	
Vinorelbine	
Vinorelbine Ebewe	
Viramune	
Viramune Suspension	
Viread	
Vistil	161
Vistil Forte	161
Vitabdeck	
Vitadol C	36
Vital HN	177
Vitamin A with vitamins D and	ı
C	36
Vitamin B complex	
Vitamins	
Vivonex Pediatric	
Vivonex TEN	
Volibris	
Voltaren	99

Voltaren D         .99           Voltaren Ophtha         .158           Voltaren SR         .99           Volumatic         .157           Vosol         .158	9
Vytorin48	
- W -	
Warfarin sodium43 Wart Preparations67 Wasp venom allergy	7
treatment	l
Blood44 Extemporaneous168	
Wholesale Supply Order191	
Wool fat with mineral oil64	1
- X -	
Xeloda137	
Xenazine 25121	
XMET Maxamum183	
XP Analog LCP184	
XP Maxamaid184	
XP Maxamum184	
Xylocaine108	3
- Z -	
Zantac27	
Zarontin114	
Zavedos142	2

Zeldox	124
Zerit	94
Zetop	
Ziagen	
Zidovudine [AZT]	94
Zidovudine [AZT] with	
lamivudine	94
Zinacef	
Zinc	
Zinc and castor oil	
Zinc oxide	
Zinc sulphate	
Zincaps	
Zincfrin	
Zinnat	
Ziprasidone	
Zofran	
Zofran Zydis	
Zoladex	
Zopiclone	
Zostrix HP	
Zovirax	158
Zuclopenthixol decanoate	
Zuclopenthixol	
hydrochloride	124
Zyban	
Zyprexa	
Zyprexa Zydis	

### **Dear Pharmacist**

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

### **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### **Exceptions**

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:

### **Dear Pharmacist**

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

### **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### **Exceptions**

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:

### **Dear Pharmacist**

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

### **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### **Exceptions**

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:

### **Dear Pharmacist**

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

### **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### **Exceptions**

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:

### **Dear Pharmacist**

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

### **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### **Exceptions**

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:

### **Dear Pharmacist**

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

### **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### **Exceptions**

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date: