# August 2010

# Volume 17 Number 2

Editors

Kaye Wilson & Scott Brydon email: schedule@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

Freephone Information Line 0800 66 00 50 (9am - 5pm weekdays)

### Circulation

Published each April, August and December. Changes to the contents are published in monthly updates. Annual subscription includes three Pharmaceutical Schedule books, 12 updates and occasional information on rule changes and news items. The Schedule is distributed free of charge to over 9,000 health professionals, and is also available on an annual subscription.

### Prices

\$22.22 One Schedule book \$4.44 One Update \$120.00 Annual subscription

All prices include postage and exclude GST.

### Production

Typeset automatically from XML and TEX. See www.pharmac.govt.nz/schedule/archive/ for the XML version of this Schedule.

### Programmers

Anrik Drenth & John Geering email: texschedule@pharmac.govt.nz

© Pharmaceutical Management Agency



ISSN 1179-3686 pdf ISSN 1172-9376 print

This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit:

creativecommons.org/licenses/by/3.0/nz/.

Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

Introducing	PHARMAC	2
-------------	---------	---

# Section A

# General Rules 12

# Section B Alimentary Tract & Metabolism 25 Blood & Blood Forming Organs 40 Cardiovascular System 49 Dermatologicals 59

- Genito Urinary System 70
- Hormone Preparations Systemic 77
- Infections Agents For Systemic Use 85
  - Musculoskeletal System 101
    - Nervous System 111
- Oncology Agents & Immunosuppressants 139
  - Respiratory System & Allergies 155
    - Sensory Organs 162

# Section C Extemporaneous Compounds (ECPs)167Section DSpecial Foods173Section EPractitioner's Supply Orders193Rural Areas197Section FDispensing Period Exemptions198Section GSafety Cap Medicines200

Index 203

# Introducing PHARMAC

PHARMAC, the Pharmaceutical Management Agency, is a Crown entity established pursuant to the New Zealand Public Health and Disability Act 2000 (The Act). The primary objective of PHARMAC is to secure for eligible people in need of pharmaceuticals, the best health outcomes that are reasonably achievable from pharmaceutical treatment and from within the amount of funding provided.

The PHARMAC Board consists of up to six members appointed by the Minister of Health. All decisions relating to PHARMAC's operation are made by or under the authority of the Board. In particular, Board members decide on the strategic direction of PHARMAC and may decide which community pharmaceuticals should be subsidised and at what levels, and determine national prices for some pharmaceuticals to be purchased by and used in DHB Hospitals, and whether or not special conditions are to be applied to such purchases.

### Members of the PHARMAC Board

Stuart McLaughlan	Kura Denness	David Kerr
Anne Kolbe	David Moore	Jens Mueller

Decisions taken by the PHARMAC Board members, or made under the authority of the Board, incorporate a balanced view of the needs of prescribers and patients. The aim is to achieve long-term gains and efficient ways of making pharmaceuticals available to the community and for DHB Hospitals to purchase them.

Murray Georgel, CE MidCentral DHB, attends PHARMAC's Board meetings as an observer.

The functions of PHARMAC are to perform the following, within the amount of funding provided to it in the Pharmaceutical Budget or to DHBs from their own budgets for the use of pharmaceuticals in their hospitals, as applicable, and in accordance with its annual plan and any directions given by the Minister (Section 103 of the Crown Entities Act):

- a) to maintain and manage a pharmaceutical schedule that applies consistently throughout New Zealand, including determining eligibility and criteria for the provision of subsidies;
- b) to manage incidental matters arising out of (a), including in exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the pharmaceutical schedule;
- c) to engage as it sees fit, but within its operational budget, in research to meet its objectives as set out in Section 47(a) of the Act;
- d) to promote the responsible use of pharmaceuticals;
- e) to manage the purchasing of any or all pharmaceuticals, whether used either in a hospital or outside it, on behalf of DHBs;
- f) any other functions given to PHARMAC by or under any enactment or authorised by the Minister.

The policies and criteria set out in the Pharmaceutical Schedule and PHARMAC's Operating Policies and Procedures arise out of, and are designed to help PHARMAC achieve and perform, PHARMAC's objective and functions under the Act.

However PHARMAC may, having regard to its public law obligations, depart from the strict application of those policies and criteria in certain exceptional cases where it considers this necessary or appropriate in the proper exercise of its statutory discretion and to give effect to its objective and functions, particularly with respect to:

- Determining eligibility and criteria for the provision of subsidies; and
- In exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the Pharmaceutical Schedule.

### **Decision Criteria**

PHARMAC updates the Pharmaceutical Schedule at regular intervals to notify prescribers, pharmacists, hospital managers and patients of changes to Community Pharmaceutical subsidies and the prices for Hospital Pharmaceuticals. In making decisions about amendments to the Pharmaceutical Schedule, PHARMAC is guided by its Operating Policies and Procedures, as amended or supplemented from time to time. PHARMAC takes into account the following criteria when making decisions about Community Pharmaceuticals:

- the health needs of all eligible people within New Zealand (eligible defined by the Government's then current rules of eligibility);
- the particular health needs of Maori and Pacific peoples;
- the availability and suitability of existing medicines, therapeutic medical devices and related products and related things;
- the clinical benefits and risks of pharmaceuticals;
- the cost-effectiveness of meeting health needs by funding pharmaceuticals rather than using other publicly funded health and disability support services;
- the budgetary impact (in terms of the pharmaceutical budget and the Government's overall health budget) of any changes to the Pharmaceutical Schedule;
- the direct cost to health service users;
- the Government's priorities for health funding, as set out in any objectives notified by the Crown to PHARMAC, or in PHARMAC's Funding Agreement, or elsewhere; and
- such other criteria as PHARMAC thinks fit. PHARMAC will carry out appropriate consultation when it intends to take any such "other criteria" into account.

The Operating Policies and Procedures, including any supplements, also describe the way in which PHARMAC determines the level of subsidy or purchase price payable for each Community Pharmaceutical or Hospital Pharmaceutical, respectively.

The decision criteria for Hospital Pharmaceuticals are set out in the hospital supplement to the Operating Policies and Procedures and in the introductory part of Section H of the Pharmaceutical Schedule.

Copies of PHARMAC's Operating Policies and Procedures and of any applicable supplements are available on the PHARMAC website (www.pharmac.govt.nz), or on request.

# PHARMAC and the Pharmaceutical Schedule:

PHARMAC manages the national Pharmaceutical Schedule, which lists:

- Pharmaceuticals available in the community and subsidised by the Government with funding from the Pharmaceutical Budget; and
- some Pharmaceuticals purchased by DHBs for use in their hospitals, and includes those Hospital Pharmaceuticals for which national prices have been negotiated by PHARMAC.

In the community approximately 1848 Pharmaceuticals are subsidised by the Government. Most are available to all eligible people within New Zealand on prescription by a medical doctor. Some are listed with guidelines or conditions such as 'only if prescribed for a dialysis patient' or 'Special Authority - Retail Pharmacy', to ensure that Pharmaceuticals are used by those people who are most likely to benefit from them. Pharmaceuticals provided to patients for use while in DHB hospitals are not covered by Sections A to G of the Pharmaceutical Schedule.

Section H of the Pharmaceutical Schedule is not a comprehensive list of Pharmaceuticals that are used within the DHB Hospitals. Section H of the Pharmaceutical Schedule includes Pharmaceuticals that can be purchased at a national price by DHBs for use in their hospitals. These are referred to as National Contract Pharmaceuticals.

Section H of the Pharmaceutical Schedule also identifies new Pharmaceuticals used in hospitals, which have been or are being assessed by PHARMAC, the results of that analysis being available to DHB Hospitals via PHARMAC's website.

A list of Discretionary Community Supply Pharmaceuticals, in Section H of the Pharmaceutical Schedule, identifies those products that currently are not subsidised from the Pharmaceutical Budget as Community Pharmaceuticals in Sections A to G of the Pharmaceutical Schedule but which DHBs can at their discretion fund for use in the community from their own budgets without specific Hospital Exceptional Circumstances approval.

### PHARMAC's clinical advisors

### Pharmacology and Therapeutics Advisory Committee (PTAC)

PHARMAC works closely with the Pharmacology and Therapeutics Advisory Committee (PTAC), an expert medical committee which provides independent advice to PHARMAC on health needs and the clinical benefits of particular pharmaceuticals for use in the community and/or in DHB Hospitals.

The committee members are all senior, practising clinicians. The chair of PTAC sits with the PHARMAC Board in an advisory capacity.

PTAC helps decide which community pharmaceuticals are to be subsidised from public monies by making recommendations to PHARMAC. Part of the role of PTAC is to review whether Community Pharmaceuticals already listed on the Schedule should continue to receive Government funds. The resources freed up can be used to subsidise other community pharmaceuticals with a greater therapeutic worth.

PHARMAC may obtain clinical advice from PTAC in relation to national purchasing strategies for Hospital Pharmaceuticals. There may be additional specialist hospital representatives on PTAC subcommittees, or additional PTAC subcommittees, where PHARMAC considers this necessary.

### PTAC members are:

Carl Burgess Marianne Empson Ian Hosford	MBChB, MD, MRCP (UK), FRACP, FRCP, physician/clinical pharmacologist, Chair BHB, MBChB, MMed(ClinEpi), FRACP, FRCPA, immunologist MBChB, FRANZCP, psychiatrist
Sisira Jayathissa	MMedSc (Clin Epi), MMBS, MD, MRCP (UK), FRCP (Edin), FRACP, FAFPHM, Dip Clin Epi,
· · · · · · · · · · · · · · · · · · ·	Dip OHP, Dip HSM, MBS
George Laking	MD, PhD, FRACP
Jim Lello	BHB, MBChB, DCH, FRNZCGP, general practitioner
Graham Mills	MBChB, MTropHlth, MD, FRACP, infectious disease specialist and general physician
Peter Pillans	MBBCh, MD, FCP, FRACP, clinical pharmacologist
Mark Weatherall	BA, MBChB, MApplStats, FRACP
Howard Wilson	BSc, PhD, MB, BS, Dip Obst, FRNZCGP, FRACGP, general practitioner, Deputy Chair

Contact PTAC C/-Advisory Committee Manager , Pharmaceutical Management Agency, PO Box 10 254, WELLINGTON, Email: PTAC@pharmac.govt.nz

### The PHARMAC Team

The PHARMAC team has a wide range of expertise in health, medicine, economics, commerce, critical analysis, and policy development and implementation.

Matthew Brougham Lauren Abernethy

Kate Adams Paul Alexander Katie Appleby

Jason Arnold Diana Beswethrick Mike Bignall Stephen Boxall Scott Brydon Davina Carpenter Christine Chapman Mary Chesterfield

Steffan Crausaz

Andrew Davies

**Rachelle Davies** 

Jessica Dougherty

Sean Dougherty Anrik Drenth Kim Ellis

Simon England Andy Erceg

Jackie Evans John Geering Rachel Grocott

Susan Haniel David Harland Ben Healey Hayden Holmes

Karen Jacobs Helen Knight Chief Executive Funding and Procurement Assistant Health Economist Health Economist Hospital Exceptional Circumstances Panel Co-ordinator Team Leader. Analysts HR Contractor Therapeutic Group Manager Creative Director Schedule Analyst **Records Manager** Therapeutic Group Manager High Cost Medicines Co-ordinator Manager, Funding and Procurement Procurement Initiatives Manager Office Manager / Corporate Team Assistant Executive Assistant to Chief Executive Therapeutic Group Manager Database Analyst Access & Optimal Use Co-ordinator Communications Manager Senior Network and System Administrator Therapeutic Group Manager Systems Architect Health Economist / Team Leader Assessment Advisory Committee Manager Health Economist Analyst High Cost Medicines Panel Co-ordinator (Growth Hormone/PAH) Access & Optimal Use Manager Accounts Payable Co-ordinator

Geoff Lawn Geraldine MacGibbon Janet Mackay Rachel Mackay Trish Mahonev Adam McRae Scott Metcalfe Peter Moodie Hew Norris Leigh Parish Marama Parore Chris Peck Angela Pirika Sharon Ponniah Matthew Poynton **Rachel Pratt** Dilky Rasiah Kvle Reid Awhimai Reynolds Brian Roulston Fiona Rutherford **Rico Schoeler** Merryn Simmons Liz Skellev Jude Urlich Javne Watkins Bryce Wigodsky Greg Williams Lisa Williams Kave Wilson Stephen Woodruffe Sue Anne Yee

Michael Young

Applications Developer Therapeutic Group Manager Access & Optimal Use Manager Manager, Schedule and Contracts Contract Manager Team Leader, Access & Optimal Use Chief Advisor Population Medicine / Public Health Physician Medical Director Analyst PA to Medical Director Manager, Access & Optimal Use & Māori Health Analyst Senior Receptionist Access and Optimal Use Manager Analyst/Health Economist Community Exceptional Circumstances Panel Co-ordinator **Deputy Medical Director** Tender Analyst Māori Health Manager Contract Manager Senior Policy Analyst Manager, Analysis and Assessment PHARMAC Seminar Series Co-ordinator Finance Manager Manager, Corporate and **External Relations** Team Leader. Medical Team Communications Advisor Therapeutic Group Manager Legal Counsel Schedule Analyst Therapeutic Group Manager Therapeutic Group Manager Analyst

# Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price (if it differs from the Subsidy) and any access conditions that may apply; and
- some Hospital Pharmaceuticals that are purchased and used by DHB Hospitals, including those for which national prices have been negotiated by PHARMAC.

The purpose of the Schedule is not to show the final cost to Government of subsidising each Community Pharmaceutical or to DHBs in purchasing each Hospital Pharmaceutical since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for some Hospital Pharmaceuticals, on any logistics arrangements put in place by individual DHB Hospitals.

# Finding Information in the Pharmaceutical Schedule

### **Community Pharmaceuticals**

For Community Pharmaceuticals, the Schedule is organised in a way to help the reader find Community Pharmaceuticals, which may be used to treat similar conditions. To do this, Community Pharmaceuticals are first classified anatomically, originally based on the Anatomical Therapeutic Chemical (ATC) system, and then further classified under section headings structured for the New Zealand medical system.

- Section A lists the General Rules in relation to Community Pharmaceuticals and related products.
- Section **B** lists Community Pharmaceuticals and related products by anatomical classification, which are further divided into one or more therapeutic headings. Community Pharmaceuticals used to treat similar conditions are grouped together.
- Section C lists the rules in relation to Extemporaneously Compounded Products (ECPs) and Community Pharmaceuticals that will be subsidised when extemporaneously compounded.
- Section D lists the rules in relation to Special Foods and the Special Foods that are subsidised.
- Section E Part I lists the Community Pharmaceuticals that are subsidised on a Practitioner's Supply Order (PSO).
- Section E Part II lists rural areas for the purpose of PSOs.
- Section F lists the Community Pharmaceuticals dispensing period exemptions.
- Section G lists the Community Pharmaceuticals eligible for reimbursement of safety cap and related rules.

The listings are displayed alphabetically (where practical) within each level of the classification system. Each anatomical section contains a series of therapeutic headings, some of which may contain a further classification level. Where a Community Pharmaceutical is used in more than one therapeutic area, they may be cross-referenced.

The therapeutic headings in the Pharmaceutical Schedule do not necessarily correspond to the therapeutic groups and therapeutic subgroups, which PHARMAC establishes for the separate purpose of determining the level of subsidy to be paid for each Community Pharmaceutical.

The index located at the back of the book in which Sections A-G of the Pharmaceutical Schedule are published can be used to find page numbers for generic chemical entities, or product brand names.

# **Hospital Pharmaceuticals**

Section H lists Pharmaceuticals that DHBs fund from their own budgets. The Hospital Pharmaceuticals are grouped into the following Parts in Section H:


- Part I lists the rules in relation to Hospital Pharmaceuticals.
- Part II lists Hospital Pharmaceuticals for which national contracts exist (National Contract Pharmaceuticals). These are
  listed alphabetically by generic chemical entity name and line item, the relevant Price negotiated by PHARMAC and, if
  applicable, an indication of whether it has Hospital Supply Status (HSS) and any associated Discretionary Variance (DV)
  Pharmaceuticals and DV Limit.
- Part III lists Assessed Pharmaceuticals, which have been or are being assessed by PHARMAC and, where such assessment is available, PHARMAC's opinion regarding the use of the Assessed Pharmaceuticals in hospitals. DHB Hospitals are not obliged to implement those recommendations.
- Part IV lists Discretionary Community Supply Pharmaceuticals, which are not Community Pharmaceuticals, but which a DHB Hospital can, in its discretion, fund for use in the community from its own budget.

The index located at the back of the Section H supplement can be used to find page numbers for generic chemical entities, or product brand names, for Hospital Pharmaceuticals.

# **Explaining drug entries**

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the amount of that subsidy paid to contractors, the supplier's price and the access conditions that may apply.

### Example



# Glossary

### Units of Measure

	microgram
kilogramkg	milligram
international unitiu	millilitre

μg	millimole
mg	unit
ml	

millimole	.mmol
unit	u

### Abbreviations

Ampoule	Amp	Granules	Gran	Suppository	Supp
Capsule	Сар	Infusion	Inf	Tablet	Tab
Cream	Crm	Injection	Inj	Tincture	Tinc
Device	Dev	Linctus	Linc	Trans Dermal Delivery	
Dispersible	Disp	Liquid	Liq	System	TDDS
Effervescent	Eff	Long Acting	LA	-	
Emulsion	Emul	Ointment	Oint		
Enteric Coated	EC	Sachet	Sach		
Gelatinous	Gel	Solution	Soln		

BSO Bulk Supply Order.

- CBS Cost Brand Source. There is no set manufacturer's price, and the Government subsidises the product at the price it is obtained by the pharmacy.
- CE Compounded Extemporaneously.
- CPD Cost Per Dose. The Funder (as defined in Part I of the General Rules) cost of a standard dose, without mark-ups or fees and excluding GST.
- ECP Extemporaneously Compounded Preparation.
- HSS Hospital Supply Status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.
- OP Original Pack subsidy is rounded up to a multiple at whole packs.
- PSO Practitioner's Supply Order.

### Sole Subsidised

Supplier Only brand of this medicine subsidised.

- XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.
- ▲ Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner.
- \* Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless medicine is endorsed "close control" or "cc" and the endorsement is initialled by the prescriber.
- \$ Safety cap required and subsidised for oral liquid formulations, including extemporaneously compounded preparations.
- Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a
  manufacturer's surcharge.
- S29 This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981. Practitioners prescribing this medication should:
  - a) be aware of and comply with their obligations under Section 29 of the Medicines Act 1981 and otherwise under that Act and the Medicines Regulations 1984;
  - b) be aware of and comply with their obligations under the Health and disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
  - c) exercise their own skill, judgement, expertise and discretions, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an indication for which it is not approved.

Note: Where medicines supplied under Section 29 that are used for emergency situations, patient details required under Section 29 of the Medicines Act may be retrospectively provided to the supplier.

Definitions				
Abbrev.	Pharmacy Services Agreement	All other Pharmacy Agreements		
[HP3]	Subsidised when dispensed from pharmacies that	Available from selected pharmacies that have an ex-		
	have a Special Foods Service appended to their Phar-	clusive contract to dispense Special Foods.		
	macy Services Agreement by their DHB.			
[HP4]	Subsidised when dispensed from pharmacies that	Avaliable from selected pharmacies that have an ex-		
	have the Monitored Therapy Variation (for Clozapine	clusive contract to dispense 'Hospital Pharmacy' [HP4]		
	Services)	pharmaceuticals.		

# Patient costs

### Community Pharmaceuitical costs met by the Government

Most of the cost of a subsidised prescription Community Pharmaceutical is met by the Government through the Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to Contractors, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to Contractors does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a  $\checkmark$  in the product's Schedule listing.

SALBUTAMOL

Aerosol inhaler 100 µg per dose	3.80	Fully subsidised brand	
	(6.00)	Higher priced brand	

### Pharmaceutical Co-Payments

Some Community Pharmaceutical costs are met by the patient. Generally a patient pays a prescription charge. In addition a patient will sometimes pay a manufacturer's surcharge, after hours service fee and any special packaging fee.

### PRESCRIPTION CHARGE

From 1 September 2008, everyone who is eligible for publicly funded health and disability services should in most circumstances pay only \$3 for subsidised medicines.

All prescriptions from a public hospital, a midwife and a Family Planning Clinic are covered for \$3 co-payments.

Prescriptions from the following providers are approved for \$3 co-payments on subsidised medicines if they meet the specified criteria:

- After Hours Accident and Medical Services with a DHB or a PHO contract.
- Youth Health Clinics with a DHB or a PHO contract.
- Dentists who write a prescription that relates to a service being provided under a DHB contract.
- Private specialists (for example, opthalmologists and orthopaedics) who write a prescription for a patient receiving a publicly funded service contracted by the DHB.
- General practitioners who write a prescription during normal business hours to a person who is not enrolled in the general
  practice provided the person is eligible for publicly funded health and disability services and the general practice is part of a
  PHO.
- Hospices that have a contract with a DHB.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Eligibility Direction on the Ministry of Health's website.

To check if a medicine is fully subsidised, refer to the Pharmaceutical Schedule on PHARMAC's website or ask your pharmacist or general practitioner.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

NOTE: Information sourced from Ministry of Health Website, for more information please visit www.moh.govt.nz

### MANUFACTURER'S SURCHARGE

Not all Community Pharmaceuticals are fully subsidised. Although PHARMAC endeavours to fully subsidise at least one Community Pharmaceutical in each therapeutic group, and has contracts with some suppliers to maintain the price of a particular product, manufacturers are able to set their own price to pharmacies. When these prices exceed the subsidy, the pharmacist may recoup the difference from the patient.

To estimate the amount a patient will pay on top of the prescription charge, take the difference between the manufacturer's price and the subsidy, and multiply this by 1.86. The 1.86 factor represents the pharmacy mark-up on the surcharge plus other costs such as GST. Pharmacies charge different mark-ups so this may vary.

Manufacturer's surchage to patient = (price - subsidy)  $\times$  1.86

For example, a Community Pharmaceutical with a supplier (ex-manufacturer) cost of \$11.00 per pack with a \$10.00 subsidy will cost the patient a surchage of \$1.86 on top of the prescription charge. The most a patient should pay is therefore \$16.86 - being

\$15.00 maximum prescription charge, plus \$1.86.

### Hospital Pharmaceutical and Pharmaceutical Cancer Treatment Costs

The cost of purchasing Hospital Pharmaceuticals and Pharmaceutical Cancer Treatments (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) is met by the Funder (in particular, the relevant DHB) from its own budget. As required by section 23(7) of the Act, in performing any of their functions in relation to the supply of Pharmaceuticals including Pharmaceutical Cancer Treatments, DHBs must not act inconsistently with the Pharmaceutical Schedule.

### PHARMAC web site

PHARMAC has set up an interactive Schedule on the Internet. It can be used to calculate the cost of a prescribed Community Pharmaceutical. This site at *http://www.pharmac.govt.nz* takes into account the quantity of Community Pharmaceutical prescribed as well as the patient's age, whether the patient has a community services card, high use health card or prescription subsidy card, the fee for pharmacy services and prescription charges.

Other information about PHARMAC is also available on our website. This includes copies of the Annual Review, Annual Report and Annual Plan, as well as information such as the Pharmaceutical Schedule, Pharmaceutical Schedule Updates, National Hospital Pharmaceutical Strategy, other publications and recent press releases.

# **Special Authority Applications**

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person. Applications must be submitted to the Ministry of Health by the prescriber for the request to be processed.

### Subsidy

Once approved, the presciber will be provided a Special Authority number which must appear on the prescription. Specialists who make an application must communicate the valid authority number to the prescriber who will be writing the prescriptions.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Pharmaceutical Budget.

### Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website.

For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised. Criteria for each Special Authority Community Pharmaceutical are updated regularly, based on the decision criteria of PHARMAC. The appropriateness of the listing of a Community Pharmaceutical in the Special Authority category will also be regularly reviewed. Applications for inclusion of further Community Pharmaceuticals in the Special Authority category will generally be made by a pharmaceutical supplier.

### **Special Authority Applications**

Application forms can be found at www.pharmac.govt.nz. Requests for fax copies should be made to PHARMAC, phone 04 460 4990. Applications are processed by the Ministry of Health, and should be sent to:

Ministry of Health Sector Services, Private Bag 3015, WANGANUI 4540 Fax: (06) 349 1983 or free fax 0800 100 131

For enquiries, phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666

Note: The Ministry of Health can only provide information on Special Authority applications to prescribers and pharmacists.

### Each application must:

- Include the patients name, date of birth and NHI number (codes for AIDS patients' applications)
- Include the practitioner's name, address and Medical Council registration number
- Clearly indicate that the relevant criteria, have been met.
- · Be signed by the practitioner.

# **Exceptional Circumstances policies**

The purpose of the Exceptional Circumstances policies are to provide:

- funding from the Community Exceptional Circumstances budget for medication, to be used in the community, in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical Budget is not able to be provided through the Pharmaceutical Schedule ("Community Exceptional Circumstances"); or
- an assessment process for the DHB Hospitals to determine whether they can fund medication, to be used in the community, in circumstances where the medication is neither a Community Pharmaceutical nor a Discretionary Community Supply Pharmaceutical and where the patient does not meet the criteria for Community Exceptional Circumstances ("Hospital Exceptional Circumstances"); or
- an assessment process for DHB Hospitals to determine whether they can fund pharmaceuticals for the treatment of cancer in their DHB Hospital, or in association with Outpatient services provided in their DHB hospital, in circumstances where the pharmaceutical is not identified as a Pharmaceutical Cancer Treatment ("Cancer Exceptional Circumstances") in Sections A-H of the Pharmaceutical Schedule.

Upon receipt of an application for approval for Community Exceptional Circumstances or Hospital Exceptional Circumstances, the Exceptional Circumstances Panel first decides whether an application will be assessed initially under the Community Exceptional Circumstances criteria or the Hospital Exceptional Circumstances criteria. Cancer Exceptional Circumstances is a separate process.

# **Hospital Exceptional Circumstances**

If the application is first assessed but not approved under the Community Exceptional Circumstances criteria, the Exceptional Circumstances Panel may recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances.

If the application is first assessed under the Hospital Exceptional Circumstances criteria, the Exceptional Circumstances Panel may:

- a) recommend against the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget, in which case a DHB Hospital must not fund the pharmaceutical from its own budget;
- b) recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances, in which case a DHB Hospital may, but is not obliged to, fund the pharmaceutical from its own budget;
- c) defer its decision until further assessment under the Community Exceptional Circumstances criteria can undertaken; or
- d) recommend interim funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances until further assessment under the Community Exceptional Circumstances criteria can be undertaken.

Permission to fund a pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances will only be granted by PHARMAC where it has been demonstrated that such funding is cost-effective for the relevant DHB in the region in which the patient resides.

If the patient being treated with a pharmaceutical under Hospital Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

Applications for Hospital Exceptional Circumstances should be made on the standard application form available from the PHARMAC website www.pharmac.govt.nz or the address below:

The Coordinator, Hospital Exceptional Circumstances Panel PHARMAC, PO Box 10 254 Wellington

Phone: (04) 916 7521 or fax (09) 523 6870 Email: ecpanel@pharmac.govt.nz

# **Cancer Exceptional Circumstances**

Permission to fund a pharmaceutical for the treatment of cancer from the Hospital's own budget under Cancer Exceptional Circumstances will only be granted by PHARMAC where it has been demonstated that the proposed use meets the criteria.

If the patient being treated with a pharmaceutical under Cancer Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

# **Community Exceptional Circumstances**

In order to qualify for Community Exceptional Circumstances approval one of the following criteria must be met:

- a) the condition must be rare; or
- b) the reaction to alternative funded treatment must be unusual; or
- c) an unusual combination of circumstances applies.

Rare and unusual are considered to be in the order of less than 10 people nationally.

Where one of the above Community Exceptional Circumstances entry criteria is met, the application may then be further examined under supplementary criteria, assessing suitability of the pharmaceutical, clinical benefit, the cost effectiveness of the treatment, and the patient's ability to pay for the treatment. Where these documented criteria are met, a subsidy sufficient to fully fund the pharmaceutical will be made available to the specific patient on whose behalf the application was made.

Community Exceptional Circumstances funding is only available where the criteria are met and is not available for financial reasons alone.

Applications for Community Exceptional Circumstances, Hospital Exceptional Circumstances and Cancer Exceptional Circumstances should be made on the standard application form available from the PHARMAC website www.pharmac.govt.nz or the address below:

The Coordinator, Community Exceptional Circumstances Panel PO Box 10 254 Wellington Phone (04) 916 7553 or fax (09) 523 6870 Email: ecpanel@pharmac.govt.nz

### INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and;
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services.

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 August 2010 and is to be referred to as the Pharmaceutical Schedule Volume 17 Number 2, 2010. Distribution will be from 20 August 2010. This Schedule comes into force on 1 August 2010.

### PART I

### INTERPRETATIONS AND DEFINITIONS

1.1 In this Schedule, unless the context otherwise requires:

"90 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;

"180 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;

"Access Exemption Criteria" means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:

a) have limited physical mobility;

- b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
- c) are relocating to another area;
- d) are travelling extensively and will be out of town when the repeat prescriptions are due.

"Act" means the New Zealand Public Health and Disability Act 2000.

"Advisory Committee" means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.

"Alternate Subsidy" means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.

"Assessed Pharmaceuticals" means the list of Pharmaceuticals set out in Section H Part III of the Schedule, that have been or are being assessed by PHARMAC.

"Authority to Substitute" means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.

"Bulk Supply Order" means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.

"Cancer Exceptional Circumstances" means the policies and criteria administered by PHARMAC relating to the ability to fund, from a DHB hospital's own budget, pharmaceuticals for the treatment of cancer that are not identified as Pharmaceutical

Cancer Treatments in Sections A-H of the Pharmaceutical Schedule.

"Class B Controlled Drug" means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.

"Close Control" means the dispensing of a Community Pharmaceutical, in accordance with a Prescription, in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot) for a Community Pharmaceutical referred to in Section F Part I, or in quantities less than a Monthly Lot for any other Community Pharmaceutical, where any of a), b) or c) apply.

- a) All of the following conditions are met:
  - i) the Community Pharmaceutical has been prescribed for a patient who:
    - 1) is not a resident in a Penal Institution, Rest Home or Residential Disability Care Institution; and
    - 2) either of the following:
      - i) in the opinion of the prescribing Practitioner is:
        - a) frail; or
        - b) infirm; or
        - c) unable to manage their medication without additional support; or
        - d) intellectually impaired; or
        - e) requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only); and
        - f) requires that Community Pharmaceutical to be dispensed in a smaller quantity than that for which it is currently funded, or
      - ii) the Community Pharmaceutical is any of the following:
        - a) a tri-cyclic antidepressant; or
        - b) an antipsychotic; or
        - c) a benzodiazepine; or
        - d) a Class B Controlled Drug; and
  - ii) the prescribing Practitioner has:
    - A) endorsed each Community Pharmaceutical on the Prescription clearly with the words "Close Control" or "CC"; and
    - B) initialled the endorsement in their own handwriting; and
    - C) specified the maximum quantity or period of supply to be dispensed at any one time.
- b) All of the following conditions are met:
  - i) The Community Pharmaceutical is prescribed for a patient who is a resident in a Rest Home or Residential Disability Care Institution; and
    - A) the quantity or period of supply to be dispensed at any one time is not less than 28 days' supply; and
    - B) the prescriber or pharmacist has written the name of the Rest Home or Residential Disability Care Institution on the prescription; and
    - C) the prescriber or pharmacist has:
      - written on the Prescription the words "Close Control" or "CC" (this applies to all medicines prescribed on the prescription), and
      - 2) initialled the endorsement/annotation in their own handwriting; and
    - 3) specified the maximum quantity or period of supply to be dispensed at any one time.
- c) All of the following conditions are met:
  - i) where PHARMAC has approved and notified pharmacists to annotate prescriptions for a specified Com-
  - munity Pharmaceutical(s) "Close Control" without prescriber endorsement for a specified time; and
  - ii) the dispensing pharmacist has:
    - A) clearly annotated each of the approved Community Pharmaceuticals that appear on the prescription with the words "Close Control" or "CC"; and
    - B) initialed the annotation in their own handwriting; and
    - C) specified the maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

"Community Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances Panel relating to funding from the Community Exceptional Circumstances budget for medication, to be used in the community, in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical Budget is not able to be provided through the Pharmaceutical Schedule.

"Community Pharmaceutical" means a Pharmaceutical listed in Sections A to G of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor" means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug" means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply" means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply.

"Dentist" means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"Dietitian" means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.

"DHB" means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital" means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Discretionary Community Supply Pharmaceutical" means the list of Pharmaceuticals set out in Section H Part IV of the Schedule, which may be funded by a DHB Hospital from its own budget for use in the community.

"Doctor" means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical" means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements" - unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Exceptional Circumstances Panel" means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for administering policies in relation to Community Exceptional Circumstances and Hospital Exceptional Circumstances.

"Funder" means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST" means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator" means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances Panel relating to the ability to fund, from a DHB Hospital's own budget, pharmaceuticals for use in the community by a specific patient where a subsidy is not available from the Pharmaceutical Budget or under Community Exceptional Circumstances.

"Hospital Pharmaceuticals" means National Contract Pharmaceuticals, DV Pharmaceuticals, Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals.

"Hospital Pharmacy" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner. "Hospital Pharmacy-Specialist" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

a) to an Outpatient; and

b) on a Prescription signed by a Specialist; or

if the treatment of an Outpatient with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a Practitioner endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Practitioner.

"As recommended by a Specialist" to be interpreted as:

a) follows a substantive consultation with an appropriate Specialist;

b) the consultation to relate to the Patient for whom the Prescription is written;

c) consultation to mean communication by referral, telephone, letter, facsimile or email;

d) except in emergencies consultation to precede annotation of the Prescription; and

e) both the specialist and the General Practitioner must keep a written record of the consultation.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

a) to an Outpatient; and

b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS" means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination" means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit" means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital" means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot" means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price" means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife" means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month" means a period of 30 consecutive days.

"Month restriction" means that no Subsidy is available:

- a) unless the Community Pharmaceutical is dispensed on the Prescription of a Practitioner; and
- b) for any quantity of that Community Pharmaceutical dispensed on the Prescription (whether or not dispensed as a repeat) in excess of a Monthly Lot.

"Monthly Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"National Contract Pharmaceutical" means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

"National DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Not In Combination" means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

"Nurse Prescriber" means a nurse registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003 and who is approved by the Nursing Council, to prescribe specified prescription medicines relating to his/her scope of practice.

"Optometrist" means a person registered as an optometrist with the Optometrists and Dispensing Opticians Board, who holds a current annual practising certificate under the HPCA Act 2003, and who is authorised by regulations under the Medicines Act 1981 and approved by the Optometrists and Dispensing Opticians Board to prescribe specified medicines.

"Outpatient" , in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT" means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can

claim Subsidies.

"PCT only" means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies.

"Penal Institution" means a penal institution, as that term is defined in The Penal Institutions Act 1954;

"PHARMAC" means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC).

"Pharmaceutical" means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to H of the Schedule.

"Pharmaceutical Benefits" means the right of:

- a) a person; and
- b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.

"Pharmaceutical Budget" means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals.

"Pharmaceutical Cancer Treatment" means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must fund, from their own budgets, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.

"Practitioner" means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Prescriber or an Optometrist as those terms are defined in the Pharmaceutical Schedule.

"Practitioner's Supply Order" means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

"Prescription" means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.

"Prescription Medicine" means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations 1984.

"Private Hospital" means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.

"Residential Disability Care Institution" means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.

"Rest Home" means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.

"Restricted Medicine" means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984.

"Retail Pharmacy-Specialist" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or, in the case of treatment recommended by a Specialist, a Prescription or Practitioner's Supply Order and endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner.

"As recommended by a Specialist" to be interpreted as:

- a) follows a substantive consultation with an appropriate Specialist;
- b) the consultation to relate to the Patient for whom the Prescription is written;
- c) consultation to mean communication by referral, telephone, letter, facsimile or email;
- d) except in emergencies consultation to precede annotation of the Prescription; and

e) both the Specialist and the General Practitioner must keep a written record of consultation.

"Retail Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist. For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"Schedule" means this Pharmaceutical Schedule and all its sections and appendices.

"Section B" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies included in the Schedule.

"Section C" of this Pharmaceutical Schedule means the list of community extemporaneously compounded preparations and galenicals eligible for Subsidies included in the Schedule.

"Section D" of this Pharmaceutical Schedule means the list of community special foods eligible for Subsidies included in the Schedule.

"Section E Part I" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies and available on a Practitioner's Supply Order included in the Schedule.

"Section E Part II" of this Pharmaceutical Schedule means the list of rural areas for the purpose of community Practitioner's Supply Orders included in the Schedule.

"Section F Part I" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots, and requirement to dispense in 90 Day Lots or 180 Day Lots, as applicable, in respect of the Community Pharmaceuticals referred to in this part of Section F;

"Section F Part II" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots in respect of the Community Pharmaceuticals referred to in this part of Section F;

"Section G" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for reimbursement of safety caps.

"Section H" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals and the lists of National Contract Pharmaceuticals and any associated DV Pharmaceuticals, of Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals included in Section H of the Schedule.

"Section H Part I" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals.

"Section H Part II" of this Pharmaceutical Schedule means the list of National Contract Pharmaceuticals, the relevant Price, an indication of whether the Pharmaceutical has HSS and any associated DV Pharmaceuticals and DV Limit.

"Section H Part III" of this Pharmaceutical Schedule means the list of Assessed Pharmaceuticals.

"Section H Part IV" of this Pharmaceutical Schedule means the list of Discretionary Community Supply Pharmaceuticals. "Special Authority" means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.

"Specialist", in relation to a Prescription, a doctor who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

- a)
- i) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine; and
- ii) the doctor's vocational scope of practice is one of those listed below: anaesthetics, cardiothoracic surgery, dermatology, diagnostic radiology, emergency medicine, general surgery, internal medicine, neurosurgery, obstetrics and gynaecology, occupational medicine, ophthalmology, oral and maxillofacial surgery, otolaryngology head and neck surgery, orthopaedic surgery, paediatric surgery, paediatrics, pathology, plastic and reconstructive surgery, psychological medicine or psychiatry, public health medicine, radiation oncology, rehabilitation medicine, urology and venereology;
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that Prescription in the course of practising in that area of medicine;
- c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that area of medicine;
- d) the doctor writes the Prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.

"Subsidy" means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.

"Supply Order" means a Bulk Supply Order or a Practitioner's Supply Order.

"**Unapproved Indication**" means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 4.6.

- 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
  - a) the singular includes the plural; and
  - b) any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

# PART II

### COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G of the Schedule, and every preparation (having an inert base) of any of them, is hereby declared to be a Community Pharmaceutical for the purposes of the Schedule, subject to:
  - 2.1.1 clauses 2.2 and 2.3 of the Schedule; and
  - 2.1.2 clauses 3.1 to 4.4 of the Schedule; and
  - 2.1.3 the conditions (if any) specified in Sections B to G of the Schedule;
- 2.2 The following medicines, therapeutic medical devices, or related products or related things are not eligible for Subsidy:
  - 2.2.1 substances, or combinations of substances, ordered for any purpose other than:
    - a) treatment of a patient's medical or dental condition; or
    - b) pregnancy tests; or
    - c) the prevention of sexually transmitted disease; or
    - d) contraception.
  - 2.2.2 substances and combinations of substances packed under pressure in aerosol cans or other similar devices, unless it is specified in Sections B to G of the Schedule that they may be so packed;
  - 2.2.3 electrode jellies;
  - 2.2.4 eye drops packed in single-dose units, unless it is specified in Sections B to G of the Schedule that they may be so packed;
  - 2.2.5 insect repellents and similar preparations;
  - 2.2.6 oral preparations in long-acting form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
  - 2.2.7 substances or combinations of substances in lozenge or similar form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
  - 2.2.8 machine-spread plasters;
  - 2.2.9 preparations prescribed as foods, unless they are specified in Section D of the Schedule;
  - 2.2.10 substances, combinations of substances, or articles, in the form of proprietary medicines or proprietary articles, unless they are deemed or declared to be Pharmaceuticals elsewhere in the Schedule;
  - 2.2.11 shampoos, other than extemporaneously prepared medicated shampoos, or shampoos specified in Sections B to G of the Schedule intended for the treatment of a patient's medical condition;
  - 2.2.12 toilet preparations;
  - 2.2.13 tooth pastes and powders;
  - 2.2.14 lubricating jellies and catheter lubricants;
  - 2.2.15 sterile diluents for nebulising solutions;
  - 2.2.16 substances in a form intended to enable delivery by transdermal diffusion or osmosis or by the insertion of any solid object or substance into the eye cavity, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
  - 2.2.17 substances in a form intended for intravenous delivery (other than by injection), unless it is specified in Sections B to G of the Schedule that they may be in such a form;
  - 2.2.18 substances packed in pre-loaded syringes known as Min-I-Jets, unless it is specified in Sections B to G of the Schedule that they may be so packed;
  - 2.2.19 Community Pharmaceuticals prescribed as cough mixtures, unless they are specified in Sections B to G of the Schedule otherwise than in combination with other ingredients;
  - 2.2.20 vitamin preparations in capsule form, unless they are specified in Sections B to G of the Schedule;
  - 2.2.21 substances prescribed for use as irrigating solutions, unless it is specified in Sections B to G of the Schedule

that they may be prescribed for such use.

- 2.3 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
  - 2.3.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981; or
  - 2.3.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
  - 2.3.3 in the absence of the standards prescribed in clauses 2.3.1 and 2.3.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
  - 2.3.4 in the absence of the standards prescribed in clauses 2.3.1, 2.3.2 and 2.3.3, are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

# PART III

### PERIOD AND QUANTITY OF SUPPLY

 Doctors', Dietitians', Midwives', Nurse Prescribers' and Optometrists' Prescriptions (other than oral contraceptives)

The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor, Dietitian, Midwife, Nurse Prescriber or Optometrist:

- 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity suffcient to provide treatment for a period not exceeding three Months will be subsidised.
- 3.1.2 For methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug other than methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity:
  - a) sufficient to provide treatment for a period not exceeding 10 days; and
  - b) which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Dietitian, Midwife or Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
  - a) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
  - b) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
    - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
    - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
      - A) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
      - B) both:
        - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
        - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
  - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
  - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:

- a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
- b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.
- 3.1.7 If a Community Pharmaceutical:
  - a) is stable for a limited period only, and the Doctor, Dietitian, Midwife, Nurse Prescriber or Optometrist has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
  - b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
  - c) is Close Control,
  - The actual quantity dispensed will be subsidised in accordance with any such specification.

### 3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife or Nurse Prescriber for an oral contraceptive:

- 3.2.1 The prescribing Doctor, Midwife or Nurse Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed:
  - a) three Months if prescribed by a Midwife; or
  - b) six Months if prescribed by a Doctor or Nurse Practitioner.
- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
  - a) in Lots as specified in the Prescription if the Community Pharmaceutical is Close Control; or
  - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 An oral contraceptive prescribed by a Midwife is only eligible for Subsidy if the Prescription under which it has been dispensed has been written within the period of post natal care of the eligible person.
- 3.2.5 Where a Community Pharmaceutical in a Prescription is Close Control and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

### 3.3 Dentists' Prescriptions

- The following provisions apply to every Prescription written by a Dentist:
- 3.3.1 The maximum quantity of a Community Pharmaceutical that will be subsidised is as follows:
  - a) where the Community Pharmaceutical is a Controlled Drug, only such quantity as is necessary to provide treatment for a period not exceeding five days; and
  - b) in any other case, only such quantity as is necessary to provide treatment for a period not exceeding five days and, where the Prescription specifies a repeat, one further period not exceeding five days.
- 3.3.2 Notwithstanding clause 3.3.1, if, in the opinion of the Dentist, an eligible person needs extended treatment with sodium fluoride for up to three Months, the Community Pharmaceutical will be subsidised for that extended period. A Prescription for any such extended supply of sodium fluoride will be subsidised only if it is dispensed in Monthly Lots, unless the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect.
- 3.3.3 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed has been presented to the Contractor:
  - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
  - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.3.4 No Subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
  - a) one Month from the date the Community Pharmaceutical was first dispensed; or
  - b) in the case of sodium fluoride, three Months from the date the Community Pharmaceutical was first dispensed.

Only that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.

- 3.4 Original Packs, and Certain Antibiotics
  - 3.4.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:
    - a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
    - b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.
  - 3.4.2 If a Community Pharmaceutical is the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:
    - a) the difference the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eg; if a prescription is for 105 mls then a 100ml pack would be dispensed); and
    - b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

### 3.5 Dietitians' Prescriptions

The following provisions apply to every Prescription written by a Dietitian:

- 3.5.1 Prescriptions written by a Dietitian for a Community Pharmaceutical will only be subsidised where they are for either:
  - a) special foods, as listed in Section D; or
  - b) any other Pharmaceutical that has been identified in Section D of the Pharmaceutical Schedule as being able to be prescribed by a Dietitian, providing that the products being prescribed are not classified as Prescription Medicines or Restricted Medicines.
- 3.5.2 For the purposes of Dietitians prescribing pursuant to this clause 3.5, the prescribing and dispensing of these products is required to be in accordance with regulations 41 and 42 of the Medicines Regulations 1984.

### PART IV MISCELLANEOUS PROVISIONS

### 4.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 4.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 4.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 4.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 4.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
  - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and

b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.

- 4.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 4.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

### 4.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 4.2.1 Subject to clause 4.2.3, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 4.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
  - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
  - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 4.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
  - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
    - i) is personally signed and dated by the Practitioner; and
    - ii) sets out the Practitioner's address; and
    - iii) sets out the Community Pharmaceuticals and quantities, and;
  - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 4.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.

### 4.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

### 4.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

### 4.3.2 Expiry

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 4.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 4.3.1 and 4.3.2, for the individual Patient.
- 4.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 4.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

### 4.4 Pharmaceutical Cancer Treatments

4.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments by funding their use in the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.

- 4.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
  - a) has Cancer Exceptional Circumstances approval;
  - b) has Community Exceptional Circumstances or Hospital Exceptional Circumstances approval;
  - c) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
  - d) is being used and funded as part of a paediatric oncology service; or
  - e) was being used to treat the patient in question prior to 1 July 2005.
- 4.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatements with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
  - a) Part 1;
  - b) clauses 2.1 to 2.3;
  - c) clauses 3.1 to 3.4; and
  - d) clause 4.4,
  - of Section A of the Schedule
- 4.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 4.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 direction from the Minister of Health as to pharmaceuticals and indications for which DHBs must provide funding. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
  - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under the Medicines Act and the Medicines Regulations 1984;
  - b) be aware of and comply with their obligations under the Health and Disability Comissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
  - c) exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.

### 4.5 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication;

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the

### Medicines Act or otherwise.

### 4.6 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, subject to:

- a) the Contractor having received a general Authority to Substitute from the Practitioner in relation to the particular medicine or medicines in general; or
- b) the Practitioner having indicated their Authority to Substitute on the prescription; or
- c) the Practitioner having given their Authority to Substitute in relation to the particular prescription.

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and initial the prescription.

### 4.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed but may not alter the total daily dose. If the change will result in additional cost to the DHBs, then:

- a) the Practitioner must authorise and initial the alteration; or
- b) in cases where PHARMAC has approved and notified in writing such a change in dispensing of a named Pharmaceutical due to an out of stock event or short supply, the Contractor must annotate and initial the alteration.

### 4.8 Amendment of Schedule

PHARMAC may amend the terms of the Schedule from time to time by notice in writing given in such manner as PHARMAC thinks fit, and in accordance with such protocols as agreed with the Pharmacy Guild of New Zealand (Inc) from time to time.

### 4.9 Conflict in Provisions

If any rules in Sections B-G of this Schedule conflict with the rules in Section A, the rules in Sections B-G apply.

# SECTION B: ALIMENTARY TRACT AND METABOLISM

	Subsidy		Fully Brand or
	(Manufacturer's Pric	e) Sub Per	sidised Generic Manufacturer
Antacids and Antiflatulants	•		
Antacids and Reflux Barrier Agents			
ALGINIC ACID			
Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet		30	✓ Gaviscon Infant
CALCIUM CARBONATE WITH AMINOACETIC ACID * Tab 420 mg with aminoacetic acid 180 mg – Higher subsidy			
of \$6.30 per 100 tab with Endorsement	3.00	100	Titralac
Additional subsidy by endorsement is available for pregnar	(6.30) nt women. The pre	scription mu	
SIMETHICONE * Oral lig aluminium hydroxide 200 mg with magnesium hydrox-			
ide 200 mg and activated simethicone 20 mg per 5 ml		500 ml	Mylanta P
SODIUM ALGINATE	(1.20)		ingiana i
* Tab 500 mg with sodium bicarbonate 267 mg and calcium			
carbonate 160 mg - peppermint flavour	1.80 (8.60)	60	Gaviscon Double Strength
* Oral liq 500 mg with sodium bicarbonate 267 mg and calcium			Oucligat
carbonate 160 mg per 10 ml	1.50 (4.95)	500 ml	Acidex
<ul> <li>Oral liq 500 mg with sodium bicarbonate 267 mg per 10 ml (aniseed)</li> </ul>		500 ml	
(Gaviscon Oral lig 500 mg with sodium bicarbonate 267 mg per 1	(8.64) 0 ml (aniseed) to b	e delisted 1	Gaviscon January 2011)
Phosphate Binding Agents			
Tab 600 mg	12.56	100	🖌 Alu-Tab
Antidiarrhoeals			
Agents Which Reduce Motility			
DIPHENOXYLATE HYDROCHLORIDE WITH ATROPINE SULPH * Tab 2.5 mg with atropine sulphate 25 µg		100	✔ Diastop
LOPERAMIDE HYDROCHLORIDE – Up to 30 tab available on a * Tab 2 mg	PSO	400	✓ Nodia
Rectal and Colonic Anti-inflammatories			
BUDESONIDE			
Cap 3 mg – Special Authority see SA0913 on the next page			
- Retail pharmacy	166.50	90	<ul> <li>Entocort CIR</li> </ul>

	Subsidy (Manufacturer's F \$	Price) Sub Per	Fully osidised	Brand or Generic Manufacturer
►SA0913 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals value Both:	d for 3 months for	applications m	ieeting t	he following criteria:
<ol> <li>Mild to moderate ileal, ileocaecal or proximal Crohn's dise</li> <li>Any of the following:</li> <li>2.1 Diabetes; or</li> <li>2.2 Cushingoid habitus; or</li> </ol>	ease; and			
<ul><li>2.3 Osteoporosis where there is significant risk of frac</li><li>2.4 Severe acne following treatment with conventional</li></ul>	corticosteroid the			ward the and the metions in
<b>Renewal</b> from any relevant practitioner. Approvals valid for 3 m benefiting from treatment. The patient may not have had more than 1 prior approval in the	last year.			
Note: Clinical trials for Entocort CIR use beyond three months d	emonstrated no in	nprovement in	relapse	rate.
HYDROCORTISONE ACETATE Rectal foam 10%, CFC-Free (14 applications)		21.1 g OP	✔ C	olifoam
MESALAZINE		0	_	
Tab 400 mg		100	🖌 A	sacol
Tab EC 500 mg		100		samax
Tab long-acting 500 mg		100		entasa
Enema 1 g per 100 ml		7		entasa
Suppos 500 mg		20		sacol
Suppos 1 g		28	V P	entasa
OLSALAZINE				
Tab 500 mg		100		ipentum
Cap 250 mg		100	V D	ipentum
SODIUM CROMOGLYCATE				
Cap 100 mg		100	🖌 N	alcrom
SULPHASALAZINE				
* Tab 500 mg		100	🖌 S	alazopyrin
* Tab EC 500 mg		100	🖌 S	alazopyrin EN
Antihaemorrhoidals				
Corticosteroids				
FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIV Oint 950 µg, with fluocortolone pivalate 920 µg, and cir		CHOCAINE		
chocaine hydrochloride 5 mg per g Suppos 630 µg, with fluocortolone pivalate 610 µg, and cir	6.35	30 g OP	🖌 U	Itraproct
chocaine hydrochloride 1 mg	2.66	12	🗸 U	Itraproct

HYDROCORTISONE WITH CINCHOCAINE		
Oint 5 mg with cinchocaine hydrochloride 5 mg per g15.00	30 g OP	Proctosedyl
Suppos 5 mg with cinchocaine hydrochloride 5 mg per g9.90	12	Proctosedyl

	0.1.11		
	Subsidy (Manufacturer's P	rice) Su	Fully Brand or bsidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
Soothing Agents			
ZINC OXIDE			
Oint zinc oxide with balsam peru		50 g OP	
Suppos zinc oxide with balsam peru	(6.67) 4 47	12	Anusol
	(6.49)	12	Anusol
(Anusol Oint zinc oxide with balsam peru to be delisted 1 Jar (Anusol Suppos zinc oxide with balsam peru to be delisted 1			
Antispasmodics and Other Agents Altering (	Gut Motility		
ATROPINE SULPHATE			
* Inj 600 μg, 1 ml – Up to 5 inj available on a PSO	52.00	50	✓ AstraZeneca
HYOSCINE N-BUTYLBROMIDE			
* Tab 10 mg		20 5	Gastrosoothe
Inj 20 mg, 1 ml – Up to 5 inj available on a PSO	8.04	Э	Buscopan
MEBEVERINE HYDROCHLORIDE * Tab 135 mg	18.00	90	✓ Colofac
Antiulcerants		00	
Antisecretory and Cytoprotective			
MISOPROSTOL * Tab 200 µg		120	✓ Cytotec
Helicobacter Pylori Eradication			
CLARITHROMYCIN			
Tab 500 mg – Subsidy by endorsement	23.30	14	<ul> <li>Klamycin</li> </ul>
<ul> <li>a) Maximum of 14 tab per prescription</li> <li>b) Subsidised only if prescribed for helicobacter pylori</li> </ul>	i eradication and pres	cription is and	lorsed accordingly
Note: the prescription is considered endorsed if clarithromyc			0,9
amoxycillin or metronidazole.			
OMEPRAZOLE, AMOXYCILLIN AND CLARITHROMYCIN			
Omeprazole cap 20 mg $\times$ 14, amoxycillin cap 500 mg			
and clarithromycin tab 500 mg $\times$ 14 (Losec Hp7 OAC Omeprazole cap 20 mg $\times$ 14, amoxycillin o		1 OP clarithromvcii	✓ Losec Hp7 OAC In tab 500 mg × 14 to be delisted
December 2010)		endinin erriyen	
H2 Antagonists			
CIMETIDINE – Only on a prescription			
* Tab 200 mg	5.00	100	
* Tab 400 mg	(7.50)	100	Apo-Cimetidine
* Tab 400 mg		100	Apo-Cimetidine
AMOTIDINE - Only on a prescription	· · · /		
* Tab 20 mg		250	✓ Famox
* Tab 40 mg	11 35	250	Famox

	Subsidy (Manufacturer's F		Fully Brand or osidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
RANITIDINE HYDROCHLORIDE       – Only on a prescription         * Tab 150 mg	10.94 7.95	250 250 300 ml 5	<ul> <li>Arrow-Ranitidine</li> <li>Arrow-Ranitidine</li> <li>Peptisoothe</li> <li>Zantac</li> </ul>
Proton Pump Inhibitors			
LANSOPRAZOLE * Cap 15 mg * Cap 30 mg OMEPRAZOLE For omeprazole suspension refer, page 170		28 28	✔ Solox ✔ Solox
* Cap 10 mg	2.14	30	✓ <u>Dr Reddy's</u>
* Cap 20 mg	3.05	30	Omeprazole ✓ <u>Dr Reddy's</u> Omeprazole
* Cap 40 mg	3.59	30	✓ <u>Dr Reddy's</u> Omeprazole
* Inj 40 mg		5	✓ <u>Dr Reddy's</u> Omeprazole
PANTOPRAZOLE * Tab 20 mg	1.23	28	✓ Dr Reddy's Pantoprazole
* Tab 40 mg	1.54	28	<ul> <li>Dr Reddy's</li> <li>Pantoprazole</li> </ul>
* Inj 40 mg	8.75	1	<ul> <li>Pantocid IV</li> </ul>
Site Protective Agents			
SUCRALFATE Tab 1 g		120	Carafate
Diabetes			
Hyperglycaemic Agents			
GLUCAGON HYDROCHLORIDE Inj 1 mg syringe kit – Up to 5 kit available on a PSO	27.00	1	✓ Glucagen Hypokit
Insulin - Short-acting Preparations			
INSULIN NEUTRAL ▲ Inj human 100 u per ml		10 ml OP	<ul> <li>✓ Actrapid</li> <li>✓ Humulin R</li> </ul>
Inj human 100 u per ml, 3 ml	42.66	5	<ul> <li>Actrapid Penfill</li> <li>Humulin R</li> </ul>

	Subsidy (Manufacturer's F \$	Price) Sub Per	Fully Brand or osidised Generic Manufacturer
Insulin - Intermediate-acting Preparations			
INSULIN ISOPHANE ▲ Inj human 100 u per ml		10 ml OP	✔ Humulin NPH
▲ Inj human 100 u per ml, 3 ml		5	<ul> <li>Protaphane</li> <li>Humulin NPH</li> </ul>
INSULIN ISOPHANE WITH INSULIN NEUTRAL			Protaphane Penfill
Inj human with neutral insulin 100 u per ml	25.26	10 ml OP	<ul> <li>Humulin 30/70</li> <li>Mixtard 30</li> </ul>
Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5	<ul> <li>Humulin 30/70</li> <li>PenMix 30</li> <li>PenMix 40</li> <li>PenMix 50</li> </ul>
NSULIN LISPRO WITH INSULIN LISPRO PROTAMINE Inj lispro 25% with insulin lispro protamine 75% 100 u per ml,			
3 ml	52.15	5	<ul> <li>Humalog Mix 25</li> </ul>
Inj lispro 50% with insulin lispro protamine 50% 100 u per ml,3 ml		5	<ul> <li>Humalog Mix 50</li> </ul>
Insulin - Long-acting Preparations			
<ul> <li>Note: Only for patients meeting one of the following criteria:</li> <li>a) Type 1 diabetes; or</li> <li>b) Other condition related diabetes (e.g. Cystic Fibrosis, diab c) Type 2 diabetes after there has been unacceptable hypogly d) Type 2 diabetes who require insulin therapy and who require their insulin injections.</li> <li>Inj 100 u per ml, 10 ml</li> <li>Inj 100 u per ml, 3 ml</li> <li>Inj 100 u per ml, 3 ml disposable pen</li> </ul>	vcaemic events v e assistance fron 	vith a 3 month	trial of an insulin regimen; or
Insulin - Rapid Acting Preparations			
INSULIN ASPART ▲ Inj 100 u per ml, 3 ml ▲ Inj 100 u per ml, 10 ml		5 1	<ul><li>✓ NovoRapid Penfill</li><li>✓ NovoRapid</li></ul>
INSULIN GLULISINE     Inj 100 u per ml, 10 ml     Inj 100 u per ml, 3 ml disposable pen		1 5	✔ Apidra ✔ Apidra SoloStar
NSULIN LISPRO ▲ Inj 100 u per ml, 10 ml ▲ Inj 100 u per ml, 3 ml		10 ml OP 5	<ul><li>✓ Humalog</li><li>✓ Humalog</li></ul>
Alpha Glucosidase Inhibitors			
ACARBOSE – Special Authority see SA0925 on the next page – * Tab 50 mg * Tab 100 mg		90 90	<ul> <li>✓ <u>Glucobay</u></li> <li>✓ <u>Glucobay</u></li> </ul>

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🖌	Brand or Generic Manufacturer
<ul> <li>▶SA0925 Special Authority for Subsidy</li> <li>Initial application from any relevant practitioner. Approvals valid the following criteria:</li> <li>Both:         <ol> <li>The patient has type 2 diabetes; and</li> <li>Either:                 <ol> <li>Metformin is not tolerated, or is contraindicated; or</li> </ol> </li> </ol></li></ul>	without further renew	wal unless notifie	ed for applications meeting
2.2 The patient has not responded to the maximum approximation of the second se	ropriate dose of metfo	ormin.	
Oral Hypoglycaemic Agents			
GLIBENCLAMIDE			
* Tab 5 mg	5.00	100 🖌 D	aonil
GLICLAZIDE			
* Tab 80 mg		500 🖌 <u>A</u>	po-Gliclazide
GLIPIZIDE			
* Tab 5 mg	3.50	100 🖌 <u>M</u>	linidiab
METFORMIN HYDROCHLORIDE			
* Tab immediate-release 500 mg		500 🖌 <u>A</u>	potex
* Tab immediate-release 850 mg	6.67	250 🖌 <u>A</u>	potex
PIOGLITAZONE - Special Authority see SA0959 below - Retail p	harmacy		
Tab 15 mg	2.61	28 🖌 <u>P</u>	izaccord
Tab 30 mg			izaccord
Tab 45 mg	7.80	28 🖌 <u>P</u>	izaccord
SA0959 Special Authority for Subsidy			

### ➡SA0959 Special Authority for Subsidy

**Initial application** — (Patients with type 2 diabetes) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has not achieved glycaemic control on maximum doses of metformin and/or a sulphonylurea or where either or both are contraindicated or not tolerated; or
- 2 Patient is on insulin.

### **Diabetes Management**

### **Glucose/Urine Testing**

### COPPER

000
(

	Subsidy		Fully Brand or
	(Manufacturer's \$	Price) Sub Per	sidised Generic Manufacturer
Ketone Testing			
KETONE BLOOD BETA-KETONE ELECTRODES – Maximum Test strip – Not on a BSO		escription 10 strip OP	✓ Optium Blood Ketone Test Strips
SODIUM NITROPRUSSIDE – Maximum of 20 strip per prescrip * Test strip – Not on a BSO		20 strip OP	✓ Ketostix
Blood Glucose Testing			
BLOOD GLUCOSE DIAGNOSTIC TEST METER – Subsidy by a) Maximum of 1 meter per prescription b)	endorsement		
<ol> <li>A diagnostic blood glucose test meter is subsidis March 2005 or is prescribed for a pregnant woman 2) Only one meter per patient. No further prescriptic</li> </ol>	n with diabetes.	Ū	
ingly.			
Meter	6.00 9.00	1	<ul> <li>CareSens POP</li> <li>CareSens II</li> <li>FreeStyle Lite</li> <li>On Call Advanced</li> <li>Optium Xceed</li> </ul>
	19.00		<ul> <li>Accu-Chek</li> <li>Performa</li> </ul>
<ul> <li>BLOOD GLUCOSE DIAGNOSTIC TEST STRIP</li> <li>The number of test strips available on a prescription is restr</li> <li>1) Prescribed with insulin or a sulphonylurea but are on a di</li> <li>2) Prescribed on the same prescription as insulin or a sulph or</li> <li>3) Prescribed for a pregnant woman with diabetes and ended</li> </ul>	fferent prescriptio nonylurea in which prsed accordingly	n and the presc case the presc	ription is deemed to be endorsed;
SensoCard blood glucose test strips are subsidised only if preso SensoCard Plus Talking Blood Glucose Monitor.	cribed for a patier	nt who is severe	ly visually impaired and is using a
Blood glucose test strips $\times$ 50 and lancets $\times$ 5	19.10 19.60	1 OP	<ul> <li>On Call Advanced</li> <li>CareSens</li> </ul>
Blood glucose test strips	21.65	50 test OP	✓ Accu-Chek Performa
	10.82	25 test OP	<ul> <li>FreeStyle Lite</li> <li>Optium 5 second test</li> </ul>
	21.65	50 test OP	<ul> <li>Optium 5 second test</li> </ul>
	26.20		✓ SensoCard

	Subsidy (Manufacturer's Price) \$	Su Per	Fully bsidised	Brand or Generic Manufacturer
Insulin Syringes and Needles				
Subsidy is available for disposable insulin syringes, needles, and the supply of insulin or when prescribed for an insulin patient and INSULIN PEN NEEDLES – Maximum of 100 dev per prescription	d the prescription is en			
<b>*</b> 29 g × 12.7 mm	3.15 10.50	30 100	V B	D Micro-Fine D Micro-Fine
	11.75			C Profi-Fine
* 31 g × 5 mm	11.75	100		-D Micro-Fine C Profi-Fine
<b>*</b> 31 g × 6 mm	10.50 11.75	100	✓ Al	BM ne Ject
	10.50 (26.00)		N	ovoFine
* 31 g × 8 mm		100 30	✔ Al	BM ·D Micro-Fine
	10.50 11.75	100		-D Micro-Fine C Profi-Fine
INSULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLI * Syringe 0.3 ml with 29 g × 12.7 mm needle		lev per pr 100	escriptio	
	1.30	100		M Ject
	(1.99) 13.00	100	-	D Ultra Fine -D Ultra Fine
* Syringe 0.3 ml with 31 g $\times$ 8 mm needle		100 100 10	V AI	
	(1.99) 13.00	100		D Ultra Fine II -D Ultra Fine II
* Syringe 0.5 ml with 29 g × 12.7 mm needle		100		M Ject
	1.30	10	🖌 DI	M Ject
	(1.99) 13.00	100		D Ultra Fine -D Ultra Fine
* Syringe 0.5 ml with 31 g $\times$ 8 mm needle	13.00 1.30	100 10	🖌 Al	BM
	(1.99) 13.00	100		D Ultra Fine II -D Ultra Fine II
* Syringe 1 ml with 29 g $\times$ 12.7 mm needle		100	V DI	M Ject BM
	1.30 (1.99)	10		D Ultra Fine
	13.00	100	🖌 DI	-D Ultra Fine M Ject
Syringe 1 ml with 31 g × 8 mm needle	1.30	100 10	V AI	
	(1.99) 13.00	100	🖌 B-	D Ultra Fine II -D Ultra Fine II M Ject

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Digestives Including Enzymes				
PANCREATIC ENZYME				
Tab EC 1,900 BP u lipase, 1,700 BP u amylase, 110 BP u protease		300	🖌 Pa	ancrex V
Tab EC 5,600 BP u lipase, 5,000 BP u amylase, 330 BP u protease		300	🖌 Pa	ancrex V Forte
Cap 8,000 BP u lipase, 9,000 BP u amylase, 430 BP u pro- tease		300	🖌 Pa	ancrex V
Cap 8,000 USP u lipase, 30,000 USP u amylase, 30,000 USP u protease		250	V C	otazym ECS
Cap EC 10,000 BP u lipase, 9,000 BP u amylase and 210 BP u protease		100		reon 10000
Cap EC 25,000 BP u lipase, 18,000 BP u amylase, 1,000 BP u protease		100		reon Forte
Cap EC 25,000 BP u lipase, 22,500 BP u amylase, 1,250 BP u protease		100		anzytrat
URSODEOXYCHOLIC ACID – Special Authority see SA1003 belo			<b>₩</b> F0	un zy u di
Cap 300 mg		100	✓ <u>A</u>	ctigall

### ➡SA1003 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Either:

- 1 Patient diagnosed with cholestasis of pregnancy; or
- 2 Both:
  - 2.1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
  - 2.2 Patient not requiring a liver transplant (bilirubin > 170umol/l; decompensated cirrhosis).

Note: Liver biopsy is not usually required for diagnosis but is helpful to stage the disease.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 170 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure – doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

### Laxatives

### **Bulk-forming Agents**

MUCILAGINOUS LAXATIVES - Only on a prescription

*	Dry5.72 6.69 7.92	325 g OP 380 g OP 450 g OP	<ul><li>✔ Konsyl-D</li><li>✔ Mucilax</li></ul>
	(12.71)	0	Isogel
	8.80	500 g OP	·
	(16.49)	-	Normacol
*	Dry-original flavour, regular texture only5.91	336 g OP	
	(12.38)		Metamucil
*	Sugar Free4.84	275 g OP	
	(10.60)	-	Mucilax

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's	Price) Sub	Fully Brand or bsidised Generic
	(Manulactaroro	Per	Manufacturer
MUCILAGINOUS LAXATIVES WITH STIMULANTS			
* Dry		200 g OP	
,	(7.69)	0	Normacol Plus
	8.80	500 g OP	
	(16.49)		Normacol Plus
Faecal Softeners			
DOCUSATE SODIUM – Only on a prescription			
* Tab 50 mg		100	
C C	(4.89)		Coloxyl
* Tab 120 mg		100	
-	(6.73)		Coloxyl
* Cap 50 mg		100	Laxofast 50
✤ Cap 120 mg	5.49	100	Laxofast 120
Enema conc 18%	5.40	100 ml OP	Coloxyl
(Coloxyl Tab 50 mg to be delisted 1 September 2010)			
Coloxyl Tab 120 mg to be delisted 1 September 2010)			
DOCUSATE SODIUM WITH SENNOSIDES			
* Tab 50 mg with total sennosides 8 mg	6.38	200	Laxsol
POLOXAMER – Only on a prescription			
* Oral drops 10%	3 78	30 ml OP	Coloxyl
		00 111 01	
Osmotic Laxatives			
GLYCEROL			
Suppos 3.6 g – Only on a prescription	6.00	20	✓ PSM
ACTULOSE - Only on a prescription			
* Oral liq 10 g per 15 ml		1.000 ml	Duphalac
MACROGOL 3350 - Special Authority see SA0891 below - Ret		,	
Powder 13.125 g, sachets – Maximum of 60 sach per pre		20	Movicol
scription		30	
SA0891 Special Authority for Subsidy			
nitial application from any relevant practitioner. Approvals va			
requiring intervention with a per rectal preparation despite an a	dequate trial of	other oral phari	macotherapies including lactulos
where lactulose is not contraindicated.			
Renewal from any relevant practitioner. Approvals valid for 12	months where t	he patient is co	ompliant and is continuing to gai
penefit from treatment.			
SODIUM ACID PHOSPHATE – Only on a prescription	0.50	4	
Enema 16% with sodium phosphate 8%	2.50	1	<ul> <li>Fleet Phosphate Enema</li> </ul>
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETATE	- Only on a pre	scription	
Enema 90 mg with sodium lauryl sulphoacetate 9 mg per ml	,		
5 ml		12	<ul> <li>Microlax</li> </ul>
			4

ml7.30	12	Microlax
25.00	50	<ul> <li>Micolette</li> </ul>

	Subsidy		Fully Brand or
	(Manufacturer's) \$	Price) Sub Per	osidised Generic Manufacturer
Stimulant Laxatives			
BISACODYL - Only on a prescription			
* Tab 5 mg		200	Lax-Tabs
* Suppos 5 mg		6	✓ Dulcolax
* Suppos 10 mg		6	Dulcolax
DANTHRON WITH POLOXAMER – Only on a pre			
Note: Only for the prevention or treatment of c Oral lig 25 mg with poloxamer 200 mg per 5 m		300 ml	V Pinorax
Oral lig 75 mg with poloxamer 1 g per 5 ml		300 ml	Pinorax Forte
		000 111	
SENNA – Only on a prescription * Tab. standardised	0.43	20	
	(1.72)	20	Senokot
	2.17	100	
	(6.16)		Senokot
Metabolic Disorder Agents			
Gaucher's Disease			
IMIGLUCERASE – Special Authority see SA0473 Inj 40 iu per ml, 200 iu vial		1	✓ Cerezyme
►SA0473 Special Authority for Subsidy			
Special Authority approved by the Gaucher's Treat	ment Panel		
Notes: Subject to a budgetary cap. Applications wi		subject to fund	ling availability.
Application details may be obtained from PHARMA	C's website http://www.pharm	ac.govt.nz or:	
The Co-ordinator, Gaucher's Treatment Panel	Phone: (04) 460 4990		
PHARMAC, PO Box 10 254	Facsimile: (04) 916 7571		
Wellington	Email: gaucherpanel@pharn	nac.govt.nz	
Mouth and Throat			
Agents Used in Mouth Ulceration			
BENZYDAMINE HYDROCHLORIDE			
Soln 0.15%		200 ml	
	(7.14)		Difflam
	9.00	500 ml	
	(15.36)		Difflam
CHLORHEXIDINE GLUCONATE			
Mouthwash 0.2%		200 ml OP	Rivacol
CHOLINE SALICYLATE WITH CETALKONIUM CH			
* Adhesive gel 8.7% with cetalkonium chloride C		15 g OP	Deviale
	(5.25)		Bonjela

	Subsidy		Fully Brand or
	(Manufacturer's F \$	Price) Sul Per	osidised Generic Manufacturer
ODIUM CARBOXYMETHYLCELLULOSE			
With pectin and gelatin paste		56 g OP	Stomahesive
····· p····· g····· p····	1.52	5 g OP	
	(3.60)	- 5 -	Orabase
	4.55	15 g OP	
	(7.90)	-	Orabase
With pectin and gelatin powder	8.48	28 g OP	
	(10.95)		Stomahesive
RIAMCINOLONE ACETONIDE			
0.1% in Dental Paste USP	4.38	5 g OP	✓ Oracort
Oropharyngeal Anti-infectives			
MPHOTERICIN B			
Lozenges 10 mg	5.86	20	🗸 Fungilin
IICONAZOLE			J
Oral gel 20 mg per g	8 70	40 g OP	V Daktarin
	0.70	40 y Oi	Daktailli
IYSTATIN			4
Oral liq 100,000 u per ml	3.19	24 ml OP	✓ <u>Nilstat</u>
Other Oral Agents			
or folinic mouthwash, pilocarpine oral liquid or saliva substitute	formula refer, pag	ie 170	
YDROGEN PEROXIDE			
<ul> <li>Soln 10 vol – Maximum of 200 ml per prescription</li> </ul>	1 28	100 ml	V PSM
	1.20	100 111	
	0.45	500	
Compound, BPC	9.15	500 ml	✔ PSM
Vitamins			
Vitamin A			
ITAMIN A WITH VITAMINS D AND C			
Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 m	a		
per 10 drops		10 ml OP	Vitadol C
			· · · · · · · · ·
Vitamin B Group			
IYDROXOCOBALAMIN			
Inj 1 mg per ml, 1 ml – Up to 6 inj available on a PSO	6.15	3	🖌 ABM
			Hydroxocobalamin
YRIDOXINE HYDROCHLORIDE			
a) No more than 100 mg per dose			
b) Only on a prescription			
<ul> <li>Tab 25 mg – No patient co-payment payable</li> </ul>	3.06	90	<ul> <li>Healtheries</li> </ul>
<ul> <li>Tab 50 mg</li> </ul>	17.63	500	Apo-Pyridoxine
HIAMINE HYDROCHLORIDE - Only on a prescription			
<ul> <li>Tab 50 mg</li> </ul>	5.62	100	Apo-Thiamine
ITAMIN B COMPLEX			
Tab, strong, BPC	12 10	500	✓ Apo-B-Complex
· iab, sirony, Di O		500	Aho-p-complex

### ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Pi	rice) Sub	Fully Brand or osidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
Vitamin C			
ASCORBIC ACID a) No more than 100 mg per dose b) Only on a prescription	40.00	500	
* Tab 100 mg		500	<ul> <li>✓ Vitala-C</li> <li>✓ Apo-Ascorbic Acid</li> </ul>
Vitamin D			
ALFACALCIDOL			
Сар 0.25 µg		100	One-Alpha
Cap 1 µg		100	One-Alpha
Oral drops 2 µg per ml	60.68	20 ml OP	One-Alpha
CALCITRIOL * Cap 0.25 µg	2.02	30	✓ Airflow
ж Сар 0.25 µg		30	✓ Airflow
* Oral liq 1 μg per ml		10 ml OP	✓ Rocaltrol solution
CHOLECALCIFEROL			
* Tab 1.25 mg (50,000 iu) – Maximum of 12 tab per prescriptio	n7.76	12	Cal-d-Forte
Vitamin E			
ALPHA TOCOPHERYL ACETATE - Special Authority see SA091	5 below – Retail	pharmacy	
Water solubilised soln 156 iu/ml, with calibrated dropper		50 ml OP	✓ Micelle E
SA0915 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals valid	for 2 years for ap	plications mee	eting the following criteria:
Either: 1 Cystic fibrosis patient; or			
2 Both:			
2.1 Infant or child with liver disease or short gut syndron	ne; and		
2.2 Requires vitamin supplementation.			
Renewal from any relevant practitioner. Approvals valid for 2 ye	ars where the tre	eatment rema	ins appropriate and the patient
benefiting from treatment. Multivitamin Preparations			
•			
MULTIVITAMINS – Special Authority see SA0963 below – Retail Tab		100	✓ Ketovite
Powder		200 g OP	<ul> <li>Paediatric Seravit</li> </ul>
Oral liq		150 ml OP	Ketovite Liquid
(Ketovite Tab to be delisted 1 September 2010)			
(Ketovite Liquid Oral liq to be delisted 1 September 2010)			
SA0963 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals valid	I without further I	renewal unles	s notified for applications meetin
the following criteria: Either:			
1 The patient has inborn errors of metabolism; or			
2 For use as a supplement to a ketogenic diet in patients diag	gnosed with epile	epsy.	
Renewal from any relevant practitioner. Approvals valid without f			where patient has had a previou
approval for multivitamins.			
Note: Use of Paediatric Seravit is not recommended as a supplem	ient to a ketoden	ic diet	

Note: Use of Paediatric Seravit is not recommended as a supplement to a ketogenic diet.

# ALIMENTARY TRACT AND METABOLISM

	Subsidu		Eully	Brand or
	Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
	\$	Per	~	Manufacturer
VITAMINS				
* Tab (BPC cap strength)	10.85	1,000		ultiADE
	14.80			ealtheries
				Multi-vitamin
Y Can (fat as held to itemine A D E I/) Created Authority and				tablets
* Cap (fat soluble vitamins A, D, E, K) – Special Authority see SA1002 below – Retail pharmacy	23.40	60	🖌 Vi	itabdeck
SATOUZ below - Hetali pharmacy	20.40	00	• •	habueck
SA1002 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid	I without further rene	ewal ur	nless notifie	d for applications meeting
the following criteria:				
Either:				
1 Patient has cystic fibrosis with pancreatic insufficiency; or	Indromo			
2 Patient is an infant or child with liver disease or short gut sy				
Minerals				
Calcium				
CALCIUM CARBONATE				
* Tab eff 1.75 g (1 g elemental)		30		alsource
* Tab 1.25 g (500 mg elemental)		250 250		alci-Tab 500 alci-Tab 600
* Tab 1.5 g (600 mg elemental)	10.10	200		
CALCIUM GLUCONATE * Inj 10%, 10 ml	01.40	10	✔ M	
	21.40	10	V IVI	ayne
Fluoride				
SODIUM FLUORIDE				
Tab 1.1 mg (0.5 mg elemental)	4.00	100	🖌 P:	SM
lodine				
POTASSIUM IODATE	7 55	00	. A N	a
Таb 268 µg (150 µg elemental)		90		euroKare
Iron				
FERROUS FUMARATE				
Tab 200 mg (65 mg elemental)	4.35	100	🖌 Fe	erro-tab
FERROUS FUMARATE WITH FOLIC ACID				
Tab 310 mg (100 mg elemental) with folic acid 350 µg		60	🖌 Fe	erro-F-Tabs
FERROUS SULPHATE				
* Tab long-acting 325 mg (105 mg elemental)		30		
	(4.26)		Fe	erro-Gradumet
	5.06	150		
	(15.58)			erro-Gradumet
*‡ Oral liq 30 mg per 1 ml (6 mg elemental per 1 ml)		500 ml	🖌 Fe	erodan
FERROUS SULPHATE WITH FOLIC ACID				
* Tab long-acting 325 mg (105 mg elemental) with folic acid				
350 µg		30	-	anna ana al Falia
	(3.73)		Fe	errograd-Folic

### ALIMENTARY TRACT AND METABOLISM

(	Subsidy Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
IRON POLYMALTOSE Inj 50 mg per ml, 2 ml	20.95	5	✓ <u>F</u>	errum H
Magnesium				
For magnesium hydroxide mixture refer, page 170 MAGNESIUM SULPHATE Inj 49.3%, 5 ml	26.60	10	🗸 N	layne
Zinc				
ZINC SULPHATE * Cap 137.4 mg (50 mg elemental)	10.00	100	✓ <u>Z</u>	incaps
Agents Used in the Treatment of Poisonings CHARCOAL * Tab 300 mg * Oral liq 50 g per 250 ml a) Up to 250 ml available on a PSO b) Only on a PSO		100 50 ml O		led Seal Carbosorb-X
IPECACUANHA * Tincture	41.20 (43.40)	500 ml	P	'SM
SODIUM CALCIUM EDETATE * Inj 200 mg per ml, 5 ml	53.31 (156.71)	6	C	Calcium Disodium Versenate

	Subsidy (Manufacturer's Pr		Fully ubsidised	Brand or Generic
	\$	Per	~	Manufacturer
Antianaemics				
Hypoplastic and Haemolytic				
<ul> <li>▶SA0922 Special Authority for Subsidy         Initial application only from a relevant specialist. Approvals value         Both:         <ol> <li>1 Both:</li> <li>1.1 patient in chronic renal failure; and</li> <li>1.2 Haemoglobin ≤ 100g/L; and</li> </ol> </li> <li>2 Any of the following:         <ol> <li>2.1 Both:</li> <li>2.1.1 patient is not diabetic; and</li> <li>2.1.2 glomerular filtration rate ≤ 30ml/min; or</li> <li>2.2 Both:</li> <li>2.2.1 patient is diabetic; and</li> <li>2.2.2 glomerular filtration rate ≤ 45ml/min; or</li> <li>2.3 patient is on haemodialysis or peritoneal dialysis.</li> </ol> </li> <li>Renewal only from a relevant specialist. Approvals valid for 2 y benefiting from treatment.</li> <li>Notes: Erythropoietin beta is indicated in the treatment of anaem anaemia other than CRF is detected and there is adequate monit The Cockroft-Gault Formula may be used to estimate glomerular GFR (ml/min) (male) = (140 - age) × Ideal Body Weight (kg) / 81 GFR (ml/min) (female) = Estimated GFR (male) × 0.85</li> <li>ERYTHROPOIETIN ALPHA – Special Authority see SA0922 abc Inj human recombinant 1,000 iu prefilled syringe</li></ul>	ears where the tra ia associated with oring of iron store filtration rate (GFF 4 × serum creati twe – Retail pharm 	eatment rem chronic ren s and iron re R) in persons nine (mmol/I nacy 6 6 6 6	ains appr al failure placemen s 18 years )	ropriate and the patient is (CRF) where no cause for t therapy. s and over: prex prex prex
Inj human recombinant 4,000 iu, prefilled syringe Inj human recombinant 5,000 iu, prefilled syringe Inj human recombinant 6,000 iu, prefilled syringe Inj human recombinant 10,000 iu, prefilled syringe	243.26 291.92	6 6 6		prex prex
ERYTHROPOIETIN BETA – Special Authority see SA0922 above Inj 2,000 iu, prefilled syringe Inj 3,000 iu, prefilled syringe Inj 4,000 iu, prefilled syringe Inj 5,000 iu, prefilled syringe Inj 6,000 iu, prefilled syringe Inj 10,000 iu, prefilled syringe	e – Retail pharma 120.18 166.87 193.13 243.26 291.29	cy 6 6 6 6 6		eoRecormon eoRecormon eoRecormon eoRecormon eoRecormon eoRecormon
Megaloblastic				
FOLIC ACID * Tab 0.8 mg * Tab 5 mg Oral liq 50 μg per ml	10.21	1,000 500 25 ml OP	🖌 🗸	po-Folic Acid po-Folic Acid iomed

40

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
Antifibrinolytics, Haemostatics and Local Sclero	osants			
SODIUM TETRADECYL SULPHATE * Inj 0.5% 2 ml	23.20 (45.52)	5		Fibro-vein
* Inj 1% 2 ml		5		Fibro-vein
* Inj 3% 2 ml	28.50 (55.91)	5		Fibro-vein
TRANEXAMIC ACID Tab 500 mg		100	V	<u>Cyklokapron</u>
Vitamin K				
PHYTOMENADIONE Inj 2 mg per 0.2 ml – Up to 5 inj available on a PSO May be administered orally.	8.00	5	V	Konakion MM
Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO May be administered orally.	9.21	5	~	Konakion MM
Antithrombotic Agents				
Antiplatelet Agents				
ASPIRIN * Tab 100 mg CLOPIDOGREL – Special Authority see SA0867 below – Retail		990	~	Ethics Aspirin EC
Tab 75 mg		28		Apo-Clopidogrel Arrow-Clopidogrel
	(73.38)			Plavix

#### ➡SA0867 Special Authority for Subsidy

**Initial application** — (aspirin allergic patients) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient is allergic to aspirin (see definition below); and
- 2 Any of the following:
  - The patient has:
  - 2.1 suffered from a stroke, or transient ischaemic attack; or
  - 2.2 experienced an acute myocardial infarction; or
  - 2.3 experienced an episode of pain at rest of greater than 20 minutes duration due to coronary disease that required admission to hospital for at least 24 hours; or
  - 2.4 had a troponin T or troponin I test result greater than the upper limit of the reference range; or
  - 2.5 had a revascularisation procedure; or
  - 2.6 experienced symptomatic peripheral vascular disease of a severity that has required specialist consultation.

Note: Aspirin allergy is defined as a history of anaphylaxis, urticaria or asthma within 4 hours of ingestion of aspirin, other salicylates or NSAIDs.

Initial application — (aspirin tolerant patients and aspirin naive patients) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Any of the following:

The patient has:

continued...

	Subsidy	Fully	Brand or
(N	lanufacturer's Price)	Subsidised	Generic
	\$	Per 🖌	Manufacturer

continued...

- 1 experienced an acute myocardial infarction; or
- 2 had an episode of pain at rest of greater than 20 minutes duration due to coronary disease that required admission to hospital for at least 24 hours; or
- 3 had a troponin T or troponin I test result greater than the upper limit of the reference range; or
- 4 had a revascularisation procedure.

Initial application — (patients awaiting revascularisation) from any relevant practitioner. Approvals valid for 6 months where the patient is on a waiting list or active review list for stenting, coronary artery bypass grafting, or percutaneous coronary angioplasty following acute coronary syndrome.

Initial application — (post stenting) from any relevant practitioner. Approvals valid for 6 months where the patient has had a stent inserted in the previous 4 weeks.

**Initial application** — (documented stent thrombosis) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has, while on treatment with aspirin or clopidogrel, experienced documented stent thrombosis.

Renewal — (aspirin tolerant patients) from any relevant practitioner. Approvals valid without further renewal unless notified where while on treatment with aspirin the patient has experienced an additional vascular event following the recent cessation of clopidogrel.

**Renewal** — (acute coronary syndrome - aspirin tolerant patients and aspirin naive patients) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Any of the following:

The patient has:

- 1 experienced an acute myocardial infarction; or
- 2 had an episode of pain at rest of greater than 20 minutes duration due to coronary disease that required admission to hospital for at least 24 hours; or
- 3 had a troponin T or troponin I test result greater than the upper limit of the reference range; or
- 4 had a revascularisation procedure.

Renewal — (patients awaiting revascularisation) from any relevant practitioner. Approvals valid for 6 months where the patient is on a waiting list or active review list for stenting, coronary artery bypass grafting or percutaneous coronary angioplasty following acute coronary syndrome.

Renewal — (post stenting) from any relevant practitioner. Approvals valid for 6 months where the patient has had a stent inserted in the previous 4 weeks.

Renewal — (documented stent thrombosis) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has, while on treatment with aspirin or clopidogrel, experienced documented stent thrombosis.

DIPYRIDAMOLE

*	Tab 25 mg8	8.36	84	Persantin
*	Tab long-acting 150 mg1	1.52	60	Pytazen SR

#### **Heparin and Antagonist Preparations**

ENOXAPARIN SODIUM - Special Authority see SA0975 on the next page - Retail pharmacy

Inj 20 mg	 10	Clexane
Inj 40 mg	 10	Clexane
Inj 60 mg	10	Clexane
Inj 80 mg	 10	Clexane
Inj 100 mg	 10	Clexane
Inj 120 mg	10	Clexane
Inj 150 mg	10	Clexane

Subsidy		Fully	Brand or	Ī
		,		
(Manufacturer's Price)	S	ubsidised	Generic	
\$	Per	~	Manufacturer	

#### ➡SA0975 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.
- **Initial application (Venous thromboembolism other than in pregnancy or malignancy)** from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic INR with oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing warfarin treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

#### HEPARIN SODIUM

Inj 1,000 iu per ml, 5 ml		10	Mayne	
<b>)</b>	66.80	50	Mayne	
	11.44	10	✓ Pfizer	
	46.30	50	✓ Pfizer	
Inj 1,000 iu per ml, 35 ml	16.00	1	✓ Mayne	
Inj 5,000 iu per ml, 1 ml		5	✓ Mayne	
Inj 5,000 iu per ml, 5 ml		10	✓ Multiparin	
	118.50	50	✓ Pfizer	
Inj 25,000 iu per ml, 0.2 ml		5	✓ Mayne	
(Multiparin Inj 5,000 iu per ml, 5 ml to be delisted 1 De		5	• Mayne	
HEPARINISED SALINE				
* Inj 10 iu per ml, 5 ml	32 50	50	✓ Pfizer	
	02.00	00		
PROTAMINE SULPHATE				
* Inj 10 mg per ml, 5 ml		10		
	(86.54)		Artex	
Oral Anticoagulants				
•				
WARFARIN SODIUM				
Note: Marevan and Coumadin are not interchange				
* Tab 1 mg	3.46	50	Coumadin	
	5.69	100	Marevan	
* Tab 2 mg	4.31	50	Coumadin	
* Tab 3 mg	8.00	100	Marevan	
* Tab 5 mg	5.93	50	Coumadin	
-	9.64	100	Marevan	

	Subsidy (Manufacturer's Price \$	e) Sub Per	Fully sidised	Brand or Generic Manufacturer
Fluids and Electrolytes				
Intravenous Administration				
DEXTROSE				
<ul> <li>Inj 50%, 10 ml – Up to 5 inj available on a PSO</li> <li>Inj 50%, 90 ml – Up to 5 inj available on a PSO</li> </ul>		5 1		iomed iomed
POTASSIUM CHLORIDE * Inj 75 mg per ml, 10 ml		50	🗸 A	straZeneca
SODIUM BICARBONATE Inj 8.4%, 50ml		1	🗸 В	iomed
a) Up to 5 inj available on a PSO b) Not in combination				
Inj 8.4%, 100 mla) Up to 5 inj available on a PSO		1	🗸 В	iomed
b) Not in combination				
SODIUM CHLORIDE Inf 0.9% – Up to 2000 ml available on a PSO		500 ml 1,000 ml	✓ B	
Only if prescribed on a prescription for renal dialysis, mate for emergency use. (500 ml and 1,000 ml packs)		,		
Inj 23.4%, 20 ml		5	🗸 В	iomed
Inj 0.9%, 5 ml – Up to 5 inj available on a PSO	11.50	50	🖌 A	straZeneca
Inj 0.9%, 10 ml – Up to 5 inj available on a PSO	11.50	50	🖌 A	straZeneca
Inj 0.9%, 20 ml	4.72	6		harmacia
	11.79	30		harmacia
	7.86	20	✓ M	ultichem
TOTAL PARENTERAL NUTRITION (TPN) - Retail pharmacy-Spe			4	
Infusion WATER	CBS	1 OP	V TI	PN
<ol> <li>On a prescription or Practitioner's Supply Order only when Schedule requiring a solvent or diluent; or</li> <li>On a bulk supply order; or</li> </ol>	n on the same forn	n as an inje	ction lis	ted in the Pharmaceutical
<ol> <li>When used in the extemporaneous compounding of eye dr Purified for inj, 5 ml – Up to 5 inj available on a PSO</li> </ol>		50		ultichem
Purified for inj, 10 ml - Up to 5 inj available on a PSO	10.51 10.38 11.32	50	🖌 M	straZeneca ultichem straZeneca
Purified for inj, 20 ml – Up to 5 inj available on a PSO		20		ultichem
Oral Administration				
CALCIUM POLYSTYRENE SULPHONATE Powder		300 g OP	✔ C	alcium Resonium
COMPOUND ELECTROLYTES Powder for soln for oral use 5 g – Up to 10 sach available on		0		
a PSO		10	🖌 E	nerlyte

44

	Subsidy (Manufacturer's		Fully Brand or sidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
DEXTROSE WITH ELECTROLYTES Soln with electrolytes	6.60	1,000 ml OP	✓ Pedialyte - Bubblegum
	6.75		<ul> <li>Pedialyte - Fruit</li> <li>Pedialyte - Plain</li> </ul>
POTASSIUM BICARBONATE			·
Tab eff 315 mg with sodium acid phosphate 1.937 g an sodium bicarbonate 350 mg For phosphate supplementation		100	✓ Phosphate-Sandoz
POTASSIUM CHLORIDE			
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	5.26 (11.85)	60	Chlorvescent
* Tab long-acting 600 mg		200	✓ <u>Span-K</u>
SODIUM POLYSTYRENE SULPHONATE			
Powder		450 g OP	Resonium-A
Lipid Modifying Agents			
Fibrates			
BEZAFIBRATE			
* Tab 200 mg     * Tab long-acting 400 mg		90 30	<ul> <li>✓ <u>Fibalip</u></li> <li>✓ Bezalip Retard</li> </ul>
		30	
Other Lipid Modifying Agents			
	10.75	00	
* Cap 250 mg		30	<ul> <li>Olbetam</li> </ul>
NICOTINIC ACID * Tab 50 mg	5.08	100	Apo-Nicotinic Acid
* Tab 500 mg		100	✓ Apo-Nicotinic Acid
Resins			
CHOLESTYRAMINE WITH ASPARTAME			
Sachets 4 g with aspartame	19.25 (28.88)	50	Questran-Lite
COLESTIPOL HYDROCHLORIDE			<b>4 a b b b</b>
Sachets 5 g	16.17	30	✓ Colestid
HMG CoA Reductase Inhibitors (Statins)			
Prescribing Guidelines			

#### **Prescribing Guidelines**

Treatment with HMG CoA Reductase Inhibitors (statins) is recommended for patients with dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater.

	Subsidy (Manufacturer's Price) \$	Ful Subsidise Per •	
ATORVASTATIN - Additional subsidy by Special Authority See prescribing guideline on the preceding page	y see SA0788 below – Retail p	oharmacy	
* Tab 10 mg	1.77 4.03	30	Lorstat 10
* Tab 20 mg	(18.32) 2.60 5.87	30 🗸	Lipitor Lorstat 20
卷 Tab 40 mg	(26.70)	30 🗸	Lipitor Lorstat 40
-	8.14 (37.02)		Lipitor
* Tab 80 mg	7.73 16.28 (110.50)	30	Lorstat 80

#### ➡SA0788 Special Authority for Manufacturers Price

Initial application only from a relevant specialist or general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Both:
  - 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
  - 2 Either:
    - 2.1 Patient has severe documented intolerance to simvastatin (blood tests are not required); or
    - 2.2 Both:
      - 2.2.1 Patient has been compliant with a dose of simvastatin of 80 mg per day for at least 2 months; and 2.2.2 Either:
        - 2.2.2.1 All of the following:
          - 2.2.2.1.1 Patient has venous CABG; and
          - 2.2.2.1.2 LDL cholesterol test 1  $\geq$  2.0 mmol/litre; and
          - 2.2.2.1.3 LDL cholesterol test  $2 \ge 2.0$  mmol/litre (at least 1 week after test 1); or

2.2.2.2 All of the following:

- 2.2.2.2.1 Patient does not have venous CABG; and
- 2.2.2.2.2 LDL cholesterol test 1  $\geq$  2.5 mmol/litre; and
- 2.2.2.3 LDL cholesterol test  $2 \ge 2.5$  mmol/litre (at least 1 week after test 1).

Notes: To confirm that cholesterol levels are not still improving, two lipid tests must be carried out during treatment with simvastatin 80 mg, and have results for LDL cholesterol that have reduced by <10% in the second test. The tests must be carried out while the patient is in a fasted state (with the exception of patients with IDDM).

The following indications of intolerance to simvastatin, are known as class effects for all statins, and hence are likely to mean that the patient may also be intolerant of atorvastatin:

- Constipation, flatulence (may occur in >1% of patients)
- Asthenia, abdominal pain, headache (may occur in >1% of patients)
- Myopathy, rhabdomyolysis (may occur in <3% of patients)
- Elevated serum transaminase levels (may occur in <1% of patients)

Statins have been shown to be generally well tolerated in clinical studies, with the rate of discontinuation due to adverse reactions being less than 5%, and similar to the discontinuation rate for patients taking a placebo.

PRAVASTATIN - Special Authority see SA0932 on the next page - Retail pharmacy

See prescribing guideline on the preceding page		
Tab 10 mg	 30	Pravachol
Tab 20 mg	 30	Pravachol
Tab 40 mg	 30	Pravachol

	Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
	(Manulacturer 31 1100) \$	Per		Manufacturer
➡SA0932 Special Authority for Subsidy				
<b>Initial application — (Confirmed HIV/AIDS)</b> from any relevant pr	actitioner Approvals	valid	without furth	ner renewal unless notified
for applications meeting the following criteria:	actitioner. Approvate	valia	without furth	ici renewai unicos notineu
All of the following:				
1 Patient has dyslipidaemia and an absolute 5 year cardiovas	cular risk of 15% or	greate	er; and	
2 Confirmed HIV infection; and		0		
3 Patient is being treated with an HIV protease inhibitor.				
SIMVASTATIN – See prescribing guideline on page 45				
* Tab 10 mg	2.05	90	✓ <u>A</u>	rrow-Simva 10mg
* Tab 20 mg		90		rrow-Simva 20mg
* Tab 40 mg	5.35	90		rrow-Simva 40mg
* Tab 80 mg	11.65	90	✓ <u>A</u>	rrow-Simva 80mg
Selective Cholesterol Absorption Inhibitors				
EZETIMIBE - Special Authority see SA0796 below - Retail pharr	•		4-	
Tab 10 mg		30	V E	zetrol
SA0796 Special Authority for Subsidy				
Initial application only from a relevant specialist. Approvals valid	for 2 years for applic	ations	meeting the	e following criteria:
Both:				
1 Either:	tin: or			
<ol> <li>ezetimibe is to be used in combination with simvasta</li> <li>ezetimibe is to be used without a statin; and</li> </ol>				
2 Either:				
2.1 All of the following:				
2.1.1 Patient has a calculated absolute risk of cardi	ovascular disease >	20% o	ver 5 years:	and
2.1.2 Patient cannot tolerate statin therapy at a dos				
2.1.3 Either:				
2.1.3.1 All of the following:				
2.1.3.1.1 Patient has venous CABG; and				
2.1.3.1.2 LDL cholesterol $\geq$ 2.0 mmol/litr				ta)
2.1.3.1.3 LDL cholesterol $\geq$ 2.0 mmol/litre 2.1.3.2 All of the following:	e (at least 1 week an	ter tes	t I – see no	ite); or
2.1.3.2.1 Patient does not have venous C	ABC: and			
2.1.3.2.2 LDL cholesterol $\geq$ 2.5 mmol/litro				
2.1.3.2.3 LDL cholesterol $\geq$ 2.5 mmol/litro		ter tes	t 1 – see no	te); or
2.2 All of the following:	,			,.
2.2.1 Patient has homozygous familial hypercholes				
2.2.2 Patient has been compliant for at least two m		dose	statin thera	py; and
2.2.3 LDL cholesterol $\geq$ 5 mmol/litre (see note); an				
2.2.4 LDL cholesterol $\geq$ 5 mmol/litre (at least 1 week		,	ono wool: -	port and be serviced as the
Note: Two lipid tests are required to assess LDL cholesterol levels				
a fasted state (other than for patients with IDDM). The results for LI Renewal only from a relevant specialist. Approvals valid for 2 year				
Both:		Joung		y ontonu.
1 The treatment remains appropriate and the patient is benef	iting from treatment;	and		
<ol> <li>2 Either:</li> <li>2.1 ezetimibe is to be used in combination with simvasta</li> </ol>	itin: or			
2.1 ezetimibe is to be used in combination with sinvasta 2.2 ezetimibe is to be used without a statin.	um, 01			

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
EZETIMIBE WITH SIMVASTATIN – Special Authority see SA082	6 below – Retail pharr	nacy		
Tab 10 mg with simvastatin 10 mg		30	🖌 V	ytorin
Tab 10 mg with simvastatin 20 mg		30	🖌 V	ytorin
Tab 10 mg with simvastatin 40 mg		30	🖌 V	ytorin
Tab 10 mg with simvastatin 80 mg		30	🖌 V	ytorin

#### ➡SA0826 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 All of the following:
  - 1.1 Patient has a calculated absolute risk of cardiovascular disease >20% over 5 years; and
  - 1.2 Patient cannot tolerate statin therapy at a dose of  $\geq$  40 mg per day; and
  - 1.3 Either:
    - 1.3.1 All of the following:
      - 1.3.1.1 Patient has venous CABG; and
      - 1.3.1.2 LDL cholesterol  $\geq$  2.0 mmol/litre (see note); and
      - 1.3.1.3 LDL cholesterol  $\geq$  2.0 mmol/litre (at least 1 week after test 1 see note); or
    - 1.3.2 All of the following:
      - 1.3.2.1 Patient does not have venous CABG; and
      - 1.3.2.2 LDL cholesterol  $\geq$  2.5 mmol/litre (see note); and
      - 1.3.2.3 LDL cholesterol  $\geq$  2.5 mmol/litre (at least 1 week after test 1 see note); or
- 2 All of the following:
  - 2.1 Patient has homozygous familial hypercholesterolemia, or heterozygous familial hypercholesterolemia; and
  - 2.2 Patient has been compliant for at least two months with maximum dose statin therapy; and
  - 2.3 LDL cholesterol  $\geq$  5 mmol/litre (see note); and
  - 2.4 LDL cholesterol  $\geq$  5 mmol/litre (at least 1 week after test 1 see note).

Note: Two lipid tests are required to assess LDL cholesterol levels, the tests must be at least one week apart, and be carried out in a fasted state (other than for patients with IDDM). The results for LDL cholesterol levels in both tests must be above those specified. **Renewal** only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

### Iron Overload

DESFERRIOXAMINE MESYLATE

10

Mayne

	Subsidy (Manufacturer's Price \$	) Per	Fully Subsidised	d Generic
Alpha Adrenoceptor Blockers				
DOXAZOSIN MESYLATE				
* Tab 2 mg		500	~	Apo-Doxazosin
* Tab 4 mg		500	~	Apo-Doxazosin
PHENOXYBENZAMINE HYDROCHLORIDE				
* Cap 10 mg		30	V	Dibenyline S29
	26.05	100		Dibenyline S29
PHENTOLAMINE MESYLATE				-
* Inj 10 mg per ml, 1 ml		5		
	(31.65)			Regitine
PRAZOSIN HYDROCHLORIDE	. ,			
* Tab 1 mg	5.53	100	~	Apo-Prazo
* Tab 2 mg		100		Apo-Prazo
* Tab 5 mg		100	~	Apo-Prazo
TERAZOSIN HYDROCHLORIDE				
* Tab 1 mg	1.50	28	~	Arrow
ů –	2.50		~	Apo-Terazosin
* Tab 7 $\times$ 1 mg and 7 $\times$ 2 mg	0.74	14 OP		Hytrin Starter Pack
* Tab 2 mg	0.80	28		Arrow
	23.30	500		Apo-Terazosin
* Tab 5 mg		28	-	Arrow
	29.00	500	~	Apo-Terazosin

### Agents Affecting the Renin-Angiotensin System

Perindopril and trandolapril will be funded to the level of the ex-manufacturer price listed in the Schedule for patients who were taking these ACE inhibitors for the treatment of congestive heart failure prior to 1 June 1998. The prescription must be endorsed accordingly. We recommend that the words used to indicate eligibility are "certified condition" or an appropriate description of the patient such as "congestive heart failure", "CHF", "congestive cardiac failure" or "CCF". **Definition of Congestive Heart Failure** At the request of some prescribers the PTAC Cardiovascular subcommittee has provided a definition of congestive heart failure for the purposes of the funding of the manufacturer's surcharge: "Clinicians should use their clinical judgement. Existing patients would be eligible for the funding of the surcharge if the patient shows signs and symptoms of congestive heart failure, and requires or has in the past required concomitant treatment with a diuretic. The definition could also be considered to include patients post myocardial infarction with an ejection fraction of less than 40%."

### **ACE Inhibitors**

#### CAPTOPRIL

<ul> <li>* Tab 12.5 mg</li> <li>* Tab 25 mg</li> <li>* Tab 50 mg</li> <li>* Tab 50 mg</li> <li>* Oral liq 5 mg per ml</li> <li>Oral liquid restricted to children under 12 years of age.</li> </ul>	13.40 19.00	500 500 500 95 ml OP	<ul> <li>Apo-Captopril</li> <li>Apo-Captopril</li> <li>Apo-Captopril</li> <li>Capoten</li> </ul>
CILAZAPRIL * Tab 0.5 mg * Tab 2.5 mg * Tab 5 mg	4.10	30 28 28	<ul><li>✓ Inhibace</li><li>✓ Inhibace</li><li>✓ Inhibace</li></ul>

	Subsidy		Fully Brand or
	(Manufacturer's Price)		Subsidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
ENALAPRIL			
* Tab 5 mg	1.98	90	<ul> <li>Arrow-Enalapril</li> <li>m-Enalapril</li> </ul>
* Tab 10 mg	2.44 (2.76)	90	<ul> <li>Arrow-Enalapril m-Enalapril</li> </ul>
₭ Tab 20 mg	( )	90	Arrow-Enalapril
	(3.68)		m-Enalapril
m-Enalapril Tab 5 mg to be delisted 1 November 2010) m-Enalapril Tab 10 mg to be delisted 1 November 2010) m-Enalapril Tab 20 mg to be delisted 1 November 2010)			
JSINOPRIL	0.00	00	
₭ Tab 5 mg ₭ Tab 10 mg		30 30	<ul> <li><u>Arrow-Lisinopril</u></li> <li><u>Arrow-Lisinopril</u></li> </ul>
rab to fig		30	✓ <u>Arrow-Lisinopril</u>
ů –		00	• Anow-Lisinophi
PERINDOPRIL			
Tab 2 mg – Higher subsidy of \$18.50 per 30 tab with En- dorsement.	2.00	30	
uorsement	(18.50)	30	Coversyl
K Tab 4 mg − Higher subsidy of \$25.00 per 30 tab with En-	(10.50)		Coversyl
dorsement	4.05	30	
	(25.00)		Coversyl
QUINAPRIL	( )		<b>,</b>
k Tab 5 mg		30	Accupril
₭ Tab 10 mg		30	Accupril
₭ Tab 20 mg	2.35	30	✓ <u>Accupril</u>
RANDOLAPRIL			
k Cap 1 mg − Higher subsidy of \$18.67 per 28 cap with En-			
dorsement		28	
	(18.67)		Gopten
k Cap 2 mg − Higher subsidy of \$27.00 per 28 cap with En-			
dorsement		28	
	(27.00)		Gopten
ACE Inhibitors with Diuretics			
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE			
Tab 5 mg with hydrochlorothiazide 12.5 mg	5.36	28	Inhibace Plus
NALAPRIL WITH HYDROCHLOROTHIAZIDE			
₭ Tab 20 mg with hydrochlorothiazide 12.5 mg	3.32	30	
	(8.70)		Co-Renitec
QUINAPRIL WITH HYDROCHLOROTHIAZIDE			
₭ Tab 10 mg with hydrochlorothiazide 12.5 mg	3.37	30	✓ Accuretic 10
* Tab 20 mg with hydrochlorothiazide 12.5 mg		30	✓ Accuretic 20

_		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
A	ngiotension II Antagonists				
CA	NDESARTAN – Special Authority see SA0933 below – Retail p	oharmacy			
*	Tab 4 mg - No more than 1.5 tab per day		30	🗸 🗸	Atacand
*	Tab 8 mg - No more than 1.5 tab per day		30	🗸 🗸	Atacand
*	Tab 16 mg - No more than 1 tab per day		30	🗸 🗸	Atacand
*	Tab 32 mg - No more than 1 tab per day		30	🗸 A	Atacand

#### ➡SA0933 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 Patient with congestive heart failure; and
  - 1.2 Either:
    - 1.2.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
    - 1.2.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years; or
- 2 All of the following:
  - 2.1 Patient with raised blood pressure; and
  - 2.2 Use of fully funded beta blockers or diuretics are contraindicated; or not well tolerated; or insufficient to control blood pressure adequately at appropriate doses; and
  - 2.3 Either:
    - 2.3.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
    - 2.3.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years.

LOSARTAN - Special Authority see SA0911 below - Retail pharmacy

*	Tab 12.5 mg	30	Cozaar
*	Tab 25 mg	30	Cozaar
	Tab 50 mg23.10	30	Cozaar
	Tab 50 mg with hydrochlorothiazide 12.5 mg	30	🖌 Hyzaar
*	Tab 100 mg	30	<ul> <li>Cozaar</li> </ul>

#### SA0911 Special Authority for Subsidy

**Initial application** — (ACE inhibitor intolerance) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has persistent ACE inhibitor induced cough that is not resolved by ACE inhibitor retrial (same or new ACE inhibitor); or
- 2 Patient has a history of angioedema.

Initial application — (Unsatisfactory response to ACE inhibitor) from any relevant practitioner. Approvals valid without further renewal unless notified where patient is not adequately controlled on maximum tolerated dose of an ACE inhibitor.

Initial application — (Patient had an approval for Losartan with hydrochlorothiazide prior to 1 May 2008) from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy (Manufacturer's Price	a) S	Fully Brand or ubsidised Generic
	\$	Per	Manufacturer
Antiarrhythmics			
r lignocaine hydrochloride refer to NERVOUS SYSTEM, Ana	esthetics, Local, page	111	
Tab 100 mg - Retail pharmacy-Specialist		30	Aratac
			Cordarone-X
Tab 200 mg - Retail pharmacy-Specialist		30	✓ Aratac
Inj 50 mg per ml, 3 ml – Up to 5 inj available on a PSO	60.84	10	<ul> <li>Cordarone-X</li> <li>Cordarone-X</li> </ul>
GOXIN		10	• Obradione-X
Tab 62.5 µg – Up to 30 tab available on a PSO	6 94	250	Lanoxin PG
Tab 250 $\mu$ g – Up to 30 tab available on a PSO		250	✓ Lanoxin
: Oral lig 50 µg per ml		60 ml	<ul> <li>Lanoxin</li> </ul>
SOPYRAMIDE PHOSPHATE			
Cap 100 mg		100	
	(23.87)		Rythmodan
Cap 150 mg	26.21	100	Rythmodan
ECAINIDE ACETATE – Retail pharmacy-Specialist			
Tab 50 mg	45.82	60	Tambocor
Tab 100 mg		60	<ul> <li>Tambocor</li> </ul>
Cap long-acting 100 mg		30	Tambocor CR
Cap long-acting 200 mg		30	Tambocor CR
Inj 10 mg per ml, 15 ml	52.45	5	Tambocor
			<b>4 •</b> • • • •
Cap 50 mg Cap 200 mg		100	Mexitil
Cap 200 mg		100	<ul> <li>Mexitil</li> </ul>
OPAFENONE HYDROCHLORIDE - Retail pharmacy-Speci		50	
Tab 150 mg	40.90	50	<ul> <li>Rytmonorm</li> </ul>
ntihypotensives			
DODRINE – Special Authority see SA0934 below – Retail pl	narmacy		
Tab 2.5 mg		100	<ul> <li>Gutron</li> </ul>
Tab 5 mg	79.00	100	<ul> <li>Gutron</li> </ul>
SA0934 Special Authority for Subsidy			
tial application from any relevant practitioner. Approvals val	id for 2 years for appli	cations m	eeting the following criteria:
of the following:			
1 Disabling orthostatic hypotension not due to drugs; and			
2 Patient has tried fludrocortisone (unless contra-indicated			
3 Patient has tried non pharmacological treatments such	as support hose, incl	reased sa	alt intake, exercise, and elevation

3 Patient has tried non pharmacological treatments such as support hose, increased salt intake, exercise, and elevation of head and trunk at night.

Notes: Treatment should be started with small doses and titrated upwards as necessary.

Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Beta Adrenoceptor Blockers			
ACEBUTOLOL * Cap 200 mg	100	🖌 ACB	

		Subsidy		Fully Brand or
		(Manufacturer's Pri \$	ice) Per	Subsidised Generic Manufacturer
AT1		+		
AI E *	ENOLOL Tab 50 mg	6 19	500	Pacific Atenolol
不	Tab 50 mg		1,000	<ul> <li>Atenolol Tablet USP</li> </ul>
*	Tab 100 mg		500	✓ Pacific Atenolol
*	Tab 100 mg	21.46	1,000	✓ <u>Atenolol Tablet USP</u>
~ ^		21.40	1,000	Alenoior Tablet Cor
СA	RVEDILOL	01.00	20	Dilatrand
	Tab 6.25 mg		30	<ul> <li>Dilatrend</li> <li>Dilatrend</li> </ul>
	Tab 12.5 mg		30 30	✓ Dilatrend
_	Tab 25 mg		30	Diatiena
	LIPROLOL	10.00		
*	Tab 200 mg		180	Celol
LAE	BETALOL			
*	Tab 50 mg	8.66	100	Hybloc
*	Tab 100 mg	10.59	100	<ul> <li>Hybloc</li> </ul>
*	Tab 200 mg		100	Hybloc
*	Tab 400 mg		100	<ul> <li>Hybloc</li> </ul>
*	Inj 5 mg per ml, 20 ml		5	
		(88.60)		Trandate
ИE	TOPROLOL SUCCINATE			
*	Tab long-acting 23.75 mg	2.18	30	Betaloc CR
				Metoprolol - AFT CR
*	Tab long-acting 47.5 mg	2.74	30	Betaloc CR
				Metoprolol - AFT CR
*	Tab long-acting 95 mg	4.71	30	Betaloc CR
				Metoprolol - AFT CR
*	Tab long-acting 190 mg	8.51	30	Betaloc CR
				Metoprolol - AFT CR
ИE	TOPROLOL TARTRATE			
*	Tab 50 mg		100	Lopresor
*	Tab 100 mg		60	✓ Lopressor
*	Tab long-acting 200 mg		28	Slow-Lopressor
*	Inj 1 mg per ml 5 ml	24.08	5	
		(34.00)		Betaloc
١A	DOLOL			
*	Tab 40 mg		100	Apo-Nadolol
*	Tab 80 mg		100	✓ Apo-Nadolol
אוכ	IDOLOL			
- II \ *	Tab 5 mg	5.40	100	Apo-Pindolol
~ 米	Tab 10 mg		100	✓ Apo-Pindolol
~ 米	Tab 15 mg		100	✓ <u>Apo-Pindolol</u>
	0		100	<u>Apor indotor</u>
	OPRANOLOL	0.55	100	( Cordinal
	Tab 10 mg		100	✓ Cardinol ✓ Cardinol
* *	Tab 40 mg		100	
*	Cap long-acting 160 mg		100	Cardinol LA
	TALOL			<i>.</i>
*	Tab 80 mg		500	<u>Mylan</u>
*	Tab 160 mg		100	✓ <u>Mylan</u>
*	Inj 10 mg per ml, 4 ml	41 34	5	Sotacor

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

(1	Subsidy Manufacturer's Price)		Fully sidised	Brand or Generic
	\$	Per	~	Manufacturer
TIMOLOL MALEATE * Tab 10 mg	10 55	100	~	Apo-Timol
Calcium Channel Blockers		100	<u> </u>	
Dihydropyridine Calcium Channel Blockers (DHP	CCBs)			
AMLODIPINE				
* Tab 5 mg	7.33	100	V	Apo-Amlodipine
	22.82	30		lorvasc
* Tab 10 mg	11.79	100	VI	Apo-Amlodipine
	34.85	30		lorvasc
FELODIPINE				
<ul> <li>ELODIPINE</li> <li>Tab long-acting 2.5 mg - No more than 1 tab per day</li> </ul>	10.32	30	<b>1</b>	Plendil ER
<ul> <li>Tab long-acting 2.5 mg — No more than 1 tab per day</li> <li>Tab long-acting 5 mg</li> </ul>		30 90		elo 5 ER
0 0 0		90 90		
* Tab long-acting 10 mg	15.00	90	<u>v</u> <u>r</u>	elo 10 ER
SRADIPINE				
Cap long-acting 2.5 mg	7.50	30		Dynacirc-SRO
Cap long-acting 5 mg	7.85	30	V [	Dynacirc-SRO
NIFEDIPINE				
* Tab long-acting 10 mg		60	V	Adalat 10
* Tab long-acting 20 mg		100		vefax Retard
* Tab long-acting 30 mg		30		Adefin XL
			VI	Arrow-Nifedipine XR
	5.50		• •	
	(19.90)		A	Adalat Oros
* Tab long-acting 60 mg	· · · ·	30		Adefin XL
				Arrow-Nifedipine XR
	8.00		• •	
	(29.50)		A	Adalat Oros
Other Calcium Channel Blockers	()			
DILTIAZEM HYDROCHLORIDE				
* Tab 30 mg		100		Dilzem
* Tab 60 mg		100		Dilzem
* Cap long-acting 120 mg		30		Cardizem CD
* Cap long-acting 180 mg		30	_	Cardizem CD
* Cap long-acting 240 mg	8.67	30	<u> </u>	Cardizem CD
PERHEXILINE MALEATE – Special Authority see SA0256 below –	Retail pharmacy			
* Tab 100 mg		100	🖌 F	Pexsig
SA0256 Special Authority for Subsidy				

SA0256 Special Authority for Subsidy

**Initial application** only from a cardiologist or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Both:

1 Refractory angina; and

2 Patient is already on maximal anti-anginal therapy.

Renewal only from a cardiologist or general physician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy (Manufacturer's Pric		Fully Brand or ubsidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
VERAPAMIL HYDROCHLORIDE	7.01	100	. A la castla
* Tab 40 mg * Tab 80 mg		100 100	<ul> <li>Isoptin</li> <li>Isoptin</li> </ul>
* Tab long-acting 120 mg		250	Verpamil SR
* Tab long-acting 240 mg		250	✓ Verpamil SR
<ul> <li>Inj 2.5 mg per ml, 2 ml – Up to 5 inj available on a PSO</li> </ul>		5	✓ Isoptin
Centrally Acting Agents		-	
CLONIDINE			
* TDDS 2.5 mg, 100 µg per day – Only on a prescription		4	Catapres-TTS-1
* TDDS 5 mg, 200 µg per day – Only on a prescription		4	✓ Catapres-TTS-2
* TDDS 7.5 mg, 300 µg per day - Only on a prescription		4	Catapres-TTS-3
CLONIDINE HYDROCHLORIDE			-
* Tab 150 μg		100	✓ Catapres
* Inj 150 µg per ml, 1 ml		5	✓ Catapres
METHYLDOPA			
* Tab 125 mg		100	Prodopa
* Tab 250 mg		100	Prodopa
* Tab 500 mg		100	Prodopa
Diuretics			
Loop Diuretics			
BUMETANIDE			
* Tab 1 mg		100	Burinex
* Inj 500 µg per ml, 4 ml		5	Burinex
FUROSEMIDE			
* Tab 40 mg – Up to 30 tab available on a PSO		1,000	Diurin 40
* Tab 500 mg		100	✓ Diurin 500
5	25.00	50	Urex Forte
*‡ Oral liq 10 mg per ml		30 ml OP	Lasix
* Infusion 10 mg per ml, 25 ml		5	Lasix
Inj 10 mg per ml, 2 ml – Up to 5 inj available on a PSO (Diurin 500 Tab 500 mg to be delisted 1 November 2010)	29.50	50	Mayne
Potassium Sparing Diuretics			
AMILORIDE			
toral liq 1 mg per ml		25 ml OP	Biomed
SPIRONOLACTONE			
* Tab 25 mg	4.60	100	<ul> <li>Spirotone</li> </ul>
* Tab 100 mg		100	✓ Spirotone
Toral liq 5 mg per ml		25 ml OP	<ul> <li>Biomed</li> </ul>
Potassium Sparing Combination Diuretics			
AMILORIDE WITH FRUSEMIDE			
* Tab 5 mg with frusemide 40 mg		28	🖌 Frumil

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or sidised Generic Manufacturer
AMILORIDE WITH HYDROCHLOROTHIAZIDE			
* Tab 5 mg with hydrochlorothiazide 50 mg	13.00 17.50	500 50	<ul> <li>Amizide</li> <li>Moduretic S29</li> </ul>
Thiazide and Related Diuretics			
BENDROFLUAZIDE			
* Tab 2.5 mg – Up to 150 tab available on a PSO	7.58	500	<ul> <li>Arrow- Bendrofluazide</li> </ul>
	(13.50)		Neo-Naclex
May be supplied on a PSO for reasons other than emerg * Tab 5 mg		500	✓ Arrow-
		000	Bendrofluazide
	(21.50)		Neo-Naclex
Neo-Naclex Tab 2.5 mg to be delisted 1 October 2010) Neo-Naclex Tab 5 mg to be delisted 1 October 2010)			
	00.60		A Diamad
Oral liq 50 mg per ml	22.60	25 ml OP	<ul> <li>Biomed</li> </ul>
CHLORTHALIDONE * Tab 25 mg	8.00	50	✓ Hygroton
NDAPAMIDE			•,9.•••••
* Tab 2.5 mg	2.95	90	🖌 Dapa-Tabs
	4.00	100	Napamide
Nitrates			
GLYCERYL TRINITRATE			
<ul> <li>Tab 600 μg – Up to 100 tab available on a PSO</li> </ul>	8.00	100 OP	✓ Lycinate
* Oral pump spray 400 µg per dose – Up to 250 dose availab			
on a PSO	5.16	250 dose OP	<ul> <li><u>Nitrolingual</u></li> <li>Pumpspray</li> </ul>
* TDDS 5 mg		30	✓ <u>Nitroderm TTS</u>
₭ TDDS 10 mg		30	✓ Nitroderm TTS
SOSORBIDE MONONITRATE			
<ul> <li>* Tab 20 mg</li> <li>* Tab long-acting 40 mg</li> </ul>		100 30	<ul><li>✓ Ismo 20</li><li>✓ Corangin</li></ul>
★ Tab long-acting 40 mg ★ Tab long-acting 60 mg		30 90	✓ Duride
Sympathomimetics	-	-	
ADRENALINE	4.00	-	Annen Adurus II
Inj 1 in 1,000, 1 ml – Up to 5 inj available on a PSO	4.98 5.25	5	<ul> <li>Aspen Adrenaline</li> <li>Mayne</li> </ul>
Inj 1 in 10,000, 10 ml – Up to 5 inj available on a PSO		5	✓ Mayne
SOPRENALINE HYDROCHLORIDE			-
* Inj 200 μg per ml, 1 ml		25	
	(135.00)		Isuprel

	Subsidy (Manufacturer's Price)	Suit	Fully Brand or osidised Generic
	(Manulacturer 31 Nee) \$	Per	Manufacturer
Vasodilators			
MYL NITRITE			
K Ampoule, 0.3 ml crushable		12	
	(73.40)		Baxter
HYDRALAZINE			
Inj 20 mg per ml, 1 ml		5	Apresoline
DXYPENTIFYLLINE			
Tab 400 mg		50	
	(42.26)		Trental 400
PAPAVERINE HYDROCHLORIDE			
Inj 12 mg per ml, 10 ml	73.12	5	Mayne
Endothelin Receptor Antagonists			
SA0967 Special Authority for Subsidy			
Special Authority approved by the Pulmonary Arterial Hypertensi			
lotes: Application details may be obtained from PHARMAC's we	bsite http://www.phar	rmac.govt	nz or:
The Coordinator, PAH Panel			
HARMAC, PO Box 10-254, WELLINGTON	and no		
el: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.			
MBRISENTAN – Special Authority see SA0967 above – Retail			A 1
Tab 5 mg		30 30	Volibris
Tab 10 mg		30	<ul> <li>Volibris</li> </ul>
30SENTAN – Special Authority see SA0967 above – Retail pha		<u></u>	. / Tuesleer
Tab 62.5 mg Tab 125 mg		60 60	<ul> <li>Tracleer</li> <li>Tracleer</li> </ul>
•		00	
Phosphodiesterase Type 5 Inhibitors			
SA0968 Special Authority for Subsidy			
pecial Authority approved by the Pulmonary Arterial Hypertensi			
Notes: Application details may be obtained from PHARMAC's we	bsite http://www.phai	mac.govt	nz or:
The Coordinator, PAH Panel			
2HARMAC, PO Box 10-254, WELLINGTON el: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.o	novt nz		
	,		
SILDENAFIL – Special Authority see SA0968 above – Retail pha	•	4	1 Vierre
Tab 25 mg Tab 50 mg		4 4	<ul> <li>✓ Viagra</li> <li>✓ Viagra</li> </ul>
Tab 100 mg		4	✓ Viagra
Prostacyclin Analogues			
SA0969 Special Authority for Subsidy			
Special Authority approved by the Pulmonary Arterial Hypertensi			
Notes: Application details may be obtained from PHARMAC's we	bsite http://www.phai	mac.govt	nz of:
The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON			
el: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.	novt.nz		
	<u>,</u>		

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
ILOPROST – Special Authority see SA0969 on the preceding page Nebuliser soln 10 µg per ml, 2 ml		30	✓ V	entavis

	Subsidy (Manufacturer's Price) \$	Sul Per	Fully osidised	Brand or Generic Manufacturer
Antiacne Preparations				
For systemic antibacterials, refer to INFECTIONS, Antibacterials,	page 85			
ISOTRETINOIN - Special Authority see SA0955 below - Retail p				
Cap 10 mg		180		ratane
Cap 20 mg		180	• 0	ratane_
<b>Initial application</b> from any relevant practitioner. Approvals valid	for 1 year for applica	tions mee	ting the t	following criteria:
All of the following:			•	·
<ol> <li>Patient has had an adequate trial on other available treatment and</li> </ol>	ents and has failed th	ese treatr	nents or	these are contraindicated;
<ol> <li>Applicant is a vocationally registered dermatologist, vocationally</li> </ol>	onally registered gene	eral practit	ioner, or	nurse practitioner working
in a relevant scope of practice; and				
3 Applicant has an up to date knowledge of the treatment opt and is competent to prescribe isotretinoin; and	tions for acne and is a	aware of th	ie safety	issues around isotretinoin
4 Either:				
<ul> <li>4.1 Patient is female and has been counselled and ur pregnancy and the applicant has ensured that the p ment of the treatment and that the patient is informe period of one month after the completion of the treat.</li> <li>4.2 Patient is male.</li> </ul>	ossibility of pregnanc ed that she must not	y has bee	n exclud	ed prior to the commence-
Note: Applicants are recommended to either have used or be fam	niliar with using a dec	ision supp	ort tool	accredited by their profes-
sional body.	r for applications may	ting the fe	llowing	oritorio
Renewal from any relevant practitioner. Approvals valid for 1 year All of the following:		ung menc	nowing	ciliena.
1 Patient has had an adequate trial on other available treatme	ents and has failed th	ese treatr	nents or	these are contraindicated;
and 2 Applicant is a vocationally registered dermatologist, vocation	nally registered gen	aral practit	ioner or	nurse practitioner working
in a relevant scope of practice; and	shally registered gent	nai piaolii		nuise practitioner working
<ul> <li>Applicant has an up to date knowledge of the treatment op and is competent to prescribe isotretinoin; and</li> <li>Either:</li> </ul>	tions for acne and is a	aware of th	ie safety	issues around isotretinoin
<ul> <li>4.1 Patient is female and has been counselled and ur pregnancy and the applicant has ensured that the p ment of the treatment and that the patient is informe period of one month after the completion of the treat.</li> <li>4.2 Patient is male.</li> </ul>	ossibility of pregnanc ed that she must not	y has bee	n exclud	ed prior to the commence-
Note: Applicants are recommended to either have used or be fam sional body.	niliar with using a dec	ision supp	oort tool	accredited by their profes-
TRETINOIN Crm 0.5 mg per g – Maximum of 50 g per prescription	13.90 5	0 g OP	V R	eTrieve
	•••••••••••••••••••••••••••••••••••••••			

	Subsidy		Fully	Brand or
	(Manufacturer's l	Price) Sul	osidised	Generic
	\$	Per	~	Manufacturer
· ··· · · · · · ·				
Antibacterials Topical				
For systemic antibacterials, refer to INFECTIONS, Antibacterials	page 85			
FUSIDIC ACID	1.1.3			
Crm 2%	3.25	15 g OP	🖌 Fo	ban
a) Maximum of 15 g per prescription	0.20			
b) Only on a prescription				
c) Not in combination				
Oint 2%	3.25	15 g OP	🖌 Fo	ban
<ul> <li>a) Maximum of 15 g per prescription</li> </ul>				
b) Only on a prescription				
c) Not in combination				
HYDROGEN PEROXIDE				
* Crm 1%	8.56	10 g OP	🖌 Cr	ystacide
MUPIROCIN				
Oint 2%	6.60	15 g OP		
	(9.26)	0	Ba	ictroban
a) Only on a prescription				
b) Not in combination				
SILVER SULPHADIAZINE				
Crm 1%		50 g OP	🖌 Fla	amazine
a) Up to 250 g available on a PSO		-		
b) Not in combination				
Antifungals Topical				
For systemic antifungals, refer to INFECTIONS, Antifungals, pag	e 89			
AMOROLFINE				
a) Only on a prescription				
b) Not in combination	07.00	- 105		
Nail soln 5%		5 ml OP		
	(61.87)		LO	ceryl
CICLOPIROXOLAMINE				
a) Only on a prescription				
b) Not in combination				
Crm 1%		20 g OP	<b>D</b> .	has four
Nail soln 8%	(12.82)			trafen
Nall soin 8% Soin 1%		3.5 ml OP	✓ <u>Ba</u>	trafen
5011 1%	4.36 (11.54)	20 ml OP	Ba	trafen
(Batrafen Crm 1% to be delisted 1 January 2011)	(11.04)		Da	
CLOTRIMAZOLE	0.50	00 ~ 00		omozol
* Crm 1%	0.50	20 g OP	<u>v</u> <u>ci</u>	omazol
a) Only on a prescription				
b) Not in combination * Soln 1%	1.26	20 ml OP		
本 JUII 170	4.36 (7.55)	20 111 0P	0	nesten
a) Only on a prescription	(7.55)		08	
b) Not in combination				

	Subsidy (Manufacturor's	Prico) C	Fully Brand or
	(Manufacturer's) \$	Price) Suc Per	osidised Generic Manufacturer
ECONAZOLE NITRATE			
Crm 1%	1.00	20 g OP	
	(7.48)	-	Pevaryl
a) Only on a prescription			
b) Not in combination	0.00	0	
Foaming soln 1%, 10 ml sachets	9.89 (17.23)	3	Pevaryl
a) Only on a prescription	(17.20)		i evalyi
b) Not in combination			
KETOCONAZOLE			
Crm 2%	1.00	15 g OP	
	(9.50)	0	Nizoral
a) Only on a prescription			
b) Not in combination			
(Nizoral Crm 2% to be delisted 1 December 2010)			
MICONAZOLE NITRATE			
* Crm 2%	0.42	15 g OP	Multichem
a) Only on a prescription			
b) Not in combination * Lotn 2%	4 36	30 ml OP	
* LOUI 270	(10.03)	50 111 01	Daktarin
a) Only on a prescription	(10100)		Dana
b) Not in combination			
* Tinct 2%	4.36	30 ml OP	
	(12.10)		Daktarin
a) Only on a prescription			
b) Not in combination			
NYSTATIN Crm 100,000 u per g	1.00	15 a OB	
	(5.10)	15 g OP	Mycostatin
a) Only on a prescription	(0.10)		Wycostain
b) Not in combination			
Antipruritic Preparations			
CALAMINE			
a) Only on a prescription			
b) Not in combination Crm, aqueous, BP	2 78	100 g	✓ healthE
Lotn, BP		2,000 ml	
CROTAMITON		2,000 111	• <u>111</u>
a) Only on a prescription			
b) Not in combination			
Crm 10%	3.79	20 g OP	✓ Itch-Soothe
MENTHOL – Only in combination		2	
Only in combination with aqueous cream, 10% urea crea	m. wool fat with mine	eral oil lotion. 1ª	% hvdrocortisone with wool fat and
mineral oil lotion, and glycerol, paraffin and cetyl alcohol			,,
Crystals		25 g	🖌 PSM
	29.60	100 g	MidWest

	Subsidy (Manufacturer's	Price) Subc	Fully Brand or sidised Generic
	(Wallulactule) \$	Per Per	Manufacturer
Corticosteroids Topical			
or systemic corticosteroids, refer to CORTICOSTEROIDS AND F		NTS, page 77	
Corticosteroids - Plain			
BETAMETHASONE DIPROPIONATE			
Crm 0.05%		15 g OP	
	(6.91)	50 × 00	Diprosone
	8.97	50 g OP	Diprocess
Crm 0.05% in propulance duced base	(18.36)	30 g OP	Diprosone
Crm 0.05% in propylene glycol base		30 g OP	Diprosone OV
Oint 0.05%	(13.83)	15 g OP	Diprosone Ov
Oilit 0.05 /8	2.90 (6.51)	15 y OF	Diprosone
	(0.51) 8.97	50 g OP	Dibiosone
	(17.11)	50 y 01	Diprosone
Oint 0.05% in propylene glycol base	( /	30 g OP	Diprosofie
	(13.83)	00 g 01	Diprosone OV
	(10.00)		
ETAMETHASONE VALERATE			
€ Crm 0.1%		50 g OP	✓ Beta Cream
<ul> <li>← Oint 0.1%</li> </ul>		50 g OP	Beta Ointment
✓ Lotn 0.1%		50 ml OP	Betnovate
CLOBETASOL PROPIONATE			
₭ Crm 0.05%	3.48	30 g OP	✓ <u>Dermol</u>
k Oint 0.05%	3.48	30 g OP	✓ <u>Dermol</u>
CLOBETASONE BUTYRATE			
Crm 0.05%	5.38	30 g OP	
	(7.09)	0	Eumovate
	16.13	100 g OP	
	(22.00)	0	Eumovate
IFLUCORTOLONE VALERATE	( )		
Crm 0.1%	8 07	50 g OP	
0111 0.178	(15.86)	50 g Oi	Nerisone
Fatty oint 0.1%		50 g OP	Nelisone
	(15.86)	00 9 01	Nerisone
	(10.00)		Nensone
IYDROCORTISONE		100	
Crm 1% – Only on a prescription	2.44	100 g	Lemnis Fatty Cream
	0.75		HC A Dharmana Uaalth
	3.75	500 a	Pharmacy Health
k Doudor Only in combination	12.20	500 g	✓ <u>PSM</u>
Powder – Only in combination Up to 5% in a dermatological base (not proprietary Topic		25 g od Blaip) with	✓ <u>ABM</u>
	ai Curticosterio	ou – Fiairi) with	
galenicals. Refer, page 167 Lemnis Fatty Cream HC Crm 1% to be delisted 1 November 2010	))		
	//		
HYDROCORTISONE BUTYRATE			
Lipocream 0.1%		30 g OP	Locoid Lipocream
0: 10.40/	6.85	100 g OP	Locoid Lipocream
Oint 0.1%		100 g OP	✓ Locoid
Milky emul 0.1%	6.85	100 ml OP	Locoid Crelo
✓ fully subsidized		roved medicine su	

62

Subsidy (Manufacturer's Price)       Fully Subsidised Per       Fully Generic Manufacturer         HYDROCORTISONE WITH WOOL FAT AND MINERAL OIL Lotn 1% with wool fat hydrous 3% and mineral oil – Only on a prescription	
HYDROCORTISONE WITH WOOL FAT AND MINERAL OIL         Lotn 1% with wool fat hydrous 3% and mineral oil - Only on         a prescription	
Lotn 1% with wool fat hydrous 3% and mineral oil − Only on       9.95       250 ml       ✓ DP Lotn HC         METHYLPREDNISOLONE ACEPONATE       4.95       15 g OP       ✓ Advantan         Oint 0.1%       4.95       15 g OP       ✓ Advantan         MOMETASONE FUROATE       2.38       15 g OP       ✓ Advantan         MOMETASONE FUROATE       2.38       15 g OP       ✓ Mometason         Oint 0.1%       2.38       15 g OP       ✓ m-Mometason         0int 0.1%       4.55       45 g OP       ✓ m-Mometason         0int 0.1%       4.55       45 g OP       ✓ m-Mometason         0int 0.1%       4.55       45 g OP       ✓ m-Mometason         15 g OP       ✓ m-Mometason       4.55       45 g OP       ✓ m-Mometason         RIAMCINOLONE ACETONIDE       4.80       30 ml OP       ✓ Elocon         RIAMCINOLONE ACETONIDE       6.63       100 g OP       ✓ Aristocort         Oint 0.02%       6.69       100 g OP       ✓ Aristocort	
a prescription	
IETHYLPREDNISOLONE ACEPONATE         Crm 0.1%       4.95       15 g OP       ✓ Advantan         Oint 0.1%       4.95       15 g OP       ✓ Advantan         IOMETASONE FUROATE       2.38       15 g OP       ✓ Advantan         IOMETASONE FUROATE       2.38       15 g OP       ✓ m-Mometason         0int 0.1%       4.55       45 g OP       ✓ m-Mometason         0int 0.1%       4.55       45 g OP       ✓ m-Mometason         0int 0.1%       4.55       45 g OP       ✓ m-Mometason         4.55       45 g OP       ✓ m-Mometason       4.55         Lotn 0.1%       4.80       30 ml OP       ✓ Elocon         RIAMCINOLONE ACETONIDE       6.63       100 g OP       ✓ Aristocort         Oint 0.02%       6.69       100 g OP       ✓ Aristocort	
Crm 0.1%       4.95       15 g OP       ✓ Advantan         Oint 0.1%       4.95       15 g OP       ✓ Advantan         IOMETASONE FUROATE       2.38       15 g OP       ✓ Advantan         IOMETASONE FUROATE       2.38       15 g OP       ✓ m-Mometason         Oint 0.1%       4.55       45 g OP       ✓ m-Mometason         0int 0.1%       4.55       45 g OP       ✓ m-Mometason         0int 0.1%       4.55       45 g OP       ✓ m-Mometason         4.55       45 g OP       ✓ m-Mometason       4.55         Lotn 0.1%       4.80       30 ml OP       ✓ Elocon         RIAMCINOLONE ACETONIDE       6.63       100 g OP       ✓ Aristocort         Oint 0.02%       6.69       100 g OP       ✓ Aristocort	
Oint 0.1%       4.95       15 g OP       ✓ Advantan         OMETASONE FUROATE       2.38       15 g OP       ✓ m-Mometason         Oint 0.1%       4.55       45 g OP       ✓ m-Mometason         Oint 0.1%       2.38       15 g OP       ✓ m-Mometason         0int 0.1%       4.55       45 g OP       ✓ m-Mometason         4.55       45 g OP       ✓ m-Mometason       4.55         Lotn 0.1%       4.80       30 ml OP       ✓ Elocon         RIAMCINOLONE ACETONIDE       6.63       100 g OP       ✓ Aristocort         Oint 0.02%       6.69       100 g OP       ✓ Aristocort	
OMETASONE FUROATE       2.38       15 g OP       ✓       m-Mometason         Crm 0.1%       4.55       45 g OP       ✓       m-Mometason         Oint 0.1%       2.38       15 g OP       ✓       m-Mometason         4.55       45 g OP       ✓       m-Mometason         A.55       45 g OP       ✓       m-Mometason         RIAMCINOLONE ACETONIDE       6.63       100 g OP       ✓       Aristocort         Oint 0.02%       6.69       100 g OP       ✓       Aristocort	
Crm 0.1%       2.38       15 g OP       ✓ m-Mometason         4.55       45 g OP       ✓ m-Mometason         Oint 0.1%       2.38       15 g OP       ✓ m-Mometason         4.55       45 g OP       ✓ m-Mometason       ✓         Lotn 0.1%       4.80       30 ml OP       ✓       Elocon         RIAMCINOLONE ACETONIDE       6.63       100 g OP       ✓       Aristocort         Oint 0.02%       6.69       100 g OP       ✓       Aristocort	
4.55       45 g OP       ✓ m-Mometason         0int 0.1%       2.38       15 g OP       ✓ m-Mometason         4.55       45 g OP       ✓ m-Mometason         4.55       45 g OP       ✓ m-Mometason         4.55       45 g OP       ✓ m-Mometason         4.80       30 ml OP       ✓ Elocon         RIAMCINOLONE ACETONIDE       6.63       100 g OP       ✓ Aristocort         Oint 0.02%       6.69       100 g OP       ✓ Aristocort	
Oint 0.1%       2.38       15 g OP       Image: mean mean mean mean mean mean mean mean	
4.55       45 g OP       ✓ m-Mometason         Lotn 0.1%	
Lotn 0.1%	
RIAMCINOLONE ACETONIDE         6.63         100 g OP         ✓ Aristocort           Oint 0.02%         6.69         100 g OP         ✓ Aristocort	e
Crm 0.02%	
Oint 0.02%	
Partie antere ida Campbination	
controsteroids - Combination	
TAMETHASONE VALERATE WITH CLIOQUINOL – Only on a prescription	
Crm 0.1% with cliquinol 3%	
(4.90) Betnovate-C	
Oint 0.1% with clioquinol 3%	
(4.90) Betnovate-C	
ETAMETHASONE VALERATE WITH FUSIDIC ACID	
Crm 0.1% with fusidic acid 2%	
(9.61) Fucicort	
a) Maximum of 15 g per prescription	
b) Only on a prescription	
YDROCORTISONE BUTYRATE WITH CHLORQUINALDOL – Only on a prescription	
Crm 0.1% with chlorquinaldol 3%	
YDROCORTISONE WITH MICONAZOLE – Only on a prescription	
Crm 1% with miconazole nitrate 2%	
YDROCORTISONE WITH NATAMYCIN AND NEOMYCIN – Only on a prescription	
Crm 1% with natamycin 1% and neomycin sulphate 0.5%2.79 15 g OP / Pimafucort	
Oint 1% with natamycin 1% and neomycin sulphate 0.5%2.79 15 g OP ✓ Pimafucort	
RIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN	
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg	
and gramicidin 250 µg per g – Only on a prescription	
(6.60) Viaderm KC	
Disinfecting and Cleansing Agents	
HLORHEXIDINE GLUCONATE – Subsidy by endorsement	
<ul> <li>a) No more than 500 ml per month</li> <li>b) Only if prescribed for a dialysis patient and the prescription is endorsed accordingly.</li> </ul>	
Handrub 1% with ethanol 70%	
Soln 4%	

	Subsidy		Fully Brand or
	(Manufacturer's P \$	rice) Su Per	bsidised Generic Manufacturer
SODIUM HYPOCHLORITE – Subsidy by endorsement	Ŷ	1.01	
Only if prescribed for a dialysis patient and the prescription is		•••	
* Soln	2.71	2,500 ml	<ul> <li>Janola</li> </ul>
TRICLOSAN – Subsidy by endorsement a) Maximum of 500 ml per prescription			
b)			
<ul> <li>a) Only if prescribed for a patient identified with Met surgery in hospital and the prescription is endorsed</li> <li>b) Only if prescribed for a patient with recurrent Stap</li> </ul>	l accordingly; or		
cordingly			
Soln 1%	5.90	500 ml	healthE
Dusting Powders			
DIPHEMANIL METHYLSULPHATE – Subsidy by endorsement Only if prescribed for an amputee with an artificial limb, or fo	1 1 0 1		rescription endorsed accordingly.
Powder 2%	(13.54)	50 g OP	Prantal
(Prantal Powder 2% to be delisted 1 January 2011)	. ,		
Barrier Creams and Emollients			
Barrier Creams			
ZINC			
Crm BP	6.55 (12.00)	500 g	PSM
(PSM Crm BP to be delisted 1 January 2011)	()		
ZINC AND CASTOR OIL Oint BP	5 11	500 g	✔ PSM
Emollients		500 y	• <u>F3WI</u>
AQUEOUS CREAM * Crm		500 g	🗸 AFT
CETOMACROGOL			
* Crm BP	3.15	500 g	✔ PSM
EMULSIFYING OINTMENT * Oint BP	3.69	500 g	🗸 AFT
GLYCEROL WITH PARAFFIN AND CETYL ALCOHOL – Only o		500 g	• <u>All</u>
* Lotn 5% with paraffin liq 5% and cetyl alcohol 2%	1.40 (8.10)	250 ml	QV
(QV Lotn 5% with paraffin liq 5% and cetyl alcohol 2% to be delis	sted 1 January 20	11)	
OIL IN WATER EMULSION * Crm	2.80	500 g	✓ healthE Fatty Cream
		000 y	

64

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or sidised Generic ✔ Manufacturer
OILY CREAM			
* Crm BP		500 g	
	(13.60)		David Craig
(Devid Oncio One DD to be defined at lease 2014)	(15.40)		PSM
(David Craig Crm BP to be delisted 1 January 2011) (PSM Crm BP to be delisted 1 January 2011)			
UREA			
* Crm 10%		100 g OP	
	(3.07)		Nutraplus
WOOL FAT WITH MINERAL OIL – Only on a prescription			
* Lotn hydrous 3% with mineral oil	1.40	250 ml OP	
	(3.50)		DP Lotion
	5.60	1,000 ml	
	(10.90)		DP Lotion
	1.40	250 ml OP	
	(3.50)	4 000	Hydroderm Lotion
	5.60	1,000 ml	
	(9.54)		Hydroderm Lotion
	(20.53) 1.40	250 ml OP	Alpha-Keri Lotion
	(7.73)	250 MI OF	BK Lotion
	5.60	1,000 ml	BR LOUOT
	(23.91)	1,000 mi	BK Lotion
Other Dermatological Bases	()		
PABAFFIN			
White soft – Only in combination	3 58	500 g	
this on only in ornoridion	(7.78)	000 g	IPW
	20.20	2,500 g	✔ IPW
	3.58	500 g	
	(8.69)	3	PSM
Only in combination with a dermatological galenical or as	( )	roprietary Topica	al Corticosteroid – Plain.

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or osidised Generic Manufacturer
Ninor Skin Infections			
OVIDONE IODINE			
Oint 10% a) Maximum of 100 g per prescription b) Only on a prescription	3.27	25 g OP	Betadine
Antiseptic soln 10%	0.19	15 ml	
	(3.27)		Betadine
	1.28	100 ml	
	(6.01)		Betadine
	6.20	500 ml	Betadine
	51.06	4,500 ml	Betadine
	1.28	100 ml	
	(4.20)		Riodine
	6.20	500 ml	Riodine
Skin preparation, povidone iodine 10% with 30% alcohol		100 ml	
	(3.60)	500 ml	Betadine Skin Prep
Okin propagation, payidana jadina 10% with 70% alashal	10.00	500 ml	<ul> <li>Betadine Skin Prep</li> </ul>
Skin preparation, povidone iodine 10% with 70% alcohol		100 ml	Orion
	(6.04) 8.13	500 ml	Onon
	(18.63)	500 mi	Orion
	(10.00)		Onon
Parasiticidal Preparations			
AMMA BENZENE HEXACHLORIDE			
Crm 1%	3.50	50 g OP	Benhex
ALATHION			
Liq 0.5%		200 ml	✓ A-Lices
	4.99	200 ml OP	✓ Derbac-M
Shampoo 1%	2.83	30 ml OP	✓ A-Lices
ERMETHRIN			
Loth 5%	3.65	30 ml OP	✓ A-Scabies
		30 111 01	<u>A-Scables</u>
Psoriasis and Eczema Preparations			
CITRETIN - Special Authority see SA0954 below - Retail pha	armacy		
Cap 10 mg		100	Neotigason

#### ➡SA0954 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and

3 Either:

3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement

continued...

	Subsidy (Manufacturer's \$	Price) Su Per	Fully bsidised	Brand or Generic Manufacturer
continued	Ŧ			
of the treatment and that the patient is informed th		ecome pregnar	nt during	treatment and for a period
of two years after the completion of the treatment;	or			
3.2 Patient is male.	or for applications	mosting the f	ماسنمم	oritorio
Renewal from any relevant practitioner. Approvals valid for 1 ye All of the following:	ar for applications	meeting the id	bilowing	ciliena:
<ol> <li>Applicant is a vocationally registered dermatologist, voca in a relevant scope of practice; and</li> </ol>	tionally registered	general practit	ioner, or	nurse practitioner working
2 Applicant has an up to date knowledge of the treatment of the safety issues around acitretin and is competent to			ders of l	keratinisation and is aware
3 Either:				
3.1 Patient is female and has been counselled and up				
nancy and the applicant has ensured that the pose of the treatment and that the patient is informed th				
of two years after the completion of the treatment:		ecome pregnai	it uuririy	treatment and for a period
3.2 Patient is male.				
CALCIPOTRIOL				
Crm 50 µg per g	20.20	30 g OP		aivonex
	56.32	100 g OP		aivonex
Oint 50 µg per g		30 g OP		aivonex
Soln 50 µg per ml	56.32	100 g OP 30 ml OP		aivonex aivonex
	33.79	60 ml OP		aivonex
	55.75	00 111 01	• 0	aivonex
COAL TAR Soln BP – Only in combination	12.05	200 ml	V M	lidwest
	32.37	500 ml	P	
	12.98	200 ml	• •	•
	(16.20)		D	avid Craig
Up to 10 % Only in combination with a dermatological	base or proprietar	ry Topical Cort	icosterio	d - Plain, refer, page 167
With or without other dermatological galenicals.				
COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SUI				
Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% at				
allantoin crm 2.5%		30 g OP	-	
	(4.35) 6.59	75 a OB	E	gopsoryl TA
	(8.00)	75 g OP	F	gopsoryl TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR	(0.00)		-	gopooryn n'r
Soln 12% with salicylic acid 2% and sulphur 4% oint	7 95	40 g OP	<b>V</b> C	oco-Scalp
		40 y OI		oco-ocalp
SALICYLIC ACID Powder – Only in combination	15.00	500 g	🗸 A	RM
	18.88	250 g	✓ P	
<ol> <li>Only in combination with a dermatological base or page 167</li> </ol>		0		
<ol> <li>With or without other dermatological galenicals.</li> <li>Maximum 20 g or 20 ml per prescription when pre</li> </ol>	scribed with white	e soft paraffin c	or collodi	on flexible.
SULPHUR				
Precipitated – Only in combination	(9.25)	100 g		SM
<ol> <li>Only in combination with a dermatological base o</li> <li>With or without other dermatological galenicals.</li> </ol>	r proprietary Topic	al Corticosterc	oid – Plai	in, refer, page 167

	Subsidy (Manufacturer's l	Price) Sub	Fully Brand or sidised Generic
	(Manulacturer Si \$	Price) Suc Per	Manufacturer
AR WITH CADE OIL			
Bath emul 7.5% coal tar, 2.5% cade oil, 7.5% compound		350 ml	
Polytar Emollient Bath emul 7.5% coal tar, 2.5% cade oil, 7.5%	(29.60)	dalistad 1 Ianu	Polytar Emollient
AR WITH TRIETHANOLAMINE LAURYL SULPHATE AND FI			. ,
Soln 2.3% with triethanolamine lauryl sulphate and fluor		niy on a preser	iption
cein sodium		500 ml	✓ Pinetarsol
	5.54	1,000 ml	✓ Pinetarsol
Scalp Preparations			
ETAMETHASONE VALERATE			
Scalp app 0.1%	7.22	100 ml OP	✓ Beta Scalp
LOBETASOL PROPIONATE			
€ Scalp app 0.05%	6.36	30 ml OP	Dermol
YDROCORTISONE BUTYRATE			<b>1</b>
Scalp lotn 0.1%	3.65	100 ml OP	Locoid
ETOCONAZOLE	0.40	100 ml OP	1 Cabizala
Shampoo 2%a) Maximum of 100 ml per prescription		100 IIII OF	✓ <u>Sebizole</u>
b) Only on a prescription			
Sunscreens			
UNSCREENS, PROPRIETARY – Subsidy by endorsement			
Only if prescribed for a patient with severe photosensitivi	ty secondary to a	defined clinical	condition and the prescription
endorsed accordingly. Crm	2 55	100 g OP	
	(5.89)	100 9 01	Hamilton Sunscreen
	1.28	50 g OP	
	(5.50)		Aquasun Oil Free
Lotn	2.55	100 ml OP	Faces SPF30+
Loui			SPF 30+
	5.10	200 ml OP	✓ Marine Blue Lotion
	0.10		SPF 30+
	3.19 (6.94)	125 ml OP	Aguasun 30+
Wart Bronorationa	(0.04)		
Wart Preparations			
or salicylic acid preparations refer to PSORIASIS AND ECZE			
MIQUIMOD – Special Authority see SA0923 on the next page			
Crm 5%	110.40	12	Aldara

	0.1.11			
	Subsidy (Manufacturer's Pri \$	ce) Subs Per	Fully sidised	Brand or Generic Manufacturer
SA0923 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid	for 4 months for a	oplications me	eting t	he following criteria:
Any of the following:			-	-
1 The patient has external anogenital warts and podophyllot				
2 The patient has external anogenital warts and podophyllot				
3 The patient has confirmed superficial basal cell carcinoma	where other stand	lard treatment	s, inclu	iding surgical excision, are
contraindicated or inappropriate.				
Notes: Superficial basal cell carcinoma	I have a sell services	ma aa it haa a	hiaha	r aura rata than imiguimad
<ul> <li>Surgical excision remains first-line treatment for superficia and allows histological assessment of tumour clearance.</li> </ul>		1118 85 11 1185 8	Ingrie	r cure rate than iniquimou
<ul> <li>Imiguimod has not been evaluated for the treatment of s</li> </ul>	unerficial basal ce	Il carcinoma v	within 1	I cm of the hairline eves
nose, mouth or ears.				i oni or the namine, eyes,
<ul> <li>Imiguimod is not indicated for recurrent, invasive, infiltratin</li> </ul>	a. or nodular basal	cell carcinom	a.	
External anogenital warts	5,			
<ul> <li>Imiquimod is only indicated for external genital and perian</li> </ul>	al warts (condylom	a acuminata).		
Renewal from any relevant practitioner. Approvals valid for 4 mon	nths for applications	s meeting the	followi	ng criteria:
Any of the following:				
1 Inadequate response to initial treatment for anogenital wa				
2 New confirmed superficial basal cell carcinoma where othe	er standard treatme	ents, including	surgic	al excision, are contraindi-
cated or inappropriate; or	al call carainama			
3 Inadequate response to initial treatment for superficial bas Note: Every effort should be made to biopsy the lesion to confirm		nial hasal coll	carcino	ma
PODOPHYLLOTOXIN	i that it is a superind	Jiai Dasai Celi	carcinic	ina.
Soln 0.5%	33.60	3.5 ml OP	~ ~	ondyline
a) Maximum of 3.5 ml per prescription		0.0 111 01		ondynne
b) Only on a prescription				
Other Skin Preparations				
· · · ·				
Antineoplastics				
FLUOROURACIL SODIUM	00.40			
Crm 5%		20 g OP	V E	fudix
Topical Analgesia				
For aspirin & chloroform application refer, page 170				
CAPSAICIN – Subsidy by endorsement				
Subsidised only if prescribed for post-herpetic neuralgia or	diabetic periphera	I neuropathy	and the	e prescription is endorsed
accordingly.				
Crm 0.075%		45 g OP	VZ	ostrix HP
Wound Management Products				
HYDROGEN PEROXIDE				
* Soln 20 vol – Maximum of 500 ml per prescription	0.63	100 ml		
	(2.35)		P	SM
	3.13	500 ml		
	(7.00)		P	SM
(PSM Soln 20 vol to be delisted 1 January 2011)				
MAGNESIUM SULPHATE				
Paste	2.98	80 g		
	(4.90)		P	SM

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

### **GENITO-URINARY SYSTEM**

	Subsidy (Manufacturer's Pric \$	ce) Su Per	Fully Ibsidised	Brand or Generic Manufacturer
Contraceptives - Non-hormonal				
Condoms				
ONDOMS				
49 mm – Up to 144 dev available on a PSO	1.11 13.36	12 144	✔ G ✔ M	old Knight old Knight arquisTantiliza hield 49
52 mm - Up to 144 dev available on a PSO	13.36	144	✓ M ✓ M	arquis Selecta arquis Sensolite arquis Supalite
52 mm extra strength - Up to 144 dev available on a PSO		144		arquis Protecta
53 mm – Up to 144 dev available on a PSO		12		hield Blue
	13.36	144		hield Blue
	1.11	12		old Knight
	13.36	144	🖌 М	old Knight arquis Black arquis Titillata
53 mm (chocolate) – Up to 144 dev available on a PSO	1.11	12		old Knight
	13.36	144	🖌 G	old Knight
53 mm (strawberry) – Up to 144 dev available on a PSO	1.11	12	🖌 G	old Knight
	13.36	144	🖌 G	old Knight
53 mm extra strength - Up to 144 dev available on a PSO	1.11	12	🖌 G	old Knight
	13.36	144	🖌 G	old Knight
54 mm, shaped – Up to 144 dev available on a PSO	1.12	12		
	(1.24) 13.36	144		festyles Flared
55 mm - He to 444 day and lighter on a DOO	(14.84)	40		festyles Flared
55 mm – Up to 144 dev available on a PSO	13.36	12 144	🖌 G	old Knight old Knight arguis Conforma
56 mm - Up to 144 dev available on a PSO	13.36	144		urex Select Flavours
56 mm extra strength – Up to 144 dev available on a PSO		144		urex Extra Safe
56 mm, shaped – Up to 144 dev available on a PSO		12		urex Confidence
	13.36	144		urex Confidence
60 mm - Up to 144 dev available on a PSO	13.36	144	V SI	hield XL
Spermicidal Agents				
PELICATOR When ordered with a spermicide.	4.04	1		rtha
Applicator – Up to 1 dev available on a PSO Prtho Applicator to be delisted 1 January 2011)	4.34	1	✓ 0	TUIO
DNOXYNOL-9 Jelly 2% – Up to 108 g available on a PSO Synol II Jelly 2% to be delisted 1 January 2011)	10.95	108 g OP	🖌 G	ynol II

70

### **GENITO-URINARY SYSTEM**

	Subsidy (Manufacturer's Price) \$	S Per	Fully ubsidised	Brand or Generic Manufacturer
Contraceptive Devices				
DIAPHRAGM – Up to 1 dev available on a PSO				
One of each size is permitted on a PSO. 55 mm	12 00	1	<b>v</b> 0	rtho Coil
<ul> <li>€ 60 mm</li> </ul>		1		rtho All-flex
		1		rtho Coil
€ 65 mm		1		rtho All-flex
			V 0	rtho Coil
€ 70 mm		1	V 0	rtho All-flex
			<b>V</b> 0	rtho Coil
€ 75 mm		1	<b>V</b> 0	rtho All-flex
				rtho Coil
€ 80 mm		1		rtho All-flex
	10.00			rtho Coil
€ 85 mm		1		rtho All-flex
€ 90 mm	40.00	1		rtho Coil rtho All-flex
• 90 mm		I		rtho Coil
Ortho Coil 55 mm to be delisted 1 January 2011) Ortho All-flex 60 mm to be delisted 1 January 2011) Ortho Coil 60 mm to be delisted 1 January 2011) Ortho Coil 65 mm to be delisted 1 January 2011) Ortho Coil 70 mm to be delisted 1 January 2011) Ortho Coil 75 mm to be delisted 1 January 2011) Ortho Coil 80 mm to be delisted 1 January 2011) Ortho All-flex 85 mm to be delisted 1 January 2011) Ortho Coil 85 mm to be delisted 1 January 2011) Ortho All-flex 90 mm to be delisted 1 January 2011) Ortho Coil 90 mm to be delisted 1 January 2011) Ortho Coil 90 mm to be delisted 1 January 2011)				
a) Up to 40 dev available on a PSO b) Only on a PSO				
₭ IUD		1		ultiload Cu 375 ultiload Cu 375 SL

# **Combined Oral Contraceptives**

#### SA0500 Special Authority for Alternate Subsidy

**Initial application** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Either:

- 1.1 Patient is on a Social Welfare benefit; or
- 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

1 Patient is on a Social Welfare benefit; or

continued...

**GENITO-URINARY SYSTEM** 

	Subsidy (Manufacturer's Pric \$	e) S Per	Fully ubsidised ✓	Brand or Generic Manufacturer
continued				
2 Patient has an income no greater than the benefit.				
Notes: The approval numbers of Special Authorities approve	d after 1 November 199	99 are inte	erchangea	ble between Mercilon an
farvelon.		,		
The additional subsidy will fund Mercilon and Marvelon up to	the manufacturer's privation	ce for eac	h of these	e products as identified of
ne Schedule at 1 November 1999.				
Special Authorities approved before 1 November 1999 remain	n valid until the expiry da	ate and ca	in be rene	wed providing that wome
re still either:				
<ul> <li>on a Social Welfare benefit; or</li> <li>base an income no greater than the basefit</li> </ul>				
<ul> <li>have an income no greater than the benefit.</li> <li>The approval numbers of Special Authorities approved before</li> </ul>	a 1 November 1000 are	intorobon	acchla fa	r producte within the cor
ined oral contraceptives and progestogen-only contraceptive				
	s groups, except Loette		ogynon 2	
ETHINYLOESTRADIOL WITH DESOGESTREL	0.00	<u></u>		
* Tab 20 μg with desogestrel 150 μg		63		oroilon Ot
a) Higher subsidy of \$13.80 per 63 tab with Special A	(16.50)	the proce		ercilon 21
b) Up to 63 tab available on a PSO	unonly see SA0500 on	the prece	ung page	
<ul> <li>Tab 20 μg with desogestrel 150 μg and 7 inert tab</li> </ul>	6.60	84		
Tab 20 µg with desogestrer 100 µg and 7 ment tab	(16.50)	04	М	ercilon 28
a) Higher subsidy of \$13.80 per 84 tab with Special A	( )	the nrece		
b) Up to 84 tab available on a PSO			ang pago	
<ul> <li>Tab 30 μg with desogestrel 150 μg</li> </ul>	6.62	63		
	(16.50)		М	arvelon 21
a) Higher subsidy of \$13.80 per 63 tab with Special A	uthority see SA0500 on	the prece	ding page	
b) Up to 63 tab available on a PSO	,		01 0	
* Tab 30 μg with desogestrel 150 μg and 7 inert tab	6.62	84		
	(16.50)		Μ	arvelon 28
a) Higher subsidy of \$13.80 per 84 tab with Special A	uthority see SA0500 on	the prece	ding page	
<ul> <li>b) Up to 84 tab available on a PSO</li> </ul>				
THINYLOESTRADIOL WITH LEVONORGESTREL				
K Tab ethinyloestradiol 30 μg with levonorgestrel 50 μg (6)	and			
tab ethinyloestradiol 40 µg with levonorgestrel 75 µg	(5),			
and tab ethinyloestradiol 30 µg with levonorgestrel 12	5 µg			
(10) and 7 inert tab – Up to 84 tab available on a P	SO6.62	84	🖌 Ti	ifeme
K Tab 50 μg with levonorgestrel 125 μg and 7 inert tab – L	Jp to			
84 tab available on a PSO	9.45	84	🖌 M	icrogynon 50 ED
k Tab 30 μg with levonorgestrel 150 μg	6.62	63		
	(16.50)			icrogynon 30
a) Higher subsidy of \$15.00 per 63 tab with Special A	uthority see SA0500 on	the prece	ding page	
b) Up to 63 tab available on a PSO				
K Tab 30 μg with levonorgestrel 150 μg and 7 inert tab	6.62	84		evlen ED
	(1.1.10)			onofeme
	(14.49)			ordette 28
	(16.50)		M	icrogynon 30 ED
a) Higher subsidy of up to \$15.00 per 84 tab with Spe	( )	0 00 46		0,

(Trifeme Tab ethinyloestradiol 30  $\mu$ g with levonorgestrel 50  $\mu$ g (6) and tab ethinyloestradiol 40  $\mu$ g with levonorgestrel 75  $\mu$ g (5), and tab ethinyloestradiol 30  $\mu$ g with levonorgestrel 125  $\mu$ g (10) and 7 inert tab to be delisted 1 November 2010)

	Subsidy	\	Fully Brand or
	(Manufacturer's Price \$	e) S Per	ubsidised Generic Manufacturer
THINYLOESTRADIOL WITH NORETHISTERONE			
₭ Tab 35 µg with norethisterone 1 mg – Up to 63 tab availab on a PSO		63	Brevinor 1/21
K Tab 35 μg with norethisterone 1 mg and 7 inert tab – Up 84 tab available on a PSO		84	✔ Brevinor 1/28
★ Tab 35 μg with norethisterone 500 μg – Up to 63 tab availab on a PSO		63	Brevinor 21
* Tab 35 μg with norethisterone 500 μg and 7 inert tab – Up 84 tab available on a PSO		84	<ul> <li>Norimin</li> </ul>
NORETHISTERONE WITH MESTRANOL ★ Tab 1 mg with mestranol 50 µg and 7 inert tab	6.62 (13.80)	84	Norinyl-1/28
a) Higher subsidy of \$13.80 per 84 tab with Special Auth b) Up to 84 tab available on a PSO	( )	page 71	,
Combined Oral Contraceptives - Other			
THINYLOESTRADIOL WITH LEVONORGESTREL ★ Tab 20 μg with levonorgestrel 100 μg and 7 inert tab – Up 84 tab available on a PSO		84	Loette Microgynon 20 ED
Progestogen-only Contraceptives	(10100)		
SA0500 Special Authority for Alternate Subsidy nitial application from any medical practitioner. Approvals vali Both:	d for 2 years for appli	cations m	eeting the following criteria:
SA0500 Special Authority for Alternate Subsidy nitial application from any medical practitioner. Approvals vali	; and been unable to tolera ars for applications m after 1 November 199 ne manufacturer's prio alid until the expiry da November 1999 are	ate it. eeting the 9 are inte 2e for eac ate and ca interchan	e following criteria: archangeable between Mercilon h of these products as identifie n be renewed providing that wo geable for products within the o
<ul> <li>SA0500 Special Authority for Alternate Subsidy initial application from any medical practitioner. Approvals vali Both:         <ol> <li>Either:                 <ol> <li>Patient is on a Social Welfare benefit; or</li></ol></li></ol></li></ul>	; and been unable to tolera ars for applications m after 1 November 199 ne manufacturer's prio alid until the expiry da November 1999 are groups, except Loette	ate it. eeting the 9 are inte 2e for eac ate and ca interchan	e following criteria: archangeable between Mercilon h of these products as identifie n be renewed providing that wo geable for products within the o
<ul> <li>SA0500 Special Authority for Alternate Subsidy initial application from any medical practitioner. Approvals valiaboth:         <ol> <li>Either:                 <ol> <li>Patient is on a Social Welfare benefit; or</li> <li>Patient has an income no greater than the benefit;</li> <li>Has tried at least one of the fully funded options and has Renewal from any medical practitioner. Approvals valid for 2 ye</li></ol></li></ol></li></ul>	; and been unable to tolera ars for applications m after 1 November 199 ne manufacturer's prid alid until the expiry da November 1999 are groups, except Loette 	ate it. eeting the 9 are inte 2e for eac ate and ca interchan and Micr 84	e following criteria: archangeable between Mercilon h of these products as identifie n be renewed providing that wo geable for products within the o ogynon 20 ED

	Subsidy (Manufacturer's Pri \$	ice) Sub Per	Fully Brand or osidised Generic ✓ Manufacturer
MEDROXYPROGESTERONE ACETATE			
* Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a PS	SO7.15	1	<ul> <li>Depo-Provera</li> </ul>
NORETHISTERONE * Tab 350 μg – Up to 84 tab available on a PSO	7 15	84	Noriday 28
Emergency Contraceptives		04	• Honday 20
LEVONORGESTREL * Tab 1.5 mg a) Maximum of 2 tab per prescription b) Up to 5 tab available on a PSO	12.50	1	✓ Postinor-1
Antiandrogen Oral Contraceptives			
Prescribers may code prescriptions "contraceptive" (code "O") wh prescription charge will be as per other contraceptives, as follows • \$3.00 prescription charge (patient co-payment) will apply. • prescription may be written for up to six months supply. Prescriptions coded in any other way are subject to the non cont of supply. ie. Prescriptions may be written for up to three months CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL	s: traceptive prescrip supply.	tion charges,	and the non-contraceptive period
* Tab 2 mg with ethinyloestradiol 35 μg and 7 inert tabs	4.91	84	✓ Ginet 84
Gynaecological Anti-infectives			
ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC Jelly with glacial acetic acid 0.94%, hydroxyquinoline sul phate 0.025%, glycerol 5% and ricinoleic acid 0.75% with applicator	- 1	100 g OP	Aci-Jel
CLOTRIMAZOLE			
<ul> <li>* Vaginal crm 1% with applicators</li> <li>* Vaginal crm 2% with applicators</li> </ul>			
MICONAZOLE NITRATE		35 g OP 20 g OP	<ul> <li>✓ Clomazol</li> <li>✓ Clomazol</li> </ul>
* Vaginal crm 2% with applicator		35 g OP 20 g OP	<ul><li>Clomazol</li><li>Clomazol</li></ul>
	2.50	0	<ul> <li>Clomazol</li> </ul>
	2.50	20 g OP	
	2.50 2.75 (3.70)	20 g OP 40 g OP	<ul> <li>Clomazol</li> </ul>
Vaginal crm 100,000 u per 5 g with applicator(s)	2.50 2.75 (3.70)	20 g OP	✓ Clomazol Micreme
Vaginal crm 100,000 u per 5 g with applicator(s) Myometrial and Vaginal Hormone Preparations	2.50 2.75 (3.70)	20 g OP 40 g OP	✓ Clomazol Micreme
Vaginal crm 100,000 u per 5 g with applicator(s) Myometrial and Vaginal Hormone Preparations ERGOMETRINE MALEATE	2.50 2.75 (3.70) 4.71	20 g OP 40 g OP	✓ Clomazol Micreme
Vaginal crm 100,000 u per 5 g with applicator(s) <b>Myometrial and Vaginal Hormone Preparations</b> ERGOMETRINE MALEATE Inj 500 µg per ml, 1 ml – Up to 5 inj available on a PSO METHYLERGOMETRINE	2.50 2.75 (3.70) 4.71 11.60	20 g OP 40 g OP 75 g OP	Clomazol Micreme Nilstat
Vaginal crm 100,000 u per 5 g with applicator(s) <b>Myometrial and Vaginal Hormone Preparations</b> ERGOMETRINE MALEATE Inj 500 µg per ml, 1 ml – Up to 5 inj available on a PSO METHYLERGOMETRINE Inj 200 µg per ml, 1 ml – Up to 10 inj available on a PSO	2.50 2.75 (3.70) 4.71 11.60	20 g OP 40 g OP 75 g OP	Clomazol Micreme Nilstat
Vaginal crm 100,000 u per 5 g with applicator(s) <b>Myometrial and Vaginal Hormone Preparations</b> ERGOMETRINE MALEATE Inj 500 µg per ml, 1 ml – Up to 5 inj available on a PSO METHYLERGOMETRINE Inj 200 µg per ml, 1 ml – Up to 10 inj available on a PSO OESTRIOL	2.50 2.75 (3.70) 4.71 11.60 9.28	20 g OP 40 g OP 75 g OP 5 10	<ul> <li>Clomazol</li> <li>Micreme</li> <li>Nilstat</li> <li>Mayne</li> <li>Hospira (\$29)</li> </ul>
Vaginal crm 100,000 u per 5 g with applicator(s) Myometrial and Vaginal Hormone Preparations ERGOMETRINE MALEATE Inj 500 µg per ml, 1 ml – Up to 5 inj available on a PSO METHYLERGOMETRINE Inj 200 µg per ml, 1 ml – Up to 10 inj available on a PSO OESTRIOL * Crm 1 mg per g with applicator	2.50 2.75 (3.70) 4.71 11.60 9.28 7.00	20 g OP 40 g OP 75 g OP 5	<ul> <li>Clomazol</li> <li>Micreme</li> <li>Nilstat</li> <li>Mayne</li> </ul>
Vaginal crm 100,000 u per 5 g with applicator(s) Myometrial and Vaginal Hormone Preparations ERGOMETRINE MALEATE Inj 500 µg per ml, 1 ml – Up to 5 inj available on a PSO METHYLERGOMETRINE Inj 200 µg per ml, 1 ml – Up to 10 inj available on a PSO OESTRIOL * Crm 1 mg per g with applicator * Pessaries 500 µg	2.50 2.75 (3.70) 4.71 11.60 9.28 	20 g OP 40 g OP 75 g OP 5 10 15 g OP 15	<ul> <li>Clomazol</li> <li>Micreme</li> <li>Nilstat</li> <li>Mayne</li> <li>Hospira 529</li> <li>Ovestin</li> <li>Ovestin</li> </ul>
Myometrial and Vaginal Hormone Preparations ERGOMETRINE MALEATE Inj 500 μg per ml, 1 ml – Up to 5 inj available on a PSO METHYLERGOMETRINE Inj 200 μg per ml, 1 ml – Up to 10 inj available on a PSO OESTRIOL * Crm 1 mg per g with applicator		20 g OP 40 g OP 75 g OP 5 10 15 g OP	<ul> <li>Clomazol</li> <li>Micreme</li> <li>Nilstat</li> <li>Mayne</li> <li>Hospira \$29</li> <li>Ovestin</li> </ul>

	Subsidv		Fully Brand or
	(Manufacturer's I		sidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
Pregnancy Tests - hCG Urine			
PREGNANCY TESTS - HCG URINE			
a) Up to 200 test available on a PSO			
b) Only on a PSO Cassette		40 test OP	Innovacon hCG One
			Step Pregnancy
			<u>Test</u>
Urinary Agents			
For urinary tract Infections refer to INFECTIONS, Antiba	cterials, page 97		
5-Alpha Reductase Inhibitors			
	Retail pharmacy		
Tab 5 mg		30	✓ <u>Fintral</u>
►SA0928 Special Authority for Subsidy	and a second state of the		and the state of the
nitial application from any relevant practitioner. Appro he following criteria:	wals valid without further	renewal unless	s notified for applications meetin
Both:			
1 Patient has symptomatic benign prostatic hyperpl	asia; and		
<ol> <li>Either:</li> <li>2.1 The patient is intolerant of non-selective al</li> </ol>	pha blockers or these are	contraindicate	d <sup>.</sup> or
2.2 Symptoms are not adequately controlled w			
Note: Patients with enlarged prostates are the appropria	te candidates for therapy	with finasteride	).
Alpha-1A Adrenoreceptor Blockers			
AMSULOSIN HYDROCHLORIDE - Special Authority	see SA1032 below – Reta	il pharmacy	
Сар 400 µg	5.98	30	<ul> <li>Tamsulosin-Rex</li> </ul>
►SA1032 Special Authority for Subsidy	una la una li al unitata a unitata a unitata a un		
nitial application from any relevant practitioner. Appro he following criteria:	ovais valid without further	renewal unless	s notified for applications meetin
Both:			
1 Patient has symptomatic benign prostatic hyperpl		in all a star al	
2 The patient is intolerant of non-selective alpha blo	ockers of these are contra	indicated.	
Other Urinary Agents			
DXYBUTYNIN	44.70	500	
<ul> <li>₭ Tab 5 mg</li> <li>₭ Oral lig 5 mg per 5 ml</li> </ul>		500 473 ml OP	<ul> <li>Apo-Oxybutynin</li> <li>Apo-Oxybutynin</li> </ul>
SODIUM CITRO-TARTRATE			
<ul> <li>Grans eff 4 g sachets</li> </ul>	2.75	28	🗸 Ural
SOLIFENACIN SUCCINATE – Special Authority see SA	.0998 below – Retail phar	macy	
Tab 5 mg		30	Vesicare
Tab 10 mg		30	Vesicare
SA0998 Special Authority for Subsidy			

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has overactive bladder and a documented intolerance of oxybutynin.

	Subsidy (Manufacturer's \$	,	Full Subsidise Per r	d Generic
Detection of Substances in Urine				
ORTHO-TOLIDINE * Compound diagnostic sticks	7.50 (8.25)	50 tes		Hemastix
TETRABROMOPHENOL * Blue diagnostic strips	7.02 (13.92)	100 tes		Albustix

	Subsidy (Manufacturer's Pr	ice) Sui	Fully Brand or osidised Generic
	(Manulacturer S FI \$	Per Sul	Manufacturer
Anabolic Agents			
NANDROLONE DECANOATE – Retail pharmacy-Specialist			
Inj 50 mg per ml, 1 ml	21.16	1	<ul> <li>Deca-Durabolin</li> <li>Orgaject (\$29)</li> </ul>
Corticosteroids and Related Agents for System	ic Use		
BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHA	SONE ACETATE		
Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1ml		5	Celestone Chronodose
DEXAMETHASONE			omonouodo
<ul> <li>Tab 1 mg - Retail pharmacy-Specialist</li> <li>Up to 30 tab available on a PSO</li> </ul>	16.08	100	✓ Douglas
* Tab 4 mg - Retail pharmacy-Specialist Up to 30 tab available on a PSO	61.89	100	<ul> <li>Douglas</li> </ul>
Oral liq 1 mg per ml – Retail pharmacy-Specialist Oral liq prescriptions:		25 ml OP	<ul> <li>Biomed</li> </ul>
<ol> <li>Must be written by a Paediatrician or Paediatric Ca</li> <li>On the recommendation of a Paediatrician or Paed</li> </ol>	•		
DEXAMETHASONE SODIUM PHOSPHATE		_	A
<ul> <li>Inj 4 mg per ml, 1 ml – Up to 5 inj available on a PSO</li> <li>Inj 4 mg per ml, 2 ml – Up to 5 inj available on a PSO</li> </ul>		5 5	<ul> <li>✓ Hospira</li> <li>✓ Hospira</li> </ul>
FLUDROCORTISONE ACETATE			·
* Tab 100 μg	7.62	100	✓ Florinef
HYDROCORTISONE			
* Tab 5 mg		100	✓ Douglas
₭ Tab 20 mg		100	✓ Douglas
<ul> <li>Inj 50 mg per ml, 2 ml</li> <li>a) Up to 5 inj available on a PSO</li> <li>b) Only on a PSO</li> </ul>	3.72	1	<ul> <li>Solu-Cortef</li> </ul>
METHYLPREDNISOLONE – Retail pharmacy-Specialist			
₭ Tab 4 mg		100	✓ Medrol
* Tab 100 mg		20	Medrol
METHYLPREDNISOLONE ACETATE			
Inj 40 mg per ml, 1 ml	6.03	1	Depo-Medrol
AETHYLPREDNISOLONE ACETATE WITH LIGNOCAINE			
Inj 40 mg per ml with lignocaine 1 ml	6.03	1	<u>Depo-Medrol with</u> <u>lidocaine</u>
METHYLPREDNISOLONE SODIUM SUCCINATE - Retail phar	macy-Specialist		
Inj 40 mg per ml, 1 ml		25	✓ Solu-Medrol
Inj 62.5 mg per ml, 2 ml		25	Solu-Medrol
Inj 500 mg		1	Solu-Medrol
Inj 1 g	42.57	1	Solu-Medrol
PREDNISOLONE SODIUM PHOSPHATE			
* Oral liq 5 mg per ml – Up to 30 ml available on a PSO	9.95	30 ml OP	Redipred
Restricted to children under 12 years of age.			

	Subsidy (Manufacturer's Pr \$	ice) Su Per	Fully Brand or Ibsidised Generic Manufacturer
PREDNISONE			
* Tab 1 mg	10.68	500	Apo-Prednisone
* Tab 2.5 mg	12.09	500	Apo-Prednisone
* Tab 5 mg – Up to 30 tab available on a PSO	11.09	500	Apo-Prednisone
* Tab 20 mg		500	Apo-Prednisone
TETRACOSACTRIN			
🖌 Inj 250 μg		10	Synacthen
k Inj 1 mg per ml, 1 ml		1	Synacthen Depot
RIAMCINOLONE ACETONIDE			
Inj 10 mg per ml, 1 ml		5	Kenacort-A
Inj 40 mg per ml, 1 ml		5	Kenacort-A40
Androgen Agonists and Antagonists			
Androgen Agomsts and Antagomsts			
CYPROTERONE ACETATE – Retail pharmacy-Specialist			
Tab 50 mg		50	✓ <u>Siterone</u>
Tab 100 mg	41.50	50	✓ <u>Siterone</u>
ESTOSTERONE			
Transdermal patch, 2.5 mg per day		60	Androderm
ESTOSTERONE CYPIONATE – Retail pharmacy-Specialist			
Inj long-acting 100 mg per ml, 10 ml	61.41	1	✓ Depo-Testosterone
ESTOSTERONE ESTERS – Retail pharmacy-Specialist			
Inj 250 mg per ml, 1 ml		1	Sustanon Ampoules
ESTOSTERONE UNDECANOATE – Retail pharmacy-Specialis			
Cap 40 mg		60	Andriol Testocaps
Oap to mg	79.92	100	✓ Arrow-Testosterone
	47.95	60	
	(60.71)		Panteston
Andriol Testocaps Cap 40 mg to be delisted 1 October 2010)	<u> </u>		

(Andriol Testocaps Cap 40 mg to be delisted 1 October 2010)

(Panteston Cap 40 mg to be delisted 1 October 2010)

### Hormone Replacement Therapy - Systemic

#### ➡SA1018 Special Authority for Alternate Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 years for applications meeting the following criteria: Any of the following:

- 1 acute or significant liver disease where oral oestrogens are contraindicated as determined by a gastroenterologist or general physician. The applicant must keep written confirmation from such a specialist with the patient's record; or
- 2 oestrogen induced hypertension requiring antihypertensive therapy documented evidence must be kept on file that raised blood pressure levels or inability to control blood pressure adequately occurred post oral oestrogens; or
- 3 hypertriglyceridaemia documented evidence must be kept on file that triglyceride levels increased to at least 2 × normal triglyceride levels post oral oestrogens; or
- 4 Somatropin co-therapy patient is being prescribed somatropin with subsidy provided under a valid approval issued under Special Authority.

Note: Prescriptions with a valid Special Authority (CHEM) number will be reimbursed at the level of the lowest priced TDDS product within the specified dose group.

Renewal from any relevant practitioner. Approvals valid for 5 years where the treatment remains appropriate and the patient is benefiting from treatment, or the patient remains on subsidised somatropin co-therapy.

	Subsidy (Manufacturer's P \$	Price) Su Per	Fully Brand or ubsidised Generic Manufacturer
Prescribing Guideline HRT should be taken at the lowest dose for the shortest period c	f time necessary to	o control sym	ptoms. Patients should be reviewe
6 monthly in line with the updated NZGG "Evidence-based Bo 2004".	est Practice Guide	eline on Horn	none Replacement Therapy Mar
Oestrogens			
OESTRADIOL – See prescribing guideline above			
* Tab 1 mg		28 OP	Estrofem
* Tab 2 mg	(10.55) 4 12	28 OP	Estroiem
. 100 2 mg	(10.55)	20 01	Estrofem
* TDDS 25 μg per day	3.01	8	
	(10.86)		Estraderm TTS 25
a) Higher subsidy of \$10.86 per 8 patch with Special Aut	hority see SA1018	on the prece	eding page
<ul> <li>b) No more than 2 patch per week</li> <li>c) Only on a prescription</li> </ul>			
<ul> <li>TDDS 3.9 mg (releases 50 µg of oestradiol per day)</li> </ul>	4.12	4	
· · · · · · · · · · · · · · · ·	(13.18)		Climara 50
	(32.50)		Femtran 50
<ul> <li>a) Higher subsidy of \$13.18 per 4 patch with Special Aut</li> <li>b) No more than 1 patch per week</li> <li>c) Only on a prescription</li> </ul>	hority see SA1018	on the prece	eding page
<ul> <li>F TDDS 50 μg per day</li> </ul>	4.12	8	
	(13.18) (13.18)		Estraderm TTS 50 Estradot 50 μg
<ul> <li>a) Higher subsidy of \$13.18 per 8 patch with Special Aut</li> <li>b) No more than 2 patch per week</li> <li>c) Only on a prescription</li> </ul>	hority see SA1018	on the prece	eding page
FTDDS 7.8 mg (releases 100 μg of oestradiol per day)	7.05	4	
	(16.14)		Climara 100
	(35.00)		Femtran 100
<ul> <li>a) Higher subsidy of \$16.14 per 4 patch with Special Aut</li> <li>b) No more than 1 patch per week</li> <li>c) Only on a prescription</li> </ul>	·	on the prece	ding page
κ TDDS 100 μg per day		8	
a) Lliphon subsidu of #40.14 and 0 poteb with Openial Aut	(16.14)		Estraderm TTS 100
<ul> <li>a) Higher subsidy of \$16.14 per 8 patch with Special Aut</li> <li>b) No more than 2 patch per week</li> <li>c) Only on a prescription</li> </ul>	nonty see SATUTO	on the prece	ung page
DESTRADIOL VALERATE – See prescribing guideline above			
₭ Tab 1 mg		56	Progynova
🖌 Tab 2 mg	8.24	56	Progynova
DESTROGENS – See prescribing guideline above			
κ Conjugated, equine tab 300 μg		28	<b>D</b> .
* Conjugated, equine tab 625 μg	(11.48)	28	Premarin
π ounjugateu, equine tau ozo μg	4.12 (11.48)	20	Premarin
	(11.40)		

	Subsidy (Manufacturer's P \$	rice) Sul Per	Fully Brand or bsidised Generic Manufacturer
Progestogens			
MEDROXYPROGESTERONE ACETATE – See prescribing guid * Tab 2.5 mg * Tab 5 mg * Tab 5 mg * Tab 10 mg		eding page 30 100 30	<ul> <li>✓ Provera</li> <li>✓ Provera</li> <li>✓ Provera</li> </ul>
Progestogen and Oestrogen Combined Prepara	tions		
DESTRADIOL WITH NORETHISTERONE – See prescribing gu * Tab 1 mg with 0.5 mg norethisterone acetate	5.40	ceding page 28 OP	Viewages
K Tab 2 mg with 1 mg norethisterone acetate	(14.52) 5.40 (14.52)	28 OP	Kliovance Kliogest
* Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg oestradiol tab (12) and 1 mg oestradiol tab (6)		28 OP	Trisequens
DESTROGENS WITH MEDROXYPROGESTERONE – See pres * Tab 625 µg conjugated equine with 2.5 mg medroxyproges			ding page
terone acetate tab (28)	5.40 (22.96)	28 OP	Premia 2.5 Continuous
* Tab 625 µg conjugated equine with 5 mg medroxyproges- terone acetate tab (28)		28 OP	Premia 5 Continuous
Other Oestrogen Preparations			
ETHINYLOESTRADIOL ₭ Tab 10 µg	17.60	100	✓ <u>NZ Medical and</u> <u>Scientific</u>
DESTRIOL ≰ Tab 2 mg	7.00	30	✓ Ovestin
Other Progestogen Preparations			
YDROGESTERONE Tab 10 mg	15.40 (16.75)	28	Duphaston
EVONORGESTREL k Levonorgestrel - releasing intrauterine system 20µg/24 hr - Special Authority see SA0782 below – Retail pharmacy		1	🗸 Mirena
<ul> <li>SA0782 Special Authority for Subsidy</li> <li>nitial application — (No previous use) only from a relevant s</li> <li>upplications meeting the following criteria:</li> <li>If the following:</li> <li>The patient has a clinical diagnosis of heavy menstrual ble</li> </ul>		ral practitione	r. Approvals valid for 6 months f

2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and

3 Either:

(M	Subsidy lanufacturer's Price) \$	Per	Fully Subsidised	d Generic
continued				
3.1 serum ferritin level < 16 $\mu$ g/l (within the last 12 months)	); or			
<ol> <li>3.2 haemoglobin level &lt; 120 g/l.</li> <li>Note: Applications are not to be made for use in patients as contrace</li> </ol>	ntion avaant whar	thou	moot the	abova aritaria
nitial application — (Previous use before 1 October 2002) only				
valid for 6 months for applications meeting the following criteria:		poola	liet et gei	
All of the following:				
1 The patient had a clinical diagnosis of heavy menstrual bleedi	0.			
2 Patient demonstrated clinical improvement of heavy menstrua	l bleeding; and			
3 Applicant to state date of the previous insertion. Note: Applications are not to be made for use in patients as contrace	ntion excent where	hev	meet the	above criteria
Renewal only from a relevant specialist or general practitioner. Appr				
criteria:				0
Both:				
1 Either:	un atur cal dala a alia ar a			
<ol> <li>1.1 Patient demonstrated clinical improvement of heavy me</li> <li>1.2 Previous insertion was removed or expelled within 3 me</li> </ol>				
2 Applicant to state date of the previous insertion.				
MEDROXYPROGESTERONE ACETATE				
* Tab 100 mg – Retail pharmacy-Specialist	96.50	100	~	Provera
* Tab 200 mg – Retail pharmacy-Specialist	70.50	30	~	Provera
VORETHISTERONE				
* Tab 5 mg – Up to 30 tab available on a PSO	25.00	100	~	Primolut N
Thyroid and Antithyroid Agents				
CARBIMAZOLE				
* Tab 5 mg	10.80	100	~	Neo-Mercazole
EVOTHYROXINE				
* Таb 50 µg		28		Goldshield
	45.00 1 64.28	,000,		Synthroid Eltroxin
‡ Safety cap for extemporaneously compounded oral liquid pr			•	
* Tab 100 μg		28	~	Goldshield
		,000,		Synthroid
+ Cafet, and for a terrary constants are used at a set lies id as	66.78		~	Eltroxin
<ul> <li>\$\$ a for extemporaneously compounded oral liquid pr</li> <li>Tab 25 μg</li> </ul>		,000,	~	Synthroid
‡ Safety cap for extemporaneously compounded oral liquid pr		,000	·	oynanoid
Trophic Hormones				
Growth Hormones				
■SA0755 Special Authority for Subsidy				
Special Authority approved by the Growth Hormone Committee Notes: Subject to budgetary cap. Applications will be considered and	approved subject	to fur	dina avai	lability
Application details may be obtained from PHARMAC's website http:/				abiiity.

NZGHC Coordinator

PHARMAC, PO Box 10-254, WELLINGTON

Tel: 0800 808 476, Fax: (09) 929 3221, Email: growthhormone@pharmac.govt.nz

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
SOMATROPIN – Special Authority see SA0755 on the preceding p * Inj cartridge 16 iu (5.3 mg) * Inj cartridge 36 iu (12 mg)	160.00	1 1		<u>ienotropin</u> ienotropin
GnRH Analogues				
BUSERELIN ACETATE – Special Authority see SA0835 below – R Inj 1 mg per ml, 5.5 ml		2	S	uprefact

#### SA0835 Special Authority for Subsidy

**Initial application** — (Breast cancer) from any medical practitioner. Approvals valid for 1 year where the patient is a premenopausal woman with breast cancer.

Initial application — (Prostate cancer) only from an oncologist, urologist or endocrinologist. Approvals valid for 1 year where the patient has advanced prostatic cancer.

Note: Not to be prescribed with an anti-androgen except for a period of three weeks, if necessary, when GnRH analogue therapy is intiated.

Initial application — (Endometriosis) only from a gynaecologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Endometriosis; and
- 2 Either:

2.1 6 months treatment with medroxyprogesterone acetate, danazol or dimetriose has proven ineffective; or

2.2 The patient has failed to tolerate the treatment with medroxyprogesterone acetate, danazol or dimetriose for 6 months.

Note: The maximum treatment period for a GnRH analogue is:

3 months to assess whether surgery is appropriate

- 3 months for infertile patients after surgery
- 6 months for patients with symptoms of endometriosis After the first 3 months patients should be assessed to determine whether there has been a satisfactory response to the first 3 months treatment.

**Initial application** — (**Precocious puberty**) only from a paediatrician or endocrinologist. Approvals valid for 1 year where the patient is affected by gonadotropin dependent precocious puberty.

Renewal — (Breast or prostate cancer) from any medical practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

Renewal — (Endometriosis) from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 There has been a satisfactory response to the first 3 months treatment; and
- 1.2 Surgery is inappropriate; or

2 The first three months of therapy did not follow surgery for infertility.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

**Renewal** — (Precocious puberty) only from a paediatrician or endocrinologist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If a patient had an approval for any GnRH analogue prior to 1 July 2006 the applicant is required to submit a fresh initial application, not a renewal application.

GOSERELIN ACETATE

Inj 3.6 mg200.00	1	Zoladex
Inj 10.8 mg500.00	1	Zoladex

	Subsidy	rice) Cuk	Fully Brand or
	(Manufacturer's P \$	Per Suc	osidised Generic Manufacturer
EUPRORELIN	221 60	1	V Lucrin Donot
Inj 3.75 mg		1	<ul> <li>Lucrin Depot</li> <li>Lucrin Depot PDS</li> </ul>
Inj 3.75 mg prefilled syringe Inj 7.5 mg		1	Eligard
		1	Lucrin Depot
Inj 11.25 mg		1	Lucrin Depot PDS
Inj 11.25 mg prefilled syringe		1	Eligard
Inj 22.5 mg Inj 30 mg		1	<ul> <li>Eligard</li> <li>Eligard</li> </ul>
Inj 30 mg prefilled syringe		1	✓ Lucrin Depot PDS
Inj 45 mg		1	✓ Eligard
Vasopressin Agonists			
DESMOPRESSIN			
Nasal drops 100 µg per ml – Retail pharmacy-Specialist	39.03	2.5 ml OP	🖌 Minirin
Nasal spray 10 µg per dose – Retail pharmacy-Specialist		6 ml OP	✓ Desmopressin-
- ····································			PH&T
Inj 4 µg per ml, 1 ml – Special Authority see SA0090 below	-		
Retail pharmacy	67.18	10	🖌 Minirin
SA0090 Special Authority for Subsidy			
enewal only from a relevant specialist. Approvals valid for 2 y enefiting from treatment. Other Endocrine Agents	,		
ABERGOLINE			
ABERGOLINE Tab 0.5 mg – Maximum of 2 tab per prescription; can b	e		
		2	✓ Arrow-Cabergoline
Tab 0.5 mg - Maximum of 2 tab per prescription; can b		2 8	<ul> <li>✓ Arrow-Cabergoline</li> <li>✓ Arrow-Cabergoline</li> </ul>
Tab 0.5 mg - Maximum of 2 tab per prescription; can b	16.50		
Tab 0.5 mg – Maximum of 2 tab per prescription; can b waived by Special Authority see SA1031 below	16.50 66.00	8	Arrow-Cabergoline
Tab 0.5 mg – Maximum of 2 tab per prescription; can b waived by Special Authority see SA1031 below		8 2 8 Approvals va lid without fur	Arrow-Cabergoline     Dostinex     Dostinex      Id without further renewal unle ther renewal unless notified whe
Tab 0.5 mg – Maximum of 2 tab per prescription; can b waived by Special Authority see SA1031 below		8 2 8 Approvals va lid without fur e treatment re	<ul> <li>Arrow-Cabergoline</li> <li>Dostinex</li> <li>Dostinex</li> <li>Id without further renewal unle</li> <li>ther renewal unless notified whe mains appropriate and the patie</li> </ul>
Tab 0.5 mg − Maximum of 2 tab per prescription; can b waived by Special Authority see SA1031 below		8 2 8 Approvals va lid without fur e treatment re 5	Arrow-Cabergoline     Dostinex     Dostinex      Id without further renewal unle ther renewal unless notified whe mains appropriate and the patie      Phenate
Tab 0.5 mg − Maximum of 2 tab per prescription; can b waived by Special Authority see SA1031 below		8 2 8 Approvals va lid without fur e treatment re	<ul> <li>Arrow-Cabergoline</li> <li>Dostinex</li> <li>Dostinex</li> <li>Id without further renewal unle</li> <li>ther renewal unless notified whe mains appropriate and the patie</li> </ul>
Tab 0.5 mg – Maximum of 2 tab per prescription; can b waived by Special Authority see SA1031 below		8 2 8 Approvals va lid without fur e treatment re 5	Arrow-Cabergoline     Dostinex     Dostinex      Id without further renewal unle ther renewal unless notified whe mains appropriate and the patie      Phenate
Tab 0.5 mg – Maximum of 2 tab per prescription; can b waived by Special Authority see SA1031 below		8 2 8 Approvals va lid without fur e treatment re 5 10	<ul> <li>Arrow-Cabergoline</li> <li>Dostinex</li> <li>Dostinex</li> <li>Id without further renewal unlet</li> <li>ther renewal unless notified whe mains appropriate and the patien</li> <li>Phenate</li> <li>Serophene</li> </ul>
Tab 0.5 mg – Maximum of 2 tab per prescription; can b waived by Special Authority see SA1031 below		8 2 8 Approvals va lid without fur e treatment re 5 10 100	<ul> <li>Arrow-Cabergoline</li> <li>Dostinex</li> <li>Dostinex</li> <li>Id without further renewal unlet</li> <li>ther renewal unless notified whe mains appropriate and the patien</li> <li>Phenate</li> <li>Serophene</li> <li>Azol</li> </ul>
Tab 0.5 mg – Maximum of 2 tab per prescription; can b waived by Special Authority see SA1031 below		8 2 8 Approvals va lid without fur e treatment re 5 10 100 30	<ul> <li>Arrow-Cabergoline</li> <li>Dostinex</li> <li>Dostinex</li> <li>Dostinex</li> <li>Id without further renewal unlet</li> <li>ther renewal unless notified whe mains appropriate and the patien</li> <li>Phenate</li> <li>Serophene</li> <li>Azol</li> <li>D-Zol</li> </ul>
Tab 0.5 mg − Maximum of 2 tab per prescription; can b waived by Special Authority see SA1031 below		8 2 8 Approvals va lid without fur e treatment re 5 10 100	<ul> <li>Arrow-Cabergoline</li> <li>Dostinex</li> <li>Dostinex</li> <li>Id without further renewal unlet</li> <li>ther renewal unless notified whe mains appropriate and the patien</li> <li>Phenate</li> <li>Serophene</li> <li>Azol</li> </ul>
Tab 0.5 mg – Maximum of 2 tab per prescription; can b waived by Special Authority see SA1031 below		8 2 8 Approvals va lid without fur e treatment re 5 10 100 30	Arrow-Cabergoline     Dostinex     Dostinex     Dostinex      Id without further renewal unle ther renewal unless notified whe mains appropriate and the patie      Phenate     Serophene      Azol     D-Zol
waived by Special Authority see SA1031 below  SA1031 Special Authority for Waiver of Rule nitial application only from an obstetrician, endocrinologist or otified where the patient has pathological hyperprolactinemia. Renewal only from an obstetrician, endocrinologist or gynaecolo ne patient has previously held a valid Special Authority which h s benefiting from treatment. CLOMIPHENE CITRATE Tab 50 mg Phenate Tab 50 mg to be delisted 1 February 2011) DANAZOL – Retail pharmacy-Specialist Cap 100 mg		8 2 8 Approvals va lid without fur e treatment re 5 10 100 30	Arrow-Cabergoline     Dostinex     Dostinex     Dostinex      Id without further renewal unle ther renewal unless notified whe mains appropriate and the patie      Phenate     Serophene      Azol     D-Zol

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
METYRAPONE Cap 250 mg – Retail pharmacy-Specialist		50	✓ M	etopirone

(Manufacturer's Price)       Subsidieed Per       Generic Manufacturer         Anthelmintics         WEBENDAZOLE - Only on a prescription Tab 100 mg per 5 ml       17.28 2.18 15 ml       24 (7.17)       ✓       De-Worm         Oral liq 100 mg per 5 ml       2.18 (7.17)       Vermox       Manufacturer         Antibacterials a) For topical antibacterials, refer to DERMATOLOGICALS, page 60 b) For anti-infective eye preparations, refer to SENSORY ORGANS, page 162       Vermox       Ranbaxy-Cefaclor         Cephalosporins and Cephamycins       28.90 Cephalosporins and Cephamycins       100 CEFACIOR MONOHYDRATE Cap 250 mg       28.90 00 f       100 Kanbaxy-Cefaclor         CEFACION MONOHYDRATE Cap 250 mg		Subsidy		Fully	Brand or
Anthelminitics         WEBENDAZOLE - Only on a prescription Tab 100 mg m		(Manufacturer's Price		Subsidised	Generic
Tab 100 mg	Anthelmintics				
Tab 100 mg	MEBENDAZOLE – Only on a prescription				
(7.17)       Vermox         Antibacterials       (7.17)       Vermox         Antibacterial       (7.17)       Vermox         Antibacterial       (7.17)       Vermox			24	V <u>[</u>	0e-Worm
Antibacterials         a) For topical antibacterials, refer to DERMATOLOGICALS, page 60         b) For anti-infective eye preparations, refer to SENSORY ORGANS, page 162         Cephalosporins and Cephamycins         CEFACLOR MONOHYDRATE         Cap 250 mg       28.90       100       ✓ Ranbaxy-Cefaclor         Grans for oral liq 125 mg per 5 ml       3.53       100 ml       ✓ Ranbaxy-Cefaclor         CEFACLOR MONOHYDRATE         Cap 250 mg       5.00       5       ✓ Hospira         Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.       11 j g       500       5       ✓ Hospira         CEFOXITIN SODIUM – Retail pharmacy-Specialist – Subsidy by endorsement       0nly if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.       11 j g       11 g       500       5       ✓ Mayne         CEFTRIAXONE SODIUM – Subsidy by endorsement       0 by to 5 in available on a PSO       5       ✓ Mayne       1       √ AFT         b) Subsidied only if prescribed for a dialysis or cystic fibrosis patient, or the treatment of confirmed ciprofloxacin-resistar gonorrhoea, or the treatment of suspected meningitis in patients who have a known allergy to penicillin, and the prescription consol accordingly.       11 j g	Oral liq 100 mg per 5 ml		15 ml		
a) For topical antibacterials, refer to DERMATOLOGICALS, page 60 b) For anti-infective eye preparations, refer to SENSORY ORGANS, page 162 CEphalosporins and Cephamycins CEFACLOR MONOHYDRATE Cap 250 mg 28.90 100 ✓ Ranbaxy-Cefaclor Grans for oral liq 125 mg per 5 ml 3.53 100 ml ✓ Ranbaxy-Cefaclor CEFAZOLIN SODIUM – Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly. Inj 500 mg 5.00 5 ✓ Hospira CEFOXITIN SODIUM – Retail pharmacy-Specialist – Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly. Inj 1 g 5.00 5 ✓ Hospira CEFOXITIN SODIUM – Retail pharmacy-Specialist – Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly. Inj 1 g 55.00 5 ✓ Mayne CEFTRIAXONE SODIUM – Subsidy by endorsement a) Up to 5 inj available on a PSO b) Subsidied only if prescribed for a dialysis or cystic fibrosis patient, or the treatment of confirmed ciprofloxacin-resistar gonorrhoea, or the treatment of suspected meningitis in patients who have a known allergy to penicillin, and the prescription or PSO is endorsed accordingly. Inj 500 mg		(7.17)		V	/ermox
b) For anti-infective eye preparations, refer to SENSORY ORGANS, page 162         Cephalosporins and Cephamycins         CEFACLOR MONOHYDRATE         Cap 250 mg	Antibacterials				
CEFACLOR MONOHYDRATE Cap 250 mg 28.90 100 ✓ Ranbaxy-Cefaclor Grans for oral liq 125 mg per 5 ml	, , , , , , , , , , , , , , , , , , , ,				
Cap 250 mg       28.90       100       ✓ Ranbaxy-Cefaclor         Grans for oral liq 125 mg per 5 ml       3.53       100 ml       ✓ Ranbaxy-Cefaclor         CEFAZOLIN SODIUM – Subsidy by endorsement       0nly if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.       Inj 1 g       Kaspira         Inj 1 g       8.00       5       ✓ Hospira       Hospira         CEFOXITIN SODIUM – Retail pharmacy-Specialist – Subsidy by endorsement       0 for the second industion or cystic fibrosis patient and the prescription is endorsed accordingly.       Inj 1 g         Inj 1 g       55.00       5       ✓ Mayne         CEFTRIAXONE SODIUM – Subsidy by endorsement       a) Up to 5 inj available on a PSO       b) Subsidised only if prescribed for a dialysis or cystic fibrosis patient, or the treatment of confirmed ciprofloxacin-resistar gonorrhoea, or the treatment of suspected meningitis in patients who have a known allergy to penicillin, and the prescription or PSO is endorsed accordingly.         Inj 1 g       3.99       ✓ AFT         Inj 1 g       5.40       ✓ AFT         Inj 1 g prescribed for prophylaxis of endocarditis and the prescription is endorsed accordingly.       To AFT         Inj 1 g prescribed for prophylaxis of endocarditis and the prescription is endorsed accordingly.       To AFT         Inj 250 mg       Maximum of 3 in per prescription; can be waived by endorsement       0.0       ✓ Zinnat <td>Cephalosporins and Cephamycins</td> <td></td> <td></td> <td></td> <td></td>	Cephalosporins and Cephamycins				
Grans for oral liq 125 mg per 5 ml	CEFACLOR MONOHYDRATE				
CEFAZOLIN SODIUM – Subsidy by endorsement         Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.         Inj 1g       5.00       5       ✓ Hospira         Inj 1g       8.00       5       ✓ Hospira         CEFOXITIN SODIUM – Retail pharmacy-Specialist – Subsidy by endorsement       8.00       5       ✓ Mayne         CEFORITIN SODIUM – Retail pharmacy-Specialist – Subsidy by endorsement       a) Up to 5 inj available on a PSO       5       ✓ Mayne         CEFTRIAXONE SODIUM – Subsidy by endorsement       a) Up to 5 inj available on a PSO       5       ✓ Mayne         CEFTRIAXONE soDIUM – Subsidy by endorsement       a) Up to 5 in available on a PSO       5       ✓ Mayne         CEFUROXIME ACKETRL – Subsidy by endorsement       0.0       1       ✓ AFT         Inj 1g       5.40       1       ✓ AFT         Inj 1g       5.40       1       ✓ AFT         Inj 1g       5.40       1       ✓ AFT         Inj 1g       29.40       50       ✓ Zinnat         CEFUROXIME AXETIL – Subsidy by endorsement       0.10       ✓ Zinnat         Only if prescribed for prophylaxis of endocarditis and the prescription is endorsed accordingly.       Tab 250 mg       ✓ Zinnat         CEFUROXIME SODIUM       Inj 250 mg – Maximum of 3 inj					
Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.       Inj 500 mg       5       ✓ Hospira         Inj 1 g       8.00       5       ✓ Hospira         CEFOXITIN SODIUM – Retail pharmacy-Specialist – Subsidy by endorsement       8.00       5       ✓ Mayne         CEFORITIN SODIUM – Retail pharmacy-Specialist – Subsidy by endorsement       55.00       5       ✓ Mayne         CEFTRIAXONE SODIUM – Subsidy by endorsement       a) Up to 5 inj available on a PSO       b) Subsidised only if prescribed for a dialysis or cystic fibrosis patient, or the treatment of confirmed ciprofloxacin-resistar         gonorrhoea, or the treatment of suspected meningitis in patients who have a known allergy to penicillin, and the prescription or PSO is endorsed accordingly.       1       ✓ AFT         Inj 1 g       5.40       1       ✓ AFT         Inj 1 g       5.40       1       ✓ AFT         Inj 1 g       5.40       1       ✓ AFT         Inj 1 g       29.40       50       ✓ Zinnat         CEFUROXIME AXETIL – Subsidy by endorsement       0.0       ✓ Zinnat         CEFUROXIME SODIUM       Inj 250 mg       Maximum of 3 inj per prescription; can be waived       by endorsement       20.97       10       ✓ Mayne         Inj 750 mg       Maximum of 1 inj per prescription; can be waived       by endorsement	Grans for oral liq 125 mg per 5 ml	3.53	100 ml	🗸 F	anbaxy-Cefaclor
Inj 500 mg       5       ✓ Hospira         Inj 1 g       8.00       5       ✓ Hospira         CEFOXITIN SODIUM – Retail pharmacy-Specialist – Subsidy by endorsement       0nly if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.       Inj 1 g         Inj 1 g       55.00       5       ✓ Mayne         CEFORIAXONE SODIUM – Subsidy by endorsement       30 to 5 inj available on a PSO       5       ✓ Mayne         Description of prescribed for a dialysis or cystic fibrosis patient, or the treatment of confirmed ciprofloxacin-resistar gonorrhoea, or the treatment of suspected meningitis in patients who have a known allergy to penicillin, and the prescription of PSO is endorsed accordingly.       10 to 5 inj available on a PSO         Inj 1 g       5.40       1       ✓ AFT         Inj 1 g       29.40       50       ✓ Zinnat         CEFUROXIME AXETIL – Subsidy by endorsement       29.40       50       ✓ Zinnat         CEFUROXIME SODIUM       Inj 250 mg       Maximum of 3 inj per prescription; can be waived       10.71       5       ✓ Zinacef         Inj 750 mg       Maximum of 1 inj per prescription; can be waived       10.71 <td>CEFAZOLIN SODIUM – Subsidy by endorsement</td> <td></td> <td></td> <td></td> <td></td>	CEFAZOLIN SODIUM – Subsidy by endorsement				
Inj 1 g					looniro
CEFOXITIN SODIUM – Retail pharmacy-Specialist – Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly. Inj 1 g	, .				
Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.         Inj 1 g	, ,		0	• 1	
Inj i g			orsed a	ccordinaly	
a) Up to 5 inj available on a PSO b) Subsidised only if prescribed for a dialysis or cystic fibrosis patient, or the treatment of confirmed ciprofloxacin-resistar gonorrhoea, or the treatment of suspected meningitis in patients who have a known allergy to penicillin, and the prescription of PSO is endorsed accordingly. Inj 500 mg					layne
<ul> <li>b) Subsidised only if prescribed for a dialysis or cystic fibrosis patient, or the treatment of confirmed ciprofloxacin-resistar gonorrhoea, or the treatment of suspected meningitis in patients who have a known allergy to penicillin, and the prescription of PSO is endorsed accordingly.</li> <li>Inj 500 mg</li></ul>	CEFTRIAXONE SODIUM – Subsidy by endorsement				
gonorrhoea, or the treatment of suspected meningitis in patients who have a known allergy to penicillin, and the prescription of PSO is endorsed accordingly. Inj 500 mg	a) Up to 5 inj available on a PSO				
PSO is endorsed accordingly.					
Inj 500 mg		nts who have a know	wn aller	gy to penic	illin, and the prescription o
Inj 1 g       5.40       1       ✓ AFT         10.49       5       ✓ Aspen Ceftriaxone         CEFUROXIME AXETIL – Subsidy by endorsement         Only if prescribed for prophylaxis of endocarditis and the prescription is endorsed accordingly.         Tab 250 mg       29.40       50       ✓ Zinnat         CEFUROXIME SODIUM         Inj 250 mg       Maximum of 3 inj per prescription; can be waived       0.97       10       ✓ Mayne         Inj 750 mg       Maximum of 1 inj per prescription; can be waived       0.17.1       5       ✓ Zinacef         Inj 1.5 g       – Retail pharmacy-Specialist – Subsidy by endorse-       4.04       1       ✓ Zinacef         Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.       CEPHALEXIN MONOHYDRATE       Grans for oral liq 125 mg per 5 ml       8.50       100 ml       ✓ Cefalexin Sandoz		3 99	1		FT
CEFUROXIME AXETIL – Subsidy by endorsement Only if prescribed for prophylaxis of endocarditis and the prescription is endorsed accordingly. Tab 250 mg				+ -	
Only if prescribed for prophylaxis of endocarditis and the prescription is endorsed accordingly.         Tab 250 mg		10.49	5	🗸 A	spen Ceftriaxone
Tab 250 mg	CEFUROXIME AXETIL – Subsidy by endorsement				
CEFUROXIME SODIUM Inj 250 mg – Maximum of 3 inj per prescription; can be waived by endorsement			d accord		
Inj 250 mg – Maximum of 3 inj per prescription; can be waived by endorsement	Tab 250 mg	29.40	50	✓ Z	linnat
by endorsement	CEFUROXIME SODIUM				
Inj 750 mg – Maximum of 1 inj per prescription; can be waived by endorsement					_
by endorsement			10	✓ N	layne
Inj 1.5 g − Retail pharmacy-Specialist − Subsidy by endorse- ment			5		linacof
ment4.04       1       ✓ Zinacef         Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.         CEPHALEXIN MONOHYDRATE         Grans for oral liq 125 mg per 5 ml	•		5	• 4	
Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly. CEPHALEXIN MONOHYDRATE Grans for oral liq 125 mg per 5 ml			1	🗸 Z	linacef
Grans for oral liq 125 mg per 5 ml8.50 100 ml 🖌 Cefalexin Sandoz			ndorse		
	CEPHALEXIN MONOHYDRATE			-	
Grans for oral liq 250 mg per 5 ml				· <u>-</u>	
	Grans for oral liq 250 mg per 5 ml	11.50	100 ml	<u>v</u> <u>c</u>	efalexin Sandoz

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully idised	Brand or Generic Manufacturer
Macrolides				
AZITHROMYCIN – Subsidy by endorsement; can be waived by 5 a) Maximum of 2 tab per prescription; can be waived by Spec b) Up to 4 tab available on a PSO c) Subsidised only if prescribed for patients with uncomplicate trachomatis and their sexual contacts and prescription or PSO SA0964. Tab 500 mg	cial Authority see SA0 d urethritis or cervicitis D is endorsed accordir	964 below s proven or	presur waive	
■>SA0964 Special Authority for Waiver of Rule Initial application only from a respiratory specialist or paediatr applications meeting the following criteria: All of the following:	ician. Approvals valic	l without fu	irther i	renewal unless notified for
<ol> <li>The applicant is part of multidisciplinary team experienced</li> <li>The patient has been definitively diagnosed with cystic fibr</li> <li>The patient has chronic infection with Pseudomonas ae defined by two positive respiratory tract cultures at least th</li> <li>The patient has negative cultures for non-tuberculous myc</li> </ol>	rosis*; and ruginosa or Pseudom ree months apart*; ar	ionas relati		
Notes: Caution is advised if using azithromycin as an antibiotic in Testing for non-tuberculosis mycobacteria should occur annually. Indications marked with * are Unapproved Indications (refer to Se Part IV (Miscellaneous Provisions) rule 4.6).				
CLARITHROMYCIN – Maximum of 500 mg per prescription; can Tab 250 mg Grans for oral lig 125 mg per 5 ml	7.75	l Authority : 14 70 ml	🖌 К	\0988 below <b>lamycin</b> lacid
► SA0988 Special Authority for Waiver of Rule Initial application — (Mycobacterial infections) only from a re Approvals valid for 2 years for applications meeting the following: Any of the following: 1 Mycobacterium Avium Intracellulare Complex infections in 2 Atypical and drug-resistant mycobacterial infection; or	criteria:	nfectious di	sease	specialist or paediatrician.
<ul> <li>3 All of the following:</li> <li>3.1 Prophylaxis against disseminated Mycobacterium A</li> <li>3.2 HIV infection; and</li> <li>3.3 CD4 count ≤ 50 cells/mm<sup>3</sup>.</li> </ul>	Avium Intracellulare Co	omplex infe	ction;	and
Renewal — (Mycobacterial infections) only from a respiratory so valid for 2 years where the treatment remains appropriate and the				or paediatrician. Approvals
ERYTHROMYCIN ETHYL SUCCINATE Tab 400 mg – Up to 30 tab available on a PSO Grans for oral liq 200 mg per 5 ml – Up to 200 ml available		100	✓ <u>E</u>	-Mycin
on a PSO Grans for oral liq 400 mg per 5 ml – Up to 200 ml available	4.35 1 9	00 ml		-Mycin
on a PSO ERYTHROMYCIN LACTOBIONATE		00 ml	✓ <u>E</u>	-Mycin
Inj 1 g		1	✔ E	rythrocin IV

Manufacturer's Price         Fully Per         Brand or Subsidied Generic           EPYTHROMYCIN STEARATE         100         5         V         Manufacturer'           Tab 250 mg - Up to 30 tab available on a PSO					
S         Per         ✓ Manufacturer           ERYTHROMYCIN STEARATE Tab 250 mg - Up to 30 tab available on a PSO					
ENTTHROMYCIN STEARATE Tab 250 mg - Up to 30 tab available on a PSO		· · ·			
Tab 250 mg - Up to 30 tab available on a PSO		φ	Per	~	Manufacturer
(22.29)         ERA           Tab 500 mg	ERYTHROMYCIN STEARATE				
Tab 500 mg	Tab 250 mg – Up to 30 tab available on a PSO		100		
(44.58)         ERA           ROXITHROMYCIN         Tab 150 mg		(22.29)		E	RA
(44.58)         ERA           ROXITHROMYCIN         Tab 150 mg	Tab 500 mg		100		
ROXITHROMYCIN       Tab 150 mg	0			E	RA
Tab 150 mg       8.98       50       ✓ Arrow- Roxithromycin         Tab 300 mg       16.48       50       ✓ Arrow- Roxithromycin         Penicillins         AMOXYCILIN       Cap 250 mg       Up to 30 cap available on a PSO       77.30       500       ✓ Apo-Amoxi         Cap 500 mg       Up to 30 cap available on a PSO       27.25       500       ✓ Apo-Amoxi         Grans for oral liq 250 mg per 5 ml       - Up to 200 ml available       1.00       100 ml       ✓ Banbaxy Amoxicillin         on a PSO       1.55       ✓ Apo-Amoxi       ✓ Sparmox       ✓ Osparmox         Drops 125 mg per 1.25 ml       4.00       30 ml OP       ✓ Disparmox       ✓ Disparmox         Inj 250 mg       1.242       10       ✓ Ibiamox       ✓ Ibiamox       ✓ Ibiamox         Inj 19 – Up to 5 inj available on a PSO       21.62       10       ✓ Ibiamox       ✓ Ibiamox         Inj 19 – Up to 5 inj available on a PSO       25.10       100       ✓ Ibiamox       ✓ Ibiamox         Inj 19 – Up to 30 tab available on a PSO       25.10       100       ✓ Ibiamox       ✓ Ibiamox         Inj 19 – Up to 30 tab available on a PSO       25.10       100       ✓ Ibiamox       ✓ Ibiamox         Inj 19 – Up to 30 tab available on a PSO       25.10       10		( )			
Tab 300 mg       To the term of term o		8 08	50	~ ^	rrow-
Tab 300 mg       16.48       50       ✓ Arrow: Roxithromycin         Penicillins         AMOXYCILLIN       Cap 250 mg - Up to 30 cap available on a PSO       17.30       500       ✓ Apo-Amoxi         Cap 500 mg       Up to 30 cap available on a PSO       17.30       500       ✓ Apo-Amoxi         Grans for oral liq 125 mg per 5 ml       - Up to 200 ml available       0       100 ml       ✓ Ranbaxy AmoxicIllin         on a PSO       1.00       100 ml       ✓ Spamox       ✓ Spamox         Grans for oral liq 250 mg per 5 ml       - Up to 200 ml available       1.00       100 ml       ✓ Ospamox         Drops 125 mg per 1.25 ml       4.00       30 ml OP       ✓ Ospamox       Øspamox Paediatric         Jinj 50 mg       12.42       10       ✓ Ibiamox       Ibiamox       Øspamox Paediatric         Jinj 500 mg       16.2       10       ✓ Uspamox       ✓ Synernox         (Ranbaxy Amoxicillin Grans for oral liq 125 mg per 5 ml to be delisted 1 September 2010)       ×       MOXYCILLIN         AMOXYCILLIN CLAVULANATE       Tab amoxycillin 250 mg with potassium clavulanate 125 mg       –       100 ml       ✓ Euram         Grans for oral liq amoxycillin 250 mg with potassium clavulanate 125 mg       2.20       100 ml       ✓ Curam         BENZATHINE BENZYLPENICILLIN<	Tab 150 mg	0.90	50	• <u>~</u>	
Roxithromycin         Roxithromycin         Penicillins         AMOXYCILLIN       Cap 500 mg - Up to 30 cap available on a PSO	Tab 300 mg	16.48	50	<b>ا</b> ۸	
Penicillins         AMOXYCILIN Cap 250 mg - Up to 30 cap available on a PS0		10.40	00	• <u>-</u>	
AMOXYCILLIN Cap 250 mg - Up to 30 cap available on a PSO	-				<u>I I OXILII OIII Y OIII</u>
Cap 250 mg - Up to 30 cap available on a PSO	Penicillins				
Cap 250 mg - Up to 30 cap available on a PSO					
Cap 500 mg       27.25       500       ✓ Apo-Amoxi         Grans for oral liq 125 mg per 5 ml       - Up to 200 ml available       1.00       100 ml       ✓ Ranbaxy Amoxicillin         on a PSO       1.55       ✓ Ospamox       ✓ Ospamox         Drops 125 mg per 1.25 ml       4.00       30 ml OP       ✓ Ospamox         Inj 250 mg       1.25 ml       4.00       30 ml OP       ✓ Ospamox         Inj 250 mg       1.25 ml       12.42       10       ✓ Ibiamox         Inj 10 g       - Up to 5 inj available on a PSO       21.62       10       ✓ Ibiamox         Inj 11 g       - Up to 5 inj available on a PSO       21.62       10       ✓ Ibiamox         AMOXYCILLIN CLAVULANATE       Tab amoxycillin 500 mg with potassium clavulanate 125 mg       - Up to 30 tab available on a PSO       25.10       100       ✓ Synermox         Grans for oral liq amoxycillin 125 mg with potassium clavulatate 125 mg       - Up to 30 tab available on a PSO       3.85       100 ml       ✓ Curam         Grans for oral liq amoxycillin 250 mg with potassium clavulatate 125 mg       - Up to 200 ml available on a PSO       3.85       100 ml       ✓ Synermox         Grans for oral liq amoxycillin 250 mg with potassium clavulatate 0 a PSO       3.85       100 ml       ✓ Curam         BENZATHINE BENZYLPENICILLIN		17 20	500	~ ^	no-Amovi
Grans for oral liq 125 mg per 5 ml       - Up to 200 ml available       1.00       100 ml       ✓ Ranbaxy Amoxicillin         on a PSO       1.55       ✓ Ospamox       ✓ Ospamox         on a PSO       1.10       100 ml       ✓ Ospamox         Drops 125 mg per 1.25 ml       4.00       30 ml OP       ✓ Ospamox         Inj 250 mg       1.242       10       ✓ Uspamox Paediatric         Jrops       125 mg per 1.25 ml       2.42       10       ✓ Uspamox Paediatric         Inj 250 mg       1.242       10       ✓ Uspamox       ✓ Dspamox Paediatric         Jrops       1.10       100 ml       ✓ Uspamox       ✓ Dspamox       ✓ Dspamox         Inj 19 – Up to 5 inj available on a PSO       21.62       10       ✓ Uspamox       ✓ Uspamox         (Ranbaxy Amoxicillin Grans for oral liq 125 mg per 5 ml to be delisted 1 September 2010)       AMOXYCILLIN CLAVULANATE       Tab amoxycillin 125 mg with potassium clavulantate 125 mg       – Up to 30 tab available on a PSO       25.10       100       ✓ Synermox         Grans for oral liq amoxycillin 250 mg with potassium clavulantate 125 mg       – 2.20       100 ml       ✓ Curam         BENZATHINE BENZYLPENICILLIN       In 1.2 mega u per 2.3 ml – Up to 200 ml available on a PSO       3.85       100 ml       ✓ Sandoz         FLUCLOXACILIN SO					•
on a PSO       1.00       100 ml       ✓ Ranbaxy Amoxicillin         1.55       Grans for oral liq 250 mg per 5 ml – Up to 200 ml available       0 on a PSO       ✓ Ospamox         0 on a PSO       1.10       100 ml       ✓ Ospamox         Drops 125 mg per 1.25 ml       4.00       30 ml OP       ✓ Ospamox         Inj 250 mg       12.42       10       ✓ Ubiamox       ✓ Dispamox         Inj 50 mg       12.42       10       ✓ Ubiamox       ✓ Dispamox         Inj 1 g – Up to 5 inj available on a PSO       21.62       10       ✓ Ibiamox         (Ranbaxy Amoxicillin Grans for oral liq 125 mg per 5 ml to be delisted 1 September 2010)       AMOXYCILLIN CLAVULANATE       Tab amoxycillin 500 mg with potassium clavulanate 125 mg       – Up to 30 tab available on a PSO       25.10       100       ✓ Synermox         Grans for oral liq amoxycillin 125 mg with potassium clavulanate 125 mg       – Up to 200 ml available on a       – 220       100 ml       ✓ Curam         BENZATHINE BENZYLPENICILLIN       10 to 5 inj available on a PSO       3.85       100 ml       ✓ Curam         BENZATHINE BENZYLPENICILLIN       10       ✓ Ibiamox       – 25.0       100 ml       ✓ Sandoz         FLUCLOXACILLIN SODIUM       Cap 250 mg – Up to 5 inj available on a PSO       .315.00       10       ✓ Sandoz <t< td=""><td></td><td></td><td>500</td><td>V A</td><td>po-Allioxi</td></t<>			500	V A	po-Allioxi
1.55       ✓ Ospamox         Grans for oral liq 250 mg per 5 ml – Up to 200 ml available on a PSO.       1.10       100 ml       ✓ Ospamox         Drops 125 mg per 1.25 ml       4.00       30 ml OP       ✓ Ospamox       ✓ Ospamox         Inj 250 mg       1.25 ml       4.00       30 ml OP       ✓ Ospamox       ✓ Ospamox         Inj 500 mg       14.24       10       ✓ Ibiamox       ✓ Ibiamox         Inj 1 g – Up to 5 inj available on a PSO.       21.62       10       ✓ Ibiamox         (Ranbaxy Amoxicillin Grans for oral liq 125 mg per 5 ml to be delisted 1 September 2010)       AMOXYCILLIN CLAVULANATE       Tab amoxycillin 500 mg with potassium clavulanate 125 mg       – ∪ to to 30 tab available on a PSO.       25.10       100       ✓ Synermox         Grans for oral liq amoxycillin 125 mg with potassium clavu- lanate 31.25 mg per 5 ml – Up to 200 ml available on a PSO.       2.20       100 ml       ✓ Curam         BENZATHINE BENZYLPENICILLIN Inj 1.2 mega u per 2.3 ml – Up to 5 inj available on a PSO.       3.85       100 ml       ✓ Sandoz         FLUCLOXACILLIN SODIUM Cap 250 mg – Up to 5 inj available on a PSO.       32.00       250       ✓ AFT         Grans for oral liq 125 mg per 5 ml – Up to 200 ml available       3.12       100 ml       ✓ AFT         Inj 1 mega u – Up to 5 inj available on a PSO.       32.00       250       ✓ AFT			100 ml		anhavy Amaviaillin
Grans for oral liq 250 mg per 5 ml − Up to 200 ml available on a PSO.       1.10       100 ml       ✓ Ospamox         Drops 125 mg per 1.25 ml       4.00       30 ml OP       ✓ Ospamox Paediatric Drops         Inj 250 mg       12.42       10       ✓ Ibiamox         Inj 1 g - Up to 5 inj available on a PSO.       21.62       10       ✓ Ibiamox         (Ranbaxy Amoxicillin Grans for oral liq 125 mg per 5 ml to be delisted 1 September 2010)       ✓ Usamox       ✓ Ibiamox         AMOXYCILLIN CLAVULANATE       Tab amoxycillin 125 mg with potassium clavulanate 125 mg       – Up to 30 tab available on a PSO       25.10       100       ✓ Synermox         Grans for oral liq amoxycillin 125 mg with potassium clavu- lanate 81.25 mg per 5 ml - Up to 200 ml available on a PSO       2.20       100 ml       ✓ Curam         BENZATHINE BENZYLPENICILLIN Inj 1.2 mega u per 2.3 ml - Up to 5 inj available on a PSO       .315.00       10       ✓ Bicillin LA         BENZYLPENICILLIN SODIUM Cap 250 mg - Up to 30 cap available on a PSO       .315.00       10       ✓ Sandoz         FLUCLOXACILLIN SODIUM Cap 250 mg (125 mg per 5 ml - Up to 200 ml available on a PSO       .312       100 ml       ✓ AFT         Grans for oral liq 125 mg per 5 ml - Up to 200 ml available       .312       100 ml       ✓ AFT         Grans for oral liq 125 mg per 5 ml - Up to 200 ml available       .312       100 ml	011 a PSO		100 mi		
on a PS0.       1.10       100 ml       ✓ Ospamox         Drops 125 mg per 1.25 ml       4.00       30 ml OP       ✓ Ospamox         Inj 250 mg       12.42       10       ✓ Ubiamox         Inj 500 mg       14.24       10       ✓ Ubiamox         Inj 1 g - Up to 5 inj available on a PS0       21.62       10       ✓ Ubiamox         (Ranbaxy Amoxicillin Grans for oral liq 125 mg per 5 ml to be delisted 1 September 2010)       AMOXYCILLIN CLAVULANATE       Tab amoxycillin 500 mg with potassium clavulanate 125 mg       – Up to 30 tab available on a PS0       25.10       100       ✓ Synermox         Grans for oral liq amoxycillin 250 mg with potassium clavulanate 31.25 mg per 5 ml - Up to 200 ml available on a PS0       2.20       100 ml       ✓ Curam         Grans for oral liq amoxycillin 250 mg with potassium clavulanate 62.5 mg per 5 ml - Up to 200 ml available on a PS0       3.85       100 ml       ✓ Curam         BENZATHINE BENZYLPENICILLIN       In 1.2 mega u per 2.3 ml - Up to 5 inj available on a PS0       315.00       10       ✓ Bicillin LA         BENZYLPENICILLIN SODIUM (PENICILLIN G)       In 1 mega u - Up to 5 inj available on a PS0       32.00       250       ✓ AFT         Grans for oral liq 125 mg per 5 ml - Up to 200 ml available       310.00       500       ✓ AFT         Grap 500 mg       Up to 30 cap available on a PSO       32.00	Overse for evel lie 050 me new 5 ml Up to 000 ml evelleble			<b>v</b> 0	spaniox
Drops 125 mg per 1.25 ml       4.00       30 ml OP       ✓ Ospamox Paediatric         Inj 250 mg       12.42       10       10         Inj 500 mg       14.24       10       ✓ Ibiamox         Inj 1 g - Up to 5 inj available on a PSO       21.62       10       ✓ Ibiamox         (Ranbaxy Amoxicillin Grans for oral liq 125 mg per 5 ml to be delisted 1 September 2010)       ✓ MOXYCILLIN CLAVULANATE         Tab amoxycillin 500 mg with potassium clavulanate 125 mg       – Up to 30 tab available on a PSO       25.10       100       ✓ Synermox         Grans for oral liq amoxycillin 125 mg with potassium clavulanate 31.25 mg per 5 ml – Up to 200 ml available on a PSO       2.20       100 ml       ✓ Curam         Grans for oral liq amoxycillin 250 mg with potassium clavulanate 62.5 mg per 5 ml – Up to 200 ml available on a PSO       3.85       100 ml       ✓ Curam         BENZATHINE BENZYLPENICILLIN       Inj 12 mega u per 2.3 ml – Up to 5 inj available on a PSO       10.49       10       ✓ Bicillin LA         BENZYLPENICILLIN SODIUM       Cap 250 mg – Up to 30 cap available on a PSO       32.00       250       ✓ AFT         Cap 500 mg       — Up to 200 ml available       3.10       10.49       10       ✓ Sandoz         FLUCLOXACILLIN SODIUM       Cap 250 mg = 5 ml – Up to 200 ml available       3.12       100 ml       ✓ AFT <t< td=""><td></td><td></td><td>100 ml</td><td></td><td>lanamay</td></t<>			100 ml		lanamay
Inj 250 mg       12.42       10       ✓ Ibiamox         Inj 500 mg       14.24       10       ✓ Ibiamox         Inj 1 g - Up to 5 inj available on a PSO       21.62       10       ✓ Ibiamox         (Ranbaxy Amoxicillin Grans for oral liq 125 mg per 5 ml to be delisted 1 September 2010)       MOXYCILLIN CLAVULANATE       ✓ Ibiamox         Tab amoxycillin 500 mg with potassium clavulanate 125 mg       – Up to 30 tab available on a PSO       25.10       100       ✓ Synermox         Grans for oral liq amoxycillin 125 mg with potassium clavulanate 31.25 mg per 5 ml – Up to 200 ml available on a PSO       2.20       100 ml       ✓ Curam         Grans for oral liq amoxycillin 250 mg with potassium clavulanate 62.5 mg per 5 ml – Up to 200 ml available on a PSO       3.85       100 ml       ✓ Curam         BENZATHINE BENZYLPENICILLIN       Inj 1.2 mega u per 2.3 ml – Up to 5 inj available on a PSO       315.00       10       ✓ Bicillin LA         BENZYLPENICILLIN SODIUM (PENICILLIN G)       Inj 1 mega u – Up to 5 inj available on a PSO       32.00       250       ✓ AFT         Grans for oral liq 250 mg per 5 ml – Up to 200 ml available       0       500 mg       AFT         Grapt of Dimition					
Inj 250 mg       12.42       10       ✓ Ibiamox         Inj 500 mg       14.24       10       ✓ Ibiamox         Inj 1 g - Up to 5 inj available on a PSO       21.62       10       ✓ Ibiamox         (Ranbaxy Amoxicillin Grans for oral liq 125 mg per 5 ml to be delisted 1 September 2010)       AMOXYCILLIN CLAVULANATE       ✓         Tab amoxycillin 500 mg with potassium clavulanate 125 mg       – Up to 30 tab available on a PSO       25.10       100       ✓ Synermox         Grans for oral liq amoxycillin 125 mg with potassium clavu-       lanate 31.25 mg per 5 ml – Up to 200 ml available on a       PSO       22.0       100 ml       ✓ Curam         Grans for oral liq amoxycillin 250 mg with potassium clavu-       lanate 62.5 mg per 5 ml – Up to 200 ml available on a       PSO       2.20       100 ml       ✓ Curam         BENZATHINE BENZYLPENICILLIN       Inj 1.2 mega u per 2.3 ml – Up to 5 inj available on a PSO       .315.00       10       ✓ Bicillin LA         BENZYLPENICILLIN SODIUM (PENICILLIN G)       Inj 1 mega u – Up to 5 inj available on a PSO       .32.00       250       ✓ AFT         Cap 250 mg – Up to 30 cap available on a PSO       .32.00       250       ✓ AFT         Grans for oral liq 125 mg per 5 ml – Up to 200 ml available       .32.00       250       ✓ AFT         Grap 500 mg       .00 to 30 cap available on a PSO       .31		4.00	30 MI OP	<u>v</u> <u>u</u>	_
Inj 500 mg	Ini 250 mg	10.40	10	<b>1</b>	
Inj 1 g – Úp to 5 inj available on a PSO	, 0				
(Ranbaxy Amoxicillin Grans for oral liq 125 mg per 5 ml to be delisted 1 September 2010)         AMOXYCILLIN CLAVULANATE         Tab amoxycillin 500 mg with potassium clavulanate 125 mg         - Up to 30 tab available on a PSO         Grans for oral liq amoxycillin 125 mg with potassium clavulanate 125 mg         lanate 31.25 mg per 5 ml - Up to 200 ml available on a         PSO         Grans for oral liq amoxycillin 250 mg with potassium clavulanate clavulanate 62.5 mg per 5 ml - Up to 200 ml available on a         PSO         BENZATHINE BENZYLPENICILLIN         Inj 1.2 mega u per 2.3 ml - Up to 5 inj available on a PSO         SENZYLPENICILLIN SODIUM (PENICILLIN G)         Inj 1 mega u - Up to 5 inj available on a PSO         SENZYLPENICILLIN SODIUM (PENICILLIN G)         Inj 1 mega u - Up to 5 inj available on a PSO         Sen 250 mg       Up to 30 cap available on a PSO         Sen 250 mg       Up to 5 inj available on a PSO         Sen 4 FT       Sandoz         FLUCLOXACILLIN SODIUM       Yes and the class of the period of th					
AMOXYCILLIN CLAVULANATE         Tab amoxycillin 500 mg with potassium clavulanate 125 mg         - Up to 30 tab available on a PSO         Grans for oral liq amoxycillin 125 mg with potassium clavulanate 31.25 mg per 5 ml – Up to 200 ml available on a         PSO         Grans for oral liq amoxycillin 250 mg with potassium clavulanate 62.5 mg per 5 ml – Up to 200 ml available on a         PSO         BENZATHINE BENZYLPENICILLIN         Inj 1.2 mega u per 2.3 ml – Up to 5 inj available on a PSO         BENZYLPENICILLIN SODIUM (PENICILLIN G)         Inj 1 mega u – Up to 5 inj available on a PSO         Sto 250 mg – Up to 30 cap available on a PSO         Cap 500 mg         Or an So or al liq 125 mg per 5 ml – Up to 200 ml available         Or a PSO         Grans for oral liq 125 mg per 5 ml – Up to 5 inj available on a PSO         Sto 200 mg         Inj 1 mega u - Up to 5 inj available on a PSO         Sto 200 mg         Inj 1 mega u - Up to 5 inj available on a PSO         Sto 200 mg         Sto 200 mg         Cap 250 mg - Up to 30 cap available on a PSO         Aft         Grans for oral liq 125 mg per 5 ml – Up to 200 ml available         on a PSO         on a PSO         an a PSO         on a PSO         Inj 250 mg				• <u>IL</u>	Janox
Tab amoxycillin 500 mg with potassium clavulanate 125 mg       - Up to 30 tab available on a PSO       25.10       100       ✓ Synermox         Grans for oral liq amoxycillin 125 mg with potassium clavulanate 31.25 mg per 5 ml – Up to 200 ml available on a PSO       2.20       100 ml       ✓ Curam         Grans for oral liq amoxycillin 250 mg with potassium clavulanate 62.5 mg per 5 ml – Up to 200 ml available on a PSO       3.85       100 ml       ✓ Curam         BENZATHINE BENZYLPENICILLIN			1 2010)		
- Up to 30 tab available on a PSO       25.10       100       ✓ Synermox         Grans for oral liq amoxycillin 125 mg with potassium clavulanate 31.25 mg per 5 ml – Up to 200 ml available on a PSO       2.20       100 ml       ✓ Curam         Grans for oral liq amoxycillin 250 mg with potassium clavulanate 62.5 mg per 5 ml – Up to 200 ml available on a PSO       3.85       100 ml       ✓ Curam         BENZATHINE BENZYLPENICILLIN					
Grans for oral liq amoxycillin 125 mg with potassium clavulanate 31.25 mg per 5 ml – Up to 200 ml available on a       2.20       100 ml       ✓ Curam         Grans for oral liq amoxycillin 250 mg with potassium clavulanate 62.5 mg per 5 ml – Up to 200 ml available on a       2.20       100 ml       ✓ Curam         BENZATHINE BENZYLPENICILLIN					
Ianate 31.25 mg per 5 ml - Up to 200 ml available on a       2.20       100 ml       ✓ Curam         Grans for oral liq amoxycillin 250 mg with potassium clavu- lanate 62.5 mg per 5 ml - Up to 200 ml available on a       3.85       100 ml       ✓ Curam         BENZATHINE BENZYLPENICILLIN Inj 1.2 mega u per 2.3 ml - Up to 5 inj available on a PSO			100	✓ <u>s</u>	ynermox
PSO					
Grans for oral liq amoxycillin 250 mg with potassium clavu- lanate 62.5 mg per 5 ml - Up to 200 ml available on a PSO	51 1				
Ianate 62.5 mg per 5 ml - Up to 200 ml available on a         PSO			100 ml	✓ <u>C</u>	uram
PSO					
BENZATHINE BENZYLPENICILLIN       Inj 1.2 mega u per 2.3 ml – Up to 5 inj available on a PSO	lanate 62.5 mg per 5 ml – Up to 200 ml available on a				
Inj 1.2 mega u per 2.3 ml – Up to 5 inj available on a PSO	PSO	3.85	100 ml	<u> </u>	uram
BENZYLPENICILLIN SODIUM (PENICILLIN G)       10       ✓ Sandoz         Inj 1 mega u – Up to 5 inj available on a PSO	BENZATHINE BENZYLPENICILLIN				
BENZYLPENICILLIN SODIUM (PENICILLIN G)       10       ✓ Sandoz         Inj 1 mega u – Up to 5 inj available on a PSO	Inj 1.2 mega u per 2.3 ml – Up to 5 inj available on a PSO		10	🖌 В	icillin LA
Inj 1 mega u – Up to 5 inj available on a PSO					
FLUCLOXACILLIN SODIUM       250       ✓ AFT         Cap 250 mg       - Up to 30 cap available on a PSO		10.49	10	~ 9	andoz
Cap 250 mg – Up to 30 cap available on a PSO			10	• •	
Cap 500 mg       110.00       500       ✓ AFT         Grans for oral liq 125 mg per 5 ml – Up to 200 ml available       3.12       100 ml       ✓ AFT         Grans for oral liq 250 mg per 5 ml – Up to 200 ml available       0 ml       ✓ AFT         on a PSO       3.55       100 ml       ✓ AFT         Inj 250 mg       9.00       10       ✓ AFT         Inj 500 mg       10.40       10       ✓ Flucloxin					
Grans for oral liq 125 mg per 5 ml − Up to 200 ml available       3.12       100 ml       ✓ AFT         Grans for oral liq 250 mg per 5 ml − Up to 200 ml available       3.55       100 ml       ✓ AFT         Inj 250 mg       9.00       10       ✓ Fluctoxin         Inj 500 mg       10.40       10       ✓ Fluctoxin					
on a PSO			500	✓ <u>A</u>	
Grans for oral liq 250 mg per 5 ml − Up to 200 ml available         on a PSO			100	4 -	
on a PSO			100 ml	✓ <u>A</u>	<u>FI</u>
Inj 250 mg       10       ✓       ✓       Flucloxin         Inj 500 mg       10       ✓       Flucloxin					
Inj 500 mg 10.40 10 🖌 <u>Flucloxin</u>					
	, ,				
			10		
Inj 1 g – Up to 5 inj available on a PSO14.00 10 🖌 <u>Flucloxin</u>	Init a Unite Elini evollable an a DCO	14.00	10		lualavia

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy		Fully	Brand or
	(Manufacturer's P \$	rice) Su Per	bsidised ✓	Generic Manufacturer
IENOXYMETHYLPENICILLIN (PENICILLIN V)	¥			
Cap potassium salt 250 mg – Up to 30 cap available on a PSC	)4.29	50	🖌 Cil	icaine VK
Cap potassium salt 500 mg		50		icaine VK
Grans for oral lig 125 mg per 5 ml - Up to 200 ml available				
on a PSO	1.68	100 ml	🖌 AF	т
Grans for oral liq 250 mg per 5 ml - Up to 200 ml available				
on a PSO	1.78	100 ml	🖌 AF	Т
ROCAINE PENICILLIN				
Inj 1.5 mega u – Up to 5 inj available on a PSO	50.86	5	✓ <u>Cil</u>	icaine
etracyclines				
OXYCYCLINE HYDROCHLORIDE				
← Tab 50 mg – Up to 30 tab available on a PSO		30		
	(6.00)		Do	xy-50
Tab 100 mg – Up to 30 tab available on a PSO		250	🖌 Do	,
F Tab 50 mg	5.79	60		
C C	(12.05)		Mir	no-tabs
Cap 100 mg		100		
	(52.04)		Mir	nomycin
Other Antibiotics				
or topical antibiotics, refer to DERMATOLOGICALS, page 60				
IPROFLOXACIN				
Tab 250 mg – Up to 5 tab available on a PSO		30	✔ <u>Re</u>	x Medical
Tab 500 mg – Up to 5 tab available on a PSO	4.90	30	✔ <u>Re</u>	x Medical
Tab 750 mg – Retail pharmacy-Specialist	7.54	30	✓ <u>Re</u>	x Medical
INDAMYCIN				
Cap hydrochloride 150 mg - Maximum of 4 cap per prescrip-				
tion; can be waived by endorsement - Retail pharmacy -			• -	
Specialist	11.39	16	🖌 Da	lacin C
Inj phosphate 150 mg per ml, 4 ml - Retail pharmacy-	40.00			
Specialist		1	V Da	lacin C
D-TRIMOXAZOLE				
Tab trimethoprim 80 mg and sulphamethoxazole 400 mg –	17.00	500		
Up to 30 tab available on a PSO	17.00	500	🖌 Tris	sul
• Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg	0.15	100 ml		nrim
per 5 ml – Up to 200 ml available on a PSO		100 ml	🖌 De	prim
OLISTIN SULPHOMETHATE – Retail pharmacy-Specialist – Sul			rdinalı	
Only if prescribed for dialysis or cystic fibrosis patient and the p Inj 150 mg		ndorsed acco		listin-Link
, ,	05.00	I	÷ 00	naun-Eink
USIDIC ACID	24 50	12		aidin
Tab 250 mg – Retail pharmacy-Specialist		12	🖌 Fu	uum
Inj 500 mg sodium fusidate per 10 ml – Retail pharmacy- Specialist – Subsidy by endorsement	12 87	1		
opolianist Oubsidy by chaolochicht	(17.80)	I	Fu	cidin
Only if prescribed for a dialysis or cystic fibrosis patient and	( )	is endorsed		

	Subsidy (Manufacturer's Pr	ice) Sı	Fully Brand or ubsidised Generic
	\$	Per	Manufacturer
GENTAMICIN SULPHATE			
Inj 10 mg per ml, 1 ml – Subsidy by endorsement	8.56	5	Mayne
Only if prescribed for a dialysis or cystic fibrosis patie	nt or for prophylaxis o	f endocardit	is and the prescription is endorsed
accordingly.			4 - 4
Inj 40 mg per ml, 2 ml – Subsidy by endorsement		10	✓ <u>Pfizer</u>
Only if prescribed for a dialysis or cystic fibrosis patie accordingly.	nt or for prophylaxis o	r endocardit	is and the prescription is endorsed
TOBRAMYCIN	04.50	-	
Inj 40 mg per ml, 2 ml – Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient		5 ondorood o	✓ Mayne
	and the prescription is	endorsed a	iccordingly.
TRIMETHOPRIM <ul> <li>Tab 300 mg – Up to 30 tab available on a PSO</li> </ul>	9 60	50	
5		50	✓ <u>TMP</u>
VANCOMYCIN HYDROCHLORIDE – Subsidy by endorseme		aaudamam	hranaua aditia ar far pranhulavia a
Only if prescribed for a dialysis or cystic fibrosis patient of endocarditis and the prescription is endorsed accordingly		oseudomeni	branous contis or for propriyaxis o
Inj 50 mg per ml, 10 ml		1	✓ Pacific
			•
Antifungals			
a) For topical antifungals refer to DERMATOLOGICALS, page			
<li>b) For topical antifungals refer to GENITO URINARY, page 74</li>	Ļ		
FLUCONAZOLE – Retail pharmacy-Specialist			
Cap 50 mg		28	Pacific
Cap 150 mg Cap 200 mg		1 28	<ul> <li>✓ <u>Pacific</u></li> <li>✓ Pacific</li> </ul>
		20	
ITRACONAZOLE – Retail pharmacy-Specialist	00.70	15	
Cap 100 mg	23.70	15	<ul> <li>Sporanox</li> </ul>
KETOCONAZOLE	00.10	00	A Nizaval
Tab 200 mg – Retail pharmacy-Specialist		30	Nizoral
NYSTATIN	0.00	50	A Nilotat
Tab 500,000 u Cap 500,000 u		50 50	<ul> <li>✓ Nilstat</li> <li>✓ Nilstat</li> </ul>
		50	• Mistat
TERBINAFINE Tab 250 mg	25 50	100	Apo-Terbinafine
5	25.50	100	Apo-rerbinanne
Antimalarials			
HYDROXYCHLOROQUINE SULPHATE			
* Tab 200 mg		100	Plaquenil
Antitrichomonal Agents			
METRONIDAZOLE			
Tab 200 mg – Up to 30 tab available on a PSO		100	<ul> <li>Trichozole</li> </ul>
Tab 400 mg		100	✓ Trichozole
Oral liq benzoate 200 mg per 5 ml		100 ml	✓ FlagyI-S
Suppos 500 mg	24.48	10	Flagyl
ORNIDAZOLE	40.00	10	Tihaval
Tab 500 mg		10	<ul> <li>Tiberal</li> </ul>

	Subsidy (Manufacturer's Pric \$	e) Per	Full Subsidise	
Antituberculotics and Antileprotics				
Note: There is no co-payment charge for all pharmaceuticals list	sted in the Antituber	culotics	and Antil	eprotics group regardless of
immigration status.				
DAPSONE – No patient co-payment payable	05.00	400		D
Tab 25 mg		100 100		Dapsone S29
Tab 100 mg		100		Dapsone S29
ETHAMBUTOL HYDROCHLORIDE – No patient co-payment pa		50		Manufacture
Tab 100 mg		56 56		Myambutol S29 Myambutol S29
Tab 400 mg		50		Wyambutor 529
ISONIAZID – Retail pharmacy-Specialist				
No patient co-payment payable	00.00	100		PSM
* Tab 100 mg     * Tab 100 mg with rifampicin 150 mg		100 100	•	Rifinah
* Tab 150 mg with rifampicin 150 mg		100	-	Rifinah
<b>o i o</b>		100	•	mman
PYRAZINAMIDE – Retail pharmacy-Specialist				
No patient co-payment payable  * Tab 500 mg	59.00	100	~	AFT-Pyrazinamide
0		100	•	Ai i-ryiazinainide
RIFABUTIN – Retail pharmacy-Specialist				
No patient co-payment payable * Cap 150 mg	213 10	30	~	Mycobutin
1 5		00	•	wycobuin
RIFAMPICIN – Retail pharmacy-Specialist				
No patient co-payment payable  * Tab 600 mg	11/ /0	30	./	Rifadin
* Cap 150 mg		100	-	Rifadin
* Cap 300 mg		100	-	Rifadin
* Oral liq 100 mg per 5 ml		60 ml	-	Rifadin

### Antivirals

For eye preparations refer to Eye Preparations, Anti-Infective Preparations, page 162

### **Hepatitis B Treatment**

ADEFOVIR DIPIVOXIL - Special Authority see SA0829 below - Reta	il pharmacy		
Tab 10 mg	.670.00	30	<ul> <li>Hepsera</li> </ul>

### ➡SA0829 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and
- Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT (> 1  $\times\,$  ULN); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load  $\geq$  10 fold over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Either:

90

- 5.1 Both:
  - 5.1.1 Patient is cirrhotic; and

Subsidy (Manufacturer's Price)	Si	Fully Ibsidised	Brand or Generic	
(interested of a record	Per	<b>v</b>	Manufacturer	

continued...

5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or

5.2 Both:

5.2.1 Patient is not cirrhotic; and

5.2.2 adefovir dipivoxil to be used as monotherapy.

Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as:

i) raised serum ALT (> 1  $\times\,$  ULN); and

ii) HBV DNA greater than 100,000 copies per mL, or viral load  $\geq$  10 fold over nadir; and

iii) Detection of N236T or A181T/V mutation.

Adefovir dipivoxil should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines. Adefovir dipivoxil should be avoided in pregnant women and children.

ENTECAVIR - Special Authority see SA0977 below - Retail pharmacy

30 V Baraclude

#### ■SA0977 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naive; and
- 3 Entecavir dose 0.5 mg/day; and
- 4 Either:
  - 4.1 ALT greater than upper limit of normal; or
  - 4.2 Bridging fibrosis or cirrhosis (Metavir stage 3 or greater) on liver histology; and

5 Either:

- 5.1 HBeAg positive; or
- 5.2 patient has ≥ 2,000 IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV, HIV or HDV; and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and

10 No previous documented lamivudine resistance (either clinical or genotypic).

Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE - Special Authority see SA0832 on the next page - Retail pharmacy

Tab 100mg	 143.00	28	🖌 Zeffix	X
Oral liq 5 mg per ml	 .90.00	240 ml	🖌 Zeffiz	X

	Subsidy (Manufacturer's Price)	Sub	Fully sidised	Brand or Generic
	\$	Per	~	Manufacturer
SA0832 Special Authority for Subsidy				
<b>Initial application</b> only from a gastroenterologist, infectious disea	se specialist naediat	rician or o	eneral	nhysician Annrovals valid
for 1 year for applications meeting the following criteria:	ise specialist, paediat	inclair or g	chicitai	physician. Approvais valia
Both:				
1 Any of the following:				
1.1 All of the following:				
1.1.1 HBsAg positive for more than 6 months; and				
1.1.2 HBeAg positive or HBV DNA positive defined	d as > 100.000 copies	s per ml b	v quant	itative PCR at a reference
laboratory; and	· · · · · · · · · · · · · · · · · · ·		, -1	
1.1.3 ALT greater than twice upper limit of normal of	or bridaina fibrosis or a	cirrhosis (N	Netavir	stage 3 or 4 or equivalent)
on liver histology clinical/radiological evidence	0 0	`		<b>0</b> 1 ,
1.2 HBV DNA positive cirrhosis prior to liver transplanta				
1.3 HBsAg positive and have had a liver, kidney, heart, I		transplant;	or	
1.4 Hepatitis B surface antigen positive (HbsAg) patier				a malignancy, or who has
received such treatment within the previous two more	nths; and			
2 All of the following:				
2.1 No continuing alcohol abuse or intravenous drug us	e; and			
2.2 Not coinfected with HCV or HDV; and				
2.3 Neither ALT nor AST greater than 10 times upper lin	nit of normal; and			
2.4 No history of hypersensitivity to lamivudine; and				
2.5 No previous lamivudine therapy with genotypically p				
Renewal only from a gastroenterologist, infectious disease special	list, paediatrician or ge	eneral phy	sician.	Approvals valid for 2 years
for applications meeting the following criteria:				
Any of the following:				
Renewal for patients who have maintained continuous trea	tment and response to	o iamivudi	ne	
1 All of the following:	inc. and			
<ol> <li>1.1 Have maintained continuous treatment with lamivud</li> <li>1.2 Most recent test result shows continuing biochemica</li> </ol>	·	IT): and		
1.3 HBV DNA <100,00 copies per ml by quantitative PC				
Renewal when given in combination with adefovir dipivoxil			eietano	e to lamivudine
2 All of the following:	ior patientis with cirric		51510110	
2.1 Lamivudine to be used in combination with adefovir	dinivoxil: and			
2.2 Patient is cirrhotic; and	aipivoxii, and			
Documented resistance to lamivudine, defined as:				
2.3 Patient has raised serum ALT (> 1 $\times$ ULN); and				
2.4 Patient has HBV DNA greater than 100,000 copies	oer mL, or viral load =	10 fold ov	/er nad	ir; and
2.5 Detection of M204I or M204V mutation; or				
Renewal when given in combination with adefovir dipivoxil	for patients with resist	ance to a	defovir	dipivoxil
3 All of the following:				
3.1 Lamivudine to be used in combination with adefovir	dipivoxil; and			
Documented resistance to adefovir, defined as:				
3.2 Patient has raised serum ALT (> 1 $\times$ ULN); and				
3.3 Patient has HBV DNA greater than 100,000 copies	per mL, or viral load =	10 fold ov	/er nad	ir; and
3.4 Detection of N236T or A181T/V mutation.				
Herpesvirus Treatments				
ACICLOVIR				
* Tab dispersible 200 mg	1.98	25	🖌 Lo	ovir
* Tab dispersible 400 mg		56	🖌 Lo	
* Tab dispersible 800 mg	7.38	35	🖌 Lo	ovir

92

	Subsidy (Manufacturer's Price) \$	S Per	Fully Subsidised	Brand or Generic Manufacturer
VALACICLOVIR – Special Authority see SA0957 below – Retail p Tab 500 mg	,	30	🖌 Vá	altrex

### SA0957 Special Authority for Subsidy

**Initial application** — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the patient has genital herpes with 2 or more breakthrough episodes in any 6 month period while treated with aciclovir 400 mg twice daily.

Renewal — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (ophthalmic zoster) from any medical practitioner. Approvals valid without further renewal unless notified where the patient has previous history of ophthalmic zoster and the patient is at risk of vision impairment.

Initial application — (CMV prophylaxis) from any medical practitioner. Approvals valid for 3 months where the patient has undergone organ transplantation.

### Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE – Subsidy by endorsement; can be waived by Special Authority see SA0997 below Endorsement for treatment of HIV/AIDS: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA0997 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note: Tenofovir disoproxil fumarate prescribed under endorsement for the treatment of HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA0997, page 94

### SA0997 Special Authority for Waiver of Rule

Initial application — (Drug-Resistant Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
- 3 All of the following:

Documented drug resistance, defined as both:

- 3.1 ALT greater than upper limit of normal; or  $\geq$  Metavir Stage F3; and
- 3.2 HBV DNA greater than 20,000 IU/mL or increased  $\geq$  10 fold over nadir; and
- 4 Any of the following:
  - 4.1 Hepatitis B virus resistant to lamivudine with detection of M204I/V mutation; or
  - 4.2 Hepatitis B virus resistant to adefovir with detection of A181T/V or N236T mutation; or
  - 4.3 Hepatitis B virus resistant to entecavir with detection of I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation.

Renewal — (Drug-Resistant Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg positive prior to commencing Tenofovir disoproxil fumarate.
- The recommended dose of Tenofovir disoproxil fumarate for the treatment of hepatitis B is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

(Manufacturer's Price) Subsidised	Brand or Generic Manufacturer
-----------------------------------	-------------------------------------

### Antiretrovirals

#### SA1025 Special Authority for Subsidy

**Initial application** — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Confirmed HIV infection; and
- 2 Any of the following:
  - 2.1 Symptomatic patient; or
  - 2.2 Patient aged 12 months and under; or
  - 2.3 Both:
    - 2.3.1 Patient aged 1 to 5 years; and
    - 2.3.2 Any of the following:
      - 2.3.2.1 CD4 counts  $< 1000 \text{ cells/mm}^3$ ; or
      - 2.3.2.2 CD4 counts  $< 0.25 \times$  total lymphocyte count; or
      - 2.3.2.3 Viral load counts > 100000 copies per ml; or

2.4 Both:

- 2.4.1 Patient aged 6 years and over; and
- 2.4.2 CD4 counts < 350 cells/mm<sup>3</sup>.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

**Renewal** — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

**Initial application** — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

#### Either:

1 Prevention of maternal foetal transmission; or

2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

**Initial application** — (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

- Both:
  - 1 Treatment course to be initiated within 72 hours post exposure; and
  - 2 Either:
    - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
    - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

bsidy turer's Price) Subs	Brand or Generic
 \$ Per	Manufacturer

continued...

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

1 Treatment course to be initiated within 72 hours post exposure; and

2 Either:

- 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
- 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

### Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ - Special Authority see SA1025 on the pre	ceding page – Retail phar	macy	
Tab 50 mg		30	<ul> <li>Stocrin</li> </ul>
Tab 200 mg		90	Stocrin
Tab 600 mg		30	<ul> <li>Stocrin</li> </ul>
NEVIRAPINE - Special Authority see SA1025 on the pr	receding page – Retail pha	armacy	
Tab 200 mg		60	Viramune
Oral suspension 10 mg per ml		240 ml	Viramune
			Suspension

### **Nucleosides Reverse Transcriptase Inhibitors**

ABACAVIR SULPHATE – Special Authority see SA1025 on the preceding page Tab 300 mg458.00 Oral liq 20 mg per ml100.00	e – Retail pharma 60 240 ml OP	v ✓ Ziagen ✓ Ziagen
ABACAVIR SULPHATE WITH LAMIVUDINE – Special Authority see SA1025 o Note: Kivexa counts as two anti-retroviral medications for the purposes of the Tab 600 mg with lamivudine 300 mg		
DIDANOSINE [DDI] - Special Authority see SA1025 on the preceding page - F	Retail pharmacy	
Cap 125 mg	30	Videx EC
Cap 200 mg	30	Videx EC
Cap 250 mg230.10	30	Videx EC
Cap 400 mg	30	Videx EC
EMTRICITABINE - Special Authority see SA1025 on the preceding page - Ret	ail pharmacy	
Cap 200 mg	30	<ul> <li>Emtriva</li> </ul>
LAMIVUDINE - Special Authority see SA1025 on the preceding page - Retail	oharmacy	
Tab 150 mg	60	🖌 3TC
Oral liq 10 mg per ml50.00	240 ml OP	✓ <u>3TC</u>

	0.1.11		
	Subsidy (Manufacturer's I	Price) Sub	Fully Brand or sidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
STAVUDINE [D4T] - Special Authority see SA1025 on page 94	– Rotail pharmac	W.	
Cap 20 mg	•	9 60	✓ Zerit
Cap 30 mg		60	✓ Zerit
Cap 40 mg		60	✓ Zerit
Powder for oral soln 1 mg per ml		200 ml OP	✓ Zerit
ZIDOVUDINE [AZT] - Special Authority see SA1025 on page 94	4 – Retail pharma	CV	
Cap 100 mg		100	Retrovir
Oral liq 10 mg per ml		200 ml OP	✓ Retrovir
ZIDOVUDINE [AZT] WITH LAMIVUDINE - Special Authority se	e SA1025 on pao	e 94 – Retail pł	narmacv
Combivir counts as two anti-retroviral medications for the pu	1.0		,
Tab 300 mg with lamivudine 150 mg		60	<ul> <li>Combivir</li> </ul>
Protease Inhibitors			
ATAZANAVIR SULPHATE – Special Authority see SA1025 on p		•	4
Cap 150 mg		60	Reyataz
Cap 200 mg		60	Reyataz
NDINAVIR – Special Authority see SA1025 on page 94 – Retai	l pharmacy		
Cap 200 mg		360	<ul> <li>Crixivan</li> </ul>
Cap 400 mg	519.75	180	Crixivan
OPINAVIR WITH RITONAVIR – Special Authority see SA1025	on page 94 - Re	tail pharmacy	
Tab 100 mg with ritonavir 25 mg		60	Kaletra
Tab 200 mg with ritonavir 50 mg		120	<ul> <li>Kaletra</li> </ul>
Oral liq 80 mg with ritonavir 20 mg per ml	735.00	300 ml OP	Kaletra
RITONAVIR – Special Authority see SA1025 on page 94 – Reta	il pharmacy		
Cap 100 mg		84	V Norvir
Oral liq 80 mg per ml		90 ml OP	V Norvir
Strand Transfer Inhibitors			
RALTEGRAVIR POTASSIUM – Special Authority see SA1025 o	n page 94 – Reta	il pharmacy	
Tab 400 mg	1,350.00	60	<ul> <li>Isentress</li> </ul>
Antiretrovirals - Additional Therapies			
HIV Fusion Inhibitors			
NFUVIRTIDE – Special Authority see SA0845 below – Retail	oharmacv		
Powder for inj 90 mg per ml × 60		1	Fuzeon
, ,			
SA0845 Special Authority for Subsidy			
nitial application only from a named specialist. Approvals valid	I for 3 months for	applications me	eting the following criteria:
Il of the following:			
1 Confirmed HIV infection; and			
2 Enfuvirtide to be given in combination with optimized bac	• • • •		ast 1 other antiretroviral drug th
the patient has never previously been exposed to) for trea	atment failure; and	1	
3 Either:	aging thereas		
<ul><li>3.1 Patient has evidence of HIV replication, despite on</li><li>3.2 Patient has treatment-limiting toxicity to previous a</li></ul>	0 0 17	s: and	
4 Previous treatment with 3 different antiretroviral regimens	-	3, anu	
			continued.

Subsidy (Manufacturer's Price)	Full Subsidise	,	
(Manuacturer's Price)			
\$	Per 🖌	<ul> <li>Manufacturer</li> </ul>	

continued...

5 All of the following:

- 5.1 Previous treatment with a non-nucleoside reverse transcriptase inhibitor has failed; and
- 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed; and
- 5.3 Previous treatment with a protease inhibitor has failed.

**Renewal** only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Evidence of at least a 10 fold reduction in viral load at 12; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

### **Immune Modulators**

#### Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

### **Criteria for Treatment**

1) Diagnosis

- Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
- PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
- Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.

2) Establishing Active Chronic Liver Disease

- Confirmed HCV infection and serum ALT/AST levels measured on at least three occasions over six months averaging > 1.5 × upper limit of normal. (ALT is the preferable enzyme); or
- Liver biopsy showing significant inflammatory activity (active hepatitis) with or without cirrhosis. This is not a necessary requirement for those patients with coagulopathy. (Some patients have active disease on histology with normal transaminase enzymes).

#### **Exclusion Criteria**

- 1) Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- 2) Pregnancy.
- 3) Neutropenia (<2.0  $\times$  10<sup>9</sup>) and/or thrombocytopenia.
- 4) Continuing alcohol abuse and/or continuing intravenous drug users.

#### Dosage

The current recommended dosage is 3 million units of interferon alpha-2a or interferon aplha-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

#### **Exit Criteria**

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

INTERFERON ALPHA-2A - PCT - Retail pharmacy-Specialist

a) See prescribing guideline above

b) Only one multidose cartridge starter pack to be prescribed and dispensed per patient.

Inj 3 m iu prefilled syringe	1	Roferon-A
Inj 6 m iu prefilled syringe62.64	1	Roferon-A
Inj 9 m iu prefilled syringe93.96	1	Roferon-A

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
TERFERON ALPHA-2B – PCT – Retail pharmacy-Specialist				
See prescribing guideline on the preceding page				
Inj 18 m iu, 1.2 ml multidose pen		1	+ -	ntron-A
Inj 30 m iu, 1.2 ml multidose pen		1	<b>V</b> I	ntron-A
Inj 60 m iu, 1.2 ml multidose pen	626.40	1	<b>V</b> I	ntron-A
EGYLATED INTERFERON ALPHA-2A - Special Authority see	SA0952 below – Reta	ail pha	irmacy	
See prescribing guideline on the preceding page				
Inj 135 µg prefilled syringe		1	<u> </u>	Pegasys
	1,448.00	4	<u> </u>	Pegasys
Inj 180 µg prefilled syringe		1	<u> </u>	Pegasys
	1,800.00	4	<b>~</b>	Pegasys
Inj 135 $\mu$ g prefilled syringe $\times$ 4 with ribavirin tab 200 mg $\times$				
112		1 OP	~	Pegasys RBV
				Combination Pack
Inj 135 $\mu$ g prefilled syringe $ imes$ 4 with ribavirin tab 200 mg $ imes$				
168		1 OP	~	Pegasys RBV
			•	Combination Pack
Inj 180 µg prefilled syringe $ imes$ 4 with ribavirin tab 200 mg $ imes$				
112		1 OP	~	Pegasys RBV
			• •	Combination Pack
Inj 180 µg prefilled syringe $ imes$ 4 with ribavirin tab 200 mg $ imes$				oomoniadon rack
168		1 OP	~	Pegasvs RBV
100		i Or	<u>v</u> <u>1</u>	Combination Pack

### ➡SA0952 Special Authority for Subsidy

**Initial application** — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV) from any specialist. Approvals valid for 48 weeks for applications meeting the following criteria: Fither:

- 1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
- 2 Patient has chronic hepatitis C and is co-infected with HIV.

#### Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 6 months where patient has chronic hepatitis C, genotype 2 or 3 infection.

**Initial application** — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 48 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Either:

98

- 5.1 HBeAg positive; or
- 5.2 serum HBV DNA ≥ 2,000 units/ml and significant fibrosis (≥ Metavir Stage F2); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

continued...

9 Neither ALT nor AST > 10 times upper limit of normal; and

10 No history of hypersensitivity or contraindications to pegylated interferon.

Notes:

- Approved dose is 180 µg once weekly.
- The recommended dose of Pegylated Interferon-alpha 2a is 180 µg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alpha 2a dose should be reduced to 135 μg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alpha 2a is not approved for use in children.

### **Urinary Tract Infections**

HEXAMINE HIPPURATE		
* Tab 1 g18	.40 100	
(38	.10)	Hiprex
NITROFURANTOIN		
* Tab 50 mg17	.90 100	Nifuran
* Tab 100 mg	.25 100	Nifuran
NORFLOXACIN		
Tab 400 mg - Maximum of 6 tab per prescription; can be		
waived by endorsement - Retail pharmacy - Specialist	.50 100	Arrow-Norfloxacin

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
Vaccines			
Influenza vaccine			
INFLUENZA VACCINE – Hospital pharmacy [Xpharm]			

A) is available 1 March until vaccine supplies are exhausted each year for patients who meet the following criteria, as set by the Ministry of Health:

a) all people 65 years of age and over;

b) people under 65 years of age with:

- i) the following cardiovascular disease:
  - 1) ischaemic heart disease,
  - 2) congestive heart disease.
  - 3) rheumatic heart disease.
  - 4) congenital heart disease, or
  - 5) cerebo-vascular disease:
- ii) the following chronic respiratory disease:
  - 1) asthma, if on a regular preventative therapy, or
  - 2) other chronic respiratory disease with impaired lung function;
- iii) diabetes:
- iv) chronic renal disease:
- v) any cancer, excluding basal and squamous skin cancers if not invasive;
- vi) the following other conditions:
  - a) autoimmune disease.
  - b) immune suppression,
  - c) HIV.
  - d) transplant recipients.
  - e) neuromuscular and CNS diseases,
  - f) haemoglobinopathies, or
  - g) children on long term aspirin.
- c) people under 65 years of age who are:
  - i) pregnant: or
  - ii) morbidly obsese

d) children aged over 6 months and under 5 years who are from high deprivation backgrounds

The following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease,
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor.
- D) Influenza Vaccine does not fall within the definition Community Pharmaceutical as it is not funded directly from the Pharmaceutical Budget. Pharmacists are unable to claim for the dispensing of influenza vaccine from the Funder.

Fluvax	1	9.00	Inj
Influvac	10	90.00	
Vaxigrip			

		Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic ✓ Manufacturer
A	nticholinesterases			
	OSTIGMINE			
	Inj 2.5 mg per ml, 1 ml	20.30	50	✓ AstraZeneca
v			00	• Astrazeneou
	RIDOSTIGMINE BROMIDE Tab 60 mg	40.08	100	Mestinon
	0		100	• Westmon
A	nti-inflammatory Non Steroidal Drugs (NSAIDs)	)		
				meeting the following criteria:
	1 Inflammatory arthritis (including osteoarthritis with an inflam		; and	
Rei	2 Stabilised and are well controlled on the particular NSAID newal from any medical practitioner. Approvals valid for 2 year		nent re	emains appropriate and the patient
	lefiting from treatment.			
IC	CLOFENAC SODIUM			
÷	Tab EC 25 mg	1.63	50	✓ Diclofenac Sandoz
				✓ Diclohexal
	Tab 50 mg dispersible - Additional subsidy by Special Au-			
	thority see SA0291 above - Retail pharmacy	1.50	20	
		(8.00)		Voltaren D
•	Tab EC 50 mg	2.13	50	Diclofenac Sandoz
	<b>T</b>	00.70		✓ Diclohexal
	Tab long-acting 75 mg		500	✓ Apo-Diclo SR
	Tab lang acting 100 mm	32.80	500	✓ Diclax SR
	Tab long-acting 100 mg		500	✓ Apo-Diclo SR
		63.22	-	✓ Diclax SR
	Inj 25 mg per ml, 3 ml Up to 5 inj available on a PSO	12.00	5	✓ <u>Voltaren</u>
	Suppos 12.5 mg	1.85	10	Voltaren
	Suppos 25 mg	2.22	10	Voltaren
	Suppos 50 mg		10	Voltaren
	Up to 10 supp available on a PSO			
	Suppos 100 mg	6.36	10	Voltaren
Di	clohexal Tab EC 25 mg to be delisted 1 November 2010) clohexal Tab EC 50 mg to be delisted 1 November 2010) ro-Diclo SR Tab long-acting 75 mg to be delisted 1 November 2			
	o-Diclo SR Tab long-acting 100 mg to be delisted 1 November	,		
ι	IPROFEN – Additional subsidy by Special Authority see SA029		armac	
	Tab 200 mg		1,000	Ethics Ibuprofen
	Tab 400 mg		30	
		(4.56)		Brufen
	Tab 600 mg		30	
		(6.84)	_	Brufen
			30	
	Tab long-acting 800 mg		30	
+	Tab long-acting 800 mg Oral lig 100 mg per 5 ml	(9.12)	30 200 ml	Brufen Retard

	Subsidy (Manufacturer's Pric	e) Si	Fully Brand or ubsidised Generic
	(Manulactarer 51 ne	Per	Manufacturer
KETOPROFEN - Additional subsidy by Special Authority see	SA0291 on the preced	ling page -	<ul> <li>Retail pharmacy</li> </ul>
* Cap long-acting 100 mg	6.72	100	
	(21.56)		Oruvail 100
* Cap long-acting 200 mg		100	0
	(43.12)		Oruvail 200
MEFENAMIC ACID – Additional subsidy by Special Authority	see SA0291 on the pr	eceding pa	age – Retail pharmacy
* Cap 250 mg	0.50	20	
	(5.60)		Ponstan
	2.50	100	
	(18.33)		Ponstan
NAPROXEN			
* Tab 250 mg		500	✓ Noflam 250
* Tab 500 mg		250	✓ Noflam 500
* Tab long-acting 750 mg		90	Naprosyn SR 750
* Tab long-acting 1,000 mg	21.00	90	Naprosyn SR 1000
NAPROXEN SODIUM			
* Tab 275 mg	6.00	120	<ul> <li>Sonaflam</li> </ul>
₭ Tab 550 mg	12.80	100	<ul> <li>Synflex</li> </ul>
SULINDAC - Additional subsidy by Special Authority see SAC	291 on the preceding	page – Re	tail pharmacy
* Tab 100 mg		100	
-	(12.00)		Daclin
* Tab 200 mg	6.72	100	
	(20.00)		Daclin
	3.36	50	
	(15.87)		Clinoril
TENOXICAM			
* Tab 20 mg		100	<ul> <li>Tilcotil</li> </ul>
TIAPROFENIC ACID - Additional subsidy by Special Authorit	v see SA0291 on the r	orecedina i	page – Retail pharmacy
* Tab 300 mg		60	
0	(19.26)		Surgam
NSAIDs Other			
NDOMETHACIN	10.00	100	
Cap long-acting 75 mg		100	<ul> <li>Rheumacin SR</li> <li>Arthrexin</li> </ul>
✤ Suppos 100 mg Rheumacin SR Cap long-acting 75 mg to be delisted 1 Febru		30	✓ ALUITEXIII
	ary 2011)		
PIROXICAM			
* Tab dispersible 10 mg		50	✓ Piram-D
* Tab dispersible 20 mg	5.50	100	Piram-D
Antirheumatoid Agents			
AURANOFIN			
Tab 3 mg		60	Ridaura

(1	Subsidy Manufacturer's Price) \$	Per	Full Subsidise	
LEFLUNOMIDE				
Tab 10 mg	55.00	30	~	AFT-Leflunomide
·	79.27		~	Arava
Tab 20 mg	76.00	30	~	AFT-Leflunomide
-	108.60		~	Arava
Tab 100 mg	54.44	3	~	Arava
PENICILLAMINE				
Tab 125 mg	61.93	100	~	D-Penamine
Tab 250 mg	98.98	100	~	D-Penamine
SODIUM AUROTHIOMALATE				
Inj 10 mg per 0.5 ml	76.87	10	~	Myocrisin
Inj 20 mg per 0.5 ml		10		Myocrisin
Inj 50 mg per 0.5 ml		10		Myocrisin
Tumour Necrosis Factor (TNF) Inhibitors				
ADALIMUMAB – Special Authority see SA1026 below – Retail phar Inj 40 mg per 0.8 ml prefilled pen		2	~	HumiraPen

#### ➡SA1026 Special Authority for Subsidy

**Initial application** — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and

- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with at least two of the following (triple therapy): sulphasalazine, prednisone at a dose of at least 7.5 mg per day, azathioprine, intramuscular gold, or hydroxychloroquine sulphate (at maximum tolerated doses); and
- 5 Either:
  - 5.1 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of cyclosporin alone or in combination with another agent; or
  - 5.2 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of leflunomide alone or in combination with another agent; and
- 6 Either:
  - 6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
  - 6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and

7 Either:

- 7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
- 7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Patient has severe active Crohn's disease; and

continued...

2

Humira

Subsidy (Manufacturer's Price)	Fully Subsidised		Brand or Generic
 \$	Per	~	Manufacturer

continued...

- 2 Any of the following:
  - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
  - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
  - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
  - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

- All of the following:
  - 1 Either:
    - 1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
    - 1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
  - 2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
  - 3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
  - 4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
- 2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
- 3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
- 4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
- 5 Either:
  - 5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by a score of at least 1 on each of the lumbar flexion and lumbar side flexion measurements of the Bath Ankylosing Spondylitis Metrology Index (BASMI); or
  - 5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and
- 6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale; and

7 Either:

- 7.1 An elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
- 7.2 A C-reactive protein (CRP) level greater than 15 mg per litre.

Subsidy	Fully		Brand or
(Manufacturer's Price)	Subsidised		Generic
\$	Per	~	Manufacturer

continued...

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI, ESR and CRP measures must be no more than 1 month old at the time of initial application. Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm

25-34 years - Male: 7.5 cm; Female: 5.5 cm

35-44 years - Male: 6.5 cm; Female: 4.5 cm

45-54 years - Male: 6.0 cm; Female: 5.0 cm

55-64 years - Male: 5.5 cm; Female: 4.0 cm

65-74 years - Male: 4.0 cm; Female: 4.0 cm

75+ years - Male: 3.0 cm; Female: 2.5 cm

**Initial application — (psoriatic arthritis)** only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
- 2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- 4 Either:
  - 4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
  - 4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 5 Any of the following:
  - 5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  - 5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
  - 5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

**Renewal — (rheumatoid arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
  - 1 Either:
    - 1.1 Applicant is a rheumatologist; or
    - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
  - 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  - 3 Either:
    - 3.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
    - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
  - 4 Either:
    - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
    - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

**Renewal** — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

	Subsidy		Fully	Brand or
()	Manufacturer's Price)	Sub	sidised	Generic
	\$	Per	~	Manufacturer

continued...

All of the following:

- 1 Either:
  - 1.1 Applicant is a gastroenterologist; or
  - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 Either:
    - 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab; or
    - 2.1.2 CDAI score is 150 or less; or
  - 2.2 Both:
    - 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
  - 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

**Renewal** — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
  - 1 Either:
    - 1.1 Applicant is a dermatologist; or
    - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
  - 2 Either:
    - 2.1 Both:
      - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis; and
      - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
    - 2.2 Both:
      - 2.2.1 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot; and
      - 2.2.2 Either:
        - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
        - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value; and
  - 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

**Renewal** — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
  - 1 Either:
    - 1.1 Applicant is a rheumatologist; or
    - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
  - 2 Following 12 weeks of adalimumab treatment, BASDAI has improved by 4 or more points from pre-adalimumab baseline on a 10 point scale, or by 50%, whichever is less; and
  - 3 ESR or CRP is within the normal range; and
  - 4 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
  - 5 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subsidised		Generic
\$	Per	~	Manufacturer

continued...

Renewal - (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment: and
- 2 Either:
  - 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 2.2 The patient demonstrates at least a continuing 50% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and

3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

ETANERCEPT - Retail pharmacy-Specialist prescription - Special Authority see SA0868 below

4

#### Enbrel

#### SA0868 Special Authority for Subsidy

Initial application only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance: and
- 2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA): and
- 3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20mg/m<sup>2</sup> weekly or at the maximum tolerated dose) in combination with oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose); and
- 5 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-15mg/m<sup>2</sup> weekly or at the maximum tolerated dose) in combination with one other disease-modifying agent; and
- 6 Both:
  - 6.1 Fither:
    - 6.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 active, swollen, tender ioints: or
    - 6.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
    - 6.2 Physician's global assessment indicating severe disease; and
- 7 The patient or their legal guardian consents to details of their treatment being held on a central registry and has signed a consent form outlining conditions of ongoing treatment.

Note: A patient declaration form http://www.pharmac.govt.nz/special\_authority\_forms/SA0667-declaration.pdf must be signed by the legal guardian of the patient and the prescriber in the presence of a witness (over 18 years of age)

Renewal only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance: and
- 2 Either:
  - 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
  - 2.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Subsidy		Fully	Bra
(Manufacturer's Price)		Subsidised	Ge
\$	Per	~	Ма

Brand or Generic Manufacturer

### **Calcium Homeostasis**

### Alendronate for Osteoporosis

#### SA0990 Special Authority for Subsidy

**Initial application** — (Underlying cause – Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD)  $\geq$  2.5 standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq$  -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score  $\leq$  -3.0 (see Note); or
- 5 A 10-year risk of hip fracture  $\geq$  3%, calculated using a published risk assessment algorithm (e.g. FRAX or Dubbo) which incorporates BMD measurements (see Note).

Initial application — (Underlying cause – glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Either:
  - 2.1 The patient has documented BMD  $\geq$  1.5 standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq$  -1.5) (see Note); or
  - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically.

**Renewal** — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy ( $\geq 5$  mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD)  $\geq$  2.5 standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq$  -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score  $\leq$  -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Dubbo) which incorporates BMD measurements (see Note).

#### Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence used by National Institute for Health and Clinical Excellence (NICE) guidance indicates that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5, and therefore do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5

# MUSCULOSKELETAL SYSTEM

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	osidised	Generic	
\$	Per	~	Manufacturer	

continued...

with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.

d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALENDRONATE SODIUM - Special Authority see SA0990 on the	e preceding page -	<ul> <li>Retail pha</li> </ul>	armacy
Tab 70 mg	35.91	4	Fosamax
ALENDRONATE SODIUM WITH CHOLECALCIFEROL - Special	Authority see SA	0990 on the	e preceding page – Retail pharmacy
Tab 70 mg with cholecalciferol 5,600 iu		4	Fosamax Plus
Tab 70 mg with cholecalciferol 2,800 iu	35.91	4	Fosamax Plus
(Fosamax Plus Tab 70 mg with cholecalciferol 2,800 iu to be delist	ed 1 September 2	2010)	

### Alendronate for Paget's Disease

### ➡SA0949 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
  - 2.1 Bone or articular pain; or
  - 2.2 Bone deformity; or
  - 2.3 Bone, articular or neurological complications; or
  - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
  - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

ALENDRONATE SODIUM - Special Authority see SA0949 above - Retail pharmacy

Tab 40 mg	30	Fosamax
Other Treatments		
CALCITONIN * Inj 100 iu per ml, 1 ml110.00	5	✓ <u>Miacalcic</u>
ETIDRONATE DISODIUM * Tab 200 mg23.95	100	✓ <u>Arrow-Etidronate</u>

#### **Prescribing Guidelines**

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose – 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

PAMIDRONATE DISODIUM

Inj 3 mg per ml, 5 ml		Pamisol
Inj 3 mg per ml, 10 ml		Pamisol
Inj 6 mg per ml, 10 ml		Pamisol
Inj 9 mg per ml, 10 ml	112.50 1	Pamisol

### Enzymes

ALUNUNIDAUL				
Inj 1,500 iu per ml		10		
	(243.24)		Hyalase	

# MUSCULOSKELETAL SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Hyperuricaemia and Antigout				
ALLOPURINOL				
* Tab 100 mg * Tab 300 mg		250 100		oo-Allopurinol oo-Allopurinol
COLCHICINE * Tab 500 µg	9.60	100	🖌 Co	olgout
PROBENECID * Tab 500 mg	55.00	100	🖌 Pre	obenecid-AFT
Muscle Relaxants				
BACLOFEN				
* Tab 10 mg	4.75	100	🖌 <u>Pa</u>	<u>cifen</u>
DANTROLENE SODIUM				
* Cap 25 mg		100		ntrium
* Cap 50 mg	51.70	100	🖌 Da	ntrium
ORPHENADRINE CITRATE				
Tab 100 mg	18.54	100	🖌 No	orflex
QUININE SULPHATE				
* Tab 200 mg	15.95	250		
	(17.20)		Q	200
<ul> <li>\$ Safety cap for extemporaneously compounded oral liquid</li> <li>* Tab 300 mg</li> <li>\$ Safety cap for extemporaneously compounded oral liquid</li> </ul>		500	✓ <u>Q</u> :	300

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully idised	Brand or Generic Manufacturer
Anaesthetics				
Local				
BUPIVACAINE HYDROCHLORIDE Inj 0.5%, 4 ml Inj 0.5%, 8% glucose, 4 ml LIGNOCAINE	24.50	5 5	✔ M	larcain Isobaric larcain Heavy
Gel 2%, 10 ml urethral syringe LIGNOCAINE HYDROCHLORIDE Inj 0.5%, 5 ml – Up to 5 inj available on a PSO Only if prescribed on prescription for a dialysis patient or cl Inj 1%, 5 ml – Up to 5 inj available on a PSO Only if prescribed on prescription for a dialysis patient or cl Inj 1%, 20 ml – Up to 5 inj available on a PSO Only if prescribed on prescription for a dialysis patient or cl Inj 1%, 20 ml – Up to 5 inj available on a PSO Only if prescribed on prescription for a dialysis patient or cl LIGNOCAINE WITH CHLORHEXIDINE Only with able the patient on 05% (10 ml wrethral available)	44.10 hild with rheumatic fe 42.00 hild with rheumatic fe 23.50 hild with rheumatic fe	50 ver or on a 5 ver or on a	PSO f V X PSO f V X PSO f	ylocaine for emergency use. ylocaine for emergency use. ylocaine for emergency use.
Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes LIGNOCAINE WITH PRILOCAINE – Special Authority see SA09 Crm 2.5% with prilocaine 2.5% Crm 2.5% with prilocaine 2.5% (5 g tubes)	06 below – Retail pha 41.00 30	10 armacy ) g OP 5	✓ P ✓ E ✓ E	MLA

## ➡SA0906 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

### Analgesics

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 101

### **Non-Opioid Analgesics**

ASPIRIN			
* Tab EC 300 mg	2.00	100	
ů –	(8.10)		Aspec 300
* Tab dispersible 300 mg - Up to 30 tab available on a PSO	2.00	100	Ethics Aspirin
NEFOPAM HYDROCHLORIDE			
Tab 30 mg	23.40	90	Acupan

	Subsidy Manufacturer's	Price) Sul	Fully Brand or osidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
PARACETAMOL			
* Tab 500 mg – Up to 30 tab available on a PSO		1,000	Pharmacare
¢‡ Oral liq 120 mg per 5 ml	6.80	1,000 ml	Paracare Junior
a) Up to 200 ml available on a PSO			
b) Not in combination		1 000	
t Oral liq 250 mg per 5 ml		1,000 ml	✓ <u>Paracare Double</u>
a) Up to 100 ml available on a PSO			<u>Strength</u>
b) Not in combination			
Suppos 125 mg		20	Panadol
Suppos 250 mg		20	V Panadol
Suppos 500 mg		50	✓ Paracare
RAMADOL HYDROCHLORIDE			
Cap 50 mg	6 95	100	Arrow-Tramadol
		100	• Allow Hallador
Opioid Analgesics			
UPRENORPHINE HYDROCHLORIDE - Only on a controlled dru	ıg form		
Inj 0.3 mg per ml, 1 ml	7.42	5	
	(9.38)		Temgesic
ODEINE PHOSPHATE			
Tab 15 mg	5.39	100	🖌 PSM
Tab 30 mg		100	🖌 PSM
Tab 60 mg	17.76	100	🖌 PSM
IHYDROCODEINE TARTRATE			
Tab long-acting 60 mg	27.27	60	DHC Continus
ENTANYL – Special Authority see SA0935 below – Retail pharma	acv		
a) Only on a controlled drug form	icy		
b) No patient co-payment payable			
Transdermal patch, matrix 25 µg per hour		5	Durogesic
Transdermal patch, matrix 50 µg per hour		5	V Durogesic
Transdermal patch, matrix 75 µg per hour	139.18	5	V Durogesic
Transdermal patch, matrix 100 µg per hour	171.22	5	Durogesic
SA0935 Special Authority for Subsidy			
itial application from any relevant practitioner. Approvals valid for	r 3 months for	applications m	neeting the following criteria:
oth:			- •
1 Patient is terminally ill and is opioid-responsive; and			
2 Either:			
2.1 is unable to take oral medication; or			
2.2 is intolerant to morphine, or morphine is contraindicat			
tenewal from any relevant practitioner. Approvals valid for 3 monitor	hs where the	treatment rema	ains appropriate and the patie

Renewal from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

FENTANYL CITRATE

a) Only on a controlled drug form		
b) No patient co-payment payable		
Inj 50 µg per ml, 2 ml6.10	5	Hospira
Inj 50 µg per ml, 10 ml15.65	5	Hospira

	Subsidy (Manufacturer's F		Fully Brand or Ibsidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
<ul> <li>a) Only on a controlled drug form</li> <li>b) No patient co-payment payable</li> </ul>			
c) Extemporaneously compounded methadone will only be	raimburaad at the	rata of the ob	account form quailable (mothodor
powder, not methadone tablets).			leapest lotti available (methadol
d) For methadone hydrochloride oral liquid refer, page 170			
Tab 5 mg	1.85	10	Methatabs
Oral liq 2 mg per ml		200 ml	✓ Biodone
Oral liq 5 mg per ml		200 ml	✓ Biodone Forte
Oral lig 10 mg per ml		200 ml	✓ Biodone Extra Forte
Inj 10 mg per ml, 1 ml		10	✓ AFT
MORPHINE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
Oral liq 1 mg per ml	8 84	200 ml	RA-Morph
Oral liq 2 mg per ml		200 ml	✓ RA-Morph
Oral liq 5 mg per ml		200 ml	✓ RA-Morph
Oral lig 10 mg per ml		200 ml	RA-Morph
IOBPHINE SULPHATE			<u></u>
a) Only on a controlled drug form			
b) No patient co-payment payable			
Tab immediate-release 10 mg	2.80	10	Sevredol
Tab long-acting 10 mg		10	LA-Morph
Tab immediate-release 20 mg		10	✓ Sevredol
Tab long-acting 30 mg		10	LA-Morph
Tab long-acting 60 mg		10	✓ LA-Morph
Tab long-acting 100 mg		10	✓ LA-Morph
Cap long-acting 10 mg		10	✔ m-Eslon
Cap long-acting 30 mg	2.64	10	🖌 m-Eslon
Cap long-acting 60 mg	7.20	10	🖌 m-Eslon
Cap long-acting 100 mg	7.85	10	🖌 m-Eslon
Cap long-acting 200 mg	17.00	10	🖌 m-Eslon
Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO	5.17	5	Mayne
Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	Mayne
Inj 15 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	Mayne
Inj 30 mg per ml, 1 ml – Up to 5 inj available on a PSO	4.98	5	Mayne
IORPHINE TARTRATE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
Inj 80 mg per ml, 1.5 ml	20.20	5	Mayne
Inj 80 mg per ml, 5 ml	67.37	5	Mayne

	Subsidy (Manufacturer's Price) \$	Per	Full Subsidise		
OXYCODONE HYDROCHLORIDE					
a) Only on a controlled drug form					
<ul> <li>b) No patient co-payment payable</li> </ul>					
Tab controlled-release 5 mg	7.51	20	~	OxyContin	
Tab controlled-release 10 mg	11.14	20	~	OxyContin	
Tab controlled-release 20 mg		20	~	OxyContin	
Tab controlled-release 40 mg		20	~	OxyContin	
Tab controlled-release 80 mg		20	~	OxyContin	
Cap 5 mg	2.83	20	~	OxyNorm	
Cap 10 mg	5.58	20	~	OxyNorm	
Cap 20 mg	9.77	20	~	OxyNorm	
the second		250 ml	<ul> <li>✓</li> </ul>	OxyNorm	
Inj 10 mg per ml, 1 ml	14.40	5	~	OxyNorm	
Inj 10 mg per ml, 2 ml		5	~	OxyNorm	
Prescribing Guideline					
Prescribers should note that oxycodone is significantly more ex	pensive than long-ad	ctina r	norphine	sulphate and cli	nical advice
suggests that it is reasonable to consider this as a second-line ag		•			
PARACETAMOL WITH CODEINE					
<ul> <li>* Tab paracetamol 500 mg with codeine phosphate 8 mg</li> </ul>	2.45	100	./	ParaCode	
	2.40	100		ralacoue	

### PETHIDINE HYDROCHLORIDE

a) Only on a controlled drug form			
b) No patient co-payment payable			
Tab 50 mg	3.20	10	V PSM
Tab 100 mg	4.20	10	V PSM
Inj 50 mg per ml, 1 ml - Up to 5 inj available on a PSO	5.20	5	Mayne
Inj 50 mg per ml, 1.5 ml - Up to 5 inj available on a PSO	4.35	5	Mayne
Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	5.50	5	Mayne

## Antidepressants

## **Cyclic and Related Agents**

AMITRIPTYLINE		
Tab 10 mg2.77	50	Amirol
Tab 25 mg	100	Amitrip
Tab 50 mg5.20	100	<ul> <li>Amitrip</li> </ul>
CLOMIPRAMINE HYDROCHLORIDE		
Tab 10 mg12.60	100	Apo-Clomipramine
Tab 25 mg	100	Apo-Clomipramine
26.00	500	<ul> <li>Clopress</li> </ul>
(Clopress Tab 25 mg to be delisted 1 November 2010)		
DOTHIEPIN HYDROCHLORIDE		
Tab 75 mg8.75	100	Dopress
Cap 25 mg4.75	100	V Dopress
DOXEPIN HYDROCHLORIDE		
Cap 10 mg5.24	100	Anten
Cap 25 mg5.46	100	Anten
Cap 50 mg7.34	100	Anten

	Subsidy		Fully Brand or
	(Manufacturer's Price)	Su	ubsidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
MIPRAMINE HYDROCHLORIDE			
Tab 10 mg		50	<ul> <li>Tofranil</li> </ul>
Tab 25 mg	8.80	50	<ul> <li>Tofranil</li> </ul>
APROTILINE HYDROCHLORIDE			
Tab 25 mg	25.06	100	<ul> <li>Ludiomil</li> </ul>
Tab 75 mg	21.01	30	<ul> <li>Ludiomil</li> </ul>
/IANSERIN HYDROCHLORIDE - Special Authority see SA0864	below - Retail phar	macy	
Tab 30 mg	29.25	30	<ul> <li>Tolvon</li> </ul>
<ul> <li>SA0864 Special Authority for Subsidy         hitial application from any relevant practitioner. Approvals valid for             both:             <ul>                       1 Depression; and                       2 Either:                           2.1 Co-existent bladder neck obstruction; or</ul></li></ul>	rs where the treatm 5.94 14.44		
RANYLCYPROMINE SULPHATE			
Tab 10 mg	22.94	50	Parnate
Monoamine-Oxidase Type A Inhibitors			
MOCLOBEMIDE         Note: There is a significant cost differential between mocloben expensive). For depressive syndromes it is therefore more cos ing prescribing moclobernide.         Tab 150 mg         Tab 300 mg         GenRx Moclobernide Tab 150 mg to be delisted 1 November 2010         GenRx Moclobernide Tab 300 mg to be delisted 1 November 2010	t-effective to start tr 8.31 69.23 18.80 31.33		0
Selective Serotonin Reuptake Inhibitors			
CITALOPRAM HYDROBROMIDE * Tab 20 mg	3.78	84	✓ <u>Arrow-Citalopram</u>

	Subsidy (Manufacturar's Drive	\	Fully Brand or
	(Manufacturer's Price \$	) 5 Per	Subsidised Generic Manufacturer
LUOXETINE HYDROCHLORIDE			
<ul> <li>Tab dispersible 20 mg, scored – Subsidy by endorsement</li> </ul>		30	Fluox
Subsidised by endorsement			
1) When prescribed for a patient who cannot swallow	whole tablets or caps	ules and	the prescription is endorsed acc
ingly; or			
2) When prescribed in a daily dose that is not a mu			
endorsed. Note: Tablets should be combined with o			
Cap 20 mg		84	✓ Fluox
	2.89	90	Fluox
ROXETINE HYDROCHLORIDE			
Tab 20 mg	2.38	30	<ul> <li>Loxamine</li> </ul>
Other Antidepressants			
IRTAZAPINE - Special Authority see SA0994 below - Retail p	harmaov		
Tab 30 mg		30	Avanza
Tab 45 mg		30	✓ Avanza
SA0994 Special Authority for Subsidy			
<ul> <li>2.1 The patient must have had a trial of two different are to respond to an adequate dose over an adequate</li> <li>2.2 Both:</li> <li>2.2.1 The patient is currently a hospital in-patient</li> <li>2.2.2 The patient must have had a trial of one othe to an adequate dose over an adequate period</li> <li>enewal from any relevant practitioner. Approvals valid for 2 year ned).</li> </ul>	period of time (usual as a result of an acut r antidepressant and od of time. ars where the patient	y at leas e depres either co	t four weeks); or ssive episode; and suld not tolerate it or failed to resp
ENLAFAXINE – Special Authority see SA0789 below – Retail p		00	
Cap 37.5 mg Cap 75 mg		28 28	<ul> <li>Efexor XR</li> <li>Efexor XR</li> </ul>
Cap 150 mg		28	Elexor XR
► SA0789 Special Authority for Subsidy		20	
<b>itial application</b> only from a relevant specialist or vocationall plications meeting the following criteria: th:	y registered general	practitio	ner. Approvals valid for 2 year
1 The patient has 'treatment-resistant' depression; and			
2 Either:			
2.1 The patient must have had a trial of two different ar adequate period of time (usually at least four weeks)		iled to re	espond to an adequate dose over
2.2 Both:	5), 01		
2.2.1 The patient is currently a hospital in-patient	as a result of an acu	e depres	sive episode: and
2.2.2 The patient must have had a trial of one oth			
an adequate period of time.			1
			igh rick of release (prescriber d

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	e) S Per	Subsidised	Generic Manufacturer
Antiepilepsy Drugs				
Agents for Control of Status Epilepticus				
CLONAZEPAM				
lnj 1 mg per ml, 1 ml	19.00	5	🗸 Ri	ivotril
DIAZEPAM	0.04	_		
Inj 5 mg per ml, 2 ml – Subsidy by endorsement a) Up to 5 inj available on a PSO b) Only on a PSO	9.24	5	✓ M	ayne
c) PSO must be endorsed "not for anaesthetic procedures".				
Rectal tubes 5 mg - Up to 5 tube available on a PSO		5		esolid
Rectal tubes 10 mg – Up to 5 tube available on a PSO		5	V Si	esolid
PARALDEHYDE		_		
* Inj 5 ml	1,500.00	5	✓ A	FT
PHENYTOIN SODIUM	00.04	_		
<ul> <li>Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO</li> <li>Inj 50 mg per ml, 5 ml – Up to 5 inj available on a PSO</li> </ul>		5 5	✓ M ✓ M	
		5	• M	ayne
Control of Epilepsy				
CARBAMAZEPINE				
* Tab 200 mg		100		egretol
* Tab long-acting 200 mg		100		egretol CR
* Tab 400 mg		100		egretol
✤ Tab long-acting 400 mg *‡ Oral liq 100 mg per 5 ml		100 250 ml		egretol CR egretol
		200 111	₽ 10	gieloi
CLOBAZAM Tab 10 mg	0.12	50	V E	risium
\$ Safety cap for extemporaneously compounded oral liquid		50	• 11	ISIUIT
CLONAZEPAM	p			
Tab 500 μg	6.26	100	🖌 Pa	axam
Tab 2 mg	11.15	100	🖌 <u>Pa</u>	axam
Cral drops 2.5 mg per ml	7.38	10 ml OP	🖌 Ri	ivotril
ETHOSUXIMIDE				
* Cap 250 mg		200	• =•	arontin
*‡ Oral liq 250 mg per 5 ml	11.96	200 ml	🗸 Za	arontin
GABAPENTIN - Special Authority see SA1009 below - Retail pha				
▲ Cap 100 mg		100		upentin
▲ Cap 300 mg		100 100		upentin upentin
Cap 400 mg		100	✓ <u>N</u>	

### ➡SA1009 Special Authority for Subsidy

Initial application — (Epilepsy - new patients) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	bsidised	Generic	
\$	Per	~	Manufacturer	

#### continued...

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Epilepsy - patient has had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life from gabapentin; or
- 2 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents, or seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Initial application — (Neuropathic pain - new patients) from any relevant practitioner. Approvals valid for 3 months where the patient has tried and failed, or has been unable to tolerate, treatment with a tricyclic antidepressant.

Initial application — (Neuropathic pain - patient has had an approval for gabapentin for neuropathic pain prior to 1 August 2007) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

If the patient had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

Renewal — (Neuropathic pain) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Note: If the patient had an approval for gabapentin for neuropathic pain prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

GABAPENTIN (NEURONTIN) - Special Authority see SA0973 below - Retail pharmacy

▲ Tab 600 mg	 100	Neurontin
▲ Cap 100 mg	100	Neurontin
▲ Cap 300 mg	100	Neurontin
▲ Cap 400 mg	100	<ul> <li>Neurontin</li> </ul>

#### ➡SA0973 Special Authority for Subsidy

Notes: Subsidy for patients pre-approved by PHARMAC on 1 August 2009. Approvals valid without further renewal unless notified. No new approvals will be granted from 1 August 2009.

	Subsidy (Manufacturer's Pri	ice) S	Fully Subsidised	Brand or Generic
	\$	Per	~	Manufacturer
MOTRIGINE				
Tab dispersible 2 mg	6.74	30	🖌 La	amictal
Tab dispersible 5 mg	9.64	30	🖌 La	amictal
	15.00	56	🖌 A	rrow-Lamotrigine
Tab dispersible 25 mg		56	🖌 Lo	ogem
	20.40		🖌 A	rrow-Lamotrigine
				ogine
	29.09			amictal
Tab dispersible 50 mg		56		ogem
	34.70			rrow-Lamotrigine
				ogine
Tab diamanikia 400 mm	47.89	50	• =	amictal
Tab dispersible 100 mg		56		ogem
	59.90			rrow-Lamotrigine
	70.10			ogine
	79.16		V La	amictal
VETIRACETAM – Special Authority see SA0921 below				
Tab	000			eppra
bsidy by application to the Levetiracetam Special Acces tes: Application details may be obtained from PHARMA	s Panel C's website http://www.p	60 harmac.go		oppid
►SA0921 Special Authority for Subsidy bsidy by application to the Levetiracetam Special Acces ites: Application details may be obtained from PHARMA The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254	s Panel C's website http://www.p Phone: (04) 916-7553 Facsimile: (09) 929-322	harmac.gc	ovt.nz or:	,
► SA0921 Special Authority for Subsidy bsidy by application to the Levetiracetam Special Acces ites: Application details may be obtained from PHARMA The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington	s Panel C's website http://www.p Phone: (04) 916-7553	harmac.gc	ovt.nz or:	
►SA0921 Special Authority for Subsidy bsidy by application to the Levetiracetam Special Acces ites: Application details may be obtained from PHARMA The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington IENOBARBITONE	s Panel C's website http://www.p Phone: (04) 916-7553 Facsimile: (09) 929-322	harmac.gc	ovt.nz or:	,
Special Authority for Subsidy           bsidy by application to the Levetiracetam Special Access           tes: Application details may be obtained from PHARMA           The Coordinator, Levetiracetam Special Access Panel           PHARMAC, PO Box 10 254           Wellington           IENOBARBITONE           For phenobarbitone oral liquid refer, page 170	s Panel C's website http://www.p Phone: (04) 916-7553 Facsimile: (09) 929-322 Email: Isacoordinator@	oharmac.gc 26 @pharmac.	ovt.nz or: govt.nz	
Special Authority for Subsidy           bsidy by application to the Levetiracetam Special Access           tes: Application details may be obtained from PHARMA           The Coordinator, Levetiracetam Special Access Panel           PHARMAC, PO Box 10 254           Vellington           ENOBARBITONE           For phenobarbitone oral liquid refer, page 170           Tab 15 mg	s Panel C's website http://www.p Phone: (04) 916-7553 Facsimile: (09) 929-322 Email: Isacoordinator@	oharmac.gc 26 @pharmac. 500	<u>wt.nz</u> or: govt.nz ✔ ₽	SM
SA0921 Special Authority for Subsidy bsidy by application to the Levetiracetam Special Access tes: Application details may be obtained from PHARMA The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Vellington ENOBARBITONE For phenobarbitone oral liquid refer, page 170 Tab 15 mg Tab 30 mg	s Panel C's website http://www.p Phone: (04) 916-7553 Facsimile: (09) 929-322 Email: Isacoordinator@	oharmac.gc 26 @pharmac.	ovt.nz or: govt.nz	SM
SA0921 Special Authority for Subsidy bsidy by application to the Levetiracetam Special Acces tes: Application details may be obtained from PHARMA The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington ENOBARBITONE For phenobarbitone oral liquid refer, page 170 Tab 15 mg Tab 30 mg ENYTOIN SODIUM	s Panel C's website http://www.p Phone: (04) 916-7553 Facsimile: (09) 929-322 Email: Isacoordinator@ 	oharmac.gc 26 @pharmac. 500 500	ovt.nz or: govt.nz ✔ P	SM SM
SA0921 Special Authority for Subsidy     bsidy by application to the Levetiracetam Special Acces     tes: Application details may be obtained from PHARMAG     The Coordinator, Levetiracetam Special Access Panel     PHARMAC, PO Box 10 254     Wellington     IENOBARBITONE     For phenobarbitone oral liquid refer, page 170     Tab 15 mg     IENYTOIN SODIUM     Tab 50 mg	s Panel C's website http://www.p Phone: (04) 916-7553 Facsimile: (09) 929-322 Email: Isacoordinator@ 	oharmac.gc 26 ₿pharmac. 500 500 200	vt.nz or: govt.nz ✔ P: ✔ P: ✔ D	SM SM ilantin Infatab
SA0921 Special Authority for Subsidy     bsidy by application to the Levetiracetam Special Access     tes: Application details may be obtained from PHARMAY The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington IENOBARBITONE For phenobarbitone oral liquid refer, page 170 Tab 15 mg Tab 30 mg IENYTOIN SODIUM Tab 50 mg Cap 30 mg	s Panel C's website http://www.p Phone: (04) 916-7553 Facsimile: (09) 929-322 Email: Isacoordinator@ 	aharmac.gc 26 ₿pharmac. 500 500 200 200	vt.nz or: govt.nz ✓ P: ✓ P: ✓ D ✓ D	SM SM ilantin Infatab ilantin
SA0921 Special Authority for Subsidy     bidy by application to the Levetiracetam Special Acces     tes: Application details may be obtained from PHARMAI     The Coordinator, Levetiracetam Special Access Panel     PHARMAC, PO Box 10 254     Vellington     IENOBARBITONE     For phenobarbitone oral liquid refer, page 170     Tab 15 mg     Tab 30 mg     IENYTOIN SODIUM     Tab 50 mg     Cap 30 mg     Cap 100 mg	s Panel C's website http://www.p Phone: (04) 916-7553 Facsimile: (09) 929-322 Email: Isacoordinator@ 	aharmac.gc 26 ₿pharmac. 500 500 200 200 200 200	vvt.nz or: govt.nz ✓ P: ✓ P: ✓ D ✓ D ✓ D	SM SM ilantin Infatab ilantin ilantin
SA0921 Special Authority for Subsidy     Ibsidy by application to the Levetiracetam Special Access     tes: Application details may be obtained from PHARMAI     The Coordinator, Levetiracetam Special Access Panel     PHARMAC, PO Box 10 254     Wellington     HENOBARBITONE     For phenobarbitone oral liquid refer, page 170     Tab 15 mg     Tab 30 mg     HENYTOIN SODIUM     Tab 50 mg     Cap 30 mg     Cap 100 mg	s Panel C's website http://www.p Phone: (04) 916-7553 Facsimile: (09) 929-322 Email: Isacoordinator@ 	aharmac.gc 26 ₿pharmac. 500 500 200 200	vvt.nz or: govt.nz ✓ P: ✓ P: ✓ D ✓ D ✓ D	SM SM ilantin Infatab ilantin
SA0921 Special Authority for Subsidy     bsidy by application to the Levetiracetam Special Access tes: Application details may be obtained from PHARMAG The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington IENOBARBITONE For phenobarbitone oral liquid refer, page 170 Tab 15 mg IENYTOIN SODIUM Tab 50 mg Cap 30 mg Cap 100 mg Oral liq 30 mg per 5 ml	s Panel C's website http://www.p Phone: (04) 916-7553 Facsimile: (09) 929-322 Email: Isacoordinator@ 	aharmac.gc 26 ₿pharmac. 500 500 200 200 200 200	vvt.nz or: govt.nz ✓ P: ✓ P: ✓ D ✓ D ✓ D	SM SM ilantin Infatab ilantin ilantin
SA0921       Special Authority for Subsidy         bsidy by application to the Levetiracetam Special Access         tes: Application details may be obtained from PHARMAR         The Coordinator, Levetiracetam Special Access Panel         PHARMAC, PO Box 10 254         Wellington         ENOBARBITONE         For phenobarbitone oral liquid refer, page 170         Tab 15 mg         Tab 30 mg         Cap 30 mg         Cap 100 mg         Coral liq 30 mg per 5 ml	s Panel C's website http://www.p Phone: (04) 916-7553 Facsimile: (09) 929-322 Email: Isacoordinator@ 	aharmac.gc 26 ₿pharmac. 500 500 200 200 200 200	vt.nz or: govt.nz P P D D D D D D D D D D D	SM SM ilantin Infatab ilantin ilantin
SA0921 Special Authority for Subsidy     bidy by application to the Levetiracetam Special Access tes: Application details may be obtained from PHARMAG The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington IENOBARBITONE For phenobarbitone oral liquid refer, page 170 Tab 15 mg Tab 30 mg Cap 100 mg Cap 100 mg Tab 250 mg Cap 100	s Panel C's website http://www.p Phone: (04) 916-7553 Facsimile: (09) 929-322 Email: Isacoordinator@ 	oharmac.go 26 9 pharmac. 500 500 200 200 200 500 ml	vt.nz or: govt.nz P P D D D D D D D D D D D	SM SM ilantin Infatab ilantin ilantin ilantin
SA0921 Special Authority for Subsidy     bidy by application to the Levetiracetam Special Access tes: Application details may be obtained from PHARMAG The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington IENOBARBITONE For phenobarbitone oral liquid refer, page 170 Tab 15 mg Tab 30 mg ENYTOIN SODIUM Tab 50 mg Cap 30 mg Cap 100 mg Cap 100 mg Tab 250 mg Cap 100 mg Cap 250 mg Cap 100 mg Cap 250 mg Cap 2	s Panel C's website http://www.p Phone: (04) 916-7553 Facsimile: (09) 929-322 Email: Isacoordinator@ 	oharmac.go 26 9 pharmac. 500 500 200 200 200 500 ml	vt.nz or: govt.nz Pr Pr D D D D D D C D D C D D C D D D C D D D C D D C D D C D D C D D C D C D C D D C D D C D D C D C D D C D D C D D D D D D D D D D D D D	SM SM ilantin Infatab ilantin ilantin ilantin po-Primidone
SA0921 Special Authority for Subsidy     bidy by application to the Levetiracetam Special Access tes: Application details may be obtained from PHARMAG The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Vellington IENOBARBITONE For phenobarbitone oral liquid refer, page 170 Tab 15 mg IENYTOIN SODIUM Tab 50 mg Cap 30 mg Cap 30 mg Cap 100 mg IMIDONE Tab 250 mg DDIUM VALPROATE Tab 100 mg	s Panel C's website http://www.p Phone: (04) 916-7553 Facsimile: (09) 929-322 Email: Isacoordinator@ 	oharmac.go 26 @pharmac. 500 500 200 200 200 500 ml 100	vt.nz or: govt.nz Pr D D D D D C D C D C D C D C D C D C D C D C C C C C C C C C C C C C	SM SM ilantin Infatab ilantin ilantin ilantin po-Primidone pilim Crushable
SA0921 Special Authority for Subsidy     bidy by application to the Levetiracetam Special Access tes: Application details may be obtained from PHARMAG The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington IENOBARBITONE For phenobarbitone oral liquid refer, page 170 Tab 15 mg IENYTOIN SODIUM Tab 50 mg Cap 30 mg Cap 30 mg Cap 30 mg Cap 100 mg Cap 30 mg Cap 100 mg Cap 30 mg Cap 100 mg Cap 30 mg Cap 30 mg Cap 30 mg Cap 100 mg Cap 100 mg Cap 30 mg Cap 100 mg Cap 30 mg Cap 100 mg Cap 30 mg Cap 30 mg Cap 100 mg Cap 30 mg Cap 3	s Panel C's website http://www.p Phone: (04) 916-7553 Facsimile: (09) 929-322 Email: Isacoordinator@ 25.00 26.00 42.09 19.13 17.21 19.16 17.25 	oharmac.go 26 @pharmac. 500 500 200 200 200 500 ml 100 100	vt.nz or: govt.nz P P D D D D D C D D D C D D D D D D D D D D D D D	SM SM ilantin Infatab ilantin ilantin ilantin po-Primidone pilim Crushable pilim
SA0921 Special Authority for Subsidy     bidy by application to the Levetiracetam Special Access tes: Application details may be obtained from PHARMAI The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington IENOBARBITONE For phenobarbitone oral liquid refer, page 170 Tab 15 mg Tab 30 mg Cap 30 mg Cap 100 mg Cap 250 mg Cap 100 mg Cap 250 mg Cap 100	s Panel C's website http://www.p Phone: (04) 916-7553 Facsimile: (09) 929-322 Email: Isacoordinator@ 25.00 26.00 42.09 19.13 17.21 19.16 17.25 13.65 27.44 52.24	oharmac.go 26 @pharmac. 500 500 200 200 200 500 ml 100 100 100	vt.nz or: govt.nz PP: PP: D D D D D D C D D C D D C D D C D C D D C D D C D D C D D C D D C D C D D C D C D C D D C D C D D C D D C D D D C D D D D D D D D D D D D D	SM SM ilantin Infatab ilantin ilantin ilantin po-Primidone pilim Crushable pilim
SA0921 Special Authority for Subsidy bisdy by application to the Levetiracetam Special Access tes: Application details may be obtained from PHARMAT The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington IENOBARBITONE For phenobarbitone oral liquid refer, page 170 Tab 15 mg Tab 30 mg Cap 30 mg Cap 30 mg Cap 30 mg Cap 100 mg Cap 30 mg Cap 30 mg Cap 100 mg Cap 30 m	s Panel C's website http://www.p Phone: (04) 916-7553 Facsimile: (09) 929-322 Email: Isacoordinator@ 25.00 26.00 42.09 19.13 17.21 19.16 17.25 13.65 27.44 52.24	oharmac.go 26 @pharmac. 500 500 200 200 200 500 ml 100 100 100 100	vt.nz or: govt.nz P: D D D D D D C D C D C D C D C D	SM SM ilantin Infatab ilantin ilantin ilantin po-Primidone pilim Crushable pilim

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
TOPIRAMATE				
▲ Tab 25 mg	11.07	60	~	Arrow-Topiramate
	26.04		~	Topamax
▲ Tab 50 mg		60	~	Arrow-Topiramate
-	44.26		~	Topamax
▲ Tab 100 mg		60	~	Arrow-Topiramate
-	75.25		~	Topamax
▲ Tab 200 mg		60	~	Arrow-Topiramate
-	129.85		~	Topamax
Sprinkle cap 15 mg		60	~	Topamax
Sprinkle cap 25 mg		60	V	Topamax
VIGABATRIN - Special Authority see SA1010 below - Retail phar	macy			
▲ Tab 500 mg	119.30	100	V	Sabril

### ➡SA1010 Special Authority for Subsidy

**Initial application — (new patients)** from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Both:

### 1 Either:

- 1.1 Patient has infantile spasms; or
- 1.2 Both:
  - 1.2.1 Patient has epilepsy; and
  - 1.2.2 Either:
    - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
    - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and
- 2 Either:
  - 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
  - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Initial application — (patient has had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for the duration of treatment with vigabatrin; or
- 2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Note: Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- 2 Either:
  - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
  - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per 🖌 Manufacturer		Subsidised	Generic	
--	--	------------	---------	--

continued...

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages. If the patient had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

### **Antimigraine Preparations**

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 101

### **Acute Migraine Treatment**

ERGOTAMINE TARTRATE WITH CAFFEINE Tab 1 mg with caffeine 100 mg	31.00	100	✓ Cafergot
5		100	
METOCLOPRAMIDE HYDROCHLORIDE WITH PARACETAMOL Tab 5 mg with paracetamol 500 mg	6.77	60	Paramax
RIZATRIPTAN BENZOATE			
Wafer 10 mg	25.32	3	<ul> <li>Maxalt Melt</li> </ul>
SUMATRIPTAN			
Tab 50 mg		4	Arrow-Sumatriptan
T   100	38.83	100	Arrow-Sumatriptan
Tab 100 mg	1.55 77.66	2 100	<ul> <li><u>Arrow-Sumatriptan</u></li> <li><u>Arrow-Sumatriptan</u></li> </ul>
Inj 12 mg per ml, 0.5 ml – Retail pharmacy-Specialist		2 OP	✓ Imigran
Maximum of 10 inj per prescription		2 01	• migran
Prophylaxis of Migraine			
For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYS	TEM, page 52		
CLONIDINE HYDROCHLORIDE			
* Таb 25 µg		100	✓ <u>Dixarit</u>
PIZOTIFEN			
* Tab 500 μg	21.10	100	Sandomigran
Antinausea and Vertigo Agents			
For Antispasmodics refer to ALIMENTARY TRACT, page 27			
APREPITANT - Special Authority see SA0987 below - Retail pha	rmacv		
Cap 2 $\times$ 80 mg and 1 $\times$ 125 mg	,	3 OP	Emend Tri-Pack
■SA0987 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals valid for			nt is undergoing highly emetogenic
chemotherapy and/or anthracycline-based chemotherapy for the tre			
Renewal from any relevant practitioner. Approvals valid for 12 month		tient is undero	going highly emetogenic chemother-
apy and/or anthracycline-based chemotherapy for the treatment of BETAHISTINE DIHYDROCHLORIDE	malignancy.		
* Tab 16 mg	0.26	84	Vergo 16
	9.20	04	Vergo to
CYCLIZINE HYDROCHLORIDE Tab 50 mg	1 59	10	Nausicalm
CYCLIZINE LACTATE		10	
Inj 50 mg per ml, 1 ml	14 95	5	Valoid (AFT)
		5	

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's Pr	rice) S	Fully Brand or ubsidised Generic
	\$	Per	Manufacturer
DOMPERIDONE			
* Tab 10 mg	7.99	100	✓ Motilium
HYOSCINE (SCOPOLAMINE) - Special Authority see SA0939		rmacy	
Patch 1.5 mg		2	Scopoderm TTS
SA0939 Special Authority for Subsidy		_	
<b>nitial application</b> from any relevant practitioner. Approvals valid	for 1 year for appl	lications me	eting the following criteria:
All of the following:	i loi i youi loi upp		oung the following chiefta.
1 Control of intractable nausea, vomiting, or inability to swal	low saliva in the tr	eatment of r	malignancy or chronic disease; and
2 Patient cannot tolerate or does not adequately respond to	oral anti-nausea a	agents; and	
3 The applicant must specify the underlying malignancy or			
Renewal from any relevant practitioner. Approvals valid for 1	year where the tre	eatment rem	nains appropriate and the patient
penefiting from treatment.			
HYOSCINE HYDROBROMIDE			
* Inj 400 μg per ml, 1 ml	6.66	5	Mayne
METOCLOPRAMIDE HYDROCHLORIDE			
* Tab 10 mg	5.15	100	Metamide
Inj 5 mg per ml, 2 ml – Up to 5 inj available on a PSO	4.50	10	✓ Pfizer
ONDANSETRON – Retail pharmacy-Specialist			
a) Maximum of 12 tab per prescription; can be waived by Sp	ecial Authority see	SA0887 be	elow
b) Maximum of 6 tab per dispensing; can be waived by Spec			
			007 holow
<ul> <li>c) Not more than one prescription per month; can be waived</li> </ul>	by Special Author	ity see SAU	667 Delow.
d) The maximum of 6 tab per dispensing cannot be waived w	via Access Exempt		
d) The maximum of 6 tab per dispensing cannot be waived v Tab 4 mg	via Access Exempt	ion Criteria. 10	<ul> <li>Zofran</li> </ul>
d) The maximum of 6 tab per dispensing cannot be waived v Tab 4 mg Tab disp 4 mg	via Access Exempt 17.18 17.18	ion Criteria. 10 10	<ul><li>✓ Zofran</li><li>✓ Zofran Zydis</li></ul>
d) The maximum of 6 tab per dispensing cannot be waived v Tab 4 mg Tab disp 4 mg Tab 8 mg	via Access Exempt 17.18 17.18 	ion Criteria. 10 10 20	<ul> <li>✓ Zofran</li> <li>✓ Zofran Zydis</li> <li>✓ Zofran</li> </ul>
d) The maximum of 6 tab per dispensing cannot be waived v Tab 4 mg Tab disp 4 mg	via Access Exempt 17.18 17.18 	ion Criteria. 10 10	<ul><li>✓ Zofran</li><li>✓ Zofran Zydis</li></ul>
d) The maximum of 6 tab per dispensing cannot be waived w Tab 4 mg Tab disp 4 mg Tab 8 mg Tab disp 8 mg ⇒SA0887 Special Authority for Waiver of Rule	via Access Exempt 	ion Criteria. 10 10 20 10	<ul> <li>✓ Zofran</li> <li>✓ Zofran Zydis</li> <li>✓ Zofran</li> <li>✓ Zofran Zydis</li> </ul>
<ul> <li>d) The maximum of 6 tab per dispensing cannot be waived waive waived waived waive waived waive waived waive waived waive waive</li></ul>	via Access Exempt 	ion Criteria. 10 10 20 10 re the patier	<ul> <li>Zofran</li> <li>Zofran Zydis</li> <li>Zofran</li> <li>Zofran Zydis</li> </ul>
<ul> <li>d) The maximum of 6 tab per dispensing cannot be waived value for the maximum of 6 tab per dispensing cannot be waived value for the maximum of 6 tab per dispension from any relevant practitioner. Approvals valid with highly emetogenic chemotherapy and/or highly emetogenic</li> </ul>	via Access Exempt 	ion Criteria. 10 10 20 10 re the patier or the treatn	<ul> <li>Zofran</li> <li>Zofran Zydis</li> <li>Zofran</li> <li>Zofran Zydis</li> </ul>
<ul> <li>d) The maximum of 6 tab per dispensing cannot be waived v Tab 4 mg Tab disp 4 mg Tab disp 8 mg →SA0887 Special Authority for Waiver of Rule nitial application from any relevant practitioner. Approvals valid with highly emetogenic chemotherapy and/or highly emetogenic Renewal from any relevant practitioner. Approvals valid for 12 provides the second second</li></ul>	via Access Exempt 	ion Criteria. 10 10 20 10 re the patier or the treatn patient is u	<ul> <li>Zofran</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> </ul> At is undergoing prolonged treatment of malignancy. Indergoing prolonged treatment with a second sec
<ul> <li>d) The maximum of 6 tab per dispensing cannot be waived waived water and the maximum of 6 tab per dispensing cannot be waived water and tab 4 mg</li></ul>	via Access Exempt 	ion Criteria. 10 10 20 10 re the patier or the treatn patient is u	<ul> <li>Zofran</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> <li>tis undergoing prolonged treatment of malignancy.</li> <li>ndergoing prolonged treatment with</li> </ul>
<ul> <li>d) The maximum of 6 tab per dispensing cannot be waived waived water and the maximum of 6 tab per dispensing cannot be waived water and tab 4 mg</li></ul>	via Access Exempt 	ion Criteria. 10 10 20 10 re the patier or the treatm patient is un a treatment	<ul> <li>Zofran</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> <li>t is undergoing prolonged treatment of malignancy.</li> <li>ndergoing prolonged treatment with</li> </ul>
<ul> <li>d) The maximum of 6 tab per dispensing cannot be waived waived water and the maximum of 6 tab per dispensing cannot be waived water and tab 4 mg</li></ul>	via Access Exempt 	ion Criteria. 10 10 20 10 re the patier or the treatn patient is u	<ul> <li>Zofran</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> <li>Tofran Zydis</li> </ul> nt is undergoing prolonged treatment of malignancy. ndergoing prolonged treatment with of malignancy.
<ul> <li>d) The maximum of 6 tab per dispensing cannot be waived water and tab 4 mg</li></ul>	via Access Exempt 	ion Criteria. 10 10 20 10 re the patier or the treatm patient is un e treatment 50	<ul> <li>Zofran</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> </ul> It is undergoing prolonged treatment of malignancy. Indergoing prolonged treatment with of malignancy. Buccastem
<ul> <li>d) The maximum of 6 tab per dispensing cannot be waived water and tab 4 mg</li></ul>	via Access Exempt 	ion Criteria. 10 10 20 10 re the patier or the treatm patient is un e treatment 50 500	<ul> <li>Zofran</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> <li>Tofran Zydis</li> </ul> Int is undergoing prolonged treatment of malignancy. Indergoing prolonged treatment with of malignancy. Buccastem Antinaus
<ul> <li>d) The maximum of 6 tab per dispensing cannot be waived wataba 4 mg</li></ul>	via Access Exempt 	ion Criteria. 10 10 20 10 re the patier or the treatm patient is un treatment 50 500 10	<ul> <li>Zofran</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> <li>Tofran Zydis</li> </ul> Int is undergoing prolonged treatment of malignancy. Indergoing prolonged treatment with of malignancy. Buccastem Antinaus Stemetil
<ul> <li>d) The maximum of 6 tab per dispensing cannot be waived water Tab 4 mg</li></ul>	via Access Exempt 	ion Criteria. 10 10 20 10 re the patier or the treatm patient is un e treatment 50 500	<ul> <li>Zofran</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> <li>Tofran Zydis</li> </ul> Int is undergoing prolonged treatment of malignancy. Indergoing prolonged treatment with of malignancy. Buccastem Antinaus
<ul> <li>d) The maximum of 6 tab per dispensing cannot be waived water and table and</li></ul>	via Access Exempt 	ion Criteria. 10 10 20 10 re the patier or the treatm patient is un treatment 50 500 10 5	<ul> <li>Zofran</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> <li>Tofran Zydis</li> </ul> Int is undergoing prolonged treatment of malignancy. Indergoing prolonged treatment with of malignancy. Buccastem Antinaus Stemetil
<ul> <li>d) The maximum of 6 tab per dispensing cannot be waived water Tab 4 mg</li></ul>	via Access Exempt 	ion Criteria. 10 10 20 10 re the patier or the treatm patient is un treatment 50 500 10	<ul> <li>Zofran</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> </ul> It is undergoing prolonged treatment of malignancy. Indergoing prolonged treatment with of malignancy. Buccastem <ul> <li>Antinaus</li> <li>Stemetil</li> <li>Stemetil</li> </ul>
<ul> <li>d) The maximum of 6 tab per dispensing cannot be waived v Tab 4 mg Tab disp 4 mg Tab disp 8 mg Tab disp 8 mg <b>&gt;&gt;SA0887</b> Special Authority for Waiver of Rule Initial application from any relevant practitioner. Approvals valid with highly emetogenic chemotherapy and/or highly emetogenic Renewal from any relevant practitioner. Approvals valid for 12 m highly emetogenic chemotherapy and/or highly emetogenic radia PROCHLORPERAZINE * Tab 3 mg buccal</li> <li>* Tab 5 mg – Up to 30 tab available on a PSO * Inj 12.5 mg per ml, 1 ml – Up to 5 inj available on a PSO * Suppos 25 mg</li> <li>PROMETHAZINE THEOCLATE</li> </ul>	via Access Exempt 	ion Criteria. 10 10 20 10 re the patier or the treatm patient is un treatment 50 500 10 5	<ul> <li>Zofran</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> <li>Tofran Zydis</li> </ul> Int is undergoing prolonged treatment of malignancy. Indergoing prolonged treatment with of malignancy. Buccastem Antinaus Stemetil
<ul> <li>d) The maximum of 6 tab per dispensing cannot be waived value for tab 4 mg</li></ul>	via Access Exempt 	ion Criteria. 10 10 20 10 re the patier or the treatm patient is un treatment 50 500 10 5	<ul> <li>Zofran</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> </ul> It is undergoing prolonged treatment of malignancy. Indergoing prolonged treatment with of malignancy. Buccastem Antinaus Stemetil Stemetil
<ul> <li>d) The maximum of 6 tab per dispensing cannot be waived v Tab 4 mg Tab disp 4 mg Tab disp 4 mg Tab disp 8 mg <b>&gt;SA0887</b> Special Authority for Waiver of Rule nitial application from any relevant practitioner. Approvals valid with highly emetogenic chemotherapy and/or highly emetogenic Renewal from any relevant practitioner. Approvals valid for 12 mighly emetogenic chemotherapy and/or highly emetogenic radia PROCHLORPERAZINE * Tab 5 mg – Up to 30 tab available on a PSO * Inj 12.5 mg per ml, 1 ml – Up to 5 inj available on a PSO * Suppos 25 mg</li> <li>PROMETHAZINE THEOCLATE * Tab 25 mg</li> <li>PROPISETRON – Retail pharmacy-Specialist a) Maximum of 6 cap per prescription</li> </ul>	via Access Exempt 	ion Criteria. 10 10 20 10 re the patier or the treatm patient is un treatment 50 500 10 5	<ul> <li>Zofran</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> </ul> It is undergoing prolonged treatment of malignancy. Indergoing prolonged treatment with of malignancy. Buccastem Antinaus Stemetil Stemetil
<ul> <li>d) The maximum of 6 tab per dispensing cannot be waived v Tab 4 mg Tab disp 4 mg Tab disp 4 mg Tab disp 8 mg Tab disp 8 mg <b>&gt;SA0887</b> Special Authority for Waiver of Rule Initial application from any relevant practitioner. Approvals valid with highly emetogenic chemotherapy and/or highly emetogenic Renewal from any relevant practitioner. Approvals valid for 12 µ highly emetogenic chemotherapy and/or highly emetogenic radia PROCHLORPERAZINE * Tab 3 mg buccal * Tab 5 mg – Up to 30 tab available on a PSO * Inj 12.5 mg per ml, 1 ml – Up to 5 inj available on a PSO * Suppos 25 mg PROMETHAZINE THEOCLATE * Tab 25 mg TROPISETRON – Retail pharmacy-Specialist a) Maximum of 6 cap per prescription b) Maximum of 3 cap per dispensing</li> </ul>	via Access Exempt 	ion Criteria. 10 10 20 10 re the patier or the treatm patient is un treatment 50 500 10 5	<ul> <li>Zofran</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> </ul> It is undergoing prolonged treatment of malignancy. Indergoing prolonged treatment with of malignancy. Buccastem <ul> <li>Antinaus</li> <li>Stemetil</li> <li>Stemetil</li> </ul>
<ul> <li>d) The maximum of 6 tab per dispensing cannot be waived v Tab 4 mg Tab disp 4 mg Tab disp 4 mg Tab disp 8 mg <b>&gt;&gt;SA0887</b> Special Authority for Waiver of Rule Initial application from any relevant practitioner. Approvals valid with highly emetogenic chemotherapy and/or highly emetogenic Renewal from any relevant practitioner. Approvals valid for 12 u highly emetogenic chemotherapy and/or highly emetogenic radia PROCHLORPERAZINE * Tab 3 mg buccal</li> <li>* Tab 5 mg – Up to 30 tab available on a PSO * Inj 12.5 mg per ml, 1 ml – Up to 5 inj available on a PSO * Suppos 25 mg</li> <li>PROMETHAZINE THEOCLATE * Tab 25 mg</li> <li>TROPISETRON – Retail pharmacy-Specialist a) Maximum of 6 cap per prescription</li> </ul>	via Access Exempt 	ion Criteria. 10 10 20 10 re the patier or the treatm patient is un treatment 50 500 10 5	<ul> <li>Zofran</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> <li>Zofran Zydis</li> </ul> It is undergoing prolonged treatment of malignancy. Indergoing prolonged treatment with of malignancy. Buccastem <ul> <li>Antinaus</li> <li>Stemetil</li> <li>Stemetil</li> </ul>

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully idised	Brand or Generic Manufacturer
Agents for Parkinsonism and Related Disorders				
Dopamine Agonists and Related Agents				
MANTADINE HYDROCHLORIDE				
Cap 100 mg POMORPHINE HYDROCHLORIDE	47.81	60	✓ <u>s</u>	<u>ymmetrel</u>
Inj 10 mg per ml, 2 ml	110.00	5	🗸 A	pomine
ROMOCRIPTINE MESYLATE				
F Tab 2.5 mg	32.08	100	🗸 A	po-Bromocriptine
Cap 5 mg	60.43	100	🗸 A	•
				Bromocriptine S29
NTACAPONE	110.00	100		
Tab 200 mg	116.00	100	<u>v</u> <u>c</u>	omtan
EVODOPA WITH BENSERAZIDE	10.00	100		
Tab dispersible 50 mg with benserazide 12.5 mg		100	V IV	ladopar Disporsible
Cap 50 mg with benserazide 12.5 mg	8.00	100		Dispersible ladopar 62.5
Cap 100 mg with benserazide 25 mg		100		ladopar 125
Cap long-acting 100 mg with benserazide 25 mg		100		ladopar HBS
Cap 200 mg with benserazide 50 mg		100		ladopar 250
EVODOPA WITH CARBIDOPA				
Tab 100 mg with carbidopa 25 mg	10.00	50	✔ s	indopa
5 1 5	20.00	100		inemet
Tab long-acting 200 mg with carbidopa 50 mg		100		inemet CR
Tab 250 mg with carbidopa 25 mg		100	✔ S	inemet
SURIDE HYDROGEN MALEATE				
Τab 200 μg	27.50	30	V D	opergin
ERGOLIDE				
Tab 0.25 mg		100		ermax
Tab 1 mg	170.00	100	✓ P	ermax
OPINIROLE HYDROCHLORIDE				
Tab 0.25 mg		84		lopin
Tab 1 mg		84		lopin
Tab 2 mg Tab 5 mg		84 84		lopin lopin
•		04	• 11	opin
ELEGILINE HYDROCHLORIDE Tab 5 mg	16.06	100	<b>~</b> ^	po-Selegiline
		100	• -	po oclegime
DLCAPONE Tab 100 mg	128.75	100	ИТ	asmar
Anticholinergics	120.73	100	₩ 18	uoniai
ENZTROPINE MESYLATE	7.00		4 -	
Tab 2 mg		60 E		enztrop
Inj 1 mg per ml, 2 ml a) Up to 5 inj available on a PSO		5	• 0	ogentin
b) Only on a PSO				

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
ORPHENADRINE HYDROCHLORIDE Tab 50 mg	31.93	250	~	Disipal
PROCYCLIDINE HYDROCHLORIDE Tab 5 mg	7.40	100	~	Kemadrin
Agents for Essential Tremor, Chorea and Relate	d Disorders			
TETRABENAZINE Tab 25 mg	243.00	112	~	Xenazine 25
Antipsychotics				

#### Guidelines for the use of atypical antipsychotic agents

Diagnosis: Schizophrenia and related psychoses when positive symptoms (delusions, hallucinations and thought disorder) are prominent and/or disabling or when both positive symptoms and negative symptoms (flattened affect, emotional and social withdrawal and poverty of speech) are present. Treatment: Before initiating atypical antipsychotic therapy, physicians should consider whether the patient is likely to respond to and/or tolerate conventional antipsychotic therapy and, where appropriate, trial one or more conventional agent prior to use of an atypical agent.

### General

### AMISULPRIDE

	<ul> <li>Solian</li> </ul>
5.44 60 n	nl 🖌 Solian
су	
3.54 30	🖌 Abilify
5.28 30	Abilify
3.42 30	🖌 Abilify
0.07 30	🖌 Abilify
	22.52 30 77.03 60 35.44 60 55.44 60 n cy 23.54 30 75.28 30 3.42 30 30.07 30

### SA0920 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Either:
  - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
  - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

### CHLORPROMAZINE HYDROCHLORIDE

Tab 10 mg – Up to 30 tab available on a PSO12.36	100	Largactil
Tab 25 mg – Up to 30 tab available on a PSO	100	<ul> <li>Largactil</li> </ul>
Tab 100 mg - Up to 30 tab available on a PSO	100	Largactil
Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO25.66	10	Largactil

	Subsidy (Manufacturer's Prio \$	ce) Su Per	Fully Brand or ubsidised Generic Manufacturer
CLOZAPINE – Hospital pharmacy [HP4]			
Tab 25 mg	13.37	50	Clozaril
	26.74	100	Clozaril
	6.69	50	<ul> <li>Clopine</li> </ul>
	13.37	100	Clopine
Tab 50 mg	8.67	50	<ul> <li>Clopine</li> </ul>
	17.33	100	Clopine
Tab 100 mg	34.65	50	Clozaril
	69.30	100	Clozaril
	17.33	50	Clopine
	34.65	100	Clopine
Tab 200 mg	34.65	50	Clopine
	69.30	100	Clopine
Suspension 50 mg per ml	17.33	100 ml	Clopine
HALOPERIDOL			
Tab 500 µg – Up to 30 tab available on a PSO	4.93	100	Serenace
Tab 1.5 mg - Up to 30 tab available on a PSO		100	✓ Serenace
Tab 5 mg – Up to 30 tab available on a PSO		100	Serenace
Oral lig 2 mg per ml - Up to 200 ml available on a PSO		100 ml	Serenace
Inj 5 mg per ml, 1 ml - Up to 5 inj available on a PSO		10	✓ Serenace
LITHIUM CARBONATE			
Tab 250 mg		500	Lithicarb
Tab 400 mg		100	✓ Lithicarb
Tab long-acting 400 mg		100	Priadel
Cap 250 mg		100	✓ Douglas
METHOTBIMEPBAZINE			
Tab 25 mg	16.02	100	Nozinan
5		100	✓ Nozinan
Tab 100 mg		100	✓ Nozinan
Inj 25 mg per ml, 1 ml		10	♥ NUZINAN
OLANZAPINE - Special Authority see SA0741 below - Retail ph			4 -
Tab 2.5 mg		28	Zyprexa
Tab 5 mg		28	Zyprexa
Tab 10 mg	204.49	28	<ul> <li>Zyprexa</li> </ul>

### ►SA0741 Special Authority for Subsidy

**Initial application** only from a psychiatrist. Approvals valid for 2 years for applications meeting the following criteria: Any of the following:

- 1 Patient presents with first episode schizophrenia or related psychoses; or
- 2 Both:
  - 2.1 Patient suffering from schizophrenia and related psychoses or acute mania in bipolar disorder who is likely to benefit from antipsychotic treatment; and
  - 2.2 Either:
    - 2.2.1 An effective dose of risperidone had been trialled and has been discontinued because of unacceptable side effects; or
    - 2.2.2 An effective dose of risperidone had been trialled and has been discontinued because of inadequate clinical response after 4 weeks; or
- 3 The patient has suffered from an acute episode of schizophrenia or bipolar mania and has been treated with olanzapine short-acting intra-muscular injection.

	Subsidy (Manufacturer's Price) \$	) Sub Per	Fully sidised	Brand or Generic Manufacturer
continued				
Renewal only from a psychiatrist. Approvals valid for 2 years when	e the treatment rem	ains approj	priate a	and the patient is benefiting
from treatment.				
Note: Initial prescriptions to be written by psychiatrists or psychi General Practitioners. PERICYAZINE	atric registrars and	subsequer	nt preso	criptions can be written by
Tab 2.5 mg	12 49	100	V N	leulactil
Tab 10 mg		100		leulactil
QUETIAPINE				
Tab 25 mg	7.00	60	V D	r Reddy's Quetiapine
	16.78	90	VQ	luetapel
	46.20	60	V S	eroquel
Tab 100 mg	14.00	60	V D	r Reddy's
-				Quetiapine
	32.59	90	V 0	luetapel
	92.40	60	🖌 S	eroquel
Tab 200 mg		60	V D	r Reddy's
-				Quetiapine
	56.70	90	V 0	luetapel
	158.76	60	🗸 S	eroquel
Tab 300 mg	40.00	60	V D	r Reddy's
				Quetiapine
	95.40	90	<b>V</b> Q	luetapel
	267.12	60	🗸 S	eroquel

	Subsidy (Manufacturer's Pri	ce) Su	Fully Brand Ibsidised Gene	
	\$	Per		facturer
RISPERIDONE				
Tab 0.5 mg		20	<ul> <li>Ridal</li> </ul>	
	3.51	60	Ridal	
			<ul> <li>Apo-Ris</li> <li>Dr Redo</li> </ul>	
				ridone
	5.20	20	<ul> <li>Risperd</li> </ul>	
Tab 1 mg		60	Apo-Ris	
		00	V Dr Redo	
				ridone
			Ridal	
	30.77		<ul> <li>Risperd</li> </ul>	al
Tab 2 mg	11.00	60	🖌 Apo-Ris	
			🖌 Dr Redo	•
				ridone
			Ridal	
Tel Our a	61.53	00	Risperd	
Tab 3 mg	15.00	60	Apo-Ris	
			✓ Dr Redo Biono	•
			rispe ✓ Ridal	ridone
	92.32		<ul> <li>Risperd</li> </ul>	al
Tab 4 mg		60	Apo-Ris	
	20.00	00	V Dr Redo	
			rispe ✓ Ridal	nuone
	123.05		<ul> <li>Risperd</li> </ul>	al
Oral liq 1 mg per ml		30 ml	✓ Apo-Ris	
			<ul> <li>Rispero</li> </ul>	•
	45.92		<ul> <li>Risperd</li> </ul>	
RIFLUOPERAZINE HYDROCHLORIDE				
Tab 1 mg		100	Stelazin	e
Tab 2 mg		100	<ul> <li>Stelazin</li> </ul>	
Tab 5 mg		100	<ul> <li>Stelazin</li> </ul>	e
ZIPRASIDONE – Subsidy by endorsement				
Ziprasidone is subsidised for patients suffering from schiz				
risperidone or quetiapine that has been discontinued, or is		ng discontin	ued, because o	of unacceptable side
effects or inadequate response, and the prescription is end Cap 20 mg		60	Zeldox	
Cap 20 mg		60 60	✓ Zeldox	
Cap 60 mg		60	✓ Zeldox	
Cap 80 mg		60	✓ Zeldox	
ZUCLOPENTHIXOL HYDROCHLORIDE				
Tab 10 mg	31.45	100	<ul> <li>Clopixo</li> </ul>	I
Depot Injections				
FLUPENTHIXOL DECANOATE		-		
Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	Fluanxo	
Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO		5	Fluanxo	
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	40.87	5	<ul> <li>Fluanxo</li> </ul>	1

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

(	Subsidy Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
FLUPHENAZINE DECANOATE				
Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO.	17.60	5	~	Modecate
Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO	27.90	5	~	Modecate
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	154.50	5	~	Modecate
HALOPERIDOL DECANOATE				
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	28.39	5	~	Haldol
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	55.90	5	~	Haldol Concentrate
PIPOTHIAZINE PALMITATE				
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	178.48	10	~	Piportil
Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO	353.32	10	~	Piportil
RISPERIDONE - Special Authority see SA0926 below - Retail pha	irmacy			
Microspheres for injection 25 mg	175.00	1	~	Risperdal Consta
Microspheres for injection 37.5 mg	230.00	1	~	Risperdal Consta
Microspheres for injection 50 mg	280.00	1	~	Risperdal Consta

#### ➡SA0926 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient has schizophrenia or other psychotic disorder; and
- 2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

**Renewal** from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 Both:
  - 1.1 The patient has had less than 12 months treatment with risperidone microspheres; and
  - 1.2 There is no clinical reason to discontinue treatment; or
- 2 The initiation of risperidone microspheres has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of risperidone microspheres.

Note: Risperidone microspheres should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone microspheres.

ZUCLOPEN I HIXOL DECANOALE Inj 200 mg per ml, 1 ml – Up to 5 inj available on a PSO19.80	5	<ul> <li>Clopixol</li> </ul>
Orodispersible Antipsychotics		
OLANZAPINE - Special Authority see SA0739 below - Retail pharmacy		_
Wafer 5 mg102.19	28	Zyprexa Zydis
Wafer 10 mg204.37	28	Zvprexa Zvdis

### ➡SA0739 Special Authority for Subsidy

Initial application only from a psychiatrist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The patient meets the current criteria for standard olanzapine tablets; and
- 2 The patient is unable to take standard olanzapine tablets, or once stabilized refuses to take olanzapine tablets; or the patient is non-adherent to oral therapy with standard olanzapine tablets; and
- 3 The patient is under direct supervision for administration of medicine.

**Renewal** only from a psychiatrist. Approvals valid for 1 year for applications meeting the following criteria: Both:

Subsic (Manufacture \$		Fully Subsidised r V	
continued			
1 The patient is unable to take standard olanzapine tablets, or once stabili	zed refuses	to take olan:	zapine tablets; and
2 The patient is under direct supervision for administration of medicine.			
Note: Initial prescriptions to be written by psychiatrists and subsequent presc	criptions can	be written	by psychiatric registrars or
General Practitioners.			
RISPERIDONE - Special Authority see SA0927 below - Retail pharmacy			
Orally-disintegrating tablets 0.5 mg	28		Risperdal Quicklet
Orally-disintegrating tablets 1 mg	28		Risperdal Quicklet
Orally-disintegrating tablets 2 mg85.71	28	<b>v</b> 1	Risperdal Quicklet
SA0927 Special Authority for Subsidy			
nitial application — (Acute situations) from any relevant practitioner. Appr	ovals valid to	or 6 weeks to	or applications meeting the
ollowing criteria: Noth:			
1 For a non-adherent patient on oral therapy with standard risperidone tab	lote or rieno	ridono oral li	auid: and
2 The patient is under direct supervision for administration of medicine.			quiu, anu
<b>itial application — (Chronic situations)</b> from any relevant practitioner. Ap	nrovals valid	for 1 year f	or applications meeting th
ollowing criteria:	provalo valia	lion i your i	or apprivations mooting th
oth:			
<ol> <li>The patient is unable to take standard risperidone tablets or oral liquid, or or oral liquid; and</li> </ol>	or once stabi	lized refuses	to take risperidone tablet
2 The patient is under direct supervision for administration of medicine.			
Renewal from any relevant practitioner. Approvals valid for 1 year for applicatio	ns meeting t	he following	criteria:
Joth:			
<ol> <li>The patient is unable to take standard risperidone tablets or oral liquid, or or oral liquid; and</li> </ol>	or once stabi	lized refuses	to take risperidone tablet
2 The patient is under direct supervision for administration of medicine.			
lote: Risperdal Quicklets cost significantly more than risperidone tablets and s	hould only b	e used wher	re necessary.
Anxiolytics			
LPRAZOLAM – Month Restriction			
Tab 250 µg3.15	50	V	Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid preparations			
Tab 500 µg4.10	50	VA	Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid preparations			
Tab 1 mg7.25	50	V 4	Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid preparations			
USPIRONE HYDROCHLORIDE - Special Authority see SA0863 below - Re	tail pharmac	у	
Month Restriction	100		asifis Dusninsus
Tab 5 mg	100		Pacific Buspirone
Tab 10 mg	100	<b>V</b> I	Pacific Buspirone
SA0863 Special Authority for Subsidy			<b>6</b> H <b>1 1 1 1</b>
itial application from any relevant practitioner. Approvals valid for 2 years for	applications	s meeting th	e tollowing criteria:
loth:			

1 For use only as an anxiolytic; and

2 Other agents are contraindicated or have failed.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

(	Subsidy Manufacturer's Price) \$	Per	Fully Subsidised	
DIAZEPAM				
Tab 2 mg - Month Restriction ‡ Safety cap for extemporaneously compounded oral liquid p		500	~	Arrow-Diazepam
Tab 5 mg – Month Restriction ‡ Safety cap for extemporaneously compounded oral liquid p		500	•	Arrow-Diazepam
LORAZEPAM – Month Restriction				
Tab 1 mg ‡ Safety cap for extemporaneously compounded oral liquid p		250		Ativan
Tab 2.5 mg ‡ Safety cap for extemporaneously compounded oral liquid p		100		Ativan
OXAZEPAM – Month Restriction				
Tab 10 mg	1.98 (5.89)	100	(	Dx-Pam
‡ Safety cap for extemporaneously compounded oral liquid p	reparations.			
Tab 15 mg	2.45 (8.13)	100	(	Dx-Pam
‡ Safety cap for extemporaneously compounded oral liquid p	reparations.			

## **Multiple Sclerosis Treatments**

### SA0855 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Budget managed by appointed clinicians on the Multiple Sclerosis Treatment Assessments Committee (MSTAC).

Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

4 460 4990
e: 04 916 7571
nstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Appeals against MSTAC's decision and/or the processing of any application may be lodged with the MSTAC coordinator. Concerns that cannot be or have not been adequately addressed by MSTAC will be forwarded to a separate Appeal Committee if necessary. Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

### **Entry Criteria**

- Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis should as a rule include MRI confirmation. For patients diagnosed before MRI was widely utilised in New Zealand, confirmation of diagnosis via clinical assessment and laboratory/ancillary data must be provided; and
- 2) patients must have active relapsing MS (confirmed by MR scan where necessary) with or without underlying progression; and
- 3) patients must have either:
  - a) EDSS score 2.5 5.5 with 2+ relapses:

Subsidy		Fully	Brand or
(Manufacturer's Price)	Su	ubsidised	Generic
\$	Per	~	Manufacturer

continued...

- experienced at least 2 significant relapses of MS in the previous 12 months, and
   an EDSS score of between 2.5 and 5.5 inclusive: or
- b) EDSS score 2.0 with 3+ relapses:
  - experienced at least 3 significant relapses of MS in the previous 12 months, and
  - an EDSS score of 2.0; and
- 4) Each relapse must:
  - a) be confirmed by a neurologist or general physician (the patient may not necessarily have been seen during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week;
  - d) follow a period of stability of at least one month;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke functional systems scores by at least 1 point;
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T>37.5°C); and
- 5) applications must be made at least four weeks after the date of the onset of the last known relapse; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate (see criteria for stopping).
- applications must be submitted to the Multiple Sclerosis Treatment Assessment Committee (MSTAC) by the patient's neurologist or a general physician; and
- patients must agree (via informed consent) to co-operate if as a result of their meeting the stopping criteria, funding is withdrawn. Patients must agree to the collection of clinical data relating to their MS and use of those data by PHARMAC; and
- 9) patients must agree to allow clinical data to be collected and reviewed by MSTAC annually for each year in which they receive funding for beta-interferon or glatiramer acetate.

#### **Stopping Criteria**

- Confirmed progression of disability that is sustained for three months after a minimum of one year of treatment. Progression
  of disability is defined as either an increase of 1 EDSS point from the starting EDSS or an increase in EDSS score to 6.0 or
  more; or
- 2) stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment); or
- 3) pregnancy and/or lactation; or
- within the 12 month approval year, intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- non-compliance with treatment, including refusal to undergo annual assessment or refusal to allow the results of the assessment to be submitted to MSTAC; or
- 6) patients may, subject to conclusions drawn from published evidence available at the time, be excluded if they develop a high titre of neutralising anti-bodies to beta-interferon or glatiramer acetate.

INTERFERON BETA-1-ALPHA - Special Authority see S	A0855 on the preceding pa	ge	
Inj 6 million iu prefilled syringe	1,329.65	4	Avonex
Inj 6 million iu per vial	1,329.65	4	Avonex
INTERFERON BETA-1-BETA - Special Authority see SA	0855 on the preceding page	9	
Inj 8 million iu per 1 ml	1,407.33	15	Betaferon

Copaxone

	Subsidy		Fully Brand or
	(Manufacturer's Pri	ce) Su Per	ubsidised Generic Manufacturer
edatives and Hypnotics	÷	10.	• Manufacture:
RMETAZEPAM – Month Restriction Tab 1 mg	0.11	30	
Tab T Tity	(23.50)	30	Noctamid
\$ Safety cap for extemporaneously compounded oral liqued and lique	( )		NUCLAITIN
	ilu preparations.		
Note: Midazolam injection will be funded if prescribed for in	tranacal administrat	ion for use	in nalliative care. Note that only
Hypnovel brand is currently indicated for intranasal administ			in pallative care. Note that only
Tab 7.5 mg – Month Restriction		100	
	(25.00)	100	Hypnovel
‡ Safety cap for extemporaneously compounded oral liquestication			yp o . o .
Inj 1 mg per ml, 5 ml		10	Hypnovel
<b>J OF</b> <sup>2</sup> <b>J</b>	(14.73)		Pfizer
Inj 5 mg per ml, 3 ml		5	Hypnovel
	(19.64)		Pfizer
RAZEPAM – Month Restriction			
Tab 5 mg		100	
	(4.98)		Nitrados
‡ Safety cap for extemporaneously compounded oral liques	id preparations.		
MAZEPAM – Month Restriction			
Tab 10 mg	0.83	25	Normison
‡ Safety cap for extemporaneously compounded oral liqu			
IAZOLAM – Month Restriction			
Tab 125 µg	5.10	100	
	(6.50)		Hypam
‡ Safety cap for extemporaneously compounded oral liques	id preparations.		
Tab 250 µg	4.10	100	
	(7.20)		Hypam
‡ Safety cap for extemporaneously compounded oral liquestication of the second seco	iid preparations.		
PICLONE – Month Restriction			
Tab 7.5 mg	21.02	500	Apo-Zopiclone
timulants/ADHD treatments			
	Datallaharma		
DMOXETINE – Special Authority see SA0951 on the next pa	0 1		A Strattora
Cap 10 mg Cap 18 mg		28 28	<ul> <li>Strattera</li> <li>Strattera</li> </ul>
Cap 25 mg		20 28	Strattera
Cap 40 mg		28	✓ Strattera
Cap 60 mg		28	✓ Strattera
Cap 80 mg		28	Strattera

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🖌	

#### ➡SA0951 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
  - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
  - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
  - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamphetamine sulphate tablets.

DEXAMPHETAMINE SULPHATE - Special Authority see SA0907 below - Retail pharmacy

Only on a controlled drug form			
Tab 5 mg	16.50	100	🖌 PSM

### ►SA0907 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over – new patients) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Both:
    - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 3.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients 5 or over - patient has had an approval for dexamphetamine for ADHD prior to 1 April 2008) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Both:
    - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 2.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients under 5 – new patients) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria: Both:

1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and

Subsidy		Fully	Brand or
		,	
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (ADHD in patients under 5 - patient has had an approval for dexamphetamine for ADHD in patients under 5 prior to 1 April 2008) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Narcolepsy – new patients) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Initial application — (Narcolepsy - patient has had an approval for dexampletamine for narcolepsy prior to 1 April 2008) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or

2.2 Both:

- 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
- 2.2.2 Provide name of the recommending specialist.

Note: If the patient had an approval for dexampletamine for ADHD prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for dexamphetamine for ADHD in patients under 5 prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

**Renewal** — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for dexampletamine for narcolepsy prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

METHYLPHENIDATE HYDROCHLORIDE - Special Authority see SA0908 below - Retail pharmacy

Only on a controlled drug form			
Tab immediate-release 5 mg	3.20	30	Rubifen
Tab immediate-release 10 mg		30	Ritalin
-			Rubifen
Tab immediate-release 20 mg	7.85	30	Rubifen
Tab sustained-release 20 mg		30	Rubifen SR
	50.00	100	Ritalin SR

#### ►SA0908 Special Authority for Subsidy

**Initial application** — (ADHD in patients 5 or over – new patients) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

3.2 Both:

- 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
- 3.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients 5 or over - patient has had an approval for methylphenidate for ADHD prior to 1 April 2008) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 Either:

- 2.1 Applicant is a paediatrician or psychiatrist; or
- 2.2 Both:
  - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
  - 2.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients under 5 – new patients) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (ADHD in patients under 5 - patient has had an approval for methylphenidate for ADHD in patients under 5 prior to 1 April 2008) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Narcolepsy – new patients) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Initial application — (Narcolepsy - patient has had an approval for methylphenidate for narcolepsy prior to 1 April 2008) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

**Renewal — (ADHD in patients 5 or over)** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Both:
    - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 2.2.2 Provide name of the recommending specialist.

Note: If the patient had an approval for methylphenidate for ADHD prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

**Renewal** — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for methylphenidate for ADHD in patients under 5 prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for methylphenidate for narcolepsy prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

	Subsidy (Manufacturer's Price) \$	S Per	Fully ubsidised	Brand or Generic Manufacturer
METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE	- Special Authority	see SA	.0924 belo	ow – Retail pharmacy
Only on a controlled drug form				
Tab extended-release 18 mg		30	🖌 C	oncerta
Tab extended-release 27 mg	65.44	30	🖌 C	oncerta
Tab extended-release 36 mg	71.93	30	V C	oncerta
Tab extended-release 54 mg		30	V C	oncerta
Cap modified-release 10 mg		30	🖌 R	italin LA
Cap modified-release 20 mg		30	🖌 R	italin LA
Cap modified-release 30 mg		30	🖌 R	italin LA
Cap modified-release 40 mg		30	🖌 R	italin LA

### ➡SA0924 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Both:
    - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 3.2.2 Provide name of the recommending specialist: and
- 4 Either:
  - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustainedrelease) which has not been effective due to significant administration and/or compliance difficulties; or
  - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

- Both:
  - 1 The treatment remains appropriate and the patient is benefiting from treatment; and
  - 2 Either:
    - 2.1 Applicant is a paediatrician or psychiatrist; or
    - 2.2 Both:
      - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
      - 2.2.2 Provide name of the recommending specialist.

## **Treatments for Opioid Overdose**

#### NALOXONE HYDROCHLORIDE

- a) Up to 5 inj available on a PSO

b) Only on a PSO	3.00	5	Mayne
Treatments for Substance Dependence			
BUPROPION HYDROCHLORIDE Tab modified-release 150 mg65	5.00	30	🗸 Zyban
DISULFIRAM Tab 200 mg24	1.30	100	✓ Antabuse

	Subsidy (Manufacturer's Price) \$		Fully Subsidised	
NALTREXONE HYDROCHLORIDE – Special Authority see SA0 Tab 50 mg		armacy 30	Re Re	eVia

### SA0909 Special Authority for Subsidy

**Initial application** from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited
- against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

Renewal from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

#### Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
  - 2.1 Patient is still unstable and requires further treatment; or
  - 2.2 Patient achieved significant improvement but requires further treatment; or
  - 2.3 Patient is well controlled but requires maintenance therapy.

The patient may not have had more than 1 prior approval in the last 12 months.

### **Nicotine Gum**

#### NICOTINE

a) Maximum of 768 piece per prescription

- b) Maximum of 384 piece per dispensing
- c) For the avoidance of doubt Nicotine will not be funded Close Control in amounts less than 4 weeks.

d) The maximum of 384 piece per dispensing cannot be waived via Access Exemption Criteria.

Gum 2 mg (Fruit)	14.97	96 OP	Habitrol
	23.41		✓ Nicotinell
Gum 2 mg (Mint)	14.97	96 OP	Habitrol
	23.41		Nicotinell
Gum 4 mg (Fruit)	20.02	96 OP	Habitrol
	23.41		Nicotinell
Gum 4 mg (Mint)	20.02	96 OP	Habitrol
	23.41		Nicotinell

### Nicotine Lozenge

#### NICOTINE

- a) Maximum of 432 loz per prescription
- b) Maximum of 216 loz per dispensing

c) For the avoidance of doubt Nicotine will not be funded Close Control in amounts less than 4 weeks.

d) The maximum of 216 loz per dispensing cannot be waived via Access Exemption Criteria.

Lozenge 1 mg	36 OP	Habitrol
Lozenge 2 mg11.08	36 OP	✓ <u>Habitrol</u>

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🖌	Brand or Generic Manufacturer
Nicotine Patch			
NICOTINE			
a) Maximum of 56 patch per prescription			
<ul> <li>b) Maximum of 28 patch per dispensing</li> </ul>			
c) For the avoidance of doubt Nicotine will not be funded Close			KS.
<ul> <li>d) The maximum of 28 patch per dispensing cannot be waived</li> </ul>	I via Access Exempti	on Criteria.	
Patch 7 mg		7 ОР 🖌 🖌 <u>Н</u>	labitrol
Patch 14 mg		7 ОР 🖌 🖌 <u>Н</u>	labitrol

7 OP

✓ Habitrol

	Subsidy (Manufacturer's \$	Price) Sub Per	sidised Ge	and or neric nufacturer
Chemotherapeutic Agents				
Alkylating Agents				
BUSULPHAN – PCT – Retail pharmacy-Specialist				
Tab 2 mg	47.89	100	<ul> <li>Myler</li> </ul>	an
CARBOPLATIN – PCT only – Specialist				
Inj 10 mg per ml, 5 ml		1		platin Ebewe
Inj 10 mg per ml, 15 ml		1		platin Ebewe
Inj 10 mg per ml, 45 ml		1		platin Ebewe
Inj 10 mg per ml, 100 ml		1		platin Ebewe
Inj 1 mg for ECP	0.15	1 mg	<ul> <li>Baxte</li> </ul>	r
ARMUSTINE – PCT only – Specialist				
Inj 100 mg	204.13	1	BiCNI	J
Inj 100 mg for ECP	204.13	100 mg OP	<ul> <li>Baxte</li> </ul>	r
HLORAMBUCIL – PCT – Retail pharmacy-Specialist				
Tab 2 mg	22.35	25	🖌 Leuke	eran FC
-		20	• Lound	
ISPLATIN – PCT only – Specialist	45.00			
Inj 1 mg per ml, 50 ml		1		atin Ebewe
	19.00		Mayn	
Inj 1 mg per ml, 100 ml		1		atin Ebewe
	38.00		Mayn	
Inj 1 mg for ECP	0.27	1 mg	<ul> <li>Baxte</li> </ul>	r
YCLOPHOSPHAMIDE				
Tab 50 mg – PCT – Retail pharmacy-Specialist	25.71	50	Cyclo	blastin
Inj 1 g - PCT - Retail pharmacy-Specialist	23.65	1	Endo	kan
, , , , , , , , , , , , , , , , , , , ,	127.80	6	Cytox	an
Inj 2 g – PCT only – Specialist		1	Endo	
Inj 1 mg for ECP – PCT only – Specialist		1 mg	Baxte	
, .		5		
OSFAMIDE – PCT only – Specialist	00.00		. <b>/</b> 11a1au	
lnj 1 g		1	<ul> <li>Holox</li> <li>Holox</li> </ul>	
Inj 2 g		-	Baxte	
Inj 1 mg for ECP	0.10	1 mg		ſ
OMUSTINE – PCT only – Specialist				
Cap 10 mg	132.59	20	CeeN	U
Cap 40 mg		20	CeeN	U
ELPHALAN				
Tab 2 mg – PCT – Retail pharmacy-Specialist		25	Alkera	an
Inj 50 mg – PCT only – Specialist		1	✓ Alker	
		novt pogo	,	-
XALIPLATIN – PCT only – Specialist – Special Authority s		1 0		alatin Ehoura
Inj 50 mg		1		platin Ebewe
	200.00		<ul> <li>Eloxa</li> </ul>	
Inj 100 mg		1		platin Ebewe
	400.00		<ul> <li>Eloxa</li> </ul>	
Inj 1 mg for ECP	1.42	1 mg	Baxte	r

Subsidy (Manufacturer's Price)	Subsi	Fully dised	Brand or Generic	
\$	Per	~	Manufacturer	

### SA0900 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

1 Both:

- 1.1 The patient has metastatic colorectal cancer; and
- 1.2 To be used for first or second line use as part of a combination chemotherapy regimen; or

2 Both:

- 2.1 The patient has stage III (Duke's C) colorectal\* cancer; and
- 2.2 Adjuvant oxaliplatin to be given in combination with a fluoropyrimidine (fluorouracil or capecitabine).

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

1 The patient requires continued therapy; or

2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with \* are Unapproved Indications, oxaliplatin is indicated for adjuvant treatment of stage III (Duke's C) colon cancer after complete resection of the primary tumour.

THIOTEPA – PCT only – Specialist

Inj 15 mgCBS	1	Bedford S29
Antimetabolites		
CALCIUM FOLINATE		
Tab 15 mg – PCT – Retail pharmacy-Specialist	10	Mayne
Inj 3 mg per ml, 1 ml – PCT – Retail pharmacy-Specialist	5	Mayne
Inj 50 mg – PCT – Retail pharmacy-Specialist24.50	5	<ul> <li><u>Calcium Folinate</u></li> <li>Ebewe</li> </ul>
Inj 100 mg – PCT only – Specialist9.75	1	<ul> <li>Calcium Folinate Ebewe</li> </ul>
Inj 300 mg – PCT only – Specialist	1	<ul> <li>Calcium Folinate Ebewe</li> </ul>
Inj 1 g – PCT only – Specialist100.00	1	<ul> <li>Calcium Folinate Ebewe</li> </ul>
Inj 1 mg for ECP – PCT only – Specialist0.10	1 mg	<ul> <li>Baxter</li> </ul>
APECITABINE - Retail pharmacy-Specialist - Special Authority see SA0869 be	elow	
Tab 150 mg115.00	60	✓ Xeloda
Tab 500 mg705.00	120	Xeloda

#### SA0869 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Any of the following:

- 1 The patient has advanced gastrointestinal malignancy; or
- 2 The patient has metastatic breast cancer\*; or
- 3 The patient has stage III (Duke's stage C) colorectal\*# cancer and undergone surgery; or
- 4 Both:
  - 4.1 The patient has poor venous access or needle phobia\*; and
  - 4.2 The patient requires a substitute for single agent fluoropyrimidine\*.

Renewal only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with \* are Unapproved Indications, # capecitabine is approved for stage III (Duke's stage C) colon cancer.

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or bsidised Generic ✔ Manufacturer
CLADRIBINE – PCT only – Specialist			
Inj 2 mg per ml, 5 ml		1	Litak S29
Inj 1 mg per ml, 10 ml		7	<ul> <li>Leustatin</li> </ul>
Inj 10 mg for ECP	749.96	10 mg OP	<ul> <li>Baxter</li> </ul>
CYTARABINE			
Inj 100 mg – PCT – Retail pharmacy-Specialist		5	✓ Pfizer
	80.00		Mayne
Inj 500 mg – PCT – Retail pharmacy-Specialist		1	✓ Pfizer
	95.36	5	Mayne
Inj 1 g – PCT – Retail pharmacy-Specialist		1	✓ Pfizer
	42.65		🗸 Mayne
Inj 2 g – PCT – Retail pharmacy-Specialist	31.00	1	Pfizer
	34.47		Mayne
Inj 1 mg for ECP – PCT only – Specialist		10 mg	<ul> <li>Baxter</li> </ul>
Inj 100 mg intrathecal syringe for ECP – PCT only – Specialis	st15.20	100 mg OP	<ul> <li>Baxter</li> </ul>
FLUDARABINE PHOSPHATE - PCT only - Specialist			
Tab 10 mg		20	Fludara Oral
Inj 50 mg	1,430.00	5	✓ Fludara
Inj 50 mg for ECP		50 mg OP	✓ Baxter
FLUOROURACIL SODIUM		•	
Inj 50 mg per ml, 10 ml – PCT only – Specialist	24 75	5	Fluorouracil Ebewe
Inj 50 mg per ml, 20 ml – PCT only – Specialist		1	✓ Fluorouracil Ebewe
Inj 25 mg per ml, 100 ml – PCT only – Specialist		1	✓ Mayne
Inj 50 mg per ml, 50 ml – PCT only – Specialist		1	<ul> <li>Fluorouracil Ebewe</li> </ul>
Inj 50 mg per ml, 100 ml – PCT only – Specialist		1	✓ Fluorouracil Ebewe
Inj 1 mg for ECP – PCT only – Specialist		1 mg	✓ Baxter
GEMCITABINE HYDROCHLORIDE - PCT only - Specialist - S		•	alow
Inj 1 g		1 see 5A1012 0	Gemcitabine Ebewe
пл гу		I	Gemzar
Inj 200 mg		1	Gemcitabine Ebewe
ng 200 mg	78.00		Gemzar
Inj 1 mg for ECP		1 mg	✓ Baxter

### ➡SA1012 Special Authority for Subsidy

**Initial application** — (Hodgkin's Disease) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has Hodgkin's Disease\*; and
- 2 Any of the following:
  - 2.1 Disease has failed to respond to second-line salvage chemotherapy treatment; or
  - 2.2 Disease has relapsed following transplant; or
  - 2.3 The patient is unsuitable for, or intolerant to, second-line salvage chemotherapy or high dose chemotherapy and transplant; and
- 3 Gemcitabine to be given for a maximum of 6 treatment cycles.

Initial application — (T-Cell Lymphoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has T-cell Lymphoma\*; and
- 2 Gemcitabine to be given for a maximum of 6 treatment cycles.

	Subsidy	Fully Subsidised		Brand or
(Mai	(Manufacturer's Price) Sub		sed	Generic
	\$	Per	~	Manufacturer

#### continued...

Initial application — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Any of the following:

- 1 1 The patient has non small cell lung carcinoma (stage Illa, or above); or
- 2 The patient has advanced malignant mesothelioma; or
- 3 The patient has advanced pancreatic carcinoma; or
- 4 The patient has ovarian, fallopian tube\* or primary peritoneal carcinoma\*; or
- 5 The patient has advanced transitional cell carcinoma of the urothelial tract (locally advanced or metastatic).

**Renewal** — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- Either:
  - 1 The patient requires continued therapy; or
  - 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with a \* are Unapproved Indications.

IRINOTECAN – PCT only – Specialist – Special Authority see SA0878 below		
Inj 20 mg per ml, 2 ml41.00	1	Camptosar
Inj 20 mg per ml, 5 ml100.00	1	<ul> <li>Irinotecan-Rex</li> <li>Camptosar</li> </ul>
Inj 1 mg for ECP1.04	1 mg	<ul> <li>Irinotecan-Rex</li> <li>Baxter</li> </ul>

### ➡SA0878 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic colorectal cancer; and
- 2 Either:
  - 2.1 To be used for first or second line use as part of a combination chemotherapy regimen; or
  - 2.2 As single agent chemotherapy in fluropyrimidine-relapsed disease.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- Either:
  - 1 The patient requires continued therapy; or
  - 2 The tumour has relapsed and requires re-treatment.

MERCAPTOPURINE - PCT - Retail pharmacy-Specialist

Tab 50 mg	25	<ul> <li>Purinethol</li> </ul>
METHOTREXATE		
* Tab 2.5 mg – PCT – Retail pharmacy-Specialist	30	Methoblastin
* Tab 10 mg – PCT – Retail pharmacy-Specialist40.93	50	Methoblastin
* Inj 2.5 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist	5	Mayne
* Inj 25 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist	5	Mayne
* Inj 25 mg per ml, 20 ml - PCT - Retail pharmacy-Specialist	1	Mayne
* Inj 100 mg per ml, 10 ml – PCT – Retail pharmacy-Specialist27.50	1	Methotrexate Ebewe
* Inj 100 mg per ml, 50 ml – PCT – Retail pharmacy-Specialist	1	Methotrexate Ebewe
* Inj 1 mg for ECP – PCT only – Specialist0.09	1 mg	✓ Baxter
* Inj 5 mg intrathecal syringe for ECP – PCT only – Specialist4.73	5 mg OP	Baxter
THIOGUANINE – PCT – Retail pharmacy-Specialist		
Tab 40 mg97.16	25	<ul> <li>Lanvis</li> </ul>

	Subsidy (Manufacturer's \$		Fully Brand or sidised Generic ✔ Manufacturer
Other Cytotoxic Agents			
MSACRINE – PCT only – Specialist	000	ĉ	✓ Amsidine S29
Inj 75 mg		6	
ANAGRELIDE HYDROCHLORIDE – PCT only – Specialist – Cap 0.5 mg		v see SA0879 bel 100	ow ✓ Agrylin S29 ✓ Teva S29
<ul> <li>SA0879 Special Authority for Subsidy</li> <li>nitial application only from a relevant specialist or medical pravalid for 12 months for applications meeting the following criteria</li> <li>The patient has primary thrombocythaemia; and</li> </ul>		ecommendation	of a relevant specialist. Approva
<ol> <li>2 Either:</li> <li>2.1 is at high risk (previous thromboembolic disease, l</li> <li>2.2 is intolerant or refractory to hydroxyurea or interfer</li> <li>Renewal only from a relevant specialist or medical practitioner of</li> <li>2 months where the treatment remains appropriate and the par</li> <li>Jote: It is recommended that treatment with anagrelide be initia</li> </ol>	on. on the recommentient is benefiting	ndation of a relev from treatment.	rant specialist. Approvals valid f
ARSENIC TRIOXIDE - PCT only - Specialist			
Inj 10 mg	4,817.00	10	🖌 AFT \$29
BLEOMYCIN SULPHATE - PCT only - Specialist	100.00		
Inj 15,000 iu		1	<ul> <li>DBL Bleomycin Sulfate</li> </ul>
Ini 1 000 ill for ECP	9.28	1 000 iu	✔ Baxter
Inj 1,000 iu for ECP	9.28	1,000 iu	✓ Baxter
COLASPASE (L-ASPARAGINASE) – PCT only – Specialist			
OLASPASE (L-ASPARAGINASE) – PCT only – Specialist Inj 10,000 iu		1	<ul> <li>✓ Baxter</li> <li>✓ Leunase</li> <li>✓ Baxter</li> </ul>
COLASPASE (L-ASPARAGINASE) – PCT only – Specialist Inj 10,000 iu Inj 10,000 iu for ECP			✓ Leunase
COLASPASE (L-ASPARAGINASE) – PCT only – Specialist Inj 10,000 iu Inj 10,000 iu for ECP DACARBAZINE – PCT only – Specialist		1 10,000 iu OP	<ul><li>✓ Leunase</li><li>✓ Baxter</li></ul>
COLASPASE (L-ASPARAGINASE) – PCT only – Specialist Inj 10,000 iu Inj 10,000 iu for ECP		1	✓ Leunase
COLASPASE (L-ASPARAGINASE) – PCT only – Specialist Inj 10,000 iu Inj 10,000 iu for ECP ACARBAZINE – PCT only – Specialist Inj 200 mg Inj 200 mg for ECP		1 10,000 iu OP 1	<ul> <li>✓ Leunase</li> <li>✓ Baxter</li> <li>✓ Mayne</li> </ul>
COLASPASE (L-ASPARAGINASE)       – PCT only – Specialist         Inj 10,000 iu          Inj 10,000 iu for ECP          ACARBAZINE       – PCT only – Specialist         Inj 200 mg          Inj 200 mg for ECP          ACTINOMYCIN (ACTINOMYCIN D)       – PCT only – Specialist		1 10,000 iu OP 1	<ul> <li>✓ Leunase</li> <li>✓ Baxter</li> <li>✓ Mayne</li> </ul>
OLASPASE (L-ASPARAGINASE) – PCT only – Specialist Inj 10,000 iu Inj 10,000 iu for ECP ACARBAZINE – PCT only – Specialist Inj 200 mg Inj 200 mg for ECP		1 10,000 iu OP 1 200 mg OP	<ul> <li>Leunase</li> <li>Baxter</li> <li>Mayne</li> <li>Baxter</li> </ul>
OLASPASE (L-ASPARAGINASE)       – PCT only – Specialist         Inj 10,000 iu		1 10,000 iu OP 1 200 mg OP 1	<ul> <li>Leunase</li> <li>Baxter</li> <li>Mayne</li> <li>Baxter</li> <li>Cosmegen</li> </ul>
OLASPASE (L-ASPARAGINASE)       – PCT only – Specialist         Inj 10,000 iu		1 10,000 iu OP 1 200 mg OP 1	<ul> <li>Leunase</li> <li>Baxter</li> <li>Mayne</li> <li>Baxter</li> <li>Cosmegen</li> </ul>
OLASPASE (L-ASPARAGINASE) – PCT only – Specialist Inj 10,000 iu Inj 10,000 iu for ECP ACARBAZINE – PCT only – Specialist Inj 200 mg Inj 200 mg for ECP ACTINOMYCIN (ACTINOMYCIN D) – PCT only – Specialist Inj 0.5 mg Inj 0.5 mg for ECP		1 10,000 iu OP 1 200 mg OP 1 0.5 mg OP	<ul> <li>Leunase</li> <li>Baxter</li> <li>Mayne</li> <li>Baxter</li> <li>Cosmegen</li> <li>Baxter</li> </ul>
OLASPASE (L-ASPARAGINASE)       – PCT only – Specialist         Inj 10,000 iu		1 10,000 iu OP 1 200 mg OP 1 0.5 mg OP 1	<ul> <li>Leunase</li> <li>Baxter</li> <li>Mayne</li> <li>Baxter</li> <li>Cosmegen</li> <li>Baxter</li> <li>Pfizer \$29</li> </ul>
OLASPASE (L-ASPARAGINASE)       – PCT only – Specialist         Inj 10,000 iu		1 10,000 iu OP 1 200 mg OP 1 0.5 mg OP 1 1 20 mg OP	<ul> <li>Leunase</li> <li>Baxter</li> <li>Mayne</li> <li>Baxter</li> <li>Cosmegen</li> <li>Baxter</li> <li>Pfizer \$29</li> <li>Mayne</li> </ul>
OLASPASE (L-ASPARAGINASE)       – PCT only – Specialist         Inj 10,000 iu		1 10,000 iu OP 1 200 mg OP 1 0.5 mg OP 1 1 20 mg OP	<ul> <li>Leunase</li> <li>Baxter</li> <li>Mayne</li> <li>Baxter</li> <li>Cosmegen</li> <li>Baxter</li> <li>Pfizer \$29</li> <li>Mayne</li> </ul>
OLASPASE (L-ASPARAGINASE)       – PCT only – Specialist         Inj 10,000 iu		1 10,000 iu OP 1 200 mg OP 1 0.5 mg OP 1 1 20 mg OP next page	<ul> <li>Leunase</li> <li>Baxter</li> <li>Mayne</li> <li>Baxter</li> <li>Cosmegen</li> <li>Baxter</li> <li>Pfizer \$29</li> <li>Mayne</li> <li>Baxter</li> </ul>
COLASPASE (L-ASPARAGINASE)       – PCT only – Specialist         Inj 10,000 iu		1 10,000 iu OP 1 200 mg OP 1 0.5 mg OP 1 1 20 mg OP next page	<ul> <li>Leunase</li> <li>Baxter</li> <li>Mayne</li> <li>Baxter</li> <li>Cosmegen</li> <li>Baxter</li> <li>Pfizer \$29</li> <li>Mayne</li> <li>Baxter</li> <li>Docetaxel Ebewe</li> <li>Taxotere</li> <li>Docetaxel Ebewe</li> </ul>
COLASPASE (L-ASPARAGINASE)       – PCT only – Specialist         Inj 10,000 iu       ing ECP         JACARBAZINE       – PCT only – Specialist         Inj 200 mg       – PCT only – Specialist         Inj 200 mg for ECP       –         JACTINOMYCIN (ACTINOMYCIN D)       – PCT only – Specialist         Inj 0.5 mg       –         Inj 0.5 mg for ECP       –         JAUNORUBICIN       – PCT only – Specialist         Inj 2 mg per ml, 10 ml       –         Inj 2 mg per ml, 4 ml       –         Inj 2 mg for ECP       –         DOCETAXEL       – PCT only – Specialist – Special Authority see         Inj 20 mg       –		1 10,000 iu OP 1 200 mg OP 1 0.5 mg OP 1 20 mg OP next page 1	<ul> <li>Leunase</li> <li>Baxter</li> <li>Mayne</li> <li>Baxter</li> <li>Cosmegen</li> <li>Baxter</li> <li>Pfizer \$29</li> <li>Mayne</li> <li>Baxter</li> <li>Docetaxel Ebewe</li> <li>Taxotere</li> </ul>

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully osidised	Brand or Generic Manufacturer
► SA0880 Special Authority for Subsidy Initial application only from a relevant specialist or medical pract valid for 12 months for applications meeting the following criteria: Any of the following: 1 Both:	itioner on the recomm	nendation	of a rele	evant specialist. Approvals
<ul> <li>1.1 The patient has ovarian*, fallopian* or primary perite</li> <li>1.2 Either: <ol> <li>1.2.1 Has not received prior chemotherapy; or</li> <li>1.2.2 Has received prior chemotherapy but has no</li> </ol> </li> <li>2 The patient has metastatic breast cancer; or</li> <li>3 Both:</li> </ul>		ated with t	axanes;	or
<ul> <li>3.1 The patient has early breast cancer; and</li> <li>3.2 Docetaxel is to be given concurrently with trastuzun</li> <li>4 Both: <ul> <li>4.1 The patient has non small-cell lung cancer; and</li> <li>4.2 Either: <ul> <li>4.2.1 Has advanced disease (stage IIIa or above);</li> <li>4.2.2 Is receiving combined chemotherapy and race</li> </ul> </li> </ul></li></ul>	or			
<ul> <li>5 Both:</li> <li>5.1 The patient has small-cell lung cancer*; and</li> <li>5.2 Docetaxel is to be used as second-line therapy.</li> <li>Renewal only from a relevant specialist or medical practitioner or</li> </ul>		n of a rele	want spe	cialist. Approvals valid for
<ul> <li>12 months for applications meeting the following criteria:</li> <li>Both: <ol> <li>The patient has metastatic breast cancer, non small-cell lu</li> <li>Either: <ol> <li>Lither:</li> <li>The patient requires continued therapy; or</li> <li>The tumour has relapsed and requires re-treatment</li> </ol> </li> <li>Note: indications marked with * are Unapproved Indications.</li> </ol></li></ul>		ell lung ca	ancer*; a	nd
DOXORUBICIN         – PCT only – Specialist           Inj 10 mg            Inj 50 mg            Inj 100 mg            Inj 200 mg            Inj 1 mg for ECP		1 1 1 1 1 mg		oxorubicin Ebewe oxorubicin Ebewe oxorubicin Ebewe oxorubicin Ebewe axter
EPIRUBICIN         – PCT only – Specialist           Inj 2 mg per ml, 5 ml		1 1 1 1 1 mg	✓ E ✓ E	pirubicin Ebewe pirubicin Ebewe pirubicin Ebewe pirubicin Ebewe axter
ETOPOSIDE Cap 50 mg – PCT – Retail pharmacy-Specialist Cap 100 mg – PCT – Retail pharmacy-Specialist Inj 20 mg per ml, 5 ml – PCT – Retail pharmacy-Specialist.	340.73 340.73 25.00 612.20	20 10 1 10		epesid epesid ayne epesid
Inj 1 mg for ECP – PCT only – Specialist ETOPOSIDE PHOSPHATE – PCT only – Specialist Inj 100 mg (of etoposide base) Inj 1 mg (of etoposide base) for ECP	40.00	1 mg 1 1 mg	✓ B ✓ Ef ✓ B	topophos

	Subsidy (Manufacturer's P	rice) Su	Fully Ibsidised	Brand or Generic
	`\$	Per	~	Manufacturer
YDROXYUREA – PCT – Retail pharmacy-Specialist				
Cap 500 mg	31.76	100	🖌 Н	ydrea
DARUBICIN HYDROCHLORIDE - PCT only - Specialist				
Cap 5 mg		1	🗸 Za	avedos
Cap 10 mg		1		avedos
lnj 5 mg		1	🗸 Za	avedos
Inj 10 mg		1	🗸 Za	avedos
Inj 1 mg for ECP		1 mg	🖌 Ba	axter
ESNA – PCT only – Specialist		÷		
Tab 400 mg	168.30	50	🖌 U	romitexan
Tab 600 mg		50		romitexan
Inj 100 mg per ml, 4 ml		15		romitexan
Inj 100 mg per ml, 10 ml		15		romitexan
Inj 1 mg for ECP		1 mg	V Ba	
TOMYCIN C – PCT only – Specialist		0		
Inj 2 mg	283.00	10	• M	itomycin-C S29
Inj 5 mg		1		rrow S29
Inj 10 mg		5		itomycin-C S29
Inj 1 mg for ECP		1 mg	✓ Bi	
, ,		i ing	• -	
TOZANTRONE – PCT only – Specialist	110.00	1	• M	itozantrone Ebewe
Inj 2 mg per ml, 5 ml		1		itozantrone Ebewe
Inj 2 mg per ml, 10 ml Inj 2 mg per ml, 12.5 ml		1		nkotrone
Inj 1 mg for ECP		1 mg	✓ Bi	
, ,		ring	• 0	axter
CLITAXEL – PCT only – Specialist	100 75	_	( -	
Inj 30 mg		5		aclitaxel Ebewe
Inj 100 mg		1		aclitaxel Ebewe
Inj 150 mg		1		aclitaxel Ebewe aclitaxel Ebewe
Inj 300 mg		1		aclitaxel Ebewe
Inj 600 mg			✓ Fa	
Inj 1 mg for ECP		1 mg	V D	axter
NTOSTATIN (DEOXYCOFORMYCIN) – PCT only – Specia			4.50	
Inj 10 mg	CBS	1	V N	ipent S29
OCARBAZINE HYDROCHLORIDE - PCT only - Specialis				
Cap 50 mg		50	🖌 Na	atulan S29
MOZOLOMIDE - Special Authority see SA0831 below - Re	tail pharmacy			
Cap 5 mg		5	🖌 Te	emodal
Cap 20 mg	170.00	5	🖌 Te	emodal
Cap 100 mg		5	🖌 Te	emodal
Cap 250 mg	2,100.00	5	🖌 Te	emodal

## SA0831 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 10 months for applications meeting the following criteria: All of the following:

- 1 Patient has newly diagnosed glioblastoma multiforme; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
 \$	Per	<ul> <li>✓</li> </ul>	Manufacturer	

#### continued...

3 Following concomitant treatment temozolomide is to be used for a maximum of six cycles of 5 days treatment, at a maximum dose of 200 mg/m<sup>2</sup>.

Notes: Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme. Reapplications will not be approved. Studies of temozolomide show that its benefit is predominantly in those patients with a good performance status (WHO grade 0 or 1 or Karnofsky score >80), and in patients who have had at least a partial resection of the tumour.

THALIDOMIDE - PCT only - Specialist - Special Authority see SA0882 below

Only on a controlled drug form			
Cap 50 mg	490.00	28	Thalidomide
			Pharmion

### ➡SA0882 Special Authority for Subsidy

**Initial application** — (for new patients) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has refractory, progressive or relapsed multiple myeloma; and
- 2 The patient has received prior chemotherapy.

Initial application — (for patients receiving thalidomide prior to 1 January 2006) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient was receiving treatment with thalidomide for multiple myeloma on or before 31 December 2005.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

#### TRETINOIN

Cap 10 mg	435.90	100	Vesanoid
VINBLASTINE SULPHATE			
Inj 10 mg – PCT – Retail pharmacy-Specialist	27.50	1	🖌 Mayne
	137.50	5	Mayne
Inj 1 mg for ECP – PCT only – Specialist	3.05	1 mg	Baxter
VINCRISTINE SULPHATE			
Inj 1 mg per ml, 1 ml – PCT – Retail pharmacy-Specialist	108.00	5	Hospira
Inj 1 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist	116.00	5	Hospira
Inj 1 mg for ECP – PCT only – Specialist	15.77	1 mg	<ul> <li>Baxter</li> </ul>
VINORELBINE - PCT only - Specialist - Special Authority see SA	1013 below		
Inj 10 mg per ml, 1 ml		1	Navelbine
	42.00		Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml	120.00	1	Navelbine
	210.00		Vinorelbine Ebewe
Inj 1 mg for ECP	2.71	1 mg	<ul> <li>Baxter</li> </ul>

### SA1013 Special Authority for Subsidy

Initial application — (Hodgkin's Disease) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has Hodgkin's Disease\*; and
- 2 Any of the following:
  - 2.1 Disease has failed to respond to second-line salvage chemotherapy treatment; or

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 2.2 Disease has relapsed following transplant; or
- 2.3 The patient is unsuitable for, or intolerant to, second-line salvage chemotherapy or high dose chemotherapy and transplant; and
- 3 Vinorelbine to be given for a maximum of 6 treatment cycles.

Initial application — (T-Cell Lymphoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has T-cell Lymphoma\*; and
- 2 Vinorelbine to be given for a maximum of 6 treatment cycles.

**Initial application** — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has metastatic breast cancer; or
- 2 The patient has non-small cell lung cancer (stage IIIa, or above); or
- 3 All of the following:
  - 3.1 The patient has stage IB-IIIA non-small cell lung cancer; and
  - 3.2 Vinorelbine is to be given as adjuvant treatment in combination with cisplatin; and
  - 3.3 The patient has good performance status (WHO/ECOG grade 0-1).

**Renewal** — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with a \* are Unapproved Indications.

## **Protein-tyrosine Kinase Inhibitors**

DASATINIB - Special Authority see SA0976 below

Tab 20 mg	60	Sprycel
Tab 50 mg6,214.20	60	Sprycel
Tab 70 mg7,692.58	60	Sprycel
Tab 100 mg6,214.20	30	Sprycel

### ➡SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CML/GIST Co-ordinator	Phone: (04) 460 4990
PHARMAC	Facsimile: (04) 916 7571
PO Box 10 254	Email: mary.chesterfield@pharmac.govt.nz
Wellington	

### Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.

e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response,

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

### Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
  - 1) complete haematologic response (as characterised by an absolute neutrophil count (ANC) >  $1.5 \times 10^9$ /L, platelets >  $100 \times 10^9$ /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - 2) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) >  $1.0 \times 10^9$ /L, platelets >  $20 \times 10^9$ /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - 3) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).</p>
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

IMATINIB MESYLATE - Special Authority see SA0643 below

Tab 100 mg	2,400.00	60	<ul> <li>Glivec</li> </ul>
------------	----------	----	----------------------------

## ➡SA0643 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <u>http://www.pharmac.govt.nz</u>, and prescriptions should be sent to:

The CML/GIST Co-ordinator	Phone: (04) 460 4990
PHARMAC	Facsimile: (04) 916 7571
PO Box 10 254	Email: mary.chesterfield@pharmac.govt.nz

Wellington

### Special Authority criteria for CML – access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 600 mg/day for accelerated or blast phase, and 400 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

### Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if after 6 months from initiating therapy a patient did not obtain a haematological response as defined as any one of the following three levels of response:
  - 1) complete haematologic response (as characterised by an absolute neutrophil count (ANC) >  $1.5 \times 10^9$ /L, platelets >  $100 \times 10^9$ /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - 2) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) >  $1.0 \times 10^9$ /L, platelets >  $20 \times 10^9$ /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or

	Subsidy (Manufacturer's Pri \$	ce) Si Per	Fully ubsidised	Brand or Generic Manufacturer
continued				
3) return to chronic phase (as characterised by BM				and promyelocytes < 30%,
PB basophils < 20% and absence of extramedul				a sector at all the second states in
<li>b) Prescribers should consider discontinuation of treatmer major cytogenetic response defined as 0-35% Ph+ met.</li>		rom initiatin	ig therapy	a patient did not obtain a
Special Authority criteria for GIST – access by application	apriases.			
a) Funded for patients:				
<ol> <li>with a diagnosis (confirmed by an oncologist) o tumour (GIST); and</li> </ol>	f unresectable and/o	r metastatio	c maligna	nt gastrointestinal stroma
2) who have immunohistochemical documentation	of c-kit (CD117) expre	ession by th	e tumour.	
b) Maximum dose of 400 mg/day.				
<ul> <li>c) Applications to be made and subsequent prescriptions</li> <li>d) Initial and subsequent applications are valid for one year</li> </ul>			an adoque	ite clinical response to the
treatment with imatinib (prescriber determined).	r. The re-application of		an auequa	de cililical response to the
а а				
Endocrine Therapy				
For GnRH ANALOGUES – refer to HORMONE PREPARATIO	NS. Trophic Hormone	s nage 81		
	,	o, pago o i		
		o, pugo o i		
	ail pharmacy	30	✓ <u>Bi</u>	icalox
BICALUTAMIDE – Special Authority see SA0941 below – Ret Tab 50 mg ⇒SA0941 Special Authority for Subsidy	ail pharmacy 27.10	30		
BICALUTAMIDE – Special Authority see SA0941 below – Ret Tab 50 mg ⇒SA0941 Special Authority for Subsidy Initial application from any medical practitioner. Approvals	ail pharmacy 27.10	30		
BICALUTAMIDE – Special Authority see SA0941 below – Ret Tab 50 mg	ail pharmacy 27.10 valid without further	30	less notifi	ed where the patient has
BICALUTAMIDE – Special Authority see SA0941 below – Ret Tab 50 mg	ail pharmacy 27.10 valid without further	30	less notifi	
BICALUTAMIDE – Special Authority see SA0941 below – Ret Tab 50 mg →SA0941 Special Authority for Subsidy Initial application from any medical practitioner. Approvals advanced prostate cancer. FLUTAMIDE – Retail pharmacy-Specialist Tab 250 mg	ail pharmacy 27.10 valid without further	30 renewal un	less notifi	ed where the patient has
BICALUTAMIDE – Special Authority see SA0941 below – Ret Tab 50 mg →SA0941 Special Authority for Subsidy Initial application from any medical practitioner. Approvals advanced prostate cancer. FLUTAMIDE – Retail pharmacy-Specialist Tab 250 mg	ail pharmacy 27.10 valid without further 	30 renewal un	less notifi	ed where the patient has
BICALUTAMIDE – Special Authority see SA0941 below – Ret Tab 50 mg →SA0941 Special Authority for Subsidy Initial application from any medical practitioner. Approvals advanced prostate cancer. FLUTAMIDE – Retail pharmacy-Specialist Tab 250 mg MEGESTROL ACETATE – Retail pharmacy-Specialist Tab 160 mg	ail pharmacy 27.10 valid without further 48.30 57.92	30 renewal un 100 30	less notifi FI	ed where the patient has utamin po-Megestrol
BICALUTAMIDE – Special Authority see SA0941 below – Ret Tab 50 mg →SA0941 Special Authority for Subsidy Initial application from any medical practitioner. Approvals advanced prostate cancer. FLUTAMIDE – Retail pharmacy-Specialist Tab 250 mg MEGESTROL ACETATE – Retail pharmacy-Specialist Tab 160 mg	ail pharmacy 27.10 valid without further 48.30 57.92 nority see SA1016 be	30 renewal un 100 30	less notifi	ed where the patient has utamin po-Megestrol y ospira
BICALUTAMIDE – Special Authority see SA0941 below – Ret Tab 50 mg →SA0941 Special Authority for Subsidy Initial application from any medical practitioner. Approvals advanced prostate cancer. FLUTAMIDE – Retail pharmacy-Specialist Tab 250 mg MEGESTROL ACETATE – Retail pharmacy-Specialist Tab 160 mg OCTREOTIDE (SOMATOSTATIN ANALOGUE) – Special Auth Inj 50 µg per ml, 1 ml	ail pharmacy 27.10 valid without further 48.30 57.92 nority see SA1016 be 25.65 43.50	30 renewal un 100 30 low – Retai 5	less notifi FI <u>A</u> I pharmac <del>V</del> Ho Sa	ed where the patient has utamin <u>po-Megestrol</u> y ospira andostatin
BICALUTAMIDE – Special Authority see SA0941 below – Ret Tab 50 mg	ail pharmacy 27.10 valid without further 48.30 57.92 nority see SA1016 be 25.65 43.50 48.50	30 renewal un 100 30 low – Retai	less notifi FI Marmaco Harm	ed where the patient has utamin <u>po-Megestrol</u> cy ospira andostatin ospira
BICALUTAMIDE – Special Authority see SA0941 below – Ret Tab 50 mg →SA0941 Special Authority for Subsidy Initial application from any medical practitioner. Approvals advanced prostate cancer. FLUTAMIDE – Retail pharmacy-Specialist Tab 250 mg MEGESTROL ACETATE – Retail pharmacy-Specialist Tab 160 mg OCTREOTIDE (SOMATOSTATIN ANALOGUE) – Special Auth Inj 50 µg per ml, 1 ml Inj 100 µg per ml, 1 ml	ail pharmacy 27.10 valid without further 48.30 57.92 nority see SA1016 be 25.65 43.50 48.50 81.00	30 renewal un 100 30 low – Retai 5 5	less notifi FI <u>A</u> I I pharmac H Sa H Sa Sa	ed where the patient has utamin <u>po-Megestrol</u> y ospira andostatin ospira andostatin
BICALUTAMIDE – Special Authority see SA0941 below – Ret Tab 50 mg →SA0941 Special Authority for Subsidy Initial application from any medical practitioner. Approvals advanced prostate cancer. FLUTAMIDE – Retail pharmacy-Specialist Tab 250 mg MEGESTROL ACETATE – Retail pharmacy-Specialist Tab 160 mg OCTREOTIDE (SOMATOSTATIN ANALOGUE) – Special Auth Inj 50 µg per ml, 1 ml	ail pharmacy 27.10 valid without further 48.30 48.30 48.30 	30 renewal un 100 30 low – Retai 5	less notifi FI <u>A</u> I I pharmac Y Hu Sa Y Hu Sa Y Hu	ed where the patient has utamin <u>po-Megestrol</u> y ospira andostatin ospira andostatin ospira
BICALUTAMIDE – Special Authority see SA0941 below – Ret Tab 50 mg →SA0941 Special Authority for Subsidy Initial application from any medical practitioner. Approvals advanced prostate cancer. FLUTAMIDE – Retail pharmacy-Specialist Tab 250 mg MEGESTROL ACETATE – Retail pharmacy-Specialist Tab 160 mg OCTREOTIDE (SOMATOSTATIN ANALOGUE) – Special Auth Inj 50 μg per ml, 1 ml Inj 500 μg per ml, 1 ml	ail pharmacy 27.10 valid without further 	30 renewal un 100 30 low – Retai 5 5 5	I pharmac H S H S H S S H S S S S S S	ed where the patient has utamin po-Megestrol cy ospira andostatin ospira andostatin ospira andostatin
BICALUTAMIDE – Special Authority see SA0941 below – Ret Tab 50 mg	ail pharmacy 	30 renewal un 100 30 low – Retai 5 5	I pharmace I pharmace	ed where the patient has utamin <u>po-Megestrol</u> y ospira andostatin ospira andostatin ospira

### ➡SA1016 Special Authority for Subsidy

Initial application — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea\* and vomiting\* due to malignant bowel obstruction\*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and
- 3 Octreotide to be given at a maximum dose 1500 µg daily for up to 4 weeks.

Note: Indications marked with \* are Unapproved Indications.

Renewal — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🖌	Manufacturer	

continued...

Initial application — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
  - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
  - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed; or
  - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

**Renewal** — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

**Initial application** — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 2 Both:
  - 2.1 Gastrinoma; and
  - 2.2 Either:
    - 2.2.1 Patient has failed surgery; or
    - 2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or
- 3 Both:
  - 3.1 Insulinomas; and
  - 3.2 Surgery is contraindicated or has failed; or
- 4 For pre-operative control of hypoglycaemia and for maintenance therapy; or

5 Both:

- 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
- 5.2 Disabling symptoms not controlled by maximal medical therapy.

Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item

**Renewal** — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

TAMOXIFEN CITRATE

* Tab 10 mg * Tab 20 mg		100 60 100	<ul> <li>✓ Genox</li> <li>✓ Tamoxifen Sandoz</li> <li>✓ Genox</li> </ul>
Aromatase Inhibitors			
ANASTROZOLE Tab 1 mg	26.55 29.50	30	<ul><li>✓ Arimidex</li><li>✓ DP-Anastrozole</li></ul>

	Subsidy (Manufacturer's Pric \$	e) Sul Per	Fully bsidised	Brand or Generic Manufacturer
EXEMESTANE – Additional subsidy by Special Authority see S Tab 25 mg		il pharmacy 30		romasin
<ul> <li>SA1000 Special Authority for Alternate Subsidy</li> <li>Initial application from any relevant practitioner. Approvals valies</li> <li>All of the following:         <ol> <li>Patient is a postmenopausal woman; and</li> <li>Patient has hormone receptor positive breast cancer; and</li> <li>Any of the following:                  <ol> <li>The patient was receiving funded exemestane privals.</li> <li>The patient has advanced breast cancer and a vertice</li> </ol> </li> </ol></li></ul>	d or to 1 February 2010	); or		
3.3 The patient has advanced breast cancer and disea <b>Renewal</b> from any relevant practitioner. Approvals valid without priate and the patient is benefitting from treatment.	se has progressed fo	llowing trea	tment wi	th anastrozole or letrozole
LETROZOLE Tab 2.5 mg	26.55	30	✓ L	etara_
Immunosuppressants				
Cytotoxic Immunosuppressants				
AZATHIOPRINE – Retail pharmacy-Specialist * Tab 50 mg	26.75 25.00	100	✓ A	nuprine zamun nuran
* Inj 50 mg	(34.90) 60.00	1		nuran
<ul> <li>MYCOPHENOLATE MOFETIL – Special Authority see SA0960 Tab 500 mg Cap 250 mg</li> <li>Powder for oral liq 1 g per 5 ml – Subsidy by endorsement Mycophenolate powder for oral liquid is subsidised only prescription is endorsed accordingly.</li> <li>→SA0960 Special Authority for Subsidy</li> <li>Initial application only from a relevant specialist. Approvals va the following criteria:</li> <li>Any of the following:         <ol> <li>Renal transplant recipient; or</li> <li>Liver transplant recipient; or</li> <li>Patient has an organ transplant and has severe tophaced</li> </ol> </li> </ul>	206.66 	50 100 I65 ml OP o swallow ta	✓ C ✓ C ablets an	d for applications meeting
Immune Modulators				
ANTITHYMOCYTE GLOBULIN (EQUINE) – PCT only – Speci Inj 50 mg per ml, 5 ml	2,137.50	5	🗸 A	TGAM
RITUXIMAB – PCT only – Specialist – Special Authority see S Inj 100 mg per 10 ml vial Inj 500 mg per 50 ml vial Inj 1 mg for ECP	1,195.00 2,987.00	age 2 1 1 mg	🖌 M	abthera abthera axter

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	ubsidised	Generic	
\$	Per	~	Manufacturer	

#### SA0961 Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 2 To be used for a maximum of 8 treatment cycles.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: Fither:

1 Both:

- 1.1 The patient has indolent low grade NHL with relapsed disease following prior chemotherapy; and
- 1.2 To be used for a maximum of 4 treatment cycles; or

2 Both:

- 2.1 The patient has indolent, low grade lymphoma requiring first-line systemic chemotherapy; and
- 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. Rituximab is not funded for Chronic lymphocytic leukaemia/small lymphocytic lymphoma.

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has treatment-naive aggressive CD20 positive NHL; and
- 2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 3 To be used for a maximum of 8 treatment cycles.
- Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 4 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. Rituximab is not funded for Chronic lymphocytic leukaemia/small lymphocytic lymphoma.

Renewal — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

TRASTUZUMAB - PCT only - Specialist - Special Authority see SA1017 on the next page

Inj 150 mg vial	1	<ul> <li>Herceptin</li> </ul>
Inj 440 mg vial	1	<ul> <li>Herceptin</li> </ul>
Inj 1 mg for ECP9.36	1 mg	<ul> <li>Baxter</li> </ul>

Subsidv		Fully	Brand or
	~		
(Manufacturer's Price)	Si	ubsidised	
\$	Per	~	Manufacturer

### ►SA1017 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the patient has metastatic breast cancer expressing HER-2 IHC 3+ or FISH+.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has metastatic breast cancer; and
- 2 The cancer has not progressed.

**Initial application** — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

### All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:
  - 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
  - 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
  - 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
  - 3.4 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Note: For patients with previous Special Authority approvals for a maximum cumulative dose of 20mg/kg (9 weeks treatment) granted after 1 April 2009 the approval period has been extended to allow claims for a maximum cumulative dose of 106mg/kg (12 months treatment).

#### Other Immunosuppressants

#### CYCLOSPORIN

Cap 25 mg Cap 50 mg Cap 100 mg Oral liq 100 mg per ml	118.54 237.08	50 50 50 50 ml OP	<ul> <li>✓ Neoral</li> <li>✓ Neoral</li> <li>✓ Neoral</li> <li>✓ Neoral</li> </ul>
SIROLIMUS – Special Authority see SA0866 below – Reta Tab 1 mg Tab 2 mg Oral liq 1 mg per ml		100 100 60 ml OP	<ul><li>✓ Rapamune</li><li>✓ Rapamune</li><li>✓ Rapamune</li></ul>

#### SA0866 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR<30 ml/min; or
- Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- HUS or TTP; or
- Leukoencepthalopathy; or
- Significant malignant disease

#### TACROLIMUS - Special Authority see SA0669 on the next page - Retail pharmacy

Cap 0.5 mg214.00	100	Prograf
Cap 1 mg	100	Prograf
Cap 5 mg1,070.00	50	Prograf

Subsidy (Manufacturer's Price)	Su	Fully Ibsidised	Brand or Generic
 \$	Per	~	Manufacturer

## ➡SA0669 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Note: Subsidy applies for either primary or rescue therapy.

	Qubaidu		Fully Drand ar
	Subsidy (Manufacturer's P	Price) Su	Fully Brand or bsidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
Antiallergy Preparations			
BEE VENOM ALLERGY TREATMENT - Special Authority see S	SA0053 below – F	Retail pharmad	Cy
Maintenance kit - 6 vials 120 µg freeze dried venom, 6 diluer	nt		
1.8 ml		1 OP	Albay
Treatment kit - 1 vial 550 µg freeze dried venom, 1 diluer		4.00	4 4 11
9 ml, 3 diluent 1.8 ml		1 OP	Albay
► SA0053 Special Authority for Subsidy	1 (		a dha a dha ƙallon da a sadha da
Initial application only from a relevant specialist. Approvals vali Both:	d for 2 years for a	pplications me	eeting the following criteria:
1 RAST or skin test positive; and			
2 Patient has had severe generalised reaction to the sensiti	sing agent.		
Renewal only from a relevant specialist. Approvals valid for 2		reatment rema	ains appropriate and the patient is
benefiting from treatment.			
WASP VENOM ALLERGY TREATMENT - Special Authority see	e SA0053 below -	- Retail pharm	acy
Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze drie	d		
polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml		1 OP	Albay
Treatment kit (Yellow jacket venom) - 1 vial 550 µg freez			4.4.4
dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml		1 OP	Albay
► SA0053 Special Authority for Subsidy			
Initial application only from a relevant specialist. Approvals vali	d for 2 years for a	pplications me	eeting the following criteria:
Both: 1 RAST or skin test positive: and			
2 Patient has had severe generalised reaction to the sensiti	sing agent.		
Renewal only from a relevant specialist. Approvals valid for 2 y		reatment rema	ains appropriate and the patient is
benefiting from treatment.			
Antihistamines			
CETIRIZINE HYDROCHLORIDE	0.01	100	
* Tab 10 mg		100 200 ml	<ul> <li>✓ <u>Zetop</u></li> <li>✓ Cetirizine - AFT</li> </ul>
*‡ Oral liq 1 mg per ml		200 111	Cettrizine - AFT
	9.06	500 ml	✔ Histafen
*‡ Oral liq 2 mg per 5 ml	8.06	500 ml	Histalen
CYPROHEPTADINE HYDROCHLORIDE	0.07	100	
* Tab 4 mg	6.27	100	<ul> <li>Periactin</li> </ul>
(Periactin Tab 4 mg to be delisted 1 September 2010)			
	1.01	00	
* Tab 2 mg	1.01 (4.93)	20	Polaramine
	2.02	40	
	(7.99)		Polaramine
*‡ Oral liq 2 mg per 5 ml		100 ml	
	(10.29)		Polaramine

	Subsidy (Mapufacturar's		Fully Brand or sidised Generic
	(Manufacturer's \$	Price) Sub Per	sidised Generic Manufacturer
EXOFENADINE HYDROCHLORIDE			
← Tab 60 mg	4.34	20	
5	(11.53)		Telfast
← Tab 120 mg		10	
-	(11.53)		Telfast
	14.22	30	
	(29.81)		Telfast
ORATADINE			
K Tab 10 mg		100	Loraclear Hayfever
· · · · · · · · · · · · · · · · · · ·			Relief
K Oral liq 1 mg per ml	3.10	100 ml	Lorapaed
PROMETHAZINE HYDROCHLORIDE			
ROMETHAZINE HYDROCHLORIDE ≰ Tab 10 mg	0 70	50	Allersoothe
✓ Tab To fing		50 50	✓ <u>Allersoothe</u>
k± Oral lig 5 mg per 5 ml		100 ml	✓ <u>Allersoothe</u> ✓ Promethazine
		100 111	Winthrop Elixir
k Inj 25 mg per ml, 2 ml − Up to 5 inj available on a PSO		5	✓ Mayne
		Ũ	• mayno
	0.70	100	
Oral liq 30 mg per 5 ml		100 ml OP	Vallargan Farta
	(8.06)		Vallergan Forte
Inhaled Corticosteroids			
ECLOMETHASONE DIPROPIONATE			
Aerosol inhaler, 100 µg per dose CFC-free	12 50	200 dose OP	Beclazone 100
Aerosol inhaler, 250 µg per dose CFC-free		200 dose OP	✓ Beclazone 250
Aerosol inhaler, 50 µg per dose CFC-free		200 dose OP	✓ Beclazone 50
		200 0000 01	
BUDESONIDE	17.00		A Dulmicort
Powder for inhalation, 100 µg per dose	17.00	200 dose OP	<ul> <li>Pulmicort</li> <li>Turbubalar</li> </ul>
Powder for inhelation, 200 up not doop	10.00	200 daga OD	Turbuhaler
Powder for inhalation, 200 µg per dose		200 dose OP	<ul> <li>Pulmicort</li> <li>Turbubalar</li> </ul>
Devider for inhelation 400 up non deep	00.00		Turbuhaler
Powder for inhalation, 400 µg per dose		200 dose OP	<ul> <li>Pulmicort</li> <li>Turbuhaler</li> </ul>
			Iurpunaler
LUTICASONE			4
Aerosol inhaler, 50 µg per dose CFC-free		120 dose OP	Flixotide
Powder for inhalation, 50 µg per dose		60 dose OP	<b>-</b>
Develop for inhelicities, 400 cm	(8.67)	00.4	Flixotide Accuhaler
Powder for inhalation, 100 µg per dose		60 dose OP	
Assessed includes 105 up new data a OEO free	(13.87)	100 days 00	Flixotide Accuhaler
Aerosol inhaler, 125 µg per dose CFC-free		120 dose OP	<ul> <li>Flixotide</li> </ul>
Aerosol inhaler, 250 µg per dose CFC-free		120 dose OP	<ul> <li>Flixotide</li> </ul>
Powder for inhalation, 250 µg per dose		60 dose OP	Elivatida Assubala:
	(24.51)		Flixotide Accuhaler

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

## Inhaled Long-acting Beta-adrenoceptor Agonists

### Prescribing Guideline for Inhaled Long-Acting Beta-Adrenoceptor Agonists

The addition of inhaled long-acting beta-adrenoceptor agonists (LABAs) to inhaled corticosteroids is recommended:

- For younger children (aged under 12 years) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 200 µg beclomethasone or budesonide (or 100 µg fluticasone).
- For adults and older children (aged 12 years and over) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 400 µg beclomethasone or budesonide (or 200 µg fluticasone).

### Note:

Further information on the place of inhaled corticosteroids and inhaled LABAs in the management of asthma can be found in the New Zealand guidelines for asthma in adults (www.nzgg.org.nz) and in the New Zealand guidelines for asthma in children aged 1-15 (www.paediatrics.org.nz).

EFORMOTEROL FUMARATE – See prescribing guideline above Powder for inhalation, 6 μg per dose, breath activated	60 dose OP 60 dose	<ul><li>Oxis Turbuhaler</li><li>Foradil</li></ul>
SALMETEROL – See prescribing guideline above Aerosol inhaler CFC-free, 25 µg per dose26.46 Powder for inhalation, 50 µg per dose, breath activated26.46		<ul> <li>Serevent</li> <li>Serevent Accuhaler</li> </ul>

## Inhaled Corticosteroids with Long-Acting Beta-Adrenoceptor Agonists

### SA0958 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 All of the following:
  - 1.1 Patient is a child under the age of 12; and
  - 1.2 All of the following:
    - Has, for 3 months of more, been treated with:
    - 1.2.1 An inhaled long-acting beta adrenoceptor agonist; and
    - 1.2.2 Inhaled corticosteroids at a dose of at least 400 µg per day beclomethasone or budesonide, or 200 µg per day fluticasone; and
  - 1.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product; or
- 2 All of the following:
  - 2.1 Patient is over the age of 12; and
  - 2.2 All of the following:
    - Has, for 3 months of more, been treated with:
    - 2.2.1 An inhaled long-acting beta adrenoceptor agonist; and
    - 2.2.2 Inhaled corticosteroids at a dose of at least 800 µg per day beclomethasone or budesonide, or 500 µg per day fluticasone; and
  - 2.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy		Fully Brand or
	(Manufacturer's		sidised Generic
	à	Per	<ul> <li>Manufacturer</li> </ul>
BUDESONIDE WITH EFORMOTEROL – Special Authority see S	A0958 on the	preceding page -	- Retail pharmacy
Aerosol inhaler 100 µg with eformoterol fumarate 6 µg		120 dose OP	Vannair
Powder for inhalation 100 µg with eformoterol fumarate 6 µg		120 dose OP	✓ Symbicort
			Turbuhaler 100/6
Aerosol inhaler 200 µg with eformoterol fumarate 6 µg	60.00	120 dose OP	Vannair
Powder for inhalation 200 µg with eformoterol fumatate 6 µg		120 dose OP	Symbicort
r owdor for initial allori 200 µg with clorificitor furnaliate o µg		120 0000 01	Turbuhaler 200/6
Powder for inhalation 400 µg with eformoterol fumarate 12 µg			
		60 dose OP	1 Symbioart
<ul> <li>No more than 2 dose per day</li> </ul>		OU UUSE OF	<ul> <li>Symbicort Turbuhaler 400/12</li> </ul>
			Turbunaler 400/12
LUTICASONE WITH SALMETEROL – Special Authority see SA	A0958 on the pr	receding page -	Retail pharmacy
Aerosol inhaler 50 µg with salmeterol 25 µg		120 dose OP	<ul> <li>Seretide</li> </ul>
Aerosol inhaler 125 µg with salmeterol 25 µg		120 dose OP	<ul> <li>Seretide</li> </ul>
Powder for inhalation 100 µg with salmeterol 50 µg - No more			
than 2 dose per day		60 dose OP	Seretide Accuhaler
Powder for inhalation 250 µg with salmeterol 50 µg - No more			
than 2 dose per day		60 dose OP	Seretide Accuhaler
Beta-Adrenoceptor Agonists			
ALBUTAMOL			
Oral liq 2 mg per 5 ml	1.00	150 ml	
		150 ml 10	<ul> <li>Salapin</li> </ul>
Infusion 1 mg per ml, 5 ml	(130.21)	10	Ventolin
Inj 500 µg per ml, 1 ml – Up to 5 inj available on a PSO		5	Ventolin
	12.90	5	Ventoini
Inhaled Beta-Adrenoceptor Agonists			
ALBUTAMOL			
Aerosol inhaler, 100 µg per dose CFC free – Up to 1000 dose			_
available on a PSO	3.80	200 dose OP	<ul> <li>Respigen</li> </ul>
			Salamol
	(6.00)		Ventolin
Nebuliser soln, 1 mg per ml, 2.5 ml - Up to 30 neb available			
on a PSO	3.52	20	Asthalin
Nebuliser soln, 2 mg per ml, 2.5 ml - Up to 30 neb available			
on a PSO		20	Asthalin
ERBUTALINE SULPHATE			
Powder for inhalation, 250 µg per dose, breath activated	19.20	200 dose OP	<ul> <li>Bricanyl Turbuhaler</li> </ul>
	10.20	200 00se OP	
Inhaled Anticholinergic agents			
PRATROPIUM BROMIDE			A 4
Aerosol inhaler, 20 µg per dose CFC-free		200 dose OP	Atrovent
Nebuliser soln, 250 µg per ml, 1 ml – Up to 40 neb available			
on a PSO	3.79	20	Univent
	4.30		<ul> <li>Ipratropium</li> </ul>
			Steri-Neb
Nebuliser soln, 250 µg per ml, 2 ml – Up to 40 neb available			
on a PSO		20	Univent
	5.25		<ul> <li>Ipratropium</li> </ul>
			Steri-Neb

TIOTROPIUM BROMIDE – Special Authority see SA0872 below Powder for inhalation, 18 μg per dose	Subsidy (Manufacturer's \$		
Powder for inhalation, 18 µg per dose	φ	Price) Subs Per	Fully Brand or sidised Generic Manufacturer
Powder for inhalation, 18 µg per dose	Dotoil nhorm		• Wanalaotarei
		30 dose	<ul> <li>Spiriva</li> </ul>
<ul> <li>⇒SA0872 Special Authority for Subsidy         initial application only from a general practitioner or relevant spollowing criteria:         All of the following:         <ol> <li>To be used for the long-term maintenance treatment of brogonia and the following:</li> <li>To be used for the long-term maintenance treatment of brogonia and the following:</li> <li>The patient's breathlessness according to the Media 3.1 Grade 4 (stops for breath after walking about 100 nto 3.2 Grade 5 (too breathless to leave the house, or bread 4 Actual FEV₁ (litres) &lt; 0.6 × predicted (litres); and</li> <li>Either:</li> <li>5.1 Patient is not a smoker (for reporting purposes only 5.2 Patient has been offered annual influenza immunisation for the patient has been offered annual influenza immunisation.</li> </ol> </li> <li>Renewal only from a general practitioner or relevant specialist. criteria:</li> <li>A function to sompliant with the medication; and</li> <li>Patient has experienced improved COPD symptom contro 3 Applicant must state recent measurement of FEV₁ (% of present and the following):</li> </ul>	pecialist. Appro onchospasm an dose of at leas ical Research C neters or after a thless when dre (); or cessation couns on. Approvals valid	vals valid for 2 y d dyspnoea asso t 40 µg ipratropiu ouncil (UK) dysp few minutes on few minutes on few minutes selling; and for 2 years for a	rears for applications meeting th ociated with COPD; and im q.i.d for one month; and noea scale is: the level); or sing); and
Inhaled Beta-Adrenoceptor Agonists with Antic	,	aents	
		gonto	
Aerosol inhaler, 100 µg with ipratropium bromide, 20 µg pe	r		
dose Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg pe		200 dose OP	<ul> <li>Combivent</li> </ul>
vial, 2.5 ml – Up to 20 neb available on a PSO		20	✓ <u>Duolin</u>
Mast cell stabilisers			
NEDOCROMIL			
Aerosol inhaler, 2 mg per dose CFC-free		112 dose OP	Tilada
	(28.07)		Tilade
ODIUM CROMOGLYCATE Powder for inhalation, 20 mg per dose	16.31	50 dose	
Powder for inhalation, 20 mg per dose	(17.94)		Intal Spincaps
	(17.94)	50 dose 112 dose OP	Intal Spincaps Vicrom
Powder for inhalation, 20 mg per dose	(17.94) 23.20		
Powder for inhalation, 20 mg per dose Aerosol inhaler, 5 mg per dose CFC-free Methylxanthines	(17.94) 23.20		
Powder for inhalation, 20 mg per dose Aerosol inhaler, 5 mg per dose CFC-free Methylxanthines MINOPHYLLINE	(17.94) 23.20 (28.07)		
Powder for inhalation, 20 mg per dose Aerosol inhaler, 5 mg per dose CFC-free Methylxanthines AMINOPHYLLINE * Inj 25 mg per ml, 10 ml – Up to 5 inj available on a PSO THEOPHYLLINE	(17.94) 23.20 (28.07)	112 dose OP	Vicrom
Aerosol inhaler, 5 mg per dose CFC-free Methylxanthines AMINOPHYLLINE	(17.94) 23.20 (28.07) 	112 dose OP	Vicrom

	Subsidy		Fully Brand or
	(Manufacturer's P		sidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
Cystic Fibrosis			
DORNASE ALFA – Special Authority see SA0611 below Nebuliser soln, 2.5 mg per 2.5 ml ampoule		6	✓ Pulmozyme
► SA0611 Special Authority for Subsidy Special Authority approved by the Cystic Fibrosis Adviso Notes: Application details may be obtained from PHARM The Co-ordinator, Cystic Fibrosis Advisory Panel P	,	pharmac.govt.r	nz or:
PHARMAC, PO Box 10 254 F	acsimile: (04) 916 7571 mail: CFPanel@pharmad	c.govt.nz	
Prescriptions for patients approved for treatment must b and expertise in treating cystic fibrosis.		<u> </u>	ediatricians who have experience
Nasal Preparations			
Allergy Prophylactics			
BECLOMETHASONE DIPROPIONATE			
Metered aqueous nasal spray, 50 µg per dose	2.35 (4.00)	200 dose OP	Alanase
Metered aqueous nasal spray, 100 µg per dose	2.46 (4.81)	200 dose OP	Alanase
BUDESONIDE			
Metered aqueous nasal spray, 50 µg per dose	2.35 (4.00)	200 dose OP	Butacort Aqueous
Metered aqueous nasal spray, 100 µg per dose		200 dose OP	Butacort Aqueous
FLUTICASONE PROPIONATE Metered aqueous nasal spray, 50 µg per dose		120 dose OP	Flixonase Hayfever & Allergy
IPRATROPIUM BROMIDE Aqueous nasal spray, 0.03%		30 ml OP	✓ Apo-Ipravent
SODIUM CROMOGLYCATE Nasal spray, 4%		22 ml OP	✓ <u>Rex</u>
Respiratory Devices			
MASK FOR SPACER DEVICE a) Up to 20 dev available on a PSO b) Only on a PSO c) Only for children aged six years and under Size 2		1	✓ <u>Foremount Child's</u> Silicone Mask
PEAK FLOW METER a) Up to 10 dev available on a PSO b) Only on a PSO			Shoone maan
Low range Normal range		1 1	✓ <u>Breath-Alert</u> ✓ <u>Breath-Alert</u>

	Subsidy (Manufacturer's Price \$	e) ( Per	Fully Subsidised	Brand or Generic Manufacturer
SPACER DEVICE				
a) Up to 20 dev available on a PSO				
b) Only on a PSO				
230 ml (autoclavable) - Subsidy by endorsement		1	✓ <u>S</u>	pace Chamber
Available where the prescriber requires a spacer device endorsed accordingly.	that is capable of	sterilisat	ion in an a	autoclave and the PSO is
230 ml (single patient)	8.38	1	✓ <u>S</u>	pace Chamber
800 ml	8.50	1	🖌 V	olumatic

	Subsidy		Fully Brand or
	(Manufacturer's I	Price) Sub	osidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
Ear Preparations			
ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BEN			
For Vosol ear drops with hydrocortisone powder refer, page 1			
Ear drops 2% with 1, 2-Propanediol diacetate 3% and			( Need
benzethonium chloride 0.02%		35 ml OP	Vosol
CHLORAMPHENICOL			
Ear drops 0.5%		5 ml OP	Chloromycetin
			,
FLUMETASONE PIVALATE			
Ear drops 0.02% with clioquinol 1%	4.46	7.5 ml OP	<ul> <li>Locacorten-Viaform</li> </ul>
			ED's
			Locorten-Vioform
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCII		IIN	
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate			
2.5 mg and gramicidin 250 µg per g	3.35	7.5 ml OP	<ul> <li>Kenacomb</li> </ul>
For/Evo Proporations			
Ear/Eye Preparations			
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN			
Ear/Eye drops 500 µg with framycetin sulphate 5 mg and			
gramicidin 50 µg per ml		8 ml OP	
	(9.27)		Sofradex
FRAMYCETIN SULPHATE			
Ear/Eye drops 0.5%	4 13	8 ml OP	
	(8.65)	01111 01	Soframucin
	(6.05)		Soframycin
Eye Preparations			
Anti-Infective Preparations			
ACICLOVIR			
* Eye oint 3%	37.53	4.5 g OP	Zovirax
CHLORAMPHENICOL			
Eve oint 1%	2 37	4 g OP	Chlorsig
Eye drops 0.5%		10 ml OP	Chlorsig
	2.40	10 III OF	Chiorsig
CIPROFLOXACIN			
Eye Drops 0.3%		5 ml OP	Ciloxan
For treatment of bacterial keratitis or severe bacterial conju	unctivitis resistar	nt to chloramph	enicol.
FUSIDIC ACID			
Eye drops 1%	4 50	5 a OP	
Lyo ulupa 170		5 g OP	Fusitbolmic
	(10.68)		Fucithalmic
GENTAMICIN SULPHATE			
Eye drops 0.3%	11.40	5 ml OP	<ul> <li>Genoptic</li> </ul>
			•
PROPAMIDINE ISETHIONATE	o o=	10	
* Eye drops 0.1%		10 ml OP	
	(7.99)		Brolene
SULPHACETAMIDE SODIUM			
* Eye drops 10%	4 4 1	15 ml OP	Bleph 10
			e Biopii io

# SENSORY ORGANS

	Subsidy (Manufacturer's F	Price) Sub	Fully Brand or osidised Generic
	(Ivialiulactule) S r	Per Suc	Manufacturer
	•	-	
TOBRAMYCIN			4 <b>-</b> .
Eye oint 0.3%		3.5 g OP	✓ Tobrex
Eye drops 0.3%	11.48	5 ml OP	Tobrex
Corticosteroids and Other Anti-Inflammatory Pr	eparations		
DEXAMETHASONE			
* Eye oint 0.1%	5 86	3.5 g OP	Maxidex
k Eye drops 0.1%		5 ml OP	Maxidex
		0 111 01	• maxiaox
DEXAMETHASONE WITH NEOMYCIN AND POLYMYXIN B SUI			
Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin		0.5.05	. A Mandhan I
B sulphate 6,000 u per g		3.5 g OP	Maxitrol
₭ Eye drops 0.1% with neomycin sulphate 0.35% and polymy-			<b>4 ••</b> • •
xin B sulphate 6,000 u per ml	4.50	5 ml OP	Maxitrol
DICLOFENAC SODIUM			
₭ Eye drops 1 mg per ml		5 ml OP	Voltaren Ophtha
LUOROMETHOLONE			
₭ Eye drops 0.1%	4 05	5 ml OP	✓ <u>FML</u>
		0 111 01	• <u></u>
EVOCABASTINE Eye drops 0.5 mg per ml	0.71		
		4 ml OP	Livostin
	(10.34)		LIVOSUIT
ODOXAMIDE TROMETAMOL			A
Eye drops 0.1%	8.71	10 ml OP	Lomide
PREDNISOLONE ACETATE			
₭ Eye drops 0.12%	4.50	5 ml OP	Pred Mild
₭ Eye drops 1%	4.50	5 ml OP	Pred Forte
ODIUM CROMOGLYCATE			
Eye drops 2%		10 ml OP	Cromolux
Glaucoma Preparations - Beta Blockers			
BETAXOLOL HYDROCHLORIDE			
₭ Eye drops 0.25%		5 ml OP	Betoptic S
₭ Eye drops 0.5%	7.50	5 ml OP	<ul> <li>Betoptic</li> </ul>
EVOBUNOLOL			
► Eye drops 0.25%	7.00	5 ml OP	Betagan
<ul> <li>€ Eye drops 0.5%</li> </ul>		5 ml OP	✓ Betagan
IMOLOL MALEATE			0
■ Eye drops 0.25%	2 37	5 ml OP	✔ Apo-Timop
<ul> <li>Eye drops 0.25%</li> <li>Eye drops 0.25%, gel forming</li> </ul>		2.5 ml OP	✓ <u>Apo-Timop</u> ✓ Timoptol XE
<ul> <li>Eye drops 0.25%, ger forming</li></ul>		2.5 mi OP 5 mi OP	✓ Apo-Timop
<ul> <li>Eye drops 0.5% gel forming</li> </ul>		2.5 ml OP	✓ Timoptol XE
		2.3 III OF	

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or osidised Generic Manufacturer
Glaucoma Preparations - Carbonic Anhydras	e Inhibitors		
Prescribing Guidelines			
<ul> <li>Trusopt, Cosopt and Azopt are subsidised for use as either m</li> <li>Trusopt, Cosopt and Azopt should not be prescribed for a p</li> <li>plaucoma are not contraindicated unless:</li> <li>1) that person has previously trialled all other such subsidied</li> <li>2) those trials have indicated that that person does not re</li> </ul>	berson in whom less dised agents (except	s expensive firs	st line agents for the treatmen
ACETAZOLAMIDE			
₭ Tab 250 mg	10.40	100	✓ Diamox
BRINZOLAMIDE			
Eye Drops 1%	9.77	5 ml OP	Azopt
DORZOLAMIDE HYDROCHLORIDE ₭ Eye drops 2%	9.77	5 ml OP	
<i>.</i>	(13.95)		Trusopt
OORZOLAMIDE HYDROCHLORIDE WITH TIMOLOL MALE/	ATE		
₭ Eye drops 2% with timolol maleate 0.5%	15.50	5 ml OP	<ul> <li>Cosopt</li> </ul>
Glaucoma Preparations - Prostaglandin Anal	ogues		
Prescribing Guideline Bimatoprost, lantanoprost and travoprost are subsidised for idjunctive agent for patients in whom prostaglandin analogue Bimatoprost, lantanoprost and travoprost should not be pres	use in the treatme monotherapy has b	een ineffective	in controlling intraocular press
<ul> <li>Prescribing Guideline</li> <li>Bimatoprost, lantanoprost and travoprost are subsidised for djunctive agent for patients in whom prostaglandin analogue simatoprost, lantanoprost and travoprost should not be prescreatment of glaucoma are not contraindicated unless:         <ol> <li>That person has previously trialled all other such su hibitors); and</li> <li>Those trials have indicated that that person does not result of the such su prescribing guideline above</li> </ol> </li> </ul>	use in the treatme monotherapy has b scribed for a person bsidised agents (be espond adequately t	een ineffective in whom less ta-blockers, pi	in controlling intraocular press expensive first line agents for locarpine, carbonic anhydrase
<ul> <li>Prescribing Guideline</li> <li>Bimatoprost, lantanoprost and travoprost are subsidised for djunctive agent for patients in whom prostaglandin analogue</li> <li>Bimatoprost, lantanoprost and travoprost should not be prestreatment of glaucoma are not contraindicated unless:         <ol> <li>That person has previously trialled all other such su hibitors); and</li> <li>Those trials have indicated that that person does not restrict that person pers</li></ol></li></ul>	use in the treatme monotherapy has b scribed for a person bsidised agents (be espond adequately t	een ineffective in whom less ta-blockers, pi	in controlling intraocular press expensive first line agents for locarpine, carbonic anhydrase
<ul> <li>Prescribing Guideline</li> <li>Bimatoprost, lantanoprost and travoprost are subsidised for djunctive agent for patients in whom prostaglandin analogue</li> <li>Bimatoprost, lantanoprost and travoprost should not be prescreatment of glaucoma are not contraindicated unless:         <ol> <li>That person has previously trialled all other such su hibitors); and</li> <li>Those trials have indicated that that person does not result of the prescribing guideline above</li> <li>Eye Drops 0.03%</li> <li>ATANOPROST – Retail pharmacy-Specialist</li> </ol> </li> </ul>	use in the treatme monotherapy has b scribed for a person bsidised agents (be espond adequately t	een ineffective in whom less ta-blockers, pi o treatment wit	in controlling intraocular press expensive first line agents for locarpine, carbonic anhydrase h those other agents.
<ul> <li>Prescribing Guideline</li> <li>Bimatoprost, lantanoprost and travoprost are subsidised for djunctive agent for patients in whom prostaglandin analogue</li> <li>Bimatoprost, lantanoprost and travoprost should not be prescreatment of glaucoma are not contraindicated unless:         <ol> <li>That person has previously trialled all other such su hibitors); and</li> <li>Those trials have indicated that that person does not result of the prescribing guideline above</li> <li>Eye Drops 0.03%</li> <li>ATANOPROST – Retail pharmacy-Specialist See prescribing guideline above</li> </ol> </li> </ul>	use in the treatme monotherapy has b scribed for a person bsidised agents (be espond adequately t 	een ineffective in whom less ta-blockers, pi o treatment wit 3 ml OP	in controlling intraocular press expensive first line agents for locarpine, carbonic anhydrase h those other agents.
<ul> <li>Prescribing Guideline</li> <li>Bimatoprost, lantanoprost and travoprost are subsidised for dijunctive agent for patients in whom prostaglandin analogue</li> <li>Bimatoprost, lantanoprost and travoprost should not be prescreatment of glaucoma are not contraindicated unless:         <ol> <li>That person has previously trialled all other such su hibitors); and</li> <li>Those trials have indicated that that person does not result of the prescribing guideline above</li> <li>Eye Drops 0.03%</li> <li>ATANOPROST – Retail pharmacy-Specialist See prescribing guideline above</li> <li>Eye drops 50 µg per ml, 2.5ml</li> </ol> </li> </ul>	use in the treatme monotherapy has b scribed for a person bsidised agents (be espond adequately t 	een ineffective in whom less ta-blockers, pi o treatment wit	in controlling intraocular press expensive first line agents for locarpine, carbonic anhydrase h those other agents.
<ul> <li>Prescribing Guideline</li> <li>Bimatoprost, lantanoprost and travoprost are subsidised for djunctive agent for patients in whom prostaglandin analogue</li> <li>Bimatoprost, lantanoprost and travoprost should not be prescreatment of glaucoma are not contraindicated unless:         <ol> <li>That person has previously trialled all other such sul hibitors); and</li> <li>Those trials have indicated that that person does not restrict the prescribing guideline above</li> </ol> </li> <li>Eye Drops 0.03%</li></ul>	use in the treatme monotherapy has b scribed for a person bsidised agents (be espond adequately t 	een ineffective in whom less ta-blockers, pi o treatment wit 3 ml OP 2.5 ml OP eing prescribed notate prescrip eemed to be e	in controlling intraocular press expensive first line agents for locarpine, carbonic anhydrase h those other agents.
<ul> <li>Prescribing Guideline</li> <li>Bimatoprost, lantanoprost and travoprost are subsidised for djunctive agent for patients in whom prostaglandin analogue bimatoprost, lantanoprost and travoprost should not be prescreatment of glaucoma are not contraindicated unless:         <ol> <li>That person has previously trialled all other such sul hibitors); and</li> <li>Those trials have indicated that that person does not restrict the prescribing guideline above</li> <li>Eye Drops 0.03%</li> <li>ATANOPROST – Retail pharmacy-Specialist See prescribing guideline above</li> <li>Eye drops 50 µg per ml, 2.5ml</li> <li>RAVOPROST – Retail pharmacy-Specialist a) See prescribing guideline above</li> <li>Additional subsidy by endorsement is available for p Note additional subsidy valid until 30 September 2010. If prescribed travoprost prior to 1 April 2010 in which case able to show a clear documented dispensing history for the Eye drops 0.004% – Higher subsidy of \$19.50 per 2.5 ml</li> </ol></li></ul>	use in the treatme monotherapy has b scribed for a person bsidised agents (be espond adequately t 	een ineffective in whom less ta-blockers, pi o treatment wit 3 ml OP 2.5 ml OP eing prescribed notate prescrip eemed to be e cription must b	in controlling intraocular press expensive first line agents for locarpine, carbonic anhydrase h those other agents.
<ul> <li>Prescribing Guideline</li> <li>Bimatoprost, lantanoprost and travoprost are subsidised for djunctive agent for patients in whom prostaglandin analogue</li> <li>Bimatoprost, lantanoprost and travoprost should not be prescreatment of glaucoma are not contraindicated unless:         <ol> <li>That person has previously trialled all other such sul hibitors); and</li> <li>Those trials have indicated that that person does not response to the prescribing guideline above</li> </ol> </li> <li>BIMATOPROST – Retail pharmacy-Specialist See prescribing guideline above</li> <li>Eye Drops 0.03%</li> <li>ATANOPROST – Retail pharmacy-Specialist See prescribing guideline above</li> <li>Eye drops 50 µg per ml, 2.5ml</li> <li>TRAVOPROST – Retail pharmacy-Specialist a) See prescribing guideline above</li> <li>Additional subsidy by endorsement is available for p Note additional subsidy valid until 30 September 2010. If prescribed travoprost prior to 1 April 2010 in which case able to show a clear documented dispensing history for the section of the section o</li></ul>	use in the treatme monotherapy has b scribed for a person bsidised agents (be espond adequately t 	een ineffective in whom less ta-blockers, pi o treatment wit 3 ml OP 2.5 ml OP eing prescribed notate prescrip eemed to be e	in controlling intraocular press expensive first line agents for locarpine, carbonic anhydrase th those other agents. Lumigan <u>Hysite</u> d travoprost prior to 1 April 2 btions for patients who were b ndorsed. The pharmacist mus e endorsed accordingly.
<ul> <li>Prescribing Guideline</li> <li>Bimatoprost, lantanoprost and travoprost are subsidised for djunctive agent for patients in whom prostaglandin analogue</li> <li>Bimatoprost, lantanoprost and travoprost should not be prescreatment of glaucoma are not contraindicated unless:         <ol> <li>That person has previously trialled all other such sul hibitors); and</li> <li>Those trials have indicated that that person does not restrict the prescribing guideline above</li> <li>Eye Drops 0.03%</li> <li>ATANOPROST – Retail pharmacy-Specialist See prescribing guideline above</li> <li>Eye drops 50 µg per ml, 2.5ml</li> </ol> </li> <li>TRAVOPROST – Retail pharmacy-Specialist         <ul> <li>a) See prescribing guideline above</li> <li>b) Additional subsidy by endorsement is available for p Note additional subsidy valid until 30 September 2010. If prescribed travoprost prior to 1 April 2010 in which case able to show a clear documented dispensing history for the Eye drops 0.004% – Higher subsidy of \$19.50 per 2.5 ml</li> </ul></li></ul>	use in the treatme monotherapy has b scribed for a person bsidised agents (be espond adequately t 	een ineffective in whom less ta-blockers, pi o treatment wit 3 ml OP 2.5 ml OP eing prescribed notate prescrip eemed to be e cription must b	in controlling intraocular press expensive first line agents for locarpine, carbonic anhydrase h those other agents.
<ul> <li>Prescribing Guideline</li> <li>Bimatoprost, lantanoprost and travoprost are subsidised for djunctive agent for patients in whom prostaglandin analogue bimatoprost, lantanoprost and travoprost should not be prescreatment of glaucoma are not contraindicated unless:         <ol> <li>That person has previously trialled all other such sul hibitors); and</li> <li>Those trials have indicated that that person does not restrict the prescribing guideline above</li> <li>Eye Drops 0.03%</li> <li>ATANOPROST – Retail pharmacy-Specialist See prescribing guideline above</li> <li>Eye drops 50 µg per ml, 2.5ml</li> <li>RAVOPROST – Retail pharmacy-Specialist a) See prescribing guideline above</li> <li>Additional subsidy by endorsement is available for p Note additional subsidy valid until 30 September 2010. If prescribed travoprost prior to 1 April 2010 in which case able to show a clear documented dispensing history for the Eye drops 0.004% – Higher subsidy of \$19.50 per 2.5 ml</li> </ol></li></ul>	use in the treatme monotherapy has b scribed for a person bsidised agents (be espond adequately t 	een ineffective in whom less ta-blockers, pi o treatment wit 3 ml OP 2.5 ml OP eing prescribed notate prescrip eemed to be e cription must b	in controlling intraocular press expensive first line agents for locarpine, carbonic anhydrase th those other agents. Lumigan <u>Hysite</u> d travoprost prior to 1 April 2 btions for patients who were b ndorsed. The pharmacist mus e endorsed accordingly.

# SENSORY ORGANS

	Subsidy (Manufacturer's P	rice) Sub	Fully Brand or sidised Generic	
	\$	Per	<ul> <li>Manufacturer</li> </ul>	
Prescribing Guidelines				
Brimonidine tartrate is subsidised for use as either monotherapy of				
Brimonidine tartrate should not be prescribed for a person in who are not contraindicated unless:	m less expensiv	e first line age	ents for the treatment of gla	aucoma
<ul> <li>that person has previously trialled all other such subsidised</li> </ul>	agents (except	dorzolamide h	vdrochloride): and	
<ul> <li>those trials have indicated that that person does not respo</li> </ul>				se other
agents.	· · · · · · · · · · · · · · · · · · ·			
BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE				
▲ Eye drops 0.2% with timolol maleate 0.5%		5 ml OP	<ul> <li>Combigan</li> </ul>	
Prescribing Guidelines				
Combigan is subsidised for use as either monotherapy or as an ac	djunctive agent fo	or the treatmer	nt of glaucoma.	
Combigan should only be prescribed when: 1) less expensive first line agents for the treatment of glaucom	a ara contraindi	antad: ar		
2) the response to such subsidised agents is inadequate; or		caleu, oi		
3) the patient cannot tolerate such subsidised agents.				
PILOCARPINE				
* Eye drops 1%		15 ml OP	Isopto Carpine S29	
* Eye drops 2%		15 ml OP	✓ Isopto Carpine S29	
* Eye drops 4%	7.99	15 ml OP	Isopto Carpine S29	
* Eye drops 2% single dose – Special Authority see SA0895 below – Retail pharmacy	21.05	20 dose		
Delow – Helali pharmacy	(32.72)	20 0056	Minims	
SA0895 Special Authority for Subsidy	(02.72)			
Initial application from any relevant practitioner. Approvals valid	or 2 years for ap	plications mee	eting the following criteria:	
Either:			0 0	
1 Patient has to use an unpreserved solution due to an allerg	y to the preserva	ative; or		
2 Patient wears soft contact lenses.	wede" and ave a			
Note: Minims for a general practice are considered to be "tools of <b>Renewal</b> from any relevant practitioner. Approvals valid for 2 ye				ationt is
benefiting from treatment.		caunchi rema		
Mydriatics and Cycloplegics				
	17.00		A Atrant	
* Eye drops 1%	17.30	15 ml OP	<ul> <li>Atropt</li> </ul>	
CYCLOPENTOLATE HYDROCHLORIDE * Eve drops 1%	0.76			
, ,	8.76	15 ml OP	<ul> <li>Cyclogyl</li> </ul>	
HOMATROPINE HYDROBROMIDE * Eye drops 2%	7 10	15 ml OP	1 Jaanta Hamatranin	•
	/.Ið	15 111 02	<ul> <li>Isopto Homatropine</li> </ul>	e
TROPICAMIDE * Eye drops 0.5%	7 15	15 ml OP	Mudricovi	
* Eye drops 0.5%		15 mi OP 15 mi OP	<ul> <li>Mydriacyl</li> <li>Mydriacyl</li> </ul>	
			• .injunitoji	
Preparations for Tear Deficiency				

For acetylcysteine eye drops refer, page 170

ΗY	PROMELLOSE		
*	Eye drops 0.3%	 15 ml OP	Poly-Tears
*	Eye drops 0.5%	 15 ml OP	Methopt

# SENSORY ORGANS

	Subsidy (Manufacturer's F \$	Price) Sub Per	Fully sidised	Brand or Generic Manufacturer
POLYVINYL ALCOHOL * Eye drops 1.4%	2 68	15 ml OP	🖌 V	ietil
* Eye drops 3%		15 ml OP		istil Forte
TYLOXAPOL * Eye drops 0.25%	8.63	15 ml OP	🖌 E	nuclene
Other Eye Preparations				
NAPHAZOLINE HYDROCHLORIDE * Eye drops 0.1%	4.15	15 ml OP	🗸 N	aphcon Forte
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN  * Eye oint with soft white paraffin	3.63	3.5 g OP	🖌 La	acri-Lube
PARAFFIN LIQUID WITH WOOL FAT LIQUID * Eye oint 3% with wool fat liq 3%		3.5 g OP	V Po	oly-Visc
PHENYLEPHRINE HYDROCHLORIDE * Eye drops 0.12%	4.47	15 ml OP	🗸 Pi	refrin
PHENYLEPHRINE HYDROCHLORIDE WITH ZINC SULPHATE * Eye drops 0.12% with zinc sulphate 0.25%		15 ml OP 010)	🗸 Zi	incfrin

# INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
  - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
  - b) Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-specialist).
  - c) Menthol crystals only in the following bases: Aqueous cream Urea cream 10% Wool fat with mineral oil lotion Hydrocortisone 1% with wool fat and mineral oil lotion Glycerol, paraffin and cetyl alcohol lotion.

# Glossary

**Dermatological base:** The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Glycerol with paraffin and cetyl alcohol lotion
- Hydrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Oily cream
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- Zinc cream BP
- Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

**Dermatological galenical:** Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution BP up to 10%
- Hydrocortisone powder up to 5%
- Salicylic acid powder
- Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

# **Explanatory notes**

### Oral liquid mixtures

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form	qs
Preservative	qs
Suspending agent	qs
Water	to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent. Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

The following practices will not be subsidised:

- Mixing one or more proprietary oral liquids (eg an antihistamine with pholcodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

#### Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.


#### **Dermatological Preparations**

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 167) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).

One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on page 169 may assist you in deciding whether or not a dermatological ECP is subsidised.



# EXTEMPORANEOUSLY COMPOUNDED PRODUCTS & GALENICALS

to 100 ml

# **Standard Formulae**

ACETYLCYSTEINE EYE DROPS Acetylcysteine inj 200 mg per ml, 10 ml Suitable eye drop base	qs qs
ASPIRIN AND CHLOROFORM APPLICATI Aspirin Soluble tabs 300 mg Chloroform	ON 12 tabs to 100 ml
CODEINE LINCTUS PAEDIATRIC (3 mg pe Codeine phosphate Glycerol Preservative Water	er 5 ml) 60 mg 40 ml qs to 100 ml
CODEINE LINCTUS DIABETIC (15 mg per Codeine phosphate Glycerol Preservative Water	5 ml) 300 mg 40 ml qs to 100 ml
FOLINIC MOUTHWASH Calcium folinate 15 mg tab Preservative Water (Preservative should be used if quantity sup more than 5 days. Maximum 500 ml per pre	
MAGNESIUM HYDROXIDE MIXTURE Magnesium hydroxide paste Methyl hydroxybenzoate Water	275 g 1.5 g 770 ml
METHADONE MIXTURE Methadone powder Glycerol	qs qs

METHYL HYDROXYBENZOATE 10% SOL Methyl hydroxybenzoate Propylene glycol (Use 1 ml of the 10% solution per 100 ml of mixture)	10 g to 100 ml
OMEPRAZOLE SUSPENSION Omeprazole capules Sodium bicarbonate powder BP Water	qs 8.4 g to 100 ml
PHENOBARBITONE ORAL LIQUID Phenobarbitone Sodium Glycerol BP Water	1 g 70 ml to 100 ml
PILOCARPINE ORAL LIQUID Pilocarpine 4% eye drops Preservative Water (Preservative should be used if quantity sup more than 5 days.)	qs qs to 500 ml oplied is for
SALIVA SUBSTITUTE FORMULA Methylcellulose Preservative Water (Preservative should be used if quantity sup than 5 days. Maximum 500 ml per prescript	
VOSOL EAR DROPS WITH HYDROCORTISONE POWDER 1% Hydrocortisone powder Vosol Ear Drops	1% to 35 ml

Water

# EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

Inj 200 mg per ml, 10 ml       137.06       10         (219.75)       Martindale Acetyloysteine         (255.35)       Hospira         BENZOIN       (5.10)       PSM         Tincture compound BP       (5.10)       PSM         (36.00)       PSM       24.42       50 ml         (6.10)       PSM       24.42       500 ml         (36.00)       PSM       24.42       500 ml         CODEINE PHOSPHATE       00.09       Douglas       63.09       25 g         Powder - Only in combination       (25.46)       Douglas       63.09       25 g         (30.00)       PSM       CODEINE PHOSPHATE       100 ml       ✓ PSM         CODEINE PHOSPHATE       19.30       100 ml       ✓ PSM         COMPOUND HYDROXYBENZOATE - Only in combination       19.30       100 ml       ✓ PSM         COMPOUND HYDROXYBENZOATE - Only in combination       34.18       100 ml       ✓ David Craig         GLYCEROL       17.86       2,000 ml       ✓ healthE         *       Liquid - Only in combination       17.86       2,000 ml       ✓ ABM         (24.75)       MidWest       1.24       100 ml       100 ml       100 ml         (30.0)       PS		Subsidy (Manufacturer's \$	Price) Sul Per	Fully Brand or bsidised Generic ✔ Manufacturer
Inj 200 mg per ml, 10 ml       137.06       10         (219.75)       Martindale Acetyloysteine         (255.35)       Hospira         BENZOIN       (5.10)       PSM         Tincture compound BP       (5.10)       PSM         (36.00)       PSM       24.42       50 ml         (6.10)       PSM       24.42       500 ml         (36.00)       PSM       24.42       500 ml         CODEINE PHOSPHATE       00.09       Douglas       63.09       25 g         Powder - Only in combination       (25.46)       Douglas       63.09       25 g         (30.00)       PSM       CODEINE PHOSPHATE       100 ml       ✓ PSM         CODEINE PHOSPHATE       19.30       100 ml       ✓ PSM         COMPOUND HYDROXYBENZOATE - Only in combination       19.30       100 ml       ✓ PSM         COMPOUND HYDROXYBENZOATE - Only in combination       34.18       100 ml       ✓ David Craig         GLYCEROL       17.86       2,000 ml       ✓ healthE         *       Liquid - Only in combination       17.86       2,000 ml       ✓ ABM         (24.75)       MidWest       1.24       100 ml       100 ml       100 ml         (30.0)       PS	Extemporaneously Compounded Preparations	and Galenica	als	
(219.75)       Martindale         Acetylcysteine         (255.35)       Hospira         BENZOIN         Tincture compound BP       (24         (510)       PSM         (24.42       500 ml         (38.00)       PSM         CHLOROFORM - Only in combination       (38.00)         Only in aspin and chloroform application.       Chloroform BP         Chloroform BP       (25.46)       Douglas         (25.46)       Douglas         (30.09)       25 g       (90.09)         (25.46)       Douglas         (30.09)       25 g       (90.09)         (25.46)       Douglas         (3) Only in extemporaneously compounded codeine linctus diabetic or codeine linctus paediatric.       b) ± Safety cap for extemporaneously compounded oral liquid preparations.         COLLODION FLEXIBLE       Collodion flexible       19.30       100 ml       ✓ PSM         COMPOUND HYDROXYBENZOATE - Only in combination       17.86       2,000 ml       ✓ healthE         (24.75)       MidWest       1.24       100 ml       (3.00)       PSM         CAPA       200 ml       (4.90)       PSM       2.44       200 ml       (1.00)       17.86       2.000 ml       ✓ ABM	ACETYLCYSTEINE – Retail pharmacy-Specialist			
(255.35)       Hospira         BENZOIN       (255.35)       Hospira         Tincture compound BP       24.4       50 ml         (5.10)       PSM         24.42       500 ml         (38.00)       PSM         CHLOROFORM - Only in combination       (38.00)       PSM         Only in aspirin and chloroform application.       Chicroform BP       25.50       500 ml       ✓ PSM         CODEINE PHOSPHATE       Powder - Only in combination       12.62       5 g       (90.09)       Douglas         63.09       25 g       (90.09)       Douglas       63.09       25 g       (90.09)       Douglas         cOLICLOION FLEXIBLE       Collcolion flexible       19.30       100 ml       ✓ PSM         COMPOUND HYDROXYBENZOATE - Only in combination       01 mi combination       34.18       100 ml       ✓ David Craig         GLYCEROL       *       1.24       100 ml       ✓ ABM       (24.75)       MidWest         *       1.24       100 ml       ✓ ABM       (24.75)       MidWest       1.24       100 ml       (3.00)       PSM       2.48       2.000 ml       ✓ ABM       (24.75)       MidWest       1.24       100 ml       (3.00)       PSM       2.48	Inj 200 mg per ml, 10 ml		10	Martindale
BENZOIN Tincture compound BP		(210.70)		
Tincture compound BP       .2.44       50 ml         (5.10)       PSM         24.42       500 ml         (38.00)       PSM         CHLOROFORM - Only in combination		(255.35)		
(5.10) PSM 24.42 500 ml (38.00) PSM CHLOROFORM - Only in combination Only in aspirin and chloroform application. Chloroform BP	BENZOIN			
24.42       500 ml         (38.00)       PSM         CHLOROFORM - Only in combination       Only in aspirin and chloroform application.         Chloroform BP       25.50       500 ml         CODEINE PHOSPHATE       Powder - Only in combination       12.62       5 g         (25.46)       Douglas       63.09       25 g         (26.46)       Douglas       63.09       25 g         (20.09)       Douglas       63.09       25 g         (20.00)       Safety cap for extemporaneously compounded code ine linctus diabetic or codeine linctus paediatric.       b) ‡ Safety cap for extemporaneously compounded oral liquid preparations.         COLLODION FLEXIBLE       Collocion flexible       19.30       100 ml       ✓ PSM         COMPOUND HYDROXYBENZOATE - Only in combination       Only in extemporaneously compounded oral mixtures.       Soin       34.18       100 ml       ✓ David Craig         GLYCEROL       #       Liquid - Only in combination       17.86       2,000 ml       ✓ healthE         19.80       ✓ ABM       (24.75)       MidWest       1.24       100 ml         (3.00)       PSM       6.19       500 ml       (10.00)       PSM         Chly in extemporaneously compounded oral liquid preparations.       MAGNESIUM HYDROXIDE       PSM </td <td>Tincture compound BP</td> <td>( )</td> <td>50 ml</td> <td>2014</td>	Tincture compound BP	( )	50 ml	2014
(38.00) PSM CHLOROFORM - Only in combination Only in aspirin and chloroform application. Chloroform BP		( )	500 ml	PSM
CHLOROFORM - Only in combination Only in aspirin and chloroform application. Chloroform BP			000 mi	PSM
Only in aspirin and chloroform application.       25.50       500 ml       ✓ PSM         CODEINE PHOSPHATE       12.62       5 g         Powder - Only in combination       12.62       5 g         (25.46)       Douglas         63.09       25 g         (90.09)       Douglas         a) Only in extemporaneously compounded codeine linctus diabetic or codeine linctus paediatric.       b) ‡ Safety cap for extemporaneously compounded oral liquid preparations.         COLLODION FLEXIBLE       Collocion flexible       19.30       100 ml       ✓ PSM         COMPOUND HYDROXYBENZOATE - Only in combination       0nly in extemporaneously compounded oral mixtures.       34.18       100 ml       ✓ David Craig         GLYCEROL       17.86       2,000 ml       ✓ healthE       19.80       ✓ ABM         (24.75)       MidWest       1.24       100 ml       (3.00)       PSM         (24.75)       MidWest       1.24       100 ml       (10.00)       PSM         (10.00)       PSM       17.86       2,000 ml       ✓ PSM         Only in extemporaneously compounded oral liquid preparations.       MAGNESIUM HYDROXIDE       PSM       17.86       2,000 ml       Y PSM         Only in extemporaneously compounded oral liquid preparations.       MAGNESIUM HYDROXIDE		(00.00)		
Chioroform BP				
Powder - Only in combination			500 ml	🖌 PSM
(25.46)       Douglas         63.09       25 g         (90.09)       Douglas         a) Only in extemporaneously compounded codeine linctus diabetic or codeine linctus paediatric.       b) ‡ Safety cap for extemporaneously compounded oral liquid preparations.         COLLODION FLEXIBLE         Collodion flexible         Collodion flexible         Only in combination         Only in extemporaneously compounded oral mixtures.         Soln	CODEINE PHOSPHATE			
63.09       25 g         (90.09)       Douglas         a) Only in extemporaneously compounded codeine linctus diabetic or codeine linctus paediatric.       b) ‡ Safety cap for extemporaneously compounded oral liquid preparations.         COLLODION FLEXIBLE         Collodion flexible       19.30       100 ml       ✓ PSM         COMPOUND HYDROXYBENZOATE – Only in combination         Only in extemporaneously compounded oral mixtures.       34.18       100 ml       ✓ David Craig         GLYCEROL       17.86       2,000 ml       ✓ healthE         19.80       ✓ ABM       (24.75)       MidWest         1.24       100 ml       (3.00)       PSM         6.19       500 ml       (10.00)       PSM         6.19       500 ml       (10.00)       PSM         17.86       2,000 ml       ✓ PSM         MGNESIUM HYDROXIDE       2.48       200 ml       (10.00)         Paste       .22.61       500 g       ✓ PSM         METHADONE HYDROCHLORIDE       .22.61       500 g       ✓ PSM         a) Only on a controlled drug form       b) No patient co-payment payable       .22.61       500 g       ✓ PSM         Determovaneously compounded methadone will only be reimbursed at the rate of the cheapest form availab	Powder – Only in combination		5 g	
(90.09) Douglas a) Only in extemporaneously compounded codeine linctus diabetic or codeine linctus paediatric. b) ‡ Safety cap for extemporaneously compounded oral liquid preparations. COLLODION FLEXIBLE Collodion flexible		· · ·		Douglas
a) Only in extemporaneously compounded codeine linctus diabetic or codeine linctus paediatric. b) ‡ Safety cap for extemporaneously compounded oral liquid preparations. COLLODION FLEXIBLE Collodion flexible			25 g	
b) ‡ Safety cap for extemporaneously compounded oral liquid preparations. COLLODION FLEXIBLE Collodion flexible				
Only in extemporaneously compounded oral mixtures.         Soln	COLLODION FLEXIBLE Collodion flexible			✔ PSM
Soln				
GLYCEROL ★ Liquid – Only in combination			100 ml	David Craig
★ Liquid – Only in combination	GLYCEROL			·
19.80       ✓ ABM         (24.75)       MidWest         1.24       100 ml         (3.00)       PSM         2.48       200 ml         (4.90)       PSM         6.19       500 ml         (10.00)       PSM         17.86       2,000 ml         V       PSM         0nly in extemporaneously compounded oral liquid preparations.         MAGNESIUM HYDROXIDE         Paste			2,000 ml	healthE
1.24       100 ml         (3.00)       PSM         2.48       200 ml         (4.90)       PSM         6.19       500 ml         (10.00)       PSM         17.86       2,000 ml         V       PSM         0nly in extemporaneously compounded oral liquid preparations.         MAGNESIUM HYDROXIDE         Paste				🖌 ABM
(3.00) PSM 2.48 200 ml (4.90) PSM 6.19 500 ml (10.00) PSM 17.86 2,000 ml ✔ PSM 17.86 2,000 ml ✔ PSM Only in extemporaneously compounded oral liquid preparations. MAGNESIUM HYDROXIDE Paste		· · ·		MidWest
2.48       200 ml         (4.90)       PSM         6.19       500 ml         (10.00)       PSM         17.86       2,000 ml         VAGNESIUM HYDROXIDE         Paste			100 ml	DOM
(4.90) PSM 6.19 500 ml (10.00) PSM 17.86 2,000 ml ✓ PSM Only in extemporaneously compounded oral liquid preparations. MAGNESIUM HYDROXIDE Paste		( )	200 ml	PSM
6.19       500 ml         (10.00)       PSM         17.86       2,000 ml       ✓ PSM         Only in extemporaneously compounded oral liquid preparations.          MAGNESIUM HYDROXIDE      22.61       500 g       ✓ PSM         METHADONE HYDROCHLORIDE      20.01 µ       > PSM         a) Only on a controlled drug form      0 No patient co-payment payable      0 Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methador powder, not methadone tablets).      7.84       1 g       ✓ AFT			200 111	PSM
(10.00) PSM 17.86 2,000 ml ✓ PSM Only in extemporaneously compounded oral liquid preparations. MAGNESIUM HYDROXIDE Paste		. ,	500 ml	
Only in extemporaneously compounded oral liquid preparations.         MAGNESIUM HYDROXIDE         Paste				PSM
MAGNESIUM HYDROXIDE         Paste		17.86	2,000 ml	🖌 PSM
METHADONE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadon powder, not methadone tablets). Powder		rations.		
a) Only on a controlled drug form b) No patient co-payment payable c) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadou powder, not methadone tablets). Powder	Paste	22.61	500 g	✔ PSM
Powder	<ul> <li>a) Only on a controlled drug form</li> <li>b) No patient co-payment payable</li> </ul>	reimbursed at the	e rate of the ch	eapest form available (methadon
	powder, not methadone tablets).			
	Powder ‡ Safety cap for extemporaneously compounded oral liqu		1 g	🖌 AFT

# EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy (Manufacturer's Pric \$	ce) Per	Fully Subsidised	Generic
METHYL HYDROXYBENZOATE				
Powder	10.00 (18.45)	25 g	-	<b>ABM</b> PSM
METHYLCELLULOSE				
Powder	14.00 (17.72)	100 g	-	<b>ABM</b> MidWest
PHENOBARBITONE SODIUM				
Powder – Only in combination	52.50 325.00	10 g 100 g	-	MidWest MidWest
<ul> <li>a) Only in children up to 12 years</li> <li>b) \$\$ Safety cap for extemporaneously compounded oral lic</li> <li>PROPYLENE GLYCOL</li> </ul>	uid preparations.			
Only in extemporaneously compounded methyl hydroxybenzo	pate 10% solution.			
Liq	12.00 17.70	500 ml	•	ABM PSM
SODIUM BICARBONATE				
Powder BP – Only in combination	9.80 (11.99) (29.50)	500 g	-	<b>ABM</b> Biomed David Craig
Only in extemporaneously compounded omeprazole susp	ension.			
SYRUP (PHARMACEUTICAL GRADE) – Only in combination Only in extemporaneously compounded oral liquid preparatio Liq		2,000 m	🗸	Midwest
WATEB		,		
Tap – Only in combination	0.00	1 ml	~	Tap water

## **EXPLANATORY NOTES**

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

### **Eligibility for Special Authority**

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

#### Who can apply for Special Authority?

 Initial Applications:
 Only Specialists

 Reapplications:
 Specialist or general practitioner on recommendation of specialist. Reapplications by general practitioners on specialist recommendation must include the name of the specialist and the date the specialist was contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. A supporting letter may be included if desired. Applications must be forwarded to:

Ministry of Health Sector Services Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

#### Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

#### Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

#### Definitions

Failure to thrive<br/>Growth deficiencyAn inability to gain or maintain weight resulting in physiological impairment.Where the weight of the child is less than the fifth or possibly third percentile for<br/>their age, with evidence of malnutrition

#### **Dietitian Prescribing**

Prescriptions from Dietitians will be only valid for subsidy where they are for special foods, as listed in this section, or where they are for the following products:

ALPHA TOCOPHERYL ACETATE Water solubilised soln 156 iu/ml, with calibrated dropper

ASCORBIC ACID Tab 100 mg

CALCIUM CARBONATE Tab 1.25 g (500 mg elemental) Tab 1.5 g (600 mg elemental) Tab 1.75 g (1 g elemental)

COMPOUND ELECTROLYTES Powder for soln for oral use 5 g

DEXTROSE WITH ELECTROLYTES Soln with electrolytes

FERROUS FUMARATE Tab 200 mg (65 mg elemental)

FERROUS FUMARATE WITH FOLIC ACID Tab 310 mg (100 mg elemental) with folic acid 350 µg

FERROUS SULPHATE Tab long-acting 325 mg (105 mg elemental) Oral liq 30 mg per 1 ml (6 mg elemental per 1 ml)

FERROUS SULPHATE WITH FOLIC ACID Tab long-acting 325 mg (105 mg elemental) with folic acid 350 µg

MULTIVITAMINS Tab Powder

Oral liq

POTASSIUM BICARBONATE Tab eff 315 mg with sodium acid phosphate 1.937 g and sodium bicarbonate 350 mg

POTASSIUM CHLORIDE Tab eff 584 mg (14 m eq) with chloride 385 mg (8 m eq) Tab long-acting 600 mg

PYRIDOXINE HYDROCHLORIDE Tab 25 mg Tab 50 mg

SODIUM FLUORIDE Tab 1.1 mg (0.5 mg elemental)

THIAMINE HYDROCHLORIDE Tab 50 mg

VITAMIN A WITH VITAMINS D AND C Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops

VITAMIN B COMPLEX Tab, strong, BPC

VITAMINS Tab (BPC cap strength) Cap (fat soluble vitamins A, D, E, K)

Subsidy		Fully
(Manufacturer's Price)		Subsidised
\$	Por	~

Brand or Generic

V

## Manufacturer

## Nutrient Modules

## Carbohydrate

### SA0912 Special Authority for Subsidy

Initial application — (Cystic fibrosis or renal failure) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Either:

- 1 cvstic fibrosis: or
- 2 chronic renal failure or continuous ambulatory peritoneal dialysis (CAPD) patient.

Initial application - (Indications other than cystic fibrosis or renal failure) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children: or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 failure to thrive; or
- 4 growth deficiency; or
- 5 bronchopulmonary dysplasia; or
- 6 premature and post premature infant; or
- 7 inborn errors of metabolism.

Renewal — (Cystic fibrosis or renal failure) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 General Practitioners must include the name of the specialist and date contacted.

Renewal - (Indications other than cystic fibrosis or renal failure) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

CARBOHYDRATE SUPPLEMENT - Special Authority see SA0912 above - Hospital pharmacy [HP3]

			[···· +]
Powder		5,000 g	<ul> <li>Morrex Maltodextrin</li> </ul>
	182.50	25,000 g	<ul> <li>Morrex Maltodextrin</li> </ul>
	1.30	400 g OP	
	(5.29)		Polycal
	(12.00)	368 g OP	Moducal

## **Carbohydrate And Fat**

### SA0581 Special Authority for Subsidy

Initial application - (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 infant aged four years or under; and
- 2 cystic fibrosis.

Initial application - (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 infant aged four years or under; and
- 2 Any of the following:

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

#### continued...

- 2.1 cancer in children; or
- 2.2 failure to thrive; or
- 2.3 growth deficiency; or
- 2.4 bronchopulmonary dysplasia; or
- 2.5 premature and post premature infants.

**Renewal** — (Cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

		•	Soluble I	Powder
Powder (neutral)		400 g OP	Duocal Su	per
CARBOHYDRATE AND FAT SUPPLEMENT	- Special Authority see SA0581	on the preceding pa	age – Hospital pl	harmacy [HP3]

## Fat

### ➡SA0899 Special Authority for Subsidy

**Initial application** — (Inborn errors of metabolism) only from a relevant specialist. Approvals valid for 3 years where the patient has inborn errors of metabolism.

**Initial application** — (Indications other than inborn errors of metabolism) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 failure to thrive where other high calorie products are inappropriate or inadequate; or
- 2 growth deficiency; or
- 3 bronchopulmonary dysplasia; or
- 4 fat malabsorption; or
- 5 lymphangiectasia; or
- 6 short bowel syndrome; or
- 7 infants with necrotising enterocolitis; or
- 8 biliary atresia.

Renewal — (Inborn errors of metabolism) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.
- FAT SUPPLEMENT Special Authority see SA0899 above Hospital pharmacy [HP3]

 oorreement opoolarr	actionity 000 0/ 10000 above	rioopital priarinaoy [		
Emulsion (neutral)		12.30	200 ml OP	Calogen
		30.75	500 ml OP	Calogen
Emulsion (strawberry)		12.30	200 ml OP	Calogen
Oil			250 ml OP	Liquigen
		30.00	500 ml OP	MCT oil (Nutricia)

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per ✔	Manufacturer

## Protein

### ■SA0582 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 protein losing enteropathy; or
- 2 high protein needs (eg burns).

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

PROTEIN SUPPLEMENT – Special Authority see SA0582 above – Hospital pharmacy [HP3]							
Powder	225 g OP	Protifar					
8.95	227 g OP	<ul> <li>Resource Beneprotein</li> </ul>					
Powder (vanilla)12.90	275 g OP	Promod					
Oral Supplements							

## Oral Supplements

These products are to be used only as supplements to a person's dietary needs. Subsidy for up to 500 ml a day. Amounts prescribed in excess of this amount must be paid for by the patient.

## ➡SA0583 Special Authority for Subsidy

**Initial application** — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years where the patient has cystic fibrosis.

**Initial application — (Indications other than cystic fibrosis)** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children; or
- 2 inflammatory bowel disease; or
- 3 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 4 malnutrition requiring nutritional support.

Renewal — (Cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

	Subsidy (Manufacturer's F \$	Price) Sub Per	Fully osidised	Brand or Generic Manufacturer
ORAL SUPPLEMENT 1KCAL/ML - Special Authority see SA	0583 on the precedi	ing page – Hos	spital pha	armacy [HP3]
Powder (chocolate)		900 g OP		ustagen Hospital Formula
	4.75	400 g OP		
	(7.22)		E	nsure
Powder (strawberry)	4.75	400 g OP		
	(7.22)		Ei	nsure
Powder (vanilla)	10.22	900 g OP		ustagen Hospital Formula
	4.75	400 g OP		
	(7.22)		E	nsure

## Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

## **Respiratory Products**

### ➡SA0588 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 CORD patients who have hypercapnia; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

CORD ORAL FEED 1.5KCAL/ML - Special Authority see SA0588 above - Hospital pharmacy [HP3]

## **Diabetic Products**

### ➡SA0594 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Type I and II diabetics who require nutritional supplementation; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

SPECIAL FOODS

	Subsidy (Manufacturer's F \$	Price) Subs Per	Fully Brand or sidised Generic Manufacturer
DIABETIC ENTERAL FEED 1KCAL/ML – Special Authority see S Liquid		-	
ORAL FEED 1KCAL/ML – Special Authority see SA0594 on the p Liquid (strawberry)	1.50 1.78	200 ml OP 237 ml OP	<ul><li>Diasip</li><li>Resource Diabetic</li></ul>
Liquid (vanilla)	1.50 1.88 1.78 (2.10)	200 ml OP 250 ml OP 237 ml OP	Diasip     Glucerna Select     Resource Diabetic
(Resource Diabetic Liquid (strawberry) to be delisted 1 February 2			
Fat Modified Products			
<ul> <li>SA0615 Special Authority for Subsidy         Initial application only from a relevant specialist. Approvals valid f         Both:         <ol> <li>The product is to be used as a complete diet; and</li> <li>Either:</li> <li>Patient has metabolic disorders of fat metabolism; or</li> <li>2.2 Patient has chylothorax.</li> </ol> </li> </ul>		plications meet	ing the following criteria:
<ul> <li>Renewal only from a relevant specialist or general practitioner on 1 year for applications meeting the following criteria:</li> <li>Both: <ol> <li>The treatment remains appropriate and the patient is benefit</li> <li>General Practitioners must include the name of the specialis</li> </ol> </li> <li>FAT MODIFIED FEED – Special Authority see SA0615 above – He Powder</li></ul>	ting from treatm st and date cont ospital pharmac	nent; and acted.	ant specialist. Approvals valid for
High Protein Products		400 g Ol	• Monogen
<ul> <li>SA0589 Special Authority for Subsidy         Initial application only from a relevant specialist. Approvals valid for the following:         <ol> <li>Anorexia and weight loss; and</li> <li>Either:                 <ol> <li>decompensating liver disease without encephalopath</li></ol></li></ol></li></ul>	iy; or n 500 ml per da the recommend	iy); or lation of a relev	
<ul> <li>2 Either:</li> <li>2.1 The product is to be used as a supplement (maximur 2.2 The product is to be used as a complete diet; and</li> <li>3 General Practitioners must include the name of the specialis</li> <li>ORAL FEED 1KCAL/ML – Special Authority see SA0589 above – Liquid</li> </ul>	n 500 ml per da st and date cont Hospital pharm	y); or acted.	✓ Fortimel Regular
✓ fully subsidised [HP3], [F	IP4] refer page 8		179

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✔	Brand or Generic Manufacturer
Paediatric Products For Children Awaiting Liver Transplant			
Same Section Special Authority for Subsidy Section Only from a paediatrician. Approvals valid for Both: Child (up to 18 years) who is awaiting liver transplant; and Either:		s meeting the follo	owing criteria:
<ul><li>2.1 The product is to be used as a supplement (maxim</li><li>2.2 The product is to be used as a complete diet.</li></ul>			
Renewal only from a paediatrician. Approvals valid for 3 years for Both:		-	eria:
1 The treatment remains appropriate and the patient is ben 2 Either:	-		
<ul><li>2.1 The product is to be used as a supplement (maxim</li><li>2.2 The product is to be used as a complete diet.</li></ul>	num 500 ml per day); o	r	
ENTERAL/ORAL FEED 1KCAL/ML – Special Authority see SA Powder			eneraid Plus
Paediatric Products For Children With Chronic	Renal Failure		
SA0606 Special Authority for Subsidy nitial application only from a paediatrician. Approvals valid for Both:	3 years for applications	meeting the follo	owing criteria:
<ol> <li>child (up to 18 years) with chronic renal failure; and</li> <li>Either:</li> </ol>			
<ul><li>2.1 The product is to be used as a supplement; or</li><li>2.2 The product is to be used as a complete diet.</li></ul>			
Renewal only from a paediatrician. Approvals valid for 3 years for Both:	or applications meeting	the following crit	eria:
1 The treatment remains appropriate and the patient is ben 2 Either:	efiting from treatment;	and	
<ul><li>2.1 The product is to be used as a supplement; or</li><li>2.2 The product is to be used as a complete diet.</li></ul>			
ENTERAL/ORAL FEED 1KCAL/ML – Special Authority see SAC Liquid			indergen
Paediatric Products			
<ul> <li>Special Authority for Subsidy</li> <li>nitial application only from a relevant specialist. Approvals vali</li> <li>All of the following:         <ol> <li>infant aged one to eight years; and</li> </ol> </li> </ul>	d for 1 year for applicat	tions meeting the	following criteria:

- 2 Any of the following:
  - 2.1 any condition causing malabsorption; or
  - 2.2 failure to thrive; or
  - 2.3 increased nutritional requirements; and
- 3 Either:
  - 3.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 3.2 The product is to be used as a complete diet.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

	Subsidy (Manufacturer's Price) \$	Fi Subsidis Per	ully Brand or sed Generic Manufacturer
continued			
All of the following:			
<ol> <li>The treatment remains appropriate and the patient is bene 2 Either:</li> </ol>	etiting from treatment;	and	
2.1 The product is to be used as a supplement (maxim	um 500 ml per dav): o	r	
2.2 The product is to be used as a complete diet; and	an ooo nii por aay), o	•	
3 General Practitioners must include the name of the specia	list and date contacte	d.	
PAEDIATRIC ENTERAL FEED 1.5KCAL/ML - Special Authority			e – Hospital pharmacy [HP3]
Liquid		0 ml OP 🛛 🖌	Nutrini Energy RTH
PAEDIATRIC ENTERAL FEED 1KCAL/ML - Special Authority se	ee SA0896 on the pre	ceding page -	- Hospital pharmacy [HP3]
Liquid		• • • • •	Nutrini RTH
		v	Pediasure RTH
PAEDIATRIC ORAL FEED 1.5KCAL/ML - Special Authority see		010	
Liquid (strawberry)		•	NutriniDrink
Liquid (vanilla)			NutriniDrink
PAEDIATRIC ORAL FEED 1KCAL/ML – Special Authority see S		010	spital pharmacy [HP3]
Liquid (chocolate) Liquid (strawberry)			Pediasure Pediasure
Liquid (vanilla)			Pediasure
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML – Special		on the preced	ing nage – Hospital pharmacy
[HP3]			ing page Troopital pharmacy
Liquid (chocolate)		0 ml OP 🖌	NutriniDrink
			Multifibre
Liquid (strawberry)		0 ml OP 🛛 🖌	NutriniDrink
			Multifibre
Liquid (vanilla)		0 ml OP	NutriniDrink Multifibre
			wullible

### **Renal Products**

### ➡SA0587 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 acute or chronic renal failure; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and

3 General Practitioners must include the name of the specialist and date contacted.

Nutrison
 Concentrated

	Subsidy (Manufacturer's Pr \$	rice) Sub Per	Fully osidised	Brand or Generic Manufacturer
RENAL ORAL FEED 2KCAL/ML – Special Authority see SA0587	7 on the preceding	g page – Hosp	oital pha	rmacy [HP3]
Liquid	2.43	200 ml OP	🖌 N	epro (vanilla)
	2.88	237 ml OP		
	(3.31)		N	ovaSource Renal
Liquid (apricot)		125 ml OP	🖌 R	enilon 7.5
Liquid (caramel)		125 ml OP	🖌 R	enilon 7.5

### **Specialised And Elemental Products**

#### ➡SA0592 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Any of the following:
  - 1.1 malabsorption; or
  - 1.2 short bowel syndrome; or
  - 1.3 enterocutaneous fistulas; or
  - 1.4 pancreatitis; and

2 Either:

- 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
- 2.2 The product is to be used as a complete diet.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and

3 General Practitioners must include the name of the specialist and date contacted.

ENTERAL/ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority : Powder		79 g OP	ital pharmacy [HP3] Vital HN Alitraq
ORAL ELEMENTAL FEED 0.8KCAL/ML - Special Authority see SA05	92 above -	Hospital pharm	nacy [HP3]
Liquid (grapefruit)	9.50	250 ml OP	Elemental 028 Extra
Liquid (pineapple & orange)	9.50	250 ml OP	Elemental 028 Extra
Liquid (summer fruit)	9.50	250 ml OP	<ul> <li>Elemental 028 Extra</li> </ul>
ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority see SA059	2 above – H	ospital pharma	cy [HP3]
Powder (unflavoured)	4.50	80.4 g OP	Vivonex TEN
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML – Special Authority s Liquid		above – Hospi 1,000 ml OP	, ,, ,

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sul	osidised	Generic
\$	Per	~	Manufacturer

### **Undyalised End Stage Renal Failure**

#### ► SA0586 Special Authority for Subsidy

**Initial application** only from a gastroenterologist or renal physician. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 undialysed end stage renal patients; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

Note: Where possible, the requirements for oral supplementation should be established in conjunction with assessment by a dietician.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 Either:

- 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
- 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

RENAL ORAL FEED 1KCAL/ML - Special Authority see SA0586 above - Hospital pharmacy [HP3]

### Adult Products Standard

#### ➡SA0702 Special Authority for Subsidy

**Initial application** — (Oral feed for cystic fibrosis patient) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

1 Cystic fibrosis; and

2 Either:

- 2.1 The product is to be used as a supplement; or
- 2.2 The product is to be used as a complete diet.

Initial application — (Oral feed for indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 any condition causing malabsorption; or
  - 1.2 failure to thrive; or
  - 1.3 increased nutritional requirements; and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet.

Renewal — (Oral feed cystic fibrosis patient) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet; and

continued...

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

3 General Practitioners must include the name of the specialist and date contacted.

Initial application — (Enteral feed) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 enteral feeding; or
  - 1.2 nasogastric; or
  - 1.3 nasoduodenal; or
  - 1.4 nasojejunal; or
  - 1.5 gastrostomy/jejunostomy; and

2 Either:

- 2.1 The product is to be used as a supplement; or
- 2.2 The product is to be used as a complete diet.

Renewal — (Enteral feed or Oral feed for indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet; and

3 General Practitioners must include the name of the specialist and date contacted.

Notes: This group of products can be used either as a supplement or as a complete diet.

If a product is being used as a supplement, the limit is 500 ml per day.

Cystic fibrosis patients are exempt the 500 ml per day volume restriction when using Ensure Plus, Fortisip or Resource Plus as a supplement.

ENTERAL FEED 1KCAL/ML - Special Authority see SA0702 on the preceding page - Hospital pharmacy [HP3]

	1 01	250 ml OP	✓ Isosource HN ✓ Isosource Standard
	2.65	500 ml OP	<ul> <li>Nutrison Standard RTH</li> </ul>
	5.29	1,000 ml OP	<ul> <li>Nutrison Standard RTH</li> </ul>
			<ul> <li>Isosource HN RTH</li> <li>Isosource Standard RTH</li> </ul>
			<ul> <li>Isosource Standard RTH</li> </ul>
(Isosource HN Liquid to be delisted 1 December 2010) (Isosource HN RTH Liquid to be delisted 1 December 2010)			✓ Osmolite RTH
ENTERAL FEED WITH FIBRE 1 KCAL/ML - Special Authority s	ee SA0702 on t	he preceding pa	ge – Hospital pharmacy [HP3]
Liquid		250 ml OP 500 ml OP 1,000 ml OP	<ul> <li>Fibersource HN</li> <li>Nutrison Multi Fibre</li> <li>Nutrison Multi Fibre</li> <li>Fibersource HN RTH</li> </ul>

✓ Jevity RTH

(Fibersource HN Liquid to be delisted 1 December 2010) (Fibersource HN RTH Liquid to be delisted 1 December 2010)

### SPECIAL FOODS

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or Isidised Generic Manufacturer
ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority Liquid		page 183 – Hos 250 ml OP 1,000 ml OP	spital pharmacy [HP3] Isosource 1.5 Ensure Plus RTH Nutrison Energy Multi Fibre
(Isosource 1.5 Liquid to be delisted 1 January 2011)			
ORAL FEED 1.5KCAL/ML – Special Authority see SA0702 on pa	iae 183 – Hosp	ital pharmacy [H	IP31
Liquid (banana)	0	200 ml OP	✓ Fortisip
_ 4 ()	(1.45)		Ensure Plus
Liquid (chocolate)		200 ml OP	✓ Fortisip
	1.33	237 ml OP	Resource Plus
	1.12	200 ml OP	
	(1.45)		Ensure Plus
	1.33	237 ml OP	Ensure Plus
Liquid (coffee latte)	1.33	237 ml OP	Ensure Plus
Liquid (fruit of the forest)	1.12	200 ml OP	
	(1.45)		Ensure Plus
Liquid (strawberry)		200 ml OP	✓ Fortisip
	1.33	237 ml OP	Resource Plus
	1.12	200 ml OP	
	(1.45)		Ensure Plus
	1.33	237 ml OP	Ensure Plus
Liquid (toffee)	1.12	200 ml OP	Fortisip
Liquid (tropical fruit)	1.12	200 ml OP	✓ Fortisip
Liquid (vanilla)	1.12	200 ml OP	<ul> <li>Fortisip</li> </ul>
	1.33	237 ml OP	Resource Plus
	1.12	200 ml OP	
	(1.45)		Ensure Plus
	1.33	237 ml OP	Ensure Plus
Resource Plus Liquid (chocolate) to be delisted 1 January 2011) Resource Plus Liquid (strawberry) to be delisted 1 February 201 Resource Plus Liquid (vanilla) to be delisted 1 December 2010)	1)		
RAL FEED WITH FIBRE 1.5 KCAL/ML – Special Authority see Liquid (chocolate)		ge 183 – Hospita 200 ml OP	al pharmacy [HP3] Fortisip Multi Fibre
		200	<ul> <li>Fordiolp Multi Film</li> </ul>

	200 111 01	
Liquid (strawberry)1.12	200 ml OP	Fortisip Multi Fibre
Liquid (vanilla)1.12	200 ml OP	<ul> <li>Fortisip Multi Fibre</li> </ul>

### **Adult Products High Calorie**

#### ► SA0585 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements; and
- 4 Either:
  - 4.1 The product is to be used as a supplement; or
  - 4.2 The product is to be used as a complete diet.

continued...

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
S	Per 🖌	Manufacturer

continued...

**Initial application — (Indications other than cystic fibrosis)** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - 1.1 any condition causing malabsorption; or
  - 1.2 failure to thrive; or
  - 1.3 increased nutritional requirements; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements; and
- 4 Either:
  - 4.1 The product is to be used as a supplement; or
  - 4.2 The product is to be used as a complete diet.

**Renewal** — (Cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted; and
- 3 Either:
  - 3.1 The product is to be used as a supplement; or
  - 3.2 The product is to be used as a complete diet.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted; and
- 3 Either:
  - 3.1 The product is to be used as a supplement; or
  - 3.2 The product is to be used as a complete diet.

Notes: This product can be used either as a supplement or as a complete diet.

If it is being used as a supplement, the limit is 500 ml per day.

ORAL FEED 2KCAL/ML – Special Authority see SA0585 on the preceding page – Hospital pharmacy [HP3]

Liquid (vanilla) ......2.25 237 ml OP 🖌 Two Cal HN

### **Food Thickeners**

#### ➡SA0595 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

(Resource Thicken Up Powder to be delisted 1 December 2010)

### SPECIAL FOODS

	Subsidy (Manufacturer's		Fully Brand or lised Generic
	(Manufacturer s	Price) Subsid Per	Manufacturer
Gluten Free Foods	- 		
► SA0722 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals v	alid with a st furth a		satified for applications meeting
the following criteria:	and without furthe	r renewai uniess r	iouned for applications meeting
Either:			
1 Gluten enteropathy has been diagnosed by biopsy; or 2 Patient suffers from dermatitis herpetiformis.			
GLUTEN FREE BAKING MIX – Special Authority see SA0722	above – Hospital	pharmacy [HP3]	
Powder		1,000 g OP	
	(5.15)	.,	Healtheries Simple
	· · · ·		Baking Mix
GLUTEN FREE BREAD MIX – Special Authority see SA0722	above – Hospital p	harmacy [HP3]	
Powder		1,000 g OP	
	(7.32)	-	NZB Low Gluten
			Bread Mix
	4.77		
	(8.71)		Bakels Gluten Free Health Bread Mix
	3.51		
	(10.87)		Horleys Bread Mix
GLUTEN FREE FLOUR – Special Authority see SA0722 abov			
Powder	5.62 (18.10)	2,000 g OP	Horleys Flour
	· · /	(1) Del	rioneys riour
GLUTEN FREE PASTA – Special Authority see SA0722 above			
Buckwheat Spirals	(3.11)	250 g OP	Orgran
Corn and Vegetable Shells	( )	250 g OP	Orgian
	(2.92)	200 9 01	Orgran
Corn and Vegetable Spirals		250 g OP	- 5 **
	(2.92)	-	Orgran
Rice and Corn Lasagne Sheets		200 g OP	_
	(3.82)		Orgran
Rice and Corn Macaroni		250 g OP	Overver
Rice and Corn Penne	(2.92)	250 g OP	Orgran
	(2.92)	200 y OF	Orgran
Rice and Maize Pasta Spirals	· · /	250 g OP	Cigiun
	(2.92)	5	Orgran
Rice and Millet Spirals		250 g OP	-
	(3.11)		Orgran
Rice and corn spaghetti noodles		375 g OP	
Manatable and Disa Onivela	(2.92)	050 - 05	Orgran
Vegetable and Rice Spirals		250 g OP	Oraron
Italian long style spaghetti	(2.92)	220 g OP	Orgran
nanan iviy siyie spaynen	2.00 (3.11)	220 y OF	Orgran
	(0.11)		orgiun

Subsidy Fully (Manufacturer's Price) Subsidised \$ Per •

Brand or Generic Manufacturer

### Foods And Supplements For Inborn Errors Of Metabolism - Other

#### ➡SA0732 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Either:

- 1 dietary management of homocystinuria; or
- 2 dietary management of maple syrup urine disease.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

#### **Prescribing Guideline**

It can cost up to \$70,000 a year to keep an adult on protein supplements. Because protein substitutes are so expensive and because they are only effective in controlling PKU if a restricted diet is followed, adults with PKU will be required to demonstrate they are following the prescribed diet by regular blood testing. The requirement for testing applies to those aged over 16 years. Failure to follow an appropriate diet results in high blood phenylalanine levels.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

#### **Supplements For Homocystinuria**

AMINOACID FORMULA WITHOUT METHIONINE – Special A See prescribing guideline above	uthority see SA073	32 above – Hosp	ital pharmacy [HP3]
Powder	461.94	500 g OP	XMET Maxamum
Supplements For MSUD			
AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND pharmacy [HP3] See prescribing guideline above	ISOLEUCINE - S	Special Authority	v see SA0732 above - Hospital
See prescribing guideline above Powder		500 a OP	MSUD Maxamaid

✓ MSUD Maxamum

### Foods And Supplements For Inborn Errors Of Metabolism - PKU

#### Prescribing Guideline

It can cost up to \$70,000 a year to keep an adult on protein supplements. Because protein substitutes are so expensive and because they are only effective in controlling PKU if a restricted diet is followed, adults with PKU will be required to demonstrate they are following the prescribed diet by regular blood testing. The requirement for testing applies to those aged over 16 years. Failure to follow an appropriate diet results in high blood phenylalanine levels.

437.22

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

#### Foods and Supplements For PKU

#### ➡SA0733 Special Authority for Subsidy

**Initial application** — (Patient aged over 16) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 dietary management of PKU; and
- 2 The patient's blood phenylalanine level is < 900 mmol/litre (average of tests over last 12 months).

continued...

### SPECIAL FOODS

Subsidy		Fully	Brand or
(Manufacturer's Price)	Price) Subsidised		Generic
\$	Per	~	Manufacturer

continued...

Initial application — (Patient aged 16 or under) only from a relevant specialist. Approvals valid for 3 years where the patient requires dietary management of PKU.

**Renewal — (Patient aged over 16)** only from a relevant specialist. Approvals valid for 1 year where blood phenylalanine level < 900 mmol/litre (average of tests over last 12 months).

Renewal — (Patient aged 16 or under) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 General Practitioners must include the name of the specialist and date contacted.

AMINOACID FORMULA WITHOUT PHENYLALANINE - Special Authority see SA0733 on the preceding page - Hospital pharmacy [HP3]

See prescribing guideline on the preceding page

See prescribing guideline on the preceding page			
Tabs		75 OP	Phlexy 10
Sachets (pineapple/vanilla) 29 g		30 OP	<ul> <li>Minaphlex</li> </ul>
Sachets (tropical)		30	Phlexy 10
Infant formula		400 g OP	<ul> <li>PKU Anamix Infant</li> <li>XP Analog LCP</li> </ul>
Powder (orange)	221.00 320.00	500 g OP	<ul> <li>XP Maxamaid</li> <li>XP Maxamum</li> </ul>
Powder (unflavoured)		500 g OP	✓ XP Maxamum
rowder (unitavoured)	320.00	500 y OF	✓ XP Maxamum
Liquid (berry)		62.5 ml OP	✓ Lophlex LQ
	31.20	125 ml OP	Lophlex LQ
	15.65	62.5 ml OP	PKU Lophlex LQ
	31.20	125 ml OP	PKU Lophlex LQ
Liquid (citrus)		62.5 ml OP	Lophlex LQ
	31.20	125 ml OP	Lophlex LQ
	15.65	62.5 ml OP	PKU Lophlex LQ
	31.20	125 ml OP	PKU Lophlex LQ
Liquid (forest berries)		250 ml OP	Easiphen Liquid
Liquid (orange)		62.5 ml OP	Lophlex LQ
	31.20	125 ml OP	Lophlex LQ
	15.65	62.5 ml OP	PKU Lophlex LQ
	31.20	125 ml OP	PKU Lophlex LQ
Liquid (tropical)		250 ml OP	<ul> <li>Easiphen</li> </ul>
ENYL FREE BAKING MIX – Special Authority see SA See prescribing guideline on the preceding page	0733 on the preceding	page – Hospital	pharmacy [HP3]
Powder		500 g OP	
	(8.22)	555 g 01	Loprofin Mix

### SPECIAL FOODS

	Subsidy (Manufacturer's Pr \$		Fully dised	Brand or Generic Manufacturer
HENYL FREE PASTA - Special Authority see SA0733 on page	ge 188 – Hospital pł	narmacy [HP3]		
See prescribing guideline on page 188				
Animal shapes	10.65	500 g OP		
	(11.91)		Lo	oprofin
Lasagne	5.32	250 g OP		
-	(5.95)	-	Lo	oprofin
Low protein rice pasta		500 g OP		
	(11.91)	0	Lo	oprofin
Macaroni		250 g OP		
	(5.95)	0	Lo	oprofin
Penne	( )	500 g OP		. F
	(11.91)		Lo	oprofin
Spaghetti	( )	500 g OP	_`	
	(11.91)		10	oprofin
Spirals	( )	500 g OP		op.o
	(11.91)	000 g 01	Lo	oprofin

### **Multivitamin And Mineral Supplements**

#### ➡SA0962 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

1 Dietary management of phenylketonuria (PKU); or

2 For use as a supplement to the ketogenic diet in patients diagnosed with epilepsy; or

3 Patient has had a previous approval for metabolic mineral mixture.

AMINOACID FORMULA WITH MINERALS WITHOUT PHENYLALANINE – Special Authority see SA0962 above – Retail pharmacy See prescribing guideline on page 188

Powder	100 g OP	Metabolic Mineral
		Mixture

### Infant Formulae

#### **For Premature Infants**

#### ➡SA0602 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 6 months where the patient is infant weighing less than 1.5 kg at birth.

PREMATURE BIRTH FORMULA - Special Authority see SA0602 above -	Hospital	pharmacy [HP	3]
Liquid0	.75	100 ml OP	✓ S26LBW Gold RTF

#### For Williams Syndrome

#### SA0601 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

	Subsidy	Fully	Brand or
	(Manufacturer's Price)	Subsidised	Generic
	\$	Per ✔	Manufacturer
LOW CALCIUM INFANT FORMULA – Special Authority see SAG Powder		page – Hospital 0 g OP 🖌 🖌 L	

#### For Gastrointestinal And Other Malabsorptive Problems

#### SA0603 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year where the patient is infant suffering from malabsorption and other gastrointestinal problems.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 General Practitioners must include the name of the specialist and date contacted.

Neocate should be used only as a last resort when the infant is unable to absorb any of the below formulae. The objective with each of the formulae prescribed is to get the infant off them as soon as possible. This may take six months, it may take three years. Because of this, variation on age limit is not regarded as appropriate. These formulae will be available only from a hospital pharmacy. Vivonex Pediatric may be a suitable and less expensive alternative for many children that would otherwise be eligible for a subsidy for Neocate and should, therefore, be tried first in these cases. The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

ELEMENTAL FORMULA – Special Authority see SA0603 above – Hospital pharmacy [HP3]

Powder		450 g OP	
	(15.21)		Pepti Junior Gold
	15.52		
	(19.01)		Pepti Junior
	63.97	400 g OP	
	(67.08)	-	Neocate
	(67.08)		Neocate LCP
	5.62	48.5 g OP	
	(6.00)	-	Vivonex Pediatric
Powder (tropical)		400 g OP	
	(56.00)	-	Neocate Advance
Powder (unflavoured)		400 g OP	
	(56.00)	-	Neocate Advance

#### For Milk Intolerance

#### ➡SA0604 Special Authority for Subsidy

**Initial application** — (Lactase deficiency or disaccharide intolerance) only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is less than 3 years of age; and
- 2 Either:
  - 2.1 diagnosed as suffering from congenital lactase deficiency; or
  - 2.2 suffering from disaccharide intolerance.

Notes: Secondary lactose intolerance in children is usually short lasting, and can be controlled by dietary measures and by giving sufficient calories to regenerate digestive enzymes.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Initial application — (Infant with intolerance to cows' milk) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

continued...

	Subsidy (Manufacturer's Pri		Fully Subsidised	I Generic
continued	\$	Pei	V	Manufacturer
Both:				
<ol> <li>intolerant to cows' milk; and</li> <li>patient is less than 3 years of age.</li> </ol>				
Note: The subsidy for these products reflects the philosophy that	t the patient incurs	s no ado	litional fina	ncial burden for purchasing
specialised more expensive products.				
Renewal — (Infant with intolerance to cows' milk) only from a meeting the following oritoria:	i relevant specialis	st. Appro	vals valid f	or 6 months for applications
meeting the following criteria: Both:				
1 The treatment remains appropriate and the patient is bene 2 patient is less than 3 years of age.	fiting from treatme	nt; and		
GOATS MILK INFANT FORMULA - Special Authority see SA060	4 on the preceding	g page -	- Retail pha	irmacy
Powder		900 g C		
	(22.75)			Karicare Goats Milk Infant Formula
LACTOSE FREE INFANT FORMULA - Special Authority see SA		0.0	-	pharmacy
Powder		900 g C		Delact
	(17.95)	Deteil		Delaci
SOYA INFANT FORMULA – Special Authority see SA0604 on the Powder	1 01 0	- Retall 900 g C	, ,	
	(19.57)	500 g C		S26 Soy
Infant Formulae - Lactose Intolerance and Cows	' Milk Protein	Intole	rance	·
SA0757 Special Authority for Subsidy				
Initial application only from a relevant specialist. Approvals valid	for 6 months for a	pplicatio	ons meeting	g the following criteria:
All of the following:				
<ol> <li>The patient is less than 2 years of age; and</li> <li>Intolerant to cows' milk: and</li> </ol>				
3 Diagnosed as suffering from congenital lactase deficiency.				
Renewal only from a relevant specialist. Approvals valid for 6 mc benefiting from treatment.	onths where the tre	eatment	remains ap	ppropriate and the patient is
INFANT SOY FORMULA - Special Authority see SA0757 above	<ul> <li>Retail pharmacy</li> </ul>	,		
Powder		900 g		

(16.35)

Karicare Soy All Ages

### Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

ADRENALINE ✓ Inj 1 in 1,000, 1 ml
AMINOPHYLLINE ✔ Inj 25 mg per ml, 10 ml5
AMIODARONE HYDROCHLORIDE ✔ Inj 50 mg per ml, 3 ml
AMOXYCILLIN ✓ Cap 250 mg
AMOXYCILLIN CLAVULANATE ✓ Tab amoxycillin 500 mg with potassium clavulanate 125 mg
✓ Grans for oral liq amoxycillin 250 mg with potassium clavulanate 62.5 mg per 5 ml
APPLICATOR ✔ Applicator – See note on page 701
ASPIRIN ✔ Tab dispersible 300 mg
АТROPINE SULPHATE ✔ Inj 600 µg, 1 ml
AZITHROMYCIN ✓ Tab 500 mg – Subsidy by endorsement – See note on page 864
BENDROFLUAZIDE V Tab 2.5 mg – See note on page 56
BENZATHINE BENZYLPENICILLIN V Inj 1.2 mega u per 2.3 ml
BENZTROPINE MESYLATE ✓ Inj 1 mg per ml, 2 ml
BENZYLPENICILLIN SODIUM (PENICILLIN G)
<ul> <li>CEFTRIAXONE SODIUM</li> <li>✓ Inj 500 mg – Subsidy by endorsement – See note on page 85</li></ul>

CHARCOAL ✔ Oral liq 50 g per 250 ml	250 ml
CHLORPROMAZINE HYDROCHLORIDE ✓ Tab 10 mg ✓ Tab 25 mg ✓ Tab 100 mg ✓ Inj 25 mg per ml, 2 ml	
CIPROFLOXACIN ✔ Tab 250 mg ✔ Tab 500 mg	
<ul> <li>CO-TRIMOXAZOLE</li> <li>✓ Tab trimethoprim 80 mg and sulphamethoxazole 400 mg</li> <li>✓ Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg per 5 ml</li></ul>	
COMPOUND ELECTROLYTES Powder for soln for oral use 5 g	10
CONDOMS <ul> <li>49 mm</li></ul>	144 144 144 144 144 144 144 144 144 144
DEXAMETHASONE ✓ Tab 1 mg – Retail pharmacy-Specialist ✓ Tab 4 mg – Retail pharmacy-Specialist	
DEXAMETHASONE SODIUM PHOSPHATE	5
DEXTROSE ✔ lnj 50%, 10 ml ✔ lnj 50%, 90 ml	
DIAPHRAGM ✓ 55 mm – See note on page 71 ✓ 60 mm – See note on page 71	

✓ fully subsidised brand available

Please refer to Section A for a definition, and conditions of supply, of Practitioner's Supply Orders.

#### (continued)

✓ 65 mm – See note on page 711
✓ 70 mm – See note on page 711
✓ 75 mm – See note on page 71
✓ 80 mm – See note on page 711
✓ 85 mm – See note on page 711
✓ 90 mm – See note on page 711

#### DIAZEPAM

✓ Inj 5 mg per ml, 2 ml – Subsidy by	
endorsement – See note on page 117	5
✓ Rectal tubes 5 mg	5
✓ Rectal tubes 10 mg	5

#### DICLOFENAC SODIUM

V	' Inj 25 mg per ml, 3 ml	5
V	' Suppos 50 mg 1	0

#### DIGOXIN

V	Tab	62.5	5 μg	. 30
~	Tab	250	) µg	. 30

#### 

#### ERGOMETRINE MALEATE

V	Inj	500	μg	per	ml,	1	l ml	5

### ERYTHROMYCIN ETHYL SUCCINATE

V	1ab 40	JU I	ng					•••			
V	Grans	for	oral	liq	200	mg	per	5	ml	200 ml	
V	Grans	for	oral	lia	400	ma	per	5	ml	200 ml	

#### 

#### ETHINYLOESTRADIOL WITH DESOGESTREL

Tab 20 µg with desogestrel 150 µg	.63
Tab 20 µg with desogestrel 150 µg and 7	
inert tab	.84
Tab 30 µg with desogestrel 150 µg	.63
Tab 30 µg with desogestrel 150 µg and 7	
inert tab	. 84

### ETHINYLOESTRADIOL WITH LEVONORGESTREL

V	Tab ethinyloestradiol 30 µg with	
	levonorgestrel 50 µg (6) and tab	
	ethinyloestradiol 40 µg with levonorgestrel	
	75 μg (5), and tab ethinyloestradiol 30 μg	
	with levonorgestrel 125 µg (10) and 7	
	inert tab	84
1	Tab 50 µg with levonorgestrel 125 µg and 7	
	inert tab	84
	Tab 30 µg with levonorgestrel 150 µg	63

### ✓ Tab 30 µg with levonorgestrel 150 µg and 7 inert tab ......84 Tab 20 µg with levonorgestrel 100 µg and 7 ETHINYLOESTRADIOL WITH NORETHISTERONE ✓ Tab 35 µg with norethisterone 1 mg......63 ✓ Tab 35 µg with norethisterone 1 mg and 7 inert tab ......84 ✓ Tab 35 µg with norethisterone 500 µg......63 ✓ Tab 35 µg with norethisterone 500 µg and 7 FLUCLOXACILLIN SODIUM ✓ Grans for oral lig 125 mg per 5 ml ...... 200 ml ✓ Grans for oral lig 250 mg per 5 ml ...... 200 ml FLUPENTHIXOL DECANOATE ✓ Inj 20 mg per ml, 2 ml ......5 ✓ Inj 100 mg per ml, 1 ml ......5 FLUPHENAZINE DECANOATE ✓ Inj 12.5 mg per 0.5 ml, 0.5 ml ......5 ✓ Inj 100 mg per ml, 1 ml ......5 FUROSEMIDE GLUCAGON HYDROCHLORIDE ✓ Inj 1 mg syringe kit......5 GLYCERYL TRINITRATE ✓ Oral pump spray 400 µg per dose ...... 250 dose HALOPERIDOL ✓ Oral lig 2 mg per ml ...... 200 ml HALOPERIDOL DECANOATE ✓ Inj 100 mg per ml, 1 ml ......5 **HYDROCORTISONE HYDROXOCOBALAMIN** continued...

✓ fully subsidised brand available

Please refer to Section A for a definition, and conditions of supply, of Practitioner's Supply Orders.

HYOSCINE N-BUTYLBROMIDE Inj 20 mg, 1 ml
INTRA-UTERINE DEVICE ✔ IUD40
IPRATROPIUM BROMIDE ✓ Nebuliser soln, 250 µg per ml, 1 ml40 ✓ Nebuliser soln, 250 µg per ml, 2 ml40
LEVONORGESTREL Tab 30 µg
LIGNOCAINE HYDROCHLORIDE ✓ Inj 0.5%, 5 ml – See note on page 1115 ✓ Inj 1%, 5 ml – See note on page 1115 ✓ Inj 1%, 20 ml – See note on page 1115
LOPERAMIDE HYDROCHLORIDE ✓ Tab 2 mg
MASK FOR SPACER DEVICE ✓ Size 2 – See note on page 16020
MEDROXYPROGESTERONE ACETATE Inj 150 mg per ml, 1 ml syringe
METHYLERGOMETRINE ✔ Inj 200 µg per ml, 1 ml
METOCLOPRAMIDE HYDROCHLORIDE Inj 5 mg per ml, 2 ml
METRONIDAZOLE ✓ Tab 200 mg
<ul> <li>MORPHINE SULPHATE</li> <li>✓ Inj 5 mg per ml, 1 ml – Only on a controlled drug form</li></ul>
NALOXONE HYDROCHLORIDE ✔ Inj 400 µg per ml, 1 ml5
NONOXYNOL-9 ✔ Jelly 2% 108 g
NORETHISTERONE ✓ Tab 350 µg

NORETHISTERONE WITH MESTRANOL Tab 1 mg with mestranol 50 µg and 7 inert tab84
OXYTOCIN ✓ Inj 5 iu per ml, 1 ml
PARACETAMOL           ✓ Tab 500 mg
PEAK FLOW METER ✓ Low range
<ul> <li>PETHIDINE HYDROCHLORIDE</li> <li>✓ Inj 50 mg per ml, 1 ml – Only on a controlled drug form</li></ul>
PHENOXYMETHYLPENICILLIN (PENICILLIN V) Cap potassium salt 250 mg
PHENYTOIN SODIUM ✓ Inj 50 mg per ml, 2 ml
PHYTOMENADIONE ✓ Inj 2 mg per 0.2 ml – See note on page 41
PIPOTHIAZINE PALMITATE ✓ Inj 50 mg per ml, 1 ml
PREDNISOLONE SODIUM PHOSPHATE ✓ Oral liq 5 mg per ml – See note on page 77
PREDNISONE V Tab 5 mg
PREGNANCY TESTS - HCG URINE Cassette 200 test
PROCAINE PENICILLIN ✓ Inj 1.5 mega u

continued...

(continued)	
-------------	--

PROCHLORPERAZINE ✓ Tab 5 mg ✓ Inj 12.5 mg per ml, 1 ml	
PROMETHAZINE HYDROCHLORIDE ✓ Inj 25 mg per ml, 2 ml	5
SALBUTAMOL ✓ Inj 500 µg per ml, 1 ml ✓ Aerosol inhaler, 100 µg per dose CFC free	000 dose
SALBUTAMOL WITH IPRATROPIUM BROMIDE Vebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml	20
SILVER SULPHADIAZINE	250 g
SODIUM BICARBONATE ✓ Inj 8.4%, 50ml	

SODIUM CHLORIDE ✓ Inf 0.9% – See note on page 44
SPACER DEVICE           ✓ 230 ml (autoclavable) – Subsidy by endorsement – See note on page 16120           ✓ 230 ml (single patient)20           ✓ 800 ml
TRIMETHOPRIM ✓ Tab 300 mg
VERAPAMIL HYDROCHLORIDE V Inj 2.5 mg per ml, 2 ml5
WATER ✓ Purified for inj, 5 ml – See note on page 445 ✓ Purified for inj, 10 ml – See note on page 445 ✓ Purified for inj, 20 ml – See note on page 445
ZUCLOPENTHIXOL DECANOATE / Inj 200 mg per ml, 1 ml

#### **Rural Areas for Practitioner's Supply Orders**

#### NORTH ISLAND

Northland DHB Dargaville Hikurangi Kaeo Kaikohe Kaitaia Kawakawa Kerikeri Mangonui Maungaturoto Moerewa Naunauru Paihia Rawene Ruakaka Russell Tutukaka Waipu Whangaroa

#### Waitemata DHB

Helensville Huapai Kumeu Snells Beach Waimauku Warkworth Wellsford

### Auckland DHB

Great Barrier Island Oneroa Ostend

#### Counties Manukau DHB Tuakau Wajuku

Waikato DHB

Coromandel Huntly Kawhia Matamata Morrinsville Ngatea Otorohanga Paeroa Pauanui Beach Putaruru Raglan Tairua Taumarunui Te Aroha Te Kauwhata Te Kuiti Tokoroa Waihi Whangamata Whitianga

#### **Bay of Plenty DHB**

Edgecumbe Katikati Kawerau Murupara Opotiki Taneatua Te Kaha Waihi Beach Whakatane

#### Lakes DHB Mangakino

Turangi Tairawhiti DHB

Ruatoria Te Araroa Te Karaka Te Puia Springs Tikitiki Tokomaru Bay Tolaga Bay

#### Taranaki DHB

Eltham Inglewood Manaia Oakura Okato Opunake Patea Stratford Waverley

#### Hawkes Bay DHB

Chatham Islands Waipawa Waipukurau Wairoa

Whanganui DHB Bulls Marton Ohakune Raetihi Taihape Waiouru **MidCentral DHB** 

#### MidCentral DHE

Dannevirke Foxton Levin Otaki Pahiatua Shannon Woodville

#### Wairarapa DHB

Carteron Featherston Greytown Martinborough

### SOUTH ISLAND

#### Nelson/Marlborough DHB

Havelock Mapua Motueka Murchison Picton Takaka Wakefield

### West Coast DHB

Dobson Greymouth Hokitika Karamea Reefton South Westland Westport Whataroa

### Canterbury DHB

Akaroa Amberley Amuri Cheviot Darfield Diamond Harbour Hanmer Springs Kaikoura Leeston Lincoln Methven Oxford Rakaia Rolleston Rotherham Templeton Waikari

#### South Canterbury DHB

Fairlie Geraldine Pleasant Point Temuka Twizel Waimate

#### Otago DHB

Alexandra Balclutha Cromwell Kurow Lawrence Milton Oamaru Outram Owaka Palmerston Ranfurly Roxburgh Tapanui Wanaka

#### Southland DHB

Gore Lumsden Mataura Oban Otautau Queenstown Riverton Te Anau Tokonui Tuatapere Winton

### SECTION F: PART I

A Community Pharmaceutical identified with a **\*** within the other sections of the Pharmaceutical Schedule:

a) is exempt from any requirement to dispense in Monthly Lots;

b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is Close Control.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a \* within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is Close Control.

### SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

- a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the prescriber has endorsed the Prescription item(s) on the Prescription to which the exemption applies "certified exemption". In endorsing the Prescription items for a certified exemption, the prescriber is certifying that:
  - i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
  - ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
  - iii) the prescriber has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
  - i) have limited physical mobility;
  - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
  - iii) are relocating to another area;
  - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

The following Community Pharmaceuticals are identified with a **A** within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

# ALIMENTARY TRACT AND METABOLISM INSULIN ASPART INSULIN GLARGINE INSULIN ISOPHANE INSULIN ISOPHANE WITH INSULIN NEUTRAL INSULIN LISPRO INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE INSULIN NEUTRAL

#### CARDIOVASCULAR SYSTEM

AMIODARONE HYDROCHLORIDE Tab 100 mg Cordarone-X Tab 200 mg Cordarone-X

DISOPYRAMIDE PHOSPHATE

#### FLECAINIDE ACETATE Tab 50 mg Tambocor Tab 100 mg Tambocor Cap long-acting 100 mg Cap long-acting 200 mg Tambocor CR

MEXILETINE HYDROCHLORIDE

PROPAFENONE HYDROCHLORIDE

# HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN Nasal drops 100 µg per Minirin ml Nasal spray 10 µg per Desmopressin-PH&T dose MUSCULOSKELETAL SYSTEM PYRIDOSTIGMINE BROMIDE

#### NERVOUS SYSTEM AMANTADINE HYDROCHLORIDE

AWAN IADINE HTDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

ENTACAPONE

GABAPENTIN

GABAPENTIN (NEURONTIN)

LAMOTRIGINE

LISURIDE HYDROGEN MALEATE

PERGOLIDE

ROPINIROLE HYDROCHLORIDE

TOLCAPONE

TOPIRAMATE

VIGABATRIN

#### SENSORY ORGANS

BIMATOPROST

BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE

BRINZOLAMIDE

LATANOPROST

TRAVOPROST

### SECTION G: SAFETY CAP MEDICINES

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

### Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular
  person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

### Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

### Safety Caps (NZS 5825:1991)

20 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
24 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	PDL FG

#### ALIMENTARY TRACT AND METABOLISM

FERROUS SULPHATE Oral liq 30 mg per 1 ml Ferodan (6 mg elemental per 1 ml)

#### CARDIOVASCULAR SYSTEM

AMILORIDE Oral liq 1 mg per ml Biomed

CAPTOPRIL Oral liq 5 mg per ml Capoten CHLOROTHIAZIDE Oral liq 50 mg per ml Biomed DIGOXIN Oral liq 50 µg per ml Lanoxin

### FUROSEMIDE Oral liq 10 mg per ml Lasix

SPIRONOLACTONE Oral lig 5 mg per ml

# HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

Biomed

#### LEVOTHYROXINE

Tab 50 µg	Eltroxin
	Goldshield
	Synthroid
Tab 100 µg	Eltroxin
	Goldshield
	Synthroid
Tab 25 µg	Synthroid

(Extemporaneously compounded oral liquid preparations)

#### MUSCULOSKELETAL SYSTEM

IBUPROFEN Oral liq 100 mg per 5 ml Fenpaed

QUININE SULPHATE	
Tab 200 mg	Q 200
Tab 300 mg	Q 300
(Extemporaneously compou	nded oral liquid preparations)

#### NERVOUS SYSTEM

ALPRAZOLAM Tab 250 µg Arrow-Alprazolam Tab 500 µg Arrow-Alprazolam Tab 1 mg Arrow-Alprazolam (Extemporaneously compounded oral liquid preparations)

#### CARBAMAZEPINE

Oral liq 100 mg per 5 ml Tegretol

CLOBAZAM Tab 10 mg Frisium (Extemporaneously compounded oral liquid preparations) **CLONAZEPAM** Oral drops 2.5 mg per Rivotril ml **DIAZEPAM** Arrow-Diazepam Tab 2 mg Tab 5 mg Arrow-Diazepam (Extemporaneously compounded oral liquid preparations) **ETHOSUXIMIDE** Oral liq 250 mg per 5 ml Zarontin LORAZEPAM Tab 1 mg Ativan Tab 2.5 mg Ativan (Extemporaneously compounded oral liquid preparations) LORMETAZEPAM Noctamid Tab 1 mg (Extemporaneously compounded oral liquid preparations) METHADONE HYDROCHLORIDE Oral lig 2 mg per ml Biodone Oral lig 5 mg per ml **Biodone Forte** Oral liq 10 mg per ml Biodone Extra Forte MIDAZOLAM Tab 7.5 mg Hypnovel (Extemporaneously compounded oral liquid preparations) MORPHINE HYDROCHLORIDE Oral lig 1 mg per ml **RA-Morph** Oral lig 2 mg per ml **RA-Morph** Oral lig 5 mg per ml RA-Morph Oral liq 10 mg per ml **RA-Morph** NITRA7FPAM Tab 5 mg Nitrados (Extemporaneously compounded oral liquid preparations)

#### OXAZEPAM

Tab 10 mg Ox-Pam Tab 15 mg Ox-Pam (Extemporaneously compounded oral liquid preparations)

#### OXYCODONE HYDROCHLORIDE Oral liq 5 mg per 5 ml OxyNorm

### SAFETY CAP MEDICINES

#### PARACETAMOL

Oral liq 120 mg per 5 ml Paracare Junior Oral liq 250 mg per 5 ml Paracare Double Strength

PHENYTOIN SODIUM Oral liq 30 mg per 5 ml

SODIUM VALPROATE Oral liq 200 mg per 5 ml

Epilim S/F Liquid Epilim Syrup

Dilantin

TEMAZEPAM Tab 10 mg Normison (Extemporaneously compounded oral liquid preparations)

#### TRIAZOLAM

Tab 125 μg Hypam Tab 250 μg Hypam (Extemporaneously compounded oral liquid preparations)

#### RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE Oral liq 1 mg per ml Cetirizine - AFT

CHLORPHENIRAMINE MALEATE Oral liq 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE Oral liq 2 mg per 5 ml Polaramine PROMETHAZINE HYDROCHLORIDE

Oral liq 5 mg per 5 ml Promethazine Winthrop Elixir

SALBUTAMOL Oral liq 2 mg per 5 ml Salapin

THEOPHYLLINE Oral liq 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE Oral liq 30 mg per 5 ml Vallergan Forte

#### EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE Powder Douglas (Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE Powder AFT (Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM Powder MidWest (Extemporaneously compounded oral liquid preparations)

		INDEX
<b>Generic Chemicals</b>	and	Brands

- Symbols -
3TC95
- A -
A-Lices
A-Scabies66
Abacavir sulphate95
Abacavir sulphate with
lamivudine95
Abilify124
Acarbose29
ACB
Accu-Chek Performa31
Accupril50
Accuretic 1050
Accuretic 2050
Acebutolol52
Acetazolamide164
Acetic acid with 1, 2- propanediol
diacetate and
benzethonium162
Acetic acid with hydroxyquinoline
and ricinoleic acid74
Acetylcysteine171
Aci-Jel74
Aciclovir
Infection92
Sensory162
Acidex
Acipimox45
Acitretin66
Actigall
Actrapid
Actrapid Penfill
Acupan111
Adalat 1054
Adalat Oros54
Adalimumab103
Adefin XL
Adefovir dipivoxil90
Adrenaline
Advantan63
AFT-Pyrazinamide90
Agents Affecting the
Renin-Angiotensin System
Agents for Parkinsonism and
Related Disorders
Agents Used in the Treatment of
Poisonings
Agrylin143 Alanase
Albay155 Albustix
TIDUSUX

Aldara68
Alendronate sodium109
Alendronate sodium with cholecalciferol
cholecalciferol 109
Alfacalcidol
Alginic acid25
Alitraq182
Alkeran
Allersoothe156
Allopurinol
Alpha tocopheryl acetate
Alpha-Keri Lotion
Alprazolam
Alu-Tab
Aluminium hydroxide25
Amantadine hydrochloride
Ambrisentan
Amiloride
Amiloride with
hydrochlorothiazide
Aminophylline159
Amiodarone hydrochloride52
Amirol114
Amisulpride124
Amitrip114
Amitriptyline114
Amizide
Amlodipine54
Amorolfine60
Amoxycillin87
Amoxycillin clavulanate
Amphotericin B36
Amsacrine143
Amsidine143
Amyl nitrite57
Anabolic Agents77
Anaesthetics111
Anagrelide hydrochloride143
Analgesics
Anastrozole150
Andriol Testocaps78
Androderm78
Antabuse136
Antacids and Antiflatulants25
Anten114
Anthelmintics85
Anti-inflammatory Non Steroidal
Drugs (NSAIDs) 101
Antiacne Preparations59
Antiallergy Preparations155

Antianaemics40
Antiandrogen Oral
Contraceptives
Antiarrhythmics52
Antibacterials85
Antibacterials Topical60
Anticholinesterases101
Antidepressants114
Antidiarrhoeals25
Antiepilepsy Drugs117
Antifibrinolytics, Haemostatics
and Local Sclerosants
and Local Sclerosants
Antifungals Topical60
Antihaemorrhoidals
Antihistamines155
Antihypotensives
Antimalariale 80
Antimalarials
Antinaus122
Antinausea and Vertigo
Annihausea and vertigo
Agents
Antipsychotics
Antiretrovirals
Antiretrovirals
Antiretrovirals - Additional Therapies96 Antirheumatoid Agents102
I nerapies
Antimeumatoid Agents102
Antispasmodics and Other
Agents Altering Gut
IVIOTIIITY
Antithrombotic Agents41
Antithymocyte globulin
(equine)
Antitrichomonal Agents89
Antituberculotics and
Antileprotics
Antiulcerants27
Antivirals90
Anusol27
Anxiolytics129
Apidra29
Apidra SoloStar29
Apo-Allopurinol110
Apo-Amlodipine54
Apo-Amoxi87
Apo-Ascorbic Acid
Apo-B-Complex
Apo-Bromocriptine123
Apo-Captopril49
Apo-Cimetidine27
Apo-Clomipramine114



Apo-Clopidogrel41
Apo-Diclo SR101
Apo-Doxazosin
Apo-Folic Acid40
Apo-Gliclazide
Apo-Ipravent
Apo-Megestrol149
Apo-Moclobemide115
Apo-Nadolol
Apo-Nicotinic Acid45
Apo-Oxybutynin
Apo-Pindolol
Apo-Prazo
Apo-Prednisone
Apo-Primidone
Apo-Pyridoxine
Apo-Risperidone
Apo-Selegiline
Apo-Terazosin
Apo-Terbinafine
Apo-Thiamine
Apo-Timol54
Apo-Timop163
Apo-Zopiclone132
Apomine123
An ana avalating a layed a a layed a
Apomorphine hydrochloride
Apomorphine hydrochloride123 Applicator70
Applicator70 Aprepitant121
Applicator70 Aprepitant121
Applicator70
Applicator         70           Aprepitant         121           Apresoline         57           Aquasun 30+         68           Aquasun Oil Free Faces
Applicator         70           Aprepitant         121           Apresoline         57           Aquasun 30+         68           Aquasun Oil Free Faces
Applicator        70           Aprepitant
Applicator         70           Aprepitant         121           Apresoline         57           Aquasun 30+         68           Aquasun Oil Free Faces         SPF30+           SPF30+         68           Aqueous cream         64
Applicator        70           Aprepitant
Applicator

Arrow-Nifedipine XR	54
Arrow-Norfloxacin	04 00
Arrow-Ranitidine	
Arrow-Roxithromycin	
Arrow-Simva 10mg	
Arrow-Simva 20mg	
Arrow-Simva 20mg	
Arrow-Simva 40mg	
Arrow-Sumatriptan1	
Arrow-Testosterone	21
Arrow-Topiramate1	
Arrow-Tramadol1	20
Arsenic trioxide1 Arthrexin	
Asacol	
Asamax	
Ascorbic acid	.37
Aspec 3001	11
Aspen Adrenaline	.56
Aspen Ceftriaxone	.85
Aspirin Blood	
Nervous1	11
Asthalin1	
Atacand	
Atazanavir sulphate	
Atenolol	.53
Atenolol Tablet USP	.53
ATGAM1	
Ativan1	
Atomoxetine1	
Atorvastatin	.46
Atropine sulphate	
Alimentary	.27
Sensory1	
Atropt1	
Atrovent1	
Auranofin1	
Avanza1	
Avomine1	
Avonex1	
Azamun1	51
Azathioprine1	51
Azithromycin	.86
Azol	.83
Azopt1	
AZT	.96
- B -	
B-D Micro-Fine	.32

### 


Bakels Gluten Free Health Bread	
Mix	
Baraclude	91
Barrier Creams and	
Emollients	
Batrafen	
Beclazone 100	
Beclazone 250	
Beclazone 50	156
Beclomethasone	
dipropionate 156,	160
Bee venom allergy	
treatment	
Bendrofluazide	
Benhex	66
Benzathine benzylpenicillin	
Benzoin	
Benztrop	123
Benztropine mesylate	123
Benzydamine hydrochloride	35
Benzylpenicillin sodium (penicillin	
G)	87
Beta Adrenoceptor Blockers	
Beta Cream	
Beta Ointment	
Beta Scalp	
Beta-Adrenoceptor Agonists	
Betadine	66
Betadine Skin Prep	
Betaferon	
Betagan	163
Betahistine dihydrochloride	
Betaloc	
Betaloc CR	
Betamethasone dipropionate	62
Betamethasone sodium	
phosphate with	
betamethasone acetate	77
Betamethasone valerate62	, 68
Betamethasone valerate with	
clioquinol	63
Betamethasone valerate with	
fusidic acid	63
Betaxolol hydrochloride	
Betnovate	
Betnovate-C	63
Betoptic	
Betoptic S	
Bezafibrate	45
Bezalip Retard	
Bicalox	
Bicalutamide	
Bicillin LA	87

BiCNU1	39
Bimatoprost1	
Biodone1	10
Biodone Extra Forte1	10
Biodone Extra Forte	13
Biodone Forte1	13
Bisacodyl	
BK Lotion	65
Bleomycin sulphate1	43
Bleph 101	62
Blood glucose diagnostic test	
meter	31
Blood glucose diagnostic test	
strip	31
Bonjela	
Bosentan	
Breath-Alert1	
Brevinor 1/21	
Brevinor 1/28	
Brevinor 21	
Bricanyl Turbuhaler1	
Brimonidine tartrate1	64
Brimonidine tartrate with timolol	
maleate1	
Brinzolamide1	64
Brolene1	62
Bromocriptine mesylate1	23
Brufen1	01
Brufen Retard1	01
Buccastem1	
Budesonide	
Alimentary	25
Respiratory156, 1	60
Budesonide with	00
	-0
eformoterol1	
Bumetanide	
Bupivacaine hydrochloride1	11
Buprenorphine	
hydrochloride1	12
Bupropion hydrochloride1	36
Burinex	
Buscopan	27
Buserelin acetate	82
Buspirone hydrochloride1	
Busulphan1	39
Butacort Aqueous1	60
- C -	
- C - Cabergoline	00
Cabergoline	ರನ

Cabergoline	83
Cafergot	121
Cal-d-Forte	37
Calamine	61
Calci-Tab 500	38
Calci-Tab 600	38

Calcipotriol67
Calcitonin109
Calcitriol
Calcium carbonate
Calcium carbonate with
aminoacetic acid25
Calcium Channel Blockers54
Calcium Disodium Versenate
Calcium folinate140
Calcium Folinate Ebewe140
Calcium gluconate
Calcium Homeostasis108
Calcium polystyrene
sulphonate
Calcium Resonium44
Calogen
Calsource
Camptosar142
Candesartan
Canesten
Capecitabine140
Capoten
Capsaicin69
Captopril
Carafate
Carbamazepine117
Carbimazole
Carboplatin139
Carboplatin Ebewe
Carbosorb-X
Cardinol
Cardinol LA53
Cardizem CD
CareSens
CareSens II
CareSens POP31
Carresens POP
Carvedilol53
Catapres
Catapres-TTS-155
Catapres-TTS-255 Catapres-TTS-355
CeeNU
Cefaclor monohydrate
Cefalexin Sandoz
Cefazolin sodium
Cefoxitin sodium
Ceftriaxone sodium85
Cefuroxime axetil85
Cefuroxime sodium
Celestone Chronodose
Celiprolol53
Cellcept151

Celol53	,
Cephalexin monohydrate85	
Cephalexin mononydrate85	•
Cerezyme35	)
Cetirizine - AFT155	)
Cetirizine hydrochloride155	
Cetomacrogol64	ł
Charcoal	)
Chemotherapeutic Agents139	
Chlorambucil139	
Chloramphenicol162	2
Chlorhexidine gluconate	
Alimentary	
Dermatological63	3
Chloroform	
Chloromycetin162	2
Chlorothiazide56	
Chlorpheniramine maleate155	5
Chlorpromazine	·
hydrochloride 124	L
Chlorsig162	5
Chlorthalidone	
Chlorvescent45	
Cholecalciferol	
Cholestyramine with	
aspartame	)
Choline salicylate with	
cetalkonium chloride 35	
Ciclopiroxolamine60	)
Cilazapril49	)
Cilazapril with	
hydrochlorothiazide	)
Cilicaine88	5
Cilicaine VK88	5
Ciloxan162	
Cimetidine27	
Ciprofloxacin	
Infection	3
Sensory162	
Cisplatin139	
Cisplatin Ebewe139	
Citalopram hydrobromide115	
Cladribine141	'
Clarithromycin	
Alimentary27	,
Infection86	
Clexane	
Climara 10079	
Climara 5079	
Clindamycin88	
Clinistix	
Clinitest	
Clinoril102	
Clobazam117	'



Clobetasol propionate62, 68 Clobetasone butyrate62 Clomazol
Dermatological60
Genito-Urinary74
Clomiphene citrate
Clomipramine hydrochloride114
Clonazepam117
Clonidine
Clonidine hydrochloride
Cardiovascular55
Nervous121
Clopidogrel41
Clopine
Clopixol127, 128
Clopress
Clotrimazole
Dermatological60
Genito-Urinary74
Clozapine
Clozaril
Co-Renitec50
Co-trimoxazole88
Coal tar67
Coal tar with allantoin, menthol,
phenol and sulphur67
Coal tar with salicylic acid and
sulphur
Coco-Scalp67
Coco-Scalp67 Codeine phosphate
Codeine phosphate
Codeine phosphate Extemporaneous171
Codeine phosphate Extemporaneous171 Nervous112
Codeine phosphate Extemporaneous171 Nervous
Codeine phosphate Extemporaneous
Codeine phosphate       171         Extemporaneous       112         Cogentin       123         Colaspase (L-asparaginase)       143         Colchicine       110
Codeine phosphate       171         Extemporaneous       112         Cogentin       123         Colaspase (L-asparaginase)       143         Colchicine       110         Colestid       45
Codeine phosphate       171         Extemporaneous       112         Cogentin       123         Colaspase (L-asparaginase)       143         Colchicine       110         Colestid       45         Colestipol hydrochloride       45
Codeine phosphate       171         Extemporaneous       171         Nervous       112         Cogentin       123         Colaspase (L-asparaginase)       143         Colchicine       110         Colestid       45         Colgout       110
Codeine phosphate       171         Extemporaneous       171         Nervous       112         Cogentin       123         Colaspase (L-asparaginase)       143         Colchicine       110         Colestid       45         Colgout       110         Colifoam       26
Codeine phosphate       171         Extemporaneous       171         Nervous       112         Cogentin       123         Colaspase (L-asparaginase)       143         Colchicine       110         Colestid       45         Colgout       110
Codeine phosphate       171         Extemporaneous       171         Nervous       112         Cogentin       123         Colaspase (L-asparaginase)       143         Colchicine       110         Colestid       45         Colgout       110         Colistin sulphomethate       88         Colistin -Link       88
Codeine phosphate       171         Extemporaneous       171         Nervous       112         Cogentin       123         Colaspase (L-asparaginase)       143         Colchicine       110         Colestid       45         Colgout       110         Colifoam       26         Colistin sulphomethate       88
Codeine phosphate       171         Extemporaneous       171         Nervous       112         Cogentin       123         Colaspase (L-asparaginase)       143         Colchicine       110         Colestid       45         Colgout       110         Colistin sulphomethate       88         Colistin -Link       88
Codeine phosphate         Extemporaneous       171         Nervous       112         Cogentin       123         Colaspase (L-asparaginase)       143         Colchicine       110         Colestid       45         Colgout       110         Colistin sulphomethate       88         Colistin sulphomethate       88         Collodion flexible       171         Colofac       27
Codeine phosphate         Extemporaneous       171         Nervous       112         Cogentin       123         Colaspase (L-asparaginase)       143         Colchicine       110         Colestid       45         Cologout       110         Coligout       110         Coligont       26         Cologin       26         Colistin sulphomethate       88         Collodion flexible       171         Colofac       27         Coloxyl       34
Codeine phosphate         Extemporaneous       171         Nervous       112         Cogentin       123         Colaspase (L-asparaginase)       143         Colchicine       110         Colestid       45         Colestipol hydrochloride       45         Colgout       110         Colifoam       26         Colistin sulphomethate       88         Collodion flexible       171         Colofac       27         Coloxyl       34         Combigan       165
Codeine phosphate         171           Extemporaneous         171           Nervous         112           Cogentin         123           Colaspase (L-asparaginase)         143           Colchicine         110           Colestid         45           Colgout         110           Colistin sulphomethate         26           Colistin sulphomethate         88           Collodion flexible         171           Colofac         27           Coloxyl         34           Combigan         165           Combigan         159
Codeine phosphate         Extemporaneous       171         Nervous       112         Cogentin       123         Colaspase (L-asparaginase)       143         Colchicine       110         Colestid       45         Colestipol hydrochloride       45         Coligout       110         Colistin sulphomethate       88         Collodion flexible       171         Colofac       27         Coloxyl       34         Combigan       165         Combiyent       159         Combivert       96
Codeine phosphate         Extemporaneous       171         Nervous       112         Cogentin       123         Colaspase (L-asparaginase)       143         Colchicine       110         Colestid       45         Collogut       110         Collogut       110         Colistin sulphomethate       88         Colloion flexible       171         Coloxyl       34         Combigan       165         Combivent       159         Combivir       96
Codeine phosphate         Extemporaneous       171         Nervous       112         Cogentin       123         Colaspase (L-asparaginase)       143         Colchicine       110         Colestid       45         Colgout       110         Colidam       26         Colistin sulphomethate       88         Collotion flexible       171         Colofac       27         Coloxyl       34         Combivent       159         Combivent       159         Combund       425
Codeine phosphate         Extemporaneous       171         Nervous       112         Cogentin       123         Colaspase (L-asparaginase)       143         Colchicine       110         Colestid       45         Colestipol hydrochloride       45         Colgout       110         Colifoam       26         Colistin sulphomethate       88         Collodion flexible       171         Colofac       27         Coloxyl       34         Combigan       165         Combivent       159         Combivir       96         Compound electrolytes       44         Compound       hydroxybenzoate       171
Codeine phosphate         171           Extemporaneous         171           Nervous         112           Cogentin         123           Colaspase (L-asparaginase)         143           Colchicine         110           Colestid         45           Cologout         110           Cologout         110           Colifoam         26           Colistin sulphomethate         88           Collodion flexible         171           Colofac         27           Coloxyl         34           Combiyent         159           Combivent         159           Combivent         159           Compound         44           hydroxybenzoate         171
Codeine phosphate         171           Extemporaneous         171           Nervous         112           Cogentin         123           Colaspase (L-asparaginase)         143           Colchicine         110           Colestid         45           Cologout         110           Colestid         45           Colgout         110           Colidam         26           Colistin sulphomethate         88           Collodion flexible         171           Colofac         27           Coloxyl         34           Combiyan         165           Combivent         159           Combivent         159           Compound         44           Mydroxybenzoate         171           Contan         123           Concerta         136
Codeine phosphate         171           Extemporaneous         171           Nervous         112           Cogentin         123           Colaspase (L-asparaginase)         143           Colchicine         110           Colestid         45           Cologout         110           Cologout         110           Colifoam         26           Colistin sulphomethate         88           Collodion flexible         171           Colofac         27           Coloxyl         34           Combiyent         159           Combivent         159           Combivent         159           Compound         44           hydroxybenzoate         171

Condyline69	
Contraceptives - Hormonal71	
Contraceptives -	
Non-hormonal	
Copaxone131	
Copper	
Corangin	
Cordarone-X	
Corticosteroids and Related	
Agents for Systemic Use	
Corticosteroids Topical	
Cosmegen	
Cosopt	
Cotazym ECS	
Coumadin43	
Coversyl50	
Cozaar51	
Creon 1000033	
Creon Forte33	
Crixivan96	
Cromolux163	
Crotamiton61	
Crystacide60	
Curam87	
Cyclizine hydrochloride121	
Cyclizine lactate121	
Cycloblastin139	
Cyclogyl165	
Cyclopentolate	
hydrochloride	
Cyclophosphamide139	
Cyclosporin153	
Cyklokapron41	
Cyproheptadine	
hydrochloride	
Cyproterone acetate	
Cyproterone acetate with	
ethinyloestradiol	
Cystic Fibrosis	
Cytarabine141	
Cytotec	
Cytoxan	
- D -	
D-Penamine	
D-Zol	
d4T95	
Dacarbazine	

Dacarbazine	143
Daclin	
Dactinomycin	(actinomycin
D)	
Daivonex	67
Daktarin	


Alimentary36
Dermatological61
Dalacin C
Danazol83
Danthron with poloxamer35
Dantrium
Dantrolene sodium
Daonil
Dapa-Tabs56
Dapsone90
Dasatinib147
Daunorubicin143
DBL Bleomycin Sulfate143
DDI95
De-Worm85
Deca-Durabolin Orgaject77
Delact
Depo-Medrol
Depo-Medrol with lidocaine
Depo-Provera74
Depo-Testosterone
Deprim88
Derbac-M66
Dermol62, 68
Desferrioxamine mesylate48
Desmopressin
Desmopressin-PH&T83
Detection of Substances in
Urine
Dexamethasone
Hormone77
Sensory163
Dexamethasone sodium
phosphate77
Dexamethasone with framycetin
and gramicidin 162
Dexamethasone with neomycin
and polymyxin b sulphate163
Dexamphetamine sulphate133
Dextrochlorpheniramine
maleate
Dextrose
Dextrose with electrolytes 45
Dextrose with electrolytes45
Dextrose with electrolytes45 DHC Continus112
Dextrose with electrolytes45 DHC Continus112 Diabetes28
Dextrose with electrolytes45 DHC Continus112 Diabetes28 Diabetes Management30
Dextrose with electrolytes45 DHC Continus112 Diabetes

	INDEX
<b>Generic Chemicals and</b>	Brands

Diazepam117, 130
Dibenyline49
Diclax SR101
Diclofenac Sandoz101
Diclofenac sodium
Musculoskeletal System
Sensory163
Diclohexal101
Didanosine [DDI]95
Difflam
Diflucortolone valerate
Digostivos Including
Enzymes
Digoxin
Dihydrocodeine tartrate
Dilantin
Dilantin Infatab
Dilatrend
Diltiazem hydrochloride53
Dilzem
Dimetriose
Dipentum
Diphemanil methylsulphate64
Diphenoxylate hydrochloride with
atropine sulphate25
Diprosone62
Diprosone OV62
Dipyridamole42
Disinfecting and Cleansing
Agents 63
Disipal124
Disopyramide phosphate52
Disulfiram136
Diuretics55
Diurin 40
Diurin 50055
Dixarit
DM Ject
Docetaxel
Docetaxel Ebewe
Docusate sodium
Docusate sodium with
sennosides
Domperidone
Dopergin123
Dopress
Dornase alfa160
Dorzolamide hydrochloride164
Dorzolamide hydrochloride with
timolol maleate 164
Dostinex83
Dothiepin hydrochloride114
Doxazosin mesylate49

Doxepin hydrochloride114
Doxine
Doxorubicin144
Doxorubicin Ebewe144
Doxy-5088
Doxycycline hydrochloride
DP Lotion65
DP Lotn HC63
DP-Anastrozole150
Dr Reddy's Omeprazole28
Dr Reddy's Pantoprazole
Dr Reddy's Quetiapine
Dr Reddy's Risperidone127
Dulcolax
Duocal Super Soluble
Powder 176
Duolin
Duphalac
Duphaston
Durex Confidence
Durex Extra Safe70
Durex Select Flavours70
Duride
Durogesic112
Dusting Powders64
Dydrogesterone80
Dynacirc-SRO54
2,1.0010 0110
- E -
- E - E-Mycin

Endocrine Therapy149
Endoxan
Enerlyte44
Enfuvirtide96
Enoxaparin sodium42
Ensure
Ensure Plus185
Ensure Plus RTH185
Entacapone123
Entecavir91
Entocort CIR25
Enuclene166
Enzymes109
Epilim119
Epilim Crushable119
Epilim IV119
Epilim S/F Liquid119
Epilim Syrup119
Epirubicin144
Épirubicin Ebewe144
Éprex40
Ergometrine maleate74
Ergotamine tartrate with
caffeine
Erythrocin IV86
Erythromycin ethyl succinate86
Erythromycin lactobionate
Erythromycin stearate87
Erythropoietin alpha40
Erythropoietin beta40
Estraderm TTS 10079
Estraderm TTS 2579
Estraderm TTS 5079
Estrofem79
Etanercept107
Ethambutol hydrochloride90
Ethics Aspirin111
Ethics Aspirin EC41
Ethics Ibuprofen101
Ethinyloestradiol80
Ethinyloestradiol with
Ethinyloestradiol with desogestrel72
Ethinyloestradiol with
levonorgestrel
Ethinyloestradiol with
norethisterone
Ethosuximide117
Etidronate disodium109
Etopophos144
Etoposide144
Etoposide phosphate
Eumovate62



Exemestane151 Extemporaneously Compounded
Extemporaneously Compounded
Preparations and
Galenicals 171
Eye Preparations162
Ezetimibe47
Ezetimibe with simvastatin48
Ezetrol47
- F -
Famotidine27
Famox27
Felo 10 ER54
Felo 5 ER54
Felodipine54
Femtran 10079
Femtran 5079
Fenpaed101
Fentanyl112
Fentanyl citrate
Ferodan
Ferro-F-Tabs
Ferro-Gradumet
Ferro-tab
Ferrograd-Folic
Ferrous fumarate
Ferrous fumarate with folic
Ferrous fumarate with folic acid
Ferrous sulphate
Ferrous sulphate with folic
acid
Ferrum H
Fexofenadine hydrochloride156
Fibalip45
Fibersource HN184
Fibersource HN RTH184
Fibro-vein41
Finasteride75
Fine Ject32
Fintral75
Flagyl
Flagyl-S89
Flamazine60
Flecainide acetate52
Fleet Phosphate Enema
Flixonase Hayfever &
Allergy 160
Flixotide156
Flixotide Accuhaler156
Florinef77
Fluanxol127
Flucloxacillin sodium87
Flucloxin87
Fluconazole

Fludara Oral141
1 100010 0101
Fludarabine phosphate141
Fludrocortisone acetate77
Fluids and Electrolytes44
Flumetasone pivalate162
Fluocortolone caproate with
fluocortolone pivalate and
cinchocaine
Fluorometholone163
Fluorouracil Ebewe141
Fluorouracil sodium
Dermatological69
Oncology141
Fluox116
Fluoxetine hydrochloride116
Flupenthixol decanoate127
Fluphenazine decanoate128
Flutamide149
Flutamin149
Fluticasone156
Fluticasone propionate160
Fluticasone with salmeterol158
Fluvax100
FML163
Foban60
Folic acid40
Food Thickeners186
Foods And Supplements For Inborn Errors Of Metabolism -
Inhorn Errore Of Mataboliem -
Other 188
Other
Other       188         Foods And Supplements For       Inborn Errors Of Metabolism -         PKU       188         Foradil       157         Foremount Child's Silicone       Mask         Mask       160         Fortisip       185         Fortisip Multi Fibre       185         Fosamax       109         Fosamax Plus       109
Other       188         Foods And Supplements For       Inborn Errors Of Metabolism -         PKU       188         Foradil       157         Foremount Child's Silicone       Mask         Mask       160         Fortinel Regular       179         Fortisip       185         Fortisip Multi Fibre       185         Fosamax       109         Fosamax Plus       109         Framycetin sulphate       162
Other       188         Foods And Supplements For       Inborn Errors Of Metabolism -         PKU       188         Foradil       157         Foremount Child's Silicone       Mask         Mask       160         Fortisip       185         Fortisip Multi Fibre       185         Fosamax       109         Fosamax Plus       109         Framycetin sulphate       162         FreeStyle Lite       31
Other       188         Foods And Supplements For       Inborn Errors Of Metabolism -         PKU       188         Foradil       157         Foremount Child's Silicone       Mask         Mask       160         Fortimel Regular       179         Fortisip       185         Fosamax       109         Fosamax Plus       109         Framycetin sulphate       162         FreeStyle Lite       31         Frisium       117
Other       188         Foods And Supplements For       Inborn Errors Of Metabolism -         PKU       188         Foradil       157         Foremount Child's Silicone       Mask         Mask       160         Fortimel Regular       179         Fortisip       185         Fosamax       109         Fosamax Plus       109         Framycetin sulphate       162         FreeStyle Lite       31         Frisium       117         Frumil       55
Other       188         Foods And Supplements For       Inborn Errors Of Metabolism -         PKU       188         Foradil       157         Foremount Child's Silicone       Mask         Mask       160         Fortimel Regular       179         Fortisip Multi Fibre       185         Fosamax       109         Framycetin sulphate       162         FreeStyle Lite       31         Frisium       117         Frumil       55         Fucioort       63
Other       188         Foods And Supplements For       Inborn Errors Of Metabolism -         PKU       188         Foradil       157         Foremount Child's Silicone       Mask         Mask       160         Fortimel Regular       179         Fortisip Multi Fibre       185         Fosamax       109         Fosamax Plus       109         FreeStyle Lite       31         Frisium       117         Frumil       55         Fucicort       63         Fucidin       88
Other       188         Foods And Supplements For       Inborn Errors Of Metabolism -         PKU       188         Foradil       157         Foremount Child's Silicone       Mask         Mask       160         Fortimel Regular       179         Fortisip       185         Fosamax       109         Fosamax Plus       109         FreeStyle Lite       31         Frisium       117         Frumil       55         Fuciort       63         Fucidin       88         Fucithalmic       162
Other       188         Foods And Supplements For       Inborn Errors Of Metabolism -         PKU       188         Foradil       157         Foremount Child's Silicone       Mask         Mask       160         Fortimel Regular       179         Fortisip       185         Fosamax       109         Fosamax Plus       109         Franycetin sulphate       162         FreeStyle Lite       31         Frisium       117         Frumil       55         Fuciort       63         Fucidin       88         Fucithalmic       162         Fungilin       36
Other       188         Foods And Supplements For       Inborn Errors Of Metabolism -         PKU       188         Foradil       157         Foremount Child's Silicone       Mask         Mask       160         Fortimel Regular       179         Fortisip       185         Fosamax       109         Fosamax Plus       109         FreeStyle Lite       31         Frisium       117         Frumil       55         Fuciort       63         Fucidin       88         Fucidin       36         Furosemide       55
Other       188         Foods And Supplements For       Inborn Errors Of Metabolism -         PKU       188         Foradil       157         Foremount Child's Silicone       Mask         Mask       160         Fortimel Regular       179         Fortisip       185         Fosamax       109         Fosamax Plus       109         Franycetin sulphate       162         FreeStyle Lite       31         Frisium       117         Frumil       55         Fuciort       63         Fucidin       88         Fucithalmic       162         Fungilin       36

Infection	
Sensory1	
Fuzeon	96
- G -	
Gabapentin1	17
Gabapentin (Neurontin)1	18
Gamma benzene	
hexachloride	
Gastrosoothe	
Gaviscon	
Gaviscon Double Strength	
Gaviscon Infant	25
Gemcitabine Ebewe14	41
Gemcitabine hydrochloride14	
Gemzar1	41
Generaid Plus1	80
Genoptic1	
Genotropin	82
Genox1	
GenRx Moclobemide1	15
Gentamicin sulphate	
Infection	89
Sensory1	
Gestrinone	
Ginet 84	
Glatiramer acetate1	
Glibenclamide	
Gliclazide	
Glipizide	
Glivec1	48
Glucagen Hypokit	28
Glucagon hydrochloride	
Glucerna Select1	79
Glucerna Select RTH1	
Glucobay	29
Glucose oxidase	
Gluten Free Foods1	87
Glycerol	
Alimentary	34
Extemporaneous1	71
Glycerol with paraffin and cetyl	
alcohol	
Glyceryl trinitrate	
Gold Knight	70
Goldshield	
Gopten	
Goserelin acetate	
Gutron	52
Gynaecological	
Anti-infectives	
Gynol II	/0

		INDEX
<b>Generic Chemicals</b>	and	Brands

- H -	
Habitrol137,	138
Haldol	
Haldol Concentrate	.128
Haloperidol	.125
Haloperidol decanoate	.128
Hamilton Sunscreen	68
Healtheries Multi-vitamin	
tablets	38
Healtheries Simple Baking	
Mix	187
Hemastix	76
Heparin sodium	43
Heparinised saline	43
Hepsera	90
Herceptin	.152
Hexamine hippurate	99
Hiprex	
Histafen	.155
Holoxan	.139
Homatropine hydrobromide	.165
Horleys Bread Mix	
Horleys Flour	.187
Hormone Replacement Therapy -	
Systemic	78
Humalog	29
Humalog Mix 25	29
Humalog Mix 50	29
Humira	
HumiraPen	.103
Humulin 30/70	29
Humulin NPH	29
Humulin R	28
Hyalase	
Hyaluronidase	
Hybloc	53
Hydralazine	57
Hydrea	.145
Hydrocortisone	
Dermatological	
Hormone	77
Hydrocortisone acetate	
Hydrocortisone butyrate62	2, 68
Hydrocortisone butyrate with	
chlorquinaldol	63
Hydrocortisone with	
cinchocaine	26
Hydrocortisone with	
miconazole	63
Hydrocortisone with natamycin	
and neomycin	63
Hydrocortisone with wool fat and	

Hydroderm Lotion
Hydrogen peroxide         Alimentary         Dermatological         Mydroxocobalamin         36         Hydroxychloroquine sulphate
Alimentary
Dermatological60, 69 Hydroxocobalamin36 Hydroxychloroquine sulphate89
Hydroxocobalamin
Hydroxychloroquine sulphate89
Tryuroxyurca
Hygroton56
Hyoscine (scopolamine)122
Hyoscine hydrobromide
Hyoscine N-butylbromide27
Hyposcine N-bulyibromide
Hypam132
Hyperuricaemia and Antigout110
Antigout110
Hypnovel132
Hypromellose165
Hysite164
Hytrin Starter Pack49
Hyzaar51
-1-
lbiamox87
Ibuprofen101
Idarubicin hydrochloride145
Ifosfamide
lloprost
Imatinib mesylate148
Imiglucerase
Imigran
Imipramine hydrochloride115
Imiguimod
Immune Modulators97
Immunosuppressants
Imuprine
Imuran151
Indonomido E6
Indapamide
Indinavir96
Indinavir
Indinavir96 Indomethacin102 Infant Formulae190
Indinavir
Indinavir       96         Indomethacin       102         Infant Formulae       190         Influenza vaccine       100         Influenza vaccine       100         Influenza vaccine       100         Influenza vaccine       100         Inhaled Anticholinergic       agents         agents       158         Inhaled Corticosteroids       156         Inhaled Long-acting       Beta-adrenoceptor         Agonists       157
Indinavir       96         Indomethacin       102         Infant Formulae       190         Influenza vaccine       100         Influvac       100         Inhlued Anticholinergic       agents         agents       158         Inhaled Corticosteroids       156         Inhaled Long-acting       Beta-adrenoceptor         Agonists       157         Inhibace       49
Indinavir
Indinavir       96         Indomethacin       102         Infant Formulae       190         Influenza vaccine       100         Influenza vaccine       100         Influenza vaccine       100         Inhaled Anticholinergic       agents         agents       158         Inhaled Corticosteroids       156         Inhaled Long-acting       Beta-adrenoceptor         Agonists       157         Inhibace       49         Inhibace Plus       50
Indinavir

and the set of the set	~~
nsulin glargine	
nsulin glulisine	29
nsulin isophane	29
nsulin isophane with insulin	
neutral	. 29
nsulin lispro	29
nsulin lispro with insulin lispro	
protamine	20
nsulin neutral	. 29
nsulin pen needles	32
nsulin syringes, disposable with	
attached needle	. 32
ntal Spincaps	159
nterferon alpha-2a	97
nterferon alpha-2b	98
nterferon beta-1-alpha	
nterferon beta-1-beta	131
ntra-uterine device	71
ntron-A	/ 1
IIII0II-A	90
pecacuanha	39
pratropium bromide158, pratropium Steri-Neb	160
pratropium Steri-Neb	158
rinotecan	142
rinotecan-Rex	142
ron Overload	48
ron polymaltose	39
sentress	96
smo 20	
sogel	
soniazid	90
soprenaline hydrochloride	56
soptin	55
sopto Carpine	165
	100
sopto Homatropine	165
sosorbide mononitrate	
sosource 1.5	185
sosource HN	
sosource HN RTH	184
sosource Standard	184
sosource Standard RTH	184
sotretinoin	59
sradipine	
suprel	
tch-Soothe	61
traconazole	80
]-	
- J - Jadelle	70
Jadelle	/3
Janola	64
Jevity RTH	184
- K -	
Kaletra	96
Karicare Food Thickener	186

Karicare Goats Milk Infant
Formula192
Karicare Soy All Ages192
Kemadrin
Kenacomb162
Kenacort-A78
Kenacort-A4078
Keppra119
Ketoconazole
Dermatological61, 68
Infection
Ketone blood beta-ketone
electrodes31
Ketoprofen102
Ketostix
Ketovite37
Ketovite Liquid37
Kindergen
Kivexa
Klacid86
Klamycin
Alimentary27
Infection
Kliogest80
Kliovance80
Konakion MM41
Konsyl-D33
Nonsyr D
-L-
-L-
- L - LA-Morph113
- L - LA-Morph113 Labetalol53
- L - LA-Morph113 Labetalol53 Lacri-Lube166
- L - LA-Morph113 Labetalol53
- L - LA-Morph
- L - LA-Morph
- L - LA-Morph
- L - LA-Morph

Leukeran FC1	
Leunase1	
Leuprorelin	
Leustatin1	41
Levetiracetam1	19
Levlen ED	72
Levobunolol1	63
Levocabastine1	63
Levodopa with benserazide1	
Levodopa with carbidopa1	
Levonorgestrel	
Genito-Urinary73-	.74
Hormone	
Levothyroxine	
Lifestyles Flared	
Lignocaine1	11
Lignocaine hydrochloride1	11
Lignocaine nyurochionue	11
Lignocaine with chlorhexidine1	
	11
Lignocaine with prilocaine1	11
Lipid Modifying Agents	45
Lipitor	
Liquigen1	
Lisinopril	
Lisuride hydrogen maleate1	
Litak1	41
Lithicarb1	
Lithium carbonate1	25
Livostin1	63
Locacorten-Viaform ED's1	62
Locasol1	
Loceryl	
Locoid	
Locoid C	
Locoid Crelo	
Locoid Lipocream	
Locorten-Vioform1	
Lodoxamide trometamol1	
Loette	
Logem1	
Lomide1	
Lomustine1 Loperamide hydrochloride	39
Loperamide nydrochioride	25
Lophlex LQ1	89
Lopinavir with ritonavir	96
Lopresor	53
Lopressor	
Loprofin1	
Loprofin Mix1	89
Loraclear Hayfever Relief1	56
Lorapaed1	56
Loratadine1	56
Lorazepam1	30

Lormetazepam	132
Lorstat 10	46
Lorstat 20	46
Lorstat 40	
Lorstat 80	46
Losartan	51
Losec Hp7 OAC	
Lovir	92
Loxamine	
Lucrin Depot	83
Lucrin Depot PDS	83
Ludiomil	115
Lumigan	164
Lycinate	56
- M -	
m-Enalapril	50
m Eslon	

m-Enalapril	.50
m-Eslon1	
m-Mometasone	.63
Mabthera1	51
Macrogol 3350	.34
Madopar 1251	23
Madopar 2501	23
Madopar 62.51	23
Madopar Dispersible1	23
Madopar HBS1	23
Magnesium hydroxide1	71
Magnesium sulphate	
Alimentary	.39
Dermatological	.69
Malathion	.66
Maprotiline hydrochloride1	15
Marcain Heavy1	11
Marcain Isobaric1	11
Marevan	.43
Marine Blue Lotion SPF 30+	
Marquis Black	.70
Marquis Conforma	.70
Marquis Protecta	.70
Marquis Selecta	
Marquis Sensolite	.70
Marquis Supalite	.70
Marquis Titillata	
MarquisTantiliza	.70
Marvelon 21	
Marvelon 28	.72
Mask for spacer device1	60
Mast cell stabilisers1	
Maxalt Melt1	
Maxidex1	
Maxitrol1	63
MCT oil (Nutricia)1	
Mebendazole	

Mebeverine hydrochloride27
Medrol77
Medroxyprogesterone acetate
Genito-Urinary74
Hormone80-81
Mefenamic acid102
Megestrol acetate149
Melphalan139
Menthol61
Mercaptopurine142
Mercilon 2172
Mercilon 2872
Mesalazine26
Mesna145
Mestinon101
Metabolic Disorder Agents35
Metabolic Mineral Mixture190
Metamide122
Metamucil33
Metformin hydrochloride30
Methadone hydrochloride
Extemporaneous171
Nervous113
Methatabs113
Methoblastin142
Methopt165
Methotrexate142
Methotrexate Ebewe142
Methotrimeprazine125
Methyl hydroxybenzoate172
Methylcellulose
Methyldopa55
Methylergometrine74
Methylphenidate
hydrochloride
Methylphenidate hydrochloride
extended-release
Methylprednisolone77
Methylprednisolone
aceponate
Methylprednisolone acetate77
Methylprednisolone acetate with
lignocaine
Methylprednisolone sodium
succinate
Methylxanthines
Metoclopramide
hydrochloride 122
Metoclopramide hydrochloride
with paracetamol
Motonirono 94
Metopirone84 Metoprolol - AFT CR53
Metoprolol succinate
weiuproior succinate

Metoprolol tartrate	
Metronidazole	89
Metyrapone	84
Mexiletine hydrochloride	52
Mexitil	
Miacalcic	
Mianserin hydrochloride	
Micelle E	
Micolette	
Miconazole	
Miconazole nitrate	
Dermatological	
Genito-Urinary	
Micreme	
Micreme H	63
Microgynon 20 ED	73
Microgynon 30	70
Microgynon 30 ED	72
Microgynon 50 ED	72
Microlax	
Microlut	
Midazolam	
Midodrine	
Minaphlex	
Minerals	
Minidiab	
Minirin	
Mino-tabs Minocycline hydrochloride	88
	00
Minomycin Minor Skin Infections	88
Mirena	
Mirtazapine	116
Misoprostol Mitomycin C	27
Mitomycin C	145
Mitomycin-C	
Mitozantrone	
Mitozantrone Ebewe	
Mixtard 30	
Moclobemide	
Modecate	
Moducal	
Moduretic	
Mogine	119
Mometasone furoate	
Monofeme	
Monogen	179
Morphine hydrochloride	113
Morphine sulphate	
Morphine tartrate	
Morrex Maltodextrin	
Motilium	
Mouth and Throat	35

Movicol
MSUD Maxamaid188
MSUD Maxamum188
Mucilaginous laxatives
Mucilaginous laxatives with
stimulants34
Mucilax
MultiADE
Multiload Cu 37571
Multiload Cu 375 SL71
Multiparin
Multiple Sclerosis Treatments
Multivitamins
Mupirocin60
Muscle Relaxants110
Myambutol90
Mycobutin90
Mycophenolate mofetil151
Mycostatin61
Mydriacyl165
Mylan53
Mylanta P25
Myleran
Myocrisin103
Myometrial and Vaginal Hormone
Preparations
riepaialions
- N -
- N - Nadolol53 Nalcrom26
- N - Nadolol53 Nalcrom26
- N - Nadolol53 Nalcrom26 Naloxone hydrochloride136
- N - Nadolol
- N - Nadolol
- N - Nadolol

INDEX Generic Chemicals and Brands

Neoral153	
NeoRecormon40	
Neostigmine101	
Neotigason	
Nepro (vanilla)182	
Nerisone	
Neulactil	
NeuroKare	
Neurontin	
Nevirapine	
Nicotine	
Nicotinell	
Nicotinic acid45	
Nifedipine54	
Nifuran99	
Nilstat	
Alimentary36	
Genito-Urinary74	
Infection89	
Nipent145	
Nitrados132	
Nitrates56	
Nitrazepam132	
Nitroderm TTS56	
Nitrofurantoin	
Nitrolingual Pumpspray56	
Nizoral	
Dermatological61	
Infection	
Noctamid132	
Nodia	
Noflam 250102	
Noflam 500102	
Nonoxynol-970	
Nordette 2872	
Norethisterone	
Genito-Urinary74	
Hormone	
Norethisterone with	
mestranol	
Norflex	
Norfloxacin	
Noriday 2874	
Norimin	
Norinyl-1/2873	
Normacol	
Normacol Plus	
Normison132	
Norpress115	
Nortriptyline hydrochloride115	
Norvasc54	
Norvir96	
NovaSource Renal182	


NovoFine32
NovoRapid29
NovoRapid Penfill29
Nozinan125
Nuelin159
Nuelin-SR159
Nupentin117
Nutraplus65
Nutrient Modules175
Nutrini Energy RTH181
Nutrini RTH
NutriniDrink181
NutriniDrink Multifibre
Nutrison Concentrated
Nutrison Energy Multi Fibre
Nutrison Multi Fibre
Nutrison Standard RTH
Nyefax Retard
Nystatin
Alimentary
Dermatological61
Genito-Urinary74
Infection
NZB Low Gluten Bread Mix187
- 0 -
Octreotide (somatostatin
analogue) 149
Oestradiol
Oestradiol valerate79
Oestradiol with
norethisterone80
Oestriol
Genito-Urinary74
Hormone80
Hormone
Hormone       80         Oestrogens       79         Oestrogens with       80         medroxyprogesterone       80         Oil in water emulsion       64         Oily cream       65         Olanzapine       125, 128
Hormone       80         Oestrogens       79         Oestrogens with       80         medroxyprogesterone       80         Oil in water emulsion       64         Oily cream       65         Olanzapine       125, 128         Olbetam       45
Hormone       80         Oestrogens       79         Oestrogens with       80         medroxyprogesterone       80         Oil in water emulsion       64         Oily cream       65         Olanzapine       125, 128         Olbetam       45         Olsalazine       26
Hormone       80         Oestrogens       79         Oestrogens with       80         medroxyprogesterone       80         Oil in water emulsion       64         Oily cream       65         Olanzapine       125, 128         Olbetam       45         Olsalazine       26         Omeprazole       28
Hormone       80         Oestrogens       79         Oestrogens with       80         medroxyprogesterone       80         Oil in water emulsion       64         Oily cream       65         Olanzapine       125, 128         Olbetam       45         Olsalazine       26         Omeprazole       28         Omeprazole, amoxycillin and       80
Hormone       80         Oestrogens       79         Oestrogens with       80         medroxyprogesterone       80         Oil in water emulsion       64         Oily cream       65         Olanzapine       125, 128         Olbetam       45         Olsalazine       26         Omeprazole       28         Omeprazole, amoxycillin and       27
Hormone       80         Oestrogens       79         Oestrogens with       80         medroxyprogesterone       80         Oil in water emulsion       64         Oily cream       65         Olanzapine       125, 128         Olbetam       45         Olsalazine       26         Omeprazole, amoxycillin and       27         On Call Advanced       31
Hormone       80         Oestrogens       79         Oestrogens with       79         medroxyprogesterone       80         Oil in water emulsion       64         Oily cream       65         Olanzapine       125, 128         Olbetam       45         Olsalazine       26         Omeprazole       28         Omeprazole, amoxycillin and       27         On Call Advanced       31         Ondansetron       122
Hormone       80         Oestrogens       79         Oestrogens with       79         medroxyprogesterone       80         Oil in water emulsion       64         Oily cream       65         Olanzapine       125, 128         Olbetam       45         Olsalazine       26         Omeprazole       28         Omeprazole, amoxycillin and       27         On Call Advanced       31         Ondansetron       122         One-Alpha       37
Hormone       80         Oestrogens       79         Oestrogens with       79         medroxyprogesterone       80         Oil in water emulsion       64         Oily cream       65         Olanzapine       125, 128         Olbelaar       45         Olsalazine       26         Omeprazole       28         Omeprazole, amoxycillin and       27         On Call Advanced       31         Ondansetron       122         One-Alpha       37         Onkotrone       145
Hormone       80         Oestrogens       79         Oestrogens with       79         medroxyprogesterone       80         Oil in water emulsion       64         Oly cream       65         Olanzapine       125, 128         Olbetam       45         Olsalazine       26         Omeprazole, amoxycillin and       27         On Call Advanced       31         Ondansetron       122         One-Alpha       37         Onkotrone       145         Optium 5 second test       31
Hormone       80         Oestrogens       79         Oestrogens with       79         medroxyprogesterone       80         Oil in water emulsion       64         Oily cream       65         Olanzapine       125, 128         Olbetam       45         Olsalazine       26         Omeprazole       28         Omeprazole, amoxycillin and       21         clarithromycin       27         On Call Advanced       31         Ondansetron       122         One-Alpha       37         Onkotrone       145         Optium 5 second test       31         Ondition Blood Ketone Test       31
Hormone       80         Oestrogens       79         Oestrogens with       79         medroxyprogesterone       80         Oil in water emulsion       64         Oily cream       65         Olanzapine       125, 128         Olbetam       45         Olsalazine       26         Omeprazole, amoxycillin and       21         clarithromycin       27         On Call Advanced       31         Ondansetron       122         One-Alpha       37         Onkotrone       145         Optium 5 second test       31         Optium Blood Ketone Test       31
Hormone       80         Oestrogens       79         Oestrogens with       79         medroxyprogesterone       80         Oil in water emulsion       64         Oily cream       65         Olanzapine       125, 128         Olbetam       45         Olsalazine       26         Omeprazole       28         Omeprazole, amoxycillin and       21         clarithromycin       27         On Call Advanced       31         Ondansetron       122         One-Alpha       37         Onkotrone       145         Optium 5 second test       31         Ondition Blood Ketone Test       31

Orabase	36
Oracort	36
Oral Supplements1	77
Oral Supplements/Complete Diet	
(Nasogastric/Gastrostomy	
Tube Feed)1	78
Oratane	
Orgran1	87
Ornidazole	
Orphenadrine citrate1	
Orphenadrine hydrochloride1	24
Ortho	
Ortho All-flex	
Ortho Coil	
Ortho-tolidine	76
Oruvail 1001	
Oruvail 2001	
Osmolite RTH1	84
Ospamox	
Ospamox Paediatric Drops	
Other Endocrine Agents	
Other Orestream	
Preparations	80
Other Progestogen	
Preparations	80
Other Skin Preparations	69
Ovestin	00
Genito-Urinary	74
Hormone	80
Ox-Pam1	
Oxaliplatin1	
Oxaliplatin Ebewe1	39
Oxazepam1	
Oxis Turbuhaler1	57
Oxybutynin	75
Oxycodone hydrochloride1	14
OxyContin1	
OxyNorm1	
Oxypentifylline	57
Oxytocin	74
- P -	
 Pacifen1	10
Pacific Buspirone1	20
Paclitaxel1	
Paclitaxel Ebewe1	
Padiatria Saravit	40 97
Paediatric Seravit1 Pamidronate disodium1	3/
Pamisol1	
Panadol1	
Pancreatic enzyme	12 22
Pancreatic enzyme Pancrex V	00 22
Pancrex V Forte	22 22
Panteston	
1 מווכסוטון	10

Pantocid IV28
Pantoprazole28
Panzytrat
Papaverine hydrochloride57
Paracare112
Paracare Double Strength112
Paracare Junior112
Paracetamol112 Paracetamol with codeine114
Paracetamol with codeine114
ParaCode114
Paraffin65
Paraffin liquid with soft white
paraffin 166
Paraffin liquid with wool fat
liquid 166
Paraldehyde117
Paramax121
Parasiticidal Preparations66
Parnate115
Paroxetine hydrochloride116
Paxam117
Peak flow meter160
Pedialyte - Bubblegum45
Pedialyte - Fruit45
Pedialyte - Plain45
Pediasure181
Pediasure RTH181
Pegasys98 Pegasys RBV Combination
Pegasys RBV Combination
Pack
Pegylated interferon alpha-2a98
Penicillamine103
PenMix 3029
PenMix 4029
PenMix 5029
Pentasa26
Pentostatin
(deoxycoformycin)145
Pepti Junior191
Pepti Junior Gold191
Peptisoothe28
Peptisorb182
Pergolide123
Perhexiline maleate54
Periactin155
Pericyazine126
Perindopril50
Permax123
Permethrin66
Persantin42
Pethidine hydrochloride114
Pevaryl61
Pexsig54

Pharmacare112
Phenate83
Phenelzine sulphate115
Phenobarbitone119
Phenobarbitone sodium172
Phenoxybenzamine hydrochloride
Phenoxymethylpenicillin
(Penicillin V)
Phentolamine mesylate
Phenylephrine
hydrochloride
Phenylephrine hydrochloride with
zinc sulphate
Phenytoin sodium117, 119
Phiery 10
Phosphate-Sandoz45
Phytomenadione41
Pilocarpine165
Pimafucort63
Pindolol53
Pinetarsol68
Pinorax
Pinorax Forte35
Pioglitazone
Piportil128
Pipothiazine palmitate128
Piram-D102
Piroxicam102
Pizaccord30
Pizotifen121
PKU Anamix Infant189
PKU Lophlex LQ189
Plaquenil89
Plavix41
Plendil ER54
Podophyllotoxin69
Polaramine155
Poloxamer34
Poly-Tears165
Poly-Visc166
Polycal175
Polytar Emollient68
Polyvinyl alcohol166
Ponstan102
Postinor-174
Potassium bicarbonate45
Potassium chloride
Potassium iodate
Povidone iodine
Prantal64
Pravachol46
Pravastatin46
1 Tavastatin

Prazosin hydrochloride Pred Forte Pred Mild Prednisolone acetate	163 163
Prednisolone sodium	
phosphate	77
Prednisone	77
Prefrin	
Pregnancy Tests - hCG Urine	
Pregnancy tests - HCG urine	75
Premarin	70
Premia 2.5 Continuous	
Premia 5 Continuous	
Priadel	
Primidone	
Primolut N	
Probenecid	110
Probenecid-AFT	110
Procaine penicillin	88
Procarbazine hydrochloride	145
Prochlorperazine	122
Proctosedyl	26
Procyclidine hydrochloride	124
Prodopa	55
Prograf	
Progynova	
Promethazine hydrochloride	156
Promethazine theoclate	122
Promethazine Winthrop	
Elixir	156
Promod	
Propafenone hydrochloride	177
Propamidine isethionate	162
Propranolol	102 E0
Propylene glycol	170
Protomine autobate	172
Protamine sulphate	
Protaphane	29
Protaphane Penfill	
Protifar	
Provera	
PSO19	93–196
Psoriasis and Eczema	
Preparations	66
Pulmicort Turbuhaler	156
Pulmocare	
Pulmozyme	160
Purinethol	142
Pyrazinamide	
Pyridostigmine bromide	101
Pyridoxine hydrochloride	36
Pytazen SR	42
-0-	
Q 200	110
~ -~~	



Q 300       110         Questran-Lite       .45         Quetapel       126         Quinapril       .126         Quinapril       .50         Quinapril       .50         Quinapril       .50         Quinapril       .50         Quinapril       .64
-R-
RA-Morph113 Raltegravir potassium96
Ranbaxy Amoxicillin
Ranbaxy-Cefaclor85
Ranitidine hydrochloride
Rapamune153
Redipred
Regitine49
Renilon 7.5182
Resonium-A45
Resource Beneprotein177
Resource Diabetic179
Resource Plus185
Resource Thicken Up186
Respigen
Respiratory Devices
Retrovir
ReVia
Reyataz
Rheumacin SR102
Ridal127
Ridaura102
Rifabutin90
Rifadin90
Rifampicin90
Rifinah90
Riodine
Risperdal127 Risperdal Consta128
Risperdal Quicklet129
Risperidone
Risperon
Ritalin
Ritalin LA136
Ritalin SR134
Ritonavir96
Rituximab151
Rivacol
Rivotril
Rizatriptan benzoate
Rocaltrol solution
NUCIUITA


Ropin123	
nopili	
Ropinirole hydrochloride123	
Roxithromycin87	
Rubifen	
Rubifen SR134	
Rythmodan52	
Rytmonorm52	
- S -	
S26 Soy192	
S26LBW Gold RTF190	
Sabril	
Salamol	
Salapin158	
Salazopyrin26	
Salazopyrin EN26	
Salbutamol158	
Salbutamol with ipratropium	
bromide 159	
Salicylic acid67	
Salmeterol157	
Sandomigran121	
Sandostatin	
Sandostatin LAR149	
Sandoz87	
SC Profi-Fine32	
Scalp Preparations68	
Scopoderm TTS	
Sebizole68	
Sedatives and Hypnotics132	
Selegiline hydrochloride123	
Senna	
Senokot	
SensoCard	
Serenace125	
Seretide158	
Seretide Accuhaler158	
Serevent157	
Serevent Accuhaler	
Serophene83	
Seroquel126	
Sevredol113	
Sex Hormones Non	
Contraceptive	
Shield 4970	
Shield Blue70	
Shield XL70	
Sildenafil57	
Silver sulphadiazine60	
Simethicone25	
Simvastatin47	
Sindopa123	
Sinemet123	
Sinemet CR	
01101101 011	

Sirolimus153
Siterone
Slow-Lopressor53
Sodium acid phosphate
Sodium alginate25
Sodium aurothiomalate
Sodium bicarbonate
Blood44
Extemporaneous172
Sodium calcium edetate
Sodium
carboxymethylcellulose
Sodium chloride44
Sodium citrate with sodium lauryl
sulphoacetate
Sodium citro-tartrate75
Sodium cromoglycate
Alimentary26
Respiratory159–160
Sensory163
Sodium fluoride
Sodium hypochlorite
Sodium nitroprusside
Sodium polystyrene
Sodium polystyrene sulphonate
Sodium tetradecyl sulphate43
Sodium valproate119
Sofradex
Soframycin
Solian
Solifenacin succinate
Solox
Solu-Cortef
Solu-Medrol77
Somatropin82
Sonaflam102
Sotacor53
Sotalol53
Space Chamber161
Spacer device161
Span-K45
Spiriva159
Spironolactone55
Spirotone55
Sporanox
Sprycel147
Stavudine [d4T]96
Stelazine
Stemetil
Stesolid117
Stimulants/ADHD
treatments 132
Stocrin

Stomahesive	5
Strattera132	
Sucralfate	
Sulindac102	
Sulphacetamide sodium162	
Sulphasalazine	5
Sulphur	7
Sumatriptan121	
Sunscreens	
Sunscreens, proprietary	
Suplena	
Suprefact	, ,
Surgam102	
Sustagen Hospital Formula	2
Sustanon Ampoules	
Symbicort Turbuhaler 100/6	2
Symbicort Turbuhaler 200/6	2
Symbicort Turbuhaler	)
400/12	,
Symmetrel	
Sympathomimetics	
Synacthen78	
Synacthen Depot78	
Synermox87	
Synflex102	-
Synthroid81	
Syntocinon74	ł
Syntometrine74	ł
Syrup (pharmaceutical grade)	
	)
-T-	
Tacrolimus153	3
Tambocor52	
Tambocor CR52	)
Tamoxifen citrate150	)
Tamoxifen Sandoz150	)
Tamsulosin hydrochloride75	5
Tamsulosin-Rex75	
Tap water172	,
Tar with cade oil	
Tar with triethanolamine lauryl	
sulphate and fluorescein	2
Tasmar	
Taxotere	
Tegretol	
Tegretol CR117	7
Telfast	
Temazepam132	, )
Temgesic112	
Temodal145	
Temozolomide145	
Tenofovir disoproxil fumarate	, ,
Tenoxicam 102	

Terazosin hydrochloride	
Terbinafine	89
Terbutaline sulphate1	58
Testosterone	78
Testosterone cypionate	78
Testosterone esters	78
Testosterone undecanoate	78
Tetrabenazine1	
Tetrabromophenol	76
Tetracosactrin	
Teva1	
Thalidomide1	46
Thalidomide Pharmion1	
Theophylline1	
Thiamine hydrochloride	36
Thioguanine1	
Thiotepa1	
Thymol glycerin	
Thyroid and Antithyroid	00
Agents	01
Tiaprofenic acid1	
Tiberal1	
Tilcotil1 Timolol maleate	02
Cardiovascular	- 4
Sensory1 Timoptol XE1	63
Tiotropium bromide1	
Titralac	
TMP	89
Tobramycin	
Infection	
Sensory1	
Tobrex1	
Tofranil1	
Tolcapone1	
Tolvon1	
Topamax1	
Topiramate1	20
Total parenteral nutrition	
(TPN)	
TPN	
Tracleer	57
Tramadol hydrochloride1	12
Trandate	53
Trandolapril	50
Tranexamic acid	41
Tranylcypromine sulphate1	15
Trastuzumab1	52
Travatan1	
Travoprost1	64
Treatments for Opioid	

Overdose	136
Treatments for Substance	
Dependence	
Trental 400	57
Tretinoin	
Dermatological	
Oncology	146
Triamcinolone acetonide	
Alimentary	36
Dermatological	63
Hormone	78
Triamcinolone acetonide with	
gramicidin, neomycin and nyst	atin
Dermatological	63
Sensory	162
Triazolam	132
Trichozole	89
Triclosan	64
Trifeme	72
Trifluoperazine	
hydrochloride	127
Trimeprazine tartrate	
Trimethoprim	89
Trisequens	
Trisul	88
Trophic Hormones	
Tropicamide	
Tropisetron	122
Trusopt	
Two Cal HN	
Tyloxapol	166
- U - Ultraproct	00
•	
Univent Ural	
Urea	
Urex Forte	
Urinary Agents	75
Urinary Tract Infections	99
Uromitexan Ursodeoxycholic acid	140
•	
- V -	
Vaccines	100
Valaciclovir	93
Vallergan Forte	
Valoid (AFT)	
Valtrex	93
Vancomycin hydrochloride Vannair	150
Vasodilators Vasopressin Agonists	
Vasopressin Agonists	
vaniyi ip	



Venlafaxine	
Ventavis	58
Ventolin	158
Vepesid	144
Verapamil hydrochloride	55
Vergo 16	121
Vermox	85
Verpamil SR	55
Vesanoid	
Vesicare	75
Viaderm KC	63
Viagra	57
Vicrom	
Videx EC	
Vigabatrin	
Vinblastine sulphate	
Vincristine sulphate	
Vinorelbine	
Vinorelbine Ebewe	
Viramune	
Viramune Suspension	
Viread	93
Vistil	166
Vistil Forte	166
Vitabdeck	38
Vitadol C	36
Vital HN	182
Vitala-C	37
Vitamin A with vitamins D and	
С	
Vitamin B complex	36

Vitamins	1 2		
Volibris5 Voltaren10			
Voltaren D10			
Voltaren Ophtha16	3		
Volumatic16			
Vosol			
Vytorin4	8		
- W -			
Warfarin sodium4			
Wart Preparations	8		
Wasp venom allergy treatment	Б		
Water	5		
Blood4	4		
Extemporaneous17	2		
Wool fat with mineral oil6	5		
- X -			
Xeloda14			
Xenazine 2512			
XMET Maxamum18			
XP Analog LCP18			
XP Maxamaid18			
XP Maxamum18			
Xylocaine11	1		
- Z -			
Zantac2	8		

Zarontin ......117

Zavedos
Zidovudine [AZT]96
Zidovudine [AZT] with lamivudine
Zinacef
Zinacer
Zinc and castor oil64
Zinc oxide27
Zinc sulphate
Zincaps
Zincfrin166
Zinnat85
Ziprasidone127
Zofran
Zofran Zydis
Zoladex
Zopiclone
Zostrix HP69 Zovirax162
Zuclopenthixol decanoate
Zuclopenthixol
hydrochloride
Zyban
Zyprexa125
Zyprexa Zydis128

# AUTHORITY TO SUBSTITUTE

### Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

### **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name:	NZMC:	
Signature:	Date:	

Authority for the dispensing pharmacist to change a prescribed medicine in this way is contained in regulation 42 (4) of the Medicines Regulations 1984.

NOTES

# AUTHORITY TO SUBSTITUTE

### Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

### **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:
	to change a prescribed medicine in this way is

Authority for the dispensing pharmacist to change a prescribed medicine in this way is contained in regulation 42 (4) of the Medicines Regulations 1984.

NOTES

# AUTHORITY TO SUBSTITUTE

### Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

### **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:
	to change a prescribed medicine in this way is

Authority for the dispensing pharmacist to change a prescribed medicine in this way is contained in regulation 42 (4) of the Medicines Regulations 1984.

NOTES

# AUTHORITY TO SUBSTITUTE

### Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

### **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:
	to change a prescribed medicine in this way is

Authority for the dispensing pharmacist to change a prescribed medicine in this way is contained in regulation 42 (4) of the Medicines Regulations 1984.

NOTES