October 2010

Volume 17 Number 2

Editors

Kaye Wilson & Scott Brydon email: schedule@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

Freephone Information Line 0800 66 00 50 (9am - 5pm weekdays)

Circulation

Published each April, August and December. Changes to the contents are published in monthly updates. Annual subscription includes three Pharmaceutical Schedule books, 12 updates and occasional information on rule changes and news items. The Schedule is distributed free of charge to over 9,000 health professionals, and is also available on an annual subscription.

Prices

\$22.22 One Schedule book \$4.44 One Update \$120.00 Annual subscription

All prices include postage and exclude GST.

Production

Typeset automatically from XML and TEX. See www.pharmac.govt.nz/schedule/archive/ for the XML version of this Schedule.

Programmers

Anrik Drenth & John Geering email: texschedule@pharmac.govt.nz

© Pharmaceutical Management Agency



ISSN 1179-3686 pdf ISSN 1172-9376 print

This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit:

creativecommons.org/licenses/by/3.0/nz/.

Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

Introducing PHARMAC

Section A


General Rules 12

Section BAlimentary Tract & Metabolism25Blood & Blood Forming Organs39Cardiovascular System46

- Dermatologicals 55 Genito Urinary System 66 Hormone Preparations – Systemic 73 Infections – Agents For Systemic Use 80 Musculoskeletal System 96
 - Nervous System 108

Oncology Agents & Immunosuppressants 136

- Respiratory System & Allergies 153
 - Sensory Organs 159



Section G

Safety Cap Medicines 197

Index 200

2

Introducing PHARMAC

PHARMAC, the Pharmaceutical Management Agency, is a Crown entity established pursuant to the New Zealand Public Health and Disability Act 2000 (The Act). The primary objective of PHARMAC is to secure for eligible people in need of pharmaceuticals, the best health outcomes that are reasonably achievable from pharmaceutical treatment and from within the amount of funding provided.

The PHARMAC Board consists of up to six members appointed by the Minister of Health. All decisions relating to PHARMAC's operation are made by or under the authority of the Board. In particular, Board members decide on the strategic direction of PHARMAC and may decide which community pharmaceuticals should be subsidised and at what levels, and determine national prices for some pharmaceuticals to be purchased by and used in DHB Hospitals, and whether or not special conditions are to be applied to such purchases.

Members of the PHARMAC Board

Stuart McLaughlan	Kura Denness	David Kerr
Anne Kolbe	David Moore	Jens Mueller

Decisions taken by the PHARMAC Board members, or made under the authority of the Board, incorporate a balanced view of the needs of prescribers and patients. The aim is to achieve long-term gains and efficient ways of making pharmaceuticals available to the community and for DHB Hospitals to purchase them.

Murray Georgel, CE MidCentral DHB, attends PHARMAC's Board meetings as an observer.

The functions of PHARMAC are to perform the following, within the amount of funding provided to it in the Pharmaceutical Budget or to DHBs from their own budgets for the use of pharmaceuticals in their hospitals, as applicable, and in accordance with its annual plan and any directions given by the Minister (Section 103 of the Crown Entities Act):

- a) to maintain and manage a pharmaceutical schedule that applies consistently throughout New Zealand, including determining eligibility and criteria for the provision of subsidies;
- b) to manage incidental matters arising out of (a), including in exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the pharmaceutical schedule;
- c) to engage as it sees fit, but within its operational budget, in research to meet its objectives as set out in Section 47(a) of the Act;
- d) to promote the responsible use of pharmaceuticals;
- e) to manage the purchasing of any or all pharmaceuticals, whether used either in a hospital or outside it, on behalf of DHBs;
- f) any other functions given to PHARMAC by or under any enactment or authorised by the Minister.

The policies and criteria set out in the Pharmaceutical Schedule and PHARMAC's Operating Policies and Procedures arise out of, and are designed to help PHARMAC achieve and perform, PHARMAC's objective and functions under the Act.

However PHARMAC may, having regard to its public law obligations, depart from the strict application of those policies and criteria in certain exceptional cases where it considers this necessary or appropriate in the proper exercise of its statutory discretion and to give effect to its objective and functions, particularly with respect to:

- Determining eligibility and criteria for the provision of subsidies; and
- In exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the Pharmaceutical Schedule.

Decision Criteria

PHARMAC updates the Pharmaceutical Schedule at regular intervals to notify prescribers, pharmacists, hospital managers and patients of changes to Community Pharmaceutical subsidies and the prices for Hospital Pharmaceuticals. In making decisions about amendments to the Pharmaceutical Schedule, PHARMAC is guided by its Operating Policies and Procedures, as amended or supplemented from time to time. PHARMAC takes into account the following criteria when making decisions about Community Pharmaceuticals:

- the health needs of all eligible people within New Zealand (eligible defined by the Government's then current rules of eligibility);
- the particular health needs of Maori and Pacific peoples;
- the availability and suitability of existing medicines, therapeutic medical devices and related products and related things;
- the clinical benefits and risks of pharmaceuticals;
- the cost-effectiveness of meeting health needs by funding pharmaceuticals rather than using other publicly funded health and disability support services;
- the budgetary impact (in terms of the pharmaceutical budget and the Government's overall health budget) of any changes to the Pharmaceutical Schedule;
- the direct cost to health service users;
- the Government's priorities for health funding, as set out in any objectives notified by the Crown to PHARMAC, or in PHARMAC's Funding Agreement, or elsewhere; and
- such other criteria as PHARMAC thinks fit. PHARMAC will carry out appropriate consultation when it intends to take any such "other criteria" into account.

The Operating Policies and Procedures, including any supplements, also describe the way in which PHARMAC determines the level of subsidy or purchase price payable for each Community Pharmaceutical or Hospital Pharmaceutical, respectively.

The decision criteria for Hospital Pharmaceuticals are set out in the hospital supplement to the Operating Policies and Procedures and in the introductory part of Section H of the Pharmaceutical Schedule.

Copies of PHARMAC's Operating Policies and Procedures and of any applicable supplements are available on the PHARMAC website (www.pharmac.govt.nz), or on request.

PHARMAC and the Pharmaceutical Schedule:

PHARMAC manages the national Pharmaceutical Schedule, which lists:

- Pharmaceuticals available in the community and subsidised by the Government with funding from the Pharmaceutical Budget; and
- some Pharmaceuticals purchased by DHBs for use in their hospitals, and includes those Hospital Pharmaceuticals for which national prices have been negotiated by PHARMAC.

In the community approximately 1848 Pharmaceuticals are subsidised by the Government. Most are available to all eligible people within New Zealand on prescription by a medical doctor. Some are listed with guidelines or conditions such as 'only if prescribed for a dialysis patient' or 'Special Authority - Retail Pharmacy', to ensure that Pharmaceuticals are used by those people who are most likely to benefit from them. Pharmaceuticals provided to patients for use while in DHB hospitals are not covered by Sections A to G of the Pharmaceutical Schedule.

Section H of the Pharmaceutical Schedule is not a comprehensive list of Pharmaceuticals that are used within the DHB Hospitals. Section H of the Pharmaceutical Schedule includes Pharmaceuticals that can be purchased at a national price by DHBs for use in their hospitals. These are referred to as National Contract Pharmaceuticals.

Section H of the Pharmaceutical Schedule also identifies new Pharmaceuticals used in hospitals, which have been or are being assessed by PHARMAC, the results of that analysis being available to DHB Hospitals via PHARMAC's website.

A list of Discretionary Community Supply Pharmaceuticals, in Section H of the Pharmaceutical Schedule, identifies those products that currently are not subsidised from the Pharmaceutical Budget as Community Pharmaceuticals in Sections A to G of the Pharmaceutical Schedule but which DHBs can at their discretion fund for use in the community from their own budgets without specific Hospital Exceptional Circumstances approval.

PHARMAC's clinical advisors

Pharmacology and Therapeutics Advisory Committee (PTAC)

PHARMAC works closely with the Pharmacology and Therapeutics Advisory Committee (PTAC), an expert medical committee which provides independent advice to PHARMAC on health needs and the clinical benefits of particular pharmaceuticals for use in the community and/or in DHB Hospitals.

The committee members are all senior, practising clinicians. The chair of PTAC sits with the PHARMAC Board in an advisory capacity.

PTAC helps decide which community pharmaceuticals are to be subsidised from public monies by making recommendations to PHARMAC. Part of the role of PTAC is to review whether Community Pharmaceuticals already listed on the Schedule should continue to receive Government funds. The resources freed up can be used to subsidise other community pharmaceuticals with a greater therapeutic worth.

PHARMAC may obtain clinical advice from PTAC in relation to national purchasing strategies for Hospital Pharmaceuticals. There may be additional specialist hospital representatives on PTAC subcommittees, or additional PTAC subcommittees, where PHARMAC considers this necessary.

PTAC members are:

Carl Burgess Marianne Empson Ian Hosford	MBChB, MD, MRCP (UK), FRACP, FRCP, physician/clinical pharmacologist, Chair BHB, MBChB, MMed(ClinEpi), FRACP, FRCPA, immunologist MBChB, FRANZCP, psychiatrist
Sisira Jayathissa	MMedSc (Clin Epi), MMBS, MD, MRCP (UK), FRCP (Edin), FRACP, FAFPHM, Dip Clin Epi,
· · · · · · · · · · · · · · · · · · ·	Dip OHP, Dip HSM, MBS
George Laking	MD, PhD, FRACP
Jim Lello	BHB, MBChB, DCH, FRNZCGP, general practitioner
Graham Mills	MBChB, MTropHlth, MD, FRACP, infectious disease specialist and general physician
Peter Pillans	MBBCh, MD, FCP, FRACP, clinical pharmacologist
Mark Weatherall	BA, MBChB, MApplStats, FRACP
Howard Wilson	BSc, PhD, MB, BS, Dip Obst, FRNZCGP, FRACGP, general practitioner, Deputy Chair

Contact PTAC C/-Advisory Committee Manager , Pharmaceutical Management Agency, PO Box 10 254, WELLINGTON, Email: PTAC@pharmac.govt.nz

The PHARMAC Team

The PHARMAC team has a wide range of expertise in health, medicine, economics, commerce, critical analysis, and policy development and implementation.

Matthew Brougham Lauren Abernethy

Kate Adams Paul Alexander Katie Appleby

Jason Arnold Diana Beswethrick Mike Bignall Stephen Boxall Scott Brydon Davina Carpenter Christine Chapman Mary Chesterfield

Steffan Crausaz

Andrew Davies

Rachelle Davies

Jessica Dougherty

Sean Dougherty Anrik Drenth Kim Ellis

Simon England Andy Erceg

Jackie Evans John Geering Rachel Grocott

Susan Haniel David Harland Ben Healey Hayden Holmes

Karen Jacobs Helen Knight Chief Executive Funding and Procurement Assistant Health Economist Health Economist Hospital Exceptional Circumstances Panel Co-ordinator Team Leader. Analysts HR Contractor Therapeutic Group Manager Creative Director Schedule Analyst **Records Manager** Therapeutic Group Manager High Cost Medicines Co-ordinator Manager, Funding and Procurement Procurement Initiatives Manager Office Manager / Corporate Team Assistant Executive Assistant to Chief Executive Therapeutic Group Manager Database Analyst Access & Optimal Use Co-ordinator Communications Manager Senior Network and System Administrator Therapeutic Group Manager Systems Architect Health Economist / Team Leader Assessment Advisory Committee Manager Health Economist Analyst High Cost Medicines Panel Co-ordinator (Growth Hormone/PAH) Access & Optimal Use Manager Accounts Payable Co-ordinator

Geoff Lawn Geraldine MacGibbon Janet Mackay Rachel Mackay Trish Mahonev Adam McRae Scott Metcalfe Peter Moodie Hew Norris Leigh Parish Marama Parore Chris Peck Angela Pirika Sharon Ponniah Matthew Poynton **Rachel Pratt** Dilky Rasiah Kyle Reid Awhimai Reynolds Brian Roulston Fiona Rutherford **Rico Schoeler** Merryn Simmons Liz Skellev Jude Urlich Javne Watkins Bryce Wigodsky Greg Williams Lisa Williams Kave Wilson Stephen Woodruffe Sue Anne Yee

Michael Young

Applications Developer Therapeutic Group Manager Access & Optimal Use Manager Manager, Schedule and Contracts Contract Manager Team Leader, Access & Optimal Use Chief Advisor Population Medicine / Public Health Physician Medical Director Analyst PA to Medical Director Manager, Access & Optimal Use & Māori Health Analyst Senior Receptionist Access and Optimal Use Manager Analyst/Health Economist Community Exceptional Circumstances Panel Co-ordinator **Deputy Medical Director** Tender Analyst Māori Health Manager Contract Manager Senior Policy Analyst Manager, Analysis and Assessment PHARMAC Seminar Series Co-ordinator Finance Manager Manager, Corporate and **External Relations** Team Leader. Medical Team Communications Advisor Therapeutic Group Manager Legal Counsel Schedule Analyst Therapeutic Group Manager Therapeutic Group Manager Analyst

Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price (if it differs from the Subsidy) and any access conditions that may apply; and
- some Hospital Pharmaceuticals that are purchased and used by DHB Hospitals, including those for which national prices have been negotiated by PHARMAC.

The purpose of the Schedule is not to show the final cost to Government of subsidising each Community Pharmaceutical or to DHBs in purchasing each Hospital Pharmaceutical since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for some Hospital Pharmaceuticals, on any logistics arrangements put in place by individual DHB Hospitals.

Finding Information in the Pharmaceutical Schedule

Community Pharmaceuticals

For Community Pharmaceuticals, the Schedule is organised in a way to help the reader find Community Pharmaceuticals, which may be used to treat similar conditions. To do this, Community Pharmaceuticals are first classified anatomically, originally based on the Anatomical Therapeutic Chemical (ATC) system, and then further classified under section headings structured for the New Zealand medical system.

- Section A lists the General Rules in relation to Community Pharmaceuticals and related products.
- Section **B** lists Community Pharmaceuticals and related products by anatomical classification, which are further divided into one or more therapeutic headings. Community Pharmaceuticals used to treat similar conditions are grouped together.
- Section C lists the rules in relation to Extemporaneously Compounded Products (ECPs) and Community Pharmaceuticals that will be subsidised when extemporaneously compounded.
- Section D lists the rules in relation to Special Foods and the Special Foods that are subsidised.
- Section E Part I lists the Community Pharmaceuticals that are subsidised on a Practitioner's Supply Order (PSO).
- Section E Part II lists rural areas for the purpose of PSOs.
- Section F lists the Community Pharmaceuticals dispensing period exemptions.
- Section G lists the Community Pharmaceuticals eligible for reimbursement of safety cap and related rules.

The listings are displayed alphabetically (where practical) within each level of the classification system. Each anatomical section contains a series of therapeutic headings, some of which may contain a further classification level. Where a Community Pharmaceutical is used in more than one therapeutic area, they may be cross-referenced.

The therapeutic headings in the Pharmaceutical Schedule do not necessarily correspond to the therapeutic groups and therapeutic subgroups, which PHARMAC establishes for the separate purpose of determining the level of subsidy to be paid for each Community Pharmaceutical.

The index located at the back of the book in which Sections A-G of the Pharmaceutical Schedule are published can be used to find page numbers for generic chemical entities, or product brand names.

Hospital Pharmaceuticals

Section H lists Pharmaceuticals that DHBs fund from their own budgets. The Hospital Pharmaceuticals are grouped into the following Parts in Section H:


- Part I lists the rules in relation to Hospital Pharmaceuticals.
- Part II lists Hospital Pharmaceuticals for which national contracts exist (National Contract Pharmaceuticals). These are
 listed alphabetically by generic chemical entity name and line item, the relevant Price negotiated by PHARMAC and, if
 applicable, an indication of whether it has Hospital Supply Status (HSS) and any associated Discretionary Variance (DV)
 Pharmaceuticals and DV Limit.
- Part III lists Assessed Pharmaceuticals, which have been or are being assessed by PHARMAC and, where such assessment is available, PHARMAC's opinion regarding the use of the Assessed Pharmaceuticals in hospitals. DHB Hospitals are not obliged to implement those recommendations.
- Part IV lists Discretionary Community Supply Pharmaceuticals, which are not Community Pharmaceuticals, but which a DHB Hospital can, in its discretion, fund for use in the community from its own budget.

The index located at the back of the Section H supplement can be used to find page numbers for generic chemical entities, or product brand names, for Hospital Pharmaceuticals.

Explaining drug entries

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the amount of that subsidy paid to contractors, the supplier's price and the access conditions that may apply.

Example



Glossary

Units of Measure

	microgram
kilogramkg	milligram
international unitiu	millilitre

μg	millimole
mg	unit
ml	

millimole	.mmol
unit	u

Abbreviations

Ampoule	Amp	Granules	Gran	Suppository	Supp
Capsule	Сар	Infusion	Inf	Tablet	Tab
Cream	Crm	Injection	Inj	Tincture	Tinc
Device	Dev	Linctus	Linc	Trans Dermal Delivery	
Dispersible	Disp	Liquid	Liq	System	TDDS
Effervescent	Eff	Long Acting	LA	-	
Emulsion	Emul	Ointment	Oint		
Enteric Coated	EC	Sachet	Sach		
Gelatinous	Gel	Solution	Soln		

BSO Bulk Supply Order.

- CBS Cost Brand Source. There is no set manufacturer's price, and the Government subsidises the product at the price it is obtained by the pharmacy.
- CE Compounded Extemporaneously.
- CPD Cost Per Dose. The Funder (as defined in Part I of the General Rules) cost of a standard dose, without mark-ups or fees and excluding GST.
- ECP Extemporaneously Compounded Preparation.
- HSS Hospital Supply Status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.
- OP Original Pack subsidy is rounded up to a multiple at whole packs.
- PSO Practitioner's Supply Order.

Sole Subsidised

Supplier Only brand of this medicine subsidised.

- XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.
- ▲ Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner.
- * Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless medicine is endorsed "close control" or "cc" and the endorsement is initialled by the prescriber.
- \$ Safety cap required and subsidised for oral liquid formulations, including extemporaneously compounded preparations.
- Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a
 manufacturer's surcharge.
- S29 This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981. Practitioners prescribing this medication should:
 - a) be aware of and comply with their obligations under Section 29 of the Medicines Act 1981 and otherwise under that Act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
 - c) exercise their own skill, judgement, expertise and discretions, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an indication for which it is not approved.

Note: Where medicines supplied under Section 29 that are used for emergency situations, patient details required under Section 29 of the Medicines Act may be retrospectively provided to the supplier.

Definitions					
Abbrev.	Pharmacy Services Agreement	All other Pharmacy Agreements			
[HP3]	Subsidised when dispensed from pharmacies that	Available from selected pharmacies that have an ex-			
	have a Special Foods Service appended to their Phar-	clusive contract to dispense Special Foods.			
	macy Services Agreement by their DHB.				
[HP4]	Subsidised when dispensed from pharmacies that	Avaliable from selected pharmacies that have an ex-			
	have the Monitored Therapy Variation (for Clozapine	clusive contract to dispense 'Hospital Pharmacy' [HP4]			
	Services)	pharmaceuticals.			

Patient costs

Community Pharmaceuitical costs met by the Government

Most of the cost of a subsidised prescription Community Pharmaceutical is met by the Government through the Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to Contractors, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to Contractors does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a \checkmark in the product's Schedule listing.

SALBUTAMOL

Aerosol inhaler 100 µg per dose	3.80	Fully subsidised brand	
	(6.00)	Higher priced brand	

Pharmaceutical Co-Payments

Some Community Pharmaceutical costs are met by the patient. Generally a patient pays a prescription charge. In addition a patient will sometimes pay a manufacturer's surcharge, after hours service fee and any special packaging fee.

PRESCRIPTION CHARGE

From 1 September 2008, everyone who is eligible for publicly funded health and disability services should in most circumstances pay only \$3 for subsidised medicines.

All prescriptions from a public hospital, a midwife and a Family Planning Clinic are covered for \$3 co-payments.

Prescriptions from the following providers are approved for \$3 co-payments on subsidised medicines if they meet the specified criteria:

- After Hours Accident and Medical Services with a DHB or a PHO contract.
- Youth Health Clinics with a DHB or a PHO contract.
- Dentists who write a prescription that relates to a service being provided under a DHB contract.
- Private specialists (for example, opthalmologists and orthopaedics) who write a prescription for a patient receiving a publicly funded service contracted by the DHB.
- General practitioners who write a prescription during normal business hours to a person who is not enrolled in the general
 practice provided the person is eligible for publicly funded health and disability services and the general practice is part of a
 PHO.
- Hospices that have a contract with a DHB.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Eligibility Direction on the Ministry of Health's website.

To check if a medicine is fully subsidised, refer to the Pharmaceutical Schedule on PHARMAC's website or ask your pharmacist or general practitioner.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

NOTE: Information sourced from Ministry of Health Website, for more information please visit www.moh.govt.nz

MANUFACTURER'S SURCHARGE

Not all Community Pharmaceuticals are fully subsidised. Although PHARMAC endeavours to fully subsidise at least one Community Pharmaceutical in each therapeutic group, and has contracts with some suppliers to maintain the price of a particular product, manufacturers are able to set their own price to pharmacies. When these prices exceed the subsidy, the pharmacist may recoup the difference from the patient.

To estimate the amount a patient will pay on top of the prescription charge, take the difference between the manufacturer's price and the subsidy, and multiply this by 1.86. The 1.86 factor represents the pharmacy mark-up on the surcharge plus other costs such as GST. Pharmacies charge different mark-ups so this may vary.

Manufacturer's surchage to patient = (price - subsidy) \times 1.86

For example, a Community Pharmaceutical with a supplier (ex-manufacturer) cost of \$11.00 per pack with a \$10.00 subsidy will cost the patient a surchage of \$1.86 on top of the prescription charge. The most a patient should pay is therefore \$16.86 - being

\$15.00 maximum prescription charge, plus \$1.86.

Hospital Pharmaceutical and Pharmaceutical Cancer Treatment Costs

The cost of purchasing Hospital Pharmaceuticals and Pharmaceutical Cancer Treatments (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) is met by the Funder (in particular, the relevant DHB) from its own budget. As required by section 23(7) of the Act, in performing any of their functions in relation to the supply of Pharmaceuticals including Pharmaceutical Cancer Treatments, DHBs must not act inconsistently with the Pharmaceutical Schedule.

PHARMAC web site

PHARMAC has set up an interactive Schedule on the Internet. It can be used to calculate the cost of a prescribed Community Pharmaceutical. This site at *http://www.pharmac.govt.nz* takes into account the quantity of Community Pharmaceutical prescribed as well as the patient's age, whether the patient has a community services card, high use health card or prescription subsidy card, the fee for pharmacy services and prescription charges.

Other information about PHARMAC is also available on our website. This includes copies of the Annual Review, Annual Report and Annual Plan, as well as information such as the Pharmaceutical Schedule, Pharmaceutical Schedule Updates, National Hospital Pharmaceutical Strategy, other publications and recent press releases.

Special Authority Applications

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person. Applications must be submitted to the Ministry of Health by the prescriber for the request to be processed.

Subsidy

Once approved, the presciber will be provided a Special Authority number which must appear on the prescription. Specialists who make an application must communicate the valid authority number to the prescriber who will be writing the prescriptions.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Pharmaceutical Budget.

Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website.

For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised. Criteria for each Special Authority Community Pharmaceutical are updated regularly, based on the decision criteria of PHARMAC. The appropriateness of the listing of a Community Pharmaceutical in the Special Authority category will also be regularly reviewed. Applications for inclusion of further Community Pharmaceuticals in the Special Authority category will generally be made by a pharmaceutical supplier.

Special Authority Applications

Application forms can be found at www.pharmac.govt.nz. Requests for fax copies should be made to PHARMAC, phone 04 460 4990. Applications are processed by the Ministry of Health, and should be sent to:

Ministry of Health Sector Services, Private Bag 3015, WANGANUI 4540 Fax: (06) 349 1983 or free fax 0800 100 131

For enquiries, phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666

Note: The Ministry of Health can only provide information on Special Authority applications to prescribers and pharmacists.

Each application must:

- Include the patients name, date of birth and NHI number (codes for AIDS patients' applications)
- Include the practitioner's name, address and Medical Council registration number
- Clearly indicate that the relevant criteria, have been met.
- · Be signed by the practitioner.

Exceptional Circumstances policies

The purpose of the Exceptional Circumstances policies are to provide:

- funding from the Community Exceptional Circumstances budget for medication, to be used in the community, in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical Budget is not able to be provided through the Pharmaceutical Schedule ("Community Exceptional Circumstances"); or
- an assessment process for the DHB Hospitals to determine whether they can fund medication, to be used in the community, in circumstances where the medication is neither a Community Pharmaceutical nor a Discretionary Community Supply Pharmaceutical and where the patient does not meet the criteria for Community Exceptional Circumstances ("Hospital Exceptional Circumstances"); or
- an assessment process for DHB Hospitals to determine whether they can fund pharmaceuticals for the treatment of cancer in their DHB Hospital, or in association with Outpatient services provided in their DHB hospital, in circumstances where the pharmaceutical is not identified as a Pharmaceutical Cancer Treatment ("Cancer Exceptional Circumstances") in Sections A-H of the Pharmaceutical Schedule.

Upon receipt of an application for approval for Community Exceptional Circumstances or Hospital Exceptional Circumstances, the Exceptional Circumstances Panel first decides whether an application will be assessed initially under the Community Exceptional Circumstances criteria or the Hospital Exceptional Circumstances criteria. Cancer Exceptional Circumstances is a separate process.

Hospital Exceptional Circumstances

If the application is first assessed but not approved under the Community Exceptional Circumstances criteria, the Exceptional Circumstances Panel may recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances.

If the application is first assessed under the Hospital Exceptional Circumstances criteria, the Exceptional Circumstances Panel may:

- a) recommend against the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget, in which case a DHB Hospital must not fund the pharmaceutical from its own budget;
- b) recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances, in which case a DHB Hospital may, but is not obliged to, fund the pharmaceutical from its own budget;
- c) defer its decision until further assessment under the Community Exceptional Circumstances criteria can undertaken; or
- d) recommend interim funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances until further assessment under the Community Exceptional Circumstances criteria can be undertaken.

Permission to fund a pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances will only be granted by PHARMAC where it has been demonstrated that such funding is cost-effective for the relevant DHB in the region in which the patient resides.

If the patient being treated with a pharmaceutical under Hospital Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

Applications for Hospital Exceptional Circumstances should be made on the standard application form available from the PHARMAC website www.pharmac.govt.nz or the address below:

The Coordinator, Hospital Exceptional Circumstances Panel PHARMAC, PO Box 10 254 Wellington

Phone: (04) 916 7521 or fax (09) 523 6870 Email: ecpanel@pharmac.govt.nz

Cancer Exceptional Circumstances

Permission to fund a pharmaceutical for the treatment of cancer from the Hospital's own budget under Cancer Exceptional Circumstances will only be granted by PHARMAC where it has been demonstated that the proposed use meets the criteria.

If the patient being treated with a pharmaceutical under Cancer Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

Community Exceptional Circumstances

In order to qualify for Community Exceptional Circumstances approval one of the following criteria must be met:

- a) the condition must be rare; or
- b) the reaction to alternative funded treatment must be unusual; or
- c) an unusual combination of circumstances applies.

Rare and unusual are considered to be in the order of less than 10 people nationally.

Where one of the above Community Exceptional Circumstances entry criteria is met, the application may then be further examined under supplementary criteria, assessing suitability of the pharmaceutical, clinical benefit, the cost effectiveness of the treatment, and the patient's ability to pay for the treatment. Where these documented criteria are met, a subsidy sufficient to fully fund the pharmaceutical will be made available to the specific patient on whose behalf the application was made.

Community Exceptional Circumstances funding is only available where the criteria are met and is not available for financial reasons alone.

Applications for Community Exceptional Circumstances, Hospital Exceptional Circumstances and Cancer Exceptional Circumstances should be made on the standard application form available from the PHARMAC website www.pharmac.govt.nz or the address below:

The Coordinator, Community Exceptional Circumstances Panel PO Box 10 254 Wellington Phone (04) 916 7553 or fax (09) 523 6870 Email: ecpanel@pharmac.govt.nz

INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and;
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services.

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 October 2010 and is to be referred to as the Pharmaceutical Schedule Volume 17 Number 2, 2010. Distribution will be from 20 October 2010. This Schedule comes into force on 1 October 2010.

PART I

INTERPRETATIONS AND DEFINITIONS

1.1 In this Schedule, unless the context otherwise requires:

"90 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;

"**180 Day Lot**" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;

"Access Exemption Criteria" means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:

a) have limited physical mobility;

- b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
- c) are relocating to another area;
- d) are travelling extensively and will be out of town when the repeat prescriptions are due.

"Act" means the New Zealand Public Health and Disability Act 2000.

"Advisory Committee" means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.

"Alternate Subsidy" means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.

"Assessed Pharmaceuticals" means the list of Pharmaceuticals set out in Section H Part III of the Schedule, that have been or are being assessed by PHARMAC.

"Authority to Substitute" means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.

"Bulk Supply Order" means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.

"Cancer Exceptional Circumstances" means the policies and criteria administered by PHARMAC relating to the ability to fund, from a DHB hospital's own budget, pharmaceuticals for the treatment of cancer that are not identified as Pharmaceutical

Cancer Treatments in Sections A-H of the Pharmaceutical Schedule.

"Class B Controlled Drug" means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.

"Close Control" means the dispensing of a Community Pharmaceutical, in accordance with a Prescription, in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot) for a Community Pharmaceutical referred to in Section F Part I, or in quantities less than a Monthly Lot for any other Community Pharmaceutical, where any of a), b) or c) apply.

- a) All of the following conditions are met:
 - i) the Community Pharmaceutical has been prescribed for a patient who:
 - 1) is not a resident in a Penal Institution, Rest Home or Residential Disability Care Institution; and
 - 2) either of the following:
 - i) in the opinion of the prescribing Practitioner is:
 - a) frail; or
 - b) infirm; or
 - c) unable to manage their medication without additional support; or
 - d) intellectually impaired; or
 - e) requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only); and
 - f) requires that Community Pharmaceutical to be dispensed in a smaller quantity than that for which it is currently funded, or
 - ii) the Community Pharmaceutical is any of the following:
 - a) a tri-cyclic antidepressant; or
 - b) an antipsychotic; or
 - c) a benzodiazepine; or
 - d) a Class B Controlled Drug; and
 - ii) the prescribing Practitioner has:
 - A) endorsed each Community Pharmaceutical on the Prescription clearly with the words "Close Control" or "CC"; and
 - B) initialled the endorsement in their own handwriting; and
 - C) specified the maximum quantity or period of supply to be dispensed at any one time.
- b) All of the following conditions are met:
 - i) The Community Pharmaceutical is prescribed for a patient who is a resident in a Rest Home or Residential Disability Care Institution; and
 - A) the quantity or period of supply to be dispensed at any one time is not less than 28 days' supply; and
 - B) the prescriber or pharmacist has written the name of the Rest Home or Residential Disability Care Institution on the prescription; and
 - C) the prescriber or pharmacist has:
 - written on the Prescription the words "Close Control" or "CC" (this applies to all medicines prescribed on the prescription), and
 - 2) initialled the endorsement/annotation in their own handwriting; and
 - 3) specified the maximum quantity or period of supply to be dispensed at any one time.
- c) All of the following conditions are met:
 - i) where PHARMAC has approved and notified pharmacists to annotate prescriptions for a specified Com-
 - munity Pharmaceutical(s) "Close Control" without prescriber endorsement for a specified time; and
 - ii) the dispensing pharmacist has:
 - A) clearly annotated each of the approved Community Pharmaceuticals that appear on the prescription with the words "Close Control" or "CC"; and
 - B) initialed the annotation in their own handwriting; and
 - C) specified the maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

"Community Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances Panel relating to funding from the Community Exceptional Circumstances budget for medication, to be used in the community, in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical Budget is not able to be provided through the Pharmaceutical Schedule.

"Community Pharmaceutical" means a Pharmaceutical listed in Sections A to G of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor" means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug" means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply" means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply.

"Dentist" means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"Dietitian" means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.

"DHB" means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital" means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Discretionary Community Supply Pharmaceutical" means the list of Pharmaceuticals set out in Section H Part IV of the Schedule, which may be funded by a DHB Hospital from its own budget for use in the community.

"Doctor" means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical" means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements" - unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Exceptional Circumstances Panel" means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for administering policies in relation to Community Exceptional Circumstances and Hospital Exceptional Circumstances.

"Funder" means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST" means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator" means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances Panel relating to the ability to fund, from a DHB Hospital's own budget, pharmaceuticals for use in the community by a specific patient where a subsidy is not available from the Pharmaceutical Budget or under Community Exceptional Circumstances.

"Hospital Pharmaceuticals" means National Contract Pharmaceuticals, DV Pharmaceuticals, Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals.

"Hospital Pharmacy" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner. "Hospital Pharmacy-Specialist" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

a) to an Outpatient; and

b) on a Prescription signed by a Specialist; or

if the treatment of an Outpatient with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a Practitioner endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Practitioner.

"As recommended by a Specialist" to be interpreted as:

a) follows a substantive consultation with an appropriate Specialist;

b) the consultation to relate to the Patient for whom the Prescription is written;

c) consultation to mean communication by referral, telephone, letter, facsimile or email;

d) except in emergencies consultation to precede annotation of the Prescription; and

e) both the specialist and the General Practitioner must keep a written record of the consultation.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

a) to an Outpatient; and

b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS" means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination" means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit" means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital" means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot" means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price" means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife" means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month" means a period of 30 consecutive days.

"Monthly Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"National Contract Pharmaceutical" means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

"National DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Not In Combination" means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

"Nurse Prescriber" means a nurse registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003 and who is approved by the Nursing Council, to prescribe specified prescription medicines relating to his/her scope of practice.

"Optometrist" means a person registered as an optometrist with the Optometrists and Dispensing Opticians Board, who holds a current annual practising certificate under the HPCA Act 2003, and who is authorised by regulations under the Medicines Act 1981 and approved by the Optometrists and Dispensing Opticians Board to prescribe specified medicines.

"Outpatient" , in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT" means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

"PCT only" means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies.

"Penal Institution" means a penal institution, as that term is defined in The Penal Institutions Act 1954;

"PHARMAC" means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC). "Pharmaceutical" means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to H of the Schedule.

"Pharmaceutical Benefits" means the right of:

- a) a person; and
- b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.

"Pharmaceutical Budget" means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals.

"Pharmaceutical Cancer Treatment" means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must fund, from their own budgets, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.

"Practitioner" means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Prescriber or an Optometrist as those terms are defined in the Pharmaceutical Schedule.

"Practitioner's Supply Order" means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

"Prescription" means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.

"Prescription Medicine" means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations 1984.

"Private Hospital" means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.

"Residential Disability Care Institution" means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.

"Rest Home" means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.

"Restricted Medicine" means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984.

"Retail Pharmacy-Specialist" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or, in the case of treatment recommended by a Specialist, a Prescription or Practitioner's Supply Order and endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner.

"As recommended by a Specialist" to be interpreted as:

- a) follows a substantive consultation with an appropriate Specialist;
- b) the consultation to relate to the Patient for whom the Prescription is written;
- c) consultation to mean communication by referral, telephone, letter, facsimile or email;
- d) except in emergencies consultation to precede annotation of the Prescription; and

e) both the Specialist and the General Practitioner must keep a written record of consultation.

"Retail Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist. For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"Schedule" means this Pharmaceutical Schedule and all its sections and appendices.

"Section B" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies included in the Schedule.

"Section C" of this Pharmaceutical Schedule means the list of community extemporaneously compounded preparations and galenicals eligible for Subsidies included in the Schedule.

"Section D" of this Pharmaceutical Schedule means the list of community special foods eligible for Subsidies included in the Schedule.

"Section E Part I" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies and available on a Practitioner's Supply Order included in the Schedule.

"Section E Part II" of this Pharmaceutical Schedule means the list of rural areas for the purpose of community Practitioner's Supply Orders included in the Schedule.

"Section F Part I" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots, and requirement to dispense in 90 Day Lots or 180 Day Lots, as applicable, in respect of the Community Pharmaceuticals referred to in this part of Section F;

"Section F Part II" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots in respect of the Community Pharmaceuticals referred to in this part of Section F;

"Section G" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for reimbursement of safety caps.

"Section H" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals and the lists of National Contract Pharmaceuticals and any associated DV Pharmaceuticals, of Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals included in Section H of the Schedule.

"Section H Part I" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals.

"Section H Part II" of this Pharmaceutical Schedule means the list of National Contract Pharmaceuticals, the relevant Price, an indication of whether the Pharmaceutical has HSS and any associated DV Pharmaceuticals and DV Limit.

"Section H Part III" of this Pharmaceutical Schedule means the list of Assessed Pharmaceuticals.

"Section H Part IV" of this Pharmaceutical Schedule means the list of Discretionary Community Supply Pharmaceuticals. "Special Authority" means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.

"Specialist", in relation to a Prescription, a doctor who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

- a)
- i) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine; and
- ii) the doctor's vocational scope of practice is one of those listed below: anaesthetics, cardiothoracic surgery, dermatology, diagnostic radiology, emergency medicine, general surgery, internal medicine, neurosurgery, obstetrics and gynaecology, occupational medicine, ophthalmology, oral and maxillofacial surgery, otolaryngology head and neck surgery, orthopaedic surgery, paediatric surgery, paediatrics, pathology, plastic and reconstructive surgery, psychological medicine or psychiatry, public health medicine, radiation oncology, rehabilitation medicine, urology and venereology;
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that Prescription in the course of practising in that area of medicine;
- c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that area of medicine;
- d) the doctor writes the Prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.

"Subsidy" means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.

"Supply Order" means a Bulk Supply Order or a Practitioner's Supply Order.

"Unapproved Indication" means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 4.6.

- 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
 - a) the singular includes the plural; and
 - b) any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regu-

lation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

PART II COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G of the Schedule, and every preparation (having an inert base) of any of them, is hereby declared to be a Community Pharmaceutical for the purposes of the Schedule, subject to:
 - 2.1.1 clauses 2.2 and 2.3 of the Schedule; and
 - 2.1.2 clauses 3.1 to 4.4 of the Schedule; and
 - 2.1.3 the conditions (if any) specified in Sections B to G of the Schedule;
- 2.2 The following medicines, therapeutic medical devices, or related products or related things are not eligible for Subsidy:
 - 2.2.1 substances, or combinations of substances, ordered for any purpose other than:
 - a) treatment of a patient's medical or dental condition; or
 - b) pregnancy tests; or
 - c) the prevention of sexually transmitted disease; or
 - d) contraception.
 - 2.2.2 substances and combinations of substances packed under pressure in aerosol cans or other similar devices, unless it is specified in Sections B to G of the Schedule that they may be so packed;
 - 2.2.3 electrode jellies;
 - 2.2.4 eye drops packed in single-dose units, unless it is specified in Sections B to G of the Schedule that they may be so packed;
 - 2.2.5 insect repellents and similar preparations;
 - 2.2.6 oral preparations in long-acting form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.7 substances or combinations of substances in lozenge or similar form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.8 machine-spread plasters;
 - 2.2.9 preparations prescribed as foods, unless they are specified in Section D of the Schedule;
 - 2.2.10 substances, combinations of substances, or articles, in the form of proprietary medicines or proprietary articles, unless they are deemed or declared to be Pharmaceuticals elsewhere in the Schedule;
 - 2.2.11 shampoos, other than extemporaneously prepared medicated shampoos, or shampoos specified in Sections B to G of the Schedule intended for the treatment of a patient's medical condition;
 - 2.2.12 toilet preparations;
 - 2.2.13 tooth pastes and powders;
 - 2.2.14 lubricating jellies and catheter lubricants;
 - 2.2.15 sterile diluents for nebulising solutions;
 - 2.2.16 substances in a form intended to enable delivery by transdermal diffusion or osmosis or by the insertion of any solid object or substance into the eye cavity, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.17 substances in a form intended for intravenous delivery (other than by injection), unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.18 substances packed in pre-loaded syringes known as Min-I-Jets, unless it is specified in Sections B to G of the Schedule that they may be so packed;
 - 2.2.19 Community Pharmaceuticals prescribed as cough mixtures, unless they are specified in Sections B to G of the Schedule otherwise than in combination with other ingredients;
 - 2.2.20 vitamin preparations in capsule form, unless they are specified in Sections B to G of the Schedule;
 - 2.2.21 substances prescribed for use as irrigating solutions, unless it is specified in Sections B to G of the Schedule that they may be prescribed for such use.
- 2.3 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
 - 2.3.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines

Act 1981; or

- 2.3.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
- 2.3.3 in the absence of the standards prescribed in clauses 2.3.1 and 2.3.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
- 2.3.4 in the absence of the standards prescribed in clauses 2.3.1, 2.3.2 and 2.3.3, are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

PART III

PERIOD AND QUANTITY OF SUPPLY

3.1 Doctors', Dietitians', Midwives', Nurse Prescribers' and Optometrists' Prescriptions (other than oral contraceptives)

The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor, Dietitian, Midwife, Nurse Prescriber or Optometrist:

- 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity suffcient to provide treatment for a period not exceeding three Months will be subsidised.
- 3.1.2 For methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug other than methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity:
 - a) sufficient to provide treatment for a period not exceeding 10 days; and
 - b) which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Dietitian, Midwife or Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
 - a) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
 - b) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
 - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
 - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
 - A) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
 - B) both:
 - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
 - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
 - b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only that part of any Prescription that is dispensed within the time frames specified above is eligible for

Subsidy.

- 3.1.7 If a Community Pharmaceutical:
 - a) is stable for a limited period only, and the Doctor, Dietitian, Midwife, Nurse Prescriber or Optometrist has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
 - b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
 - c) is Close Control,
 The actual quantity dispensed will be subsidised in accordance with any such specification.

3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife or Nurse Prescriber for an oral contraceptive:

- 3.2.1 The prescribing Doctor, Midwife or Nurse Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed:
 - a) three Months if prescribed by a Midwife; or
 - b) six Months if prescribed by a Doctor or Nurse Practitioner.
- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
 - a) in Lots as specified in the Prescription if the Community Pharmaceutical is Close Control; or
 - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 An oral contraceptive prescribed by a Midwife is only eligible for Subsidy if the Prescription under which it has been dispensed has been written within the period of post natal care of the eligible person.
- 3.2.5 Where a Community Pharmaceutical in a Prescription is Close Control and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

3.3 Dentists' Prescriptions

- The following provisions apply to every Prescription written by a Dentist:
- 3.3.1 The maximum quantity of a Community Pharmaceutical that will be subsidised is as follows:
 - a) where the Community Pharmaceutical is a Controlled Drug, only such quantity as is necessary to provide treatment for a period not exceeding five days; and
 - b) in any other case, only such quantity as is necessary to provide treatment for a period not exceeding five days and, where the Prescription specifies a repeat, one further period not exceeding five days.
- 3.3.2 Notwithstanding clause 3.3.1, if, in the opinion of the Dentist, an eligible person needs extended treatment with sodium fluoride for up to three Months, the Community Pharmaceutical will be subsidised for that extended period. A Prescription for any such extended supply of sodium fluoride will be subsidised only if it is dispensed in Monthly Lots, unless the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect.
- 3.3.3 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed has been presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.3.4 No Subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) one Month from the date the Community Pharmaceutical was first dispensed; or
 - b) in the case of sodium fluoride, three Months from the date the Community Pharmaceutical was first dispensed.

Only that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.

3.4 Original Packs, and Certain Antibiotics

3.4.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:

- a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
- b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.
- 3.4.2 If a Community Pharmaceutical is the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:
 - a) the difference the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eg; if a prescription is for 105 mls then a 100ml pack would be dispensed); and
 - b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

3.5 Dietitians' Prescriptions

The following provisions apply to every Prescription written by a Dietitian:

- 3.5.1 Prescriptions written by a Dietitian for a Community Pharmaceutical will only be subsidised where they are for either:
 - a) special foods, as listed in Section D; or
 - b) any other Pharmaceutical that has been identified in Section D of the Pharmaceutical Schedule as being able to be prescribed by a Dietitian,

providing that the products being prescribed are not classified as Prescription Medicines or Restricted Medicines.

3.5.2 For the purposes of Dietitians prescribing pursuant to this clause 3.5, the prescribing and dispensing of these products is required to be in accordance with regulations 41 and 42 of the Medicines Regulations 1984.

PART IV

MISCELLANEOUS PROVISIONS

4.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 4.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 4.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 4.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 4.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
 - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
 - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 4.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.

4.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

4.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 4.2.1 Subject to clause 4.2.3, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 4.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
 - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
 - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 4.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
 - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
 - i) is personally signed and dated by the Practitioner; and
 - ii) sets out the Practitioner's address; and
 - iii) sets out the Community Pharmaceuticals and quantities, and;
 - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 4.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.

4.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

4.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

4.3.2 Expiry

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 4.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 4.3.1 and 4.3.2, for the individual Patient.
- 4.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 4.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

4.4 Pharmaceutical Cancer Treatments

- 4.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments by funding their use in the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 4.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:

 a) has Cancer Eventical Cancer Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
 - a) has Cancer Exceptional Circumstances approval;

- b) has Community Exceptional Circumstances or Hospital Exceptional Circumstances approval;
- c) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
 - d) is being used and funded as part of a paediatric oncology service; or
 - e) was being used to treat the patient in question prior to 1 July 2005.
- 4.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatements with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
 - a) Part 1;
 - b) clauses 2.1 to 2.3;
 - c) clauses 3.1 to 3.4; and
 - d) clause 4.4,
 - of Section A of the Schedule
- 4.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 4.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 direction from the Minister of Health as to pharmaceuticals and indications for which DHBs must provide funding. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
 - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under the Medicines Act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and Disability Comissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
 - c) exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.

4.5 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication;

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

4.6 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, subject to:

- a) the Contractor having received a general Authority to Substitute from the Practitioner in relation to the particular medicine or medicines in general; or
- b) the Practitioner having indicated their Authority to Substitute on the prescription; or

c) the Practitioner having given their Authority to Substitute in relation to the particular prescription.

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and initial the prescription.

4.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed but may not alter the total daily dose. If the change will result in additional cost to the DHBs, then:

- a) the Practitioner must authorise and initial the alteration; or
- b) in cases where PHARMAC has approved and notified in writing such a change in dispensing of a named Pharmaceutical due to an out of stock event or short supply, the Contractor must annotate and initial the alteration.

4.8 Amendment of Schedule

PHARMAC may amend the terms of the Schedule from time to time by notice in writing given in such manner as PHARMAC thinks fit, and in accordance with such protocols as agreed with the Pharmacy Guild of New Zealand (Inc) from time to time.

4.9 Conflict in Provisions

If any rules in Sections B-G of this Schedule conflict with the rules in Section A, the rules in Sections B-G apply.

SECTION B: ALIMENTARY TRACT AND METABOLISM

Antacids and Antiflatulants Antacids and Reflux Barrier Agents GINIC ACID Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet ALCIUM CARBONATE WITH AMINOACETIC ACID Tab 420 mg with aminoacetic acid 180 mg – Higher subsidy of \$6.30 per 100 tab with Endorsement. (Additional subsidy by endorsement is available for pregnant wome METHICONE Oral liq aluminium hydroxide 200 mg with magnesium hydrox- ide 200 mg and activated simethicone 20 mg per 5 ml (DDIUM ALGINATE Tab 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml (Oral liq 500 mg with sodium bicarbonate 267 mg per 10 ml (aniseed) ()	3.00 6.30) n. The presc 1.50 { 4.26)	Per 30 100	Manufacturer Gaviscon Infant Titralac be endorsed accordingly. Mylanta P Gaviscon Double
Antacids and Reflux Barrier Agents GINIC ACID Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet CIUM CARBONATE WITH AMINOACETIC ACID Tab 420 mg with aminoacetic acid 180 mg – Higher subsidy of \$6.30 per 100 tab with Endorsement	3.00 6.30) n. The presc 1.50 \$ 4.26) 1.80	100 ription must 500 ml	Titralac be endorsed accordingly. Mylanta P Gaviscon Double
GINIC ACID Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet ALCIUM CARBONATE WITH AMINOACETIC ACID Tab 420 mg with aminoacetic acid 180 mg – Higher subsidy of \$6.30 per 100 tab with Endorsement. (Additional subsidy by endorsement is available for pregnant wome METHICONE Oral liq aluminium hydroxide 200 mg with magnesium hydroxide 200 mg and activated simethicone 20 mg per 5 ml (DDIUM ALGINATE Tab 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg - peppermint flavour (COral liq 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml (COral liq 500 mg with sodium bicarbonate 267 mg per 10 ml (COral liq 500 mg with sodium bicarbonate 267 mg per 10 ml (COral liq 500 mg with sodium bicarbonate 267 mg per 10 ml	3.00 6.30) n. The presc 1.50 \$ 4.26) 1.80	100 ription must 500 ml	Titralac be endorsed accordingly. Mylanta P Gaviscon Double
Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet	3.00 6.30) n. The presc 1.50 \$ 4.26) 1.80	100 ription must 500 ml	Titralac be endorsed accordingly. Mylanta P Gaviscon Double
per sachet ALCIUM CARBONATE WITH AMINOACETIC ACID Tab 420 mg with aminoacetic acid 180 mg – Higher subsidy of \$6.30 per 100 tab with Endorsement	3.00 6.30) n. The presc 1.50 \$ 4.26) 1.80	100 ription must 500 ml	Titralac be endorsed accordingly. Mylanta P Gaviscon Double
Tab 420 mg with aminoacetic acid 180 mg – Higher subsidy of \$6.30 per 100 tab with Endorsement	6.30) n. The presc 1.50 { 4.26) 1.80	ription must	be endorsed accordingly. Mylanta P Gaviscon Double
of \$6.30 per 100 tab with Endorsement	6.30) n. The presc 1.50 { 4.26) 1.80	ription must	be endorsed accordingly. Mylanta P Gaviscon Double
Additional subsidy by endorsement is available for pregnant wome METHICONE Oral liq aluminium hydroxide 200 mg with magnesium hydrox- ide 200 mg and activated simethicone 20 mg per 5 ml	n. The presc 1.50 { 4.26)	500 ml	be endorsed accordingly. Mylanta P Gaviscon Double
METHICONE Oral liq aluminium hydroxide 200 mg with magnesium hydrox- ide 200 mg and activated simethicone 20 mg per 5 ml	1.50 § 4.26) 1.80	500 ml	Mylanta P Gaviscon Double
ide 200 mg and activated simethicone 20 mg per 5 ml	4.26)		Gaviscon Double
Tab 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg - peppermint flavour		60	
carbonate 160 mg - peppermint flavour		60	
Oral liq 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml	8.60)		
carbonate 160 mg per 10 ml			Strength
(Oral liq 500 mg with sodium bicarbonate 267 mg per 10 ml (aniseed)	1.50 5	500 ml	
(aniseed)	4.95)		Acidex
	1.50 5	500 ml	
	8.64)		Gaviscon
aviscon Oral liq 500 mg with sodium bicarbonate 267 mg per 10 ml (an	iseed) to be	delisted 1 Ja	nuary 2011)
Phosphate Binding Agents			
UMINIUM HYDROXIDE Tab 600 mg1	2.56	100	🗸 Alu-Tab
Intidiarrhoeals			
gents Which Reduce Motility			
PHENOXYLATE HYDROCHLORIDE WITH ATROPINE SULPHATE Tab 2.5 mg with atropine sulphate 25 µg	3.90	100	✔ Diastop
DPERAMIDE HYDROCHLORIDE – Up to 30 cap available on a PSO Tab 2 mg1		400	✓ Nodia
Cap 2 mg	8.95	400	 Diamide Relief
Rectal and Colonic Anti-inflammatories			
JDESONIDE			
Cap 3 mg - Special Authority see SA0913 on the next page			
- Retail pharmacy16			Entocort CIR

	Subsidy (Manufacturer's F \$	Price) Sub Per	Fully osidised	Brand or Generic Manufacturer
►SA0913 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals value Both:	d for 3 months for	applications m	ieeting t	he following criteria:
 Mild to moderate ileal, ileocaecal or proximal Crohn's dise Any of the following: 2.1 Diabetes; or 2.2 Cushingoid habitus; or 	ease; and			
2.3 Osteoporosis where there is significant risk of frac2.4 Severe acne following treatment with conventional	corticosteroid the			ward the and the metions in
Renewal from any relevant practitioner. Approvals valid for 3 m benefiting from treatment. The patient may not have had more than 1 prior approval in the	last year.			
Note: Clinical trials for Entocort CIR use beyond three months d	emonstrated no in	nprovement in	relapse	rate.
HYDROCORTISONE ACETATE Rectal foam 10%, CFC-Free (14 applications)		21.1 g OP	✔ C	olifoam
MESALAZINE		0	_	
Tab 400 mg		100	🖌 A	sacol
Tab EC 500 mg		100		samax
Tab long-acting 500 mg		100		entasa
Enema 1 g per 100 ml		7		entasa
Suppos 500 mg		20		sacol
Suppos 1 g		28	V P	entasa
OLSALAZINE				
Tab 500 mg		100		ipentum
Cap 250 mg		100	V D	ipentum
SODIUM CROMOGLYCATE				
Cap 100 mg		100	🖌 N	alcrom
SULPHASALAZINE				
* Tab 500 mg		100	🖌 S	alazopyrin
* Tab EC 500 mg		100	🖌 S	alazopyrin EN
Antihaemorrhoidals				
Corticosteroids				
FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIV Oint 950 µg, with fluocortolone pivalate 920 µg, and cir		CHOCAINE		
chocaine hydrochloride 5 mg per g Suppos 630 µg, with fluocortolone pivalate 610 µg, and cir	6.35	30 g OP	🖌 U	Itraproct
chocaine hydrochloride 1 mg	2.66	12	🗸 U	Itraproct

HYDROCORTISONE WITH CINCHOCAINE		
Oint 5 mg with cinchocaine hydrochloride 5 mg per g15.00	30 g OP	Proctosedyl
Suppos 5 mg with cinchocaine hydrochloride 5 mg per g9.90	12	Proctosedyl

	0.1.11		
	Subsidy (Manufacturer's P	rice) Su	Fully Brand or bsidised Generic
	\$	Per	 Manufacturer
Soothing Agents			
ZINC OXIDE			
Oint zinc oxide with balsam peru		50 g OP	
Suppos zinc oxide with balsam peru	(6.67) 4 47	12	Anusol
	(6.49)	12	Anusol
(Anusol Oint zinc oxide with balsam peru to be delisted 1 Jar (Anusol Suppos zinc oxide with balsam peru to be delisted 1			
Antispasmodics and Other Agents Altering (Gut Motility		
ATROPINE SULPHATE			
* Inj 600 μg, 1 ml – Up to 5 inj available on a PSO		50	✓ AstraZeneca
HYOSCINE N-BUTYLBROMIDE			
* Tab 10 mg		20 5	Gastrosoothe
Inj 20 mg, 1 ml – Up to 5 inj available on a PSO	8.04	Э	Buscopan
MEBEVERINE HYDROCHLORIDE * Tab 135 mg	18.00	90	✓ Colofac
Antiulcerants		00	
Antisecretory and Cytoprotective			
MISOPROSTOL * Tab 200 µg		120	✓ Cytotec
Helicobacter Pylori Eradication			
CLARITHROMYCIN			
Tab 500 mg – Subsidy by endorsement	23.30	14	 Klamycin
 a) Maximum of 14 tab per prescription b) Subsidised only if prescribed for helicobacter pylori 	i eradication and pres	cription is and	lorsed accordingly
Note: the prescription is considered endorsed if clarithromyc			0,9
amoxycillin or metronidazole.			
OMEPRAZOLE, AMOXYCILLIN AND CLARITHROMYCIN			
Omeprazole cap 20 mg \times 14, amoxycillin cap 500 mg			
and clarithromycin tab 500 mg \times 14 (Losec Hp7 OAC Omeprazole cap 20 mg \times 14, amoxycillin o		1 OP clarithromvcii	✓ Losec Hp7 OAC In tab 500 mg × 14 to be delisted
December 2010)		endinin erriyen	
H2 Antagonists			
CIMETIDINE – Only on a prescription			
* Tab 200 mg	5.00	100	
* Tab 400 mg	(7.50)	100	Apo-Cimetidine
* Tab 400 mg		100	Apo-Cimetidine
AMOTIDINE - Only on a prescription	· · · /		
* Tab 20 mg		250	✓ Famox
* Tab 40 mg	11 35	250	Famox

	Subsidy (Manufacturer's F \$	Price) Sul Per	Fully Brand or bsidised Generic Manufacturer
RANITIDINE HYDROCHLORIDE - Only on a prescription	ŷ	Per	Manulacturer
* Tab 150 mg	7.99	250	 Arrow-Ranitidine
* Tab 300 mg		250	Arrow-Ranitidine
 * Oral liq 150 mg per 10 ml * Inj 25 mg per ml, 2 ml 		300 ml 5	 Peptisoothe Zantac
Proton Pump Inhibitors			
ANSOPRAZOLE			
* Cap 15 mg	3.50	28	✓ Solox
* Cap 30 mg	4.65	28	✓ Solox
OMEPRAZOLE			
For omeprazole suspension refer, page 167	0.14	00	A Dr. De debrie
* Cap 10 mg	2.14	30	<u>Dr Reddy's</u> Omeprazole
* Cap 20 mg	3.05	30	✓ Dr Reddy's
			Omeprazole
* Cap 40 mg	3.59	30	✓ <u>Dr Reddy's</u> Omeprazole
* Inj 40 mg		5	✓ Dr Reddy's
			Omeprazole
PANTOPRAZOLE			
* Tab 20 mg	1.23	28	✓ <u>Dr Reddy's</u>
* Tab 40 mg	1.54	28	Pantoprazole_ ✓ Dr Reddy's
* 1a0 +0 mg	1.04	20	Pantoprazole
卷 Inj 40 mg	8.75	1	✓ Pantocid IV
Site Protective Agents			
SUCRALFATE			
Tab 1 g		120	0
	(48.28)		Carafate
Diabetes			
Hyperglycaemic Agents			
GLUCAGON HYDROCHLORIDE			
Inj 1 mg syringe kit – Up to 5 kit available on a PSO	27.00	1	Glucagen Hypokit
Insulin - Short-acting Preparations			
INSULIN NEUTRAL			
 Inj human 100 u per ml 		10 ml OP	Actrapid
			✓ Humulin R
Inj human 100 u per ml, 3 ml	42.66	5	 Actrapid Penfill Humulin R

	Subsidy (Manufacturer's F	Price) Sut	Fully	Brand or Generic
	(Manulacturer 31	Per	✓	Manufacturer
Insulin - Intermediate-acting Preparations				
NSULIN ISOPHANE				
Inj human 100 u per ml	17.68	10 ml OP	· · ·	umulin NPH
▲ Inj human 100 u per ml, 3 ml		5		rotaphane umulin NPH
,				rotaphane Penfill
NSULIN ISOPHANE WITH INSULIN NEUTRAL				
Inj human with neutral insulin 100 u per ml		10 ml OP		umulin 30/70 ixtard 30
Inj human with neutral insulin 100 u per ml, 3 ml		5		umulin 30/70
				enMix 30 enMix 40
				enMix 50
NSULIN LISPRO WITH INSULIN LISPRO PROTAMINE				
▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml,	50.45	_		
3 ml ▲ Inj lispro 50% with insulin lispro protamine 50% 100 u per ml,3		5	• н	umalog Mix 25
ml	52.15	5	🗸 Н	umalog Mix 50
Insulin - Long-acting Preparations				
 Note: Only for patients meeting one of the following criteria: a) Type 1 diabetes; or b) Other condition related diabetes (e.g. Cystic Fibrosis, diabete) of the condition related diabetes (e.g. Cystic Fibrosis, diabete) of the condition related diabetes (e.g. Cystic Fibrosis, diabete) of the condition related diabetes (e.g. Cystic Fibrosis, diabete) of the condition related diabetes (e.g. Cystic Fibrosis, diabete) of the condition related diabetes (e.g. Cystic Fibrosis, diabete) of the condition related diabetes (e.g. Cystic Fibrosis, diabete) of the condition related diabetes (e.g. Cystic Fibrosis, diabete) of the condition related diabetes (e.g. Cystic Fibrosis, diabete) of the condition related diabetes (e.g. Cystic Fibrosis, diabete) of the condition related diabetes (e.g. Cystic Fibrosis, diabete) of the condition related diabetes (e.g. Cystic Fibrosis, diabete) of the condition related diabetes (e.g. Cystic Fibrosis, diabete) of the condition related diabetes (e.g. Cystic Fibrosis, diabete) of the condition related diabetes (e.g. Cystic Fibrosis, diabete) of the condition related diabetes (e.g. Cystic Fibrosis, diabete) of the condition related diabetes (e.g. Cystic Fibrosis, diabete) of the cystic fibrosis, diabete (e.g. Cystic Fibrosis, diabete) of the cystic fibrosis, diabete (e.g. Cystic Fibrosis, diabete) of the cystic fibrosis, diabete (fibrosis, diabete) of th	caemic events v assistance from 	vith a 3 month	trial of a althcare	an insulin regimen; or
Insulin - Rapid Acting Preparations				
NSULIN ASPART				
▲ Inj 100 u per ml, 3 ml ▲ Inj 100 u per ml, 10 ml		5 1		ovoRapid Penfill ovoRapid
NSULIN GLULISINE		I	• II	ovortapid
▲ Inj 100 u per ml, 10 ml	27.03	1	🗸 A	pidra
 Inj 100 u per ml, 3 ml Inj 100 u per ml, 3 ml disposable pen 		5 5	✓ A	pidra pidra SoloStar
NSULIN LISPRO	40.07	5	V A	piùra SoloStai
▲ Inj 100 u per ml, 10 ml		10 ml OP	🗸 Н	umalog
Inj 100 u per ml, 3 ml	59.52	5	✔ Н	umalog
Alpha Glucosidase Inhibitors				
CARBOSE				
🖌 Tab 50 mg	16.50	90	✓ <u>G</u>	lucobay
* Tab 100 mg	26 70	90	V G	lucobay

	Subsidy	`	Fully	Brand or
	(Manufacturer's Price \$	e) Per	Subsidised	Generic Manufacturer
Oral Hypoglycaemic Agents				
GLIBENCLAMIDE				
* Tab 5 mg	5.00	100	🗸 C	Daonil
GLICLAZIDE	00.04	500		
* Tab 80 mg		500	V <u>A</u>	Apo-Gliclazide
GLIPIZIDE * Tab 5 mg	3 50	100		<i>l</i> inidiab
		100	• <u>n</u>	
* Tab immediate-release 500 mg		500	VA	Apotex
* Tab immediate-release 850 mg		250		Apotex
PIOGLITAZONE - Special Authority see SA0959 below - Retail p	harmacy			
Tab 15 mg		28		Pizaccord
Tab 30 mg		28 28	-	Pizaccord Pizaccord
Tab 45 mg SA0959 Special Authority for Subsidy		20	<u>v</u> <u>r</u>	-izaccoru
2 Patient is on insulin. Diabetes Management Ketone Testing				
-				
KETONE BLOOD BETA-KETONE ELECTRODES – Maximum of Test strip – Not on a BSO		ption 0 strip C)P 🖌 C	Optium Blood Ketone Test Strips
SODIUM NITROPRUSSIDE – Maximum of 20 strip per prescriptic * Test strip – Not on a BSO		0 strip C)P 🖌 K	Cetostix
Blood Glucose Testing				
 BLOOD GLUCOSE DIAGNOSTIC TEST METER – Subsidy by en a) Maximum of 1 meter per prescription b) 1) A diagnostic blood glucose test meter is subsidised March 2005 or is prescribed for a pregnant woman v 2) Only one meter per patient. No further prescriptions 	for patients who b vith diabetes.	-		
ingly.		. The p	rescription	
Meter	6.00 9.00	1		CareSens POP CareSens II FreeStyle Lite On Call Advanced
	19.00			Dptium Xceed Accu-Chek Performa

Subsidy (Manufacturer's Price)	Fully Subsidised		Brand or Generic	
\$	Per 🖌		Manufacturer	

BLOOD GLUCOSE DIAGNOSTIC TEST STRIP

The number of test strips available on a prescription is restricted to 50 unless:

1) Prescribed with insulin or a sulphonylurea but are on a different prescription and the prescription is endorsed accordingly; or

2) Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed;

or

3) Prescribed for a pregnant woman with diabetes and endorsed accordingly.

SensoCard blood glucose test strips are subsidised only if prescribed for a patient who is severely visually impaired and is using a SensoCard Plus Talking Blood Glucose Monitor.

Blood glucose test strips \times 50 and lancets \times 5		1 OP	On Call Advanced	
-	19.60		CareSens	
Blood glucose test strips	21.65	50 test OP	 Accu-Chek Performa 	
			FreeStyle Lite	
	10.82	25 test OP	 Optium 5 second test 	
	21.65	50 test OP	 Optium 5 second test 	
	26.20		SensoCard	
Inculin Syringos and Noodlos				

Insulin Syringes and Needles

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly.

INS	SULIN PEN NEEDLES – Maximum of 100 dev per	prescription		
*	29 g \times 12.7 mm	10.50	100	🖌 ABM
		3.15	30	B-D Micro-Fine
		10.50	100	B-D Micro-Fine
		11.75		SC Profi-Fine
*	31 g × 5 mm	11.75	100	B-D Micro-Fine
	-			SC Profi-Fine
*	$31 \text{ g} \times 6 \text{ mm}$		100	🖌 ABM
	-	11.75		Fine Ject
		10.50		
		(26.00)		NovoFine
*	$31 \text{ g} \times 8 \text{ mm}$		100	🖌 ABM
	-	3.15	30	B-D Micro-Fine
		10.50	100	B-D Micro-Fine
		11.75		SC Profi-Fine

	Subsidy (Manufacturer's Price \$) Per	Fully Subsidised	
NSULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLI	E – Maximum of 100	dev per	prescripti	ion
Syringe 0.3 ml with 29 g × 12.7 mm needle	13.00	100	~	ABM
			V I	DM Ject
	1.30	10		
	(1.99)		E	3-D Ultra Fine
	13.00	100	🖌 I	B-D Ultra Fine
 Syringe 0.3 ml with 31 g × 8 mm needle 	13.00	100	~ /	ABM
	1.30	10		
	(1.99)		E	3-D Ultra Fine II
	13.00	100	🖌 E	B-D Ultra Fine II
			V [DM Ject
Syringe 0.5 ml with 29 g × 12.7 mm needle		100	VI	ABM
			v 1	DM Ject
	1.30	10		
	(1.99)		E	3-D Ultra Fine
	13.00	100	~	B-D Ultra Fine
Syringe 0.5 ml with 31 g × 8 mm needle		100	V	ABM
-,	1.30	10		
	(1.99)		F	3-D Ultra Fine II
	13.00	100		B-D Ultra Fine II
	10100			DM Ject
Syringe 1 ml with 29 g × 12.7 mm needle	13.00	100		ABM
	1.30	10	• •	
	(1.99)		F	3-D Ultra Fine
	13.00	100		B-D Ultra Fine
			+ -	DM Ject
Syringe 1 ml with 31 g × 8 mm needle	13 00	100		ABM
	1.30	10	÷ /	
	(1.99)	10	F	3-D Ultra Fine II
	13.00	100		B-D Ultra Fine II
			+ -	DM Ject

Digestives Including Enzymes

PANCREATIC ENZYME			
Tab EC 1,900 BP u lipase, 1,700 BP u amylase, 110 BP u			4.5
protease	32.46	300	Pancrex V
Tab EC 5,600 BP u lipase, 5,000 BP u amylase, 330 BP u			
protease	58.44	300	Pancrex V Forte
Cap 8,000 BP u lipase, 9,000 BP u amylase, 430 BP u pro-			
tease	67.26	300	Pancrex V
Cap 8,000 USP u lipase, 30,000 USP u amylase,			
30,000 USP u protease	85.00	250	Cotazym ECS
Cap EC 10,000 BP u lipase, 9,000 BP u amylase and			
210 BP u protease	34.93	100	Creon 10000
Cap EC 25,000 BP u lipase, 18,000 BP u amylase,			
1,000 BP u protease	94.38	100	Creon Forte
Cap EC 25,000 BP u lipase, 22,500 BP u amylase,			
1,250 BP u protease	94.40	100	Panzytrat
URSODEOXYCHOLIC ACID - Special Authority see SA1003 on the	o povt pago – Pot	ail pharmag	,
Cap 300 mg	1 0	100	V Actigall
Oap 500 mg	173.00	100	 Actigati

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

➡SA1003 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Either:

- 1 Patient diagnosed with cholestasis of pregnancy; or
- 2 Both:
 - 2.1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
 - 2.2 Patient not requiring a liver transplant (bilirubin > 170umol/l; decompensated cirrhosis).

Note: Liver biopsy is not usually required for diagnosis but is helpful to stage the disease.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 170 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure – doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

Laxatives

Bulk-forming Agents

MUCILAGINOUS LAXATIVES	- Only	on a	prescription
------------------------	--------	------	--------------

* Dry	6.02 6.69 7.92 (12.71) 8.80	325 g OP 500 g OP 380 g OP 450 g OP 500 g OP	 ✓ Konsyl-D ✓ Konsyl-D ✓ Mucilax Isogel
* Dry-original flavour, regular texture only		336 g OP	Normacol
* Sugar Free	(12.38) 4.84 (10.60)	275 g OP	Metamucil Mucilax
MUCILAGINOUS LAXATIVES WITH STIMULANTS <pre>* Dry</pre>	3.52 (7.69) 8.80	200 g OP 500 g OP	Normacol Plus
Faecal Softeners	(16.49)	000 g 01	Normacol Plus
DOCUSATE SODIUM – Only on a prescription * Cap 50 mg * Cap 120 mg * Enema conc 18% DOCUSATE SODIUM WITH SENNOSIDES	5.49	100 100 100 ml OP	 ✓ Laxofast 50 ✓ Laxofast 120 ✓ Coloxyl
Tab 50 mg with total sennosides 8 mg POLOXAMER – Only on a prescription	6.38	200	✓ Laxsol
* Oral drops 10%	3.78	30 ml OP	✓ <u>Coloxyl</u>
Osmotic Laxatives			
GLYCEROL * Suppos 3.6 g – Only on a prescription	6.00	20	✔ PSM

‡ safety cap
*Three months or six months, as applicable, dispensed all-at-once

Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy				
	(Manufacturer's F \$	Price) Su Per	bsidised Generic Manufacturer		
	¢	Per	Manulacturer		
LACTULOSE - Only on a prescription					
* Oral liq 10 g per 15 ml	6.65	1,000 ml	Duphalac		
MACROGOL 3350 - Special Authority see SA0891 below - Reta		,	·		
Powder 13.125 g, sachets – Maximum of 60 sach per pre-		00	Madaal		
scription		30	Movicol		
SA0891 Special Authority for Subsidy					
Initial application from any relevant practitioner. Approvals va					
requiring intervention with a per rectal preparation despite an ad	dequate trial of o	ther oral pha	rmacotherapies including lactulose		
where lactulose is not contraindicated.					
Renewal from any relevant practitioner. Approvals valid for 12	months where th	e patient is c	compliant and is continuing to gair		
benefit from treatment.					
SODIUM ACID PHOSPHATE – Only on a prescription					
Enema 16% with sodium phosphate 8%	2.50	1	Fleet Phosphate		
			Enema		
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETATE	- Only on a pres	cription			
Enema 90 mg with sodium lauryl sulphoacetate 9 mg per ml		onpriori			
5 ml		50	Micolette		
0 111	6.00	12			
	(7.30)	12	Microlax		
(Microlax Enema 90 mg with sodium lauryl sulphoacetate 9 mg p	· · · ·	delisted 1 .lar			
		uonotou i our			
Stimulant Laxatives					
RICACODVI Only on a propagintian					
BISACODYL – Only on a prescription	4.00	200	A Lay Tab		
* Tab 5 mg			✓ <u>Lax-Tab</u> ✓ Dulcolax		
* Suppos 5 mg		6 6	V Dulcolax		
* Suppos 10 mg		0	Duicolax		
DANTHRON WITH POLOXAMER - Only on a prescription					
Note: Only for the prevention or treatment of constipation in t					
Oral liq 25 mg with poloxamer 200 mg per 5 ml		300 ml	Pinorax		
Oral liq 75 mg with poloxamer 1 g per 5 ml	13.95	300 ml	Pinorax Forte		
SENNA – Only on a prescription					
* Tab, standardised	0.43	20			
	(1.72)		Senokot		
	2.17	100			
	(6.16)		Senokot		
Matabalia Diaguday Ayanta	· · · ·				
Metabolic Disorder Agents					
Gaucher's Disease					
IMIGLUCERASE – Special Authority see SA0473 on the next pa					
Inj 40 iu per ml, 200 iu vial		1	Cerezyme		
Inj 40 iu per ml, 400 iu vial	2,144.00	1	Cerezyme S29		

	Subsidy (Manufacturer's		Fully Brand or sidised Generic				
	\$	Per	 Manufacturer 				
► SA0473 Special Authority for Subsidy							
Special Authority approved by the Gaucher's Trea		and the state formed	1				
Notes: Subject to a budgetary cap. Applications v			ing availability.				
Application details may be obtained from PHARM		ac.govt.nz or:					
The Co-ordinator, Gaucher's Treatment Panel Phone: (04) 460 4990							
PHARMAC, PO Box 10 254	Facsimile: (04) 916 7571						
Wellington	Email: gaucherpanel@pharn	nac.govt.nz					
Mouth and Throat							
Agents Used in Mouth Ulceration							
BENZYDAMINE HYDROCHLORIDE							
Soln 0.15%		200 ml					
	(7.14)		Difflam				
	9.00	500 ml					
	(15.36)		Difflam				
CHLORHEXIDINE GLUCONATE							
Mouthwash 0.2%	3 06	200 ml OP	Rivacol				
CHOLINE SALICYLATE WITH CETALKONIUM C							
 Adhesive gel 8.7% with cetalkonium chloride 		15 g OP					
	(5.62)		Bonjela				
SODIUM CARBOXYMETHYLCELLULOSE							
With pectin and gelatin paste		56 g OP	 Stomahesive 				
	1.52	5 g OP					
	(3.60)		Orabase				
	4.55	15 g OP					
	(7.90)		Orabase				
With pectin and gelatin powder	8.48	28 g OP					
	(10.95)		Stomahesive				
TRIAMCINOLONE ACETONIDE							
0.1% in Dental Paste USP	4.38	5 g OP	✓ Oracort				
Oropharyngeal Anti-infectives		-					
AMPHOTERICIN B Lozenges 10 mg	E 00	00	Eungilin				
	5.80	20	 Fungilin 				
MICONAZOLE							
Oral gel 20 mg per g	8.70	40 g OP	Daktarin				
NYSTATIN							
Oral liq 100,000 u per ml	3.19	24 ml OP	✓ <u>Nilstat</u>				
Other Oral Agents							
For folinic mouthwash, pilocarpine oral liquid or si	aliva substitute formula refer pa	ne 167					
	anta casonalo formala roloi, pa	90 107					
HYDROGEN PEROXIDE	intion too	100	A DOM				
 Soln 10 vol – Maximum of 200 ml per prescr 	ipuon1.28	100 ml	✔ PSM				
THYMOL GLYCERIN							
* Compound, BPC	9.15	500 ml	✓ PSM				

	Subsidy (Manufacturer's Pi \$	rice) Sub Per	Fully sidised	Brand or Generic Manufacturer
Vitamins				
Vitamin A				
/ITAMIN A WITH VITAMINS D AND C Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops	4.50	10 ml OP	🖌 Vi	tadol C
Vitamin B				
HYDROXOCOBALAMIN * Inj 1 mg per ml, 1 ml – Up to 6 inj available on a PSO	6.15	3	🖌 AI	3M Hydroxocobalamin
PYRIDOXINE HYDROCHLORIDE a) No more than 100 mg per dose b) Only on a prescription				
 * Tab 25 mg – No patient co-payment payable * Tab 50 mg 		90 500		ealtheries oo-Pyridoxine
IHIAMINE HYDROCHLORIDE – Only on a prescription * Tab 50 mg	5.62	100	🖌 Aj	oo-Thiamine
/ITAMIN B COMPLEX * Tab, strong, BPC	4.70 12.10	500	• -	PlexADE po-B-Complex
Vitamin C				
ASCORBIC ACID a) No more than 100 mg per dose b) Only on a prescription Tab 100 mg		500		tala-C po-Ascorbic Acid
Apo-Ascorbic Acid Tab 100 mg to be delisted 1 January 2011)	(17.23)			
Vitamin D				
ALFACALCIDOL Cap 0.25 µg Cap 1 µg Oral drops 2 µg per ml	87.98	100 100 20 ml OP	🖌 01	ne-Alpha ne-Alpha ne-Alpha
CALCITRIOL * Сар 0.25 µg * Сар 0.5 µg * Oral liq 1 µg per ml	5.62	30 30 10 ml OP	✓ <u>Ai</u> ✓ <u>Ai</u> ✓ Re	
CHOLECALCIFEROL * Tab 1.25 mg (50,000 iu) – Maximum of 12 tab per prescription		12	🖌 Ca	al-d-Forte
Vitamin E				

ALIMENTARY TRACT AND METABOLISM

	Cubaidu		Fully	Drand ar
	Subsidy (Manufacturer's Pri \$	ce) Subs Per	Fully sidised	Brand or Generic Manufacturer
 SA0915 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid Either: Cystic fibrosis patient; or 	for 2 years for app	lications mee	ting the	following criteria:
2 Both: 2.1 Infant or child with liver disease or short gut syndro 2.2 Requires vitamin supplementation. Renewal from any relevant practitioner. Approvals valid for 2 ye		atment remai	ns appre	opriate and the patient is
benefiting from treatment. Multivitamin Preparations				
MULTIVITAMINS – Special Authority see SA1036 below – Retail	nharmaou			
Powder		200 g OP	🖌 Pa	ediatric Seravit
■SA1036 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals va inborn errors of metabolism.	lid without further	renewal unles	s notifie	ed where the patient has
Renewal from any relevant practitioner. Approvals valid without approval for multivitamins.	further renewal un	less notified v	vhere pa	atient has had a previous
VITAMINS * Tab (BPC cap strength)	10.85 14.80	1,000	✔ He	ultiADE valtheries Multi-vitamin vablets
* Cap (fat soluble vitamins A, D, E, K) – Special Authority see SA1002 below – Retail pharmacy		60	🖌 Vit	tabdeck
SA1002 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals vali the following criteria: Either:	d without further re	enewal unless	notified	I for applications meeting
 Patient has cystic fibrosis with pancreatic insufficiency; or Patient is an infant or child with liver disease or short gut s 	yndrome.			
Minerals				
Calcium				
CALCIUM CARBONATE * Tab eff 1.75 g (1 g elemental) * Tab 1.25 g (500 mg elemental) * Tab 1.5 g (600 mg elemental)	9.08	30 250 250	✔ Ca	i <u>lsource</u> Ilci-Tab 500 Ilci-Tab 600
CALCIUM GLUCONATE * Inj 10%, 10 ml	21.40	10	🖌 Ma	ayne
Fluoride				
SODIUM FLUORIDE Tab 1.1 mg (0.5 mg elemental)	4.00	100	🗸 PS	SM
lodine				
POTASSIUM IODATE Tab 268 μg (150 μg elemental)	7.55	90	🖌 Ne	euroKare

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Pr	ice) Sub	Fully Brand or sidised Generic
	\$	Per	Manufacturer
luon			
Iron			
FERROUS FUMARATE			
Tab 200 mg (65 mg elemental)	4.35	100	 Ferro-tab
FERROUS FUMARATE WITH FOLIC ACID	4 75	60	Ferro-F-Tabs
Tab 310 mg (100 mg elemental) with folic acid 350 μg	4.75	00	
FERROUS SULPHATE	1.01	00	
* Tab long-acting 325 mg (105 mg elemental)		30	Farma Quadumant
	(4.26)	450	Ferro-Gradumet
	5.06	150	Forme Our dament
while Oracle is a construction of a state of the state of	(15.58)	500 ml	Ferro-Gradumet
*‡ Oral liq 30 mg per 1 ml (6 mg elemental per 1 ml)	10.30	500 ml	Ferodan
FERROUS SULPHATE WITH FOLIC ACID			
* Tab long-acting 325 mg (105 mg elemental) with folic acid			
350 µg		30	
	(3.73)		Ferrograd-Folic
	(0.1.0)		
IRON POLYMALTOSE	~~~~	-	
Inj 50 mg per ml, 2 ml		5	Ferrum H
Magnesium			
For magnesium hydroxide mixture refer, page 167			
MAGNESIUM SULPHATE			
Inj 49.3%, 5 ml	26.60	10	Mayne
		10	• mayne
Zinc			
ZINC SULPHATE			
* Cap 137.4 mg (50 mg elemental)		100	✓ Zincaps
			· <u></u>
Agents Used in the Treatment of Poisonings			
CHARCOAL			
* Tab 300 mg	7 13	100	Red Seal
* Oral lig 50 g per 250 ml		250 ml OP	Carbosorb-X
a) Up to 250 ml available on a PSO		200 IIII OF	
, ,			
b) Only on a PSO			
IPECACUANHA			
* Tincture		500 ml	
	(43.40)		PSM
SODIUM CALCIUM EDETATE			
* Inj 200 mg per ml, 5 ml		6	
, op. /-	(156.71)	-	Calcium Disodium
	\ /		Versenate
			toroonato

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	I Generic
\$	Per 🖌	Manufacturer

Antianaemics

Hypoplastic and Haemolytic

SA0922 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Both:
 - 1.1 patient in chronic renal failure; and
 - 1.2 Haemoglobin \leq 100g/L; and
- 2 Any of the following:
 - 2.1 Both:
 - 2.1.1 patient is not diabetic; and
 - 2.1.2 glomerular filtration rate \leq 30ml/min; or

2.2 Both:

- 2.2.1 patient is diabetic; and
- 2.2.2 glomerular filtration rate \leq 45ml/min; or
- 2.3 patient is on haemodialysis or peritoneal dialysis.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Notes: Erythropoietin beta is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

The Cockroft-Gault Formula may be used to estimate glomerular filtration rate (GFR) in persons 18 years and over:

GFR (ml/min) (male) = (140 - age) × Ideal Body Weight (kg) / 814 × serum creatinine (mmol/l)

GFR (ml/min) (female) = Estimated GFR (male) \times 0.85

Inj human recombinant 1,000 iu prefilled syringe	48.68	6 🖌	<pre> Eprex </pre>
Inj human recombinant 2,000 iu, prefilled syringe	120.18	6 🖌	Eprex
Inj human recombinant 3,000 iu, prefilled syringe	166.87	6 🖌	Eprex
Inj human recombinant 4,000 iu, prefilled syringe	193.13	6 🖌	Eprex
Inj human recombinant 5,000 iu, prefilled syringe		6 🖌	Éprex
Inj human recombinant 6,000 iu, prefilled syringe			Eprex
Inj human recombinant 10,000 iu, prefilled syringe			'Eprex
ERYTHROPOIETIN BETA - Special Authority see SA0922 above -	Retail pharmacy		
Inj 2,000 iu, prefilled syringe			NeoRecormon
Inj 3,000 iu, prefilled syringe		6 🖌	NeoRecormon
Inj 4,000 iu, prefilled syringe		6 🖌	NeoRecormon
Inj 5,000 iu, prefilled syringe		6 🖌	VeoRecormon
Inj 6,000 iu, prefilled syringe		6 🖌	NeoRecormon
Inj 10,000 iu, prefilled syringe			NeoRecormon
Megaloblastic			
FOLIC ACID			
* Tab 0.8 mg		1.000	Apo-Folic Acid
* Tab 5 mg		,	Apo-Folic Acid
Oral liq 50 µg per ml			' Biomed

	Subsidy (Manufacturer's Price)		Fully Brand or Subsidised Generic
	(Manulaciulei S Flice)	Per	Manufacturer
Antifibrinolytics, Haemostatics and Local Sclere	osants		
SODIUM TETRADECYL SULPHATE			
* Inj 0.5% 2 ml		5	
	(45.52)		Fibro-vein
* Inj 1% 2 ml		5	
* In: 20/ 0 ml	(48.98)	F	Fibro-vein
* Inj 3% 2 ml		5	Fibro-vein
	(55.91)		Tiblo-vein
	00.00	100	
Tab 500 mg		100	Cyklokapron
Vitamin K			
PHYTOMENADIONE			
Inj 2 mg per 0.2 ml – Up to 5 inj available on a PSO		5	Konakion MM
May be administered orally.			
Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO	9.21	5	Konakion MM
May be administered orally.			
Antithrombotic Agents			
Antiplatelet Agents			
ASPIRIN			
* Tab 100 mg		990	Ethics Aspirin EC
CLOPIDOGREL			
Tab 75 mg		28	Apo-Clopidogrel
C C	16.25	90	✓ Apo-Clopidogrel
	25.00	28	Arrow-Clopidogrel
	(73.38)		Plavix
DIPYRIDAMOLE			
* Tab 25 mg		84	Persantin
* Tab long-acting 150 mg	11.52	60	Pytazen SR
Heparin and Antagonist Preparations			
ENOXAPARIN SODIUM - Special Authority see SA0975 on the	next page - Retail ph	armacy	
Inj 20 mg		10	Clexane
Inj 40 mg		10	Clexane
Inj 60 mg		10	✓ Clexane
Inj 80 mg		10	✓ Clexane
Inj 100 mg		10	Clexane
Inj 120 mg		10	Clexane
Inj 150 mg		10	✓ <u>Clexane</u>

Subsidy		Fully	Brand or	Ī
		,		
(Manufacturer's Price)	S	ubsidised	Generic	
\$	Per	~	Manufacturer	

➡SA0975 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.
- **Initial application (Venous thromboembolism other than in pregnancy or malignancy)** from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic INR with oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing warfarin treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

HEPARIN SODIUM

Inj 1,000 iu per ml, 5 ml11.44	10	Pfizer	
46.30	50	Pfizer	
13.36	10	Mayne	
66.80	50	Mayne	
Inj 1,000 iu per ml, 35 ml16.00	1	Mayne	
Inj 5,000 iu per ml, 1 ml14.20	5	Mayne	
Inj 5,000 iu per ml, 5 ml43.67	10	Multiparin	
118.50	50	✓ Pfizer	
Inj 25,000 iu per ml, 0.2 ml9.50	5	Mayne	
(Multiparin Inj 5,000 iu per ml, 5 ml to be delisted 1 December 2010)		·	
HEPARINISED SALINE			
* Inj 10 iu per ml, 5 ml32.50	50	Pfizer	
PROTAMINE SULPHATE			
* Inj 10 mg per ml, 5 ml22.40	10		
(86.54)		Artex	
Oral Anticoagulants			
······································			
WARFARIN SODIUM			
Note: Marevan and Coumadin are not interchangeable.			
* Tab 1 mg3.46	50	Coumadin	
5.69	100	Marevan	
* Tab 2 mg4.31	50	Coumadin	
* Tab 3 mg8.00	100	Marevan	
* Tab 5 mg5.93	50	Coumadin	
9.64	100	Marevan	

	Subsidy		Fully	Brand or
	(Manufacturer's Pri \$	ce) Su Per	bsidised ✓	Generic Manufacturer
Fluids and Electrolytes				
Intravenous Administration				
DEXTROSE				
* Inj 50%, 10 ml - Up to 5 inj available on a PSO		5		omed
* Inj 50%, 90 ml - Up to 5 inj available on a PSO	11.25	1	🖌 Bi	omed
POTASSIUM CHLORIDE				
* Inj 75 mg per ml, 10 ml		50	🗸 🗸	straZeneca
SODIUM BICARBONATE				
Inj 8.4%, 50ml	19.95	1	🗸 Bi	omed
 a) Up to 5 inj available on a PSO b) Not in combination 				
Inj 8.4%, 100 ml		1	🗸 Bi	omed
a) Up to 5 inj available on a PSO				
b) Not in combination				
SODIUM CHLORIDE				
Inf 0.9% – Up to 2000 ml available on a PSO		500 ml	V Ba	
	4.06	1,000 ml	🖌 🖌 Ba	
Only if prescribed on a prescription for renal dialysis, mat for emergency use. (500 ml and 1,000 ml packs)	ernity or post-nata	I care in the		
Inj 23.4%, 20 ml		5		omed
Inj 0.9%, 5 ml – Up to 5 inj available on a PSO		50		straZeneca
Inj 0.9%, 10 ml – Up to 5 inj available on a PSO	15.50	50	P1	straZeneca
	15.50	50	✓ Pi	
Inj 0.9%, 20 ml – Up to 5 inj available on a PSO		6		narmacia
	11.79	30	🖌 Pl	narmacia
	8.41	20	🖌 M	ultichem
(AstraZeneca Inj 0.9%, 5 ml to be delisted 1 April 2011) (AstraZeneca Inj 0.9%, 10 ml to be delisted 1 April 2011)				
TOTAL PARENTERAL NUTRITION (TPN) - Retail pharmacy-Sp	ecialist			
Infusion	CBS	1 OP	🖌 TI	PN
WATER				
 On a prescription or Practitioner's Supply Order only whe Schedule requiring a solvent or diluent; or 	n on the same for	rm as an inje	ection list	ted in the Pharmaceutica
2) On a bulk supply order; or				
3) When used in the extemporaneous compounding of eye d		50	1 M	ultichem
Purified for inj, 5 ml – Up to 5 inj available on a PSO		50		straZeneca
Purified for inj, 10 ml – Up to 5 inj available on a PSO		50		ultichem
	11.32			straZeneca
Purified for inj, 20 ml – Up to 5 inj available on a PSO (AstraZeneca Purified for inj, 5 ml to be delisted 1 April 2011) (AstraZeneca Purified for inj, 10 ml to be delisted 1 April 2011)	5.00	20	✔ M	ultichem
Oral Administration				
CALCIUM POLYSTYRENE SULPHONATE				
Powder	169.85	300 g OP	/ C:	alcium Resonium
		000 y 01	÷Ū	

42

	Subsidy (Manufacturer's	Price) Sub	Fully Brand or sidised Generic
	(International cruiter s	Per	Manufacturer
COMPOUND ELECTROLYTES			
Powder for soln for oral use 5 g $-$ Up to 10 sach available on			
a PSO	2.86	10	 Enerlyte
DEXTROSE WITH ELECTROLYTES	0.00	4.000 ml OD	
Soln with electrolytes	6.60	1,000 ml OP	Pedialyte - Bubblegum
			Pedialyte - Fruit
	6.75		Pedialyte - Plain
POTASSIUM BICARBONATE			
Tab eff 315 mg with sodium acid phosphate 1.937 g and		400	
sodium bicarbonate 350 mg For phosphate supplementation		100	Phosphate-Sandoz
POTASSIUM CHLORIDE			
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	5.26	60	
	(11.85)		Chlorvescent
* Tab long-acting 600 mg	7.00	200	✓ Span-K
SODIUM BICARBONATE	0.50	100	✓ Sodibic
	0.52	100	
SODIUM POLYSTYRENE SULPHONATE Powder	89.10	450 g OP	✓ Resonium-A
Lipid Modifying Agents			
Fibrates			
BEZAFIBRATE			
* Tab 200 mg	9.75	90	✓ Fibalip
* Tab long-acting 400 mg	5.70	30	 Bezalip Retard
Other Lipid Modifying Agents			
ACIPIMOX			
* Cap 250 mg		30	 Olbetam
NICOTINIC ACID * Tab 50 mg	E 00	100	Ano Nicotinio Acid
* Tab 50 mg * Tab 500 mg		100 100	 Apo-Nicotinic Acid Apo-Nicotinic Acid
Resins			•
100110			
CHOLESTYRAMINE WITH ASPARTAME			
Sachets 4 g with aspartame		50	Questran-Lite
COLESTIPOL HYDROCHLORIDE	(52.00)		
Sachets 5 g		30	✓ Colestid
HMG CoA Reductase Inhibitors (Statins)			
ning our neurorase infibitors (statins)			

Prescribing Guidelines

Treatment with HMG CoA Reductase Inhibitors (statins) is recommended for patients with dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater.

	Subsidy		Fully Brand or
	(Manufacturer's Price)		Subsidised Generic
	\$	Per	 Manufacturer
ATORVASTATIN - See prescribing guideline on the preceding pa	age		
* Tab 10 mg		30	 Lipitor
* Tab 20 mg		30	 Lipitor
* Tab 40 mg		30	 Lipitor
* Tab 80 mg	110.50	30	 Lipitor
PRAVASTATIN - Special Authority see SA0932 below - Retail p	harmacy		
See prescribing guideline on the preceding page	,		
Tab 10 mg	27.46	30	Pravachol
Tab 20 mg		30	Pravachol
Tab 40 mg	65.31	30	Pravachol
►SA0932 Special Authority for Subsidy Initial application — (Confirmed HIV/AIDS) from any relevant for applications meeting the following criteria:	practitioner. Approvals	s valid v	without further renewal unless notified
All of the following:			
1 Patient has dyslipidaemia and an absolute 5 year cardiova	ascular risk of 15% or	greate	r; and
2 Confirmed HIV infection; and			
3 Patient is being treated with an HIV protease inhibitor.			
SIMVASTATIN – See prescribing guideline on the preceding page			
* Tab 10 mg		90	Arrow-Simva 10mg
* Tab 20 mg		90	Arrow-Simva 20mg
* Tab 40 mg		90	Arrow-Simva 40mg
* Tab 80 mg	11.65	90	Arrow-Simva 80mg
Selective Cholesterol Absorption Inhibitors			
EZETIMIBE - Special Authority see SA1045 below - Retail pha	rmacy		
Tab 10 mg	•	30	Ezetrol
SA1045 Special Authority for Subsidy		00	• Ezerior
initial application from any relevant practitioner. Approvals valid	for 2 years for applic	atione	meeting the following criteria:
All of the following:	1 101 2 years 101 applic		meeting the following chiefta.
1 Patient has a calculated absolute risk of cardiovascular di	sease of at least 15%	over 5	vears: and
2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and		0001 0	years, and
3 Any of the following:			
3.1 The patient has rhabdomyolysis (defined as muscle	e aches and creatine k	inase r	more than 10 $ imes$ normal) when treated
with one statin; or			,
3.2 The patient is intolerant to both simvastatin and ato	prvastatin; or		
3.3 The patient has not reduced their LDL cholesterol		ol/litre v	with the use of the maximal tolerated
dose of atorvastatin.			
Notes: A patient who has failed to reduce their LDL cholesterol to	o < 2.0 mmol/litre with	the us	se of a less potent statin should use a
more potent statin prior to consideration being given to the use o			
Other treatment options including fibrates, resins and nicotinic ac			er failure of statin therapy.
If a patient's LDL cholesterol cannot be calculated because the	e triglyceride level is	too hig	gh then a repeat test should be per
formed and if the LDL cholesterol again cannot be calculated th	hen it can be conside	red that	at the LDL cholesterol is greater than
2.0 mmol/litre.			-
Renewal from any relevant practitioner. Approvals valid for 2 y	ears where the treatr	nent re	emains appropriate and the patient is
benefiting from treatment.			• • •
EZETIMIBE WITH SIMVASTATIN – Special Authority see SA104	46 on the next page -	Retail	pharmacy
Tab 10 mg with simvastatin 10 mg		30	✓ Vytorin
Tab 10 mg with simvastatin 20 mg		30	Vytorin
Tab 10 mg with simvastatin 40 mg		30	✓ Vytorin
Tab 10 mg with simvastatin 80 mg		30	Vytorin
			-

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

➡SA1046 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to $\leq 2.0 \text{ mmol/litre}$ with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Iron Overload

DEFERIPRONE - Special Authority see SA1042 below - I	Retail pharmacy		
Tab 500 mg		100	Ferriprox
Oral liq 100 mg per 1 ml		250 ml OP	 Ferriprox

➡SA1042 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where the patient has been diagnosed with chronic transfusional iron overload due to congenital inherited anaemia.

Note: For the purposes of this Special Authority, a relevant specialist is defined as a haematologist.

DESFERRIOXAMINE MESYLATE

*	Inj 500 mg	99.00	10	Mayne
---	------------	-------	----	-------

	Subsidy (Manufacturer's Price) \$	Per	Full Subsidise	d Generic
Alpha Adrenoceptor Blockers				
DOXAZOSIN MESYLATE				
* Tab 2 mg		500	~	Apo-Doxazosin
* Tab 4 mg		500	~	Apo-Doxazosin
PHENOXYBENZAMINE HYDROCHLORIDE				
* Cap 10 mg	7.82	30	~	Dibenyline S29
	26.05	100	~	Dibenyline S29
PHENTOLAMINE MESYLATE				-
* Inj 10 mg per ml, 1 ml		5		
	(31.65)			Regitine
PRAZOSIN HYDROCHLORIDE				
* Tab 1 mg	5.53	100	~	Apo-Prazo
* Tab 2 mg	7.00	100	~	Apo-Prazo
* Tab 5 mg	11.70	100	~	Apo-Prazo
TERAZOSIN HYDROCHLORIDE				
* Tab 1 mg	1.50	28	~	Arrow
	(2.50)			Apo-Terazosin
* Tab 7 $ imes$ 1 mg and 7 $ imes$ 2 mg	0.74	14 OP	~	Hytrin Starter Pack
* Tab 2 mg	0.80	28	~	Arrow
	14.29	500		
	(23.30)			Apo-Terazosin
* Tab 5 mg		28	~	Arrow
	17.86	500		
(Apo-Terazosin Tab 1 mg to be delisted 1 January 2011)	(29.00)			Apo-Terazosin

(Apo-Terazosin Tab 1 mg to be delisted 1 January 2011)

(Hytrin Starter Pack Tab 7×1 mg and 7×2 mg to be delisted 1 January 2011)

(Apo-Terazosin Tab 2 mg to be delisted 1 January 2011)

(Apo-Terazosin Tab 5 mg to be delisted 1 January 2011)

Agents Affecting the Renin-Angiotensin System

Perindopril and trandolapril will be funded to the level of the ex-manufacturer price listed in the Schedule for patients who were taking these ACE inhibitors for the treatment of congestive heart failure prior to 1 June 1998. The prescription must be endorsed accordingly. We recommend that the words used to indicate eligibility are "certified condition" or an appropriate description of the patient such as "congestive heart failure", "CHF", "congestive cardiac failure" or "CCF". **Definition of Congestive Heart Failure** At the request of some prescribers the PTAC Cardiovascular subcommittee has provided a definition of congestive heart failure for the purposes of the funding of the manufacturer's surcharge: "Clinicians should use their clinical judgement. Existing patients would be eligible for the funding of the surcharge if the patient shows signs and symptoms of congestive heart failure, and requires or has in the past required concomitant treatment with a diuretic. The definition could also be considered to include patients post myocardial infarction with an ejection fraction of less than 40%."

ACE Inhibitors

CAPTOPRIL			
* Tab 12.5 mg	10.40	500	Apo-Captopril
* Tab 25 mg		500	Apo-Captopril
* Tab 50 mg		500	Apo-Captopril
*‡ Oral liq 5 mg per ml		95 ml OP	 Capoten
Oral liquid restricted to children under 12 year			•

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic Manufacturer
CILAZAPBIL	φ	rei	
* Tab 0.5 mg	0.95	30	🖌 Zapril
* Tab 0.5 Hig	2.20	30	✓ Inhibace
* Tab 2.5 mg		30	✓ Zapril
* Tab 2.0 mg	4.10	28	
* Tab 5 mg		30	✓ Zapril
······································	6.01	28	
ENALAPRIL			
* Tab 5 mg	1 98	90	Arrow-Enalapril
* 1db 5 mg		50	✓ m-Enalapril
* Tab 10 mg	2 44	90	✓ Arrow-Enalapril
	(2.76)	00	m-Enalapril
* Tab 20 mg	· · ·	90	✓ Arrow-Enalapril
· ····································	(3.68)		m-Enalapril
(m-Enalapril Tab 5 mg to be delisted 1 November 2010)	(0.00)		
(m-Enalapril Tab 10 mg to be delisted 1 November 2010)			
(m-Enalapril Tab 20 mg to be delisted 1 November 2010)			
LISINOPRIL			
* Tab 5 mg	2.06	30	Arrow-Lisinopril
* Tab 10 mg		30	✓ Arrow-Lisinopril
* Tab 20 mg		30	✓ Arrow-Lisinopril
			<u></u>
PERINDOPRIL			
* Tab 2 mg - Higher subsidy of \$18.50 per 30 tab with En		00	
dorsement		30	Coveraul
W. Tab A man Ulaber subside of \$05.00 may 00 tab with Fr	(18.50)		Coversyl
* Tab 4 mg – Higher subsidy of \$25.00 per 30 tab with En demoment		20	
dorsement	(25.00)	30	Coversyl
	(25.00)		Coversyl
QUINAPRIL			
* Tab 5 mg		30	Accupril
* Tab 10 mg		30	✓ <u>Accupril</u>
* Tab 20 mg	2.35	30	Accupril
TRANDOLAPRIL			
* Cap 1 mg - Higher subsidy of \$18.67 per 28 cap with En	-		
dorsement		28	
	(18.67)		Gopten
* Cap 2 mg - Higher subsidy of \$27.00 per 28 cap with En	-		
dorsement	4.43	28	
	(27.00)		Gopten
ACE Inhibitors with Diuretics			
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE			
* Tab 5 mg with hydrochlorothiazide 12.5 mg		28	Inhibace Plus
ENALAPRIL WITH HYDROCHLOROTHIAZIDE			
	2 20	30	
* Tab 20 mg with hydrochlorothiazide 12.5 mg	(8.70)	30	Co-Renitec
	(0.70)		

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
QUINAPRIL WITH HYDROCHLOROTHIAZIDE * Tab 10 mg with hydrochlorothiazide 12.5 mg * Tab 20 mg with hydrochlorothiazide 12.5 mg		30 30		ccuretic 10 ccuretic 20
Angiotension II Antagonists				
CANDESARTAN - Special Authority see SA0933 below - Retail p	harmacy			
* Tab 4 mg – No more than 1.5 tab per day		30	🖌 A	tacand
* Tab 8 mg – No more than 1.5 tab per day	19.30	30	🖌 🖌	tacand
* Tab 16 mg – No more than 1 tab per day	23.54	30	🖌 A	tacand
* Tab 32 mg – No more than 1 tab per day		30	🖌 A	tacand

SA0933 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Patient with congestive heart failure; and
 - 1.2 Either:
 - 1.2.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
 - 1.2.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years; or
- 2 All of the following:
 - 2.1 Patient with raised blood pressure; and
 - 2.2 Use of fully funded beta blockers or diuretics are contraindicated; or not well tolerated; or insufficient to control blood pressure adequately at appropriate doses; and
 - 2.3 Either:
 - 2.3.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
 - 2.3.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years.

LOSARTAN - Special Authority see SA0911 below - Retail pharmacy

*	Tab 12.5 mg17.4	10 30	Cozaar
	Tab 25 mg		Cozaar
	Tab 50 mg		Cozaar
	Tab 50 mg with hydrochlorothiazide 12.5 mg	0 30	🖌 Hyzaar
*	Tab 100 mg		 Cozaar

SA0911 Special Authority for Subsidy

Initial application — (ACE inhibitor intolerance) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- Patient has persistent ACE inhibitor induced cough that is not resolved by ACE inhibitor retrial (same or new ACE inhibitor); or
- 2 Patient has a history of angioedema.

Initial application — (Unsatisfactory response to ACE inhibitor) from any relevant practitioner. Approvals valid without further renewal unless notified where patient is not adequately controlled on maximum tolerated dose of an ACE inhibitor.

Initial application — (Patient had an approval for Losartan with hydrochlorothiazide prior to 1 May 2008) from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy (Manufacturer's Price \$) Per	Fully Subsidised	/
Antiarrhythmics				
or lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaesth	netics, Local, page	108		
MIODARONE HYDROCHLORIDE				
Tab 100 mg – Retail pharmacy-Specialist		30	~	Aratac
			~	Cordarone-X
Tab 200 mg – Retail pharmacy-Specialist		30	~	Aratac
			~	Cordarone-X
Inj 50 mg per ml, 3 ml – Up to 5 inj available on a PSO	60.84	10	~	Cordarone-X
IGOXIN				
 Tab 62.5 μg – Up to 30 tab available on a PSO 	6.94	250	~	Lanoxin PG
 Tab 250 μg – Up to 30 tab available on a PSO 		250	~	Lanoxin
‡ Oral liq 50 μg per ml		60 ml	~	Lanoxin
ISOPYRAMIDE PHOSPHATE				
Cap 100 mg		100		
	(23.87)			Rythmodan
Cap 150 mg		100	~	Rythmodan
LECAINIDE ACETATE – Retail pharmacy-Specialist				
Tab 50 mg		60	V	Tambocor
Tab 100 mg		60	~	Tambocor
Cap long-acting 100 mg		30	~	Tambocor CR
Cap long-acting 200 mg		30	•	Tambocor CR
Inj 10 mg per ml, 15 ml		5	~	Tambocor
IEXILETINE HYDROCHLORIDE				
Cap 50 mg		100	~	Mexitil
Cap 200 mg		100	~	Mexitil
ROPAFENONE HYDROCHLORIDE – Retail pharmacy-Specialis	t			
Tab 150 mg		50	~	Rytmonorm
Antihypotensives				-
IIDODRINE – Special Authority see SA0934 below – Retail pharr		100		Gutron
Tab 2.5 mg Tab 5 mg		100 100		Gutron
SA0934 Special Authority for Subsidy		100		Gutton

➡SA0934 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Disabling orthostatic hypotension not due to drugs; and
- 2 Patient has tried fludrocortisone (unless contra-indicated) with unsatisfactory results; and
- 3 Patient has tried non pharmacological treatments such as support hose, increased salt intake, exercise, and elevation of head and trunk at night.
- Notes: Treatment should be started with small doses and titrated upwards as necessary.

Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

		Subsidy	-)	Ful	
		(Manufacturer's Pric \$	e) Per	Subsidise	d Generic Manufacturer
В	eta Adrenoceptor Blockers				
ATI	ENOLOL				
*	Tab 50 mg	6.18	500	V	Pacific Atenolol
	-	12.36	1,000	~	Atenolol Tablet USP
*	Tab 100 mg		500		Pacific Atenolol
		21.46	1,000	~	Atenolol Tablet USP
CA	RVEDILOL				
	Tab 6.25 mg		30		Dilatrend
	Tab 12.5 mg		30		Dilatrend
	Tab 25 mg		30	~	Dilatrend
CE	LIPROLOL				
*	Tab 200 mg		180	~	Celol
LA	BETALOL				
*	Tab 50 mg	8.66	100	~	Hybloc
*	Tab 100 mg		100		Hybloc
	Tab 200 mg		100		Hybloc
*	Tab 400 mg		100		Hybloc
*	Inj 5 mg per ml, 20 ml		5		,
		(88.60)			Trandate
MF	TOPROLOL SUCCINATE	. ,			
*	Tab long-acting 23.75 mg	2.18	30	~	Betaloc CR
		2			Metoprolol - AFT CR
*	Tab long-acting 47.5 mg	2.74	30		Betaloc CR
					Metoprolol - AFT CR
*	Tab long-acting 95 mg	4.71	30		Betaloc CR
	5 5 5			V	Metoprolol - AFT CR
*	Tab long-acting 190 mg	8.51	30	V	Betaloc CR
				~	Metoprolol - AFT CR
MF	TOPROLOL TARTRATE				
*	Tab 50 mg		100	~	Lopresor
*	Tab 100 mg		60		Lopresor
*	Tab long-acting 200 mg		28		Slow-Lopresor
*	Inj 1 mg per ml 5 ml		5		
		(34.00)			Betaloc
NΔ	DOLOL	. ,			
*	Tab 40 mg	14.97	100	~	Apo-Nadolol
*	Tab 80 mg		100		Apo-Nadolol
				•	
PIN *	IDOLOL Tab 5 mg	5 40	100		Apo-Pindolol
*	Tab 5 mg Tab 10 mg		100		Apo-Pindolol
* *			100		Apo-Pindolol
•	Tab 15 mg	13.00	100		
	OPRANOLOL	0.55	400		O sudius al
*	Tab 10 mg		100		Cardinol
*	Tab 40 mg		100		Cardinol
*	Cap long-acting 160 mg		100	V	Cardinol LA

	Subsidy		Fully Brand or
	(Manufacturer's Price) \$	Sı Per	ubsidised Generic Manufacturer
OTALOL			
• Tab 80 mg		500	🖌 <u>Mylan</u>
Tab 160 mg		100	✓ Mylan
Inj 10 mg per ml, 4 ml	41.34	5	 Sotacor
MOLOL MALEATE			
Tab 10 mg		100	✓ <u>Apo-Timol</u>
Calcium Channel Blockers			
Dihydropyridine Calcium Channel Blockers (DH	IP CCBs)		
MLODIPINE			
Tab 5 mg	7.33	100	Apo-Amlodipine
- Tab 10 mg	11.79	100	Apo-Amlodipine
ELODIPINE			
Tab long-acting 2.5 mg - No more than 1 tab per day		30	Plendil ER
Tab long-acting 5 mg		90	Felo 5 ER
Tab long-acting 10 mg	15.60	90	Felo 10 ER
RADIPINE			
Cap long-acting 2.5 mg	7.50	30	Dynacirc-SRO
Cap long-acting 5 mg	7.85	30	Dynacirc-SRO
IFEDIPINE			
Tab long-acting 10 mg	17.72	60	Adalat 10
Tab long-acting 20 mg		100	Nyefax Retard
Tab long-acting 30 mg	10.70	30	✓ Adefin XL
	5 50		Arrow-Nifedipine XR
	5.50 (19.90)		Adalat Oros
Tab long-acting 60 mg	(/	30	Adefin XL
		00	✓ Arrow-Nifedipine XR
	8.00		• • • • • • • • • • • • • • • • • • • •
	(29.50)		Adalat Oros
Other Calcium Channel Blockers			
ILTIAZEM HYDROCHLORIDE			
- Tab 30 mg	4.60	100	✓ <u>Dilzem</u>
Tab 60 mg		100	✓ <u>Dilzem</u>
Cap long-acting 120 mg		30	Cardizem CD
Cap long-acting 180 mg		30	Cardizem CD
Cap long-acting 240 mg	8.67	30	Cardizem CD
ERHEXILINE MALEATE – Special Authority see SA0256 belo		100	Develop
Tab 100 mg	62.90	100	Pexsig

Initial application only from a cardiologist or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Refractory angina; and
- 2 Patient is already on maximal anti-anginal therapy.

Renewal only from a cardiologist or general physician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy		Fully	/ Brand or
	(Manufacturer's Pric		Subsidise	d Generic
	\$	Per	~	Manufacturer
VERAPAMIL HYDROCHLORIDE				
* Tab 40 mg	7.01	100	~	Isoptin
* Tab 80 mg	11.74	100	~	Isoptin
* Tab long-acting 120 mg		250		Verpamil SR
* Tab long-acting 240 mg		250	~	Verpamil SR
* Inj 2.5 mg per ml, 2 ml – Up to 5 inj available on a PSO	7.54	5	~	Isoptin
Centrally Acting Agents				
CLONIDINE				
* TDDS 2.5 mg, 100 µg per day – Only on a prescription	23.30	4	~	Catapres-TTS-1
 TDDS 5 mg, 200 μg per day – Only on a prescription 		4		Catapres-TTS-2
 TDDS 7.5 mg, 300 µg per day – Only on a prescription 		4		Catapres-TTS-3
		•	·	
CLONIDINE HYDROCHLORIDE * Tab 150 ug	22.00	100		Catapros
· · · · · · · · · · · · · · · · · · ·		100 5		Catapres
* Inj 150 μg per ml, 1 ml		Э	V	Catapres_
METHYLDOPA				
* Tab 125 mg		100		Prodopa
* Tab 250 mg		100		Prodopa
* Tab 500 mg	20.85	100	~	Prodopa
Diuretics				
Loop Diuretics				
BUMETANIDE				
* Tab 1 mg	16.36	100	~	Burinex
* Inj 500 μg per ml, 4 ml		5		Burinex
		Ũ	•	Burnox
FUROSEMIDE	10.75	1 000		Diunin 40
* Tab 40 mg – Up to 30 tab available on a PSO		1,000		<u>Diurin 40</u> Diurin 500
* Tab 500 mg		100		Urex Forte
*‡ Oral liq 10 mg per ml	25.00	50 30 ml Ol		Lasix
		30 mi Oi 5		Lasix
 Infusion 10 mg per ml, 25 ml Inj 10 mg per ml, 2 ml Up to 5 inj available on a PSO 		5	•	Frusemide-Claris
	29.50	50		Mayne
(Diurin 500 Tab 500 mg to be delisted 1 November 2010)	20.00	50	•	Mayne
Potassium Sparing Diuretics				
AMILORIDE ‡ Oral liq 1 mg per ml	26.20	25 ml Ol		Biomed
	20.20	20 III UI	-	bioineu
SPIRONOLACTONE				
* Tab 25 mg		100		Spirotone
* Tab 100 mg		100		Spirotone
Oral liq 5 mg per ml		25 ml Ol	· ·	Biomed
Potassium Sparing Combination Diuretics				
AMILORIDE WITH FRUSEMIDE				
* Tab 5 mg with frusemide 40 mg	8.63	28	~	Frumil

52

	Subsidy (Manufacturer's	Price) Subs	Fully Brand or sidised Generic
	\$	Per	 Manufacturer
AMILORIDE WITH HYDROCHLOROTHIAZIDE	5.00	50	
* Tab 5 mg with hydrochlorothiazide 50 mg	5.00 13.00	50 500	 Moduretic Amizide
Amizide Tab 5 mg with hydrochlorothiazide 50 mg to be delis		500	V Amizide
Thiazide and Related Diuretics			
BENDROFLUAZIDE			
* Tab 2.5 mg – Up to 150 tab available on a PSO	7.58	500	Arrow-
May be supplied on a PSO for reasons other than eme	rgency.		Bendrofluazide
* Tab 5 mg		500	Arrow-
CHLOROTHIAZIDE			Bendrofluazide
Oral liq 50 mg per ml	22.60	25 ml OP	✓ Biomed
CHLORTHALIDONE			
* Tab 25 mg	8.00	50	 Hygroton
NDAPAMIDE	0.05		
₭ Tab 2.5 mg	2.95 3.25	90 100	 Dapa-Tabs Napamide
Napamide Tab 2.5 mg to be delisted 1 January 2011)	0.20	100	• Napamue
Nitrates			
★ Tab 600 µg − Up to 100 tab available on a PSO	8.00	100 OP	Lycinate
✤ Oral pump spray 400 µg per dose – Up to 250 dose available			
on a PSO	5.16	250 dose OP	✓ <u>Nitrolingual</u>
* TDDS 5 mg		30	Pumpspray ✓ <u>Nitroderm TTS</u>
* TDDS 10 mg		30	✓ Nitroderm TTS
SOSORBIDE MONONITRATE			
* Tab 20 mg		100	✓ Ismo 20
 ★ Tab long-acting 40 mg ★ Tab long-acting 60 mg 		30 90	 Corangin Duride
Sympathomimetics	4.15	90	V Dunde
Sympatholininetics			
ADRENALINE	4.00	_	
Inj 1 in 1,000, 1 ml – Up to 5 inj available on a PSO	4.98 5.25	5	 Aspen Adrenaline Mayne
Inj 1 in 10,000, 10 ml – Up to 5 inj available on a PSO		5	✓ Mayne
SOPRENALINE HYDROCHLORIDE			
* Inj 200 μg per ml, 1 ml		25	
	(135.00)		Isuprel
Vasodilators			
AMYL NITRITE			
₭ Ampoule, 0.3 ml crushable		12	
	(73.40)		Baxter

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	Subsi Per	dised	
HYDRALAZINE	·			
* Inj 20 mg per ml, 1 ml	25.90	5	🗸 A	presoline
DXYPENTIFYLLINE	00.04	50		
Tab 400 mg		50	Т	rental 400
PAPAVERINE HYDROCHLORIDE	x y			
k Inj 12 mg per ml, 10 ml	73.12	5	N	layne
Endothelin Receptor Antagonists				
Special Authority for Subsidy Special Authority approved by the Pulmonary Arterial Hypertension Notes: Application details may be obtained from PHARMAC's webs The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Fel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.gov	site http://www.phar	mac.govt.n.	z or:	
MBRISENTAN - Special Authority see SA0967 above - Retail ph	,			
Tab 5 mg Tab 10 mg		30 30		/olibris /olibris
BOSENTAN - Special Authority see SA0967 above - Retail pharm				
Tab 62.5 mg Tab 125 mg		60 60		racleer racleer
Phosphodiesterase Type 5 Inhibitors	4,303.00	00	• 1	Ideleel
SA0968 Special Authority for Subsidy Special Authority approved by the Pulmonary Arterial Hypertensior lotes: Application details may be obtained from PHARMAC's webs The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Fel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.go	site http://www.phar	mac.govt.n:	z or:	
SILDENAFIL - Special Authority see SA0968 above - Retail phare	,			
Tab 25 mg Tab 50 mg		4 4		/iagra /iagra
Tab 100 mg		4		liagra
Prostacyclin Analogues				
→SA0969 Special Authority for Subsidy Special Authority approved by the Pulmonary Arterial Hypertension Notes: Application details may be obtained from PHARMAC's webs The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Fel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.go LOPROST – Special Authority see SA0969 above – Retail pharm.	site <u>http://www.pharn</u> vt.nz	mac.govt.n:	z or:	
Nebuliser soln 10 µg per ml, 2 ml		30	• V	/entavis

	Subsidy (Manufacturer's Pr \$	ice) Su Per	Fully bsidised	Brand or Generic Manufacturer
Antiacne Preparations				
For systemic antibacterials, refer to INFECTIONS, Antibacterials,	page 80			
ADAPALENE				
a) Maximum of 30 g per prescription				
b) Only on a prescription				
Crm 0.1%	22.89	30 g OP	🗸 D	ifferin
Gel 0.1%	22.89	30 g OP	🗸 D	ifferin
ISOTRETINOIN - Special Authority see SA0955 below - Retail	pharmacy			
Cap 10 mg		180	V 0	ratane
Cap 20 mg	69.70	180	V 0	ratane

➡SA0955 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has had an adequate trial on other available treatments and has received an inadequate response from these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and

4 Either:

- 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
- 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has had an adequate trial on other available treatments and has received an inadequate response from these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 4 Either:
 - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
 - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

TRETINOIN

Crm 0.5 mg per g - Maximum of 50 g per prescription	13.90 50) g OP 🛛 🖌	ReTrieve
---	----------	------------	----------

	Subsidy		Fully	Brand or
	(Manufacturer's I	Price) Sul	cully	Generic
	\$	Per	 ✓ 	Manufacturer
Antibacterials Topical				
For systemic antibacterials, refer to INFECTIONS, Antibacterials,	page 80			
FUSIDIC ACID	1 0			
Crm 2%		15 g OP	🖌 Fo	oban
a) Maximum of 15 g per prescription		- 5 -		
b) Only on a prescription				
c) Not in combination				
Oint 2%	3.25	15 g OP	✓ <u>Fo</u>	<u>oban</u>
 a) Maximum of 15 g per prescription 				
b) Only on a prescription				
c) Not in combination				
HYDROGEN PEROXIDE				
* Crm 1%	8.56	10 g OP	V Ci	rystacide
MUPIROCIN				
Oint 2%	6.60	15 g OP		
	(9.26)		Ba	actroban
a) Only on a prescription				
b) Not in combination				
SILVER SULPHADIAZINE			4	
Crm 1%	12.30	50 g OP	🖌 Fl	amazine
a) Up to 250 g available on a PSO				
b) Not in combination				
Antifungals Topical				
For systemic antifungals, refer to INFECTIONS, Antifungals, page	e 84			
AMOROLFINE				
a) Only on a prescription				
b) Not in combination				
Nail soln 5%		5 ml OP		
	(61.87)		Lo	oceryl
CICLOPIROXOLAMINE				
a) Only on a prescription				
b) Not in combination				
Crm 1%	1.00	20 g OP		
	(12.82)		Ba	atrafen
Nail soln 8%		3.5 ml OP	✓ <u>Ba</u>	atrafen
Soln 1%		20 ml OP		
(Patratan Crm 1% to be delicted 1 January 2011)	(11.54)		Ba	atrafen
(Batrafen Crm 1% to be delisted 1 January 2011)				
CLOTRIMAZOLE			4 ~	
* Crm 1%	0.50	20 g OP	✓ <u>C</u>	omazol
a) Only on a prescription				
b) Not in combination * Soln 1%	1 26	20 ml OP		
		20 111 00	C	anesten
a) Only on a prescription	(1.00)		0	
b) Not in combination				
,				

	Subsidy (Manufacturor's	Prico) Cul	Fully Brand or
	(Manufacturer's \$	Price) Suc Per	osidised Generic Manufacturer
ECONAZOLE NITRATE			
Crm 1%	1.00	20 g OP	
	(7.48)	0	Pevaryl
a) Only on a prescription			
b) Not in combination			
Foaming soln 1%, 10 ml sachets		3	
	(17.23)		Pevaryl
a) Only on a prescription			
b) Not in combination			
KETOCONAZOLE	1.00	15 - 00	
Crm 2%		15 g OP	Nizoral
a) Only on a prescription	(9.50)		Nizorai
b) Not in combination			
(Nizoral Crm 2% to be delisted 1 December 2010)			
* Crm 2%	0.42	15 g OP	✓ Multichem
a) Only on a prescription	0.42	15 9 01	Matterien
b) Not in combination			
* Lotn 2%	4.36	30 ml OP	
	(10.03)		Daktarin
a) Only on a prescription			
b) Not in combination			
* Tinct 2%		30 ml OP	
	(12.10)		Daktarin
a) Only on a prescription			
b) Not in combination			
NYSTATIN	1.00	15 - 00	
Crm 100,000 u per g		15 g OP	Mucacitatia
a) Only on a prescription	(7.90)		Mycostatin
b) Not in combination			
Antipruritic Preparations			
CALAMINE			
a) Only on a prescription			
b) Not in combination			
Crm, aqueous, BP		100 g	✓ <u>healthE</u>
Lotn, BP	16.70	2,000 ml	✓ <u>API</u>
CROTAMITON			
a) Only on a prescription			
b) Not in combination			
Crm 10%	3.79	20 g OP	Itch-Soothe
MENTHOL – Only in combination			
Only in combination with aqueous cream, 10% urea crea		eral oil lotion, 19	% hydrocortisone with wool fat and
mineral oil lotion, and glycerol, paraffin and cetyl alcohol			(
Crystals		25 g	✓ PSM
	29.60	100 g	MidWest

	Subsidy		Fully Brand or
	(Manufacturer's I \$	Price) Sub Per	vidised Generic Manufacturer
Corticosteroids Topical			
or systemic corticosteroids, refer to CORTICOSTEROIDS AND F	RELATED AGEN	NTS, page 73	
Corticosteroids - Plain			
ETAMETHASONE DIPROPIONATE			
Crm 0.05%	2.96	15 g OP	
	(6.91)		Diprosone
	8.97	50 g OP	D .
	(18.36)	00 × 00	Diprosone
Crm 0.05% in propylene glycol base		30 g OP	D
0:++0.05%	(13.83)		Diprosone OV
Oint 0.05%		15 g OP	Diseases
	(6.51)		Diprosone
	8.97	50 g OP	Diseases
	(17.11)		Diprosone
Oint 0.05% in propylene glycol base		30 g OP	Diama Old
	(13.83)		Diprosone OV
ETAMETHASONE VALERATE			
← Crm 0.1%	2.00	50 g OP	Beta Cream
	2.20	50 g OP	Beta Ointment
€ Lotn 0.1%	10.05	50 ml OP	 Betnovate
LOBETASOL PROPIONATE			
← Crm 0.05%	3 48	30 g OP	✓ Dermol
 ✓ Oint 0.05% 		30 g OP	✓ Dermol
		00 9 01	
	F 00	00 - 00	
Crm 0.05%		30 g OP	E
	(7.09)		Eumovate
	16.13	100 g OP	F
	(22.00)		Eumovate
IFLUCORTOLONE VALERATE			
Crm 0.1%	8.97	50 g OP	
	(15.86)		Nerisone
Fatty oint 0.1%	8.97	50 g OP	
	(15.86)		Nerisone
IYDROCORTISONE			
Crm 1% – Only on a prescription	2.44	100 g	 Lemnis Fatty Cream HC
	3.75		Pharmacy Health
	3.75 12.20	500 g	✓ Pharmacy Health ✓ PSM
Powder – Only in combination		500 g 25 g	✓ <u>PSM</u> ✓ <u>ABM</u>
Up to 5% in a dermatological base (not proprietary Topic			
galenicals. Refer, page 164 Lemnis Fatty Cream HC Crm 1% to be delisted 1 November 2010	0)		
	~/		
IYDROCORTISONE BUTYRATE		00 . 00	
Lipocream 0.1%		30 g OP	Locoid Lipocream
	6.85	100 g OP	Locoid Lipocream
Oint 0.1% Milky emul 0.1%	6.85	100 g OP 100 ml OP	 ✓ Locoid ✓ Locoid Crelo

58

	Subaidy		Eully Brond or
	Subsidy (Manufacturer's	Price) Sub	Fully Brand or osidised Generic
	\$	Per	 Manufacturer
HYDROCORTISONE WITH WOOL FAT AND MINERAL OIL			
Lotn 1% with wool fat hydrous 3% and mineral oil – Only on			
a prescription		250 ml	✓ DP Lotn HC
		200 111	
	4.05	15 - 00	A december
Crm 0.1%		15 g OP	✓ Advantan
Oint 0.1%	4.95	15 g OP	Advantan
IOMETASONE FUROATE			
Crm 0.1%		15 g OP	m-Mometasone
	4.55	45 g OP	<u>m-Mometasone</u>
Oint 0.1%		15 g OP	<u>m-Mometasone</u>
	4.55	45 g OP	✓ <u>m-Mometasone</u>
Lotn 0.1%	4.80	30 ml OP	Elocon
RIAMCINOLONE ACETONIDE			
Crm 0.02%	6.63	100 g OP	Aristocort
Oint 0.02%	6.69	100 g OP	Aristocort
Corticosteroids - Combination			
ETAMETHASONE VALERATE WITH CLIOQUINOL - Only on a	a prescription		
Crm 0.1% with clioquinol 3%	3.49	15 g OP	
	(4.90)		Betnovate-C
Oint 0.1% with clioquinol 3%	3.49	15 g OP	
	(4.90)		Betnovate-C
ETAMETHASONE VALERATE WITH FUSIDIC ACID			
Crm 0.1% with fusidic acid 2%	3.49	15 g OP	
	(9.61)		Fucicort
 a) Maximum of 15 g per prescription 			
 b) Only on a prescription 			
YDROCORTISONE BUTYRATE WITH CHLORQUINALDOL -	Only on a presc	ription	
Crm 0.1% with chlorquinaldol 3%	3.49	15 g OP	Locoid C
Locoid C Crm 0.1% with chlorquinaldol 3% to be delisted 1 Marc	h 2011)		
YDROCORTISONE WITH MICONAZOLE - Only on a prescript	tion		
Crm 1% with miconazole nitrate 2%		15 g OP	Micreme H
YDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - Or		•	·
Crm 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	 Pimatucort Pimatucort
		•	
RIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCII		IN	
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg		45 00	
and gramicidin 250 µg per g – Only on a prescription		15 g OP	
	(6.60)		Viaderm KC
Disinfecting and Cleansing Agents			
HLORHEXIDINE GLUCONATE – Subsidy by endorsement			
a) No more than 500 ml per month	the second second second		
b) Only if prescribed for a dialysis patient and the prescription			. ∠ haallh ⊑
Handrub 1% with ethanol 70%		500 ml	✓ <u>healthE</u>
₭ Soln 4%		500 ml	✓ Orion

	0.1.11		
	Subsidy (Manufacturer's F	Price) Sub	Fully Brand or bsidised Generic
	\$	Per	 Manufacturer
SODIUM HYPOCHLORITE - Subsidy by endorsement			
Only if prescribed for a dialysis patient and the prescriptic * Soln		dingly. 2,500 ml	✔ Janola
(Janola Soln to be delisted 1 January 2011)		2,500 111	♥ Janola
TRICLOSAN - Subsidy by endorsement			
a) Maximum of 500 ml per prescription			
 b) a) Only if prescribed for a patient identified with I 	Methicillin-resistant \$	Staphylococcus	s aureus (MRSA) prior to electiv
surgery in hospital and the prescription is endor	sed accordingly; or		
b) Only if prescribed for a patient with recurrent S cordingly	taphylococcus aure	us infection and	d the prescription is endorsed ac
Soln 1%	5.90	500 ml OP	✓ healthE
Dusting Powders			
DIPHEMANIL METHYLSULPHATE – Subsidy by endorsemer Only if prescribed for an amputee with an artificial limb, o		ient and the pr	rescription endorsed accordingly
Powder 2%		50 g OP	
(Prestal Devider 0%) to be delicted 1 (anyons 0011)	(13.54)		Prantal
(Prantal Powder 2% to be delisted 1 January 2011)			
Barrier Creams and Emollients			
Barrier Creams			
ZINC			
Crm BP	6.55 (12.00)	500 g	PSM
(PSM Crm BP to be delisted 1 January 2011)	(12.00)		FOW
ZINC AND CASTOR OIL			
Oint BP	5.11	500 g	✓ <u>PSM</u>
Emollients			
AQUEOUS CREAM			
* Crm	2.28	500 g	✓ <u>AFT</u>
CETOMACROGOL			4
* Crm BP	3.15	500 g	✓ <u>PSM</u>
EMULSIFYING OINTMENT * Oint BP	3 69	500 g	🖌 AFT
GLYCEROL WITH PARAFFIN AND CETYL ALCOHOL - Onl		000 g	* <u>111</u>
* Lotn 5% with paraffin liq 5% and cetyl alcohol 2%		250 ml	
(OV) and EQ with paraffin lig EQ and anti-label OQ to be	(8.10)	1441	QV
(QV Lotn 5% with paraffin liq 5% and cetyl alcohol 2% to be c	ielistea 1 January 20	(11)	
OIL IN WATER EMULSION * Crm		500 g	✓ healthE Fatty Cream
		y	

60

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or sidised Generic ✔ Manufacturer
OILY CREAM			
* Crm BP		500 g	Devid Orein
	(13.60) (15.40)		David Craig PSM
(David Craig Crm BP to be delisted 1 January 2011)	(15.40)		FOIVI
(PSM Crm BP to be delisted 1 January 2011)			
UREA			
* Crm 10%		100 g OP	✓ Nutraplus
WOOL FAT WITH MINERAL OIL – Only on a prescription		3 9 0	
* Lotn hydrous 3% with mineral oil	1.40	250 ml OP	
	(3.50)	200 0.	DP Lotion
	5.60	1,000 ml	
	(10.90)		DP Lotion
	1.40	250 ml OP	
	(3.50)		Hydroderm Lotion
	5.60	1,000 ml	Lively a dama Lation
	(9.54) (20.53)		Hydroderm Lotion Alpha-Keri Lotion
	(20.53)	250 ml OP	Alpha-Ken Louon
	(7.73)	200 111 01	BK Lotion
	5.60	1,000 ml	
	(23.91)		BK Lotion
Other Dermatological Bases			
PARAFFIN			
White soft – Only in combination	3.58	500 g	
	(7.78)	Ū.	IPW
	20.20	2,500 g	V IPW
	3.58	500 g	5014
	(8.69)	en distante Tracia	PSM
Only in combination with a dermatological galenical or a	is a diluent for a pi	roprietary Topica	ai Corticosteroid – Plain.

	Subsidy (Manufacturer's	Price) Sub	Fully Brand or osidised Generic
	\$	Per	 Manufacturer
linor Skin Infections			
DVIDONE IODINE			
Oint 10%		25 g OP	Betadine
a) Maximum of 100 g per prescription			
b) Only on a prescription			
Antiseptic soln 10%	0.19	15 ml	
	(3.27)		Betadine
	1.28	100 ml	
	(6.01)		Betadine
	6.20	500 ml	Betadine
	51.06	4,500 ml	Betadine
	1.28	100 ml	
	(4.20)		Riodine
	6.20	500 ml	Riodine
Skin preparation, povidone iodine 10% with 30% alcohol		100 ml	
	(3.60)		Betadine Skin Prep
	10.00	500 ml	Betadine Skin Prep
Skin preparation, povidone iodine 10% with 70% alcohol		100 ml	0.1
	(6.04)	500 1	Orion
	8.13	500 ml	0.1
	(18.63)		Orion
Parasiticidal Preparations			
AMMA BENZENE HEXACHLORIDE			
Crm 1%	3.50	50 g OP	Benhex
ALATHION			
Liq 0.5%		200 ml OP	A-Lices
	(4.99)		Derbac-M
Shampoo 1%		30 ml OP	✓ <u>A-Lices</u>
erbac-M Liq 0.5% to be delisted 1 January 2011)			
ERMETHRIN			
Lotn 5%		30 ml OP	A-Scabies
Psoriasis and Eczema Preparations			
contacto ana Eczonia i roparationo			
CITRETIN - Special Authority see SA0954 below - Retail pha	rmacy		
Cap 10 mg	75.80	100	Neotigason
Cap 25 mg	162.96	100	Neotigason
SA0954 Special Authority for Subsidy			
tial application from any relevant practitioner. Approvals valid	l for 1 vear for ap	plications meet	ing the following criteria:
of the following:	,	,	J
 Applicant is a vocationally registered dermatologist vocational vocation. 	onally registered	apperal practiti	oper or purse practitioner wo

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and

3 Either:

3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement

continued...

	Subsidy (Manufacturer's \$	Price) Sul Per	Fully bsidised	Brand or Generic Manufacturer
continued				
of the treatment and that the patient is informed that of two years after the completion of the treatment; or 3.2 Patient is male.		ecome pregnan	nt during	treatment and for a period
Renewal from any relevant practitioner. Approvals valid for 1 year	for applications	meeting the fo	ollowing	criteria:
All of the following: 1 Applicant is a vocationally registered dermatologist, vocation	nally registered	general practit	ioner. or	nurse practitioner working
in a relevant scope of practice; and	, ,			
 Applicant has an up to date knowledge of the treatment op of the safety issues around acitretin and is competent to pre 3 Either: 			ders of I	keratinisation and is aware
3.1 Patient is female and has been counselled and under	erstands the ris	k of teratogenic	citv if ac	itretin is used durina prea
nancy and the applicant has ensured that the possib of the treatment and that the patient is informed that	ility of pregnand	y has been exc	cluded p	rior to the commencement
of two years after the completion of the treatment; or			·	
3.2 Patient is male. CALCIPOTRIOL				
Crm 50 µg per g		30 g OP	🖌 D	aivonex
······································	56.32	100 g OP	V D	aivonex
Oint 50 µg per g	20.20	30 g OP	🖌 D	aivonex
	56.32	100 g OP		aivonex
Soln 50 µg per ml		30 ml OP		aivonex
	33.79	60 ml OP	V D	aivonex
COAL TAR				
Soln BP – Only in combination		200 ml		avid Craig
	00.07	500 ml		lidwest
Up to 10 % Only in combination with a dermatological ba	32.37	500 ml	P	
(David Craig Soln BP to be delisted 1 December 2010) (PSM Soln BP to be delisted 1 December 2010)	se of proprietar	y Topical Corti	lcosterio	u – Flaill, leiel, page 104
COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULPI	IUR			
Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and				
allantoin crm 2.5%	3.43	30 g OP		
	(4.35)	•	E	gopsoryl TA
	6.59	75 g OP		
	(8.00)		E	gopsoryl TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR				
Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	V C	oco-Scalp
SALICYLIC ACID				
Powder – Only in combination	15.00	500 g	🗸 A	BM
	18.88	250 g	🖌 P	
1) Only in combination with a dermatological base or pr	oprietary Topica	al Corticosteroi	d – Plair	n or collodion flexible, refer

page 164

2) With or without other dermatological galenicals.

3) Maximum 20 g or 20 ml per prescription when prescribed with white soft paraffin or collodion flexible.

	Subsidy (Manufacturer's F	Price) Sub	Fully Brand or sidised Generic
	(Manulacturers r \$	Per Suc	Manufacturer
SULPHUR			
Precipitated – Only in combination	6.50	100 g	🖌 ABM
	(9.25)		PSM
 Only in combination with a dermatological base or With or without other dermatological galenicals. 	proprietary Topic	al Corticosteroi	d – Plain, refer, page 164
TAR WITH CADE OIL	0.70	050 ml	
Bath emul 7.5% coal tar, 2.5% cade oil, 7.5% compound	9.70 (29.60)	350 ml	Polytar Emollient
(Polytar Emollient Bath emul 7.5% coal tar, 2.5% cade oil, 7.5%	()	delisted 1 Janu	
TAR WITH TRIETHANOLAMINE LAURYL SULPHATE AND FLU			
 Soln 2.3% with triethanolamine lauryl sulphate and fluores 		niy on a presci	iption
cein sodium		500 ml	Pinetarsol
	5.54	1,000 ml	✓ Pinetarsol
Scalp Preparations			
BETAMETHASONE VALEBATE			
* Scalp app 0.1%	7.22	100 ml OP	✓ Beta Scalp
CLOBETASOL PROPIONATE			<u> </u>
* Scalp app 0.05%	6.36	30 ml OP	✓ Dermol
HYDROCORTISONE BUTYRATE			
Scalp lotn 0.1%	3.65	100 ml OP	✓ Locoid
KETOCONAZOLE			4 a a a
Shampoo 2%	3.48	100 ml OP	Sebizole
a) Maximum of 100 ml per prescription			
b) Only on a prescription			
Sunscreens			
SUNSCREENS, PROPRIETARY – Subsidy by endorsement			
Only if prescribed for a patient with severe photosensitivity	secondary to a	defined clinical	condition and the prescription i
endorsed accordingly.			
Crm		100 g OP	
	(5.89)		Hamilton Sunscreen
	1.28 (5.50)	50 g OP	Aquasun Oil Free
	(5.50)		Faces SPF30+
Lotn		100 ml OP	✓ Marine Blue Lotion
			SPF 30+
	5.10	200 ml OP	Marine Blue Lotion
			SPF 30+
	3.19	125 ml OP	
	(6.94)		Aquasun 30+
Wart Preparations			
		IS page 62	
For salicylic acid preparations refer to PSORIASIS AND ECZEM		io, pugo oz	
For salicylic acid preparations refer to PSORIASIS AND ECZEM IMIQUIMOD – Special Authority see SA0923 on the next page -			

(Manufacturers Price) Per Subsidies Barbon Per Subsidies Per Subsidies Manufacturer Mild application from any relevant practitioner. Approvals valid for 4 months for applications meeting the following: 1 The patient has external anogenital warts and podophyllotoxin has been tried and failed (or is contraindicated); or 2 The patient has contimed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate. Notes: Superficial basal cell carcinoma Surgical excision remains first-line treatment for superficial basal cell carcinoma within 1 cm of the hairline, eyes, nose, mouth or area. • Imiguinod has not been evaluated for the treatment of superficial basal cell carcinoma. • Uniquinod is only indicated for external genital and perianal warts (condytoma acuminata). Renewal trom any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following: 1 Inadequate response to initial treatment for superficial basal cell carcinoma. Net: Every effort should be made cell to object the lesion to contirm that it is a superficial basal cell carcinoma. Net: Every effort should be made to biops the lesion to contirm that it is a superficial basal cell carcinoma. Net: Every effort should be made to biops the lesion to contirm that it is a superficial basal cell carcinoma. Pone zeritina superficial basal cell carcinoma.		Subsidy		Fully	Prond or
■SA0923 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following: 1 The patient has external anogenital warts and podophyllotoxin has been tried and failed (or is contraindicated); or 2 The patient has external anogenital warts and podophyllotoxin is unable to be applied accurately to the ster or 3 The patient has confirmed supericial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate. Notes: Supericial basal cell carcinoma e-insiguinod has not been evaluated for the treatment of superficial basal cell carcinoma as it has a higher cure rate than imiquimod and allows histological assessment of tumour clearance. e-insiguinod is not indicated for recurrent, invasive, infiltrating, or nodular basal cell carcinoma. External anogenital warts • i-miciumidue response to initial treatment of superficial basal cell carcinoma. External anogenital warts • 1 Inadequate response to initial treatment for superficial basal cell carcinoma. Prove onfirmed superficial basal cell carcinoma. Note: Every effort should be made to biopsy the lesion to confirm that it is a superficial basal cell carcinoma. PODOPHYLLOTOXIN Son 0.5% .3.60 3.5 ml OP Orther Skin Preparations				Fully sidised	
Initial application from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following: 1 The patient has external anogenital warts and podophyllotoxin is unable to be applied accurately to the site; or 3 The patient has confirmed supericial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate. Note:: Superificial basal cell carcinoma Note:: Superificial basal cell carcinoma • iniquimod has not been evaluated for the treatment of superificial basal cell carcinoma within 1 cm of the hairline, eyes, nose, mouth or ears. • iniquimod is not indicated for recurrent, invasive, infiltrating, or nodular basal cell carcinoma. External anogenital warts • iniquimod is not indicated for external genital and perianal warts (condyloma acuminata). Renewal from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following: 1 Inadequate response to initial treatment for superificial basal cell carcinoma. 2 New confirmed superificial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or external genital warts; or 2 New confirmed superificial basal cell carcinoma. Note: Every effort should be made to biopsy the lesion to confirm that it is a superificial basal cell carcinoma. PODOPHYLLOTOXIN 3.5 ml OP Solid 0		\$	Per	~	Manufacturer
Arry of the following: 1 1 The patient has external anogenital warts and podophyllotoxin has been tried and failed (or is contraindicated); or 2 The patient has external anogenital warts and podophyllotoxin is unable to be applied accurately to the site; or 3 The patient has external anogenital warts and podophyllotoxin is unable to be applied accurately to the site; or 3 The patient has external anogenital warts and podophyllotoxin is unable to be applied accurately to the site; or 3 The patient has external anogenital warts and podophyllotoxin is unable to be applied accurately to the site; or 3 The patient has external anogenital warts and podophyllotoxin is unable to be applied accurately to the site; or 4 Surgical excision remains first-line treatment for superficial basal cell carcinoma as it has a higher cure rate than imiquimod and allows histological assessment of tumour clearance. 6 imiquimod is not indicated for external genital and perianal warts (condyloma acuminata). 7 The adequate response to initial treatment for anogenital warts; or 1 Inadequate response to initial treatment for superficial basal cell carcinoma. Note: Every effort should be made to biopsy the lesion to confirm that it is a superficial basal cell carcinoma. Note: Every effort should be made to biopsy the lesion to confirm that it is a superficial basal cell carcinoma. PODDENYLLOTOXIN		for the settle for a			a fallenda a site da
The patient has external anogenital warts and podophyllotoxin has been tried and failed (or is contraindicated); or The patient has confirmed superificial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate. Note: Superificial basal cell carcinoma Surgical excision remains first-line treatment for superificial basal cell carcinoma as it has a higher cure rate than imiquimod and allows histological assessment of the treatment of superificial basal cell carcinoma within 1 cm of the hairline, eyes, nose, mouth or ears. Imiquimod is not indicated for recurrent, invasive, infiltrating, or nodular basal cell carcinoma. External anogenital warts Imiquimod is not indicated for external genital and perianal warts (condyloma acuminata). Renewal from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following: Inadequate response to initial treatment for superificial basal cell carcinoma. Note: Every effort should be made to biopsy the lesion to confirm that it is a superificial basal cell carcinoma. PODOPHYLLOTOXIN Soft 0.5%		for 4 months for a	pplications me	eeting ti	ne following criteria:
2 The patient has external anogenital warts and podophyllotxin is unable to be applied accurately to the site; or 3 The patient has confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate. Notes: Superficial basal cell carcinoma		oxin has been trie	d and failed (c	or is con	traindicated): or
Surgical excision remains first-line treatment for superficial basal cell carcinoma as it has a higher cure rate than imiquimod and allows histological assessment of tumour clearance. Iniquimod has not been evaluated for the treatment of superficial basal cell carcinoma within 1 cm of the hairline, eyes, nose, mouth or ears. Iniquimod is not indicated for recurrent, invasive, infiltrating, or nodular basal cell carcinoma. External anogenital warts Iniquimod is not indicated for external genital and perianal warts (condyloma acuminata). Renewal from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following: 1 Inadequate response to initial treatment for anogenital warts; or 2 New confirmed superficial basal cell carcinoma. Note: Every effort should be made to biopsy the lesion to confirm that it is a superficial basal cell carcinoma. PODOPHYLLOTOXIN Soln 0.5% a) Maximum of 3.5 ml per prescription b) Only on a prescription b) Only on apprescription b) Only on apprescription refer, page 167 CAPSAICIN – Subsidy by endorsement Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly. Cm 0.075% (2.5) PSM (2.5) PSM (2.5) PSM (2.5) PSM (2.5) PSM (7.00) PSM (7.00) PSM (7.00) PSM	 The patient has external anogenital warts and podophylloi The patient has confirmed superficial basal cell carcinoma contraindicated or inappropriate. 	oxin is unable to b	e applied acci	urately	to the site; or
• Imiquimod is not indicated for recurrent, invasive, infiltrating, or nodular basal cell carcinoma. • Imiquimod is not indicated for recurrent, invasive, infiltrating, or nodular basal cell carcinoma. • Imiquimod is only indicated for external genital and perianal warts (condyloma acuminata). Renewal from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following: I nadequate response to initial treatment for anogenital warts; or New confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate; or I nadequate response to initial treatment for superficial basal cell carcinoma. Note: Every effort should be made to biopsy the lesion to confirm that it is a superficial basal cell carcinoma. PODOPHYLLOTOXIN Soln 0.5%	 Surgical excision remains first-line treatment for superficia and allows histological assessment of tumour clearance. 				
External anogenital warts • Imiquimod is only indicated for external genital and perianal warts (condyloma acuminata). Renewal from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following: 1 Inadequate response to initial treatment for anogenital warts; or 2 New confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate; or 3 Inadequate response to initial treatment for superficial basal cell carcinoma. Note: Every effort should be made to biopsy the lesion to confirm that it is a superficial basal cell carcinoma. PDODPHYLLOTOXIN Soln 0.5% Autineoplastics FLUOROURACIL SODIUM Crm 5% CAPSAICIN – Subsidy by endorsement Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly. Crm 0.075% WOUND Management Products WYDROGEN PEROXIDE * Soin 20 vol – Maximum of 500 ml per prescription (2.35) PSM (7.00) P	nose, mouth or ears.				cm of the namine, eyes,
 Imiquimod is only indicated for external genital and perianal warts (condyloma acuminata). Renewal from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following: Inadequate response to initial treatment for anogenital warts; or New confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate; or Inadequate response to initial treatment for superficial basal cell carcinoma. Note: Every effort should be made to biopsy the lesion to confirm that it is a superficial basal cell carcinoma. PODOPHYLLOTOXIN Solin 0.5% a) maximum of 3.5 ml per prescription b) Only on a prescription b) Only on a prescription PLUOROURACIL SODIUM Crm 5% Calagesia For aspirin & chloroform application refer, page 167 CAPSALCIN – Subsidy by endorsement Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly. Crm 0.075% Crm 0.075% Topical PEROXIDE Yound Management Products MYDROGEN PEROXIDE Yound Management Products MYDROGEN PEROXIDE Soln 20 vol – Maximum of 500 ml per prescription 0.63 100 ml (2.35) PSM 3.13 500 ml (7.00) PSM (7.00) PSM (7.00) PSM 		ig, of fioudial baob		101.	
Any of the following: 1 Inadequate response to initial treatment for anogenital warts; or 2 New confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate; or 3 Inadequate response to initial treatment for superficial basal cell carcinoma. Note: Every effort should be made to biopsy the lesion to confirm that it is a superficial basal cell carcinoma. PODOPHYLLOTOXIN Soln 0.5% a) Maximum of 3.5 ml per prescription b) Only on a prescription Other Skin Preparations Antineoplastics FLUOROURACIL SODIUM Crm 5% For aspirin & chloroform application refer, page 167 CAPSAICIN – Subsidy by endorsement Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly. Crm 0.075% Wound Management Products HYDROGEN PEROXIDE * Soln 20 vol – Maximum of 500 ml per prescription. (2.35) PSM 3.13 500 ml (7.00) PSM (PSM Soin 20 vol to be delisted 1 January 2011) MACNESIUM SULPHATE 2.98 80 g					
2 New confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate; or 3 Inadequate response to initial treatment for superficial basal cell carcinoma. Note: Every effort should be made to biopsy the lesion to confirm that it is a superficial basal cell carcinoma. PODOPHYLLOTOXIN Soln 0.5% 33.60 a) Maximum of 3.5 ml per prescription b) Only on a prescription Other Skin Preparations Antineoplastics FLUOROURACIL SODIUM Crm 5% 26.49 20 g OP CAPSAICIN – Subsidy by endorsement Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly. Crm 0.075% 12.50 45 g OP ✓ Zostrix HP Wound Management Products HYDROGEN PEROXIDE 80 g * Soln 20 vol - Maximum of 500 ml per prescription. 0.63 100 ml (2.35) PSM 3.13 500 ml 7.00 (PSM Soln 20 vol to be delisted 1 January 2011) Accordingly PSM	Any of the following:		is meeting the	followin	ng criteria:
3 Inadequate response to initial treatment for superficial basal cell carcinoma. Note: Every effort should be made to biopsy the lesion to confirm that it is a superficial basal cell carcinoma. PODOPHYLLOTOXIN Soln 0.5%	2 New confirmed superficial basal cell carcinoma where oth		ents, including	g surgic	al excision, are contraindi-
Note: Every effort should be made to biopsy the lesion to confirm that it is a superficial basal cell carcinoma. PODOPHYLLOTOXIN Soln 0.5% .33.60 3.5 ml OP ✓ Condyline a) Maximum of 3.5 ml per prescription .33.60 3.5 ml OP ✓ Condyline b) Only on a prescription		al call coreiname			
Soln 0.5%	Note: Every effort should be made to biopsy the lesion to confirm		cial basal cell	carcino	ma.
a) Maximum of 3.5 ml per prescription b) Only on a prescription Other Skin Preparations Antineoplastics FLUOROURACIL SODIUM Crm 5%		00.00			andulina
Other Skin Preparations Antineoplastics FLUOROURACIL SODIUM Crm 5% For aspirin & chloroform application refer, page 167 CAPSAICIN – Subsidy by endorsement Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly. Crm 0.075% Crm 0.075% HYDROGEN PEROXIDE * Soln 20 vol – Maximum of 500 ml per prescription (2.35) PSM (2.35) (2.35) PSM (7.00) (PSM Soln 20 vol to be delisted 1 January 2011) MAGNESIUM SULPHATE Paste 2.98 80 g	a) Maximum of 3.5 ml per prescription		3.5 MI OP	• 0	ondynne
Antineoplastics FLUOROURACIL SODIUM Crm 5% Crm 5% Topical Analgesia For aspirin & chloroform application refer, page 167 CAPSAICIN – Subsidy by endorsement Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly. Crm 0.075% Crm 0.075% Mound Management Products HYDROGEN PEROXIDE * Soln 20 vol – Maximum of 500 ml per prescription. 0.63 100 ml (2.35) PSM 3.13 500 ml (7.00) PSM (PSM Soln 20 vol to be delisted 1 January 2011) MAGNESIUM SULPHATE Paste 2.98 80 g					
FLUOROURACIL SODIUM Crm 5% 26.49 20 g OP ✓ Efudix Topical Analgesia For aspirin & chloroform application refer, page 167 CAPSAICIN – Subsidy by endorsement Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly. Crm 0.075% 45 g OP ✓ Zostrix HP Wound Management Products 12.50 45 g OP ✓ Zostrix HP HYDROGEN PEROXIDE * Soln 20 vol – Maximum of 500 ml per prescription. 0.63 100 ml (2.35) PSM 3.13 500 ml (7.00) PSM (PSM Soln 20 vol to be delisted 1 January 2011) MAGNESIUM SULPHATE Paste 2.98 80 g	other okin i reparations				
Crm 5%	Antineoplastics				
Topical Analgesia For aspirin & chloroform application refer, page 167 CAPSAICIN – Subsidy by endorsement Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly. Crm 0.075% 12.50 45 g OP ✓ Zostrix HP Wound Management Products HYDROGEN PEROXIDE 8 100 ml 100 ml (2.35) PSM 3.13 500 ml (PSM Soln 20 vol to be delisted 1 January 2011) MAGNESIUM SULPHATE Paste 2.98 80 g			20 a OP	🖌 Ei	fudix
CAPSAICIN – Subsidy by endorsement Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly. Crm 0.075%	Topical Analgesia		- 3 -		
Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly. Crm 0.075% 12.50 45 g OP ✓ Zostrix HP Wound Management Products HYDROGEN PEROXIDE * Soln 20 vol – Maximum of 500 ml per prescription. 0.63 100 ml (2.35) PSM 3.13 500 ml (PSM Soln 20 vol to be delisted 1 January 2011) PSM MAGNESIUM SULPHATE 2.98 80 g	For aspirin & chloroform application refer, page 167				
accordingly. Crm 0.075% 12.50 45 g OP ✓ Zostrix HP Wound Management Products HYDROGEN PEROXIDE * Soln 20 vol – Maximum of 500 ml per prescription0.63 100 ml (2.35) PSM 3.13 500 ml (7.00) PSM (PSM Soln 20 vol to be delisted 1 January 2011) PSM MAGNESIUM SULPHATE 2.98 80 g					
Crm 0.075% .12.50 45 g OP ✓ Zostrix HP Wound Management Products HYDROGEN PEROXIDE * Soln 20 vol – Maximum of 500 ml per prescription0.63 100 ml (2.35) PSM 3.13 500 ml (7.00) PSM (PSM Soln 20 vol to be delisted 1 January 2011) MAGNESIUM SULPHATE Paste 2.98 80 g		diabetic periphera	al neuropathy	and the	e prescription is endorsed
HYDROGEN PEROXIDE * Soln 20 vol – Maximum of 500 ml per prescription0.63 100 ml (2.35) PSM 3.13 500 ml (7.00) PSM (PSM Soln 20 vol to be delisted 1 January 2011) MAGNESIUM SULPHATE Paste	6,7		45 g OP	🗸 Z	ostrix HP
* Soln 20 vol – Maximum of 500 ml per prescription0.63 100 ml (2.35) PSM 3.13 500 ml (7.00) PSM MAGNESIUM SULPHATE 2.98 80 g 80 g	Wound Management Products				
(2.35) PSM 3.13 500 ml (<i>PSM Soln 20 vol to be delisted 1 January 2011</i>) MAGNESIUM SULPHATE Paste	HYDROGEN PEROXIDE				
3.13 500 ml (<i>PSM Soln 20 vol to be delisted 1 January 2011</i>) MAGNESIUM SULPHATE Paste2.98 80 g	* Soln 20 vol - Maximum of 500 ml per prescription		100 ml	-	
(7.00) PSM (PSM Soln 20 vol to be delisted 1 January 2011) MAGNESIUM SULPHATE Paste		· · ·	500 ml	P	SM
(PSM Soln 20 vol to be delisted 1 January 2011) MAGNESIUM SULPHATE Paste2.98 80 g			500 111	P	SM
Paste2.98 80 g	(PSM Soln 20 vol to be delisted 1 January 2011)	· · /			
, and the second s					
(4.90) PSM	Paste		80 g		CM
		(4.90)		P	ואוכ

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's Pric \$	ce) Su Per	Fully bsidised	Brand or Generic Manufacturer
Contraceptives - Non-hormonal				
Condoms				
ONDOMS				
49 mm – Up to 144 dev available on a PSO	1.11 13.36	12 144	✔ G ✔ M	old Knight old Knight arquisTantiliza hield 49
52 mm - Up to 144 dev available on a PSO	13.36	144	✓ M	arquis Selecta arquis Sensolite arquis Supalite
52 mm extra strength - Up to 144 dev available on a PSO		144		arquis Protecta
53 mm – Up to 144 dev available on a PSO		12		hield Blue
	13.36	144		hield Blue
	1.11	12		old Knight
	13.36	144	🖌 М	old Knight arquis Black arquis Titillata
53 mm (chocolate) – Up to 144 dev available on a PSO	1.11	12		old Knight
	13.36	144	🖌 G	old Knight
53 mm (strawberry) – Up to 144 dev available on a PSO	1.11	12	🖌 G	old Knight
	13.36	144	🖌 G	old Knight
53 mm extra strength - Up to 144 dev available on a PSO	1.11	12	🖌 G	old Knight
	13.36	144	🖌 G	old Knight
54 mm, shaped – Up to 144 dev available on a PSO	1.12	12		
	(1.24) 13.36	144		festyles Flared
55 mm - He to 444 day and lighter on a DOO	(14.84)	40		festyles Flared
55 mm – Up to 144 dev available on a PSO	13.36	12 144	🖌 G	old Knight old Knight arguis Conforma
56 mm - Up to 144 dev available on a PSO	13.36	144		urex Select Flavours
56 mm extra strength – Up to 144 dev available on a PSO		144		urex Extra Safe
56 mm, shaped – Up to 144 dev available on a PSO		12		urex Confidence
	13.36	144		urex Confidence
60 mm - Up to 144 dev available on a PSO		144	V SI	hield XL
Spermicidal Agents				
PELICATOR When ordered with a spermicide.	1.04	1		rtha
Applicator – Up to 1 dev available on a PSO Prtho Applicator to be delisted 1 January 2011)	4.34	1	✔ 0	TUIO
DNOXYNOL-9 Jelly 2% – Up to 108 g available on a PSO Synol II Jelly 2% to be delisted 1 January 2011)	10.95	108 g OP	🖌 G	ynol II

66

	Subsidy (Manufacturer's Price) \$	l Subsid Per	=ully ised ✔	Brand or Generic Manufacturer
Contraceptive Devices				
DIAPHRAGM – Up to 1 dev available on a PSO				
One of each size is permitted on a PSO. 55 mm	12 00	1	~ 0	rtho Coil
 € 60 mm 		-		rtho All-flex
				rtho Coil
€ 65 mm				rtho All-flex
			v 0	rtho Coil
🗧 70 mm		1	✔ 0	rtho All-flex
			✓ 0	rtho Coil
€ 75 mm		-		rtho All-flex
				rtho Coil
< 80 mm		•	• •	rtho All-flex
(05 mm	40.00			rtho Coil
€ 85 mm				rtho All-flex rtho Coil
 90 mm 	12 00			rtho All-flex
30 mm	42.90	-		rtho Coil
Ortho Coil 55 mm to be delisted 1 January 2011) Ortho All-flex 60 mm to be delisted 1 January 2011) Ortho Coil 60 mm to be delisted 1 January 2011) Ortho Coil 65 mm to be delisted 1 January 2011) Ortho Coil 70 mm to be delisted 1 January 2011) Ortho Coil 75 mm to be delisted 1 January 2011) Ortho Coil 80 mm to be delisted 1 January 2011) Ortho All-flex 85 mm to be delisted 1 January 2011) Ortho Coil 85 mm to be delisted 1 January 2011) Ortho All-flex 90 mm to be delisted 1 January 2011) Ortho All-flex 90 mm to be delisted 1 January 2011) Ortho Coil 90 mm to be delisted 1 January 2011)				
NTRA-UTERINE DEVICE a) Up to 40 dev available on a PSO b) Only on a PSO				
* IUD				ultiload Cu 375 ultiload Cu 375 SL

Combined Oral Contraceptives

➡SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Either:

- 1.1 Patient is on a Social Welfare benefit; or
- 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

1 Patient is on a Social Welfare benefit; or

continued...

	Subsidy (Manufacturer's Price \$	e) S Per	Fully ubsidised	Brand or Generic Manufacturer
continued				
2 Patient has an income no greater than the benefit.				
Notes: The approval numbers of Special Authorities approve	ed after 1 November 199	9 are inte	erchangea	ble between Mercilon an
flarvelon.		,		
The additional subsidy will fund Mercilon and Marvelon up to	o the manufacturer's price	ce for eac	h of these	e products as identified of
ne Schedule at 1 November 1999.				
Special Authorities approved before 1 November 1999 remain	n valid until the expiry da	ite and ca	n be rene	wed providing that wome
re still either:				
 on a Social Welfare benefit; or boxs on income no greater than the boxefit 				
 have an income no greater than the benefit. The approval numbers of Special Authorities approved befor 	o 1 November 1000 are	intoroban	acabla fo	r producto within the cor
ined oral contraceptives and progestogen-only contraceptive				
	es groups, except Loette			
ETHINYLOESTRADIOL WITH DESOGESTREL	0.00	<u></u>		
* Tab 20 μg with desogestrel 150 μg		63		orailan Ot
a) Higher subsidy of \$13.80 per 63 tab with Special A	(16.50)	the proce		ercilon 21
b) Up to 63 tab available on a PSO	utionly see SA0500 on	ine prece	ung page	
 Tab 20 μg with desogestrel 150 μg and 7 inert tab 	6 60	84		
e Tab 20 µg with desogestrer 150 µg and 7 ment tab	(16.50)	04	М	ercilon 28
a) Higher subsidy of \$13.80 per 84 tab with Special A	· · · ·	the nrece		
b) Up to 84 tab available on a PSO			ang pago	
 Fab 30 μg with desogestrel 150 μg 	6.62	63		
· · · · · · · · · · · · · · · · · · ·	(16.50)		М	arvelon 21
a) Higher subsidy of \$13.80 per 63 tab with Special A	uthority see SA0500 on	the prece	ding page	
b) Up to 63 tab available on a PSO				
* Tab 30 µg with desogestrel 150 µg and 7 inert tab	6.62	84		
	(16.50)		М	arvelon 28
a) Higher subsidy of \$13.80 per 84 tab with Special A	uthority see SA0500 on	the prece	ding page	
 b) Up to 84 tab available on a PSO 				
THINYLOESTRADIOL WITH LEVONORGESTREL				
K Tab ethinyloestradiol 30 μg with levonorgestrel 50 μg (6)	and			
tab ethinyloestradiol 40 µg with levonorgestrel 75 µg				
and tab ethinyloestradiol 30 µg with levonorgestrel 12	25 µg			
(10) and 7 inert tab – Up to 84 tab available on a P		84	🖌 Ti	ifeme
K Tab 50 μg with levonorgestrel 125 μg and 7 inert tab – L				
84 tab available on a PSO		84	🖌 M	icrogynon 50 ED
K Tab 30 μg with levonorgestrel 150 μg		63		
	(16.50)			icrogynon 30
a) Higher subsidy of \$15.00 per 63 tab with Special A	uthority see SA0500 on	the prece	ding page	
b) Up to 63 tab available on a PSO	0.00	0.4		
K Tab 30 μg with levonorgestrel 150 μg and 7 inert tab		84		evlen ED onofeme
	(14.49)			onoteme ordette 28
	(14.49) (16.50)			icrogynon 30 ED
a) Literative statistics of the Addition of th	()			
 a) Higher subsidy of up to \$15.00 per 84 tab with Spe 	CIAL ALITHORITY COD SAUK			

(Trifeme Tab ethinyloestradiol 30 μ g with levonorgestrel 50 μ g (6) and tab ethinyloestradiol 40 μ g with levonorgestrel 75 μ g (5), and tab ethinyloestradiol 30 μ g with levonorgestrel 125 μ g (10) and 7 inert tab to be delisted 1 November 2010)

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
ETHINYLOESTRADIOL WITH NORETHISTERONE				
* Tab 35 μg with norethisterone 1 mg – Up to 63 tab available on a PSO	6.62	63	🖌 E	Brevinor 1/21
* Tab 35 μg with norethisterone 1 mg and 7 inert tab – Up to 84 tab available on a PSO	6.62	84	/ E	Brevinor 1/28
* Tab 35 μg with norethisterone 500 μg – Up to 63 tab available on a PSO	6.62	63	✔ E	Brevinor 21
* Tab 35 μg with norethisterone 500 μg and 7 inert tab – Up to 84 tab available on a PSO	6.62	84	~ N	lorimin
NORETHISTERONE WITH MESTRANOL * Tab 1 mg with mestranol 50 μg and 7 inert tab	(13.80)	84		Jorinyl-1/28
 a) Higher subsidy of \$13.80 per 84 tab with Special Author b) Up to 84 tab available on a PSO 	ity see SA0500 on p	age 67		
Combined Oral Contraceptives - Other				
ETHINYLOESTRADIOL WITH LEVONORGESTREL * Tab 20 μg with levonorgestrel 100 μg and 7 inert tab – Up to 84 tab available on a PSO		84		.oette /licrogynon 20 ED
Progestogen-only Contraceptives	. ,			
Initial application from any medical practitioner. Approvals valid f Both: 1 Either: 1.1 Patient is on a Social Welfare benefit; or 1.2 Patient has an income no greater than the benefit; a 2 Has tried at least one of the fully funded options and has be Renewal from any medical practitioner. Approvals valid for 2 years Either: 1 Patient is on a Social Welfare benefit; or 2 Patient has an income no greater than the benefit. Notes: The approval numbers of Special Authorities approved after Marvelon. The additional subsidy will fund Mercilon and Marvelon up to the the Schedule at 1 November 1999. Special Authorities approved before 1 November 1999 remain valia are still either: • on a Social Welfare benefit; or • have an income no greater than the benefit. The approval numbers of Special Authorities approved before 1 No bined oral contraceptives and progestogen-only contraceptives greater a) Higher subsidy of \$13.80 per 84 tab with Special Author	nd een unable to tolerat s for applications me er 1 November 1999 manufacturer's price d until the expiry dat lovember 1999 are i pups, except Loette a 	e it. eting th are inf e for ea e and c ntercha and Mic 84	terchanges ch of thes an be rend ingeable fo	g criteria: able between Mercilon and e products as identified or ewed providing that womer or products within the com-
 b) Up to 84 tab available on a PSO Subdermal implant (2 × 75 mg rods) 		1	V <u>J</u>	adelle
t safety cap	Three months supply r			

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy		Fully Brand or
	(Manufacturer's Pric \$	e) Sut Per	osidised Generic Manufacturer
	Ψ	I EI	• Manuacturer
MEDROXYPROGESTERONE ACETATE * Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a PSC	D7.15	1	✔ Depo-Provera
NORETHISTERONE * Tab 350 µg – Up to 84 tab available on a PSO	7.15	84	✓ Noriday 28
Emergency Contraceptives			
LEVONORGESTREL * Tab 1.5 mg a) Maximum of 2 tab per prescription b) Up to 5 tab available on a PSO	12.50	1	✔ Postinor-1
Antiandrogen Oral Contraceptives			
Prescribers may code prescriptions "contraceptive" (code "O") whe			
 prescription charge will be as per other contraceptives, as follows: \$3.00 prescription charge (patient co-payment) will apply. prescription may be written for up to six months supply. Prescriptions coded in any other way are subject to the non contra of supply. ie. Prescriptions may be written for up to three months sic CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL 		on charges,	and the non-contraceptive period
 Tab 2 mg with ethinyloestradiol 35 µg and 7 inert tabs 		84	✔ Ginet 84
ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC AC Jelly with glacial acetic acid 0.94%, hydroxyquinoline sul- phate 0.025%, glycerol 5% and ricinoleic acid 0.75% with applicator		100 g OP	Aci-Jel
	(24.00)		
CLOTRIMAZOLE Vaginal crm 1% with applicators 	1 20	25 a OP	Clomazol
 Vaginal crm 1% with applicators * Vaginal crm 2% with applicators 		35 g OP 20 g OP	Clomazol
MICONAZOLE NITRATE	2.00	20 9 01	
Vaginal crm 2% with applicator	2 75	40 g OP	
	(3.70)		Micreme
NYSTATIN	. ,		
Vaginal crm 100,000 u per 5 g with applicator(s)	4.71	75 g OP	✓ Nilstat
Myometrial and Vaginal Hormone Preparations		<u> </u>	
ERGOMETRINE MALEATE			
Inj 500 μg per ml, 1 ml – Up to 5 inj available on a PSO	11.60	5	🗸 Mayne
METHYLERGOMETRINE Inj 200 μg per ml, 1 ml – Up to 10 inj available on a PSO (Hospira sza Inj 200 μg per ml, 1 ml to be delisted 1 March 2011)	9.28	10	✔ Hospira S29
OESTRIOL * Crm 1 mg per g with applicator * Pessaries 500 μg		15 g OP 15	✓ Ovestin✓ Ovestin

70

(1	Subsidy Manufacturer's Pr	rice) Subs	,	and or
		000) 00000	iaisea Ge	eneric
	\$	Per	🖌 Ma	anufacturer
DXYTOCIN – Up to 5 inj available on a PSO				
Inj 5 iu per ml, 1 ml		5	Synto	
Inj 10 iu per ml, 1 ml		5	Synto	
Inj 5 iu with ergometrine maleate 500 μg per ml, 1 ml	10.12	5	♥ <u>Synu</u>	ometrine
Pregnancy Tests - hCG Urine				
PREGNANCY TESTS - HCG URINE				
a) Up to 200 test available on a PSO				
b) Only on a PSO				
Cassette	22.80	40 test OP		racon hCG One
			<u>Ste</u> Tes	p Pregnancy +
Irinany Aconto			165	
Urinary Agents				
or urinary tract Infections refer to INFECTIONS, Antibacterials, pag	ge 92			
5-Alpha Reductase Inhibitors				
INASTERIDE – Special Authority see SA0928 below – Retail phar	rmaov			
Tab 5 mg		30	🗸 Fintra	al
►>SA0928 Special Authority for Subsidy			· <u>· · · · · · · · · · · · · · · · · · </u>	<u> </u>
nitial application from any relevant practitioner. Approvals valid w	vithout further r	enewal unless	notified fo	r applications meeting
ne following criteria:				
Both:				
1 Patient has symptomatic benign prostatic hyperplasia; and				
 2 Either: 2.1 The patient is intolerant of non-selective alpha blockers 	e or these are (contraindicated	or	
2.2 Symptoms are not adequately controlled with non-sele			, 01	
lote: Patients with enlarged prostates are the appropriate candidate				
Alpha-1A Adrenoreceptor Blockers				
AMSULOSIN HYDROCHLORIDE - Special Authority see SA1032	pelow – Retail	pharmacy		
Cap 400 µg		30	🗸 Tams	ulosin-Rex
SA1032 Special Authority for Subsidy				
nitial application from any relevant practitioner. Approvals valid w	vithout further r	enewal unless	notified fo	r applications meeting
ne following criteria:				
Both:				
1 Patient has symptomatic benign prostatic hyperplasia; and	ana ara contrair	diantad		
2 The patient is intolerant of non-selective alpha blockers or the	ese ale contrail	iuicaleu.		
Other Urinary Agents				
DXYBUTYNIN				
₭ Tab 5 mg		500		Dxybutynin
Oral liq 5 mg per 5 ml	50.40	473 ml OP	🖌 Аро-С	Oxybutynin
SODIUM CITRO-TARTRATE			A	
Grans eff 4 g sachets		28	🗸 Ural	
SOLIFENACIN SUCCINATE - Special Authority see SA0998 on the				
Tab 5 mg		30	Vesic	are
Tab 10 mg		30	Vesic	

	Subsidy (Manufacturer's F \$	Price) Subsi Per	Fully idised	Brand or Generic Manufacturer
SA0998 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valio overactive bladder and a documented intolerance of oxybutynin.	d without furthe	r renewal unles	s notifi	ed where the patient has
Detection of Substances in Urine				
ORTHO-TOLIDINE				
* Compound diagnostic sticks	7.50 (8.25)	50 test OP	He	emastix
TETRABROMOPHENOL				
* Blue diagnostic strips	7.02 (13.92)	100 test OP	AI	bustix

72

	Subsidy (Manufacturer's Pric	ne) Sui	Fully Brand or bsidised Generic
	\$	Per	✓ Manufacturer
nabolic Agents			
NDROLONE DECANOATE – Retail pharmacy-Specialist Inj 50 mg per ml, 1 ml	21.16	1	Deca-Durabolin
			Orgaject S29
corticosteroids and Related Agents for Systemic	c Use		
TAMETHASONE SODIUM PHOSPHATE WITH BETAMETHAS	ONE ACETATE		
Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1ml	19.20	5	
	(33.60)		Celestone
			Chronodose
XAMETHASONE			
Tab 1 mg – Retail pharmacy-Specialist	16.08	100	Douglas
Up to 30 tab available on a PSO	04.00	100	Develo
Tab 4 mg – Retail pharmacy-Specialist	61.89	100	Douglas
Up to 30 tab available on a PSO Oral liq 1 mg per ml – Retail pharmacy-Specialist	30.00	25 ml OP	Biomed
Oral lig prescriptions:		23 III UF	➡ Dioineu
1) Must be written by a Paediatrician or Paediatric Card	diologist: or		
2) On the recommendation of a Paediatrician or Paedia	U .		
EXAMETHASONE SODIUM PHOSPHATE	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
Inj 4 mg per ml, 1 ml – Up to 5 inj available on a PSO	21.50	5	Hospira
Inj 4 mg per ml, 2 ml – Up to 5 inj available on a PSO		5	✓ Hospira
UDROCORTISONE ACETATE			
Tab 100 µg	7 62	100	Florinef
		100	
/DROCORTISONE Tab 5 mg	9.25	100	✓ Douglas
Tab 20 mg		100	✓ Douglas
Inj 50 mg per ml, 2 ml		1	✓ <u>Bougids</u> ✓ Solu-Cortef
a) Up to 5 inj available on a PSO			
b) Only on a PSO			
THYLPREDNISOLONE – Retail pharmacy-Specialist			
Tab 4 mg		100	Medrol
Tab 100 mg		20	✓ Medrol
ETHYLPREDNISOLONE ACETATE			
Inj 40 mg per ml, 1 ml	6.03	1	✓ Depo-Medrol
ETHYLPREDNISOLONE ACETATE WITH LIGNOCAINE			
Inj 40 mg per ml with lignocaine 1 ml	6.03	1	Depo-Medrol with
	0.00	,	lidocaine
THYLPREDNISOLONE SODIUM SUCCINATE - Retail pharm	nacy-Specialist		
In the main of the		25	✓ Solu-Medrol
Inj 62.5 mg per ml, 2 ml		25	Solu-Medrol
Inj 500 mg		1	Solu-Medrol
		1	Solu-Medrol
Inj 1 g			
Inj 1 g REDNISOLONE SODIUM PHOSPHATE Oral lig 5 mg per ml – Up to 30 ml available on a PSO		30 ml OP	✓ Redipred

(1	Subsidy Manufacturer's Price)	S Per	Fully	Brand or Generic Manufacturer
	\$	Per	~	Manulaclurer
PREDNISONE	10.00			D 1 1
* Tab 1 mg		500		po-Prednisone
* Tab 2.5 mg		500		po-Prednisone
* Tab 5 mg – Up to 30 tab available on a PSO		500		po-Prednisone
* Tab 20 mg	29.03	500	• <u>A</u>	po-Prednisone
TETRACOSACTRIN				
∗ Inj 250 μg		10		ynacthen
* Inj 1 mg per ml, 1 ml	26.88	1	✓ <u>s</u>	ynacthen Depot
TRIAMCINOLONE ACETONIDE				
Inj 10 mg per ml, 1 ml	11.11	5	🖌 К	enacort-A
lnj 40 mg per ml, 1 ml		5	V K	enacort-A40
Sex Hormones Non Contraceptive				
Androgen Agonists and Antagonists				
CYPROTERONE ACETATE – Retail pharmacy-Specialist				
Tab 50 mg	21.10	50	🗸 S	iterone
Tab 100 mg		50		iterone
TESTOSTERONE				
Transdermal patch, 2.5 mg per day	80.00	60	ا ۸	ndroderm
		00	• •	
ESTOSTERONE CYPIONATE – Retail pharmacy-Specialist			4 -	_
Inj long-acting 100 mg per ml, 10 ml	61.41	1	✓ <u>D</u>	epo-Testosterone
FESTOSTERONE ESTERS – Retail pharmacy-Specialist				
Inj 250 mg per ml, 1 ml	12.98	1	🖌 S	ustanon Ampoules
TESTOSTERONE UNDECANOATE – Retail pharmacy-Specialist				
Cap 40 mg		100	🖌 A	rrow-Testosterone
Hormone Replacement Therapy - Systemic		_		

SA1018 Special Authority for Alternate Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 years for applications meeting the following criteria: Any of the following:

- 1 acute or significant liver disease where oral oestrogens are contraindicated as determined by a gastroenterologist or general physician. The applicant must keep written confirmation from such a specialist with the patient's record; or
- 2 oestrogen induced hypertension requiring antihypertensive therapy documented evidence must be kept on file that raised blood pressure levels or inability to control blood pressure adequately occurred post oral oestrogens; or
- 3 hypertriglyceridaemia documented evidence must be kept on file that triglyceride levels increased to at least $2 \times$ normal triglyceride levels post oral oestrogens; or
- 4 Somatropin co-therapy patient is being prescribed somatropin with subsidy provided under a valid approval issued under Special Authority.

Note: Prescriptions with a valid Special Authority (CHEM) number will be reimbursed at the level of the lowest priced TDDS product within the specified dose group.

Renewal from any relevant practitioner. Approvals valid for 5 years where the treatment remains appropriate and the patient is benefiting from treatment, or the patient remains on subsidised somatropin co-therapy.

Prescribing Guideline

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

	Subsidy (Manufacturer's Pr \$	ice) Sul Per	Fully Brand or osidised Generic ✓ Manufacturer
Oestrogens			
OESTRADIOL – See prescribing guideline on the preceding p	ane		
* Tab 1 mg	0	28 OP	
5	(10.55)		Estrofem
* Tab 2 mg		28 OP	
	(10.55)		Estrofem
* TDDS 25 µg per day		8	Estraderm TTS 25
 a) Higher subsidy of \$10.86 per 8 patch with Special At b) No more than 2 patch per week c) Only on a prescription 	(10.86) uthority see SA1018	on the preced	
* TDDS 3.9 mg (releases 50 µg of oestradiol per day)	4.12	4	
	(13.18)		Climara 50
	(32.50)		Femtran 50
 a) Higher subsidy of \$13.18 per 4 patch with Special Au b) No more than 1 patch per week c) Only on a prescription 	Ithority see SA1018	on the preced	aing page
* TDDS 50 µg per day	4.12	8	
	(13.18)		Estraderm TTS 50
	(13.18)		Estradot 50 µg
 a) Higher subsidy of \$13.18 per 8 patch with Special Au b) No more than 2 patch per week c) Only on a prescription 			ding page
* TDDS 7.8 mg (releases 100 µg of oestradiol per day)		4	0.1
	(16.14)		Climara 100
a) Higher subsidy of \$16.14 per 4 patch with Special Au	(35.00)	on the proces	Femtran 100
 b) No more than 1 patch per week c) Only on a prescription 	anonty see SATUTO		ang page
* TDDS 100 μg per day	7.05	8	
	(16.14)		Estraderm TTS 100
 a) Higher subsidy of \$16.14 per 8 patch with Special Au b) No more than 2 patch per week c) Only on a prescription 		on the preced	ding page
OESTRADIOL VALERATE – See prescribing guideline on the * Tab 1 mg		56	Progynova
* Tab 2 mg		56 56	 Progynova Progynova
0		00	• . roginova
OESTROGENS – See prescribing guideline on the preceding * Conjugated, equine tab 300 µg	µaye ג∩ו	28	
- Conjugatou, equine lab 000 µg	(11.48)	20	Premarin
* Conjugated, equine tab 625 µg		28	i tomann
· · · · · · · · · · · · · · · · · · ·	(11.48)		Premarin
Progestogens			
MEDROXYPROGESTERONE ACETATE - See prescribing gu	uideline on the prece	ding page	
* Tab 2.5 mg		30	Provera
* Tab 5 mg		100	Provera
* Tab 10 mg	6.85	30	Provera

	Subsidy (Manufacturer's Price \$	e) Si Per	Fully Brand or iubsidised Generic V Manufacturer
Progestogen and Oestrogen Combined Prepara	tions		
OESTRADIOL WITH NORETHISTERONE – See prescribing gui * Tab 1 mg with 0.5 mg norethisterone acetate	1.0	28 OP	Kliovance
* Tab 2 mg with 1 mg norethisterone acetate	5.40 (14.52)	28 OP	Kliogest
* Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg oestradiol tab (12) and 1 mg oestradiol tab (6)		28 OP	Trisequens
OESTROGENS WITH MEDROXYPROGESTERONE - See pres * Tab 625 µg conjugated equine with 2.5 mg medroxyproges-	00		
terone acetate tab (28)	5.40 (22.96)	28 OP	Premia 2.5 Continuous
* Tab 625 µg conjugated equine with 5 mg medroxyproges- terone acetate tab (28)	5.40 (22.96)	28 OP	Premia 5 Continuous
Other Oestrogen Preparations	к <i>У</i>		
ETHINYLOESTRADIOL * Tab 10 μg	17.60	100	✓ <u>NZ Medical and</u> <u>Scientific</u>
OESTRIOL * Tab 2 mg	7.00	30	✔ Ovestin
Other Progestogen Preparations			
DYDROGESTERONE Tab 10 mg	15.40 (16.75)	28	Duphaston
LEVONORGESTREL * Levonorgestrel - releasing intrauterine system 20µg/24 hr – Special Authority see SA0782 below – Retail pharmacy.		1	✔ Mirena

➡SA0782 Special Authority for Subsidy

Initial application — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- 3 Either:
 - 3.1 serum ferritin level < 16 $\mu g/l$ (within the last 12 months); or
 - 3.2 haemoglobin level < 120 g/l.
- Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Initial application — (Previous use before 1 October 2002) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

76

		Subsidy (Manufacturer's Price \$) Per	Fully Subsidised	Brand or Generic Manufacturer
2 Patient demo	nad a clinical diagnosis of heavy menstrual b onstrated clinical improvement of heavy mens state date of the previous insertion.				
Note: Applications a	are not to be made for use in patients as con a relevant specialist or general practitioner.				
1 Either: 1.1 Patier 1.2 Previo	nt demonstrated clinical improvement of heav bus insertion was removed or expelled within state date of the previous insertion.	, ,			
	STERONE ACETATE Retail pharmacy-Specialist	96.50	100	🖌 Pi	overa
* Tab 200 mg -	Retail pharmacy-Specialist		30		rovera
NORETHISTERON * Tab 5 mg – Up	E to 30 tab available on a PSO	25.00	100	✓ PI	rimolut N
Thyroid and A	ntithyroid Agents				
CARBIMAZOLE					
8		10.80	100	✓ N	eo-Mercazole
* Tab 50 µg		1 71	28	v 6	oldshield
* 1ab 50 µg		45.00	1,000	V S	ynthroid
± Safetv cap	for extemporaneously compounded oral liqu	64.28 id preparations.		V E	troxin
			28		oldshield
		46.75	1,000		ynthroid
t Safety can	for extemporaneously compounded oral liqu	66.78 iid preparations		V E	troxin
* Tab 25 μg	for extemporaneously compounded oral liqu		1,000	🖌 S	ynthroid
Trophic Horm	, , , ,	iu preparations.			
Growth Hormo					
	al Authority for Subsidy				
	pproved by the Growth Hormone Committee				
Notes: Subject to b	udgetary cap. Applications will be considered			0	pility.
	nay be obtained from PHARMAC's website	http://www.pharmac.g	ovt.nz	or:	
	r < 10-254, WELLINGTON Fax: (09) 929 3221, Email: growthhormone⊄	@pharmac.govt.nz			
	pecial Authority see SA0755 above			4 -	
	iu (5.3 mg) iu (12 mg)		1	-	enotropin enotropin
 Inj cartridge 36 	iu (12 mg)		1	✓ <u>G</u>	enotropin_

(Subsidy Manufacturer's Price \$) Per	Full Subsidise	d Generic
GnRH Analogues				
GOSERELIN ACETATE				
Inj 3.6 mg	200.00	1	~	Zoladex
Inj 10.8 mg	500.00	1	~	Zoladex
EUPRORELIN				
Inj 3.75 mg	221.60	1	~	Lucrin Depot
Inj 3.75 mg prefilled syringe		1		Lucrin Depot PDS
Inj 7.5 mg		1	~	Eligard
Inj 11.25 mg	591.68	1	~	Lucrin Depot
Inj 11.25 mg prefilled syringe	591.68	1	~	Lucrin Depot PDS
Inj 22.5 mg	443.76	1	~	Eligard
Inj 30 mg		1		Eligard
Inj 30 mg prefilled syringe	·	1		Lucrin Depot PDS
Inj 45 mg	832.05	1	~	Eligard
Vasopressin Agonists				
ESMOPRESSIN				
Nasal drops 100 µg per ml – Retail pharmacy-Specialist		5 ml C	P V	Minirin
Nasal spray 10 µg per dose - Retail pharmacy-Specialist	29.94 6	6 ml Ol	• •	Desmopressin- PH&T
Inj 4 µg per ml, 1 ml – Special Authority see SA0090 below –				<u></u>
Retail pharmacy	67.18	10	V	Minirin
SA0090 Special Authority for Subsidy				
itial application only from a relevant specialist. Approvals valid	for 2 years where	the pa	atient can	not use desmopressin na
pray or nasal drops.	,			· · · · · · · · · · · · · · · · · · ·
enewal only from a relevant specialist Approvals valid for 2 yea	re whore the treat	mont r	omoine o	propriate and the pation

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Other Endocrine Agents

CABERGOLINE

Tab 0	.5 mg	- Maximum	of 2 tab	per	prescription; cal	n be
-------	-------	-----------	----------	-----	-------------------	------

Arrow-Cabergoline	V	2	waived by Special Authority see SA1031 below
Arrow-Cabergoline	~	8	66.00
Dostinex	~	2	16.50
Dostinex	~	8	66.00

SA1031 Special Authority for Waiver of Rule

Initial application only from an obstetrician, endocrinologist or gynaecologist. Approvals valid without further renewal unless notified where the patient has pathological hyperprolactinemia.

Renewal only from an obstetrician, endocrinologist or gynaecologist. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment.

CLOMIPHENE CITRATE

Tab 50 mg	2.50	5	Phenate
-	29.84	10	Serophene
(Dhanata Tab 50 may to be delicted 1 February 0011)			

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
DANAZOL – Retail pharmacy-Specialist Cap 100 mg Cap 200 mg (D-Zol Cap 200 mg to be delisted 1 November 2010)		100 30 100	✔ A ✔ D ✔ A	-Zol
GESTRINONE – Retail pharmacy-Specialist Cap 2.5 mg	101.87	8 OP	🗸 D	imetriose
METYRAPONE Cap 250 mg – Retail pharmacy-Specialist	238.00	50	🗸 M	letopirone

	Subsidy		Fully Brand or
	(Manufacturer's P		bsidised Generic
	\$	Per	 Manufacturer
Antholmintico			
Anthelmintics			
MEBENDAZOLE – Only on a prescription			
Tab 100 mg	17.28	24	✔ De-Worm
		15 ml	De-wollin
Oral liq 100 mg per 5 ml		15 111	Vermox
	(7.17)		Vermox
Antibacterials			
	50		
a) For topical antibacterials, refer to DERMATOLOGICALS, page			
 b) For anti-infective eye preparations, refer to SENSORY ORGAN 	S, page 159		
Cephalosporins and Cephamycins			
CEFACLOR MONOHYDRATE	00.00	100	A Danharry Osfaelar
Cap 250 mg		100	Ranbaxy-Cefaclor
Grans for oral liq 125 mg per 5 ml		100 ml	Ranbaxy-Cefaclor
CEFAZOLIN SODIUM – Subsidy by endorsement			
Only if prescribed for dialysis or cystic fibrosis patient and the	prescription is e	ndorsed acco	ordingly.
Inj 500 mg		5	Hospira
lnj 1 g		5	✓ Hospira
CEFOXITIN SODIUM – Retail pharmacy-Specialist – Subsidy by		adaraad aaa	and in all a
Only if prescribed for dialysis or cystic fibrosis patient and the			
lnj 1 g		5	Mayne
CEFTRIAXONE SODIUM – Subsidy by endorsement			
 a) Up to 5 inj available on a PSO 			
b) Subsidised only if prescribed for a dialysis or cystic fibro	sis patient, or th	e treatment o	of confirmed ciprofloxacin-resistant
gonorrhoea, or the treatment of suspected meningitis in patie	nts who have a k	nown allergy	to penicillin, and the prescription o
PSO is endorsed accordingly.			
Inj 500 mg	2.70	1	Veracol
, ,	3.99		🖌 AFT
lnj 1 g		5	Aspen Ceftriaxone
, ,	2.10	1	·
	(5.40)		AFT
(AFT Inj 1 g to be delisted 1 January 2011)	()		
CEFUROXIME AXETIL – Subsidy by endorsement	and the second		
Only if prescribed for prophylaxis of endocarditis and the pres			
Tab 250 mg		50	Zinnat
CEFUROXIME SODIUM			
Inj 250 mg – Maximum of 3 inj per prescription; can be waived			
by endorsement		10	Mayne
Inj 750 mg – Maximum of 1 inj per prescription; can be waived			·
		5	V Zinacef
by endorsement Inj 1.5 g – Retail pharmacy-Specialist – Subsidy by endorse-		5	✓ <u>Zinacef</u>
		4	 Zincoof
ment.		1 a andorood a	✓ <u>Zinacef</u>
Only if prescribed for dialysis or cystic fibrosis patient and	the prescription I	s enuorsed a	ccorulligiy.
CEPHALEXIN MONOHYDRATE			
Cap 500 mg		20	Cephalexin ABM
Grans for oral liq 125 mg per 5 ml	8.50	100 ml	Cefalexin Sandoz
Grans for oral liq 250 mg per 5 ml	11.50	100 ml	Cefalexin Sandoz

	Subsidy		Fully	Brand or
	(Manufacturer's Pri \$	ce) Su Per	bsidised ✓	Generic Manufacturer
Macrolides				
AZITHROMYCIN – Subsidy by endorsement; can be waived by S a) Maximum of 2 tab per prescription; can be waived by Spec b) Up to 8 tab available on a PSO c) Subsidised only if prescribed for patients with uncomplicated trachomatis and their sexual contacts and prescription or PSC SA0964.	ial Authority see S d urethritis or cervio	A0964 belo	w or presum	
Tab 500 mg	5.95	2 OP	✓ <u>A</u>	rrow-Azithromycin
►SA0964 Special Authority for Waiver of Rule Initial application only from a respiratory specialist or paediatri applications meeting the following criteria: All of the following:	cian. Approvals v	alid without	further r	enewal unless notified for
 The applicant is part of multidisciplinary team experienced The patient has been definitively diagnosed with cystic fibr The patient has chronic infection with Pseudomonas aer defined by two positive respiratory tract cultures at least th 	osis*; and uginosa or Pseud ree months apart*;	lomonas rel		
4 The patient has negative cultures for non-tuberculous mycr Notes: Caution is advised if using azithromycin as an antibiotic in Testing for non-tuberculosis mycobacteria should occur annually. Indications marked with * are Unapproved Indications (refer to Sec Part IV (Miscellaneous Provisions) rule 4.6).	the treatment of c			
CLARITHROMYCIN – Maximum of 500 mg per prescription; can	be waived by Spe	cial Authorit	y see SA	0988 below
Tab 250 mg	5.53 7.75	10 14	✓ KI	lacid lamycin
Grans for oral liq 125 mg per 5 ml		70 ml	✓ KI	
 Special Authority for Waiver of Rule Initial application — (Mycobacterial infections) only from a re Approvals valid for 2 years for applications meeting the following of Any of the following: Mycobacterium Avium Intracellulare Complex infections in Atypical and drug-resistant mycobacterial infection; or All of the following: Prophylaxis against disseminated Mycobacterium A HIV infection; and CD4 count ≤ 50 cells/mm³. 	riteria: patient with AIDS;	or		
Renewal — (Mycobacterial infections) only from a respiratory s valid for 2 years where the treatment remains appropriate and the				or paediatrician. Approvals
ERYTHROMYCIN ETHYL SUCCINATE Tab 400 mg – Up to 30 tab available on a PSO Grans for oral lig 200 mg per 5 ml – Up to 200 ml available		100	✓ <u>E-</u>	Mycin
on a PSO	4.35	100 ml	✓ <u>E-</u>	Mycin
Grans for oral liq 400 mg per 5 ml – Up to 200 ml available on a PSO		100 ml	✓ <u>E-</u>	Mycin
ERYTHROMYCIN LACTOBIONATE Inj 1 g	10.93	1	🖌 Er	rythrocin IV

	Subsidy (Manufacturer's P	rice) Sul	Fully Brand or bsidised Generic
	\$	Per	 Manufacturer
ERYTHROMYCIN STEARATE			
Tab 250 mg – Up to 30 tab available on a PSO	14.95	100	
	(22.29)		ERA
Tab 500 mg	29.90	100	
	(44.58)		ERA
ROXITHROMYCIN			
Tab 150 mg	8.98	50	✓ <u>Arrow-</u>
			Roxithromycin
Tab 300 mg	16.48	50	✓ <u>Arrow-</u>
			Roxithromycin
Penicillins			
AMOXYCILLIN			
Cap 250 mg – Up to 30 cap available on a PSO		500	Alphamox
	17.30		✓ Apo-Amoxi
Cap 500 mg		500	 Alphamox
	27.25		Apo-Amoxi
Grans for oral lig 125 mg per 5 ml - Up to 200 ml available			·
on a PSO	1.55	100 ml	Ospamox
Grans for oral liq 250 mg per 5 ml - Up to 200 ml available			
on a PSO		100 ml	✓ Ospamox
Drops 125 mg per 1.25 ml	4.00	30 ml OP	✓ Ospamox Paediatric
			Drops
Inj 250 mg	12.42	10	✓ <u>Ibiamox</u>
Inj 500 mg		10	✓ Ibiamox
Inj 1 g – Up to 5 inj available on a PSO	21.62	10	✓ Ibiamox
MOXYCILLIN CLAVULANATE			
Tab amoxycillin 500 mg with potassium clavulanate 125 mg			
- Up to 30 tab available on a PSO		100	✓ Synermox
Grans for oral liq amoxycillin 125 mg with potassium clavu-			
lanate 31.25 mg per 5 ml - Up to 200 ml available on a			
PSO	2.20	100 ml	Curam
Grans for oral liq amoxycillin 250 mg with potassium clavu-			
lanate 62.5 mg per 5 ml – Up to 200 ml available on a			
PSO	3.85	100 ml	✓ Curam
BENZATHINE BENZYLPENICILLIN			
Inj 1.2 mega u per 2.3 ml – Up to 5 inj available on a PSO	315.00	10	Bicillin LA
BENZYLPENICILLIN SODIUM (PENICILLIN G)			
Inj 1 mega u – Up to 5 inj available on a PSO		10	✓ Sandoz
LUCLOXACILLIN SODIUM			- <u></u>
Cap 250 mg – Up to 30 cap available on a PSO	32.00	250	✓ <u>AFT</u>
Cap 500 mg		500	✓ <u>AFT</u>
Grans for oral liq 125 mg per 5 ml - Up to 200 ml available		000	* <u>ALL</u>
on a PSO		100 ml	✓ <u>AFT</u>
Grans for oral lig 250 mg per 5 ml – Up to 200 ml available		100 111	* <u>ALL</u>
on a PSO		100 ml	🖌 AFT
Inj 250 mg		10	✓ <u>Flucloxin</u>
Inj 500 mg		10	✓ Flucloxin

	Subsidy		Fully Brand or
	(Manufacturer's F \$	Price) Su Per	bsidised Generic Manufacturer
HENOXYMETHYLPENICILLIN (PENICILLIN V)			
Cap potassium salt 250 mg – Up to 30 cap available on a PSC	D9.71	50	Cilicaine VK
Cap potassium salt 500 mg		50	 Cilicaine VK
Grans for oral liq 125 mg per 5 ml – Up to 200 ml available			
on a PSO	1.68	100 ml	✓ AFT
Grans for oral liq 250 mg per 5 ml - Up to 200 ml available			
on a PSO	1.78	100 ml	✓ <u>AFT</u>
ROCAINE PENICILLIN			
Inj 1.5 mega u – Up to 5 inj available on a PSO		5	✓ <u>Cilicaine</u>
Tetracyclines			
OXYCYCLINE HYDROCHLORIDE			
Tab 50 mg – Up to 30 tab available on a PSO	2.90	30	
	(6.00)		Doxy-50
Tab 100 mg – Up to 30 tab available on a PSO	8.10	250	 Doxine
NOCYCLINE HYDROCHLORIDE			
Tab 50 mg		60	
Cap 100 mg	(12.05)	100	Mino-tabs
Cap 100 mg	(52.04)	100	Minomycin
Other Antibiotics	()		
or topical antibiotics, refer to DERMATOLOGICALS, page 56			
PROFLOXACIN			
Tab 250 mg – Up to 5 tab available on a PSO		30	Rex Medical
Tab 500 mg - Up to 5 tab available on a PSO	4.90	30	✓ Rex Medical
Tab 750 mg – Retail pharmacy-Specialist	7.54	30	Rex Medical
INDAMYCIN			
Cap hydrochloride 150 mg - Maximum of 4 cap per prescrip-			
tion; can be waived by endorsement - Retail pharmacy -			
Specialist	11.39	16	Dalacin C
Inj phosphate 150 mg per ml, 4 ml - Retail pharmacy-	16.00	1	🖌 Dalacin C
Specialist		I	
-TRIMOXAZOLE			
Tab trimethoprim 80 mg and sulphamethoxazole 400 mg –	17.00	500	🖌 Trisul
Up to 30 tab available on a PSO Oral lig trimethoprim 40 mg and sulphamethoxazole 200 mg		500	♥ IIISUI
per 5 ml – Up to 200 ml available on a PSO		100 ml	Deprim
DLISTIN SULPHOMETHATE – Retail pharmacy-Specialist – Sul			- Bobini
Only if prescribed for dialysis or cystic fibrosis patient and the			rdinaly
Inj 150 mg		1	Colistin-Link
ISIDIC ACID			
Tab 250 mg – Retail pharmacy-Specialist		12	Fucidin
Inj 500 mg sodium fusidate per 10 ml - Retail pharmacy-			
Specialist – Subsidy by endorsement	12.87	1	
			Fucidin

	Cubaidu		Fully Drand ar
	Subsidy (Manufacturer's P	rice) Su	Fully Brand or bsidised Generic
	\$	Per	 Manufacturer
GENTAMICIN SULPHATE			
Inj 10 mg per ml, 1 ml – Subsidy by endorsement	8.56	5	🗸 Mayne
Only if prescribed for a dialysis or cystic fibrosis patie accordingly.	ent or for prophylaxis of	of endocarditi	s and the prescription is endorsed
Inj 40 mg per ml, 2 ml - Subsidy by endorsement	9.00	10	✓ <u>Pfizer</u>
Only if prescribed for a dialysis or cystic fibrosis patie accordingly.	nt or for prophylaxis of	of endocarditi	s and the prescription is endorsed
TOBRAMYCIN			
Inj 40 mg per ml, 2 ml – Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient		5 s endorsed a	Ccordingly.
TRIMETHOPRIM			
* Tab 300 mg – Up to 30 tab available on a PSO	8.69	50	✓ <u>TMP</u>
VANCOMYCIN HYDROCHLORIDE – Subsidy by endorseme Only if prescribed for a dialysis or cystic fibrosis patient	or in the treatment of	pseudomemb	pranous colitis or for prophylaxis o
endocarditis and the prescription is endorsed accordingly Inj 50 mg per ml, 10 ml		1	✓ Pacific
		I	
Antifungals			
a) For topical antifungals refer to DERMATOLOGICALS, page	e 56		
b) For topical antifungals refer to GENITO URINARY, page 70)		
FLUCONAZOLE – Retail pharmacy-Specialist			
Cap 50 mg	6.82	28	✓ Pacific
Cap 150 mg		1	✓ <u>Pacific</u>
Cap 200 mg	19.05	28	✓ Pacific
ITRACONAZOLE – Retail pharmacy-Specialist			
Cap 100 mg	23.70	15	Sporanox
KETOCONAZOLE			
Tab 200 mg – Retail pharmacy-Specialist		30	 Nizoral
NYSTATIN			
Tab 500,000 u		50	Vilstat
Cap 500,000 u	12.81	50	Nilstat
TERBINAFINE			
Tab 250 mg	25.50	100	Apo-Terbinafine
Antimalarials			
HYDROXYCHLOROQUINE SULPHATE			4 - 4 - 4
* Tab 200 mg		100	Plaquenil
Antitrichomonal Agents			
METRONIDAZOLE	0.50	100	Trichozole
Tab 200 mg – Up to 30 tab available on a PSO Tab 400 mg		100 100	 Trichozole Trichozole
Oral lig benzoate 200 mg per 5 ml		100 ml	✓ FlagyI-S
Suppos 500 mg		10	✓ Flagyl
ORNIDAZOLE			
Tab 500 mg		10	🖌 Tiberal
· • • • • • • • •			

	Subsidy (Manufacturer's Price \$) Per	Full <u>y</u> Subsidise	
Antituberculotics and Antileprotics				
Note: There is no co-payment charge for all pharmaceuticals liste immigration status.	d in the Antituberc	ulotics	and Antil	eprotics group regardless o
DAPSONE – No patient co-payment payable				
Tab 25 mg	95.00	100	~	Dapsone S29
Tab 100 mg	110.00	100	~	Dapsone S29
ETHAMBUTOL HYDROCHLORIDE - No patient co-payment paya	ıble			
Tab 100 mg		56	~	Myambutol
Tab 400 mg	49.34	56	~	Myambutol
ISONIAZID – Retail pharmacy-Specialist				
No patient co-payment payable				
* Tab 100 mg	20.00	100	~	PSM
* Tab 100 mg with rifampicin 150 mg	90.04	100	~	Rifinah
* Tab 150 mg with rifampicin 300 mg	179.57	100	~	Rifinah
PYRAZINAMIDE – Retail pharmacy-Specialist				
No patient co-payment payable				
* Tab 500 mg		100	~	AFT-Pyrazinamide
RIFABUTIN – Retail pharmacy-Specialist				
No patient co-payment payable				
* Cap 150 mg	213.19	30	~	Mycobutin
RIFAMPICIN – Retail pharmacy-Specialist				
No patient co-payment payable				
* Tab 600 mg	114.40	30	~	Rifadin
* Cap 150 mg	58.66	100	~	Rifadin
* Cap 300 mg		100	~	Rifadin
* Oral liq 100 mg per 5 ml	12.66	60 ml	~	Rifadin

Antivirals

For eye preparations refer to Eye Preparations, Anti-Infective Preparations, page 159

Hepatitis B Treatment

ADEFOVIR DIPIVOXIL - Special Authority see SA0829 below - Retai	l pharmacy		
Tab 10 mg	670.00	30	 Hepsera

➡SA0829 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and
- Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT (> 1 $\times\,$ ULN); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load \geq 10 fold over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Either:
 - 5.1 Both:
 - 5.1.1 Patient is cirrhotic; and

	Subsidy	Fully	Brand or
(Mar	nufacturer's Price)	Subsidised	Generic
	\$ Pe	er 🖌	Manufacturer

continued...

5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or

5.2 Both:

5.2.1 Patient is not cirrhotic; and

5.2.2 adefovir dipivoxil to be used as monotherapy.

Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as:

i) raised serum ALT (> 1 $\times\,$ ULN); and

ii) HBV DNA greater than 100,000 copies per mL, or viral load \geq 10 fold over nadir; and

iii) Detection of N236T or A181T/V mutation.

Adefovir dipivoxil should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines. Adefovir dipivoxil should be avoided in pregnant women and children.

ENTECAVIR – Special Authority see SA0977 below – Retail pharmacy

30 V Baraclude

►SA0977 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naive; and
- 3 Entecavir dose 0.5 mg/day; and
- 4 Either:
 - 4.1 ALT greater than upper limit of normal; or
 - 4.2 Bridging fibrosis or cirrhosis (Metavir stage 3 or greater) on liver histology; and

5 Either:

5.1 HBeAg positive; or

5.2 patient has ≥ 2,000 IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and

- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV, HIV or HDV; and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and

10 No previous documented lamivudine resistance (either clinical or genotypic).

Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE - Special Authority see SA0832 on the next page - Retail pharmacy

Tab 100mg	143.00	28	V	Zeffix
Oral liq 5 mg per ml	90.00	240 ml	V	Zeffix

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

SA0832 Special Authority for Subsidy

Initial application only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 All of the following:
 - 1.1.1 HBsAg positive for more than 6 months; and
 - 1.1.2 HBeAg positive or HBV DNA positive defined as > 100,000 copies per ml by quantitative PCR at a reference laboratory; and
 - 1.1.3 ALT greater than twice upper limit of normal or bridging fibrosis or cirrhosis (Metavir stage 3 or 4 or equivalent) on liver histology clinical/radiological evidence of cirrhosis; or
 - 1.2 HBV DNA positive cirrhosis prior to liver transplantation; or
 - 1.3 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
 - 1.4 Hepatitis B surface antigen positive (HbsAg) patient who is receiving chemotherapy for a malignancy, or who has received such treatment within the previous two months; and
- 2 All of the following:
 - 2.1 No continuing alcohol abuse or intravenous drug use; and
 - 2.2 Not coinfected with HCV or HDV; and
 - 2.3 Neither ALT nor AST greater than 10 times upper limit of normal; and
 - 2.4 No history of hypersensitivity to lamivudine; and
 - 2.5 No previous lamivudine therapy with genotypically proven lamivudine resistance.

Renewal only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- Renewal for patients who have maintained continuous treatment and response to lamivudine
- 1 All of the following:
 - 1.1 Have maintained continuous treatment with lamivudine; and
 - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
 - 1.3 HBV DNA <100,00 copies per ml by quantitative PCR at a reference laboratory; or
- Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine 2 All of the following:
 - 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and
 - 2.2 Patient is cirrhotic; and

Documented resistance to lamivudine, defined as:

- 2.3 Patient has raised serum ALT (> 1 \times ULN); and
- 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
- 2.5 Detection of M204I or M204V mutation; or
- Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil
- 3 All of the following:
 - 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and Documented resistance to adefovir, defined as:
 - 3.2 Patient has raised serum ALT (> 1 \times ULN); and
 - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
 - 3.4 Detection of N236T or A181T/V mutation.

Herpesvirus Treatments

ACICLOVIR

*	Tab dispersible 200 mg1.98	25	🖌 Lovir
*	Tab dispersible 400 mg6.64	56	🖌 Lovir
	Tab dispersible 800 mg7.38	35	 Lovir

	Subsidy (Manufacturer's Price) \$	Sul Per	Fully bsidised	Brand or Generic Manufacturer
VALACICLOVIR – Special Authority see SA0957 below – Retail p Tab 500 mg	,	30	🖌 Va	altrex

SA0957 Special Authority for Subsidy

Initial application — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the patient has genital herpes with 2 or more breakthrough episodes in any 6 month period while treated with aciclovir 400 mg twice daily.

Renewal — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (ophthalmic zoster) from any medical practitioner. Approvals valid without further renewal unless notified where the patient has previous history of ophthalmic zoster and the patient is at risk of vision impairment.

Initial application — (CMV prophylaxis) from any medical practitioner. Approvals valid for 3 months where the patient has undergone organ transplantation.

Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE - Subsidy by endorsement; can be waived by Special Authority see SA1047 below

Endorsement for treatment of HIV/AIDS: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA1025 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note: Tenofovir disoproxil fumarate prescribed under endorsement for the treatment of HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1025, page 89

Tab 300 mg531	1.00 30	Viread
---------------	---------	--------

SA1047 Special Authority for Waiver of Rule

Initial application — (Confirmed Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased \geq 10 fold over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
 - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
 - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Initial application — (Pregnant) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 4 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 Either:
 - 2.1 HBV DNA > 20,000 IU/mL and ALT > ULN; or
 - 2.2 HBV DNA > 100 million IU/mL and ALT normal.

Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Either:
 - 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and

(Manufacturer's Price) Subsidised Generic \$ Per & Manufacturer	Subsidy (Manufacturer's Price) \$		Fully Subsidised		
--	---	--	---------------------	--	--

continued...

- 1.3 HBV DNA greater than 20,000 IU/mL or increased \geq 10 fold over nadir; and
- 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
 - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
 - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Renewal — (Subsequent Pregnancy) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 4 months for applications meeting the following criteria:

- Both:
 - 1 Patient is HBsAg positive and pregnant; and
 - 2 Either:
 - 2.1 HBV DNA > 20,000 IU/mL and ALT > ULN; or
 - 2.2 HBV DNA > 100 million IU/mL and ALT normal.

Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg
 positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg negative
 prior to commencing this agent.
- The recommended dose of Tenofovir disoproxil fumarate for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

Antiretrovirals

➡SA1025 Special Authority for Subsidy

Initial application — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Confirmed HIV infection; and
- 2 Any of the following:
 - 2.1 Symptomatic patient; or
 - 2.2 Patient aged 12 months and under; or
 - 2.3 Both:
 - 2.3.1 Patient aged 1 to 5 years; and
 - 2.3.2 Any of the following:
 - 2.3.2.1 CD4 counts < 1000 cells/mm³; or
 - 2.3.2.2 CD4 counts $< 0.25 \times$ total lymphocyte count; or
 - 2.3.2.3 Viral load counts > 100000 copies per ml; or
 - 2.4 Both:
 - 2.4.1 Patient aged 6 years and over; and
 - 2.4.2 CD4 counts < 350 cells/mm³.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

1 Prevention of maternal foetal transmission; or

2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria: Both:

1 Treatment course to be initiated within 72 hours post exposure; and

2 Either:

2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or

2.2 Patient has shared intravenous injecting equipment with a known HIV positive person.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

1 Treatment course to be initiated within 72 hours post exposure; and

2 Either:

2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or

2.2 Patient has shared intravenous injecting equipment with a known HIV positive person.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ - Special Authority see SA1025 on the preceding page - Retail pharmacy

Tab 50 mg158.33	30	Stocrin
Tab 200 mg474.99	90	Stocrin
Tab 600 mg474.99	30	 Stocrin

	Subsidy (Manufacturer's I \$	Price) Sub Per	Fully sidised	Brand or Generic Manufacturer
NEVIRAPINE - Special Authority see SA1025 on page 89 - Reta	il pharmacy			
Tab 200 mg		60	🖌 V	iramune
Oral suspension 10 mg per ml		240 ml	V V	iramune
				Suspension
Nucleosides Reverse Transcriptase Inhibitors				
ABACAVIR SULPHATE - Special Authority see SA1025 on page	89 – Retail pha	rmacy		
Tab 300 mg		60	🗸 Z	iagen
Oral liq 20 mg per ml		240 ml OP		iagen
ABACAVIR SULPHATE WITH LAMIVUDINE - Special Authority s	see SA1025 on	page 89 – Reta	il pharr	nacy
Note: Kivexa counts as two anti-retroviral medications for the				•
Tab 600 mg with lamivudine 300 mg		30		ivexa
DIDANOSINE [DDI] - Special Authority see SA1025 on page 89 -		ICV		
Cap 125 mg		30	🗸 V	idex EC
Cap 200 mg		30		idex EC
Cap 250 mg		30		idex EC
Cap 400 mg		30	V	idex EC
EMTRICITABINE - Special Authority see SA1025 on page 89 - F	Rotail nharmary			
Cap 200 mg		30	V F	mtriva
		00	• -	inarva
AMIVUDINE – Special Authority see SA1025 on page 89 – Reta		60	10	TO
Tab 150 mg Oral liq 10 mg per ml		240 ml OP	✓ <u>3</u> ✓ 3	
			• 5	
TAVUDINE [D4T] - Special Authority see SA1025 on page 89 -				
Cap 20 mg		60	VZ	
Cap 30 mg		60	VZ	
Cap 40 mg		60 200 ml OP	✓ Z ✓ Z	
Powder for oral soln 1 mg per ml			• 2	ent
IDOVUDINE [AZT] - Special Authority see SA1025 on page 89		,		
Cap 100 mg		100	. —	etrovir etrovir
Oral liq 10 mg per ml		200 ml OP	у <u>к</u>	etrovir
IDOVUDINE [AZT] WITH LAMIVUDINE - Special Authority see				
Combivir counts as two anti-retroviral medications for the purp				
Tab 300 mg with lamivudine 150 mg		60	VC	ombivir
Protease Inhibitors				
TAZANAVIR SULPHATE - Special Authority see SA1025 on page	ne 89 – Retail p	harmacv		
Cap 150 mg	,	60	🖌 R	eyataz
Cap 200 mg		60		eyataz
NDINAVIR – Special Authority see SA1025 on page 89 – Retail r				-
Cap 200 mg	•	360	V C	rixivan
Cap 400 mg		180		rixivan
	11 page 09 - Re			
	182 75	60		alotra
Tab 100 mg with ritonavir 25 mg		60 120		aletra aletra
OPINAVIR WITH RITONAVIR – Special Authority see SA1025 o Tab 100 mg with ritonavir 25 mg Tab 200 mg with ritonavir 50 mg Oral liq 80 mg with ritonavir 20 mg per ml	735.00	60 120 300 ml OP	✔ K	aletra aletra aletra

	Subsidy (Manufacturer's Prio \$	ce) Sub Per	Fully Brand or sidised Generic Manufacturer
RITONAVIR – Special Authority see SA1025 on page 89 – Re Cap 100 mg Oral liq 80 mg per ml		84 90 ml OP	✓ Norvir ✓ Norvir
Strand Transfer Inhibitors			
RALTEGRAVIR POTASSIUM – Special Authority see SA1025 Tab 400 mg		oharmacy 60	✓ Isentress
Antiretrovirals - Additional Therapies			
HIV Fusion Inhibitors			
ENFUVIRTIDE – Special Authority see SA0845 below – Retail Powder for inj 90 mg per ml × 60		1	✔ Fuzeon
 SA0845 Special Authority for Subsidy Initial application only from a named specialist. Approvals val All of the following: Confirmed HIV infection; and Enfuvirtide to be given in combination with optimized ba the patient has never previously been exposed to) for tree Either: Patient has evidence of HIV replication, despite of 3.2 Patient has treatment-limiting toxicity to previous Previous treatment with 3 different antiretroviral regimen All of the following:	ackground therapy (ir eatment failure; and ongoing therapy; or antiretroviral agents; is has failed; and e transcriptase inhibitor ha ailed.	and and or has failed; and	ast 1 other antiretroviral drug tha
Renewal only from a named specialist. Approvals valid for 1 ye Both: 1 Evidence of at least a 10 fold reduction in viral load at 12		eeting the tol	lowing criteria:
2 The treatment remains appropriate and the patient is be		nt.	
Immune Modulators			
Guidelines for the use of interferon in the treatment of hep Physicians considering treatment of patients with hepatitis C sh physician. All subjects undergoing treatment require careful mo Patients should be otherwise fit. Hepatocellular carcinoma should be excluded by ultrasound ex	ould discuss cases wi pnitoring for side effec	cts.	

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

Criteria for Treatment

1) Diagnosis

- Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
- PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
- Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.
- 2) Establishing Active Chronic Liver Disease
 - Confirmed HCV infection and serum ALT/AST levels measured on at least three occasions over six months averaging
 - > 1.5 \times upper limit of normal. (ALT is the preferable enzyme); or

	Subsidy (Manufacturer's P \$	rice) Su Per	Fully bsidised	Brand or Generic Manufacturer
continued				
 Liver biopsy showing significant inflammatory act sary requirement for those patients with coagulop transaminase enzymes). 				
Exclusion Criteria				
 Autoimmune liver disease. (Interferon may exacerbate such as thyroid disease). Pregnancy. 	autoimmune liver	disease as w	ell as ot	her autoimmune diseases
3) Neutropenia (<2.0 \times 10 ⁹) and/or thrombocytopenia.				
4) Continuing alcohol abuse and/or continuing intravenous	drug users			
Dosage	a ag accioi			
The current recommended dosage is 3 million units of interfer times a week for 52 weeks (twelve months)	on alpha-2a or inte	rferon aplha-	2b admir	nistered subcutaneously 3
Exit Criteria				former the other and other database
The patient's response to interferon treatment should be revier discontinued in patients who do not show a substantial reduction				
	. ,	an pre-treath	IERIL ALT	level at this stage.
INTERFERON ALPHA-2A – PCT – Retail pharmacy-Specialis See prescribing guideline on the preceding page	St			
Inj 3 m iu prefilled syringe	31 32	1		oferon-A
Inj 6 m iu prefilled syringe		1		oferon-A
Inj 9 m iu prefilled syringe		1		oferon-A
INTERFERON ALPHA-2B – PCT – Retail pharmacy-Specialis				
See prescribing guideline on the preceding page				
Inj 18 m iu, 1.2 ml multidose pen		1	🖌 In	tron-A
Inj 30 m iu, 1.2 ml multidose pen		1	🖌 In	tron-A
Inj 60 m iu, 1.2 ml multidose pen		1	🖌 In	tron-A
PEGYLATED INTERFERON ALPHA-2A - Special Authority se	e SA0952 on the n	ext page - R	etail phar	macv
See prescribing guideline on the preceding page				
Inj 135 µg prefilled syringe		1	✓ P(egasys
	1,448.00	4	<u> </u>	egasys
Inj 180 μg prefilled syringe		1	. —	egasys
	1,800.00	4	✓ <u>P</u>	egasys
Inj 135 μ g prefilled syringe \times 4 with ribavirin tab 200 mg				
112	1,799.68	1 OP		egasys RBV
Ini 105 we prefilled evenes of 4 with vibevirin teb 000 me				Combination Pack
Inj 135 μ g prefilled syringe \times 4 with ribavirin tab 200 mg 168		1 OP		
100	1,975.00	TOP		egasys RBV Combination Pack
Inj 180 µg prefilled syringe $ imes$ 4 with ribavirin tab 200 mg	×			Compination Fack
112		1 OP	V Pe	egasys RBV
	,	-		Combination Pack
Inj 180 μg prefilled syringe \times 4 with ribavirin tab 200 mg	×			
168	2,190.00	1 OP		egasys RBV
				Combination Pack

	Subsidy (Manufacturer's Price) \$		sed G	arand or Beneric Manufacturer
► SA0952 Special Authority for Subsidy Initial application — (chronic hepatitis C - genotype 1, 4, 5 Approvals valid for 48 weeks for applications meeting the following		o-infection v	ith HI	/) from any specialist.
Either: 1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infect 2 Patient has chronic hepatitis C and is co-infected with HIV.	ion; or			
 Notes: Consider stopping treatment if there is absence of a virolo following 12 weeks of treatment since this is predictive of treatment to 24 weeks if serum HCV R than 50IU/ml) AND Baseline serum HCV RNA is less than Initial application — (chronic hepatitis C - genotype 2 or 3 Approvals valid for 6 months where patient has chronic hepatitis C initial application — (Hepatitis B) only from a gastroenterolog valid for 48 weeks for applications meeting the following criteria: All of the following: 	eatment failure. NA level at Week 4 is 400,000IU/ml infection without co C, genotype 2 or 3 info	undetectable o-infection v ection.	by ser	nsitive PCR assay (less
 Patient has confirmed Hepatitis B infection (HBsAg positive 2 Patient is Hepatitis B treatment-naive; and ALT > 2 times Upper Limit of Normal; and HBV DNA < 10 log10 IU/ml; and 	e for more than 6 mor	nths); and		
 5 Either: 5.1 HBeAg positive; or 5.2 serum HBV DNA ≥ 2,000 units/ml and significant fi 6 Compensated liver disease; and 7 No continuing alcohol abuse or intravenous drug use; and 8 Not co-infected with HCV, HIV or HDV; and 9 Neither ALT nor AST > 10 times upper limit of normal; and 	brosis (≥ Metavir St	age F2); and		
10 No history of hypersensitivity or contraindications to pegyla Notes:	ated interferon.			
 Approved dose is 180 µg once weekly. The recommended dose of Pegylated Interferon-alpha 2a i In patients with renal insufficiency (calculated creatinine cl should be reduced to 135 µg once weekly. In patients with neutropaenia and thrombocytopaenia, dose 	earance less than 50	ml/min), Pegy		
 Pegylated Interferon-alpha 2a is not approved for use in ch Urinary Tract Infections 	ildren.			-
HEXAMINE HIPPURATE				
* Tab 1 g		100	Hipre	ex
NITROFURANTOIN * Tab 50 mg * Tab 100 mg NORFLOXACIN			NifuNifu	
Tab 400 mg - Maximum of 6 tab per prescription; can be waived by endorsement - Retail pharmacy - Specialist		100	Arro	w-Norfloxacin

Quitadiata		Euller	Dura in al a in
Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

Vaccines

Influenza vaccine

INFLUENZA VACCINE - Hospital pharmacy [Xpharm]

- A) is available 1 March until vaccine supplies are exhausted each year for patients who meet the following criteria, as set by the Ministry of Health:
 - a) all people 65 years of age and over;
 - b) people under 65 years of age with:
 - i) the following cardiovascular disease:
 - 1) ischaemic heart disease.
 - 2) congestive heart disease.
 - 3) rheumatic heart disease.
 - 4) congenital heart disease, or
 - 5) cerebo-vascular disease:
 - ii) the following chronic respiratory disease:
 - 1) asthma, if on a regular preventative therapy, or
 - 2) other chronic respiratory disease with impaired lung function;
 - iii) diabetes:
 - iv) chronic renal disease:
 - v) any cancer, excluding basal and squamous skin cancers if not invasive;
 - vi) the following other conditions:
 - a) autoimmune disease.
 - b) immune suppression,
 - c) HIV.
 - d) transplant recipients.
 - e) neuromuscular and CNS diseases.
 - f) haemoglobinopathies, or
 - a) children on long term aspirin.
 - c) people under 65 years of age who are:
 - i) pregnant: or
 - ii) morbidly obsese
 - d) children aged over 6 months and under 5 years who are from high deprivation backgrounds
- The following conditions are excluded from funding:
 - a) asthma not requiring regular preventative therapy,
 - b) hypertension and/or dyslipidaemia without evidence of end-organ disease,
 - B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
 - C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor.
 - D) Influenza Vaccine does not fall within the definition Community Pharmaceutical as it is not funded directly from the Pharmaceutical Budget. Pharmacists are unable to claim for the dispensing of influenza vaccine from the Funder.

Fluvax	1	j9.00	Inj
Influvac	10	90.00	
Vaxigrip			

(Fluvax Ini to be delisted 1 January 2011) (Influvac Inj to be delisted 1 January 2011) (Vaxigrip Inj to be delisted 1 January 2011)

	Subsidy		Fully Brand or
	(Manufacturer's F		osidised Generic
	\$	Per	 Manufacturer
Anticholinesterases			
NEOSTIGMINE			
Inj 2.5 mg per ml, 1 ml	20.30	50	✓ AstraZeneca
	20.00	50	 Astrazeneca
PYRIDOSTIGMINE BROMIDE			4
▲ Tab 60 mg	40.08	100	Mestinon
Anti-inflammatory Non Steroidal Drugs (NSAIDs	;)		
■SA1038 Special Authority for Manufacturers Price			
Notes: Subsidy for patients with existing approvals prior to 1 S	eptember 2010.	Approvals va	lid without further renewal unless
No new approvals will be granted from 1 September 2010.			
DICLOFENAC SODIUM			
* Tab EC 25 mg	1 63	50	Diclofenac Sandoz
	1.00	50	✓ Diclohexal
* Tab 50 mg dispersible - Additional subsidy by Special Au-			
thority see SA1038 above – Retail pharmacy		20	
thomy see 3A 1000 above - Hetali pharmacy	(8.00)	20	Voltaren D
* Tab EC 50 mg	()	50	✓ <u>Diclofenac Sandoz</u>
		50	✓ Diclohexal
* Tab long-acting 75 mg	22 78	500	✓ Apo-Diclo SR
the folig doung for hig	32.80	000	✓ Diclax SR
* Tab long-acting 100 mg		500	✓ Apo-Diclo SR
	63.22		✓ Diclax SR
* Inj 25 mg per ml, 3 ml		5	✓ Voltaren
Up to 5 inj available on a PSO		-	- <u></u>
* Suppos 12.5 mg		10	 Voltaren
* Suppos 25 mg		10	Voltaren
* Suppos 50 mg		10	Voltaren
Up to 10 supp available on a PSO			
* Suppos 100 mg	6.36	10	 Voltaren
(Diclohexal Tab EC 25 mg to be delisted 1 November 2010)			
(Diclohexal Tab EC 50 mg to be delisted 1 November 2010)			
(Apo-Diclo SR Tab long-acting 75 mg to be delisted 1 November	2010)		
(Apo-Diclo SR Tab long-acting 100 mg to be delisted 1 November	r 2010)		
IBUPROFEN – Additional subsidy by Special Authority see SA10)38 above – Reta	ail pharmacy	
* Tab 200 mg		1,000	Ethics Ibuprofen
* Tab 200 mg		30	
· ····································	(4.56)		Brufen
* Tab 600 mg	()	30	
	(6.84)		Brufen
* Tab long-acting 800 mg		30	✓ Brufen Retard
*‡ Oral lig 100 mg per 5 ml		200 ml	Fenpaed
KETOPROFEN – Additional subsidy by Special Authority see SA		etali pharmacy 100	
* Cap long-acting 100 mg	()	100	Oruvail 100
* Can long-acting 200 mg	(21.56)	100	
* Cap long-acting 200 mg		100	Oruvail 200
	(43.12)		Uluvali 200

96

	Subsidy		Full	y Brand or
	(Manufacturer's Pric	e)	Subsidise	
	\$	Per	ŀ	
MEFENAMIC ACID - Additional subsidy by Special Authority see	SA1038 on the nr	acadina	nado – B	etail pharmacy
* Cap 250 mg		20	page – n	etali pharmacy
* Oap 200 mg	(5.60)	20		Ponstan
	2.50	100		Tonotan
	(18.33)	100		Ponstan
	(10.00)			T UTSIAIT
NAPROXEN				
* Tab 250 mg		500		Noflam 250
* Tab 500 mg		250		Noflam 500
* Tab long-acting 750 mg		90		Naprosyn SR 750
* Tab long-acting 1,000 mg	21.00	90	V	Naprosyn SR 1000
NAPROXEN SODIUM				
* Tab 275 mg	6.00	120	~	Sonaflam
* Tab 550 mg		100	~	Synflex
SULINDAC – Additional subsidy by Special Authority see SA103	8 on the preceding	nage – I	Retail nha	irmacy
* Tab 100 mg		100	iotali pric	annaoy
* Tab 100 mg	(12.00)	100		Daclin
* Tab 200 mg	· /	100		Daciin
* 100 200 mg	(20.00)	100		Daclin
	3.36	50		Daciin
	(15.87)	00		Clinoril
TENOVIONI	(10.07)			Gintoni
TENOXICAM	~~ 75	400		
* Tab 20 mg		100		Tilcotil
* Inj 20 mg	9.95	1	V	AFT
TIAPROFENIC ACID - Additional subsidy by Special Authority s	ee SA1038 on the p	orecedin	g page –	Retail pharmacy
* Tab 300 mg	4.03	60		
	(19.26)			Surgam
NSAIDs Other				
INDOMETHACIN				
* Cap long-acting 75 mg		100	~	Rheumacin SR
* Suppos 100 mg	14.50	30	~	Arthrexin
(Rheumacin SR Cap long-acting 75 mg to be delisted 1 February	2011)			
MELOXICAM - Special Authority see SA1034 below - Retail pha	armacy			
Tab 7.5 mg	•	30	~	Arrow-Meloxicam
č		00	•	
► SA1034 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valie	d without further re	nowal ur	alaaa nati	fied for applications mosting
		newai ui	liess nou	neu ior applications meeting
the following criteria:				
All of the following:	than or oqual to 50/	of norm	al airaula	ting functional eletting factors
1 The patient has moderate to severe haemophilia with less and			ai circula	ung functional clotting lactor,
2 The patient has haemophilic arthropathy; and3 Pain and inflammation associated with haemophilic arthropathy	nothy is inadequat	oly cont	rollod by	alternative funded treatment
		ery conti	olleu by	allemative junueu treatment
options, or alternative funded treatment options are contra	inulcateu.			
PIROXICAM				
* Tab dispersible 10 mg		50		Piram-D
* Tab dispersible 20 mg	5.50	100	~	Piram-D
(Piram-D Tab dispersible 10 mg to be delisted 1 April 2011)				
(Piram-D Tab dispersible 20 mg to be delisted 1 April 2011)				

((Subsidy Manufacturer's Price) \$	Subs Per	Fully idised	
Antirheumatoid Agents				
AURANOFIN				
Tab 3 mg	68.99	60	🖌 F	Ridaura
LEFLUNOMIDE				
Tab 10 mg	55.00	30	V	AFT-Leflunomide
	79.27		• •	Arava
Tab 20 mg		30		AFT-Leflunomide
Tab 100 mg	108.60	3	• •	Arava Arava
Tab 100 mg		3	V	Arava
PENICILLAMINE				
Tab 125 mg		100		D-Penamine
Tab 250 mg	98.98	100	•	D-Penamine
SODIUM AUROTHIOMALATE				
Inj 10 mg per 0.5 ml		10		Ayocrisin Ayocrisin
Inj 20 mg per 0.5 ml		10 10		Ayocrisin Ayocrisin
Inj 50 mg per 0.5 ml	217.23	10	•	Nyocrisiii
Tumour Necrosis Factor (TNF) Inhibitors				
ADALIMUMAB – Special Authority see SA1026 below – Retail phan Inj 40 mg per 0.8 ml prefilled pen Inj 40 mg per 0.8 ml prefilled syringe	1,799.92	2 2	• •	lumiraPen lumira

SA1026 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with at least two of the following (triple therapy): sulphasalazine, prednisone at a dose of at least 7.5 mg per day, azathioprine, intramuscular gold, or hydroxychloroquine sulphate (at maximum tolerated doses); and
- 5 Either:
 - 5.1 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of cyclosporin alone or in combination with another agent; or
 - 5.2 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of leflunomide alone or in combination with another agent; and
- 6 Either:
 - 6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
 - 6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 7 Either:
 - 7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subsidised		Generic	
\$	Per	~	Manufacturer	

continued...

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe active Crohn's disease; and
- 2 Any of the following:
 - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
 - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
 - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
 - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 Either:

- 1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
- 1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
- 2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
- 3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
- 4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
- 2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
- 3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
- 4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and

5 Either:

- 5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by a score of at least 1 on each of the lumbar flexion and lumbar side flexion measurements of the Bath Ankylosing Spondylitis Metrology Index (BASMI); or
- 5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and
- 6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale; and

7 Either:

Subsidy (Manufacturer's Price)	S	Fully ubsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

7.1 An elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or

7.2 A C-reactive protein (CRP) level greater than 15 mg per litre.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI, ESR and CRP measures must be no more than 1 month old at the time of initial application. Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm: Female: 5.5 cm

25-34 years - Male: 7.5 cm; Female: 5.5 cm

35-44 years - Male: 6.5 cm; Female: 4.5 cm

45-54 years - Male: 6.0 cm; Female: 5.0 cm

55-64 years - Male: 5.5 cm; Female: 4.0 cm

65-74 years - Male: 4.0 cm; Female: 4.0 cm

75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
- 2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- 4 Either:
 - 4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
 - 4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 5 Any of the following:
 - 5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
 - 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
 - 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 3 Either:
 - 3.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
 - 4 Either:
 - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
 - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

Renewal — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Either:

2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab; or 2.1.2 CDAI score is 150 or less; or

- 2.2 Both:
 - 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
 - 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis; and
 - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot; and
 - 2.2.2 Either:
 - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.
- Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
 - 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
 - 2 Following 12 weeks of adalimumab treatment, BASDAI has improved by 4 or more points from pre-adalimumab baseline on a 10 point scale, or by 50%, whichever is less; and
 - 3 ESR or CRP is within the normal range; and

(N	Subsidy Ianufacturer's Price)	Subsid	Fully dised	Brand or Generic
·	\$	Per	~	Manufacturer

continued...

- 4 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 5 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 The patient demonstrates at least a continuing 50% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

ETANERCEPT - Retail pharmacy-Specialist prescription - Special Authority see SA0868 below

➡SA0868 Special Authority for Subsidy

Initial application only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
- 3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20mg/m² weekly or at the maximum tolerated dose) in combination with oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose); and
- 5 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-15mg/m² weekly or at the maximum tolerated dose) in combination with one other disease-modifying agent; and
- 6 Both:
 - 6.1 Either:
 - 6.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 active, swollen, tender joints; or
 - 6.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 6.2 Physician's global assessment indicating severe disease; and
- 7 The patient or their legal guardian consents to details of their treatment being held on a central registry and has signed a consent form outlining conditions of ongoing treatment.

Note: A patient declaration form http://www.pharmac.govt.nz/special_authority_forms/SA0667-declaration.pdf must be signed by the legal guardian of the patient and the prescriber in the presence of a witness (over 18 years of age)

Renewal only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2 Either:
 - 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 2.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

1

Subsidy		Fully
(Manufacturer's Price)		Subsidised
¢	Por	

Brand or Generic Manufacturer

Calcium Homeostasis

Alendronate for Osteoporosis

►SA1039 Special Authority for Subsidy

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) \geq 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically: or
- 4 Documented T-Score \leq -3.0 (see Note); or
- 5 A 10-year risk of hip fracture > 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause Osteoporosis).

Initial application - (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 vear for applications meeting the following criteria:

Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (> 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
 - 2.1 The patient has documented BMD \geq 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score < -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause glucocorticosteroid therapy).

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy (\geq 5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) \geq 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically: or
- 4 Documented T-Score \leq -3.0 (see Note); or
- 5 A 10-year risk of hip fracture \geq 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note): or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria).

Notes:

a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	

continued...

- b) Evidence used by National Institute for Health and Clinical Excellence (NICE) guidance indicates that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5, and therefore do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

Alendronate for Paget's Disease

➡SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
 - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

ALENDRONATE SODIUM - Special Authority see SA0949 above - Retail pharmacy

Tab 40 mg	133.00	30	Fosamax
Other Treatments			
CALCITONIN * Inj 100 iu per ml, 1 ml	110.00	5	✓ <u>Miacalcic</u>
ETIDRONATE DISODIUM	23 95	100	Arrow-Etidronate

Prescribing Guidelines

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose – 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

PAMIDRONATE DISODIUM			
Inj 3 mg per ml, 5 ml		1	Pamisol
Inj 3 mg per ml, 10 ml		1	Pamisol
Inj 6 mg per ml, 10 ml		1	✓ Pamisol
Inj 9 mg per ml, 10 ml		1	Pamisol
ZOLEDRONIC ACID - Special Authority see SA1035 on			
Soln for infusion 5 mg in 100 ml	600.00	100 ml	Aclasta

Subsic (Manufacture \$.,	
Ψ	Fei 🕑	Ivialiulaciulei

➡SA1035 Special Authority for Subsidy

Initial application — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications; or
 - 2.5 Preparation for orthopaedic surgery; and
- 3 The patient will not be prescribed more than one infusion in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score $\leq~$ -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture \geq 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis); and
- 2 The patient will not be prescribed more than one infusion in a 12-month period.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
 - The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - The patient has had a Special Authority approval for alendronate (Underlying cause glucocorticosteroid therapy); and
- 3 The patient will not be prescribed more than one infusion in the 12-month approval period.

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
 - 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
 - 1.3 Symptomatic disease (prescriber determined); and
- 2 The patient will not be prescribed more than one infusion in the 12-month approval period.
- The patient may not have had more than 1 prior approval in the last 12 months.

Subsidy (Manufacturer's Price)	Subs	Fully sidised	Brand or Generic
 \$	Per	~	Manufacturer

continued...

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents); and
- 2 The patient will not be prescribed more than one infusion in the 12-month approval period.
- The patient may not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score $\leq~$ -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture \geq 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause Osteoporosis' criteria); and
- 2 The patient will not be prescribed more than one infusion in a 12-month period.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence used by National Institute for Health and Clinical Excellence (NICE) guidance indicates that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

10 00

Enzymes

HYALURONIDASE

Inj 1,500 iu per ml

	(243.24)	10	Hyalase
Hyperuricaemia and Antigout			
ALLOPURINOL * Tab 100 mg		250	✓ <u>Apo-Allopurinol</u> ✓ <u>Apo-Allopurinol</u>
 * Tab 300 mg COLCHICINE * Tab 500 µg 		100 100	 <u>Apo-Allopumion</u> <u>Colgout</u>

10

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Generic
PROBENECID	55.00	400		
* Tab 500 mg		100	V	Probenecid-AFT
Muscle Relaxants				
BACLOFEN				
* Tab 10 mg	4.75	100	~	Pacifen
DANTROLENE SODIUM				
* Cap 25 mg		100	~	Dantrium
* Cap 50 mg	51.70	100	~	Dantrium
ORPHENADRINE CITRATE				
Tab 100 mg		100	~	Norflex
QUININE SULPHATE				
* Tab 200 mg		250		
	(17.20)		(Q 200
‡ Safety cap for extemporaneously compounded oral liquid pressure of the set of the s	preparations.			
* Tab 300 mg	54.06	500	~	<u>Q 300</u>
‡ Safety cap for extemporaneously compounded oral liquid pressure of the set of the s	preparations.			

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
Anaesthetics				
Local				
LIGNOCAINE Gel 2%, 10 ml urethral syringe – Up to 5 each available on a PSO		10	~	Pfizer
LIGNOCAINE HYDROCHLORIDE Viscous solution 2% Inj 0.5%, 5 ml – Up to 5 inj available on a PSO Inj 1%, 5 ml – Up to 5 inj available on a PSO Inj 2%, 5 ml – Up to 5 inj available on a PSO Inj 1%, 20 ml – Up to 5 inj available on a PSO Inj 2%, 20 ml – Up to 5 inj available on a PSO	44.10 35.00 23.00 20.00	200 ml 50 50 50 5 5 5		Xylocaine Viscous Xylocaine Xylocaine Xylocaine Xylocaine Xylocaine Xylocaine
LIGNOCAINE WITH CHLORHEXIDINE Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes – Up to 5 each available on a PSO		10	~	Pfizer
LIGNOCAINE WITH PRILOCAINE – Special Authority see SA090 Crm 2.5% with prilocaine 2.5% Crm 2.5% with prilocaine 2.5% (5 g tubes)		armac 0 g OF 5	ن ^خ	EMLA EMLA

➡SA0906 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Analgesics

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 96

Non-Opioid Analgesics

ASPIRIN		
* Tab EC 300 mg		
•	(8.10)	Aspec 300
* Tab dispersible 300 mg - Up to 30 tab available on a PSC)2.00 100	Ethics Aspirin
NEFOPAM HYDROCHLORIDE		
Tab 30 mg		Acupan
PARACETAMOL		
* Tab 500 mg – Up to 30 tab available on a PSO		Pharmacare
*‡ Oral liq 120 mg per 5 ml		Paracare Junior
a) Up to 200 ml available on a PSO		
b) Not in combination		
*‡ Oral lig 250 mg per 5 ml		Paracare Double
and for a second bor of the se		Strength
a) Up to 100 ml available on a PSO		<u></u>
b) Not in combination		
* Suppos 125 mg		Panadol
* Suppos 250 mg		Panadol
* Suppos 500 mg		✓ Paracare
- ouppool over mg mannamental mannamenta		

			•
	Subsidy		Fully Brand or
	(Manufacturer's Price) \$	Per	Subsidised Generic Manufacturer
	Ŷ	1.01	
TRAMADOL HYDROCHLORIDE			
Cap 50 mg	6.95	100	Arrow-Tramadol
Opioid Analgesics			
BUPRENORPHINE HYDROCHLORIDE - Only on a controlled	drug form		
Inj 0.3 mg per ml, 1 ml	7.42	5	
	(9.38)		Temgesic
CODEINE PHOSPHATE			-
Tab 15 mg	5 39	100	V PSM
Tab 30 mg		100	✓ PSM
Tab 60 mg		100	✓ PSM
5		100	
Tab long-acting 60 mg		60	DHC Continus
FENTANYL – Special Authority see SA0935 below – Retail pha	rmacy		
 a) Only on a controlled drug form 			
 b) No patient co-payment payable 			
Transdermal patch, matrix 25 µg per hour	55.23	5	Durogesic
Transdermal patch, matrix 50 µg per hour		5	Durogesic
Transdermal patch, matrix 75 µg per hour	139.18	5	Durogesic
Transdermal patch, matrix 100 µg per hour		5	Durogesic
Initial application from any relevant practitioner. Approvals valie Both: 1 Patient is terminally ill and is opioid-responsive; and 2 Fiber:		Catione	
2 Either:			
2.1 is unable to take oral medication; or	a n k n d		
2.2 is intolerant to morphine, or morphine is contrained		mant ra	amaina appropriate and the natio
Renewal from any relevant practitioner. Approvals valid for 3 m penefiting from treatment.	ionins where the treat	nent re	emains appropriate and the patte
FENTANYL CITRATE			
 a) Only on a controlled drug form 			
b) No patient co-payment payable			
b) No patient co-payment payable Inj 50 µg per ml, 2 ml		5	🗸 Hospira
b) No patient co-payment payable		5 5	✔ Hospira ✔ Hospira
b) No patient co-payment payable Inj 50 µg per ml, 2 ml Inj 50 µg per ml, 10 ml			•
b) No patient co-payment payable Inj 50 μg per ml, 2 ml Inj 50 μg per ml, 10 ml /ΙΕΤΗΑDONE HYDROCHLORIDE			•
b) No patient co-payment payable Inj 50 µg per ml, 2 ml Inj 50 µg per ml, 10 ml METHADONE HYDROCHLORIDE a) Only on a controlled drug form			•
b) No patient co-payment payable Inj 50 μg per ml, 2 ml Inj 50 μg per ml, 10 ml /ΙΕΤΗΑDONE HYDROCHLORIDE	15.65	5	✓ Hospira
b) No patient co-payment payable Inj 50 μg per ml, 2 ml Inj 50 μg per ml, 10 ml METHADONE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable	15.65	5	✓ Hospira
 b) No patient co-payment payable Inj 50 µg per ml, 2 ml Inj 50 µg per ml, 10 ml WETHADONE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Extemporaneously compounded methadone will only be powder, not methadone tablets). 	15.65	5	✓ Hospira
 b) No patient co-payment payable Inj 50 µg per ml, 2 ml Inj 50 µg per ml, 10 ml METHADONE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Extemporaneously compounded methadone will only be 	15.65 reimbursed at the rate	5	✓ Hospira
 b) No patient co-payment payable Inj 50 µg per ml, 2 ml Inj 50 µg per ml, 10 ml METHADONE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Extemporaneously compounded methadone will only be powder, not methadone tablets). d) For methadone hydrochloride oral liquid refer, page 167 Tab 5 mg 	reimbursed at the rate	5 of the	 Hospira cheapest form available (methac Methatabs
 b) No patient co-payment payable lnj 50 µg per ml, 2 ml lnj 50 µg per ml, 10 ml METHADONE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Extemporaneously compounded methadone will only be powder, not methadone tablets). d) For methadone hydrochloride oral liquid refer, page 167 Tab 5 mg Goral liq 2 mg per ml 		5 of the 10	 Hospira cheapest form available (methad Methatabs Biodone
 b) No patient co-payment payable Inj 50 µg per ml, 2 ml Inj 50 µg per ml, 10 ml METHADONE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Extemporaneously compounded methadone will only be powder, not methadone tablets). d) For methadone hydrochloride oral liquid refer, page 167 Tab 5 mg ‡ Oral liq 2 mg per ml 	15.65 reimbursed at the rate 	5 e of the 10 200 ml	 Hospira cheapest form available (methad Methatabs Biodone

	Subsidy		Fully Brand or	
	(Manufacturer's Pi \$	rice) Su Per	Ibsidised Generic Manufacturer	
ORPHINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
Oral liq 1 mg per ml	8 84	200 ml	RA-Morph	
Oral liq 2 mg per ml		200 ml	✓ RA-Morph	
Oral lig 5 mg per ml		200 ml	✓ RA-Morph	
Oral liq 10 mg per ml		200 ml	RA-Morph	
ORPHINE SULPHATE		200		
a) Only on a controlled drug form				
b) No patient co-payment payable	0.00	10	A Sourcedol	
Tab immediate-release 10 mg		10	 <u>Sevredol</u> LA-Morph 	
Tab long-acting 10 mg Tab immediate-release 20 mg		10	Sevredol	
Tab long-acting 30 mg		10	✓ LA-Morph	
Tab long-acting 60 mg		10	✓ LA-Morph	
Tab long-acting 100 mg		10	LA-Morph	
Cap long-acting 10 mg		10	✓ m-Eslon	
Cap long-acting 30 mg		10	✓ m-Esion	
Cap long-acting 60 mg		10	✓ m-Esion	
Cap long-acting 100 mg		10	✓ m-Esion	
Cap long-acting 200 mg		10	✓ m-Esion	
Inj 5 mg per ml, 1 ml $-$ Up to 5 inj available on a PSO		5	✓ Mayne	
Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSC		5	✓ Mayne	
Inj 15 mg per ml, 1 ml – Up to 5 inj available on a PSC		5	Mayne	
Inj 30 mg per ml, 1 ml – Up to 5 inj available on a PSC		5	Mayne	
ORPHINE TARTRATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
Inj 80 mg per ml, 1.5 ml	30.00	5	Hospira	
Inj 80 mg per ml, 5 ml		5	✓ Hospira	
		Ũ	e noopila	
a) Only on a controlled drug form				
b) No patient co-payment payable	7 5 1	00	1 OverContin	
Tab controlled-release 5 mg		20	 OxyContin OxyContin 	
Tab controlled-release 10 mg		20	✓ OxyContin	
Tab controlled-release 20 mg		20	 OxyContin OxyContin 	
Tab controlled-release 40 mg		20	 OxyContin OxyContin 	
Tab controlled-release 80 mg		20	OxyContin	
Cap 5 mg		20 20	OxyNorm	
Cap 10 mg			 OxyNorm OxyNorm 	
Cap 20 mg		20 250 ml		
Oral liq 5 mg per 5 ml		250 ml 5	OxyNorm OxyNorm	
Inj 10 mg per ml, 1 ml		5 5	 OxyNorm OxyNorm 	
Inj 10 mg per ml, 2 ml escribing Guideline	20.00	0		
	ore expensive than long	a-acting mor	nhine sulphate and alinias	م اد
escribers should note that oxycodone is significantly m				ai au
ggests that it is reasonable to consider this as a second-	ine agent to be used an	rei morbinine		
RACETAMOL WITH CODEINE		10-		
Tab paracetamol 500 mg with codeine phosphate 8 mg	g2.45	100	ParaCode	

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	Generic
	\$	Per	~	Manufacturer
PETHIDINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
Tab 50 mg		10	🖌 P:	SM
Tab 100 mg		10	🖌 P:	
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	V M	
Inj 50 mg per ml, 1.5 ml – Up to 5 inj available on a PSO		5	M M	
Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO	5.50	5	✔ M	ayne
Antidepressants				
Cyclic and Related Agents				
MITRIPTYLINE				
Tab 10 mg		50	V A	
Tab 25 mg		100		mitrip
Tab 50 mg	5.20	100	V A	mitrip
CLOMIPRAMINE HYDROCHLORIDE				
Tab 10 mg	12.60	100	🖌 🗸	po-Clomipramine
Tab 25 mg	8.68	100	🖌 A	po-Clomipramine
	26.00	500	V C	lopress
Clopress Tab 25 mg to be delisted 1 November 2010)				
OOTHIEPIN HYDROCHLORIDE				
Tab 75 mg	8.75	100	🖌 De	opress
Cap 25 mg	4.75	100	V D	opress
OOXEPIN HYDROCHLORIDE				
Cap 10 mg	5.24	100	🖌 A	nten
Cap 25 mg	5.46	100	🖌 A	nten
Cap 50 mg	7.34	100	🖌 A	nten
MIPRAMINE HYDROCHLORIDE				
Tab 10 mg	5.48	50	🖌 To	ofranil
Tab 25 mg		50	🖌 To	ofranil
Tab 25 mg	25.06	100	1 1	udiomil
Tab 75 mg		30	• =•	udiomil
•			÷ Li	
AIANSERIN HYDROCHLORIDE – Special Authority see SA104				luon
Tab 30 mg	24.80	30	🖌 To	

➡SA1048 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

1 Both:

- 1.1 Depression; and
- 1.2 Either:
 - 1.2.1 Co-existent bladder neck obstruction; or
 - 1.2.2 Cardiovascular disease; or

2 Both:

- 2.1 The patient has a severe major depressive episode; and
- 2.2 Either:

	Subsidy (Manufacturer's Pri \$	ice) Su Per	Fully Brand or Ibsidised Generic Manufacturer
continued 2.2.1 The patient must have had a trial of two diff	erent antidepressar	its and was	unable to tolerate the treatments or
failed to respond to an adequate dose over 2.2.2 Both:			
2.2.2.1 The patient is currently a hospital in- 2.2.2.2 The patient must have had a trial of respond to an adequate dose over a	one other antidepre	ssant and e	
Renewal from any relevant practitioner. Approvals valid for 2 benefiting from treatment.			ains appropriate and the patient is
NORTRIPTYLINE HYDROCHLORIDE Tab 10 mg Tab 25 mg		100 180	✓ <u>Norpress</u> ✓ Norpress
Monoamine-Oxidase Inhibitors (MAOIs) - Non S			· <u></u>
PHENELZINE SULPHATE			
Tab 15 mg TRANYLCYPROMINE SULPHATE	95.00	100	Nardil
Tab 10 mg	22.94	50	Parnate
Monoamine-Oxidase Type A Inhibitors			
MOCLOBEMIDE Note: There is a significant cost differential between moclot expensive). For depressive syndromes it is therefore more of ing prescribing moclobemide.			
Tab 150 mg	8.31	60	✓ GenRx Moclobernide
Tab 300 mg	69.23 18.80	500 60	 Apo-Moclobemide GenRx Moclobemide
(GenRx Moclobemide Tab 150 mg to be delisted 1 November 20 (GenRx Moclobemide Tab 300 mg to be delisted 1 November 20		100	✔ Apo-Moclobemide
Selective Serotonin Reuptake Inhibitors			
CITALOPRAM HYDROBROMIDE * Tab 20 mg		84	✓ <u>Arrow-Citalopram</u>
FLUOXETINE HYDROCHLORIDE * Tab dispersible 20 mg, scored – Subsidy by endorsement Subsidised by endorsement	2.50	30	✓ <u>Fluox</u>
 When prescribed for a patient who cannot swallow ingly; or When prescribed in a deily deep that is patient 			
 When prescribed in a daily dose that is not a m endorsed. Note: Tablets should be combined with Con 20 mg 	capsules to facilitat	e increment	al 10 mg doses.
* Cap 20 mg PAROXETINE HYDROCHLORIDE	2.70	84	Fluox
Tab 20 mg	2.38	30	Loxamine

	Subsidy (Manufacturer's Price) \$	Sı Per	Fully ubsidised	Brand or Generic Manufacturer
Other Antidepressants				
MIRTAZAPINE – Special Authority see SA0994 below – Retail ph Tab 30 mg Tab 45 mg		30 30		vanza vanza
►>SA0994 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid : Both:	for 2 years for applica	ations me	eeting the	following criteria:
1 The patient has a severe major depressive episode; and 2 Either:				
 2.1 The patient must have had a trial of two different an to respond to an adequate dose over an adequate p 2.2 Both: 				
 2.2.1 The patient is currently a hospital in-patient a 2.2.2 The patient must have had a trial of one other to an adequate dose over an adequate perior Renewal from any relevant practitioner. Approvals valid for 2 yea 	antidepressant and e d of time.	either cou	uld not tole	erate it or failed to respond
mined).			5	·····
VENLAFAXINE – Special Authority see SA0789 below – Retail pl Cap 37.5 mg		28	1 E4	exor XR
Cap 75 mg		28		exor XR
Cap 150 mg	45.68	28	🖌 Ef	iexor XR
SA0789 Special Authority for Subsidy Initial application only from a relevant specialist or vocationally applications meeting the following criteria: Both:	registered general p	oractitior	ner. Appro	ovals valid for 2 years for
1 The patient has 'treatment-resistant' depression; and 2 Either:				
2.1 The patient must have had a trial of two different an adequate period of time (usually at least four weeks		ed to re	spond to a	an adequate dose over ar
2.2 Both:2.2.1 The patient is currently a hospital in-patient a2.2.2 The patient must have had a trial of one othe an adequate period of time.				
Renewal from any medical practitioner. Approvals valid for 2 yea mined).	rs where the patient	has a hi	gh risk of	relapse (prescriber deter
Antiepilepsy Drugs				
Agents for Control of Status Epilepticus				
CLONAZEPAM Inj 1 mg per ml, 1 ml	19.00	5	🖌 Ri	ivotril
DIAZEPAM		_	4	
Inj 5 mg per ml, 2 ml – Subsidy by endorsement a) Up to 5 inj available on a PSO b) Only on a PSO	9.24	5	V M	ayne

	Subsidy (Manufacturer's Price) \$) Sul Per	Fully osidised	Brand or Generic Manufacturer
PARALDEHYDE	4 500 00	_		
* Inj 5 ml	1,500.00	5	🗸 A	FI
PHENYTOIN SODIUM	CO 04	-		lauma.
 Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 50 mg per ml, 5 ml – Up to 5 inj available on a PSO 		5 5		layne layne
Control of Epilepsy				
CARBAMAZEPINE				
* Tab 200 mg	14.53	100	🖌 T	egretol
* Tab long-acting 200 mg	16.98	100	🖌 T	egretol CR
* Tab 400 mg		100		egretol
* Tab long-acting 400 mg		100		egretol CR
*‡ Oral liq 100 mg per 5 ml		250 ml		egretol
CLOBAZAM			. –	
Tab 10 mg		50	V F	risium
\$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$	preparations.			
CLONAZEPAM		100	4.5	
Tab 500 μg		100		axam_
Tab 2 mg ‡ Oral drops 2.5 mg per ml		100 0 ml OP		<u>axam</u> ivotril
			V n	livouni
ETHOSUXIMIDE	00.00	000		
* Cap 250 mg		200		arontin
*‡ Oral liq 250 mg per 5 ml		200 ml	V Z	arontin
GABAPENTIN – Special Authority see SA1009 below – Retail pha				
▲ Cap 100 mg		100		upentin
▲ Cap 300 mg		100	. –	upentin
▲ Cap 400 mg	14./5	100	• <u>N</u>	upentin_

➡SA1009 Special Authority for Subsidy

Initial application — (Epilepsy - new patients) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Epilepsy - patient has had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life from gabapentin; or
- 2 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents, or seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Subsidy (Manufacturer's Price)	S	Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Initial application — (Neuropathic pain - new patients) from any relevant practitioner. Approvals valid for 3 months where the patient has tried and failed, or has been unable to tolerate, treatment with a tricyclic antidepressant.

Initial application — (Neuropathic pain - patient has had an approval for gabapentin for neuropathic pain prior to 1 August 2007) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

If the patient had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

Renewal — (Neuropathic pain) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Note: If the patient had an approval for gabapentin for neuropathic pain prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

GABAPENTIN (NEURONTIN) - Special Authority see SA0973 below - Retail pharmacy

	Tab 600 mg	 100	Neurontin
	Cap 100 mg	 100	Neurontin
	Cap 300 mg	100	Neurontin
	Cap 400 mg	100	Neurontin
_			

■SA0973 Special Authority for Subsidy

Notes: Subsidy for patients pre-approved by PHARMAC on 1 August 2009. Approvals valid without further renewal unless notified. No new approvals will be granted from 1 August 2009.

	Subsidy (Manufacturer's Price	e) S	Fully ubsidised	Brand or Generic
	\$	Per	~	Manufacturer
AMOTRIGINE				
Tab dispersible 2 mg	6.74	30		.amictal
Tab dispersible 5 mg	9.64	30	V L	.amictal
	15.00	56		Arrow-Lamotrigine
Tab dispersible 25 mg		56		.ogem
	20.40			Arrow-Lamotrigine
				logine
	29.09		· · ·	amictal
Tab dispersible 50 mg		56		ogem
	34.70			Arrow-Lamotrigine
				logine
	47.89	50		amictal
Tab dispersible 100 mg		56		ogem
	59.90			Arrow-Lamotrigine
	79.16			/logine .amictal
EVETIRACETAM – Special Authority see SA0921 below		60		(000000
Tab		60	V r	Keppra
SA0921 Special Authority for Subsidy	s Panel			
(eppra Tab to be delisted 1 November 2010) *SA0921 Special Authority for Subsidy ubsidy by application to the Levetiracetam Special Access otes: Application details may be obtained from PHARMA(The Coordinator Levetiracetam Special Access Page)	C's website http://www.ph	armac.gov	vt.nz or:	
SA0921 Special Authority for Subsidy ubsidy by application to the Levetiracetam Special Access otes: Application details may be obtained from PHARMA The Coordinator, Levetiracetam Special Access Panel	C's website http://www.ph Phone: (04) 916-7553	Ū	vt.nz or:	
SA0921 Special Authority for Subsidy ubsidy by application to the Levetiracetam Special Access otes: Application details may be obtained from PHARMA The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254	C's website <u>http://www.ph</u> Phone: (04) 916-7553 Facsimile: (09) 929-3226			
SA0921 Special Authority for Subsidy ubsidy by application to the Levetiracetam Special Access otes: Application details may be obtained from PHARMAG The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington	C's website http://www.ph Phone: (04) 916-7553			
SA0921 Special Authority for Subsidy ubsidy by application to the Levetiracetam Special Access otes: Application details may be obtained from PHARMAG The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE	C's website <u>http://www.ph</u> Phone: (04) 916-7553 Facsimile: (09) 929-3226			
SA0921 Special Authority for Subsidy ubsidy by application to the Levetiracetam Special Access otes: Application details may be obtained from PHARMAG The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 167	C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@	bharmac.ç	govt.nz	
 SA0921 Special Authority for Subsidy Jbsidy by application to the Levetiracetam Special Access otes: Application details may be obtained from PHARMAG The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 167 Tab 15 mg 	C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@	bharmac.g	govt.nz	
SA0921 Special Authority for Subsidy ubsidy by application to the Levetiracetam Special Access otes: Application details may be obtained from PHARMAG The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 167 Tab 15 mg	C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@	bharmac.ç	govt.nz	
SA0921 Special Authority for Subsidy ubsidy by application to the Levetiracetam Special Access otes: Application details may be obtained from PHARMAG The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 167 Tab 15 mg Tab 30 mg HENYTOIN SODIUM	C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@p 	bharmac.g	govt.nz	
 SA0921 Special Authority for Subsidy Jbsidy by application to the Levetiracetam Special Access otes: Application details may be obtained from PHARMAG The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 167 Tab 15 mg Tab 30 mg HENYTOIN SODIUM Tab 50 mg 	C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@p 	500 500 500 200	govt.nz V F V F	PSM Dilantin Infatab
 SA0921 Special Authority for Subsidy Jbsidy by application to the Levetiracetam Special Access otes: Application details may be obtained from PHARMAG The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 167 Tab 15 mg Tab 30 mg HENYTOIN SODIUM Tab 50 mg Cap 30 mg 	C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@p 	500 500 500 200 200	govt.nz ✓ F ✓ F ✓ C	PSM Dilantin Infatab Dilantin
 SA0921 Special Authority for Subsidy ibsidy by application to the Levetiracetam Special Access otes: Application details may be obtained from PHARMAG The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 167 Tab 15 mg Tab 30 mg HENYTOIN SODIUM Tab 50 mg Cap 30 mg Cap 100 mg 	C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@) 	500 500 500 200	govt.nz	PSM Dilantin Infatab Dilantin Dilantin
SA0921 Special Authority for Subsidy ibsidy by application to the Levetiracetam Special Access tes: Application details may be obtained from PHARMAG The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 167 Tab 15 mg Tab 30 mg HENYTOIN SODIUM Tab 50 mg Cap 30 mg Cap 100 mg	C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@) 	500 500 500 200 200	govt.nz	PSM Dilantin Infatab Dilantin
 ▶SA0921 Special Authority for Subsidy Ibsidy by application to the Levetiracetam Special Access tes: Application details may be obtained from PHARMAG The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 167 Tab 15 mg Tab 30 mg HENYTOIN SODIUM Tab 50 mg Cap 30 mg Cap 100 mg Toral liquid 30 mg per 5 ml 	C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@) 	500 500 500 200 200 200	govt.nz	PSM Dilantin Infatab Dilantin Dilantin
SA0921 Special Authority for Subsidy bisidy by application to the Levetiracetam Special Access tes: Application details may be obtained from PHARMAG The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 167 Tab 15 mg Tab 30 mg HENYTOIN SODIUM Tab 50 mg Cap 100 mg Cap 100 mg Oral liq 30 mg per 5 ml CAMBINICONE	C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@p 	500 500 500 200 200 200	govt.nz	PSM Dilantin Infatab Dilantin Dilantin
 ▶SA0921 Special Authority for Subsidy Jbsidy by application to the Levetiracetam Special Access otes: Application details may be obtained from PHARMAG The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 167 Tab 15 mg HENYTOIN SODIUM Tab 50 mg Cap 30 mg Cap 100 mg Cap 100 mg Tab 250 mg 	C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@p 	500 500 500 200 200 200 500 ml	govt.nz	PSM Dilantin Infatab Dilantin Dilantin Dilantin
SA0921 Special Authority for Subsidy Jubidy by application to the Levetiracetam Special Access otes: Application details may be obtained from PHARMAG The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 167 Tab 15 mg Tab 30 mg Cap 30 mg Cap 100 mg Cap 30 mg Cap 100 mg Cap 30 mg	C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@ 25.00 26.00 42.09 19.13 17.21 19.16 	500 500 200 200 200 500 ml 100	govt.nz F F F C C C C C C C C C C C C C	PSM Dilantin Infatab Dilantin Dilantin Dilantin Apo-Primidone
SA0921 Special Authority for Subsidy ibsidy by application to the Levetiracetam Special Access tes: Application details may be obtained from PHARMAG The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 167 Tab 15 mg Tab 30 mg Tab 50 mg Cap 30 mg Cap 100 mg ‡ Oral liq 30 mg per 5 ml SIMIDONE Tab 250 mg DDIUM VALPROATE Tab 100 mg	C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@) 	500 500 200 200 200 500 ml 100	govt.nz	PSM Dilantin Infatab Dilantin Dilantin Dilantin Apo-Primidone Epilim Crushable
SA0921 Special Authority for Subsidy Jbsidy by application to the Levetiracetam Special Access otes: Application details may be obtained from PHARMAG The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 167 Tab 15 mg Tab 30 mg Cap 30 mg Cap 100 mg Tab 250 mg Coral liq 30 mg per 5 ml MIDONE Tab 250 mg DDIUM VALPROATE Tab 100 mg Tab 200 mg EC	C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@ 25.00 26.00 42.09 19.13 17.21 19.16 17.25 13.65 27.44	500 500 200 200 200 500 ml 100 100	govt.nz	PSM Dilantin Infatab Dilantin Dilantin Apo-Primidone Epilim Crushable Epilim
SA0921 Special Authority for Subsidy ibsidy by application to the Levetiracetam Special Access otes: Application details may be obtained from PHARMAG The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 167 Tab 15 mg Tab 30 mg Cap 30 mg Cap 100 mg Cap 250 mg Cap 100 mg Cap 200 mg Cap 00 mg Cap 30 mg Cap 100 mg Cap 30 mg Cap 30 mg Cap 100 mg Cap 30 mg C	C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@) 	500 500 500 200 200 200 500 ml 100 100 100	govt.nz	PSM Dilantin Infatab Dilantin Dilantin Apo-Primidone Epilim Crushable Epilim
SA0921 Special Authority for Subsidy Jbsidy by application to the Levetiracetam Special Access otes: Application details may be obtained from PHARMAG The Coordinator, Levetiracetam Special Access Panel PHARMAC, PO Box 10 254 Wellington HENOBARBITONE For phenobarbitone oral liquid refer, page 167 Tab 15 mg Tab 30 mg Cap 30 mg Cap 100 mg Tab 250 mg WIDONE Tab 250 mg Tab 250 mg Cap 100 mg Tab 250 mg Tab 250 mg Cap 100 mg Tab 250 mg DDIUM VALPROATE Tab 200 mg EC	C's website http://www.ph Phone: (04) 916-7553 Facsimile: (09) 929-3226 Email: Isacoordinator@) 	500 500 200 200 200 500 ml 100 100		PSM Dilantin Infatab Dilantin Dilantin Apo-Primidone Epilim Crushable Epilim

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Generic
TOPIRAMATE				
▲ Tab 25 mg		60	~	Arrow-Topiramate
	26.04		V .	Topamax
▲ Tab 50 mg		60	~	Arrow-Topiramate
-	44.26		V .	Topamax
▲ Tab 100 mg		60	~	Arrow-Topiramate
-	75.25		V .	Topamax
▲ Tab 200 mg	55.19	60	~	Arrow-Topiramate
-	129.85		V .	Topamax
Sprinkle cap 15 mg		60	v .	Topamax
Sprinkle cap 25 mg		60	V .	Topamax
VIGABATRIN - Special Authority see SA1010 below - Retail pha				
▲ Tab 500 mg		100	~ :	Sabril

➡SA1010 Special Authority for Subsidy

Initial application — (new patients) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Patient has infantile spasms; or
 - 1.2 Both:
 - 1.2.1 Patient has epilepsy; and
 - 1.2.2 Either:
 - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
 - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and
- 2 Either:
 - 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Initial application — (patient has had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for the duration of treatment with vigabatrin; or
- 2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Note: Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and 2 Either:
 - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per 🗸 Manufacturer	
--	--

continued...

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages. If the patient had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

Antimigraine Preparations

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 96

Acute Migraine Treatment

ERGOTAMINE TARTRATE WITH CAFFEINE	04.00	100	
Tab 1 mg with caffeine 100 mg		100	 Cafergot
METOCLOPRAMIDE HYDROCHLORIDE WITH PARACETAMOI	-		
Tab 5 mg with paracetamol 500 mg	6.77	60	Paramax
RIZATRIPTAN BENZOATE			
Wafer 10 mg	25.32	3	Maxalt Melt
SUMATRIPTAN			
Tab 50 mg		4	Arrow-Sumatriptan
Teb 100 mg	38.83	100 2	 <u>Arrow-Sumatriptan</u> Arrow-Sumatriptan
Tab 100 mg	77.66	2 100	 <u>Arrow-Sumatriptan</u> <u>Arrow-Sumatriptan</u>
Inj 12 mg per ml, 0.5 ml – Retail pharmacy-Specialist Maximum of 10 inj per prescription		2 OP	✓ Imigran
Prophylaxis of Migraine			
For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SY	STEM, page 50		
CLONIDINE HYDROCHLORIDE			
* Tab 25 μg	19.25	100	✓ <u>Dixarit</u>
PIZOTIFEN			
* Tab 500 μg	21.10	100	Sandomigran
Antinausea and Vertigo Agents			
For Antispasmodics refer to ALIMENTARY TRACT, page 27			
APREPITANT - Special Authority see SA0987 below - Retail ph	narmacy		
Cap 2 \times 80 mg and 1 \times 125 mg	116.00	3 OP	Emend Tri-Pack
➡SA0987 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals valid			ent is undergoing highly emetogenic
chemotherapy and/or anthracycline-based chemotherapy for the			
Renewal from any relevant practitioner. Approvals valid for 12 mo apy and/or anthracycline-based chemotherapy for the treatment of		tient is under	going highly emetogenic chemother
BETAHISTINE DIHYDROCHLORIDE	or malignancy.		
* Tab 16 mg	9.26	84	✔ Vergo 16
0		04	
CYCLIZINE HYDROCHLORIDE Tab 50 mg	1 50	10	✓ Nausicalm
iau ju iliy	1.09	10	

	Subsidy (Manufacturer's Price		Fully Brand or osidised Generic
	φ	Per	 Manufacturer
CYCLIZINE LACTATE Inj 50 mg per ml, 1 ml	14.95	5	✓ Nausicalm
(Valoid (AFT) Inj 50 mg per ml, 1 ml to be delisted 1 March 2011,)		 Valoid (AFT)
DOMPERIDONE			
* Tab 10 mg	7.99	100	✓ Motilium
HYOSCINE (SCOPOLAMINE) - Special Authority see SA0939 H	below – Retail pharm	acy	
Patch 1.5 mg		2	Scopoderm TTS
SA0939 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals valid	I for 1 year for applic	ations mee	ting the following criteria:
All of the following: 1 Control of intractable nausea, vomiting, or inability to swal	low caliva in the trea	tmont of m	alignanov or obrania disaasa; and
2 Patient cannot tolerate or does not adequately respond to			alignancy of chilonic disease, and
3 The applicant must specify the underlying malignancy or o		, and	
Renewal from any relevant practitioner. Approvals valid for 1 y	year where the treat	ment rema	ins appropriate and the patient is
benefiting from treatment.			
HYOSCINE HYDROBROMIDE	0.00	-	
* Inj 400 μg per ml, 1 ml		5	Mayne
METOCLOPRAMIDE HYDROCHLORIDE	E 1E	100	✓ Metamide
 * Tab 10 mg * Inj 5 mg per ml, 2 ml – Up to 5 inj available on a PSO 		100 10	✓ Metamide ✓ Pfizer
ONDANSETRON		10	
 a) Maximum of 12 tab per prescription; can be waived by Sp b) Maximum of 6 tab per dispensing; can be waived by Spec c) Not more than one prescription per month; can be waived d) The maximum of 6 tab per dispensing cannot be waived v 	ial Authority see SA by Special Authority	887 below see SA08	
Tab 4 mg	5.10	30	 Dr Reddy's Ondansetron
	17.18	10	✓ Zofran
Tab disp 4 mg		10	✓ Zofran Zydis
Tab 8 mg	1.70	10	 Dr Reddy's Ondansetron
	33.89	20	✓ Zofran
Tab disp 8 mg		10	✓ Zofran Zydis
➡SA0887 Special Authority for Waiver of Rule			
Initial application from any relevant practitioner. Approvals valid with highly emetogenic chemotherapy and/or highly emetogenic Renewal from any relevant practitioner. Approvals valid for 12 r highly emetogenic chemotherapy and/or highly emetogenic radia PROCHLORPERAZINE	radiation therapy for months where the pa	the treatment atient is une	ent of malignancy. dergoing prolonged treatment with
* Tab 3 mg buccal	5.97	50	
-	(15.00)		Buccastem
* Tab 5 mg – Up to 30 tab available on a PSO		500	✓ Antinaus
 Inj 12.5 mg per ml, 1 ml – Up to 5 inj available on a PSO Suppos 25 mg 		10 5	 ✓ Stemetil ✓ Stemetil
	20.07	5	+ otemetii
PROMETHAZINE THEOCLATE * Tab 25 mg	1 20	10	
	(6.24)	10	Avomine
	× /		

	Subsidy (Manufacturer's Price \$) Per	Fully Subsidised	Brand or Generic Manufacturer
TROPISETRON				
 a) Maximum of 6 cap per prescription b) Maximum of 3 cap per dispensing 				
c) Not more than one prescription per month. Cap 5 mg		5	V N	avoban
Agents for Parkinsonism and Related Disord				<u> </u>
Dopamine Agonists and Related Agents				
MANTADINE HYDROCHLORIDE				
Cap 100 mg		60	✓ <u>S</u>	<u>ymmetrel</u>
POMORPHINE HYDROCHLORIDE Inj 10 mg per ml, 2 ml		5	🗸 A	pomine
ROMOCRIPTINE MESYLATE				
₭ Tab 2.5 mg		100		po-Bromocriptine
 Cap 5 mg 	60.43	100	✓ A	po- Bromocriptine S29
NTACAPONE				
Tab 200 mg	116.00	100	✓ <u>C</u>	<u>omtan</u>
EVODOPA WITH BENSERAZIDE				
 Tab dispersible 50 mg with benserazide 12.5 mg 		100	✓ M	adopar Dispersible
 Cap 50 mg with benserazide 12.5 mg 		100		adopar 62.5
Cap 100 mg with benserazide 25 mg		100		adopar 125
Cap long-acting 100 mg with benserazide 25 mg		100		adopar HBS
Cap 200 mg with benserazide 50 mg		100	✓ M	adopar 250
EVODOPA WITH CARBIDOPA				
Tab 100 mg with carbidopa 25 mg		50		indopa
The land action 000 meruith contridence 50 mer	20.00	100		inemet inemet CR
 Tab long-acting 200 mg with carbidopa 50 mg Tab 250 mg with carbidopa 25 mg 		100 100		inemet CR
···· -··· ··· ························		100	¥ 3	inemet
ISURIDE HYDROGEN MALEATE	07 50	00		
Tab 200 μg	27.50	30	V D	opergin
ERGOLIDE			4 -	
Tab 0.25 mg		100		ermax
Tab 1 mg	170.00	100	<u> P</u>	ermax
OPINIROLE HYDROCHLORIDE				
Tab 0.25 mg		84	<u> R</u>	
Tab 1 mg		84	✓ <u>R</u>	
Tab 2 mg		84	✓ <u>R</u>	
Tab 5 mg		84	✓ <u>R</u>	opin
ELEGILINE HYDROCHLORIDE				
Fab 5 mg		100	✓ <u>A</u>	po-Selegiline
OLCAPONE				
Tab 100 mg		100	🖌 Ta	asmar

	Subsidy (Manufacturer's Price) \$	Ful Subsidise Per •	
Anticholinergics			
BENZTROPINE MESYLATE Tab 2 mg Inj 1 mg per ml, 2 ml a) Up to 5 inj available on a PSO b) Only on a PSO ORPHENADRINE HYDROCHLORIDE Tab 50 mg PROCYCLIDINE HYDROCHLORIDE Tab 5 mg	36.35 31.93	5 × 250 ×	Benztrop Cogentin Disipal Kemadrin
Agents for Essential Tremor, Chorea and Related			
TETRABENAZINE Tab 25 mg	243.00	112 🗸	Xenazine 25

Guidelines for the use of atypical antipsychotic agents

Diagnosis: Schizophrenia and related psychoses when positive symptoms (delusions, hallucinations and thought disorder) are prominent and/or disabling or when both positive symptoms and negative symptoms (flattened affect, emotional and social withdrawal and poverty of speech) are present. Treatment: Before initiating atypical antipsychotic therapy, physicians should consider whether the patient is likely to respond to and/or tolerate conventional antipsychotic therapy and, where appropriate, trial one or more conventional agent prior to use of an atypical agent.

General

AMISULPRIDE		
Tab 100 mg22.52	30	Solian
Tab 200 mg97.03	60	Solian
Tab 400 mg	60	Solian
Oral liq 100 mg per ml55.44	60 ml	 Solian
ARIPIPRAZOLE - Special Authority see SA0920 below - Retail pharmacy		
Tab 10 mg123.54	30	Abilify
Tab 15 mg	30	Abilify
Tab 20 mg213.42	30	Abilify
Tab 30 mg260.07	30	Abilify

➡SA0920 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Patient is suffering from schizophrenia or related psychoses; and

- 2 Either:
 - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
 - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy (Manufacturer's Pric		Fully Brand or Subsidised Generic
	\$	Per	 Manufacturer
CHLORPROMAZINE HYDROCHLORIDE			
Tab 10 mg – Up to 30 tab available on a PSO		100	 Largactil
Tab 25 mg – Up to 30 tab available on a PSO		100	 Largactil
Tab 100 mg – Up to 30 tab available on a PSO		100	 Largactil
Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO	25.66	10	 Largactil
CLOZAPINE – Hospital pharmacy [HP4]			
Tab 25 mg		50	Clozaril
U U U U U U U U U U U U U U U U U U U	26.74	100	Clozaril
	6.69	50	Clopine
	13.37	100	Clopine
Tab 50 mg	8.67	50	✓ Clopine
-	17.33	100	Clopine
Tab 100 mg		50	Clozaril
	69.30	100	Clozaril
	17.33	50	Clopine
	34.65	100	Clopine
Tab 200 mg		50	Clopine
	69.30	100	Clopine
Suspension 50 mg per ml	17.33	100 ml	 Clopine
HALOPERIDOL			
Tab 500 µg – Up to 30 tab available on a PSO		100	Serenace
Tab 1.5 mg – Up to 30 tab available on a PSO		100	✓ Serenace
Tab 5 mg – Up to 30 tab available on a PSO		100	✓ Serenace
Oral lig 2 mg per ml - Up to 200 ml available on a PSO		100 ml	✓ Serenace
Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO		10	Serenace
LITHIUM CARBONATE			
Tab 250 mg	36 10	500	Lithicarb
Tab 400 mg		100	
Tab long-acting 400 mg		100	✓ Priadel
Cap 250 mg		100	✓ Douglas
			- 201g
	10.00	100	A Norinor
Tab 25 mg		100	Nozinan
Tab 100 mg		100	Nozinan
Inj 25 mg per ml, 1 ml		10	Nozinan
OLANZAPINE - Special Authority see SA0741 below - Retail p			
Tab 2.5 mg		28	 Zyprexa
Tab 5 mg		28	 Zyprexa
Tab 10 mg	204.49	28	 Zyprexa

➡SA0741 Special Authority for Subsidy

Initial application only from a psychiatrist. Approvals valid for 2 years for applications meeting the following criteria: Any of the following:

1 Patient presents with first episode schizophrenia or related psychoses; or

2 Both:

2.1 Patient suffering from schizophrenia and related psychoses or acute mania in bipolar disorder who is likely to benefit from antipsychotic treatment; and

2.2 Either:

2.2.1 An effective dose of risperidone had been trialled and has been discontinued because of unacceptable side effects; or

	Subsidy (Manufacturer's Price) \$		Fully dised	Brand or Generic Manufacturer
continued				
2.2.2 An effective dose of risperidone had been tr	alled and has been	discontinued	beca	ause of inadequate clinical
response after 4 weeks; or	abaania oo biaalaa aa	ania and ha		
3 The patient has suffered from an acute episode of schize short-acting intra-muscular injection.	phrenia or dipolar m	ania and na	s dee	en treated with olanzapine
Renewal only from a psychiatrist. Approvals valid for 2 years whe from treatment.	re the treatment rema	ains appropri	ate a	and the patient is benefiting
Note: Initial prescriptions to be written by psychiatrists or psych General Practitioners.	iatric registrars and	subsequent	preso	criptions can be written by
PERICYAZINE	10.10	100		1
Tab 2.5 mg				leulactil leulactil
Tab 10 mg		100		leulactii
QUETIAPINE				
Tab 25 mg	7.00	60	V D	or Reddy's
				Quetiapine
	10 70			eroquel
T 100	16.78			luetapel
Tab 100 mg	14.00	60	V D	Or Reddy's
				Quetiapine
	00.50			eroquel
T-1, 000 mm	32.59			luetapel
Tab 200 mg		60	V D	Or Reddy's
				Quetiapine
	50 70			eroquel
Teb 000 mm	56.70			luetapel
Tab 300 mg		60	V D	Pr Reddy's
				Quetiapine
	05.40			eroquel
	95.40	90	V Q	luetapel

	Subsidy (Manufacturor's Price	a) 0:	Fully Brand or
	(Manufacturer's Pric \$	Per St	ubsidised Generic Manufacturer
RISPERIDONE			
Tab 0.5 mg	1.17	20	Ridal
5	3.51	60	Ridal
			Apo-Risperidone
			✔ Dr Reddy's
			Risperidone
	5.20	20	 Risperdal
Tab 1 mg	6.00	60	✓ Apo-Risperidone
			Dr Reddy's
			Risperidone
			Ridal
	30.77		Risperdal
Tab 2 mg	11.00	60	Apo-Risperidone
			Dr Reddy's
			Risperidone
			✔ Ridal
	61.53		Risperdal
Tab 3 mg	15.00	60	Apo-Risperidone
			✓ Dr Reddy's
			Risperidone
			✔ Ridal
	92.32		Risperdal
Tab 4 mg		60	✓ Apo-Risperidone
C C			✓ Dr Reddy's
			Risperidone
			✓ Ridal
	123.05		 Risperdal
Oral liq 1 mg per ml		30 ml	Apo-Risperidone
			✓ Risperon
	45.92		Risperdal
RIFLUOPERAZINE HYDROCHLORIDE			
Tab 1 mg	9.83	100	Stelazine
Tab 2 mg		100	✓ Stelazine
Tab 5 mg		100	✓ Stelazine
•		100	• otolazino
ZIPRASIDONE – Subsidy by endorsement			- floor - brief of an official to a straight of
Ziprasidone is subsidised for patients suffering from schize			
risperidone or quetiapine that has been discontinued, or is i effects or inadequate response, and the prescription is endo		ig discontin	lued, because of unacceptable sid
		60	A Zoldov
Cap 20 mg		60	✓ Zeldox✓ Zeldox
Cap 40 mg Cap 60 mg		60 60	✓ Zeldox ✓ Zeldox
Cap 80 mg		60 60	✓ Zeldox ✓ Zeldox
		00	
ZUCLOPENTHIXOL HYDROCHLORIDE			
Tab 10 mg	31.45	100	Clopixol
Depot Injections			
LUPENTHIXOL DECANOATE			
Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	Fluanxol
Inj 20 mg per ml, 2 ml - Up to 5 inj available on a PSO	20.90	5	Fluanxol
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO			

	Subsidy (Manufacturer's Price) \$	Su Per	Fully Ibsidised	Brand or Generic Manufacturer
FLUPHENAZINE DECANOATE				
Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO	17.60	5	🖌 M	odecate
Inj 25 mg per ml, 1 ml - Up to 5 inj available on a PSO	27.90	5	🖌 M	odecate
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO	154.50	5	🖌 M	odecate
HALOPERIDOL DECANOATE				
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	🖌 Ha	aldol
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	55.90	5	🖌 Ha	aldol Concentrate
PIPOTHIAZINE PALMITATE				
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	178.48	10	🖌 Pi	iportil
Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	353.32	10	🖌 Pi	portil
RISPERIDONE - Special Authority see SA0926 below - Retail ph	armacy			
Microspheres for injection 25 mg		1	🖌 Ri	isperdal Consta
Microspheres for injection 37.5 mg		1	🖌 Ri	isperdal Consta
Microspheres for injection 50 mg	280.00	1	🗸 Ri	isperdal Consta

➡SA0926 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient has schizophrenia or other psychotic disorder; and
- 2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

1 Both:

- 1.1 The patient has had less than 12 months treatment with risperidone microspheres; and
- 1.2 There is no clinical reason to discontinue treatment; or
- 2 The initiation of risperidone microspheres has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of risperidone microspheres.

Note: Risperidone microspheres should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone microspheres.

Inj 200 mg per ml, 1 ml – Up to 5 inj available on a PSO	5	 Clopixol
Orodispersible Antipsychotics		
OLANZAPINE – Special Authority see SA0739 below – Retail pharmacy		
Wafer 5 mg102.19	28	Zyprexa Zydis
Wafer 10 mg204.37	28	Zyprexa Zydis

➡SA0739 Special Authority for Subsidy

Initial application only from a psychiatrist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The patient meets the current criteria for standard olanzapine tablets; and
- 2 The patient is unable to take standard olanzapine tablets, or once stabilized refuses to take olanzapine tablets; or the patient is non-adherent to oral therapy with standard olanzapine tablets; and
- 3 The patient is under direct supervision for administration of medicine.

Renewal only from a psychiatrist. Approvals valid for 1 year for applications meeting the following criteria: Both:

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
ontinued				
1 The patient is unable to take standard olanzapine table		uses to	take olanz	apine tablets; and
2 The patient is under direct supervision for administration				
lote: Initial prescriptions to be written by psychiatrists and General Practitioners.	subsequent prescriptions	can i	be written t	by psychiatric registrars c
RISPERIDONE – Special Authority see SA0927 below – Ret	ail pharmacy			
Orally-disintegrating tablets 0.5 mg		28	V R	isperdal Quicklet
Orally-disintegrating tablets 1 mg		28		isperdal Quicklet
Orally-disintegrating tablets 2 mg		28		isperdal Quicklet
SA0927 Special Authority for Subsidy				
nitial application - (Acute situations) from any relevant	practitioner. Approvals va	alid for	6 weeks fo	r applications meeting the
ollowing criteria:				
Both:				
1 For a non-adherent patient on oral therapy with standa		risperio	tone oral lic	juid; and
2 The patient is under direct supervision for administration nitial application — (Chronic situations) from any relevant		volid f	or 1 voor fa	r applications masting th
bllowing criteria:	it practitioner. Approvais	valiu i	or ryear ic	applications meeting th
Both:				
1 The patient is unable to take standard risperidone table	ets or oral liquid, or once	stabiliz	ed refuses	to take risperidone tablet
or oral liquid; and	1 /			'
2 The patient is under direct supervision for administration				
Renewal from any relevant practitioner. Approvals valid for 1	year for applications mee	ting th	e following	criteria:
Both:	the second flow for the second			to take days of the state late
 The patient is unable to take standard risperidone table or oral liguid; and 	ets or oral liquid, or once	stadiliz	ed refuses	to take risperidone tablet
2 The patient is under direct supervision for administration	on of medicine			
lote: Risperdal Quicklets cost significantly more than risperio		nlv be	used where	e necessarv.
Anxiolytics		ý		,
Allkiolytics				
ILPRAZOLAM		FO	🖌 A	A1 1
Tab 250 μg		50	• •	rrow-Alprazolam
Tab 250 μg ‡ Safety cap for extemporaneously compounded oral l	iquid preparations.			
Tab 250 μg ‡ Safety cap for extemporaneously compounded oral I Tab 500 μg	iquid preparations. 4.10	50 50		rrow-Alprazolam rrow-Alprazolam
Tab 250 μg ‡ Safety cap for extemporaneously compounded oral I Tab 500 μg ‡ Safety cap for extemporaneously compounded oral I	iquid preparations. 4.10 iquid preparations.	50	🗸 A	rrow-Alprazolam
Tab 250 μg ‡ Safety cap for extemporaneously compounded oral I Tab 500 μg ‡ Safety cap for extemporaneously compounded oral I Tab 1 mg	iquid preparations. 4.10 iquid preparations. 7.25		🗸 A	
Tab 250 μg ‡ ‡ Safety cap for extemporaneously compounded oral I Tab 500 μg ‡ ‡ Safety cap for extemporaneously compounded oral I Tab 1 mg ‡ ‡ Safety cap for extemporaneously compounded oral I Tab 200 μg 1 Tab 300 μg 1 Tab 4 1 Tab 500 μg 1 Tab 1 1 Tab 1 1 Tab 1 1 Tab 1 1 Tab 2 1 Tab 3 1 Tab 4 1 Tab 5 1 Tab 1 1 Tab 2 1 Tab 3 1 Tab 4 1 Tab 4 1 Tab 5 1 Tab 5 1 Tab 5 1 Tab 5 1 Tab 7 <	iquid preparations. 4.10 iquid preparations. 7.25 iquid preparations.	50 50	🗸 A	rrow-Alprazolam
 \$ Safety cap for extemporaneously compounded oral I Tab 500 µg \$ Safety cap for extemporaneously compounded oral I Tab 1 mg 	iquid preparations. 4.10 iquid preparations. 7.25 iquid preparations. \0863 below – Retail phar	50 50	🗸 A	rrow-Alprazolam

➡SA0863 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 For use only as an anxiolytic; and

2 Other agents are contraindicated or have failed.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	,
DIAZEPAM				
Tab 2 mg	11.44	500	~	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
Tab 5 mg	13.71	500	~	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
LORAZEPAM				
Tab 1 mg		250	~	Ativan
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
Tab 2.5 mg		100	~	Ativan
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
OXAZEPAM				
Tab 10 mg		100		
J. J	(5.89)			Ox-Pam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
Tab 15 mg		100		
-	(8.13)			Ox-Pam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			

Multiple Sclerosis Treatments

SA0855 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Budget managed by appointed clinicians on the Multiple Sclerosis Treatment Assessments Committee (MSTAC).

Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator	Phone: 04 460 4990
Multiple Sclerosis Treatment Assessment Committee	Facsimile: 04 916 7571
PHARMAC PO Box 10 254	Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Appeals against MSTAC's decision and/or the processing of any application may be lodged with the MSTAC coordinator. Concerns that cannot be or have not been adequately addressed by MSTAC will be forwarded to a separate Appeal Committee if necessary. Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

Entry Criteria

- Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis should as a rule include MRI confirmation. For patients diagnosed before MRI was widely utilised in New Zealand, confirmation of diagnosis via clinical assessment and laboratory/ancillary data must be provided; and
- 2) patients must have active relapsing MS (confirmed by MR scan where necessary) with or without underlying progression; and
- 3) patients must have either:
 - a) EDSS score 2.5 5.5 with 2+ relapses:

	Subsidy	Fully	Brand or
()	Manufacturer's Price)	Subsidised	Generic
	\$	Per 🖌	Manufacturer

continued...

- experienced at least 2 significant relapses of MS in the previous 12 months, and
 an EDSS score of between 2.5 and 5.5 inclusive: or
- an EDSS score of between 2.5 and 5.5 inclus
 DCC access 0.0 with 0.1 releases
- b) EDSS score 2.0 with 3+ relapses:
 - experienced at least 3 significant relapses of MS in the previous 12 months, and
 - an EDSS score of 2.0; and
- 4) Each relapse must:
 - a) be confirmed by a neurologist or general physician (the patient may not necessarily have been seen during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) follow a period of stability of at least one month;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke functional systems scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T>37.5 $^{\circ}$ C); and
- 5) applications must be made at least four weeks after the date of the onset of the last known relapse; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate (see criteria for stopping).
- applications must be submitted to the Multiple Sclerosis Treatment Assessment Committee (MSTAC) by the patient's neurologist or a general physician; and
- 8) patients must agree (via informed consent) to co-operate if as a result of their meeting the stopping criteria, funding is withdrawn. Patients must agree to the collection of clinical data relating to their MS and use of those data by PHARMAC; and
- 9) patients must agree to allow clinical data to be collected and reviewed by MSTAC annually for each year in which they receive funding for beta-interferon or glatiramer acetate.

Stopping Criteria

- Confirmed progression of disability that is sustained for three months after a minimum of one year of treatment. Progression
 of disability is defined as either an increase of 1 EDSS point from the starting EDSS or an increase in EDSS score to 6.0 or
 more; or
- 2) stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment); or
- 3) pregnancy and/or lactation; or
- 4) within the 12 month approval year, intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- 5) non-compliance with treatment, including refusal to undergo annual assessment or refusal to allow the results of the assessment to be submitted to MSTAC; or
- 6) patients may, subject to conclusions drawn from published evidence available at the time, be excluded if they develop a high titre of neutralising anti-bodies to beta-interferon or glatiramer acetate.

		20	e españone
INTERFERON BETA-1-ALPHA - Special Authority see SA	.0855 on the preceding pa	ige	
Inj 6 million iu prefilled syringe	1,329.65	4	Avonex
Inj 6 million iu per vial	1,329.65	4	Avonex
INTERFERON BETA-1-BETA - Special Authority see SA08	855 on the preceding pag	е	
Inj 8 million iu per 1 ml	1,407.33	15	 Betaferon

20

Conaxone

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
Sedatives and Hypnotics				
LORMETAZEPAM				
Tab 1 mg		30		
ů –	(23.50)		N	octamid
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
MIDAZOLAM				
Note: Midazolam injection will be funded if prescribed for intra		for us	e in palliati [,]	ve care. Note that only the
Hypnovel brand is currently indicated for intranasal administra				
Tab 7.5 mg		100		
+ Cofety can far automacropacualy compared and liquid	(25.00)		Н	ypnovel
‡ Safety cap for extemporaneously compounded oral liquid in 1 ma por ml. 5 ml		10	1	vnnovol
Inj 1 mg per ml, 5 ml	(14.73)	10		ypnovel fizer
Inj 5 mg per ml, 3 ml		5		vpnovel
	(19.64)	Ũ		fizer
NITRAZEPAM	()			
Tab 5 mg	2 00	100		
	(4.98)	100	N	itrados
‡ Safety cap for extemporaneously compounded oral liquid	()			
TEMAZEPAM				
Tab 10 mg	0.83	25	🖌 N	ormison
‡ Safety cap for extemporaneously compounded oral liquid				
TRIAZOLAM				
Tab 125 µg	5.10	100		
	(6.50)		Н	ypam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
Таb 250 µg		100		
	(7.20)		H	ypam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
ZOPICLONE				
Tab 7.5 mg		500	<u> </u>	po-Zopiclone
Stimulants/ADHD Treatments				
Stimulants/ADHD treatments				
ATOMOXETINE - Special Authority see SA0951 on the next page	– Retail pharmacy			
Cap 10 mg		28		trattera
Cap 18 mg		28		trattera
Cap 25 mg		28		trattera
Cap 40 mg		28		trattera
Cap 60 mg Cap 80 mg		28 28		trattera trattera
Cap 80 mg		20 28		trattera
Oup 100 mg		20	# 3	lialloid

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🖌	Brand or Generic Manufacturer
►SA0951 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals va	lid for 6 months for applic	cations meeting t	he following criteria:
All of the following:			
1 Patient has ADHD (Attention Deficit and Hyperactivity D	isorder) diagnosed accor	rding to DSM-IV	or ICD 10 criteria; and
2 Once-daily dosing; and			
3 Any of the following:			
3.1 Treatment with a subsidised formulation of a s adverse reactions or where the combination of			
unacceptable medical risk; or	Subsidised sumulant tre		iller agent would pose al
3.2 Treatment with a subsidised formulation of a still	mulant has resulted in w	orsening of co-m	orbid substance abuse o
there is a significant risk of diversion with subsidi			
3.3 An effective dose of a subsidised formulation of a inadequate clinical response; and	1.27		n discontinued because of
4 The patient will not be receiving treatment with atomo	xetine in combination wi	th a subsidised t	formulation of a stimulant
except for the purposes of transitioning from subsidised			
Renewal from any relevant practitioner. Approvals valid for 2	years where the treatm	ent remains app	ropriate and the patient is
benefiting from treatment.	and a sub-state address the de-	la successiva de la contra de la	hter data in the terminate de data in
Note: A "subsidised formulation of a stimulant" refers to curr			nioride tablet formulations
(immediate-release, sustained-release and extended-release)			
DEXAMPHETAMINE SULPHATE – Special Authority see SA0	907 below - Retail pharm	nacy	
Only on a controlled drug form Tab 5 mg	16 50	100 V P	SW
SA0907 Special Authority for Subsidy			
Initial application — (ADHD in patients 5 or over – new pat			
on the recommendation of a relevant specialist. Approvals valid	d for 24 months for applic	ations meeting th	he following criteria:
All of the following:			
1 ADHD (Attention Deficit and Hyperactivity Disorder) pat	ients aged 5 years or ove	er; and	
 Diagnosed according to DSM-IV or ICD 10 criteria; and Either: 			
3.1 Applicant is a paediatrician or psychiatrist; or			
3.2 Both:			
3.2.1 Applicant is a medical practitioner and con	nfirms that a relevant spe	ecialist has been	consulted within the last 2
years and has recommended treatment for			
3.2.2 Provide name of the recommending speci	alist.		
Initial application — (ADHD in patients 5 or over - patient			
April 2008) only from a paediatrician, psychiatrist or medical p		nendation of a rele	evant specialist. Approvals
valid for 24 months for applications meeting the following criter	ia:		
Both:	notiting from the start of	and	
 The treatment remains appropriate and the patient is be Either: 	eneming from treatment; a	and	
2.1 Applicant is a paediatrician or psychiatrist; or			
2.1 Applicant is a paediatrician of psychiatrist, of 2.2 Both:			
2.2.1 Applicant is a medical practitioner and co	ofirms that a relevant spe	cialist has been	consulted within the last (

- 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
- 2.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients under 5 – new patients) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria: Both:

1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and

Subsidy Fully Brand or
(Manufacturer's Price) Subsidised Generic
\$ Per Manufacturer

continued...

2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (ADHD in patients under 5 - patient has had an approval for dexamphetamine for ADHD in patients under 5 prior to 1 April 2008) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Narcolepsy – new patients) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Initial application — (Narcolepsy - patient has had an approval for dexampletamine for narcolepsy prior to 1 April 2008) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 Either:

2.1 Applicant is a paediatrician or psychiatrist; or

2.2 Both:

- 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
- 2.2.2 Provide name of the recommending specialist.

Note: If the patient had an approval for dexampletamine for ADHD prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for dexamphetamine for ADHD in patients under 5 prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for dexampletamine for narcolepsy prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

METHYLPHENIDATE HYDROCHLORIDE - Special Authority see SA0908 below - Retail pharmacy

Only on a contr	olled drug form			
Tab immediate-	release 5 mg		30	Rubifen
	release 10 mg		30	Ritalin
	-			Rubifen
Tab immediate-	release 20 mg	7.85	30	Rubifen
	release 20 mg		30	Rubifen SR
	-	50.00	100	Ritalin SR

►SA0908 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over – new patients) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

- 3.2 Both:
 - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 3.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients 5 or over - patient has had an approval for methylphenidate for ADHD prior to 1 April 2008) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Both:
 - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 2.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients under 5 – new patients) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (ADHD in patients under 5 - patient has had an approval for methylphenidate for ADHD in patients under 5 prior to 1 April 2008) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Narcolepsy – new patients) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Initial application — (Narcolepsy - patient has had an approval for methylphenidate for narcolepsy prior to 1 April 2008) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Both:
 - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 2.2.2 Provide name of the recommending specialist.

Note: If the patient had an approval for methylphenidate for ADHD prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for methylphenidate for ADHD in patients under 5 prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for methylphenidate for narcolepsy prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

	Subsidy (Manufacturer's Price) \$	S Per	Fully subsidised	Brand or Generic Manufacturer	
METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE	- Special Authority	see SA	.0924 belo	w – Retail pharn	nacy
Only on a controlled drug form					
Tab extended-release 18 mg		30	🖌 C(oncerta	
Tab extended-release 27 mg	65.44	30	V C	oncerta	
Tab extended-release 36 mg		30	V C	oncerta	
Tab extended-release 54 mg		30	V C	oncerta	
Cap modified-release 10 mg		30	🖌 Ri	italin LA	
Cap modified-release 20 mg		30	🖌 Ri	italin LA	
Cap modified-release 30 mg		30	🖌 Ri	italin LA	
Cap modified-release 40 mg		30	🖌 Ri	italin LA	

➡SA0924 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Both:
 - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 3.2.2 Provide name of the recommending specialist: and

4 Fither

- 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustainedrelease) which has not been effective due to significant administration and/or compliance difficulties; or
- 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Both:
 - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 2.2.2 Provide name of the recommending specialist.

Treatments for Opioid Overdose

NALOXONE HYDROCHLORIDE

- a) Up to 5 inj available on a PSO

b) Only on a PSO * Inj 400 μg per ml, 1 ml33.00	5	Mayne	
Treatments for Substance Dependence			
BUPROPION HYDROCHLORIDE Tab modified-release 150 mg65.00	30	 Zyban 	
DISULFIRAM Tab 200 mg24.30	100	✓ Antabuse	

	Subsidy (Manufacturer's Price) \$			Brand or Generic Manufacturer
NALTREXONE HYDROCHLORIDE – Special Authority see SA0 Tab 50 mg		armacy 30	🗸 Re	eVia

➡SA0909 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

Renewal from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
 - 2.1 Patient is still unstable and requires further treatment; or
 - 2.2 Patient achieved significant improvement but requires further treatment; or
 - 2.3 Patient is well controlled but requires maintenance therapy.

The patient may not have had more than 1 prior approval in the last 12 months.

Nicotine Gum

NICOTINE

a) Maximum of 768 piece per prescription

- b) Maximum of 384 piece per dispensing
- c) For the avoidance of doubt Nicotine will not be funded Close Control in amounts less than 4 weeks.

d) The maximum of 384 piece per dispensing cannot be waived via Access Exemption Criteria.

Gum 2 mg (Fruit)	14.97	96 OP	Habitrol
	23.41		✓ Nicotinell
Gum 2 mg (Mint)	14.97	96 OP	Habitrol
	23.41		✓ Nicotinell
Gum 4 mg (Fruit)	20.02	96 OP	✓ <u>Habitrol</u>
	23.41		✓ Nicotinell
Gum 4 mg (Mint)		96 OP	Habitrol
	23.41		✓ Nicotinell

Nicotine Lozenge

NICOTINE

- a) Maximum of 432 loz per prescription
- b) Maximum of 216 loz per dispensing
- c) For the avoidance of doubt Nicotine will not be funded Close Control in amounts less than 4 weeks.

d) The maximum of 216 loz per dispensing cannot be waived via Access Exemption Criteria.

Lozenge 1 mg		✓ Habitrol
Lozenge 2 mg11.08	36 OP	✓ <u>Habitrol</u>

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🖌	Brand or Generic Manufacturer	
Nicotine Patch				

NICOTINE

a) Maximum of 56 patch per prescription

b) Maximum of 28 patch per dispensing

c) For the avoidance of doubt Nicotine will not be funded Close Control in amounts less than 4 weeks.

d) The maximum of 28 patch per dispensing cannot be waived via Access Exemption Criteria.

Patch 7 mg10.53	7 OP	Habitrol
Patch 14 mg11.63	7 OP	Habitrol
Patch 21 mg12.32	7 OP	Habitrol

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully sidised	Brand or Generic Manufacturer
Chemotherapeutic Agents				
Alkylating Agents				
BUSULPHAN – PCT – Retail pharmacy-Specialist				
Tab 2 mg	47.89	100	V M	yleran
CARBOPLATIN – PCT only – Specialist				
Inj 10 mg per ml, 5 ml		1		arboplatin Ebewe
Inj 10 mg per ml, 15 ml		1		arboplatin Ebewe
Inj 10 mg per ml, 45 ml		1		arboplatin Ebewe
Inj 10 mg per ml, 100 ml		1		arboplatin Ebewe
Inj 1 mg for ECP	0.15	1 mg	🗸 Ba	axter
CARMUSTINE – PCT only – Specialist				
Inj 100 mg		1	🖌 Bi	ICNU
Inj 100 mg for ECP		100 mg OP	🖌 Ba	axter
CHLORAMBUCIL – PCT – Retail pharmacy-Specialist		0		
1 , 1	00.05	25		eukeran FC
Tab 2 mg		20	V Le	
CISPLATIN – PCT only – Specialist				
Inj 1 mg per ml, 50 ml	15.00	1	🖌 Ci	isplatin Ebewe
	19.00		🖌 M	ayne
Inj 1 mg per ml, 100 ml	21.00	1	🖌 Ci	isplatin Ebewe
	38.00		🖌 M	ayne
Inj 1 mg for ECP	0.27	1 mg	🖌 Ba	axter
CYCLOPHOSPHAMIDE				
Tab 50 mg - PCT - Retail pharmacy-Specialist	25.71	50		ycloblastin
Inj 1 g – PCT – Retail pharmacy-Specialist		1		ndoxan
	127.80	6		ytoxan
Inj 2 g – PCT only – Specialist		1		ndoxan
Inj 1 mg for ECP – PCT only – Specialist		1 mg	✓ Ba	
		1 119	• •	
FOSFAMIDE – PCT only – Specialist				
lnj 1 g		1		oloxan
lnj 2 g		1		oloxan
Inj 1 mg for ECP	0.10	1 mg	🗸 Ba	axter
LOMUSTINE – PCT only – Specialist				
Cap 10 mg		20	🖌 C	eeNU
Cap 40 mg		20	🖌 C	eeNU
MELPHALAN				
	21.21	25		lkeran
Tab 2 mg – PCT – Retail pharmacy-Specialist Inj 50 mg – PCT only – Specialist		1		lkeran
, , , ,			₩ AI	
OXALIPLATIN – PCT only – Specialist – Special Authority s			4 -	
Inj 50 mg		1		xaliplatin Ebewe
	200.00			oxatin
Inj 100 mg	130.00	1		xaliplatin Ebewe
	400.00		🖌 El	oxatin
Inj 1 mg for ECP	1.42	1 mg	🖌 Ba	axter

Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic
 \$	Per 🖌	Manufacturer

SA0900 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

1 Both:

- 1.1 The patient has metastatic colorectal cancer; and
- 1.2 To be used for first or second line use as part of a combination chemotherapy regimen; or

2 Both:

- 2.1 The patient has stage III (Duke's C) colorectal* cancer; and
- 2.2 Adjuvant oxaliplatin to be given in combination with a fluoropyrimidine (fluorouracil or capecitabine).

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

1 The patient requires continued therapy; or

2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with * are Unapproved Indications, oxaliplatin is indicated for adjuvant treatment of stage III (Duke's C) colon cancer after complete resection of the primary tumour.

THIOTEPA	- PCT only - Specialist
----------	-------------------------

Inj 15 mgCBS	1	✓ Bedford S29
Antimetabolites		
CALCIUM FOLINATE Tab 15 mg – PCT – Retail pharmacy-Specialist63.89	10	✔ Mayne
Inj 3 mg per ml, 1 ml – PCT – Retail pharmacy-Specialist	5	✓ Mayne
Inj 50 mg - PCT - Retail pharmacy-Specialist	5	 <u>Calcium Folinate</u> Ebewe
Inj 100 mg - PCT only - Specialist9.75	1	 Calcium Folinate Ebewe
Inj 300 mg – PCT only – Specialist	1	 Calcium Folinate Ebewe
Inj 1 g – PCT only – Specialist100.00	1	 Calcium Folinate Ebewe
Inj 1 mg for ECP – PCT only – Specialist0.10	1 mg	✓ Baxter
CAPECITABINE - Retail pharmacy-Specialist - Special Authority see SA1049 be	elow	
Tab 150 mg115.00 Tab 500 mg705.00	60 120	✓ Xeloda✓ Xeloda

➡SA1049 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has advanced gastrointestinal malignancy; or
- 2 The patient has metastatic breast cancer; or
- 3 The patient has stage III (Duke's stage C) colorectal*# cancer and undergone surgery; or
- 4 Both:
 - 4.1 The patient has stage II (Dukes' stage B) colorectal* cancer and has undergone surgery; and
 - 4.2 Any of the following:
 - 4.2.1 The patient has stage T4 disease; or
 - 4.2.2 The patient has vascular invasion; or

	Subsidy (Manufacturer's \$		Fully bsidised	Brand or Generic Manufacturer
continued				
4.2.3 Fewer than 10 lymph nodes were examined	d at resection; or			
5 All of the following:		TO/T 4: NO 1 0)		
5.1 The patient has locally advanced (clinically or radi	lologically staged	13/14: N0,1,2)	rectal c	ancer; and
5.2 Surgery is planned; and5.3 Capecitabine to be given prior to surgery (neoadjug)	ivant): and			
5.4 Capecitabine to be given at a maximum dose of	825 mg/m ² twice	e daily in comb	ination v	vith radiation therapy for a
maximum of 6 weeks; or	020 mg/m (mot	o daily in comb		in radiation thorapy for
6 Both:				
6.1 The patient has poor venous access or needle ph	obia*; and			
6.2 The patient requires a substitute for single agent f				
Note: Indications marked with * are Unapproved Indications, # c				
Renewal only from a relevant specialist or medical practitioner	on the recommer	ndation of a rele	evant spe	ecialist. Approvals valid fo
12 months for applications meeting the following criteria:				
Either:				
 The patient requires continued therapy; or The tumour has relapsed and requires re-treatment. 				
CLADRIBINE – PCT only – Specialist Inj 2 mg per ml, 5 ml	873.00	1	1	itak S29
Inj 1 mg per ml, 10 ml		7		eustatin
Inj 10 mg for ECP		, 10 mg OP	· · ·	axter
CYTARABINE		io ing ei	• -	
Inj 100 mg – PCT – Retail pharmacy-Specialist	76.00	5	V P	fizor
	80.00	5		layne
Inj 500 mg – PCT – Retail pharmacy-Specialist		1	V P	•
	95.36	5	· · ·	layne
Inj 1 g – PCT – Retail pharmacy-Specialist		1	🖌 P	•
	42.65		🖌 M	layne
Inj 2 g – PCT – Retail pharmacy-Specialist		1	🗸 P	fizer
	34.47			layne
Inj 1 mg for ECP – PCT only – Specialist		10 mg		axter
Inj 100 mg intrathecal syringe for ECP – PCT only – Specia	llist15.20	100 mg OP	VB	axter
FLUDARABINE PHOSPHATE – PCT only – Specialist			. –	
Tab 10 mg		20		ludara Oral
Inj 50 mg		5		ludara
Inj 50 mg for ECP		50 mg OP	VB	axter
FLUOROURACIL SODIUM		_		
Inj 50 mg per ml, 10 ml – PCT only – Specialist		5		luorouracil Ebewe
Inj 50 mg per ml, 20 ml – PCT only – Specialist		1		luorouracil Ebewe
Inj 25 mg per ml, 100 ml – PCT only – Specialist		1		layne Iuorouracil Ebewe
Inj 50 mg per ml, 50 ml – PCT only – Specialist Inj 50 mg per ml, 100 ml – PCT only – Specialist		1		luorouracil Ebewe
Inj 1 mg for ECP – PCT only – Specialist		100 mg		axter
		-		
GEMCITABINE HYDROCHLORIDE – PCT only – Specialist – Inj 1 g	•	/ see SA1012 0 1		ext page emcitabine Ebewe
иц I 9	349.20	I		emzar
Inj 200 mg		1		emcitabine Ebewe
,	78.00			emzar
	0.07		✓ B	-

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subs	sidised	Generic	
\$	Per	~	Manufacturer	

SA1012 Special Authority for Subsidy

Initial application — (Hodgkin's Disease) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has Hodgkin's Disease*; and
- 2 Any of the following:
 - 2.1 Disease has failed to respond to second-line salvage chemotherapy treatment; or
 - 2.2 Disease has relapsed following transplant; or
 - 2.3 The patient is unsuitable for, or intolerant to, second-line salvage chemotherapy or high dose chemotherapy and transplant; and
- 3 Gemcitabine to be given for a maximum of 6 treatment cycles.

Initial application — **(T-Cell Lymphoma)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has T-cell Lymphoma*; and
- 2 Gemcitabine to be given for a maximum of 6 treatment cycles.

Initial application — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 1 The patient has non small cell lung carcinoma (stage IIIa, or above); or
- 2 The patient has advanced malignant mesothelioma; or
- 3 The patient has advanced pancreatic carcinoma; or
- 4 The patient has ovarian, fallopian tube* or primary peritoneal carcinoma*; or
- 5 The patient has advanced transitional cell carcinoma of the urothelial tract (locally advanced or metastatic).

Renewal — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with a * are Unapproved Indications.

IRINOTECAN – PCT only – Specialist – Special Authority see SA0878 below		
Inj 20 mg per ml, 2 ml41.00	1	Camptosar
		Irinotecan-Rex
Inj 20 mg per ml, 5 ml100.00	1	Camptosar
		Irinotecan-Rex
Inj 1 mg for ECP1.04	1 mg	Baxter
BACA0070 Creation Authority for Cubaidy	0	

➡SA0878 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 The patient has metastatic colorectal cancer; and

2 Either:

- 2.1 To be used for first or second line use as part of a combination chemotherapy regimen; or
- 2.2 As single agent chemotherapy in fluropyrimidine-relapsed disease.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

MERCAPTOPURINE - PCT - Retail pharmacy-Specialist

Tab 50 mg	47.06	25	 Purinethol

	Subsidy (Manufacturer's Pric \$	ce) Per	Fully Subsidised	
METHOTREXATE				
* Tab 2.5 mg - PCT - Retail pharmacy-Specialist	5.22	30	~ N	lethoblastin
* Tab 10 mg - PCT - Retail pharmacy-Specialist	40.93	50	~ N	/lethoblastin
* Inj 2.5 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist.		5	~ N	layne
* Inj 25 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist		5	V H	lospira
* Inj 25 mg per ml, 20 ml - PCT - Retail pharmacy-Specialist	90.00	1	V H	lospira
* Inj 100 mg per ml, 10 ml - PCT - Retail pharmacy-Specialis	t27.50	1	<u>~ N</u>	Methotrexate Ebewe
* Inj 100 mg per ml, 50 ml – PCT – Retail pharmacy-Specialist.	135.00	1	<u>~ I</u>	Methotrexate Ebewe
* Inj 1 mg for ECP – PCT only – Specialist		1 mg		Baxter
Inj 5 mg intrathecal syringe for ECP – PCT only – Specialist	4.73	5 mg OF	° 🖌 E	Baxter
THIOGUANINE – PCT – Retail pharmacy-Specialist				
Tab 40 mg	97.16	25	🖌 L	anvis
Other Cytotoxic Agents				
AMSACRINE – PCT only – Specialist				
Inj 75 mg	CBS	6	V	Amsidine S29
ANAGRELIDE HYDROCHLORIDE - PCT only - Specialist - Specia	pecial Authority see	e SA0879	9 below	
Cap 0.5 mg		100		Agrylin S29
			v 1	Teva S29
►SA0879 Special Authority for Subsidy				
Initial application only from a relevant specialist or medical pract	itioner on the recor	nmendat	ion of a re	levant specialist. Approval
valid for 12 months for applications meeting the following criteria:				· · · · · · · · · · · · · · · · · · ·
Both:				
1 The patient has primary thrombocythaemia; and				
2 Either:				
2.1 is at high risk (previous thromboembolic disease blo	ading or platalat o	ount 15	500/ml)· or	

2.1 is at high risk (previous thromboembolic disease, bleeding or platelet count >1500/ml); or

2.2 is intolerant or refractory to hydroxyurea or interferon.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that treatment with anagrelide be initiated only on the recommendation of a haematologist.

Inj 10 mg	4,817.00	10	✓ AFT \$29
BLEOMYCIN SULPHATE - PCT only - Specialist			
Inj 15,000 iu		1	 DBL Bleomycin Sulfate
Inj 1,000 iu for ECP	9.28	1,000 iu	 Baxter
COLASPASE (L-ASPARAGINASE) – PCT only – Specialist			
Inj 10,000 iu		1	Leunase
Inj 10,000 iu for ECP		10,000 iu OP	 Baxter
DACARBAZINE – PCT only – Specialist			
Inj 200 mg		1	Hospira
Inj 200 mg for ECP		200 mg OP	 Baxter
DACTINOMYCIN (ACTINOMYCIN D) - PCT only - Specialist			
Inj 0.5 mg		1	Cosmegen
Inj 0.5 mg for ECP		0.5 mg OP	Baxter

	Subsidy (Manufacturer's Pr \$	rice) Su Per	Fully bsidised	Brand or Generic Manufacturer
DAUNORUBICIN – PCT only – Specialist				
Inj 2 mg per ml, 10 ml		1	🖌 Р	fizer S29
Inj 5 mg per ml, 4 ml		1	🖌 M	layne
Inj 20 mg for ECP	99.00	20 mg OP	🖌 В	axter
DOCETAXEL - PCT only - Specialist - Special Authority see SA	A0880 below			
Inj 20 mg		1	🖌 D	ocetaxel Ebewe
	460.00		🖌 🖌 Ta	axotere
Inj 80 mg	1,300.00	1	🖌 D	ocetaxel Ebewe
	1,650.00		🖌 Ta	axotere
Inj 1 mg for ECP	17.55	1 mg	🗸 В	axter

➡SA0880 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

1 Both:

- 1.1 The patient has ovarian*, fallopian* or primary peritoneal cancer*; and
- 1.2 Either:
 - 1.2.1 Has not received prior chemotherapy; or
 - 1.2.2 Has received prior chemotherapy but has not previously been treated with taxanes; or
- 2 The patient has metastatic breast cancer; or

3 Both:

- 3.1 The patient has early breast cancer; and
- 3.2 Docetaxel is to be given concurrently with trastuzumab; or

4 Both:

- 4.1 The patient has non small-cell lung cancer; and
- 4.2 Either:
 - 4.2.1 Has advanced disease (stage IIIa or above); or
 - 4.2.2 Is receiving combined chemotherapy and radiotherapy; or
- 5 Both:
 - 5.1 The patient has small-cell lung cancer*; and
 - 5.2 Docetaxel is to be used as second-line therapy.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 The patient has metastatic breast cancer, non small-cell lung cancer, or small-cell lung cancer*; and

- 2 Either:
 - 2.1 The patient requires continued therapy; or
 - 2.2 The tumour has relapsed and requires re-treatment.

Note: indications marked with * are Unapproved Indications.

DOXORUBICIN - PCT only - Specialist

Inj 10 mg8.80	1	Doxorubicin Ebewe
Inj 50 mg	1	Doxorubicin Ebewe
Inj 100 mg	1	Doxorubicin Ebewe
Inj 200 mg	1	Doxorubicin Ebewe
Inj 1 mg for ECP0.87	1 mg	Baxter

	Subsidy (Manufacturer's Pric	,	Full Subsidise	d Generic
	\$	Per		Manufacturer
PIRUBICIN – PCT only – Specialist				
Inj 2 mg per ml, 5 ml	25.00	1		Epirubicin Ebewe
Inj 2 mg per ml, 25 ml		1		Epirubicin Ebewe
Inj 2 mg per ml, 50 ml		1		Epirubicin Ebewe
Inj 2 mg per ml, 100 ml		1		Epirubicin Ebewe
Inj 1 mg for ECP	1.90	1 mg	~	Baxter
OPOSIDE				
Cap 50 mg - PCT - Retail pharmacy-Specialist		20	~	Vepesid
Cap 100 mg - PCT - Retail pharmacy-Specialist		10	~	Vepesid
Inj 20 mg per ml, 5 ml - PCT - Retail pharmacy-Specialis	t25.00	1	~	Mayne
	612.20	10	~	Vepesid
Inj 1 mg for ECP - PCT only - Specialist	0.30	1 mg	~	Baxter
OPOSIDE PHOSPHATE – PCT only – Specialist		0		
Inj 100 mg (of etoposide base)	40.00	1	~	Etopophos
Inj 1 mg (of etoposide base) for ECP		1 mg		Baxter
	0.47	ring		Daxiel
DROXYUREA – PCT – Retail pharmacy-Specialist				
Cap 500 mg		100	~	Hydrea
RUBICIN HYDROCHLORIDE – PCT only – Specialist				
Cap 5 mg		1	~	Zavedos
Cap 10 mg		1	V	Zavedos
lnj 5 mg		1	V	Zavedos
Inj 10 mg		1	V	Zavedos
Inj 1 mg for ECP		1 mg	V	Baxter
, ,		5		
SNA – PCT only – Specialist	010 65	50		Uromitexan
Tab 400 mg		50 50		Uromitexan
Tab 600 mg		50 15		Uromitexan
Inj 100 mg per ml, 4 ml		15		Uromitexan
Inj 100 mg per ml, 10 ml Inj 1 mg for ECP		100 mg	· · · ·	Baxter
	2.29	100 mg		Daxiel
FOMYCIN C – PCT only – Specialist				
Inj 2 mg		10		Mitomycin-C S29
Inj 5 mg		1		Arrow S29
Inj 10 mg		5		Mitomycin-C S29
Inj 1 mg for ECP	16.13	1 mg	~	Baxter
OZANTRONE – PCT only – Specialist				
Inj 2 mg per ml, 5 ml		1	~	Mitozantrone Ebewe
Inj 2 mg per ml, 10 ml		1		Mitozantrone Ebewe
Inj 2 mg per ml, 12.5 ml		1	~	Onkotrone
Inj 1 mg for ECP		1 mg		Baxter
		5		
CLITAXEL – PCT only – Specialist	100 75	5		Paclitaxel Ebewe
Inj 30 mg		Ũ	• .	
Inj 100 mg		1		Paclitaxel Ebewe
Inj 150 mg		1	· · · ·	Paclitaxel Ebewe
Inj 300 mg		1		Paclitaxel Ebewe
Inj 600 mg		-		Paclitaxel Ebewe
Inj 1 mg for ECP		1 mg	V	Baxter
NTOSTATIN (DEOXYCOFORMYCIN) - PCT only - Specia	list			
Inj 10 mg	000	1		Nipent S29

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PROCARBAZINE HYDROCHLORIDE – PCT only – Specialist Cap 50 mg	225.00	50	🗸 N	atulan s29
TEMOZOLOMIDE - Special Authority see SA0831 below - Retail	pharmacy			
Cap 5 mg		5	🖌 Te	emodal
Cap 20 mg	170.00	5	🖌 Te	emodal
Cap 100 mg	840.00	5	🖌 Te	emodal
Cap 250 mg	2,100.00	5	🖌 Te	emodal

➡SA0831 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 10 months for applications meeting the following criteria: All of the following:

1 Patient has newly diagnosed glioblastoma multiforme; and

2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and

3 Following concomitant treatment temozolomide is to be used for a maximum of six cycles of 5 days treatment, at a maximum dose of 200 mg/m².

Notes: Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme. Reapplications will not be approved. Studies of temozolomide show that its benefit is predominantly in those patients with a good performance status (WHO grade 0 or 1 or Karnofsky score >80), and in patients who have had at least a partial resection of the tumour.

THALIDOMIDE - PCT only - Specialist - Special Authority see SA0882 below

Only on a controlled drug form

Thalidomide	28	 Cap 50 mg	(
Pharmion			

SA0882 Special Authority for Subsidy

Initial application — (for new patients) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has refractory, progressive or relapsed multiple myeloma; and
- 2 The patient has received prior chemotherapy.

Initial application — (for patients receiving thalidomide prior to 1 January 2006) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient was receiving treatment with thalidomide for multiple myeloma on or before 31 December 2005.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

TRETINOIN

Cap 10 mg	100	 Vesanoid
VINBLASTINE SULPHATE		
Inj 10 mg – PCT – Retail pharmacy-Specialist	1	Mayne
137.50	5	Mayne
Inj 1 mg for ECP – PCT only – Specialist	1 mg	 Baxter
VINCRISTINE SULPHATE		
Inj 1 mg per ml, 1 ml – PCT – Retail pharmacy-Specialist	5	Hospira
Inj 1 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist	5	 Hospira
Inj 1 mg for ECP – PCT only – Specialist	1 mg	 Baxter

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
VINORELBINE – PCT only – Specialist – Special Authority see	SA1013 below			
Inj 10 mg per ml, 1 ml	24.00	1	🖌 Na	avelbine
	42.00		🖌 Vi	inorelbine Ebewe
Inj 10 mg per ml, 5 ml		1	🖌 Na	avelbine
	210.00		🖌 Vi	inorelbine Ebewe
Inj 1 mg for ECP	2.71 1	mg	🖌 Ba	axter

SA1013 Special Authority for Subsidy

Initial application — (Hodgkin's Disease) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has Hodgkin's Disease*; and
- 2 Any of the following:
 - 2.1 Disease has failed to respond to second-line salvage chemotherapy treatment; or
 - 2.2 Disease has relapsed following transplant; or
 - 2.3 The patient is unsuitable for, or intolerant to, second-line salvage chemotherapy or high dose chemotherapy and transplant; and
- 3 Vinorelbine to be given for a maximum of 6 treatment cycles.

Initial application — (T-Cell Lymphoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- Both:
 - 1 The patient has T-cell Lymphoma*; and
 - 2 Vinorelbine to be given for a maximum of 6 treatment cycles.

Initial application — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has metastatic breast cancer; or
- 2 The patient has non-small cell lung cancer (stage IIIa, or above); or
- 3 All of the following:
 - 3.1 The patient has stage IB-IIIA non-small cell lung cancer; and
 - 3.2 Vinorelbine is to be given as adjuvant treatment in combination with cisplatin; and
 - 3.3 The patient has good performance status (WHO/ECOG grade 0-1).

Renewal — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

1 The patient requires continued therapy; or

2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with a * are Unapproved Indications.

Protein-tyrosine Kinase Inhibitors

DASATINIB - Special Authority see SA0976 on the next page

Tab 20 mg		60	Sprycel
Tab 50 mg	6,214.20	60	Sprycel
Tab 70 mg		60	Sprycel
Tab 100 mg	6,214.20	30	Sprycel

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <u>http://www.pharmac.govt.nz</u>, and prescriptions should be sent to:

The CML/GIST Co-ordinator	Phone: (04) 460 4990
PHARMAC	Facsimile: (04) 916 7571
PO Box 10 254	Email: mary.chesterfield@pharmac.govt.nz

Wellington

Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - 1) complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5×10^9 /L, platelets > 100×10^9 /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0 × 10⁹/L, platelets > 20 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

ERLOTINIB HYDROCHLORIDE - Retail pharmacy-Specialist - Special Authority see SA1044 below

Tab 100 mg	3,100.00	30	Tarceva
Tab 150 mg	3,950.00	30	Tarceva

■SA1044 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has advanced, unresectable, Non Small Cell Lung Cancer (NSCLC); and
- 2 Patient has documented disease progression following treatment with first line platinum based chemotherapy; and
- 3 Erlotinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

IMATINIB MESYLATE - Special Authority see SA0643 on the next page

Tab 100 mg	2,400.00	60	Glivec
------------	----------	----	--------

⇒SA0643 Special Authority for Special Authority approved by the Notes: Application details may be sent to:	CML/GIST Co-ordinator	website http://www			
Special Authority approved by the Notes: Application details may be sent to:	CML/GIST Co-ordinator obtained from PHARMAC's	website http://www			
sent to:		website http://www			
	Phone: (04) 460 4990	incodence inception	.pharmac.go	ovt.nz, an	nd prescriptions should be
The CMI /CICT Co ardineter					
The CML/GIST Co-ordinator PHARMAC	Facsimile: (04) 916 7571				
PO Box 10 254	Email: mary.chesterfield@pl	narmac.govt.nz			
Wellington	<u></u>				
Special Authority criteria for CM	IL – access by application				
a) Funded for patients with d		ematologist) of a ch	nronic myelo	id leukae	mia (CML) in blast crisis
accelerated phase, or in ch					
b) Maximum dose of 600 mg/d		ase, and 400 mg/d	ay for chroni	c phase (CML.
c) Subsidised for use as mono					
d) Initial approvals valid seven			the The fire		ation (after an or marths
 e) Subsequent approval(s) are should provide details of th 	e haematological response.				
	from initiating therapy. All othe				
	f such data is available. Appli				
a haematologist or an onco					
auideline on discontinuation of					
a) Prescribers should conside					a patient did not obtain a
	s defined as any one of the fo				
	gic response (as characteris				
	sence of peripheral blood (F		arrow (BM)	blasts <	5% (or FISH Ph+ 0-35%
	bsence of extramedullary dise aemia (as characterised by a		uil count (AN	() > 10	$\sim 10^9$ /l platelete > 20 >
10 ⁹ /L absence of p	eripheral blood (PB) blasts, b	one marrow (BM) h	plasts $< 5\%$	(or FISH)	Ph+ 0-35% metanhases
	amedullary disease); or				
	ase (as characterised by BM a	and PB blasts < 15%	6, BM and P	B blasts a	and promyelocytes < 30%
	and absence of extramedulla				
b) Prescribers should conside			from initiatin	g therapy	a patient did not obtain
	e defined as 0-35% Ph+ meta	phases.			
special Authority criteria for GIS	ST – access by application				
a) Funded for patients:	nfirmed by an oncologist) of	unresectable and/c	n motactatio	maliana	nt agetrointectinal stroms
tumour (GIST); and	inititied by all oncologisty of			, manyna	ni gasironnesinar suome
	stochemical documentation o	f c-kit (CD117) expr	ession by th	e tumour.	
b) Maximum dose of 400 mg/o		- (- <i>)</i> - F			
c) Applications to be made an		an be written by an	oncologist.		
d) Initial and subsequent appli		The re-application	criterion is a	an adequa	ate clinical response to the
treatment with imatinib (pre	scriber determined).				
Endocrine Therapy					
or GnRH ANALOGUES – refer to		S. Traphia Harmond	no nogo 77		
			es, paye 11		
BICALUTAMIDE – Special Author			20		icolox
Tab 50 mg		∠/.IU	30	✓ <u>B</u>	icalox
SA0941 Special Authority fo		olid without further	ropourol	000 00+:4	iad whata the nation' be
nitial application from any med dvanced prostate cancer.	ical placilioner. Approvais v	and without further	renewar un		eu where the patient ha
	nocialist				
FLUTAMIDE – Retail pharmacy-S Tab 250 mg		55 00	100	FI	lutamin
100 200 mg			100	₩ FI	atailiii
✓ fully subsidised		Con Uner and	wood modifier -		nder Section 29

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic ✔ Manufacturer
MEGESTROL ACETATE – Retail pharmacy-Specialist Tab 160 mg		30	✓ Apo-Megestrol
OCTREOTIDE (SOMATOSTATIN ANALOGUE) - Special Authorit	y see SA1016 below	– Ret	ail pharmacy
Inj 50 µg per ml, 1 ml		5	 Hospira
	43.50		 Sandostatin
Inj 100 μg per ml, 1 ml		5	Hospira
	81.00		 Sandostatin
Inj 500 μg per ml, 1 ml	175.00	5	Hospira
	399.00		 Sandostatin
Inj LAR 10 mg prefilled syringe	1,772.50	1	Sandostatin LAR
Inj LAR 20 mg prefilled syringe	2,358.75	1	Sandostatin LAR
Inj LAR 30 mg prefilled syringe	2,951.25	1	 Sandostatin LAR

➡SA1016 Special Authority for Subsidy

Initial application — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea* and vomiting* due to malignant bowel obstruction*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and
- 3 Octreotide to be given at a maximum dose 1500 µg daily for up to 4 weeks.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
 - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
 - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed; or
 - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

Renewal — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

Initial application — **(Other Indications)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 2 Both:
 - 2.1 Gastrinoma; and
 - 2.2 Either:

	Subsidy		Fully	Brand or
	(Manufacturer's Price)) Sub Per	sidised	Generic Manufacturer
continued	Ŧ		-	
2.2.1 Patient has failed surgery; or				
2.2.2 Patient in metastatic disease after H2 antage	onists (or proton pum	p inhibitors) have	failed; or
3 Both:				
3.1 Insulinomas; and3.2 Surgery is contraindicated or has failed; or				
4 For pre-operative control of hypoglycaemia and for mainte	nance therapy: or			
5 Both:				
5.1 Carcinoid syndrome (diagnosed by tissue patholog		A analysis); and	
5.2 Disabling symptoms not controlled by maximal med				and the master of the second the second
Note: The use of octreotide in patients with fistulae, oesophage funded as a Special Authority item	ai varices, miscellari	ieous diarri	noea ai	na nypotension will not be
Renewal — (Other Indications) only from a relevant special	st or medical practit	ioner on th	ne reco	mmendation of a relevant
specialist. Approvals valid for 2 years where the treatment remain				
TAMOXIFEN CITRATE				
* Tab 10 mg		100		ienox
* Tab 20 mg	6.66 11.10	60 100		amoxifen Sandoz Jenox
	11.10	100	• 0	ICHOX
Aromatase Inhibitors				
ANASTROZOLE				
Tab 1 mg		30		remed
	29.50			rimidex P-Anastrozole
EXEMESTANE - Additional subsidy by Special Authority see SA		nharmaay	• 0	
Tab 25 mg		30		
	(175.00)	00	А	romasin
►SA1000 Special Authority for Alternate Subsidy	. ,			
Initial application from any relevant practitioner. Approvals valid	for 5 years for applic	ations mee	ting the	e following criteria:
All of the following:				
 Patient is a postmenopausal woman; and Patient has hormone receptor positive breast cancer; and 				
3 Any of the following:				
3.1 The patient was receiving funded exemestane prior	to 1 February 2010;	or		
3.2 The patient has advanced breast cancer and a very	clear history of intol	erance to a		
3.3 The patient has advanced breast cancer and diseas				
Renewal from any relevant practitioner. Approvals valid without fur priate and the patient is benefitting from treatment.	artiner renewal unless	nounea Wr	iere the	e treatment remains appro-
LETROZOLE				
Tab 2.5 mg		30	V L	etara
v				

	Subsidy (Manufacturer's Price) \$	S Per	Fully Brand or Subsidised Generic Manufacturer
Immunosuppressants			
Cytotoxic Immunosuppressants			
AZATHIOPRINE – Retail pharmacy-Specialist			
* Tab 50 mg		100	AzamunImuprine
	(34.90)		Imuran
 Inj 50 mg (Azamun Tab 50 mg to be delisted 1 January 2011) (Imuran Tab 50 mg to be delisted 1 January 2011) 	60.00	1	 Imuran
MYCOPHENOLATE MOFETIL - Special Authority see SA104			
Dispensing pharmacy should check which brand to disper			• •
Tab 500 mg		50	Cellcept
0 050	85.00	100	Myaccord
Cap 250 mg		100	 Cellcept Myaccord
Powder for oral liq 1 g per 5 ml – Subsidy by endorsement		5 ml OP	•
 ▶SA1041 Special Authority for Subsidy Initial application only from a relevant specialist or relevant speciali	eeting the following crite	ria:	
2.2 Ether. Patients with diseases where 2.2.1 Cyclophosphamide has been trialled and clinical response; or 2.2.2 Cyclophosphamide treatment is contraind		of unac	ceptable side effects or inadequat
Immune Modulators			
ANTITHYMOCYTE GLOBULIN (EQUINE) – PCT only – Spec Inj 50 mg per ml, 5 ml		5	🗸 ATGAM
RITUXIMAB – PCT only – Specialist – Special Authority see Inj 100 mg per 10 ml vial Inj 500 mg per 50 ml vial Inj 1 mg for ECP		ge 2 1 1 mg	 ✓ Mabthera ✓ Mabthera ✓ Baxter

	Subsidy		Fully	Brand or
()	Manufacturer's Price)	:	Subsidised	Generic
	\$	Per	~	Manufacturer

➡SA1050 Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: Either:

1 Both:

- 1.1 The patient has indolent low grade NHL with relapsed disease following prior chemotherapy; and
- 1.2 To be used for a maximum of 6 treatment cycles; or
- 2 Both:
 - 2.1 The patient has indolent, low grade lymphoma requiring first-line systemic chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. Rituximab is not funded for Chronic lymphocytic leukaemia/small lymphocytic lymphoma.

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has treatment naive aggressive CD20 positive NHL; and
 - 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
 - 1.3 To be used for a maximum of 8 treatment cycles; or
- 2 Both:
 - 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.
- Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia
- **Renewal** (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 3 To be used for no more than 6 treatment cycles.
- Note: Indications marked with * are Unapproved Indications.

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. Rituximab is not funded for Chronic lymphocytic leukaemia/small lymphocytic lymphoma

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and

	Subsidy (Manufacturer's Price) \$	Su Per	Fully Ibsidised	Brand or Generic Manufacturer	
 continued 3 To be used with a multi-agent chemotherapy regimen giver 4 To be used for a maximum of 4 treatment cycles. 	n with curative intent; a	and			

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

TRASTUZUMAB - PCT only - Specialist - Special Authority see SA1017 below

Inj 150 mg vial	1	 Herceptin
Inj 440 mg vial	1	 Herceptin
Inj 1 mg for ECP9.36	1 mg	 Baxter

SA1017 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the patient has metastatic breast cancer expressing HER-2 IHC 3+ or FISH+.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic breast cancer; and
- 2 The cancer has not progressed.

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:
 - 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
 - 3.4 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Note: For patients with previous Special Authority approvals for a maximum cumulative dose of 20mg/kg (9 weeks treatment) granted after 1 April 2009 the approval period has been extended to allow claims for a maximum cumulative dose of 106mg/kg (12 months treatment).

Other Immunosuppressants

CYCLOSPORIN

Cap 25 mg Cap 50 mg Cap 100 mg Oral liq 100 mg per ml	118.54 237.08	50 50 50 50 ml OP	 Neoral Neoral Neoral Neoral
SIROLIMUS – Special Authority see SA0866 below – Retail p Tab 1 mg Tab 2 mg Oral liq 1 mg per ml		100 100 60 ml OP	RapamuneRapamuneRapamune

SA0866 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR<30 ml/min; or
- Rapidly progressive transplant vasculopathy; or

bsidy turer's Price) \$	Subs Per	Fully sidised	Brand or Generic Manufacturer	
00 1	100	🖌 Pi	rograf	
00 1	00	🖌 Pi	rograf	
00	50	🖌 Pi	rograf	
			· -	

>SA0669 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Note: Subsidy applies for either primary or rescue therapy.

	Subsidy		Fully Brand or
	(Manufacturer's P		osidised Generic
	\$	Per	 Manufacturer
Antiallergy Preparations			
BEE VENOM ALLERGY TREATMENT – Special Authority see S	A0053 below – R	etail pharmac	у
Maintenance kit - 6 vials 120 µg freeze dried venom, 6 diluent			
1.8 ml		1 OP	Albay
Treatment kit - 1 vial 550 µg freeze dried venom, 1 diluent 9 ml, 3 diluent 1.8 ml		1 OP	✔ Albay
SA0053 Special Authority for Subsidy			
Initial application only from a relevant specialist. Approvals valid Both:	for 2 years for ap	oplications me	eting the following criteria:
1 RAST or skin test positive; and			
2 Patient has had severe generalised reaction to the sensitis	0 0		ing any contract and the particult is
Renewal only from a relevant specialist. Approvals valid for 2 ye benefiting from treatment.			
WASP VENOM ALLERGY TREATMENT – Special Authority see		Retail pharma	acy
Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried		1.00	Albert
polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml		1 OP	🖌 Albay
Treatment kit (Yellow jacket venom) - 1 vial 550 µg freeze dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml		1 OP	✓ Albay
SA0053 Special Authority for Subsidy			
Initial application only from a relevant specialist. Approvals valid	for 2 years for ap	oplications me	eting the following criteria:
Both: 1 RAST or skin test positive; and			
2 Patient has had severe generalised reaction to the sensitis	ing agent.		
Renewal only from a relevant specialist. Approvals valid for 2 ye		eatment rema	ins appropriate and the patient is
benefiting from treatment.			
Antihistamines			
CETIRIZINE HYDROCHLORIDE			
* Tab 10 mg		100	✓ <u>Zetop</u>
*‡ Oral liq 1 mg per ml	3.50	200 ml	Cetirizine - AFT
CHLORPHENIRAMINE MALEATE			
*‡ Oral liq 2 mg per 5 ml	8.06	500 ml	✓ Histafen
DEXTROCHLORPHENIRAMINE MALEATE			
* Tab 2 mg		20	
	(4.93)	10	Polaramine
	2.02	40	Polaramine
*‡ Oral liq 2 mg per 5 ml	(7.99)	100 ml	Polaramine
	(10.29)	100 111	Polaramine
FEXOFENADINE HYDROCHLORIDE	(10120)		
* Tab 60 mg	4.34	20	
······································	(11.53)		Telfast
* Tab 120 mg		10	
J. J	(11.53)		Telfast
	14.22	30	
	(29.81)		Telfast

	Subsidy (Manufacturer's \$	Price) Sub	Fully Brand or sidised Generic ✓ Manufacturer
LOBATADINE	Ŧ		
* Tab 10 mg	2.09	100	✓ Loraclear Hayfever Relief
* Oral liq 1 mg per ml	3.10	100 ml	✓ Lorapaed
* Tab 10 mg		50	✓ Allersoothe
* Tab 25 mg		50	✓ Allersoothe
*‡ Oral liq 5 mg per 5 ml		100 ml	Promethazine Winthrop Elixir
* Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO	11.00	5	✓ Mayne
TRIMEPRAZINE TARTRATE + Oral liq 30 mg per 5 ml	2.79 (8.06)	100 ml OP	Vallergan Forte
Inhaled Corticosteroids			
BECLOMETHASONE DIPROPIONATE Aerosol inhaler, 100 µg per dose CFC-free Aerosol inhaler, 250 µg per dose CFC-free Aerosol inhaler, 50 µg per dose CFC-free	22.67	200 dose OP 200 dose OP 200 dose OP	 Beclazone 100 Beclazone 250 Beclazone 50
BUDESONIDE			
Powder for inhalation, 100 µg per dose	17.00	200 dose OP	 Pulmicort Turbuhaler
Powder for inhalation, 200 µg per dose	19.00	200 dose OP	 Budenocort Pulmicort Turbuhaler
Powder for inhalation, 400 µg per dose	32.00	200 dose OP	 Budenocort Pulmicort Turbuhaler
FLUTICASONE			
Aerosol inhaler, 50 µg per dose CFC-free Powder for inhalation, 50 µg per dose		120 dose OP 60 dose OP	✓ Flixotide
Powder for inhalation, 100 µg per dose	(8.67) 7.50	60 dose OP	Flixotide Accuhaler
	(13.87)		Flixotide Accuhaler
Aerosol inhaler, 125 µg per dose CFC-free		120 dose OP	✓ Flixotide
Aerosol inhaler, 250 µg per dose CFC-free		120 dose OP	Flixotide
Powder for inhalation, 250 µg per dose	13.60 (24.51)	60 dose OP	Flixotide Accuhaler

Inhaled Long-acting Beta-adrenoceptor Agonists

Prescribing Guideline for Inhaled Long-Acting Beta-Adrenoceptor Agonists

The addition of inhaled long-acting beta-adrenoceptor agonists (LABAs) to inhaled corticosteroids is recommended:

- For younger children (aged under 12 years) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 200 µg beclomethasone or budesonide (or 100 µg fluticasone).
- For adults and older children (aged 12 years and over) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 400 µg beclomethasone or budesonide (or 200 µg fluticasone).

Note:

Further information on the place of inhaled corticosteroids and inhaled LABAs in the management of asthma can be found in the New Zealand guidelines for asthma in adults (www.nzgg.org.nz) and in the New Zealand guidelines for asthma in children aged 1-15 (www.paediatrics.org.nz).

	Subsidy (Manufacturer's \$	Price) Subs Per	Fully sidised	Brand or Generic Manufacturer
EFORMOTEROL FUMARATE – See prescribing guideline on the Powder for inhalation, 6 μg per dose, breath activated Powder for inhalation, 12 μg per dose, and monodose device		e 60 dose OP 60 dose		xis Turbuhaler oradil
SALMETEROL – See prescribing guideline on the preceding pag Aerosol inhaler CFC-free, 25 µg per dose Powder for inhalation, 50 µg per dose, breath activated		120 dose OP 60 dose OP		erevent erevent Accuhaler

Inhaled Corticosteroids with Long-Acting Beta-Adrenoceptor Agonists

➡SA0958 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 Patient is a child under the age of 12; and
 - 1.2 Both:
 - Has, for 3 months of more, been treated with:
 - 1.2.1 An inhaled long-acting beta adrenoceptor agonist; and
 - 1.2.2 Inhaled corticosteroids at a dose of at least 400 µg per day beclomethasone or budesonide, or 200 µg per day fluticasone; and
 - 1.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product; or
- 2 All of the following:
 - 2.1 Patient is over the age of 12; and
 - 2.2 Both:
 - Has, for 3 months of more, been treated with:
 - 2.2.1 An inhaled long-acting beta adrenoceptor agonist; and
 - 2.2.2 Inhaled corticosteroids at a dose of at least 800 µg per day beclomethasone or budesonide, or 500 µg per day fluticasone; and
 - 2.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

BUDESONIDE WITH EFORMOTEROL - Special Authority see SA0958 above	 Retail pharmacy 	1
Aerosol inhaler 100 µg with eformoterol fumarate 6 µg55.00	120 dose OP	Vannair
Powder for inhalation 100 µg with eformoterol fumarate 6 µg55.00	120 dose OP	 Symbicort
		Turbuhaler 100/6
Aerosol inhaler 200 µg with eformoterol fumarate 6 µg60.00	120 dose OP	🖌 Vannair
Powder for inhalation 200 µg with eformoterol fumarate 6 µg60.00	120 dose OP	 Symbicort
		Turbuhaler 200/6
Powder for inhalation 400 µg with eformoterol fumarate 12 µg		
- No more than 2 dose per day60.00	60 dose OP	 Symbicort
		Turbuhaler 400/12
FLUTICASONE WITH SALMETEROL - Special Authority see SA0958 above -	Retail pharmacy	
Aerosol inhaler 50 µg with salmeterol 25 µg	120 dose OP	 Seretide
Aerosol inhaler 125 µg with salmeterol 25 µg49.69	120 dose OP	 Seretide
Powder for inhalation 100 µg with salmeterol 50 µg - No more		
than 2 dose per day	60 dose OP	Seretide Accuhaler
than 2 dose per day	60 dose OP	✓ Seretide Accuhaler
than 2 dose per day	60 dose OP 60 dose OP	 ✓ Seretide Accuhaler ✓ Seretide Accuhaler

	Subsidy (Manufacturer's \$		Fully Brand or sidised Generic ✔ Manufacturer
Beta-Adrenoceptor Agonists			
SALBUTAMOL			
: Oral liq 2 mg per 5 ml Infusion 1 mg per ml, 5 ml		150 ml 10	✓ <u>Salapin</u> Ventolin
Inj 500 μ g per ml, 1 ml $-$ Up to 5 inj available on a PSO		5	✓ Ventolin
Inhaled Beta-Adrenoceptor Agonists			
ALBUTAMOL			
Aerosol inhaler, 100 µg per dose CFC free – Up to 1000 dose available on a PSO		200 dose OP	✓ Respigen
Nebuliser soln, 1 mg per ml, 2.5 ml – Up to 30 neb available	(6.00)		Ventolin
on a PSO		20	✓ Asthalin
Nebuliser soln, 2 mg per ml, 2.5 ml – Up to 30 neb available on a PSO		20	✓ <u>Asthalin</u>
ERBUTALINE SULPHATE Powder for inhalation, 250 µg per dose, breath activated		200 dose OP	 Bricanyl Turbuhaler
Inhaled Anticholinergic Agents			
Inhaled Anticholinergic agents			
PRATROPIUM BROMIDE Aerosol inhaler, 20 µg per dose CFC-free		200 dose OP	✓ Atrovent
Nebuliser soln, 250 µg per ml, 1 ml – Up to 40 neb available	9		
on a PSO	3.79	20	 Ipratropium Steri-Neb
Nabulizar cela 050 un ner mi 0 mi			 Univent
Nebuliser soln, 250 µg per ml, 2 ml – Up to 40 neb available on a PSO		20	 Ipratropium Steri-Neb
			 Univent
pratropium Steri-Neb Nebuliser soln, 250 µg per ml, 1 ml to be pratropium Steri-Neb Nebuliser soln, 250 µg per ml, 2 ml to be	delisted 1 Janua	ary 2011)	
IOTROPIUM BROMIDE – Special Authority see SA0872 below Powder for inhalation, 18 µg per dose		acy 30 dose	✔ Spiriva

SA0872 Special Authority for Subsidy

Initial application only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialled a dose of at least 40 µg ipratropium q.i.d for one month; and 3 Either:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

3.1 Grade 4 (stops for breath after walking about 100 meters or after a few minutes on the level); or

	Qubaidu		Fully Drond or	
	Subsidy (Manufacturer's		Fully Brand or osidised Generic	
	\$	Per	 Manufac 	turer
continued	bloop when dra	aning or undros	oing); and	
3.2 Grade 5 (too breathless to leave the house, or breat 4 Actual FEV ₁ (litres) $< 0.6 \times$ predicted (litres); and	illess when ure	issing of unutes	ssiriy), ariu	
5 Either:				
5.1 Patient is not a smoker (for reporting purposes only)5.2 Patient is a smoker and has been offered smoking of		elling; and		
6 The patient has been offered annual influenza immunisatio	n.	•		
Renewal only from a general practitioner or relevant specialist.	Approvals valid	for 2 years for	applications mee	ting the following
All of the following:				
 Patient is compliant with the medication; and Patient has experienced improved COPD symptom control 	(procoribor dat	orminod): and		
 3 Applicant must state recent measurement of FEV₁ (% of planet) 		ermineu), anu		
Inhaled Beta-Adrenoceptor Agonists with Antich	nolinergic A	gents		
SALBUTAMOL WITH IPRATROPIUM BROMIDE				
Aerosol inhaler, 100 µg with ipratropium bromide, 20 µg per				
dose Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per		200 dose OP	 Combiven 	t
vial, 2.5 ml – Up to 20 neb available on a PSO		20	✓ <u>Duolin</u>	
Mast Cell Stabilisers				
Mast cell stabilisers				
NEDOCROMIL				
Aerosol inhaler, 2 mg per dose CFC-free		112 dose OP	Tilade	
SODIUM CROMOGLYCATE Powder for inhalation, 20 mg per dose	17 94	50 dose	Intal Spind	ans
Aerosol inhaler, 5 mg per dose CFC-free		112 dose OP	Vicrom	upo -
Methylxanthines				
MINOPHYLLINE				
Inj 25 mg per ml, 10 ml – Up to 5 inj available on a PSO	12.84	5	 Mayne 	
	01 51	100		
₭ Tab long-acting 250 mg ₭‡ Oral liq 80 mg per 15 ml		100 500 ml	 Nuelin-SR Nuelin 	
Cystic Fibrosis				
DORNASE ALFA – Special Authority see SA0611 below – Retail	pharmacy			
Nebuliser soln, 2.5 mg per 2.5 ml ampoule	294.30	6	 Pulmozym 	e
► SA0611 Special Authority for Subsidy				
Special Authority approved by the Cystic Fibrosis Advisory Panel Notes: Application details may be obtained from PHARMAC's well	osite http://www	v.pharmac.govt	.nz or:	
The Co-ordinator, Cystic Fibrosis Advisory Panel Phone: (04	4) 460 4990			
	(04) 916 7571	a and ra		
Wellington Email: CF Prescriptions for patients approved for treatment must be written	Panel@pharma		aediatricians who	have experience
and expertise in treating cystic fibrosis.	.,	,, o o, po		

—	Subsidy (Manufacturer's		Fully Brand or sidised Generic
Nasal Preparations	\$	Per	 Manufacturer
Allergy Prophylactics			
BECLOMETHASONE DIPROPIONATE Metered aqueous nasal spray, 50 µg per dose	2 35	200 dose OP	
metered aqueous nasai spray, so µg per dose	(4.00)	200 0036 01	Alanase
Metered aqueous nasal spray, 100 µg per dose		200 dose OP	
	(4.81)		Alanase
BUDESONIDE			
Metered aqueous nasal spray, 50 µg per dose	2.35	200 dose OP	
	(4.00)		Butacort Aqueous
Metered aqueous nasal spray, 100 µg per dose		200 dose OP	
	(4.81)		Butacort Aqueous
FLUTICASONE PROPIONATE			
Metered aqueous nasal spray, 50 µg per dose	13.34	120 dose OP	Flixonase Hayfever
			& Allergy
IPRATROPIUM BROMIDE			
Aqueous nasal spray, 0.03%	12.66	30 ml OP	Apo-Ipravent
SODIUM CROMOGLYCATE			4.5
Nasal spray, 4%	15.85	22 ml OP	✓ <u>Rex</u>
Respiratory Devices			
MASK FOR SPACER DEVICE			
a) Up to 20 dev available on a PSO			
b) Only on a PSO			
c) Only for children aged six years and under			
Size 2	3.28	1	✓ Foremount Child's
			Silicone Mask
PEAK FLOW METER			
a) Up to 10 dev available on a PSO b) Only on a PSO			
Low range	13.75	1	Breath-Alert
Normal range		1	✓ Breath-Alert
SPACER DEVICE			
a) Up to 20 dev available on a PSO			
b) Only on a PSO			
230 ml (autoclavable) - Subsidy by endorsement		1	Space Chamber
Available where the prescriber requires a spacer device	e that is capable	e of sterilisation	in an autoclave and the PSO is
endorsed accordingly.	~ ~~		1 0 0 h
230 ml (single patient)		1	 Space Chamber Volumatic
800 ml	8.50	1	volumatic

	Quitasiatu		Fully Description
	Subsidy (Manufacturer's I	Price) Sub	Fully Brand or sidised Generic
	`\$	Per	 Manufacturer
Ear Preparations			
ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BEN	ZETHONIUM		
For Vosol ear drops with hydrocortisone powder refer, page 1			
Ear drops 2% with 1, 2-Propanediol diacetate 3% and benzethonium chloride 0.02%		35 ml OP	✔ Vosol
CHLORAMPHENICOL	0.37	55 111 01	• 10301
Ear drops 0.5%	1.87	5 ml OP	Chloromycetin
FLUMETASONE PIVALATE			,
Ear drops 0.02% with clioquinol 1%	4.46	7.5 ml OP	 Locacorten-Viaform
			ED's
			 Locorten-Vioform
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCI		IN	
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 µg per g		7.5 ml OP	Kenacomb
Ear/Eye Preparations	0.00		
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN			
Ear/Eye drops 500 µg with framycetin sulphate 5 mg and gramicidin 50 µg per ml		8 ml OP	
	(9.27)		Sofradex
FRAMYCETIN SULPHATE	()		
Ear/Eye drops 0.5%	4.13	8 ml OP	
	(8.65)		Soframycin
Eye Preparations			
Anti-Infective Preparations			
·			
ACICLOVIR * Eye oint 3%	27 52		
,	37.53	4.5 g OP	Zovirax
CHLORAMPHENICOL Eve oint 1%	2.37	4 g OP	✓ Chlorsig
Eye drops 0.5%		10 ml OP	✓ Chlorafast
	2.40		 Chlorsig
CIPROFLOXACIN	10.10	- 100	4.0"
Eye Drops 0.3% For treatment of bacterial keratitis or severe bacterial conj		5 ml OP at to chloramph	Ciloxan
FUSIDIC ACID			
Eye drops 1%	4.50	5 g OP	
	(10.68)		Fucithalmic
GENTAMICIN SULPHATE	44.46	E	
Eye drops 0.3%	11.40	5 ml OP	 Genoptic
PROPAMIDINE ISETHIONATE * Eye drops 0.1%	2 07	10 ml OP	
	2.97 (7.99)		Brolene
SULPHACETAMIDE SODIUM	· · · /		
* Eye drops 10%	4.41	15 ml OP	 Bleph 10

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy		Fully Brand or
	(Manufacturer's F		osidised Generic
	\$	Per	 Manufacturer
OBRAMYCIN	10.15		/ - ·
Eye oint 0.3% Eye drops 0.3%		3.5 g OP 5 ml OP	 ✓ Tobrex ✓ Tobrex
· ·		5 mi OF	• IODIEX
Corticosteroids and Other Anti-Inflammatory Pr	eparations		
DEXAMETHASONE			
₭ Eye oint 0.1%		3.5 g OP	Maxidex
₭ Eye drops 0.1%		5 ml OP	Maxidex
DEXAMETHASONE WITH NEOMYCIN AND POLYMYXIN B SU			
Eye oint 0.1% with neomycin sulphate 0.35% and polymyxir			Maximal
B sulphate 6,000 u per g ₭ Eye drops 0.1% with neomycin sulphate 0.35% and polymy		3.5 g OP	Maxitrol
xin B sulphate 6,000 u per ml		5 ml OP	Maxitrol
DICLOFENAC SODIUM			
₭ Eye drops 1 mg per ml		5 ml OP	Voltaren Ophtha
LUOROMETHOLONE			
₭ Eye drops 0.1%	4.05	5 ml OP	🖌 FML
EVOCABASTINE			
Eye drops 0.5 mg per ml		4 ml OP	
	(10.34)		Livostin
ODOXAMIDE TROMETAMOL			
Eye drops 0.1%	8.71	10 ml OP	Lomide
PREDNISOLONE ACETATE			
₭ Eye drops 0.12%		5 ml OP	✓ Pred Mild
₭ Eye drops 1%	4.50	5 ml OP	Pred Forte
	1 10		
Eye drops 2%	1.18 3.95	5 ml OP 10 ml OP	 Rexacrom Cromolux
	0.00	10 111 01	• Oromoldx
Glaucoma Preparations - Beta Blockers			
BETAXOLOL HYDROCHLORIDE			
₭ Eye drops 0.25%		5 ml OP	Betoptic S
₭ Eye drops 0.5%	7.50	5 ml OP	 Betoptic
EVOBUNOLOL	= 00	E 105	
₭ Eye drops 0.25%		5 ml OP	 Betagan Betagan
★ Eye drops 0.5%		5 ml OP	 Betagan
'IMOLOL MALEATE ₭ Eye drops 0.25%	2 37	5 ml OP	✓ <u>Apo-Timop</u>
 ► Eye drops 0.25% ★ Eye drops 0.25%, gel forming 		2.5 ml OP	✓ Timoptol XE
 ► Eye drops 0.5% 		5 ml OP	✓ <u>Apo-Timop</u>
₭ Eye drops 0.5%, gel forming		2.5 ml OP	 Timoptol XE

	Subsidy (Manufacturer's F \$	Price) Sub Per	Fully osidised	Brand or Generic Manufacturer
Glaucoma Preparations - Carbonic Anhydrase	Inhibitors			
Prescribing Guidelines Trusopt, Cosopt and Azopt are subsidised for use as either mor Trusopt, Cosopt and Azopt should not be prescribed for a per glaucoma are not contraindicated unless: 1) that person has previously trialled all other such subsidis 2) those trials have indicated that that person does not resp	son in whom less	brimonidine ta	st line ag artrate); a	gents for the treatment of and
ACETAZOLAMIDE * Tab 250 mg		100	 <u>Di</u> 	iamox
BRINZOLAMIDE ▲ Eye Drops 1%	9.77	5 ml OP	🖌 A:	zopt
DORZOLAMIDE HYDROCHLORIDE * Eye drops 2%	9.77 (13.95)	5 ml OP	Tr	usopt
DORZOLAMIDE HYDROCHLORIDE WITH TIMOLOL MALEAT * Eye drops 2% with timolol maleate 0.5%	-	5 ml OP	v C	osopt
Glaucoma Preparations - Prostaglandin Analog	gues			
Prescribing Guideline				

Prescribing Guideline

Bimatoprost, lantanoprost and travoprost are subsidised for use in the treatment of glaucoma as either monotherapy or as an adjunctive agent for patients in whom prostaglandin analogue monotherapy has been ineffective in controlling intraocular pressure. Bimatoprost, lantanoprost and travoprost should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

1) That person has previously trialled all other such subsidised agents (beta-blockers, pilocarpine, carbonic anhydrase inhibitors); and

2) Those trials have indicated that that person does not respond adequately to treatment with those other agents.

BIMATOPROST	- Retail pharmacy-Specialist
DIVIAIOFICOT	

See prescribing guideline above ▲ Eye Drops 0.03%		3 ml OP	Lumigan
LATANOPROST – Retail pharmacy-Specialist See prescribing guideline above ▲ Eye drops 50 µg per ml, 2.5ml		2.5 ml OP	✓ <u>Hysite</u>
 TRAVOPROST – Retail pharmacy-Specialist See prescribing guideline above ▲ Eye drops 0.004% 		2.5 ml OP	✓ Travatan
Glaucoma Preparations - Other			
BRIMONIDINE TARTRATE * Eye Drops 0.2% Prescribing Guidelines Brimonidine tartrate is subsidised for use as eithe Brimonidine tartrate should not be prescribed for	r monotherapy or as an adjunctive	•	0
are not contraindicated unless: • that person has previously trialled all other • those trials have indicated that that person agents.	such subsidised agents (except of	lorzolamide hy	drochloride); and
BRIMONIDINE TARTRATE WITH TIMOLOL MAL ▲ Eye drops 0.2% with timolol maleate 0.5%		5 ml OP	✓ Combigan

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's Price \$) Sut Per	Fully osidised	Brand or Generic Manufacturer
Prescribing Guidelines				
Combigan is subsidised for use as either monotherapy or as an	adjunctive agent for the	ne treatmei	nt of gla	ucoma.
Combigan should only be prescribed when:				
 less expensive first line agents for the treatment of glauco 		ed; or		
the response to such subsidised agents is inadequate; or				
the patient cannot tolerate such subsidised agents.				
PILOCARPINE				
* Eye drops 1%		5 ml OP	🖌 İs	opto Carpine S29
* Eye drops 2%		5 ml OP	🖌 İs	opto Carpine S29
* Eye drops 4%	7.99 1	5 ml OP	🖌 İs	opto Carpine S29
* Eye drops 2% single dose - Special Authority see SA089	5			
below – Retail pharmacy		20 dose		
	(32.72)		Μ	linims
►SA0895 Special Authority for Subsidy				
►SA0895 Special Authority for Subsidy	(02.72)		IV	

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items. **Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

benefiting from treatment.		
Mydriatics and Cycloplegics		
ATROPINE SULPHATE		
* Eye drops 1%17.36	15 ml OP	 Atropt
CYCLOPENTOLATE HYDROCHLORIDE * Eve drops 1%	15 ml OP	V Cyclogyl
HOMATROPINE HYDROBROMIDE	13 111 01	• Cyclogyi
* Eve drops 2%	15 ml OP	Isopto Homatropine
TROPICAMIDE		
* Eye drops 0.5%	15 ml OP	 Mydriacyl
* Eye drops 1%8.66	15 ml OP	Mydriacyl
Preparations for Tear Deficiency		
For acetylcysteine eye drops refer, page 167		
HYPROMELLOSE	45 ml OD	
* Eye drops 0.3%	15 ml OP 15 ml OP	 Poly-Tears <u>Methopt</u>
POLYVINYL ALCOHOL		<u></u>
* Eye drops 1.4%	15 ml OP	✓ <u>Vistil</u>
* Eye drops 3%	15 ml OP	Vistil Forte
TYLOXAPOL	45 ml OD	
* Eye drops 0.25%	15 ml OP	Enuclene
Other Eye Preparations		
NAPHAZOLINE HYDROCHLORIDE		
* Eye drops 0.1%4.15	15 ml OP	Naphcon Forte

	Subsidy (Manufacturer's F \$	Price) Sub Per	Fully sidised	Brand or Generic Manufacturer
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN * Eye oint with soft white paraffin	3.63	3.5 g OP	✔ <u>La</u>	acri-Lube
PARAFFIN LIQUID WITH WOOL FAT LIQUID * Eye oint 3% with wool fat liq 3%		3.5 g OP	🖌 Po	oly-Visc
PHENYLEPHRINE HYDROCHLORIDE * Eye drops 0.12%	4.47	15 ml OP	🖌 Pi	refrin

INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
 - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
 - b) Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-specialist).
 - c) Menthol crystals only in the following bases:

Aqueous cream Urea cream 10% Wool fat with mineral oil lotion Hydrocortisone 1% with wool fat and mineral oil lotion Glycerol, paraffin and cetyl alcohol lotion.

Glossary

Dermatological base: The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Glycerol with paraffin and cetyl alcohol lotion
- Hydrocortisone with wool fat and mineral oil lotion
- · Oil in water emulsion
- Oily cream
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- Zinc cream BP
- Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

Dermatological galenical: Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution BP up to 10%
- Hydrocortisone powder up to 5%
- Salicylic acid powder
- Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

Explanatory notes

Oral liquid mixtures

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form	qs
Preservative	qs
Suspending agent	qs
Water	to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent. Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

The following practices will not be subsidised:

- Mixing one or more proprietary oral liquids (eg an antihistamine with pholcodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.


Dermatological Preparations

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 164) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).

One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on page 166 may assist you in deciding whether or not a dermatological ECP is subsidised.



Standard Formulae

ACETYLCYSTEINE EYE DROPS Acetylcysteine inj 200 mg per ml, 10 ml Suitable eye drop base	qs qs
ASPIRIN AND CHLOROFORM APPLICAT Aspirin Soluble tabs 300 mg Chloroform	ION 12 tabs to 100 ml
CODEINE LINCTUS PAEDIATRIC (3 mg p Codeine phosphate Glycerol Preservative Water	er 5 ml) 60 mg 40 ml qs to 100 ml
CODEINE LINCTUS DIABETIC (15 mg per Codeine phosphate Glycerol Preservative Water	r 5 ml) 300 mg 40 ml qs to 100 ml
FOLINIC MOUTHWASH Calcium folinate 15 mg tab Preservative Water (Preservative should be used if quantity su more than 5 days. Maximum 500 ml per pro-	
MAGNESIUM HYDROXIDE MIXTURE Magnesium hydroxide paste Methyl hydroxybenzoate Water	275 g 1.5 g 770 ml
METHADONE MIXTURE Methadone powder Glycerol Water	qs qs to 100 ml

METHYL HYDROXYBENZOATE 10% SOL Methyl hydroxybenzoate Propylene glycol (Use 1 ml of the 10% solution per 100 ml of mixture)	10 g to 100 ml
OMEPRAZOLE SUSPENSION Omeprazole capules Sodium bicarbonate powder BP Water	qs 8.4 g to 100 ml
PHENOBARBITONE ORAL LIQUID Phenobarbitone Sodium Glycerol BP Water	1 g 70 ml to 100 ml
PHENOBARBITONE SODIUM PAEDIATRIC LIQUID (10 mg per ml) Phenobarbitone Sodium Glycerol BP Water	2 ORAL 400 mg 4 ml to 40 ml
PILOCARPINE ORAL LIQUID Pilocarpine 4% eye drops Preservative Water (Preservative should be used if quantity sup more than 5 days.)	qs qs to 500 ml pplied is for
SALIVA SUBSTITUTE FORMULA Methylcellulose Preservative Water (Preservative should be used if quantity sup than 5 days. Maximum 500 ml per prescript	
VOSOL FAR DROPS	

VOSOL EAR DROPS

WITH HYDROCORTISONE POWDER 1%	
Hydrocortisone powder	1%
Vosol Ear Drops	to 35 ml

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy		Fully Brand or	
	(Manufacturer's I	Price) Su	bsidised Generic	
	\$	Per	 Manufacturer 	
Extemporaneously Compounded Preparations	and Galenica	als		
ACETYLCYSTEINE – Retail pharmacy-Specialist				
Inj 200 mg per ml, 10 ml		10		
	(219.75)		Martindale	
			Acetylcysteine	
	(255.35)		Hospira	
BENZOIN				
Tincture compound BP		50 ml		
······	(5.10)		PSM	
	24.42	500 ml		
	(38.00)		PSM	
CHLOROFORM – Only in combination				
Only in aspirin and chloroform application.				
Chloroform BP		500 ml	V PSM	
CODEINE PHOSPHATE				
Powder – Only in combination	10.60	Fa		
	(25.46)	5 g	Douglas	
	63.09	25 g	Douyias	
	(90.09)	20 g	Douglas	
a) Only in extemporaneously compounded codeine linct	`` '	eine linctus na	0	
b) ‡ Safety cap for extemporaneously compounded oral			culatio.	
COLLODION FLEXIBLE	ndara brobararioria			
Collodion flexible	10.30	100 ml	V PSM	
		100 111		
COMPOUND HYDROXYBENZOATE – Only in combination				
Only in extemporaneously compounded oral mixtures.	04.40	100	A David Orain	
Soln		100 ml	David Craig	
GLYCEROL				
 Liquid – Only in combination 	0.89	100 ml		
	(3.00)		PSM	
	1.79	200 ml		
	(4.90)	500 1	PSM	
	4.47	500 ml	DOM	
	(10.00)	0.000	PSM	
	17.86	2,000 ml	✓ PSM	
	(10.90)		healthE ABM	
	(19.80)		MidWest	
Only in extemporaneously compounded oral liquid prepa	(24.75) trations		IVIIUVVESL	
(PSM Liquid to be delisted 1 December 2010)				
(ABM Liquid to be delisted 1 December 2010)				
(MidWest Liquid to be delisted 1 December 2010)				
MAGNESIUM HYDROXIDE	00.61	E00 ~		
Paste		500 g	V PSM	

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy (Manufacturer's Pric \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
METHADONE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				,
c) Extemporaneously compounded methadone will only be repowder, not methadone tablets).	eimbursed at the ra	te of the	e cheapest	form available (methadone
Powder, not methadone tablets). Powder	7 84	1 g	V A	FT
‡ Safety cap for extemporaneously compounded oral liquid		' y	• -	4 1
METHYL HYDROXYBENZOATE				
Powder		25 g	VA	BM
	(18.45)	5	P	SM
METHYLCELLULOSE				
Powder		100 g	🗸 A	BM
	(17.72)	Ũ	N	lidWest
PHENOBARBITONE SODIUM				
Powder – Only in combination		10 g	🖌 N	lidWest
	325.00	100 g	V N	lidWest
a) Only in children up to 12 years				
b) ‡ Safety cap for extemporaneously compounded oral lic	juid preparations.			
PROPYLENE GLYCOL				
Only in extemporaneously compounded methyl hydroxybenzo		500 ml		DM
ЦЦ	12.00	500 mi	V P	
SODIUM BICARBONATE	11.10		• 1	OW .
Powder BP – Only in combination	0.80	500 g	V A	BM
	(11.99)	500 y		liomed
	(29.50)		C	avid Craig
Only in extemporaneously compounded omeprazole susp	ension.			-
SYRUP (PHARMACEUTICAL GRADE) - Only in combination				
Only in extemporaneously compounded oral liquid preparatio				
Liq	21.75	2,000 m	nl 🖌 🖌	lidwest
WATER				
Tap – Only in combination	0.00	1 ml	🖌 T	ap water

EXPLANATORY NOTES

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

Eligibility for Special Authority

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

Who can apply for Special Authority?

 Initial Applications:
 Only Specialists

 Reapplications:
 Specialist or general practitioner on recommendation of specialist. Reapplications by general practitioners on specialist recommendation must include the name of the specialist and the date the specialist was contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. A supporting letter may be included if desired. Applications must be forwarded to:

Ministry of Health Sector Services Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

Definitions

 Failure to thrive
 An inability to gain or maintain weight resulting in physiological impairment.

 Growth deficiency
 Where the weight of the child is less than the fifth or possibly third percentile for their age, with evidence of malnutrition

Dietitian Prescribing

Prescriptions from Dietitians will be only valid for subsidy where they are for special foods, as listed in this section, or where they are for the following products:

ALPHA TOCOPHERYL ACETATE Water solubilised soln 156 iu/ml, with calibrated dropper

ASCORBIC ACID Tab 100 mg

- CALCIUM CARBONATE Tab 1.25 g (500 mg elemental) Tab 1.5 g (600 mg elemental) Tab 1.75 g (1 g elemental)
- COMPOUND ELECTROLYTES Powder for soln for oral use 5 g
- DEXTROSE WITH ELECTROLYTES Soln with electrolytes

FERROUS FUMARATE Tab 200 mg (65 mg elemental)

- FERROUS FUMARATE WITH FOLIC ACID Tab 310 mg (100 mg elemental) with folic acid 350 µg
- FERROUS SULPHATE Tab long-acting 325 mg (105 mg elemental) Oral liq 30 mg per 1 ml (6 mg elemental per 1 ml)

FERROUS SULPHATE WITH FOLIC ACID Tab long-acting 325 mg (105 mg elemental) with folic acid 350 µg

MULTIVITAMINS Tab Powder

Oral liq

POTASSIUM BICARBONATE Tab eff 315 mg with sodium acid phosphate 1.937 g and sodium bicarbonate 350 mg

POTASSIUM CHLORIDE Tab eff 584 mg (14 m eq) with chloride 385 mg (8 m eq) Tab long-acting 600 mg

PYRIDOXINE HYDROCHLORIDE Tab 25 mg Tab 50 mg

SODIUM FLUORIDE Tab 1.1 mg (0.5 mg elemental)

THIAMINE HYDROCHLORIDE Tab 50 mg

VITAMIN A WITH VITAMINS D AND C Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops

VITAMIN B COMPLEX Tab, strong, BPC

VITAMINS Tab (BPC cap strength) Cap (fat soluble vitamins A, D, E, K)

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

Nutrient Modules

Carbohydrate

SA0912 Special Authority for Subsidy

Initial application — (Cystic fibrosis or renal failure) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Either:

- 1 cystic fibrosis; or
- 2 chronic renal failure or continuous ambulatory peritoneal dialysis (CAPD) patient.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children; or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 failure to thrive; or
- 4 growth deficiency; or
- 5 bronchopulmonary dysplasia; or
- 6 premature and post premature infant; or
- 7 inborn errors of metabolism.

Renewal — (Cystic fibrosis or renal failure) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

CARBOHYDRATE SUPPLEMENT – Special Authority see SA0912 above – Hospital pharmacy [HP3]

Powder		5,000 g 25,000 g 400 g OP	 Morrex Maltodextrin Morrex Maltodextrin
	(5.29) (12.00)	368 g OP	Polycal Moducal

Carbohydrate And Fat

➡SA0581 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 infant aged four years or under; and
- 2 cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 infant aged four years or under; and
- 2 Any of the following:

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	bsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 2.1 cancer in children; or
- 2.2 failure to thrive; or
- 2.3 growth deficiency; or
- 2.4 bronchopulmonary dysplasia; or
- 2.5 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

, , , , , , , , , , , , , , , , , , ,			Soluble Powder
Powder (neutral)	60.31	400 g OP	Duocal Super
CARBOHYDRATE AND FAT SUPPLEMENT	- Special Authority see SA0581	on the preceding page	e – Hospital pharmacy [HP3]

Fat

SA0899 Special Authority for Subsidy

Initial application — (Inborn errors of metabolism) only from a relevant specialist. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 failure to thrive where other high calorie products are inappropriate or inadequate; or
- 2 growth deficiency; or
- 3 bronchopulmonary dysplasia; or
- 4 fat malabsorption; or
- 5 lymphangiectasia; or
- 6 short bowel syndrome; or
- 7 infants with necrotising enterocolitis; or

8 biliary atresia.

Renewal — (Inborn errors of metabolism) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

FAT SUPPLEMENT – Special Authority see SA0899 above – Hospital pharmacy [HP3]

Emulsion (neutral)		200 ml OP	Calogen
	30.75	500 ml OP	Calogen
Emulsion (strawberry)		200 ml OP	Calogen
Oil		250 ml OP	Liquigen
	30.00	500 ml OP	MCT oil (Nutricia)

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
Protein			
SA0582 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals va	lid for 1 year for applicati	ions meeting the	following criteria:
Either: 1 protein losing enteropathy; or 2 high protein needs (eg burns).			

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

PROTEIN SUPPLEMENT – Special Authority see SA0582 above – Hospital p	harmacy [HP3]	
Powder	225 g OP	Protifar
8.95	227 g OP	 Resource Beneprotein
Powder (vanilla)12.90	275 g OP	Promod

Oral Supplements

These products are to be used only as supplements to a person's dietary needs. Subsidy for up to 500 ml a day. Amounts prescribed in excess of this amount must be paid for by the patient.

➡SA0583 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years where the patient has cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children; or
- 2 inflammatory bowel disease; or
- 3 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 4 malnutrition requiring nutritional support.

Renewal — (Cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 General Practitioners must include the name of the specialist and date contacted.

ORAL SUPPLEMENT 1KCAL/ML - Special Authority see SA0583 above - Hosp	pital pharmacy [HP3]
Powder (chocolate)4.22	400 g OP	Ensure
9.50	900 g OP	Ensure
10.22		 Sustagen Hospital Formula
Powder (strawberry)4.22	400 g OP	Ensure
Powder (vanilla)4.22	400 g OP	Ensure
9.50	900 g OP	Ensure
10.22		 Sustagen Hospital Formula

Subsidv Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ ~ Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed) **Respiratory Products** SA0588 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both: 1 CORD patients who have hypercapnia; and 2 Either: 2.1 The product is to be used as a supplement (maximum 500 ml per day); or 2.2 The product is to be used as a complete diet. Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following: 1 The treatment remains appropriate and the patient is benefiting from treatment; and 2 Either: 2.1 The product is to be used as a supplement (maximum 500 ml per day); or 2.2 The product is to be used as a complete diet; and 3 General Practitioners must include the name of the specialist and date contacted. CORD ORAL FEED 1.5KCAL/ML - Special Authority see SA0588 above - Hospital pharmacy [HP3] 237 ml OP Pulmocare **Diabetic Products** SA0594 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both: 1 Type I and II diabetics who require nutritional supplementation: and 2 Either: 2.1 The product is to be used as a supplement (maximum 500 ml per day); or 2.2 The product is to be used as a complete diet. Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following: 1 The treatment remains appropriate and the patient is benefiting from treatment; and 2 Fither: 2.1 The product is to be used as a supplement (maximum 500 ml per day); or 2.2 The product is to be used as a complete diet; and 3 General Practitioners must include the name of the specialist and date contacted. DIABETIC ENTERAL FEED 1KCAL/ML - Special Authority see SA0594 above - Hospital pharmacy [HP3] 1.000 ml OP Diason RTH Glucerna Select RTH ORAL FEED 1KCAL/ML - Special Authority see SA0594 above - Hospital pharmacy [HP3] 200 ml OP Diasip 1.78 237 ml OP Resource Diabetic 200 ml OP Diasip 250 ml OP Glucerna Select 1.88 1.78 237 ml OP **Resource Diabetic** (2.10)(Resource Diabetic Liquid (strawberry) to be delisted 1 February 2011)

SPECIAL FOODS

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🖌	Brand or Generic Manufacturer
Fat Modified Products			
►SA0615 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals va Both:	lid for 1 year for applicat	ions meeting the	following criteria:
 The product is to be used as a complete diet; and Either: 2.1 Patient has metabolic disorders of fat metabolism 	; or		
2.2 Patient has chylothorax.Renewal only from a relevant specialist or general practitioner1 year for applications meeting the following criteria:Both:	on the recommendation	of a relevant spo	ecialist. Approvals valid for
1 The treatment remains appropriate and the patient is be 2 General Practitioners must include the name of the spec	•		
FAT MODIFIED FEED – Special Authority see SA0615 above – Powder			lonogen
High Protein Products			
 SA0589 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals va All of the following: Anorexia and weight loss; and Either: 	pathy; or mum 500 ml per day); or on the recommendation nefiting from treatment; a mum 500 ml per day); or d cialist and date contacted e – Hospital pharmacy [1 	of a relevant spo and I. HP3]	-
 SA0607 Special Authority for Subsidy Initial application only from a paediatrician. Approvals valid fo Both: Child (up to 18 years) who is awaiting liver transplant; ar 		meeting the foll	owing criteria:
2 Either:2.1 The product is to be used as a supplement (maxi2.2 The product is to be used as a complete diet.	mum 500 ml per day); or		

Renewal only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria: Both:

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

1 The treatment remains appropriate and the patient is benefiting from treatment; and

- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet.

Paediatric Products For Children With Chronic Renal Failure

➡SA0606 Special Authority for Subsidy

Initial application only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 child (up to 18 years) with chronic renal failure; and
- 2 Either:
 - 2.1 The product is to be used as a supplement; or
 - 2.2 The product is to be used as a complete diet.

Renewal only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement; or
 - 2.2 The product is to be used as a complete diet.

ENTERAL/ORAL FEED 1KCAL/ML – Special Authority see SA0606 above – Hospital pharmacy [HP3]

Paediatric Products

►SA0896 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 infant aged one to eight years; and
- 2 Any of the following:
 - 2.1 any condition causing malabsorption; or
 - 2.2 failure to thrive; or
 - 2.3 increased nutritional requirements; and
- 3 Either:
 - 3.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 3.2 The product is to be used as a complete diet.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and

3 General Practitioners must include the name of the specialist and date contacted.

PAEDIATRIC ENTERAL FEED 1.5KCAL/ML – Special Authority see SA0896 above – Hospital pharmacy [HP3]					
Liquid	6.00	500 ml OP	Nutrini Energy RTH		
PAEDIATRIC ENTERAL FEED 1KCAL/ML - Special Authority see SA	A0896 above	– Hospital pharr	macy [HP3]		
Liquid	2.68	500 ml OP	Nutrini RTH		
			Pediasure RTH		

SPECIAL FOODS

	Subsidy (Manufacturer's P \$	rice) Sub Per	Fully sidised	Brand or Generic Manufacturer
PAEDIATRIC ORAL FEED 1.5KCAL/ML – Special Authority see Liquid (strawberry) Liquid (vanilla)		receding page 200 ml OP 200 ml OP	🖌 N	ital pharmacy [HP3] utriniDrink utriniDrink
PAEDIATRIC ORAL FEED 1KCAL/ML – Special Authority see S Liquid (chocolate) Liquid (strawberry) Liquid (vanilla)	1.07 1.07	ceding page – 200 ml OP 200 ml OP 200 ml OP 237 ml OP	Per Per Per Per Per Per Per Per Per Per	al pharmacy [HP3] ediasure ediasure ediasure ediasure ediasure
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML – Special / [HP3]	Authority see SA0	896 on the pre	ceding	page – Hospital pharmacy
Liquid (chocolate)	1.60	200 ml OP		utriniDrink Multifibre
Liquid (strawberry)	1.60	200 ml OP		utriniDrink Multifibre
Liquid (vanilla)	1.60	200 ml OP		utriniDrink Multifibre

Renal Products

➡SA0587 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 acute or chronic renal failure; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

ENTERAL FEED 2KCAL/ML – Special Authority see SA0587 above – Hos Liquid		✓ Nutrison Concentrated
RENAL ORAL FEED 2KCAL/ML – Special Authority see SA0587 above – Liquid	43 200 ml OP	 3] ✓ Nepro (strawberry) ✓ Nepro (vanilla)
	88 237 ml OP 31) 88 125 ml OP	NovaSource Renal Renilon 7.5 Renilon 7.5

	Subsidy (Manufacturer's F \$	^P rice) Per	Fully Subsidised	Brand or Generic Manufacturer
Specialised And Elemental Products				
► SA0592 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid Both:	for 1 year for ap	plications	meeting the	following criteria:
 Any of the following: malabsorption; or short bowel syndrome; or enterocutaneous fistulas; or pancreatitis; and Either: The product is to be used as a supplement (maximum content of the second content of	im 500 ml per d	av): or		
2.2 The product is to be used as a complete diet. Notes: Each of these products is highly specialised and would be p			t for a specifi	ic disorder. The alternative
is hospitalisation. Elemental 028 Extra is more expensive than other products lister have been tried first and/or are unsuitable. Renewal only from a relevant specialist or general practitioner on				
1 year for applications meeting the following criteria: 1 year for applications meeting the following criteria: 1 The treatment remains appropriate and the patient is bene 2 Either: 2.1 The product is to be used as a supplement (maximum)	fiting from treatn	nent; and	Televant spe	olalist. Approvals valid for
2.2 The product is to be used as a complete diet; and3 General Practitioners must include the name of the special	ist and date con	tacted.		
ENTERAL/ORAL ELEMENTAL FEED 1KCAL/ML – Special Author Powder		2 above – 79 g O 76 g O	P 🖌 🗸 Vi	rmacy [HP3] i tal HN litraq
ORAL ELEMENTAL FEED 0.8KCAL/ML – Special Authority see Liquid (grapefruit) Liquid (pineapple & orange) Liquid (summer fruit)	9.50 9.50	Hospital p 250 ml 0 250 ml 0 250 ml 0	DP VE	P3] lemental 028 Extra lemental 028 Extra lemental 028 Extra
ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority see S/ Powder (unflavoured)	A0592 above – H 4.50	lospital ph 80.4 g C		3] ivonex TEN
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML – Special Author		2 above – H 1,000 ml		rmacy [HP3] eptisorb
Undyalised End Stage Renal Failure				

▶ SA0586 Special Authority for Subsidy Initial application only from a gastroenterologist or renal physician. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 undialysed end stage renal patients; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet.

Note: Where possible, the requirements for oral supplementation should be established in conjunction with assessment by a dietician.

Subsidy	,	Fully	Brand or
(Manufacturer'	s Price) Su	ubsidised	Generic
\$	Per	~	Manufacturer

continued...

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

RFNAI	ORAL FF	FD 1KC	AI/MI —	Special	Authority	see	SA0586	on the	preceding	page -	- Hospital	pharmacy	(HP	31
				opeoidi		000	0/10000	011 1110	procounty	pugo	rioopitui	priarinady	11.11	U

Liquid	237 ml OP	 Suplena
--------	-----------	-----------------------------

Adult Products Standard

►SA0702 Special Authority for Subsidy

Initial application — (Oral feed for cystic fibrosis patient) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 Cystic fibrosis; and
- 2 Either:
 - 2.1 The product is to be used as a supplement; or
 - 2.2 The product is to be used as a complete diet.

Initial application — (Oral feed for indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 failure to thrive; or
 - 1.3 increased nutritional requirements; and
- 2 Either:
 - 2.1 The product is to be used as a supplement; or
 - 2.2 The product is to be used as a complete diet.

Renewal — (Oral feed cystic fibrosis patient) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement; or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

Initial application — (Enteral feed) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 enteral feeding; or
 - 1.2 nasogastric; or
 - 1.3 nasoduodenal; or
 - 1.4 nasojejunal; or
 - 1.5 gastrostomy/jejunostomy; and

2 Either:

SPECIAL FOODS

	Subsidy (Manufacturer's \$	Price) Sub	Fully Brand or sidised Generic Manufacturer
continued	Ŷ	101	
2.1 The product is to be used as a supplement; or			
2.2 The product is to be used as a complete diet.			
Renewal — (Enteral feed or Oral feed for indications other practitioner on the recommendation of a relevant specialist. Appl			
All of the following:	Ovais valid idi i	year ior applicati	
1 The treatment remains appropriate and the patient is ben	efiting from treat	ment; and	
2 Either:			
2.1 The product is to be used as a supplement; or			
2.2 The product is to be used as a complete diet; and3 General Practitioners must include the name of the special	alist and date co	ntacted	
Notes: This group of products can be used either as a suppleme			
f a product is being used as a supplement, the limit is 500 ml pe			
Cystic fibrosis patients are exempt the 500 ml per day volume r	estriction when u	using Ensure Plu	is, Fortisip or Resource Plus as
supplement.			
ENTERAL FEED 1KCAL/ML – Special Authority see SA0702 or		v	
Liquid	1.24	250 ml OP	 Isosource HN Isosource Standard
			✓ Osmolite
	2.65	500 ml OP	Nutrison Standard
			RTH
	5.29	1,000 ml OP	Nutrison Standard
			RTH
			 Isosource HN RTH Isosource Standard
			RTH
			Isosource Standard
			RTH
	2.65	500 ml OP	✓ Osmolite RTH
Isosource HN Liquid to be delisted 1 December 2010)	5.29	1,000 ml OP	 Osmolite RTH
(Isosource HN RTH Liquid to be delisted 1 December 2010)			
ENTERAL FEED WITH FIBRE 1 KCAL/ML – Special Authority	see SA0702 on t	he preceding pa	ge – Hospital pharmacy [HP3]
Liquid		250 ml OP	✓ Fibersource HN
	1.32	237 ml OP	✓ Jevity
	2.65	500 ml OP	 Nutrison Multi Fibre Nutrison Multi Fibre
	5.29	1,000 ml OP	 Fibersource HN RTH
	2.65	500 ml OP	✓ Jevity RTH
	5.29	1,000 ml OP	 Jevity RTH
(Fibersource HN Liquid to be delisted 1 December 2010) (Fibersource HN RTH Liquid to be delisted 1 December 2010)			
ENTERAL FEED WITH FIBRE 1.5KCAL/ML - Special Authority	see SA0702 on	the preceding p	age – Hospital pharmacy [HP3]
Liquid	1.75	250 ml OP	 Ensure Plus HN
	7.00	1.000	✓ Isosource 1.5
	7.00	1,000 ml OP	 Ensure Plus RTH Nutrison Energy
			• Hutilion Liferyy
			Multi Fibre

SPECIAL FOODS

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or osidised Generic Manufacturer
RAL FEED 1.5KCAL/ML – Special Authority see SA0702 on	page 180 – Hospi	tal pharmacy [H	IP3]
Liquid (banana)	1.12	200 ml OP	 Fortisip
	(1.45)		Ensure Plus
Liquid (chocolate)	1.12	200 ml OP	 Fortisip
	1.33	237 ml OP	Resource Plus
	1.12	200 ml OP	
	(1.45)		Ensure Plus
	1.33	237 ml OP	Ensure Plus
Liquid (coffee latte)		237 ml OP	Ensure Plus
Liquid (fruit of the forest)	1.12	200 ml OP	
	(1.45)		Ensure Plus
Liquid (strawberry)		200 ml OP	 Fortisip
	1.33	237 ml OP	Resource Plus
	1.12	200 ml OP	
	(1.45)		Ensure Plus
··· ·· <i>c</i>	1.33	237 ml OP	Ensure Plus
Liquid (toffee)		200 ml OP	✓ Fortisip
Liquid (tropical fruit)		200 ml OP	✓ Fortisip
Liquid (vanilla)		200 ml OP	✓ Fortisip
	1.33	237 ml OP	Resource Plus
	1.12	200 ml OP	
	(1.45)	007	Ensure Plus
Divertised (characters) to be delicted of the	1.33	237 ml OP	Ensure Plus
esource Plus Liquid (chocolate) to be delisted 1 January 201 esource Plus Liquid (strawberry) to be delisted 1 February 20 esource Plus Liquid (vanilla) to be delisted 1 December 2010	DÍ1)		
RAL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority se	e SA0702 on pag	ie 180 – Hospita	al pharmacy [HP3]
Liquid (chocolate)	1.0	200 ml OP	Fortisip Multi Fibre
Liquid (strawberry)		200 ml OP	 Fortisip Multi Fibre

►SA0585 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements; and
- 4 Either:
 - 4.1 The product is to be used as a supplement; or
 - 4.2 The product is to be used as a complete diet.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 failure to thrive; or
 - 1.3 increased nutritional requirements; and

continued...

✔ Fortisip Multi Fibre

200 ml OP

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements; and
- 4 Either:
 - 4.1 The product is to be used as a supplement; or
 - 4.2 The product is to be used as a complete diet.
- **Renewal** (Cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted; and
- 3 Either:
 - 3.1 The product is to be used as a supplement; or
 - 3.2 The product is to be used as a complete diet.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted; and
- 3 Either:
 - 3.1 The product is to be used as a supplement; or
 - 3.2 The product is to be used as a complete diet.

Notes: This product can be used either as a supplement or as a complete diet.

If it is being used as a supplement, the limit is 500 ml per day.

ORAL FEED 2KCAL/ML – Special Authority see SA0585 on the preceding page – Hospital pharmacy [HP3]

Food Thickeners

➡SA0595 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

FOOD THICKENER - Special Authority see SA0595 above - Hospital pharmacy [HP3]

Powder	250 g OP	Resource Thicken
		Up
7.25	380 g OP	Karicare Food
		Thickener

(Resource Thicken Up Powder to be delisted 1 December 2010)

Gluten Free Foods

SA0722 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

SPECIAL FOODS

	Subsidy (Manufacturer's Price) \$ Pe	Fully Brand or Subsidised Generic er 🖌 Manufacturer
GLUTEN FREE BAKING MIX - Special Authority see SA0	1 01 0	
Powder	2.81 1,000 g (5.15)	Healtheries Simple
		Baking Mix
GLUTEN FREE BREAD MIX – Special Authority see SA07		
Powder	-	
	(7.32)	NZB Low Gluten Bread Mix
	4.77	
	(8.71)	Bakels Gluten Free Health Bread Mix
	3.51	
	(10.87)	Horleys Bread Mix
GLUTEN FREE FLOUR - Special Authority see SA0722 of	n the preceding page - Hospita	l pharmacy [HP3]
Powder		OP
	(18.10)	Horleys Flour
GLUTEN FREE PASTA - Special Authority see SA0722 or	the preceding page - Hospital	pharmacy [HP3]
Buckwheat Spirals		
	(3.11)	Orgran
Corn and Vegetable Shells	2.00 250 g	OP
	(2.92)	Orgran
Corn and Vegetable Spirals		
D'as and Osma Lassana Obasta	(2.92)	Orgran
Rice and Corn Lasagne Sheets	v	
Rice and Corn Macaroni	(3.82) 2.00 250 g	Orgran
	(2.92)	Orgran
Rice and Corn Penne	()	0
	(2.92)	Orgran
Rice and Maize Pasta Spirals		0
	(2.92)	Orgran
Rice and Millet Spirals	2.00 250 g	OP
	(3.11)	Orgran
Rice and corn spaghetti noodles	•	
	(2.92)	Orgran
Vegetable and Rice Spirals		
Italian lang at da ang dagti	(2.92)	Orgran
Italian long style spaghetti		
	(3.11)	Orgran

Foods And Supplements For Inborn Errors Of Metabolism - Other

SA0732 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Either:

- 1 dietary management of homocystinuria; or
- 2 dietary management of maple syrup urine disease.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

continued...

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 General Practitioners must include the name of the specialist and date contacted.

Prescribing Guideline

It can cost up to \$70,000 a year to keep an adult on protein supplements. Because protein substitutes are so expensive and because they are only effective in controlling PKU if a restricted diet is followed, adults with PKU will be required to demonstrate they are following the prescribed diet by regular blood testing. The requirement for testing applies to those aged over 16 years. Failure to follow an appropriate diet results in high blood phenylalanine levels.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Supplements For Homocystinuria

AMINOACID FORMULA WITHOUT METHIONINE - Special Authority see SA0732 on the preceding page - Hospital pharmacy [HP3]

See prescribing guideline above

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE – Special Authority see SA0732 on the preceding page – Hospital pharmacy [HP3] See preceding autocline shows

See prescribing guideline above			
Powder		500 g OP	MSUD Maxamaid
	437.22		MSUD Maxamum

Foods And Supplements For Inborn Errors Of Metabolism - PKU

Prescribing Guideline

It can cost up to \$70,000 a year to keep an adult on protein supplements. Because protein substitutes are so expensive and because they are only effective in controlling PKU if a restricted diet is followed, adults with PKU will be required to demonstrate they are following the prescribed diet by regular blood testing. The requirement for testing applies to those aged over 16 years. Failure to follow an appropriate diet results in high blood phenylalanine levels.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Foods and Supplements For PKU

►SA0733 Special Authority for Subsidy

Initial application — (Patient aged over 16) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

1 dietary management of PKU; and

2 The patient's blood phenylalanine level is < 900 mmol/litre (average of tests over last 12 months).

Initial application — (Patient aged 16 or under) only from a relevant specialist. Approvals valid for 3 years where the patient requires dietary management of PKU.

Renewal — (Patient aged over 16) only from a relevant specialist. Approvals valid for 1 year where blood phenylalanine level < 900 mmol/litre (average of tests over last 12 months).

Renewal — (Patient aged 16 or under) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

SPECIAL FOODS

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or osidised Generic ✓ Manufacturer
IINOACID FORMULA WITHOUT PHENYLALANINE – S	pecial Authority see	SA0733 on the	e preceding page - Hospital p
cy [HP3]			
See prescribing guideline on the preceding page			4
Tabs		75 OP	Phlexy 10
Sachets (pineapple/vanilla) 29 g		30 OP	Minaphlex
Sachets (tropical)		30	Phlexy 10
Infant formula	174.72	400 g OP	PKU Anamix Infant
			XP Analog LCP
Powder (orange)	221.00	500 g OP	XP Maxamaid
	320.00		XP Maxamum
Powder (unflavoured)	221.00	500 g OP	XP Maxamaid
	320.00		XP Maxamum
Liquid (berry)	15.65	62.5 ml OP	Lophlex LQ
	31.20	125 ml OP	Lophlex LQ
	15.65	62.5 ml OP	PKU Lophlex LQ
	31.20	125 ml OP	PKU Lophlex LQ
Liquid (citrus)		62.5 ml OP	Lophlex LQ
	31.20	125 ml OP	Lophlex LQ
	15.65	62.5 ml OP	PKU Lophlex LQ
	31.20	125 ml OP	✓ PKU Lophlex LQ
Liquid (forest berries)		250 ml OP	 Easiphen Liquid
Liquid (orange)		62.5 ml OP	✓ Lophlex LQ
	31.20	125 ml OP	✓ Lophlex LQ
	15.65	62.5 ml OP	✓ PKU Lophlex LQ
	31.20	125 ml OP	✓ PKU Lophlex LQ
Liquid (tropical)		250 ml OP	 Easiphen
			•
ENYL FREE BAKING MIX - Special Authority see SA07	33 on the preceding	page – Hospita	I pharmacy [HP3]
See prescribing guideline on the preceding page			
Powder		500 g OP	
	(8.22)		Loprofin Mix
ENYL FREE PASTA - Special Authority see SA0733 on the	the preceding page -	 Hospital pharr 	macy [HP3]
See prescribing guideline on the preceding page	10.65		
Animal shapes		500 g OP	Lonrofin
1	(11.91)		Loprofin
Lasagne		250 g OP	1
	(5.95)		Loprofin
Low protein rice pasta		500 g OP	
	(11.91)	_	Loprofin
Macaroni	5.32	250 g OP	
	(5.95)		Loprofin
Penne	10.65	500 g OP	
	(11.91)		Loprofin
Spaghetti	10.65	500 g OP	
	(11.91)	-	Loprofin
Spirals	10.65	500 g OP	-
Opirais			

	Subsidy (Manufacturer's Pri- \$	ce) Subs Per	idised	Brand or Generic Manufacturer
Multivitamin And Mineral Supplements	Ŷ	101	•	
 SA0962 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid the following criteria: Any of the following: Dietary management of phenylketonuria (PKU); or 	l without further re	enewal unless	notified	for applications meeting
 2 For use as a supplement to the ketogenic diet in patients di 3 Patient has had a previous approval for metabolic mineral r 	0 1	epsy; or		
AMINOACID FORMULA WITH MINERALS WITHOUT PHENYLAL See prescribing guideline on page 185				
Powder	23.38	100 g OP		tabolic Mineral /lixture
Infant Formulae				
For Premature Infants				
⇒SA0602 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid at birth. PREMATURE BIRTH FORMULA – Special Authority see SA0602 Liquid	2 above – Hospital		P3]	weighing less than 1.5 kg
For Williams Syndrome	0.75		• 52	
⇒SA0601 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid Syndrome and associated hypercalcaemia. Renewal only from a relevant specialist or general practitioner on 1 year for applications meeting the following criteria: Both: 1 The treatment remains appropriate and the patient is benef 2 General Practitioners must include the name of the speciali LOW CALCIUM INFANT FORMULA – Special Authority see SA00 Powder	the recommendat fiting from treatme ist and date conta 601 above – Hosp	tion of a releva nt; and cted.	ant spec	cialist. Approvals valid for
For Gastrointestinal And Other Malabsorptive Pr	roblems			
 SA0603 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid and other gastrointestinal problems. Renewal only from a relevant specialist or general practitioner on 1 year for applications meeting the following criteria: 				

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Neocate should be used only as a last resort when the infant is unable to absorb any of the below formulae. The objective with each of the formulae prescribed is to get the infant off them as soon as possible. This may take six months, it may take three years. Because of this, variation on age limit is not regarded as appropriate. These formulae will be available only from a hospital pharmacy. Vivonex Pediatric may be a suitable and less expensive alternative for many children that would otherwise be eligible for a subsidy for Neocate and should, therefore, be tried first in these cases. The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

	Subsidy (Manufacturer's P \$		ully Brand or sed Generic Manufacturer
ELEMENTAL FORMULA – Special Authority see SA0603 on the Powder		– Hospital pharma 450 g OP	cy [HP3]
	(15.21)		Pepti Junior Gold
	15.52		
	(19.01)		Pepti Junior
	63.97	400 g OP	
	(67.08)	•	Neocate
	(67.08)		Neocate LCP
	5.62	48.5 g OP	
	(6.00)	Ū	Vivonex Pediatric
Powder (tropical)	()	400 g OP	
	(56.00)	5	Neocate Advance
Powder (unflavoured)	(/	400 g OP	
· ····· (····························	(56.00)		Elecare
	(56.00)		Elecare LCP
	(56.00)		Neocate Advance
Powder (vanilla)	()	400 g OP	
	(56.00)	100 9 01	Elecare

For Milk Intolerance

►SA0604 Special Authority for Subsidy

Initial application — (Lactase deficiency or disaccharide intolerance) only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is less than 3 years of age; and
- 2 Either:
 - 2.1 diagnosed as suffering from congenital lactase deficiency; or
 - 2.2 suffering from disaccharide intolerance.

Notes: Secondary lactose intolerance in children is usually short lasting, and can be controlled by dietary measures and by giving sufficient calories to regenerate digestive enzymes.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Initial application — (Infant with intolerance to cows' milk) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 intolerant to cows' milk; and
- 2 patient is less than 3 years of age.

Note: The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Renewal — (Infant with intolerance to cows' milk) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 patient is less than 3 years of age.

GOATS MILK INFANT FORMULA - Special Authority see SA0604 above - Retail pharmacy

(22.75)

Karicare Goats Milk Infant Formula

SPECIAL FOODS

	Subsidy (Manufacturer's Pric \$	ce) S Per	Fully ubsidised	Brand or Generic Manufacturer
LACTOSE FREE INFANT FORMULA – Special Authority see S Powder		ding page 900 g OP		harmacy elact
SOYA INFANT FORMULA – Special Authority see SA0604 on t Powder		- Retail pha 900 g OP		26 Soy
Infant Formulae - Lactose Intolerance and Cow	s' Milk Protein	Intolera	nce	
 SA0757 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals val All of the following: The patient is less than 2 years of age; and Intolerant to cows' milk; and Diagnosed as suffering from congenital lactase deficiency Renewal only from a relevant specialist. Approvals valid for 6 in benefiting from treatment.			Ū	Ū
INFANT SOY FORMULA – Special Authority see SA0757 above Powder		900 g	K	aricare Soy All Ages

Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

ADRENALINE ✓ Inj 1 in 1,000, 1 ml
AMINOPHYLLINE ✔ Inj 25 mg per ml, 10 ml5
AMIODARONE HYDROCHLORIDE Inj 50 mg per ml, 3 ml
AMOXYCILLIN ✓ Cap 250 mg
AMOXYCILLIN CLAVULANATE Tab amoxycillin 500 mg with potassium clavulanate 125 mg
5 ml
APPLICATOR ✔ Applicator – See note on page 661
ASPIRIN ✔ Tab dispersible 300 mg
ATROPINE SULPHATE ✔ Inj 600 µg, 1 ml
AZITHROMYCIN ✓ Tab 500 mg – Subsidy by endorsement – See note on page 81
BENDROFLUAZIDE V Tab 2.5 mg – See note on page 53
BENZATHINE BENZYLPENICILLIN ✓ Inj 1.2 mega u per 2.3 ml
BENZTROPINE MESYLATE V Inj 1 mg per ml, 2 ml
BENZYLPENICILLIN SODIUM (PENICILLIN G) ✔ Inj 1 mega u5
 CEFTRIAXONE SODIUM ✓ Inj 500 mg – Subsidy by endorsement – See note on page 80

ined on a Practitioner's Supply Order
CHARCOAL V Oral liq 50 g per 250 ml 250 ml
CHLORPROMAZINE HYDROCHLORIDE ✓ Tab 10 mg 30 ✓ Tab 25 mg 30 ✓ Tab 100 mg 30 ✓ Inj 25 mg per ml, 2 ml 5
CIPROFLOXACIN ✓ Tab 250 mg
 CO-TRIMOXAZOLE ✓ Tab trimethoprim 80 mg and sulphamethoxazole 400 mg
COMPOUND ELECTROLYTES Powder for soln for oral use 5 g10
CONDOMS 144 ✓ 49 mm 144 ✓ 52 mm 144 ✓ 52 mm extra strength 144 ✓ 53 mm 144 ✓ 53 mm (chocolate) 144 ✓ 53 mm (strawberry) 144 ✓ 53 mm extra strength 144 ✓ 53 mm extra strength 144 ✓ 53 mm extra strength 144 ✓ 55 mm 144 ✓ 56 mm 144 ✓ 56 mm extra strength 144 ✓ 56 mm extra strength 144 ✓ 56 mm extra strength 144 ✓ 66 mm, shaped 144 ✓ 60 mm 144
DEXAMETHASONE ✓ Tab 1 mg – Retail pharmacy-Specialist
DEXAMETHASONE SODIUM PHOSPHATE ✓ Inj 4 mg per ml, 1 ml
DEXTROSE ✓ Inj 50%, 10 ml
DIAPHRAGM ✓ 55 mm – See note on page 67

PRACTITIONER'S SUPPLY ORDERS

(continued)
 ✓ 65 mm - See note on page 67
DIAZEPAM
 ✓ Inj 5 mg per ml, 2 ml – Subsidy by endorsement – See note on page 1135 ✓ Rectal tubes 5 mg5 ✓ Rectal tubes 10 mg5
DICLOFENAC SODIUM ✓ Inj 25 mg per ml, 3 ml
DIGOXIN ✔ Tab 62.5 μg
DOXYCYCLINE HYDROCHLORIDE Tab 50 mg
ERGOMETRINE MALEATE ✔ Inj 500 µg per ml, 1 ml5
ERYTHROMYCIN ETHYL SUCCINATE ✓ Tab 400 mg
ERYTHROMYCIN STEARATE Tab 250 mg30
ETHINYLOESTRADIOL WITH DESOGESTREL Tab 20 µg with desogestrel 150 µg63 Tab 20 µg with desogestrel 150 µg and 7 inert tab
 ETHINYLOESTRADIOL WITH LEVONORGESTREL ✓ Tab ethinyloestradiol 30 µg with levonorgestred 50 µg (6) and tab ethinyloestradiol 40 µg with levonorgestrel 75 µg (5), and tab ethinyloestradiol 30 µg with levonorgestrel 125 µg (10) and 7 inert tab
Tab 30 µg with levonorgestrel 150 µg63

Tab 30 μg with levonorgestrel 150 μg and 7 inert tab
Tab 20 μg with levonorgestrel 100 μg and 7 inert tab84
ETHINYLOESTRADIOL WITH NORETHISTERONE ✓ Tab 35 µg with norethisterone 1 mg
FLUCLOXACILLIN SODIUM ✓ Cap 250 mg
FLUPENTHIXOL DECANOATE ✓ Inj 20 mg per ml, 1 ml ✓ Inj 20 mg per ml, 2 ml ✓ Inj 100 mg per ml, 1 ml
FLUPHENAZINE DECANOATE ✓ Inj 12.5 mg per 0.5 ml, 0.5 ml ✓ Inj 25 mg per ml, 1 ml ✓ Inj 100 mg per ml, 1 ml
FUROSEMIDE ✓ Tab 40 mg
GLUCAGON HYDROCHLORIDE V Inj 1 mg syringe kit5
GLYCERYL TRINITRATE ✔ Tab 600 µg
HALOPERIDOL ✓ Tab 500 µg
HALOPERIDOL DECANOATE ✓ Inj 50 mg per ml, 1 ml
HYDROCORTISONE ✔ Inj 50 mg per ml, 2 ml
HYDROXOCOBALAMIN Inj 1 mg per ml, 1 ml

✓ fully subsidised brand available Please refer to Section A for a definition, and conditions of supply, of Practitioner's Supply Orders.

(continued) HYOSCINE N-BUTYLBROMIDE ✔ Inj 20 mg, 1 ml5
INTRA-UTERINE DEVICE ✔ IUD40
IPRATROPIUM BROMIDE ✓ Nebuliser soln, 250 µg per ml, 1 ml40 ✓ Nebuliser soln, 250 µg per ml, 2 ml40
LEVONORGESTREL Tab 30 μg
LIGNOCAINE ✓ Gel 2%, 10 ml urethral syringe
LIGNOCAINE HYDROCHLORIDE ✓ Inj 0.5%, 5 ml ✓ Inj 1%, 5 ml 5 ✓ Inj 2%, 5 ml 5 ✓ Inj 1%, 20 ml 5 ✓ Inj 2%, 20 ml 5
LIGNOCAINE WITH CHLORHEXIDINE Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes5
LOPERAMIDE HYDROCHLORIDE ✓ Tab 2 mg
MASK FOR SPACER DEVICE ✓ Size 2 – See note on page 15820
MEDROXYPROGESTERONE ACETATE ✓ Inj 150 mg per ml, 1 ml syringe5
METHYLERGOMETRINE ✔ Inj 200 μg per ml, 1 ml10
METOCLOPRAMIDE HYDROCHLORIDE V Inj 5 mg per ml, 2 ml
METRONIDAZOLE ✓ Tab 200 mg30
MORPHINE SULPHATE
drug form5 ✓ Inj 10 mg per ml, 1 ml – Only on a controlled drug form5
✓ Inj 15 mg per ml, 1 ml – Only on a controlled drug form
✓ Inj 30 mg per ml, 1 ml – Only on a controlled drug form

NALOXONE HYDROCHLORIDE ✓ Inj 400 µg per ml, 1 ml5
NONOXYNOL-9 V Jelly 2% 108 g
NORETHISTERONE ✔ Tab 350 µg
NORETHISTERONE WITH MESTRANOL Tab 1 mg with mestranol 50 µg and 7 inert tab84
OXYTOCIN ✓ Inj 5 iu per ml, 1 ml
PARACETAMOL ✓ Tab 500 mg
PEAK FLOW METER ✓ Low range
 PETHIDINE HYDROCHLORIDE ✓ Inj 50 mg per ml, 1 ml – Only on a controlled drug form
PHENOXYMETHYLPENICILLIN (PENICILLIN V) Cap potassium salt 250 mg
PHENYTOIN SODIUM ✓ Inj 50 mg per ml, 2 ml
PHYTOMENADIONE ✓ Inj 2 mg per 0.2 ml – See note on page 40
PIPOTHIAZINE PALMITATE ✓ Inj 50 mg per ml, 1 ml
PREDNISOLONE SODIUM PHOSPHATE ✓ Oral liq 5 mg per ml – See note on page 73
continued

(continued)

PREDNISONE ✔ Tab 5 mg
PREGNANCY TESTS - HCG URINE Cassette
PROCAINE PENICILLIN V Inj 1.5 mega u
PROCHLORPERAZINE ✓ Tab 5 mg
PROMETHAZINE HYDROCHLORIDE Inj 25 mg per ml, 2 ml
SALBUTAMOL ✓ Inj 500 μg per ml, 1 ml
SALBUTAMOL WITH IPRATROPIUM BROMIDE Vebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml20
SILVER SULPHADIAZINE ✓ Crm 1%250 g

SODIUM BICARBONATE

✓ Inj 8.4%, 50ml	
SODIUM CHLORIDE ✓ Inf 0.9% – See note on page 42	5
SPACER DEVICE ✓ 230 ml (autoclavable) – Subsidy by endorsement – See note on page 158)
TRIMETHOPRIM V Tab 300 mg)
VERAPAMIL HYDROCHLORIDE V Inj 2.5 mg per ml, 2 ml5	5
WATER V Purified for inj, 5 ml – See note on page 42	5
ZUCLOPENTHIXOL DECANOATE ✓ Inj 200 mg per ml, 1 ml	5

Rural Areas for Practitioner's Supply Orders

NORTH ISLAND

Northland DHB

Dargaville Hikurangi Kaeo Kaikohe Kaitaia Kawakawa Kerikeri Mangonui Maungaturoto Moerewa Naunauru Paihia Rawene **Ruakaka** Russell Tutukaka Waipu Whangaroa

Waitemata DHB

Helensville Huapai Kumeu Snells Beach Waimauku Warkworth Wellsford

Auckland DHB

Great Barrier Island Oneroa Ostend

Counties Manukau DHB

Tuakau Waiuku

Waikato DHB

Coromandel Huntly Kawhia Matamata Morrinsville Ngatea Otorohanga Paeroa Pauanui Beach Putaruru Raglan

Tairua Taumarunui Te Aroha Te Kauwhata Te Kuiti Tokoroa Waihi Whangamata Whitianga

Bay of Plenty DHB

Edaecumbe Katikati Kawerau Murupara Opotiki Taneatua Te Kaha Waihi Beach Whakatane

Lakes DHB Mangakino

Turangi

Tairawhiti DHB

Ruatoria Te Araroa Te Karaka Te Puia Springs Tikitiki Tokomaru Bay Tolaga Bay

Taranaki DHB

Eltham Inglewood Manaia Oakura Okato Opunake Patea Stratford Waverley

Hawkes Bav DHB

Chatham Islands Waipawa Waipukurau Wairoa Whanganui DHB Bulls

Waiouru MidCentral DHB Dannevirke Foxton l evin Otaki Pahiatua Shannon Woodville Wairarapa DHB

Marton

Raetihi

Taihape

Ohakune

Carteron Featherston Grevtown Martinborough

SOUTH ISLAND

Nelson/Marlborough DHB

Havelock Mapua Motueka Murchison Picton Takaka Wakefield

West Coast DHB

Dobson Grevmouth Hokitika Karamea Reefton South Westland Westport Whataroa

Canterbury DHB

Akaroa Amberlev Amuri Cheviot Darfield Diamond Harbour Hanmer Springs Kaikoura

Leeston l incoln Methven Oxford Rakaia Rolleston Rotherham Templeton Waikari

South Canterbury DHB

Fairlie Geraldine Pleasant Point Temuka Twizel Waimate

Southern DHB

Alexandra Balclutha Cromwell Gore Kurow I awrence Lumsden Mataura Milton Oamaru Oban Otautau Outram Owaka Palmerston Queenstown Ranfurly Riverton Roxburgh Tapanui Te Anau Tokonui Tuatapere Wanaka Winton

✓ fully subsidised brand available

SECTION F: PART I

A Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule:

a) is exempt from any requirement to dispense in Monthly Lots;

b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is Close Control.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a * within the other sections of the Pharmaceutical Schedule:

a) is exempt from any requirement to dispense in Monthly Lots;

b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is Close Control.

SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

- a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the prescriber has endorsed the Prescription item(s) on the Prescription to which the exemption applies "certified exemption". In endorsing the Prescription items for a certified exemption, the prescriber is certifying that:
 - i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
 - ii) the patient has been stabilised on the same medicine for a reasonable period of time; and

iii) the prescriber has reason to believe the patient will continue on the medicine and is compliant.

b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:

i) have limited physical mobility;

- ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
- iii) are relocating to another area;
- iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

The following Community Pharmaceuticals are identified with a A within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

ALIMENTARY TRACT AND M INSULIN ASPART	ETABOLISM	MUSCULOSKELET PYRIDOSTIGMIN
INSULIN GLARGINE		
INSULIN GLULISINE		NERVOUS SYSTEM AMANTADINE H
INSULIN ISOPHANE		
INSULIN ISOPHANE WITH	INSULIN NEUTRAL	APOMORPHINE
INSULIN LISPRO		ENTACAPONE
INSULIN LISPRO WITH INS	SULIN LISPRO PROTAMINE	GABAPENTIN
INSULIN NEUTRAL		GABAPENTIN (N
CARDIOVASCULAR SYSTEM AMIODARONE HYDROCHL Tab 100 mg Tab 200 mg	ORIDE Cordarone-X	LAMOTRIGINE LISURIDE HYDR PERGOLIDE
DISOPYRAMIDE PHOSPH	ATE	ROPINIROLE HY
FLECAINIDE ACETATE Tab 50 mg Tab 100 mg Cap long-acting 100 mg Cap long-acting 200 mg		TOLCAPONE TOPIRAMATE VIGABATRIN
MEXILETINE HYDROCHLC	RIDE	
PROPAFENONE HYDROCH	HLORIDE	SENSORY ORGAN
HORMONE PREPARATIONS CONTRACEPTIVE HORMONE		BRIMONIDINE TA
DESMOPRESSIN		BRINZOLAMIDE

Nasal drops 100 µg per Minirin ml Nasal spray 10 µg per Desmopressin-PH&T dose

ETAL SYSTEM MINE BROMIDE

ΈМ

HYDROCHLORIDE

NE HYDROCHLORIDE

(NEURONTIN)

DROGEN MALEATE

HYDROCHLORIDE

ANS

E TARTRATE WITH TIMOLOL MALEATE

LATANOPROST

TRAVOPROST

SECTION G: SAFETY CAP MEDICINES

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular
 person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

Safety Caps (NZS 5825:1991)

20 mm	. Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
24 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	PDL FG

SAFETY CAP MEDICINES

ALIMENTARY TRACT AND M	ETABOLISM	CLOBAZAM	
FERROUS SULPHATE		Tab 10 mg	Frisium
Oral liq 30 mg per 1 ml	Ferodan	(Extemporaneously compounde	ed oral liquid preparations)
(6 mg elemental per			
1 ml)		CLONAZEPAM	
CARDIOVASCULAR SYSTEM	l	Oral drops 2.5 mg per	Rivotril
AMILORIDE		ml	
Oral liq 1 mg per ml	Biomed	DIAZEPAM	
CAPTOPRIL		Tab 2 mg	Arrow-Diazepam
Oral lig 5 mg per ml	Capoten	Tab 5 mg	Arrow-Diazepam
Ofailing 5 mg per mi	Capoten	(Extemporaneously compounde	
CHLOROTHIAZIDE			ou oral liquid propulationo)
Oral liq 50 mg per ml	Biomed	ETHOSUXIMIDE	
DIGOXIN		Oral liq 250 mg per 5 ml	Zarontin
Oral liq 50 µg per ml	Lanoxin	Oral liq 250 mg per 5 mi	Zalonun
	Lanoxin	LORAZEPAM	
FUROSEMIDE		Tab 1 mg	Ativan
Oral liq 10 mg per ml	Lasix	Tab 2.5 mg	Ativan
SPIRONOLACTONE		(Extemporaneously compounde	ed oral liquid preparations)
Oral liq 5 mg per ml	Biomed		
		LORMETAZEPAM	
HORMONE PREPARATIONS		Tab 1 mg	Noctamid
	=5	(Extemporaneously compounde	ed oral liquid preparations)
LEVOTHYROXINE	Eltroxin		
Tab 50 µg	Goldshield	METHADONE HYDROCHLO	ORIDE
	Synthroid	Oral lig 2 mg per ml	Biodone
Tab 100 µg	Eltroxin	Oral liq 5 mg per ml	Biodone Forte
100 F00 µg	Goldshield	Oral liq 10 mg per ml	Biodone Extra Forte
	Synthroid		
Tab 25 µg	Synthroid	MIDAZOLAM Tab 7.5 mg	Hypnovel
(Extemporaneously compound	ed oral liquid preparations)	(Extemporaneously compounde	
		(Extemporaneously compound	
MUSCULOSKELETAL SYSTE	M		
IBUPROFEN		MORPHINE HYDROCHLOF	
Oral liq 100 mg per 5 ml	Fenpaed	Oral liq 1 mg per ml Oral liq 2 mg per ml	RA-Morph RA-Morph
QUININE SULPHATE		Oral lig 5 mg per ml	RA-Morph
Tab 200 mg	Q 200	Oral lig 10 mg per ml	RA-Morph
Tab 300 mg	Q 300		
(Extemporaneously compound		NITRAZEPAM	
(peraneeuci) competina		Tab 5 mg	Nitrados
NERVOUS SYSTEM		(Extemporaneously compounde	ed oral liquid preparations)
ALPRAZOLAM			
Tab 250 µg	Arrow-Alprazolam	OXAZEPAM	
Tab 500 µg	Arrow-Alprazolam	Tab 10 mg	Ox-Pam
Tab 1 mg	Arrow-Alprazolam	Tab 15 mg	Ox-Pam
(Extemporaneously compound	ed oral liquid preparations)	(Extemporaneously compounde	ed oral liquid preparations)
	,		
CARBAMAZEPINE		OXYCODONE HYDROCHL	ORIDE
Oral liq 100 mg per 5 ml	Tegretol	Oral liq 5 mg per 5 ml	OxyNorm
	-		-

SAFETY CAP MEDICINES

PARACETAMOL

Oral liq 120 mg per 5 ml Oral liq 250 mg per 5 ml

PHENYTOIN SODIUM Oral liq 30 mg per 5 ml Dilantin

SODIUM VALPROATE Oral liq 200 mg per 5 ml

Epilim S/F Liquid Epilim Syrup

Paracare Junior

Paracare Double Strength

TEMAZEPAM Tab 10 mg Normison (Extemporaneously compounded oral liquid preparations)

TRIAZOLAM

 Tab 125 μg
 Hypam

 Tab 250 μg
 Hypam

 (Extemporaneously compounded oral liquid preparations)

RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE Oral liq 1 mg per ml Cetirizine - AFT

CHLORPHENIRAMINE MALEATE Oral liq 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE Oral liq 2 mg per 5 ml Polaramine PROMETHAZINE HYDROCHLORIDE

Oral liq 5 mg per 5 ml Promethazine Winthrop Elixir

SALBUTAMOL Oral liq 2 mg per 5 ml Salapin

THEOPHYLLINE Oral lig 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE Oral liq 30 mg per 5 ml Vallergan Forte

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE Powder Douglas (Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE Powder AFT (Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM Powder MidWest (Extemporaneously compounded oral liquid preparations)

- Symbols -
3TC91
- A -
A-Lices62
A-Scabies62
Abacavir sulphate91
Abacavir sulphate with
lamivudine
Abilify121
ABM Hydroxocobalamin
Acarbose
Accu-Chek Performa
Accupril47
Accuretic 1048
Accuretic 2048
Acetazolamide161
Acetic acid with 1, 2- propanediol
diacetate and
benzethonium159
Acetic acid with hydroxyquinoline
and ricinoleic acid70
Acetylcysteine168
Aci-Jel70
Aciclovir
Infection87
Sensory159
Acidex25
Acipimox43
Acitretin62
Aclasta104
Actigall32
Actrapid28
Actrapid Penfill
Acupan108
Adalat 1051
Adalat Oros51
Adalimumab98
Adapalene55
Adefin XL51
Adefovir dipivoxil85
Adrenaline53
Advantan
AFT-Leflunomide
AFT-Pyrazinamide85
Agents Affecting the
Renin-Angiotensin System
Agents for Parkinsonism and
Related Disorders 120
Agents Used in the Treatment of
Poisonings
Agrylin140


Albay153
Albustix72
Aldara64
Alendronate sodium104
Alendronate sodium with
cholecalciferol 104
Alfacalcidol
Alginic acid25
Alitraq179
Alkeran
Allersoothe154
Allopurinol106
Alpha Adrenoceptor Blockers46
Alpha tocopheryl acetate
Alpha-Keri Lotion61
Alphamox
Alprazolam126
Alu-Tab25
Aluminium hydroxide25
Amantadine hydrochloride
Ambrisentan
Amiloride
Amiloride with frusemide
Amiloride with
hydrochlorothiazide
Aminophylline157
Amiodarone hydrochloride
Amirol
Amisulpride121
Amitrip111
Amitriptyline111
Amizide
Amlodipine
Amorolfine
Amoxycillin82
Amoxycillin clavulanate
Amphotericin B35
Amsacrine140
Amsidine140
Amyl nitrite53
Anabolic Agents73
Anaesthetics108
Anagrelide hydrochloride140
Analgesics108
Anastrozole148
Androderm74
Antabuse133
Antacids and Antiflatulants25
Anten111
Anthelmintics80
Anti-inflammatory Non Steroidal
Drugs (NSAIDs)96

Antiacne Preparations55
Antiallergy Preparations153
Antianaemics
Antiandrogen Oral
Contraceptives70
Antiarrhythmics49
Antibacterials80
Antibacterials Topical56
Anticholinesterases96
Antidepressants111
Antidiarrhoeals25
Antiepilepsy Drugs113
Antifibrinolytics, Haemostatics
and Local Sclerosants 40
Antifungals84
Antifungals Topical56
Antihaemorrhoidals26
Antihistamines153
Antihypotensives49
Antimalarials
Antimigraine Preparations118
Antinaus119
Antinausea and Vertigo
Agents 118
Antipruritic Preparations57
Antipsychotics
Antiretrovirals
Antiretrovirals - Additional
Therapies92
Antirheumatoid Agents
Antispasmodics and Other
Agents Altering Gut
Motility
Antithrombotic Agents40
Antithymocyte globulin
(equine)
Antitrichomonal Agents
Antituberculotics and
Antileprotics
Antiulcerants27
Antivirals85
Anusol
Anxiolytics
Apidra
Apidra SoloStar29
Apo-Allopurinol
Apo-Amlodipine
Apo-Amoxi
Apo-Ascorbic Acid
Apo-B-Complex
Apo-Bromocriptine120
Apo-Captopril46
πρυ-υαριυμπ

Apo-Cimetidine27
Apo-Clomipramine111
Apo-Clopidogrel40
Apo-Diclo SR96
Apo-Doxazosin46
Apo-Folic Acid
Apo-Gliclazide
Apo-Ipravent158
Apo-Megestrol147
Apo-Moclobemide112
Apo-Nadolol
Apo-Nicotinic Acid43
Apo-Oxybutynin71
Apo-Pindolol
Apo-Prazo46
Apo-Prednisone
Apo-Primidone
Apo-Pyridoxine
Apo-Risperidone
Apo-Selegiline
Apo-Terazosin
Apo-Terbinafine
Apo-Thiamine
Apo-Timol
Apo-Timop
Apo-Zopiclone
Apomine
Apomorphine hydrochloride
Applicator
Aprepitant
Apresoline
Aquasun 30+64
Aquasun Oil Free Faces
SPF30+
Aqueous cream60
Aratac
Arava
Aremed
Arimidex
Aripiprazole
Aristocort
Aromasin
Arrow-Alprazolam126
Arrow-Azithromycin81
Arrow-Bendrofluazide
Arrow-Cabergoline
Arrow-Citalopram112
Arrow-Clopidogrel40
Arrow-Diazepam127
Arrow-Enalapril47
Arrow-Etidronate104
Arrow-Etidronate
Arrow-Etidronate104

Arrow-Meloxicam97
Arrow-Nifedipine XR51
Arrow-Norfloxacin94
Arrow-Ranitidine
Arrow-Roxithromycin82
Arrow-Simva 10mg44
Arrow-Simva 20mg44
Arrow-Simva 40mg44
Arrow-Simva 80mg44
Arrow-Sumatriptan118
Arrow-Testosterone
Arrow-Topiramate117
Arrow-Tramadol
Arsenic trioxide
Arthrexin
Asacol
Asamax
Ascorbic acid
Aspec 300
Aspen Adrenaline
Aspen Ceftriaxone80
Aspirin Blood40
Nervous108
Asthalin156
Atacand48
Atazanavir sulphate91
Atenolol
Atenolol Tablet USP50
ATGAM149
Ativan127
Atomoxetine129
Atorvastatin44
Atropine sulphate
Alimentary27
Sensory162
Atropt
Atrovent156
Auranofin
Avanza113
Avomine
Avonex
Azamun149
Azathioprine
Azithromycin
Azol
Azopt
AZT91
- B -
B-D Micro-Fine
B-D Ultra Fine32
B-D Ultra Fine II32
B-PlexADE

Baclofen107
Bactroban56
Bakels Gluten Free Health Bread
Mix
Baraclude86
Barrier Creams and
Emollients 60
Batrafen56
Beclazone 100154
Beclazone 250154
Beclazone 50154
Beclomethasone
dipropionate 154, 158
Bee venom allergy
treatment
Bendrofluazide53
Benhex62
Benzathine benzylpenicillin82
Benzoin
Benztrop121
Benztropine mesylate
Benzydamine hydrochloride
Benzylpenicillin sodium (penicillin
G)
Beta Adrenoceptor Blockers50
Beta Cream
Beta Ointment
Beta Scalp64
Beta-Adrenoceptor Agonists
Betadine
Betadine Skin Prep62
Betaferon128
Betagan
Betahistine dihydrochloride118
Betaloc
Betaloc CR50
Betamethasone dipropionate
Betamethasone sodium
phosphate with
betamethasone acetate73
Betamethasone valerate58, 64
Betamethasone valerate with
clioquinol59
Betamethasone valerate with
fusidic acid 59
Betaxolol hydrochloride160
Betnovate58
Betnovate-C59
Betoptic160
Betoptic S160
Bezafibrate43
Bezalip Retard43
Bicalox146



Bicalutamide146
Bicillin LA82
BiCNU
Bimatoprost161
Biodone
Biodone Extra Forte109
Biodone Forte
Bisacodyl
BK Lotion61
Bleomycin sulphate140
Bleoh 10
Bleph 10159
Blood glucose diagnostic test
meter
Blood glucose diagnostic test
strip
Bonjela35
Bosentan54
Breath-Alert158
Brevinor 1/2169
Brevinor 1/2869
Brevinor 2169
Bricanyl Turbuhaler156
Brimonidine tartrate161
Brimonidine tartrate with timolol
maleate 161
Brinzolamide161
Brolene
Bromocriptine mesylate120
Brufen
Brufen Retard96
Buccastem119
Budenocort154
Budesonide
Alimentary25
Respiratory154, 158
Budesonide with
eformoterol
Bumetanide
Buprenorphine
hydrochloride 109
Bupropion hydrochloride133
Burinex52
Buscopan27
Buspirone hydrochloride126
Busulphan136
Butacort Aqueous158
- C -
Cabergoline 78

Cabergoline	78
Cafergot	118
Cal-d-Forte	36
Calamine	57
Calci-Tab 500	37
Calci-Tab 600	37

Calcipotriol	
Calcitonin104	
Calcitriol	ô
Calcium carbonate37	7
Calcium carbonate with	
aminoacetic acid	5
Calcium Channel Blockers	1
Calcium Disodium Versenate	
Calcium folinate	
Calcium Falinate	/
Calcium Folinate Ebewe	
Calcium gluconate37	
Calcium Homeostasis103	3
Calcium polystyrene	
sulphonate	2
Calcium Resonium42	2
Calogen173	3
Calsource	7
Camptosar139	9
Candesartan	
Canesten	6
Capecitabine137	
Capoten46	6
Capsaicin	5
Captopril	6
Carafate	
Carbamazepine114	2 A
Carbimazole	
	/ ~
Carboplatin	2
Carboplatin Ebewe	
Carbosorb-X	
Cardinol	
Cardinol LA50	
Cardizem CD5	
CareSens3	1
CareSens II	С
CareSens POP	0
Carmustine136	
Carvedilol50	0
Catapres52	2
Catapres-TTS-152	2
Catapres-TTS-2	2
Catapres-TTS-352	2
CeeNU	6
Cefaclor monohydrate80	
Cefalexin Sandoz	'n
Cefazolin sodium80	'n
Cefoxitin sodium80	n
Ceftriaxone sodium80	
Cefuroxime axetil80	J
Cefuroxime sodium80	J
Celestone Chronodose73	3
Celiprolol50	
Cellcept149	9

Celol	I
Cephalexin ABM80	
Cephalexin monohydrate80	I
Cerezyme	
Cerezyme	5
Cetirizine hydrochloride153	5
Cetomacrogol60	
Charcoal	
Chemotherapeutic Agents136	i
Chlorafast159	
Chlorambucil136	
Chloramphenicol159	
Chlorhexidine gluconate	
Alimentary	,
Dermatological59)
Chloroform	
Chloromycetin159	
Chlorothiazide53	
Chlorpheniramine maleate	;
Chlorpromazine	
hydrochloride)
Chlorsig159	
Chlorthalidone	;
Chlorvescent43	
Cholecalciferol	
Cholestyramine with	
Cholestyramine with aspartame43	;
Choline salicylate with	
cetalkonium chloride	
Ciclopiroxolamine	
Cilazapril47	
Cilazapril with	
hydrochlorothiazide	,
Cilicaine	
Cilicaine VK83	
Ciloxan	
Cimetidine	
Ciprofloxacin	
Infection	2
Sensory159	
Cisplatin	
Cisplatin Ebewe	
Citalopram hydrobromide112	,
Cladribine	
Clarithromycin	
Alimentary27	,
Infection	
Clexane	
Climara 100	
Climara 50	
Clindamycin83	
Clinoril	
Clobazam114	
01000424111	

Clobetasol propionate58	64
Clobetasone butyrate	
Clomazol	
Dermatological	56
Genito-Urinary	70
Clomiphene citrate	
Clomipramine hydrochloride	.111
Clonazepam	
Clonidine	52
Clonidine hydrochloride	
Cardiovascular	52
Nervous	
Clopidogrel	40
Clopine	122
Clopixol124,	125
Clopress	.111
Clotrimazole	
Dermatological	
Genito-Urinary	
Clozapine	
Clozaril	
Co-Renitec	
Co-trimoxazole	83
Coal tar	63
Coal tar with allantoin, menthol,	
phenol and sulphur	63
Coal tar with salicylic acid and	
sulphur	
Coco-Scalp	63
Codeine phosphate Extemporaneous	100
Nervous	
Cogentin Colaspase (L-asparaginase)	140
Colchicine	
Colestid	
Colestipol hydrochloride	40
Colgout	40
	106
Colifoam	26
Colifoam Colistin sulphomethate	26 83
Colifoam Colistin sulphomethate Colistin-Link	26 83 83
Colifoam Colistin sulphomethate Colistin-Link Collodion flexible	26 83 83 .168
Colifoam Colistin sulphomethate Colistin-Link Collodion flexible Colofac	26 83 83 .168 27
Colifoam Colistin sulphomethate Colistin-Link Collodion flexible Colofac Coloxyl	26 83 83 .168 27 33
Colifoam Colistin sulphomethate Colistin-Link Collodion flexible Colofac	26 83 83 .168 27 33 .161
Colifoam Colistin sulphomethate Colistin-Link Collodion flexible Colofac Coloxyl Combigan	26 83 .168 27 33 .161 .157
Colifoam Colistin sulphomethate Colistin-Link Collodion flexible Colofac Coloxyl Combigan Combigan Combivent Combivert	26 83 .168 27 33 .161 .157 91
Colifoam Colistin sulphomethate Colistin-Link Collodion flexible Colofac Colofac Coloxyl Combigan Combivent Combivir Compound electrolytes Compound electrolytes	26 83 .168 27 33 .161 .157 91 43
Colifoam	26 83 .168 27 33 .161 .157 91 43
Colifoam Colistin sulphomethate Colistin-Link Collodion flexible Colofac Colofac Coloxyl Combigan Combivent Combivir Compound electrolytes Compound electrolytes	26 83 .168 27 33 .161 .157 91 91 43
Colifoam	26 83 83 168 27 33 161 157 91 43 168 120

Condyline
Non-hormonal66
Copaxone128
Corangin
Cordarone-X
Corticosteroids and Related
Agents for Systemic Use
Corticosteroids Topical
Cosmegen140
Cosopt161
Cotazym ECS
Coumadin41
Coversyl47
Cozaar48
Creon 1000032
Creon Forte32
Crixivan91
Cromolux160
Crotamiton57
Crystacide56
Curam
Cyclizine hydrochloride118
Cyclizine lactate119
Cycloblastin136
Cyclogyl162
Cyclopentolate
hydrochloride
Cyclophosphamide136
Cyclosporin151
Cyklokapron40
Cyproterone acetate
Cyproterone acetate with
ethinyloestradiol
Cystic Fibrosis
Cytarabine
Cytotec
Cytoxan136
- D -
D-Penamine98
D-Zol79
d4T91
Dacarbazine140
Daclin97
Dactinomycin (actinomycin
D) 140
Daivonex
Daktarin
Alimentary
Dermatological57
Dalacin C83
Danazol

Danthron with poloxamer34	
Dantrium107	,
Dantrolene sodium107	,
Daonil	
Dapa-Tabs53	
Dapsone85	
Dasatinib144	
Daunorubicin141	
DBL Bleomycin Sulfate140)
DDI91	
De-Worm80)
Deca-Durabolin Orgaject73	3
Deferiprone45	5
Delact	
Depo-Medrol73	3
Depo-Medrol with lidocaine73	3
Depo-Provera70)
Depo-Testosterone74	Ļ
Deprim83	ŝ
Derbac-M	
Dermol	
Desferrioxamine mesylate45	
Desmopressin	
Desmopressin-PH&T78))
Detection of Substances in)
Detection of Substances In	,
Urine	-
Dexamethasone	
Hormone73	
Sensory160)
Dexamethasone sodium	
phosphate73	3
Dexamethasone with framycetin	
and gramicidin 159)
Dexamethasone with neomycin	
and polymyxin b sulphate160)
Dexamphetamine sulphate130)
Dextrochlorpheniramine	
maleate	3
Dextrose42	2
Dextrose with electrolytes43	3
DHC Continus109	
Diabetes	3
Diabetes Management)
Diamide Relief25	5
Diamox	
Diaphragm67	,
Diasip175	
Diason RTH	
Diastop	
Diazepam113, 127	
Dibenyline46	
Diclax SR96 Diclofenac Sandoz96	5

Diclofenac sodium
Musculoskeletal System96
Sensory160
Diclohexal96
Didanosine [DDI]91
Differin
Difflam35
Diflucortolone valerate
Digestives Including
Enzymes 32
Digoxin
Dihydrocodeine tartrate109
Dilantin116
Dilantin Infatab116
Dilatrend50
Diltiazem hydrochloride51
Dilzem
Dimetriose
Dipentum26
Diphemanil methylsulphate60
Diphenoxylate hydrochloride with
atropine sulphate25
Diprosone
Diprosone OV58
Dipyridamole40
Disinfecting and Cleansing
Agents
Agents 59
Agents
Agents
Agents
Agents
Agents 59 Disipal 121 Disopyramide phosphate 49 Disulfiram 133 Diuretics 52 Diurin 40 52
Agents
Agents 59 Disipal 121 Disopyramide phosphate 49 Disulfiram 133 Diuretics 52 Diurin 40 52 Diurin 500 52
Agents 59 Disipal 121 Disopyramide phosphate 49 Disulfiram 133 Diuretics 52 Diurin 40 52 Diurin 500 52 Dixarit 118 DM Ject 32
Agents 59 Disipal 121 Disopyramide phosphate 49 Disulfiram 133 Diuretics 52 Diurin 40 52 Diurin 500 52 Dixarit 118 DM Ject 32 Docetaxel 141
Agents 59 Disipal 121 Disopyramide phosphate 49 Disulfiram 133 Diuretics 52 Diurin 40 52 Divirin 500 52 Dixarit 118 DM Ject 32 Docetaxel 141
Agents 59 Disipal 121 Disopyramide phosphate 49 Disulfiram 133 Diuretics 52 Diurin 40 52 Diarin 500 52 Dixarit 118 DM Ject 32 Docetaxel 141 Docusate sodium 33 Docusate sodium with 33
Agents 59 Disipal 121 Disopyramide phosphate 49 Disulfiram 133 Diuretics 52 Diurin 40 52 Diarin 500 52 Dixarit 118 DM Ject 32 Docetaxel 141 Docusate sodium 33 Docusate sodium with 33
Agents 59 Disipal 121 Disopyramide phosphate 49 Disulfiram 133 Diuretics 52 Diurin 40 52 Diurin 500 52 Dixarit 118 DM Ject 32 Docetaxel 141 Docusate sodium 33 Docusate sodium with sennosides
Agents 59 Disipal 121 Disopyramide phosphate 49 Disulfiram 133 Diuretics 52 Diurin 40 52 Diurin 500 52 Dixarit 118 DM Ject 32 Docetaxel 141 Docetaxel Ebewe 141 Docusate sodium with sennosides 33 Domperidone 119
Agents 59 Disipal 121 Disopyramide phosphate 49 Disulfiram 133 Diuretics 52 Diurin 40 52 Diurin 500 52 Dixarit 118 DM Ject 32 Docetaxel 141 Docusate sodium 33 Docusate sodium with sennosides 33 Domperidone 119 Dopergin 120
Agents 59 Disipal 121 Disopyramide phosphate 49 Disulfiram 133 Diuretics 52 Diurin 40 52 Diurin 500 52 Diarrit 118 DM Ject 32 Docetaxel 141 Docetaxel Ebewe 141 Docusate sodium with sennosides 33 Domperidone 119 Dopergin 120 Dopress 111
Agents 59 Disipal 121 Disopyramide phosphate 49 Disulfiram 133 Diuretics 52 Diurin 40 52 Diurin 500 52 Diarrit 118 DM Ject 32 Docetaxel 141 Docetaxel Ebewe 141 Docusate sodium with sennosides 33 Domperidone 119 Dopergin 120 Dopress 111 Dornase alfa 157
Agents 59 Disipal 121 Disopyramide phosphate 49 Disulfiram 133 Diuretics 52 Diurin 40 52 Diurin 500 52 Divarit 118 DM Ject 32 Docetaxel 141 Docusate sodium 33 Docusate sodium with sennosides 33 Dopergin 120 Dopress 111 Dornase alfa 157 Dorzolamide hydrochloride 161 Dorzolamide hydrochloride with 161
Agents 59 Disipal 121 Disopyramide phosphate 49 Disulfiram 133 Diuretics 52 Diurin 40 52 Diurin 500 52 Divarit 118 DM Ject 32 Docetaxel 141 Docusate sodium 33 Docusate sodium with sennosides 33 Dopergin 120 Dopress 111 Dornase alfa 157 Dorzolamide hydrochloride 161 Dorzolamide hydrochloride with 161
Agents 59 Disipal 121 Disopyramide phosphate 49 Disulfiram 133 Diuretics 52 Diurin 40 52 Diurin 500 52 Dixarit 118 DM Ject 32 Docetaxel 141 Docetaxel Ebewe 141 Docusate sodium with sennosides 33 Domperidone 119 Dopergin 120 Dopress 111 Dornase alfa 157 Dorzolamide hydrochloride 161
Agents 59 Disipal 121 Disopyramide phosphate 49 Disulfiram 133 Diuretics 52 Diurin 40 52 Diurin 500 52 Diarrit 118 DM Ject 32 Docetaxel 141 Docetaxel Ebewe 141 Docusate sodium 33 Domperidone 119 Dopergin 120 Dopress 111 Dornase alfa 157 Dorzolamide hydrochloride 161 Dorzolamide hydrochloride 161
Agents 59 Disipal 121 Disopyramide phosphate 49 Disulfiram 133 Diuretics 52 Diurin 40 52 Diurin 500 52 Divarit 118 DM Ject 32 Docetaxel 141 Docetaxel Ebewe 141 Docusate sodium 33 Dopergin 120 Dopergin 120 Dorzolamide hydrochloride 161 Dostinex 78 Dothiepin hydrochloride 111
Agents 59 Disipal 121 Disopyramide phosphate 49 Disulfiram 133 Diuretics 52 Diurn 40 52 Diurn 500 52 Dixarit 118 DM Ject 32 Docetaxel 141 Docusate Sodium 33 Dourstes 33 Domperidone 119 Dopergin 120 Dopress 111 Dorzolamide hydrochloride 161 Dostinex 78 Dothlepin hydrochloride 111 Doxazos mesylate 46
Agents 59 Disipal 121 Disopyramide phosphate 49 Disulfiram 133 Diuretics 52 Diurin 40 52 Diurin 500 52 Divarit 118 DM Ject 32 Docetaxel 141 Docetaxel Ebewe 141 Docusate sodium 33 Dopergin 120 Dopergin 120 Dorzolamide hydrochloride 161 Dostinex 78 Dothiepin hydrochloride 111

Doxorubicin Ebewe	83 61 59 148 28 123 124 34 34
Durex Extra Safe	66
Duride	53
Dusting Powders	60
Dydrogesterone Dynacirc-SRO	
- E -	
E-Mycin	
Ear Preparations	
Lor/Luc Uroporationa	160

E-Mycin	81
Ear Preparations	159
Ear/Eye Preparations	
Easiphen	186
Easiphen Liquid	186
Econazole nitrate	
Efavirenz	
Efexor XR	113
Eformoterol fumarate	155
Efudix	65
Egopsoryl TA	63
Elecare	188
Elecare LCP	188
Elemental 028 Extra	179
Eligard	78
Elocon	59
Eloxatin	136
Eltroxin	77
Emend Tri-Pack	
EMLA	108
Emtricitabine	91
Emtriva	
Emulsifying ointment	60
Enalapril	
Enalapril with	
hydrochlorothiazide	47
Enbrel	

Endocrine Therapy146
Endoxan
Enerlyte43
Enfuvirtide92
Enoxaparin sodium40
Ensure
Ensure Plus182
Ensure Plus HN181
Ensure Plus RTH181
Entacapone
Entecavir86
Entocort CIR25
Enuclene162
Enzymes106
Epilim116
Epilim Crushable116
Épilim IV116
Epiline O/E Lieuded 110
Epilim S/F Liquid116
Epilim Syrup116
Epirubicin
Epirubicin Ebewe142
Eprex
ERA82
Ergometrine maleate70
Ergotamine tartrate with
caffeine
Erlotinib hydrochloride145
Erythrocin IV81
Erythromycin ethyl succinate81
Erythromycin ethyl succinate81 Erythromycin lactobionate81
Erythromycin ethyl succinate81 Erythromycin lactobionate81 Erythromycin stearate82
Erythromycin ethyl succinate81 Erythromycin lactobionate81 Erythromycin stearate82 Erythropoietin alpha
Erythromycin ethyl succinate81 Erythromycin lactobionate81 Erythromycin stearate82 Erythropoietin alpha
Erythromycin ethyl succinate81 Erythromycin lactobionate81 Erythromycin stearate82 Erythropoietin alpha39 Erythropoietin beta39
Erythromycin ethyl succinate81 Erythromycin lactobionate81 Erythromycin stearate82 Erythropoietin alpha
Erythromycin ethyl succinate81 Erythromycin lactobionate81 Erythromycin stearate
Erythromycin ethyl succinate81 Erythromycin lactobionate81 Erythromycin stearate82 Erythropoietin alpha
Erythromycin ethyl succinate81 Erythromycin lactobionate81 Erythromycin stearate82 Erythropoietin alpha
Erythromycin ethyl succinate81 Erythromycin lactobionate81 Erythromycin stearate82 Erythropoietin alpha
Erythromycin ethyl succinate81 Erythromycin lactobionate81 Erythropoietin alpha
Erythromycin ethyl succinate81 Erythromycin lactobionate81 Erythropoietin alpha
Erythromycin ethyl succinate81 Erythromycin lactobionate81 Erythropoietin alpha
Erythromycin ethyl succinate81 Erythromycin lactobionate81 Erythropoietin alpha
Erythromycin ethyl succinate
Erythromycin ethyl succinate81 Erythromycin lactobionate81 Erythropoietin alpha
Erythromycin ethyl succinate
Erythromycin ethyl succinate81 Erythromycin lactobionate81 Erythropoietin alpha
Erythromycin ethyl succinate81 Erythromycin lactobionate81 Erythropoietin alpha
Erythromycin ethyl succinate

Etoposide phosphate142	2
Eumovate	
Exemestane148	
Extemporaneously Compounded	
Preparations and	
Galenicals	
Eye Preparations159	1
Ezetimibe	
Ezetimibe with simvastatin	
Ezetrol	
- F -	
Famotidine27	,
Famox	
Felo 10 ER51	
Felo 5 ER51	
Felodipine51	
Femtran 10075	
Femtran 5075	
Fenpaed96	
Fentanyl109	'
Fentanyl citrate109	
Ferodan	
Ferriprox	
Ferro-F-Tabs	
Ferro-Gradumet	
Ferro-tab	1
Ferrograd-Folic	
Ferrous fumarate	5
Ferrous fumarate with folic	
acid	
Ferrous sulphate	5
Ferrous sulphate with folic	
acid	
Ferrum H38	
Fexofenadine hydrochloride153	
Fibalip43	5
Fibersource HN181	
Fibersource HN RTH181	
Fibro-vein40)
Finasteride71	
Fine Ject31	
Fintral71	
Flagyl84	
FlagyI-S84	
Flamazine56	i
Flecainide acetate49	
Fleet Phosphate Enema34	
Flixonase Hayfever &	
Allergy 158	;
Flixotide	
Flixotide Accuhaler154	
Florinef73	
Fluanxol124	

Flucloxacillin sodium82	
Flucloxin82	
Fluconazole84	
Fludara138	
Fludara Oral138	
Fludarabine phosphate138	
Fludrocortisone acetate73	
Fluids and Electrolytes42	
Flumetasone pivalate159	
Fluocortolone caproate with	
fluocortolone pivalate and	
cinchocaine	
Fluorometholone160	
Fluorouracil Ebewe138	
Fluorouracil sodium	
Dermatological65	
Oncology138	
Fluox112	
Fluoxetine hydrochloride112	
Flupenthixol decanoate	
Fluphenazine decanoate	
Flutamide146	
Flutamin146	
Fluticasone154	
Fluticasone propionate158	
Fluticasone with salmeterol155	
Fluvax95	
FML	
Foban	
Folic acid	
Food Thickeners183	
Foods And Supplements For	
Inborn Errors Of Metabolism -	
Other 184	
Foods And Supplements For	
Inborn Errors Of Metabolism -	
PKU	
Foradil	
Foremount Child's Silicone	
Mask 158	
Fortimel Regular176	
Fortisip182	
Fortisip Multi Fibre182	
Fosamax104	
Fosamax Plus104	
Framycetin sulphate159	
FreeStyle Lite	
Frisium114	
Frumil	
Frusemide-Claris52	
Fluserflue-Claris	
Fucidin	
Fucithalmic159	
1 domaining	

INDEX Generic Chemicals and Brands

Fungilin35	
Furosemide	
Fusidic acid	
Dermatological	
Infection83	
Sensory159	
Fuzeon92	
- G -	
Gabapentin114	
Gabapentin (Neurontin)115	
Gamma benzene	
hexachloride62	
Gastrosoothe27	
Gaviscon25	
Gaviscon Double Strength25	
Gaviscon Infant	
Gemcitabine Ebewe	
Gemcitabine hydrochloride	
Gemzar	
Generaid Plus	
Genoptic159	
Genotropin77	
Genox148	
GenRx Moclobemide112	
Gentamicin sulphate	
Infection	
Sensory159	
Gestrinone	
Ginet 8470	
Glatiramer acetate128	
Glibenclamide	
Gliclazide	
Glipizide	
Glivec	
Glucagen Hypokit28	
Glucageri Hypokii	
Glucagon hydrochloride	
Glucerna Select	
Glucerna Select RTH175	
Glucobay29	
Gluten Free Foods183	
Glycerol	
Alimentary33	
Extemporaneous168	
Glycerol with paraffin and cetyl	
alcohol	
Glyceryl trinitrate53	
Gold Knight	
Gopten	
Goserelin acetate	
Gutron	
Gynaecological Anti-infectives70	
Gynol II 66	



- H -	
Habitrol134	, 135
Haldol	125
Haldol Concentrate	125
Haloperidol	122
Haloperidol decanoate	125
Haloperidol decanoate Hamilton Sunscreen	64
healthE Fatty Cream	60
Healtheries Multi-vitamin	
tablets	37
Healtheries Simple Baking	
Mix	
Hemastix	
Heparin sodium	
Heparinised saline	41
Hepsera	85
Herceptin	
Hexamine hippurate	94
Hiprex	
Histafen	
Holoxan	136
Homatropine hydrobromide	
Horleys Bread Mix	184
Horleys Flour	184
Hormone Replacement Therapy -	
Systemic	74
Humalog	29
Humalog Mix 25	
Humalog Mix 50	
Humira	
HumiraPen	
Humulin 30/70	29
Humulin NPH	
Humulin R	28
Hyalase	
Hyaluronidase	
Hybloc	
Hydralazine Hydrea	140
Hydrocortisone	142
Dermatological	EO
Hormone	
Hydrocortisone acetate	
Hydrocortisone butyrate5 Hydrocortisone butyrate with	0, 04
chlorquinaldol	59
Hydrocortisone with	00
cinchocaine	26
Libratura a autilia ana a contitia	
miconazole	59
Hydrocortisone with natamycin	
and neomycin	59

Hydrocortisone with wool fat and
mineral oil 59
Hydroderm Lotion61
Hydrogen peroxide
Alimentary
Dermatological56, 65
Hydroxocobalamin
Hydroxychloroquine sulphate84
Hydroxyurea142
Hygroton53
Hyoscine (scopolamine)119
Hyoscine hydrobromide119
Hyoscine N-butylbromide27
Hypam129
Hyperuricaemia and
Antigout 106
Hypnovel129
Hypromellose162
Hysite161
Hytrin Starter Pack46
Hyzaar48
-1-
-1- Ibiamox
Ibuprofen96
Idarubicin hydrochloride142
Ifosfamide136
lloprost
Imatinib mesylate145 Imiglucerase
Imigran118 Imipramine hydrochloride111
Imiquimod64
Immune Modulators92
Immunosuppressants
Imuprine
Imuran
Indapamide
Indinavir
Indomethacin
Infant Formulae
Influvac95 Inhaled Anticholinergic
Agents 156
Inhaled Corticosteroids154
Inhaled Long-acting
Beta-adrenoceptor
Agonists
Inhibace
Inhibace Plus
Innovacon hCG One Step Pregnancy Test71
Frequancy lest 71

Insulin aspart	29
Insulin glargine	29
Insulin glulisine	29
Insulin isophane	29
Insulin isophane with insulin	
neutral	. 29
Insulin lispro	29
Insulin lispro with insulin lispro	
protamine	. 29
Insulin neutral	
Insulin pen needles	
Insulin syringes, disposable with	
attached needle	. 32
Intal Spincaps	
Interferon alpha-2a	93
Interferon alpha-2b	
Interferon beta-1-alpha	128
Interferon beta-1-beta	128
Intra-uterine device	67
Intron-A	07
Ipecacuanha	
Ipratropium bromide156,	150
Ipratropium Steri-Neb	150
Irinotecan	100
Irinotecan-Rex	
Iron Overload	
Iron polymaltose	40 20
Isentress	
Ismo 20	
Isogel	
Isoniazid	
Isoprenaline hydrochloride	
Isoptin	
Isopto Carpine	102
Isosorbide mononitrate	102
Isosource 1.5	
Isosource HN	
Isosource HN RTH	101
Isosource Standard Isosource Standard RTH	101
Isotretinoin	
Isradipine	
Isuprel	
Itch-Soothe	
Itraconazole	84
- J -	
Jadelle	
Janola	
Jevity	181
Jevity RTH	181


- K -	
Kaletra9	1
Karicare Food Thickener	3
Karicare Goats Milk Infant	
Formula 188	8
Karicare Soy All Ages	9
Kemadrin	
Kenacomb159	
Kenacort-A	
Kenacort-A40	
Keppra116	
Ketoconazole	0
Dermatological	4
Infection	
Ketone blood beta-ketone	Ŧ
electrodes	n
Ketoprofen	
Ketostix	
Kindergen177	
Kivexa9	
Klacid8	1
Klamycin	'
Alimentary2	7
Infection8	
Kliogest	
Kliovance	6
Konakion MM40	
Konsyl-D 3'	
Konsyl-D	
- L -	3
- L - LA-Morph110	3 0
- L - LA-Morph	3 0 0
- L - LA-Morph110 Labetalol	3 0 0 3
- L - LA-Morph	3 0 3 4
- L - LA-Morph	3 0 3 4 6
- L - LA-Morph	3 0 3 4 6 1
- L - LA-Morph	3 0 3 4 6 1 6
- L - LA-Morph	3 0 0 3 4 6 1 6 9
- L - LA-Morph	3 0 0 3 4 6 1 6 9
- L - LA-Morph	3 0 0 3 4 6 1 6 9 8
- L - 110 La-Morph	3 0 0 3 4 6 1 6 9 8 9
- L - LA-Morph	3 0 0 3 4 6 1 6 9 8 9 9
- L - LA-Morph	3 0 0 3 4 6 1 6 9 8 9 9 0 0
- L - LA-Morph	3 0 0 3 4 6 1 6 9 9 8 9 9 0 2
- L - LA-Morph	3 003461699899022
- L - LA-Morph	3 0034616998990221
- L - LA-Morph	3 00346169989902214
- L - LA-Morph	3 003461699899022143
- L - LA-Morph	3 0034616998990221433
- L - LA-Morph	3 00346169989902214333
- L - LA-Morph	3 003461699899022143333
- L - LA-Morph	3 0034616998990221433338

Letara	140
Letrozole	
Leukeran FC	
Leunase	140
Leuprorelin	
Leustatin	
Levetiracetam	
Levlen ED	
Levobunolol	
Levocabastine	160
Levodopa with benserazide	120
Levodopa with carbidopa	
Levonorgestrel	
Genito-Urinary	60 70
Hormone	
Levothyroxine	
Lifestyles Flared	66
Lignocaine	108
Lignocaine hydrochloride	108
Lignopoino with	
chlorhexidine	100
	100
Lignocaine with prilocaine	108
Lipid Modifying Agents	43
Lipitor	44
Liquigen	173
Lisinopril	47
Lisuride hydrogen maleate	120
Litak	138
Lithicarb	
Lithium carbonate	
Livostin	160
Locacorten-Viaform ED's	100
Locasol	
Loceryl	56
Locoid	
Locoid C	59
Locoid Crelo	58
Locoid Lipocream	58
Locorten-Vioform	159
Lodoxamide trometamol	160
Loette	
Logem	
Lomide	
Lomustine	
Loperamide hydrochloride	
Lophlex LQ	186
Lopinavir with ritonavir	91
Lopresor	50
Loprofin	
Loprofin Mix	
Loraclear Hayfever Relief	15/
Lorapaed	154
Loratadine	154

Lorazepam	127
Lormetazepam	129
Losartan	48
Losec Hp7 OAC	27
Lovir	87
Loxamine	
Lucrin Depot	78
Lucrin Depot PDS	78
Ludiomil	111
Lumigan	161
Lycinate	53

- M -

m-Enalapril	
m-Eslon	
m-Mometasone	
Mabthera Macrogol 3350	149
Madopar 125	
Madopar 250	
Madopar 200	
Madopar Dispersible	120
Madopar HBS	120
Magnesium hydroxide	168
Magnesium sulphate	
Alimentary	38
Dermatological	
Malathion	62
Maprotiline hydrochloride	111
Marevan	41
Marine Blue Lotion SPF 30+	64
Marquis Black	66
Marquis Conforma	66
Marquis Protecta	
Marquis Selecta	
Marquis Sensolite	
Marquis Supalite	
Marquis Titillata	
MarquisTantiliza	
Martindale Acetylcysteine Marvelon 21	
Marvelon 28	
Mask for spacer device	158
Mast Cell Stabilisers	157
Maxalt Melt	
Maxidex	
Maxitrol	
MCT oil (Nutricia)	
Mebendazole	80
Mebeverine hydrochloride	27
Medrol	
Medroxyprogesterone acetate	
Genito-Urinary	70



Hormone75, 77
Mefenamic acid
Megestrol acetate
Meloxicam
Melphalan
Menthol
Mercaptopurine
Mercilon 2168
Mercilon 28
Mesalazine26
Mesna142
Mestinon
Metabolic Disorder Agents34
Metabolic Mineral Mixture187
Metamide119
Metamucil
Metformin hydrochloride30
Methadone hydrochloride
Extemporaneous169
Nervous109
Methatabs109
Methoblastin140
Methopt162
Methotrexate140
Methotrexate Ebewe140
Methotrimeprazine122
Methyl hydroxybenzoate169
Methylcellulose169
Methyldopa52
Methylergometrine70
Methylphenidate
hydrochloride131
Methylphenidate hydrochloride
extended-release133
Methylprednisolone73
Methylprednisolone
aceponate59
Methylprednisolone acetate73
Methylprednisolone acetate with
lignocaine73
Methylprednisolone sodium
succinate73
Methylxanthines157
Metoclopramide
hydrochloride 119
Metoclopramide hydrochloride
with paracetamol 118
Metopirone
Metoprolol - AFT CR50
Metoprolol succinate
Metoprolol tartrate
Metronidazole
Metyrapone

Mexiletine hydrochloride49
Mexitil49
Miacalcic104
Mianserin hydrochloride111
Micelle E
Micolette
Miconazole35
Miconazole nitrate
Dermatological
Genito-Urinary70
Micreme70
Micreme H59
Microgynon 20 ED69
Microgynon 3068
Microgynon 30 ED68
Microgynon 50 ED68
Microlax
Microlut69
Midazolam129
Midodrine49
Minaphlex186
Minerals
Minidiab
Minirin78
Mino-tabs83
Minocycline hydrochloride83
Minomycin83
Minor Skin Infections62
Mirena
Mirtazapine113
Misoprostol27
Mitomycin C142
Mitomycin-C142
Mitozantrone142
Mitozantrone Ebewe142
Mixtard 3029
Moclobemide112
Modecate125
Moducal172
Moduretic53
Mogine116
Mometasone furoate
Monofeme68
Monogen176
Morphine hydrochloride110
Morphine sulphate110
Morphine tartrate110
Morrex Maltodextrin172
Motilium119
Mouth and Throat35
Movicol
MSUD Maxamaid185
MSUD Maxamum

Mucilaginous laxatives	33
Mucilaginous laxatives with	
stimulants	
Mucilax	33
MultiADE	37
Multiload Cu 3756	
Multiload Cu 375 SL6	
Multiparin4	11
Multiple Sclerosis	
Treatments 12	
Multivitamins	
Mupirocin	56
Muscle Relaxants10	
Myaccord14	
Myambutol	
Mycobutin	35
Mycophenolate mofetil14	
Mycostatin	
Mydriacyl16	62
Mylanta P2	25
Myleran13	36
Myocrisin	
Myometrial and Vaginal Hormone	
Preparations7	70
- N -	
Maria I al III III III III IIII IIII IIII I	- ^
Nadolol	
Nalcrom	26
Nalcrom	26 33
Nalcrom	26 33 34
Nalcrom	26 33 34 73
Nalcrom	26 33 34 73 53
Nalcrom 2 Naloxone hydrochloride 13 Naltrexone hydrochloride 13 Nandrolone decanoate 7 Napamide 5 Naphazoline hydrochloride 16	26 33 34 73 53 53
Nalcrom 2 Naloxone hydrochloride 13 Naltrexone hydrochloride 13 Nandrolone decanoate 7 Napamide 5 Naphazoline hydrochloride 16 Naphazoline hydrochloride 16 Naphazoline hydrochloride 16 Naphoon Forte 16	26 33 34 73 53 53 52 52
Nalcrom 2 Naloxone hydrochloride 13 Naltrexone hydrochloride 13 Nandrolone decanoate 7 Napamide 5 Naphazoline hydrochloride 16 Naphazoline hydrochloride 16 Naphoon Forte 16 Naprosyn SR 1000 5	26 33 34 73 53 52 52 97
Nalcrom 2 Naloxone hydrochloride 13 Naltrexone hydrochloride 13 Nandrolone decanoate 7 Napamide 5 Naphazoline hydrochloride 16 Naphazoline hydrochloride 16 Naphon Forte 16 Naprosyn SR 1000 20 Naprosyn SR 750 20	26 33 34 73 53 53 52 52 97 97
Nalcrom 2 Naloxone hydrochloride 13 Naltrexone hydrochloride 13 Nandrolone decanoate 7 Napamide 5 Naphazoline hydrochloride 16 Naphazoline hydrochloride 16 Naphon Forte 16 Naprosyn SR 1000 20 Naprosyn SR 750 20 Naproxen 20	26 33 34 73 53 53 52 97 97 97
Nalcrom 2 Naloxone hydrochloride 13 Naltrexone hydrochloride 13 Nandrolone decanoate 7 Napamide 5 Naphazoline hydrochloride 16 Naphazoline hydrochloride 16 Naphoon Forte 16 Naprosyn SR 1000 20 Naprosyn SR 750 20 Naproxen 20 Naproxen sodium 20	26 33 34 73 53 53 52 57 97 97 97
Nalcrom 2 Naloxone hydrochloride 13 Naltrexone hydrochloride 13 Nandrolone decanoate 7 Napamide 5 Naphazoline hydrochloride 16 Naphon Forte 16 Naprosyn SR 1000 5 Naprosyn SR 750 5 Naproxen 5 Naproxen sodium 5 Nardil 11	26 33 34 73 53 52 52 97 97 97 97
Nalcrom 2 Naloxone hydrochloride 13 Naltrexone hydrochloride 13 Nandrolone decanoate 7 Napamide 5 Naphazoline hydrochloride 16 Naphazoline hydrochloride 16 Naphoon Forte 16 Naprosyn SR 1000 20 Naprosyn SR 750 20 Naproxen 20 Naproxen sodium 20	26 33 34 73 53 52 52 97 97 97 97
Nalcrom 2 Naloxone hydrochloride 13 Naltrexone hydrochloride 13 Nandrolone decanoate 7 Napamide 5 Naphazoline hydrochloride 16 Naphoon Forte 16 Naprosyn SR 1000 5 Naprosyn SR 750 5 Naproxen 5 Naproxen sodium 11 Nasal Preparations 15 Natulan 14	26 33 34 73 53 26 27 97 97 97 97 97 97 97 97 97 97 97 97 97
Nalcrom 2 Naloxone hydrochloride 13 Naltrexone hydrochloride 13 Nandrolone decanoate 7 Napamide 5 Naphazoline hydrochloride 16 Naphon Forte 16 Naprosyn SR 1000 2 Naproxen 2 Naproxen sodium 2 Nardil 11 Nasal Preparations 15	26 33 34 73 53 26 27 97 97 97 97 97 97 97 97 97 97 97 97 97
Nalcrom 2 Naloxone hydrochloride 13 Naltrexone hydrochloride 13 Nandrolone decanoate 7 Napamide 5 Naphazoline hydrochloride 16 Naphoon Forte 16 Naprosyn SR 1000 5 Naprosyn SR 750 5 Naproxen 5 Naproxen sodium 11 Nasal Preparations 15 Natulan 14	26 33 473 53 26 37 37 37 37 37 37 37 37 37 37 37 37 37
Nalcrom 2 Naloxone hydrochloride 13 Naltrexone hydrochloride 13 Nandrolone decanoate 77 Napamide 5 Naphazoline hydrochloride 16 Naphcon Forte 16 Naprosyn SR 1000 5 Naprosyn SR 750 5 Naproxen 5 Naproxen sodium 11 Nasal Preparations 16 Natulan 14 Nausicalm 118, 11 Navelbine 14	26 33 34 73 53 26 77 77 77 712 58 13 19 14
Nalcrom 2 Naloxone hydrochloride 13 Naltrexone hydrochloride 13 Nandrolone decanoate 77 Napamide 52 Naphazoline hydrochloride 16 Naphon Forte 16 Naprosyn SR 1000 52 Naprosyn SR 750 50 Naproxen 52 Naproxen sodium 11 Nasal Preparations 12 Natulan 14 Navelbine 12 Navoban 12 Nedocromil 15	
Nalcrom 2 Naloxone hydrochloride 13 Naltrexone hydrochloride 13 Nandrolone decanoate 77 Napamide 52 Naphazoline hydrochloride 16 Naphon Forte 16 Naprosyn SR 1000 52 Naprosyn SR 750 50 Naproxen 52 Naproxen sodium 11 Nasal Preparations 12 Natulan 14 Navelbine 12 Navoban 12 Nedocromil 15	
Nalcrom 2 Naloxone hydrochloride 13 Naltrexone hydrochloride 13 Nandrolone decanoate 77 Napamide 52 Naphazoline hydrochloride 16 Naphon Forte 16 Naprosyn SR 1000 52 Naprosyn SR 750 50 Naproxen 52 Naproxen sodium 11 Nasal Preparations 12 Natulan 14 Navelbine 12 Navoban 12 Nedocromil 15	
Nalcrom 2 Naloxone hydrochloride 13 Naltrexone hydrochloride 13 Nandrolone decanoate 77 Napamide 52 Naphazoline hydrochloride 16 Naphazoline hydrochloride 16 Naphon Forte 16 Naprosyn SR 1000 52 Naproxen 52 Naproxen sodium 52 Nardil 11 Nasal Preparations 15 Natulan 14 Navelbine 14 Navoban 12 Nedocromil 15 Nefopam hydrochloride 16	26 33 47 35 26 37 37 37 37 37 37 37 37 37 37 37 37 37
Nalcrom 2 Naloxone hydrochloride 13 Naltrexone hydrochloride 13 Nandrolone decanoate 77 Napamide 52 Naphazoline hydrochloride 16 Naphazoline hydrochloride 16 Naphon Forte 16 Naprosyn SR 1000 52 Naprosyn SR 750 52 Naproxen 52 Nardil 11 Nasal Preparations 15 Natulan 14 Navelbine 14 Navoban 12 Nedocromil 15 Nefopam hydrochloride 10 Neo-Mercazole 77 Neocate 18	26 33 47 35 26 77 77 77 28 39 42 57 87 78
Nalcrom 2 Naloxone hydrochloride 13 Naltrexone hydrochloride 13 Nandrolone decanoate 7 Napamide 2 Naphazoline hydrochloride 16 Naphazoline hydrochloride 16 Naphosyn SR 1000 20 Naprosyn SR 750 20 Naproxen 20 Naproxen 20 Nardil 11 Nasal Preparations 15 Natulan 14 Navoban 12 Neocormil 15 Nefopam hydrochloride 7 Neocate 18 Neocate 18	26 33 4 73 33 2 32 7 7 7 7 12 8 13 9 4 20 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Nalcrom 2 Naloxone hydrochloride 13 Naltrexone hydrochloride 13 Nandrolone decanoate 7 Napamide 2 Naphazoline hydrochloride 16 Naphazoline hydrochloride 16 Naphosen 16 Naprosyn SR 1000 20 Naprosyn SR 750 20 Naproxen 20 Nardil 11 Nasal Preparations 15 Natulan 14 Navoban 12 Neocormil 15 Nefopam hydrochloride 7 Neocate 18 Neocate Advance 18 Neocate LCP 16	26 33 4 73 53 22 27 77 77 28 33 19 4 20 77 88 88 88
Nalcrom 2 Naloxone hydrochloride 13 Naltrexone hydrochloride 13 Nandrolone decanoate 7 Napamide 5 Napamide 6 Naphazoline hydrochloride 16 Naphazoline hydrochloride 16 Naprosyn SR 1000 20 Naprosyn SR 750 20 Naproxen 20 Naproxen sodium 20 Natulan 14 Nausicalm 118, 11 Navoban 12 Nedocromil 15 Nedocromil 16 Neocate 16 Neocate Advance 16 Neocate LCP 16	26 33 4 3 53 2 2 7 7 7 7 1 2 8 3 1 9 4 2 7 8 7 8 8 8 8 1 9 4 2 7 8 7 8 8 8 8 5 1
Nalcrom 2 Naloxone hydrochloride 13 Naltrexone hydrochloride 13 Nandrolone decanoate 7 Napamide 2 Naphazoline hydrochloride 16 Naphazoline hydrochloride 16 Naphosen 16 Naprosyn SR 1000 20 Naprosyn SR 750 20 Naproxen 20 Nardil 11 Nasal Preparations 15 Natulan 14 Navoban 12 Neocormil 15 Nefopam hydrochloride 7 Neocate 18 Neocate Advance 18 Neocate LCP 16	26 33 4 7 3 5 2 2 7 7 7 7 1 2 8 3 9 4 2 7 8 7 8 8 8 1 9 7 8 8 8 5 1 9

			INDEX
Generic	Chemicals	and	Brands

Neotigason62
Nepro (strawberry)178
Nepro (vanilla)
Nerisone
Neulactil123
NeuroKare37
Neurontin115
Nevirapine91
Nicotine134–135
Nicotinell134
Nicotinic acid43
Nifedipine51
Nifuran94
Nilstat
Alimentary35
Genito-Urinary70
Infection84
Nipent142
Nitrados129
Nitrates53
Nitrazepam129
Nitroderm TTS53
Nitrofurantoin94
Nitrolingual Pumpspray53
Nizoral
Dermatological57
Infection84
Noctamid129
Nodia25
Noflam 25097
Noflam 50097
Nonoxynol-966
Nordette 2868
Norethisterone
Genito-Urinary70
Hormone
Norethisterone with
mestranol 69
Norflex107
Norfloxacin94
Noriday 2870
Norimin
Norinyl-1/2869
Normacol
Normacol Plus
Normison129
Norpress112
Nortriptyline hydrochloride112
Norvir
NovaSource Renal178
NovoFine
NovoRapid29
NovoRapid Penfill

Nuelin157
Nuelin-SR157
Nupentin114
Nutraplus61
Nutrient Modules172
Nutrini Energy RTH177
Nutrini RTH177
NutriniDrink178
NutriniDrink Multifibre178
Nutrison Concentrated178
Nutrison Energy Multi Fibre
Nutrison Multi Fibre
Nutrison Standard RTH
Nyefax Retard
Nystatin
Alimentary
Allifierital y
Dermatological
Genito-Urinary70
Infection
NZB Low Gluten Bread Mix184
- 0 -
Octreotide (somatostatin
analogue) 147
Oestradiol
Oestradiol valerate75
Oestradiol with
norethisterone
Oestriol
Genito-Urinary70
Hormone
Oestrogens75
Oestrogens75 Oestrogens with
Oestrogens75 Oestrogens with medroxyprogesterone76
Oestrogens75 Oestrogens with medroxyprogesterone
Oestrogens75 Oestrogens with medroxyprogesterone
Oestrogens
Oestrogens 75 Oestrogens with 76 Oil in water emulsion 60 Oily cream 61 Olanzapine 122, 125 Olbetam 43 Olsalazine 26 Omeprazole 28 Omeprazole, amoxycillin and clarithromycin 27
Oestrogens 75 Oestrogens with 76 Oil in water emulsion 60 Oily cream 61 Olanzapine 122, 125 Olbetam 43 Olsalazine 26 Omeprazole, amoxycillin and 28 Omeprazole, amoxycillin and 27 On Call Advanced 30, 31
Oestrogens 75 Oestrogens with 76 Oil in water emulsion 60 Oily cream 61 Olanzapine 122, 125 Olbetam 43 Olsalazine 26 Omeprazole 28 Omeprazole, amoxycillin and clarithromycin 27
Oestrogens 75 Oestrogens with 76 Oil in water emulsion 60 Oily cream 61 Olanzapine 122, 125 Olbetam 43 Olsalazine 26 Omeprazole, amoxycillin and 28 Omeprazole, amoxycillin and 27 On Call Advanced 30, 31
Oestrogens 75 Oestrogens with 76 Oil in water emulsion 60 Oily cream 61 Olanzapine 122, 125 Olbetam 43 Olsalazine 26 Omeprazole 28 Omeprazole, amoxycillin and clarithromycin 27 On Call Advanced 30, 31 Ondansetron 119
Oestrogens 75 Oestrogens with 76 Oil in water emulsion 60 Oily cream 61 Olanzapine 122, 125 Olbetam 43 Olsalazine 26 Omeprazole, amoxycillin and 28 Omeprazole, amoxycillin and 27 On Call Advanced 30, 31 Ondansetron 119 One-Alpha 36
Oestrogens 75 Oestrogens with 76 Oil in water emulsion 60 Oily cream 61 Olanzapine 122, 125 Olbetam 43 Olsalazine 26 Omeprazole, amoxycillin and 27 On Call Advanced 30, 31 Ondansetron 119 One-Alpha 36 Onkotrone 142 Optium 5 second test 31
Oestrogens 75 Oestrogens with 76 Oil in water emulsion 60 Oily cream 61 Olanzapine 122, 125 Olbetam 43 Olsalazine 26 Omeprazole 28 Omeprazole, amoxycillin and clarithromycin 27 On Call Advanced 30, 31 Ondansetron 119 One-Alpha 36 Onkotrone 142 Optium 5 second test 31 Optium Blood Ketone Test 31
Oestrogens
Oestrogens 75 Oestrogens with 76 Oil in water emulsion 60 Oily cream 61 Olanzapine 122, 125 Olbetam 43 Olsalazine 26 Omeprazole 28 Omeprazole, amoxycillin and clarithromycin 27 On Call Advanced 30, 31 Ondansetron 119 One-Alpha 36 Onkotrone 142 Optium 5 second test 31 Optium Blood Ketone Test Strips 30 Optium Xceed 30
Oestrogens
Oestrogens 75 Oestrogens with 76 Oil in water emulsion 60 Oily cream 61 Olanzapine 122, 125 Olbetam 43 Olsalazine 26 Omeprazole 28 Omeprazole, amoxycillin and clarithromycin 27 On Call Advanced 30, 31 Ondansetron 119 One-Alpha 36 Onkotrone 142 Optium 5 second test 31 Optium Blood Ketone Test Strips 30 Optium Xceed 30

Oral Supplements/Complete Diet	
(Nasogastric/Gastrostomy	
Tube Feed)	
Oratane	
Orgran	
Ornidazole	
Orphenadrine citrate	
Orphenadrine hydrochloride	
Ortho	
Ortho All-flex	
Ortho Coil	
Ortho-tolidine	
Oruvail 100	
Oruvail 200	
Osmolite	
Osmolite RTH	
Ospamox	82
Ospamox Paediatric Drops	
Other Endocrine Agents	78
Other Oestrogen	
Preparations	76
Other Progestogen	
Preparations	76
Other Skin Preparations	65
Ovestin	
Genito-Urinary	70
Hormone	76
Ox-Pam	
Oxaliplatin	.136
Oxaliplatin Ebewe	.136
Oxazepam	.127
Oxis Turbuhaler	.155
Oxybutynin	71
Oxycodone hydrochloride	.110
OxyContin	.110
OxyNorm	
Oxypentifylline	
Oxytocin	
- P -	
Pacifen	.107
Pacific Atenolol	
Pacific Buspirone	

Pacific Atenolol	50
Pacific Buspirone	126
Paclitaxel	142
Paclitaxel Ebewe	142
Paediatric Seravit	37
Pamidronate disodium	104
Pamisol	104
Panadol	108
Pancreatic enzyme	32
Pancrex V	32
Pancrex V Forte	32
Pantocid IV	28



Pantoprazole
Panzytrat
Papaverine hydrochloride54
Paracare
Paracare Double Strength108
Paracare Junior
Paracetamol108
Paracetamol with codeine
ParaCode
Paraffin61
Paraffin liquid with soft white
raialili liquiu with soit white
paraffin
Paraffin liquid with wool fat
liquid
Paraldehyde114
Paramax118
Parasiticidal Preparations62
Parnate112
Paroxetine hydrochloride112
Paxam114
Peak flow meter158
Pedialyte - Bubblegum43
Pedialyte - Fruit43
Pedialyte - Plain43
Pediasure178
Pediasure RTH177
Pegasys93
Pegasys RBV Combination
Pack 93
Pack
Pack 93 Pegylated interferon alpha-2a 93 Penicillamine 98 PenMix 30 29 PenMix 40 29 PenMix 50 29
Pack 93 Pegylated interferon alpha-2a 93 Penicillamine 98 PenMix 30 29 PenMix 40 29 PenMix 50 29 Pentasa 26
Pack 93 Pegylated interferon alpha-2a 93 Penicillamine 98 PenMix 30 29 PenMix 40 29 PenMix 50 29 Pentasa 26 Pentostatin 26
Pack 93 Pegylated interferon alpha-2a 93 Penicillamine 98 PenMix 30 29 PenMix 40 29 PenMix 50 29 Pentasa 26 Pentostatin (deoxycoformycin) 142
Pack 93 Pegylated interferon alpha-2a 93 Penicillamine 98 PenMix 30 29 PenMix 40 29 PenMix 50 29 Pentasa 26 Pentostatin 142 Pepti Junior 188
Pack 93 Pegylated interferon alpha-2a 93 Penicillamine 98 PenMix 30 29 PenMix 50 29 Pentasa 26 Pentostatin (deoxycoformycin) (deoxycoformycin) 142 Pepti Junior 188 Pepti Junior Gold 188
Pack 93 Pegylated interferon alpha-2a 93 Penicillamine 98 PenMix 30 29 PenMix 40 29 PenMix 50 29 Pentasa 26 Pentostatin (deoxycoformycin) 142 Pepti Junior 188 Pepti Junior Gold 188 Peptisoothe 28
Pack 93 Pegylated interferon alpha-2a 93 Penicillamine 98 PenMix 30 29 PenMix 50 29 PenMix 50 29 Pentostatin (deoxycoformycin) (deoxycoformycin) 142 Pepti Junior 188 Pepti Junior Gold 188 Peptisoothe 28 Peptisorb 179
Pack 93 Pegylated interferon alpha-2a 93 Penicillamine 98 PenMix 30 29 PenMix 50 29 Pentasa 26 Pentostatin (deoxycoformycin) (deoxycoformycin) 142 Pepti Junior 188 Peptisothe 28 Peptisothe 179 Pergolide 120
Pack 93 Pegylated interferon alpha-2a 93 Penicillamine 98 PenMix 30 29 PenMix 50 29 Pentasa 26 Pentostatin (deoxycoformycin) (deoxycoformycin) 142 Pepti Junior 188 Peptisothe 28 Peptisothe 179 Pergolide 120 Perhexiline maleate 51
Pack 93 Pegylated interferon alpha-2a 93 Penicillamine 98 PenMix 30 29 PenMix 50 29 Pentasa 26 Pentostatin (deoxycoformycin) (deoxycoformycin) 142 Pepti Junior 188 Peptisothe 28 Peptisothe 179 Pergolide 120 Perhexiline maleate 51 Pericyazine 123
Pack 93 Pegylated interferon alpha-2a 93 Penicillamine 98 PenMix 30 29 PenMix 50 29 Pentasa 26 Pentostatin 142 (deoxycoformycin) 142 Pepti Junior 188 Peptisothe 28 Peptisothe 179 Pergolide 120 Perhexiline maleate 51 Pericyazine 123 Perindopril 47
Pack 93 Pegylated interferon alpha-2a 93 Penicillamine 98 PenMix 30 29 PenMix 50 29 Pentasa 26 Pentostatin (deoxycoformycin) (deoxycoformycin) 142 Pepti Junior 188 Peptisothe 28 Peptisothe 179 Pergolide 120 Perhexiline maleate 51 Pericyazine 123
Pack 93 Pegylated interferon alpha-2a 93 Penicillamine 98 PenMix 30 29 PenMix 50 29 Pentasa 26 Pentostatin 142 (deoxycoformycin) 142 Pepti Junior 188 Peptisothe 28 Peptisothe 179 Pergolide 120 Perhexiline maleate 51 Pericyazine 123 Perindopril 47
Pack 93 Pegylated interferon alpha-2a 93 Penicillamine 98 PenMix 30 29 PenMix 40 29 PenMix 50 29 Pentasa 26 Pentostatin (deoxycoformycin) (deoxycoformycin) 142 Pepti Junior 188 Peptisoothe 28 Peptisorb 179 Pergolide 120 Perhexiline maleate 51 Periozaine 123 Permdopril 47 Permax 120 Permethrin 62
Pack 93 Pegylated interferon alpha-2a 93 Penicillamine 98 PenMix 30 29 PenMix 50 29 Pentasa 26 Pentostatin (deoxycoformycin) (deoxycoformycin) 142 Pepti Junior 188 Peptiorb 179 Pergolide 120 Perhexiline maleate 51 Pericyazine 123 Perindopril 47 Permax 120 Permatin 62 Permatin 62
Pack 93 Pegylated interferon alpha-2a 93 Penicillamine 98 PenMix 30 29 PenMix 40 29 PenMix 50 29 Pentasa 26 Pentostatin (deoxycoformycin) (deoxycoformycin) 142 Pepti Junior 188 Peptisoothe 28 Peptisorb 179 Pergolide 120 Perhexiline maleate 51 Periozaine 123 Permdopril 47 Permax 120 Permethrin 62
Pack 93 Pegylated interferon alpha-2a 93 Penicillamine 98 PenMix 30 29 PenMix 50 29 Pentasa 26 Pentostatin (deoxycoformycin) (deoxycoformycin) 142 Pepti Junior 188 Peptiorb 179 Pergolide 120 Perhexiline maleate 51 Pericyazine 123 Perindopril 47 Permax 120 Permatin 62 Permatin 62
Pack93Pegylated interferon alpha-2a93Penicillamine98PenMix 3029PenMix 5029Pentasa26Pentostatin(deoxycoformycin)(deoxycoformycin)142Pepti Junior188Pepti Junior Gold188Peptisorb179Pergolide120Perhexiline maleate51Pericyzine123Perindopril47Permax120Perhexiline maleate51Pericyzine123Perindopril47Permax120Perhexine121Permax120Perhexiline maleate51Pericyzine123Perindopril47Permax120Perhexiline hydrochloride111Pevaryl57
Pack 93 Pegylated interferon alpha-2a 93 Penicillamine 98 PenMix 30 29 PenMix 50 29 Pentasa 26 Pentostatin (deoxycoformycin) (deoxycoformycin) 142 Pepti Junior 188 Pepti Junior Gold 188 Peptisorb 179 Pergolide 120 Perhexiline maleate 51 Pericyazine 123 Perindopril 47 Permax 120 Permethrin 62 Permax 120 <

Phenelzine sulphate112
Phenobarbitone116
Phenobarbitone sodium
Phenoxybenzamine
hydrochloride
Phenoxymethylpenicillin
(Penicillin V)83
Phentolamine mesylate46
Phenylephrine
hydrochloride
Phenytoin sodium114, 116
Phlexy 10
Phosphate-Sandoz43
Phytomenadione40
Pilocarpine162
Pimafucort59
Pindolol
Pinetarsol
Pinorax
Pinorax Forte
Pioglitazone
Piportil125
Pipothiazine palmitate
Piram-D
Piroxicam97
Pizaccord
Pizotifen118
PKU Anamix Infant
PKU Lophlex LQ186
Plaquenil84
Plavix40
Plendil ER51
Podophyllotoxin65
Polaramine
Poloxamer
Poly-Tears
Poly-Visc163
Poly-VISC
Polycal172
Polytar Emollient64
Polyvinyl alcohol162
Ponstan97
Postinor-170
Potassium bicarbonate43
Potassium chloride42-43
Potassium iodate
Povidone iodine
Prantal
Pravachol
Pravastatin
Prazosin hydrochloride46
Pred Forte160
Pred Mild160
Prednisolone acetate160

Prednisolone sodium

phosphate	
Prednisone	
Prefrin	
Pregnancy Tests - hCG Urine	
Pregnancy tests - HCG urine	
Premarin	75
Premia 2.5 Continuous	
Premia 5 Continuous	
Priadel	
Primidone	
Primolut N	77
Probenecid	107
Probenecid-AFT	
Procaine penicillin	83
Procarbazine hydrochloride	
Prochlorperazine	
Proctosedyl	26
Procyclidine hydrochloride	121
Prodopa	
Prograf	
Progynova	75
Promethazine hydrochloride	
Promethazine theoclate	119
Promethazine Winthrop	. – .
Elixir	
Promod	174
Propafenone hydrochloride	49
Propamidine isethionate	
Propranolol	50
Propylene glycol	169
Protamine sulphate	
Protaphane	29
Protaphane Penfill	29
Protifar	174
Provera	75, 77
PSO19	90–193
Psoriasis and Eczema	
Preparations	62
Pulmicort Turbuhaler	
Pulmocare	
Pulmozyme	
Purinethol	
Pyrazinamide	
Pyridostigmine bromide	96
Pyridoxine hydrochloride	
Pytazen SR	40
- Q -	
Q 200	107
Q 300	
Questran-Lite	43

Quetapel123

Quetiapine123
Quinapril47
Quinapril with
Quinaprii witti
hydrochlorothiazide
Quinine sulphate107
QV60
- R -
RA-Morph110
Raltegravir potassium
Ranbaxy-Cefaclor
Ranitidine hydrochloride
Rapamune151
Redipred73
Regitine
Renilon 7.5178
Resonium-A43
Resource Beneprotein174
Resource Diabetic175
Resource Plus182
Resource Thicken Up183
Respigen156
Respiratory Devices158
ReTrieve55
Retrovir91
ReVia134
Reyataz91
Rheumacin SR97
Ridal124
Ridaura98
Rifabutin85
Rifadin85
Rifampicin85
Rifinah85
Riodine
Risperdal124
Risperdal Consta125
Risperdal Quicklet126
Risperidone124–126
Risperon124
Ritalin
Ritalin LA
Ritalin SR131
Ritonavir
Rituximab149
Rivacol
Rivotril
Rizatriptan benzoate118
Rocaltrol solution
Roferon-A93
Ropin
Ropinirole hydrochloride120
Roxithromycin82
Rubifen131

Rubifen SR Rythmodan	49
Rytmonorm	49
- S -	
S26 Soy	.189
S26LBW Gold RTF	.187
Sabril	
Salamol	
Salapin	
Salazopyrin	26
Salazopyrin EN	26
Salbutamol	.156
Salbutamol with ipratropium	
bromide	
Salicylic acid	63
Salmeterol	.155
Sandomigran	.118
Sandostatin	.147
Sandostatin LAR	.14/
SC Profi-Fine	31
Scalp Preparations	64
Scopoderm TTS Sebizole	.119
Sedatives and Hypnotics	64
Selegiline hydrochloride	129
Senna Senokot	
SensoCard	
Serenace	
Seretide	
Seretide Accuhaler	
Serevent	
Serevent Accuhaler	155
Serophene	78
Seroquel	
Sevredol	
Sex Hormones Non	
Contraceptive	
Shield 49	
Shield Blue	
Shield XL	66
Sildenafil	54
Silver sulphadiazine	56
Simethicone	25
Simvastatin	44
Sindopa	.120
Sinemet	.120
Sinemet CR	
Sirolimus	
Siterone	
Slow-Lopresor	50
Sodibic	43

Sodium acid phosphate	25
Sodium aurothiomalate	98
Sodium bicarbonate	
Blood	13
Extemporaneous16	39
Sodium calcium edetate	38
Sodium	,0
carboxymethylcellulose	55
Sodium chloride	10
Sodium chioride	łZ
Sodium citrate with sodium lauryl	
sulphoacetate	
Sodium citro-tartrate	71
Sodium cromoglycate	
Alimentary	26
Respiratory157-15	58
Sensory16	30
Sodium fluoride	37
Sodium hypochlorite	66
Sodium nitroprusside	30
Sodium polystyrene	
sulphonate	13
Sodium tetradecyl sulphate	10
Sodium valproate1	
Sofradex15	59
Soframycin18	
Solian	
Solifenacin succinate	71
Solox	
Solu-Cortef	
Solu-Medrol	
Somatropin	
Sonaflam	
Sotacor	
Sotalol	
Space Chamber15	30
Spacer device15	30
Span-K	13
Spiriva1	56
Spironolactone	
Spirotone	52
Sporanox	34
Sprycel14	14
Stavudine [d4T])1
Stelazine	
Stemetil1	
Stesolid1	13
Stimulants/ADHD	
Treatments 12	29
Stocrin	
Stomahesive	35
Strattera12	
Sucralfate	



Terbutaline sulphate156
Testosterone
Testosterone cypionate74
Testosterone esters
Testosterone undecanoate
Tetrabenazine121
Tetrabromophenol72
Tetracosactrin74
Teva140
Thalidomide143
Thalidomide Pharmion143
Theophylline157
Thiamine hydrochloride
Thioguanine140
Thiotepa
Thymol glycerin
Thyroid and Antithyroid
Agents77
Tiaprofenic acid97
Tiberal84
Tilade157
Tilcotil97
Timolol maleate
Cardiovascular
Sensory160
Timoptol XE160
Tiotropium bromide156
Titralac25
TMP84
Tobramycin
Infection84
Sensory160
Tobrex
Tofranil111
Tolcapone
Tolvon
Topamax117
Topiramate117
Total parenteral nutrition
(TPN)
TPN
Tracleer54
Tramadol hydrochloride109
Trandate
Trandolapril
Tranexamic acid40
Tranylcypromine sulphate112
Trastuzumab151
Travatan161
Travoprost161
Treatments for Opioid
Overdose
Treatments for Substance

Dependence133
Trental 40054
Tretinoin
Dermatological55
Oncology143
Triamcinolone acetonide
Alimentary35
Dermatological59
Hormone74
Triamcinolone acetonide with
gramicidin, neomycin and nystatin
Dermatological59
Sensory159
Triazolam129
Trichozole84
Triclosan60
Trifeme
Trifluoperazine
hydrochloride 124
Trimeprazine tartrate154
Trimethoprim84
Trisequens76
Trisul
Trophic Hormones77
Tropicamide
Tropisetron
Trusopt161
Two Cal HN183
Two Cal HN
Tyloxapol162
Tyloxapol162 - U -
Tyloxapol162 - U - Ultraproct26
Tyloxapol
Tyloxapol162 - U - Ultraproct26
Tyloxapol
Tyloxapol
Tyloxapol
Tyloxapol 162 - U - 26 Ultraproct 26 Univent 156 Ural 71 Urea 61 Urex Forte 52 Urinary Agents 71
Tyloxapol 162 - U - 26 Ultraproct 26 Univent 156 Ural 71 Urea 61 Urex Forte 52 Urinary Agents 71 Urinary Tract Infections 94
Tyloxapol 162 - U - 26 Ultraproct 26 Univent 156 Ural 71 Urea 61 Urex Forte 52 Urinary Agents 71 Urinary Tract Infections 94 Uromitexan 142
Tyloxapol 162 - U - 26 Ultraproct 26 Univent 156 Ural 71 Urea 61 Urex Forte 52 Urinary Agents 71 Urinary Tract Infections 94 Uromitexan 142 Ursodeoxycholic acid 32
Tyloxapol 162 - U - 26 Ultraproct 26 Univent 156 Ural 71 Urea 61 Urex Forte 52 Urinary Agents 71 Urinary Tract Infections 94 Uromitexan 142
Tyloxapol 162 - U - 26 Ultraproct 26 Univent 156 Ural 71 Urea 61 Urex Forte 52 Urinary Agents 71 Urinary Tract Infections 94 Uromitexan 142 Ursodeoxycholic acid 32 - V - -
Tyloxapol 162 - U - 26 Ultraproct 26 Univent 156 Ural 71 Urea 61 Urex Forte 52 Urinary Agents 71 Urinary Tract Infections 94 Uromitexan 142 Ursodeoxycholic acid 32 - V - Vaccines
Tyloxapol 162 - U - 26 Ultraproct 26 Univent 156 Ural 71 Urea 61 Urex Forte 52 Urinary Agents 71 Urinary Tract Infections 94 Uromitexan 142 Ursodeoxycholic acid 32 - V - Vaccines Valaciclovir 88
Tyloxapol 162 - U - 26 Univent 156 Ural 71 Urea 61 Urex Forte 52 Urinary Agents 71 Urinary Tract Infections 94 Uromitexan 142 Ursodeoxycholic acid 32 - V - Vaccines Valaciclovir 88 Vallergan Forte 154
Tyloxapol 162 - U - 26 Ultraproct 26 Univent 156 Ural 71 Urea 61 Urex Forte 52 Urinary Agents 71 Urinary Tract Infections 94 Uromitexan 142 Ursodeoxycholic acid 32 - V - Vaccines Valaciclovir 88 Vallergan Forte 154 Valoid (AFT) 119
Tyloxapol 162 - U - 26 Ultraproct 26 Univent 156 Ural 71 Urea 61 Urex Forte 52 Urinary Agents 71 Uromitexan 142 Ursodeoxycholic acid 32 - V - Vaccines Valaciclovir 88 Vallergan Forte 154 Valtrex 88
Tyloxapol 162 - U - 26 Ultraproct 26 Univent 156 Ural 71 Urea 61 Urex Forte 52 Urinary Agents 71 Urinary Tract Infections 94 Uromitexan 142 Ursodeoxycholic acid 32 - V - Vaccines Valaciclovir 88 Vallergan Forte 154 Valoid (AFT) 119 Valtrex 88 Vancomycin hydrochloride 84
Tyloxapol 162 - U - 26 Ultraproct 26 Univent 156 Ural 71 Urea 61 Urex Forte 52 Urinary Agents 71 Uromitexan 142 Ursodeoxycholic acid 32 - V - Vaccines Valaciclovir 88 Vallergan Forte 154 Valtrex 88
Tyloxapol 162 - U - 26 Ultraproct 26 Univent 156 Ural 71 Urea 61 Urex Forte 52 Urinary Agents 71 Uromitexan 142 Ursodeoxycholic acid 32 - V - Vaccines Valaciclovir 88 Vallergan Forte 154 Valtrex 88 Vancomycin hydrochloride 84
Tyloxapol 162 - U - Ultraproct 26 Univent 156 Ural 71 Urea 61 Urex Forte 52 Urinary Agents 71 Uranry Tract Infections 94 Uromitexan 142 Ursodeoxycholic acid 32 - V - Vaccines Valaciclovir 88 Vallergan Forte 159 Valtrex 88 Vancomycin hydrochloride 84 Vanodilators 53
Tyloxapol 162 - U - Ultraproct 26 Univent 156 Ural 71 Urea 61 Urex Forte 52 Urinary Agents 71 Urinary Tract Infections 94 Uromitexan 142 Ursodeoxycholic acid 32 - V - Vaccines Valergan Forte 154 Valoid (AFT) 119 Valtrex 88 Vanomycin hydrochloride 84 Vannair 155 Vasodilators 53 Vasopressin Agonists 78
Tyloxapol 162 - U - Ultraproct 26 Univent 156 Ural 71 Urea 61 Urex Forte 52 Urinary Agents 71 Urany Tract Infections 94 Uromitexan 142 Ursodeoxycholic acid 32 - V - Vaccines Valaciclovir 88 Vallergan Forte 154 Valoid (AFT) 119 Valtrex 88 Vancomycin hydrochloride 84 Vanair 155 Vasodilators 53 Vasopressin Agonists 78 Vaxigrip 95
Tyloxapol 162 - U - Ultraproct 26 Univent 156 Ural 71 Urea 61 Urex Forte 52 Urinary Agents 71 Urinary Tract Infections 94 Uromitexan 142 Ursodeoxycholic acid 32 - V - Vaccines Valaciclovir 88 Vallergan Forte 154 Valoid (AFT) 119 Valtrex 88 Vancomycin hydrochloride 84 Vannair 155 Vasodilators 53 Vasoperssin Agonists 78 Vaxigrip 95 Venlafaxine 113
Tyloxapol 162 - U - Ultraproct 26 Univent 156 Ural 71 Urea 61 Urex Forte 52 Urinary Agents 71 Urany Tract Infections 94 Uromitexan 142 Ursodeoxycholic acid 32 - V - Vaccines Valaciclovir 88 Vallergan Forte 154 Valoid (AFT) 119 Valtrex 88 Vancomycin hydrochloride 84 Vanair 155 Vasodilators 53 Vasopressin Agonists 78 Vaxigrip 95
Tyloxapol 162 - U - Ultraproct 26 Univent 156 Ural 71 Urea 61 Urex Forte 52 Urinary Agents 71 Urinary Tract Infections 94 Uromitexan 142 Ursodeoxycholic acid 32 - V - Vaccines Valaciclovir 88 Vallergan Forte 154 Valoid (AFT) 119 Valtrex 88 Vancomycin hydrochloride 84 Vannair 155 Vasodilators 53 Vasoperssin Agonists 78 Vaxigrip 95 Venlafaxine 113

Manatalla	450
Ventolin	
Vepesid	142
Veracol	
Verapamil hydrochloride	
Vergo 16	
Vermox	
Verpamil SR	
Vesanoid	143
Vesicare	
Viaderm KC	59
Viagra	
Vicrom	
Videx EC	91
Vigabatrin	117
Vinblastine sulphate	143
Vincristine sulphate	143
Vinorelbine	144
Vinorelbine Ebewe	144
Viramune	
Viramune Suspension	91
Viread	
Vistil	162
Vistil Forte	162
Vitabdeck	37
Vitadol C	
Vital HN	179
Vitala-C	
Vitamin A with vitamins D and	
С	36
Vitamin B complex	
Vitamins	
Vivonex Pediatric	

Vivonex TEN	179
Volibris	54
Voltaren	96
Voltaren D	96
Voltaren Ophtha	160
Volumatic	158
Vosol	159
Vytorin	44

- W -

- vv -	
Warfarin sodium41	
Wart Preparations64	
Wasp venom allergy	
treatment 153	
Water	
Blood42	
Extemporaneous169	
Wool fat with mineral oil61	
- X -	
Xeloda137	
Xenazine 25121	
XMET Maxamum185	
XP Analog LCP186	
XP Maxamaid186	
XP Maxamum186	
Xylocaine108	
Xylocaine Viscous108	
- Z -	
Zantac28	

Zapril47 Zarontin114 Zavedos142

INDEX Generic Chemicals and Brands

Zeffix	86
Zeldox	124
Zerit	91
Zetop	153
Ziagen	
Zidovudine [AZT]	
Zidovudine [AZT] with	
lamivudine	91
Zinacef	
Zinc	
Zinc and castor oil	
Zinc oxide	
Zinc sulphate	
Zincaps	
Zinnat	
Ziprasidone	
Zofran	
Zofran Zydis Zoladex	
Zoledronic acid	
Zopiclone	
Zostrix HP	
Zovirax	
Zuclopenthixol decanoate	125
Zuclopenthixol	404
hydrochloride	
Zyban	
Zyprexa	
Zyprexa Zydis	125

NOTES

AUTHORITY TO SUBSTITUTE

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:
	to change a prescribed medicine in this way is

Authority for the dispensing pharmacist to change a prescribed medicine in this way is contained in regulation 42 (4) of the Medicines Regulations 1984.

NOTES

AUTHORITY TO SUBSTITUTE

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:
	to change a prescribed medicine in this way is

Authority for the dispensing pharmacist to change a prescribed medicine in this way is contained in regulation 42 (4) of the Medicines Regulations 1984.

NOTES

AUTHORITY TO SUBSTITUTE

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:
	to change a prescribed medicine in this way is

Authority for the dispensing pharmacist to change a prescribed medicine in this way is contained in regulation 42 (4) of the Medicines Regulations 1984.

NOTES

AUTHORITY TO SUBSTITUTE

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:
	to change a prescribed medicine in this way is

Authority for the dispensing pharmacist to change a prescribed medicine in this way is contained in regulation 42 (4) of the Medicines Regulations 1984.

NOTES

AUTHORITY TO SUBSTITUTE

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:
	to change a prescribed medicine in this way is

Authority for the dispensing pharmacist to change a prescribed medicine in this way is contained in regulation 42 (4) of the Medicines Regulations 1984.

NOTES