

**November 2010****Volume 17 Number 2****Editors**

Kaye Wilson & Scott Brydon  
 email: [schedule@pharmac.govt.nz](mailto:schedule@pharmac.govt.nz)  
 Telephone +64 4 460 4990  
 Facsimile +64 4 460 4995  
 Level 9, 40 Mercer Street  
 PO Box 10 254 Wellington

**Freephone Information Line**

**0800 66 00 50** (9am – 5pm weekdays)

**Circulation**

Published each April, August and December. Changes to the contents are published in monthly updates. Annual subscription includes three Pharmaceutical Schedule books, 12 updates and occasional information on rule changes and news items. The Schedule is distributed free of charge to over 9,000 health professionals, and is also available on an annual subscription.

**Prices**

\$22.22 One Schedule book

\$4.44 One Update

\$120.00 Annual subscription

All prices include postage and exclude GST.

**Production**

Typeset automatically from XML and T<sub>E</sub>X.  
 See [www.pharmac.govt.nz/schedule/archive/](http://www.pharmac.govt.nz/schedule/archive/)  
 for the XML version of this Schedule.

**Programmers**

Anrik Drenth & John Geering  
 email: [texschedule@pharmac.govt.nz](mailto:texschedule@pharmac.govt.nz)

©Pharmaceutical Management Agency



ISSN 1179-3686 pdf  
 ISSN 1172-9376 print

This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit:

[creativecommons.org/licenses/by/3.0/nz/](http://creativecommons.org/licenses/by/3.0/nz/).

Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

**Introducing PHARMAC 2****Section A General Rules 12****Section B Alimentary Tract & Metabolism 25****Blood & Blood Forming Organs 40****Cardiovascular System 47****Dermatologicals 57****Genito Urinary System 68****Hormone Preparations – Systemic 75****Infections – Agents For Systemic Use 82****Musculoskeletal System 98****Nervous System 114****Oncology Agents & Immunosuppressants 142****Respiratory System & Allergies 159****Sensory Organs 165****Various 170****Section C Extemporaneous Compounds (ECPs) 171****Section D Special Foods 177****Section E Practitioner's Supply Orders 197****Rural Areas 201****Section F Dispensing Period Exemptions 202****Section G Safety Cap Medicines 204****Index 207**

## Introducing PHARMAC

PHARMAC, the Pharmaceutical Management Agency, is a Crown entity established pursuant to the New Zealand Public Health and Disability Act 2000 (The Act). The primary objective of PHARMAC is to secure for eligible people in need of pharmaceuticals, the best health outcomes that are reasonably achievable from pharmaceutical treatment and from within the amount of funding provided.

The PHARMAC Board consists of up to six members appointed by the Minister of Health. All decisions relating to PHARMAC's operation are made by or under the authority of the Board. In particular, Board members decide on the strategic direction of PHARMAC and may decide which community pharmaceuticals should be subsidised and at what levels, and determine national prices for some pharmaceuticals to be purchased by and used in DHB Hospitals, and whether or not special conditions are to be applied to such purchases.

### Members of the PHARMAC Board

Stuart McLaughlan  
Anne Kolbe

Kura Denness  
David Moore

David Kerr  
Jens Mueller

Decisions taken by the PHARMAC Board members, or made under the authority of the Board, incorporate a balanced view of the needs of prescribers and patients. The aim is to achieve long-term gains and efficient ways of making pharmaceuticals available to the community and for DHB Hospitals to purchase them.

Murray Georgel, CE MidCentral DHB, attends PHARMAC's Board meetings as an observer.

The functions of PHARMAC are to perform the following, within the amount of funding provided to it in the Pharmaceutical Budget or to DHBs from their own budgets for the use of pharmaceuticals in their hospitals, as applicable, and in accordance with its annual plan and any directions given by the Minister (Section 103 of the Crown Entities Act):

- a) to maintain and manage a pharmaceutical schedule that applies consistently throughout New Zealand, including determining eligibility and criteria for the provision of subsidies;
- b) to manage incidental matters arising out of (a), including in exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the pharmaceutical schedule;
- c) to engage as it sees fit, but within its operational budget, in research to meet its objectives as set out in Section 47(a) of the Act;
- d) to promote the responsible use of pharmaceuticals;
- e) to manage the purchasing of any or all pharmaceuticals, whether used either in a hospital or outside it, on behalf of DHBs;
- f) any other functions given to PHARMAC by or under any enactment or authorised by the Minister.

The policies and criteria set out in the Pharmaceutical Schedule and PHARMAC's Operating Policies and Procedures arise out of, and are designed to help PHARMAC achieve and perform, PHARMAC's objective and functions under the Act.

However PHARMAC may, having regard to its public law obligations, depart from the strict application of those policies and criteria in certain exceptional cases where it considers this necessary or appropriate in the proper exercise of its statutory discretion and to give effect to its objective and functions, particularly with respect to:

- Determining eligibility and criteria for the provision of subsidies; and
- In exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the Pharmaceutical Schedule.

### Decision Criteria

PHARMAC updates the Pharmaceutical Schedule at regular intervals to notify prescribers, pharmacists, hospital managers and patients of changes to Community Pharmaceutical subsidies and the prices for Hospital Pharmaceuticals. In making decisions about amendments to the Pharmaceutical Schedule, PHARMAC is guided by its Operating Policies and Procedures, as amended or supplemented from time to time. PHARMAC takes into account the following criteria when making decisions about Community Pharmaceuticals:

- the health needs of all eligible people within New Zealand (eligible defined by the Government's then current rules of eligibility);
- the particular health needs of Māori and Pacific peoples;
- the availability and suitability of existing medicines, therapeutic medical devices and related products and related things;
- the clinical benefits and risks of pharmaceuticals;
- the cost-effectiveness of meeting health needs by funding pharmaceuticals rather than using other publicly funded health and disability support services;
- the budgetary impact (in terms of the pharmaceutical budget and the Government's overall health budget) of any changes to the Pharmaceutical Schedule;
- the direct cost to health service users;
- the Government's priorities for health funding, as set out in any objectives notified by the Crown to PHARMAC, or in PHARMAC's Funding Agreement, or elsewhere; and
- such other criteria as PHARMAC thinks fit. PHARMAC will carry out appropriate consultation when it intends to take any such "other criteria" into account.

The Operating Policies and Procedures, including any supplements, also describe the way in which PHARMAC determines the level of subsidy or purchase price payable for each Community Pharmaceutical or Hospital Pharmaceutical, respectively. The decision criteria for Hospital Pharmaceuticals are set out in the hospital supplement to the Operating Policies and Procedures and in the introductory part of Section H of the Pharmaceutical Schedule. Copies of PHARMAC's Operating Policies and Procedures and of any applicable supplements are available on the PHARMAC website ([www.pharmac.govt.nz](http://www.pharmac.govt.nz)), or on request.

## PHARMAC and the Pharmaceutical Schedule:

PHARMAC manages the national Pharmaceutical Schedule, which lists:

- Pharmaceuticals available in the community and subsidised by the Government with funding from the Pharmaceutical Budget; and
- some Pharmaceuticals purchased by DHBs for use in their hospitals, and includes those Hospital Pharmaceuticals for which national prices have been negotiated by PHARMAC.

In the community approximately 1848 Pharmaceuticals are subsidised by the Government. Most are available to all eligible people within New Zealand on prescription by a medical doctor. Some are listed with guidelines or conditions such as 'only if prescribed for a dialysis patient' or 'Special Authority - Retail Pharmacy', to ensure that Pharmaceuticals are used by those people who are most likely to benefit from them. Pharmaceuticals provided to patients for use while in DHB hospitals are not covered by Sections A to G of the Pharmaceutical Schedule.

Section H of the Pharmaceutical Schedule is not a comprehensive list of Pharmaceuticals that are used within the DHB Hospitals. Section H of the Pharmaceutical Schedule includes Pharmaceuticals that can be purchased at a national price by DHBs for use in their hospitals. These are referred to as National Contract Pharmaceuticals.

Section H of the Pharmaceutical Schedule also identifies new Pharmaceuticals used in hospitals, which have been or are being assessed by PHARMAC, the results of that analysis being available to DHB Hospitals via PHARMAC's website.

A list of Discretionary Community Supply Pharmaceuticals, in Section H of the Pharmaceutical Schedule, identifies those products that currently are not subsidised from the Pharmaceutical Budget as Community Pharmaceuticals in Sections A to G of the Pharmaceutical Schedule but which DHBs can at their discretion fund for use in the community from their own budgets without specific Hospital Exceptional Circumstances approval.

### PHARMAC's clinical advisors

#### Pharmacology and Therapeutics Advisory Committee (PTAC)

PHARMAC works closely with the Pharmacology and Therapeutics Advisory Committee (PTAC), an expert medical committee which provides independent advice to PHARMAC on health needs and the clinical benefits of particular pharmaceuticals for use in the community and/or in DHB Hospitals.

The committee members are all senior, practising clinicians. The chair of PTAC sits with the PHARMAC Board in an advisory capacity.

PTAC helps decide which community pharmaceuticals are to be subsidised from public monies by making recommendations to PHARMAC. Part of the role of PTAC is to review whether Community Pharmaceuticals already listed on the Schedule should continue to receive Government funds. The resources freed up can be used to subsidise other community pharmaceuticals with a greater therapeutic worth.

PHARMAC may obtain clinical advice from PTAC in relation to national purchasing strategies for Hospital Pharmaceuticals. There may be additional specialist hospital representatives on PTAC subcommittees, or additional PTAC subcommittees, where PHARMAC considers this necessary.

#### PTAC members are:

|                   |  |
|-------------------|--|
| Carl Burgess      | MBChB, MD, MRCP (UK), FRACP, FRCP, physician/clinical pharmacologist, Chair                        |
| Marianne Empson   | BHB, MBChB, MMed(ClinEpi), FRACP, FRCPA, immunologist  |
| Ian Hosford       | MBChB, FRANZCP, psychiatrist   |
| Sisira Jayathissa | MMedSc (Clin Epi), MMBS, MD, MRCP (UK), FRCP (Edin), FRACP, FAFPHM, Dip Clin Epi, Dip OHP, Dip MBS |
| George Laking     | MD, PhD, FRACP   |
| Jim Lello         | BHB, MBChB, DCH, FRNZCGP, general practitioner   |
| Graham Mills      | MBChB, MTropHlth, MD, FRACP, infectious disease specialist and general physician                   |
| Peter Pillans     | MBBCh, MD, FCP, FRACP, clinical pharmacologist   |
| Mark Weatherall   | BA, MBChB, MAppStats, FRACP  |
| Howard Wilson     | BSc, PhD, MB, BS, Dip Obst, FRNZCGP, FRACGP, general practitioner, Deputy Chair                    |

Contact PTAC C/-Advisory Committee Manager, Pharmaceutical Management Agency, PO Box 10 254, WELLINGTON, Email: [PTAC@pharmac.govt.nz](mailto:PTAC@pharmac.govt.nz)

## The PHARMAC Team

The PHARMAC team has a wide range of expertise in health, medicine, economics, commerce, critical analysis, and policy development and implementation.

|                   |   |                     |   |
|-------------------|---|---------------------|---|
| Matthew Brougham  | Chief Executive   | Geoff Lawn          | Applications Developer                                      |
| Lauren Abernethy  | Funding and Procurement Assistant                           | Geraldine MacGibbon | Therapeutic Group Manager                                   |
|                   |   | Janet Mackay        | Access & Optimal Use Manager                                |
| Kate Adams        | Health Economist  | Rachel Mackay       | Manager, Schedule and Contracts                             |
| Paul Alexander    | Health Economist  |                     |   |
| Katie Appleby     | Hospital Exceptional Circumstances Panel Co-ordinator       | Trish Mahoney       | Contract Manager  |
|                   |   | Adam McRae          | Team Leader, Access & Optimal Use                           |
| Jason Arnold      | Team Leader, Analysts                                       | Scott Metcalfe      | Chief Advisor Population Medicine / Public Health Physician |
| Diana Beswethrick | HR Contractor   |                     |   |
| Mike Bignall      | Therapeutic Group Manager                                   | Peter Moodie        | Medical Director  |
| Stephen Boxall    | Creative Director   | Hew Norris          | Analyst   |
| Scott Brydon      | Schedule Analyst  | Leigh Parish        | PA to Medical Director                                      |
| Davina Carpenter  | Records Manager   | Marama Parore       | Manager, Access & Optimal Use & Māori Health                |
| Christine Chapman | Therapeutic Group Manager                                   |                     |   |
| Mary Chesterfield | High Cost Medicines Co-ordinator                            | Chris Peck          | Analyst   |
| Steffan Crausaz   | Manager, Funding and Procurement                            | Angela Pirika       | Senior Receptionist   |
|                   |   | Sharon Ponniah      | Access and Optimal Use Manager                              |
| Andrew Davies     | Procurement Initiatives Manager                             | Matthew Poynton     | Analyst/Health Economist                                    |
| Rachelle Davies   | Office Manager / Corporate Team Assistant                   | Rachel Pratt        | Community Exceptional Circumstances Panel Co-ordinator      |
| Jessica Dougherty | Executive Assistant to Chief Executive                      |                     |   |
| Sean Dougherty    | Therapeutic Group Manager                                   | Dilky Rasiah        | Deputy Medical Director                                     |
| Anrik Drenth      | Database Analyst  | Kyle Reid           | Tender Analyst  |
| Kim Ellis         | Access & Optimal Use Co-ordinator                           | Awhimai Reynolds    | Māori Health Manager  |
| Simon England     | Communications Manager                                      | Brian Roulston      | Contract Manager  |
| Andy Erceg        | Senior Network and System Administrator                     | Fiona Rutherford    | Senior Policy Analyst                                       |
|                   |   | Rico Schoeler       | Manager, Analysis and Assessment                            |
| Jackie Evans      | Therapeutic Group Manager                                   | Merryn Simmons      | PHARMAC Seminar Series Co-ordinator                         |
| John Geering      | Systems Architect   | Liz Skelley         | Finance Manager   |
| Rachel Grocott    | Health Economist / Team Leader Assessment                   | Jude Urlich         | Manager, Corporate and External Relations                   |
| Susan Haniel      | Advisory Committee Manager                                  | Jayne Watkins       | Team Leader, Medical Team                                   |
| David Harland     | Health Economist  | Bryce Wigodsky      | Communications Advisor                                      |
| Ben Healey        | Analyst   | Greg Williams       | Therapeutic Group Manager                                   |
| Hayden Holmes     | High Cost Medicines Panel Co-ordinator (Growth Hormone/PAH) | Lisa Williams       | Legal Counsel   |
|                   |   | Kaye Wilson         | Schedule Analyst  |
|                   |   | Stephen Woodruffe   | Therapeutic Group Manager                                   |
| Karen Jacobs      | Access & Optimal Use Manager                                | Sue Anne Yee        | Therapeutic Group Manager                                   |
| Helen Knight      | Accounts Payable Co-ordinator                               | Michael Young       | Analyst   |

## Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price (if it differs from the Subsidy) and any access conditions that may apply; and
- some Hospital Pharmaceuticals that are purchased and used by DHB Hospitals, including those for which national prices have been negotiated by PHARMAC.

The purpose of the Schedule is not to show the final cost to Government of subsidising each Community Pharmaceutical or to DHBs in purchasing each Hospital Pharmaceutical since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for some Hospital Pharmaceuticals, on any logistics arrangements put in place by individual DHB Hospitals.

## Finding Information in the Pharmaceutical Schedule

### Community Pharmaceuticals

For Community Pharmaceuticals, the Schedule is organised in a way to help the reader find Community Pharmaceuticals, which may be used to treat similar conditions. To do this, Community Pharmaceuticals are first classified anatomically, originally based on the Anatomical Therapeutic Chemical (ATC) system, and then further classified under section headings structured for the New Zealand medical system.

- Section **A** lists the General Rules in relation to Community Pharmaceuticals and related products.
- Section **B** lists Community Pharmaceuticals and related products by anatomical classification, which are further divided into one or more therapeutic headings. Community Pharmaceuticals used to treat similar conditions are grouped together.
- Section **C** lists the rules in relation to Extemporaneously Compounded Products (ECPs) and Community Pharmaceuticals that will be subsidised when extemporaneously compounded.
- Section **D** lists the rules in relation to Special Foods and the Special Foods that are subsidised.
- Section **E** Part I lists the Community Pharmaceuticals that are subsidised on a Practitioner's Supply Order (PSO).
- Section **E** Part II lists rural areas for the purpose of PSOs.
- Section **F** lists the Community Pharmaceuticals dispensing period exemptions.
- Section **G** lists the Community Pharmaceuticals eligible for reimbursement of safety cap and related rules.

The listings are displayed alphabetically (where practical) within each level of the classification system. Each anatomical section contains a series of therapeutic headings, some of which may contain a further classification level. Where a Community Pharmaceutical is used in more than one therapeutic area, they may be cross-referenced.

The therapeutic headings in the Pharmaceutical Schedule do not necessarily correspond to the therapeutic groups and therapeutic subgroups, which PHARMAC establishes for the separate purpose of determining the level of subsidy to be paid for each Community Pharmaceutical.

The index located at the back of the book in which Sections A-G of the Pharmaceutical Schedule are published can be used to find page numbers for generic chemical entities, or product brand names.

## Hospital Pharmaceuticals

Section **H** lists Pharmaceuticals that DHBs fund from their own budgets. The Hospital Pharmaceuticals are grouped into the following Parts in Section H:

- Part I lists the rules in relation to Hospital Pharmaceuticals.
- Part II lists Hospital Pharmaceuticals for which national contracts exist (National Contract Pharmaceuticals). These are listed alphabetically by generic chemical entity name and line item, the relevant Price negotiated by PHARMAC and, if applicable, an indication of whether it has Hospital Supply Status (HSS) and any associated Discretionary Variance (DV) Pharmaceuticals and DV Limit.
- Part III lists Assessed Pharmaceuticals, which have been or are being assessed by PHARMAC and, where such assessment is available, PHARMAC's opinion regarding the use of the Assessed Pharmaceuticals in hospitals. DHB Hospitals are not obliged to implement those recommendations.
- Part IV lists Discretionary Community Supply Pharmaceuticals, which are not Community Pharmaceuticals, but which a DHB Hospital can, in its discretion, fund for use in the community from its own budget.

The index located at the back of the Section H supplement can be used to find page numbers for generic chemical entities, or product brand names, for Hospital Pharmaceuticals.

## Explaining drug entries

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the amount of that subsidy paid to contractors, the supplier's price and the access conditions that may apply.

### Example

| ANATOMICAL HEADING  |  |   |  |
|---|--|---|--|
|   |  | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully Brand or<br>Subsidised Generic<br>Per ✓ Manufacturer |
| THERAPEUTIC HEADING   |  |   |  |
| CHEMICAL  |  |   |  |
| Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.   | ▲ Presentation, form and strength .....  | 10.00                                   | 100 ✓ Brand A<br>✓ Brand B                                 |
|   | Presentation - Available on a PSO .....  | 15.00                                   | 50 ✓ Brand C   |
| Practitioner's Supply Order   | ⊕ Presentation - Retail pharmacy-specialist .....  | 18.00                                   | 250 ml OP ✓ Brand D  |
| Safety cap reimbursed   | a) Prescriptions must be written by a paediatrician or paediatric cardiologist; or<br>b) on the recommendation of a paediatrician or a paediatric cardiologist |   |  |
| Conditions of and restrictions on prescribing (including Special Authority where it applies)            |  |   |  |
| Three months or six months, as applicable, dispensed all-at-once  | ⊗ CHEMICAL Presentation, form and strength .....   | 26.53                                   | 100  |
|   |  | (35.27)                                 | Brand E  |
| Sole Supply<br>✓ Fully Subsidised   |  |   |  |
| ▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber. |  |   |  |

# Glossary

## Units of Measure

|                          |    |                 |    |                |      |
|--------------------------|----|-----------------|----|----------------|------|
| gram .....               | g  | microgram.....  | µg | millimole..... | mmol |
| kilogram .....           | kg | milligram ..... | mg | unit.....      | u    |
| international unit ..... | iu | millilitre..... | ml |                |      |

## Abbreviations

|                     |      |                  |      |                       |      |
|---------------------|------|------------------|------|-----------------------|------|
| Ampoule .....       | Amp  | Granules .....   | Gran | Suppository .....     | Supp |
| Capsule .....       | Cap  | Infusion .....   | Inf  | Tablet.....           | Tab  |
| Cream.....          | Crm  | Injection.....   | Inj  | Tincture.....         | Tinc |
| Device.....         | Dev  | Linctus .....    | Linc | Trans Dermal Delivery |      |
| Dispersible.....    | Disp | Liquid.....      | Liq  | System.....           | TDDS |
| Effervescent.....   | Eff  | Long Acting..... | LA   |                       |      |
| Emulsion.....       | Emul | Ointment.....    | Oint |                       |      |
| Enteric Coated..... | EC   | Sachet .....     | Sach |                       |      |
| Gelatinous .....    | Gel  | Solution.....    | Soln |                       |      |

BSO Bulk Supply Order.

CBS Cost Brand Source. There is no set manufacturer's price, and the Government subsidises the product at the price it is obtained by the pharmacy.

CE Compounded Extemporaneously.

CPD Cost Per Dose. The Funder (as defined in Part I of the General Rules) cost of a standard dose, without mark-ups or fees and excluding GST.

ECP Extemporaneously Compounded Preparation.

HSS Hospital Supply Status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

OP Original Pack – subsidy is rounded up to a multiple at whole packs.

PSO Practitioner's Supply Order.

## Sole Subsidised

Supplier Only brand of this medicine subsidised.

XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

▲ Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner.

\* Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless medicine is endorsed "close control" or "cc" and the endorsement is initialled by the prescriber.

‡ Safety cap required and subsidised for oral liquid formulations, including extemporaneously compounded preparations.

✓ Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a manufacturer's surcharge.

S29 This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981. Practitioners prescribing this medication should:

- be aware of and comply with their obligations under Section 29 of the Medicines Act 1981 and otherwise under that Act and the Medicines Regulations 1984;
- be aware of and comply with their obligations under the Health and disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- exercise their own skill, judgement, expertise and discretions, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an indication for which it is not approved.

Note: Where medicines supplied under Section 29 that are used for emergency situations, patient details required under Section 29 of the Medicines Act may be retrospectively provided to the supplier.

| Definitions |   |   |
|-------------|---|---|
| Abbrev.     | Pharmacy Services Agreement   | All other Pharmacy Agreements   |
| [HP3]       | Subsidised when dispensed from pharmacies that have a Special Foods Service appended to their Pharmacy Services Agreement by their DHB. | Available from selected pharmacies that have an exclusive contract to dispense Special Foods.                             |
| [HP4]       | Subsidised when dispensed from pharmacies that have the Monitored Therapy Variation (for Clozapine Services)                            | Available from selected pharmacies that have an exclusive contract to dispense 'Hospital Pharmacy' [HP4] pharmaceuticals. |

## Patient costs

### Community Pharmaceutical costs met by the Government

Most of the cost of a subsidised prescription Community Pharmaceutical is met by the Government through the Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to Contractors, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to Contractors does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a ✓ in the product's Schedule listing.

|                                      |                |  |
|--------------------------------------|----------------|--|
| SALBUTAMOL                           |                |  |
| Aerosol inhaler 100 µg per dose..... | 3.80<br>(6.00) | ✓Fully subsidised brand<br>Higher priced brand |

### Pharmaceutical Co-Payments

Some Community Pharmaceutical costs are met by the patient. Generally a patient pays a prescription charge. In addition a patient will sometimes pay a manufacturer's surcharge, after hours service fee and any special packaging fee.

#### PRESCRIPTION CHARGE

From 1 September 2008, everyone who is eligible for publicly funded health and disability services should in most circumstances pay only \$3 for subsidised medicines.

All prescriptions from a public hospital, a midwife and a Family Planning Clinic are covered for \$3 co-payments.

Prescriptions from the following providers are approved for \$3 co-payments on subsidised medicines if they meet the specified criteria:

- After Hours Accident and Medical Services with a DHB or a PHO contract.
- Youth Health Clinics with a DHB or a PHO contract.
- Dentists who write a prescription that relates to a service being provided under a DHB contract.
- Private specialists (for example, ophthalmologists and orthopaedics) who write a prescription for a patient receiving a publicly funded service contracted by the DHB.
- General practitioners who write a prescription during normal business hours to a person who is not enrolled in the general practice provided the person is eligible for publicly funded health and disability services and the general practice is part of a PHO.
- Hospices that have a contract with a DHB.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Eligibility Direction on the Ministry of Health's website.

To check if a medicine is fully subsidised, refer to the Pharmaceutical Schedule on PHARMAC's website or ask your pharmacist or general practitioner.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

NOTE: Information sourced from Ministry of Health Website, for more information please visit [www.moh.govt.nz](http://www.moh.govt.nz)

#### MANUFACTURER'S SURCHARGE

Not all Community Pharmaceuticals are fully subsidised. Although PHARMAC endeavours to fully subsidise at least one Community Pharmaceutical in each therapeutic group, and has contracts with some suppliers to maintain the price of a particular product, manufacturers are able to set their own price to pharmacies. When these prices exceed the subsidy, the pharmacist may recoup the difference from the patient.

To estimate the amount a patient will pay on top of the prescription charge, take the difference between the manufacturer's price and the subsidy, and multiply this by 1.86. The 1.86 factor represents the pharmacy mark-up on the surcharge plus other costs such as GST. Pharmacies charge different mark-ups so this may vary.

$$\text{Manufacturer's surcharge to patient} = (\text{price} - \text{subsidy}) \times 1.86$$

For example, a Community Pharmaceutical with a supplier (ex-manufacturer) cost of \$11.00 per pack with a \$10.00 subsidy will cost the patient a surcharge of \$1.86 on top of the prescription charge. The most a patient should pay is therefore \$16.86 - being



\$15.00 maximum prescription charge, plus \$1.86.

### **Hospital Pharmaceutical and Pharmaceutical Cancer Treatment Costs**

The cost of purchasing Hospital Pharmaceuticals and Pharmaceutical Cancer Treatments (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) is met by the Funder (in particular, the relevant DHB) from its own budget. As required by section 23(7) of the Act, in performing any of their functions in relation to the supply of Pharmaceuticals including Pharmaceutical Cancer Treatments, DHBs must not act inconsistently with the Pharmaceutical Schedule.

### **PHARMAC web site**

PHARMAC has set up an interactive Schedule on the Internet. It can be used to calculate the cost of a prescribed Community Pharmaceutical. This site at <http://www.pharmac.govt.nz> takes into account the quantity of Community Pharmaceutical prescribed as well as the patient's age, whether the patient has a community services card, high use health card or prescription subsidy card, the fee for pharmacy services and prescription charges.

Other information about PHARMAC is also available on our website. This includes copies of the Annual Review, Annual Report and Annual Plan, as well as information such as the Pharmaceutical Schedule, Pharmaceutical Schedule Updates, National Hospital Pharmaceutical Strategy, other publications and recent press releases.

## **Special Authority Applications**

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person. Applications must be submitted to the Ministry of Health by the prescriber for the request to be processed.

### **Subsidy**

Once approved, the prescriber will be provided a Special Authority number which must appear on the prescription. Specialists who make an application must communicate the valid authority number to the prescriber who will be writing the prescriptions.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Pharmaceutical Budget.

### **Criteria**

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website.

For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised. Criteria for each Special Authority Community Pharmaceutical are updated regularly, based on the decision criteria of PHARMAC. The appropriateness of the listing of a Community Pharmaceutical in the Special Authority category will also be regularly reviewed. Applications for inclusion of further Community Pharmaceuticals in the Special Authority category will generally be made by a pharmaceutical supplier.

### **Special Authority Applications**

Application forms can be found at [www.pharmac.govt.nz](http://www.pharmac.govt.nz). Requests for fax copies should be made to PHARMAC, phone 04 460 4990. Applications are processed by the Ministry of Health, and should be sent to:

Ministry of Health Sector Services, Fax: (06) 349 1983 or free fax 0800 100 131  
Private Bag 3015, WANGANUI 4540

For enquiries, phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666

*Note:* The Ministry of Health can only provide information on Special Authority applications to prescribers and pharmacists.

### *Each application must:*

- Include the patients name, date of birth and NHI number (codes for AIDS patients' applications)
- Include the practitioner's name, address and Medical Council registration number
- Clearly indicate that the relevant criteria, have been met.
- Be signed by the practitioner.

## Exceptional Circumstances policies

The purpose of the Exceptional Circumstances policies are to provide:

- funding from the Community Exceptional Circumstances budget for medication, to be used in the community, in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical Budget is not able to be provided through the Pharmaceutical Schedule ("Community Exceptional Circumstances"); or
- an assessment process for the DHB Hospitals to determine whether they can fund medication, to be used in the community, in circumstances where the medication is neither a Community Pharmaceutical nor a Discretionary Community Supply Pharmaceutical and where the patient does not meet the criteria for Community Exceptional Circumstances ("Hospital Exceptional Circumstances"); or
- an assessment process for DHB Hospitals to determine whether they can fund pharmaceuticals for the treatment of cancer in their DHB Hospital, or in association with Outpatient services provided in their DHB hospital, in circumstances where the pharmaceutical is not identified as a Pharmaceutical Cancer Treatment ("Cancer Exceptional Circumstances") in Sections A-H of the Pharmaceutical Schedule.

Upon receipt of an application for approval for Community Exceptional Circumstances or Hospital Exceptional Circumstances, the Exceptional Circumstances Panel first decides whether an application will be assessed initially under the Community Exceptional Circumstances criteria or the Hospital Exceptional Circumstances criteria. Cancer Exceptional Circumstances is a separate process.

### Hospital Exceptional Circumstances

If the application is first assessed but not approved under the Community Exceptional Circumstances criteria, the Exceptional Circumstances Panel may recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances.

If the application is first assessed under the Hospital Exceptional Circumstances criteria, the Exceptional Circumstances Panel may:

- a) recommend against the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget, in which case a DHB Hospital must not fund the pharmaceutical from its own budget;
- b) recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances, in which case a DHB Hospital may, but is not obliged to, fund the pharmaceutical from its own budget;
- c) defer its decision until further assessment under the Community Exceptional Circumstances criteria can be undertaken; or
- d) recommend interim funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances until further assessment under the Community Exceptional Circumstances criteria can be undertaken.

Permission to fund a pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances will only be granted by PHARMAC where it has been demonstrated that such funding is cost-effective for the relevant DHB in the region in which the patient resides.

If the patient being treated with a pharmaceutical under Hospital Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

Applications for Hospital Exceptional Circumstances should be made on the standard application form available from the PHARMAC website [www.pharmac.govt.nz](http://www.pharmac.govt.nz) or the address below:

The Coordinator, Hospital Exceptional Circumstances Panel  
PHARMAC, PO Box 10 254  
Wellington

Phone: (04) 916 7521  
or fax (09) 523 6870  
Email: [ecpanel@pharmac.govt.nz](mailto:ecpanel@pharmac.govt.nz)

## Cancer Exceptional Circumstances

Permission to fund a pharmaceutical for the treatment of cancer from the Hospital's own budget under Cancer Exceptional Circumstances will only be granted by PHARMAC where it has been demonstrated that the proposed use meets the criteria.

If the patient being treated with a pharmaceutical under Cancer Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

## Community Exceptional Circumstances

In order to qualify for Community Exceptional Circumstances approval one of the following criteria must be met:

- a) the condition must be rare; *or*
- b) the reaction to alternative funded treatment must be unusual; *or*
- c) an unusual combination of circumstances applies.

Rare and unusual are considered to be in the order of less than 10 people nationally.

Where one of the above Community Exceptional Circumstances entry criteria is met, the application may then be further examined under supplementary criteria, assessing suitability of the pharmaceutical, clinical benefit, the cost effectiveness of the treatment, and the patient's ability to pay for the treatment. Where these documented criteria are met, a subsidy sufficient to fully fund the pharmaceutical will be made available to the specific patient on whose behalf the application was made.

Community Exceptional Circumstances funding is only available where the criteria are met and is not available for financial reasons alone.

Applications for Community Exceptional Circumstances, Hospital Exceptional Circumstances and Cancer Exceptional Circumstances should be made on the standard application form available from the PHARMAC website [www.pharmac.govt.nz](http://www.pharmac.govt.nz) or the address below:

The Coordinator, Community Exceptional Circumstances Panel  
PO Box 10 254  
Wellington

Phone (04) 916 7553  
or fax (09) 523 6870  
Email: [ecpanel@pharmac.govt.nz](mailto:ecpanel@pharmac.govt.nz)

### INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and;
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services.

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 November 2010 and is to be referred to as the Pharmaceutical Schedule Volume 17 Number 2, 2010. Distribution will be from 20 November 2010. This Schedule comes into force on 1 November 2010.

### PART I INTERPRETATIONS AND DEFINITIONS

1.1 In this Schedule, unless the context otherwise requires:

**"90 Day Lot"** means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;

**"180 Day Lot"** means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;

**"Access Exemption Criteria"** means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:

- a) have limited physical mobility;
- b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
- c) are relocating to another area;
- d) are travelling extensively and will be out of town when the repeat prescriptions are due.

**"Act"** means the New Zealand Public Health and Disability Act 2000.

**"Advisory Committee"** means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.

**"Alternate Subsidy"** means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.

**"Assessed Pharmaceuticals"** means the list of Pharmaceuticals set out in Section H Part III of the Schedule, that have been or are being assessed by PHARMAC.

**"Authority to Substitute"** means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.

**"Bulk Supply Order"** means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.

**"Cancer Exceptional Circumstances"** means the policies and criteria administered by PHARMAC relating to the ability to fund, from a DHB hospital's own budget, pharmaceuticals for the treatment of cancer that are not identified as Pharmaceutical

Cancer Treatments in Sections A-H of the Pharmaceutical Schedule.

**“Class B Controlled Drug”** means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.

**“Close Control”** means the dispensing of a Community Pharmaceutical, in accordance with a Prescription, in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot) for a Community Pharmaceutical referred to in Section F Part I, or in quantities less than a Monthly Lot for any other Community Pharmaceutical, where any of a), b) or c) apply.

- a) All of the following conditions are met:
  - i) the Community Pharmaceutical has been prescribed for a patient who:
    - 1) is not a resident in a Penal Institution, Rest Home or Residential Disability Care Institution; and
    - 2) either of the following:
      - i) in the opinion of the prescribing Practitioner is:
        - a) frail; or
        - b) infirm; or
        - c) unable to manage their medication without additional support; or
        - d) intellectually impaired; or
        - e) requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only); and
        - f) requires that Community Pharmaceutical to be dispensed in a smaller quantity than that for which it is currently funded, or
      - ii) the Community Pharmaceutical is any of the following:
        - a) a tri-cyclic antidepressant; or
        - b) an antipsychotic; or
        - c) a benzodiazepine; or
        - d) a Class B Controlled Drug; and
    - ii) the prescribing Practitioner has:
      - A) endorsed each Community Pharmaceutical on the Prescription clearly with the words “Close Control” or “CC”; and
      - B) initialled the endorsement in their own handwriting; and
      - C) specified the maximum quantity or period of supply to be dispensed at any one time.
  - b) All of the following conditions are met:
    - i) The Community Pharmaceutical is prescribed for a patient who is a resident in a Rest Home or Residential Disability Care Institution; and
      - A) the quantity or period of supply to be dispensed at any one time is not less than 28 days' supply; and
      - B) the prescriber or pharmacist has written the name of the Rest Home or Residential Disability Care Institution on the prescription; and
      - C) the prescriber or pharmacist has:
        - 1) written on the Prescription the words “Close Control” or “CC” (this applies to all medicines prescribed on the prescription), and
        - 2) initialled the endorsement/annotation in their own handwriting; and
        - 3) specified the maximum quantity or period of supply to be dispensed at any one time.
    - c) All of the following conditions are met:
      - i) where PHARMAC has approved and notified pharmacists to annotate prescriptions for a specified Community Pharmaceutical(s) “Close Control” without prescriber endorsement for a specified time; and
      - ii) the dispensing pharmacist has:
        - A) clearly annotated each of the approved Community Pharmaceuticals that appear on the prescription with the words “Close Control” or “CC”; and
        - B) initialled the annotation in their own handwriting; and
        - C) specified the maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

**“Community Exceptional Circumstances”** means the policies and criteria administered by the Exceptional Circumstances Panel relating to funding from the Community Exceptional Circumstances budget for medication, to be used in the community, in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical

## SECTION A: GENERAL RULES

Budget is not able to be provided through the Pharmaceutical Schedule.

**“Community Pharmaceutical”** means a Pharmaceutical listed in Sections A to G of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

**“Contractor”** means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

**“Controlled Drug”** means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

**“Cost, Brand, Source of Supply”** means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor’s annotated purchase price, brand, and source of supply.

**“Dentist”** means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

**“Dietitian”** means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.

**“DHB”** means an organisation established as a District Health Board by or under Section 19 of the Act.

**“DHB Hospital”** means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

**“Discretionary Community Supply Pharmaceutical”** means the list of Pharmaceuticals set out in Section H Part IV of the Schedule, which may be funded by a DHB Hospital from its own budget for use in the community.

**“Doctor”** means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

**“DV Limit”** means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

**“DV Pharmaceutical”** means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

**“Endorsements”** - unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as “certified condition”, or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes “certified condition” as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

**“Exceptional Circumstances Panel”** means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for administering policies in relation to Community Exceptional Circumstances and Hospital Exceptional Circumstances.

**“Funder”** means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

**“GST”** means goods and services tax under the Goods and Services Tax Act 1985.

**“Hospital Care Operator”** means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

**“Hospital Exceptional Circumstances”** means the policies and criteria administered by the Exceptional Circumstances Panel relating to the ability to fund, from a DHB Hospital’s own budget, pharmaceuticals for use in the community by a specific patient where a subsidy is not available from the Pharmaceutical Budget or under Community Exceptional Circumstances.

**“Hospital Pharmaceuticals”** means National Contract Pharmaceuticals, DV Pharmaceuticals, Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals.

**“Hospital Pharmacy”** means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to a person on the Prescription of a Practitioner.

**“Hospital Pharmacy-Specialist”** means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist; or  
if the treatment of an Outpatient with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a Practitioner endorsed with the words “recommended by [name of specialist and year of authorisation]” and signed by the Practitioner.

“As recommended by a Specialist” to be interpreted as:

- a) follows a substantive consultation with an appropriate Specialist;
- b) the consultation to relate to the Patient for whom the Prescription is written;
- c) consultation to mean communication by referral, telephone, letter, facsimile or email;
- d) except in emergencies consultation to precede annotation of the Prescription; and
- e) both the specialist and the General Practitioner must keep a written record of the consultation.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

**"Hospital Pharmacy-Specialist Prescription"** means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

**"HSS"** means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

**"In Combination"** means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

**"Individual DV Limit"** means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

**"Licensed Hospital"** means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

**"Lot"** means a quantity of a Community Pharmaceutical supplied in one dispensing.

**"Manufacturer's Price"** means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

**"Maternity hospital"** means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

**"Midwife"** means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

**"Month"** means a period of 30 consecutive days.

**"Monthly Lot"** means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

**"National Contract Pharmaceutical"** means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

**"National DV Limit"** means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

**"Not In Combination"** means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

**"Nurse Prescriber"** means a nurse registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003 and who is approved by the Nursing Council, to prescribe specified prescription medicines relating to his/her scope of practice.

**"Optometrist"** means a person registered as an optometrist with the Optometrists and Dispensing Opticians Board, who holds a current annual practising certificate under the HPCA Act 2003, and who is authorised by regulations under the Medicines Act 1981 and approved by the Optometrists and Dispensing Opticians Board to prescribe specified medicines.

**"Outpatient"**, in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

**"PCT"** means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

**"PCT only"** means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies.

**"Penal Institution"** means a penal institution, as that term is defined in The Penal Institutions Act 1954;



## SECTION A: GENERAL RULES

**"PHARMAC"** means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC).

**"Pharmaceutical"** means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to H of the Schedule.

**"Pharmaceutical Benefits"** means the right of:

- a) a person; and
- b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.

**"Pharmaceutical Budget"** means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals.

**"Pharmaceutical Cancer Treatment"** means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must fund, from their own budgets, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.

**"Practitioner"** means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Prescriber or an Optometrist as those terms are defined in the Pharmaceutical Schedule.

**"Practitioner's Supply Order"** means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

**"Prescription"** means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.

**"Prescription Medicine"** means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations 1984.

**"Private Hospital"** means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.

**"Residential Disability Care Institution"** means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.

**"Rest Home"** means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.

**"Restricted Medicine"** means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984.

**"Retail Pharmacy-Specialist"** means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or, in the case of treatment recommended by a Specialist, a Prescription or Practitioner's Supply Order and endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner.

"As recommended by a Specialist" to be interpreted as:

- a) follows a substantive consultation with an appropriate Specialist;
- b) the consultation to relate to the Patient for whom the Prescription is written;
- c) consultation to mean communication by referral, telephone, letter, facsimile or email;
- d) except in emergencies consultation to precede annotation of the Prescription; and
- e) both the Specialist and the General Practitioner must keep a written record of consultation.

**"Retail Pharmacy-Specialist Prescription"** means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist. For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

**"Schedule"** means this Pharmaceutical Schedule and all its sections and appendices.

**"Section B"** of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies included in the Schedule.

**"Section C"** of this Pharmaceutical Schedule means the list of community extemporaneously compounded preparations and galenicals eligible for Subsidies included in the Schedule.

**"Section D"** of this Pharmaceutical Schedule means the list of community special foods eligible for Subsidies included in the Schedule.

**"Section E Part I"** of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies and available on a Practitioner's Supply Order included in the Schedule.



**“Section E Part II”** of this Pharmaceutical Schedule means the list of rural areas for the purpose of community Practitioner’s Supply Orders included in the Schedule.

**“Section F Part I”** of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots, and requirement to dispense in 90 Day Lots or 180 Day Lots, as applicable, in respect of the Community Pharmaceuticals referred to in this part of Section F;

**“Section F Part II”** of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots in respect of the Community Pharmaceuticals referred to in this part of Section F;

**“Section G”** of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for reimbursement of safety caps.

**“Section H”** of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals and the lists of National Contract Pharmaceuticals and any associated DV Pharmaceuticals, of Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals included in Section H of the Schedule.

**“Section H Part I”** of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals.

**“Section H Part II”** of this Pharmaceutical Schedule means the list of National Contract Pharmaceuticals, the relevant Price, an indication of whether the Pharmaceutical has HSS and any associated DV Pharmaceuticals and DV Limit.

**“Section H Part III”** of this Pharmaceutical Schedule means the list of Assessed Pharmaceuticals.

**“Section H Part IV”** of this Pharmaceutical Schedule means the list of Discretionary Community Supply Pharmaceuticals.

**“Special Authority”** means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.

**“Specialist”**, in relation to a Prescription, a doctor who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

- a)
  - i) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine; and
  - ii) the doctor’s vocational scope of practice is one of those listed below: — anaesthetics, cardiothoracic surgery, dermatology, diagnostic radiology, emergency medicine, general surgery, internal medicine, neurosurgery, obstetrics and gynaecology, occupational medicine, ophthalmology, oral and maxillofacial surgery, otolaryngology head and neck surgery, orthopaedic surgery, paediatric surgery, paediatrics, pathology, plastic and reconstructive surgery, psychological medicine or psychiatry, public health medicine, radiation oncology, rehabilitation medicine, urology and venereology;
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that Prescription in the course of practising in that area of medicine;
- c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that area of medicine;
- d) the doctor writes the Prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.

**“Subsidy”** means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.

**“Supply Order”** means a Bulk Supply Order or a Practitioner’s Supply Order.

**“Unapproved Indication”** means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 4.6.

1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:

- a) the singular includes the plural; and
- b) any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regu-

## SECTION A: GENERAL RULES

lation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

### PART II COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G of the Schedule, and every preparation (having an inert base) of any of them, is hereby declared to be a Community Pharmaceutical for the purposes of the Schedule, subject to:
- 2.1.1 clauses 2.2 and 2.3 of the Schedule; and
  - 2.1.2 clauses 3.1 to 4.4 of the Schedule; and
  - 2.1.3 the conditions (if any) specified in Sections B to G of the Schedule;
- 2.2 The following medicines, therapeutic medical devices, or related products or related things are not eligible for Subsidy:
- 2.2.1 substances, or combinations of substances, ordered for any purpose other than:
    - a) treatment of a patient's medical or dental condition; or
    - b) pregnancy tests; or
    - c) the prevention of sexually transmitted disease; or
    - d) contraception.
  - 2.2.2 substances and combinations of substances packed under pressure in aerosol cans or other similar devices, unless it is specified in Sections B to G of the Schedule that they may be so packed;
  - 2.2.3 electrode jellies;
  - 2.2.4 eye drops packed in single-dose units, unless it is specified in Sections B to G of the Schedule that they may be so packed;
  - 2.2.5 insect repellents and similar preparations;
  - 2.2.6 oral preparations in long-acting form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
  - 2.2.7 substances or combinations of substances in lozenge or similar form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
  - 2.2.8 machine-spread plasters;
  - 2.2.9 preparations prescribed as foods, unless they are specified in Section D of the Schedule;
  - 2.2.10 substances, combinations of substances, or articles, in the form of proprietary medicines or proprietary articles, unless they are deemed or declared to be Pharmaceuticals elsewhere in the Schedule;
  - 2.2.11 shampoos, other than extemporaneously prepared medicated shampoos, or shampoos specified in Sections B to G of the Schedule intended for the treatment of a patient's medical condition;
  - 2.2.12 toilet preparations;
  - 2.2.13 tooth pastes and powders;
  - 2.2.14 lubricating jellies and catheter lubricants;
  - 2.2.15 sterile diluents for nebulising solutions;
  - 2.2.16 substances in a form intended to enable delivery by transdermal diffusion or osmosis or by the insertion of any solid object or substance into the eye cavity, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
  - 2.2.17 substances in a form intended for intravenous delivery (other than by injection), unless it is specified in Sections B to G of the Schedule that they may be in such a form;
  - 2.2.18 substances packed in pre-loaded syringes known as Min-I-Jets, unless it is specified in Sections B to G of the Schedule that they may be so packed;
  - 2.2.19 Community Pharmaceuticals prescribed as cough mixtures, unless they are specified in Sections B to G of the Schedule otherwise than in combination with other ingredients;
  - 2.2.20 vitamin preparations in capsule form, unless they are specified in Sections B to G of the Schedule;
  - 2.2.21 substances prescribed for use as irrigating solutions, unless it is specified in Sections B to G of the Schedule that they may be prescribed for such use.
- 2.3 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
- 2.3.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines

- Act 1981; or
- 2.3.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
- 2.3.3 in the absence of the standards prescribed in clauses 2.3.1 and 2.3.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
- 2.3.4 in the absence of the standards prescribed in clauses 2.3.1, 2.3.2 and 2.3.3, are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

### PART III

#### PERIOD AND QUANTITY OF SUPPLY

##### 3.1 Doctors', Dietitians', Midwives', Nurse Prescribers' and Optometrists' Prescriptions (other than oral contraceptives)

The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor, Dietitian, Midwife, Nurse Prescriber or Optometrist:

- 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity sufficient to provide treatment for a period not exceeding three Months will be subsidised.
- 3.1.2 For methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug other than methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity:
- sufficient to provide treatment for a period not exceeding 10 days; and
  - which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Dietitian, Midwife or Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
- one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
  - more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
    - in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
    - if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
      - the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
      - both:
        - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
        - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
- for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
  - for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
- in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
  - in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only that part of any Prescription that is dispensed within the time frames specified above is eligible for

## SECTION A: GENERAL RULES

Subsidy.

3.1.7 If a Community Pharmaceutical:

- a) is stable for a limited period only, and the Doctor, Dietitian, Midwife, Nurse Prescriber or Optometrist has endorsed the Prescription with the words “unstable medicine” and has specified the maximum quantity that may be dispensed at any one time; or
- b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words “unstable medicine” and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
- c) is Close Control,

The actual quantity dispensed will be subsidised in accordance with any such specification.

### 3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife or Nurse Prescriber for an oral contraceptive:

3.2.1 The prescribing Doctor, Midwife or Nurse Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed:

- a) three Months if prescribed by a Midwife; or
- b) six Months if prescribed by a Doctor or Nurse Practitioner.

3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:

- a) in Lots as specified in the Prescription if the Community Pharmaceutical is Close Control; or
- b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.

3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.

3.2.4 An oral contraceptive prescribed by a Midwife is only eligible for Subsidy if the Prescription under which it has been dispensed has been written within the period of post natal care of the eligible person.

3.2.5 Where a Community Pharmaceutical in a Prescription is Close Control and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

### 3.3 Dentists' Prescriptions

The following provisions apply to every Prescription written by a Dentist:

3.3.1 The maximum quantity of a Community Pharmaceutical that will be subsidised is as follows:

- a) where the Community Pharmaceutical is a Controlled Drug, only such quantity as is necessary to provide treatment for a period not exceeding five days; and
- b) in any other case, only such quantity as is necessary to provide treatment for a period not exceeding five days and, where the Prescription specifies a repeat, one further period not exceeding five days.

3.3.2 Notwithstanding clause 3.3.1, if, in the opinion of the Dentist, an eligible person needs extended treatment with sodium fluoride for up to three Months, the Community Pharmaceutical will be subsidised for that extended period. A Prescription for any such extended supply of sodium fluoride will be subsidised only if it is dispensed in Monthly Lots, unless the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect.

3.3.3 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed has been presented to the Contractor:

- a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
- b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.

3.3.4 No Subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:

- a) one Month from the date the Community Pharmaceutical was first dispensed; or
- b) in the case of sodium fluoride, three Months from the date the Community Pharmaceutical was first dispensed.

Only that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.

### 3.4 Original Packs, and Certain Antibiotics

3.4.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a

container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:

- a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
- b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.

3.4.2 If a Community Pharmaceutical is the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:

- a) the difference the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eg; if a prescription is for 105 mls then a 100ml pack would be dispensed); and
- b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

### 3.5 Dietitians' Prescriptions

The following provisions apply to every Prescription written by a Dietitian:

3.5.1 Prescriptions written by a Dietitian for a Community Pharmaceutical will only be subsidised where they are for either:

- a) special foods, as listed in Section D; or
- b) any other Pharmaceutical that has been identified in Section D of the Pharmaceutical Schedule as being able to be prescribed by a Dietitian,

providing that the products being prescribed are not classified as Prescription Medicines or Restricted Medicines.

3.5.2 For the purposes of Dietitians prescribing pursuant to this clause 3.5, the prescribing and dispensing of these products is required to be in accordance with regulations 41 and 42 of the Medicines Regulations 1984.

## PART IV MISCELLANEOUS PROVISIONS

### 4.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

4.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.

4.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.

4.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.

4.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.

4.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:

- a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
- b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.

4.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.

## SECTION A: GENERAL RULES

- 4.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

### 4.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 4.2.1 Subject to clause 4.2.3, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 4.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
- a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
  - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 4.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
- a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
    - i) is personally signed and dated by the Practitioner; and
    - ii) sets out the Practitioner's address; and
    - iii) sets out the Community Pharmaceuticals and quantities, and;
  - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 4.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.

### 4.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

#### 4.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

#### 4.3.2 Expiry

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 4.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 4.3.1 and 4.3.2, for the individual Patient.

- 4.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.

- 4.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

### 4.4 Pharmaceutical Cancer Treatments

- 4.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments by funding their use in the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.

- 4.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:

- a) has Cancer Exceptional Circumstances approval;

- b) has Community Exceptional Circumstances or Hospital Exceptional Circumstances approval;
- c) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
- d) is being used and funded as part of a paediatric oncology service; or
- e) was being used to treat the patient in question prior to 1 July 2005.

4.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatments with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:

- a) Part 1;
- b) clauses 2.1 to 2.3;
- c) clauses 3.1 to 3.4; and
- d) clause 4.4,

of Section A of the Schedule

4.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.

4.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 direction from the Minister of Health as to pharmaceuticals and indications for which DHBs must provide funding. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under the Medicines Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.

#### 4.5 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication;

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

#### 4.6 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical

## SECTION A: GENERAL RULES

---

available, a Contractor may dispense the fully subsidised Community Pharmaceutical, subject to:

- a) the Contractor having received a general Authority to Substitute from the Practitioner in relation to the particular medicine or medicines in general; or
- b) the Practitioner having indicated their Authority to Substitute on the prescription; or
- c) the Practitioner having given their Authority to Substitute in relation to the particular prescription.

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget.

When dispensing a subsidised alternative brand, the Contractor must annotate and initial the prescription.

### 4.7 **Alteration to Presentation of Pharmaceutical Dispensed**

A Contractor, when dispensing a Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed but may not alter the total daily dose. If the change will result in additional cost to the DHBs, then:

- a) the Practitioner must authorise and initial the alteration; or
- b) in cases where PHARMAC has approved and notified in writing such a change in dispensing of a named Pharmaceutical due to an out of stock event or short supply, the Contractor must annotate and initial the alteration.

### 4.8 **Amendment of Schedule**

PHARMAC may amend the terms of the Schedule from time to time by notice in writing given in such manner as PHARMAC thinks fit, and in accordance with such protocols as agreed with the Pharmacy Guild of New Zealand (Inc) from time to time.

### 4.9 **Conflict in Provisions**

If any rules in Sections B-G of this Schedule conflict with the rules in Section A, the rules in Sections B-G apply.



## SECTION B: ALIMENTARY TRACT AND METABOLISM

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per    | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|--------|--------------------------|-------------------------------------|
| <b>Antacids and Antiflatulants</b>  |   |        |                          |                                     |
| <b>Antacids and Reflux Barrier Agents</b>   |   |        |                          |                                     |
| <b>ALGINIC ACID</b>   |   |        |                          |                                     |
| Sodium alginate 225 mg and magnesium alginate 87.5 mg<br>per sachet .....   | 4.50                                    | 30     | ✓                        | Gaviscon Infant                     |
| <b>CALCIUM CARBONATE WITH AMINOACETIC ACID</b>  |   |        |                          |                                     |
| * Tab 420 mg with aminoacetic acid 180 mg – Higher subsidy<br>of \$6.30 per 100 tab with Endorsement.....                 | 3.00<br>(6.30)                          | 100    |                          | Titralac                            |
| Additional subsidy by endorsement is available for pregnant women. The prescription must be endorsed accordingly.         |   |        |                          |                                     |
| <b>SIMETHICONE</b>  |   |        |                          |                                     |
| * Oral liq aluminium hydroxide 200 mg with magnesium hydrox-<br>ide 200 mg and activated simethicone 20 mg per 5 ml ..... | 1.50<br>(4.26)                          | 500 ml |                          | Mylanta P                           |
| <b>SODIUM ALGINATE</b>  |   |        |                          |                                     |
| * Tab 500 mg with sodium bicarbonate 267 mg and calcium<br>carbonate 160 mg - peppermint flavour .....                    | 1.80<br>(8.60)                          | 60     |                          | Gaviscon Double<br>Strength         |
| * Oral liq 500 mg with sodium bicarbonate 267 mg and calcium<br>carbonate 160 mg per 10 ml .....                          | 1.50<br>(4.95)                          | 500 ml |                          | Acidex                              |
| * Oral liq 500 mg with sodium bicarbonate 267 mg per 10 ml<br>(aniseed) .....   | 1.50<br>(8.64)                          | 500 ml |                          | Gaviscon                            |
| <i>(Gaviscon Oral liq 500 mg with sodium bicarbonate 267 mg per 10 ml (aniseed) to be delisted 1 January 2011)</i>        |   |        |                          |                                     |
| <b>Phosphate Binding Agents</b>   |   |        |                          |                                     |
| <b>ALUMINIUM HYDROXIDE</b>  |   |        |                          |                                     |
| Tab 600 mg .....  | 12.56                                   | 100    | ✓                        | Alu-Tab                             |
| <b>Antidiarrhoeals</b>  |   |        |                          |                                     |
| <b>Agents Which Reduce Motility</b>   |   |        |                          |                                     |
| <b>DIPHENOXYLATE HYDROCHLORIDE WITH ATROPINE SULPHATE</b>   |   |        |                          |                                     |
| * Tab 2.5 mg with atropine sulphate 25 µg .....   | 3.90                                    | 100    | ✓                        | Diastop                             |
| <b>LOPERAMIDE HYDROCHLORIDE – Up to 30 cap available on a PSO</b>   |   |        |                          |                                     |
| * Tab 2 mg .....  | 11.50                                   | 400    | ✓                        | Nodia                               |
| * Cap 2 mg .....  | 8.95                                    | 400    | ✓                        | Diamide Relief                      |
| <b>Rectal and Colonic Anti-inflammatories</b>   |   |        |                          |                                     |
| <b>BUDESONIDE</b>   |   |        |                          |                                     |
| Cap 3 mg – Special Authority see SA0913 on the next page<br>– Retail pharmacy .....                                       | 166.50                                  | 90     | ✓                        | Entocort CIR                        |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time  
if endorsed "certified exemption" by the prescriber.

| Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|-----|--------------------------|-------------------------------------|
|---|-----|--------------------------|-------------------------------------|

## ►SA0913 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Mild to moderate ileal, ileocaecal or proximal Crohn's disease; and
- 2 Any of the following:
  - 2.1 Diabetes; or
  - 2.2 Cushingoid habitus; or
  - 2.3 Osteoporosis where there is significant risk of fracture; or
  - 2.4 Severe acne following treatment with conventional corticosteroid therapy.

**Renewal** from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

The patient may not have had more than 1 prior approval in the last year.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

### HYDROCORTISONE ACETATE

|   |       |           |                   |
|---|-------|-----------|-------------------|
| Rectal foam 10%, CFC-Free (14 applications) ..... | 23.00 | 21.1 g OP | ✓ <u>Colifoam</u> |
|---|-------|-----------|-------------------|

### MESALAZINE

|                              |       |     |           |
|------------------------------|-------|-----|-----------|
| Tab 400 mg .....             | 49.50 | 100 | ✓ Asacol  |
| Tab EC 500 mg .....          | 49.50 | 100 | ✓ Asamax  |
| Tab long-acting 500 mg ..... | 59.05 | 100 | ✓ Pentasa |
| Enema 1 g per 100 ml .....   | 45.96 | 7   | ✓ Pentasa |
| Suppos 500 mg .....          | 25.20 | 20  | ✓ Asacol  |
| Suppos 1 g .....             | 50.96 | 28  | ✓ Pentasa |

### OLSALAZINE

|                  |       |     |            |
|------------------|-------|-----|------------|
| Tab 500 mg ..... | 59.86 | 100 | ✓ Dipentum |
| Cap 250 mg ..... | 31.51 | 100 | ✓ Dipentum |

### SODIUM CROMOGLYATE

|                  |       |     |           |
|------------------|-------|-----|-----------|
| Cap 100 mg ..... | 89.21 | 100 | ✓ Nalcrom |
|------------------|-------|-----|-----------|

### SULPHASALAZINE

|                       |       |     |                  |
|-----------------------|-------|-----|------------------|
| * Tab 500 mg .....    | 11.68 | 100 | ✓ Salazopyrin    |
| * Tab EC 500 mg ..... | 12.89 | 100 | ✓ Salazopyrin EN |

## Antihæmorrhoids

### Corticosteroids

#### FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVALATE AND CINCHOCAINE

|   |      |         |              |
|---|------|---------|--------------|
| Oint 950 µg, with fluocortolone pivalate 920 µg, and cinchocaine hydrochloride 5 mg per g ..... | 6.35 | 30 g OP | ✓ Ultraproct |
| Suppos 630 µg, with fluocortolone pivalate 610 µg, and cinchocaine hydrochloride 1 mg .....     | 2.66 | 12      | ✓ Ultraproct |

#### HYDROCORTISONE WITH CINCHOCAINE

|   |       |         |               |
|---|-------|---------|---------------|
| Oint 5 mg with cinchocaine hydrochloride 5 mg per g .....   | 15.00 | 30 g OP | ✓ Proctosedyl |
| Suppos 5 mg with cinchocaine hydrochloride 5 mg per g ..... | 9.90  | 12      | ✓ Proctosedyl |

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|--|---|----------------------------|-------------------------------------|
| <b>Soothing Agents</b>   |   |                            |                                     |
| <b>ZINC OXIDE</b>  |   |                            |                                     |
| Oint zinc oxide with balsam peru .....   | 4.50<br>(6.67)                          | 50 g OP                    | Anusol                              |
| Suppos zinc oxide with balsam peru .....   | 4.47<br>(6.49)                          | 12                         | Anusol                              |
| <i>(Anusol Oint zinc oxide with balsam peru to be delisted 1 January 2011)</i>   |   |                            |                                     |
| <i>(Anusol Suppos zinc oxide with balsam peru to be delisted 1 January 2011)</i> |   |                            |                                     |

**Antispasmodics and Other Agents Altering Gut Motility**

|   |       |    |                       |
|---|-------|----|-----------------------|
| <b>ATROPINE SULPHATE</b>                                  |       |    |                       |
| * Inj 600 µg, 1 ml – Up to 5 inj available on a PSO ..... | 52.00 | 50 | ✓ <u>AstraZeneca</u>  |
| <b>HYOSCINE N-BUTYLBROMIDE</b>                            |       |    |                       |
| * Tab 10 mg .....   | 1.62  | 20 | ✓ <u>Gastrosoothe</u> |
| * Inj 20 mg, 1 ml – Up to 5 inj available on a PSO .....  | 8.04  | 5  | ✓ <u>Buscopan</u>     |
| <b>MEBEVERINE HYDROCHLORIDE</b>                           |       |    |                       |
| * Tab 135 mg .....  | 18.00 | 90 | ✓ <u>Colofac</u>      |

**Antilcerants****Antisecretory and Cytoprotective**

|                    |       |     |                  |
|--------------------|-------|-----|------------------|
| <b>MISOPROSTOL</b> |       |     |                  |
| * Tab 200 µg ..... | 52.70 | 120 | ✓ <u>Cytotec</u> |

**Helicobacter Pylori Eradication**

|  |       |    |                   |
|--|-------|----|-------------------|
| <b>CLARITHROMYCIN</b>  |       |    |                   |
| Tab 500 mg – Subsidy by endorsement .....  | 23.30 | 14 | ✓ <u>Klamycin</u> |
| a) Maximum of 14 tab per prescription  |       |    |                   |
| b) Subsidised only if prescribed for helicobacter pylori eradication and prescription is endorsed accordingly. |       |    |                   |

Note: the prescription is considered endorsed if clarithromycin is prescribed in conjunction with a proton pump inhibitor and either amoxycillin or metronidazole.

**OMEPRAZOLE, AMOXYCILLIN AND CLARITHROMYCIN**

|   |       |      |                        |
|---|-------|------|------------------------|
| Omeprazole cap 20 mg × 14, amoxycillin cap 500 mg × 28<br>and clarithromycin tab 500 mg × 14 .....  | 55.00 | 1 OP | ✓ <u>Losec Hp7 OAC</u> |
| <i>(Losec Hp7 OAC Omeprazole cap 20 mg × 14, amoxycillin cap 500 mg × 28 and clarithromycin tab 500 mg × 14 to be delisted 1 December 2010)</i> |       |      |                        |

**H2 Antagonists**

|  |                  |     |                |
|--|------------------|-----|----------------|
| <b>CIMETIDINE – Only on a prescription</b> |                  |     |                |
| * Tab 200 mg .....                         | 5.00<br>(7.50)   | 100 | Apo-Cimetidine |
| * Tab 400 mg .....                         | 10.00<br>(12.00) | 100 | Apo-Cimetidine |
| <b>FAMOTIDINE – Only on a prescription</b> |                  |     |                |
| * Tab 20 mg .....                          | 8.10             | 250 | ✓ <u>Famox</u> |
| * Tab 40 mg .....                          | 11.35            | 250 | ✓ <u>Famox</u> |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## ALIMENTARY TRACT AND METABOLISM

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per    | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|--------|--------------------------|-------------------------------------|
| <b>RANITIDINE HYDROCHLORIDE – Only on a prescription</b> |   |        |                          |                                     |
| * Tab 150 mg .....                                       | 7.99                                    | 250    | ✓                        | Arrow-Ranitidine                    |
| * Tab 300 mg .....                                       | 10.94                                   | 250    | ✓                        | Arrow-Ranitidine                    |
| * Oral liq 150 mg per 10 ml .....                        | 7.95                                    | 300 ml | ✓                        | Peptisoothe                         |
| * Inj 25 mg per ml, 2 ml .....                           | 8.75                                    | 5      | ✓                        | Zantac                              |

### Proton Pump Inhibitors

|   |       |    |   |  |
|---|-------|----|---|--|
| <b>LANSOPRAZOLE</b>                       |       |    |   |  |
| * Cap 15 mg .....                         | 3.50  | 28 | ✓ | Solox                                    |
| * Cap 30 mg .....                         | 4.65  | 28 | ✓ | Solox                                    |
| <b>OMEPRAZOLE</b>                         |       |    |   |  |
| For omeprazole suspension refer, page 174 |       |    |   |  |
| * Cap 10 mg .....                         | 2.14  | 30 | ✓ | <u>Dr Reddy's</u><br><u>Omeprazole</u>   |
| * Cap 20 mg .....                         | 3.05  | 30 | ✓ | <u>Dr Reddy's</u><br><u>Omeprazole</u>   |
| * Cap 40 mg .....                         | 3.59  | 30 | ✓ | <u>Dr Reddy's</u><br><u>Omeprazole</u>   |
| * Inj 40 mg .....                         | 38.20 | 5  | ✓ | <u>Dr Reddy's</u><br><u>Omeprazole</u>   |
| <b>PANTOPRAZOLE</b>                       |       |    |   |  |
| * Tab 20 mg .....                         | 1.23  | 28 | ✓ | <u>Dr Reddy's</u><br><u>Pantoprazole</u> |
| * Tab 40 mg .....                         | 1.54  | 28 | ✓ | <u>Dr Reddy's</u><br><u>Pantoprazole</u> |
| * Inj 40 mg .....                         | 8.75  | 1  | ✓ | Pantocid IV                              |

### Site Protective Agents

|                   |                  |     |  |          |
|-------------------|------------------|-----|--|----------|
| <b>SUCRALFATE</b> |                  |     |  |          |
| Tab 1 g .....     | 35.50<br>(48.28) | 120 |  | Carafate |

## Diabetes

### Hyperglycaemic Agents

|   |       |   |   |                  |
|---|-------|---|---|------------------|
| <b>GLUCAGON HYDROCHLORIDE</b>                               |       |   |   |                  |
| Inj 1 mg syringe kit – Up to 5 kit available on a PSO ..... | 27.00 | 1 | ✓ | Glucagen Hypokit |

### Insulin - Short-acting Preparations

|                                      |       |          |   |                  |
|--------------------------------------|-------|----------|---|------------------|
| <b>INSULIN NEUTRAL</b>               |       |          |   |                  |
| ▲ Inj human 100 u per ml .....       | 25.26 | 10 ml OP | ✓ | Actrapid         |
|                                      |       |          | ✓ | Humulin R        |
| ▲ Inj human 100 u per ml, 3 ml ..... | 42.66 | 5        | ✓ | Actrapid Penfill |
|                                      |       |          | ✓ | Humulin R        |

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per      | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|----------|--------------------------|-------------------------------------|
| <b>Insulin - Intermediate-acting Preparations</b>                              |   |          |                          |                                     |
| INSULIN ISOPHANE   |   |          |                          |                                     |
| ▲ Inj human 100 u per ml .....   | 17.68                                   | 10 ml OP | ✓                        | Humulin NPH                         |
|  |   |          | ✓                        | Protaphane                          |
| ▲ Inj human 100 u per ml, 3 ml .....   | 29.86                                   | 5        | ✓                        | Humulin NPH                         |
|  |   |          | ✓                        | Protaphane Penfill                  |
| INSULIN ISOPHANE WITH INSULIN NEUTRAL  |   |          |                          |                                     |
| ▲ Inj human with neutral insulin 100 u per ml .....                            | 25.26                                   | 10 ml OP | ✓                        | Humulin 30/70                       |
|  |   |          | ✓                        | Mixtard 30                          |
| ▲ Inj human with neutral insulin 100 u per ml, 3 ml .....                      | 42.66                                   | 5        | ✓                        | Humulin 30/70                       |
|  |   |          | ✓                        | PenMix 30                           |
|  |   |          | ✓                        | PenMix 40                           |
|  |   |          | ✓                        | PenMix 50                           |
| INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE                                   |   |          |                          |                                     |
| ▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml,<br>3 ml ..... | 52.15                                   | 5        | ✓                        | Humalog Mix 25                      |
| ▲ Inj lispro 50% with insulin lispro protamine 50% 100 u per ml, 3<br>ml ..... | 52.15                                   | 5        | ✓                        | Humalog Mix 50                      |

**Insulin - Long-acting Preparations**

## INSULIN GLARGINE

Note: Only for patients meeting one of the following criteria:

- a) Type 1 diabetes; or
- b) Other condition related diabetes (e.g. Cystic Fibrosis, diabetes in pregnancy, pancreatectomy patients); or
- c) Type 2 diabetes after there has been unacceptable hypoglycaemic events with a 3 month trial of an insulin regimen; or
- d) Type 2 diabetes who require insulin therapy and who require assistance from a carer or healthcare professional to administer their insulin injections.

|   |       |   |   |                 |
|---|-------|---|---|-----------------|
| ▲ Inj 100 u per ml, 10 ml .....               | 63.00 | 1 | ✓ | Lantus          |
| ▲ Inj 100 u per ml, 3 ml .....                | 94.50 | 5 | ✓ | Lantus          |
| ▲ Inj 100 u per ml, 3 ml disposable pen ..... | 94.50 | 5 | ✓ | Lantus SoloStar |

**Insulin - Rapid Acting Preparations**

## INSULIN ASPART

|                                 |       |   |   |                   |
|---------------------------------|-------|---|---|-------------------|
| ▲ Inj 100 u per ml, 3 ml .....  | 51.19 | 5 | ✓ | NovoRapid Penfill |
| ▲ Inj 100 u per ml, 10 ml ..... | 30.03 | 1 | ✓ | NovoRapid         |

## INSULIN GLULISINE

|   |       |   |   |                 |
|---|-------|---|---|-----------------|
| ▲ Inj 100 u per ml, 10 ml .....               | 27.03 | 1 | ✓ | Apidra          |
| ▲ Inj 100 u per ml, 3 ml .....                | 46.07 | 5 | ✓ | Apidra          |
| ▲ Inj 100 u per ml, 3 ml disposable pen ..... | 46.07 | 5 | ✓ | Apidra SoloStar |

## INSULIN LISPRO

|                                 |       |          |   |         |
|---------------------------------|-------|----------|---|---------|
| ▲ Inj 100 u per ml, 10 ml ..... | 34.92 | 10 ml OP | ✓ | Humalog |
| ▲ Inj 100 u per ml, 3 ml .....  | 59.52 | 5        | ✓ | Humalog |

**Alpha Glucosidase Inhibitors**

## ACARBOSE

|                    |       |    |   |          |
|--------------------|-------|----|---|----------|
| * Tab 50 mg .....  | 16.50 | 90 | ✓ | Glucobay |
| * Tab 100 mg ..... | 26.70 | 90 | ✓ | Glucobay |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
|--|---|-----|--------------------------|-------------------------------------|

**Oral Hypoglycaemic Agents**

|  |       |     |   |                       |
|--|-------|-----|---|-----------------------|
| <b>GLIBENCLAMIDE</b>   |       |     |   |                       |
| * Tab 5 mg .....   | 5.00  | 100 | ✓ | <b>Daonil</b>         |
| <b>GLICLAZIDE</b>  |       |     |   |                       |
| * Tab 80 mg .....  | 22.24 | 500 | ✓ | <b>Apo-Gliclazide</b> |
| <b>GLIPIZIDE</b>   |       |     |   |                       |
| * Tab 5 mg .....   | 3.50  | 100 | ✓ | <b>Minidiab</b>       |
| <b>METFORMIN HYDROCHLORIDE</b>   |       |     |   |                       |
| * Tab immediate-release 500 mg .....                                       | 8.09  | 500 | ✓ | <b>Apotex</b>         |
| * Tab immediate-release 850 mg .....                                       | 6.67  | 250 | ✓ | <b>Apotex</b>         |
| <b>PIOGLITAZONE</b> – Special Authority see SA0959 below – Retail pharmacy |       |     |   |                       |
| Tab 15 mg .....  | 2.61  | 28  | ✓ | <b>Pizaccord</b>      |
| Tab 30 mg .....  | 5.23  | 28  | ✓ | <b>Pizaccord</b>      |
| Tab 45 mg .....  | 7.80  | 28  | ✓ | <b>Pizaccord</b>      |

**►SA0959 Special Authority for Subsidy**

**Initial application — (Patients with type 2 diabetes)** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has not achieved glycaemic control on maximum doses of metformin or a sulphonylurea or where either or both are contraindicated or not tolerated; or
- 2 Patient is on insulin.

**Diabetes Management**
**Ketone Testing**

|   |       |             |   |  |
|---|-------|-------------|---|--|
| <b>KETONE BLOOD BETA-KETONE ELECTRODES</b> – Maximum of 20 strip per prescription |       |             |   |  |
| Test strip – Not on a BSO .....   | 7.07  | 10 strip OP | ✓ | <b>Optium Blood Ketone Test Strips</b> |
| <b>SODIUM NITROPRUSSIDE</b> – Maximum of 20 strip per prescription                |       |             |   |  |
| * Test strip – Not on a BSO .....   | 14.14 | 20 strip OP | ✓ | <b>Ketostix</b>                        |

**Blood Glucose Testing**

**BLOOD GLUCOSE DIAGNOSTIC TEST METER** – Subsidy by endorsement

a) Maximum of 1 meter per prescription

b)

- 1) A diagnostic blood glucose test meter is subsidised for patients who begin insulin or sulphonylurea therapy after 1 March 2005 or is prescribed for a pregnant woman with diabetes.
- 2) Only one meter per patient. No further prescriptions will be subsidised. The prescription must be endorsed accordingly.

|             |       |   |   |                           |
|-------------|-------|---|---|---------------------------|
| Meter ..... | 6.00  | 1 | ✓ | <b>CareSens POP</b>       |
|             | 9.00  |   | ✓ | <b>CareSens II</b>        |
|             |       |   | ✓ | <b>FreeStyle Lite</b>     |
|             |       |   | ✓ | <b>On Call Advanced</b>   |
|             |       |   | ✓ | <b>Optium Xceed</b>       |
|             | 19.00 |   | ✓ | <b>Accu-Chek Performa</b> |

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per        | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|------------|--------------------------|-------------------------------------|
| <b>BLOOD GLUCOSE DIAGNOSTIC TEST STRIP</b>   |   |            |                          |                                     |
| The number of test strips available on a prescription is restricted to 50 unless:  |   |            |                          |                                     |
| 1) Prescribed with insulin or a sulphonylurea but are on a different prescription and the prescription is endorsed accordingly; or   |   |            |                          |                                     |
| 2) Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or   |   |            |                          |                                     |
| 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly.   |   |            |                          |                                     |
| SensoCard blood glucose test strips are subsidised only if prescribed for a patient who is severely visually impaired and is using a SensoCard Plus Talking Blood Glucose Monitor. |   |            |                          |                                     |
| Blood glucose test strips × 50 and lancets × 5   | 19.10                                   | 1 OP       | ✓                        | On Call Advanced                    |
|  | 19.60                                   |            | ✓                        | CareSens                            |
| Blood glucose test strips  | 21.65                                   | 50 test OP | ✓                        | Accu-Chek Performa                  |
|  |   |            | ✓                        | FreeStyle Lite                      |
|  | 10.82                                   | 25 test OP | ✓                        | Optium 5 second test                |
|  | 21.65                                   | 50 test OP | ✓                        | Optium 5 second test                |
|  | 26.20                                   |            | ✓                        | SensoCard                           |

### Insulin Syringes and Needles

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly.

INSULIN PEN NEEDLES – Maximum of 100 dev per prescription

|                  |         |     |   |                |
|------------------|---------|-----|---|----------------|
| * 29 g × 12.7 mm | 10.50   | 100 | ✓ | ABM            |
|                  | 3.15    | 30  | ✓ | B-D Micro-Fine |
|                  | 10.50   | 100 | ✓ | B-D Micro-Fine |
|                  | 11.75   |     | ✓ | SC Profi-Fine  |
| * 31 g × 5 mm    | 11.75   | 100 | ✓ | B-D Micro-Fine |
|                  |         |     | ✓ | SC Profi-Fine  |
| * 31 g × 6 mm    | 10.50   | 100 | ✓ | ABM            |
|                  | 11.75   |     | ✓ | Fine Ject      |
|                  | 10.50   |     |   |                |
|                  | (26.00) |     |   | NovoFine       |
| * 31 g × 8 mm    | 10.50   | 100 | ✓ | ABM            |
|                  | 3.15    | 30  | ✓ | B-D Micro-Fine |
|                  | 10.50   | 100 | ✓ | B-D Micro-Fine |
|                  | 11.75   |     | ✓ | SC Profi-Fine  |
| * 32 g × 4 mm    | 10.50   | 100 | ✓ | B-D Micro-Fine |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## ALIMENTARY TRACT AND METABOLISM

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|-----|--------------------------|-------------------------------------|
| INSULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE – Maximum of 100 dev per prescription |   |     |                          |                                     |
| * Syringe 0.3 ml with 29 g × 12.7 mm needle .....                                       | 13.00                                   | 100 | ✓                        | ABM                                 |
|   | 1.30                                    | 10  | ✓                        | DM Ject                             |
|   | (1.99)                                  |     |                          | B-D Ultra Fine                      |
|   | 13.00                                   | 100 | ✓                        | B-D Ultra Fine                      |
| * Syringe 0.3 ml with 31 g × 8 mm needle .....  | 13.00                                   | 100 | ✓                        | ABM                                 |
|   | 1.30                                    | 10  |                          |                                     |
|   | (1.99)                                  |     |                          | B-D Ultra Fine II                   |
|   | 13.00                                   | 100 | ✓                        | B-D Ultra Fine II                   |
|   |   |     | ✓                        | DM Ject                             |
| * Syringe 0.5 ml with 29 g × 12.7 mm needle .....                                       | 13.00                                   | 100 | ✓                        | ABM                                 |
|   |   |     | ✓                        | DM Ject                             |
|   | 1.30                                    | 10  |                          |                                     |
|   | (1.99)                                  |     |                          | B-D Ultra Fine                      |
| * Syringe 0.5 ml with 31 g × 8 mm needle .....  | 13.00                                   | 100 | ✓                        | B-D Ultra Fine                      |
|   | 1.30                                    | 10  | ✓                        | ABM                                 |
|   | (1.99)                                  |     |                          | B-D Ultra Fine II                   |
|   | 13.00                                   | 100 | ✓                        | B-D Ultra Fine II                   |
|   |   |     | ✓                        | DM Ject                             |
| * Syringe 1 ml with 29 g × 12.7 mm needle .....   | 13.00                                   | 100 | ✓                        | ABM                                 |
|   | 1.30                                    | 10  |                          |                                     |
|   | (1.99)                                  |     |                          | B-D Ultra Fine                      |
|   | 13.00                                   | 100 | ✓                        | B-D Ultra Fine                      |
|   |   |     | ✓                        | DM Ject                             |
| * Syringe 1 ml with 31 g × 8 mm needle .....  | 13.00                                   | 100 | ✓                        | ABM                                 |
|   | 1.30                                    | 10  |                          |                                     |
|   | (1.99)                                  |     |                          | B-D Ultra Fine II                   |
|   | 13.00                                   | 100 | ✓                        | B-D Ultra Fine II                   |
|   |   |     | ✓                        | DM Ject                             |

## Digestives Including Enzymes

### PANCREATIC ENZYME

|   |       |     |   |                 |
|---|-------|-----|---|-----------------|
| Tab EC 1,900 BP u lipase, 1,700 BP u amylase, 110 BP u protease .....     | 32.46 | 300 | ✓ | Pancrex V       |
| Tab EC 5,600 BP u lipase, 5,000 BP u amylase, 330 BP u protease .....     | 58.44 | 300 | ✓ | Pancrex V Forte |
| Cap 8,000 BP u lipase, 9,000 BP u amylase, 430 BP u protease .....        | 67.26 | 300 | ✓ | Pancrex V       |
| Cap 8,000 USP u lipase, 30,000 USP u amylase, 30,000 USP u protease ..... | 85.00 | 250 | ✓ | Cotazym ECS     |
| Cap EC 10,000 BP u lipase, 9,000 BP u amylase and 210 BP u protease ..... | 34.93 | 100 | ✓ | Creon 10000     |
| Cap EC 25,000 BP u lipase, 18,000 BP u amylase, 1,000 BP u protease ..... | 94.38 | 100 | ✓ | Creon Forte     |
| Cap EC 25,000 BP u lipase, 22,500 BP u amylase, 1,250 BP u protease ..... | 94.40 | 100 | ✓ | Panzytrat       |

(Cotazym ECS Cap 8,000 USP u lipase, 30,000 USP u amylase, 30,000 USP u protease to be delisted 1 May 2011)



|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|-----|--------------------------|-------------------------------------|
| URSODEOXYCHOLIC ACID – Special Authority see SA1003 below – Retail pharmacy |   |     |                          |                                     |
| Cap 300 mg .....  | 179.00                                  | 100 | ✓                        | <b>Actigall</b>                     |

### SA1003 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:  
Either:

- 1 Patient diagnosed with cholestasis of pregnancy; or
- 2 Both:
  - 2.1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
  - 2.2 Patient not requiring a liver transplant (bilirubin > 170µmol/l; decompensated cirrhosis).

Note: Liver biopsy is not usually required for diagnosis but is helpful to stage the disease.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 170 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure – doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

## Laxatives

### Bulk-forming Agents

MUCILAGINOUS LAXATIVES – Only on a prescription

|  |         |          |                   |
|--|---------|----------|-------------------|
| * Dry .....  | 6.02    | 500 g OP | ✓ <b>Konsyl-D</b> |
|  | 4.58    | 380 g OP |                   |
|  | (6.69)  |          | Mucilax           |
|  | 5.42    | 450 g OP |                   |
|  | (12.71) |          | Isogel            |
|  | 6.02    | 500 g OP |                   |
|  | (16.49) |          | Normacol          |
| * Dry-original flavour, regular texture only ..... | 4.05    | 336 g OP |                   |
|  | (12.38) |          | Metamucil         |
| * Sugar Free .....                                 | 3.31    | 275 g OP |                   |
|  | (10.60) |          | Mucilax           |

(Mucilax Dry to be delisted 1 February 2011)

(Isogel Dry to be delisted 1 February 2011)

(Normacol Dry to be delisted 1 February 2011)

(Metamucil Dry-original flavour, regular texture only to be delisted 1 February 2011)

MUCILAGINOUS LAXATIVES WITH STIMULANTS

|             |         |          |               |
|-------------|---------|----------|---------------|
| * Dry ..... | 2.41    | 200 g OP |               |
|             | (7.69)  |          | Normacol Plus |
|             | 6.02    | 500 g OP |               |
|             | (16.49) |          | Normacol Plus |

## Faecal Softeners

DOCUSATE SODIUM – Only on a prescription

|                        |      |           |                       |
|------------------------|------|-----------|-----------------------|
| * Cap 50 mg .....      | 3.95 | 100       | ✓ <b>Laxofast 50</b>  |
| * Cap 120 mg .....     | 5.49 | 100       | ✓ <b>Laxofast 120</b> |
| * Enema conc 18% ..... | 5.40 | 100 ml OP | ✓ <b>Coloxy!</b>      |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## ALIMENTARY TRACT AND METABOLISM

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
|--|---|-----|--------------------------|-------------------------------------|

### DOCUSATE SODIUM WITH SENNOSIDES

\* Tab 50 mg with total sennosides 8 mg ..... 6.38 200 ✓ **Laxsol**

### POLOXAMER – Only on a prescription

\* Oral drops 10% ..... 3.78 30 ml OP ✓ **Coloxyl**

## Osmotic Laxatives

### GLYCEROL

\* Suppos 3.6 g – Only on a prescription ..... 6.00 20 ✓ **PSM**

### LACTULOSE – Only on a prescription

\* Oral liq 10 g per 15 ml ..... 6.65 1,000 ml ✓ **Duphalac**

### MACROGOL 3350 – Special Authority see SA0891 below – Retail pharmacy

Powder 13.125 g, sachets – Maximum of 60 sach per pre-  
scription ..... 18.14 30 ✓ **Movicol**

### ►SA0891 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months where the patient has problematic constipation requiring intervention with a per rectal preparation despite an adequate trial of other oral pharmacotherapies including lactulose where lactulose is not contraindicated.

**Renewal** from any relevant practitioner. Approvals valid for 12 months where the patient is compliant and is continuing to gain benefit from treatment.

### SODIUM ACID PHOSPHATE – Only on a prescription

Enema 16% with sodium phosphate 8% ..... 2.50 1 ✓ **Fleet Phosphate Enema**

### SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETATE – Only on a prescription

Enema 90 mg with sodium lauryl sulphoacetate 9 mg per ml,  
5 ml ..... 25.00 50 ✓ **Micolette**  
6.00 12  
(7.30) **MicroLax**

(MicroLax Enema 90 mg with sodium lauryl sulphoacetate 9 mg per ml, 5 ml to be delisted 1 January 2011)

## Stimulant Laxatives

### BISACODYL – Only on a prescription

\* Tab 5 mg ..... 4.99 200 ✓ **Lax-Tab**  
\* Suppos 5 mg ..... 3.00 6 ✓ **Dulcolax**  
\* Suppos 10 mg ..... 3.00 6 ✓ **Dulcolax**

### DANTHRON WITH POLOXAMER – Only on a prescription

Note: Only for the prevention or treatment of constipation in the terminally ill.

Oral liq 25 mg with poloxamer 200 mg per 5 ml ..... 9.50 300 ml ✓ **Pinorax**  
Oral liq 75 mg with poloxamer 1 g per 5 ml ..... 13.95 300 ml ✓ **Pinorax Forte**

### SENNA – Only on a prescription

\* Tab, standardised ..... 0.43 20  
(1.72)  
2.17 100 **Senokot**  
(6.16) **Senokot**

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
|--|---|-----|--------------------------|-------------------------------------|

## Metabolic Disorder Agents

### Gaucher's Disease

IMIGLUCERASE – Special Authority see SA0473 below – Retail pharmacy

|                                     |          |   |   |              |
|-------------------------------------|----------|---|---|--------------|
| Inj 40 iu per ml, 200 iu vial ..... | 1,072.00 | 1 | ✓ | Cerezyme     |
| Inj 40 iu per ml, 400 iu vial ..... | 2,144.00 | 1 | ✓ | Cerezyme S29 |

#### ►SA0473 Special Authority for Subsidy

Special Authority approved by the Gaucher's Treatment Panel

Notes: Subject to a budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz> or:

|   |   |
|---|---|
| The Co-ordinator, Gaucher's Treatment Panel | Phone: (04) 460 4990  |
| PHARMAC, PO Box 10 254                      | Facsimile: (04) 916 7571  |
| Wellington                                  | Email: <a href="mailto:gaucherpanel@pharmac.govt.nz">gaucherpanel@pharmac.govt.nz</a> |

## Mouth and Throat

### Agents Used in Mouth Ulceration

BENZDYAMINE HYDROCHLORIDE

|                  |         |        |         |
|------------------|---------|--------|---------|
| Soln 0.15% ..... | 3.60    | 200 ml |         |
|                  | (7.14)  |        | Difflam |
|                  | 9.00    | 500 ml |         |
|                  | (15.36) |        | Difflam |

CHLORHEXIDINE GLUCONATE

|                      |      |           |           |
|----------------------|------|-----------|-----------|
| Mouthwash 0.2% ..... | 3.06 | 200 ml OP | ✓ Rivacol |
|----------------------|------|-----------|-----------|

CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE

|   |        |         |         |
|---|--------|---------|---------|
| * Adhesive gel 8.7% with cetalkonium chloride 0.01% ..... | 2.06   | 15 g OP |         |
|   | (5.62) |         | Bonjela |

SODIUM CARBOXYMETHYLCELLULOSE

|                                      |         |         |               |
|--------------------------------------|---------|---------|---------------|
| With pectin and gelatin paste .....  | 17.20   | 56 g OP | ✓ Stomahesive |
|                                      | 1.52    | 5 g OP  |               |
|                                      | (3.60)  |         | Orabase       |
|                                      | 4.55    | 15 g OP |               |
|                                      | (7.90)  |         | Orabase       |
| With pectin and gelatin powder ..... | 8.48    | 28 g OP |               |
|                                      | (10.95) |         | Stomahesive   |

TRIAMCINOLONE ACETONIDE

|                                |      |        |           |
|--------------------------------|------|--------|-----------|
| 0.1% in Dental Paste USP ..... | 4.38 | 5 g OP | ✓ Oracort |
|--------------------------------|------|--------|-----------|

### Oropharyngeal Anti-infectives

AMPHOTERICIN B

|                      |      |    |            |
|----------------------|------|----|------------|
| Lozenges 10 mg ..... | 5.86 | 20 | ✓ Fungilin |
|----------------------|------|----|------------|

MICONAZOLE

|                            |      |         |            |
|----------------------------|------|---------|------------|
| Oral gel 20 mg per g ..... | 8.70 | 40 g OP | ✓ Daktarin |
|----------------------------|------|---------|------------|

NYSTATIN

|                                 |      |          |           |
|---------------------------------|------|----------|-----------|
| Oral liq 100,000 u per ml ..... | 3.19 | 24 ml OP | ✓ Nilstat |
|---------------------------------|------|----------|-----------|

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
|--|---|-----|--------------------------|-------------------------------------|

## Other Oral Agents

For folinic mouthwash, pilocarpine oral liquid or saliva substitute formula refer, page 174

### HYDROGEN PEROXIDE

\* Soln 10 vol – Maximum of 200 ml per prescription..... 1.28      100 ml      ✓ PSM

### THYMOL GLYCERIN

\* Compound, BPC ..... 9.15      500 ml      ✓ PSM

## Vitamins

### Vitamin A

#### VITAMIN A WITH VITAMINS D AND C

Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg  
per 10 drops ..... 4.50      10 ml OP      ✓ Vitadol C

### Vitamin B

#### HYDROXOCOBALAMIN

\* Inj 1 mg per ml, 1 ml – Up to 6 inj available on a PSO ..... 6.15      3      ✓ ABM  
Hydroxocobalamin

#### PYRIDOXINE HYDROCHLORIDE

a) No more than 100 mg per dose

b) Only on a prescription

\* Tab 25 mg – No patient co-payment payable ..... 3.06      90      ✓ Healtheries  
\* Tab 50 mg ..... 17.63      500      ✓ Apo-Pyridoxine

#### THIAMINE HYDROCHLORIDE – Only on a prescription

\* Tab 50 mg ..... 5.62      100      ✓ Apo-Thiamine

#### VITAMIN B COMPLEX

\* Tab, strong, BPC ..... 4.70      500      ✓ B-PlexADE  
(12.10)      Apo-B-Complex

(Apo-B-Complex Tab, strong, BPC to be delisted 1 February 2011)

### Vitamin C

#### ASCORBIC ACID

a) No more than 100 mg per dose

b) Only on a prescription

\* Tab 100 mg ..... 13.80      500      ✓ Vitala-C  
(17.25)      Apo-Ascorbic Acid

(Apo-Ascorbic Acid Tab 100 mg to be delisted 1 January 2011)

### Vitamin D

#### ALFACALCIDOL

Cap 0.25 µg ..... 26.32      100      ✓ One-Alpha

Cap 1 µg ..... 87.98      100      ✓ One-Alpha

Oral drops 2 µg per ml ..... 60.68      20 ml OP      ✓ One-Alpha

#### CALCITRIOL

\* Cap 0.25 µg ..... 3.03      30      ✓ Airflow

\* Cap 0.5 µg ..... 5.62      30      ✓ Airflow

\* Oral liq 1 µg per ml ..... 39.40      10 ml OP      ✓ Rocaltrol solution

## Vitamin E

## Multivitamin Preparations

## Minerals

## Calcium

|                        |       |    |         |
|------------------------|-------|----|---------|
| * Inj 10%, 10 ml ..... | 21.40 | 10 | ✓ Mayne |
|------------------------|-------|----|---------|

## ALIMENTARY TRACT AND METABOLISM

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per       | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|-----------|--------------------------|-------------------------------------|
| <b>Fluoride</b>   |   |           |                          |                                     |
| <b>SODIUM FLUORIDE</b>  |   |           |                          |                                     |
| Tab 1.1 mg (0.5 mg elemental) .....   | 4.00                                    | 100       | ✓ PSM                    |                                     |
| <b>Iodine</b>   |   |           |                          |                                     |
| <b>POTASSIUM IODATE</b>   |   |           |                          |                                     |
| Tab 268 µg (150 µg elemental) .....   | 7.55                                    | 90        | ✓ NeuroKare              |                                     |
| <b>Iron</b>   |   |           |                          |                                     |
| <b>FERROUS FUMARATE</b>   |   |           |                          |                                     |
| Tab 200 mg (65 mg elemental) .....  | 4.35                                    | 100       | ✓ Ferro-tab              |                                     |
| <b>FERROUS FUMARATE WITH FOLIC ACID</b>                                     |   |           |                          |                                     |
| Tab 310 mg (100 mg elemental) with folic acid 350 µg .....                  | 4.75                                    | 60        | ✓ Ferro-F-Tabs           |                                     |
| <b>FERROUS SULPHATE</b>   |   |           |                          |                                     |
| * Tab long-acting 325 mg (105 mg elemental) .....                           | 1.01<br>(4.26)                          | 30        |                          | Ferro-Gradumet                      |
|   | 5.06<br>(15.58)                         | 150       |                          | Ferro-Gradumet                      |
| *‡ Oral liq 30 mg per 1 ml (6 mg elemental per 1 ml) .....                  | 10.30                                   | 500 ml    | ✓ <u>Ferodan</u>         |                                     |
| <b>FERROUS SULPHATE WITH FOLIC ACID</b>                                     |   |           |                          |                                     |
| * Tab long-acting 325 mg (105 mg elemental) with folic acid<br>350 µg ..... | 1.80<br>(3.73)                          | 30        |                          | Ferrograd-Folic                     |
| <b>IRON POLYMALTOSE</b>   |   |           |                          |                                     |
| Inj 50 mg per ml, 2 ml .....  | 20.95                                   | 5         | ✓ <u>Ferrum H</u>        |                                     |
| <b>Magnesium</b>  |   |           |                          |                                     |
| For magnesium hydroxide mixture refer, page 174                             |   |           |                          |                                     |
| <b>MAGNESIUM SULPHATE</b>   |   |           |                          |                                     |
| Inj 49.3%, 5 ml .....   | 26.60                                   | 10        | ✓ Mayne                  |                                     |
| <b>Zinc</b>   |   |           |                          |                                     |
| <b>ZINC SULPHATE</b>  |   |           |                          |                                     |
| * Cap 137.4 mg (50 mg elemental) .....                                      | 10.00                                   | 100       | ✓ <u>Zincaps</u>         |                                     |
| <b>Agents Used in the Treatment of Poisonings</b>                           |   |           |                          |                                     |
| <b>CHARCOAL</b>   |   |           |                          |                                     |
| * Tab 300 mg .....  | 7.13                                    | 100       | ✓ Red Seal               |                                     |
| * Oral liq 50 g per 250 ml .....  | 43.50                                   | 250 ml OP | ✓ Carbosorb-X            |                                     |
| a) Up to 250 ml available on a PSO  |   |           |                          |                                     |
| b) Only on a PSO  |   |           |                          |                                     |
| <b>IPECACUANHA</b>  |   |           |                          |                                     |
| * Tincture .....  | 41.20<br>(43.40)                        | 500 ml    |                          | PSM                                 |

# ALIMENTARY TRACT AND METABOLISM

|                                 | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---------------------------------|---|----------------------------|-------------------------------------|
| SODIUM CALCIUM EDETATE          |   |                            |                                     |
| * Inj 200 mg per ml, 5 ml ..... | 53.31<br>(156.71)                       | 6                          | Calcium Disodium<br>Versenate       |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time  
if endorsed "certified exemption" by the prescriber.

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

## Antianaemics

### Hypoplastic and Haemolytic

#### ►SA0922 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Both:
  - 1.1 patient in chronic renal failure; and
  - 1.2 Haemoglobin  $\leq$  100g/L; and
- 2 Any of the following:
  - 2.1 Both:
    - 2.1.1 patient is not diabetic; and
    - 2.1.2 glomerular filtration rate  $\leq$  30ml/min; or
  - 2.2 Both:
    - 2.2.1 patient is diabetic; and
    - 2.2.2 glomerular filtration rate  $\leq$  45ml/min; or
  - 2.3 patient is on haemodialysis or peritoneal dialysis.

**Renewal** only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Notes: Erythropoietin beta is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

The Cockcroft-Gault Formula may be used to estimate glomerular filtration rate (GFR) in persons 18 years and over:

GFR (ml/min) (male) =  $(140 - \text{age}) \times \text{Ideal Body Weight (kg)} / 814 \times \text{serum creatinine (mmol/l)}$

GFR (ml/min) (female) = Estimated GFR (male)  $\times$  0.85

ERYTHROPOIETIN ALPHA – Special Authority see SA0922 above – Retail pharmacy

|  |        |   |         |
|--|--------|---|---------|
| Inj human recombinant 1,000 iu, prefilled syringe .....  | 48.68  | 6 | ✓ Eprex |
| Inj human recombinant 2,000 iu, prefilled syringe .....  | 120.18 | 6 | ✓ Eprex |
| Inj human recombinant 3,000 iu, prefilled syringe .....  | 166.87 | 6 | ✓ Eprex |
| Inj human recombinant 4,000 iu, prefilled syringe .....  | 193.13 | 6 | ✓ Eprex |
| Inj human recombinant 5,000 iu, prefilled syringe .....  | 243.26 | 6 | ✓ Eprex |
| Inj human recombinant 6,000 iu, prefilled syringe .....  | 291.92 | 6 | ✓ Eprex |
| Inj human recombinant 10,000 iu, prefilled syringe ..... | 395.18 | 6 | ✓ Eprex |

ERYTHROPOIETIN BETA – Special Authority see SA0922 above – Retail pharmacy

|  |        |   |               |
|--|--------|---|---------------|
| Inj 2,000 iu, prefilled syringe .....  | 120.18 | 6 | ✓ NeoRecormon |
| Inj 3,000 iu, prefilled syringe .....  | 166.87 | 6 | ✓ NeoRecormon |
| Inj 4,000 iu, prefilled syringe .....  | 193.13 | 6 | ✓ NeoRecormon |
| Inj 5,000 iu, prefilled syringe .....  | 243.26 | 6 | ✓ NeoRecormon |
| Inj 6,000 iu, prefilled syringe .....  | 291.29 | 6 | ✓ NeoRecormon |
| Inj 10,000 iu, prefilled syringe ..... | 395.18 | 6 | ✓ NeoRecormon |

### Megaloblastic

#### FOLIC ACID

|                             |       |          |                  |
|-----------------------------|-------|----------|------------------|
| * Tab 0.8 mg .....          | 19.80 | 1,000    | ✓ Apo-Folic Acid |
| * Tab 5 mg .....            | 10.21 | 500      | ✓ Apo-Folic Acid |
| Oral liq 50 µg per ml ..... | 21.05 | 25 ml OP | ✓ Biomed         |



|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
|--|---|-----|--------------------------|-------------------------------------|

## Antifibrinolytics, Haemostatics and Local Sclerosants

### SODIUM TETRADECYL SULPHATE

|                       |         |   |  |            |
|-----------------------|---------|---|--|------------|
| * Inj 0.5% 2 ml ..... | 23.20   | 5 |  |            |
|                       | (45.52) |   |  | Fibro-vein |
| * Inj 1% 2 ml .....   | 25.00   | 5 |  |            |
|                       | (48.98) |   |  | Fibro-vein |
| * Inj 3% 2 ml .....   | 28.50   | 5 |  |            |
|                       | (55.91) |   |  | Fibro-vein |

### TRANEXAMIC ACID

|                  |       |     |   |                    |
|------------------|-------|-----|---|--------------------|
| Tab 500 mg ..... | 32.92 | 100 | ✓ | <u>Cyklokapron</u> |
|------------------|-------|-----|---|--------------------|

## Vitamin K

### PHYTOMENADIONE

|   |      |   |   |                     |
|---|------|---|---|---------------------|
| Inj 2 mg per 0.2 ml – Up to 5 inj available on a PSO .....    | 8.00 | 5 | ✓ | <u>Konaktion MM</u> |
| May be administered orally.                                   |      |   |   |                     |
| Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO ..... | 9.21 | 5 | ✓ | <u>Konaktion MM</u> |
| May be administered orally.                                   |      |   |   |                     |

## Antithrombotic Agents

### Antiplatelet Agents

#### ASPIRIN

|                    |       |     |   |                          |
|--------------------|-------|-----|---|--------------------------|
| * Tab 100 mg ..... | 14.00 | 990 | ✓ | <u>Ethics Aspirin EC</u> |
|--------------------|-------|-----|---|--------------------------|

#### CLOPIDOGREL

|                 |         |    |   |                          |
|-----------------|---------|----|---|--------------------------|
| Tab 75 mg ..... | 5.06    | 28 | ✓ | <u>Arrow-Clopidogrel</u> |
|                 | 16.25   | 90 | ✓ | <u>Apo-Clopidogrel</u>   |
|                 | 5.06    | 28 |   | Plavix                   |
|                 | (73.38) |    |   |                          |

(Arrow-Clopidogrel Tab 75 mg to be delisted 1 February 2011)

(Plavix Tab 75 mg to be delisted 1 February 2011)

#### DIPYRIDAMOLE

|                                |       |    |   |                   |
|--------------------------------|-------|----|---|-------------------|
| * Tab 25 mg .....              | 8.36  | 84 | ✓ | <u>Persantin</u>  |
| * Tab long-acting 150 mg ..... | 11.52 | 60 | ✓ | <u>Pytazen SR</u> |

## Heparin and Antagonist Preparations

### ENOXAPARIN SODIUM – Special Authority see SA0975 on the next page – Retail pharmacy

|                  |        |    |   |                |
|------------------|--------|----|---|----------------|
| Inj 20 mg .....  | 39.20  | 10 | ✓ | <u>Clexane</u> |
| Inj 40 mg .....  | 52.30  | 10 | ✓ | <u>Clexane</u> |
| Inj 60 mg .....  | 78.85  | 10 | ✓ | <u>Clexane</u> |
| Inj 80 mg .....  | 105.12 | 10 | ✓ | <u>Clexane</u> |
| Inj 100 mg ..... | 135.20 | 10 | ✓ | <u>Clexane</u> |
| Inj 120 mg ..... | 168.00 | 10 | ✓ | <u>Clexane</u> |
| Inj 150 mg ..... | 192.00 | 10 | ✓ | <u>Clexane</u> |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## BLOOD AND BLOOD FORMING ORGANS

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
|--|---|-----|--------------------------|-------------------------------------|

### ►SA0975 Special Authority for Subsidy

**Initial application — (Pregnancy or Malignancy)** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

**Initial application — (Venous thromboembolism other than in pregnancy or malignancy)** from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic INR with oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing warfarin treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

**Renewal — (Pregnancy or Malignancy)** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

**Renewal — (Venous thromboembolism other than in pregnancy or malignancy)** from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

### HEPARIN SODIUM

|                                    |        |    |              |
|------------------------------------|--------|----|--------------|
| Inj 1,000 iu per ml, 5 ml .....    | 13.36  | 10 | ✓ Mayne      |
| .....                              | 66.80  | 50 | ✓ Mayne      |
| .....                              | 11.44  | 10 | ✓ Pfizer     |
| .....                              | 46.30  | 50 | ✓ Pfizer     |
| Inj 1,000 iu per ml, 35 ml .....   | 16.00  | 1  | ✓ Mayne      |
| Inj 5,000 iu per ml, 1 ml .....    | 14.20  | 5  | ✓ Mayne      |
| Inj 5,000 iu per ml, 5 ml .....    | 43.67  | 10 | ✓ Multiparin |
| .....                              | 118.50 | 50 | ✓ Pfizer     |
| Inj 25,000 iu per ml, 0.2 ml ..... | 9.50   | 5  | ✓ Mayne      |

(Multiparin Inj 5,000 iu per ml, 5 ml to be delisted 1 December 2010)

### HEPARINISED SALINE

\* Inj 10 iu per ml, 5 ml .....32.50 50 ✓ Pfizer

### PROTAMINE SULPHATE

\* Inj 10 mg per ml, 5 ml .....22.40 10  
(86.54) Artex

## Oral Anticoagulants

### WARFARIN SODIUM

Note: Marevan and Coumadin are not interchangeable.

|                  |      |     |            |
|------------------|------|-----|------------|
| * Tab 1 mg ..... | 3.46 | 50  | ✓ Coumadin |
| .....            | 5.69 | 100 | ✓ Marevan  |
| * Tab 2 mg ..... | 4.31 | 50  | ✓ Coumadin |
| * Tab 3 mg ..... | 8.00 | 100 | ✓ Marevan  |
| * Tab 5 mg ..... | 5.93 | 50  | ✓ Coumadin |
| .....            | 9.64 | 100 | ✓ Marevan  |

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|--|---|----------------------------|-------------------------------------|
| <b>Fluids and Electrolytes</b>   |   |                            |                                     |
| <b>Intravenous Administration</b>  |   |                            |                                     |
| <b>DEXTROSE</b>  |   |                            |                                     |
| * Inj 50%, 10 ml – Up to 5 inj available on a PSO .....  | 22.75                                   | 5                          | ✓ Biomed                            |
| * Inj 50%, 90 ml – Up to 5 inj available on a PSO .....  | 11.25                                   | 1                          | ✓ Biomed                            |
| <b>POTASSIUM CHLORIDE</b>  |   |                            |                                     |
| * Inj 75 mg per ml, 10 ml .....  | 26.00                                   | 50                         | ✓ AstraZeneca                       |
| <b>SODIUM BICARBONATE</b>  |   |                            |                                     |
| Inj 8.4%, 50ml .....   | 19.95                                   | 1                          | ✓ Biomed                            |
| a) Up to 5 inj available on a PSO  |   |                            |                                     |
| b) Not in combination  |   |                            |                                     |
| Inj 8.4%, 100 ml .....   | 20.50                                   | 1                          | ✓ Biomed                            |
| a) Up to 5 inj available on a PSO  |   |                            |                                     |
| b) Not in combination  |   |                            |                                     |
| <b>SODIUM CHLORIDE</b>   |   |                            |                                     |
| Inj 0.9% – Up to 2000 ml available on a PSO .....  | 3.06                                    | 500 ml                     | ✓ Baxter                            |
|  | 4.06                                    | 1,000 ml                   | ✓ Baxter                            |
| Only if prescribed on a prescription for renal dialysis, maternity or post-natal care in the home of the patient, or on a PSO for emergency use. (500 ml and 1,000 ml packs) |   |                            |                                     |
| Inj 23.4%, 20 ml .....   | 31.25                                   | 5                          | ✓ Biomed                            |
| Inj 0.9%, 5 ml – Up to 5 inj available on a PSO .....  | 11.50                                   | 50                         | ✓ AstraZeneca                       |
|  | 15.50                                   |                            | ✓ Pfizer                            |
| Inj 0.9%, 10 ml – Up to 5 inj available on a PSO .....   | 11.50                                   | 50                         | ✓ AstraZeneca                       |
|  | 15.50                                   |                            | ✓ Pfizer                            |
| Inj 0.9%, 20 ml .....  | 4.72                                    | 6                          | ✓ Pharmacia                         |
|  | 11.79                                   | 30                         | ✓ Pharmacia                         |
|  | 8.41                                    | 20                         | ✓ Multichem                         |
| (AstraZeneca Inj 0.9%, 5 ml to be delisted 1 April 2011)   |   |                            |                                     |
| (AstraZeneca Inj 0.9%, 10 ml to be delisted 1 April 2011)  |   |                            |                                     |
| <b>TOTAL PARENTERAL NUTRITION (TPN) – Retail pharmacy-Specialist</b>   |   |                            |                                     |
| Infusion .....   | CBS                                     | 1 OP                       | ✓ TPN                               |
| <b>WATER</b>   |   |                            |                                     |
| 1) On a prescription or Practitioner's Supply Order only when on the same form as an injection listed in the Pharmaceutical Schedule requiring a solvent or diluent; or      |   |                            |                                     |
| 2) On a bulk supply order; or  |   |                            |                                     |
| 3) When used in the extemporaneous compounding of eye drops.   |   |                            |                                     |
| Purified for inj, 5 ml – Up to 5 inj available on a PSO .....  | 9.20                                    | 50                         | ✓ Multichem                         |
|  | 10.51                                   |                            | ✓ AstraZeneca                       |
| Purified for inj, 10 ml – Up to 5 inj available on a PSO .....   | 10.20                                   | 50                         | ✓ Multichem                         |
|  | 11.32                                   |                            | ✓ AstraZeneca                       |
| Purified for inj, 20 ml – Up to 5 inj available on a PSO .....   | 5.00                                    | 20                         | ✓ Multichem                         |
| (AstraZeneca Purified for inj, 5 ml to be delisted 1 April 2011)   |   |                            |                                     |
| (AstraZeneca Purified for inj, 10 ml to be delisted 1 April 2011)  |   |                            |                                     |
| <b>Oral Administration</b>   |   |                            |                                     |
| <b>CALCIUM POLYSTYRENE SULPHONATE</b>  |   |                            |                                     |
| Powder .....   | 169.85                                  | 300 g OP                   | ✓ Calcium Resonium                  |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## BLOOD AND BLOOD FORMING ORGANS

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per         | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-------------|--------------------------|-------------------------------------|
| <b>COMPOUND ELECTROLYTES</b>   |   |             |                          |                                     |
| Powder for soln for oral use 5 g – Up to 10 sach available on<br>a PSO .....             | 2.86                                    | 10          | ✓                        | Enerlyte                            |
| <b>DEXTROSE WITH ELECTROLYTES</b>  |   |             |                          |                                     |
| Soln with electrolytes .....   | 6.60                                    | 1,000 ml OP | ✓                        | <u>Pedialyte -<br/>Bubblegum</u>    |
|  | 6.75                                    |             | ✓                        | <u>Pedialyte - Fruit</u>            |
|  |   |             | ✓                        | <u>Pedialyte - Plain</u>            |
| <b>POTASSIUM BICARBONATE</b>   |   |             |                          |                                     |
| Tab eff 315 mg with sodium acid phosphate 1.937 g and<br>sodium bicarbonate 350 mg ..... | 82.50                                   | 100         | ✓                        | Phosphate-Sandoz                    |
| For phosphate supplementation  |   |             |                          |                                     |
| <b>POTASSIUM CHLORIDE</b>  |   |             |                          |                                     |
| * Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq) .....                           | 5.26<br>(11.85)                         | 60          |                          | Chlorvescent                        |
| * Tab long-acting 600 mg .....   | 7.00                                    | 200         | ✓                        | <u>Span-K</u>                       |
| <b>SODIUM BICARBONATE</b>  |   |             |                          |                                     |
| Cap 840 mg .....   | 8.52                                    | 100         | ✓                        | Sodibic                             |
| <b>SODIUM POLYSTYRENE SULPHONATE</b>   |   |             |                          |                                     |
| Powder .....   | 89.10                                   | 450 g OP    | ✓                        | Resonium-A                          |

### Lipid Modifying Agents

#### Fibrates

|                                |      |    |   |                |
|--------------------------------|------|----|---|----------------|
| <b>BEZAFIBRATE</b>             |      |    |   |                |
| * Tab 200 mg .....             | 9.75 | 90 | ✓ | <u>Fibalip</u> |
| * Tab long-acting 400 mg ..... | 5.70 | 30 | ✓ | Bezalip Retard |

#### Other Lipid Modifying Agents

|                       |       |     |   |                    |
|-----------------------|-------|-----|---|--------------------|
| <b>ACIPIMOX</b>       |       |     |   |                    |
| * Cap 250 mg .....    | 18.75 | 30  | ✓ | Olbetam            |
| <b>NICOTINIC ACID</b> |       |     |   |                    |
| * Tab 50 mg .....     | 5.08  | 100 | ✓ | Apo-Nicotinic Acid |
| * Tab 500 mg .....    | 17.60 | 100 | ✓ | Apo-Nicotinic Acid |

#### Resins

|                                      |                  |    |   |               |
|--------------------------------------|------------------|----|---|---------------|
| <b>CHOLESTYRAMINE WITH ASPARTAME</b> |                  |    |   |               |
| Sachets 4 g with aspartame .....     | 19.25<br>(52.68) | 50 |   | Questran-Lite |
| <b>COLESTIPOL HYDROCHLORIDE</b>      |                  |    |   |               |
| Sachets 5 g .....                    | 16.17            | 30 | ✓ | Colestid      |

### HMG CoA Reductase Inhibitors (Statins)

#### Prescribing Guidelines

Treatment with HMG CoA Reductase Inhibitors (statins) is recommended for patients with dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater.

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
| ATORVASTATIN – See prescribing guideline on the preceding page     |   |     |                          |                                     |
| * Tab 10 mg .....  | 18.32                                   | 30  | ✓                        | Lipitor                             |
| * Tab 20 mg .....  | 26.70                                   | 30  | ✓                        | Lipitor                             |
| * Tab 40 mg .....  | 37.02                                   | 30  | ✓                        | Lipitor                             |
| * Tab 80 mg .....  | 110.50                                  | 30  | ✓                        | Lipitor                             |
| PRAVASTATIN – Special Authority see SA0932 below – Retail pharmacy |   |     |                          |                                     |
| See prescribing guideline on the preceding page                    |   |     |                          |                                     |
| Tab 10 mg .....  | 27.46                                   | 30  | ✓                        | Pravachol                           |
| Tab 20 mg .....  | 42.58                                   | 30  | ✓                        | Pravachol                           |
| Tab 40 mg .....  | 65.31                                   | 30  | ✓                        | Pravachol                           |

►SA0932 Special Authority for Subsidy

**Initial application** — (Confirmed HIV/AIDS) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater; and
- 2 Confirmed HIV infection; and
- 3 Patient is being treated with an HIV protease inhibitor.

SIMVASTATIN – See prescribing guideline on the preceding page

|                   |       |    |   |                  |
|-------------------|-------|----|---|------------------|
| * Tab 10 mg ..... | 2.05  | 90 | ✓ | Arrow-Simva 10mg |
| * Tab 20 mg ..... | 3.00  | 90 | ✓ | Arrow-Simva 20mg |
| * Tab 40 mg ..... | 5.35  | 90 | ✓ | Arrow-Simva 40mg |
| * Tab 80 mg ..... | 11.65 | 90 | ✓ | Arrow-Simva 80mg |

## Selective Cholesterol Absorption Inhibitors

EZETIMIBE – Special Authority see SA1045 below – Retail pharmacy

|                 |       |    |   |         |
|-----------------|-------|----|---|---------|
| Tab 10 mg ..... | 57.60 | 30 | ✓ | Ezetrol |
|-----------------|-------|----|---|---------|

►SA1045 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 Any of the following:
  - 3.1 The patient has rhabdomyolysis (defined as muscle aches and creatine kinase more than 10 × normal) when treated with one statin; or
  - 3.2 The patient is intolerant to both simvastatin and atorvastatin; or
  - 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

EZETIMIBE WITH SIMVASTATIN – Special Authority see SA1046 on the next page – Retail pharmacy

|  |        |    |   |         |
|--|--------|----|---|---------|
| Tab 10 mg with simvastatin 10 mg ..... | 69.00  | 30 | ✓ | Vytorin |
| Tab 10 mg with simvastatin 20 mg ..... | 75.00  | 30 | ✓ | Vytorin |
| Tab 10 mg with simvastatin 40 mg ..... | 103.50 | 30 | ✓ | Vytorin |
| Tab 10 mg with simvastatin 80 mg ..... | 123.00 | 30 | ✓ | Vytorin |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

## ►SA1046 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to  $\leq 2.0$  mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

## Iron Overload

DEFERIPRONE – Special Authority see SA1042 below – Retail pharmacy

|                                |        |           |             |
|--------------------------------|--------|-----------|-------------|
| Tab 500 mg .....               | 533.17 | 100       | ✓ Ferriprox |
| Oral liq 100 mg per 1 ml ..... | 266.59 | 250 ml OP | ✓ Ferriprox |

## ►SA1042 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid without further renewal unless notified where the patient has been diagnosed with chronic transfusional iron overload due to congenital inherited anaemia.

Note: For the purposes of this Special Authority, a relevant specialist is defined as a haematologist.

DESFERIOXAMINE MESYLATE

|                    |       |    |         |
|--------------------|-------|----|---------|
| * Inj 500 mg ..... | 99.00 | 10 | ✓ Mayne |
|--------------------|-------|----|---------|

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|--|---|----------------------------|-------------------------------------|
| <b>Alpha Adrenoceptor Blockers</b>   |   |                            |                                     |
| <b>DOXAZOSIN MESYLATE</b>  |   |                            |                                     |
| * Tab 2 mg .....   | 22.85                                   | 500                        | ✓ Apo-Doxazosin                     |
| * Tab 4 mg .....   | 30.26                                   | 500                        | ✓ Apo-Doxazosin                     |
| <b>PHENOXYBENZAMINE HYDROCHLORIDE</b>  |   |                            |                                     |
| * Cap 10 mg .....  | 7.82                                    | 30                         | ✓ Dibenylene S29                    |
|  | 26.05                                   | 100                        | ✓ Dibenylene S29                    |
| <b>PHENTOLAMINE MESYLATE</b>   |   |                            |                                     |
| * Inj 10 mg per ml, 1 ml .....   | 17.97                                   | 5                          |                                     |
|  | (31.65)                                 |                            | Regitine                            |
| <b>PRAZOSIN HYDROCHLORIDE</b>  |   |                            |                                     |
| * Tab 1 mg .....   | 5.53                                    | 100                        | ✓ Apo-Prazo                         |
| * Tab 2 mg .....   | 7.00                                    | 100                        | ✓ Apo-Prazo                         |
| * Tab 5 mg .....   | 11.70                                   | 100                        | ✓ Apo-Prazo                         |
| <b>TERAZOSIN HYDROCHLORIDE</b>   |   |                            |                                     |
| * Tab 1 mg .....   | 1.50                                    | 28                         | ✓ Arrow                             |
|  | (2.50)                                  |                            | Apo-Terazosin                       |
| * Tab 7 × 1 mg and 7 × 2 mg .....  | 0.74                                    | 14 OP                      | ✓ Hytrin Starter Pack               |
| * Tab 2 mg .....   | 0.80                                    | 28                         | ✓ Arrow                             |
|  | 14.29                                   | 500                        |                                     |
|  | (23.30)                                 |                            | Apo-Terazosin                       |
| * Tab 5 mg .....   | 1.00                                    | 28                         | ✓ Arrow                             |
|  | 17.86                                   | 500                        |                                     |
|  | (29.00)                                 |                            | Apo-Terazosin                       |
| <i>(Apo-Terazosin Tab 1 mg to be delisted 1 January 2011)</i>                        |   |                            |                                     |
| <i>(Hytrin Starter Pack Tab 7 × 1 mg and 7 × 2 mg to be delisted 1 January 2011)</i> |   |                            |                                     |
| <i>(Apo-Terazosin Tab 2 mg to be delisted 1 January 2011)</i>                        |   |                            |                                     |
| <i>(Apo-Terazosin Tab 5 mg to be delisted 1 January 2011)</i>                        |   |                            |                                     |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

| Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|-----|--------------------------|-------------------------------------|
|---|-----|--------------------------|-------------------------------------|

## Agents Affecting the Renin-Angiotensin System

Perindopril and trandolapril will be funded to the level of the ex-manufacturer price listed in the Schedule for patients who were taking these ACE inhibitors for the treatment of congestive heart failure prior to 1 June 1998. The prescription must be endorsed accordingly. We recommend that the words used to indicate eligibility are "certified condition" or an appropriate description of the patient such as "congestive heart failure", "CHF", "congestive cardiac failure" or "CCF". **Definition of Congestive Heart Failure** At the request of some prescribers the PTAC Cardiovascular subcommittee has provided a definition of congestive heart failure for the purposes of the funding of the manufacturer's surcharge: "Clinicians should use their clinical judgement. Existing patients would be eligible for the funding of the surcharge if the patient shows signs and symptoms of congestive heart failure, and requires or has in the past required concomitant treatment with a diuretic. The definition could also be considered to include patients post myocardial infarction with an ejection fraction of less than 40%."

### ACE Inhibitors

|  |         |          |                    |
|--|---------|----------|--------------------|
| <b>CAPTOPRIL</b>   |         |          |                    |
| * Tab 12.5 mg .....  | 2.00    | 100      | ✓ m-Captopril      |
|  | 10.40   | 500      | ✓ Apo-Captopril    |
| * Tab 25 mg .....  | 2.40    | 100      | ✓ m-Captopril      |
|  | 13.40   | 500      | ✓ Apo-Captopril    |
| * Tab 50 mg .....  | 3.50    | 100      | ✓ m-Captopril      |
|  | 19.00   | 500      | ✓ Apo-Captopril    |
| *± Oral liq 5 mg per ml .....  | 94.99   | 95 ml OP | ✓ Capoten          |
| Oral liquid restricted to children under 12 years of age.              |         |          |                    |
| <b>CILAZAPRIL</b>  |         |          |                    |
| * Tab 0.5 mg .....   | 0.95    | 30       | ✓ Zapril           |
|  | 2.20    |          | ✓ Inhibace         |
| * Tab 2.5 mg .....   | 2.06    | 30       | ✓ Zapril           |
|  | 4.10    | 28       | ✓ Inhibace         |
| * Tab 5 mg .....   | 3.28    | 30       | ✓ Zapril           |
|  | 6.01    | 28       | ✓ Inhibace         |
| <b>ENALAPRIL – Brand Switch Fee payable - see page 170 for details</b> |         |          |                    |
| * Tab 5 mg .....   | 1.98    | 90       | ✓ Arrow-Enalapril  |
| * Tab 10 mg .....  | 2.44    | 90       | ✓ Arrow-Enalapril  |
| * Tab 20 mg .....  | 3.24    | 90       | ✓ Arrow-Enalapril  |
| <b>LISINAPRIL</b>  |         |          |                    |
| * Tab 5 mg .....   | 2.06    | 30       | ✓ Arrow-Lisinopril |
| * Tab 10 mg .....  | 2.36    | 30       | ✓ Arrow-Lisinopril |
| * Tab 20 mg .....  | 2.87    | 30       | ✓ Arrow-Lisinopril |
| <b>PERINDOPRIL</b>   |         |          |                    |
| * Tab 2 mg – Higher subsidy of \$18.50 per 30 tab with En-             |         |          |                    |
| dorsement.....   | 3.00    | 30       |                    |
|  | (18.50) |          | Coversyl           |
| * Tab 4 mg – Higher subsidy of \$25.00 per 30 tab with En-             |         |          |                    |
| dorsement.....   | 4.05    | 30       |                    |
|  | (25.00) |          | Coversyl           |
| <b>QUINAPRIL</b>   |         |          |                    |
| * Tab 5 mg .....   | 1.60    | 30       | ✓ Accupril         |
| * Tab 10 mg .....  | 1.75    | 30       | ✓ Accupril         |
| * Tab 20 mg .....  | 2.35    | 30       | ✓ Accupril         |



|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|-----|--------------------------|-------------------------------------|
| <b>TRANDOLAPRIL</b>   |   |     |                          |                                     |
| * Cap 1 mg – Higher subsidy of \$18.67 per 28 cap with Endorsement..... | 3.06<br>(18.67)                         | 28  |                          | Gopten                              |
| * Cap 2 mg – Higher subsidy of \$27.00 per 28 cap with Endorsement..... | 4.43<br>(27.00)                         | 28  |                          | Gopten                              |

### ACE Inhibitors with Diuretics

|  |                |    |                        |            |
|--|----------------|----|------------------------|------------|
| <b>CILAZAPRIL WITH HYDROCHLOROTHIAZIDE</b>         |                |    |                        |            |
| * Tab 5 mg with hydrochlorothiazide 12.5 mg .....  | 5.36           | 28 | ✓ <b>Inhibace Plus</b> |            |
| <b>ENALAPRIL WITH HYDROCHLOROTHIAZIDE</b>          |                |    |                        |            |
| * Tab 20 mg with hydrochlorothiazide 12.5 mg ..... | 3.32<br>(8.70) | 30 |                        | Co-Renitec |
| <b>QUINAPRIL WITH HYDROCHLOROTHIAZIDE</b>          |                |    |                        |            |
| * Tab 10 mg with hydrochlorothiazide 12.5 mg ..... | 3.37           | 30 | ✓ <b>Accuretic 10</b>  |            |
| * Tab 20 mg with hydrochlorothiazide 12.5 mg ..... | 4.57           | 30 | ✓ <b>Accuretic 20</b>  |            |

### Angiotension II Antagonists

|   |       |    |                  |  |
|---|-------|----|------------------|--|
| <b>CANDESARTAN – Special Authority see SA0933 below – Retail pharmacy</b> |       |    |                  |  |
| * Tab 4 mg – No more than 1.5 tab per day .....                           | 16.22 | 30 | ✓ <b>Atacand</b> |  |
| * Tab 8 mg – No more than 1.5 tab per day .....                           | 19.30 | 30 | ✓ <b>Atacand</b> |  |
| * Tab 16 mg – No more than 1 tab per day .....                            | 23.54 | 30 | ✓ <b>Atacand</b> |  |
| * Tab 32 mg – No more than 1 tab per day .....                            | 38.50 | 30 | ✓ <b>Atacand</b> |  |

#### ►SA0933 | Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 Patient with congestive heart failure; and
  - 1.2 Either:
    - 1.2.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
    - 1.2.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years; or
- 2 All of the following:
  - 2.1 Patient with raised blood pressure; and
  - 2.2 Use of fully funded beta blockers or diuretics are contraindicated; or not well tolerated; or insufficient to control blood pressure adequately at appropriate doses; and
  - 2.3 Either:
    - 2.3.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
    - 2.3.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years.

**LOSARTAN – Special Authority see SA0911 on the next page – Retail pharmacy**

|  |       |    |                 |  |
|--|-------|----|-----------------|--|
| * Tab 12.5 mg .....                              | 17.40 | 30 | ✓ <b>Cozaar</b> |  |
| * Tab 25 mg .....                                | 21.76 | 30 | ✓ <b>Cozaar</b> |  |
| * Tab 50 mg .....                                | 23.10 | 30 | ✓ <b>Cozaar</b> |  |
| Tab 50 mg with hydrochlorothiazide 12.5 mg ..... | 30.00 | 30 | ✓ <b>Hyzaar</b> |  |
| * Tab 100 mg .....                               | 35.40 | 30 | ✓ <b>Cozaar</b> |  |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

| Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|-----|--------------------------|-------------------------------------|
|---|-----|--------------------------|-------------------------------------|

**►SA0911 Special Authority for Subsidy**

**Initial application — (ACE inhibitor intolerance)** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has persistent ACE inhibitor induced cough that is not resolved by ACE inhibitor retrial (same or new ACE inhibitor); or
- 2 Patient has a history of angioedema.

**Initial application — (Unsatisfactory response to ACE inhibitor)** from any relevant practitioner. Approvals valid without further renewal unless notified where patient is not adequately controlled on maximum tolerated dose of an ACE inhibitor.

**Initial application — (Patient had an approval for Losartan with hydrochlorothiazide prior to 1 May 2008)** from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

**Antiarrhythmics**

For lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaesthetics, Local, page 114

**AMIODARONE HYDROCHLORIDE**

|   |       |    |               |
|---|-------|----|---------------|
| ▲ Tab 100 mg – Retail pharmacy-Specialist .....               | 18.65 | 30 | ✓ Aratac      |
| ▲ Tab 200 mg – Retail pharmacy-Specialist .....               | 30.52 | 30 | ✓ Cordarone-X |
| Inj 50 mg per ml, 3 ml – Up to 5 inj available on a PSO ..... | 60.84 | 10 | ✓ Aratac      |
|   |       |    | ✓ Cordarone-X |
|   |       |    | ✓ Cordarone-X |

**DIGOXIN**

|   |       |       |              |
|---|-------|-------|--------------|
| * Tab 62.5 µg – Up to 30 tab available on a PSO ..... | 6.94  | 250   | ✓ Lanoxin PG |
| * Tab 250 µg – Up to 30 tab available on a PSO .....  | 15.13 | 250   | ✓ Lanoxin    |
| *± Oral liq 50 µg per ml .....                        | 16.60 | 60 ml | ✓ Lanoxin    |

**DISOPYRAMIDE PHOSPHATE**

|                    |         |     |             |
|--------------------|---------|-----|-------------|
| ▲ Cap 100 mg ..... | 15.00   | 100 |             |
|                    | (23.87) |     | Rythmodan   |
| ▲ Cap 150 mg ..... | 26.21   | 100 | ✓ Rythmodan |

**FLECAINIDE ACETATE – Retail pharmacy-Specialist**

|                                |       |    |               |
|--------------------------------|-------|----|---------------|
| ▲ Tab 50 mg .....              | 45.82 | 60 | ✓ Tambocor    |
| ▲ Tab 100 mg .....             | 80.92 | 60 | ✓ Tambocor    |
| ▲ Cap long-acting 100 mg ..... | 45.82 | 30 | ✓ Tambocor CR |
| ▲ Cap long-acting 200 mg ..... | 80.92 | 30 | ✓ Tambocor CR |
| Inj 10 mg per ml, 15 ml .....  | 52.45 | 5  | ✓ Tambocor    |

**MEXILETINE HYDROCHLORIDE**

|                    |       |     |           |
|--------------------|-------|-----|-----------|
| ▲ Cap 50 mg .....  | 23.52 | 100 | ✓ Mexitil |
| ▲ Cap 200 mg ..... | 55.05 | 100 | ✓ Mexitil |

**PROPafenone HYDROCHLORIDE – Retail pharmacy-Specialist**

|                    |       |    |             |
|--------------------|-------|----|-------------|
| ▲ Tab 150 mg ..... | 40.90 | 50 | ✓ Rytmonorm |
|--------------------|-------|----|-------------|

**Antihypotensives**

**MIDODRINE – Special Authority see SA0934 on the next page – Retail pharmacy**

|                  |       |     |          |
|------------------|-------|-----|----------|
| Tab 2.5 mg ..... | 53.00 | 100 | ✓ Gutron |
| Tab 5 mg .....   | 79.00 | 100 | ✓ Gutron |

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|--|---|----------------------------|-------------------------------------|
| <b>SA0934   Special Authority for Subsidy</b>  |   |                            |                                     |
| <b>Initial application</b> from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:                          |   |                            |                                     |
| All of the following:  |   |                            |                                     |
| 1 Disabling orthostatic hypotension not due to drugs; and  |   |                            |                                     |
| 2 Patient has tried fludrocortisone (unless contra-indicated) with unsatisfactory results; and   |   |                            |                                     |
| 3 Patient has tried non pharmacological treatments such as support hose, increased salt intake, exercise, and elevation of head and trunk at night.              |   |                            |                                     |
| Notes: Treatment should be started with small doses and titrated upwards as necessary.   |   |                            |                                     |
| Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.  |   |                            |                                     |
| <b>Renewal</b> from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. |   |                            |                                     |
| <b>Beta Adrenoceptor Blockers</b>  |   |                            |                                     |
| <b>ATENOLOL</b>  |   |                            |                                     |
| * Tab 50 mg  | 6.18                                    | 500                        | ✓ Pacific Atenolol                  |
|  | 12.36                                   | 1,000                      | ✓ <u>Atenolol Tablet USP</u>        |
| * Tab 100 mg   | 10.73                                   | 500                        | ✓ Pacific Atenolol                  |
|  | 21.46                                   | 1,000                      | ✓ <u>Atenolol Tablet USP</u>        |
| <b>CARVEDILOL</b>  |   |                            |                                     |
| Tab 6.25 mg  | 21.00                                   | 30                         | ✓ Dilatrend                         |
| Tab 12.5 mg  | 27.00                                   | 30                         | ✓ Dilatrend                         |
| Tab 25 mg  | 33.75                                   | 30                         | ✓ Dilatrend                         |
| <b>CELIPROLOL</b>  |   |                            |                                     |
| * Tab 200 mg   | 19.00                                   | 180                        | ✓ Celol                             |
| <b>LABETALOL</b>   |   |                            |                                     |
| * Tab 50 mg  | 8.66                                    | 100                        | ✓ Hybloc                            |
| * Tab 100 mg   | 10.59                                   | 100                        | ✓ Hybloc                            |
| * Tab 200 mg   | 18.47                                   | 100                        | ✓ Hybloc                            |
| * Tab 400 mg   | 34.44                                   | 100                        | ✓ Hybloc                            |
| * Inj 5 mg per ml, 20 ml   | 59.06                                   | 5                          |                                     |
|  | (88.60)                                 |                            | Trandate                            |
| <b>METOPROLOL SUCCINATE</b>  |   |                            |                                     |
| * Tab long-acting 23.75 mg   | 2.18                                    | 30                         | ✓ Betaloc CR                        |
|  |   |                            | ✓ Metoprolol - AFT CR               |
| * Tab long-acting 47.5 mg  | 2.74                                    | 30                         | ✓ Betaloc CR                        |
|  |   |                            | ✓ Metoprolol - AFT CR               |
| * Tab long-acting 95 mg  | 4.71                                    | 30                         | ✓ Betaloc CR                        |
|  |   |                            | ✓ Metoprolol - AFT CR               |
| * Tab long-acting 190 mg   | 8.51                                    | 30                         | ✓ Betaloc CR                        |
|  |   |                            | ✓ Metoprolol - AFT CR               |
| <b>METOPROLOL TARTRATE</b>   |   |                            |                                     |
| * Tab 50 mg  | 16.50                                   | 100                        | ✓ Lopresor                          |
| * Tab 100 mg   | 21.80                                   | 60                         | ✓ Lopresor                          |
| * Tab long-acting 200 mg   | 18.40                                   | 28                         | ✓ Slow-Lopresor                     |
| * Inj 1 mg per ml 5 ml   | 24.08                                   | 5                          |                                     |
|  | (34.00)                                 |                            | Betaloc                             |
| <b>NADOLOL</b>   |   |                            |                                     |
| * Tab 40 mg  | 14.97                                   | 100                        | ✓ Apo-Nadolol                       |
| * Tab 80 mg  | 22.19                                   | 100                        | ✓ Apo-Nadolol                       |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## CARDIOVASCULAR SYSTEM

|                                | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--------------------------------|---|-----|--------------------------|-------------------------------------|
| <b>PINDOLOL</b>                |   |     |                          |                                     |
| * Tab 5 mg .....               | 5.40                                    | 100 | ✓                        | <u>Apo-Pindolol</u>                 |
| * Tab 10 mg .....              | 9.19                                    | 100 | ✓                        | <u>Apo-Pindolol</u>                 |
| * Tab 15 mg .....              | 13.80                                   | 100 | ✓                        | <u>Apo-Pindolol</u>                 |
| <b>PROPRANOLOL</b>             |   |     |                          |                                     |
| * Tab 10 mg .....              | 3.55                                    | 100 | ✓                        | Cardinol                            |
| * Tab 40 mg .....              | 4.65                                    | 100 | ✓                        | Cardinol                            |
| * Cap long-acting 160 mg ..... | 16.90                                   | 100 | ✓                        | Cardinol LA                         |
| <b>SOTALOL</b>                 |   |     |                          |                                     |
| * Tab 80 mg .....              | 27.50                                   | 500 | ✓                        | Mylan                               |
| * Tab 160 mg .....             | 10.50                                   | 100 | ✓                        | Mylan                               |
| * Inj 10 mg per ml, 4 ml ..... | 41.34                                   | 5   | ✓                        | Sotacor                             |
| <b>TIMOLOL MALEATE</b>         |   |     |                          |                                     |
| * Tab 10 mg .....              | 10.55                                   | 100 | ✓                        | <u>Apo-Timol</u>                    |

### Calcium Channel Blockers

#### Dihydropyridine Calcium Channel Blockers (DHP CCBs)

|   |         |     |   |                       |
|---|---------|-----|---|-----------------------|
| <b>AMLODIPINE</b>   |         |     |   |                       |
| * Tab 5 mg .....  | 7.33    | 100 | ✓ | <u>Apo-Amlodipine</u> |
| * Tab 10 mg .....   | 11.79   | 100 | ✓ | <u>Apo-Amlodipine</u> |
| <b>FELODIPINE</b>   |         |     |   |                       |
| * Tab long-acting 2.5 mg – No more than 1 tab per day ..... | 10.38   | 30  | ✓ | Plendil ER            |
| * Tab long-acting 5 mg .....                                | 10.73   | 90  | ✓ | <u>Felo 5 ER</u>      |
| * Tab long-acting 10 mg .....                               | 15.60   | 90  | ✓ | <u>Felo 10 ER</u>     |
| <b>ISRADIPINE</b>   |         |     |   |                       |
| Cap long-acting 2.5 mg .....                                | 7.50    | 30  | ✓ | Dynacirc-SRO          |
| Cap long-acting 5 mg .....                                  | 7.85    | 30  | ✓ | Dynacirc-SRO          |
| <b>NIFEDIPINE</b>   |         |     |   |                       |
| * Tab long-acting 10 mg .....                               | 17.72   | 60  | ✓ | Adalat 10             |
| * Tab long-acting 20 mg .....                               | 7.30    | 100 | ✓ | Nyefax Retard         |
| * Tab long-acting 30 mg .....                               | 10.70   | 30  | ✓ | Adefin XL             |
|   | 5.50    |     | ✓ | Arrow-Nifedipine XR   |
|   | (19.90) |     |   | Adalat Oros           |
| * Tab long-acting 60 mg .....                               | 15.35   | 30  | ✓ | Adefin XL             |
|   | 8.00    |     | ✓ | Arrow-Nifedipine XR   |
|   | (29.50) |     |   | Adalat Oros           |

#### Other Calcium Channel Blockers

|                                |      |     |   |                    |
|--------------------------------|------|-----|---|--------------------|
| <b>DILTIAZEM HYDROCHLORIDE</b> |      |     |   |                    |
| * Tab 30 mg .....              | 4.60 | 100 | ✓ | <u>Diltzem</u>     |
| * Tab 60 mg .....              | 8.50 | 100 | ✓ | <u>Diltzem</u>     |
| * Cap long-acting 120 mg ..... | 4.34 | 30  | ✓ | <u>Cardizem CD</u> |
| * Cap long-acting 180 mg ..... | 6.50 | 30  | ✓ | <u>Cardizem CD</u> |
| * Cap long-acting 240 mg ..... | 8.67 | 30  | ✓ | <u>Cardizem CD</u> |

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
| PERHEXILINE MALEATE – Special Authority see SA0256 below – Retail pharmacy |   |     |                          |                                     |
| * Tab 100 mg .....   | 62.90                                   | 100 | ✓                        | Pexsig                              |

►SA0256 Special Authority for Subsidy

**Initial application** only from a cardiologist or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Refractory angina; and
- 2 Patient is already on maximal anti-anginal therapy.

**Renewal** only from a cardiologist or general physician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

VERAPAMIL HYDROCHLORIDE

|  |       |     |   |             |
|--|-------|-----|---|-------------|
| * Tab 40 mg .....  | 7.01  | 100 | ✓ | Isoptin     |
| * Tab 80 mg .....  | 11.74 | 100 | ✓ | Isoptin     |
| * Tab long-acting 120 mg .....                                   | 15.20 | 250 | ✓ | Verpamil SR |
| * Tab long-acting 240 mg .....                                   | 25.00 | 250 | ✓ | Verpamil SR |
| * Inj 2.5 mg per ml, 2 ml – Up to 5 inj available on a PSO ..... | 7.54  | 5   | ✓ | Isoptin     |

Centrally Acting Agents

CLONIDINE

|   |       |   |   |                |
|---|-------|---|---|----------------|
| * TDDS 2.5 mg, 100 µg per day – Only on a prescription..... | 23.30 | 4 | ✓ | Catapres-TTS-1 |
| * TDDS 5 mg, 200 µg per day – Only on a prescription.....   | 32.80 | 4 | ✓ | Catapres-TTS-2 |
| * TDDS 7.5 mg, 300 µg per day – Only on a prescription..... | 41.20 | 4 | ✓ | Catapres-TTS-3 |

CLONIDINE HYDROCHLORIDE

|                                 |       |     |   |          |
|---------------------------------|-------|-----|---|----------|
| * Tab 150 µg .....              | 33.00 | 100 | ✓ | Catapres |
| * Inj 150 µg per ml, 1 ml ..... | 15.45 | 5   | ✓ | Catapres |

METHYLDOPA

|                    |       |     |   |         |
|--------------------|-------|-----|---|---------|
| * Tab 125 mg ..... | 12.00 | 100 | ✓ | Prodopa |
| * Tab 250 mg ..... | 13.10 | 100 | ✓ | Prodopa |
| * Tab 500 mg ..... | 20.85 | 100 | ✓ | Prodopa |

Diuretics

Loop Diuretics

BUMETANIDE

|                                 |       |     |   |         |
|---------------------------------|-------|-----|---|---------|
| * Tab 1 mg .....                | 16.36 | 100 | ✓ | Burinex |
| * Inj 500 µg per ml, 4 ml ..... | 7.95  | 5   | ✓ | Burinex |

FUROSEMIDE

|   |         |          |   |                  |
|---|---------|----------|---|------------------|
| * Tab 40 mg – Up to 30 tab available on a PSO.....              | 10.75   | 1,000    | ✓ | Diurin 40        |
| * Tab 500 mg .....  | 25.00   | 50       | ✓ | Urex Forte       |
| * Oral liq 10 mg per ml .....                                   | 10.66   | 30 ml OP | ✓ | Lasix            |
| * Infusion 10 mg per ml, 25 ml .....                            | 48.14   | 5        | ✓ | Lasix            |
| * Inj 10 mg per ml, 2 ml – Up to 5 inj available on a PSO ..... | 1.30    | 5        | ✓ | Fruzemide-Clarix |
|   | 13.00   | 50       |   |                  |
|   | (29.50) |          |   | Mayne            |

(Mayne Inj 10 mg per ml, 2 ml to be delisted 1 February 2011)

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
|--|---|-----|--------------------------|-------------------------------------|

**Potassium Sparing Diuretics**
**AMILORIDE**

‡ Oral liq 1 mg per ml .....26.20 25 ml OP ✓ Biomed

**SPIRONOLACTONE**

\* Tab 25 mg .....4.60 100 ✓ Spirotone

\* Tab 100 mg .....15.15 100 ✓ Spirotone

‡ Oral liq 5 mg per ml .....26.80 25 ml OP ✓ Biomed

**Potassium Sparing Combination Diuretics**
**AMILORIDE WITH FRUSEMIDE**

\* Tab 5 mg with frusemide 40 mg .....8.63 28 ✓ Frumil

**AMILORIDE WITH HYDROCHLOROTHIAZIDE**

\* Tab 5 mg with hydrochlorothiazide 50 mg .....5.00 50 ✓ Moduretic

13.00 500 ✓ Amizide

(Amizide Tab 5 mg with hydrochlorothiazide 50 mg to be delisted 1 April 2011)

**Thiazide and Related Diuretics**
**BENDROFLUAZIDE**

\* Tab 2.5 mg – Up to 150 tab available on a PSO.....7.58 500 ✓ Arrow-  
Bendrofluazide

May be supplied on a PSO for reasons other than emergency.

\* Tab 5 mg .....11.75 500 ✓ Arrow-  
Bendrofluazide

**CHLOROTHIAZIDE**

‡ Oral liq 50 mg per ml .....22.60 25 ml OP ✓ Biomed

**CHLORTHALIDONE**

\* Tab 25 mg .....8.00 50 ✓ Hygroton

**INDAPAMIDE**

\* Tab 2.5 mg .....2.95 90 ✓ Dapa-Tabs

3.25 100 ✓ Napamide

(Napamide Tab 2.5 mg to be delisted 1 January 2011)

**Nitrates**
**GLYCERYL TRINITRATE**

\* Tab 600 µg – Up to 100 tab available on a PSO.....8.00 100 OP ✓ Lycinate

\* Oral pump spray 400 µg per dose – Up to 250 dose available  
on a PSO.....5.16 250 dose OP ✓ Nitrolingual  
Pumpspray

\* TDDS 5 mg .....16.56 30 ✓ Nitroderm TTS

\* TDDS 10 mg .....19.60 30 ✓ Nitroderm TTS

**ISOSORBIDE MONONITRATE**

\* Tab 20 mg .....18.00 100 ✓ Ismo 20

\* Tab long-acting 40 mg .....14.84 30 ✓ Corangin

\* Tab long-acting 60 mg .....4.15 90 ✓ Duride

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|-----|--------------------------|-------------------------------------|
| <b>Sympathomimetics</b>                                       |   |     |                          |                                     |
| <b>ADRENALINE</b>   |   |     |                          |                                     |
| Inj 1 in 1,000, 1 ml – Up to 5 inj available on a PSO .....   | 4.98                                    | 5   | ✓                        | Aspen Adrenaline                    |
|   | 5.25                                    |     | ✓                        | Mayne                               |
| Inj 1 in 10,000, 10 ml – Up to 5 inj available on a PSO ..... | 27.00                                   | 5   | ✓                        | Mayne                               |
| <b>ISOPRENALINE HYDROCHLORIDE</b>                             |   |     |                          |                                     |
| * Inj 200 µg per ml, 1 ml .....                               | 36.80                                   | 25  |                          |                                     |
|   | (135.00)                                |     |                          | Isuprel                             |

|                                   |         |    |   |             |
|-----------------------------------|---------|----|---|-------------|
| <b>Vasodilators</b>               |         |    |   |             |
| <b>AMYL NITRITE</b>               |         |    |   |             |
| * Ampoule, 0.3 ml crushable ..... | 62.92   | 12 |   |             |
|                                   | (73.40) |    |   | Baxter      |
| <b>HYDRALAZINE</b>                |         |    |   |             |
| * Inj 20 mg per ml, 1 ml .....    | 25.90   | 5  | ✓ | Apresoline  |
| <b>OXYPENTIFYLLINE</b>            |         |    |   |             |
| Tab 400 mg .....                  | 36.94   | 50 |   |             |
|                                   | (42.26) |    |   | Trental 400 |
| <b>PAPAVERINE HYDROCHLORIDE</b>   |         |    |   |             |
| * Inj 12 mg per ml, 10 ml .....   | 73.12   | 5  | ✓ | Mayne       |

### Endothelin Receptor Antagonists

#### ►SA0967 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz> or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7512, Fax: (04) 974 4858, Email: [PAH@pharmac.govt.nz](mailto:PAH@pharmac.govt.nz)

|   |          |    |   |          |
|---|----------|----|---|----------|
| <b>AMBRISANTAN</b> – Special Authority see SA0967 above – Retail pharmacy |          |    |   |          |
| Tab 5 mg .....  | 4,585.00 | 30 | ✓ | Volibris |
| Tab 10 mg .....   | 4,585.00 | 30 | ✓ | Volibris |
| <b>BOSENTAN</b> – Special Authority see SA0967 above – Retail pharmacy    |          |    |   |          |
| Tab 62.5 mg .....   | 4,585.00 | 60 | ✓ | Tracleer |
| Tab 125 mg .....  | 4,585.00 | 60 | ✓ | Tracleer |

### Phosphodiesterase Type 5 Inhibitors

#### ►SA0968 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz> or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7512, Fax: (04) 974 4858, Email: [PAH@pharmac.govt.nz](mailto:PAH@pharmac.govt.nz)

|  |       |   |   |        |
|--|-------|---|---|--------|
| <b>SILDENAFIL</b> – Special Authority see SA0968 above – Retail pharmacy |       |   |   |        |
| Tab 25 mg .....  | 52.00 | 4 | ✓ | Viagra |
| Tab 50 mg .....  | 59.50 | 4 | ✓ | Viagra |
| Tab 100 mg .....   | 68.00 | 4 | ✓ | Viagra |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|---|----------------------------|-------------------------------------|

## Prostacyclin Analogues

### ►►SA0969 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz> or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7512, Fax: (04) 974 4858, Email: [PAH@pharmac.govt.nz](mailto:PAH@pharmac.govt.nz)

ILOPROST – Special Authority see SA0969 above – Retail pharmacy

|   |          |    |            |
|---|----------|----|------------|
| Nebuliser soln 10 µg per ml, 2 ml ..... | 1,185.00 | 30 | ✓ Ventavis |
|---|----------|----|------------|



| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

## Antiacne Preparations

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 82

### ADAPALENE

- Maximum of 30 g per prescription
- Only on a prescription

|                |       |         |            |
|----------------|-------|---------|------------|
| Crm 0.1% ..... | 22.89 | 30 g OP | ✓ Differin |
| Gel 0.1% ..... | 22.89 | 30 g OP | ✓ Differin |

### ISOTRETINOIN – Special Authority see SA0955 below – Retail pharmacy

|                 |       |     |           |
|-----------------|-------|-----|-----------|
| Cap 10 mg ..... | 48.48 | 180 | ✓ Oratane |
| Cap 20 mg ..... | 69.70 | 180 | ✓ Oratane |

#### ►SA0955 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- Patient has had an adequate trial on other available treatments and has received an inadequate response from these treatments or these are contraindicated; and
- Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- Either:
  - Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
  - Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

**Renewal** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- Patient has had an adequate trial on other available treatments and has received an inadequate response from these treatments or these are contraindicated; and
- Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- Either:
  - Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
  - Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

### TRETINOIN

|   |       |         |            |
|---|-------|---------|------------|
| Crm 0.5 mg per g – Maximum of 50 g per prescription ..... | 13.90 | 50 g OP | ✓ ReTrieve |
|---|-------|---------|------------|

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

|   |                            |                                     |
|---|----------------------------|-------------------------------------|
| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|

## Antibacterials Topical

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 82

### FUSIDIC ACID

|                                     |      |         |                |
|-------------------------------------|------|---------|----------------|
| Crm 2% .....                        | 3.25 | 15 g OP | ✓ <b>Foban</b> |
| a) Maximum of 15 g per prescription |      |         |                |
| b) Only on a prescription           |      |         |                |
| c) Not in combination               |      |         |                |
| Oint 2% .....                       | 3.25 | 15 g OP | ✓ <b>Foban</b> |
| a) Maximum of 15 g per prescription |      |         |                |
| b) Only on a prescription           |      |         |                |
| c) Not in combination               |      |         |                |

### HYDROGEN PEROXIDE

|                |      |         |                     |
|----------------|------|---------|---------------------|
| * Crm 1% ..... | 8.56 | 10 g OP | ✓ <b>Crystacide</b> |
|----------------|------|---------|---------------------|

### MUPIROCIN

|                           |                |         |           |
|---------------------------|----------------|---------|-----------|
| Oint 2% .....             | 6.60<br>(9.26) | 15 g OP | Bactroban |
| a) Only on a prescription |                |         |           |
| b) Not in combination     |                |         |           |

### SILVER SULPHADIAZINE

|                                   |       |         |                    |
|-----------------------------------|-------|---------|--------------------|
| Crm 1% .....                      | 12.30 | 50 g OP | ✓ <b>Flamazine</b> |
| a) Up to 250 g available on a PSO |       |         |                    |
| b) Not in combination             |       |         |                    |

## Antifungals Topical

For systemic antifungals, refer to INFECTIONS, Antifungals, page 86

### AMOROLFINE

|                           |                  |         |         |
|---------------------------|------------------|---------|---------|
| a) Only on a prescription |                  |         |         |
| b) Not in combination     |                  |         |         |
| Nail soln 5% .....        | 37.86<br>(61.87) | 5 ml OP | Loceryl |

### CICLOPIROXOLAMINE

|                           |                 |           |                   |
|---------------------------|-----------------|-----------|-------------------|
| a) Only on a prescription |                 |           |                   |
| b) Not in combination     |                 |           |                   |
| Crm 1% .....              | 1.00<br>(12.82) | 20 g OP   | Batrafen          |
| Nail soln 8% .....        | 19.85           | 3.5 ml OP | ✓ <b>Batrafen</b> |
| Soln 1% .....             | 4.36<br>(11.54) | 20 ml OP  | Batrafen          |

(Batrafen Crm 1% to be delisted 1 January 2011)

### CLOTRIMAZOLE

|                           |                |          |                   |
|---------------------------|----------------|----------|-------------------|
| * Crm 1% .....            | 0.50           | 20 g OP  | ✓ <b>Clomazol</b> |
| a) Only on a prescription |                |          |                   |
| b) Not in combination     |                |          |                   |
| * Soln 1% .....           | 4.36<br>(7.55) | 20 ml OP | Canesten          |
| a) Only on a prescription |                |          |                   |
| b) Not in combination     |                |          |                   |

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per      | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|----------|--------------------------|-------------------------------------|
| <b>ECONAZOLE NITRATE</b>                               |   |          |                          |                                     |
| Crm 1% .....   | 1.00<br>(7.48)                          | 20 g OP  |                          | Pevaryl                             |
| a) Only on a prescription                              |   |          |                          |                                     |
| b) Not in combination                                  |   |          |                          |                                     |
| Foaming soln 1%, 10 ml sachets .....                   | 9.89<br>(17.23)                         | 3        |                          | Pevaryl                             |
| a) Only on a prescription                              |   |          |                          |                                     |
| b) Not in combination                                  |   |          |                          |                                     |
| <b>KETOCONAZOLE</b>                                    |   |          |                          |                                     |
| Crm 2% .....   | 1.00<br>(9.50)                          | 15 g OP  |                          | Nizoral                             |
| a) Only on a prescription                              |   |          |                          |                                     |
| b) Not in combination                                  |   |          |                          |                                     |
| <i>(Nizoral Crm 2% to be delisted 1 December 2010)</i> |   |          |                          |                                     |
| <b>MICONAZOLE NITRATE</b>                              |   |          |                          |                                     |
| * Crm 2% .....   | 0.42                                    | 15 g OP  | ✓ <u>Multichem</u>       |                                     |
| a) Only on a prescription                              |   |          |                          |                                     |
| b) Not in combination                                  |   |          |                          |                                     |
| * Lotn 2% .....  | 4.36<br>(10.03)                         | 30 ml OP |                          | Daktarin                            |
| a) Only on a prescription                              |   |          |                          |                                     |
| b) Not in combination                                  |   |          |                          |                                     |
| * Tinct 2% .....                                       | 4.36<br>(12.10)                         | 30 ml OP |                          | Daktarin                            |
| a) Only on a prescription                              |   |          |                          |                                     |
| b) Not in combination                                  |   |          |                          |                                     |
| <b>NYSTATIN</b>  |   |          |                          |                                     |
| Crm 100,000 u per g .....                              | 1.00<br>(7.90)                          | 15 g OP  |                          | Mycostatin                          |
| a) Only on a prescription                              |   |          |                          |                                     |
| b) Not in combination                                  |   |          |                          |                                     |

### Antipruritic Preparations

#### CALAMINE

|                           |       |          |                  |  |
|---------------------------|-------|----------|------------------|--|
| a) Only on a prescription |       |          |                  |  |
| b) Not in combination     |       |          |                  |  |
| Crm, aqueous, BP .....    | 2.78  | 100 g    | ✓ <u>healthE</u> |  |
| Lotn, BP .....            | 16.70 | 2,000 ml | ✓ <u>API</u>     |  |

#### CROTAMITON

|                           |      |         |                      |  |
|---------------------------|------|---------|----------------------|--|
| a) Only on a prescription |      |         |                      |  |
| b) Not in combination     |      |         |                      |  |
| Crm 10% .....             | 3.79 | 20 g OP | ✓ <u>Itch-Soothe</u> |  |

#### MENTHOL – Only in combination

|   |               |               |                                  |  |
|---|---------------|---------------|----------------------------------|--|
| Only in combination with aqueous cream, 10% urea cream, wool fat with mineral oil lotion, 1% hydrocortisone with wool fat and mineral oil lotion, and glycerol, paraffin and cetyl alcohol lotion |               |               |                                  |  |
| Crystals .....  | 7.40<br>29.60 | 25 g<br>100 g | ✓ <u>PSM</u><br>✓ <u>MidWest</u> |  |

‡ safety cap

\* Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## Corticosteroids Topical

For systemic corticosteroids, refer to CORTICOSTEROIDS AND RELATED AGENTS, page 75

### Corticosteroids - Plain

#### BETAMETHASONE DIPROPIONATE

|   |         |         |              |
|---|---------|---------|--------------|
| Crm 0.05% .....                           | 2.96    | 15 g OP |              |
|   | (6.91)  |         | Diprosone    |
|   | 8.97    | 50 g OP |              |
|   | (18.36) |         | Diprosone    |
| Crm 0.05% in propylene glycol base .....  | 4.33    | 30 g OP |              |
|   | (13.83) |         | Diprosone OV |
| Oint 0.05% .....                          | 2.96    | 15 g OP |              |
|   | (6.51)  |         | Diprosone    |
|   | 8.97    | 50 g OP |              |
|   | (17.11) |         | Diprosone    |
| Oint 0.05% in propylene glycol base ..... | 4.33    | 30 g OP |              |
|   | (13.83) |         | Diprosone OV |

#### BETAMETHASONE VALERATE

|                   |       |          |                        |
|-------------------|-------|----------|------------------------|
| * Crm 0.1% .....  | 2.00  | 50 g OP  | ✓ <b>Beta Cream</b>    |
| * Oint 0.1% ..... | 2.20  | 50 g OP  | ✓ <b>Beta Ointment</b> |
| * Lotn 0.1% ..... | 10.05 | 50 ml OP | ✓ <b>Betnovate</b>     |

#### CLOBETASOL PROPIONATE

|                    |      |         |                 |
|--------------------|------|---------|-----------------|
| * Crm 0.05% .....  | 3.48 | 30 g OP | ✓ <b>Dermol</b> |
| * Oint 0.05% ..... | 3.48 | 30 g OP | ✓ <b>Dermol</b> |

#### CLOBETASONE BUTYRATE

|                 |         |          |          |
|-----------------|---------|----------|----------|
| Crm 0.05% ..... | 5.38    | 30 g OP  |          |
|                 | (7.09)  |          | Eumovate |
|                 | 16.13   | 100 g OP |          |
|                 | (22.00) |          | Eumovate |

#### DIFLUCORTOLONE VALERATE

|                       |         |         |          |
|-----------------------|---------|---------|----------|
| Crm 0.1% .....        | 8.97    | 50 g OP |          |
|                       | (15.86) |         | Nerisone |
| Fatty oint 0.1% ..... | 8.97    | 50 g OP |          |
|                       | (15.86) |         | Nerisone |

#### HYDROCORTISONE

|   |       |       |                          |
|---|-------|-------|--------------------------|
| * Crm 1% – Only on a prescription .....   | 3.75  | 100 g | ✓ <b>Pharmacy Health</b> |
|   | 12.20 | 500 g | ✓ <b>PSM</b>             |
| * Powder – Only in combination .....  | 33.00 | 25 g  | ✓ <b>ABM</b>             |
| Up to 5% in a dermatological base (not proprietary Topical Corticosteroid – Plain) with or without other dermatological galenicals. Refer, page 171 |       |       |                          |

#### HYDROCORTISONE BUTYRATE

|                       |      |           |                           |
|-----------------------|------|-----------|---------------------------|
| Lipocream 0.1% .....  | 2.30 | 30 g OP   | ✓ <b>Locoid Lipocream</b> |
|                       | 6.85 | 100 g OP  | ✓ <b>Locoid Lipocream</b> |
| Oint 0.1% .....       | 6.85 | 100 g OP  | ✓ <b>Locoid</b>           |
| Milky emul 0.1% ..... | 6.85 | 100 ml OP | ✓ <b>Locoid Crelo</b>     |

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per      | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|----------|--------------------------|-------------------------------------|
| <b>HYDROCORTISONE WITH WOOL FAT AND MINERAL OIL</b>                            |   |          |                          |                                     |
| Lotn 1% with wool fat hydrous 3% and mineral oil – Only on a prescription..... | 9.95                                    | 250 ml   | ✓                        | <u>DP Lotn HC</u>                   |
| <b>METHYLPREDNISOLONE ACEPONATE</b>  |   |          |                          |                                     |
| Crm 0.1% .....   | 4.95                                    | 15 g OP  | ✓                        | <u>Advantan</u>                     |
| Oint 0.1% .....  | 4.95                                    | 15 g OP  | ✓                        | <u>Advantan</u>                     |
| <b>MOMETASONE FUROATE</b>  |   |          |                          |                                     |
| Crm 0.1% .....   | 2.38                                    | 15 g OP  | ✓                        | <u>m-Mometasone</u>                 |
|  | 4.55                                    | 45 g OP  | ✓                        | <u>m-Mometasone</u>                 |
| Oint 0.1% .....  | 2.38                                    | 15 g OP  | ✓                        | <u>m-Mometasone</u>                 |
|  | 4.55                                    | 45 g OP  | ✓                        | <u>m-Mometasone</u>                 |
| Lotn 0.1% .....  | 4.80                                    | 30 ml OP | ✓                        | <u>Elocon</u>                       |
| <b>TRIAMCINOLONE ACETONIDE</b>   |   |          |                          |                                     |
| Crm 0.02% .....  | 6.63                                    | 100 g OP | ✓                        | <u>Aristocort</u>                   |
| Oint 0.02% .....   | 6.69                                    | 100 g OP | ✓                        | <u>Aristocort</u>                   |

### Corticosteroids - Combination

|  |        |         |   |                   |
|--|--------|---------|---|-------------------|
| <b>BETAMETHASONE VALERATE WITH CLIOQUINOL – Only on a prescription</b>   |        |         |   |                   |
| Crm 0.1% with clioquinol 3% .....  | 3.49   | 15 g OP |   |                   |
|  | (4.90) |         |   | Betnovate-C       |
| Oint 0.1% with clioquinol 3% .....   | 3.49   | 15 g OP |   |                   |
|  | (4.90) |         |   | Betnovate-C       |
| <b>BETAMETHASONE VALERATE WITH FUSIDIC ACID</b>  |        |         |   |                   |
| Crm 0.1% with fusidic acid 2% .....  | 3.49   | 15 g OP |   |                   |
|  | (9.61) |         |   | Fucicort          |
| a) Maximum of 15 g per prescription  |        |         |   |                   |
| b) Only on a prescription  |        |         |   |                   |
| <b>HYDROCORTISONE BUTYRATE WITH CHLORQUINALDOL – Only on a prescription</b>  |        |         |   |                   |
| Crm 0.1% with chlorquinaldol 3% .....  | 3.49   | 15 g OP | ✓ | <u>Locoid C</u>   |
| <i>(Locoid C Crm 0.1% with chlorquinaldol 3% to be delisted 1 March 2011)</i>  |        |         |   |                   |
| <b>HYDROCORTISONE WITH MICONAZOLE – Only on a prescription</b>   |        |         |   |                   |
| * Crm 1% with miconazole nitrate 2% .....  | 2.10   | 15 g OP | ✓ | <u>Micreme H</u>  |
| <b>HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN – Only on a prescription</b>   |        |         |   |                   |
| Crm 1% with natamycin 1% and neomycin sulphate 0.5% .....  | 2.79   | 15 g OP | ✓ | <u>Pimafucort</u> |
| Oint 1% with natamycin 1% and neomycin sulphate 0.5% .....   | 2.79   | 15 g OP | ✓ | <u>Pimafucort</u> |
| <b>TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN</b>  |        |         |   |                   |
| Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 µg per g – Only on a prescription..... | 3.49   | 15 g OP |   |                   |
|  | (6.60) |         |   | Viaderm KC        |

### Disinfecting and Cleansing Agents

|  |      |        |   |                |
|--|------|--------|---|----------------|
| <b>CHLORHEXIDINE GLUCONATE – Subsidy by endorsement</b>                                    |      |        |   |                |
| a) No more than 500 ml per month   |      |        |   |                |
| b) Only if prescribed for a dialysis patient and the prescription is endorsed accordingly. |      |        |   |                |
| * Handrub 1% with ethanol 70% .....  | 4.60 | 500 ml | ✓ | <u>healthE</u> |
| * Soln 4% .....  | 7.20 | 500 ml | ✓ | <u>Orion</u>   |

‡ safety cap

\* Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## DERMATOLOGICALS

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per       | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|-----------|--------------------------|-------------------------------------|
| <b>SODIUM HYPOCHLORITE – Subsidy by endorsement</b>   |   |           |                          |                                     |
| Only if prescribed for a dialysis patient and the prescription is endorsed accordingly.   |   |           |                          |                                     |
| * Soln .....  | 2.71                                    | 2,500 ml  | ✓                        | Janola                              |
| <i>(Janola Soln to be delisted 1 January 2011)</i>  |   |           |                          |                                     |
| <b>TRICLOSAN – Subsidy by endorsement</b>   |   |           |                          |                                     |
| a) Maximum of 500 ml per prescription   |   |           |                          |                                     |
| b)  |   |           |                          |                                     |
| a) Only if prescribed for a patient identified with Methicillin-resistant Staphylococcus aureus (MRSA) prior to elective surgery in hospital and the prescription is endorsed accordingly; or |   |           |                          |                                     |
| b) Only if prescribed for a patient with recurrent Staphylococcus aureus infection and the prescription is endorsed accordingly   |   |           |                          |                                     |
| Soln 1% .....   | 5.90                                    | 500 ml OP | ✓                        | healthE                             |

### Dusting Powders

|   |         |         |  |         |
|---|---------|---------|--|---------|
| <b>DIPHEMANIL METHYLSULPHATE – Subsidy by endorsement</b>   |         |         |  |         |
| Only if prescribed for an amputee with an artificial limb, or for a paraplegic patient and the prescription endorsed accordingly. |         |         |  |         |
| Powder 2% .....   | 6.81    | 50 g OP |  | Prantal |
|   | (13.54) |         |  |         |
| <i>(Prantal Powder 2% to be delisted 1 January 2011)</i>  |         |         |  |         |

### Barrier Creams and Emollients

#### Barrier Creams

|   |         |       |   |     |
|---|---------|-------|---|-----|
| <b>ZINC</b>                                       |         |       |   |     |
| Crm BP .....                                      | 6.55    | 500 g |   | PSM |
|   | (12.00) |       |   |     |
| <i>(PSM Crm BP to be delisted 1 January 2011)</i> |         |       |   |     |
| <b>ZINC AND CASTOR OIL</b>                        |         |       |   |     |
| Oint BP .....                                     | 5.11    | 500 g | ✓ | PSM |

#### Emollients

|   |        |        |   |                     |
|---|--------|--------|---|---------------------|
| <b>AQUEOUS CREAM</b>  |        |        |   |                     |
| * Crm .....   | 2.28   | 500 g  | ✓ | AFT                 |
| <b>CETOMACROGOL</b>   |        |        |   |                     |
| * Crm BP .....  | 3.15   | 500 g  | ✓ | PSM                 |
| <b>EMULSIFYING OINTMENT</b>   |        |        |   |                     |
| * Oint BP .....   | 3.69   | 500 g  | ✓ | AFT                 |
| <b>GLYCEROL WITH PARAFFIN AND CETYL ALCOHOL – Only on a prescription</b>                    |        |        |   |                     |
| * Lotn 5% with paraffin liq 5% and cetyl alcohol 2% .....                                   | 1.40   | 250 ml |   | QV                  |
|   | (8.10) |        |   |                     |
| <i>(QV Lotn 5% with paraffin liq 5% and cetyl alcohol 2% to be delisted 1 January 2011)</i> |        |        |   |                     |
| <b>OIL IN WATER EMULSION</b>  |        |        |   |                     |
| * Crm .....   | 2.80   | 500 g  | ✓ | healthE Fatty Cream |

|   | Subsidy<br>(Manufacturer's Price)<br>\$   | Per   | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer   |
|---|---|---|--------------------------|---|
| <b>OILY CREAM</b>   |   |   |                          |   |
| * Crm BP .....  | 2.80<br>(13.60)<br>(15.40)  | 500 g   |                          | David Craig<br>PSM  |
| <i>(David Craig Crm BP to be delisted 1 January 2011)</i> |   |   |                          |   |
| <i>(PSM Crm BP to be delisted 1 January 2011)</i>         |   |   |                          |   |
| <b>UREA</b>   |   |   |                          |   |
| * Crm 10% .....   | 3.07  | 100 g OP  | ✓                        | Nutraplus   |
| <b>WOOL FAT WITH MINERAL OIL – Only on a prescription</b> |   |   |                          |   |
| * Lotn hydrous 3% with mineral oil .....                  | 1.40<br>(3.50)<br>5.60<br>(10.90)<br>1.40<br>(3.50)<br>5.60<br>(9.54)<br>(20.53)<br>1.40<br>(7.73)<br>5.60<br>(23.91) | 250 ml OP<br><br>1,000 ml<br><br>250 ml OP<br><br>1,000 ml<br><br>250 ml OP<br><br>1,000 ml |                          | DP Lotion<br><br>DP Lotion<br><br>Hydroderm Lotion<br><br>Hydroderm Lotion<br>Alpha-Keri Lotion<br><br>BK Lotion<br><br>BK Lotion |

### Other Dermatological Bases

#### PARAFFIN

|  |   |                               |  |                     |
|--|---|-------------------------------|--|---------------------|
| White soft – Only in combination ..... | 3.58<br>(7.78)<br>20.20<br>3.58<br>(8.69) | 500 g<br><br>2,500 g<br>500 g |  | IPW<br>✓ IPW<br>PSM |
|--|---|-------------------------------|--|---------------------|

Only in combination with a dermatological galenical or as a diluent for a proprietary Topical Corticosteroid – Plain.

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
|--|---|-----|--------------------------|-------------------------------------|

## Minor Skin Infections

### POVIDONE IODINE

|  |         |          |   |                    |
|--|---------|----------|---|--------------------|
| Oint 10% .....   | 3.27    | 25 g OP  | ✓ | Betadine           |
| a) Maximum of 100 g per prescription                         |         |          |   |                    |
| b) Only on a prescription                                    |         |          |   |                    |
| Antiseptic soln 10% .....                                    | 0.19    | 15 ml    |   | Betadine           |
|  | (3.27)  |          |   |                    |
|  | 1.28    | 100 ml   |   | Betadine           |
|  | (6.01)  |          |   |                    |
|  | 6.20    | 500 ml   | ✓ | Betadine           |
|  | 51.06   | 4,500 ml | ✓ | Betadine           |
|  | 1.28    | 100 ml   |   | Riodine            |
|  | (4.20)  |          |   |                    |
|  | 6.20    | 500 ml   | ✓ | Riodine            |
| Skin preparation, povidone iodine 10% with 30% alcohol ..... | 1.63    | 100 ml   |   | Betadine Skin Prep |
|  | (3.60)  |          |   |                    |
|  | 10.00   | 500 ml   | ✓ | Betadine Skin Prep |
| Skin preparation, povidone iodine 10% with 70% alcohol ..... | 1.63    | 100 ml   |   | Orion              |
|  | (6.04)  |          |   |                    |
|  | 8.13    | 500 ml   |   | Orion              |
|  | (18.63) |          |   |                    |

## Parasiticial Preparations

### GAMMA BENZENE HEXACHLORIDE

|              |      |         |   |        |
|--------------|------|---------|---|--------|
| Crm 1% ..... | 3.50 | 50 g OP | ✓ | Benhex |
|--------------|------|---------|---|--------|

### MALATHION

|                  |        |           |   |          |
|------------------|--------|-----------|---|----------|
| Liq 0.5% .....   | 3.79   | 200 ml OP | ✓ | A-Lices  |
|                  | (4.99) |           |   | Derbac-M |
| Shampoo 1% ..... | 2.83   | 30 ml OP  | ✓ | A-Lices  |

(Derbac-M Liq 0.5% to be delisted 1 January 2011)

### PERMETHRIN

|               |      |          |   |           |
|---------------|------|----------|---|-----------|
| Lotn 5% ..... | 3.65 | 30 ml OP | ✓ | A-Scabies |
|---------------|------|----------|---|-----------|

## Psoriasis and Eczema Preparations

### ACITRETIN – Special Authority see SA0954 below – Retail pharmacy

|                 |        |     |   |            |
|-----------------|--------|-----|---|------------|
| Cap 10 mg ..... | 75.80  | 100 | ✓ | Neotigason |
| Cap 25 mg ..... | 162.96 | 100 | ✓ | Neotigason |

### ►SA0954 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
  - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement

continued. . .



|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|---|----------------------------|-------------------------------------|
| continued...  |   |                            |                                     |
| of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or  |   |                            |                                     |
| 3.2 Patient is male.  |   |                            |                                     |
| <b>Renewal</b> from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:  |   |                            |                                     |
| All of the following:   |   |                            |                                     |
| 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and  |   |                            |                                     |
| 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and   |   |                            |                                     |
| 3 Either:   |   |                            |                                     |
| 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or |   |                            |                                     |
| 3.2 Patient is male.  |   |                            |                                     |
| <b>CALCIPOTRIOL</b>   |   |                            |                                     |
| Crm 50 µg per g .....   | 20.20                                   | 30 g OP                    | ✓ Daivonex                          |
|   | 56.32                                   | 100 g OP                   | ✓ Daivonex                          |
| Oint 50 µg per g .....  | 20.20                                   | 30 g OP                    | ✓ Daivonex                          |
|   | 56.32                                   | 100 g OP                   | ✓ Daivonex                          |
| Soln 50 µg per ml .....   | 20.22                                   | 30 ml OP                   | ✓ Daivonex                          |
|   | 33.79                                   | 60 ml OP                   | ✓ Daivonex                          |
| <b>COAL TAR</b>   |   |                            |                                     |
| Soln BP – Only in combination .....   | 12.95                                   | 200 ml                     | ✓ David Craig                       |
|   | 32.37                                   | 500 ml                     | ✓ Midwest                           |
|   |   |                            | ✓ PSM                               |
| Up to 10 % Only in combination with a dermatological base or proprietary Topical Corticosteroid – Plain, refer, page 171  |   |                            |                                     |
| With or without other dermatological galenicals.  |   |                            |                                     |
| (David Craig Soln BP to be delisted 1 December 2010)  |   |                            |                                     |
| (PSM Soln BP to be delisted 1 December 2010)  |   |                            |                                     |
| <b>COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULPHUR</b>   |   |                            |                                     |
| Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and   |   |                            |                                     |
| allantoin crm 2.5% .....  | 3.43                                    | 30 g OP                    |                                     |
|   | (4.35)                                  |                            | Egopsoryl TA                        |
|   | 6.59                                    | 75 g OP                    |                                     |
|   | (8.00)                                  |                            | Egopsoryl TA                        |
| <b>COAL TAR WITH SALICYLIC ACID AND SULPHUR</b>   |   |                            |                                     |
| Soln 12% with salicylic acid 2% and sulphur 4% oint .....   | 7.95                                    | 40 g OP                    | ✓ Coco-Scalp                        |
| <b>SALICYLIC ACID</b>   |   |                            |                                     |
| Powder – Only in combination .....  | 15.00                                   | 500 g                      | ✓ ABM                               |
|   | 18.88                                   | 250 g                      | ✓ PSM                               |
| 1) Only in combination with a dermatological base or proprietary Topical Corticosteroid – Plain or collodion flexible, refer, page 171  |   |                            |                                     |
| 2) With or without other dermatological galenicals.   |   |                            |                                     |
| 3) Maximum 20 g or 20 ml per prescription when prescribed with white soft paraffin or collodion flexible.   |   |                            |                                     |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## DERMATOLOGICALS

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per                | Fully<br>Subsidised<br>✓                   | Brand or<br>Generic<br>Manufacturer |
|--|---|--------------------|--|-------------------------------------|
| <b>SULPHUR</b>   |   |                    |  |                                     |
| Precipitated – Only in combination .....   | 6.50<br>(9.25)                          | 100 g              | ✓ <b>ABM</b><br>PSM                        |                                     |
| 1) Only in combination with a dermatological base or proprietary Topical Corticosteroid – Plain, refer, page 171 |   |                    |  |                                     |
| 2) With or without other dermatological galenicals.  |   |                    |  |                                     |
| <b>TAR WITH CADE OIL</b>   |   |                    |  |                                     |
| Bath emul 7.5% coal tar, 2.5% cade oil, 7.5% compound .....  | 9.70<br>(29.60)                         | 350 ml             |  | Polytar Emollient                   |
| <i>(Polytar Emollient Bath emul 7.5% coal tar, 2.5% cade oil, 7.5% compound to be delisted 1 January 2011)</i>   |   |                    |  |                                     |
| <b>TAR WITH TRIETHANOLAMINE LAURYL SULPHATE AND FLUORESCEIN – Only on a prescription</b>                         |   |                    |  |                                     |
| * Soln 2.3% with triethanolamine lauryl sulphate and fluo-<br>cein sodium .....                                  | 2.90<br>5.54                            | 500 ml<br>1,000 ml | ✓ <b>Pinetarsol</b><br>✓ <b>Pinetarsol</b> |                                     |

### Scalp Preparations

|                                       |      |           |                     |  |
|---------------------------------------|------|-----------|---------------------|--|
| <b>BETAMETHASONE VALERATE</b>         |      |           |                     |  |
| * Scalp app 0.1% .....                | 7.22 | 100 ml OP | ✓ <b>Beta Scalp</b> |  |
| <b>CLOBETASOL PROPIONATE</b>          |      |           |                     |  |
| * Scalp app 0.05% .....               | 6.36 | 30 ml OP  | ✓ <b>Dermol</b>     |  |
| <b>HYDROCORTISONE BUTYRATE</b>        |      |           |                     |  |
| Scalp lotn 0.1% .....                 | 3.65 | 100 ml OP | ✓ <b>Locoid</b>     |  |
| <b>KETOCONAZOLE</b>                   |      |           |                     |  |
| Shampoo 2% .....                      | 3.48 | 100 ml OP | ✓ <b>Sebizole</b>   |  |
| a) Maximum of 100 ml per prescription |      |           |                     |  |
| b) Only on a prescription             |      |           |                     |  |

### Sunscreens

#### SUNSCREENS, PROPRIETARY – Subsidy by endorsement

Only if prescribed for a patient with severe photosensitivity secondary to a defined clinical condition and the prescription is endorsed accordingly.

|            |                |           |   |                                  |
|------------|----------------|-----------|---|----------------------------------|
| Crm .....  | 2.55<br>(5.89) | 100 g OP  |   | Hamilton Sunscreen               |
|            | 1.28<br>(5.50) | 50 g OP   |   | Aquasun Oil Free<br>Faces SPF30+ |
| Lotn ..... | 2.55           | 100 ml OP | ✓ <b>Marine Blue Lotion<br/>SPF 30+</b> |                                  |
|            | 5.10           | 200 ml OP | ✓ <b>Marine Blue Lotion<br/>SPF 30+</b> |                                  |
|            | 3.19<br>(6.94) | 125 ml OP |   | Aquasun 30+                      |

### Wart Preparations

For salicylic acid preparations refer to PSORIASIS AND ECZEMA PREPARATIONS, page 64

IMIQUIMOD – Special Authority see SA0923 on the next page – Retail pharmacy

|              |        |    |                 |  |
|--------------|--------|----|-----------------|--|
| Crm 5% ..... | 110.40 | 12 | ✓ <b>Aldara</b> |  |
|--------------|--------|----|-----------------|--|

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

**►SA0923 Special Authority for Subsidy**

**Initial application** from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has external anogenital warts and podophyllotoxin has been tried and failed (or is contraindicated); or
- 2 The patient has external anogenital warts and podophyllotoxin is unable to be applied accurately to the site; or
- 3 The patient has confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate.

Notes: Superficial basal cell carcinoma

- Surgical excision remains first-line treatment for superficial basal cell carcinoma as it has a higher cure rate than imiquimod and allows histological assessment of tumour clearance.
- Imiquimod has not been evaluated for the treatment of superficial basal cell carcinoma within 1 cm of the hairline, eyes, nose, mouth or ears.
- Imiquimod is not indicated for recurrent, invasive, infiltrating, or nodular basal cell carcinoma.

External anogenital warts

- Imiquimod is only indicated for external genital and perianal warts (condyloma acuminata).

**Renewal** from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Any of the following:

- 1 Inadequate response to initial treatment for anogenital warts; or
- 2 New confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate; or
- 3 Inadequate response to initial treatment for superficial basal cell carcinoma.

Note: Every effort should be made to biopsy the lesion to confirm that it is a superficial basal cell carcinoma.

**PODOPHYLLOTOXIN**

|                                       |       |           |             |
|---------------------------------------|-------|-----------|-------------|
| Soln 0.5% .....                       | 33.60 | 3.5 ml OP | ✓ Condyline |
| a) Maximum of 3.5 ml per prescription |       |           |             |
| b) Only on a prescription             |       |           |             |

**Other Skin Preparations****Antineoplastics****FLUOROURACIL SODIUM**

|              |       |         |          |
|--------------|-------|---------|----------|
| Crm 5% ..... | 26.49 | 20 g OP | ✓ Efudix |
|--------------|-------|---------|----------|

**Topical Analgesia**

For aspirin & chloroform application refer, page 174

**CAPSAICIN – Subsidy by endorsement**

Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly.

|                  |       |         |              |
|------------------|-------|---------|--------------|
| Crm 0.075% ..... | 12.50 | 45 g OP | ✓ Zostrix HP |
|------------------|-------|---------|--------------|

**Wound Management Products****HYDROGEN PEROXIDE**

|   |        |        |     |
|---|--------|--------|-----|
| * Soln 20 vol – Maximum of 500 ml per prescription..... | 0.63   | 100 ml |     |
|   | (2.35) |        | PSM |
|   | 3.13   | 500 ml |     |
|   | (7.00) |        | PSM |

(PSM Soln 20 vol to be delisted 1 January 2011)

**MAGNESIUM SULPHATE**

|             |        |      |     |
|-------------|--------|------|-----|
| Paste ..... | 2.98   | 80 g |     |
|             | (4.90) |      | PSM |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per      | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|----------|--------------------------|-------------------------------------|
| <b>Contraceptives - Non-hormonal</b>                           |   |          |                          |                                     |
| <b>Condoms</b>   |   |          |                          |                                     |
| CONDOMS  |   |          |                          |                                     |
| * 49 mm – Up to 144 dev available on a PSO.....                | 1.11                                    | 12       | ✓                        | Gold Knight                         |
|  | 13.36                                   | 144      | ✓                        | Gold Knight                         |
|  |   |          | ✓                        | MarquisTantiliza                    |
|  |   |          | ✓                        | Shield 49                           |
| * 52 mm – Up to 144 dev available on a PSO.....                | 13.36                                   | 144      | ✓                        | Marquis Selecta                     |
|  |   |          | ✓                        | Marquis Sensolite                   |
|  |   |          | ✓                        | Marquis Supalite                    |
| * 52 mm extra strength – Up to 144 dev available on a PSO..... | 13.36                                   | 144      | ✓                        | Marquis Protecta                    |
| * 53 mm – Up to 144 dev available on a PSO.....                | 1.11                                    | 12       | ✓                        | Shield Blue                         |
|  | 13.36                                   | 144      | ✓                        | Shield Blue                         |
|  | 1.11                                    | 12       | ✓                        | Gold Knight                         |
|  | 13.36                                   | 144      | ✓                        | Gold Knight                         |
|  |   |          | ✓                        | Marquis Black                       |
|  |   |          | ✓                        | Marquis Titillata                   |
| * 53 mm (chocolate) – Up to 144 dev available on a PSO.....    | 1.11                                    | 12       | ✓                        | Gold Knight                         |
|  | 13.36                                   | 144      | ✓                        | Gold Knight                         |
| * 53 mm (strawberry) – Up to 144 dev available on a PSO.....   | 1.11                                    | 12       | ✓                        | Gold Knight                         |
|  | 13.36                                   | 144      | ✓                        | Gold Knight                         |
| * 53 mm extra strength – Up to 144 dev available on a PSO..... | 1.11                                    | 12       | ✓                        | Gold Knight                         |
|  | 13.36                                   | 144      | ✓                        | Gold Knight                         |
| * 54 mm, shaped – Up to 144 dev available on a PSO.....        | 1.12                                    | 12       |                          |                                     |
|  | (1.24)                                  |          |                          | Lifestyles Flared                   |
|  | 13.36                                   | 144      |                          |                                     |
|  | (14.84)                                 |          |                          | Lifestyles Flared                   |
| * 55 mm – Up to 144 dev available on a PSO.....                | 1.11                                    | 12       | ✓                        | Gold Knight                         |
|  | 13.36                                   | 144      | ✓                        | Gold Knight                         |
|  |   |          | ✓                        | Marquis Conforma                    |
| * 56 mm – Up to 144 dev available on a PSO.....                | 13.36                                   | 144      | ✓                        | Durex Select                        |
|  |   |          |                          | Flavours                            |
| * 56 mm extra strength – Up to 144 dev available on a PSO..... | 13.36                                   | 144      | ✓                        | Durex Extra Safe                    |
| * 56 mm, shaped – Up to 144 dev available on a PSO.....        | 1.11                                    | 12       | ✓                        | Durex Confidence                    |
|  | 13.36                                   | 144      | ✓                        | Durex Confidence                    |
| * 60 mm – Up to 144 dev available on a PSO.....                | 13.36                                   | 144      | ✓                        | Shield XL                           |
| <b>Spermicidal Agents</b>                                      |   |          |                          |                                     |
| APPLICATOR   |   |          |                          |                                     |
| When ordered with a spermicide.                                |   |          |                          |                                     |
| * Applicator – Up to 1 dev available on a PSO.....             | 4.34                                    | 1        | ✓                        | Ortho                               |
| <i>(Ortho Applicator to be delisted 1 January 2011)</i>        |   |          |                          |                                     |
| NONOXYNOL-9  |   |          |                          |                                     |
| Jelly 2% – Up to 108 g available on a PSO.....                 | 10.95                                   | 108 g OP | ✓                        | Gynol II                            |
| <i>(Gynol II Jelly 2% to be delisted 1 January 2011)</i>       |   |          |                          |                                     |

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
| <b>Contraceptive Devices</b>               |   |     |                          |                                     |
| DIAPHRAGM – Up to 1 dev available on a PSO |   |     |                          |                                     |
| One of each size is permitted on a PSO.    |   |     |                          |                                     |
| * 55 mm .....                              | 42.90                                   | 1   | ✓                        | Ortho Coil                          |
| * 60 mm .....                              | 42.90                                   | 1   | ✓                        | Ortho All-flex                      |
|  |   |     | ✓                        | Ortho Coil                          |
| * 65 mm .....                              | 42.90                                   | 1   | ✓                        | Ortho All-flex                      |
|  |   |     | ✓                        | Ortho Coil                          |
| * 70 mm .....                              | 42.90                                   | 1   | ✓                        | Ortho All-flex                      |
|  |   |     | ✓                        | Ortho Coil                          |
| * 75 mm .....                              | 42.90                                   | 1   | ✓                        | Ortho All-flex                      |
|  |   |     | ✓                        | Ortho Coil                          |
| * 80 mm .....                              | 42.90                                   | 1   | ✓                        | Ortho All-flex                      |
|  |   |     | ✓                        | Ortho Coil                          |
| * 85 mm .....                              | 42.90                                   | 1   | ✓                        | Ortho All-flex                      |
|  |   |     | ✓                        | Ortho Coil                          |
| * 90 mm .....                              | 42.90                                   | 1   | ✓                        | Ortho All-flex                      |
|  |   |     | ✓                        | Ortho Coil                          |

(Ortho Coil 55 mm to be delisted 1 January 2011)

(Ortho All-flex 60 mm to be delisted 1 January 2011)

(Ortho Coil 60 mm to be delisted 1 January 2011)

(Ortho Coil 65 mm to be delisted 1 January 2011)

(Ortho Coil 70 mm to be delisted 1 January 2011)

(Ortho Coil 75 mm to be delisted 1 January 2011)

(Ortho Coil 80 mm to be delisted 1 January 2011)

(Ortho All-flex 85 mm to be delisted 1 January 2011)

(Ortho Coil 85 mm to be delisted 1 January 2011)

(Ortho All-flex 90 mm to be delisted 1 January 2011)

(Ortho Coil 90 mm to be delisted 1 January 2011)

#### INTRA-UTERINE DEVICE

a) Up to 40 dev available on a PSO

b) Only on a PSO

|             |       |   |   |                     |
|-------------|-------|---|---|---------------------|
| * IUD ..... | 39.50 | 1 | ✓ | Multiload Cu 375    |
|             |       |   | ✓ | Multiload Cu 375 SL |

### Contraceptives - Hormonal

#### Combined Oral Contraceptives

#### ►SA0500 Special Authority for Alternate Subsidy

**Initial application** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

1 Either:

1.1 Patient is on a Social Welfare benefit; or

1.2 Patient has an income no greater than the benefit; and

2 Has tried at least one of the fully funded options and has been unable to tolerate it.

**Renewal** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

1 Patient is on a Social Welfare benefit; or

continued...

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

continued...

2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

## ETHINYLLOESTRADIOL WITH DESOGESTREL

|   |         |    |             |
|---|---------|----|-------------|
| * Tab 20 µg with desogestrel 150 µg .....   | 6.62    | 63 |             |
|   | (16.50) |    | Mercilon 21 |
| a) Higher subsidy of \$13.80 per 63 tab with Special Authority see SA0500 on the preceding page |         |    |             |
| b) Up to 63 tab available on a PSO  |         |    |             |
| * Tab 20 µg with desogestrel 150 µg and 7 inert tab .....                                       | 6.62    | 84 |             |
|   | (16.50) |    | Mercilon 28 |
| a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 on the preceding page |         |    |             |
| b) Up to 84 tab available on a PSO  |         |    |             |
| * Tab 30 µg with desogestrel 150 µg .....   | 6.62    | 63 |             |
|   | (16.50) |    | Marvelon 21 |
| a) Higher subsidy of \$13.80 per 63 tab with Special Authority see SA0500 on the preceding page |         |    |             |
| b) Up to 63 tab available on a PSO  |         |    |             |
| * Tab 30 µg with desogestrel 150 µg and 7 inert tab .....                                       | 6.62    | 84 |             |
|   | (16.50) |    | Marvelon 28 |
| a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 on the preceding page |         |    |             |
| b) Up to 84 tab available on a PSO  |         |    |             |

## ETHINYLLOESTRADIOL WITH LEVONORGESTREL

|   |         |    |                    |
|---|---------|----|--------------------|
| * Tab 50 µg with levonorgestrel 125 µg and 7 inert tab – Up to 84 tab available on a PSO .....        | 9.45    | 84 | ✓ Microgynon 50 ED |
| * Tab 30 µg with levonorgestrel 150 µg .....  | 6.62    | 63 |                    |
|   | (16.50) |    | Microgynon 30      |
| a) Higher subsidy of \$15.00 per 63 tab with Special Authority see SA0500 on the preceding page       |         |    |                    |
| b) Up to 63 tab available on a PSO  |         |    |                    |
| * Tab 30 µg with levonorgestrel 150 µg and 7 inert tab .....  | 6.62    | 84 | ✓ Levlen ED        |
|   | (14.49) |    | ✓ Monofeme         |
|   | (16.50) |    | Nordette 28        |
|   |         |    | Microgynon 30 ED   |
| a) Higher subsidy of up to \$15.00 per 84 tab with Special Authority see SA0500 on the preceding page |         |    |                    |
| b) Up to 84 tab available on a PSO  |         |    |                    |

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
| <b>ETHINYLLOESTRADIOL WITH NORETHISTERONE</b>  |   |     |                          |                                     |
| * Tab 35 µg with norethisterone 1 mg – Up to 63 tab available on a PSO .....                   | 6.62                                    | 63  | ✓                        | Brevinor 1/21                       |
| * Tab 35 µg with norethisterone 1 mg and 7 inert tab – Up to 84 tab available on a PSO .....   | 6.62                                    | 84  | ✓                        | Brevinor 1/28                       |
| * Tab 35 µg with norethisterone 500 µg – Up to 63 tab available on a PSO .....                 | 6.62                                    | 63  | ✓                        | Brevinor 21                         |
| * Tab 35 µg with norethisterone 500 µg and 7 inert tab – Up to 84 tab available on a PSO ..... | 6.62                                    | 84  | ✓                        | Norimin                             |
| <b>NORETHISTERONE WITH MESTRANOL</b>   |   |     |                          |                                     |
| * Tab 1 mg with mestranol 50 µg and 7 inert tab .....  | 6.62<br>(13.80)                         | 84  |                          | Norinyl-1/28                        |
| a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 on page 69           |   |     |                          |                                     |
| b) Up to 84 tab available on a PSO   |   |     |                          |                                     |

### Combined Oral Contraceptives - Other

|  |                            |    |  |                            |
|--|----------------------------|----|--|----------------------------|
| <b>ETHINYLLOESTRADIOL WITH LEVONORGESTREL</b>  |                            |    |  |                            |
| * Tab 20 µg with levonorgestrel 100 µg and 7 inert tab – Up to 84 tab available on a PSO ..... | 6.62<br>(16.50)<br>(16.50) | 84 |  | Loette<br>Microgynon 20 ED |

### Progestogen-only Contraceptives

#### ►SA0500 Special Authority for Alternate Subsidy

**Initial application** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Either:
  - 1.1 Patient is on a Social Welfare benefit; or
  - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

**Renewal** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

#### LEVONORGESTREL

|   |                 |    |   |          |
|---|-----------------|----|---|----------|
| * Tab 30 µg .....   | 6.62<br>(16.50) | 84 |   | Microlut |
| a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 above |                 |    |   |          |
| b) Up to 84 tab available on a PSO  |                 |    |   |          |
| * Subdermal implant (2 × 75 mg rods) .....                                      | 133.65          | 1  | ✓ | Jadelle  |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## GENITO-URINARY SYSTEM

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
| <b>MEDROXYPROGESTERONE ACETATE</b>                                       |   |     |                          |                                     |
| * Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a PSO ..... | 7.15                                    | 1   | ✓                        | <b>Depo-Provera</b>                 |
| <b>NORETHISTERONE</b>  |   |     |                          |                                     |
| * Tab 350 µg – Up to 84 tab available on a PSO .....                     | 7.15                                    | 84  | ✓                        | <b>Noriday 28</b>                   |

### Emergency Contraceptives

|                                      |       |   |   |                   |
|--------------------------------------|-------|---|---|-------------------|
| <b>LEVONORGESTREL</b>                |       |   |   |                   |
| * Tab 1.5 mg .....                   | 12.50 | 1 | ✓ | <b>Postinor-1</b> |
| a) Maximum of 2 tab per prescription |       |   |   |                   |
| b) Up to 5 tab available on a PSO    |       |   |   |                   |

### Antiandrogen Oral Contraceptives

Prescribers may code prescriptions “contraceptive” (code “O”) when used as indicated for contraception. The period of supply and prescription charge will be as per other contraceptives, as follows:

- \$3.00 prescription charge (patient co-payment) will apply.
- prescription may be written for up to six months supply.

Prescriptions coded in any other way are subject to the non contraceptive prescription charges, and the non-contraceptive period of supply. ie. Prescriptions may be written for up to three months supply.

#### CYPROTERONE ACETATE WITH ETHINYLESTRADIOL

|   |      |    |   |                 |
|---|------|----|---|-----------------|
| * Tab 2 mg with ethinylestradiol 35 µg and 7 inert tabs ..... | 4.91 | 84 | ✓ | <b>Ginet 84</b> |
|---|------|----|---|-----------------|

### Gynaecological Anti-infectives

#### ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC ACID

|   |                 |          |  |         |
|---|-----------------|----------|--|---------|
| Jelly with glacial acetic acid 0.94%, hydroxyquinoline sulphate 0.025%, glycerol 5% and ricinoleic acid 0.75% with applicator ..... | 8.43<br>(24.00) | 100 g OP |  | Aci-Jel |
|---|-----------------|----------|--|---------|

#### CLOTRIMAZOLE

|   |      |         |   |                 |
|---|------|---------|---|-----------------|
| * Vaginal crm 1% with applicators ..... | 1.30 | 35 g OP | ✓ | <b>Clomazol</b> |
| * Vaginal crm 2% with applicators ..... | 2.50 | 20 g OP | ✓ | <b>Clomazol</b> |

#### MICONAZOLE NITRATE

|  |                |         |  |         |
|--|----------------|---------|--|---------|
| * Vaginal crm 2% with applicator ..... | 2.75<br>(3.70) | 40 g OP |  | Micreme |
|--|----------------|---------|--|---------|

#### NYSTATIN

|  |      |         |   |                |
|--|------|---------|---|----------------|
| Vaginal crm 100,000 u per 5 g with applicator(s) ..... | 4.71 | 75 g OP | ✓ | <b>Nilstat</b> |
|--|------|---------|---|----------------|

### Myometrial and Vaginal Hormone Preparations

#### ERGOMETRINE MALEATE

|  |       |   |   |              |
|--|-------|---|---|--------------|
| Inj 500 µg per ml, 1 ml – Up to 5 inj available on a PSO ..... | 11.60 | 5 | ✓ | <b>Mayne</b> |
|--|-------|---|---|--------------|

#### METHYLERGOMETRINE

|   |      |    |   |                               |
|---|------|----|---|-------------------------------|
| Inj 200 µg per ml, 1 ml – Up to 10 inj available on a PSO .....                     | 9.28 | 10 | ✓ | <b>Hospira <del>S29</del></b> |
| <i>(Hospira <del>S29</del> Inj 200 µg per ml, 1 ml to be delisted 1 March 2011)</i> |      |    |   |                               |

#### OESTRIOL

|  |      |         |   |                |
|--|------|---------|---|----------------|
| * Crm 1 mg per g with applicator ..... | 6.30 | 15 g OP | ✓ | <b>Ovestin</b> |
| * Pessaries 500 µg .....               | 6.53 | 15      | ✓ | <b>Ovestin</b> |



|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|-----|--------------------------|-------------------------------------|
| <b>OXYTOCIN</b> – Up to 5 inj available on a PSO            |   |     |                          |                                     |
| Inj 5 iu per ml, 1 ml .....                                 | 5.94                                    | 5   | ✓                        | <u>Syntocinon</u>                   |
| Inj 10 iu per ml, 1 ml .....                                | 7.48                                    | 5   | ✓                        | <u>Syntocinon</u>                   |
| Inj 5 iu with ergometrine maleate 500 µg per ml, 1 ml ..... | 10.12                                   | 5   | ✓                        | <u>Syntometrine</u>                 |

## Pregnancy Tests - hCG Urine

### PREGNANCY TESTS - HCG URINE

a) Up to 200 test available on a PSO

b) Only on a PSO

|                |       |            |   |  |
|----------------|-------|------------|---|--|
| Cassette ..... | 22.80 | 40 test OP | ✓ | <u>Innovacon hCG One<br/>Step Pregnancy<br/>Test</u> |
|----------------|-------|------------|---|--|

## Urinary Agents

For urinary tract Infections refer to INFECTIONS, Antibacterials, page 94

## 5-Alpha Reductase Inhibitors

**FINASTERIDE** – Special Authority see SA0928 below – Retail pharmacy

|                |       |    |   |                |
|----------------|-------|----|---|----------------|
| Tab 5 mg ..... | 19.20 | 30 | ✓ | <u>Fintral</u> |
|----------------|-------|----|---|----------------|

### ►SA0928 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 Either:
  - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
  - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Note: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride.

## Alpha-1A Adrenoreceptor Blockers

**TAMSULOSIN HYDROCHLORIDE** – Special Authority see SA1032 below – Retail pharmacy

|                  |      |    |   |                       |
|------------------|------|----|---|-----------------------|
| Cap 400 µg ..... | 5.98 | 30 | ✓ | <u>Tamsulosin-Rex</u> |
|------------------|------|----|---|-----------------------|

### ►SA1032 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 The patient is intolerant of non-selective alpha blockers or these are contraindicated.

## Other Urinary Agents

**OXYBUTYNIN**

|                                |       |           |   |                       |
|--------------------------------|-------|-----------|---|-----------------------|
| * Tab 5 mg .....               | 44.79 | 500       | ✓ | <u>Apo-Oxybutynin</u> |
| * Oral liq 5 mg per 5 ml ..... | 50.40 | 473 ml OP | ✓ | <u>Apo-Oxybutynin</u> |

**SODIUM CITRO-TARTRATE**

|                               |      |    |   |             |
|-------------------------------|------|----|---|-------------|
| * Grans eff 4 g sachets ..... | 2.71 | 28 | ✓ | <u>Ural</u> |
|-------------------------------|------|----|---|-------------|

**SOLIFENACIN SUCCINATE** – Special Authority see SA0998 on the next page – Retail pharmacy

|                 |       |    |   |                 |
|-----------------|-------|----|---|-----------------|
| Tab 5 mg .....  | 56.50 | 30 | ✓ | <u>Vesicare</u> |
| Tab 10 mg ..... | 56.50 | 30 | ✓ | <u>Vesicare</u> |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

|   |                            |                                     |
|---|----------------------------|-------------------------------------|
| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|   | ✓                          |                                     |

## ►SA0998 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has overactive bladder and a documented intolerance of oxybutynin.

### Detection of Substances in Urine

#### ORTHO-TOLIDINE

|                                    |        |            |          |
|------------------------------------|--------|------------|----------|
| * Compound diagnostic sticks ..... | 7.50   | 50 test OP |          |
|                                    | (8.25) |            | Hemastix |

#### TETRABROMOPHENOL

|                                |         |             |          |
|--------------------------------|---------|-------------|----------|
| * Blue diagnostic strips ..... | 7.02    | 100 test OP |          |
|                                | (13.92) |             | Albustix |

# HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per      | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer          |
|---|---|----------|--------------------------|--|
| <b>Anabolic Agents</b>  |   |          |                          |  |
| <b>NANDROLONE DECANOATE – Retail pharmacy-Specialist</b>                |   |          |                          |  |
| Inj 50 mg per ml, 1 ml .....  | 21.16                                   | 1        | ✓                        | <b>Deca-Durabolin</b><br><b>Orgaject S29</b> |
| <b>Corticosteroids and Related Agents for Systemic Use</b>              |   |          |                          |  |
| <b>BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHASONE ACETATE</b>        |   |          |                          |  |
| * Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1 ml .....         | 19.20<br>(33.60)                        | 5        |                          | Celestone<br>Chronodose                      |
| <b>DEXAMETHASONE</b>  |   |          |                          |  |
| * Tab 1 mg – Retail pharmacy-Specialist .....                           | 16.08                                   | 100      | ✓                        | <b>Douglas</b>                               |
| Up to 30 tab available on a PSO   |   |          |                          |  |
| * Tab 4 mg – Retail pharmacy-Specialist .....                           | 61.89                                   | 100      | ✓                        | <b>Douglas</b>                               |
| Up to 30 tab available on a PSO   |   |          |                          |  |
| Oral liq 1 mg per ml – Retail pharmacy-Specialist .....                 | 39.90                                   | 25 ml OP | ✓                        | <b>Biomed</b>                                |
| Oral liq prescriptions:   |   |          |                          |  |
| 1) Must be written by a Paediatrician or Paediatric Cardiologist; or    |   |          |                          |  |
| 2) On the recommendation of a Paediatrician or Paediatric Cardiologist. |   |          |                          |  |
| <b>DEXAMETHASONE SODIUM PHOSPHATE</b>                                   |   |          |                          |  |
| * Inj 4 mg per ml, 1 ml – Up to 5 inj available on a PSO .....          | 21.50                                   | 5        | ✓                        | <b>Hospira</b>                               |
| * Inj 4 mg per ml, 2 ml – Up to 5 inj available on a PSO .....          | 31.00                                   | 5        | ✓                        | <b>Hospira</b>                               |
| <b>FLUDROCORTISONE ACETATE</b>  |   |          |                          |  |
| * Tab 100 µg .....  | 7.62                                    | 100      | ✓                        | <b>Florinef</b>                              |
| <b>HYDROCORTISONE</b>   |   |          |                          |  |
| * Tab 5 mg .....  | 8.35                                    | 100      | ✓                        | <b>Douglas</b>                               |
| * Tab 20 mg .....   | 20.95                                   | 100      | ✓                        | <b>Douglas</b>                               |
| * Inj 50 mg per ml, 2 ml .....  | 3.99                                    | 1        | ✓                        | <b>Solu-Cortef</b>                           |
| a) Up to 5 inj available on a PSO                                       |   |          |                          |  |
| b) Only on a PSO  |   |          |                          |  |
| <b>METHYLPREDNISOLONE – Retail pharmacy-Specialist</b>                  |   |          |                          |  |
| * Tab 4 mg .....  | 48.57                                   | 100      | ✓                        | <b>Medrol</b>                                |
| * Tab 100 mg .....  | 166.52                                  | 20       | ✓                        | <b>Medrol</b>                                |
| <b>METHYLPREDNISOLONE ACETATE</b>                                       |   |          |                          |  |
| Inj 40 mg per ml, 1 ml .....  | 6.03                                    | 1        | ✓                        | <b>Depo-Medrol</b>                           |
| <b>METHYLPREDNISOLONE ACETATE WITH LIGNOCAINE</b>                       |   |          |                          |  |
| Inj 40 mg per ml with lignocaine 1 ml .....                             | 6.03                                    | 1        | ✓                        | <b>Depo-Medrol with<br/>lidocaine</b>        |
| <b>METHYLPREDNISOLONE SODIUM SUCCINATE – Retail pharmacy-Specialist</b> |   |          |                          |  |
| Inj 40 mg per ml, 1 ml .....  | 151.40                                  | 25       | ✓                        | <b>Solu-Medrol</b>                           |
| Inj 62.5 mg per ml, 2 ml .....  | 412.59                                  | 25       | ✓                        | <b>Solu-Medrol</b>                           |
| Inj 500 mg .....  | 20.80                                   | 1        | ✓                        | <b>Solu-Medrol</b>                           |
| Inj 1 g .....   | 42.57                                   | 1        | ✓                        | <b>Solu-Medrol</b>                           |
| <b>PREDNISOLONE SODIUM PHOSPHATE</b>                                    |   |          |                          |  |
| * Oral liq 5 mg per ml – Up to 30 ml available on a PSO .....           | 9.95                                    | 30 ml OP | ✓                        | <b>Redipred</b>                              |
| Restricted to children under 12 years of age.                           |   |          |                          |  |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|-----|--------------------------|-------------------------------------|
| <b>PREDNISONE</b>                                 |   |     |                          |                                     |
| * Tab 1 mg .....                                  | 10.68                                   | 500 | ✓                        | <u>Apo-Prednisone</u>               |
| * Tab 2.5 mg .....                                | 12.09                                   | 500 | ✓                        | <u>Apo-Prednisone</u>               |
| * Tab 5 mg – Up to 30 tab available on a PSO..... | 11.09                                   | 500 | ✓                        | <u>Apo-Prednisone</u>               |
| * Tab 20 mg .....                                 | 29.03                                   | 500 | ✓                        | <u>Apo-Prednisone</u>               |
| <b>TETRACOSACTRIN</b>                             |   |     |                          |                                     |
| * Inj 250 µg .....                                | 177.18                                  | 10  | ✓                        | <u>Synacthen</u>                    |
| * Inj 1 mg per ml, 1 ml .....                     | 26.88                                   | 1   | ✓                        | <u>Synacthen Depot</u>              |
| <b>TRIAMCINOLONE ACETONIDE</b>                    |   |     |                          |                                     |
| Inj 10 mg per ml, 1 ml .....                      | 11.11                                   | 5   | ✓                        | <u>Kenacort-A</u>                   |
| Inj 40 mg per ml, 1 ml .....                      | 28.09                                   | 5   | ✓                        | <u>Kenacort-A40</u>                 |

### Sex Hormones Non Contraceptive

#### Androgen Agonists and Antagonists

|  |       |     |   |                           |
|--|-------|-----|---|---------------------------|
| <b>CYPROTERONE ACETATE – Retail pharmacy-Specialist</b>      |       |     |   |                           |
| Tab 50 mg .....  | 21.10 | 50  | ✓ | <u>Siterone</u>           |
| Tab 100 mg .....   | 41.50 | 50  | ✓ | <u>Siterone</u>           |
| <b>TESTOSTERONE</b>  |       |     |   |                           |
| Transdermal patch, 2.5 mg per day .....                      | 80.00 | 60  | ✓ | <u>Androderm</u>          |
| <b>TESTOSTERONE CYPIONATE – Retail pharmacy-Specialist</b>   |       |     |   |                           |
| Inj long-acting 100 mg per ml, 10 ml .....                   | 61.41 | 1   | ✓ | <u>Depo-Testosterone</u>  |
| <b>TESTOSTERONE ESTERS – Retail pharmacy-Specialist</b>      |       |     |   |                           |
| Inj 250 mg per ml, 1 ml .....                                | 12.98 | 1   | ✓ | <u>Sustanon Ampoules</u>  |
| <b>TESTOSTERONE UNDECANOATE – Retail pharmacy-Specialist</b> |       |     |   |                           |
| Cap 40 mg .....  | 79.92 | 100 | ✓ | <u>Arrow-Testosterone</u> |

### Hormone Replacement Therapy - Systemic

#### ►SA1018 Special Authority for Alternate Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 5 years for applications meeting the following criteria:

Any of the following:

- 1 acute or significant liver disease - where oral oestrogens are contraindicated as determined by a gastroenterologist or general physician. The applicant must keep written confirmation from such a specialist with the patient's record; or
- 2 oestrogen induced hypertension requiring antihypertensive therapy - documented evidence must be kept on file that raised blood pressure levels or inability to control blood pressure adequately occurred post oral oestrogens; or
- 3 hypertriglyceridaemia - documented evidence must be kept on file that triglyceride levels increased to at least 2 × normal triglyceride levels post oral oestrogens; or
- 4 Somatropin co-therapy - patient is being prescribed somatropin with subsidy provided under a valid approval issued under Special Authority.

Note: Prescriptions with a valid Special Authority (CHEM) number will be reimbursed at the level of the lowest priced TDDS product within the specified dose group.

**Renewal** from any relevant practitioner. Approvals valid for 5 years where the treatment remains appropriate and the patient is benefiting from treatment, or the patient remains on subsidised somatropin co-therapy.

#### Prescribing Guideline

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

## HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per   | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-------|--------------------------|-------------------------------------|
| <b>Oestrogens</b>  |   |       |                          |                                     |
| OESTRADIOL – See prescribing guideline on the preceding page                                     |   |       |                          |                                     |
| * Tab 1 mg .....   | 4.12<br>(10.55)                         | 28 OP |                          | Estrofem                            |
| * Tab 2 mg .....   | 4.12<br>(10.55)                         | 28 OP |                          | Estrofem                            |
| * TDDS 25 µg per day .....   | 3.01<br>(10.86)                         | 8     |                          | Estraderm TTS 25                    |
| a) Higher subsidy of \$10.86 per 8 patch with Special Authority see SA1018 on the preceding page |   |       |                          |                                     |
| b) No more than 2 patch per week   |   |       |                          |                                     |
| c) Only on a prescription  |   |       |                          |                                     |
| * TDDS 3.9 mg (releases 50 µg of oestradiol per day) .....                                       | 4.12<br>(13.18)<br>(32.50)              | 4     |                          | Climara 50<br>Femtran 50            |
| a) Higher subsidy of \$13.18 per 4 patch with Special Authority see SA1018 on the preceding page |   |       |                          |                                     |
| b) No more than 1 patch per week   |   |       |                          |                                     |
| c) Only on a prescription  |   |       |                          |                                     |
| * TDDS 50 µg per day .....   | 4.12<br>(13.18)<br>(13.18)              | 8     |                          | Estraderm TTS 50<br>Estradot 50 µg  |
| a) Higher subsidy of \$13.18 per 8 patch with Special Authority see SA1018 on the preceding page |   |       |                          |                                     |
| b) No more than 2 patch per week   |   |       |                          |                                     |
| c) Only on a prescription  |   |       |                          |                                     |
| * TDDS 7.8 mg (releases 100 µg of oestradiol per day) .....                                      | 7.05<br>(16.14)<br>(35.00)              | 4     |                          | Climara 100<br>Femtran 100          |
| a) Higher subsidy of \$16.14 per 4 patch with Special Authority see SA1018 on the preceding page |   |       |                          |                                     |
| b) No more than 1 patch per week   |   |       |                          |                                     |
| c) Only on a prescription  |   |       |                          |                                     |
| * TDDS 100 µg per day .....  | 7.05<br>(16.14)                         | 8     |                          | Estraderm TTS 100                   |
| a) Higher subsidy of \$16.14 per 8 patch with Special Authority see SA1018 on the preceding page |   |       |                          |                                     |
| b) No more than 2 patch per week   |   |       |                          |                                     |
| c) Only on a prescription  |   |       |                          |                                     |
| OESTRADIOL VALERATE – See prescribing guideline on the preceding page                            |   |       |                          |                                     |
| * Tab 1 mg .....   | 8.24                                    | 56    | ✓                        | Progynova                           |
| * Tab 2 mg .....   | 8.24                                    | 56    | ✓                        | Progynova                           |
| OESTROGENS – See prescribing guideline on the preceding page                                     |   |       |                          |                                     |
| * Conjugated, equine tab 300 µg .....  | 3.01<br>(11.48)                         | 28    |                          | Premarin                            |
| * Conjugated, equine tab 625 µg .....  | 4.12<br>(11.48)                         | 28    |                          | Premarin                            |

## Progestogens

MEDROXYPROGESTERONE ACETATE – See prescribing guideline on the preceding page

|                    |       |     |   |         |
|--------------------|-------|-----|---|---------|
| * Tab 2.5 mg ..... | 3.09  | 30  | ✓ | Provera |
| * Tab 5 mg .....   | 13.06 | 100 | ✓ | Provera |
| * Tab 10 mg .....  | 6.85  | 30  | ✓ | Provera |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per   | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|-------|--------------------------|-------------------------------------|
| <b>Progestogen and Oestrogen Combined Preparations</b>  |   |       |                          |                                     |
| OESTRADIOL WITH NORETHISTERONE – See prescribing guideline on page 76   |   |       |                          |                                     |
| * Tab 1 mg with 0.5 mg norethisterone acetate .....   | 5.40<br>(14.52)                         | 28 OP |                          | Kliovance                           |
| * Tab 2 mg with 1 mg norethisterone acetate .....   | 5.40<br>(14.52)                         | 28 OP |                          | Kliogest                            |
| * Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg<br>oestradiol tab (12) and 1 mg oestradiol tab (6) ..... | 5.40<br>(14.52)                         | 28 OP |                          | Trisequens                          |
| OESTROGENS WITH MEDROXYPROGESTERONE – See prescribing guideline on page 76  |   |       |                          |                                     |
| * Tab 625 µg conjugated equine with 2.5 mg medroxyproges-<br>terone acetate tab (28) .....                          | 5.40<br>(22.96)                         | 28 OP |                          | Premia 2.5<br>Continuous            |
| * Tab 625 µg conjugated equine with 5 mg medroxyproges-<br>terone acetate tab (28) .....                            | 5.40<br>(22.96)                         | 28 OP |                          | Premia 5 Continuous                 |

### Other Oestrogen Preparations

|                   |       |     |   |                                      |
|-------------------|-------|-----|---|--------------------------------------|
| ETHINYLOESTRADIOL |       |     |   |                                      |
| * Tab 10 µg ..... | 17.60 | 100 | ✓ | <b>NZ Medical and<br/>Scientific</b> |
| OESTRIOL          |       |     |   |                                      |
| * Tab 2 mg .....  | 7.00  | 30  | ✓ | <b>Ovestin</b>                       |

### Other Progestogen Preparations

|   |                  |    |   |               |
|---|------------------|----|---|---------------|
| DYDROGESTERONE  |                  |    |   |               |
| Tab 10 mg .....   | 15.40<br>(16.75) | 28 |   | Duphaston     |
| LEVONORGESTREL  |                  |    |   |               |
| * Levonorgestrel - releasing intrauterine system 20µg/24 hr –<br>Special Authority see SA0782 below – Retail pharmacy ..... | 269.50           | 1  | ✓ | <b>Mirena</b> |

#### ►SA0782 Special Authority for Subsidy

**Initial application — (No previous use)** only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- 3 Either:
  - 3.1 serum ferritin level < 16 µg/l (within the last 12 months); or
  - 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

**Initial application — (Previous use before 1 October 2002)** only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

continued...

## HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
|--|---|-----|--------------------------|-------------------------------------|

continued...

- 1 The patient had a clinical diagnosis of heavy menstrual bleeding; and
- 2 Patient demonstrated clinical improvement of heavy menstrual bleeding; and
- 3 Applicant to state date of the previous insertion.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

**Renewal** only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
  - 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
  - 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

### MEDROXYPROGESTERONE ACETATE

|   |       |     |           |
|---|-------|-----|-----------|
| * Tab 100 mg – Retail pharmacy-Specialist ..... | 96.50 | 100 | ✓ Provera |
| * Tab 200 mg – Retail pharmacy-Specialist ..... | 70.50 | 30  | ✓ Provera |

### NORETHISTERONE

|   |       |     |                     |
|---|-------|-----|---------------------|
| * Tab 5 mg – Up to 30 tab available on a PSO..... | 25.00 | 100 | ✓ <u>Primolut N</u> |
|---|-------|-----|---------------------|

## Thyroid and Antithyroid Agents

### CARBIMAZOLE

|                  |       |     |                 |
|------------------|-------|-----|-----------------|
| * Tab 5 mg ..... | 10.80 | 100 | ✓ Neo-Mercazole |
|------------------|-------|-----|-----------------|

### LEVOTHYROXINE

|                   |       |       |              |
|-------------------|-------|-------|--------------|
| * Tab 50 µg ..... | 1.71  | 28    | ✓ Goldshield |
|                   | 45.00 | 1,000 | ✓ Synthroid  |
|                   | 64.28 |       | ✓ Eltroxin   |

‡ Safety cap for extemporaneously compounded oral liquid preparations.

|                    |       |       |              |
|--------------------|-------|-------|--------------|
| * Tab 100 µg ..... | 1.78  | 28    | ✓ Goldshield |
|                    | 46.75 | 1,000 | ✓ Synthroid  |
|                    | 66.78 |       | ✓ Eltroxin   |

‡ Safety cap for extemporaneously compounded oral liquid preparations.

|                   |       |       |             |
|-------------------|-------|-------|-------------|
| * Tab 25 µg ..... | 43.24 | 1,000 | ✓ Synthroid |
|-------------------|-------|-------|-------------|

‡ Safety cap for extemporaneously compounded oral liquid preparations.

## Trophic Hormones

### Growth Hormones

#### ►SA0755 Special Authority for Subsidy

Special Authority approved by the Growth Hormone Committee

Notes: Subject to budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz> or:

NZGHC Coordinator

PHARMAC, PO Box 10-254, WELLINGTON

Tel: 0800 808 476, Fax: (09) 929 3221, Email: [growthhormone@pharmac.govt.nz](mailto:growthhormone@pharmac.govt.nz)

SOMATROPIN – Special Authority see SA0755 above

|                                      |        |   |                     |
|--------------------------------------|--------|---|---------------------|
| * Inj cartridge 16 iu (5.3 mg) ..... | 160.00 | 1 | ✓ <u>Genotropin</u> |
| * Inj cartridge 36 iu (12 mg) .....  | 360.00 | 1 | ✓ <u>Genotropin</u> |

‡ safety cap

\* Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

|                                      | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--------------------------------------|---|-----|--------------------------|-------------------------------------|
| <b>GnRH Analogues</b>                |   |     |                          |                                     |
| <b>GOSERELIN ACETATE</b>             |   |     |                          |                                     |
| Inj 3.6 mg .....                     | 200.00                                  | 1   | ✓                        | Zoladex                             |
| Inj 10.8 mg .....                    | 500.00                                  | 1   | ✓                        | Zoladex                             |
| <b>LEUPRORELIN</b>                   |   |     |                          |                                     |
| Inj 3.75 mg .....                    | 221.60                                  | 1   | ✓                        | Lucrin Depot                        |
| Inj 3.75 mg prefilled syringe .....  | 221.60                                  | 1   | ✓                        | Lucrin Depot PDS                    |
| Inj 7.5 mg .....                     | 166.20                                  | 1   | ✓                        | Eligard                             |
| Inj 11.25 mg .....                   | 591.68                                  | 1   | ✓                        | Lucrin Depot                        |
| Inj 11.25 mg prefilled syringe ..... | 591.68                                  | 1   | ✓                        | Lucrin Depot PDS                    |
| Inj 22.5 mg .....                    | 443.76                                  | 1   | ✓                        | Eligard                             |
| Inj 30 mg .....                      | 591.68                                  | 1   | ✓                        | Eligard                             |
| Inj 30 mg prefilled syringe .....    | 1,109.40                                | 1   | ✓                        | Lucrin Depot PDS                    |
| Inj 45 mg .....                      | 832.05                                  | 1   | ✓                        | Eligard                             |

### Vasopressin Agonists

|   |       |           |   |                       |
|---|-------|-----------|---|-----------------------|
| <b>DESMOPRESSIN</b>   |       |           |   |                       |
| ▲ Nasal drops 100 µg per ml – Retail pharmacy-Specialist.....                         | 39.03 | 2.5 ml OP | ✓ | Minirin               |
| ▲ Nasal spray 10 µg per dose – Retail pharmacy-Specialist.....                        | 29.94 | 6 ml OP   | ✓ | Desmopressin-<br>PH&T |
| Inj 4 µg per ml, 1 ml – Special Authority see SA0090 below –<br>Retail pharmacy ..... | 67.18 | 10        | ✓ | Minirin               |

#### ►SA0090 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

**Renewal** only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

### Other Endocrine Agents

#### CABERGOLINE

|   |       |   |   |                   |
|---|-------|---|---|-------------------|
| Tab 0.5 mg – Maximum of 2 tab per prescription; can be<br>waived by Special Authority see SA1031 below..... | 16.50 | 2 | ✓ | Arrow-Cabergoline |
|   | 66.00 | 8 | ✓ | Arrow-Cabergoline |
|   | 16.50 | 2 | ✓ | Dostinex          |
|   | 66.00 | 8 | ✓ | Dostinex          |

#### ►SA1031 Special Authority for Waiver of Rule

**Initial application** only from an obstetrician, endocrinologist or gynaecologist. Approvals valid without further renewal unless notified where the patient has pathological hyperprolactinemia.

**Renewal** only from an obstetrician, endocrinologist or gynaecologist. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment.

#### CLOMIPHENE CITRATE

|                 |       |    |   |           |
|-----------------|-------|----|---|-----------|
| Tab 50 mg ..... | 2.50  | 5  | ✓ | Phenate   |
|                 | 29.84 | 10 | ✓ | Serophene |

(Phenate Tab 50 mg to be delisted 1 February 2011)

#### DANAZOL – Retail pharmacy-Specialist

|                  |       |     |   |      |
|------------------|-------|-----|---|------|
| Cap 100 mg ..... | 68.33 | 100 | ✓ | Azol |
| Cap 200 mg ..... | 97.83 | 100 | ✓ | Azol |



## HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|--|---|----------------------------|-------------------------------------|
| <b>GESTRINONE – Retail pharmacy-Specialist</b> |   |                            |                                     |
| Cap 2.5 mg .....                               | 101.87                                  | 8 OP                       | ✓ Dimetriose                        |
| <b>METYRAPONE</b>                              |   |                            |                                     |
| Cap 250 mg – Retail pharmacy-Specialist .....  | 238.00                                  | 50                         | ✓ Metopirone                        |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time  
if endorsed "certified exemption" by the prescriber.

## INFECTIONS - AGENTS FOR SYSTEMIC USE

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
|--|---|-----|--------------------------|-------------------------------------|

### Anthelmintics

MEBENDAZOLE – Only on a prescription

|                                |        |       |   |                |
|--------------------------------|--------|-------|---|----------------|
| Tab 100 mg .....               | 17.28  | 24    | ✓ | <b>De-Worm</b> |
| Oral liq 100 mg per 5 ml ..... | 2.18   | 15 ml |   |                |
|                                | (7.17) |       |   | Vermox         |

### Antibacterials

a) For topical antibacterials, refer to DERMATOLOGICALS, page 58

b) For anti-infective eye preparations, refer to SENSORY ORGANS, page 165

### Cephalosporins and Cephamycins

CEFACLO MONOHYDRATE

|  |       |        |   |                         |
|--|-------|--------|---|-------------------------|
| Cap 250 mg .....                         | 28.90 | 100    | ✓ | <b>Ranbaxy-Cefaclor</b> |
| Grans for oral liq 125 mg per 5 ml ..... | 3.53  | 100 ml | ✓ | <b>Ranbaxy-Cefaclor</b> |

CEFAZOLIN SODIUM – Subsidy by endorsement

Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.

|                  |      |   |   |                |
|------------------|------|---|---|----------------|
| Inj 500 mg ..... | 5.00 | 5 | ✓ | <b>Hospira</b> |
| Inj 1 g .....    | 8.00 | 5 | ✓ | <b>Hospira</b> |

CEFOXITIN SODIUM – Retail pharmacy-Specialist – Subsidy by endorsement

Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.

|               |       |   |   |              |
|---------------|-------|---|---|--------------|
| Inj 1 g ..... | 55.00 | 5 | ✓ | <b>Mayne</b> |
|---------------|-------|---|---|--------------|

CEFTRIAXONE SODIUM – Subsidy by endorsement

a) Up to 5 inj available on a PSO

b) Subsidised only if prescribed for a dialysis or cystic fibrosis patient, or the treatment of confirmed ciprofloxacin-resistant gonorrhoea, or the treatment of suspected meningitis in patients who have a known allergy to penicillin, and the prescription or PSO is endorsed accordingly.

|                  |        |   |   |                          |
|------------------|--------|---|---|--------------------------|
| Inj 500 mg ..... | 2.70   | 1 | ✓ | <b>Veracol</b>           |
|                  | 2.57   |   |   |                          |
|                  | (3.99) |   |   | AFT                      |
| Inj 1 g .....    | 10.49  | 5 | ✓ | <b>Aspen Ceftriaxone</b> |
|                  | 2.10   | 1 |   |                          |
|                  | (5.40) |   |   | AFT                      |

(AFT Inj 500 mg to be delisted 1 February 2011)

(AFT Inj 1 g to be delisted 1 January 2011)

CEFUROXIME AXETIL – Subsidy by endorsement

Only if prescribed for prophylaxis of endocarditis and the prescription is endorsed accordingly.

|                  |       |    |   |               |
|------------------|-------|----|---|---------------|
| Tab 250 mg ..... | 29.40 | 50 | ✓ | <b>Zinnat</b> |
|------------------|-------|----|---|---------------|

CEFUROXIME SODIUM

Inj 250 mg – Maximum of 3 inj per prescription; can be waived by endorsement.....

|       |    |   |              |
|-------|----|---|--------------|
| 20.97 | 10 | ✓ | <b>Mayne</b> |
|-------|----|---|--------------|

Inj 750 mg – Maximum of 1 inj per prescription; can be waived by endorsement.....

|       |   |   |                |
|-------|---|---|----------------|
| 10.71 | 5 | ✓ | <b>Zinacef</b> |
|-------|---|---|----------------|

Inj 1.5 g – Retail pharmacy-Specialist – Subsidy by endorsement.....

|      |   |   |                |
|------|---|---|----------------|
| 4.04 | 1 | ✓ | <b>Zinacef</b> |
|------|---|---|----------------|

Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.

## Macrolides

## INFECTIONS - AGENTS FOR SYSTEMIC USE

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per      | Fully<br>Subsidised<br>✓                    | Brand or<br>Generic<br>Manufacturer |
|--|---|----------|---|-------------------------------------|
| <b>ERYTHROMYCIN STEARATE</b>   |   |          |   |                                     |
| Tab 250 mg – Up to 30 tab available on a PSO.....  | 14.95<br>(22.29)                        | 100      |   | ERA                                 |
| Tab 500 mg .....   | 29.90<br>(44.58)                        | 100      |   | ERA                                 |
| <b>ROXITHROMYCIN</b>   |   |          |   |                                     |
| Tab 150 mg .....   | 8.98                                    | 50       | ✓ <u>Arrow-</u><br><u>Roxithromycin</u>     |                                     |
| Tab 300 mg .....   | 16.48                                   | 50       | ✓ <u>Arrow-</u><br><u>Roxithromycin</u>     |                                     |
| <b>Penicillins</b>   |   |          |   |                                     |
| <b>AMOXYCILLIN</b>   |   |          |   |                                     |
| Cap 250 mg – Up to 30 cap available on a PSO .....   | 16.18<br>17.30                          | 500      | ✓ <u>Alphamox</u><br>✓ <u>Apo-Amoxi</u>     |                                     |
| Cap 500 mg .....   | 26.50<br>27.25                          | 500      | ✓ <u>Alphamox</u><br>✓ <u>Apo-Amoxi</u>     |                                     |
| Grans for oral liq 125 mg per 5 ml – Up to 200 ml available<br>on a PSO .....  | 1.55                                    | 100 ml   | ✓ <u>Ospamox</u>                            |                                     |
| Grans for oral liq 250 mg per 5 ml – Up to 200 ml available<br>on a PSO .....  | 1.10                                    | 100 ml   | ✓ <u>Ospamox</u>                            |                                     |
| Drops 125 mg per 1.25 ml .....   | 4.00                                    | 30 ml OP | ✓ <u>Ospamox Paediatric</u><br><u>Drops</u> |                                     |
| Inj 250 mg .....   | 12.42                                   | 10       | ✓ <u>Ibiamox</u>                            |                                     |
| Inj 500 mg .....   | 14.24                                   | 10       | ✓ <u>Ibiamox</u>                            |                                     |
| Inj 1 g – Up to 5 inj available on a PSO .....   | 21.62                                   | 10       | ✓ <u>Ibiamox</u>                            |                                     |
| <b>AMOXYCILLIN CLAVULANATE</b>   |   |          |   |                                     |
| Tab amoxycillin 500 mg with potassium clavulanate 125 mg<br>– Up to 30 tab available on a PSO .....                                | 25.10                                   | 100      | ✓ <u>Synermox</u>                           |                                     |
| Grans for oral liq amoxycillin 125 mg with potassium clavu-<br>lanate 31.25 mg per 5 ml – Up to 200 ml available on a<br>PSO ..... | 2.20                                    | 100 ml   | ✓ <u>Curam</u>                              |                                     |
| Grans for oral liq amoxycillin 250 mg with potassium clavu-<br>lanate 62.5 mg per 5 ml – Up to 200 ml available on a<br>PSO .....  | 3.85                                    | 100 ml   | ✓ <u>Curam</u>                              |                                     |
| <b>BENZATHINE BENZYL PENICILLIN</b>  |   |          |   |                                     |
| Inj 1.2 mega u per 2.3 ml – Up to 5 inj available on a PSO .....   | 315.00                                  | 10       | ✓ <u>Bicillin LA</u>                        |                                     |
| <b>BENZYL PENICILLIN SODIUM (PENICILLIN G)</b>   |   |          |   |                                     |
| Inj 1 mega u – Up to 5 inj available on a PSO .....  | 10.49                                   | 10       | ✓ <u>Sandoz</u>                             |                                     |
| <b>FLUCLOXACILLIN SODIUM</b>   |   |          |   |                                     |
| Cap 250 mg – Up to 30 cap available on a PSO .....   | 32.00                                   | 250      | ✓ <u>AFT</u>                                |                                     |
| Cap 500 mg .....   | 110.00                                  | 500      | ✓ <u>AFT</u>                                |                                     |
| Grans for oral liq 125 mg per 5 ml – Up to 200 ml available<br>on a PSO .....  | 3.12                                    | 100 ml   | ✓ <u>AFT</u>                                |                                     |
| Grans for oral liq 250 mg per 5 ml – Up to 200 ml available<br>on a PSO .....  | 3.55                                    | 100 ml   | ✓ <u>AFT</u>                                |                                     |
| Inj 250 mg .....   | 9.00                                    | 10       | ✓ <u>Flucloxin</u>                          |                                     |
| Inj 500 mg .....   | 10.40                                   | 10       | ✓ <u>Flucloxin</u>                          |                                     |
| Inj 1 g – Up to 5 inj available on a PSO .....   | 14.00                                   | 10       | ✓ <u>Flucloxin</u>                          |                                     |

## INFECTIONS - AGENTS FOR SYSTEMIC USE

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per    | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|--------|--------------------------|-------------------------------------|
| <b>PHENOXYMETHYLPENICILLIN (PENICILLIN V)</b>   |   |        |                          |                                     |
| Cap potassium salt 250 mg – Up to 30 cap available on a PSO .....   | 9.71                                    | 50     | ✓                        | <b>Cilicaine VK</b>                 |
| Cap potassium salt 500 mg .....   | 11.70                                   | 50     | ✓                        | <b>Cilicaine VK</b>                 |
| Grans for oral liq 125 mg per 5 ml – Up to 200 ml available<br>on a PSO .....   | 1.68                                    | 100 ml | ✓                        | <b>AFT</b>                          |
| Grans for oral liq 250 mg per 5 ml – Up to 200 ml available<br>on a PSO .....   | 1.78                                    | 100 ml | ✓                        | <b>AFT</b>                          |
| <b>PROCAINE PENICILLIN</b>  |   |        |                          |                                     |
| Inj 1.5 mega u – Up to 5 inj available on a PSO .....   | 50.86                                   | 5      | ✓                        | <b>Cilicaine</b>                    |
| <b>Tetracyclines</b>  |   |        |                          |                                     |
| <b>DOXYCYCLINE HYDROCHLORIDE</b>  |   |        |                          |                                     |
| * Tab 50 mg – Up to 30 tab available on a PSO .....   | 2.90<br>(6.00)                          | 30     |                          | Doxy-50                             |
| * Tab 100 mg – Up to 30 tab available on a PSO .....  | 8.10                                    | 250    | ✓                        | <b>Doxine</b>                       |
| <b>MINOCYCLINE HYDROCHLORIDE</b>  |   |        |                          |                                     |
| * Tab 50 mg .....   | 5.79<br>(12.05)                         | 60     |                          | Mino-tabs                           |
| * Cap 100 mg .....  | 19.32<br>(52.04)                        | 100    |                          | Minomycin                           |
| <b>Other Antibiotics</b>  |   |        |                          |                                     |
| For topical antibiotics, refer to DERMATOLOGICALS, page 58  |   |        |                          |                                     |
| <b>CIPROFLOXACIN</b>  |   |        |                          |                                     |
| Tab 250 mg – Up to 5 tab available on a PSO .....   | 3.35                                    | 30     | ✓                        | <b>Rex Medical</b>                  |
| Tab 500 mg – Up to 5 tab available on a PSO .....   | 4.90                                    | 30     | ✓                        | <b>Rex Medical</b>                  |
| Tab 750 mg – Retail pharmacy-Specialist .....   | 7.54                                    | 30     | ✓                        | <b>Rex Medical</b>                  |
| <b>CLINDAMYCIN</b>  |   |        |                          |                                     |
| Cap hydrochloride 150 mg – Maximum of 4 cap per prescrip-<br>tion; can be waived by endorsement - Retail pharmacy -<br>Specialist ..... | 11.39                                   | 16     | ✓                        | <b>Dalacin C</b>                    |
| Inj phosphate 150 mg per ml, 4 ml – Retail pharmacy-<br>Specialist .....  | 16.00                                   | 1      | ✓                        | <b>Dalacin C</b>                    |
| <b>CO-TRIMOXAZOLE</b>   |   |        |                          |                                     |
| * Tab trimethoprim 80 mg and sulphamethoxazole 400 mg –<br>Up to 30 tab available on a PSO .....  | 17.00                                   | 500    | ✓                        | <b>Trisul</b>                       |
| * Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg<br>per 5 ml – Up to 200 ml available on a PSO .....                          | 2.15                                    | 100 ml | ✓                        | <b>Deprim</b>                       |
| <b>COLISTIN SULPHOMETHATE – Retail pharmacy-Specialist – Subsidy by endorsement</b>   |   |        |                          |                                     |
| Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.                                |   |        |                          |                                     |
| Inj 150 mg .....  | 65.00                                   | 1      | ✓                        | <b>Colistin-Link</b>                |
| <b>FUSIDIC ACID</b>   |   |        |                          |                                     |
| Tab 250 mg – Retail pharmacy-Specialist .....   | 34.50                                   | 12     | ✓                        | <b>Fucidin</b>                      |
| Inj 500 mg sodium fusidate per 10 ml – Retail pharmacy-<br>Specialist – Subsidy by endorsement .....                                    | 12.87<br>(17.80)                        | 1      |                          | Fucidin                             |
| Only if prescribed for a dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.                              |   |        |                          |                                     |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time  
if endorsed "certified exemption" by the prescriber.

## INFECTIONS - AGENTS FOR SYSTEMIC USE

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|-----|--------------------------|-------------------------------------|
| <b>GENTAMICIN SULPHATE</b>  |   |     |                          |                                     |
| Inj 10 mg per ml, 1 ml – Subsidy by endorsement .....   | 8.56                                    | 5   | ✓                        | <b>Mayne</b>                        |
| Only if prescribed for a dialysis or cystic fibrosis patient or for prophylaxis of endocarditis and the prescription is endorsed accordingly.   |   |     |                          |                                     |
| Inj 40 mg per ml, 2 ml – Subsidy by endorsement .....   | 9.00                                    | 10  | ✓                        | <b>Pfizer</b>                       |
| Only if prescribed for a dialysis or cystic fibrosis patient or for prophylaxis of endocarditis and the prescription is endorsed accordingly.   |   |     |                          |                                     |
| <b>TOBRAMYCIN</b>   |   |     |                          |                                     |
| Inj 40 mg per ml, 2 ml – Subsidy by endorsement .....   | 34.50                                   | 5   | ✓                        | <b>Mayne</b>                        |
| Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.  |   |     |                          |                                     |
| <b>TRIMETHOPRIM</b>   |   |     |                          |                                     |
| * Tab 300 mg – Up to 30 tab available on a PSO.....   | 8.69                                    | 50  | ✓                        | <b>TMP</b>                          |
| <b>VANCOMYCIN HYDROCHLORIDE – Subsidy by endorsement</b>  |   |     |                          |                                     |
| Only if prescribed for a dialysis or cystic fibrosis patient or in the treatment of pseudomembranous colitis or for prophylaxis of endocarditis and the prescription is endorsed accordingly. |   |     |                          |                                     |
| Inj 50 mg per ml, 10 ml .....   | 5.04                                    | 1   | ✓                        | <b>Pacific</b>                      |

### Antifungals

- a) For topical antifungals refer to DERMATOLOGICALS, page 58  
b) For topical antifungals refer to GENITO URINARY, page 72

#### FLUCONAZOLE – Retail pharmacy-Specialist

|                  |       |    |   |                |
|------------------|-------|----|---|----------------|
| Cap 50 mg .....  | 6.82  | 28 | ✓ | <b>Pacific</b> |
| Cap 150 mg ..... | 1.30  | 1  | ✓ | <b>Pacific</b> |
| Cap 200 mg ..... | 19.05 | 28 | ✓ | <b>Pacific</b> |

#### ITRACONAZOLE – Retail pharmacy-Specialist

|                  |       |    |   |                 |
|------------------|-------|----|---|-----------------|
| Cap 100 mg ..... | 23.70 | 15 | ✓ | <b>Sporanox</b> |
|------------------|-------|----|---|-----------------|

#### KETOCONAZOLE

|   |       |    |   |                |
|---|-------|----|---|----------------|
| Tab 200 mg – Retail pharmacy-Specialist ..... | 38.12 | 30 | ✓ | <b>Nizoral</b> |
|---|-------|----|---|----------------|

#### NYSTATIN

|                     |       |    |   |                |
|---------------------|-------|----|---|----------------|
| Tab 500,000 u ..... | 14.16 | 50 | ✓ | <b>Nilstat</b> |
| Cap 500,000 u ..... | 12.81 | 50 | ✓ | <b>Nilstat</b> |

#### TERBINAFINE

|                  |       |     |   |                        |
|------------------|-------|-----|---|------------------------|
| Tab 250 mg ..... | 25.50 | 100 | ✓ | <b>Apo-Terbinafine</b> |
|------------------|-------|-----|---|------------------------|

### Antimalarials

#### HYDROXYCHLOROQUINE SULPHATE

|                    |       |     |   |                  |
|--------------------|-------|-----|---|------------------|
| * Tab 200 mg ..... | 22.50 | 100 | ✓ | <b>Plaquenil</b> |
|--------------------|-------|-----|---|------------------|

### Antitrichomonal Agents

#### METRONIDAZOLE

|   |       |        |   |                   |
|---|-------|--------|---|-------------------|
| Tab 200 mg – Up to 30 tab available on a PSO..... | 9.50  | 100    | ✓ | <b>Trichozole</b> |
| Tab 400 mg .....                                  | 17.50 | 100    | ✓ | <b>Trichozole</b> |
| Oral liq benzoate 200 mg per 5 ml .....           | 25.00 | 100 ml | ✓ | <b>Flagyl-S</b>   |
| Suppos 500 mg .....                               | 24.48 | 10     | ✓ | <b>Flagyl</b>     |

#### ORNIDAZOLE

|                  |       |    |   |                |
|------------------|-------|----|---|----------------|
| Tab 500 mg ..... | 12.38 | 10 | ✓ | <b>Tiberal</b> |
|------------------|-------|----|---|----------------|

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|--|---|----------------------------|-------------------------------------|
|  |   | ✓                          |                                     |

## Antituberculotics and Antileprotics

Note: There is no co-payment charge for all pharmaceuticals listed in the Antituberculotics and Antileprotics group regardless of immigration status.

DAPSONE – No patient co-payment payable

|                  |        |     |               |
|------------------|--------|-----|---------------|
| Tab 25 mg .....  | 95.00  | 100 | ✓ Dapsone S29 |
| Tab 100 mg ..... | 110.00 | 100 | ✓ Dapsone S29 |

ETHAMBUTOL HYDROCHLORIDE – No patient co-payment payable

|                  |       |    |             |
|------------------|-------|----|-------------|
| Tab 100 mg ..... | 48.01 | 56 | ✓ Myambutol |
| Tab 400 mg ..... | 49.34 | 56 | ✓ Myambutol |

ISONIAZID – Retail pharmacy-Specialist

No patient co-payment payable

|   |        |     |           |
|---|--------|-----|-----------|
| * Tab 100 mg .....                        | 20.00  | 100 | ✓ PSM     |
| * Tab 100 mg with rifampicin 150 mg ..... | 90.04  | 100 | ✓ Rifinah |
| * Tab 150 mg with rifampicin 300 mg ..... | 179.57 | 100 | ✓ Rifinah |

PYRAZINAMIDE – Retail pharmacy-Specialist

No patient co-payment payable

|                    |       |     |                    |
|--------------------|-------|-----|--------------------|
| * Tab 500 mg ..... | 59.00 | 100 | ✓ AFT-Pyrazinamide |
|--------------------|-------|-----|--------------------|

RIFABUTIN – Retail pharmacy-Specialist

No patient co-payment payable

|                    |        |    |             |
|--------------------|--------|----|-------------|
| * Cap 150 mg ..... | 213.19 | 30 | ✓ Mycobutin |
|--------------------|--------|----|-------------|

RIFAMPICIN – Retail pharmacy-Specialist

No patient co-payment payable

|                                  |        |       |           |
|----------------------------------|--------|-------|-----------|
| * Tab 600 mg .....               | 114.40 | 30    | ✓ Rifadin |
| * Cap 150 mg .....               | 58.66  | 100   | ✓ Rifadin |
| * Cap 300 mg .....               | 122.36 | 100   | ✓ Rifadin |
| * Oral liq 100 mg per 5 ml ..... | 12.66  | 60 ml | ✓ Rifadin |

## Antivirals

For eye preparations refer to Eye Preparations, Anti-Infective Preparations, page 165

## Hepatitis B Treatment

ADEFOVIR DIPVOXIL – Special Authority see SA0829 below – Retail pharmacy

|                 |        |    |           |
|-----------------|--------|----|-----------|
| Tab 10 mg ..... | 670.00 | 30 | ✓ Hepsera |
|-----------------|--------|----|-----------|

### ►SA0829 Special Authority for Subsidy

**Initial application** only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT ( $> 1 \times \text{ULN}$ ); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load  $\geq 10$  fold over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Either:
  - 5.1 Both:
    - 5.1.1 Patient is cirrhotic; and

continued...

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
|--|---|-----|--------------------------|-------------------------------------|

continued...

5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or

5.2 Both:

5.2.1 Patient is not cirrhotic; and

5.2.2 adefovir dipivoxil to be used as monotherapy.

**Renewal** only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as:

- raised serum ALT ( $> 1 \times$  ULN); and
- HBV DNA greater than 100,000 copies per mL, or viral load  $\geq 10$  fold over nadir; and
- Detection of N236T or A181T/V mutation.

Adefovir dipivoxil should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines.

Adefovir dipivoxil should be avoided in pregnant women and children.

ENTECAVIR – Special Authority see SA0977 below – Retail pharmacy

|                  |        |    |             |
|------------------|--------|----|-------------|
| Tab 0.5 mg ..... | 400.00 | 30 | ✓ Baraclude |
|------------------|--------|----|-------------|

## ►SA0977 Special Authority for Subsidy

**Initial application** only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- Patient is Hepatitis B nucleoside analogue treatment-naïve; and
- Entecavir dose 0.5 mg/day; and
- Either:
  - ALT greater than upper limit of normal; or
  - Bridging fibrosis or cirrhosis (Metavir stage 3 or greater) on liver histology; and
- Either:
  - HBeAg positive; or
  - patient has  $\geq 2,000$  IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- No continuing alcohol abuse or intravenous drug use; and
- Not co-infected with HCV, HIV or HDV; and
- Neither ALT nor AST greater than 10 times upper limit of normal; and
- No history of hypersensitivity to entecavir; and
- No previous documented lamivudine resistance (either clinical or genotypic).

Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE – Special Authority see SA0832 on the next page – Retail pharmacy

|                            |        |        |          |
|----------------------------|--------|--------|----------|
| Tab 100mg .....            | 143.00 | 28     | ✓ Zeffix |
| Oral liq 5 mg per ml ..... | 90.00  | 240 ml | ✓ Zeffix |



|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|--|---|----------------------------|-------------------------------------|
|  |   | ✓                          |                                     |

►SA0832 Special Authority for Subsidy

**Initial application** only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 All of the following:
    - 1.1.1 HBsAg positive for more than 6 months; and
    - 1.1.2 HBeAg positive or HBV DNA positive defined as > 100,000 copies per ml by quantitative PCR at a reference laboratory; and
    - 1.1.3 ALT greater than twice upper limit of normal or bridging fibrosis or cirrhosis (Metavir stage 3 or 4 or equivalent) on liver histology clinical/radiological evidence of cirrhosis; or
  - 1.2 HBV DNA positive cirrhosis prior to liver transplantation; or
  - 1.3 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
  - 1.4 Hepatitis B surface antigen positive (HBsAg) patient who is receiving chemotherapy for a malignancy, or who has received such treatment within the previous two months; and
- 2 All of the following:
  - 2.1 No continuing alcohol abuse or intravenous drug use; and
  - 2.2 Not coinfecting with HCV or HDV; and
  - 2.3 Neither ALT nor AST greater than 10 times upper limit of normal; and
  - 2.4 No history of hypersensitivity to lamivudine; and
  - 2.5 No previous lamivudine therapy with genotypically proven lamivudine resistance.

**Renewal** only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

Renewal for patients who have maintained continuous treatment and response to lamivudine

- 1 All of the following:
  - 1.1 Have maintained continuous treatment with lamivudine; and
  - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
  - 1.3 HBV DNA <100,000 copies per ml by quantitative PCR at a reference laboratory; or

Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine

- 2 All of the following:
  - 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and
  - 2.2 Patient is cirrhotic; and  
Documented resistance to lamivudine, defined as:
  - 2.3 Patient has raised serum ALT ( $> 1 \times \text{ULN}$ ); and
  - 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
  - 2.5 Detection of M204I or M204V mutation; or

Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

- 3 All of the following:
  - 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and  
Documented resistance to adefovir, defined as:
  - 3.2 Patient has raised serum ALT ( $> 1 \times \text{ULN}$ ); and
  - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
  - 3.4 Detection of N236T or A181T/V mutation.

## Herpesvirus Treatments

### ACICLOVIR

|                                |      |    |         |
|--------------------------------|------|----|---------|
| * Tab dispersible 200 mg ..... | 1.98 | 25 | ✓ Lovir |
| * Tab dispersible 400 mg ..... | 6.64 | 56 | ✓ Lovir |
| * Tab dispersible 800 mg ..... | 7.38 | 35 | ✓ Lovir |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|-----|--------------------------|-------------------------------------|
| VALACICLOVIR – Special Authority see SA0957 below – Retail pharmacy |   |     |                          |                                     |
| Tab 500 mg .....  | 102.72                                  | 30  | ✓                        | Valtrex                             |

## ►SA0957 Special Authority for Subsidy

**Initial application — (recurrent genital herpes)** from any medical practitioner. Approvals valid for 12 months where the patient has genital herpes with 2 or more breakthrough episodes in any 6 month period while treated with aciclovir 400 mg twice daily.

**Renewal — (recurrent genital herpes)** from any medical practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

**Initial application — (ophthalmic zoster)** from any medical practitioner. Approvals valid without further renewal unless notified where the patient has previous history of ophthalmic zoster and the patient is at risk of vision impairment.

**Initial application — (CMV prophylaxis)** from any medical practitioner. Approvals valid for 3 months where the patient has undergone organ transplantation.

## Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE – Subsidy by endorsement; can be waived by Special Authority see SA1047 below

Endorsement for treatment of HIV/AIDS: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA1025 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note: Tenofovir disoproxil fumarate prescribed under endorsement for the treatment of HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1025, page 91

|                  |        |    |   |        |
|------------------|--------|----|---|--------|
| Tab 300 mg ..... | 531.00 | 30 | ✓ | Viread |
|------------------|--------|----|---|--------|

## ►SA1047 Special Authority for Waiver of Rule

**Initial application — (Confirmed Hepatitis B)** only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 All of the following:
  - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
  - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
  - 1.3 HBV DNA greater than 20,000 IU/mL or increased  $\geq$  10 fold over nadir; and
  - 1.4 Any of the following:
    - 1.4.1 Lamivudine resistance - detection of M204I/V mutation; or
    - 1.4.2 Adefovir resistance - detection of A181T/V or N236T mutation; or
    - 1.4.3 Entecavir resistance - detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

**Initial application — (Pregnant)** only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 4 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 Either:
  - 2.1 HBV DNA > 20,000 IU/mL and ALT > ULN; or
  - 2.2 HBV DNA > 100 million IU/mL and ALT normal.

**Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years)** only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 All of the following:
  - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
  - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and

continued...

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|--|---|----------------------------|-------------------------------------|
|  |   | ✓                          |                                     |

continued...

- 1.3 HBV DNA greater than 20,000 IU/mL or increased  $\geq 10$  fold over nadir; and
- 1.4 Any of the following:
  - 1.4.1 Lamivudine resistance - detection of M204I/V mutation; or
  - 1.4.2 Adefovir resistance - detection of A181T/V or N236T mutation; or
  - 1.4.3 Entecavir resistance - detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

**Renewal — (Subsequent Pregnancy)** only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 4 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 Either:
  - 2.1 HBV DNA > 20,000 IU/mL and ALT > ULN; or
  - 2.2 HBV DNA > 100 million IU/mL and ALT normal.

Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg negative prior to commencing this agent.
- The recommended dose of Tenofovir disoproxil fumarate for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

## Antiretrovirals

### ►SA1025 Special Authority for Subsidy

**Initial application — (Confirmed HIV/AIDS)** only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Confirmed HIV infection; and
- 2 Any of the following:
  - 2.1 Symptomatic patient; or
  - 2.2 Patient aged 12 months and under; or
  - 2.3 Both:
    - 2.3.1 Patient aged 1 to 5 years; and
    - 2.3.2 Any of the following:
      - 2.3.2.1 CD4 counts < 1000 cells/mm<sup>3</sup>; or
      - 2.3.2.2 CD4 counts < 0.25 × total lymphocyte count; or
      - 2.3.2.3 Viral load counts > 100000 copies per ml; or
  - 2.4 Both:
    - 2.4.1 Patient aged 6 years and over; and
    - 2.4.2 CD4 counts < 350 cells/mm<sup>3</sup>.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

**Renewal — (Confirmed HIV/AIDS)** only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

continued...

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

continued...

**Initial application — (Prevention of maternal transmission)** only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Prevention of maternal foetal transmission; or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

**Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV)** only from a named specialist.

Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Either:
  - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
  - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

**Renewal — (second or subsequent post-exposure prophylaxis)** only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Either:
  - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
  - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person.

**Initial application — (Percutaneous exposure)** only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

**Renewal — (Second or subsequent percutaneous exposure)** only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

## Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ – Special Authority see SA1025 on the preceding page – Retail pharmacy

|                  |        |    |           |
|------------------|--------|----|-----------|
| Tab 50 mg .....  | 158.33 | 30 | ✓ Stocrin |
| Tab 200 mg ..... | 474.99 | 90 | ✓ Stocrin |
| Tab 600 mg ..... | 474.99 | 30 | ✓ Stocrin |

ETRAVIRINE – Special Authority see SA1025 on the preceding page – Retail pharmacy

|                  |        |     |             |
|------------------|--------|-----|-------------|
| Tab 100 mg ..... | 770.00 | 120 | ✓ Intelence |
|------------------|--------|-----|-------------|

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer    |
|--|---|----------------------------|--|
| NEVIRAPINE – Special Authority see SA1025 on page 91 – Retail pharmacy |   |                            |  |
| Tab 200 mg .....   | 319.80                                  | 60                         | ✓ <u>Viramune</u>                      |
| Oral suspension 10 mg per ml .....                                     | 134.55                                  | 240 ml                     | ✓ <u>Viramune</u><br><u>Suspension</u> |

### Nucleosides Reverse Transcriptase Inhibitors

|   |        |           |                   |
|---|--------|-----------|-------------------|
| ABACAVIR SULPHATE – Special Authority see SA1025 on page 91 – Retail pharmacy                                     |        |           |                   |
| Tab 300 mg .....  | 458.00 | 60        | ✓ <u>Ziagen</u>   |
| Oral liq 20 mg per ml .....   | 100.00 | 240 ml OP | ✓ <u>Ziagen</u>   |
| ABACAVIR SULPHATE WITH LAMIVUDINE – Special Authority see SA1025 on page 91 – Retail pharmacy                     |        |           |                   |
| Note: Kivexa counts as two anti-retroviral medications for the purposes of the anti-retroviral Special Authority. |        |           |                   |
| Tab 600 mg with lamivudine 300 mg .....   | 630.00 | 30        | ✓ <u>Kivexa</u>   |
| DIDANOSINE [DDI] – Special Authority see SA1025 on page 91 – Retail pharmacy                                      |        |           |                   |
| Cap 125 mg .....  | 115.05 | 30        | ✓ <u>Videx EC</u> |
| Cap 200 mg .....  | 184.08 | 30        | ✓ <u>Videx EC</u> |
| Cap 250 mg .....  | 230.10 | 30        | ✓ <u>Videx EC</u> |
| Cap 400 mg .....  | 368.16 | 30        | ✓ <u>Videx EC</u> |
| EMTRICITABINE – Special Authority see SA1025 on page 91 – Retail pharmacy   |        |           |                   |
| Cap 200 mg .....  | 307.20 | 30        | ✓ <u>Emtriva</u>  |
| LAMIVUDINE – Special Authority see SA1025 on page 91 – Retail pharmacy  |        |           |                   |
| Tab 150 mg .....  | 153.60 | 60        | ✓ <u>3TC</u>      |
| Oral liq 10 mg per ml .....   | 50.00  | 240 ml OP | ✓ <u>3TC</u>      |
| STAVUDINE [D4T] – Special Authority see SA1025 on page 91 – Retail pharmacy                                       |        |           |                   |
| Cap 20 mg .....   | 317.10 | 60        | ✓ <u>Zerit</u>    |
| Cap 30 mg .....   | 377.80 | 60        | ✓ <u>Zerit</u>    |
| Cap 40 mg .....   | 503.80 | 60        | ✓ <u>Zerit</u>    |
| Powder for oral soln 1 mg per ml .....  | 100.76 | 200 ml OP | ✓ <u>Zerit</u>    |
| ZIDOVUDINE [AZT] – Special Authority see SA1025 on page 91 – Retail pharmacy                                      |        |           |                   |
| Cap 100 mg .....  | 145.00 | 100       | ✓ <u>Retrovir</u> |
| Oral liq 10 mg per ml .....   | 29.00  | 200 ml OP | ✓ <u>Retrovir</u> |
| ZIDOVUDINE [AZT] WITH LAMIVUDINE – Special Authority see SA1025 on page 91 – Retail pharmacy                      |        |           |                   |
| Combivir counts as two anti-retroviral medications for the purposes of the anti-retroviral Special Authority.     |        |           |                   |
| Tab 300 mg with lamivudine 150 mg .....   | 667.20 | 60        | ✓ <u>Combivir</u> |

### Protease Inhibitors

|   |          |     |                   |
|---|----------|-----|-------------------|
| ATAZANAVIR SULPHATE – Special Authority see SA1025 on page 91 – Retail pharmacy |          |     |                   |
| Cap 150 mg .....  | 568.34   | 60  | ✓ <u>Reyataz</u>  |
| Cap 200 mg .....  | 757.79   | 60  | ✓ <u>Reyataz</u>  |
| DARUNAVIR – Special Authority see SA1025 on page 91 – Retail pharmacy           |          |     |                   |
| Tab 300 mg .....  | 1,190.00 | 120 | ✓ <u>Prezista</u> |
| Tab 400 mg .....  | 837.50   | 60  | ✓ <u>Prezista</u> |
| INDINAVIR – Special Authority see SA1025 on page 91 – Retail pharmacy           |          |     |                   |
| Cap 200 mg .....  | 519.75   | 360 | ✓ <u>Crixivan</u> |
| Cap 400 mg .....  | 519.75   | 180 | ✓ <u>Crixivan</u> |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## INFECTIONS - AGENTS FOR SYSTEMIC USE

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per       | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----------|--------------------------|-------------------------------------|
| <b>LOPINA VIR WITH RITONAVIR</b> – Special Authority see SA1025 on page 91 – Retail pharmacy |   |           |                          |                                     |
| Tab 100 mg with ritonavir 25 mg .....  | 183.75                                  | 60        | ✓                        | Kaletra                             |
| Tab 200 mg with ritonavir 50 mg .....  | 735.00                                  | 120       | ✓                        | Kaletra                             |
| Oral liq 80 mg with ritonavir 20 mg per ml .....   | 735.00                                  | 300 ml OP | ✓                        | Kaletra                             |
| <b>RITONAVIR</b> – Special Authority see SA1025 on page 91 – Retail pharmacy                 |   |           |                          |                                     |
| Cap 100 mg .....   | 121.27                                  | 84        | ✓                        | Norvir                              |
| Oral liq 80 mg per ml .....  | 103.98                                  | 90 ml OP  | ✓                        | Norvir                              |

### Strand Transfer Inhibitors

|   |          |    |   |           |
|---|----------|----|---|-----------|
| <b>RALTEGRA VIR POTASSIUM</b> – Special Authority see SA1025 on page 91 – Retail pharmacy |          |    |   |           |
| Tab 400 mg .....  | 1,350.00 | 60 | ✓ | Isentress |

### Antiretrovirals - Additional Therapies

#### HIV Fusion Inhibitors

|   |          |   |   |        |
|---|----------|---|---|--------|
| <b>ENFUVIRTIDE</b> – Special Authority see SA0845 below – Retail pharmacy |          |   |   |        |
| Powder for inj 90 mg per ml × 60 .....                                    | 2,380.00 | 1 | ✓ | Fuzeon |

#### ►SA0845 Special Authority for Subsidy

**Initial application** only from a named specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Confirmed HIV infection; and
- 2 Enfuvirtide to be given in combination with optimized background therapy (including at least 1 other antiretroviral drug that the patient has never previously been exposed to) for treatment failure; and
- 3 Either:
  - 3.1 Patient has evidence of HIV replication, despite ongoing therapy; or
  - 3.2 Patient has treatment-limiting toxicity to previous antiretroviral agents; and
- 4 Previous treatment with 3 different antiretroviral regimens has failed; and
- 5 All of the following:
  - 5.1 Previous treatment with a non-nucleoside reverse transcriptase inhibitor has failed; and
  - 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed; and
  - 5.3 Previous treatment with a protease inhibitor has failed.

**Renewal** only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Evidence of at least a 10 fold reduction in viral load at 12; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

### Immune Modulators

#### Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

#### Criteria for Treatment

##### 1) Diagnosis

- Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
- PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or

continued...

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|--|---|----------------------------|-------------------------------------|
|  |   | ✓                          |                                     |

continued...

- Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.
- 2) Establishing Active Chronic Liver Disease
- Confirmed HCV infection and serum ALT/AST levels measured on at least three occasions over six months averaging  $> 1.5 \times$  upper limit of normal. (ALT is the preferable enzyme); or
  - Liver biopsy showing significant inflammatory activity (active hepatitis) with or without cirrhosis. This is not a necessary requirement for those patients with coagulopathy. (Some patients have active disease on histology with normal transaminase enzymes).

#### Exclusion Criteria

- 1) Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- 2) Pregnancy.
- 3) Neutropenia ( $< 2.0 \times 10^9$ ) and/or thrombocytopenia.
- 4) Continuing alcohol abuse and/or continuing intravenous drug users.

#### Dosage

The current recommended dosage is 3 million units of interferon alpha-2a or interferon alpha-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

#### Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

#### INTERFERON ALPHA-2A – PCT – Retail pharmacy-Specialist

See prescribing guideline on the preceding page

|                                    |       |   |             |
|------------------------------------|-------|---|-------------|
| Inj 3 m iu prefilled syringe ..... | 31.32 | 1 | ✓ Roferon-A |
| Inj 6 m iu prefilled syringe ..... | 62.64 | 1 | ✓ Roferon-A |
| Inj 9 m iu prefilled syringe ..... | 93.96 | 1 | ✓ Roferon-A |

#### INTERFERON ALPHA-2B – PCT – Retail pharmacy-Specialist

See prescribing guideline on the preceding page

|   |        |   |            |
|---|--------|---|------------|
| Inj 18 m iu, 1.2 ml multidose pen ..... | 187.92 | 1 | ✓ Intron-A |
| Inj 30 m iu, 1.2 ml multidose pen ..... | 313.20 | 1 | ✓ Intron-A |
| Inj 60 m iu, 1.2 ml multidose pen ..... | 626.40 | 1 | ✓ Intron-A |

#### PEGYLATED INTERFERON ALPHA-2A – Special Authority see SA0952 on the next page – Retail pharmacy

See prescribing guideline on the preceding page

|   |          |                  |   |
|---|----------|------------------|---|
| Inj 135 µg prefilled syringe .....  | 362.00   | 1                | ✓ <u>Pegasys</u>                          |
| 1,448.00  | 4        | ✓ <u>Pegasys</u> |   |
| Inj 180 µg prefilled syringe .....  | 450.00   | 1                | ✓ <u>Pegasys</u>                          |
| 1,800.00  | 4        | ✓ <u>Pegasys</u> |   |
| Inj 135 µg prefilled syringe × 4 with ribavirin tab 200 mg ×<br>112 ..... | 1,799.68 | 1 OP             | ✓ <u>Pegasys RBV<br/>Combination Pack</u> |
| Inj 135 µg prefilled syringe × 4 with ribavirin tab 200 mg ×<br>168 ..... | 1,975.00 | 1 OP             | ✓ <u>Pegasys RBV<br/>Combination Pack</u> |
| Inj 180 µg prefilled syringe × 4 with ribavirin tab 200 mg ×<br>112 ..... | 2,059.84 | 1 OP             | ✓ <u>Pegasys RBV<br/>Combination Pack</u> |
| Inj 180 µg prefilled syringe × 4 with ribavirin tab 200 mg ×<br>168 ..... | 2,190.00 | 1 OP             | ✓ <u>Pegasys RBV<br/>Combination Pack</u> |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|--|---|----------------------------|-------------------------------------|
|--|---|----------------------------|-------------------------------------|

## ►SA0952 Special Authority for Subsidy

**Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV)** from any specialist.

Approvals valid for 48 weeks for applications meeting the following criteria:

Either:

- 1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
- 2 Patient has chronic hepatitis C and is co-infected with HIV.

Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

**Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV)** from any specialist.

Approvals valid for 6 months where patient has chronic hepatitis C, genotype 2 or 3 infection.

**Initial application — (Hepatitis B)** only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 48 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naïve; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log<sub>10</sub> IU/ml; and
- 5 Either:
  - 5.1 HBeAg positive; or
  - 5.2 serum HBV DNA ≥ 2,000 units/ml and significant fibrosis (≥ Metavir Stage F2); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon.

Notes:

- Approved dose is 180 µg once weekly.
- The recommended dose of Pegylated Interferon-alpha 2a is 180 µg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alpha 2a dose should be reduced to 135 µg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alpha 2a is not approved for use in children.

## Urinary Tract Infections

### HEXAMINE HIPPURATE

|                 |         |     |        |
|-----------------|---------|-----|--------|
| * Tab 1 g ..... | 18.40   | 100 |        |
|                 | (38.10) |     | Hiprex |

### NITROFURANTOIN

|                    |       |     |           |
|--------------------|-------|-----|-----------|
| * Tab 50 mg .....  | 22.20 | 100 | ✓ Nifuran |
| * Tab 100 mg ..... | 37.50 | 100 | ✓ Nifuran |

### NORFLOXACIN

|   |       |     |                     |
|---|-------|-----|---------------------|
| Tab 400 mg – Maximum of 6 tab per prescription; can be<br>waived by endorsement - Retail pharmacy - Specialist..... | 22.50 | 100 | ✓ Arrow-Norfloxacin |
|---|-------|-----|---------------------|



|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|--|---|----------------------------|-------------------------------------|
|  |   | ✓                          |                                     |

## Vaccines

### Influenza vaccine

INFLUENZA VACCINE – Hospital pharmacy [Xpharm]

A) is available 1 March until vaccine supplies are exhausted each year for patients who meet the following criteria, as set by the Ministry of Health:

- a) all people 65 years of age and over;
- b) people under 65 years of age with:
  - i) the following cardiovascular disease:
    - 1) ischaemic heart disease,
    - 2) congestive heart disease,
    - 3) rheumatic heart disease,
    - 4) congenital heart disease, or
    - 5) cerebo-vascular disease;
  - ii) the following chronic respiratory disease:
    - 1) asthma, if on a regular preventative therapy, or
    - 2) other chronic respiratory disease with impaired lung function;
  - iii) diabetes;
  - iv) chronic renal disease;
  - v) any cancer, excluding basal and squamous skin cancers if not invasive;
  - vi) the following other conditions:
    - a) autoimmune disease,
    - b) immune suppression,
    - c) HIV,
    - d) transplant recipients,
    - e) neuromuscular and CNS diseases,
    - f) haemoglobinopathies, or
    - g) children on long term aspirin.
- c) people under 65 years of age who are:
  - i) pregnant; or
  - ii) morbidly obese
- d) children aged over 6 months and under 5 years who are from high deprivation backgrounds

The following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease,
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor.
- D) Influenza Vaccine does not fall within the definition Community Pharmaceutical as it is not funded directly from the Pharmaceutical Budget. Pharmacists are unable to claim for the dispensing of influenza vaccine from the Funder.

|           |       |    |                   |
|-----------|-------|----|-------------------|
| Inj ..... | 9.00  | 1  | ✓ <b>Fluvax</b>   |
|           | 90.00 | 10 | ✓ <b>Influvac</b> |
|           |       |    | ✓ <b>Vaxigrip</b> |

(Fluvax Inj to be delisted 1 January 2011)

(Influvac Inj to be delisted 1 January 2011)

(Vaxigrip Inj to be delisted 1 January 2011)

## MUSCULOSKELETAL SYSTEM

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
|--|---|-----|--------------------------|-------------------------------------|

### Anticholinesterases

#### NEOSTIGMINE

|                         |       |    |   |             |
|-------------------------|-------|----|---|-------------|
| Inj 2.5 mg per ml, 1 ml | 20.30 | 50 | ✓ | AstraZeneca |
|-------------------------|-------|----|---|-------------|

#### PYRIDOSTIGMINE BROMIDE

|             |       |     |   |          |
|-------------|-------|-----|---|----------|
| ▲ Tab 60 mg | 40.08 | 100 | ✓ | Mestinon |
|-------------|-------|-----|---|----------|

### Anti-inflammatory Non Steroidal Drugs (NSAIDs)

#### ►SA1038 Special Authority for Manufacturers Price

Notes: Subsidy for patients with existing approvals prior to 1 September 2010. Approvals valid without further renewal unless notified.

No new approvals will be granted from 1 September 2010.

#### DICLOFENAC SODIUM

|  |                |     |   |                          |
|--|----------------|-----|---|--------------------------|
| * Tab EC 25 mg   | 1.63           | 50  | ✓ | <u>Diclofenac Sandoz</u> |
| * Tab 50 mg dispersible – Additional subsidy by Special Authority see SA1038 above – Retail pharmacy | 1.50<br>(8.00) | 20  |   |                          |
| * Tab EC 50 mg   | 2.13           | 50  | ✓ | <u>Diclofenac Sandoz</u> |
| * Tab long-acting 75 mg  | 32.80          | 500 | ✓ | <u>Diclax SR</u>         |
| * Tab long-acting 100 mg   | 63.22          | 500 | ✓ | <u>Diclax SR</u>         |
| * Inj 25 mg per ml, 3 ml   | 12.00          | 5   | ✓ | <u>Voltaren</u>          |
| Up to 5 inj available on a PSO   |                |     |   |                          |
| * Suppos 12.5 mg   | 1.85           | 10  | ✓ | <u>Voltaren</u>          |
| * Suppos 25 mg   | 2.22           | 10  | ✓ | <u>Voltaren</u>          |
| * Suppos 50 mg   | 3.84           | 10  | ✓ | <u>Voltaren</u>          |
| Up to 10 supp available on a PSO   |                |     |   |                          |
| * Suppos 100 mg  | 6.36           | 10  | ✓ | <u>Voltaren</u>          |

#### IBUPROFEN – Additional subsidy by Special Authority see SA1038 above – Retail pharmacy

|                            |                |        |   |                         |
|----------------------------|----------------|--------|---|-------------------------|
| * Tab 200 mg               | 16.00          | 1,000  | ✓ | <u>Ethics Ibuprofen</u> |
| * Tab 400 mg               | 1.07<br>(4.56) | 30     |   | Brufen                  |
| * Tab 600 mg               | 1.60<br>(6.84) | 30     |   | Brufen                  |
| * Tab long-acting 800 mg   | 9.12           | 30     | ✓ | <u>Brufen Retard</u>    |
| * Oral liq 100 mg per 5 ml | 2.69           | 200 ml | ✓ | <u>Fenpaed</u>          |

#### KETOPROFEN – Additional subsidy by Special Authority see SA1038 above – Retail pharmacy

|                          |                  |     |  |             |
|--------------------------|------------------|-----|--|-------------|
| * Cap long-acting 100 mg | 6.72<br>(21.56)  | 100 |  | Oruvail 100 |
| * Cap long-acting 200 mg | 13.44<br>(43.12) | 100 |  | Oruvail 200 |

#### MEFENAMIC ACID – Additional subsidy by Special Authority see SA1038 above – Retail pharmacy

|              |                 |     |  |         |
|--------------|-----------------|-----|--|---------|
| * Cap 250 mg | 0.50<br>(5.60)  | 20  |  | Ponstan |
|              | 2.50<br>(18.33) | 100 |  | Ponstan |

## MUSCULOSKELETAL SYSTEM

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|--|---|----------------------------|-------------------------------------|
| <b>NAPROXEN</b>  |   |                            |                                     |
| * Tab 250 mg .....   | 23.70                                   | 500                        | ✓ <b>Noflam 250</b>                 |
| * Tab 500 mg .....   | 24.88                                   | 250                        | ✓ <b>Noflam 500</b>                 |
| * Tab long-acting 750 mg .....   | 18.00                                   | 90                         | ✓ <b>Naprosyn SR 750</b>            |
| * Tab long-acting 1,000 mg .....   | 21.00                                   | 90                         | ✓ <b>Naprosyn SR 1000</b>           |
| <b>NAPROXEN SODIUM</b>   |   |                            |                                     |
| * Tab 275 mg .....   | 6.00                                    | 120                        | ✓ <b>Sonafam</b>                    |
| * Tab 550 mg .....   | 12.80                                   | 100                        | ✓ <b>Synflex</b>                    |
| <b>SULINDAC</b> – Additional subsidy by Special Authority see SA1038 on the preceding page – Retail pharmacy         |   |                            |                                     |
| * Tab 100 mg .....   | 5.32<br>(12.00)                         | 100                        | Daclin                              |
| * Tab 200 mg .....   | 6.72<br>(20.00)                         | 100                        | Daclin                              |
|  | 3.36<br>(15.87)                         | 50                         | Clinoril                            |
| <b>TENOXICAM</b>   |   |                            |                                     |
| * Tab 20 mg .....  | 23.75                                   | 100                        | ✓ <b>Tilcotil</b>                   |
| * Inj 20 mg .....  | 9.95                                    | 1                          | ✓ <b>AFT</b>                        |
| <b>TIAPROFENIC ACID</b> – Additional subsidy by Special Authority see SA1038 on the preceding page – Retail pharmacy |   |                            |                                     |
| * Tab 300 mg .....   | 4.03<br>(19.26)                         | 60                         | Surgam                              |

### NSAIDs Other

|  |       |     |                          |
|--|-------|-----|--------------------------|
| <b>INDOMETHACIN</b>  |       |     |                          |
| * Cap long-acting 75 mg .....  | 13.30 | 100 | ✓ <b>Rheumacin SR</b>    |
| * Suppos 100 mg .....  | 14.50 | 30  | ✓ <b>Arthrexin</b>       |
| <i>(Rheumacin SR Cap long-acting 75 mg to be delisted 1 February 2011)</i> |       |     |                          |
| <b>MELOXICAM</b> – Special Authority see SA1034 below – Retail pharmacy    |       |     |                          |
| Tab 7.5 mg .....   | 11.50 | 30  | ✓ <b>Arrow-Meloxicam</b> |

#### ►SA1034 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The patient has moderate to severe haemophilia with less than or equal to 5% of normal circulating functional clotting factor; and
- 2 The patient has haemophilic arthropathy; and
- 3 Pain and inflammation associated with haemophilic arthropathy is inadequately controlled by alternative funded treatment options, or alternative funded treatment options are contraindicated.

#### **PIROXICAM**

|  |      |     |                  |
|--|------|-----|------------------|
| * Tab dispersible 10 mg .....                                      | 3.25 | 50  | ✓ <b>Piram-D</b> |
| * Tab dispersible 20 mg .....                                      | 5.50 | 100 | ✓ <b>Piram-D</b> |
| <i>(Piram-D Tab dispersible 10 mg to be delisted 1 April 2011)</i> |      |     |                  |
| <i>(Piram-D Tab dispersible 20 mg to be delisted 1 April 2011)</i> |      |     |                  |

### Antirheumatoid Agents

|                  |       |    |                  |
|------------------|-------|----|------------------|
| <b>AURANOFIN</b> |       |    |                  |
| Tab 3 mg .....   | 68.99 | 60 | ✓ <b>Ridaura</b> |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## MUSCULOSKELETAL SYSTEM

|                              | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|------------------------------|---|-----|--------------------------|-------------------------------------|
| <b>LEFLUNOMIDE</b>           |   |     |                          |                                     |
| Tab 10 mg .....              | 55.00                                   | 30  | ✓                        | AFT-Leflunomide                     |
|                              | 79.27                                   |     | ✓                        | Arava                               |
| Tab 20 mg .....              | 76.00                                   | 30  | ✓                        | AFT-Leflunomide                     |
|                              | 108.60                                  |     | ✓                        | Arava                               |
| Tab 100 mg .....             | 54.44                                   | 3   | ✓                        | Arava                               |
| <b>PENICILLAMINE</b>         |   |     |                          |                                     |
| Tab 125 mg .....             | 61.93                                   | 100 | ✓                        | D-Penamine                          |
| Tab 250 mg .....             | 98.98                                   | 100 | ✓                        | D-Penamine                          |
| <b>SODIUM AUROTHIOMALATE</b> |   |     |                          |                                     |
| Inj 10 mg per 0.5 ml .....   | 76.87                                   | 10  | ✓                        | Myocrisin                           |
| Inj 20 mg per 0.5 ml .....   | 113.17                                  | 10  | ✓                        | Myocrisin                           |
| Inj 50 mg per 0.5 ml .....   | 217.23                                  | 10  | ✓                        | Myocrisin                           |

### Tumour Necrosis Factor (TNF) Inhibitors

ADALIMUMAB – Special Authority see SA1059 below – Retail pharmacy

|  |          |   |   |           |
|--|----------|---|---|-----------|
| Inj 40 mg per 0.8 ml prefilled pen .....     | 1,799.92 | 2 | ✓ | HumiraPen |
| Inj 40 mg per 0.8 ml prefilled syringe ..... | 1,799.92 | 2 | ✓ | Humira    |

#### ►SA1059 Special Authority for Subsidy

**Initial application — (rheumatoid arthritis)** only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and

1.2 Either:

1.2.1 The patient has experienced intolerable side effects from etanercept; or

1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis; or

2 All of the following:

2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and

2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and

2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and

2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with at least two of the following (triple therapy): sulphasalazine, prednisone at a dose of at least 7.5 mg per day, azathioprine, intramuscular gold, or hydroxychloroquine sulphate (at maximum tolerated doses); and

2.5 Either:

2.5.1 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of cyclosporin alone or in combination with another agent; or

2.5.2 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of leflunomide alone or in combination with another agent; and

2.6 Either:

2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or

2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and

2.7 Either:

continued...

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

continued...

- 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
- 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

**Initial application — (Crohn's disease)** only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe active Crohn's disease; and
- 2 Any of the following:
  - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
  - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
  - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
  - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

**Initial application — (severe chronic plaque psoriasis)** only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis; or
- 2 All of the following:
  - 2.1 Either:
    - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
    - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
  - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
  - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
  - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

**Initial application — (ankylosing spondylitis)** only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
  - 1.2 Either:

continued...

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

continued...

- 1.2.1 The patient has experienced intolerable side effects from etanercept; or
- 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis; or

2 All of the following:

- 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
- 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
- 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
- 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
- 2.5 Either:
  - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by a score of at least 1 on each of the lumbar flexion and lumbar side flexion measurements of the Bath Ankylosing Spondylitis Metrology Index (BASMI); or
  - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and

2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI, ESR and CRP measures must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

- 18-24 years - Male: 7.0 cm; Female: 5.5 cm
- 25-34 years - Male: 7.5 cm; Female: 5.5 cm
- 35-44 years - Male: 6.5 cm; Female: 4.5 cm
- 45-54 years - Male: 6.0 cm; Female: 5.0 cm
- 55-64 years - Male: 5.5 cm; Female: 4.0 cm
- 65-74 years - Male: 4.0 cm; Female: 4.0 cm
- 75+ years - Male: 3.0 cm; Female: 2.5 cm

**Initial application — (psoriatic arthritis)** only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis; and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
  - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis; or

2 All of the following:

- 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
- 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- 2.4 Either:
  - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
  - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and

2.5 Any of the following:

continued...

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   |                            | ✓                                   |

continued...

- 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
- 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
- 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

**Renewal — (rheumatoid arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
  - 3.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Either:
  - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
  - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

**Renewal — (Crohn's disease)** only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a gastroenterologist; or
  - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 Either:
    - 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab; or
    - 2.1.2 CDAI score is 150 or less; or
  - 2.2 Both:
    - 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
    - 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

**Renewal — (severe chronic plaque psoriasis)** only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a dermatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis; and

continued...

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

continued...

2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or

2.2 Both:

2.2.1 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot; and

2.2.2 Either:

2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or

2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value; and

3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

**Renewal — (ankylosing spondylitis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist.

Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Either:

1.1 Applicant is a rheumatologist; or

1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and

2 Following 12 weeks of adalimumab treatment, BASDAI has improved by 4 or more points from pre-adalimumab baseline on a 10 point scale, or by 50%, whichever is less; and

3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and

4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

**Renewal — (psoriatic arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Either:

1.1 Applicant is a rheumatologist; or

1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and

2 Either:

2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or

2.2 The patient demonstrates at least a continuing 50% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and

3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

ETANERCEPT – Special Authority see SA1060 below – Retail pharmacy

|                              |          |   |          |
|------------------------------|----------|---|----------|
| Inj 25 mg .....              | 949.96   | 4 | ✓ Enbrel |
| Inj 50 mg autoinjector ..... | 1,899.92 | 4 | ✓ Enbrel |

## SA1060 Special Authority for Subsidy

**Initial application — (juvenile idiopathic arthritis)** only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and

2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and

3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and

continued...



| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

continued...

- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m<sup>2</sup> weekly or at the maximum tolerated dose) in combination with oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose); and
- 5 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-15 mg/m<sup>2</sup> weekly or at the maximum tolerated dose) in combination with one other disease-modifying agent; and
- 6 Both:
  - 6.1 Either:
    - 6.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 active, swollen, tender joints; or
    - 6.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
  - 6.2 Physician's global assessment indicating severe disease.

**Initial application — (rheumatoid arthritis)** only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
  - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
  - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with at least two of the following (triple therapy): sulphasalazine, prednisone at a dose of at least 7.5 mg per day, azathioprine, intramuscular gold, or hydroxychloroquine sulphate (at maximum tolerated doses); and
  - 2.5 Either:
    - 2.5.1 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of cyclosporin alone or in combination with another agent; or
    - 2.5.2 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of leflunomide alone or in combination with another agent; and
  - 2.6 Either:
    - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
    - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
  - 2.7 Either:
    - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
    - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

**Initial application — (severe chronic plaque psoriasis)** only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:

continued...

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per ✓ | Brand or<br>Generic<br>Manufacturer |
|---|------------------------------|-------------------------------------|
|---|------------------------------|-------------------------------------|

continued...

- 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plaque psoriasis; and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
  - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis; or
- 2 All of the following:
  - 2.1 Either:
    - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
    - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
  - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
  - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
  - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

**Initial application — (ankylosing spondylitis)** only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or
- 2 All of the following:
  - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
  - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
  - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
  - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
  - 2.5 Either:
    - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by a score of at least 1 on each of the lumbar flexion and lumbar side flexion measurements of the Bath Ankylosing Spondylitis Metrology Index (BASMI); or
    - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
  - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measures must be no more than 1 month old at the time of initial application.

continued...

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

continued...

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm

25-34 years - Male: 7.5 cm; Female: 5.5 cm

35-44 years - Male: 6.5 cm; Female: 4.5 cm

45-54 years - Male: 6.0 cm; Female: 5.0 cm

55-64 years - Male: 5.5 cm; Female: 4.0 cm

65-74 years - Male: 4.0 cm; Female: 4.0 cm

75+ years - Male: 3.0 cm; Female: 2.5 cm

**Initial application — (psoriatic arthritis)** only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and

1.2 Either:

1.2.1 The patient has experienced intolerable side effects from adalimumab; or

1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or

2 All of the following:

2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and

2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and

2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and

2.4 Either:

2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or

2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and

2.5 Any of the following:

2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or

2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or

2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

**Renewal — (juvenile idiopathic arthritis)** only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Either:

1.1 Applicant is a named specialist or rheumatologist; or

1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and

2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and

3 Either:

3.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or

3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

continued...

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

continued...

**Renewal — (rheumatoid arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
  - 3.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

**Renewal — (severe chronic plaque psoriasis)** only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a dermatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis; and
    - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
  - 2.2 Both:
    - 2.2.1 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot; and
    - 2.2.2 Either:
      - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
      - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

**Renewal — (ankylosing spondylitis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Following 12 weeks of etanercept treatment, BASDAI has improved by 4 or more points from pre-treatment baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

continued...

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

continued...

**Renewal — (psoriatic arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
  - 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 2.2 The patient demonstrates at least a continuing 50% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

## Calcium Homeostasis

### Alendronate for Osteoporosis

#### ►SA1039 Special Authority for Subsidy

**Initial application — (Underlying cause – Osteoporosis)** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD)  $\geq$  2.5 standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq$  -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score  $\leq$  -3.0 (see Note); or
- 5 A 10-year risk of hip fracture  $\geq$  3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause - Osteoporosis).

**Initial application — (Underlying cause – glucocorticosteroid therapy)** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is receiving systemic glucocorticosteroid therapy ( $\geq$  5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
  - 2.1 The patient has documented BMD  $\geq$  1.5 standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq$  -1.5) (see Note); or
  - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
  - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause - glucocorticosteroid therapy).

**Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy)** from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteroid therapy ( $\geq$  5 mg per day prednisone equivalents).

**Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria)** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

continued...

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

continued...

- History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD)  $\geq$  2.5 standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq$  -2.5) (see Note); or
- History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- History of two significant osteoporotic fractures demonstrated radiologically; or
- Documented T-Score  $\leq$  -3.0 (see Note); or
- A 10-year risk of hip fracture  $\geq$  3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria).

Notes:

- BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- Evidence used by National Institute for Health and Clinical Excellence (NICE) guidance indicates that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score  $\leq$  -2.5, and therefore do not require BMD measurement for treatment with bisphosphonates.
- Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALENDRONATE SODIUM – Special Authority see SA1039 on the preceding page – Retail pharmacy

|                 |       |   |           |
|-----------------|-------|---|-----------|
| Tab 70 mg ..... | 35.91 | 4 | ✓ Fosamax |
|-----------------|-------|---|-----------|

ALENDRONATE SODIUM WITH CHOLECALCIFEROL – Special Authority see SA1039 on the preceding page – Retail pharmacy

|   |       |   |                |
|---|-------|---|----------------|
| Tab 70 mg with cholecalciferol 5,600 iu ..... | 35.91 | 4 | ✓ Fosamax Plus |
|---|-------|---|----------------|

## Alendronate for Paget's Disease

### ►SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- Paget's disease; and
- Any of the following:
  - Bone or articular pain; or
  - Bone deformity; or
  - Bone, articular or neurological complications; or
  - Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
  - Preparation for orthopaedic surgery.

**Renewal** from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

ALENDRONATE SODIUM – Special Authority see SA0949 above – Retail pharmacy

|                 |        |    |           |
|-----------------|--------|----|-----------|
| Tab 40 mg ..... | 133.00 | 30 | ✓ Fosamax |
|-----------------|--------|----|-----------|

## Other Treatments

CALCITONIN

|                                 |        |   |             |
|---------------------------------|--------|---|-------------|
| * Inj 100 iu per ml, 1 ml ..... | 110.00 | 5 | ✓ Miacalcic |
|---------------------------------|--------|---|-------------|

|                     | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---------------------|---|----------------------------|-------------------------------------|
| ETIDRONATE DISODIUM |   |                            |                                     |
| * Tab 200 mg .....  | 23.95                                   | 100                        | ✓ <u>Arrow-Etidronate</u>           |

### Prescribing Guidelines

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose – 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

### PAMIDRONATE DISODIUM

|                              |        |   |                  |
|------------------------------|--------|---|------------------|
| Inj 3 mg per ml, 5 ml .....  | 18.75  | 1 | ✓ <u>Pamisol</u> |
| Inj 3 mg per ml, 10 ml ..... | 37.50  | 1 | ✓ <u>Pamisol</u> |
| Inj 6 mg per ml, 10 ml ..... | 75.00  | 1 | ✓ <u>Pamisol</u> |
| Inj 9 mg per ml, 10 ml ..... | 112.50 | 1 | ✓ <u>Pamisol</u> |

### ZOLEDRONIC ACID – Special Authority see SA1035 below – Retail pharmacy

|  |        |        |                  |
|--|--------|--------|------------------|
| Soln for infusion 5 mg in 100 ml ..... | 600.00 | 100 ml | ✓ <u>Aclasta</u> |
|--|--------|--------|------------------|

### ►SA1035 Special Authority for Subsidy

**Initial application — (Paget's disease)** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease; and
- 2 Any of the following:
  - 2.1 Bone or articular pain; or
  - 2.2 Bone deformity; or
  - 2.3 Bone, articular or neurological complications; or
  - 2.4 Asymptomatic disease, but risk of complications; or
  - 2.5 Preparation for orthopaedic surgery; and
- 3 The patient will not be prescribed more than one infusion in the 12-month approval period.

**Initial application — (Underlying cause - Osteoporosis)** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD)  $\geq$  2.5 standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq$  -2.5) (see Note); or
  - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
  - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
  - 1.4 Documented T-Score  $\leq$  -3.0 (see Note); or
  - 1.5 A 10-year risk of hip fracture  $\geq$  3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
  - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause - Osteoporosis); and
- 2 The patient will not be prescribed more than one infusion in a 12-month period.

**Initial application — (Underlying cause - glucocorticosteroid therapy)** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is receiving systemic glucocorticosteroid therapy ( $\geq$  5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
  - 2.1 The patient has documented BMD  $\geq$  1.5 standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq$  -1.5) (see Note); or

continued...

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

continued...

- 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
- 2.3 The patient has had a Special Authority approval for alendronate (Underlying cause - glucocorticosteroid therapy); and

3 The patient will not be prescribed more than one infusion in the 12-month approval period.

**Renewal — (Paget's disease)** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
  - 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
  - 1.3 Symptomatic disease (prescriber determined); and
- 2 The patient will not be prescribed more than one infusion in the 12-month approval period.

The patient may not have had more than 1 prior approval in the last 12 months.

**Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy)** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is continuing systemic glucocorticosteroid therapy ( $\geq 5$  mg per day prednisone equivalents); and
- 2 The patient will not be prescribed more than one infusion in the 12-month approval period.

The patient may not have had more than 1 prior approval in the last 12 months.

**Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria)** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD)  $\geq 2.5$  standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq -2.5$ ) (see Note); or
  - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
  - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
  - 1.4 Documented T-Score  $\leq -3.0$  (see Note); or
  - 1.5 A 10-year risk of hip fracture  $\geq 3\%$ , calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
  - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria); and
- 2 The patient will not be prescribed more than one infusion in a 12-month period.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence used by National Institute for Health and Clinical Excellence (NICE) guidance indicates that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score  $\leq -2.5$  and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.



|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
|--|---|-----|--------------------------|-------------------------------------|

## Enzymes

|                           |          |    |  |         |
|---------------------------|----------|----|--|---------|
| HYALURONIDASE             |          |    |  |         |
| Inj 1,500 iu per ml ..... | 18.32    | 10 |  |         |
|                           | (243.24) |    |  | Hyalase |

## Hyperuricaemia and Antigout

|                    |       |     |   |                        |
|--------------------|-------|-----|---|------------------------|
| ALLOPURINOL        |       |     |   |                        |
| * Tab 100 mg ..... | 5.44  | 250 | ✓ | <u>Apo-Allopurinol</u> |
| * Tab 300 mg ..... | 4.03  | 100 | ✓ | <u>Apo-Allopurinol</u> |
| COLCHICINE         |       |     |   |                        |
| * Tab 500 µg ..... | 9.60  | 100 | ✓ | <u>Colgout</u>         |
| PROBENECID         |       |     |   |                        |
| * Tab 500 mg ..... | 55.00 | 100 | ✓ | <u>Probenecid-AFT</u>  |

## Muscle Relaxants

|  |         |     |   |                 |
|--|---------|-----|---|-----------------|
| BACLOFEN   |         |     |   |                 |
| * Tab 10 mg .....  | 4.75    | 100 | ✓ | <u>Pacifen</u>  |
| DANTROLENE SODIUM  |         |     |   |                 |
| * Cap 25 mg .....  | 32.96   | 100 | ✓ | <u>Dantrium</u> |
| * Cap 50 mg .....  | 51.70   | 100 | ✓ | <u>Dantrium</u> |
| ORPHENADRINE CITRATE   |         |     |   |                 |
| Tab 100 mg .....   | 18.54   | 100 | ✓ | <u>Norflex</u>  |
| QUININE SULPHATE   |         |     |   |                 |
| * Tab 200 mg .....   | 15.95   | 250 |   | Q 200           |
|  | (17.20) |     |   |                 |
| ‡ Safety cap for extemporaneously compounded oral liquid preparations. |         |     |   |                 |
| * Tab 300 mg .....   | 54.06   | 500 | ✓ | <u>Q 300</u>    |
| ‡ Safety cap for extemporaneously compounded oral liquid preparations. |         |     |   |                 |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
| <b>Agents for Parkinsonism and Related Disorders</b>   |   |     |                          |                                     |
| <b>Dopamine Agonists and Related Agents</b>            |   |     |                          |                                     |
| <b>AMANTADINE HYDROCHLORIDE</b>                        |   |     |                          |                                     |
| ▲ Cap 100 mg .....                                     | 47.81                                   | 60  | ✓                        | <u>Symmetrel</u>                    |
| <b>APOMORPHINE HYDROCHLORIDE</b>                       |   |     |                          |                                     |
| ▲ Inj 10 mg per ml, 2 ml .....                         | 110.00                                  | 5   | ✓                        | <u>Apomine</u>                      |
| <b>BROMOCRIPTINE MESYLATE</b>                          |   |     |                          |                                     |
| * Tab 2.5 mg .....                                     | 32.08                                   | 100 | ✓                        | <u>Apo-Bromocriptine</u>            |
| * Cap 5 mg .....                                       | 60.43                                   | 100 | ✓                        | <u>Apo-Bromocriptine</u> S29        |
| <b>ENTACAPONE</b>                                      |   |     |                          |                                     |
| ▲ Tab 200 mg .....                                     | 116.00                                  | 100 | ✓                        | <u>Comtan</u>                       |
| <b>LEVODOPA WITH BENSERAZIDE</b>                       |   |     |                          |                                     |
| * Tab dispersible 50 mg with benserazide 12.5 mg ..... | 10.00                                   | 100 | ✓                        | <u>Madopar Dispersible</u>          |
| * Cap 50 mg with benserazide 12.5 mg .....             | 8.00                                    | 100 | ✓                        | <u>Madopar 62.5</u>                 |
| * Cap 100 mg with benserazide 25 mg .....              | 12.50                                   | 100 | ✓                        | <u>Madopar 125</u>                  |
| * Cap long-acting 100 mg with benserazide 25 mg .....  | 17.00                                   | 100 | ✓                        | <u>Madopar HBS</u>                  |
| * Cap 200 mg with benserazide 50 mg .....              | 25.00                                   | 100 | ✓                        | <u>Madopar 250</u>                  |
| <b>LEVODOPA WITH CARBIDOPA</b>                         |   |     |                          |                                     |
| * Tab 100 mg with carbidopa 25 mg .....                | 10.00                                   | 50  | ✓                        | <u>Sindopa</u>                      |
|  | 20.00                                   | 100 | ✓                        | <u>Sinemet</u>                      |
| * Tab long-acting 200 mg with carbidopa 50 mg .....    | 47.50                                   | 100 | ✓                        | <u>Sinemet CR</u>                   |
| * Tab 250 mg with carbidopa 25 mg .....                | 40.00                                   | 100 | ✓                        | <u>Sinemet</u>                      |
| <b>LISURIDE HYDROGEN MALEATE</b>                       |   |     |                          |                                     |
| ▲ Tab 200 µg .....                                     | 27.50                                   | 30  | ✓                        | <u>Dopergin</u>                     |
| <b>PERGOLIDE</b>                                       |   |     |                          |                                     |
| ▲ Tab 0.25 mg .....                                    | 48.00                                   | 100 | ✓                        | <u>Permax</u>                       |
| ▲ Tab 1 mg .....                                       | 170.00                                  | 100 | ✓                        | <u>Permax</u>                       |
| <b>ROPINIROLE HYDROCHLORIDE</b>                        |   |     |                          |                                     |
| ▲ Tab 0.25 mg .....                                    | 6.20                                    | 84  | ✓                        | <u>Ropin</u>                        |
| ▲ Tab 1 mg .....                                       | 15.95                                   | 84  | ✓                        | <u>Ropin</u>                        |
| ▲ Tab 2 mg .....                                       | 24.95                                   | 84  | ✓                        | <u>Ropin</u>                        |
| ▲ Tab 5 mg .....                                       | 38.00                                   | 84  | ✓                        | <u>Ropin</u>                        |
| <b>SELEGILINE HYDROCHLORIDE</b>                        |   |     |                          |                                     |
| * Tab 5 mg .....                                       | 16.06                                   | 100 | ✓                        | <u>Apo-Selegiline</u>               |
|  |   |     | ✓                        | <u>Apo-Selegiline</u> S29 S29       |
| <b>TOLCAPONE</b>                                       |   |     |                          |                                     |
| ▲ Tab 100 mg .....                                     | 128.75                                  | 100 | ✓                        | <u>Tasmar</u>                       |

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
|--|---|-----|--------------------------|-------------------------------------|

## Anticholinergics

### BENZTROPINE MESYLATE

|                                   |       |    |   |          |
|-----------------------------------|-------|----|---|----------|
| Tab 2 mg .....                    | 7.99  | 60 | ✓ | Benztrop |
| Inj 1 mg per ml, 2 ml .....       | 36.35 | 5  | ✓ | Cogentin |
| a) Up to 5 inj available on a PSO |       |    |   |          |
| b) Only on a PSO                  |       |    |   |          |

### ORPHENADRINE HYDROCHLORIDE

|                 |       |     |   |         |
|-----------------|-------|-----|---|---------|
| Tab 50 mg ..... | 31.93 | 250 | ✓ | Disipal |
|-----------------|-------|-----|---|---------|

### PROCYCLIDINE HYDROCHLORIDE

|                |      |     |   |          |
|----------------|------|-----|---|----------|
| Tab 5 mg ..... | 7.40 | 100 | ✓ | Kemadrin |
|----------------|------|-----|---|----------|

## Agents for Essential Tremor, Chorea and Related Disorders

### TETRABENAZINE

|                 |        |     |   |             |
|-----------------|--------|-----|---|-------------|
| Tab 25 mg ..... | 243.00 | 112 | ✓ | Xenazine 25 |
|-----------------|--------|-----|---|-------------|

## Anaesthetics

### Local

### LIGNOCAINE

|   |       |    |   |        |
|---|-------|----|---|--------|
| Gel 2%, 10 ml urethral syringe – Up to 5 each available on a<br>PSO ..... | 43.26 | 10 | ✓ | Pfizer |
|---|-------|----|---|--------|

### LIGNOCAINE HYDROCHLORIDE

|   |       |        |   |                   |
|---|-------|--------|---|-------------------|
| Viscous solution 2% .....                             | 55.00 | 200 ml | ✓ | Xylocaine Viscous |
| Inj 0.5%, 5 ml – Up to 5 inj available on a PSO ..... | 44.10 | 50     | ✓ | Xylocaine         |
| Inj 1%, 5 ml – Up to 5 inj available on a PSO .....   | 35.00 | 50     | ✓ | Xylocaine         |
| Inj 2%, 5 ml – Up to 5 inj available on a PSO .....   | 23.00 | 50     | ✓ | Xylocaine         |
| Inj 1%, 20 ml – Up to 5 inj available on a PSO .....  | 20.00 | 5      | ✓ | Xylocaine         |
| Inj 2%, 20 ml – Up to 5 inj available on a PSO .....  | 15.00 | 5      | ✓ | Xylocaine         |

### LIGNOCAINE WITH CHLORHEXIDINE

|   |       |    |   |        |
|---|-------|----|---|--------|
| Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes –<br>Up to 5 each available on a PSO ..... | 43.26 | 10 | ✓ | Pfizer |
|---|-------|----|---|--------|

### LIGNOCAINE WITH PRILOCAINE – Special Authority see SA0906 below – Retail pharmacy

|   |       |         |   |      |
|---|-------|---------|---|------|
| Crm 2.5% with prilocaine 2.5% .....             | 45.00 | 30 g OP | ✓ | EMLA |
| Crm 2.5% with prilocaine 2.5% (5 g tubes) ..... | 45.00 | 5       | ✓ | EMLA |

### SA0906 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|---|----------------------------|-------------------------------------|

## Analgesics

For Anti-inflammatory NSAIDs refer to MUSCULOSKELETAL, page 98

### Non-Opioid Analgesics

#### ASPIRIN

|  |        |     |                         |
|--|--------|-----|-------------------------|
| * Tab EC 300 mg .....  | 2.00   | 100 |                         |
|  | (8.10) |     | Aspec 300               |
| * Tab dispersible 300 mg – Up to 30 tab available on a PSO ..... | 2.00   | 100 | ✓ <u>Ethics Aspirin</u> |

#### NEFOPAM HYDROCHLORIDE

|                 |       |    |                 |
|-----------------|-------|----|-----------------|
| Tab 30 mg ..... | 23.40 | 90 | ✓ <u>Acupan</u> |
|-----------------|-------|----|-----------------|

#### PARACETAMOL

|  |       |          |                                   |
|--|-------|----------|-----------------------------------|
| * Tab 500 mg – Up to 30 tab available on a PSO ..... | 9.60  | 1,000    | ✓ <u>Pharmacare</u>               |
| *† Oral liq 120 mg per 5 ml .....                    | 6.80  | 1,000 ml | ✓ <u>Paracare Junior</u>          |
| a) Up to 200 ml available on a PSO                   |       |          |                                   |
| b) Not in combination                                |       |          |                                   |
| *† Oral liq 250 mg per 5 ml .....                    | 7.00  | 1,000 ml | ✓ <u>Paracare Double Strength</u> |
| a) Up to 100 ml available on a PSO                   |       |          |                                   |
| b) Not in combination                                |       |          |                                   |
| * Suppos 125 mg .....                                | 7.49  | 20       | ✓ <u>Panadol</u>                  |
| * Suppos 250 mg .....                                | 14.40 | 20       | ✓ <u>Panadol</u>                  |
| * Suppos 500 mg .....                                | 20.50 | 50       | ✓ <u>Paracare</u>                 |

#### TRAMADOL HYDROCHLORIDE

|                 |      |     |                         |
|-----------------|------|-----|-------------------------|
| Cap 50 mg ..... | 6.95 | 100 | ✓ <u>Arrow-Tramadol</u> |
|-----------------|------|-----|-------------------------|

### Opioid Analgesics

#### BUPRENORPHINE HYDROCHLORIDE – Only on a controlled drug form

|                               |        |   |          |
|-------------------------------|--------|---|----------|
| Inj 0.3 mg per ml, 1 ml ..... | 7.42   | 5 |          |
|                               | (9.38) |   | Temgesic |

#### CODEINE PHOSPHATE

|                 |       |     |              |
|-----------------|-------|-----|--------------|
| Tab 15 mg ..... | 5.39  | 100 | ✓ <u>PSM</u> |
| Tab 30 mg ..... | 8.25  | 100 | ✓ <u>PSM</u> |
| Tab 60 mg ..... | 17.76 | 100 | ✓ <u>PSM</u> |

#### DIHYDROCODEINE TARTRATE

|                             |       |    |                       |
|-----------------------------|-------|----|-----------------------|
| Tab long-acting 60 mg ..... | 27.27 | 60 | ✓ <u>DHC Continus</u> |
|-----------------------------|-------|----|-----------------------|

#### FENTANYL – Special Authority see SA0935 on the next page – Retail pharmacy

|   |        |   |                    |
|---|--------|---|--------------------|
| a) Only on a controlled drug form               |        |   |                    |
| b) No patient co-payment payable                |        |   |                    |
| Transdermal patch, matrix 25 µg per hour .....  | 55.23  | 5 | ✓ <u>Durogesic</u> |
| Transdermal patch, matrix 50 µg per hour .....  | 100.52 | 5 | ✓ <u>Durogesic</u> |
| Transdermal patch, matrix 75 µg per hour .....  | 139.18 | 5 | ✓ <u>Durogesic</u> |
| Transdermal patch, matrix 100 µg per hour ..... | 171.22 | 5 | ✓ <u>Durogesic</u> |

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|--|---|----------------------------|-------------------------------------|
|  |   | ✓                          |                                     |

►SA0935 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is terminally ill and is opioid-responsive; and
- 2 Either:
  - 2.1 is unable to take oral medication; or
  - 2.2 is intolerant to morphine, or morphine is contraindicated.

**Renewal** from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

**FENTANYL CITRATE**

- a) Only on a controlled drug form
- b) No patient co-payment payable

|                               |       |   |           |
|-------------------------------|-------|---|-----------|
| Inj 50 µg per ml, 2 ml .....  | 6.10  | 5 | ✓ Hospira |
| Inj 50 µg per ml, 10 ml ..... | 15.65 | 5 | ✓ Hospira |

**METHADONE HYDROCHLORIDE**

- a) Only on a controlled drug form
- b) No patient co-payment payable
- c) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets).
- d) For methadone hydrochloride oral liquid refer, page 174

|                               |       |        |                       |
|-------------------------------|-------|--------|-----------------------|
| Tab 5 mg .....                | 1.85  | 10     | ✓ Methatabs           |
| ‡ Oral liq 2 mg per ml .....  | 5.95  | 200 ml | ✓ Biodone             |
| ‡ Oral liq 5 mg per ml .....  | 5.55  | 200 ml | ✓ Biodone Forte       |
| ‡ Oral liq 10 mg per ml ..... | 8.95  | 200 ml | ✓ Biodone Extra Forte |
| Inj 10 mg per ml, 1 ml .....  | 61.00 | 10     | ✓ AFT                 |

**MORPHINE HYDROCHLORIDE**

- a) Only on a controlled drug form
- b) No patient co-payment payable

|                               |       |        |            |
|-------------------------------|-------|--------|------------|
| ‡ Oral liq 1 mg per ml .....  | 8.84  | 200 ml | ✓ RA-Morph |
| ‡ Oral liq 2 mg per ml .....  | 11.62 | 200 ml | ✓ RA-Morph |
| ‡ Oral liq 5 mg per ml .....  | 14.65 | 200 ml | ✓ RA-Morph |
| ‡ Oral liq 10 mg per ml ..... | 21.55 | 200 ml | ✓ RA-Morph |

**MORPHINE SULPHATE**

- a) Only on a controlled drug form
- b) No patient co-payment payable

|   |       |    |            |
|---|-------|----|------------|
| Tab immediate-release 10 mg .....                             | 2.80  | 10 | ✓ Sevedol  |
| Tab long-acting 10 mg .....                                   | 1.80  | 10 | ✓ LA-Morph |
| Tab immediate-release 20 mg .....                             | 5.52  | 10 | ✓ Sevedol  |
| Tab long-acting 30 mg .....                                   | 3.60  | 10 | ✓ LA-Morph |
| Tab long-acting 60 mg .....                                   | 7.20  | 10 | ✓ LA-Morph |
| Tab long-acting 100 mg .....                                  | 8.50  | 10 | ✓ LA-Morph |
| Cap long-acting 10 mg .....                                   | 2.22  | 10 | ✓ m-Eslon  |
| Cap long-acting 30 mg .....                                   | 3.20  | 10 | ✓ m-Eslon  |
| Cap long-acting 60 mg .....                                   | 6.90  | 10 | ✓ m-Eslon  |
| Cap long-acting 100 mg .....                                  | 8.05  | 10 | ✓ m-Eslon  |
| Cap long-acting 200 mg .....                                  | 17.00 | 10 | ✓ m-Eslon  |
| Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO .....  | 5.17  | 5  | ✓ Mayne    |
| Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO ..... | 4.50  | 5  | ✓ Mayne    |
| Inj 15 mg per ml, 1 ml – Up to 5 inj available on a PSO ..... | 4.70  | 5  | ✓ Mayne    |
| Inj 30 mg per ml, 1 ml – Up to 5 inj available on a PSO ..... | 4.98  | 5  | ✓ Mayne    |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## NERVOUS SYSTEM

|                                    | Subsidy<br>(Manufacturer's Price)<br>\$ | Per    | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|------------------------------------|---|--------|--------------------------|-------------------------------------|
| <b>MORPHINE TARTRATE</b>           |   |        |                          |                                     |
| a) Only on a controlled drug form  |   |        |                          |                                     |
| b) No patient co-payment payable   |   |        |                          |                                     |
| Inj 80 mg per ml, 1.5 ml .....     | 30.00                                   | 5      | ✓                        | Hospira                             |
| Inj 80 mg per ml, 5 ml .....       | 75.00                                   | 5      | ✓                        | Hospira                             |
| <b>OXYCODONE HYDROCHLORIDE</b>     |   |        |                          |                                     |
| a) Only on a controlled drug form  |   |        |                          |                                     |
| b) No patient co-payment payable   |   |        |                          |                                     |
| Tab controlled-release 5 mg .....  | 7.51                                    | 20     | ✓                        | OxyContin                           |
| Tab controlled-release 10 mg ..... | 11.14                                   | 20     | ✓                        | OxyContin                           |
| Tab controlled-release 20 mg ..... | 18.93                                   | 20     | ✓                        | OxyContin                           |
| Tab controlled-release 40 mg ..... | 33.29                                   | 20     | ✓                        | OxyContin                           |
| Tab controlled-release 80 mg ..... | 58.03                                   | 20     | ✓                        | OxyContin                           |
| Cap 5 mg .....                     | 2.83                                    | 20     | ✓                        | OxyNorm                             |
| Cap 10 mg .....                    | 5.58                                    | 20     | ✓                        | OxyNorm                             |
| Cap 20 mg .....                    | 9.77                                    | 20     | ✓                        | OxyNorm                             |
| ‡ Oral liq 5 mg per 5 ml .....     | 11.20                                   | 250 ml | ✓                        | OxyNorm                             |
| Inj 10 mg per ml, 1 ml .....       | 14.40                                   | 5      | ✓                        | OxyNorm                             |
| Inj 10 mg per ml, 2 ml .....       | 28.80                                   | 5      | ✓                        | OxyNorm                             |

### Prescribing Guideline

Prescribers should note that oxycodone is significantly more expensive than long-acting morphine sulphate and clinical advice suggests that it is reasonable to consider this as a second-line agent to be used after morphine.

### PARACETAMOL WITH CODEINE

\* Tab paracetamol 500 mg with codeine phosphate 8 mg .....2.45 100 ✓ ParaCode

### PETHIDINE HYDROCHLORIDE

|   |      |    |   |       |
|---|------|----|---|-------|
| a) Only on a controlled drug form                               |      |    |   |       |
| b) No patient co-payment payable                                |      |    |   |       |
| Tab 50 mg .....   | 3.20 | 10 | ✓ | PSM   |
| Tab 100 mg .....  | 4.20 | 10 | ✓ | PSM   |
| Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO .....   | 5.20 | 5  | ✓ | Mayne |
| Inj 50 mg per ml, 1.5 ml – Up to 5 inj available on a PSO ..... | 4.35 | 5  | ✓ | Mayne |
| Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO .....   | 5.50 | 5  | ✓ | Mayne |

## Antidepressants

### Cyclic and Related Agents

#### AMITRIPTYLINE

|                 |      |     |   |         |
|-----------------|------|-----|---|---------|
| Tab 10 mg ..... | 2.77 | 50  | ✓ | Amirol  |
| Tab 25 mg ..... | 3.40 | 100 | ✓ | Amitrip |
| Tab 50 mg ..... | 5.20 | 100 | ✓ | Amitrip |

#### CLOMIPRAMINE HYDROCHLORIDE

|                 |       |     |   |                  |
|-----------------|-------|-----|---|------------------|
| Tab 10 mg ..... | 12.60 | 100 | ✓ | Apo-Clomipramine |
| Tab 25 mg ..... | 8.68  | 100 | ✓ | Apo-Clomipramine |

#### DOTHIEPIN HYDROCHLORIDE

|                 |      |     |   |         |
|-----------------|------|-----|---|---------|
| Tab 75 mg ..... | 8.75 | 100 | ✓ | Dopress |
| Cap 25 mg ..... | 4.75 | 100 | ✓ | Dopress |

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|-----|--------------------------|-------------------------------------|
| <b>DOXEPIN HYDROCHLORIDE</b>  |   |     |                          |                                     |
| Cap 10 mg .....   | 5.24                                    | 100 | ✓                        | Anten                               |
| Cap 25 mg .....   | 5.46                                    | 100 | ✓                        | Anten                               |
| Cap 50 mg .....   | 7.34                                    | 100 | ✓                        | Anten                               |
| <b>IMIPRAMINE HYDROCHLORIDE</b>   |   |     |                          |                                     |
| Tab 10 mg .....   | 5.48                                    | 50  | ✓                        | Tofranil                            |
| Tab 25 mg .....   | 8.80                                    | 50  | ✓                        | Tofranil                            |
| <b>MAPROTILINE HYDROCHLORIDE</b>  |   |     |                          |                                     |
| Tab 25 mg .....   | 25.06                                   | 100 | ✓                        | Ludiomil                            |
| Tab 75 mg .....   | 21.01                                   | 30  | ✓                        | Ludiomil                            |
| <b>MIANSERIN HYDROCHLORIDE</b> – Special Authority see SA1048 below – Retail pharmacy |   |     |                          |                                     |
| Tab 30 mg .....   | 24.86                                   | 30  | ✓                        | Tolvon                              |

**SA1048 Special Authority for Subsidy**

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:  
Either:

- 1 Both:
  - 1.1 Depression; and
  - 1.2 Either:
    - 1.2.1 Co-existent bladder neck obstruction; or
    - 1.2.2 Cardiovascular disease; or
- 2 Both:
  - 2.1 The patient has a severe major depressive episode; and
  - 2.2 Either:
    - 2.2.1 The patient must have had a trial of two different antidepressants and was unable to tolerate the treatments or failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or
    - 2.2.2 Both:
      - 2.2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
      - 2.2.2.2 The patient must have had a trial of one other antidepressant and either could not tolerate it or failed to respond to an adequate dose over an adequate period of time.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

**NORTRIPTYLINE HYDROCHLORIDE**

|                 |       |     |   |                 |
|-----------------|-------|-----|---|-----------------|
| Tab 10 mg ..... | 5.94  | 100 | ✓ | <u>Norpress</u> |
| Tab 25 mg ..... | 14.44 | 180 | ✓ | <u>Norpress</u> |

**Monoamine-Oxidase Inhibitors (MAOIs) - Non Selective**

**PHENELZINE SULPHATE**

|                 |       |     |   |        |
|-----------------|-------|-----|---|--------|
| Tab 15 mg ..... | 95.00 | 100 | ✓ | Nardil |
|-----------------|-------|-----|---|--------|

**TRANLYCYPROMINE SULPHATE**

|                 |       |    |   |         |
|-----------------|-------|----|---|---------|
| Tab 10 mg ..... | 22.94 | 50 | ✓ | Parnate |
|-----------------|-------|----|---|---------|

**Monoamine-Oxidase Type A Inhibitors**

**MOCLOBEMIDE**

Note: There is a significant cost differential between moclobemide and fluoxetine (moclobemide being about three times more expensive). For depressive syndromes it is therefore more cost-effective to start treatment with fluoxetine first before considering prescribing moclobemide.

|                  |       |     |   |                        |
|------------------|-------|-----|---|------------------------|
| Tab 150 mg ..... | 69.23 | 500 | ✓ | <u>Apo-Moclobemide</u> |
| Tab 300 mg ..... | 31.33 | 100 | ✓ | <u>Apo-Moclobemide</u> |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|-----|--------------------------|-------------------------------------|
| <b>Selective Serotonin Reuptake Inhibitors</b>  |   |     |                          |                                     |
| <b>CITALOPRAM HYDROBROMIDE</b>  |   |     |                          |                                     |
| * Tab 20 mg .....   | 3.78                                    | 84  | ✓                        | <b>Arrow-Citalopram</b>             |
| <b>FLUOXETINE HYDROCHLORIDE</b>   |   |     |                          |                                     |
| * Tab dispersible 20 mg, scored – Subsidy by endorsement .....  | 2.50                                    | 30  | ✓                        | <b>Fluox</b>                        |
| Subsidised by endorsement   |   |     |                          |                                     |
| 1) When prescribed for a patient who cannot swallow whole tablets or capsules and the prescription is endorsed accordingly; or  |   |     |                          |                                     |
| 2) When prescribed in a daily dose that is not a multiple of 20 mg in which case the prescription is deemed to be endorsed. Note: Tablets should be combined with capsules to facilitate incremental 10 mg doses. |   |     |                          |                                     |
| * Cap 20 mg .....   | 2.70                                    | 84  | ✓                        | <b>Fluox</b>                        |
| <b>PAROXETINE HYDROCHLORIDE</b>   |   |     |                          |                                     |
| Tab 20 mg .....   | 2.38                                    | 30  | ✓                        | <b>Loxamine</b>                     |

### Other Antidepressants

|   |       |    |   |                  |
|---|-------|----|---|------------------|
| <b>MIRTAZAPINE – Special Authority see SA0994 below – Retail pharmacy</b>   |       |    |   |                  |
| Tab 30 mg .....   | 22.00 | 30 | ✓ | <b>Avanza</b>    |
| Tab 45 mg .....   | 35.00 | 30 | ✓ | <b>Avanza</b>    |
| <b>►SA0994 Special Authority for Subsidy</b>  |       |    |   |                  |
| <b>Initial application</b> from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:   |       |    |   |                  |
| Both:   |       |    |   |                  |
| 1 The patient has a severe major depressive episode; and  |       |    |   |                  |
| 2 Either:   |       |    |   |                  |
| 2.1 The patient must have had a trial of two different antidepressants and was unable to tolerate the treatments or failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or |       |    |   |                  |
| 2.2 Both:   |       |    |   |                  |
| 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and  |       |    |   |                  |
| 2.2.2 The patient must have had a trial of one other antidepressant and either could not tolerate it or failed to respond to an adequate dose over an adequate period of time.  |       |    |   |                  |
| <b>Renewal</b> from any relevant practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).  |       |    |   |                  |
| <b>VENLAFAXINE – Special Authority see SA1061 below – Retail pharmacy</b>   |       |    |   |                  |
| Cap 37.5 mg .....   | 18.64 | 28 | ✓ | <b>Efexor XR</b> |
| Cap 75 mg .....   | 37.27 | 28 | ✓ | <b>Efexor XR</b> |
| Cap 150 mg .....  | 45.68 | 28 | ✓ | <b>Efexor XR</b> |

|  |  |  |  |  |
|--|--|--|--|--|
| <b>►SA1061 Special Authority for Subsidy</b>   |  |  |  |  |
| <b>Initial application</b> only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 2 years for applications meeting the following criteria:           |  |  |  |  |
| Both:  |  |  |  |  |
| 1 The patient has 'treatment-resistant' depression; and  |  |  |  |  |
| 2 Either:  |  |  |  |  |
| 2.1 The patient must have had a trial of two different antidepressants and have had an inadequate response from an adequate dose over an adequate period of time (usually at least four weeks); or |  |  |  |  |
| 2.2 Both:  |  |  |  |  |
| 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and   |  |  |  |  |
| 2.2.2 The patient must have had a trial of one other antidepressant and have had an inadequate response from an adequate dose over an adequate period of time.                                     |  |  |  |  |
| <b>Renewal</b> from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).  |  |  |  |  |



|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
|--|---|-----|--------------------------|-------------------------------------|

## Antiepilepsy Drugs

### Agents for Control of Status Epilepticus

#### CLONAZEPAM

|                             |       |   |   |          |
|-----------------------------|-------|---|---|----------|
| Inj 1 mg per ml, 1 ml ..... | 19.00 | 5 | ✓ | Rivotril |
|-----------------------------|-------|---|---|----------|

#### DIAZEPAM

|  |       |   |   |          |
|--|-------|---|---|----------|
| Inj 5 mg per ml, 2 ml – Subsidy by endorsement .....       | 9.24  | 5 | ✓ | Mayne    |
| a) Up to 5 inj available on a PSO                          |       |   |   |          |
| b) Only on a PSO   |       |   |   |          |
| c) PSO must be endorsed "not for anaesthetic procedures".  |       |   |   |          |
| Rectal tubes 5 mg – Up to 5 tube available on a PSO .....  | 25.05 | 5 | ✓ | Stesolid |
| Rectal tubes 10 mg – Up to 5 tube available on a PSO ..... | 30.50 | 5 | ✓ | Stesolid |

#### PARALDEHYDE

|                  |          |   |   |     |
|------------------|----------|---|---|-----|
| * Inj 5 ml ..... | 1,500.00 | 5 | ✓ | AFT |
|------------------|----------|---|---|-----|

#### PHENYTOIN SODIUM

|   |       |   |   |       |
|---|-------|---|---|-------|
| * Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO ..... | 69.24 | 5 | ✓ | Mayne |
| * Inj 50 mg per ml, 5 ml – Up to 5 inj available on a PSO ..... | 77.27 | 5 | ✓ | Mayne |

### Control of Epilepsy

#### CARBAMAZEPINE

|                                   |       |        |   |             |
|-----------------------------------|-------|--------|---|-------------|
| * Tab 200 mg .....                | 14.53 | 100    | ✓ | Tegretol    |
| * Tab long-acting 200 mg .....    | 16.98 | 100    | ✓ | Tegretol CR |
| * Tab 400 mg .....                | 34.58 | 100    | ✓ | Tegretol    |
| * Tab long-acting 400 mg .....    | 39.17 | 100    | ✓ | Tegretol CR |
| *‡ Oral liq 100 mg per 5 ml ..... | 26.37 | 250 ml | ✓ | Tegretol    |

#### CLOBAZAM

|                 |      |    |   |         |
|-----------------|------|----|---|---------|
| Tab 10 mg ..... | 9.12 | 50 | ✓ | Frisium |
|-----------------|------|----|---|---------|

‡ Safety cap for extemporaneously compounded oral liquid preparations.

#### CLONAZEPAM

|                                  |       |          |   |          |
|----------------------------------|-------|----------|---|----------|
| Tab 500 µg .....                 | 6.26  | 100      | ✓ | Paxam    |
| Tab 2 mg .....                   | 11.15 | 100      | ✓ | Paxam    |
| ‡ Oral drops 2.5 mg per ml ..... | 7.38  | 10 ml OP | ✓ | Rivotril |

#### ETHOSUXIMIDE

|                                   |       |        |   |          |
|-----------------------------------|-------|--------|---|----------|
| * Cap 250 mg .....                | 32.90 | 200    | ✓ | Zarontin |
| *‡ Oral liq 250 mg per 5 ml ..... | 11.96 | 200 ml | ✓ | Zarontin |

#### GABAPENTIN – Special Authority see SA1009 below – Retail pharmacy

|                    |       |     |   |          |
|--------------------|-------|-----|---|----------|
| ▲ Cap 100 mg ..... | 7.16  | 100 | ✓ | Nupentin |
| ▲ Cap 300 mg ..... | 11.50 | 100 | ✓ | Nupentin |
| ▲ Cap 400 mg ..... | 14.75 | 100 | ✓ | Nupentin |

#### ►SA1009 Special Authority for Subsidy

**Initial application — (Epilepsy - new patients)** from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

continued...

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

continued...

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

**Initial application — (Epilepsy - patient has had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007)** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life from gabapentin; or
- 2 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents, or seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

**Initial application — (Neuropathic pain - new patients)** from any relevant practitioner. Approvals valid for 3 months where the patient has tried and failed, or has been unable to tolerate, treatment with a tricyclic antidepressant.

**Initial application — (Neuropathic pain - patient has had an approval for gabapentin for neuropathic pain prior to 1 August 2007)** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

**Renewal — (Epilepsy)** from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

If the patient had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

**Renewal — (Neuropathic pain)** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Note: If the patient had an approval for gabapentin for neuropathic pain prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

GABAPENTIN (NEURONTIN) – Special Authority see SA0973 below – Retail pharmacy

|                    |       |     |             |
|--------------------|-------|-----|-------------|
| ▲ Tab 600 mg ..... | 67.50 | 100 | ✓ Neurontin |
| ▲ Cap 100 mg ..... | 13.26 | 100 | ✓ Neurontin |
| ▲ Cap 300 mg ..... | 39.76 | 100 | ✓ Neurontin |
| ▲ Cap 400 mg ..... | 53.01 | 100 | ✓ Neurontin |

## ►SA0973 Special Authority for Subsidy

Notes: Subsidy for patients pre-approved by PHARMAC on 1 August 2009. Approvals valid without further renewal unless notified. No new approvals will be granted from 1 August 2009.

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per    | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|--------|--------------------------|-------------------------------------|
| <b>LAMOTRIGINE</b>                             |   |        |                          |                                     |
| ▲ Tab dispersible 2 mg .....                   | 6.74                                    | 30     | ✓                        | Lamictal                            |
| ▲ Tab dispersible 5 mg .....                   | 9.64                                    | 30     | ✓                        | Lamictal                            |
|  | 15.00                                   | 56     | ✓                        | Arrow-Lamotrigine                   |
| ▲ Tab dispersible 25 mg .....                  | 19.38                                   | 56     | ✓                        | Logem                               |
|  | 20.40                                   |        | ✓                        | Arrow-Lamotrigine                   |
|  |   |        | ✓                        | Mogine                              |
|  | 29.09                                   |        | ✓                        | Lamictal                            |
| ▲ Tab dispersible 50 mg .....                  | 32.97                                   | 56     | ✓                        | Logem                               |
|  | 34.70                                   |        | ✓                        | Arrow-Lamotrigine                   |
|  |   |        | ✓                        | Mogine                              |
|  | 47.89                                   |        | ✓                        | Lamictal                            |
| ▲ Tab dispersible 100 mg .....                 | 56.91                                   | 56     | ✓                        | Logem                               |
|  | 59.90                                   |        | ✓                        | Arrow-Lamotrigine                   |
|  |   |        | ✓                        | Mogine                              |
|  | 79.16                                   |        | ✓                        | Lamictal                            |
| <b>LEVETIRACETAM</b>                           |   |        |                          |                                     |
| Tab 250 mg .....                               | 24.03                                   | 60     | ✓                        | Levetiracetam-Rex                   |
| Tab 500 mg .....                               | 28.71                                   | 60     | ✓                        | Levetiracetam-Rex                   |
| Tab 750 mg .....                               | 45.23                                   | 60     | ✓                        | Levetiracetam-Rex                   |
| <b>PHENOBARBITONE</b>                          |   |        |                          |                                     |
| For phenobarbitone oral liquid refer, page 174 |   |        |                          |                                     |
| * Tab 15 mg .....                              | 25.00                                   | 500    | ✓                        | PSM                                 |
| * Tab 30 mg .....                              | 26.00                                   | 500    | ✓                        | PSM                                 |
| <b>PHENYTOIN SODIUM</b>                        |   |        |                          |                                     |
| * Tab 50 mg .....                              | 42.09                                   | 200    | ✓                        | Dilantin Infatab                    |
| * Cap 30 mg .....                              | 19.13                                   | 200    | ✓                        | Dilantin                            |
| * Cap 100 mg .....                             | 17.21                                   | 200    | ✓                        | Dilantin                            |
| *‡ Oral liq 30 mg per 5 ml .....               | 19.16                                   | 500 ml | ✓                        | Dilantin                            |
| <b>PRIMIDONE</b>                               |   |        |                          |                                     |
| * Tab 250 mg .....                             | 17.25                                   | 100    | ✓                        | Apo-Primidone                       |
| <b>SODIUM VALPROATE</b>                        |   |        |                          |                                     |
| * Tab 100 mg .....                             | 13.65                                   | 100    | ✓                        | Epilim Crushable                    |
| * Tab 200 mg EC .....                          | 27.44                                   | 100    | ✓                        | Epilim                              |
| * Tab 500 mg EC .....                          | 52.24                                   | 100    | ✓                        | Epilim                              |
| *‡ Oral liq 200 mg per 5 ml .....              | 20.48                                   | 300 ml | ✓                        | Epilim S/F Liquid                   |
|  |   |        | ✓                        | Epilim Syrup                        |
| * Inj 100 mg per ml, 4 ml .....                | 41.50                                   | 1      | ✓                        | Epilim IV                           |
| <b>TOPIRAMATE</b>                              |   |        |                          |                                     |
| ▲ Tab 25 mg .....                              | 11.07                                   | 60     | ✓                        | Arrow-Topiramate                    |
|  | 26.04                                   |        | ✓                        | Topamax                             |
| ▲ Tab 50 mg .....                              | 18.81                                   | 60     | ✓                        | Arrow-Topiramate                    |
|  | 44.26                                   |        | ✓                        | Topamax                             |
| ▲ Tab 100 mg .....                             | 31.99                                   | 60     | ✓                        | Arrow-Topiramate                    |
|  | 75.25                                   |        | ✓                        | Topamax                             |
| ▲ Tab 200 mg .....                             | 55.19                                   | 60     | ✓                        | Arrow-Topiramate                    |
|  | 129.85                                  |        | ✓                        | Topamax                             |
| ▲ Sprinkle cap 15 mg .....                     | 20.84                                   | 60     | ✓                        | Topamax                             |
| ▲ Sprinkle cap 25 mg .....                     | 26.04                                   | 60     | ✓                        | Topamax                             |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## NERVOUS SYSTEM

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|-----|--------------------------|-------------------------------------|
| VIGABATRIN – Special Authority see SA1010 below – Retail pharmacy |   |     |                          |                                     |
| ▲ Tab 500 mg .....  | 119.30                                  | 100 | ✓                        | Sabril                              |

### ►SA1010 Special Authority for Subsidy

**Initial application — (new patients)** from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Both:

- 1 Either:
  - 1.1 Patient has infantile spasms; or
  - 1.2 Both:
    - 1.2.1 Patient has epilepsy; and
    - 1.2.2 Either:
      - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
      - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and
- 2 Either:
  - 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
  - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

**Initial application — (patient has had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007)** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for the duration of treatment with vigabatrin; or
- 2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Note: Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

**Renewal** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- 2 Either:
  - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
  - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

If the patient had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

## Antimigraine Preparations

For Anti-inflammatory NSAIDs refer to MUSCULOSKELETAL, page 98

### Acute Migraine Treatment

ERGOTAMINE TARTRATE WITH CAFFEINE

|                                     |       |     |   |          |
|-------------------------------------|-------|-----|---|----------|
| Tab 1 mg with caffeine 100 mg ..... | 31.00 | 100 | ✓ | Cafergot |
|-------------------------------------|-------|-----|---|----------|

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|---|----------------------------|-------------------------------------|
| <b>METOCLOPRAMIDE HYDROCHLORIDE WITH PARACETAMOL</b>        |   |                            |                                     |
| Tab 5 mg with paracetamol 500 mg .....                      | 6.77                                    | 60                         | ✓ <b>Paramax</b>                    |
| <b>RIZATRIPTAN BENZOATE</b>                                 |   |                            |                                     |
| Wafer 10 mg .....   | 25.32                                   | 3                          | ✓ <b>Maxalt Melt</b>                |
| <b>SUMATRIPTAN</b>  |   |                            |                                     |
| Tab 50 mg .....   | 1.55                                    | 4                          | ✓ <b>Arrow-Sumatriptan</b>          |
| .....   | 38.83                                   | 100                        | ✓ <b>Arrow-Sumatriptan</b>          |
| Tab 100 mg .....  | 1.55                                    | 2                          | ✓ <b>Arrow-Sumatriptan</b>          |
| .....   | 77.66                                   | 100                        | ✓ <b>Arrow-Sumatriptan</b>          |
| Inj 12 mg per ml, 0.5 ml – Retail pharmacy-Specialist ..... | 80.00                                   | 2 OP                       | ✓ <b>Imigran</b>                    |
| Maximum of 10 inj per prescription                          |   |                            |                                     |

### Prophylaxis of Migraine

For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYSTEM, page 51

#### CLONIDINE HYDROCHLORIDE

|                    |       |     |                      |
|--------------------|-------|-----|----------------------|
| * Tab 25 µg .....  | 19.25 | 100 | ✓ <b>Dixarit</b>     |
| <b>PIZOTIFEN</b>   |       |     |                      |
| * Tab 500 µg ..... | 21.10 | 100 | ✓ <b>Sandomigran</b> |

### Antinausea and Vertigo Agents

For Antispasmodics refer to ALIMENTARY TRACT, page 27

APREPITANT – Special Authority see SA0987 below – Retail pharmacy

|                                    |        |      |                         |
|------------------------------------|--------|------|-------------------------|
| Cap 2 × 80 mg and 1 × 125 mg ..... | 116.00 | 3 OP | ✓ <b>Emend Tri-Pack</b> |
|------------------------------------|--------|------|-------------------------|

#### ►SA0987 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

**Renewal** from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

#### BETAHISTINE DIHYDROCHLORIDE

|                                |       |    |   |
|--------------------------------|-------|----|---|
| * Tab 16 mg .....              | 9.26  | 84 | ✓ <b>Vergo 16</b>                           |
| <b>CYCLIZINE HYDROCHLORIDE</b> |       |    |   |
| Tab 50 mg .....                | 1.59  | 10 | ✓ <b>Nausicalm</b>                          |
| <b>CYCLIZINE LACTATE</b>       |       |    |   |
| Inj 50 mg per ml, 1 ml .....   | 14.95 | 5  | ✓ <b>Nausicalm</b><br>✓ <b>Valoid (AFT)</b> |

(Valoid (AFT) Inj 50 mg per ml, 1 ml to be delisted 1 March 2011)

#### DOMPERIDONE

|                   |      |     |                   |
|-------------------|------|-----|-------------------|
| * Tab 10 mg ..... | 7.99 | 100 | ✓ <b>Motilium</b> |
|-------------------|------|-----|-------------------|

HYOSCINE (SCOPOLAMINE) – Special Authority see SA0939 below – Retail pharmacy

|                    |       |   |                        |
|--------------------|-------|---|------------------------|
| Patch 1.5 mg ..... | 11.95 | 2 | ✓ <b>Scopoderm TTS</b> |
|--------------------|-------|---|------------------------|

#### ►SA0939 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease; and
- 2 Patient cannot tolerate or does not adequately respond to oral anti-nausea agents; and
- 3 The applicant must specify the underlying malignancy or chronic disease.

**Renewal** from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## NERVOUS SYSTEM

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
| <b>HYOSCINE HYDROBROMIDE</b>   |   |     |                          |                                     |
| * Inj 400 µg per ml, 1 ml .....  | 6.66                                    | 5   | ✓                        | Mayne                               |
| <b>METOCLOPRAMIDE HYDROCHLORIDE</b>  |   |     |                          |                                     |
| * Tab 10 mg .....  | 5.15                                    | 100 | ✓                        | Metamide                            |
| * Inj 5 mg per ml, 2 ml – Up to 5 inj available on a PSO .....   | 4.50                                    | 10  | ✓                        | Pfizer                              |
| <b>ONDANSETRON</b>   |   |     |                          |                                     |
| a) Maximum of 12 tab per prescription; can be waived by Special Authority see SA0887 below   |   |     |                          |                                     |
| b) Maximum of 6 tab per dispensing; can be waived by Special Authority see SA0887 below  |   |     |                          |                                     |
| c) Not more than one prescription per month; can be waived by Special Authority see SA0887 below.  |   |     |                          |                                     |
| d) The maximum of 6 tab per dispensing cannot be waived via Access Exemption Criteria.   |   |     |                          |                                     |
| Tab 4 mg .....   | 5.10                                    | 30  | ✓                        | Dr Reddy's<br>Ondansetron           |
|  | 17.18                                   | 10  | ✓                        | Zofran                              |
| Tab disp 4 mg .....  | 17.18                                   | 10  | ✓                        | Zofran Zydys                        |
| Tab 8 mg .....   | 1.70                                    | 10  | ✓                        | Dr Reddy's<br>Ondansetron           |
|  | 33.89                                   | 20  | ✓                        | Zofran                              |
| Tab disp 8 mg .....  | 20.43                                   | 10  | ✓                        | Zofran Zydys                        |
| <b>►SA0887 Special Authority for Waiver of Rule</b>  |   |     |                          |                                     |
| <b>Initial application</b> from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing prolonged treatment with highly emetogenic chemotherapy and/or highly emetogenic radiation therapy for the treatment of malignancy. |   |     |                          |                                     |
| <b>Renewal</b> from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing prolonged treatment with highly emetogenic chemotherapy and/or highly emetogenic radiation therapy for the treatment of malignancy.             |   |     |                          |                                     |
| <b>PROCHLORPERAZINE</b>  |   |     |                          |                                     |
| * Tab 3 mg buccal .....  | 5.97<br>(15.00)                         | 50  |                          | Buccastem                           |
| * Tab 5 mg – Up to 30 tab available on a PSO .....   | 16.85                                   | 500 | ✓                        | Antinaus                            |
| * Inj 12.5 mg per ml, 1 ml – Up to 5 inj available on a PSO .....  | 25.81                                   | 10  | ✓                        | Stemetil                            |
| * Suppos 25 mg .....   | 23.87                                   | 5   | ✓                        | Stemetil                            |
| <b>PROMETHAZINE THEOCLATE</b>  |   |     |                          |                                     |
| * Tab 25 mg .....  | 1.20<br>(6.24)                          | 10  |                          | Avomine                             |
| <b>TROPISETRON</b>   |   |     |                          |                                     |
| a) Maximum of 6 cap per prescription   |   |     |                          |                                     |
| b) Maximum of 3 cap per dispensing   |   |     |                          |                                     |
| c) Not more than one prescription per month.   |   |     |                          |                                     |
| Cap 5 mg .....   | 77.41                                   | 5   | ✓                        | Navoban                             |

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          | ✓                                   |

## Antipsychotics

### Guidelines for the use of atypical antipsychotic agents

Diagnosis: Schizophrenia and related psychoses when positive symptoms (delusions, hallucinations and thought disorder) are prominent and/or disabling or when both positive symptoms and negative symptoms (flattened affect, emotional and social withdrawal and poverty of speech) are present. Treatment: Before initiating atypical antipsychotic therapy, physicians should consider whether the patient is likely to respond to and/or tolerate conventional antipsychotic therapy and, where appropriate, trial one or more conventional agent prior to use of an atypical agent.

## General

### AMISULPRIDE

|                              |        |       |          |
|------------------------------|--------|-------|----------|
| Tab 100 mg .....             | 22.52  | 30    | ✓ Solian |
| Tab 200 mg .....             | 97.03  | 60    | ✓ Solian |
| Tab 400 mg .....             | 185.44 | 60    | ✓ Solian |
| Oral liq 100 mg per ml ..... | 55.44  | 60 ml | ✓ Solian |

### ARIPIPRAZOLE – Special Authority see SA0920 below – Retail pharmacy

|                 |        |    |           |
|-----------------|--------|----|-----------|
| Tab 10 mg ..... | 123.54 | 30 | ✓ Abilify |
| Tab 15 mg ..... | 175.28 | 30 | ✓ Abilify |
| Tab 20 mg ..... | 213.42 | 30 | ✓ Abilify |
| Tab 30 mg ..... | 260.07 | 30 | ✓ Abilify |

### SA0920 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Either:
  - 2.1 An effective dose of risperidone or quetiapine has been trialed and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
  - 2.2 An effective dose of risperidone or quetiapine has been trialed and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

### CHLORPROMAZINE HYDROCHLORIDE

|  |       |     |             |
|--|-------|-----|-------------|
| Tab 10 mg – Up to 30 tab available on a PSO.....             | 12.36 | 100 | ✓ Largactil |
| Tab 25 mg – Up to 30 tab available on a PSO.....             | 13.02 | 100 | ✓ Largactil |
| Tab 100 mg – Up to 30 tab available on a PSO.....            | 30.61 | 100 | ✓ Largactil |
| Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO..... | 25.66 | 10  | ✓ Largactil |

### CLOZAPINE – Hospital pharmacy [HP4]

|                               |       |        |            |
|-------------------------------|-------|--------|------------|
| Tab 25 mg .....               | 13.37 | 50     | ✓ Clozaril |
|                               | 26.74 | 100    | ✓ Clozaril |
|                               | 6.69  | 50     | ✓ Clopine  |
|                               | 13.37 | 100    | ✓ Clopine  |
| Tab 50 mg .....               | 8.67  | 50     | ✓ Clopine  |
|                               | 17.33 | 100    | ✓ Clopine  |
| Tab 100 mg .....              | 34.65 | 50     | ✓ Clozaril |
|                               | 69.30 | 100    | ✓ Clozaril |
|                               | 17.33 | 50     | ✓ Clopine  |
|                               | 34.65 | 100    | ✓ Clopine  |
| Tab 200 mg .....              | 34.65 | 50     | ✓ Clopine  |
|                               | 69.30 | 100    | ✓ Clopine  |
| Suspension 50 mg per ml ..... | 17.33 | 100 ml | ✓ Clopine  |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## NERVOUS SYSTEM

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per    | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|--------|--------------------------|-------------------------------------|
| <b>HALOPERIDOL</b>   |   |        |                          |                                     |
| Tab 500 µg – Up to 30 tab available on a PSO.....                        | 5.42                                    | 100    | ✓                        | Serenace                            |
| Tab 1.5 mg – Up to 30 tab available on a PSO.....                        | 8.20                                    | 100    | ✓                        | Serenace                            |
| Tab 5 mg – Up to 30 tab available on a PSO.....                          | 25.84                                   | 100    | ✓                        | Serenace                            |
| Oral liq 2 mg per ml – Up to 200 ml available on a PSO.....              | 19.87                                   | 100 ml | ✓                        | Serenace                            |
| Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO.....              | 18.74                                   | 10     | ✓                        | Serenace                            |
| <b>LITHIUM CARBONATE</b>   |   |        |                          |                                     |
| Tab 250 mg .....   | 36.10                                   | 500    | ✓                        | Lithicarb                           |
| Tab 400 mg .....   | 13.50                                   | 100    | ✓                        | Lithicarb                           |
| Tab long-acting 400 mg .....   | 17.65                                   | 100    | ✓                        | Priadel                             |
| Cap 250 mg .....   | 7.73                                    | 100    | ✓                        | Douglas                             |
| <b>METHOTRIMEPRAZINE</b>   |   |        |                          |                                     |
| Tab 25 mg .....  | 16.93                                   | 100    | ✓                        | Nozinan                             |
| Tab 100 mg .....   | 43.96                                   | 100    | ✓                        | Nozinan                             |
| Inj 25 mg per ml, 1 ml .....   | 73.68                                   | 10     | ✓                        | Nozinan                             |
| <b>OLANZAPINE</b> – Special Authority see SA0741 below – Retail pharmacy |   |        |                          |                                     |
| Tab 2.5 mg .....   | 51.07                                   | 28     | ✓                        | Zyprexa                             |
| Tab 5 mg .....   | 101.21                                  | 28     | ✓                        | Zyprexa                             |
| Tab 10 mg .....  | 204.49                                  | 28     | ✓                        | Zyprexa                             |

### ►SA0741 Special Authority for Subsidy

**Initial application** only from a psychiatrist. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 Patient presents with first episode schizophrenia or related psychoses; or
- 2 Both:
  - 2.1 Patient suffering from schizophrenia and related psychoses or acute mania in bipolar disorder who is likely to benefit from antipsychotic treatment; and
  - 2.2 Either:
    - 2.2.1 An effective dose of risperidone had been trialled and has been discontinued because of unacceptable side effects; or
    - 2.2.2 An effective dose of risperidone had been trialled and has been discontinued because of inadequate clinical response after 4 weeks; or
- 3 The patient has suffered from an acute episode of schizophrenia or bipolar mania and has been treated with olanzapine short-acting intra-muscular injection.

**Renewal** only from a psychiatrist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Initial prescriptions to be written by psychiatrists or psychiatric registrars and subsequent prescriptions can be written by General Practitioners.

### PERICYAZINE

|                  |       |     |   |           |
|------------------|-------|-----|---|-----------|
| Tab 2.5 mg ..... | 12.49 | 100 | ✓ | Neulactil |
| Tab 10 mg .....  | 44.45 | 100 | ✓ | Neulactil |



|                                      | Subsidy<br>(Manufacturer's Price)<br>\$ | Per   | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--------------------------------------|---|-------|--------------------------|-------------------------------------|
| <b>QUETIAPINE</b>                    |   |       |                          |                                     |
| Tab 25 mg .....                      | 7.00                                    | 60    | ✓                        | Dr Reddy's<br>Quetiapine            |
|                                      |   |       | ✓                        | Seroquel                            |
|                                      | 16.78                                   | 90    | ✓                        | Quetapel                            |
| Tab 100 mg .....                     | 14.00                                   | 60    | ✓                        | Dr Reddy's<br>Quetiapine            |
|                                      |   |       | ✓                        | Seroquel                            |
|                                      | 32.59                                   | 90    | ✓                        | Quetapel                            |
| Tab 200 mg .....                     | 24.00                                   | 60    | ✓                        | Dr Reddy's<br>Quetiapine            |
|                                      |   |       | ✓                        | Seroquel                            |
|                                      | 56.70                                   | 90    | ✓                        | Quetapel                            |
| Tab 300 mg .....                     | 40.00                                   | 60    | ✓                        | Dr Reddy's<br>Quetiapine            |
|                                      |   |       | ✓                        | Seroquel                            |
|                                      | 95.40                                   | 90    | ✓                        | Quetapel                            |
| <b>RISPERIDONE</b>                   |   |       |                          |                                     |
| Tab 0.5 mg .....                     | 3.51                                    | 60    | ✓                        | Apo-Risperidone                     |
|                                      |   |       | ✓                        | Dr Reddy's<br>Risperidone           |
|                                      | 5.20                                    | 20    | ✓                        | Ridal                               |
| Tab 1 mg .....                       | 6.00                                    | 60    | ✓                        | Risperdal                           |
|                                      |   |       | ✓                        | Apo-Risperidone                     |
|                                      |   |       | ✓                        | Dr Reddy's<br>Risperidone           |
|                                      | 30.77                                   |       | ✓                        | Ridal                               |
| Tab 2 mg .....                       | 11.00                                   | 60    | ✓                        | Risperdal                           |
|                                      |   |       | ✓                        | Apo-Risperidone                     |
|                                      |   |       | ✓                        | Dr Reddy's<br>Risperidone           |
|                                      | 61.53                                   |       | ✓                        | Ridal                               |
| Tab 3 mg .....                       | 15.00                                   | 60    | ✓                        | Risperdal                           |
|                                      |   |       | ✓                        | Apo-Risperidone                     |
|                                      |   |       | ✓                        | Dr Reddy's<br>Risperidone           |
|                                      | 92.32                                   |       | ✓                        | Ridal                               |
| Tab 4 mg .....                       | 20.00                                   | 60    | ✓                        | Risperdal                           |
|                                      |   |       | ✓                        | Apo-Risperidone                     |
|                                      |   |       | ✓                        | Dr Reddy's<br>Risperidone           |
|                                      | 123.05                                  |       | ✓                        | Ridal                               |
| Oral liq 1 mg per ml .....           | 18.35                                   | 30 ml | ✓                        | Risperdal                           |
|                                      |   |       | ✓                        | Apo-Risperidone                     |
|                                      | 45.92                                   |       | ✓                        | Risperon                            |
|                                      |   |       | ✓                        | Risperdal                           |
| <b>TRIFLUOPERAZINE HYDROCHLORIDE</b> |   |       |                          |                                     |
| Tab 1 mg .....                       | 9.83                                    | 100   | ✓                        | Stelazine                           |
| Tab 2 mg .....                       | 14.64                                   | 100   | ✓                        | Stelazine                           |
| Tab 5 mg .....                       | 16.66                                   | 100   | ✓                        | Stelazine                           |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## NERVOUS SYSTEM

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|-----|--------------------------|-------------------------------------|
| <b>ZIPRASIDONE – Subsidy by endorsement</b>   |   |     |                          |                                     |
| Ziprasidone is subsidised for patients suffering from schizophrenia or related psychoses after a trial of an effective dose of risperidone or quetiapine that has been discontinued, or is in the process of being discontinued, because of unacceptable side effects or inadequate response, and the prescription is endorsed accordingly. |   |     |                          |                                     |
| Cap 20 mg .....   | 87.88                                   | 60  | ✓                        | Zeldox                              |
| Cap 40 mg .....   | 164.78                                  | 60  | ✓                        | Zeldox                              |
| Cap 60 mg .....   | 247.17                                  | 60  | ✓                        | Zeldox                              |
| Cap 80 mg .....   | 329.56                                  | 60  | ✓                        | Zeldox                              |
| <b>ZUCLOPENTHIXOL HYDROCHLORIDE</b>   |   |     |                          |                                     |
| Tab 10 mg .....   | 31.45                                   | 100 | ✓                        | Clopixol                            |

### Depot Injections

|   |        |    |   |                    |
|---|--------|----|---|--------------------|
| <b>FLUPENTHIXOL DECANOATE</b>   |        |    |   |                    |
| Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO .....             | 13.14  | 5  | ✓ | Fluanxol           |
| Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO .....             | 20.90  | 5  | ✓ | Fluanxol           |
| Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO .....            | 40.87  | 5  | ✓ | Fluanxol           |
| <b>FLUPHENAZINE DECANOATE</b>   |        |    |   |                    |
| Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO .....     | 17.60  | 5  | ✓ | Modecate           |
| Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO .....             | 27.90  | 5  | ✓ | Modecate           |
| Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO .....            | 154.50 | 5  | ✓ | Modecate           |
| <b>HALOPERIDOL DECANOATE</b>  |        |    |   |                    |
| Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO .....             | 28.39  | 5  | ✓ | Haldol             |
| Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO .....            | 55.90  | 5  | ✓ | Haldol Concentrate |
| <b>PIPOTHIAZINE PALMITATE</b>   |        |    |   |                    |
| Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO .....             | 178.48 | 10 | ✓ | Piportil           |
| Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO .....             | 353.32 | 10 | ✓ | Piportil           |
| <b>RISPERIDONE – Special Authority see SA0926 below – Retail pharmacy</b> |        |    |   |                    |
| Microspheres for injection 25 mg .....                                    | 175.00 | 1  | ✓ | Risperdal Consta   |
| Microspheres for injection 37.5 mg .....                                  | 230.00 | 1  | ✓ | Risperdal Consta   |
| Microspheres for injection 50 mg .....                                    | 280.00 | 1  | ✓ | Risperdal Consta   |

#### ►SA0926 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has schizophrenia or other psychotic disorder; and
- 2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

**Renewal** from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had less than 12 months treatment with risperidone microspheres; and
  - 1.2 There is no clinical reason to discontinue treatment; or
- 2 The initiation of risperidone microspheres has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of risperidone microspheres.

Note: Risperidone microspheres should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone microspheres.

|  |       |   |   |          |
|--|-------|---|---|----------|
| <b>ZUCLOPENTHIXOL DECANOATE</b>                                |       |   |   |          |
| Inj 200 mg per ml, 1 ml – Up to 5 inj available on a PSO ..... | 19.80 | 5 | ✓ | Clopixol |

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
|--|---|-----|--------------------------|-------------------------------------|

## Orodispersible Antipsychotics

OLANZAPINE – Special Authority see SA0739 below – Retail pharmacy

|                   |        |    |   |               |
|-------------------|--------|----|---|---------------|
| Wafer 5 mg .....  | 102.19 | 28 | ✓ | Zyprexa Zydis |
| Wafer 10 mg ..... | 204.37 | 28 | ✓ | Zyprexa Zydis |

### ►SA0739 Special Authority for Subsidy

**Initial application** only from a psychiatrist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient meets the current criteria for standard olanzapine tablets; and
- 2 The patient is unable to take standard olanzapine tablets, or once stabilized refuses to take olanzapine tablets; or the patient is non-adherent to oral therapy with standard olanzapine tablets; and
- 3 The patient is under direct supervision for administration of medicine.

**Renewal** only from a psychiatrist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is unable to take standard olanzapine tablets, or once stabilized refuses to take olanzapine tablets; and
- 2 The patient is under direct supervision for administration of medicine.

Note: Initial prescriptions to be written by psychiatrists and subsequent prescriptions can be written by psychiatric registrars or General Practitioners.

RISPERIDONE – Special Authority see SA0927 below – Retail pharmacy

|  |       |    |   |                    |
|--|-------|----|---|--------------------|
| Orally-disintegrating tablets 0.5 mg ..... | 21.42 | 28 | ✓ | Risperdal Quicklet |
| Orally-disintegrating tablets 1 mg .....   | 42.84 | 28 | ✓ | Risperdal Quicklet |
| Orally-disintegrating tablets 2 mg .....   | 85.71 | 28 | ✓ | Risperdal Quicklet |

### ►SA0927 Special Authority for Subsidy

**Initial application — (Acute situations)** from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 For a non-adherent patient on oral therapy with standard risperidone tablets or risperidone oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

**Initial application — (Chronic situations)** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

**Renewal** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Note: Risperdal Quicklets cost significantly more than risperidone tablets and should only be used where necessary.

## Anxiolytics

ALPRAZOLAM

|  |      |    |   |                  |
|--|------|----|---|------------------|
| Tab 250 µg .....   | 3.15 | 50 | ✓ | Arrow-Alprazolam |
| ‡ Safety cap for extemporaneously compounded oral liquid preparations. |      |    |   |                  |
| Tab 500 µg .....   | 4.10 | 50 | ✓ | Arrow-Alprazolam |
| ‡ Safety cap for extemporaneously compounded oral liquid preparations. |      |    |   |                  |
| Tab 1 mg .....   | 7.25 | 50 | ✓ | Arrow-Alprazolam |
| ‡ Safety cap for extemporaneously compounded oral liquid preparations. |      |    |   |                  |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## NERVOUS SYSTEM

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|-----|--------------------------|-------------------------------------|
| <b>BUSPIRONE HYDROCHLORIDE</b> – Special Authority see SA0863 below – Retail pharmacy |   |     |                          |                                     |
| Tab 5 mg .....  | 28.00                                   | 100 | ✓                        | <b>Pacific Buspirone</b>            |
| Tab 10 mg .....   | 17.00                                   | 100 | ✓                        | <b>Pacific Buspirone</b>            |

### ►►SA0863 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 For use only as an anxiolytic; and
- 2 Other agents are contraindicated or have failed.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

### **DIAZEPAM**

|  |       |     |   |                       |
|--|-------|-----|---|-----------------------|
| Tab 2 mg .....   | 11.44 | 500 | ✓ | <b>Arrow-Diazepam</b> |
| ‡ Safety cap for extemporaneously compounded oral liquid preparations. |       |     |   |                       |
| Tab 5 mg .....   | 13.71 | 500 | ✓ | <b>Arrow-Diazepam</b> |
| ‡ Safety cap for extemporaneously compounded oral liquid preparations. |       |     |   |                       |

### **LORAZEPAM**

|  |       |     |   |               |
|--|-------|-----|---|---------------|
| Tab 1 mg .....   | 16.42 | 250 | ✓ | <b>Ativan</b> |
| ‡ Safety cap for extemporaneously compounded oral liquid preparations. |       |     |   |               |
| Tab 2.5 mg .....   | 11.17 | 100 | ✓ | <b>Ativan</b> |
| ‡ Safety cap for extemporaneously compounded oral liquid preparations. |       |     |   |               |

### **OXAZEPAM**

|  |                |     |  |        |
|--|----------------|-----|--|--------|
| Tab 10 mg .....  | 1.98<br>(5.89) | 100 |  | Ox-Pam |
| ‡ Safety cap for extemporaneously compounded oral liquid preparations. |                |     |  |        |
| Tab 15 mg .....  | 2.45<br>(8.13) | 100 |  | Ox-Pam |
| ‡ Safety cap for extemporaneously compounded oral liquid preparations. |                |     |  |        |

## Multiple Sclerosis Treatments

### ►►SA0855 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Budget managed by appointed clinicians on the Multiple Sclerosis Treatment Assessments Committee (MSTAC).

Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz> or:

|   |   |
|---|---|
| The coordinator                                   | Phone: 04 460 4990  |
| Multiple Sclerosis Treatment Assessment Committee | Facsimile: 04 916 7571  |
| PHARMAC PO Box 10 254                             | Email: <a href="mailto:mstacordinator@pharmac.govt.nz">mstacordinator@pharmac.govt.nz</a> |
| Wellington  |   |

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

continued...

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

continued...

Appeals against MSTAC's decision and/or the processing of any application may be lodged with the MSTAC coordinator. Concerns that cannot be or have not been adequately addressed by MSTAC will be forwarded to a separate Appeal Committee if necessary. Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

### Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis should as a rule include MRI confirmation. For patients diagnosed before MRI was widely utilised in New Zealand, confirmation of diagnosis via clinical assessment and laboratory/ancillary data must be provided; and
- 2) patients must have active relapsing MS (confirmed by MR scan where necessary) with or without underlying progression; and
- 3) patients must have either:
  - a) EDSS score 2.5 - 5.5 with 2+ relapses:
    - experienced at least 2 significant relapses of MS in the previous 12 months, and
    - an EDSS score of between 2.5 and 5.5 inclusive; or
  - b) EDSS score 2.0 with 3+ relapses:
    - experienced at least 3 significant relapses of MS in the previous 12 months, and
    - an EDSS score of 2.0; and
- 4) Each relapse must:
  - a) be confirmed by a neurologist or general physician (the patient may not necessarily have been seen during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week;
  - d) follow a period of stability of at least one month;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke functional systems scores by at least 1 point;
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever ( $T > 37.5^{\circ}\text{C}$ ); and
- 5) applications must be made at least four weeks after the date of the onset of the last known relapse; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate (see criteria for stopping).
- 7) applications must be submitted to the Multiple Sclerosis Treatment Assessment Committee (MSTAC) by the patient's neurologist or a general physician; and
- 8) patients must agree (via informed consent) to co-operate if as a result of their meeting the stopping criteria, funding is withdrawn. Patients must agree to the collection of clinical data relating to their MS and use of those data by PHARMAC; and
- 9) patients must agree to allow clinical data to be collected and reviewed by MSTAC annually for each year in which they receive funding for beta-interferon or glatiramer acetate.

### Stopping Criteria

- 1) Confirmed progression of disability that is sustained for three months after a minimum of one year of treatment. Progression of disability is defined as either an increase of 1 EDSS point from the starting EDSS or an increase in EDSS score to 6.0 or more; or
- 2) stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment); or
- 3) pregnancy and/or lactation; or
- 4) within the 12 month approval year, intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- 5) non-compliance with treatment, including refusal to undergo annual assessment or refusal to allow the results of the assessment to be submitted to MSTAC; or
- 6) patients may, subject to conclusions drawn from published evidence available at the time, be excluded if they develop a high titre of neutralising anti-bodies to beta-interferon or glatiramer acetate.

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## NERVOUS SYSTEM

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
| GLATIRAMER ACETATE – Special Authority see SA0855 on page 132      |   |     |                          |                                     |
| Inj 20 mg prefilled syringe .....                                  | 1,089.25                                | 28  | ✓                        | Copaxone                            |
| INTERFERON BETA-1-ALPHA – Special Authority see SA0855 on page 132 |   |     |                          |                                     |
| Inj 6 million iu prefilled syringe .....                           | 1,329.65                                | 4   | ✓                        | Avonex                              |
| Inj 6 million iu per vial .....                                    | 1,329.65                                | 4   | ✓                        | Avonex                              |
| INTERFERON BETA-1-BETA – Special Authority see SA0855 on page 132  |   |     |                          |                                     |
| Inj 8 million iu per 1 ml .....                                    | 1,407.33                                | 15  | ✓                        | Betaferon                           |

## Sedatives and Hypnotics

|  |                  |     |   |                      |
|--|------------------|-----|---|----------------------|
| LORMETAZEPAM   |                  |     |   |                      |
| Tab 1 mg .....   | 3.11<br>(23.50)  | 30  |   | Noctamid             |
| ‡ Safety cap for extemporaneously compounded oral liquid preparations.   |                  |     |   |                      |
| MIDAZOLAM  |                  |     |   |                      |
| Note: Midazolam injection will be funded if prescribed for intranasal administration for use in palliative care. Note that only the Hypnovel brand is currently indicated for intranasal administration. |                  |     |   |                      |
| Tab 7.5 mg .....   | 10.38<br>(25.00) | 100 |   | Hypnovel             |
| ‡ Safety cap for extemporaneously compounded oral liquid preparations.   |                  |     |   |                      |
| Inj 1 mg per ml, 5 ml .....  | 10.75<br>(14.73) | 10  | ✓ | Hypnovel<br>Pfizer   |
| Inj 5 mg per ml, 3 ml .....  | 11.90<br>(19.64) | 5   | ✓ | Hypnovel<br>Pfizer   |
| NITRAZEPAM   |                  |     |   |                      |
| Tab 5 mg .....   | 2.00<br>(4.98)   | 100 |   | Nitrados             |
| ‡ Safety cap for extemporaneously compounded oral liquid preparations.   |                  |     |   |                      |
| TEMAZEPAM  |                  |     |   |                      |
| Tab 10 mg .....  | 0.83             | 25  | ✓ | <u>Normison</u>      |
| ‡ Safety cap for extemporaneously compounded oral liquid preparations.   |                  |     |   |                      |
| TRIAZOLAM  |                  |     |   |                      |
| Tab 125 µg .....   | 5.10<br>(6.50)   | 100 |   | Hypam                |
| ‡ Safety cap for extemporaneously compounded oral liquid preparations.   |                  |     |   |                      |
| Tab 250 µg .....   | 4.10<br>(7.20)   | 100 |   | Hypam                |
| ‡ Safety cap for extemporaneously compounded oral liquid preparations.   |                  |     |   |                      |
| ZOPICLONE  |                  |     |   |                      |
| Tab 7.5 mg .....   | 21.02            | 500 | ✓ | <u>Apo-Zopiclone</u> |

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
|--|---|-----|--------------------------|-------------------------------------|

## Stimulants/ADHD Treatments

### Stimulants/ADHD treatments

ATOMOXETINE – Special Authority see SA0951 below – Retail pharmacy

|                  |        |    |   |           |
|------------------|--------|----|---|-----------|
| Cap 10 mg .....  | 107.03 | 28 | ✓ | Strattera |
| Cap 18 mg .....  | 107.03 | 28 | ✓ | Strattera |
| Cap 25 mg .....  | 107.03 | 28 | ✓ | Strattera |
| Cap 40 mg .....  | 107.03 | 28 | ✓ | Strattera |
| Cap 60 mg .....  | 107.03 | 28 | ✓ | Strattera |
| Cap 80 mg .....  | 139.11 | 28 | ✓ | Strattera |
| Cap 100 mg ..... | 139.11 | 28 | ✓ | Strattera |

#### ►SA0951 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
  - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
  - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
  - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamphetamine sulphate tablets.

DEXAMPHETAMINE SULPHATE – Special Authority see SA0907 below – Retail pharmacy

Only on a controlled drug form

|                |       |     |   |     |
|----------------|-------|-----|---|-----|
| Tab 5 mg ..... | 16.50 | 100 | ✓ | PSM |
|----------------|-------|-----|---|-----|

#### ►SA0907 Special Authority for Subsidy

**Initial application — (ADHD in patients 5 or over – new patients)** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Both:
    - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 3.2.2 Provide name of the recommending specialist.

continued...

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

continued...

**Initial application — (ADHD in patients 5 or over - patient has had an approval for dexamphetamine for ADHD prior to 1 April 2008)** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Both:
    - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 2.2.2 Provide name of the recommending specialist.

**Initial application — (ADHD in patients under 5 – new patients)** only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

**Initial application — (ADHD in patients under 5 - patient has had an approval for dexamphetamine for ADHD in patients under 5 prior to 1 April 2008)** only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

**Initial application — (Narcolepsy – new patients)** only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

**Initial application — (Narcolepsy - patient has had an approval for dexamphetamine for narcolepsy prior to 1 April 2008)** only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

**Renewal — (ADHD in patients 5 or over)** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Both:
    - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 2.2.2 Provide name of the recommending specialist.

Note: If the patient had an approval for dexamphetamine for ADHD prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

**Renewal — (ADHD in patients under 5)** only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for dexamphetamine for ADHD in patients under 5 prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

**Renewal — (Narcolepsy)** only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for dexamphetamine for narcolepsy prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.



|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
| METHYLPHENIDATE HYDROCHLORIDE – Special Authority see SA0908 below – Retail pharmacy |   |     |                          |                                     |
| Only on a controlled drug form   |   |     |                          |                                     |
| Tab immediate-release 5 mg   | 3.20                                    | 30  | ✓                        | Rubifen                             |
| Tab immediate-release 10 mg  | 3.00                                    | 30  | ✓                        | Ritalin                             |
|  |   |     | ✓                        | Rubifen                             |
| Tab immediate-release 20 mg  | 7.85                                    | 30  | ✓                        | Rubifen                             |
| Tab sustained-release 20 mg  | 10.95                                   | 30  | ✓                        | Rubifen SR                          |
|  | 50.00                                   | 100 | ✓                        | Ritalin SR                          |

►SA0908 Special Authority for Subsidy

**Initial application — (ADHD in patients 5 or over – new patients)** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Both:
    - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 3.2.2 Provide name of the recommending specialist.

**Initial application — (ADHD in patients 5 or over - patient has had an approval for methylphenidate for ADHD prior to 1 April 2008)** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Both:
    - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 2.2.2 Provide name of the recommending specialist.

**Initial application — (ADHD in patients under 5 – new patients)** only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

**Initial application — (ADHD in patients under 5 - patient has had an approval for methylphenidate for ADHD in patients under 5 prior to 1 April 2008)** only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

**Initial application — (Narcolepsy – new patients)** only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

**Initial application — (Narcolepsy - patient has had an approval for methylphenidate for narcolepsy prior to 1 April 2008)** only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

**Renewal — (ADHD in patients 5 or over)** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and

continued...

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
|--|---|-----|--------------------------|-------------------------------------|

continued...

2 Either:

2.1 Applicant is a paediatrician or psychiatrist; or

2.2 Both:

2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and

2.2.2 Provide name of the recommending specialist.

Note: If the patient had an approval for methylphenidate for ADHD prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

**Renewal — (ADHD in patients under 5)** only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for methylphenidate for ADHD in patients under 5 prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

**Renewal — (Narcolepsy)** only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for methylphenidate for narcolepsy prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

**METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE** – Special Authority see SA0924 below – Retail pharmacy

Only on a controlled drug form

|                                  |       |    |   |            |
|----------------------------------|-------|----|---|------------|
| Tab extended-release 18 mg ..... | 58.96 | 30 | ✓ | Concerta   |
| Tab extended-release 27 mg ..... | 65.44 | 30 | ✓ | Concerta   |
| Tab extended-release 36 mg ..... | 71.93 | 30 | ✓ | Concerta   |
| Tab extended-release 54 mg ..... | 86.24 | 30 | ✓ | Concerta   |
| Cap modified-release 10 mg ..... | 19.50 | 30 | ✓ | Ritalin LA |
| Cap modified-release 20 mg ..... | 25.50 | 30 | ✓ | Ritalin LA |
| Cap modified-release 30 mg ..... | 31.90 | 30 | ✓ | Ritalin LA |
| Cap modified-release 40 mg ..... | 38.25 | 30 | ✓ | Ritalin LA |

►SA0924 Special Authority for Subsidy

**Initial application** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist.

Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

1 ADHD (Attention Deficit and Hyperactivity Disorder); and

2 Diagnosed according to DSM-IV or ICD 10 criteria; and

3 Either:

3.1 Applicant is a paediatrician or psychiatrist; or

3.2 Both:

3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and

3.2.2 Provide name of the recommending specialist; and

4 Either:

4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or compliance difficulties; or

4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

**Renewal** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

continued...

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
|--|---|-----|--------------------------|-------------------------------------|

continued...

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Both:
    - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 2.2.2 Provide name of the recommending specialist.

### Treatments for Dementia

#### DONEPEZIL HYDROCHLORIDE

|             |       |    |                 |
|-------------|-------|----|-----------------|
| * Tab 5 mg  | 7.71  | 90 | ✓ Donepezil-Rex |
| * Tab 10 mg | 14.06 | 90 | ✓ Donepezil-Rex |

### Treatments for Opioid Overdose

#### NALOXONE HYDROCHLORIDE

- a) Up to 5 inj available on a PSO
- b) Only on a PSO

|                           |       |   |         |
|---------------------------|-------|---|---------|
| * Inj 400 µg per ml, 1 ml | 33.00 | 5 | ✓ Mayne |
|---------------------------|-------|---|---------|

### Treatments for Substance Dependence

#### BUPROPION HYDROCHLORIDE

|                             |       |    |         |
|-----------------------------|-------|----|---------|
| Tab modified-release 150 mg | 65.00 | 30 | ✓ Zyban |
|-----------------------------|-------|----|---------|

#### DISULFIRAM

|            |       |     |            |
|------------|-------|-----|------------|
| Tab 200 mg | 24.30 | 100 | ✓ Antabuse |
|------------|-------|-----|------------|

#### NALTREXONE HYDROCHLORIDE – Special Authority see SA0909 below – Retail pharmacy

|           |        |    |         |
|-----------|--------|----|---------|
| Tab 50 mg | 180.00 | 30 | ✓ ReVia |
|-----------|--------|----|---------|

#### ►SA0909 Special Authority for Subsidy

**Initial application** from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

**Renewal** from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
  - 2.1 Patient is still unstable and requires further treatment; or
  - 2.2 Patient achieved significant improvement but requires further treatment; or
  - 2.3 Patient is well controlled but requires maintenance therapy.

The patient may not have had more than 1 prior approval in the last 12 months.

#### VARENICLINE TARTRATE – Special Authority see SA1054 on the next page – Retail pharmacy

|                               |        |      |           |
|-------------------------------|--------|------|-----------|
| Tab 1 mg                      | 67.74  | 28   | ✓ Champix |
|                               | 135.48 | 56   | ✓ Champix |
| Tab 0.5 mg × 11 and 1 mg × 14 | 60.48  | 1 OP | ✓ Champix |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

**SA1054 Special Authority for Subsidy**

**Initial application** from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 Either:
  - 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
  - 3.2 The patient has tried but failed to quit smoking using bupropion or nortriptyline; and
- 4 The patient has not used varenicline in the last 12 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 6 The patient is not pregnant.

**Renewal** from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 The patient has not used varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 5 The patient is not pregnant.

Note: The patient may not have had more than 1 prior approval in the past 12 months.

**Nicotine Gum**
**NICOTINE**

- a) Maximum of 768 piece per prescription
- b) Maximum of 384 piece per dispensing
- c) For the avoidance of doubt Nicotine will not be funded Close Control in amounts less than 4 weeks.
- d) The maximum of 384 piece per dispensing cannot be waived via Access Exemption Criteria.

|                        |       |       |                     |
|------------------------|-------|-------|---------------------|
| Gum 2 mg (Fruit) ..... | 14.97 | 96 OP | ✓ <u>Habitrol</u>   |
|                        | 23.41 |       | ✓ <u>Nicotinell</u> |
| Gum 2 mg (Mint) .....  | 14.97 | 96 OP | ✓ <u>Habitrol</u>   |
|                        | 23.41 |       | ✓ <u>Nicotinell</u> |
| Gum 4 mg (Fruit) ..... | 20.02 | 96 OP | ✓ <u>Habitrol</u>   |
|                        | 23.41 |       | ✓ <u>Nicotinell</u> |
| Gum 4 mg (Mint) .....  | 20.02 | 96 OP | ✓ <u>Habitrol</u>   |
|                        | 23.41 |       | ✓ <u>Nicotinell</u> |

**Nicotine Lozenge**
**NICOTINE**

- a) Maximum of 432 loz per prescription
- b) Maximum of 216 loz per dispensing
- c) For the avoidance of doubt Nicotine will not be funded Close Control in amounts less than 4 weeks.
- d) The maximum of 216 loz per dispensing cannot be waived via Access Exemption Criteria.

|                    |       |       |                   |
|--------------------|-------|-------|-------------------|
| Lozenge 1 mg ..... | 11.08 | 36 OP | ✓ <u>Habitrol</u> |
| Lozenge 2 mg ..... | 11.08 | 36 OP | ✓ <u>Habitrol</u> |

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   |                            | ✓                                   |

## Nicotine Patch

### NICOTINE

- a) Maximum of 56 patch per prescription
- b) Maximum of 28 patch per dispensing
- c) For the avoidance of doubt Nicotine will not be funded Close Control in amounts less than 4 weeks.
- d) The maximum of 28 patch per dispensing cannot be waived via Access Exemption Criteria.

|                   |       |      |                   |
|-------------------|-------|------|-------------------|
| Patch 7 mg .....  | 10.53 | 7 OP | ✓ <u>Habitrol</u> |
| Patch 14 mg ..... | 11.63 | 7 OP | ✓ <u>Habitrol</u> |
| Patch 21 mg ..... | 12.32 | 7 OP | ✓ <u>Habitrol</u> |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per       | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----------|--------------------------|-------------------------------------|
| <b>Chemotherapeutic Agents</b>   |   |           |                          |                                     |
| <b>Alkylating Agents</b>   |   |           |                          |                                     |
| <b>BUSULPHAN – PCT – Retail pharmacy-Specialist</b>  |   |           |                          |                                     |
| Tab 2 mg .....   | 47.89                                   | 100       | ✓                        | Myleran                             |
| <b>CARBOPLATIN – PCT only – Specialist</b>   |   |           |                          |                                     |
| Inj 10 mg per ml, 5 ml .....   | 20.00                                   | 1         | ✓                        | Carboplatin Ebewe                   |
| Inj 10 mg per ml, 15 ml .....  | 22.50                                   | 1         | ✓                        | Carboplatin Ebewe                   |
| Inj 10 mg per ml, 45 ml .....  | 55.00                                   | 1         | ✓                        | Carboplatin Ebewe                   |
| Inj 10 mg per ml, 100 ml .....   | 120.00                                  | 1         | ✓                        | Carboplatin Ebewe                   |
| Inj 1 mg for ECP .....   | 0.15                                    | 1 mg      | ✓                        | Baxter                              |
| <b>CARMUSTINE – PCT only – Specialist</b>  |   |           |                          |                                     |
| Inj 100 mg .....   | 204.13                                  | 1         | ✓                        | BiCNU                               |
| Inj 100 mg for ECP .....   | 204.13                                  | 100 mg OP | ✓                        | Baxter                              |
| <b>CHLORAMBUCIL – PCT – Retail pharmacy-Specialist</b>                                     |   |           |                          |                                     |
| Tab 2 mg .....   | 22.35                                   | 25        | ✓                        | Leukeran FC                         |
| <b>CISPLATIN – PCT only – Specialist</b>   |   |           |                          |                                     |
| Inj 1 mg per ml, 50 ml .....   | 15.00                                   | 1         | ✓                        | Cisplatin Ebewe                     |
|  | 19.00                                   |           | ✓                        | Mayne                               |
| Inj 1 mg per ml, 100 ml .....  | 21.00                                   | 1         | ✓                        | Cisplatin Ebewe                     |
|  | 38.00                                   |           | ✓                        | Mayne                               |
| Inj 1 mg for ECP .....   | 0.27                                    | 1 mg      | ✓                        | Baxter                              |
| <b>CYCLOPHOSPHAMIDE</b>  |   |           |                          |                                     |
| Tab 50 mg – PCT – Retail pharmacy-Specialist .....   | 25.71                                   | 50        | ✓                        | Cycloblastin                        |
| Inj 1 g – PCT – Retail pharmacy-Specialist .....   | 23.65                                   | 1         | ✓                        | Endoxan                             |
|  | 127.80                                  | 6         | ✓                        | Cytosan                             |
| Inj 2 g – PCT only – Specialist .....  | 47.30                                   | 1         | ✓                        | Endoxan                             |
| Inj 1 mg for ECP – PCT only – Specialist .....   | 0.03                                    | 1 mg      | ✓                        | Baxter                              |
| <b>IFOSFAMIDE – PCT only – Specialist</b>  |   |           |                          |                                     |
| Inj 1 g .....  | 96.00                                   | 1         | ✓                        | Holoxan                             |
| Inj 2 g .....  | 180.00                                  | 1         | ✓                        | Holoxan                             |
| Inj 1 mg for ECP .....   | 0.10                                    | 1 mg      | ✓                        | Baxter                              |
| <b>LOMUSTINE – PCT only – Specialist</b>   |   |           |                          |                                     |
| Cap 10 mg .....  | 132.59                                  | 20        | ✓                        | CeeNU                               |
| Cap 40 mg .....  | 399.15                                  | 20        | ✓                        | CeeNU                               |
| <b>MELPHALAN</b>   |   |           |                          |                                     |
| Tab 2 mg – PCT – Retail pharmacy-Specialist .....  | 31.31                                   | 25        | ✓                        | Alkeran                             |
| Inj 50 mg – PCT only – Specialist .....  | 52.15                                   | 1         | ✓                        | Alkeran                             |
| <b>OXALIPLATIN – PCT only – Specialist – Special Authority see SA0900 on the next page</b> |   |           |                          |                                     |
| Inj 50 mg .....  | 65.00                                   | 1         | ✓                        | Oxaliplatin Ebewe                   |
|  | 200.00                                  |           | ✓                        | Eloxatin                            |
| Inj 100 mg .....   | 130.00                                  | 1         | ✓                        | Oxaliplatin Ebewe                   |
|  | 400.00                                  |           | ✓                        | Eloxatin                            |
| Inj 1 mg for ECP .....   | 1.42                                    | 1 mg      | ✓                        | Baxter                              |

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|--|---|----------------------------|-------------------------------------|
|  |   | ✓                          |                                     |

►SA0900 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has metastatic colorectal cancer; and
  - 1.2 To be used for first or second line use as part of a combination chemotherapy regimen; or
- 2 Both:
  - 2.1 The patient has stage III (Duke's C) colorectal\* cancer; and
  - 2.2 Adjuvant oxaliplatin to be given in combination with a fluoropyrimidine (fluorouracil or capecitabine).

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with \* are Unapproved Indications, oxaliplatin is indicated for adjuvant treatment of stage III (Duke's C) colon cancer after complete resection of the primary tumour.

THIOTEPA – PCT only – Specialist

Inj 15 mg .....CBS 1 ✓ Bedford S29

**Antimetabolites**

**CALCIUM FOLINATE**

|  |        |      |                           |
|--|--------|------|---------------------------|
| Tab 15 mg – PCT – Retail pharmacy-Specialist .....             | 63.89  | 10   | ✓ Mayne                   |
| Inj 3 mg per ml, 1 ml – PCT – Retail pharmacy-Specialist ..... | 17.10  | 5    | ✓ Mayne                   |
| Inj 50 mg – PCT – Retail pharmacy-Specialist .....             | 24.50  | 5    | ✓ Calcium Folate<br>Ebewe |
| Inj 100 mg – PCT only – Specialist .....                       | 9.75   | 1    | ✓ Calcium Folate<br>Ebewe |
| Inj 300 mg – PCT only – Specialist .....                       | 30.00  | 1    | ✓ Calcium Folate<br>Ebewe |
| Inj 1 g – PCT only – Specialist .....                          | 100.00 | 1    | ✓ Calcium Folate<br>Ebewe |
| Inj 1 mg for ECP – PCT only – Specialist .....                 | 0.10   | 1 mg | ✓ Baxter                  |

CAPECITABINE – Retail pharmacy-Specialist – Special Authority see SA1049 below

|                  |        |     |          |
|------------------|--------|-----|----------|
| Tab 150 mg ..... | 115.00 | 60  | ✓ Xeloda |
| Tab 500 mg ..... | 705.00 | 120 | ✓ Xeloda |

►SA1049 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has advanced gastrointestinal malignancy; or
- 2 The patient has metastatic breast cancer; or
- 3 The patient has stage III (Duke's stage C) colorectal\*# cancer and undergone surgery; or
- 4 Both:
  - 4.1 The patient has stage II (Dukes' stage B) colorectal\* cancer and has undergone surgery; and
  - 4.2 Any of the following:
    - 4.2.1 The patient has stage T4 disease; or
    - 4.2.2 The patient has vascular invasion; or

continued...

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per       | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|-----------|--------------------------|-------------------------------------|
| continued...  |   |           |                          |                                     |
| 4.2.3 Fewer than 10 lymph nodes were examined at resection; or  |   |           |                          |                                     |
| 5 All of the following:   |   |           |                          |                                     |
| 5.1 The patient has locally advanced (clinically or radiologically staged T3/T4: N0,1,2) rectal cancer; and   |   |           |                          |                                     |
| 5.2 Surgery is planned; and   |   |           |                          |                                     |
| 5.3 Capecitabine to be given prior to surgery (neoadjuvant); and  |   |           |                          |                                     |
| 5.4 Capecitabine to be given at a maximum dose of 825 mg/m <sup>2</sup> twice daily in combination with radiation therapy for a maximum of 6 weeks; or  |   |           |                          |                                     |
| 6 Both:   |   |           |                          |                                     |
| 6.1 The patient has poor venous access or needle phobia*; and   |   |           |                          |                                     |
| 6.2 The patient requires a substitute for single agent fluoropyrimidine*.   |   |           |                          |                                     |
| Note: Indications marked with * are Unapproved Indications, # capecitabine is approved for stage III (Duke's stage C) colon cancer.   |   |           |                          |                                     |
| <b>Renewal</b> only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: |   |           |                          |                                     |
| Either:   |   |           |                          |                                     |
| 1 The patient requires continued therapy; or  |   |           |                          |                                     |
| 2 The tumour has relapsed and requires re-treatment.  |   |           |                          |                                     |
| <b>CLADRIBINE – PCT only – Specialist</b>   |   |           |                          |                                     |
| Inj 2 mg per ml, 5 ml .....   | 873.00                                  | 1         | ✓                        | Litak S29                           |
| Inj 1 mg per ml, 10 ml .....  | 5,249.72                                | 7         | ✓                        | Leustatin                           |
| Inj 10 mg for ECP .....   | 749.96                                  | 10 mg OP  | ✓                        | Baxter                              |
| <b>CYTARABINE</b>   |   |           |                          |                                     |
| Inj 100 mg – PCT – Retail pharmacy-Specialist .....   | 76.00                                   | 5         | ✓                        | Pfizer                              |
|   | 80.00                                   |           | ✓                        | Mayne                               |
| Inj 500 mg – PCT – Retail pharmacy-Specialist .....   | 18.15                                   | 1         | ✓                        | Pfizer                              |
|   | 95.36                                   | 5         | ✓                        | Mayne                               |
| Inj 1 g – PCT – Retail pharmacy-Specialist .....  | 37.00                                   | 1         | ✓                        | Pfizer                              |
|   | 42.65                                   |           | ✓                        | Mayne                               |
| Inj 2 g – PCT – Retail pharmacy-Specialist .....  | 31.00                                   | 1         | ✓                        | Pfizer                              |
|   | 34.47                                   |           | ✓                        | Mayne                               |
| Inj 1 mg for ECP – PCT only – Specialist .....  | 0.27                                    | 10 mg     | ✓                        | Baxter                              |
| Inj 100 mg intrathecal syringe for ECP – PCT only – Specialist .....  | 15.20                                   | 100 mg OP | ✓                        | Baxter                              |
| <b>FLUDARABINE PHOSPHATE – PCT only – Specialist</b>  |   |           |                          |                                     |
| Tab 10 mg .....   | 867.00                                  | 20        | ✓                        | Fludara Oral                        |
| Inj 50 mg .....   | 1,430.00                                | 5         | ✓                        | Fludara                             |
| Inj 50 mg for ECP .....   | 286.00                                  | 50 mg OP  | ✓                        | Baxter                              |
| <b>FLUOROURACIL SODIUM</b>  |   |           |                          |                                     |
| Inj 50 mg per ml, 10 ml – PCT only – Specialist .....   | 26.25                                   | 5         | ✓                        | Fluorouracil Ebewe                  |
| Inj 50 mg per ml, 20 ml – PCT only – Specialist .....   | 7.50                                    | 1         | ✓                        | Fluorouracil Ebewe                  |
| Inj 25 mg per ml, 100 ml – PCT only – Specialist .....  | 13.55                                   | 1         | ✓                        | Mayne                               |
| Inj 50 mg per ml, 50 ml – PCT only – Specialist .....   | 18.00                                   | 1         | ✓                        | Fluorouracil Ebewe                  |
| Inj 50 mg per ml, 100 ml – PCT only – Specialist .....  | 34.50                                   | 1         | ✓                        | Fluorouracil Ebewe                  |
| Inj 1 mg for ECP – PCT only – Specialist .....  | 0.77                                    | 100 mg    | ✓                        | Baxter                              |
| <b>GEMCITABINE HYDROCHLORIDE – PCT only – Specialist – Special Authority see SA1012 on the next page</b>  |   |           |                          |                                     |
| Inj 1 g .....   | 62.50                                   | 1         | ✓                        | Gemcitabine Ebewe                   |
|   | 349.20                                  |           | ✓                        | Gemzar                              |
| Inj 200 mg .....  | 12.50                                   | 1         | ✓                        | Gemcitabine Ebewe                   |
|   | 78.00                                   |           | ✓                        | Gemzar                              |
| Inj 1 mg for ECP .....  | 0.07                                    | 1 mg      | ✓                        | Baxter                              |



|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per  | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|------|--------------------------|-------------------------------------|
| <b>➡SA1012 Special Authority for Subsidy</b>  |   |      |                          |                                     |
| <b>Initial application — (Hodgkin's Disease)</b> only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: |   |      |                          |                                     |
| All of the following:   |   |      |                          |                                     |
| 1 The patient has Hodgkin's Disease*; and   |   |      |                          |                                     |
| 2 Any of the following:   |   |      |                          |                                     |
| 2.1 Disease has failed to respond to second-line salvage chemotherapy treatment; or   |   |      |                          |                                     |
| 2.2 Disease has relapsed following transplant; or   |   |      |                          |                                     |
| 2.3 The patient is unsuitable for, or intolerant to, second-line salvage chemotherapy or high dose chemotherapy and transplant; and   |   |      |                          |                                     |
| 3 Gemcitabine to be given for a maximum of 6 treatment cycles.  |   |      |                          |                                     |
| <b>Initial application — (T-Cell Lymphoma)</b> only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:   |   |      |                          |                                     |
| Both:   |   |      |                          |                                     |
| 1 The patient has T-cell Lymphoma*; and   |   |      |                          |                                     |
| 2 Gemcitabine to be given for a maximum of 6 treatment cycles.  |   |      |                          |                                     |
| <b>Initial application — (Other indications)</b> only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: |   |      |                          |                                     |
| Any of the following:   |   |      |                          |                                     |
| 1 The patient has non small cell lung carcinoma (stage IIIa, or above); or  |   |      |                          |                                     |
| 2 The patient has advanced malignant mesothelioma; or   |   |      |                          |                                     |
| 3 The patient has advanced pancreatic carcinoma; or   |   |      |                          |                                     |
| 4 The patient has ovarian, fallopian tube* or primary peritoneal carcinoma*; or   |   |      |                          |                                     |
| 5 The patient has advanced transitional cell carcinoma of the urothelial tract (locally advanced or metastatic).  |   |      |                          |                                     |
| <b>Renewal — (Other indications)</b> only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:             |   |      |                          |                                     |
| Either:   |   |      |                          |                                     |
| 1 The patient requires continued therapy; or  |   |      |                          |                                     |
| 2 The tumour has relapsed and requires re-treatment.  |   |      |                          |                                     |
| Note: Indications marked with a * are Unapproved Indications.   |   |      |                          |                                     |
| <b>IRINOTECAN – PCT only – Specialist – Special Authority see SA0878 below</b>  |   |      |                          |                                     |
| Inj 20 mg per ml, 2 ml .....  | 41.00                                   | 1    | ✓                        | Camptosar                           |
| Inj 20 mg per ml, 5 ml .....  | 100.00                                  | 1    | ✓                        | Irinotecan-Rex                      |
| Inj 1 mg for ECP .....  | 1.04                                    | 1 mg | ✓                        | Camptosar                           |
|   |   |      | ✓                        | Irinotecan-Rex                      |
|   |   |      | ✓                        | Baxter                              |
| <b>➡SA0878 Special Authority for Subsidy</b>  |   |      |                          |                                     |
| <b>Initial application</b> only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:                       |   |      |                          |                                     |
| Both:   |   |      |                          |                                     |
| 1 The patient has metastatic colorectal cancer; and   |   |      |                          |                                     |
| 2 Either:   |   |      |                          |                                     |
| 2.1 To be used for first or second line use as part of a combination chemotherapy regimen; or   |   |      |                          |                                     |
| 2.2 As single agent chemotherapy in fluropyrimidine-relapsed disease.   |   |      |                          |                                     |
| <b>Renewal</b> only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:                                   |   |      |                          |                                     |
| Either:   |   |      |                          |                                     |
| 1 The patient requires continued therapy; or  |   |      |                          |                                     |
| 2 The tumour has relapsed and requires re-treatment.  |   |      |                          |                                     |
| <b>MERCAPTOPURINE – PCT – Retail pharmacy-Specialist</b>  |   |      |                          |                                     |
| Tab 50 mg .....   | 47.06                                   | 25   | ✓                        | Purinethol                          |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per     | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|---------|--------------------------|-------------------------------------|
| <b>METHOTREXATE</b>  |   |         |                          |                                     |
| * Tab 2.5 mg – PCT – Retail pharmacy-Specialist .....                | 5.22                                    | 30      | ✓                        | <b>Methoblastin</b>                 |
| * Tab 10 mg – PCT – Retail pharmacy-Specialist .....                 | 40.93                                   | 50      | ✓                        | <b>Methoblastin</b>                 |
| * Inj 2.5 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist .....   | 23.65                                   | 5       | ✓                        | <b>Mayne</b>                        |
| * Inj 25 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist .....    | 48.00                                   | 5       | ✓                        | <b>Hospira</b>                      |
| * Inj 25 mg per ml, 20 ml – PCT – Retail pharmacy-Specialist .....   | 90.00                                   | 1       | ✓                        | <b>Hospira</b>                      |
| * Inj 100 mg per ml, 10 ml – PCT – Retail pharmacy-Specialist .....  | 27.50                                   | 1       | ✓                        | <b>Methotrexate Ebewe</b>           |
| * Inj 100 mg per ml, 50 ml – PCT – Retail pharmacy-Specialist .....  | 135.00                                  | 1       | ✓                        | <b>Methotrexate Ebewe</b>           |
| * Inj 1 mg for ECP – PCT only – Specialist .....                     | 0.10                                    | 1 mg    | ✓                        | <b>Baxter</b>                       |
| * Inj 5 mg intrathecal syringe for ECP – PCT only – Specialist ..... | 4.73                                    | 5 mg OP | ✓                        | <b>Baxter</b>                       |
| <b>THIOGUANINE – PCT – Retail pharmacy-Specialist</b>                |   |         |                          |                                     |
| Tab 40 mg .....  | 97.16                                   | 25      | ✓                        | <b>Lanvis</b>                       |

### Other Cytotoxic Agents

|  |     |     |   |                     |
|--|-----|-----|---|---------------------|
| <b>AMSACRINE – PCT only – Specialist</b>   |     |     |   |                     |
| Inj 75 mg .....  | CBS | 6   | ✓ | <b>Amsidine S29</b> |
| <b>ANAGRELIDE HYDROCHLORIDE – PCT only – Specialist – Special Authority see SA0879 below</b> |     |     |   |                     |
| Cap 0.5 mg .....   | CBS | 100 | ✓ | <b>Agrylin S29</b>  |
|  |     |     | ✓ | <b>Teva S29</b>     |

#### SA0879 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has primary thrombocythaemia; and
- 2 Either:
  - 2.1 is at high risk (previous thromboembolic disease, bleeding or platelet count >1500/ml); or
  - 2.2 is intolerant or refractory to hydroxyurea or interferon.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that treatment with anagrelide be initiated only on the recommendation of a haematologist.

|   |          |              |   |                              |
|---|----------|--------------|---|------------------------------|
| <b>ARSENIC TRIOXIDE – PCT only – Specialist</b>             |          |              |   |                              |
| Inj 10 mg .....   | 4,817.00 | 10           | ✓ | <b>AFT S29</b>               |
| <b>BLEOMYCIN SULPHATE – PCT only – Specialist</b>           |          |              |   |                              |
| Inj 15,000 iu .....   | 120.00   | 1            | ✓ | <b>DBL Bleomycin Sulfate</b> |
| Inj 1,000 iu for ECP .....                                  | 9.28     | 1,000 iu     | ✓ | <b>Baxter</b>                |
| <b>COLASPASE (L-ASPARAGINASE) – PCT only – Specialist</b>   |          |              |   |                              |
| Inj 10,000 iu .....   | 102.32   | 1            | ✓ | <b>Leunase</b>               |
| Inj 10,000 iu for ECP .....                                 | 102.32   | 10,000 iu OP | ✓ | <b>Baxter</b>                |
| <b>DACARBAZINE – PCT only – Specialist</b>                  |          |              |   |                              |
| Inj 200 mg .....  | 48.00    | 1            | ✓ | <b>Hospira</b>               |
| Inj 200 mg for ECP .....                                    | 48.00    | 200 mg OP    | ✓ | <b>Baxter</b>                |
| <b>DACTINOMYCIN (ACTINOMYCIN D) – PCT only – Specialist</b> |          |              |   |                              |
| Inj 0.5 mg .....  | 13.52    | 1            | ✓ | <b>Cosmegen</b>              |
| Inj 0.5 mg for ECP .....                                    | 13.52    | 0.5 mg OP    | ✓ | <b>Baxter</b>                |

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per      | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|----------|--------------------------|-------------------------------------|
| <b>DAUNORUBICIN – PCT only – Specialist</b>                                   |   |          |                          |                                     |
| Inj 2 mg per ml, 10 ml .....  | 118.72                                  | 1        | ✓                        | Pfizer <del>\$29</del>              |
| Inj 5 mg per ml, 4 ml .....   | 99.00                                   | 1        | ✓                        | Mayne                               |
| Inj 20 mg for ECP .....   | 118.72                                  | 20 mg OP | ✓                        | Baxter                              |
| <b>DOCETAXEL – PCT only – Specialist – Special Authority see SA0880 below</b> |   |          |                          |                                     |
| Inj 20 mg .....   | 325.00                                  | 1        | ✓                        | Docetaxel Ebewe                     |
|   | 460.00                                  |          | ✓                        | Taxotere                            |
| Inj 80 mg .....   | 1,300.00                                | 1        | ✓                        | Docetaxel Ebewe                     |
|   | 1,650.00                                |          | ✓                        | Taxotere                            |
| Inj 1 mg for ECP .....  | 17.55                                   | 1 mg     | ✓                        | Baxter                              |

## ►SA0880 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
  - 1.1 The patient has ovarian\*, fallopian\* or primary peritoneal cancer\*; and
  - 1.2 Either:
    - 1.2.1 Has not received prior chemotherapy; or
    - 1.2.2 Has received prior chemotherapy but has not previously been treated with taxanes; or
- 2 The patient has metastatic breast cancer; or
- 3 Both:
  - 3.1 The patient has early breast cancer; and
  - 3.2 Docetaxel is to be given concurrently with trastuzumab; or
- 4 Both:
  - 4.1 The patient has non small-cell lung cancer; and
  - 4.2 Either:
    - 4.2.1 Has advanced disease (stage IIIa or above); or
    - 4.2.2 Is receiving combined chemotherapy and radiotherapy; or
- 5 Both:
  - 5.1 The patient has small-cell lung cancer\*; and
  - 5.2 Docetaxel is to be used as second-line therapy.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic breast cancer, non small-cell lung cancer, or small-cell lung cancer\*; and
- 2 Either:
  - 2.1 The patient requires continued therapy; or
  - 2.2 The tumour has relapsed and requires re-treatment.

Note: indications marked with \* are Unapproved Indications.

## DOXORUBICIN – PCT only – Specialist

|                        |        |      |   |                   |
|------------------------|--------|------|---|-------------------|
| Inj 10 mg .....        | 8.80   | 1    | ✓ | Doxorubicin Ebewe |
| Inj 50 mg .....        | 39.40  | 1    | ✓ | Doxorubicin Ebewe |
| Inj 100 mg .....       | 81.00  | 1    | ✓ | Doxorubicin Ebewe |
| Inj 200 mg .....       | 162.00 | 1    | ✓ | Doxorubicin Ebewe |
| Inj 1 mg for ECP ..... | 0.87   | 1 mg | ✓ | Baxter            |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

# ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per    | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|--------|--------------------------|-------------------------------------|
| <b>EPIRUBICIN – PCT only – Specialist</b>                       |   |        |                          |                                     |
| Inj 2 mg per ml, 5 ml .....                                     | 25.00                                   | 1      | ✓                        | Epirubicin Ebewe                    |
| Inj 2 mg per ml, 25 ml .....                                    | 87.50                                   | 1      | ✓                        | Epirubicin Ebewe                    |
| Inj 2 mg per ml, 50 ml .....                                    | 155.00                                  | 1      | ✓                        | Epirubicin Ebewe                    |
| Inj 2 mg per ml, 100 ml .....                                   | 310.00                                  | 1      | ✓                        | Epirubicin Ebewe                    |
| Inj 1 mg for ECP .....  | 1.90                                    | 1 mg   | ✓                        | Baxter                              |
| <b>ETOPOSIDE</b>  |   |        |                          |                                     |
| Cap 50 mg – PCT – Retail pharmacy-Specialist .....              | 340.73                                  | 20     | ✓                        | Vepesid                             |
| Cap 100 mg – PCT – Retail pharmacy-Specialist .....             | 340.73                                  | 10     | ✓                        | Vepesid                             |
| Inj 20 mg per ml, 5 ml – PCT – Retail pharmacy-Specialist ..... | 25.00                                   | 1      | ✓                        | Mayne                               |
|   | 612.20                                  | 10     | ✓                        | Vepesid                             |
| Inj 1 mg for ECP – PCT only – Specialist .....                  | 0.30                                    | 1 mg   | ✓                        | Baxter                              |
| <b>ETOPOSIDE PHOSPHATE – PCT only – Specialist</b>              |   |        |                          |                                     |
| Inj 100 mg (of etoposide base) .....                            | 40.00                                   | 1      | ✓                        | Etopophos                           |
| Inj 1 mg (of etoposide base) for ECP .....                      | 0.47                                    | 1 mg   | ✓                        | Baxter                              |
| <b>HYDROXYUREA – PCT – Retail pharmacy-Specialist</b>           |   |        |                          |                                     |
| Cap 500 mg .....  | 31.76                                   | 100    | ✓                        | Hydrea                              |
| <b>IDARUBICIN HYDROCHLORIDE – PCT only – Specialist</b>         |   |        |                          |                                     |
| Cap 5 mg .....  | 115.00                                  | 1      | ✓                        | Zavedos                             |
| Cap 10 mg .....   | 144.50                                  | 1      | ✓                        | Zavedos                             |
| Inj 5 mg .....  | 170.00                                  | 1      | ✓                        | Zavedos                             |
| Inj 10 mg .....   | 340.00                                  | 1      | ✓                        | Zavedos                             |
| Inj 1 mg for ECP .....  | 37.74                                   | 1 mg   | ✓                        | Baxter                              |
| <b>MESNA – PCT only – Specialist</b>                            |   |        |                          |                                     |
| Tab 400 mg .....  | 210.65                                  | 50     | ✓                        | Uromitexan                          |
| Tab 600 mg .....  | 314.40                                  | 50     | ✓                        | Uromitexan                          |
| Inj 100 mg per ml, 4 ml .....                                   | 137.04                                  | 15     | ✓                        | Uromitexan                          |
| Inj 100 mg per ml, 10 ml .....                                  | 314.66                                  | 15     | ✓                        | Uromitexan                          |
| Inj 1 mg for ECP .....  | 2.29                                    | 100 mg | ✓                        | Baxter                              |
| <b>MITOMYCIN C – PCT only – Specialist</b>                      |   |        |                          |                                     |
| Inj 2 mg .....  | 283.00                                  | 10     | ✓                        | Mitomycin-C S29                     |
| Inj 5 mg .....  | 72.75                                   | 1      | ✓                        | Arrow S29                           |
| Inj 10 mg .....   | 808.00                                  | 5      | ✓                        | Mitomycin-C S29                     |
| Inj 1 mg for ECP .....  | 16.13                                   | 1 mg   | ✓                        | Baxter                              |
| <b>MITOZANTRONE – PCT only – Specialist</b>                     |   |        |                          |                                     |
| Inj 2 mg per ml, 5 ml .....                                     | 110.00                                  | 1      | ✓                        | Mitozantrone Ebewe                  |
| Inj 2 mg per ml, 10 ml .....                                    | 100.00                                  | 1      | ✓                        | Mitozantrone Ebewe                  |
| Inj 2 mg per ml, 12.5 ml .....                                  | 407.50                                  | 1      | ✓                        | Onkotrone                           |
| Inj 1 mg for ECP .....  | 5.65                                    | 1 mg   | ✓                        | Baxter                              |
| <b>PACLITAXEL – PCT only – Specialist</b>                       |   |        |                          |                                     |
| Inj 30 mg .....   | 189.75                                  | 5      | ✓                        | Paclitaxel Ebewe                    |
| Inj 100 mg .....  | 125.35                                  | 1      | ✓                        | Paclitaxel Ebewe                    |
| Inj 150 mg .....  | 188.03                                  | 1      | ✓                        | Paclitaxel Ebewe                    |
| Inj 300 mg .....  | 376.05                                  | 1      | ✓                        | Paclitaxel Ebewe                    |
| Inj 600 mg .....  | 724.50                                  | 1      | ✓                        | Paclitaxel Ebewe                    |
| Inj 1 mg for ECP .....  | 1.32                                    | 1 mg   | ✓                        | Baxter                              |
| <b>PENTOSTATIN (DEOXYCOFORMYCIN) – PCT only – Specialist</b>    |   |        |                          |                                     |
| Inj 10 mg .....   | CBS                                     | 1      | ✓                        | Nipent S29                          |

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
| <b>PROCARBAZINE HYDROCHLORIDE – PCT only – Specialist</b>                  |   |     |                          |                                     |
| Cap 50 mg .....  | 225.00                                  | 50  | ✓                        | Natulan <del>\$29</del>             |
| <b>TEMOZOLOMIDE – Special Authority see SA0831 below – Retail pharmacy</b> |   |     |                          |                                     |
| Cap 5 mg .....   | 50.00                                   | 5   | ✓                        | Temodal                             |
| Cap 20 mg .....  | 170.00                                  | 5   | ✓                        | Temodal                             |
| Cap 100 mg .....   | 840.00                                  | 5   | ✓                        | Temodal                             |
| Cap 250 mg .....   | 2,100.00                                | 5   | ✓                        | Temodal                             |

**SA0831 Special Authority for Subsidy**

**Initial application** only from a relevant specialist. Approvals valid for 10 months for applications meeting the following criteria:

All of the following:

- 1 Patient has newly diagnosed glioblastoma multiforme; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of six cycles of 5 days treatment, at a maximum dose of 200 mg/m<sup>2</sup>.

Notes: Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme. Reapplications will not be approved. Studies of temozolomide show that its benefit is predominantly in those patients with a good performance status (WHO grade 0 or 1 or Karnofsky score >80), and in patients who have had at least a partial resection of the tumour.

**THALIDOMIDE – PCT only – Specialist – Special Authority see SA0882 below**

Only on a controlled drug form

|                 |        |    |   |                         |
|-----------------|--------|----|---|-------------------------|
| Cap 50 mg ..... | 490.00 | 28 | ✓ | Thalidomide<br>Pharmion |
|-----------------|--------|----|---|-------------------------|

**SA0882 Special Authority for Subsidy**

**Initial application — (for new patients)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has refractory, progressive or relapsed multiple myeloma; and
- 2 The patient has received prior chemotherapy.

**Initial application — (for patients receiving thalidomide prior to 1 January 2006)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient was receiving treatment with thalidomide for multiple myeloma on or before 31 December 2005.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period.

Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

**TRETINOIN**

|                 |        |     |   |          |
|-----------------|--------|-----|---|----------|
| Cap 10 mg ..... | 435.90 | 100 | ✓ | Vesanoid |
|-----------------|--------|-----|---|----------|

**VINBLASTINE SULPHATE**

|  |        |      |   |        |
|--|--------|------|---|--------|
| Inj 10 mg – PCT – Retail pharmacy-Specialist ..... | 27.50  | 1    | ✓ | Mayne  |
|  | 137.50 | 5    | ✓ | Mayne  |
| Inj 1 mg for ECP – PCT only – Specialist .....     | 3.05   | 1 mg | ✓ | Baxter |

**VINCISTINE SULPHATE**

|  |        |      |   |         |
|--|--------|------|---|---------|
| Inj 1 mg per ml, 1 ml – PCT – Retail pharmacy-Specialist ..... | 108.00 | 5    | ✓ | Hospira |
| Inj 1 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist ..... | 116.00 | 5    | ✓ | Hospira |
| Inj 1 mg for ECP – PCT only – Specialist .....                 | 15.77  | 1 mg | ✓ | Baxter  |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per  | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|------|--------------------------|-------------------------------------|
| <b>VINORELBINE – PCT only – Specialist – Special Authority see SA1013 below</b> |   |      |                          |                                     |
| Inj 10 mg per ml, 1 ml .....  | 24.00                                   | 1    | ✓                        | Navelbine                           |
|   | 42.00                                   |      | ✓                        | Vinorelbine Ebewe                   |
| Inj 10 mg per ml, 5 ml .....  | 120.00                                  | 1    | ✓                        | Navelbine                           |
|   | 210.00                                  |      | ✓                        | Vinorelbine Ebewe                   |
| Inj 1 mg for ECP .....  | 2.71                                    | 1 mg | ✓                        | Baxter                              |

### ►SA1013 Special Authority for Subsidy

**Initial application — (Hodgkin's Disease)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has Hodgkin's Disease\*; and
- 2 Any of the following:
  - 2.1 Disease has failed to respond to second-line salvage chemotherapy treatment; or
  - 2.2 Disease has relapsed following transplant; or
  - 2.3 The patient is unsuitable for, or intolerant to, second-line salvage chemotherapy or high dose chemotherapy and transplant; and
- 3 Vinorelbine to be given for a maximum of 6 treatment cycles.

**Initial application — (T-Cell Lymphoma)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has T-cell Lymphoma\*; and
- 2 Vinorelbine to be given for a maximum of 6 treatment cycles.

**Initial application — (Other indications)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has metastatic breast cancer; or
- 2 The patient has non-small cell lung cancer (stage IIIa, or above); or
- 3 All of the following:
  - 3.1 The patient has stage IB-IIIa non-small cell lung cancer; and
  - 3.2 Vinorelbine is to be given as adjuvant treatment in combination with cisplatin; and
  - 3.3 The patient has good performance status (WHO/ECOG grade 0-1).

**Renewal — (Other indications)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with a \* are Unapproved Indications.

### Protein-tyrosine Kinase Inhibitors

**DASATINIB – Special Authority see SA0976 on the next page**

|                  |          |    |   |         |
|------------------|----------|----|---|---------|
| Tab 20 mg .....  | 3,774.06 | 60 | ✓ | Sprycel |
| Tab 50 mg .....  | 6,214.20 | 60 | ✓ | Sprycel |
| Tab 70 mg .....  | 7,692.58 | 60 | ✓ | Sprycel |
| Tab 100 mg ..... | 6,214.20 | 30 | ✓ | Sprycel |

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

## ►SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz>, and prescriptions should be sent to:

|                           |   |
|---------------------------|---|
| The CML/GIST Co-ordinator | Phone: (04) 460 4990  |
| PHARMAC                   | Facsimile: (04) 916 7571  |
| PO Box 10 254             | Email: <a href="mailto:mary.chesterfield@pharmac.govt.nz">mary.chesterfield@pharmac.govt.nz</a> |
| Wellington                |   |

### Special Authority criteria for CML - access by application

- Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- Subsidised for use as monotherapy only.
- Initial approvals valid seven months.
- Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

### Guideline on discontinuation of treatment for patients with CML

- Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
  - complete haematologic response (as characterised by an absolute neutrophil count (ANC)  $> 1.5 \times 10^9/L$ , platelets  $> 100 \times 10^9/L$ , absence of peripheral blood (PB) blasts, bone marrow (BM) blasts  $< 5\%$  (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC)  $> 1.0 \times 10^9/L$ , platelets  $> 20 \times 10^9/L$ , absence of peripheral blood (PB) blasts, bone marrow (BM) blasts  $< 5\%$  (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - return to chronic phase (as characterised by BM and PB blasts  $< 15\%$ , BM and PB blasts and promyelocytes  $< 30\%$ , PB basophils  $< 20\%$  and absence of extramedullary disease other than spleen and liver).
- Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

ERLOTINIB HYDROCHLORIDE – Retail pharmacy-Specialist – Special Authority see SA1044 below

|                  |          |    |           |
|------------------|----------|----|-----------|
| Tab 100 mg ..... | 3,100.00 | 30 | ✓ Tarceva |
| Tab 150 mg ..... | 3,950.00 | 30 | ✓ Tarceva |

## ►SA1044 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- Patient has advanced, unresectable, Non Small Cell Lung Cancer (NSCLC); and
- Patient has documented disease progression following treatment with first line platinum based chemotherapy; and
- Erlotinib is to be given for a maximum of 3 months.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

IMATINIB MESYLATE – Special Authority see SA0643 on the next page

|                  |          |    |          |
|------------------|----------|----|----------|
| Tab 100 mg ..... | 2,400.00 | 60 | ✓ Glivec |
|------------------|----------|----|----------|

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

## SA0643 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz>, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990  
 PHARMAC Facsimile: (04) 916 7571  
 PO Box 10 254 Email: [mary.chesterfield@pharmac.govt.nz](mailto:mary.chesterfield@pharmac.govt.nz)  
 Wellington

### Special Authority criteria for CML – access by application

- Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- Maximum dose of 600 mg/day for accelerated or blast phase, and 400 mg/day for chronic phase CML.
- Subsidised for use as monotherapy only.
- Initial approvals valid seven months.
- Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

### Guideline on discontinuation of treatment for patients with CML

- Prescribers should consider discontinuation of treatment if after 6 months from initiating therapy a patient did not obtain a haematological response as defined as any one of the following three levels of response:
  - complete haematologic response (as characterised by an absolute neutrophil count (ANC)  $> 1.5 \times 10^9/L$ , platelets  $> 100 \times 10^9/L$ , absence of peripheral blood (PB) blasts, bone marrow (BM) blasts  $< 5\%$  (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC)  $> 1.0 \times 10^9/L$ , platelets  $> 20 \times 10^9/L$ , absence of peripheral blood (PB) blasts, bone marrow (BM) blasts  $< 5\%$  (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - return to chronic phase (as characterised by BM and PB blasts  $< 15\%$ , BM and PB blasts and promyelocytes  $< 30\%$ , PB basophils  $< 20\%$  and absence of extramedullary disease other than spleen and liver).
- Prescribers should consider discontinuation of treatment if after 18 months from initiating therapy a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

### Special Authority criteria for GIST – access by application

- Funded for patients:
  - with a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST); and
  - who have immunohistochemical documentation of c-kit (CD117) expression by the tumour.
- Maximum dose of 400 mg/day.
- Applications to be made and subsequent prescriptions can be written by an oncologist.
- Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

SUNITINIB – Special Authority see SA1055 on the next page – Retail pharmacy

|                   |          |    |          |
|-------------------|----------|----|----------|
| Cap 12.5 mg ..... | 2,315.38 | 28 | ✓ Sutent |
| Cap 25 mg .....   | 4,630.77 | 28 | ✓ Sutent |
| Cap 50 mg .....   | 9,261.54 | 28 | ✓ Sutent |



| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

►SA1055 Special Authority for Subsidy

**Initial application** only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Either:
  - 2.1 The patient is sunitinib treatment naive; or
  - 2.2 The patient received sunitinib prior to 1 November 2010 and disease has not progressed; and
- 3 The patient has good performance status (WHO/ECOG grade 0-1); and
- 4 The disease is of predominant clear cell histology; and
- 5 The patient has intermediate or poor prognosis based on the NCCN clinical practice guidelines for kidney cancer; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

**Renewal** only from a relevant specialist or any relevant practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Sunitinib treatment should be stopped if disease progresses.

NCCN clinical practice guidelines for kidney cancer are available at

[http://www.nccn.org/professionals/physician\\_gls/f\\_guidelines.asp](http://www.nccn.org/professionals/physician_gls/f_guidelines.asp)

Endocrine Therapy

For GnRH ANALOGUES – refer to HORMONE PREPARATIONS, Tropic Hormones, page 79

BICALUTAMIDE – Special Authority see SA0941 below – Retail pharmacy

|                 |       |    |                  |
|-----------------|-------|----|------------------|
| Tab 50 mg ..... | 27.10 | 30 | ✓ <b>Bicalox</b> |
|-----------------|-------|----|------------------|

►SA0941 Special Authority for Subsidy

**Initial application** from any medical practitioner. Approvals valid without further renewal unless notified where the patient has advanced prostate cancer.

FLUTAMIDE – Retail pharmacy-Specialist

|                  |       |     |                   |
|------------------|-------|-----|-------------------|
| Tab 250 mg ..... | 55.00 | 100 | ✓ <b>Flutamin</b> |
|------------------|-------|-----|-------------------|

MEGESTROL ACETATE – Retail pharmacy-Specialist

|                  |       |    |                        |
|------------------|-------|----|------------------------|
| Tab 160 mg ..... | 57.92 | 30 | ✓ <b>Apo-Megestrol</b> |
|------------------|-------|----|------------------------|

OCTREOTIDE (SOMATOSTATIN ANALOGUE) – Special Authority see SA1016 on the next page – Retail pharmacy

|                                       |          |   |                          |
|---------------------------------------|----------|---|--------------------------|
| Inj 50 µg per ml, 1 ml .....          | 25.65    | 5 | ✓ <b>Hospira</b>         |
|                                       | 43.50    |   | ✓ <b>Sandostatin</b>     |
| Inj 100 µg per ml, 1 ml .....         | 48.50    | 5 | ✓ <b>Hospira</b>         |
|                                       | 81.00    |   | ✓ <b>Sandostatin</b>     |
| Inj 500 µg per ml, 1 ml .....         | 175.00   | 5 | ✓ <b>Hospira</b>         |
|                                       | 399.00   |   | ✓ <b>Sandostatin</b>     |
| Inj LAR 10 mg prefilled syringe ..... | 1,772.50 | 1 | ✓ <b>Sandostatin LAR</b> |
| Inj LAR 20 mg prefilled syringe ..... | 2,358.75 | 1 | ✓ <b>Sandostatin LAR</b> |
| Inj LAR 30 mg prefilled syringe ..... | 2,951.25 | 1 | ✓ <b>Sandostatin LAR</b> |

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

## ►SA1016 Special Authority for Subsidy

**Initial application — (Malignant Bowel Obstruction)** from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea\* and vomiting\* due to malignant bowel obstruction\*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and
- 3 Octreotide to be given at a maximum dose 1500 µg daily for up to 4 weeks.

Note: Indications marked with \* are Unapproved Indications.

**Renewal — (Malignant Bowel Obstruction)** from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

**Initial application — (Acromegaly)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
  - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
  - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed; or
  - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

**Renewal — (Acromegaly)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

**Initial application — (Other Indications)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 VIPomas and Glucagonomas - for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 2 Both:
  - 2.1 Gastrinoma; and
  - 2.2 Either:
    - 2.2.1 Patient has failed surgery; or
    - 2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or
- 3 Both:
  - 3.1 Insulinomas; and
  - 3.2 Surgery is contraindicated or has failed; or
- 4 For pre-operative control of hypoglycaemia and for maintenance therapy; or
- 5 Both:
  - 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
  - 5.2 Disabling symptoms not controlled by maximal medical therapy.

Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item

**Renewal — (Other Indications)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

|                          | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--------------------------|---|-----|--------------------------|-------------------------------------|
| <b>TAMOXIFEN CITRATE</b> |   |     |                          |                                     |
| * Tab 10 mg .....        | 10.80                                   | 100 | ✓                        | <b>Genox</b>                        |
| * Tab 20 mg .....        | 6.66                                    | 60  | ✓                        | <b>Tamoxifen Sandoz</b>             |
|                          | 11.10                                   | 100 | ✓                        | <b>Genox</b>                        |

### Aromatase Inhibitors

|  |          |    |   |                       |
|--|----------|----|---|-----------------------|
| <b>ANASTROZOLE</b>   |          |    |   |                       |
| Tab 1 mg .....   | 26.55    | 30 | ✓ | <b>Aremed</b>         |
|  | 29.50    |    | ✓ | <b>Arimidex</b>       |
|  |          |    | ✓ | <b>DP-Anastrozole</b> |
| <b>EXEMESTANE</b> – Additional subsidy by Special Authority see SA1000 below – Retail pharmacy |          |    |   |                       |
| Tab 25 mg .....  | 26.55    | 30 |   |                       |
|  | (175.00) |    |   | <b>Aromasin</b>       |

#### SA1000 Special Authority for Alternate Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 5 years for applications meeting the following criteria:

All of the following:

- 1 Patient is a postmenopausal woman; and
- 2 Patient has hormone receptor positive breast cancer; and
- 3 Any of the following:
  - 3.1 The patient was receiving funded exemestane prior to 1 February 2010; or
  - 3.2 The patient has advanced breast cancer and a very clear history of intolerance to anastrozole or letrozole; or
  - 3.3 The patient has advanced breast cancer and disease has progressed following treatment with anastrozole or letrozole.

**Renewal** from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefitting from treatment.

|                  |       |    |   |               |
|------------------|-------|----|---|---------------|
| <b>LETROZOLE</b> |       |    |   |               |
| Tab 2.5 mg ..... | 26.55 | 30 | ✓ | <b>Letara</b> |

### Immunosuppressants

#### Cytotoxic Immunosuppressants

|   |         |           |   |                 |
|---|---------|-----------|---|-----------------|
| <b>AZATHIOPRINE</b> – Retail pharmacy-Specialist  |         |           |   |                 |
| * Tab 50 mg .....   | 18.45   | 100       | ✓ | <b>Azamun</b>   |
|   | (34.90) |           | ✓ | <b>Imuprine</b> |
|   |         |           |   | <b>Imuran</b>   |
| * Inj 50 mg .....   | 60.00   | 1         | ✓ | <b>Imuran</b>   |
| <i>(Azamun Tab 50 mg to be delisted 1 January 2011)</i>   |         |           |   |                 |
| <i>(Imuran Tab 50 mg to be delisted 1 January 2011)</i>   |         |           |   |                 |
| <b>MYCOPHENOLATE MOFETIL</b> – Special Authority see SA1041 on the next page – Retail pharmacy  |         |           |   |                 |
| Dispensing pharmacy should check which brand to dispense with the prescriber if prescribed generically.   |         |           |   |                 |
| Tab 500 mg .....  | 70.00   | 50        | ✓ | <b>Cellcept</b> |
|   | 85.00   |           | ✓ | <b>Myaccord</b> |
| Cap 250 mg .....  | 70.00   | 100       | ✓ | <b>Cellcept</b> |
|   | 85.00   |           | ✓ | <b>Myaccord</b> |
| Powder for oral liq 1 g per 5 ml – Subsidy by endorsement .....   | 285.00  | 165 ml OP | ✓ | <b>Cellcept</b> |
| Mycophenolate powder for oral liquid is subsidised only for patients unable to swallow tablets and capsules, and when the prescription is endorsed accordingly. |         |           |   |                 |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
|--|---|-----|--------------------------|-------------------------------------|

## ►SA1041 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Transplant recipient; or
- 2 Both:
  - Patients with diseases where
  - 2.1 Steroids and azathioprine have been trialled and discontinued because of unacceptable side effects or inadequate clinical response; and
  - 2.2 Either:
    - Patients with diseases where
    - 2.2.1 Cyclophosphamide has been trialled and discontinued because of unacceptable side effects or inadequate clinical response; or
    - 2.2.2 Cyclophosphamide treatment is contraindicated.

## Immune Modulators

ANTITHYMOCYTE GLOBULIN (EQUINE) – PCT only – Specialist

Inj 50 mg per ml, 5 ml .....2,137.50      5      ✓ ATGAM

BACILLUS CALMETTE-GUERIN (BCG) VACCINE – PCT only – Specialist

Subsidised only for bladder cancer.

Inj 2-8 × 100 million CFU .....187.37      1      ✓ OncoTICE

RITUXIMAB – PCT only – Specialist – Special Authority see SA1050 below

Inj 100 mg per 10 ml vial .....1,195.00      2      ✓ Mabthera

Inj 500 mg per 50 ml vial .....2,987.00      1      ✓ Mabthera

Inj 1 mg for ECP .....6.27      1 mg      ✓ Baxter

## ►SA1050 Special Authority for Subsidy

**Initial application — (Post-transplant)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

**Initial application — (Indolent, Low-grade lymphomas)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has indolent low grade NHL with relapsed disease following prior chemotherapy; and
  - 1.2 To be used for a maximum of 6 treatment cycles; or
- 2 Both:
  - 2.1 The patient has indolent, low grade lymphoma requiring first-line systemic chemotherapy; and
  - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. Rituximab is not funded for Chronic lymphocytic leukaemia/small lymphocytic lymphoma.

**Initial application — (Aggressive CD20 positive NHL)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
  - 1.1 The patient has treatment naive aggressive CD20 positive NHL; and

continued...

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|--|---|----------------------------|-------------------------------------|
|  |   | ✓                          |                                     |

continued...

- 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 1.3 To be used for a maximum of 8 treatment cycles; or
- 2 Both:
  - 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
  - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

**Renewal — (Post-transplant)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

**Renewal — (Indolent, Low-grade lymphomas)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. Rituximab is not funded for Chronic lymphocytic leukaemia/small lymphocytic lymphoma

**Renewal — (Aggressive CD20 positive NHL)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

TRASTUZUMAB – PCT only – Specialist – Special Authority see SA1017 below

|                        |          |      |             |
|------------------------|----------|------|-------------|
| Inj 150 mg vial .....  | 1,350.00 | 1    | ✓ Herceptin |
| Inj 440 mg vial .....  | 3,875.00 | 1    | ✓ Herceptin |
| Inj 1 mg for ECP ..... | 9.36     | 1 mg | ✓ Baxter    |

#### ►SA1017 Special Authority for Subsidy

**Initial application — (metastatic breast cancer)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the patient has metastatic breast cancer expressing HER-2 IHC 3+ or FISH+.

**Renewal — (metastatic breast cancer)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic breast cancer; and
- 2 The cancer has not progressed.

**Initial application — (early breast cancer)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:

continued...

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|-----|--------------------------|-------------------------------------|
|--|---|-----|--------------------------|-------------------------------------|

continued...

- 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
- 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
- 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
- 3.4 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Note: For patients with previous Special Authority approvals for a maximum cumulative dose of 20mg/kg (9 weeks treatment) granted after 1 April 2009 the approval period has been extended to allow claims for a maximum cumulative dose of 106mg/kg (12 months treatment).

## Other Immunosuppressants

### CYCLOSPORIN

|                              |        |          |          |
|------------------------------|--------|----------|----------|
| Cap 25 mg .....              | 59.50  | 50       | ✓ Neoral |
| Cap 50 mg .....              | 118.54 | 50       | ✓ Neoral |
| Cap 100 mg .....             | 237.08 | 50       | ✓ Neoral |
| Oral liq 100 mg per ml ..... | 264.17 | 50 ml OP | ✓ Neoral |

### SIROLIMUS – Special Authority see SA0866 below – Retail pharmacy

|                            |          |          |            |
|----------------------------|----------|----------|------------|
| Tab 1 mg .....             | 813.00   | 100      | ✓ Rapamune |
| Tab 2 mg .....             | 1,626.00 | 100      | ✓ Rapamune |
| Oral liq 1 mg per ml ..... | 487.80   | 60 ml OP | ✓ Rapamune |

#### ►►SA0866 Special Authority for Subsidy

**Initial application** from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR<30 ml/min; or
- Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- HUS or TTP; or
- Leukoencephalopathy; or
- Significant malignant disease

### TACROLIMUS – Special Authority see SA0669 below – Retail pharmacy

|                  |          |     |           |
|------------------|----------|-----|-----------|
| Cap 0.5 mg ..... | 214.00   | 100 | ✓ Prograf |
| Cap 1 mg .....   | 428.00   | 100 | ✓ Prograf |
| Cap 5 mg .....   | 1,070.00 | 50  | ✓ Prograf |

#### ►►SA0669 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Note: Subsidy applies for either primary or rescue therapy.

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          | ✓                                   |

## Antiallergy Preparations

BEE VENOM ALLERGY TREATMENT – Special Authority see SA0053 below – Retail pharmacy

|  |        |      |         |
|--|--------|------|---------|
| Maintenance kit - 6 vials 120 µg freeze dried venom, 6 diluent |        |      |         |
| 1.8 ml .....   | 285.00 | 1 OP | ✓ Albay |
| Treatment kit - 1 vial 550 µg freeze dried venom, 1 diluent    |        |      |         |
| 9 ml, 3 diluent 1.8 ml .....                                   | 285.00 | 1 OP | ✓ Albay |

### SA0053 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

**Renewal** only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

WASP VENOM ALLERGY TREATMENT – Special Authority see SA0053 below – Retail pharmacy

|   |        |      |         |
|---|--------|------|---------|
| Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried |        |      |         |
| polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml .....        | 285.00 | 1 OP | ✓ Albay |
| Treatment kit (Yellow jacket venom) - 1 vial 550 µg freeze    |        |      |         |
| dried vespsula venom, 1 diluent 9 ml, 1 diluent 1.8 ml .....  | 285.00 | 1 OP | ✓ Albay |

### SA0053 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

**Renewal** only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

## Antihistamines

### CETIRIZINE HYDROCHLORIDE

|                               |      |        |                           |
|-------------------------------|------|--------|---------------------------|
| * Tab 10 mg .....             | 2.21 | 100    | ✓ <u>Zetop</u>            |
| *‡ Oral liq 1 mg per ml ..... | 3.50 | 200 ml | ✓ <u>Cetirizine - AFT</u> |

### CHLORPHENIRAMINE MALEATE

|                                 |      |        |            |
|---------------------------------|------|--------|------------|
| *‡ Oral liq 2 mg per 5 ml ..... | 8.06 | 500 ml | ✓ Histafen |
|---------------------------------|------|--------|------------|

### DEXTROCHLORPHENIRAMINE MALEATE

|                                 |         |        |            |
|---------------------------------|---------|--------|------------|
| * Tab 2 mg .....                | 1.01    | 20     |            |
|                                 | (4.93)  |        | Polaramine |
|                                 | 2.02    | 40     |            |
|                                 | (7.99)  |        | Polaramine |
| *‡ Oral liq 2 mg per 5 ml ..... | 1.77    | 100 ml |            |
|                                 | (10.29) |        | Polaramine |

### FEXOFENADINE HYDROCHLORIDE

|                    |         |    |         |
|--------------------|---------|----|---------|
| * Tab 60 mg .....  | 4.34    | 20 |         |
|                    | (11.53) |    | Telfast |
| * Tab 120 mg ..... | 4.74    | 10 |         |
|                    | (11.53) |    | Telfast |
|                    | 14.22   | 30 |         |
|                    | (29.81) |    | Telfast |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## RESPIRATORY SYSTEM AND ALLERGIES

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per       | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|-----------|--------------------------|-------------------------------------|
| <b>LORATADINE</b>   |   |           |                          |                                     |
| * Tab 10 mg .....   | 2.09                                    | 100       | ✓                        | <b>Loraclear Hayfever Relief</b>    |
| * Oral liq 1 mg per ml .....                                    | 3.10                                    | 100 ml    | ✓                        | <b>Lorapaed</b>                     |
| <b>PROMETHAZINE HYDROCHLORIDE</b>                               |   |           |                          |                                     |
| * Tab 10 mg .....   | 2.72                                    | 50        | ✓                        | <b>Allersoothe</b>                  |
| * Tab 25 mg .....   | 4.44                                    | 50        | ✓                        | <b>Allersoothe</b>                  |
| *† Oral liq 5 mg per 5 ml .....                                 | 3.10                                    | 100 ml    | ✓                        | <b>Promethazine Winthrop Elixir</b> |
| * Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO ..... | 11.00                                   | 5         | ✓                        | <b>Mayne</b>                        |
| <b>TRIMEPAZINE TARTRATE</b>                                     |   |           |                          |                                     |
| † Oral liq 30 mg per 5 ml .....                                 | 2.79<br>(8.06)                          | 100 ml OP |                          | Vallergan Forte                     |

### Inhaled Corticosteroids

|   |                  |             |   |  |
|---|------------------|-------------|---|--|
| <b>BECLOMETHASONE DIPROPIONATE</b>              |                  |             |   |  |
| Aerosol inhaler, 100 µg per dose CFC-free ..... | 12.50            | 200 dose OP | ✓ | <b>Beclazone 100</b>                   |
| Aerosol inhaler, 250 µg per dose CFC-free ..... | 22.67            | 200 dose OP | ✓ | <b>Beclazone 250</b>                   |
| Aerosol inhaler, 50 µg per dose CFC-free .....  | 8.54             | 200 dose OP | ✓ | <b>Beclazone 50</b>                    |
| <b>BUDESONIDE</b>                               |                  |             |   |  |
| Powder for inhalation, 100 µg per dose .....    | 17.00            | 200 dose OP | ✓ | <b>Pulmicort Turbuhaler</b>            |
| Powder for inhalation, 200 µg per dose .....    | 19.00            | 200 dose OP | ✓ | <b>Budenocort Pulmicort Turbuhaler</b> |
| Powder for inhalation, 400 µg per dose .....    | 32.00            | 200 dose OP | ✓ | <b>Budenocort Pulmicort Turbuhaler</b> |
| <b>FLUTICASONE</b>                              |                  |             |   |  |
| Aerosol inhaler, 50 µg per dose CFC-free .....  | 7.50             | 120 dose OP | ✓ | <b>Flixotide</b>                       |
| Powder for inhalation, 50 µg per dose .....     | 5.10<br>(8.67)   | 60 dose OP  |   | Flixotide Accuhaler                    |
| Powder for inhalation, 100 µg per dose .....    | 7.50<br>(13.87)  | 60 dose OP  |   | Flixotide Accuhaler                    |
| Aerosol inhaler, 125 µg per dose CFC-free ..... | 13.60            | 120 dose OP | ✓ | <b>Flixotide</b>                       |
| Aerosol inhaler, 250 µg per dose CFC-free ..... | 27.20            | 120 dose OP | ✓ | <b>Flixotide</b>                       |
| Powder for inhalation, 250 µg per dose .....    | 13.60<br>(24.51) | 60 dose OP  |   | Flixotide Accuhaler                    |

### Inhaled Long-acting Beta-adrenoceptor Agonists

#### Prescribing Guideline for Inhaled Long-Acting Beta-Adrenoceptor Agonists

The addition of inhaled long-acting beta-adrenoceptor agonists (LABAs) to inhaled corticosteroids is recommended:

- For younger children (aged under 12 years) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 200 µg beclomethasone or budesonide (or 100 µg fluticasone).
- For adults and older children (aged 12 years and over) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 400 µg beclomethasone or budesonide (or 200 µg fluticasone).

Note:

Further information on the place of inhaled corticosteroids and inhaled LABAs in the management of asthma can be found in the New Zealand guidelines for asthma in adults ([www.nzgg.org.nz](http://www.nzgg.org.nz)) and in the New Zealand guidelines for asthma in children aged 1-15 ([www.paediatrics.org.nz](http://www.paediatrics.org.nz)).



|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|---|----------------------------|-------------------------------------|
| <b>EFORMOTEROL FUMARATE</b> – See prescribing guideline on the preceding page |   |                            |                                     |
| Powder for inhalation, 6 µg per dose, breath activated .....                  | 16.90                                   | 60 dose OP                 | ✓ <b>Oxis Turbuhaler</b>            |
| Powder for inhalation, 12 µg per dose, and monodose device .....              | 35.80                                   | 60 dose                    | ✓ <b>Foradil</b>                    |
| <b>SALMETEROL</b> – See prescribing guideline on the preceding page           |   |                            |                                     |
| Aerosol inhaler CFC-free, 25 µg per dose .....                                | 26.46                                   | 120 dose OP                | ✓ <b>Serevent</b>                   |
| Powder for inhalation, 50 µg per dose, breath activated .....                 | 26.46                                   | 60 dose OP                 | ✓ <b>Serevent Accuhaler</b>         |

## Inhaled Corticosteroids with Long-Acting Beta-Adrenoceptor Agonists

### ►SA0958 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 All of the following:
  - 1.1 Patient is a child under the age of 12; and
  - 1.2 Both:
    - Has, for 3 months or more, been treated with:
      - 1.2.1 An inhaled long-acting beta adrenoceptor agonist; and
      - 1.2.2 Inhaled corticosteroids at a dose of at least 400 µg per day beclomethasone or budesonide, or 200 µg per day fluticasone; and
  - 1.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product; or
- 2 All of the following:
  - 2.1 Patient is over the age of 12; and
  - 2.2 Both:
    - Has, for 3 months or more, been treated with:
      - 2.2.1 An inhaled long-acting beta adrenoceptor agonist; and
      - 2.2.2 Inhaled corticosteroids at a dose of at least 800 µg per day beclomethasone or budesonide, or 500 µg per day fluticasone; and
  - 2.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

**BUDESONIDE WITH EFORMOTEROL** – Special Authority see SA0958 above – Retail pharmacy

|   |       |             |                                      |
|---|-------|-------------|--------------------------------------|
| Aerosol inhaler 100 µg with eformoterol fumarate 6 µg .....   | 55.00 | 120 dose OP | ✓ <b>Vannair</b>                     |
| Powder for inhalation 100 µg with eformoterol fumarate 6 µg .....                                   | 55.00 | 120 dose OP | ✓ <b>Symbicort Turbuhaler 100/6</b>  |
| Aerosol inhaler 200 µg with eformoterol fumarate 6 µg .....   | 60.00 | 120 dose OP | ✓ <b>Vannair</b>                     |
| Powder for inhalation 200 µg with eformoterol fumarate 6 µg .....                                   | 60.00 | 120 dose OP | ✓ <b>Symbicort Turbuhaler 200/6</b>  |
| Powder for inhalation 400 µg with eformoterol fumarate 12 µg<br>– No more than 2 dose per day ..... | 60.00 | 60 dose OP  | ✓ <b>Symbicort Turbuhaler 400/12</b> |

**FLUTICASONE WITH SALMETEROL** – Special Authority see SA0958 above – Retail pharmacy

|   |       |             |                             |
|---|-------|-------------|-----------------------------|
| Aerosol inhaler 50 µg with salmeterol 25 µg .....   | 37.48 | 120 dose OP | ✓ <b>Seretide</b>           |
| Aerosol inhaler 125 µg with salmeterol 25 µg .....  | 49.69 | 120 dose OP | ✓ <b>Seretide</b>           |
| Powder for inhalation 100 µg with salmeterol 50 µg – No more<br>than 2 dose per day ..... | 37.48 | 60 dose OP  | ✓ <b>Seretide Accuhaler</b> |
| Powder for inhalation 250 µg with salmeterol 50 µg – No more<br>than 2 dose per day ..... | 49.69 | 60 dose OP  | ✓ <b>Seretide Accuhaler</b> |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## RESPIRATORY SYSTEM AND ALLERGIES

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per    | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|--------|--------------------------|-------------------------------------|
| <b>Beta-Adrenoceptor Agonists</b>                              |   |        |                          |                                     |
| <b>SALBUTAMOL</b>  |   |        |                          |                                     |
| ‡ Oral liq 2 mg per 5 ml .....                                 | 1.99                                    | 150 ml | ✓                        | <b>Salapin</b>                      |
| Infusion 1 mg per ml, 5 ml .....                               | 118.38                                  | 10     |                          |                                     |
|  | (130.21)                                |        |                          | Ventolin                            |
| Inj 500 µg per ml, 1 ml – Up to 5 inj available on a PSO ..... | 12.90                                   | 5      | ✓                        | <b>Ventolin</b>                     |

### Inhaled Beta-Adrenoceptor Agonists

|  |        |             |   |                            |
|--|--------|-------------|---|----------------------------|
| <b>SALBUTAMOL</b>  |        |             |   |                            |
| Aerosol inhaler, 100 µg per dose CFC free – Up to 1000 dose available on a PSO ..... | 3.80   | 200 dose OP | ✓ | <b>Respigen</b>            |
|  | (6.00) |             | ✓ | <b>Salamol</b>             |
|  |        |             |   | Ventolin                   |
| Nebuliser soln, 1 mg per ml, 2.5 ml – Up to 30 neb available on a PSO .....          | 3.52   | 20          | ✓ | <b>Asthalin</b>            |
| Nebuliser soln, 2 mg per ml, 2.5 ml – Up to 30 neb available on a PSO .....          | 3.70   | 20          | ✓ | <b>Asthalin</b>            |
| <b>TERBUTALINE SULPHATE</b>  |        |             |   |                            |
| Powder for inhalation, 250 µg per dose, breath activated .....                       | 22.00  | 200 dose OP | ✓ | <b>Bricanyl Turbuhaler</b> |

### Inhaled Anticholinergic Agents

#### Inhaled Anticholinergic agents

|  |       |             |   |                              |
|--|-------|-------------|---|------------------------------|
| <b>IPRATROPIUM BROMIDE</b>   |       |             |   |                              |
| Aerosol inhaler, 20 µg per dose CFC-free .....   | 16.20 | 200 dose OP | ✓ | <b>Atrovent</b>              |
| Nebuliser soln, 250 µg per ml, 1 ml – Up to 40 neb available on a PSO .....                      | 3.79  | 20          | ✓ | <b>Ipratropium Steri-Neb</b> |
|  |       |             | ✓ | <b>Univent</b>               |
| Nebuliser soln, 250 µg per ml, 2 ml – Up to 40 neb available on a PSO .....                      | 4.06  | 20          | ✓ | <b>Ipratropium Steri-Neb</b> |
|  |       |             | ✓ | <b>Univent</b>               |
| <i>(Ipratropium Steri-Neb Nebuliser soln, 250 µg per ml, 1 ml to be delisted 1 January 2011)</i> |       |             |   |                              |
| <i>(Ipratropium Steri-Neb Nebuliser soln, 250 µg per ml, 2 ml to be delisted 1 January 2011)</i> |       |             |   |                              |
| <b>TIOTROPIUM BROMIDE – Special Authority see SA0872 below – Retail pharmacy</b>                 |       |             |   |                              |
| Powder for inhalation, 18 µg per dose .....  | 70.00 | 30 dose     | ✓ | <b>Spiriva</b>               |

#### ►SA0872 Special Authority for Subsidy

**Initial application** only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialled a dose of at least 40 µg ipratropium q.i.d for one month; and
- 3 Either:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- 3.1 Grade 4 (stops for breath after walking about 100 meters or after a few minutes on the level); or

continued...

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|--|---|----------------------------|-------------------------------------|
|--|---|----------------------------|-------------------------------------|

continued...

- 3.2 Grade 5 (too breathless to leave the house, or breathless when dressing or undressing); and
- 4 Actual FEV<sub>1</sub> (litres) < 0.6 × predicted (litres); and
- 5 Either:
  - 5.1 Patient is not a smoker (for reporting purposes only); or
  - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

**Renewal** only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined); and
- 3 Applicant must state recent measurement of FEV<sub>1</sub> (% of predicted).

## Inhaled Beta-Adrenoceptor Agonists with Anticholinergic Agents

### SALBUTAMOL WITH IPRATROPIUM BROMIDE

|   |       |             |                    |
|---|-------|-------------|--------------------|
| Aerosol inhaler, 100 µg with ipratropium bromide, 20 µg per dose .....  | 13.50 | 200 dose OP | ✓ <b>Combivent</b> |
| Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml – Up to 20 neb available on a PSO ..... | 4.29  | 20          | ✓ <b>Duolin</b>    |

## Mast Cell Stabilisers

### Mast cell stabilisers

#### NEDOCROMIL

|   |       |             |                 |
|---|-------|-------------|-----------------|
| Aerosol inhaler, 2 mg per dose CFC-free ..... | 28.07 | 112 dose OP | ✓ <b>Tilade</b> |
|---|-------|-------------|-----------------|

#### SODIUM CROMOGLYCATE

|   |       |             |                         |
|---|-------|-------------|-------------------------|
| Powder for inhalation, 20 mg per dose .....   | 17.94 | 50 dose     | ✓ <b>Intal Spincaps</b> |
| Aerosol inhaler, 5 mg per dose CFC-free ..... | 28.07 | 112 dose OP | ✓ <b>Vicrom</b>         |

## Methylxanthines

#### AMINOPHYLLINE

|  |       |   |                |
|--|-------|---|----------------|
| * Inj 25 mg per ml, 10 ml – Up to 5 inj available on a PSO ..... | 12.84 | 5 | ✓ <b>Mayne</b> |
|--|-------|---|----------------|

#### THEOPHYLLINE

|                                   |       |        |                    |
|-----------------------------------|-------|--------|--------------------|
| * Tab long-acting 250 mg .....    | 21.51 | 100    | ✓ <b>Nuelin-SR</b> |
| *‡ Oral liq 80 mg per 15 ml ..... | 15.50 | 500 ml | ✓ <b>Nuelin</b>    |

## Cystic Fibrosis

**DORNASE ALFA** – Special Authority see SA0611 below – Retail pharmacy

|   |        |   |                    |
|---|--------|---|--------------------|
| Nebuliser soln, 2.5 mg per 2.5 ml ampoule ..... | 294.30 | 6 | ✓ <b>Pulmozyme</b> |
|---|--------|---|--------------------|

### ▶SA0611 Special Authority for Subsidy

Special Authority approved by the Cystic Fibrosis Advisory Panel

Notes: Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz> or:

|  |   |
|--|---|
| The Co-ordinator, Cystic Fibrosis Advisory Panel | Phone: (04) 460 4990  |
| PHARMAC, PO Box 10 254                           | Facsimile: (04) 916 7571  |
| Wellington                                       | Email: <a href="mailto:CFPanel@pharmac.govt.nz">CFPanel@pharmac.govt.nz</a> |

Prescriptions for patients approved for treatment must be written by respiratory physicians or paediatricians who have experience and expertise in treating cystic fibrosis.

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## RESPIRATORY SYSTEM AND ALLERGIES

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer       |
|---|---|----------------------------|---|
| <b>Nasal Preparations</b>   |   |                            |   |
| <b>Allergy Prophylactics</b>  |   |                            |   |
| <b>BECLOMETHASONE DIPROPIONATE</b>  |   |                            |   |
| Metered aqueous nasal spray, 50 µg per dose .....   | 2.35<br>(4.00)                          | 200 dose OP                | Alanase                                   |
| Metered aqueous nasal spray, 100 µg per dose .....  | 2.46<br>(4.81)                          | 200 dose OP                | Alanase                                   |
| <b>BUDESONIDE</b>   |   |                            |   |
| Metered aqueous nasal spray, 50 µg per dose .....   | 2.35<br>(4.00)                          | 200 dose OP                | Butacort Aqueous                          |
| Metered aqueous nasal spray, 100 µg per dose .....  | 2.61<br>(4.81)                          | 200 dose OP                | Butacort Aqueous                          |
| <b>FLUTICASONE PROPIONATE</b>   |   |                            |   |
| Metered aqueous nasal spray, 50 µg per dose .....   | 13.34                                   | 120 dose OP                | ✓ <u>Flixonase Hayfever &amp; Allergy</u> |
| <b>IPRATROPIUM BROMIDE</b>  |   |                            |   |
| Aqueous nasal spray, 0.03% .....  | 12.66                                   | 30 ml OP                   | ✓ Apo-Ipravent                            |
| <b>SODIUM CROMOGLYCATE</b>  |   |                            |   |
| Nasal spray, 4% .....   | 15.85                                   | 22 ml OP                   | ✓ <u>Rex</u>                              |
| <b>Respiratory Devices</b>  |   |                            |   |
| <b>MASK FOR SPACER DEVICE</b>   |   |                            |   |
| a) Up to 20 dev available on a PSO  |   |                            |   |
| b) Only on a PSO  |   |                            |   |
| c) Only for children aged six years and under   |   |                            |   |
| Size 2 .....  | 3.28                                    | 1                          | ✓ <u>Foremount Child's Silicone Mask</u>  |
| <b>PEAK FLOW METER</b>  |   |                            |   |
| a) Up to 10 dev available on a PSO  |   |                            |   |
| b) Only on a PSO  |   |                            |   |
| Low range .....   | 13.75                                   | 1                          | ✓ <u>Breath-Alert</u>                     |
| Normal range .....  | 13.75                                   | 1                          | ✓ <u>Breath-Alert</u>                     |
| <b>SPACER DEVICE</b>  |   |                            |   |
| a) Up to 20 dev available on a PSO  |   |                            |   |
| b) Only on a PSO  |   |                            |   |
| 230 ml (autoclavable) – Subsidy by endorsement.....   | 11.60                                   | 1                          | ✓ <u>Space Chamber</u>                    |
| Available where the prescriber requires a spacer device that is capable of sterilisation in an autoclave and the PSO is endorsed accordingly. |   |                            |   |
| 230 ml (single patient) .....   | 8.38                                    | 1                          | ✓ <u>Space Chamber</u>                    |
| 800 ml .....  | 8.50                                    | 1                          | ✓ <u>Volumatic</u>                        |

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per       | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|-----------|--------------------------|-------------------------------------|
| <b>Ear Preparations</b>   |   |           |                          |                                     |
| <b>ACETIC ACID WITH 1, 2-PROPANEDIOL DIACETATE AND BENZETHONIUM</b>                                   |   |           |                          |                                     |
| For Vosol ear drops with hydrocortisone powder refer, page 174  |   |           |                          |                                     |
| Ear drops 2% with 1, 2-Propanediol diacetate 3% and<br>benzethonium chloride 0.02% .....              | 6.97                                    | 35 ml OP  | ✓                        | Vosol                               |
| <b>CHLORAMPHENICOL</b>  |   |           |                          |                                     |
| Ear drops 0.5% .....  | 1.87                                    | 5 ml OP   | ✓                        | Chloromycetin                       |
| <b>FLUMETASONE PIVALATE</b>   |   |           |                          |                                     |
| Ear drops 0.02% with clioquinol 1% .....  | 4.46                                    | 7.5 ml OP | ✓                        | Locacorten-Viaform<br>ED's          |
|   |   |           | ✓                        | Locorten-Vioform                    |
| <b>TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN</b>                                 |   |           |                          |                                     |
| Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate<br>2.5 mg and gramicidin 250 µg per g ..... | 3.35                                    | 7.5 ml OP | ✓                        | Kenacomb                            |

### Ear/Eye Preparations

|   |                |         |  |            |
|---|----------------|---------|--|------------|
| <b>DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN</b>                                     |                |         |  |            |
| Ear/Eye drops 500 µg with framycetin sulphate 5 mg and<br>gramicidin 50 µg per ml ..... | 4.50<br>(9.27) | 8 ml OP |  | Sofradex   |
| <b>FRAMYCETIN SULPHATE</b>  |                |         |  |            |
| Ear/Eye drops 0.5% .....  | 4.13<br>(8.65) | 8 ml OP |  | Soframycin |

### Eye Preparations

#### Anti-Infective Preparations

|   |                 |          |   |             |
|---|-----------------|----------|---|-------------|
| <b>ACICLOVIR</b>  |                 |          |   |             |
| * Eye oint 3% .....   | 37.53           | 4.5 g OP | ✓ | Zovirax     |
| <b>CHLORAMPHENICOL</b>  |                 |          |   |             |
| Eye oint 1% .....   | 2.37            | 4 g OP   | ✓ | Chlorsig    |
| Eye drops 0.5% .....  | 1.28            | 10 ml OP | ✓ | Chlorafast  |
|   | 2.40            |          | ✓ | Chlorsig    |
| <b>CIPROFLOXACIN</b>  |                 |          |   |             |
| Eye Drops 0.3% .....  | 12.43           | 5 ml OP  | ✓ | Ciloxan     |
| For treatment of bacterial keratitis or severe bacterial conjunctivitis resistant to chloramphenicol. |                 |          |   |             |
| <b>FUSIDIC ACID</b>   |                 |          |   |             |
| Eye drops 1% .....  | 4.50<br>(10.68) | 5 g OP   |   | Fucithalmic |
| <b>GENTAMICIN SULPHATE</b>  |                 |          |   |             |
| Eye drops 0.3% .....  | 11.40           | 5 ml OP  | ✓ | Genoptic    |
| <b>PROPAMIDINE ISETHIONATE</b>  |                 |          |   |             |
| * Eye drops 0.1% .....  | 2.97<br>(7.99)  | 10 ml OP |   | Brolene     |
| <b>SULPHACETAMIDE SODIUM</b>  |                 |          |   |             |
| * Eye drops 10% .....   | 4.41            | 15 ml OP | ✓ | Bleph 10    |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## SENSORY ORGANS

|                      | Subsidy<br>(Manufacturer's Price)<br>\$ | Per      | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|----------------------|---|----------|--------------------------|-------------------------------------|
| <b>TOBRAMYCIN</b>    |   |          |                          |                                     |
| Eye oint 0.3% .....  | 10.45                                   | 3.5 g OP | ✓                        | <b>Tobrex</b>                       |
| Eye drops 0.3% ..... | 11.48                                   | 5 ml OP  | ✓                        | <b>Tobrex</b>                       |

### Corticosteroids and Other Anti-Inflammatory Preparations

|  |                        |                     |   |                                 |
|--|------------------------|---------------------|---|---------------------------------|
| <b>DEXAMETHASONE</b>   |                        |                     |   |                                 |
| * Eye oint 0.1% .....  | 5.86                   | 3.5 g OP            | ✓ | <b>Maxidex</b>                  |
| * Eye drops 0.1% .....   | 4.50                   | 5 ml OP             | ✓ | <b>Maxidex</b>                  |
| <b>DEXAMETHASONE WITH NEOMYCIN AND POLYMYXIN B SULPHATE</b>                                    |                        |                     |   |                                 |
| * Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin<br>B sulphate 6,000 u per g .....   | 5.39                   | 3.5 g OP            | ✓ | <b>Maxitrol</b>                 |
| * Eye drops 0.1% with neomycin sulphate 0.35% and polymyxin<br>B sulphate 6,000 u per ml ..... | 4.50                   | 5 ml OP             | ✓ | <b>Maxitrol</b>                 |
| <b>DICLOFENAC SODIUM</b>   |                        |                     |   |                                 |
| * Eye drops 1 mg per ml .....  | 13.80                  | 5 ml OP             | ✓ | <b>Voltaren Ophtha</b>          |
| <b>FLUOROMETHOLONE</b>   |                        |                     |   |                                 |
| * Eye drops 0.1% .....   | 4.05                   | 5 ml OP             | ✓ | <b>FML</b>                      |
| <b>LEVOCABASTINE</b>   |                        |                     |   |                                 |
| Eye drops 0.5 mg per ml .....  | 8.71<br>(10.34)        | 4 ml OP             |   | Livostin                        |
| <b>LODOXAMIDE TROMETAMOL</b>   |                        |                     |   |                                 |
| Eye drops 0.1% .....   | 8.71                   | 10 ml OP            | ✓ | <b>Lomide</b>                   |
| <b>PREDNISOLONE ACETATE</b>  |                        |                     |   |                                 |
| * Eye drops 0.12% .....  | 4.50                   | 5 ml OP             | ✓ | <b>Pred Mild</b>                |
| * Eye drops 1% .....   | 4.50                   | 5 ml OP             | ✓ | <b>Pred Forte</b>               |
| <b>SODIUM CROMOGLYCATE</b>   |                        |                     |   |                                 |
| Eye drops 2% .....   | 1.18<br>2.36<br>(3.95) | 5 ml OP<br>10 ml OP | ✓ | <b>Rexacrom</b><br><br>Cromolux |

(Cromolux Eye drops 2% to be delisted 1 February 2011)

### Glaucoma Preparations - Beta Blockers

|                                      |       |           |   |                    |
|--------------------------------------|-------|-----------|---|--------------------|
| <b>BETAXOLOL HYDROCHLORIDE</b>       |       |           |   |                    |
| * Eye drops 0.25% .....              | 11.80 | 5 ml OP   | ✓ | <b>Betoptic S</b>  |
| * Eye drops 0.5% .....               | 7.50  | 5 ml OP   | ✓ | <b>Betoptic</b>    |
| <b>LEVOBUNOLOL</b>                   |       |           |   |                    |
| * Eye drops 0.25% .....              | 7.00  | 5 ml OP   | ✓ | <b>Betagan</b>     |
| * Eye drops 0.5% .....               | 7.00  | 5 ml OP   | ✓ | <b>Betagan</b>     |
| <b>TIMOLOL MALEATE</b>               |       |           |   |                    |
| * Eye drops 0.25% .....              | 2.37  | 5 ml OP   | ✓ | <b>Apo-Timop</b>   |
| * Eye drops 0.25%, gel forming ..... | 3.30  | 2.5 ml OP | ✓ | <b>Timoptol XE</b> |
| * Eye drops 0.5% .....               | 2.29  | 5 ml OP   | ✓ | <b>Apo-Timop</b>   |
| * Eye drops 0.5%, gel forming .....  | 3.78  | 2.5 ml OP | ✓ | <b>Timoptol XE</b> |

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|--|---|----------------------------|-------------------------------------|
|--|---|----------------------------|-------------------------------------|

### Glaucoma Preparations - Carbonic Anhydrase Inhibitors

#### Prescribing Guidelines

Trusopt, Cosopt and Azopt are subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma. Trusopt, Cosopt and Azopt should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- 1) that person has previously trialled all other such subsidised agents (except brimonidine tartrate); and
- 2) those trials have indicated that that person does not respond adequately to treatment with those other agents.

#### ACETAZOLAMIDE

\* Tab 250 mg ..... 10.40 100 ✓ **Diamox**

#### BRINZOLAMIDE

▲ Eye Drops 1% ..... 9.77 5 ml OP ✓ **Azopt**

#### DORZOLAMIDE HYDROCHLORIDE

\* Eye drops 2% ..... 9.77 5 ml OP  
(13.95) Trusopt

#### DORZOLAMIDE HYDROCHLORIDE WITH TIMOLOL MALEATE

\* Eye drops 2% with timolol maleate 0.5% ..... 15.50 5 ml OP ✓ **Cosopt**

### Glaucoma Preparations - Prostaglandin Analogues

#### Prescribing Guideline

Bimatoprost, lantanoprost and travoprost are subsidised for use in the treatment of glaucoma as either monotherapy or as an adjunctive agent for patients in whom prostaglandin analogue monotherapy has been ineffective in controlling intraocular pressure. Bimatoprost, lantanoprost and travoprost should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- 1) That person has previously trialled all other such subsidised agents (beta-blockers, pilocarpine, carbonic anhydrase inhibitors); and
- 2) Those trials have indicated that that person does not respond adequately to treatment with those other agents.

#### BIMATOPROST – Retail pharmacy-Specialist

See prescribing guideline above

▲ Eye Drops 0.03% ..... 19.50 3 ml OP ✓ **Lumigan**

#### LATANOPROST – Retail pharmacy-Specialist

See prescribing guideline above

▲ Eye drops 50 µg per ml, 2.5ml ..... 9.75 2.5 ml OP ✓ **Hysite**

#### TRAVOPROST – Retail pharmacy-Specialist

See prescribing guideline above

▲ Eye drops 0.004% ..... 19.50 2.5 ml OP ✓ **Travatan**

### Glaucoma Preparations - Other

#### BRIMONIDINE TARTRATE

\* Eye Drops 0.2% ..... 7.93 5 ml OP ✓ **AFT**

#### Prescribing Guidelines

Brimonidine tartrate is subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma.

Brimonidine tartrate should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- that person has previously trialled all other such subsidised agents (except dorzolamide hydrochloride); and
- those trials have indicated that that person does not respond adequately to or does not tolerate treatment with those other agents.

#### BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE

▲ Eye drops 0.2% with timolol maleate 0.5% ..... 18.50 5 ml OP ✓ **Combigan**

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

| Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|-----|--------------------------|-------------------------------------|
|---|-----|--------------------------|-------------------------------------|

## Prescribing Guidelines

Combigan is subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma.

Combigan should only be prescribed when:

- 1) less expensive first line agents for the treatment of glaucoma are contraindicated; or
- 2) the response to such subsidised agents is inadequate; or
- 3) the patient cannot tolerate such subsidised agents.

## PILOCARPINE

|  |                  |          |                  |
|--|------------------|----------|------------------|
| * Eye drops 1% .....   | 4.26             | 15 ml OP | ✓ Isopto Carpine |
| * Eye drops 2% .....   | 5.35             | 15 ml OP | ✓ Isopto Carpine |
| * Eye drops 4% .....   | 7.99             | 15 ml OP | ✓ Isopto Carpine |
| * Eye drops 2% single dose – Special Authority see SA0895<br>below – Retail pharmacy ..... | 31.95<br>(32.72) | 20 dose  | Minims           |

## SA0895 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

## Mydriatics and Cycloplegics

### ATROPINE SULPHATE

|                      |       |          |          |
|----------------------|-------|----------|----------|
| * Eye drops 1% ..... | 17.36 | 15 ml OP | ✓ Atropt |
|----------------------|-------|----------|----------|

### CYCLOPENTOLATE HYDROCHLORIDE

|                      |      |          |            |
|----------------------|------|----------|------------|
| * Eye drops 1% ..... | 8.76 | 15 ml OP | ✓ Cyclogyl |
|----------------------|------|----------|------------|

### HOMATROPINE HYDROBROMIDE

|                      |      |          |                      |
|----------------------|------|----------|----------------------|
| * Eye drops 2% ..... | 7.18 | 15 ml OP | ✓ Isopto Homatropine |
|----------------------|------|----------|----------------------|

### TROPICAMIDE

|                        |      |          |            |
|------------------------|------|----------|------------|
| * Eye drops 0.5% ..... | 7.15 | 15 ml OP | ✓ Mydracyl |
| * Eye drops 1% .....   | 8.66 | 15 ml OP | ✓ Mydracyl |

## Preparations for Tear Deficiency

For acetylcysteine eye drops refer, page 174

### HYPROMELLOSE

|                        |      |          |              |
|------------------------|------|----------|--------------|
| * Eye drops 0.3% ..... | 2.62 | 15 ml OP | ✓ Poly-Tears |
| * Eye drops 0.5% ..... | 2.00 | 15 ml OP | ✓ Methopt    |

### POLYVINYL ALCOHOL

|                        |      |          |                |
|------------------------|------|----------|----------------|
| * Eye drops 1.4% ..... | 2.68 | 15 ml OP | ✓ Vistil       |
| * Eye drops 3% .....   | 3.75 | 15 ml OP | ✓ Vistil Forte |

### TYLOXAPOL

|                         |      |          |            |
|-------------------------|------|----------|------------|
| * Eye drops 0.25% ..... | 8.63 | 15 ml OP | ✓ Enuclene |
|-------------------------|------|----------|------------|

## Other Eye Preparations

### NAPHAZOLINE HYDROCHLORIDE

|                        |      |          |                 |
|------------------------|------|----------|-----------------|
| * Eye drops 0.1% ..... | 4.15 | 15 ml OP | ✓ Naphcon Forte |
|------------------------|------|----------|-----------------|



|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|---|----------------------------|-------------------------------------|
| <b>PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN</b> |   |                            |                                     |
| * Eye oint with soft white paraffin .....       | 3.63                                    | 3.5 g OP                   | ✓ <b>Lacri-Lube</b>                 |
| <b>PARAFFIN LIQUID WITH WOOL FAT LIQUID</b>     |   |                            |                                     |
| * Eye oint 3% with wool fat liq 3% .....        | 3.63                                    | 3.5 g OP                   | ✓ <b>Poly-Visc</b>                  |
| <b>PHENYLEPHRINE HYDROCHLORIDE</b>              |   |                            |                                     |
| * Eye drops 0.12% .....                         | 4.47                                    | 15 ml OP                   | ✓ <b>Prefrin</b>                    |

‡ safety cap

\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

## VARIOUS

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|---|----------------------------|-------------------------------------|

### Various

May only be claimed once per patient.

#### PHARMACY SERVICES

|                          |      |       |                       |
|--------------------------|------|-------|-----------------------|
| * Brand switch fee ..... | 0.01 | 1 fee | ✓ BSF Arrow-Enalapril |
|--------------------------|------|-------|-----------------------|

The Pharmacode for BSF Arrow-Enalapril is 2375613

(BSF Arrow-Enalapril Brand switch fee to be delisted 1 February 2011)

## INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The “Standard Formulae”.
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
  - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
  - b) Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-specialist).
  - c) Menthol crystals only in the following bases:
    - Aqueous cream
    - Urea cream 10%
    - Wool fat with mineral oil lotion
    - Hydrocortisone 1% with wool fat and mineral oil lotion
    - Glycerol, paraffin and cetyl alcohol lotion.

## Glossary

**Dermatological base:** The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Glycerol with paraffin and cetyl alcohol lotion
- Hydrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Oily cream
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- Zinc cream BP
- Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

**Dermatological galenical:** Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution BP - up to 10%
- Hydrocortisone powder - up to 5%
- Salicylic acid powder
- Sulphur precipitated powder

**Standard formulae:** Standard formulae are a list of formulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

## Explanatory notes

### Oral liquid mixtures

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

|                  |         |
|------------------|---------|
| Solid dose form  | qs      |
| Preservative     | qs      |
| Suspending agent | qs      |
| Water            | to 100% |

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent. Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

The following practices will not be subsidised:

- Mixing one or more proprietary oral liquids (eg an antihistamine with pholcodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

### Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

### Dermatological Preparations

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 171) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).


One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on page 173 may assist you in deciding whether or not a dermatological ECP is subsidised.

# Dermatological ECPs

Is it subsidised?



**Standard Formulae**
**ACETYL CYSTEINE EYE DROPS**

|   |    |
|---|----|
| Acetylcysteine inj 200 mg per ml, 10 ml | qs |
| Suitable eye drop base                  | qs |

**ASPIRIN AND CHLOROFORM APPLICATION**

|                             |           |
|-----------------------------|-----------|
| Aspirin Soluble tabs 300 mg | 12 tabs   |
| Chloroform                  | to 100 ml |

**CODEINE LINCTUS PAEDIATRIC (3 mg per 5 ml)**

|                   |           |
|-------------------|-----------|
| Codeine phosphate | 60 mg     |
| Glycerol          | 40 ml     |
| Preservative      | qs        |
| Water             | to 100 ml |

**CODEINE LINCTUS DIABETIC (15 mg per 5 ml)**

|                   |           |
|-------------------|-----------|
| Codeine phosphate | 300 mg    |
| Glycerol          | 40 ml     |
| Preservative      | qs        |
| Water             | to 100 ml |

**FOLINIC MOUTHWASH**

|                            |           |
|----------------------------|-----------|
| Calcium folinate 15 mg tab | 1 tab     |
| Preservative               | qs        |
| Water                      | to 500 ml |

(Preservative should be used if quantity supplied is for more than 5 days. Maximum 500 ml per prescription.)

**MAGNESIUM HYDROXIDE MIXTURE**

|                           |        |
|---------------------------|--------|
| Magnesium hydroxide paste | 275 g  |
| Methyl hydroxybenzoate    | 1.5 g  |
| Water                     | 770 ml |

**METHADONE MIXTURE**

|                  |           |
|------------------|-----------|
| Methadone powder | qs        |
| Glycerol         | qs        |
| Water            | to 100 ml |

**METHYL HYDROXYBENZOATE 10% SOLUTION**

|                        |           |
|------------------------|-----------|
| Methyl hydroxybenzoate | 10 g      |
| Propylene glycol       | to 100 ml |

(Use 1 ml of the 10% solution per 100 ml of oral liquid mixture)

**OMEPRAZOLE SUSPENSION**

|                              |           |
|------------------------------|-----------|
| Omeprazole capules           | qs        |
| Sodium bicarbonate powder BP | 8.4 g     |
| Water                        | to 100 ml |

**PHENOBARBITONE ORAL LIQUID**

|                       |           |
|-----------------------|-----------|
| Phenobarbitone Sodium | 1 g       |
| Glycerol BP           | 70 ml     |
| Water                 | to 100 ml |

**PHENOBARBITONE SODIUM PAEDIATRIC ORAL LIQUID (10 mg per ml)**

|                       |          |
|-----------------------|----------|
| Phenobarbitone Sodium | 400 mg   |
| Glycerol BP           | 4 ml     |
| Water                 | to 40 ml |

**PILOCARPINE ORAL LIQUID**

|                          |           |
|--------------------------|-----------|
| Pilocarpine 4% eye drops | qs        |
| Preservative             | qs        |
| Water                    | to 500 ml |

(Preservative should be used if quantity supplied is for more than 5 days.)

**SALIVA SUBSTITUTE FORMULA**

|                 |           |
|-----------------|-----------|
| Methylcellulose | 5 g       |
| Preservative    | qs        |
| Water           | to 500 ml |

(Preservative should be used if quantity supplied is for more than 5 days. Maximum 500 ml per prescription.)

**VOSOL EAR DROPS**
**WITH HYDROCORTISONE POWDER 1%**

|                       |          |
|-----------------------|----------|
| Hydrocortisone powder | 1%       |
| Vosol Ear Drops       | to 35 ml |

# EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Per      | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|----------|--------------------------|-------------------------------------|
| <b>Extemporaneously Compounded Preparations and Galenicals</b>                                 |   |          |                          |                                     |
| <b>ACETYLCYSTEINE – Retail pharmacy-Specialist</b>   |   |          |                          |                                     |
| Inj 200 mg per ml, 10 ml .....   | 137.06<br>(219.75)                      | 10       |                          | Martindale<br>Acetylcysteine        |
|  | (255.35)                                |          |                          | Hospira                             |
| Inj 200 mg per ml, 30 ml .....   | 219.00                                  | 4        | ✓                        | <b>Acetadote</b>                    |
| <b>BENZOIN</b>   |   |          |                          |                                     |
| Tincture compound BP .....   | 2.44<br>(5.10)                          | 50 ml    |                          | PSM                                 |
|  | 24.42<br>(38.00)                        | 500 ml   |                          | PSM                                 |
| <b>CHLOROFORM – Only in combination</b>  |   |          |                          |                                     |
| Only in aspirin and chloroform application.  |   |          |                          |                                     |
| Chloroform BP .....  | 25.50                                   | 500 ml   | ✓                        | <b>PSM</b>                          |
| <b>CODEINE PHOSPHATE</b>   |   |          |                          |                                     |
| Powder – Only in combination .....   | 12.62<br>(25.46)                        | 5 g      |                          | Douglas                             |
|  | 63.09<br>(90.09)                        | 25 g     |                          | Douglas                             |
| a) Only in extemporaneously compounded codeine linctus diabetic or codeine linctus paediatric. |   |          |                          |                                     |
| b) ‡ Safety cap for extemporaneously compounded oral liquid preparations.                      |   |          |                          |                                     |
| <b>COLLODION FLEXIBLE</b>  |   |          |                          |                                     |
| Collodion flexible .....   | 19.30                                   | 100 ml   | ✓                        | <b>PSM</b>                          |
| <b>COMPOUND HYDROXYBENZOATE – Only in combination</b>  |   |          |                          |                                     |
| Only in extemporaneously compounded oral mixtures.   |   |          |                          |                                     |
| Soln .....   | 34.18                                   | 100 ml   | ✓                        | <b>David Craig</b>                  |
| <b>GLYCEROL</b>  |   |          |                          |                                     |
| * Liquid – Only in combination .....   | 17.86<br>(19.80)<br>(24.75)             | 2,000 ml | ✓                        | <b>healthE</b><br>ABM<br>MidWest    |
|  | 0.89<br>(3.00)                          | 100 ml   |                          | PSM                                 |
|  | 1.79<br>(4.90)                          | 200 ml   |                          | PSM                                 |
|  | 4.47<br>(10.00)                         | 500 ml   |                          | PSM                                 |
|  | 17.86                                   | 2,000 ml | ✓                        | <b>PSM</b>                          |
| Only in extemporaneously compounded oral liquid preparations.                                  |   |          |                          |                                     |
| <i>(ABM Liquid to be delisted 1 December 2010)</i>   |   |          |                          |                                     |
| <i>(MidWest Liquid to be delisted 1 December 2010)</i>   |   |          |                          |                                     |
| <i>(PSM Liquid to be delisted 1 December 2010)</i>   |   |          |                          |                                     |
| <b>MAGNESIUM HYDROXIDE</b>   |   |          |                          |                                     |
| Paste .....  | 22.61                                   | 500 g    | ✓                        | <b>PSM</b>                          |

## EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|--|---|----------------------------|-------------------------------------|
| <b>METHADONE HYDROCHLORIDE</b>   |   |                            |                                     |
| a) Only on a controlled drug form  |   |                            |                                     |
| b) No patient co-payment payable   |   |                            |                                     |
| c) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets). |   |                            |                                     |
| Powder .....   | 7.84                                    | 1 g                        | ✓ AFT                               |
| ‡ Safety cap for extemporaneously compounded oral liquid preparations.   |   |                            |                                     |
| <b>METHYL HYDROXYBENZOATE</b>  |   |                            |                                     |
| Powder .....   | 10.00<br>(18.45)                        | 25 g                       | ✓ ABM<br>PSM                        |
| <b>METHYLCELLULOSE</b>   |   |                            |                                     |
| Powder .....   | 14.00<br>(17.72)                        | 100 g                      | ✓ ABM<br>MidWest                    |
| <b>PHENOBARBITONE SODIUM</b>   |   |                            |                                     |
| Powder – Only in combination .....   | 52.50<br>325.00                         | 10 g<br>100 g              | ✓ MidWest<br>✓ MidWest              |
| a) Only in children up to 12 years   |   |                            |                                     |
| b) ‡ Safety cap for extemporaneously compounded oral liquid preparations.  |   |                            |                                     |
| <b>PROPYLENE GLYCOL</b>  |   |                            |                                     |
| Only in extemporaneously compounded methyl hydroxybenzoate 10% solution.   |   |                            |                                     |
| Liq .....  | 12.00<br>17.70                          | 500 ml                     | ✓ ABM<br>✓ PSM                      |
| <b>SODIUM BICARBONATE</b>  |   |                            |                                     |
| Powder BP – Only in combination .....  | 9.80<br>(11.99)<br>(29.50)              | 500 g                      | ✓ ABM<br>Biomed<br>David Craig      |
| Only in extemporaneously compounded omeprazole suspension.   |   |                            |                                     |
| <b>SYRUP (PHARMACEUTICAL GRADE) – Only in combination</b>  |   |                            |                                     |
| Only in extemporaneously compounded oral liquid preparations.  |   |                            |                                     |
| Liq .....  | 21.75                                   | 2,000 ml                   | ✓ Midwest                           |
| <b>WATER</b>   |   |                            |                                     |
| Tap – Only in combination .....  | 0.00                                    | 1 ml                       | ✓ Tap water                         |



## EXPLANATORY NOTES

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

### Eligibility for Special Authority

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

### Who can apply for Special Authority?

*Initial Applications:* Only Specialists

*Reapplications:* Specialist or general practitioner on recommendation of specialist. Reapplications by general practitioners on specialist recommendation must include the name of the specialist and the date the specialist was contacted.

All applications must be made on an official form available from the PHARMAC website [www.pharmac.govt.nz](http://www.pharmac.govt.nz). All applications must include specific details as requested on the form relating to the application. A supporting letter may be included if desired. Applications must be forwarded to:

Ministry of Health Sector Services  
Private Bag 3015  
WHANGANUI 4540  
Freefax 0800 100 131

### Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

### Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

### Definitions

|                          |  |
|--------------------------|--|
| <i>Failure to thrive</i> | An inability to gain or maintain weight resulting in physiological impairment.   |
| <i>Growth deficiency</i> | Where the weight of the child is less than the fifth or possibly third percentile for their age, with evidence of malnutrition |

### Dietitian Prescribing

Prescriptions from Dietitians will be only valid for subsidy where they are for special foods, as listed in this section, or where they are for the following products:

ALPHA TOCOPHERYL ACETATE  
Water solubilised soln 156 iu/ml,  
with calibrated dropper

ASCORBIC ACID  
Tab 100 mg

CALCIUM CARBONATE  
Tab 1.25 g (500 mg elemental)  
Tab 1.5 g (600 mg elemental)  
Tab 1.75 g (1 g elemental)

COMPOUND ELECTROLYTES  
Powder for soln for oral use 5 g

DEXTROSE WITH ELECTROLYTES  
Soln with electrolytes

FERROUS FUMARATE  
Tab 200 mg (65 mg elemental)

FERROUS FUMARATE WITH FOLIC ACID  
Tab 310 mg (100 mg elemental)  
with folic acid 350 µg

FERROUS SULPHATE  
Tab long-acting 325 mg (105 mg elemental)  
Oral liq 30 mg per 1 ml (6 mg elemental per 1 ml)

FERROUS SULPHATE WITH FOLIC ACID  
Tab long-acting 325 mg (105 mg elemental)  
with folic acid 350 µg

MULTIVITAMINS  
Tab  
Powder  
Oral liq

POTASSIUM BICARBONATE  
Tab eff 315 mg  
with sodium acid phosphate 1.937 g  
and sodium bicarbonate 350 mg

POTASSIUM CHLORIDE  
Tab eff 584 mg (14 m eq)  
with chloride 385 mg (8 m eq)  
Tab long-acting 600 mg

PYRIDOXINE HYDROCHLORIDE  
Tab 25 mg  
Tab 50 mg

SODIUM FLUORIDE  
Tab 1.1 mg (0.5 mg elemental)

THIAMINE HYDROCHLORIDE  
Tab 50 mg

VITAMIN A WITH VITAMINS D AND C  
Soln 1000 u with Vitamin D 400 u  
and ascorbic acid 30 mg per 10 drops

VITAMIN B COMPLEX  
Tab, strong, BPC

VITAMINS  
Tab (BPC cap strength)  
Cap (fat soluble vitamins A, D, E, K)

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

## Nutrient Modules

### Carbohydrate

#### ►SA0912 Special Authority for Subsidy

**Initial application — (Cystic fibrosis or renal failure)** only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Either:

- 1 cystic fibrosis; or
- 2 chronic renal failure or continuous ambulatory peritoneal dialysis (CAPD) patient.

**Initial application — (Indications other than cystic fibrosis or renal failure)** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children; or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 failure to thrive; or
- 4 growth deficiency; or
- 5 bronchopulmonary dysplasia; or
- 6 premature and post premature infant; or
- 7 inborn errors of metabolism.

**Renewal — (Cystic fibrosis or renal failure)** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

**Renewal — (Indications other than cystic fibrosis or renal failure)** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

CARBOHYDRATE SUPPLEMENT – Special Authority see SA0912 above – Hospital pharmacy [HP3]

|              |         |          |                       |
|--------------|---------|----------|-----------------------|
| Powder ..... | 36.50   | 5,000 g  | ✓ Morrex Maltodextrin |
|              | 182.50  | 25,000 g | ✓ Morrex Maltodextrin |
|              | 1.30    | 400 g OP |                       |
|              | (5.29)  |          | Polycal               |
|              | (12.00) | 368 g OP | Moducal               |

### Carbohydrate And Fat

#### ►SA0581 Special Authority for Subsidy

**Initial application — (Cystic fibrosis)** only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 infant aged four years or under; and
- 2 cystic fibrosis.

**Initial application — (Indications other than cystic fibrosis)** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 infant aged four years or under; and
- 2 Any of the following:

continued...

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

continued...

- 2.1 cancer in children; or
- 2.2 failure to thrive; or
- 2.3 growth deficiency; or
- 2.4 bronchopulmonary dysplasia; or
- 2.5 premature and post premature infants.

**Renewal — (Cystic fibrosis)** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist.

Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

**Renewal — (Indications other than cystic fibrosis)** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

**CARBOHYDRATE AND FAT SUPPLEMENT** – Special Authority see SA0581 on the preceding page – Hospital pharmacy [HP3]

|                        |       |          |                               |
|------------------------|-------|----------|-------------------------------|
| Powder (neutral) ..... | 60.31 | 400 g OP | ✓ Duocal Super Soluble Powder |
|------------------------|-------|----------|-------------------------------|

## Fat

### SA0899 Special Authority for Subsidy

**Initial application — (Inborn errors of metabolism)** only from a relevant specialist. Approvals valid for 3 years where the patient has inborn errors of metabolism.

**Initial application — (Indications other than inborn errors of metabolism)** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 failure to thrive where other high calorie products are inappropriate or inadequate; or
- 2 growth deficiency; or
- 3 bronchopulmonary dysplasia; or
- 4 fat malabsorption; or
- 5 lymphangiectasia; or
- 6 short bowel syndrome; or
- 7 infants with necrotising enterocolitis; or
- 8 biliary atresia.

**Renewal — (Inborn errors of metabolism)** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

**Renewal — (Indications other than inborn errors of metabolism)** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

**FAT SUPPLEMENT** – Special Authority see SA0899 above – Hospital pharmacy [HP3]

|                             |       |           |                      |
|-----------------------------|-------|-----------|----------------------|
| Emulsion (neutral) .....    | 12.30 | 200 ml OP | ✓ Calogen            |
|                             | 30.75 | 500 ml OP | ✓ Calogen            |
| Emulsion (strawberry) ..... | 12.30 | 200 ml OP | ✓ Calogen            |
| Oil .....                   | 28.73 | 250 ml OP | ✓ Liquigen           |
|                             | 30.00 | 500 ml OP | ✓ MCT oil (Nutricia) |

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per      | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|----------|--------------------------|-------------------------------------|
| <b>Protein</b>  |   |          |                          |                                     |
| <b>►SA0582   Special Authority for Subsidy</b>  |   |          |                          |                                     |
| <b>Initial application</b> only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:<br>Either:  |   |          |                          |                                     |
| 1 protein losing enteropathy; or  |   |          |                          |                                     |
| 2 high protein needs (eg burns).  |   |          |                          |                                     |
| <b>Renewal</b> only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:<br>Both: |   |          |                          |                                     |
| 1 The treatment remains appropriate and the patient is benefiting from treatment; and   |   |          |                          |                                     |
| 2 General Practitioners must include the name of the specialist and date contacted.   |   |          |                          |                                     |
| PROTEIN SUPPLEMENT – Special Authority see SA0582 above – Hospital pharmacy [HP3]   |   |          |                          |                                     |
| Powder .....  | 7.90                                    | 225 g OP | ✓                        | Protifar                            |
|   | 8.95                                    | 227 g OP | ✓                        | Resource<br>Beneprotein             |
| Powder (vanilla) .....  | 12.90                                   | 275 g OP | ✓                        | Promod                              |

## Oral Supplements

These products are to be used only as supplements to a person's dietary needs. Subsidy for up to 500 ml a day. Amounts prescribed in excess of this amount must be paid for by the patient.

### ►SA0583 | Special Authority for Subsidy

**Initial application — (Cystic fibrosis)** only from a relevant specialist. Approvals valid for 3 years where the patient has cystic fibrosis.

**Initial application — (Indications other than cystic fibrosis)** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children; or
- 2 inflammatory bowel disease; or
- 3 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 4 malnutrition requiring nutritional support.

**Renewal — (Cystic fibrosis)** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

**Renewal — (Indications other than cystic fibrosis)** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

ORAL SUPPLEMENT 1KCAL/ML – Special Authority see SA0583 above – Hospital pharmacy [HP3]

|                           |       |          |   |                              |
|---------------------------|-------|----------|---|------------------------------|
| Powder (chocolate) .....  | 4.22  | 400 g OP | ✓ | Ensure                       |
|                           | 9.50  | 900 g OP | ✓ | Ensure                       |
|                           | 10.22 |          | ✓ | Sustagen Hospital<br>Formula |
| Powder (strawberry) ..... | 4.22  | 400 g OP | ✓ | Ensure                       |
| Powder (vanilla) .....    | 4.22  | 400 g OP | ✓ | Ensure                       |
|                           | 9.50  | 900 g OP | ✓ | Ensure                       |
|                           | 10.22 |          | ✓ | Sustagen Hospital<br>Formula |

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

## Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

### Respiratory Products

#### ►SA0588 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 CORD patients who have hypercapnia; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

CORD ORAL FEED 1.5KCAL/ML – Special Authority see SA0588 above – Hospital pharmacy [HP3]

|              |      |           |             |
|--------------|------|-----------|-------------|
| Liquid ..... | 1.66 | 237 ml OP | ✓ Pulmocare |
|--------------|------|-----------|-------------|

### Diabetic Products

#### ►SA0594 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Type I and II diabetics who require nutritional supplementation; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML – Special Authority see SA0594 above – Hospital pharmacy [HP3]

|              |      |             |                       |
|--------------|------|-------------|-----------------------|
| Liquid ..... | 7.50 | 1,000 ml OP | ✓ Diasion RTH         |
|              |      |             | ✓ Glucerna Select RTH |

ORAL FEED 1KCAL/ML – Special Authority see SA0594 above – Hospital pharmacy [HP3]

|                           |        |           |                     |
|---------------------------|--------|-----------|---------------------|
| Liquid (strawberry) ..... | 1.50   | 200 ml OP | ✓ Diasip            |
|                           | 1.78   | 237 ml OP | ✓ Resource Diabetic |
| Liquid (vanilla) .....    | 1.50   | 200 ml OP | ✓ Diasip            |
|                           | 1.88   | 250 ml OP | ✓ Glucerna Select   |
|                           | 1.78   | 237 ml OP |                     |
|                           | (2.10) |           | Resource Diabetic   |

(Resource Diabetic Liquid (strawberry) to be delisted 1 February 2011)

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

## Fat Modified Products

### ▶▶SA0615 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The product is to be used as a complete diet; and
- 2 Either:
  - 2.1 Patient has metabolic disorders of fat metabolism; or
  - 2.2 Patient has chylothorax.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

FAT MODIFIED FEED – Special Authority see SA0615 above – Hospital pharmacy [HP3]

Powder ..... 60.48      400 g OP      ✓ Monogen

## High Protein Products

### ▶▶SA0589 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Anorexia and weight loss; and
- 2 Either:
  - 2.1 decompensating liver disease without encephalopathy; or
  - 2.2 protein losing gastro-enteropathy; and
- 3 Either:
  - 3.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 3.2 The product is to be used as a complete diet.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

ORAL FEED 1KCAL/ML – Special Authority see SA0589 above – Hospital pharmacy [HP3]

Liquid ..... 1.90      200 ml OP      ✓ Fortimel Regular

## Paediatric Products For Children Awaiting Liver Transplant

### ▶▶SA0607 Special Authority for Subsidy

**Initial application** only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 Child (up to 18 years) who is awaiting liver transplant; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

**Renewal** only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria:

Both:

continued...

## Paediatric Products For Children With Chronic Renal Failure

|        |       |          |            |
|--------|-------|----------|------------|
| Liquid | 54.00 | 400 g OP | ✓ Kinderge |
|--------|-------|----------|------------|

|              |      |           |  |
|--------------|------|-----------|--|
| Liquid ..... | 2.68 | 500 ml OP | <input checked="" type="checkbox"/> Nutrini RTH<br><input checked="" type="checkbox"/> Pediasure RTH |
|--------------|------|-----------|--|



|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer        |
|---|---|----------------------------|--|
| PAEDIATRIC ORAL FEED 1.5KCAL/ML – Special Authority see SA0896 on the preceding page – Hospital pharmacy [HP3]            |   |                            |  |
| Liquid (strawberry) .....   | 1.60                                    | 200 ml OP                  | ✓ <b>NutriniDrink</b>                      |
| Liquid (vanilla) .....  | 1.60                                    | 200 ml OP                  | ✓ <b>NutriniDrink</b>                      |
| PAEDIATRIC ORAL FEED 1KCAL/ML – Special Authority see SA0896 on the preceding page – Hospital pharmacy [HP3]              |   |                            |  |
| Liquid (chocolate) .....  | 1.07                                    | 200 ml OP                  | ✓ <b>Pediasure</b>                         |
| Liquid (strawberry) .....   | 1.07                                    | 200 ml OP                  | ✓ <b>Pediasure</b>                         |
| Liquid (vanilla) .....  | 1.07                                    | 200 ml OP                  | ✓ <b>Pediasure</b>                         |
|   | 1.27                                    | 237 ml OP                  | ✓ <b>Pediasure</b>                         |
| PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see SA0896 on the preceding page – Hospital pharmacy [HP3] |   |                            |  |
| Liquid (chocolate) .....  | 1.60                                    | 200 ml OP                  | ✓ <b>NutriniDrink</b><br><b>Multifibre</b> |
| Liquid (strawberry) .....   | 1.60                                    | 200 ml OP                  | ✓ <b>NutriniDrink</b><br><b>Multifibre</b> |
| Liquid (vanilla) .....  | 1.60                                    | 200 ml OP                  | ✓ <b>NutriniDrink</b><br><b>Multifibre</b> |

## Renal Products

### ►SA0587 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 acute or chronic renal failure; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

ENTERAL FEED 2KCAL/ML – Special Authority see SA0587 above – Hospital pharmacy [HP3]

|              |      |           |  |
|--------------|------|-----------|--|
| Liquid ..... | 6.08 | 500 ml OP | ✓ <b>Nutrison</b><br><b>Concentrated</b> |
|--------------|------|-----------|--|

RENAL ORAL FEED 2KCAL/ML – Special Authority see SA0587 above – Hospital pharmacy [HP3]

|                        |                |           |   |
|------------------------|----------------|-----------|---|
| Liquid .....           | 2.43           | 200 ml OP | ✓ <b>Nepro (strawberry)</b><br>✓ <b>Nepro (vanilla)</b> |
|                        | 2.88<br>(3.31) | 237 ml OP | NovaSource Renal  |
| Liquid (apricot) ..... | 2.88           | 125 ml OP | ✓ <b>Renilon 7.5</b>                                    |
| Liquid (caramel) ..... | 2.88           | 125 ml OP | ✓ <b>Renilon 7.5</b>                                    |

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

## Specialised And Elemental Products

### ►SA0592 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- Any of the following:
  - malabsorption; or
  - short bowel syndrome; or
  - enterocutaneous fistulas; or
  - pancreatitis; and
- Either:
  - The product is to be used as a supplement (maximum 500 ml per day); or
  - The product is to be used as a complete diet.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- The treatment remains appropriate and the patient is benefiting from treatment; and
- Either:
  - The product is to be used as a supplement (maximum 500 ml per day); or
  - The product is to be used as a complete diet; and
- General Practitioners must include the name of the specialist and date contacted.

ENTERAL/ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority see SA0592 above – Hospital pharmacy [HP3]

|              |      |         |            |
|--------------|------|---------|------------|
| Powder ..... | 4.40 | 79 g OP | ✓ Vital HN |
|              | 7.50 | 76 g OP | ✓ Alitraq  |

ORAL ELEMENTAL FEED 0.8KCAL/ML – Special Authority see SA0592 above – Hospital pharmacy [HP3]

|                                   |      |           |                       |
|-----------------------------------|------|-----------|-----------------------|
| Liquid (grapefruit) .....         | 9.50 | 250 ml OP | ✓ Elemental 028 Extra |
| Liquid (pineapple & orange) ..... | 9.50 | 250 ml OP | ✓ Elemental 028 Extra |
| Liquid (summer fruit) .....       | 9.50 | 250 ml OP | ✓ Elemental 028 Extra |

ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority see SA0592 above – Hospital pharmacy [HP3]

|                            |      |           |               |
|----------------------------|------|-----------|---------------|
| Powder (unflavoured) ..... | 4.50 | 80.4 g OP | ✓ Vivonex TEN |
|----------------------------|------|-----------|---------------|

SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML – Special Authority see SA0592 above – Hospital pharmacy [HP3]

|              |       |             |             |
|--------------|-------|-------------|-------------|
| Liquid ..... | 12.04 | 1,000 ml OP | ✓ Peptisorb |
|--------------|-------|-------------|-------------|

## Undialysed End Stage Renal Failure

### ►SA0586 Special Authority for Subsidy

**Initial application** only from a gastroenterologist or renal physician. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- undialysed end stage renal patients; and
- Either:
  - The product is to be used as a supplement (maximum 500 ml per day); or
  - The product is to be used as a complete diet.

Note: Where possible, the requirements for oral supplementation should be established in conjunction with assessment by a dietician.

continued...

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   |                            | ✓                                   |

continued...

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

RENAL ORAL FEED 1KCAL/ML – Special Authority see SA0586 on the preceding page – Hospital pharmacy [HP3]

Liquid ..... 3.80      237 ml OP      ✓ **Suplena**

## Adult Products Standard

### ►SA0702 Special Authority for Subsidy

**Initial application — (Oral feed for cystic fibrosis patient)** only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 Cystic fibrosis; and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet.

**Initial application — (Oral feed for indications other than cystic fibrosis)** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 any condition causing malabsorption; or
  - 1.2 failure to thrive; or
  - 1.3 increased nutritional requirements; and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet.

**Renewal — (Oral feed cystic fibrosis patient)** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

**Initial application — (Enteral feed)** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 enteral feeding; or
  - 1.2 nasogastric; or
  - 1.3 nasoduodenal; or
  - 1.4 nasojejunal; or
  - 1.5 gastrostomy/jejunostomy; and
- 2 Either:

continued...

| Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|-----|--------------------------|-------------------------------------|
|---|-----|--------------------------|-------------------------------------|

continued...

- 2.1 The product is to be used as a supplement; or
- 2.2 The product is to be used as a complete diet.

**Renewal — (Enteral feed or Oral feed for indications other than cystic fibrosis)** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

Notes: This group of products can be used either as a supplement or as a complete diet.

If a product is being used as a supplement, the limit is 500 ml per day.

Cystic fibrosis patients are exempt the 500 ml per day volume restriction when using Ensure Plus, Fortisip or Resource Plus as a supplement.

**ENTERAL FEED 1KCAL/ML** – Special Authority see SA0702 on the preceding page – Hospital pharmacy [HP3]

|              |      |             |  |
|--------------|------|-------------|--|
| Liquid ..... | 1.24 | 250 ml OP   | ✓ Isosource HN<br>✓ Isosource Standard<br>✓ Osmolite   |
|              | 2.65 | 500 ml OP   | ✓ Nutrison Standard<br>RTH   |
|              | 5.29 | 1,000 ml OP | ✓ Nutrison Standard<br>RTH<br>✓ Isosource HN RTH<br>✓ Isosource Standard<br>RTH<br>✓ Isosource Standard<br>RTH |
|              | 2.65 | 500 ml OP   | ✓ Osmolite RTH   |
|              | 5.29 | 1,000 ml OP | ✓ Osmolite RTH   |

*(Isosource HN Liquid to be delisted 1 December 2010)*

*(Isosource HN RTH Liquid to be delisted 1 December 2010)*

**ENTERAL FEED WITH FIBRE 1 KCAL/ML** – Special Authority see SA0702 on the preceding page – Hospital pharmacy [HP3]

|              |      |             |  |
|--------------|------|-------------|--|
| Liquid ..... | 1.24 | 250 ml OP   | ✓ Fibersource HN                               |
|              | 1.32 | 237 ml OP   | ✓ Jevity                                       |
|              | 2.65 | 500 ml OP   | ✓ Nutrison Multi Fibre                         |
|              | 5.29 | 1,000 ml OP | ✓ Nutrison Multi Fibre<br>✓ Fibersource HN RTH |
|              | 2.65 | 500 ml OP   | ✓ Jevity RTH                                   |
|              | 5.29 | 1,000 ml OP | ✓ Jevity RTH                                   |

*(Fibersource HN Liquid to be delisted 1 December 2010)*

*(Fibersource HN RTH Liquid to be delisted 1 December 2010)*

**ENTERAL FEED WITH FIBRE 1.5KCAL/ML** – Special Authority see SA0702 on the preceding page – Hospital pharmacy [HP3]

|              |      |             |   |
|--------------|------|-------------|---|
| Liquid ..... | 1.75 | 250 ml OP   | ✓ Ensure Plus HN<br>✓ Isosource 1.5                   |
|              | 7.00 | 1,000 ml OP | ✓ Ensure Plus RTH<br>✓ Nutrison Energy<br>Multi Fibre |

*(Isosource 1.5 Liquid to be delisted 1 January 2011)*

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per  | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer                    |
|---|---|--|--------------------------|--|
| ORAL FEED 1.5KCAL/ML – Special Authority see SA0702 on page 187 – Hospital pharmacy [HP3] |   |  |                          |  |
| Liquid (banana) .....   | 1.12<br>(1.45)                          | 200 ml OP  | ✓                        | <b>Fortisip</b><br>Ensure Plus                         |
| Liquid (chocolate) .....  | 1.12<br>1.33<br>1.12<br>(1.45)<br>1.33  | 200 ml OP<br>237 ml OP<br>200 ml OP<br>237 ml OP | ✓<br>✓                   | <b>Fortisip</b><br><b>Resource Plus</b><br>Ensure Plus |
| Liquid (coffee latte) .....   | 1.33                                    | 237 ml OP  | ✓                        | <b>Ensure Plus</b>                                     |
| Liquid (fruit of the forest) .....  | 1.12<br>(1.45)                          | 200 ml OP  | ✓                        | <b>Ensure Plus</b>                                     |
| Liquid (strawberry) .....   | 1.12<br>1.33<br>1.12<br>(1.45)<br>1.33  | 200 ml OP<br>237 ml OP<br>200 ml OP<br>237 ml OP | ✓<br>✓                   | <b>Fortisip</b><br><b>Resource Plus</b><br>Ensure Plus |
| Liquid (toffee) .....   | 1.12                                    | 200 ml OP  | ✓                        | <b>Fortisip</b>  |
| Liquid (tropical fruit) .....   | 1.12                                    | 200 ml OP  | ✓                        | <b>Fortisip</b>  |
| Liquid (vanilla) .....  | 1.12<br>1.33<br>1.12<br>(1.45)<br>1.33  | 200 ml OP<br>237 ml OP<br>200 ml OP<br>237 ml OP | ✓<br>✓                   | <b>Fortisip</b><br><b>Resource Plus</b><br>Ensure Plus |

(Resource Plus Liquid (chocolate) to be delisted 1 January 2011)

(Resource Plus Liquid (strawberry) to be delisted 1 February 2011)

(Resource Plus Liquid (vanilla) to be delisted 1 December 2010)

ORAL FEED WITH FIBRE 1.5 KCAL/ML – Special Authority see SA0702 on page 187 – Hospital pharmacy [HP3]

|                           |      |           |   |                             |
|---------------------------|------|-----------|---|-----------------------------|
| Liquid (chocolate) .....  | 1.12 | 200 ml OP | ✓ | <b>Fortisip Multi Fibre</b> |
| Liquid (strawberry) ..... | 1.12 | 200 ml OP | ✓ | <b>Fortisip Multi Fibre</b> |
| Liquid (vanilla) .....    | 1.12 | 200 ml OP | ✓ | <b>Fortisip Multi Fibre</b> |

## Adult Products High Calorie

### ►SA0585 Special Authority for Subsidy

**Initial application — (Cystic fibrosis)** only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements; and
- 4 Either:
  - 4.1 The product is to be used as a supplement; or
  - 4.2 The product is to be used as a complete diet.

**Initial application — (Indications other than cystic fibrosis)** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - 1.1 any condition causing malabsorption; or
  - 1.2 failure to thrive; or
  - 1.3 increased nutritional requirements; and

continued...

## SPECIAL FOODS

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|--|---|----------------------------|-------------------------------------|
|--|---|----------------------------|-------------------------------------|

continued...

- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements; and
- 4 Either:
  - 4.1 The product is to be used as a supplement; or
  - 4.2 The product is to be used as a complete diet.

**Renewal — (Cystic fibrosis)** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted; and
- 3 Either:
  - 3.1 The product is to be used as a supplement; or
  - 3.2 The product is to be used as a complete diet.

**Renewal — (Indications other than cystic fibrosis)** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted; and
- 3 Either:
  - 3.1 The product is to be used as a supplement; or
  - 3.2 The product is to be used as a complete diet.

Notes: This product can be used either as a supplement or as a complete diet.

If it is being used as a supplement, the limit is 500 ml per day.

ORAL FEED 2KCAL/ML – Special Authority see SA0585 on the preceding page – Hospital pharmacy [HP3]

Liquid (vanilla) .....2.25      237 ml OP      ✓ **Two Cal HN**

### Food Thickeners

#### ►SA0595 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

FOOD THICKENER – Special Authority see SA0595 above – Hospital pharmacy [HP3]

|        |           |          |                                  |
|--------|-----------|----------|----------------------------------|
| Powder | .....3.80 | 250 g OP | ✓ <b>Resource Thicken Up</b>     |
|        | 7.25      | 380 g OP | ✓ <b>Karicare Food Thickener</b> |

(Resource Thicken Up Powder to be delisted 1 December 2010)

### Gluten Free Foods

#### ►SA0722 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer    |
|---|---|----------------------------|--|
| GLUTEN FREE BAKING MIX – Special Authority see SA0722 on the preceding page – Hospital pharmacy [HP3] |   |                            |  |
| Powder .....  | 2.81                                    | 1,000 g OP                 |  |
|   | (5.15)                                  |                            | Healtheries Simple<br>Baking Mix       |
| GLUTEN FREE BREAD MIX – Special Authority see SA0722 on the preceding page – Hospital pharmacy [HP3]  |   |                            |  |
| Powder .....  | 3.93                                    | 1,000 g OP                 |  |
|   | (7.32)                                  |                            | NZB Low Gluten<br>Bread Mix            |
|   | 4.77                                    |                            |  |
|   | (8.71)                                  |                            | Bakels Gluten Free<br>Health Bread Mix |
|   | 3.51                                    |                            |  |
|   | (10.87)                                 |                            | Horleys Bread Mix                      |
| GLUTEN FREE FLOUR – Special Authority see SA0722 on the preceding page – Hospital pharmacy [HP3]      |   |                            |  |
| Powder .....  | 5.62                                    | 2,000 g OP                 |  |
|   | (18.10)                                 |                            | Horleys Flour                          |
| GLUTEN FREE PASTA – Special Authority see SA0722 on the preceding page – Hospital pharmacy [HP3]      |   |                            |  |
| Buckwheat Spirals .....   | 2.00                                    | 250 g OP                   |  |
|   | (3.11)                                  |                            | Orgran                                 |
| Corn and Vegetable Shells .....   | 2.00                                    | 250 g OP                   |  |
|   | (2.92)                                  |                            | Orgran                                 |
| Corn and Vegetable Spirals .....  | 2.00                                    | 250 g OP                   |  |
|   | (2.92)                                  |                            | Orgran                                 |
| Rice and Corn Lasagne Sheets .....  | 1.60                                    | 200 g OP                   |  |
|   | (3.82)                                  |                            | Orgran                                 |
| Rice and Corn Macaroni .....  | 2.00                                    | 250 g OP                   |  |
|   | (2.92)                                  |                            | Orgran                                 |
| Rice and Corn Penne .....   | 2.00                                    | 250 g OP                   |  |
|   | (2.92)                                  |                            | Orgran                                 |
| Rice and Maize Pasta Spirals .....  | 2.00                                    | 250 g OP                   |  |
|   | (2.92)                                  |                            | Orgran                                 |
| Rice and Millet Spirals .....   | 2.00                                    | 250 g OP                   |  |
|   | (3.11)                                  |                            | Orgran                                 |
| Rice and corn spaghetti noodles .....   | 2.00                                    | 375 g OP                   |  |
|   | (2.92)                                  |                            | Orgran                                 |
| Vegetable and Rice Spirals .....  | 2.00                                    | 250 g OP                   |  |
|   | (2.92)                                  |                            | Orgran                                 |
| Italian long style spaghetti .....  | 2.00                                    | 220 g OP                   |  |
|   | (3.11)                                  |                            | Orgran                                 |

## Foods And Supplements For Inborn Errors Of Metabolism - Other

### ►SA0732 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Either:

- 1 dietary management of homocystinuria; or
- 2 dietary management of maple syrup urine disease.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

continued...

| Subsidy<br>(Manufacturer's Price)<br>\$ | Per | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|-----|--------------------------|-------------------------------------|
|---|-----|--------------------------|-------------------------------------|

continued...

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

## Prescribing Guideline

It can cost up to \$70,000 a year to keep an adult on protein supplements. Because protein substitutes are so expensive and because they are only effective in controlling PKU if a restricted diet is followed, adults with PKU will be required to demonstrate they are following the prescribed diet by regular blood testing. The requirement for testing applies to those aged over 16 years. Failure to follow an appropriate diet results in high blood phenylalanine levels.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

## Supplements For Homocystinuria

AMINOACID FORMULA WITHOUT METHIONINE – Special Authority see SA0732 on the preceding page – Hospital pharmacy [HP3]

See prescribing guideline above

|              |        |          |                |
|--------------|--------|----------|----------------|
| Powder ..... | 461.94 | 500 g OP | ✓ XMET Maxamum |
|--------------|--------|----------|----------------|

## Supplements For MSUD

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE – Special Authority see SA0732 on the preceding page – Hospital pharmacy [HP3]

See prescribing guideline above

|              |        |          |                 |
|--------------|--------|----------|-----------------|
| Powder ..... | 300.54 | 500 g OP | ✓ MSUD Maxamaid |
|              | 437.22 |          | ✓ MSUD Maxamum  |

## Foods And Supplements For Inborn Errors Of Metabolism - PKU

### Prescribing Guideline

It can cost up to \$70,000 a year to keep an adult on protein supplements. Because protein substitutes are so expensive and because they are only effective in controlling PKU if a restricted diet is followed, adults with PKU will be required to demonstrate they are following the prescribed diet by regular blood testing. The requirement for testing applies to those aged over 16 years. Failure to follow an appropriate diet results in high blood phenylalanine levels.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

## Foods and Supplements For PKU

### SA0733 Special Authority for Subsidy

**Initial application — (Patient aged over 16)** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 dietary management of PKU; and
- 2 The patient's blood phenylalanine level is < 900 mmol/litre (average of tests over last 12 months).

**Initial application — (Patient aged 16 or under)** only from a relevant specialist. Approvals valid for 3 years where the patient requires dietary management of PKU.

**Renewal — (Patient aged over 16)** only from a relevant specialist. Approvals valid for 1 year where blood phenylalanine level < 900 mmol/litre (average of tests over last 12 months).

**Renewal — (Patient aged 16 or under)** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.



|   | Subsidy<br>(Manufacturer's Price)<br>\$ | Per        | Fully<br>Subsidised<br>✓ | Brand or<br>Generic<br>Manufacturer |
|---|---|------------|--------------------------|-------------------------------------|
| <b>AMINOACID FORMULA WITHOUT PHENYLALANINE</b> – Special Authority see SA0733 on the preceding page – Hospital pharmacy [HP3] |   |            |                          |                                     |
| See prescribing guideline on the preceding page   |   |            |                          |                                     |
| Tabs .....  | 99.00                                   | 75 OP      | ✓                        | Phlexy 10                           |
| Sachets (pineapple/vanilla) 29 g .....  | 330.10                                  | 30 OP      | ✓                        | Minaphlex                           |
| Sachets (tropical) .....  | 324.00                                  | 30         | ✓                        | Phlexy 10                           |
| Infant formula .....  | 174.72                                  | 400 g OP   | ✓                        | PKU Anamix Infant                   |
|   |   |            | ✓                        | XP Analog LCP                       |
| Powder (orange) .....   | 221.00                                  | 500 g OP   | ✓                        | XP Maxamaid                         |
|   | 320.00                                  |            | ✓                        | XP Maxamum                          |
| Powder (unflavoured) .....  | 221.00                                  | 500 g OP   | ✓                        | XP Maxamaid                         |
|   | 320.00                                  |            | ✓                        | XP Maxamum                          |
| Liquid (berry) .....  | 15.65                                   | 62.5 ml OP | ✓                        | Lophlex LQ                          |
|   | 31.20                                   | 125 ml OP  | ✓                        | Lophlex LQ                          |
|   | 15.65                                   | 62.5 ml OP | ✓                        | PKU Lophlex LQ                      |
|   | 31.20                                   | 125 ml OP  | ✓                        | PKU Lophlex LQ                      |
| Liquid (citrus) .....   | 15.65                                   | 62.5 ml OP | ✓                        | Lophlex LQ                          |
|   | 31.20                                   | 125 ml OP  | ✓                        | Lophlex LQ                          |
|   | 15.65                                   | 62.5 ml OP | ✓                        | PKU Lophlex LQ                      |
|   | 31.20                                   | 125 ml OP  | ✓                        | PKU Lophlex LQ                      |
| Liquid (forest berries) .....   | 30.00                                   | 250 ml OP  | ✓                        | Easiphen Liquid                     |
| Liquid (orange) .....   | 15.65                                   | 62.5 ml OP | ✓                        | Lophlex LQ                          |
|   | 31.20                                   | 125 ml OP  | ✓                        | Lophlex LQ                          |
|   | 15.65                                   | 62.5 ml OP | ✓                        | PKU Lophlex LQ                      |
|   | 31.20                                   | 125 ml OP  | ✓                        | PKU Lophlex LQ                      |
| Liquid (tropical) .....   | 30.00                                   | 250 ml OP  | ✓                        | Easiphen                            |
| <b>PHENYL FREE BAKING MIX</b> – Special Authority see SA0733 on the preceding page – Hospital pharmacy [HP3]                  |   |            |                          |                                     |
| See prescribing guideline on the preceding page   |   |            |                          |                                     |
| Powder .....  | 6.70                                    | 500 g OP   |                          | Loprofin Mix                        |
|   | (8.22)                                  |            |                          |                                     |
| <b>PHENYL FREE PASTA</b> – Special Authority see SA0733 on the preceding page – Hospital pharmacy [HP3]                       |   |            |                          |                                     |
| See prescribing guideline on the preceding page   |   |            |                          |                                     |
| Animal shapes .....   | 10.65                                   | 500 g OP   |                          | Loprofin                            |
|   | (11.91)                                 |            |                          |                                     |
| Lasagne .....   | 5.32                                    | 250 g OP   |                          | Loprofin                            |
|   | (5.95)                                  |            |                          |                                     |
| Low protein rice pasta .....  | 10.65                                   | 500 g OP   |                          | Loprofin                            |
|   | (11.91)                                 |            |                          |                                     |
| Macaroni .....  | 5.32                                    | 250 g OP   |                          | Loprofin                            |
|   | (5.95)                                  |            |                          |                                     |
| Penne .....   | 10.65                                   | 500 g OP   |                          | Loprofin                            |
|   | (11.91)                                 |            |                          |                                     |
| Spaghetti .....   | 10.65                                   | 500 g OP   |                          | Loprofin                            |
|   | (11.91)                                 |            |                          |                                     |
| Spirals .....   | 10.65                                   | 500 g OP   |                          | Loprofin                            |
|   | (11.91)                                 |            |                          |                                     |

| Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per | Brand or<br>Generic<br>Manufacturer |
|---|----------------------------|-------------------------------------|
|   | ✓                          |                                     |

## Multivitamin And Mineral Supplements

### ▶▶SA0962 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Dietary management of phenylketonuria (PKU); or
- 2 For use as a supplement to the ketogenic diet in patients diagnosed with epilepsy; or
- 3 Patient has had a previous approval for metabolic mineral mixture.

AMINOACID FORMULA WITH MINERALS WITHOUT PHENYLALANINE – Special Authority see SA0962 above – Retail pharmacy  
See prescribing guideline on page 192

|              |       |          |                             |
|--------------|-------|----------|-----------------------------|
| Powder ..... | 23.38 | 100 g OP | ✓ Metabolic Mineral Mixture |
|--------------|-------|----------|-----------------------------|

## Infant Formulae

### For Premature Infants

### ▶▶SA0602 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 6 months where the patient is infant weighing less than 1.5 kg at birth.

PREMATURE BIRTH FORMULA – Special Authority see SA0602 above – Hospital pharmacy [HP3]

|              |      |           |                   |
|--------------|------|-----------|-------------------|
| Liquid ..... | 0.75 | 100 ml OP | ✓ S26LBW Gold RTF |
|--------------|------|-----------|-------------------|

### For Williams Syndrome

### ▶▶SA0601 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

LOW CALCIUM INFANT FORMULA – Special Authority see SA0601 above – Hospital pharmacy [HP3]

|              |       |          |           |
|--------------|-------|----------|-----------|
| Powder ..... | 44.40 | 400 g OP | ✓ Locasol |
|--------------|-------|----------|-----------|

### For Gastrointestinal And Other Malabsorptive Problems

### ▶▶SA0603 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year where the patient is infant suffering from malabsorption and other gastrointestinal problems.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Neocate should be used only as a last resort when the infant is unable to absorb any of the below formulae. The objective with each of the formulae prescribed is to get the infant off them as soon as possible. This may take six months, it may take three years. Because of this, variation on age limit is not regarded as appropriate. These formulae will be available only from a hospital pharmacy. Vivonex Pediatric may be a suitable and less expensive alternative for many children that would otherwise be eligible for a subsidy for Neocate and should, therefore, be tried first in these cases. The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

|   | Subsidy<br>(Manufacturer's Price)<br>\$   | Fully<br>Subsidised<br>Per ✓ | Brand or<br>Generic<br>Manufacturer                  |
|---|---|------------------------------|--|
| <b>ELEMENTAL FORMULA – Special Authority see SA0603 on the preceding page – Hospital pharmacy [HP3]</b> |   |                              |  |
| Powder .....  | 11.72<br>(15.21)<br>15.52<br>(19.01)<br>63.97<br>(67.08)<br>(67.08)<br>5.62<br>(6.00) | 450 g OP                     | Pepti Junior Gold                                    |
| Powder (tropical) .....   | 52.90<br>(56.00)  | 400 g OP                     | Pepti Junior<br>Neocate<br>Neocate LCP               |
| Powder (unflavoured) .....  | 52.90<br>(56.00)<br>(56.00)<br>(56.00)  | 400 g OP                     | Vivonex Pediatric<br>Neocate Advance                 |
| Powder (vanilla) .....  | 52.90<br>(56.00)  | 400 g OP                     | Elecare<br>Elecare LCP<br>Neocate Advance<br>Elecare |

## For Milk Intolerance

### ►SA0604 Special Authority for Subsidy

**Initial application — (Lactase deficiency or disaccharide intolerance)** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is less than 3 years of age; and
- 2 Either:
  - 2.1 diagnosed as suffering from congenital lactase deficiency; or
  - 2.2 suffering from disaccharide intolerance.

Notes: Secondary lactose intolerance in children is usually short lasting, and can be controlled by dietary measures and by giving sufficient calories to regenerate digestive enzymes.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

**Initial application — (Infant with intolerance to cows' milk)** only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 intolerant to cows' milk; and
- 2 patient is less than 3 years of age.

Note: The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

**Renewal — (Infant with intolerance to cows' milk)** only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 patient is less than 3 years of age.

**GOATS MILK INFANT FORMULA – Special Authority see SA0604 above – Retail pharmacy**

|              |                 |          |                                       |
|--------------|-----------------|----------|---------------------------------------|
| Powder ..... | 9.42<br>(22.75) | 900 g OP | Karicare Goats Milk<br>Infant Formula |
|--------------|-----------------|----------|---------------------------------------|

## SPECIAL FOODS

|  | Subsidy<br>(Manufacturer's Price)<br>\$ | Fully<br>Subsidised<br>Per ✓ | Brand or<br>Generic<br>Manufacturer |
|--|---|------------------------------|-------------------------------------|
| LACTOSE FREE INFANT FORMULA – Special Authority see SA0604 on the preceding page – Retail pharmacy |   |                              |                                     |
| Powder .....   | 5.66                                    | 900 g OP                     |                                     |
|  | (17.95)                                 |                              | Delact                              |
| SOYA INFANT FORMULA – Special Authority see SA0604 on the preceding page – Retail pharmacy         |   |                              |                                     |
| Powder .....   | 6.34                                    | 900 g OP                     |                                     |
|  | (19.57)                                 |                              | S26 Soy                             |

### Infant Formulae - Lactose Intolerance and Cows' Milk Protein Intolerance

#### ►SA0757 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient is less than 2 years of age; and
- 2 Intolerant to cows' milk; and
- 3 Diagnosed as suffering from congenital lactase deficiency.

**Renewal** only from a relevant specialist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

INFANT SOY FORMULA – Special Authority see SA0757 above – Retail pharmacy

|              |         |       |                       |
|--------------|---------|-------|-----------------------|
| Powder ..... | 7.27    | 900 g |                       |
|              | (16.35) |       | Karicare Soy All Ages |

**Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order**

|  |        |
|--|--------|
| <b>ADRENALINE</b>  |        |
| ✓ Inj 1 in 1,000, 1 ml .....   | 5      |
| ✓ Inj 1 in 10,000, 10 ml .....   | 5      |
| <b>AMINOPHYLLINE</b>   |        |
| ✓ Inj 25 mg per ml, 10 ml .....  | 5      |
| <b>AMIODARONE HYDROCHLORIDE</b>  |        |
| ✓ Inj 50 mg per ml, 3 ml .....   | 5      |
| <b>AMOXYCILLIN</b>   |        |
| ✓ Cap 250 mg .....   | 30     |
| ✓ Grans for oral liq 125 mg per 5 ml .....   | 200 ml |
| ✓ Grans for oral liq 250 mg per 5 ml .....   | 200 ml |
| ✓ Inj 1 g .....  | 5      |
| <b>AMOXYCILLIN CLAVULANATE</b>   |        |
| ✓ Tab amoxycillin 500 mg with potassium clavulanate 125 mg .....                           | 30     |
| ✓ Grans for oral liq amoxycillin 125 mg with potassium clavulanate 31.25 mg per 5 ml ..... | 200 ml |
| ✓ Grans for oral liq amoxycillin 250 mg with potassium clavulanate 62.5 mg per 5 ml .....  | 200 ml |
| <b>APPLICATOR</b>  |        |
| ✓ Applicator – See note on page 68 .....   | 1      |
| <b>ASPIRIN</b>   |        |
| ✓ Tab dispersible 300 mg .....   | 30     |
| <b>ATROPINE SULPHATE</b>   |        |
| ✓ Inj 600 µg, 1 ml .....   | 5      |
| <b>AZITHROMYCIN</b>  |        |
| ✓ Tab 500 mg – Subsidy by endorsement – See note on page 83 .....                          | 8      |
| <b>BENDROFLUAZIDE</b>  |        |
| ✓ Tab 2.5 mg – See note on page 54 .....   | 150    |
| <b>BENZATHINE BENZYL PENICILLIN</b>  |        |
| ✓ Inj 1.2 mega u per 2.3 ml .....  | 5      |
| <b>BENZTROPINE MESYLATE</b>  |        |
| ✓ Inj 1 mg per ml, 2 ml .....  | 5      |
| <b>BENZYL PENICILLIN SODIUM (PENICILLIN G)</b>   |        |
| ✓ Inj 1 mega u .....   | 5      |
| <b>CEFTRIAXONE SODIUM</b>  |        |
| ✓ Inj 500 mg – Subsidy by endorsement – See note on page 82 .....                          | 5      |
| ✓ Inj 1 g – Subsidy by endorsement – See note on page 82 .....                             | 5      |
| <b>CHARCOAL</b>  |        |
| ✓ Oral liq 50 g per 250 ml .....   | 250 ml |
| <b>CHLORPROMAZINE HYDROCHLORIDE</b>  |        |
| ✓ Tab 10 mg .....  | 30     |
| ✓ Tab 25 mg .....  | 30     |
| ✓ Tab 100 mg .....   | 30     |
| ✓ Inj 25 mg per ml, 2 ml .....   | 5      |
| <b>CIPROFLOXACIN</b>   |        |
| ✓ Tab 250 mg .....   | 5      |
| ✓ Tab 500 mg .....   | 5      |
| <b>CO-TRIMOXAZOLE</b>  |        |
| ✓ Tab trimethoprim 80 mg and sulphamethoxazole 400 mg .....                                | 30     |
| ✓ Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg per 5 ml .....                  | 200 ml |
| <b>COMPOUND ELECTROLYTES</b>   |        |
| ✓ Powder for soln for oral use 5 g .....   | 10     |
| <b>CONDOMS</b>   |        |
| ✓ 49 mm .....  | 144    |
| ✓ 52 mm .....  | 144    |
| ✓ 52 mm extra strength .....   | 144    |
| ✓ 53 mm .....  | 144    |
| ✓ 53 mm (chocolate) .....  | 144    |
| ✓ 53 mm (strawberry) .....   | 144    |
| ✓ 53 mm extra strength .....   | 144    |
| ✓ 54 mm, shaped .....  | 144    |
| ✓ 55 mm .....  | 144    |
| ✓ 56 mm .....  | 144    |
| ✓ 56 mm extra strength .....   | 144    |
| ✓ 56 mm, shaped .....  | 144    |
| ✓ 60 mm .....  | 144    |
| <b>DEXAMETHASONE</b>   |        |
| ✓ Tab 1 mg – Retail pharmacy-Specialist .....  | 30     |
| ✓ Tab 4 mg – Retail pharmacy-Specialist .....  | 30     |
| <b>DEXAMETHASONE SODIUM PHOSPHATE</b>  |        |
| ✓ Inj 4 mg per ml, 1 ml .....  | 5      |
| ✓ Inj 4 mg per ml, 2 ml .....  | 5      |
| <b>DEXTROSE</b>  |        |
| ✓ Inj 50%, 10 ml .....   | 5      |
| ✓ Inj 50%, 90 ml .....   | 5      |
| <b>DIAPHRAGM</b>   |        |
| ✓ 55 mm – See note on page 69 .....  | 1      |
| ✓ 60 mm – See note on page 69 .....  | 1      |

continued...

✓ fully subsidised brand available

Please refer to Section A for a definition, and conditions of supply, of Practitioner's Supply Orders.

(continued)

|                                     |   |
|-------------------------------------|---|
| ✓ 65 mm – See note on page 69 ..... | 1 |
| ✓ 70 mm – See note on page 69 ..... | 1 |
| ✓ 75 mm – See note on page 69 ..... | 1 |
| ✓ 80 mm – See note on page 69 ..... | 1 |
| ✓ 85 mm – See note on page 69 ..... | 1 |
| ✓ 90 mm – See note on page 69 ..... | 1 |

**DIAZEPAM**

|  |   |
|--|---|
| ✓ Inj 5 mg per ml, 2 ml – Subsidy by<br>endorsement – See note on page 121 ..... | 5 |
| ✓ Rectal tubes 5 mg .....  | 5 |
| ✓ Rectal tubes 10 mg .....   | 5 |

**DICLOFENAC SODIUM**

|                                |    |
|--------------------------------|----|
| ✓ Inj 25 mg per ml, 3 ml ..... | 5  |
| ✓ Suppos 50 mg .....           | 10 |

**DIGOXIN**

|                     |    |
|---------------------|----|
| ✓ Tab 62.5 µg ..... | 30 |
| ✓ Tab 250 µg .....  | 30 |

**DOXYCYCLINE HYDROCHLORIDE**

|                    |    |
|--------------------|----|
| Tab 50 mg .....    | 30 |
| ✓ Tab 100 mg ..... | 30 |

**ERGOMETRINE MALEATE**

|                                 |   |
|---------------------------------|---|
| ✓ Inj 500 µg per ml, 1 ml ..... | 5 |
|---------------------------------|---|

**ERYTHROMYCIN ETHYL SUCCINATE**

|  |        |
|--|--------|
| ✓ Tab 400 mg .....                         | 30     |
| ✓ Grans for oral liq 200 mg per 5 ml ..... | 200 ml |
| ✓ Grans for oral liq 400 mg per 5 ml ..... | 200 ml |

**ERYTHROMYCIN STEARATE**

|                  |    |
|------------------|----|
| Tab 250 mg ..... | 30 |
|------------------|----|

**ETHINYLOESTRADIOL WITH DESOGESTREL**

|  |    |
|--|----|
| Tab 20 µg with desogestrel 150 µg .....                    | 63 |
| Tab 20 µg with desogestrel 150 µg and 7<br>inert tab ..... | 84 |
| Tab 30 µg with desogestrel 150 µg .....                    | 63 |
| Tab 30 µg with desogestrel 150 µg and 7<br>inert tab ..... | 84 |

**ETHINYLOESTRADIOL WITH LEVONORGESTREL**

|   |    |
|---|----|
| ✓ Tab 50 µg with levonorgestrel 125 µg and 7<br>inert tab ..... | 84 |
| Tab 30 µg with levonorgestrel 150 µg .....                      | 63 |
| ✓ Tab 30 µg with levonorgestrel 150 µg and 7<br>inert tab ..... | 84 |
| Tab 20 µg with levonorgestrel 100 µg and 7<br>inert tab .....   | 84 |

**ETHINYLOESTRADIOL WITH NORETHISTERONE**

|  |    |
|--|----|
| ✓ Tab 35 µg with norethisterone 1 mg ..... | 63 |
|--|----|

|   |    |
|---|----|
| ✓ Tab 35 µg with norethisterone 1 mg and 7<br>inert tab .....   | 84 |
| ✓ Tab 35 µg with norethisterone 500 µg .....                    | 63 |
| ✓ Tab 35 µg with norethisterone 500 µg and 7<br>inert tab ..... | 84 |

**FLUCLOXACILLIN SODIUM**

|  |        |
|--|--------|
| ✓ Cap 250 mg .....                         | 30     |
| ✓ Grans for oral liq 125 mg per 5 ml ..... | 200 ml |
| ✓ Grans for oral liq 250 mg per 5 ml ..... | 200 ml |
| ✓ Inj 1 g .....                            | 5      |

**FLUPENTHIXOL DECANOATE**

|                                 |   |
|---------------------------------|---|
| ✓ Inj 20 mg per ml, 1 ml .....  | 5 |
| ✓ Inj 20 mg per ml, 2 ml .....  | 5 |
| ✓ Inj 100 mg per ml, 1 ml ..... | 5 |

**FLUPHENAZINE DECANOATE**

|  |   |
|--|---|
| ✓ Inj 12.5 mg per 0.5 ml, 0.5 ml ..... | 5 |
| ✓ Inj 25 mg per ml, 1 ml .....         | 5 |
| ✓ Inj 100 mg per ml, 1 ml .....        | 5 |

**FUROSEMIDE**

|                                |    |
|--------------------------------|----|
| ✓ Tab 40 mg .....              | 30 |
| ✓ Inj 10 mg per ml, 2 ml ..... | 5  |

**GLUCAGON HYDROCHLORIDE**

|                              |   |
|------------------------------|---|
| ✓ Inj 1 mg syringe kit ..... | 5 |
|------------------------------|---|

**GLYCERYL TRINITRATE**

|   |          |
|---|----------|
| ✓ Tab 600 µg .....                      | 100      |
| ✓ Oral pump spray 400 µg per dose ..... | 250 dose |

**HALOPERIDOL**

|                               |        |
|-------------------------------|--------|
| ✓ Tab 500 µg .....            | 30     |
| ✓ Tab 1.5 mg .....            | 30     |
| ✓ Tab 5 mg .....              | 30     |
| ✓ Oral liq 2 mg per ml .....  | 200 ml |
| ✓ Inj 5 mg per ml, 1 ml ..... | 5      |

**HALOPERIDOL DECANOATE**

|                                 |   |
|---------------------------------|---|
| ✓ Inj 50 mg per ml, 1 ml .....  | 5 |
| ✓ Inj 100 mg per ml, 1 ml ..... | 5 |

**HYDROCORTISONE**

|                                |   |
|--------------------------------|---|
| ✓ Inj 50 mg per ml, 2 ml ..... | 5 |
|--------------------------------|---|

**HYDROXOCOBALAMIN**

|                               |   |
|-------------------------------|---|
| ✓ Inj 1 mg per ml, 1 ml ..... | 6 |
|-------------------------------|---|

**HYOSCINE N-BUTYLBROMIDE**

|                         |   |
|-------------------------|---|
| ✓ Inj 20 mg, 1 ml ..... | 5 |
|-------------------------|---|

**INTRA-UTERINE DEVICE**

|             |    |
|-------------|----|
| ✓ IUD ..... | 40 |
|-------------|----|

continued...

✓ fully subsidised brand available

(continued)

## IPRATROPIUM BROMIDE

- ✓ Nebuliser soln, 250 µg per ml, 1 ml ..... 40
- ✓ Nebuliser soln, 250 µg per ml, 2 ml ..... 40

## LEVONORGESTREL

- Tab 30 µg ..... 84
- ✓ Tab 1.5 mg ..... 5

## LIGNOCAINE

- ✓ Gel 2%, 10 ml urethral syringe ..... 5

## LIGNOCAINE HYDROCHLORIDE

- ✓ Inj 0.5%, 5 ml ..... 5
- ✓ Inj 1%, 5 ml ..... 5
- ✓ Inj 2%, 5 ml ..... 5
- ✓ Inj 1%, 20 ml ..... 5
- ✓ Inj 2%, 20 ml ..... 5

## LIGNOCAINE WITH CHLORHEXIDINE

- ✓ Gel 2% with chlorhexidine 0.05%,  
10 ml urethral syringes ..... 5

## LOPERAMIDE HYDROCHLORIDE

- ✓ Tab 2 mg ..... 30
- ✓ Cap 2 mg ..... 30

## MASK FOR SPACER DEVICE

- ✓ Size 2 – See note on page 164 ..... 20

## MEDROXYPROGESTERONE ACETATE

- ✓ Inj 150 mg per ml, 1 ml syringe ..... 5

## METHYLERGOMETRINE

- ✓ Inj 200 µg per ml, 1 ml ..... 10

## METOCLOPRAMIDE HYDROCHLORIDE

- ✓ Inj 5 mg per ml, 2 ml ..... 5

## METRONIDAZOLE

- ✓ Tab 200 mg ..... 30

## MORPHINE SULPHATE

- ✓ Inj 5 mg per ml, 1 ml – Only on a controlled  
drug form ..... 5
- ✓ Inj 10 mg per ml, 1 ml – Only on a controlled  
drug form ..... 5
- ✓ Inj 15 mg per ml, 1 ml – Only on a controlled  
drug form ..... 5
- ✓ Inj 30 mg per ml, 1 ml – Only on a controlled  
drug form ..... 5

## NALOXONE HYDROCHLORIDE

- ✓ Inj 400 µg per ml, 1 ml ..... 5

## NONOXYNOL-9

- ✓ Jelly 2% ..... 108 g

## NORETHISTERONE

- ✓ Tab 350 µg ..... 84
- ✓ Tab 5 mg ..... 30

## NORETHISTERONE WITH MESTRANOL

- Tab 1 mg with mestranol 50 µg and 7 inert tab ..... 84

## OXYTOCIN

- ✓ Inj 5 iu per ml, 1 ml ..... 5
- ✓ Inj 10 iu per ml, 1 ml ..... 5
- ✓ Inj 5 iu with ergometrine maleate 500 µg per  
ml, 1 ml ..... 5

## PARACETAMOL

- ✓ Tab 500 mg ..... 30
- ✓ Oral liq 120 mg per 5 ml ..... 200 ml
- ✓ Oral liq 250 mg per 5 ml ..... 100 ml

## PEAK FLOW METER

- ✓ Low range ..... 10
- ✓ Normal range ..... 10

## PETHIDINE HYDROCHLORIDE

- ✓ Inj 50 mg per ml, 1 ml – Only on a controlled  
drug form ..... 5
- ✓ Inj 50 mg per ml, 1.5 ml – Only on a  
controlled drug form ..... 5
- ✓ Inj 50 mg per ml, 2 ml – Only on a controlled  
drug form ..... 5

## PHENOXYMETHYLPENICILLIN (PENICILLIN V)

- ✓ Cap potassium salt 250 mg ..... 30
- ✓ Grans for oral liq 125 mg per 5 ml ..... 200 ml
- ✓ Grans for oral liq 250 mg per 5 ml ..... 200 ml

## PHENYTOIN SODIUM

- ✓ Inj 50 mg per ml, 2 ml ..... 5
- ✓ Inj 50 mg per ml, 5 ml ..... 5

## PHYTOMENADIONE

- ✓ Inj 2 mg per 0.2 ml – See note on page 41 ..... 5
- ✓ Inj 10 mg per ml, 1 ml – See note on page 41 ..... 5

## PIPOTHAZINE PALMITATE

- ✓ Inj 50 mg per ml, 1 ml ..... 5
- ✓ Inj 50 mg per ml, 2 ml ..... 5

## PREDNISOLONE SODIUM PHOSPHATE

- ✓ Oral liq 5 mg per ml – See note on  
page 75 ..... 30 ml

## PREDNISONE

- ✓ Tab 5 mg ..... 30

## PREGNANCY TESTS - HCG URINE

- ✓ Cassette ..... 200 test

continued...

✓ fully subsidised brand available

Please refer to Section A for a definition, and conditions of supply, of Practitioner's Supply Orders.

(continued)

|  |           |
|--|-----------|
| PROCAINE PENICILLIN  |           |
| ✓ Inj 1.5 mega u .....   | 5         |
| PROCHLORPERAZINE   |           |
| ✓ Tab 5 mg .....   | 30        |
| ✓ Inj 12.5 mg per ml, 1 ml .....   | 5         |
| PROMETHAZINE HYDROCHLORIDE   |           |
| ✓ Inj 25 mg per ml, 2 ml .....   | 5         |
| SALBUTAMOL   |           |
| ✓ Inj 500 µg per ml, 1 ml .....  | 5         |
| ✓ Aerosol inhaler, 100 µg per dose CFC<br>free .....                               | 1000 dose |
| ✓ Nebuliser soln, 1 mg per ml, 2.5 ml .....  | 30        |
| ✓ Nebuliser soln, 2 mg per ml, 2.5 ml .....  | 30        |
| SALBUTAMOL WITH IPRATROPIUM BROMIDE  |           |
| ✓ Nebuliser soln, 2.5 mg with ipratropium<br>bromide 0.5 mg per vial, 2.5 ml ..... | 20        |
| SILVER SULPHADIAZINE   |           |
| ✓ Crm 1% .....   | 250 g     |
| SODIUM BICARBONATE   |           |
| ✓ Inj 8.4%, 50ml .....   | 5         |
| ✓ Inj 8.4%, 100 ml .....   | 5         |

|  |         |
|--|---------|
| SODIUM CHLORIDE                        |         |
| ✓ Inf 0.9% – See note on page 43 ..... | 2000 ml |
| ✓ Inj 0.9%, 5 ml .....                 | 5       |
| ✓ Inj 0.9%, 10 ml .....                | 5       |

|  |    |
|--|----|
| SPACER DEVICE  |    |
| ✓ 230 ml (autoclavable) – Subsidy by<br>endorsement – See note on page 164 ..... | 20 |
| ✓ 230 ml (single patient) .....  | 20 |
| ✓ 800 ml .....   | 20 |

|                    |    |
|--------------------|----|
| TRIMETHOPRIM       |    |
| ✓ Tab 300 mg ..... | 30 |

|                                 |   |
|---------------------------------|---|
| VERAPAMIL HYDROCHLORIDE         |   |
| ✓ Inj 2.5 mg per ml, 2 ml ..... | 5 |

|   |   |
|---|---|
| WATER   |   |
| ✓ Purified for inj, 5 ml – See note on page 43 .....  | 5 |
| ✓ Purified for inj, 10 ml – See note on page 43 ..... | 5 |
| ✓ Purified for inj, 20 ml – See note on page 43 ..... | 5 |

|                                 |   |
|---------------------------------|---|
| ZUCLOPENTHIXOL DECANOATE        |   |
| ✓ Inj 200 mg per ml, 1 ml ..... | 5 |



## Rural Areas for Practitioner's Supply Orders

**NORTH ISLAND****Northland DHB**

Dargaville  
Hikurangi  
Kaeo  
Kaikohe  
Kaitia  
Kawakawa  
Kerikeri  
Mangonui  
Maungaturoto  
Moerewa  
Ngunguru  
Paihia  
Rawene  
Ruakaka  
Russell  
Tutukaka  
Waipu  
Whangaroa

**Waitemata DHB**

Helensville  
Huapai  
Kumeu  
Snells Beach  
Waimauku  
Warkworth  
Wellsford

**Auckland DHB**

Great Barrier Island  
Oneroa  
Ostend

**Counties Manukau DHB**

Tuakau  
Waiuku

**Waikato DHB**

Coromandel  
Huntly  
Kawhia  
Matamata  
Morrinsville  
Ngatea  
Otorohanga  
Paeroa  
Pauanui Beach  
Putaruru  
Raglan

Tairua  
Taumarunui  
Te Aroha  
Te Kauwhata  
Te Kuiti  
Tokoroa  
Waihi  
Whangamata  
Whitianga

**Bay of Plenty DHB**

Edgecumbe  
Katikati  
Kawerau  
Murupara  
Opotiki  
Taneatua  
Te Kaha  
Waihi Beach  
Whakatane

**Lakes DHB**

Mangakino  
Turangi

**Tairāwhiti DHB**

Ruatoria  
Te Araroa  
Te Karaka  
Te Puia Springs  
Tikitiki  
Tokomaru Bay  
Tolaga Bay

**Taranaki DHB**

Eltham  
Inglewood  
Manaia  
Oakura  
Okato  
Opunake  
Patea  
Stratford  
Waverley

**Hawkes Bay DHB**

Chatham Islands  
Waipawa  
Waipukurau  
Wairoa

**Whanganui DHB**

Bulls

Marton  
Ohakune  
Raetihi  
Taihape  
Waiouru

**MidCentral DHB**

Dannevirke  
Foxton  
Levin  
Otaki  
Pahiatua  
Shannon  
Woodville

**Wairarapa DHB**

Carteron  
Featherston  
Greytown  
Martinborough

**SOUTH ISLAND****Nelson/Marlborough DHB**

Havelock  
Mapua  
Motueka  
Murchison  
Picton  
Takaka  
Wakefield

**West Coast DHB**

Dobson  
Greymouth  
Hokitika  
Karamea  
Reefton  
South Westland  
Westport  
Whataroa

**Canterbury DHB**

Akaroa  
Amberley  
Amuri  
Cheviot  
Darfield  
Diamond Harbour  
Hanmer Springs  
Kaikoura

Leeston  
Lincoln  
Methven  
Oxford  
Rakaia  
Rolleston  
Rotherham  
Templeton  
Waikari

**South Canterbury DHB**

Fairlie  
Geraldine  
Pleasant Point  
Temuka  
Twizel  
Waimate

**Southern DHB**

Alexandra  
Balclutha  
Cromwell  
Gore  
Kurow  
Lawrence  
Lumsden  
Mataura  
Milton  
Oamaru  
Oban  
Otautau  
Outram  
Owaka  
Palmerston  
Queenstown  
Ranfurly  
Riverton  
Roxburgh  
Tapanui  
Te Anau  
Tokonui  
Tuatapere  
Wanaka  
Winton

## **SECTION F: COMMUNITY PHARMACEUTICALS DISPENSING PERIOD EXEMPTIONS**

### **SECTION F: PART I**

A Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is Close Control.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a \* within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is Close Control.

### **SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING**

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

- a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the prescriber has endorsed the Prescription item(s) on the Prescription to which the exemption applies "certified exemption". In endorsing the Prescription items for a certified exemption, the prescriber is certifying that:
  - i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
  - ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
  - iii) the prescriber has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
  - i) have limited physical mobility;
  - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
  - iii) are relocating to another area;
  - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

The following Community Pharmaceuticals are identified with a ▲ within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

**ALIMENTARY TRACT AND METABOLISM**

INSULIN ASPART  
INSULIN GLARGINE  
INSULIN GLULISINE  
INSULIN ISOPHANE  
INSULIN ISOPHANE WITH INSULIN NEUTRAL  
INSULIN LISPRO  
INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE  
INSULIN NEUTRAL

**CARDIOVASCULAR SYSTEM**

AMIODARONE HYDROCHLORIDE  
Tab 100 mg                      Cordarone-X  
Tab 200 mg                      Cordarone-X

DISOPYRAMIDE PHOSPHATE

FLECAINIDE ACETATE

Tab 50 mg                      Tambocor  
Tab 100 mg                      Tambocor  
Cap long-acting 100 mg      Tambocor CR  
Cap long-acting 200 mg      Tambocor CR

MEXILETINE HYDROCHLORIDE

PROPAFENONE HYDROCHLORIDE

**HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES**

DESMOPRESSIN

Nasal drops 100 µg per      Minirin  
ml  
Nasal spray 10 µg per      Desmopressin-PH&T  
dose

**MUSCULOSKELETAL SYSTEM**

PYRIDOSTIGMINE BROMIDE

**NERVOUS SYSTEM**

AMANTADINE HYDROCHLORIDE  
APOMORPHINE HYDROCHLORIDE  
ENTACAPONE  
GABAPENTIN  
GABAPENTIN (NEURONTIN)  
LAMOTRIGINE  
LISURIDE HYDROGEN MALEATE  
PERGOLIDE  
ROPINIROLE HYDROCHLORIDE  
TOLCAPONE  
TOPIRAMATE  
VIGABATRIN

**SENSORY ORGANS**

BIMATOPROST  
BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE  
BRINZOLAMIDE  
LATANOPROST  
TRAVOPROST

## SECTION G: SAFETY CAP MEDICINES

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

### Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

### Reimbursement

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

### Safety Caps (NZS 5825:1991)

|            |   |
|------------|---|
| 20 mm..... | .Clic-Loc, United Closures & Plastics PLC, England<br>Kerr, Cormack Packaging, Sydney, under licence to Kerr USA  |
| 24 mm..... | .Clic-Loc, United Closures & Plastics PLC, England<br>Clic-Loc, ACI Closures under license to Owens-Illinois<br>Kerr, Cormack Packaging, Sydney, under licence to Kerr USA                            |
| 28 mm..... | .Clic-Loc, United Closures & Plastics PLC, England<br>Clic-Loc, ACI Closures under license to Owens-Illinois<br>Kerr, Cormack Packaging, Sydney, under licence to Kerr USA<br>PDL Squeezlok<br>PDL FG |

**ALIMENTARY TRACT AND METABOLISM****FERROUS SULPHATE**

Oral liq 30 mg per 1 ml Ferodan  
(6 mg elemental per  
1 ml)

**CARDIOVASCULAR SYSTEM****AMILORIDE**

Oral liq 1 mg per ml Biomed

**CAPTOPRIL**

Oral liq 5 mg per ml Capoten

**CHLOROTHIAZIDE**

Oral liq 50 mg per ml Biomed

**DIGOXIN**

Oral liq 50 µg per ml Lanoxin

**FUROSEMIDE**

Oral liq 10 mg per ml Lasix

**SPIRONOLACTONE**

Oral liq 5 mg per ml Biomed

**HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES****LEVOTHYROXINE**

Tab 50 µg Eltroxin  
Goldshield  
Synthroid  
Tab 100 µg Eltroxin  
Goldshield  
Synthroid  
Tab 25 µg Synthroid

*(Extemporaneously compounded oral liquid preparations)*

**MUSCULOSKELETAL SYSTEM****IBUPROFEN**

Oral liq 100 mg per 5 ml Fenpaed

**QUININE SULPHATE**

Tab 200 mg Q 200  
Tab 300 mg Q 300

*(Extemporaneously compounded oral liquid preparations)*

**NERVOUS SYSTEM****ALPRAZOLAM**

Tab 250 µg Arrow-Alprazolam  
Tab 500 µg Arrow-Alprazolam  
Tab 1 mg Arrow-Alprazolam

*(Extemporaneously compounded oral liquid preparations)*

**CARBAMAZEPINE**

Oral liq 100 mg per 5 ml Tegretol

**CLOBAZAM**

Tab 10 mg Frisium  
*(Extemporaneously compounded oral liquid preparations)*

**CLONAZEPAM**

Oral drops 2.5 mg per ml Rivotril

**DIAZEPAM**

Tab 2 mg Arrow-Diazepam  
Tab 5 mg Arrow-Diazepam  
*(Extemporaneously compounded oral liquid preparations)*

**ETHOSUXIMIDE**

Oral liq 250 mg per 5 ml Zarontin

**LORAZEPAM**

Tab 1 mg Ativan  
Tab 2.5 mg Ativan  
*(Extemporaneously compounded oral liquid preparations)*

**LORMETAZEPAM**

Tab 1 mg Noctamid  
*(Extemporaneously compounded oral liquid preparations)*

**METHADONE HYDROCHLORIDE**

Oral liq 2 mg per ml Biodone  
Oral liq 5 mg per ml Biodone Forte  
Oral liq 10 mg per ml Biodone Extra Forte

**MIDAZOLAM**

Tab 7.5 mg Hypnovel  
*(Extemporaneously compounded oral liquid preparations)*

**MORPHINE HYDROCHLORIDE**

Oral liq 1 mg per ml RA-Morph  
Oral liq 2 mg per ml RA-Morph  
Oral liq 5 mg per ml RA-Morph  
Oral liq 10 mg per ml RA-Morph

**NITRAZEPAM**

Tab 5 mg Nitrados  
*(Extemporaneously compounded oral liquid preparations)*

**OXAZEPAM**

Tab 10 mg Ox-Pam  
Tab 15 mg Ox-Pam  
*(Extemporaneously compounded oral liquid preparations)*

**OXYCODONE HYDROCHLORIDE**

Oral liq 5 mg per 5 ml OxyNorm

### PARACETAMOL

Oral liq 120 mg per 5 ml Paracare Junior  
Oral liq 250 mg per 5 ml Paracare Double Strength

### PHENYTOIN SODIUM

Oral liq 30 mg per 5 ml Dilantin

### SODIUM VALPROATE

Oral liq 200 mg per 5 ml Epilim S/F Liquid  
Epilim Syrup

### TEMAZEPAM

Tab 10 mg Normison

*(Extemporaneously compounded oral liquid preparations)*

### TRIAZOLAM

Tab 125 µg Hypam  
Tab 250 µg Hypam

*(Extemporaneously compounded oral liquid preparations)*

## RESPIRATORY SYSTEM AND ALLERGIES

### CETIRIZINE HYDROCHLORIDE

Oral liq 1 mg per ml Cetirizine - AFT

### CHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Histafen

### DEXTROCHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Polaramine

### PROMETHAZINE HYDROCHLORIDE

Oral liq 5 mg per 5 ml Promethazine Elixir Winthrop

### SALBUTAMOL

Oral liq 2 mg per 5 ml Salapin

### THEOPHYLLINE

Oral liq 80 mg per 15 ml Nuelin

### TRIMEPRAZINE TARTRATE

Oral liq 30 mg per 5 ml Vallergan Forte

## EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

### CODEINE PHOSPHATE

Powder Douglas

*(Extemporaneously compounded oral liquid preparations)*

### METHADONE HYDROCHLORIDE

Powder AFT

*(Extemporaneously compounded oral liquid preparations)*

### PHENOBARBITONE SODIUM

Powder MidWest

*(Extemporaneously compounded oral liquid preparations)*

**- Symbols -**  
3TC .....93

**- A -**

|   |        |
|---|--------|
| A-Lices .....   | 64     |
| A-Scabies .....   | 64     |
| Abacavir sulphate .....   | 93     |
| Abacavir sulphate with<br>lamivudine .....                                | 93     |
| Abilify .....   | 127    |
| ABM Hydroxocobalamin .....  | 36     |
| Acarbose .....  | 29     |
| Accu-Chek Performa .....  | 30, 31 |
| Accupril .....  | 48     |
| Accuretic 10 .....  | 49     |
| Accuretic 20 .....  | 49     |
| Acetadote .....   | 175    |
| Acetazolamide .....   | 167    |
| Acetic acid with 1, 2- propanediol<br>diacetate and<br>benzethonium ..... | 165    |
| Acetic acid with hydroxyquinoline<br>and ricinoleic acid .....            | 72     |
| Acetylcysteine .....  | 175    |
| Aci-Jel .....   | 72     |
| Aciclovir<br>Infection .....  | 89     |
| Sensory .....   | 165    |
| Acidex .....  | 25     |
| Acipimox .....  | 44     |
| Acitretin .....   | 64     |
| Aclasta .....   | 111    |
| Actigall .....  | 33     |
| Actrapid .....  | 28     |
| Actrapid Penfill .....  | 28     |
| Acupan .....  | 116    |
| Adalat 10 .....   | 52     |
| Adalat Oros .....   | 52     |
| Adalimumab .....  | 100    |
| Adapalene .....   | 57     |
| Adefin XL .....   | 52     |
| Adefovir dipivoxil .....  | 87     |
| Adrenaline .....  | 55     |
| Advantan .....  | 61     |
| AFT-Leflunomide .....   | 100    |
| AFT-Pyrazinamide .....  | 87     |
| Agents Affecting the<br>Renin-Angiotensin System .....                    | 48     |
| Agents for Parkinsonism and<br>Related Disorders .....                    | 114    |
| Agents Used in the Treatment of<br>Poisonings .....                       | 38     |
| Agrylin .....   | 146    |

|  |     |
|--|-----|
| Alanase .....                                    | 164 |
| Albay .....                                      | 159 |
| Albustix .....                                   | 74  |
| Aldara .....                                     | 66  |
| Alendronate sodium .....                         | 110 |
| Alendronate sodium with<br>cholecalciferol ..... | 110 |
| Alfacalcidol .....                               | 36  |
| Alginate acid .....                              | 25  |
| Alitraq .....                                    | 186 |
| Alkeran .....                                    | 142 |
| Allersoothe .....                                | 160 |
| Allopurinol .....                                | 113 |
| Alpha Adrenoceptor Blockers .....                | 47  |
| Alpha tocopheryl acetate .....                   | 37  |
| Alpha-Keri Lotion .....                          | 63  |
| Alphamox .....                                   | 84  |
| Alprazolam .....                                 | 131 |
| Alu-Tab .....                                    | 25  |
| Aluminium hydroxide .....                        | 25  |
| Amantadine hydrochloride .....                   | 114 |
| Ambrisentan .....                                | 55  |
| Amiloride .....                                  | 54  |
| Amiloride with frusemide .....                   | 54  |
| Amiloride with<br>hydrochlorothiazide .....      | 54  |
| Aminophylline .....                              | 163 |
| Amiodarone hydrochloride .....                   | 50  |
| Amirol .....                                     | 118 |
| Amisulpride .....                                | 127 |
| Amitrip .....                                    | 118 |
| Amitriptyline .....                              | 118 |
| Amizide .....                                    | 54  |
| Amlodipine .....                                 | 52  |
| Amorolfine .....                                 | 58  |
| Amoxycillin .....                                | 84  |
| Amoxycillin clavulanate .....                    | 84  |
| Amphotericin B .....                             | 35  |
| Amsacrine .....                                  | 146 |
| Amsidine .....                                   | 146 |
| Amyl nitrite .....                               | 55  |
| Anabolic Agents .....                            | 75  |
| Anaesthetics .....                               | 115 |
| Anagrelide hydrochloride .....                   | 146 |
| Analgesics .....                                 | 116 |
| Anastrozole .....                                | 155 |
| Androderm .....                                  | 76  |
| Antabuse .....                                   | 139 |
| Antacids and Antiflatulants .....                | 25  |
| Anten .....                                      | 119 |
| Anthelmintics .....                              | 82  |
| Anti-inflammatory Non Steroidal                  |     |

|   |     |
|---|-----|
| Drugs (NSAIDs) .....  | 98  |
| Antiacne Preparations .....                                       | 57  |
| Antiallergy Preparations .....                                    | 159 |
| Antianaemics .....  | 40  |
| Antiandrogen Oral<br>Contraceptives .....                         | 72  |
| Antiarrhythmics .....   | 50  |
| Antibacterials .....  | 82  |
| Antibacterials Topical .....                                      | 58  |
| Anticholinesterases .....   | 98  |
| Antidepressants .....   | 118 |
| Antidiarrhoeals .....   | 25  |
| Antiepilepsy Drugs .....  | 121 |
| Antifibrinolytics, Haemostatics<br>and Local Sclerosants .....    | 41  |
| Antifungals .....   | 86  |
| Antifungals Topical .....   | 58  |
| Antihaemorrhoidals .....  | 26  |
| Antihistamines .....  | 159 |
| Antihypotensives .....  | 50  |
| Antimalarials .....   | 86  |
| Antimigraine Preparations .....                                   | 124 |
| Antinaus .....  | 126 |
| Antinausea and Vertigo<br>Agents .....                            | 125 |
| Antipruritic Preparations .....                                   | 59  |
| Antipsychotics .....  | 127 |
| Antiretrovirals .....   | 91  |
| Antiretrovirals - Additional<br>Therapies .....                   | 94  |
| Antirheumatoid Agents .....                                       | 99  |
| Antispasmodics and Other<br>Agents Altering Gut<br>Motility ..... | 27  |
| Antithrombotic Agents .....                                       | 41  |
| Antithymocyte globulin<br>(equine) .....                          | 156 |
| Antitrichomonal Agents .....                                      | 86  |
| Antituberculous and<br>Antileprotics .....                        | 87  |
| Antulcerants .....  | 27  |
| Antivirals .....  | 87  |
| Anusol .....  | 27  |
| Anxiolytics .....   | 131 |
| Apidra .....  | 29  |
| Apidra SoloStar .....   | 29  |
| Apo-Allopurinol .....   | 113 |
| Apo-Amlodipine .....  | 52  |
| Apo-Amoxi .....   | 84  |
| Apo-Ascorbic Acid .....   | 36  |
| Apo-B-Complex .....   | 36  |
| Apo-Bromocriptine .....   | 114 |

## INDEX

### Generic Chemicals and Brands

|  |     |                                       |     |   |          |
|--|-----|---------------------------------------|-----|---|----------|
| Apo-Captopril .....                    | 48  | Arrow-Lisinopril .....                | 48  | B-PlexADE .....   | 36       |
| Apo-Cimetidine .....                   | 27  | Arrow-Meloxicam .....                 | 99  | Bacillus calmette-guerin (BCG)<br>vaccine .....                       | 156      |
| Apo-Clomipramine .....                 | 118 | Arrow-Nifedipine XR .....             | 52  | Baclofen .....  | 113      |
| Apo-Clopidogrel .....                  | 41  | Arrow-Norfloxacin .....               | 96  | Bactroban .....   | 58       |
| Apo-Doxazosin .....                    | 47  | Arrow-Ranitidine .....                | 28  | Bakels Gluten Free Health Bread<br>Mix .....                          | 191      |
| Apo-Folic Acid .....                   | 40  | Arrow-Roxithromycin .....             | 84  | Baraclude .....   | 88       |
| Apo-Gliclazide .....                   | 30  | Arrow-Simva 10mg .....                | 45  | Barrier Creams and<br>Emollients .....                                | 62       |
| Apo-Ipravent .....                     | 164 | Arrow-Simva 20mg .....                | 45  | Batrafen .....  | 58       |
| Apo-Megestrol .....                    | 153 | Arrow-Simva 40mg .....                | 45  | Beclazone 100 .....   | 160      |
| Apo-Moclobemide .....                  | 119 | Arrow-Simva 80mg .....                | 45  | Beclazone 250 .....   | 160      |
| Apo-Nadolol .....                      | 51  | Arrow-Sumatriptan .....               | 125 | Beclazone 50 .....  | 160      |
| Apo-Nicotinic Acid .....               | 44  | Arrow-Testosterone .....              | 76  | Beclomethasone<br>dipropionate .....                                  | 160, 164 |
| Apo-Oxybutynin .....                   | 73  | Arrow-Topiramate .....                | 123 | Bee venom allergy<br>treatment .....                                  | 159      |
| Apo-Pindolol .....                     | 52  | Arrow-Tramadol .....                  | 116 | Bendrofluazide .....  | 54       |
| Apo-Prazo .....                        | 47  | Arsenic trioxide .....                | 146 | Benhex .....  | 64       |
| Apo-Prednisone .....                   | 76  | Arthrexin .....                       | 99  | Benzathine benzylpenicillin .....                                     | 84       |
| Apo-Primidone .....                    | 123 | Asacol .....                          | 26  | Benzoin .....   | 175      |
| Apo-Pyridoxine .....                   | 36  | Asamax .....                          | 26  | Benztrop .....  | 115      |
| Apo-Risperidone .....                  | 129 | Ascorbic acid .....                   | 36  | Benztropine mesylate .....  | 115      |
| Apo-Selegiline .....                   | 114 | Aspec 300 .....                       | 116 | Benzydamine hydrochloride .....                                       | 35       |
| Apo-Selegiline S29 .....               | 114 | Aspen Adrenaline .....                | 55  | Benzylpenicillin sodium (penicillin<br>G) .....                       | 84       |
| Apo-Terazosin .....                    | 47  | Aspen Ceftriaxone .....               | 82  | Beta Adrenoceptor Blockers .....                                      | 51       |
| Apo-Terbinafine .....                  | 86  | Aspirin<br>Blood .....                | 41  | Beta Cream .....  | 60       |
| Apo-Thiamine .....                     | 36  | Nervous .....                         | 116 | Beta Ointment .....   | 60       |
| Apo-Timol .....                        | 52  | Asthalin .....                        | 162 | Beta Scalp .....  | 66       |
| Apo-Timop .....                        | 166 | Atacand .....                         | 49  | Beta-Adrenoceptor Agonists .....                                      | 162      |
| Apo-Zopiclone .....                    | 134 | Atazanavir sulphate .....             | 93  | Betadine .....  | 64       |
| Apomine .....                          | 114 | Atenolol .....                        | 51  | Betadine Skin Prep .....  | 64       |
| Apomorphine hydrochloride .....        | 114 | Atenolol Tablet USP .....             | 51  | Betaferon .....   | 134      |
| Applicator .....                       | 68  | ATGAM .....                           | 156 | Betagan .....   | 166      |
| Aprepitant .....                       | 125 | Ativan .....                          | 132 | Betahistine dihydrochloride .....                                     | 125      |
| Apresoline .....                       | 55  | Atomoxetine .....                     | 135 | Betaloc .....   | 51       |
| Aquasun 30+ .....                      | 66  | Atorvastatin .....                    | 45  | Betaloc CR .....  | 51       |
| Aquasun Oil Free Faces<br>SPF30+ ..... | 66  | Atropine sulphate<br>Alimentary ..... | 27  | Betamethasone dipropionate .....                                      | 60       |
| Aqueous cream .....                    | 62  | Sensory .....                         | 168 | Betamethasone sodium<br>phosphate with<br>betamethasone acetate ..... | 75       |
| Aratac .....                           | 50  | Atropt .....                          | 168 | Betamethasone valerate .....  | 60, 66   |
| Arava .....                            | 100 | Atrovent .....                        | 162 | Betamethasone valerate with<br>clioquinol .....                       | 61       |
| Aremed .....                           | 155 | Auranofin .....                       | 99  | Betamethasone valerate with<br>fusidic acid .....                     | 61       |
| Arimidex .....                         | 155 | Avanza .....                          | 120 | Betaxolol hydrochloride .....   | 166      |
| Aripiprazole .....                     | 127 | Avomine .....                         | 126 | Betnovate .....   | 60       |
| Aristocort .....                       | 61  | Avonex .....                          | 134 | Betnovate-C .....   | 61       |
| Aromasin .....                         | 155 | Azamun .....                          | 155 | Betoptic .....  | 166      |
| Arrow-Alprazolam .....                 | 131 | Azathioprine .....                    | 155 | Betoptic S .....  | 166      |
| Arrow-Azithromycin .....               | 83  | Azithromycin .....                    | 83  |   |          |
| Arrow-Bendrofluazide .....             | 54  | Azol .....                            | 80  |   |          |
| Arrow-Cabergoline .....                | 80  | Azopt .....                           | 167 |   |          |
| Arrow-Citalopram .....                 | 120 | AZT .....                             | 93  |   |          |
| Arrow-Clopidogrel .....                | 41  |                                       |     |   |          |
| Arrow-Diazepam .....                   | 132 |                                       |     |   |          |
| Arrow-Enalapril .....                  | 48  |                                       |     |   |          |
| Arrow-Etidronate .....                 | 111 |                                       |     |   |          |
| Arrow-Lamotrigine .....                | 123 |                                       |     |   |          |

#### - B -

|                         |    |
|-------------------------|----|
| B-D Micro-Fine .....    | 31 |
| B-D Ultra Fine .....    | 32 |
| B-D Ultra Fine II ..... | 32 |



|                                   |          |                                  |     |                                |     |
|-----------------------------------|----------|----------------------------------|-----|--------------------------------|-----|
| Bezafibrate .....                 | 44       | Cafergot .....                   | 124 | Cefuroxime axetil .....        | 82  |
| Bezalip Retard .....              | 44       | Cal-d-Forte .....                | 37  | Cefuroxime sodium .....        | 82  |
| Bicalox .....                     | 153      | Calamine .....                   | 59  | Celestone Chronodose .....     | 75  |
| Bicalutamide .....                | 153      | Calci-Tab 500 .....              | 37  | Celiprolol .....               | 51  |
| Bicillin LA .....                 | 84       | Calci-Tab 600 .....              | 37  | Cellcept .....                 | 155 |
| BiCNU .....                       | 142      | Calcipotriol .....               | 65  | Celol .....                    | 51  |
| Bimatoprost .....                 | 167      | Calcitonin .....                 | 110 | Cephalexin ABM .....           | 83  |
| Biodone .....                     | 117      | Calcitriol .....                 | 36  | Cephalexin monohydrate .....   | 83  |
| Biodone Extra Forte .....         | 117      | Calcium carbonate .....          | 37  | Cerezyme .....                 | 35  |
| Biodone Forte .....               | 117      | Calcium carbonate with           |     | Cetirizine - AFT .....         | 159 |
| Bisacodyl .....                   | 34       | aminoacetic acid .....           | 25  | Cetirizine hydrochloride ..... | 159 |
| BK Lotion .....                   | 63       | Calcium Channel Blockers .....   | 52  | Cetomacrogol .....             | 62  |
| Bleomycin sulphate .....          | 146      | Calcium Disodium Versenate ..... | 39  | Champix .....                  | 139 |
| Bleph 10 .....                    | 165      | Calcium folinate .....           | 143 | Charcoal .....                 | 38  |
| Blood glucose diagnostic test     |          | Calcium Folate Ebewe .....       | 143 | Chemotherapeutic Agents .....  | 142 |
| meter .....                       | 30       | Calcium gluconate .....          | 37  | Chlorafast .....               | 165 |
| Blood glucose diagnostic test     |          | Calcium Homeostasis .....        | 109 | Chlorambucil .....             | 142 |
| strip .....                       | 31       | Calcium polystyrene              |     | Chloramphenicol .....          | 165 |
| Bonjela .....                     | 35       | sulphonate .....                 | 43  | Chlorhexidine gluconate        |     |
| Bosentan .....                    | 55       | Calcium Resonium .....           | 43  | Alimentary .....               | 35  |
| Breath-Alert .....                | 164      | Calogen .....                    | 180 | Dermatological .....           | 61  |
| Brevinor 1/21 .....               | 71       | Calsource .....                  | 37  | Chloroform .....               | 175 |
| Brevinor 1/28 .....               | 71       | Camptosar .....                  | 145 | Chloromycetin .....            | 165 |
| Brevinor 21 .....                 | 71       | Candesartan .....                | 49  | Chlorothiazide .....           | 54  |
| Bricanyl Turbuhaler .....         | 162      | Canesten .....                   | 58  | Chlorpheniramine maleate ..... | 159 |
| Brimonidine tartrate .....        | 167      | Capecitabine .....               | 143 | Chlorpromazine                 |     |
| Brimonidine tartrate with timolol |          | Capoten .....                    | 48  | hydrochloride .....            | 127 |
| maleate .....                     | 167      | Capsaicin .....                  | 67  | Chlorsig .....                 | 165 |
| Brinzolamide .....                | 167      | Captopril .....                  | 48  | Chlorthalidone .....           | 54  |
| Brolene .....                     | 165      | Carafate .....                   | 28  | Chlorvescent .....             | 44  |
| Bromocriptine mesylate .....      | 114      | Carbamazepine .....              | 121 | Cholecalciferol .....          | 37  |
| Brufen .....                      | 98       | Carbimazole .....                | 79  | Cholestyramine with            |     |
| Brufen Retard .....               | 98       | Carboplatin .....                | 142 | aspartame .....                | 44  |
| BSF Arrow-Enalapril .....         | 170      | Carboplatin Ebewe .....          | 142 | Choline salicylate with        |     |
| Buccastem .....                   | 126      | Carbosorb-X .....                | 38  | cetalkonium chloride .....     | 35  |
| Budenocort .....                  | 160      | Cardinol .....                   | 52  | Ciclopiroxolamine .....        | 58  |
| Budesonide                        |          | Cardinol LA .....                | 52  | Cilazapril .....               | 48  |
| Alimentary .....                  | 25       | Cardizem CD .....                | 52  | Cilazapril with                |     |
| Respiratory .....                 | 160, 164 | CareSens .....                   | 31  | hydrochlorothiazide .....      | 49  |
| Budesonide with                   |          | CareSens II .....                | 30  | Cilicaine .....                | 85  |
| eformoterol .....                 | 161      | CareSens POP .....               | 30  | Cilicaine VK .....             | 85  |
| Bumetanide .....                  | 53       | Carmustine .....                 | 142 | Ciloxan .....                  | 165 |
| Buprenorphine                     |          | Carvedilol .....                 | 51  | Cimetidine .....               | 27  |
| hydrochloride .....               | 116      | Catapres .....                   | 53  | Ciprofloxacin                  |     |
| Bupropion hydrochloride .....     | 139      | Catapres-TTS-1 .....             | 53  | Infection .....                | 85  |
| Burinex .....                     | 53       | Catapres-TTS-2 .....             | 53  | Sensory .....                  | 165 |
| Buscopan .....                    | 27       | Catapres-TTS-3 .....             | 53  | Cisplatin .....                | 142 |
| Buspirone hydrochloride .....     | 132      | CeeNU .....                      | 142 | Cisplatin Ebewe .....          | 142 |
| Busulphan .....                   | 142      | Cefaclor monohydrate .....       | 82  | Citalopram hydrobromide .....  | 120 |
| Butacort Aqueous .....            | 164      | Cefalexin Sandoz .....           | 83  | Cladribine .....               | 144 |
| - C -                             |          | Cefazolin sodium .....           | 82  | Clarithromycin                 |     |
| Cabergoline .....                 | 80       | Cefoxitin sodium .....           | 82  | Alimentary .....               | 27  |
|                                   |          | Ceftriaxone sodium .....         | 82  | Infection .....                | 83  |

## Generic Chemicals and Brands

|   |        |  |     |   |        |
|---|--------|--|-----|---|--------|
| Clethane .....  | 41     | Compound .....   |     | Alimentary .....  | 35     |
| Climara 100 .....   | 77     | hydroxybenzoate .....  | 175 | Dermatological .....  | 59     |
| Climara 50 .....  | 77     | Comtan .....   | 114 | Dalacin C .....   | 85     |
| Clindamycin .....   | 85     | Concerta .....   | 138 | Danazol .....   | 80     |
| Clinoril .....  | 99     | Condoms .....  | 68  | Danthron with poloxamer .....                                 | 34     |
| Clobazam .....  | 121    | Condylina .....  | 67  | Dantrium .....  | 113    |
| Clobetasol propionate .....                                   | 60, 66 | Contraceptives - Hormonal .....                              | 69  | Dantrolene sodium .....                                       | 113    |
| Clobetasone butyrate .....                                    | 60     | Contraceptives -<br>Non-hormonal .....                       | 68  | Daonil .....  | 30     |
| Clomazol<br>Dermatological .....                              | 58     | Copaxone .....   | 134 | Dapa-Tabs .....   | 54     |
| Genito-Urinary .....  | 72     | Corangin .....   | 54  | Dapsone .....   | 87     |
| Clomiphene citrate .....                                      | 80     | Cordarone-X .....  | 50  | Darunavir .....   | 93     |
| Clomipramine hydrochloride .....                              | 118    | Corticosteroids and Related<br>Agents for Systemic Use ..... | 75  | Dasatinib .....   | 150    |
| Clonazepam .....  | 121    | Corticosteroids Topical .....                                | 60  | Daurubicin .....  | 147    |
| Clonidine .....   | 53     | Cosmegen .....   | 146 | DBL Bleomycin Sulfate .....                                   | 146    |
| Clonidine hydrochloride<br>Cardiovascular .....               | 53     | Cosopt .....   | 167 | DDI .....   | 93     |
| Nervous .....   | 125    | Cotazym ECS .....  | 32  | De-Worm .....   | 82     |
| Clopidogrel .....   | 41     | Coumadin .....   | 42  | Deca-Durabolin Orgaject .....                                 | 75     |
| Clopine .....   | 127    | Coversyl .....   | 48  | Deferiprone .....   | 46     |
| Clopixol .....  | 130    | Cozaar .....   | 49  | Delact .....  | 196    |
| Clotrimazole<br>Dermatological .....                          | 58     | Creon 10000 .....  | 32  | Depo-Medrol .....   | 75     |
| Genito-Urinary .....  | 72     | Creon Forte .....  | 32  | Depo-Medrol with lidocaine .....                              | 75     |
| Clozapine .....   | 127    | Crixivan .....   | 93  | Depo-Provera .....  | 72     |
| Clozaril .....  | 127    | Cromolux .....   | 166 | Depo-Testosterone .....                                       | 76     |
| Co-Renitec .....  | 49     | Crotamiton .....   | 59  | Deprim .....  | 85     |
| Co-trimoxazole .....  | 85     | Crystacide .....   | 58  | Derbac-M .....  | 64     |
| Coal tar .....  | 65     | Curam .....  | 84  | Dermol .....  | 60, 66 |
| Coal tar with allantoin, menthol,<br>phenol and sulphur ..... | 65     | Cyclazine hydrochloride .....                                | 125 | Desferrioxamine mesylate .....                                | 46     |
| Coal tar with salicylic acid and<br>sulphur .....             | 65     | Cyclazine lactate .....                                      | 125 | Desmopressin .....  | 80     |
| Coco-Scalp .....  | 65     | Cycloblastin .....   | 142 | Desmopressin-PH&T .....                                       | 80     |
| Codeine phosphate<br>Extemporaneous .....                     | 175    | Cyclogyl .....   | 168 | Detection of Substances in<br>Urine .....                     | 74     |
| Nervous .....   | 116    | Cyclopentolate<br>hydrochloride .....                        | 168 | Dexamethasone<br>Hormone .....                                | 75     |
| Cogentin .....  | 115    | Cyclophosphamide .....                                       | 142 | Sensory .....   | 166    |
| Colaspase (L-asparaginase) .....                              | 146    | Cyclosporin .....  | 158 | Dexamethasone sodium<br>phosphate .....                       | 75     |
| Colchicine .....  | 113    | Cyklokapon .....   | 41  | Dexamethasone with framycetin<br>and gramicidin .....         | 165    |
| Colestid .....  | 44     | Cyproterone acetate .....                                    | 76  | Dexamethasone with neomycin<br>and polymyxin b sulphate ..... | 166    |
| Colestipol hydrochloride .....                                | 44     | Cyproterone acetate with<br>ethinyloestradiol .....          | 72  | Dexamphetamine sulphate .....                                 | 135    |
| Colgout .....   | 113    | Cystic Fibrosis .....  | 163 | Dextrochlorpheniramine<br>maleate .....                       | 159    |
| Colifoam .....  | 26     | Cytarabine .....   | 144 | Dextrose .....  | 43     |
| Colistin sulphomethate .....                                  | 85     | Cytotec .....  | 27  | Dextrose with electrolytes .....                              | 44     |
| Colistin-Link .....   | 85     | Cytoxan .....  | 142 | DHC Continus .....  | 116    |
| Collodion flexible .....                                      | 175    | - D -  |     | Diabetes .....  | 28     |
| Colofac .....   | 27     | D-Penamine .....   | 100 | Diabetes Management .....                                     | 30     |
| Coloxyl .....   | 33, 34 | d4T .....  | 93  | Diamide Relief .....  | 25     |
| Combigan .....  | 167    | Dacarbazine .....  | 146 | Diamox .....  | 167    |
| Combivent .....   | 163    | Daclin .....   | 99  | Diaphragm .....   | 69     |
| Combivir .....  | 93     | Dactinomycin (actinomycin<br>D) .....                        | 146 | Diasip .....  | 182    |
| Compound electrolytes .....                                   | 44     | Daivonex .....   | 65  | Diason RTH .....  | 182    |
|   |        | Daktarin .....   |     |   |        |

|                                  |          |                                 |     |                                    |       |
|----------------------------------|----------|---------------------------------|-----|------------------------------------|-------|
| Diastop .....                    | 25       | Dothiepin hydrochloride .....   | 118 | Emulsifying ointment .....         | 62    |
| Diazepam .....                   | 121, 132 | Doxazosin mesylate .....        | 47  | Enalapril .....                    | 48    |
| Dibenyline .....                 | 47       | Doxepin hydrochloride .....     | 119 | Enalapril with                     |       |
| Dicla SR .....                   | 98       | Doxine .....                    | 85  | hydrochlorothiazide .....          | 49    |
| Diclofenac Sandoz .....          | 98       | Doxorubicin .....               | 147 | Enbrel .....                       | 104   |
| Diclofenac sodium                |          | Doxorubicin Ebewe .....         | 147 | Endocrine Therapy .....            | 153   |
| Musculoskeletal System .....     | 98       | Doxy-50 .....                   | 85  | Endoxan .....                      | 142   |
| Sensory .....                    | 166      | Doxycycline hydrochloride ..... | 85  | Enerlyte .....                     | 44    |
| Didanosine [DDI] .....           | 93       | DP Lotion .....                 | 63  | Enfuvirtide .....                  | 94    |
| Differin .....                   | 57       | DP Lotn HC .....                | 61  | Enoxaparin sodium .....            | 41    |
| Diffiam .....                    | 35       | DP-Anastrozole .....            | 155 | Ensure .....                       | 181   |
| Diflucortolone valerate .....    | 60       | Dr Reddy's Omeprazole .....     | 28  | Ensure Plus .....                  | 189   |
| Digestives Including             |          | Dr Reddy's Ondansetron .....    | 126 | Ensure Plus HN .....               | 188   |
| Enzymes .....                    | 32       | Dr Reddy's Pantoprazole .....   | 28  | Ensure Plus RTH .....              | 188   |
| Digoxin .....                    | 50       | Dr Reddy's Quetiapine .....     | 129 | Entacapone .....                   | 114   |
| Dihydrocodeine tartrate .....    | 116      | Dr Reddy's Risperidone .....    | 129 | Entecavir .....                    | 88    |
| Dilantin .....                   | 123      | Dulcolax .....                  | 34  | Entocort CIR .....                 | 25    |
| Dilantin Infatab .....           | 123      | Duocal Super Soluble            |     | Enuclene .....                     | 168   |
| Dilatrend .....                  | 51       | Powder .....                    | 180 | Enzymes .....                      | 113   |
| Diltiazem hydrochloride .....    | 52       | Duolin .....                    | 163 | Epilim .....                       | 123   |
| Dilzem .....                     | 52       | Duphalac .....                  | 34  | Epilim Crushable .....             | 123   |
| Dimetriose .....                 | 81       | Duphaston .....                 | 78  | Epilim IV .....                    | 123   |
| Dipentum .....                   | 26       | Durex Confidence .....          | 68  | Epilim S/F Liquid .....            | 123   |
| Diphemanil methylsulphate .....  | 62       | Durex Extra Safe .....          | 68  | Epilim Syrup .....                 | 123   |
| Diphenoxylate hydrochloride with |          | Durex Select Flavours .....     | 68  | Epirubicin .....                   | 148   |
| atropine sulphate .....          | 25       | Duride .....                    | 54  | Epirubicin Ebewe .....             | 148   |
| Diprosone .....                  | 60       | Durogesic .....                 | 116 | Eprex .....                        | 40    |
| Diprosone OV .....               | 60       | Dusting Powders .....           | 62  | ERA .....                          | 84    |
| Dipyridamole .....               | 41       | Dydrogesterone .....            | 78  | Ergometrine maleate .....          | 72    |
| Disinfecting and Cleansing       |          | Dynacirc-SRO .....              | 52  | Ergotamine tartrate with           |       |
| Agents .....                     | 61       |                                 |     | caffeine .....                     | 124   |
| Disipal .....                    | 115      |                                 |     | Erlotinib hydrochloride .....      | 151   |
| Disopyramide phosphate .....     | 50       | - E -                           |     | Erythrocin IV .....                | 83    |
| Disulfiram .....                 | 139      | E-Mycin .....                   | 83  | Erythromycin ethyl succinate ..... | 83    |
| Diuretics .....                  | 53       | Ear Preparations .....          | 165 | Erythromycin lactobionate .....    | 83    |
| Diurin 40 .....                  | 53       | Ear/Eye Preparations .....      | 165 | Erythromycin stearate .....        | 84    |
| Dixarit .....                    | 125      | Easiphen .....                  | 193 | Erythropoietin alpha .....         | 40    |
| DM Ject .....                    | 32       | Easiphen Liquid .....           | 193 | Erythropoietin beta .....          | 40    |
| Docetaxel .....                  | 147      | Econazole nitrate .....         | 59  | Estraderm TTS 100 .....            | 77    |
| Docetaxel Ebewe .....            | 147      | Efavirenz .....                 | 92  | Estraderm TTS 25 .....             | 77    |
| Docusate sodium .....            | 33       | Efexor XR .....                 | 120 | Estraderm TTS 50 .....             | 77    |
| Docusate sodium with             |          | Eformoterol fumarate .....      | 161 | Estrofem .....                     | 77    |
| sennosides .....                 | 34       | Efudix .....                    | 67  | Etanercept .....                   | 104   |
| Domperidone .....                | 125      | Egopsoryl TA .....              | 65  | Ethambutol hydrochloride .....     | 87    |
| Donepezil hydrochloride .....    | 139      | Elecare .....                   | 195 | Ethics Aspirin .....               | 116   |
| Donepezil-Rex .....              | 139      | Elecare LCP .....               | 195 | Ethics Aspirin EC .....            | 41    |
| Dopergin .....                   | 114      | Elemental 028 Extra .....       | 186 | Ethics Ibuprofen .....             | 98    |
| Dopress .....                    | 118      | Eligard .....                   | 80  | Ethinylloestradiol .....           | 78    |
| Dornase alfa .....               | 163      | Elocon .....                    | 61  | Ethinylloestradiol with            |       |
| Dorzolamide hydrochloride .....  | 167      | Eloxatin .....                  | 142 | desogestrel .....                  | 70    |
| Dorzolamide hydrochloride with   |          | Eltroxin .....                  | 79  | Ethinylloestradiol with            |       |
| timolol maleate .....            | 167      | Emend Tri-Pack .....            | 125 | levonorgestrel .....               | 70-71 |
| Dostinex .....                   | 80       | MLA .....                       | 115 | Ethinylloestradiol with            |       |
|                                  |          | Emtricitabine .....             | 93  |                                    |       |
|                                  |          | Emtriva .....                   | 93  |                                    |       |

## Generic Chemicals and Brands

|   |     |  |        |  |     |
|---|-----|--|--------|--|-----|
| norethisterone .....  | 71  | Flixonase Hayfever & Allergy .....                                       | 164    | Frisium .....                                  | 121 |
| Ethosuximide .....  | 121 | Flixotide .....  | 160    | Frumil .....                                   | 54  |
| Etidronate disodium .....                                     | 111 | Flioxotide Accuhaler .....   | 160    | Frusemide-Claris .....                         | 53  |
| Etopophos .....   | 148 | Florinef .....   | 75     | Fucicort .....                                 | 61  |
| Etoposide .....   | 148 | Fluanxol .....   | 130    | Fucidin .....                                  | 85  |
| Etoposide phosphate .....                                     | 148 | Flucloxacillin sodium .....  | 84     | Fucithalmic .....                              | 165 |
| Etravirine .....  | 92  | Flucloxin .....  | 84     | Fungilin .....                                 | 35  |
| Eumovate .....  | 60  | Fluconazole .....  | 86     | Furosemide .....                               | 53  |
| Exemestane .....  | 155 | Fludara .....  | 144    | Fusidic acid .....                             |     |
| Extemporaneously Compounded Preparations and Galenicals ..... | 175 | Fluidara Oral .....  | 144    | Dermatological .....                           | 58  |
| Eye Preparations .....  | 165 | Fluidarabine phosphate .....   | 144    | Infection .....                                | 85  |
| Ezetimibe .....   | 45  | Fludrocortisone acetate .....  | 75     | Sensory .....                                  | 165 |
| Ezetimibe with simvastatin .....                              | 45  | Fluids and Electrolytes .....  | 43     | Fuzeon .....                                   | 94  |
| Ezetrol .....   | 45  | Flumetasone pivalate .....   | 165    | - G -  |     |
| - F -   |     | Fluocortolone caproate with fluocortolone pivalate and cinchocaine ..... | 26     | Gabapentin .....                               | 121 |
| Famotidine .....  | 27  | Fluorometholone .....  | 166    | Gabapentin (Neurontin) .....                   | 122 |
| Famox .....   | 27  | Fluorouracil Ebewe .....   | 144    | Gamma benzene hexachloride .....               | 64  |
| Felo 10 ER .....  | 52  | Fluorouracil sodium .....  |        | Gastrosoothe .....                             | 27  |
| Felo 5 ER .....   | 52  | Dermatological .....   | 67     | Gaviscon .....                                 | 25  |
| Felodipine .....  | 52  | Oncology .....   | 144    | Gaviscon Double Strength .....                 | 25  |
| Femtran 100 .....   | 77  | Fluox .....  | 120    | Gaviscon Infant .....                          | 25  |
| Femtran 50 .....  | 77  | Fluoxetine hydrochloride .....   | 120    | Gemcitabine Ebewe .....                        | 144 |
| Fenpaed .....   | 98  | Flupenthixol decanoate .....   | 130    | Gemcitabine hydrochloride .....                | 144 |
| Fentanyl .....  | 116 | Fluphenazine decanoate .....   | 130    | Gemzar .....                                   | 144 |
| Fentanyl citrate .....  | 117 | Flutamide .....  | 153    | Generaid Plus .....                            | 184 |
| Ferodan .....   | 38  | Flutamin .....   | 153    | Genoptic .....                                 | 165 |
| Ferriprox .....   | 46  | Fluticasone .....  | 160    | Genotropin .....                               | 79  |
| Ferro-F-Tabs .....  | 38  | Fluticasone propionate .....   | 164    | Genox .....                                    | 155 |
| Ferro-Gradumet .....  | 38  | Fluticasone with salmeterol .....  | 161    | Gentamicin sulphate .....                      |     |
| Ferro-tab .....   | 38  | Fluvax .....   | 97     | Infection .....                                | 86  |
| Ferrograd-Folic .....   | 38  | FML .....  | 166    | Sensory .....                                  | 165 |
| Ferrous fumarate .....  | 38  | Foban .....  | 58     | Gestrinone .....                               | 81  |
| Ferrous fumarate with folic acid .....                        | 38  | Folic acid .....   | 40     | Ginet 84 .....                                 | 72  |
| Ferrous sulphate .....  | 38  | Food Thickeners .....  | 190    | Glatiramer acetate .....                       | 134 |
| Ferrous sulphate with folic acid .....                        | 38  | Foods And Supplements For Inborn Errors Of Metabolism - Other .....      | 191    | Glibenclamide .....                            | 30  |
| Ferrum H .....  | 38  | Foods And Supplements For Inborn Errors Of Metabolism - PKU .....        | 192    | Gliclazide .....                               | 30  |
| Fexofenadine hydrochloride .....                              | 159 | Foradil .....  | 161    | Glipizide .....                                | 30  |
| Fiblip .....  | 44  | Foremount Child's Silicone Mask .....                                    | 164    | Glivec .....                                   | 151 |
| Fibersource HN .....  | 188 | Fortimel Regular .....   | 183    | Glucagen Hypokit .....                         | 28  |
| Fibersource HN RTH .....                                      | 188 | Fortisp .....  | 189    | Glucagon hydrochloride .....                   | 28  |
| Fibro-vein .....  | 41  | Fortisp Multi Fibre .....  | 189    | Glucerna Select .....                          | 182 |
| Finasteride .....   | 73  | Fosamax .....  | 110    | Glucerna Select RTH .....                      | 182 |
| Fine Ject .....   | 31  | Fosamax Plus .....   | 110    | Glucobay .....                                 | 29  |
| Fintral .....   | 73  | Framycetin sulphate .....  | 165    | Gluten Free Foods .....                        | 190 |
| Flagyl .....  | 86  | FreeStyle Lite .....   | 30, 31 | Glycerol .....                                 |     |
| Flagyl-S .....  | 86  |  |        | Alimentary .....                               | 34  |
| Flamazina .....   | 58  |  |        | Extemporaneous .....                           | 175 |
| Flecainide acetate .....                                      | 50  |  |        | Glycerol with paraffin and cetyl alcohol ..... | 62  |
| Fleet Phosphate Enema .....                                   | 34  |  |        | Glyceryl trinitrate .....                      | 54  |

|  |          |
|--|----------|
| Goserelin acetate .....                              | 80       |
| Gutron .....   | 50       |
| Gynaecological                                       |          |
| Anti-infectives .....                                | 72       |
| Gynol II .....                                       | 68       |
| <b>- H -</b>   |          |
| Habitrol .....                                       | 140, 141 |
| Haldol .....   | 130      |
| Haldol Concentrate .....                             | 130      |
| Haloperidol .....                                    | 128      |
| Haloperidol decanoate .....                          | 130      |
| Hamilton Sunscreen .....                             | 66       |
| healthE Fatty Cream .....                            | 62       |
| Healtheries Multi-vitamin<br>tablets .....           | 37       |
| Healtheries Simple Baking<br>Mix .....               | 191      |
| Hemastix .....                                       | 74       |
| Heparin sodium .....                                 | 42       |
| Heparinised saline .....                             | 42       |
| Hepsera .....  | 87       |
| Herceptin .....                                      | 157      |
| Hexamine hippurate .....                             | 96       |
| Hiprex .....   | 96       |
| Histafen .....                                       | 159      |
| Holoxan .....  | 142      |
| Homatropine hydrobromide .....                       | 168      |
| Horleys Bread Mix .....                              | 191      |
| Horleys Flour .....                                  | 191      |
| Hormone Replacement Therapy -<br>Systemic .....      | 76       |
| Humalog .....  | 29       |
| Humalog Mix 25 .....                                 | 29       |
| Humalog Mix 50 .....                                 | 29       |
| Humira .....   | 100      |
| HumiraPen .....                                      | 100      |
| Humulin 30/70 .....                                  | 29       |
| Humulin NPH .....                                    | 29       |
| Humulin R .....                                      | 28       |
| Hyalase .....  | 113      |
| Hyaluronidase .....                                  | 113      |
| Hybloc .....   | 51       |
| Hydralazine .....                                    | 55       |
| Hydrea .....   | 148      |
| Hydrocortisone                                       |          |
| Dermatological .....                                 | 60       |
| Hormone .....  | 75       |
| Hydrocortisone acetate .....                         | 26       |
| Hydrocortisone butyrate .....                        | 60, 66   |
| Hydrocortisone butyrate with<br>chlorquinaldol ..... | 61       |
| Hydrocortisone with<br>cinchocaine .....             | 26       |

|   |        |
|---|--------|
| Hydrocortisone with<br>miconazole .....               | 61     |
| Hydrocortisone with natamycin<br>and neomycin .....   | 61     |
| Hydrocortisone with wool fat and<br>mineral oil ..... | 61     |
| Hydroderm Lotion .....                                | 63     |
| Hydrogen peroxide                                     |        |
| Alimentary .....                                      | 36     |
| Dermatological .....                                  | 58, 67 |
| Hydroxocobalamin .....                                | 36     |
| Hydroxychloroquine sulphate .....                     | 86     |
| Hydroxyurea .....                                     | 148    |
| Hygroton .....  | 54     |
| Hyoscine (scopolamine) .....                          | 125    |
| Hyoscine hydrobromide .....                           | 126    |
| Hyoscine N-butylbromide .....                         | 27     |
| Hypam .....   | 134    |
| Hyperuricaemia and<br>Antigout .....                  | 113    |
| Hypnovel .....  | 134    |
| Hypromellose .....                                    | 168    |
| Hysite .....  | 167    |
| Hytrin Starter Pack .....                             | 47     |
| Hyzaar .....  | 49     |

**- I -**

|  |     |
|--|-----|
| Ibiamox .....  | 84  |
| Ibuprofen .....  | 98  |
| Idarubicin hydrochloride .....                             | 148 |
| Ifosfamide .....   | 142 |
| Iloprost .....   | 56  |
| Imatinib mesylate .....                                    | 151 |
| Imiglucerase .....   | 35  |
| Imigran .....  | 125 |
| Imipramine hydrochloride .....                             | 119 |
| Imiquimod .....  | 66  |
| Immune Modulators .....                                    | 94  |
| Immunosuppressants .....                                   | 155 |
| Imuprine .....   | 155 |
| Imuran .....   | 155 |
| Indapamide .....   | 54  |
| Indinavir .....  | 93  |
| Indomethacin .....   | 99  |
| Infant Formulae .....                                      | 194 |
| Influenza vaccine .....                                    | 97  |
| Influvac .....   | 97  |
| Inhaled Anticholinergic<br>Agents .....                    | 162 |
| Inhaled Corticosteroids .....                              | 160 |
| Inhaled Long-acting<br>Beta-adrenoceptor<br>Agonists ..... | 160 |
| Inhibace .....   | 48  |

|  |          |
|--|----------|
| Inhibace Plus .....  | 49       |
| Innovacon hCG One Step<br>Pregnancy Test .....             | 73       |
| Insulin aspart .....                                       | 29       |
| Insulin glargine .....                                     | 29       |
| Insulin glulisine .....                                    | 29       |
| Insulin isophane .....                                     | 29       |
| Insulin isophane with insulin<br>neutral .....             | 29       |
| Insulin lispro .....                                       | 29       |
| Insulin lispro with insulin lispro<br>protamine .....      | 29       |
| Insulin neutral .....                                      | 28       |
| Insulin pen needles .....                                  | 31       |
| Insulin syringes, disposable with<br>attached needle ..... | 32       |
| Intal Spincaps .....                                       | 163      |
| Intelence .....  | 92       |
| Interferon alpha-2a .....                                  | 95       |
| Interferon alpha-2b .....                                  | 95       |
| Interferon beta-1-alpha .....                              | 134      |
| Interferon beta-1-beta .....                               | 134      |
| Intra-uterine device .....                                 | 69       |
| Intron-A .....   | 95       |
| Ipecacuanha .....  | 38       |
| Ipratropium bromide .....                                  | 162, 164 |
| Ipratropium Steri-Neb .....                                | 162      |
| Irinotecan .....   | 145      |
| Irinotecan-Rex .....                                       | 145      |
| Iron Overload .....  | 46       |
| Iron polymaltose .....                                     | 38       |
| Isentress .....  | 94       |
| Ismo 20 .....  | 54       |
| Isogel .....   | 33       |
| Isoniazid .....  | 87       |
| Isoprenaline hydrochloride .....                           | 55       |
| Isoptin .....  | 53       |
| Isopto Carpine .....                                       | 168      |
| Isopto Homatropine .....                                   | 168      |
| Isosorbide mononitrate .....                               | 54       |
| Isosource 1.5 .....  | 188      |
| Isosource HN .....   | 188      |
| Isosource HN RTH .....                                     | 188      |
| Isosource Standard .....                                   | 188      |
| Isosource Standard RTH .....                               | 188      |
| Isotretinoin .....   | 57       |
| Isradipine .....   | 52       |
| Isuprel .....  | 55       |
| Itch-Soothe .....  | 59       |
| Itraconazole .....   | 86       |

**- J -**

|               |    |
|---------------|----|
| Jadelle ..... | 71 |
| Janola .....  | 62 |

**INDEX****Generic Chemicals and Brands**

|                               |        |                                  |        |                                  |     |
|-------------------------------|--------|----------------------------------|--------|----------------------------------|-----|
| Jevity .....                  | 188    | Letara .....                     | 155    | Loratadine .....                 | 160 |
| Jevity RTH .....              | 188    | Letrozole .....                  | 155    | Lorazepam .....                  | 132 |
| <b>- K -</b>                  |        |                                  |        |                                  |     |
| Kaletra .....                 | 94     | Leukeran FC .....                | 142    | Lormetazepam .....               | 134 |
| Karicare Food Thickener ..... | 190    | Leunase .....                    | 146    | Losartan .....                   | 49  |
| Karicare Goats Milk Infant    |        | Leuprorelin .....                | 80     | Losec Hp7 OAC .....              | 27  |
| Formula .....                 | 195    | Leustatin .....                  | 144    | Lovir .....                      | 89  |
| Karicare Soy All Ages .....   | 196    | Levetiracetam .....              | 123    | Loxamine .....                   | 120 |
| Kemadrin .....                | 115    | Levetiracetam-Rex .....          | 123    | Lucrin Depot .....               | 80  |
| Kenacomb .....                | 165    | Levlen ED .....                  | 70     | Lucrin Depot PDS .....           | 80  |
| Kenacort-A .....              | 76     | Levobunolol .....                | 166    | Ludiomil .....                   | 119 |
| Kenacort-A40 .....            | 76     | Levocabastine .....              | 166    | Lumigan .....                    | 167 |
| Ketoconazole .....            |        | Levodopa with benserazide .....  | 114    | Lycinate .....                   | 54  |
| Dermatological .....          | 59, 66 | Levodopa with carbidopa .....    | 114    | <b>- M -</b>                     |     |
| Infection .....               | 86     | Levonorgestrel .....             |        | m-Captopril .....                | 48  |
| Ketone blood beta-ketone      |        | Genito-Urinary .....             | 71-72  | m-Eslon .....                    | 117 |
| electrodes .....              | 30     | Hormone .....                    | 78     | m-Mometasone .....               | 61  |
| Ketoprofen .....              | 98     | Levothyroxine .....              | 79     | Mabthera .....                   | 156 |
| Ketostix .....                | 30     | Lifestyles Flared .....          | 68     | Macrogol 3350 .....              | 34  |
| Kindergerm .....              | 184    | Lignocaine .....                 | 115    | Madopar 125 .....                | 114 |
| Kivexa .....                  | 93     | Lignocaine hydrochloride .....   | 115    | Madopar 250 .....                | 114 |
| Klacid .....                  | 83     | Lignocaine with                  |        | Madopar 62.5 .....               | 114 |
| Klamycin .....                |        | chlorhexidine .....              | 115    | Madopar Dispersible .....        | 114 |
| Alimentary .....              | 27     | Lignocaine with prilocaine ..... | 115    | Madopar HBS .....                | 114 |
| Infection .....               | 83     | Lipid Modifying Agents .....     | 44     | Magnesium hydroxide .....        | 175 |
| Kliogest .....                | 78     | Lipitor .....                    | 45     | Magnesium sulphate               |     |
| Kliovance .....               | 78     | Liquigen .....                   | 180    | Alimentary .....                 | 38  |
| Konakion MM .....             | 41     | Lisinopril .....                 | 48     | Dermatological .....             | 67  |
| Konsyl-D .....                | 33     | Lisuride hydrogen maleate .....  | 114    | Malathion .....                  | 64  |
| <b>- L -</b>                  |        |                                  |        |                                  |     |
| LA-Morph .....                | 117    | Litak .....                      | 144    | Maprotiline hydrochloride .....  | 119 |
| Labetalol .....               | 51     | Lithicarb .....                  | 128    | Marevan .....                    | 42  |
| Lacri-Lube .....              | 169    | Lithium carbonate .....          | 128    | Marine Blue Lotion SPF 30+ ..... | 66  |
| Lactulose .....               | 34     | Livostin .....                   | 166    | Marquis Black .....              | 68  |
| Lamictal .....                | 123    | Locacorten-Viaform ED's .....    | 165    | Marquis Conforma .....           | 68  |
| Lamivudine .....              | 88, 93 | Locasol .....                    | 194    | Marquis Protecta .....           | 68  |
| Lamotrigine .....             | 123    | Loceryl .....                    | 58     | Marquis Selecta .....            | 68  |
| Lanoxin .....                 | 50     | Locoid .....                     | 60, 66 | Marquis Sensolite .....          | 68  |
| Lanoxin PG .....              | 50     | Locoid C .....                   | 61     | Marquis Supalite .....           | 68  |
| Lansoprazole .....            | 28     | Locoid Crelo .....               | 60     | Marquis Titillata .....          | 68  |
| Lantus .....                  | 29     | Locoid Lipocream .....           | 60     | MarquisTantiliza .....           | 68  |
| Lantus SoloStar .....         | 29     | Locorten-Vioform .....           | 165    | Martindale Acetylcysteine .....  | 175 |
| Lanvis .....                  | 146    | Lodoxamide trometamol .....      | 166    | Marvelon 21 .....                | 70  |
| Largactil .....               | 127    | Loette .....                     | 71     | Marvelon 28 .....                | 70  |
| Lasix .....                   | 53     | Logem .....                      | 123    | Mask for spacer device .....     | 164 |
| Latanoprost .....             | 167    | Lomide .....                     | 166    | Mast Cell Stabilisers .....      | 163 |
| Lax-Tab .....                 | 34     | Lomustine .....                  | 142    | Maxalt Melt .....                | 125 |
| Laxatives .....               | 33     | Loperamide hydrochloride .....   | 25     | Maxidex .....                    | 166 |
| Laxofast 120 .....            | 33     | Lophlex LQ .....                 | 193    | Maxitrol .....                   | 166 |
| Laxofast 50 .....             | 33     | Lopinavir with ritonavir .....   | 94     | MCT oil (Nutricia) .....         | 180 |
| Laxsol .....                  | 34     | Lopresor .....                   | 51     | Mebendazole .....                | 82  |
| Leflunomide .....             | 100    | Loprofin .....                   | 193    | Mebeverine hydrochloride .....   | 27  |
|                               |        | Loprofin Mix .....               | 193    | Medrol .....                     | 75  |
|                               |        | Loraclear Hayfever Relief .....  | 160    | Medroxyprogesterone acetate      |     |
|                               |        | Lorapaeed .....                  | 160    |                                  |     |

|                                  |        |                                 |     |                                 |     |
|----------------------------------|--------|---------------------------------|-----|---------------------------------|-----|
| Genito-Urinary .....             | 72     | Metryapone .....                | 81  | MSUD Maxamum .....              | 192 |
| Hormone .....                    | 77, 79 | Mexiletine hydrochloride .....  | 50  | Mucilaginous laxatives .....    | 33  |
| Mefenamic acid .....             | 98     | Mexitil .....                   | 50  | Mucilaginous laxatives with     |     |
| Megestrol acetate .....          | 153    | Miacalcic .....                 | 110 | stimulants .....                | 33  |
| Meloxicam .....                  | 99     | Mianserin hydrochloride .....   | 119 | Mucilax .....                   | 33  |
| Melphalan .....                  | 142    | Micelle E .....                 | 37  | MultiADE .....                  | 37  |
| Menthol .....                    | 59     | Micolette .....                 | 34  | Multiload Cu 375 .....          | 69  |
| Mercaptopurine .....             | 145    | Miconazole .....                | 35  | Multiload Cu 375 SL .....       | 69  |
| Mercilon 21 .....                | 70     | Miconazole nitrate              |     | Multiparin .....                | 42  |
| Mercilon 28 .....                | 70     | Dermatological .....            | 59  | Multiple Sclerosis              |     |
| Mesalazine .....                 | 26     | Genito-Urinary .....            | 72  | Treatments .....                | 132 |
| Mesna .....                      | 148    | Micreme .....                   | 72  | Multivitamins .....             | 37  |
| Mestinon .....                   | 98     | Micreme H .....                 | 61  | Mupirocin .....                 | 58  |
| Metabolic Disorder Agents .....  | 35     | Microgynon 20 ED .....          | 71  | Muscle Relaxants .....          | 113 |
| Metabolic Mineral Mixture .....  | 194    | Microgynon 30 .....             | 70  | Myaccord .....                  | 155 |
| Metamide .....                   | 126    | Microgynon 30 ED .....          | 70  | Myambutol .....                 | 87  |
| Metamucil .....                  | 33     | Microgynon 50 ED .....          | 70  | Mycobutin .....                 | 87  |
| Metformin hydrochloride .....    | 30     | Microlax .....                  | 34  | Mycophenolate mofetil .....     | 155 |
| Methadone hydrochloride          |        | Microlut .....                  | 71  | Mycostatin .....                | 59  |
| Extemporaneous .....             | 176    | Midazolam .....                 | 134 | Mydriacyl .....                 | 168 |
| Nervous .....                    | 117    | Midodrine .....                 | 50  | Mylanta P .....                 | 25  |
| Methatabs .....                  | 117    | Minaphlex .....                 | 193 | Myleran .....                   | 142 |
| Methoblastin .....               | 146    | Minerals .....                  | 37  | Myocrisin .....                 | 100 |
| Methopt .....                    | 168    | Minidiab .....                  | 30  | Myometrial and Vaginal Hormone  |     |
| Methotrexate .....               | 146    | Minirin .....                   | 80  | Preparations .....              | 72  |
| Methotrexate Ebewe .....         | 146    | Mino-tabs .....                 | 85  |                                 |     |
| Methotrimeprazine .....          | 128    | Minocycline hydrochloride ..... | 85  | <b>- N -</b>                    |     |
| Methyl hydroxybenzoate .....     | 176    | Minomycin .....                 | 85  | Nadolol .....                   | 51  |
| Methylcellulose .....            | 176    | Minor Skin Infections .....     | 64  | Nalcrom .....                   | 26  |
| Methyldopa .....                 | 53     | Mirena .....                    | 78  | Naloxone hydrochloride .....    | 139 |
| Methylergometrine .....          | 72     | Mirtazapine .....               | 120 | Naltrexone hydrochloride .....  | 139 |
| Methylphenidate                  |        | Misoprostol .....               | 27  | Nandrolone decanoate .....      | 75  |
| hydrochloride .....              | 137    | Mitomycin C .....               | 148 | Napamide .....                  | 54  |
| Methylphenidate hydrochloride    |        | Mitomycin-C .....               | 148 | Naphazoline hydrochloride ..... | 168 |
| extended-release .....           | 138    | Mitozantrone .....              | 148 | Naphcon Forte .....             | 168 |
| Methylprednisolone .....         | 75     | Mitozantrone Ebewe .....        | 148 | Naprosyn SR 1000 .....          | 99  |
| Methylprednisolone               |        | Mixtard 30 .....                | 29  | Naprosyn SR 750 .....           | 99  |
| aceponate .....                  | 61     | Moclobemide .....               | 119 | Naproxen .....                  | 99  |
| Methylprednisolone acetate ..... | 75     | Modecate .....                  | 130 | Naproxen sodium .....           | 99  |
| Methylprednisolone acetate with  |        | Moducal .....                   | 179 | Nardil .....                    | 119 |
| lignocaine .....                 | 75     | Moduretic .....                 | 54  | Nasal Preparations .....        | 164 |
| Methylprednisolone sodium        |        | Mogine .....                    | 123 | Natulan .....                   | 149 |
| succinate .....                  | 75     | Mometasone furoate .....        | 61  | Nausicalm .....                 | 125 |
| Methylxanthines .....            | 163    | Monofeme .....                  | 70  | Navelbine .....                 | 150 |
| Metoclopramide                   |        | Monogen .....                   | 183 | Navoban .....                   | 126 |
| hydrochloride .....              | 126    | Morphine hydrochloride .....    | 117 | Nedocromil .....                | 163 |
| Metoclopramide hydrochloride     |        | Morphine sulphate .....         | 117 | Nefopam hydrochloride .....     | 116 |
| with paracetamol .....           | 125    | Morphine tartrate .....         | 118 | Neo-Mercazole .....             | 79  |
| Metopirone .....                 | 81     | Morrex Maltodextrin .....       | 179 | Neocate .....                   | 195 |
| Metoprolol - AFT CR .....        | 51     | Motilium .....                  | 125 | Neocate Advance .....           | 195 |
| Metoprolol succinate .....       | 51     | Mouth and Throat .....          | 35  | Neocate LCP .....               | 195 |
| Metoprolol tartrate .....        | 51     | Movicol .....                   | 34  | Neoral .....                    | 158 |
| Metronidazole .....              | 86     | MSUD Maxamaid .....             | 192 | NeoRecormon .....               | 40  |



## Generic Chemicals and Brands

|  |          |
|--|----------|
| Neostigmine .....  | .98      |
| Neotigason .....   | .64      |
| Nepro (strawberry) .....   | .185     |
| Nepro (vanilla) .....  | .185     |
| Nerisone .....   | .60      |
| Neulactil .....  | .128     |
| NeuroKare .....  | .38      |
| Neurontin .....  | .122     |
| Nevirapine .....   | .93      |
| Nicotine .....   | 140-141  |
| Nicotinell .....   | .140     |
| Nicotinic acid .....   | .44      |
| Nifedipine .....   | .52      |
| Nifuran .....  | .96      |
| Nilstat .....  |          |
| Alimentary .....   | .35      |
| Genito-Urinary .....   | .72      |
| Infection .....  | .86      |
| Nipent .....   | .148     |
| Nitrados .....   | .134     |
| Nitrates .....   | .54      |
| Nitrazepam .....   | .134     |
| Nitroderm TTS .....  | .54      |
| Nitrofurantoin .....   | .96      |
| Nitrolingual Pumpspray .....   | .54      |
| Nizoral .....  |          |
| Dermatological .....   | .59      |
| Infection .....  | .86      |
| Noctamid .....   | .134     |
| Nodia .....  | .25      |
| Noflam 250 .....   | .99      |
| Noflam 500 .....   | .99      |
| Nonoxynol-9 .....  | .68      |
| Nordette 28 .....  | .70      |
| Norethisterone .....   |          |
| Genito-Urinary .....   | .72      |
| Hormone .....  | .79      |
| Norethisterone with<br>mestranol .....   | .71      |
| Norflex .....  | .113     |
| Norfloxacin .....  | .96      |
| Noriday 28 .....   | .72      |
| Norimin .....  | .71      |
| Norinyl-1/28 .....   | .71      |
| Normacol .....   | .33      |
| Normacol Plus .....  | .33      |
| Normison .....   | .134     |
| Norpress .....   | .119     |
| Nortriptyline hydrochloride .....  | .119     |
| Norvir .....   | .94      |
| NovaSource Renal .....   | .185     |
| NovoFine .....   | .31      |
| NovoRapid .....  | .29      |
| NovoRapid Penfill .....  | .29      |
| Nozinan .....  | .128     |
| Nuelin .....   | .163     |
| Nuelin-SR .....  | .163     |
| Nupentin .....   | .121     |
| Nutraplus .....  | .63      |
| Nutrient Modules .....   | .179     |
| Nutrini Energy RTH .....   | .184     |
| Nutrini RTH .....  | .184     |
| NutriniDrink .....   | .185     |
| NutriniDrink Multifibre .....  | .185     |
| Nutrison Concentrated .....  | .185     |
| Nutrison Energy Multi Fibre .....  | .188     |
| Nutrison Multi Fibre .....   | .188     |
| Nutrison Standard RTH .....  | .188     |
| Nyefax Retard .....  | .52      |
| Nystatin .....   |          |
| Alimentary .....   | .35      |
| Dermatological .....   | .59      |
| Genito-Urinary .....   | .72      |
| Infection .....  | .86      |
| NZB Low Gluten Bread Mix .....   | .191     |
| <b>- O -</b>   |          |
| Octeotide (somatostatin<br>analogue) .....                                     | .153     |
| Oestradiol .....   | .77      |
| Oestradiol valerate .....  | .77      |
| Oestradiol with<br>norethisterone .....  | .78      |
| Oestriol .....   |          |
| Genito-Urinary .....   | .72      |
| Hormone .....  | .78      |
| Oestrogens .....   | .77      |
| Oestrogens with<br>medroxyprogesterone .....                                   | .78      |
| Oil in water emulsion .....  | .62      |
| Oily cream .....   | .63      |
| Olanzapine .....   | 128, 131 |
| Olbetam .....  | .44      |
| Olsalazine .....   | .26      |
| Omeprazole .....   | .28      |
| Omeprazole, amoxicillin and<br>clarithromycin .....                            | .27      |
| On Call Advanced .....   | .30, 31  |
| OncoTICE .....   | .156     |
| Ondansetron .....  | .126     |
| One-Alpha .....  | .36      |
| Onkotrone .....  | .148     |
| Optium 5 second test .....   | .31      |
| Optium Blood Ketone Test<br>Strips .....                                       | .30      |
| Optium Xceed .....   | .30      |
| Orabase .....  | .35      |
| Oracort .....  | .35      |
| Oral Supplements .....   | .181     |
| Oral Supplements/Complete Diet<br>(Nasogastric/Gastrostomy<br>Tube Feed) ..... | .182     |
| Oratane .....  | .57      |
| Orgnan .....   | .191     |
| Ornidazole .....   | .86      |
| Orphenadrine citrate .....   | .113     |
| Orphenadrine hydrochloride .....   | .115     |
| Ortho .....  | .68      |
| Ortho All-flex .....   | .69      |
| Ortho Coil .....   | .69      |
| Ortho-tolidine .....   | .74      |
| Oruvail 100 .....  | .98      |
| Oruvail 200 .....  | .98      |
| Osmolite .....   | .188     |
| Osmolite RTH .....   | .188     |
| Ospamox .....  | .84      |
| Ospamox Paediatric Drops .....   | .84      |
| Other Endocrine Agents .....   | .80      |
| Other Oestrogen<br>Preparations .....  | .78      |
| Other Progestogen<br>Preparations .....  | .78      |
| Other Skin Preparations .....  | .67      |
| Ovestin .....  |          |
| Genito-Urinary .....   | .72      |
| Hormone .....  | .78      |
| Ox-Pam .....   | .132     |
| Oxaliplatin .....  | .142     |
| Oxaliplatin Ebewe .....  | .142     |
| Oxazepam .....   | .132     |
| Oxis Turbuhaler .....  | .161     |
| Oxybutynin .....   | .73      |
| Oxycodone hydrochloride .....  | .118     |
| OxyContin .....  | .118     |
| OxyNorm .....  | .118     |
| Oxyptentifylline .....   | .55      |
| Oxytocin .....   | .73      |
| <b>- P -</b>   |          |
| Pacifen .....  | .113     |
| Pacific Atenolol .....   | .51      |
| Pacific Buspirone .....  | .132     |
| Paclitaxel .....   | .148     |
| Paclitaxel Ebewe .....   | .148     |
| Paediatric Seravit .....   | .37      |
| Pamidronate disodium .....   | .111     |
| Pamisol .....  | .111     |
| Panadol .....  | .116     |
| Pancreatic enzyme .....  | .32      |
| Pancorex V .....   | .32      |
| Pancorex V Forte .....   | .32      |



|   |     |  |          |  |         |
|---|-----|--|----------|--|---------|
| Pantocid IV .....                                 | 28  | Pharmacy Services .....                        | 170      | Pred Mild .....                            | 166     |
| Pantoprazole .....                                | 28  | Phenate .....                                  | 80       | Prednisolone acetate .....                 | 166     |
| Panzytrat .....                                   | 32  | Phenelzine sulphate .....                      | 119      | Prednisolone sodium<br>phosphate .....     | 75      |
| Papaverine hydrochloride .....                    | 55  | Phenobarbitone .....                           | 123      | Prednisone .....                           | 76      |
| Paracare .....                                    | 116 | Phenobarbitone sodium .....                    | 176      | Prefrin .....                              | 169     |
| Paracare Double Strength .....                    | 116 | Phenoxybenzamine<br>hydrochloride .....        | 47       | Pregnancy Tests - hCG Urine .....          | 73      |
| Paracare Junior .....                             | 116 | Phenoxyethylpenicillin<br>(Penicillin V) ..... | 85       | Pregnancy tests - HCG urine .....          | 73      |
| Paracetamol .....                                 | 116 | Phentolamine mesylate .....                    | 47       | Premarin .....                             | 77      |
| Paracetamol with codeine .....                    | 118 | Phenylephrine<br>hydrochloride .....           | 169      | Premia 2.5 Continuous .....                | 78      |
| ParaCode .....                                    | 118 | Phenytoin sodium .....                         | 121, 123 | Premia 5 Continuous .....                  | 78      |
| Paraffin .....                                    | 63  | Phlexy 10 .....                                | 193      | Prezista .....                             | 93      |
| Paraffin liquid with soft white<br>paraffin ..... | 169 | Phosphate-Sandoz .....                         | 44       | Priadel .....                              | 128     |
| Paraffin liquid with wool fat<br>liquid .....     | 169 | Phytomenadione .....                           | 41       | Primidone .....                            | 123     |
| Paraldehyde .....                                 | 121 | Pilocarpine .....                              | 168      | Primolut N .....                           | 79      |
| Paramax .....                                     | 125 | Pimarufcort .....                              | 61       | Probenecid .....                           | 113     |
| Parasitocidal Preparations .....                  | 64  | Pindolol .....                                 | 52       | Probenecid-AFT .....                       | 113     |
| Parnate .....                                     | 119 | Pinetarsol .....                               | 66       | Procaine penicillin .....                  | 85      |
| Paroxetine hydrochloride .....                    | 120 | Pinorax .....                                  | 34       | Procarbazine hydrochloride .....           | 149     |
| Paxam .....                                       | 121 | Pinorax Forte .....                            | 34       | Prochlorperazine .....                     | 126     |
| Peak flow meter .....                             | 164 | Pioglitazone .....                             | 30       | Proctosedyl .....                          | 26      |
| Pedialyte - Bubblegum .....                       | 44  | Piportil .....                                 | 130      | Procyclidine hydrochloride .....           | 115     |
| Pedialyte - Fruit .....                           | 44  | Pipothiazine palmitate .....                   | 130      | Prodopa .....                              | 53      |
| Pedialyte - Plain .....                           | 44  | Piram-D .....                                  | 99       | Prograf .....                              | 158     |
| Pediasure .....                                   | 185 | Piroxicam .....                                | 99       | Progynova .....                            | 77      |
| Pediasure RTH .....                               | 184 | Pizaccord .....                                | 30       | Promethazine hydrochloride .....           | 160     |
| Pegasys .....                                     | 95  | Pizotifen .....                                | 125      | Promethazine theoclate .....               | 126     |
| Pegasys RBV Combination<br>Pack .....             | 95  | PKU Anamix Infant .....                        | 193      | Promethazine Winthrop<br>Elixir .....      | 160     |
| Pegylated interferon alpha-2a .....               | 95  | PKU Lophlex LQ .....                           | 193      | Promod .....                               | 181     |
| Penicillamine .....                               | 100 | Plaquenil .....                                | 86       | Promod .....                               | 181     |
| PenMix 30 .....                                   | 29  | Plavix .....                                   | 41       | Propafenone hydrochloride .....            | 50      |
| PenMix 40 .....                                   | 29  | Plendil ER .....                               | 52       | Propamide isethionate .....                | 165     |
| PenMix 50 .....                                   | 29  | Podophyllotoxin .....                          | 67       | Propranolol .....                          | 52      |
| Pentasa .....                                     | 26  | Polaramine .....                               | 159      | Propylene glycol .....                     | 176     |
| Pentostatin<br>(deoxycytosine) .....              | 148 | Poloxamer .....                                | 34       | Protamine sulphate .....                   | 42      |
| Pepti Junior .....                                | 195 | Poly-Tears .....                               | 168      | Protaphane .....                           | 29      |
| Pepti Junior Gold .....                           | 195 | Poly-Visc .....                                | 169      | Protaphane Penfill .....                   | 29      |
| Peptisoothe .....                                 | 28  | Polycal .....                                  | 179      | Protifar .....                             | 181     |
| Peptisorb .....                                   | 186 | Polytar Emollient .....                        | 66       | Provera .....                              | 77, 79  |
| Pergolide .....                                   | 114 | Polyvinyl alcohol .....                        | 168      | PSO .....                                  | 197-200 |
| Perhexiline maleate .....                         | 53  | Ponstan .....                                  | 98       | Psoriasis and Eczema<br>Preparations ..... | 64      |
| Pericyazine .....                                 | 128 | Postinor-1 .....                               | 72       | Pulmicort Turbuhaler .....                 | 160     |
| Perindopril .....                                 | 48  | Potassium bicarbonate .....                    | 44       | Pulmocare .....                            | 182     |
| Permax .....                                      | 114 | Potassium chloride .....                       | 43-44    | Pulmozyme .....                            | 163     |
| Permethrin .....                                  | 64  | Potassium iodate .....                         | 38       | Purinethol .....                           | 145     |
| Persantin .....                                   | 41  | Povidone iodine .....                          | 64       | Pyrazinamide .....                         | 87      |
| Pethidine hydrochloride .....                     | 118 | Prantal .....                                  | 62       | Pyridostigmine bromide .....               | 98      |
| Pevaryl .....                                     | 59  | Pravachol .....                                | 45       | Pyridoxine hydrochloride .....             | 36      |
| Pexsig .....                                      | 53  | Pravastatin .....                              | 45       | Pytazen SR .....                           | 41      |
| Pharmacare .....                                  | 116 | Prazosin hydrochloride .....                   | 47       |  |         |
|   |     | Pred Forte .....                               | 166      |  |         |

**- Q -**

|             |     |
|-------------|-----|
| Q 200 ..... | 113 |
| Q 300 ..... | 113 |

## Generic Chemicals and Brands

|  |         |   |     |   |         |
|--|---------|---|-----|---|---------|
| Questran-Lite .....                      | 44      | Roxithromycin .....                       | 84  | Slow-Lopresor .....                                   | 51      |
| Quetapel .....                           | 129     | Rubifen .....                             | 137 | Sodibic .....   | 44      |
| Quetiapine .....                         | 129     | Rubifen SR .....                          | 137 | Sodium acid phosphate .....                           | 34      |
| Quinapril .....                          | 48      | Rythmodan .....                           | 50  | Sodium alginate .....                                 | 25      |
| Quinapril with hydrochlorothiazide ..... | 49      | Rytmonorm .....                           | 50  | Sodium aurothiomalate .....                           | 100     |
| Quinine sulphate .....                   | 113     | - S -                                     |     | Sodium bicarbonate Blood .....                        | 43-44   |
| QV .....                                 | 62      | S26 Soy .....                             | 196 | Extemporaneous .....                                  | 176     |
| - R -                                    |         | S26LBW Gold RTF .....                     | 194 | Sodium calcium edetate .....                          | 39      |
| RA-Morph .....                           | 117     | Sabril .....                              | 124 | Sodium carboxymethylcellulose .....                   | 35      |
| Raltegravir potassium .....              | 94      | Salamol .....                             | 162 | Sodium chloride .....                                 | 43      |
| Ranbaxy-Cefaclor .....                   | 82      | Salapin .....                             | 162 | Sodium citrate with sodium lauryl sulphaacetate ..... | 34      |
| Ranitidine hydrochloride .....           | 28      | Salazopyrin .....                         | 26  | Sodium citro-tartrate .....                           | 73      |
| Rapamune .....                           | 158     | Salazopyrin EN .....                      | 26  | Sodium cromoglycate Alimentary .....                  | 26      |
| Redipred .....                           | 75      | Salbutamol .....                          | 162 | Respiratory .....                                     | 163-164 |
| Regitine .....                           | 47      | Salbutamol with ipratropium bromide ..... | 163 | Sensory .....   | 166     |
| Renilon 7.5 .....                        | 185     | Salicylic acid .....                      | 65  | Sodium fluoride .....                                 | 38      |
| Resonium-A .....                         | 44      | Salmeterol .....                          | 161 | Sodium hypochlorite .....                             | 62      |
| Resource Beneprotein .....               | 181     | Sandostatin .....                         | 125 | Sodium nitroprusside .....                            | 30      |
| Resource Diabetic .....                  | 182     | Sandostatin LAR .....                     | 153 | Sodium polystyrene sulphonate .....                   | 44      |
| Resource Plus .....                      | 189     | SC Profi-Fine .....                       | 31  | Sodium tetradecyl sulphate .....                      | 41      |
| Resource Thicken Up .....                | 190     | Scalp Preparations .....                  | 66  | Sodium valproate .....                                | 123     |
| Respigen .....                           | 162     | Scopoderm TTS .....                       | 125 | Sofradex .....  | 165     |
| Respiratory Devices .....                | 164     | Sebizole .....                            | 66  | Soframycin .....                                      | 165     |
| ReTrieve .....                           | 57      | Sedatives and Hypnotics .....             | 134 | Solian .....  | 127     |
| Retrovir .....                           | 93      | Selegiline hydrochloride .....            | 114 | Solifenacin succinate .....                           | 73      |
| ReVia .....                              | 139     | Senna .....                               | 34  | Solox .....   | 28      |
| Reyataz .....                            | 93      | Senkot .....                              | 34  | Solu-Cortef .....                                     | 75      |
| Rheumacin SR .....                       | 99      | SensoCard .....                           | 31  | Solu-Medrol .....                                     | 75      |
| Ridal .....                              | 129     | Serenace .....                            | 128 | Somatotropin .....                                    | 79      |
| Ridaura .....                            | 99      | Seretide .....                            | 161 | Sonaflam .....  | 99      |
| Rifabutin .....                          | 87      | Seretide Accuhaler .....                  | 161 | Sotacor .....   | 52      |
| Rifadin .....                            | 87      | Serevent .....                            | 161 | Sotalol .....   | 52      |
| Rifampicin .....                         | 87      | Serevent Accuhaler .....                  | 161 | Space Chamber .....                                   | 164     |
| Rifinah .....                            | 87      | Serophene .....                           | 80  | Spacer device .....                                   | 164     |
| Riodine .....                            | 64      | Seroquel .....                            | 129 | Span-K .....  | 44      |
| Risperdal .....                          | 129     | Sevredol .....                            | 117 | Spiriva .....   | 162     |
| Risperdal Consta .....                   | 130     | Sex Hormones Non Contraceptive .....      | 76  | Spirolactone .....                                    | 54      |
| Risperdal Quicklet .....                 | 131     | Shield 49 .....                           | 68  | Spirotone .....                                       | 54      |
| Risperidone .....                        | 129-131 | Shield Blue .....                         | 68  | Sporanox .....  | 86      |
| Risperon .....                           | 129     | Shield XL .....                           | 68  | Sprycel .....   | 150     |
| Ritalin .....                            | 137     | Sildenafil .....                          | 55  | Stavudine [d4T] .....                                 | 93      |
| Ritalin LA .....                         | 138     | Silver sulphadiazine .....                | 58  | Stelazine .....                                       | 129     |
| Ritalin SR .....                         | 137     | Simethicone .....                         | 25  | Stemetil .....  | 126     |
| Ritonavir .....                          | 94      | Simvastatin .....                         | 45  | Stesolid .....  | 121     |
| Rituximab .....                          | 156     | Sindopa .....                             | 114 | Stimulants/ADHD Treatments .....                      | 135     |
| Rivacol .....                            | 35      | Sinemet .....                             | 114 | Stocrin .....   | 92      |
| Rivotril .....                           | 121     | Sinemet CR .....                          | 114 | Stomahesive .....                                     | 35      |
| Rizatriptan benzoate .....               | 125     | Sirolimus .....                           | 158 |   |         |
| Rocaltrol solution .....                 | 36      | Siterone .....                            | 76  |   |         |
| Roferon-A .....                          | 95      |   |     |   |         |
| Ropin .....                              | 114     |   |     |   |         |
| Ropinirole hydrochloride .....           | 114     |   |     |   |         |

|                                       |     |
|---------------------------------------|-----|
| Strattera .....                       | 135 |
| Sucralfate .....                      | 28  |
| Sulindac .....                        | 99  |
| Sulphacetamide sodium .....           | 165 |
| Sulphasalazine .....                  | 26  |
| Sulphur .....                         | 66  |
| Sumatriptan .....                     | 125 |
| Sunitinib .....                       | 152 |
| Sunscreens .....                      | 66  |
| Sunscreens, proprietary .....         | 66  |
| Suplena .....                         | 187 |
| Surgam .....                          | 99  |
| Sustagen Hospital Formula .....       | 181 |
| Sustanon Ampoules .....               | 76  |
| Sutent .....                          | 152 |
| Symbicort Turbuhaler 100/6 .....      | 161 |
| Symbicort Turbuhaler 200/6 .....      | 161 |
| Symbicort Turbuhaler<br>400/12 .....  | 161 |
| Symmetrel .....                       | 114 |
| Sympathomimetics .....                | 55  |
| Synacthen .....                       | 76  |
| Synacthen Depot .....                 | 76  |
| Synermox .....                        | 84  |
| Synflex .....                         | 99  |
| Synthroid .....                       | 79  |
| Syntocinon .....                      | 73  |
| Syntometrine .....                    | 73  |
| Syrup (pharmaceutical<br>grade) ..... | 176 |

**- T -**

|   |     |
|---|-----|
| Tacrolimus .....  | 158 |
| Tambocor .....  | 50  |
| Tambocor CR .....   | 50  |
| Tamoxifen citrate .....   | 155 |
| Tamoxifen Sandoz .....  | 155 |
| Tamsulosin hydrochloride .....                                    | 73  |
| Tamsulosin-Rex .....  | 73  |
| Tap water .....   | 176 |
| Tar with cade oil .....   | 66  |
| Tar with triethanolamine lauryl<br>sulphate and fluorescein ..... | 66  |
| Tarceva .....   | 151 |
| Tasmar .....  | 114 |
| Taxotere .....  | 147 |
| Tegretol .....  | 121 |
| Tegretol CR .....   | 121 |
| Telfast .....   | 159 |
| Temazepam .....   | 134 |
| Temgesic .....  | 116 |
| Temodal .....   | 149 |
| Temozolomide .....  | 149 |

|   |     |
|---|-----|
| Tenofovir disoproxil fumarate .....       | 90  |
| Tenoxicam .....                           | 99  |
| Terazosin hydrochloride .....             | 47  |
| Terbinafine .....                         | 86  |
| Terbutaline sulphate .....                | 162 |
| Testosterone .....                        | 76  |
| Testosterone cypionate .....              | 76  |
| Testosterone esters .....                 | 76  |
| Testosterone undecanoate .....            | 76  |
| Tetrabenazine .....                       | 115 |
| Tetrabromophenol .....                    | 74  |
| Tetracosactrin .....                      | 76  |
| Teva .....                                | 146 |
| Thalidomide .....                         | 149 |
| Thalidomide Pharmion .....                | 149 |
| Theophylline .....                        | 163 |
| Thiamine hydrochloride .....              | 36  |
| Thioguanine .....                         | 146 |
| Thiotepa .....                            | 143 |
| Thymol glycerin .....                     | 36  |
| Thyroid and Antithyroid<br>Agents .....   | 79  |
| Tiaprofenic acid .....                    | 99  |
| Tiberal .....                             | 86  |
| Tilade .....                              | 163 |
| Tilcotil .....                            | 99  |
| Timolol maleate<br>Cardiovascular .....   | 52  |
| Sensory .....                             | 166 |
| Timoptol XE .....                         | 166 |
| Tiotropium bromide .....                  | 162 |
| Titralac .....                            | 25  |
| TMP .....                                 | 86  |
| Tobramycin<br>Infection .....             | 86  |
| Sensory .....                             | 166 |
| Tobrex .....                              | 166 |
| Tofranil .....                            | 119 |
| Tolcapone .....                           | 114 |
| Tolvon .....                              | 119 |
| Topamax .....                             | 123 |
| Topiramate .....                          | 123 |
| Total parenteral nutrition<br>(TPN) ..... | 43  |
| TPN .....                                 | 43  |
| Tracleer .....                            | 55  |
| Tramadol hydrochloride .....              | 116 |
| Trandate .....                            | 51  |
| Trandolapril .....                        | 49  |
| Tranexamic acid .....                     | 41  |
| Tranylcypromine sulphate .....            | 119 |
| Trastuzumab .....                         | 157 |
| Travatan .....                            | 167 |

|   |     |
|---|-----|
| Travoprost .....  | 167 |
| Treatments for Dementia .....   | 139 |
| Treatments for Opioid<br>Overdose .....   | 139 |
| Treatments for Substance<br>Dependence .....  | 139 |
| Trental 400 .....   | 55  |
| Tretinoin<br>Dermatological .....   | 57  |
| Oncology .....  | 149 |
| Triamcinolone acetonide<br>Alimentary .....   | 35  |
| Dermatological .....  | 61  |
| Hormone .....   | 76  |
| Triamcinolone acetonide with<br>gramicidin, neomycin and nystatin<br>Dermatological ..... | 61  |
| Sensory .....   | 165 |
| Triazolam .....   | 134 |
| Trichozole .....  | 86  |
| Triclosan .....   | 62  |
| Trifluoperazine<br>hydrochloride .....  | 129 |
| Trimeprazine tartrate .....   | 160 |
| Trimethoprim .....  | 86  |
| Trisequens .....  | 78  |
| Trisul .....  | 85  |
| Trophic Hormones .....  | 79  |
| Tropicamide .....   | 168 |
| Tropisetron .....   | 126 |
| Trusopt .....   | 167 |
| Two Cal HN .....  | 190 |
| Tyloxapol .....   | 168 |

**- U -**

|                                |     |
|--------------------------------|-----|
| Ultraproct .....               | 26  |
| Univent .....                  | 162 |
| Ural .....                     | 73  |
| Urea .....                     | 63  |
| Urex Forte .....               | 53  |
| Urinary Agents .....           | 73  |
| Urinary Tract Infections ..... | 96  |
| Uromitexan .....               | 148 |
| Ursodeoxycholic acid .....     | 33  |

**- V -**

|                                |     |
|--------------------------------|-----|
| Vaccines .....                 | 97  |
| Valaciclovir .....             | 90  |
| Vallergan Forte .....          | 160 |
| Valoid (AFT) .....             | 125 |
| Valtrex .....                  | 90  |
| Vancomycin hydrochloride ..... | 86  |
| Vannair .....                  | 161 |
| Varenicline tartrate .....     | 139 |

## Generic Chemicals and Brands

|                                    |       |     |                                 |       |       |                                     |       |     |
|------------------------------------|-------|-----|---------------------------------|-------|-------|-------------------------------------|-------|-----|
| Varios                             | ..... | 170 | C                               | ..... | 36    | Zarontin                            | ..... | 121 |
| Vasodilators                       | ..... | 55  | Vitamin B complex               | ..... | 36    | Zavedos                             | ..... | 148 |
| Vasopressin Agonists               | ..... | 80  | Vitamins                        | ..... | 36-37 | Zeffix                              | ..... | 88  |
| Vaxigrip                           | ..... | 97  | Vivonex Pediatric               | ..... | 195   | Zeldox                              | ..... | 130 |
| Venlafaxine                        | ..... | 120 | Vivonex TEN                     | ..... | 186   | Zerit                               | ..... | 93  |
| Ventavis                           | ..... | 56  | Volibris                        | ..... | 55    | Zetop                               | ..... | 159 |
| Ventolin                           | ..... | 162 | Voltaren                        | ..... | 98    | Ziagen                              | ..... | 93  |
| Vepesid                            | ..... | 148 | Voltaren D                      | ..... | 98    | Zidovudine [AZT]                    | ..... | 93  |
| Veracol                            | ..... | 82  | Voltaren Ophtha                 | ..... | 166   | Zidovudine [AZT] with<br>lamivudine | ..... | 93  |
| Verapamil hydrochloride            | ..... | 53  | Volumatic                       | ..... | 164   | Zinacef                             | ..... | 82  |
| Vergo 16                           | ..... | 125 | Vosol                           | ..... | 165   | Zinc                                | ..... | 62  |
| Vermox                             | ..... | 82  | Vytorin                         | ..... | 45    | Zinc and castor oil                 | ..... | 62  |
| Verpamil SR                        | ..... | 53  |                                 |       |       | Zinc oxide                          | ..... | 27  |
| Vesanoid                           | ..... | 149 | - W -                           |       |       | Zinc sulphate                       | ..... | 38  |
| Vesicare                           | ..... | 73  | Warfarin sodium                 | ..... | 42    | Zincaps                             | ..... | 38  |
| Viaderm KC                         | ..... | 61  | Wart Preparations               | ..... | 66    | Zinnat                              | ..... | 82  |
| Viagra                             | ..... | 55  | Wasp venom allergy<br>treatment | ..... | 159   | Ziprasidone                         | ..... | 130 |
| Vicrom                             | ..... | 163 | Water                           |       |       | Zofran                              | ..... | 126 |
| Videx EC                           | ..... | 93  | Blood                           | ..... | 43    | Zofran Zydys                        | ..... | 126 |
| Vigabatrin                         | ..... | 124 | Extemporaneous                  | ..... | 176   | Zoladex                             | ..... | 80  |
| Vinblastine sulphate               | ..... | 149 | Wool fat with mineral oil       | ..... | 63    | Zoledronic acid                     | ..... | 111 |
| Vincristine sulphate               | ..... | 149 |                                 |       |       | Zopiclone                           | ..... | 134 |
| Vinorelbine                        | ..... | 150 | - X -                           |       |       | Zostrix HP                          | ..... | 67  |
| Vinorelbine Ebewe                  | ..... | 150 | Xeloda                          | ..... | 143   | Zovirax                             | ..... | 165 |
| Viramune                           | ..... | 93  | Xenazine 25                     | ..... | 115   | Zuclopenthixol decanoate            | ..... | 130 |
| Viramune Suspension                | ..... | 93  | XMET Maxamum                    | ..... | 192   | Zuclopenthixol<br>hydrochloride     | ..... | 130 |
| Viread                             | ..... | 90  | XP Analog LCP                   | ..... | 193   | Zyban                               | ..... | 139 |
| Vistil                             | ..... | 168 | XP Maxamaid                     | ..... | 193   | Zyprexa                             | ..... | 128 |
| Vistil Forte                       | ..... | 168 | XP Maxamum                      | ..... | 193   | Zyprexa Zydys                       | ..... | 131 |
| Vitabdeck                          | ..... | 37  | Xylocaine                       | ..... | 115   |                                     |       |     |
| Vitadol C                          | ..... | 36  | Xylocaine Viscous               | ..... | 115   |                                     |       |     |
| Vital HN                           | ..... | 186 |                                 |       |       |                                     |       |     |
| Vitala-C                           | ..... | 36  | - Z -                           |       |       |                                     |       |     |
| Vitamin A with vitamins D and<br>E | ..... | 36  | Zantac                          | ..... | 28    |                                     |       |     |
|                                    |       |     | Zapril                          | ..... | 48    |                                     |       |     |

## AUTHORITY TO SUBSTITUTE

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

### **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### **Other subsidised products**

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### **Exceptions**

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name: \_\_\_\_\_ NZMC: \_\_\_\_\_

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

*Authority for the dispensing pharmacist to change a prescribed medicine in this way is contained in regulation 42 (4) of the Medicines Regulations 1984.*



## AUTHORITY TO SUBSTITUTE

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

### **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### **Other subsidised products**

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

### **Exceptions**

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name: \_\_\_\_\_ NZMC: \_\_\_\_\_

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

*Authority for the dispensing pharmacist to change a prescribed medicine in this way is contained in regulation 42 (4) of the Medicines Regulations 1984.*

