# December 2010

Volume 17 Number 3

Editor

Kaye Wilson email: schedule@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

Freephone Information Line 0800 66 00 50 (9am - 5pm weekdays)

## Circulation

Published each April, August and December. Changes to the contents are published in monthly updates. Annual subscription includes three Pharmaceutical Schedule books, 12 updates and occasional information on rule changes and news items. The Schedule is distributed free of charge to over 9,000 health professionals, and is also available on an annual subscription.

## Prices

\$22.22 One Schedule book \$4.44 One Update \$120.00 Annual subscription

All prices include postage and exclude GST.

#### Production

Typeset automatically from XML and TEX. See www.pharmac.govt.nz/schedule/archive/ for the XML version of this Schedule.

## Programmers

Anrik Drenth & John Geering email: texschedule@pharmac.govt.nz

© Pharmaceutical Management Agency



ISSN 1179-3686 pdf ISSN 1172-9376 print

This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit:

creativecommons.org/licenses/by/3.0/nz/. Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

# **Section A**

## General Rules 12

# Section B Alimentary Tract & Metabolism 25 Blood & Blood Forming Organs 40 Cardiovascular System 47 Dermatologicals 57 Genito Urinary System 68 Hormone Preparations – Systemic 75 Infections – Agents For Systemic Use 82 Musculoskeletal System 99 Nervous System 115

Oncology Agents & Immunosuppressants 143

- Respiratory System & Allergies 160
  - Sensory Organs 166
    - Various 171

Index 209

Section C Extemporaneous Compounds (ECPs) 172				
Section D	Special Foods 179			
Section E	Practitioner's Supply Orders 199 Rural Areas 203			
Section F	Dispensing Period Exemptions 204			
Section G	Safety Cap Medicines 206			

# Introducing PHARMAC

PHARMAC, the Pharmaceutical Management Agency, is a Crown entity established pursuant to the New Zealand Public Health and Disability Act 2000 (The Act). The primary objective of PHARMAC is to secure for eligible people in need of pharmaceuticals, the best health outcomes that are reasonably achievable from pharmaceutical treatment and from within the amount of funding provided.

The PHARMAC Board consists of up to six members appointed by the Minister of Health. All decisions relating to PHARMAC's operation are made by or under the authority of the Board. In particular, Board members decide on the strategic direction of PHARMAC and may decide which community pharmaceuticals should be subsidised and at what levels, and determine national prices for some pharmaceuticals to be purchased by and used in DHB Hospitals, and whether or not special conditions are to be applied to such purchases.

## Members of the PHARMAC Board

Stuart McLauchlan	Kura Denness	David Kerr
Anne Kolbe	David Moore	Jens Mueller

Decisions taken by the PHARMAC Board members, or made under the authority of the Board, incorporate a balanced view of the needs of prescribers and patients. The aim is to achieve long-term gains and efficient ways of making pharmaceuticals available to the community and for DHB Hospitals to purchase them.

Murray Georgel, CE MidCentral DHB, attends PHARMAC's Board meetings as an observer.

The functions of PHARMAC are to perform the following, within the amount of funding provided to it in the Pharmaceutical Budget or to DHBs from their own budgets for the use of pharmaceuticals in their hospitals, as applicable, and in accordance with its annual plan and any directions given by the Minister (Section 103 of the Crown Entities Act):

- a) to maintain and manage a pharmaceutical schedule that applies consistently throughout New Zealand, including determining eligibility and criteria for the provision of subsidies;
- b) to manage incidental matters arising out of (a), including in exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the pharmaceutical schedule;
- c) to engage as it sees fit, but within its operational budget, in research to meet its objectives as set out in Section 47(a) of the Act;
- d) to promote the responsible use of pharmaceuticals;
- e) to manage the purchasing of any or all pharmaceuticals, whether used either in a hospital or outside it, on behalf of DHBs;
- f) any other functions given to PHARMAC by or under any enactment or authorised by the Minister.

The policies and criteria set out in the Pharmaceutical Schedule and PHARMAC's Operating Policies and Procedures arise out of, and are designed to help PHARMAC achieve and perform, PHARMAC's objective and functions under the Act.

However PHARMAC may, having regard to its public law obligations, depart from the strict application of those policies and criteria in certain exceptional cases where it considers this necessary or appropriate in the proper exercise of its statutory discretion and to give effect to its objective and functions, particularly with respect to:

- Determining eligibility and criteria for the provision of subsidies; and
- In exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the Pharmaceutical Schedule.

## Decision Criteria

PHARMAC updates the Pharmaceutical Schedule at regular intervals to notify prescribers, pharmacists, hospital managers and patients of changes to Community Pharmaceutical subsidies and the prices for Hospital Pharmaceuticals. In making decisions about amendments to the Pharmaceutical Schedule, PHARMAC is guided by its Operating Policies and Procedures, as amended or supplemented from time to time. PHARMAC takes into account the following criteria when making decisions about Community Pharmaceuticals:

- the health needs of all eligible people within New Zealand (eligible defined by the Government's then current rules of eligibility);
- the particular health needs of Maori and Pacific peoples;
- the availability and suitability of existing medicines, therapeutic medical devices and related products and related things;
- the clinical benefits and risks of pharmaceuticals;
- the cost-effectiveness of meeting health needs by funding pharmaceuticals rather than using other publicly funded health and disability support services;
- the budgetary impact (in terms of the pharmaceutical budget and the Government's overall health budget) of any changes to the Pharmaceutical Schedule;
- the direct cost to health service users;
- the Government's priorities for health funding, as set out in any objectives notified by the Crown to PHARMAC, or in PHARMAC's Funding Agreement, or elsewhere; and
- such other criteria as PHARMAC thinks fit. PHARMAC will carry out appropriate consultation when it intends to take any such "other criteria" into account.

The Operating Policies and Procedures, including any supplements, also describe the way in which PHARMAC determines the level of subsidy or purchase price payable for each Community Pharmaceutical or Hospital Pharmaceutical, respectively.

The decision criteria for Hospital Pharmaceuticals are set out in the hospital supplement to the Operating Policies and Procedures and in the introductory part of Section H of the Pharmaceutical Schedule.

Copies of PHARMAC's Operating Policies and Procedures and of any applicable supplements are available on the PHARMAC website (www.pharmac.govt.nz), or on request.

# PHARMAC and the Pharmaceutical Schedule:

PHARMAC manages the national Pharmaceutical Schedule, which lists:

- Pharmaceuticals available in the community and subsidised by the Government with funding from the Pharmaceutical Budget; and
- some Pharmaceuticals purchased by DHBs for use in their hospitals, and includes those Hospital Pharmaceuticals for which national prices have been negotiated by PHARMAC.

In the community approximately 1848 Pharmaceuticals are subsidised by the Government. Most are available to all eligible people within New Zealand on prescription by a medical doctor. Some are listed with guidelines or conditions such as 'only if prescribed for a dialysis patient' or 'Special Authority - Retail Pharmacy', to ensure that Pharmaceuticals are used by those people who are most likely to benefit from them. Pharmaceuticals provided to patients for use while in DHB hospitals are not covered by Sections A to G of the Pharmaceutical Schedule.

Section H of the Pharmaceutical Schedule is not a comprehensive list of Pharmaceuticals that are used within the DHB Hospitals. Section H of the Pharmaceutical Schedule includes Pharmaceuticals that can be purchased at a national price by DHBs for use in their hospitals. These are referred to as National Contract Pharmaceuticals.

Section H of the Pharmaceutical Schedule also identifies new Pharmaceuticals used in hospitals, which have been or are being assessed by PHARMAC, the results of that analysis being available to DHB Hospitals via PHARMAC's website.

A list of Discretionary Community Supply Pharmaceuticals, in Section H of the Pharmaceutical Schedule, identifies those products that currently are not subsidised from the Pharmaceutical Budget as Community Pharmaceuticals in Sections A to G of the Pharmaceutical Schedule but which DHBs can at their discretion fund for use in the community from their own budgets without specific Hospital Exceptional Circumstances approval.

## PHARMAC's clinical advisors

## Pharmacology and Therapeutics Advisory Committee (PTAC)

PHARMAC works closely with the Pharmacology and Therapeutics Advisory Committee (PTAC), an expert medical committee which provides independent advice to PHARMAC on health needs and the clinical benefits of particular pharmaceuticals for use in the community and/or in DHB Hospitals.

The committee members are all senior, practising clinicians. The chair of PTAC sits with the PHARMAC Board in an advisory capacity.

PTAC helps decide which community pharmaceuticals are to be subsidised from public monies by making recommendations to PHARMAC. Part of the role of PTAC is to review whether Community Pharmaceuticals already listed on the Schedule should continue to receive Government funds. The resources freed up can be used to subsidise other community pharmaceuticals with a greater therapeutic worth.

PHARMAC may obtain clinical advice from PTAC in relation to national purchasing strategies for Hospital Pharmaceuticals. There may be additional specialist hospital representatives on PTAC subcommittees, or additional PTAC subcommittees, where PHARMAC considers this necessary.

#### PTAC members are:

Carl Burgess Stuart Dalziel	MBChB, MD, MRCP (UK), FRACP, FRCP, physician/clinical pharmacologist, Chair MBChB, PhD, FRACP
lan Hosford	MBChB, FRANZCP, psychiatrist
Sisira Jayathissa	MMedSc (Clin Epi), MMBS, MD, MRCP (UK), FRCP (Edin), FRACP, FAFPHM, Dip Clin Epi,
	Dip OHP, Dip HSM, MBS
George Laking	MD, PhD, FRACP
Jim Lello	BHB, MBChB, DCH, FRNZCGP, general practitioner
Graham Mills	MBChB, MTropHlth, MD, FRACP, infectious disease specialist and general physician
Peter Pillans	MBBCh, MD, FCP, FRACP, clinical pharmacologist
Mark Weatherall	BA, MBChB, MApplStats, FRACP
Howard Wilson	BSc, PhD, MB, BS, Dip Obst, FRNZCGP, FRACGP, general practitioner, Deputy Chair

Contact PTAC C/-Advisory Committee Manager , Pharmaceutical Management Agency, PO Box 10 254, WELLINGTON, Email: PTAC@pharmac.govt.nz

## The PHARMAC Team

The PHARMAC team has a wide range of expertise in health, medicine, economics, commerce, critical analysis, and policy development and implementation.

Matthew Brougham Richard Anderson

Graham beever Lauren Abernethy

Kate Adams Paul Alexander Katie Appleby

Jason Arnold Diana Beswethrick Stephen Boxall Davina Carpenter Christine Chapman Mary Chesterfield Steffan Crausaz

Andrew Davies

**Rachelle Davies** 

Jessica Dougherty

Sean Dougherty

Anrik Drenth Kim Ellis

Simon England Jackie Evans John Geering Rachel Grocott

Susan Haniel David Harland Ben Healey Hayden Holmes

Karen Jacobs

Helen Knight

Chief Executive Network and Systems Administrator General Counsel Funding and Procurement Assistant Health Economist Health Economist Hospital Exceptional Circumstances Panel Co-ordinator Team Leader, Analysis HR Manager Creative Director **Records Manager** Therapeutic Group Manager MS and CMC/Gist Co-ordinator Manager, Funding and Procurement Procurement Initiatives Manager Office Manager / Corporate Team Assistant Executive Assistant to Chief Executive Funding Systems Development Manager Database Analyst Access & Optimal Use Co-ordinator Communications Manager Therapeutic Group Manager Systems Architect Health Economist / Team Leader Assessment Advisory Committee Manager Health Economist Analvst Panel Co-ordinator (Growth Hormone/PAH) Access & Optimal Use Programme Manager Accounts Payable Co-ordinator

Geoff Lawn Geraldine MacGibbon Janet Mackay Rachel Mackav Trish Mahoney Scott Metcalfe Peter Moodie Deborah Nisbet Hew Norris Leigh Parish Marama Parore Chris Peck Angela Pirika Sharon Ponniah Matthew Poynton **Bachel Pratt** Dilky Rasiah Kyle Reid Awhimai Reynolds Brian Roulston Fiona Rutherford **Rico Schoeler** Merryn Simmons Liz Skelley Jude Urlich Javne Watkins Bryce Wigodsky Greg Williams Kave Wilson Stephen Woodruffe Sue Anne Yee

Michael Young

Leader IT Therapeutic Group Manager Access & Optimal Use Programme Manager Manager. Schedule and Contracts Contract Manager Chief Advisor Population Medicine / Public Health Physician Medical Director Receptionist Analyst PA to Medical Director Manager, Access & Optimal Use & Māori Health Analyst Senior Receptionist Access and Optimal Use Programme Manager Analyst/Health Economist Community Exceptional Circumstances Panel Co-ordinator **Deputy Medical Director** Tender Analyst Māori Health Manager Contract Manager Senior Policy Analyst Manager, Analysis and Assessment PHARMAC Seminar Series Co-ordinator Finance Manager Manager, Corporate and **External Relations** Team Leader. Medical Team Communications Advisor Therapeutic Group Manager Schedule Analyst Therapeutic Group Manager Therapeutic Group Manager Analyst

Applications Developer / Team

# Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price (if it differs from the Subsidy) and any access conditions that may apply; and
- some Hospital Pharmaceuticals that are purchased and used by DHB Hospitals, including those for which national prices have been negotiated by PHARMAC.

The purpose of the Schedule is not to show the final cost to Government of subsidising each Community Pharmaceutical or to DHBs in purchasing each Hospital Pharmaceutical since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for some Hospital Pharmaceuticals, on any logistics arrangements put in place by individual DHB Hospitals.

# Finding Information in the Pharmaceutical Schedule

## **Community Pharmaceuticals**

For Community Pharmaceuticals, the Schedule is organised in a way to help the reader find Community Pharmaceuticals, which may be used to treat similar conditions. To do this, Community Pharmaceuticals are first classified anatomically, originally based on the Anatomical Therapeutic Chemical (ATC) system, and then further classified under section headings structured for the New Zealand medical system.

- Section A lists the General Rules in relation to Community Pharmaceuticals and related products.
- Section **B** lists Community Pharmaceuticals and related products by anatomical classification, which are further divided into one or more therapeutic headings. Community Pharmaceuticals used to treat similar conditions are grouped together.
- Section C lists the rules in relation to Extemporaneously Compounded Products (ECPs) and Community Pharmaceuticals that will be subsidised when extemporaneously compounded.
- Section D lists the rules in relation to Special Foods and the Special Foods that are subsidised.
- Section E Part I lists the Community Pharmaceuticals that are subsidised on a Practitioner's Supply Order (PSO).
- Section E Part II lists rural areas for the purpose of PSOs.
- Section F lists the Community Pharmaceuticals dispensing period exemptions.
- Section G lists the Community Pharmaceuticals eligible for reimbursement of safety cap and related rules.

The listings are displayed alphabetically (where practical) within each level of the classification system. Each anatomical section contains a series of therapeutic headings, some of which may contain a further classification level. Where a Community Pharmaceutical is used in more than one therapeutic area, they may be cross-referenced.

The therapeutic headings in the Pharmaceutical Schedule do not necessarily correspond to the therapeutic groups and therapeutic subgroups, which PHARMAC establishes for the separate purpose of determining the level of subsidy to be paid for each Community Pharmaceutical.

The index located at the back of the book in which Sections A-G of the Pharmaceutical Schedule are published can be used to find page numbers for generic chemical entities, or product brand names.

# **Hospital Pharmaceuticals**

Section H lists Pharmaceuticals that DHBs fund from their own budgets. The Hospital Pharmaceuticals are grouped into the following Parts in Section H:


- Part I lists the rules in relation to Hospital Pharmaceuticals.
- Part II lists Hospital Pharmaceuticals for which national contracts exist (National Contract Pharmaceuticals). These are
  listed alphabetically by generic chemical entity name and line item, the relevant Price negotiated by PHARMAC and, if
  applicable, an indication of whether it has Hospital Supply Status (HSS) and any associated Discretionary Variance (DV)
  Pharmaceuticals and DV Limit.
- Part III lists Assessed Pharmaceuticals, which have been or are being assessed by PHARMAC and, where such assessment is available, PHARMAC's opinion regarding the use of the Assessed Pharmaceuticals in hospitals. DHB Hospitals are not obliged to implement those recommendations.
- Part IV lists Discretionary Community Supply Pharmaceuticals, which are not Community Pharmaceuticals, but which a DHB Hospital can, in its discretion, fund for use in the community from its own budget.

The index located at the back of the Section H supplement can be used to find page numbers for generic chemical entities, or product brand names, for Hospital Pharmaceuticals.

# **Explaining drug entries**

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the amount of that subsidy paid to contractors, the supplier's price and the access conditions that may apply.

#### Example



# Glossary

## Units of Measure

	microgram
kilogramkg	milligram
international unitiu	millilitre

μg	millimole
mg	unit
ml	

millimole	.mmol
unit	u

## Abbreviations

Ampoule	Amp	Granules	Gran	Suppository	Supp
Capsule	Сар	Infusion	Inf	Tablet	Tab
Cream	Crm	Injection	Inj	Tincture	Tinc
Device	Dev	Linctus	Linc	Trans Dermal Delivery	
Dispersible	Disp	Liquid	Liq	System	TDDS
Effervescent	Eff	Long Acting	LA	-	
Emulsion	Emul	Ointment	Oint		
Enteric Coated	EC	Sachet	Sach		
Gelatinous	Gel	Solution	Soln		

BSO Bulk Supply Order.

- CBS Cost Brand Source. There is no set manufacturer's price, and the Government subsidises the product at the price it is obtained by the pharmacy.
- CE Compounded Extemporaneously.
- CPD Cost Per Dose. The Funder (as defined in Part I of the General Rules) cost of a standard dose, without mark-ups or fees and excluding GST.
- ECP Extemporaneously Compounded Preparation.
- HSS Hospital Supply Status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.
- OP Original Pack subsidy is rounded up to a multiple at whole packs.
- PSO Practitioner's Supply Order.

#### Sole Subsidised

Supplier Only brand of this medicine subsidised.

- XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.
- ▲ Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner.
- \* Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless medicine is endorsed "close control" or "cc" and the endorsement is initialled by the prescriber.
- \$ Safety cap required and subsidised for oral liquid formulations, including extemporaneously compounded preparations.
- Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a
  manufacturer's surcharge.
- S29 This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981. Practitioners prescribing this medication should:
  - a) be aware of and comply with their obligations under Section 29 of the Medicines Act 1981 and otherwise under that Act and the Medicines Regulations 1984;
  - b) be aware of and comply with their obligations under the Health and disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
  - c) exercise their own skill, judgement, expertise and discretions, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an indication for which it is not approved.

Note: Where medicines supplied under Section 29 that are used for emergency situations, patient details required under Section 29 of the Medicines Act may be retrospectively provided to the supplier.

Definitions				
Abbrev.	Pharmacy Services Agreement	All other Pharmacy Agreements		
[HP3]	Subsidised when dispensed from pharmacies that	Available from selected pharmacies that have an ex-		
	have a Special Foods Service appended to their Phar-	clusive contract to dispense Special Foods.		
	macy Services Agreement by their DHB.			
[HP4]	Subsidised when dispensed from pharmacies that	Avaliable from selected pharmacies that have an ex-		
	have the Monitored Therapy Variation (for Clozapine	clusive contract to dispense 'Hospital Pharmacy' [HP4]		
	Services)	pharmaceuticals.		

# Patient costs

## Community Pharmaceuitical costs met by the Government

Most of the cost of a subsidised prescription Community Pharmaceutical is met by the Government through the Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to Contractors, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to Contractors does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a  $\checkmark$  in the product's Schedule listing.

SALBUTAMOL

Aerosol inhaler 100 µg per dose	3.80	Fully subsidised brand	
	(6.00)	Higher priced brand	

## Pharmaceutical Co-Payments

Some Community Pharmaceutical costs are met by the patient. Generally a patient pays a prescription charge. In addition a patient will sometimes pay a manufacturer's surcharge, after hours service fee and any special packaging fee.

## PRESCRIPTION CHARGE

From 1 September 2008, everyone who is eligible for publicly funded health and disability services should in most circumstances pay only \$3 for subsidised medicines.

All prescriptions from a public hospital, a midwife and a Family Planning Clinic are covered for \$3 co-payments.

Prescriptions from the following providers are approved for \$3 co-payments on subsidised medicines if they meet the specified criteria:

- After Hours Accident and Medical Services with a DHB or a PHO contract.
- Youth Health Clinics with a DHB or a PHO contract.
- Dentists who write a prescription that relates to a service being provided under a DHB contract.
- Private specialists (for example, opthalmologists and orthopaedics) who write a prescription for a patient receiving a publicly funded service contracted by the DHB.
- General practitioners who write a prescription during normal business hours to a person who is not enrolled in the general
  practice provided the person is eligible for publicly funded health and disability services and the general practice is part of a
  PHO.
- Hospices that have a contract with a DHB.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Eligibility Direction on the Ministry of Health's website.

To check if a medicine is fully subsidised, refer to the Pharmaceutical Schedule on PHARMAC's website or ask your pharmacist or general practitioner.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

NOTE: Information sourced from Ministry of Health Website, for more information please visit www.moh.govt.nz

## MANUFACTURER'S SURCHARGE

Not all Community Pharmaceuticals are fully subsidised. Although PHARMAC endeavours to fully subsidise at least one Community Pharmaceutical in each therapeutic group, and has contracts with some suppliers to maintain the price of a particular product, manufacturers are able to set their own price to pharmacies. When these prices exceed the subsidy, the pharmacist may recoup the difference from the patient.

To estimate the amount a patient will pay on top of the prescription charge, take the difference between the manufacturer's price and the subsidy, and multiply this by 1.86. The 1.86 factor represents the pharmacy mark-up on the surcharge plus other costs such as GST. Pharmacies charge different mark-ups so this may vary.

Manufacturer's surchage to patient = (price - subsidy)  $\times$  1.86

For example, a Community Pharmaceutical with a supplier (ex-manufacturer) cost of \$11.00 per pack with a \$10.00 subsidy will cost the patient a surchage of \$1.86 on top of the prescription charge. The most a patient should pay is therefore \$16.86 - being

\$15.00 maximum prescription charge, plus \$1.86.

## Hospital Pharmaceutical and Pharmaceutical Cancer Treatment Costs

The cost of purchasing Hospital Pharmaceuticals and Pharmaceutical Cancer Treatments (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) is met by the Funder (in particular, the relevant DHB) from its own budget. As required by section 23(7) of the Act, in performing any of their functions in relation to the supply of Pharmaceuticals including Pharmaceutical Cancer Treatments, DHBs must not act inconsistently with the Pharmaceutical Schedule.

## PHARMAC web site

PHARMAC has set up an interactive Schedule on the Internet. It can be used to calculate the cost of a prescribed Community Pharmaceutical. This site at *http://www.pharmac.govt.nz* takes into account the quantity of Community Pharmaceutical prescribed as well as the patient's age, whether the patient has a community services card, high use health card or prescription subsidy card, the fee for pharmacy services and prescription charges.

Other information about PHARMAC is also available on our website. This includes copies of the Annual Review, Annual Report and Annual Plan, as well as information such as the Pharmaceutical Schedule, Pharmaceutical Schedule Updates, National Hospital Pharmaceutical Strategy, other publications and recent press releases.

# **Special Authority Applications**

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person. Applications must be submitted to the Ministry of Health by the prescriber for the request to be processed.

## Subsidy

Once approved, the presciber will be provided a Special Authority number which must appear on the prescription. Specialists who make an application must communicate the valid authority number to the prescriber who will be writing the prescriptions.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Pharmaceutical Budget.

#### Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website.

For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised. Criteria for each Special Authority Community Pharmaceutical are updated regularly, based on the decision criteria of PHARMAC. The appropriateness of the listing of a Community Pharmaceutical in the Special Authority category will also be regularly reviewed. Applications for inclusion of further Community Pharmaceuticals in the Special Authority category will generally be made by a pharmaceutical supplier.

## **Special Authority Applications**

Application forms can be found at www.pharmac.govt.nz. Requests for fax copies should be made to PHARMAC, phone 04 460 4990. Applications are processed by the Ministry of Health, and should be sent to:

Ministry of Health Sector Services, Private Bag 3015, WANGANUI 4540 Fax: (06) 349 1983 or free fax 0800 100 131

For enquiries, phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666

Note: The Ministry of Health can only provide information on Special Authority applications to prescribers and pharmacists.

## Each application must:

- Include the patients name, date of birth and NHI number (codes for AIDS patients' applications)
- Include the practitioner's name, address and Medical Council registration number
- Clearly indicate that the relevant criteria, have been met.
- · Be signed by the practitioner.

# **Exceptional Circumstances policies**

The purpose of the Exceptional Circumstances policies are to provide:

- funding from the Community Exceptional Circumstances budget for medication, to be used in the community, in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical Budget is not able to be provided through the Pharmaceutical Schedule ("Community Exceptional Circumstances"); or
- an assessment process for the DHB Hospitals to determine whether they can fund medication, to be used in the community, in circumstances where the medication is neither a Community Pharmaceutical nor a Discretionary Community Supply Pharmaceutical and where the patient does not meet the criteria for Community Exceptional Circumstances ("Hospital Exceptional Circumstances"); or
- an assessment process for DHB Hospitals to determine whether they can fund pharmaceuticals for the treatment of cancer in their DHB Hospital, or in association with Outpatient services provided in their DHB hospital, in circumstances where the pharmaceutical is not identified as a Pharmaceutical Cancer Treatment ("Cancer Exceptional Circumstances") in Sections A-H of the Pharmaceutical Schedule.

Upon receipt of an application for approval for Community Exceptional Circumstances or Hospital Exceptional Circumstances, the Exceptional Circumstances Panel first decides whether an application will be assessed initially under the Community Exceptional Circumstances criteria or the Hospital Exceptional Circumstances criteria. Cancer Exceptional Circumstances is a separate process.

# **Hospital Exceptional Circumstances**

If the application is first assessed but not approved under the Community Exceptional Circumstances criteria, the Exceptional Circumstances Panel may recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances.

If the application is first assessed under the Hospital Exceptional Circumstances criteria, the Exceptional Circumstances Panel may:

- a) recommend against the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget, in which case a DHB Hospital must not fund the pharmaceutical from its own budget;
- b) recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances, in which case a DHB Hospital may, but is not obliged to, fund the pharmaceutical from its own budget;
- c) defer its decision until further assessment under the Community Exceptional Circumstances criteria can undertaken; or
- d) recommend interim funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances until further assessment under the Community Exceptional Circumstances criteria can be undertaken.

Permission to fund a pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances will only be granted by PHARMAC where it has been demonstrated that such funding is cost-effective for the relevant DHB in the region in which the patient resides.

If the patient being treated with a pharmaceutical under Hospital Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

Applications for Hospital Exceptional Circumstances should be made on the standard application form available from the PHARMAC website www.pharmac.govt.nz or the address below:

The Coordinator, Hospital Exceptional Circumstances Panel PHARMAC, PO Box 10 254 Wellington

Phone: (04) 916 7521 or fax (09) 523 6870 Email: ecpanel@pharmac.govt.nz

# **Cancer Exceptional Circumstances**

Permission to fund a pharmaceutical for the treatment of cancer from the Hospital's own budget under Cancer Exceptional Circumstances will only be granted by PHARMAC where it has been demonstated that the proposed use meets the criteria.

If the patient being treated with a pharmaceutical under Cancer Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

## **Community Exceptional Circumstances**

In order to qualify for Community Exceptional Circumstances approval one of the following criteria must be met:

- a) the condition must be rare; or
- b) the reaction to alternative funded treatment must be unusual; or
- c) an unusual combination of circumstances applies.

Rare and unusual are considered to be in the order of less than 10 people nationally.

Where one of the above Community Exceptional Circumstances entry criteria is met, the application may then be further examined under supplementary criteria, assessing suitability of the pharmaceutical, clinical benefit, the cost effectiveness of the treatment, and the patient's ability to pay for the treatment. Where these documented criteria are met, a subsidy sufficient to fully fund the pharmaceutical will be made available to the specific patient on whose behalf the application was made.

Community Exceptional Circumstances funding is only available where the criteria are met and is not available for financial reasons alone.

Applications for Community Exceptional Circumstances, Hospital Exceptional Circumstances and Cancer Exceptional Circumstances should be made on the standard application form available from the PHARMAC website www.pharmac.govt.nz or the address below:

The Coordinator, Community Exceptional Circumstances Panel PO Box 10 254 Wellington Phone (04) 916 7553 or fax (09) 523 6870 Email: ecpanel@pharmac.govt.nz

## INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and;
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services.

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 December 2010 and is to be referred to as the Pharmaceutical Schedule Volume 17 Number 3, 2010. Distribution will be from 20 December 2010. This Schedule comes into force on 1 December 2010.

## PART I

## INTERPRETATIONS AND DEFINITIONS

1.1 In this Schedule, unless the context otherwise requires:

"90 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;

"**180 Day Lot**" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;

"Access Exemption Criteria" means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:

a) have limited physical mobility;

- b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
- c) are relocating to another area;
- d) are travelling extensively and will be out of town when the repeat prescriptions are due.

"Act" means the New Zealand Public Health and Disability Act 2000.

"Advisory Committee" means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.

"Alternate Subsidy" means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.

"Assessed Pharmaceuticals" means the list of Pharmaceuticals set out in Section H Part III of the Schedule, that have been or are being assessed by PHARMAC.

"Authority to Substitute" means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.

"Bulk Supply Order" means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.

"Cancer Exceptional Circumstances" means the policies and criteria administered by PHARMAC relating to the ability to fund, from a DHB hospital's own budget, pharmaceuticals for the treatment of cancer that are not identified as Pharmaceutical

Cancer Treatments in Sections A-H of the Pharmaceutical Schedule.

"Class B Controlled Drug" means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.

"Close Control" means the dispensing of a Community Pharmaceutical, in accordance with a Prescription, in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot) for a Community Pharmaceutical referred to in Section F Part I, or in quantities less than a Monthly Lot for any other Community Pharmaceutical, where any of a), b) or c) apply.

- a) All of the following conditions are met:
  - i) the Community Pharmaceutical has been prescribed for a patient who:
    - 1) is not a resident in a Penal Institution, Rest Home or Residential Disability Care Institution; and
    - 2) either of the following:
      - i) in the opinion of the prescribing Practitioner is:
        - a) frail; or
        - b) infirm; or
        - c) unable to manage their medication without additional support; or
        - d) intellectually impaired; or
        - e) requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only); and
        - f) requires that Community Pharmaceutical to be dispensed in a smaller quantity than that for which it is currently funded, or
      - ii) the Community Pharmaceutical is any of the following:
        - a) a tri-cyclic antidepressant; or
        - b) an antipsychotic; or
        - c) a benzodiazepine; or
        - d) a Class B Controlled Drug; and
  - ii) the prescribing Practitioner has:
    - A) endorsed each Community Pharmaceutical on the Prescription clearly with the words "Close Control" or "CC"; and
    - B) initialled the endorsement in their own handwriting; and
    - C) specified the maximum quantity or period of supply to be dispensed at any one time.
- b) All of the following conditions are met:
  - i) The Community Pharmaceutical is prescribed for a patient who is a resident in a Rest Home or Residential Disability Care Institution; and
    - A) the quantity or period of supply to be dispensed at any one time is not less than 28 days' supply; and
    - B) the prescriber or pharmacist has written the name of the Rest Home or Residential Disability Care Institution on the prescription; and
    - C) the prescriber or pharmacist has:
      - written on the Prescription the words "Close Control" or "CC" (this applies to all medicines prescribed on the prescription), and
      - 2) initialled the endorsement/annotation in their own handwriting; and
    - 3) specified the maximum quantity or period of supply to be dispensed at any one time.
- c) All of the following conditions are met:
  - i) where PHARMAC has approved and notified pharmacists to annotate prescriptions for a specified Com-
  - munity Pharmaceutical(s) "Close Control" without prescriber endorsement for a specified time; and
  - ii) the dispensing pharmacist has:
    - A) clearly annotated each of the approved Community Pharmaceuticals that appear on the prescription with the words "Close Control" or "CC"; and
    - B) initialed the annotation in their own handwriting; and
    - C) specified the maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

"Community Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances Panel relating to funding from the Community Exceptional Circumstances budget for medication, to be used in the community, in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical Budget is not able to be provided through the Pharmaceutical Schedule.

"Community Pharmaceutical" means a Pharmaceutical listed in Sections A to G of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor" means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug" means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply" means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply.

"Dentist" means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"Dietitian" means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.

"DHB" means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital" means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Discretionary Community Supply Pharmaceutical" means the list of Pharmaceuticals set out in Section H Part IV of the Schedule, which may be funded by a DHB Hospital from its own budget for use in the community.

"Doctor" means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical" means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements" - unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Exceptional Circumstances Panel" means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for administering policies in relation to Community Exceptional Circumstances and Hospital Exceptional Circumstances.

"Funder" means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST" means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator" means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances Panel relating to the ability to fund, from a DHB Hospital's own budget, pharmaceuticals for use in the community by a specific patient where a subsidy is not available from the Pharmaceutical Budget or under Community Exceptional Circumstances.

"Hospital Pharmaceuticals" means National Contract Pharmaceuticals, DV Pharmaceuticals, Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals.

"Hospital Pharmacy" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner. "Hospital Pharmacy-Specialist" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

a) to an Outpatient; and

b) on a Prescription signed by a Specialist; or

if the treatment of an Outpatient with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a Practitioner endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Practitioner.

"As recommended by a Specialist" to be interpreted as:

a) follows a substantive consultation with an appropriate Specialist;

b) the consultation to relate to the Patient for whom the Prescription is written;

c) consultation to mean communication by referral, telephone, letter, facsimile or email;

d) except in emergencies consultation to precede annotation of the Prescription; and

e) both the specialist and the General Practitioner must keep a written record of the consultation.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

a) to an Outpatient; and

b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS" means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination" means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit" means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital" means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot" means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price" means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife" means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month" means a period of 30 consecutive days.

"Monthly Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"National Contract Pharmaceutical" means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

"National DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Not In Combination" means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

"Nurse Prescriber" means a nurse registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003 and who is approved by the Nursing Council, to prescribe specified prescription medicines relating to his/her scope of practice.

"Optometrist" means a person registered as an optometrist with the Optometrists and Dispensing Opticians Board, who holds a current annual practising certificate under the HPCA Act 2003, and who is authorised by regulations under the Medicines Act 1981 and approved by the Optometrists and Dispensing Opticians Board to prescribe specified medicines.

"Outpatient" , in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT" means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

"PCT only" means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies.

"Penal Institution" means a penal institution, as that term is defined in The Penal Institutions Act 1954;

"PHARMAC" means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC). "Pharmaceutical" means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to H of the Schedule.

"Pharmaceutical Benefits" means the right of:

- a) a person; and
- b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.

"Pharmaceutical Budget" means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals.

"Pharmaceutical Cancer Treatment" means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must fund, from their own budgets, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.

"Practitioner" means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Prescriber or an Optometrist as those terms are defined in the Pharmaceutical Schedule.

"Practitioner's Supply Order" means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

"Prescription" means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.

"Prescription Medicine" means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations 1984.

"Private Hospital" means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.

"Residential Disability Care Institution" means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.

"Rest Home" means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.

"Restricted Medicine" means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984.

"Retail Pharmacy-Specialist" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or, in the case of treatment recommended by a Specialist, a Prescription or Practitioner's Supply Order and endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner.

"As recommended by a Specialist" to be interpreted as:

- a) follows a substantive consultation with an appropriate Specialist;
- b) the consultation to relate to the Patient for whom the Prescription is written;
- c) consultation to mean communication by referral, telephone, letter, facsimile or email;
- d) except in emergencies consultation to precede annotation of the Prescription; and

e) both the Specialist and the General Practitioner must keep a written record of consultation.

"Retail Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist. For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"Schedule" means this Pharmaceutical Schedule and all its sections and appendices.

"Section B" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies included in the Schedule.

"Section C" of this Pharmaceutical Schedule means the list of community extemporaneously compounded preparations and galenicals eligible for Subsidies included in the Schedule.

"Section D" of this Pharmaceutical Schedule means the list of community special foods eligible for Subsidies included in the Schedule.

"Section E Part I" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies and available on a Practitioner's Supply Order included in the Schedule.

"Section E Part II" of this Pharmaceutical Schedule means the list of rural areas for the purpose of community Practitioner's Supply Orders included in the Schedule.

"Section F Part I" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots, and requirement to dispense in 90 Day Lots or 180 Day Lots, as applicable, in respect of the Community Pharmaceuticals referred to in this part of Section F;

"Section F Part II" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots in respect of the Community Pharmaceuticals referred to in this part of Section F;

"Section G" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for reimbursement of safety caps.

"Section H" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals and the lists of National Contract Pharmaceuticals and any associated DV Pharmaceuticals, of Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals included in Section H of the Schedule.

"Section H Part I" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals.

"Section H Part II" of this Pharmaceutical Schedule means the list of National Contract Pharmaceuticals, the relevant Price, an indication of whether the Pharmaceutical has HSS and any associated DV Pharmaceuticals and DV Limit.

"Section H Part III" of this Pharmaceutical Schedule means the list of Assessed Pharmaceuticals.

"Section H Part IV" of this Pharmaceutical Schedule means the list of Discretionary Community Supply Pharmaceuticals. "Special Authority" means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.

"Specialist", in relation to a Prescription, a doctor who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

- a)
- i) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine; and
- ii) the doctor's vocational scope of practice is one of those listed below: anaesthetics, cardiothoracic surgery, dermatology, diagnostic radiology, emergency medicine, general surgery, internal medicine, neurosurgery, obstetrics and gynaecology, occupational medicine, ophthalmology, oral and maxillofacial surgery, otolaryngology head and neck surgery, orthopaedic surgery, paediatric surgery, paediatrics, pathology, plastic and reconstructive surgery, psychological medicine or psychiatry, public health medicine, radiation oncology, rehabilitation medicine, urology and venereology;
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that Prescription in the course of practising in that area of medicine;
- c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that area of medicine;
- d) the doctor writes the Prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.

"Subsidy" means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.

"Supply Order" means a Bulk Supply Order or a Practitioner's Supply Order.

"Unapproved Indication" means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 4.6.

- 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
  - a) the singular includes the plural; and
  - b) any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regu-

lation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

## PART II COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G of the Schedule, and every preparation (having an inert base) of any of them, is hereby declared to be a Community Pharmaceutical for the purposes of the Schedule, subject to:
  - 2.1.1 clauses 2.2 and 2.3 of the Schedule; and
  - 2.1.2 clauses 3.1 to 4.4 of the Schedule; and
  - 2.1.3 the conditions (if any) specified in Sections B to G of the Schedule;
- 2.2 The following medicines, therapeutic medical devices, or related products or related things are not eligible for Subsidy:
  - 2.2.1 substances, or combinations of substances, ordered for any purpose other than:
    - a) treatment of a patient's medical or dental condition; or
      - b) pregnancy tests; or
      - c) the prevention of sexually transmitted disease; or
    - d) contraception.
  - 2.2.2 substances and combinations of substances packed under pressure in aerosol cans or other similar devices, unless it is specified in Sections B to G of the Schedule that they may be so packed;
  - 2.2.3 electrode jellies;
  - 2.2.4 eye drops packed in single-dose units, unless it is specified in Sections B to G of the Schedule that they may be so packed;
  - 2.2.5 insect repellents and similar preparations;
  - 2.2.6 oral preparations in long-acting form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
  - 2.2.7 substances or combinations of substances in lozenge or similar form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
  - 2.2.8 machine-spread plasters;
  - 2.2.9 preparations prescribed as foods, unless they are specified in Section D of the Schedule;
  - 2.2.10 substances, combinations of substances, or articles, in the form of proprietary medicines or proprietary articles, unless they are deemed or declared to be Pharmaceuticals elsewhere in the Schedule;
  - 2.2.11 shampoos, other than extemporaneously prepared medicated shampoos, or shampoos specified in Sections B to G of the Schedule intended for the treatment of a patient's medical condition;
  - 2.2.12 toilet preparations;
  - 2.2.13 tooth pastes and powders;
  - 2.2.14 lubricating jellies and catheter lubricants;
  - 2.2.15 sterile diluents for nebulising solutions;
  - 2.2.16 substances in a form intended to enable delivery by transdermal diffusion or osmosis or by the insertion of any solid object or substance into the eye cavity, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
  - 2.2.17 substances in a form intended for intravenous delivery (other than by injection), unless it is specified in Sections B to G of the Schedule that they may be in such a form;
  - 2.2.18 substances packed in pre-loaded syringes known as Min-I-Jets, unless it is specified in Sections B to G of the Schedule that they may be so packed;
  - 2.2.19 Community Pharmaceuticals prescribed as cough mixtures, unless they are specified in Sections B to G of the Schedule otherwise than in combination with other ingredients;
  - 2.2.20 vitamin preparations in capsule form, unless they are specified in Sections B to G of the Schedule;
  - 2.2.21 substances prescribed for use as irrigating solutions, unless it is specified in Sections B to G of the Schedule that they may be prescribed for such use.
- 2.3 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
  - 2.3.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines

Act 1981; or

- 2.3.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
- 2.3.3 in the absence of the standards prescribed in clauses 2.3.1 and 2.3.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
- 2.3.4 in the absence of the standards prescribed in clauses 2.3.1, 2.3.2 and 2.3.3, are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

## PART III

## PERIOD AND QUANTITY OF SUPPLY

3.1 Doctors', Dietitians', Midwives', Nurse Prescribers' and Optometrists' Prescriptions (other than oral contraceptives)

The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor, Dietitian, Midwife, Nurse Prescriber or Optometrist:

- 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity suffcient to provide treatment for a period not exceeding three Months will be subsidised.
- 3.1.2 For methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug other than methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity:
  - a) sufficient to provide treatment for a period not exceeding 10 days; and
  - b) which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Dietitian, Midwife or Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
  - a) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
  - b) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
    - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
    - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
      - A) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
      - B) both:
        - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
        - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
  - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
  - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
  - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
  - b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only that part of any Prescription that is dispensed within the time frames specified above is eligible for

## Subsidy.

- 3.1.7 If a Community Pharmaceutical:
  - a) is stable for a limited period only, and the Doctor, Dietitian, Midwife, Nurse Prescriber or Optometrist has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
  - b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
  - c) is Close Control,
     The actual quantity dispensed will be subsidised in accordance with any such specification.

## 3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife or Nurse Prescriber for an oral contraceptive:

- 3.2.1 The prescribing Doctor, Midwife or Nurse Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed:
  - a) three Months if prescribed by a Midwife; or
  - b) six Months if prescribed by a Doctor or Nurse Practitioner.
- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
  - a) in Lots as specified in the Prescription if the Community Pharmaceutical is Close Control; or
  - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 An oral contraceptive prescribed by a Midwife is only eligible for Subsidy if the Prescription under which it has been dispensed has been written within the period of post natal care of the eligible person.
- 3.2.5 Where a Community Pharmaceutical in a Prescription is Close Control and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

## 3.3 Dentists' Prescriptions

- The following provisions apply to every Prescription written by a Dentist:
- 3.3.1 The maximum quantity of a Community Pharmaceutical that will be subsidised is as follows:
  - a) where the Community Pharmaceutical is a Controlled Drug, only such quantity as is necessary to provide treatment for a period not exceeding five days; and
  - b) in any other case, only such quantity as is necessary to provide treatment for a period not exceeding five days and, where the Prescription specifies a repeat, one further period not exceeding five days.
- 3.3.2 Notwithstanding clause 3.3.1, if, in the opinion of the Dentist, an eligible person needs extended treatment with sodium fluoride for up to three Months, the Community Pharmaceutical will be subsidised for that extended period. A Prescription for any such extended supply of sodium fluoride will be subsidised only if it is dispensed in Monthly Lots, unless the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect.
- 3.3.3 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed has been presented to the Contractor:
  - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
  - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.3.4 No Subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
  - a) one Month from the date the Community Pharmaceutical was first dispensed; or
  - b) in the case of sodium fluoride, three Months from the date the Community Pharmaceutical was first dispensed.

Only that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.

## 3.4 Original Packs, and Certain Antibiotics

3.4.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:

- a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
- b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.
- 3.4.2 If a Community Pharmaceutical is the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:
  - a) the difference the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eg; if a prescription is for 105 mls then a 100ml pack would be dispensed); and
  - b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

## 3.5 Dietitians' Prescriptions

The following provisions apply to every Prescription written by a Dietitian:

- 3.5.1 Prescriptions written by a Dietitian for a Community Pharmaceutical will only be subsidised where they are for either:
  - a) special foods, as listed in Section D; or
  - b) any other Pharmaceutical that has been identified in Section D of the Pharmaceutical Schedule as being able to be prescribed by a Dietitian,

providing that the products being prescribed are not classified as Prescription Medicines or Restricted Medicines.

3.5.2 For the purposes of Dietitians prescribing pursuant to this clause 3.5, the prescribing and dispensing of these products is required to be in accordance with regulations 41 and 42 of the Medicines Regulations 1984.

# PART IV

## **MISCELLANEOUS PROVISIONS**

## 4.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 4.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 4.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 4.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 4.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
  - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
  - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 4.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.

4.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

## 4.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 4.2.1 Subject to clause 4.2.3, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 4.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
  - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
  - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 4.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
  - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
    - i) is personally signed and dated by the Practitioner; and
    - ii) sets out the Practitioner's address; and
    - iii) sets out the Community Pharmaceuticals and quantities, and;
  - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 4.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.

## 4.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

## 4.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

#### 4.3.2 Expiry

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 4.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 4.3.1 and 4.3.2, for the individual Patient.
- 4.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 4.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

## 4.4 Pharmaceutical Cancer Treatments

- 4.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments by funding their use in the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 4.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:

  a) has Cancer Eventical Cancer Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
  - a) has Cancer Exceptional Circumstances approval;

- b) has Community Exceptional Circumstances or Hospital Exceptional Circumstances approval;
- c) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
  - d) is being used and funded as part of a paediatric oncology service; or
  - e) was being used to treat the patient in question prior to 1 July 2005.
- 4.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatements with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
  - a) Part 1;
  - b) clauses 2.1 to 2.3;
  - c) clauses 3.1 to 3.4; and
  - d) clause 4.4,
  - of Section A of the Schedule
- 4.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 4.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 direction from the Minister of Health as to pharmaceuticals and indications for which DHBs must provide funding. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
  - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under the Medicines Act and the Medicines Regulations 1984;
  - b) be aware of and comply with their obligations under the Health and Disability Comissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
  - c) exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.

#### 4.5 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication;

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

#### 4.6 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, subject to:

- a) the Contractor having received a general Authority to Substitute from the Practitioner in relation to the particular medicine or medicines in general; or
- b) the Practitioner having indicated their Authority to Substitute on the prescription; or

c) the Practitioner having given their Authority to Substitute in relation to the particular prescription.

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and initial the prescription.

#### 4.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed but may not alter the total daily dose. If the change will result in additional cost to the DHBs, then:

- a) the Practitioner must authorise and initial the alteration; or
- b) in cases where PHARMAC has approved and notified in writing such a change in dispensing of a named Pharmaceutical due to an out of stock event or short supply, the Contractor must annotate and initial the alteration.

#### 4.8 Amendment of Schedule

PHARMAC may amend the terms of the Schedule from time to time by notice in writing given in such manner as PHARMAC thinks fit, and in accordance with such protocols as agreed with the Pharmacy Guild of New Zealand (Inc) from time to time.

## 4.9 Conflict in Provisions

If any rules in Sections B-G of this Schedule conflict with the rules in Section A, the rules in Sections B-G apply.

# SECTION B: ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Pric	e) Sul	Fully Brand or osidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
Antacids and Antiflatulants			
Antacids and Reflux Barrier Agents			
ALGINIC ACID			
Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet		30	<ul> <li>Gaviscon Infant</li> </ul>
CALCIUM CARBONATE WITH AMINOACETIC ACID <ul> <li>Tab 420 mg with aminoacetic acid 180 mg – Higher subsidy</li> </ul>			
of \$6.30 per 100 tab with Endorsement	3.00 (6.30)	100	Titralac
Additional subsidy by endorsement is available for pregnar		scription mu	
SIMETHICONE * Oral lig aluminium hydroxide 200 mg with magnesium hydrox-			
ide 200 mg and activated simethicone 20 mg per 5 ml	1.50 (4.26)	500 ml	Mylanta P
SODIUM ALGINATE			
Tab 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg - peppermint flavour		60	Gaviscon Double Strength
Oral liq 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml		500 ml	Acidex
Oral liq 500 mg with sodium bicarbonate 267 mg per 10 ml (aniseed)	1.50	500 ml	
Gaviscon Oral lig 500 mg with sodium bicarbonate 267 mg per 1	(8.64) 0 ml (aniseed) to b	e delisted 1	Gaviscon January 2011)
Phosphate Binding Agents	(		
	10.50	100	
Tab 600 mg	12.56	100	Alu-Tab
Agents Which Reduce Motility			
DIPHENOXYLATE HYDROCHLORIDE WITH ATROPINE SULPH	ATE		
★ Tab 2.5 mg with atropine sulphate 25 μg	3.90	100	✔ Diastop
.OPERAMIDE HYDROCHLORIDE – Up to 30 cap available on a ₭ Tab 2 mg ₭ Cap 2 mg	8.95	400 400	<ul><li>✔ Nodia</li><li>✔ Diamide Relief</li></ul>
Rectal and Colonic Anti-inflammatories			
BUDESONIDE			
Cap 3 mg - Special Authority see SA0913 on the next page			
- Retail pharmacy	166.50	90	<ul> <li>Entocort CIR</li> </ul>

	Subsidy (Manufacturer's F \$	Price) Sub Per	Fully osidised	Brand or Generic Manufacturer
►SA0913 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals value Both:	d for 3 months for	applications m	ieeting t	he following criteria:
<ol> <li>Mild to moderate ileal, ileocaecal or proximal Crohn's dise</li> <li>Any of the following:</li> <li>2.1 Diabetes; or</li> <li>2.2 Cushingoid habitus; or</li> </ol>	ease; and			
<ul><li>2.3 Osteoporosis where there is significant risk of frac</li><li>2.4 Severe acne following treatment with conventional</li></ul>	corticosteroid the			ward the and the metions in
<b>Renewal</b> from any relevant practitioner. Approvals valid for 3 m benefiting from treatment. The patient may not have had more than 1 prior approval in the	last year.			
Note: Clinical trials for Entocort CIR use beyond three months d	emonstrated no in	nprovement in	relapse	rate.
HYDROCORTISONE ACETATE Rectal foam 10%, CFC-Free (14 applications)		21.1 g OP	✔ C	olifoam
MESALAZINE		0	_	
Tab 400 mg		100	🖌 A	sacol
Tab EC 500 mg		100		samax
Tab long-acting 500 mg		100		entasa
Enema 1 g per 100 ml		7		entasa
Suppos 500 mg		20		sacol
Suppos 1 g		28	V P	entasa
OLSALAZINE				
Tab 500 mg		100		ipentum
Cap 250 mg		100	V D	ipentum
SODIUM CROMOGLYCATE				
Cap 100 mg		100	🖌 N	alcrom
SULPHASALAZINE				
* Tab 500 mg		100	🖌 S	alazopyrin
* Tab EC 500 mg		100	🖌 S	alazopyrin EN
Antihaemorrhoidals				
Corticosteroids				
FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIV Oint 950 µg, with fluocortolone pivalate 920 µg, and cir		CHOCAINE		
chocaine hydrochloride 5 mg per g Suppos 630 µg, with fluocortolone pivalate 610 µg, and cir	6.35	30 g OP	🖌 U	Itraproct
chocaine hydrochloride 1 mg	2.66	12	🗸 U	Itraproct

HYDROCORTISONE WITH CINCHOCAINE		
Oint 5 mg with cinchocaine hydrochloride 5 mg per g15.00	30 g OP	Proctosedyl
Suppos 5 mg with cinchocaine hydrochloride 5 mg per g9.90	12	Proctosedyl

	Subsidy (Manufacturer's P	Price) Sul	Fully Brand or bsidised Generic
	\$	Per	✓ Manufacturer
Soothing Agents			
ZINC OXIDE			
Oint zinc oxide with balsam peru		50 g OP	
Current sing suids with holeses some	(6.67)	10	Anusol
Suppos zinc oxide with balsam peru	4.47 (6.49)	12	Anusol
(Anusol Oint zinc oxide with balsam peru to be delisted 1 Janua			Allusoi
Anusol Suppos zinc oxide with balsam peru to be delisted 1 Jan			
Antispasmodics and Other Agents Altering Gu	t Motility		
ATROPINE SULPHATE			
* Inj 600 μg, 1 ml – Up to 5 inj available on a PSO		50	✓ AstraZeneca
HYOSCINE N-BUTYLBROMIDE			
* Tab 10 mg		20	✓ <u>Gastrosoothe</u>
* Inj 20 mg, 1 ml – Up to 5 inj available on a PSO	8.04	5	Buscopan
* Tab 135 mg		90	✓ Colofac
Antiulcerants			
Antisecretory and Cytoprotective			
MISOPROSTOL * Tab 200 µg	52 70	120	✓ Cytotec
Helicobacter Pylori Eradication		120	v ojioloo
CLARITHROMYCIN	00.00	14	
Tab 500 mg – Subsidy by endorsement a) Maximum of 14 tab per prescription	23.30	14	<ul> <li>Klamycin</li> </ul>
b) Subsidised only if prescribed for helicobacter pylori era	adication and pres	cription is end	lorsed accordingly.
Note: the prescription is considered endorsed if clarithromycin i			
amoxycillin or metronidazole.			
H2 Antagonists			
CIMETIDINE – Only on a prescription			
* Tab 200 mg	5.00	100	
	(7.50)		Apo-Cimetidine
* Tab 400 mg		100	Ana Cimatidina
	(12.00)		Apo-Cimetidine
FAMOTIDINE – Only on a prescription * Tab 20 mg	0 10	250	✓ Famox
* Tab 20 mg	0.10	250 250	Famox
* Tab 40 mg			
	11.35	200	
RANITIDINE HYDROCHLORIDE – Only on a prescription		250	✓ Arrow-Ranitidine
RANITIDINE HYDROCHLORIDE – Only on a prescription Tab 150 mg	7.99		<ul><li>✓ Arrow-Ranitidine</li><li>✓ Arrow-Ranitidine</li></ul>
RANITIDINE HYDROCHLORIDE - Only on a prescription	7.99 10.94 7.95	250	

	Subsidy (Manufacturer's Pric	<u>(a)</u>		rand or Generic
	(Manulacturer 51 110 \$	Per		lanufacturer
Proton Pump Inhibitors				
LANSOPRAZOLE * Cap 15 mg	3 50	28	🖌 Solo	Y
* Cap 30 mg		28	✓ Solo	
OMEPRAZOLE				
For omeprazole suspension refer, page 176 * Cap 10 mg	2.14	30	✓ <u>Dr R</u>	
* Cap 20 mg	3.05	30	🖌 Dr R	<u>neprazole</u> leddy's neprazole
* Cap 40 mg	3.59	30	🖌 <u>Dr</u> R	
* Inj 40 mg		5	🖌 Dr R	
PANTOPRAZOLE * Tab 20 mg	1.23	28	✓ <u>Dr R</u> Pa	eddy's ntoprazole
* Tab 40 mg	1.54	28	🖌 Dr R	
* Inj 40 mg	8.75	1	<ul> <li>Pant</li> </ul>	
Site Protective Agents				
SUCRALFATE Tab 1 g		120	Cara	ıfate
Diabetes				
Hyperglycaemic Agents				
GLUCAGON HYDROCHLORIDE Inj 1 mg syringe kit – Up to 5 kit available on a PSO	27.00	1	🖌 Gluc	agen Hypokit
Insulin - Short-acting Preparations				
INSULIN NEUTRAL ▲ Inj human 100 u per ml	25.26	10 ml OP	✔ Actr	•
▲ Inj human 100 u per ml, 3 ml	42.66	5	<ul> <li>✓ Hum</li> <li>✓ Actr</li> <li>✓ Hum</li> </ul>	apid Penfill
Insulin - Intermediate-acting Preparations				
INSULIN ISOPHANE ▲ Inj human 100 u per ml		10 ml OP	<ul> <li>Prot</li> </ul>	
▲ Inj human 100 u per ml, 3 ml	29.86	5		ulin NPH aphane Penfill

	Subsidy		Fully Brand or
	(Manufacturer's I \$	Price) Sub Per	osidised Generic Manufacturer
NSULIN ISOPHANE WITH INSULIN NEUTRAL			
Inj human with neutral insulin 100 u per ml	25.26	10 ml OP	<ul> <li>✓ Humulin 30/70</li> <li>✓ Mixtard 30</li> </ul>
Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5	<ul> <li>Humulin 30/70</li> <li>PenMix 30</li> <li>PenMix 40</li> <li>PenMix 50</li> </ul>
NSULIN LISPRO WITH INSULIN LISPRO PROTAMINE Inj lispro 25% with insulin lispro protamine 75% 100 u per ml,			
3 ml Inj lispro 50% with insulin lispro protamine 50% 100 u per ml,3		5	Humalog Mix 25
ml		5	Humalog Mix 50
Insulin - Long-acting Preparations			
NSULIN GLARGINE Note: Only for patients meeting one of the following criteria: a) Type 1 diabetes; or b) Other condition related diabetes (e.g. Cystic Fibrosis, diab c) Type 2 diabetes after there has been unacceptable hypog! d) Type 2 diabetes who require insulin therapy and who require	vcaemic events	with a 3 month	trial of an insulin regimen; or
their insulin injections.	~~~~		<b>A 1 .</b>
▲ Inj 100 u per ml, 10 ml ▲ Inj 100 u per ml, 3 ml		1 5	<ul> <li>✓ Lantus</li> <li>✓ Lantus</li> </ul>
<ul> <li>Inj 100 u per ml, 3 ml disposable pen</li> </ul>		5	✓ Lantus SoloStar
Insulin - Rapid Acting Preparations			
NSULIN ASPART			
Inj 100 u per ml, 3 ml     Inj 100 u per ml, 10 ml		5 1	<ul> <li>NovoRapid Penfill</li> <li>NovoRapid</li> </ul>
NSULIN GLULISINE			
Inj 100 u per ml, 10 ml		1	<ul> <li>✓ Apidra</li> <li>✓ Apidra</li> </ul>
<ul> <li>Inj 100 u per ml, 3 ml</li> <li>Inj 100 u per ml, 3 ml disposable pen</li> </ul>		5 5	✓ Apidra SoloStar
NSULIN LISPRO			
▲ Inj 100 u per ml, 10 ml		10 ml OP	Humalog
Inj 100 u per ml, 3 ml		5	<ul> <li>Humalog</li> </ul>
Alpha Glucosidase Inhibitors			
CARBOSE			
₭ Tab 50 mg		90	✓ Glucobay
₭ Tab 100 mg		90	Glucobay
Oral Hypoglycaemic Agents			
	5.00	100	- Descrit
₭ Tab 5 mg	5.00	100	<ul> <li>Daonil</li> </ul>
GLICLAZIDE ₭ Tab 80 mg	20 0 <i>1</i>	500	✓ Apo-Gliclazide
		: 11.11.1	

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
GLIPIZIDE				
* Tab 5 mg	3.50	100	<u> </u>	<u>linidiab</u>
METFORMIN HYDROCHLORIDE				
* Tab immediate-release 500 mg		500	VA	potex
* Tab immediate-release 850 mg		250	<u> </u>	potex
PIOGLITAZONE – Special Authority see SA0959 below – Retail p	pharmacy			
Tab 15 mg	2.61	28	✓ <u>F</u>	Pizaccord
Tab 30 mg	5.23	28	✓ <u>F</u>	Pizaccord
Tab 45 mg	7.80	28	✓ <u>F</u>	Pizaccord
➡SA0959 Special Authority for Subsidy				
Initial application - (Patients with type 2 diabetes) from an	ny relevant practition	er. Ap	oprovals va	lid without further renewal
unless notified for applications meeting the following criteria:				
Either:				
<ol> <li>Patient has not achieved glycaemic control on maximum do contraindicated or not tolerated; or</li> </ol>	oses of metformin or	a sulp	honylurea	or where either or both are

2 Patient is on insulin.

Diabetes Management			
Ketone Testing			
KETONE BLOOD BETA-KETONE ELECTRODES – Maximum of 20 Test strip – Not on a BSO		cription 10 strip OP	<ul> <li>Optium Blood Ketone Test Strips</li> </ul>
SODIUM NITROPRUSSIDE – Maximum of 20 strip per prescription * Test strip – Not on a BSO	14.14	20 strip OP	✓ Ketostix
Blood Glucose Testing			
BLOOD GLUCOSE DIAGNOSTIC TEST METER – Subsidy by endors a) Maximum of 1 meter per prescription b)	sement		
<ol> <li>A diagnostic blood glucose test meter is subsidised for March 2005 or is prescribed for a pregnant woman with</li> </ol>	•	o begin insulin	or sulphonylurea therapy after 1
<ol> <li>Only one meter per patient. No further prescriptions wi ingly.</li> </ol>	II be subsidis	ed. The prescr	ption must be endorsed accord-
Meter	6.00 9.00	1	<ul> <li>✓ CareSens POP</li> <li>✓ CareSens II</li> </ul>

19.00

FreeStyle Lite
 On Call Advanced
 Optium Xceed
 Accu-Chek

Performa

Subsidy (Manufacturer's Price)	Ful Subsidise		
\$	Per •	<ul> <li>Manufacturer</li> </ul>	

## BLOOD GLUCOSE DIAGNOSTIC TEST STRIP

The number of test strips available on a prescription is restricted to 50 unless:

1) Prescribed with insulin or a sulphonylurea but are on a different prescription and the prescription is endorsed accordingly; or

2) Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed;

or

3) Prescribed for a pregnant woman with diabetes and endorsed accordingly.

SensoCard blood glucose test strips are subsidised only if prescribed for a patient who is severely visually impaired and is using a SensoCard Plus Talking Blood Glucose Monitor.

Blood glucose test strips $\times$ 50 and lancets $\times$ 5		1 OP	On Call Advanced
-	19.60		CareSens
Blood glucose test strips	21.65	50 test OP	<ul> <li>Accu-Chek</li> <li>Performa</li> </ul>
			FreeStyle Lite
	10.82	25 test OP	<ul> <li>Optium 5 second test</li> </ul>
	21.65	50 test OP	<ul> <li>Optium 5 second test</li> </ul>
	26.20		SensoCard
Inculin Syringos and Noodlos			

## Insulin Syringes and Needles

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly.

INS	ULIN PEN NEEDLES – Maximum of 100 dev per prescription		
*	$29 \text{ g} \times 12.7 \text{ mm}$	100	🖌 ABM
	3.15	30	B-D Micro-Fine
	10.50	100	B-D Micro-Fine
	11.75		SC Profi-Fine
*	$31 \text{ g} \times 5 \text{ mm}$	100	B-D Micro-Fine
	•		SC Profi-Fine
*	$31 \text{ g} \times 6 \text{ mm}$	100	🖌 ABM
	11.75		Fine Ject
	10.50		
	(26.00)		NovoFine
*	31 g × 8 mm	100	🖌 ABM
	3.15	30	B-D Micro-Fine
	10.50	100	B-D Micro-Fine
	11.75		SC Profi-Fine
*	$32 \text{ g} \times 4 \text{ mm}$	100	B-D Micro-Fine

IN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE – yringe 0.3 ml with 29 g $\times$ 12.7 mm needle		dev per pre 100		ntion
yringe 0.3 ml with 31 g $\times$ 8 mm needle		100	~	
	1.30			ABM
	1.30		~	DM Ject
		10		
	(1.99)			B-D Ultra Fine
	13.00	100	V	B-D Ultra Fine
yringe 0.5 ml with 29 g $\times$ 12.7 mm needle $\hfill \ldots$	13.00	100	~	ABM
yringe 0.5 ml with 29 g $\times$ 12.7 mm needle $\hfill \ldots$	1.30	10		
yringe 0.5 ml with 29 g $\times$ 12.7 mm needle $\hfill \ldots$	(1.99)			B-D Ultra Fine II
yringe 0.5 ml with 29 g $\times$ 12.7 mm needle $\hfill \ldots$	13.00	100	~	B-D Ultra Fine II
yringe 0.5 ml with 29 g $\times$ 12.7 mm needle $\hfill \ldots$			V	DM Ject
		100	~	ABM
			~	DM Ject
	1.30	10		
	(1.99)			B-D Ultra Fine
	13.00	100		B-D Ultra Fine
yringe 0.5 ml with 31 g $ imes$ 8 mm needle		100		ABM
,	1.30	10		
	(1.99)			B-D Ultra Fine II
	13.00	100		B-D Ultra Fine II
	10.00	100		DM Ject
yringe 1 ml with 29 g $ imes$ 12.7 mm needle	13.00	100	-	ABM
	1.30	10	•	
	(1.99)			B-D Ultra Fine
	13.00	100		B-D Ultra Fine
	10.00	100	-	DM Ject
yringe 1 ml with 31 g $ imes$ 8 mm needle	13.00	100	-	ABM
	1.30	100		
	(1.99)	10		B-D Ultra Fine II
	(1.55)			
	13.00	100		B-D Ultra Fine II

# **Digestives Including Enzymes**

PANCREATIC ENZYME			
Tab EC 1,900 BP u lipase, 1,700 BP u amylase, 110 BP u protease	32.46	300	Pancrex V
Tab EC 5,600 BP u lipase, 5,000 BP u amylase, 330 BP u protease	58.44	300	Pancrex V Forte
Cap 8,000 BP u lipase, 9,000 BP u amylase, 430 BP u pro- tease	67.26	300	✓ Pancrex V
Cap 8,000 USP u lipase, 30,000 USP u amylase, 30,000 USP u protease	85.00	250	✓ Cotazym ECS
Cap EC 10,000 BP u lipase, 9,000 BP u amylase and 210 BP u protease	34.93	100	✓ Creon 10000
Cap EC 25,000 BP u lipase, 18,000 BP u amylase, 1,000 BP u protease		100	✔ Creon Forte
Cap EC 25,000 BP u lipase, 22,500 BP u amylase,			
1,250 BP u protease (Cotazym ECS Cap 8,000 USP u lipase, 30,000 USP u amylase, 30,000		100 Ise to be de	Panzytrat listed 1 May 2011)

	Subsidy (Manufacturer's Price) \$			Brand or Generic Manufacturer
URSODEOXYCHOLIC ACID – Special Authority see SA1003 be Cap 300 mg	, ,	100	<u>~</u> <u>A</u>	ctigall

## ➡SA1003 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Either:

- 1 Patient diagnosed with cholestasis of pregnancy; or
- 2 Both:
  - 2.1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
  - 2.2 Patient not requiring a liver transplant (bilirubin > 170umol/l; decompensated cirrhosis).

Note: Liver biopsy is not usually required for diagnosis but is helpful to stage the disease.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 170 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure – doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

## Laxatives

## **Bulk-forming Agents**

MUCILAGINOUS LAXATIVES - Only on a prescription

NOULAGINOUS LAXATIVES - Only on a prescription			
* Dry		500 g OP	Konsyl-D
	4.58	380 g OP	
	(6.69)		Mucilax
	5.42	450 g OP	
	(12.71)		Isogel
	6.02	500 g OP	
	(16.49)		Normacol
* Dry-original flavour, regular texture only	4.05	336 g OP	
	(12.38)		Metamucil
* Sugar Free		275 g OP	
Ŭ	(10.60)	0	Mucilax
(Normacol Dry to be delisted 1 February 2011) (Metamucil Dry-original flavour, regular texture only to be deliste MUCILAGINOUS LAXATIVES WITH STIMULANTS	ed 1 February 201	1)	
* Dry	2 41	200 g OP	
* Diy	(7.69)	200 9 01	Normacol Plus
	6.02	500 g OP	Normacorrius
	(16.49)	500 g OI	Normacol Plus
Faecal Softeners			
DOCUSATE SODIUM – Only on a prescription			
* Cap 50 mg	3.95	100	Laxofast 50
* Cap 120 mg	5.49	100	Laxofast 120
* Enema conc 18%	5.40	100 ml OP	✓ Coloxyl
			-

	Subsidy		Fully Brand or
	(Manufacturer's F	Price) Su	bsidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
DOCUSATE SODIUM WITH SENNOSIDES			
* Tab 50 mg with total sennosides 8 mg	6.38	200	Laxsol
POLOXAMER – Only on a prescription			
* Oral drops 10%	2 70	30 ml OP	Coloxyl
		30 III OF	
Osmotic Laxatives			
GLYCEROL			
* Suppos 3.6 g – Only on a prescription	6.00	20	🖌 PSM
LACTULOSE – Only on a prescription	0.05	4 0 0 0	
* Oral liq 10 g per 15 ml	6.65	1,000 ml	Duphalac
MACROGOL 3350 - Special Authority see SA0891 below - Re	etail pharmacy		
Powder 13.125 g, sachets – Maximum of 60 sach per pr			
scription		30	Movicol
	10.14	30	
SA0891 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals v	valid for 6 months	where the pa	atient has problematic constipation
requiring intervention with a per rectal preparation despite an			
where lactulose is not contraindicated.			
Renewal from any relevant practitioner. Approvals valid for 12	2 months where th	ne natient is c	ompliant and is continuing to gai
benefit from treatment.		ic patient is c	Simpliant and is continuing to gain
SODIUM ACID PHOSPHATE – Only on a prescription			
Enema 16% with sodium phosphate 8%	2.50	1	<ul> <li>Fleet Phosphate</li> </ul>
			Enema
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETATE	E – Only on a pres	scription	
Enema 90 mg with sodium lauryl sulphoacetate 9 mg per n	•		
5 ml		50	✓ Micolette
5 1111	6.00	12	Wicolette
		12	
<i></i>	(7.30)		Microlax
(Microlax Enema 90 mg with sodium lauryl sulphoacetate 9 mg	per ml, 5 ml to be	delisted 1 Jar	nuary 2011)
Stimulant Laxatives			
Sumulant Lakauves			
BISACODYL - Only on a prescription			
* Tab 5 mg	4 00	200	🖌 Lax-Tab
* Suppos 5 mg		6	✓ Dulcolax
* Suppos 10 mg	3.00	6	<ul> <li>Dulcolax</li> </ul>
DANTHRON WITH POLOXAMER – Only on a prescription			
Note: Only for the prevention or treatment of constipation in	the terminally ill		
Oral liq 25 mg with poloxamer 200 mg per 5 ml		300 ml	Pinorax
		300 ml	✓ Pinorax
Oral liq 75 mg with poloxamer 1 g per 5 ml	10.90	300 111	
SENNA – Only on a prescription			
* Tab, standardised	0.43	20	
	(1.72)	-	Senokot
	(1.76)		SELIOKOL
	( /	100	Sellokol
	2.17 (6.16)	100	Senokot

34

r's Price) Subs Per 1 1 1 ed subject to fundir rmac.govt.nz or:	idised Generic ✓ Manufacturer ✓ Cerezyme ✓ Cerezyme \$29 Page availability
1 ed subject to fundir	✓ Cerezyme s₂9
1 ed subject to fundir	✓ Cerezyme s₂9
1 ed subject to fundir	✓ Cerezyme s₂9
1 ed subject to fundir	✓ Cerezyme s₂9
	ug availability
	ua availabilitu
mac.govt.nz or:	iy avallability.
irmac.govt.nz	
200 ml	
	Difflam
500 ml	Difflam
	Dinam
200 ml OP	Rivacol
15 g OP	
	Bonjela
56 g OP	<ul> <li>Stomahesive</li> </ul>
5 g OP	Orabase
15 g OP	Olabase
- 5 -	Orabase
28 g OP	
	Stomahesive
5 × 00	
5 g OP	✓ <u>Oracort</u>
00	
	<ul> <li>Fungilin</li> </ul>
20	🗸 Daktarin
20 40 g OP	
	✓ <u>Nilstat</u>
	20 40 g OP 24 ml OP

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy		Fully Brand or
	Subsidy (Manufacturer's Pi \$	rice) Sub Per	Fully Brand or sidised Generic ✔ Manufacturer
Other Oral Agents			
For folinic mouthwash, pilocarpine oral liquid or saliva substitute for	ormula refer, page	e 176	
HYDROGEN PEROXIDE * Soln 10 vol – Maximum of 200 ml per prescription	1 28	100 ml	V PSM
THYMOL GLYCERIN		100 111	
* Compound, BPC	9.15	500 ml	🗸 PSM
Vitamins			
Vitamin A			
VITAMIN A WITH VITAMINS D AND C			
Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops		10 ml OP	✓ Vitadol C
Vitamin B			
HYDROXOCOBALAMIN			
* Inj 1 mg per ml, 1 ml – Up to 6 inj available on a PSO	6.15	3	✓ <u>ABM</u> Hydroxocobalamin
PYRIDOXINE HYDROCHLORIDE			Tydroxocobalamm
a) No more than 100 mg per dose			
<ul> <li>b) Only on a prescription</li> <li>* Tab 25 mg - No patient co-payment payable</li> </ul>		90	Healtheries
* Tab 50 mg		500	✓ Apo-Pyridoxine
THIAMINE HYDROCHLORIDE – Only on a prescription * Tab 50 mg		100	Apo-Thiamine
VITAMIN B COMPLEX			
* Tab, strong, BPC		500	✓ B-PlexADE
(Apo-B-Complex Tab, strong, BPC to be delisted 1 February 2011	(12.10)		Apo-B-Complex
Vitamin C			
ASCORBIC ACID			
a) No more than 100 mg per dose b) Only on a prescription			
* Tab 100 mg	13.80	500	Vitala-C
(Apo-Ascorbic Acid Tab 100 mg to be delisted 1 January 2011)	(17.25)		Apo-Ascorbic Acid
Vitamin D			
ALFACALCIDOL Cap 0.25 μg	26.32	100	One-Alpha
Cap 1 µg		100	✓ One-Alpha
Oral drops 2 µg per ml CALCITRIOL		20 ml OP	One-Alpha
САЕСЛ RIOL * Сар 0.25 µg		30	✓ <u>Airflow</u>
* Сар 0.5 µg	5.62	30	✓ <u>Airflow</u>
* Oral liq 1 µg per ml		10 ml OP	<ul> <li>Rocaltrol solution</li> </ul>

#### ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	) Subs Per	Fully idised	Brand or Generic Manufacturer
CHOLECALCIFEROL				
* Tab 1.25 mg (50,000 iu) - Maximum of 12 tab per prescription	on7.76	12	🖌 Ca	al-d-Forte
Vitamin E				
ALPHA TOCOPHERYL ACETATE – Special Authority see SA091 Water solubilised soln 156 iu/ml, with calibrated dropper (Micelle E Water solubilised soln 156 iu/ml, with calibrated dropper ■SA0915 Special Authority for Subsidy		0 ml OP	🗸 Mi	icelle E
Initial application from any relevant practitioner. Approvals valid Either:	for 2 years for applic	ations meet	ing the	following criteria:
1 Cystic fibrosis patient; or 2 Both:				
<ul> <li>2.1 Infant or child with liver disease or short gut syndrom</li> <li>2.2 Requires vitamin supplementation.</li> </ul>	me; and			
Renewal from any relevant practitioner. Approvals valid for 2 ye benefiting from treatment.	ears where the treatr	nent remair	is appr	opriate and the patient is
Multivitamin Preparations				
MULTIVITAMINS – Special Authority see SA1036 below – Retail	pharmacy			
Powder		00 g OP	🖌 Pa	ediatric Seravit
Initial application from any relevant practitioner. Approvals val inborn errors of metabolism. Renewal from any relevant practitioner. Approvals valid without approval for multivitamins.				
VITAMINS * Tab (BPC cap strength)	8.00 14.80	1,000	🖌 He	ultiADE ealtheries Multi-vitamin tablets
* Cap (fat soluble vitamins A, D, E, K) – Special Authority see SA1002 below – Retail pharmacy		60	🖌 Vi	tabdeck
<ul> <li>Special Authority for Subsidy</li> <li>Initial application from any relevant practitioner. Approvals valid the following criteria:</li> <li>Either:         <ol> <li>Patient has cystic fibrosis with pancreatic insufficiency; or</li> <li>Patient is an infant or child with liver disease or short gut s</li> </ol> </li> </ul>		ewal unless	notified	d for applications meeting
Minerals	yndronne.			
Calcium				
CALCIUM CARBONATE  * Tab eff 1.75 g (1 g elemental) * Tab 1.25 g (500 mg elemental) * Tab 1.5 g (600 mg elemental)	9.08	30 250 250	V Ca	alsource alci-Tab 500 alci-Tab 600
CALCIUM GLUCONATE * Inj 10%, 10 ml	21.40	10	🗸 Ma	ayne

# ALIMENTARY TRACT AND METABOLISM

	Subsidy		Fully Brand or	
	(Manufacturer's Pric \$	e) S Per	Subsidised Generic Manufactu	ırer
Fluoride				
SODIUM FLUORIDE Tab 1.1 mg (0.5 mg elemental)	4.00	100	🖌 PSM	
lodine				
POTASSIUM IODATE Tab 268 µg (150 µg elemental)	7.55	90	NeuroKare	
Iron				
FERROUS FUMARATE Tab 200 mg (65 mg elemental)	4.35	100	<ul> <li>Ferro-tab</li> </ul>	
FERROUS FUMARATE WITH FOLIC ACID Tab 310 mg (100 mg elemental) with folic acid 350 µg	4.75	60	✔ Ferro-F-Tab	s
FERROUS SULPHATE  * Tab long-acting 325 mg (105 mg elemental)	(4.26) 5.06	30 150	Ferro-Gradu	
<ul> <li>*‡ Oral liq 30 mg per 1 ml (6 mg elemental per 1 ml)</li> <li>FERROUS SULPHATE WITH FOLIC ACID</li> <li>* Tab long-acting 325 mg (105 mg elemental) with folic acid</li> </ul>		500 ml	Ferro-Gradu ✔ <u>Ferodan</u>	met
350 µg	1.80 (3.73)	30	Ferrograd-F	olic
IRON POLYMALTOSE Inj 50 mg per ml, 2 ml	20.95	5	✔ <u>Ferrum H</u>	
Magnesium				
For magnesium hydroxide mixture refer, page 176 MAGNESIUM SULPHATE Inj 49.3%, 5 ml	06.60	10	A Mayna	
Zinc	20.00	10	Mayne	
ZINC SULPHATE				
* Cap 137.4 mg (50 mg elemental)	10.00	100	✓ Zincaps	
Agents Used in the Treatment of Poisonings				
CHARCOAL * Tab 300 mg * Oral liq 50 g per 250 ml a) Up to 250 ml available on a PSO b) Only on a PSO		100 250 ml OP	<ul> <li>✓ Red Seal</li> <li>✓ Carbosorb-</li> </ul>	x
IPECACUANHA * Tincture	41.20 (43.40)	500 ml	PSM	

### ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$		Fully sidised	Brand or Generic Manufacturer	
SODIUM CALCIUM EDETATE					
* Inj 200 mg per ml, 5 ml	53.31	6			
	(156.71)		C	alcium Disodium Versenate	

	Subsidy (Manufacturer's Pr		Fully ubsidised	Brand or Generic
	\$	Per	~	Manufacturer
Antianaemics				
Hypoplastic and Haemolytic				
<ul> <li>▶SA0922 Special Authority for Subsidy         Initial application only from a relevant specialist. Approvals value         Both:             <ol></ol></li></ul>	ears where the tra ia associated with oring of iron store filtration rate (GFF 4 × serum creati twe – Retail pharm 	eatment rem chronic ren s and iron re R) in persons nine (mmol/I nacy 6 6 6 6	ains appr al failure placemen s 18 years )	ropriate and the patient is (CRF) where no cause for t therapy. s and over: prex prex prex
Inj human recombinant 4,000 iu, prefilled syringe Inj human recombinant 5,000 iu, prefilled syringe Inj human recombinant 6,000 iu, prefilled syringe Inj human recombinant 10,000 iu, prefilled syringe	243.26 291.92	6 6 6		prex prex
ERYTHROPOIETIN BETA – Special Authority see SA0922 above Inj 2,000 iu, prefilled syringe Inj 3,000 iu, prefilled syringe Inj 4,000 iu, prefilled syringe Inj 5,000 iu, prefilled syringe Inj 6,000 iu, prefilled syringe Inj 10,000 iu, prefilled syringe	e – Retail pharma 120.18 166.87 193.13 243.26 291.29	cy 6 6 6 6 6		eoRecormon eoRecormon eoRecormon eoRecormon eoRecormon eoRecormon
Megaloblastic				
FOLIC ACID * Tab 0.8 mg * Tab 5 mg Oral liq 50 μg per ml	10.21	1,000 500 25 ml OP	🖌 🗸	po-Folic Acid po-Folic Acid iomed

40

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic ✔ Manufacturer
Antifibrinolytics, Haemostatics and Local Scler	osants		
SODIUM TETRADECYL SULPHATE			
* Inj 0.5% 2 ml		5	E'han an 'r
* Inj 1% 2 ml	(45.52)	5	Fibro-vein
↑ IIJ 170 Z III	(48.98)	5	Fibro-vein
* Inj 3% 2 ml		5	
	(55.91)		Fibro-vein
TRANEXAMIC ACID			
Tab 500 mg		100	Cyklokapron
Vitamin K			
PHYTOMENADIONE			
Inj 2 mg per 0.2 ml – Up to 5 inj available on a PSO	8.00	5	<ul> <li>Konakion MM</li> </ul>
May be administered orally.	0.01	5	Konakion MM
Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO May be administered orally.	9.21	5	Konakion www
Antithrombotic Agents			
Analinombolic Agents			
Antiplatelet Agents			
ASPIRIN			
* Tab 100 mg	14.00	990	Ethics Aspirin EC
CLOPIDOGREL			
Tab 75 mg	5.06 16.25	28 90	Arrow-Clopidogrel
	5.06	90 28	Apo-Clopidogrel
	(73.38)	20	Plavix
(Arrow-Clopidogrel Tab 75 mg to be delisted 1 February 2011)	( /		
(Plavix Tab 75 mg to be delisted 1 February 2011)			
DIPYRIDAMOLE			
* Tab 25 mg		84 60	Persantin
* Tab long-acting 150 mg	11.52	60	✓ Pytazen SR
Heparin and Antagonist Preparations			
ENOXAPARIN SODIUM - Special Authority see SA0975 on the			
Inj 20 mg		10	Clexane
Inj 40 mg		10	Clexane
Inj 60 mg Inj 80 mg		10 10	<ul> <li>✓ <u>Clexane</u></li> <li>✓ Clexane</li> </ul>
Inj 100 mg		10	
Inj 120 mg		10	
lnj 150 mg	192.00	10	✓ <u>Clexane</u>

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

#### ►SA0975 Special Authority for Subsidy

**Initial application** — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.
- **Initial application** (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic INR with oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing warfarin treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

#### HEPARIN SODIUM

Inj 1,000 iu per ml, 5 ml	10	Pfizer	
		• • • • • • • • • • • • • • • • • • • •	
46.30	50	Pfizer	
13.36	10	Mayne	
66.80	50	Mayne	
Inj 1,000 iu per ml, 35 ml16.00	1	Mayne	
Inj 5,000 iu per ml, 1 ml14.20	5	Mayne	
Inj 5,000 iu per ml, 5 ml118.50	50	Pfizer	
Inj 25,000 iu per ml, 0.2 ml9.50	5	Mayne	
HEPARINISED SALINE			
* Inj 10 iu per ml, 5 ml32.50	50	Pfizer	
PROTAMINE SULPHATE			
* Inj 10 mg per ml, 5 ml	10		
(86.54)	10	Artex	
(00.34)		Ailex	
Oral Anticoagulants			
•			

RIVAROXABAN - Special Authority see SA1066 on the net	xt page - Retail pharmacy	/	
Tab 10 mg		15	Xarelto
	306.00	30	<ul> <li>Xarelto</li> </ul>

Subsidy (Manufacturara Driac)	,	Brand or
(Manufacturer's Price) \$	Subsidised Per 🖌	Manufacturer

#### ➡SA1066 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 5 weeks for applications meeting the following criteria: Either:

1 For the prophylaxis of venous thromboembolism following a total hip replacement; or

2 For the prophylaxis of venous thromboembolism following a total knee replacement.

Note: Rivaroxaban is only currently indicated and subsidised for up to 5 weeks therapy for prophylaxis of venous thromboembolism following a total hip replacement and up to 2 weeks therapy for prophylaxis of venous thromboembolism following a total knee replacement.

**Renewal** from any relevant practitioner. Approvals valid for 5 weeks where prophylaxis for venous thromboembolism is required for patients following a subsequent total hip or knee replacement.

#### WARFARIN SODIUM

Note: Marevan and Coumadin are not interchangeable.

*	Tab 1 mg	3.46	50	Coumadin
	5	5.69	100	Marevan
*	Tab 2 mg	1.31	50	Coumadin
*	Tab 3 mg	3.00	100	Marevan
*	Tab 5 mg5	5.93	50	Coumadin
	- c	9 64	100	Marevan

### **Fluids and Electrolytes**

#### Intravenous Administration

DEXTROSE			
* Inj 50%, 10 ml – Up to 5 inj available on a PSO		5	Biomed
* Inj 50%, 90 ml - Up to 5 inj available on a PSO		1	V Biomed
			•
POTASSIUM CHLORIDE			
* Inj 75 mg per ml, 10 ml		50	AstraZeneca
SODIUM BICARBONATE			
Inj 8.4%, 50ml	19 95	1	Biomed
a) Up to 5 inj available on a PSO		·	• Bioliliou
b) Not in combination			
Inj 8.4%, 100 ml	20.50	1	Biomed
•	20.50	I	Biolilea
a) Up to 5 inj available on a PSO			
b) Not in combination			
SODIUM CHLORIDE			
Inf 0.9% – Up to 2000 ml available on a PSO		500 ml	Baxter
	4.06	1,000 ml	Baxter
Only if prescribed on a prescription for renal dialysis, ma	ternity or post-nat	tal care in the	home of the patient, or on a PSO
for emergency use. (500 ml and 1,000 ml packs)			
Inj 23.4%, 20 ml	31.25	5	Biomed
Inj 0.9%, 5 ml – Up to 5 inj available on a PSO	11 50	50	✓ AstraZeneca
	15.50	00	✓ Pfizer
Inj 0.9%, 10 ml – Up to 5 inj available on a PSO		50	✓ AstraZeneca
	15.50	50	✓ Pfizer
Inj 0.9%, 20 ml		6	Pharmacia
11j 0.9%, 20 11i		-	<ul> <li>Pharmacia</li> <li>Pharmacia</li> </ul>
		30	
	8.41	20	<ul> <li>Multichem</li> </ul>
(AstraZeneca Inj 0.9%, 5 ml to be delisted 1 April 2011)			
(AstraZeneca Inj 0.9%, 10 ml to be delisted 1 April 2011)			

‡ safety cap \*Three months or six months, as applicable, dispensed all-at-once ▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's	Price) Sul	Fully	Brand or Generic
	(Manulaciale) 3 \$	Per		Manufacturer
TOTAL PARENTERAL NUTRITION (TPN) – Retail pharmacy-Sp	ecialist			
Infusion	CBS	1 OP	🗸 TI	PN
WATER				
<ol> <li>On a prescription or Practitioner's Supply Order only whe Schedule requiring a solvent or diluent; or</li> <li>On a bulk supply order; or</li> <li>When used in the extemporaneous compounding of eve d</li> </ol>		form as an inje	ection lis	ted in the Pharmaceutica
Purified for inj, 5 ml – Up to 5 inj available on a PSO		50		ultichem straZeneca
Purified for inj, 10 ml - Up to 5 inj available on a PSO		50	🗸 M	ultichem straZeneca
Purified for inj, 20 ml – Up to 5 inj available on a PSO (AstraZeneca Purified for inj, 5 ml to be delisted 1 April 2011) (AstraZeneca Purified for inj, 10 ml to be delisted 1 April 2011)	5.00	20	✔ M	ultichem
Oral Administration				
CALCIUM POLYSTYRENE SULPHONATE				
Powder		300 g OP	V Ca	alcium Resonium
COMPOUND ELECTROLYTES				
Powder for soln for oral use 5 g - Up to 10 sach available or	า			
a PSO	2.86	10	🖌 Ei	nerlyte
DEXTROSE WITH ELECTROLYTES				
Soln with electrolytes	6.60	1,000 ml OP		edialyte - Bubblegum
	6.75			<u>edialyte - Fruit</u> edialyte - Plain
	0.75		• <u>F</u>	eulalyte - Flaill
POTASSIUM BICARBONATE Tab eff 315 mg with sodium acid phosphate 1.937 g and	4			
sodium bicarbonate 350 mg For phosphate supplementation		100	🖌 Pi	hosphate-Sandoz
POTASSIUM CHLORIDE				
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	<i>(</i>	60		
* Tab long-acting 600 mg	(11.85)	200		hlorvescent <b>pan-K</b>
		200	v <u>ə</u>	<u>pan-n</u>
SODIUM BICARBONATE Cap 840 mg	8 52	100		odibic
SODIUM POLYSTYRENE SULPHONATE	0.02	100	• 0	
Powder	89.10	450 g OP	V B	esonium-A
Lipid Modifying Agents			•	
Fibrates				
BEZAFIBRATE * Tab 200 mg	0.75	90	🖌 Fi	halin
★ Tab 200 mg		90 30		ezalip Retard
GEMFIBROZIL				
Tab 600 mg	14.00	60	🖌 Li	pazil
0				

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer		
Other Lipid Modifying Agents						
ACIPIMOX * Cap 250 mg		30	<b>√</b> 0	lbetam		
NICOTINIC ACID * Tab 50 mg * Tab 500 mg		100 100		po-Nicotinic Acid po-Nicotinic Acid		
Resins						
CHOLESTYRAMINE WITH ASPARTAME Sachets 4 g with aspartame		50	G	luestran-Lite		
COLESTIPOL HYDROCHLORIDE Sachets 5 g		30	✓ C	olestid		
HMG CoA Reductase Inhibitors (Statins)						
Treatment with HMG CoA Reductase Inhibitors (statins) is recom cardiovascular risk of 15% or greater. ATORVASTATIN – See prescribing guideline above * Tab 10 mg * Tab 20 mg * Tab 40 mg * Tab 80 mg PRAVASTATIN – Special Authority see SA0932 below – Retail ph See prescribing guideline above Tab 10 mg Tab 20 mg		30 30 30 30 30 30	✓ L ✓ L ✓ L ✓ L ✓ P ✓ P	ipitor ipitor ipitor ipitor ravachol ravachol		
Tab 40 mg						
<ul> <li>* Tab 10 mg</li> <li>* Tab 20 mg</li> <li>* Tab 40 mg</li> <li>* Tab 80 mg</li> </ul>	3.00 5.35	90 90 90 90		rrow-Simva 10mg rrow-Simva 20mg rrow-Simva 40mg rrow-Simva 80mg		
Selective Cholesterol Absorption Inhibitors						
EZETIMIBE – Special Authority see SA1045 on the next page – F Tab 10 mg		30	✔ E	zetrol		

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
 \$	Per	~	Manufacturer

#### ➡SA1045 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 Any of the following:
  - 3.1 The patient has rhabdomyolysis (defined as muscle aches and creatine kinase more than 10 × normal) when treated with one statin; or
  - 3.2 The patient is intolerant to both simvastatin and atorvastatin; or
  - 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

EZETIMIBE WITH SIMVASTATIN – Special Authority see SA1046 below – Retail pharmacy

Tab 10 mg with simvastatin 10 mg	 30	🖌 Vytorin
Tab 10 mg with simvastatin 20 mg	 30	Vytorin
Tab 10 mg with simvastatin 40 mg	 30	Vytorin
Tab 10 mg with simvastatin 80 mg	 30	Vytorin

#### SA1046 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to  $\leq 2.0$  mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

SA1042 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid without further re	100 250 ml OP renewal unle	Ferriprox     Ferriprox     ss notified where the patient has							
Initial application only from a relevant specialist. Approvals valid without further re	renewal unle	ess notified where the patient has							
5									
DESFERRIOXAMINE MESYLATE * Inj 500 mg99.00	10	🗸 Mayne							

✓ fully subsidised

[HP4] refer page 8

	Subsidy (Manufacturer's Pr \$	ice) S Per	Fully Subsidised	Brand or Generic Manufacturer
Alpha Adrenoceptor Blockers				
DOXAZOSIN MESYLATE				
* Tab 2 mg		500	🗸 A	po-Doxazosin
* Tab 4 mg		500	🗸 A	po-Doxazosin
PHENOXYBENZAMINE HYDROCHLORIDE				
* Cap 10 mg	7.82	30	V D	ibenyline S29
1 0	26.05	100	🖌 D	bibenyline S29
PHENTOLAMINE MESYLATE				-
✤ Inj 10 mg per ml, 1 ml		5		
· · · · · · · · · · · · · · · · · · ·	(31.65)	-	B	Regitine
PRAZOSIN HYDROCHLORIDE				0
* Tab 1 mg	5.53	100	🗸 A	po-Prazo
🖌 Tab 2 mg		100	🗸 A	po-Prazo
₭ Tab 5 mg		100		po-Prazo
* Tab 1 mg		28	V A	rrow
<b>J</b>	(2.50)		A	po-Terazosin
★ Tab 7 $\times$ 1 mg and 7 $\times$ 2 mg	( /	14 OP		lytrin Starter Pack
* Tab 2 mg		28		rrow
	14.29	500		
	(23.30)		A	po-Terazosin
* Tab 5 mg		28		rrow
5	17.86	500		
	(29.00)		A	po-Terazosin
(Apo-Terazosin Tab 1 mg to be delisted 1 January 2011)				•

(Apo-Terazosin Tab 1 mg to be delisted 1 January 2011) (Hytrin Starter Pack Tab  $7 \times 1$  mg and  $7 \times 2$  mg to be delisted 1 January 2011)

(Apo-Terazosin Tab 2 mg to be delisted 1 January 2011)

(Apo-Terazosin Tab 5 mg to be delisted 1 January 2011)

Subsidy Fully (Manufacturer's Price) Subsidised \$ Per

ly Brand or ed Generic Manufacturer

#### Agents Affecting the Renin-Angiotensin System

Perindopril and trandolapril will be funded to the level of the ex-manufacturer price listed in the Schedule for patients who were taking these ACE inhibitors for the treatment of congestive heart failure prior to 1 June 1998. The prescription must be endorsed accordingly. We recommend that the words used to indicate eligibility are "certified condition" or an appropriate description of the patient such as "congestive heart failure", "CHF", "congestive cardiac failure" or "CCF". **Definition of Congestive Heart Failure** At the request of some prescribers the PTAC Cardiovascular subcommittee has provided a definition of congestive heart failure for the purposes of the funding of the manufacturer's surcharge: "Clinicians should use their clinical judgement. Existing patients would be eligible for the funding of the surcharge if the patient shows signs and symptoms of congestive heart failure, and requires or has in the past required concomitant treatment with a diuretic. The definition could also be considered to include patients post myocardial infarction with an ejection fraction of less than 40%."

#### **ACE Inhibitors**

CAPTOPRIL			
* Tab 12.5 mg	2.00	100	m-Captopril
	10.40	500	Apo-Captopril
* Tab 25 mg		100	m-Captopril
	13.40	500	Apo-Captopril
* Tab 50 mg		100	m-Captopril
	19.00	500	Apo-Captopril
*‡ Oral liq 5 mg per ml	94.99	95 ml OP	Capoten
Oral liquid restricted to children under 12 years of age.			
CILAZAPRIL			
* Tab 0.5 mg	0.95	30	Zapril
	(2.20)		Inhibace
* Tab 2.5 mg	2.06	30	Zapril
	1.92	28	
	(4.10)		Inhibace
* Tab 5 mg		30	Zapril
	3.06	28	
	(6.01)		Inhibace
(Inhibace Tab 0.5 mg to be delisted 1 March 2011) (Inhibace Tab 2.5 mg to be delisted 1 March 2011) (Inhibace Tab 5 mg to be delisted 1 March 2011)			
ENALAPRIL - Brand switch fee payable - see page 171 for details			
* Tab 5 mg		90	Arrow-Enalapril
* Tab 10 mg	2.44	90	Arrow-Enalapril
* Tab 20 mg	3.24	90	Arrow-Enalapril
LISINOPRIL			
* Tab 5 mg	2.06	30	Arrow-Lisinopril
* Tab 10 mg	2.36	30	✓ Arrow-Lisinopril
* Tab 20 mg	2.87	30	✓ Arrow-Lisinopril
PERINDOPRIL			
* Tab 2 mg - Higher subsidy of \$18.50 per 30 tab with En-			
dorsement		30	
	(18.50)		Coversyl
* Tab 4 mg - Higher subsidy of \$25.00 per 30 tab with En-	. ,		-
dorsement		30	
	(25.00)		Coversyl
			-

	Subsidy (Manufacturer's Price) \$	Su Per	Fully Ibsidised	Brand or Generic Manufacturer
QUINAPRIL				
* Tab 5 mg	1.60	30		ccupril
* Tab 10 mg		30		ccupril
* Tab 20 mg	2.35	30	<u> A</u>	<u>ccupril</u>
TRANDOLAPRIL				
* Cap 1 mg - Higher subsidy of \$18.67 per 28 cap with En-				
dorsement		28		
	(18.67)		G	opten
* Cap 2 mg - Higher subsidy of \$27.00 per 28 cap with En-		~~		
dorsement		28	0	onton
	(27.00)		G	opten
ACE Inhibitors with Diuretics				
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 5 mg with hydrochlorothiazide 12.5 mg	5.36	28	🗸 <u>In</u>	hibace Plus
ENALAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 20 mg with hydrochlorothiazide 12.5 mg	3.32	30		
	(8.70)		C	o-Renitec
QUINAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 10 mg with hydrochlorothiazide 12.5 mg	3.37	30	✓ <u>A</u>	ccuretic 10
* Tab 20 mg with hydrochlorothiazide 12.5 mg	4.57	30	✓ <u>A</u>	ccuretic 20
Angiotension II Antagonists				
CANDESARTAN - Special Authority see SA0933 below - Retail	pharmacy			
* Tab 4 mg – No more than 1.5 tab per day		30	🖌 A	tacand
* Tab 8 mg – No more than 1.5 tab per day		30	V A	tacand
* Tab 16 mg - No more than 1 tab per day		30	🖌 A	tacand
* Tab 32 mg - No more than 1 tab per day		30	🖌 🖌	tacand

#### ■SA0933 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

1 Both:

- 1.1 Patient with congestive heart failure; and
- 1.2 Either:
  - 1.2.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
  - 1.2.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years; or

2 All of the following:

- 2.1 Patient with raised blood pressure; and
- 2.2 Use of fully funded beta blockers or diuretics are contraindicated; or not well tolerated; or insufficient to control blood pressure adequately at appropriate doses; and

2.3 Either:

- 2.3.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
- 2.3.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years.

	Subsidy (Manufacturer's Price) \$			Brand or Generic Manufacturer	
LOSARTAN - Special Authority see SA0911 below -	- Retail pharmacy				
* Tab 12.5 mg		30	V C	ozaar	
* Tab 25 mg	21.76	30	V C	ozaar	
* Tab 50 mg	23.10	30	V C	ozaar	
Tab 50 mg with hydrochlorothiazide 12.5 mg		30	🖌 H	yzaar	
* Tab 100 mg		30	✔ C	ozaar	

#### SA0911 Special Authority for Subsidy

**Initial application** — (ACE inhibitor intolerance) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has persistent ACE inhibitor induced cough that is not resolved by ACE inhibitor retrial (same or new ACE inhibitor); or
- 2 Patient has a history of angioedema.

**Initial application** — (Unsatisfactory response to ACE inhibitor) from any relevant practitioner. Approvals valid without further renewal unless notified where patient is not adequately controlled on maximum tolerated dose of an ACE inhibitor.

Initial application — (Patient had an approval for Losartan with hydrochlorothiazide prior to 1 May 2008) from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

#### Antiarrhythmics

For lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaesthetics, Local, page 115

AMIODARONE HYDROCHLORIDE			
▲ Tab 100 mg – Retail pharmacy-Specialist	18.65	30	Aratac
			Cordarone-X
▲ Tab 200 mg – Retail pharmacy-Specialist	30.52	30	Aratac
			Cordarone-X
Inj 50 mg per ml, 3 ml – Up to 5 inj available on a PSO	60.84	10	Cordarone-X
DIGOXIN			
* Tab 62.5 μg – Up to 30 tab available on a PSO	6.94	250	Lanoxin PG
* Tab 250 µg – Up to 30 tab available on a PSO		250	Lanoxin
*‡ Oral liq 50 μg per ml		60 ml	Lanoxin
DISOPYRAMIDE PHOSPHATE			
	15.00	100	
▲ Cap 100 mg	(23.87)	100	Rythmodan
▲ Cap 150 mg	( )	100	✓ Rythmodan
	20.21	100	• Hytimodan
FLECAINIDE ACETATE – Retail pharmacy-Specialist			
▲ Tab 50 mg		60	<ul> <li>Tambocor</li> </ul>
▲ Tab 100 mg		60	✓ Tambocor
▲ Cap long-acting 100 mg		30	<ul> <li>Tambocor CR</li> </ul>
▲ Cap long-acting 200 mg	80.92	30	<ul> <li>Tambocor CR</li> </ul>
Inj 10 mg per ml, 15 ml	52.45	5	Tambocor
MEXILETINE HYDROCHLORIDE			
▲ Cap 50 mg	23.52	100	Mexitil
▲ Cap 200 mg	55.05	100	Mexitil
PROPAFENONE HYDROCHLORIDE – Retail pharmacy-Specialist			
▲ Tab 150 mg	40.90	50	Rytmonorm
		20	,

		Subsidy (Manufacturer's Price		Fully	Brand or Generic
A	ntihypotensives	\$	Per	~	Manufacturer
MI	DODRINE – Special Authority see SA0934 below – Retail pha		100		autron
	Tab 2.5 mg Tab 5 mg		100		Autron
-	SA0934 Special Authority for Subsidy				
	ial application from any relevant practitioner. Approvals valid	for 2 years for applic	cations mee	eting the	e following criteria:
	of the following:			•	-
	1 Disabling orthostatic hypotension not due to drugs; and				
	2 Patient has tried fludrocortisone (unless contra-indicated) v	,	,		averation and also the of
	3 Patient has tried non pharmacological treatments such as head and trunk at night.	s support nose, incr	eased salt	intake,	exercise, and elevation of
No	es: Treatment should be started with small doses and titrated	unwards as necessa	arv		
	pertension should be avoided, and the usual target is a standin			mm Ha	a.
	<b>newal</b> from any relevant practitioner. Approvals valid for 2 ye				
	efiting from treatment.				
	eta Adrenoceptor Blockers				
ATI	ENOLOL				
*	Tab 50 mg	6.18	500		acific Atenolol
		12.36	1,000		tenolol Tablet USP
*	Tab 100 mg		500		acific Atenolol
		21.46	1,000	<u> </u>	tenolol Tablet USP
CA	RVEDILOL				
	Tab 6.25 mg	21.00	30	V D	Dilatrend
	Tab 12.5 mg		30		Dilatrend
	Tab 25 mg		30	V D	Dilatrend
CE	LIPROLOL				
*	Tab 200 mg		180	<b>V</b> 0	elol
IA	BETALOL				
*	Tab 50 mg		100	VH	lybloc
*	Tab 100 mg		100		lybloc
*	Tab 200 mg		100	<b>/</b> H	lybloc
*	Tab 400 mg		100	<b>/</b> H	lybloc
*	Inj 5 mg per ml, 20 ml		5		
		(88.60)		Т	randate
(Hj	bloc Tab 400 mg to be delisted 1 June 2011)				
ME	TOPROLOL SUCCINATE				
*	Tab long-acting 23.75 mg	2.18	30	🖌 E	etaloc CR
				VN	letoprolol - AFT CR
*	Tab long-acting 47.5 mg	2.74	30		letaloc CR
					letoprolol - AFT CR
*	Tab long-acting 95 mg	4.71	30		letaloc CR
				V N	letoprolol - AFT CR
				a -	
*	Tab long-acting 190 mg	8.51	30		letaloc CR letoprolol - AFT CR

Subsistion (Manufacturer Price)         Fully Per         Brand or Manufacturer           METOPROLOL TARTRATE         *         100         -         Lopresor         Manufacturer           * Tab 100 mg         21.80         60         -         Lopresor         Lopresor           * Tab 100 mg         21.80         60         -         Lopresor           * Tab long-acting 200 mg         24.08         5         Betaloc           NADOLOL         (34.00)         Betaloc         Apo-Nadolol           * Tab 5 mg	-	_	Qubaidu		Eully	Drandar
S         Per         ✓ Manufacturer           METOPROLOL TARTRATE         16.50         100         ✓ Lopresor           * Tab 500 mg         21.80         60         ✓ Lopresor           * Tab iong acting 200 mg         18.40         28         ✓ Slow-Lopresor           * In Ji mg per ml 5rd         (34.00)         Betaloc           NADOLOL         (34.00)         ✓ Apo-Nadolol           * Tab 30 mg         .4.97         100         ✓ Apo-Nadolol           * Tab 10 mg         .4.97         100         ✓ Apo-Nadolol           * Tab 10 mg         .4.97         100         ✓ Apo-Pindolol           * Tab 10 mg         .5.40         100         ✓ Cardinol           * Tab 10 mg         .5.40         100         ✓ Cardinol           * Tab 10 mg         .5.40         100         ✓ Cardinol           * Tab 10 mg         .10.50         100         ✓ Cardinol           * Tab 10 mg         .10.55         100         ✓ Mapo-Timol						
** Tab 50 mg       16.50       100       ✓ Lopresor         ** Tab long acting 200 mg       21.80       60       ✓ Lopresor         ** Inj 1 mg per ml 5 ml       24.08       5         NADOLOL       (34.00)       Betaloc         ** Tab long acting 200 mg       14.97       100       ✓ Apo-Nadolol         ** Tab 3 mg       14.97       100       ✓ Apo-Pindolol         ** Tab 10 mg       4.197       100       ✓ Apo-Pindolol         ** Tab 10 mg       50       100       ✓ Apo-Pindolol         ** Tab 15 mg       5100       ✓ Apo-Pindolol       Apo-Pindolol         ** Tab 15 mg       13.80       100       ✓ Apo-Pindolol         ** Tab 15 mg       13.80       100       ✓ Apo-Pindolol         ** Tab 10 mg       4.65       100       ✓ Cardinol         ** Tab 10 mg       4.65       100       ✓ Cardinol         ** Tab 10 mg       10.55       100       ✓ Mayan         ** Tab 10 mg       10.55       100       ✓ Myan         ** Tab 10 mg       10.55       100       ✓ Myan         ** Tab 10 mg       10.55       100       ✓ Apo-Amiodipine         ** Tab 10 mg       10.55       100       ✓ Apo-Amiodipine </th <th></th> <th></th> <th></th> <th>Per</th> <th>V</th> <th></th>				Per	V	
** Tab 50 mg       16.50       100       ✓ Lopresor         ** Tab long acting 200 mg       21.80       60       ✓ Lopresor         ** Inj 1 mg per ml 5 ml       24.08       5         NADOLOL       (34.00)       Betaloc         ** Tab long acting 200 mg       14.97       100       ✓ Apo-Nadolol         ** Tab 3 mg       14.97       100       ✓ Apo-Pindolol         ** Tab 10 mg       4.197       100       ✓ Apo-Pindolol         ** Tab 10 mg       50       100       ✓ Apo-Pindolol         ** Tab 15 mg       5100       ✓ Apo-Pindolol       Apo-Pindolol         ** Tab 15 mg       13.80       100       ✓ Apo-Pindolol         ** Tab 15 mg       13.80       100       ✓ Apo-Pindolol         ** Tab 10 mg       4.65       100       ✓ Cardinol         ** Tab 10 mg       4.65       100       ✓ Cardinol         ** Tab 10 mg       10.55       100       ✓ Mayan         ** Tab 10 mg       10.55       100       ✓ Myan         ** Tab 10 mg       10.55       100       ✓ Myan         ** Tab 10 mg       10.55       100       ✓ Apo-Amiodipine         ** Tab 10 mg       10.55       100       ✓ Apo-Amiodipine </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
** Tab 100 mg			10 50	100		
** Tab long-acting 200 mg						•
* Inj 1 mg per mi 5 ml						•
(34.00)       Betaloc         NADOLOL       * Tab 40 mg       - 4 Apo-Nadolol         * Tab 80 mg       - 22.19       100       ✓ Apo-Nadolol         PINDOLOL       * Tab 5 mg       - 4 Apo-Pindolol       - Apo-Pindolol         * Tab 5 mg       - 13.80       100       ✓ Apo-Pindolol         * Tab 10 mg       - 9.19       100       ✓ Apo-Pindolol         * Tab 10 mg       - 3.55       100       ✓ Cardinol         PROPRANOLOL       *       * Cardinol       ✓ Cardinol         * Tab 10 mg       - 4.65       100       ✓ Cardinol LA         SOTALOL       *       * Cardinol LA       ✓ Cardinol LA         SOTALOL       *       * Tab 160 mg       - 16.06       100       ✓ Cardinol LA         SOTALOL       *       * Tab 10 mg       - 7.50       500       ✓ Mylan         * Tab 10 mg       - 10.55       100       ✓ Apo-Timol       Calcium Channel Blockers         Dihydropyridine Calcium Channel Blockers (DHP CCBs)       - Apo-Amiodipine       - Apo-Amiodipine         * Tab 10 mg       - 11.79       100       ✓ Apo-Amiodipine         * Tab long-acting 10 mg       - 15.60       90       ✓ Felo 5 ER         * Tab long-acting 10 mg       - 7.50 <td></td> <td></td> <td></td> <td></td> <td></td> <td>Slow-Lopresor</td>						Slow-Lopresor
NADOLOL       * Tab 40 mg       14.97       100       ✓ Apo-Nadolol         ** Tab 80 mg       .22.19       100       ✓ Apo-Nadolol         PINDOLOL       *       *       Apo-Pindolol         ** Tab 10 mg       .9.19       100       ✓ Apo-Pindolol         ** Tab 10 mg       .9.19       100       ✓ Apo-Pindolol         ** Tab 10 mg       .3.55       100       ✓ Cardinol         ** Tab 80 mg       .4.65       100       ✓ Cardinol         ** Tab 40 mg       .4.65       100       ✓ Cardinol         ** Tab 80 mg       .4.65       100       ✓ Cardinol         ** Tab 80 mg       .4.65       100       ✓ Cardinol         ** Tab 80 mg       .27.50       500       ✓ Mylan         ** Tab 100 mg       .10.50       100       ✓ More-Timol         SOTALOL       ** Tab 160 mg       .10.55       100       ✓ More-Timol         Calcium Channel Blockers       100.5       100       ✓ Mpo-Amlodipine         ** Tab 10 mg       .10.55       100       ✓ Apo-Amlodipine         ** Tab 10 mg       .11.79       100       ✓ Apo-Amlodipine         ** Tab 10 mg-acting 2.5 mg       .7.50       30       ✓ Felo 5.ER	*		( )	Э		Deteles
* Tab 40 mg       14.97       100       ✓ Apo-Nadolol         * Tab 80 mg       22.19       100       ✓ Apo-Nadolol         PINDOLOL       *       Tab 5 mg			(34.00)		l	Detaioc
** Tab 80 mg	NA					
PINDOLOL       * Tab 5 mg       5.40       100       ✓ Apo-Pindolol         ** Tab 10 mg						
* Tab 5 mg       5.40       100       ✓ Apo-Pindolol         * Tab 15 mg	*	Tab 80 mg	22.19	100	V .	Apo-Nadolol
** Tab 10 mg       9.19       100       ✓ Apo-Pindolol         ** Tab 15 mg	PIN	DOLOL				
* Tab 15 mg	*	Tab 5 mg	5.40	100	V .	Apo-Pindolol
PROPRANOLOL       * Tab 10 mg       3.55       100       * Cardinol         * Tab 40 mg       .4.65       100       * Cardinol LA         SOTALOL       .16.06       100       * Cardinol LA         SOTALOL       .16.06       100       * Mylan         * Tab 80 mg       .27.50       500       * Mylan         * Tab 10 mg per ml, 4 ml       .13.4       5       * Sotacor         TIMOLOL MALEATE       .10.55       100       * Apo-Timol         Calcium Channel Blockers       Dihydropyridine Calcium Channel Blockers (DHP CCBs)         AMLODIPINE       .11.79       100       * Apo-Amlodipine         * Tab 10 mg       .11.79       100       * Apo-Amlodipine         * Tab 10 mg       .11.79       100       * Apo-Amlodipine         * Tab 10 mg-acting 2.5 mg – No more than 1 tab per day       .10.38       30       * Plendil ER         * Tab long-acting 10 mg       .15.60       90       * Felo 5 ER         * Tab long-acting 10 mg       .7.33       30       * Plendil ER         * Tab long-acting 10 mg       .7.50       30       * Dynacirc-SRO         NIFEDIPINE	*	Tab 10 mg	9.19	100	V .	Apo-Pindolol
* Tab 10 mg       3.55       100       ✓ Cardinol         * Tab 40 mg       4.65       100       ✓ Cardinol LA         SOTALOL       2       *       Tab 80 mg       16.06       100       ✓ Cardinol LA         SOTALOL       27.50       500       ✓ Mylan       *       Mylan         * Tab 80 mg       10.50       100       ✓ Mylan       *       Mylan         * Tab 100 mg       10.50       100       ✓ Mylan       *       Sotacor         TIMOLOL MALEATE       *       Tab 10 mg       10.55       100       ✓ Apo-Timol         Calcium Channel Blockers       0       ✓ Apo-Amlodipine       *         * Tab 10 mg       11.79       100       ✓ Apo-Amlodipine         * Tab 10 ng-acting 2.5 mg - No more than 1 tab per day       10.38       30       ✓ Plendil ER         * Tab long-acting 10 mg       15.60       90       ✓ Felo 10 ER         ISRADIPINE       7.50       30       ✓ Dynacirc-SRO         Cap long-acting 5 mg       7.30       100       ✓ Adalat 10         * Tab long-acting 10 mg       17.72       60       ✓ Adalat 10         * Tab long-acting 30 mg       7.30       100       ✓ Nyefax Retard         * Tab long-	*	Tab 15 mg	13.80	100	V .	Apo-Pindolol
* Tab 10 mg       3.55       100       ✓ Cardinol         * Tab 40 mg       4.65       100       ✓ Cardinol LA         SOTALOL       2       *       Tab 80 mg       16.06       100       ✓ Cardinol LA         SOTALOL       27.50       500       ✓ Mylan       *       Mylan         * Tab 80 mg       10.50       100       ✓ Mylan       *       Mylan         * Tab 100 mg       10.50       100       ✓ Mylan       *       Sotacor         TIMOLOL MALEATE       *       Tab 10 mg       10.55       100       ✓ Apo-Timol         Calcium Channel Blockers       0       ✓ Apo-Amlodipine       *         * Tab 10 mg       11.79       100       ✓ Apo-Amlodipine         * Tab 10 ng-acting 2.5 mg - No more than 1 tab per day       10.38       30       ✓ Plendil ER         * Tab long-acting 10 mg       15.60       90       ✓ Felo 10 ER         ISRADIPINE       7.50       30       ✓ Dynacirc-SRO         Cap long-acting 5 mg       7.30       100       ✓ Adalat 10         * Tab long-acting 10 mg       17.72       60       ✓ Adalat 10         * Tab long-acting 30 mg       7.30       100       ✓ Nyefax Retard         * Tab long-	PR	OPBANOLOL				
* Tab 40 mg       4.65       100       ✓ Cardinol         * Cap long-acting 160 mg       160 mg       100       ✓ Cardinol LA         SOTALOL       *       Tab 80 mg       27.50       500       ✓ Mylan         * Tab 160 mg       100       ✓ Mylan           * Tab 100 mg per ml, 4 ml       41.34       5       ✓ Sotacor         TIMOLOL MALEATE       *       Tab 10 mg       10.55       100       ✓ Apo-Timol         Calcium Channel Blockers       DIhydropyridine Calcium Channel Blockers (DHP CCBs)            AMLODIPINE       *       Tab 10 mg       11.79       100       ✓ Apo-Amiodipine         ** Tab long-acting 2.5 mg       .7.33       100       ✓ Apo-Amiodipine         ** Tab long-acting 2.5 mg       .7.50       30       ✓ Piendil ER         ** Tab long-acting 5 mg       .7.50       30       ✓ Dynacirc-SRO         NIFEDIPINE			3 55	100	~	Cardinol
* Cap long-acting 160 mg       160.6       100       ✓ Cardinol LA         SOTALOL       *       Tab 80 mg       27.50       500       ✓ Mylan         * Tab 160 mg       10.50       100       ✓ Mylan       ✓ Sotacor         * Inj 10 mg per ml, 4 ml       41.34       5       ✓ Sotacor         TIMOLOL MALEATE       *       Tab 10 mg       10.55       100       ✓ Apo-Timol         Calcium Channel Blockers       Dihydropyridine Calcium Channel Blockers (DHP CCBs)       ✓       Apo-Amlodipine         AMLODIPINE       -       -       Apo-Amlodipine       ✓         * Tab 5 mg       -       7.33       100       ✓ Apo-Amlodipine         * Tab long-acting 2.5 mg       -       No more than 1 tab per day       10.38       30       ✓ Plendil ER         * Tab long-acting 2.5 mg       -       No more than 1 tab per day       10.38       30       ✓ Plendil ER         * Tab long-acting 10 mg       10.73       90       ✓ Felo 5 ER          * Tab long-acting 2.5 mg       7.50       30       ✓ Dynacirc-SRO         Cap long-acting 10 mg       7.30       100       ✓ Adalat 10         * Tab long-acting 30 mg       7.30       100       ✓ Adefin XL         * Tab lo						
SOTALOL       ** Tab 80 mg						
** Tab 80 mg       27.50       500       ✓ Mylan         ** Tab 160 mg       10.50       100       ✓ Mylan         ** Inj 10 mg per ml, 4 ml       41.34       5       ✓ Sotacor         TIMOLOL MALEATE       10.55       100       ✓ Apo-Timol         Calcium Channel Blockers         Dihydropyridine Calcium Channel Blockers (DHP CCBs)         AMLODIPINE       7.33       100       ✓ Apo-Amlodipine         * Tab 10 mg       11.79       100       ✓ Apo-Amlodipine         * Tab long-acting 2.5 mg       No more than 1 tab per day       10.38       30       ✓ Plendil ER         * Tab long-acting 10 mg       15.60       90       ✓ Felo 5 ER       Felo 10 ER         ISRADIPINE       7.35       30       ✓ Dynacirc-SRO         Cap long-acting 2.5 mg       7.50       30       ✓ Dynacirc-SRO         NIFEDIPINE       7.30       100       ✓ Adalat 10         * Tab long-acting 10 mg       17.72       60       ✓ Adalat 10         * Tab long-acting 30 mg       10.73       90       ✓ Adalat 10         * Tab long-acting 10 mg       17.72       60       ✓ Adalat 10         * Tab long-acting 30 mg       10.70       ✓ Adefin XL       ✓ Arrow-Nifedipine XR <td></td> <td></td> <td></td> <td></td> <td>·</td> <td></td>					·	
** Tab 160 mg       10.50       100       ✓ Mvlan         ** Inj 10 mg per ml, 4 ml       41.34       5       ✓ Sotacor         TIMOLOL MALEATE       *       Tab 10 mg       10.55       100       ✓ Apo-Timol         Calcium Channel Blockers         Dihydropyridine Calcium Channel Blockers (DHP CCBs)         AMLODIPINE         * Tab 5 mg       7.33       100       ✓ Apo-Amlodipine         * Tab long-acting 2.5 mg       7.33       100       ✓ Apo-Amlodipine         * Tab long-acting 5 mg       10.73       90       ✓ Felo 5 ER         * Tab long-acting 10 mg       15.60       90       ✓ Felo 10 ER         ISRADIPINE       30       ✓ Adalat 10       ✓         Cap long-acting 10 mg       7.50       30       ✓ Dynacirc-SRO         NIFEDIPINE       *       Tab long-acting 10 mg       7.730       100       ✓ Adalat 10         ** Tab long-acting 2.5 mg       7.30       100       ✓ Adalat 10       ✓       Adefin XL         ** Tab long-acting 30 mg       17.72       60       ✓ Adalat 10       ✓       Adefin XL         ** Tab long-acting 30 mg       10.70       ✓       Adalat Oros       ✓       Adalat Oros         **			07 50	500		Madaa
**       Inj 10 mg per ml, 4 ml		5				
TIMOLOL MALEATE       * Tab 10 mg       10.55       100       ✓ Apo-Timol         Calcium Channel Blockers         Dihydropyridine Calcium Channel Blockers (DHP CCBs)         AMLODIPINE         * Tab 5 mg       7.33       100       ✓ Apo-Amlodipine         * Tab 10 mg       11.79       100       ✓ Apo-Amlodipine         FELODIPINE       7.33       100       ✓ Apo-Amlodipine         * Tab long-acting 2.5 mg       No more than 1 tab per day       10.38       30       ✓ Plendil ER         * Tab long-acting 10 mg       15.60       90       ✓ Felo 5 ER       Felo 5 ER         * Tab long-acting 10 mg       15.60       90       ✓ Felo 5 ER       Felo 10 ER         ISRADIPINE       7.50       30       ✓ Dynacirc-SRO         Cap long-acting 2.5 mg       7.50       30       ✓ Dynacirc-SRO         NIFEDIPINE       7.30       100       ✓ Nyefax Retard         * Tab long-acting 10 mg       17.72       60       ✓ Adalat 10         * Tab long-acting 2.0 mg       10.70       ✓ Adefin XL       ✓ Adefin XL         * Tab long-acting 60 mg       12.28       30       ✓ Adefin XL       ✓ Adefin XL         * Tab long-acting 60 mg       15.35       8.00<		0			-	
* Tab 10 mg       .10.55       100       ✓ Apo-Timol         Calcium Channel Blockers         Dihydropyridine Calcium Channel Blockers (DHP CCBs)         AMLODIPINE         * Tab 5 mg       7.33       100       ✓ Apo-Amlodipine         * Tab 10 mg       11.79       100       ✓ Apo-Amlodipine         FELODIPINE       *       Tab long-acting 2.5 mg       No more than 1 tab per day       10.38       30       ✓ Plendil ER         * Tab long-acting 5 mg       10.73       90       ✓ Felo 5 ER       Felo 10 ER         ISRADIPINE       7.50       30       ✓ Dynacirc-SRO         Cap long-acting 2.5 mg       7.50       30       ✓ Dynacirc-SRO         Cap long-acting 10 mg       17.72       60       ✓ Adalat 10         * Tab long-acting 10 mg       7.30       100       ✓ Nyefax Retard         * Tab long-acting 30 mg       8.56       30       ✓ Adefin XL         * Tab long-acting 30 mg       10.70       ✓ Adefin XL       ✓ Arrow-Nifedipine XR         * Tab long-acting 60 mg       15.35       30       ✓ Adefin XL       ✓ Arrow-Nifedipine XR	*	inj io mg per mi, 4 mi	41.34	5		Solacor
Calcium Channel Blockers         Dihydropyridine Calcium Channel Blockers (DHP CCBs)         AMLODIPINE       * Tab 5 mg       7.33       100       ✓ Apo-Amlodipine         * Tab 10 mg       11.79       100       ✓ Apo-Amlodipine         * Tab 10 ng-acting 2.5 mg       No more than 1 tab per day       10.38       30       ✓ Plendil ER         * Tab long-acting 5 mg       10 mg       15.60       90       ✓ Felo 5 ER         * Tab long-acting 10 mg       15.60       90       ✓ Felo 10 ER         ISRADIPINE       7.50       30       ✓ Dynacirc-SRO         Cap long-acting 2.5 mg       7.50       30       ✓ Dynacirc-SRO         Cap long-acting 10 mg       17.72       60       ✓ Adalat 10         * Tab long-acting 20 mg       7.30       100       ✓ Nyefax Retard         * Tab long-acting 30 mg       8.56       30       ✓ Adefin XL         (19.90)       Adalat Oros       ✓ Adefin XL       ✓ Arrow-Nifedipine XR         8.00       8.00       ✓ Adefin XL       ✓ Arrow-Nifedipine XR	TIN	IOLOL MALEATE				
Dihydropyridine Calcium Channel Blockers (DHP CCBs)         AMLODIPINE       7.33       100       ✓ Apo-Amlodipine         * Tab 5 mg       7.33       100       ✓ Apo-Amlodipine         * Tab 10 mg       11.79       100       ✓ Apo-Amlodipine         FELODIPINE       11.79       100       ✓ Apo-Amlodipine         * Tab long-acting 2.5 mg       No more than 1 tab per day       10.38       30       ✓ Plendil ER         * Tab long-acting 5 mg       10.73       90       ✓ Felo 5 ER         * Tab long-acting 10 mg       15.60       90       ✓ Felo 10 ER         ISRADIPINE       Cap long-acting 2.5 mg       7.50       30       ✓ Dynacirc-SRO         Cap long-acting 2.5 mg       7.85       30       ✓ Dynacirc-SRO         NIFEDIPINE       *       Tab long-acting 10 mg       17.72       60       ✓ Adalat 10         ** Tab long-acting 20 mg       7.30       100       ✓ Nyefax Retard       10.70       ✓ Atrow-Nifedipine XR         550       (19.90)       Adalat Oros       ✓ Adefin XL       ✓ Atrow-Nifedipine XR         8.00       8.00       4.00       ✓ Atrow-Nifedipine XR	*	Tab 10 mg	10.55	100	V .	Apo-Timol
Dihydropyridine Calcium Channel Blockers (DHP CCBs)         AMLODIPINE       7.33       100       ✓ Apo-Amlodipine         * Tab 5 mg       7.33       100       ✓ Apo-Amlodipine         * Tab 10 mg       11.79       100       ✓ Apo-Amlodipine         FELODIPINE       11.79       100       ✓ Apo-Amlodipine         * Tab long-acting 2.5 mg       No more than 1 tab per day       10.38       30       ✓ Plendil ER         * Tab long-acting 5 mg       10.73       90       ✓ Felo 5 ER         * Tab long-acting 10 mg       15.60       90       ✓ Felo 10 ER         ISRADIPINE       Cap long-acting 2.5 mg       7.50       30       ✓ Dynacirc-SRO         Cap long-acting 2.5 mg       7.85       30       ✓ Dynacirc-SRO         NIFEDIPINE       *       Tab long-acting 10 mg       17.72       60       ✓ Adalat 10         ** Tab long-acting 20 mg       7.30       100       ✓ Nyefax Retard       10.70       ✓ Atrow-Nifedipine XR         550       (19.90)       Adalat Oros       ✓ Adefin XL       ✓ Atrow-Nifedipine XR         8.00       8.00       4.00       ✓ Atrow-Nifedipine XR	C	alcium Channel Blockers				
AMLODIPINE         * Tab 5 mg       .7.33       100       ✓ Apo-Amlodipine         * Tab 10 mg       .11.79       100       ✓ Apo-Amlodipine         FELODIPINE       .11.79       100       ✓ Apo-Amlodipine         * Tab long-acting 2.5 mg       No more than 1 tab per day       10.38       30       ✓ Plendil ER         * Tab long-acting 5 mg       .10.73       90       ✓ Felo 5 ER         * Tab long-acting 10 mg       .15.60       90       ✓ Felo 10 ER         ISRADIPINE						
AMLODIPINE         * Tab 5 mg       .7.33       100       ✓ Apo-Amlodipine         * Tab 10 mg       .11.79       100       ✓ Apo-Amlodipine         FELODIPINE       .11.79       100       ✓ Apo-Amlodipine         * Tab long-acting 2.5 mg       No more than 1 tab per day       10.38       30       ✓ Plendil ER         * Tab long-acting 5 mg       .10.73       90       ✓ Felo 5 ER         * Tab long-acting 10 mg       .15.60       90       ✓ Felo 10 ER         ISRADIPINE	D	ihydropyridine Calcium Channel Blockers (Dł	IP CCBs)			
* Tab 5 mg       7.33       100       ✓ Apo-Amlodipine         * Tab 10 mg       11.79       100       ✓ Apo-Amlodipine         FELODIPINE       11.79       100       ✓ Apo-Amlodipine         * Tab long-acting 2.5 mg       No more than 1 tab per day       10.38       30       ✓ Plendil ER         * Tab long-acting 5 mg       10.73       90       ✓ Felo 5 ER         * Tab long-acting 10 mg       15.60       90       ✓ Felo 10 ER         ISRADIPINE       7.85       30       ✓ Dynacirc-SRO         Cap long-acting 5 mg       7.85       30       ✓ Dynacirc-SRO         NIFEDIPINE       7.33       100       ✓ Adalat 10         * Tab long-acting 10 mg       17.72       60       ✓ Adalat 10         * Tab long-acting 30 mg       10.70       ✓       Adefin XL         10.70       100       ✓ Adalat Oros       ✓         * Tab long-acting 60 mg       12.28       30       ✓ Adefin XL         * Tab long-acting 60 mg       15.35       8.00       ✓			,			
* Tab 10 mg       11.79       100       ✓ Apo-Amlodipine         FELODIPINE       *       Tab long-acting 2.5 mg       No more than 1 tab per day       10.38       30       ✓ Plendil ER         * Tab long-acting 5 mg       10.73       90       ✓ Felo 5 ER         * Tab long-acting 10 mg       15.60       90       ✓ Felo 10 ER         ISRADIPINE       7.50       30       ✓ Dynacirc-SRO         Cap long-acting 5 mg       7.85       30       ✓ Dynacirc-SRO         NIFEDIPINE       7.85       30       ✓ Dynacirc-SRO         * Tab long-acting 10 mg       17.72       60       ✓ Adalat 10         * Tab long-acting 30 mg       10.70       ✓ Adefin XL       ✓ Adefin XL         * Tab long-acting 60 mg       12.28       30       ✓ Adefin XL         * Tab long-acting 60 mg       12.28       30       ✓ Adefin XL         * Tab long-acting 60 mg       15.35       8.00       ✓ Adefin XL	AM					
FELODIPINE       *       Tab long-acting 2.5 mg       No more than 1 tab per day       10.38       30       ✓       Plendil ER         *       Tab long-acting 5 mg       10.73       90       ✓       Felo 5 ER         *       Tab long-acting 10 mg       15.60       90       ✓       Felo 10 ER         ISRADIPINE	*	Tab 5 mg	7.33	100	V .	Apo-Amlodipine
* Tab long-acting 2.5 mg - No more than 1 tab per day	*	Tab 10 mg	11.79	100	V .	Apo-Amlodipine
* Tab long-acting 5 mg       10.73       90       ✓ Felo 5 ER         * Tab long-acting 10 mg       15.60       90       ✓ Felo 10 ER         ISRADIPINE       7.50       30       ✓ Dynacirc-SRO         Cap long-acting 5 mg       7.85       30       ✓ Dynacirc-SRO         NIFEDIPINE       7.85       30       ✓ Dynacirc-SRO         * Tab long-acting 10 mg       17.72       60       ✓ Adalat 10         * Tab long-acting 20 mg       7.30       100       ✓ Nyefax Retard         * Tab long-acting 30 mg       10.70       ✓ Adefin XL         * Tab long-acting 60 mg       12.28       30       ✓ Adefin XL         * Tab long-acting 60 mg       12.28       30       ✓ Adefin XL         * Tab long-acting 60 mg       15.35       8.00       ✓ Adefin XL	FEI	ODIPINE				
* Tab long-acting 5 mg       10.73       90       ✓ Felo 5 ER         * Tab long-acting 10 mg       15.60       90       ✓ Felo 10 ER         ISRADIPINE       7.50       30       ✓ Dynacirc-SRO         Cap long-acting 5 mg       7.85       30       ✓ Dynacirc-SRO         NIFEDIPINE       7.85       30       ✓ Dynacirc-SRO         * Tab long-acting 10 mg       17.72       60       ✓ Adalat 10         * Tab long-acting 20 mg       7.30       100       ✓ Nyefax Retard         * Tab long-acting 30 mg       10.70       ✓ Adefin XL         * Tab long-acting 60 mg       12.28       30       ✓ Adefin XL         * Tab long-acting 60 mg       15.35       8.00       ✓ Arrow-Nifedipine XR	*	Tab long-acting 2.5 mg – No more than 1 tab per day		30	~	Plendil ER
* Tab long-acting 10 mg       15.60       90       ✓ Felo 10 ER         ISRADIPINE       7.50       30       ✓ Dynacirc-SRO         Cap long-acting 5 mg       7.85       30       ✓ Dynacirc-SRO         NIFEDIPINE       7.85       30       ✓ Adalat 10         * Tab long-acting 20 mg       7.30       100       ✓ Adalat 10         * Tab long-acting 30 mg       7.30       100       ✓ Adalat 10         * Tab long-acting 30 mg       10.70       ✓ Adefin XL         10.70       10.70       ✓ Arrow-Nifedipine XR         5.50       (19.90)       Adalat Oros         * Tab long-acting 60 mg       12.28       30       ✓ Adefin XL         8.00       15.35       ✓ Arrow-Nifedipine XR				90	~	Felo 5 ER
Cap long-acting 2.5 mg       7.50       30       ✓ Dynacirc-SRO         Cap long-acting 5 mg       7.85       30       ✓ Dynacirc-SRO         NIFEDIPINE       7.30       100       ✓ Adalat 10         * Tab long-acting 20 mg       7.30       100       ✓ Nyefax Retard         * Tab long-acting 30 mg       8.56       30       ✓ Adelin XL         10.70       10.70       ✓ Arrow-Nifedipine XR         5.50       (19.90)       Adalat Oros         * Tab long-acting 60 mg       12.28       30       ✓ Adefin XL         15.35       8.00       ✓ Arrow-Nifedipine XR	*	Tab long-acting 10 mg	15.60	90	~	Felo 10 ER
Cap long-acting 2.5 mg       7.50       30       ✓ Dynacirc-SRO         Cap long-acting 5 mg       7.85       30       ✓ Dynacirc-SRO         NIFEDIPINE       7.30       100       ✓ Adalat 10         * Tab long-acting 20 mg       7.30       100       ✓ Nyefax Retard         * Tab long-acting 30 mg       8.56       30       ✓ Adelin XL         10.70       10.70       ✓ Arrow-Nifedipine XR         5.50       (19.90)       Adalat Oros         * Tab long-acting 60 mg       12.28       30       ✓ Adefin XL         15.35       8.00       ✓ Arrow-Nifedipine XR					-	
Cap long-acting 5 mg	101		7 50	30	~	Dynacirc-SBO
NIFEDIPINE       17.72       60       ✓ Adalat 10         * Tab long-acting 20 mg       7.30       100       ✓ Nyefax Retard         * Tab long-acting 30 mg       8.56       30       ✓ Adefin XL         10.70       10.70       ✓ Arrow-Nifedipine XR         5.50       (19.90)       Adalat Oros         * Tab long-acting 60 mg       12.28       30       ✓ Adefin XL         15.35       4.00       ✓ Arrow-Nifedipine XR         8.00       15.35       ✓ Arrow-Nifedipine XR						•
**       Tab long-acting 10 mg       17.72       60       ✓ Adalat 10         **       Tab long-acting 20 mg       7.30       100       ✓ Nyefax Retard         *       Tab long-acting 30 mg       8.56       30       ✓ Adefin XL         10.70       5.50       ✓ Arrow-Nifedipine XR         5.50       (19.90)       Adalat Oros         *       Tab long-acting 60 mg       12.28       30       ✓ Adefin XL         15.35       40       ✓ Arrow-Nifedipine XR       40         8.00       10.75       ✓ Adelin XL       ✓ Adalat Oros				00	•	Bynaolio orio
**       Tab long-acting 20 mg			17 70	~~		
* Tab long-acting 30 mg						
10.70         ✓ Arrow-Nifedipine XR           5.50         (19.90)         Adalat Oros           * Tab long-acting 60 mg         12.28         30         ✓ Adefin XL           15.35         ✓ Arrow-Nifedipine XR         8.00						· · · · ·
5.50 (19.90) Adalat Oros ★ Tab long-acting 60 mg	*	Tab long-acting 30 mg		30		
(19.90)         Adalat Oros           ★ Tab long-acting 60 mg         ∠ Adefin XL           15.35         ✓ Arrow-Nifedipine XR           8.00         ▲ Arrow-Nifedipine XR						Arrow-Nifedipine XR
★ Tab long-acting 60 mg         12.28         30         ✓ Adefin XL           15.35         ✓ Arrow-Nifedipine XR         8.00						
15.35 ✓ Arrow-Nifedipine XR 8.00		Tables a stiller 00 see	, ,	00		
8.00	*	Tab long-acting 60 mg		30		
						Arrow-Nitealpine XR
(29.50) Adalat Oros						Adalat Oraa
			(29.50)			Audial Oros

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
			-	
Other Calcium Channel Blockers				
DILTIAZEM HYDROCHLORIDE				
* Tab 30 mg		100	🖌 D	ilzem
* Tab 60 mg		100		ilzem
* Cap long-acting 120 mg	4.34	30		ardizem CD
* Cap long-acting 180 mg		30		ardizem CD
* Cap long-acting 240 mg	8.67	30	✓ <u>C</u>	ardizem CD
PERHEXILINE MALEATE - Special Authority see SA0256 below	v – Retail pharmacy			
* Tab 100 mg	62.90	100	🗸 P	exsig
SA0256 Special Authority for Subsidy				
Initial application only from a cardiologist or general physician.	Approvals valid for 2	years	for applicat	ions meeting the following
criteria:				
Both:				
1 Refractory angina; and				
<ol> <li>Patient is already on maximal anti-anginal therapy.</li> <li>Renewal only from a cardiologist or general physician. Approva</li> </ol>	la valid for 0 vooro wh	oro ti	aa traatman	t romaina appropriata apr
the patient is benefiting from treatment.	iis valiu iui 2 years wi	iere u		t remains appropriate and
VERAPAMIL HYDROCHLORIDE				
* Tab 40 mg	7.01	100	V la	optin
* Tab 80 mg		100		optin
* Tab long-acting 120 mg		250		erpamil SR
* Tab long-acting 240 mg		250		erpamil SR
* Inj 2.5 mg per ml, 2 ml – Up to 5 inj available on a PSO	7.54	5	🖌 İs	optin
Centrally Acting Agents				
CLONIDINE * TDDS 2.5 mg, 100 µg per day – Only on a prescription	23.30	4	~ ~ ~	atapres-TTS-1
<ul> <li>TDDS 5 mg, 200 µg per day – Only on a prescription</li></ul>		4		atapres-TTS-2
<ul> <li>TDDS 7.5 mg, 300 µg per day – Only on a prescription</li> </ul>		4		atapres-TTS-3
CLONIDINE HYDROCHLORIDE			• -	<u></u>
* Tab 150 µg	33.00	100	V C	atapres
* Inj 150 μg per ml, 1 ml		5	. —	atapres
, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Ū	• -	
METHYLDOPA * Tab 125 mg	12.00	100		rodopa
* Tab 250 mg		100		rodopa
* Tab 500 mg		100		rodopa
Diuretics	20100		• -	<u>i u u u u</u>
Loop Diuretics				
BUMETANIDE				
* Tab 1 mg		100	• -	urinex
* Inj 500 μg per ml, 4 ml	7.95	5	🗸 В	urinex

	Subsidy (Manufacturer's P	rice) Sub	Fully Brand or sidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
UROSEMIDE			
Tab 40 mg – Up to 30 tab available on a PSO		1,000	✓ Diurin 40
F Tab 500 mg	25.00	50	Urex Forte
+ Oral liq 10 mg per ml	10.66	30 ml OP	Lasix
Infusion 10 mg per ml, 25 ml		5	Lasix
Inj 10 mg per ml, 2 ml – Up to 5 inj available on a PSO		5	Frusemide-Claris
	13.00	50	
Anna lai 10 mar new ml. O ml to be delicited 1 Echanomy (0011)	(29.50)		Mayne
Mayne Inj 10 mg per ml, 2 ml to be delisted 1 February 2011)			
Potassium Sparing Diuretics			
MILORIDE			4
Oral liq 1 mg per ml		25 ml OP	Biomed
PIRONOLACTONE			
Fab 25 mg	4.60	100	Spirotone
F Tab 100 mg		100	Spirotone
Oral liq 5 mg per ml		25 ml OP	Biomed
Potassium Sparing Combination Diuretics			
MILORIDE WITH FRUSEMIDE			
Tab 5 mg with frusemide 40 mg	8.63	28	🖌 Frumil
MILORIDE WITH HYDROCHLOROTHIAZIDE			
Tab 5 mg with hydrochlorothiazide 50 mg		50	✓ Moduretic
····· ································	13.00	500	✓ Amizide
Amizide Tab 5 mg with hydrochlorothiazide 50 mg to be delisted a	1 April 2011)		
Thiazide and Related Diuretics			
ENDROFLUAZIDE			
Tab 2.5 mg – Up to 150 tab available on a PSO	7.58	500	✓ Arrow-
			Bendrofluazide
May be supplied on a PSO for reasons other than emerger	псу.		
F Tab 5 mg	11.75	500	Arrow-
			Bendrofluazide
HLOROTHIAZIDE			
Oral liq 50 mg per ml	22.60	25 ml OP	Biomed
HLORTHALIDONE			
- Tab 25 mg	8.00	50	<ul> <li>Hygroton</li> </ul>
IDAPAMIDE			
			4
	2 05	90	V Dana-Tahe
Tab 2.5 mg	2.95 3.25	90 100	<ul> <li>Dapa-Tabs</li> <li>Napamide</li> </ul>

	Subsidy (Manufacturer's \$	Price) Subs Per	Fully Brand or sidised Generic Manufacturer
Nitrates			
GLYCERYL TRINITRATE * Tab 600 μg – Up to 100 tab available on a PSO		100 OP	✓ Lycinate
<ul> <li>Oral pump spray 400 µg per dose – Up to 250 dose available on a PSO</li> </ul>		250 dose OP	<ul> <li><u>Nitrolingual</u></li> <li>Pumpspray</li> </ul>
* TDDS 5 mg * TDDS 10 mg		30 30	✓ <u>Nitroderm TTS</u> ✓ Nitroderm TTS
ISOSORBIDE MONONITRATE * Tab 20 mg		100	✓ Ismo 20
<ul> <li>* Tab long-acting 40 mg</li> <li>* Tab long-acting 60 mg</li> </ul>	14.84	30 90	✓ Corangin ✓ Duride
Sympathomimetics			
ADRENALINE	1.00	-	
Inj 1 in 1,000, 1 ml – Up to 5 inj available on a PSO	5.25	5	<ul> <li>Aspen Adrenaline</li> <li>Mayne</li> </ul>
Inj 1 in 10,000, 10 ml – Up to 5 inj available on a PSO ISOPRENALINE HYDROCHLORIDE	27.00	5	Mayne
* Inj 200 μg per ml, 1 ml		25	Isuprel
Vasodilators			
AMYL NITRITE  * Ampoule, 0.3 ml crushable		12	
HYDRALAZINE	(73.40)		Baxter
* Inj 20 mg per ml, 1 ml		5	✓ Apresoline
OXYPENTIFYLLINE Tab 400 mg		50	Trental 400
	, , , , , , , , , , , , , , , , , , ,	F	
* Inj 12 mg per ml, 10 ml Endothelin Receptor Antagonists		5	Mayne
► SA0967 Special Authority for Subsidy Special Authority approved by the Pulmonary Arterial Hypertensi Notes: Application details may be obtained from PHARMAC's we The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.c	bsite http://www	ı.pharmac.govt.r	ız or:
AMBRISENTAN – Special Authority see SA0967 above – Retail Tab 5 mg Tab 10 mg	4,585.00	30 30	✓ Volibris ✓ Volibris
BOSENTAN – Special Authority see SA0967 above – Retail pha Tab 62.5 mg Tab 125 mg	rmacy 4,585.00	60 60	<ul><li>✔ Tracleer</li><li>✔ Tracleer</li></ul>

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully idised	Brand or Generic Manufacturer
Phosphodiesterase Type 5 Inhibitors				
► SA0968 Special Authority for Subsidy Special Authority approved by the Pulmonary Arterial Hypertensic Notes: Application details may be obtained from PHARMAC's web The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.gr	osite http://www.phar	mac.govt.n	z or:	
SILDENAFIL – Special Authority see SA0968 above – Retail pha Tab 25 mg Tab 50 mg Tab 100 mg		4 4 4	🗸 V	iagra iagra iagra
Prostacyclin Analogues				
► SA0969 Special Authority for Subsidy Special Authority approved by the Pulmonary Arterial Hypertensic Notes: Application details may be obtained from PHARMAC's wet The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 916 7512, Fax: (04) 974 4858, Email: <u>PAH@pharmac.gr</u>	osite http://www.phar	mac.govt.n	z or:	
ILOPROST – Special Authority see SA0969 above – Retail pharn Nebuliser soln 10 μg per ml, 2 ml		30	🗸 V	entavis

	Subsidy (Manufacturer's Pr \$	rice) Su Per	Fully bsidised	Brand or Generic Manufacturer
Antiacne Preparations				
For systemic antibacterials, refer to INFECTIONS, Antibacterials,	page 82			
ADAPALENE				
a) Maximum of 30 g per prescription				
b) Only on a prescription				
Crm 0.1%	22.89	30 g OP	🖌 D	ifferin
Gel 0.1%	22.89	30 g OP	🖌 D	ifferin
ISOTRETINOIN - Special Authority see SA0955 below - Retail r	pharmacy			
Cap 10 mg		180	V 0	ratane
Cap 20 mg	69.70	180	V 0	ratane

#### ➡SA0955 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has had an adequate trial on other available treatments and has received an inadequate response from these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and

4 Either:

- 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
- 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has had an adequate trial on other available treatments and has received an inadequate response from these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 4 Either:
  - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
  - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

TRETINOIN

Crm 0.5 mg per g - Maximum of 50 g per prescription	13.90 50	) g OP 🛛 🖌	ReTrieve
---	----------	------------	----------

	Subsidy		Fully Brand	or
	(Manufacturer's I	Price) Sub	osidised Gener	
	\$	Per	<ul> <li>Manut</li> </ul>	facturer
Antibacterials Topical				
For systemic antibacterials, refer to INFECTIONS, Antibacterials	s. page 82			
FUSIDIC ACID				
Crm 2%	3.25	15 g OP	🖌 Foban	
a) Maximum of 15 g per prescription		0		
b) Only on a prescription				
c) Not in combination				
Oint 2%	3.25	15 g OP	Foban	
a) Maximum of 15 g per prescription				
<ul><li>b) Only on a prescription</li><li>c) Not in combination</li></ul>				
HYDROGEN PEROXIDE				
* Crm 1%	8 56	10 g OP	Crystaci	de
MUPIROCIN		10 9 01	+ Jiyotau	
Oint 2%	6 60	15 g OP		
Oint 270	(9.26)	15 9 01	Bactroba	in
a) Only on a prescription	(0.20)		2000.000	
b) Not in combination				
SILVER SULPHADIAZINE				
Crm 1%	12.30	50 g OP	🖌 Flamazii	ne
a) Up to 250 g available on a PSO				
b) Not in combination				
Antifungals Topical				
For systemic antifungals, refer to INFECTIONS, Antifungals, page	ne 87			
AMOROLFINE	ye e.			
a) Only on a prescription				
b) Not in combination				
		5 ml OP		
	(61.87)		Loceryl	
CICLOPIROXOLAMINE				
a) Only on a prescription				
b) Not in combination				
Crm 1%		20 g OP	Datrafan	
Nail soln 8%	(12.82)	3.5 ml OP	Batrafen	
Soln 1%		20 ml OP	Datraier	1
	(11.54)	20	Batrafen	
(Batrafen Crm 1% to be delisted 1 January 2011)	. ,			
CLOTRIMAZOLE				
* Crm 1%	0.50	20 g OP	✓ Clomazo	<u>bl</u>
a) Only on a prescription				
b) Not in combination				
* Soln 1%		20 ml OP	Conocto	2
a) Only on a prescription	(7.55)		Canester	1
<ul><li>a) Only on a prescription</li><li>b) Not in combination</li></ul>				

	Subsidy (Manufacturer's \$	Price) Sul Per	Fully Brand or osidised Generic ✔ Manufacturer
ECONAZOLE NITRATE			
Crm 1%	1.00 (7.48)	20 g OP	Pevaryl
a) Only on a prescription	(7.40)		i evalyi
b) Not in combination			
Foaming soln 1%, 10 ml sachets		3	
a) Only on a prescription	(17.23)		Pevaryl
b) Not in combination			
MICONAZOLE NITRATE			
* Crm 2%	0.42	15 g OP	Multichem
a) Only on a prescription		·	
b) Not in combination	4.00	00 ml OD	
* Lotn 2%	4.36 (10.03)	30 ml OP	Daktarin
a) Only on a prescription	(10.00)		Daktarin
b) Not in combination			
* Tinct 2%		30 ml OP	
	(12.10)		Daktarin
<ul> <li>a) Only on a prescription</li> <li>b) Not in combination</li> </ul>			
NYSTATIN			
Crm 100,000 u per g		15 g OP	
	(7.90)	- 5 -	Mycostatin
a) Only on a prescription			
b) Not in combination			
Antipruritic Preparations			
CALAMINE			
a) Only on a prescription			
b) Not in combination			<b>4 -</b>
Crm, aqueous, BP Lotn, BP		100 g 2.000 ml	✓ <u>healthE</u> ✓ API
		2,000 111	V AFI
CROTAMITON a) Only on a prescription			
b) Not in combination			
Crm 10%	3.79	20 g OP	✓ Itch-Soothe
MENTHOL – Only in combination			
Only in combination with aqueous cream, 10% urea cream		eral oil lotion, 19	% hydrocortisone with wool fat and
mineral oil lotion, and glycerol, paraffin and cetyl alcohol lo		05 -	- <b>/</b> DOM
Crystals	6.50 6.92	25 g	✓ PSM ✓ MidWest
	29.60	100 g	✓ MidWest

	Subsidy		Fully Brand or
	(Manufacturer's		osidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
Corticosteroids Topical			
For systemic corticosteroids, refer to CORTICOSTEROIDS AN		NTS name 75	
		110, page 70	
Corticosteroids - Plain			
BETAMETHASONE DIPROPIONATE			
Crm 0.05%	2.96	15 g OP	
	(6.91)		Diprosone
	8.97	50 g OP	
	(18.36)		Diprosone
Crm 0.05% in propylene glycol base	4.33	30 g OP	
	(13.83)		Diprosone OV
Oint 0.05%	2.96	15 g OP	
	(6.51)	-	Diprosone
	8.97	50 g OP	
	(17.11)	·	Diprosone
Oint 0.05% in propylene glycol base		30 g OP	
	(13.83)	0	Diprosone OV
BETAMETHASONE VALERATE	. ,		·
₭ Crm 0.1%	2.00	50 g OP	✓ Beta Cream
Control 1 //		50 g OP	<ul> <li>Beta Ointment</li> </ul>
<ul> <li>Control 1 %</li> <li>₭ Lotn 0.1%</li> </ul>		50 g OP 50 ml OP	<ul> <li>Betnovate</li> </ul>
		50 III OF	Belliovale
CLOBETASOL PROPIONATE			
₭ Crm 0.05%		30 g OP	Dermol
₭ Oint 0.05%	3.48	30 g OP	✓ <u>Dermol</u>
CLOBETASONE BUTYRATE			
Crm 0.05%	5.38	30 g OP	
	(7.09)	0	Eumovate
	16.13	100 g OP	
	(22.00)	0	Eumovate
DIFLUCORTOLONE VALERATE	· · · /		
Crm 0.1%	9.07		
CIIII 0.178	(15.86)	50 g OP	Nerisone
Fatty oint 0.1%		50 g OP	Nelisone
Fatty OINT 0.176	(15.86)	50 y OF	Nerisone
	(13.00)		Nelisone
HYDROCORTISONE			<b>4 - . . .</b>
Crm 1% – Only on a prescription		100 g	Pharmacy Health
	12.20	500 g	✓ <u>PSM</u>
Powder – Only in combination		25 g	✓ <u>ABM</u>
Up to 5% in a dermatological base (not proprietary T galenicals. Refer, page 172	opical Corticosteri	od – Plain) wit	h or without other dermatologica
HYDROCORTISONE BUTYRATE			
Lipocream 0.1%		30 g OP	Locoid Lipocream
	6.85	100 g OP	<ul> <li>Locoid Lipocream</li> </ul>
Oint 0.1%		100 g OP	✓ Locoid
Milky emul 0.1%		100 g OI 100 ml OP	✓ Locoid Crelo
winity CITICI 0.170	0.00		

60

	Subsidy (Manufacturer's Price) Sub		Fully Brand or osidised Generic		
	(Manulacturer ST	Per Sul	Manufacturer		
YDROCORTISONE WITH WOOL FAT AND MINERAL OIL					
Lotn 1% with wool fat hydrous 3% and mineral oil – Only on					
a prescription	9.95	250 ml	✓ DP Lotn HC		
IETHYLPREDNISOLONE ACEPONATE					
Crm 0.1%	4.95	15 g OP	Advantan		
Oint 0.1%	4.95	15 g OP	Advantan		
IOMETASONE FUROATE		·			
Crm 0.1%	2 38	15 g OP	✓ <u>m-Mometasone</u>		
0111 0.170	4.55	45 g OP	✓ m-Mometasone		
Oint 0.1%		15 g OP	✓ m-Mometasone		
	4.55	45 g OP	✓ m-Mometasone		
Lotn 0.1%		30 ml OP	✓ Elocon		
	4.00				
	0.00	100 00	. A data and		
Crm 0.02%		100 g OP	✓ <u>Aristocort</u>		
Oint 0.02%		100 g OP	✓ <u>Aristocort</u>		
Corticosteroids - Combination					
ETAMETHASONE VALERATE WITH CLIOQUINOL – Only on a					
Crm 0.1% with clioquinol 3%	3.49	15 g OP			
	(4.90)		Betnovate-C		
Oint 0.1% with clioquinol 3%		15 g OP			
	(4.90)		Betnovate-C		
ETAMETHASONE VALERATE WITH FUSIDIC ACID					
Crm 0.1% with fusidic acid 2%	3.49	15 g OP			
	(9.61)		Fucicort		
<ul> <li>a) Maximum of 15 g per prescription</li> </ul>					
<ul> <li>b) Only on a prescription</li> </ul>					
YDROCORTISONE BUTYRATE WITH CHLORQUINALDOL -	Only on a presc	ription			
Crm 0.1% with chlorquinaldol 3%	· ·	15 g OP	Locoid C		
ocoid C Crm 0.1% with chlorquinaldol 3% to be delisted 1 Marc		0			
YDROCORTISONE WITH MICONAZOLE - Only on a prescript	,				
Crm 1% with miconazole nitrate 2%		15 g OP	✔ Micreme H		
		•			
YDROCORTISONE WITH NATAMYCIN AND NEOMYCIN – Or			4 - X - X		
Crm 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	Pimafucort		
Oint 1% with natamycin 1% and neomycin sulphate 0.5%	2.79	15 g OP	Pimafucort		
RIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCII	N AND NYSTAT	IN			
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg					
and gramicidin 250 µg per g - Only on a prescription		15 g OP			
	(6.60)	0	Viaderm KC		
	()				
Disinfecting and Cleansing Agents					
HLORHEXIDINE GLUCONATE – Subsidy by endorsement					
a) No more than 500 ml per month					
b) Only if prescribed for a dialysis patient and the prescription	is andorsad ac	cordinaly			
Handrub 1% with ethanol 70%		500 ml	✓ healthE		
Soln 4%		500 ml	✓ Orion		
		500 mi			

	0.1.11		
	Subsidy (Manufacturer's F	Price) Sub	Fully Brand or bsidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
SODIUM HYPOCHLORITE - Subsidy by endorsement			
Only if prescribed for a dialysis patient and the prescriptic * Soln		dingly. 2,500 ml	✔ Janola
(Janola Soln to be delisted 1 January 2011)		2,500 111	♥ Janola
TRICLOSAN - Subsidy by endorsement			
a) Maximum of 500 ml per prescription			
<ul> <li>b)</li> <li>a) Only if prescribed for a patient identified with I</li> </ul>	Methicillin-resistant \$	Staphylococcus	s aureus (MRSA) prior to electiv
surgery in hospital and the prescription is endor	sed accordingly; or		
<li>b) Only if prescribed for a patient with recurrent S cordingly</li>	taphylococcus aure	us infection and	d the prescription is endorsed ac
Soln 1%	5.90	500 ml OP	✓ healthE
Dusting Powders			
DIPHEMANIL METHYLSULPHATE – Subsidy by endorsemer Only if prescribed for an amputee with an artificial limb, o		ient and the pr	rescription endorsed accordingly
Powder 2%		50 g OP	
(Prestal Devider 0%) to be delicted 1 (anyons 0011)	(13.54)		Prantal
(Prantal Powder 2% to be delisted 1 January 2011)			
Barrier Creams and Emollients			
Barrier Creams			
ZINC			
Crm BP	6.55 (12.00)	500 g	PSM
(PSM Crm BP to be delisted 1 January 2011)	(12.00)		FOW
ZINC AND CASTOR OIL			
Oint BP	5.11	500 g	✓ <u>PSM</u>
Emollients			
AQUEOUS CREAM			
* Crm	2.28	500 g	✓ <u>AFT</u>
CETOMACROGOL			4
* Crm BP	3.15	500 g	✓ <u>PSM</u>
EMULSIFYING OINTMENT * Oint BP	3 69	500 g	🖌 AFT
GLYCEROL WITH PARAFFIN AND CETYL ALCOHOL - Onl		000 g	* <u>111</u>
* Lotn 5% with paraffin liq 5% and cetyl alcohol 2%		250 ml	
(OV) on EQ with parafin lig EQ and anti-label OQ to be	(8.10)	1441	QV
(QV Lotn 5% with paraffin liq 5% and cetyl alcohol 2% to be c	ielistea 1 January 20	(11)	
OIL IN WATER EMULSION * Crm		500 g	✓ healthE Fatty Cream
		y	

62

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or sidised Generic Manufacturer
DILY CREAM	0.00	500	
* Crm BP		500 g	David Crain
	(13.60) (15.40)		David Craig PSM
David Craig Crm BP to be delisted 1 January 2011)	(13.40)		T OW
PSM Crm BP to be delisted 1 January 2011)			
JREA			
* Crm 10%	3.07	100 g OP	✓ Nutraplus
NOOL FAT WITH MINERAL OIL – Only on a prescription		·	-
✤ Lotn hydrous 3% with mineral oil	1.40	250 ml OP	
	(3.50)		DP Lotion
	5.60	1,000 ml	
	(10.90)	050 100	DP Lotion
	1.40	250 ml OP	Lludradarm Lation
	(3.50) 5.60	1,000 ml	Hydroderm Lotion
	(9.54)	1,000 111	Hydroderm Lotion
	(20.53)		Alpha-Keri Lotion
	1.40	250 ml OP	
	(7.73)		BK Lotion
	5.60	1,000 ml	DK Lation
	(23.91)		BK Lotion
Other Dermatological Bases			
PARAFFIN			
White soft – Only in combination	3.58	500 g	
	(7.78)	0	IPW
	20.20	2,500 g	🖌 IPW
	3.58	500 g	DOM
Only in combination with a dermatological galenical or a	(8.69)		PSM

	Subsidy (Manufacturer's	Price) Sub	Fully Brand or osidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
inor Skin Infections			
VIDONE IODINE			
Oint 10%	3.27	25 g OP	Betadine
a) Maximum of 100 g per prescription		-	
b) Only on a prescription			
Antiseptic soln 10%	0.19	15 ml	
	(3.27)		Betadine
	1.28	100 ml	
	(6.01)		Betadine
	6.20	500 ml	<ul> <li>Betadine</li> </ul>
	51.06	4,500 ml	Betadine
	1.28	100 ml	
	(4.20)		Riodine
	6.20	500 ml	Riodine
Skin preparation, povidone iodine 10% with 30% alcohol	1.63	100 ml	
	(3.60)		Betadine Skin Prep
	10.00	500 ml	Betadine Skin Prep
Skin preparation, povidone iodine 10% with 70% alcohol	1.63	100 ml	
	(6.04)		Orion
	8.13	500 ml	
	(18.63)		Orion
arasiticidal Preparations			
MMA BENZENE HEXACHLORIDE			
Crm 1%	3.50	50 g OP	Benhex
LATHION		Ũ	
Liq 0.5%	2 70	200 ml OP	✓ A-Lices
Liq 0.5 /	(4.99)	200 mi OF	Derbac-M
Shampoo 1%		30 ml OP	✓ A-Lices
brbac-M Liq 0.5% to be delisted 1 January 2011)	2.00	00 111 01	• <u>A-Elecs</u>
RMETHRIN			
Lotn 5%	3.65	30 ml OP	✓ <u>A-Scabies</u>
soriasis and Eczema Preparations			
TRETIN – Special Authority see SA0954 below – Retail pha	armacy		
		100	Neotigason
Cap 10 mg		100	✓ Neotigason
Cap 10 mg Cap 25 mg		100	

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and

3 Either:

3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement

continued...

	Subsidy		Fully Brand or
	(Manufacturer's I \$	Price) Sul Per	bsidised Generic Manufacturer
antinuad			
ontinued of the treatment and that the patient is informed th	at she must not be	ecome pregnar	nt during treatment and for a perio
of two years after the completion of the treatment;		progria	it during troutmont and for a porte
3.2 Patient is male.			
Renewal from any relevant practitioner. Approvals valid for 1 ye	ar for applications	meeting the fo	bllowing criteria:
Il of the following:			
<ol> <li>Applicant is a vocationally registered dermatologist, voca is a relevant econo of program and</li> </ol>	tionally registered	general practit	ioner, or nurse practitioner workin
in a relevant scope of practice; and 2 Applicant has an up to date knowledge of the treatment	ontions for psorias	is and of disor	ders of keratinisation and is away
of the safety issues around acitretin and is competent to			
3 Either:		, and	
3.1 Patient is female and has been counselled and un	nderstands the ris	k of teratogeni	city if acitretin is used during preg
nancy and the applicant has ensured that the pos	, , ,		
of the treatment and that the patient is informed th		ecome pregnar	nt during treatment and for a perio
of two years after the completion of the treatment;	, or		
3.2 Patient is male.			
Сrm 50 µg per g	20.20	30 g OP	V Daivonex
	56.32	100 g OP	✓ Daivonex
Oint 50 µg per g		30 g OP	✓ Daivonex
	56.32	100 g OP	Daivonex
Soln 50 µg per ml		30 ml OP	Daivonex
	33.79	60 ml OP	Daivonex
COAL TAR			4
Soln BP – Only in combination		200 ml	✓ <u>Midwest</u>
Up to 10 % Only in combination with a dermatological With or without other dermatological galenicals.	base or proprietar	y topical Cort	icosteriod – Plain, refer, page 17
0 0			
COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SUL Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% au			
allantoin crm 2.5%		30 g OP	
	(4.35)	00 9 01	Egopsoryl TA
	6.59	75 g OP	01 9
	(8.00)		Egopsoryl TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR			
Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	Coco-Scalp
SALICYLIC ACID			4
ALICYLIC ACID Powder – Only in combination	15.00	500 g	ABM
Powder – Only in combination	18.88	250 g	✓ PSM
Powder – Only in combination	18.88	250 g	✓ PSM
Powder – Only in combination 1) Only in combination with a dermatological base or page 172	18.88	250 g	✓ PSM
<ul> <li>Powder – Only in combination</li> <li>1) Only in combination with a dermatological base or page 172</li> <li>2) With or without other dermatological galenicals.</li> </ul>	18.88 proprietary Topica	250 g al Corticosteroi	✓ PSM d – Plain or collodion flexible, refe
<ul> <li>Powder – Only in combination</li> <li>1) Only in combination with a dermatological base or page 172</li> <li>2) With or without other dermatological galenicals.</li> <li>3) Maximum 20 g or 20 ml per prescription when prescription</li></ul>	18.88 proprietary Topica	250 g al Corticosteroi	✓ PSM d – Plain or collodion flexible, refe
<ul> <li>Powder – Only in combination</li> <li>1) Only in combination with a dermatological base or page 172</li> <li>2) With or without other dermatological galenicals.</li> <li>3) Maximum 20 g or 20 ml per prescription when presculered and the second s</li></ul>	18.88 r proprietary Topica escribed with white	250 g al Corticosteroi e soft paraffin c	✓ PSM d – Plain or collodion flexible, refe or collodion flexible.
<ul> <li>Powder – Only in combination</li> <li>1) Only in combination with a dermatological base or page 172</li> <li>2) With or without other dermatological galenicals.</li> <li>3) Maximum 20 g or 20 ml per prescription when prescription</li></ul>	18.88 r proprietary Topica escribed with white	250 g al Corticosteroi	✓ PSM d – Plain or collodion flexible, refe
<ul> <li>Powder – Only in combination</li> <li>1) Only in combination with a dermatological base or page 172</li> <li>2) With or without other dermatological galenicals.</li> <li>3) Maximum 20 g or 20 ml per prescription when presculered and the second s</li></ul>	18.88 proprietary Topica escribed with white	250 g al Corticosteroi e soft paraffin c	<ul> <li>PSM</li> <li>d – Plain or collodion flexible, refe</li> <li>or collodion flexible.</li> <li>Midwest</li> </ul>

	Subsidy (Manufacturer's l	Drian) Cub	Fully Brand or sidised Generic
	(Manulacturers) \$	Per Per	Manufacturer
AR WITH CADE OIL			
Bath emul 7.5% coal tar, 2.5% cade oil, 7.5% compound		350 ml	
Polytar Emollient Bath emul 7.5% coal tar, 2.5% cade oil, 7.	(29.60)	dolictod 1 Janu	Polytar Emollient
			. ,
AR WITH TRIETHANOLAMINE LAURYL SULPHATE AND Soln 2.3% with triethanolamine lauryl sulphate and flue		my on a prescr	iption
cein sodium		500 ml	Pinetarsol
	5.54	1,000 ml	✓ Pinetarsol
Scalp Preparations			
ETAMETHASONE VALERATE			
Scalp app 0.1%	7.22	100 ml OP	✓ Beta Scalp
LOBETASOL PROPIONATE			
€ Scalp app 0.05%	6.36	30 ml OP	✓ Dermol
IYDROCORTISONE BUTYRATE			
Scalp lotn 0.1%	3.65	100 ml OP	Locoid
ETOCONAZOLE			<b>4 a b b b</b>
Shampoo 2%a) Maximum of 100 ml per prescription		100 ml OP	Sebizole
b) Only on a prescription			
Sunscreens			
UNSCREENS, PROPRIETARY – Subsidy by endorsement			
Only if prescribed for a patient with severe photosensiti endorsed accordingly.	vity secondary to a	defined clinical	condition and the prescription
Crm	2.55	100 g OP	
	(5.89)	J J J	Hamilton Sunscreen
	1.28	50 g OP	
	(5.50)		Aquasun Oil Free Faces SPF30+
Lotn	2 55	100 ml OP	✓ Marine Blue Lotion
Loui	2.00		SPF 30+
	5.10	200 ml OP	✓ Marine Blue Lotion
	0.40	105	SPF 30+
	3.19 (6.94)	125 ml OP	Aguasun 30+
	(0.34)		79443411 UVT
Wart Preparations			
or salicylic acid preparations refer to PSORIASIS AND ECZ			
/IQUIMOD - Special Authority see SA0923 on the next part			4
Crm 5%	110.40	12	Aldara

	0.1.11			
	Subsidy (Manufacturer's Pri \$	ce) Subs Per	Fully sidised	Brand or Generic Manufacturer
►SA0923 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid	for 4 months for ap	oplications me	eting t	he following criteria:
Any of the following:			-	-
1 The patient has external anogenital warts and podophyllot				
2 The patient has external anogenital warts and podophyllot				
3 The patient has confirmed superficial basal cell carcinoma	where other stand	lard treatment	s, inclu	iding surgical excision, are
contraindicated or inappropriate.				
Notes: Superficial basal cell carcinoma	I have all earning	ma aa it haa a	hiaha	r aura rata than imiguimad
<ul> <li>Surgical excision remains first-line treatment for superficia and allows histological assessment of tumour clearance.</li> </ul>		1118 85 11 1185 8	Ingrie	
<ul> <li>Imiguimod has not been evaluated for the treatment of s</li> </ul>	unerficial basal ce	Il carcinoma v	within 1	I cm of the hairline eves
nose, mouth or ears.			with first	
<ul> <li>Imiquimod is not indicated for recurrent, invasive, infiltratin</li> </ul>	g, or nodular basal	cell carcinom	ia.	
External anogenital warts				
<ul> <li>Imiquimod is only indicated for external genital and perian</li> </ul>	al warts (condylom	a acuminata).		
Renewal from any relevant practitioner. Approvals valid for 4 more	oths for applications	s meeting the	followi	ng criteria:
Any of the following:				
1 Inadequate response to initial treatment for anogenital wa				
<ol> <li>New confirmed superficial basal cell carcinoma where other standard an incompressive or</li> </ol>	er standard treatme	ents, including	surgic	al excision, are contraindi-
cated or inappropriate; or 3 Inadequate response to initial treatment for superficial bas	al coll caroinoma			
Note: Every effort should be made to biopsy the lesion to confirm		rial hasal cell	carcino	ima
PODOPHYLLOTOXIN			ouronne	ind.
Soln 0.5%	33.60	3.5 ml OP		ondyline
a) Maximum of 3.5 ml per prescription		0.0 111 01	• •	onayinte
b) Only on a prescription				
Other Skin Preparations				
Antineoplastics				
FLUOROURACIL SODIUM				
Crm 5%		20 g OP	✔ E	fudix
Topical Analgesia				
For aspirin & chloroform application refer, page 176				
CAPSAICIN – Subsidy by endorsement				
Subsidised only if prescribed for post-herpetic neuralgia or	diabetic periphera	I neuropathy	and the	e prescription is endorsed
accordingly.	· · · · · · · · · · ·			. F F
Crm 0.075%	12.50	45 g OP	🗸 Z	ostrix HP
Wound Management Products				
HYDROGEN PEROXIDE				
* Soln 20 vol – Maximum of 500 ml per prescription	0.63	100 ml		
	(2.35)		P	SM
	3.13	500 ml		
	(7.00)		P	SM
(PSM Soln 20 vol to be delisted 1 January 2011)				
MAGNESIUM SULPHATE				
Paste	2.98	80 g		
	(4.90)		P	SM

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's Pric \$	ce) Su Per	Fully Ibsidised	Brand or Generic Manufacturer
Contraceptives - Non-hormonal				
Condoms				
ONDOMS				
49 mm – Up to 144 dev available on a PSO	1.11 13.36	12 144	✔ G ✔ M	old Knight old Knight arquisTantiliza hield 49
52 mm – Up to 144 dev available on a PSO	13.36	144	🖌 M	arquis Selecta arquis Sensolite arquis Supalite
52 mm extra strength – Up to 144 dev available on a PSO	13.36	144	🖌 M	arquis Protecta
53 mm – Up to 144 dev available on a PSO		12		hield Blue
	13.36	144		hield Blue
	1.11	12		old Knight
	13.36	144	🖌 M	old Knight arquis Black arquis Titillata
53 mm (chocolate) – Up to 144 dev available on a PSO	1.11	12		old Knight
	13.36	144	🖌 G	old Knight
53 mm (strawberry) – Up to 144 dev available on a PSO	1.11	12	🖌 G	old Knight
	13.36	144	🖌 G	old Knight
<ul> <li>53 mm extra strength – Up to 144 dev available on a PSO</li> </ul>		12		old Knight
	13.36	144	🖌 G	old Knight
54 mm, shaped – Up to 144 dev available on a PSO	1.12 (1.24) 13.36	12 144	Li	festyles Flared
	(14.84)		Li	festyles Flared
55 mm – Up to 144 dev available on a PSO	· · ·	12		old Knight
	13.36	144	✔ G ✔ M	old Knight arquis Conforma
56 mm – Up to 144 dev available on a PSO	13.36	144	-	urex Select Flavours
56 mm extra strength – Up to 144 dev available on a PSO		144		urex Extra Safe
56 mm, shaped – Up to 144 dev available on a PSO		12		urex Confidence
	13.36	144		urex Confidence
60 mm – Up to 144 dev available on a PSO Spermicidal Agents		144	✔ SI	hield XL
PPLICATOR				
When ordered with a spermicide. Applicator – Up to 1 dev available on a PSO Drtho Applicator to be delisted 1 January 2011)	4.34	1	<b>v</b> 0	rtho
ONOXYNOL-9 Jelly 2% – Up to 108 g available on a PSO Gynol II Jelly 2% to be delisted 1 January 2011)	10.95	108 g OP	🖌 G	ynol II

68

	Subsidy (Manufacturer's Price) \$	Subsic Per	Fully lised	Brand or Generic Manufacturer
Contraceptive Devices				
DIAPHRAGM - Up to 1 dev available on a PSO				
One of each size is permitted on a PSO.	10.00			
k≈ 55 mm		•	• •	rtho Coil
€ 60 mm		-		rtho All-flex
€ 65 mm	42.00			rtho Coil rtho All-flex
		-		rtho Coil
€ 70 mm	42.90		• •	rtho All-flex
				rtho Coil
← 75 mm		1	<b>V</b> 0	rtho All-flex
			<b>v</b> 0	rtho Coil
₭ 80 mm		1	<b>v</b> 0	rtho All-flex
			✔ 0	rtho Coil
€ 85 mm		-		rtho All-flex
	10.00			rtho Coil
€ 90 mm		-		rtho All-flex
Ortho Coil 55 mm to be delisted 1 January 2011) Ortho All-flex 60 mm to be delisted 1 January 2011) Ortho Coil 60 mm to be delisted 1 January 2011) Ortho Coil 65 mm to be delisted 1 January 2011) Ortho Coil 70 mm to be delisted 1 January 2011) Ortho Coil 80 mm to be delisted 1 January 2011) Ortho All-flex 85 mm to be delisted 1 January 2011) Ortho Coil 85 mm to be delisted 1 January 2011) Ortho Coil 85 mm to be delisted 1 January 2011) Ortho Coil 85 mm to be delisted 1 January 2011) Ortho Coil 85 mm to be delisted 1 January 2011) Ortho Coil 90 mm to be delisted 1 January 2011) Ortho Coil 90 mm to be delisted 1 January 2011)				rtho Coil
a) Up to 40 dev available on a PSO b) Only on a PSO				
₭ IUD		-		lultiload Cu 375 Iultiload Cu 375 SL

# **Combined Oral Contraceptives**

#### SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Either:

- 1.1 Patient is on a Social Welfare benefit; or
- 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

1 Patient is on a Social Welfare benefit; or

continued...

	Subsidy (Manufacturer's Price) \$	Ful Subsidise Per	
	φ	Fei	Manulacturer
continued			
2 Patient has an income no greater than the benefit. Notes: The approval numbers of Special Authorities approved af	tor 1 November 1000	oro intorohono	achla batwaan Marailan ana
Marvelon.	ter i november 1999	are interchang	jeable between merchon and
The additional subsidy will fund Mercilon and Marvelon up to the	manufacturer's price	for each of the	ese products as identified or
the Schedule at 1 November 1999.			
Special Authorities approved before 1 November 1999 remain val	lid until the expiry date	and can be re	newed providing that womer
are still either:	, , , , , , , , , , , , , , , , , , ,		J
<ul> <li>on a Social Welfare benefit; or</li> </ul>			
<ul> <li>have an income no greater than the benefit.</li> </ul>			
The approval numbers of Special Authorities approved before 1 I			
bined oral contraceptives and progestogen-only contraceptives g	roups, except Loette a	nd Microgynor	n 20 ED
ETHINYLOESTRADIOL WITH DESOGESTREL			
* Tab 20 μg with desogestrel 150 μg	6.62	63	
	(16.50)		Mercilon 21
<ul> <li>a) Higher subsidy of \$13.80 per 63 tab with Special Autho</li> <li>b) Up to 63 tab available on a PSO</li> </ul>	rity see SA0500 on th	e preceding pa	age
* Tab 20 µg with desogestrel 150 µg and 7 inert tab	6.62	84	
	(16.50)		Mercilon 28
a) Higher subsidy of \$13.80 per 84 tab with Special Autho	rity see SA0500 on th	e preceding pa	age
<li>b) Up to 84 tab available on a PSO</li>			
* Tab 30 μg with desogestrel 150 μg		63	
	(16.50)		Marvelon 21
a) Higher subsidy of \$13.80 per 63 tab with Special Autho	rity see SA0500 on th	e preceding pa	ige
b) Up to 63 tab available on a PSO	6.60	0.4	
* Tab 30 μg with desogestrel 150 μg and 7 inert tab		84	Marvelon 28
a) Higher subsidy of \$13.80 per 84 tab with Special Autho	(16.50) rity coo SA0500 on th	o procodina po	
b) Up to 84 tab available on a PSO	The see SA0500 OF In	e preceding pa	iye
ETHINYLOESTRADIOL WITH LEVONORGESTREL			
* Tab 50 μg with levonorgestrel 125 μg and 7 inert tab – Up to 24 tab subjects a p DSO		04	Mieroman 50 ED
84 tab available on a PSO * Tab 30 μg with levonorgestrel 150 μg		84 🗸	Microgynon 50 ED
* Tab 50 µg with levolorgestrer 150 µg	(16.50)	03	Microgynon 30
a) Higher subsidy of \$15.00 per 63 tab with Special Autho	· · · ·	e preceding pa	0,
<ul> <li>b) Up to 63 tab available on a PSO</li> </ul>			
* Tab 30 μg with levonorgestrel 150 μg and 7 inert tab	6.62		Levlen ED
	(11.10)	~	Monofeme
	(14.49)		Nordette 28
	(16.50)		Microgynon 30 ED
<ul> <li>a) Higher subsidy of up to \$15.00 per 84 tab with Special .</li> <li>b) Up to 84 tab available on a PSO</li> </ul>	Authority see SA0500	on the preced	ing page

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
THINYLOESTRADIOL WITH NORETHISTERONE				
* Tab 35 μg with norethisterone 1 mg – Up to 63 tab available				
on a PSO * Tab 35 μg with norethisterone 1 mg and 7 inert tab – Up to		63	V	Brevinor 1/21
84 tab available on a PSO		84	🗸 E	Brevinor 1/28
* Tab 35 μg with norethisterone 500 μg – Up to 63 tab available		00		Dura da su Od
on a PSO * Tab 35 µg with norethisterone 500 µg and 7 inert tab – Up to		63	V	Brevinor 21
84 tab available on a PSO		84	<b>~</b> 1	Norimin
NORETHISTERONE WITH MESTRANOL				
* Tab 1 mg with mestranol 50 μg and 7 inert tab		84	N	Vorinyl-1/28
a) Higher subsidy of \$13.80 per 84 tab with Special Author	(13.80) ritv see SA0500 on p	age 69	Į.	NOTITIYI-1/20
b) Up to 84 tab available on a PSO	,			
<b>Combined Oral Contraceptives - Other</b>				
ETHINYLOESTRADIOL WITH LEVONORGESTREL				
* Tab 20 $\mu$ g with levonorgestrel 100 $\mu$ g and 7 inert tab – Up to				
84 tab available on a PSO		84		_oette
	(16.50) (16.50)			Joene Microgynon 20 ED
Progestogen-only Contraceptives				
<ol> <li>Either:         <ol> <li>Patient is on a Social Welfare benefit; or</li> <li>Patient has an income no greater than the benefit; a</li> </ol> </li> <li>Has tried at least one of the fully funded options and has b</li> <li>Renewal from any medical practitioner. Approvals valid for 2 year</li> <li>Either:         <ol> <li>Patient is on a Social Welfare benefit; or</li> <li>Patient has an income no greater than the benefit.</li> </ol> </li> <li>Notes: The approval numbers of Special Authorities approved aff Marvelon.</li> <li>The additional subsidy will fund Mercilon and Marvelon up to the the Schedule at 1 November 1999.</li> <li>Special Authorities approved before 1 November 1999 remain valiar estill either:         <ol> <li>on a Social Welfare benefit; or</li> <li>have an income no greater than the benefit.</li> </ol> </li> <li>The approval numbers of Special Authorities approved before 1 November 1999 remain valiar estill either:         <ol> <li>on a Social Welfare benefit; or</li> <li>have an income no greater than the benefit.</li> </ol> </li> <li>The approval numbers of Special Authorities approved before 1 November 1999 remain valiar estill either:         <ol> <li>on a Social Welfare benefit; or</li> <li>have an income no greater than the benefit.</li> </ol> </li></ol>	een unable to tolerat 's for applications me ter 1 November 1999 e manufacturer's price id until the expiry dat November 1999 are i	eting the are intercha	terchange ich of thes ian be ren ingeable fo	able between Mercilon and e products as identified or ewed providing that womer or products within the com-
LEVONORGESTREL * Tab 30 μg	6.62 (16.50)	84	Ν	<i>d</i> icrolut
a) Higher subsidy of \$13.80 per 84 tab with Special Author	· /	/e		
<ul> <li>b) Up to 84 tab available on a PSO</li> <li>* Subdermal implant (2 × 75 mg rods)</li> </ul>	133.65	1	V <u>.</u>	ladelle
			lispensed a	

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's Price	Sub	Fully Brand or osidised Generic
	(Ivianulaciulei s Frice \$	Per	Manufacturer
MEDROXYPROGESTERONE ACETATE * Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a PS	0 7 15	1	Depo-Provera
	0	I	
NORETHISTERONE			4.11.11.00
* Tab 350 µg – Up to 84 tab available on a PSO	7.15	84	✓ <u>Noriday 28</u>
Emergency Contraceptives			
LEVONORGESTREL			
* Tab 1.5 mg		1	Postinor-1
a) Maximum of 2 tab per prescription			
b) Up to 5 tab available on a PSO			
Antiandrogen Oral Contraceptives			
Prescribers may code prescriptions "contraceptive" (code "O") whe	en used as indicate	d for contra	ception. The period of supply and
prescription charge will be as per other contraceptives, as follows:			sopaon. The period of oupply and
• \$3.00 prescription charge (patient co-payment) will apply.			
<ul> <li>prescription may be written for up to six months supply.</li> </ul>			
Prescriptions coded in any other way are subject to the non contra	aceptive prescriptic	on charges.	and the non-contraceptive period
of supply. ie. Prescriptions may be written for up to three months s	supply.	0	
CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL			
* Tab 2 mg with ethinyloestradiol 35 µg and 7 inert tabs	4.91	84	✔ Ginet 84
	-	-	
Gynaecological Anti-infectives			
ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC A	CID		
Jelly with glacial acetic acid 0.94%, hydroxyquinoline sul-	•		
phate 0.025%, glycerol 5% and ricinoleic acid 0.75% with			
applicator		00 g OP	
.IL	(24.00)	<b>J</b>	Aci-Jel
CLOTRIMAZOLE	( )		
* Vaginal crm 1% with applicators	1.30	35 g OP	✓ Clomazol
<ul> <li>Vaginal crm 1% with applicators</li> <li>* Vaginal crm 2% with applicators</li> </ul>		20 g OP	Clomazol
<b>o</b>		20 9 01	
	0.75		
* Vaginal crm 2% with applicator		40 g OP	Micromo
	(3.70)		Micreme
NYSTATIN			4
Vaginal crm 100,000 u per 5 g with applicator(s)	4.71	75 g OP	V Nilstat
Myometrial and Vaginal Hormone Preparations			
ERGOMETRINE MALEATE			
Inj 500 µg per ml, 1 ml – Up to 5 inj available on a PSO	11.60	5	✓ Mayne
		Ŭ	·
METHYLERGOMETRINE	0.00	10	A Hoopirg and
Inj 200 µg per ml, 1 ml – Up to 10 inj available on a PSO		10	Hospira S29
(Hospira s29 Inj 200 μg per ml, 1 ml to be delisted 1 March 2011)			
OESTRIOL			4.4
* Crm 1 mg per g with applicator	6.30	15 g OP	✓ Ovestin
* Pessaries 500 μg	6.53	15	<ul> <li>Ovestin</li> </ul>

72

# **GENITO-URINARY SYSTEM**

	Quitariatu		Fully Drand an
	Subsidy (Manufacturer's Pr	ice) Subs	Fully Brand or idised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
OXYTOCIN – Up to 5 inj available on a PSO			
Inj 5 iu per ml, 1 ml		5	Syntocinon
Inj 10 iu per ml, 1 ml		5	<ul> <li>Syntocinon</li> <li>Syntometrine</li> </ul>
Inj 5 iu with ergometrine maleate 500 µg per ml, 1 ml	10.12	5	Syntometrine
Pregnancy Tests - hCG Urine			
PREGNANCY TESTS - HCG URINE			
a) Up to 200 test available on a PSO			
b) Only on a PSO			
Cassette	22.80	40 test OP	Innovacon hCG One Step Presence on the second se
			<u>Step Pregnancy</u> Test
Urinary Agents			1000
	0.5		
For urinary tract Infections refer to INFECTIONS, Antibacterials, pa	age 95		
5-Alpha Reductase Inhibitors			
FINASTERIDE - Special Authority see SA0928 below - Retail pha	armacy		
Tab 5 mg	•	30	✓ Fintral
SA0928 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals valid	without further re	enewal unless	notified for applications meeting
the following criteria:			
Both: 1 Patient has symptomatic benign prostatic hyperplasia; and			
2 Either:			
2.1 The patient is intolerant of non-selective alpha block	ers or these are o	ontraindicated	; or
2.2 Symptoms are not adequately controlled with non-se			
Note: Patients with enlarged prostates are the appropriate candida	ates for therapy w	ith finasteride.	
Alpha-1A Adrenoreceptor Blockers			
TAMSULOSIN HYDROCHLORIDE - Special Authority see SA103	32 below – Retail	pharmacy	
Сар 400 µg		30	✓ Tamsulosin-Rex
SA1032 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals valid	without further re	enewal unless	notified for applications meeting
the following criteria:			
Both: 1 Patient has symptomatic benign prostatic hyperplasia; and			
2 The patient is intolerant of non-selective alpha blockers or the	hese are contrain	dicated.	
Other Urinary Agents			
OXYBUTYNIN			
* Tab 5 mg		500	Apo-Oxybutynin
* Oral liq 5 mg per 5 ml		473 ml OP	✓ Apo-Oxybutynin
SODIUM CITRO-TARTRATE			
* Grans eff 4 g sachets	2.71	28	✓ <u>Ural</u>
SOLIFENACIN SUCCINATE - Special Authority see SA0998 on th	he next page – R	etail pharmacy	
Tab 5 mg		30	✓ Vesicare
Tab 10 mg		30	✓ Vesicare

# **GENITO-URINARY SYSTEM**

	Subsidy (Manufacturer's F \$	Price) S Per	Fully Subsidised	Brand or Generic Manufacturer
► SA0998 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valio overactive bladder and a documented intolerance of oxybutynin.	d without furthe	r renewal u	nless notifi	ied where the patient has
Detection of Substances in Urine				
ORTHO-TOLIDINE				
* Compound diagnostic sticks	7.50 (8.25)	50 test OF		emastix
TETRABROMOPHENOL				
* Blue diagnostic strips	7.02 (13.92)	100 test O		bustix

74

	Subsidy (Manufacturer's Pric	ne) Sui	Fully Brand or osidised Generic
	\$	Per	Manufacturer
Anabolic Agents			
ANDROLONE DECANOATE – Retail pharmacy-Specialist Inj 50 mg per ml, 1 ml	21.16	1	Deca-Durabolin
			Orgaject S29
Corticosteroids and Related Agents for Systemic	c Use		
TAMETHASONE SODIUM PHOSPHATE WITH BETAMETHAS	SONE ACETATE		
Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1ml	19.20	5	
	(33.60)		Celestone
			Chronodose
EXAMETHASONE			4
Tab 1 mg – Retail pharmacy-Specialist	16.08	100	Douglas
Up to 30 tab available on a PSO	C1 00	100	A Develop
Tab 4 mg – Retail pharmacy-Specialist		100	Douglas
Up to 30 tab available on a PSO Oral liq 1 mg per ml – Retail pharmacy-Specialist	39 90	25 ml OP	Biomed
Oral lig prescriptions:		20 111 01	
1) Must be written by a Paediatrician or Paediatric Card	diologist; or		
2) On the recommendation of a Paediatrician or Paedia	<b>U</b> .		
EXAMETHASONE SODIUM PHOSPHATE	<b>.</b>		
Inj 4 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	Hospira
Inj 4 mg per ml, 2 ml – Up to 5 inj available on a PSO		5	✓ Hospira
UDROCORTISONE ACETATE			
Tab 100 µg	7.62	100	Florinef
/DROCORTISONE			• • • • • • • • • • • • • • • • • • • •
Tab 5 mg	8 35	100	✓ Douglas
Tab 20 mg		100	✓ Douglas
Inj 50 mg per ml, 2 ml		1	✓ Solu-Cortef
a) Up to 5 inj available on a PSO		·	<u> </u>
b) Only on a PSO			
ETHYLPREDNISOLONE – Retail pharmacy-Specialist			
Tab 4 mg		100	Medrol
Tab 100 mg		20	Medrol
ETHYLPREDNISOLONE ACETATE			
Inj 40 mg per ml, 1 ml	6.03	1	✓ Depo-Medrol
Inj 40 mg per ml with lignocaine 1 ml	6.03	1	Depo-Medrol with
ng to mg por mi with ignocante 1 mi	0.00		Lidocaine
ETHYLPREDNISOLONE SODIUM SUCCINATE - Retail pharm	nacy-Specialist		
Inj 40 mg per ml, 1 ml		25	✓ Solu-Medrol
Inj 62.5 mg per ml, 2 ml		25	Solu-Medrol
		1	Solu-Medrol
Inj 500 mg		1	Solu-Medrol
Inj 500 mg Inj 1 g		1	
lnj 1 g	42.57	I	
		30 ml OP	<ul> <li>Redipred</li> </ul>

(1	Subsidy Manufacturer's Price)	S Per	Fully	Brand or Generic Manufacturer
	\$	Per	~	Manulaclurer
PREDNISONE	10.00			<b>D</b> 1 1
* Tab 1 mg		500		po-Prednisone
* Tab 2.5 mg		500		po-Prednisone
* Tab 5 mg – Up to 30 tab available on a PSO		500		po-Prednisone
* Tab 20 mg	29.03	500	• <u>A</u>	po-Prednisone
TETRACOSACTRIN				
* Inj 250 μg		10		ynacthen
* Inj 1 mg per ml, 1 ml	26.88	1	✓ <u>s</u>	ynacthen Depot
TRIAMCINOLONE ACETONIDE				
Inj 10 mg per ml, 1 ml	11.11	5	🖌 К	enacort-A
lnj 40 mg per ml, 1 ml		5	V K	enacort-A40
Sex Hormones Non Contraceptive				
Androgen Agonists and Antagonists				
CYPROTERONE ACETATE – Retail pharmacy-Specialist				
Tab 50 mg	21.10	50	🗸 S	iterone
Tab 100 mg		50		iterone
TESTOSTERONE				
Transdermal patch, 2.5 mg per day	80.00	60	<b>ا</b> ۸	ndroderm
		00	• •	
ESTOSTERONE CYPIONATE – Retail pharmacy-Specialist			4 -	<b>_</b>
Inj long-acting 100 mg per ml, 10 ml	61.41	1	✓ <u>D</u>	epo-Testosterone
FESTOSTERONE ESTERS – Retail pharmacy-Specialist				
Inj 250 mg per ml, 1 ml	12.98	1	🖌 S	ustanon Ampoules
TESTOSTERONE UNDECANOATE – Retail pharmacy-Specialist				
Cap 40 mg		100	🖌 A	rrow-Testosterone
Hormone Replacement Therapy - Systemic		_		

#### SA1018 Special Authority for Alternate Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 years for applications meeting the following criteria: Any of the following:

- 1 acute or significant liver disease where oral oestrogens are contraindicated as determined by a gastroenterologist or general physician. The applicant must keep written confirmation from such a specialist with the patient's record; or
- 2 oestrogen induced hypertension requiring antihypertensive therapy documented evidence must be kept on file that raised blood pressure levels or inability to control blood pressure adequately occurred post oral oestrogens; or
- 3 hypertriglyceridaemia documented evidence must be kept on file that triglyceride levels increased to at least 2 × normal triglyceride levels post oral oestrogens; or
- 4 Somatropin co-therapy patient is being prescribed somatropin with subsidy provided under a valid approval issued under Special Authority.

Note: Prescriptions with a valid Special Authority (CHEM) number will be reimbursed at the level of the lowest priced TDDS product within the specified dose group.

Renewal from any relevant practitioner. Approvals valid for 5 years where the treatment remains appropriate and the patient is benefiting from treatment, or the patient remains on subsidised somatropin co-therapy.

#### Prescribing Guideline

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

	Subsidy (Manufacturer's Pr \$	ice) Sul Per	Fully Brand or osidised Generic ✓ Manufacturer
Oestrogens	¥.		
OESTRADIOL – See prescribing guideline on the preceding	nage		
* Tab 1 mg		28 OP	
5	(10.55)		Estrofem
* Tab 2 mg		28 OP	
	(10.55)		Estrofem
* TDDS 25 μg per day		8	Estradorm TTC OF
<ul> <li>a) Higher subsidy of \$10.86 per 8 patch with Special A</li> <li>b) No more than 2 patch per week</li> <li>c) Only on a prescription</li> </ul>	(10.86) uthority see SA1018	on the preced	Estraderm TTS 25 ding page
* TDDS 3.9 mg (releases 50 µg of oestradiol per day)	4.12	4	
	(13.18)		Climara 50
a) Llinker autocidu of ¢10,10 may 4 match with Canacial A	(32.50)		Femtran 50
<ul> <li>a) Higher subsidy of \$13.18 per 4 patch with Special A</li> <li>b) No more than 1 patch per week</li> <li>c) Only on a prescription</li> </ul>	uthonty see SATUTO	on the preced	ung page
* TDDS 50 µg per day	4.12	8	
	(13.18)		Estraderm TTS 50
	(13.18)		Estradot 50 µg
<ul> <li>a) Higher subsidy of \$13.18 per 8 patch with Special A</li> <li>b) No more than 2 patch per week</li> <li>c) Only on a prescription</li> </ul>	uthority see SA1018	on the preced	ding page
* TDDS 7.8 mg (releases 100 µg of oestradiol per day)		4	
	(16.14)		Climara 100
	(35.00)		Femtran 100
<ul> <li>a) Higher subsidy of \$16.14 per 4 patch with Special A</li> <li>b) No more than 1 patch per week</li> <li>c) Only on a prescription</li> </ul>	uthority see SA1018	on the preced	aing page
<ul> <li>TDDS 100 µg per day</li> </ul>	7.05	8	
	(16.14)		Estraderm TTS 100
<ul> <li>a) Higher subsidy of \$16.14 per 8 patch with Special A</li> <li>b) No more than 2 patch per week</li> <li>c) Only on a prescription</li> </ul>		on the preced	ding page
OESTRADIOL VALERATE – See prescribing guideline on the	1 01 0	56	
* Tab 1 mg * Tab 2 mg		56	<ul> <li>Progynova</li> <li>Progynova</li> </ul>
ů –		50	♥ 110gy110va
OESTROGENS – See prescribing guideline on the preceding * Conjugated, equine tab 300 µg		28	
συτημιχαιού, είμαι του του μ     συτημιχαι του μ     συτημιχεία του μ     συτημιχαι του μ     συτημιχεία του μ     συτημικου μ     συτημικου μ     συτημιχεία του μ     συτημικου μ     συτημικου μ     συτημικου μ     συτημιχ	(11.48)	20	Premarin
* Conjugated, equine tab 625 µg		28	
	(11.48)	20	Premarin
Progestogens	~ /		
MEDROXYPROGESTERONE ACETATE - See prescribing g	uideline on the preced	ding page	
* Tab 2.5 mg		30	Provera
* Tab 5 mg		100	Provera
* Tab 10 mg	6.85	30	Provera

	Subsidy (Manufacturer's Price \$	e) Su Per	Fully Brand or bsidised Generic Manufacturer
Progestogen and Oestrogen Combined Prepara	tions		
OESTRADIOL WITH NORETHISTERONE – See prescribing gui * Tab 1 mg with 0.5 mg norethisterone acetate		28 OP	Kliovance
* Tab 2 mg with 1 mg norethisterone acetate	( /	28 OP	Kliogest
* Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg oestradiol tab (12) and 1 mg oestradiol tab (6)		28 OP	Trisequens
OESTROGENS WITH MEDROXYPROGESTERONE – See pres * Tab 625 μg conjugated equine with 2.5 mg medroxyproges- terone acetate tab (28)	00	1 page 76 28 OP	Premia 2.5
* Tab 625 µg conjugated equine with 5 mg medroxyproges- terone acetate tab (28)		28 OP	Continuous Premia 5 Continuous
Other Oestrogen Preparations			
ETHINYLOESTRADIOL * Tab 10 μg	17.60	100	✓ <u>NZ Medical and</u> Scientific
OESTRIOL * Tab 2 mg	7.00	30	✓ Ovestin
Other Progestogen Preparations			
DYDROGESTERONE Tab 10 mg		28	Duphaston
(Duphaston Tab 10 mg to be delisted 1 June 2011) LEVONORGESTREL	(10.10)		- upration
Levonorgestrel - releasing intrauterine system 20µg/24 hr – Special Authority see SA0782 below – Retail pharmacy.		1	<ul> <li>Mirena</li> </ul>

#### SA0782 Special Authority for Subsidy

**Initial application** — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and

3 Either:

- 3.1 serum ferritin level < 16  $\mu g/l$  (within the last 12 months); or
- 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Initial application — (Previous use before 1 October 2002) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
continued				
All of the following:	- d'an and			
<ol> <li>The patient had a clinical diagnosis of heavy menstrual ble</li> <li>Patient demonstrated clinical improvement of heavy menst</li> </ol>	0.			
3 Applicant to state date of the previous insertion.	ruai bieeuiriy, ariu			
Note: Applications are not to be made for use in patients as contr	aception except whe	ere they	meet the a	bove criteria.
Renewal only from a relevant specialist or general practitioner. A	pprovals valid for 6	months	for applicat	ions meeting the following
criteria:				
3oth: 1 Either:				
1.1 Patient demonstrated clinical improvement of heavy	menstrual bleeding	. or		
1.2 Previous insertion was removed or expelled within 3	0			
2 Applicant to state date of the previous insertion.		,		
MEDROXYPROGESTERONE ACETATE				
* Tab 100 mg – Retail pharmacy-Specialist		100		rovera
* Tab 200 mg – Retail pharmacy-Specialist	70.50	30	🖌 Pi	rovera
NORETHISTERONE				
* Tab 5 mg – Up to 30 tab available on a PSO	25.00	100	✓ <u>P</u>	rimolut N
Thyroid and Antithyroid Agents				
CARBIMAZOLE				
* Tab 5 mg	10.80	100	V N	eo-Mercazole
EVOTHYROXINE				
* Tab 50 μg		28		oldshield
	45.00	1,000		ynthroid
‡ Safety cap for extemporaneously compounded oral liquid	64.28 h preparations		V E	troxin
* Tab 100 µg		28	🖌 G	oldshield
· · · · · · · · · · · · · · · · · · ·	46.75	1,000		ynthroid
	66.78		🖌 E	troxin
‡ Safety cap for extemporaneously compounded oral liquid				
* Tab 25 µg + Safety cap for extemporaneously compounded and liquid		1,000	V S	ynthroid
‡ Safety cap for extemporaneously compounded oral liquid 	preparations.			
Trophic Hormones				
Growth Hormones				
➡SA0755 Special Authority for Subsidy				
Special Authority approved by the Growth Hormone Committee				
Notes: Subject to budgetary cap. Applications will be considered			•	oility.
Application details may be obtained from PHARMAC's website h	tp://www.pharmac.g	ovt.nz	or:	
PHARMAC, PO Box 10-254, WELLINGTON Tel: 0800 808 476, Fax: (09) 929 3221, Email: growthhormone@	nharmac cout nz			
	phannac.yovi.nz			
SOMATROPIN – Special Authority see SA0755 above	100.00			
* Inj cartridge 16 iu (5.3 mg)		1		enotropin
Inj cartridge 36 iu (12 mg)	360 00	1		enotropin

	Subsidy (Manufacturer's Pric \$	e) Su Per	Fully bsidised	Brand or Generic Manufacturer
GnRH Analogues				
OSERELIN ACETATE				
Inj 3.6 mg		1		oladex
Inj 10.8 mg	500.00	1	VZ	oladex
EUPRORELIN				
Inj 3.75 mg		1	🖌 Li	ucrin Depot
Inj 3.75 mg prefilled syringe	221.60	1	🖌 Li	ucrin Depot PDS
Inj 7.5 mg	166.20	1		ligard
Inj 11.25 mg	591.68	1		ucrin Depot
Inj 11.25 mg prefilled syringe		1		ucrin Depot PDS
Inj 22.5 mg		1		ligard
lnj 30 mg		1		ligard
Inj 30 mg prefilled syringe		1		ucrin Depot PDS
Inj 45 mg		1	V E	ligard
Vasopressin Agonists				
DESMOPRESSIN				
Nasal drops 100 µg per ml – Retail pharmacy-Specialist		2.5 ml OP	🖌 М	inirin
Nasal spray 10 μg per dose – Retail pharmacy-Specialist	29.94	6 ml OP		<u>esmopressin-</u> PH&T
lnj 4 µg per ml, 1 ml – Special Authority see SA0090 below - Retail pharmacy		10	<b>у</b> М	inirin
		10	•	
SA0090 Special Authority for Subsidy nitial application only from a relevant specialist. Approvals va	lid for 2 years when	a tha natia	nt canno	t use desmonressin na
pray or nasal drops.	and for Z yours when			
enewal only from a relevant specialist. Approvals valid for 2 y	ears where the trea	atment rem	ains ann	ropriate and the patient
enefiting from treatment.			anio app	spinato ana mo pationi

#### CABERGOLINE

Tab 0.5 mg – Maximum of 2 tab per prescrip	otion; can be
--	---------------

waived by Special Authority see SA1031 below	2	Arrow-Cabergoline
66.00	8	Arrow-Cabergoline
16.50	2	Dostinex
66.00	8	Dostinex

#### SA1031 Special Authority for Waiver of Rule

**Initial application** only from an obstetrician, endocrinologist or gynaecologist. Approvals valid without further renewal unless notified where the patient has pathological hyperprolactinemia.

Renewal only from an obstetrician, endocrinologist or gynaecologist. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment.

CLOMIPHENE CITRATE			
Tab 50 mg	2.50	5	Phenate
	29.84	10	Serophene
(Phenate Tab 50 mg to be delisted 1 February 2011)			
DANAZOL – Retail pharmacy-Specialist			
Cap 100 mg	68.33	100	Azol
Cap 200 mg	97.83	100	🖌 Azol

	Subsidy (Manufacturer's Price) \$	) Per	Fully Subsidised	Brand or Generic Manufacturer
GESTRINONE – Retail pharmacy-Specialist Cap 2.5 mg	101.87	8 OP	🗸 D	imetriose
METYRAPONE Cap 250 mg – Retail pharmacy-Specialist	238.00	50	🗸 M	etopirone

	a · · ·		<b>- - - -</b>
	Subsidy		Fully Brand or bsidised Generic
	(Manufacturer's Pr \$	Per Su	Manufacturer
	·	-	
Anthelmintics			
MEBENDAZOLE – Only on a prescription			
Tab 100 mg		24	✔ De-Worm
Oral liq 100 mg per 5 ml		15 ml	· · · · · · · · · · · · · · · · · · ·
	(7.17)		Vermox
Antibacterials	• •		
a) For topical antibacterials, refer to DERMATOLOGICALS, page			
b) For anti-infective eye preparations, refer to SENSORY ORGAN	S, page 166		
Cephalosporins and Cephamycins			
CEFACLOR MONOHYDRATE			
Cap 250 mg		100	Ranbaxy-Cefaclor
Grans for oral liq 125 mg per 5 ml	3.53	100 ml	Ranbaxy-Cefaclor
CEFAZOLIN SODIUM – Subsidy by endorsement			
Only if prescribed for dialysis or cystic fibrosis patient and the			0,7
Inj 500 mg		5	✓ <u>Hospira</u>
lnj 1 g		5	✓ Hospira
CEFOXITIN SODIUM - Retail pharmacy-Specialist - Subsidy by			
Only if prescribed for dialysis or cystic fibrosis patient and the			
Inj 1 g		5	Mayne
CEFTRIAXONE SODIUM – Subsidy by endorsement			
a) Up to 5 inj available on a PSO			
<li>b) Subsidised only if prescribed for a dialysis or cystic fibro and the transmission of a subsidiary of the subsidia</li>			•
gonorrhoea, or the treatment of suspected meningitis in patie PSO is endorsed accordingly.	nts who have a kh	lown allergy	to penicillin, and the prescription of
Inj 500 mg	2 70	1	Veracol
	2.57	'	Velacor
	(3.99)		AFT
lni 1 g	( )	5	✓ Aspen Ceftriaxone
, ,	2.10	1	
	(5.40)		AFT
(AFT Inj 500 mg to be delisted 1 February 2011)			
(AFT Inj 1 g to be delisted 1 January 2011)			
CEFUROXIME AXETIL – Subsidy by endorsement			
Only if prescribed for prophylaxis of endocarditis and the pres	cription is endors	ed according	ıly.
Tab 250 mg	29.40	50	Zinnat
CEFUROXIME SODIUM			
Inj 250 mg – Maximum of 3 inj per prescription; can be waived			
by endorsement		10	Mayne
Inj 750 mg – Maximum of 1 inj per prescription; can be waived			
by endorsement		5	✓ Zinacef
Inj 1.5 g - Retail pharmacy-Specialist - Subsidy by endorse-			
ment	4.04	1	✓ Zinacef
Only if prescribed for dialysis or cystic fibrosis patient and	the proceription is	ondorcod a	coordinaly

	Subsidy	()	Fully Brand or
	(Manufacturer's F \$	Price) Su Per	bsidised Generic Manufacturer
EPHALEXIN MONOHYDRATE			
Cap 500 mg		20	<ul> <li>Cephalexin ABM</li> </ul>
Grans for oral liq 125 mg per 5 ml		100 ml	Cefalexin Sandoz
Grans for oral liq 250 mg per 5 ml	11.50	100 ml	Cefalexin Sandoz
Macrolides			
ZITHROMYCIN – Subsidy by endorsement; can be waived by 5 a) Maximum of 2 tab per prescription; can be waived by Spec b) Up to 8 tab available on a PSO c) Subsidised only if prescribed for patients with uncomplicate	cial Authority see	SA0964 belo	w or presumed to be due to chlamyd
trachomatis and their sexual contacts and prescription or PSC SA0964.		cordingly; can	be waived by Special Authority se
Tab 500 mg	5.95	2 OP	Arrow-Azithromycin
SA0964 Special Authority for Waiver of Rule nitial application only from a respiratory specialist or paediatr pplications meeting the following criteria: Il of the following:	ician. Approvals	valid without	further renewal unless notified for
<ol> <li>The applicant is part of multidisciplinary team experienced</li> <li>The patient has been definitively diagnosed with cystic fibr</li> <li>The patient has chronic infection with Pseudomonas ae defined by two positive respiratory tract cultures at least th</li> </ol>	rosis*; and ruginosa or Psei	udomonas rel	
4 The patient has negative cultures for non-tuberculous mycotes: Caution is advised if using azithromycin as an antibiotic in		ovetic fibroeic	nationts with pnoumonia
		Cystic Indiosis	pallents with pheumonia.
esting for non-tuberculosis mycobacteria should occur annually. ndications marked with * are Unapproved Indications (refer to Security IV (Missellangers Providing) rule 4.0)		Rules, Part I (I	Interpretations and Definitions) ar
idications marked with * are Unapproved Indications (refer to Sec art IV (Miscellaneous Provisions) rule 4.6).	ction A: General		
ndications marked with * are Únapproved Indications (refer to Se art IV (Miscellaneous Provisions) rule 4.6). LARITHROMYCIN – Maximum of 500 mg per prescription; can	ction A: General	pecial Authorit	y see SA0988 below
	ction A: General to be waived by Sp 5.53	becial Authorit 10	y see SA0988 below ✔ Klacid
ndications marked with * are Únapproved Indications (refer to Ser art IV (Miscellaneous Provisions) rule 4.6). LARITHROMYCIN – Maximum of 500 mg per prescription; can Tab 250 mg Grans for oral liq 125 mg per 5 ml	ction A: General be waived by Sp 5.53 7.75	pecial Authorit	y see SA0988 below
dications marked with * are Únapproved Indications (refer to Se art IV (Miscellaneous Provisions) rule 4.6). LARITHROMYCIN – Maximum of 500 mg per prescription; can Tab 250 mg Grans for oral liq 125 mg per 5 ml →SA0988 Special Authority for Waiver of Rule itial application — (Mycobacterial infections) only from a re pprovals valid for 2 years for applications meeting the following of the second	ction A: General 1 be waived by Sp 5.53 7.75 23.12 espiratory special criteria: patient with AIDS	becial Authorit 10 14 70 ml ist, infectious S; or	y see SA0988 below ✓ Klacid ✓ Klamycin ✓ Klacid disease specialist or paediatricia
ndications marked with * are Únapproved Indications (refer to Ser art IV (Miscellaneous Provisions) rule 4.6). LARITHROMYCIN – Maximum of 500 mg per prescription; can Tab 250 mg ■SA0988 Special Authority for Waiver of Rule Initial application — (Mycobacterial infections) only from a re- pprovals valid for 2 years for applications meeting the following: 1 Mycobacterium Avium Intracellulare Complex infections in 2 Atypical and drug-resistant mycobacterial infection; or 3 All of the following: 3.1 Prophylaxis against disseminated Mycobacterium A 3.2 HIV infection; and	ction A: General   h be waived by Sp 5.53 7.75 23.12 aspiratory special criteria: patient with AIDS Avium Intracellula specialist, infectio	becial Authorit 10 14 70 ml ist, infectious S; or re Complex in bus disease sp	y see SA0988 below ✓ Klacid ✓ Klamycin ✓ Klacid disease specialist or paediatricia ffection; and pecialist or paediatrician. Approva
<ul> <li>dications marked with * are Únapproved Indications (refer to Serart IV (Miscellaneous Provisions) rule 4.6).</li> <li>LARITHROMYCIN – Maximum of 500 mg per prescription; can Tab 250 mg</li></ul>	ction A: General I n be waived by Sp 5.53 7.75 23.12 espiratory special criteria: patient with AIDS Avium Intracellula specialist, infectio e patient is benef 	becial Authorit 10 14 70 ml ist, infectious S; or re Complex in bus disease sp	y see SA0988 below ✓ Klacid ✓ Klamycin ✓ Klacid disease specialist or paediatricia ffection; and pecialist or paediatrician. Approva
<ul> <li>dications marked with * are Únapproved Indications (refer to Serart IV (Miscellaneous Provisions) rule 4.6).</li> <li>LARITHROMYCIN – Maximum of 500 mg per prescription; can Tab 250 mg</li></ul>	ction A: General I n be waived by Sp 5.53 7.75 23.12 espiratory special criteria: patient with AIDS Avium Intracellula specialist, infection e patient is benef 	becial Authorit 10 14 70 ml ist, infectious S; or re Complex in bus disease sp iting from trea	y see SA0988 below V Klacid Klamycin Klacid disease specialist or paediatricia disease specialist or paediatrician fection; and pecialist or paediatrician. Approve tment.
<ul> <li>dications marked with * are Únapproved Indications (refer to Serart IV (Miscellaneous Provisions) rule 4.6).</li> <li>LARITHROMYCIN – Maximum of 500 mg per prescription; can Tab 250 mg</li></ul>	ction A: General I to be waived by Sp 5.53 7.75 23.12 espiratory special criteria: patient with AIDS Avium Intracellula specialist, infection e patient is beneff 	becial Authorit 10 14 70 ml ist, infectious S; or re Complex in bus disease sp iting from trea 100	y see SA0988 below V Klacid Klamycin Klacid disease specialist or paediatricia disease specialist or paediatrician fection; and becialist or paediatrician. Approvation timent. V E-Mycin
<ul> <li>dications marked with * are Únapproved Indications (refer to Serart IV (Miscellaneous Provisions) rule 4.6).</li> <li>LARITHROMYCIN – Maximum of 500 mg per prescription; can Tab 250 mg</li></ul>	ction A: General I to be waived by Sp 5.53 7.75 23.12 espiratory special criteria: patient with AIDS Avium Intracellula specialist, infection e patient is beneff 	becial Authorit 10 14 70 ml ist, infectious S; or re Complex in bus disease sp iting from treat 100 100 ml	y see SA0988 below V Klacid Klamycin Klacid disease specialist or paediatricia disease specialist or paediatrician fection; and becialist or paediatrician. Approvation timent. V E-Mycin E-Mycin

‡ safety cap
\*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's Prio \$	ce) Per	Fully Brand or Subsidised Generic ✓ Manufacturer
RYTHROMYCIN STEARATE			
Tab 250 mg – Up to 30 tab available on a PSO	14.95	100	
	(22.29)		ERA
Tab 500 mg		100	
-	(44.58)		ERA
OXITHROMYCIN			
Tab 150 mg	8.98	50	Arrow-
			Roxithromycin
Tab 300 mg		50	Arrow-
ů –			Roxithromycin
Penicillins			
MOXYCILLIN			
Cap 250 mg – Up to 30 cap available on a PSO	16 18	500	Alphamox
	(17.30)	000	Apo-Amoxi
Cap 500 mg		500	✓ Alphamox
	(27.25)	000	Apo-Amoxi
Grans for oral lig 125 mg per 5 ml - Up to 200 ml available	(=::===)		
on a PSO	1.55	100 ml	V Ospamox
Grans for oral liq 250 mg per 5 ml – Up to 200 ml available		100 111	e opunitx
on a PSO	1 10	100 ml	V Ospamox
Drops 125 mg per 1.25 ml		30 ml O	
			Drops
Inj 250 mg		10	✓ Ibiamox
Ini 500 mg		10	✓ Ibiamox
Inj 1 g – Up to 5 inj available on a PSO		10	V Ibiamox
Apo-Amoxi Cap 250 mg to be delisted 1 March 2011)			
Apo-Amoxi Cap 500 mg to be delisted 1 March 2011)			
MOXYCILLIN CLAVULANATE			
Tab amoxycillin 500 mg with potassium clavulanate 125 mg			
- Up to 30 tab available on a PSO	25 10	100	Synermox
Grans for oral liq amoxycillin 125 mg with potassium clavu-	20.10	100	• <u>oynomiox</u>
lanate 31.25 mg per 5 ml – Up to 200 ml available on a			
PSO	2 20	100 ml	Curam
Grans for oral lig amoxycillin 250 mg with potassium clavu-		100 /11	vuluii
lanate 62.5 mg per 5 ml – Up to 200 ml available on a			
PSO	3 85	100 ml	Curam
		100 ////	
ENZATHINE BENZYLPENICILLIN	215 00	10	Bicillin LA
Inj 1.2 mega u per 2.3 ml – Up to 5 inj available on a PSO		10	
ENZYLPENICILLIN SODIUM (PENICILLIN G)			
Inj 1 mega u – Up to 5 inj available on a PSO	10.49	10	Sandoz

	Subsidy		Fully Brand or
	(Manufacturer's F \$	Price) Su Per	bsidised Generic Manufacturer
LUCLOXACILLIN SODIUM	22.00	250	🖌 AFT
Cap 250 mg – Up to 30 cap available on a PSO		250 500	✓ AFT
Cap 500 mg		500	V AFI
Grans for oral liq 125 mg per 5 ml – Up to 200 ml available	0.10	100	
on a PSO	3.12	100 ml	✓ <u>AFT</u>
Grans for oral liq 250 mg per 5 ml – Up to 200 ml available	0.55	100 ml	
on a PSO Inj 250 mg		100 ml 10	✓ <u>AFT</u>
Inj 500 mg		10	<ul> <li>✓ <u>Flucloxin</u></li> <li>✓ Flucloxin</li> </ul>
Inj 1 g – Up to 5 inj available on a PSO		10	✓ Flucloxin
	14.00	10	
HENOXYMETHYLPENICILLIN (PENICILLIN V)			4
Cap potassium salt 250 mg – Up to 30 cap available on a PSC		50	Cilicaine VK
Cap potassium salt 500 mg	11.70	50	Cilicaine VK
Grans for oral liq 125 mg per 5 ml – Up to 200 ml available			4 · · · · ·
on a PSO	1.68	100 ml	✓ <u>AFT</u>
Grans for oral liq 250 mg per 5 ml – Up to 200 ml available			
on a PSO	1.78	100 ml	✓ <u>AFT</u>
ROCAINE PENICILLIN			
Inj 1.5 mega u – Up to 5 inj available on a PSO		5	Cilicaine
[otroovalingo			
Tetracyclines			
OXYCYCLINE HYDROCHLORIDE			
Tab 50 mg – Up to 30 tab available on a PSO	2.90	30	
······································	(6.00)		Doxy-50
Tab 100 mg – Up to 30 tab available on a PSO		250	✓ Doxine
INOCYCLINE HYDROCHLORIDE			
Tab 50 mg	5 79	60	
	(12.05)	00	Mino-tabs
⊱ Cap 100 mg		100	Winto tabs
	(52.04)	100	Minomycin
	(02:01)		minorityoni
Other Antibiotics			
or topical antibiotics, refer to DERMATOLOGICALS, page 58			
IPROFLOXACIN			
Tab 250 mg – Up to 5 tab available on a PSO	3 35	30	Rex Medical
Tab 500 mg – Up to 5 tab available on a PSO		30	✓ Rex Medical
Tab 750 mg – Retail pharmacy-Specialist		30	✓ Rex Medical
• • • •			<u></u>
LINDAMYCIN			
Cap hydrochloride 150 mg – Maximum of 4 cap per prescrip-			
tion; can be waived by endorsement - Retail pharmacy -	11.00	10	
Specialist		16	Dalacin C
Inj phosphate 150 mg per ml, 4 ml - Retail pharmacy-	10.00	4	
Specialist		1	Dalacin C
O-TRIMOXAZOLE			
Tab trimethoprim 80 mg and sulphamethoxazole 400 mg -			
Up to 30 tab available on a PSO	17.00	500	🖌 Trisul
Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg			
per 5 ml – Up to 200 ml available on a PSO	2.15	100 ml	🖌 Deprim

	Subsidy	0	Fully	Brand or
	(Manufacturer's Price) \$	Per	idised V	Generic Manufacturer
COLISTIN SULPHOMETHATE – Retail pharmacy-Specialist – Si	ubsidv bv endorseme	nt		
Only if prescribed for dialysis or cystic fibrosis patient and the			lingly.	
Inj 150 mg	65.00	1	<b>v</b> (	Colistin-Link
USIDIC ACID				
Tab 250 mg – Retail pharmacy-Specialist		12	✔ F	Fucidin
Inj 500 mg sodium fusidate per 10 ml - Retail pharmacy-				
Specialist – Subsidy by endorsement		1	-	
Only if prescribed for a dialysis or cystic fibrosis patient an	(17.80) In the prescription is a	ndorsed a		Fucidin
ENTAMICIN SULPHATE	a the prescription is e		Juli	ngiy.
Inj 10 mg per ml, 1 ml – Subsidy by endorsement	8 56	5	~ \	layne
Only if prescribed for a dialysis or cystic fibrosis patient of				
accordingly.	· · · · <b>/</b> · · · · ·			· F · · · F · · · · · · · · · ·
Inj 40 mg per ml, 2 ml - Subsidy by endorsement		10	_	fizer
Only if prescribed for a dialysis or cystic fibrosis patient of	r for prophylaxis of er	docarditis	and th	ne prescription is endorsed
accordingly.				
NOXIFLOXACIN – Special Authority see SA1065 below – Retail	. ,	_		
Tab 400 mg		5	VA	Avelox
SA1065 Special Authority for Subsidy				
nitial application only from a respiratory specialist or infectiou	s disease specialist.	Approvals	valid	for 1 year for applications
neeting the following criteria:				
Either:				
1 Both: 1.1 Active tuberculosis*; and				
1.2 Any of the following:				
1.2.1 Documented resistance to one or more first-	ine medications: or			
1.2.2 Suspected resistance to one or more first-lin		ulosis assu	umed	to be contracted in an area
with known resistance), as part of regimen co	,			
1.2.3 Impaired visual acuity (considered to preclud	le ethambutol use); or			
1.2.4 Significant pre-existing liver disease or hepat				
1.2.5 Significant documented intolerance and/or si	0			,
2 Mycobacterium avium-intracellulare complex not respondir				
Note: Indications marked with * are Unapproved Indications (refe	er to Section A: Gener	al Rules, I	Part I	(Interpretations and Defini
ions) and Part IV (Miscellaneous Provisions) rule 4.6). Renewal only from a respiratory specialist or infectious disease s	pooialist Approvals	alid for 1 v	oor w	hara tha traatmant romain
ppropriate and the patient is benefiting from treatment.	pecialisi. Approvais v	allu loi Ty	ear wi	
OBRAMYCIN	34 50	5		lavne
OBRAMYCIN Inj 40 mg per ml, 2 ml – Subsidy by endorsement		5 torsed acc		<b>/ayne</b>
OBRAMYCIN Inj 40 mg per ml, 2 ml – Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient and		-		
OBRAMYCIN Inj 40 mg per ml, 2 ml – Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient and RIMETHOPRIM	the prescription is end	dorsed acc	ording	ıly.
TOBRAMYCIN Inj 40 mg per ml, 2 ml – Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient and TRIMETHOPRIM	the prescription is end	-	ording	
<ul> <li>GOBRAMYCIN</li> <li>Inj 40 mg per ml, 2 ml – Subsidy by endorsementOnly if prescribed for dialysis or cystic fibrosis patient and</li> <li>TRIMETHOPRIM</li> <li>★ Tab 300 mg – Up to 30 tab available on a PSO</li> <li>/ANCOMYCIN HYDROCHLORIDE – Subsidy by endorsement</li> </ul>	the prescription is end	dorsed acc	ording	ıly. MP
OBRAMYCIN Inj 40 mg per ml, 2 ml – Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient and RIMETHOPRIM k Tab 300 mg – Up to 30 tab available on a PSO (ANCOMYCIN HYDROCHLORIDE – Subsidy by endorsement Only if prescribed for a dialysis or cystic fibrosis patient or in	the prescription is end	dorsed acc	ording	ıly. MP
<ul> <li>GOBRAMYCIN</li> <li>Inj 40 mg per ml, 2 ml – Subsidy by endorsementOnly if prescribed for dialysis or cystic fibrosis patient and</li> <li>TRIMETHOPRIM</li> <li>★ Tab 300 mg – Up to 30 tab available on a PSO</li> <li>/ANCOMYCIN HYDROCHLORIDE – Subsidy by endorsement</li> </ul>	the prescription is end 	dorsed acc	ording <u>1</u> anous	ily. MP

86

	Subsidy		Fully	Brand or
	(Manufacturer's Price)	Den	Subsidised	Generic
	\$	Per	~	Manufacturer
Antifungals				
a) For topical antifungals refer to DERMATOLOGICALS, page 58				
b) For topical antifungals refer to GENITO URINARY, page 72				
FLUCONAZOLE – Retail pharmacy-Specialist	0.00	00		D 14 -
Cap 50 mg Cap 150 mg		28 1	-	<u>Pacific</u> Pacific
Cap 200 mg		28	-	Pacific
ITRACONAZOLE – Retail pharmacy-Specialist				
Cap 100 mg	4.25	15	<b>v</b> 1	trazole
	23.70		<b>~</b> :	Sporanox
KETOCONAZOLE				
Tab 200 mg – Retail pharmacy-Specialist		30	<b>v</b> 1	Nizoral
NYSTATIN				
Tab 500,000 u		50		<u>Vilstat</u>
Cap 500,000 u	12.81	50	V <u>I</u>	<u>Vilstat</u>
TERBINAFINE	05 50	100		Ana Taukinafina
Tab 250 mg	25.50	100	V <u>I</u>	Apo-Terbinafine
Antimalarials				
HYDROXYCHLOROQUINE SULPHATE				
* Tab 200 mg	22.50	100	V <u> </u>	Plaquenil
Antitrichomonal Agents				
METRONIDAZOLE Tab 200 mg – Up to 30 tab available on a PSO	9.50	100	<u> </u>	Trichozole
Tab 400 mg		100		Trichozole
Oral liq benzoate 200 mg per 5 ml		00 ml		FlagyI-S
Suppos 500 mg		10	<b>1</b>	Flagyl
ORNIDAZOLE				
Tab 500 mg	12.38	10	~	Fiberal
Antituberculotics and Antileprotics				
Note: There is no co-payment charge for all pharmaceuticals list	ed in the Antitubercu	lotics	and Antile	protics group regardless of
immigration status.				P
DAPSONE – No patient co-payment payable				
Tab 25 mg		100		Dapsone S29
Tab 100 mg		100	<b>~</b>	Dapsone S29
ETHAMBUTOL HYDROCHLORIDE – No patient co-payment pay		50		Marana ka da l
Tab 100 mg Tab 400 mg		56 56		Myambutol Myambutol
<b>U</b>		50	•	viyambator
ISONIAZID – Retail pharmacy-Specialist No patient co-payment payable				
* Tab 100 mg		100	<b>~</b> 1	PSM
* Tab 100 mg with rifampicin 150 mg		100	• •	Rifinah
* Tab 150 mg with rifampicin 300 mg	179.57	100	<b>v</b> 1	Rifinah

	Subsidy		Fully Brand or
	(Manufacturer's P \$	rice) Su Per	ubsidised Generic Manufacturer
PYRAZINAMIDE – Retail pharmacy-Specialist			
No patient co-payment payable			
* Tab 500 mg		100	AFT-Pyrazinamide
RIFABUTIN – Retail pharmacy-Specialist			
No patient co-payment payable			
* Cap 150 mg		30	Mycobutin
RIFAMPICIN – Retail pharmacy-Specialist			
No patient co-payment payable			
* Tab 600 mg		30	Rifadin
* Cap 150 mg		100	<ul> <li>Rifadin</li> </ul>
K Cap 300 mg	122.36	100	<ul> <li>Rifadin</li> </ul>
* Oral liq 100 mg per 5 ml	12.66	60 ml	<ul> <li>Rifadin</li> </ul>
Antivirals			
or eye preparations refer to Eye Preparations, Anti-Infective I	Preparations, page 1	66	
Hepatitis B Treatment			
ADEFOVIR DIPIVOXIL – Special Authority see SA0829 below	v – Retail pharmacy		
Tab 10 mg		30	✓ Hepsera
SA0829 Special Authority for Subsidy			
<b>nitial application</b> only from a gastroenterologist or infectious	disease specialist. A	oprovals vali	d for 1 year for applications meetin
he following criteria:	· · · · · · · · · · · · · · · · · · ·	TF	,
All of the following:			
1 Patient has confirmed Hepatitis B infection (HBsAg+); a	and		
Documented resistance to lamivudine, defined as:			
2 Patient has raised serum ALT (> 1 $\times$ ULN); and			
3 Patient has HBV DNA greater than 100,000 copies per	mL, or viral load $\geq$	10 fold over r	nadir; and
4 Detection of M204I or M204V mutation; and			
5 Either:			
5.1 Both:			
5.1.1 Patient is cirrhotic; and	an with lomivudinas a		
<ul><li>5.1.2 adefovir dipivoxil to be used in combination</li><li>5.2 Both:</li></ul>	on with lanivuulle, o	1	
5.2.1 Patient is not cirrhotic; and			
5.2.2 adefovir dipivoxil to be used as monother	apv.		
Renewal only from a gastroenterologist or infectious disease		als valid for 2	2 years where in the opinion of th
reating physician, treatment remains appropriate and patient			
Notes: Lamivudine should be added to adefovir dipivoxil if a p	patient develops docu	umented resi	stance to adefovir dipivoxil, define
as:			
i) raised serum ALT (> 1 $\times$ ULN); and			
ii) HBV DNA greater than 100,000 copies per mL, or viral	load $\geq$ 10 fold over	nadir; and	
iii) Detection of N236T or A181T/V mutation.		and and a set	
Adefovir dipivoxil should be stopped 6 months following HBeAg	y seroconversion for	patients who	were HBeAg+ prior to commencin
adefovir dipivoxil.	10ma daily		
The recommended dose of adefauir dinivaril is no more than t		ordonoo with	the datasheet quidelines
	Ild he reduced in acc		
The recommended dose of adefovir dipivoxil is no more than n patients with renal insufficiency adefovir dipivoxil dose shou Adefovir dipivoxil should be avoided in pregnant women and c		oruance with	The datasheet galdelines.
	hildren.		the datasheet guidennes.

✓ fully subsidised [HP4] refer page 8

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

#### ➡SA0977 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naive; and
- 3 Entecavir dose 0.5 mg/day; and
- 4 Either:
  - 4.1 ALT greater than upper limit of normal; or
  - 4.2 Bridging fibrosis or cirrhosis (Metavir stage 3 or greater) on liver histology; and

5 Either:

- 5.1 HBeAg positive; or
- 5.2 patient has ≥ 2,000 IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV, HIV or HDV; and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE - Special Authority see SA0832 below - Retail pharmacy

Tab 100mg	143.00	28	Zeffix
Oral liq 5 mg per ml		240 ml	✓ Zeffix

#### ➡SA0832 Special Authority for Subsidy

**Initial application** only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 All of the following:
    - 1.1.1 HBsAg positive for more than 6 months; and
    - 1.1.2 HBeAg positive or HBV DNA positive defined as > 100,000 copies per ml by quantitative PCR at a reference laboratory; and
    - 1.1.3 ALT greater than twice upper limit of normal or bridging fibrosis or cirrhosis (Metavir stage 3 or 4 or equivalent) on liver histology clinical/radiological evidence of cirrhosis; or
  - 1.2 HBV DNA positive cirrhosis prior to liver transplantation; or
  - 1.3 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
  - 1.4 Hepatitis B surface antigen positive (HbsAg) patient who is receiving chemotherapy for a malignancy, or who has received such treatment within the previous two months; and
- 2 All of the following:
  - 2.1 No continuing alcohol abuse or intravenous drug use; and
  - 2.2 Not coinfected with HCV or HDV; and
  - 2.3 Neither ALT nor AST greater than 10 times upper limit of normal; and
  - 2.4 No history of hypersensitivity to lamivudine; and
  - 2.5 No previous lamivudine therapy with genotypically proven lamivudine resistance.

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully idised	Brand or Generic Manufacturer
<ul> <li>continued</li> <li>Renewal only from a gastroenterologist, infectious disease specia for applications meeting the following criteria:</li> <li>Any of the following: <ul> <li>Renewal for patients who have maintained continuous treat</li> </ul> </li> <li>1 All of the following: <ul> <li>1.1 Have maintained continuous treatment with lamivud</li> <li>1.2 Most recent test result shows continuing biochemica</li> <li>1.3 HBV DNA &lt;100,00 copies per ml by quantitative PC Renewal when given in combination with adefovir dipivoxil</li> </ul> </li> <li>2 All of the following: <ul> <li>2.1 Lamivudine to be used in combination with adefovir dipivoxil</li> <li>2 All of the following: <ul> <li>2.1 Lamivudine to be used in combination with adefovir</li> <li>2.2 Patient is cirrhotic; and Documented resistance to lamivudine, defined as:</li> <li>2.3 Patient has raised serum ALT (&gt; 1 × ULN); and</li> <li>2.4 Patient has HBV DNA greater than 100,000 copies</li> <li>2.5 Detection of M204I or M204V mutation; or Renewal when given in combination with adefovir dipivoxil</li> </ul> </li> <li>3 All of the following: <ul> <li>3.1 Lamivudine to be used in combination with adefovir dipivoxil</li> </ul> </li> </ul></li></ul>	tment and response t ine; and al response (normal A R at a reference labo for patients with cirrho dipivoxil; and per mL, or viral load = for patients with resist dipivoxil; and	o lamivudir LT); and ratory; or osis and res = 10 fold ove tance to ad	ie sistanc er nad efovir	e to lamivudine ir; and dipivoxil
3.4 Detection of N236T or A181T/V mutation. Herpesvirus Treatments				
ACICLOVIR * Tab dispersible 200 mg * Tab dispersible 400 mg * Tab dispersible 800 mg	6.64	25 56 35	<ul> <li>La</li> &lt;</ul>	ovir
VALACICLOVIR – Special Authority see SA0957 below – Retail p Tab 500 mg	bharmacy	30	🗸 V	altrex

#### SA0957 |Special Authority for Subsidy

Initial application — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the patient has genital herpes with 2 or more breakthrough episodes in any 6 month period while treated with aciclovir 400 mg twice daily.

Renewal - (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application - (ophthalmic zoster) from any medical practitioner. Approvals valid without further renewal unless notified where the patient has previous history of ophthalmic zoster and the patient is at risk of vision impairment.

Initial application - (CMV prophylaxis) from any medical practitioner. Approvals valid for 3 months where the patient has undergone organ transplantation.

#### Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE - Subsidy by endorsement; can be waived by Special Authority see SA1047 on the next page

Endorsement for treatment of HIV/AIDS: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA1025 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note: Tenofovir disoproxil fumarate prescribed under endorsement for the treatment of HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1025, page 92

Tab 300 mg ......531.00 30 Viread

Subsidy		Fully	Brand or
(Manufacturer's Price)	S	Subsidised	Generic
\$	Per	~	Manufacturer

#### SA1047 Special Authority for Waiver of Rule

Initial application — (Confirmed Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria: Fither:

- 1 All of the following:
  - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
  - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
  - 1.3 HBV DNA greater than 20,000 IU/mL or increased  $\geq~$  10 fold over nadir; and
  - 1.4 Any of the following:
    - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
    - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
    - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Initial application — (Pregnant) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 4 months for applications meeting the following criteria: Both:

1 Patient is HBsAg positive and pregnant; and

2 Either:

- 2.1 HBV DNA > 20,000 IU/mL and ALT > ULN; or
- 2.2 HBV DNA > 100 million IU/mL and ALT normal.

Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Either:
  - 1 All of the following:
    - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
    - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
    - 1.3 HBV DNA greater than 20,000 IU/mL or increased  $\geq$  10 fold over nadir; and
    - 1.4 Any of the following:
      - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
      - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
      - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
  - 2 Patient is either listed or has undergone liver transplantation for HBV.

**Renewal** — (Subsequent Pregnancy) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 4 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 Either:
  - 2.1 HBV DNA > 20,000 IU/mL and ALT > ULN; or
  - 2.2 HBV DNA > 100 million IU/mL and ALT normal.

#### Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg
  positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg negative
  prior to commencing this agent.
- The recommended dose of Tenofovir disoproxil fumarate for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

### Antiretrovirals

#### SA1025 Special Authority for Subsidy

**Initial application** — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Confirmed HIV infection; and
- 2 Any of the following:
  - 2.1 Symptomatic patient; or
  - 2.2 Patient aged 12 months and under; or
  - 2.3 Both:
    - 2.3.1 Patient aged 1 to 5 years; and
    - 2.3.2 Any of the following:
      - 2.3.2.1 CD4 counts < 1000 cells/mm<sup>3</sup>; or
      - 2.3.2.2 CD4 counts  $< 0.25 \times$  total lymphocyte count; or
      - 2.3.2.3 Viral load counts > 100000 copies per ml; or

2.4 Both:

- 2.4.1 Patient aged 6 years and over; and
- 2.4.2 CD4 counts < 350 cells/mm<sup>3</sup>.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

**Renewal** — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

**Initial application** — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

#### Either:

1 Prevention of maternal foetal transmission; or

2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

**Initial application** — (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

- Both:
  - 1 Treatment course to be initiated within 72 hours post exposure; and
  - 2 Either:
    - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
    - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

1 Treatment course to be initiated within 72 hours post exposure; and

2 Either:

- 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
- 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

#### Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ - Special Authority see SA1025 on the pred	eding page – Retail pha	rmacy	
Tab 50 mg		30	Stocrin
Tab 200 mg		90	Stocrin
Tab 600 mg		30	<ul> <li>Stocrin</li> </ul>
ETRAVIRINE - Special Authority see SA1025 on the pre	ceding page – Retail pha	armacy	
Tab 100 mg	770.00	120	<ul> <li>Intelence</li> </ul>
NEVIRAPINE - Special Authority see SA1025 on the pre	eceding page - Retail ph	armacy	
Tab 200 mg		60	Viramune
Oral suspension 10 mg per ml		240 ml	Viramune
			Suspension

#### **Nucleosides Reverse Transcriptase Inhibitors**

ABACAVIR SULPHATE – Special Authority see SA10 Tab 300 mg Oral liq 20 mg per ml		Retail pharma 60 240 ml OP	v ✓ Ziagen ✓ Ziagen
ABACAVIR SULPHATE WITH LAMIVUDINE – Specia Note: Kivexa counts as two anti-retroviral medical Tab 600 mg with lamivudine 300 mg	tions for the purposes of the		0 1 1
DIDANOSINE [DDI] – Special Authority see SA1025 Cap 125 mg Cap 200 mg Cap 250 mg Cap 400 mg		ail pharmacy 30 30 30 30 30	<ul> <li>✓ Videx EC</li> <li>✓ Videx EC</li> <li>✓ Videx EC</li> <li>✓ Videx EC</li> </ul>
EMTRICITABINE – Special Authority see SA1025 on Cap 200 mg	1 01 0	pharmacy 30	<ul> <li>Emtriva</li> </ul>

	Subsidy (Manufacturer's	Price) Sul	Fully Brand or bsidised Generic
	(Manulaciulei s \$	Per Sul	Manufacturer
AMIVUDINE - Special Authority see SA1025 on page 92 - Re	tail pharmacy		
Tab 150 mg		60	✓ <u>3TC</u>
Oral liq 10 mg per ml	50.00	240 ml OP	✓ <u>3TC</u>
STAVUDINE [D4T] - Special Authority see SA1025 on page 92	– Retail pharma	су	
Cap 20 mg	317.10	60	<ul> <li>Zerit</li> </ul>
Cap 30 mg		60	Zerit
Cap 40 mg		60	✓ Zerit
Powder for oral soln 1 mg per ml		200 ml OP	<ul> <li>Zerit</li> </ul>
ZIDOVUDINE [AZT] - Special Authority see SA1025 on page 92	2 – Retail pharm	acy	
Cap 100 mg		100	Retrovir
Oral liq 10 mg per ml		200 ml OP	Retrovir
ZIDOVUDINE [AZT] WITH LAMIVUDINE - Special Authority see		•	
Combivir counts as two anti-retroviral medications for the pu			
Tab 300 mg with lamivudine 150 mg	667.20	60	<ul> <li>Combivir</li> </ul>
Protease Inhibitors			
TAZANAVIR SULPHATE - Special Authority see SA1025 on pa	age 92 – Retail g	oharmacv	
Cap 150 mg	0 1	60	Reyataz
Cap 200 mg		60	Reyataz
DARUNAVIR - Special Authority see SA1025 on page 92 - Reta	ail pharmacy		-
Tab 300 mg	1 2	120	Prezista
Tab 400 mg		60	Prezista
NDINAVIR – Special Authority see SA1025 on page 92 – Retail	Inharmacy		
Cap 200 mg		360	Crixivan
Cap 400 mg		180	<ul> <li>Crixivan</li> </ul>
OPINAVIR WITH RITONAVIR – Special Authority see SA1025	on page 92 - Be	etail pharmacy	
Tab 100 mg with ritonavir 25 mg		60	<ul> <li>Kaletra</li> </ul>
Tab 200 mg with ritonavir 50 mg		120	✓ Kaletra
Oral liq 80 mg with ritonavir 20 mg per ml		300 ml OP	✓ Kaletra
RITONAVIR - Special Authority see SA1025 on page 92 - Reta	il pharmacy		
Cap 100 mg		84	V Norvir
Oral liq 80 mg per ml		90 ml OP	<ul> <li>Norvir</li> </ul>
Strand Transfer Inhibitors			
		- 1	
RALTEGRAVIR POTASSIUM – Special Authority see SA1025 o Tab 400 mg		all pnarmacy 60	✓ Isentress
-	1,350.00	00	
Antiretrovirals - Additional Therapies			
HIV Fusion Inhibitors			
ENFUVIRTIDE - Special Authority see SA0845 on the next pag	e – Retail pharm	acy	
Powder for inj 90 mg per ml × 60	2,380.00	1	<ul> <li>Fuzeon</li> </ul>

Cubaidu		Eully	Drandar	
Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	ubsidised	Generic	
\$	Per	~	Manufacturer	

#### ➡SA0845 Special Authority for Subsidy

Initial application only from a named specialist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Confirmed HIV infection; and
- 2 Enfuvirtide to be given in combination with optimized background therapy (including at least 1 other antiretroviral drug that
- the patient has never previously been exposed to) for treatment failure; and
- 3 Either:
  - 3.1 Patient has evidence of HIV replication, despite ongoing therapy; or
  - 3.2 Patient has treatment-limiting toxicity to previous antiretroviral agents; and
- 4 Previous treatment with 3 different antiretroviral regimens has failed; and
- 5 All of the following:
  - 5.1 Previous treatment with a non-nucleoside reverse transcriptase inhibitor has failed; and
  - 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed; and
  - 5.3 Previous treatment with a protease inhibitor has failed.

**Renewal** only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Evidence of at least a 10 fold reduction in viral load at 12; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

#### **Immune Modulators**

#### Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

#### **Criteria for Treatment**

1) Diagnosis

- Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
- PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
- Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.
- 2) Establishing Active Chronic Liver Disease
  - Confirmed HCV infection and serum ALT/AST levels measured on at least three occasions over six months averaging > 1.5 × upper limit of normal. (ALT is the preferable enzyme); or
  - Liver biopsy showing significant inflammatory activity (active hepatitis) with or without cirrhosis. This is not a necessary requirement for those patients with coagulopathy. (Some patients have active disease on histology with normal transaminase enzymes).

#### **Exclusion Criteria**

- 1) Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- 2) Pregnancy.
- 3) Neutropenia (<2.0  $\times$  10<sup>9</sup>) and/or thrombocytopenia.
- 4) Continuing alcohol abuse and/or continuing intravenous drug users.

#### Dosage

The current recommended dosage is 3 million units of interferon alpha-2a or interferon aplha-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

#### Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
INTERFERON ALPHA-2A – PCT – Retail pharmacy-Specialist See prescribing guideline on the preceding page				
Inj 3 m iu prefilled syringe	31 32	1	~	Roferon-A
Inj 6 m iu prefilled syringe		1	-	Roferon-A
Inj 9 m iu prefilled syringe		1	•	Roferon-A
INTERFERON ALPHA-2B – PCT – Retail pharmacy-Specialist See prescribing guideline on the preceding page				
Inj 18 m iu, 1.2 ml multidose pen		1	~	Intron-A
Inj 30 m iu, 1.2 ml multidose pen		1	~	Intron-A
Inj 60 m iu, 1.2 ml multidose pen	626.40	1	~	Intron-A
<ul> <li>PEGYLATED INTERFERON ALPHA-2A – Special Authority see See prescribing guideline on the preceding page Inj 135 μg prefilled syringe</li> <li>Inj 180 μg prefilled syringe</li> </ul>		1 4 1 4 4	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	<u>Pegasys</u> Pegasys Pegasys Pegasys
Inj 135 μg prefilled syringe × 4 with ribavirin tab 200 mg × 112	1,799.68	1 OP	~	Pegasys RBV Combination Pack
Inj 135 $\mu$ g prefilled syringe $\times$ 4 with ribavirin tab 200 mg $\times$ 168		1 OP	~	Pegasys RBV Combination Pack
Inj 180 $\mu g$ prefilled syringe $\times$ 4 with ribavirin tab 200 mg $\times$ 112		1 OP	~	Pegasys RBV Combination Pack
Inj 180 $\mu g$ prefilled syringe $\times$ 4 with ribavirin tab 200 mg $\times$ 168		1 OP	~	Pegasys RBV Combination Pack

#### SA0952 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV) from any specialist. Approvals valid for 48 weeks for applications meeting the following criteria:

Either:

1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or

2 Patient has chronic hepatitis C and is co-infected with HIV.

Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 6 months where patient has chronic hepatitis C, genotype 2 or 3 infection.

**Initial application** — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 48 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log10 IU/ml; and

5 Either:

96

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	ubsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 5.1 HBeAg positive; or
- 5.2 serum HBV DNA ≥ 2,000 units/ml and significant fibrosis (≥ Metavir Stage F2); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon.

#### Notes:

- Approved dose is 180 µg once weekly.
- The recommended dose of Pegylated Interferon-alpha 2a is 180 µg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alpha 2a dose should be reduced to 135 μg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alpha 2a is not approved for use in children.

#### **Urinary Tract Infections**

#### HEXAMINE HIPPURATE

* Tab 1 g		100	
,	(38.10)		Hiprex
NITROFURANTOIN			
* Tab 50 mg	22.20	100	Nifuran
* Tab 100 mg	37.50	100	Nifuran
NORFLOXACIN			
Tab 400 mg - Maximum of 6 tab per prescription; can be			
waived by endorsement - Retail pharmacy - Specialist		100	Arrow-Norfloxacin

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🖌	Brand or Generic Manufacturer
/accines			
nfluenza vaccine			
<ul> <li>FLUENZA VACCINE – Hospital pharmacy [Xpharm]</li> <li>A) is available 1 March until vaccine supplies are exhausted e Ministry of Health: <ul> <li>a) all people 65 years of age and over;</li> <li>b) people under 65 years of age with: <ul> <li>i) the following cardiovascular disease:</li> <li>1) ischaemic heart disease,</li> </ul> </li> </ul></li></ul>	ach year for patients w	ho meet the follo	wing criteria, as set by the

- congestive heart disease,
- 3) rheumatic heart disease.
- 4) congenital heart disease, or
- 5) cerebo-vascular disease:
- ii) the following chronic respiratory disease:
  - 1) asthma, if on a regular preventative therapy, or
  - 2) other chronic respiratory disease with impaired lung function;
- iii) diabetes;

In INF

- iv) chronic renal disease:
- v) any cancer, excluding basal and squamous skin cancers if not invasive;
- vi) the following other conditions:
  - a) autoimmune disease.
  - b) immune suppression,
  - c) HIV.
  - d) transplant recipients,
  - e) neuromuscular and CNS diseases,
  - f) haemoglobinopathies, or
  - g) children on long term aspirin.
- c) people under 65 years of age who are:
  - i) pregnant; or
  - ii) morbidly obsese
- d) children aged over 6 months and under 5 years who are from high deprivation backgrounds
- The following conditions are excluded from funding:
  - a) asthma not requiring regular preventative therapy,
  - b) hypertension and/or dyslipidaemia without evidence of end-organ disease,
  - B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
  - C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor.
  - D) Influenza Vaccine does not fall within the definition Community Pharmaceutical as it is not funded directly from the Pharmaceutical Budget. Pharmacists are unable to claim for the dispensing of influenza vaccine from the Funder.

Inj	1	Fluvax
90.00	10	Influvac
		<ul> <li>Vaxigrip</li> </ul>

(Fluvax Ini to be delisted 1 January 2011) (Influvac Inj to be delisted 1 January 2011) (Vaxigrip Inj to be delisted 1 January 2011)

	Cubaidu		Fully Drand ar
	Subsidy (Manufacturer's P	rice) Su	Fully Brand or bsidised Generic
	\$	Per	Manufacturer
Anticholinesterases			
IEOSTIGMINE	~~~~	=0	
Inj 2.5 mg per ml, 1 ml	20.30	50	AstraZeneca
YRIDOSTIGMINE BROMIDE			
Tab 60 mg	40.08	100	Mestinon
Anti-inflammatory Non Steroidal Drugs (NSA	AIDs)		
SA1038 Special Authority for Manufacturers Price			
otes: Subsidy for patients with existing approvals prior to	o 1 September 2010.	Approvals va	alid without further renewal unle
otified.			
o new approvals will be granted from 1 September 2010.			
ICLOFENAC SODIUM			
• Tab EC 25 mg	1.63	50	Diclofenac Sandoz
Tab 50 mg dispersible – Additional subsidy by Specia	al Au-		
thority see SA1038 above – Retail pharmacy	1.50	20	
	(8.00)		Voltaren D
F Tab EC 50 mg	2.13	50	Diclofenac Sandoz
Tab long-acting 75 mg	32.80	500	Diclax SR
Tab long-acting 100 mg		500	Diclax SR
E Inj 25 mg per ml, 3 ml	12.00	5	Voltaren
Up to 5 inj available on a PSO			
Suppos 12.5 mg		10	Voltaren
Suppos 25 mg		10	Voltaren
Suppos 50 mg	3.84	10	Voltaren
Up to 10 supp available on a PSO			4
Suppos 100 mg	6.36	10	Voltaren
SUPROFEN - Additional subsidy by Special Authority see	SA1038 above - Reta	il pharmacy	
• Tab 200 mg		1,000	Ethics Ibuprofen
• Tab 400 mg	1.07	30	
	(4.56)		Brufen
Tab 600 mg	1.60	30	
	(6.84)		Brufen
Tab long-acting 800 mg	9.12	30	Brufen Retard
t Oral liq 100 mg per 5 ml	2.69	200 ml	Fenpaed
ETOPROFEN - Additional subsidy by Special Authority se	e SA1038 above – Re	etail pharmacy	/
Cap long-acting 100 mg		100	,
	(21.56)		Oruvail 100
Cap long-acting 200 mg		100	
	(43.12)		Oruvail 200
EFENAMIC ACID - Additional subsidy by Special Authorit	( )	- Rotail pharm	macy
Cap 250 mg		20	nacy
• • • • • • • • • • • • • • • • • • •	(5.60)	20	Ponstan
	(3.00) 2.50	100	ronotan
	(18.33)	100	Ponstan
	(10.00)		i onstan

	Subsidy		Fully Brand or
	(Manufacturer's Pric \$	e) Su Per	ibsidised Generic Manufacturer
	Ŷ	1.01	
NAPROXEN	02 20	500	A Noflam 250
* Tab 250 mg * Tab 500 mg		500 250	<ul> <li>✓ <u>Noflam 250</u></li> <li>✓ Noflam 500</li> </ul>
* Tab long-acting 750 mg		250 90	✓ Naprosyn SR 750
* Tab long-acting 1,000 mg		90 90	✓ Naprosyn SR 1000
		00	
NAPROXEN SODIUM	F 60	120	✓ Sonaflam
* Tab 275 mg * Tab 550 mg		120	Synflex
•			-
SULINDAC – Additional subsidy by Special Authority see SA10			tail pharmacy
* Tab 100 mg		100	Dealin
* Tab 200 mg	(12.00)	100	Daclin
* Tab 200 mg	(20.00)	100	Daclin
	3.36	50	Buoint
	(15.87)		Clinoril
TENOXICAM	( /		
* Tab 20 mg	23 75	100	✓ Tilcotil
* Inj 20 mg		1	✓ AFT
TIAPROFENIC ACID – Additional subsidy by Special Authority		-	
* Tab 300 mg		60	lage – heiaii phaimacy
* Tab 500 Trig	(19.26)	00	Surgam
NOAIDa Othan	(10.20)		ourgann
NSAIDs Other			
INDOMETHACIN			
* Cap long-acting 75 mg	13.30	100	Rheumacin SR
* Suppos 100 mg	14.50	30	Arthrexin
(Rheumacin SR Cap long-acting 75 mg to be delisted 1 Februa	ry 2011)		
MELOXICAM - Special Authority see SA1034 below - Retail p	harmacy		
Tab 7.5 mg		30	Arrow-Meloxicam
SA1034 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals va	alid without further re	newal unle	ss notified for applications meeting
the following criteria:			
All of the following:			
1 The patient has moderate to severe haemophilia with les	s than or equal to 5%	of normal	circulating functional clotting factor
and			
2 The patient has haemophilic arthropathy; and			and the set the set of
3 Pain and inflammation associated with haemophilic arth		ely controll	ed by alternative funded treatment
options, or alternative funded treatment options are cont	rainuicateu.		
PIROXICAM	0.05	50	
* Tab dispersible 10 mg		50	✓ Piram-D
* Tab dispersible 20 mg (Piram-D Tab dispersible 10 mg to be delisted 1 April 2011)	5.50	100	Piram-D
(Piram-D Tab dispersible 20 mg to be delisted 1 April 2011) (Piram-D Tab dispersible 20 mg to be delisted 1 April 2011)			
Antirheumatoid Agents			
AURANOFIN			
Tab 3 mg		60	Ridaura
<u>.</u>			

(1	Subsidy Manufacturer's Price) \$	Per	Full Subsidise •	d Generic
LEFLUNOMIDE				
Tab 10 mg	55.00	30	~	AFT-Leflunomide
	79.27		~	Arava
Tab 20 mg	76.00	30	~	AFT-Leflunomide
	108.60		~	Arava
Tab 100 mg	54.44	3	~	Arava
PENICILLAMINE				
Tab 125 mg	61.93	100	~	D-Penamine
Tab 250 mg		100	V	D-Penamine
SODIUM AUROTHIOMALATE				
Inj 10 mg per 0.5 ml	76.87	10	~	Myocrisin
Inj 20 mg per 0.5 ml		10		Myocrisin
Inj 50 mg per 0.5 ml		10		Myocrisin
		10	•	in yoon on i
Tumour Necrosis Factor (TNF) Inhibitors				
ADALIMUMAB – Special Authority see SA1059 below – Retail phar	macv			
Inj 40 mg per 0.8 ml prefilled pen	•	2	~	HumiraPen
Inj 40 mg per 0.8 ml prefilled syringe		2	V	Humira

#### ➡SA1059 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
  - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
  - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with at least two of the following (triple therapy): sulphasalazine, prednisone at a dose of at least 7.5 mg per day, azathioprine, intramuscular gold, or hydroxychloroquine sulphate (at maximum tolerated doses); and
  - 2.5 Either:
    - 2.5.1 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of cyclosporin alone or in combination with another agent; or
    - 2.5.2 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of leflunomide alone or in combination with another agent; and
  - 2.6 Either:
    - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
    - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
  - 2.7 Either:

(M	Subsidy Ianufacturer's Price)	Sub		Brand or Generic	
	\$	Per	~	Manufacturer	

continued...

- 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
- 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

# Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

#### All of the following:

- 1 Patient has severe active Crohn's disease; and
- 2 Any of the following:
  - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
  - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
  - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
  - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis; or
- 2 All of the following:
  - 2.1 Either:
    - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
    - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
  - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
  - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
  - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

- Either:
  - 1 Both:
    - 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
    - 1.2 Either:

Subs (Manufactur		
\$	Per •	Manufacturer

continued...

- 1.2.1 The patient has experienced intolerable side effects from etanercept; or
- 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis: or
- 2 All of the following:
  - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
  - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
  - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
  - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal antiinflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
  - 2.5 Fither:
    - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by a score of at least 1 on each of the lumbar flexion and lumbar side flexion measurements of the Bath Ankylosing Spondylitis Metrology Index (BASMI): or
    - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and
  - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI. ESR and CRP measures must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

- 18-24 years Male: 7.0 cm; Female: 5.5 cm
- 25-34 years Male: 7.5 cm; Female: 5.5 cm
- 35-44 years Male: 6.5 cm; Female: 4.5 cm
- 45-54 years Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm: Female: 4.0 cm
- 65-74 years Male: 4.0 cm; Female: 4.0 cm

# 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis: or
- 2 All of the following:
  - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
  - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
  - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
  - 2.4 Fither:
    - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
    - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
  - 2.5 Any of the following:

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
 \$	Per 🖌	

continued...

- 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
- 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
- 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

**Renewal** — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### All of the following:

1 Either:

- 1.1 Applicant is a rheumatologist; or
- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and

3 Either:

- 3.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Either:
  - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
  - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

**Renewal** — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
  - 1 Either:
    - 1.1 Applicant is a gastroenterologist; or
    - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
  - 2 Either:
    - 2.1 Either:

2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab; or

- 2.1.2 CDAI score is 150 or less; or
- 2.2 Both:
  - 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
- 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

**Renewal** — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
  - 1 Either:
    - 1.1 Applicant is a dermatologist; or
    - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
  - 2 Either:
    - 2.1 Both:
      - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis; and

Subsidy		Fully	Brand or	
(Manufacturer's Price)	;	Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
- 2.2 Both:
  - 2.2.1 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot; and 2.2.2 Either:
    - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
    - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

**Renewal** — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks of adalimumab treatment, BASDAI has improved by 4 or more points from pre-adalimumab baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

**Renewal** — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 2.2 The patient demonstrates at least a continuing 50% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

ETANERCEPT - Special Authority see SA1060 below - Retail pharmacy

Inj 25 mg	949.96	4	<ul> <li>Enbrel</li> </ul>
Inj 50 mg autoinjector1,	899.92	4	<ul> <li>Enbrel</li> </ul>

#### ►SA1060 Special Authority for Subsidy

**Initial application** — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
- 3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and

#### continued...

- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m<sup>2</sup> weekly or at the maximum tolerated dose) in combination with oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose); and
- 5 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-15 mg/m<sup>2</sup> weekly or at the maximum tolerated dose) in combination with one other disease-modifying agent; and
- 6 Both:
  - 6.1 Either:
    - 6.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 active, swollen, tender joints; or
    - 6.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
  - 6.2 Physician's global assessment indicating severe disease.

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
  - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
  - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with at least two of the following (triple therapy): sulphasalazine, prednisone at a dose of at least 7.5 mg per day, azathioprine, intramuscular gold, or hydroxychloroquine sulphate (at maximum tolerated doses); and
  - 2.5 Either:
    - 2.5.1 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of cyclosporin alone or in combination with another agent; or
    - 2.5.2 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of leflunomide alone or in combination with another agent; and
  - 2.6 Either:
    - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
    - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
  - 2.7 Either:
    - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
    - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

1 Both:

Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic
\$	Per 🖌	Manufacturer

continued...

- 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plaque psoriasis; and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
  - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis; or
- 2 All of the following:
  - 2.1 Either:
    - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
    - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
  - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
  - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
  - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

**Initial application** — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
  - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or
- 2 All of the following:
  - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
  - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
  - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
  - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal antiinflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
  - 2.5 Either:
    - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by a score of at least 1 on each of the lumbar flexion and lumbar side flexion measurements of the Bath Ankylosing Spondylitis Metrology Index (BASMI); or
    - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
  - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measures must be no more than 1 month old at the time of initial application.

- (M:	Subsidy anufacturer's Price)	Fully Subsidised		Brand or Generic
	\$	Per	~	Manufacturer

continued...

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm

25-34 years - Male: 7.5 cm; Female: 5.5 cm

35-44 years - Male: 6.5 cm; Female: 4.5 cm

45-54 years - Male: 6.0 cm; Female: 5.0 cm

55-64 years - Male: 5.5 cm; Female: 4.0 cm

65-74 years - Male: 4.0 cm; Female: 4.0 cm

75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
  - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
  - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
  - 2.4 Either:
    - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
    - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
  - 2.5 Any of the following:
    - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
    - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
    - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
  - 1 Either:
    - 1.1 Applicant is a named specialist or rheumatologist; or
    - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
  - 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  - 3 Either:
    - 3.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
    - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Subsidy	0.1	Fully	Brand or	
(Manufacturer's Price)	Sut	bsidised	Generic	
\$	Per	~	Manufacturer	

continued...

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and

3 Either:

- 3.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

**Renewal** — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a dermatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis; and
    - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
    - 2.2 Both:
      - 2.2.1 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot; and
      - 2.2.2 Either:
        - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
        - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

**Renewal** — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
  - 1 Either:
    - 1.1 Applicant is a rheumatologist; or
    - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
  - 2 Following 12 weeks of etanercept treatment, BASDAI has improved by 4 or more points from pre-treatment baseline on a 10 point scale, or by 50%, whichever is less; and
  - 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
  - 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
  - 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 2.2 The patient demonstrates at least a continuing 50% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

### **Calcium Homeostasis**

### Alendronate for Osteoporosis

### SA1039 Special Authority for Subsidy

**Initial application — (Underlying cause – Osteoporosis)** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD)  $\geq$  2.5 standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq$  -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score  $\leq$  -3.0 (see Note); or
- 5 A 10-year risk of hip fracture  $\geq$  3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause Osteoporosis).

Initial application — (Underlying cause – glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy ( $\geq$  5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
  - The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -1.5) (see Note); or
  - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
  - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause glucocorticosteroid therapy).

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy ( $\geq 5$  mg per day prednisone equivalents). Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporo-

sis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

(Manufacturer Sin New Subsidised Generation \$ Per V Manufacturer	Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
	¢	Per	Subsidised V	

continued...

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD)  $\geq$  2.5 standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq$  -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score  $\leq$  -3.0 (see Note); or
- 5 A 10-year risk of hip fracture  $\geq$  3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause Osteoporosis' criteria).

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence used by National Institute for Health and Clinical Excellence (NICE) guidance indicates that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5, and therefore do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALENDRONATE SODIUM	- Special Authority see SA1039 on	the preceding page -	- Retail p	harmacy	
Tab 70 mg			4	Fosamax	

ALENDRONATE SODIUM WITH CHOLECALCIFEROL	- Special Authority see	SA1039 on the	preceding page - Retail pharr	nacy
Tab 70 mg with cholecalciferol 5,600 iu	35.91	4	Fosamax Plus	

### Alendronate for Paget's Disease

#### ➡SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
  - 2.1 Bone or articular pain; or
  - 2.2 Bone deformity; or
  - 2.3 Bone, articular or neurological complications; or
  - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
  - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

ALENDRONATE SODIUM – Special Authority see SA0949 above – Retail pharmac
--

Tab 40 mg	133.00	30	Fosamax
Other Treatments			
CALCITONIN  * Inj 100 iu per ml, 1 ml	110.00	5	✓ <u>Miacalcic</u>

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
ETIDRONATE DISODIUM * Tab 200 mg		100	✓ <u>A</u>	rrow-Etidronate

### **Prescribing Guidelines**

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose – 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

#### PAMIDRONATE DISODIUM

Inj 3 mg per ml, 5 ml		1	Pamisol
Inj 3 mg per ml, 10 ml		1	Pamisol
Inj 6 mg per ml, 10 ml		1	Pamisol
Inj 9 mg per ml, 10 ml		1	Pamisol
ZOLEDRONIC ACID - Special Authority see SA1035 below - Re	tail pharmacy		
Soln for infusion 5 mg in 100 ml	600.00	100 ml	<ul> <li>Aclasta</li> </ul>

### ➡SA1035 Special Authority for Subsidy

**Initial application** — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### All of the following:

- 1 Paget's disease; and
- 2 Any of the following:
  - 2.1 Bone or articular pain; or
  - 2.2 Bone deformity; or
  - 2.3 Bone, articular or neurological complications; or
  - 2.4 Asymptomatic disease, but risk of complications; or
  - 2.5 Preparation for orthopaedic surgery; and
- 3 The patient will not be prescribed more than one infusion in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Both:

- 1 Any of the following:
  - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
  - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
  - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
  - 1.4 Documented T-Score  $\leq~$  -3.0 (see Note); or
  - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
  - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis); and
- 2 The patient will not be prescribed more than one infusion in a 12-month period.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- All of the following:
  - 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
  - 2 Any of the following:
    - The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -1.5) (see Note); or

 Price) Su	Fully ubsidised	Brand or Generic	
\$ Per	~	Manufacturer	

continued...

- 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
- The patient has had a Special Authority approval for alendronate (Underlying cause glucocorticosteroid therapy); and
- 3 The patient will not be prescribed more than one infusion in the 12-month approval period.

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
  - 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
  - 1.3 Symptomatic disease (prescriber determined); and
- 2 The patient will not be prescribed more than one infusion in the 12-month approval period.

The patient may not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

1 The patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents); and

2 The patient will not be prescribed more than one infusion in the 12-month approval period.

The patient may not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
  - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
  - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
  - 1.4 Documented T-Score  $\leq$  -3.0 (see Note); or
  - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
  - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause Osteoporosis' criteria); and
- 2 The patient will not be prescribed more than one infusion in a 12-month period.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence used by National Institute for Health and Clinical Excellence (NICE) guidance indicates that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Enzymes				
HYALURONIDASE Inj 1,500 iu per ml		10	H	yalase
Hyperuricaemia and Antigout				
ALLOPURINOL * Tab 100 mg * Tab 300 mg		250 100		po-Allopurinol po-Allopurinol
COLCHICINE * Tab 500 µg	9.60	100	✓ <u>C</u>	<u>olgout</u>
PROBENECID * Tab 500 mg	55.00	100	🗸 Pi	robenecid-AFT
Muscle Relaxants				
BACLOFEN * Tab 10 mg	4.75	100	✓ <u>Pa</u>	acifen
DANTROLENE SODIUM * Cap 25 mg * Cap 50 mg		100 100		antrium antrium
ORPHENADRINE CITRATE Tab 100 mg		100	🗸 N	orflex
QUININE SULPHATE * Tab 200 mg	(17.20)	250	Q	200
<ul> <li>\$ Safety cap for extemporaneously compounded oral liquit</li> <li>* Tab 300 mg</li> <li>‡ Safety cap for extemporaneously compounded oral liquit</li> </ul>		500	✓ <u>Q</u>	<u>300</u>

	Subsidy (Manufacturer's Price) \$	S Per	Fully ubsidised	Brand or Generic Manufacturer
Agents for Parkinsonism and Related Disorc	lers			
Dopamine Agonists and Related Agents				
MANTADINE HYDROCHLORIDE				
Cap 100 mg	47.81	60	✓ Sy	mmetrel
POMORPHINE HYDROCHLORIDE		_		
Inj 10 mg per ml, 2 ml		5	V Ap	oomine
ROMOCRIPTINE MESYLATE				
<ul> <li>Tab 2.5 mg</li> </ul>		100		o-Bromocriptine
€ Cap 5 mg	60.43	100	🖌 Ap	
			1	Bromocriptine S29
NTACAPONE	110.00	100		mton
Tab 200 mg	116.00	100	✓ <u>Co</u>	omtan
EVODOPA WITH BENSERAZIDE	10.00			
Tab dispersible 50 mg with benserazide 12.5 mg	10.00	100		adopar
	0.00	100		Dispersible
Cap 50 mg with benserazide 12.5 mg		100 100		adopar 62.5
Cap 100 mg with benserazide 25 mg				adopar 125
Cap long-acting 100 mg with benserazide 25 mg     Cap 200 mg with benserazide 50 mg		100 100		adopar HBS adopar 250
	23.00	100	₩ IVIC	auopai 250
EVODOPA WITH CARBIDOPA	10.00	50		
Tab 100 mg with carbidopa 25 mg		50 100		ndopa nemet
Tab long-acting 200 mg with carbidopa 50 mg		100		nemet CR
<ul> <li>Tab long-acting 200 mg with carbidopa 50 mg</li> <li>Tab 250 mg with carbidopa 25 mg</li> </ul>		100		nemet
<b>o i o</b>		100	• 01	licitiet
SURIDE HYDROGEN MALEATE ▲ Tab 200 µg	27.50	20		nordin
	27.50	30	V DC	opergin
ERGOLIDE	40.00	100		
Tab 0.25 mg		100	✓ <u>Pe</u>	
Tab 1 mg	170.00	100	✓ <u>Pe</u>	rmax
OPINIROLE HYDROCHLORIDE			4 -	
Tab 0.25 mg		84	✓ <u>Ro</u>	
Tab 1 mg		84	✓ <u>Ro</u>	
Tab 2 mg		84 84	✓ <u>Ro</u>	
Tab 5 mg		84	✓ <u>Ro</u>	
	10.00	100		
∉ Tab 5 mg	16.06	100	🖌 🗸	oo-Selegiline oo-Selegiline S29 s29
OLCAPONE				
Tab 100 mg		100	🖌 Ta	smar

	(Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic r 🖌 Manufacturer
Anticholinergics			
BENZTROPINE MESYLATE			<i>.</i>
Tab 2 mg Inj 1 mg per ml, 2 ml		60 5	<ul> <li>Benztrop</li> <li>Cogentin</li> </ul>
a) Up to 5 inj available on a PSO b) Only on a PSO		5	
ORPHENADRINE HYDROCHLORIDE Tab 50 mg		250	🗸 Disipal
PROCYCLIDINE HYDROCHLORIDE Tab 5 mg	7.40	100	<ul> <li>Kemadrin</li> </ul>
Agents for Essential Tremor, Chorea and Related	Disorders		
TETRABENAZINE Tab 25 mg	243.00	112	✓ Xenazine 25
Anaesthetics			
Local			
LIGNOCAINE			
Gel 2%, 10 ml urethral syringe – Up to 5 each available on a			
PSO		10	Pfizer
LIGNOCAINE HYDROCHLORIDE			
Viscous solution 2%		200 ml	
Inj 0.5%, 5 ml – Up to 5 inj available on a PSO Inj 1%, 5 ml – Up to 5 inj available on a PSO		50 50	<ul> <li>Xylocaine</li> <li>Xylocaine</li> </ul>
Inj 2%, 5 ml – Up to 5 inj available on a PSO		50 50	V Xylocaine
Inj 1%, 20 ml – Up to 5 inj available on a PSO		5	✓ Xylocaine
Inj 2%, 20 ml $-$ Up to 5 inj available on a PSO		5	✓ Xylocaine
LIGNOCAINE WITH CHLORHEXIDINE			
Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes –			
Up to 5 each available on a PSO		10	✓ Pfizer
LIGNOCAINE WITH PRILOCAINE - Special Authority see SA0900		armac	'V
Crm 2.5% with prilocaine 2.5%		0 g Ol	
Crm 2.5% with prilocaine 2.5% (5 g tubes)		5	EMLA

### SA0906 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy (Manufacturer's Prio	20)	Fully Subsidised	Brand or Generic
	(Manulaciulei S F III \$	Per		Manufacturer
Analgesics				
or Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page	ge 99			
Non-Opioid Analgesics				
SPIRIN				
• Tab EC 300 mg		100		
Tab dianamikla 200 mg . Un to 20 tab available an a BCO	(8.10)	100		spec 300
Tab dispersible 300 mg – Up to 30 tab available on a PSO	2.00	100	V <u>E</u>	thics Aspirin
EFOPAM HYDROCHLORIDE	00.40	00		
Tab 30 mg	23.40	90	V A	cupan
ARACETAMOL	0.00	4 000		
Tab 500 mg – Up to 30 tab available on a PSO		1,000 m		<u>harmacare</u> aracare Junior
‡ Oral liq 120 mg per 5 mla) Up to 200 ml available on a PSO	0.80	1,000 m	. <b>v</b> <u>P</u>	
b) Not in combination				
‡ Oral liq 250 mg per 5 ml	7.00	1.000 m	ni 🖌 Pa	aracare Double
				Strength
a) Up to 100 ml available on a PSO				
b) Not in combination	7.40	00		
Suppos 125 mg		20 20		anadol anadol
Suppos 250 mg Suppos 500 mg		20 50		aracare
		50	• 10	anacare
RAMADOL HYDROCHLORIDE Cap 50 mg	6.05	100		rrow-Tramadol
	0.95	100	• <u>A</u>	
Opioid Analgesics				
JPRENORPHINE HYDROCHLORIDE - Only on a controlled di	rug form			
Inj 0.3 mg per ml, 1 ml		5	_	
	(9.38)		Te	emgesic
DDEINE PHOSPHATE				
Tab 15 mg		100	✓ P	•
Tab 30 mg		100	✓ P	••••
Tab 60 mg	I/./b	100	🖌 P	2IVI
HYDROCODEINE TARTRATE			4-	
Tab long-acting 60 mg	27.27	60	✓ <u>D</u>	HC Continus
ENTANYL – Special Authority see SA0935 on the next page – F	letail pharmacy			
a) Only on a controlled drug form				
b) No patient co-payment payable	55.00	-		
Transdermal patch, matrix 25 µg per hour		5		urogesic
	100 50	E .		
Transdermal patch, matrix 50 µg per hour Transdermal patch, matrix 75 µg per hour		5 5		urogesic urogesic

	Subsidy (Manufacturer's Price \$	) Su Per	Fully ubsidised	Brand or Generic Manufacturer
SA0935 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals val	lid for 3 months for app	lications I	meeting t	he following criteria:
Both: 1 Patient is terminally ill and is opioid-responsive; and				
<ul><li>2 Either:</li><li>2.1 is unable to take oral medication; or</li></ul>				
2.2 is intolerant to morphine, or morphine is contraine Renewal from any relevant practitioner. Approvals valid for 3 r		tment rem	nains app	propriate and the patient is
benefiting from treatment.				
FENTANYL CITRATE				
<ul> <li>a) Only on a controlled drug form</li> </ul>				
<ul> <li>b) No patient co-payment payable</li> </ul>				
lnj 50 μg per ml, 2 ml		5		ospira
Inj 50 μg per ml, 10 ml		5	V H	ospira
METHADONE HYDROCHLORIDE				
a) Only on a controlled drug form				
<ul> <li>b) No patient co-payment payable</li> </ul>				
c) Extemporaneously compounded methadone will only be	e reimbursed at the rat	e of the c	heapest f	form available (methadone
powder, not methadone tablets).				
d) For methadone hydrochloride oral liquid refer, page 176				
Tab 5 mg		10		lethatabs
Oral liq 2 mg per ml		200 ml		iodone
Oral liq 5 mg per ml		200 ml		iodone Forte
Oral liq 10 mg per ml		200 ml		iodone Extra Forte
Inj 10 mg per ml, 1 ml	61.00	10	V A	FI
MORPHINE HYDROCHLORIDE				
<ul> <li>a) Only on a controlled drug form</li> </ul>				
<ul> <li>b) No patient co-payment payable</li> </ul>				
Oral liq 1 mg per ml		200 ml	✓ <u>R</u>	A-Morph
Oral liq 2 mg per ml		200 ml		A-Morph
Oral liq 5 mg per ml		200 ml		A-Morph
Cral liq 10 mg per ml	21.55	200 ml	✓ <u>R</u>	A-Morph
MORPHINE SULPHATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
Tab immediate-release 10 mg	2.80	10	✓ <u>S</u>	evredol
Tab long-acting 10 mg		10	🖌 L	A-Morph
Tab immediate-release 20 mg	5.52	10		evredol
Tab long-acting 30 mg		10		A-Morph
Tab long-acting 60 mg		10		A-Morph
Tab long-acting 100 mg		10		A-Morph
Cap long-acting 10 mg		10	. –	<u>i-Eslon</u>
Cap long-acting 30 mg		10		<u>i-Eslon</u>
Cap long-acting 60 mg		10		-Eslon
Cap long-acting 100 mg		10		-Eslon
Cap long-acting 200 mg		10		-Eslon
Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO		5		layne
Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO		5		layne
Inj 15 mg per ml, 1 ml – Up to 5 inj available on a PSO		5		layne
Inj 30 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	V M	layne

	Subsidy (Manufacturer's Pric		Fully Brand or bsidised Generic
	(Manulactule) S Frid \$	Per Su	Manufacturer
IORPHINE TARTRATE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
Inj 80 mg per ml, 1.5 ml		5	✓ Hospira
Inj 80 mg per ml, 5 ml	75.00	5	Hospira
XYCODONE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
Tab controlled-release 5 mg	7.51	20	OxyContin
Tab controlled-release 10 mg	11.14	20	<ul> <li>OxyContin</li> </ul>
Tab controlled-release 20 mg		20	<ul> <li>OxyContin</li> </ul>
Tab controlled-release 40 mg		20	OxyContin
Tab controlled-release 80 mg		20	OxyContin
Cap 5 mg		20	OxyNorm
Cap 10 mg		20	V OxyNorm
Cap 20 mg		20	<ul> <li>OxyNorm</li> </ul>
Oral liq 5 mg per 5 ml		250 ml	<ul> <li>OxyNorm</li> </ul>
Inj 10 mg per ml, 1 ml		5	V OxyNorm
Inj 10 mg per ml, 2 ml irescribing Guideline		5	OxyNorm
<ul> <li>Tab paracetamol 500 mg with codeine phosphate 8 mg</li> <li>ETHIDINE HYDROCHLORIDE</li> </ul>	2.45	100	✓ ParaCode
	2.45	100	✓ ParaCode
a) Only on a controlled drug form			
b) No patient co-payment payable			
Tab 50 mg	3.20	10	✔ PSM
Tab 100 mg	4.20	10	✓ PSM
Inj 50 mg per ml, 1 ml - Up to 5 inj available on a PSO	5.20	5	Mayne
Inj 50 mg per ml, 1.5 ml - Up to 5 inj available on a PSO	4.35	5	Mayne
Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO	5.50	5	Mayne
Antidepressants			
Cyclic and Related Agents			
MITRIPTYLINE			
Tab 10 mg	2.77	50	Amirol
Tab 25 mg	3.40	100	Amitrip
Tab 50 mg	5.20	100	<ul> <li>Amitrip</li> </ul>
CLOMIPRAMINE HYDROCHLORIDE			
Tab 10 mg		100	Apo-Clomipramine
Tab 25 mg		100	✓ Apo-Clomipramine
OTHIEPIN HYDROCHLORIDE			
Tab 75 mg	Q 75	100	✓ Dopress
Cap 25 mg		100	✓ Dopress

(	Subsidy Manufacturer's Price \$	e) Per	Full <u>y</u> Subsidised	d Generic
DOXEPIN HYDROCHLORIDE				
Cap 10 mg	5.24	100	~	Anten
Cap 25 mg	5.46	100	~	Anten
Cap 50 mg		100	~	Anten
IMIPRAMINE HYDROCHLORIDE				
Tab 10 mg	5.48	50	~	Tofranil
Tab 25 mg		50	~	Tofranil
MAPROTILINE HYDROCHLORIDE				
Tab 25 mg	25.06	100	~	Ludiomil
Tab 75 mg		30	~	Ludiomil
MIANSERIN HYDROCHLORIDE - Special Authority see SA1048 I	oelow – Retail pha	rmacy		
Tab 30 mg		30	~	Tolvon

#### ➡SA1048 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Both:
  - 1.1 Depression; and
  - 1.2 Either:
    - 1.2.1 Co-existent bladder neck obstruction; or
    - 1.2.2 Cardiovascular disease; or

#### 2 Both:

- 2.1 The patient has a severe major depressive episode; and
- 2.2 Either:
  - 2.2.1 The patient must have had a trial of two different antidepressants and was unable to tolerate the treatments or failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or
  - 2.2.2 Both:
    - 2.2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
    - 2.2.2.2 The patient must have had a trial of one other antidepressant and either could not tolerate it or failed to respond to an adequate dose over an adequate period of time.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

NORTRIPTYLINE HYDROCHLORIDE Tab 10 mg Tab 25 mg		100 180	✓ <u>Norpress</u> ✓ <u>Norpress</u>
Monoamine-Oxidase Inhibitors (MAOIs) - N	Ion Selective		
PHENELZINE SULPHATE Tab 15 mg		100	✓ Nardil
TRANYLCYPROMINE SULPHATE Tab 10 mg		50	✓ Parnate
Monoamine-Oxidase Type A Inhibitors			

#### MOCLOBEMIDE

Note: There is a significant cost differential between moclobemide and fluoxetine (moclobemide being about three times more expensive). For depressive syndromes it is therefore more cost-effective to start treatment with fluoxetine first before considering prescribing moclobemide. Tab 150 mg

lab 150 m	g69.23	500	V	Apo-Moclobemide
Tab 300 m	g	100	~	Apo-Moclobemide

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
Selective Serotonin Reuptake Inhibitors				
CITALOPRAM HYDROBROMIDE				
* Tab 20 mg	3.78	84	✓ <u>A</u>	rrow-Citalopram
ESCITALOPRAM				
Tab 10 mg		28		oxalate
Tab 20 mg	4.20	28	V Lo	oxalate
FLUOXETINE HYDROCHLORIDE				
* Tab dispersible 20 mg, scored – Subsidy by endorsement	2.50	30	✓ <u>F</u>	uox
Subsidised by endorsement	ubala tablata ar aanau		d the press	intion is anderead second
<ol> <li>When prescribed for a patient who cannot swallow v ingly; or</li> </ol>	viole lablets of capsu	les and	u trie presci	iplion is endorsed accord-
2) When prescribed in a daily dose that is not a mu	Itiple of 20 ma in wh	ich ca	se the pres	scription is deemed to be
endorsed. Note: Tablets should be combined with c				
* Cap 20 mg		84	✓ <u>FI</u>	
AROXETINE HYDROCHLORIDE				
Tab 20 mg	2.38	30	🖌 Lo	oxamine
SERTRALINE				
Tab 50 mg		90	V A	rrow-Sertraline
Tab 100 mg		90	V A	rrow-Sertraline
Other Antidepressants				
other Antidepressants				
MIRTAZAPINE – Special Authority see SA0994 below – Retail pl	harmacy			
Tab 30 mg		30	🖌 A	vanza
Tab 45 mg	35.00	30	🖌 A	vanza
SA0994 Special Authority for Subsidy				
nitial application from any relevant practitioner. Approvals valid	for 2 years for applica	tions i	meeting the	following criteria:
Both:				
1 The patient has a severe major depressive episode; and				
2 Either:				
2.1 The patient must have had a trial of two different ar to respond to an adequate dose over an adequate				
2.2 Both:	benou or time (usually	alica	St IOUI WEE	K5), 01
2.2.1 The patient is currently a hospital in-patient a	as a result of an acute	depre	essive episo	de; and
2.2.2 The patient must have had a trial of one other				
to an adequate dose over an adequate perio				
Renewal from any relevant practitioner. Approvals valid for 2 year	ars where the patient	nas a	high risk of	relapse (prescriber deter-
mined).				
VENLAFAXINE - Special Authority see SA1061 on the next page	e – Retail pharmacy			
Cap 37.5 mg		28	🖌 Ei	fexor XR

Cap 37.5 mg	8.64	28	Efexor XR
Cap 75 mg	37.27	28	<ul> <li>Efexor XR</li> </ul>
Cap 150 mg4	5.68	28	<ul> <li>Efexor XR</li> </ul>

Subsidy	Subsidised	Brand or
(Manufacturer's Price) \$		Manufacturer

#### SA1061 Special Authority for Subsidy

**Initial application** only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

1 The patient has 'treatment-resistant' depression; and

2 Either:

- 2.1 The patient must have had a trial of two different antidepressants and have had an inadequate response from an adequate dose over an adequate period of time (usually at least four weeks); or
- 2.2 Both:
  - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
  - 2.2.2 The patient must have had a trial of one other antidepressant and have had an inadequate response from an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

## Antiepilepsy Drugs

### Agents for Control of Status Epilepticus

CLONAZEPAM		
Inj 1 mg per ml, 1 ml19.00	5	<ul> <li>Rivotril</li> </ul>
DIAZEPAM		
Inj 5 mg per ml, 2 ml – Subsidy by endorsement	5	🖌 Mayne
b) Only on a PSO		
c) PSO must be endorsed "not for anaesthetic procedures".		
Rectal tubes 5 mg – Up to 5 tube available on a PSO25.05	5	<ul> <li>Stesolid</li> </ul>
Rectal tubes 10 mg – Up to 5 tube available on a PSO	5	<ul> <li>Stesolid</li> </ul>
PARALDEHYDE		
* Inj 5 ml	5	🖌 AFT
PHENYTOIN SODIUM		
* Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO	5	Mayne
<ul> <li>* Inj 50 mg per ml, 5 ml – Up to 5 inj available on a PSO</li></ul>	5	✓ Mayne
		·
Control of Epilepsy		
CARBAMAZEPINE		
* Tab 200 mg	100	✓ Tegretol
* Tab long-acting 200 mg	100	✓ Tegretol CR
* Tab 400 mg	100	V Tegretol
* Tab long-acting 400 mg	100	Tegretol CR
*‡ Oral liq 100 mg per 5 ml26.37	250 ml	<ul> <li>Tegretol</li> </ul>
CLOBAZAM		-
Tab 10 mg	50	✓ Frisium
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
CLONAZEPAM		
Tab 500 μg	100	Paxam
Tab 2 mg	100	✓ Paxam
+ Oral drops 2.5 mg per ml	10 ml OP	✓ Rivotril

	Subsidy (Manufacturer's P \$	rice) Per	Fully Subsidised	Brand or Generic Manufacturer
ETHOSUXIMIDE * Cap 250 mg *‡ Oral liq 250 mg per 5 ml		200 200 ml		arontin arontin
GABAPENTIN – Special Authority see SA1009 below – Retail ph ▲ Cap 100 mg ▲ Cap 300 mg ▲ Cap 400 mg	7.16 	100 100 100	✓ <u>N</u>	<u>upentin</u> upentin upentin

### ➡SA1009 Special Authority for Subsidy

**Initial application** — (Epilepsy - new patients) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Epilepsy - patient has had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life from gabapentin; or
- 2 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents, or seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Initial application — (Neuropathic pain - new patients) from any relevant practitioner. Approvals valid for 3 months where the patient has tried and failed, or has been unable to tolerate, treatment with a tricyclic antidepressant.

Initial application — (Neuropathic pain - patient has had an approval for gabapentin for neuropathic pain prior to 1 August 2007) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Fither:

1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or

2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

If the patient had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

Renewal — (Neuropathic pain) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or

	Subsidy (Manufacturer's F \$	Price) Su Per	Fully Brand or Ibsidised Generic ✓ Manufacturer
continued 2 The patient has previously demonstrated clinical responsi	veness to gabape	ntin and has	now developed neuropathic pain in
a new site.			
Note: If the patient had an approval for gabapentin for neuropath		August 2007 t	he applicant is required to submit a
fresh initial application in the first instance, not a renewal application	tion.		
GABAPENTIN (NEURONTIN) - Special Authority see SA0973 b	elow – Retail pha	armacy	
▲ Tab 600 mg	67.50	100	<ul> <li>Neurontin</li> </ul>
▲ Cap 100 mg		100	Neurontin
▲ Cap 300 mg		100	Neurontin
▲ Cap 400 mg		100	Neurontin
►SA0973 Special Authority for Subsidy			
Notes: Subsidy for patients pre-approved by PHARMAC on 1 Au	nust 2009 Annro	vals valid with	out further renewal unless notified
No new approvals will be granted from 1 August 2009.	gaor 2000. Applo		
LAMOTRIGINE			
	0.74	00	
▲ Tab dispersible 2 mg		30	✓ Lamictal
Tab dispersible 5 mg		30	Lamictal
• Tab dianaraible OF man	15.00	56	✓ Arrow-Lamotrigine
Tab dispersible 25 mg		56	Logem
	20.40		✓ Arrow-Lamotrigine
	~~~~		Mogine
	29.09	50	Lamictal
Tab dispersible 50 mg		56	✓ Logem
	34.70		<ul> <li>Arrow-Lamotrigine</li> </ul>
	(7.00		Mogine
A	47.89	50	Lamictal
Tab dispersible 100 mg		56	✓ Logem
	59.90		Arrow-Lamotrigine
			✓ Mogine
	79.16		<ul> <li>Lamictal</li> </ul>
LEVETIRACETAM			
Tab 250 mg		60	Levetiracetam-Rex
Tab 500 mg		60	Levetiracetam-Rex
Tab 750 mg		60	Levetiracetam-Rex
PHENOBARBITONE			
For phenobarbitone oral liquid refer, page 176			
* Tab 15 mg	25.00	500	V PSM
		500 500	✓ PSM
5	20.00	500	♥ F JWI
PHENYTOIN SODIUM			
* Tab 50 mg		200	<ul> <li>Dilantin Infatab</li> </ul>
* Cap 30 mg	19.13	200	<ul> <li>Dilantin</li> </ul>
* Cap 100 mg	17.21	200	<ul> <li>Dilantin</li> </ul>
*‡ Oral liq 30 mg per 5 ml	19.16	500 ml	<ul> <li>Dilantin</li> </ul>
PRIMIDONE			
* Tab 250 mg	17 25	100	Apo-Primidone
* Tab 200 mg		100	

	Subsidy (Manufacturer's Pr	ice) S	Fully Subsidised	Brand or Generic
	(Manalacial of 511) \$	Per		Manufacturer
SODIUM VALPROATE				
* Tab 100 mg		100	🖌 El	pilim Crushable
* Tab 200 mg EC	27.44	100	🖌 E	pilim
* Tab 500 mg EC	52.24	100	🖌 E	pilim
*‡ Oral liq 200 mg per 5 ml	20.48	300 ml	🖌 E	pilim S/F Liquid
				pilim Syrup
* Inj 100 mg per ml, 4 ml	41.50	1	🖌 El	pilim IV
TOPIRAMATE				
▲ Tab 25 mg	11.07	60	🖌 A	rrow-Topiramate
	26.04		🖌 To	opamax
▲ Tab 50 mg		60	🖌 A	rrow-Topiramate
	44.26		🖌 To	opamax
▲ Tab 100 mg	31.99	60	🖌 A	rrow-Topiramate
	75.25			opamax
▲ Tab 200 mg		60		rrow-Topiramate
	129.85			opamax
Sprinkle cap 15 mg		60		opamax
Sprinkle cap 25 mg	26.04	60	V To	opamax
VIGABATRIN - Special Authority see SA1010 below - Retail pha	armacy			
▲ Tab 500 mg		100	🖌 Sa	abril

### ➡SA1010 Special Authority for Subsidy

**Initial application** — (new patients) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Both:

### 1 Either:

- 1.1 Patient has infantile spasms; or
- 1.2 Both:
  - 1.2.1 Patient has epilepsy; and
  - 1.2.2 Either:
    - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
    - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and

2 Either:

- 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
- 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Initial application — (patient has had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for the duration of treatment with vigabatrin; or
- 2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Note: Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	I Generic
\$	Per 🖌	Manufacturer

#### continued...

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and 2 Either:
- - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
  - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

If the patient had an approval for gabapentin, lamotrigine, topiramate or vigabatrin for epilepsy prior to 1 August 2007 the applicant is required to submit a fresh initial application in the first instance, not a renewal application.

### **Antimigraine Preparations**

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 99

### **Acute Migraine Treatment**

ERGOTAMINE TARTRATE WITH CAFFEINE Tab 1 mg with caffeine 100 mg	100	✓ Cafergot
METOCLOPRAMIDE HYDROCHLORIDE WITH PARACETAMOL Tab 5 mg with paracetamol 500 mg6.77	60	✓ Paramax
RIZATRIPTAN BENZOATE Wafer 10 mg25.32	3	✓ Maxalt Melt
SUMATRIPTAN		
Tab 50 mg1.55	4	Arrow-Sumatriptan
38.83	100	✓ <u>Arrow-Sumatriptan</u>
Tab 100 mg1.55 77.66	2 100	✓ <u>Arrow-Sumatriptan</u>
Inj 12 mg per ml, 0.5 ml – Retail pharmacy-Specialist80.00	2 OP	<ul> <li>✓ <u>Arrow-Sumatriptan</u></li> <li>✓ Imigran</li> </ul>
Maximum of 10 inj per prescription	2 01	• Inigran
Prophylaxis of Migraine		
For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYSTEM, page 51		
CLONIDINE HYDROCHLORIDE	100	Dixarit
* Таb 25 µg	100	Dixant
РІZOTIFEN * Tab 500 µg21.10	100	Sandomigran
	100	<u>oundornigran</u>
Antinausea and Vertigo Agents		
For Antispasmodics refer to ALIMENTARY TRACT, page 27		
APREPITANT – Special Authority see SA0987 on the next page – Retail pharmacy		
Cap 2 $\times$ 80 mg and 1 $\times$ 125 mg $116.00$	3 OP	<ul> <li>Emend Tri-Pack</li> </ul>

	Subsidy		Fully Brand or
	(Manufacturer's Pi \$	rice) S Per	ubsidised Generic Manufacturer
SA0987 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals val	lid for 12 months wh	ere the patie	ent is undergoing highly emetogenic
chemotherapy and/or anthracycline-based chemotherapy for th Renewal from any relevant practitioner. Approvals valid for 12 m			aning highly amotogonia chomother
apy and/or anthracycline-based chemotherapy for the treatmen			going highly energyenic chemother
BETAHISTINE DIHYDROCHLORIDE	a or manginarioy.		
* Tab 16 mg	9.26	84	✔ Vergo 16
			-
Tab 50 mg	1.59	10	✓ Nausicalm
CYCLIZINE LACTATE			
Inj 50 mg per ml, 1 ml		5	Nausicalm
			Valoid (AFT)
(Valoid (AFT) Inj 50 mg per ml, 1 ml to be delisted 1 March 201	1)		
DOMPERIDONE			
* Tab 10 mg	7.99	100	<ul> <li>Motilium</li> </ul>
HYOSCINE (SCOPOLAMINE) - Special Authority see SA0939	9 below – Retail pha	rmacy	
Patch 1.5 mg	11.95	2	Scopoderm TTS
SA0939 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals val	lid for 1 year for app	lications me	eting the following criteria:
All of the following:			
1 Control of intractable nausea, vomiting, or inability to sw			nalignancy or chronic disease; and
2 Patient cannot tolerate or does not adequately respond		agents; and	
3 The applicant must specify the underlying malignancy o Renewal from any relevant practitioner. Approvals valid for 1		atmont rom	ains appropriate and the patient is
benefiting from treatment.	your where the tre		
HYOSCINE HYDROBROMIDE			
ж Inj 400 µg per ml, 1 ml	6.66	5	Mayne
METOCLOPRAMIDE HYDROCHLORIDE			-
* Tab 10 mg		100	✓ Metamide
* Inj 5 mg per ml, 2 ml - Up to 5 inj available on a PSO		10	✓ Pfizer
ONDANSETRON			
a) Maximum of 12 tab per prescription; can be waived by S	Special Authority see	e SA0887 be	elow
b) Maximum of 6 tab per dispensing; can be waived by Spe			
c) Not more than one prescription per month; can be waive			
d) The maximum of 6 tab per dispensing cannot be waived			
Tab 4 mg	5.10	30	✓ Dr Reddy's
	17.18	10	Ondansetron ✓ Zofran
Tab disp 4 mg		10	✓ Zofran ✓ Zofran Zydis
Tab 8 mg		10	✓ Dr Reddy's
			Ondansetron
	33.89	20	✓ Zofran
Tab disp 8 mg	20.43	10	✓ Zofran Zydis
►SA0887 Special Authority for Waiver of Rule			

### SA0887 Special Authority for Waiver of Rule

**Initial application** from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing prolonged treatment with highly emetogenic chemotherapy and/or highly emetogenic radiation therapy for the treatment of malignancy. **Renewal** from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing prolonged treatment with highly emetogenic chemotherapy and/or highly emetogenic radiation therapy for the treatment of malignancy.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PROCHLORPERAZINE				
* Tab 3 mg buccal	5.97	50		
	(15.00)		E	Buccastem
* Tab 5 mg - Up to 30 tab available on a PSO		500	V	Antinaus
* Inj 12.5 mg per ml, 1 ml - Up to 5 inj available on a PSO		10	<b>v</b> s	Stemetil
* Suppos 25 mg		5	<b>v</b> s	Stemetil
PROMETHAZINE THEOCLATE				
* Tab 25 mg	1.20	10		
-	(6.24)		A	Avomine
TROPISETRON				
a) Maximum of 6 cap per prescription				
b) Maximum of 3 cap per dispensing				
c) Not more than one prescription per month.				
Cap 5 mg	77.41	5	<u> </u>	lavoban

### Antipsychotics

#### Guidelines for the use of atypical antipsychotic agents

Diagnosis: Schizophrenia and related psychoses when positive symptoms (delusions, hallucinations and thought disorder) are prominent and/or disabling or when both positive symptoms and negative symptoms (flattened affect, emotional and social withdrawal and poverty of speech) are present. Treatment: Before initiating atypical antipsychotic therapy, physicians should consider whether the patient is likely to respond to and/or tolerate conventional antipsychotic therapy and, where appropriate, trial one or more conventional agent prior to use of an atypical agent.

### General

#### AMISULPRIDE

Tab 100 mg Tab 200 mg Tab 400 mg Oral liq 100 mg per ml	97.03 185.44	30 60 60 60 ml	<ul> <li>✓ Solian</li> <li>✓ Solian</li> <li>✓ Solian</li> <li>✓ Solian</li> </ul>
ARIPIPRAZOLE - Special Authority see SA0920 below - F	Retail pharmacy		
Tab 10 mg		30	Abilify
Tab 15 mg		30	Abilify
Tab 20 mg	213.42	30	Abilify
Tab 30 mg		30	Abilify

#### ►SA0920 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Either:
  - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
  - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy		Fully Brand or
	(Manufacturer's Pric \$	Per	Subsidised Generic Manufacturer
CHLORPROMAZINE HYDROCHLORIDE			
Tab 10 mg – Up to 30 tab available on a PSO		100	Largactil
Tab 25 mg – Up to 30 tab available on a PSO		100	Largactil
Tab 100 mg – Up to 30 tab available on a PSO		100	✓ Largactil
Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO		10	<ul> <li>Largactil</li> </ul>
CLOZAPINE – Hospital pharmacy [HP4]			
Tab 25 mg		50	Clozaril
	26.74	100	Clozaril
	6.69	50	Clopine
	13.37	100	✓ Clopine
Tab 50 mg	8.67	50	✓ Clopine
0	17.33	100	✓ Clopine
Tab 100 mg		50	Clozaril
Ĵ	69.30	100	Clozaril
	17.33	50	Clopine
	34.65	100	Clopine
Tab 200 mg		50	Clopine
-	69.30	100	Clopine
Suspension 50 mg per ml	17.33	100 ml	Clopine
HALOPERIDOL			
Tab 500 µg – Up to 30 tab available on a PSO	5.42	100	✓ Serenace
Tab 1.5 mg – Up to 30 tab available on a PSO		100	✓ Serenace
Tab 5 mg – Up to 30 tab available on a PSO		100	Serenace
Oral lig 2 mg per ml - Up to 200 ml available on a PSO		100 ml	✓ Serenace
Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO		10	✓ Serenace
EVOMEPROMAZINE			
Tab 25 mg	16.93	100	Nozinan
Tab 100 mg		100	✓ Nozinan
Inj 25 mg per ml, 1 ml		10	✓ Nozinan
ITHIUM CARBONATE		10	• Holman
	06.10	500	1 ithicash
Tab 250 mg		500	<ul> <li>Lithicarb</li> <li>Lithicarb</li> </ul>
Tab 400 mg		100 100	<ul> <li>Priadel</li> </ul>
Tab long-acting 400 mg		100	✓ Douglas
Cap 250 mg		100	■ Douglas
OLANZAPINE – Special Authority see SA0741 below – Retail p			4 <b>-</b>
Tab 2.5 mg		28	✓ Zyprexa
Tab 5 mg		28	✓ Zyprexa
Tab 10 mg	204.49	28	Zyprexa

#### ■SA0741 Special Authority for Subsidy

**Initial application** only from a psychiatrist. Approvals valid for 2 years for applications meeting the following criteria: Any of the following:

1 Patient presents with first episode schizophrenia or related psychoses; or

2 Both:

2.1 Patient suffering from schizophrenia and related psychoses or acute mania in bipolar disorder who is likely to benefit from antipsychotic treatment; and

2.2 Either:

2.2.1 An effective dose of risperidone had been trialled and has been discontinued because of unacceptable side effects; or

	Subsidy (Manufacturer's Price \$	) Su Per	Fully Ibsidised	Brand or Generic Manufacturer
continued				
2.2.2 An effective dose of risperidone had been	trialled and has been	discontin	ued beca	ause of inadequate clinical
response after 4 weeks; or				
3 The patient has suffered from an acute episode of schiz short-acting intra-muscular injection.				
Renewal only from a psychiatrist. Approvals valid for 2 years wh from treatment.	nere the treatment rem	ains appr	opriate a	nd the patient is benefiting
Note: Initial prescriptions to be written by psychiatrists or psyc General Practitioners.	chiatric registrars and	subseque	ent presc	riptions can be written by
	10.40	100		aula atil
Tab 2.5 mg		100		eulactil
Tab 10 mg		100	V N	eulactil
QUETIAPINE				
Tab 25 mg	7.00	60	🗸 D	r Reddy's
				Quetiapine
			🗸 S	eroquel
	16.78	90		uetapel
Tab 100 mg	14.00	60	🗸 D	r Reddy's
				Quetiapine
			🗸 S	eroquel
	32.59	90	🖌 Q	uetapel
Tab 200 mg	24.00	60	🖌 D	r Reddy's
				Quetiapine
			🗸 S	eroquel
	56.70	90	🗸 Q	uetapel
Tab 300 mg	40.00	60	🖌 D	r Reddy's
-				Quetiapine
			V S	eroquel
	95.40	90		uetapel

	Subsidy (Manufacturer's Price	e) S	Fully	Brand or Generic
	(Manulaciale) 31 110 \$	Per	V	Manufacturer
RISPERIDONE				
Tab 0.5 mg	3.51	60		po-Risperidone
				r Reddy's
				Risperidone
	5.00		✓ R	
Tab 1 ma	5.20	20 60		isperdal po-Risperidone
Tab 1 mg		00		r Reddy's
				Risperidone
			🖌 R	•
	30.77			isperdal
Tab 2 mg		60		po-Risperidone
5				r Reddy's
				Risperidone
			🖌 R	idal
	61.53			isperdal
Tab 3 mg	15.00	60		po-Risperidone
				r Reddy's
				Risperidone
	00.00		✓ R	
Tab 4 ma	92.32	60		isperdal Po Bioporidopo
Tab 4 mg	20.00	60		po-Risperidone r Reddy's
				Risperidone
			🖌 R	•
	123.05			isperdal
Oral liq 1 mg per ml		30 ml		po-Risperidone
				isperon
	45.92		🖌 R	isperdal
RIFLUOPERAZINE HYDROCHLORIDE				
Tab 1 mg	9.83	100	🖌 Si	telazine
Tab 2 mg	14.64	100	🖌 Si	telazine
Tab 5 mg	16.66	100	🖌 Si	telazine
IPRASIDONE – Subsidy by endorsement				
Ziprasidone is subsidised for patients suffering from schizop	ohrenia or related p	sychoses	after a tr	ial of an effective dose
risperidone or quetiapine that has been discontinued, or is in		g discontii	nued, bec	ause of unacceptable sid
effects or inadequate response, and the prescription is endor			4 -	
Cap 20 mg		60	✓ Ze	
Cap 40 mg		60		eldox
Cap 60 mg		60 60	✓ Ze	
Cap 80 mg		00	V 20	eluux
UCLOPENTHIXOL HYDROCHLORIDE				
Tab 10 mg		100	V C	lopixol
Depot Injections				
LUPENTHIXOL DECANOATE				
Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	🖌 Fl	uanxol
Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO		5	🖌 Fl	uanxol

(	Subsidy Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
FLUPHENAZINE DECANOATE				
Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO.	17.60	5	~	Modecate
Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO	27.90	5	~	Modecate
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	154.50	5	~	Modecate
HALOPERIDOL DECANOATE				
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	28.39	5	~	Haldol
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	55.90	5	~	Haldol Concentrate
PIPOTHIAZINE PALMITATE				
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	178.48	10	~	Piportil
Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO	353.32	10	~	Piportil
RISPERIDONE - Special Authority see SA0926 below - Retail pha	irmacy			
Microspheres for injection 25 mg	175.00	1	~	Risperdal Consta
Microspheres for injection 37.5 mg	230.00	1	~	Risperdal Consta
Microspheres for injection 50 mg	280.00	1	~	Risperdal Consta

#### ➡SA0926 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient has schizophrenia or other psychotic disorder; and
- 2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

**Renewal** from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 Both:
  - 1.1 The patient has had less than 12 months treatment with risperidone microspheres; and
  - 1.2 There is no clinical reason to discontinue treatment; or
- 2 The initiation of risperidone microspheres has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of risperidone microspheres.

Note: Risperidone microspheres should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone microspheres.

ZUCLOPEN I HIXOL DECANOALE Inj 200 mg per ml, 1 ml – Up to 5 inj available on a PSO19.80	5	<ul> <li>Clopixol</li> </ul>
Orodispersible Antipsychotics		
OLANZAPINE - Special Authority see SA0739 below - Retail pharmacy		_
Wafer 5 mg102.19	28	Zyprexa Zydis
Wafer 10 mg204.37	28	Zvprexa Zvdis

### ➡SA0739 Special Authority for Subsidy

Initial application only from a psychiatrist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The patient meets the current criteria for standard olanzapine tablets; and
- 2 The patient is unable to take standard olanzapine tablets, or once stabilized refuses to take olanzapine tablets; or the patient is non-adherent to oral therapy with standard olanzapine tablets; and
- 3 The patient is under direct supervision for administration of medicine.

**Renewal** only from a psychiatrist. Approvals valid for 1 year for applications meeting the following criteria: Both:

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully sidised	Brand or Generic Manufacturer
ontinued				
1 The patient is unable to take standard olanzapine tablets	, or once stabilized refu	uses to tak	e olanza	apine tablets; and
2 The patient is under direct supervision for administration				
lote: Initial prescriptions to be written by psychiatrists and su	bsequent prescriptions	s can be w	ritten b	y psychiatric registrars o
General Practitioners.				
RISPERIDONE – Special Authority see SA0927 below – Retail		00		
Orally-disintegrating tablets 0.5 mg		28		sperdal Quicklet
Orally-disintegrating tablets 1 mg Orally-disintegrating tablets 2 mg		28 28		sperdal Quicklet sperdal Quicklet
		20	V N	sperual Quicklet
SA0927 Special Authority for Subsidy	atitionar Annrovala v	alid for C w	aalka fa	x analizationa maating th
hitial application — (Acute situations) from any relevant pra billowing criteria:	actitioner. Approvais va	and for 6 w	eeks io	r applications meeting in
Soth:				
1 For a non-adherent patient on oral therapy with standard	risperidone tablets or i	risperidone	oral liq	uid: and
2 The patient is under direct supervision for administration			or can req	
nitial application — (Chronic situations) from any relevant		valid for 1	year fo	r applications meeting th
llowing criteria:				
oth:				
1 The patient is unable to take standard risperidone tablets	or oral liquid, or once	stabilized ı	efuses	to take risperidone table
or oral liquid; and				
2 The patient is under direct supervision for administration		1		
tenewal from any relevant practitioner. Approvals valid for 1 ye	ar for applications mee	ting the fol	lowing o	criteria:
Noth: 1 The patient is unable to take standard risperidone tablets	or oral liquid or once	etabilizad ı	ofucos	to take risperidone tablet
or oral liquid; and		SIADIIIZEU I	eluses	to take hisperidone tablet
2 The patient is under direct supervision for administration	of medicine.			
lote: Risperdal Quicklets cost significantly more than risperidor		nly be use	d where	e necessary.
Anxiolytics		ý		,
Alixiolytics				
LPRAZOLAM				
Tab 250 μg		50	🖌 Ai	rrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral lique				
Tab 500 µg		50	V Ai	rrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liques				
		50	V AI	rrow-Alprazolam
Tab 1 mg				
‡ Safety cap for extemporaneously compounded oral liqued and the second se				
‡ Safety cap for extemporaneously compounded oral liqu USPIRONE HYDROCHLORIDE – Special Authority see SA08	363 below – Retail pha			
		rmacy 100 100		acific Buspirone acific Buspirone

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 For use only as an anxiolytic; and

2 Other agents are contraindicated or have failed.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
DIAZEPAM				
Tab 2 mg	11.44	500	~	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
Tab 5 mg		500	V	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
LORAZEPAM				
Tab 1 mg	16.42	250	V	Ativan
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
Tab 2.5 mg	11.17	100	V	Ativan
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
OXAZEPAM				
Tab 10 mg		100		
C C	(5.89)		(	Dx-Pam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
Tab 15 mg	2.45	100		
-	(8.13)		(	Dx-Pam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			

### **Multiple Sclerosis Treatments**

### SA1062 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Budget managed by appointed clinicians on the Multiple Sclerosis Treatment Assessments Committee (MSTAC).

Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

4 460 4990
e: 04 916 7571
nstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Appeals against MSTAC's decision and/or the processing of any application may be lodged with the MSTAC coordinator. Concerns that cannot be or have not been adequately addressed by MSTAC will be forwarded to a separate Appeal Committee if necessary. Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

#### **Entry Criteria**

- Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis should as a rule include MRI confirmation. For patients diagnosed before MRI was widely utilised in New Zealand, confirmation of diagnosis via clinical assessment and laboratory/ancillary data must be provided; and
- 2) patients must have active relapsing MS (confirmed by MR scan where necessary) with or without underlying progression; and
- 3) patients must have either:
  - a) EDSS score 2.5 5.5 with 2+ relapses:

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subsid	dised	Generic
\$	Per	~	Manufacturer

continued...

- experienced at least 2 significant relapses of MS in the previous 12 months, and
   an EDSS score of between 2.5 and 5.5 inclusive: or
- b) EDSS score 2.0 with 3+ relapses:
  - experienced at least 3 significant relapses of MS in the previous 12 months, and
  - an EDSS score of 2.0; and
- 4) Each relapse must:
  - a) be confirmed by a neurologist or general physician (the patient may not necessarily have been seen during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week;
  - d) follow a period of stability of at least one month;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke functional systems scores by at least 1 point;
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T>37.5 $^{\circ}$ C); and
- 5) applications must be made at least four weeks after the date of the onset of the last known relapse; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate (see criteria for stopping).
- applications must be submitted to the Multiple Sclerosis Treatment Assessment Committee (MSTAC) by the patient's neurologist or a general physician; and
- patients must agree (via informed consent) to co-operate if as a result of their meeting the stopping criteria, funding is withdrawn. Patients must agree to the collection of clinical data relating to their MS and use of those data by PHARMAC; and
- 9) patients must agree to allow clinical data to be collected and reviewed by MSTAC annually for each year in which they receive funding for beta-interferon or glatiramer acetate.

### **Stopping Criteria**

- 1) Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment. Progression of disability is defined as any of:
  - a) an increase of 2 EDSS points where starting EDSS was 2.0; or
  - b) an increase of 1.5 EDSS points where starting EDSS was 2.5 or 3.0; or
  - c) an increase of 1 EDSS point where starting EDSS 3.5 or greater; or
  - d) an increase in EDSS score to 6.0 or more; or
- 2) stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) pregnancy and/or lactation; or
- 4) within the 12 month approval year, intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- 5) non-compliance with treatment, including refusal to undergo annual assessment or refusal to allow the results of the assessment to be submitted to MSTAC; or
- 6) patients may, subject to conclusions drawn from published evidence available at the time, be excluded if they develop a high titre of neutralising anti-bodies to beta-interferon or glatiramer acetate.

Note: Patients who have a stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet any of the other Stopping Criteria at annual review may switch to a different class of funded treatment (i.e. patients may switch from either of the betainterferons [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa). Patients may switch classes of treatment for this reason only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to stable or increasing relapse rate over 12 months of treatment).

## GLATIRAMER ACETATE - Special Authority see SA1062 on the preceding page

Inj 20 mg prefilled syringe .....1,089.25



28

	Subsidy (Manufacturer's Price)		Fully Subsidised	
	\$	Per		Manufacturer
NTERFERON BETA-1-ALPHA – Special Authority see SA106				
Inj 6 million iu prefilled syringe		4	· · ·	Avonex
Inj 6 million iu per vial		4	V .	Avonex
NTERFERON BETA-1-BETA – Special Authority see SA1062				
Inj 8 million iu per 1 ml	1,322.89	15	~	Betaferon
Sedatives and Hypnotics				
ORMETAZEPAM				
Tab 1 mg	3.11	30		
	(23.50)			Noctamid
‡ Safety cap for extemporaneously compounded oral liq	uid preparations.			
AIDAZOLAM				
Note: Midazolam injection will be funded if prescribed for in Hypnovel brand is currently indicated for intranasal adminis		for us	se in pallia	tive care. Note that only the
Tab 7.5 mg		100		
-	(25.00)			Hypnovel
‡ Safety cap for extemporaneously compounded oral liq				
Inj 1 mg per ml, 5 ml	(	10		Hypnovel
	(14.73)	_		Pfizer
Inj 5 mg per ml, 3 ml		5		<b>Hypnovel</b> Pfizer
	(19.64)			Plizer
IITRAZEPAM	0.00	100		
Tab 5 mg	(	100		Nitrados
‡ Safety cap for extemporaneously compounded oral liq	(4.98) uid preparations			INITIAU05
EMAZEPAM	ula proparations.			
Tab 10 mg	0.83	25	~	Normison
‡ Safety cap for extemporaneously compounded oral liq		20	•	Normison.
RIAZOLAM				
Tab 125 μg	5.10	100		
· · · · · · · · · · · · · · · · · · ·	(6.50)			Hypam
‡ Safety cap for extemporaneously compounded oral liq	uid preparations.			,,
Tab 250 µg	4.10	100		
	(7.20)			Hypam
‡ Safety cap for extemporaneously compounded oral liq	uid preparations.			
OPICLONE				
Tab 7.5 mg	21.02	500	<u> </u>	Apo-Zopiclone
Stimulants/ADHD Treatments				
Stimulants/ADHD treatments				
TOMOXETINE - Special Authority see SA0951 on the next p				o
Cap 10 mg		28		Strattera
Cap 18 mg		28 28		Strattera Strattera
Cap 25 mg Cap 40 mg		28 28	•	Strattera
		28	· · · ·	Sirallera
Cap 60 mg Cap 80 mg		28 28		Strattera Strattera

Subsidy (Manufacturer's Price) \$	Sub: Per	Fully sidised	Brand or Generic Manufacturer	

#### ➡SA0951 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
  - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk: or
  - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
  - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamphetamine sulphate tablets.

DEXAMPHETAMINE SULPHATE - Special Authority see SA0907 below - Retail pharmacy

Only on a controlled drug form			
Tab 5 mg	16.50	100	🖌 PSM

### ►SA0907 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over - new patients) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Both:
    - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 vears and has recommended treatment for the patient; and
    - 3.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients 5 or over - patient has had an approval for dexamphetamine for ADHD prior to 1 April 2008) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment: and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist: or
  - 2.2 Both:
    - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 2.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients under 5 - new patients) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria: Both:

1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (ADHD in patients under 5 - patient has had an approval for dexamphetamine for ADHD in patients under 5 prior to 1 April 2008) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Narcolepsy – new patients) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Initial application — (Narcolepsy - patient has had an approval for dexampletamine for narcolepsy prior to 1 April 2008) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or

2.2 Both:

- 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
- 2.2.2 Provide name of the recommending specialist.

Note: If the patient had an approval for dexampletamine for ADHD prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for dexamphetamine for ADHD in patients under 5 prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

**Renewal** — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for dexampletamine for narcolepsy prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

METHYLPHENIDATE HYDROCHLORIDE - Special Authority see SA0908 below - Retail pharmacy

Only on a controlled drug form			
Tab immediate-release 5 mg	3.20	30	Rubifen
Tab immediate-release 10 mg		30	Ritalin
-			Rubifen
Tab immediate-release 20 mg	7.85	30	Rubifen
Tab sustained-release 20 mg		30	Rubifen SR
	50.00	100	Ritalin SR

#### ►SA0908 Special Authority for Subsidy

**Initial application** — (ADHD in patients 5 or over – new patients) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or

Subsidy		Fully	Brand or
(Manufacturer's Price)	S	Subsidised	Generic
\$	Per	~	Manufacturer

continued...

3.2 Both:

- 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
- 3.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients 5 or over - patient has had an approval for methylphenidate for ADHD prior to 1 April 2008) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 Either:

2.1 Applicant is a paediatrician or psychiatrist; or

2.2 Both:

- 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
- 2.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients under 5 – new patients) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (ADHD in patients under 5 - patient has had an approval for methylphenidate for ADHD in patients under 5 prior to 1 April 2008) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Narcolepsy – new patients) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Initial application — (Narcolepsy - patient has had an approval for methylphenidate for narcolepsy prior to 1 April 2008) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

**Renewal — (ADHD in patients 5 or over)** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

### Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Both:
    - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 2.2.2 Provide name of the recommending specialist.

Note: If the patient had an approval for methylphenidate for ADHD prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for methylphenidate for ADHD in patients under 5 prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: If the patient had an approval for methylphenidate for narcolepsy prior to 1 April 2008 the applicant is required to submit a fresh initial application in the first instance, not a renewal application. Please phone the Contact Centre on 0800 243 666 for clarification if needed.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE	- Special Authority	see S/	A0924 bel	ow – Retail pharmacy
Only on a controlled drug form				
Tab extended-release 18 mg		30	<b>v</b> (	Concerta
Tab extended-release 27 mg	65.44	30	<b>v</b> (	Concerta
Tab extended-release 36 mg	71.93	30	<b>v</b> (	Concerta
Tab extended-release 54 mg		30	V (	Concerta
Cap modified-release 10 mg		30	🖌 F	Ritalin LA
Cap modified-release 20 mg		30	🖌 F	Ritalin LA
Cap modified-release 30 mg		30	🖌 F	Ritalin LA
Cap modified-release 40 mg		30	🖌 F	Ritalin LA

### SA0924 Special Authority for Subsidy

**Initial application** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Both:
    - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 3.2.2 Provide name of the recommending specialist; and
- 4 Either:
  - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or compliance difficulties; or
  - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

**Renewal** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Both:
    - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
    - 2.2.2 Provide name of the recommending specialist.

### **Treatments for Dementia**

DONEPEZIL HYDROCHLORIDE * Tab 5 mg7.71	90	✓ Donepezil-Rex
* Tab 10 mg14.06	90	Donepezil-Rex
Treatments for Opioid Overdose		
a) Up to 5 inj available on a PSO b) Only on a PSO		

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Treatments for Substance Dependence				
BUPROPION HYDROCHLORIDE Tab modified-release 150 mg	65.00	30	🗸 Zy	yban
DISULFIRAM Tab 200 mg	24.30	100	🖌 Ai	ntabuse
NALTREXONE HYDROCHLORIDE – Special Authority see SA090 Tab 50 mg		armacy 30	∕ ✔ Re	eVia

### ➡SA0909 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

Renewal from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
  - 2.1 Patient is still unstable and requires further treatment; or
  - 2.2 Patient achieved significant improvement but requires further treatment; or
  - 2.3 Patient is well controlled but requires maintenance therapy.

The patient may not have had more than 1 prior approval in the last 12 months.

VARENICLINE TARTRATE - Special Authority see SA1054 below - Retail pharmacy

Tab 1 mg	28	Champix
135.48	56	Champix
Tab 0.5 mg $\times$ 11 and 1 mg $\times$ 1460.48	1 OP	<ul> <li>Champix</li> </ul>

### SA1054 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and

3 Either:

- 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
- 3.2 The patient has tried but failed to quit smoking using bupropion or nortriptyline; and
- 4 The patient has not used funded varenicline in the last 12 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 6 The patient is not pregnant.

Renewal from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully idised	Brand or Generic Manufacturer
<ul> <li>continued</li> <li>3 The patient has not used funded varenicline in the last 12</li> <li>4 Varenicline is not to be used in combination with other pl agreed to this; and</li> <li>5 The patient is not pregnant.</li> <li>Note: The patient may not have had more than 1 prior approval</li> </ul>	harmacological smoki	C C	n treati	ments and the patient has
Nicotine Gum				
NICOTINE a) Maximum of 768 piece per prescription b) Maximum of 384 piece per dispensing c) For the avoidance of doubt Nicotine will not be funded Clo d) The maximum of 384 piece per dispensing cannot be wai Gum 2 mg (Fruit) Gum 2 mg (Mint)	ved via Access Exemp 14.97 23.41		a. ✔ <u>H</u> ✔N	s. <u>abitrol</u> icotinell <u>abitrol</u>
Gum 4 mg (Fruit)	23.41 20.02 23.41	96 OP	<b>∨</b> <u>н</u>	icotinell <u>abitrol</u> icotinell
Gum 4 mg (Mint)	20.02 23.41	96 OP		<u>abitrol</u> icotinell
(Nicotinell Gum 2 mg (Fruit) to be delisted 1 January 2011) (Nicotinell Gum 2 mg (Mint) to be delisted 1 January 2011) (Nicotinell Gum 4 mg (Fruit) to be delisted 1 January 2011) (Nicotinell Gum 4 mg (Mint) to be delisted 1 January 2011)	20.71		+ N	
Nicotine Lozenge				
NICOTINE a) Maximum of 432 loz per prescription b) Maximum of 216 loz per dispensing c) For the avoidance of doubt Nicotine will not be funded Clo d) The maximum of 216 loz per dispensing cannot be waive Lozenge 1 mg	d via Access Exemption			s. abitrol

Lozenge 1 mg	 36 OP	Habitrol
Lozenge 2 mg	 36 OP	✓ <u>Habitrol</u>

# **Nicotine Patch**

## NICOTINE

- a) Maximum of 56 patch per prescription
- b) Maximum of 28 patch per dispensing
- c) For the avoidance of doubt Nicotine will not be funded Close Control in amounts less than 4 weeks.
   d) The maximum of 28 patch per dispansing cannot be waived via Access Exemption Criteria

<ul> <li>d) The maximum of 28 patch per dispensing cann</li> </ul>	ot be waived via Access Exe	mption Criter	ia.
Patch 7 mg		7 OP	Habitrol
Patch 14 mg	11.63	7 OP	✓ Habitrol
Patch 21 mg		7 OP	Habitrol

# ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully sidised	Brand or Generic Manufacturer
Chemotherapeutic Agents				
Alkylating Agents				
BUSULPHAN – PCT – Retail pharmacy-Specialist				
Tab 2 mg	47.89	100	🖌 My	leran
CARBOPLATIN – PCT only – Specialist				
Inj 10 mg per ml, 5 ml		1		rboplatin Ebewe
Inj 10 mg per ml, 15 ml		1		rboplatin Ebewe
Inj 10 mg per ml, 45 ml		1		rboplatin Ebewe
Inj 10 mg per ml, 100 ml		1		rboplatin Ebewe
Inj 1 mg for ECP	0.15	1 mg	🖌 Ba	xter
CARMUSTINE – PCT only – Specialist				
Inj 100 mg		1	🖌 Bi	CNU
Inj 100 mg for ECP		100 mg OP	🖌 Ba	xter
CHLORAMBUCIL – PCT – Retail pharmacy-Specialist		5		
Tab 2 mg	20.35	25		ukeran FC
•		25	₽ Le	
CISPLATIN – PCT only – Specialist				
Inj 1 mg per ml, 50 ml	15.00	1	🖌 Ci	splatin Ebewe
	19.00		🖌 Ma	iyne
Inj 1 mg per ml, 100 ml	21.00	1	🖌 Ci	splatin Ebewe
	38.00		🖌 Ma	iyne
Inj 1 mg for ECP	0.27	1 mg	🖌 Ba	xter
CYCLOPHOSPHAMIDE				
Tab 50 mg - PCT - Retail pharmacy-Specialist	25 71	50	CV	cloblastin
Inj 1 g – PCT – Retail pharmacy-Specialist		1		doxan
	127.80	6		toxan
Inj 2 g – PCT only – Specialist		1		doxan
Inj 1 mg for ECP – PCT only – Specialist		1 mg	✓ Ba	
, , , ,		9	• -•	
FOSFAMIDE – PCT only – Specialist	~~~~			
lnj 1 g		1	✓ Ho	
lnj 2 g		_1	Ho	
Inj 1 mg for ECP	0.10	1 mg	🗸 Ba	xter
LOMUSTINE – PCT only – Specialist				
Cap 10 mg		20	🖌 Ce	eNU
Cap 40 mg		20	🖌 Ce	eNU
MELPHALAN				
Tab 2 mg – PCT – Retail pharmacy-Specialist	31 31	25	🖌 All	oran
Inj 50 mg – PCT only – Specialist		1		
, , , ,				(viuii
OXALIPLATIN – PCT only – Specialist – Special Authority se			4.5	
Inj 50 mg		1		aliplatin Ebewe
	200.00		🖌 Ele	
Inj 100 mg	110.00	1		aliplatin Ebewe
	400.00		🖌 Ele	
Inj 1 mg for ECP	1.20	1 mg	🖌 Ba	xter

Subsidy	ice)	Fully	Brand or
(Manufacturer's Pri		Subsidised	Generic
\$	Per	~	Manufacturer

### SA0900 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Fither:

1 Both:

- 1.1 The patient has metastatic colorectal cancer; and
- 1.2 To be used for first or second line use as part of a combination chemotherapy regimen; or

2 Both:

- 2.1 The patient has stage III (Duke's C) colorectal\* cancer; and
- 2.2 Adjuvant oxaliplatin to be given in combination with a fluoropyrimidine (fluorouracil or capecitabine).

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

1 The patient requires continued therapy; or

2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with \* are Unapproved Indications, oxaliplatin is indicated for adjuvant treatment of stage III (Duke's C) colon cancer after complete resection of the primary tumour.

THIOTEPA – PCT only – Specialist

lnj 15 mgCBS	1	✓ Bedford S29
Antimetabolites		
CALCIUM FOLINATE		
Tab 15 mg – PCT – Retail pharmacy-Specialist63.89	10	Mayne
Inj 3 mg per ml, 1 ml – PCT – Retail pharmacy-Specialist	5	Mayne
Inj 50 mg – PCT – Retail pharmacy-Specialist24.50	5	Calcium Folinate Ebewe
Inj 100 mg – PCT only – Specialist9.75	1	<ul> <li>Calcium Folinate</li> <li>Ebewe</li> </ul>
Inj 300 mg – PCT only – Specialist	1	<ul> <li>Calcium Folinate</li> <li>Ebewe</li> </ul>
Inj 1 g – PCT only – Specialist90.00	1	<ul> <li>Calcium Folinate</li> <li>Ebewe</li> </ul>
Inj 1 mg for ECP – PCT only – Specialist0.10	1 mg	✓ Baxter
CAPECITABINE - Retail pharmacy-Specialist - Special Authority see SA1049 be	low	
Tab 150 mg115.00	60	Xeloda
Tab 500 mg705.00	120	✓ Xeloda

#### ➡SA1049 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has advanced gastrointestinal malignancy; or
- 2 The patient has metastatic breast cancer; or
- 3 The patient has stage III (Duke's stage C) colorectal\*# cancer and undergone surgery; or
- 4 Both:
  - 4.1 The patient has stage II (Dukes' stage B) colorectal\* cancer and has undergone surgery; and
  - 4.2 Any of the following:
    - 4.2.1 The patient has stage T4 disease; or
    - 4.2.2 The patient has vascular invasion; or

	Subsidy (Manufacturer's	Price) Sub	Fully	Brand or Generic
	\$	Per	~	Manufacturer
continued				
4.2.3 Fewer than 10 lymph nodes were examin	ed at resection; or			
5 All of the following:				
5.1 The patient has locally advanced (clinically or ra	diologically staged	T3/T4: N0,1,2)	rectal c	ancer; and
5.2 Surgery is planned; and	line and			
<ul><li>5.3 Capecitabine to be given prior to surgery (neoac</li><li>5.4 Capecitabine to be given at a maximum dose of</li></ul>		daily in combi	nation v	with radiation thorapy for
maximum of 6 weeks; or	n ozo mg/m twice	ally in combi		nui radiation trierapy ioi
6 Both:				
6.1 The patient has poor venous access or needle p	hobia*; and			
6.2 The patient requires a substitute for single agen				
Note: Indications marked with * are Unapproved Indications, #				
Renewal only from a relevant specialist or medical practitione	r on the recommen	dation of a relev	vant spe	ecialist. Approvals valid for
12 months for applications meeting the following criteria:				
Either:				
<ol> <li>The patient requires continued therapy; or</li> <li>The tumour has relapsed and requires re-treatment.</li> </ol>				
CLADRIBINE – PCT only – Specialist Inj 2 mg per ml, 5 ml	873.00	1	<b>1</b> 1	itak S29
Inj 1 mg per ml, 10 ml		7		eustatin
Inj 10 mg for ECP		10 mg OP		axter
CYTARABINE		5		
Inj 100 mg – PCT – Retail pharmacy-Specialist	76.00	5	🖌 P	fizer
	80.00	Ũ		ayne
Inj 500 mg – PCT – Retail pharmacy-Specialist		1	V P	•
	95.36	5	🖌 M	ayne
Inj 1 g – PCT – Retail pharmacy-Specialist		1	<b>/</b> P	
	42.65			ayne
Inj 2 g – PCT – Retail pharmacy-Specialist		1	P	
Inj 1 mg for ECP – PCT only – Specialist	34.47	10 mg		ayne axter
Inj 100 mg intrathecal syringe for ECP – PCT only – Specialist		100 mg OP		axter
	101101	roo nig or	• 0	
LUDARABINE PHOSPHATE – PCT only – Specialist Tab 10 mg	967.00	20		ludara Oral
Inj 50 mg		5		ludara
Inj 50 mg for ECP		50 mg OP		axter
FLUOROURACIL SODIUM		5 5 5		
Inj 50 mg per ml, 10 ml – PCT only – Specialist	26.25	5	🖌 F	uorouracil Ebewe
Inj 50 mg per ml, 20 ml – PCT only – Specialist		1		luorouracil Ebewe
Inj 25 mg per ml, 100 ml - PCT only - Specialist		1		ayne
Inj 50 mg per ml, 50 ml - PCT only - Specialist		1	🖌 F	uorouracil Ebewe
Inj 50 mg per ml, 100 ml – PCT only – Specialist		1		uorouracil Ebewe
Inj 1 mg for ECP – PCT only – Specialist	0.77	100 mg	🗸 В	axter
GEMCITABINE HYDROCHLORIDE - PCT only - Specialist	- Special Authority	see SA1012 o	n the ne	ext page
lnj 1 g		1		emcitabine Ebewe
1.1000	349.20			emzar
Inj 200 mg		1		emcitabine Ebewe
Inj 1 mg for ECP	78.00	1 ma		emzar
III I IIY IVI EUP	0.07	1 mg	V B	axter

Subsidy (Manufacturer's Pric	ce)	Fully Subsidised	Brand or Generic	
\$	Per	r 🖌	Manufacturer	

## SA1012 Special Authority for Subsidy

Initial application — (Hodgkin's Disease) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has Hodgkin's Disease\*; and
- 2 Any of the following:
  - 2.1 Disease has failed to respond to second-line salvage chemotherapy treatment; or
  - 2.2 Disease has relapsed following transplant; or
  - 2.3 The patient is unsuitable for, or intolerant to, second-line salvage chemotherapy or high dose chemotherapy and transplant; and
- 3 Gemcitabine to be given for a maximum of 6 treatment cycles.

Initial application — (T-Cell Lymphoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has T-cell Lymphoma\*; and
- 2 Gemcitabine to be given for a maximum of 6 treatment cycles.

Initial application — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 1 The patient has non small cell lung carcinoma (stage Illa, or above); or
- 2 The patient has advanced malignant mesothelioma; or
- 3 The patient has advanced pancreatic carcinoma; or
- 4 The patient has ovarian, fallopian tube\* or primary peritoneal carcinoma\*; or
- 5 The patient has advanced transitional cell carcinoma of the urothelial tract (locally advanced or metastatic).

Renewal — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with a \* are Unapproved Indications.

IRINOTECAN – PCT only – Specialist – Special Authority see SA0878 below		
Inj 20 mg per ml, 2 ml41.00	1	Camptosar
		Irinotecan-Rex
Inj 20 mg per ml, 5 ml100.00	1	Camptosar
		Irinotecan-Rex
Inj 1 mg for ECP1.04	1 mg	Baxter
	Ũ	

## SA0878 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 The patient has metastatic colorectal cancer; and

2 Either:

- 2.1 To be used for first or second line use as part of a combination chemotherapy regimen; or
- 2.2 As single agent chemotherapy in fluropyrimidine-relapsed disease.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- Either:
  - 1 The patient requires continued therapy; or
  - 2 The tumour has relapsed and requires re-treatment.

MERCAPTOPURINE - PCT - Retail pharmacy-Specialist

Tab 50 mg47.06	25	<ul> <li>Purinethol</li> </ul>

	Subsidy		Fully Brand or
	(Manufacturer's		sidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
METHOTREXATE			
* Tab 2.5 mg – PCT – Retail pharmacy-Specialist	5.22	30	✓ Methoblastin
* Tab 10 mg – PCT – Retail pharmacy-Specialist	40.93	50	Methoblastin
* Inj 2.5 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist.		5	🖌 Mayne
* Inj 25 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist.		5	✓ Hospira
* Inj 25 mg per ml, 20 ml - PCT - Retail pharmacy-Specialist		1	✓ Hospira
Inj 100 mg per ml, 10 ml – PCT – Retail pharmacy-Specialis		1	Methotrexate Ebewe
Inj 100 mg per ml, 50 ml – PCT – Retail pharmacy-Specialist		1	Methotrexate Ebewe
<ul> <li>Inj 1 mg for ECP – PCT only – Specialist</li> <li>Inj 5 mg intrathecal syringe for ECP – PCT only – Specialist</li> </ul>		1 mg 5 mg OP	<ul> <li>Baxter</li> <li>Baxter</li> </ul>
, , , , , , , ,	4.73	5 Hig OF	
THIOGUANINE – PCT – Retail pharmacy-Specialist	07.40	05	
Tab 40 mg	97.16	25	Lanvis
Other Cytotoxic Agents			
AMSACRINE – PCT only – Specialist	CDC	6	✓ Amsidine S29
Inj 75 mg			
ANAGRELIDE HYDROCHLORIDE - PCT only - Specialist - S			
Cap 0.5 mg	CBS	100	Agrylin S29
➡SA0879 Special Authority for Subsidy			V Teva S29
Both: 1 The patient has primary thrombocythaemia; and 2 Either: 2.1 is at high risk (previous thromboembolic disease, bl 2.2 is intolerant or refractory to hydroxyurea or interfero	0 1	et count >1500/r	nl); or
Renewal only from a relevant specialist or medical practitioner or 12 months where the treatment remains appropriate and the patie Note: It is recommended that treatment with anagrelide be initiate ARSENIC TRIOXIDE – PCT only – Specialist	n the recommend ent is benefiting ed only on the re	from treatment.	
Inj 10 mg	4,817.00	10	✓ AFT \$29
BLEOMYCIN SULPHATE – PCT only – Specialist			
Inj 15,000 iu	120.00	1	<ul> <li>DBL Bleomycin Sulfate</li> </ul>
Inj 1,000 iu for ECP	9.28	1,000 iu	✓ Baxter
COLASPASE (L-ASPARAGINASE) - PCT only - Specialist			
Inj 10,000 iu		1	Leunase
Inj 10,000 iu for ECP	102.32	10,000 iu OP	Baxter
DACARBAZINE – PCT only – Specialist			
Inj 200 mg		1	Hospira
Inj 200 mg for ECP		200 mg OP	✓ Baxter
DACTINOMYCIN (ACTINOMYCIN D) - PCT only - Specialist			
Inj 0.5 mg	13.52	1	<ul> <li>Cosmegen</li> </ul>
Inj 0.5 mg for ECP		0.5 mg OP	✓ Baxter

(	Subsidy Manufacturer's Pri \$	ce) Su Per	Fully ubsidised	Brand or Generic Manufacturer
DAUNORUBICIN – PCT only – Specialist				
Inj 2 mg per ml, 10 ml	118.72	1	🖌 P	fizer S29
Inj 5 mg per ml, 4 ml		1	V N	layne
Inj 20 mg for ECP	118.72	20 mg OP	🖌 В	axter
DOCETAXEL - PCT only - Specialist - Special Authority see SAG	880 below			
Inj 20 mg	325.00	1	V D	ocetaxel Ebewe
	460.00		🖌 T	axotere
Inj 80 mg	1,300.00	1	🖌 D	ocetaxel Ebewe
	1,650.00		🖌 🖌 T	axotere
Inj 1 mg for ECP	17.55	1 mg	🖌 В	axter

## ➡SA0880 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

1 Both:

- 1.1 The patient has ovarian\*, fallopian\* or primary peritoneal cancer\*; and
- 1.2 Either:
  - 1.2.1 Has not received prior chemotherapy; or
  - 1.2.2 Has received prior chemotherapy but has not previously been treated with taxanes; or
- 2 The patient has metastatic breast cancer; or
- 3 Both:
  - 3.1 The patient has early breast cancer; and
  - 3.2 Docetaxel is to be given concurrently with trastuzumab; or
- 4 Both:
  - 4.1 The patient has non small-cell lung cancer; and
  - 4.2 Either:
    - 4.2.1 Has advanced disease (stage IIIa or above); or
    - 4.2.2 Is receiving combined chemotherapy and radiotherapy; or
- 5 Both:
  - 5.1 The patient has small-cell lung cancer\*; and
  - 5.2 Docetaxel is to be used as second-line therapy.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 The patient has metastatic breast cancer, non small-cell lung cancer, or small-cell lung cancer\*; and

- 2 Either:
  - 2.1 The patient requires continued therapy; or
  - 2.2 The tumour has relapsed and requires re-treatment.

Note: indications marked with \* are Unapproved Indications.

## DOXORUBICIN - PCT only - Specialist

Inj 10 mg10.00	1	Doxorubicin Ebewe
Inj 50 mg40.00	1	Doxorubicin Ebewe
Inj 100 mg80.00	1	Doxorubicin Ebewe
Inj 200 mg	1	Doxorubicin Ebewe
Inj 1 mg for ECP0.88	1 mg	Baxter

	(		Ful Subsidise	d Generic
	\$	Per		<ul> <li>Manufacturer</li> </ul>
PIRUBICIN – PCT only – Specialist	05.00			
Inj 2 mg per ml, 5 ml		1		Epirubicin Ebewe
Inj 2 mg per ml, 25 ml		1		Epirubicin Ebewe
Inj 2 mg per ml, 50 ml		1		Epirubicin Ebewe
Inj 2 mg per ml, 100 ml		1		Epirubicin Ebewe
Inj 1 mg for ECP	1.80	1 mg	V	Baxter
OPOSIDE				
Cap 50 mg - PCT - Retail pharmacy-Specialist		20	V	Vepesid
Cap 100 mg - PCT - Retail pharmacy-Specialist		10	V	Vepesid
Inj 20 mg per ml, 5 ml - PCT - Retail pharmacy-Specialis		1	V	Mayne
	612.20	10	V	Vepesid
Inj 1 mg for ECP – PCT only – Specialist	0.30	1 mg	V	Baxter
OPOSIDE PHOSPHATE – PCT only – Specialist		Ũ		
Inj 100 mg (of etoposide base)	40.00	1	1	Etopophos
Inj 1 mg (of etoposide base) for ECP				Baxter
	0.47	1 mg	•	Daxlei
DROXYUREA – PCT – Retail pharmacy-Specialist				
Cap 500 mg	31.76	100	~	Hydrea
ARUBICIN HYDROCHLORIDE – PCT only – Specialist				
Cap 5 mg	115.00	1	~	Zavedos
Cap 10 mg		1		Zavedos
Inj 5 mg		1	· · · ·	Zavedos
Inj 10 mg		1		Zavedos
Inj 1 mg for ECP		1 mg		Baxter
		ring	•	Buxton
SNA – PCT only – Specialist	040.05			
Tab 400 mg		50	-	Uromitexan
Tab 600 mg		50		Uromitexan
Inj 100 mg per ml, 4 ml		15		Uromitexan
Inj 100 mg per ml, 10 ml		15	· · · ·	Uromitexan
Inj 1 mg for ECP	2.29	100 mg	V	Baxter
TOMYCIN C – PCT only – Specialist				
Inj 2 mg		10	V	Mitomycin-C S29
lnį 5 mg	72.75	1	V	Arrow S29
Inj 10 mg		5	V	Mitomycin-C S29
Inj 1 mg for ECP	16.13	1 mg	V	Baxter
OZANTRONE – PCT only – Specialist		•		
Inj 2 mg per ml, 5 ml	110.00	1		Mitozantrone Ebewe
Inj 2 mg per ml, 10 ml		1		Mitozantrone Ebewe
		1		
Inj 2 mg per ml, 12.5 ml		-		Onkotrone
Inj 1 mg for ECP		1 mg	v	Baxter
CLITAXEL – PCT only – Specialist				
Inj 30 mg	137.50	5	~	Paclitaxel Ebewe
Inj 100 mg	91.67	1	~	Paclitaxel Ebewe
Inj 150 mg		1	~	Paclitaxel Ebewe
Inj 300 mg	275.00	1	~	Paclitaxel Ebewe
Inj 600 mg		1	~	Paclitaxel Ebewe
Inj 1 mg for ECP	1.02	1 mg	~	Baxter
NTOSTATIN (DEOXYCOFORMYCIN) – PCT only – Specia	alist	5		
		1	1	Ninent coo
Inj 10 mg		1	V	Nipent S29

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PROCARBAZINE HYDROCHLORIDE – PCT only – Specialist Cap 50 mg	225.00	50	<b>~</b> 1	Natulan S29
TEMOZOLOMIDE - Special Authority see SA1063 below - Retai	l pharmacy			
Cap 5 mg		5	<b>v</b> 1	lemodal
Cap 20 mg		5	<b>v</b> 1	lemodal
Cap 100 mg	840.00	5	<b>v</b> 1	<b>Femodal</b>
Cap 250 mg		5	<b>v</b> 1	lemodal

## SA1063 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 10 months for applications meeting the following criteria: All of the following:

1 Either:

1.1 Patient has newly diagnosed glioblastoma multiforme; or

- 1.2 Patient has newly diagnosed anaplastic astrocytoma\*; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of six cycles of 5 days treatment, at a maximum dose of 200 mg/m<sup>2</sup>.

Notes: Indication marked with a \* is an Unapproved Indication. Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme. Reapplications will not be approved.

Studies of temozolomide show that its benefit is predominantly in those patients with a good performance status (WHO grade 0 or 1 or Karnofsky score >80), and in patients who have had at least a partial resection of the tumour.

THALIDOMIDE - PCT only - Specialist - Special Authority see SA0882 below

Only on a controlled drug form		
Cap 50 mg	.00 28	Thalidomide
		Pharmion

## ➡SA0882 Special Authority for Subsidy

**Initial application** — (for new patients) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has refractory, progressive or relapsed multiple myeloma; and
- 2 The patient has received prior chemotherapy.

Initial application — (for patients receiving thalidomide prior to 1 January 2006) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient was receiving treatment with thalidomide for multiple myeloma on or before 31 December 2005.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

TRETINOIN

Cap 10 mg435.90	100	<ul> <li>Vesanoid</li> </ul>
VINBLASTINE SULPHATE		
Inj 10 mg – PCT – Retail pharmacy-Specialist	1	Mayne
137.50	5	Mayne
Inj 1 mg for ECP – PCT only – Specialist	1 mg	<ul> <li>Baxter</li> </ul>
VINCRISTINE SULPHATE		
Inj 1 mg per ml, 1 ml – PCT – Retail pharmacy-Specialist	5	Hospira
Inj 1 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist	5	Hospira
Inj 1 mg for ECP – PCT only – Specialist	1 mg	<ul> <li>Baxter</li> </ul>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
VINORELBINE - PCT only - Specialist - Special Authority see	SA1013 below			
Inj 10 mg per ml, 1 ml		1	🖌 N	avelbine
	42.00		🖌 Vi	inorelbine Ebewe
Inj 10 mg per ml, 5 ml		1	🖌 N	avelbine
	210.00		🖌 Vi	inorelbine Ebewe
Inj 1 mg for ECP	2.71	1 mg	🖌 B	axter

## SA1013 Special Authority for Subsidy

**Initial application** — (Hodgkin's Disease) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has Hodgkin's Disease\*; and
- 2 Any of the following:
  - 2.1 Disease has failed to respond to second-line salvage chemotherapy treatment; or
  - 2.2 Disease has relapsed following transplant; or
  - 2.3 The patient is unsuitable for, or intolerant to, second-line salvage chemotherapy or high dose chemotherapy and transplant; and
- 3 Vinorelbine to be given for a maximum of 6 treatment cycles.

**Initial application** — **(T-Cell Lymphoma)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- Both:
  - 1 The patient has T-cell Lymphoma\*; and
  - 2 Vinorelbine to be given for a maximum of 6 treatment cycles.

**Initial application** — **(Other indications)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has metastatic breast cancer; or
- 2 The patient has non-small cell lung cancer (stage Illa, or above); or
- 3 All of the following:
  - 3.1 The patient has stage IB-IIIA non-small cell lung cancer; and
  - 3.2 Vinorelbine is to be given as adjuvant treatment in combination with cisplatin; and
  - 3.3 The patient has good performance status (WHO/ECOG grade 0-1).

**Renewal** — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

1 The patient requires continued therapy; or

2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with a \* are Unapproved Indications.

## **Protein-tyrosine Kinase Inhibitors**

DASATINIB - Special Authority see SA0976 on the next page

Tab 20 mg3,774.06	60	Sprycel
Tab 50 mg6,214.20	60	Sprycel
Tab 70 mg7,692.58	60	Sprycel
Tab 100 mg6,214.20	30	Sprycel

	Subsidy (Manufacturer's Price \$	) Subsi Per	Fully dised	Brand or Generic Manufacturer
SA0976 Special Authority for Subsidy				
Special Authority approved by the CML/GIST Co-ordinator				d and a dather should be
Notes: Application details may be obtained from PHARM	IAC's website http://www.pl	narmac.govt.	nz, an	d prescriptions should be
Sent to: The CML/GIST Co-ordinator Phone: (04) 460 4990				
PHARMAC Facsimile: (04) 916 757	71			
PO Box 10 254 Email: mary.chesterfie				
Wellington	<u> </u>			
Special Authority criteria for CML - access by applicat	ion			
a) Funded for patients with diagnosis (confirmed by	a haematologist) of a chro	nic myeloid I	eukae	mia (CML) in blast crisis,
accelerated phase, or in chronic phase.				
b) Maximum dose of 140 mg/day for accelerated or bl	ast phase, and 100 mg/day	for chronic p	hase C	CML.
c) Subsidised for use as monotherapy only.				
d) Initial approvals valid seven months.	and an all the shares with	The Content		- 1' ( - ft
e) Subsequent approval(s) are granted on application				
should provide details of the haematological respo sponse after 14-18 months from initiating therapy. A				
and cytogenetic response if such data is available.				
a haematologist or an oncologist.	repriorito to bo made an	a oubooquon	r proot	
Note: Dasatinib is indicated for the treatment of adults wit	h chronic, accelerated or bla	ast phase CM	/L with	resistance or intolerance
o prior therapy including imatinib.				
Guideline on discontinuation of treatment for patients	with CML			
a) Prescribers should consider discontinuation of trea			erapy,	a patient did not obtain a
haematological response as defined as any one of	•			
1) complete haematologic response (as chara				
> 100 $\times$ 10 <sup>9</sup> /L, absence of peripheral blo	· · ·	ow (BM) bla	sts <	5% (or FISH Ph+ 0-35%
metaphases), and absence of extramedullar 2) no evidence of leukaemia (as characterised		ount (ANC)	. 10.	$\times 10^9$ /L platolate > 20 $\times$
10 <sup>9</sup> /L, absence of peripheral blood (PB) bla and absence of extramedullary disease); or				
3) return to chronic phase (as characterised by	BM and PB blasts < 15%	RM and PR h	lasts a	and promyelocytes $< 30\%$
PB basophils < 20% and absence of extram				
b) Prescribers should consider discontinuation of trea	,			, a patient did not obtain a
major cytogenetic response defined as 0-35% Ph+	metaphases.	0		
ERLOTINIB HYDROCHLORIDE – Retail pharmacy-Spec	cialist – Special Authority se	e SA1044 be	elow	
Tab 100 mg		30	🖌 Ta	irceva
Tab 150 mg		30	🖌 Ta	irceva
SA1044 Special Authority for Subsidy				
nitial application only from a relevant specialist or medic	al practitioner on the recom	mendation of	f a rele	evant specialist. Approvals
ralid for 4 months for applications meeting the following cr	iteria:			
All of the following:				
1 Patient has advanced, unresectable, Non Small Ce				
2 Patient has documented disease progression follow	•	platinum bas	ed che	emotherapy; and
3 Erlotinib is to be given for a maximum of 3 months.		n of a ralava	nt ono	vialist Approvale valid for
Renewal only from a relevant specialist or medical practit 6 months where radiological assessment (preferably inclu-	ding CT scan) indicates NS			
MATINIB MESYLATE – Special Authority see SA0643 or				
Tab 100 mg	2,400.00	60	🖌 GI	livec

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

#### ➡SA0643 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <u>http://www.pharmac.govt.nz</u>, and prescriptions should be sent to:

The CML/GIST Co-ordinator	Phone: (04) 460 4990
PHARMAC	Facsimile: (04) 916 7571
PO Box 10 254	Email: mary.chesterfield@pharmac.govt.nz

Wellington

#### Special Authority criteria for CML – access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 600 mg/day for accelerated or blast phase, and 400 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

#### Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if after 6 months from initiating therapy a patient did not obtain a haematological response as defined as any one of the following three levels of response:
  - 1) complete haematologic response (as characterised by an absolute neutrophil count (ANC) >  $1.5 \times 10^9$ /L, platelets >  $100 \times 10^9$ /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - 2) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) >  $1.0 \times 10^9$ /L, platelets >  $20 \times 10^9$ /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).</li>
- b) Prescribers should consider discontinuation of treatment if after 18 months from initiating therapy a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

## Special Authority criteria for GIST - access by application

- a) Funded for patients:
  - with a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST); and
  - 2) who have immunohistochemical documentation of c-kit (CD117) expression by the tumour.
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

#### SUNITINIB – Special Authority see SA1055 on the next page – Retail pharmacy

Cap 12.5 mg	 28	Sutent
Cap 25 mg	 28	<ul> <li>Sutent</li> </ul>
Cap 50 mg	 28	<ul> <li>Sutent</li> </ul>

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

## SA1055 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Either:
  - 2.1 The patient is sunitinib treatment naive; or
  - 2.2 The patient received sunitinib prior to 1 November 2010 and disease has not progressed; and
- 3 The patient has good performance status (WHO/ECOG grade 0-1); and
- 4 The disease is of predominant clear cell histology; and
- 5 The patient has intermediate or poor prognosis based on the NCCN clinical practice guidelines for kidney cancer; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.
- Notes: Sunitinib treatment should be stopped if disease progresses.

NCCN clinical practice guidelines for kidney cancer are available at

http://www.nccn.org/professionals/physician\_gls/f\_guidelines.asp

## **Endocrine Therapy**

For GnRH ANALOGUES – refer to HORMONE PREPARATIONS, Trop	hic Hormones, p	bage 79	
BICALUTAMIDE – Special Authority see SA0941 below – Retail pharn Tab 50 mg		30	✓ <u>Bicalox</u>
► SA0941 Special Authority for Subsidy Initial application from any medical practitioner. Approvals valid wit	hout further ren	newal unles	s notified where the patient has
advanced prostate cancer.			
FLUTAMIDE – Retail pharmacy-Specialist			
Tab 250 mg	55.00	100	Flutamin
MEGESTROL ACETATE – Retail pharmacy-Specialist			
Tab 160 mg	57.92	30	Apo-Megestrol
OCTREOTIDE (SOMATOSTATIN ANALOGUE) - Special Authority see	e SA1016 on the	e next page	e – Retail pharmacy
Inj 50 μg per ml, 1 ml	25.65	5	<ul> <li>Hospira</li> </ul>
	43.50		✓ Sandostatin
Inj 100 μg per ml, 1 ml	48.50	5	<ul> <li>Hospira</li> </ul>
	81.00	_	Sandostatin
lnj 500 μg per ml, 1 ml		5	✓ Hospira
	399.00		✓ Sandostatin
Inj LAR 10 mg prefilled syringe1,		1	✓ Sandostatin LAR
Inj LAR 20 mg prefilled syringe2,		1	<ul> <li>Sandostatin LAR</li> <li>Sandostatin LAR</li> </ul>
Inj LAR 30 mg prefilled syringe2,	901.20	I	

Subsidy		Fully	Brand or
(Manufacturer's Price)	S	Subsidised	Generic
\$	Per	~	Manufacturer

## ►SA1016 Special Authority for Subsidy

**Initial application** — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea\* and vomiting\* due to malignant bowel obstruction\*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and
- 3 Octreotide to be given at a maximum dose 1500 µg daily for up to 4 weeks.

Note: Indications marked with \* are Unapproved Indications.

Renewal — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
  - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
  - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed; or
  - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

**Renewal** — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

**Initial application** — **(Other Indications)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 2 Both:
  - 2.1 Gastrinoma; and
  - 2.2 Either:
    - 2.2.1 Patient has failed surgery; or
    - 2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or

3 Both:

- 3.1 Insulinomas; and
- 3.2 Surgery is contraindicated or has failed; or
- 4 For pre-operative control of hypoglycaemia and for maintenance therapy; or

5 Both:

- 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
- 5.2 Disabling symptoms not controlled by maximal medical therapy.

Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item

**Renewal** — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy (Manufacturer's Prio \$	ce) Sub Per	Fully Brand or osidised Generic ✓ Manufacturer
TAMOXIFEN CITRATE			
* Tab 10 mg	10.80	100	🖌 Genox
* Tab 20 mg		60	<ul> <li>Tamoxifen Sandoz</li> </ul>
	11.10	100	✓ Genox
Aromatase Inhibitors			
ANASTROZOLE			
Tab 1 mg		30	Aremed
			<ul> <li>Arimidex</li> </ul>
	29.50		DP-Anastrozole
EXEMESTANE – Additional subsidy by Special Authority see S/ Tab 25 mg		il pharmacy 30	<b>.</b> .
➡SA1000 Special Authority for Alternate Subsidy	(175.00)		Aromasin
<ul> <li>2 Patient has hormone receptor positive breast cancer; and</li> <li>3 Any of the following:         <ul> <li>3.1 The patient was receiving funded exemestane price</li> <li>3.2 The patient has advanced breast cancer and a ver</li> <li>3.3 The patient has advanced breast cancer and diseast</li> </ul> </li> <li>Renewal from any relevant practitioner. Approvals valid without to priate and the patient is benefitting from treatment.</li> </ul>	or to 1 February 201 Ty clear history of int se has progressed fo	olerance to a ollowing treat	ment with anastrozole or letrozole
LETROZOLE			
Tab 2.5 mg		30	✓ Letara
Immunosuppressants			
Cytotoxic Immunosuppressants			
AZATHIOPRINE – Retail pharmacy-Specialist			
* Tab 50 mg		100	Azamun
			<ul> <li>Imuprine</li> </ul>
	(34.90)		Imuran
✤ Inj 50 mg Azamun Tab 50 mg to be delisted 1 January 2011) (Imuran Tab 50 mg to be delisted 1 January 2011)	60.00	1	Imuran
AYCOPHENOLATE MOFETIL - Special Authority see SA1041	on the next name -	Retail nharm	nacy
Dispensing pharmacy should check which brand to dispensi	1 0		5
Tab 500 mg		50	✓ Cellcept
	85.00		✓ Myaccord
Cap 250 mg		100	✓ Cellcept
	85.00		✓ Myaccord
Powder for oral liq 1 g per 5 ml – Subsidy by endorsement		165 ml OP	✓ Cellcept
Mycophenolate powder for oral liquid is subsidised only prescription is endorsed accordingly.		o swallow ta	blets and capsules, and when the

	Subsidy (Manufacturer's Prio \$	ce) Su Per	Fully Ibsidised	Brand or Generic Manufacturer
►SA1041 Special Authority for Subsidy				
Initial application only from a relevant specialist or medical	practitioner on the recor	nmendatio	n of a rele	evant specialist. Approvals
valid without further renewal unless notified for applications n	neeting the following cri	teria:		
Either:				
1 Transplant recipient; or 2 Both:				
2 Doun. Patients with diseases where				
2.1 Steroids and azathioprine have been trialled a	nd discontinued becau	se of unaco	ceptable	side effects or inadequate
clinical response; and			•	
2.2 Either:				
Patients with diseases where				
2.2.1 Cyclophosphamide has been trialled ar clinical response; or	id discontinued becaus	se of unacc	eptable	side effects or inadequate
2.2.2 Cyclophosphamide treatment is contrain	dicated			
Immune Modulators	aloutou			
ANTITHYMOCYTE GLOBULIN (EQUINE) - PCT only - Sp	ecialist			
Inj 50 mg per ml, 5 ml	2,137.50	5	🖌 A	TGAM
BACILLUS CALMETTE-GUERIN (BCG) VACCINE - PCT o	nly – Specialist			
Subsidised only for bladder cancer.				
Inj 2-8 $\times$ 100 million CFU		1	<b>√</b> 0	ncoTICE
RITUXIMAB - PCT only - Specialist - Special Authority se				
Inj 100 mg per 10 ml vial		2		labthera
Inj 500 mg per 50 ml vial		1		labthera
Inj 1 mg for ECP	6.27	1 mg	V B	axter

## ➡SA1050 Special Authority for Subsidy

**Initial application** — (**Post-transplant**) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder\*: and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: Fither

- 1 Both:
  - 1.1 The patient has indolent low grade NHL with relapsed disease following prior chemotherapy; and
  - 1.2 To be used for a maximum of 6 treatment cycles; or
- 2 Both:
  - 2.1 The patient has indolent, low grade lymphoma requiring first-line systemic chemotherapy; and
  - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. Rituximab is not funded for Chronic lymphocytic leukaemia/small lymphocytic lymphoma.

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Fither:

1 All of the following:

1.1 The patient has treatment naive aggressive CD20 positive NHL; and

continued...

	bsidy Ful urer's Price) Subsidise	,
· · · · · · · · · · · · · · · · · · ·	\$ Per •	<ul> <li>Manufacturer</li> </ul>

continued...

1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and

1.3 To be used for a maximum of 8 treatment cycles; or

2 Both:

- 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
- 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Renewal — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

## All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. Rituximab is not funded for Chronic lymphocytic leukaemia/small lymphocytic lymphoma

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

TRASTUZUMAB - PCT only - Specialist - Special Authority see SA1017 below

Inj 150 mg vial1,350.00	1	<ul> <li>Herceptin</li> </ul>
Inj 440 mg vial	1	<ul> <li>Herceptin</li> </ul>
Inj 1 mg for ECP9.36	1 mg	<ul> <li>Baxter</li> </ul>

## ➡SA1017 Special Authority for Subsidy

**Initial application** — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the patient has metastatic breast cancer expressing HER-2 IHC 3+ or FISH+.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has metastatic breast cancer; and
- 2 The cancer has not progressed.

**Initial application** — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria: All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:

continued...

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	

continued...

- 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
- 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
- 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
- 3.4 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Note: For patients with previous Special Authority approvals for a maximum cumulative dose of 20mg/kg (9 weeks treatment) granted after 1 April 2009 the approval period has been extended to allow claims for a maximum cumulative dose of 106mg/kg (12 months treatment).

## Other Immunosuppressants

CYCLOSPORIN			
Cap 25 mg	59.50	50	Neoral
Cap 50 mg1	18.54	50	Neoral
Cap 100 mg2	37.08	50	Neoral
Oral liq 100 mg per ml2	64.17	50 ml OP	Neoral
SIROLIMUS – Special Authority see SA0866 below – Retail pharmacy			
Tab 1 mg	13.00	100	Rapamune
Tab 2 mg	26.00	100	Rapamune
Oral liq 1 mg per ml4	87.80	60 ml OP	Rapamune
THE REPORT OF A LEVEL AND A SHEET AND A SHEET AND			

#### SA0866 Special Authority for Subsidy

**Initial application** from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR<30 ml/min; or
- · Rapidly progressive transplant vasculopathy; or
- · Rapidly progressive obstructive bronchiolitis; or
- HUS or TTP; or
- Leukoencepthalopathy; or
- Significant malignant disease

#### TACROLIMUS - Special Authority see SA0669 below - Retail pharmacy

Cap 0.5 mg214.00	100	Prograf
Cap 1 mg	100	Prograf
Cap 5 mg1,070.00	50	Prograf

#### ■SA0669 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Note: Subsidy applies for either primary or rescue therapy.

Manufacture's Price       Fully       Brand of Generic         Antiallergy Preparations       Subaidabia       Subaidabia         BEE VENOM ALLERGY TREATMENT – Special Authority see SA0053 below – Retail pharmacy       Maintenace         Maintenace kit – Svials 120 up freeze dried venom, 6 diluent       1.8 ml       285.00       1.0 P       ✓ Albay         Treatment kit – 1 vial 50 up freeze dried venom, 1 diluent       285.00       1.0 P       ✓ Albay         ■Sou0303       Special Authority for Subsidy       Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:         Both:       1 RAST or skin test positive; and       2       2 Patient has had severe generalised reaction to the sensitising agent.         Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.       MASP VENOM ALLERGY TREATMENT – Special Authority see SA0053 below – Retail pharmacy         Treatment kit (Paper wasy precialist. Approvals valid for 2 years for applications meeting the following criteria:       Bothay         Petsodala venom, 1 diluent 1.8 ml		0.1.11		
S       Per       ✓       Manufacturer         Antiallergy Preparations         BEE VENOM ALLERGY TREATMENT – Special Authority see SA0053 below – Retail pharmacy         Maintenance kit - 6 vials 120 µg freeze dried venom, 1 diluent       200       1 OP       ✓ Albay         Treatment kit - 1 vial 550 µg freeze dried venom, 1 diluent       285.00       1 OP       ✓ Albay         Imitial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:       Bohn         Bohn       2 Patient has had severe generalised reaction to the sensitising agent.         Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.         WASP VENOM ALLERGY TREATMENT – Special Authority see SA0053 below – Retail pharmacy         Treatment kit (Pater wasp venom) - 1 vial 550 µg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml      285.00       1 OP       ✓ Albay         Periodic Muthority for Subsidy       Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Bohn      285.00       1 OP       ✓ Albay         PSA0053 Special Authority for Subsidy       Intitial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Bohn		Subsidy (Manufacturer's P	rice) Sul	Fully Brand or bsidised Generic
BEE VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Retail pharmacy         Maintenance kit - 6 vials 120 µg freeze dried venom, 6 diluent       1 OP       ✓ Albay         Teatment kit - 1 vial 550 µg freeze dried venom, 1 diluent       285.00       1 OP       ✓ Albay         Image: Solution of the second stress of the second stresecond stresecond stress of the second stress of the				
Maintenance kit - 6 vials 120 µg freeze dried venom, 6 diluent       285.00       1 OP       ✓ Albay         Treatment kit - 1 vial 550 µg freeze dried venom, 1 diluent       285.00       1 OP       ✓ Albay         Initial application only form a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:       Initial application only form a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.         Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.         WASP VENOM ALLERGY TREATMENT – Special Authority see SA0053 below – Retail pharmacy         Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried         polisiter venom, 1 diluent 9 ml, 1 diluent 18 ml	Antiallergy Preparations			
Maintenance kit - 6 vials 120 µg freeze dried venom, 6 diluent       285.00       1 OP       ✓ Albay         Treatment kit - 1 vial 550 µg freeze dried venom, 1 diluent       285.00       1 OP       ✓ Albay         Initial application only form a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:       Initial application only form a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.         Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.         WASP VENOM ALLERGY TREATMENT – Special Authority see SA0053 below – Retail pharmacy         Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 18 ml	BEE VENOM ALLERGY TREATMENT - Special Authority see S	A0053 below – B	Retail pharmac	:V
1.8 ml				·)
9 ml, 3 diluent 1.8 ml	10		1 OP	🖌 Albay
■>SA0033       Special Authority for Subsidy         Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:         Both:       1         PAST or skin test positive; and       2         Patient has had severe generalised reaction to the sensitising agent.         Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.         WASP VENOM ALLERGY TREATMENT – Special Authority see SA0053 below – Retail pharmacy         Treatment kit (Plow jacket venom) - 1 vial 550 µg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml	Treatment kit - 1 vial 550 µg freeze dried venom, 1 diluen	t		-
Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:         Both:       1 RAST or skin test positive; and         2 Patient has had severe generalised reaction to the sensitising agent.         Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.         WASP VENOM ALLERGY TREATMENT – Special Authority see SA0053 below – Retail pharmacy         Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried         polisiter venom, 1 diluent 9 ml, 1 diluent 1.8 ml       285.00       1 OP       ✓ Albay         Ireatment kit (Yellow jacket venom) - 1 vial 550 µg freeze       1 OP       ✓ Albay         Iritial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:         Both:       1 RAST or skin test positive; and         2 Patient has had severe generalised reaction to the sensitising agent.         Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.         Antihistamines         CETIRIZINE HYDROCHLORIDE         * Tab Io ng         * Tab Io ng         * Tab 2 mg         (1,02)       Polaramine         (2,02)       40         (7.99)       Polaramine	9 ml, 3 diluent 1.8 ml		1 OP	Albay
Both:       1       PAST or skin test positive; and         2       Patient has had severe generalised reaction to the sensitising agent.         Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.         WASP VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Retail pharmacy         Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried         polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml				
1       PAST or skin test positive; and         2       Patient has had severe generalised reaction to the sensitising agent.         Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.         WASP VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Retail pharmacy       Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried          polisiter venom, 1 diluent 9 ml, 1 diluent 18 ml		d for 2 years for a	pplications me	eeting the following criteria:
2 Patient has had severe generalised reaction to the sensitising agent.         Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.         WASP VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Retail pharmacy         Treatment kit (Paper wasp venom) - 1 vial 550 up freeze dried         polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml				
Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.         WASP VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Retail pharmacy          Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried       polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml		sing agent		
benefiting from treatment. WASP VENOM ALLERGY TREATMENT – Special Authority see SA0053 below – Retail pharmacy Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried polister venom, 1 diluent 18 ml	•		reatment rema	ains appropriate and the patient is
Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried       1 OP       ✓ Albay         polister venom, 1 diluent 1.8 ml	, , , , , , , , , , , , , , , , , , , ,			
Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried       1 OP       ✓ Albay         polister venom, 1 diluent 1.8 ml	WASP VENOM ALLERGY TREATMENT - Special Authority see	SA0053 below -	Retail pharm	acy
Treatment kit (Yellow jacket venom) - 1 vial 550 µg freeze dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml				,
dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml	polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml		1 OP	🖌 Albay
SA0053 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both: <ul> <li>1 RAST or skin test positive; and</li> <li>2 Patient has had severe generalised reaction to the sensitising agent. </li> <li>Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. </li> <li> Antihistamines </li> <li> CETIRIZINE HYDROCHLORIDE * Tab 10 mg 2.21 100 2etop *‡ Oral liq 1 mg per ml .3.50 200 ml 200 ml 201 visition of the sensition of the sensitisming agent. CHLORPHENIRAMINE MALEATE *‡ Oral liq 2 mg per 5 ml .1.01 20 (4.93) Polaramine 2.02 40 (7.99) Polaramine 2.02 40 (10.29) Polaramine 4.34 20 *‡ Oral liq 2 mg per 5 ml .1.177 100 ml (10.29) Polaramine 4.34 20 *‡ Tab 60 mg</li></ul>				
Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:         Both:         1       RAST or skin test positive; and         2       Patient has had severe generalised reaction to the sensitising agent.         Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.         Antihistamines         CETIRIZINE HYDROCHLORIDE         ** Tab 10 mg       2.21         W* Tab 10 mg       2.21         CHLORPHENIRAMINE MALEATE         ** Tab 2 mg       8.06         Stor skin use per 5 ml       8.06         DEXTROCHLORPHENIRAMINE MALEATE         ** Tab 2 mg       1.01         2.02       40         (7.99)       Polaramine         2.02       40         (7.99)       Polaramine         2.02       40         (7.99)       Polaramine         1.77       100 ml         (10.29)       Polaramine         ***       Tab 120 mg         * Tab 120 mg       (11.53)         * Tab 120 mg       14.22         30       Telfast	dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml		1 OP	Albay
Both: 1 RAST or skin test positive; and 2 Patient has had severe generalised reaction to the sensitising agent. Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. Antihistamines CETIRIZINE HYDROCHLORIDE * Tab 10 mg				
1       RAST or skin test positive; and         2       Patient has had severe generalised reaction to the sensitising agent.         Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.         Antihistamines         CETIRIZINE HYDROCHLORIDE         * Tab 10 mg		d for 2 years for a	pplications me	eeting the following criteria:
2 Patient has had severe generalised reaction to the sensitising agent.         Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.         Antihistamines         CETIRIZINE HYDROCHLORIDE         * Tab 10 mg         ** Tab 10 mg       2.21       100       ✓ Zetop         ** Tab 10 mg       2.21       100       ✓ Zetop         ** Cral liq 1 mg per ml       3.50       200 ml       ✓ Cetirizine - AFT         CHLORPHENIRAMINE MALEATE         ** Tab 2 mg       1.01       20         (4.93)       Polaramine       2.02       40         (7.99)       Polaramine       2.02       40         ** Tab 2 mg       1.77       100 ml       10.29       Polaramine         ** Tab 60 mg       4.34       20       11.53)       Telfast         ** Tab 120 mg       4.74       10       11.53)       Telfast <td< td=""><td></td><td></td><td></td><td></td></td<>				
Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.         Antihistamines         CETIRIZINE HYDROCHLORIDE         ** Tab 10 mg       2.21       100       ✓ Zetop         ** Tab 10 mg       2.21       100       ✓ Zetop         ** Tab 10 mg		sing agent		
Antihistamines         CETIRIZINE HYDROCHLORIDE         ** Tab 10 mg       2.21       100       ✓ Zetop         **‡ Oral liq 1 mg per ml       3.50       200 ml       ✓ Cetirizine - AFT         CHLORPHENIRAMINE MALEATE       **       Yet Oral liq 2 mg per 5 ml       *       Antihistamine         DEXTROCHLORPHENIRAMINE MALEATE       **       Tab 2 mg       1.01       20         (4.93)       Polaramine       2.02       40         (7.99)       Polaramine       2.02       40         (10.29)       Polaramine       1.01       20         ** Tab 60 mg       4.34       20       1.153)       Telfast         ** Tab 120 mg       (11.53)       Telfast       14.22       30	5	0 0	reatment rema	ains appropriate and the patient is
CETIRIZINE HYDROCHLORIDE         ** Tab 10 mg	benefiting from treatment.			
** Tab 10 mg	Antihistamines			
**‡ Oral liq 1 mg per ml	CETIRIZINE HYDROCHLORIDE			
CHLORPHENIRAMINE MALEATE         *‡ Oral liq 2 mg per 5 ml         DEXTROCHLORPHENIRAMINE MALEATE         * Tab 2 mg         (4.93)         Polaramine         2.02         40         (7.99)         Polaramine         *‡ Oral liq 2 mg per 5 ml         1.77         100 ml         (10.29)         Polaramine         FEXOFENADINE HYDROCHLORIDE         * Tab 60 mg         4.34       20         (11.53)       Telfast         * Tab 120 mg       4.74         (11.53)       Telfast         14.22       30	* Tab 10 mg	2.21	100	✓ <u>Zetop</u>
*‡ Oral liq 2 mg per 5 ml       8.06       500 ml       ✓ Histafen         DEXTROCHLORPHENIRAMINE MALEATE       1.01       20         * Tab 2 mg       (4.93)       Polaramine         2.02       40       (7.99)       Polaramine         * ‡ Oral liq 2 mg per 5 ml       1.77       100 ml         (10.29)       Polaramine       100 ml         * Tab 60 mg       4.34       20         (11.53)       Telfast         * Tab 120 mg       4.74       10         (11.53)       Telfast         14.22       30	*‡ Oral liq 1 mg per ml	3.50	200 ml	Cetirizine - AFT
DEXTROCHLORPHENIRAMINE MALEATE         * Tab 2 mg       1.01       20         (4.93)       Polaramine         2.02       40         (7.99)       Polaramine         *‡ Oral liq 2 mg per 5 ml       1.77       100 ml         (10.29)       Polaramine         FEXOFENADINE HYDROCHLORIDE       4.34       20         * Tab 60 mg       4.34       20         (11.53)       Telfast         * Tab 120 mg       4.74       10         (11.53)       Telfast         14.22       30	CHLORPHENIRAMINE MALEATE			
* Tab 2 mg       1.01       20         (4.93)       Polaramine         2.02       40         (7.99)       Polaramine         *‡ Oral liq 2 mg per 5 ml       1.77       100 ml         (10.29)       Polaramine         FEXOFENADINE HYDROCHLORIDE         * Tab 60 mg       4.34       20         (11.53)       Telfast         * Tab 120 mg       4.74       10         (11.53)       Telfast         14.22       30	*‡ Oral liq 2 mg per 5 ml	8.06	500 ml	<ul> <li>Histafen</li> </ul>
(4.93)       Polaramine         2.02       40         (7.99)       Polaramine         *‡ Oral liq 2 mg per 5 ml       1.77         100 ml       (10.29)         FEXOFENADINE HYDROCHLORIDE       Polaramine         * Tab 60 mg       4.34       20         (11.53)       Telfast         * Tab 120 mg       4.74       10         (11.53)       Telfast         14.22       30	DEXTROCHLORPHENIRAMINE MALEATE			
2.02       40         (7.99)       Polaramine         *‡ Oral liq 2 mg per 5 ml       1.77       100 ml         (10.29)       Polaramine         FEXOFENADINE HYDROCHLORIDE       4.34       20         (11.53)       Telfast         * Tab 120 mg       4.74       10         (11.53)       Telfast         14.22       30	* Tab 2 mg	1.01	20	
(7.99)       Polaramine         **‡ Oral liq 2 mg per 5 ml       1.77       100 ml         (10.29)       Polaramine         FEXOFENADINE HYDROCHLORIDE       4.34       20         (11.53)       Telfast         * Tab 120 mg       4.74       10         (11.53)       Telfast         14.22       30		( )		Polaramine
*‡ Oral liq 2 mg per 5 ml       1.77       100 ml         (10.29)       Polaramine         FEXOFENADINE HYDROCHLORIDE       4.34       20         * Tab 60 mg       4.34       20         (11.53)       Telfast         * Tab 120 mg       4.74       10         (11.53)       Telfast         14.22       30			40	Delevenine
(10.29) Polaramine FEXOFENADINE HYDROCHLORIDE * Tab 60 mg	*+ Oral lig 2 mg par 5 ml	( )	100 ml	Polaramine
FEXOFENADINE HYDROCHLORIDE       4.34       20         (11.53)       Telfast         * Tab 120 mg       4.74       10         (11.53)       Telfast         14.22       30			100 111	Polaramine
* Tab 60 mg		(10.20)		i olaramito
(11.53) Telfast * Tab 120 mg4.74 10 (11.53) Telfast 14.22 30		4.34	20	
* Tab 120 mg	100 00 mg		20	Telfast
(11.53) Telfast 14.22 30	* Tab 120 mg		10	
	-			Telfast
(29.81) Telfast			30	<b>- W</b> .
		(29.81)		leitast

	Subsidy		Fully Brand or
	(Manufacturer's	Price) Sub Per	sidised Generic
	\$	rei	<ul> <li>Manufacturer</li> </ul>
LORATADINE			
* Tab 10 mg	2.09	100	Loraclear Hayfever
			Relief
* Oral liq 1 mg per ml	3.10	100 ml	Lorapaed
PROMETHAZINE HYDROCHLORIDE			
* Tab 10 mg		50	✓ <u>Allersoothe</u>
* Tab 25 mg		50	✓ <u>Allersoothe</u>
*‡ Oral liq 5 mg per 5 ml	3.10	100 ml	✓ Promethazine
W Ini 05 me negral 0 ml . Un to 5 ini queilable en o DCO	11.00	-	Winthrop Elixir
* Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO		5	Mayne
TRIMEPRAZINE TARTRATE			
Oral liq 30 mg per 5 ml		100 ml OP	
	(8.06)		Vallergan Forte
Inhaled Corticosteroids			
BECLOMETHASONE DIPROPIONATE	10 50		
Aerosol inhaler, 100 µg per dose CFC-free		200 dose OP	Beclazone 100
Aerosol inhaler, 250 µg per dose CFC-free Aerosol inhaler, 50 µg per dose CFC-free		200 dose OP 200 dose OP	<ul> <li>Beclazone 250</li> <li>Beclazone 50</li> </ul>
	0.04	200 00se OP	
BUDESONIDE	17.00		<b>AD 1 1 1</b>
Powder for inhalation, 100 $\mu$ g per dose	17.00	200 dose OP	✓ Pulmicort Turkukalar
Develop for iskeletion, 000 or needed	10.00		Turbuhaler
Powder for inhalation, 200 µg per dose		200 dose OP	<ul> <li>Budenocort</li> <li>Pulmicort</li> </ul>
			Turbuhaler
Powder for inhalation, 400 µg per dose	22.00	200 dose OP	✓ Budenocort
Powder for initialation, 400 µg per dose		200 00SE OF	✓ Pulmicort
			Turbuhaler
FLUTICASONE			
Aerosol inhaler, 50 μg per dose CFC-free	7 50	120 dose OP	✓ Flixotide
Powder for inhalation, 50 µg per dose		60 dose OP	
	(8.67)	00 0000 01	Flixotide Accuhaler
Powder for inhalation, 100 µg per dose	( )	60 dose OP	
· · · · · · · · · · · · · · · · · · ·	(13.87)		Flixotide Accuhaler
Aerosol inhaler, 125 µg per dose CFC-free	( )	120 dose OP	<ul> <li>Flixotide</li> </ul>
Aerosol inhaler, 250 µg per dose CFC-free		120 dose OP	✓ Flixotide
Powder for inhalation, 250 µg per dose	13.60	60 dose OP	
	(24.51)		Flixotide Accuhaler

# Inhaled Long-acting Beta-adrenoceptor Agonists

## Prescribing Guideline for Inhaled Long-Acting Beta-Adrenoceptor Agonists

The addition of inhaled long-acting beta-adrenoceptor agonists (LABAs) to inhaled corticosteroids is recommended:

• For younger children (aged under 12 years) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 200 µg beclomethasone or budesonide (or 100 µg fluticasone).

• For adults and older children (aged 12 years and over) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 400 µg beclomethasone or budesonide (or 200 µg fluticasone).

Note:

Further information on the place of inhaled corticosteroids and inhaled LABAs in the management of asthma can be found in the New Zealand guidelines for asthma in adults (www.nzgg.org.nz) and in the New Zealand guidelines for asthma in children aged 1-15 (www.paediatrics.org.nz).

	Subsidy (Manufacturer's F	,	Fully	Brand or Generic
	\$	Per	~	Manufacturer
EFORMOTEROL FUMARATE – See prescribing guideline on the Powder for inhalation, 6 μg per dose, breath activated Powder for inhalation, 12 μg per dose, and monodose device		e 60 dose OP 60 dose		xis Turbuhaler oradil
SALMETEROL – See prescribing guideline on the preceding pag Aerosol inhaler CFC-free, 25 µg per dose Powder for inhalation, 50 µg per dose, breath activated	26.46	120 dose OP 60 dose OP		erevent erevent Accuhaler

## Inhaled Corticosteroids with Long-Acting Beta-Adrenoceptor Agonists

## SA0958 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 All of the following:
  - 1.1 Patient is a child under the age of 12; and
  - 1.2 Both:
    - Has, for 3 months of more, been treated with:
    - 1.2.1 An inhaled long-acting beta adrenoceptor agonist; and
    - 1.2.2 Inhaled corticosteroids at a dose of at least 400 µg per day beclomethasone or budesonide, or 200 µg per day fluticasone; and
  - 1.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product; or
- 2 All of the following:
  - 2.1 Patient is over the age of 12; and
  - 2.2 Both:
    - Has, for 3 months of more, been treated with:
    - 2.2.1 An inhaled long-acting beta adrenoceptor agonist; and
    - 2.2.2 Inhaled corticosteroids at a dose of at least 800 µg per day beclomethasone or budesonide, or 500 µg per day fluticasone; and
  - 2.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

BUDESONIDE WITH EF	FORMOTEROL – Special Authority see \$	SA0958 above –	Retail pharmacy	
Aerosol inhaler 100	µg with eformoterol fumarate 6 µg		120 dose OP	Vannair
Powder for inhalatio	n 100 µg with eformoterol fumarate 6 µg		120 dose OP	Symbicort
				Turbuhaler 100/6
Aerosol inhaler 200	µg with eformoterol fumarate 6 µg	60.00	120 dose OP	Vannair
Powder for inhalatio	n 200 µg with eformoterol fumarate 6 µg	60.00	120 dose OP	Symbicort
				Turbuhaler 200/6
Powder for inhalatio	n 400 µg with eformoterol fumarate 12 µg	]		
<ul> <li>No more than</li> </ul>	2 dose per day		60 dose OP	<ul> <li>Symbicort</li> </ul>
				Turbuhaler 400/12
FLUTICASONE WITH S	ALMETEROL - Special Authority see S	A0958 above – F	etail pharmacy	
Aerosol inhaler 50 µ	ig with salmeterol 25 μg		120 dose OP	<ul> <li>Seretide</li> </ul>
Aerosol inhaler 125	µg with salmeterol 25 µg		120 dose OP	<ul> <li>Seretide</li> </ul>
Powder for inhalation	n 100 μg with salmeterol 50 μg – No more	9		
	<sup>,</sup> day		60 dose OP	<ul> <li>Seretide Accuhaler</li> </ul>
	n 250 µg with salmeterol 50 µg – No more			
	· day		60 dose OP	Seretide Accuhaler

	Subsidy (Manufacturer's \$		Fully Brand or sidised Generic ✔ Manufacturer
Beta-Adrenoceptor Agonists			
SALBUTAMOL			
Oral liq 2 mg per 5 ml Infusion 1 mg per ml, 5 ml		150 ml 10	✓ <u>Salapin</u> Ventolin
Inj 500 $\mu$ g per ml, 1 ml $-$ Up to 5 inj available on a PSO		5	✓ Ventolin
Inhaled Beta-Adrenoceptor Agonists			
SALBUTAMOL			
Aerosol inhaler, 100 μg per dose CFC free – Up to 1000 dose available on a PSO		200 dose OP	✓ Respigen
Nebuliser soln, 1 mg per ml, 2.5 ml – Up to 30 neb available	(6.00)		Ventolin
on a PSO		20	✓ <u>Asthalin</u>
Nebuliser soln, 2 mg per ml, 2.5 ml – Up to 30 neb available on a PSO		20	✓ <u>Asthalin</u>
ERBUTALINE SULPHATE Powder for inhalation, 250 µg per dose, breath activated	22.00	200 dose OP	🗸 Bricanyl Turbuhaler
Inhaled Anticholinergic Agents			
Inhaled Anticholinergic agents			
PRATROPIUM BROMIDE			
Aerosol inhaler, 20 µg per dose CFC-free Nebuliser soln, 250 µg per ml, 1 ml – Up to 40 neb available		200 dose OP	✓ Atrovent
on a PSO	3.79	20	<ul> <li>Ipratropium</li> <li>Steri-Neb</li> </ul>
			✓ Univent
Nebuliser soln, 250 μg per ml, 2 ml – Up to 40 neb available on a PSO		20	✓ Ipratropium
	4.00	20	Steri-Neb
pratropium Steri-Neb Nebuliser soln, 250 µg per ml, 1 ml to be a pratropium Steri-Neb Nebuliser soln, 250 µg per ml, 2 ml to be a		. ,	<ul> <li>Univent</li> </ul>
IOTROPIUM BROMIDE – Special Authority see SA0872 below Powder for inhalation, 18 µg per dose	– Retail pharm		✔ Spiriva

## SA0872 Special Authority for Subsidy

Initial application only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialled a dose of at least 40 µg ipratropium q.i.d for one month; and 3 Either:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

3.1 Grade 4 (stops for breath after walking about 100 meters or after a few minutes on the level); or

continued...

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully sidised	Brand or Generic Manufacturer
continued				
<ul> <li>3.2 Grade 5 (too breathless to leave the house, or breat Actual FEV1 (litres) &lt; 0.6 × predicted (litres); and Either:</li> <li>5.1 Patient is not a smoker (for reporting purposes onlist.</li> <li>6 The patient has been offered annual influenza immunisati Renewal only from a general practitioner or relevant specialist.</li> </ul>	y); or cessation couns on.	elling; and		
All of the following: 1 Patient is compliant with the medication; and 2 Patient has experienced improved COPD symptom control 3 Applicant must state recent measurement of FEV <sub>1</sub> (% of		ermined); and		
Inhaled Beta-Adrenoceptor Agonists with Antic	holinergic A	gents		
SALBUTAMOL WITH IPRATROPIUM BROMIDE Aerosol inhaler, 100 µg with ipratropium bromide, 20 µg pe dose	13.50	200 dose OP	V Co	ombivent
Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg pe vial, 2.5 ml – Up to 20 neb available on a PSO		20	✓ <u>Dı</u>	ıolin
Mast Cell Stabilisers				
Mast cell stabilisers				
NEDOCROMIL Aerosol inhaler, 2 mg per dose CFC-free SODIUM CROMOGLYCATE		112 dose OP	🗸 Til	ade
Powder for inhalation, 20 mg per dose Aerosol inhaler, 5 mg per dose CFC-free		50 dose 112 dose OP	✔ Int	al Spincaps crom
Methylxanthines				
AMINOPHYLLINE * Inj 25 mg per ml, 10 ml – Up to 5 inj available on a PSO	12.84	5	🖌 Ma	ayne
THEOPHYLLINE           * Tab long-acting 250 mg           *‡ Oral liq 80 mg per 15 ml		100 500 ml	V Nu V Nu	uelin-SR uelin
Cystic Fibrosis				
DORNASE ALFA – Special Authority see SA0611 below – Reta Nebuliser soln, 2.5 mg per 2.5 ml ampoule		6	🖌 Pi	Ilmozyme
► SA0611 Special Authority for Subsidy Special Authority approved by the Cystic Fibrosis Advisory Pane Notes: Application details may be obtained from PHARMAC's we		v.pharmac.govt.r	nz or:	
PHARMAC, PO Box 10 254 Facsimile	04) 460 4990 : (04) 916 7571 FPanel@pharma	ac.govt.nz		
Prescriptions for patients approved for treatment must be writter and expertise in treating cystic fibrosis.			ediatricia	ans who have experience

	0.1.11		
	Subsidy (Manufacturer's	Price) Sub	Fully Brand or sidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
Nasal Preparations			
Allergy Prophylactics			
BECLOMETHASONE DIPROPIONATE			
Metered aqueous nasal spray, 50 µg per dose	2.35	200 dose OP	
	(4.00)		Alanase
Metered aqueous nasal spray, 100 µg per dose		200 dose OP	A1
	(4.81)		Alanase
BUDESONIDE			
Metered aqueous nasal spray, 50 µg per dose		200 dose OP	D. J J. A
Metered aqueous nasal spray, 100 µg per dose	(4.00)	200 dose OP	Butacort Aqueous
Metered aqueous hasal spray, 100 µg per dose	(4.81)	200 0056 OF	Butacort Aqueous
	(4.01)		Dulacon Aqueous
FLUTICASONE PROPIONATE Metered aqueous nasal spray, 50 µg per dose	13 3/	120 dose OP	<ul> <li>Flixonase Hayfever</li> </ul>
Metered aqueous nasai spray, 30 µg per dose		120 0036 01	& Allergy
IPRATROPIUM BROMIDE			
Aqueous nasal spray, 0.03%		30 ml OP	Apo-Ipravent
SODIUM CROMOGLYCATE			
Nasal spray, 4%	15.85	22 ml OP	✓ Rex
Respiratory Devices			
MASK FOR SPACER DEVICE			
a) Up to 20 dev available on a PSO			
b) Only on a PSO			
c) Only for children aged six years and under			4
Size 2	3.28	1	✓ Foremount Child's
			Silicone Mask
PEAK FLOW METER a) Up to 10 dev available on a PSO			
b) Only on a PSO			
Low range		1	Breath-Alert
Normal range		1	✓ Breath-Alert
SPACER DEVICE			
a) Up to 20 dev available on a PSO			
b) Only on a PSO			
230 ml (autoclavable) - Subsidy by endorsement		1	✓ Space Chamber
Available where the prescriber requires a spacer devic	e that is capable	e of sterilisation	in an autoclave and the PSO i
endorsed accordingly.	0.00	4	A Change Chamber
230 ml (single patient)		1	✓ <u>Space Chamber</u> ✓ Volumatic
	0.00	I	• volumatic

	Subsidy		Fully Brand or
	(Manufacturer's I \$	Price) Sub Per	osidised Generic Manufacturer
	φ	rei	
Ear Preparations			
ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BEN	ZETHONIUM		
For Vosol ear drops with hydrocortisone powder refer, page 1			
Ear drops 2% with 1, 2-Propanediol diacetate 3% and			
benzethonium chloride 0.02%	6.97	35 ml OP	Vosol
CHLORAMPHENICOL			
Ear drops 0.5%	1.87	5 ml OP	<ul> <li>Chloromycetin</li> </ul>
FLUMETASONE PIVALATE			
Ear drops 0.02% with clioquinol 1%	4.46	7.5 ml OP	<ul> <li>Locacorten-Viaform</li> </ul>
			ED's
			<ul> <li>Locorten-Vioform</li> </ul>
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCI	N AND NYSTAT	IN	
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate			
2.5 mg and gramicidin 250 µg per g		7.5 ml OP	Kenacomb
Ear/Eye Preparations			
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN			
Ear/Eye drops 500 µg with framycetin sulphate 5 mg and			
gramicidin 50 µg per ml		8 ml OP	Sofradex
	(9.27)		Soliadex
FRAMYCETIN SULPHATE	4.10		
Ear/Eye drops 0.5%	4.13 (8.65)	8 ml OP	Soframycin
	(0.03)		Solianiyen
Eye Preparations			
Anti-Infective Preparations			
ACICLOVIR			4
* Eye oint 3%	37.53	4.5 g OP	Zovirax
CHLORAMPHENICOL			
Eye oint 1%		4 g OP	Chlorsig
Eye drops 0.5%		10 ml OP	✓ Chlorafast
(Chlorsig Eye drops 0.5% to be delisted 1 March 2011)	(2.40)		Chlorsig
CIPROFLOXACIN Eye Drops 0.3%	10 / 2	5 ml OP	Ciloxan
For treatment of bacterial keratitis or severe bacterial conju		• · · · • ·	
FUSIDIC ACID			
Eye drops 1%	4.50	5 g OP	
_,	(10.68)	0 9 01	Fucithalmic
GENTAMICIN SULPHATE			
Eye drops 0.3%	11.40	5 ml OP	<ul> <li>Genoptic</li> </ul>
PROPAMIDINE ISETHIONATE			
KOPAMIDINE ISETHIONATE     Key drops 0.1%	2 97	10 ml OP	
	(7.99)		Brolene
	()		

# SENSORY ORGANS

	Subsidy (Manufacturer's I	Price) Sub	Fully Brand or osidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
SULPHACETAMIDE SODIUM			
* Eye drops 10%	4.41	15 ml OP	Bleph 10
TOBRAMYCIN			
Eye oint 0.3%	10.45	3.5 g OP	Tobrex
Eye drops 0.3%	11.48	5 ml OP	V Tobrex
Corticosteroids and Other Anti-Inflammatory Press	eparations		
DEXAMETHASONE			
* Eye oint 0.1%	5.86	3.5 g OP	Maxidex
* Eye drops 0.1%	4.50	5 ml OP	Maxidex
DEXAMETHASONE WITH NEOMYCIN AND POLYMYXIN B SUL	PHATE		
* Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin			
B sulphate 6,000 u per g		3.5 g OP	Maxitrol
* Eye drops 0.1% with neomycin sulphate 0.35% and polymy-			A Mavitral
xin B sulphate 6,000 u per ml	4.50	5 ml OP	Maxitrol
DICLOFENAC SODIUM * Eye drops 1 mg per ml	10.00	5 ml OP	Voltoron Onktho
	13.80	5 MI OP	Voltaren Ophtha
FLUOROMETHOLONE * Eye drops 0.1%	4.05	5 ml OP	M EMI
		5 III OF	✓ <u>FML</u>
LEVOCABASTINE Eye drops 0.5 mg per ml	9 71	4 ml OP	
	(10.34)	4 111 01	Livostin
LODOXAMIDE TROMETAMOL	(1000)		
Eye drops 0.1%	8.71	10 ml OP	✓ Lomide
PREDNISOLONE ACETATE			
* Eye drops 0.12%	4.50	5 ml OP	Pred Mild
* Eye drops 1%	4.50	5 ml OP	Pred Forte
SODIUM CROMOGLYCATE			
Eye drops 2%		5 ml OP	Rexacrom
	2.36	10 ml OP	Oremalius
(Cromolux Eye drops 2% to be delisted 1 February 2011)	(3.95)		Cromolux
Glaucoma Preparations - Beta Blockers			
BETAXOLOL HYDROCHLORIDE			4
* Eye drops 0.25%		5 ml OP	✓ Betoptic S
* Eye drops 0.5%		5 ml OP	<ul> <li>Betoptic</li> </ul>
LEVOBUNOLOL * Eye drops 0.25%	7.00	5 ml OP	✓ Betagan
* Eye drops 0.25%		5 ml OP	✓ Betagan
TIMOLOL MALEATE			
* Eve drops 0.25%	2.37	5 ml OP	✓ Apo-Timop
* Eye drops 0.25%, gel forming		2.5 ml OP	✓ Timoptol XE
* Eye drops 0.5%		5 ml OP	✓ <u>Apo-Timop</u>
* Eye drops 0.5%, gel forming	3.78	2.5 ml OP	<ul> <li>Timoptol XE</li> </ul>

	Subsidy (Manufacturer's P \$	rice) Per	Fully Subsidised	Brand or Generic Manufacturer
Glaucoma Preparations - Carbonic Anhydra	se Inhibitors			
Prescribing Guidelines Trusopt, Cosopt and Azopt are subsidised for use as either Trusopt, Cosopt and Azopt should not be prescribed for a glaucoma are not contraindicated unless: 1) that person has previously trialled all other such subs 2) those trials have indicated that that person does not i	person in whom less sidised agents (except	expensive brimonidine	first line a tartrate);	gents for the treatment o
ACETAZOLAMIDE ₭ Tab 250 mg		100	✓ <u>D</u>	iamox
BRINZOLAMIDE ▲ Eye Drops 1%	9.77	5 ml OP	🖌 A	zopt
OORZOLAMIDE HYDROCHLORIDE ★ Eye drops 2%	9.77 (13.95)	5 ml OP		usopt
DORZOLAMIDE HYDROCHLORIDE WITH TIMOLOL MALI           * Eye drops 2% with timolol maleate 0.5%		5 ml OP	✔ C	osopt
Glaucoma Preparations - Prostaglandin Ana	alogues			
<ul> <li>Prescribing Guideline</li> <li>Bimatoprost, lantanoprost and travoprost are subsidised for adjunctive agent for patients in whom prostaglandin analogu</li> <li>Bimatoprost, lantanoprost and travoprost should not be pre- reatment of glaucoma are not contraindicated unless:         <ol> <li>That person has previously trialled all other such s hibitors); and</li> <li>Those trials have indicated that that person does not</li> </ol> </li> <li>BIMATOPROST – Retail pharmacy-Specialist See prescribing guideline above</li> </ul>	le monotherapy has be escribed for a person subsidised agents (bet respond adequately to	een ineffecti in whom le a-blockers, o treatment	ve in contro ss expensi pilocarpino with those	olling intraocular pressurive first line agents for the carbonic anhydrase in other agents.
▲ Eye Drops 0.03% ATANOPROST – Retail pharmacy-Specialist		3 ml OP	V Li	umigan
See prescribing guideline above ► Eye drops 50 µg per ml, 2.5ml TRAVOPROST – Retail pharmacy-Specialist See prescribing guideline above ► Eye drops 0.004%		2.5 ml OF 2.5 ml OF	_	<u>ysite</u> avatan
Glaucoma Preparations - Other				
BRIMONIDINE TARTRATE * Eye Drops 0.2%		5 ml OP	✓ <u>A</u>	FT

## Prescribing Guidelines

Brimonidine tartrate is subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma. Brimonidine tartrate should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

• that person has previously trialled all other such subsidised agents (except dorzolamide hydrochloride); and

• those trials have indicated that that person does not respond adequately to or does not tolerate treatment with those other agents.

#### BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE

	Eye drops 0.2% with timolol maleate 0.5%		5 ml OP	<ul> <li>Combigan</li> </ul>
--	------------------------------------------	--	---------	------------------------------

# SENSORY ORGANS

	Subsidy (Manufacturer's Pr \$	ice) Sul Per	Fully osidised	Brand or Generic Manufacturer
Prescribing Guidelines				
Combigan is subsidised for use as either monotherapy or as an	adjunctive agent fo	r the treatme	nt of glau	ucoma.
Combigan should only be prescribed when:				
1) less expensive first line agents for the treatment of glauce	oma are contraindic	ated; or		
2) the response to such subsidised agents is inadequate; or	r			
<ol><li>the patient cannot tolerate such subsidised agents.</li></ol>				
PILOCARPINE				
* Eye drops 1%	4.26	15 ml OP	🖌 Is	opto Carpine
* Eye drops 2%	5.35	15 ml OP	🖌 Is	opto Carpine
* Eye drops 4%	7.99	15 ml OP	🖌 İs	opto Carpine
* Eye drops 2% single dose - Special Authority see SA089	5			
below – Retail pharmacy		20 dose		
. ,	(32.72)		Μ	inims
►SA0895 Special Authority for Subsidy	. ,			

► SA0895 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items. Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Mydriatics and Cycloplegics		
ATROPINE SULPHATE * Eye drops 1%	15 ml OP	✓ Atropt
CYCLOPENTOLATE HYDROCHLORIDE * Eye drops 1%8.76	15 ml OP	🗸 Cyclogyl
HOMATROPINE HYDROBROMIDE * Eye drops 2%7.18	15 ml OP	<ul> <li>Isopto Homatropine</li> </ul>
TROPICAMIDE           * Eye drops 0.5%           * Eye drops 1%           8.66	15 ml OP 15 ml OP	<ul> <li>Mydriacyl</li> <li>Mydriacyl</li> </ul>
Preparations for Tear Deficiency		
For acetylcysteine eye drops refer, page 176 HYPROMELLOSE		
*         Eye drops 0.3%	15 ml OP 15 ml OP	<ul> <li>Poly-Tears</li> <li>Methopt</li> </ul>
POLYVINYL ALCOHOL * Eye drops 1.4%	15 ml OP 15 ml OP	<ul> <li>✓ <u>Vistil</u></li> <li>✓ <u>Vistil Forte</u></li> </ul>
TYLOXAPOL * Eye drops 0.25%8.63	15 ml OP	Enuclene
Other Eye Preparations		
NAPHAZOLINE HYDROCHLORIDE * Eye drops 0.1%4.15	15 ml OP	✓ Naphcon Forte

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

# SENSORY ORGANS

	Subsidy (Manufacturer's Pi \$	rice) Sub Per	Fully sidised	Brand or Generic Manufacturer
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN * Eye oint with soft white paraffin	3.63	3.5 g OP	✔ <u>La</u>	acri-Lube
PARAFFIN LIQUID WITH WOOL FAT LIQUID * Eye oint 3% with wool fat liq 3%	3.63	3.5 g OP	🖌 Po	oly-Visc
PHENYLEPHRINE HYDROCHLORIDE * Eye drops 0.12%	4.47	15 ml OP	🗸 Pi	refrin

# VARIOUS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Various				
May only be claimed once per patient.				
PHARMACY SERVICES				
* Brand switch fee	0.01	1 fee	🖌 B	SF Arrow-Enalapril
The Pharmacode for BSF Arrow-Enalapril is 2375613				
(BSF Arrow-Enalapril Brand switch fee to be delisted 1 February 2	011)			

# INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
  - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
  - b) Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-specialist).
  - c) Menthol crystals only in the following bases:

Aqueous cream Urea cream 10% Wool fat with mineral oil lotion Hydrocortisone 1% with wool fat and mineral oil lotion Glycerol, paraffin and cetyl alcohol lotion.

# Glossary

**Dermatological base:** The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Glycerol with paraffin and cetyl alcohol lotion
- Hydrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Oily cream
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- Zinc cream BP
- Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

**Dermatological galenical:** Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution BP up to 10%
- Hydrocortisone powder up to 5%
- Menthol crystals
- · Salicylic acid powder
- Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

# **Explanatory notes**

## **Oral liquid mixtures**

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

The Emixt website (http://www.pharminfotech.co.nz/manual/Formulation/mixtures/index.htm) has evidence-based formulations which are intended to standardise compounded oral liquids within New Zealand. PHARMAC endorses the recommendations of the Emixt website and encourages New Zealand pharmacists to use these formulations when compounding is appropriate. The Emixt website also provides stability and expiry data for compounded products. For the majority of products compounded with Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet or Ora-Sweet SF a four week expiry is appropriate.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form	qs
Preservative	qs
Suspending agent	qs
Water	to 100%

or

Solid dose form

qs

Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent.

- Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and Ora-Sweet SF when used correctly are an appropriate preservative and suspending agent.
- Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

The following practices will not be subsidised:

- Where a Standard Formula exists in the Pharmaceutical Schedule for a solid dose form, compounding the solid dose form in Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF.
- Mixing one or more proprietary oral liquids (eg an antihistamine with pholcodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

## Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

## **Dermatological Preparations**

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 172) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where


# EXTEMPORANEOUSLY COMPOUNDED PRODUCTS & GALENICALS

there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).

One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on page 175 may assist you in deciding whether or not a dermatological ECP is subsidised.



# **Standard Formulae**

ACETYLCYSTEINE EYE DROPS Acetylcysteine inj 200 mg per ml, 10 ml Suitable eye drop base	qs qs
ASPIRIN AND CHLOROFORM APPLICAT Aspirin Soluble tabs 300 mg Chloroform	ON 12 tabs to 100 ml
CODEINE LINCTUS PAEDIATRIC (3 mg pr Codeine phosphate Glycerol Preservative Water	er 5 ml) 60 mg 40 ml qs to 100 ml
CODEINE LINCTUS DIABETIC (15 mg per Codeine phosphate Glycerol Preservative Water	5 ml) 300 mg 40 ml qs to 100 ml
FOLINIC MOUTHWASH Calcium folinate 15 mg tab Preservative Water (Preservative should be used if quantity sup more than 5 days. Maximum 500 ml per pre-	
MAGNESIUM HYDROXIDE MIXTURE Magnesium hydroxide paste Methyl hydroxybenzoate Water	275 g 1.5 g 770 ml
METHADONE MIXTURE Methadone powder Glycerol	qs

moundatio ponati	90
Glycerol	qs
Water	to 100 ml

METHYL HYDROXYBENZOATE 10% SOL Methyl hydroxybenzoate Propylene glycol (Use 1 ml of the 10% solution per 100 ml of	10 g to 100 ml
mixture)	orar inquita
OMEPRAZOLE SUSPENSION Omeprazole capules	qs
Sodium bicarbonate powder BP Water	8.4 g to 100 ml
PHENOBARBITONE ORAL LIQUID	
Phenobarbitone Sodium	1 g
Glycerol BP	70 ml
Water	to 100 ml
PHENOBARBITONE SODIUM PAEDIATRIC LIQUID (10 mg per ml)	CORAL
Phenobarbitone Sodium	400 mg
Glycerol BP	4 ml
Water	to 40 ml
PILOCARPINE ORAL LIQUID	
Pilocarpine 4% eye drops	qs
Preservative	qs
Water	to 500 ml
(Preservative should be used if quantity sup more than 5 days.)	oplied is for
SALIVA SUBSTITUTE FORMULA	
Methylcellulose	5 g
Preservative	qs
Water	to 500 ml
(Preservative should be used if quantity sup than 5 days. Maximum 500 ml per prescript	

WITH HYDROCORTISONE POWDER 1%	
Hydrocortisone powder	1%
Vosol Ear Drops	to 35 ml

# EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy	)	Fully Brand or
	(Manufacturer's Pric	ce) Su Per	Ibsidised Generic Manufacturer
	Ψ	1.61	
Extemporaneously Compounded Preparations a	and Galenicals	;	
ACETYLCYSTEINE – Retail pharmacy-Specialist			
Inj 200 mg per ml, 10 ml		10	
	(219.75)		Martindale
	· · · ·		Acetylcysteine
	(255.35)		Hospira
Inj 200 mg per ml, 30 ml	( )	4	✓ Acetadote
3 81 7	2.0.00		
BENZOIN	0.44	50 ml	
Tincture compound BP		50 ml	DOM
	(5.10)	500 1	PSM
	24.42	500 ml	5011
	(38.00)		PSM
CHLOROFORM – Only in combination			
Only in aspirin and chloroform application.			
Chloroform BP	25.50	500 ml	✓ PSM
CODEINE PHOSPHATE			
	10.60	Fa	
Powder – Only in combination		5 g	Douglao
	(25.46)	05 -	Douglas
	63.09	25 g	Develoe
c) Only in automatic second standard and inclination	(90.09)	- I'	Douglas
a) Only in extemporaneously compounded codeine linctus		e linctus pa	ediatric.
b) ‡ Safety cap for extemporaneously compounded oral lic	quid preparations.		
COLLODION FLEXIBLE			
Collodion flexible	19.30	100 ml	✓ PSM
COMPOUND HYDROXYBENZOATE - Only in combination			
Only in extemporaneously compounded oral mixtures.			
Soln		100 ml	David Craig
			·
GLYCERIN WITH SODIUM SACCHARIN – Only in combination			
Only in combination with Ora-Plus.	00.00	470	
Suspension		473 ml	Ora-Sweet SF
GLYCERIN WITH SUCROSE – Only in combination			
Only in combination with Ora-Plus.			
Suspension		473 ml	Ora-Sweet
GLYCEROL			
* Liquid – Only in combination	17.86	2.000 ml	✓ healthE
Only in extemporaneously compounded oral liquid prepara		2,000 111	
	ationo.		
MAGNESIUM HYDROXIDE	00.01	F00 -	
Paste		500 g	V PSM
METHADONE HYDROCHLORIDE			
<ul> <li>a) Only on a controlled drug form</li> </ul>			
b) No patient co-payment payable			
c) Extemporaneously compounded methadone will only be r	eimbursed at the ra	ate of the cl	heapest form available (methadone
powder, not methadone tablets).			- · · ·
Powder	7.84	1 g	🖌 AFT
‡ Safety cap for extemporaneously compounded oral liquid	d preparations.	-	

# EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy (Manufacturer's I \$	Price) Sul Per	Fully Brand or bsidised Generic ✓ Manufacturer
IETHYL HYDROXYBENZOATE			
Powder	8.00	25 g	🖌 PSM
	8.98		✓ Midwest
	10.00		✓ ABM
IETHYLCELLULOSE			
Powder	14.00	100 g	🖌 ABM
	(17.72)		MidWest
Suspension – Only in combination		473 ml	V Ora-Plus
IETHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCH	ARIN – Only in c	combination	
Suspension		473 ml	Ora-Blend SF
IETHYLCELLULOSE WITH GLYCERIN AND SUCROSE - On	ly in combination		
Suspension		473 ml	Ora-Blend
HENOBARBITONE SODIUM			
Powder – Only in combination	52 50	10 g	✓ MidWest
	325.00	100 g	✓ MidWest
a) Only in children up to 12 years	020.00		
b) ‡ Safety cap for extemporaneously compounded oral I	iquid preparations	6.	
ROPYLENE GLYCOL			
Only in extemporaneously compounded methyl hydroxybenz	zoate 10% solutio	n.	
Liq		500 ml	🖌 PSM
	11.25		✓ Midwest
	12.00		🖌 ABM
ODIUM BICARBONATE			
Powder BP – Only in combination		500 g	✓ Midwest
	9.80		✓ ABM
	(11.99)		Biomed
	(29.50)		David Craig
Only in extemporaneously compounded omeprazole sus	pension.		Ŭ
YRUP (PHARMACEUTICAL GRADE) - Only in combination			
Only in extemporaneously compounded oral liquid preparati	ons.		
Liq	21.75	2,000 ml	✓ Midwest
ATER			

# **EXPLANATORY NOTES**

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

## **Eligibility for Special Authority**

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

## Who can apply for Special Authority?

 Initial Applications:
 Only Specialists

 Reapplications:
 Specialist or general practitioner on recommendation of specialist. Reapplications by general practitioners on specialist recommendation must include the name of the specialist and the date the specialist was contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. A supporting letter may be included if desired. Applications must be forwarded to:

Ministry of Health Sector Services Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

## Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

#### Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

## Definitions

 Failure to thrive
 An inability to gain or maintain weight resulting in physiological impairment.

 Growth deficiency
 Where the weight of the child is less than the fifth or possibly third percentile for their age, with evidence of malnutrition

#### **Dietitian Prescribing**

Prescriptions from Dietitians will be only valid for subsidy where they are for special foods, as listed in this section, or where they are for the following products:

ALPHA TOCOPHERYL ACETATE Water solubilised soln 156 iu/ml, with calibrated dropper

ASCORBIC ACID Tab 100 mg

CALCIUM CARBONATE Tab 1.25 g (500 mg elemental) Tab 1.5 g (600 mg elemental) Tab 1.75 g (1 g elemental)

COMPOUND ELECTROLYTES Powder for soln for oral use 5 g

DEXTROSE WITH ELECTROLYTES Soln with electrolytes

FERROUS FUMARATE Tab 200 mg (65 mg elemental)

FERROUS FUMARATE WITH FOLIC ACID Tab 310 mg (100 mg elemental) with folic acid 350 µg

FERROUS SULPHATE Tab long-acting 325 mg (105 mg elemental) Oral liq 30 mg per 1 ml (6 mg elemental per 1 ml)

FERROUS SULPHATE WITH FOLIC ACID Tab long-acting 325 mg (105 mg elemental) with folic acid 350 µg

MULTIVITAMINS Tab Powder Oral lig POTASSIUM BICARBONATE Tab eff 315 mg with sodium acid phosphate 1.937 g and sodium bicarbonate 350 mg

POTASSIUM CHLORIDE Tab eff 584 mg (14 m eq) with chloride 385 mg (8 m eq) Tab long-acting 600 mg

PYRIDOXINE HYDROCHLORIDE Tab 25 mg Tab 50 mg

SODIUM FLUORIDE Tab 1.1 mg (0.5 mg elemental)

THIAMINE HYDROCHLORIDE Tab 50 mg

VITAMIN A WITH VITAMINS D AND C Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops

VITAMIN B COMPLEX Tab, strong, BPC

VITAMINS Tab (BPC cap strength) Cap (fat soluble vitamins A, D, E, K)

Subsidy		Fully
(Manufacturer's Price)		Subsidised
¢	Por	

Brand or Generic

V

# Manufacturer

# Nutrient Modules

## Carbohydrate

#### SA0912 Special Authority for Subsidy

Initial application — (Cystic fibrosis or renal failure) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Either:

- 1 cystic fibrosis; or
- 2 chronic renal failure or continuous ambulatory peritoneal dialysis (CAPD) patient.

Initial application - (Indications other than cystic fibrosis or renal failure) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children: or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 failure to thrive; or
- 4 growth deficiency; or
- 5 bronchopulmonary dysplasia; or
- 6 premature and post premature infant; or
- 7 inborn errors of metabolism.

Renewal — (Cystic fibrosis or renal failure) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 General Practitioners must include the name of the specialist and date contacted.

Renewal - (Indications other than cystic fibrosis or renal failure) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

CARBOHYDRATE SUPPLEMENT - Special Authority see SA0912 above - Hospital pharmacy (HP3)

	400 a OP	<ul> <li>Morrex Maltodextrin</li> </ul>
1.30 (5.29) (12.00)	400 g OP 368 g OP	Polycal Moducal

#### **Carbohydrate And Fat**

#### SA0581 Special Authority for Subsidy

Initial application - (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 infant aged four years or under; and
- 2 cystic fibrosis.

Initial application - (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 infant aged four years or under; and
- 2 Any of the following:

continued.

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

#### continued...

- 2.1 cancer in children; or
- 2.2 failure to thrive; or
- 2.3 growth deficiency; or
- 2.4 bronchopulmonary dysplasia; or
- 2.5 premature and post premature infants.

**Renewal** — (Cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

CARBOHYDRATE AN	ID FAT SUPPLEMENT	- Special Authority	see SA0581 (	on the preceding	page	<ul> <li>Hospital pharmacy [HP3]</li> </ul>
Powder (neutral)			60.31	400 g OP	V	Duocal Super
				-		Soluble Powder

# Fat

#### ➡SA0899 Special Authority for Subsidy

**Initial application** — (Inborn errors of metabolism) only from a relevant specialist. Approvals valid for 3 years where the patient has inborn errors of metabolism.

**Initial application** — (Indications other than inborn errors of metabolism) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 failure to thrive where other high calorie products are inappropriate or inadequate; or
- 2 growth deficiency; or
- 3 bronchopulmonary dysplasia; or
- 4 fat malabsorption; or
- 5 lymphangiectasia; or
- 6 short bowel syndrome; or
- 7 infants with necrotising enterocolitis; or
- 8 biliary atresia.

Renewal — (Inborn errors of metabolism) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.
- FAT SUPPLEMENT Special Authority see SA0899 above Hospital pharmacy [HP3]

Emulsion (neutral)			Calogen
	30.75	500 ml OP	Calogen
Emulsion (strawberry)		200 ml OP	Calogen
Oil		250 ml OP	Liquigen
	30.00	500 ml OP	MCT oil (Nutricia)

Subsidy (Manufacturer's Price)	Sub	Fully bsidised	Brand or Generic	
\$	Per	~	Manufacturer	

# Protein

#### ►SA0582 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 protein losing enteropathy; or
- 2 high protein needs (eg burns).

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

PROTEIN SUPPLEMENT - Special Authority see SA0582 above - Hospital pha	rmacy [HP3]	
Powder7.90	225 g OP	Protifar
8.95	227 g OP	<ul> <li>Resource Beneprotein</li> </ul>
Powder (vanilla)12.90	275 g OP	Promod
Oral Supplements		

## Oral Supplements

These products are to be used only as supplements to a person's dietary needs. Subsidy for up to 500 ml a day. Amounts prescribed in excess of this amount must be paid for by the patient.

#### ➡SA0583 Special Authority for Subsidy

**Initial application** — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years where the patient has cystic fibrosis.

**Initial application — (Indications other than cystic fibrosis)** only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children; or
- 2 inflammatory bowel disease; or
- 3 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 4 malnutrition requiring nutritional support.

Renewal — (Cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 General Practitioners must include the name of the specialist and date contacted.

ORAL SUPPLEMENT 1KCAL/ML - Special Authority see	SA0583 above - Hospi	ital pharmacy [	HP3]
Powder (chocolate)	4.22	400 g OP	Ensure
	9.50	900 g OP	Ensure
	10.22		<ul> <li>Sustagen Hospital Formula</li> </ul>
Powder (strawberry)	4.22	400 g OP	Ensure
Powder (vanilla)	4.22	400 g OP	Ensure
	9.50	900 g OP	Ensure
	10.22		<ul> <li>Sustagen Hospital Formula</li> </ul>

Subsidv Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed) **Respiratory Products** SA0588 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Roth. 1 CORD patients who have hypercapnia; and 2 Either: 2.1 The product is to be used as a supplement (maximum 500 ml per day); or 2.2 The product is to be used as a complete diet. Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following: 1 The treatment remains appropriate and the patient is benefiting from treatment; and 2 Either: 2.1 The product is to be used as a supplement (maximum 500 ml per day); or 2.2 The product is to be used as a complete diet; and 3 General Practitioners must include the name of the specialist and date contacted. CORD ORAL FEED 1.5KCAL/ML - Special Authority see SA0588 above - Hospital pharmacy [HP3] 237 ml OP Pulmocare **Diabetic Products** SA0594 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both: 1 Type I and II diabetics who require nutritional supplementation: and 2 Either: 2.1 The product is to be used as a supplement (maximum 500 ml per day); or 2.2 The product is to be used as a complete diet. Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following: 1 The treatment remains appropriate and the patient is benefiting from treatment; and 2 Either: 2.1 The product is to be used as a supplement (maximum 500 ml per day); or 2.2 The product is to be used as a complete diet; and 3 General Practitioners must include the name of the specialist and date contacted. DIABETIC ENTERAL FEED 1KCAL/ML - Special Authority see SA0594 above - Hospital pharmacy [HP3] 1.000 ml OP Diason RTH Glucerna Select RTH ORAL FEED 1KCAL/ML - Special Authority see SA0594 above - Hospital pharmacy [HP3] Diasip Liquid (strawberry) ......1.50 200 ml OP 237 ml OP Resource Diabetic 1 78 200 ml OP Diasip 1.88 250 ml OP Glucerna Select 1.78 237 ml OP **Resource Diabetic** (2.10)

(Resource Diabetic Liquid (strawberry) to be delisted 1 February 2011)

# SPECIAL FOODS

	Subsidy (Manufacturer's Pric \$	e) Su Per	Fully bsidised	Brand or Generic Manufacturer
Fat Modified Products				
School Special Authority for Subsidy Initial application only from a relevant specialist. Approvals Both:	valid for 1 year for appli	cations mee	eting the	following criteria:
1 The product is to be used as a complete diet; and 2 Either:				
<ul><li>2.1 Patient has metabolic disorders of fat metabolis</li><li>2.2 Patient has chylothorax.</li></ul>	,			
Renewal only from a relevant specialist or general practition year for applications meeting the following criteria: Both:	er on the recommendati	on of a rele	evant spe	ecialist. Approvals valid for
1 The treatment remains appropriate and the patient is I 2 General Practitioners must include the name of the sp	Ū			
AT MODIFIED FEED – Special Authority see SA0615 abov Powder		HP3] 400 g OP	✔ M	onogen
High Protein Products				
<ul> <li>nitial application only from a relevant specialist. Approvals</li> <li>All of the following: <ol> <li>Anorexia and weight loss; and</li> <li>Either: <ol> <li>decompensating liver disease without encepha</li> <li>protein losing gastro-enteropathy; and</li> </ol> </li> <li>Either: <ol> <li>The product is to be used as a supplement (ma</li> <li>The product is to be used as a complete diet.</li> </ol> </li> </ol></li></ul>	lopathy; or aximum 500 ml per day)	or		-
<ul> <li>l year for applications meeting the following criteria:</li> <li>All of the following:</li> <li>1 The treatment remains appropriate and the patient is I</li> <li>2 Either:</li> </ul>				
<ul><li>2.1 The product is to be used as a supplement (ma</li><li>2.2 The product is to be used as a complete diet; a</li><li>3 General Practitioners must include the name of the sp</li></ul>	and			
DRAL FEED 1KCAL/ML – Special Authority see SA0589 ab Liquid	ove – Hospital pharmac		🖌 F	ortimel Regular
Paediatric Products For Children Awaiting Li	iver Transplant			
SA0607 Special Authority for Subsidy nitial application only from a paediatrician. Approvals valid Both:	for 3 years for application	ons meeting	g the follo	owing criteria:
<ol> <li>Child (up to 18 years) who is awaiting liver transplant;</li> <li>Either:</li> </ol>	and			
2.1 The product is to be used as a supplement (ma 2.2 The product is to be used as a complete diet	aximum 500 ml per day)	or		

2.2 The product is to be used as a complete diet. **Renewal** only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria: Both:

continued...

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🖌	Brand or Generic Manufacturer
continued 1 The treatment remains appropriate and the patient is b 2 Either:	penefiting from treatment; a	and	
2.1 The product is to be used as a supplement (ma 2.2 The product is to be used as a complete diet.	ximum 500 ml per day); or		
NTERAL/ORAL FEED 1KCAL/ML – Special Authority see S Powder			harmacy [HP3] <b>eneraid Plus</b>
Paediatric Products For Children With Chron	ic Renal Failure		
<ul> <li>SA0606 Special Authority for Subsidy</li> <li>nitial application only from a paediatrician. Approvals valid 3oth:         <ol> <li>child (up to 18 years) with chronic renal failure; and</li> <li>Either:                 <ol> <li>The product is to be used as a supplement; or</li> <li>The product is to be used as a complete diet.</li> </ol> </li> </ol></li></ul> <li>Renewal only from a paediatrician. Approvals valid for 3 year 3oth:         <ul> <li>The transmission of the product is to be used as a complete diet.</li> </ul> </li>	s for applications meeting	the following crite	
<ol> <li>The treatment remains appropriate and the patient is b</li> <li>Either:</li> <li>2.1 The product is to be used as a supplement; or</li> <li>2.2 The product is to be used as a complete diet.</li> <li>ENTERAL/ORAL FEED 1KCAL/ML – Special Authority see \$</li> </ol>	-		
Liquid			indergen
Paediatric Products			
<ul> <li>SA0896 Special Authority for Subsidy</li> <li>nitial application only from a relevant specialist. Approvals a All of the following:         <ol> <li>infant aged one to eight years; and</li> <li>Any of the following:                 <ol> <li>any condition causing malabsorption; or</li> <li>failure to thrive; or</li> <li>increased nutritional requirements; and</li> <li>Either:</li> </ol> </li> </ol></li></ul>	valid for 1 year for applicat	ions meeting the	following criteria:
<ul><li>3.1 The product is to be used as a supplement (ma</li><li>3.2 The product is to be used as a complete diet.</li></ul>			
tenewal only from a relevant specialist or general practitione year for applications meeting the following criteria: Il of the following:	er on the recommendation	of a relevant spe	ecialist. Approvals valid fo
1 The treatment remains appropriate and the patient is b 2 Either:	-		
<ul> <li>2.1 The product is to be used as a supplement (ma</li> <li>2.2 The product is to be used as a complete diet; a</li> <li>3 General Practitioners must include the name of the spi</li> </ul>	nd		
AEDIATRIC ENTERAL FEED 1.5KCAL/ML – Special Autho		Hospital pharmac	

SPECIAL FOODS

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully osidised	Brand or Generic Manufacturer
PAEDIATRIC ORAL FEED 1.5KCAL/ML – Special Authority see Liquid (strawberry) Liquid (vanilla)	1.60	preceding page 200 ml OP 200 ml OP	🖌 N	ital pharmacy [HP3] <b>utriniDrink</b> <b>utriniDrink</b>
PAEDIATRIC ORAL FEED 1KCAL/ML – Special Authority see S Liquid (chocolate) Liquid (strawberry) Liquid (vanilla)		eceding page – 200 ml OP 200 ml OP 200 ml OP 237 ml OP	V Po V Po V Po	al pharmacy [HP3] ediasure ediasure ediasure ediasure ediasure
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML – Special [HP3]	Authority see SA	0896 on the pre	eceding	page – Hospital pharmac
Liquid (chocolate)	1.60	200 ml OP	• ••	utriniDrink Multifibre
Liquid (strawberry)	1.60	200 ml OP		utriniDrink Multifibre
Liquid (vanilla)	1.60	200 ml OP	🖌 N	utriniDrink Multifibre
Renal Products				
SA0587 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals val Both:	id for 3 years for a	applications me	eting th	e following criteria:

- 1 acute or chronic renal failure; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

Liquid	6.08	500 ml OP	<ul> <li>Nutrison</li> <li>Concentrated</li> </ul>
RENAL ORAL FEED 2KCAL/ML - Special Authority see S/	A0587 above – Hospita	I pharmacy [H	P3]
Liquid	2.43	200 ml OP	<ul> <li>Nepro (strawberry)</li> </ul>
			Nepro (vanilla)
	2.88	237 ml OP	
	(3.31)		NovaSource Renal
Liquid (apricot)	2.88	125 ml OP	Renilon 7.5
Liquid (caramel)	2.88	125 ml OP	Renilon 7.5

	Subsidy (Manufacturer's Pi \$	ice) Per	Fully Subsidised	Brand or Generic Manufacturer
Specialised And Elemental Products				
Scatter Special Authority for Subsidy Initial application only from a relevant specialist. Approvals vali Both:	d for 1 year for app	olications	meeting the	following criteria:
<ol> <li>Any of the following:         <ol> <li>1 malabsorption; or</li> <li>2 short bowel syndrome; or</li> <li>3 enterocutaneous fistulas; or</li> <li>4 pancreatitis; and</li> </ol> </li> <li>Either:</li> </ol>				
2.1 The product is to be used as a supplement (maxim 2.2 The product is to be used as a complete diet.		,.	t for a appaid	a disardar. The alternative
lotes: Each of these products is highly specialised and would be s hospitalisation. Elemental 028 Extra is more expensive than other products liste ave been tried first and/or are unsuitable.	ed in this section a	and shoul	d only be us	sed where the alternatives
<ul> <li>tenewal only from a relevant specialist or general practitioner o year for applications meeting the following criteria:</li> <li>Il of the following:</li> <li>1 The treatment remains appropriate and the patient is ben</li> </ul>			relevant spe	cialist. Approvals valid for
<ul> <li>2 Either:</li> <li>2.1 The product is to be used as a supplement (maxim</li> <li>2.2 The product is to be used as a complete diet; and</li> <li>3 General Practitioners must include the name of the special</li> </ul>		,.		
NTERAL/ORAL ELEMENTAL FEED 1KCAL/ML – Special Auto Powder		above – 79 g O 76 g O	P 🖌 🖌 Vi	rmacy [HP3] i <b>tal HN</b> l <b>itraq</b>
DRAL ELEMENTAL FEED 0.8KCAL/ML – Special Authority see Liquid (grapefruit) Liquid (pineapple & orange) Liquid (summer fruit)	9.50 9.50	Hospital µ 250 ml ( 250 ml ( 250 ml (	OP VE	P3] lemental 028 Extra lemental 028 Extra lemental 028 Extra
PRAL ELEMENTAL FEED 1KCAL/ML – Special Authority see S           Powder (unflavoured)		ospital ph 80.4 g C		3] i <b>vonex TEN</b>
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML – Special Auth Liquid	,	above – ł 1,000 ml		rmacy [HP3] eptisorb

# Undyalised End Stage Renal Failure

#### ➡SA0586 Special Authority for Subsidy

**Initial application** only from a gastroenterologist or renal physician. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 undialysed end stage renal patients; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet.

Note: Where possible, the requirements for oral supplementation should be established in conjunction with assessment by a dietician.

continued...

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

RENAL ORAL FE	ED 1KCAL/ML -	Special Authority see	SA0586 on the	preceding page -	Hospital pharmacy [H	-IP31

Liquid	237 ml OP	<ul> <li>Suplena</li> </ul>
--------	-----------	-----------------------------

## **Adult Products Standard**

#### ➡SA0702 Special Authority for Subsidy

**Initial application** — (Oral feed for cystic fibrosis patient) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 Cystic fibrosis; and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet.

Initial application — (Oral feed for indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 any condition causing malabsorption; or
  - 1.2 failure to thrive; or
  - 1.3 increased nutritional requirements; and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet.

Renewal — (Oral feed cystic fibrosis patient) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 The product is to be used as a supplement; or
  - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

Initial application — (Enteral feed) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 enteral feeding; or
  - 1.2 nasogastric; or
  - 1.3 nasoduodenal; or
  - 1.4 nasojejunal; or
  - 1.5 gastrostomy/jejunostomy; and

2 Either:

continued...

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🖌	Brand or Generic Manufacturer
continued			
2.1 The product is to be used as a supplement; or			
2.2 The product is to be used as a complete diet.			
Renewal - (Enteral feed or Oral feed for indications other	than cystic fibrosis)	only from a re	levant specialist or general
practitioner on the recommendation of a relevant specialist. App	rovals valid for 1 year fo	r applications m	eeting the following criteria:
All of the following:			
1 The treatment remains appropriate and the patient is ben	efiting from treatment;	and	

2 Either:

- 2.1 The product is to be used as a supplement; or
- 2.2 The product is to be used as a complete diet; and

3 General Practitioners must include the name of the specialist and date contacted.

Notes: This group of products can be used either as a supplement or as a complete diet.

If a product is being used as a supplement, the limit is 500 ml per day.

Cystic fibrosis patients are exempt the 500 ml per day volume restriction when using Ensure Plus, Fortisip or Resource Plus as a supplement.

ENTERAL FEED 1KCAL/ML - Special Authority see SA0702 on the preceding page - Hospital pharmacy [HP3]

ENTERAL FEED TROAL/ML - Special Authority see SAU/02 on th	e preceaing	page – Hospitai	
Liquid	1.24	250 ml OP	Isosource Standard
			✓ Osmolite
	2.65	500 ml OP	<ul> <li>Nutrison Standard</li> </ul>
			RTH
	5.29	1,000 ml OP	<ul> <li>Nutrison Standard RTH</li> </ul>
			<ul> <li>Isosource Standard RTH</li> </ul>
			<ul> <li>Isosource Standard RTH</li> </ul>
	2.65	500 ml OP	Osmolite RTH
	5.29	1,000 ml OP	Osmolite RTH
ENTERAL FEED WITH FIBRE 1 KCAL/ML - Special Authority see	SA0702 on t	the preceding ha	ige – Hospital pharmacy [HP3]
Liquid		237 ml OP	✓ Jevity
	2.65	500 ml OP	V Nutrison Multi Fibre
	5.29	1,000 ml OP	
	2.65	500 ml OP	
	5.29	1,000 ml OP	<ul> <li>Jevity RTH</li> </ul>
ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority se		the preceding p	
Liquid	1.75	250 ml OP	Ensure Plus HN
			Isosource 1.5
	7.00	1,000 ml OP	Ensure Plus RTH
			Nutrison Energy
			Multi Fibre
(laggering of Elliquid to be deligted to lanuary 2011)			

(Isosource 1.5 Liquid to be delisted 1 January 2011)

# SPECIAL FOODS

	Subsidy (Manufacturer's	Price) Sub	Fully sidised	Brand or Generic
	(Manulacturer s	Price) Sub Per	siuiseu V	Manufacturer
AL FEED 1.5KCAL/ML - Special Authority see SA0702 c	n page 189 – Hospi	tal pharmacy [H	IP3]	
Liquid (banana)		200 ml OP	🖌 🖌 Fo	ortisip
	(1.45)		Er	nsure Plus
Liquid (chocolate)		200 ml OP	🖌 Fo	ortisip
	1.33	237 ml OP	🖌 R	esource Plus
	1.12	200 ml OP		
	(1.45)		E	nsure Plus
	1.33	237 ml OP	🖌 Ei	nsure Plus
Liquid (coffee latte)	1.33	237 ml OP	🖌 Ei	nsure Plus
Liquid (fruit of the forest)		200 ml OP		
	(1.45)		Er	nsure Plus
Liquid (strawberry)		200 ml OP	🖌 Fo	ortisip
	1.33	237 ml OP	V R	esource Plus
	1.12	200 ml OP		
	(1.45)		Er	nsure Plus
	1.33	237 ml OP	🖌 Ei	nsure Plus
Liquid (toffee)	1.12	200 ml OP	🖌 Fo	ortisip
Liquid (tropical fruit)		200 ml OP	🖌 Fo	ortisip
Liquid (vanilla)		200 ml OP	🖌 F0	ortisip
/	(1.45)			nsure Plus
	1.33	237 ml OP	🖌 Ei	nsure Plus

(Resource Plus Liquid (strawberry) to be delisted 1 February 2011)

Liquid (chocolate)	
Liquid (strawberry) 1.12 200 ml OP V Fortisip Multi F	ibre
Liquid (vanilla)1.12 200 ml OP 🖌 Fortisip Multi F	ibre

# **Adult Products High Calorie**

#### ➡SA0585 Special Authority for Subsidy

**Initial application** — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements; and
- 4 Either:
  - 4.1 The product is to be used as a supplement; or
  - 4.2 The product is to be used as a complete diet.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - 1.1 any condition causing malabsorption; or
  - 1.2 failure to thrive; or
  - 1.3 increased nutritional requirements; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements; and

4 Either:

continued...

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	

continued...

- 4.1 The product is to be used as a supplement; or
- 4.2 The product is to be used as a complete diet.

**Renewal** — (Cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

#### All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted; and
- 3 Either:
  - 3.1 The product is to be used as a supplement; or
  - 3.2 The product is to be used as a complete diet.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted; and
- 3 Either:
  - 3.1 The product is to be used as a supplement; or
  - 3.2 The product is to be used as a complete diet.
- Notes: This product can be used either as a supplement or as a complete diet.

If it is being used as a supplement, the limit is 500 ml per day.

ORAL FEED 2KCAL/ML – Special Authority see SA0585 on the preceding page – Hospital pharmacy [HP3]

Liquid (vanilla) ......2.25 237 ml OP 🖌 Two Cal HN

# **Food Thickeners**

#### ➡SA0595 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

FOOD THICKENER - Special Authority see SA0595 above - Hospital pharmacy [HP3]

 Karicare Food Thickener

# **Gluten Free Foods**

#### ➡SA0722 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

GLUTEN FREE BAKING MIX - Special Authority see SA0722 above - Hospital pharmacy [HP3]

(5.15)

Healtheries Simple Baking Mix

# SPECIAL FOODS

	Subsidy (Manufacturer's \$		Fully Brand or dised Generic Manufacturer
GLUTEN FREE BREAD MIX – Special Authority see SA0722 o	n the preceding p	age – Hospital pł	narmacy [HP3]
Powder	3.93	1,000 g OP	
	(7.32)		NZB Low Gluten Bread Mix
	4.77		
	(8.71)		Bakels Gluten Free Health Bread Mix
	3.51		
	(10.87)		Horleys Bread Mix
GLUTEN FREE FLOUR – Special Authority see SA0722 on the Powder		- Hospital pharm 2,000 g OP	acy [HP3]
	(18.10)	2,000 y OF	Horleys Flour
	( /		,
GLUTEN FREE PASTA – Special Authority see SA0722 on the			icy [HP3]
Buckwheat Spirals		250 g OP	Oreneen
Corn and Vegetable Shells	(3.11)	250 g OP	Orgran
Corri and vegetable Shelis	2.00 (2.92)	250 y OF	Orgran
Corn and Vegetable Spirals	( )	250 g OP	Orgian
Contraito vegetable Opitals	(2.92)	250 g OI	Orgran
Rice and Corn Lasagne Sheets	( )	200 g OP	orgiun
	(3.82)	200 9 0.	Orgran
Rice and Corn Macaroni	( )	250 g OP	0.9.000
	(2.92)	- <b>3</b> -	Orgran
Rice and Corn Penne		250 g OP	
	(2.92)	-	Orgran
Rice and Maize Pasta Spirals	2.00	250 g OP	
	(2.92)		Orgran
Rice and Millet Spirals		250 g OP	
	(3.11)		Orgran
Rice and corn spaghetti noodles		375 g OP	
Manatakia and Dias Opinala	(2.92)	050 00	Orgran
Vegetable and Rice Spirals		250 g OP	Oversee
Italian lang at la anaghatti	(2.92)	000 ~ OD	Orgran
Italian long style spaghetti	2.00 (3.11)	220 g OP	Oraron
	(5.11)		Orgran

# Foods And Supplements For Inborn Errors Of Metabolism - Other

#### SA0732 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Either:

- 1 dietary management of homocystinuria; or
- 2 dietary management of maple syrup urine disease.

**Renewal** only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

	Subsidy (Manufacturer's Pr \$	ice) Subs Per	Fully sidised	Brand or Generic Manufacturer
<b>Prescribing Guideline</b> It can cost up to \$70,000 a year to keep an adult on protein si because they are only effective in controlling PKU if a restricted they are following the prescribed diet by regular blood testing. T Failure to follow an appropriate diet results in high blood phenylal The subsidy for these products reflects the philosophy that the cialised more expensive products.	diet is followed, a The requirement for anine levels.	dults with PKL or testing appli	J will be ies to tl	e required to demonstrate hose aged over 16 years.
Supplements For Homocystinuria				
AMINOACID FORMULA WITHOUT METHIONINE – Special Au [HP3] See prescribing guideline above Powder		32 on the prece	0.1	bage – Hospital pharmacy MET Maxamum
Supplements For MSUD				
AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISO – Hospital pharmacy [HP3] See prescribing guideline above	LEUCINE - Spec	ial Authority se	e SA07	'32 on the preceding page
Powder	300.54 437.22	500 g OP		SUD Maxamaid SUD Maxamum
Foods And Supplements For Inborn Errors Of M	letabolism - P	чKU		

#### Prescribing Guideline

It can cost up to \$70,000 a year to keep an adult on protein supplements. Because protein substitutes are so expensive and because they are only effective in controlling PKU if a restricted diet is followed, adults with PKU will be required to demonstrate they are following the prescribed diet by regular blood testing. The requirement for testing applies to those aged over 16 years. Failure to follow an appropriate diet results in high blood phenylalanine levels.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

## Foods and Supplements For PKU

#### SA0733 Special Authority for Subsidy

**Initial application** — (Patient aged over 16) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

1 dietary management of PKU; and

2 The patient's blood phenylalanine level is < 900 mmol/litre (average of tests over last 12 months).

Initial application — (Patient aged 16 or under) only from a relevant specialist. Approvals valid for 3 years where the patient requires dietary management of PKU.

Renewal — (Patient aged over 16) only from a relevant specialist. Approvals valid for 1 year where blood phenylalanine level < 900 mmol/litre (average of tests over last 12 months).

Renewal — (Patient aged 16 or under) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

SPECIAL FOODS

	Subsidy		Fully Brand or
	(Manufacturer's		sidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
INOACID FORMULA WITHOUT PHENYLALANINE - Sp	ecial Authority see	SA0733 on the	e preceding page - Hospital
acy [HP3]			
See prescribing guideline on the preceding page Tabs	00.00	75 OP	Phlexy 10
Sachets (pineapple/vanilla) 29 g		30 OP	<ul> <li>Minaphlex</li> </ul>
Sachets (tropical)		30 OF 30	<ul> <li>Phlexy 10</li> </ul>
Infant formula	1/4./2	400 g OP	✓ PKU Anamix Infant
Dourdor (orongo)	221.00	500 a OB	<ul> <li>XP Analog LCP</li> <li>XP Maxamaid</li> </ul>
Powder (orange)		500 g OP	
	320.00	500 × 0D	✓ XP Maxamum
Powder (unflavoured)		500 g OP	✓ XP Maxamaid
	320.00		XP Maxamum
Liquid (berry)		62.5 ml OP	Lophlex LQ
	31.20	125 ml OP	Lophlex LQ
	15.65	62.5 ml OP	PKU Lophlex LQ
	31.20	125 ml OP	PKU Lophlex LQ
Liquid (citrus)		62.5 ml OP	Lophlex LQ
	31.20	125 ml OP	Lophlex LQ
	15.65	62.5 ml OP	PKU Lophlex LQ
	31.20	125 ml OP	PKU Lophlex LQ
Liquid (forest berries)		250 ml OP	Easiphen Liquid
Liquid (orange)		62.5 ml OP	Lophlex LQ
	31.20	125 ml OP	Lophlex LQ
	15.65	62.5 ml OP	PKU Lophlex LQ
	31.20	125 ml OP	PKU Lophlex LQ
Liquid (tropical)		250 ml OP	Easiphen
			•
ENYL FREE BAKING MIX - Special Authority see SA073			•
ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page		page – Hospita	•
ENYL FREE BAKING MIX - Special Authority see SA073			pharmacy [HP3]
ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page Powder		page – Hospita 500 g OP	pharmacy [HP3] Loprofin Mix
ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on th		page – Hospita 500 g OP	pharmacy [HP3] Loprofin Mix
ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on th See prescribing guideline on the preceding page		page – Hospita 500 g OP - Hospital pharr	pharmacy [HP3] Loprofin Mix
ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on th		page – Hospita 500 g OP	pharmacy [HP3] Loprofin Mix nacy [HP3]
ENYL FREE PASTA – Special Authority see SA0733 on the See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on the See prescribing guideline on the preceding page Animal shapes		page – Hospita 500 g OP - Hospital pharr	pharmacy [HP3] Loprofin Mix
ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on th See prescribing guideline on the preceding page		page – Hospita 500 g OP - Hospital pharr	pharmacy [HP3] Loprofin Mix nacy [HP3]
ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on th See prescribing guideline on the preceding page Animal shapes Lasagne		page – Hospita 500 g OP - Hospital pharr 500 g OP	pharmacy [HP3] Loprofin Mix nacy [HP3]
ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on th See prescribing guideline on the preceding page Animal shapes		page – Hospita 500 g OP - Hospital pharr 500 g OP	pharmacy [HP3] Loprofin Mix nacy [HP3] Loprofin
ENYL FREE BAKING MIX – Special Authority see SA073: See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on th See prescribing guideline on the preceding page Animal shapes Lasagne		page – Hospita 500 g OP - Hospital pharr 500 g OP 250 g OP	pharmacy [HP3] Loprofin Mix nacy [HP3] Loprofin
ENYL FREE BAKING MIX – Special Authority see SA073: See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on th See prescribing guideline on the preceding page Animal shapes Lasagne		page – Hospita 500 g OP - Hospital pharr 500 g OP 250 g OP	pharmacy [HP3] Loprofin Mix nacy [HP3] Loprofin Loprofin
ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on the See prescribing guideline on the preceding page Animal shapes Lasagne Low protein rice pasta		page – Hospita 500 g OP - Hospital pharr 500 g OP 250 g OP 500 g OP	pharmacy [HP3] Loprofin Mix nacy [HP3] Loprofin Loprofin
ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on the See prescribing guideline on the preceding page Animal shapes Lasagne Low protein rice pasta		page – Hospital 500 g OP - Hospital pharr 500 g OP 250 g OP 500 g OP 250 g OP	pharmacy [HP3] Loprofin Mix nacy [HP3] Loprofin Loprofin Loprofin
ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on the See prescribing guideline on the preceding page Animal shapes Lasagne Low protein rice pasta		page – Hospita 500 g OP - Hospital pharr 500 g OP 250 g OP 500 g OP	pharmacy [HP3] Loprofin Mix nacy [HP3] Loprofin Loprofin Loprofin Loprofin
ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on the See prescribing guideline on the preceding page Animal shapes Lasagne Low protein rice pasta Macaroni Penne		page – Hospital 500 g OP - Hospital pharr 500 g OP 250 g OP 500 g OP 250 g OP 250 g OP 500 g OP	pharmacy [HP3] Loprofin Mix nacy [HP3] Loprofin Loprofin Loprofin
ENYL FREE BAKING MIX – Special Authority see SA073:         See prescribing guideline on the preceding page         Powder         ENYL FREE PASTA – Special Authority see SA0733 on th         See prescribing guideline on the preceding page         Animal shapes         Lasagne         Low protein rice pasta         Macaroni		page – Hospital 500 g OP - Hospital pharr 500 g OP 250 g OP 500 g OP 250 g OP	pharmacy [HP3] Loprofin Mix nacy [HP3] Loprofin Loprofin Loprofin Loprofin Loprofin
ENYL FREE BAKING MIX – Special Authority see SA073         See prescribing guideline on the preceding page         Powder         ENYL FREE PASTA – Special Authority see SA0733 on th         See prescribing guideline on the preceding page         Animal shapes         Lasagne         Low protein rice pasta         Macaroni         Penne		page – Hospital 500 g OP - Hospital pharr 500 g OP 250 g OP 500 g OP 250 g OP 250 g OP 500 g OP	pharmacy [HP3] Loprofin Mix nacy [HP3] Loprofin Loprofin Loprofin Loprofin

	Subsidy (Manufacturer's Pric \$	e) Subs Per	Fully sidised	Brand or Generic Manufacturer
Multivitamin And Mineral Supplements				
Sample Sharper and the following:  Special Authority for Subsidy  Initial application from any relevant practitioner. Approvals vali- the following criteria:  Any of the following:  Dietary management of phenylketonuria (PKU); or	d without further re	newal unless	notifie	d for applications meeting
<ul> <li>2 For use as a supplement to the ketogenic diet in patients of</li> <li>3 Patient has had a previous approval for metabolic mineral</li> </ul>		epsy; or		
AMINOACID FORMULA WITH MINERALS WITHOUT PHENYLA See prescribing guideline on page 194	LANINE – Special A	Authority see	SA0962	2 above – Retail pharmacy
Powder	23.38	100 g OP		etabolic Mineral Mixture
Infant Formulae				
For Premature Infants				
SA0602 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid at birth.				t weighing less than 1.5 kg
PREMATURE BIRTH FORMULA – Special Authority see SA060 Liquid		pharmacy [H 100 ml OP		26LBW Gold RTF
For Williams Syndrome				
→SA0601 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals vali Syndrome and associated hypercalcaemia. Renewal only from a relevant specialist or general practitioner or 1 year for applications meeting the following criteria: Both:				
1 The treatment remains appropriate and the patient is bene 2 General Practitioners must include the name of the specia				
LOW CALCIUM INFANT FORMULA – Special Authority see SAC Powder		tal pharmacy 400 g OP		ocasol
For Gastrointestinal And Other Malabsorptive P	roblems			
■>SA0603 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid and other gastrointestinal problems. Renewal only from a relevant specialist or general practitioner or				0

1 year for applications meeting the following criteria:

Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 General Practitioners must include the name of the specialist and date contacted.

Neocate should be used only as a last resort when the infant is unable to absorb any of the below formulae. The objective with each of the formulae prescribed is to get the infant off them as soon as possible. This may take six months, it may take three years. Because of this, variation on age limit is not regarded as appropriate. These formulae will be available only from a hospital pharmacy. Vivonex Pediatric may be a suitable and less expensive alternative for many children that would otherwise be eligible for a subsidy for Neocate and should, therefore, be tried first in these cases. The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

# SPECIAL FOODS

	Subsidy (Manufacturer's Pr \$	ice) Sub Per	Fully osidised	Brand or Generic Manufacturer
ELEMENTAL FORMULA - Special Authority see SA0603 on the	preceding page -	Hospital pha	rmacy [	HP3]
Powder	11.72	450 g OP		
	(15.21)		P	epti Junior Gold
	15.52			
	(19.01)		P	epti Junior
	63.97	400 g OP		
	(67.08)	Ũ	N	eocate
	(67.08)		N	eocate LCP
	5.62	48.5 g OP		
	(6.00)	0	V	ivonex Pediatric
Powder (tropical)	( )	400 g OP		
	(56.00)	5 5	N	eocate Advance
Powder (unflavoured)	( /	400 g OP		
	(56.00)	5 5	E	lecare
	(56.00)		E	lecare LCP
	(56.00)		N	eocate Advance
Powder (vanilla)	· · ·	400 g OP		
·, ·,	(56.00)		E	lecare

# For Milk Intolerance

#### ➡SA0604 Special Authority for Subsidy

**Initial application** — (Lactase deficiency or disaccharide intolerance) only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is less than 3 years of age; and
- 2 Either:
  - 2.1 diagnosed as suffering from congenital lactase deficiency; or
  - 2.2 suffering from disaccharide intolerance.

Notes: Secondary lactose intolerance in children is usually short lasting, and can be controlled by dietary measures and by giving sufficient calories to regenerate digestive enzymes.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

**Initial application — (Infant with intolerance to cows' milk)** only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 intolerant to cows' milk; and
- 2 patient is less than 3 years of age.

Note: The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Renewal — (Infant with intolerance to cows' milk) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 patient is less than 3 years of age.

GOATS MILK INFANT FORMULA - Special Authority see SA0604 above - Retail pharmacy

(22.75)

Karicare Goats Milk Infant Formula

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🖌	Brand or Generic Manufacturer
LACTOSE FREE INFANT FORMULA – Special Authority see SA Powder		0 g OP	harmacy
SOYA INFANT FORMULA – Special Authority see SA0604 on th Powder		10 g OP	26 Soy
Infant Formulae - Lactose Intolerance and Cows	' Milk Protein In	tolerance	
<ul> <li>►&gt;SA0757 Special Authority for Subsidy</li> <li>Initial application only from a relevant specialist. Approvals valid</li> <li>All of the following:         <ol> <li>The patient is less than 2 years of age; and</li> <li>Intolerant to cows' milk; and</li> <li>Diagnosed as suffering from congenital lactase deficiency.</li> </ol> </li> <li>Renewal only from a relevant specialist. Approvals valid for 6 mo benefiting from treatment.</li> <li>INFANT SOY FORMULA – Special Authority see SA0757 above</li> </ul>	onths where the treat	-	·
Powder		900 g K	aricare Soy All Ages

# Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

ADRENALINE ✓ Inj 1 in 1,000, 1 ml
AMINOPHYLLINE ✓ Inj 25 mg per ml, 10 ml5
AMIODARONE HYDROCHLORIDE ✔ Inj 50 mg per ml, 3 ml
AMOXYCILLIN ✓ Cap 250 mg
AMOXYCILLIN CLAVULANATE Tab amoxycillin 500 mg with potassium clavulanate 125 mg
✓ Grans for oral liq amoxycillin 250 mg with potassium clavulanate 62.5 mg per 5 ml
APPLICATOR Applicator – See note on page 681
ASPIRIN ✓ Tab dispersible 300 mg
АТROPINE SULPHATE ✔ Inj 600 µg, 1 ml
AZITHROMYCIN ✓ Tab 500 mg – Subsidy by endorsement – See note on page 83
BENDROFLUAZIDE V Tab 2.5 mg – See note on page 54
BENZATHINE BENZYLPENICILLIN V Inj 1.2 mega u per 2.3 ml
BENZTROPINE MESYLATE ✓ Inj 1 mg per ml, 2 ml
BENZYLPENICILLIN SODIUM (PENICILLIN G)
<ul> <li>CEFTRIAXONE SODIUM</li> <li>✓ Inj 500 mg – Subsidy by endorsement – See note on page 82</li></ul>

·····
CHARCOAL ✔ Oral liq 50 g per 250 ml
CHLORPROMAZINE HYDROCHLORIDE ✓ Tab 10 mg
CIPROFLOXACIN ✓ Tab 250 mg
<ul> <li>CO-TRIMOXAZOLE</li> <li>✓ Tab trimethoprim 80 mg and sulphamethoxazole 400 mg30</li> <li>✓ Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg per 5 ml200 ml</li> </ul>
COMPOUND ELECTROLYTES ✓ Powder for soln for oral use 5 g10
CONDOMS       49 mm.       144         52 mm.       144         52 mm extra strength.       144         53 mm.       144         53 mm (chocolate)       144         53 mm (strawberry)       144         53 mm extra strength.       144         53 mm extra strength.       144         55 mm.       144         56 mm.       144         56 mm, shaped.       144
DEXAMETHASONE ✓ Tab 1 mg – Retail pharmacy-Specialist
DEXAMETHASONE SODIUM PHOSPHATE ✓ Inj 4 mg per ml, 1 ml
DEXTROSE ✔ Inj 50%, 10 ml5 ✔ Inj 50%, 90 ml5
DIAPHRAGM ✓ 55 mm – See note on page 69 1 ✓ 60 mm – See note on page 69 1

✓ fully subsidised brand available

Please refer to Section A for a definition, and conditions of supply, of Practitioner's Supply Orders.

#### (continued)

✓ 65 mm – See note on page 691
✓ 70 mm – See note on page 691
✓ 75 mm – See note on page 691
✓ 80 mm – See note on page 691
✓ 85 mm – See note on page 691
✓ 90 mm – See note on page 691

#### DIAZEPAM

Inj 5 mg per ml, 2 ml – Subsidy by	
endorsement – See note on page 122	5
✓ Rectal tubes 5 mg	5
✓ Rectal tubes 10 mg	5

#### DICLOFENAC SODIUM

~	' Inj 25 mg per ml, 3 ml	5
V	' Suppos 50 mg 1	0

#### DIGOXIN

V	Tab	62.5 μg	30
V	Tab	250 μg	30

# DOXYCYCLINE HYDROCHLORIDE

	Tab	50 mg	30
~	Tab	100 mg	30

#### ERGOMETRINE MALEATE

~	Inj	500	μg	per	ml,	1	ml	. 5
---	-----	-----	----	-----	-----	---	----	-----

# ERYTHROMYCIN ETHYL SUCCINATE

~	' Tab 400 mg	30
	Grans for oral liq 200 mg per 5 ml	
V	Grans for oral liq 400 mg per 5 ml	. 200 ml

# ERYTHROMYCIN STEARATE

Tab 250 mg	30
ETHINYLOESTRADIOL WITH DESOGESTREL	
Tab 20 µg with desogestrel 150 µg	63
Tab 20 µg with desogestrel 150 µg and 7	
inert tab	84
Tab 30 µg with desogestrel 150 µg	63
Tab 30 µg with desogestrel 150 µg and 7	

# ETHINYLOESTBADIOL WITH LEVONOBGESTBEL

inert tab ......84

✓ Tab 50 µg with levonorgestrel 125 µg and 7	
inert tab	84
Tab 30 µg with levonorgestrel 150 µg	63
✓ Tab 30 µg with levonorgestrel 150 µg and 7	
inert tab	84
Tab 20 µg with levonorgestrel 100 µg and 7	
inert tab	84
ETHINYLOESTRADIOL WITH NORETHISTERONE	
✓ Tab 35 µg with norethisterone 1 mg	63

<ul> <li>✓ Tab 35 µg with norethisterone 500 µg and 7 inert tab</li></ul>
<ul> <li>✓ Tab 35 µg with norethisterone 500 µg</li></ul>
<ul> <li>✓ Cap 250 mg</li></ul>
<ul> <li>✓ Inj 20 mg per ml, 1 ml</li></ul>
<ul> <li>✓ Inj 12.5 mg per 0.5 ml, 0.5 ml</li></ul>
✓ Tab 40 mg
✓ Inj 1 mg syringe kit
✓ Tab 600 µg
<ul> <li>Tab 500 μg30</li> <li>Tab 1.5 mg</li></ul>
✓ Oral liq 2 mg per ml
HALOPERIDOL DECANOATE ✔ Inj 50 mg per ml, 1 ml
HYDROCORTISONE ✔ Inj 50 mg per ml, 2 ml5
HYDROXOCOBALAMIN ✔ Inj 1 mg per ml, 1 ml€
HYOSCINE N-BUTYLBROMIDE ✔ Inj 20 mg, 1 ml5
INTRA-UTERINE DEVICE ✔ IUD40

continued...

# PRACTITIONER'S SUPPLY ORDERS

(continued) **IPRATROPIUM BROMIDE** ✓ Nebuliser soln, 250 µg per ml, 1 ml ......40 LEVONORGESTREL ✓ Tab 1.5 mg......5 LIGNOCAINE ✓ Gel 2%, 10 ml urethral syringe ......5 LIGNOCAINE HYDROCHLORIDE ✓ Inj 0.5%, 5 ml......5 ✓ Inj 1%, 5 ml......5 LIGNOCAINE WITH CHLORHEXIDINE ✓ Gel 2% with chlorhexidine 0.05%. 10 ml urethral syringes ......5 LOPERAMIDE HYDROCHLORIDF MASK FOR SPACER DEVICE MEDROXYPROGESTERONE ACETATE ✓ Inj 150 mg per ml, 1 ml syringe......5 METHYLERGOMETRINE ✓ Inj 200 µg per ml, 1 ml ...... 10 METOCLOPRAMIDE HYDROCHLORIDE ✓ Inj 5 mg per ml, 2 ml ......5 **METRONIDAZOLE** MORPHINE SULPHATE ✓ Inj 5 mg per ml, 1 ml – Only on a controlled drug form ......5 ✓ Inj 10 mg per ml, 1 ml – Only on a controlled drug form ......5 ✓ Inj 15 mg per ml, 1 ml – Only on a controlled drug form ......5 ✓ Inj 30 mg per ml, 1 ml – Only on a controlled drug form ......5

NALOXONE HYDROCHLORIDE	
🖌 Inj 400 μg per ml, 1 ml	5
NONOXYNOL-9	
✓ Jelly 2%10	3 g

NORETHISTERONE ✓ Tab 350 µg ✓ Tab 5 mg	
NORETHISTERONE WITH MESTRANOL Tab 1 mg with mestranol 50 µg and 7 inert tab.	84
OXYTOCIN ✓ Inj 5 iu per ml, 1 ml ✓ Inj 10 iu per ml, 1 ml ✓ Inj 5 iu with ergometrine maleate 500 μg per ml, 1 ml	5
PARACETAMOL / Tab 500 mg / Oral liq 120 mg per 5 ml / Oral liq 250 mg per 5 ml	. 200 ml
PEAK FLOW METER / Low range/ Normal range	
<ul> <li>PETHIDINE HYDROCHLORIDE</li> <li>Inj 50 mg per ml, 1 ml – Only on a controlled drug form</li> <li>Inj 50 mg per ml, 1.5 ml – Only on a controlled drug form</li> <li>Inj 50 mg per ml, 2 ml – Only on a controlled drug form</li> </ul>	5
PHENOXYMETHYLPENICILLIN (PENICILLIN V) Cap potassium salt 250 mg Grans for oral liq 125 mg per 5 ml Grans for oral liq 250 mg per 5 ml	30 . 200 ml
PHENYTOIN SODIUM ✓ Inj 50 mg per ml, 2 ml ✓ Inj 50 mg per ml, 5 ml	5
PHYTOMENADIONE / Inj 2 mg per 0.2 ml – See note on page 41 / Inj 10 mg per ml, 1 ml – See note on page 41	
PIPOTHIAZINE PALMITATE ✓ Inj 50 mg per ml, 1 ml ✓ Inj 50 mg per ml, 2 ml	5 5
PREDNISOLONE SODIUM PHOSPHATE ✓ Oral liq 5 mg per ml – See note on page 75	30 ml
PREDNISONE / Tab 5 mg	30
PREGNANCY TESTS - HCG URINE	200 test

✓ fully subsidised brand available

Please refer to Section A for a definition, and conditions of supply, of Practitioner's Supply Orders.

continued...

(continued) PROCAINE PENICILLIN ✔ Inj 1.5 mega u5
PROCHLORPERAZINE ✓ Tab 5 mg
PROMETHAZINE HYDROCHLORIDE ✓ Inj 25 mg per ml, 2 ml
SALBUTAMOL         ✓ Inj 500 µg per ml, 1 ml         5           ✓ Aerosol inhaler, 100 µg per dose CFC free         1000 dose           ✓ Nebuliser soln, 1 mg per ml, 2.5 ml         30           ✓ Nebuliser soln, 2 mg per ml, 2.5 ml         30
SALBUTAMOL WITH IPRATROPIUM BROMIDE ✓ Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml
SILVER SULPHADIAZINE ✔ Crm 1%250 g
SODIUM BICARBONATE ✓ Inj 8.4%, 50ml

SODIUM CHLORIDE           ✓ Inf 0.9% - See note on page 43
<ul> <li>SPACER DEVICE</li> <li>✓ 230 ml (autoclavable) – Subsidy by endorsement – See note on page 16520</li> <li>✓ 230 ml (single patient)20</li> <li>✓ 800 ml</li></ul>
TRIMETHOPRIM V Tab 300 mg
VERAPAMIL HYDROCHLORIDE VInj 2.5 mg per ml, 2 ml
WATER V Purified for inj, 5 ml – See note on page 44
ZUCLOPENTHIXOL DECANOATE V Inj 200 mg per ml, 1 ml

## **Rural Areas for Practitioner's Supply Orders**

#### NORTH ISLAND

## Northland DHB

Dargaville Hikurangi Kaeo Kaikohe Kaitaia Kawakawa Kerikeri Mangonui Maungaturoto Moerewa Naunauru Paihia Rawene Ruakaka Russell Tutukaka Waipu Whangaroa

#### Waitemata DHB

Helensville Huapai Kumeu Snells Beach Waimauku Warkworth Wellsford

#### Auckland DHB

Great Barrier Island Oneroa Ostend

#### **Counties Manukau DHB**

Tuakau Waiuku

#### Waikato DHB

Coromandel Huntly Kawhia Matamata Morrinsville Ngatea Otorohanga Paeroa Pauanui Beach Putaruru Raglan Tairua Taumarunui Te Aroha Te Kauwhata Te Kuiti Tokoroa Waihi Whangamata Whitianga

#### **Bay of Plenty DHB**

Edgecumbe Katikati Kawerau Murupara Opotiki Taneatua Te Kaha Waihi Beach Whakatane

#### Lakes DHB Mangakino

#### Turangi Tairawhiti DHB

Ruatoria Te Araroa Te Karaka Te Puia Springs Tikitiki Tokomaru Bay Tolaga Bay

#### Taranaki DHB

Eltham Inglewood Manaia Oakura Okato Opunake Patea Stratford Waverley

#### Hawkes Bay DHB

Chatham Islands Waipawa Waipukurau Wairoa **Whanganui DHB** Bulls Marton Ohakune Raetihi Taihape Waiouru

# MidCentral DHB

Dannevirke Foxton Levin Otaki Pahiatua Shannon Woodville

#### Wairarapa DHB

Carteron Featherston Greytown Martinborough

## SOUTH ISLAND

#### Nelson/Marlborough DHB

Havelock Mapua Motueka Murchison Picton Takaka Wakefield

#### West Coast DHB

Dobson Greymouth Hokitika Karamea Reefton South Westland Westport Whataroa

#### Canterbury DHB

Akaroa Amberley Amuri Cheviot Darfield Diamond Harbour Hanmer Springs Kaikoura Leeston Lincoln Methven Oxford Rakaia Rolleston Rotherham Templeton Waikari

#### South Canterbury DHB

Fairlie Geraldine Pleasant Point Temuka Twizel Waimate

#### Southern DHB

Alexandra Balclutha Cromwell Gore Kurow I awrence Lumsden Mataura Milton Oamaru Oban Otautau Outram Owaka Palmerston Queenstown Ranfurly Riverton Roxburah Tapanui Te Anau Tokonui Tuatapere

Wanaka

Winton

# SECTION F: PART I

A Community Pharmaceutical identified with a **\*** within the other sections of the Pharmaceutical Schedule:

a) is exempt from any requirement to dispense in Monthly Lots;

b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is Close Control.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a \* within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is Close Control.

# SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

- a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the prescriber has endorsed the Prescription item(s) on the Prescription to which the exemption applies "certified exemption". In endorsing the Prescription items for a certified exemption, the prescriber is certifying that:
  - i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
  - ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
  - iii) the prescriber has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
  - i) have limited physical mobility;
  - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
  - iii) are relocating to another area;
  - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

The following Community Pharmaceuticals are identified with a **A** within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

# ALIMENTARY TRACT AND METABOLISM INSULIN ASPART INSULIN GLARGINE INSULIN ISOPHANE INSULIN ISOPHANE WITH INSULIN NEUTRAL INSULIN LISPRO INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE INSULIN NEUTRAL

#### CARDIOVASCULAR SYSTEM

AMIODARONE HYDROCHLORIDE Tab 100 mg Cordarone-X Tab 200 mg Cordarone-X

DISOPYRAMIDE PHOSPHATE

#### FLECAINIDE ACETATE Tab 50 mg Tambocor Tab 100 mg Tambocor Cap long-acting 100 mg Tambocor CR Cap long-acting 200 mg Tambocor CR

MEXILETINE HYDROCHLORIDE

PROPAFENONE HYDROCHLORIDE

# HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN Nasal drops 100 µg per Minirin ml Nasal spray 10 µg per Desmopressin-PH&T dose MUSCULOSKELETAL SYSTEM PYRIDOSTIGMINE BROMIDE

#### NERVOUS SYSTEM AMANTADINE HYDROCHLORIDE

AWAN IADINE HTDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

ENTACAPONE

GABAPENTIN

GABAPENTIN (NEURONTIN)

LAMOTRIGINE

LISURIDE HYDROGEN MALEATE

PERGOLIDE

ROPINIROLE HYDROCHLORIDE

TOLCAPONE

TOPIRAMATE

VIGABATRIN

### SENSORY ORGANS

BIMATOPROST

BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE

BRINZOLAMIDE

LATANOPROST

TRAVOPROST

# SECTION G: SAFETY CAP MEDICINES

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

# Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

# Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

# Safety Caps (NZS 5825:1991)

20 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
24 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	PDL FG

#### ALIMENTARY TRACT AND METABOLISM

FERROUS SULPHATE Oral liq 30 mg per 1 ml Ferodan (6 mg elemental per 1 ml)

#### CARDIOVASCULAR SYSTEM

AMILORIDE Oral liq 1 mg per ml Biomed

CAPTOPRIL Oral liq 5 mg per ml Capoten CHLOROTHIAZIDE Oral liq 50 mg per ml Biomed DIGOXIN Oral liq 50 µg per ml Lanoxin

# FUROSEMIDE Oral liq 10 mg per ml Lasix

SPIRONOLACTONE Oral lig 5 mg per ml

# HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

Biomed

#### LEVOTHYROXINE

Tab 50 µg	Eltroxin
	Goldshield
	Synthroid
Tab 100 µg	Eltroxin
	Goldshield
	Synthroid
Tab 25 µg	Synthroid

(Extemporaneously compounded oral liquid preparations)

#### MUSCULOSKELETAL SYSTEM

IBUPROFEN Oral liq 100 mg per 5 ml Fenpaed

QUININE SULPHATE	
Tab 200 mg	Q 200
Tab 300 mg	Q 300
(Extemporaneously compo	unded oral liquid preparations)

#### NERVOUS SYSTEM

ALPRAZOLAM Tab 250 µg Arrow-Alprazolam Tab 500 µg Arrow-Alprazolam Tab 1 mg Arrow-Alprazolam (Extemporaneously compounded oral liquid preparations)

#### CARBAMAZEPINE

Oral liq 100 mg per 5 ml Tegretol

CLOBAZAM Tab 10 mg Frisium (Extemporaneously compounded oral liquid preparations) **CLONAZEPAM** Oral drops 2.5 mg per Rivotril ml DIAZEPAM Arrow-Diazepam Tab 2 mg Tab 5 mg Arrow-Diazepam (Extemporaneously compounded oral liquid preparations) **ETHOSUXIMIDE** Oral liq 250 mg per 5 ml Zarontin LORAZEPAM Tab 1 mg Ativan Tab 2.5 mg Ativan (Extemporaneously compounded oral liquid preparations) LORMETAZEPAM Noctamid Tab 1 mg (Extemporaneously compounded oral liquid preparations) METHADONE HYDROCHLORIDE Oral lig 2 mg per ml Biodone Oral lig 5 mg per ml **Biodone Forte** Oral liq 10 mg per ml Biodone Extra Forte MIDAZOLAM Tab 7.5 mg Hypnovel (Extemporaneously compounded oral liquid preparations) MORPHINE HYDROCHLORIDE Oral lig 1 mg per ml **RA-Morph** Oral lig 2 mg per ml **RA-Morph** Oral lig 5 mg per ml RA-Morph Oral liq 10 mg per ml **RA-Morph** NITRA7FPAM Tab 5 mg Nitrados (Extemporaneously compounded oral liquid preparations)

### OXAZEPAM

Tab 10 mg Ox-Pam Tab 15 mg Ox-Pam (Extemporaneously compounded oral liquid preparations)

#### OXYCODONE HYDROCHLORIDE Oral liq 5 mg per 5 ml OxyNorm

# SAFETY CAP MEDICINES

#### PARACETAMOL

Oral liq 120 mg per 5 ml Paracare Junior Oral liq 250 mg per 5 ml Paracare Double Strength

PHENYTOIN SODIUM Oral liq 30 mg per 5 ml

SODIUM VALPROATE Oral liq 200 mg per 5 ml

Epilim S/F Liquid Epilim Syrup

Dilantin

TEMAZEPAM Tab 10 mg Normison (Extemporaneously compounded oral liquid preparations)

#### TRIAZOLAM

Tab 125 μg Hypam Tab 250 μg Hypam (Extemporaneously compounded oral liquid preparations)

#### RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE Oral liq 1 mg per ml Cetirizine - AFT

CHLORPHENIRAMINE MALEATE Oral lig 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE Oral liq 2 mg per 5 ml Polaramine PROMETHAZINE HYDROCHLORIDE

Oral liq 5 mg per 5 ml Promethazine Winthrop Elixir

SALBUTAMOL Oral liq 2 mg per 5 ml Salapin

THEOPHYLLINE Oral liq 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE Oral liq 30 mg per 5 ml Vallergan Forte

#### EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE Powder Douglas (Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE Powder AFT (Extemporaneously compounded oral liquid preparations)


PHENOBARBITONE SODIUM Powder MidWest (Extemporaneously compounded oral liquid preparations)

	INDEX
Generic Chemicals and	l Brands

- Symbols -	
3TC	94
- A -	
A-Lices	64
A-Scabies	
Abacavir sulphate	93
Abacavir sulphate with	
lamivudine	93
Abilify	
ABM Hydroxocobalamin	36
Acarbose	29
Accu-Chek Performa30	), 31
Accupril	49
Accuretic 10	
Accuretic 20	
Acetadote	
Acetazolamide	.168
Acetic acid with 1, 2- propanediol	
diacetate and	
benzethonium	166
Acetic acid with hydroxyquinoline	
and ricinoleic acid	
Acetylcysteine	
Aci-Jel	72
Aciclovir	
Infection	
Sensory	
Acidex	25
Acipimox	
Acitretin	
Aclasta	
Actigall	
Actrapid Penfill	
Acupan	
Adalat 10	
Adalat Oros	
Adalimumab	
Adapalene	
Adefin XL	
Adefovir dipivoxil	88
Adrenaline	
Advantan	
AFT-Leflunomide	
AFT-Pyrazinamide	
Agents Affecting the	
Renin-Angiotensin System	48
Agents for Parkinsonism and	
Related Disorders	115
Agents Used in the Treatment of	
Poisonings	
Agrylin	.147

Alanase165
Albay160
Albustix
Aldara
Alendronate sodium
Alendronate sodium with
cholecalciferol
Alfacalcidol
Alginic acid25
Alitraq
Alkeran
Allersoothe161
Allopurinol114
Alpha Adrenoceptor Blockers47
Alpha tocopheryl acetate37
Alpha-Keri Lotion63
Alphamox84
Alprazolam133
Alu-Tab25
Aluminium hydroxide25
Amantadine hydrochloride115
Ambrisentan
Amiloride
Amiloride with frusemide
Amiloride with
hydrochlorothiazide
Aminophylline
Amiodarone hydrochloride50
Amirol
Amisulpride
Amisupride
Amitriptyline
Amizide
Amlodipine
Amorolfine
Amoxycillin84
Amoxycillin clavulanate
Amphotericin B35
Amsacrine147
Amsidine147
Amyl nitrite55
Anabolic Agents75
Anaesthetics116
Anagrelide hydrochloride147
Analgesics
Anastrozole156
Androderm76
Antabuse141
Antacids and Antiflatulants25
Anten 120
Anten120 Anthelmintics
Anten

Drugs (NSAIDs)99	
Antiacne Preparations57	
Antiallergy Preparations160	
Antianaemics	
Antiandrogen Oral	
Contraceptives	
Antiarrhythmics50	
Antibacterials82	
Antibacterials Topical58	
Anticholinesterases99	
Antidepressants119	
Antidiarrhoeals25	
Antiepilepsy Drugs122	
Antifibrinolytics, Haemostatics	
and Local Sclerosants 41	
Antifungals87	
Antifungals Topical58	
Antihaemorrhoidals26	
Antihistamines160	
Antihypotensives51	
Antimalarials87	
Antimigraine Preparations126	
Antinaus	
Antinausea and Vertigo	
Agents 126	
Antipruritic Preparations59	
Antipsychotics	
Antiretrovirals92	
Antiretrovirals - Additional	
Therapies94	
Antirheumatoid Agents100	
Antispasmodics and Other	
Agents Altering Gut	
Motility27	
Antithrombotic Agents41	
Antithymocyte globulin	
(equine) 157	
Antitrichomonal Agents87	
Antituberculotics and	
Antileprotics	
Antiulcerants27	
Antivirals88	
Anusol27	
Anxiolytics133	
Apidra29	
Apidra SoloStar29	
Apo-Allopurinol114	
Apo-Amlodipine52	
Apo-Amoxi84	
Apo-Ascorbic Acid36	
Apo-B-Complex	
Apo-Bromocriptine115	



Apo-Captopril48
Apo-Cimetidine27
Apo-Clomipramine119
Apo-Clopidogrel41
Apo-Doxazosin47
Apo-Folic Acid40
Apo-Gliclazide29
Apo-Ipravent165
Apo-Megestrol154
Apo-Moclobemide120
Apo-Nadolol52
Apo-Nicotinic Acid45
Apo-Oxybutynin73
Apo-Pindolol52
Apo-Prazo47
Apo-Prednisone76
Apo-Primidone
Apo-Pyridoxine
Apo-Risperidone
Apo-Selegiline115
Apo-Selegiline S29115
Apo-Terazosin
Apo-Terbinafine
Apo-Thiamine
Apo-Timol
Apo-Timop
Apo-Zopiclone
Apomine
Apomorphine hydrochloride115
Applicator
Aprepitant
Apresoline
Aquasun 30+
Aquasun Oil Free Faces
SPF30+
Aqueous cream62
Aratac
Arava
Aremed
Arimidex
Aripiprazole128
Aristocort61
Aromasin156
Arrow-Alprazolam133
Arrow-Azithromycin83
Arrow-Bendrofluazide54
Arrow-Cabergoline80
Arrow-Citalopram121
Arrow-Clopidogrel41
Arrow-Diazepam134
Arrow-Enalapril48
Arrow-Etidronate112
Arrow-Lamotrigine124

Arrow-Lisinopril48
Arrow-Meloxicam100
Arrow-Nifedipine XR52
Arrow-Norfloxacin97
Arrow-Ranitidine27
Arrow-Roxithromycin84
Arrow-Sertraline
Arrow-Simva 10mg45
Arrow-Simva 20mg45
Arrow-Simva 40mg45
Arrow-Simva 80mg45
Arrow-Sumatriptan126
Arrow-Testosterone
Arrow-Topiramate125
Arrow-Tramadol
Arsenic trioxide
Arthrexin100
Asacol
Asamax
Ascorbic acid
Aspec 300117
Aspen Adrenaline
Aspen Ceftriaxone82
Aspirin
Blood41
Nervous117
Asthalin163
Atacand49
Atazanavir sulphate94
Atenolol51
Atenolol Tablet USP51
ATGAM157
Ativan134
Atomoxetine136
Atorvastatin45
Atropine sulphate
Alimentary27
Sensory169
Atropt
Atrovent163
Auranofin100
Avanza121
Avelox
Avomine
Avonex
Azamun156
Azathioprine156
Azithromycin83
Azol
Azopt
AZT
-B-
B-D Micro-Fine

B-D Ultra Fine	
B-D Ultra Fine II	
B-PlexADE	36
Bacillus calmette-guerin (BCG)	
vaccine	157
Baclofen	
Bactroban	58
Bakels Gluten Free Health Bread	
Mix	
Baraclude	88
Barrier Creams and	
Emollients	
Batrafen	
Beclazone 100	
Beclazone 250	
Beclazone 50	161
Beclomethasone	
dipropionate 161,	165
Bee venom allergy	
treatment	
Bendrofluazide	
Benhex	
Benzathine benzylpenicillin	84
Benzoin	
Benztrop	
Benztropine mesylate	116
Benzydamine hydrochloride	35
Benzylpenicillin sodium (penicillin G)	84
Beta Adrenoceptor Blockers	51
Beta Cream	
Beta Ointment	
Beta Scalp	
Beta-Adrenoceptor Agonists	163
Betadine	64
Betadine Skin Prep	
Betaferon	
Retagan	167
Betahistine dihydrochloride	127
Betaloc	52
Betaloc CR	
Betamethasone dipropionate	
Betamethasone sodium	
phosphate with	
betamethasone acetate	75
Betamethasone valerate60	. 66
Betamethasone valerate with	,
clioguinol	. 61
Betamethasone valerate with	
fusidic acid	61
Betaxolol hydrochloride	
Betnovate	
Betnovate-C	

Betoptic167	
Betoptic S167	
Bezafibrate44	
Bezalip Retard44	
Bicalox154	
Bicalutamide154	
Bicillin LA84	
BiCNU143	
Bimatoprost168	
Biodone118	
Biodone Extra Forte118	
Biodone Forte118	
Bisacodyl34	
BK Lotion63	
Bleomycin sulphate147	
Bleph 10	
Blood glucose diagnostic test	
meter	
Blood glucose diagnostic test	
strip	
Bonjela	
Bosentan55	
Breath-Alert	
Brevinor 1/2171	
Brevinor 1/2871	
Brevinor 2171	
Bricanyl Turbuhaler	
Brimonidine tartrate	
maleate	
Brinzolamide168	
Brolene	
Bromocriptine mesylate115	
Brufen	
Brufen Retard99 BSF Arrow-Enalapril171	
DSF Arrow-Enalapril	
Buccastem	
Budenocort161	
Budesonide	
Alimentary25	
Respiratory161, 165	
Budesonide with	
eformoterol 162	
Bumetanide53	
Buprenorphine	
hydrochloride 117	
Bupropion hydrochloride141	
Burinex53	
Buscopan27	
Buspirone hydrochloride133	
Busulphan143	
Butacort Aqueous165	

	^	
-	c	-

Cabergoline80
Cafergot126
Cal-d-Forte
Calamine59
Calci-Tab 50037
Calci-Tab 60037
Calcipotriol65
Calcitonin111
Calcitriol
Calcium carbonate37
Calcium carbonate with
aminoacetic acid25
Calcium Channel Blockers52
Calcium Disodium Versenate
Calcium folinate144
Calcium Folinate Ebewe144
Calcium gluconate
Calcium Homeostasis110
Calcium polystyrene
sulphonate
Calcium Resonium
Calogen
Calsource
Camptosar146
Candesartan
Canesten
Capecitabine
Capoten
Capsaicin
Captopril48
Carafate
Carbonozoning
Carbamazepine
Carbinazole
Carboplatin
Carboplatin Ebewe
Carbosorb-X
Cardinol
Cardinol LA
Cardizem CD53
CareSens
CareSens II
CareSens POP
Carmustine143
Carvedilol51
Catapres
Catapres-TTS-153
Catapres-TTS-253
Catapres-TTS-353
CeeNU143
Cefaclor monohydrate82
Cefalexin Sandoz83

Cefazolin sodium82
Cefoxitin sodium82
Ceftriaxone sodium82
Cefuroxime axetil82
Cefuroxime sodium82
Celestone Chronodose75
Celiprolol51
Cellcept
Celol
Cephalexin ABM83
Cephalexin monohydrate83
Cerezyme
Cetirizine - AFT160
Cetirizine hydrochloride160
Cetomacrogol62
Champix141
Charcoal
Chemotherapeutic Agents143
Chlorafast166
Chlorambucil143
Chloramphenicol166
Chlorhexidine gluconate
Alimentary
Dermatological61
Chloroform
Chloromycetin166
Chlorothiazide
Chlorpheniramine maleate
Chlorpromazine
hydrochloride
Chlorsig
Chlorthalidone54
Chlorvescent
Cholecalciferol
Cholestyramine with
aspartame
Choline salicylate with
cetalkonium chloride
Ciclopiroxolamine58
Cilazapril48
Cilazapril with
hydrochlorothiazide 49
Cilicaine85
Cilicaine VK85
Ciloxan166
Cimetidine27
Ciprofloxacin
Infection85
Sensory166
Cisplatin
Cisplatin Ebewe143
Citalopram hydrobromide
Cladribine145
Viaunume



Clarithromycin
Alimentary27
Infection
Clexane41
Climara 10077
Climara 5077
Clindamycin85
Clinoril100
Clobazam122
Clobetasol propionate
Clobetasone butyrate
Clomazol
Dermatological
Genito-Urinary72
Clomiphene citrate
Clomipramine hydrochloride119
Clonazepam
Clonidine
Clonidine hydrochloride
Cardiovascular53
Nervous126
Clopidogrel41
Clopine
Clopixol131, 132
Clotrimazole
Dermatological58
Genito-Urinary72
Clozapine129
Clozaril129
Co-Renitec49
Co-trimoxazole85
Coal tar65
Coal tar with allantoin, menthol,
phenol and sulphur65
Coal tar with salicylic acid and
sulphur 65
Coco-Scalp65
Codeine phosphate
Extemporaneous177
Nervous117
Cogentin116
Colaspase (L-asparaginase)147
Colchicine114
Colestid45
Colestipol hydrochloride45
Colgout
Colifoam
Colistin sulphomethate
Colistin-Link
Collodion flexible
Colofac
Coloxyl
Combigan

Combivent164	
Combivir94	
Compound electrolytes44	
Compound	
hydroxybenzoate177	
Comtan115	
Concerta140	
Condoms68	
Condyline67	
Contraceptives - Hormonal	
Contraceptives -	
Non-hormonal	
Copaxone135	
Corangin55	
Cordarone-X	
Corticosteroids and Related	
Agents for Systemic Use	
Agents for Systemic Use	
Corticosteroids Topical60	
Cosmegen147	
Cosopt	
Cotazym ECS32	
Coumadin43	
Coversyl48	
Cozaar50	
Creon 1000032	
Creon Forte32	
Crixivan94	
Cromolux167	
Crotamiton59	
Crystacide58	
Curam	
Cyclizine hydrochloride127	
Cyclizine lactate127	
Cycloblastin143	
Cyclogyl169	
Cyclopentolate	
hydrochloride	
Cyclophosphamide143	
Cyclosporin159	
Cyklokapron41	
Cyproterone acetate	
Cyproterone acetate with	
ethinyloestradiol	
Cystic Fibrosis164	
Cytarabine145	
Cytotec	
Cytoxan143	
- D -	
D-Penamine101	
d4T 94	

D-Penamine101	
d4T94	
Dacarbazine147	
Daclin100	

Dactinomycin (actinomycin
D)
Daivonex
Dalvonex
Alimentary
Alimentary
Dermatological59
Dalacin C85
Danazol80
Danthron with poloxamer34
Dantrium114
Dantrolene sodium114
Daonil29
Dapa-Tabs54
Dapsone87
Darunavir94
Dasatinib151
Daunorubicin148
DBL Bleomycin Sulfate147
DDI
De-Worm
Deca-Durabolin Orgaject75
Deferiprone
Delact
Depo-Medrol
Depo-Medrol with Lidocaine
Depo-Provera
Depo-Testosterone76
Deprim
Derbac-M64
Dermol60, 66
Desferrioxamine mesylate46
Desmopressin80
Desmopressin-PH&T80 Detection of Substances in
Detection of Substances in
Urine74
Dexamethasone
Hormone75
Sensory167
Dexamethasone sodium
phosphate75
Dexamethasone with framycetin
and gramicidin
Dexamethasone with neomycin
and polymyxin b sulphate
Dexamphetamine sulphate
Dextrochlorpheniramine
maleate
Dextrose
Dextrose with electrolytes43
DHC Continus117
Diabetes
Diabetes Management
Diamide Relief25

Diamox168 Diaphragm69	3
	2
Diasip	
Diason RTH184	
Diastop25	)
Diazepam122, 134	1
Dibenyline47	
Diclax SR99	9
Diclofenac Sandoz99	9
Diclofenac sodium	
Musculoskeletal System99	
Sensory167	7
Didanosine [DDI]93	3
Differin57	7
Difflam35	
Diflucortolone valerate60	)
Digestives Including	
Enzymes	>
Digoxin	
Dihydrocodeine tartrate117	7
Dilantin	
Dilantin Infatab	
Dilatrend51	
Diltiazem hydrochloride53	 
Dilzem	
Dimetriose81	
Dipentum26	
1	
Diphemanil methylsulphate62	
Diphemanil methylsulphate62 Diphenoxylate hydrochloride with	2
Diphemanil methylsulphate62 Diphenoxylate hydrochloride with atropine sulphate	5
Diphemanil methylsulphate62 Diphenoxylate hydrochloride with atropine sulphate	5)
Diphemanil methylsulphate62 Diphenoxylate hydrochloride with atropine sulphate	5)
Diphemanil methylsulphate62 Diphenoxylate hydrochloride with atropine sulphate	5)
Diphemanil methylsulphate62 Diphenoxylate hydrochloride with atropine sulphate	5))
Diphemanil methylsulphate62 Diphenoxylate hydrochloride with atropine sulphate	
Diphemanil methylsulphate       62         Diphenoxylate hydrochloride with       25         Diprosone       60         Diprosone OV       60         Dipyridamole       41         Disinfecting and Cleansing       61         Dispal       116         Disopyramide phosphate       50         Disulfiram       141	
Diphemanil methylsulphate       62         Diphenoxylate hydrochloride with       25         Diprosone       60         Diprosone OV       60         Dipyridamole       41         Disinfecting and Cleansing       61         Dispal       116         Disopyramide phosphate       50         Disulfiram       141         Divertics       50	
Diphemanil methylsulphate       62         Diphenoxylate hydrochloride with       25         Diprosone       60         Diprosone OV       60         Dipridamole       41         Disipal       116         Disopyramide phosphate       50         Disulfiram       14         Divertics       55         Diurti Cs       52         Divarit       126	
Diphemanil methylsulphate       62         Diphenoxylate hydrochloride with       25         Diprosone       60         Diprosone OV       60         Dipridamole       41         Disipfecting and Cleansing       61         Agents       61         Disopyramide phosphate       50         Disulfiram       14         Divertics       53         Divarit       126         Divarit       126	
Diphemanil methylsulphate       62         Diphenoxylate hydrochloride with       25         Diprosone       60         Diprosone OV       60         Dipridamole       41         Disinfecting and Cleansing       61         Agents       61         Disopyramide phosphate       50         Diviriation       41         Diviriation       54         Diviriation       54     <	
Diphemanil methylsulphate       62         Diphenoxylate hydrochloride with       25         Diprosone       60         Diprosone OV       60         Dipridamole       41         Disinfecting and Cleansing       61         Agents       61         Disopyramide phosphate       50         Divirin 40       52         Dixarit       126         Dixarit       126         Divact       32         Docetaxel       148	
Diphemanil methylsulphate       62         Diphenoxylate hydrochloride with       25         Diprosone       60         Diprosone OV       60         Dipyridamole       41         Disinfecting and Cleansing       4         Agents       61         Disopyramide phosphate       50         Diurin 40       54         Divarit       126         Docetaxel       144         Docusate sodium       33         Docusate sodium with       34	
Diphemanil methylsulphate       62         Diphenoxylate hydrochloride with       25         Diprosone       60         Diprosone OV       60         Dipyridamole       41         Disinfecting and Cleansing       4         Agents       61         Disopyramide phosphate       50         Diurin 40       54         Divarit       126         Docetaxel       144         Docusate sodium       33         Docusate sodium with       34	
Diphemanil methylsulphate       62         Diphenoxylate hydrochloride with       atropine sulphate       25         Diprosone       60         Diprosone OV       60         Dipyridamole       41         Disinfecting and Cleansing       4         Agents       61         Disuprime phosphate       50         Disulfiram       141         Divertics       55         Divirin 40       54         Docetaxel       146         Docetaxel Ebewe       147         Docusate sodium       33         Docusate sodium with       34         Docusate sodium with       34	
Diphemanil methylsulphate       62         Diphenoxylate hydrochloride with       atropine sulphate       25         Diprosone       60         Diprosone OV       60         Dipyridamole       41         Disinfecting and Cleansing       4         Agents       61         Disopyramide phosphate       50         Diurifram       141         Divarit       25         Divarit       26         Docetaxel       148         Docetaxel Ebewe       148         Docusate sodium with       32         Docusate sodium with       34         Domperidone       34	
Diphemanil methylsulphate	
Diphemanil methylsulphate       62         Diphenoxylate hydrochloride with       atropine sulphate       25         Diprosone       60         Diprosone OV       60         Dipridamole       41         Disipfecting and Cleansing       4gents         Agents       61         Disopyramide phosphate       55         Disulfiram       141         Divertics       52         Divin 40       54         Docetaxel       142         Docetaxel       142         Docusate sodium       32         Docusate sodium with       32         Domperidone       127         Donepezil hydrochloride       142	
Diphemanil methylsulphate       62         Diphenoxylate hydrochloride with       atropine sulphate       25         Diprosone       60         Diprosone OV       60         Dipridamole       41         Disipfecting and Cleansing       4gents         Agents       61         Disopyramide phosphate       50         Disulfiram       141         Diuretics       55         Diurin 40       54         Docetaxel       146         Docetaxel       146         Docusate sodium with       32         Docusate sodium with       34         Donepezil hydrochloride       147         Donepezil hydrochloride       147	
Diphemanil methylsulphate       62         Diphenoxylate hydrochloride with       atropine sulphate       25         Diprosone       60         Diprosone OV       60         Dipridamole       41         Disipfecting and Cleansing       4gents         Agents       61         Disopyramide phosphate       55         Disulfiram       141         Divertics       52         Divin 40       54         Docetaxel       142         Docetaxel       142         Docusate sodium       32         Docusate sodium with       32         Domperidone       127         Donepezil hydrochloride       142	

Dorzolamide hydrochloride
timolol maleate 168
Dostinex
Dothiepin hydrochloride119
Doxazosin mesylate
Doxepin hydrochloride
Doxine
Doxorubicin
Doxy-5085 Doxycycline hydrochloride85
Docycycline hydrochionde
DP Lotin HC61
DP-Anastrozole156
Dr Reddy's Omeprazole
Dr Reddy's Ondansetron
Dr Reddy's Pantoprazole
Dr Reddy's Quetiapine
Dr Reddy's Risperidone131
Dulcolax
Duocal Super Soluble
Powder
Duolin
Duphalac
Duphaston
Durex Confidence
Durex Extra Safe68
Durex Select Flavours68
Duride55
Durogesic117
Dusting Powders62
Dydrogesterone78
Dynacirc-SRO52
- E -
E-Mycin83
Ear Preparations166
Ear/Eye Preparations166
Easiphen
Easiphen Liquid195
Econazole nitrate59
Efavirenz93
Efexor XR121
Eformoterol fumarate162
Efudix67
Egopsoryl TA65
Elecare
Elecare LCP197
Elemental 028 Extra
Eligard
Elocon
Eloxatin
Eltroxin79

Emend Tri-Pack126
EMLA116
Emtricitabine93
Emtriva93
Emulsifying ointment62
Enalapril48
Enalapril with
hydrochlorothiazide
Enbrel105
Endocrine Therapy154
Endoxan143
Enerlyte44
Enfuvirtide94
Enoxaparin sodium41
Ensure
Ensure Plus191
Ensure Plus HN190
Ensure Plus RTH190
Entacapone115
Entecavir88
Entocort CIR25
Enuclene169
Enzymes114
Epilim
Epilim Crushable125
Epilim IV125
Epilim S/F Liquid125
Epilim Syrup125
Epirubicin
Epirubicin Ebewe149
Eprex
ERA
Ergometrine maleate
Ergotamine tartrate with caffeine
catterne 126
Erlotinib hydrochloride
Erythrocin IV83
Erythromycin ethyl succinate
Erythromycin lactobionate
Erythromycin stearate
Erythropoietin alpha40
Erythropoietin beta40
Escitalopram
Estraderm TTS 10077 Estraderm TTS 2577
Estraderm TTS 50
Estrofem77 Etanercept105
Ethambutol hydrochloride
Ethics Aspirin
Ethics Aspirin EC41
Ethics Ibuprofen
Ethinyloestradiol

Ethinyloestradiol with
desogestrel
Ethinvloestradiol with
levonorgestrel 70-71
Ethinyloestradiol with
norethisterone71
Ethosuximide123
Etidronate disodium112
Etopophos149
Etoposide
Etoposide phosphate
Etravirine
Exemestane
Extemporaneously Compounded
Preparations and
Galenicals 177
Eye Preparations
Ezetimibe45
Ezetimibe with simvastatin46
Ezetrol
- F -
Famotidine27
Famox
Felo 10 ER
Felo 5 ER
Felodipine
Femtran 10077
Femtran 5077
Fenpaed99
Fentanyl117
Fentanyl citrate118
Ferodan
Ferriprox46
Ferro-F-Tabs38
Ferro-Gradumet
Ferro-tab
Ferrograd-Folic
Ferrous fumarate
Ferrous fumarate with folic
acid
Ferrous sulphate
Ferrous sulphate with folic acid
Ferrum H
Fexofenadine hydrochloride160
Fibalip44
Fibro-vein41
Finasteride
Fine Ject
Fintral
Flagyl
Flagyl-S87

Flamazine	
Flecainide acetate	50
Fleet Phosphate Enema	34
Flixonase Hayfever &	
Allergy	165
Flixotide	
Flixotide Accuhaler	.161
Florinef	75
Fluanxol	
Flucloxacillin sodium	85
Flucloxin	
Fluconazole	
Fludara	
Fludara Oral	
Fludarabine phosphate	145
Fludrocortisone acetate	75
Fluids and Electrolytes	43
Flumetasone pivalate	166
Fluocortolone caproate with	100
fluocortolone pivalate and	
cinchocaine	06
Fluorometholone	
Fluorouracil Ebewe	145
Fluorouracil sodium	~ 7
Dermatological	67
Oncology	
Fluox	
Fluoxetine hydrochloride	
Flupenthixol decanoate	.131
Fluphenazine decanoate	
Flutamide	
Flutamin	
Fluticasone	.161
Fluticasone propionate	.165
Fluticasone with salmeterol	.162
Fluvax	98
FML	.167
Foban	58
Folic acid	40
Food Thickeners	.192
Foods And Supplements For	
Inborn Errors Of Metabolism -	
Other	193
Foods And Supplements For	
Inborn Errors Of Metabolism -	
PKU	194
Foradil	
Foremount Child's Silicone	TOL
Mask	165
Fortimel Regular	185
Fortisip	
Fortisip Multi Fibre	101
Fosamax	
rusailidx	


Fosamax Plus111
Framycetin sulphate166
FreeStyle Lite
Frisium
Frumil54
Frusemide-Claris54
Fucicort61
Fucidin
Fucithalmic
Fungilin
Furosemide54
Fusidic acid
Dermatological
Infection
Sensory
Fuzeon94
- G -
Gabapentin123
Gabapentin (Neurontin)124
Gamma benzene
hexachloride64
Gastrosoothe27
Gaviscon25
Gaviscon Double Strength25
Gaviscon Infant25
Gemcitabine Ebewe145
Gemcitabine hydrochloride145
Gemfibrozil44
Gemzar145
Generaid Plus
Genoptic
Genotropin
Genox
Gentamicin sulphate
Infection
Sensory
Gestrinone
Ginet 84
Glatiramer acetate
Glibenclamide
Gliclazide
Glipizide
Glivec
Glucagen Hypokit28
Glucagon hydrochloride28
Glucerna Select184
Glucerna Select RTH184
Glucobay29
Gluten Free Foods192
Glycerin with sodium
saccharin177
Glycerin with sucrose177
Glycerol

Alimentary	34
Extemporaneous1	77
Glycerol with paraffin and cetyl	
alcohol	
Glyceryl trinitrate	55
Gold Knight	68
Gopten	49
Goserelin acetate	80
Gutron	51
Gynaecological	
Anti-infectives	72
Gynol II	68
- H -	
Habitrol1	42
Haldol1	
Haldol Concentrate1	
Haloperidol1	20
Haloperidol decanoate1	29
Haloperidol decanoate	32
Hamilton Sunscreen	66
healthE Fatty Cream	62
Healtheries Multi-vitamin	
tablets	37
Healtheries Simple Baking	
Mix1	
Hemastix	
Heparin sodium	42
Heparinised saline	42
Hepsera	88
Herceptin1	58
Hexamine hippurate	97
Hiprex	97
Histafen1	
Holoxan1	43
Homatropine hydrobromide1	
Horleys Bread Mix1	
Horleys Flour1	
Hormone Replacement Therapy -	
Systemic	76
Humalog	
Humalog Mix 25	
Humalog Mix 50	29
Humira	
HumiraPen1	
Humulin 30/70	
Humulin NPH	
Humulin R	
Hyalase1	14
Hyaluronidase1	14
Hybloc	
Hydralazine	
Hydrea1	49
Hydrocortisone	

Dermatological6	0
Hormone7	5
Hydrocortisone acetate2	6
Hydrocortisone butyrate60, 6 Hydrocortisone butyrate with	6
Hydrocortisone butyrate with	
chlorquinaldol6 Hydrocortisone with	1
Hydrocortisone with	
standar stand	6
Cinchocaine2 Hydrocortisone with	
miconazole6	1
Hydrocortisone with natamycin	
and neomycin	1
and neomycin6 Hydrocortisone with wool fat and	
mineral oil	1
mineral oil6 Hydroderm Lotion6 Hydrogen peroxide Alimentary	0
	3
	~
Alimentary	6
Dermatological	7
Hydroxocobalamin3	6
Hydroxychloroquine sulphate8	7
Hydroxyurea14	9
Hygroton5	4
Hvoscine (scopolamine)12	7
Hyoscine hydrobromide12 Hyoscine N-butylbromide	7
Hvoscine N-butvlbromide2	7
Hypam13	6
Hyperuricaemia and	Ū
Hyperuricaemia and Antigout11 Hypnovel13	4
Hypnovel 13	6
Hypromellose16	0
Hysite16	
Hytrin Starter Pack4	7
Hyinn Stanler Fack4 Hyzaar	0
	0
-1-	
biamox8	
buprofen9	9
darubicin hydrochloride14	9
fosfamide14	3
loprost5	6
matinib mesylate15	2
miglucerase	5
migran12	
mipramine hydrochloride12	0
miquimod6	
mmune Modulators9	5
mmunosuppressants15	6
muprine15	
muran	0
ndapamide5	4
ndinavir9	4
ndomethacin10	0
Infont Formulae 10	-
nfant Formulae19	6
nfluenza vaccine9	6

# INDEX Generic Chemicals and Brands

Influvac
Inhaled Anticholinergic Agents
Inhaled Corticosteroids161
Inhaled Long-acting
Beta-adrenoceptor
Agonists 161
Inhibace
Inhibace Plus49
Innovacon hCG One Step
Pregnancy Test
Insulin aspart
Insulin glargine
Insulin glulisine
Insulin isophane
Insulin isophane with insulin
neutral
Insulin lispro29
Insulin lispro with insulin lispro
protamine
Insulin neutral
Insulin pen needles
Insulin syringes, disposable with
attached needle
Intal Spincaps
Intelence
Interferon alpha-2a96
Interferon alpha-2b96
Interferon beta-1-alpha
Interferon beta-1-beta
Intra-uterine device69
Intron-A96
Ipecacuanha
Ipratropium bromide163, 165
Ipratropium Steri-Neb
Irinotecan146
Irinotecan-Rex146
Iron Overload46
Iron polymaltose
Isentress
Ismo 2055
Isogel
Isoniazid87
Isoprenaline hydrochloride55
Isoptin53
Isopto Carpine169
Isopto Homatropine169
Isosorbide mononitrate55
Isosource 1.5190
Isosource Standard190
Isosource Standard RTH190
Isotretinoin57
Isradipine52



Isuprel	55
Itch-Soothe	
Itraconazole	
Itrazole	
- J -	•
Jadelle	71
Janola	
Jevity1 Jevity RTH1	90
•	90
- K -	
Kaletra	94
Karicare Food Thickener1	92
Karicare Goats Milk Infant	
Formula1	97
Karicare Soy All Ages1	98
Kemadrin1	
Kenacomb1	66
Kenacort-A	76
Kenacort-A40	
Ketoconazole	
Dermatological	66
Infection	
Ketone blood beta-ketone	01
electrodes	30
Ketoprofen	
Ketostix	
Kindergen1	20
Kivexa	
Klacid	ჟე იე
Klamycin	00
Alimentary	07
Infection	
Kliogest	
Kliovance	
Konakion MM	
Konsyl-D	33
- L -	
LA-Morph1	
Labetalol	
Lacri-Lube1	70
Lactulose	
Lamictal1	24
Lamivudine	
Lamotrigine1	24
Lanoxin	50
Lanoxin PG	
Lansoprazole	
Lantus	
Lantus SoloStar	29
Lanvis1	_3 47
Largactil1	
Lasix	

Latanoprost	168
Lax-Tab	
Laxatives	
Laxofast 120	33
Laxofast 50	33
Laxsol	
Leflunomide	101
Letara	156
Letrozole	156
Leukeran FC	
Leunase	
Leuprorelin	80
Leustatin	
Levetiracetam	124
Levetiracetam-Rex	
Levlen ED	70
Levobunolol	
Levocabastine	167
Levodopa with benserazide	115
	115
Levomepromazine	129
Levonorgestrel	
Genito-Urinary	
Hormone	
Levothyroxine	
Lifestyles Flared	68
Lignocaine Lignocaine hydrochloride	116
	116
Lignocaine with	
chlorhexidine	116
Lignocaine with prilocaine	116
Lipazil	44
Lipid Modifying Agents	
Lipitor	45
Liquigen	182
Lisinopril	48
Lisuride hydrogen maleate	
Litak	145
Lithicarb	
Lithium carbonate	
Livostin	167
Locacorten-Viaform ED's	
Locasol	196
Loceryl	
Locoid	
Locoid C	
Locoid Crelo	60
Locoid Lipocream	60
Locorten-Vioform	166
Lodoxamide trometamol	
Loette	
Logem	
Lomide	167

Lomustine	143
Loperamide hydrochloride	25
Lophlex LQ	
Lopinavir with ritonavir	94
Lopresor	
Loprofin	
Loprofin Mix	
Loraclear Hayfever Relief	
Lorapaed	
Loratadine	
Lorazepam	
Lormetazepam	
Losartan	
Lovir	90
Loxalate	
Loxamine	
Lucrin Depot	
Lucrin Depot PDS	
Ludiomil	
Lumigan	
Lycinate	
- M -	
	10
m-Captopril	48


m-Captopril	48
m-Eslon	118
m-Mometasone	61
Mabthera	157
Macrogol 3350	34
Madopar 125	
Madopar 250	115
Madopar 62.5	115
Madopar Dispersible	115
Madopar HBS	115
Magnesium hydroxide	177
Magnesium sulphate	
Alimentary	
Dermatological	67
Malathion	
Maprotiline hydrochloride	120
Marevan	
Marine Blue Lotion SPF 30+	66
Marquis Black	68
Marquis Conforma	68
Marquis Protecta	68
Marquis Selecta	68
Marquis Sensolite	
Marquis Supalite	68
Marquis Titillata	
MarquisTantiliza	68
Martindale Acetylcysteine	
Marvelon 21	70
Marvelon 28	70
Mask for spacer device	
Mast Cell Stabilisers	164

Maxalt Melt126
Maxidex167
Maxitrol167
MCT oil (Nutricia)182
Mebendazole
Mebeverine hydrochloride27
Medrol75
Medroxyprogesterone acetate
Genito-Urinary72
Hormone
Mefenamic acid
Megestrol acetate154
Meloxicam100
Melphalan143
Menthol59
Mercaptopurine146
Mercilon 2170
Mercilon 2870
Mesalazine
Mesna149
Mestinon99
Metabolic Disorder Agents35
Metabolic Mineral Mixture196
Metamide127
Metamucil33
Metformin hydrochloride30
Methadone hydrochloride
Extemporaneous177
Nervous118
Methatabs118
Methoblastin147
Methopt169
Methotrexate147
Methotrexate Ebewe147
Methyl hydroxybenzoate178
Methylcellulose178
Methylcellulose with glycerin and
sodium saccharin178
Methylcellulose with glycerin and
sucrose178
Methyldopa53
Methylergometrine72
Methylphenidate
hydrochloride 138
Methylphenidate hydrochloride
extended-release140
Methylprednisolone75
Methylprednisolone
aceponate
Methylprednisolone acetate
Methylprednisolone acetate with
lignocaine

succinate	75
Methylxanthines	164
Metoclopramide	
hydrochloride	127
Metoclopramide hydrochloride	
with paracetamol	126
Metopirone Metoprolol - AFT CR	81
Metoprolol - AFT CR	51
Metoprolol succinate	51
Metoprolol tartrate	52
Metronidazole	87
Metyrapone	81
Mexiletine hydrochloride	50
Mexitil	
Miacalcic	111
Mianserin hydrochloride	120
Micelle E	37
Micolette	34
Miconazole	35
Miconazole nitrate	
Dermatological	59
Genito-Urinary	72
Micreme	72
Micreme H	61
Microgynon 20 ED	
Microgynon 30	70
Microgynon 30 ED	70
Microgynon 50 ED	70
Microlax	
Microlut	
Midazolam	136
Midodrine	100
Minaphlex	105
Minerals	
Minidiab	، د مد
Minirin	00 80
Mino-tabs	 85
Minocycline hydrochloride	05 25
Minocycline Hydrochlonde	05 95
Minor Skin Infections	05 64
Mirena	04
Mirtazapine	
Micoprostol	IZ I
Misoprostol Mitomycin C	140
Mitomycin-C	149
Mitozantrone	
Mitozantrone Ebewe	149
Mixtard 30 Moclobemide	
Modecate	
Moducal	IŬI
Moduretic Mogine	104
woyine	124

Mometasone furoate61
Monofeme70
Monogen185
Morphine hydrochloride118
Morphine sulphate118
Morphine tartrate119
Morrex Maltodextrin181
Motilium127
Mouth and Throat35
Movicol
Moxifloxacin86
MSUD Maxamaid194
MSUD Maxamum194
Mucilaginous laxatives
Mucilaginous laxatives with
stimulants
Mucilax33
MultiADE37
Multiload Cu 37569
Multiload Cu 375 SL69
Multiple Sclerosis
Treatments 134
Multivitamins37
Mupirocin58
Muscle Relaxants114
Myaccord156
Myambutol87
Mycobutin88
Mycophenolate mofetil156
Mycostatin59
Mydriacyl169
Mylanta P25
Myleran143
Myocrisin101
Myometrial and Vaginal Hormone
Preparations72
- N -
Nadolol
Nalcrom
Naloxone hydrochloride140
Naltrexone hydrochloride141
Nandrolone decanoate
Napamide54
Naphazoline hydrochloride
Naphcon Forte
Naprosyn SR 1000100
Naprosyn SR 750100
Naproxen
Naproxen sodium100
Nardil
Nasal Preparations
Natulan

Nausicalm .....127



Navelbine151
Navoban
Nedocromil164
Nefopam hydrochloride117
Neo-Mercazole79
Neocate197
Neocate Advance197
Neocate LCP197
Neoral159
NeoRecormon40
Neostigmine
Neotigason64
Nepro (strawberry)187
Nepro (vanilla)
Nerisone60
Neulactil
NeuroKare
Neurontin124
Nevirapine
Nicotine
Nicotinel
Nicotinic acid
Nifedipine
Nifuran
Nilstat
Alimentary35
Genito-Urinary72
Infection87
Nipent
Nitrados136
Nitrates
Nitrazepam
Nitroderm TTS55
Nitrofurantoin97
Nitrolingual Pumpspray55
Nizoral87
Noctamid136
Nodia25
Noflam 250100
Noflam 500100
Nonoxynol-968
Nordette 2870 Norethisterone
Nordette 2870 Norethisterone
Nordette 2870
Nordette 2870 Norethisterone Genito-Urinary72
Nordette 2870 Norethisterone Genito-Urinary72 Hormone79 Norethisterone with
Nordette 2870 Norethisterone Genito-Urinary72 Hormone
Nordette 2870 Norethisterone Genito-Urinary72 Hormone79 Norethisterone with mestranol71 Norflex114
Nordette 2870 Norethisterone Genito-Urinary72 Hormone79 Norethisterone with mestranol71 Norflex114 Norfloxacin97
Nordette 28
Nordette 28
Nordette 28


Normacol Plus
Normison136
Norpress120
Nortriptyline hydrochloride120
Norvir
NovaSource Renal187
NovoFine
NovoRapid29
NovoRapid Penfill
Nozinan
Nuelin164
Nuelin-SR164
Nupentin123
Nutraplus63
Nutrient Modules
Nutrini Energy RTH186
Nutrini RTH186
NutriniDrink
NutriniDrink Multifibre
Nutrison Concentrated
Nutrison Energy Multi Fibre
Nutrison Multi Fibre
Nutrison Standard RTH190
Nyefax Retard
Nystatin
Alimentary
Dermatological59 Genito-Urinary72
Infection87
NZB Low Gluten Bread Mix193
NZB Low Gluten Bread Mix193 - O -
NZB Low Gluten Bread Mix193 - O - Octreotide (somatostatin
NZB Low Gluten Bread Mix
NZB Low Gluten Bread Mix
NZB Low Gluten Bread Mix193 - O - Octreotide (somatostatin analogue)
NZB Low Gluten Bread Mix193 - O - Octreotide (somatostatin analogue)
NZB Low Gluten Bread Mix193 - O - Octreotide (somatostatin analogue)
NZB Low Gluten Bread Mix193 - O - Octreotide (somatostatin analogue)
NZB Low Gluten Bread Mix193 - O - Octreotide (somatostatin analogue)
NZB Low Gluten Bread Mix193 - O - Octreotide (somatostatin analogue)
NZB Low Gluten Bread Mix193 - O - Octreotide (somatostatin analogue)
NZB Low Gluten Bread Mix
NZB Low Gluten Bread Mix193 - O - Octreotide (somatostatin analogue)
NZB Low Gluten Bread Mix193 - O - Octreotide (somatostatin analogue)
NZB Low Gluten Bread Mix193 - O - Octreotide (somatostatin analogue)
NZB Low Gluten Bread Mix193 - O - Octreotide (somatostatin analogue)
NZB Low Gluten Bread Mix         193           - O -         Octreotide (somatostatin analogue)         154           Oestradiol         77           Oestradiol valerate         77           Oestradiol with norethisterone         78           Oestriol         Genito-Urinary           Genito-Urinary         72           Hormone         78           Oestrogens         77           Oestrogens         77           Oestrogens         77           Oestrogens         77           Oestrogens         77           Oestrogens         77           Oestrogens         78           Oestrogens         77           Oestrogens         77           Oestrogens         78           Oestrogens         78           Oestrogens         77           Oestrogens         78           Oil in water emulsion         62           Oily cream         63
NZB Low Gluten Bread Mix         193           - O -         Octreotide (somatostatin analogue)         154           Oestradiol         77           Oestradiol valerate         77           Oestradiol valerate         77           Oestradiol with norethisterone         78           Oestriol         Genito-Urinary           Gentro-Urinary         72           Hormone         78           Oestrogens         77           Oestrogens with medroxyprogesterone         78           Oil in water emulsion         62           Olycream         63           Olanzapine         129, 132           Olbetam         45           Olsalazine         26
NZB Low Gluten Bread Mix         193           - O -         Octreotide (somatostatin analogue)         154           Oestradiol         77           Oestradiol valerate         77           Oestradiol valerate         77           Oestradiol with norethisterone         78           Oestriol         Genito-Urinary           Genito-Urinary         72           Hormone         78           Oestrogens         77           Oestrogens with medroxyprogesterone         78           Oil in water emulsion         62           Oily cream         63           Olanzapine         129, 132           Olbetam         45           Olsalazine         26           Omeprazole         28
NZB Low Gluten Bread Mix         193           - O -         Octreotide (somatostatin analogue)         154           Oestradiol         77           Oestradiol valerate         77           Oestradiol valerate         77           Oestradiol with norethisterone         78           Oestriol         Genito-Urinary           Gentro-Urinary         72           Hormone         78           Oestrogens         77           Oestrogens with medroxyprogesterone         78           Oil in water emulsion         62           Olycream         63           Olanzapine         129, 132           Olbetam         45           Olsalazine         26
NZB Low Gluten Bread Mix         193           - O -         Octreotide (somatostatin analogue)         154           Oestradiol         77           Oestradiol valerate         77           Oestradiol valerate         77           Oestradiol with norethisterone         78           Oestriol         Genito-Urinary           Genito-Urinary         72           Hormone         78           Oestrogens         77           Oestrogens with medroxyprogesterone         78           Oil in water emulsion         62           Oily cream         63           Olanzapine         129, 132           Olbetam         45           Olsalazine         26           Omeprazole         28
NZB Low Gluten Bread Mix         193           - O -         Octreotide (somatostatin analogue)         154           Oestradiol         77           Oestradiol valerate         77           Oestradiol valerate         77           Oestradiol with norethisterone         78           Oestriol         Genito-Urinary           Gentro-Urinary         72           Hormone         78           Oestrogens         77           Oestrogens with medroxyprogesterone         78           Oil in water emulsion         62           Olarzapine         129, 132           Olbetam         45           Olsalazine         26           Omeprazole         28           On Call Advanced         30, 31
NZB Low Gluten Bread Mix         193           - O -         Octreotide (somatostatin analogue)         154           Oestradiol         77           Oestradiol valerate         77           Oestradiol valerate         77           Oestradiol with norethisterone         78           Oestriol         Genito-Urinary           Genito-Urinary         72           Hormone         78           Oestrogens         77           Oestrogens with medroxyprogesterone         78           Oil in water emulsion         62           Oily cream         63           Olanzapine         129, 132           Olbetam         45           Olsalazine         26           Omeprazole         28           On Call Advanced         30, 31

Onkotrone149	1
Optium 5 second test31	
Optium Blood Ketone Test	
Strips	)
Optium Xceed	
Ora-Blend	į
Ora-Blend SF	
Ora-Plus178	
Ora-Sweet177	
Ora-Sweet SF177	
Orabase	
Oracort	
Oral Supplements183	j.
Oral Supplements/Complete Diet	
(Nasogastric/Gastrostomy	
Tube Feed)184	
Oratane57	
Orgran193	
Ornidazole87	
Orphenadrine citrate114	
Orphenadrine hydrochloride116	í
Ortho	5
Ortho All-flex69	
Ortho Coil69	
Ortho-tolidine74	
Oruvail 100	
Oruvail 200	
Osmolite	
Osmolite RTH190	
Ospamox	
Ospamox Paediatric Drops	
Other Endocrine Agents80	
Other Oestrogen	
Preparations78	j
Other Progestogen	
Preparations78	1
Other Skin Preparations67	
Ovestin	
Genito-Urinary72	
Hormone78	6
Ox-Pam134	
Oxaliplatin143	5
Oxaliplatin Ebewe143	5
Oxazepam134	
Oxis Turbuhaler	,
Oxybutynin73	
Oxycodone hydrochloride119	1
OxyContin119	
OxyNorm119	
Oxypentifylline55	
Oxytocin	
•	
- P -	
Pacifen114	

Pacific Atenolol51	1
Pacific Buspirone133	
Paclitaxel	
Paclitaxel Ebewe149	9
Paediatric Seravit	7
Pamidronate disodium112	2
Pamisol112	2
Panadol117	7
Pancreatic enzyme32	2
Pancrex V	2
Pancrex V Forte32	2
Pantocid IV28	
Pantoprazole28	В
Panzytrat	2
Papaverine hydrochloride55	ō
Paracare	7
Paracare Double Strength117	7
Paracare Junior117	7
Paracetamol117	7
Paracetamol with codeine119	9
ParaCode119	9
Paraffin63	
Paraffin liquid with soft white	
paraffin 170	C
Paraffin liquid with wool fat	
liquid 170	D
Paraldehyde122	
Paramax	
Parasiticidal Preparations	4
Parnate	
Paroxetine hydrochloride12	1
Paxam	
Peak flow meter	
Pedialyte - Bubblegum44	4
Pedialyte - Fruit	
Pedialyte - Plain44	4
Pediasure	7
Pediasure RTH186	ĥ
Pegasys96	ŝ
Pegasys RBV Combination	
Pack	6
Pegylated interferon alpha-2a96	5
Penicillamine101	
PenMix 3029	à
PenMix 40	
PenMix 50	
Pentasa	
Pentostatin	,
(deoxycoformycin)	a
Pepti Junior	, 7
Pepti Junior Gold197	7
Peptisoothe	7
Peptisorb188	
i opuouiu	J

Pergolide115
Perhexiline maleate53
Pericyazine130
Perindopril48
Permax
Permethrin64
Persantin41
Pethidine hydrochloride119
Pevaryl
Pexsig
Pharmacare117
Pharmacy Services
Phenate
Phenelzine sulphate120
Phenobarbitone
Phenobarbitone sodium178
Phenoxybenzamine
hydrochloride
Phenoxymethylpenicillin
(Penicillin V)85
Phentolamine mesylate47
Phenylephrine
hydrochloride 170
Phenytoin sodium122, 124
Phlexy 10195
Phosphate-Sandoz44
Phytomenadione41
Pilocarpine
Pimafucort61
Pindolol
Pinetarsol
Pinorax
Pinorax Forte
Pioglitazone
Piportil132
Pipothiazine palmitate132
Piram-D100
Piroxicam100
Pizaccord30
Pizotifen126
PKU Anamix Infant195
PKU Lophlex LQ195
Plaquenil
Plavix41
Plendil ER52
Podophyllotoxin
Polaramine
Poloxamer
Poly-Tears169
Poly-Visc170
Polycal
Polytox Emplicant
Polytar Emollient
Polyvinyl alcohol169

Ponstan99
Postinor-172
Potassium bicarbonate44
Potassium chloride43-44
Potassium iodate
Povidone iodine64
Prantal62
Pravachol45
Pravastatin45
Prazosin hydrochloride47
Pred Forte167
Pred Mild167
Prednisolone acetate167
Prednisolone sodium
phosphate75
Prednisone76
Prefrin170
Pregnancy Tests - hCG Urine73
Pregnancy tests - HCG urine73
Premarin77
Premia 2.5 Continuous78
Premia 5 Continuous78
Prezista94
Priadel129
Primidone124
Primolut N79
Probenecid114
Probenecid-AFT114
Procaine penicillin85
Procarbazine hydrochloride
Prochlorperazine
Proctosedyl26
Procyclidine hydrochloride116
Prodopa53
Prograf159
Progynova77
Promethazine hydrochloride161
Promethazine theoclate
Promethazine Winthrop
Elixir
Promod183
Propafenone hydrochloride50
Propamidine isethionate166
Propranolol
Propylene glycol178
Protamine sulphate42
Protaphane
Protaphane Penfill28
Protifar183
Provera77, 79
PSO199–202
Psoriasis and Eczema
Preparations64



Pulmicort Turbuhaler161	I
Pulmocare184	1
Pulmozyme164	1
Purinethol146	
Pyrazinamide88	3
Pyridostigmine bromide99	)
Pyridoxine hydrochloride	6
Pytazen SR41	
- 0 -	
Q 200	1
Q 300114	
Questran-Lite	
Quetapel130	
Quetiapine130	'n
Quinapril	
Quinapril with	
hydrochlorothiazide	2
Quinine sulphate114	
QV	
-	

#### - R -

- 11 -	
RA-Morph	118
Raltegravir potassium	94
Ranbaxy-Cefaclor	82
Ranitidine hydrochloride	27
Rapamune	
Redipred	75
Regitine	47
Renilon 7.5	
Resonium-A	
Resource Beneprotein	
Resource Diabetic	
Resource Plus	
Respigen	
Respiratory Devices	
ReTrieve	
Retrovir	94
ReVia	141
Rex Medical	85
Rexacrom	
Reyataz	
Rheumacin SR	100
Ridal	131
Ridaura	100
Rifabutin	
Rifadin	
Rifampicin	
Rifinah	
Riodine	64
Risperdal	131
Risperdal Consta	
Risperdal Quicklet	
Risperidone	

Risperon	.131
Ritalin	.138
Ritalin LA	.140
Ritalin SR	.138
Ritonavir	94
Rituximab	.157
Rivacol	35
Rivaroxaban	42
Rivotril	.122
Rizatriptan benzoate	
Rocaltrol solution	36
Roferon-A	
Ropin	.115
Ropinirole hydrochloride	.115
Roxithromycin	84
Rubifen	.138
Rubifen SR	
Rythmodan	50
Rytmonorm	50

#### - S -

- 5 -		
S26 Soy		
S26LBW Gold RTF	196	
Sabril	125	
Salamol	163	
Salapin		
Salazopyrin	26	
Salazopyrin EN	26	
Salbutamol		
Salbutamol with ipratropium		
bromide	164	
Salicylic acid	65	
Salmeterol		
Sandomigran		
Sandostatin	154	
Sandostatin LAR		
SC Profi-Fine	31	
Scalp Preparations	66	
Scopoderm TTS		
Sebizole		
Sedatives and Hypnotics	136	
Selegiline hydrochloride	115	
Senna	34	
Senokot	34	
SensoCard	31	
Serenace	129	
Seretide		
Seretide Accuhaler	162	
Serevent		
Serevent Accuhaler	162	
Serophene		
Seroquel		
Sertraline		
Sevredol	118	

#### Sex Hormones Non

Contraceptive7	
Shield 496	
Shield Blue6	8
Shield XL6	
Sildenafil5	
Silver sulphadiazine5	
Simethicone	
Simvastatin	
Sindopa11	-
Sinemet11	5
Sinemet CR11	
Sirolimus15	
Siterone	
Slow-Lopresor	
Sodibic4	4
Sodium acid phosphate3	4
Sodium alginate2	5
Sodium aurothiomalate10	1
Sodium bicarbonate	
Blood43-4	4
Extemporaneous17	
Sodium calcium edetate3	9
Sodium	
carboxymethylcellulose	5
Sodium chloride4	3
Sodium citrate with sodium lauryl	
sulphoacetate3	
Sodium citro-tartrate7	3
Sodium cromoglycate	
Alimentary2	6
Respiratory164-16	5
Sensory16	7
Sodium fluoride	8
Sodium hypochlorite6	2
Sodium nitroprusside	0
Sodium polystyrene	
sulphonate 4	4
Sodium tetradecyl sulphate4	1
Sodium valproate	5
Sofradex	
Soframycin16	6
Solian12	
Solifenacin succinate7	
Solox	
Solu-Cortef7	
Solu-Medrol	
Somatropin7	
Sonaflam10	
Sotacor	
Sotalol	
Space Chamber	
Spacer device	

Span-K	
Spiriva16	63
Spironolactone	54
Spirotone	54
Sporanox	37
Sprycel15	51
Stavudine [d4T]	94
Stelazine13	31
Stemetil12	28
Stesolid12	22
Stimulants/ADHD	
Treatments 13	36
Stocrin	93
Stomahesive	35
Strattera13	
Sucralfate	28
Sulindac10	
Sulphacetamide sodium16	
Sulphasalazine	26
Sulphur	ô5
Sumatriptan12	
Sunitinib15	53
Sunscreens	
Sunscreens, proprietary	
Suplena18	39
Surgam10	00
Sustagen Hospital Formula18	33
Sustanon Ampoules	76
Sutent1	53
Symbicort Turbuhaler 100/616	ô2
Symbicort Turbuhaler 200/616	ô2
Symbicort Turbuhaler	
400/12	ô2
Symmetrel1	
Sympathomimetics	55
Synacthen	76
Synacthen Depot	76
Synermox	
Synflex10	00
Synthroid	79
Syntocinon	73
Syntometrine	73
Syrup (pharmaceutical	
grade)1	78
о , -т-	
Tacrolimus1	59
Tambocor	
Tambocor CR	50
Tamoxifen citrate1	56
Tamoxifen Sandoz1	56
Tamsulosin hydrochloride	73
Tamsulosin-Rex	
	-

Tap water	
Tar with cade oil	
Tar with triethanolamine lauryl	
_ sulphate and fluorescein	
Tarceva	
Tasmar	
Taxotere	148
Tegretol	122
Tegretol CR	122
Telfast	160
Temazepam	136
Temgesic	
Temodal	
Temozolomide	150
Tenofovir disoproxil fumarate	90
Tenoxicam	
Terazosin hydrochloride	
Terbinafine	
Terbutaline sulphate	
Testosterone	
Testosterone cypionate	
Testosterone esters	
Testosterone undecanoate	70
Tetrabenazine Tetrabromophenol	110
Tetracosactrin	
Teva	
Thalidomide	150
Thalidomide Pharmion	
Theophylline	164
Thiamine hydrochloride	36
Thioguanine	
Thiotepa	
Thymol glycerin	36
Thyroid and Antithyroid	
Agents	
Tiaprofenic acid	100
Tiberal	87
Tilade	164
Tilcotil	100
Timolol maleate	
Cardiovascular	52
Sensory	167
Timoptol XE	167
Tiotropium bromide	163
Titralac	
TMP	
Tobramycin	
Infection	
Sensory	
Tobrex	
Tofranil	
Tolcapone	

Tolvon120
Topamax125
Topiramate125
Total parenteral nutrition
(TPN)
TPN
Tracleer55
Tramadol hydrochloride117
Trandate
Trandolapril49
Tranexamic acid41
Tranylcypromine sulphate120
Trastuzumab158
Travatan168
Travoprost168
Treatments for Dementia140
Treatments for Opioid
Overdose 140
Treatments for Substance
Dependence141
Trental 40055
Tretinoin
Dermatological57
Oncology150
Triamcinolone acetonide
Alimentary35
Dermatological61
Hormone
Triamcinolone acetonide with
gramicidin, neomycin and nystatin
Dermatological61
Sensory
Triazolam136
Trichozole
Triclosan62
Trifluoperazine
hydrochloride 131
Trimeprazine tartrate161
Trimethoprim86
Trisequens78
Trisul85
Trophic Hormones79
Tropicamide169
Tropisetron128
Trusopt168
Two Cal HN192
Tyloxapol169
- U -
Ultraproct
Univent
Ural
Urea
Urex Forte



Urinary Agents	)7  9
- V -	
Vaccines9	
Valaciclovir9	0
Vallergan Forte16	
Valoid (AFT)12	
Valtrex9	0
Vancomycin hydrochloride8	6
Vannair16	62
Varenicline tartrate14	1
Various17	'1
Vasodilators5	5
Vasopressin Agonists8	60
Vaxigrip9	8
Venlafaxine12	1
Ventavis5	6
Ventolin16	63
Vepesid14	9
Veracol8	2
Verapamil hydrochloride5	3
Vergo 1612	
Vermox8	2

Vicrom ......164

Vinorelbine Ebewe ......151 Viramune ......93

Viramune Suspension93	3
Viread90	
Vistil169	9
Vistil Forte169	9
Vitabdeck	7
Vitadol C	3
Vital HN188	3
Vitala-C	3
Vitamin A with vitamins D and	
С 36	3
Vitamin B complex	3
Vitamins	7
Vivonex Pediatric197	
Vivonex TEN188	3
Volibris55	5
Voltaren99	9
Voltaren D99	9
Voltaren Ophtha167	7
Volumatic	
Vosol	3
Vytorin46	
- W -	

Warfarin sodium	13
Wart Preparations	66
Wasp venom allergy	
treatment16	66
Water	
Blood	14
Extemporaneous17	78
Wool fat with mineral oil	33

#### - X -

Xarelto	42
Xeloda	144
Xenazine 25	116
XMET Maxamum	194
XP Analog LCP	195
XP Maxamaid	195
XP Maxamum	195

Xylocaine116		
Xylocaine Viscous116		
- Z -		
Zantac27		
Zapril		
Zarontin		
Zavedos		
Zeffix		
Zeldox		
Zerit		
Zetop		
Ziagen		
Zidovudine [AZT]94		
Zidovudine [AZT]		
lamivudine		
Zinacef		
Zinacei		
Zinc and castor oil62		
Zinc and castor on		
Zinc sulphate		
Zincaps		
Zincaps		
Ziprasidone		
Zofran Zydis127		
Zoladex		
Zoledronic acid112		
Zopiclone		
Zovirax		
Zuclopenthixol decanoate		
Zuclopenthixol hydrochloride131		
Zyban		
Zyprexa		
Zyprexa Zydis132		

# AUTHORITY TO SUBSTITUTE

# Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

# **Sole Supply Products**

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

# Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

# Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

Name:	NZMC:	
Signature:	Date:	

Authority for the dispensing pharmacist to change a prescribed medicine in this way is contained in regulation 42 (4) of the Medicines Regulations 1984.

NOTES