February 2011 Volume 18 Number 0

Editor

Kaye Wilson email: schedule@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

Freephone Information Line 0800 66 00 50 (9am - 5pm weekdays)

Circulation

Published each April, August and December. Changes to the contents are published in monthly updates. Annual subscription includes three Pharmaceutical Schedule books, 12 updates and occasional information on rule changes and news items. The Schedule is distributed free of charge to over 9,000 health professionals, and is also available on an annual subscription.

Prices

\$22.22 One Schedule book \$4.44 One Update \$120.00 Annual subscription

All prices include postage and exclude GST.

Production

Typeset automatically from XML and TFX. See www.pharmac.govt.nz/schedule/archive/ for the XML version of this Schedule.

Programmers

Anrik Drenth & John Geering email: texschedule@pharmac.govt.nz

© Pharmaceutical Management Agency



ISSN 1172-9376 print

This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit:

creativecommons.org/licenses/by/3.0/nz/. Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

| Introducing | PHARMAC | 2 |
|-------------|---------|---|
|-------------|---------|---|

Section A

General Rules 12

Section B Alimentary Tract & Metabolism 25 Blood & Blood Forming Organs 39 Cardiovascular System 46 Dermatologicals 55 Genito Urinary System 65 Hormone Preparations – Systemic 71 Infections – Agents For Systemic Use 78 Musculoskeletal System 95 Nervous System 111 Oncology Agents & Immunosuppressants 137 Respiratory System & Allergies 154 Sensory Organs 160 Various 165

Section C Extemporaneous Compounds (ECPs) 166 Section D Special Foods 173 Section E Practitioner's Supply Orders 193 Rural Areas 197 Section F Dispensing Period Exemptions 198 Section G Safety Cap Medicines 200

Index 203

Introducing PHARMAC

PHARMAC, the Pharmaceutical Management Agency, is a Crown entity established pursuant to the New Zealand Public Health and Disability Act 2000 (The Act). The primary objective of PHARMAC is to secure for eligible people in need of pharmaceuticals, the best health outcomes that are reasonably achievable from pharmaceutical treatment and from within the amount of funding provided.

The PHARMAC Board consists of up to six members appointed by the Minister of Health. All decisions relating to PHARMAC's operation are made by or under the authority of the Board. In particular, Board members decide on the strategic direction of PHARMAC and may decide which community pharmaceuticals should be subsidised and at what levels, and determine national prices for some pharmaceuticals to be purchased by and used in DHB Hospitals, and whether or not special conditions are to be applied to such purchases.

Members of the PHARMAC Board

| Stuart McLauchlan | Kura Denness | David Kerr |
|-------------------|--------------|--------------|
| Anne Kolbe | David Moore | Jens Mueller |

Decisions taken by the PHARMAC Board members, or made under the authority of the Board, incorporate a balanced view of the needs of prescribers and patients. The aim is to achieve long-term gains and efficient ways of making pharmaceuticals available to the community and for DHB Hospitals to purchase them.

Murray Georgel, CE MidCentral DHB, attends PHARMAC's Board meetings as an observer.

The functions of PHARMAC are to perform the following, within the amount of funding provided to it in the Pharmaceutical Budget or to DHBs from their own budgets for the use of pharmaceuticals in their hospitals, as applicable, and in accordance with its annual plan and any directions given by the Minister (Section 103 of the Crown Entities Act):

- a) to maintain and manage a pharmaceutical schedule that applies consistently throughout New Zealand, including determining eligibility and criteria for the provision of subsidies;
- b) to manage incidental matters arising out of (a), including in exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the pharmaceutical schedule;
- c) to engage as it sees fit, but within its operational budget, in research to meet its objectives as set out in Section 47(a) of the Act;
- d) to promote the responsible use of pharmaceuticals;
- e) to manage the purchasing of any or all pharmaceuticals, whether used either in a hospital or outside it, on behalf of DHBs;
- f) any other functions given to PHARMAC by or under any enactment or authorised by the Minister.

The policies and criteria set out in the Pharmaceutical Schedule and PHARMAC's Operating Policies and Procedures arise out of, and are designed to help PHARMAC achieve and perform, PHARMAC's objective and functions under the Act.

However PHARMAC may, having regard to its public law obligations, depart from the strict application of those policies and criteria in certain exceptional cases where it considers this necessary or appropriate in the proper exercise of its statutory discretion and to give effect to its objective and functions, particularly with respect to:

- Determining eligibility and criteria for the provision of subsidies; and
- In exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the Pharmaceutical Schedule.

Decision Criteria

PHARMAC updates the Pharmaceutical Schedule at regular intervals to notify prescribers, pharmacists, hospital managers and patients of changes to Community Pharmaceutical subsidies and the prices for Hospital Pharmaceuticals. In making decisions about amendments to the Pharmaceutical Schedule, PHARMAC is guided by its Operating Policies and Procedures, as amended or supplemented from time to time. PHARMAC takes into account the following criteria when making decisions about Community Pharmaceuticals:

- the health needs of all eligible people within New Zealand (eligible defined by the Government's then current rules of eligibility);
- the particular health needs of Maori and Pacific peoples;
- the availability and suitability of existing medicines, therapeutic medical devices and related products and related things;
- the clinical benefits and risks of pharmaceuticals;
- the cost-effectiveness of meeting health needs by funding pharmaceuticals rather than using other publicly funded health and disability support services;
- the budgetary impact (in terms of the pharmaceutical budget and the Government's overall health budget) of any changes to the Pharmaceutical Schedule;
- the direct cost to health service users;
- the Government's priorities for health funding, as set out in any objectives notified by the Crown to PHARMAC, or in PHARMAC's Funding Agreement, or elsewhere; and
- such other criteria as PHARMAC thinks fit. PHARMAC will carry out appropriate consultation when it intends to take any such "other criteria" into account.

The Operating Policies and Procedures, including any supplements, also describe the way in which PHARMAC determines the level of subsidy or purchase price payable for each Community Pharmaceutical or Hospital Pharmaceutical, respectively.

The decision criteria for Hospital Pharmaceuticals are set out in the hospital supplement to the Operating Policies and Procedures and in the introductory part of Section H of the Pharmaceutical Schedule.

Copies of PHARMAC's Operating Policies and Procedures and of any applicable supplements are available on the PHARMAC website (www.pharmac.govt.nz), or on request.

PHARMAC and the Pharmaceutical Schedule:

PHARMAC manages the national Pharmaceutical Schedule, which lists:

- Pharmaceuticals available in the community and subsidised by the Government with funding from the Pharmaceutical Budget; and
- some Pharmaceuticals purchased by DHBs for use in their hospitals, and includes those Hospital Pharmaceuticals for which national prices have been negotiated by PHARMAC.

In the community approximately 1848 Pharmaceuticals are subsidised by the Government. Most are available to all eligible people within New Zealand on prescription by a medical doctor. Some are listed with guidelines or conditions such as 'only if prescribed for a dialysis patient' or 'Special Authority - Retail Pharmacy', to ensure that Pharmaceuticals are used by those people who are most likely to benefit from them. Pharmaceuticals provided to patients for use while in DHB hospitals are not covered by Sections A to G of the Pharmaceutical Schedule.

Section H of the Pharmaceutical Schedule is not a comprehensive list of Pharmaceuticals that are used within the DHB Hospitals. Section H of the Pharmaceutical Schedule includes Pharmaceuticals that can be purchased at a national price by DHBs for use in their hospitals. These are referred to as National Contract Pharmaceuticals.

Section H of the Pharmaceutical Schedule also identifies new Pharmaceuticals used in hospitals, which have been or are being assessed by PHARMAC, the results of that analysis being available to DHB Hospitals via PHARMAC's website.

A list of Discretionary Community Supply Pharmaceuticals, in Section H of the Pharmaceutical Schedule, identifies those products that currently are not subsidised from the Pharmaceutical Budget as Community Pharmaceuticals in Sections A to G of the Pharmaceutical Schedule but which DHBs can at their discretion fund for use in the community from their own budgets without specific Hospital Exceptional Circumstances approval.

PHARMAC's clinical advisors

Pharmacology and Therapeutics Advisory Committee (PTAC)

PHARMAC works closely with the Pharmacology and Therapeutics Advisory Committee (PTAC), an expert medical committee which provides independent advice to PHARMAC on health needs and the clinical benefits of particular pharmaceuticals for use in the community and/or in DHB Hospitals.

The committee members are all senior, practising clinicians. The chair of PTAC sits with the PHARMAC Board in an advisory capacity.

PTAC helps decide which community pharmaceuticals are to be subsidised from public monies by making recommendations to PHARMAC. Part of the role of PTAC is to review whether Community Pharmaceuticals already listed on the Schedule should continue to receive Government funds. The resources freed up can be used to subsidise other community pharmaceuticals with a greater therapeutic worth.

PHARMAC may obtain clinical advice from PTAC in relation to national purchasing strategies for Hospital Pharmaceuticals. There may be additional specialist hospital representatives on PTAC subcommittees, or additional PTAC subcommittees, where PHARMAC considers this necessary.

PTAC members are:

| Carl Burgess Stuart Dalziel | MBChB, MD, MRCP (UK), FRACP, FRCP, physician/clinical pharmacologist, Chair MBChB, PhD, FRACP |
|--------------------------------|--|
| lan Hosford | MBChB, FRANZCP, psychiatrist |
| Sisira Jayathissa | MMedSc (Clin Epi), MMBS, MD, MRCP (UK), FRCP (Edin), FRACP, FAFPHM, Dip Clin Epi, |
| | Dip OHP, Dip HSM, MBS |
| George Laking | MD, PhD, FRACP |
| Jim Lello | BHB, MBChB, DCH, FRNZCGP, general practitioner |
| Graham Mills | MBChB, MTropHlth, MD, FRACP, infectious disease specialist and general physician |
| Peter Pillans | MBBCh, MD, FCP, FRACP, clinical pharmacologist |
| Mark Weatherall | BA, MBChB, MApplStats, FRACP |
| Howard Wilson | BSc, PhD, MB, BS, Dip Obst, FRNZCGP, FRACGP, general practitioner, Deputy Chair |

Contact PTAC C/-Advisory Committee Manager , Pharmaceutical Management Agency, PO Box 10 254, WELLINGTON, Email: PTAC@pharmac.govt.nz

The PHARMAC Team

The PHARMAC team has a wide range of expertise in health, medicine, economics, commerce, critical analysis, and policy development and implementation. atthow Brougham Chief Executive Gooff Lown

| opment and implementat | | |
|------------------------|--------------------------------------|---------------------|
| Matthew Brougham | Chief Executive | Geoff Lawn |
| Lauren Abernethy | Funding and Procurement | |
| | Assistant | Geraldine MacGibbon |
| Kate Adams | Health Economist | Janet Mackay |
| | | Janet Machay |
| Paul Alexander | Health Economist | |
| Richard Anderson | Network and Systems Administrator | Rachel Mackay |
| Katie Appleby | Hospital Exceptional | Trish Mahoney |
| 11 | Circumstances Panel | Scott Metcalfe |
| | Co-ordinator | |
| laaan Awaala | | |
| Jason Arnold | Team Leader, Analysis | |
| Graham Beever | General Counsel | Peter Moodie |
| Diana Beswethrick | HR Manager | Deborah Nisbet |
| Stephen Boxall | Creative Director | Hew Norris |
| Davina Carpenter | Records Manager | Leigh Parish |
| Christine Chapman | Therapeutic Group Manager | Marama Parore |
| Mary Chesterfield | MS and CML/GIST Co-ordinator | Warama r arore |
| Steffan Crausaz | | |
| Stellall Clausaz | Manager, Funding and | Chris Peck |
| | Procurement | Angela Pirika |
| Andrew Davies | Procurement Initiatives | Sharon Ponniah |
| | Manager | |
| Rachelle Davies | Office Manager / Corporate | Matthew Poynton |
| | Team Assistant | Rachel Pratt |
| Innoine Dougharty | Executive Assistant to Chief | nachor rau |
| Jessica Dougherty | | |
| | Executive | |
| Sean Dougherty | Funding Systems Development | Dilky Rasiah |
| | Manager | Kyle Reid |
| Anrik Drenth | Database Analyst | Awhimai Reynolds |
| Kim Ellis | Access & Optimal Use | Brian Roulston |
| | Co-ordinator | Fiona Rutherford |
| Oissue Frederick | | Rico Schoeler |
| Simon England | Communications Manager | |
| Jackie Evans | Therapeutic Group Manager | |
| John Geering | Systems Architect | Merryn Simmons |
| Rachel Grocott | Health Economist / Team | |
| | Leader Assessment | Liz Skelley |
| Susan Haniel | Advisory Committee Manager | Jude Urlich |
| David Harland | Health Economist | |
| Ben Healey | | louno Motkino |
| | Analyst | Jayne Watkins |
| Hayden Holmes | Panel Co-ordinator (Growth | Bryce Wigodsky |
| | Hormone/PAH) | Greg Williams |
| Karen Jacobs | Access & Optimal Use | Kaye Wilson |
| | Programme Manager | Stephen Woodruffe |
| Helen Knight | Accounts Payable Co-ordinator | Sue Anne Yee |
| e.e.i i diigiit | | Michael Young |
| | | |

Applications Developer / Team Leader IT Therapeutic Group Manager Access & Optimal Use Programme Manager Manager, Schedule and Contracts Contract Manager Chief Advisor Population Medicine / Public Health Physician Medical Director Receptionist Analyst PA to Medical Director Manager, Access & Optimal Use & Māori Health Analyst Senior Receptionist Access and Optimal Use Programme Manager Analyst/Health Economist Community Exceptional Circumstances Panel Co-ordinator Deputy Medical Director Tender Analyst Māori Health Manager Contract Manager Senior Policy Analyst Manager, Analysis and Assessment PHARMAC Seminar Series Co-ordinator **Finance Manager** Manager, Corporate and External Relations Team Leader. Medical Team Communications Advisor Therapeutic Group Manager Schedule Analyst Therapeutic Group Manager Therapeutic Group Manager Analyst

Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price (if it differs from the Subsidy) and any access conditions that may apply; and
- some Hospital Pharmaceuticals that are purchased and used by DHB Hospitals, including those for which national prices have been negotiated by PHARMAC.

The purpose of the Schedule is not to show the final cost to Government of subsidising each Community Pharmaceutical or to DHBs in purchasing each Hospital Pharmaceutical since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for some Hospital Pharmaceuticals, on any logistics arrangements put in place by individual DHB Hospitals.

Finding Information in the Pharmaceutical Schedule

Community Pharmaceuticals

For Community Pharmaceuticals, the Schedule is organised in a way to help the reader find Community Pharmaceuticals, which may be used to treat similar conditions. To do this, Community Pharmaceuticals are first classified anatomically, originally based on the Anatomical Therapeutic Chemical (ATC) system, and then further classified under section headings structured for the New Zealand medical system.

- Section A lists the General Rules in relation to Community Pharmaceuticals and related products.
- Section **B** lists Community Pharmaceuticals and related products by anatomical classification, which are further divided into one or more therapeutic headings. Community Pharmaceuticals used to treat similar conditions are grouped together.
- Section C lists the rules in relation to Extemporaneously Compounded Products (ECPs) and Community Pharmaceuticals that will be subsidised when extemporaneously compounded.
- Section D lists the rules in relation to Special Foods and the Special Foods that are subsidised.
- Section E Part I lists the Community Pharmaceuticals that are subsidised on a Practitioner's Supply Order (PSO).
- Section E Part II lists rural areas for the purpose of PSOs.
- Section F lists the Community Pharmaceuticals dispensing period exemptions.
- Section G lists the Community Pharmaceuticals eligible for reimbursement of safety cap and related rules.

The listings are displayed alphabetically (where practical) within each level of the classification system. Each anatomical section contains a series of therapeutic headings, some of which may contain a further classification level. Where a Community Pharmaceutical is used in more than one therapeutic area, they may be cross-referenced.

The therapeutic headings in the Pharmaceutical Schedule do not necessarily correspond to the therapeutic groups and therapeutic subgroups, which PHARMAC establishes for the separate purpose of determining the level of subsidy to be paid for each Community Pharmaceutical.

The index located at the back of the book in which Sections A-G of the Pharmaceutical Schedule are published can be used to find page numbers for generic chemical entities, or product brand names.

Hospital Pharmaceuticals

Section H lists Pharmaceuticals that DHBs fund from their own budgets. The Hospital Pharmaceuticals are grouped into the following Parts in Section H:


- Part I lists the rules in relation to Hospital Pharmaceuticals.
- Part II lists Hospital Pharmaceuticals for which national contracts exist (National Contract Pharmaceuticals). These are
 listed alphabetically by generic chemical entity name and line item, the relevant Price negotiated by PHARMAC and, if
 applicable, an indication of whether it has Hospital Supply Status (HSS) and any associated Discretionary Variance (DV)
 Pharmaceuticals and DV Limit.
- Part III lists Assessed Pharmaceuticals, which have been or are being assessed by PHARMAC and, where such assessment is available, PHARMAC's opinion regarding the use of the Assessed Pharmaceuticals in hospitals. DHB Hospitals are not obliged to implement those recommendations.
- Part IV lists Discretionary Community Supply Pharmaceuticals, which are not Community Pharmaceuticals, but which a DHB Hospital can, in its discretion, fund for use in the community from its own budget.

The index located at the back of the Section H supplement can be used to find page numbers for generic chemical entities, or product brand names, for Hospital Pharmaceuticals.

Explaining drug entries

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the amount of that subsidy paid to contractors, the supplier's price and the access conditions that may apply.

Example



Glossary

Units of Measure

| | microgram |
|----------------------|------------|
| kilogramkg | milligram |
| international unitiu | millilitre |

| μg | millimole |
|----|-----------|
| mg | unit |
| ml | |

| millimole | .mmol |
|-----------|-------|
| unit | u |

Abbreviations

| Ampoule | Amp | Granules | Gran | Suppository | Supp |
|----------------|------|-------------|------|-----------------------|------|
| Capsule | Сар | Infusion | Inf | Tablet | Tab |
| Cream | Crm | Injection | Inj | Tincture | Tinc |
| Device | Dev | Linctus | Linc | Trans Dermal Delivery | |
| Dispersible | Disp | Liquid | Liq | System | TDDS |
| Effervescent | Eff | Long Acting | LA | - | |
| Emulsion | Emul | Ointment | Oint | | |
| Enteric Coated | EC | Sachet | Sach | | |
| Gelatinous | Gel | Solution | Soln | | |

BSO Bulk Supply Order.

- CBS Cost Brand Source. There is no set manufacturer's price, and the Government subsidises the product at the price it is obtained by the pharmacy.
- CE Compounded Extemporaneously.
- CPD Cost Per Dose. The Funder (as defined in Part I of the General Rules) cost of a standard dose, without mark-ups or fees and excluding GST.
- ECP Extemporaneously Compounded Preparation.
- HSS Hospital Supply Status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.
- OP Original Pack subsidy is rounded up to a multiple at whole packs.
- PSO Practitioner's Supply Order.

Sole Subsidised

Supplier Only brand of this medicine subsidised.

- XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.
- ▲ Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner.
- * Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless medicine is endorsed "close control" or "cc" and the endorsement is initialled by the prescriber.
- \$ Safety cap required and subsidised for oral liquid formulations, including extemporaneously compounded preparations.
- Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a
 manufacturer's surcharge.
- S29 This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981. Practitioners prescribing this medication should:
 - a) be aware of and comply with their obligations under Section 29 of the Medicines Act 1981 and otherwise under that Act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
 - c) exercise their own skill, judgement, expertise and discretions, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an indication for which it is not approved.

Note: Where medicines supplied under Section 29 that are used for emergency situations, patient details required under Section 29 of the Medicines Act may be retrospectively provided to the supplier.

| | Definitions | | | | |
|---------|--|--|--|--|--|
| Abbrev. | Pharmacy Services Agreement | All other Pharmacy Agreements | | | |
| [HP3] | Subsidised when dispensed from pharmacies that | Available from selected pharmacies that have an ex- | | | |
| | have a Special Foods Service appended to their Phar- | clusive contract to dispense Special Foods. | | | |
| | macy Services Agreement by their DHB. | | | | |
| [HP4] | Subsidised when dispensed from pharmacies that | Avaliable from selected pharmacies that have an ex- | | | |
| | have the Monitored Therapy Variation (for Clozapine | clusive contract to dispense 'Hospital Pharmacy' [HP4] | | | |
| | Services) | pharmaceuticals. | | | |

Patient costs

Community Pharmaceuitical costs met by the Government

Most of the cost of a subsidised prescription Community Pharmaceutical is met by the Government through the Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to Contractors, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to Contractors does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a \checkmark in the product's Schedule listing.

SALBUTAMOL

| Aerosol inhaler 100 µg per dose | 3.80 | Fully subsidised brand | |
|---------------------------------|--------|------------------------|--|
| | (6.00) | Higher priced brand | |

Pharmaceutical Co-Payments

Some Community Pharmaceutical costs are met by the patient. Generally a patient pays a prescription charge. In addition a patient will sometimes pay a manufacturer's surcharge, after hours service fee and any special packaging fee.

PRESCRIPTION CHARGE

From 1 September 2008, everyone who is eligible for publicly funded health and disability services should in most circumstances pay only \$3 for subsidised medicines.

All prescriptions from a public hospital, a midwife and a Family Planning Clinic are covered for \$3 co-payments.

Prescriptions from the following providers are approved for \$3 co-payments on subsidised medicines if they meet the specified criteria:

- After Hours Accident and Medical Services with a DHB or a PHO contract.
- Youth Health Clinics with a DHB or a PHO contract.
- Dentists who write a prescription that relates to a service being provided under a DHB contract.
- Private specialists (for example, opthalmologists and orthopaedics) who write a prescription for a patient receiving a publicly funded service contracted by the DHB.
- General practitioners who write a prescription during normal business hours to a person who is not enrolled in the general
 practice provided the person is eligible for publicly funded health and disability services and the general practice is part of a
 PHO.
- Hospices that have a contract with a DHB.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Eligibility Direction on the Ministry of Health's website.

To check if a medicine is fully subsidised, refer to the Pharmaceutical Schedule on PHARMAC's website or ask your pharmacist or general practitioner.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

NOTE: Information sourced from Ministry of Health Website, for more information please visit www.moh.govt.nz

MANUFACTURER'S SURCHARGE

Not all Community Pharmaceuticals are fully subsidised. Although PHARMAC endeavours to fully subsidise at least one Community Pharmaceutical in each therapeutic group, and has contracts with some suppliers to maintain the price of a particular product, manufacturers are able to set their own price to pharmacies. When these prices exceed the subsidy, the pharmacist may recoup the difference from the patient.

To estimate the amount a patient will pay on top of the prescription charge, take the difference between the manufacturer's price and the subsidy, and multiply this by 1.86. The 1.86 factor represents the pharmacy mark-up on the surcharge plus other costs such as GST. Pharmacies charge different mark-ups so this may vary.

Manufacturer's surchage to patient = (price - subsidy) \times 1.86

For example, a Community Pharmaceutical with a supplier (ex-manufacturer) cost of \$11.00 per pack with a \$10.00 subsidy will cost the patient a surchage of \$1.86 on top of the prescription charge. The most a patient should pay is therefore \$16.86 - being

\$15.00 maximum prescription charge, plus \$1.86.

Hospital Pharmaceutical and Pharmaceutical Cancer Treatment Costs

The cost of purchasing Hospital Pharmaceuticals and Pharmaceutical Cancer Treatments (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) is met by the Funder (in particular, the relevant DHB) from its own budget. As required by section 23(7) of the Act, in performing any of their functions in relation to the supply of Pharmaceuticals including Pharmaceutical Cancer Treatments, DHBs must not act inconsistently with the Pharmaceutical Schedule.

PHARMAC web site

PHARMAC has set up an interactive Schedule on the Internet. It can be used to calculate the cost of a prescribed Community Pharmaceutical. This site at *http://www.pharmac.govt.nz* takes into account the quantity of Community Pharmaceutical prescribed as well as the patient's age, whether the patient has a community services card, high use health card or prescription subsidy card, the fee for pharmacy services and prescription charges.

Other information about PHARMAC is also available on our website. This includes copies of the Annual Review, Annual Report and Annual Plan, as well as information such as the Pharmaceutical Schedule, Pharmaceutical Schedule Updates, National Hospital Pharmaceutical Strategy, other publications and recent press releases.

Special Authority Applications

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person. Applications must be submitted to the Ministry of Health by the prescriber for the request to be processed.

Subsidy

Once approved, the presciber will be provided a Special Authority number which must appear on the prescription. Specialists who make an application must communicate the valid authority number to the prescriber who will be writing the prescriptions.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Pharmaceutical Budget.

Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website.

For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised. Criteria for each Special Authority Community Pharmaceutical are updated regularly, based on the decision criteria of PHARMAC. The appropriateness of the listing of a Community Pharmaceutical in the Special Authority category will also be regularly reviewed. Applications for inclusion of further Community Pharmaceuticals in the Special Authority category will generally be made by a pharmaceutical supplier.

Special Authority Applications

Application forms can be found at www.pharmac.govt.nz. Requests for fax copies should be made to PHARMAC, phone 04 460 4990. Applications are processed by the Ministry of Health, and should be sent to:

Ministry of Health Sector Services, Private Bag 3015, WANGANUI 4540 Fax: (06) 349 1983 or free fax 0800 100 131

For enquiries, phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666

Note: The Ministry of Health can only provide information on Special Authority applications to prescribers and pharmacists.

Each application must:

- Include the patients name, date of birth and NHI number (codes for AIDS patients' applications)
- Include the practitioner's name, address and Medical Council registration number
- Clearly indicate that the relevant criteria, have been met.
- · Be signed by the practitioner.

Exceptional Circumstances policies

The purpose of the Exceptional Circumstances policies are to provide:

- funding from the Community Exceptional Circumstances budget for medication, to be used in the community, in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical Budget is not able to be provided through the Pharmaceutical Schedule ("Community Exceptional Circumstances"); or
- an assessment process for the DHB Hospitals to determine whether they can fund medication, to be used in the community, in circumstances where the medication is neither a Community Pharmaceutical nor a Discretionary Community Supply Pharmaceutical and where the patient does not meet the criteria for Community Exceptional Circumstances ("Hospital Exceptional Circumstances"); or
- an assessment process for DHB Hospitals to determine whether they can fund pharmaceuticals for the treatment of cancer in their DHB Hospital, or in association with Outpatient services provided in their DHB hospital, in circumstances where the pharmaceutical is not identified as a Pharmaceutical Cancer Treatment ("Cancer Exceptional Circumstances") in Sections A-H of the Pharmaceutical Schedule.

Upon receipt of an application for approval for Community Exceptional Circumstances or Hospital Exceptional Circumstances, the Exceptional Circumstances Panel first decides whether an application will be assessed initially under the Community Exceptional Circumstances criteria or the Hospital Exceptional Circumstances criteria. Cancer Exceptional Circumstances is a separate process.

Hospital Exceptional Circumstances

If the application is first assessed but not approved under the Community Exceptional Circumstances criteria, the Exceptional Circumstances Panel may recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances.

If the application is first assessed under the Hospital Exceptional Circumstances criteria, the Exceptional Circumstances Panel may:

- a) recommend against the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget, in which case a DHB Hospital must not fund the pharmaceutical from its own budget;
- b) recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances, in which case a DHB Hospital may, but is not obliged to, fund the pharmaceutical from its own budget;
- c) defer its decision until further assessment under the Community Exceptional Circumstances criteria can undertaken; or
- d) recommend interim funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances until further assessment under the Community Exceptional Circumstances criteria can be undertaken.

Permission to fund a pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances will only be granted by PHARMAC where it has been demonstrated that such funding is cost-effective for the relevant DHB in the region in which the patient resides.

If the patient being treated with a pharmaceutical under Hospital Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

Applications for Hospital Exceptional Circumstances should be made on the standard application form available from the PHARMAC website www.pharmac.govt.nz or the address below:

The Coordinator, Hospital Exceptional Circumstances Panel PHARMAC, PO Box 10 254 Wellington

Phone: (04) 916 7521 or fax (09) 523 6870 Email: ecpanel@pharmac.govt.nz

Cancer Exceptional Circumstances

Permission to fund a pharmaceutical for the treatment of cancer from the Hospital's own budget under Cancer Exceptional Circumstances will only be granted by PHARMAC where it has been demonstated that the proposed use meets the criteria.

If the patient being treated with a pharmaceutical under Cancer Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

Community Exceptional Circumstances

In order to qualify for Community Exceptional Circumstances approval one of the following criteria must be met:

- a) the condition must be rare; or
- b) the reaction to alternative funded treatment must be unusual; or
- c) an unusual combination of circumstances applies.

Rare and unusual are considered to be in the order of less than 10 people nationally.

Where one of the above Community Exceptional Circumstances entry criteria is met, the application may then be further examined under supplementary criteria, assessing suitability of the pharmaceutical, clinical benefit, the cost effectiveness of the treatment, and the patient's ability to pay for the treatment. Where these documented criteria are met, a subsidy sufficient to fully fund the pharmaceutical will be made available to the specific patient on whose behalf the application was made.

Community Exceptional Circumstances funding is only available where the criteria are met and is not available for financial reasons alone.

Applications for Community Exceptional Circumstances, Hospital Exceptional Circumstances and Cancer Exceptional Circumstances should be made on the standard application form available from the PHARMAC website www.pharmac.govt.nz or the address below:

The Coordinator, Community Exceptional Circumstances Panel PO Box 10 254 Wellington Phone (04) 916 7553 or fax (09) 523 6870 Email: ecpanel@pharmac.govt.nz

INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and;
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services.

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 February 2011 and is to be referred to as the Pharmaceutical Schedule Volume 18 Number 0, 2011. Distribution will be from 20 February 2011. This Schedule comes into force on 1 February 2011.

PART I

INTERPRETATIONS AND DEFINITIONS

1.1 In this Schedule, unless the context otherwise requires:

"90 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;

"180 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;

"Access Exemption Criteria" means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:

a) have limited physical mobility;

- b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
- c) are relocating to another area;
- d) are travelling extensively and will be out of town when the repeat prescriptions are due.

"Act" means the New Zealand Public Health and Disability Act 2000.

"Advisory Committee" means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.

"Alternate Subsidy" means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.

"Assessed Pharmaceuticals" means the list of Pharmaceuticals set out in Section H Part III of the Schedule, that have been or are being assessed by PHARMAC.

"Authority to Substitute" means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.

"Bulk Supply Order" means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.

"Cancer Exceptional Circumstances" means the policies and criteria administered by PHARMAC relating to the ability to fund, from a DHB hospital's own budget, pharmaceuticals for the treatment of cancer that are not identified as Pharmaceutical

Cancer Treatments in Sections A-H of the Pharmaceutical Schedule.

"Class B Controlled Drug" means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.

"Close Control" means the dispensing of a Community Pharmaceutical, in accordance with a Prescription, in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot) for a Community Pharmaceutical referred to in Section F Part I, or in quantities less than a Monthly Lot for any other Community Pharmaceutical, where any of a), b) or c) apply.

- a) All of the following conditions are met:
 - i) the Community Pharmaceutical has been prescribed for a patient who:
 - 1) is not a resident in a Penal Institution, Rest Home or Residential Disability Care Institution; and
 - 2) either of the following:
 - i) in the opinion of the prescribing Practitioner is:
 - a) frail; or
 - b) infirm; or
 - c) unable to manage their medication without additional support; or
 - d) intellectually impaired; or
 - e) requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only); and
 - f) requires that Community Pharmaceutical to be dispensed in a smaller quantity than that for which it is currently funded, or
 - ii) the Community Pharmaceutical is any of the following:
 - a) a tri-cyclic antidepressant; or
 - b) an antipsychotic; or
 - c) a benzodiazepine; or
 - d) a Class B Controlled Drug; and
 - ii) the prescribing Practitioner has:
 - A) endorsed each Community Pharmaceutical on the Prescription clearly with the words "Close Control" or "CC"; and
 - B) initialled the endorsement in their own handwriting; and
 - C) specified the maximum quantity or period of supply to be dispensed at any one time.
- b) All of the following conditions are met:
 - i) The Community Pharmaceutical is prescribed for a patient who is a resident in a Rest Home or Residential Disability Care Institution; and
 - A) the quantity or period of supply to be dispensed at any one time is not less than 28 days' supply; and
 - B) the prescriber or pharmacist has written the name of the Rest Home or Residential Disability Care Institution on the prescription; and
 - C) the prescriber or pharmacist has:
 - written on the Prescription the words "Close Control" or "CC" (this applies to all medicines prescribed on the prescription), and
 - 2) initialled the endorsement/annotation in their own handwriting; and
 - 3) specified the maximum quantity or period of supply to be dispensed at any one time.
- c) All of the following conditions are met:
 - i) where PHARMAC has approved and notified pharmacists to annotate prescriptions for a specified Com-
 - munity Pharmaceutical(s) "Close Control" without prescriber endorsement for a specified time; and
 - ii) the dispensing pharmacist has:
 - A) clearly annotated each of the approved Community Pharmaceuticals that appear on the prescription with the words "Close Control" or "CC"; and
 - B) initialed the annotation in their own handwriting; and
 - C) specified the maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

"Community Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances Panel relating to funding from the Community Exceptional Circumstances budget for medication, to be used in the community, in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical Budget is not able to be provided through the Pharmaceutical Schedule.

"Community Pharmaceutical" means a Pharmaceutical listed in Sections A to G of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor" means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug" means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply" means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply.

"Dentist" means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"Dietitian" means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.

"DHB" means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital" means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Discretionary Community Supply Pharmaceutical" means the list of Pharmaceuticals set out in Section H Part IV of the Schedule, which may be funded by a DHB Hospital from its own budget for use in the community.

"Doctor" means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical" means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements" - unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Exceptional Circumstances Panel" means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for administering policies in relation to Community Exceptional Circumstances and Hospital Exceptional Circumstances.

"Funder" means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST" means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator" means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances Panel relating to the ability to fund, from a DHB Hospital's own budget, pharmaceuticals for use in the community by a specific patient where a subsidy is not available from the Pharmaceutical Budget or under Community Exceptional Circumstances.

"Hospital Pharmaceuticals" means National Contract Pharmaceuticals, DV Pharmaceuticals, Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals.

"Hospital Pharmacy" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner. "Hospital Pharmacy-Specialist" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

a) to an Outpatient; and

b) on a Prescription signed by a Specialist; or

if the treatment of an Outpatient with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a Practitioner endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Practitioner.

"As recommended by a Specialist" to be interpreted as:

a) follows a substantive consultation with an appropriate Specialist;

b) the consultation to relate to the Patient for whom the Prescription is written;

c) consultation to mean communication by referral, telephone, letter, facsimile or email;

d) except in emergencies consultation to precede annotation of the Prescription; and

e) both the specialist and the General Practitioner must keep a written record of the consultation.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

a) to an Outpatient; and

b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS" means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination" means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit" means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital" means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot" means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price" means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife" means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month" means a period of 30 consecutive days.

"Monthly Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"National Contract Pharmaceutical" means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

"National DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Not In Combination" means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

"Nurse Prescriber" means a nurse registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003 and who is approved by the Nursing Council, to prescribe specified prescription medicines relating to his/her scope of practice.

"Optometrist" means a person registered as an optometrist with the Optometrists and Dispensing Opticians Board, who holds a current annual practising certificate under the HPCA Act 2003, and who is authorised by regulations under the Medicines Act 1981 and approved by the Optometrists and Dispensing Opticians Board to prescribe specified medicines.

"Outpatient" , in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT" means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

"PCT only" means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies.

"Penal Institution" means a penal institution, as that term is defined in The Penal Institutions Act 1954;

"PHARMAC" means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC). "Pharmaceutical" means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to H of the Schedule.

"Pharmaceutical Benefits" means the right of:

- a) a person; and
- b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.

"Pharmaceutical Budget" means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals.

"Pharmaceutical Cancer Treatment" means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must fund, from their own budgets, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.

"Practitioner" means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Prescriber or an Optometrist as those terms are defined in the Pharmaceutical Schedule.

"Practitioner's Supply Order" means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

"Prescription" means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.

"Prescription Medicine" means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations 1984.

"Private Hospital" means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.

"Residential Disability Care Institution" means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.

"Rest Home" means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.

"Restricted Medicine" means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984.

"Retail Pharmacy-Specialist" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or, in the case of treatment recommended by a Specialist, a Prescription or Practitioner's Supply Order and endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner.

"As recommended by a Specialist" to be interpreted as:

- a) follows a substantive consultation with an appropriate Specialist;
- b) the consultation to relate to the Patient for whom the Prescription is written;
- c) consultation to mean communication by referral, telephone, letter, facsimile or email;
- d) except in emergencies consultation to precede annotation of the Prescription; and

e) both the Specialist and the General Practitioner must keep a written record of consultation.

"Retail Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist. For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"Schedule" means this Pharmaceutical Schedule and all its sections and appendices.

"Section B" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies included in the Schedule.

"Section C" of this Pharmaceutical Schedule means the list of community extemporaneously compounded preparations and galenicals eligible for Subsidies included in the Schedule.

"Section D" of this Pharmaceutical Schedule means the list of community special foods eligible for Subsidies included in the Schedule.

"Section E Part I" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies and available on a Practitioner's Supply Order included in the Schedule.

"Section E Part II" of this Pharmaceutical Schedule means the list of rural areas for the purpose of community Practitioner's Supply Orders included in the Schedule.

"Section F Part I" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots, and requirement to dispense in 90 Day Lots or 180 Day Lots, as applicable, in respect of the Community Pharmaceuticals referred to in this part of Section F;

"Section F Part II" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots in respect of the Community Pharmaceuticals referred to in this part of Section F;

"Section G" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for reimbursement of safety caps.

"Section H" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals and the lists of National Contract Pharmaceuticals and any associated DV Pharmaceuticals, of Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals included in Section H of the Schedule.

"Section H Part I" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals.

"Section H Part II" of this Pharmaceutical Schedule means the list of National Contract Pharmaceuticals, the relevant Price, an indication of whether the Pharmaceutical has HSS and any associated DV Pharmaceuticals and DV Limit.

"Section H Part III" of this Pharmaceutical Schedule means the list of Assessed Pharmaceuticals.

"Section H Part IV" of this Pharmaceutical Schedule means the list of Discretionary Community Supply Pharmaceuticals. "Special Authority" means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.

"Specialist", in relation to a Prescription, a doctor who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

- a)
- i) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine; and
- ii) the doctor's vocational scope of practice is one of those listed below: anaesthetics, cardiothoracic surgery, dermatology, diagnostic radiology, emergency medicine, general surgery, internal medicine, neurosurgery, obstetrics and gynaecology, occupational medicine, ophthalmology, oral and maxillofacial surgery, otolaryngology head and neck surgery, orthopaedic surgery, paediatric surgery, paediatrics, pathology, plastic and reconstructive surgery, psychological medicine or psychiatry, public health medicine, radiation oncology, rehabilitation medicine, urology and venereology;
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that Prescription in the course of practising in that area of medicine;
- c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that area of medicine;
- d) the doctor writes the Prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.

"Subsidy" means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.

"Supply Order" means a Bulk Supply Order or a Practitioner's Supply Order.

"Unapproved Indication" means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 4.6.

- 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
 - a) the singular includes the plural; and
 - b) any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regu-

lation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

PART II COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G of the Schedule, and every preparation (having an inert base) of any of them, is hereby declared to be a Community Pharmaceutical for the purposes of the Schedule, subject to:
 - 2.1.1 clauses 2.2 and 2.3 of the Schedule; and
 - 2.1.2 clauses 3.1 to 4.4 of the Schedule; and
 - 2.1.3 the conditions (if any) specified in Sections B to G of the Schedule;
- 2.2 The following medicines, therapeutic medical devices, or related products or related things are not eligible for Subsidy:
 - 2.2.1 substances, or combinations of substances, ordered for any purpose other than:
 - a) treatment of a patient's medical or dental condition; or
 - b) pregnancy tests; or
 - c) the prevention of sexually transmitted disease; or
 - d) contraception.
 - 2.2.2 substances and combinations of substances packed under pressure in aerosol cans or other similar devices, unless it is specified in Sections B to G of the Schedule that they may be so packed;
 - 2.2.3 electrode jellies;
 - 2.2.4 eye drops packed in single-dose units, unless it is specified in Sections B to G of the Schedule that they may be so packed;
 - 2.2.5 insect repellents and similar preparations;
 - 2.2.6 oral preparations in long-acting form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.7 substances or combinations of substances in lozenge or similar form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.8 machine-spread plasters;
 - 2.2.9 preparations prescribed as foods, unless they are specified in Section D of the Schedule;
 - 2.2.10 substances, combinations of substances, or articles, in the form of proprietary medicines or proprietary articles, unless they are deemed or declared to be Pharmaceuticals elsewhere in the Schedule;
 - 2.2.11 shampoos, other than extemporaneously prepared medicated shampoos, or shampoos specified in Sections B to G of the Schedule intended for the treatment of a patient's medical condition;
 - 2.2.12 toilet preparations;
 - 2.2.13 tooth pastes and powders;
 - 2.2.14 lubricating jellies and catheter lubricants;
 - 2.2.15 sterile diluents for nebulising solutions;
 - 2.2.16 substances in a form intended to enable delivery by transdermal diffusion or osmosis or by the insertion of any solid object or substance into the eye cavity, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.17 substances in a form intended for intravenous delivery (other than by injection), unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.18 substances packed in pre-loaded syringes known as Min-I-Jets, unless it is specified in Sections B to G of the Schedule that they may be so packed;
 - 2.2.19 Community Pharmaceuticals prescribed as cough mixtures, unless they are specified in Sections B to G of the Schedule otherwise than in combination with other ingredients;
 - 2.2.20 vitamin preparations in capsule form, unless they are specified in Sections B to G of the Schedule;
 - 2.2.21 substances prescribed for use as irrigating solutions, unless it is specified in Sections B to G of the Schedule that they may be prescribed for such use.
- 2.3 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
 - 2.3.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines

Act 1981; or

- 2.3.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
- 2.3.3 in the absence of the standards prescribed in clauses 2.3.1 and 2.3.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
- 2.3.4 in the absence of the standards prescribed in clauses 2.3.1, 2.3.2 and 2.3.3, are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

PART III

PERIOD AND QUANTITY OF SUPPLY

3.1 Doctors', Dietitians', Midwives', Nurse Prescribers' and Optometrists' Prescriptions (other than oral contraceptives)

The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor, Dietitian, Midwife, Nurse Prescriber or Optometrist:

- 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity suffcient to provide treatment for a period not exceeding three Months will be subsidised.
- 3.1.2 For methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug other than methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity:
 - a) sufficient to provide treatment for a period not exceeding 10 days; and
 - b) which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Dietitian, Midwife or Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
 - a) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
 - b) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
 - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
 - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
 - A) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
 - B) both:
 - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
 - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
 - b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only that part of any Prescription that is dispensed within the time frames specified above is eligible for

Subsidy.

- 3.1.7 If a Community Pharmaceutical:
 - a) is stable for a limited period only, and the Doctor, Dietitian, Midwife, Nurse Prescriber or Optometrist has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
 - b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
 - c) is Close Control,
 The actual quantity dispensed will be subsidised in accordance with any such specification.

3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife or Nurse Prescriber for an oral contraceptive:

- 3.2.1 The prescribing Doctor, Midwife or Nurse Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed:
 - a) three Months if prescribed by a Midwife; or
 - b) six Months if prescribed by a Doctor or Nurse Practitioner.
- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
 - a) in Lots as specified in the Prescription if the Community Pharmaceutical is Close Control; or
 - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 An oral contraceptive prescribed by a Midwife is only eligible for Subsidy if the Prescription under which it has been dispensed has been written within the period of post natal care of the eligible person.
- 3.2.5 Where a Community Pharmaceutical in a Prescription is Close Control and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

3.3 Dentists' Prescriptions

- The following provisions apply to every Prescription written by a Dentist:
- 3.3.1 The maximum quantity of a Community Pharmaceutical that will be subsidised is as follows:
 - a) where the Community Pharmaceutical is a Controlled Drug, only such quantity as is necessary to provide treatment for a period not exceeding five days; and
 - b) in any other case, only such quantity as is necessary to provide treatment for a period not exceeding five days and, where the Prescription specifies a repeat, one further period not exceeding five days.
- 3.3.2 Notwithstanding clause 3.3.1, if, in the opinion of the Dentist, an eligible person needs extended treatment with sodium fluoride for up to three Months, the Community Pharmaceutical will be subsidised for that extended period. A Prescription for any such extended supply of sodium fluoride will be subsidised only if it is dispensed in Monthly Lots, unless the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect.
- 3.3.3 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed has been presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.3.4 No Subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) one Month from the date the Community Pharmaceutical was first dispensed; or
 - b) in the case of sodium fluoride, three Months from the date the Community Pharmaceutical was first dispensed.

Only that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.

3.4 Original Packs, and Certain Antibiotics

3.4.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:

- a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
- b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.
- 3.4.2 If a Community Pharmaceutical is the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:
 - a) the difference the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eg; if a prescription is for 105 mls then a 100ml pack would be dispensed); and
 - b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

3.5 Dietitians' Prescriptions

The following provisions apply to every Prescription written by a Dietitian:

- 3.5.1 Prescriptions written by a Dietitian for a Community Pharmaceutical will only be subsidised where they are for either:
 - a) special foods, as listed in Section D; or
 - b) any other Pharmaceutical that has been identified in Section D of the Pharmaceutical Schedule as being able to be prescribed by a Dietitian,

providing that the products being prescribed are not classified as Prescription Medicines or Restricted Medicines.

3.5.2 For the purposes of Dietitians prescribing pursuant to this clause 3.5, the prescribing and dispensing of these products is required to be in accordance with regulations 41 and 42 of the Medicines Regulations 1984.

PART IV

MISCELLANEOUS PROVISIONS

4.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 4.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 4.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 4.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 4.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
 - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
 - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 4.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.

4.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

4.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 4.2.1 Subject to clause 4.2.3, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 4.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
 - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
 - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 4.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
 - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
 - i) is personally signed and dated by the Practitioner; and
 - ii) sets out the Practitioner's address; and
 - iii) sets out the Community Pharmaceuticals and quantities, and;
 - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 4.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.

4.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

4.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

4.3.2 Expiry

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 4.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 4.3.1 and 4.3.2, for the individual Patient.
- 4.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 4.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

4.4 Pharmaceutical Cancer Treatments

- 4.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments by funding their use in the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 4.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:

 a) has Cancer Eventical Cancer Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
 - a) has Cancer Exceptional Circumstances approval;

- b) has Community Exceptional Circumstances or Hospital Exceptional Circumstances approval;
- c) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
 - d) is being used and funded as part of a paediatric oncology service; or
 - e) was being used to treat the patient in question prior to 1 July 2005.
- 4.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatements with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
 - a) Part 1;
 - b) clauses 2.1 to 2.3;
 - c) clauses 3.1 to 3.4; and
 - d) clause 4.4,
 - of Section A of the Schedule
- 4.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 4.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 direction from the Minister of Health as to pharmaceuticals and indications for which DHBs must provide funding. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
 - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under the Medicines Act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and Disability Comissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
 - c) exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.

4.5 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication;

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

4.6 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, subject to:

- a) the Contractor having received a general Authority to Substitute from the Practitioner in relation to the particular medicine or medicines in general; or
- b) the Practitioner having indicated their Authority to Substitute on the prescription; or

c) the Practitioner having given their Authority to Substitute in relation to the particular prescription.

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and initial the prescription.

4.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed but may not alter the total daily dose. If the change will result in additional cost to the DHBs, then:

- a) the Practitioner must authorise and initial the alteration; or
- b) in cases where PHARMAC has approved and notified in writing such a change in dispensing of a named Pharmaceutical due to an out of stock event or short supply, the Contractor must annotate and initial the alteration.

4.8 Amendment of Schedule

PHARMAC may amend the terms of the Schedule from time to time by notice in writing given in such manner as PHARMAC thinks fit, and in accordance with such protocols as agreed with the Pharmacy Guild of New Zealand (Inc) from time to time.

4.9 Conflict in Provisions

If any rules in Sections B-G of this Schedule conflict with the rules in Section A, the rules in Sections B-G apply.

SECTION B: ALIMENTARY TRACT AND METABOLISM

| | Subsidy (Manufacturer's Prie | ce) Su | . , | Brand or Generic |
|---|---------------------------------|-------------|----------------------|--------------------------|
| | \$ | Per | | Vanufacturer |
| Antacids and Antiflatulants | | | | |
| Antacids and Reflux Barrier Agents | | | | |
| ALGINIC ACID | | | | |
| Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet | 4.50 | 30 | 🖌 Gav | viscon Infant |
| CALCIUM CARBONATE WITH AMINOACETIC ACID | | | | |
| * Tab 420 mg with aminoacetic acid 180 mg - Higher subsidy | | | | |
| of \$6.30 per 100 tab with Endorsement | | 100 | T:+ | |
| Additional subsidy by endorsement is available for pregnar | (6.30) ht women. The pre | scription m | Titra Ist be endo | |
| SIMETHICONE | it women. The pre | | | nice accordingly. |
| * Oral liq aluminium hydroxide 200 mg with magnesium hydrox- | | | | |
| ide 200 mg and activated simethicone 20 mg per 5 ml | | 500 ml | | |
| | (4.26) | | Myl | anta P |
| SODIUM ALGINATE | | | | |
| * Tab 500 mg with sodium bicarbonate 267 mg and calcium | | | | |
| carbonate 160 mg - peppermint flavour | 1.80 | 60 | | |
| | (8.60) | | | riscon Double trength |
| * Oral liq 500 mg with sodium bicarbonate 267 mg and calcium | | | | |
| carbonate 160 mg per 10 ml | 1.50 (4.95) | 500 ml | Acio | lov |
| | (4.95) | | ACI | JEX |
| Phosphate Binding Agents | | | | |
| ALUMINIUM HYDROXIDE | | | | |
| Tab 600 mg | 12.56 | 100 | 🖌 Alu | -Tab |
| Antidiarrhoeals | | | | |
| Agents Which Reduce Motility | | | | |
| DIPHENOXYLATE HYDROCHLORIDE WITH ATROPINE SULPH. | ATE | | | |
| * Tab 2.5 mg with atropine sulphate 25 μg | | 100 | 🖌 Dia | stop |
| LOPERAMIDE HYDROCHLORIDE – Up to 30 cap available on a | | | | - |
| * Tab 2 mg | | 400 | 🖌 Noo | lia |
| * Cap 2 mg | 8.95 | 400 | 🖌 Dia | mide Relief |
| Rectal and Colonic Anti-inflammatories | | | | |
| BUDESONIDE | | | | |
| Cap 3 mg - Special Authority see SA0913 on the next page | | | | |
| - Retail pharmacy | 166.50 | 90 | 🖌 Ent | ocort CIR |
| | | | | |

| | Subsidy (Manufacturer's Price \$ | e) Sub Per | Fully sidised | Brand or Generic Manufacturer |
|--|--|---------------|------------------|-------------------------------------|
| SA0913 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid | for 3 months for ap | plications me | eeting t | he following criteria: |
| Both: 1 Mild to moderate ileal, ileocaecal or proximal Crohn's disea | ase: and | | | |
| 2 Any of the following: | | | | |
| 2.1 Diabetes; or | | | | |
| 2.2 Cushingoid habitus; or2.3 Osteoporosis where there is significant risk of fractu | Ire: or | | | |
| 2.4 Severe acne following treatment with conventional of | | y. | | |
| Renewal from any relevant practitioner. Approvals valid for 3 mo | nths where the trea | atment rema | ins app | propriate and the patient is |
| benefiting from treatment. | | | | |
| The patient may not have had more than 1 prior approval in the la Note: Clinical trials for Entocort CIR use beyond three months de | | ovement in i | relanse | rate |
| HYDROCORTISONE ACETATE | | | olapoo | |
| Rectal foam 10%, CFC-Free (14 applications) | | 21.1 g OP | ✓ <u>c</u> | <u>olifoam</u> |
| MESALAZINE | | - | | |
| Tab 400 mg | | 100 | | sacol |
| Tab EC 500 mg | | 100 | | samax |
| Tab long-acting 500 mg | | 100 7 | | entasa entasa |
| Enema 1 g per 100 ml Suppos 500 mg | | 20 | | sacol |
| Suppos 1 g | | 28 | V P | entasa |
| OLSALAZINE | | | | |
| Tab 500 mg | | 100 | | ipentum |
| Cap 250 mg | 31.51 | 100 | V D | ipentum |
| SODIUM CROMOGLYCATE | 22.24 | 100 | | |
| Cap 100 mg | | 100 | V N | alcrom |
| SULPHASALAZINE * Tab 500 mg | 11.69 | 100 | | alazopyrin |
| * Tab EC 500 mg | | 100 | | alazopyrin EN |
| Antihaemorrhoidals | | | | |
| Antinaemonnoidais | | | | |
| Corticosteroids | | | | |
| FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVA | | OCAINE | | |
| Oint 950 µg, with fluocortolone pivalate 920 µg, and cin- chocaine hydrochloride 5 mg per g | 6.35 | 30 g OP | 🗸 U | Itraproct |
| Suppos 630 µg, with fluocortolone pivalate 610 µg, and cin- chocaine hydrochloride 1 mg | | 12 | 🗸 U | Itraproct |
| HYDROCORTISONE WITH CINCHOCAINE | | | 4 - | |
| Oint 5 mg with cinchocaine hydrochloride 5 mg per g Suppos 5 mg with cinchocaine hydrochloride 5 mg per g | | 30 g OP 12 | | roctosedyl roctosedyl |
| Antispasmodics and Other Agents Altering Gut | Motility | | | |
| ATROPINE SULPHATE | | | | |
| * Inj 600 μg, 1 ml – Up to 5 inj available on a PSO | | 50 | ✓ <u>A</u> | straZeneca |

26

| | Subsidy (Manufacturer's Price) | | Fully Brand or Subsidised Generic |
|--|-----------------------------------|---------|---------------------------------------|
| | \$ | Per | |
| HYOSCINE N-BUTYLBROMIDE | | | |
| * Tab 10 mg | | 20 | ✓ Gastrosoothe |
| * Inj 20 mg, 1 ml - Up to 5 inj available on a PSO | | 5 | Buscopan |
| MEBEVERINE HYDROCHLORIDE | | | |
| * Tab 135 mg | | 90 | Colofac |
| Antiulcerants | | | |
| Antisecretory and Cytoprotective | | | |
| MISOPROSTOL | | | |
| * Tab 200 µg | 52.70 | 120 | V Cytotec |
| Helicobacter Pylori Eradication | | | |
| CLARITHROMYCIN | | | |
| Tab 500 mg – Subsidy by endorsement a) Maximum of 14 tab per prescription | 23.30 | 14 | Klamycin |
| b) Subsidised only if prescribed for helicobacter pylori | | | |
| Note: the prescription is considered endorsed if clarithromycil amoxycillin or metronidazole. | n is prescribed in conjun | ction v | with a proton pump inhibitor and eith |
| H2 Antagonists | | | |
| CIMETIDINE – Only on a prescription | | | |
| * Tab 200 mg | 5.00 | 100 | |
| ů – | (7.50) | | Apo-Cimetidine |
| * Tab 400 mg | 10.00 | 100 | |
| | (12.00) | | Apo-Cimetidine |
| FAMOTIDINE – Only on a prescription | | | |
| * Tab 20 mg | | 250 | ✓ Famox |
| * Tab 40 mg | 11.35 | 250 | Famox |
| RANITIDINE HYDROCHLORIDE – Only on a prescription | | | |
| * Tab 150 mg | | 250 | Arrow-Ranitidine |
| * Tab 300 mg | | 250 | Arrow-Ranitidine |
| * Oral liq 150 mg per 10 ml | | 300 ml | |
| * Inj 25 mg per ml, 2 ml | 8.75 | 5 | Zantac |
| Proton Pump Inhibitors | | | |
| LANSOPRAZOLE | | | |
| * Cap 15 mg | | 28 | ✓ Solox |
| * Cap 30 mg | 4.65 | 28 | ✓ Solox |
| OMEPRAZOLE | | | |
| For omeprazole suspension refer, page 170 | | | |
| * Cap 10 mg | 2.14 | 30 | ✓ <u>Dr Reddy's</u> |
| * Can 20 mg | 0.05 | 20 | Omeprazole |
| * Cap 20 mg | 3.05 | 30 | ✓ <u>Dr Reddy's</u> Omeprazole |
| * Cap 40 mg | 3.59 | 30 | ✓ Dr Reddy's |
| * Inj 40 mg | | 5 | Omeprazole <u>Dr Reddy's</u> |
| | | | Omeprazole |

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

| | Subsidy (Manufacturer's Pric | | Fully Brand or |
|---|---------------------------------|---------------|--|
| | \$ | e) Sub Per | bsidised Generic Manufacturer |
| | ą | Fei | Manuacturer |
| PANTOPRAZOLE * Tab 20 mg | 1.23 | 28 | ✓ <u>Dr Reddy's</u> Pantoprazole |
| * Tab 40 mg | 1.54 | 28 | ✓ <u>Dr Reddy's</u> Pantoprazole |
| 卷 Inj 40 mg | 8.75 | 1 | ✓ Pantocid IV |
| Site Protective Agents | | | |
| SUCRALFATE Tab 1 g | | 120 | Carafate |
| Diabetes | | | |
| Hyperglycaemic Agents | | | |
| GLUCAGON HYDROCHLORIDE Inj 1 mg syringe kit – Up to 5 kit available on a PSO | 27.00 | 1 | Glucagen Hypokit |
| Insulin - Short-acting Preparations | | | |
| INSULIN NEUTRAL ▲ Inj human 100 u per ml | 25.26 | 10 ml OP | ✓ Actrapid |
| ▲ Inj human 100 u per ml, 3 ml | 42.66 | 5 | ✓ Humulin R ✓ Actrapid Penfill ✓ Humulin R |
| Insulin - Intermediate-acting Preparations | | | |
| NSULIN ISOPHANE ▲ Inj human 100 u per ml | 17.68 | 10 ml OP | Humulin NPH Protaphane |
| ▲ Inj human 100 u per ml, 3 ml | 29.86 | 5 | Humulin NPH Protaphane Penfill |
| NSULIN ISOPHANE WITH INSULIN NEUTRAL ▲ Inj human with neutral insulin 100 u per ml | 25.26 | 10 ml OP | Humulin 30/70 |
| ▲ Inj human with neutral insulin 100 u per ml, 3 ml | 42.66 | 5 | Mixtard 30 Humulin 30/70 PenMix 30 PenMix 40 PenMix 50 |
| INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE | | | |
| Inj lispro 25% with insulin lispro protamine 75% 100 u per ml, 3 ml | | 5 | ✓ Humalog Mix 25 |
| Inj lispro 50% with insulin lispro protamine 50% 100 u per ml,3 ml | | 5 | ✓ Humalog Mix 50 |

28

| | Subsidy (Manufacturer's Price) \$ | Fi Subsidis Per | ully Brand or sed Generic Manufacturer |
|---|---|-----------------------|---|
| Insulin - Long-acting Preparations | | | |
| INSULIN GLARGINE Note: Only for patients meeting one of the following criteria: a) Type 1 diabetes; or b) Other condition related diabetes (e.g. Cystic Fibrosis, diab c) Type 2 diabetes after there has been unacceptable hypogly d) Type 2 diabetes who require insulin therapy and who require | caemic events with a | 13 month trial | of an insulin regimen; or |
| their insulin injections. ▲ Inj 100 u per ml, 10 ml ▲ Inj 100 u per ml, 3 ml ▲ Inj 100 u per ml, 3 ml disposable pen | 94.50 | 5 | ✓ Lantus ✓ Lantus ✓ Lantus SoloStar |
| Insulin - Rapid Acting Preparations | | | |
| INSULIN ASPART ▲ Inj 100 u per ml, 3 ml ▲ Inj 100 u per ml, 10 ml | | | NovoRapid Penfill NovoRapid |
| INSULIN GLULISINE ▲ Inj 100 u per ml, 10 ml ▲ Inj 100 u per ml, 3 ml ▲ Inj 100 u per ml, 3 ml disposable pen | 46.07 | 5 🖌 | ∕ Apidra ∕ Apidra ∕ Apidra SoloStar |
| INSULIN LISPRO ▲ Inj 100 u per ml, 10 ml ▲ Inj 100 u per ml, 3 ml | | | Humalog Humalog |
| Alpha Glucosidase Inhibitors | | | |
| ACARBOSE * Tab 50 mg * Tab 100 mg | | | <u>Glucobay</u> <u>Glucobay</u> |
| Oral Hypoglycaemic Agents | | | |
| GLIBENCLAMIDE * Tab 5 mg | 5.00 | 100 | Daonil |
| GLICLAZIDE * Tab 80 mg | 22.24 | 500 | Apo-Gliclazide |
| GLIPIZIDE * Tab 5 mg | 3.50 | 100 | Minidiab |
| METFORMIN HYDROCHLORIDE * Tab immediate-release 500 mg * Tab immediate-release 850 mg | | | Apotex Apotex |
| PIOGLITAZONE – Special Authority see SA0959 on the next pag Tab 15 mg Tab 30 mg Tab 45 mg | 2.61 5.23 | 28 | Pizaccord Pizaccord Pizaccord |

| | Subsidy (Manufacturer's \$ | Price) Sub Per | osidised | Brand or Generic Manufacturer |
|--|--|-------------------|--|---|
| ►SA0959 Special Authority for Subsidy Initial application — (Patients with type 2 diabetes) from unless notified for applications meeting the following criteria: Either: | any relevant prac | ctitioner. Appro | ovals valid | without further renewal |
| Patient has not achieved glycaemic control on maximun contraindicated or not tolerated; or Patient is on insulin. Diabetes Management | n doses of metforn | nin or a sulphor | nylurea or | where either or both are |
| Ketone Testing | | | | |
| • | (00 at in | | | |
| KETONE BLOOD BETA-KETONE ELECTRODES – Maximum Test strip – Not on a BSO | | 10 strip OP | | tium Blood fetone Test Strips |
| SODIUM NITROPRUSSIDE – Maximum of 20 strip per prescr * Test strip – Not on a BSO | | 20 strip OP | 🖌 Ket | ostix |
| Blood Glucose Testing | | | | |
| BLOOD GLUCOSE DIAGNOSTIC TEST METER – Subsidy by a) Maximum of 1 meter per prescription | endorsement | | | |
| A diagnostic blood glucose test meter is subsidi March 2005 or is prescribed for a pregnant woma Only one meter per patient. No further prescripti ingly. | an with diabetes. ions will be subsid | ised. The prese | cription m | ust be endorsed accord- |
| Meter | 6.00 9.00 | 1 | ✓ Car ✓ Fre ✓ On | reSens POP reSens II eStyle Lite Call Advanced tium Xceed |
| | 19.00 | | V Ac | cu-Chek erforma |
| BLOOD GLUCOSE DIAGNOSTIC TEST STRIP | | | | |
| The number of test strips available on a prescription is rest 1) Prescribed with insulin or a sulphonylurea but are on a c 2) Prescribed on the same prescription as insulin or a sulp | lifferent prescriptio | n and the prese | | |
| or 3) Prescribed for a pregnant woman with diabetes and enc SensoCard blood glucose test strips are subsidised only if pres SensoCard Plus Talking Blood Glucose Monitor. | | | ely visually | <i>impaired and is using a</i> |
| Blood glucose test strips \times 50 and lancets \times 5 | | 1 OP | | Call Advanced |
| Blood glucose test strips | 19.60 21.65 | 50 test OP | 🖌 Aco | reSens cu-Chek reforma |
| | 10.82 | 25 test OP | V Op | eStyle Lite tium 5 second est |
| | 21.65 | 50 test OP | 🖌 Op | tium 5 second |
| | 26.20 | | | nsoCard |
| | | | | |

30

| | Subsidy | | Fully B | rand or |
|--|----------------------------|-----------|--------------|---------------------|
| | (Manufacturer's Price) | | ubsidised G | eneric |
| | \$ | Per | V N | lanufacturer |
| Insulin Syringes and Needles | | | | |
| ubsidy is available for disposable insulin syringes, needles, | and pen needles if preso | ribed on | the same fo | orm as the one used |
| he supply of insulin or when prescribed for an insulin patient | and the prescription is er | ndorsed a | accordingly. | |
| SULIN PEN NEEDLES – Maximum of 100 dev per prescrip | otion | | | |
| € 29 g × 12.7 mm | | 100 | 🖌 ABN | I |
| 5 | 3.15 | 30 | 🖌 B-D | Micro-Fine |
| | 10.50 | 100 | 🖌 B-D | Micro-Fine |
| | 11.75 | | 🖌 SC F | Profi-Fine |
| € 31 g × 5 mm | 11.75 | 100 | 🖌 B-D | Micro-Fine |
| 5 | | | 🖌 SC F | Profi-Fine |
| € 31 g × 6 mm | | 100 | V ABN | |
| 3 | 11.75 | | Fine | Ject |
| | 10.50 | | | |
| | (26.00) | | Novo | Fine |
| ← 31 g × 8 mm | · · · · | 100 | | |
| | 3.15 | 30 | | Micro-Fine |
| | 10.50 | 100 | | Micro-Fine |
| | 11.75 | 100 | • | Profi-Fine |
| € 32 g × 4 mm | | 100 | | Micro-Fine |
| 0 | | | | |
| VSULIN SYRINGES, DISPOSABLE WITH ATTACHED NEED | | | | |
| ₭ Syringe 0.3 ml with 29 g × 12.7 mm needle | 13.00 | 100 | V ABN | |
| | | | 🖌 DM 🗸 | Ject |
| | 1.30 | 10 | | |
| | (1.99) | | B-D | Ultra Fine |
| | 13.00 | 100 | 🖌 B-D | Ultra Fine |
| Syringe 0.3 ml with 31 g × 8 mm needle | | 100 | 🖌 ABN | l |
| | 1.30 | 10 | | |
| | (1.99) | | B-D | Ultra Fine II |
| | 13.00 | 100 | 🖌 B-D | Ultra Fine II |
| | | | 🖌 DM 🗸 | Ject |
| K Syringe 0.5 ml with 29 g × 12.7 mm needle | | 100 | 🖌 ABN | I |
| , | | | 🖌 DM 🗸 | Ject |
| | 1.30 | 10 | | |
| | (1.99) | | B-D | Ultra Fine |
| | 13.00 | 100 | | Ultra Fine |
| Syringe 0.5 ml with 31 g × 8 mm needle | | 100 | ABN | |
| | 1.30 | 10 | • //.5/ | |
| | (1.99) | 10 | B-D | Ultra Fine II |
| | 13.00 | 100 | | Ultra Fine II |
| | 10.00 | 100 | V DM | |
| Syringe 1 ml with 29 g × 12.7 mm needle | 12.00 | 100 | ABN | |
| | | | V ADIV | I |
| | 1.30 | 10 | | Illtra Eina |
| | (1.99) | 100 | | Ultra Fine |
| | 13.00 | 100 | | Ultra Fine |
| | 10.00 | 100 | V DM . | |
| Syringe 1 ml with 31 g × 8 mm needle | | 100 | 🖌 ABN | I |
| | 1.30 | 10 | | |
| | (1.99) | | | Ultra Fine II |
| | 13.00 | 100 | | Ultra Fine II |
| | | | 🖌 DM 🗸 | lect |

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

| | Subsidy (Manufacturer's Price) \$ | Per | Fully Subsidised | Brand or Generic Manufacturer |
|--|---|----------|---------------------|-------------------------------------|
| Digestives Including Enzymes | | | | |
| PANCREATIC ENZYME | | | | |
| Tab EC 1,900 BP u lipase, 1,700 BP u amylase, 110 BP u protease | | 300 | ✔ P | ancrex V |
| Tab EC 5,600 BP u lipase, 5,000 BP u amylase, 330 BP u protease | | 300 | V P | ancrex V Forte |
| Cap 8,000 BP u lipase, 9,000 BP u amylase, 430 BP u pro- tease | | 300 | V P | ancrex V |
| Cap 8,000 USP u lipase, 30,000 USP u amylase, 30,000 USP u protease | | 250 | ✓ C | Cotazym ECS |
| Cap EC 10,000 BP u lipase, 9,000 BP u amylase and 210 BP u protease | | 100 | | creon 10000 |
| Cap EC 25,000 BP u lipase, 18,000 BP u amylase, 1,000 BP u protease | | 100 | | reon Forte |
| Cap EC 25,000 BP u lipase, 22,500 BP u amylase, 1,250 BP u protease | | 100 | | anzytrat |
| (Cotazym ECS Cap 8,000 USP u lipase, 30,000 USP u amylase, 3 | | | | |
| URSODEOXYCHOLIC ACID – Special Authority see SA1003 bela Cap 300 mg | | / 100 | ✓ <u>A</u> | ctigall |

➡SA1003 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Either:

- 1 Patient diagnosed with cholestasis of pregnancy; or
- 2 Both:
 - 2.1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
 - 2.2 Patient not requiring a liver transplant (bilirubin > 170umol/l; decompensated cirrhosis).
- Note: Liver biopsy is not usually required for diagnosis but is helpful to stage the disease.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 170 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure – doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

Laxatives

Bulk-forming Agents

| MUCILAGINOUS LAXATIVES – Only on a prescription * Dry | 6.02 | 500 g OP | ✓ Konsyl-D |
|--|---------|----------|---------------|
| * Sugar Free | | 275 g OP | |
| | (10.60) | • | Mucilax |
| MUCILAGINOUS LAXATIVES WITH STIMULANTS | | | |
| * Dry | 2.41 | 200 g OP | |
| | (7.69) | | Normacol Plus |
| | 6.02 | 500 g OP | |
| | (16.49) | | Normacol Plus |

| | Subsidy (Manufacturer's | Price) Sul | Fully Brand or bsidised Generic |
|--|---|---|---|
| | \$ | Per | Manufacturer |
| Faecal Softeners | | | |
| DOCUSATE SODIUM – Only on a prescription | 0.05 | 400 | |
| ✗ Cap 50 mg ✗ Cap 120 mg | | 100 100 | ✓ Laxofast 50 ✓ Laxofast 120 |
| * Enema conc 18% | | 100 ml OP | Coloxyl |
| DOCUSATE SODIUM WITH SENNOSIDES | | | |
| * Tab 50 mg with total sennosides 8 mg | 6.38 | 200 | ✓ Laxsol |
| POLOXAMER – Only on a prescription | 0.70 | 00 ml OD | |
| * Oral drops 10% | 3.78 | 30 ml OP | Coloxyl |
| Osmotic Laxatives | | | |
| GLYCEROL | 0.00 | 00 | 4 0014 |
| * Suppos 3.6 g – Only on a prescription | 6.00 | 20 | ✓ PSM |
| ∠ACTULOSE – Only on a prescription ★ Oral liq 10 g per 15 ml | 7.68 | 1,000 ml | Laevolac |
| | 6.65 | 1,000 111 | |
| | (7.68) | | Duphalac |
| | Retail pharmacy | | |
| | | | |
| Powder 13.125 g, sachets - Maximum of 60 sach per | pre- | 30 | Movicol |
| Powder 13.125 g, sachets – Maximum of 60 sach per scription | pre- | | |
| Powder 13.125 g, sachets – Maximum of 60 sach per scription | pre- | where the pa other oral phar he patient is c | tient has problematic constipatic macotherapies including lactulos ompliant and is continuing to ga |
| Powder 13.125 g, sachets – Maximum of 60 sach per scription | pre- | where the pa other oral phar | tient has problematic constipatic macotherapies including lactulos |
| Powder 13.125 g, sachets – Maximum of 60 sach per scription | pre- | where the pa other oral phar ne patient is c 1 | tient has problematic constipation macotherapies including lactulos ompliant and is continuing to ga Fleet Phosphate |
| Powder 13.125 g, sachets – Maximum of 60 sach per scription | pre- | where the pa other oral phar ne patient is c 1 scription | tient has problematic constipatic macotherapies including lactulos ompliant and is continuing to ga Fleet Phosphate Enema |
| Powder 13.125 g, sachets – Maximum of 60 sach per scription | pre- | where the pa other oral phar ne patient is c 1 | tient has problematic constipation macotherapies including lactulos ompliant and is continuing to ga Fleet Phosphate |
| Powder 13.125 g, sachets – Maximum of 60 sach per scription ⇒SA0891 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals equiring intervention with a per rectal preparation despite a where lactulose is not contraindicated. Renewal from any relevant practitioner. Approvals valid for benefit from treatment. SODIUM ACID PHOSPHATE – Only on a prescription Enema 16% with sodium phosphate 8% SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETA Enema 90 mg with sodium lauryl sulphoacetate 9 mg pe 5 ml | pre- | where the pa other oral phar ne patient is c 1 scription | tient has problematic constipatic macotherapies including lactulos ompliant and is continuing to ga Fleet Phosphate Enema |
| Powder 13.125 g, sachets – Maximum of 60 sach per scription | pre- | where the pa other oral phar ne patient is c 1 scription 50 | tient has problematic constipations macotherapies including lactulos ompliant and is continuing to gather fleet Phosphate Enema |
| Powder 13.125 g, sachets – Maximum of 60 sach per scription | pre- | where the pa ther oral phar ne patient is c 1 scription 50 200 | tient has problematic constipation macotherapies including lactulos ompliant and is continuing to ga |
| Powder 13.125 g, sachets – Maximum of 60 sach per scription | pre- | where the pa other oral phar ne patient is c 1 scription 50 | tient has problematic constipations macotherapies including lactulos ompliant and is continuing to gather fleet Phosphate Enema |
| Powder 13.125 g, sachets – Maximum of 60 sach per scription ▶SA0891 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals equiring intervention with a per rectal preparation despite a where lactulose is not contraindicated. Renewal from any relevant practitioner. Approvals valid for benefit from treatment. SODIUM ACID PHOSPHATE – Only on a prescription Enema 16% with sodium phosphate 8% SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETA Enema 90 mg with sodium lauryl sulphoacetate 9 mg pe 5 ml Stimulant Laxatives BISACODYL – Only on a prescription * Tab 5 mg * Suppos 5 mg * Suppos 10 mg | pre- | where the pa ther oral phar ne patient is c 1 scription 50 200 6 | tient has problematic constipations macotherapies including lactulos ompliant and is continuing to ga Fleet Phosphate Enema <u>Micolette</u> <u>Lax-Tab</u> <u>Dulcolax</u> |
| Powder 13.125 g, sachets – Maximum of 60 sach per scription | pre- | where the pa ther oral phar he patient is c 1 scription 50 200 6 6 6 | tient has problematic constipation macotherapies including lactulos ompliant and is continuing to ga |
| Powder 13.125 g, sachets – Maximum of 60 sach per scription ⇒SA0891 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals equiring intervention with a per rectal preparation despite a where lactulose is not contraindicated. Renewal from any relevant practitioner. Approvals valid for benefit from treatment. SODIUM ACID PHOSPHATE – Only on a prescription Enema 16% with sodium phosphate 8% SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETA Enema 90 mg with sodium lauryl sulphoacetate 9 mg pe 5 ml Stimulant Laxatives BISACODYL – Only on a prescription * Tab 5 mg * Suppos 5 mg * Suppos 10 mg DANTHRON WITH POLOXAMER – Only on a prescription Note: Only for the prevention or treatment of constipation Oral liq 25 mg with poloxamer 200 mg per 5 ml | pre- 18.14 s valid for 6 months in adequate trial of 0 12 months where th | where the pa ther oral phar he patient is c 1 scription 50 200 6 6 6 300 ml | tient has problematic constipations macotherapies including lactulos ompliant and is continuing to gat |
| Powder 13.125 g, sachets – Maximum of 60 sach per scription ⇒SA0891 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals equiring intervention with a per rectal preparation despite a where lactulose is not contraindicated. Renewal from any relevant practitioner. Approvals valid for benefit from treatment. SODIUM ACID PHOSPHATE – Only on a prescription Enema 16% with sodium phosphate 8% SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETA Enema 90 mg with sodium lauryl sulphoacetate 9 mg pe 5 ml SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETA Enema 90 mg with sodium lauryl sulphoacetate 9 mg pe 5 ml SUBACODYL – Only on a prescription * Tab 5 mg * Suppos 5 mg * Suppos 10 mg DANTHRON WITH POLOXAMER – Only on a prescription Note: Only for the prevention or treatment of constipation Oral liq 25 mg with poloxamer 200 mg per 5 ml Oral liq 75 mg with poloxamer 1 g per 5 ml | pre- 18.14 s valid for 6 months in adequate trial of 0 12 months where th | where the pa ther oral phar he patient is c 1 scription 50 200 6 6 6 | tient has problematic constipation macotherapies including lactulos ompliant and is continuing to ga |
| Powder 13.125 g, sachets - Maximum of 60 sach per scription ⇒SA0891 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals requiring intervention with a per rectal preparation despite a where lactulose is not contraindicated. Renewal from any relevant practitioner. Approvals valid for benefit from treatment. SODIUM ACID PHOSPHATE - Only on a prescription Enema 16% with sodium phosphate 8% SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETA Enema 90 mg with sodium lauryl sulphoacetate 9 mg pe 5 ml Stimulant Laxatives BISACODYL - Only on a prescription % * Tab 5 mg * Suppos 5 mg * Suppos 10 mg DANTHRON WITH POLOXAMER - Only on a prescription Note: Only for the prevention or treatment of constipation Oral liq 25 mg with poloxamer 200 mg per 5 ml SENNA - Only on a prescription | pre- 18.14 s valid for 6 months in adequate trial of 0 12 months where the 2.50 TE - Only on a pre- 2.50 TE - Only on a pre- 10 r ml, 25.00 | where the pa ther oral phar he patient is c 1 scription 50 200 6 6 6 300 ml 300 ml | tient has problematic constipation macotherapies including lactulos ompliant and is continuing to ga |
| Powder 13.125 g, sachets – Maximum of 60 sach per scription | pre- 18.14 s valid for 6 months in adequate trial of 0 12 months where the 2.50 TE - Only on a pre- 2.50 TE - Only on a pre- 10 r ml, 25.00 | where the pa ther oral phar he patient is c 1 scription 50 200 6 6 6 300 ml | tient has problematic constipation macotherapies including lactulos ompliant and is continuing to ga |
| scription | pre- | where the pa ther oral phar he patient is c 1 scription 50 200 6 6 6 300 ml 300 ml | tient has problematic constipation macotherapies including lactulos ompliant and is continuing to ga |

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

| _ | Subsidy (Manufacturer's | | Fully Brand or sidised Generic |
|---|----------------------------|----------------|--|
| Metabolic Disorder Agents | \$ | Per | Manufacturer |
| Gaucher's Disease | | | |
| IMIGLUCERASE – Special Authority see SA0473 b | pelow – Retail pharmacy | | |
| Inj 40 iu per ml, 200 iu vial Inj 40 iu per ml, 400 iu vial | | 1 1 | CerezymeCerezyme (\$29) |
| PHARMAC, PO Box 10 254 | be considered and approved | ac.govt.nz or: | ng availability. |
| Mouth and Throat | | | |
| Agents Used in Mouth Ulceration | | | |
| BENZYDAMINE HYDROCHLORIDE | | | |
| Soln 0.15% | | 200 ml | Difflam |
| | 9.00 (15.36) | 500 ml | Difflam |
| CHLORHEXIDINE GLUCONATE | (10.00) | | Diman |
| Mouthwash 0.2% | | 200 ml OP | Rivacol |
| CHOLINE SALICYLATE WITH CETALKONIUM CHI * Adhesive gel 8.7% with cetalkonium chloride 0. | | 15 g OP | |
| | (5.62) | | Bonjela |
| SODIUM CARBOXYMETHYLCELLULOSE With pectin and gelatin paste | | 56 g OP | Stomahesive |
| | 1.52 | 5 g OP | Orahaaa |
| | (3.60) 4.55 | 15 g OP | Orabase |
| With pectin and gelatin powder | (7.90) 8.48 | 28 g OP | Orabase |
| | (10.95) | 20 9 01 | Stomahesive |
| TRIAMCINOLONE ACETONIDE 0.1% in Dental Paste USP | 4.38 | 5 g OP | ✓ Oracort |
| Oropharyngeal Anti-infectives | | | · <u></u> |
| AMPHOTERICIN B | 5.00 | 00 | |
| Lozenges 10 mg MICONAZOLE | 5.86 | 20 | Fungilin |
| Oral gel 20 mg per g | | 40 g OP | Daktarin |
| NYSTATIN Oral liq 100,000 u per ml | | 24 ml OP | ✔ Nilstat |
| | | | |

34

| | Suboidy | | Eully Prond or |
|--|-------------------------------------|------------------|--|
| | Subsidy (Manufacturer's Pr \$ | rice) Sub Per | Fully Brand or osidised Generic Manufacturer |
| Other Oral Agents | Ų | 1.01 | • Wahadara |
| For folinic mouthwash, pilocarpine oral liquid or saliva substitute for | ormula rofor page | 170 | |
| HYDROGEN PEROXIDE | Jilliula Telel, page | 5170 | |
| * Soln 10 vol – Maximum of 200 ml per prescription | 1.28 | 100 ml | V PSM |
| THYMOL GLYCERIN | | | 1 |
| * Compound, BPC | 9.15 | 500 ml | ✔ PSM |
| Vitamins | | | |
| Vitamin A | | | |
| VITAMIN A WITH VITAMINS D AND C | | | |
| Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg | | 10 ml 00 | |
| per 10 drops | 4.50 | 10 ml OP | Vitadol C |
| Vitamin B | | | |
| | 0.45 | 0 | |
| Inj 1 mg per ml, 1 ml – Up to 6 inj available on a PSO | | 3 | ✓ <u>ABM</u> Hydroxocobalamin |
| PYRIDOXINE HYDROCHLORIDE | | | |
| a) No more than 100 mg per dose | | | |
| b) Only on a prescription * Tab 25 mg - No patient co-payment payable | | 90 | Healtheries |
| * Tab 50 mg | | 500 | Apo-Pyridoxine |
| (Healtheries Tab 25 mg to be delisted 1 August 2011) | | | |
| THIAMINE HYDROCHLORIDE – Only on a prescription * Tab 50 mg | 5.62 | 100 | Apo-Thiamine |
| VITAMIN B COMPLEX | | | |
| * Tab, strong, BPC | 4.70 | 500 | ✓ <u>B-PlexADE</u> |
| Vitamin C | | | |
| ASCORBIC ACID | | | |
| a) No more than 100 mg per dose | | | |
| b) Only on a prescription Tab 100 mg | | 500 | Vitala-C |
| Vitamin D | | | |
| ALFACALCIDOL | | | |
| Сар 0.25 µg | | 100 | One-Alpha |
| Cap 1 µg Oral drops 2 µg per ml | | 100 20 ml OP | One-Alpha One-Alpha |
| CALCITRIOL | | 20 mil UF | |
| * Cap 0.25 μg | | 30 | ✓ <u>Airflow</u> |
| * Cap 0.5 µg | | 30 | ✓ <u>Airflow</u> |
| * Oral liq 1 µg per ml | | 10 ml OP | Rocaltrol solution |
| CHOLECALCIFEROL * Tab 1.25 mg (50,000 iu) – Maximum of 12 tab per prescriptic | on7.76 | 12 | ✓ Cal-d-Forte |
| | | | |

| | 0.1.11 | | | |
|---|---------------------------------------|------------------|------------------|--|
| | Subsidy (Manufacturer's Pric \$ | e) Sub Per | Fully sidised | Brand or Generic Manufacturer |
| Vitamin E | | | | |
| ALPHA TOCOPHERYL ACETATE – Special Authority see SA09 Water solubilised soln 156 iu/ml, with calibrated dropper (Micelle E Water solubilised soln 156 iu/ml, with calibrated dropp | | 50 ml ÓP | ✔ M | icelle E |
| SA0915 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid Either: Cystic fibrosis patient; or Both: | for 2 years for appli | cations mee | eting the | following criteria: |
| 2.1 Infant or child with liver disease or short gut syndro2.2 Requires vitamin supplementation.Renewal from any relevant practitioner. Approvals valid for 2 y benefiting from treatment. | | tment rema | ins appr | opriate and the patient is |
| Multivitamin Preparations | | | | |
| MULTIVITAMINS – Special Authority see SA1036 below – Retai Powder | | 200 g OP | 🖌 Pa | aediatric Seravit |
| SA1036 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valinborn errors of metabolism. Renewal from any relevant practitioner. Approvals valid without approval for multivitamins. | | | | |
| VITAMINS * Tab (BPC cap strength) | 8.00 (14.80) | 1,000 | He | ultiADE ealtheries Multi-vitamin tablets |
| * Cap (fat soluble vitamins A, D, E, K) – Special Authority see SA1002 below – Retail pharmacy (Healtheries Multi-vitamin tablets Tab (BPC cap strength) to be d | 23.40 | 60 | 🖌 Vi | tabdeck |
| SA1002 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valit the following criteria: Either: Patient has cystic fibrosis with pancreatic insufficiency; or Patient is an infant or child with liver disease or short gut statements | | newal unles | s notifie | d for applications meeting |
| Minerals | | | | |
| Calcium | | | | |
| CALCIUM CARBONATE * Tab eff 1.75 g (1 g elemental) * Tab 1.25 g (500 mg elemental) * Tab 1.5 g (600 mg elemental) CALCIUM GLUCONATE | 9.08 10.18 | 30 250 250 | | alsource alci-Tab 500 alci-Tab 600 |
| * Inj 10%, 10 ml | 21.40 | 10 | V M | ayne |

36

ALIMENTARY TRACT AND METABOLISM

| | Subsidy (Manufacturer's Pri | ce) Sub | Fully Brand or sidised Generic |
|--|--------------------------------|------------------|--|
| | \$ | Per | ✓ Manufacturer |
| Fluoride | | | |
| SODIUM FLUORIDE Tab 1.1 mg (0.5 mg elemental) | 4.00 | 100 | 🗸 PSM |
| lodine | | | |
| POTASSIUM IODATE Tab 268 µg (150 µg elemental) | 7.55 | 90 | ✓ NeuroKare |
| Iron | | | |
| FERROUS FUMARATE Tab 200 mg (65 mg elemental) | 4.35 | 100 | ✓ Ferro-tab |
| FERROUS FUMARATE WITH FOLIC ACID Tab 310 mg (100 mg elemental) with folic acid 350 µg | 4.75 | 60 | ✓ Ferro-F-Tabs |
| FERROUS SULPHATE * Tab long-acting 325 mg (105 mg elemental) | (4.26) 5.06 | 30 150 | Ferro-Gradumet |
| *‡ Oral liq 30 mg per 1 ml (6 mg elemental per 1 ml) FERROUS SULPHATE WITH FOLIC ACID | | 500 ml | Ferro-Gradumet Ferodan |
| * Tab long-acting 325 mg (105 mg elemental) with folic acid 350 μg | | 30 | Ferrograd-Folic |
| IRON POLYMALTOSE Inj 50 mg per ml, 2 ml | | 5 | ✓ <u>Ferrum H</u> |
| Magnesium | | | |
| For magnesium hydroxide mixture refer, page 170 MAGNESIUM SULPHATE Inj 49.3%, 5 ml | 26.60 | 10 | ✔ Mayne |
| Zinc | 2000 | | • |
| ZINC SULPHATE | 10.00 | 400 | |
| * Cap 137.4 mg (50 mg elemental) Agents Used in the Treatment of Poisonings | | 100 | Zincaps |
| CHARCOAL | | | |
| * Tab 300 mg * Oral liq 50 g per 250 ml a) Up to 250 ml available on a PSO b) Only on a PSO | | 100 250 ml OP | ✓ Red Seal✓ Carbosorb-X |
| IPECACUANHA * Tincture | 41.20 (43.40) | 500 ml | PSM |

ALIMENTARY TRACT AND METABOLISM

| | Subsidy (Manufacturer's Price) \$ | Per | Fully Subsidised | Brand or Generic Manufacturer |
|---------------------------|---|-----|---------------------|-------------------------------------|
| SODIUM CALCIUM EDETATE | | | | |
| * Inj 200 mg per ml, 5 ml | 53.31 | 6 | | |
| | (156.71) | | С | Calcium Disodium Versenate |

| Subsidy | Fully | Brand or |
|------------------------|------------|--------------|
| (Manufacturer's Price) | Subsidised | I Generic |
| \$ | Per 🖌 | Manufacturer |

Antianaemics

Hypoplastic and Haemolytic

SA0922 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Both:
 - 1.1 patient in chronic renal failure; and
 - 1.2 Haemoglobin \leq 100g/L; and
- 2 Any of the following:
 - 2.1 Both:
 - 2.1.1 patient is not diabetic; and
 - 2.1.2 glomerular filtration rate \leq 30ml/min; or

2.2 Both:

- 2.2.1 patient is diabetic; and
- 2.2.2 glomerular filtration rate \leq 45ml/min; or
- 2.3 patient is on haemodialysis or peritoneal dialysis.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Notes: Erythropoietin beta is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

The Cockroft-Gault Formula may be used to estimate glomerular filtration rate (GFR) in persons 18 years and over:

GFR (ml/min) (male) = (140 - age) × Ideal Body Weight (kg) / 814 × serum creatinine (mmol/l)

GFR (ml/min) (female) = Estimated GFR (male) \times 0.85

| Inj human recombinant 1,000 iu prefilled syringe | 48.68 | 6 🖌 | <pre> Eprex </pre> |
|--|-----------------|-------|--------------------|
| Inj human recombinant 2,000 iu, prefilled syringe | 120.18 | 6 🖌 | Eprex |
| Inj human recombinant 3,000 iu, prefilled syringe | 166.87 | 6 🖌 | Eprex |
| Inj human recombinant 4,000 iu, prefilled syringe | 193.13 | 6 🖌 | Eprex |
| Inj human recombinant 5,000 iu, prefilled syringe | | 6 🖌 | Éprex |
| Inj human recombinant 6,000 iu, prefilled syringe | | | Eprex |
| Inj human recombinant 10,000 iu, prefilled syringe | | | 'Eprex |
| ERYTHROPOIETIN BETA - Special Authority see SA0922 above - | Retail pharmacy | | |
| Inj 2,000 iu, prefilled syringe | | | NeoRecormon |
| Inj 3,000 iu, prefilled syringe | | 6 🖌 | NeoRecormon |
| Inj 4,000 iu, prefilled syringe | | 6 🖌 | NeoRecormon |
| Inj 5,000 iu, prefilled syringe | | 6 🖌 | VeoRecormon |
| Inj 6,000 iu, prefilled syringe | | 6 🖌 | NeoRecormon |
| Inj 10,000 iu, prefilled syringe | | | NeoRecormon |
| Megaloblastic | | | |
| FOLIC ACID | | | |
| * Tab 0.8 mg | | 1.000 | Apo-Folic Acid |
| * Tab 5 mg | | , | Apo-Folic Acid |
| Oral liq 50 µg per ml | | | ' Biomed |
| | | | |

| idy er's Price) 9 5) 5) 5) 5) 5) 100 | Fully Brand or Subsidised Generic Manufacturer Fibro-vein Fibro-vein Fibro-vein Fibro-vein V Cyklokapron |
|--|---|
| Per) 5) 5) 5) 5) | Manufacturer Fibro-vein Fibro-vein Fibro-vein |
|))))) | Fibro-vein Fibro-vein |
|))))) | Fibro-vein Fibro-vein |
|))))) | Fibro-vein Fibro-vein |
|)))) | Fibro-vein Fibro-vein |
| 6) 5 | Fibro-vein |
| , 5) | Fibro-vein |
| , | |
| 100 | ✓ Cyklokapron |
| 100 | Cyklokapron |
| | |
| | |
| | |
| 5 | Konakion MM |
| 5 | Konakion MM |
| Ŭ | |
| | |
| | |
| | |
| | |
| 990 | Ethics Aspirin EC |
| | |
| 90 | ✓ Apo-Clopidogrel |
| 50 | |
| 84 | Persantin |
| | ✓ Pytazen SR |
| | |
| macy | |
| 10 | Clexane |
| | |
| | ✓ <u>Clexane</u> ✓ Clexane |
| | ✓ <u>Clexane</u> ✓ Clexane |
| | ✓ Clexane |
| 10 | |
| | 9 990 9 90 9 90 8 84 2 60 macy 10 10 10 10 10 10 10 10 10 10 |

➡SA0975 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

40

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

continued...

| Subsidy | | Fully | Brand or | |
|------------------------|-----|------------|--------------|--|
| (Manufacturer's Price) | | Subsidised | Generic | |
| \$ | Per | ~ | Manufacturer | |

continued...

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic INR with oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing warfarin treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

1 Low molecular weight heparin treatment is required during a patient's pregnancy; or

2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

HEPARIN SODIUM

| Inj 1,000 iu per ml, 5 ml11.44 | 10 | Pfizer | |
|----------------------------------|----|----------------------------|--|
| 46.30 | 50 | Pfizer | |
| 13.36 | 10 | Mayne | |
| 66.80 | 50 | Mayne | |
| Inj 1,000 iu per ml, 35 ml16.00 | 1 | Mayne | |
| Inj 5,000 iu per ml, 1 ml14.20 | 5 | Mayne | |
| Inj 5,000 iu per ml, 5 ml118.50 | 50 | Pfizer | |
| Inj 25,000 iu per ml, 0.2 ml9.50 | 5 | Mayne | |
| HEPARINISED SALINE | | | |
| * Inj 10 iu per ml, 5 ml32.50 | 50 | Pfizer | |
| PROTAMINE SULPHATE | | | |
| * Inj 10 mg per ml, 5 ml22.40 | 10 | | |
| (86.54) | | Artex | |
| | | | |

Oral Anticoagulants

| RIVAROXABAN - Special Authority see SA1066 below - F | Retail pharmacy | | |
|--|-----------------|----|---------|
| Tab 10 mg | | 15 | Xarelto |
| | 306.00 | 30 | Xarelto |

SA1066 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 weeks for applications meeting the following criteria: Either:

1 For the prophylaxis of venous thromboembolism following a total hip replacement; or

2 For the prophylaxis of venous thromboembolism following a total knee replacement.

Note: Rivaroxaban is only currently indicated and subsidised for up to 5 weeks therapy for prophylaxis of venous thromboembolism following a total hip replacement and up to 2 weeks therapy for prophylaxis of venous thromboembolism following a total knee replacement.

Renewal from any relevant practitioner. Approvals valid for 5 weeks where prophylaxis for venous thromboembolism is required for patients following a subsequent total hip or knee replacement.

| ARFARIN SODIUM | (Manufacturer's Price \$ | Per | Subsidised Generic Manufacturer |
|---|-----------------------------|-----------|------------------------------------|
| | | | |
| Note: Manager and Occurrently and a trade of the second second | | | |
| Note: Marevan and Coumadin are not interchangeable. | | | |
| Tab 1 mg | 3.46 | 50 | Coumadin |
| | 5.69 | 100 | Marevan |
| Tab 2 mg | 4.31 | 50 | Coumadin |
| Tab 3 mg | | 100 | Marevan |
| Tab 5 mg | | 50 | Coumadin |
| | 9.64 | 100 | Marevan |
| luids and Electrolytes | | | |
| ntravenous Administration | | | |
| EXTROSE | | | |
| Inj 50%, 10 ml – Up to 5 inj available on a PSO | | 5 | Biomed |
| Inj 50%, 90 ml – Up to 5 inj available on a PSO | 11.25 | 1 | Biomed |
| DTASSIUM CHLORIDE | | | |
| Inj 75 mg per ml, 10 ml | | 50 | AstraZeneca |
| DDIUM BICARBONATE | | | |
| Inj 8.4%, 50 ml | | 1 | Biomed |
| a) Up to 5 inj available on a PSO | | - | |
| b) Not in combination | | | |
| Inj 8.4%, 100 ml | | 1 | Biomed |
| a) Up to 5 inj available on a PSO | | | |
| b) Not in combination | | | |
| DDIUM CHLORIDE | | | |
| Inf 0.9% – Up to 2000 ml available on a PSO | | 500 ml | ✓ Baxter |
| • | | ,000 ml | Baxter |
| Only if prescribed on a prescription for renal dialysis, ma | aternity or post-natal of | care in t | the home of the patient, or on a F |
| for emergency use. (500 ml and 1,000 ml packs) | | | |
| Inj 23.4%, 20 ml | | 5 | Biomed |
| Inj 0.9%, 5 ml – Up to 5 inj available on a PSO | 10.85 | 50 | Multichem |
| | 11.50 | | AstraZeneca |
| | 15.50 | | Pfizer |
| Inj 0.9%, 10 ml – Up to 5 inj available on a PSO | 11.50 | 50 | AstraZeneca |
| | | | Multichem |
| | 15.50 | _ | ✓ Pfizer |
| Inj 0.9%, 20 ml | | 6 | Pharmacia |
| | 11.79 | 30 | Pharmacia |
| straZeneca Inj 0.9%, 5 ml to be delisted 1 April 2011) straZeneca Inj 0.9%, 10 ml to be delisted 1 April 2011) | 8.41 | 20 | Multichem |
| | i - li - t | | |
| DTAL PARENTERAL NUTRITION (TPN) – Retail pharmacy-Sp Infusion | | 1 OP | 🖌 TPN |

| | Subsidy | | Fully Brand or |
|---|-----------------|-----------------|--|
| | (Manufacturer's | Price) Sub | sidised Generic |
| | \$ | Per | Manufacturer |
| WATER | | | |
| On a prescription or Practitioner's Supply Order only whe Schedule requiring a solvent or diluent; or On a bulk supply order; or | n on the same | form as an inje | ction listed in the Pharmaceutic |
| 3) When used in the extemporaneous compounding of eye dr | rons | | |
| Purified for inj, 5 ml – Up to 5 inj available on a PSO | | 50 | Multichem AstraZeneca |
| Purified for inj, 10 ml – Up to 5 inj available on a PSO | 11.32 | 50 | ✓ Multichem✓ AstraZeneca |
| Purified for inj, 20 ml – Up to 5 inj available on a PSO (AstraZeneca Purified for inj, 5 ml to be delisted 1 April 2011) (AstraZeneca Purified for inj, 10 ml to be delisted 1 April 2011) | 5.00 | 20 | Multichem |
| Oral Administration | | | |
| CALCIUM POLYSTYRENE SULPHONATE | | | |
| Powder | | 300 g OP | Calcium Resonium |
| COMPOUND ELECTROLYTES | | | |
| Powder for soln for oral use 5 g - Up to 10 sach available on | | | |
| a PSO | 2.86 | 10 | Enerlyte |
| DEXTROSE WITH ELECTROLYTES | | | |
| Soln with electrolytes | 6.60 | 1,000 ml OP | Pedialyte - |
| | | | Bubblegum |
| | 6.75 | | Pedialyte - Fruit Pedialyte - Plain |
| POTASSIUM BICARBONATE | 0.75 | | |
| Tab eff 315 mg with sodium acid phosphate 1.937 g and | | | |
| sodium bicarbonate 350 mg | | 100 | Phosphate-Sandoz |
| For phosphate supplementation | 02.00 | 100 | |
| POTASSIUM CHLORIDE | | | |
| * Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq) | 5.26 | 60 | |
| | (11.85) | | Chlorvescent |
| * Tab long-acting 600 mg | 7.00 | 200 | ✓ Span-K |
| SODIUM BICARBONATE | | | |
| Cap 840 mg | 8.52 | 100 | Sodibic |
| SODIUM POLYSTYRENE SULPHONATE | | | |
| Powder | | 450 g OP | Resonium-A |
| Lipid Modifying Agents | | | |
| Fibrates | | | |
| BEZAFIBRATE | | | |
| * Tab 200 mg | | 90 | ✓ Fibalip |
| * Tab long-acting 400 mg | 5.70 | 30 | Bezalip Retard |
| GEMFIBROZIL | | | |
| Tab 600 mg | 14.00 | 60 | 🖌 Lipazil |
| | | | |

| | Subsidy (Manufacturer's Price) | | Fully Brand or sidised Generic |
|---|-----------------------------------|------------|--|
| Other Lipid Modifying Agents | \$ | Per | Manufacturer |
| | | | |
| ACIPIMOX ₭ Cap 250 mg | 18 75 | 30 | V Olbetam |
| | | 00 | |
| ₭ Tab 50 mg | 5.08 | 100 | Apo-Nicotinic Acid |
| ₭ Tab 500 mg | | 100 | ✓ Apo-Nicotinic Acid |
| Resins | | | |
| CHOLESTYRAMINE WITH ASPARTAME | | | |
| Sachets 4 g with aspartame | | 50 | |
| | (52.68) | | Questran-Lite |
| COLESTIPOL HYDROCHLORIDE | | | |
| Sachets 5 g | 16.17 | 30 | ✓ Colestid |
| HMG CoA Reductase Inhibitors (Statins) | | | |
| Prescribing Guidelines | | | |
| reatment with HMG CoA Reductase Inhibitors (statins) is reco ardiovascular risk of 15% or greater. | mmended for patients | with dysli | pidaemia and an absolute 5 yea |
| TORVASTATIN – See prescribing guideline above | | | |
| K Tab 10 mg | | 30 | ✓ Lipitor |
| ₭ Tab 20 mg | | 30 | Lipitor |
| ₭ Tab 40 mg | | 30 | Lipitor |
| ₭ Tab 80 mg | 110.50 | 30 | Lipitor |
| PRAVASTATIN - Special Authority see SA0932 below - Retail p | harmacy | | |
| See prescribing guideline above | 07.40 | 00 | . Constant |
| Tab 10 mg Tab 20 mg | | 30 30 | Pravachol Pravachol |
| Tab 20 mg | | 30 | Pravachol |
| SA0932 Special Authority for Subsidy | | | |
| nitial application — (Confirmed HIV/AIDS) from any relevant | practitioner. Approvals | valid with | out further renewal unless notifie |
| or applications meeting the following criteria: | | | |
| All of the following: | | | |
| Patient has dyslipidaemia and an absolute 5 year cardiova Confirmed HIV infection; and | ascular risk of 15% or | greater; a | nd |
| 3 Patient is being treated with an HIV protease inhibitor. | | | |
| SIMVASTATIN – See prescribing guideline above | | | |
| K Tab 10 mg | 2.05 | 90 | Arrow-Simva 10mg |
| ₭ Tab 20 mg | | 90 | ✓ Arrow-Simva 20mg |
| ₭ Tab 40 mg | | 90 | ✓ Arrow-Simva 40mg |
| 🖌 Tab 80 mg | 11.65 | 90 | Arrow-Simva 80mg |
| Selective Cholesterol Absorption Inhibitors | | | |
| ZETIMIBE – Special Authority see SA1045 on the next page – | Retail pharmacy | | |
| Tab 10 mg | | 30 | Ezetrol |
| | | | |

| Subsidy (Manufacturer's Price) | , | Brand or |
|-----------------------------------|------------|--------------|
| (Manufacturer's Price) | Subsidised | Generic |
| \$ | Per 🖌 | Manufacturer |

➡SA1045 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 Any of the following:
 - 3.1 The patient has rhabdomyolysis (defined as muscle aches and creatine kinase more than 10 × normal) when treated with one statin; or
 - 3.2 The patient is intolerant to both simvastatin and atorvastatin; or
 - 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

EZETIMIBE WITH SIMVASTATIN - Special Authority see SA1046 below - Retail pharmacy

| Tab 10 mg with simvastatin 10 mg | | 30 | 🖌 Vytorin |
|----------------------------------|-------|----|-----------|
| Tab 10 mg with simvastatin 20 mg | 51.60 | 30 | Vytorin |
| Tab 10 mg with simvastatin 40 mg | | 30 | Vytorin |
| Tab 10 mg with simvastatin 80 mg | | 30 | Vytorin |

SA1046 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to ≤ 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

| Iron Overload | | | | |
|---|--------------------|------------------|---|------------|
| DEFERIPRONE – Special Authority see SA1042 below – Reta Tab 500 mg Oral liq 100 mg per 1 ml | | 100 250 ml OP | FerriproxFerriprox | |
| ►SA1042 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals to been diagnosed with chronic transfusional iron overload due to Note: For the purposes of this Special Authority, a relevant spec | congenital inherit | ed anaemia. | | atient has |
| DESFERRIOXAMINE MESYLATE * Inj 500 mg | | 10 | 🖌 Mayne | |

| | Subsidy (Manufacturer's Price) \$ | Per | Full Subsidise | |
|---|---|-----|-------------------|----------------|
| Alpha Adrenoceptor Blockers | | | | |
| DOXAZOSIN MESYLATE | | | | |
| * Tab 2 mg | | 500 | ~ | Apo-Doxazosin |
| * Tab 4 mg | | 500 | ~ | Apo-Doxazosin |
| PHENOXYBENZAMINE HYDROCHLORIDE | | | | |
| * Cap 10 mg | | 30 | ~ | Dibenyline S29 |
| · · · · · · · · · · · · · · · · · · · | 26.05 | 100 | | Dibenyline S29 |
| PHENTOLAMINE MESYLATE | | | | • |
| * Inj 10 mg per ml, 1 ml | | 5 | | |
| | (31.65) | | | Regitine |
| PRAZOSIN HYDROCHLORIDE | | | | |
| * Tab 1 mg | 5.53 | 100 | ~ | Apo-Prazo |
| * Tab 2 mg | 7.00 | 100 | ~ | Apo-Prazo |
| * Tab 5 mg | 11.70 | 100 | ~ | Apo-Prazo |
| TERAZOSIN HYDROCHLORIDE - Brand switch fee payable - se | e page 165 for detail | s | | |
| * Tab 1 mg | | 28 | ~ | Arrow |
| * Tab 2 mg | 0.80 | 28 | ~ | Arrow |
| * Tab 5 mg | | 28 | ~ | Arrow |

Agents Affecting the Renin-Angiotensin System

Perindopril and trandolapril will be funded to the level of the ex-manufacturer price listed in the Schedule for patients who were taking these ACE inhibitors for the treatment of congestive heart failure prior to 1 June 1998. The prescription must be endorsed accordingly. We recommend that the words used to indicate eligibility are "certified condition" or an appropriate description of the patient such as "congestive heart failure", "CHF", "congestive cardiac failure" or "CCF". **Definition of Congestive Heart Failure** At the request of some prescribers the PTAC Cardiovascular subcommittee has provided a definition of congestive heart failure for the purposes of the funding of the manufacturer's surcharge: "Clinicians should use their clinical judgement. Existing patients would be eligible for the funding of the surcharge if the patient shows signs and symptoms of congestive heart failure, and requires or has in the past required concomitant treatment with a diuretic. The definition could also be considered to include patients post myocardial infarction with an ejection fraction of less than 40%."

ACE Inhibitors

| CAPTOPRIL * Tab 12.5 mg | 2.00 | 100 | 🖌 m-Captopril |
|---|---------|----------|---------------|
| Ũ | 10.00 | 500 | • • |
| | (10.40) | | Apo-Captopril |
| * Tab 25 mg | 2.40 | 100 | m-Captopril |
| • | 12.00 | 500 | |
| | (13.40) | | Apo-Captopril |
| * Tab 50 mg | | 100 | m-Captopril |
| - | 17.50 | 500 | |
| | (19.00) | | Apo-Captopril |
| *‡ Oral liq 5 mg per ml | | 95 ml OP | Capoten |
| Oral liquid restricted to children under 12 years of age. | | | |
| (Apo-Captopril Tab 12.5 mg to be delisted 1 April 2011) | | | |
| (Ano-Cantonril Tab 25 mg to be delisted 1 April 2011) | | | |

(Apo-Captopril Tab 25 mg to be delisted 1 April 2011)

(Apo-Captopril Tab 50 mg to be delisted 1 April 2011)

| | Cubaidu | | Fully | Drand ar |
|--|-----------------------------------|----------|---------------------|---|
| | Subsidy (Manufacturer's Price) | | Fully Subsidised | Brand or Generic |
| | (Manulactarer 31 nec) \$ | Per | V | Manufacturer |
| | | | | |
| CILAZAPRIL | 0.05 | 20 | | noril |
| * Tab 0.5 mg | () | 30 | V Za | • |
| * Tab 2.5 mg | (2.20) | 30 | 🖌 Za | hibace |
| 本 Tab 2.5 Tily | 1.92 | 30 28 | V Za | iprii |
| | (4.10) | 20 | Int | nibace |
| * Tab 5 mg | () | 30 | 🖌 Za | |
| | 3.06 | 28 | • 20 | ipin |
| | (6.01) | 20 | Int | nibace |
| (Inhibace Tab 0.5 mg to be delisted 1 March 2011) | (0.01) | | | |
| (Inhibace Tab 2.5 mg to be delisted 1 March 2011) | | | | |
| (Inhibace Tab 5 mg to be delisted 1 March 2011) | | | | |
| , , | | | | |
| | 1.00 | 00 | | wow Englandi |
| * Tab 5 mg | | 90 90 | | row-Enalapril |
| * Tab 10 mg * Tab 20 mg | | 90 90 | | <u>rrow-Enalapril</u> rrow-Enalapril |
| U | | 90 | • <u>AI</u> | Tow-Enalapin |
| LISINOPRIL | | | | |
| * Tab 5 mg | | 30 | | row-Lisinopril |
| * Tab 10 mg | | 30 | | row-Lisinopril |
| * Tab 20 mg | 2.87 | 30 | ✓ <u>Ar</u> | row-Lisinopril |
| PERINDOPRIL | | | | |
| * Tab 2 mg - Higher subsidy of \$18.50 per 30 tab with | En- | | | |
| dorsement | | 30 | | |
| | (18.50) | | Co | oversyl |
| * Tab 4 mg - Higher subsidy of \$25.00 per 30 tab with | En- | | | |
| dorsement | 4.05 | 30 | | |
| | (25.00) | | Co | oversyl |
| QUINAPRIL | | | | |
| * Tab 5 mg | 1.60 | 30 | ν Δα | cupril |
| * Tab 10 mg | | 30 | | cupril |
| * Tab 20 mg | | 30 | | cupril |
| TRANDOLAPRIL | | | | |
| | F | | | |
| * Cap 1 mg – Higher subsidy of \$18.67 per 28 cap with | | 00 | | |
| dorsement | | 28 | 0 | anton |
| h O h O h | (18.67) | | G | opten |
| * Cap 2 mg - Higher subsidy of \$27.00 per 28 cap with | | 00 | | |
| dorsement | | 28 | 0 | anton |
| | (27.00) | | GC | opten |
| ACE Inhibitors with Diuretics | | | | |
| | | | | |
| CILAZAPRIL WITH HYDROCHLOROTHIAZIDE | | | | |
| * Tab 5 mg with hydrochlorothiazide 12.5 mg | 5.36 | 28 | ✓ <u>In</u> | hibace Plus |
| ENALAPRIL WITH HYDROCHLOROTHIAZIDE | | | | |
| * Tab 20 mg with hydrochlorothiazide 12.5 mg | 3.32 | 30 | | |
| | (8.70) | | Co | p-Renitec |
| QUINAPRIL WITH HYDROCHLOROTHIAZIDE | | | | |
| * Tab 10 mg with hydrochlorothiazide 12.5 mg | 3.37 | 30 | ν Δα | curetic 10 |
| * Tab 20 mg with hydrochlorothiazide 12.5 mg | | 30 | | curetic 20 |
| | | | • | |

| | | Subsidy (Manufacturer's Price) \$ | Per | Fully Subsidised | Brand or Generic Manufacturer | |
|-----|---|---|-----|---------------------|-------------------------------------|--|
| Ar | igiotension II Antagonists | | | | | |
| CAN | IDESARTAN – Special Authority see SA0933 below – Retail p | pharmacy | | | | |
| * | Tab 4 mg - No more than 1.5 tab per day | | 30 | 🗸 A | tacand | |
| * | Tab 8 mg - No more than 1.5 tab per day | | 30 | 🗸 A | tacand | |
| * | Tab 16 mg - No more than 1 tab per day | | 30 | 🗸 A | tacand | |
| | Tab 32 mg - No more than 1 tab per day | | 30 | 🗸 A | tacand | |
| | | | | | | |

➡SA0933 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Patient with congestive heart failure; and
 - 1.2 Either:
 - 1.2.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
 - 1.2.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years; or
- 2 All of the following:
 - 2.1 Patient with raised blood pressure; and
 - 2.2 Use of fully funded beta blockers or diuretics are contraindicated; or not well tolerated; or insufficient to control blood pressure adequately at appropriate doses; and
 - 2.3 Either:
 - 2.3.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
 - 2.3.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years.

LOSARTAN - Special Authority see SA0911 below - Retail pharmacy

| * | Tab 12.5 mg | 30 | Cozaar |
|---|--|----|----------------------------|
| * | Tab 25 mg | 30 | Cozaar |
| | Tab 50 mg | 30 | Cozaar |
| | Tab 50 mg with hydrochlorothiazide 12.5 mg | 30 | 🖌 Hyzaar |
| * | Tab 100 mg | 30 | Cozaar |

➡SA0911 Special Authority for Subsidy

Initial application — (ACE inhibitor intolerance) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has persistent ACE inhibitor induced cough that is not resolved by ACE inhibitor retrial (same or new ACE inhibitor); or
- 2 Patient has a history of angioedema.

Initial application — (Unsatisfactory response to ACE inhibitor) from any relevant practitioner. Approvals valid without further renewal unless notified where patient is not adequately controlled on maximum tolerated dose of an ACE inhibitor.

Initial application — (Patient had an approval for Losartan with hydrochlorothiazide prior to 1 May 2008) from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

| | Subsidy (Manufacturer's Pric \$ | e) S Per | Fully Brand or ubsidised Generic ✓ Manufacturer |
|---|---------------------------------------|-------------|---|
| Antiarrhythmics | | | |
| For lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaest | hetics, Local, page | 9 111 | |
| AMIODARONE HYDROCHLORIDE | | | |
| ▲ Tab 100 mg - Retail pharmacy-Specialist | | 30 | ✓ Aratac |
| optimized and the second s | | | Cordarone-X |
| ▲ Tab 200 mg – Retail pharmacy-Specialist | | 30 | ✓ Aratac |
| | | | ✓ Cordarone-X |
| Inj 50 mg per ml, 3 ml – Up to 5 inj available on a PSO | 60.84 | 10 | Cordarone-X |
| DIGOXIN | | | |
| * Tab 62.5 μg – Up to 30 tab available on a PSO | 6 94 | 250 | Lanoxin PG |
| * Tab 02:9 µg – Up to 30 tab available on a PSO | | 250 | ✓ Lanoxin |
| *‡ Oral liq 50 μg per ml | | 60 ml | |
| | | 00 111 | |
| | 15.00 | 100 | |
| ▲ Cap 100 mg | | 100 | Distance dans |
| • Con 150 mg | (23.87) | 100 | Rythmodan |
| ▲ Cap 150 mg | 20.21 | 100 | Rythmodan |
| FLECAINIDE ACETATE – Retail pharmacy-Specialist | | | |
| ▲ Tab 50 mg | | 60 | Tambocor |
| ▲ Tab 100 mg | | 60 | Tambocor |
| Cap long-acting 100 mg | | 30 | Tambocor CR |
| Cap long-acting 200 mg | | 30 | Tambocor CR |
| Inj 10 mg per ml, 15 ml | | 5 | Tambocor |
| MEXILETINE HYDROCHLORIDE | | | |
| ▲ Cap 50 mg | | 100 | Mexitil |
| ▲ Cap 200 mg | | 100 | Mexitil |
| (Mexitil Cap 50 mg to be delisted 1 August 2011) | | | |
| (Mexitil Cap 200 mg to be delisted 1 August 2011) | | | |
| PROPAFENONE HYDROCHLORIDE – Retail pharmacy-Speciali | st | | |
| ▲ Tab 150 mg | | 50 | Rytmonorm |
| • | | 00 | • Hydnoronn |
| Antihypotensives | | | |
| MIDODRINE – Special Authority see SA0934 below – Retail phar | 2001 | | |
| Tab 2.5 mg | | 100 | ✓ Gutron |
| Tab 5 mg | | 100 | Gutron |
| | | 100 | |
| ► SA0934 Special Authority for Subsidy | | | |
| nitial application from any relevant practitioner. Approvals valid f | or 2 years for appl | ications m | eeting the following criteria: |

All of the following:

- 1 Disabling orthostatic hypotension not due to drugs; and
- 2 Patient has tried fludrocortisone (unless contra-indicated) with unsatisfactory results; and
- 3 Patient has tried non pharmacological treatments such as support hose, increased salt intake, exercise, and elevation of head and trunk at night.

Notes: Treatment should be started with small doses and titrated upwards as necessary.

Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

| | | Subsidy | | Full | y Brand or |
|-----|--|----------------------|-------|-----------|----------------------------------|
| | | (Manufacturer's Pric | e) | Subsidise | |
| | | \$ | Per | | Manufacturer |
| Б | ata Adranagantar Blagkara | | | | |
| D | eta Adrenoceptor Blockers | | | | |
| ATI | ENOLOL | | | | |
| * | Tab 50 mg | 6.18 | 500 | ~ | Pacific Atenolol |
| | | 12.36 | 1,000 | ~ | Atenolol Tablet USP |
| * | Tab 100 mg | 10.73 | 500 | | Pacific Atenolol |
| | | 21.46 | 1,000 | ~ | Atenolol Tablet USP |
| CA | RVEDILOL | | | | |
| | Tab 6.25 mg | 21.00 | 30 | ~ | Dilatrend |
| | Tab 12.5 mg | 27.00 | 30 | ~ | Dilatrend |
| | Tab 25 mg | | 30 | ~ | Dilatrend |
| CE | LIPROLOL | | | | |
| * | Tab 200 mg | | 180 | V | Celol |
| | BETALOL | | | | |
| * | Tab 50 mg | 8 23 | 100 | ~ | Hybloc |
| * | Tab 100 mg | | 100 | | Hybloc |
| * | Tab 200 mg | | 100 | | Hybloc |
| • | Tab 400 mg | | 100 | | Hybloc |
| * | Inj 5 mg per ml, 20 ml | | 5 | · | , |
| | | (88.60) | | | Trandate |
| (Hy | /bloc Tab 400 mg to be delisted 1 June 2011) | () | | | |
| MF | TOPROLOL SUCCINATE | | | | |
| * | Tab long-acting 23.75 mg | 2.18 | 30 | ~ | Betaloc CR |
| | | | | | Metoprolol - AFT CR |
| * | Tab long-acting 47.5 mg | 2.74 | 30 | | Betaloc CR |
| | | | | V | Metoprolol - AFT CR |
| * | Tab long-acting 95 mg | 4.71 | 30 | ~ | Betaloc CR |
| | | | | ~ | Metoprolol - AFT CR |
| * | Tab long-acting 190 mg | 8.51 | 30 | | Betaloc CR |
| | | | | ~ | Metoprolol - AFT CR |
| ME | TOPROLOL TARTRATE | | | | |
| * | Tab 50 mg | | 100 | ~ | Lopresor |
| * | Tab 100 mg | 21.80 | 60 | | Lopresor |
| * | Tab long-acting 200 mg | | 28 | ~ | Slow-Lopresor |
| * | Inj 1 mg per ml 5 ml | 24.08 | 5 | | |
| | | (34.00) | | | Betaloc |
| NA | DOLOL | | | | |
| * | Tab 40 mg | 14.97 | 100 | ~ | Apo-Nadolol |
| * | Tab 80 mg | 22.19 | 100 | ~ | Apo-Nadolol |
| PIN | IDOLOL | | | | |
| * | Tab 5 mg | 5.40 | 100 | ~ | Apo-Pindolol |
| * | Tab 10 mg | | 100 | | Apo-Pindolol |
| * | Tab 15 mg | | 100 | | Apo-Pindolol |
| PP | OPRANOLOL | | | | |
| * | Tab 10 mg | 3 55 | 100 | ~ | Cardinol |
| * | Tab 40 mg | | 100 | | Cardinol |
| * | Cap long-acting 160 mg | | 100 | - | Cardinol LA |
| | | | | | |

| | Subsidy (Manufacturer's Price | | Fully Brand or Ibsidised Generic |
|---|----------------------------------|-----|-------------------------------------|
| | \$ | Per | Manufacturer |
| GOTALOL ₭ Tab 80 mg | 27 50 | 500 | 🖌 Mylan |
| k Tab 160 mg | | 100 | Mylan |
| Inj 10 mg per ml, 4 ml | | 5 | ✓ Sotacor |
| | | | |
| • Tab 10 mg | | 100 | ✓ Apo-Timol |
| Calcium Channel Blockers | | | |
| Dihydropyridine Calcium Channel Blockers (Dł | IP CCBs) | | |
| MLODIPINE | / | | |
| Tab 5 mg | 7 33 | 100 | ✓ Apo-Amlodipine |
| Tab 10 mg | | 100 | ✓ Apo-Amlodipine |
| ELODIPINE | | | |
| Tab long-acting 2.5 mg – No more than 1 tab per day | 10.38 | 30 | Plendil ER |
| Tab long-acting 5 mg | | 90 | ✓ Felo 5 ER |
| Tab long-acting 10 mg | | 90 | ✓ Felo 10 ER |
| | | 00 | |
| RADIPINE Cap long-acting 2.5 mg | 7.50 | 30 | Dynacirc-SRO |
| Cap long-acting 5 mg | | 30 | ✓ Dynacirc-SRO |
| | | 00 | • Dynache-onio |
| FEDIPINE Tab long-acting 10 mg | 17 70 | 60 | Adalat 10 |
| Tab long-acting 10 mg Tab long-acting 20 mg | | 100 | V Nyefax Retard |
| Tab long-acting 20 mg | | 30 | Adefin XL |
| | 10.70 | 00 | ✓ Arrow-Nifedipine XR |
| | 5.50 | | |
| | (19.90) | | Adalat Oros |
| Tab long-acting 60 mg | | 30 | Adefin XL |
| | 15.35 | | Arrow-Nifedipine XR |
| | 8.00 | | |
| | (29.50) | | Adalat Oros |
| Other Calcium Channel Blockers | | | |
| ILTIAZEM HYDROCHLORIDE | | | |
| • Tab 30 mg | | 100 | ✓ <u>Dilzem</u> |
| Tab 60 mg | | 100 | ✓ <u>Dilzem</u> |
| Cap long-acting 120 mg | | 30 | Cardizem CD |
| Cap long-acting 180 mg | | 30 | Cardizem CD |
| Cap long-acting 240 mg | | 30 | Cardizem CD |
| ERHEXILINE MALEATE – Special Authority see SA0256 belo | | 100 | ✓ Pexsiq |
| SA0256 Special Authority for Subsidy | 02100 | 100 | |

Initial application only from a cardiologist or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Refractory angina; and
- 2 Patient is already on maximal anti-anginal therapy.

Renewal only from a cardiologist or general physician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

| | Subsidy | | Fully Brand or |
|--|-------------------|-----------|---|
| | (Manufacturer's P | rice) Sub | sidised Generic |
| | \$ | Per | Manufacturer |
| VERAPAMIL HYDROCHLORIDE | | | |
| * Tab 40 mg | 7.01 | 100 | ✓ Isoptin |
| * Tab 80 mg | 11.74 | 100 | Isoptin |
| * Tab long-acting 120 mg | | 250 | Verpamil SR |
| * Tab long-acting 240 mg | | 250 | Verpamil SR |
| * Inj 2.5 mg per ml, 2 ml – Up to 5 inj available on a PSO | 7.54 | 5 | ✓ Isoptin |
| Centrally Acting Agents | | | |
| CLONIDINE | | | |
| * TDDS 2.5 mg, 100 µg per day - Only on a prescription | 23.30 | 4 | Catapres-TTS-1 |
| * TDDS 5 mg, 200 µg per day – Only on a prescription | | 4 | Catapres-TTS-2 |
| * TDDS 7.5 mg, 300 µg per day – Only on a prescription | 41.20 | 4 | Catapres-TTS-3 |
| CLONIDINE HYDROCHLORIDE | | | |
| * Tab 150 μg | | 100 | ✓ <u>Catapres</u> |
| * Inj 150 μg per ml, 1 ml | 15.45 | 5 | ✓ <u>Catapres</u> |
| METHYLDOPA | | | |
| * Tab 125 mg | | 100 | ✓ Prodopa |
| * Tab 250 mg | | 100 | Prodopa |
| * Tab 500 mg | | 100 | Prodopa |
| Diuretics | | | |
| Loop Diuretics | | | |
| BUMETANIDE | | | |
| * Tab 1 mg | | 100 | Burinex |
| * Inj 500 μg per ml, 4 ml | 7.95 | 5 | Burinex |
| FUROSEMIDE | | | |
| * Tab 40 mg – Up to 30 tab available on a PSO | | 1,000 | ✓ <u>Diurin 40</u> |
| * Tab 500 mg | | 50 | ✓ Urex Forte |
| *‡ Oral liq 10 mg per ml | | 30 ml OP | ✓ Lasix |
| Infusion 10 mg per ml, 25 ml Inj 10 mg per ml, 2 ml – Up to 5 inj available on a PSO | | 5 5 | Lasix Frusemide-Claris |
| | 1.30 | 5 | |
| Potassium Sparing Diuretics | | | |
| AMILORIDE | | | |
| the second | | 25 ml OP | Biomed |
| SPIRONOLACTONE | | | |
| * Tab 25 mg | | 100 | Spirotone |
| * Tab 100 mg | | 100 | Spirotone |
| the second | | 25 ml OP | Biomed |
| Potassium Sparing Combination Diuretics | | | |
| AMILORIDE WITH FRUSEMIDE | | | |
| * Tab 5 mg with frusemide 40 mg | 8.63 | 28 | Frumil |
| AMILORIDE WITH HYDROCHLOROTHIAZIDE | | | |
| * Tab 5 mg with hydrochlorothiazide 50 mg | | 50 | ✓ Moduretic |
| (Aminida Tab E manufili buda able white ide 50 manufili buda | 13.00 | 500 | Amizide |
| (Amizide Tab 5 mg with hydrochlorothiazide 50 mg to be delisted | 1 April 2011) | | |

| | Subsidy (Manufacturer's | Price) Sub | Fully Brand or sidised Generic |
|--|----------------------------|-------------|---|
| | \$ | Per | Manufacturer |
| Thiazide and Related Diuretics | | | |
| BENDROFLUAZIDE | | | |
| * Tab 2.5 mg – Up to 150 tab available on a PSO | 7.58 | 500 | ✓ Arrow- |
| | | | Bendrofluazide |
| May be supplied on a PSO for reasons other than emerg * Tab 5 mg | • | 500 | ✓ Arrow- |
| | | 500 | Bendrofluazide |
| CHLOROTHIAZIDE | | | |
| the second | 22.60 | 25 ml OP | Biomed |
| CHLORTHALIDONE | | | 4 H |
| * Tab 25 mg | | 50 | Hygroton |
| INDAPAMIDE – Brand switch fee payable - see page 165 for de | | 90 | 🗸 Dapa-Tabs |
| * Tab 2.5 mg | 2.90 | 90 | |
| Nitrates | | | |
| GLYCERYL TRINITRATE | | | |
| * Tab 600 μg – Up to 100 tab available on a PSO | | 100 OP | Lycinate |
| Oral pump spray 400 µg per dose – Up to 250 dose availab on a PSO | | 250 dose OP | ✓ Nitrolingual |
| 01 a F 30 | | 200 0056 OF | Pumpspray |
| * TDDS 5 mg | 16.56 | 30 | Nitroderm TTS |
| * TDDS 10 mg | 19.60 | 30 | Nitroderm TTS |
| ISOSORBIDE MONONITRATE | 40.00 | 400 | 41 00 |
| * Tab 20 mg * Tab long-acting 40 mg | | 100 30 | Ismo 20 Corangin |
| * Tab long-acting 60 mg | | 90 | ✓ Duride |
| Sympathomimetics | | | |
| | | | |
| ADRENALINE Inj 1 in 1,000, 1 ml – Up to 5 inj available on a PSO | 1 08 | 5 | Aspen Adrenaline |
| | | 5 | Mayne |
| Inj 1 in 10,000, 10 ml – Up to 5 inj available on a PSO | 27.00 | 5 | Mayne |
| ISOPRENALINE HYDROCHLORIDE | | | |
| * Inj 200 μg per ml, 1 ml | | 25 | la constat |
| | (135.00) | | Isuprel |
| Vasodilators | | | |
| AMYL NITRITE | | | |
| * Ampoule, 0.3 ml crushable | | 12 | |
| | (73.40) | | Baxter |
| HYDRALAZINE * Inj 20 mg per ml, 1 ml | 25.00 | 5 | ✓ Apresoline |
| | 23.90 | 5 | • Apresonne |
| OXYPENTIFYLLINE Tab 400 mg | 36 94 | 50 | |
| | (42.26) | | Trental 400 |
| PAPAVERINE HYDROCHLORIDE | , | | |
| * Inj 12 mg per ml, 10 ml | 73.12 | 5 | 🗸 Mayne |
| | | | |

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

| | Subsidy (Manufacturer's Price) \$ | Per | Fully Subsidised | Brand or Generic Manufacturer |
|--|---|-------------|----------------------|-------------------------------------|
| Endothelin Receptor Antagonists | | | | |
| ➡>SA0967 Special Authority for Subsidy Special Authority approved by the Pulmonary Arterial Hypertensio Notes: Application details may be obtained from PHARMAC's web The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 916 7512, Fax: (04) 974 4858, Email: | osite http://www.phan | mac.go | ovt.nz or: | |
| AMBRISENTAN – Special Authority see SA0967 above – Retail p Tab 5 mg Tab 10 mg BOSENTAN – Special Authority see SA0967 above – Retail pharm | 4,585.00 4,585.00 macy | 30 30 | ✔ Vo | olibris olibris |
| Tab 62.5 mg Tab 125 mg | | 60 60 | | acleer acleer |
| Phosphodiesterase Type 5 Inhibitors | | | | |
| ► SA0968 Special Authority for Subsidy Special Authority approved by the Pulmonary Arterial Hypertensio Notes: Application details may be obtained from PHARMAC's web The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.go | osite http://www.phar | mac.go | ovt.nz or: | |
| SILDENAFIL – Special Authority see SA0968 above – Retail phan Tab 25 mg Tab 50 mg Tab 100 mg | | 4 4 4 | ✓ Vi ✓ Vi ✓ Vi | agra |
| Prostacyclin Analogues | | | | |
| ► SA0969 Special Authority for Subsidy Special Authority approved by the Pulmonary Arterial Hypertensio Notes: Application details may be obtained from PHARMAC's web The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.go | osite http://www.phar | mac.go | ovt.nz or: | |
| ILOPROST – Special Authority see SA0969 above – Retail pharm Nebuliser soln 10 µg per ml, 2 ml | | 30 | 🗸 Ve | entavis |

| (| Subsidy Manufacturer's Pri \$ | ice) Si Per | Fully ubsidised | Brand or Generic Manufacturer |
|--|-------------------------------------|----------------|--------------------|-------------------------------------|
| Antiacne Preparations | | | | |
| For systemic antibacterials, refer to INFECTIONS, Antibacterials, pa | age 78 | | | |
| ADAPALENE | - | | | |
| a) Maximum of 30 g per prescription | | | | |
| b) Only on a prescription | | | | |
| Crm 0.1% | 22.89 | 30 g OP | 🖌 D | ifferin |
| Gel 0.1% | 22.89 | 30 g OP | 🖌 D | ifferin |
| ISOTRETINOIN - Special Authority see SA0955 below - Retail pha | armacy | | | |
| Cap 10 mg | | 180 | V 0 | ratane |
| Cap 20 mg | 69.70 | 180 | ✓ 0 | ratane |
| | | | | |

➡SA0955 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has had an adequate trial on other available treatments and has received an inadequate response from these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and

4 Either:

- 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
- 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has had an adequate trial on other available treatments and has received an inadequate response from these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 4 Either:
 - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
 - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

TRETINOIN

| Crm 0.5 mg per g - Maximum of 50 g per prescriptic | n13.90 50 g OP 🖌 ReTrieve |
|--|---------------------------|
|--|---------------------------|

| | Subsidy (Manufacturer's F \$ | Price) Su Per | Fully bsidised | Brand or Generic Manufacturer |
|---|------------------------------------|-----------------------|-------------------|-------------------------------------|
| Antibacterials Topical | | | | |
| For systemic antibacterials, refer to INFECTIONS, Antibacterials, | page 78 | | | |
| FUSIDIC ACID | | | | |
| Crm 2% | 3.25 | 15 g OP | ✓ <u>Fo</u> | <u>oban</u> |
| a) Maximum of 15 g per prescription | | | | |
| b) Only on a prescription | | | | |
| c) Not in combination Oint 2% | 2.05 | 15 g OP | 🖌 Fo | ahan |
| a) Maximum of 15 g per prescription | | 15 y OF | • <u>F</u> | Juan |
| b) Only on a prescription | | | | |
| c) Not in combination | | | | |
| HYDROGEN PEROXIDE | | | | |
| * Crm 1% | | 10 g OP | V Ci | rystacide |
| MUPIBOCIN | | 0 | | |
| Oint 2% | | 15 g OP | | |
| | (9.26) | | Ba | actroban |
| a) Only on a prescription | | | | |
| b) Not in combination | | | | |
| SILVER SULPHADIAZINE | | | | |
| Crm 1% | 12.30 | 50 g OP | 🖌 Fl | amazine |
| a) Up to 250 g available on a PSO | | | | |
| b) Not in combination | | | | |
| Antifungals Topical | | | | |
| For systemic antifungals, refer to INFECTIONS, Antifungals, page | e 83 | | | |
| AMOROLFINE | | | | |
| a) Only on a prescription | | | | |
| b) Not in combination | | | | |
| Nail soln 5% | | 5 ml OP | | |
| | (61.87) | | Lo | oceryl |
| CICLOPIROXOLAMINE | | | | |
| a) Only on a prescription | | | | |
| b) Not in combination | 10.05 | | | |
| Nail soln 8% Soln 1% | | 3.5 ml OP 20 ml OP | ✓ <u>Ba</u> | atrafen |
| 301111% | 4.30 (11.54) | 20 IIII OF | B | atrafen |
| | (11.04) | | De | |
| CLOTRIMAZOLE * Crm 1% | 0 50 | 20 g OP | | lomazol |
| a) Only on a prescription | 0.00 | 20 y OF | | |
| b) Not in combination | | | | |
| * Soln 1% | 4.36 | 20 ml OP | | |
| | (7.55) | | Ca | anesten |
| a) Only on a prescription | | | | |
| b) Not in combination | | | | |

| | Subsidy (Manufacturer's \$ | Price) Sul Per | Fully Brand or osidised Generic ✔ Manufacturer |
|--|----------------------------------|---------------------|--|
| ECONAZOLE NITRATE | | | |
| Crm 1% | 1.00 (7.48) | 20 g OP | Pevaryl |
| a) Only on a prescription | (7.40) | | i evalyi |
| b) Not in combination | | | |
| Foaming soln 1%, 10 ml sachets | | 3 | |
| a) Only on a prescription | (17.23) | | Pevaryl |
| b) Not in combination | | | |
| MICONAZOLE NITRATE | | | |
| * Crm 2% | 0.42 | 15 g OP | Multichem |
| a) Only on a prescription | | · | |
| b) Not in combination | 4.00 | 00 ml OD | |
| * Lotn 2% | 4.36 (10.03) | 30 ml OP | Daktarin |
| a) Only on a prescription | (10.00) | | Daktarin |
| b) Not in combination | | | |
| * Tinct 2% | | 30 ml OP | |
| | (12.10) | | Daktarin |
| a) Only on a prescription b) Not in combination | | | |
| NYSTATIN | | | |
| Crm 100,000 u per g | | 15 g OP | |
| | (7.90) | - 5 - | Mycostatin |
| a) Only on a prescription | | | |
| b) Not in combination | | | |
| Antipruritic Preparations | | | |
| CALAMINE | | | |
| a) Only on a prescription | | | |
| b) Not in combination | | | 4 - |
| Crm, aqueous, BP Lotn, BP | | 100 g 2.000 ml | ✓ <u>healthE</u> ✓ API |
| | | 2,000 111 | V AFI |
| CROTAMITON a) Only on a prescription | | | |
| b) Not in combination | | | |
| Crm 10% | 3.79 | 20 g OP | ✓ Itch-Soothe |
| MENTHOL – Only in combination | | | |
| Only in combination with aqueous cream, 10% urea cream | | eral oil lotion, 19 | % hydrocortisone with wool fat and |
| mineral oil lotion, and glycerol, paraffin and cetyl alcohol lo | | 05 - | - / DOM |
| Crystals | 6.50 6.92 | 25 g | ✓ PSM ✓ MidWest |
| | 29.60 | 100 g | ✓ MidWest |

| | Subsidy | | Fully Brand or |
|---|----------------------|-----------------|--------------------------------------|
| | (Manufacturer's | | osidised Generic |
| | \$ | Per | Manufacturer |
| Corticosteroids Topical | | | |
| | | ITO nono 71 | |
| For systemic corticosteroids, refer to CORTICOSTEROIDS AN | D RELATED AGE | NIS, page /1 | |
| Corticosteroids - Plain | | | |
| BETAMETHASONE DIPROPIONATE | | | |
| Crm 0.05% | 2.96 | 15 g OP | |
| | (6.91) | 0 | Diprosone |
| | 8.97 | 50 g OP | |
| | (18.36) | | Diprosone |
| Crm 0.05% in propylene glycol base | () | 30 g OP | 2.0.000.00 |
| | (13.83) | 00 g 0. | Diprosone OV |
| Oint 0.05% | (/ | 15 g OP | |
| | (6.51) | 10 9 01 | Diprosone |
| | 8.97 | 50 g OP | Diprosorie |
| | | 50 g Oi | Diprocono |
| Oint 0.0E ⁰ / in promulance alread base | (17.11) | 20 ~ OD | Diprosone |
| Oint 0.05% in propylene glycol base | | 30 g OP | Disesson OV |
| | (13.83) | | Diprosone OV |
| BETAMETHASONE VALERATE | | | |
| ₭ Crm 0.1% | 2.00 | 50 g OP | Beta Cream |
| Oint 0.1% | 2.20 | 50 g OP | Beta Ointment |
| ₭ Lotn 0.1% | | 50 ml OP | Betnovate |
| CLOBETASOL PROPIONATE | | | |
| ₭ Crm 0.05% | 2.49 | 30 g OP | ✓ Dermol |
| K Oint 0.05% | | 30 g OP | ✓ <u>Dermol</u> |
| | | 30 y OF | Dermor |
| CLOBETASONE BUTYRATE | | | |
| Crm 0.05% | 5.38 | 30 g OP | |
| | (7.09) | | Eumovate |
| | 16.13 | 100 g OP | |
| | (22.00) | | Eumovate |
| DIFLUCORTOLONE VALERATE | | | |
| Crm 0.1% | 8.97 | 50 g OP | |
| •••••• | (15.86) | 00 g 0. | Nerisone |
| Fatty oint 0.1% | | 50 g OP | Nonconc |
| | (15.86) | 00 g 01 | Nerisone |
| | (10.00) | | Nonsone |
| IYDROCORTISONE | | 105 | (D) |
| Crm 1% – Only on a prescription | | 100 g | Pharmacy Health |
| | 12.20 | 500 g | ✓ <u>PSM</u> |
| ✤ Powder – Only in combination | | 25 g | ✓ <u>ABM</u> |
| Up to 5% in a dermatological base (not proprietary To galenicals. Refer, page 166 | opical Corticosterio | od – Plain) wit | h or without other dermatologica |
| HYDROCORTISONE BUTYRATE | | | |
| Lipocream 0.1% | 2.30 | 30 g OP | Locoid Lipocream |
| | 6.85 | 100 g OP | Locoid Lipocream |
| Oint 0.1% | | 100 g OP | |
| Milky emul 0.1% | | 100 g OP | ✓ Locoid Crelo |
| WIIINY ETTUI U. 170 | | 100 III OP | |

| | Subaidy | | Eully Brond or |
|--|----------------------------|------------|--|
| | Subsidy (Manufacturer's | Price) Sub | Fully Brand or osidised Generic |
| | \$ | Per | Manufacturer |
| HYDROCORTISONE WITH WOOL FAT AND MINERAL OIL | | | |
| Lotn 1% with wool fat hydrous 3% and mineral oil – Only on | | | |
| a prescription | | 250 ml | ✓ DP Lotn HC |
| | | 200 111 | |
| | 4.05 | 15 - 00 | A december |
| Crm 0.1% | | 15 g OP | ✓ Advantan |
| Oint 0.1% | 4.95 | 15 g OP | Advantan |
| IOMETASONE FUROATE | | | |
| Crm 0.1% | | 15 g OP | m-Mometasone |
| | 4.55 | 45 g OP | <u>m-Mometasone</u> |
| Oint 0.1% | | 15 g OP | <u>m-Mometasone</u> |
| | 4.55 | 45 g OP | ✓ <u>m-Mometasone</u> |
| Lotn 0.1% | 4.80 | 30 ml OP | Elocon |
| RIAMCINOLONE ACETONIDE | | | |
| Crm 0.02% | 6.63 | 100 g OP | Aristocort |
| Oint 0.02% | 6.69 | 100 g OP | Aristocort |
| Corticosteroids - Combination | | | |
| | | | |
| ETAMETHASONE VALERATE WITH CLIOQUINOL - Only on a | a prescription | | |
| Crm 0.1% with clioquinol 3% | 3.49 | 15 g OP | |
| | (4.90) | | Betnovate-C |
| Oint 0.1% with clioquinol 3% | 3.49 | 15 g OP | |
| | (4.90) | | Betnovate-C |
| ETAMETHASONE VALERATE WITH FUSIDIC ACID | | | |
| Crm 0.1% with fusidic acid 2% | 3.49 | 15 g OP | |
| | (9.61) | | Fucicort |
| a) Maximum of 15 g per prescription | | | |
| b) Only on a prescription | | | |
| YDROCORTISONE BUTYRATE WITH CHLORQUINALDOL - | Only on a presc | ription | |
| Crm 0.1% with chlorquinaldol 3% | 3.49 | 15 g OP | Locoid C |
| Locoid C Crm 0.1% with chlorquinaldol 3% to be delisted 1 Marc | h 2011) | | |
| YDROCORTISONE WITH MICONAZOLE - Only on a prescript | tion | | |
| Crm 1% with miconazole nitrate 2% | | 15 g OP | Micreme H |
| YDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - Or | | • | · |
| Crm 1% with natamycin 1% and neomycin sulphate 0.5% | | 15 g OP | Pimafucort |
| Oint 1% with natamycin 1% and neomycin sulphate 0.5% | | 15 g OP | Pimatucort Pimatucort |
| | | • | |
| RIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCII | | IN | |
| Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg | | 45 00 | |
| and gramicidin 250 µg per g – Only on a prescription | | 15 g OP | |
| | (6.60) | | Viaderm KC |
| Disinfecting and Cleansing Agents | | | |
| | | | |
| HLORHEXIDINE GLUCONATE – Subsidy by endorsement | | | |
| a) No more than 500 ml per month | the second second second | | |
| b) Only if prescribed for a dialysis patient and the prescription | | | . ∠ haallh ⊑ |
| Handrub 1% with ethanol 70% | | 500 ml | ✓ <u>healthE</u> |
| ₭ Soln 4% | | 500 ml | ✓ Orion |

| | Subsidy (Manufacturer's \$ | Price) Sub Per | Fully Brand or osidised Generic Manufacturer |
|--|----------------------------------|-------------------|--|
| TRICLOSAN – Subsidy by endorsement a) Maximum of 500 ml per prescription | | | |
| b) a) Only if prescribed for a patient identified with Me | hicillin-resistant | Stanhylococcus | aureus (MRSA) prior to elective |
| surgery in hospital and the prescription is endorse | | | |
| b) Only if prescribed for a patient with recurrent Sta | | | d the prescription is endorsed ac |
| cordingly | | | |
| Soln 1% | 5.90 | 500 ml OP | healthE |
| Barrier Creams and Emollients | | | |
| Barrier Creams | | | |
| ZINC AND CASTOR OIL | | | |
| Oint BP | 5.11 | 500 g | ✓ <u>PSM</u> |
| Emollients | | | |
| AQUEOUS CREAM | 0.00 | 500 - | |
| * Crm | 2.28 | 500 g | ✓ <u>AFT</u> |
| | 0.45 | 500 | . (DOM |
| * Crm BP | 3.15 | 500 g | ✓ <u>PSM</u> |
| EMULSIFYING OINTMENT | 0.00 | | () |
| * Oint BP | 3.69 | 500 g | ✓ <u>AFT</u> |
| OIL IN WATER EMULSION | | | . |
| * Crm | 2.80 | 500 g | healthE Fatty Cream |
| UREA | | | A.V |
| * Crm 10% | 3.07 | 100 g OP | Nutraplus |
| WOOL FAT WITH MINERAL OIL – Only on a prescription | | | |
| * Lotn hydrous 3% with mineral oil | | 250 ml OP | DDLation |
| | (3.50) | 1 000 ml | DP Lotion |
| | 5.60 | 1,000 ml | DP Lotion |
| | (10.90) 1.40 | 250 ml OP | DF LOUDI |
| | (3.50) | 200 111 01 | Hydroderm Lotion |
| | 5.60 | 1,000 ml | |
| | (9.54) | , | Hydroderm Lotion |
| | (20.53) | | Alpha-Keri Lotion |
| | 1.40 | 250 ml OP | |
| | (7.73) | | BK Lotion |
| | 5.60 | 1,000 ml | |
| | (23.91) | | BK Lotion |
| Other Dermatological Bases | | | |
| PARAFFIN | | | |
| White soft – Only in combination | | 500 g | |
| | (7.78) | 0.500 % | IPW |
| | 20.20 3.58 | 2,500 g 500 g | ✓ IPW |
| | (8.69) | 500 y | PSM |
| | | | al Corticosteroid – Plain. |

✓ fully subsidised [HP4] refer page 8

| | Subsidy (Manufacturer's Pr \$ | rice) Sub Per | Fully osidised | Brand or Generic Manufacturer |
|---|-------------------------------------|------------------|-------------------|-------------------------------------|
| linor Skin Infections | | | | |
| VIDONE IODINE | | | | |
| Oint 10% a) Maximum of 100 g per prescription b) Only on a prescription | 3.27 | 25 g OP | 🖌 Be | tadine |
| Antiseptic soln 10% | 1 28 | 100 ml | | |
| | (4.20) | 100 111 | Ric | odine |
| | 6.20 | 500 ml | ✔ Ri | odine |
| | 0.19 | 15 ml | | |
| | (3.27) | | Be | tadine |
| | 1.28 | 100 ml | | |
| | (6.01) | | Be | tadine |
| | 6.20 | 500 ml | 🖌 Be | tadine |
| Skin preparation, povidone iodine 10% with 30% alcohol | | 100 ml | | |
| | (3.60) | | | tadine Skin Prep |
| | 10.00 | 500 ml | 🗸 Be | tadine Skin Prep |
| Skin preparation, povidone iodine 10% with 70% alcohol | | 100 ml | 0 | 1 |
| | (6.04) 8.13 | 500 ml | Or | Ion |
| | (18.63) | 000 111 | Or | ion |
| | (18.03) | | U | |
| arasiticidal Preparations | | | | |
| AMMA BENZENE HEXACHLORIDE | | | | |
| Crm 1% | 3.50 | 50 g OP | 🖌 Be | nhex |
| ALATHION | | | | |
| Liq 0.5% | | 200 ml OP | 🖌 A- | Lices |
| Shampoo 1% | 2.83 | 30 ml OP | ✓ A- | |
| RMETHRIN | | | | - |
| Lotn 5% | | 30 ml OP | ✓ A- | Scabies |
| soriasis and Eczema Preparations | | | | |
| · | | | | |
| CITRETIN - Special Authority see SA0954 below - Retail phare | | | | |
| Cap 10 mg | | 100 | | otigason |
| Cap 25 mg | 162.96 | 100 | 🖌 Ne | otigason |

➡SA0954 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
 - 3.2 Patient is male.

continued...

| | | | _ | |
|--|-------------------------|-------------------|-----------|---------------------------------|
| | Subsidy | | Fully | Brand or |
| | (Manufacturer's I \$ | Price) Suc Per | osidised | Generic Manufacturer |
| | Ŷ | 101 | • | Manufacturor |
| continued | | | | |
| Renewal from any relevant practitioner. Approvals valid for 1 year | for applications | meeting the fo | llowing | criteria: |
| All of the following: | | | | |
| Applicant is a vocationally registered dermatologist, vocationally registered dermatologist. | nally registered | general practiti | ioner, or | nurse practitioner working |
| in a relevant scope of practice; and | | | | |
| 2 Applicant has an up to date knowledge of the treatment op | | | ders of | keratinisation and is aware |
| of the safety issues around acitretin and is competent to pr | escribe acitretin | ; and | | |
| 3 Either: | | | | |
| 3.1 Patient is female and has been counselled and und | | | | |
| nancy and the applicant has ensured that the possib | | | | |
| of the treatment and that the patient is informed that | | come pregnan | t during | treatment and for a period |
| of two years after the completion of the treatment; o | r | | | |
| 3.2 Patient is male. | | | | |
| CALCIPOTRIOL | | | | |
| Crm 50 µg per g | | 30 g OP | | aivonex |
| | 56.32 | 100 g OP | | aivonex |
| Oint 50 µg per g | | 30 g OP | | aivonex |
| | 56.32 | 100 g OP | | aivonex |
| Soln 50 µg per ml | | 30 ml OP | | aivonex |
| | 33.79 | 60 ml OP | V D | aivonex |
| COAL TAR | | | | |
| Soln BP – Only in combination | | 200 ml | ✓ N | lidwest |
| Up to 10 % Only in combination with a dermatological ba | ise or proprietar | y Topical Corti | costeric | d - Plain, refer, page 166 |
| With or without other dermatological galenicals. | | | | |
| COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULP | HUR | | | |
| Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and | | | | |
| allantoin crm 2.5% | | 30 g OP | | |
| | (4.35) | 00 9 01 | F | gopsoryl TA |
| | 6.59 | 75 g OP | - | gebeer): |
| | (8.00) | . o g o | F | gopsoryl TA |
| | (0.00) | | - | gebeer): |
| COAL TAR WITH SALICYLIC ACID AND SULPHUR | 7.05 | 40 - 00 | | ana Caalm |
| Soln 12% with salicylic acid 2% and sulphur 4% oint | | 40 g OP | • 0 | oco-Scalp |
| SALICYLIC ACID | | | | |
| Powder – Only in combination | 15.00 | 500 g | 🗸 A | |
| | 18.88 | 250 g | 🖌 Р | |
| Only in combination with a dermatological base or p | roprietary Topica | al Corticosteroio | d – Plair | n or collodion flexible, refer, |
| page 166 | | | | |
| With or without other dermatological galenicals. | | | | |
| Maximum 20 g or 20 ml per prescription when presc | cribed with white | soft paraffin o | r collodi | on flexible. |
| SULPHUR | | | | |
| Precipitated – Only in combination | 6.35 | 100 g | | lidwest |
| | 6.50 | | 🖌 A | BM |
| | (9.25) | | | SM |
| Only in combination with a dermatological base or p | proprietary Topic | al Corticostero | id – Pla | in, refer, page 166 |
| With or without other dermatological galenicals. | | | | |
| TAR WITH TRIETHANOLAMINE LAURYL SULPHATE AND FLUC | DRESCEIN - O | nly on a prescr | ription | |
| * Soln 2.3% with triethanolamine lauryl sulphate and fluores- | | | | |
| cein sodium | | 500 ml | V P | inetarsol |
| | 5.54 | 1,000 ml | | inetarsol |
| | | , | · · · | |

| | Subsidy (Manufacturer's \$ | Price) Sub Per | Fully Brand or sidised Generic Manufacturer |
|---|----------------------------------|-------------------|---|
| Scalp Preparations | | | |
| BETAMETHASONE VALERATE | | | |
| * Scalp app 0.1% | 7.22 | 100 ml OP | Beta Scalp |
| CLOBETASOL PROPIONATE | | | |
| * Scalp app 0.05% | 6.36 | 30 ml OP | ✓ <u>Dermol</u> |
| HYDROCORTISONE BUTYRATE Scalp lotn 0.1% | 3.65 | 100 ml OP | ✔ Locoid |
| KETOCONAZOLE | | | |
| Shampoo 2%a) Maximum of 100 ml per prescription b) Only on a prescription | 3.48 | 100 ml OP | Sebizole |
| Sunscreens | | | |
| Only if prescribed for a patient with severe photosensitivity s endorsed accordingly. Crm | | defined clinical | condition and the prescription is |
| | (5.89) | 100 9 01 | Hamilton Sunscreen |
| | 1.28 | 50 g OP | |
| | (5.50) | | Aquasun Oil Free Faces SPF30+ |
| Lotn | 2.55 | 100 ml OP | Marine Blue Lotion SPF 30+ |
| | 5.10 | 200 ml OP | Marine Blue Lotion SPF 30+ |
| | 3.19 | 125 ml OP | |
| (Aquasun Oil Free Faces SPF30+ Crm to be delisted 1 August 201 | (6.94) | | Aquasun 30+ |
| | <i>''</i> | | |
| Wart Preparations | | | |
| For salicylic acid preparations refer to PSORIASIS AND ECZEMA | PREPARATIO | NS, page 61 | |
| IMIQUIMOD - Special Authority see SA0923 below - Retail pharm | | 12 | ✔ Aldara |
| Crm 5% | 110.40 | 12 | |

►SA0923 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following:

- 1 The patient has external anogenital warts and podophyllotoxin has been tried and failed (or is contraindicated); or
- 2 The patient has external anogenital warts and podophyllotoxin is unable to be applied accurately to the site; or
- 3 The patient has confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate.

Notes: Superficial basal cell carcinoma

- Surgical excision remains first-line treatment for superficial basal cell carcinoma as it has a higher cure rate than imiquimod and allows histological assessment of tumour clearance.
- Imiquimod has not been evaluated for the treatment of superficial basal cell carcinoma within 1 cm of the hairline, eyes, nose, mouth or ears.
- Imiquimod is not indicated for recurrent, invasive, infiltrating, or nodular basal cell carcinoma.

continued...

| | Subsidy (Manufacturer's Pric \$ | ce) Sub Per | Fully sidised | Brand or Generic Manufacturer |
|--|---------------------------------------|-----------------------|------------------|-------------------------------------|
| continued External anogenital warts • Imiquimod is only indicated for external genital and periana Renewal from any relevant practitioner. Approvals valid for 4 mon | | | | ng criteria: |
| Any of the following: 1 Inadequate response to initial treatment for anogenital ward 2 New confirmed superficial basal cell carcinoma where othe cated or inappropriate; or 3 Inadequate response to initial treatment for superficial basa | r standard treatme | nts, including | g surgic | al excision, are contraindi- |
| Note: Every effort should be made to biopsy the lesion to confirm PODOPHYLLOTOXIN | that it is a superfic | ial basal cell | carcino | ma. |
| a) Maximum of 3.5 ml per prescription b) Only on a prescription | | 3.5 ml OP | ✔ C | ondyline |
| Other Skin Preparations | | | | |
| Antineoplastics | | | | |
| FLUOROURACIL SODIUM Crm 5% | | 20 g OP | 🖌 Ef | fudix |
| Topical Analgesia | | | | |
| For aspirin & chloroform application refer, page 170 CAPSAICIN – Subsidy by endorsement Subsidised only if prescribed for post-herpetic neuralgia or or accordingly. Crm 0.075% | | neuropathy 45 g OP | | e prescription is endorsed |
| Wound Management Products | | lo g ol | • _ | |
| MAGNESIUM SULPHATE Paste | 2.98 (4.90) | 80 g | P | SM |

| | Subsidy | | Fully | Brand or |
|---|------------------------|--------|--------------|------------------------------|
| | (Manufacturer's Price) | | Subsidised | Generic |
| | \$ | Per | ~ | Manufacturer |
| Contraceptives - Non-hormonal | | | | |
| Condoms | | | | |
| CONDOMS | | | | |
| * 49 mm – Up to 144 dev available on a PSO | 1.11 | 12 | | ld Knight |
| | 13.36 | 144 | | ld Knight |
| | | | | rquisTantiliza |
| the 50 mm . He to 444 day and below as 500 | 10.00 | | 🖌 Shi | |
| * 52 mm – Up to 144 dev available on a PSO | | 144 | | rquis Selecta |
| | | | | rquis Sensolite |
| * 50 mm outro atronath Up to 144 day ovailable on a PSO | 10.06 | 144 | | rquis Supalite |
| \$ 52 mm extra strength - Up to 144 dev available on a PSO \$ 53 mm - Up to 144 dev available on a PSO | | 144 | | rquis Protecta eld Blue |
| | 13.36 | 144 | | eld Blue |
| | 1.11 | 12 | | ld Knight |
| | 13.36 | 144 | | ld Knight |
| | 10.00 | | | rquis Black |
| | | | | rquis Titillata |
| * 53 mm (chocolate) – Up to 144 dev available on a PSO | 1.11 | 12 | | ld Knight |
| | 13.36 | 144 | | ld Knight |
| * 53 mm (strawberry) – Up to 144 dev available on a PSO . | 1.11 | 12 | 🖌 Gol | ld Knight |
| | 13.36 | 144 | | ld Knight |
| * 53 mm extra strength - Up to 144 dev available on a PSO | 1.11 | 12 | 🖌 Gol | ld Knight |
| | 13.36 | 144 | 🖌 Gol | ld Knight |
| * 54 mm, shaped – Up to 144 dev available on a PSO | 1.12 | 12 | | |
| | (1.24) | | Life | styles Flared |
| | 13.36 | 144 | | |
| | (14.84) | | | styles Flared |
| * 55 mm – Up to 144 dev available on a PSO | | 12 | | ld Knight |
| | 13.36 | 144 | | ld Knight |
| V 56 mm . Up to 144 day available on a BCO | 10.00 | 1 4 4 | | rquis Conforma rex Select |
| * 56 mm – Up to 144 dev available on a PSO | | 144 | | lavours |
| * E6 mm outro atronath Unito 144 day ovailable on a DSO | 10.06 | 144 | | rex Extra Safe |
| * 56 mm extra strength – Up to 144 dev available on a PSO * 56 mm, shaped – Up to 144 dev available on a PSO | | 144 | | rex Confidence |
| | 13.36 | 144 | | rex Confidence |
| * 60 mm – Up to 144 dev available on a PSO | | 144 | ✔ Shi | |
| Contraceptive Devices | | | • • | |
| | | | | |
| DIAPHRAGM – Up to 1 dev available on a PSO | | | | |
| One of each size is permitted on a PSO. | 40.00 | | | |
| * 65 mm | | 1 | | ho All-flex |
| * 70 mm * 75 mm | | 1 1 | | ho All-flex ho All-flex |
| * 75 mm * 80 mm | | 1 | | ho All-flex |
| | | 1 | <i>₩</i> 011 | AITICA |
| INTRA-UTERINE DEVICE | | | | |
| a) Up to 40 dev available on a PSO | | | | |
| b) Only on a PSO | 20 50 | 4 | . / M. | Itiload Cu 375 |
| * IUD | | 1 | | Itiload Cu 375 |
| | | | V IVIU | uloau Cu 3/5 SL |

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

| | Subsidy (Manufacturer's Pric \$ | e) Su Per | Fully bsidised | Brand or Generic Manufacturer |
|--|--|--|-------------------|---------------------------------------|
| contraceptives - Hormonal | | | | |
| combined Oral Contraceptives | | | | |
| SA0500 Special Authority for Alternate Subsidy tial application from any medical practitioner. Approvals vali th: 1 Either: 1.1 Patient is on a Social Welfare benefit; or 1.2 Patient has an income no greater than the benefit 2 Has tried at least one of the fully funded options and has newal from any medical practitioner. Approvals valid for 2 ye her: 1 Patient is on a Social Welfare benefit; or 2 Patient has an income no greater than the benefit text is on a Social Welfare benefit; or 2 Patient has an income no greater than the benefit. tes: The approval numbers of Special Authorities approved a trivelon. e additional subsidy will fund Mercilon and Marvelon up to the Schedule at 1 November 1999. | ; and been unable to toler ars for applications n after 1 November 19 | ate it. neeting the 99 are inter | following | criteria: ble between Mercilon and |
| ecial Authorities approved before 1 November 1999 remain v e still either: on a Social Welfare benefit; or have an income no greater than the benefit. e approval numbers of Special Authorities approved before 1 | | | | |
| ed oral contraceptives and progestogen-only contraceptives | groups, except Loett | e and Micro | gynon 20 |) ED |
| HINYLOESTRADIOL WITH DESOGESTREL | 6 60 | 60 | | |
| Tab 20 μg with desogestrel 150 μg | (16.50) | 63 | М | ercilon 21 |
| a) Higher subsidy of \$13.80 per 63 tab with Special Auth | · / | ove | IVI | |
| b) Up to 63 tab available on a PSO | | | | |
| Tab 20 μg with desogestrel 150 μg and 7 inert tab | | 84 | _ | |
| | (16.50) | | М | ercilon 28 |
| a) Higher subsidy of \$13.80 per 84 tab with Special Auth | ority see SA0500 ab | ove | | |
| b) Up to 84 tab available on a PSO | 6 60 | 60 | | |
| | | 63 | M | arvelon 21 |
| Tab 30 μg with desogestrel 150 μg | (16 50) | | | |
| | (16.50) ority see SA0500 ab | | 101 | arveion 21 |
| a) Higher subsidy of \$13.80 per 63 tab with Special Auth | (/ | ove | 101 | arveion 21 |
| | ority see SA0500 ab | ove 84 | | arvelon 21 |

| | Subsidy (Manufacturer's Price) | | Fully Brand or Subsidised Generic |
|--|-----------------------------------|---------|---|
| | \$ | Per | Manufacturer |
| ETHINYLOESTRADIOL WITH LEVONORGESTREL | | | |
| Tab 50 µg with levonorgestrel 125 µg and 7 inert tab – Up to 84 tab available on a PSO | | 84 | Microgynon 50 ED |
| * Tab 30 μg with levonorgestrel 150 μg | 6.62 (16.50) | 63 | Microgynon 30 |
| a) Higher subsidy of \$15.00 per 63 tab with Special Author b) Up to 63 tab available on a PSO | ity see SA0500 on th | ne prec | ceding page |
| * Tab 30 μg with levonorgestrel 150 μg and 7 inert tab | 6.62 | 84 | Levlen ED Monofeme |
| | (14.49) (16.50) | | Nordette 28 Microgynon 30 ED |
| a) Higher subsidy of up to \$15.00 per 84 tab with Special A b) Up to 84 tab available on a PSO | Authority see SA0500 |) on th | 0, |
| ETHINYLOESTRADIOL WITH NORETHISTERONE | | | |
| * Tab 35 μg with norethisterone 1 mg – Up to 63 tab available on a PSO | | 63 | Brevinor 1/21 |
| Tab 35 µg with norethisterone 1 mg and 7 inert tab – Up to 84 tab available on a PSO | | 84 | ✓ Brevinor 1/28 |
| * Tab 35 μg with norethisterone 500 μg – Up to 63 tab available on a PSO | | 63 | Brevinor 21 |
| Tab 35 µg with norethisterone 500 µg and 7 inert tab – Up to 84 tab available on a PSO | | 84 | Norimin |
| NORETHISTERONE WITH MESTRANOL | | | |
| * Tab 1 mg with mestranol 50 µg and 7 inert tab | 6.62 (13.80) | 84 | Norinyl-1/28 |
| a) Higher subsidy of \$13.80 per 84 tab with Special Author b) Up to 84 tab available on a PSO | ity see SA0500 on th | ne prec | eding page |
| Combined Oral Contraceptives - Other | | | |
| ETHINYLOESTRADIOL WITH LEVONORGESTREL | | | |
| * Tab 20 μg with levonorgestrel 100 μg and 7 inert tab – Up to 84 tab available on a PSO | | 84 | |
| | (16.50) (16.50) | 04 | Loette Microgynon 20 ED |
| Progestogen-only Contraceptives | . , | | 0, |
| riogestogen-only contraceptives | | | |

►SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Either:

- 1.1 Patient is on a Social Welfare benefit; or
- 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

continued...

| | Subsidy (Manufacturer's P \$ | Price) Sul Per | Fully osidised | Brand or Generic Manufacturer |
|---|------------------------------------|-------------------|-------------------|-------------------------------------|
| continued | | | | |
| Notes: The approval numbers of Special Authorities approved a Marvelon. | fter 1 November 1 | 1999 are inter | changeat | ble between Mercilon and |
| The additional subsidy will fund Mercilon and Marvelon up to the schedule at 1 November 1999. | e manufacturer's | price for each | of these | products as identified on |
| Special Authorities approved before 1 November 1999 remain va | lid until the expiry | date and can | be renev | ved providing that women |
| e on a Social Welfare benefit; or | | | | |
| In a Social Weilare benefit, of have an income no greater than the benefit. | | | | |
| The approval numbers of Special Authorities approved before 1 | | | | |
| bined oral contraceptives and progestogen-only contraceptives g | roups, except Loe | ette and Micro | gynon 20 |) ED |
| LEVONORGESTREL | 6 60 | 84 | | |
| * Таb 30 µg | (16.50) | 04 | Mi | crolut |
| a) Higher subsidy of \$13.80 per 84 tab with Special Autho | () | on the precedi | | oronat |
| b) Up to 84 tab available on a PSO | | · | | |
| Subdermal implant (2 × 75 mg rods) | | 1 | ✓ <u>Ja</u> | delle |
| MEDROXYPROGESTERONE ACETATE * Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a P | SO7.15 | 1 | 🖌 De | epo-Provera |
| NORETHISTERONE | | | | |
| * Tab 350 μg – Up to 84 tab available on a PSO | 7.15 | 84 | ✓ <u>No</u> | oriday 28 |
| Emergency Contraceptives | | | | |
| LEVONORGESTREL | | | | |
| * Tab 1.5 mg | 12.50 | 1 | 🖌 Po | ostinor-1 |
| a) Maximum of 2 tab per prescription b) Up to 5 tab available on a PSO | | | | |
| Antiandrogen Oral Contraceptives | | | | |
| Prescribers may code prescriptions "contraceptive" (code "O") w | hen used as indic | ated for contra | aception. | The period of supply and |
| prescription charge will be as per other contraceptives, as follows | | | | |
| • \$3.00 prescription charge (patient co-payment) will apply. | | | | |
| prescription may be written for up to six months supply. Prescriptions coded in any other way are subject to the non con | tracentive prescri | ntion charges | and the | non-contracentive period |
| of supply. ie. Prescriptions may be written for up to three months | | ption enarges, | | |
| CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL | | | | |
| * Tab 2 mg with ethinyloestradiol 35 µg and 7 inert tabs | 4.91 | 84 | 🖌 <u>Gi</u> | net 84 |
| Gynaecological Anti-infectives | | | | |
| ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC | ACID | | | |
| Jelly with glacial acetic acid 0.94%, hydroxyquinoline sul | - | | | |
| phate 0.025%, glycerol 5% and ricinoleic acid 0.75% with | | 100 - 00 | | |
| applicator | | 100 g OP | Ac | :i-Jel |
| CLOTRIMAZOLE | · · · / | | | |

| | Subsidy | | Fully Brand or |
|---|--|-----------------------|---|
| | (Manufacturer's) \$ | Price) Sub Per | sidised Generic Manufacturer |
| MICONAZOLE NITRATE | | | |
| Waginal crm 2% with applicator | 2.75 (3.70) | 40 g OP | Micreme |
| VYSTATIN Vaginal crm 100,000 u per 5 g with applicator(s) | 4.71 | 75 g OP | ✓ Nilstat |
| Myometrial and Vaginal Hormone Preparations | | | |
| ERGOMETRINE MALEATE Inj 500 µg per ml, 1 ml – Up to 5 inj available on a PSO | | 5 | Mayne |
| METHYLERGOMETRINE Inj 200 µg per ml, 1 ml – Up to 10 inj available on a PSO (Hospira szə Inj 200 µg per ml, 1 ml to be delisted 1 March 2013) | | 10 | ✔ Hospira 529 |
| DESTRIOL * Crm 1 mg per g with applicator * Pessaries 500 µg | | 15 g OP 15 | ✓ Ovestin✓ Ovestin |
| DXYTOCIN – Up to 5 inj available on a PSO Inj 5 iu per ml, 1 ml Inj 10 iu per ml, 1 ml | | 5 5 | ✓ <u>Syntocinon</u> ✓ Syntocinon |
| Inj 5 iu with ergometrine maleate 500 µg per ml, 1 ml | | 5 | ✓ Syntometrine |
| Pregnancy Tests - hCG Urine | | | |
| PREGNANCY TESTS - HCG URINE a) Up to 200 test available on a PSO b) Only on a PSO Cassette | 22.80 | 40 test OP | ✓ Innovacon hCG One Step Pregnancy Test |
| Urinary Agents | | | |
| For urinary tract Infections refer to INFECTIONS, Antibacterials, | page 91 | | |
| 5-Alpha Reductase Inhibitors | | | |
| FINASTERIDE – Special Authority see SA0928 below – Retail p Tab 5 mg | | 30 | ✓ Fintral |
| SA0928 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals vali the following criteria: Both: | d without further | renewal unless | s notified for applications meeting |
| 1 Patient has symptomatic benign prostatic hyperplasia; and 2 Either: 2.1 The patient is intolerant of non-selective alpha bloc 2.2 Symptoms are not adequately controlled with non-s Note: Patients with enlarged prostates are the appropriate candid | kers or these are selective alpha b | ockers. | |
| Alpha-1A Adrenoreceptor Blockers | | | |
| TAMSULOSIN HYDROCHLORIDE – Special Authority see SA10 Cap 400 μg | | age – Retail ph 30 | armacy ✓ <u>Tamsulosin-Rex</u> |

| | Subsidy (Manufacturer's P \$ | rice) Sub Per | sidised G | rand or eneric anufacturer |
|---|------------------------------------|------------------|---------------------------------|----------------------------------|
| ■SA1032 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid the following criteria: Both: 1 Patient has symptomatic benign prostatic hyperplasia; and 2 The patient is intolerant of non-selective alpha blockers or | | | s notified fo | or applications meeting |
| Other Urinary Agents | | | | |
| OXYBUTYNIN * Tab 5 mg * Oral liq 5 mg per 5 ml POTASSIUM CITRATE | 50.40 | 500 473 ml OP | | Oxybutynin Oxybutynin |
| Oral liq 3 mmol per ml – Special Authority see SA1083 below – Retail pharmacy | | 200 ml OP | 🗸 Bion | ned |
| Initial application from any relevant practitioner. Approvals valid Both: 1 The patient has recurrent calcium oxalate urolithiasis; and 2 The patient has had more than two renal calculi in the two Renewal from any relevant practitioner. Approvals valid for 2 yes benefitting from the treatment. | years prior to the | application. | - | - |
| SODIUM CITRO-TARTRATE * Grans eff 4 g sachets | 2.71 | 28 | ✓ Ural | |
| SOLIFENACIN SUCCINATE – Special Authority see SA0998 bel Tab 5 mg Tab 10 mg | | 30 30 | ✓ Vesi ✓ Vesi ss notified | care |
| overactive bladder and a documented intolerance of oxybutynin. Detection of Substances in Urine | | | | |
| ORTHO-TOLIDINE * Compound diagnostic sticks | 7.50 (8.25) | 50 test OP | Hem | astix |
| TETDARDOMODIENOI | | | | |

| TETRABROMOPHENOL | |
|------------------|--|
|------------------|--|

| | IRADRUMUPHENUL | | | |
|---|------------------------|---------|-------------|----------|
| * | Blue diagnostic strips | | 100 test OP | |
| | | (13.92) | | Albustix |

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

| | Subsidy (Manufacturer's Pri | ne) Sul | Fully Brand or osidised Generic |
|---|--------------------------------|------------|---|
| | \$ | Per | ✓ Manufacturer |
| Anabolic Agents | | | |
| ANDROLONE DECANOATE – Retail pharmacy-Specialist | | | |
| Inj 50 mg per ml, 1 ml | 21.16 | 1 | Deca-Durabolin Orgaject (\$29) |
| Corticosteroids and Related Agents for System | ic Use | | |
| ETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHA | SONE ACETATE | | |
| Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1 ml | | 5 | |
| | (33.60) | | Celestone Chronodose |
| EXAMETHASONE | | | |
| Tab 1 mg – Retail pharmacy-Specialist Up to 30 tab available on a PSO | | 100 | ✓ Douglas |
| Tab 4 mg – Retail pharmacy-Specialist Up to 30 tab available on a PSO | 61.89 | 100 | ✓ Douglas |
| Oral liq 1 mg per ml – Retail pharmacy-Specialist Oral lig prescriptions: | | 25 ml OP | Biomed |
| Must be written by a Paediatrician or Paediatric Ca On the recommendation of a Paediatrician or Paed | U | | |
| EXAMETHASONE SODIUM PHOSPHATE | | | |
| Inj 4 mg per ml, 1 ml – Up to 5 inj available on a PSO | | 5 | ✓ <u>Hospira</u> |
| Inj 4 mg per ml, 2 ml – Up to 5 inj available on a PSO | | 5 | ✓ Hospira |
| LUDROCORTISONE ACETATE | 7.00 | 100 | |
| · Tab 100 μg | | 100 | Florinef |
| | 0.05 | 100 | |
| Tab 5 mg Tab 20 mg | | 100 100 | ✓ <u>Douglas</u> ✓ <u>Douglas</u> |
| Inj 50 mg per ml, 2 ml | | 100 | ✓ <u>Douglas</u> ✓ Solu-Cortef |
| a) Up to 5 inj available on a PSO b) Only on a PSO | | I | • <u>Solu-Conter</u> |
| ETHYLPREDNISOLONE – Retail pharmacy-Specialist | | | |
| Tab 4 mg | | 100 | ✓ Medrol |
| Tab 100 mg | | 20 | ✓ Medrol |
| ETHYLPREDNISOLONE ACETATE | | | |
| Inj 40 mg per ml, 1 ml | 6.03 | 1 | Depo-Medrol |
| ETHYLPREDNISOLONE ACETATE WITH LIGNOCAINE | | | |
| Inj 40 mg per ml with lignocaine 1 ml | 6.03 | 1 | ✓ <u>Depo-Medrol with</u> <u>Lidocaine</u> |
| ETHYLPREDNISOLONE SODIUM SUCCINATE - Retail phar | macy-Specialist | | |
| Inj 40 mg per ml, 1 ml | | 25 | ✓ Solu-Medrol |
| Inj 62.5 mg per ml, 2 ml | | 25 | Solu-Medrol |
| Inj 500 mg | | 1 | ✓ <u>Solu-Medrol</u> |
| Inj 1 g | | 1 | Solu-Medrol |
| REDNISOLONE SODIUM PHOSPHATE | | | |
| Oral liq 5 mg per ml – Up to 30 ml available on a PSO | 9.95 | 30 ml OP | Redipred |
| Restricted to children under 12 years of age. | | | |
| | | | |

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

| (| Subsidy Manufacturer's Price) | Su Per | Fully Ibsidised | Brand or Generic Manufacturer |
|---|----------------------------------|-----------|--------------------|-------------------------------------|
| | \$ | Per | V | Manulaclurer |
| PREDNISONE | 10.00 | | | |
| * Tab 1 mg | | 500 | | po-Prednisone |
| * Tab 2.5 mg | | 500 | | po-Prednisone |
| * Tab 5 mg – Up to 30 tab available on a PSO | | 500 | | po-Prednisone |
| * Tab 20 mg | | 500 | ✓ <u>A</u> | po-Prednisone |
| TETRACOSACTRIN | | | | |
| * Inj 250 μg | 177.18 | 10 | ✓ <u>S</u> | <u>ynacthen</u> |
| * Inj 1 mg per ml, 1 ml | | 1 | ✓ <u>S</u> | ynacthen Depot |
| TRIAMCINOLONE ACETONIDE | | | | |
| Inj 10 mg per ml, 1 ml | 11 11 | 5 | и к | enacort-A |
| Inj 40 mg per ml, 1 ml | | 5 | • • | enacort-A40 |
| | 20100 | | • | |
| Sex Hormones Non Contraceptive | | | | |
| Androgen Agonists and Antagonists | | | | |
| CYPROTERONE ACETATE – Retail pharmacy-Specialist | | | | |
| Tab 50 mg | 21.10 | 50 | V S | iterone |
| Tab 100 mg | | 50 | | iterone |
| - | | 00 | • • | |
| TESTOSTERONE | 00.00 | 00 | | and an all a sum |
| Transdermal patch, 2.5 mg per day | 80.00 | 60 | V A | ndroderm |
| FESTOSTERONE CYPIONATE – Retail pharmacy-Specialist | | | | |
| Inj long-acting 100 mg per ml, 10 ml | 61.41 | 1 | ✓ <u>D</u> | epo-Testosterone |
| TESTOSTERONE ESTERS – Retail pharmacy-Specialist | | | | |
| Inj 250 mg per ml, 1 ml | 12 98 | 1 | | ustanon Ampoules |
| | | | ÷ 0 | Autorion Ampoulos |
| TESTOSTERONE UNDECANOATE – Retail pharmacy-Specialist | | | | rrow-Testosterone |
| Cap 40 mg | | 100 | | |

SA1018 Special Authority for Alternate Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 years for applications meeting the following criteria: Any of the following:

- 1 acute or significant liver disease where oral oestrogens are contraindicated as determined by a gastroenterologist or general physician. The applicant must keep written confirmation from such a specialist with the patient's record; or
- 2 oestrogen induced hypertension requiring antihypertensive therapy documented evidence must be kept on file that raised blood pressure levels or inability to control blood pressure adequately occurred post oral oestrogens; or
- 3 hypertriglyceridaemia documented evidence must be kept on file that triglyceride levels increased to at least $2 \times$ normal triglyceride levels post oral oestrogens; or
- 4 Somatropin co-therapy patient is being prescribed somatropin with subsidy provided under a valid approval issued under Special Authority.

Note: Prescriptions with a valid Special Authority (CHEM) number will be reimbursed at the level of the lowest priced TDDS product within the specified dose group.

Renewal from any relevant practitioner. Approvals valid for 5 years where the treatment remains appropriate and the patient is benefiting from treatment, or the patient remains on subsidised somatropin co-therapy.

Prescribing Guideline

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

| | Subsidy (Manufacturer's Pric \$ | e) S Per | Fully Brand or ubsidised Generic Manufactu | irer |
|---|---------------------------------------|-------------|--|----------|
| Destrogens | | | | |
| ESTRADIOL – See prescribing guideline on the preceding p | bage | | | |
| Tab 1 mg | | 28 OP | | |
| - | (10.55) | | Estrofem | |
| Tab 2 mg | 4.12 | 28 OP | | |
| | (10.55) | | Estrofem | |
| TDDS 25 μg per day | | 8 | | |
| | (10.86) | | Estraderm T | TS 25 |
| | (10.86) | | Estradot | |
| a) Higher subsidy of \$10.86 per 8 patch with Special Ar b) No more than 2 patch per week c) Only on a prescription | uthority see SA1018 or | the prece | eding page | |
| TDDS 3.9 mg (releases 50 µg of oestradiol per day) | 4.12 | 4 | | |
| | (13.18) | | Climara 50 | |
| | (32.50) | | Femtran 50 | |
| a) Higher subsidy of \$13.18 per 4 patch with Special A b) No more than 1 patch per week c) Only on a prescription | | the prece | eding page | |
| TDDS 50 μg per day | 4.12 | 8 | | |
| | (13.18) | | Estraderm T | TS 50 |
| | (13.18) | | Estradot 50 | μg |
| a) Higher subsidy of \$13.18 per 8 patch with Special Ar b) No more than 2 patch per week c) Only on a prescription TDPS 2.9 ms (release 100 up of controlled per day) | | | eding page | |
| TDDS 7.8 mg (releases 100 μg of oestradiol per day) | | 4 | Olimore 100 | |
| | (16.14) | | Climara 100 | ` |
| a) Higher subsidy of \$16.14 per 4 patch with Special A | (35.00) | the proc | Femtran 100 |) |
| b) No more than 1 patch per week c) Only on a prescription | | | eding page | |
| TDDS 100 µg per day | 7.05 | 8 | | |
| | (16.14) | | Estraderm T | TS 100 |
| | (16.14) | | Estradot | |
| a) Higher subsidy of \$16.14 per 8 patch with Special Ar b) No more than 2 patch per week c) Only on a prescription | uthority see SA1018 or | the prece | eding page | |
| ESTRADIOL VALERATE - See prescribing guideline on the | preceding page | | | |
| Tab 1 mg | | 56 | Progynova | |
| Tab 2 mg | 8.24 | 56 | Progynova | |
| ESTROGENS – See prescribing guideline on the preceding | page | | | |
| Conjugated, equine tab 300 µg | | 28 | | |
| | (11.48) | | Premarin | |
| Conjugated, equine tab 625 µg | | 28 | | |
| , , , , , , , , , , , , , , , , , , , | (11.48) | - | Premarin | |

| | Subsidy (Manufacturer's Pric \$ | e) Sub Per | Fully Brand or sidised Generic ✓ Manufacturer |
|---|---------------------------------------|--------------------|---|
| Progestogens | Ŷ | r ei | Manufacturer |
| MEDROXYPROGESTERONE ACETATE – See prescribing guide * Tab 2.5 mg * Tab 5 mg * Tab 10 mg | | 30 100 30 | ✓ Provera ✓ Provera ✓ Provera |
| Progestogen and Oestrogen Combined Prepara | tions | | |
| OESTRADIOL WITH NORETHISTERONE – See prescribing gui * Tab 1 mg with 0.5 mg norethisterone acetate | | 28 OP | Kliovance |
| * Tab 2 mg with 1 mg norethisterone acetate | (/ | 28 OP | Kliogest |
| * Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg oestradiol tab (12) and 1 mg oestradiol tab (6) | | 28 OP | Trisequens |
| OESTROGENS WITH MEDROXYPROGESTERONE – See pres * Tab 625 µg conjugated equine with 2.5 mg medroxyproges- terone acetate tab (28) | | n page 72 28 OP | Premia 2.5 Continuous |
| * Tab 625 µg conjugated equine with 5 mg medroxyproges- terone acetate tab (28) | | 28 OP | Premia 5 Continuous |
| Other Oestrogen Preparations | | | |
| ETHINYLOESTRADIOL * Tab 10 μg | 17.60 | 100 | ✓ <u>NZ Medical and</u> <u>Scientific</u> |
| OESTRIOL * Tab 2 mg | 7.00 | 30 | ✔ Ovestin |
| Other Progestogen Preparations | | | |
| DYDROGESTERONE Tab 10 mg | 15.40 (16.75) | 28 | Duphaston |
| (Duphaston Tab 10 mg to be delisted 1 June 2011) LEVONORGESTREL Levonorgestrel - releasing intrauterine system 20 µg/24 hr – Special Authority see SA0782 below – Retail pharmacy . | | 1 | ✔ Mirena |
| SA0782 Special Authority for Subsidy Initial application — (No previous use) only from a relevant s applications meeting the following criteria: All of the following: The patient has a clinical diagnosis of heavy menstrual ble | pecialist or genera | practitioner. | Approvals valid for 6 months fo |

2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and

continued...

74

| () | Subsidy Ianufacturer's Price) \$ | Per | Fully Subsidised | Brand or Generic Manufacturer |
|--|--|---|---------------------|-------------------------------------|
| continued | | | | |
| 3 Either: | | | | |
| 3.1 serum ferritin level < 16 μ g/l (within the last 12 months |); or | | | |
| 3.2 haemoglobin level < 120 g/l. Note: Applications are not to be made for use in patients as contract | ntion overant wher | o thou | most the c | hava aritaria |
| nitial application — (Previous use before 1 October 2002) only | | , | | |
| valid for 6 months for applications meeting the following criteria: | | pecia | list of gene | |
| All of the following: | | | | |
| 1 The patient had a clinical diagnosis of heavy menstrual bleed | ng; and | | | |
| 2 Patient demonstrated clinical improvement of heavy menstrua | | | | |
| 3 Applicant to state date of the previous insertion. | | | | |
| Note: Applications are not to be made for use in patients as contrace | | | | |
| Renewal only from a relevant specialist or general practitioner. Appr | ovals valid for 6 m | onths | for applica | tions meeting the following |
| criteria: | | | | |
| Both: | | | | |
| Either: 1.1 Patient demonstrated clinical improvement of heavy me | anstrual blooding: | or | | |
| 1.2 Previous insertion was removed or expelled within 3 m | 0. | | | |
| 2 Applicant to state date of the previous insertion. | | ana | | |
| | | | | |
| Tab 100 mg – Retail pharmacy-Specialist | 96 50 | 100 | V P | rovera |
| * Tab 200 mg – Retail pharmacy-Specialist | | 30 | | rovera |
| NORETHISTERONE | | | • • | |
| Tab 5 mg – Up to 30 tab available on a PSO | 25.00 | 100 | V P | rimolut N |
| | | 100 | • - | |
| Thyroid and Antithyroid Agents | | | | |
| CARBIMAZOLE | | | | |
| * Tab 5 mg | 10.80 | 100 | V N | leo-Mercazole |
| LEVOTHYBOXINE | | | | |
| * Tab 50 μg | 1 71 | 28 | v 6 | oldshield |
| π Tab 50 μg | | 1,000 | | Synthroid |
| | 64.28 | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | Itroxin |
| ‡ Safety cap for extemporaneously compounded oral liquid pr | | | | |
| * Tab 100 μg | 1.78 | 28 | 🖌 G | oldshield |
| | 46.75 | 1,000 | | synthroid |
| | 66.78 | | 🖌 E | Itroxin |
| ‡ Safety cap for extemporaneously compounded oral liquid presented or and the same set of t | | | | |
| * Tab 25 μg | | 1,000 | V S | synthroid |
| ‡ Safety cap for extemporaneously compounded oral liquid preserved and the set of the | eparations. | | | |
| Trophic Hormones | | | | |
| Owned the University of the State of the Sta | | | | |
| Growth Hormones | | | | |
| ➡SA0755 Special Authority for Subsidy | | | | |
| Special Authority approved by the Growth Hormone Committee | | | | |
| Notes: Subject to budgetary cap. Applications will be considered and | | | | ıbility. |
| Application details may be obtained from PHARMAC's website http:// | //www.pharmac.go | vt.nz | or: | |
| NZGHC Coordinator | | _ | | |

PHARMAC, PO Box 10-254, WELLINGTON

Tel: 0800 808 476, Fax: (09) 929 3221, Email: growthhormone@pharmac.govt.nz

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

| | Subsidy (Manufacturer's Price \$ | e) Si Per | Fully Brand or ubsidised Generic ✓ Manufacturer |
|---|--|--------------|---|
| OMATROPIN - Special Authority see SA0755 on the preceding | | | |
| Inj cartridge 16 iu (5.3 mg) | | 1 | Genotropin |
| Inj cartridge 36 iu (12 mg) | | 1 | Genotropin |
| GnRH Analogues | | | |
| OSERELIN ACETATE | | | |
| Inj 3.6 mg | | 1 | Zoladex |
| Inj 10.8 mg | | 1 | Zoladex |
| EUPRORELIN | | | |
| Inj 3.75 mg | | 1 | 🖌 Lucrin Depot |
| Inj 3.75 mg prefilled syringe | 221.60 | 1 | Lucrin Depot PDS |
| Inj 7.5 mg | 166.20 | 1 | Eligard |
| Inj 11.25 mg | | 1 | Lucrin Depot |
| Inj 11.25 mg prefilled syringe | | 1 | Lucrin Depot PDS |
| Inj 22.5 mg | | 1 | Eligard |
| Inj 30 mg | | 1 | Eligard |
| Inj 30 mg prefilled syringe | | 1 | ✓ Lucrin Depot PDS |
| Inj 45 mg Vasopressin Agonists | | I | Eligard |
| | | | |
| ESMOPRESSIN | | | |
| Nasal drops 100 µg per ml – Retail pharmacy-Specialist | | .5 ml OP | Minirin |
| Nasal spray 10 μg per dose – Retail pharmacy-Specialist | | 6 ml OP | Desmopressin- <u>PH&T</u> |
| Inj 4 μg per ml, 1 ml – Special Authority see SA0090 below – Retail pharmacy | 67 19 | 10 | ✓ Minirin |
| | 07.10 | 10 | |
| SA0090 Special Authority for Subsidy itial application only from a relevant specialist. Approvals vali | d for 2 years where | the patie | ent cannot use desmopressin n |
| pray or nasal drops. | | | |
| enewal only from a relevant specialist. Approvals valid for 2 ye | ears where the treat | tment ren | nains appropriate and the patier |
| enefiting from treatment. | | | |
| Other Endocrine Agents | | | |
| ABERGOLINE | | | |
| Tab 0.5 mg - Maximum of 2 tab per prescription; can be | | | |
| waived by Special Authority see SA1031 below | | 2 | Arrow-Cabergoline |
| · · · | 66.00 | 8 | Arrow-Cabergoline |
| | 16.50 | 2 | Dostinex |
| | 66.00 | 8 | Dostinex |

Initial application only from an obstetrician, endocrinologist or gynaecologist. Approvals valid without further renewal unless notified where the patient has pathological hyperprolactinemia.

Renewal only from an obstetrician, endocrinologist or gynaecologist. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment.

CLOMIPHENE CITRATE

| Tab 50 mg29.84 | 10 | Serophene |
|----------------|----|-------------------------------|
|----------------|----|-------------------------------|

| | Subsidy (Manufacturer's Price) \$ | Per | Fully Subsidised | Generic |
|---|---|------|---------------------|------------|
| DANAZOL – Retail pharmacy-Specialist | | | | |
| Cap 100 mg | | 100 | V . | Azol |
| Cap 200 mg | 97.83 | 100 | V . | Azol |
| GESTRINONE – Retail pharmacy-Specialist Cap 2.5 mg | 101.87 | 8 OP | V | Dimetriose |
| METYRAPONE Cap 250 mg – Retail pharmacy-Specialist | 238.00 | 50 | ~ | Metopirone |

| | Subsidy | | Fully | Brand or |
|---|-----------------------|------------------|------------|-----------------------------|
| | (Manufacturer's Price | | Subsidised | Generic |
| | \$ | Per | <i>v</i> | Manufacturer |
| Anthelmintics | | | | |
| MEBENDAZOLE – Only on a prescription | | | | |
| Tab 100 mg | | 24 | ✓ <u>D</u> | e-Worm |
| Oral liq 100 mg per 5 ml | 2.18 (7.17) | 15 ml | V | ermox |
| Antibacterials | (7.17) | | V | enniox |
| | | | | |
| a) For topical antibacterials, refer to DERMATOLOGICALS, page b) For anti-infective eye preparations, refer to SENSORY ORGAN | | | | |
| Cephalosporins and Cephamycins | | | | |
| CEFACLOR MONOHYDRATE | | | | |
| Cap 250 mg | | 100 | | anbaxy-Cefaclor |
| Grans for oral liq 125 mg per 5 ml | 3.53 | 100 ml | • <u>R</u> | anbaxy-Cefaclor |
| CEFAZOLIN SODIUM – Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient and the | prescription is and | oreod ac | cordinaly | |
| Inj 500 mg | | 5 | | ospira |
| Inj 1 g | | 5 | | ospira |
| CEFOXITIN SODIUM - Retail pharmacy-Specialist - Subsidy by | endorsement | | | |
| Only if prescribed for dialysis or cystic fibrosis patient and the | | | | |
| lnj 1 g | 55.00 | 5 | V M | layne |
| CEFTRIAXONE SODIUM – Subsidy by endorsement a) Up to 5 inj available on a PSO | | | | |
| b) Subsidised only if prescribed for a dialysis or cystic fibro | sis patient. or the t | treatment | of confirm | ned ciprofloxacin-resistant |
| gonorrhoea, or the treatment of suspected meningitis in patient PSO is endorsed accordingly. | | | | |
| Inj 500 mg | | 1 | | eracol |
| Inj 1 g | 10.49 | 5 | ✓ <u>A</u> | spen Ceftriaxone |
| CEFUROXIME AXETIL – Subsidy by endorsement | | | | |
| Only if prescribed for prophylaxis of endocarditis and the pres Tab 250 mg | | d accordii 50 | | innat |
| CEFUROXIME SODIUM | | 50 | • 2 | innat |
| Inj 250 mg – Maximum of 3 inj per prescription; can be waived | | | | |
| by endorsement | | 10 | 🖌 M | layne |
| Inj 750 mg – Maximum of 1 inj per prescription; can be waived | | | | • |
| by endorsement | 10.71 | 5 | ✓ <u>Z</u> | inacef |
| Inj 1.5 g – Retail pharmacy-Specialist – Subsidy by endorse- ment | 4.04 | 1 | | inacef |
| Only if prescribed for dialysis or cystic fibrosis patient and | | | | |
| CEPHALEXIN MONOHYDRATE | | | | , |
| Cap 500 mg | | 20 | V C | ephalexin ABM |
| Grans for oral liq 125 mg per 5 ml | 8.50 | 100 ml | | efalexin Sandoz |
| Grans for oral liq 250 mg per 5 ml | 11.50 | 100 ml | ✓ <u>C</u> | efalexin Sandoz |

78

| | Subsidy | | Fully | Brand or |
|---|--|---------------|----------------|-----------------------------|
| | (Manufacturer's Pri \$ | ce) Su Per | bsidised ✓ | Generic Manufacturer |
| Macrolides | | | | |
| AZITHROMYCIN – Subsidy by endorsement; can be waived by S a) Maximum of 2 tab per prescription; can be waived by Spec b) Up to 8 tab available on a PSO c) Subsidised only if prescribed for patients with uncomplicated trachomatis and their sexual contacts and prescription or PSC SA0964. | ial Authority see S d urethritis or cervio | A0964 belo | w or presum | |
| Tab 500 mg | 5.95 | 2 OP | ✓ <u>A</u> | rrow-Azithromycin |
| ►SA0964 Special Authority for Waiver of Rule Initial application only from a respiratory specialist or paediatri applications meeting the following criteria: All of the following: | cian. Approvals v | alid without | further r | enewal unless notified for |
| The applicant is part of multidisciplinary team experienced The patient has been definitively diagnosed with cystic fibr The patient has chronic infection with Pseudomonas aer defined by two positive respiratory tract cultures at least th | osis*; and uginosa or Pseud ree months apart*; | lomonas rel | | |
| 4 The patient has negative cultures for non-tuberculous mycr Notes: Caution is advised if using azithromycin as an antibiotic in Testing for non-tuberculosis mycobacteria should occur annually. Indications marked with * are Unapproved Indications (refer to Sec Part IV (Miscellaneous Provisions) rule 4.6). | the treatment of c | | | |
| CLARITHROMYCIN – Maximum of 500 mg per prescription; can | be waived by Spe | cial Authorit | y see SA | 0988 below |
| Tab 250 mg | 5.53 7.75 | 10 14 | ✓ KI | lacid lamycin |
| Grans for oral liq 125 mg per 5 ml | | 70 ml | ✓ KI | |
| Special Authority for Waiver of Rule Initial application — (Mycobacterial infections) only from a re Approvals valid for 2 years for applications meeting the following of Any of the following: Mycobacterium Avium Intracellulare Complex infections in Atypical and drug-resistant mycobacterial infection; or All of the following: Prophylaxis against disseminated Mycobacterium A HIV infection; and CD4 count ≤ 50 cells/mm³. | riteria: patient with AIDS; | or | | |
| Renewal — (Mycobacterial infections) only from a respiratory s valid for 2 years where the treatment remains appropriate and the | | | | or paediatrician. Approvals |
| ERYTHROMYCIN ETHYL SUCCINATE Tab 400 mg – Up to 30 tab available on a PSO Grans for oral lig 200 mg per 5 ml – Up to 200 ml available | | 100 | ✓ <u>E-</u> | Mycin |
| on a PSO | 4.35 | 100 ml | ✓ <u>E-</u> | Mycin |
| Grans for oral liq 400 mg per 5 ml – Up to 200 ml available on a PSO | | 100 ml | ✓ <u>E-</u> | Mycin |
| ERYTHROMYCIN LACTOBIONATE Inj 1 g | 10.93 | 1 | 🖌 Er | rythrocin IV |
| | | | | |

| | Subsidy (Manufacturer's Pr \$ | rice) Su Per | Fully bsidised | Brand or Generic Manufacturer |
|---|-------------------------------------|-----------------|-------------------|-------------------------------------|
| RYTHROMYCIN STEARATE | | | | |
| Tab 250 mg – Up to 30 tab available on a PSO | | 100 | | |
| | (22.29) | | E | RA |
| Tab 500 mg | | 100 | | |
| | (44.58) | | E | RA |
| OXITHROMYCIN | | | | |
| Tab 150 mg | | 50 | 🖌 A | rrow- |
| Ũ | | | | Roxithromycin |
| Tab 300 mg | | 50 | ✓ <u>A</u> | rrow- |
| | | | | Roxithromycin |
| Penicillins | | | | |
| MOXYCILLIN | | | | |
| Cap 250 mg – Up to 30 cap available on a PSO | 16.18 | 500 | ν Δ | Iphamox |
| | (17.30) | 000 | | po-Amoxi |
| Cap 500 mg | | 500 | | Iphamox |
| | (27.25) | | | po-Amoxi |
| Grans for oral lig 125 mg per 5 ml – Up to 200 ml available | () | | | |
| on a PSO | 1.55 | 100 ml | V 0 | spamox |
| Grans for oral lig 250 mg per 5 ml - Up to 200 ml available | | | | • |
| on a PSO | | 100 ml | V 0 | spamox |
| Drops 125 mg per 1.25 ml | 4.00 | 30 ml OP | ✓ 0 | spamox Paediatric |
| | | | | Drops |
| Inj 250 mg | | 10 | | <u>iamox</u> |
| Inj 500 mg | | 10 | | <u>iamox</u> |
| Inj 1 g – Up to 5 inj available on a PSO | 21.62 | 10 | ✓ <u>Ib</u> | <u>iamox</u> |
| Apo-Amoxi Cap 250 mg to be delisted 1 March 2011) | | | | |
| Apo-Amoxi Cap 500 mg to be delisted 1 March 2011) | | | | |
| MOXYCILLIN CLAVULANATE | | | | |
| Tab amoxycillin 500 mg with potassium clavulanate 125 mg | | | | |
| - Up to 30 tab available on a PSO | | 100 | ✓ S ¹ | <u>ynermox</u> |
| Grans for oral liq amoxycillin 125 mg with potassium clavu- | | | | |
| lanate 31.25 mg per 5 ml – Up to 200 ml available on a | | | | |
| PSO | 2.20 | 100 ml | <u>√ c</u> | <u>uram</u> |
| Grans for oral liq amoxycillin 250 mg with potassium clavu- | | | | |
| lanate 62.5 mg per 5 ml – Up to 200 ml available on a | | | | |
| PSO | 3.85 | 100 ml | ✓ <u>c</u> | <u>uram</u> |
| ENZATHINE BENZYLPENICILLIN | | | | |
| Inj 1.2 mega u per 2.3 ml – Up to 5 inj available on a PSO | | 10 | 🖌 В | icillin LA |
| ENZYLPENICILLIN SODIUM (PENICILLIN G) | | | | |
| Inj 1 mega u – Up to 5 inj available on a PSO | 10.49 | 10 | V S | andoz |
| | | 10 | ÷ <u>o</u> | 4114¥6 |

| | Subsidy | | Fully Brand or |
|---|-------------------------|-------------------|----------------------------------|
| | (Manufacturer's F \$ | Price) Sul Per | bsidised Generic Manufacturer |
| | | | |
| LUCLOXACILLIN SODIUM | 22.00 | 250 | 🖌 AFT |
| Cap 250 mg – Up to 30 cap available on a PSO | | 250 500 | ✓ AFT |
| Cap 500 mg | | 500 | V AFI |
| Grans for oral liq 125 mg per 5 ml – Up to 200 ml available | 0.10 | 100 ml | |
| on a PSO | 3.12 | 100 ml | ✓ <u>AFT</u> |
| Grans for oral liq 250 mg per 5 ml – Up to 200 ml available | 0.55 | 100 | |
| on a PSO | | 100 ml | ✓ <u>AFT</u> |
| Inj 250 mg | | 10 | ✓ <u>Flucloxin</u> |
| Inj 500 mg | | 10 | ✓ <u>Flucloxin</u> |
| Inj 1 g – Up to 5 inj available on a PSO | 14.00 | 10 | Flucloxin |
| HENOXYMETHYLPENICILLIN (PENICILLIN V) | | | |
| Cap potassium salt 250 mg – Up to 30 cap available on a PS | 09.71 | 50 | Cilicaine VK |
| Cap potassium salt 500 mg | 11.70 | 50 | Cilicaine VK |
| Grans for oral liq 125 mg per 5 ml - Up to 200 ml available | | | |
| on a PSO | | 100 ml | ✓ <u>AFT</u> |
| Grans for oral liq 250 mg per 5 ml - Up to 200 ml available | | | |
| on a PSO | 1.78 | 100 ml | 🖌 AFT |
| ROCAINE PENICILLIN | | | |
| Inj 1.5 mega u – Up to 5 inj available on a PSO | 50.96 | 5 | Cilicaine |
| | | 5 | |
| Tetracyclines | | | |
| | | | |
| OXYCYCLINE HYDROCHLORIDE | 0.00 | 00 | |
| Tab 50 mg – Up to 30 tab available on a PSO | | 30 | D |
| Tak 100 ma | (6.00) | 050 | Doxy-50 |
| Tab 100 mg – Up to 30 tab available on a PSO | 8.10 | 250 | Doxine |
| INOCYCLINE HYDROCHLORIDE | | | |
| Fab 50 mg | 5.79 | 60 | |
| | (12.05) | | Mino-tabs |
| E Cap 100 mg | 19.32 | 100 | |
| | (52.04) | | Minomycin |
| Other Antibiotics | | | |
| | | | |
| or topical antibiotics, refer to DERMATOLOGICALS, page 56 | | | |
| IPROFLOXACIN | | | 4 |
| Tab 250 mg – Up to 5 tab available on a PSO | | 30 | Rex Medical |
| Tab 500 mg – Up to 5 tab available on a PSO | | 30 | Rex Medical |
| Tab 750 mg – Retail pharmacy-Specialist | 7.54 | 30 | Rex Medical |
| LINDAMYCIN | | | |
| Cap hydrochloride 150 mg - Maximum of 4 cap per prescrip- | | | |
| tion; can be waived by endorsement - Retail pharmacy - | | | |
| Specialist | | 16 | Dalacin C |
| Inj phosphate 150 mg per ml, 4 ml - Retail pharmacy- | | - | |
| Specialist | 16.00 | 1 | Dalacin C |
| | | ' | · Bulloni V |
| O-TRIMOXAZOLE | | | |
| Tab trimethoprim 80 mg and sulphamethoxazole 400 mg - | | | 4 - |
| Up to 30 tab available on a PSO | | 500 | Trisul |
| | | | |
| Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg per 5 ml – Up to 200 ml available on a PSO | | 100 ml | Deprim |

| | Subsidy | | Fully Brand or |
|---|------------------------------|-------------|---------------------------------------|
| | (Manufacturer's Price) \$ | Su Per | bsidised Generic Manufacturer |
| COLISTIN SULPHOMETHATE – Retail pharmacy-Specialist – Su | hsidy by endorseme | nt | |
| Only if prescribed for dialysis or cystic fibrosis patient and the | | | rdingly. |
| Inj 150 mg | | 1 | Colistin-Link |
| FUSIDIC ACID | | | |
| Tab 250 mg – Retail pharmacy-Specialist | 34.50 | 12 | Fucidin |
| Inj 500 mg sodium fusidate per 10 ml - Retail pharmacy- | | | |
| Specialist – Subsidy by endorsement | | 1 | E statu |
| Only if prescribed for a dialysis or cystic fibrosis patient and | (17.80) | andorcod | Fucidin |
| GENTAMICIN SULPHATE | | enuorseu | accoruingiy. |
| Inj 10 mg per ml, 1 ml – Subsidy by endorsement | 8 56 | 5 | Mayne |
| Only if prescribed for a dialysis or cystic fibrosis patient or | | | |
| accordingly. | | | |
| Inj 40 mg per ml, 2 ml – Subsidy by endorsement | 9.00 | 10 | ✓ Pfizer |
| Only if prescribed for a dialysis or cystic fibrosis patient or | for prophylaxis of e | ndocarditi | s and the prescription is endorsed |
| accordingly. | | | |
| LINCOMYCIN – Retail pharmacy-Specialist | | _ | |
| Inj 300 mg per ml, 2 ml | | 5 | Lincocin S29 |
| MOXIFLOXACIN - Special Authority see SA1065 below - Retail p | harmacy | | |
| No patient co-payment payable | 50.00 | - | |
| Tab 400 mg SA1065 Special Authority for Subsidy | | 5 | V Avelox |
| meeting the following criteria: Either: 1 Both: | | | |
| 1.1 Active tuberculosis*; and | | | |
| 1.2 Any of the following: | | | |
| 1.2.1 Documented resistance to one or more first-lin | , | | |
| 1.2.2 Suspected resistance to one or more first-line | | | |
| with known resistance), as part of regimen co | | | ents; or |
| 1.2.3 Impaired visual acuity (considered to preclude1.2.4 Significant pre-existing liver disease or hepato | | | dications: or |
| 1.2.5 Significant documented intolerance and/or sid | | | |
| 2 Mycobacterium avium-intracellulare complex not responding | | | |
| Note: Indications marked with * are Unapproved Indications (refer | to Section A: Gene | ral Rules | , Part I (Interpretations and Defini- |
| tions) and Part IV (Miscellaneous Provisions) rule 4.6). | | | |
| Renewal only from a respiratory specialist or infectious disease sp | ecialist. Approvals | valid for 1 | year where the treatment remains |
| appropriate and the patient is benefiting from treatment. | | | |
| TOBRAMYCIN | 24.50 | 5 | ✓ Mayne |
| Inj 40 mg per ml, 2 ml – Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient and the | | | |
| TRIMETHOPRIM | | | sooranigiy. |
| * Tab 300 mg – Up to 30 tab available on a PSO | 8.69 | 50 | ✔ TMP |
| VANCOMYCIN HYDROCHLORIDE – Subsidy by endorsement | | | |
| Only if prescribed for a dialysis or cystic fibrosis patient or in t endocarditis and the prescription is endorsed accordingly. | he treatment of pse | udomemt | pranous colitis or for prophylaxis of |
| Inj 50 mg per ml, 10 ml | 5.04 | 1 | ✓ Pacific |
| | | | |

| | Suboidy | | Fully Propd or |
|---|-----------------------------------|--------------|--|
| | Subsidy (Manufacturer's Price) | Subsid | Fully Brand or lised Generic |
| | \$ | Per | Manufacturer |
| Antifungals | | | |
| a) For topical antifungals refer to DERMATOLOGICALS, page 56 | | | |
| b) For topical antifungals refer to GENITO URINARY, page 68 | | | |
| FLUCONAZOLE – Retail pharmacy-Specialist | 6 90 | 28 | A Depifie |
| Cap 50 mg Cap 150 mg | | | ✓ <u>Pacific</u> ✓ Pacific |
| Cap 200 mg | | - | ✓ <u>Pacific</u> |
| ITRACONAZOLE – Retail pharmacy-Specialist | | | |
| Cap 100 mg | | 15 | ✓ Itrazole |
| (Sparanay Cap 100 mg to be deligted 1 May 2011) | (23.70) | | Sporanox |
| (Sporanox Cap 100 mg to be delisted 1 May 2011) | | | |
| KETOCONAZOLE Tab 200 mg – Retail pharmacy-Specialist | 38.12 | 30 | ✓ Nizoral |
| NYSTATIN | | 00 | |
| Tab 500.000 u | | 50 | ✔ Nilstat |
| Cap 500,000 u | | 50 | ✓ Nilstat |
| TERBINAFINE | | | |
| Tab 250 mg | 25.50 | 100 | Apo-Terbinafine |
| Antimalarials | | | |
| HYDROXYCHLOROQUINE SULPHATE | | | |
| * Tab 200 mg | | 100 | Plaquenil |
| Antitrichomonal Agents | | | - |
| | | | |
| METRONIDAZOLE Tab 200 mg – Up to 30 tab available on a PSO | 9 50 | 100 | Trichozole |
| Tab 400 mg | | | ✓ Trichozole |
| Oral liq benzoate 200 mg per 5 ml | | | FlagyI-S |
| Suppos 500 mg | 24.48 | 10 | Flagyl |
| ORNIDAZOLE | 10.00 | 10 | Tihaval |
| Tab 500 mg | | 10 | Tiberal |
| Antituberculotics and Antileprotics | | | |
| Note: There is no co-payment charge for all pharmaceuticals list | ed in the Antitubercu | lotics and A | ntileprotics group regardless of |
| immigration status. | | | |
| DAPSONE – No patient co-payment payable | 05.00 | 100 | |
| Tab 25 mg Tab 100 mg | | | Dapsone Dapsone |
| ETHAMBUTOL HYDROCHLORIDE – No patient co-payment pay | | 100 | e Baboono |
| Tab 100 mg | | 56 | Myambutol |
| Tab 400 mg | | | Myambutol |
| ISONIAZID – Retail pharmacy-Specialist | | | |
| No patient co-payment payable | | | (|
| * Tab 100 mg | | | PSM Difinah |
| * Tab 100 mg with rifampicin 150 mg * Tab 150 mg with rifampicin 300 mg | | | ✔ Rifinah ✔ Rifinah |
| | | | |

| | Subsidy | | Fully Brand or |
|---|---|---|---|
| | (Manufacturer's P \$ | rice) Su Per | ıbsidised Generic ✓ Manufacturer |
| PYRAZINAMIDE – Retail pharmacy-Specialist | | | |
| No patient co-payment payable | | | |
| * Tab 500 mg | | 100 | AFT-Pyrazinamide |
| RIFABUTIN – Retail pharmacy-Specialist | | | - |
| No patient co-payment payable | | | |
| * Cap 150 mg | | 30 | Mycobutin |
| RIFAMPICIN – Retail pharmacy-Specialist | | | |
| No patient co-payment payable | | | |
| * Tab 600 mg | | 30 | Rifadin |
| * Cap 150 mg | | 100 | Rifadin |
| * Cap 300 mg | | 100 | Rifadin |
| * Oral liq 100 mg per 5 ml | 12.66 | 60 ml | Rifadin |
| Antivirals | | | |
| For eye preparations refer to Eye Preparations, Anti-Infective F | Preparations, page 1 | 60 | |
| Hepatitis B Treatment | | | |
| • | v Potail pharmaou | | |
| ADEFOVIR DIPIVOXIL – Special Authority see SA0829 below Tab 10 mg | | 30 | ✓ Hepsera |
| ➡SA0829 Special Authority for Subsidy | | | |
| nitial application only from a gastroenterologist or infectious | disease specialist. A | pprovals vali | d for 1 year for applications meeting |
| he following criteria: | | | |
| All of the following: | | | |
| 1 Patient has confirmed Hepatitis B infection (HBsAg+); a | and | | |
| Documented resistance to lamivudine, defined as: | | | |
| 2 Patient has raised serum ALT (> 1 \times ULN); and | | | |
| 3 Patient has HBV DNA greater than 100,000 copies per | mL, or viral load \geq | 10 fold over r | hadir; and |
| 4 Detection of M204I or M204V mutation; and | | | |
| 5 Either: | | | |
| 5.1 Both: | | | |
| 5.1.1 Patient is cirrhotic; and | an with longivudings of | | |
| 5.1.2 adefovir dipivoxil to be used in combination5.2 Both: | on with lanivuulle, o | 1 | |
| 5.2.1 Patient is not cirrhotic; and | | | |
| 5.2.2 adefovir dipivoxil to be used as monother | anv | | |
| Renewal only from a gastroenterologist or infectious disease | | als valid for 2 | vears where in the opinion of the |
| | | | |
| | | | , |
| reating physician, treatment remains appropriate and patient | is benefiting from tre | atment. | |
| reating physician, treatment remains appropriate and patient Notes: Lamivudine should be added to adefovir dipivoxil if a p | is benefiting from tre | atment. | |
| reating physician, treatment remains appropriate and patient Notes: Lamivudine should be added to adefovir dipivoxil if a p | is benefiting from tre | atment. | |
| reating physician, treatment remains appropriate and patient i Notes: Lamivudine should be added to adefovir dipivoxil if a p as: | is benefiting from tre batient develops doct | atment. umented resi | |
| reating physician, treatment remains appropriate and patient i Notes: Lamivudine should be added to adefovir dipivoxil if a p as: i) raised serum ALT (> $1 \times ULN$); and ii) HBV DNA greater than 100,000 copies per mL, or viral iii) Detection of N236T or A181T/V mutation. | is benefiting from tre batient develops doct load \geq 10 fold over | atment. umented resi nadir; and | stance to adefovir dipivoxil, define |
| reating physician, treatment remains appropriate and patient i Notes: Lamivudine should be added to adefovir dipivoxil if a p as: i) raised serum ALT (> $1 \times ULN$); and ii) HBV DNA greater than 100,000 copies per mL, or viral iii) Detection of N236T or A181T/V mutation. Adefovir dipivoxil should be stopped 6 months following HBeAg | is benefiting from tre batient develops doct load \geq 10 fold over | atment. umented resi nadir; and | stance to adefovir dipivoxil, define |
| reating physician, treatment remains appropriate and patient i Notes: Lamivudine should be added to adefovir dipivoxil if a p as: i) raised serum ALT (> 1 × ULN); and ii) HBV DNA greater than 100,000 copies per mL, or viral iii) Detection of N236T or A181T/V mutation. Adefovir dipivoxil should be stopped 6 months following HBeAg adefovir dipivoxil. | is benefiting from tree batient develops doct load \geq 10 fold over g seroconversion for | atment. umented resi nadir; and | stance to adefovir dipivoxil, define |
| reating physician, treatment remains appropriate and patient i Notes: Lamivudine should be added to adefovir dipivoxil if a p as: i) raised serum ALT (> 1 × ULN); and ii) HBV DNA greater than 100,000 copies per mL, or viral iii) Detection of N236T or A181T/V mutation. Adefovir dipivoxil should be stopped 6 months following HBeAg adefovir dipivoxil. The recommended dose of adefovir dipivoxil is no more than 1 | is benefiting from tree batient develops doct load \geq 10 fold over g seroconversion for 10mg daily. | atment. umented resi nadir; and patients who | stance to adefovir dipivoxil, define were HBeAg+ prior to commencin |
| reating physician, treatment remains appropriate and patient i Notes: Lamivudine should be added to adefovir dipivoxil if a p as: i) raised serum ALT (> 1 × ULN); and ii) HBV DNA greater than 100,000 copies per mL, or viral iii) Detection of N236T or A181T/V mutation. Adefovir dipivoxil should be stopped 6 months following HBeAg adefovir dipivoxil. The recommended dose of adefovir dipivoxil is no more than 1 n patients with renal insufficiency adefovir dipivoxil dose shou | is benefiting from tre batient develops doct load \geq 10 fold over g seroconversion for 10mg daily. Id be reduced in acc | atment. umented resi nadir; and patients who | stance to adefovir dipivoxil, define were HBeAg+ prior to commencine |
| reating physician, treatment remains appropriate and patient i Notes: Lamivudine should be added to adefovir dipivoxil if a p as: i) raised serum ALT (> $1 \times ULN$); and ii) HBV DNA greater than 100,000 copies per mL, or viral iii) Detection of N236T or A181T/V mutation. Adefovir dipivoxil should be stopped 6 months following HBeAg adefovir dipivoxil. The recommended dose of adefovir dipivoxil is no more than 1 n patients with renal insufficiency adefovir dipivoxil dose shou Adefovir dipivoxil should be avoided in pregnant women and c | is benefiting from tre batient develops doct load ≥ 10 fold over g seroconversion for 10mg daily. Id be reduced in acc hildren. | atment. umented resi nadir; and patients who ordance with | stance to adefovir dipivoxil, define were HBeAg+ prior to commencin |
| reating physician, treatment remains appropriate and patient Notes: Lamivudine should be added to adefovir dipivoxil if a pas: i) raised serum ALT (> 1 \times ULN); and ii) HBV DNA greater than 100,000 copies per mL, or viral | is benefiting from tre batient develops doct load ≥ 10 fold over g seroconversion for 10mg daily. Id be reduced in acc hildren. g = - Retail pharmacy | atment. umented resi nadir; and patients who ordance with | stance to adefovir dipivoxil, define were HBeAg+ prior to commencine |

✓ fully subsidised [HP4] refer page 8

| Subsidy | | Fully | Brand or |
|------------------------|-----|------------|--------------|
| (Manufacturer's Price) | | Subsidised | Generic |
| \$ | Per | ~ | Manufacturer |

➡SA0977 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naive; and
- 3 Entecavir dose 0.5 mg/day; and
- 4 Either:
 - 4.1 ALT greater than upper limit of normal; or
 - 4.2 Bridging fibrosis or cirrhosis (Metavir stage 3 or greater) on liver histology; and

5 Either:

- 5.1 HBeAg positive; or
- 5.2 patient has ≥ 2,000 IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV, HIV or HDV; and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE - Special Authority see SA0832 below - Retail pharmacy

| Tab 100 mg | | 143.00 | 28 | Zeffix |
|----------------------|------|--------|--------|----------------------------|
| Oral liq 5 mg per ml | | 90.00 | 240 ml | Zeffix |

SA0832 Special Authority for Subsidy

Initial application only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 All of the following:
 - 1.1.1 HBsAg positive for more than 6 months; and
 - 1.1.2 HBeAg positive or HBV DNA positive defined as > 100,000 copies per ml by quantitative PCR at a reference laboratory; and
 - 1.1.3 ALT greater than twice upper limit of normal or bridging fibrosis or cirrhosis (Metavir stage 3 or 4 or equivalent) on liver histology clinical/radiological evidence of cirrhosis; or
 - 1.2 HBV DNA positive cirrhosis prior to liver transplantation; or
 - 1.3 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
 - 1.4 Hepatitis B surface antigen positive (HbsAg) patient who is receiving chemotherapy for a malignancy, or who has received such treatment within the previous two months; and
- 2 All of the following:
 - 2.1 No continuing alcohol abuse or intravenous drug use; and
 - 2.2 Not coinfected with HCV or HDV; and
 - 2.3 Neither ALT nor AST greater than 10 times upper limit of normal; and
 - 2.4 No history of hypersensitivity to lamivudine; and
 - 2.5 No previous lamivudine therapy with genotypically proven lamivudine resistance.

| | Subsidy (Manufacturer's Price) \$ | Subs Per | Fully idised | Brand or Generic Manufacturer |
|---|---|--|-----------------------------------|---|
| continued Renewal only from a gastroenterologist, infectious disease specifor applications meeting the following criteria: Any of the following: Renewal for patients who have maintained continuous tree 1 All of the following: 1.1 Have maintained continuous treatment with lamivu 1.2 Most recent test result shows continuing biochemid 1.3 HBV DNA <100,00 copies per ml by quantitative P Renewal when given in combination with adefovir dipivoxi 2 All of the following: 2.1 Lamivudine to be used in combination with adefovi 2.2 Patient is cirrhotic; and Documented resistance to lamivudine, defined as: 2.3 Patient has raised serum ALT (> 1 × ULN); and 2.4 Patient has HBV DNA greater than 100,000 copies 2.5 Detection of M204I or M204V mutation; or Renewal when given in combination with adefovir dipivoxi 3 All of the following: 3.1 Lamivudine to be used in combination with adefovir dipivoxi 3 All of the following: 3.1 Lamivudine to be used in combination with adefovir dipivoxi 3 All of the following: 3.1 Lamivudine to be used in combination with adefovir dipivoxi 3 All of the following: 3.1 Lamivudine to be used in combination with adefovir dipivoxi 3 All of the following: 3.1 Lamivudine to be used in combination with adefovir dipivoxi 3 All of the following: 3.1 Lamivudine to be used in combination with adefovir dipivoxi | atment and response t dine; and cal response (normal A CR at a reference labo I for patients with cirrho r dipivoxil; and s per mL, or viral load = I for patients with resist r dipivoxil; and | o lamivudir LT); and ratory; or ssis and res = 10 fold ov tance to ad | ne sistanc er nad efovir | e to lamivudine ir; and dipivoxil |
| Herpesvirus Treatments | | | | |
| ACICLOVIR * Tab dispersible 200 mg * Tab dispersible 400 mg * Tab dispersible 800 mg | 6.64 | 25 56 35 | | ovir |
| VALACICLOVIR – Special Authority see SA0957 below – Retail Tab 500 mg | | 30 | 🗸 V | altrex |

Initial application — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the patient has genital herpes with 2 or more breakthrough episodes in any 6 month period while treated with aciclovir 400 mg twice daily.

Renewal - (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application - (ophthalmic zoster) from any medical practitioner. Approvals valid without further renewal unless notified where the patient has previous history of ophthalmic zoster and the patient is at risk of vision impairment.

Initial application - (CMV prophylaxis) from any medical practitioner. Approvals valid for 3 months where the patient has undergone organ transplantation.

Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE - Subsidy by endorsement; can be waived by Special Authority see SA1047 on the next page

Endorsement for treatment of HIV/AIDS: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA1025 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note: Tenofovir disoproxil fumarate prescribed under endorsement for the treatment of HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1025, page 88

| Tab 300 mg | 531.00 | 30 | ~ | Viread |
|------------|--------|----|---|--------|
|------------|--------|----|---|--------|

| Subsidy | | Fully | Brand or |
|------------------------|-----|------------|--------------|
| (Manufacturer's Price) | S | Subsidised | Generic |
| \$ | Per | ~ | Manufacturer |

SA1047 Special Authority for Waiver of Rule

Initial application — (Confirmed Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria: Fither:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased $\geq~$ 10 fold over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
 - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
 - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Initial application — (Pregnant) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 4 months for applications meeting the following criteria: Both:

1 Patient is HBsAg positive and pregnant; and

2 Either:

- 2.1 HBV DNA > 20,000 IU/mL and ALT > ULN; or
- 2.2 HBV DNA > 100 million IU/mL and ALT normal.

Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Either:
 - 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased \geq 10 fold over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
 - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
 - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
 - 2 Patient is either listed or has undergone liver transplantation for HBV.

Renewal — (Subsequent Pregnancy) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 4 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 Either:
 - 2.1 HBV DNA > 20,000 IU/mL and ALT > ULN; or
 - 2.2 HBV DNA > 100 million IU/mL and ALT normal.

Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg
 positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg negative
 prior to commencing this agent.
- The recommended dose of Tenofovir disoproxil fumarate for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

| Subsidy | Fully | Brand or |
|------------------------|------------|--------------|
| (Manufacturer's Price) | Subsidised | Generic |
| \$ | Per 🖌 | Manufacturer |

Antiretrovirals

SA1025 Special Authority for Subsidy

Initial application — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

. Both:

- 1 Confirmed HIV infection; and
- 2 Any of the following:
 - 2.1 Symptomatic patient; or
 - 2.2 Patient aged 12 months and under; or
 - 2.3 Both:
 - 2.3.1 Patient aged 1 to 5 years; and
 - 2.3.2 Any of the following:
 - 2.3.2.1 CD4 counts < 1000 cells/mm³; or
 - 2.3.2.2 CD4 counts $< 0.25 \times$ total lymphocyte count; or
 - 2.3.2.3 Viral load counts > 100000 copies per ml; or

2.4 Both:

- 2.4.1 Patient aged 6 years and over; and
- 2.4.2 CD4 counts < 350 cells/mm³.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

1 Prevention of maternal foetal transmission; or

2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

- Both:
 - 1 Treatment course to be initiated within 72 hours post exposure; and
 - 2 Either:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

| Subsidy | | Fully | Brand or | |
|------------------------|-----|------------|--------------|--|
| (Manufacturer's Price) | | Subsidised | Generic | |
| \$ | Per | ~ | Manufacturer | |

continued...

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

1 Treatment course to be initiated within 72 hours post exposure; and

2 Either:

- 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
- 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Non-nucleosides Reverse Transcriptase Inhibitors

| EFAVIRENZ - Special Authority see SA1025 on the pred | ceding page – Retail pha | rmacy | |
|--|--------------------------|---------------|-----------------------------|
| Tab 50 mg | | 30 | Stocrin |
| Tab 200 mg | | 90 | Stocrin |
| Tab 600 mg | | 30 | Stocrin |
| ETRAVIRINE – Special Authority see SA1025 on the pre Tab 100 mg | 01 0 1 | armacy 120 | ✔ Intelence |
| NEVIRAPINE – Special Authority see SA1025 on the pro- | | | |
| Tab 200 mg | | 60 | Viramune |
| Oral suspension 10 mg per ml | | 240 ml | Viramune |
| | | | Suspension |

Nucleosides Reverse Transcriptase Inhibitors

| ABACAVIR SULPHATE – Special Authority see SA10 Tab 300 mg Oral liq 20 mg per ml | | Retail pharma 60 240 ml OP | vcy ✓ Ziagen ✓ Ziagen |
|--|-------------------------------|--|--|
| ABACAVIR SULPHATE WITH LAMIVUDINE – Speci Note: Kivexa counts as two anti-retroviral medica Tab 600 mg with lamivudine 300 mg | tions for the purposes of the | | 0 1 , |
| DIDANOSINE [DDI] Special Authority see SA1025 Cap 125 mg Cap 200 mg Cap 250 mg Cap 400 mg | | ail pharmacy 30 30 30 30 30 | ✓ Videx EC ✓ Videx EC ✓ Videx EC ✓ Videx EC |
| EMTRICITABINE – Special Authority see SA1025 on Cap 200 mg | 1 01 0 | pharmacy 30 | Emtriva |

| | Subsidy (Manufacturer's F \$ | Price) Subs Per | Fully Brand or sidised Generic Manufacturer |
|---|------------------------------------|---|---|
| LAMIVUDINE – Special Authority see SA1025 on page 88 – Re Tab 150 mg Oral liq 10 mg per ml | 153.60 | 60 240 ml OP | ✓ <u>3TC</u> ✓ <u>3TC</u> |
| STAVUDINE [D4T] – Special Authority see SA1025 on page 88 Cap 20 mg Cap 30 mg Cap 40 mg Powder for oral soln 1 mg per ml (Zerit Cap 20 mg to be delisted 1 August 2011) (Zerit Powder for oral soln 1 mg per ml to be delisted 1 August 2 | | y 60 60 60 200 ml OP | ✓ Zerit ✓ Zerit ✓ Zerit ✓ Zerit |
| ZIDOVUDINE [AZT] – Special Authority see SA1025 on page 8 Cap 100 mg Oral liq 10 mg per ml ZIDOVUDINE [AZT] WITH LAMIVUDINE – Special Authority se Combivir counts as two anti-retroviral medications for the pu Tab 300 mg with lamivudine 150 mg | | 100 200 ml OP e 88 – Retail ph | 5 |
| Protease Inhibitors | | | |
| ATAZANAVIR SULPHATE – Special Authority see SA1025 on p Cap 150 mg Cap 200 mg | | narmacy 60 60 | ✓ Reyataz✓ Reyataz |
| DARUNAVIR – Special Authority see SA1025 on page 88 – Ret Tab 300 mg Tab 400 mg | 1,190.00 | 120 60 | ✓ Prezista✓ Prezista |
| INDINAVIR – Special Authority see SA1025 on page 88 – Retain Cap 200 mg Cap 400 mg | | 360 180 | ✔ Crixivan✔ Crixivan |
| LOPINAVIR WITH RITONAVIR – Special Authority see SA1025 Tab 100 mg with ritonavir 25 mg Tab 200 mg with ritonavir 50 mg Oral liq 80 mg with ritonavir 20 mg per ml | | tail pharmacy 60 120 300 ml OP | ✓ Kaletra ✓ Kaletra ✓ Kaletra |
| RITONAVIR – Special Authority see SA1025 on page 88 – Reta Cap 100 mg Oral liq 80 mg per ml | | 84 90 ml OP | ✓ Norvir ✓ Norvir |
| Strand Transfer Inhibitors | | | |
| RALTEGRAVIR POTASSIUM – Special Authority see SA1025 c Tab 400 mg | | il pharmacy 60 | ✓ Isentress |
| Antiretrovirals - Additional Therapies | | | |
| HIV Fusion Inhibitors | | | |
| ENFUVIRTIDE – Special Authority see SA0845 on the next page Powder for inj 90 mg per ml \times 60 | | acy 1 | ✔ Fuzeon |

| 0 1 11 | | | D 1 |
|------------------------|-----|------------|--------------|
| Subsidy | | Fully | Brand or |
| (Manufacturer's Price) | S | Subsidised | Generic |
| \$ | Per | ~ | Manufacturer |

➡SA0845 Special Authority for Subsidy

Initial application only from a named specialist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Confirmed HIV infection; and
- 2 Enfuvirtide to be given in combination with optimized background therapy (including at least 1 other antiretroviral drug that
- the patient has never previously been exposed to) for treatment failure; and
- 3 Either:
 - 3.1 Patient has evidence of HIV replication, despite ongoing therapy; or
 - 3.2 Patient has treatment-limiting toxicity to previous antiretroviral agents; and
- 4 Previous treatment with 3 different antiretroviral regimens has failed; and
- 5 All of the following:
 - 5.1 Previous treatment with a non-nucleoside reverse transcriptase inhibitor has failed; and
 - 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed; and
 - 5.3 Previous treatment with a protease inhibitor has failed.

Renewal only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Evidence of at least a 10 fold reduction in viral load at 12; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Immune Modulators

Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

Criteria for Treatment

1) Diagnosis

- Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
- PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
- Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.
- 2) Establishing Active Chronic Liver Disease
 - Confirmed HCV infection and serum ALT/AST levels measured on at least three occasions over six months averaging > 1.5 × upper limit of normal. (ALT is the preferable enzyme); or
 - Liver biopsy showing significant inflammatory activity (active hepatitis) with or without cirrhosis. This is not a necessary requirement for those patients with coagulopathy. (Some patients have active disease on histology with normal transaminase enzymes).

Exclusion Criteria

- 1) Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- 2) Pregnancy.
- 3) Neutropenia (<2.0 \times 10 $^9)$ and/or thrombocytopenia.
- 4) Continuing alcohol abuse and/or continuing intravenous drug users.

Dosage

The current recommended dosage is 3 million units of interferon alpha-2a or interferon aplha-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

| | Subsidy (Manufacturer's Price) \$ | Per | Fully Subsidised | d Generic |
|--|---|-----------------------|---|---|
| INTERFERON ALPHA-2A – PCT – Retail pharmacy-Specialist See prescribing guideline on the preceding page | | | | |
| Inj 3 m iu prefilled syringe | 31 32 | 1 | ~ | Roferon-A |
| Inj 6 m iu prefilled syringe | | 1 | - | Roferon-A |
| Inj 9 m iu prefilled syringe | | 1 | | Roferon-A |
| INTERFERON ALPHA-2B – PCT – Retail pharmacy-Specialist See prescribing guideline on the preceding page | | | | |
| Inj 18 m iu, 1.2 ml multidose pen | | 1 | ~ | Intron-A |
| Inj 30 m iu, 1.2 ml multidose pen | | 1 | ~ | Intron-A |
| Inj 60 m iu, 1.2 ml multidose pen | 626.40 | 1 | ~ | Intron-A |
| PEGYLATED INTERFERON ALPHA-2A – Special Authority see See prescribing guideline on the preceding page Inj 135 μg prefilled syringe Inj 180 μg prefilled syringe | | 1 4 1 4 4 | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | <u>Pegasys</u> Pegasys Pegasys Pegasys |
| Inj 135 μg prefilled syringe × 4 with ribavirin tab 200 mg × 112 | 1,799.68 | 1 OP | ~ | Pegasys RBV Combination Pack |
| Inj 135 μ g prefilled syringe \times 4 with ribavirin tab 200 mg \times 168 | | 1 OP | ~ | Pegasys RBV Combination Pack |
| Inj 180 μg prefilled syringe \times 4 with ribavirin tab 200 mg \times 112 | | 1 OP | ~ | Pegasys RBV Combination Pack |
| Inj 180 μg prefilled syringe \times 4 with ribavirin tab 200 mg \times 168 | | 1 OP | ~ | Pegasys RBV Combination Pack |

SA0952 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV) from any specialist. Approvals valid for 48 weeks for applications meeting the following criteria:

Either:

1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or

2 Patient has chronic hepatitis C and is co-infected with HIV.

Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 6 months where patient has chronic hepatitis C, genotype 2 or 3 infection.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 48 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log10 IU/ml; and

5 Either:

92

| Subsidy | | Fully | Brand or | |
|------------------------|-----|-----------|--------------|--|
| (Manufacturer's Price) | S | ubsidised | Generic | |
| \$ | Per | ~ | Manufacturer | |
| | | | | |

continued...

- 5.1 HBeAg positive; or
- 5.2 serum HBV DNA \geq 2,000 units/ml and significant fibrosis (\geq Metavir Stage F2); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon.

Notes:

- Approved dose is 180 µg once weekly.
- The recommended dose of Pegylated Interferon-alpha 2a is 180 µg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alpha 2a dose should be reduced to 135 μg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alpha 2a is not approved for use in children.

Urinary Tract Infections

HEXAMINE HIPPURATE

| * Tab 1 g | | 100 | |
|--|---------|-----|-------------------|
| , | (38.10) | | Hiprex |
| NITROFURANTOIN | | | |
| * Tab 50 mg | 22.20 | 100 | Nifuran |
| * Tab 100 mg | 37.50 | 100 | Nifuran |
| NORFLOXACIN | | | |
| Tab 400 mg - Maximum of 6 tab per prescription; can be | | | |
| waived by endorsement - Retail pharmacy - Specialist | | 100 | Arrow-Norfloxacin |

| | Subsidy (Manufacturer's Price) \$ | Su Per | Fully Ibsidised | Brand or Generic Manufacturer |
|--------------|---|-----------|--------------------|-------------------------------------|
| bines | | | | |
| enza vaccine | | | | |
| | | | | |

INFLUENZA VACCINE – Hospital pharmacy [Xpharm]

Vacc Influe

> A) is available 1 March until vaccine supplies are exhausted each year for patients who meet the following criteria, as set by the Ministry of Health:

a) all people 65 years of age and over;

- b) people under 65 years of age with:
 - i) the following cardiovascular disease:
 - 1) ischaemic heart disease,
 - 2) congestive heart disease,
 - 3) rheumatic heart disease,
 - 4) congenital heart disease, or
 - 5) cerebo-vascular disease;
 - ii) the following chronic respiratory disease:
 - 1) asthma, if on a regular preventative therapy, or
 - 2) other chronic respiratory disease with impaired lung function;
 - iii) diabetes;
 - iv) chronic renal disease;
 - v) any cancer, excluding basal and squamous skin cancers if not invasive;
 - vi) the following other conditions:
 - a) autoimmune disease,
 - b) immune suppression,
 - c) HIV,
 - d) transplant recipients,
 - e) neuromuscular and CNS diseases,
 - f) haemoglobinopathies, or
 - g) children on long term aspirin.
- c) people under 65 years of age who are:
 - i) pregnant; or
 - ii) morbidly obsese

d) children aged over 6 months and under 5 years who are from high deprivation backgrounds

The following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease,
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor.
- D) Influenza Vaccine does not fall within the definition Community Pharmaceutical as it is not funded directly from the Pharmaceutical Budget. Pharmacists are unable to claim for the dispensing of influenza vaccine from the Funder.

| Inj | 90.00 | 10 | Fluarix |
|-----|-------|----|---------|
| | | | Fluvax |

| | Subsidy (Manufacturar's Prior | | Fully Brand or |
|--|----------------------------------|---------------|---------------------------------------|
| | (Manufacturer's Price \$ | e) Su Per | ubsidised Generic Manufacturer |
| | Ψ | | |
| Anticholinesterases | | | |
| NEOSTIGMINE | | | |
| Inj 2.5 mg per ml, 1 ml | 20.30 | 50 | AstraZeneca |
| PYRIDOSTIGMINE BROMIDE | | | |
| ▲ Tab 60 mg | 40.08 | 100 | Mestinon |
| Anti-inflammatory Non Steroidal Drugs (NSAIDs |) | | |
| SA1038 Special Authority for Manufacturers Price | | | |
| Note: Subsidy for patients with existing approvals prior to 1 Septer | ber 2010, Approva | ls valid with | hout further renewal unless notified |
| No new approvals will be granted from 1 September 2010. | | | |
| DICLOFENAC SODIUM | | | |
| * Tab EC 25 mg | 1.63 | 50 | Diclofenac Sandoz |
| * Tab 50 mg dispersible - Additional subsidy by Special Au- | | | |
| thority see SA1038 above – Retail pharmacy | 1.50 | 20 | |
| | (8.00) | | Voltaren D |
| * Tab EC 50 mg | 2.13 | 50 | Diclofenac Sandoz |
| * Tab long-acting 75 mg | | 500 | Diclax SR |
| * Tab long-acting 100 mg | 63.22 | 500 | Diclax SR |
| * Inj 25 mg per ml, 3 ml | 12.00 | 5 | Voltaren |
| Up to 5 inj available on a PSO | | | |
| * Suppos 12.5 mg | | 10 | Voltaren |
| * Suppos 25 mg | | 10 | Voltaren |
| * Suppos 50 mg | 3.84 | 10 | Voltaren |
| Up to 10 supp available on a PSO | | 10 | |
| * Suppos 100 mg | 6.36 | 10 | Voltaren |
| IBUPROFEN - Additional subsidy by Special Authority see SA10 | 38 above – Retail p | harmacy | |
| * Tab 200 mg | 16.00 | 1,000 | Ethics Ibuprofen |
| * Tab 400 mg | 1.07 | 30 | |
| | (4.56) | | Brufen |
| * Tab 600 mg | | 30 | |
| | (6.84) | | Brufen |
| * Tab long-acting 800 mg | | 30 | Brufen Retard |
| *‡ Oral liq 100 mg per 5 ml | | 200 ml | Fenpaed |
| KETOPROFEN - Additional subsidy by Special Authority see SA | | | у |
| * Cap long-acting 100 mg | () | 100 | |
| | (21.56) | 1.0.0 | Oruvail 100 |
| * Cap long-acting 200 mg | | 100 | 0 "1000 |
| | (43.12) | | Oruvail 200 |
| MEFENAMIC ACID - Additional subsidy by Special Authority see | SA1038 above - F | Retail phari | macy |
| * Cap 250 mg | | 20 | |
| | (5.60) | | Ponstan |
| | 2.50 | 100 | _ |
| | (18.33) | | Ponstan |
| NAPROXEN | | | |
| * Tab 250 mg | 23.70 | 500 | Noflam 250 |
| * Tab 500 mg | 24.88 | 250 | ✓ Noflam 500 |
| * Tab long-acting 750 mg | | 90 | Naprosyn SR 750 |
| * Tab long-acting 1,000 mg | 21.00 | 90 | Naprosyn SR 1000 |
| | | | |

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

| | | Subsidy (Manufacturor's Pric | (a) | Fully Brand or |
|--|--|--|---|---|
| | | (Manufacturer's Pric \$ | Per | ubsidised Generic Manufacturer |
| APROXEN SODIUM | | | | |
| | | 5.69 | 120 | ✓ Sonaflam |
| 0 | | | 100 | ✓ Synflex |
| 0 | subsidy by Special Authority see | | page – Re | • |
| ₭ Tab 100 mg | | 5.32 | 100 | |
| | | (12.00) | | Daclin |
| ₭ Tab 200 mg | | | 100 | |
| | | (20.00) | 50 | Daclin |
| | | 3.36 | 50 | |
| | | (15.87) | | Clinoril |
| ENOXICAM | | | | |
| 0 | | | 100 | ✓ Tilcotil |
| ∉ Inj 20 mg | | 9.95 | 1 | AFT |
| IAPROFENIC ACID - A | Additional subsidy by Special Auth | ority see SA1038 on the | preceding (| page – Retail pharmacy |
| ₭ Tab 300 mg | | 4.03 | 60 | |
| | | (19.26) | | Surgam |
| NSAIDs Other | | | | |
| NSAIDS UTIEI | | | | |
| IDOMETHACIN | | | | |
| Suppos 100 mg | | 14.50 | 30 | Arthrexin |
| IFI OXICAM – Special A | Authority see SA1034 below – Re | tail pharmacy | | |
| | | 1 2 | 30 | Arrow-Meloxicam |
| | | | -00 | |
| ° | | | 30 | |
| SA1034 Special Aut | hority for Subsidy | | | |
| SA1034 Special Aut | | | | |
| ►SA1034 Special Aut itial application from a ne following criteria: | hority for Subsidy | | | |
| ►SA1034 Special Aut itial application from a the following criteria: Il of the following: | hority for Subsidy any relevant practitioner. Approva | uls valid without further re | newal unle | ess notified for applications meeti |
| SA1034 Special Aut itial application from a ne following criteria: Il of the following: 1 The patient has mo | hority for Subsidy | uls valid without further re | newal unle | ess notified for applications meeti |
| Scalary Special Aut Special Aut Special Aut Special Aut Special Aut application from a te following criteria: Il of the following: 1 The patient has mo and | hority for Subsidy any relevant practitioner. Approva oderate to severe haemophilia wit | uls valid without further re | newal unle | ess notified for applications meeti |
| SA1034 Special Aut itial application from a refollowing criteria: Il of the following: The patient has monotonic and The patient has had | hority for Subsidy any relevant practitioner. Approva oderate to severe haemophilia wit aemophilic arthropathy; and | Ils valid without further re h less than or equal to 5% | newal unle | ess notified for applications meeti circulating functional clotting fact |
| SA1034 Special Aut itial application from a le following criteria: Il of the following: The patient has monomous The patient has ha Pain and inflamma | hority for Subsidy any relevant practitioner. Approva oderate to severe haemophilia wit | Ils valid without further re h less than or equal to 5% : arthropathy is inadequat | newal unle | ess notified for applications meeti circulating functional clotting fact |
| SA1034 Special Aut itial application from a e following criteria: Il of the following: The patient has ma and The patient has ha 3 Pain and inflamma options, or alternational | hority for Subsidy any relevant practitioner. Approva oderate to severe haemophilia wit aemophilic arthropathy; and ation associated with haemophilic | Ils valid without further re h less than or equal to 5% : arthropathy is inadequat | newal unle | ess notified for applications meeti circulating functional clotting fact |
| SA1034 Special Aut itial application from a e following criteria: Il of the following: The patient has ma and The patient has ha Pain and inflamma options, or alternat | hority for Subsidy any relevant practitioner. Approva oderate to severe haemophilia wit aemophilic arthropathy; and ation associated with haemophilic tive funded treatment options are | Is valid without further re h less than or equal to 5% arthropathy is inadequat contraindicated. | newal unle | ess notified for applications meeti circulating functional clotting fact led by alternative funded treatme |
| SA1034 Special Aut itial application from a te following criteria: Il of the following: 1 The patient has ma and 2 The patient has ha 3 Pain and inflamma options, or alternat IROXICAM Tab dispersible 10 me | thority for Subsidy any relevant practitioner. Approva oderate to severe haemophilia wit aemophilic arthropathy; and ation associated with haemophilic tive funded treatment options are g | Is valid without further re h less than or equal to 5% arthropathy is inadequat contraindicated. | newal unle | ess notified for applications meeti circulating functional clotting fact |
| SA1034 Special Aut itial application from a e following criteria: Il of the following: The patient has ma and The patient has ha Pain and inflamma options, or alternat IROXICAM Tab dispersible 10 me Tab dispersible 20 me | thority for Subsidy any relevant practitioner. Approva oderate to severe haemophilia wit aemophilic arthropathy; and ation associated with haemophilic tive funded treatment options are g | Ils valid without further re h less than or equal to 5% arthropathy is inadequat contraindicated. | newal unle of normal ely control 50 | ess notified for applications meet circulating functional clotting fact led by alternative funded treatment V Piram-D |
| SA1034 Special Aut itial application from a following criteria: If of the following: The patient has ma and The patient has ha Pain and inflamma options, or alternat ROXICAM Tab dispersible 10 m Tab dispersible 20 m Piram-D Tab dispersible | hority for Subsidy any relevant practitioner. Approva oderate to severe haemophilia wit aemophilic arthropathy; and ation associated with haemophilic tive funded treatment options are g g 0 mg to be delisted 1 April 2011, | Ils valid without further re h less than or equal to 5% arthropathy is inadequat contraindicated. | newal unle of normal ely control 50 | ess notified for applications meeti circulating functional clotting fact led by alternative funded treatme V Piram-D |
| SA1034 Special Aut itial application from a le following criteria: Il of the following: The patient has ma and The patient has ha Pain and inflamma options, or alternat IROXICAM Tab dispersible 10 m ispersible 20 m Piram-D Tab dispersible | thority for Subsidy any relevant practitioner. Approva oderate to severe haemophilia wit aemophilic arthropathy; and ation associated with haemophilic tive funded treatment options are g g 10 mg to be delisted 1 April 2011, 20 mg to be delisted 1 April 2011, | Ils valid without further re h less than or equal to 5% arthropathy is inadequat contraindicated. | newal unle of normal ely control 50 | ess notified for applications meet circulating functional clotting fact led by alternative funded treatme V Piram-D |
| ⇒SA1034 Special Aut itial application from a le following criteria: Il of the following: The patient has ma and The patient has ha Pain and inflamma options, or alternat IROXICAM Tab dispersible 10 m ispersible 20 m Piram-D Tab dispersible | thority for Subsidy any relevant practitioner. Approva oderate to severe haemophilia wit aemophilic arthropathy; and ation associated with haemophilic tive funded treatment options are g g 10 mg to be delisted 1 April 2011, 20 mg to be delisted 1 April 2011, | Ils valid without further re h less than or equal to 5% arthropathy is inadequat contraindicated. | newal unle of normal ely control 50 | ess notified for applications meeti circulating functional clotting fact led by alternative funded treatme V Piram-D |
| Salost Special Aut itial application from a following criteria: Il of the following: 1 The patient has ma and 2 The patient has ha 3 Pain and inflamma options, or alternat IROXICAM Tab dispersible 10 m Tab dispersible 20 m Piram-D Tab dispersible Piram-D Tab dispersible Antirheumatoid Age | thority for Subsidy any relevant practitioner. Approva oderate to severe haemophilia wit aemophilic arthropathy; and ation associated with haemophilic tive funded treatment options are g g 10 mg to be delisted 1 April 2011, 20 mg to be delisted 1 April 2011, | Ils valid without further re h less than or equal to 5% arthropathy is inadequat contraindicated. | newal unle of normal ely control 50 | ess notified for applications meeti circulating functional clotting fact led by alternative funded treatme V Piram-D |
| Salary Special Aut itial application from a following criteria: If of the following: The patient has ma and The patient has ha Pain and inflamma options, or alternat ROXICAM Tab dispersible 10 m Tab dispersible 20 m Piram-D Tab dispersible Piram-D Tab dispersible Antirheumatoid Au URANOFIN | thority for Subsidy any relevant practitioner. Approva oderate to severe haemophilia wit aemophilic arthropathy; and ation associated with haemophilic tive funded treatment options are g g 10 mg to be delisted 1 April 2011, 20 mg to be delisted 1 April 2011, | Ils valid without further re h less than or equal to 5% arthropathy is inadequat contraindicated. 3.25 | newal unle of normal ely control 50 | ess notified for applications meeti circulating functional clotting fact led by alternative funded treatme V Piram-D |
| SA1034 Special Aut itial application from a re following criteria: ul of the following: The patient has ma and The patient has ha 3 Pain and inflamma options, or alternation PIROXICAM Rab dispersible 10 m, K Tab dispersible 20 m, Piram-D Tab dispersible Piram-D Tab dispersible Microphysical Antirheumatoid Age UURANOFIN Tab 3 mg | hority for Subsidy any relevant practitioner. Approva oderate to severe haemophilia wit aemophilic arthropathy; and ation associated with haemophilic tive funded treatment options are g g 10 mg to be delisted 1 April 2011 20 mg to be delisted 1 April 2011 gents | Ils valid without further re h less than or equal to 5% arthropathy is inadequat contraindicated. 3.25 | newal unle of normal ely control 50 100 | ess notified for applications meeti circulating functional clotting fact led by alternative funded treatme V Piram-D V Piram-D |
| ⇒SA1034 Special Aut itial application from a refollowing criteria: If of the following: 1 The patient has ma and 2 The patient has ha 3 Pain and inflamma options, or alternation PIROXICAM ★ Tab dispersible 10 million ★ Tab dispersible 20 million Piram-D Tab dispersible Piram-D Tab dispersible Piram-D Tab dispersible Mathematoid Age URANOFIN Tab 3 mg EFLUNOMIDE | hority for Subsidy any relevant practitioner. Approva oderate to severe haemophilia wit aemophilic arthropathy; and ation associated with haemophilic tive funded treatment options are g g 10 mg to be delisted 1 April 2011, 20 mg to be delisted 1 April 2011, gents | Is valid without further re h less than or equal to 5% arthropathy is inadequat contraindicated. | newal unle of normal ely control 50 100 60 | ess notified for applications meeti circulating functional clotting fact led by alternative funded treatme |
| →SA1034 Special Aut itial application from a te following criteria: Il of the following: 1 The patient has ma and 2 The patient has ha 3 Pain and inflamma options, or alternat IROXICAM ← Tab dispersible 10 m ← Tab dispersible 20 m Piram-D Tab dispersible Piram-D Tab dispersible Antirheumatoid Act URANOFIN Tab 3 mg EFLUNOMIDE | hority for Subsidy any relevant practitioner. Approva oderate to severe haemophilia wit aemophilic arthropathy; and ation associated with haemophilic tive funded treatment options are g g 10 mg to be delisted 1 April 2011 20 mg to be delisted 1 April 2011 gents | Is valid without further re h less than or equal to 5% arthropathy is inadequat contraindicated. | newal unle of normal ely control 50 100 | ess notified for applications meeti circulating functional clotting fact led by alternative funded treatme |
| Salost Special Aut itial application from a following criteria: Il of the following: 1 The patient has ma and 2 The patient has ha 3 Pain and inflamma options, or alternat IROXICAM Tab dispersible 10 m Tab dispersible 20 m Piram-D Tab dispersible 20 m Piram-D Tab dispersible Cantirheumatoid Ac URANOFIN Tab 3 mg Tab 10 mg Tab 10 mg | hority for Subsidy any relevant practitioner. Approva oderate to severe haemophilia wit aemophilic arthropathy; and ation associated with haemophilic tive funded treatment options are g g 10 mg to be delisted 1 April 2011, 20 mg to be delisted 1 April 2011, gents | Ils valid without further re h less than or equal to 5% arthropathy is inadequat contraindicated. | newal unle of normal ely control 50 100 60 30 | ess notified for applications meeti circulating functional clotting fact led by alternative funded treatme V Piram-D V Piram-D Ridaura AFT-Leflunomide V Arava |
| Salost Special Aut itial application from a following criteria: Il of the following: 1 The patient has ma and 2 The patient has ha 3 Pain and inflamma options, or alternat IROXICAM Tab dispersible 10 m Tab dispersible 20 m Piram-D Tab dispersible 20 m Piram-D Tab dispersible Cantirheumatoid Ac URANOFIN Tab 3 mg Tab 10 mg Tab 10 mg | thority for Subsidy any relevant practitioner. Approva oderate to severe haemophilia wit aemophilic arthropathy; and ation associated with haemophilic tive funded treatment options are g g 10 mg to be delisted 1 April 2011, 20 mg to be delisted 1 April 2011, gents | Is valid without further re h less than or equal to 5% : arthropathy is inadequat contraindicated. | newal unle of normal ely control 50 100 60 | ess notified for applications meeti circulating functional clotting fact led by alternative funded treatme |
| ▶SA1034 Special Aut nitial application from a ne following criteria: I of the following: 1 The patient has ma and 2 The patient has ha 3 Pain and inflamma options, or alternat PIROXICAM ★ Tab dispersible 10 miles ★ Tab dispersible 20 miles Piram-D Tab dispersible 20 miles Piram-D Tab dispersible 20 miles Antirheumatoid Autor URANOFIN Tab 3 mg EFLUNOMIDE Tab 10 mg Tab 20 mg | hority for Subsidy any relevant practitioner. Approva oderate to severe haemophilia wit aemophilic arthropathy; and ation associated with haemophilic tive funded treatment options are g g 10 mg to be delisted 1 April 2011, 20 mg to be delisted 1 April 2011, gents | Ils valid without further re h less than or equal to 5% arthropathy is inadequat contraindicated. | newal unle of normal ely control 50 100 60 30 | ess notified for applications meeti circulating functional clotting fact led by alternative funded treatme V Piram-D V Piram-D Ridaura AFT-Leflunomide V Arava |

| | Subsidy (Manufacturer's Price) \$ | Per | Fully Subsidised | Brand or Generic Manufacturer |
|--|---|----------------|---------------------|-------------------------------------|
| PENICILLAMINE Tab 125 mg Tab 250 mg | | 100 100 | • - | D-Penamine D-Penamine |
| SODIUM AUROTHIOMALATE Inj 10 mg per 0.5 ml Inj 20 mg per 0.5 ml Inj 50 mg per 0.5 ml | | 10 10 10 | ~ I | Ayocrisin Ayocrisin Ayocrisin |
| Tumour Necrosis Factor (TNF) Inhibitors | | | | |
| ADALIMUMAB – Special Authority see SA1059 below – Retail pha Inj 40 mg per 0.8 ml prefilled pen Inj 40 mg per 0.8 ml prefilled syringe | 1,799.92 | 2 2 | • • | lumiraPen lumira |

➡SA1059 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
 - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with at least two of the following (triple therapy): sulphasalazine, prednisone at a dose of at least 7.5 mg per day, azathioprine, intramuscular gold, or hydroxychloroquine sulphate (at maximum tolerated doses); and
 - 2.5 Either:
 - 2.5.1 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of cyclosporin alone or in combination with another agent; or
 - 2.5.2 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of leflunomide alone or in combination with another agent; and
 - 2.6 Either:
 - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
 - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.7 Either:
 - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

| Subsidy (Manufacturer's Price) \$ |) S Per | Fully Subsidised | Brand or Generic Manufacturer | |
|---|------------|---------------------|-------------------------------------|--|
|---|------------|---------------------|-------------------------------------|--|

continued...

- 1 Patient has severe active Crohn's disease; and
- 2 Any of the following:
 - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
 - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
 - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
 - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis; or
- 2 All of the following:
 - 2.1 Either:
 - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
 - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
 - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
 - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
 - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis; or
- 2 All of the following:
 - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
 - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and

| | Subsidy | Fully | Brand or |
|------|--------------------|------------|--------------|
| (Man | ufacturer's Price) | Subsidised | Generic |
| | \$ Per | ~ | Manufacturer |

continued...

- 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
- 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal antiinflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
- 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by a score of at least 1 on each of the lumbar flexion and lumbar side flexion measurements of the Bath Ankylosing Spondylitis Metrology Index (BASMI); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and
- 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm

25-34 years - Male: 7.5 cm; Female: 5.5 cm

35-44 years - Male: 6.5 cm; Female: 4.5 cm

45-54 years - Male: 6.0 cm; Female: 5.0 cm

55-64 years - Male: 5.5 cm; Female: 4.0 cm

65-74 years - Male: 4.0 cm; Female: 4.0 cm

75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
 - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
 - 2.4 Either:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

| Subsidy (Manufacturer's Price) | S | Fully ubsidised | Brand or Generic | |
|-----------------------------------|-----|--------------------|---------------------|--|
| \$ | Per | ~ | Manufacturer | |

continued...

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Either:
 - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
 - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

Renewal — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Either:
 - 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab; or 2.1.2 CDAI score is 150 or less; or
 - 2.2 Both:
 - 2.2 Both
 - 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
 - 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
 - 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
 - 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis; and
 - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot; and
 - 2.2.2 Either:

| | Subsidy (Manufacturer's Price) \$ | Fully Subsidised Per 🖌 | Brand or Generic Manufacturer | |
|--|---|------------------------------|-------------------------------------|--|
|--|---|------------------------------|-------------------------------------|--|

continued...

- 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
- 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.
- Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks of adalimumab treatment, BASDAI has improved by 4 or more points from pre-adalimumab baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
 - 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
 - 2 Either:
 - 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 The patient demonstrates at least a continuing 50% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
 - 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.
- ETANERCEPT Special Authority see SA1060 below Retail pharmacy

| Inj 25 mg | | 4 | Enbrel |
|------------------------|--------------|---|----------------------------|
| Inj 50 mg autoinjector | 1,899.92 | 4 | Enbrel |

SA1060 Special Authority for Subsidy

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
- 3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose); and
- 5 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-15 mg/m² weekly or at the maximum tolerated dose) in combination with one other disease-modifying agent; and

| Subsidy | Fully | Brand or |
|------------------------|------------|--------------|
| (Manufacturer's Price) | Subsidised | Generic |
| \$ | Per 🖌 | Manufacturer |

continued...

6 Both:

- 6.1 Either:
 - 6.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 active, swollen, tender joints; or
 - 6.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
- 6.2 Physician's global assessment indicating severe disease.

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
 - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with at least two of the following (triple therapy): sulphasalazine, prednisone at a dose of at least 7.5 mg per day, azathioprine, intramuscular gold, or hydroxychloroquine sulphate (at maximum tolerated doses); and
 - 2.5 Either:
 - 2.5.1 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of cyclosporin alone or in combination with another agent; or
 - 2.5.2 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of leflunomide alone or in combination with another agent; and
 - 2.6 Either:
 - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
 - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.7 Either:
 - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plaque psoriasis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis; or

| Subsidy (Manufacturer's Price) | Su | Fully bsidised | Brand or Generic | |
|-----------------------------------|-----|-------------------|---------------------|--|
| \$ | Per | ~ | Manufacturer | |

continued...

- 2 All of the following:
 - 2.1 Either:
 - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
 - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
 - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
 - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
 - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. **Initial application — (ankylosing spondylitis)** only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

the following

ither:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or
- 2 All of the following:
 - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
 - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
 - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
 - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal antiinflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
 - 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by a score of at least 1 on each of the lumbar flexion and lumbar side flexion measurements of the Bath Ankylosing Spondylitis Metrology Index (BASMI); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
 - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm

25-34 years - Male: 7.5 cm; Female: 5.5 cm

35-44 years - Male: 6.5 cm; Female: 4.5 cm

45-54 years - Male: 6.0 cm; Female: 5.0 cm

| Subsidy | | Fully | Brand or | |
|------------------------|-----|----------|--------------|--|
| (Manufacturer's Price) | Su | bsidised | Generic | |
| \$ | Per | ~ | Manufacturer | |
| | | | | |

continued...

55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm

75+ vears - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
 - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
 - 2.4 Either:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a named specialist or rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or

| Subsidy (Manufacturer's Price) | | Fully Subsidised | Brand or Generic | |
|-----------------------------------|-----|---------------------|---------------------|--|
| \$ | Per | ~ | Manufacturer | |

continued...

- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis; and
 - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot; and
 - 2.2.2 Either:
 - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.
- Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Following 12 weeks of etanercept treatment, BASDAI has improved by 4 or more points from pre-treatment baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or

| Subsidy | Fully | Brand or |
|------------------------|------------|--------------|
| (Manufacturer's Price) | Subsidised | Generic |
| \$ | Per 🗸 | Manufacturer |

continued...

- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
 - 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 The patient demonstrates at least a continuing 50% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Calcium Homeostasis

Alendronate for Osteoporosis

SA1039 Special Authority for Subsidy

Initial application — (Underlying cause – Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) \geq 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score $\leq~$ -3.0 (see Note); or
- 5 A 10-year risk of hip fracture \geq 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause Osteoporosis).

Initial application — (Underlying cause – glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
 - 2.1 The patient has documented BMD $\geq~$ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score $\leq~$ -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause glucocorticosteroid therapy).

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy (\geq 5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) \geq 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or

| Subsid (Manufacturer | | lly Brand or ed Generic | |
|-------------------------|-----|----------------------------------|--|
| \$ | Per | Manufacturer | |

continued...

- 4 Documented T-Score \leq -3.0 (see Note); or
- 5 A 10-year risk of hip fracture \geq 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause Osteoporosis' criteria).

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence used by National Institute for Health and Clinical Excellence (NICE) guidance indicates that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

| ALENDRONATE SODIUM - Special Authority see | SA1039 on the preceding page - | - Retail p | pharmacy |
|--|--------------------------------|------------|----------|
| Tab 70 mg | | 4 | Fosamax |

Alendronate for Paget's Disease

➡SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
 - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

```
ALENDRONATE SODIUM - Special Authority see SA0949 above - Retail pharmacy
```

| Tab 40 mg1 | 33.00 | 30 | ✓ Fosamax |
|--|-------|-----|--------------------|
| Other Treatments | | | |
| CALCITONIN * Inj 100 iu per ml, 1 ml1 | 10.00 | 5 | ✓ <u>Miacalcic</u> |
| ETIDRONATE DISODIUM * Tab 200 mg Prescribing Guidelines | 23.95 | 100 | ✓ Arrow-Etidronate |

Prescribing Guidelines

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose – 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

| | Subsidy (Manufacturer's Price) \$ | Per | Fully Subsidised | Generic |
|---|---|------|---------------------|---------|
| PAMIDRONATE DISODIUM | | | | |
| Inj 3 mg per ml, 5 ml | | 1 | v | Pamisol |
| Inj 3 mg per ml, 10 ml | | 1 | v | Pamisol |
| Inj 6 mg per ml, 10 ml | 75.00 | 1 | v | Pamisol |
| Inj 9 mg per ml, 10 ml | 112.50 | 1 | ~ | Pamisol |
| ZOLEDRONIC ACID - Special Authority see SA1035 below - Re | | | | |
| Soln for infusion 5 mg in 100 ml | 600.00 1 | 00 m | | Aclasta |

SA1035 Special Authority for Subsidy

Initial application — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications; or
 - 2.5 Preparation for orthopaedic surgery; and
- 3 The patient will not be prescribed more than one infusion in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density $(BMD) \ge 2.5$ standard deviations below the mean normal value in young adults (i.e. T-Score \le -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score \leq -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis); and
- 2 The patient will not be prescribed more than one infusion in a 12-month period.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
 - 2.1 The patient has documented BMD \geq 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - The patient has had a Special Authority approval for alendronate (Underlying cause glucocorticosteroid therapy); and
- 3 The patient will not be prescribed more than one infusion in the 12-month approval period.

Renewal - (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

MUSCULOSKELETAL SYSTEM

| Subsid (Manufacturer | | Fully | Brand or Generic |
|-------------------------|-----|----------|---------------------|
| \$ | Per | v | Manufacturer |

continued...

- 1 Any of the following:
 - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
 - 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
 - 1.3 Symptomatic disease (prescriber determined); and
- 2 The patient will not be prescribed more than one infusion in the 12-month approval period.

The patient may not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents); and
- 2 The patient will not be prescribed more than one infusion in the 12-month approval period.

The patient may not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score \leq -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture \geq 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause Osteoporosis' criteria); and
- 2 The patient will not be prescribed more than one infusion in a 12-month period.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence used by National Institute for Health and Clinical Excellence (NICE) guidance indicates that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

Enzymes

| HYALURONIDASE | | |
|-----------------------|--------|---------|
| Inj 1,500 iu per ml18 | 3.32 1 | 0 |
| (243 | 3.24) | Hvalase |

MUSCULOSKELETAL SYSTEM

| | Subsidy (Manufacturer's Price) \$ | Per | Fully Subsidised | Brand or Generic Manufacturer |
|--|---|------------|---------------------|-------------------------------------|
| Hyperuricaemia and Antigout | | | | |
| ALLOPURINOL | | | | |
| * Tab 100 mg * Tab 300 mg | | 250 100 | _ | po-Allopurinol po-Allopurinol |
| COLCHICINE * Таb 500 µg | 9.60 | 100 | ✓ <u>C</u> | <u>olgout</u> |
| PROBENECID * Tab 500 mg | | 100 | 🗸 Pi | robenecid-AFT |
| Muscle Relaxants | | | | |
| BACLOFEN | | | | |
| * Tab 10 mg | 4.75 | 100 | 🖌 <u>Pa</u> | acifen |
| DANTROLENE SODIUM | | | | |
| * Cap 25 mg | | 100 | • = | antrium |
| * Cap 50 mg | 51.70 | 100 | V Da | antrium |
| ORPHENADRINE CITRATE | | | | |
| Tab 100 mg | | 100 | V N | orflex |
| QUININE SULPHATE | | | | |
| * Tab 200 mg | 15.95 (17.20) | 250 | Q | 200 |
| \$ Safety cap for extemporaneously compounded oral liquid * Tab 300 mg \$ Safety cap for extemporaneously compounded oral liquid | | 500 | √ <u>Q</u> | 300 |

| | Subsidy (Manufacturer's Price) | | Fully Brand or ised Generic |
|--|-----------------------------------|-----|--------------------------------|
| | (Manulacturers Frice) \$ | Per | Manufacturer |
| Agents for Parkinsonism and Related Disorders | | | |
| Dopamine Agonists and Related Agents | | | |
| AMANTADINE HYDROCHLORIDE | | | |
| ▲ Cap 100 mg | | 60 | Symmetrel |
| APOMORPHINE HYDROCHLORIDE | | | |
| ▲ Inj 10 mg per ml, 2 ml | | 5 | Apomine |
| BROMOCRIPTINE MESYLATE | | | |
| * Tab 2.5 mg | | 100 | Apo-Bromocriptine |
| * Cap 5 mg | | | Apo-Bromocriptine |
| ENTACAPONE | | | |
| ▲ Tab 200 mg | | 100 | Comtan |
| LEVODOPA WITH BENSERAZIDE | | | |
| Tab dispersible 50 mg with benserazide 12.5 mg | 10.00 | 100 | ✔ Madopar |
| | | 100 | Dispersible |
| * Cap 50 mg with benserazide 12.5 mg | 8.00 | 100 | Madopar 62.5 |
| * Cap 100 mg with benserazide 25 mg | | | Madopar 125 |
| * Cap long-acting 100 mg with benserazide 25 mg | | | Madopar HBS |
| * Cap 200 mg with benserazide 50 mg | | | Madopar 250 |
| LEVODOPA WITH CARBIDOPA | | | • |
| * Tab 100 mg with carbidopa 25 mg | | 50 | Sindopa |
| ······ | 20.00 | | ✓ Sinemet |
| * Tab long-acting 200 mg with carbidopa 50 mg | | 100 | Sinemet CR |
| * Tab 250 mg with carbidopa 25 mg | | 100 | Sinemet |
| LISURIDE HYDROGEN MALEATE | | | |
| ▲ Tab 200 μg | | 30 | ✓ Dopergin |
| PERGOLIDE | | | |
| ▲ Tab 0.25 mg | | 100 | Permax |
| ▲ Tab 1 mg | | | Permax |
| ROPINIROLE HYDROCHLORIDE | | | |
| Tab 0.25 mg | 6.20 | 84 | ✔ Ropin |
| Tab 1 mg | | | ✓ Ropin |
| ▲ Tab 2 mg | | | Ropin |
| ▲ Tab 5 mg | | 84 | Ropin |
| SELEGILINE HYDROCHLORIDE | | | |
| * Tab 5 mg | | 100 | Apo-Selegiline |
| - | | | Apo-Selegiline |
| | | | S29 S29 |
| TOLCAPONE | | | |
| ▲ Tab 100 mg | | 100 | Tasmar |
| | | | |

| 7.99 36.35 | 60 | | |
|---------------|--|--|------------------------|
| | | | |
| | 5 | | Benztrop Cogentin |
| 31.93 | 250 | ~ [| Disipal |
| 7.40 | 100 | ~ ł | Kemadrin |
| isorders | | | |
| 243.00 | 112 | V) | Cenazine 25 |
| | | | |
| | | | |
| 43.26 | 10 | V F | Pfizer |
| | 10 | • 1 | 11201 |
| | 00 ml | | Vilocaine Viscous |
| | 50 | | (ylocaine |
| | | | (ylocaine |
| | | | (ylocaine (ylocaine |
| | | | (vlocaine |
| | 0 | • / | tyloodino |
| | | | |
| | | | |
| 43.26 | 10 | 🖌 F | Pfizer |
| | rmacy | | |
| | | V E | EMLA |
| 45.00 | 5 | | EMLA |
| | 31.93 7.40 isorders 243.00 43.26 43.26 | 31.93 250 7.40 100 isorders 243.00 112 43.26 10 43.26 10 | |

➡SA0906 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

| | Cubaidu | | Fulle | Brand or |
|--|---------------------------------------|--------------|-------------------|----------------------------|
| | Subsidy (Manufacturer's Pric \$ | e) Su Per | Fully bsidised | Generic Manufacturer |
| Analgesics | | | | |
| For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, pa | age 95 | | | |
| Non-Opioid Analgesics | | | | |
| ASPIRIN | | | | |
| * Tab EC 300 mg | 2.00 | 100 | | |
| | (8.10) | | A | spec 300 |
| * Tab dispersible 300 mg – Up to 30 tab available on a PSO | 2.00 | 100 | ✓ <u>E</u> | thics Aspirin |
| NEFOPAM HYDROCHLORIDE | | | | |
| Tab 30 mg | 23.40 | 90 | 🖌 A | cupan |
| PARACETAMOL | | | | |
| * Tab 500 mg – Up to 30 tab available on a PSO | 9.60 | 1,000 | У <u>Р</u> | harmacare |
| *‡ Oral liq 120 mg per 5 ml | 6.80 | 1,000 ml | ✓ <u>P</u> | aracare Junior |
| a) Up to 200 ml available on a PSO | | | | |
| b) Not in combination | | | 4 - | |
| *‡ Oral liq 250 mg per 5 ml | 7.00 | 1,000 ml | | aracare Double Strength |
| a) Up to 100 ml available on a PSO | | | | |
| b) Not in combination Suppos 125 mg | 7.40 | 20 | | anadol |
| * Suppos 250 mg | | 20 | | anadol |
| * Suppos 500 mg | | 50 | | aracare |
| | | | | |
| Cap 50 mg | 6 95 | 100 | ا ۸ | rrow-Tramadol |
| 1 0 | | 100 | • <u>^</u> | |
| Opioid Analgesics | | | | |
| BUPRENORPHINE HYDROCHLORIDE - Only on a controlled of | trua form | | | |
| Inj 0.3 mg per ml, 1 ml | | 5 | | |
| | (9.38) | | Te | emgesic |
| CODEINE PHOSPHATE | | | | |
| Tab 15 mg | 5.39 | 100 | V P | SM |
| Tab 30 mg | | 100 | V P | SM |
| Tab 60 mg | 17.76 | 100 | 🖌 P | SM |
| DIHYDROCODEINE TARTRATE | | | | |
| Tab long-acting 60 mg | 27.27 | 60 | 🗸 D | HC Continus |
| | | | | |

| | a · · · · | | |
|--|-----------------------------|------------|--|
| | Subsidy | | Fully Brand or |
| | (Manufacturer's Price \$ |) S Per | ubsidised Generic Manufacturer |
| | | | |
| FENTANYL | | | |
| a) Only on a controlled drug form | | | |
| b) No patient co-payment payable | 0.00 | - | |
| Transdermal patch 12.5 µg per hour | | 5 | Mylan Fentanyl Patch |
| Transdermal patch 25 µg per hour | 9.15 | 5 | Mylan Fentanyl Patch |
| Transdermal patch, matrix 25 µg per hour – Special Authority | | | |
| see SA1080 below – Retail pharmacy | | 5 | Durogesic |
| Transdermal patch 50 µg per hour | | 5 | Mylan Fentanyl |
| | | | Patch |
| Transdermal patch, matrix 50 µg per hour – Special Authority | | | |
| see SA1080 below – Retail pharmacy | | 5 | ✓ Durogesic |
| Transdermal patch 75 µg per hour | | 5 | ✓ Mylan Fentanyl |
| | | U U | Patch |
| Transdermal patch, matrix 75 µg per hour – Special Authority | | | |
| see SA1080 below – Retail pharmacy | | 5 | ✓ Durogesic |
| Transdermal patch 100 µg per hour | | 5 | ✓ Mylan Fentanyl |
| | | 0 | Patch |
| Transdermal patch, matrix 100 µg per hour – Special Author- | | | |
| ity see SA1080 below - Retail pharmacy | | 5 | Durogesic |
| (Durogesic Transdermal patch, matrix 25 µg per hour to be delisted | | | · |
| (Durogesic Transdermal patch, matrix 50 µg per hour to be delisted | | | |
| (Durogesic Transdermal patch, matrix 75 µg per hour to be delisted | ed 1 August 2011) | | |
| (Durogesic Transdermal patch, matrix 100 µg per hour to be delis | ted 1 August 2011) | | |
| | | | |
| ► SA1080 Special Authority for Subsidy | | | |
| Notes: Subsidy for patients pre-approved by PHARMAC on 1 Feb | rurary 2011. Approv | als valid | for 6 months. |
| No new approvals will be granted from 1 Februrary 2011. | | | |
| FENTANYL CITRATE | | | |
| a) Only on a controlled drug form | | | |
| b) No patient co-payment payable | | | |
| Inj 50 μg per ml, 2 ml | 6.10 | 5 | Hospira |
| Inj 50 μg per ml, 10 ml | 15.65 | 5 | Hospira |
| METHADONE HYDROCHLORIDE | | | |
| a) Only on a controlled drug form | | | |
| b) No patient co-payment payable | | | |
| c) Extemporaneously compounded methadone will only be re | eimbursed at the rate | e of the o | cheapest form available (methadone |
| powder, not methadone tablets). | | | , |
| d) For methadone hydrochloride oral liquid refer, page 170 | | | |
| Tab 5 mg | | 10 | Methatabs |
| toral liq 2 mg per ml | | 200 ml | ✓ Biodone |
| toral liq 5 mg per ml | | 200 ml | ✓ Biodone Forte |
| Oral liq 10 mg per ml | | 200 ml | ✓ Biodone Extra Forte |
| Inj 10 mg per ml, 1 ml | | 10 | AFT |
| 7 UT 7 | | - | |

| | Subsidy (Manufacturer's F | | Fully Brand or bsidised Generic |
|--|------------------------------|----------------|------------------------------------|
| | (Manulacturer S F \$ | Per Su | Manufacturer |
| ORPHINE HYDROCHLORIDE | | | |
| a) Only on a controlled drug form | | | |
| b) No patient co-payment payable | | | |
| Oral liq 1 mg per ml | 8.84 | 200 ml | RA-Morph |
| Oral liq 2 mg per ml | 11.62 | 200 ml | ✓ <u>RA-Morph</u> |
| Oral liq 5 mg per ml | 14.65 | 200 ml | ✓ <u>RA-Morph</u> |
| Oral liq 10 mg per ml | 21.55 | 200 ml | RA-Morph |
| ORPHINE SULPHATE | | | |
| a) Only on a controlled drug form | | | |
| b) No patient co-payment payable | | | |
| Tab immediate-release 10 mg | 2.80 | 10 | Sevredol |
| Tab long-acting 10 mg | | 10 | LA-Morph |
| Tab immediate-release 20 mg | | 10 | Sevredol |
| Tab long-acting 30 mg | | 10 | ✓ LA-Morph |
| Tab long-acting 60 mg | | 10 | LA-Morph |
| Tab long-acting 100 mg | | 10 | LA-Morph |
| Cap long-acting 10 mg | | 10 | ✓ m-Eslon |
| Cap long-acting 30 mg | | 10 | ✓ m-Eslon |
| Cap long-acting 60 mg | | 10 | ✓ m-Eslon |
| Cap long-acting 100 mg | | 10 | ✓ m-Eslon |
| Cap long-acting 200 mg | | 10 | ✓ m-Eslon |
| Inj 5 mg per ml, 1 ml - Up to 5 inj available on a PSO | | 5 | Mayne |
| Inj 10 mg per ml, 1 ml - Up to 5 inj available on a PSO | | 5 | ✓ Mayne |
| Inj 15 mg per ml, 1 ml - Up to 5 inj available on a PSO | | 5 | Mayne |
| Inj 30 mg per ml, 1 ml - Up to 5 inj available on a PSO | | 5 | Mayne |
| n-Eslon Cap long-acting 200 mg to be delisted 1 July 2011) | | | |
| ORPHINE TARTRATE | | | |
| a) Only on a controlled drug form | | | |
| b) No patient co-payment payable | | | |
| Inj 80 mg per ml, 1.5 ml | 30.00 | 5 | ✓ Hospira |
| Inj 80 mg per ml, 5 ml | | 5 | ✓ Hospira |
| | | 0 | |
| XYCODONE HYDROCHLORIDE | | | |
| a) Only on a controlled drug form | | | |
| b) No patient co-payment payable | | ~~ | |
| Tab controlled-release 5 mg | | 20 | OxyContin |
| Tab controlled-release 10 mg | | 20 | OxyContin |
| Tab controlled-release 20 mg | | 20 | ✓ OxyContin |
| Tab controlled-release 40 mg | | 20 | ✓ OxyContin |
| Tab controlled-release 80 mg | | 20 | OxyContin |
| Cap 5 mg | | 20 | OxyNorm |
| Cap 10 mg | | 20 | OxyNorm |
| Cap 20 mg | | 20 | OxyNorm |
| Oral liq 5 mg per 5 ml | | 250 ml | OxyNorm |
| Inj 10 mg per ml, 1 ml | | 5 | OxyNorm |
| Inj 10 mg per ml, 2 ml | | 5 | OxyNorm |
| rescribing Guideline | | | |
| escribers should note that oxycodone is significantly more | | | |
| ggests that it is reasonable to consider this as a second-line a | agent to be used a | tter morphine. | |
| RACETAMOL WITH CODEINE | | | |

PARACETAMOL WITH CODEINE

| * | Tab paracetamol 5 | 500 mg with cod | eine phosphate 8 mg | 2.45 | 100 | ParaCode |
|---|-------------------|-----------------|---------------------|------|-----|----------|
|---|-------------------|-----------------|---------------------|------|-----|----------|

| | Subsidy (Manufacturer's Price) \$ | Per | Fully Subsidised | Brand or Generic Manufacturer |
|---|---|------------|---------------------|-------------------------------------|
| PETHIDINE HYDROCHLORIDE | | | | |
| a) Only on a controlled drug form | | | | |
| b) No patient co-payment payable Tab 50 mg | 3 20 | 10 | V P | SM |
| Tab 100 mg | | 10 | ✓ P | • • • • |
| Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO | 5.20 | 5 | 🖌 M | ayne |
| Inj 50 mg per ml, 1.5 ml – Up to 5 inj available on a PSO | | 5 | 🖌 M | |
| Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO | 5.50 | 5 | V M | ayne |
| Antidepressants | | | | |
| Cyclic and Related Agents | | | | |
| AMITRIPTYLINE | | | | |
| Tab 10 mg | | 50 | | mirol |
| Tab 25 mg | | 100 | | mitrip |
| Tab 50 mg | 5.20 | 100 | V A | mitrip |
| | 10.00 | 100 | | o |
| Tab 10 mg Tab 25 mg | | 100 100 | | po-Clomipramine po-Clomipramine |
| • | 0.00 | 100 | V A | po-cioimprainine |
| DOTHIEPIN HYDROCHLORIDE Tab 75 mg | 9.75 | 100 | | opress |
| Cap 25 mg | | 100 | | opress |
| DOXEPIN HYDROCHLORIDE | | 100 | • 2 | oproco |
| Cap 10 mg | 5 24 | 100 | 🖌 A | nten |
| Cap 25 mg | | 100 | V A | |
| Cap 50 mg | | 100 | 🖌 A | nten |
| IMIPRAMINE HYDROCHLORIDE | | | | |
| Tab 10 mg | 5.48 | 50 | 🖌 To | ofranil |
| Tab 25 mg | 8.80 | 50 | 🖌 To | ofranil |
| MAPROTILINE HYDROCHLORIDE | | | | |
| Tab 25 mg | 25.06 | 100 | | udiomil |
| Tab 75 mg | 21.01 | 30 | 🖌 Li | udiomil |
| MIANSERIN HYDROCHLORIDE - Special Authority see SA104 | 8 below – Retail pharr | nacy | | |
| Tab 30 mg | 24.86 | 30 | 🖌 To | olvon |

➡SA1048 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

1 Both:

- 1.1 Depression; and
- 1.2 Either:
 - 1.2.1 Co-existent bladder neck obstruction; or
 - 1.2.2 Cardiovascular disease; or
- 2 Both:
 - 2.1 The patient has a severe major depressive episode; and
 - 2.2 Either:
 - 2.2.1 The patient must have had a trial of two different antidepressants and was unable to tolerate the treatments or failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or

continued...

| continued | Subsidy (Manufacturer's Price \$ |) Subs Per | Fully | Brand or Generic |
|--|--|---------------|------------|---------------------------------|
| | \$ | Per | | |
| | | 1.01 | ~ | Manufacturer |
| | | | | |
| 2.2.2 Both: | | | | |
| 2.2.2.1 The patient is currently a hospital in-pat | tient as a result of a | an acute de | oressiv | e episode; and |
| 2.2.2.2 The patient must have had a trial of one | | | er coul | ld not tolerate it or failed to |
| respond to an adequate dose over an a | | | | |
| Renewal from any relevant practitioner. Approvals valid for 2 yea benefiting from treatment. | ars where the treati | nent remair | ns app | ropriate and the patient is |
| NORTRIPTYLINE HYDROCHLORIDE | | | | |
| Tab 10 mg | | 100 | | orpress |
| Tab 25 mg | 14.44 | 180 | ✓ <u>N</u> | orpress |
| Monoamine-Oxidase Inhibitors (MAOIs) - Non Sel | lective | | | |
| PHENELZINE SULPHATE | | | | |
| Tab 15 mg | 95.00 | 100 | 🖌 N | ardil |
| TRANYLCYPROMINE SULPHATE | | | | |
| Tab 10 mg | | 50 | 🖌 Pa | arnate |
| Monoamine-Oxidase Type A Inhibitors | | | | |
| | | | | |
| MOCLOBEMIDE | aida and fluovatina | (maalahami | da hai | na abaut three times mare |
| Note: There is a significant cost differential between mocloben expensive). For depressive syndromes it is therefore more cos | | · | | • |
| ing prescribing moclobemide. | | cathont wi | | |
| Tab 150 mg | 69.23 | 500 | 🗸 A | po-Moclobemide |
| Tab 300 mg | | 100 | | po-Moclobemide |
| Selective Serotonin Reuptake Inhibitors | | | | |
| CITALOPRAM HYDROBROMIDE | | | | |
| * Tab 20 mg | | 84 | / A | rrow-Citalopram |
| ESCITALOPRAM | | | · - | |
| Tab 10 mg | 2.65 | 28 | | oxalate |
| Tab 20 mg | | 28 | | oxalate |
| 0 | | 20 | • | oxulate |
| FLUOXETINE HYDROCHLORIDE * Tab dispersible 20 mg. scored – Subsidy by endorsement | 2.50 | 30 | 🗸 Fi | luov |
| Tab dispersible 20 mg, scored – Subsidy by endorsement Subsidised by endorsement | 2.50 | 30 | • <u>r</u> | luox |
| 1) When prescribed for a patient who cannot swallow wh | nole tablete or cane | iles and the | nroco | ription is andorsed accord- |
| ingly; or | | | picoci | |
| 2) When prescribed in a daily dose that is not a multi | iple of 20 ma in w | hich case t | he pre | scription is deemed to be |
| endorsed. Note: Tablets should be combined with ca | | | | |
| * Cap 20 mg | | 84 | ✓ F | |
| PAROXETINE HYDROCHLORIDE | | | | |
| Tab 20 mg | | 30 | V L | oxamine |
| SERTRALINE | | | | <u> </u> |
| Tab 50 mg | 5.40 | 90 | ~ ^ | rrow-Sertraline |
| Tab 100 mg | | 90 90 | | rrow-Sertraline |
| | | 00 | + A | |

| | Subsidy (Manufacturer's Price) \$ | Per | Fully Subsidised | Brand or Generic Manufacturer |
|--|---|----------|---------------------|---------------------------------------|
| Other Antidepressants | | | | |
| IIRTAZAPINE – Special Authority see SA0994 below – Retail p | pharmacy | | | |
| Tab 30 mg | | 30 | • • | vanza |
| Tab 45 mg | | 30 | ✓ A | vanza |
| SA0994 Special Authority for Subsidy | | | | |
| itial application from any relevant practitioner. Approvals valid | d for 2 years for applica | ations | meeting the | e following criteria: |
| oth: | | | | |
| 1 The patient has a severe major depressive episode; and | | | | |
| 2 Either: | | | | |
| 2.1 The patient must have had a trial of two different a to respond to an adequate dose over an adequate | | | | |
| 2.2 Both: | period of time (usually | alle | ast iour wee | rs), 01 |
| 2.2.1 The patient is currently a hospital in-patient | as a result of an acute | depr | essive eniso | ode: and |
| 2.2.2 The patient must have had a trial of one other | | | | |
| to an adequate dose over an adequate peri | | | | · · · · · · · · · · · · · · · · · · · |
| enewal from any relevant practitioner. Approvals valid for 2 ye | ears where the patient | has a | high risk of | f relapse (prescriber deter |
| ined). | | | | |
| ENLAFAXINE – Special Authority see SA1061 below – Retail | | | | |
| Cap 37.5 mg | | 28 | • = | fexor XR |
| Cap 75 mg | | 28 28 | | fexor XR fexor XR |
| Cap 150 mg | 40.00 | 20 | VE | |
| SA1061 Special Authority for Subsidy | ly registered general | ~~~~+:+ | ionor Ann | rouale valid for O vegra fo |
| itial application only from a relevant specialist or vocational oplications meeting the following criteria: | ly registered general | oraciii | ioner. Appl | rovais valiu for 2 years io |
| oth: | | | | |
| 1 The patient has 'treatment-resistant' depression; and | | | | |
| 2 Either: | | | | |
| 2.1 The patient must have had a trial of two different | antidepressants and | have | had an inad | dequate response from a |

- adequate dose over an adequate period of time (usually at least four weeks); or
- 2.2 Both:
 - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
 - 2.2.2 The patient must have had a trial of one other antidepressant and have had an inadequate response from an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

Antiepilepsy Drugs

Agents for Control of Status Epilepticus

| CLONAZEPAM Inj 1 mg per ml, 1 ml19.00 | 5 | Rivotril | |
|---|---|---------------------------|--|
| DIAZEPAM | | | |
| Inj 5 mg per ml, 2 ml – Subsidy by endorsement9.24 a) Up to 5 inj available on a PSO b) Only on a PSO | 5 | Mayne | |
| c) PSO must be endorsed "not for anaesthetic procedures". | _ | 4.0 | |
| Rectal tubes 5 mg – Up to 5 tube available on a PSO25.05 | 5 | Stesolid | |
| Rectal tubes 10 mg – Up to 5 tube available on a PSO | 5 | Stesolid | |
| | | | |

| | Subsidy (Manufacturer's Price \$ | e) Per | Fully Brand or Subsidised Generic Manufacturer |
|---|--|-----------------|---|
| PARALDEHYDE | | | |
| * Inj 5 ml | 1,500.00 | 5 | 🗸 AFT |
| PHENYTOIN SODIUM | | | |
| * Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO | | 5 | Mayne |
| * Inj 50 mg per ml, 5 ml – Up to 5 inj available on a PSO | 77.27 | 5 | Mayne |
| Control of Epilepsy | | | |
| CARBAMAZEPINE | | | |
| * Tab 200 mg | 14.53 | 100 | ✓ Tegretol |
| * Tab long-acting 200 mg | 16.98 | 100 | Tegretol CR |
| * Tab 400 mg | | 100 | Tegretol |
| * Tab long-acting 400 mg | | 100 | ✓ Tegretol CR |
| *‡ Oral liq 100 mg per 5 ml | | 250 ml | V Tegretol |
| CLOBAZAM | | | |
| Tab 10 mg | | 50 | Frisium |
| ‡ Safety cap for extemporaneously compounded oral liquid | d preparations. | | |
| CLONAZEPAM | | 400 | 4.5 |
| Tab 500 μg | | 100 | ✓ <u>Paxam</u> |
| Tab 2 mg ‡ Oral drops 2.5 mg per ml | | 100 10 ml Ol | ✓ Paxam P ✓ Rivotril |
| | | | |
| ETHOSUXIMIDE | 00.00 | 000 | . Zaventin |
| * Cap 250 mg | | 200 | Zarontin |
| *‡ Oral liq 250 mg per 5 ml | | 200 ml | Zarontin |
| GABAPENTIN – Special Authority see SA1071 below – Retail ph | | 400 | |
| ▲ Cap 100 mg | | 100 | Nupentin |
| Cap 300 mg | | 100 100 | <u>Nupentin</u> Nupentin |
| ▲ Cap 400 mg | 14.70 | 100 | |

SA1071 Special Authority for Subsidy

Initial application — (Epilepsy) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Neuropathic pain) from any relevant practitioner. Approvals valid for 3 months where the patient has tried and failed, or has been unable to tolerate, treatment with a tricyclic antidepressant.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Renewal — (Neuropathic pain) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

| | Subsidy Manufacturer's Pr | ice) Si | Fully bsidised | Brand or Generic |
|---|------------------------------|----------------|-------------------|-----------------------------|
| | \$ | Per | | Manufacturer |
| ABAPENTIN (NEURONTIN) – Special Authority see SA0973 bel | ow – Retail phai | rmacy | | |
| Tab 600 mg | 67.50 | 100 | ~ 1 | Veurontin |
| Cap 100 mg | | 100 | ~ 1 | Veurontin |
| Cap 300 mg | | 100 | ~ 1 | Veurontin |
| Cap 400 mg | | 100 | ~ 1 | Veurontin |
| SA0973 Special Authority for Subsidy tes: Subsidy for patients pre-approved by PHARMAC on 1 Augus new approvals will be granted from 1 August 2009. | st 2009. Approv | als valid with | nout furtl | her renewal unless not |
| | 0.74 | 00 | | amiatal |
| Tab dispersible 2 mg | | 30 | | amictal |
| Tab dispersible 5 mg | | 30 | | amictal |
| T 05 | 15.00 | 56 | | Arrow-Lamotrigine |
| Tab dispersible 25 mg | | 56 | | ogem |
| | 20.40 | | | Arrow-Lamotrigine |
| | | | | Nogine |
| | 29.09 | | | amictal |
| Tab dispersible 50 mg | 32.97 | 56 | | _ogem |
| | 34.70 | | ~ / | Arrow-Lamotrigine |
| | | | ~ ! | logine |
| | 47.89 | | 🖌 🖌 L | .amictal |
| Tab dispersible 100 mg | 56.91 | 56 | 🖌 L | .ogem |
| | 59.90 | | | Arrow-Lamotrigine Mogine |
| | 79.16 | | | _amictal |
| VETIRACETAM | | | | |
| Tab 250 mg | | 60 | 1 | evetiracetam-Rex |
| Tab 500 mg | | 60 | | evetiracetam-Rex |
| Tab 750 mg | | 60 | | evetiracetam-Rex |
| ENOBARBITONE | | 00 | • • | |
| For phenobarbitone oral liquid refer, page 170 | | | | |
| Tab 15 mg | 25.00 | 500 | VE | PSM |
| Tab 30 mg | | 500 | V | |
| 8 | | 000 | • • | |
| ENYTOIN SODIUM | | | | |
| Tab 50 mg | | 200 | | Dilantin Infatab |
| Cap 30 mg | | 200 | | Dilantin |
| Cap 100 mg | | 200 | | Dilantin |
| Oral liq 30 mg per 5 ml | | 500 ml | ~ [| Dilantin |
| IMIDONE | | | | |
| Tab 250 mg | | 100 | V | Apo-Primidone |
| U | | | • • | |
| DIUM VALPROATE | 10.05 | 100 | | |
| Tab 100 mg | | 100 | | Epilim Crushable |
| Tab 200 mg EC | | 100 | | pilim |
| Tab 500 mg EC | | 100 | | pilim |
| Oral liq 200 mg per 5 ml | 20.48 | 300 ml | | Epilim S/F Liquid |
| | 41.50 | | | Epilim Syrup Epilim IV |

| | Subsidy (Manufacturer's Price) \$ | Per | Fully Subsidised | Brand or Generic Manufacturer |
|--|---|-----|---------------------|-------------------------------------|
| | | | | |
| | 11.07 | 60 | 🖌 A | rrow-Topiramate |
| | 26.04 | | 🖌 T | opamax |
| | | 60 | 🖌 A | rrow-Topiramate |
| | 44.26 | | 🖌 T | opamax |
| | | 60 | 🖌 A | rrow-Topiramate |
| | 75.25 | | 🖌 T | opamax |
| | | 60 | 🖌 A | rrow-Topiramate |
| | 129.85 | | 🖌 T | opamax |
| 15 mg | | 60 | 🖌 T | opamax |
| | | 60 | 🖌 T | opamax |
| 15 mg 25 mg pecial Authority see SA1072 below – Reta | | | | 60 🖌 T |
| | | 100 |) |) 🖌 S |

➡SA1072 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

1 Either:

- 1.1 Patient has infantile spasms; or
- 1.2 Both:
 - 1.2.1 Patient has epilepsy; and
 - 1.2.2 Either:
 - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
 - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and
- 2 Either:
 - 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and 2 Either:
 - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin: or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Antimigraine Preparations

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 95

Acute Migraine Treatment

ERGOTAMINE TARTRATE WITH CAFFEINE



100

| | Subsidy | | Ful | |
|--|-------------------------------------|-----------|-------------|-----------------------------|
| | (Manufacturer's Pric \$ | e) Per | Subsidise | ed Generic Manufacturer |
| METOCLOPRAMIDE HYDROCHLORIDE WITH PARACETAMOL | | | | |
| Tab 5 mg with paracetamol 500 mg | | 60 | ~ | Paramax |
| RIZATRIPTAN BENZOATE | | | | |
| Wafer 10 mg | | 3 | ~ | Maxalt Melt |
| SUMATRIPTAN | | | | |
| Tab 50 mg | | 4 | ~ | Arrow-Sumatriptan |
| ů – | 38.83 | 100 | ~ | Arrow-Sumatriptan |
| Tab 100 mg | 1.55 | 2 | | Arrow-Sumatriptan |
| | 77.66 | 100 | | Arrow-Sumatriptan |
| Inj 12 mg per ml, 0.5 ml – Retail pharmacy-Specialist Maximum of 10 inj per prescription | | 2 OP | ~ | Imigran |
| Prophylaxis of Migraine | | | | |
| For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYS | STEM, page 50 | | | |
| CLONIDINE HYDROCHLORIDE | | | | |
| * Tab 25 μg | | 100 | ~ | Dixarit |
| PIZOTIFEN | | | | |
| * Tab 500 μg | | 100 | ~ | Sandomigran |
| Antinausea and Vertigo Agents | | | | |
| | | | | |
| For Antispasmodics refer to ALIMENTARY TRACT, page 26 | | | | |
| APREPITANT – Special Authority see SA0987 below – Retail pha Cap 2 × 80 mg and 1 × 125 mg | | 3 OP | ~ | Emend Tri-Pack |
| | | 0.01 | | |
| SA0987 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals valid : | for 12 months when | ra tha na | ationt is u | nderaaina hiahly emetaaeni |
| chemotherapy and/or anthracycline-based chemotherapy for the t | | | | ndergoing nignly entetogeni |
| Renewal from any relevant practitioner. Approvals valid for 12 mon | | | lergoing h | highly emetogenic chemothe |
| apy and/or anthracycline-based chemotherapy for the treatment o | | | 0 0 | |
| BETAHISTINE DIHYDROCHLORIDE | | | | |
| * Tab 16 mg | 9.26 | 84 | ~ | Vergo 16 |
| CYCLIZINE HYDROCHLORIDE | | | | |
| Tab 50 mg | | 10 | ~ | Nausicalm |
| | | | | |
| Inj 50 mg per ml, 1 ml | 14 95 | 5 | ~ | Nausicalm |
| | | 0 | · · · | Valoid (AFT) |
| Valoid (AFT) Inj 50 mg per ml, 1 ml to be delisted 1 March 2011) | | | - | |
| DOMPERIDONE | | | | |
| * Tab 10 mg | | 100 | ~ | Motilium |
| HYOSCINE (SCOPOLAMINE) – Special Authority see SA0939 b | | | - | |
| | $\Delta \Omega M = Retail nears$ | | | |
| Patch 1.5 mg | | 2 | ~ | Scopoderm TTS |

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease; and

- 2 Patient cannot tolerate or does not adequately respond to oral anti-nausea agents; and
- 3 The applicant must specify the underlying malignancy or chronic disease.

Renewal from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

| | Subsidy (Manufacturer's Price) \$ |) Per | Fully Brand or Subsidised Generic Manufacturer | |
|--|--|----------|--|--|
| YOSCINE HYDROBROMIDE | | | | |
| k Inj 400 μg per ml, 1 ml | 6.66 | 5 | Mayne | |
| IETOCLOPRAMIDE HYDROCHLORIDE | | | | |
| ← Tab 10 mg | 5.15 | 100 | Metamide | |
| Inj 5 mg per ml, 2 ml – Up to 5 inj available on a PSO | 4.50 | 10 | ✓ Pfizer | |
| NDANSETRON | | | | |
| b) Maximum of 6 tab per dispensing; can be waived by Spec c) Not more than one prescription per month; can be waived d) The maximum of 6 tab per dispensing cannot be waived Tab 4 mg | by Special Authority via Access Exemption | see SA | A0887 below. | |
| | 1.70 | 10 | | |
| | (17.18) | | Zofran | |
| Tab disp 4 mg | | 10 | Zofran Zydis | |
| Tab 8 mg | 1.70 | 10 | Dr Reddy's Ondansetron | |
| | 3.40 | 20 | | |
| | (33.89) | | Zofran | |
| Tab disp 8 mg Zofran Tab 4 mg to be delisted 1 May 2011) Zofran Tab 8 mg to be delisted 1 May 2011) | 20.43 | 10 | Zofran Zydis | |

►SA0887 Special Authority for Waiver of Rule

Initial application from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing prolonged treatment with highly emetogenic chemotherapy and/or highly emetogenic radiation therapy for the treatment of malignancy.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing prolonged treatment with highly emetogenic chemotherapy and/or highly emetogenic radiation therapy for the treatment of malignancy.

PROCHLORPERAZINE

| * Tab 3 mg buccal | 5.97 | 50 | |
|---|---------|-----|------------------------------|
| | (15.00) | | Buccastem |
| * Tab 5 mg – Up to 30 tab available on a PSO | 16.85 | 500 | Antinaus |
| * Inj 12.5 mg per ml, 1 ml – Up to 5 inj available on a PSO | 25.81 | 10 | Stemetil |
| * Suppos 25 mg | 23.87 | 5 | Stemetil |
| PROMETHAZINE THEOCLATE | | | |
| * Tab 25 mg | 1.20 | 10 | |
| | (6.24) | | Avomine |
| TROPISETRON | | | |
| a) Maximum of 6 cap per prescription | | | |
| b) Maximum of 3 cap per dispensing | | | |
| c) Not more than one prescription per month. | | | |
| Cap 5 mg | 77.41 | 5 | ✓ Navoban |

| Subsidy | | Fully | Brand or |
|------------------------|-----|------------|--------------|
| (Manufacturer's Price) | : | Subsidised | Generic |
| \$ | Per | ~ | Manufacturer |

Antipsychotics

Guidelines for the use of atypical antipsychotic agents

Diagnosis: Schizophrenia and related psychoses when positive symptoms (delusions, hallucinations and thought disorder) are prominent and/or disabling or when both positive symptoms and negative symptoms (flattened affect, emotional and social withdrawal and poverty of speech) are present. Treatment: Before initiating atypical antipsychotic therapy, physicians should consider whether the patient is likely to respond to and/or tolerate conventional antipsychotic therapy and, where appropriate, trial one or more conventional agent prior to use of an atypical agent.

General

AMISULPRIDE

| Tab 100 mg Tab 200 mg Tab 400 mg Oral liq 100 mg per ml | 97.03 185.44 | 30 60 60 60 ml | ✓ Solian ✓ Solian ✓ Solian ✓ Solian |
|--|-----------------|-------------------------|--|
| ARIPIPRAZOLE - Special Authority see SA0920 below - Retain | | | |
| Tab 10 mg | 123.54 | 30 | Abilify |
| Tab 15 mg | 175.28 | 30 | Abilify |
| Tab 20 mg | 213.42 | 30 | Abilify |
| Tab 30 mg | | 30 | 🖌 Abilify |

SA0920 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Patient is suffering from schizophrenia or related psychoses; and

- 2 Either:
 - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
 - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

CHLORPROMAZINE HYDROCHLORIDE

| Tab 10 mg - Up to 30 tab available on a PSO | 100 100 100 10 | Largactil Largactil Largactil Largactil |
|---|-------------------------|--|
| CLOZAPINE – Hospital pharmacy [HP4] | | |
| Tab 25 mg13.37 | 50 | Clozaril |
| 26.74 | 100 | Clozaril |
| 6.69 | 50 | Clopine |
| 13.37 | 100 | Clopine |
| Tab 50 mg8.67 | 50 | Clopine |
| 17.33 | 100 | Clopine |
| Tab 100 mg34.65 | 50 | Clozaril |
| 69.30 | 100 | Clozaril |
| 17.33 | 50 | Clopine |
| 34.65 | 100 | Clopine |
| Tab 200 mg34.65 | 50 | Clopine |
| 69.30 | 100 | Clopine |
| Suspension 50 mg per ml17.33 | 100 ml | Clopine |
| | | |

| | Subsidy (Manufacturer's Pric \$ | e) Per | Fully Subsidised | |
|--|---------------------------------------|-----------|---------------------|-----------|
| HALOPERIDOL | | | | |
| Tab 500 μg – Up to 30 tab available on a PSO | 5.42 | 100 | V <u>s</u> | Serenace |
| Tab 1.5 mg – Up to 30 tab available on a PSO | 8.20 | 100 | V <u>s</u> | Serenace |
| Tab 5 mg – Up to 30 tab available on a PSO | 25.84 | 100 | V <u>s</u> | Serenace |
| Oral liq 2 mg per ml – Up to 200 ml available on a PSO | 19.87 | 100 m | · ∕ <u>s</u> | Serenace |
| Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO | 18.74 | 10 | V <u>s</u> | Serenace |
| LEVOMEPROMAZINE | | | | |
| Tab 25 mg | | 100 | ~ | Nozinan |
| Tab 100 mg | | 100 | VI | Nozinan |
| Inj 25 mg per ml, 1 ml | | 10 | ~ 1 | Nozinan |
| LITHIUM CARBONATE | | | | |
| Tab 250 mg | 36.10 | 500 | ~ | _ithicarb |
| Tab 400 mg | | 100 | | Lithicarb |
| Tab long-acting 400 mg | | 100 | | Priadel |
| Cap 250 mg | | 100 | | Douglas |
| | | 100 | • | Jougido |
| OLANZAPINE – Special Authority see SA0741 below – Retail pha | , | 00 | | 7 |
| Tab 2.5 mg | | 28 | | Zyprexa |
| Tab 5 mg | | 28 | | Zyprexa |
| Tab 10 mg | 204.49 | 28 | V | Zyprexa |

■SA0741 Special Authority for Subsidy

Initial application only from a psychiatrist. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 Patient presents with first episode schizophrenia or related psychoses; or
- 2 Both:
 - Patient suffering from schizophrenia and related psychoses or acute mania in bipolar disorder who is likely to benefit from antipsychotic treatment; and
 - 2.2 Either:
 - 2.2.1 An effective dose of risperidone had been trialled and has been discontinued because of unacceptable side effects; or
 - 2.2.2 An effective dose of risperidone had been trialled and has been discontinued because of inadequate clinical response after 4 weeks; or
- 3 The patient has suffered from an acute episode of schizophrenia or bipolar mania and has been treated with olanzapine short-acting intra-muscular injection.

Renewal only from a psychiatrist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Initial prescriptions to be written by psychiatrists or psychiatric registrars and subsequent prescriptions can be written by General Practitioners.

PERICYAZINE

| Tab 2.5 mg | 100 | Neulactil |
|------------|-----|-----------|
| Tab 10 mg | 100 | Neulactil |

| | Subsidy | | Fully Brand or |
|----------------------------------|---------------------------------------|-------------|---|
| | (Manufacturer's Price) \$ | Per | Subsidised Generic Manufacturer |
| UETIAPINE | | | |
| Tab 25 mg | 7.00 | 60 | V Dr Reddy's |
| ů – | | | Quetiapine |
| | | | Seroquel |
| | 16.78 | 90 | V Quetapel |
| Tab 100 mg | 14.00 | 60 | ✔ Dr Reddy's |
| Ŭ | | | Quetiapine |
| | | | Seroquel |
| | 32.59 | 90 | V Quetapel |
| Tab 200 mg | | 60 | ✓ Dr Reddy's |
| | | | Quetiapine |
| | | | Seroquel |
| | 56.70 | 90 | Quetapel |
| Tab 300 mg | 40.00 | 60 | 🖌 Dr Reddy's |
| | | | Quetiapine |
| | | | Seroquel |
| | 95.40 | 90 | Quetapel |
| SPERIDONE | | | |
| Tab 0.5 mg | | 60 | Apo-Risperidone |
| | | | ✓ Dr Reddy's |
| | | | Risperidone |
| | | | ✓ Ridal |
| | 5.20 | 20 | Risperdal |
| Tab 1 mg | | 60 | ✓ Apo-Risperidone |
| .~~ | | | ✓ Dr Reddy's |
| | | | Risperidone |
| | | | ✔ Ridal |
| | 30.77 | | Risperdal |
| Tab 2 mg | | 60 | ✓ Apo-Risperidone |
| Ũ | | | ✔ Dr Reddy's |
| | | | Risperidone |
| | | | V Ridal |
| | 61.53 | | Risperdal |
| Tab 3 mg | | 60 | Apo-Risperidone |
| - | | | ✓ Dr Reddy's |
| | | | Risperidone |
| | | | Ridal |
| | | | Risperdal |
| | 92.32 | | |
| Tab 4 mg | | 60 | ✓ Apo-Risperidone |
| Tab 4 mg | | 60 | |
| Tab 4 mg | | 60 | Apo-Risperidone |
| Tab 4 mg | | 60 | ✓ Apo-Risperidone ✓ Dr Reddy's Risperidone ✓ Ridal |
| - | | | ✓ Apo-Risperidone ✓ Dr Reddy's Risperidone ✓ Ridal ✓ Risperdal |
| Tab 4 mg Oral liq 1 mg per ml | | 60 30 ml | Apo-Risperidone Dr Reddy's Risperidone Ridal Risperdal Apo-Risperidone |
| | 20.00 123.05 18.35 | | Apo-Risperidone Dr Reddy's Risperidone Ridal Risperdal Apo-Risperidone Risperon |
| | | | Apo-Risperidone Dr Reddy's Risperidone Ridal Risperdal Apo-Risperidone |
| Oral liq 1 mg per ml | 20.00 123.05 18.35 | | Apo-Risperidone Dr Reddy's Risperidone Ridal Risperdal Apo-Risperidone Risperon |
| Oral liq 1 mg per ml | 20.00 123.05 18.35 45.92 | | Apo-Risperidone Dr Reddy's Risperidone Ridal Risperdal Apo-Risperidone Risperon |
| Oral liq 1 mg per ml | 20.00 123.05 18.35 45.92 | 30 ml | Apo-Risperidone Dr Reddy's Risperidone Ridal Risperdal Apo-Risperidone Risperon Risperdal |

| | Subsidy (Manufacturer's Price) \$ | Per | Fully Subsidised | Brand or Generic Manufacturer |
|---|---|----------|---------------------|-------------------------------------|
| ZIPRASIDONE – Subsidy by endorsement Ziprasidone is subsidised for patients suffering from schizop risperidone or quetiapine that has been discontinued, or is in effects or inadequate response, and the prescription is endors | the process of being | | | |
| Cap 20 mg | | 60 | • - | Zeldox Zeldov |
| Cap 40 mg Cap 60 mg | | 60 60 | | Zeldox Zeldox |
| Cap 80 mg | | 60 | | eldox |
| ZUCLOPENTHIXOL HYDROCHLORIDE | 020100 | | | |
| Tab 10 mg | | 100 | ~ (| Clopixol |
| Depot Injections | | | | |
| FLUPENTHIXOL DECANOATE | | | | |
| Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO | | 5 | 🖌 F | luanxol |
| Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO | | 5 | ✓ F | luanxol |
| Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO | | 5 | 🖌 F | luanxol |
| FLUPHENAZINE DECANOATE | | | | |
| Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSC | D17.60 | 5 | 🖌 N | lodecate |
| Inj 25 mg per ml, 1 ml - Up to 5 inj available on a PSO | 27.90 | 5 | 🖌 N | lodecate |
| Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO | 154.50 | 5 | 🖌 N | lodecate |
| HALOPERIDOL DECANOATE | | | | |
| Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO | | 5 | • • | laldol |
| Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO | 55.90 | 5 | ✓ F | laldol Concentrate |
| PIPOTHIAZINE PALMITATE | | | | |
| Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO | | 10 | | Piportil |
| Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO | 353.32 | 10 | V F | Piportil |
| RISPERIDONE - Special Authority see SA0926 below - Retail pl | harmacy | | | |
| Inj 25 mg per 2 ml | | 1 | | Risperdal Consta |
| Inj 37.5 mg per 2 ml | | 1 | | Risperdal Consta |
| Inj 50 mg per 2 ml | | 1 | V F | Risperdal Consta |

➡SA0926 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient has schizophrenia or other psychotic disorder; and
- 2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

1 Both:

- 1.1 The patient has had less than 12 months treatment with risperidone depot injection; and
- 1.2 There is no clinical reason to discontinue treatment; or
- 2 The initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of risperidone depot injection.

Note: Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone depot injection.

ZUCLOPENTHIXOL DECANOATE

| Inj 200 mg per ml, 1 ml – Up to 5 inj available on a PSO19.80 | 5 | Clopixol |
|---|---|------------------------------|
|---|---|------------------------------|

| | Subsidy (Manufacturer's Price) \$ | Sub Per | Fully osidised | Brand or Generic Manufacturer |
|--|---|----------------|-------------------|---|
| Orodispersible Antipsychotics | | | | |
| OLANZAPINE – Special Authority see SA0739 below – Retail pha Wafer 5 mg Wafer 10 mg | | 28 28 | | yprexa Zydis yprexa Zydis |
| SA0739 Special Authority for Subsidy Initial application only from a psychiatrist. Approvals valid for 1 y All of the following: The patient meets the current criteria for standard olanzapi | ne tablets; and | - | | - |
| The patient is unable to take standard olanzapine tablets, or is non-adherent to oral therapy with standard olanzapine ta The patient is under direct supervision for administration of Renewal only from a psychiatrist. Approvals valid for 1 year for ap Both: | blets; and medicine. | | | |
| The patient is unable to take standard olanzapine tablets, o 2 The patient is under direct supervision for administration of Note: Initial prescriptions to be written by psychiatrists and subs General Practitioners. | medicine. | | | |
| RISPERIDONE – Special Authority see SA0927 below – Retail ph Orally-disintegrating tablets 0.5 mg Orally-disintegrating tablets 1 mg Orally-disintegrating tablets 2 mg | | 28 28 28 | 🖌 R | isperdal Quicklet isperdal Quicklet isperdal Quicklet |
| SA0927 Special Authority for Subsidy Initial application — (Acute situations) from any relevant pract following criteria: Both: | titioner. Approvals va | alid for 6 v | veeks fo | r applications meeting the |
| For a non-adherent patient on oral therapy with standard ris The patient is under direct supervision for administration of Initial application — (Chronic situations) from any relevant pration | medicine. | | | |
| Both: 1 The patient is unable to take standard risperidone tablets o or oral liquid; and | | stabilized | refuses | to take risperidone tablets |
| 2 The patient is under direct supervision for administration of Renewal from any relevant practitioner. Approvals valid for 1 year | | ting the fo | llowing | criteria: |
| Both: 1 The patient is unable to take standard risperidone tablets or or or al liquid; and 2 The patient is under direct supervision for administration of | | stabilized | refuses | to take risperidone tablets |
| 2 The patient is under direct supervision for administration of Note: Risperdal Quicklets cost significantly more than risperidone Anxiolytics | | nly be use | ed where | e necessary. |
| ALPRAZOLAM | | | | |
| Tab 250 µg ‡ Safety cap for extemporaneously compounded oral liquid | | 50 | 🗸 A | rrow-Alprazolam |
| Tab 500 µg ‡ Safety cap for extemporaneously compounded oral liquid | 4.10 | 50 | ✔ A | rrow-Alprazolam |
| Tab 1 mg ‡ Safety cap for extemporaneously compounded oral liquid | 7.25 | 50 | ✔ A | rrow-Alprazolam |

128

| (| Subsidy Manufacturer's Price) \$ | Per | Fully Subsidised | Brand or Generic Manufacturer |
|---|--|---------|---------------------|-------------------------------------|
| BUSPIRONE HYDROCHLORIDE – Special Authority see SA0863 | below – Retail pha | rmacy | | |
| Tab 5 mg | | 100 | 🖌 F | Pacific Buspirone |
| Tab 10 mg | 17.00 | 100 | 🖌 F | Pacific Buspirone |
| SA0863 Special Authority for Subsidy | | | | |
| Initial application from any relevant practitioner. Approvals valid fo | r 2 years for applic | ations | meeting th | e following criteria: |
| Both: | , ,, | | 0 | 0 |
| 1 For use only as an anxiolytic; and | | | | |
| 2 Other agents are contraindicated or have failed. | | | | |
| Renewal from any relevant practitioner. Approvals valid for 2 year | s where the treatm | nent re | emains app | propriate and the patient is |
| benefiting from treatment. | | | | |
| DIAZEPAM | | | | |
| Tab 2 mg | 11.44 | 500 | V | Arrow-Diazepam |
| ‡ Safety cap for extemporaneously compounded oral liquid p | preparations. | | | |
| Tab 5 mg | 13.71 | 500 | V | Arrow-Diazepam |
| ‡ Safety cap for extemporaneously compounded oral liquid p | preparations. | | | |
| LORAZEPAM | | | | |
| Tab 1 mg | 16.42 | 250 | V | tivan |
| ‡ Safety cap for extemporaneously compounded oral liquid p | preparations. | | | |
| Tab 2.5 mg | 11.17 | 100 | V <u>I</u> | Ativan |
| ‡ Safety cap for extemporaneously compounded oral liquid p | preparations. | | | |
| OXAZEPAM | | | | |
| Tab 10 mg | 1.98 | 100 | | |
| | (5.89) | | C | Dx-Pam |
| ‡ Safety cap for extemporaneously compounded oral liquid p | preparations. | | | |
| Tab 15 mg | 2.45 | 100 | | |
| | (8.13) | | (| Dx-Pam |
| ‡ Safety cap for extemporaneously compounded oral liquid p | preparations. | | | |

Multiple Sclerosis Treatments

➡SA1062 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Budget managed by appointed clinicians on the Multiple Sclerosis Treatment Assessments Committee (MSTAC).

Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

| The coordinator | Phone: 04 460 4990 |
|---|---|
| Multiple Sclerosis Treatment Assessment Committee | Facsimile: 04 916 7571 |
| PHARMAC PO Box 10 254 | Email: mstaccoordinator@pharmac.govt.nz |
| | |

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

continued...

| Subsidy (Manufacturer's Price) | | Fully Subsidised | Brand or Generic | |
|-----------------------------------|-----|---------------------|---------------------|--|
| (Manulacturer S Frice) \$ | Per | | Manufacturer | |

continued...

Appeals against MSTAC's decision and/or the processing of any application may be lodged with the MSTAC coordinator. Concerns that cannot be or have not been adequately addressed by MSTAC will be forwarded to a separate Appeal Committee if necessary. Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

Entry Criteria

- Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis should as a rule include MRI confirmation. For patients diagnosed before MRI was widely utilised in New Zealand, confirmation of diagnosis via clinical assessment and laboratory/ancillary data must be provided; and
- 2) patients must have active relapsing MS (confirmed by MR scan where necessary) with or without underlying progression; and
- 3) patients must have either:
 - a) EDSS score 2.5 5.5 with 2+ relapses:
 - experienced at least 2 significant relapses of MS in the previous 12 months, and
 - an EDSS score of between 2.5 and 5.5 inclusive; or
 - b) EDSS score 2.0 with 3+ relapses:
 - experienced at least 3 significant relapses of MS in the previous 12 months, and
 - an EDSS score of 2.0; and
- 4) Each relapse must:
 - a) be confirmed by a neurologist or general physician (the patient may not necessarily have been seen during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) follow a period of stability of at least one month;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke functional systems scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T>37.5°C); and
- 5) applications must be made at least four weeks after the date of the onset of the last known relapse; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate (see criteria for stopping).
- applications must be submitted to the Multiple Sclerosis Treatment Assessment Committee (MSTAC) by the patient's neurologist or a general physician; and
- 8) patients must agree (via informed consent) to co-operate if as a result of their meeting the stopping criteria, funding is withdrawn. Patients must agree to the collection of clinical data relating to their MS and use of those data by PHARMAC; and
- 9) patients must agree to allow clinical data to be collected and reviewed by MSTAC annually for each year in which they receive funding for beta-interferon or glatiramer acetate.

Stopping Criteria

- Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment. Progression
 of disability is defined as any of:
 - a) an increase of 2 EDSS points where starting EDSS was 2.0; or
 - b) an increase of 1.5 EDSS points where starting EDSS was 2.5 or 3.0; or
 - c) an increase of 1 EDSS point where starting EDSS 3.5 or greater; or
 - d) an increase in EDSS score to 6.0 or more; or
- 2) stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) pregnancy and/or lactation; or

continued...

| Subsidy | Fully | Brand or | |
|------------------------|------------|--------------|--|
| (Manufacturer's Price) | Subsidised | Generic | |
| \$ | Per 🖌 | Manufacturer | |

continued...

- 4) within the 12 month approval year, intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate: or
- 5) non-compliance with treatment, including refusal to undergo annual assessment or refusal to allow the results of the assessment to be submitted to MSTAC: or
- 6) patients may, subject to conclusions drawn from published evidence available at the time, be excluded if they develop a high titre of neutralising anti-bodies to beta-interferon or glatiramer acetate.

Note: Patients who have a stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet any of the other Stopping Criteria at annual review may switch to a different class of funded treatment (i.e. patients may switch from either of the beta-interferons [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa). Patients may switch classes of treatment for this reason only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to stable or increasing relapse rate over 12 months of treatment).

| GLATIRAMER ACETATE – Special Authority see SA1062 on page 129 | | 4.5 |
|--|-----|-------------------------------|
| Inj 20 mg prefilled syringe1,089.25 | 28 | Copaxone |
| INTERFERON BETA-1-ALPHA – Special Authority see SA1062 on page 129 | | |
| Inj 6 million iu prefilled syringe1,329.65 | 4 | Avonex |
| Inj 6 million iu per vial1,329.65 | 4 | Avonex |
| INTERFERON BETA-1-BETA – Special Authority see SA1062 on page 129 | | |
| Inj 8 million iu per 1 ml1,322.89 | 15 | Betaferon |
| Sedatives and Hypnotics | | |
| | | |
| LORMETAZEPAM | | |
| | ~ ~ | |

| Tab 1 mg3.11 | 30 | |
|---|----|----------|
| (23.50) | N | loctamid |
| ‡ Safety cap for extemporaneously compounded oral liquid preparations ********************************* | S. | |

MIDAZOLAM

Note: Midazolam injection will be funded if prescribed for intranasal administration for use in palliative care. Note that only the Hypnovel brand is currently indicated for intranasal administration.

| Tab 7.5 mg | | 100 | |
|---|------------------|-----|------------|
| ů – | (25.00) | | Hypnovel |
| ‡ Safety cap for extemporaneously compounded oral liqui | id preparations. | | |
| Inj 1 mg per ml, 5 ml | | 10 | Hypnovel |
| | (14.73) | | Pfizer |
| Inj 5 mg per ml, 3 ml | | 5 | Hypnovel |
| | (19.64) | | Pfizer |
| NITRAZEPAM | | | |
| Tab 5 mg | 2.00 | 100 | |
| C C | (4.98) | | Nitrados |
| ‡ Safety cap for extemporaneously compounded oral liquing | id preparations. | | |
| TEMAZEPAM | | | |
| Tab 10 mg | 0.83 | 25 | ✓ Normison |
| + Safety cap for extemporaneously compounded oral liqui | id preparations | | |

Safety cap for extemporaneously compounded oral liquid preparations.

| | Subsidy (Manufacturer's Price) \$ | Per | Fully Subsidised | Brand or Generic Manufacturer |
|---|---|-----|---------------------|-------------------------------------|
| TRIAZOLAM | | | | |
| Таb 125 µg | 5.10 | 100 | | |
| | (6.50) | | Н | ypam |
| ‡ Safety cap for extemporaneously compounded oral liquid | preparations. | | | |
| Таb 250 µg | 4.10 | 100 | | |
| | (7.20) | | Н | ypam |
| ‡ Safety cap for extemporaneously compounded oral liquid | preparations. | | | |
| ZOPICLONE | | | | |
| Tab 7.5 mg | 21.02 | 500 | ✓ <u>A</u> | po-Zopiclone |
| Stimulants/ADHD Treatments | | | | |
| Stimulants/ADHD treatments | | | | |
| ATOMOXETINE - Special Authority see SA0951 below - Retail p | harmacy | | | |
| Cap 10 mg | 107.03 | 28 | 🗸 S | trattera |
| Cap 18 mg | 107.03 | 28 | 🖌 S | trattera |
| Cap 25 mg | 107.03 | 28 | 🖌 S | trattera |
| Cap 40 mg | 107.03 | 28 | 🗸 S | trattera |
| Cap 60 mg | | 28 | 🖌 S | trattera |
| Cap 80 mg | | 28 | 🖌 S | trattera |
| Cap 100 mg | 139.11 | 28 | 🗸 S | trattera |

SA0951 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
 - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
 - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
 - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamphetamine sulphate tablets.

DEXAMPHETAMINE SULPHATE - Special Authority see SA1073 on the next page - Retail pharmacy

| Only on a controlled drug form | | | |
|--------------------------------|-----|-----|-----|
| Tab 5 mg16. | .50 | 100 | PSM |

| Subsidy | Fully | Brand or |
|------------------------|------------|--------------|
| (Manufacturer's Price) | Subsidised | Generic |
| \$ | Per 🖌 | Manufacturer |

SA1073 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: All of the following:

1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and

2 Diagnosed according to DSM-IV or ICD 10 criteria; and

3 Either:

3.1 Applicant is a paediatrician or psychiatrist; or

3.2 Both:

- 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
- 3.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 Either:

2.1 Applicant is a paediatrician or psychiatrist; or

2.2 Both:

- 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
- 2.2.2 Provide name of the recommending specialist.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE - Special Authority see SA1074 below - Retail pharmacy

| Only on a controlled drug form | | | |
|--------------------------------|-------|-----|------------|
| Tab immediate-release 5 mg | 3.20 | 30 | Rubifen |
| Tab immediate-release 10 mg | | 30 | Ritalin |
| - | | | Rubifen |
| Tab immediate-release 20 mg | 7.85 | 30 | Rubifen |
| Tab sustained-release 20 mg | | 30 | Rubifen SR |
| C C | 50.00 | 100 | Ritalin SR |
| | | | |

SA1074 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or

| Subsidy | Fully | Brand or |
|------------------------|------------|--------------|
| (Manufacturer's Price) | Subsidised | |
| \$ | Per 🖌 | Manufacturer |

continued...

- 3.2 Both:
 - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 3.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Both:
 - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 2.2.2 Provide name of the recommending specialist.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE – Special Authority see SA0924 below – Retail pharmacy

| Only on a | controlled | drug | form |
|-----------|------------|------|------|
|-----------|------------|------|------|

| Tab extended-release 18 mg | 30 | Concerta |
|----------------------------|--------|--------------------------------|
| Tab extended-release 27 mg | 30 | Concerta |
| Tab extended-release 36 mg | 30 | Concerta |
| | 30 | Concerta |
| Cap modified-release 10 mg | 30 | Ritalin LA |
| Cap modified-release 20 mg | 30 | Ritalin LA |
| | 30 | Ritalin LA |
| Cap modified-release 40 mg | 30 | Ritalin LA |

➡SA0924 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Both:
 - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 3.2.2 Provide name of the recommending specialist; and

4 Either:

continued...

| Subsidy (Manufacturer's Price) | 5 | Fully Subsidised | Brand or Generic | |
|-----------------------------------|-----|---------------------|---------------------|--|
| \$ | Per | ~ | Manufacturer | |

continued...

- 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or compliance difficulties; or
- 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

- Both:
 - 1 The treatment remains appropriate and the patient is benefiting from treatment; and
 - 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Both:
 - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 2.2.2 Provide name of the recommending specialist.

Treatments for Dementia

| DONEPEZIL HYDROCHLORIDE | | |
|--|-------------|---------------|
| * Tab 5 mg7.71 | 90 | Donepezil-Rex |
| * Tab 10 mg14.06 | 90 | Donepezil-Rex |
| Treatments for Opioid Overdose | | |
| NALOXONE HYDROCHLORIDE | | |
| a) Up to 5 inj available on a PSO | | |
| b) Only on a PSO | 5 | Mayne |
| | 5 | • Mayne |
| Treatments for Substance Dependence | | |
| BUPROPION HYDROCHLORIDE | | |
| Tab modified-release 150 mg65.00 | 30 | 🗸 Zyban |
| DISULFIRAM | | |
| Tab 200 mg24.30 | 100 | Antabuse |
| NALTREXONE HYDROCHLORIDE - Special Authority see SA0909 below - Reta | il pharmacy | |
| Tab 50 mg | 30 | 🖌 ReVia |
| BASA0000 Special Authority for Subsidy | | |

SA0909 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and

2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

Renewal from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
 - 2.1 Patient is still unstable and requires further treatment; or
 - 2.2 Patient achieved significant improvement but requires further treatment; or
 - 2.3 Patient is well controlled but requires maintenance therapy.

The patient may not have had more than 1 prior approval in the last 12 months.

| | Subsidy (Manufacturer's Pric \$ | e) Per | Fully Subsidised | Generic |
|--|---------------------------------------|-----------|---------------------|----------|
| NICOTINE | | | | |
| Nicotine will not be funded Close Control in amounts less than | 4 weeks of treatm | nent. | | |
| Patch 7 mg | | 7 | V I | Habitrol |
| Patch 14 mg | 11.63 | 7 | V I | Habitrol |
| Patch 21 mg | | 7 | V I | Habitrol |
| Lozenge 1 mg | 11.08 | 36 | V I | Habitrol |
| Lozenge 2 mg | 11.08 | 36 | V I | Habitrol |
| Gum 2 mg (Classic) | | 96 | V I | Habitrol |
| Gum 2 mg (Fruit) | | 96 | V I | Habitrol |
| Gum 2 mg (Mint) | 14.97 | 96 | V I | Habitrol |
| Gum 4 mg (Classic) | | 96 | V I | Habitrol |
| Gum 4 mg (Fruit) | | 96 | V I | Habitrol |
| Gum 4 mg (Mint) | 20.02 | 96 | V I | Habitrol |
| VARENICLINE TARTRATE - Special Authority see SA1054 below | / – Retail pharmac | y | | |
| Tab 1 mg | 67.74 | 28 | ~ (| Champix |
| - | 135.48 | 56 | ~ (| Champix |
| Tab 0.5 mg \times 11 and 1 mg \times 14 | 60.48 | 1 OP | v (| Champix |

SA1054 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 Either:
 - 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
 - 3.2 The patient has tried but failed to quit smoking using bupropion or nortriptyline; and
- 4 The patient has not used funded varenicline in the last 12 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 6 The patient is not pregnant.

Renewal from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 The patient has not used funded varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 5 The patient is not pregnant.

Note: The patient may not have had more than 1 prior approval in the past 12 months.

| | Subsidy (Manufacturer's \$ | Price) Sub Per | sidised | Brand or Generic Manufacturer |
|---|----------------------------------|-------------------|---------|-------------------------------------|
| Chemotherapeutic Agents | | | | |
| Alkylating Agents | | | | |
| BUSULPHAN – PCT – Retail pharmacy-Specialist | | | | |
| Tab 2 mg | | 100 | 🖌 My | eran |
| CARBOPLATIN – PCT only – Specialist | | | | |
| Inj 10 mg per ml, 5 ml | | 1 | | boplatin Ebewe |
| Inj 10 mg per ml, 15 ml | | 1 | | boplatin Ebewe |
| Inj 10 mg per ml, 45 ml | | 1 | | boplatin Ebewe |
| Inj 10 mg per ml, 100 ml | | 1 | | boplatin Ebewe |
| Inj 1 mg for ECP | 0.15 | 1 mg | 🖌 Bax | cter |
| CARMUSTINE – PCT only – Specialist | | | | |
| Inj 100 mg | 204.13 | 1 | 🖌 BiC | NU |
| Inj 100 mg for ECP | 204.13 | 100 mg OP | 🖌 Bax | ter |
| CHLORAMBUCIL – PCT – Retail pharmacy-Specialist | | 0 | | |
| Tab 2 mg | 22.35 | 25 | | ıkeran FC |
| • | 22.00 | 20 | • Let | |
| CISPLATIN – PCT only – Specialist | | | | |
| Inj 1 mg per ml, 50 ml | 15.00 | 1 | | platin Ebewe |
| | 19.00 | | 🖌 Mag | |
| Inj 1 mg per ml, 100 ml | | 1 | | platin Ebewe |
| | 38.00 | | 🖌 Mag | |
| Inj 1 mg for ECP | 0.27 | 1 mg | 🖌 Bax | ter |
| CYCLOPHOSPHAMIDE | | | | |
| Tab 50 mg – PCT – Retail pharmacy-Specialist | | 50 | V Cvo | loblastin |
| Inj 1 g – PCT – Retail pharmacy-Specialist | | 1 | Enc | |
| | 127.80 | 6 | V Cyt | oxan |
| Inj 2 g – PCT only – Specialist | | 1 | ✓ End | |
| Inj 1 mg for ECP – PCT only – Specialist | | 1 mg | V Bay | |
| , , , , | | | | |
| FOSFAMIDE – PCT only – Specialist | 00.00 | | | |
| Inj 1 g | | 1 | ✓ Hol | |
| Inj 2 g | | 1 | ✓ Hol | |
| Inj 1 mg for ECP | 0.10 | 1 mg | 🖌 Bax | tter |
| LOMUSTINE – PCT only – Specialist | | | | |
| Cap 10 mg | 132.59 | 20 | 🖌 Cee | NU |
| Cap 40 mg | | 20 | 🖌 Cee | eNU |
| MELPHALAN | | | | |
| Tab 2 mg – PCT – Retail pharmacy-Specialist | | 25 | 🖌 Alk | eran |
| Inj 50 mg – PCT only – Specialist | | 1 | ✓ Alk | eran |
| , , , , | | | | |
| OXALIPLATIN – PCT only – Specialist – Special Authority s | | | | liniatin Ehaura |
| Inj 50 mg | | 1 | | aliplatin Ebewe |
| la: 100 ma | 200.00 | | ✓ Elo | |
| Inj 100 mg | | 1 | | aliplatin Ebewe |
| | 400.00 | 4. | Elo | |
| Inj 1 mg for ECP | 1.20 | 1 mg | 🖌 Bax | ter |

| (| Subsidy | Fully | Brand or |
|---|-----------------------|------------|--------------|
| | Manufacturer's Price) | Subsidised | Generic |
| · | \$ | Per 🖌 | Manufacturer |

SA0900 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

1 Both:

- 1.1 The patient has metastatic colorectal cancer; and
- 1.2 To be used for first or second line use as part of a combination chemotherapy regimen; or

2 Both:

- 2.1 The patient has stage III (Duke's C) colorectal* cancer; and
- 2.2 Adjuvant oxaliplatin to be given in combination with a fluoropyrimidine (fluorouracil or capecitabine).

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

1 The patient requires continued therapy; or

2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with * are Unapproved Indications, oxaliplatin is indicated for adjuvant treatment of stage III (Duke's C) colon cancer after complete resection of the primary tumour.

THIOTEPA – PCT only – Specialist

| Inj 15 mgCBS | 1 | ✔ Bedford S29 |
|---|------|---|
| Antimetabolites | | |
| CALCIUM FOLINATE | | |
| Tab 15 mg – PCT – Retail pharmacy-Specialist63.89 | 10 | Mayne |
| Inj 3 mg per ml, 1 ml – PCT – Retail pharmacy-Specialist | 5 | Mayne |
| Inj 50 mg – PCT – Retail pharmacy-Specialist24.50 | 5 | Calcium Folinate Ebewe |
| Inj 100 mg – PCT only – Specialist9.75 | 1 | Calcium Folinate Ebewe |
| Inj 300 mg – PCT only – Specialist | 1 | Calcium Folinate Ebewe |
| Inj 1 g – PCT only – Specialist90.00 | 1 | Calcium Folinate Ebewe |
| Inj 1 mg for ECP – PCT only – Specialist0.10 | 1 mg | ✓ Baxter |
| CAPECITABINE - Retail pharmacy-Specialist - Special Authority see SA1049 be | elow | |
| Tab 150 mg115.00 | 60 | ✓ Xeloda |
| Tab 500 mg705.00 | 120 | ✓ Xeloda |

➡SA1049 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has advanced gastrointestinal malignancy; or
- 2 The patient has metastatic breast cancer; or
- 3 The patient has stage III (Duke's stage C) colorectal*# cancer and undergone surgery; or
- 4 Both:
 - 4.1 The patient has stage II (Dukes' stage B) colorectal* cancer and has undergone surgery; and
 - 4.2 Any of the following:
 - 4.2.1 The patient has stage T4 disease; or
 - 4.2.2 The patient has vascular invasion; or

continued...

| | Subsidy (Manufacturer's | Price) Sub | Fully | Brand or Generic |
|---|---------------------------------------|--------------------|------------|-------------------------------|
| | \$ | Per | V | Manufacturer |
| continued | | | | |
| 4.2.3 Fewer than 10 lymph nodes were examine | ed at resection; or | | | |
| 5 All of the following: | | | | |
| 5.1 The patient has locally advanced (clinically or rad | diologically staged | T3/T4: N0,1,2) | rectal c | ancer; and |
| 5.2 Surgery is planned; and | · · · · · · · · · · · · · · · · · · · | | | |
| 5.3 Capecitabine to be given prior to surgery (neoad | | daily in combi | notion y | with radiation tharapy for |
| 5.4 Capecitabine to be given at a maximum dose o maximum of 6 weeks; or | 1 625 mg/m- twice | ally in combi | nation v | with radiation therapy for |
| 6 Both: | | | | |
| 6.1 The patient has poor venous access or needle p | hobia*; and | | | |
| 6.2 The patient requires a substitute for single agent | | | | |
| Note: Indications marked with * are Unapproved Indications, # | capecitabine is app | proved for stage | e III (Duk | e's stage C) colon cance |
| Renewal only from a relevant specialist or medical practitioner | on the recommen | dation of a rele | vant spe | ecialist. Approvals valid f |
| 2 months for applications meeting the following criteria: | | | | |
| Either: | | | | |
| 1 The patient requires continued therapy; or | | | | |
| 2 The tumour has relapsed and requires re-treatment. | | | | |
| CLADRIBINE – PCT only – Specialist Inj 2 mg per ml, 5 ml | 972.00 | 1 | | itak on |
| Inj 1 mg per ml, 10 ml | | 1 7 | | itak s29 eustatin |
| Inj 10 mg for ECP | | , 10 mg OP | | axter |
| , , | | to the of | • • | |
| YTARABINE Inj 100 mg – PCT – Retail pharmacy-Specialist | 76.00 | 5 | 🗸 P | fizor |
| | 80.00 | 5 | | ayne |
| Inj 500 mg – PCT – Retail pharmacy-Specialist | | 1 | V P | • |
| , | 95.36 | 5 | V M | ayne |
| Inj 1 g – PCT – Retail pharmacy-Specialist | | 1 | 🖌 P | fizer |
| | 42.65 | | | ayne |
| Inj 2 g – PCT – Retail pharmacy-Specialist | | 1 | P P | |
| Ini 1 mm few ECD DOT anti- Conscipling | 34.47 | 10 | | ayne |
| Inj 1 mg for ECP – PCT only – Specialist Inj 100 mg intrathecal syringe for ECP – PCT only – Speci | | 10 mg 100 mg OP | | axter axter |
| | alist15.20 | TOO HIG OF | V D | axter |
| LUDARABINE PHOSPHATE – PCT only – Specialist | 007.00 | 00 | | hudene Orel |
| Tab 10 mg Inj 50 mg | | 20 5 | | l <u>udara Oral</u> ludara |
| Inj 50 mg for ECP | | 50 mg OP | | axter |
| , , | 200.00 | So mg Or | • • | uxter |
| LUOROURACIL SODIUM Inj 50 mg per ml, 10 ml – PCT only – Specialist | 26.25 | 5 | | uorouracil Ebewe |
| Inj 50 mg per ml, 20 ml – PCT only – Specialist | | 1 | | luorouracil Ebewe |
| Inj 25 mg per ml, 100 ml – PCT only – Specialist | | 1 | | avne |
| Inj 50 mg per ml, 50 ml – PCT only – Specialist | | 1 | | uorouracil Ebewe |
| Inj 50 mg per ml, 100 ml - PCT only - Specialist | | 1 | | uorouracil Ebewe |
| Inj 1 mg for ECP – PCT only – Specialist | 0.77 | 100 mg | 🖌 В | axter |
| GEMCITABINE HYDROCHLORIDE - PCT only - Specialist | - Special Authority | see SA1012 o | n the ne | ext page |
| lnj 1 g | | 1 | | emcitabine Ebewe |
| | 349.20 | | | emzar |
| Inj 200 mg | | 1 | | emcitabine Ebewe |
| | 78.00 | | | emzar |
| Inj 1 mg for ECP | 0.07 | 1 mg | 🗸 В | axter |

| Subsidy (Manufacturer's Price) | S | , | Brand or Generic | |
|-----------------------------------|-----|---|---------------------|--|
| \$ | Per | ~ | Manufacturer | |

SA1012 Special Authority for Subsidy

Initial application — (Hodgkin's Disease) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has Hodgkin's Disease*; and
- 2 Any of the following:
 - 2.1 Disease has failed to respond to second-line salvage chemotherapy treatment; or
 - 2.2 Disease has relapsed following transplant; or
 - 2.3 The patient is unsuitable for, or intolerant to, second-line salvage chemotherapy or high dose chemotherapy and transplant; and
- 3 Gemcitabine to be given for a maximum of 6 treatment cycles.

Initial application — (T-Cell Lymphoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has T-cell Lymphoma*; and
- 2 Gemcitabine to be given for a maximum of 6 treatment cycles.

Initial application — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 1 The patient has non small cell lung carcinoma (stage Illa, or above); or
- 2 The patient has advanced malignant mesothelioma; or
- 3 The patient has advanced pancreatic carcinoma; or
- 4 The patient has ovarian, fallopian tube* or primary peritoneal carcinoma*; or
- 5 The patient has advanced transitional cell carcinoma of the urothelial tract (locally advanced or metastatic).

Renewal — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with a * are Unapproved Indications.

| IRINOTECAN – PCT only – Specialist – Special Authority see SA0878 below | | |
|---|------|----------------|
| Inj 20 mg per ml, 2 ml41.00 | 1 | Camptosar |
| | | Irinotecan-Rex |
| Inj 20 mg per ml, 5 ml100.00 | 1 | Camptosar |
| | | Irinotecan-Rex |
| Inj 1 mg for ECP1.04 | 1 mg | Baxter |
| | U | |

SA0878 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 The patient has metastatic colorectal cancer; and

2 Either:

- 2.1 To be used for first or second line use as part of a combination chemotherapy regimen; or
- 2.2 As single agent chemotherapy in fluropyrimidine-relapsed disease.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- Either:
 - 1 The patient requires continued therapy; or
 - 2 The tumour has relapsed and requires re-treatment.

MERCAPTOPURINE - PCT - Retail pharmacy-Specialist

| Tab 50 mg | 47.06 | 25 | Purinethol |
|-----------|-------|----|------------|
| | | | |

| | Subsidy | | Fully Brand or |
|--|--|--|---|
| | (Manufacturer's | | sidised Generic |
| | \$ | Per | Manufacturer |
| METHOTREXATE | | | |
| * Tab 2.5 mg – PCT – Retail pharmacy-Specialist | 5.22 | 30 | ✓ Methoblastin |
| * Tab 10 mg – PCT – Retail pharmacy-Specialist | 40.93 | 50 | ✓ Methoblastin |
| Inj 2.5 mg per ml, 2 ml – PCT – Retail pharmacy-Specialis | | 5 | Mayne |
| Inj 25 mg per ml, 2 ml – PCT – Retail pharmacy-Specialis | | 5 | ✓ Hospira |
| Inj 25 mg per ml, 20 ml – PCT – Retail pharmacy-Special | | 1 | ✓ Hospira |
| Inj 100 mg per ml, 10 ml – PCT – Retail pharmacy-Specia | | 1 | Methotrexate Ebewe |
| Inj 100 mg per ml, 50 ml – PCT – Retail pharmacy-Speciali ki lini 1 mg fag 500 – PCT ank, Capacialist | | 1 | Methotrexate Ebewe |
| Inj 1 mg for ECP – PCT only – Specialist Inj 5 mg intrathecal syringe for ECP – PCT only – Special | | 1 mg 5 mg OP | ✓ Baxter✓ Baxter |
| , , , , , , , | 1514.73 | 5 mg OF | Daxier |
| THIOGUANINE – PCT – Retail pharmacy-Specialist | 07.40 | 05 | A 1 1 |
| Tab 40 mg | 97.16 | 25 | Lanvis |
| Other Cytotoxic Agents | | | |
| | | | |
| AMSACRINE – PCT only – Specialist | CDC | 6 | ✓ Amsidine S29 |
| Inj 75 mg | | | |
| ANAGRELIDE HYDROCHLORIDE - PCT only - Specialist - | | | |
| Cap 0.5 mg | CBS | 100 | Agrylin S29 |
| SA0879 Special Authority for Subsidy | | | V Teva S29 |
| Both: 1 The patient has primary thrombocythaemia; and 2 Either: 2.1 is at high risk (previous thromboembolic disease, 2.2 is intolerant or refractory to hydroxyurea or interfe | 0 1 | et count >1500/r | nl); or |
| Renewal only from a relevant specialist or medical practitioner 12 months where the treatment remains appropriate and the pa Note: It is recommended that treatment with anagrelide be initia ARSENIC TRIOXIDE – PCT only – Specialist | on the recommen atient is benefiting ated only on the re | from treatment. | |
| Inj 10 mg | 4,817.00 | 10 | |
| BLEOMYCIN SULPHATE – PCT only – Specialist | | 10 | V AFT S29 |
| | | 10 | AFI S29 |
| Inj 15,000 iu | 120.00 | 1 | DBL Bleomycin Sulfate |
| , , | | | ✓ DBL Bleomycin |
| Inj 15,000 iu | | 1 | ✓ DBL Bleomycin Sulfate |
| Inj 15,000 iu | 9.28 | 1 | ✓ DBL Bleomycin Sulfate |
| Inj 15,000 iu Inj 1,000 iu for ECP COLASPASE (L-ASPARAGINASE) – PCT only – Specialist | 9.28 | 1 1,000 iu | ✓ DBL Bleomycin Sulfate ✓ Baxter |
| Inj 15,000 iu Inj 1,000 iu for ECP COLASPASE (L-ASPARAGINASE) – PCT only – Specialist Inj 10,000 iu Inj 10,000 iu for ECP | 9.28 | 1 1,000 iu 1 | DBL Bleomycin Sulfate Baxter Leunase |
| Inj 15,000 iu Inj 1,000 iu for ECP COLASPASE (L-ASPARAGINASE) – PCT only – Specialist Inj 10,000 iu Inj 10,000 iu for ECP DACARBAZINE – PCT only – Specialist | 9.28 | 1 1,000 iu 1 | DBL Bleomycin Sulfate Baxter Leunase |
| Inj 15,000 iu Inj 1,000 iu for ECP COLASPASE (L-ASPARAGINASE) – PCT only – Specialist Inj 10,000 iu Inj 10,000 iu for ECP | | 1 1,000 iu 1 10,000 iu OP | DBL Bleomycin Sulfate Baxter Leunase Baxter |
| Inj 15,000 iu Inj 1,000 iu for ECP COLASPASE (L-ASPARAGINASE) – PCT only – Specialist Inj 10,000 iu Inj 10,000 iu for ECP DACARBAZINE – PCT only – Specialist Inj 200 mg Inj 200 mg for ECP | | 1 1,000 iu 1 10,000 iu OP 1 | DBL Bleomycin Sulfate Baxter Leunase Baxter Hospira |
| Inj 15,000 iu Inj 1,000 iu for ECP COLASPASE (L-ASPARAGINASE) – PCT only – Specialist Inj 10,000 iu Inj 10,000 iu for ECP DACARBAZINE – PCT only – Specialist Inj 200 mg Inj 200 mg for ECP DACTINOMYCIN (ACTINOMYCIN D) – PCT only – Specialist | | 1 1,000 iu 1 10,000 iu OP 1 | DBL Bleomycin Sulfate Baxter Leunase Baxter Hospira Baxter |
| Inj 15,000 iu Inj 1,000 iu for ECP COLASPASE (L-ASPARAGINASE) – PCT only – Specialist Inj 10,000 iu Inj 10,000 iu for ECP DACARBAZINE – PCT only – Specialist Inj 200 mg Inj 200 mg for ECP | | 1 1,000 iu 1 10,000 iu OP 1 200 mg OP | DBL Bleomycin Sulfate Baxter Leunase Baxter Hospira |

| (| Subsidy Manufacturer's Pri \$ | ce) Su Per | Fully Ibsidised | Brand or Generic Manufacturer |
|---|-------------------------------------|---------------|--------------------|-------------------------------------|
| DAUNORUBICIN – PCT only – Specialist | | | | |
| Inj 2 mg per ml, 10 ml | 118.72 | 1 | 🖌 P | fizer S29 |
| Inj 5 mg per ml, 4 ml | | 1 | 🖌 N | layne |
| Inj 20 mg for ECP | 118.72 | 20 mg OP | 🖌 В | axter |
| DOCETAXEL - PCT only - Specialist - Special Authority see SAG | 880 below | | | |
| Inj 20 mg | 325.00 | 1 | 🖌 D | ocetaxel Ebewe |
| | 460.00 | | 🖌 T | axotere |
| Inj 80 mg | 1,300.00 | 1 | 🖌 D | ocetaxel Ebewe |
| | 1,650.00 | | 🖌 🖌 T | axotere |
| Inj 1 mg for ECP | 17.55 | 1 mg | 🖌 В | axter |

➡SA0880 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

1 Both:

- 1.1 The patient has ovarian*, fallopian* or primary peritoneal cancer*; and
- 1.2 Either:
 - 1.2.1 Has not received prior chemotherapy; or
 - 1.2.2 Has received prior chemotherapy but has not previously been treated with taxanes; or
- 2 The patient has metastatic breast cancer; or
- 3 Both:
 - 3.1 The patient has early breast cancer; and
 - 3.2 Docetaxel is to be given concurrently with trastuzumab; or
- 4 Both:
 - 4.1 The patient has non small-cell lung cancer; and
 - 4.2 Either:
 - 4.2.1 Has advanced disease (stage IIIa or above); or
 - 4.2.2 Is receiving combined chemotherapy and radiotherapy; or
- 5 Both:
 - 5.1 The patient has small-cell lung cancer*; and
 - 5.2 Docetaxel is to be used as second-line therapy.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 The patient has metastatic breast cancer, non small-cell lung cancer, or small-cell lung cancer*; and

- 2 Either:
 - 2.1 The patient requires continued therapy; or
 - 2.2 The tumour has relapsed and requires re-treatment.

Note: indications marked with * are Unapproved Indications.

DOXORUBICIN - PCT only - Specialist

| Inj 10 mg10.00 | 1 | Doxorubicin Ebewe |
|----------------------|------|-------------------|
| Inj 50 mg40.00 | 1 | Doxorubicin Ebewe |
| Inj 100 mg80.00 | 1 | Doxorubicin Ebewe |
| Inj 200 mg | 1 | Doxorubicin Ebewe |
| Inj 1 mg for ECP0.88 | 1 mg | Baxter |

| | Subsidy (Manufacturer's Pric | e) (| Fully Brand or Subsidised Generic |
|---|---------------------------------|--------|--|
| | \$ | Per | Manufacturer |
| EPIRUBICIN – PCT only – Specialist | | | |
| Inj 2 mg per ml, 5 ml | | 1 | Epirubicin Ebewe |
| Inj 2 mg per ml, 25 ml | | 1 | Epirubicin Ebewe |
| Inj 2 mg per ml, 50 ml | | 1 | Epirubicin Ebewe |
| Inj 2 mg per ml, 100 ml | | 1 | Epirubicin Ebewe |
| Inj 1 mg for ECP | | 1 mg | ✓ Baxter |
| , . | | i ing | • Burton |
| ETOPOSIDE | 0.40 70 | ~~ | <i></i> |
| Cap 50 mg – PCT – Retail pharmacy-Specialist | | 20 | Vepesid |
| Cap 100 mg – PCT – Retail pharmacy-Specialist | | 10 | Vepesid |
| Inj 20 mg per ml, 5 ml – PCT – Retail pharmacy-Specialist | | 1 | Mayne |
| | 612.20 | 10 | Vepesid |
| Inj 1 mg for ECP – PCT only – Specialist | 0.30 | 1 mg | Baxter |
| TOPOSIDE PHOSPHATE – PCT only – Specialist | | | |
| Inj 100 mg (of etoposide base) | | 1 | Etopophos |
| Inj 1 mg (of etoposide base) for ECP | 0.47 | 1 mg | ✓ Baxter |
| IYDROXYUREA – PCT – Retail pharmacy-Specialist | | 0 | |
| | 21.76 | 100 | |
| Cap 500 mg | | 100 | Hydrea |
| DARUBICIN HYDROCHLORIDE – PCT only – Specialist | | | |
| Cap 5 mg | 115.00 | 1 | Zavedos |
| Cap 10 mg | 144.50 | 1 | Zavedos |
| Inj 5 mg | | 1 | Zavedos |
| Inj 10 mg | | 1 | Zavedos |
| Inj 1 mg for ECP | | 1 mg | Baxter |
| IESNA – PCT only – Specialist | | • | |
| Tab 400 mg | 210.65 | 50 | Uromitexan |
| Tab 600 mg | | 50 | ✓ Uromitexan |
| Inj 100 mg per ml, 4 ml | | 15 | ✓ Uromitexan |
| Inj 100 mg per ml, 10 ml | | 15 | ✓ Uromitexan |
| Inj 1 mg for ECP | | 100 mg | ✓ Baxter |
| , , | | 100 mg | Dartei |
| IITOMYCIN C – PCT only – Specialist | | | |
| Inj 2 mg | | 10 | Mitomycin-C S29 |
| Inj 5 mg | | 1 | Arrow |
| Inj 10 mg | | 5 | Mitomycin-C S29 |
| Inj 1 mg for ECP | 16.13 | 1 mg | Baxter |
| Mitomycin-C seg Inj 2 mg to be delisted 1 August 2011) | | | |
| Mitomycin-C see Inj 10 mg to be delisted 1 August 2011) | | | |
| IITOZANTRONE – PCT only – Specialist | | | |
| Inj 2 mg per ml, 5 ml | 110.00 | 1 | Mitozantrone Ebewe |
| Inj 2 mg per ml, 10 ml | | 1 | Mitozantrone Ebewe Mitozantrone Ebewe |
| Inj 2 mg per ml, 12.5 ml | | 1 | ✓ Onkotrone |
| | | 1 mg | Baxter |
| Inj 1 mg for ECP | | i iliy | |
| ACLITAXEL – PCT only – Specialist | | | |
| Inj 30 mg | 137.50 | 5 | Paclitaxel Ebewe |
| Inj 100 mg | | 1 | Paclitaxel Ebewe |
| Inj 150 mg | 137.50 | 1 | Paclitaxel Ebewe |
| Inj 300 mg | 275.00 | 1 | Paclitaxel Ebewe |
| Inj 600 mg | 550.00 | 1 | Paclitaxel Ebewe |
| Inj 1 mg for ECP | 1.02 | 1 mg | Baxter |

| | Subsidy (Manufacturer's Price) \$ | Fu Subsidis Per | |
|--|---|-----------------------|-------------|
| PENTOSTATIN (DEOXYCOFORMYCIN) – PCT only – Specialist Inj 10 mg | | 1 | Vipent S29 |
| PROCARBAZINE HYDROCHLORIDE – PCT only – Specialist Cap 50 mg | 225.00 | 50 | Vatulan S29 |
| TEMOZOLOMIDE – Special Authority see SA1063 below – Retail | pharmacy | | |
| Cap 5 mg | | 5 🖌 | Temodal |
| Cap 20 mg | 170.00 | 5 🖌 | Temodal |
| Cap 100 mg | 840.00 | 5 🖌 | Temodal |
| Cap 250 mg | 2,100.00 | 5 🖌 | Temodal |

➡SA1063 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 10 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Patient has newly diagnosed glioblastoma multiforme; or
 - 1.2 Patient has newly diagnosed anaplastic astrocytoma*; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of six cycles of 5 days treatment, at a maximum dose of 200 mg/m².

Notes: Indication marked with a * is an Unapproved Indication. Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme. Reapplications will not be approved.

Studies of temozolomide show that its benefit is predominantly in those patients with a good performance status (WHO grade 0 or 1 or Karnofsky score >80), and in patients who have had at least a partial resection of the tumour.

THALIDOMIDE - PCT only - Specialist - Special Authority see SA0882 below

| Only on a controlled drug form | | |
|--------------------------------|----|-------------|
| Cap 50 mg | 28 | Thalidomide |
| | | Pharmion |

SA0882 Special Authority for Subsidy

Initial application — (for new patients) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- Both:
 - 1 The patient has refractory, progressive or relapsed multiple myeloma; and
 - 2 The patient has received prior chemotherapy.

Initial application — (for patients receiving thalidomide prior to 1 January 2006) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient was receiving treatment with thalidomide for multiple myeloma on or before 31 December 2005.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

TRETINOIN

| Cap 10 mg – PCT – Retail pharmacy-Specialist | 100 | Vesanoid |
|--|------|------------------------------|
| VINBLASTINE SULPHATE | | |
| Inj 10 mg – PCT – Retail pharmacy-Specialist | 1 | Mayne |
| 137.50 | 5 | Mayne |
| Inj 1 mg for ECP – PCT only – Specialist | 1 mg | Baxter |

| | Subsidy (Manufacturer's Price \$ |) Per | Fully Subsidised | d Generic |
|---|--|----------|---------------------|-------------------|
| VINCRISTINE SULPHATE | | | | |
| Inj 1 mg per ml, 1 ml – PCT – Retail pharmacy-Specialist | 108.00 | 5 | ~ | Hospira |
| Inj 1 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist | 116.00 | 5 | ~ | Hospira |
| Inj 1 mg for ECP – PCT only – Specialist | 15.77 | 1 mg | ~ | Baxter |
| VINORELBINE - PCT only - Specialist - Special Authority see S | SA1013 below | | | |
| Inj 10 mg per ml, 1 ml | 24.00 | 1 | ~ | Navelbine |
| | 42.00 | | ~ | Vinorelbine Ebewe |
| Inj 10 mg per ml, 5 ml | 120.00 | 1 | ~ | Navelbine |
| | 210.00 | | ~ | Vinorelbine Ebewe |
| Inj 1 mg for ECP | 2.71 | 1 mg | ~ | Baxter |

➡SA1013 Special Authority for Subsidy

Initial application — (Hodgkin's Disease) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- All of the following:
 - 1 The patient has Hodgkin's Disease*; and
 - 2 Any of the following:
 - 2.1 Disease has failed to respond to second-line salvage chemotherapy treatment; or
 - 2.2 Disease has relapsed following transplant; or
 - 2.3 The patient is unsuitable for, or intolerant to, second-line salvage chemotherapy or high dose chemotherapy and transplant; and
 - 3 Vinorelbine to be given for a maximum of 6 treatment cycles.

Initial application — (T-Cell Lymphoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has T-cell Lymphoma*; and
- 2 Vinorelbine to be given for a maximum of 6 treatment cycles.

Initial application — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has metastatic breast cancer; or
- 2 The patient has non-small cell lung cancer (stage IIIa, or above); or
- 3 All of the following:
 - 3.1 The patient has stage IB-IIIA non-small cell lung cancer; and
 - 3.2 Vinorelbine is to be given as adjuvant treatment in combination with cisplatin; and
 - 3.3 The patient has good performance status (WHO/ECOG grade 0-1).

Renewal — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with a * are Unapproved Indications.

Protein-tyrosine Kinase Inhibitors

DASATINIB - Special Authority see SA0976 on the next page

| Tab 20 mg3,774.06 | 60 | Sprycel |
|--------------------|----|---------|
| Tab 50 mg6,214.20 | 60 | Sprycel |
| Tab 70 mg7,692.58 | 60 | Sprycel |
| Tab 100 mg6,214.20 | 30 | Sprycel |

| | Subsidy (Manufacturer's Price \$ |) Subsi Per | Fully dised | Brand or Generic Manufacturer |
|---|--|----------------|----------------|--|
| SA0976 Special Authority for Subsidy | | | | |
| Special Authority approved by the CML/GIST Co-ordinator | | | | d and a dather should be |
| Notes: Application details may be obtained from PHARM | IAC's website http://www.pl | narmac.govt. | nz, an | d prescriptions should be |
| Sent to: The CML/GIST Co-ordinator Phone: (04) 460 4990 | | | | |
| PHARMAC Facsimile: (04) 916 757 | 71 | | | |
| PO Box 10 254 Email: mary.chesterfie | | | | |
| Wellington | <u> </u> | | | |
| Special Authority criteria for CML - access by applicat | ion | | | |
| a) Funded for patients with diagnosis (confirmed by | a haematologist) of a chro | nic myeloid I | eukae | mia (CML) in blast crisis, |
| accelerated phase, or in chronic phase. | | | | |
| b) Maximum dose of 140 mg/day for accelerated or bl | ast phase, and 100 mg/day | for chronic p | hase C | CML. |
| c) Subsidised for use as monotherapy only. | | | | |
| d) Initial approvals valid seven months. | and an all the shares with | The Content | | - 1' (- ft |
| e) Subsequent approval(s) are granted on application | | | | |
| should provide details of the haematological respo sponse after 14-18 months from initiating therapy. A | | | | |
| and cytogenetic response if such data is available. | | | | |
| a haematologist or an oncologist. | repriorito to bo made an | a cabeequeri | r proot | |
| Note: Dasatinib is indicated for the treatment of adults wit | h chronic, accelerated or bla | ast phase CM | /L with | resistance or intolerance |
| o prior therapy including imatinib. | | | | |
| Guideline on discontinuation of treatment for patients | with CML | | | |
| a) Prescribers should consider discontinuation of trea | | | erapy, | a patient did not obtain a |
| haematological response as defined as any one of | • | | | |
| 1) complete haematologic response (as chara | | | | |
| > 100 \times 10 ⁹ /L, absence of peripheral blo | · · · | ow (BM) bla | sts < | 5% (or FISH Ph+ 0-35% |
| metaphases), and absence of extramedullar 2) no evidence of leukaemia (as characterised | | ount (ANC) | . 10. | $\times 10^9$ /L platolate > 20 \times |
| 10 ⁹ /L, absence of peripheral blood (PB) bla and absence of extramedullary disease); or | | | | |
| 3) return to chronic phase (as characterised by | BM and PB blasts < 15% | RM and PR h | lasts a | and promyelocytes $< 30\%$ |
| PB basophils < 20% and absence of extram | | | | |
| b) Prescribers should consider discontinuation of trea | , | | | , a patient did not obtain a |
| major cytogenetic response defined as 0-35% Ph+ | metaphases. | 0 | | |
| ERLOTINIB HYDROCHLORIDE – Retail pharmacy-Spec | cialist – Special Authority se | e SA1044 be | elow | |
| Tab 100 mg | | 30 | 🖌 Ta | irceva |
| Tab 150 mg | | 30 | 🖌 Ta | irceva |
| SA1044 Special Authority for Subsidy | | | | |
| nitial application only from a relevant specialist or medic | al practitioner on the recom | mendation of | f a rele | evant specialist. Approvals |
| ralid for 4 months for applications meeting the following cr | iteria: | | | |
| All of the following: | | | | |
| 1 Patient has advanced, unresectable, Non Small Ce | | | | |
| 2 Patient has documented disease progression follow | • | platinum bas | ed che | emotherapy; and |
| 3 Erlotinib is to be given for a maximum of 3 months. | | n of a ralava | nt ono | vialist Approvale valid for |
| Renewal only from a relevant specialist or medical practit 6 months where radiological assessment (preferably inclu- | ding CT scan) indicates NS | | | |
| MATINIB MESYLATE – Special Authority see SA0643 or | | | | |
| Tab 100 mg | 2,400.00 | 60 | 🖌 GI | livec |

| Subsidy | | Fully | Brand or |
|------------------------|-----|------------|--------------|
| (Manufacturer's Price) | | Subsidised | Generic |
| \$ | Per | ~ | Manufacturer |

➡SA0643 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <u>http://www.pharmac.govt.nz</u>, and prescriptions should be sent to:

| The CML/GIST Co-ordinator | Phone: (04) 460 4990 |
|---------------------------|--|
| PHARMAC | Facsimile: (04) 916 7571 |
| PO Box 10 254 | Email: mary.chesterfield@pharmac.govt.nz |
| | |

Wellington

Special Authority criteria for CML – access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 600 mg/day for accelerated or blast phase, and 400 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if after 6 months from initiating therapy a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - 1) complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5×10^9 /L, platelets > 100×10^9 /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - 2) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0×10^9 /L, platelets > 20×10^9 /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if after 18 months from initiating therapy a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

Special Authority criteria for GIST - access by application

- a) Funded for patients:
 - with a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST); and
 - 2) who have immunohistochemical documentation of c-kit (CD117) expression by the tumour.
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

SUNITINIB – Special Authority see SA1055 on the next page – Retail pharmacy

| Cap 12.5 mg | 28 | Sutent |
|-------------|--------|--------|
| Cap 25 mg | 28 | Sutent |
| Cap 50 mg | 28 | Sutent |

| Subsidy | | Fully | Brand or |
|------------------------|-----|------------|--------------|
| (Manufacturer's Price) | | Subsidised | Generic |
| \$ | Per | ~ | Manufacturer |
| | | | |

SA1055 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Either:
 - 2.1 The patient is sunitinib treatment naive; or
 - 2.2 The patient received sunitinib prior to 1 November 2010 and disease has not progressed; and
- 3 The patient has good performance status (WHO/ECOG grade 0-1); and
- 4 The disease is of predominant clear cell histology; and
- 5 The patient has intermediate or poor prognosis based on the NCCN clinical practice guidelines for kidney cancer; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.
- Notes: Sunitinib treatment should be stopped if disease progresses.

NCCN clinical practice guidelines for kidney cancer are available at

http://www.nccn.org/professionals/physician_gls/f_guidelines.asp

Endocrine Therapy

| For GnRH ANALOGUES - refer to HORMONE PREPARATIONS, Trophic Hormone | es, page 75 | |
|--|-------------|-------------------------------------|
| BICALUTAMIDE – Special Authority see SA0941 below – Retail pharmacy | | |
| Tab 50 mg27.10 | 30 | ✓ Bicalox |
| SA0941 Special Authority for Subsidy | | |
| Initial application from any medical practitioner. Approvals valid without further | renewal un | less notified where the patient has |
| advanced prostate cancer. | | |
| FLUTAMIDE – Retail pharmacy-Specialist | | |
| Tab 250 mg55.00 | 100 | Flutamin |
| MEGESTROL ACETATE – Retail pharmacy-Specialist | | |
| Tab 160 mg57.92 | 30 | Apo-Megestrol |
| OCTREOTIDE (SOMATOSTATIN ANALOGUE) - Special Authority see SA1016 or | the next pa | age – Retail pharmacy |
| Inj 50 μg per ml, 1 ml25.65 | 5 | ✓ Hospira |
| 43.50 | | Sandostatin |
| lnj 100 μg per ml, 1 ml48.50 | 5 | ✓ Hospira |
| 81.00 | | Sandostatin |
| Inj 500 μg per ml, 1 ml175.00 | 5 | Hospira |
| 399.00 | | Sandostatin |
| Inj LAR 10 mg prefilled syringe | 1 | Sandostatin LAR |
| Inj LAR 20 mg prefilled syringe | 1 | Sandostatin LAR |
| Inj LAR 30 mg prefilled syringe2,951.25 | I | Sandostatin LAR |

| Subsidy | | Fully | Brand or | |
|------------------------|-----|------------|--------------|--|
| (Manufacturer's Price) | S | Subsidised | Generic | |
| `\$ | Per | ~ | Manufacturer | |

►SA1016 Special Authority for Subsidy

Initial application — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea* and vomiting* due to malignant bowel obstruction*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and
- 3 Octreotide to be given at a maximum dose 1500 µg daily for up to 4 weeks.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
 - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
 - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed; or
 - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

Renewal — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

Initial application — **(Other Indications)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 2 Both:
 - 2.1 Gastrinoma; and
 - 2.2 Either:
 - 2.2.1 Patient has failed surgery; or
 - 2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or

3 Both:

- 3.1 Insulinomas; and
- 3.2 Surgery is contraindicated or has failed; or
- 4 For pre-operative control of hypoglycaemia and for maintenance therapy; or

5 Both:

- 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
- 5.2 Disabling symptoms not controlled by maximal medical therapy.

Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item

Renewal — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

| | Subsidy (Manufacturer's Pr \$ | rice) Sul Per | Fully Brand or bsidised Generic Manufacturer |
|---|---|---|--|
| TAMOXIFEN CITRATE * Tab 10 mg * Tab 20 mg | | 100 60 100 | ✓ Genox ✓ Tamoxifen Sandoz ✓ Genox |
| Aromatase Inhibitors | | | |
| ANASTROZOLE Tab 1 mg | | 30 | Aremed Arimidex DP-Anastrozole |
| EXEMESTANE – Additional subsidy by Special Authority see SA1 Tab 25 mg | | ail pharmacy 30 | Aromasin |
| Patient is a postmenopausal woman; and Patient has hormone receptor positive breast cancer; and Any of the following: 3.1 The patient was receiving funded exemestane prior 3.2 The patient has advanced breast cancer and a very 3.3 The patient has advanced breast cancer and disease Renewal from any relevant practitioner. Approvals valid without fur priate and the patient is benefitting from treatment. LETROZOLE | clear history of ir has progressed rther renewal unle | ntolerance to following trea ess notified w | tment with anastrozole or letrozole here the treatment remains appro |
| Tab 2.5 mg | | 30 | ✓ <u>Letara</u> |
| Immunosuppressants Cytotoxic Immunosuppressants | | | |
| AZATHIOPRINE – Retail pharmacy-Specialist * Tab 50 mg – Brand switch fee payable - see page 165 for details | | 100 1 | ✓ <u>Imuprine</u> ✓ Imuran |
| MYCOPHENOLATE MOFETIL – Special Authority see SA1041 o | on the next page - | - Retail pharn er if prescribe 50 | nacy |
| Dispensing pharmacy should check which brand to dispense Tab 500 mg | | 50 | • |
| | 85.00 70.00 85.00 | 100 165 ml OP | Myaccord Cellcept Myaccord Cellcept |

| | Subsidy (Manufacturer's Prio \$ | ce) Su Per | Fully Ibsidised | Brand or Generic Manufacturer |
|--|---------------------------------------|---------------|--------------------|-------------------------------------|
| ►SA1041 Special Authority for Subsidy | | | | |
| Initial application only from a relevant specialist or medical | practitioner on the recor | nmendatio | n of a rele | evant specialist. Approvals |
| valid without further renewal unless notified for applications n | neeting the following cri | teria: | | |
| Either: | | | | |
| 1 Transplant recipient; or 2 Both: | | | | |
| 2 Doun. Patients with diseases where | | | | |
| 2.1 Steroids and azathioprine have been trialled a | nd discontinued becau | se of unaco | ceptable | side effects or inadequate |
| clinical response; and | | | • | |
| 2.2 Either: | | | | |
| Patients with diseases where | | | | |
| 2.2.1 Cyclophosphamide has been trialled ar clinical response; or | id discontinued becaus | se of unacc | eptable | side effects or inadequate |
| 2.2.2 Cyclophosphamide treatment is contrain | dicated | | | |
| Immune Modulators | aloutou | | | |
| | | | | |
| ANTITHYMOCYTE GLOBULIN (EQUINE) - PCT only - Sp | ecialist | | | |
| Inj 50 mg per ml, 5 ml | 2,137.50 | 5 | 🖌 A | TGAM |
| BACILLUS CALMETTE-GUERIN (BCG) VACCINE - PCT o | nly – Specialist | | | |
| Subsidised only for bladder cancer. | | | | |
| Inj 2-8 \times 100 million CFU | | 1 | √ 0 | ncoTICE |
| RITUXIMAB - PCT only - Specialist - Special Authority se | | | | |
| Inj 100 mg per 10 ml vial | | 2 | | labthera |
| Inj 500 mg per 50 ml vial | | 1 | | labthera |
| Inj 1 mg for ECP | 6.27 | 1 mg | V B | axter |

➡SA1050 Special Authority for Subsidy

Initial application — (**Post-transplant**) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: Fither

- 1 Both:
 - 1.1 The patient has indolent low grade NHL with relapsed disease following prior chemotherapy; and
 - 1.2 To be used for a maximum of 6 treatment cycles; or
- 2 Both:
 - 2.1 The patient has indolent, low grade lymphoma requiring first-line systemic chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. Rituximab is not funded for Chronic lymphocytic leukaemia/small lymphocytic lymphoma.

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Fither:

1 All of the following:

1.1 The patient has treatment naive aggressive CD20 positive NHL; and

continued...

| | bsidy Ful urer's Price) Subsidise | , |
|---------------------------------------|--------------------------------------|----------------------------------|
| · · · · · · · · · · · · · · · · · · · | \$ Per • | Manufacturer |

continued...

1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and

1.3 To be used for a maximum of 8 treatment cycles; or

2 Both:

- 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
- 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Renewal — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. Rituximab is not funded for Chronic lymphocytic leukaemia/small lymphocytic lymphoma

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

TRASTUZUMAB - PCT only - Specialist - Special Authority see SA1017 below

| Inj 150 mg vial1,350.00 | 1 | Herceptin |
|-------------------------|------|-------------------------------|
| Inj 440 mg vial | 1 | Herceptin |
| Inj 1 mg for ECP9.36 | 1 mg | Baxter |

➡SA1017 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the patient has metastatic breast cancer expressing HER-2 IHC 3+ or FISH+.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has metastatic breast cancer; and
- 2 The cancer has not progressed.

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria: All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:

continued...

continued...

- 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
- 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
- 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
- 3.4 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Note: For patients with previous Special Authority approvals for a maximum cumulative dose of 20mg/kg (9 weeks treatment) granted after 1 April 2009 the approval period has been extended to allow claims for a maximum cumulative dose of 106mg/kg (12 months treatment).

Other Immunosuppressants

| CYCLOSPORIN | | | |
|---|----------|----------|----------|
| Cap 25 mg | | 50 | Neoral |
| Cap 50 mg | 118.54 | 50 | Neoral |
| Cap 100 mg | 237.08 | 50 | Neoral |
| Oral liq 100 mg per ml | 264.17 | 50 ml OP | Neoral |
| SIROLIMUS – Special Authority see SA0866 below – Retail pharm | acy | | |
| Tab 1 mg | 813.00 | 100 | Rapamune |
| Tab 2 mg | 1,626.00 | 100 | Rapamune |
| Oral liq 1 mg per ml | 487.80 | 60 ml OP | Rapamune |
| | | | |

SA0866 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR<30 ml/min; or
- · Rapidly progressive transplant vasculopathy; or
- · Rapidly progressive obstructive bronchiolitis; or
- . HUS or TTP; or
- Leukoencepthalopathy; or
- Significant malignant disease

TACROLIMUS - Special Authority see SA0669 below - Retail pharmacy

| Cap 0.5 mg214.00 | 100 | Prograf |
|------------------|-----|---------|
| Cap 1 mg | 100 | Prograf |
| Cap 5 mg1,070.00 | 50 | Prograf |

■SA0669 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Note: Subsidy applies for either primary or rescue therapy.

| Manufacture's Price Fully Brand of Generic Antiallergy Preparations Subaidabia Subaidabia BEE VENOM ALLERGY TREATMENT – Special Authority see SA0053 below – Retail pharmacy Maintenace Maintenace kit – Svials 120 up freeze dried venom, 6 diluent 1.8 ml 285.00 1.0 P ✓ Albay Treatment kit – 1 vial 50 up freeze dried venom, 1 diluent 285.00 1.0 P ✓ Albay ■Sou0303 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both: 1 RAST or skin test positive; and 2 2 Patient has had severe generalised reaction to the sensitising agent. Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. MASP VENOM ALLERGY TREATMENT – Special Authority see SA0053 below – Retail pharmacy Treatment kit (Paper wasy precialist. Approvals valid for 2 years for applications meeting the following criteria: Bothay Petsodala venom, 1 diluent 1.8 ml | | 0.1.11 | | |
|--|--|------------------------------|----------------|-------------------------------------|
| S Per ✓ Manufacturer Antiallergy Preparations BEE VENOM ALLERGY TREATMENT – Special Authority see SA0053 below – Retail pharmacy Maintenance kit - 6 vials 120 µg freeze dried venom, 1 diluent 200 1 OP ✓ Albay Treatment kit - 1 vial 550 µg freeze dried venom, 1 diluent 285.00 1 OP ✓ Albay Imitial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Bohn Bohn 2 Patient has had severe generalised reaction to the sensitising agent. Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. WASP VENOM ALLERGY TREATMENT – Special Authority see SA0053 below – Retail pharmacy Treatment kit (Pater wasp venom) - 1 vial 550 µg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml 285.00 1 OP ✓ Albay Periodicity for Subsidy Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Bohn Teatment kit (Pater wasp venom) - 1 vial 550 µg freeze 1 OP ✓ Albay Periodicity for Subsidy Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Bohn Teating thas ha | | Subsidy (Manufacturer's P | rice) Sul | Fully Brand or bsidised Generic |
| BEE VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Retail pharmacy Maintenance kit - 6 vials 120 µg freeze dried venom, 6 diluent 1 OP ✓ Albay Teatment kit - 1 vial 550 µg freeze dried venom, 1 diluent 285.00 1 OP ✓ Albay Image: Solution of the second stress of the second stresecond stresecond stress of the second stress of the | | | | |
| Maintenance kit - 6 vials 120 µg freeze dried venom, 6 diluent 285.00 1 OP ✓ Albay Treatment kit - 1 vial 550 µg freeze dried venom, 1 diluent 285.00 1 OP ✓ Albay Initial application only form a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Initial application only form a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. WASP VENOM ALLERGY TREATMENT – Special Authority see SA0053 below – Retail pharmacy Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 18 ml 250.00 1 OP ✓ Albay Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze 0 1 OP ✓ Albay | Antiallergy Preparations | | | |
| Maintenance kit - 6 vials 120 µg freeze dried venom, 6 diluent 285.00 1 OP ✓ Albay Treatment kit - 1 vial 550 µg freeze dried venom, 1 diluent 285.00 1 OP ✓ Albay Initial application only form a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Initial application only form a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. WASP VENOM ALLERGY TREATMENT – Special Authority see SA0053 below – Retail pharmacy Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 18 ml | BEE VENOM ALLERGY TREATMENT - Special Authority see S | A0053 below – B | Retail pharmac | :V |
| 1.8 ml | | | | ·) |
| 9 ml, 3 diluent 1.8 ml | 10 | | 1 OP | 🖌 Albay |
| ■>SA0033 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both: 1 PAST or skin test positive; and 2 Patient has had severe generalised reaction to the sensitising agent. Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. WASP VENOM ALLERGY TREATMENT – Special Authority see SA0053 below – Retail pharmacy Treatment kit (Plow jacket venom) - 1 vial 550 µg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml | Treatment kit - 1 vial 550 µg freeze dried venom, 1 diluen | t | | - |
| Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both: 1 RAST or skin test positive; and 2 Patient has had severe generalised reaction to the sensitising agent. Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. WASP VENOM ALLERGY TREATMENT – Special Authority see SA0053 below – Retail pharmacy Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried polisiter venom, 1 diluent 9 ml, 1 diluent 1.8 ml 285.00 1 OP ✓ Albay Ireatment kit (Yellow jacket venom) - 1 vial 550 µg freeze 1 OP ✓ Albay Iritial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both: 1 RAST or skin test positive; and 2 Patient has had severe generalised reaction to the sensitising agent. Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. Antihistamines CETIRIZINE HYDROCHLORIDE * Tab Io ng * Tab Io ng * Tab 2 mg (1,02) Polaramine (2,02) 40 (7.99) Polaramine | 9 ml, 3 diluent 1.8 ml | | 1 OP | Albay |
| Both: 1 PAST or skin test positive; and 2 Patient has had severe generalised reaction to the sensitising agent. Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. WASP VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Retail pharmacy Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml | | | | |
| 1 PAST or skin test positive; and 2 Patient has had severe generalised reaction to the sensitising agent. Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. WASP VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Retail pharmacy Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried polisiter venom, 1 diluent 9 ml, 1 diluent 18 ml | | d for 2 years for a | pplications me | eeting the following criteria: |
| 2 Patient has had severe generalised reaction to the sensitising agent. Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. WASP VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Retail pharmacy Treatment kit (Paper wasp venom) - 1 vial 550 up freeze dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml | | | | |
| Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. WASP VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Retail pharmacy Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml | | sing agent | | |
| benefiting from treatment. WASP VENOM ALLERGY TREATMENT – Special Authority see SA0053 below – Retail pharmacy Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried polister venom, 1 diluent 18 ml | • | | reatment rema | ains appropriate and the patient is |
| Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried 1 OP ✓ Albay polister venom, 1 diluent 1.8 ml | , | | | |
| Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried 1 OP ✓ Albay polister venom, 1 diluent 1.8 ml | WASP VENOM ALLERGY TREATMENT - Special Authority see | SA0053 below - | Retail pharm | acy |
| Treatment kit (Yellow jacket venom) - 1 vial 550 µg freeze dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml | | | | , |
| dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml | polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml | | 1 OP | 🖌 Albay |
| SA0053 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both: 1 RAST or skin test positive; and 2 Patient has had severe generalised reaction to the sensitising agent. Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. Antihistamines CETIRIZINE HYDROCHLORIDE * Tab 10 mg 2.21 100 2etop *‡ Oral liq 1 mg per ml .3.50 200 ml 200 ml 201 visition of the sensition of the sensitisming agent. CHLORPHENIRAMINE MALEATE *‡ Oral liq 2 mg per 5 ml .1.01 20 (4.93) Polaramine 2.02 40 (7.99) Polaramine 2.02 40 (10.29) Polaramine 4.34 20 *‡ Oral liq 2 mg per 5 ml .1.177 100 ml (10.29) Polaramine 4.34 20 *‡ Tab 60 mg | | | | |
| Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both: 1 RAST or skin test positive; and 2 Patient has had severe generalised reaction to the sensitising agent. Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. Antihistamines CETIRIZINE HYDROCHLORIDE ** Tab 10 mg 2.21 W* Tab 10 mg 2.21 CHLORPHENIRAMINE MALEATE ** Tab 2 mg 8.06 Stor skin use per 5 ml 8.06 DEXTROCHLORPHENIRAMINE MALEATE ** Tab 2 mg 1.01 2.02 40 (7.99) Polaramine 2.02 40 (7.99) Polaramine 2.02 40 (7.99) Polaramine 1.77 100 ml (10.29) Polaramine *** Tab 120 mg * Tab 120 mg (11.53) * Tab 120 mg 14.22 30 Telfast | dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml | | 1 OP | Albay |
| Both: 1 RAST or skin test positive; and 2 Patient has had severe generalised reaction to the sensitising agent. Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. Antihistamines CETIRIZINE HYDROCHLORIDE * Tab 10 mg | | | | |
| 1 RAST or skin test positive; and 2 Patient has had severe generalised reaction to the sensitising agent. Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. Antihistamines CETIRIZINE HYDROCHLORIDE * Tab 10 mg | | d for 2 years for a | pplications me | eeting the following criteria: |
| 2 Patient has had severe generalised reaction to the sensitising agent. Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. Antihistamines CETIRIZINE HYDROCHLORIDE * Tab 10 mg ** Tab 10 mg 2.21 100 ✓ Zetop ** Tab 10 mg 2.21 100 ✓ Zetop ** Cral liq 1 mg per ml 3.50 200 ml ✓ Cetirizine - AFT CHLORPHENIRAMINE MALEATE ** Tab 2 mg 1.01 20 (4.93) Polaramine 2.02 40 (7.99) Polaramine 2.02 40 ** Tab 2 mg 1.77 100 ml 10.29 Polaramine ** Tab 60 mg 4.34 20 11.53) Telfast ** Tab 120 mg 4.74 10 11.53) Telfast <td< td=""><td></td><td></td><td></td><td></td></td<> | | | | |
| Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. Antihistamines CETIRIZINE HYDROCHLORIDE ** Tab 10 mg 2.21 100 ✓ Zetop ** Tab 10 mg 2.21 100 ✓ Zetop ** Tab 10 mg | | sing agent | | |
| Antihistamines CETIRIZINE HYDROCHLORIDE ** Tab 10 mg 2.21 100 ✓ Zetop **‡ Oral liq 1 mg per ml 3.50 200 ml ✓ Cetirizine - AFT CHLORPHENIRAMINE MALEATE ** Yet Oral liq 2 mg per 5 ml * Antihistamine DEXTROCHLORPHENIRAMINE MALEATE ** Tab 2 mg 1.01 20 (4.93) Polaramine 2.02 40 (7.99) Polaramine 2.02 40 (10.29) Polaramine 1.01 20 ** Tab 60 mg 4.34 20 1.153) Telfast ** Tab 120 mg (11.53) Telfast 14.22 30 | 5 | 0 0 | reatment rema | ains appropriate and the patient is |
| CETIRIZINE HYDROCHLORIDE ** Tab 10 mg | benefiting from treatment. | | | |
| ** Tab 10 mg | Antihistamines | | | |
| **‡ Oral liq 1 mg per ml | CETIRIZINE HYDROCHLORIDE | | | |
| CHLORPHENIRAMINE MALEATE *‡ Oral liq 2 mg per 5 ml DEXTROCHLORPHENIRAMINE MALEATE * Tab 2 mg (4.93) Polaramine 2.02 40 (7.99) Polaramine *‡ Oral liq 2 mg per 5 ml 1.77 100 ml (10.29) Polaramine FEXOFENADINE HYDROCHLORIDE * Tab 60 mg 4.34 20 (11.53) Telfast * Tab 120 mg 4.74 (11.53) Telfast 14.22 30 | * Tab 10 mg | 2.21 | 100 | ✓ <u>Zetop</u> |
| *‡ Oral liq 2 mg per 5 ml 8.06 500 ml ✓ Histafen DEXTROCHLORPHENIRAMINE MALEATE 1.01 20 * Tab 2 mg (4.93) Polaramine 2.02 40 (7.99) Polaramine * ‡ Oral liq 2 mg per 5 ml 1.77 100 ml (10.29) Polaramine 100 ml * Tab 60 mg 4.34 20 (11.53) Telfast * Tab 120 mg 4.74 10 (11.53) Telfast 14.22 30 | *‡ Oral liq 1 mg per ml | 3.50 | 200 ml | Cetirizine - AFT |
| DEXTROCHLORPHENIRAMINE MALEATE * Tab 2 mg 1.01 20 (4.93) Polaramine 2.02 40 (7.99) Polaramine *‡ Oral liq 2 mg per 5 ml 1.77 100 ml (10.29) Polaramine FEXOFENADINE HYDROCHLORIDE 4.34 20 * Tab 60 mg 4.34 20 (11.53) Telfast * Tab 120 mg 4.74 10 (11.53) Telfast 14.22 30 | CHLORPHENIRAMINE MALEATE | | | |
| * Tab 2 mg 1.01 20 (4.93) Polaramine 2.02 40 (7.99) Polaramine *‡ Oral liq 2 mg per 5 ml 1.77 100 ml (10.29) Polaramine FEXOFENADINE HYDROCHLORIDE * Tab 60 mg 4.34 20 (11.53) Telfast * Tab 120 mg 4.74 10 (11.53) Telfast 14.22 30 | *‡ Oral liq 2 mg per 5 ml | 8.06 | 500 ml | Histafen |
| (4.93) Polaramine 2.02 40 (7.99) Polaramine *‡ Oral liq 2 mg per 5 ml 1.77 100 ml (10.29) FEXOFENADINE HYDROCHLORIDE Polaramine * Tab 60 mg 4.34 20 (11.53) Telfast * Tab 120 mg 4.74 10 (11.53) Telfast 14.22 30 | DEXTROCHLORPHENIRAMINE MALEATE | | | |
| 2.02 40 (7.99) Polaramine *‡ Oral liq 2 mg per 5 ml 1.77 100 ml (10.29) Polaramine FEXOFENADINE HYDROCHLORIDE 4.34 20 (11.53) Telfast * Tab 120 mg 4.74 10 (11.53) Telfast 14.22 30 | * Tab 2 mg | 1.01 | 20 | |
| (7.99) Polaramine **‡ Oral liq 2 mg per 5 ml 1.77 100 ml (10.29) Polaramine FEXOFENADINE HYDROCHLORIDE 4.34 20 (11.53) Telfast * Tab 120 mg 4.74 10 (11.53) Telfast 14.22 30 | | () | | Polaramine |
| *‡ Oral liq 2 mg per 5 ml 1.77 100 ml (10.29) Polaramine FEXOFENADINE HYDROCHLORIDE 4.34 20 * Tab 60 mg 4.34 20 (11.53) Telfast * Tab 120 mg 4.74 10 (11.53) Telfast 14.22 30 | | | 40 | Delevenine |
| (10.29) Polaramine FEXOFENADINE HYDROCHLORIDE * Tab 60 mg | *+ Oral lig 2 mg par 5 ml | () | 100 ml | Polaramine |
| FEXOFENADINE HYDROCHLORIDE 4.34 20 (11.53) Telfast * Tab 120 mg 4.74 10 (11.53) Telfast 14.22 30 | | | 100 111 | Polaramine |
| * Tab 60 mg | | (10.20) | | i olaramito |
| (11.53) Telfast * Tab 120 mg4.74 10 (11.53) Telfast 14.22 30 | | 4.34 | 20 | |
| * Tab 120 mg | 100 00 mg | | 20 | Telfast |
| (11.53) Telfast 14.22 30 | * Tab 120 mg | | 10 | |
| | - | | | Telfast |
| (29.81) Telfast | | | 30 | - W . |
| | | (29.81) | | leitast |

| | Subsidy | | Fully Br | and or |
|--|-----------------------|----------------------------|----------------------------|----------------------|
| | (Manufacturer's \$ | Price) Sub Per | | neric Inufacturer |
| | φ | Fei | ₽ IVIC | linulaciurei |
| LORATADINE | | | | |
| * Tab 10 mg | 2.09 | 100 | | lear Hayfever |
| * Oral lig 1 mg per ml | 2 10 | 100 ml | <u>Rel</u> ✔ Lorap | |
| | | 100 111 | | <u>aeu</u> |
| PROMETHAZINE HYDROCHLORIDE <pre>* Tab 10 mg</pre> | 0.70 | 50 | Allers | aatha |
| * Tab 10 mg | | 50 50 | ✓ <u>Allers</u> | |
| *‡ Oral lig 5 mg per 5 ml | | 100 ml | ✓ Prom | |
| | | | | throp Elixir |
| * Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO | 11.00 | 5 | 🖌 Mayn | e |
| TRIMEPRAZINE TARTRATE | | | | |
| Oral liq 30 mg per 5 ml | 2.79 | 100 ml OP | | |
| | (8.06) | | Valler | gan Forte |
| Inhaled Corticosteroids | | | | |
| | | | | |
| BECLOMETHASONE DIPROPIONATE | 10.50 | | | 100 |
| Aerosol inhaler, 100 µg per dose CFC-free Aerosol inhaler, 250 µg per dose CFC-free | | 200 dose OP 200 dose OP | | zone 100 zone 250 |
| Aerosol inhaler, 50 µg per dose CFC-free | | 200 dose OP 200 dose OP | ✓ Becla | |
| | | 200 0000 01 | U Deole | |
| BUDESONIDE Powder for inhalation, 100 µg per dose | 17.00 | 200 dose OP | 🖌 Pulm | icort |
| Towder for initial autori, too µg per dose | | 200 0036 01 | | buhaler |
| Powder for inhalation, 200 µg per dose | | 200 dose OP | V Bude | nocort |
| , | | | Pulm | icort |
| | | | Tur | buhaler |
| Powder for inhalation, 400 µg per dose | 32.00 | 200 dose OP | Bude | |
| | | | Pulm | |
| | | | Tur | buhaler |
| FLUTICASONE | | | 4 | |
| Aerosol inhaler, 50 µg per dose CFC-free | | 120 dose OP | Flixot | ide |
| Powder for inhalation, 50 µg per dose | 5.10 (8.67) | 60 dose OP | Flivet | de Accuhaler |
| Powder for inhalation, 100 µg per dose | · / | 60 dose OP | FIIXOL | |
| · ····· | (13.87) | | Flixot | de Accuhaler |
| Aerosol inhaler, 125 µg per dose CFC-free | | 120 dose OP | Flixot | ide |
| Aerosol inhaler, 250 µg per dose CFC-free | 27.20 | 120 dose OP | 🖌 Flixot | ide |
| Powder for inhalation, 250 µg per dose | | 60 dose OP | | |
| | (24.51) | | Flixot | de Accuhaler |

Inhaled Long-acting Beta-adrenoceptor Agonists

Prescribing Guideline for Inhaled Long-Acting Beta-Adrenoceptor Agonists

The addition of inhaled long-acting beta-adrenoceptor agonists (LABAs) to inhaled corticosteroids is recommended:

• For younger children (aged under 12 years) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 200 µg beclomethasone or budesonide (or 100 µg fluticasone).

• For adults and older children (aged 12 years and over) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 400 µg beclomethasone or budesonide (or 200 µg fluticasone).

Note:

Further information on the place of inhaled corticosteroids and inhaled LABAs in the management of asthma can be found in the New Zealand guidelines for asthma in adults (www.nzgg.org.nz) and in the New Zealand guidelines for asthma in children aged 1-15 (www.paediatrics.org.nz).

| | Subsidy (Manufacturer's F | , | Fully | Brand or Generic |
|---|------------------------------|----------------------------|-------|------------------------------|
| | \$ | Per | ~ | Manufacturer |
| EFORMOTEROL FUMARATE – See prescribing guideline on the Powder for inhalation, 6 μg per dose, breath activated Powder for inhalation, 12 μg per dose, and monodose device | | e 60 dose OP 60 dose | | xis Turbuhaler oradil |
| SALMETEROL – See prescribing guideline on the preceding pag Aerosol inhaler CFC-free, 25 µg per dose Powder for inhalation, 50 µg per dose, breath activated | 26.46 | 120 dose OP 60 dose OP | | erevent erevent Accuhaler |

Inhaled Corticosteroids with Long-Acting Beta-Adrenoceptor Agonists

SA0958 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 Patient is a child under the age of 12; and
 - 1.2 Both:
 - Has, for 3 months of more, been treated with:
 - 1.2.1 An inhaled long-acting beta adrenoceptor agonist; and
 - 1.2.2 Inhaled corticosteroids at a dose of at least 400 µg per day beclomethasone or budesonide, or 200 µg per day fluticasone; and
 - 1.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product; or
- 2 All of the following:
 - 2.1 Patient is over the age of 12; and
 - 2.2 Both:
 - Has, for 3 months of more, been treated with:
 - 2.2.1 An inhaled long-acting beta adrenoceptor agonist; and
 - 2.2.2 Inhaled corticosteroids at a dose of at least 800 µg per day beclomethasone or budesonide, or 500 µg per day fluticasone; and
 - 2.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

| BUDESONIDE WITH EF | FORMOTEROL – Special Authority see \$ | SA0958 above - | Retail pharmacy | |
|----------------------------------|--|-----------------|-----------------|--|
| Aerosol inhaler 100 | µg with eformoterol fumarate 6 µg | | 120 dose OP | Vannair |
| Powder for inhalatio | n 100 µg with eformoterol fumarate 6 µg | | 120 dose OP | Symbicort |
| | | | | Turbuhaler 100/6 |
| Aerosol inhaler 200 | µg with eformoterol fumarate 6 µg | 60.00 | 120 dose OP | Vannair |
| Powder for inhalatio | n 200 µg with eformoterol fumarate 6 µg | 60.00 | 120 dose OP | Symbicort |
| | | | | Turbuhaler 200/6 |
| Powder for inhalatio | n 400 µg with eformoterol fumarate 12 µg |] | | |
| No more than | 2 dose per day | | 60 dose OP | Symbicort |
| | | | | Turbuhaler 400/12 |
| FLUTICASONE WITH S | ALMETEROL - Special Authority see S | A0958 above – F | etail pharmacy | |
| Aerosol inhaler 50 µ | ig with salmeterol 25 μg | | 120 dose OP | Seretide |
| Aerosol inhaler 125 | µg with salmeterol 25 µg | | 120 dose OP | Seretide |
| Powder for inhalation | n 100 μg with salmeterol 50 μg – No more | 9 | | |
| | [,] day | | 60 dose OP | Seretide Accuhaler |
| | n 250 µg with salmeterol 50 µg – No more | | | |
| | · day | | 60 dose OP | Seretide Accuhaler |
| | | | | |

| | Out side | | Fully Drand an |
|--|----------------------------|--------------------|--|
| | Subsidy (Manufacturer's | Price) Sub | Fully Brand or sidised Generic |
| | \$ | Per | Manufacturer |
| Beta-Adrenoceptor Agonists | | | |
| SALBUTAMOL t Oral lig 2 mg per 5 ml | 1 99 | 150 ml | ✓ Salapin |
| Infusion 1 mg per ml, 5 ml | | 10 | |
| Inj 500 μg per ml, 1 ml $-$ Up to 5 inj available on a PSO | (130.21) 12.90 | 5 | Ventolin Ventolin |
| Inhaled Beta-Adrenoceptor Agonists | | | |
| SALBUTAMOL | | | |
| Aerosol inhaler, 100 μg per dose CFC free – Up to 1000 dose available on a PSO | | 200 dose OP | ✔ Respigen |
| | (6.00) | | ✓ Salamol Ventolin |
| Nebuliser soln, 1 mg per ml, 2.5 ml – Up to 30 neb available on a PSO | | 20 | ✓ Asthalin |
| Nebuliser soln, 2 mg per ml, 2.5 ml – Up to 30 neb available on a PSO | | 20 | ✓ Asthalin |
| FERBUTALINE SULPHATE | | 20 | <u>Homann</u> |
| Powder for inhalation, 250 µg per dose, breath activated | 22.00 | 200 dose OP | Bricanyl Turbuhaler |
| Inhaled Anticholinergic Agents | | | |
| Inhaled Anticholinergic agents | | | |
| PRATROPIUM BROMIDE | | | |
| Aerosol inhaler, 20 µg per dose CFC-free Nebuliser soln, 250 µg per ml, 1 ml | | 200 dose OP 20 | Atrovent <u>Univent</u> |
| a) Brand switch fee payable - see page 165 for details b) Up to 40 neb available on a PSO | | | |
| Nebuliser soln, 250 μg per ml, 2 ml a) Brand switch fee payable - see page 165 for details | 4.06 | 20 | ✓ <u>Univent</u> |
| b) Up to 40 neb available on a PSO TOTROPIUM BROMIDE – Special Authority see SA0872 below | – Retail pharm | acv | |
| Powder for inhalation, 18 µg per dose | | 30 dose | ✓ Spiriva |
| SA0872 Special Authority for Subsidy nitial application only from a general practitioner or relevant sp | ecialist. Appro | vals valid for 2 v | rears for applications meeting th |
| ollowing criteria: NI of the following: | FL FL | , , | 3 |
| 1 To be used for the long-term maintenance treatment of bro | | | |
| 2 In addition to standard treatment, the patient has trialled a 3 Either: | | | |
| The patient's breathlessness according to the Medic 3.1 Grade 4 (stops for breath after walking about 100 m | | | |
| 3.2 Grade 5 (too breathless to leave the house, or breat 4 Actual FEV ₁ (litres) $< 0.6 \times$ predicted (litres); and | | | |
| 5 Either: |); or | | |
| 5.1 Patient is not a smoker (for reporting purposes only5.2 Patient is a smoker and has been offered smoking of | | selling; and | |
| | | | continued |

| | Subsidy (Manufacturer's \$ | Price) Sub Per | Fully Brand or sidised Generic Manufacturer |
|--|----------------------------------|------------------------|---|
| continued | immunication | | |
| 6 The patient has been offered annual influenza Renewal only from a general practitioner or relevant | | for 2 years for a | applications meeting the following |
| criteria: | -provide the second | , | , in the second s |
| All of the following: | | | |
| Patient is compliant with the medication; and Patient has experienced improved COPD symplectic symplectis symplectic symplectic symplect sy | ptom control (prescriber det | ermined): and | |
| 3 Applicant must state recent measurement of F | | | |
| Inhaled Beta-Adrenoceptor Agonists w | ith Anticholinergic A | gents | |
| SALBUTAMOL WITH IPRATROPIUM BROMIDE | | | |
| Aerosol inhaler, 100 µg with ipratropium bromide | | | 4 |
| dose CFC-free | | 200 dose OP | Duolin HFA |
| Aerosol inhaler, 100 µg with ipratropium bromide dose | | 200 dose OP | Combivent |
| Nebuliser soln, 2.5 mg with ipratropium bromide | | 200 0000 0. | • •••••••• |
| vial, 2.5 ml – Up to 20 neb available on a PS | | 20 | ✓ <u>Duolin</u> |
| Mast Cell Stabilisers | | | |
| Mast cell stabilisers | | | |
| NEDOCROMIL | | | |
| Aerosol inhaler, 2 mg per dose CFC-free | | 112 dose OP | Tilade |
| SODIUM CROMOGLYCATE | 47.04 | 50 1 | 41.10. |
| Powder for inhalation, 20 mg per dose Aerosol inhaler, 5 mg per dose CFC-free | | 50 dose 112 dose OP | Intal Spincaps Vicrom |
| | 20.07 | 112 0030 01 | |
| Methylxanthines | | | |
| MINOPHYLLINE | | _ | 4 |
| Inj 25 mg per ml, 10 ml – Up to 5 inj available or | n a PSO12.84 | 5 | Mayne |
| THEOPHYLLINE | 01 51 | 100 | ✓ Nuelin-SR |
| k Tab long-acting 250 mg k‡ Oral liq 80 mg per 15 ml | | 100 500 ml | ✓ Nuelin-SR |
| Mucolytics | | | |
| ORNASE ALFA – Special Authority see SA0611 be | elow – Betail pharmacy | | |
| Nebuliser soln, 2.5 mg per 2.5 ml ampoule | | 6 | Pulmozyme |
| SA0611 Special Authority for Subsidy | | | |
| pecial Authority approved by the Cystic Fibrosis Adv lotes: Application details may be obtained from PHA | | w.pharmac.govt.r | nz or: |
| The Co-ordinator, Cystic Fibrosis Advisory Panel | | | |
| PHARMAC, PO Box 10 254 | Facsimile: (04) 916 7571 | | |
| Wellington | Email: CFPanel@pharm | | - Habilatana suka kasua sumu ' |
| Prescriptions for patients approved for treatment must ind expertise in treating cystic fibrosis. | st de written by respiratory | pnysicians or pai | ediatricians who have experienc |
| SODIUM CHLORIDE | | | |
| Soln 7% | 22.50 | 90 ml OP | Biomed |

| | Quit side | | Fully Deceder |
|---|----------------------------|--------------------|--|
| | Subsidy (Manufacturer's | Price) Sub | Fully Brand or sidised Generic |
| | \$ | Per | Manufacturer |
| Nasal Preparations | | | |
| Allergy Prophylactics | | | |
| BECLOMETHASONE DIPROPIONATE | | | |
| Metered aqueous nasal spray, 50 µg per dose | 2.35 | 200 dose OP | |
| | (4.00) | | Alanase |
| Metered aqueous nasal spray, 100 µg per dose | | 200 dose OP | Aleman |
| | (4.81) | | Alanase |
| BUDESONIDE | 0.05 | | |
| Metered aqueous nasal spray, 50 µg per dose | | 200 dose OP | Dutocart Aguagua |
| Metered aqueous nasal spray, 100 µg per dose | (4.00) | 200 dose OP | Butacort Aqueous |
| weieren aqueous nasar spray, roo µg per uose | (4.81) | 200 0036 01 | Butacort Aqueous |
| FLUTICASONE PROPIONATE | (1.01) | | Bulacont Aqueoue |
| Metered aqueous nasal spray, 50 µg per dose | | 120 dose OP | Flixonase Hayfever |
| | | | & Allergy |
| IPRATROPIUM BROMIDE | | | |
| Aqueous nasal spray, 0.03% | | 30 ml OP | Apo-Ipravent |
| SODIUM CROMOGLYCATE | | | |
| Nasal spray, 4% | | 22 ml OP | ✓ Rex |
| Respiratory Devices | | | |
| | | | |
| MASK FOR SPACER DEVICE | | | |
| a) Up to 20 dev available on a PSO | | | |
| b) Only on a PSO | | | |
| c) Only for children aged six years and under Size 2 | 2.00 | 1 | Foremount Child's |
| Size 2 | | I | Silicone Mask |
| PEAK FLOW METER | | | <u>emoone maak</u> |
| a) Up to 10 dev available on a PSO | | | |
| b) Only on a PSO | | | |
| Low range | 13.75 | 1 | Breath-Alert |
| Normal range | | 1 | ✓ Breath-Alert |
| SPACER DEVICE | | | |
| a) Up to 20 dev available on a PSO | | | |
| b) Only on a PSO | | | |
| 230 ml (autoclavable) – Subsidy by endorsement | | 1 | ✓ Space Chamber |
| Available where the prescriber requires a spacer devic | e that is capable | e of sterilisation | in an autoclave and the PSO |
| endorsed accordingly. 230 ml (single patient) | 0.00 | 1 | Space Chamber |
| 800 ml | | 1 | Volumatic |
| | | ı | |
| Respiratory Stimulants | | | |
| CAFFEINE CITRATE | | | |
| Oral liq 20 mg per ml (10 mg base per ml) | 14.85 | 25 ml OP | Biomed |
| | | | |

| | Subsidy | | Fully Brand or |
|--|-------------------------|-------------------|--|
| | (Manufacturer's I \$ | Price) Sub Per | sidised Generic Manufacturer |
| | φ | rei | |
| Ear Preparations | | | |
| ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BEN | ZETHONIUM | | |
| For Vosol ear drops with hydrocortisone powder refer, page 1 | | | |
| Ear drops 2% with 1, 2-Propanediol diacetate 3% and | | | |
| benzethonium chloride 0.02% | 6.97 | 35 ml OP | Vosol |
| CHLORAMPHENICOL | | | |
| Ear drops 0.5% | 1.87 | 5 ml OP | Chloromycetin |
| FLUMETASONE PIVALATE | | | |
| Ear drops 0.02% with clioquinol 1% | 4.46 | 7.5 ml OP | Locacorten-Viaform |
| | | | ED's |
| | | | Locorten-Vioform |
| TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCI | N AND NYSTAT | IN | |
| Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate | • | | |
| 2.5 mg and gramicidin 250 µg per g | | 7.5 ml OP | Kenacomb |
| Ear/Eye Preparations | | | |
| | | | |
| DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN | | | |
| Ear/Eye drops 500 µg with framycetin sulphate 5 mg and | | | |
| gramicidin 50 µg per ml | | 8 ml OP | Cafradau |
| | (9.27) | | Sofradex |
| FRAMYCETIN SULPHATE | 4.40 | 0 ml 00 | |
| Ear/Eye drops 0.5% | | 8 ml OP | Cofromusin |
| | (8.65) | | Soframycin |
| Eye Preparations | | | |
| Anti-Infective Preparations | | | |
| Anti-Intective Freparations | | | |
| ACICLOVIR | | | |
| * Eye oint 3% | 37.53 | 4.5 g OP | Zovirax |
| CHLORAMPHENICOL | | | |
| Eye oint 1% | 2.37 | 4 g OP | ✓ Chlorsig |
| Eye drops 0.5% | | 10 ml OP | Chlorafast |
| (Oblassia Factoria o Fotoria da listada Marab 2014) | (2.40) | | Chlorsig |
| (Chlorsig Eye drops 0.5% to be delisted 1 March 2011) | | | |
| CIPROFLOXACIN | 10.10 | - 105 | 4.00 |
| Eye Drops 0.3% | | 5 ml OP | ✓ Ciloxan |
| For treatment of bacterial keratitis or severe bacterial conju | unctivitis resistar | n to chioramph | enicoi. |
| FUSIDIC ACID Eye drops 1% | 1 50 | 5 a OD | |
| | 4.50 (10.68) | 5 g OP | Fucithalmic |
| | (10.00) | | |
| GENTAMICIN SULPHATE Eye drops 0.3% | 11 /0 | 5 ml OP | 1 Conontio |
| | 11.40 | 511106 | Genoptic |
| PROPAMIDINE ISETHIONATE | 0.07 | 10 | |
| * Eye drops 0.1% | | 10 ml OP | Brolene |
| | (7.99) | | Brolene |

SENSORY ORGANS

| | Quitadat | | Fully Deceder |
|--|------------------------------|--------------------|--|
| | Subsidy (Manufacturer's I | Price) Sub | Fully Brand or osidised Generic |
| | `\$ | Per | Manufacturer |
| SULPHACETAMIDE SODIUM | | | |
| * Eye drops 10% | 4.41 | 15 ml OP | Bleph 10 |
| TOBRAMYCIN | | | |
| Eye oint 0.3% | | 3.5 g OP | Tobrex |
| Eye drops 0.3% | 11.48 | 5 ml OP | Tobrex |
| Corticosteroids and Other Anti-Inflammatory Pr | reparations | | |
| DEXAMETHASONE | | | |
| * Eye oint 0.1% | 5.86 | 3.5 g OP | Maxidex |
| * Eye drops 0.1% | 4.50 | 5 ml OP | Maxidex |
| DEXAMETHASONE WITH NEOMYCIN AND POLYMYXIN B SU | LPHATE | | |
| * Eye oint 0.1% with neomycin sulphate 0.35% and polymyxir | า | | |
| B sulphate 6,000 u per g | 5.39 | 3.5 g OP | Maxitrol |
| * Eye drops 0.1% with neomycin sulphate 0.35% and polymy | | | 4 •• • • |
| xin B sulphate 6,000 u per ml | 4.50 | 5 ml OP | Maxitrol |
| DICLOFENAC SODIUM | | | |
| * Eye drops 1 mg per ml | 13.80 | 5 ml OP | Voltaren Ophtha |
| FLUOROMETHOLONE | 4.05 | - 100 | (|
| * Eye drops 0.1% | 4.05 | 5 ml OP | ✓ <u>FML</u> |
| LEVOCABASTINE | 0.74 | 4 1 0 0 | |
| Eye drops 0.5 mg per ml | 8.71 (10.34) | 4 ml OP | Livostin |
| | (10.34) | | LIVOSUIT |
| LODOXAMIDE TROMETAMOL Eye drops 0.1% | 8 71 | 10 ml OP | ✓ Lomide |
| | 0.71 | | |
| PREDNISOLONE ACETATE * Eye drops 0.12% | 4.50 | 5 ml OP | ✓ Pred Mild |
| * Eye drops 0.12 % | | 5 ml OP | ✓ Pred Forte |
| SODIUM CROMOGLYCATE | | 0 111 01 | • • • • • • • • • • |
| Eye drops 2% | | 5 ml OP | Rexacrom |
| Glaucoma Preparations - Beta Blockers | | | <u></u> |
| Giauconia Preparations - Deta Diockers | | | |
| BETAXOLOL HYDROCHLORIDE | | | |
| * Eye drops 0.25% | | 5 ml OP | Betoptic S |
| * Eye drops 0.5% | 7.50 | 5 ml OP | Betoptic |
| LEVOBUNOLOL | 7.00 | 5 | |
| * Eye drops 0.25% | | 5 ml OP 5 ml OP | Betagan Betagan |
| | | J III UF | + Delayan |
| TIMOLOL MALEATE * Eye drops 0.25% | 2 27 | 5 ml OP | ✔ Apo-Timop |
| * Eye drops 0.25%, gel forming | | 2.5 ml OP | ✓ <u>Aportiniop</u> ✓ Timoptol XE |
| | | | |
| * Eye drops 0.5% | 2.29 | 5 ml OP | ✓ <u>Apo-Timop</u> |

| | Subsidy (Manufacturer's P \$ | rice) S Per | Fully Subsidised | Brand or Generic Manufacturer |
|---|--|--------------------------|------------------------------|---|
| Glaucoma Preparations - Carbonic Anhyd | Irase Inhibitors | | | |
| Prescribing Guidelines Trusopt, Cosopt and Azopt are subsidised for use as eith Trusopt, Cosopt and Azopt should not be prescribed fo glaucoma are not contraindicated unless: 1) that person has previously trialled all other such so 2) those trials have indicated that that person does n | r a person in whom less ubsidised agents (except | expensive brimonidine | first line a | gents for the treatment |
| ACETAZOLAMIDE * Tab 250 mg | | 100 | ✓ <u>Di</u> | iamox |
| BRINZOLAMIDE ▲ Eye Drops 1% | 9.77 | 5 ml OP | 🗸 A | zopt |
| DORZOLAMIDE HYDROCHLORIDE * Eye drops 2% | | 5 ml OP | Tr | usopt |
| DORZOLAMIDE HYDROCHLORIDE WITH TIMOLOL M. * Eye drops 2% with timolol maleate 0.5% | | 5 ml OP | ✔ C | osopt |
| Glaucoma Preparations - Prostaglandin A | nalogues | | | |
| Prescribing Guideline Bimatoprost, lantanoprost and travoprost are subsidised adjunctive agent for patients in whom prostaglandin analo Bimatoprost, lantanoprost and travoprost should not be treatment of glaucoma are not contraindicated unless: 1) That person has previously trialled all other sucl | ogue monotherapy has be prescribed for a person i | en ineffectiv | ve in contro ss expension | olling intraocular pressur ve first line agents for th |
| hibitors); and 2) Those trials have indicated that that person does r | not respond adequately to | treatment | with those | other agents. |
| BIMATOPROST – Retail pharmacy-Specialist See prescribing guideline above ▲ Eye Drops 0.03% | | 3 ml OP | 🖌 Lu | umigan |
| LATANOPROST – Retail pharmacy-Specialist See prescribing guideline above ▲ Eye drops 50 μg per ml, 2.5 ml TRAVOPROST – Retail pharmacy-Specialist See prescribing guideline above | | 2.5 ml OP | ✓ <u>H</u> | <u>ysite</u> |
| Eye drops 0.004% Glaucoma Preparations - Other | | 2.5 ml OP | 🖌 🖌 Tr | avatan |
| · | | | | |
| BRIMONIDINE TARTRATE * Eye Drops 0.2% | 7.93 | 5 ml OP | ✓ <u>A</u> | <u>FT</u> |

Brimonidine tartrate is subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma. Brimonidine tartrate should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

• that person has previously trialled all other such subsidised agents (except dorzolamide hydrochloride); and

• those trials have indicated that that person does not respond adequately to or does not tolerate treatment with those other agents.

BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE

| | Eye drops 0.2% with timolol maleate 0.5% | | 5 ml OP | 🖌 Combigan |
|--|--|--|---------|------------|
|--|--|--|---------|------------|

SENSORY ORGANS

| | Subsidy (Manufacturer's Pric \$ | e) Sul Per | Fully bsidised | Brand or Generic Manufacturer |
|--|---------------------------------------|---------------|-------------------|-------------------------------------|
| Prescribing Guidelines | | | | |
| Combigan is subsidised for use as either monotherapy or as an | adjunctive agent for t | the treatme | nt of glai | ucoma. |
| Combigan should only be prescribed when: | | | | |
| 1) less expensive first line agents for the treatment of glauco | ma are contraindicat | ted; or | | |
| the response to such subsidised agents is inadequate; or | | | | |
| the patient cannot tolerate such subsidised agents. | | | | |
| PILOCARPINE | | | | |
| * Eye drops 1% | | 15 ml OP | 🖌 İs | opto Carpine |
| * Eye drops 2% | | 15 ml OP | 🖌 İs | opto Carpine |
| * Eye drops 4% | 7.99 | 15 ml OP | 🖌 İs | opto Carpine |
| * Eye drops 2% single dose - Special Authority see SA089 | 5 | | | |
| below – Retail pharmacy | | 20 dose | | |
| | (32.72) | | Μ | inims |
| ►SA0895 Special Authority for Subsidy | | | | |

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items. **Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

| bononiang norm abdanonia | | |
|--|-----------|--------------------|
| Mydriatics and Cycloplegics | | |
| ATROPINE SULPHATE | | 4 • • • • |
| * Eye drops 1%17.36 | 15 ml OP | Atropt |
| CYCLOPENTOLATE HYDROCHLORIDE | | |
| * Eye drops 1%8.76 | 15 ml OP | Cyclogyl |
| HOMATROPINE HYDROBROMIDE | | |
| * Eve drops 2% | 15 ml OP | Isopto Homatropine |
| TROPICAMIDE | | |
| * Eye drops 0.5% | 15 ml OP | ✓ Mydriacyl |
| * Eye drops 1% | 15 ml OP | ✓ Mydriacyl |
| | | •, |
| Preparations for Tear Deficiency | | |
| For acetylcysteine eye drops refer, page 170 | | |
| HYPROMELLOSE | | |
| * Eye drops 0.3%2.62 | 15 ml OP | Poly-Tears |
| * Eye drops 0.5% | 15 ml OP | ✓ Methopt |
| POLYVINYL ALCOHOL | | |
| | 15 ml OP | ✔ Vistil |
| * Eye drops 1.4% | 15 ml OP | Vistil Forte |
| | 13 111 01 | Visti i one |
| TYLOXAPOL | | |
| * Eye drops 0.25% | 15 ml OP | Enuclene |
| Other Eye Preparations | | |
| NAPHAZOLINE HYDROCHLORIDE | | |
| * Eye drops 0.1% | 15 ml OP | Naphcon Forte |
| | | |

SENSORY ORGANS

| | Subsidy (Manufacturer's Pr \$ | rice) Sub Per | Fully sidised | Brand or Generic Manufacturer |
|---|-------------------------------------|------------------|------------------|-------------------------------------|
| PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN * Eye oint with soft white paraffin | 3.63 | 3.5 g OP | ✔ <u>La</u> | acri-Lube |
| PARAFFIN LIQUID WITH WOOL FAT LIQUID * Eye oint 3% with wool fat liq 3% | | 3.5 g OP | 🖌 Po | oly-Visc |
| PHENYLEPHRINE HYDROCHLORIDE * Eye drops 0.12% | 4.47 | 15 ml OP | 🖌 Pi | refrin |

VARIOUS

| | Subsidy (Manufacturer's Price) \$ | Per | Fully Subsidised | Brand or Generic Manufacturer |
|---|---|-------|---------------------|---|
| Various May only be claimed once per patient. PHARMACY SERVICES | | | | |
| Brand switch fee a) The Pharmacode for BSF Imuprine is 2377829 b) The Pharmacode for BSF Dapa-Tabs is 2377837 c) The Pharmacode for BSF Univent is 2377845 d) The Pharmacode for BSF Arrow Terazosin is 2377853 e) The Pharmacode for BSF Apo-Clopidogrel is 2378655 (BSF Apo-Clopidogrel Brand switch fee to be delisted 1 May 2011 (BSF Arrow Terazosin Brand switch fee to be delisted 1 April 2011) (BSF Imuprine Brand switch fee to be delisted 1 April 2011) (BSF Univent Brand switch fee to be delisted 1 April 2011) |) | 1 fee | ✓ B ✓ B ✓ B | SF Apo-Clopidogrel SF Arrow Terazosin SF Dapa-Tabs SF Imuprine SF Univent |

INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
 - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
 - b) Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-specialist).
 - c) Menthol crystals only in the following bases: Aqueous cream Urea cream 10% Wool fat with mineral oil lotion Hydrocortisone 1% with wool fat and mineral oil lotion Glycerol, paraffin and cetyl alcohol lotion.

Glossary

Dermatological base: The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Hydrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

Dermatological galenical: Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution BP up to 10%
- Hydrocortisone powder up to 5%
- Menthol crystals
- · Salicylic acid powder
- Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

Explanatory notes

Oral liquid mixtures

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

The Emixt website (http://www.pharminfotech.co.nz/manual/Formulation/mixtures/index.htm) has evidence-based formulations which are intended to standardise compounded oral liquids within New Zealand. PHARMAC endorses the recommendations of the Emixt website and encourages New Zealand pharmacists to use these formulations when compounding is appropriate. The Emixt website also provides stability and expiry data for compounded products. For the majority of products compounded with Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet or Ora-Sweet SF a four week expiry is appropriate.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

| Solid dose form | qs |
|------------------|---------|
| Preservative | qs |
| Suspending agent | qs |
| Water | to 100% |

or

Solid dose form

qs

Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent.

- Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and Ora-Sweet SF when used correctly are an appropriate preservative and suspending agent.
- Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

The following practices will not be subsidised:

- Where a Standard Formula exists in the Pharmaceutical Schedule for a solid dose form, compounding the solid dose form in Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF.
- Mixing one or more proprietary oral liquids (eg an antihistamine with pholcodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

Dermatological Preparations

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 166) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where


EXTEMPORANEOUSLY COMPOUNDED PRODUCTS & GALENICALS

there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).

One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on the next page may assist you in deciding whether or not a dermatological ECP is subsidised.



Standard Formulae

| ACETYLCYSTEINE EYE DROPS Acetylcysteine inj 200 mg per ml, 10 ml Suitable eye drop base | qs qs |
|---|--|
| ASPIRIN AND CHLOROFORM APPLICAT Aspirin Soluble tabs 300 mg Chloroform | ION 12 tabs to 100 ml |
| CODEINE LINCTUS PAEDIATRIC (3 mg pr Codeine phosphate Glycerol Preservative Water | er 5 ml) 60 mg 40 ml qs to 100 ml |
| CODEINE LINCTUS DIABETIC (15 mg per Codeine phosphate Glycerol Preservative Water | ^r 5 ml) 300 mg 40 ml qs to 100 ml |
| FOLINIC MOUTHWASH Calcium folinate 15 mg tab Preservative Water (Preservative should be used if quantity sup more than 5 days. Maximum 500 ml per pre- | |
| MAGNESIUM HYDROXIDE MIXTURE Magnesium hydroxide paste Methyl hydroxybenzoate Water | 275 g 1.5 g 770 ml |
| METHADONE MIXTURE Methadone powder Glycerol | qs qs |

to 100 ml

| WEITHETTDHOATDENZOATE 10/0 3 | OLUTION |
|--|-------------------|
| Methyl hydroxybenzoate | 10 g |
| Propylene glycol | to 100 ml |
| (Use 1 ml of the 10% solution per 100 m | |
| | ii oi orai iiquiu |
| mixture) | |
| OMEPRAZOLE SUSPENSION | |
| Omeprazole capules | qs |
| Sodium bicarbonate powder BP | 8.4 g |
| Water | to 100 ml |
| | |
| PHENOBARBITONE ORAL LIQUID | |
| Phenobarbitone Sodium | 1 g |
| Glycerol BP | 70 ml |
| Water | to 100 ml |
| PHENOBARBITONE SODIUM PAEDIAT | |
| | |
| LIQUID (10 mg per ml) | 100 |
| Phenobarbitone Sodium | 400 mg |
| Glycerol BP | 4 ml |
| Water | to 40 ml |
| PILOCARPINE ORAL LIQUID | |
| Pilocarpine 4% eye drops | qs |
| Preservative | gs |
| Water | to 500 ml |
| (Preservative should be used if quantity | supplied is for |
| more than 5 days.) | |
| SALIVA SUBSTITUTE FORMULA | |
| Methylcellulose | 5 g |
| Preservative | qs |
| Water | to 500 ml |
| VV ALGI | 10 000 111 |

METHYL HYDROXYBENZOATE 10% SOLUTION

(Preservative should be used if quantity supplied is for more than 5 days. Maximum 500 ml per prescription.)

VOSOL EAR DROPS

| WITH HYDROCORTISONE POWDER 1% | |
|-------------------------------|----------|
| Hydrocortisone powder | 1% |
| Vosol Ear Drops | to 35 ml |

Water

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

| | Subsidy (Manufacturer's Pric \$ | e) Su Per | Fully Brand or bsidised Generic ✔ Manufacturer |
|--|---------------------------------------|---------------|--|
| Extemporaneously Compounded Preparations a | and Galenicals | | |
| ACETYLCYSTEINE – Retail pharmacy-Specialist | | | |
| Inj 200 mg per ml, 10 ml | 137.06 (219.75) | 10 | Martindale |
| | (255.35) | | Acetylcysteine Hospira |
| Inj 200 mg per ml, 30 ml | | 4 | ✓ Acetadote |
| BENZOIN | | | |
| Tincture compound BP | 2.44 | 50 ml | |
| | (5.10) | | PSM |
| | 24.42 | 500 ml | |
| | (38.00) | | PSM |
| CHLOROFORM – Only in combination | | | |
| Only in aspirin and chloroform application. | | | |
| Chloroform BP | 25.50 | 500 ml | ✓ PSM |
| CODEINE PHOSPHATE | | | |
| Powder – Only in combination | 12.62 | 5 g | |
| | (25.46) | | Douglas |
| | 63.09 | 25 g | |
| a) Only in extemporaneously compounded codeine linctus | (90.09) | | Douglas |
| b) ‡ Safety cap for extemporaneously compounded oral lic COLLODION FLEXIBLE Collodion flexible COMPOUND HYDROXYBENZOATE – Only in combination | | 100 ml | ✔ PSM |
| Only in extemporaneously compounded oral mixtures. | | | |
| Soln | | 100 ml | David Craig |
| GLYCERIN WITH SODIUM SACCHARIN – Only in combination Only in combination with Ora-Plus. | | | |
| Suspension | | 473 ml | ✓ Ora-Sweet SF |
| GLYCERIN WITH SUCROSE – Only in combination Only in combination with Ora-Plus. | | | |
| Suspension | | 473 ml | Ora-Sweet |
| GLYCEROL | | | |
| Liquid – Only in combination Only in extemporaneously compounded oral liquid prepara | | 2,000 ml | ✓ <u>healthE</u> |
| MAGNESIUM HYDROXIDE | | | |
| Paste | 22.61 | 500 g | V PSM |
| METHADONE HYDROCHLORIDE | | | |
| a) Only on a controlled drug form | | | |
| b) No patient co-payment payable | | | |
| c) Extemporaneously compounded methadone will only be re- | eimbursed at the ra | ate of the ch | neapest form available (methadone |
| powder, not methadone tablets). | | | |
| Powder | | | 🖌 AFT |

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

| | Subsidy (Manufacturer's I \$ | Price) Sul Per | Fully Brand or bsidised Generic Manufacturer |
|--|------------------------------------|-------------------|--|
| IETHYL HYDROXYBENZOATE | | | |
| Powder | 8.00 | 25 g | 🖌 PSM |
| | 8.98 | | ✓ Midwest |
| | 10.00 | | ✓ ABM |
| METHYLCELLULOSE | | | |
| Powder | 14.00 | 100 g | 🖌 ABM |
| | (17.72) | | MidWest |
| Suspension – Only in combination | | 473 ml | Ora-Plus |
| IETHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCHA | RIN – Only in d | combination | |
| Suspension | | 473 ml | Ora-Blend SF |
| IETHYLCELLULOSE WITH GLYCERIN AND SUCROSE - Only | in combination | | |
| Suspension | | 473 ml | Ora-Blend |
| HENOBARBITONE SODIUM | | | |
| Powder – Only in combination | 52 50 | 10 g | ✓ MidWest |
| | 325.00 | 100 g | ✓ MidWest |
| a) Only in children up to 12 years | 020.00 | 100 g | • marcot |
| b) ‡ Safety cap for extemporaneously compounded oral lic | uid preparations | S. | |
| ROPYLENE GLYCOL | | | |
| Only in extemporaneously compounded methyl hydroxybenzo | ate 10% solutio | n. | |
| Lig | | 500 ml | ✓ PSM |
| - 1 | 11.25 | | ✓ Midwest |
| | 12.00 | | ✓ ABM |
| ODIUM BICARBONATE | | | |
| Powder BP – Only in combination | 8 95 | 500 g | ✓ Midwest |
| | 9.80 | 000 g | ✓ ABM |
| | (11.99) | | Biomed |
| | (29.50) | | David Craig |
| Only in extemporaneously compounded omeprazole suspe | ension. | | Ŭ |
| YRUP (PHARMACEUTICAL GRADE) – Only in combination | | | |
| Only in extemporaneously compounded oral liquid preparatio | ns. | | |
| Liq | 21.75 | 2,000 ml | Midwest |
| VATER | | | |
| Tap – Only in combination | 0.00 | 1 ml | ✓ Tap water |
| | 0.00 | 1 1111 | + iup water |

EXPLANATORY NOTES

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

Eligibility for Special Authority

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

Who can apply for Special Authority?

 Initial Applications:
 Only Specialists

 Reapplications:
 Specialist or general practitioner on recommendation of specialist. Reapplications by general practitioners on specialist recommendation must include the name of the specialist and the date the specialist was contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. A supporting letter may be included if desired. Applications must be forwarded to:

Ministry of Health Sector Services Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

Definitions

 Failure to thrive
 An inability to gain or maintain weight resulting in physiological impairment.

 Growth deficiency
 Where the weight of the child is less than the fifth or possibly third percentile for their age, with evidence of malnutrition

Dietitian Prescribing

Prescriptions from Dietitians will be only valid for subsidy where they are for special foods, as listed in this section, or where they are for the following products:

ALPHA TOCOPHERYL ACETATE Water solubilised soln 156 iu/ml, with calibrated dropper

ASCORBIC ACID Tab 100 mg

CALCIUM CARBONATE Tab 1.25 g (500 mg elemental) Tab 1.5 g (600 mg elemental) Tab 1.75 g (1 g elemental)

COMPOUND ELECTROLYTES Powder for soln for oral use 5 g

DEXTROSE WITH ELECTROLYTES Soln with electrolytes

FERROUS FUMARATE Tab 200 mg (65 mg elemental)

FERROUS FUMARATE WITH FOLIC ACID Tab 310 mg (100 mg elemental) with folic acid 350 µg

FERROUS SULPHATE Tab long-acting 325 mg (105 mg elemental) Oral liq 30 mg per 1 ml (6 mg elemental per 1 ml)

FERROUS SULPHATE WITH FOLIC ACID Tab long-acting 325 mg (105 mg elemental) with folic acid 350 µg

MULTIVITAMINS Tab Powder Oral lig POTASSIUM BICARBONATE Tab eff 315 mg with sodium acid phosphate 1.937 g and sodium bicarbonate 350 mg

POTASSIUM CHLORIDE Tab eff 584 mg (14 m eq) with chloride 385 mg (8 m eq) Tab long-acting 600 mg

PYRIDOXINE HYDROCHLORIDE Tab 25 mg Tab 50 mg

SODIUM FLUORIDE Tab 1.1 mg (0.5 mg elemental)

THIAMINE HYDROCHLORIDE Tab 50 mg

VITAMIN A WITH VITAMINS D AND C Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops

VITAMIN B COMPLEX Tab, strong, BPC

VITAMINS Tab (BPC cap strength) Cap (fat soluble vitamins A, D, E, K)

| Subsidy | | Fully |
|------------------------|-----|------------|
| (Manufacturer's Price) | | Subsidised |
| \$ | Por | ~ |

Brand or Generic Manufacturer

V

Nutrient Modules

Carbohydrate

➡SA0912 Special Authority for Subsidy

Initial application — (Cystic fibrosis or renal failure) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Either:

- 1 cvstic fibrosis: or
- 2 chronic renal failure or continuous ambulatory peritoneal dialysis (CAPD) patient.

Initial application - (Indications other than cystic fibrosis or renal failure) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children: or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 failure to thrive; or
- 4 growth deficiency; or
- 5 bronchopulmonary dysplasia; or
- 6 premature and post premature infant; or
- 7 inborn errors of metabolism.

Renewal — (Cystic fibrosis or renal failure) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 General Practitioners must include the name of the specialist and date contacted.

Renewal - (Indications other than cystic fibrosis or renal failure) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

CARBOHYDRATE SUPPLEMENT - Special Authority see SA0912 above - Hospital pharmacy (HP3)

| | | | [|
|--------|---------|----------|---|
| Powder | | 5,000 g | Morrex Maltodextrin |
| | 182.50 | 25,000 g | Morrex Maltodextrin |
| | 1.30 | 400 g OP | |
| | (5.29) | - | Polycal |
| | (12.00) | 368 g OP | Moducal |
| | | | |

Carbohydrate And Fat

SA0581 Special Authority for Subsidy

Initial application - (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 infant aged four years or under; and
- 2 cystic fibrosis.

Initial application - (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 infant aged four years or under; and
- 2 Any of the following:

continued.

| Subsidy | | Fully | Brand or |
|------------------------|-----|------------|--------------|
| (Manufacturer's Price) | | Subsidised | Generic |
| \$ | Per | ~ | Manufacturer |

continued...

- 2.1 cancer in children; or
- 2.2 failure to thrive; or
- 2.3 growth deficiency; or
- 2.4 bronchopulmonary dysplasia; or
- 2.5 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

| CARBOHYDRATE AN | ID FAT SUPPLEMENT | - Special Authority | see SA0581 | on the preceding | page | Hospital pharmacy [HP3] |
|------------------|-------------------|---------------------|------------|------------------|------|---|
| Powder (neutral) | | | 60.31 | 400 g OP | V | Duocal Super |
| | | | | - | | Soluble Powder |

Fat

➡SA0899 Special Authority for Subsidy

Initial application — (Inborn errors of metabolism) only from a relevant specialist. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 failure to thrive where other high calorie products are inappropriate or inadequate; or
- 2 growth deficiency; or
- 3 bronchopulmonary dysplasia; or
- 4 fat malabsorption; or
- 5 lymphangiectasia; or
- 6 short bowel syndrome; or
- 7 infants with necrotising enterocolitis; or
- 8 biliary atresia.

Renewal — (Inborn errors of metabolism) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.
- FAT SUPPLEMENT Special Authority see SA0899 above Hospital pharmacy [HP3]

| Emulsion (neutral) | | 200 ml OP | Calogen |
|-----------------------|-------|-----------|--|
| . , | 30.75 | 500 ml OP | Calogen |
| Emulsion (strawberry) | | 200 ml OP | Calogen |
| Oil | | 250 ml OP | Liquigen |
| | 30.00 | 500 ml OP | MCT oil (Nutricia) |

| Subsidy (Manufacturer's Price) | Fully Subsidised | | Brand or Generic | |
|-----------------------------------|---------------------|---|---------------------|--|
| \$ | Per | ~ | Manufacturer | |
| | | | | |

Protein

►SA0582 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 protein losing enteropathy; or
- 2 high protein needs (eg burns).

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

| PROTEIN SUPPLEN | IENT – Special Authority see SA0582 above – Hospital pł | narmacy [HP3] | |
|------------------|---|---------------|--|
| Powder | | 225 g OP | Protifar |
| | 8.95 | 227 g OP | Resource Beneprotein |
| Powder (vanilla) | | 275 g OP | Promod |
| Oral Supplama | nto | | |

Oral Supplements

These products are to be used only as supplements to a person's dietary needs. Subsidy for up to 500 ml a day. Amounts prescribed in excess of this amount must be paid for by the patient.

➡SA0583 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years where the patient has cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children; or
- 2 inflammatory bowel disease; or
- 3 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 4 malnutrition requiring nutritional support.

Renewal — (Cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 General Practitioners must include the name of the specialist and date contacted.

| ORAL SUPPLEMENT 1KCAL/ML - Special Authority see | e SA0583 above – Hospi | tal pharmacy [| HP3] |
|--|------------------------|----------------|---|
| Powder (chocolate) | 4.22 | 400 g OP | Ensure |
| | 9.50 | 900 g OP | Ensure |
| | 10.22 | - | Sustagen Hospital Formula |
| Powder (strawberry) | 4.22 | 400 g OP | Ensure |
| Powder (vanilla) | 4.22 | 400 g OP | Ensure |
| | 9.50 | 900 g OP | Ensure |
| | 10.22 | | Sustagen Hospital Formula |

Subsidv Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed) **Respiratory Products** SA0588 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Roth. 1 CORD patients who have hypercapnia; and 2 Either: 2.1 The product is to be used as a supplement (maximum 500 ml per day); or 2.2 The product is to be used as a complete diet. Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following: 1 The treatment remains appropriate and the patient is benefiting from treatment; and 2 Either: 2.1 The product is to be used as a supplement (maximum 500 ml per day); or 2.2 The product is to be used as a complete diet; and 3 General Practitioners must include the name of the specialist and date contacted. CORD ORAL FEED 1.5KCAL/ML - Special Authority see SA0588 above - Hospital pharmacy [HP3] 237 ml OP Pulmocare **Diabetic Products** SA0594 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: Both: 1 Type I and II diabetics who require nutritional supplementation: and 2 Either: 2.1 The product is to be used as a supplement (maximum 500 ml per day); or 2.2 The product is to be used as a complete diet. Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following: 1 The treatment remains appropriate and the patient is benefiting from treatment; and 2 Either: 2.1 The product is to be used as a supplement (maximum 500 ml per day); or 2.2 The product is to be used as a complete diet; and 3 General Practitioners must include the name of the specialist and date contacted. DIABETIC ENTERAL FEED 1KCAL/ML - Special Authority see SA0594 above - Hospital pharmacy [HP3] 1.000 ml OP Diason RTH Glucerna Select RTH ORAL FEED 1KCAL/ML - Special Authority see SA0594 above - Hospital pharmacy [HP3] Diasip 200 ml OP 200 ml OP Diasip Liquid (vanilla)1.50 Glucerna Select 1.88 250 ml OP 237 ml OP 1.78

(2.10)

SPECIAL FOODS

| | Subsidy (Manufacturer's Prio \$ | ce) Su Per | Fully bsidised | Brand or Generic Manufacturer |
|---|---------------------------------------|-------------------|-------------------|-------------------------------------|
| Fat Modified Products | | | | |
| ►SA0615 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals Both: | valid for 1 year for appl | cations me | eting the | following criteria: |
| 1 The product is to be used as a complete diet; and 2 Either: | | | | |
| 2.1 Patient has metabolic disorders of fat metabolis2.2 Patient has chylothorax. | m; or | | | |
| Renewal only from a relevant specialist or general practitione 1 year for applications meeting the following criteria: Both: | er on the recommendat | ion of a rele | evant spe | ecialist. Approvals valid for |
| The treatment remains appropriate and the patient is the General Practitioners must include the name of the sp | U U | | | |
| FAT MODIFIED FEED – Special Authority see SA0615 above Powder | | [HP3] 400 g OP | 🗸 M | onogen |
| High Protein Products | | | | |
| Initial application only from a relevant specialist. Approvals a All of the following: 1 Anorexia and weight loss; and 2 Either: 2.1 decompensating liver disease without encephal 2.2 protein losing gastro-enteropathy; and 3 Either: 3.1 The product is to be used as a supplement (ma 3.2 The product is to be used as a complete diet. Renewal only from a relevant specialist or general practitione | lopathy; or ximum 500 ml per day) | ; or | U | Ū |
| 1 year for applications meeting the following criteria: All of the following: 1 The treatment remains appropriate and the patient is b | | | vant spe | |
| 2 Either: 2.1 The product is to be used as a supplement (ma 2.2 The product is to be used as a complete diet; a 3 General Practitioners must include the name of the sp | nd | | | |
| ORAL FEED 1KCAL/ML – Special Authority see SA0589 abo Liquid | ove – Hospital pharmad | | 🖌 Fo | ortimel Regular |
| Paediatric Products For Children Awaiting Li | ver Transplant | | | - |
| SA0607 Special Authority for Subsidy Initial application only from a paediatrician. Approvals valid Both: | for 3 years for applicati | ons meetinę | g the follo | owing criteria: |
| Child (up to 18 years) who is awaiting liver transplant; Either: | and | | | |
| 2.1 The product is to be used as a supplement (ma 2.2 The product is to be used as a complete diet | ximum 500 ml per day) | ; or | | |

2.2 The product is to be used as a complete diet. **Renewal** only from a paediatrician. Approvals valid for 3 years for applications meeting the following criteria: Both:

continued...

| | Subsidy (Manufacturer's Price) \$ | Fully Subsidised Per 🖌 | Brand or Generic Manufacturer |
|--|---|------------------------------|--------------------------------------|
| continued 1 The treatment remains appropriate and the patient is b 2 Either: | penefiting from treatment; a | and | |
| 2.1 The product is to be used as a supplement (ma 2.2 The product is to be used as a complete diet. | ximum 500 ml per day); or | | |
| NTERAL/ORAL FEED 1KCAL/ML – Special Authority see S Powder | | | harmacy [HP3] eneraid Plus |
| Paediatric Products For Children With Chron | ic Renal Failure | | |
| SA0606 Special Authority for Subsidy nitial application only from a paediatrician. Approvals valid 3oth: 1 child (up to 18 years) with chronic renal failure; and 2 Either: 2.1 The product is to be used as a supplement; or 2.2 The product is to be used as a complete diet. Renewal only from a paediatrician. Approvals valid for 3 year 3oth: 1 The treatment remains appropriate and the patient is b 2 Either: | s for applications meeting | the following crite | |
| 2.1 The product is to be used as a supplement; or 2.2 The product is to be used as a complete diet. INTERAL/ORAL FEED 1KCAL/ML – Special Authority see S | | | |
| Liquid Paediatric Products | |)gOP 🖌 Ki | indergen |
| SA0896 Special Authority for Subsidy nitial application only from a relevant specialist. Approvals a full of the following: infant aged one to eight years; and Any of the following: any condition causing malabsorption; or failure to thrive; or an increased nutritional requirements; and | valid for 1 year for applicat | ions meeting the | following criteria: |
| 3 Either: 3.1 The product is to be used as a supplement (ma 3.2 The product is to be used as a complete diet. Renewal only from a relevant specialist or general practitione year for applications meeting the following criteria: All of the following: 1 The treatment remains appropriate and the patient is be 2 Either: | er on the recommendation | of a relevant spe | acialist. Approvals valid fo |
| 2.1 The product is to be used as a supplement (ma2.2 The product is to be used as a complete diet; a3 General Practitioners must include the name of the sp | nd | | |
| AEDIATRIC ENTERAL FEED 1.5KCAL/ML – Special Autho | | Hospital pharmac | |

PAEDIATRIC ENTERAL FEED 1KCAL/ML - Special Authority see SA0896 above - Hospital pharmacy [HP3]

Liquid6.00

500 ml OP

✓ Nutrini Energy RTH

Nutrini RTHPediasure RTH

SPECIAL FOODS

| | Subsidy (Manufacturer's F \$ | Price) Sub Per | Fully sidised | Brand or Generic Manufacturer |
|---|------------------------------------|--|--|---|
| PAEDIATRIC ORAL FEED 1.5KCAL/ML – Special Authority see Liquid (strawberry) Liquid (vanilla) | | preceding page 200 ml OP 200 ml OP | 🖌 Nu | tal pharmacy [HP3] ı triniDrink ı triniDrink |
| PAEDIATRIC ORAL FEED 1KCAL/ML – Special Authority see S/ Liquid (chocolate) Liquid (strawberry) Liquid (vanilla) | 1.07 1.07 | eceding page – 200 ml OP 200 ml OP 200 ml OP 237 ml OP | ✓ Pe ✓ Pe ✓ Pe | l pharmacy [HP3] diasure diasure diasure diasure diasure |
| PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML – Special / [HP3] Liquid (chocolate) | | 0896 on the pre 200 ml OP | V Nu | ıtriniDrink |
| Liquid (strawberry) | 1.60 | 200 ml OP | 🖌 Nu | Multifibre ıtriniDrink Multifibre |
| Liquid (vanilla) | 1.60 | 200 ml OP | | ıtriniDrink Multifibre |
| Renal Products | | | | |
| SA0587 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid Both: acute or chronic renal failure; and Either: The product is to be used as a supplement (maximum) | | | eting the | following criteria: |

- 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
- 2.2 The product is to be used as a complete diet.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

| Cracial Authority and CAOEO | 7 above – Hospital pharmacy [HP3] |
|-------------------------------|-----------------------------------|
| - Special Authonity see SA030 | |
| | |

| Liquid | 6.08 | 500 ml OP | Nutrison Concentrated |
|--|--------------------------------|---------------|--|
| RENAL ORAL FEED 2KCAL/ML - Special Authori | ty see SA0587 above – Hospital | l pharmacy [H | P3] |
| Liquid | | 200 ml OP | Nepro (strawberry) |
| | | | Nepro (vanilla) |
| | 2.88 | 237 ml OP | |
| | (3.31) | | NovaSource Renal |
| Liquid (apricot) | 2.88 | 125 ml OP | Renilon 7.5 |
| Liquid (caramel) | 2.88 | 125 ml OP | Renilon 7.5 |

| | Subsidy (Manufacturer's Pi \$ | ice) Per | Fully Subsidised | Brand or Generic Manufacturer |
|---|-------------------------------------|--|---------------------|---|
| Specialised And Elemental Products | | | | |
| Scatter Special Authority for Subsidy Initial application only from a relevant specialist. Approvals vali Both: | d for 1 year for app | olications | meeting the | following criteria: |
| Any of the following: 1 malabsorption; or 2 short bowel syndrome; or 3 enterocutaneous fistulas; or 4 pancreatitis; and Either: | | | | |
| 2.1 The product is to be used as a supplement (maxim 2.2 The product is to be used as a complete diet. | | ,. | t for a anasifi | a disardar. The alternative |
| lotes: Each of these products is highly specialised and would be s hospitalisation. Elemental 028 Extra is more expensive than other products liste ave been tried first and/or are unsuitable. | ed in this section a | and shoul | d only be us | sed where the alternatives |
| tenewal only from a relevant specialist or general practitioner o year for applications meeting the following criteria: Il of the following: 1 The treatment remains appropriate and the patient is ben | | | relevant spe | ecialist. Approvals valid for |
| 2 Either: 2.1 The product is to be used as a supplement (maxim 2.2 The product is to be used as a complete diet; and 3 General Practitioners must include the name of the special | | ,. | | |
| NTERAL/ORAL ELEMENTAL FEED 1KCAL/ML – Special Auto Powder | | above – 79 g O 76 g O | P 🖌 🖌 Vi | rmacy [HP3] i tal HN l itraq |
| DRAL ELEMENTAL FEED 0.8KCAL/ML – Special Authority see Liquid (grapefruit) Liquid (pineapple & orange) Liquid (summer fruit) | 9.50 9.50 | Hospital µ 250 ml (250 ml (250 ml (| OP VE | P3] lemental 028 Extra lemental 028 Extra lemental 028 Extra |
| PRAL ELEMENTAL FEED 1KCAL/ML – Special Authority see S Powder (unflavoured) | | ospital ph 80.4 g C | | 3] i vonex TEN |
| SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML – Special Auth Liquid | , | above – ł 1,000 ml | | rmacy [HP3] eptisorb |

Undyalised End Stage Renal Failure

➡SA0586 Special Authority for Subsidy

Initial application only from a gastroenterologist or renal physician. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 undialysed end stage renal patients; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet.

Note: Where possible, the requirements for oral supplementation should be established in conjunction with assessment by a dietician.

continued...

| Subsidy (Manufacturer's Price) | | Fully Subsidised | Brand or Generic | |
|-----------------------------------|-----|---------------------|---------------------|--|
| \$ | Per | ~ | Manufacturer | |

continued...

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement (maximum 500 ml per day); or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

| RENAL | ORAL | FEED | 1KCAL/ML | - Special | Authority se | e SA0586 | on the | preceding | page - | Hospital (| oharmacy | [HP3] | Ľ |
|-------|------|------|----------|-----------|--------------|----------|--------|-----------|--------|------------|----------|-------|---|
| | | | | | | | | | | | | | |

| Liquid | 237 ml OP | Suplena |
|--------|-----------|-----------------------------|
|--------|-----------|-----------------------------|

Adult Products Standard

➡SA0702 Special Authority for Subsidy

Initial application — (Oral feed for cystic fibrosis patient) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 Cystic fibrosis; and
- 2 Either:
 - 2.1 The product is to be used as a supplement; or
 - 2.2 The product is to be used as a complete diet.

Initial application — (Oral feed for indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 failure to thrive; or
 - 1.3 increased nutritional requirements; and
- 2 Either:
 - 2.1 The product is to be used as a supplement; or
 - 2.2 The product is to be used as a complete diet.

Renewal — (Oral feed cystic fibrosis patient) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 The product is to be used as a supplement; or
 - 2.2 The product is to be used as a complete diet; and
- 3 General Practitioners must include the name of the specialist and date contacted.

Initial application — (Enteral feed) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 enteral feeding; or
 - 1.2 nasogastric; or
 - 1.3 nasoduodenal; or
 - 1.4 nasojejunal; or
 - 1.5 gastrostomy/jejunostomy; and

2 Either:

continued...

| | Subsidy (Manufacturer's | Price) | Fully Subsidised | Brand or Generic |
|---|----------------------------|----------------------|-----------------------|-------------------------------|
| | \$ | Per | ✓ | Manufacturer |
| continued | | | | |
| 2.1 The product is to be used as a supplement; or | | | | |
| 2.2 The product is to be used as a complete diet. | | | | |
| Renewal — (Enteral feed or Oral feed for indications other practitioner on the recommendation of a relevant specialist. App All of the following: | | | | |
| 1 The treatment remains appropriate and the patient is ben 2 Either: | efiting from treatr | ment; and | | |
| 2.1 The product is to be used as a supplement; or | | | | |
| 2.2 The product is to be used as a complete diet; and3 General Practitioners must include the name of the speci | alist and data asr | staatad | | |
| Notes: This group of products can be used either as a supplement | | | | |
| f a product is being used as a supplement, the limit is 500 ml pe | | | | |
| Cystic fibrosis patients are exempt the 500 ml per day volume r upplement. | estriction when u | sing Ensur | e Plus, Forti | isip or Resource Plus as |
| NTERAL FEED 1KCAL/ML - Special Authority see SA0702 o | n the preceding p | age – Hos | oital pharma | icy [HP3] |
| Liquid | 1.24 | 250 ml (| | sosource Standard |
| | 2.65 | 500 ml (| OP 🖌 N | utrison Standard RTH |
| | 5.29 | 1,000 ml | OP 🖌 N | utrison Standard RTH |
| | | | 🖌 Is | osource Standard RTH |
| | 2.65 | 500 ml (| | smolite RTH |
| | 5.29 | 1,000 ml | OP 🗸 O | smolite RTH |
| ENTERAL FEED WITH FIBRE 1 KCAL/ML - Special Authority | | | | |
| Liquid | | 237 ml (| | evity lutrison Multi Fibre |
| | 2.65 5.29 | 500 ml (1.000 ml | | utrison Multi Fibre |
| | 2.65 | 500 ml (| • • • • • | evity RTH |
| | 5.29 | 1,000 ml | | evity RTH |
| NTERAL FEED WITH FIBRE 1.5KCAL/ML - Special Authority | see SA0702 on | the preced | ing page – I | Hospital pharmacy [HP3] |
| Liquid | | 250 ml (| | nsure Plus HN |
| | 7.00 | 1,000 ml | | nsure Plus RTH |
| | | | V N | utrison Energy Multi Fibre |

SPECIAL FOODS

| | \$ | rice) Sub Per | sidised ✓ | Brand or Generic Manufacturer |
|---|------------------|------------------|--------------|-------------------------------------|
| ORAL FEED 1.5KCAL/ML – Special Authority see SA0702 on page | ae 183 – Hospita | l pharmacy [H | IP31 | |
| Liquid (banana) | | 200 ml OP | | ortisip |
| | (1.45) | | | nsure Plus |
| Liquid (chocolate) | | 200 ml OP | 🖌 F | ortisip |
| | (1.45) | | E | nsure Plus |
| | 1.33 | 237 ml OP | V E | Insure Plus |
| Liquid (coffee latte) | 1.33 | 237 ml OP | V E | insure Plus |
| Liquid (fruit of the forest) | | 200 ml OP | | |
| | (1.45) | | E | Insure Plus |
| Liquid (strawberry) | 1.12 | 200 ml OP | 🖌 F | ortisip |
| | (1.45) | | E | Insure Plus |
| | 1.33 | 237 ml OP | 🖌 E | Insure Plus |
| Liquid (toffee) | 1.12 | 200 ml OP | 🖌 F | ortisip |
| Liquid (tropical fruit) | 1.12 | 200 ml OP | 🖌 F | ortisip |
| Liquid (vanilla) | 1.12 | 200 ml OP | 🖌 F | ortisip |
| | (1.45) | | E | Insure Plus |
| | 1.33 | 237 ml OP | 🖌 E | Insure Plus |
| ORAL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority see S | SA0702 on page | 183 – Hospita | al pharr | macy [HP3] |
| Liquid (chocolate) | | 200 ml OP | • | ortisip Multi Fibre |
| Liquid (strawberry) | | 200 ml OP | | ortisip Multi Fibre |
| Liquid (vanilla) | | 200 ml OP | | ortisip Multi Fibre |

Adult Products High Calorie

➡SA0585 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements; and
- 4 Either:
 - 4.1 The product is to be used as a supplement; or
 - 4.2 The product is to be used as a complete diet.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 failure to thrive; or
 - 1.3 increased nutritional requirements; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements; and
- 4 Either:
 - 4.1 The product is to be used as a supplement; or
 - 4.2 The product is to be used as a complete diet.

Renewal — (Cystic fibrosis) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

continued...

| | Subsidy (Manufacturer's Price) \$ | Fully Subsidised Per 🖌 | Brand or Generic Manufacturer |
|--|---|------------------------------|-------------------------------------|
| continued | | | |
| General Practitioners must include the name of the spect 3 Either: | cialist and date contacted | l; and | |
| 3.1 The product is to be used as a supplement; or | | | |
| 3.2 The product is to be used as a complete diet. | | | |
| Renewal — (Indications other than cystic fibrosis) only from | | | er on the recommendation |
| of a relevant specialist. Approvals valid for 1 year for applicatio | ns meeting the following | criteria: | |
| All of the following: 1 The treatment remains appropriate and the patient is be | politing from trootmont. | and | |
| 2 General Practitioners must include the name of the spec | • | | |
| 3 Either: | | , | |
| 3.1 The product is to be used as a supplement; or | | | |
| 3.2 The product is to be used as a complete diet. | | | |
| Notes: This product can be used either as a supplement or as f it is being used as a supplement, the limit is 500 ml per day. | a complete diet. | | |
| DRAL FEED 2KCAL/ML – Special Authority see SA0585 on the | a proceding page. Her | nital pharmaoy [] | וכסב |
| Liquid (vanilla) | | | wo Cal HN |
| Food Thickeners | | | |
| | | | |
| SA0595 Special Authority for Subsidy | | | |
| nitial application only from a relevant specialist. Approvals | valid for 1 year where the | ne patient has m | otor neurone disease with |
| swallowing disorder. Renewal only from a relevant specialist or general practitioner | on the recommendation | of a relevant so | cialist Annrovals valid for |
| year for applications meeting the following criteria: | | of a relevant spo | |
| Soth: | | | |
| 1 The treatment remains appropriate and the patient is be | | | |
| 2 General Practitioners must include the name of the spec | | | |
| FOOD THICKENER - Special Authority see SA0595 above - | | | |
| Powder | | 0gOP ✔K | aricare Food Thickener |
| | | | |
| Gluten Free Foods | | | |
| | | | |

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

GLUTEN FREE BAKING MIX - Special Authority see SA0722 above - Hospital pharmacy [HP3]

..2.81 1,000 g OP (5.15)

Healtheries Simple Baking Mix

SPECIAL FOODS

| | Subsidy (Manufacturer's \$ | | Fully Brand or dised Generic Manufacturer |
|---|----------------------------------|--------------------------------|---|
| GLUTEN FREE BREAD MIX – Special Authority see SA0722 o | n the preceding p | age – Hospital pł | narmacy [HP3] |
| Powder | 3.93 | 1,000 g OP | |
| | (7.32) | | NZB Low Gluten Bread Mix |
| | 4.77 | | |
| | (8.71) | | Bakels Gluten Free Health Bread Mix |
| | 3.51 | | |
| | (10.87) | | Horleys Bread Mix |
| GLUTEN FREE FLOUR – Special Authority see SA0722 on the Powder | | - Hospital pharm 2,000 g OP | acy [HP3] |
| | (18.10) | 2,000 y OF | Horleys Flour |
| | (/ | | , |
| GLUTEN FREE PASTA – Special Authority see SA0722 on the | | | icy [HP3] |
| Buckwheat Spirals | | 250 g OP | Oreneen |
| Corn and Vegetable Shells | (3.11) | 250 g OP | Orgran |
| Com and vegetable Shelis | 2.00 (2.92) | 250 y OF | Orgran |
| Corn and Vegetable Spirals | () | 250 g OP | Orgian |
| Contraito vegetable Opitals | (2.92) | 250 g OI | Orgran |
| Rice and Corn Lasagne Sheets | () | 200 g OP | orgiun |
| | (3.82) | 200 9 0. | Orgran |
| Rice and Corn Macaroni | () | 250 g OP | 0.9.000 |
| | (2.92) | - 3 - | Orgran |
| Rice and Corn Penne | | 250 g OP | |
| | (2.92) | - | Orgran |
| Rice and Maize Pasta Spirals | 2.00 | 250 g OP | |
| | (2.92) | | Orgran |
| Rice and Millet Spirals | | 250 g OP | |
| | (3.11) | | Orgran |
| Rice and corn spaghetti noodles | | 375 g OP | |
| Manatakia and Dias Opinala | (2.92) | 050 00 | Orgran |
| Vegetable and Rice Spirals | | 250 g OP | Oversee |
| Italian lang at la anaghatti | (2.92) | 000 ~ OD | Orgran |
| Italian long style spaghetti | 2.00 (3.11) | 220 g OP | Oraron |
| | (5.11) | | Orgran |

Foods And Supplements For Inborn Errors Of Metabolism - Other

SA0732 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Either:

- 1 dietary management of homocystinuria; or
- 2 dietary management of maple syrup urine disease.

Renewal only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

| | Subsidy (Manufacturer's Pr \$ | ice) Subs Per | Fully sidised | Brand or Generic Manufacturer |
|--|---|--|------------------------|---|
| Prescribing Guideline It can cost up to \$70,000 a year to keep an adult on protein si because they are only effective in controlling PKU if a restricted they are following the prescribed diet by regular blood testing. T Failure to follow an appropriate diet results in high blood phenylal The subsidy for these products reflects the philosophy that the cialised more expensive products. | diet is followed, a The requirement for anine levels. | dults with PKL or testing appli | J will be ies to tl | e required to demonstrate hose aged over 16 years. |
| Supplements For Homocystinuria | | | | |
| AMINOACID FORMULA WITHOUT METHIONINE – Special Au [HP3] See prescribing guideline above Powder | | 32 on the precesson of the second sec | 0.1 | bage – Hospital pharmacy MET Maxamum |
| Supplements For MSUD | | | | |
| AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISO – Hospital pharmacy [HP3] See prescribing guideline above | LEUCINE - Spec | ial Authority se | e SA07 | '32 on the preceding page |
| Powder | 300.54 437.22 | 500 g OP | | SUD Maxamaid SUD Maxamum |
| Foods And Supplements For Inborn Errors Of M | letabolism - P | чKU | | |

Prescribing Guideline

It can cost up to \$70,000 a year to keep an adult on protein supplements. Because protein substitutes are so expensive and because they are only effective in controlling PKU if a restricted diet is followed, adults with PKU will be required to demonstrate they are following the prescribed diet by regular blood testing. The requirement for testing applies to those aged over 16 years. Failure to follow an appropriate diet results in high blood phenylalanine levels.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Foods and Supplements For PKU

SA0733 Special Authority for Subsidy

Initial application — (Patient aged over 16) only from a relevant specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

1 dietary management of PKU; and

2 The patient's blood phenylalanine level is < 900 mmol/litre (average of tests over last 12 months).

Initial application — (Patient aged 16 or under) only from a relevant specialist. Approvals valid for 3 years where the patient requires dietary management of PKU.

Renewal — (Patient aged over 16) only from a relevant specialist. Approvals valid for 1 year where blood phenylalanine level < 900 mmol/litre (average of tests over last 12 months).

Renewal — (Patient aged 16 or under) only from a relevant specialist or general practitioner on the recommendation of a relevant specialist. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the specialist and date contacted.

SPECIAL FOODS

| | Subsidy | | Fully Brand or |
|--|---------------------|---|--|
| | (Manufacturer's | | sidised Generic |
| | \$ | Per | Manufacturer |
| INOACID FORMULA WITHOUT PHENYLALANINE - Sp | ecial Authority see | SA0733 on the | preceding page - Hospital |
| acy [HP3] | | | |
| See prescribing guideline on the preceding page Tabs | 00.00 | 75 OP | Phlexy 10 |
| Sachets (pineapple/vanilla) 29 g | | 30 OP | Minaphlex |
| Sachets (tropical) | | 30 OF 30 | Phlexy 10 |
| | | | |
| Infant formula | 1/4./2 | 400 g OP | ✓ PKU Anamix Infant |
| Dourdor (orongo) | 221.00 | 500 a OB | XP Analog LCP XP Maxamaid |
| Powder (orange) | | 500 g OP | |
| | 320.00 | 500 × 0D | ✓ XP Maxamum |
| Powder (unflavoured) | | 500 g OP | ✓ XP Maxamaid |
| | 320.00 | | XP Maxamum |
| Liquid (berry) | | 62.5 ml OP | Lophlex LQ |
| | 31.20 | 125 ml OP | Lophlex LQ |
| | 15.65 | 62.5 ml OP | PKU Lophlex LQ |
| | 31.20 | 125 ml OP | PKU Lophlex LQ |
| Liquid (citrus) | | 62.5 ml OP | Lophlex LQ |
| | 31.20 | 125 ml OP | Lophlex LQ |
| | 15.65 | 62.5 ml OP | PKU Lophlex LQ |
| | 31.20 | 125 ml OP | PKU Lophlex LQ |
| Liquid (forest berries) | | 250 ml OP | Easiphen Liquid |
| Liquid (orange) | | 62.5 ml OP | Lophlex LQ |
| | 31.20 | 125 ml OP | Lophlex LQ |
| | 15.65 | 62.5 ml OP | PKU Lophlex LQ |
| | 31.20 | 125 ml OP | PKU Lophlex LQ |
| | | | |
| Liquid (tropical) | | 250 ml OP | Easiphen |
| | | | • |
| ENYL FREE BAKING MIX - Special Authority see SA073 | | | · |
| ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page | | page – Hospita | · |
| ENYL FREE BAKING MIX - Special Authority see SA073 | | | pharmacy [HP3] |
| ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page Powder | | page – Hospita 500 g OP | pharmacy [HP3] Loprofin Mix |
| ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on th | | page – Hospita 500 g OP | pharmacy [HP3] Loprofin Mix |
| ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on th See prescribing guideline on the preceding page | | page – Hospita 500 g OP - Hospital pharr | pharmacy [HP3] Loprofin Mix |
| ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on th | | page – Hospita 500 g OP | pharmacy [HP3] Loprofin Mix nacy [HP3] |
| ENYL FREE PASTA – Special Authority see SA0733 on the See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on the See prescribing guideline on the preceding page Animal shapes | | page – Hospita 500 g OP - Hospital pharr | pharmacy [HP3] Loprofin Mix |
| ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on th See prescribing guideline on the preceding page | | page – Hospita 500 g OP - Hospital pharr | pharmacy [HP3] Loprofin Mix nacy [HP3] |
| ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on th See prescribing guideline on the preceding page Animal shapes Lasagne | | page – Hospita 500 g OP - Hospital pharr 500 g OP | pharmacy [HP3] Loprofin Mix nacy [HP3] |
| ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on th See prescribing guideline on the preceding page Animal shapes | | page – Hospita 500 g OP - Hospital pharr 500 g OP | pharmacy [HP3] Loprofin Mix nacy [HP3] Loprofin |
| ENYL FREE BAKING MIX – Special Authority see SA073: See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on th See prescribing guideline on the preceding page Animal shapes Lasagne | | page – Hospita 500 g OP - Hospital pharr 500 g OP 250 g OP | pharmacy [HP3] Loprofin Mix nacy [HP3] Loprofin |
| ENYL FREE BAKING MIX – Special Authority see SA073: See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on th See prescribing guideline on the preceding page Animal shapes Lasagne | | page – Hospita 500 g OP - Hospital pharr 500 g OP 250 g OP | pharmacy [HP3] Loprofin Mix nacy [HP3] Loprofin Loprofin |
| ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on the See prescribing guideline on the preceding page Animal shapes Lasagne Low protein rice pasta | | page – Hospita 500 g OP - Hospital pharr 500 g OP 250 g OP 500 g OP | pharmacy [HP3] Loprofin Mix nacy [HP3] Loprofin Loprofin |
| ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on the See prescribing guideline on the preceding page Animal shapes Lasagne Low protein rice pasta | | page – Hospital 500 g OP - Hospital pharr 500 g OP 250 g OP 500 g OP 250 g OP | pharmacy [HP3] Loprofin Mix nacy [HP3] Loprofin Loprofin Loprofin |
| ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on the See prescribing guideline on the preceding page Animal shapes Lasagne Low protein rice pasta | | page – Hospita 500 g OP - Hospital pharr 500 g OP 250 g OP 500 g OP | pharmacy [HP3] Loprofin Mix nacy [HP3] Loprofin Loprofin Loprofin Loprofin |
| ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on the See prescribing guideline on the preceding page Animal shapes Lasagne Low protein rice pasta Macaroni Penne | | page – Hospital 500 g OP - Hospital pharr 500 g OP 250 g OP 500 g OP 250 g OP 250 g OP 500 g OP | pharmacy [HP3] Loprofin Mix nacy [HP3] Loprofin Loprofin Loprofin |
| ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on the See prescribing guideline on the preceding page Animal shapes Lasagne Low protein rice pasta | | page – Hospital 500 g OP - Hospital pharr 500 g OP 250 g OP 500 g OP 250 g OP | pharmacy [HP3] Loprofin Mix nacy [HP3] Loprofin Loprofin Loprofin Loprofin Loprofin |
| ENYL FREE BAKING MIX – Special Authority see SA073 See prescribing guideline on the preceding page Powder ENYL FREE PASTA – Special Authority see SA0733 on th See prescribing guideline on the preceding page Animal shapes Lasagne Low protein rice pasta Macaroni Penne | | page – Hospital 500 g OP - Hospital pharr 500 g OP 250 g OP 500 g OP 250 g OP 250 g OP 500 g OP | pharmacy [HP3] Loprofin Mix nacy [HP3] Loprofin Loprofin Loprofin Loprofin |

| | Subsidy (Manufacturer's Pric \$ | e) Subs Per | Fully sidised | Brand or Generic Manufacturer |
|--|---------------------------------------|--------------------------|------------------|-------------------------------------|
| Multivitamin And Mineral Supplements | | | | |
| SA0962 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals vali the following criteria: Any of the following: Dietary management of phenylketonuria (PKU); or For use as a supplement to the ketogenic diet in patients of | | | notifie | d for applications meeting |
| 3 Patient has had a previous approval for metabolic mineral | 0 1 | ,psy, oi | | |
| AMINOACID FORMULA WITH MINERALS WITHOUT PHENYLA See prescribing guideline on page 188 | LANINE – Special A | Authority see | SA0962 | 2 above – Retail pharmacy |
| Powder | 23.38 | 100 g OP | | etabolic Mineral Mixture |
| Infant Formulae | | | | |
| For Premature Infants | | | | |
| SA0602 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid at birth. PREMATURE BIRTH FORMULA – Special Authority see SA060 | 2 above – Hospital | | | weighing less than 1.5 kg |
| Liquid | 0.75 1 | 100 ml OP | ✓ S2 | 26LBW Gold RTF |
| For Williams Syndrome | | | | |
| SA0601 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals vali Syndrome and associated hypercalcaemia. Renewal only from a relevant specialist or general practitioner of 1 year for applications meeting the following criteria: Both: | · | | | • |
| 1 The treatment remains appropriate and the patient is bene 2 General Practitioners must include the name of the specia | | | | |
| LOW CALCIUM INFANT FORMULA – Special Authority see SA | | tal pharmacy 400 g OP | | ocasol |
| For Gastrointestinal And Other Malabsorptive P | roblems | | | |
| ■SA0603 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid and other gastrointestinal problems. Renewal only from a relevant specialist or general practitioner or | | | | 0 |

1 year for applications meeting the following criteria:

Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 General Practitioners must include the name of the specialist and date contacted.

Neocate should be used only as a last resort when the infant is unable to absorb any of the below formulae. The objective with each of the formulae prescribed is to get the infant off them as soon as possible. This may take six months, it may take three years. Because of this, variation on age limit is not regarded as appropriate. These formulae will be available only from a hospital pharmacy. Vivonex Pediatric may be a suitable and less expensive alternative for many children that would otherwise be eligible for a subsidy for Neocate and should, therefore, be tried first in these cases. The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

SPECIAL FOODS

| | Subsidy (Manufacturer's P \$ | | Fully Brand or ised Generic ✔ Manufacturer |
|---|------------------------------------|------------------------------|--|
| ELEMENTAL FORMULA – Special Authority see SA0603 on the Powder | | - Hospital pharm 450 g OP | acy [HP3] |
| | (15.21) | | Pepti Junior Gold |
| | 15.52 (19.01) | | Pepti Junior |
| | 63.97 | 400 g OP | Neocate |
| | (67.08) (67.08) | | Neocate LCP |
| | 5.62 (6.00) | 48.5 g OP | Vivonex Pediatric |
| Powder (tropical) | () | 400 g OP | VIVOIIEX I Ediatile |
| Powder (unflavoured) | (56.00) 52.90 | 400 g OP | Neocate Advance |
| | (56.00) | 400 9 01 | Elecare |
| | (56.00) (56.00) | | Elecare LCP Neocate Advance |
| Powder (vanilla) | · / | 400 g OP | Neocale Auvance |
| | (56.00) | | Elecare |

For Milk Intolerance

►SA0604 Special Authority for Subsidy

Initial application — (Lactase deficiency or disaccharide intolerance) only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is less than 3 years of age; and
- 2 Either:
 - 2.1 diagnosed as suffering from congenital lactase deficiency; or
 - 2.2 suffering from disaccharide intolerance.

Notes: Secondary lactose intolerance in children is usually short lasting, and can be controlled by dietary measures and by giving sufficient calories to regenerate digestive enzymes.

The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Initial application — (Infant with intolerance to cows' milk) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 intolerant to cows' milk; and
- 2 patient is less than 3 years of age.

Note: The subsidy for these products reflects the philosophy that the patient incurs no additional financial burden for purchasing specialised more expensive products.

Renewal — (Infant with intolerance to cows' milk) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 patient is less than 3 years of age.

GOATS MILK INFANT FORMULA - Special Authority see SA0604 above - Retail pharmacy

(22.75)

Karicare Goats Milk Infant Formula

| | Subsidy (Manufacturer's Price) \$ | e) S Per | Fully Subsidised | Brand or Generic Manufacturer |
|---|---|----------------------|---------------------|-------------------------------------|
| LACTOSE FREE INFANT FORMULA – Special Authority see S/ Powder | | ing page 100 g OP | | harmacy elact |
| SOYA INFANT FORMULA – Special Authority see SA0604 on th Powder | | Retail ph 00 g OP | | 26 Soy |
| Infant Formulae - Lactose Intolerance and Cows | s' Milk Protein Ir | ntolera | nce | |
| ▶>SA0757 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals valid All of the following: The patient is less than 2 years of age; and Intolerant to cows' milk; and Diagnosed as suffering from congenital lactase deficiency Renewal only from a relevant specialist. Approvals valid for 6 m benefiting from treatment. INFANT SOY FORMULA – Special Authority see SA0757 above | onths where the treat | | - | · |
| Powder | | 900 g | К | aricare Soy All Ages |

Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

| ADRENALINE ✓ Inj 1 in 1,000, 1 ml |
|--|
| AMINOPHYLLINE ✔ Inj 25 mg per ml, 10 ml5 |
| AMIODARONE HYDROCHLORIDE ✔ Inj 50 mg per ml, 3 ml |
| AMOXYCILLIN ✓ Cap 250 mg |
| AMOXYCILLIN CLAVULANATE Tab amoxycillin 500 mg with potassium clavulanate 125 mg |
| ✓ Grans for oral liq amoxycillin 250 mg with potassium clavulanate 62.5 mg per 5 ml |
| ASPIRIN ✓ Tab dispersible 300 mg |
| АТROPINE SULPHATE ✔ Inj 600 µg, 1 ml |
| AZITHROMYCIN ✓ Tab 500 mg – Subsidy by endorsement – See note on page 798 |
| BENDROFLUAZIDE ✔ Tab 2.5 mg – See note on page 53150 |
| BENZATHINE BENZYLPENICILLIN ✓ Inj 1.2 mega u per 2.3 ml |
| BENZTROPINE MESYLATE ✓ Inj 1 mg per ml, 2 ml |
| BENZYLPENICILLIN SODIUM (PENICILLIN G) |
| CEFTRIAXONE SODIUM ✓ Inj 500 mg – Subsidy by endorsement – See note on page 78 |
| CHARCOAL ✓ Oral liq 50 g per 250 ml |

| CHLORPROMAZINE HYDROCHLORIDE Tab 10 mg |
|--|
| CIPROFLOXACIN ✔ Tab 250 mg5 ✔ Tab 500 mg5 |
| CO-TRIMOXAZOLE ✓ Tab trimethoprim 80 mg and sulphamethoxazole 400 mg30 ✓ Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg per 5 ml200 ml |
| COMPOUND ELECTROLYTES Powder for soln for oral use 5 g10 |
| CONDOMS 49 mm |
| DEXAMETHASONE ✓ Tab 1 mg – Retail pharmacy-Specialist |
| DEXAMETHASONE SODIUM PHOSPHATE ✓ Inj 4 mg per ml, 1 ml5 ✓ Inj 4 mg per ml, 2 ml5 |
| DEXTROSE ✔ Inj 50%, 10 ml5 ✔ Inj 50%, 90 ml5 |
| DIAPHRAGM ✓ 65 mm – See note on page 65 |

✓ fully subsidised brand available Please refer to Section A for a definition, and conditions of supply, of Practitioner's Supply Orders.

(continued)

| DIAZEPAM ✓ Inj 5 mg per ml, 2 ml – Subsidy by endorsement – See note on page 118 ✓ Rectal tubes 5 mg ✓ Rectal tubes 10 mg | 5 |
|---|----------|
| DICLOFENAC SODIUM ✓ Inj 25 mg per ml, 3 ml | |
| DIGOXIN ✔ Tab 62.5 µg | |
| DOXYCYCLINE HYDROCHLORIDE Tab 50 mg | |
| ERGOMETRINE MALEATE ✓ Inj 500 µg per ml, 1 ml | 5 |
| ERYTHROMYCIN ETHYL SUCCINATE ✓ ✓ Tab 400 mg | nl |
| ERYTHROMYCIN STEARATE Tab 250 mg | 30 |
| ETHINYLOESTRADIOL WITH DESOGESTREL Tab 20 µg with desogestrel 150 µg | 34 53 |
| ETHINYLOESTRADIOL WITH LEVONORGESTREL ✓ Tab 50 µg with levonorgestrel 125 µg and 7 inert tab Tab 30 µg with levonorgestrel 150 µg ✓ Tab 30 µg with levonorgestrel 150 µg and 7 inert tab Tab 20 µg with levonorgestrel 100 µg and 7 inert tab | 63 34 |
| ETHINYLOESTRADIOL WITH NORETHISTERONE ✓ Tab 35 μg with norethisterone 1 mg | 34 |
| ✓ Tab 35 µg with norethisterone 500 µg and 7 inert tab | |

FLUCI OXACILLIN SODIUM ✓ Grans for oral lig 125 mg per 5 ml 200 ml ✓ Grans for oral lig 250 mg per 5 ml 200 ml ✓ Inj 1 g......5 FLUPENTHIXOL DECANOATE ✓ Inj 20 mg per ml, 1 ml5 ✓ Inj 100 mg per ml, 1 ml5 FLUPHENAZINE DECANOATE ✓ Inj 12.5 mg per 0.5 ml, 0.5 ml5 ✓ Inj 25 mg per ml, 1 ml5 FUROSEMIDE GLUCAGON HYDROCHLOBIDE ✓ Inj 1 mg syringe kit......5 GLYCERYL TRINITRATE ✓ Oral pump spray 400 µg per dose 250 dose HAI OPFRIDOL ✓ Oral lig 2 mg per ml 200 ml HALOPERIDOL DECANOATE ✓ Inj 100 mg per ml, 1 ml5 **HYDROCORTISONE** ✓ Inj 50 mg per ml, 2 ml5 HYDROXOCOBALAMIN HYOSCINE N-BUTYLBROMIDE ✓ Inj 20 mg, 1 ml5 INTRA-UTERINE DEVICE **IPRATROPIUM BROMIDE** ✓ Nebuliser soln, 250 µg per ml, 1 ml40 LEVONORGESTREL

continued...

✓ fully subsidised brand available

Please refer to Section A for a definition, and conditions of supply, of Practitioner's Supply Orders.

PRACTITIONER'S SUPPLY ORDERS

(continued)

| ✓ Gel 2%, 10 ml urethral syringe |
|--|
| LIGNOCAINE WITH CHLORHEXIDINE Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes |
| LOPERAMIDE HYDROCHLORIDE ✓ Tab 2 mg |
| MASK FOR SPACER DEVICE ✓ Size 2 – See note on page 15920 |
| MEDROXYPROGESTERONE ACETATE Inj 150 mg per ml, 1 ml syringe |
| METHYLERGOMETRINE ✓ Inj 200 µg per ml, 1 ml |
| METOCLOPRAMIDE HYDROCHLORIDE Inj 5 mg per ml, 2 ml |
| METRONIDAZOLE ✓ Tab 200 mg |
| MORPHINE SULPHATE ✓ Inj 5 mg per ml, 1 ml – Only on a controlled drug form |
| NALOXONE HYDROCHLORIDE ✓ Inj 400 µg per ml, 1 ml5 |
| NORETHISTERONE ✓ Tab 350 µg |
| NORETHISTERONE WITH MESTRANOL Tab 1 mg with mestranol 50 µg and 7 inert tab84 |
| OXYTOCIN ✓ Inj 5 iu per ml, 1 ml |

| PARACETAMOL ✔ Tab 500 mg ✔ Oral liq 120 mg per 5 ml | |
|--|----------------|
| ✓ Oral liq 250 mg per 5 ml | . 100 ml |
| PEAK FLOW METER ✔ Low range ✔ Normal range | |
| PETHIDINE HYDROCHLORIDE ✓ Inj 50 mg per ml, 1 ml – Only on a controlled drug form ✓ Inj 50 mg per ml, 1.5 ml – Only on a controlled drug form ✓ Inj 50 mg per ml, 2 ml – Only on a controlled drug form | 5 |
| PHENOXYMETHYLPENICILLIN (PENICILLIN V) ✓ Cap potassium salt 250 mg ✓ Grans for oral liq 125 mg per 5 ml ✓ Grans for oral liq 250 mg per 5 ml | 30 . 200 ml |
| PHENYTOIN SODIUM ✔ Inj 50 mg per ml, 2 ml ✔ Inj 50 mg per ml, 5 ml | 5 5 |
| PHYTOMENADIONE ✓ Inj 2 mg per 0.2 ml – See note on page 40 ✓ Inj 10 mg per ml, 1 ml – See note on page 40 | |
| PIPOTHIAZINE PALMITATE ✔ Inj 50 mg per ml, 1 ml ✔ Inj 50 mg per ml, 2 ml | |
| PREDNISOLONE SODIUM PHOSPHATE ✓ Oral liq 5 mg per ml – See note on page 71 | 30 ml |
| PREDNISONE ✔ Tab 5 mg | |
| PREGNANCY TESTS - HCG URINE | 200 test |
| PROCAINE PENICILLIN ✔ Inj 1.5 mega u | 5 |
| PROCHLORPERAZINE ✔ Tab 5 mg ✔ Inj 12.5 mg per ml, 1 ml | 30 5 |
| PROMETHAZINE HYDROCHLORIDE ✔ Inj 25 mg per ml, 2 ml | 5 |
| SALBUTAMOL ✔ Inj 500 µg per ml, 1 ml contii | |

✓ fully subsidised brand available Please refer to Section A for a definition, and conditions of supply, of Practitioner's Supply Orders.

(continued)

| oonanaoa) |
|---|
| Aerosol inhaler, 100 μg per dose CFC free |
| ✔ Nebuliser soln, 1 mg per ml, 2.5 ml |
| SALBUTAMOL WITH IPRATROPIUM BROMIDE ✓ Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml |
| SILVER SULPHADIAZINE ✔ Crm 1%250 g |
| SODIUM BICARBONATE ✔ Inj 8.4%, 50 ml |
| SODIUM CHLORIDE ✓ Inf 0.9% – See note on page 42 |

SPACER DEVICE

| SPACER DEVICE ✓ 230 ml (autoclavable) – Subsidy by |
|---|
| endorsement – See note on page 15920 ✓ 230 ml (single patient) |
| ✓ 200 ml (single padent) |
| TRIMETHOPRIM ✓ Tab 300 mg |
| VERAPAMIL HYDROCHLORIDE V Inj 2.5 mg per ml, 2 ml |
| WATER ✓ Purified for inj, 5 ml – See note on page 43 |
| ZUCLOPENTHIXOL DECANOATE |

| 🖌 Inj | 200 mg | per ml, | 1 | ml | 5 |) |
|-------|--------|---------|---|----|---|---|
|-------|--------|---------|---|----|---|---|

Rural Areas for Practitioner's Supply Orders

NORTH ISLAND

Northland DHB

Dargaville Hikurangi Kaeo Kaikohe Kaitaia Kawakawa Kerikeri Mangonui Maungaturoto Moerewa Naunauru Paihia Rawene Ruakaka Russell Tutukaka Waipu Whangaroa

Waitemata DHB

Helensville Huapai Kumeu Snells Beach Waimauku Warkworth Wellsford

Auckland DHB

Great Barrier Island Oneroa Ostend

Counties Manukau DHB

Tuakau Waiuku

Waikato DHB

Coromandel Huntly Kawhia Matamata Morrinsville Ngatea Otorohanga Paeroa Pauanui Beach Putaruru Raglan Tairua Taumarunui Te Aroha Te Kauwhata Te Kuiti Tokoroa Waihi Whangamata Whitianga

Bay of Plenty DHB

Edgecumbe Katikati Kawerau Murupara Opotiki Taneatua Te Kaha Waihi Beach Whakatane

Lakes DHB Mangakino

Turangi Tairawhiti DHB

Ruatoria Te Araroa Te Karaka Te Puia Springs Tikitiki Tokomaru Bay Tolaga Bay

Taranaki DHB

Eltham Inglewood Manaia Oakura Okato Opunake Patea Stratford Waverley

Hawkes Bay DHB

Chatham Islands Waipawa Waipukurau Wairoa **Whanganui DHB** Bulls Marton Ohakune Raetihi Taihape Waiouru

MidCentral DHB

Dannevirke Foxton Levin Otaki Pahiatua Shannon Woodville

Wairarapa DHB

Carteron Featherston Greytown Martinborough

SOUTH ISLAND

Nelson/Marlborough DHB

Havelock Mapua Motueka Murchison Picton Takaka Wakefield

West Coast DHB

Dobson Greymouth Hokitika Karamea Reefton South Westland Westport Whataroa

Canterbury DHB

Akaroa Amberley Amuri Cheviot Darfield Diamond Harbour Hanmer Springs Kaikoura Leeston Lincoln Methven Oxford Rakaia Rolleston Rotherham Templeton Waikari

South Canterbury DHB

Fairlie Geraldine Pleasant Point Temuka Twizel Waimate

Southern DHB

Alexandra Balclutha Cromwell Gore Kurow I awrence Lumsden Mataura Milton Oamaru Oban Otautau Outram Owaka Palmerston Queenstown Ranfurly Riverton Roxburah Tapanui Te Anau Tokonui Tuatapere

Wanaka

Winton

SECTION F: PART I

A Community Pharmaceutical identified with a ***** within the other sections of the Pharmaceutical Schedule:

a) is exempt from any requirement to dispense in Monthly Lots;

b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is Close Control.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is Close Control.

SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

- a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the prescriber has endorsed the Prescription item(s) on the Prescription to which the exemption applies "certified exemption". In endorsing the Prescription items for a certified exemption, the prescriber is certifying that:
 - i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
 - ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
 - iii) the prescriber has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
 - i) have limited physical mobility;
 - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - iii) are relocating to another area;
 - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

The following Community Pharmaceuticals are identified with a **A** within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

ALIMENTARY TRACT AND METABOLISM INSULIN ASPART INSULIN GLARGINE INSULIN ISOPHANE INSULIN ISOPHANE WITH INSULIN NEUTRAL INSULIN LISPRO INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE INSULIN NEUTRAL

CARDIOVASCULAR SYSTEM

AMIODARONE HYDROCHLORIDE Tab 100 mg Cordarone-X Tab 200 mg Cordarone-X

DISOPYRAMIDE PHOSPHATE

FLECAINIDE ACETATE Tab 50 mg Tambocor Tab 100 mg Tambocor Cap long-acting 100 mg Cap long-acting 200 mg Tambocor CR

MEXILETINE HYDROCHLORIDE

PROPAFENONE HYDROCHLORIDE

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN Nasal drops 100 µg per Minirin ml Nasal spray 10 µg per Desmopressin-PH&T dose MUSCULOSKELETAL SYSTEM PYRIDOSTIGMINE BROMIDE

NERVOUS SYSTEM AMANTADINE HYDROCHLORIDE

AWAN IADINE HTDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

ENTACAPONE

GABAPENTIN

GABAPENTIN (NEURONTIN)

LAMOTRIGINE

LISURIDE HYDROGEN MALEATE

PERGOLIDE

ROPINIROLE HYDROCHLORIDE

TOLCAPONE

TOPIRAMATE

VIGABATRIN

SENSORY ORGANS

BIMATOPROST

BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE

BRINZOLAMIDE

LATANOPROST

TRAVOPROST

SECTION G: SAFETY CAP MEDICINES

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular
 person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

Safety Caps (NZS 5825:1991)

| 20 mm | .Clic-Loc, United Closures & Plastics PLC, England |
|-------|--|
| | Kerr, Cormack Packaging, Sydney, under licence to Kerr USA |
| 24 mm | .Clic-Loc, United Closures & Plastics PLC, England |
| | Clic-Loc, ACI Closures under license to Owens-Illinois |
| | Kerr, Cormack Packaging, Sydney, under licence to Kerr USA |
| 28 mm | .Clic-Loc, United Closures & Plastics PLC, England |
| | Clic-Loc, ACI Closures under license to Owens-Illinois |
| | Kerr, Cormack Packaging, Sydney, under licence to Kerr USA |
| | PDL Squeezlok |
| | PDL FG |
| | |

ALIMENTARY TRACT AND METABOLISM

FERROUS SULPHATE Oral liq 30 mg per 1 ml Ferodan (6 mg elemental per 1 ml)

CARDIOVASCULAR SYSTEM

AMILORIDE Oral liq 1 mg per ml Biomed

CAPTOPRIL Oral liq 5 mg per ml Capoten CHLOROTHIAZIDE Oral liq 50 mg per ml Biomed DIGOXIN Oral liq 50 µg per ml Lanoxin

FUROSEMIDE Oral liq 10 mg per ml Lasix

SPIRONOLACTONE Oral lig 5 mg per ml

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

Biomed

LEVOTHYROXINE

| Tab 50 µg | Eltroxin |
|------------|------------|
| | Goldshield |
| | Synthroid |
| Tab 100 µg | Eltroxin |
| | Goldshield |
| | Synthroid |
| Tab 25 µg | Synthroid |

(Extemporaneously compounded oral liquid preparations)

MUSCULOSKELETAL SYSTEM

IBUPROFEN Oral liq 100 mg per 5 ml Fenpaed

| QUININE SULPHATE | |
|-------------------------|---------------------------------|
| Tab 200 mg | Q 200 |
| Tab 300 mg | Q 300 |
| (Extemporaneously compo | unded oral liquid preparations) |

NERVOUS SYSTEM

ALPRAZOLAM Tab 250 µg Arrow-Alprazolam Tab 500 µg Arrow-Alprazolam Tab 1 mg Arrow-Alprazolam (Extemporaneously compounded oral liquid preparations)

CARBAMAZEPINE

Oral liq 100 mg per 5 ml Tegretol

CLOBAZAM Tab 10 mg Frisium (Extemporaneously compounded oral liquid preparations) **CLONAZEPAM** Oral drops 2.5 mg per Rivotril ml DIAZEPAM Arrow-Diazepam Tab 2 mg Tab 5 mg Arrow-Diazepam (Extemporaneously compounded oral liquid preparations) **ETHOSUXIMIDE** Oral liq 250 mg per 5 ml Zarontin LORAZEPAM Tab 1 mg Ativan Tab 2.5 mg Ativan (Extemporaneously compounded oral liquid preparations) LORMETAZEPAM Noctamid Tab 1 mg (Extemporaneously compounded oral liquid preparations) METHADONE HYDROCHLORIDE Oral lig 2 mg per ml Biodone Oral lig 5 mg per ml **Biodone Forte** Oral liq 10 mg per ml Biodone Extra Forte MIDAZOLAM Tab 7.5 mg Hypnovel (Extemporaneously compounded oral liquid preparations) MORPHINE HYDROCHLORIDE Oral lig 1 mg per ml **RA-Morph** Oral lig 2 mg per ml **RA-Morph** Oral lig 5 mg per ml RA-Morph Oral liq 10 mg per ml **RA-Morph** NITRA7FPAM Tab 5 mg Nitrados (Extemporaneously compounded oral liquid preparations)

OXAZEPAM

Tab 10 mg Ox-Pam Tab 15 mg Ox-Pam (Extemporaneously compounded oral liquid preparations)

OXYCODONE HYDROCHLORIDE Oral liq 5 mg per 5 ml OxyNorm

SAFETY CAP MEDICINES

PARACETAMOL

Oral liq 120 mg per 5 ml Paracare Junior Oral liq 250 mg per 5 ml Paracare Double Strength

PHENYTOIN SODIUM Oral liq 30 mg per 5 ml Dilantin

SODIUM VALPROATE Oral liq 200 mg per 5 ml

Epilim S/F Liquid Epilim Syrup

TEMAZEPAM Tab 10 mg Normison (Extemporaneously compounded oral liquid preparations)

TRIAZOLAM

Tab 125 μg Hypam Tab 250 μg Hypam (Extemporaneously compounded oral liquid preparations)

RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE Oral liq 1 mg per ml Cetirizine - AFT

CHLORPHENIRAMINE MALEATE Oral liq 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE Oral liq 2 mg per 5 ml Polaramine PROMETHAZINE HYDROCHLORIDE

Oral liq 5 mg per 5 ml Promethazine Winthrop Elixir

SALBUTAMOL Oral liq 2 mg per 5 ml Salapin

THEOPHYLLINE Oral liq 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE Oral liq 30 mg per 5 ml Vallergan Forte

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE Powder Douglas (Extemporaneously compounded oral liquid preparations)


METHADONE HYDROCHLORIDE Powder AFT (Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM Powder MidWest (Extemporaneously compounded oral liquid preparations)

| - Symbols - | | |
|------------------------------------|------|--|
| 3TC | 90 | |
| - A - | | |
| A-Lices | 61 | |
| A-Scabies | 61 | |
| Abacavir sulphate | | |
| Abacavir sulphate with | | |
| lamivudine | 89 | |
| Abilify | | |
| ABM Hydroxocobalamin | 35 | |
| Acarbose | | |
| Accu-Chek Performa | 30 | |
| Accupril | | |
| Accuretic 10 | | |
| Accuretic 20 | | |
| Acetadote | | |
| Acetazolamide | .162 | |
| Acetic acid with 1, 2- propanediol | | |
| diacetate and | | |
| benzethonium | 160 | |
| Acetic acid with hydroxyquinoline | | |
| and ricinoleic acid | 68 | |
| Acetylcysteine | | |
| Aci-Jel | | |
| Aciclovir | | |
| Infection | 86 | |
| Sensory | | |
| Acidex | | |
| Acipimox | | |
| Acitretin | 61 | |
| Aclasta | | |
| Actigall | | |
| Actrapid | 28 | |
| Actrapid Penfill | 28 | |
| Acupan | .113 | |
| Adalat 10 | | |
| Adalat Oros | 51 | |
| Adalimumab | 97 | |
| Adapalene | 55 | |
| Adefin XL | 51 | |
| Adefovir dipivoxil | | |
| Adrenaline | 53 | |
| Advantan | 59 | |
| AFT-Leflunomide | 96 | |
| AFT-Pyrazinamide | 84 | |
| Agents Affecting the | | |
| Renin-Angiotensin System | 46 | |
| Agents for Parkinsonism and | | |
| Related Disorders | 111 | |
| Agents Used in the Treatment of | | |
| Poisonings | 37 | |
| Agrylin | | |

| Alanase159 |
|---------------------------------|
| Albay154 |
| Albustix |
| Aldara63 |
| Alendronate sodium107 |
| Alendronate sodium with |
| cholecalciferol 107 |
| Alfacalcidol |
| Alginic acid25 |
| Alitrag |
| Alkeran |
| Allersoothe |
| Allopurinol110 |
| Alpha Adrenoceptor Blockers46 |
| Alpha tocopheryl acetate |
| |
| Alpha-Keri Lotion60 |
| Alphamox80 |
| Alprazolam128 |
| Alu-Tab25 |
| Aluminium hydroxide25 |
| Amantadine hydrochloride111 |
| Ambrisentan54 |
| Amiloride52 |
| Amiloride with frusemide52 |
| Amiloride with |
| hydrochlorothiazide52 |
| Aminophylline |
| Amiodarone hydrochloride49 |
| Amirol |
| Amisulpride124 |
| Amitrip116 |
| Amitriptyline116 |
| Amizide |
| Amlodipine51 |
| Amorolfine |
| Amoxycillin80 |
| Amoxycillin clavulanate80 |
| Amphotericin B |
| Amsacrine |
| Amsidine |
| Amyl nitrite53 |
| Annyi mune |
| Anabolic Agents |
| Anaesthetics |
| Anagrelide hydrochloride141 |
| Analgesics113 |
| Anastrozole150 |
| Androderm72 |
| Antabuse135 |
| Antacids and Antiflatulants25 |
| Anten116 |
| Anthelmintics78 |
| Anti-inflammatory Non Steroidal |
| |

| Drugs (NSAIDs)9 | 5 |
|---------------------------------|--------|
| Antiacne Preparations | 5 |
| Antiallergy Preparations15 | 4 |
| Antianaemics | |
| Antiandrogen Oral | 9 |
| Contraceptives | 0 |
| Antiarrhythmics4 | 0 |
| Antilarmythmics | 9 |
| Antibacterials | ð |
| Antibacterials Topical | |
| Anticholinesterases9 | |
| Antidepressants11 | |
| Antidiarrhoeals2 | 5 |
| Antiepilepsy Drugs11 | 8 |
| Antifibrinolytics, Haemostatics | |
| and Local Sclerosants4 | |
| Antifungals8 | 3 |
| Antifungals Topical5 | 6 |
| Antihaemorrhoidals2 | 6 |
| Antihistamines15 | |
| Antihypotensives4 | 9 |
| Antimalarials8 | 3 |
| Antimigraine Preparations12 | 1 |
| Antinaus12 | 3 |
| Antinausea and Vertigo | |
| Agents 12 | 2 |
| Antipruritic Preparations | |
| Antipsychotics | 4 |
| Antiretrovirals8 | |
| Antiretrovirals - Additional | - |
| Therapies9 | 0 |
| Antirheumatoid Agents | 6 |
| Antispasmodics and Other | 0 |
| Agents Altering Gut | |
| Motility2 | 6 |
| Antithrombotic Agents4 | n |
| Antithymocyte globulin | 0 |
| (equine)15 | 4 |
| Antitrichomonal Agents8 | ו ס |
| Antituberculotics and | 0 |
| Antileprotics | 0 |
| | |
| Antiulcerants | |
| Antivirals | |
| Anxiolytics12 | |
| Apidra2 | |
| Apidra SoloStar2 | 9 |
| Apo-Allopurinol11 | |
| Apo-Amlodipine5 | |
| Apo-Amoxi8 | |
| Apo-Bromocriptine11 | |
| Apo-Captopril4 | 6 |
| Apo-Cimetidine2 | |
| Apo-Clomipramine11 | 6 |



| Apo-Clopidogrel40 |
|--|
| Apo-Doxazosin46 |
| Apo-Folic Acid |
| Apo-Gliclazide |
| Apo-Ipravent159 |
| Apo-Megestrol148 |
| Apo-Moclobemide117 |
| Apo-Nadolol |
| Apo-Nicotinic Acid44 |
| Apo-Oxybutynin |
| Apo-Pindolol |
| Apo-Prazo46 |
| Apo-Prednisone |
| Apo-Primidone |
| Apo-Friinidorie |
| Apo-Pyridoxine |
| Apo-Risperidone |
| Apo-Selegiline111 |
| Apo-Selegiline S29111 |
| Apo-Terbinafine83 |
| Apo-Thiamine35 |
| Apo-Timol51 |
| Apo-Timop161 |
| Apo-Zopiclone132 |
| Apomine111 |
| Apomorphine hydrochloride111 |
| |
| Aprepitant122 |
| Aprepitant |
| Apresoline53 |
| Apresoline |
| Apresoline |
| Apresoline53 Aquasun 30+63 Aquasun Oil Free Faces SPF30+63 |
| Apresoline |
| Apresoline 53 Aquasun 30+ 63 Aquasun Oil Free Faces SPF30+ SPF30+ 63 Aqueous cream 60 Aratac 49 Arava 96 Arimidex 150 Aripiprazole 124 Aristocort 59 Aromasin 150 Arrizazole 124 |
| Apresoline |
| Apresoline |
| Apresoline 53 Aquasun 30+ 63 Aquasun Oil Free Faces SPF30+ SPF30+ 63 Aqueous cream 60 Aratac 49 Arava 96 Aremed 150 Aripiprazole 124 Aristocort 59 Aromasin 150 Arrow-Alprazolam 128 Arrow-Alprazolam 79 Arrow-Bendrofluazide 53 Arrow-Cabergoline 76 |
| Apresoline |
| Apresoline 53 Aquasun 30+ 63 Aquasun Oil Free Faces SPF30+ SPF30+ 63 Aqueous cream 60 Aratac 49 Arava 96 Aremed 150 Aripiprazole 124 Aristocort 59 Arrow-Alprazolam 128 Arrow-Alprazolam 128 Arrow-Cabergoline 76 Arrow-Citalopram 117 Arrow-Diazepam 129 |
| Apresoline 53 Aquasun 30+ 63 Aquasun Oil Free Faces SPF30+ SPF30+ 63 Aqueous cream 60 Aratac 49 Arava 96 Aremed 150 Aripiprazole 124 Aristocort 59 Aromasin 150 Arrow-Alprazolam 128 Arrow-Alprazolam 128 Arrow-Alprazolam 128 Arrow-Cabergoline 76 Arrow-Cabergoline 76 Arrow-Diazepam 129 Arrow-Enalapril 47 |
| Apresoline 53 Aquasun 30+ 63 Aquasun Oil Free Faces SPF30+ SPF30+ 63 Aqueous cream 60 Aratac 49 Arava 96 Aremed 150 Arimidex 150 Aripiprazole 124 Aristocort 59 Aromasin 150 Arrow-Alprazolam 128 Arrow-Azithromycin 79 Arrow-Bendrofluazide 53 Arrow-Citalopram 117 Arrow-Enalapril 47 Arrow-Enalapril 47 Arrow-Enalapril 47 |
| Apresoline 53 Aquasun 30+ 63 Aquasun Oil Free Faces SPF30+ SPF30+ 63 Aqueous cream 60 Aratac 49 Arava 96 Aremed 150 Aripiprazole 124 Aristocort 59 Aromasin 150 Arrow-Alprazolam 128 Arrow-Azithromycin 79 Arrow-Bendrofluazide 53 Arrow-Citalopram 117 Arrow-Enalapril 47 Arrow-Eidonate 107 Arrow-Eidonate 107 Arrow-Lamotrigine 120 |
| Apresoline 53 Aquasun 30+ 63 Aquasun Oil Free Faces SPF30+ SPF30+ 63 Aqueous cream 60 Aratac 49 Arava 96 Aremed 150 Aripiprazole 124 Aristocort 59 Aromasin 150 Arrow-Alprazolam 128 Arrow-Azithromycin 79 Arrow-Bendrofluazide 53 Arrow-Citalopram 117 Arrow-Enalapril 47 Arrow-Eidonate 107 Arrow-Lamotrigine 120 Arrow-Lisinopril 47 |
| Apresoline 53 Aquasun 30+ 63 Aquasun Oil Free Faces SPF30+ SPF30+ 63 Aqueous cream 60 Aratac 49 Arava 96 Aremed 150 Aripiprazole 124 Aristocort 59 Aromasin 150 Arrow-Alprazolam 128 Arrow-Azithromycin 79 Arrow-Cabergoline 76 Arrow-Citalopram 117 Arrow-Enalapril 47 Arrow-Enalapril 47 Arrow-Lisinopril 47 Arrow-Lisinopril 47 Arrow-Meloxicam 107 |
| Apresoline 53 Aquasun 30+ 63 Aquasun Oil Free Faces SPF30+ SPF30+ 63 Aqueous cream 60 Aratac 49 Arava 96 Aremed 150 Aripiprazole 124 Aristocort 59 Aromasin 150 Arrow-Alprazolam 128 Arrow-Azithromycin 79 Arrow-Cabergoline 76 Arrow-Citalopram 117 Arrow-Enalapril 47 Arrow-Enalapril 47 Arrow-Lisinopril 47 Arrow-Lisinopril 47 Arrow-Meloxicam 107 |
| Apresoline 53 Aquasun 30+ 63 Aquasun Oil Free Faces SPF30+ SPF30+ 63 Aqueous cream 60 Aratac 49 Arava 96 Aremed 150 Aripiprazole 124 Aristocort 59 Aromasin 150 Arrow-Alprazolam 128 Arrow-Azithromycin 79 Arrow-Bendrofluazide 53 Arrow-Citalopram 117 Arrow-Enalapril 47 Arrow-Eidonate 107 Arrow-Lamotrigine 120 Arrow-Lisinopril 47 |
| Apresoline 53 Aquasun 30+ 63 Aquasun Oil Free Faces SPF30+ SPF30+ 63 Aqueous cream 60 Aratac 49 Arava 96 Aremed 150 Aripiprazole 124 Aristocort 59 Aromasin 150 Arrow-Alprazolam 128 Arrow-Azithromycin 79 Arrow-Cabergoline 76 Arrow-Citalopram 117 Arrow-Enalapril 47 Arrow-Lamotrigine 120 Arrow-Lisinopril 47 Arrow-Meloxicam 96 Arrow-Neloxicam 96 Arrow-Norfloxacin 93 |
| Apresoline 53 Aquasun 30+ 63 Aquasun Oil Free Faces SPF30+ SPF30+ 63 Aqueous cream 60 Aratac 49 Arava 96 Aremed 150 Aripiprazole 124 Aristocort 59 Aromasin 150 Arrow-Alprazole 124 Aristocort 59 Arrow-Alprazolam 128 Arrow-Cabergoline 76 Arrow-Citalopram 117 Arrow-Eidronate 107 Arrow-Eidronate 107 Arrow-Lamotrigine 120 Arrow-Lisinopril 47 Arrow-Meloxicam 96 Arrow-Nifedipine XR 51 |

| Arrow-Sertraline117 |
|--------------------------------|
| Arrow-Simva 10mg44 |
| Arrow-Simva 20mg44 |
| Arrow-Simva 40mg44 |
| Arrow-Simva 80mg44 |
| Arrow-Sumatriptan122 |
| Arrow-Testosterone |
| Arrow-Topiramate |
| Arrow-Tramadol |
| Arsenic trioxide |
| |
| Arthrexin |
| Asacol |
| Asamax26 |
| Ascorbic acid35 |
| Aspec 300113 |
| Aspen Adrenaline53 |
| Aspen Ceftriaxone78 |
| Aspirin |
| Blood40 |
| Nervous113 |
| Asthalin157 |
| Atacand |
| Atazanavir sulphate90 |
| Atenolol |
| Atenolol Tablet USP50 |
| |
| ATGAM151 |
| Ativan |
| Atomoxetine132 |
| Atorvastatin44 |
| Atropine sulphate |
| Alimentary26 |
| Sensory163 |
| Atropt163 |
| Atrovent157 |
| Auranofin96 |
| Avanza118 |
| Avelox |
| Avomine |
| Avonex |
| Azathioprine |
| Azithromycin |
| Azol |
| |
| Azopt |
| AZT90 |
| - B - |
| B-D Micro-Fine31 |
| B-D Ultra Fine31 |
| B-D Ultra Fine II31 |
| B-PlexADE35 |
| Bacillus calmette-guerin (BCG) |
| vaccine |
| Baclofen110 |
| Bactroban |
| |
| |

| Bakels Gluten Free Health Bread | |
|-------------------------------------|------|
| Mix | |
| Baraclude | 84 |
| Barrier Creams and | |
| Emollients | |
| Batrafen | |
| Beclazone 100 | |
| Beclazone 250 | |
| Beclazone 50 | 155 |
| Beclomethasone | |
| dipropionate 155, | 159 |
| Bee venom allergy | |
| treatment | |
| Bendrofluazide | |
| Benhex | 61 |
| Benzathine benzylpenicillin | |
| Benzoin | |
| Benztrop | |
| Benztropine mesylate | |
| Benzydamine hydrochloride | 34 |
| Benzylpenicillin sodium (penicillin | |
| G) | . 80 |
| Beta Adrenoceptor Blockers | |
| Beta Cream | |
| Beta Ointment | |
| Beta Scalp | 63 |
| Beta-Adrenoceptor Agonists | |
| Betadine | 61 |
| Betadine Skin Prep | |
| Betaferon | 131 |
| Betagan | 161 |
| Betahistine dihydrochloride | |
| Betaloc | |
| Betaloc CR | 50 |
| Betamethasone dipropionate | 58 |
| Betamethasone sodium | |
| phosphate with | |
| betamethasone acetate | . 71 |
| Betamethasone valerate58 | , 63 |
| Betamethasone valerate with | |
| clioquinol | . 59 |
| Betamethasone valerate with | |
| fusidic acid | . 59 |
| Betaxolol hydrochloride | 161 |
| Betnovate | 58 |
| Betnovate-C | |
| Betoptic | |
| Betoptic S | |
| Bezafibrate | |
| Bezalip Retard | 43 |
| Bicalox | |
| Bicalutamide | |
| Bicillin LA | |
| | |

| BiCNU13 | 7 |
|-----------------------------------|-----|
| Bimatoprost16 | 2 |
| Biodone11 | |
| Biodone Extra Forte11 | 4 |
| Biodone Forte11 | |
| Bisacodyl | |
| BK Lotion6 | |
| Bleomycin sulphate14 | 1 |
| Bleph 1016 | i. |
| Blood glucose diagnostic test | |
| meter | 0 |
| Blood glucose diagnostic test | - |
| strip | 0 |
| Bonjela3 | 4 |
| Bosentan5 | |
| Breath-Alert15 | |
| Brevinor 1/216 | |
| Brevinor 1/286 | |
| Brevinor 216 | |
| Bricanyl Turbuhaler15 | 7 |
| Brimonidine tartrate | |
| Brimonidine tartrate with timolol | - |
| maleate | 2 |
| Brinzolamide | |
| Brolene | |
| Bromocriptine mesylate11 | |
| Brufen9 | |
| Brufen Retard9 | |
| BSF Apo-Clopidogrel16 | S |
| BSF Arrow Terazosin16 | |
| BSF Dapa-Tabs16 | |
| BSF Imuprine16 | C E |
| BSF Univent | |
| | |
| Buccastem | |
| Budenocort15 | С |
| Budesonide | _ |
| Alimentary2 | 5 |
| Respiratory155, 15 | 9 |
| Budesonide with eformoterol15 | ~ |
| | |
| Bumetanide5 | 2 |
| Buprenorphine | _ |
| hydrochloride11 | 3 |
| Bupropion hydrochloride13 | |
| Burinex5 | |
| Buscopan2 | |
| Buspirone hydrochloride12 | 9 |
| Busulphan13 | 7 |
| Butacort Aqueous15 | 9 |
| - C - | |
| Cabergoline7 | 6 |
| Cafergot12 | 1 |
| Caffeine citrate15 | 9 |

| Cal-d-Forte35 |
|----------------------------|
| Calamine |
| Calci-Tab 50036 |
| Calci-Tab 60036 |
| Calcipotriol |
| Calcitonin107 |
| Calcitriol |
| |
| Calcium carbonate |
| Calcium carbonate with |
| aminoacetic acid25 |
| Calcium Channel Blockers51 |
| Calcium Disodium Versenate |
| Calcium folinate138 |
| Calcium Folinate Ebewe138 |
| Calcium gluconate |
| Calcium Homeostasis106 |
| Calcium polystyrene |
| sulphonate |
| Calcium Resonium43 |
| Calogen176 |
| Calsource |
| Camptosar140 |
| Candesartan |
| Canesten |
| Capecitabine |
| Capoten |
| Capolen |
| Capsaicin |
| Captopril |
| Carafate |
| Carbamazepine119 |
| Carbimazole75 |
| Carboplatin137 |
| Carboplatin Ebewe137 |
| Carbosorb-X37 |
| Cardinol50 |
| Cardinol LA50 |
| Cardizem CD51 |
| CareSens |
| CareSens II |
| CareSens POP |
| Carmustine137 |
| Carvedilol50 |
| Catapres52 |
| Catapres-TTS-1 |
| Catapres-TTS-2 |
| Catapres-TTS-3 |
| CeeNU |
| Cefaclor monohydrate |
| Cefalexin Sandoz |
| Cefazolin sodium |
| Cefoxitin sodium |
| |
| Ceftriaxone sodium |
| Cefuroxime axetil78 |
| |

| Cefuroxime sodium78 | |
|-----------------------------|--|
| | |
| Celestone Chronodose71 | |
| Celiprolol50 | |
| Cellcept150 | |
| Celol | |
| Cephalexin ABM78 | |
| Cephalexin monohydrate78 | |
| Cerezyme34 | |
| Cetirizine - AFT154 | |
| Cetirizine hydrochloride154 | |
| Cetomacrogol60 | |
| Cetomacrogol60 | |
| Champix136 | |
| Charcoal | |
| Chemotherapeutic Agents137 | |
| Chlorafast160 | |
| Chlorambucil137 | |
| Chloramphenicol160 | |
| Chlorhexidine gluconate | |
| Alimentary | |
| Dermatological59 | |
| Chloroform | |
| Chloromotin 171 | |
| Chloromycetin | |
| Chlorothiazide | |
| Chlorpheniramine maleate154 | |
| Chlorpromazine | |
| hydrochloride | |
| Chlorsig160 | |
| Chlorthalidone53 | |
| Chlorvescent43 | |
| Cholecalciferol35 | |
| Cholestyramine with | |
| aspartame | |
| Obaliaa aaliaulata with | |
| Choline salicylate with | |
| cetalkonium chloride 34 | |
| Ciclopiroxolamine56 | |
| Cilazapril47 | |
| Cilazapril with | |
| hydrochlorothiazide | |
| Cilicaine81 | |
| Cilicaine VK81 | |
| Ciloxan160 | |
| Cimetidine | |
| Ciprofloxacin | |
| Infection81 | |
| | |
| Sensory160 | |
| Cisplatin137 | |
| Cisplatin Ebewe137 | |
| Citalopram hydrobromide117 | |
| Cladribine139 | |
| Clarithromycin | |
| Alimentary27 | |
| Infection79 | |
| Clexane | |
| | |



| Climara 10073 | 3 |
|-----------------------------------|--------|
| Climara 5073 | 3 |
| Clindamycin81 | |
| Clinoril | |
| Clobazam119 |) |
| Clobetasol propionate58, 63 | 3 |
| Clobetasone butyrate58 | 3 |
| Clomazol | |
| Dermatological | 3 |
| Genito-Urinary68 | |
| Clomiphene citrate | 5 |
| Clomipramine hydrochloride116 | ŝ |
| Clonazepam118–119 | á |
| Clonidine | |
| Clonidine hydrochloride | - |
| Cardiovascular | 5 |
| Nervous122 | 5 |
| Clopidogrel40 | |
| Clopine124 | |
| Clopixol127 | f 7 |
| Clotrimazole | |
| Dermatological | 2 |
| Genito-Urinary68 | 2 |
| Clozapine124 | |
| Clozaril124 | |
| Co-Renitec47 | |
| Co-trimoxazole81 | 1 |
| Coal tar | |
| Coal tar with allantoin, menthol, | - |
| phenol and sulphur | > |
| Coal tar with salicylic acid and | - |
| sulphur | > |
| Coco-Scalp62 | |
| Codeine phosphate | - |
| Extemporaneous171 | 1 |
| Nervous113 | |
| Cogentin112 | |
| Colaspase (L-asparaginase)141 | 1 |
| Colchicine110 | |
| Colestid44 | |
| Colestipol hydrochloride44 | |
| Colgout110 | |
| Colifoam | |
| Colistin sulphomethate82 | 2 |
| Colistin-Link82 | |
| Collodion flexible171 | |
| Colofac27 | |
| Coloxyl | |
| Combigan162 | |
| Combivent158 | |
| Combivir90 |) |
| Compound electrolytes43 | 3 |
| Compound | |

| hydroxybenzoate171 | |
|---------------------------------|---|
| Comtan111 | |
| Concerta134 | Ļ |
| Condoms65 | |
| Condyline64 | Ĺ |
| Contraceptives - Hormonal | |
| Contraceptives - normonal | ' |
| Non-hormonal65 | |
| | ' |
| Copaxone131 | |
| Corangin53 |) |
| Cordarone-X49 | ļ |
| Corticosteroids and Related | |
| Agents for Systemic Use71 | |
| Corticosteroids Topical58 | , |
| Cosmegen141 | |
| Cosopt162 | |
| | |
| Coumadin42 | |
| Coversyl47 | |
| Cozaar48 | |
| Creon 1000032 | |
| Creon Forte32 | , |
| Crixivan | |
| Crotamiton57 | , |
| Crystacide56 | |
| Curam | |
| Cyclizine hydrochloride122 | |
| Cyclizine lactate122 | , |
| Cycloblastin122 | , |
| | |
| Cyclogyl163 | 1 |
| Cyclopentolate | |
| hydrochloride |) |
| Cyclophosphamide137 | |
| Cyclosporin153 | |
| Cyklokapron40 | J |
| Cyproterone acetate72 | |
| Cyproterone acetate with | |
| ethinyloestradiol | , |
| Cytarabine139 | ł |
| Cytotec27 | ' |
| Cytoxan137 | ' |
| - D - | |
| D-Penamine97 | , |
| d4T90 | |
| Dacarbazine141 | |
| Dacarbazine141 | |
| Daclin96 | 1 |
| Dactinomycin (actinomycin | |
| D) 141 | |
| Daivonex62 | |
| Daktarin | |
| Alimentary34 | 6 |
| Dermetelesieel E7 | ' |
| Dermatological57 Dalacin C81 | |


| Danazol | 77 |
|--|--|
| Danthron with poloxamer | 33 |
| Dantrium1 | 10 |
| Dantrolene sodium1 | 10 |
| Daonil | |
| Dapa-Tabs | |
| Dapsone | 83 |
| Darunavir | |
| Dasatinib1 | |
| Daunorubicin1 | |
| DBL Bleomycin Sulfate1 | 41 |
| DDI | |
| De-Worm | |
| Deca-Durabolin Orgaject | 71 |
| Deferiprone | |
| Delact1 | 40 |
| | |
| Depo-Medrol Depo-Medrol with Lidocaine | 71 |
| | |
| Depo-Provera | |
| Depo-Testosterone | |
| Deprim | |
| Dermol58, | 63 |
| Desferrioxamine mesylate | 45 |
| Desmopressin Desmopressin-PH&T | 76 |
| Desmopressin-PH&T | 76 |
| Detection of Substances in | |
| Urine | 70 |
| | 10 |
| Dexamethasone | |
| Dexamethasone Hormone | 71 |
| Dexamethasone Hormone Sensory1 | 71 |
| Dexamethasone Hormone Sensory1 Dexamethasone sodium | 71 61 |
| Dexamethasone Hormone Sensory1 Dexamethasone sodium phosphate | 71 61 |
| Dexamethasone Hormone Sensory1 | 71 61 |
| Dexamethasone Hormone | 71 61 71 |
| Dexamethasone Hormone | 71 61 71 |
| Dexamethasone Hormone | 71 61 71 60 61 |
| Dexamethasone Hormone | 71 61 71 60 61 |
| Dexamethasone Hormone | 71 61 71 60 61 |
| Dexamethasone Hormone | 71 61 71 60 61 32 |
| Dexamethasone Hormone | 71 61 71 60 61 32 54 |
| Dexamethasone Hormone | 71 61 71 60 61 32 54 42 |
| Dexamethasone HormoneSensory | 71 61 71 60 61 32 54 42 43 |
| Dexamethasone Hormone | 71 61 71 60 61 32 54 42 43 13 |
| Dexamethasone HormoneSensory | 71 61 71 60 61 32 54 42 43 13 28 |
| Dexamethasone Hormone | 71 61 71 60 61 32 54 42 43 13 28 30 |
| Dexamethasone HormoneSensory | 71 61 71 60 61 32 54 42 43 13 28 30 25 |
| Dexamethasone HormoneSensory | 71 61 71 60 61 32 54 42 43 13 28 30 25 62 |
| Dexamethasone Hormone | 71 61 71 60 61 32 54 42 43 13 28 30 25 62 65 |
| Dexamethasone Hormone | 71 61 71 60 61 32 54 43 13 28 30 25 62 65 78 |
| Dexamethasone Hormone | 71 61 71 60 61 32 54 42 30 25 62 65 78 78 |
| Dexamethasone Hormone Sensory 1 Dexamethasone sodium phosphate Dexamethasone with framycetin and gramicidin 1 Dexamethasone with framycetin and gramicidin 1 Dexamethasone with neomycin and polymyxin b sulphate 1 Dexamphetamine sulphate 1 Dextrochlorpheniramine maleate maleate 1 Dextrose with electrolytes 1 Diabetes 1 Diabetes 1 Diabetes 1 Diamide Relief 1 Diaphragm 1 Diason RTH 1 Diastop 1 | 71 61 71 60 61 32 54 43 13 28 30 25 62 65 78 25 |
| Dexamethasone Hormone | 71 61 71 60 61 32 54 23 30 25 62 65 78 25 29 |
| Dexamethasone Hormone Sensory 1 Dexamethasone sodium phosphate Dexamethasone with framycetin and gramicidin 1 Dexamethasone with framycetin and gramicidin 1 Dexamethasone with neomycin and polymyxin b sulphate 1 Dexamphetamine sulphate 1 Dextrochlorpheniramine maleate maleate 1 Dextrose with electrolytes 1 Diabetes 1 Diabetes 1 Diabetes 1 Diamide Relief 1 Diaphragm 1 Diason RTH 1 Diastop 1 | 71 61 71 60 61 32 54 43 13 25 62 65 78 25 29 46 |

| Diclofenac Sandoz95 | |
|--|--|
| Diclofenac sodium | |
| Musculoskeletal System | |
| Sensory | |
| Differin | |
| Difflam | |
| Diflucortolone valerate | |
| Digostivos Including | |
| Enzymes | |
| Digoxin | |
| Dihydrocodeine tartrate113 | |
| Dilantin120 | |
| Dilantin Infatab120 | |
| Dilatrend50 | |
| Diltiazem hydrochloride51 | |
| Dilzem51 | |
| Dimetriose77 | |
| Dipentum | |
| Diphenoxylate hydrochloride with atropine sulphate25 | |
| Diprosone | |
| Diprosone OV | |
| Dipyridamole40 | |
| Disinfecting and Cleansing | |
| Agents | |
| Disipal112 | |
| Disopyramide phosphate49 | |
| Disulfiram135 | |
| Diuretics52 | |
| Diurin 4052 | |
| Dixarit | |
| DM Ject | |
| Docetaxel | |
| Docetaxel Ebewe | |
| Docusate sodium | |
| sennosides | |
| Domperidone | |
| Donepezil hydrochloride | |
| Donepezil-Rex | |
| Dopergin111 | |
| Dopress116 | |
| Dornase alfa158 | |
| Dorzolamide hydrochloride162 | |
| Dorzolamide hydrochloride with | |
| timolol maleate162 | |
| Dostinex76 | |
| Dothiepin hydrochloride116 | |
| Doxazosin mesylate | |
| Doxepin hydrochloride | |
| Doxine | |
| DUNUI UDIGITI | |

| Doxorubicin Ebewe | 1/12 |
|---------------------------|----------|
| Doxy-50 | |
| Doxycycline hydrochloride | |
| Doxycycline Hydrochlonde | |
| DP Lotn HC | 00 50 |
| DP-Anastrozole | |
| Dr Reddy's Omeprazole | |
| Dr Reddy's Ondansetron | |
| Dr Reddy's Pantoprazole | |
| Dr Reddy's Quetiapine | |
| Dr Reddy's Risperidone | |
| Dulcolax | |
| Duocal Super Soluble | 00 |
| Powder | 176 |
| Duolin | |
| Duolin HFA | |
| Duphalac | |
| Duphaston | |
| Durex Confidence | |
| Durex Extra Safe | |
| Durex Select Flavours | |
| Duride | |
| Durogesic | |
| Dydrogesterone | |
| Dynacirc-SRO | |
| -E- | |
| | |

| | | | INDEX |
|---------|-----------|-----|--------|
| Generic | Chemicals | and | Brands |

| Endocrine Therapy148 | 3 |
|--------------------------------|--|
| Endoxan137 | 7 |
| Enerlyte43 | 3 |
| Enfuvirtide90 | |
| Enoxaparin sodium40 | |
| Ensure177 | 7 |
| Ensure Plus185 | |
| Ensure Plus HN184 | 4 |
| Ensure Plus RTH184 | 4 |
| Entacapone111 | |
| Entecavir84 | |
| Entocort CIR25 | |
| Enuclene163 | |
| Enzymes109 | |
| Epilim120 | |
| Epilim Crushable120 | |
| Epilim IV120 |) |
| Epilim S/F Liquid120 |) |
| Epilim Syrup120 |) |
| Epirubicin143 | |
| Epirubicin Ebewe143 | |
| Eprex | |
| ERA80 | |
| Ergometrine maleate69 | 9 |
| Ergotamine tartrate with | |
| caffeine 121 | 1 |
| Erlotinib hydrochloride146 | 5 |
| | |
| Erythrocin IV79 | 9 |
| Erythromycin ethyl succinate79 | 9 |
| Erythromycin ethyl succinate | 9 9 9 |
| Erythromycin ethyl succinate | 9 9 9 |
| Erythromycin ethyl succinate | 9999 |
| Erythromycin ethyl succinate | 9999 |
| Erythromycin ethyl succinate | 999997 |
| Erythromycin ethyl succinate | 99997973 |
| Erythromycin ethyl succinate | 99999733 |
| Erythromycin ethyl succinate | 9990997333 |
| Erythromycin ethyl succinate | 99909973333 |
| Erythromycin ethyl succinate | 9990997333333 |
| Erythromycin ethyl succinate | 9990997333331 |
| Erythromycin ethyl succinate | 99909973333313 |
| Erythromycin ethyl succinate | 999099733333133 |
| Erythromycin ethyl succinate | 9 9 9 9 9 9 9 9 7 3 3 3 3 1 3 3 1 3 3 0 |
| Erythromycin ethyl succinate | |
| Erythromycin ethyl succinate | |
| Erythromycin ethyl succinate | |
| Erythromycin ethyl succinate | |
| Erythromycin ethyl succinate | |
| Erythromycin ethyl succinate | |
| Erythromycin ethyl succinate | 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 |
| Erythromycin ethyl succinate | |
| Erythromycin ethyl succinate | |



| Etopophos | .143 |
|-----------------------------|-----------|
| Etoposide | |
| Etoposide phosphate | .143 |
| Etravirine | 89 |
| Eumovate | 58 |
| Exemestane | .150 |
| Extemporaneously Compounded | |
| Preparations and | |
| Galenicals | |
| Eye Preparations | .160 |
| Ezetimibe | 44 |
| Ezetimibe with simvastatin | 45 |
| Ezetrol | 44 |
| - F - | |
| Famotidine | 27 |
| Famox | 27 |
| Felo 10 ER | 51 |
| Felo 5 ER | 51 |
| Felodipine | 51 |
| Femtran 100 | |
| Femtran 50 | 73 |
| Fenpaed | 95 |
| Fentanyl | .114 |
| Fentanyl citrate | .114 |
| Ferodan | 37 |
| Ferriprox | |
| Ferro-F-Tabs | |
| Ferro-Gradumet | 37 |
| Ferro-tab | 37 |
| Ferrograd-Folic | 37 |
| Ferrous fumarate | 37 |
| Ferrous fumarate with folic | |
| acid | 37 |
| Ferrous sulphate | 37 |
| Ferrous sulphate with folic | |
| _ acid | |
| Ferrum H | 37 |
| Fexofenadine hydrochloride | .154 |
| Fibalip | |
| Fibro-vein | |
| Finasteride | |
| Fine Ject | |
| Flagyl | |
| Flagyl-S | |
| Flamazine | 56 |
| Flecainide acetate | ۵۸. ۱۵ |
| Fleet Phosphate Enema | +∂ |
| Flixonase Hayfever & | 00 |
| Allergy | 159 |
| Flixotide | 155 |
| Flixotide Accuhaler | .155 |
| Florinef | |


| Fluanxol127 |
|---|
| Fluarix94 |
| Flucloxacillin sodium81 |
| Flucloxin81 |
| Fluconazole83 |
| Fludara139 |
| Fludara Oral139 |
| Fludarabine phosphate139 |
| Fludrocortisone acetate71 |
| Fluids and Electrolytes42 |
| Flumetasone pivalate |
| Fluocortolone caproate with |
| fluocortolone pivalate and |
| cinchocaine |
| Fluorometholone |
| Fluorouracil Ebewe |
| Fluorouracil sodium |
| Dermatological64 |
| Oncology139 |
| Fluox |
| Fluox Eluox Fluox |
| |
| Flupenthixol decanoate |
| Fluphenazine decanoate |
| Flutamide |
| Flutamin148 |
| Fluticasone |
| Fluticasone propionate159 |
| Fluticasone with salmeterol156 |
| Fluvax94 |
| FML161 |
| Foban56 |
| Folic acid |
| Food Thickeners186 |
| Foods And Supplements For |
| Inborn Errors Of Metabolism - |
| Other 187 |
| Foods And Supplements For |
| Inborn Errors Of Metabolism - |
| PKU 188 |
| Foradil156 |
| Foremount Child's Silicone |
| Mask 159 |
| Fortimel Regular179 |
| Fortisip |
| Fortisip Multi Fibre185 |
| Fosamax107 |
| Fosamax Plus107 |
| Framycetin sulphate160 |
| FreeStyle Lite |
| Frisium119 |
| Frumil52 |
| Frusemide-Claris52 |
| Fucicort |
| |

| Fucidin | .82 |
|----------------------------|-----|
| Fucithalmic1 | 60 |
| Fungilin | |
| Furosemide | |
| Fusidic acid | .02 |
| | -0 |
| Dermatological | |
| Infection | |
| Sensory1 | |
| Fuzeon | .90 |
| - G - | |
| Gabapentin1 | 19 |
| Gabapentin (Neurontin)1 | 20 |
| Gamma benzene | 20 |
| hexachloride | 61 |
| | |
| Gastrosoothe | |
| Gaviscon Double Strength | .25 |
| Gaviscon Infant | .25 |
| Gemcitabine Ebewe1 | 39 |
| Gemcitabine hydrochloride1 | 39 |
| Gemfibrozil | .43 |
| Gemzar1 | |
| Generaid Plus1 | |
| Genoptic1 | |
| Genotropin | 76 |
| | |
| Genox1 | 50 |
| Gentamicin sulphate | ~ ~ |
| Infection | |
| Sensory1 | |
| Gestrinone | .77 |
| Ginet 84 | |
| Glatiramer acetate1 | 31 |
| Glibenclamide | .29 |
| Gliclazide | |
| Glipizide | |
| Glivec1 | |
| Glucagen Hypokit | 28 |
| Glucagon hydrochloride | 00 |
| Glucagon hydrochlonde | .20 |
| Glucerna Select1 | 78 |
| Glucerna Select RTH1 | |
| Glucobay | .29 |
| Gluten Free Foods1 | 86 |
| Glycerin with sodium | |
| saccharin1 | 71 |
| Glycerin with sucrose1 | 71 |
| Glycerol | |
| Alimentary | 33 |
| Extemporaneous1 | |
| Glyceryl trinitrate | |
| Gold Knight | |
| Conton | CO. |
| Gopten | .4/ |
| Goserelin acetate | |
| Gutron | .49 |
| Gynaecological | |

| Anti-infectives6 | 8 |
|--|---|
| - H - | |
| Habitrol13 | 6 |
| Haldol12 | |
| Haldol Concentrate12 | |
| Haloperidol12 | |
| Haloperidol decanoate12 | |
| Hamilton Sunscreen6 | |
| healthE Fatty Cream6 | 0 |
| Healtheries Multi-vitamin | |
| tablets | 6 |
| Healtheries Simple Baking Mix18 | ~ |
| Hemastix | |
| Hemasux | |
| Heparin sodium4 Heparinised saline4 | |
| | |
| Hepsera8 Herceptin15 | |
| Hercepuin | |
| Hiprex9 | 3 |
| Histafen15 | |
| Holoxan13 | |
| Homatropine hydrobromide | 3 |
| Horleys Bread Mix | |
| Horleys Flour18 | |
| Hormone Replacement Therapy - | |
| Systemic7 | 2 |
| Humalog2 | |
| Humalog Mix 252 | |
| Humalog Mix 502 | |
| Humira | |
| HumiraPen9 | |
| Humulin 30/702 | 8 |
| Humulin NPH2 | 8 |
| Humulin R2 | |
| Hyalase10 | 9 |
| Hyaluronidase10 | 9 |
| Hybloc5 | 0 |
| Hydralazine5 | |
| Hydrea14 | 3 |
| Hydrocortisone | |
| Dermatological5 | |
| Hormone7 | |
| Hydrocortisone acetate2 | 6 |
| Hydrocortisone butyrate | 3 |
| Hydrocortisone butyrate with | ~ |
| chlorquinaldol | 9 |
| Hydrocortisone with cinchocaine2 | 6 |
| | 0 |
| Hydrocortisone with miconazole5 | 0 |
| Hydrocortisone with natamycin | J |
| and neomycin | 9 |
| | ~ |

| Hydrocortisone with wool fat and | |
|----------------------------------|----|
| mineral oil 59 | , |
| Hydroderm Lotion60 | |
| Hydrogen peroxide | |
| Alimentary |) |
| Dermatological56 | 5 |
| Hydroxocobalamin35 | |
| Hydroxychloroquine sulphate83 | |
| Hydroxyurea | 5 |
| Hygroton53 | |
| Hyoscine (scopolamine)122 | |
| Hyoscine hydrobromide123 | |
| Hvoscine N-butvlbromide27 | 7 |
| Hypam132 | , |
| Hyperuricaemia and | |
| Antigout 110 |) |
| Hypnovel131 | |
| Hypromellose163 | 5 |
| Hysite162 | , |
| Hyzaar48 | \$ |
| -1- | |
| Ibiamox80 |) |
| Ibuprofen | |
| Idarubicin hydrochloride143 | |
| Ifosfamide | |
| Iloprost | |
| Imatinib mesylate146 | 5 |
| Imiglucerase | ĥ |
| Imigran122 | , |
| Imipramine hydrochloride116 | 5 |
| Imiquimod63 | 5 |
| Immune Modulators91 | |
| Immunosuppressants150 | |
| Imuprine |) |
| Imuran | |
| Indapamide53 | 5 |
| Indinavir90 |) |
| Indomethacin96 | 5 |
| Infant Formulae190 |) |
| Influenza vaccine94 | ŀ |
| Inhaled Anticholinergic | |
| Agents 157 | ' |
| Inhaled Corticosteroids155 | , |
| Inhaled Long-acting | |
| Beta-adrenoceptor | |
| Agonists 155 | , |
| Inhibace47 | |
| Inhibace Plus47 | ' |
| Innovacon hCG One Step | |
| Pregnancy Test | |
| Insulin aspart29 |) |
| Insulin glargine29 |) |
| | |

| Insulin glulisine29 | |
|--|--|
| Insulin isophane28 | |
| Insulin isophane with insulin | |
| neutral | |
| Insulin lispro29 | |
| Insulin lispro with insulin lispro | |
| protamine | |
| Insulin neutral28 | |
| Insulin pen needles31 | |
| Insulin syringes, disposable with | |
| attached needle 31 | |
| Intal Spincaps158 | |
| Intelence | |
| Interferon alpha-2a92 | |
| Interferon alpha-2b92 | |
| Interferon beta-1-alpha131 | |
| Interferon beta-1-beta131 | |
| Intra-uterine device65 | |
| Intron-A92 | |
| Ipecacuanha37 | |
| Ipratropium bromide157, 159 | |
| Irinotecan140 | |
| Irinotecan-Rex140 | |
| Iron Overload45 | |
| Iron polymaltose | |
| Isentress90 | |
| Ismo 2053 | |
| Isoniazid83 | |
| Isoprenaline hydrochloride53 | |
| Isoptin | |
| Isopto Carpine163 | |
| Isopto Homatropine | |
| Isosorbide mononitrate | |
| Isosource Standard184 Isosource Standard RTH184 | |
| Isosource Standard RTH | |
| Isradipine51 | |
| Isuprel53 | |
| Itch-Soothe57 | |
| Itraconazole83 | |
| Itrazole83 | |
| - J - | |
| - J - Jadelle68 | |
| Jevity184 | |
| Jevity RTH184 | |
| • | |
| - K - Kaletra90 | |
| Karicare Food Thickener186 | |
| Karicare Goats Milk Infant | |
| Formula191 | |
| Karicare Soy All Ages192 | |
| Kemadrin | |



| Kenacomb160 |
|---|
| Kenacort-A72 |
| Kenacort-A40 |
| Ketoconazole |
| Dermatological63 |
| |
| Infection83 |
| Ketone blood beta-ketone |
| electrodes30 |
| Ketoprofen95 |
| Ketostix |
| Kindergen180 |
| Kivexa |
| Klacid |
| Klamycin |
| Alimentary |
| Infection |
| |
| Kliogest74 |
| Kliovance |
| Konakion MM40 |
| Konsyl-D32 |
| -L- |
| LA-Morph115 |
| Labetalol |
| |
| Lacri-Lube164 |
| Lactulose |
| Laevolac |
| |
| Lamictal120 |
| |
| Lamictal120 |
| Lamictal120 Lamivudine |
| Lamictal |
| Lamictal 120 Lamivudine 85, 90 Lamotrigine 120 Lanoxin 49 Lanoxin PG 49 Lansoprazole 27 Lantus 29 Lantus SoloStar 29 Lanvis 141 |
| Lamictal 120 Lamivudine 85, 90 Lamotrigine 120 Lanoxin 49 Lanoxin PG 49 Lansoprazole 27 Lantus 29 Lantus SoloStar 29 Lanvis 141 Largactil 124 |
| Lamictal 120 Lamivudine 85, 90 Lamotrigine 120 Lanoxin 49 Lanoxin PG 49 Lansoprazole 27 Lantus 29 Lantus SoloStar 29 Lanyis 141 Largactil 124 Lasix 52 |
| Lamictal 120 Lamivudine 85, 90 Lamotrigine 120 Lanoxin 49 Lanoxin PG 49 Lansoprazole 27 Lantus 29 Lantus SoloStar 29 Lanyis 141 Largactil 124 Lasix 52 Latanoprost 162 |
| Lamictal 120 Lamivudine 85, 90 Lamotrigine 120 Lanoxin 49 Lanoxin PG 49 Lansoprazole 27 Lantus 29 Lantus SoloStar 29 Laryactil 124 Lasix 52 Latanoprost 162 Lax-Tab 33 |
| Lamictal 120 Lamivudine 85, 90 Lamotrigine 120 Lanoxin 49 Lanoxin PG 49 Lansoprazole 27 Lantus 29 Lantus SoloStar 29 Largactil 124 Lasix 52 Latanoprost 162 Lax-Tab 33 Laxatives 32 |
| Lamictal 120 Lamivudine 85, 90 Lamotrigine 120 Lanoxin 49 Lanoxin PG 49 Lansoprazole 27 Lantus 29 Lantus SoloStar 29 Laryactil 124 Lasix 52 Latanoprost 162 Lax-Tab 33 |
| Lamictal 120 Lamivudine 85, 90 Lamotrigine 120 Lanoxin 49 Lanoxin PG 49 Lansoprazole 27 Lantus 29 Lantus SoloStar 29 Largactil 124 Lasix 52 Latanoprost 162 Lax-Tab 33 Laxatives 32 |
| Lamictal 120 Lamivudine 85, 90 Lamotrigine 120 Lanoxin 49 Lanoxin PG 49 Lansoprazole 27 Lantus 29 Lantus SoloStar 29 Largactil 124 Lasix 52 Latanoprost 162 Lax-Tab 33 Laxatives 32 Laxofast 120 33 |
| Lamictal 120 Lamivudine 85, 90 Lamotrigine 120 Lanoxin 49 Lanoxin PG 49 Lansoprazole 27 Lantus 29 Lantus SoloStar 29 Largactil 124 Lasix 52 Latanoprost 162 Lax-Tab 33 Laxatives 32 Laxofast 120 33 Laxosl 50 Laxol 33 Laxofast 50 33 Laxsol 33 |
| Lamictal 120 Lamivudine 85, 90 Lamotrigine 120 Lanoxin 49 Lanoxin PG 49 Lansoprazole 27 Lantus 29 Lantus SoloStar 29 Largactil 124 Lasix 52 Latanoprost 162 Lax-Tab 33 Laxofast 120 33 Laxofast 50 33 Laxsol 33 Leflunomide 96 |
| Lamictal 120 Lamivudine 85, 90 Lamotrigine 120 Lanoxin 49 Lanoxin PG 49 Lansoprazole 27 Lantus 29 Lantus SoloStar 29 Largactil 124 Lasix 52 Latanoprost 162 Lax-Tab 33 Laxofast 120 33 Laxofast 50 33 Laxsol 33 Leflunomide 96 Letara 150 |
| Lamictal 120 Lamivudine 85, 90 Lamotrigine 120 Lanoxin 49 Lanoxin PG 49 Lansoprazole 27 Lantus 29 Lantus SoloStar 29 Lanyis 141 Largactil 124 Lasix 52 Latanoprost 162 Lax-Tab 33 Laxofast 120 33 Laxofast 50 33 Laxsol 33 Latagel 35 Laxolest 50 33 Latara 150 Letara 150 Letarozole 150 |
| Lamictal 120 Lamivudine 85, 90 Lamotrigine 120 Lanoxin 49 Lanoxin PG 49 Lansoprazole 27 Lantus 29 Lantus SoloStar 29 Lanvis 141 Largactil 124 Lasix 52 Latanoprost 162 Lax-Tab 33 Laxofast 120 33 Laxofast 50 33 Laflunomide 96 Letara 150 Letrozole 150 Leukeran FC 137 |
| Lamictal 120 Lamivudine 85, 90 Lamotrigine 120 Lanoxin 49 Lanoxin PG 49 Lansoprazole 27 Lantus 29 Lantus SoloStar 29 Lanvis 141 Largactil 124 Lasix 52 Latanoprost 162 Lax-Tab 33 Laxofast 120 33 Laxofast 50 33 Lasol 33 Latanomide 96 Letara 150 Letvozole 150 Leukeran FC 137 Leunase 141 |
| Lamictal 120 Lamivudine 85, 90 Lamotrigine 120 Lanoxin 49 Lanoxin PG 49 Lanosoprazole 27 Lantus 29 Lantus SoloStar 29 Laryactil 124 Lasix 52 Latanoprost 162 Lax-Tab 33 Laxofast 120 33 Laxofast 50 33 Lasial 150 Letraa 150 Letrara FC 137 Leunase 141 |
| Lamictal 120 Lamivudine 85, 90 Lamotrigine 120 Lanoxin 49 Lanoxin PG 49 Lansoprazole 27 Lantus 29 Lantus SoloStar 29 Lanyis 141 Largactil 124 Lasix 52 Latanoprost 162 Lax-Tab 33 Laxofast 120 33 Laxofast 50 33 Laxsol 33 Letara 150 Letrozole 150 Leurase 141 Lasix 52 Lasix 52 Lasix 52 Lasix 137 Leurase 141 |
| Lamictal 120 Lamivudine 85, 90 Lamotrigine 120 Lanoxin 49 Lanoxin PG 49 Lansoprazole 27 Lantus 29 Lantus SoloStar 29 Lanvis 141 Largactil 124 Lasix 52 Latanoprost 162 Lax-Tab 33 Laxofast 120 33 Laxofast 50 33 Letara 150 Letrozole 150 Leukeran FC 137 Leunase 141 Leuporelin 76 Levetiracetarm 120 |
| Lamictal 120 Lamivudine 85, 90 Lamotrigine 120 Lanoxin 49 Lanoxin PG 49 Lansoprazole 27 Lantus 29 Lantus SoloStar 29 Lanyis 141 Largactil 124 Lasix 52 Latanoprost 162 Lax-Tab 33 Laxofast 120 33 Laxofast 50 33 Laxsol 33 Letara 150 Letrozole 150 Leurase 141 Lasix 52 Lasix 52 Lasix 52 Lasix 137 Leurase 141 |

| Levobunolol | 161 |
|--|---|
| Levocabastine | 161 |
| Levodopa with benserazide | 111 |
| Levodopa with carbidopa | 111 |
| Levomepromazine | |
| Levonorgestrel | 120 |
| Genito-Urinary | 60 |
| Genilo-Onnary | 00 |
| Hormone | |
| Levothyroxine | /5 |
| Lifestyles Flared | 65 |
| Lignocaine | 112 |
| Lignocaine hydrochloride | 112 |
| Lignocaine with | |
| chlorhexidine | . 112 |
| Lignocaine with prilocaine | 112 |
| Lincocin | |
| Lincomycin | 82 |
| Lipazil | |
| Lipid Modifying Agents | 43 |
| Lipitor | |
| Liquigen | 176 |
| Lisinopril | |
| Lisuride hydrogen maleate | 4/ |
| Lisunde nydrogen maleate | |
| Lithicarb | |
| | |
| | |
| Lithium carbonate | 125 |
| Lithium carbonate Livostin | 125 161 |
| Lithium carbonate Livostin Locacorten-Viaform ED's | 125 161 160 |
| Lithium carbonate Livostin Locacorten-Viaform ED's Locasol | 125 161 160 190 |
| Lithium carbonate Livostin Locacorten-Viaform ED's Locasol Loceryl | 125 161 160 190 56 |
| Lithium carbonate Livostin Locacorten-Viaform ED's Locasol Loceryl Locoid | 125 161 160 190 56 8, 63 |
| Lithium carbonate Livostin Locacorten-Viaform ED's Locasol Loceryl Locoid | 125 161 160 190 56 8, 63 59 |
| Lithium carbonate Livostin Locacorten-Viaform ED's Locasol Loceryl Locoid | 125 161 160 56 8, 63 59 58 |
| Lithium carbonate Livostin Locacorten-Viaform ED's Locasol Loceryl Locoid | 125 161 160 56 8, 63 59 58 58 |
| Lithium carbonate Livostin Locacorten-Viaform ED's Locasol Loceryl Locoid | 125 161 160 56 8, 63 59 58 58 160 |
| Lithium carbonate Livostin Locacorten-Viaform ED's Locasol Loceryl | 125 161 160 56 8, 63 59 58 58 160 161 |
| Lithium carbonate Livostin Locacorten-Viaform ED's Locasol Loceryl Locoid | 125 161 160 56 8, 63 59 58 58 160 161 |
| Lithium carbonate Livostin Locacorten-Viaform ED's Locasol Loceryl | 125 161 160 56 8, 63 59 58 58 160 161 67 |
| Lithium carbonate Livostin Locacorten-Viaform ED's Locasol Loceryl Locoid | 125 161 160 56 8, 63 59 58 58 160 161 67 120 |
| Lithium carbonate Livostin Locacorten-Viaform ED's Locasol Loceryl Locoid Crelo Locoid Crelo Locoid Crelo Locoid Lipocream Locoten-Vioform Lodoxamide trometamol Loette Logem Lomide Lomustine | 125 161 160 190 56 8, 63 59 58 58 160 161 120 161 137 |
| Lithium carbonate Livostin Locacorten-Viaform ED's Locasol Loceryl | 125 161 160 190 56 8, 63 59 58 58 160 161 120 161 137 |
| Lithium carbonate Livostin Locacorten-Viaform ED's Locasol Loceryl | 125 161 160 190 56 8, 63 59 58 58 160 161 161 120 161 137 25 |
| Lithium carbonate Livostin Locacorten-Viaform ED's Locasol Loceryl | 125 161 160 56 8,63 59 58 58 160 161 67 120 161 137 25 189 |
| Lithium carbonate Livostin Locacorten-Viaform ED's Locasol Loceryl | 125 161 160 56 8, 63 59 58 60 161 67 120 161 137 25 189 90 |
| Lithium carbonate Livostin Locacorten-Viaform ED's Locasol | 125 161 160 56 8, 63 59 58 66 160 161 67 120 161 137 25 189 90 50 |
| Lithium carbonate | 125 161 160 59 59 58 160 67 120 161 67 25 189 90 50 59 |
| Lithium carbonate | 125 161 160 59 59 58 160 67 120 161 67 25 189 90 50 59 |
| Lithium carbonate Livostin Locacorten-Viaform ED's Locasol Loceryl | 125 161 160 90 56 8,63 59 58 160 161 67 120 161 67 25 99 50 59 |
| Lithium carbonate | 125 161 160 90 56 8,63 59 58 68 60 61 67 61 67 61 61 67 90 90 90 90 90 90 90 90 90 91 |
| Lithium carbonate Livostin Locacorten-Viaform ED's Locasol Loceryl | 125 161 160 56 8, 63 59 58 68 60 67 120 161 137 25 189 90 50 189 155 155 |
| Lithium carbonate | 125 161 160 56 8, 63 59 58 58 160 161 161 161 120 161 137 25 189 50 189 189 189 155 155 129 |
| Lithium carbonate Livostin Locacorten-Viaform ED's Locasol Locasol Locoid | 125 161 160 56 8, 63 59 58 58 60 61 67 120 61 67 120 61 90 50 189 50 155 155 129 131 |
| Lithium carbonate | 125 161 160 56 8, 63 59 58 58 60 61 67 120 61 67 120 61 61 67 120 50 |

| Loxalate | 117 |
|------------------|-----|
| Loxamine | 117 |
| Lucrin Depot | 76 |
| Lucrin Depot PDS | 76 |
| Ludiomil | 116 |
| Lumigan | |
| Lycinate | 53 |

- M -

| m-Captopril | 46 |
|-----------------------------|------|
| m-Eslon | |
| m-Mometasone | 59 |
| Mabthera | |
| Macrogol 3350 | 33 |
| Madopar 125 | .111 |
| Madopar 250 | .111 |
| Madopar 62.5 | .111 |
| Madopar Dispersible | .111 |
| Madopar HBS | .111 |
| Magnesium hydroxide | .171 |
| Magnesium sulphate | |
| Alimentary | 37 |
| Dermatological | 64 |
| Malathion | 61 |
| Maprotiline hydrochloride | .116 |
| Marevan | 42 |
| Marine Blue Lotion SPF 30+ | 63 |
| Marquis Black | 65 |
| Marquis Conforma | |
| Marquis Protecta | 65 |
| Marquis Selecta | 65 |
| Marquis Sensolite | |
| Marquis Supalite | |
| Marquis Titillata | 65 |
| MarquisTantiliza | |
| Martindale Acetylcysteine | |
| Marvelon 21 | 66 |
| Marvelon 28 | 66 |
| Mask for spacer device | .159 |
| Mast Cell Stabilisers | .158 |
| Maxalt Melt | .122 |
| Maxidex | |
| Maxitrol | .161 |
| MCT oil (Nutricia) | .176 |
| Mebendazole | |
| Mebeverine hydrochloride | 27 |
| Medrol | |
| Medroxyprogesterone acetate | |
| Genito-Urinary | 68 |
| Hormone | 4–75 |
| Mefenamic acid | |
| Megestrol acetate | |
| Meloxicam | |
| | |

| Melphalan137 |
|--|
| Menthol |
| Mercaptopurine140 |
| Mercilon 2166 |
| Mercilon 2866 |
| Mesalazine26 |
| Mesna143 |
| Mestinon95 |
| Metabolic Disorder Agents34 |
| Metabolic Mineral Mixture190 |
| Metamide123 |
| Metformin hydrochloride29 |
| Methadone hydrochloride |
| Extemporaneous171 |
| Nervous114 |
| Methatabs114 |
| Methoblastin141 |
| Methopt163 |
| Methotrexate141 |
| Methotrexate Ebewe141 |
| Methyl hydroxybenzoate172 |
| Methylcellulose172 |
| Methylcellulose with glycerin and |
| sodium saccharin 172 |
| Methylcellulose with glycerin and |
| sucrose |
| Methyldopa52 |
| Methylergometrine69 |
| Methylphenidate |
| hydrochloride 133 |
| Methylphenidate hydrochloride |
| extended-release |
| Methylprednisolone71 |
| Methylprednisolone |
| aceponate 59 |
| Methylprednisolone acetate |
| Methylprednisolone acetate with |
| lignocaine |
| Methylprednisolone sodium |
| succinate |
| Methylxanthines |
| Metoclopramide |
| hydrochloride 123 |
| Metoclopramide hydrochloride |
| with paracetamol |
| Matapiropo 77 |
| Metopirone77 Metoprolol - AFT CR50 |
| Metoprolol succinate |
| Metoprolol tartrate50 |
| Metronidazole |
| |
| Metyrapone77 Mexiletine hydrochloride49 |
| Mexitil 49 |
| 49 |

| Miacalcic107 |
|---|
| Mianserin hydrochloride116 Micelle E |
| Micelle E |
| Micolette |
| Miconazole |
| Miconazole nitrate |
| Dermatological57 |
| Genito-Urinary69 |
| Micreme |
| Micreme H59 |
| Microgynon 20 ED67 |
| Microgynon 3067 |
| Microgynon 30 ED67 |
| Microgynon 50 ED67 |
| Microlut |
| Midazolam131 |
| Midodrine49 |
| Minaphlex189 |
| Minerals |
| Minidiab29 |
| Minirin |
| Mino-tabs81 |
| Minocycline hydrochloride81 |
| Minomycin81 |
| Minor Skin Infections61 |
| Mirena |
| Mirtazapine118 |
| Micoprostol |
| Misoprostol27 Mitomycin C143 |
| Mitomycin-C143 |
| Mitozantrone143 |
| Mitozantrone Ebewe |
| Mixtard 3028 |
| Moclobemide117 |
| Modecate127 |
| Moducal |
| Moducal |
| |
| Mogine |
| Mometasone furoate |
| Monofeme |
| Monogen |
| Morphine hydrochloride115 |
| Morphine sulphate115 |
| Morphine tartrate |
| Morrex Maltodextrin |
| Motilium |
| Mouth and Throat |
| Movicol |
| Moxifloxacin |
| MSUD Maxamaid188 |
| MSUD Maxamum188 |
| Mucilaginous laxatives |
| Mucilaginous laxatives with |

| stimulants | 32 |
|-------------------------------------|------|
| Mucilax | 32 |
| Mucolytics | .158 |
| MultiADE | 36 |
| Multiload Cu 375 | 65 |
| Multiload Cu 375 SL | 65 |
| Multiple Sclerosis | |
| Treatments | 129 |
| Multivitamins | |
| Mupirocin | 56 |
| Muscle Relaxants | .110 |
| Myaccord | .150 |
| Myambutol | 83 |
| Mycobutin | 84 |
| Mycophenolate mofetil | .150 |
| Mycostatin | 57 |
| Mydriacyl | .163 |
| Mylan Fentanyl Patch | |
| Mylanta P | 25 |
| Myleran | .137 |
| Myocrisin | 97 |
| Myometrial and Vaginal Hormone | |
| Preparations | 69 |
| - N - | |
| Nadolol | 50 |
| Nalcrom | 26 |
| Martin and a deviation of the state | 100 |

| IN200101 | 50 |
|---------------------------|------|
| Nalcrom | |
| Naloxone hydrochloride | .135 |
| Naltrexone hydrochloride | .135 |
| Nandrolone decanoate | 71 |
| Naphazoline hydrochloride | .163 |
| Naphcon Forte | .163 |
| Naprosyn SR 1000 | 95 |
| Naprosyn SR 750 | |
| Naproxen | |
| Naproxen sodium | 96 |
| Nardil | .117 |
| Nasal Preparations | .159 |
| Natulan | .144 |
| Nausicalm | .122 |
| Navelbine | .145 |
| Navoban | .123 |
| Nedocromil | .158 |
| Nefopam hydrochloride | .113 |
| Neo-Mercazole | 75 |
| Neocate | .191 |
| Neocate Advance | .191 |
| Neocate LCP | .191 |
| Neoral | .153 |
| NeoRecormon | 39 |
| Neostigmine | 95 |
| Neotigason | 61 |
| Nepro (strawberry) | .181 |



| Nepro (vanilla)181 |
|---|
| Nerisone |
| Neulactil125 |
| NeuroKare |
| Neurontin120 |
| Nevirapine |
| Nicotine |
| Nicotinic acid44 |
| Nifedipine |
| Nifuran |
| Nilstat |
| Alimentary |
| Genito-Urinary69 |
| Infection |
| Nipent144 |
| Nitrados131 |
| Nitrates |
| Nitrazepam |
| Nitroderm TTS53 |
| |
| Nitrofurantoin |
| Nitrolingual Pumpspray53 Nizoral83 |
| |
| Noctamid |
| Nodia25 |
| Noflam 25095 |
| |
| Noflam 50095 |
| Nordette 2867 |
| Nordette 2867 Norethisterone |
| Nordette 2867 Norethisterone Genito-Urinary68 |
| Nordette 2867 Norethisterone Genito-Urinary68 Hormone75 |
| Nordette 2867 Norethisterone Genito-Urinary68 Hormone75 Norethisterone with |
| Nordette 2867 Norethisterone Genito-Urinary68 Hormone75 Norethisterone with mestranol67 |
| Nordette 2867 Norethisterone Genito-Urinary68 Hormone75 Norethisterone with |
| Nordette 2867 Norethisterone Genito-Urinary68 Hormone75 Norethisterone with mestranol67 Norflex110 Norfloxacin93 |
| Nordette 28 |
| Nordette 2867 Norethisterone Genito-Urinary68 Hormone75 Norethisterone with mestranol67 Norflex110 Norfloxacin93 |
| Nordette 28 |
| Nordette 28 |
| Nordette 28 |
| Nordette 28 |
| Nordette 28 |
| Nordette 28 |
| Nordette 28 |
| Nordette 28 |
| Nordette 28 |
| Nordette 28 |
| Nordette 28 |
| Nordette 28 |
| Nordette 28 |
| Nordette 28 |
| Nordette 28 |
| Nordette 28 |
| Nordette 28 |

| Nutrini RTH NutriniDrink Multifibre Nutrison Concentrated Nutrison Energy Multi Fibre Nutrison Standard RTH Nyefax Retard Nyefax Retard Nyefax Retard Dermatological Genito-Urinary Infection NZB Low Gluten Bread Mix | 181 181 181 184 184 184 51 34 57 69 83 |
|---|--|
| - 0 - | |
| Octreotide (somatostatin | |
| analogue) | 148 |
| Oestradiol | |
| Oestradiol valerate | |
| Oestradiol with | |
| norethisterone | |
| Oestriol | |
| Genito-Urinary | 69 |
| Hormone | |
| Oestrogens | |
| Oestrogens with | |
| medroxyprogesterone | 74 |
| Oil in water emulsion | |
| Olanzapine125, | |
| Olbetam | 44 |
| Olsalazine | 26 |
| Omeprazole | 27 |
| On Call Advanced | 30 |
| OncoTICE | |
| Ondansetron | |
| One-Alpha | |
| Onkotrone | 143 |
| Optium 5 second test | 30 |
| Optium Blood Ketone Test | |
| Strips | 30 |
| Optium Xceed | |
| Ora-Blend | 172 |
| Ora-Blend SF | 172 |
| Ora-Plus | 172 |
| Ora-Sweet | 171 |
| Ora-Sweet SF | 171 |
| Orabase | |
| Oracort | |
| Oral Supplements | 177 |
| Oral Supplements/Complete Diet | |
| (Nasogastric/Gastrostomy | |
| Tube Feed) | 178 |
| Oratane | |
| | |

| Orgran | |
|----------------------------|------|
| Ornidazole | 83 |
| Orphenadrine citrate | |
| Orphenadrine hydrochloride | |
| Ortho All-flex | 65 |
| Ortho-tolidine | 70 |
| Oruvail 100 | |
| Oruvail 200 | 95 |
| Osmolite | |
| Osmolite RTH | .184 |
| Ospamox | 80 |
| Ospamox Paediatric Drops | 80 |
| Other Endocrine Agents | 76 |
| Other Oestrogen | |
| Preparations | 74 |
| Other Progestogen | |
| Preparations | 74 |
| Other Skin Preparations | 64 |
| Ovestin | |
| Genito-Urinary | 69 |
| Hormone | |
| Ox-Pam | .129 |
| Oxaliplatin | .137 |
| Oxaliplatin Ebewe | .137 |
| Oxazepam | .129 |
| Oxis Turbuhaler | .156 |
| Oxybutynin | |
| Oxycodone hydrochloride | .115 |
| OxyContin | |
| OxyNorm | .115 |
| Oxypentifylline | |
| Oxytocin | 69 |
| , -Р- | |
| Pacifen | .110 |
| Pacific Atenolol | |
| Pacific Buspirone | |
| Paclitaxel | |
| Paclitaxel Ebewe | |
| Paediatric Seravit | 36 |
| Pamidronate disodium | .108 |
| Pamisol | |
| Panadol | |
| Pancreatic enzyme | 32 |
| Pancrex V | |
| Pancrex V Forte | 32 |
| Pantocid IV | 28 |
| Pantoprazole | |
| Panzytrat | |
| Papaverine hydrochloride | 53 |
| Paracare | .113 |
| Paracare Double Strength | .113 |
| Paracare Junior | |
| | |


Paracetamol113

| Paracetamol with codeine115 | |
|--|---|
| ParaCode115 | |
| Paraffin60 | l |
| Paraffin liquid with soft white | |
| paraffin 164 | |
| Paraffin liquid with wool fat | |
| liquid | |
| Paraldehyde119 | |
| Paramax122 | |
| Parasiticidal Preparations61 | |
| Parnate117 | |
| Paroxetine hydrochloride117 | |
| Paxam | |
| Peak flow meter159 | |
| Pedialyte - Bubblegum43 | į |
| Pedialyte - Fruit | į |
| Pedialyte - Plain43 | |
| Pediasure | |
| Pediasure RTH180 | |
| Pegasys | |
| Pegasys RBV Combination | |
| Pack | |
| Pegylated interferon alpha-2a92 Penicillamine97 | |
| | |
| PenMix 30 | |
| PenMix 40 | |
| | |
| Pentasa26 Pentostatin | |
| (deoxycoformycin)144 | |
| Pepti Junior191 | |
| Pepti Junior Gold191 | |
| Peptisoothe27 | |
| Peptisorb | |
| Pergolide111 | |
| Perhexiline maleate | |
| Pericyazine125 | |
| Perindopril | |
| Permax | |
| Permethrin61 | |
| Persantin40 |) |
| Pethidine hydrochloride116 | |
| Pevaryl | |
| Pexsig51 | |
| Pharmacare113 | í |
| Pharmacy Services165 | |
| Phenelzine sulphate117 | |
| Phenobarbitone120 |) |
| Phenobarbitone sodium172 | |
| Phenoxybenzamine | |
| hydrochloride | |
| Phenoxymethylpenicillin | |
| (Penicillin V)81 | |

| Phentolamine mesylate46 |
|-------------------------------|
| Phenylephrine |
| hydrochloride |
| Phenytoin sodium119–120 |
| Phlexy 10 |
| |
| Phosphate-Sandoz43 |
| Phytomenadione40 |
| Pilocarpine163 |
| Pimafucort59 |
| Pindolol50 |
| Pinetarsol62 |
| Pinorax |
| Pinorax Forte |
| Pioglitazone29 |
| Piportil |
| Pipothiazine palmitate |
| Piram-D |
| |
| Piroxicam |
| Pizaccord |
| Pizotifen |
| PKU Anamix Infant189 |
| PKU Lophlex LQ189 |
| Plaquenil83 |
| Plendil ER51 |
| Podophyllotoxin64 |
| Polaramine154 |
| Poloxamer |
| Poly-Tears163 |
| Poly-Visc164 |
| Polycal175 |
| Polyvinyl alcohol |
| Ponstan |
| |
| Postinor-1 |
| Potassium bicarbonate43 |
| Potassium chloride |
| Potassium citrate70 |
| Potassium iodate37 |
| Povidone iodine61 |
| Pravachol44 |
| Pravastatin44 |
| Prazosin hydrochloride46 |
| Pred Forte |
| Pred Mild161 |
| Prednisolone acetate |
| Prednisolone sodium |
| phosphate |
| priospirate |
| Prednisone |
| Prefrin |
| Pregnancy Tests - hCG Urine69 |
| Pregnancy tests - HCG urine69 |
| Premarin73 |
| Premia 2.5 Continuous74 |
| Premia 5 Continuous74 |
| |

| Prezista90 |
|-------------------------------|
| Priadel125 |
| Primidone120 |
| Primolut N75 |
| Probenecid110 |
| Probenecid-AFT110 |
| Procaine penicillin |
| Procarbazine hydrochloride144 |
| Prochlorperazine |
| Proctosedyl |
| Procyclidine hydrochloride112 |
| |
| Prodopa |
| Prograf |
| Progynova |
| Promethazine hydrochloride155 |
| Promethazine theoclate123 |
| Promethazine Winthrop |
| Elixir 155 |
| Promod177 |
| Propafenone hydrochloride49 |
| Propamidine isethionate160 |
| Propranolol50 |
| Propylene glycol172 |
| Protamine sulphate41 |
| Protaphane28 |
| Protaphane Penfill |
| Protifar177 |
| Provera74, 75 |
| PSO193-196 |
| Psoriasis and Eczema |
| Preparations61 |
| Pulmicort Turbuhaler155 |
| Pulmocare178 |
| Pulmozyme158 |
| Purinethol140 |
| Pyrazinamide84 |
| Pyridostigmine bromide95 |
| Pyridoxine hydrochloride35 |
| Pytazen SR40 |
| • |
| -Q- |
| Q 200 |
| Q 300110 |
| Questran-Lite44 |
| Quetapel126 |
| Quetiapine126 |
| Quinapril47 |
| Quinapril with |
| hydrochlorothiazide |
| Quinine sulphate110 |
| - R - |
| RA-Morph115 |
| Raltegravir potassium90 |

213



| Ranbaxy-Cefaclor | 78 |
|--------------------------|-----|
| Ranitidine hydrochloride | 27 |
| Rapamune | 153 |
| Redipred | 71 |
| Regitine | |
| Renilon 7.5 | 40 |
| Reniion 7.5 | 181 |
| Resonium-A | 43 |
| Resource Beneprotein | 177 |
| Resource Diabetic | 178 |
| Respigen | 157 |
| Respiratory Devices | 159 |
| Respiratory Stimulants | 159 |
| ReTrieve | |
| Retrovir | |
| ReVia | |
| Rex Medical | |
| | |
| Rexacrom | |
| Reyataz | |
| Ridal | |
| Ridaura | |
| Rifabutin | |
| Rifadin | |
| Rifampicin | 84 |
| Rifinah | 83 |
| Riodine | |
| Risperdal | 126 |
| Risperdal Consta | |
| Risperdal Quicklet | 128 |
| Risperidone126- | 128 |
| Risperon | 126 |
| Ritalin | 133 |
| Ritalin LA | |
| Ritalin SR | |
| Ritonavir | |
| | |
| Rituximab | |
| Rivacol | |
| Rivaroxaban | |
| Rivotril118, | 119 |
| Rizatriptan benzoate | |
| Rocaltrol solution | 35 |
| Roferon-A | 92 |
| Ropin | 111 |
| Ropinirole hydrochloride | 111 |
| Roxithromycin | 80 |
| Rubifen | |
| Rubifen SR | |
| Rythmodan | |
| Rytmonorm | |
| - S - | |
| - S - S26 Soy | 100 |
| 526 SOY | 192 |
| S26LBW Gold RTF | |
| Sabril | |
| Salamol | 157 |
| | |

| Salapin157 |
|-----------------------------|
| Salazopyrin26 |
| Salazopyrin EN |
| Salbutamol157 |
| Salbutamol with ipratropium |
| bromide 158 |
| Salicylic acid62 |
| Salmeterol |
| Sandomigran122 |
| Sandostatin |
| Sandostatin LAR |
| SC Profi-Fine |
| Scalp Preparations63 |
| Scopoderm TTS122 |
| |
| Sebizole |
| Sedatives and Hypnotics131 |
| Selegiline hydrochloride111 |
| Senna |
| Senokot33 |
| SensoCard30 |
| Serenace125 |
| Seretide156 |
| Seretide Accuhaler156 |
| Serevent156 |
| Serevent Accuhaler156 |
| Serophene76 |
| Seroquel126 |
| Sertraline117 |
| Sevredol115 |
| Sex Hormones Non |
| Contraceptive72 |
| Shield 49 |
| Shield Blue65 |
| Shield XL65 |
| Sildenafil |
| Silver sulphadiazine56 |
| Simethicone25 |
| Simvastatin |
| Sindopa111 |
| Sinemet111 |
| Sinemet CR111 |
| Sirolimus153 |
| Siterone |
| Slow-Lopresor |
| Sodibic |
| Sodium acid phosphate |
| Sodium alginate25 |
| Sodium auginate |
| Sodium bicarbonate |
| Blood42–43 |
| |
| Extemporaneous |
| Sodium calcium edetate |
| Souluill |
| |

| carboxymethylcellulose34 |
|-----------------------------------|
| Sodium chloride |
| Blood42 |
| Respiratory158 |
| Sodium citrate with sodium lauryl |
| sulphoacetate |
| Sodium citro-tartrate70 |
| Sodium cromoglycate |
| Alimentary26 |
| Respiratory158–159 |
| Sensory161 |
| Sodium fluoride |
| Sodium nitroprusside30 |
| Sodium polystyrene |
| sulphonate |
| Sodium tetradecyl sulphate40 |
| Sodium valproate |
| Sofradex |
| Soframycin160 |
| Solian |
| Solifenacin succinate |
| Solox |
| Solu-Cortef71 |
| Solu-Conter |
| Somatropin |
| |
| Sonaflam |
| Sotacor |
| Sotalol |
| Space Chamber159 |
| Spacer device159 |
| Span-K43 |
| Spiriva157 |
| Spironolactone |
| Spirotone52 |
| Sporanox83 |
| Sprycel145 |
| Stavudine [d4T]90 |
| Stelazine126 |
| Stemetil123 |
| Stesolid118 |
| Stimulants/ADHD |
| Treatments132 |
| Stocrin |
| Stomahesive |
| Strattera132 |
| Sucralfate |
| Sulindac96 |
| Sulphacetamide sodium161 |
| Sulphasalazine26 |
| Sulphur |
| Sumatriptan |
| Sunitinib147 |
| Sunscreens63 |
| |

| Sunscreens, proprietary | 63 |
|----------------------------|-----|
| Suplena | |
| Surgam | |
| Sustagen Hospital Formula | |
| Sustanon Ampoules | |
| Sutent | |
| Symbicort Turbuhaler 100/6 | |
| Symbicort Turbuhaler 200/6 | |
| Symbicort Turbuhaler | 150 |
| 400/12 | 156 |
| Symmetrel | |
| | |
| Sympathomimetics | |
| Synacthen | |
| Synacthen Depot | |
| Synermox | |
| Synflex | |
| Synthroid | |
| Syntocinon | |
| Syntometrine | 69 |
| Syrup (pharmaceutical | |
| grade) | 172 |
| -T- | |
| Te eveline ve | 150 |

| Tacrolimus | 153 |
|---------------------------------|-----|
| Tambocor | 49 |
| Tambocor CR | 49 |
| Tamoxifen citrate | 150 |
| Tamoxifen Sandoz | |
| Tamsulosin hydrochloride | 69 |
| Tamsulosin-Rex | |
| Tap water | 172 |
| Tar with triethanolamine lauryl | |
| sulphate and fluorescein | 62 |
| Tarceva | |
| Tasmar | 111 |
| Taxotere | 142 |
| Tegretol | 119 |
| Tegretol CR | 119 |
| Telfast | |
| Temazepam | 131 |
| Temgesic | 113 |
| Temodal | 144 |
| Temozolomide | 144 |
| Tenofovir disoproxil fumarate | 86 |
| Tenoxicam | 96 |
| Terazosin hydrochloride | 46 |
| Terbinafine | 83 |
| Terbutaline sulphate | |
| Testosterone | |
| Testosterone cypionate | 72 |
| Testosterone esters | |
| Testosterone undecanoate | 72 |
| Tetrabenazine | 112 |

| Tetrabromophenol70 | |
|-------------------------------|--|
| Tetracosactrin72 | |
| Teva141 | |
| Thalidomide144 | |
| Thalidomide Pharmion144 | |
| Theophylline158 | |
| Thiamine hydrochloride35 | |
| Thioguanine141 | |
| Thiotepa138 | |
| Thymol glycerin | |
| Thyroid and Antithyroid | |
| Agents | |
| Tiaprofenic acid | |
| Tiberal | |
| Tilade | |
| Tilcotil96 Timolol maleate | |
| Cardiovascular51 | |
| | |
| Sensory | |
| Timoptol XE | |
| Tiotropium bromide157 | |
| Titralac25 | |
| TMP82 Tobramycin | |
| Infection82 | |
| | |
| Sensory161 Tobrex161 | |
| Tofranil116 | |
| Tolcapone111 | |
| Tolvon116 | |
| Topamax121 | |
| Topiramate121 | |
| Total parenteral nutrition | |
| (TPN) | |
| TPN42 | |
| Tracleer | |
| Tramadol hydrochloride113 | |
| Trandate | |
| Trandolapril47 | |
| Tranexamic acid40 | |
| Tranylcypromine sulphate117 | |
| Trastuzumab152 | |
| Travatan | |
| Travoprost162 | |
| Treatments for Dementia | |
| Treatments for Onioid | |
| Overdose | |
| Treatments for Substance | |
| Dependence135 | |
| Trental 40053 | |
| Tretinoin | |
| Dermatological55 | |
| Oncology | |
| | |


| Triamcinolone acetonide | |
|-----------------------------------|----|
| Alimentary | 34 |
| Dermatological | 59 |
| Hormone | 72 |
| Triamcinolone acetonide with | |
| gramicidin, neomycin and nystatir | |
| Dermatological | 59 |
| Sensory1 | |
| Triazolam1 | |
| Trichozole | |
| Triclosan | 60 |
| Trifluoperazine | |
| hydrochloride12 | |
| Trimeprazine tartrate1 | |
| Trimethoprim | |
| Trisequens | |
| Trisul | |
| Trophic Hormones | |
| Tropicamide1 | |
| Tropisetron1 | |
| Trusopt1 | |
| Two Cal HN1 | |
| Tyloxapol1 | 63 |
| | |

- U -

| - 0 - | |
|--------------------------|-----|
| Ultraproct | 26 |
| Univent | 157 |
| Ural | 70 |
| Urea | 60 |
| Urex Forte | 52 |
| Urinary Agents | 69 |
| Urinary Tract Infections | 93 |
| Uromitexan | 143 |
| Ursodeoxycholic acid | 32 |
| | |

- V -

| Vaccines | 94 |
|--------------------------|-----|
| Valaciclovir | 86 |
| Vallergan Forte | 155 |
| Valoid (AFT) | 122 |
| Valtrex | |
| Vancomycin hydrochloride | 82 |
| Vannair | 156 |
| Varenicline tartrate | |
| Various | |
| Vasodilators | |
| Vasopressin Agonists | 76 |
| Venlafaxine | 118 |
| Ventavis | 54 |
| Ventolin | 157 |
| Vepesid | 143 |
| Veracol | 78 |
| Verapamil hydrochloride | 52 |
| Vergo 16 | 122 |
| | |



| Vermox Verpamil SR Vesanoid Vesicare Viaderm KC Viagra | 52 144 70 59 |
|---|-----------------------|
| Vicrom | |
| Videx EC | |
| Vigabatrin | |
| Vinblastine sulphate | |
| Vincristine sulphate | |
| Vinorelbine | |
| Vinorelbine Ebewe | |
| Viramune | |
| Viramune Suspension | 89 |
| Viread | |
| Vistil | 163 |
| Vistil Forte | 163 |
| Vitabdeck | 36 |
| Vitadol C | 35 |
| Vital HN | 182 |
| Vitala-C | 35 |
| Vitamin A with vitamins D and C | |
| Vitamin B complex | 35 |
| Vitamins | |
| Vivonex Pediatric | 191 |
| Vivonex TEN | 182 |
| Volibris | 54 |
| Voltaren | 95 |

| Voltaren D95 | |
|-----------------------------|--|
| Voltaren Ophtha161 | |
| Volumatic | |
| Vosol | |
| Vytorin45 | |
| - W - | |
| Warfarin sodium | |
| Wart Preparations63 | |
| Wasp venom allergy | |
| treatment154 | |
| Water | |
| Blood43 | |
| Extemporaneous172 | |
| Wool fat with mineral oil60 | |
| - X - | |
| Xarelto41 | |
| Xeloda138 | |
| Xenazine 25112 | |
| XMET Maxamum188 | |
| XP Analog LCP189 | |
| XP Maxamaid189 | |
| XP Maxamum189 | |
| Xylocaine112 | |
| Xylocaine Viscous112 | |
| - Z - | |
| Zantac27 | |
| Zapril 47 | |

| Zapril | 47 |
|----------|-----|
| Zarontin | 119 |
| Zavedos | 143 |

| Zeffix | 85 |
|--------------------------|-----|
| Zeldox | |
| Zerit | |
| Zetop | |
| Ziagen | |
| Zidovudine [AZT] | |
| Zidovudine [AZT] with | |
| lamivudine | 00 |
| Zinacef | |
| Zinc and castor oil | |
| Zinc sulphate | |
| | |
| Zincaps Zinnat | |
| | |
| Ziprasidone Zofran | |
| | |
| Zofran Zydis | |
| Zoladex | |
| Zoledronic acid | |
| Zopiclone | |
| Zostrix HP | |
| Zovirax | |
| Zuclopenthixol decanoate | 127 |
| Zuclopenthixol | 107 |
| hydrochloride | |
| Zyban | |
| Zyprexa | |
| Zyprexa Zydis | 128 |
| | |

AUTHORITY TO SUBSTITUTE

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

| Name: | NZMC: | |
|------------|-------|--|
| Signature: | Date: | |

Authority for the dispensing pharmacist to change a prescribed medicine in this way is contained in regulation 42 (4) of the Medicines Regulations 1984.

NOTES

AUTHORITY TO SUBSTITUTE

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

| Name: | NZMC: |
|------------|--|
| Signature: | Date: |
| | to change a prescribed medicine in this way is |

Authority for the dispensing pharmacist to change a prescribed medicine in this way is contained in regulation 42 (4) of the Medicines Regulations 1984.

NOTES

AUTHORITY TO SUBSTITUTE

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

| Name: | NZMC: |
|------------|--|
| Signature: | Date: |
| | to change a prescribed medicine in this way is |

Authority for the dispensing pharmacist to change a prescribed medicine in this way is contained in regulation 42 (4) of the Medicines Regulations 1984.

NOTES

AUTHORITY TO SUBSTITUTE

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder.

Please inform my patient that I have authorised substitution.

| Name: | NZMC: |
|------------|--|
| Signature: | Date: |
| | to change a prescribed medicine in this way is |

Authority for the dispensing pharmacist to change a prescribed medicine in this way is contained in regulation 42 (4) of the Medicines Regulations 1984.

NOTES