June 2011

Volume 18 Number 1

Editor

Kaye Wilson & Rebecca Bloor email: schedule@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

Freephone Information Line 0800 66 00 50 (9am – 5pm weekdays)

Circulation

Published each April, August and December. Changes to the contents are published in monthly updates. Annual subscription includes three Pharmaceutical Schedule books, 12 updates and occasional information on rule changes and news items. The Schedule is distributed free of charge to over 9,000 health professionals, and is also

Prices

\$22.22 One Schedule book \$4.44 One Update \$120.00 Annual subscription

available on an annual subscription.

All prices include postage and exclude GST.

Production

Typeset automatically from XML and T_EX.
See www.pharmac.govt.nz/schedule/archive/
for the XML version of this Schedule.

Programmers

Anrik Drenth & John Geering email: texschedule@pharmac.govt.nz

© Pharmaceutical Management Agency



ISSN 1179-3686 pdf ISSN 1172-9376 print

This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit: creativecommons.org/licenses/by/3.0/nz/.

Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

Introducing PHARMAC 2

Section A General Rules 13

Section B

Alimentary Tract & Metabolism 26

Blood & Blood Forming Organs 40
Cardiovascular System 47

Dermatologicals 56

Genito Urinary System 66

Hormone Preparations – Systemic 72

Infections – Agents For Systemic Use 79

Nervous System 112

Musculoskeletal System 96

Oncology Agents & Immunosuppressants 140
Respiratory System & Allergies 158

Sensory Organs 164

Various 169

Cootion D

tion D Special Foods

Section C Extemporaneous Compounds (ECPs) 170

Section D

D Special Foods 177

Section E

Practitioner's Supply Orders 198
Rural Areas 202

Section F

Dispensing Period Exemptions 203

Section G

Safety Cap Medicines 205

Index 208

Introducing PHARMAC

PHARMAC, the Pharmaceutical Management Agency, is a Crown entity established pursuant to the New Zealand Public Health and Disability Act 2000 (The Act). The primary objective of PHARMAC is to secure for eligible people in need of pharmaceuticals, the best health outcomes that are reasonably achievable from pharmaceutical treatment and from within the amount of funding provided.

The PHARMAC Board consists of up to six members appointed by the Minister of Health. All decisions relating to PHARMAC's operation are made by or under the authority of the Board. In particular, Board members decide on the strategic direction of PHARMAC and may decide which community pharmaceuticals should be subsidised and at what levels, and determine national prices for some pharmaceuticals to be purchased by and used in DHB Hospitals, and whether or not special conditions are to be applied to such purchases.

Members of the PHARMAC Board

Stuart McLauchlan Kura Denness David Kerr

Anne Kolbe Jens Mueller

Decisions taken by the PHARMAC Board members, or made under the authority of the Board, incorporate a balanced view of the needs of prescribers and patients. The aim is to achieve long-term gains and efficient ways of making pharmaceuticals available to the community and for DHB Hospitals to purchase them.

Murray Georgel, CE MidCentral DHB, attends PHARMAC's Board meetings as an observer.

The functions of PHARMAC are to perform the following, within the amount of funding provided to it in the Pharmaceutical Budget or to DHBs from their own budgets for the use of pharmaceuticals in their hospitals, as applicable, and in accordance with its annual plan and any directions given by the Minister (Section 103 of the Crown Entities Act):

- a) to maintain and manage a pharmaceutical schedule that applies consistently throughout New Zealand, including determining eligibility and criteria for the provision of subsidies;
- b) to manage incidental matters arising out of (a), including in exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the pharmaceutical schedule;
- c) to engage as it sees fit, but within its operational budget, in research to meet its objectives as set out in Section 47(a) of the Act:
- d) to promote the responsible use of pharmaceuticals;
- e) to manage the purchasing of any or all pharmaceuticals, whether used either in a hospital or outside it, on behalf of DHBs;
- f) any other functions given to PHARMAC by or under any enactment or authorised by the Minister.

The policies and criteria set out in the Pharmaceutical Schedule and PHARMAC's Operating Policies and Procedures arise out of, and are designed to help PHARMAC achieve and perform, PHARMAC's objective and functions under the Act.

However PHARMAC may, having regard to its public law obligations, depart from the strict application of those policies and criteria in certain exceptional cases where it considers this necessary or appropriate in the proper exercise of its statutory discretion and to give effect to its objective and functions, particularly with respect to:

- Determining eligibility and criteria for the provision of subsidies; and
- In exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the Pharmaceutical Schedule.

Decision Criteria

PHARMAC updates the Pharmaceutical Schedule at regular intervals to notify prescribers, pharmacists, hospital managers and patients of changes to Community Pharmaceutical subsidies and the prices for Hospital Pharmaceuticals. In making decisions about amendments to the Pharmaceutical Schedule, PHARMAC is guided by its Operating Policies and Procedures, as amended or supplemented from time to time. PHARMAC takes into account the following criteria when making decisions about Community Pharmaceuticals:

- the health needs of all eligible people within New Zealand (eligible defined by the Government's then current rules of eligibility):
- the particular health needs of Māori and Pacific peoples;
- the availability and suitability of existing medicines, therapeutic medical devices and related products and related things:
- the clinical benefits and risks of pharmaceuticals;
- the cost-effectiveness of meeting health needs by funding pharmaceuticals rather than using other publicly funded health and disability support services;
- the budgetary impact (in terms of the pharmaceutical budget and the Government's overall health budget) of any changes to the Pharmaceutical Schedule;
- the direct cost to health service users:
- the Government's priorities for health funding, as set out in any objectives notified by the Crown to PHARMAC, or in PHARMAC's Funding Agreement, or elsewhere; and
- such other criteria as PHARMAC thinks fit. PHARMAC will carry out appropriate consultation when it intends to take any such "other criteria" into account.

The Operating Policies and Procedures, including any supplements, also describe the way in which PHARMAC determines the level of subsidy or purchase price payable for each Community Pharmaceutical or Hospital Pharmaceutical, respectively.

The decision criteria for Hospital Pharmaceuticals are set out in the hospital supplement to the Operating Policies and Procedures and in the introductory part of Section H of the Pharmaceutical Schedule.

Copies of PHARMAC's Operating Policies and Procedures and of any applicable supplements are available on the PHARMAC website (www.pharmac.govt.nz), or on request.

PHARMAC and the Pharmaceutical Schedule:

PHARMAC manages the national Pharmaceutical Schedule, which lists:

- Pharmaceuticals available in the community and subsidised by the Government with funding from the Pharmaceutical Budget; and
- some Pharmaceuticals purchased by DHBs for use in their hospitals, and includes those Hospital Pharmaceuticals for which national prices have been negotiated by PHARMAC.

In the community approximately 1848 Pharmaceuticals are subsidised by the Government. Most are available to all eligible people within New Zealand on prescription by a medical doctor. Some are listed with guidelines or conditions such as 'only if prescribed for a dialysis patient' or 'Special Authority - Retail Pharmacy', to ensure that Pharmaceuticals are used by those people who are most likely to benefit from them. Pharmaceuticals provided to patients for use while in DHB hospitals are not covered by Sections A to G of the Pharmaceutical Schedule.

Section H of the Pharmaceutical Schedule is not a comprehensive list of Pharmaceuticals that are used within the DHB Hospitals. Section H of the Pharmaceutical Schedule includes Pharmaceuticals that can be purchased at a national price by DHBs for use in their hospitals. These are referred to as National Contract Pharmaceuticals.

A list of Discretionary Community Supply Pharmaceuticals, in Section H of the Pharmaceutical Schedule, identifies those products that currently are not subsidised from the Pharmaceutical Budget as Community Pharmaceuticals in Sections A to G of the Pharmaceutical Schedule but which DHBs can at their discretion fund for use in the community from their own budgets without specific Hospital Exceptional Circumstances approval.

PHARMAC's clinical advisors

Pharmacology and Therapeutics Advisory Committee (PTAC)

PHARMAC works closely with the Pharmacology and Therapeutics Advisory Committee (PTAC), an expert medical committee which provides independent advice to PHARMAC on health needs and the clinical benefits of particular pharmaceuticals for use in the community and/or in DHB Hospitals.

The committee members are all senior, practising clinicians. The chair of PTAC sits with the PHARMAC Board in an advisory capacity.

PTAC helps decide which community pharmaceuticals are to be subsidised from public monies by making recommendations to PHARMAC. Part of the role of PTAC is to review whether Community Pharmaceuticals already listed on the Schedule should continue to receive Government funds. The resources freed up can be used to subsidise other community pharmaceuticals with a greater therapeutic worth.

PHARMAC may obtain clinical advice from PTAC in relation to national purchasing strategies for Hospital Pharmaceuticals. There may be additional specialist hospital representatives on PTAC subcommittees, or additional PTAC subcommittees, where PHARMAC considers this necessary.

PTAC members are:

Carl Burgess MBChB, MD, MRCP (UK), FRACP, FRCP, physician/clinical pharmacologist, Chair

Christine Cameron MBChB, FRACP, MClin Pharm

Melissa Copland PhD, BPharm(Hons), RegPharmNZ, FNZCP

Stuart Dalziel MBChB, PhD, FRACP

lan Hosford MBChB, FRANZCP, psychiatrist

Sisira Jayathissa MMedSc (Clin Epi), MMBS, MD, MRCP (UK), FRCP (Edin), FRACP, FAFPHM, Dip Clin Epi,

Dip OHP, Dip HSM, MBS

George Laking PhD, MD, FRACP

Jim Lello BHB, MBChB, DCH, FRNZCGP, general practitioner

Dee Mangin MBChB, DPH, RNZCGP

Graham Mills MBChB, MTropHlth, MD, FRACP, infectious disease specialist and general physician

Mark Weatherall BA, MBChB, MApplStats, FRACP

Howard Wilson BSc, PhD, MB, BS, Dip Obst, FRNZCGP, FRAGCP Deputy Chair

Contact PTAC C/-Advisory Committee Manager , Pharmaceutical Management Agency, PO Box 10 254, WELLINGTON, Email: PTAC@pharmac.govt.nz

The PHARMAC Team

The PHARMAC team has a wide range of expertise in health, medicine, economics, commerce, critical analysis, and policy development and implementation.

opment and implementati	ion.		
Matthew Brougham	Chief Executive	Geoff Lawn	Applications Developer / Team
Kate Adams	Health Economist		Leader IT
Paul Alexander	Health Economist	Geraldine MacGibbon	Therapeutic Group Manager
Richard Anderson	Network and Systems	Janet Mackay	Access & Optimal Use
	Administrator		Programme Manager
Katie Appleby	Hospital Exceptional	Rachel Mackay	Manager, Schedule and
	Circumstances Panel		Contracts
	Co-ordinator	Trish Mahoney	Contract Manager
Jason Arnold	Team Leader, Analysis	Scott Metcalfe	Chief Advisor Population
Graham Beever	General Counsel		Medicine / Public Health
Diana Beswethrick	HR Manager		Physician
Rebecca Bloor	Schedule Analyst	Peter Moodie	Medical Director
Stephen Boxall	Creative Director	Deborah Nisbet	Receptionist
Davina Carpenter	Records Manager	Hew Norris	Analyst
Christine Chapman	Therapeutic Group Manager	Leigh Parish	PA to Medical Director
Mary Chesterfield	MS and CML/GIST Co-ordinator	Marama Parore	Manager, Access & Optimal
Steffan Crausaz	Manager, Funding and		Use & Māori Health
	Procurement	Chris Peck	Analyst
Andrew Davies	Procurement Initiatives	Angela Pirika	Senior Receptionist
	Manager	Sharon Ponniah	Access and Optimal Use
Natalie Davis	Therapeutic Group Manager		Programme Manager
Rachelle Davies	Office Manager / Corporate	Matthew Poynton	Analyst/Health Economist
	Team Assistant	Rachel Pratt	Community Exceptional
Jessica Dougherty	Executive Assistant to Chief		Circumstances Panel
	Executive		Co-ordinator
Sean Dougherty	Funding Systems Development	Dilky Rasiah	Deputy Medical Director
	Manager	Kyle Reid	Tender Analyst
Anrik Drenth	Database Analyst	Awhimai Reynolds	Māori Health Manager
Kim Ellis	Access & Optimal Use	Brian Roulston	Contract Manager
	Co-ordinator	Fiona Rutherford	Senior Policy Analyst
Simon England	Communications Manager	Rico Schoeler	Manager, Analysis and
Jackie Evans	Therapeutic Group Manager		Assessment
John Geering	Systems Architect	Merryn Simmons	PHARMAC Seminar Series
Lauren Gooley	Funding and Procurement		Co-ordinator
	Assistant	Liz Skelley	Finance Manager
Rachel Grocott	Health Economist / Team	Jude Urlich	Manager, Corporate and
	Leader Assessment		External Relations
Susan Haniel	Advisory Committee Manager	Jayne Watkins	Team Leader, Medical Team
David Harland	Health Economist	Bryce Wigodsky	Communications Advisor
Ben Healey	Analyst	Greg Williams	Therapeutic Group Manager
Hayden Holmes	Panel Co-ordinator (Growth	Kaye Wilson	Schedule Analyst
	Hormone/PAH)	Stephen Woodruffe	Therapeutic Group Manager
Karen Jacobs	Access & Optimal Use	Sue Anne Yee	Therapeutic Group Manager
	Programme Manager	Michael Young	Analyst
Helen Knight	Accounts Payable Co-ordinator		

Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price (if it differs from the Subsidy) and any access conditions that may apply; and
- some Hospital Pharmaceuticals that are purchased and used by DHB Hospitals, including those for which national prices have been negotiated by PHARMAC.

The purpose of the Schedule is not to show the final cost to Government of subsidising each Community Pharmaceutical or to DHBs in purchasing each Hospital Pharmaceutical since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for some Hospital Pharmaceuticals, on any logistics arrangements put in place by individual DHB Hospitals.

Finding Information in the Pharmaceutical Schedule

Community Pharmaceuticals

For Community Pharmaceuticals, the Schedule is organised in a way to help the reader find Community Pharmaceuticals, which may be used to treat similar conditions. To do this, Community Pharmaceuticals are first classified anatomically, originally based on the Anatomical Therapeutic Chemical (ATC) system, and then further classified under section headings structured for the New Zealand medical system.

- Section A lists the General Rules in relation to Community Pharmaceuticals and related products.
- Section B lists Community Pharmaceuticals and related products by anatomical classification, which are further divided into
 one or more therapeutic headings. Community Pharmaceuticals used to treat similar conditions are grouped together.
- Section **C** lists the rules in relation to Extemporaneously Compounded Products (ECPs) and Community Pharmaceuticals that will be subsidised when extemporaneously compounded.
- Section D lists the rules in relation to Special Foods and the Special Foods that are subsidised.
- Section E Part I lists the Community Pharmaceuticals that are subsidised on a Practitioner's Supply Order (PSO).
- Section E Part II lists rural areas for the purpose of PSOs.
- Section F lists the Community Pharmaceuticals dispensing period exemptions.
- Section G lists the Community Pharmaceuticals eligible for reimbursement of safety cap and related rules.

The listings are displayed alphabetically (where practical) within each level of the classification system. Each anatomical section contains a series of therapeutic headings, some of which may contain a further classification level. Where a Community Pharmaceutical is used in more than one therapeutic area, they may be cross-referenced.

The therapeutic headings in the Pharmaceutical Schedule do not necessarily correspond to the therapeutic groups and therapeutic subgroups, which PHARMAC establishes for the separate purpose of determining the level of subsidy to be paid for each Community Pharmaceutical.

The index located at the back of the book in which Sections A-G of the Pharmaceutical Schedule are published can be used to find page numbers for generic chemical entities, or product brand names.

Hospital Pharmaceuticals

Section H lists Pharmaceuticals that DHBs fund from their own budgets. The Hospital Pharmaceuticals are grouped into the following Parts in Section H:


- Part I lists the rules in relation to Hospital Pharmaceuticals.
- Part II lists Hospital Pharmaceuticals for which national contracts exist (National Contract Pharmaceuticals). These are
 listed alphabetically by generic chemical entity name and line item, the relevant Price negotiated by PHARMAC and, if
 applicable, an indication of whether it has Hospital Supply Status (HSS) and any associated Discretionary Variance (DV)
 Pharmaceuticals and DV Limit.
- Part III lists Discretionary Community Supply Pharmaceuticals, which are not Community Pharmaceuticals, but which a DHB
 Hospital can, in its discretion, fund for use in the community from its own budget.

The index located at the back of the Section H supplement can be used to find page numbers for generic chemical entities, or product brand names, for Hospital Pharmaceuticals.

Explaining drug entries

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the amount of that subsidy paid to contractors, the supplier's price and the access conditions that may apply.

Example



Glossary

Units of Measure

gramg	microgramµg	millimolemmol
kilogramkg	milligrammg	unitu
international unitiu	millilitre ml	

Abbreviations					
Ampoule	Amp	Granules	Gran	Suppository	Supp
Capsule	Сар	Infusion	Inf	Tablet	Tab
Cream	Crm	Injection	Inj	Tincture	Tinc
Device	Dev	Linctus	Linc	Trans Dermal Delivery	
Dispersible	Disp	Liquid	Liq	System	TDDS
Effervescent	Eff	Long Acting	LA		
Emulsion	Emul	Ointment	Oint		
Enteric Coated	EC	Sachet	Sach		
Gelatinous	Gel	Solution	Soln		
DOO D. II. O					

BSO Bulk Supply Order.

CBS Cost Brand Source. There is no set manufacturer's price, and the Government subsidises the product at the price it is obtained by the pharmacy.

CE Compounded Extemporaneously.

CPD Cost Per Dose. The Funder (as defined in Part I of the General Rules) cost of a standard dose, without mark-ups or fees and excluding GST.

FCP Extemporaneously Compounded Preparation.

HSS Hospital Supply Status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

OP Original Pack – subsidy is rounded up to a multiple at whole packs.

PSO Practitioner's Supply Order.

Sole Subsidised

Supplier Only brand of this medicine subsidised.

XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

- Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner.
- Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless medicine is endorsed "close control" or "cc" and the endorsement is initialled by the prescriber.
- Safety cap required and subsidised for oral liquid formulations, including extemporaneously compounded preparations. Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a
- manufacturer's surcharge. This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981. Practitioners S29 prescribing this medication should:
 - a) be aware of and comply with their obligations under Section 29 of the Medicines Act 1981 and otherwise under that Act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent): and
 - c) exercise their own skill, judgement, expertise and discretions, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an indication for which it is not

Note: Where medicines supplied under Section 29 that are used for emergency situations, patient details required under Section 29 of the Medicines Act may be retrospectively provided to the supplier.

	Definitions	
Abbrev. Pharmacy Services Agreement		All other Pharmacy Agreements
[HP3]	Subsidised when dispensed from pharmacies that	Available from selected pharmacies that have an ex-
	have a Special Foods Service appended to their Phar-	clusive contract to dispense Special Foods.
	macy Services Agreement by their DHB.	
[HP4]	Subsidised when dispensed from pharmacies that	Avaliable from selected pharmacies that have an ex-
	have the Monitored Therapy Variation (for Clozapine	clusive contract to dispense 'Hospital Pharmacy' [HP4]
	Services)	pharmaceuticals.

Patient costs

Community Pharmaceuitical costs met by the Government

Most of the cost of a subsidised prescription Community Pharmaceutical is met by the Government through the Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to Contractors, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to Contractors does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a \checkmark in the product's Schedule listing.

SALBUTAMOL	
Aerosol inhaler 100 µg per dose3.80	✓ Fully subsidised brand
(6.00)	Higher priced brand

Pharmaceutical Co-Payments

Some Community Pharmaceutical costs are met by the patient. Generally a patient pays a prescription charge. In addition a patient will sometimes pay a manufacturer's surcharge, after hours service fee and any special packaging fee.

PRESCRIPTION CHARGE

From 1 September 2008, everyone who is eligible for publicly funded health and disability services should in most circumstances pay only \$3 for subsidised medicines.

All prescriptions from a public hospital, a midwife and a Family Planning Clinic are covered for \$3 co-payments.

Prescriptions from the following providers are approved for \$3 co-payments on subsidised medicines if they meet the specified criteria:

- After Hours Accident and Medical Services with a DHB or a PHO contract.
- Youth Health Clinics with a DHB or a PHO contract.
- Dentists who write a prescription that relates to a service being provided under a DHB contract.
- Private specialists (for example, opthalmologists and orthopaedics) who write a prescription for a patient receiving a publicly funded service contracted by the DHB.
- General practitioners who write a prescription during normal business hours to a person who is not enrolled in the general
 practice provided the person is eligible for publicly funded health and disability services and the general practice is part of a
 PHO.
- Hospices that have a contract with a DHB.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Eligibility Direction on the Ministry of Health's website.

To check if a medicine is fully subsidised, refer to the Pharmaceutical Schedule on PHARMAC's website or ask your pharmacist or general practitioner.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

NOTE: Information sourced from Ministry of Health Website, for more information please visit www.moh.govt.nz

MANUFACTURER'S SURCHARGE

Not all Community Pharmaceuticals are fully subsidised. Although PHARMAC endeavours to fully subsidise at least one Community Pharmaceutical in each therapeutic group, and has contracts with some suppliers to maintain the price of a particular product, manufacturers are able to set their own price to pharmacies. When these prices exceed the subsidy, the pharmacist may recoup the difference from the patient.

To estimate the amount a patient will pay on top of the prescription charge, take the difference between the manufacturer's price and the subsidy, and multiply this by 1.86. The 1.86 factor represents the pharmacy mark-up on the surcharge plus other costs such as GST. Pharmacies charge different mark-ups so this may vary.

Manufacturer's surchage to patient = (price - subsidy) \times 1.86

For example, a Community Pharmaceutical with a supplier (ex-manufacturer) cost of \$11.00 per pack with a \$10.00 subsidy will cost the patient a surchage of \$1.86 on top of the prescription charge. The most a patient should pay is therefore \$16.86 - being

\$15.00 maximum prescription charge, plus \$1.86.

Hospital Pharmaceutical and Pharmaceutical Cancer Treatment Costs

The cost of purchasing Hospital Pharmaceuticals and Pharmaceutical Cancer Treatments (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) is met by the Funder (in particular, the relevant DHB) from its own budget. As required by section 23(7) of the Act, in performing any of their functions in relation to the supply of Pharmaceuticals including Pharmaceutical Cancer Treatments, DHBs must not act inconsistently with the Pharmaceutical Schedule.

PHARMAC web site

PHARMAC has set up an interactive Schedule on the Internet.

Other information about PHARMAC is also available on our website. This includes copies of the Annual Review, Annual Report and Annual Plan, as well as information such as the Pharmaceutical Schedule, Pharmaceutical Schedule Updates, National Hospital Pharmaceutical Strategy, other publications and recent press releases.

Special Authority Applications

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person. Applications must be submitted to the Ministry of Health by the prescriber for the request to be processed.

Subsidy

Once approved, the presciber will be provided a Special Authority number which must appear on the prescription. Specialists who make an application must communicate the valid authority number to the prescriber who will be writing the prescriptions.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Pharmaceutical Budget.

Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website.

For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised. Criteria for each Special Authority Community Pharmaceutical are updated regularly, based on the decision criteria of PHARMAC. The appropriateness of the listing of a Community Pharmaceutical in the Special Authority category will also be regularly reviewed. Applications for inclusion of further Community Pharmaceuticals in the Special Authority category will generally be made by a pharmaceutical supplier.

Special Authority Applications

Application forms can be found at www.pharmac.govt.nz. Requests for fax copies should be made to PHARMAC, phone 04 460 4990. Applications are processed by the Ministry of Health, and should be sent to:

Ministry of Health Sector Services, Fax: (06) 349 1983 or free fax 0800 100 131

Private Bag 3015, WANGANUI 4540

For enquiries, phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666

Note: The Ministry of Health can only provide information on Special Authority applications to prescribers and pharmacists.

Each application must:

- Include the patients name, date of birth and NHI number (codes for AIDS patients' applications)
- Include the practitioner's name, address and Medical Council registration number
- Clearly indicate that the relevant criteria, have been met.
- Be signed by the practitioner.

Exceptional Circumstances policies

The purpose of the Exceptional Circumstances policies are to provide:

- funding from the Community Exceptional Circumstances budget for medication, to be used in the community, in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical Budget is not able to be provided through the Pharmaceutical Schedule ("Community Exceptional Circumstances"); or
- an assessment process for the DHB Hospitals to determine whether they can fund medication, to be used in the community, in circumstances where the medication is neither a Community Pharmaceutical nor a Discretionary Community Supply
 Pharmaceutical and where the patient does not meet the criteria for Community Exceptional Circumstances ("Hospital Exceptional Circumstances"); or
- an assessment process for DHB Hospitals to determine whether they can fund pharmaceuticals for the treatment of cancer
 in their DHB Hospital, or in association with Outpatient services provided in their DHB hospital, in circumstances where the
 pharmaceutical is not identified as a Pharmaceutical Cancer Treatment ("Cancer Exceptional Circumstances") in Sections
 A-H of the Pharmaceutical Schedule.

Upon receipt of an application for approval for Community Exceptional Circumstances or Hospital Exceptional Circumstances, the Exceptional Circumstances Panel first decides whether an application will be assessed initially under the Community Exceptional Circumstances criteria or the Hospital Exceptional Circumstances criteria. Cancer Exceptional Circumstances is a separate process.

Hospital Exceptional Circumstances

If the application is first assessed but not approved under the Community Exceptional Circumstances criteria, the Exceptional Circumstances Panel may recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances.

If the application is first assessed under the Hospital Exceptional Circumstances criteria, the Exceptional Circumstances Panel may:

- a) recommend against the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget, in which case a DHB Hospital must not fund the pharmaceutical from its own budget;
- b) recommend the funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances, in which case a DHB Hospital may, but is not obliged to, fund the pharmaceutical from its own budget;
- c) defer its decision until further assessment under the Community Exceptional Circumstances criteria can undertaken; or
- d) recommend interim funding of the pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances until further assessment under the Community Exceptional Circumstances criteria can be undertaken.

Permission to fund a pharmaceutical for use in the community by a specific patient from a DHB Hospital's own budget under Hospital Exceptional Circumstances will only be granted by PHARMAC where it has been demonstrated that such funding is cost-effective for the relevant DHB in the region in which the patient resides.

If the patient being treated with a pharmaceutical under Hospital Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

Applications for Hospital Exceptional Circumstances should be made on the standard application form available from the PHARMAC website www.pharmac.govt.nz or the address below:

Phone: (04) 916 7521

Email: ecpanel@pharmac.govt.nz

or fax (09) 523 6870

The Coordinator, Hospital Exceptional Circumstances Panel PHARMAC, PO Box 10 254

Wellington

11

Cancer Exceptional Circumstances

Permission to fund a pharmaceutical for the treatment of cancer from the Hospital's own budget under Cancer Exceptional Circumstances will only be granted by PHARMAC where it has been demonstated that the proposed use meets the criteria.

If the patient being treated with a pharmaceutical under Cancer Exceptional Circumstances usually resides in a district other than that within the jurisdiction of the DHB initiating the treatment, then the DHB initiating the treatment must either agree to fund any on-going treatment required once the patient has returned to his/her usual DHB, or obtain written consent from the DHB or DHBs in which the patient will reside following the commencement of treatment.

Community Exceptional Circumstances

In order to qualify for Community Exceptional Circumstances approval one of the following criteria must be met:

- a) the condition must be rare: or
- b) the reaction to alternative funded treatment must be unusual; or
- c) an unusual combination of circumstances applies.

Rare and unusual are considered to be in the order of less than 10 people nationally.

Where one of the above Community Exceptional Circumstances entry criteria is met, the application may then be further examined under supplementary criteria, assessing suitability of the pharmaceutical, clinical benefit, the cost effectiveness of the treatment, and the patient's ability to pay for the treatment. Where these documented criteria are met, a subsidy sufficient to fully fund the pharmaceutical will be made available to the specific patient on whose behalf the application was made.

Community Exceptional Circumstances funding is only available where the criteria are met and is not available for financial reasons alone.

Applications for Community Exceptional Circumstances, Hospital Exceptional Circumstances and Cancer Exceptional Circumstances should be made on the standard application form available from the PHARMAC website www.pharmac.govt.nz or the address below:

The Coordinator, Community Exceptional Circumstances Panel

PO Box 10 254

Wellington

Phone (04) 916 7553 or fax (09) 523 6870

Email: ecpanel@pharmac.govt.nz

INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and:
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services.

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 June 2011 and is to be referred to as the Pharmaceutical Schedule Volume 18 Number 1, 2011. Distribution will be from 20 June 2011. This Schedule comes into force on 1 June 2011.

PART I

INTERPRETATIONS AND DEFINITIONS

- 1.1 In this Schedule, unless the context otherwise requires:
- "90 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;
- "180 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment:
- "Access Exemption Criteria" means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:
 - a) have limited physical mobility;
 - b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - c) are relocating to another area:
 - d) are travelling extensively and will be out of town when the repeat prescriptions are due.
- "Act" means the New Zealand Public Health and Disability Act 2000.
- "Advisory Committee" means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.
- "Alternate Subsidy" means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.
- "Assessed Pharmaceuticals" means the list of Pharmaceuticals set out in Section H Part III of the Schedule, that have been or are being assessed by PHARMAC.
- "Authority to Substitute" means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.
- "Bulk Supply Order" means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.
- "Cancer Exceptional Circumstances" means the policies and criteria administered by PHARMAC relating to the ability to fund, from a DHB hospital's own budget, pharmaceuticals for the treatment of cancer that are not identified as Pharmaceutical

Cancer Treatments in Sections A-H of the Pharmaceutical Schedule.

"Class B Controlled Drug" means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.

"Close Control" means the dispensing of a Community Pharmaceutical, in accordance with a Prescription, in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot) for a Community Pharmaceutical referred to in Section F Part I, or in quantities less than a Monthly Lot for any other Community Pharmaceutical, where any of a), b) or c) apply.

- a) All of the following conditions are met:
 - i) the Community Pharmaceutical has been prescribed for a patient who:
 - 1) is not a resident in a Penal Institution, Rest Home or Residential Disability Care Institution; and 2) either of the following:
 - i) in the opinion of the prescribing Practitioner is:
 - a) frail; or
 - b) infirm: or
 - c) unable to manage their medication without additional support; or
 - d) intellectually impaired; or
 - e) requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only); and
 - f) requires that Community Pharmaceutical to be dispensed in a smaller quantity than that for which it is currently funded, or
 - ii) the Community Pharmaceutical is any of the following:
 - a) a tri-cyclic antidepressant; or
 - b) an antipsychotic; or
 - c) a benzodiazepine; or
 - d) a Class B Controlled Drug; and
 - ii) the prescribing Practitioner has:
 - A) endorsed each Community Pharmaceutical on the Prescription clearly with the words "Close Control" or "CC"; and
 - B) initialled the endorsement in their own handwriting; and
 - C) specified the maximum quantity or period of supply to be dispensed at any one time.
- b) All of the following conditions are met:
 - i) The Community Pharmaceutical is prescribed for a patient who is a resident in a Rest Home or Residential Disability Care Institution; and
 - A) the quantity or period of supply to be dispensed at any one time is not less than 28 days' supply;
 - B) the prescriber or pharmacist has written the name of the Rest Home or Residential Disability Care Institution on the prescription; and
 - C) the prescriber or pharmacist has:
 - written on the Prescription the words "Close Control" or "CC" (this applies to all medicines prescribed on the prescription), and
 - 2) initialled the endorsement/annotation in their own handwriting; and
 - 3) specified the maximum quantity or period of supply to be dispensed at any one time.
- c) All of the following conditions are met:
 - i) where PHARMAC has approved and notified pharmacists to annotate prescriptions for a specified Community Pharmaceutical(s) "Close Control" without prescriber endorsement for a specified time; and
 - ii) the dispensing pharmacist has:
 - A) clearly annotated each of the approved Community Pharmaceuticals that appear on the prescription with the words "Close Control" or "CC"; and
 - B) initialed the annotation in their own handwriting; and
 - C) specified the maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

"Community Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances
Panel relating to funding from the Community Exceptional Circumstances budget for medication, to be used in the community,
in circumstances where the provision of a funded community medication is appropriate, but funding from the Pharmaceutical

Budget is not able to be provided through the Pharmaceutical Schedule.

"Community Pharmaceutical" means a Pharmaceutical listed in Sections A to G of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor" means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug" means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply" means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply.

"Dentist" means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"Diabetes Nurse Prescriber" means a registered nurse practising in diabetes health who has authority to prescribe specified diabetes medicines in accordance with regulations made under the Medicines Act 1981, and who is practicing in an approved DHB demonstration site.

"Dietitian" means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.

"DHB" means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital" means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Discretionary Community Supply Pharmaceutical" means the list of Pharmaceuticals set out in Section H Part IV of the Schedule, which may be funded by a DHB Hospital from its own budget for use in the community.

"**Doctor**" means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical" means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements" - unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Exceptional Circumstances Panel" means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for administering policies in relation to Community Exceptional Circumstances and Hospital Exceptional Circumstances.

"Funder" means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST" means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator" means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances Panel relating to the ability to fund, from a DHB Hospital's own budget, pharmaceuticals for use in the community by a specific patient where a subsidy is not available from the Pharmaceutical Budget or under Community Exceptional Circumstances.

"Hospital Pharmaceuticals" means National Contract Pharmaceuticals, DV Pharmaceuticals, Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals.

"Hospital Pharmacy" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner. "Hospital Pharmacy-Specialist" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied

by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist; or

if the treatment of an Outpatient with the Community Pharmaceutical has been recommended by a Specialist,

on the Prescription of a Practitioner endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Practitioner.

"As recommended by a Specialist" to be interpreted as:

- a) follows a substantive consultation with an appropriate Specialist;
- b) the consultation to relate to the Patient for whom the Prescription is written;
- c) consultation to mean communication by referral, telephone, letter, facsimile or email;
- d) except in emergencies consultation to precede annotation of the Prescription; and
- e) both the specialist and the General Practitioner must keep a written record of the consultation.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

a) to an Outpatient; and

b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS" means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination" means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit" means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital" means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot" means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price" means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife" means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month" means a period of 30 consecutive days.

"Monthly Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"National Contract Pharmaceutical" means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

"National DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Not In Combination" means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

"Nurse Prescriber" means a nurse registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003 and who is approved by the Nursing Council, to prescribe specified prescription medicines relating to his/her scope of practice including, for the avoidance of doubt, a Diabetes Nurse Prescriber.

"Optometrist" means a person registered as an optometrist with the Optometrists and Dispensing Opticians Board, who holds a current annual practising certificate under the HPCA Act 2003, and who is authorised by regulations under the Medicines Act 1981 and approved by the Optometrists and Dispensing Opticians Board to prescribe specified medicines.

"Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT" means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

- "PCT only" means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies
- "Penal Institution" means a penal institution, as that term is defined in The Penal Institutions Act 1954;
- "PHARMAC" means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC).
- "Pharmaceutical" means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to H of the Schedule.
- "Pharmaceutical Benefits" means the right of:
 - a) a person; and
 - b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.
- "Pharmaceutical Budget" means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals.
- "Pharmaceutical Cancer Treatment" means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must fund, from their own budgets, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.
- "Practitioner" means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Prescriber or an Optometrist as those terms are defined in the Pharmaceutical Schedule.
- "Practitioner's Supply Order" means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- "Prescription" means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.
- "Prescription Medicine" means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations 1984.
- "Private Hospital" means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.
- "Residential Disability Care Institution" means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.
- "Rest Home" means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.
- "Restricted Medicine" means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984.
- "Retail Pharmacy-Specialist" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or, in the case of treatment recommended by a Specialist, a Prescription or Practitioner's Supply Order and endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner.
- "As recommended by a Specialist" to be interpreted as:
 - a) follows a substantive consultation with an appropriate Specialist;
 - b) the consultation to relate to the Patient for whom the Prescription is written;
 - c) consultation to mean communication by referral, telephone, letter, facsimile or email;
 - d) except in emergencies consultation to precede annotation of the Prescription; and
 - e) both the Specialist and the General Practitioner must keep a written record of consultation.
- "Retail Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist. For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.
- "Schedule" means this Pharmaceutical Schedule and all its sections and appendices.
- "Section B" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies included in the Schedule.
- "Section C" of this Pharmaceutical Schedule means the list of community extemporaneously compounded preparations and galenicals eligible for Subsidies included in the Schedule.
- "Section D" of this Pharmaceutical Schedule means the list of community special foods eligible for Subsidies included in

the Schedule.

"Section E Part I" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies and available on a Practitioner's Supply Order included in the Schedule.

"Section E Part II" of this Pharmaceutical Schedule means the list of rural areas for the purpose of community Practitioner's Supply Orders included in the Schedule.

"Section F Part I" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots, and requirement to dispense in 90 Day Lots or 180 Day Lots, as applicable, in respect of the Community Pharmaceuticals referred to in this part of Section F:

"Section F Part II" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots in respect of the Community Pharmaceuticals referred to in this part of Section F;

"Section G" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for reimbursement of safety cans

"Section H" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals and the lists of National Contract Pharmaceuticals and any associated DV Pharmaceuticals, of Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals included in Section H of the Schedule.

"Section H Part I" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals.

"Section H Part II" of this Pharmaceutical Schedule means the list of National Contract Pharmaceuticals, the relevant Price, an indication of whether the Pharmaceutical has HSS and any associated DV Pharmaceuticals and DV Limit.

"Section H Part III" of this Pharmaceutical Schedule means the list of Discretionary Community Supply Pharmaceuticals.

"Special Authority" means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.

"Specialist", in relation to a Prescription, a doctor who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

a)

- i) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine; and
- ii) the doctor's vocational scope of practice is one of those listed below: anaesthetics, cardiothoracic surgery, dermatology, diagnostic radiology, emergency medicine, general surgery, internal medicine, neurosurgery, obstetrics and gynaecology, occupational medicine, ophthalmology, oral and maxillofacial surgery, otolaryngology head and neck surgery, orthopaedic surgery, paediatrics, pathology, plastic and reconstructive surgery, psychological medicine or psychiatry, public health medicine, radiation oncology, rehabilitation medicine, urology and venereology;
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that Prescription in the course of practising in that area of medicine;
- c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that area of medicine:
- d) the doctor writes the Prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.

"Subsidy" means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.

"Supply Order" means a Bulk Supply Order or a Practitioner's Supply Order.

"Unapproved Indication" means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 4.6.

1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:

- a) the singular includes the plural; and
- b) any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

PART II

COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G of the Schedule, and every preparation (having an inert base) of any of them, is hereby declared to be a Community Pharmaceutical for the purposes of the Schedule, subject to:
 - 2.1.1 clauses 2.2 and 2.3 of the Schedule; and
 - 2.1.2 clauses 3.1 to 4.4 of the Schedule; and
 - 2.1.3 the conditions (if any) specified in Sections B to G of the Schedule;
- 2.2 The following medicines, therapeutic medical devices, or related products or related things are not eligible for Subsidy:
 - 2.2.1 substances, or combinations of substances, ordered for any purpose other than:
 - a) treatment of a patient's medical or dental condition; or
 - b) pregnancy tests; or
 - c) the prevention of sexually transmitted disease: or
 - d) contraception.
 - 2.2.2 substances and combinations of substances packed under pressure in aerosol cans or other similar devices, unless it is specified in Sections B to G of the Schedule that they may be so packed;
 - 2.2.3 electrode jellies;
 - 2.2.4 eye drops packed in single-dose units, unless it is specified in Sections B to G of the Schedule that they may be so packed;
 - 2.2.5 insect repellents and similar preparations;
 - 2.2.6 oral preparations in long-acting form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.7 substances or combinations of substances in lozenge or similar form, unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.8 machine-spread plasters;
 - 2.2.9 preparations prescribed as foods, unless they are specified in Section D of the Schedule;
 - 2.2.10 substances, combinations of substances, or articles, in the form of proprietary medicines or proprietary articles, unless they are deemed or declared to be Pharmaceuticals elsewhere in the Schedule;
 - 2.2.11 shampoos, other than extemporaneously prepared medicated shampoos, or shampoos specified in Sections B to G of the Schedule intended for the treatment of a patient's medical condition;
 - 2.2.12 toilet preparations:
 - 2.2.13 tooth pastes and powders;
 - 2.2.14 lubricating jellies and catheter lubricants;
 - 2.2.15 sterile diluents for nebulising solutions;
 - 2.2.16 substances in a form intended to enable delivery by transdermal diffusion or osmosis or by the insertion of any solid object or substance into the eye cavity, unless it is specified in Sections B to G of the Schedule that they may be in such a form:
 - 2.2.17 substances in a form intended for intravenous delivery (other than by injection), unless it is specified in Sections B to G of the Schedule that they may be in such a form;
 - 2.2.18 substances packed in pre-loaded syringes known as Min-I-Jets, unless it is specified in Sections B to G of the Schedule that they may be so packed;
 - 2.2.19 Community Pharmaceuticals prescribed as cough mixtures, unless they are specified in Sections B to G of the Schedule otherwise than in combination with other ingredients;
 - 2.2.20 vitamin preparations in capsule form, unless they are specified in Sections B to G of the Schedule;
 - 2.2.21 substances prescribed for use as irrigating solutions, unless it is specified in Sections B to G of the Schedule that they may be prescribed for such use.
- 2.3 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless

the Community Pharmaceuticals so supplied:

- 2.3.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981: or
- 2.3.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
- 2.3.3 in the absence of the standards prescribed in clauses 2.3.1 and 2.3.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
- 2.3.4 in the absence of the standards prescribed in clauses 2.3.1, 2.3.2 and 2.3.3, are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

PART III

PERIOD AND QUANTITY OF SUPPLY

3.1 Doctors', Dietitians', Midwives', Nurse Prescribers' and Optometrists' Prescriptions (other than oral contraceptives)

The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor, Dietitian, Midwife, Nurse Prescriber or Optometrist:

- 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity sufficient to provide treatment for a period not exceeding three Months will be subsidised.
- 3.1.2 For methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug other than methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity:
 - a) sufficient to provide treatment for a period not exceeding 10 days; and
 - b) which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Dietitian, Midwife or Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
 - a) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
 - b) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
 - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
 - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
 - A) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
 - B) both:
 - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
 - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or

- b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only
 that part of any Prescription that is dispensed within the time frames specified above is eligible for
 Subsidy.
- 3.1.7 If a Community Pharmaceutical:
 - a) is stable for a limited period only, and the Doctor, Dietitian, Midwife, Nurse Prescriber or Optometrist has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
 - b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
 - c) is Close Control.

The actual quantity dispensed will be subsidised in accordance with any such specification.

3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife or Nurse Prescriber for an oral contraceptive:

- 3.2.1 The prescribing Doctor, Midwife or Nurse Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed:
 - a) three Months if prescribed by a Midwife; or
 - b) six Months if prescribed by a Doctor or Nurse Practitioner.
- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
 - a) in Lots as specified in the Prescription if the Community Pharmaceutical is Close Control; or
 - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 An oral contraceptive prescribed by a Midwife is only eligible for Subsidy if the Prescription under which it has been dispensed has been written within the period of post natal care of the eligible person.
- 3.2.5 Where a Community Pharmaceutical in a Prescription is Close Control and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

3.3 Dentists' Prescriptions

The following provisions apply to every Prescription written by a Dentist:

- 3.3.1 The maximum quantity of a Community Pharmaceutical that will be subsidised is as follows:
 - a) where the Community Pharmaceutical is a Controlled Drug, only such quantity as is necessary to provide treatment for a period not exceeding five days; and
 - b) in any other case, only such quantity as is necessary to provide treatment for a period not exceeding five days and, where the Prescription specifies a repeat, one further period not exceeding five days.
- 3.3.2 Notwithstanding clause 3.3.1, if, in the opinion of the Dentist, an eligible person needs extended treatment with sodium fluoride for up to three Months, the Community Pharmaceutical will be subsidised for that extended period. A Prescription for any such extended supply of sodium fluoride will be subsidised only if it is dispensed in Monthly Lots, unless the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect.
- 3.3.3 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed has been presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was
- 3.3.4 No Subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) one Month from the date the Community Pharmaceutical was first dispensed; or
 - b) in the case of sodium fluoride, three Months from the date the Community Pharmaceutical was first dispensed.
 - Only that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.

3.4 Original Packs, and Certain Antibiotics

- 3.4.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:
 - a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
 - b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.
- 3.4.2 If a Community Pharmaceutical is the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:
 - a) the difference the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eg; if a prescription is for 105 mls then a 100ml pack would be dispensed); and
 - b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

3.5 Dietitians' Prescriptions

The following provisions apply to every Prescription written by a Dietitian:

- 3.5.1 Prescriptions written by a Dietitian for a Community Pharmaceutical will only be subsidised where they are for either:
 - a) special foods, as listed in Section D; or
 - b) any other Pharmaceutical that has been identified in Section D of the Pharmaceutical Schedule as being able to be prescribed by a Dietitian,

providing that the products being prescribed are not classified as Prescription Medicines or Restricted Medicines.

3.5.2 For the purposes of Dietitians prescribing pursuant to this clause 3.5, the prescribing and dispensing of these products is required to be in accordance with regulations 41 and 42 of the Medicines Regulations 1984.

3.6 Diabetes Nurse Prescribers' Prescriptions

The following provisions apply to every Prescription written by a Diabetes Nurse Prescriber:

- 3.6.1 Prescriptions written by a Diabetes Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
 - a) a Community Pharmaceutical classified as a Prescription Medicine or a Restricted Medicine and which a Diabetes Nurse Prescribers is permitted under regulations to prescribe; or
 - b) any other Community Pharmaceutical listed below, being an item that has been identified as being able to be prescribed by a Diabetes Nurse Prescriber, but which is not classified as a Prescription Medicine or a Restricted Medicine:
 - aspirin, blood glucose diagnostic test meter, blood glucose diagnostic test strip, glucagon hydrochloride inj 1 mg syringe kit, insulin pen needles, insulin syringes disposable with attached needle, ketone blood beta-ketone electrodes test strip, nicotine, sodium nitroprusside test strip,
- 3.6.2 Any Diabetes Nurse Prescribers' prescription for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

Note: A list of Diabetes Nurse Prescribers will be published periodically in the Update of the Pharmaceutical Schedule for the duration of an initial pilot scheme. After this period there will be no approved DHB demonstration sites and hence no Diabetes Nurse Prescribers.

PART IV MISCELLANEOUS PROVISIONS

4.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 4.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 4.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 4.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 4.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
 - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
 - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 4.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 4.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

4.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 4.2.1 Subject to clause 4.2.3, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 4.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
 - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
 - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 4.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
 - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
 - i) is personally signed and dated by the Practitioner; and
 - ii) sets out the Practitioner's address; and
 - iii) sets out the Community Pharmaceuticals and quantities, and;
 - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 4.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.

4.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

4.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

4.3.2 **Expiry**

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 4.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 4.3.1 and 4.3.2, for the individual Patient.
- 4.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 4.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

4.4 Pharmaceutical Cancer Treatments

- 4.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments by funding their use in the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 4.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
 - a) has Cancer Exceptional Circumstances approval;
 - b) has Community Exceptional Circumstances or Hospital Exceptional Circumstances approval;
 - c) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
 - d) is being used and funded as part of a paediatric oncology service; or
 - e) was being used to treat the patient in question prior to 1 July 2005.
- 4.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatements with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
 - a) Part 1;
 - b) clauses 2.1 to 2.3;
 - c) clauses 3.1 to 3.4; and
 - d) clause 4.4,
 - of Section A of the Schedule
- 4.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 4.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 direction from the Minister of Health as to pharmaceuticals and indications for which DHBs must provide funding. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
 - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under the Medicines Act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and Disability Comissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
 - c) exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions
 with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer
 Treatment for an Unapproved Indication.

4.5 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

 a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication:

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

4.6 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, subject to:

- a) the Contractor having received a general Authority to Substitute from the Practitioner in relation to the particular medicine or medicines in general; or
- b) the Practitioner having indicated their Authority to Substitute on the prescription; or
- c) the Practitioner having given their Authority to Substitute in relation to the particular prescription.

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and initial the prescription.

4.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed but may not alter the total daily dose. If the change will result in additional cost to the DHBs, then:

- a) the Practitioner must authorise and initial the alteration; or
- b) in cases where PHARMAC has approved and notified in writing such a change in dispensing of a named Pharmaceutical due to an out of stock event or short supply, the Contractor must annotate and initial the alteration.

4.8 Amendment of Schedule

PHARMAC may amend the terms of the Schedule from time to time by notice in writing given in such manner as PHARMAC thinks fit, and in accordance with such protocols as agreed with the Pharmacy Guild of New Zealand (Inc) from time to time.

4.9 Conflict in Provisions

If any rules in Sections B-G of this Schedule conflict with the rules in Section A, the rules in Sections B-G apply.

SECTION B: ALIMENTARY TRACT AND METABOLISM

Antacids and Antiflatulants Antacids and Reflux Barrier Agents ALGINIC ACID Sodium alginate 225 mg and magnesium alginate 87.5 mg 30 ✓ Gaviscon Infant per sachet4.50 CALCIUM CARBONATE WITH AMINOACETIC ACID Tab 420 mg with aminoacetic acid 180 mg - Higher subsidy of \$6.30 per 100 tab with Endorsement......3.00 100 Titralac Additional subsidy by endorsement is available for pregnant women. The prescription must be endorsed accordingly. SIMETHICONE Oral liq aluminium hydroxide 200 mg with magnesium hydrox-500 ml (4.26)Mylanta P SODIUM ALGINATE Tab 500 mg with sodium bicarbonate 267 mg and calcium 60 Gaviscon Double Strength Oral lig 500 mg with sodium bicarbonate 267 mg and calcium 500 ml Acidex (4.95)**Phosphate Binding Agents** ALUMINIUM HYDROXIDE Tab 600 mg12.56 ✓ Alu-Tab 100 **Antidiarrhoeals** Agents Which Reduce Motility DIPHENOXYLATE HYDROCHLORIDE WITH ATROPINE SULPHATE * Tab 2.5 mg with atropine sulphate 25 μg3.90 100 Diastop LOPERAMIDE HYDROCHLORIDE - Up to 30 cap available on a PSO ✔ Nodia 400 400 Diamide Relief Rectal and Colonic Anti-inflammatories BUDESONIDE Cap 3 mg - Special Authority see SA0913 on the next page ✓ Entocort CIR 90

Subsidy

(Manufacturer's Price)

\$

Fully

Subsidised

Per

Brand or

Generic

Manufacturer

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
\$ Per ✔ Manufacturer

⇒SA0913 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Mild to moderate ileal, ileocaecal or proximal Crohn's disease; and
- 2 Any of the following:
 - 2.1 Diabetes; or
 - 2.2 Cushingoid habitus; or
 - 2.3 Osteoporosis where there is significant risk of fracture; or
 - 2.4 Severe acne following treatment with conventional corticosteroid therapy.

Renewal from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

The patient may not have had more than 1 prior approval in the last year.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

HYDROCORTISONE ACETATE

Rectal foam 10%, CFC-Free (14 applications)23.00	21.1 g OP	✓ Colifoam
MESALAZINE		
Tab 400 mg49.50	100	✓ Asacol
Tab EC 500 mg49.50	100	✓ Asamax
Tab long-acting 500 mg59.05	100	✓ Pentasa
Enema 1 g per 100 ml45.96	7	✓ Pentasa
Suppos 500 mg25.20	20	✓ Asacol
Suppos 1 g50.96	28	✔ Pentasa
OLSALAZINE		
Tab 500 mg59.86	100	✓ Dipentum
Cap 250 mg31.51	100	✓ Dipentum
SODIUM CROMOGLYCATE		
Cap 100 mg89.21	100	✓ Nalcrom
SULPHASALAZINE		
* Tab 500 mg11.68	100	Salazopyrin
* Tab EC 500 mg	100	✓ Salazopyrin EN

Antihaemorrhoidals

Corticosteroids

	FLUOCORTOLONE	CAPROATE	WITH FLUOCO	ORTOLONE PIVA	ALATE AND	CINCHOCAINE
--	---------------	----------	-------------	---------------	-----------	-------------

✓ Ultraproct	30 g OP	chocaine hydrochloride 5 mg per g
✓ Ultraproct	12	Suppos 630 µg, with fluocortolone pivalate 610 µg, and cin- chocaine hydrochloride 1 mg2.66
		HYDROCORTISONE WITH CINCHOCAINE
✓ Proctosedyl ✓ Proctosedyl	30 g OP 12	Oint 5 mg with cinchocaine hydrochloride 5 mg per g

Antispasmodics and Other Agents Altering Gut Motility

Oint 950 ug, with fluocortolone pivalate 920 ug, and cin-

atropi	INE S	ULPH	HATE
--------	-------	------	------

*	Inj 600 μg , 1 ml	- Up to 5 inj available or	a PSO	52.00	50	✓ <u>AstraZeneca</u>
---	------------------------	----------------------------	-------	-------	----	----------------------

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	I Generic
HYOSCINE N-BUTYLBROMIDE				
* Tab 10 mg	1.62	20		<u>Gastrosoothe</u>
* Inj 20 mg, 1 ml - Up to 5 inj available on a PSO	8.04	5	<u> </u>	Buscopan
MEBEVERINE HYDROCHLORIDE				
* Tab 135 mg	18.00	90	V !	<u>Colofac</u>
Antiulcerants				
Antisecretory and Cytoprotective				
MISOPROSTOL				
米 Таb 200 μg	52.70	120	~	Cytotec
Helicobacter Pylori Eradication				
CLARITHROMYCIN				
Tab 500 mg - Subsidy by endorsement	23.30	14	/	Klamycin
amoxycillin or metronidazole. H2 Antagonists				
CIMETIDINE – Only on a prescription				
* Tab 200 mg	5.00	100		
	(7.50)			Apo-Cimetidine
* Tab 400 mg		100		A 0' '''
	(12.00)		,	Apo-Cimetidine
FAMOTIDINE – Only on a prescription	0.40	050		-
* Tab 20 mg * Tab 40 mg		250 250		Famox Famox
RANITIDINE HYDROCHLORIDE – Only on a prescription	11.00	200		Lamox
* Tab 150 mg	7.99	250	~	Arrow-Ranitidine
* Tab 300 mg		250	V	Arrow-Ranitidine
* Oral liq 150 mg per 10 ml	7.95	300 ml		Peptisoothe
* Inj 25 mg per ml, 2 ml	8.75	5	V 7	Zantac
Proton Pump Inhibitors				
LANSOPRAZOLE				
* Cap 15 mg	3.27	28	/	Lanzol Relief
	3.50		-	Solox
* Cap 30 mg	4.34	28	✓	Lanzol Relief

4.65

✓ Solox

	Subsidy (Manufacturer's Pric	e) Su Per	Fully Brand or ubsidised Generic Manufacturer
OMEPRAZOLE			
For omeprazole suspension refer, page 174			45.5
* Cap 10 mg	2.14	30	✓ <u>Dr Reddy's</u> Omeprazole
* Cap 20 mg	3.05	30	✓ <u>Dr Reddy's</u>
* Cap 40 mg	3.59	30	Omeprazole ✓ Dr Reddy's
			Omeprazole
* Inj 40 mg	38.20	5	✓ <u>Dr Reddy's</u> Omeprazole
PANTOPRAZOLE			<u>omoprazoro</u>
* Tab 20 mg	1.23	28	✓ <u>Dr Reddy's</u>
* Tab 40 mg	1.54	28	Pantoprazole ✓ Dr Reddy's
•			<u>Pantoprazole</u>
* Inj 40 mg	8.75	1	✓ Pantocid IV
Site Protective Agents			
SUCRALFATE			
Tab 1 g	35.50 (48.28)	120	Carafate
Diabetes	(40.20)		Caralate
Hyperglycaemic Agents			
GLUCAGON HYDROCHLORIDE			
Inj 1 mg syringe kit – Up to 5 kit available on a PSO	27.00	1	✓ Glucagen Hypokit
Insulin - Short-acting Preparations			
NSULIN NEUTRAL			
▲ Inj human 100 u per ml	25.26	10 ml OP	✓ Actrapid✓ Humulin R
▲ Inj human 100 u per ml, 3 ml	42.66	5	✓ Actrapid Penfill
			✓ Humulin R
Insulin - Intermediate-acting Preparations			
NSULIN ISOPHANE			
▲ Inj human 100 u per ml	17.68	10 ml OP	✓ Humulin NPH
▲ Inj human 100 u per ml, 3 ml	29.86	5	✓ Protaphane✓ Humulin NPH
			✓ Protaphane Penfill
NSULIN ISOPHANE WITH INSULIN NEUTRAL	05.00	10 00	. / H
▲ Inj human with neutral insulin 100 u per ml	25.26	10 ml OP	✓ Humulin 30/70 ✓ Mixtard 30
▲ Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5	✓ Humulin 30/70 ✓ PenMix 30 ✓ PenMix 40 ✓ PenMix 50

Subsidy (Manufacturer's Price) Real or Generic Subsidised Subsidised Seneric Generic Seneric Se
▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml, 3 ml52.15 5 ✓ Humalog Mix 25 ▲ Inj lispro 50% with insulin lispro protamine 50% 100 u per ml,3 ml52.15 5 ✓ Humalog Mix 50 Insulin - Long-acting Preparations INSULIN GLARGINE Note: Only for patients meeting one of the following criteria: a) Type 1 diabetes; or b) Other condition related diabetes (e.g. Cystic Fibrosis, diabetes in pregnancy, pancreatectomy patients); or c) Type 2 diabetes who require insulin therapy and who require assistance from a carer or healthcare professional to admir their insulin injections. ▲ Inj 100 u per ml, 10 ml63.00 1 ✓ Lantus ▲ Inj 100 u per ml, 3 ml94.50 5 ✓ Lantus SoloStar Insulin - Rapid Acting Preparations INSULIN ASPART ▲ Inj 100 u per ml, 3 ml94.50 5 ✓ NovoRapid Penfill ▲ Inj 100 u per ml, 3 ml30.03 1 ✓ NovoRapid INSULIN GLULISINE ▲ Inj 100 u per ml, 10 ml27.03 1 ✓ Apidra ▲ Inj 100 u per ml, 3 ml46.07 5 ✓ Apidra ▲ Inj 100 u per ml, 3 ml46.07 5 ✓ Apidra SoloStar INSULIN LISPRO ▲ Inj 100 u per ml, 10 ml34.92 10 ml OP ✓ Humalog ▲ Inj 100 u per ml, 3 ml59.52 5 ✓ Humalog
Inj lispro 50% with insulin lispro protamine 50% 100 u per ml,3 ml
▲ Inj lispro 50% with insulin lispro protamine 50% 100 u per ml,3 ml 52.15 5 ✓ Humalog Mix 50 Insulin - Long-acting Preparations INSULIN GLARGINE Note: Only for patients meeting one of the following criteria: a) Type 1 diabetes; or b) Other condition related diabetes (e.g. Cystic Fibrosis, diabetes in pregnancy, pancreatectomy patients); or c) Type 2 diabetes after there has been unacceptable hypoglycaemic events with a 3 month trial of an insulin regimen; or d) Type 2 diabetes who require insulin therapy and who require assistance from a carer or healthcare professional to admir their insulin injections. ▲ Inj 100 u per ml, 10 ml 63.00 1 ✓ Lantus ▲ Inj 100 u per ml, 3 ml 94.50 5 ✓ Lantus ▲ Inj 100 u per ml, 3 ml disposable pen 94.50 5 ✓ Lantus SoloStar Insulin - Rapid Acting Preparations INSULIN ASPART A Inj 100 u per ml, 3 ml 51.19 5 ✓ NovoRapid Penfill ▲ Inj 100 u per ml, 10 ml 30.03 1 ✓ NovoRapid INSULIN GLULISINE A Inj 100 u per ml, 10 ml 27.03 1 ✓ Apidra ▲ Inj 100 u per ml, 3 ml 46.07 5 ✓ Apidra ▲ Inj 100 u per ml, 3 ml disposable pen 46.07 5 ✓ Apidra ▲ Inj 100 u per ml, 3 ml disposable pen 46.07 5 ✓ Apidra SoloStar INSULIN LISPRO ▲ Inj 100 u per ml, 10 ml 34.92 10 ml OP ✓ Humalog ▲ Inj 100 u per ml, 3 ml 59.52 5 ✓ Humalog
Insulin - Long-acting Preparations INSULIN GLARGINE Note: Only for patients meeting one of the following criteria: a) Type 1 diabetes; or b) Other condition related diabetes (e.g. Cystic Fibrosis, diabetes in pregnancy, pancreatectomy patients); or c) Type 2 diabetes after there has been unacceptable hypoglycaemic events with a 3 month trial of an insulin regimen; or d) Type 2 diabetes who require insulin therapy and who require assistance from a carer or healthcare professional to admir their insulin injections. ▲ Inj 100 u per ml, 10 ml
NSULIN GLARGINE Note: Only for patients meeting one of the following criteria: a) Type 1 diabetes; or b) Other condition related diabetes (e.g. Cystic Fibrosis, diabetes in pregnancy, pancreatectomy patients); or c) Type 2 diabetes after there has been unacceptable hypoglycaemic events with a 3 month trial of an insulin regimen; or d) Type 2 diabetes who require insulin therapy and who require assistance from a carer or healthcare professional to admir their insulin injections. ▲ Inj 100 u per ml, 10 ml 63.00 1
Note: Only for patients meeting one of the following criteria: a) Type 1 diabetes; or b) Other condition related diabetes (e.g. Cystic Fibrosis, diabetes in pregnancy, pancreatectomy patients); or c) Type 2 diabetes after there has been unacceptable hypoglycaemic events with a 3 month trial of an insulin regimen; or d) Type 2 diabetes who require insulin therapy and who require assistance from a carer or healthcare professional to admir their insulin injections. ▲ Inj 100 u per ml, 10 ml
▲ Inj 100 u per ml, 3 ml .94.50 5 ✓ Lantus ▲ Inj 100 u per ml, 3 ml disposable pen .94.50 5 ✓ Lantus SoloStar Insulin - Rapid Acting Preparations INSULIN ASPART ✓ NovoRapid Penfill ▲ Inj 100 u per ml, 3 ml .51.19 5 ✓ NovoRapid Penfill ▲ Inj 100 u per ml, 10 ml .30.03 1 ✓ NovoRapid INSULIN GLULISINE ✓ Apidra ▲ Inj 100 u per ml, 3 ml .27.03 1 ✓ Apidra ▲ Inj 100 u per ml, 3 ml disposable pen .46.07 5 ✓ Apidra SoloStar INSULIN LISPRO ▲ Inj 100 u per ml, 10 ml .34.92 10 ml OP ✓ Humalog ▲ Inj 100 u per ml, 3 ml .59.52 5 ✓ Humalog
Insulin - Rapid Acting Preparations INSULIN ASPART
INSULIN ASPART ▲ Inj 100 u per ml, 3 ml
▲ Inj 100 u per ml, 3 ml .51.19 5 ✓ NovoRapid Penfill ▲ Inj 100 u per ml, 10 ml .30.03 1 ✓ NovoRapid INSULIN GLULISINE
▲ Inj 100 u per ml, 10 ml .30.03 1 ✓ NovoRapid INSULIN GLULISINE .27.03 1 ✓ Apidra ▲ Inj 100 u per ml, 10 ml .27.03 1 ✓ Apidra ▲ Inj 100 u per ml, 3 ml .46.07 5 ✓ Apidra Inj 100 u per ml, 3 ml disposable pen .46.07 5 ✓ Apidra SoloStar INSULIN LISPRO .34.92 10 ml OP ✓ Humalog ▲ Inj 100 u per ml, 10 ml .59.52 5 ✓ Humalog
INSULIN GLULISINE
▲ Inj 100 u per ml, 10 ml .27.03 1 ✓ Apidra ▲ Inj 100 u per ml, 3 ml .46.07 5 ✓ Apidra ▲ Inj 100 u per ml, 3 ml disposable pen .46.07 5 ✓ Apidra SoloStar INSULIN LISPRO .34.92 10 ml OP ✓ Humalog ▲ Inj 100 u per ml, 10 ml .59.52 5 ✓ Humalog
▲ Inj 100 u per ml, 3 ml disposable pen .46.07 5 ✓ Apidra SoloStar INSULIN LISPRO .34.92 10 ml OP ✓ Humalog ▲ Inj 100 u per ml, 3 ml .59.52 5 ✓ Humalog
INSULIN LISPRO ▲ Inj 100 u per ml, 10 ml
▲ Inj 100 u per ml, 10 ml
▲ Inj 100 u per ml, 3 ml
Alpha Clusacidasa lahihitara
Alpha Glucosidase Inhibitors
ACARBOSE
* Tab 50 mg 16.50 90 ✓ Glucobay * Tab 100 mg 26.70 90 ✓ Glucobay
Oral Hypoglycaemic Agents
GLIBENCLAMIDE
* Tab 5 mg5.00 100 ✔ Daonil
GLICLAZIDE * Tab 80 mg
GLIPIZIDE
* Tab 5 mg
METFORMIN HYDROCHLORIDE ★ Tab immediate-release 500 mg
* Tab immediate-release 850 mg

	Subsidy (Manufacturer's Price)	Per		Brand or Generic Manufacturer
PIOGLITAZONE - Special Authority see SA0959 below - Retail p	harmacy			
Tab 15 mg	2.61	28	✓ <u>Pi</u>	zaccord
Tab 30 mg	5.23	28	✓ <u>Pi</u>	zaccord
Tab 45 mg	7.80	28	✓ <u>Pi</u>	zaccord

⇒SA0959 Special Authority for Subsidy

Initial application — (Patients with type 2 diabetes) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Eithor

- 1 Patient has not achieved glycaemic control on maximum doses of metformin or a sulphonylurea or where either or both are contraindicated or not tolerated: or
- 2 Patient is on insulin.

Diabetes Management

Ketone Testing

Test strip – Not on a BSO7.07		✓ Optium Blood Ketone Test Strips
SODIUM NITROPRUSSIDE – Maximum of 20 strip per prescription * Test strip – Not on a BSO14.14	20 strip OP	✓ Ketostix

Blood Glucose Testing

BLOOD GLUCOSE DIAGNOSTIC TEST METER - Subsidy by endorsement

- a) Maximum of 1 meter per prescription
- b)
- A diagnostic blood glucose test meter is subsidised for patients who begin insulin or sulphonylurea therapy after 1
 March 2005 or is prescribed for a pregnant woman with diabetes.
- Only one meter per patient. No further prescriptions will be subsidised. The prescription must be endorsed accordingly.

irigiy.			
Meter	6.00	1	✓ CareSens POP
	9.00		✓ CareSens II
			✓ FreeStyle Lite
			On Call Advanced
			Optium Xceed
	19.00		Accu-Chek
			Performa

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sul	osidised	Generic
\$	Per	~	Manufacturer

BLOOD GLUCOSE DIAGNOSTIC TEST STRIP

The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed with insulin or a sulphonylurea but are on a different prescription and the prescription is endorsed accordingly; or
- 2) Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly.

SensoCard blood glucose test strips are subsidised only if prescribed for a patient who is severely visually impaired and is using a SensoCard Plus Talking Blood Glucose Monitor.

Blood glucose test strips21.65	50 test OP	✓ Accu-Chek Performa ✓ FreeStyle Lite ✓ Optium 5 second test
26.20		✓ SensoCard
Blood glucose test strips × 50 and lancets × 519.10	50 test OP	On Call Advanced
19.60		✓ CareSens

Insulin Syringes and Needles

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly.

INSULIN PEN NEEDLES – Maximum of 100 dev per prescription

	DOENT ETT TEEDEED MAKENIAN OF TOO GOT P	or procomption		
*	29 g × 12.7 mm	3.15	30	✓ B-D Micro-Fine
	•	10.50	100	✓ B-D Micro-Fine
				✓ ABM
		11.75		✓ SC Profi-Fine
*	31 g × 5 mm	11.75	100	✓ B-D Micro-Fine
	•			SC Profi-Fine
*	31 g × 6 mm	10.50	100	✓ ABM
	-	11.75		Fine Ject
		10.50		
		(26.00)		NovoFine
*	31 g × 8 mm	10.50	100	✓ ABM
	•	3.15	30	✓ B-D Micro-Fine
		10.50	100	✓ B-D Micro-Fine
		11.75		SC Profi-Fine
*	32 g × 4 mm	10.50	100	✓ B-D Micro-Fine

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
ISULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE	- Maximum of 100 o	dev pei	r prescription	on
Syringe 0.3 ml with 29 g × 12.7 mm needle	13.00	100	✓ A	BM
			✓ D	M Ject
	1.30	10		
	(1.99)			-D Ultra Fine
	13.00	100		-D Ultra Fine
Syringe 0.3 ml with 31 g \times 8 mm needle		100	✓ A	BM
	1.30	10	_	D.111: E: 11
	(1.99)	400		-D Ultra Fine II
	13.00	100		-D Ultra Fine II
Coming of Control with 00 and 10 7 mans and all a	10.00	100		M Ject
Syringe 0.5 ml with 29 g \times 12.7 mm needle	13.00	100	✓ A	
	1.00	10	V D	M Ject
	1.30	10	р	-D Ultra Fine
	(1.99) 13.00	100		-D Ultra Fine
Syringe 0.5 ml with 31 g × 8 mm needle		100	V A	
Symilige 0.5 mil with 31 g × 6 mill meetile	1.30	100	VA	DIVI
	(1.99)	10	D	-D Ultra Fine II
	13.00	100		-D Ultra Fine II
	10.00	100		M Ject
Syringe 1 ml with 29 g × 12.7 mm needle	13.00	100	V A	
Symile i ili war 25 g × 12.7 mili needle	1.30	100	• •	DIVI
	(1.99)	10	В	-D Ultra Fine
	13.00	100		-D Ultra Fine
	.0.00			M Ject
Syringe 1 ml with 31 g × 8 mm needle	13.00	100	✓ A	
-,·g- · · · · · · · · · · · · · · · · · · ·	1.30	10		
	(1.99)		В	-D Ultra Fine II
	13.00	100	✓ B	-D Ultra Fine II
				M Ject
Digestives Including Enzymes				
ANCREATIC ENZYME				
Tab EC 1,900 BP u lipase, 1,700 BP u amylase, 110 BP u				
protease	32.46	300	✓ P	ancrex V
Tab EC 5,600 BP u lipase, 5,000 BP u amylase, 330 BP u				
protease	58.44	300	✓ P	ancrex V Forte
Cap 8,000 BP u lipase, 9,000 BP u amylase, 430 BP u pro-				
tease	67.26	300	✓ P	ancrex V
Cap EC 10,000 BP u lipase, 9,000 BP u amylase and		200	• .	
210 BP u protease	34.93	100	∠ 0	reon 10000
Cap EC 25,000 BP u lipase, 18,000 BP u amylase,		100	• 0	
1,000 BP u protease	04.38	100	V C	reon Forte
1,000 Dr. a procease	34.00	100	• 0	ICOILI OILE
Cap EC 25,000 BP u lipase, 22,500 BP u amylase,				

⁽Pancrex V Tab EC 1,900 BP u lipase, 1,700 BP u amylase, 110 BP u protease to be delisted 1 November 2011) (Pancrex V Forte Tab EC 5,600 BP u lipase, 5,000 BP u amylase, 330 BP u protease to be delisted 1 December 2011) (Pancrex V Cap 8,000 BP u lipase, 9,000 BP u amylase, 430 BP u protease to be delisted 1 December 2011)

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
URSODEOXYCHOLIC ACID – Special Authority see SA1003 be Cap 300 mg		100	✓ <u>A</u>	ctigall

⇒SA1003 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Either:

- 1 Patient diagnosed with cholestasis of pregnancy; or
- 2 Both:
 - 2.1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
 - 2.2 Patient not requiring a liver transplant (bilirubin > 170umol/l; decompensated cirrhosis).

Note: Liver biopsy is not usually required for diagnosis but is helpful to stage the disease.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 170 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure – doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatique, histological progression by two stages, or to cirrhosis, need for transplantation.

Laxatives

Bulk-forming Agents

MUCILAGINOUS LAXATIVES – Only on a prescription * Dry * Sugar Free		500 g OP 275 g OP	✓ Konsyl-D Mucilax
MUCILAGINOUS LAXATIVES WITH STIMULANTS * Dry	(8.72) 6.02	200 g OP 500 g OP	Normacol Plus
Faecal Softeners	(17.32)		Normacol Plus
DOCUSATE SODIUM - Only on a prescription * Cap 50 mg * Cap 120 mg * Enema conc 18%	5.49	100 100 100 ml OP	✓ <u>Laxofast 50</u> ✓ <u>Laxofast 120</u> ✓ Coloxyl
DOCUSATE SODIUM WITH SENNOSIDES * Tab 50 mg with total sennosides 8 mg	6.38	200	✓ <u>Laxsol</u>
POLOXAMER – Only on a prescription * Oral drops 10%	3.78	30 ml OP	✓ <u>Coloxyl</u>
Osmotic Laxatives			
GLYCEROL * Suppos 3.6 g – Only on a prescription LACTULOSE – Only on a prescription	6.00	20	✓ PSM
* Oral liq 10 g per 15 ml	7.68	1,000 ml	✓ <u>Laevolac</u>

	ALIMENTA	ni inac	, I AND WE IADOLISM	
	Subsidy (Manufacturer's Pric \$	e) Su Per	Fully Brand or bsidised Generic Manufacturer	
MACROGOL 3350 - Special Authority see SA0891 below -	Retail pharmacy			
Powder 13.125 g, sachets - Maximum of 60 sach per	•		4	
scription	18.14	30	✓ Movicol	
■ SA0891 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals requiring intervention with a per rectal preparation despite a where lactulose is not contraindicated.	n adequate trial of other	er oral phai	rmacotherapies including lact	tulos
Renewal from any relevant practitioner. Approvals valid for benefit from treatment.	12 months where the	patient is c	ompliant and is continuing to	o gai
SODIUM ACID PHOSPHATE – Only on a prescription				
Enema 16% with sodium phosphate 8%	2.50	1	✓ Fleet Phosphate Enema	
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETA	TF - Only on a prescri	intion		
Enema 90 mg with sodium lauryl sulphoacetate 9 mg pel		puon		
5 ml		50	✓ Micolette	
Stimulant Laxatives				
BISACODYL - Only on a prescription				
* Tab 5 mg	4.99	200	✓ <u>Lax-Tab</u>	
* Suppos 5 mg		6	✓ Dulcolax	
* Suppos 10 mg	3.00	6	✓ Dulcolax	
DANTHRON WITH POLOXAMER – Only on a prescription	South a Association Dec 20			
Note: Only for the prevention or treatment of constipation Oral liq 25 mg with poloxamer 200 mg per 5 ml	,	300 ml	✓ Pinorax	
Oral liq 75 mg with poloxamer 1 g per 5 ml		300 ml	✓ Pinorax Forte	
SENNA - Only on a prescription				
* Tab, standardised	0.43	20		
,	(1.72)		Senokot	
	2.17	100		
	(6.16)		Senokot	
Metabolic Disorder Agents				
Gaucher's Disease				
IMIGLUCERASE - Special Authority see SA0473 below - Ro	etail pharmacy			
Inj 40 iu per ml, 200 iu vial		1	✓ Cerezyme	
Inj 40 iu per ml, 400 iu vial		1	✓ Cerezyme	
■ SA0473 Special Authority for Subsidy				
Special Authority approved by the Gaucher's Treatment Panel				
Notes: Subject to a budgetary cap. Applications will be considered to the considered to the considered to the constant of the			ding availability.	
Application details may be obtained from PHARMAC's websit		govt.nz or:		
	04) 460 4990			
	: (04) 916 7571			

Wellington

Email: gaucherpanel@pharmac.govt.nz

	Subsidy	Dries\ Cub	Fully Brand or
	(Manufacturer's	Price) Sub Per	osidised Generic Manufacturer
Marith and Threat			
Mouth and Throat			
Agents Used in Mouth Ulceration			
BENZYDAMINE HYDROCHLORIDE			
Soln 0.15%	3.60	200 ml	
	(7.14)		Difflam
	9.00	500 ml	
	(15.36)		Difflam
CHLORHEXIDINE GLUCONATE			
Mouthwash 0.2%	3.87	200 ml OP	✓ Rivacol
CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE			
* Adhesive gel 8.7% with cetalkonium chloride 0.01%	2.06	15 g OP	
•	(5.62)		Bonjela
SODIUM CARBOXYMETHYLCELLULOSE			
With pectin and gelatin paste	17.20	56 g OP	✓ Stomahesive
	1.52	5 g OP	
	(3.60)		Orabase
	4.55	15 g OP	
AAPH C L L C	(7.90)		Orabase
With pectin and gelatin powder		28 g OP	Stomahesive
	(10.95)		Stomanesive
TRIAMCINOLONE ACETONIDE	4.00	5 · OD	
0.1% in Dental Paste USP	4.38	5 g OP	✓ <u>Oracort</u>
Oropharyngeal Anti-infectives			
AMPHOTERICIN B			
Lozenges 10 mg	5.86	20	✓ Fungilin
MICONAZOLE			
Oral gel 20 mg per g	8.70	40 g OP	✓ Daktarin
NYSTATIN			
Oral liq 100,000 u per ml	3.19	24 ml OP	✓ Nilstat
Other Oral Agents			
For folinic mouthwash, pilocarpine oral liquid or saliva substitute	formula refer, pa	ge 174	
HYDROGEN PEROXIDE			
* Soln 10 vol – Maximum of 200 ml per prescription	1.28	100 ml	✓ PSM
THYMOL GLYCERIN			
* Compound, BPC	9.15	500 ml	✓ PSM
Vitamins			
Vitamin A			
VITAMINI A WITH LVITAMINIC D. AND C			
VITAMIN A WITH VITAMINS D AND C	~		
Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops	-	10 ml OP	✓ Vitadol C
μει το αιομο	4.00	יט וווו טר	₩ VILAUUI C

Subsidy

Fully

Brand or

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturar's Pri	20) 0:	Fully Brand or	
	(Manufacturer's Pri	ce) Su Per	ubsidised Generic Manufacturer	
Vitamin B				
HYDROXOCOBALAMIN * Inj 1 mg per ml, 1 ml – Up to 6 inj available on a PSO	6.15	3	✓ <u>ABM</u> Hydroxocob	alamin
PYRIDOXINE HYDROCHLORIDE a) No more than 100 mg per dose b) Only on a prescription				
* Tab 25 mg — No patient co-payment payable * Tab 50 mg		90 500	✓ Healtheries✓ Apo-Pyridoxin	е
THIAMINE HYDROCHLORIDE – Only on a prescription * Tab 50 mg	5.62	100	✓ Apo-Thiamine	
* Tab, strong, BPC	4.70	500	✓ B-PlexADE	
Vitamin C				
ASCORBIC ACID a) No more than 100 mg per dose b) Only on a prescription				
* Tab 100 mg	13.80	500	✓ <u>Vitala-C</u>	
Vitamin D				
ALFACALCIDOL Cap 0.25 µg Cap 1 µg Oral drops 2 µg per ml	87.98	100 100 20 ml OP	✓ One-Alpha ✓ One-Alpha ✓ One-Alpha	
CALCITRIOL * Cap 0.25 μg * Cap 0.5 μg * Oral liq 1 μg per ml	5.62	30 30 10 ml OP	✓ <u>Airflow</u> ✓ <u>Airflow</u> ✓ Rocaltrol solu	tion
CHOLECALCIFEROL * Tab 1.25 mg (50,000 iu) – Maximum of 12 tab per prescription		12	✓ Cal-d-Forte	
Multivitamin Preparations				
MULTIVITAMINS – Special Authority see SA1036 below – Retail Powder		200 g OP	✓ Paediatric Ser	avit
■►►►►►►►►►►►►►►►►►►►►►►►►►►►►►►►►►►►►				
approval for multivitamins. VITAMINS			4	
** Tab (BPC cap strength) ** Cap (fat soluble vitamins A, D, E, K) – Special Authority see		1,000	MultiADE Witchdools	
SA1002 on the next page – Retail pharmacy	23.40	60	✓ Vitabdeck	

ALIMENTARY TRACT AND METABOLISM

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

⇒SA1002 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has cystic fibrosis with pancreatic insufficiency; or
- 2 Patient is an infant or child with liver disease or short gut syndrome.

				п.
M	in	е	ra	ľ

CALCIUM CARBONATE	
* Tab eff 1.75 g (1 g elemental) 6.54 30 ✓ Calsource * Tab 1.25 g (500 mg elemental) 9.08 250 ✓ Calci-Tab 500 * Tab 1.5 g (600 mg elemental) 10.18 250 ✓ Calci-Tab 600	
CALCIUM GLUCONATE ★ Inj 10%, 10 ml21.40 10 ✓ Mayne	
Fluoride	
SODIUM FLUORIDE Tab 1.1 mg (0.5 mg elemental)5.00 100 PSM	
Iodine	
POTASSIUM IODATE Tab 268 µg (150 µg elemental)7.55 90 ✔ NeuroKare	
Iron	
FERROUS FUMARATE Tab 200 mg (65 mg elemental)4.35 100 Ferro-tab	
FERROUS FUMARATE WITH FOLIC ACID Tab 310 mg (100 mg elemental) with folic acid 350 μg4.75 60 Ferro-F-Tabs	
FERROUS SULPHATE * Tab long-acting 325 mg (105 mg elemental)	
(4.26) Ferro-Gradumet 5.06 150 (15.58) Ferro-Gradumet	
*‡ Oral liq 30 mg per 1 ml (6 mg elemental per 1 ml)	
* Tab long-acting 325 mg (105 mg elemental) with folic acid 350 μg	
IRON POLYMALTOSE Inj 50 mg per ml, 2 ml20.95 5 ✓ Ferrum H	
Magnesium	
For magnesium hydroxide mixture refer, page 174 MAGNESIUM SULPHATE Inj 49.3%, 5 ml	

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or sidised Generic Manufacture	r
Zinc				
ZINC SULPHATE * Cap 137.4 mg (50 mg elemental)	10.00	100	✓ Zincaps	
Agents Used in the Treatment of Poisonings				
CHARCOAL				
* Tab 300 mg	7.13	100	✓ Red Seal	
Oral liq 50 g per 250 ml a) Up to 250 ml available on a PSO b) Only on a PSO		250 ml OP	✓ Carbosorb-X	
IPECACUANHA				
* Tincture	41.20 (43.40)	500 ml	PSM	
(PSM Tincture to be delisted 1 November 2011)	, ,			
SODIUM CALCIUM EDETATE				
* Inj 200 mg per ml, 5 ml	53.31	6		
	(156.71)		Calcium Disod Versenate	ium

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Antianaemics

Hypoplastic and Haemolytic

⇒SA0922 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Both:
 - 1.1 patient in chronic renal failure; and
 - 1.2 Haemoglobin \leq 100g/L; and
- 2 Any of the following:
 - 2.1 Both:
 - 2.1.1 patient is not diabetic; and
 - 2.1.2 glomerular filtration rate ≤ 30ml/min; or
 - 2.2 Both:
 - 2.2.1 patient is diabetic; and
 - 2.2.2 glomerular filtration rate ≤ 45ml/min; or
 - 2.3 patient is on haemodialysis or peritoneal dialysis.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Notes: Erythropoietin beta is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

The Cockroft-Gault Formula may be used to estimate glomerular filtration rate (GFR) in persons 18 years and over:

GFR (ml/min) (male) = $(140 - age) \times Ideal Body Weight (kg) / 814 \times serum creatinine (mmol/l)$

GFR (ml/min) (female) = Estimated GFR (male) \times 0.85

ERYTHROPOIETIN ALPHA - Special Authority see SA0922 above - Retail pharmac	су	
Inj human recombinant 1,000 iu prefilled syringe48.68	6	✓ Eprex
Inj human recombinant 2,000 iu, prefilled syringe120.18	6	✓ Eprex
Inj human recombinant 3,000 iu, prefilled syringe166.87	6	✓ Eprex
Inj human recombinant 4,000 iu, prefilled syringe193.13	6	✓ Eprex
Inj human recombinant 5,000 iu, prefilled syringe243.26	6	✓ Eprex
Inj human recombinant 6,000 iu, prefilled syringe291.92	6	✓ Eprex
Inj human recombinant 10,000 iu, prefilled syringe395.18	6	✓ Eprex
ERYTHROPOIETIN BETA - Special Authority see SA0922 above - Retail pharmacy	,	
Inj 2,000 iu, prefilled syringe120.18	6	✓ NeoRecormon
Inj 3,000 iu, prefilled syringe166.87	6	✓ NeoRecormon
Inj 4,000 iu, prefilled syringe193.13	6	✓ NeoRecormon
Inj 5,000 iu, prefilled syringe243.26	6	✓ NeoRecormon
Inj 6,000 iu, prefilled syringe291.29	6	✓ NeoRecormon
Inj 10,000 iu, prefilled syringe395.18	6	✓ NeoRecormon

Megaloblastic

FOLIC ACID

	LIO NOID		
*	Tab 0.8 mg19.80	1,000	Apo-Folic Acid
*	Tab 5 mg		✓ Apo-Folic Acid
	Oral liq 50 µg per ml21.05	25 ml OP	✓ Biomed

(45.52) Fibro-vein						
SODIUM TETRADECYL SULPHATE		(Manufacturer's Price)		Subsidised	Generic	
	Antifibrinolytics, Haemostatics and Local Scleros	sants				
	SODIUM TETRADECYL SULPHATE					
		23.20	5			
(48.98) Fibro-vein	•	\ /		F	ibro-vein	
Inj 3% 2 ml	* Inj 1% 2 ml	25.00	5			
Fibro-vein Fi			_	F	ibro-vein	
TRANEXAMIC ACID Tab 500 mg	* Inj 3% 2 ml		5	_		
Tab 500 mg 32.92 100 ✓ Cyklokapron Vitamin K PHYTOMENADIONE Inj 2 mg per 0.2 ml - Up to 5 inj available on a PSO 8.00 5 ✓ Konakion MM May be administered orally. 9.21 5 ✓ Konakion MM May be administered orally. Antithrombotic Agents Aspirin CAPIRION Antiplatelet Agents Aspirin EC CAPIRION CAPIRION Antiplatelet Agents Antiplatelet Agents Antiplatelet Agents Antiplatelet Agents Antiplatelet Agents Antiplatelet Agents Aspirin EC CAPIRION SET Apo-Clopidogrel OIPYRIDAMOLE * Tab 25 mg 8.36 84 ✓ Persantin * Pytazen SR Heparin and Antagonist Preparations <td colsp<="" td=""><td></td><td>(55.91)</td><td></td><td>F</td><td>ibro-vein</td></td>	<td></td> <td>(55.91)</td> <td></td> <td>F</td> <td>ibro-vein</td>		(55.91)		F	ibro-vein
Vitamin K Vitamin May be administered orally. Vitaministered orally.						
PHYTOMENADIONE Inj 2 mg per 0.2 ml − Up to 5 inj available on a PSO	Tab 500 mg	32.92	100	✓ <u>C</u>	<u>yklokapron</u>	
Inj 2 mg per 0.2 ml	Vitamin K					
May be administered orally. Inj 10 mg per ml, 1 ml − Up to 5 inj available on a PSO	PHYTOMENADIONE					
Inj 10 mg per ml, 1 ml		8.00	5	✓ K	onakion MM	
Antiplatelet Agents ASPIRIN ★ Tab 100 mg	Inj 10 mg per ml, 1 ml - Up to 5 inj available on a PSO	9.21	5	✓ K	onakion MM	
ASPIRIN k Tab 100 mg	Antithrombotic Agents					
Image: Problem of the content of t	Antiplatelet Agents					
Image: Problem of the content of t	ASPIRIN					
Tab 75 mg		14.00	990	√ E	thics Aspirin EC	
Tab 75 mg 16.25 90 ✓ Apo-Clopidogrel DIPYRIDAMOLE ★ Tab 25 mg 8.36 84 ✓ Persantin ★ Tab long-acting 150 mg 11.52 60 ✓ Pytazen SR Heparin and Antagonist Preparations ENOXAPARIN SODIUM - Special Authority see SA0975 below - Retail pharmacy Inj 20 mg 39.20 10 ✓ Clexane Inj 40 mg 52.30 10 ✓ Clexane Inj 60 mg 78.85 10 ✓ Clexane Inj 80 mg 105.12 10 ✓ Clexane Inj 100 mg 135.20 10 ✓ Clexane Inj 120 mg 168.00 10 ✓ Clexane	CI OPIDOGREI					
DIPYRIDAMOLE		16.25	90	✓ A	po-Clopidogrel	
₭ Tab 25 mg 8.36 84 ✔ Persantin ★ Tab long-acting 150 mg 11.52 60 ✔ Pytazen SR Heparin and Antagonist Preparations ENOXAPARIN SODIUM - Special Authority see SA0975 below - Retail pharmacy Inj 20 mg 39.20 10 ✔ Clexane Inj 40 mg 52.30 10 ✔ Clexane Inj 60 mg 78.85 10 ✔ Clexane Inj 80 mg 105.12 10 ✔ Clexane Inj 100 mg 135.20 10 ✔ Clexane Inj 120 mg 168.00 10 ✔ Clexane				_		
★ Tab long-acting 150 mg .11.52 60 ✓ Pytazen SR Heparin and Antagonist Preparations ENOXAPARIN SODIUM - Special Authority see SA0975 below - Retail pharmacy Inj 20 mg .39.20 10 ✓ Clexane Inj 40 mg .52.30 10 ✓ Clexane Inj 60 mg .78.85 10 ✓ Clexane Inj 80 mg .105.12 10 ✓ Clexane Inj 100 mg .135.20 10 ✓ Clexane Inj 120 mg .168.00 10 ✓ Clexane		8.36	84	✓ P	ersantin	
Heparin and Antagonist Preparations ENOXAPARIN SODIUM − Special Authority see SA0975 below − Retail pharmacy Inj 20 mg	•					
Colexane						
Inj 20 mg 39.20 10 ✓ Clexane Inj 40 mg 52.30 10 ✓ Clexane Inj 60 mg 78.85 10 ✓ Clexane Inj 80 mg 105.12 10 ✓ Clexane Inj 100 mg 135.20 10 ✓ Clexane Inj 120 mg 168.00 10 ✓ Clexane	•					
Inj 40 mg .52.30 10 ✓ Clexane Inj 60 mg .78.85 10 ✓ Clexane Inj 80 mg .105.12 10 ✓ Clexane Inj 100 mg .135.20 10 ✓ Clexane Inj 120 mg .168.00 10 ✓ Clexane			10	./ ^	lovano	
Inj 60 mg .78.85 10 ✓ Clexane Inj 80 mg .105.12 10 ✓ Clexane Inj 100 mg .135.20 10 ✓ Clexane Inj 120 mg .168.00 10 ✓ Clexane				_		
Inj 80 mg 105.12 10 ✓ Clexane Inj 100 mg 135.20 10 ✓ Clexane Inj 120 mg 168.00 10 ✓ Clexane	, ,			_		
Inj 100 mg				· · · · · · · · · · · ·		
Inj 120 mg168.00 10 Clexane						
·	, ,					
			10	_		

⇒SA0975 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

continued...

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic INR with oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing warfarin treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

HEPARIN SODIUM

Inj 1,000 iu per ml, 5 ml	13.36	10	Mayne
	66.80	50	✓ Mayne
	11.44	10	✓ Pfizer
	46.30	50	Pfizer
Inj 1,000 iu per ml, 35 ml	16.00	1	Mayne
Inj 5,000 iu per ml, 1 ml		5	Mayne
Inj 5,000 iu per ml, 5 ml	118.50	50	✓ Pfizer
Inj 25,000 iu per ml, 0.2 ml	9.50	5	Mayne
HEPARINISED SALINE			
* Inj 10 iu per ml, 5 ml	32.50	50	Pfizer
PROTAMINE SULPHATE			
* Inj 10 mg per ml, 5 ml	22.40	10	
,	(86.54)		Artex

Oral Anticoagulants

		HIVAHOXABAN - Special Authority see SA1066 below - Retail pharmacy
Xarelto	15	Tab 10 mg153.00
Xarelto	30	306.00

⇒SA1066 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 weeks for applications meeting the following criteria: Either:

- 1 For the prophylaxis of venous thromboembolism following a total hip replacement; or
- 2 For the prophylaxis of venous thromboembolism following a total knee replacement.

Note: Rivaroxaban is only currently indicated and subsidised for up to 5 weeks therapy for prophylaxis of venous thromboembolism following a total hip replacement and up to 2 weeks therapy for prophylaxis of venous thromboembolism following a total knee replacement.

Renewal from any relevant practitioner. Approvals valid for 5 weeks where prophylaxis for venous thromboembolism is required for patients following a subsequent total hip or knee replacement.

WARFARIN SODIUM Note: Marevan and Coumadin are not interchangeable. * Tab 1 mg	50 100 50 100 50 100	Jubsidised Generic Manufacturer Coumadin Marevan Coumadin Marevan Coumadin Marevan Coumadin Marevan	
Note: Marevan and Coumadin are not interchangeable. * Tab 1 mg	100 50 100 50 100	✓ Marevan✓ Coumadin✓ Marevan✓ Coumadin	
Note: Marevan and Coumadin are not interchangeable. ★ Tab 1 mg	100 50 100 50 100	✓ Marevan✓ Coumadin✓ Marevan✓ Coumadin	
* Tab 1 mg	100 50 100 50 100	✓ Marevan✓ Coumadin✓ Marevan✓ Coumadin	
* Tab 2 mg 4.31 * Tab 3 mg 8.00 * Tab 5 mg 5.93 9.64 Fluids and Electrolytes Intravenous Administration DEXTROSE * Inj 50%, 10 ml – Up to 5 inj available on a PSO 22.75 * Inj 50%, 90 ml – Up to 5 inj available on a PSO 11.25 POTASSIUM CHLORIDE * Inj 75 mg per ml, 10 ml 55.00	50 100 50 100	✓ Coumadin ✓ Marevan ✓ Coumadin	
* Tab 3 mg	100 50 100	✓ Marevan✓ Coumadin	
# Tab 5 mg	50 100	✓ Coumadin	
9.64 Fluids and Electrolytes Intravenous Administration DEXTROSE * Inj 50%, 10 ml – Up to 5 inj available on a PSO	100		
Fluids and Electrolytes Intravenous Administration DEXTROSE * Inj 50%, 10 ml – Up to 5 inj available on a PSO		✓ Marevan	
Intravenous Administration DEXTROSE ★ Inj 50%, 10 ml − Up to 5 inj available on a PSO	5		
DEXTROSE * Inj 50%, 10 ml – Up to 5 inj available on a PSO	5		
* Inj 50%, 10 ml – Up to 5 inj available on a PSO	5		
* Inj 50%, 90 ml – Up to 5 inj available on a PSO	5		
POTASSIUM CHLORIDE * Inj 75 mg per ml, 10 ml55.00		✓ Biomed	
* Inj 75 mg per ml, 10 ml55.00	1	✓ Biomed	
	50	✓ AstraZeneca	
	30	Astrazeneda	
SODIUM BICARBONATE		4.50	
Inj 8.4%, 50 ml	1	✓ Biomed	
a) Up to 5 inj available on a PSO			
b) Not in combination	_	. / Diamed	
Inj 8.4%, 100 ml20.50	1	✓ Biomed	
a) Up to 5 inj available on a PSO			
b) Not in combination			
SODIUM CHLORIDE			
Inf 0.9% – Up to 2000 ml available on a PSO	500 ml	✓ Baxter	
4.06	1,000 ml	✓ Baxter	
Only if prescribed on a prescription for renal dialysis, maternity or post-nate for emergency use. (500 ml and 1,000 ml packs)	tal care in the	home of the patient, o	or on a PS
Inj 23.4%, 20 ml31.25	5	✓ Biomed	
Inj 0.9%, 5 ml – Up to 5 inj available on a PSO10.85	50	✓ <u>Biomed</u> ✓ Multichem	
15.50	30	✓ Pfizer	
Inj 0.9%, 10 ml – Up to 5 inj available on a PSO11.50	50	✓ Multichem	
15.50	00	✓ Pfizer	
Inj 0.9%, 20 ml4.72	6	✓ Pharmacia	
11.79	30	✓ Pharmacia	
8.41	20	✓ Multichem	
TOTAL PARENTERAL NUTRITION (TPN) - Retail pharmacy-Specialist			
Infusion	1 OP	✓ TPN	
	1 01	V III	
NATER 1) On a prescription or Practitioner's Supply Order only when on the same for	orm as an inje	jection listed in the Pha	ırmaceutic
Schedule requiring a solvent or diluent; or 2) On a bulk supply order; or			
3) When used in the extemporaneous compounding of eye drops.			
Purified for inj, 5 ml – Up to 5 inj available on a PSO9.20	50	✓ Multichem	
Purified for inj, 10 ml — Up to 5 inj available on a PSO	50	✓ Multichem	
Purified for inj, 20 ml — Up to 5 inj available on a PSO	20	✓ Multichem	
1 Grinos for my, 20 mil - Op to 0 my available on a 1 00	/11		

	0		F. 1. D. 1
	Subsidy (Manufacturer's	Price) Sub	Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
Oral Administration			
CALCIUM POLYSTYRENE SULPHONATE Powder	160.95	300 g OP	✓ Calcium Resonium
	109.00	300 g OF	V Calcium nesomum
COMPOUND ELECTROLYTES Powder for soln for oral use 4.4 g - Up to 10 sach available	2		
on a PSO		5	✓ Electral
Powder for soln for oral use 5 g - Up to 10 sach available or	n		
a PSO	2.86	10	✓ Enerlyte
DEXTROSE WITH ELECTROLYTES			4=
Soln with electrolytes	6.60	1,000 ml OP	Pedialyte -
			Bubblegum ✓ Pedialyte - Fruit
	6.75		Pedialyte - Plain
POTASSIUM BICARBONATE			
Tab eff 315 mg with sodium acid phosphate 1.937 g and			
sodium bicarbonate 350 mg	82.50	100	✓ Phosphate-Sandoz
For phosphate supplementation			
POTASSIUM CHLORIDE * Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	5.26	60	
* Tab en 340 mg (14 m eq) with chloride 203 mg (0 m eq)	(11.85)	00	Chlorvescent
* Tab long-acting 600 mg	7.00 [′]	200	✓ Span-K
SODIUM BICARBONATE			
Cap 840 mg	8.52	100	✓ Sodibic
SODIUM POLYSTYRENE SULPHONATE		05	4
Powder	89.10	450 g OP	✓ Resonium-A
Lipid Modifying Agents			
Fibrates			
BEZAFIBRATE	0.75	00	. Fibelin
* Tab 200 mg* Tab long-acting 400 mg		90 30	 ✓ <u>Fibalip</u> ✓ Bezalip Retard
GEMFIBROZIL			
Tab 600 mg	14.00	60	✓ <u>Lipazil</u>
Other Lipid Modifying Agents			
ACIPIMOX			
* Cap 250 mg	18.75	30	✓ Olbetam
NICOTINIC ACID	- •		
* Tab 50 mg	5.08	100	✓ Apo-Nicotinic Acid
* Tab 500 mg	17.60	100	✓ Apo-Nicotinic Acid
Resins			
CHOLESTYRAMINE WITH ASPARTAME			
Sachets 4 g with aspartame	19.25	50	
	(52.68)		Questran-Lite

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
COLESTIPOL HYDROCHLORIDE Sachets 5 g	20.00	30	✓ C	olestid

HMG CoA Reductase Inhibitors (Statins)

Prescribing Guidelines

Treatment with HMG CoA Reductase Inhibitors (statins) is recommended for patients with dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater.

ATORVASTATIN	 See prescribing 	guideline above
* Tob 10 mg		

* Tab 10 mg * Tab 20 mg		30 30	✓ Lipitor ✓ Lipitor
* Tab 40 mg		30	✓ Lipitor
* Tab 80 mg		30	✓ Lipitor
PRAVASTATIN – Special Authority see SA0932 below – Re See prescribing guideline above	etail pharmacy		
Tab 10 mg	27.46	30	Pravachol
Tab 20 mg	42.58	30	Pravachol
Tab 40 mg	65.31	30	Pravachol

■ SA0932 | Special Authority for Subsidy

Initial application — (Confirmed HIV/AIDS) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater; and
- 2 Confirmed HIV infection: and
- 3 Patient is being treated with an HIV protease inhibitor.

SIMVASTATIN - See prescribing guideline above

*	Tab 10 mg2.05	90	Arrow-Simva 10mg
	Tab 20 mg3.00	90	✓ Arrow-Simva 20mg
	Tab 40 mg5.35	90	✓ Arrow-Simva 40mg
*	Tab 80 mg11.65	90	✓ Arrow-Simva 80mg

Selective Cholesterol Absorption Inhibitors

EZETIMIBE - Special Authority see SA1045 below - Retail pharmacy			
Tab 10 mg	45.90	30	✓ Ezetrol

⇒SA1045 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 Any of the following:
 - 3.1 The patient has rhabdomyolysis (defined as muscle aches and creatine kinase more than 10 × normal) when treated with one statin; or
 - 3.2 The patient is intolerant to both simvastatin and atorvastatin; or
 - 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

EZETIMIBE WITH SIMVASTATIN - Special Authority see SA1046 below - Retail pharmacy

Tab 10 mg with simvastatin 10 mg	48.90	30	✓ Vytorin
	51.60	30	✓ Vytorin
	55.20	30	✓ Vytorin
	60.60	30	✓ Vytorin

⇒SA1046 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to ≤ 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Iron Overload

		ONE – Special Authority see SA1042 below – Retail pharmacy	DEFERIPRONE - S
✓ Ferriprox	100	0 mg533.17	Tab 500 mg
✓ Ferriprox	250 ml OP	100 mg per 1 ml266.59	Oral liq 100 mg

■ SA1042 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where the patient has been diagnosed with chronic transfusional iron overload due to congenital inherited anaemia.

Note: For the purposes of this Special Authority, a relevant specialist is defined as a haematologist.

DESFERRIOXAMINE MESYLATE

*	Ini 500 mg	99.00	10	✓ Mayne
*	IDI 200 IDI	99.00	10	■ IVIAVNE

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Alpha Adrenoceptor Blockers				
DOXAZOSIN MESYLATE * Tab 2 mg * Tab 4 mg		500 500		po-Doxazosin po-Doxazosin
PHENOXYBENZAMINE HYDROCHLORIDE * Cap 10 mg	7.82 26.05	30 100		ibenyline S29 ibenyline S29
PHENTOLAMINE MESYLATE * Inj 10 mg per ml, 1 ml	17.97 (31.65)	5	Re	egitine
PRAZOSIN HYDROCHLORIDE				
* Tab 1 mg * Tab 2 mg * Tab 5 mg	7.00	100 100 100	✓ A	po-Prazo po-Prazo po-Prazo
TERAZOSIN HYDROCHLORIDE	4.50	00		
* Tab 1 mg * Tab 2 mg * Tab 5 mg	0.80	28 28 28	V AI	rrow rrow rrow
4 Tub o mg		20	<u> </u>	1011

Agents Affecting the Renin-Angiotensin System

Perindopril and trandolapril will be funded to the level of the ex-manufacturer price listed in the Schedule for patients who were taking these ACE inhibitors for the treatment of congestive heart failure prior to 1 June 1998. The prescription must be endorsed accordingly. We recommend that the words used to indicate eligibility are "certified condition" or an appropriate description of the patient such as "congestive heart failure", "CHF", "congestive cardiac failure" or "CCF". **Definition of Congestive Heart Failure** At the request of some prescribers the PTAC Cardiovascular subcommittee has provided a definition of congestive heart failure for the purposes of the funding of the manufacturer's surcharge: "Clinicians should use their clinical judgement. Existing patients would be eligible for the funding of the surcharge if the patient shows signs and symptoms of congestive heart failure, and requires or has in the past required concomitant treatment with a diuretic. The definition could also be considered to include patients post myocardial infarction with an ejection fraction of less than 40%."

ACE Inhibitors

CAPTOPRIL

.2.00	100	✓ m-Captopril
2.40	100	✓ m-Captopril
.3.50	100	✓ m-Captopril
94.99	95 ml OP	✓ Capoten
0.95	30	✓ Zapril
6.18	90	✓ Zapril
9.84	90	✓ Zapril
	.2.40 .3.50 94.99 .0.95 .6.18	.2.40 100 .3.50 100 .94.99 95 ml OP .0.95 30 .6.18 90

	Subsidy		Full	y Brand or
	(Manufacturer's Price)		Subsidise	
	\$	Per		Manufacturer Manufacturer
ENALAPRIL				
* Tab 5 mg	1.98	90	~	Arrow-Enalapril
* Tab 10 mg		90		Arrow-Enalapril
* Tab 20 mg		90		Arrow-Enalapril
LISINOPRIL				
* Tab 5 mg	2.06	30	· ·	Arrow-Lisinopril
* Tab 10 mg		30		Arrow-Lisinopril
* Tab 20 mg		30		Arrow-Lisinopril
· ·		00		Anow Eloniophi
PERINDOPRIL				
* Tab 2 mg - Higher subsidy of \$18.50 per 30 tab with En-	0.00	00		
dorsement		30		0 1
	(18.50)			Coversyl
* Tab 4 mg - Higher subsidy of \$25.00 per 30 tab with En-				
dorsement		30		0
	(25.00)			Coversyl
QUINAPRIL				
* Tab 5 mg	1.60	30		<u>Accupril</u>
* Tab 10 mg		30		<u>Accupril</u>
* Tab 20 mg	2.35	30		<u>Accupril</u>
TRANDOLAPRIL				
* Cap 1 mg - Higher subsidy of \$18.67 per 28 cap with En-				
dorsement	3.06	28		
	(18.67)			Gopten
* Cap 2 mg - Higher subsidy of \$27.00 per 28 cap with En-				
dorsement	4.43	28		
	(27.00)			Gopten
ACE Inhibitors with Diuretics				
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 5 mg with hydrochlorothiazide 12.5 mg	5.36	28	~	Inhibace Plus
ENALAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 20 mg with hydrochlorothiazide 12.5 mg	3.32	30		
,	(8.70)			Co-Renitec
QUINAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 10 mg with hydrochlorothiazide 12.5 mg	3.37	30	~	Accuretic 10
* Tab 20 mg with hydrochlorothiazide 12.5 mg		30		Accuretic 20
,				<u></u>
Angiotension II Antagonists				
CANDESARTAN - Special Authority see SA0933 on the next page	ie – Retail pharmacv			
* Tab 4 mg - No more than 1.5 tab per day		30	V	Atacand
* Tab 8 mg - No more than 1.5 tab per day		30	· .	Atacand
* Tab 16 mg – No more than 1 tab per day		30		Atacand
* Tab 32 mg - No more than 1 tab per day		30	~	Atacand
• • • • • • • • • • • • • • • • • • • •				

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

⇒SA0933 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 Both:
 - 1.1 Patient with congestive heart failure; and
 - 1.2 Either:
 - 1.2.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
 - 1.2.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years; or
- 2 All of the following:
 - 2.1 Patient with raised blood pressure; and
 - 2.2 Use of fully funded beta blockers or diuretics are contraindicated; or not well tolerated; or insufficient to control blood pressure adequately at appropriate doses; and
 - 2.3 Either:
 - 2.3.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
 - 2.3.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years.

LO	SARTAN - Special Authority see SA0911 below - Retail pharmacy		
*	Tab 12.5 mg17.40	30	Cozaar
*	Tab 25 mg21.76	30	Cozaar
	Tab 50 mg23.10		✓ Cozaar
	Tab 50 mg with hydrochlorothiazide 12.5 mg30.00		Hyzaar
*	Tab 100 mg35.40		✓ Cozaar

⇒SA0911 Special Authority for Subsidy

Initial application — (ACE inhibitor intolerance) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has persistent ACE inhibitor induced cough that is not resolved by ACE inhibitor retrial (same or new ACE inhibitor); or
- 2 Patient has a history of angioedema.

Initial application — (Unsatisfactory response to ACE inhibitor) from any relevant practitioner. Approvals valid without further renewal unless notified where patient is not adequately controlled on maximum tolerated dose of an ACE inhibitor.

Initial application — (Patient had an approval for Losartan with hydrochlorothiazide prior to 1 May 2008) from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Antiarrhythmics

For lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaesthetics, Local, page 112

AMIODARONE HYDROCHLORIDE

lab 1	00 mg - Retail pharmacy-Specialist	18.65	30	Aratac
				✓ Cordarone-X
▲ Tab 2	00 mg - Retail pharmacy-Specialist	30.52	30	✓ Aratac
				✓ Cordarone-X
Inj 50	mg per ml, 3 ml - Up to 5 inj available on a PSO	60.84	10	✓ Cordarone-X
DIGOXIN				
* Tab 6	2.5 µg - Up to 30 tab available on a PSO	6.67	240	Lanoxin PG
* Tab 2	150 μg - Up to 30 tab available on a PSO	14.52	240	Lanoxin
* Oral I	iq 50 µg per ml	16.60	60 ml	Lanoxin

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
DISOPYRAMIDE PHOSPHATE				
▲ Cap 100 mg	15.00	100		
	(23.87)			ythmodan
▲ Cap 150 mg	26.21	100	✓ R	ythmodan
FLECAINIDE ACETATE - Retail pharmacy-Specialist				
▲ Tab 50 mg	45.82	60	✓ Ta	ambocor
▲ Tab 100 mg	80.92	60	✓ Ta	ambocor
▲ Cap long-acting 100 mg		30		ambocor CR
▲ Cap long-acting 200 mg		30		ambocor CR
Inj 10 mg per ml, 15 ml	52.45	5	✓ Ta	ambocor
MEXILETINE HYDROCHLORIDE				
▲ Cap 50 mg	23.52	100	✓ M	lexitil
▲ Cap 200 mg	55.05	100	✓ M	lexitil
(Mexitil Cap 50 mg to be delisted 1 August 2011)				
(Mexitil Cap 200 mg to be delisted 1 August 2011)				
PROPAFENONE HYDROCHLORIDE - Retail pharmacy-Speciali	st			
▲ Tab 150 mg	40.90	50	✓ R	ytmonorm
Antihypotensives				
MIDODRINE - Special Authority see SA0934 below - Retail phar	rmacy			
Tab 2.5 mg	•	100	√ G	utron
Tab 5 mg		100	✓ G	iutron
TACA0024 Special Authority for Subsidy				

■SA0934 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Disabling orthostatic hypotension not due to drugs; and
- 2 Patient has tried fludrocortisone (unless contra-indicated) with unsatisfactory results; and
- 3 Patient has tried non pharmacological treatments such as support hose, increased salt intake, exercise, and elevation of head and trunk at night.

Notes: Treatment should be started with small doses and titrated upwards as necessary.

Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Beta Adrenoceptor Blockers

ATI	ENOLOL			
*	Tab 50 mg	6.18	500	✓ Pacific Atenolol
	•	12.36	1,000	✓ Atenolol Tablet USP
*	Tab 100 mg	10.73	500	✓ Pacific Atenolol
	•	21.46	1,000	✓ <u>Atenolol Tablet USP</u>
CA	RVEDILOL			
	Tab 6.25 mg	21.00	30	✓ Dilatrend
	Tab 12.5 mg	27.00	30	✓ Dilatrend
	Tab 25 mg	33.75	30	✓ Dilatrend
CE	LIPROLOL			
*	Tab 200 mg	19.00	180	✓ Celol

		Subsidy		Fully Brand or
		(Manufacturer's Price) \$	Per	Subsidised Generic Manufacturer
٨г	DETAL OL			
۱ ۵	BETALOL Tab 50 mg	0.00	100	. / Unibles
	Tab 50 mg		100	✓ Hybloc
	Tab 100 mg		100	✓ Hybloc
	Tab 200 mg		100	✓ Hybloc
	Inj 5 mg per ml, 20 ml		5	
		(88.60)		Trandate
E	TOPROLOL SUCCINATE			
	Tab long-acting 23.75 mg	2.18	30	✓ Betaloc CR
				✓ Metoprolol - AFT CR
				✓ Myloc CR
	Tab long-acting 47.5 mg	2.74	30	✓ Betaloc CR
	145 10 1g 40 11 g 11 10 11 g 11 11 11 11 11 11 11 11 11 11 11 1			✓ Metoprolol - AFT CR
				✓ Myloc CR
	Tab long-acting 95 mg	<i>4</i> 71	30	✓ Betaloc CR
	rab long acting 55 mg		00	✓ Metoprolol - AFT CR
				✓ Myloc CR
	Tob long acting 100 mg	0.51	20	
	Tab long-acting 190 mg	0.01	30	✓ Betaloc CR
				✓ Metoprolol - AFT CR
				✓ Myloc CR
E.	TOPROLOL TARTRATE			
	Tab 50 mg	16.50	100	✓ Lopresor
	Tab 100 mg		60	✓ Lopresor
	Tab long-acting 200 mg		28	✓ Slow-Lopresor
	Inj 1 mg per ml 5 ml		5	
	.,	(34.00)	•	Betaloc
٠.	20101	(0.100)		2010.00
	OOLOL			4
	Tab 40 mg		100	✓ Apo-Nadolol
	Tab 80 mg	22.19	100	Apo-Nadolol
N	DOLOL			
	Tab 5 mg	5.40	100	✓ Apo-Pindolol
	Tab 10 mg		100	✓ Apo-Pindolol
	Tab 15 mg		100	✓ Apo-Pindolol
	· ·		100	Apo i maoloi
3(OPRANOLOL			
•	Tab 10 mg		100	Cardinol
	Tab 40 mg		100	✓ Cardinol
	Cap long-acting 160 mg	16.06	100	Cardinol LA
7	TALOL			
	Tab 80 mg	27.50	500	✓ Mylan
	Tab 160 mg		100	✓ Mylan
	•		5	✓ Mylan
	Inj 10 mg per ml, 4 ml	03.39	5	Solacor
M	OLOL MALEATE			
	Tab 10 mg	10.55	100	Apo-Timol
);	alcium Channel Blockers			
Di	hydropyridine Calcium Channel Blockers (DH	P CCBs)		
	LODIPINE	•		
	Tab 5 mg	7.33	100	✓ Apo-Amlodipine
	Tab 10 mg		100	✓ Apo-Amiodipine
	IGU IVIUU	I I . / 9	IUU	W AUU-AIIIUUIIUIII

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's Price)		Ful Subsidise	
	\$	Per	•	/ Manufacturer
ELODIPINE				
★ Tab long-acting 2.5 mg — No more than 1 tab per day		30		Plendil ER
k Tab long-acting 5 mg		90		Felo 5 ER
* Tab long-acting 10 mg	15.60	90	V	Felo 10 ER
SRADIPINE				
Cap long-acting 2.5 mg	7.50	30		Dynacirc-SRO
Cap long-acting 5 mg	7.85	30	~	Dynacirc-SRO
NIFEDIPINE				
* Tab long-acting 10 mg	17.72	60	V	Adalat 10
* Tab long-acting 20 mg		100	V	Nyefax Retard
₭ Tab long-acting 30 mg		30		Adefin XL
0 0	10.70		V	Arrow-Nifedipine XR
	5.50			•
	(19.90)			Adalat Oros
Fab long-acting 60 mg	12.28	30	~	Adefin XL
	15.35		~	Arrow-Nifedipine XR
	8.00			
	(29.50)			Adalat Oros
Other Calcium Channel Blockers				
DILTIAZEM HYDROCHLORIDE				
★ Tab 30 mg	4.60	100	~	Dilzem
★ Tab 60 mg	8.50	100	~	Dilzem
★ Cap long-acting 120 mg	4.34	30	~	Cardizem CD
★ Cap long-acting 180 mg	6.50	30	~	Cardizem CD
Cap long-acting 240 mg	8.67	30	~	Cardizem CD
PERHEXILINE MALEATE - Special Authority see SA0256 be	elow – Retail pharmacy			
★ Tab 100 mg		100	~	Pexsig
■►SA0256 Special Authority for Subsidy nitial application only from a cardiologist or general physici riteria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy.				
■►SA0256 Special Authority for Subsidy nitial application only from a cardiologist or general physici riteria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Appr ne patient is benefiting from treatment.				
■►SA0256 Special Authority for Subsidy nitial application only from a cardiologist or general physici riteria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Appr			ne treatm	ent remains appropriate a
■►SA0256 Special Authority for Subsidy nitial application only from a cardiologist or general physici riteria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Appr ne patient is benefiting from treatment. //ERAPAMIL HYDROCHLORIDE K Tab 40 mg	rovals valid for 2 years wh	nere th	ne treatm	ent remains appropriate a
■►SA0256 Special Authority for Subsidy nitial application only from a cardiologist or general physici riteria: Both: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Appr ne patient is benefiting from treatment. //ERAPAMIL HYDROCHLORIDE K Tab 40 mg	rovals valid for 2 years wh 7.01 11.74	100 100	ne treatm	ent remains appropriate a Isoptin Isoptin
■►SA0256 Special Authority for Subsidy nitial application only from a cardiologist or general physici riteria: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Appr ne patient is benefiting from treatment. //ERAPAMIL HYDROCHLORIDE	rovals valid for 2 years wh7.01 11.74 15.20	100 100 100 250	ne treatm	ent remains appropriate a Isoptin Isoptin Verpamil SR
■►SA0256 Special Authority for Subsidy nitial application only from a cardiologist or general physici riteria: the control of the control	rovals valid for 2 years wh	100 100	ne treatm	ent remains appropriate a Isoptin Isoptin Verpamil SR Verpamil SR
■►SA0256 Special Authority for Subsidy nitial application only from a cardiologist or general physici riteria: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Appr ne patient is benefiting from treatment. //ERAPAMIL HYDROCHLORIDE	rovals valid for 2 years wh	100 100 100 250	ne treatm	ent remains appropriate a Isoptin Isoptin Verpamil SR
■►SA0256 Special Authority for Subsidy nitial application only from a cardiologist or general physici riteria: the control of the control	rovals valid for 2 years wh	100 100 100 250	ne treatm	ent remains appropriate a Isoptin Isoptin Verpamil SR Verpamil SR
■►SA0256 Special Authority for Subsidy nitial application only from a cardiologist or general physici riteria: toth: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Appr ne patient is benefiting from treatment. /ERAPAMIL HYDROCHLORIDE ★ Tab 40 mg ★ Tab 80 mg ★ Tab long-acting 120 mg ★ Tab long-acting 240 mg ★ Inj 2.5 mg per ml, 2 ml — Up to 5 inj available on a PSO. Centrally Acting Agents	rovals valid for 2 years wh7.01 11.74 15.20 25.00 7.54	100 100 100 250	ne treatm	ent remains appropriate a Isoptin Isoptin Verpamil SR Verpamil SR
■►SA0256 Special Authority for Subsidy nitial application only from a cardiologist or general physici riteria: soth: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Appr ne patient is benefiting from treatment. /ERAPAMIL HYDROCHLORIDE ★ Tab 40 mg ★ Tab long-acting 120 mg ★ Tab long-acting 120 mg ★ Tab long-acting 240 mg ★ Inj 2.5 mg per ml, 2 ml − Up to 5 inj available on a PSO. Centrally Acting Agents CLONIDINE ★ TDDS 2.5 mg, 100 μg per day − Only on a prescription.	rovals valid for 2 years wh	100 100 100 250	ne treatm	ent remains appropriate a Isoptin Isoptin Verpamil SR Verpamil SR Isoptin Catapres-TTS-1
■►SA0256 Special Authority for Subsidy nitial application only from a cardiologist or general physici riteria: toth: 1 Refractory angina; and 2 Patient is already on maximal anti-anginal therapy. Renewal only from a cardiologist or general physician. Appr ne patient is benefiting from treatment. /ERAPAMIL HYDROCHLORIDE ★ Tab 40 mg ★ Tab 80 mg ★ Tab long-acting 120 mg ★ Tab long-acting 240 mg ★ Inj 2.5 mg per ml, 2 ml — Up to 5 inj available on a PSO. Centrally Acting Agents	7.01	100 100 250 250 5	ne treatm	ent remains appropriate a Isoptin Isoptin Verpamil SR Verpamil SR Isoptin

	Subsidy	-i\ C :	Fully	Brand or
	(Manufacturer's P \$	rice) Sub Per	sidised	Generic Manufacturer
CLONIDINE HYDROCHLORIDE				
* Таb 150 µg		100		atapres_
* Inj 150 μg per ml, 1 ml	15.45	5	✓ C	atapres_
METHYLDOPA				
* Tab 050		100		rodopa
* Tab 250 mg * Tab 500 mg		100 100		<u>rodopa</u> rodopa
Diuretics	20.00	100	<u> </u>	Ισαορα
Loop Diuretics				
·				
BUMETANIDE * Tab 1 mg	16.36	100	✓ R	urinex
* Inj 500 µg per ml, 4 ml		5		urinex
FUROSEMIDE				
* Tab 40 mg - Up to 30 tab available on a PSO	10.75	1,000	✓ D	iurin 40
* Tab 500 mg	25.00	50		rex Forte
*‡ Oral liq 10 mg per ml		30 ml OP	✓ Li	
* Infusion 10 mg per ml, 25 ml		5 5	✓ La	asix rusemide-Claris
* Inj 10 mg per ml, 2 ml – Up to 5 inj available on a PSO	1.30	o O	V <u>FI</u>	ruseilliue-Claris
Potassium Sparing Diuretics				
AMILORIDE	06.00	05 ml OD	. / D	iamad
‡ Oral liq 1 mg per ml	20.20	25 ml OP	V D	iomed
SPIRONOLACTONE	4.60	100		nivotono
* Tab 25 mg * Tab 100 mg		100 100		<u>pirotone</u> pirotone
† Oral liq 5 mg per ml		25 ml OP	_	iomed
Potassium Sparing Combination Diuretics				
AMILORIDE WITH FRUSEMIDE				
* Tab 5 mg with frusemide 40 mg	8.63	28	✓ Fi	rumil
AMILORIDE WITH HYDROCHLOROTHIAZIDE				
* Tab 5 mg with hydrochlorothiazide 50 mg	5.00	50	✓ M	oduretic
Thiazide and Related Diuretics				
BENDROFLUAZIDE				
* Tab 2.5 mg - Up to 150 tab available on a PSO	7.58	500	✓ <u>A</u>	rrow-
M				<u>Bendrofluazide</u>
May be supplied on a PSO for reasons other than emerg * Tab 5 mg		500	./ A	rrow-
* Iab 5 IIIg	11.75	500		Bendrofluazide
CHLOROTHIAZIDE				
† Oral liq 50 mg per ml	22.60	25 ml OP	✓ B	iomed
CHLORTHALIDONE				
* Tab 25 mg	8.00	50	✓ H	ygroton
NDAPAMIDE				- -
* Tab 2.5 mg	2.95	90	✓ D	apa-Tabs
·			_	

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

_	Subsidy		Fully Brand or
	(Manufacturer's	,	sidised Generic
	\$	Per	✓ Manufacturer
Nitrates			
GLYCERYL TRINITRATE			
* Tab 600 µg - Up to 100 tab available on a PSO * Oral pump spray 400 µg per dose - Up to 250 dose available		100 OP	✓ <u>Lycinate</u>
on a PSO		250 dose OP	✓ <u>Nitrolingual</u>
* TDDS 5 mg	16.56	30	Pumpspray ✓ Nitroderm TTS
* TDDS 10 mg		30	✓ Nitroderm TTS
ISOSORBIDE MONONITRATE			
* Tab 20 mg		100	✓ Ismo 20
* Tab long-acting 40 mg		30	✓ Corangin
* Tab long-acting 60 mg	3.94	90	✓ Duride
Sympathomimetics			
ADRENALINE			
Inj 1 in 1,000, 1 ml - Up to 5 inj available on a PSO		5	✓ Aspen Adrenaline
Inj 1 in 10,000, 10 ml - Up to 5 inj available on a PSO	5.25 27.00	5	✓ Mayne ✓ Mayne
	27.00	3	wayne
ISOPRENALINE HYDROCHLORIDE * Inj 200 µg per ml, 1 ml	36.80	25	
πη 200 μg μοι ππ, τ ππ	(135.00)	25	Isuprel
Vasodilators			
AMYL NITRITE * Ampoule, 0.3 ml crushable	60.00	12	
* Ampoule, 0.3 ml crushable	(73.40)	12	Baxter
HYDRALAZINE	(/ 51 15)		
* Inj 20 mg per ml, 1 ml	25.90	5	✓ Apresoline
OXYPENTIFYLLINE			•
Tab 400 mg	36.94	50	
	(42.26)		Trental 400
PAPAVERINE HYDROCHLORIDE			
* Inj 12 mg per ml, 10 ml	73.12	5	✓ Mayne
Endothelin Receptor Antagonists			
⇒ SA0967 Special Authority for Subsidy			
Special Authority approved by the Pulmonary Arterial Hypertensic			
Notes: Application details may be obtained from PHARMAC's well	osite nttp://www	v.pnarmac.govt.r	<u>nz</u> or:
The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON			
Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.g	ovt.nz		
AMBRISENTAN - Special Authority see SA0967 above - Retail p	oharmacv		
Tab 5 mg	•	30	✓ Volibris
Tab 10 mg		30	✓ Volibris
BOSENTAN - Special Authority see SA0967 above - Retail phar	,		
Tab 62.5 mg		60	Tracleer
Tab 125 mg	4,585.00	60	✓ Tracleer

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Phosphodiesterase Type 5 Inhibitors

⇒SA1086 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

SILDENAFIL - Special Authority see SA1086 above - Retail pharmacy

Tab 25 mg	52.00	4	Viagra
Tab 50 mg	59.50	4	✓ Viagra
Tab 100 mg	68.00	4	✓ Viagra

Prostacyclin Analogues

⇒SA0969 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

ILOPROST - Special Authority see SA0969 above - Retail pharmacy

DERMATOLOGICALS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

180

Oratane

Antiacne Preparations

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 79

ADAPAI FNF

ISO

- a) Maximum of 30 g per prescription
- b) Only on a prescription

Crm 0.1% 22.89 Gel 0.1% 22.89	0	✓ Differin✓ Differin
OTRETINOIN - Special Authority see SA0955 below - Retail pharmacy		
Cap 10 mg48.48	180	✓ Oratane

⇒SA0955 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has had an adequate trial on other available treatments and has received an inadequate response from these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 4 Fither:
 - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
 - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has had an adequate trial on other available treatments and has received an inadequate response from these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 4 Fither:
 - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
 - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

TRETINOIN

Crm 0.5 mg per g − Maximum of 50 g per prescription......13.90 50 g OP ✓ ReTrieve

	Subsidy	D:) 0.1	Fully Brand or	
	(Manufacturer's \$	Price) Sub Per	sidised Generic Manufacturer	
Autiliantaviala Taniaal				
Antibacterials Topical				
For systemic antibacterials, refer to INFECTIONS, Antibacterials,	page 79			
FUSIDIC ACID				
Crm 2%	3.25	15 g OP	✓ <u>Foban</u>	
a) Maximum of 15 g per prescription b) Only on a prescription				
c) Not in combination				
Oint 2%	3.25	15 g OP	✓ Foban	
a) Maximum of 15 g per prescription				
b) Only on a prescription				
c) Not in combination				
HYDROGEN PEROXIDE * Crm 1%	9.56	10 g OP	✓ Crystacide	
MUPIROCIN		10 9 01	• Crystaciue	
Oint 2%	6.60	15 g OP		
OHR E/V	(9.26)	10 9 01	Bactroban	
a) Only on a prescription	, ,			
b) Not in combination				
SILVER SULPHADIAZINE				
Crm 1%	12.30	50 g OP	✓ Flamazine	
a) Up to 250 g available on a PSOb) Not in combination				
Antifungals Topical				
For systemic antifungals, refer to INFECTIONS, Antifungals, page	e 84			
AMOROLFINE				
a) Only on a prescription b) Not in combination				
Nail soln 5%	37.86	5 ml OP		
	(61.87)		Loceryl	
CICLOPIROXOLAMINE				
a) Only on a prescription				
b) Not in combination	10.05	05 100	45.4	
Nail soln 8% Soln 1%		3.5 ml OP 20 ml OP	✓ <u>Batrafen</u>	
JOH 170	(11.54)	20 1111 01	Batrafen	
CLOTRIMAZOLE	(*******)			
* Crm 1%	0.50	20 g OP	✓ Clomazol	
a) Only on a prescription		3 -		
b) Not in combination				
* Soln 1%		20 ml OP	Connecton	
a) Only on a prescription	(7.55)		Canesten	
b) Not in combination				
,				

DERMATOLOGICALS

	Subsidy (Manufacturer's	Price) Sul	Fully Brand or bsidised Generic
	\$	Per	✓ Manufacturer
ECONAZOLE NITRATE			
Crm 1%	1.00	20 g OP	
	(7.48)		Pevaryl
a) Only on a prescription b) Not in combination			
Foaming soln 1%, 10 ml sachets	9.89	3	
Tourning cont 17%, To the cacholo	(17.23)	Ü	Pevaryl
a) Only on a prescription	, ,		•
b) Not in combination			
MICONAZOLE NITRATE			
* Crm 2%	0.42	15 g OP	✓ <u>Multichem</u>
a) Only on a prescription			
b) Not in combination * Lotn 2%	4 26	30 ml OP	
本 LOUI 2 / 0	(10.03)	30 IIII OF	Daktarin
a) Only on a prescription	(10.00)		Dantaini
b) Not in combination			
* Tinct 2%		30 ml OP	
	(12.10)		Daktarin
a) Only on a prescription			
b) Not in combination			
NYSTATIN Crm 100,000 u per g	1.00	15 g OP	
Offit 100,000 a per g	(7.90)	13 9 01	Mycostatin
a) Only on a prescription	(1.00)		myoodaan
b) Not in combination			
Antipruritic Preparations			
CALAMINE			
a) Only on a prescription			
b) Not in combination			4
Crm, aqueous, BP		100 g	healthE
Lotn, BP	10./0	2,000 ml	✓ <u>API</u>
CROTAMITON			
a) Only on a prescription b) Not in combination			
Crm 10%	3.79	20 g OP	✓ Itch-Soothe
MENTHOL - Only in combination		- 3 -	
Only in combination with aqueous cream, 10% urea crumineral oil lotion, and glycerol, paraffin and cetyl alcoh		eral oil lotion, 1°	% hydrocortisone with wool fat ar
Crystals		25 g	✓ PSM
•	6.92	ŭ	✓ MidWest
	29.60	100 g	✓ MidWest

Subsidy (Manufacturer's Price) Fully Brand or Subsidised Generic \$ Per Manufacturer

Corticosteroids Topical

For systemic corticosteroids, refer to CORTICOSTEROIDS AND RELATED AGENTS, page 72

Corticosteroids - Plain

BETAMETHASONE DIPROPIONATE			
Crm 0.05%	2.96	15 g OP	
	(6.91)		Diprosone
	8.97	50 g OP	
	(18.36)		Diprosone
Crm 0.05% in propylene glycol base	4.33	30 g OP	
	(13.83)		Diprosone OV
Oint 0.05%	2.96	15 g OP	
	(6.51)		Diprosone
	8.97	50 g OP	
	(17.11)		Diprosone
Oint 0.05% in propylene glycol base	4.33	30 g OP	
	(13.83)		Diprosone OV
BETAMETHASONE VALERATE			
* Crm 0.1%	2.00	50 g OP	✓ Beta Cream
* Oint 0.1%		50 g OP	✓ Beta Ointment
* Lotn 0.1%		50 ml OP	✓ Betnovate
			201101410
CLOBETASOL PROPIONATE	0.40	00 - 00	. d Dammal
* Crm 0.05%		30 g OP	Dermol
* Oint 0.05%	3.48	30 g OP	✓ <u>Dermol</u>
CLOBETASONE BUTYRATE			
Crm 0.05%	5.38	30 g OP	
	(7.09)		Eumovate
	16.13	100 g OP	
	(22.00)		Eumovate
DIFLUCORTOLONE VALERATE			
Crm 0.1%	8 97	50 g OP	
O1111 O.1 7/0	(15.86)	00 g 0.	Nerisone
Fatty oint 0.1%		50 g OP	1101100110
Taky onk of 70	(15.86)	00 g 0.	Nerisone
LIVERGOOFICONE	(10100)		
HYDROCORTISONE	0.75	100	Di
* Crm 1% - Only on a prescription		100 g	✓ Pharmacy Health
# B 01 11 11	12.20	500 g	✓ <u>PSM</u>
Powder – Only in combination		25 g od – Plain) with	✓ <u>ABM</u> n or without other dermatological or with the d
3 1 3			
HYDROCORTISONE BUTYRATE	0.00	00 05	4
Lipocream 0.1%		30 g OP	✓ Locoid Lipocream
0:-1040/	6.85	100 g OP	✓ Locoid Lipocream
Oint 0.1%		100 g OP	Locoid
Milky emul 0.1%	6.85	100 ml OP	✓ Locoid Crelo

DERMATOLOGICALS

	Subsidy (Manufacturer's F	Price) Sub	Fully Brand or osidised Generic
	\$	Per	✓ Manufacturer
YDROCORTISONE WITH WOOL FAT AND MINERAL OIL			
Lotn 1% with wool fat hydrous 3% and mineral oil - Only on			
a prescription	9.95	250 ml	✓ <u>DP Lotn HC</u>
IETHYLPREDNISOLONE ACEPONATE			
Crm 0.1%		15 g OP	✓ Advantan
Oint 0.1%	4.95	15 g OP	✓ Advantan
IOMETASONE FUROATE			
Crm 0.1%		15 g OP	✓ m-Mometasone
	4.55	45 g OP	✓ m-Mometasone
Oint 0.1%		15 g OP	✓ m-Mometasone
1	4.55	45 g OP	m-Mometasone
Lotn 0.1%	4.80	30 ml OP	✓ Elocon
RIAMCINOLONE ACETONIDE			
Crm 0.02%		100 g OP	✓ Aristocort
Oint 0.02%	6.69	100 g OP	✓ Aristocort
Corticosteroids - Combination			
ETAMETHASONE VALERATE WITH CLIOQUINOL - Only on a	a prescription		
Crm 0.1% with clioquinol 3%	3.49	15 g OP	
	(4.90)		Betnovate-C
Oint 0.1% with clioquinol 3%	3.49	15 g OP	
	(4.90)		Betnovate-C
ETAMETHASONE VALERATE WITH FUSIDIC ACID			
Crm 0.1% with fusidic acid 2%	3.49	15 g OP	
	(9.61)		Fucicort
a) Maximum of 15 g per prescription			
b) Only on a prescription			
YDROCORTISONE WITH MICONAZOLE - Only on a prescrip	tion		
Crm 1% with miconazole nitrate 2%	2.10	15 g OP	✓ Micreme H
YDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - Or	nly on a prescript	tion	
Crm 1% with natamycin 1% and neomycin sulphate 0.5%	, , ,	15 g OP	✓ Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	✓ Pimafucort
RIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCI	N AND NYSTATI	N	
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg			
and gramicidin 250 µg per g — Only on a prescription		15 g OP	
and gramioum 200 pg por g Only on a proscription	(6.60)	10 9 01	Viaderm KC
Disinfecting and Cleansing Agents	(/		
HLORHEXIDINE GLUCONATE – Subsidy by endorsement a) No more than 500 ml per month			
b) Only if prescribed for a dialysis patient and the prescription	is endorsed acc	cordinaly.	
Handrub 1% with ethanol 70%		500 ml	✓ healthE

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

TRICLOSAN - Subsidy by endorsement

- a) Maximum of 500 ml per prescription
- b)
- a) Only if prescribed for a patient identified with Methicillin-resistant Staphylococcus aureus (MRSA) prior to elective surgery in hospital and the prescription is endorsed accordingly; or
- b) Only if prescribed for a patient with recurrent Staphylococcus aureus infection and the prescription is endorsed accordingly

Soln 1%	4.50	500 ml OP	✓ Pharmacy Health
	5.90		✓ healthE

	0.00		·
Barrier Creams and Emollients			
Barrier Creams			
ZINC AND CASTOR OIL Oint BP	5.11	500 g	✓ <u>PSM</u>
Emollients			
AQUEOUS CREAM * Crm CETOMACROGOL	2.28	500 g	✓ <u>AFT</u>
* Crm BP	3.15	500 g	✓ <u>PSM</u>
EMULSIFYING OINTMENT * Oint BP	3.69	500 g	✓ <u>AFT</u>
OIL IN WATER EMULSION * Crm	2.80	500 g	✓ healthE Fatty Cream
UREA * Crm 10%	3.07	100 g OP	✓ Nutraplus
WOOL FAT WITH MINERAL OIL - Only on a prescription			
* Lotn hydrous 3% with mineral oil	1.40	250 ml OP	
	(3.50)		DP Lotion
	5.60	1,000 ml	
	(10.90)		DP Lotion
	1.40	250 ml OP	
	(3.50)		Hydroderm Lotion
	5.60	1,000 ml	
	(9.54)		Hydroderm Lotion
	(20.53)	050 105	Alpha-Keri Lotion
	1.40	250 ml OP	DICL II
	(7.73)	1 000!	BK Lotion
	5.60	1,000 ml	BK Lotion
	(23.91)		DIV FOIIOH

	Subsidy (Manufacturer's F	,	Fully Brand or osidised Generic
Other Dermatological Bases	\$	Per	✓ Manufacturer
ARAFFIN			
White soft - Only in combination		500 g	
	(7.78)	0.500	IPW
	20.20 3.58	2,500 g	✓ IPW
	(8.69)	500 g	PSM
Only in combination with a dermatological galenical or as	\ /	oprietary Topic	
Minor Skin Infections			
OVIDONE IODINE			
Oint 10%	3.27	25 g OP	✓ Betadine
a) Maximum of 100 g per prescription			
b) Only on a prescription	4.00	400	
Antiseptic soln 10%		100 ml	Diadina
	(4.20) 6.20	500 ml	Riodine Riodine
	0.19	15 ml	• mounic
	(3.27)		Betadine
	1.28	100 ml	
	(6.01)		Betadine
<u> </u>	6.20	500 ml	✓ Betadine
Skin preparation, povidone iodine 10% with 30% alcohol		100 ml	Datadina Olda Duan
	(3.60) 10.00	500 ml	Betadine Skin Prep Betadine Skin Prep
Skin preparation, povidone iodine 10% with 70% alcohol		100 ml	Detaume Skin Frep
Cian proparation, portable round 10/6 man 10/6 alcohol in	(6.04)		Orion
	8.13 [°]	500 ml	
	(18.63)		Orion
Parasiticidal Preparations			
SAMMA BENZENE HEXACHLORIDE			
Crm 1%	3.50	50 g OP	✓ Benhex
IALATHION			
Liq 0.5%		200 ml OP	✓ <u>A-Lices</u>
Shampoo 1%	2.83	30 ml OP	✓ <u>A-Lices</u>
ERMETHRIN			
Lotn 5%	3.65	30 ml OP	✓ <u>A-Scabies</u>
Psoriasis and Eczema Preparations			
CITRETIN - Special Authority see SA0954 on the next page -	- Retail pharmacy		
Cap 10 mg		100	✓ Neotigason
Can 0E ma	160.06	100	1/ Nootigooon

Cap 25 mg162.96

100

✔ Neotigason

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

■ SA0954 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- All of the following:
 - 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
 - 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
 - 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if actiretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
 - 3.2 Patient is male.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
- 3.2 Patient is male.

CALCIPOTRIOL	
Crm 50 µg р	Э

Crm 50 µg per g	20.20	30 g OP	✓ Daivonex	
	56.32	100 g OP	✓ Daivonex	
Oint 50 µg per g	20.20	30 g OP	✓ Daivonex	
	56.32	100 g OP	✓ Daivonex	
Soln 50 µg per ml	20.22	30 ml OP	✓ Daivonex	
	33.79	60 ml OP	✓ Daivonex	
COAL TAR				
Soln BP - Only in combination	12.95	200 ml	✓ Midwest	
Up to 10 % Only in combination with a dermatological ba	se or proprietar	y Topical Corti	costeriod - Plain, refer, page	170
With or without other dermatological galenicals.				
COAL TAD WITH ALL ANTOIN MENTHOL DHENOL AND CHILD	LIID			

COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULPHUR

Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and			
allantoin crm 2.5%	3.43	30 g OP	
	(4.35)	· ·	Egopsoryl TA
	6.59	75 g OP	•
	(8.00)	, and the second	Egopsoryl TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR			
Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	✓ Coco-Scalp

DERMATOLOGICALS

	Subsidy	D:)	Fully Brand or
	(Manufacturer's \$	Price) Sub Per	osidised Generic Manufacturer
SALICYLIC ACID			
Powder – Only in combination	15.00	500 g	✓ ABM
Torradi Orny in combination	18.88	250 g	✓ PSM
 Only in combination with a dermatological base or p page 170 	proprietary Topica	•	d - Plain or collodion flexible, refer,
With or without other dermatological galenicals. Maximum 20 g or 20 ml per prescription when pres (ABM Powder to be delisted 1 November 2011)	cribed with white	e soft paraffin o	r collodion flexible.
SULPHUR			
Precipitated - Only in combination	6.35	100 g	✓ Midwest
	6.50		✓ ABM
	(9.25)		PSM
Only in combination with a dermatological base or 2) With or without other dermatological galenicals. (ABM Precipitated to be delisted 1 September 2011) (PSM Precipitated to be delisted 1 November 2011)	proprietary Topic	cal Corticosteroi	d – Plain, refer, page 170
TAR WITH TRIETHANOLAMINE LAURYL SULPHATE AND FLU	ORESCEIN - C	Only on a prescr	iption
* Soln 2.3% with triethanolamine lauryl sulphate and fluores	-		
cein sodium	2.90	500 ml	✓ Pinetarsol
	5.54	1,000 ml	✓ Pinetarsol
Scalp Preparations			
BETAMETHASONE VALERATE			
* Scalp app 0.1%	7.22	100 ml OP	✓ Beta Scalp
CLOBETASOL PROPIONATE			<u></u>
* Scalp app 0.05%	6.36	30 ml OP	✓ Dermol
			<u> </u>
HYDROCORTISONE BUTYRATE Scalp lotn 0.1%	3 65	100 ml OP	✓ Locoid
'		100 1111 01	Locold
KETOCONAZOLE Shampoo 2%	2.49	100 ml OP	✓ Sebizole
a) Maximum of 100 ml per prescription		100 IIII OF	Sebizole
b) Only on a prescription			
Sunscreens			
SUNSCREENS, PROPRIETARY – Subsidy by endorsement Only if prescribed for a patient with severe photosensitivity endorsed accordingly.	secondary to a	defined clinical	condition and the prescription is
Crm	2.55	100 g OP	
	(5.89)		Hamilton Sunscreen
	1.28	50 g OP	A 0". E
	(5.50)		Aquasun Oil Free Faces SPF30+
Lotn	2.55	100 ml OP	✓ Marine Blue Lotion SPF 30+
2001			
	5.10	200 ml OP	✓ Marine Blue Lotion SPF 30+
	5.10 3.19	200 ml OP 125 ml OP	✓ Marine Blue Lotion SPF 30+

DERMATOLOGICALS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

Wart Preparations

For salicylic acid preparations refer to PSORIASIS AND ECZEMA PREPARATIONS, page 62

IMIQUIMOD - Special Authority see SA0923 below - Retail pharmacy

12 ✓ Aldara

▶SA0923 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has external anogenital warts and podophyllotoxin has been tried and failed (or is contraindicated); or
- 2 The patient has external anogenital warts and podophyllotoxin is unable to be applied accurately to the site; or
- 3 The patient has confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate.

Notes: Superficial basal cell carcinoma

- Surgical excision remains first-line treatment for superficial basal cell carcinoma as it has a higher cure rate than imiguimod and allows histological assessment of tumour clearance.
- Imiquimod has not been evaluated for the treatment of superficial basal cell carcinoma within 1 cm of the hairline, eyes, nose, mouth or ears.
- Imiguimod is not indicated for recurrent, invasive, infiltrating, or nodular basal cell carcinoma.

External anogenital warts

• Imiguimod is only indicated for external genital and perianal warts (condyloma acuminata).

Renewal from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Any of the following:

- 1 Inadequate response to initial treatment for anogenital warts; or
- 2 New confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate; or
- 3 Inadequate response to initial treatment for superficial basal cell carcinoma.

Note: Every effort should be made to biopsy the lesion to confirm that it is a superficial basal cell carcinoma.

PODOPHYLLOTOXIN

3.5 ml OP ✓ Condyline

- a) Maximum of 3.5 ml per prescription
- b) Only on a prescription

Other Skin Preparations

Antineoplastics

FLUOROURACIL SODIUM

20 a OP ✓ Efudix

Topical Analgesia

For aspirin & chloroform application refer, page 174

CAPSAICIN - Subsidy by endorsement

Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly.

45 q OP ✓ Zostrix HP

Wound Management Products

MAGNESIUM SULPHATE

80 g ...2.98 **PSM** (4.90)

Subsidy (Manufacturer's Price) Subsidised Generic Generic

\$ Per ✔ Manufacturer

Contraceptives -	Non-hormona
------------------	-------------

^ -					
Co	n	М	n	m	r
VU		u	u		r

CC	NDOMS			
*	49 mm - Up to 144 dev available on a PSO	1.11	12	✓ Gold Knight
	·	13.36	144	✓ Gold Knight
				✓ MarquisTantiliza
				✓ Shield 49
*	52 mm - Up to 144 dev available on a PSO	13.36	144	✓ Marquis Selecta
				✓ Marquis Sensolite
				✓ Marquis Supalite
*	52 mm extra strength - Up to 144 dev available on a PSO	13.36	144	Marquis Protecta
*	53 mm - Up to 144 dev available on a PSO	1.11	12	Shield Blue
		13.36	144	Shield Blue
		1.11	12	✓ Gold Knight
		13.36	144	✓ Gold Knight
				Marquis Black
				Marquis Titillata
*	53 mm (chocolate) - Up to 144 dev available on a PSO		12	Gold Knight
		13.36	144	Gold Knight
*	53 mm (strawberry) – Up to 144 dev available on a PSO	1.11	12	Gold Knight
		13.36	144	✓ Gold Knight
*	53 mm extra strength - Up to 144 dev available on a PSO		12	✓ Gold Knight
		13.36	144	✓ Gold Knight
*	54 mm, shaped - Up to 144 dev available on a PSO		12	
		(1.24)		Lifestyles Flared
		13.36	144	
		(14.84)		Lifestyles Flared
*	55 mm - Up to 144 dev available on a PSO		12	✓ Gold Knight
		13.36	144	✓ Gold Knight
				✓ Marquis Conforma
*	56 mm - Up to 144 dev available on a PSO	13.36	144	✓ Durex Select
				Flavours
*	56 mm extra strength – Up to 144 dev available on a PSO		144	✓ Durex Extra Safe
*	56 mm, shaped – Up to 144 dev available on a PSO		12	✓ Durex Confidence
		13.36	144	✓ Durex Confidence
*	60 mm - Up to 144 dev available on a PSO	13.36	144	✓ Shield XL
C	ontraceptive Devices			
אום	APHRAGM - Up to 1 dev available on a PSO			
יוט	One of each size is permitted on a PSO.			
*	65 mm	42 90	1	✓ Ortho All-flex
*	70 mm		1	✓ Ortho All-flex
*	75 mm		1	✓ Ortho All-flex
*	80 mm		1	✓ Ortho All-flex
IIV	TRA-UTERINE DEVICE			
	a) Up to 40 dev available on a PSO			
N/	b) Only on a PSO	20.50	4	Multiland Cu 275
*	IUD	39.50	1	Multiload Cu 375
				✓ Multiload Cu 375 SL

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Contraceptives - Hormonal

Combined Oral Contraceptives

▶SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 Patient is on a Social Welfare benefit; or
 - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient is on a Social Welfare benefit: or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

ETHINYLOESTRADIOL WITH DESOGESTREL

b) Up to 84 tab available on a PSO

*	Tab 20 μg with desogestrel 150 μg	6.62	63	
	, ,	(16.50)		Mercilon 21
	a) Higher subsidy of \$13.80 per 63 tab with Special	Authority see SA0500 at	oove	
	b) Up to 63 tab available on a PSO			
*	Tab 20 μg with desogestrel 150 μg and 7 inert tab	6.62	84	
		(16.50)		Mercilon 28
	a) Higher subsidy of \$13.80 per 84 tab with Special nb) Up to 84 tab available on a PSO	Authority see SA0500 at	oove	
*	Tab 30 μg with desogestrel 150 μg	6.62	63	
		(16.50)		Marvelon 21
	a) Higher subsidy of \$13.80 per 63 tab with Special nb) Up to 63 tab available on a PSO	Authority see SA0500 at	oove	
*	Tab 30 μg with desogestrel 150 μg and 7 inert tab	6.62	84	
		(16.50)		Marvelon 28
	a) Higher subsidy of \$13.80 per 84 tab with Special	Authority see SA0500 at	oove	

ETHINYLOESTRADIOL WITH LEVONORGESTREL Tab 50 µg with levonorgestrel 125 µg and 7 inert tab – Up t 84 tab available on a PSO	9.45 6.62 (16.50)	84 63		Microgynon 50 ED
84 tab available on a PSO	9.45 6.62 (16.50)	63		Microgynon 50 ED
* Tab 30 μg with levonorgestrel 150 μg	6.62 (16.50)	63		Microgynon 50 ED
a) Higher subsidy of \$15.00 per 63 tab with Special Author	(16.50)			
, , , , , , , , , , , , , , , , , , , ,	(/			
, , , , , , , , , , , , , , , , , , , ,	ority see SA0500 on th			Microgynon 30
b) Up to 63 tab available on a PSO		e pred	eding pag	le
★ Tab 30 µg with levonorgestrel 150 µg and 7 inert tab	6.62	84		Levlen ED
				Monofeme
	(14.49)			Nordette 28
	(16.50)			Microgynon 30 ED
a) Higher subsidy of up to \$15.00 per 84 tab with Special b) Up to 84 tab available on a PSO THINYLOESTRADIOL WITH NORETHISTERONE	Authority see SA0500	on th	e preceain	ig page
* Tab 35 μg with norethisterone 1 mg – Up to 63 tab availabl on a PSO		63	✓ I	Brevinor 1/21
★ Tab 35 µg with norethisterone 1 mg and 7 inert tab – Up t				
84 tab available on a PSO	6.62	84	/	Brevinor 1/28
★ Tab 35 µg with norethisterone 500 µg − Up to 63 tab availabl				
on a PSO	6.62	63	/	Brevinor 21
★ Tab 35 µg with norethisterone 500 µg and 7 inert tab − Up t				
84 tab available on a PSO	6.62	84	/	Norimin
IORETHISTERONE WITH MESTRANOL				
★ Tab 1 mg with mestranol 50 μg and 7 inert tab	6.62	84		
	(13.80)		1	Norinyl-1/28
 a) Higher subsidy of \$13.80 per 84 tab with Special Authors b) Up to 84 tab available on a PSO 	` ,	e pred		,
Combined Oral Contraceptives - Other				
THINNY OF TRADICIONAL THE EVONODOF OT DEL				
THINYLOESTRADIOL WITH LEVONORGESTREL Lab 20 up with levonorgestral 100 up and 7 inert tab. — Up t				

Tab 20 μg with levonorgestrel 100 μg and 7 inert tab – Up to

(16.50)Loette (16.50)Microgynon 20 ED

Progestogen-only Contraceptives

⇒SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 Patient is on a Social Welfare benefit; or
 - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

continued...

continued...

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

LEVONORGESTREL

* Tab 30 μg	6.62	84	
	(16.50)		Microlut
a) Higher subsidy of \$13.80 per 84 tab with Special Autho	rity see SA0500 or	n the preced	ding page
b) Up to 84 tab available on a PSO			
* Subdermal implant (2 × 75 mg rods)	133.65	1	✓ <u>Jadelle</u>
MEDROXYPROGESTERONE ACETATE			
* Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a PS	SO 7.15	1	✓ Depo-Provera
	, , , , , , , , , , , , , , , , , , , ,	•	2 20po 1 10101a
NORETHISTERONE	7.45	0.4	411 11 00
* Tab 350 μg – Up to 84 tab available on a PSO	7.15	84	✓ Noriday 28
Emergency Contraceptives			
=morgono, commucoparco			
LEVONORGESTREL			
* Tab 1.5 mg	12.50	1	✓ Postinor-1
a) Maximum of 2 tab per prescription			

b) Up to 5 tab available on a PSO Antiandrogen Oral Contraceptives

Prescribers may code prescriptions "contraceptive" (code "O") when used as indicated for contraception. The period of supply and prescription charge will be as per other contraceptives, as follows:

- \$3.00 prescription charge (patient co-payment) will apply.
- prescription may be written for up to six months supply.

Prescriptions coded in any other way are subject to the non contraceptive prescription charges, and the non-contraceptive period of supply. ie. Prescriptions may be written for up to three months supply.

CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL

★ Tab 2 mg with ethinyloestradiol 35 μg and 7 inert tabs4.91
84
✓ Ginet 84

Gynaecological Anti-infectives

ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC ACID Jelly with glacial acetic acid 0.94%, hydroxyguinoline sul-

	phate 0.025%, glycerol 5% and ricinoleic acid 0.75% with	1		
	applicator	8.43	100 g OP	
		(24.00)	0	Aci-Jel
CL	OTRIMAZOLE			
*	Vaginal crm 1% with applicators	1.30	35 g OP	✓ Clomazol
*	Vaginal crm 2% with applicators	2.50	20 a OP	✓ Clomazol

	Subsidy		Fully Brand or
	(Manufacturer's F	Price) Sub Per	sidised Generic Manufacturer
MICONAZOLE NITRATE			
* Vaginal crm 2% with applicator	2.75 (3.70)	40 g OP	Micreme
NYSTATIN	(3.70)		Micreme
Vaginal crm 100,000 u per 5 g with applicator(s)	4.71	75 g OP	✓ Nilstat
Myometrial and Vaginal Hormone Preparations			
ERGOMETRINE MALEATE			
Inj 500 μg per ml, 1 ml - Up to 5 inj available on a PSO	11.60	5	✓ Mayne
OESTRIOL			
* Crm 1 mg per g with applicator * Pessaries 500 ug		15 g OP 15	✓ Ovestin ✓ Ovestin
	0.33	13	• Ovestill
OXYTOCIN – Up to 5 inj available on a PSO Inj 5 iu per ml, 1 ml	5.94	5	✓ Syntocinon
Inj 10 iu per ml, 1 ml		5	✓ Syntocinon
Inj 5 iu with ergometrine maleate 500 μg per ml, 1 ml	10.12	5	✓ Syntometrine
Pregnancy Tests - hCG Urine			
PREGNANCY TESTS - HCG URINE			
a) Up to 200 test available on a PSO			
b) Only on a PSO	00.00	40 to at OD	
Cassette	22.80	40 test OP	✓ Innovacon hCG One Step Pregnancy
			Test

Urinary Agents

For urinary tract Infections refer to INFECTIONS, Antibacterials, page 92

5-Alpha Reductase Inhibitors

FINASTERIDE − Special Authority see SA0928 below − Retail pharmacy
Tab 5 mg19.20 30 ✓ Fintral

⇒SA0928 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 Either:
 - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
 - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Note: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride.

Alpha-1A Adrenoreceptor Blockers

TAMSULOSIN HYDROCHLORIDE – Special Authority see SA1032 on the next page – Retail pharmacy
Cap 400 µg5.98 30 ✓ Tamsulosin-Rex

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$

\$ Per ✔ Manufacturer

⇒SA1032 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 The patient is intolerant of non-selective alpha blockers or these are contraindicated.

Other Urinary Agents

OXYBUTYNIN * Tab 5 mg	500	✓ Apo-Oxybutynin
* Oral liq 5 mg per 5 ml50.40	473 ml OP	Apo-Oxybutynin
POTASSIUM CITRATE		
Oral liq 3 mmol per ml - Special Authority see SA1083 below		
- Retail pharmacy30.00	200 ml OP	✓ Biomed
The CA 1000 Consist Authority for Cubairty		

⇒SA1083 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has recurrent calcium oxalate urolithiasis; and
- 2 The patient has had more than two renal calculi in the two years prior to the application.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

SODIUM CITRO-TARTRATE

* Grans eff 4 g sachets	2.71	28	✓ <u>Ural</u>
SOLIFENACIN SUCCINATE - Special Authority see SA0998 below	/ – Retail pharn	nacy	
Tab 5 mg	56.50	30	✓ Vesicare
Tab 10 mg	56.50	30	✓ Vesicare

⇒SA0998 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has overactive bladder and a documented intolerance of oxybutynin.

Detection of Substances in Urine

ORTHO-TOLIDINE * Compound diagnostic sticks7.50	50 test OP	
(8.25)		Hemastix
TETRABROMOPHENOL		
* Blue diagnostic strips7.02	100 test OP	
(13.92)		Albustix

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

Subsidy

Fully

Brand or

(Manufacturer's Price) Subsidised Generic Per Manufacturer \$ **Anabolic Agents** NANDROLONE DECANOATE - Retail pharmacy-Specialist Inj 50 mg per ml, 1 ml21.16 1 ✓ Deca-Durabolin Orgaject \$29 Corticosteroids and Related Agents for Systemic Use BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHASONE ACETATE 5 Celestone Chronodose DEXAMETHASONE 100 Douglas Up to 30 tab available on a PSO 100 Douglas Up to 30 tab available on a PSO Oral liq 1 mg per ml - Retail pharmacy-Specialist39.90 25 ml OP ✓ Biomed Oral lig prescriptions: 1) Must be written by a Paediatrician or Paediatric Cardiologist; or 2) On the recommendation of a Paediatrician or Paediatric Cardiologist. DEXAMETHASONE SODIUM PHOSPHATE Inj 4 mg per ml, 1 ml – Up to 5 inj available on a PSO21.50 5 ✓ Hospira Inj 4 mg per ml, 2 ml - Up to 5 inj available on a PSO31.00 5 Hospira FLUDROCORTISONE ACETATE * Tab 100 μg14.32 100 ✔ Florinef HYDROCORTISONE 100 ✓ Douglas **Douglas** 100 1 ✓ Solu-Cortef a) Up to 5 inj available on a PSO b) Only on a PSO METHYLPREDNISOLONE - Retail pharmacy-Specialist 100 Medrol Tab 100 mg166.52 20 Medrol METHYLPREDNISOLONE ACETATE 1 ✓ Depo-Medrol METHYLPREDNISOLONE ACETATE WITH LIGNOCAINE Inj 40 mg per ml with lignocaine 1 ml6.03 1 ✓ Depo-Medrol with Lidocaine METHYLPREDNISOLONE SODIUM SUCCINATE - Retail pharmacy-Specialist 25 ✓ Solu-Medrol Inj 62.5 mg per ml, 2 ml412.59 25 ✓ Solu-Medrol 1 ✓ Solu-Medrol Inj 1 g42.57 ' Solu-Medrol PREDNISOLONE SODIUM PHOSPHATE Oral lig 5 mg per ml - Up to 30 ml available on a PSO9.95 30 ml OP Redipred Restricted to children under 12 years of age.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
PREDNISONE				
* Tab 1 mg	10.68	500		Apo-Prednisone
* Tab 2.5 mg	12.09	500		Apo-Prednisone
* Tab 5 mg - Up to 30 tab available on a PSO		500		Apo-Prednisone
* Tab 20 mg	29.03	500	~	Apo-Prednisone
TETRACOSACTRIN				
* Inj 250 µg	177.18	10	~	Synacthen_
* Inj 1 mg per ml, 1 ml	26.88	1	~	Synacthen Depot
TRIAMCINOLONE ACETONIDE				
Inj 10 mg per ml, 1 ml	11.11	5	~	Kenacort-A
Inj 40 mg per ml, 1 ml	28.09	5	V	Kenacort-A40
Sex Hormones Non Contraceptive				
Androgen Agonists and Antagonists				
CYPROTERONE ACETATE - Retail pharmacy-Specialist				
Tab 50 mg	21.10	50	~	Siterone
Tab 100 mg	41.50	50	V	Siterone
TESTOSTERONE				
Transdermal patch, 2.5 mg per day	80.00	60	V	Androderm
TESTOSTERONE CYPIONATE – Retail pharmacy-Specialist				
Inj long-acting 100 mg per ml, 10 ml	61 41	1	V	Depo-Testosterone
				Dopo redicaterone
TESTOSTERONE ESTERS – Retail pharmacy-Specialist	10.00	1	./	Sustanon Ampoules
Inj 250 mg per ml, 1 ml		1	•	Sustanion Ampoules
TESTOSTERONE UNDECANOATE - Retail pharmacy-Specialis			_	
Cap 40 mg	79.92	100	~	Arrow-Testosterone

Hormone Replacement Therapy - Systemic

■SA1018 Special Authority for Alternate Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 years for applications meeting the following criteria: Any of the following:

- 1 acute or significant liver disease where oral oestrogens are contraindicated as determined by a gastroenterologist or general physician. The applicant must keep written confirmation from such a specialist with the patient's record; or
- 2 oestrogen induced hypertension requiring antihypertensive therapy documented evidence must be kept on file that raised blood pressure levels or inability to control blood pressure adequately occurred post oral oestrogens; or
- 3 hypertriglyceridaemia documented evidence must be kept on file that triglyceride levels increased to at least 2 × normal triglyceride levels post oral oestrogens; or
- 4 Somatropin co-therapy patient is being prescribed somatropin with subsidy provided under a valid approval issued under Special Authority.

Note: Prescriptions with a valid Special Authority (CHEM) number will be reimbursed at the level of the lowest priced TDDS product within the specified dose group.

Renewal from any relevant practitioner. Approvals valid for 5 years where the treatment remains appropriate and the patient is benefiting from treatment, or the patient remains on subsidised somatropin co-therapy.

Prescribing Guideline

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004"

Subsidy

Fully

Brand or

(Manufacturer's Price) Subsidised Generic Manufacturer \$ **Oestrogens** OESTRADIOL - See prescribing guideline on the preceding page 28 OP Estrofem 28 OP Estrofem 8 Estraderm TTS 25 (10.86)Estradot (10.86)a) Higher subsidy of \$10.86 per 8 patch with Special Authority see SA1018 on the preceding page b) No more than 2 patch per week c) Only on a prescription TDDS 3.9 mg (releases 50 ug of oestradiol per day)4.12 4 Climara 50 (13.18)Femtran 50 (32.50)a) Higher subsidy of \$13.18 per 4 patch with Special Authority see SA1018 on the preceding page b) No more than 1 patch per week c) Only on a prescription TDDS 50 µg per day4.12 Estraderm TTS 50 (13.18)(13.18)Estradot 50 µg a) Higher subsidy of \$13.18 per 8 patch with Special Authority see SA1018 on the preceding page b) No more than 2 patch per week c) Only on a prescription TDDS 7.8 mg (releases 100 µg of oestradiol per day)7.05 Climara 100 (35.00)Femtran 100 a) Higher subsidy of \$16.14 per 4 patch with Special Authority see SA1018 on the preceding page b) No more than 1 patch per week c) Only on a prescription TDDS 100 µg per day7.05 8 (16.14)Estraderm TTS 100 (16.14)**Estradot** a) Higher subsidy of \$16.14 per 8 patch with Special Authority see SA1018 on the preceding page b) No more than 2 patch per week c) Only on a prescription OESTRADIOL VALERATE - See prescribing guideline on the preceding page 56 Progynova 56 Progynova OESTROGENS - See prescribing guideline on the preceding page Conjugated, equine tab 300 µg3.01 28 Premarin Conjugated, equine tab 625 µg4.12 28 Premarin

	Subsidy (Manufacturer's Price \$	e) Per	Fully Brand or Generic Manufacturer
Progestogens			
MEDROXYPROGESTERONE ACETATE – See prescribing guide * Tab 2.5 mg * Tab 5 mg * Tab 10 mg	3.09 13.06	30 100 30	✓ Provera ✓ Provera ✓ Provera
Progestogen and Oestrogen Combined Preparat	ions		
DESTRADIOL WITH NORETHISTERONE — See prescribing guid Tab 1 mg with 0.5 mg norethisterone acetate	5.40 (14.52)	28 OP 28 OP	Kliovance
* Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg oestradiol tab (12) and 1 mg oestradiol tab (6)	(14.52) 5.40 (14.52)	28 OP	Kliogest Trisequens
OESTROGENS WITH MEDROXYPROGESTERONE — See pres * Tab 625 µg conjugated equine with 2.5 mg medroxyproges- terone acetate tab (28)	0.0	page 7	
* Tab 625 µg conjugated equine with 5 mg medroxyprogesterone acetate tab (28)	5.40 (22.96)	28 OP	Premia 5 Continuous
Other Oestrogen Preparations			
ETHINYLOESTRADIOL * Tab 10 µg	17.60	100	NZ Medical and Scientific
OESTRIOL * Tab 2 mg	7.00	30	✓ Ovestin
Other Progestogen Preparations			
LEVONORGESTREL * Levonorgestrel - releasing intrauterine system 20 μg/24 hr – Special Authority see SA0782 below – Retail pharmacy	269.50	1	✓ Mirena
TACADTOD Created Authority for Cubaidy			

■SA0782 | Special Authority for Subsidy Initial application — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- 3 Either:
 - 3.1 serum ferritin level < 16 µg/l (within the last 12 months); or
 - 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

continued...

Initial application — (**Previous use before 1 October 2002**) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient had a clinical diagnosis of heavy menstrual bleeding; and
- 2 Patient demonstrated clinical improvement of heavy menstrual bleeding; and
- 3 Applicant to state date of the previous insertion.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
 - 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

MEDROXYPROGESTERONE ACETATE

 * Tab 100 mg – Retail pharmacy-Specialist * Tab 200 mg – Retail pharmacy-Specialist 		100 30	✓ Provera✓ Provera
NORETHISTERONE * Tab 5 mg - Up to 30 tab available on a PSO	25.00	100	✓ Primolut N

Thyroid and Antithyroid Agents

CARBIMAZOLE * Tab 5 mg	10.80	100	✓ Neo-Mercazole
LEVOTHYROXINE			
* Tab 50 μg	1.71	28	✓ Goldshield
	45.00	1,000	✓ Synthroid
	64.28		✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral liquid p	reparations.		
* Tab 100 μg	1.78	28	✓ Goldshield
	46.75	1,000	✓ Synthroid
	66.78		✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral liquid p	reparations.		
* Tab 25 μg	43.24	1,000	✓ Synthroid
‡ Safety cap for extemporaneously compounded oral liquid p	reparations.		•

Trophic Hormones

Growth Hormones

⇒SA0755 Special Authority for Subsidy

Special Authority approved by the Growth Hormone Committee

Notes: Subject to budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

NZGHC Coordinator

PHARMAC, PO Box 10-254, WELLINGTON

Tel: 0800 808 476, Fax: (09) 929 3221, Email: growthhormone@pharmac.govt.nz

SOMATROPIN - Special Authority see SA0755 above

*	Inj cartridge 16 iu (5.3 mg)	160.00	1	✓ Genotropin
*	Inj cartridge 36 iu (12 mg)	360.00	1	✓ Genotropin

	Subsidy (Manufacturer's Price \$	e) S Per	Fully Subsidised	Brand or Generic Manufacturer
GnRH Analogues				
GOSERELIN ACETATE				
Inj 3.6 mg	166.20	1	✓ Z	oladex
Inj 10.8 mg	443.76	1	✓ Z	oladex
LEUPRORELIN				
Inj 3.75 mg	221.60	1	✓ L	ucrin Depot
Inj 3.75 mg prefilled syringe	221.60	1	✓ L	ucrin Depot PDS
Inj 7.5 mg	166.20	1	✓ E	ligard
Inj 11.25 mg	591.68	1	✓ L	ucrin Depot
Inj 11.25 mg prefilled syringe	591.68	1	✓ L	ucrin Depot PDS
Inj 22.5 mg	443.76	1	✓ E	ligard
Inj 30 mg	591.68	1	✓ E	ligard
Inj 30 mg prefilled syringe	1,109.40	1		ucrin Depot PDS
Inj 45 mg	832.05	1	✓ E	ligard
Vasopressin Agonists				
DESMOPRESSIN				
 Nasal drops 100 μg per ml – Retail pharmacy-Specialist 	39.03 2	2.5 ml OF	✓ M	linirin
▲ Nasal spray 10 µg per dose − Retail pharmacy-Specialist		6 ml OP		esmopressin-
		· · ·	· <u>-</u>	PH&T
Inj 4 μg per ml, 1 ml - Special Authority see SA0090 below -	_			
Retail pharmacy	67.18	10	✓ M	linirin
■ SA0090 Special Authority for Subsidy				
Initial application only from a relevant specialist. Approvals va	lid for 2 years where	e the nat	ient canno	t use desmonressin nas
spray or nasal drops.	101 = you.oo	o uno par		
Renewal only from a relevant specialist. Approvals valid for 2 y	ears where the trea	tment re	mains app	ropriate and the patient
benefiting from treatment.				
<u> </u>				
Other Endocrine Agents				
CABERGOLINE				
Tab 0.5 mg - Maximum of 2 tab per prescription; can be	e			
waived by Special Authority see SA1031 below		2	✓ A	rrow-Cabergoline
	66.00	8		rrow-Cabergoline
	16.50	2		ostinex
	66.00	8	4 ∕ D	ostinex

⇒SA1031 Special Authority for Waiver of Rule

Initial application only from an obstetrician, endocrinologist or gynaecologist. Approvals valid without further renewal unless notified where the patient has pathological hyperprolactinemia.

Renewal only from an obstetrician, endocrinologist or gynaecologist. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment.

CLOMIPHENE CITRATE Tab 50 mg	29.84	10	✓ Serophene
DANAZOL - Retail pharmacy-Specialist			
Cap 100 mg	68.33	100	✓ Azol
Cap 200 mg	97.83	100	✓ Azol
GESTRINONE - Retail pharmacy-Specialist			
Cap 2.5 mg	101.87	8 OP	Dimetriose

[‡] safety cap

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
METYRAPONE Cap 250 mg - Retail pharmacy-Specialist	238.00	50	✓ M	etopirone	

	Subsidy (Manufacturer's Price \$	e) Per	Fully Brand or Subsidised Generic Manufacturer
Anthelmintics			
MEBENDAZOLE – Only on a prescription Tab 100 mg Oral liq 100 mg per 5 ml		24 15 ml	✓ <u>De-Worm</u> Vermox
Antibacterials			
a) For topical antibacterials, refer to DERMATOLOGICALS, page b) For anti-infective eye preparations, refer to SENSORY ORGAN			
Cephalosporins and Cephamycins			
CEFACLOR MONOHYDRATE Cap 250 mg	28.90	100 100 ml	✓ Cefaclor Sandoz✓ Ranbaxy-Cefaclor✓ Ranbaxy-Cefaclor
CEFAZOLIN SODIUM – Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient and the Inj 500 mg	prescription is endo	orsed ac 5 5	
CEFOXITIN SODIUM — Retail pharmacy-Specialist — Subsidy by Only if prescribed for dialysis or cystic fibrosis patient and the Inj 1 g	prescription is endo	orsed ac	ccordingly. Mayne
CEFTRIAXONE SODIUM – Subsidy by endorsement a) Up to 5 inj available on a PSO b) Subsidised only if prescribed for a dialysis or cystic fibro gonorrhoea, or the treatment of suspected meningitis in patie PSO is endorsed accordingly.			

CEFUROXIME	AXFTII -	 Subsidy 	hv	endorsement

Only if prescribed for prophylaxis of endocarditis and the prescription is endorsed accordingly.

Inj 500 mg2.70

ment......4.04

CEFUROXIME SODIUM

Inj 250 mg – Maximum of 3 inj per prescription; can be waived			
by endorsement	20.97	10	Mayne
Inj 750 mg - Maximum of 1 inj per prescription; can be waived			
by endorsement	10.71	5	✓ Zinacet
Inj 1.5 g - Retail pharmacy-Specialist - Subsidy by endorse-			

Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.

CEPHALEXIN MONOHYDRATE

Cap 500 mg8.90	20	Cephalexin ABM
Grans for oral lig 125 mg per 5 ml8.50	100 ml	✓ Cefalexin Sandoz
Grans for oral liq 250 mg per 5 ml11.50	100 ml	✓ Cefalexin Sandoz

Veracol

Aspen Ceftriaxone

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Macrolides

AZITHROMYCIN - Subsidy by endorsement; can be waived by Special Authority see SA1130 below

- a) Maximum of 2 tab per prescription; can be waived by Special Authority see SA1130 below
- b) Up to 8 tab available on a PSO
- c) Subsidised only if prescribed for patients with uncomplicated urethritis or cervicitis proven or presumed to be due to chlamydia trachomatis and their sexual contacts and prescription or PSO is endorsed accordingly; can be waived by Special Authority see SA1130.

■ SA1130 Special Authority for Waiver of Rule

Initial application — (Cystic Fibrosis) only from a respiratory specialist or paediatrician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The applicant is part of multidisciplinary team experienced in the management of cystic fibrosis; and
- 2 The patient has been definitively diagnosed with cystic fibrosis*; and
- 3 The patient has chronic infection with Pseudomonas aeruginosa or Pseudomonas related gram negative organisms as defined by two positive respiratory tract cultures at least three months apart*; and
- 4 The patient has negative cultures for non-tuberculous mycobacteria.

Notes: Caution is advised if using azithromycin as an antibiotic in the treatment of cystic fibrosis patients with pneumonia.

Testing for non-tuberculosis mycobacteria should occur annually.

Initial application — (bronchiolitis obliterans syndrome) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has received a lung transplant; and
- 2 Azithromycin is to be used for prophylaxis of bronchiolitis obliterans syndrome*; and
- 3 The applicant is experienced in managing patients who have received a lung transplant.

Renewal — (bronchiolitis obliterans syndrome) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient remains well and free from bronchiolits obliterans syndrome*; and
- 2 The applicant is experienced in managing patients who have received a lung transplant.

Note: Indications marked with * are Unapproved Indications

CLARITHROMYCIN – Maximum of 500 mg per prescription; can be waived by Special Authority see SA1131 below Tab 250 mg7.75 14 Klacid Klamycin

Grans for oral liq 125 mg per 5 ml23.12 70 ml Klacid

■ SA1131 Special Authority for Waiver of Rule

Initial application — **(Mycobacterial infections)** only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years for applications meeting the following criteria:

Fither:

- 1 Atypical mycobacterial infection; or
- 2 Mycobacterium tuberculosis infection where there is drug-resistance or intolerance to standard pharmaceutical agents.

Renewal — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

FRYTHROMYCIN FTHYL SUCCINATE

Tab 400 mg - Up to 30 tab available on a PSO16.95	100	✓ E-Mycin
Grans for oral liq 200 mg per 5 ml - Up to 200 ml available on a PSO4.35	100 ml	✓ E-Mycin
Grans for oral liq 400 mg per 5 ml - Up to 200 ml available		
on a PSO5.85	100 ml	E-Mycin

	Subsidy	:\ 0	Fully	Brand or
	(Manufacturer's Pr \$	rce) Sui Per	bsidised	Generic Manufacturer
RYTHROMYCIN LACTOBIONATE				
Inj 1 g	10.93	1	✓ E	rythrocin IV
RYTHROMYCIN STEARATE				
Tab 250 mg - Up to 30 tab available on a PSO	14.95	100		
•	(22.29)		E	RA
Tab 500 mg	29.90	100		
	(44.58)		Е	RA
OXITHROMYCIN				
Tab 150 mg	8.98	50	✓ A	rrow-
				Roxithromycin
Tab 300 mg	16.48	50	✓ <u>A</u>	
				Roxithromycin
Penicillins				
MOXYCILLIN				
Cap 250 mg - Up to 30 cap available on a PSO	16.18	500	✓ <u>A</u>	<u>lphamox</u>
Cap 500 mg	26.50	500	✓ <u>A</u>	<u>lphamox</u>
Grans for oral liq 125 mg per 5 ml - Up to 200 ml available				
on a PSO		100 ml	V 0	spamox
Grans for oral liq 250 mg per 5 ml - Up to 200 ml available				
on a PSO		100 ml	_	<u>spamox</u>
Drops 125 mg per 1.25 ml	4.00	30 ml OP		spamox Paediatric
la: 050 a.a.	10.40	10		<u>Drops</u>
Inj 250 mg		10 10		<u>iamox</u> iamox
Inj 1 g - Up to 5 inj available on a PSO		10	_	iamox
, , ,		10	¥ <u>110</u>	<u>idillox</u>
MOXYCILLIN CLAVULANATE				
Tab amoxycillin 500 mg with potassium clavulanate 125 mg		100		vnermox
- Up to 30 tab available on a PSO		100	V 3	<u>ynermox</u>
Grans for oral liq amoxycillin 125 mg with potassium clavu- lanate 31.25 mg per 5 ml – Up to 200 ml available on a				
PSO		100 ml	√ C	ııram
Grans for oral lig amoxycillin 250 mg with potassium clavu-		100 1111	• •	ui uiii
lanate 62.5 mg per 5 ml – Up to 200 ml available on a				
PSO		100 ml	√ C	uram
ENZATHINE BENZYLPENICILLIN			_	
Inj 1.2 mega u per 2.3 ml – Up to 5 inj available on a PSO	315.00	10	✓ R	icillin LA
, , ,		10	+ D	VIIIII EA
ENZYLPENICILLIN SODIUM (PENICILLIN G) Inj 1 mega u – Up to 5 inj available on a PSO	10.40	10	40	andoz
ing i meya u – up tu o ing avallable un a rou	10.49	10	V 3	alluuz

81

	Subsidy		Fully Brand or
	(Manufacturer's F	Price) Sul	bsidised Generic
	\$	Per	✓ Manufacturer
FLUCLOXACILLIN SODIUM			
Cap 250 mg - Up to 30 cap available on a PSO	32.00	250	✓ AFT
Cap 500 mg		500	✓ AFT
Grans for oral lig 125 mg per 5 ml - Up to 200 ml available			
on a PSO		100 ml	✓ <u>AFT</u>
Grans for oral liq 250 mg per 5 ml - Up to 200 ml available			
on a PSO	3.55	100 ml	✓ <u>AFT</u>
Inj 250 mg		10	✓ Flucloxin
Inj 500 mg		10	Flucloxin
Inj 1 g - Up to 5 inj available on a PSO	14.00	10	✓ Flucloxin
PHENOXYMETHYLPENICILLIN (PENICILLIN V)			
Cap potassium salt 250 mg - Up to 30 cap available on a PS		50	✓ <u>Cilicaine VK</u>
Cap potassium salt 500 mg		50	✓ <u>Cilicaine VK</u>
Grans for oral liq 125 mg per 5 ml - Up to 200 ml available			
on a PSO		100 ml	✓ <u>AFT</u>
Grans for oral liq 250 mg per 5 ml - Up to 200 ml available			4
on a PSO	1.78	100 ml	✓ <u>AFT</u>
PROCAINE PENICILLIN			
Inj 1.5 mega u – Up to 5 inj available on a PSO	50.86	5	✓ <u>Cilicaine</u>
Tetracyclines			
Total de your les			
DOXYCYCLINE HYDROCHLORIDE			
* Tab 50 mg - Up to 30 tab available on a PSO		30	
.t. T. 400	(6.00)	050	Doxy-50
* Tab 100 mg - Up to 30 tab available on a PSO	8.10	250	✓ Doxine
MINOCYCLINE HYDROCHLORIDE			
* Tab 50 mg		60	
W. Con 100 mm	(12.05)	100	Mino-tabs
* Cap 100 mg		100	Minomyoin
	(52.04)		Minomycin
Other Antibiotics			
For topical antibiotics, refer to DERMATOLOGICALS, page 57			
CIPROFLOXACIN			
Tab 250 mg – Up to 5 tab available on a PSO	3.35	30	✓ Rex Medical
Tab 500 mg - Up to 5 tab available on a PSO		30	✓ Rex Medical
Tab 750 mg - Retail pharmacy-Specialist		30	✓ Rex Medical
CLINDAMYCIN			
Cap hydrochloride 150 mg – Maximum of 4 cap per prescrip-			
tion; can be waived by endorsement - Retail pharmacy -			
Specialist		16	✓ Dalacin C
Inj phosphate 150 mg per ml, 4 ml - Retail pharmacy-		.0	
Specialist		1	✓ Dalacin C
CO-TRIMOXAZOLE			
* Tab trimethoprim 80 mg and sulphamethoxazole 400 mg -			
Up to 30 tab available on a PSO		500	✓ Trisul
* Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg		000	- IIIVWI
per 5 ml – Up to 200 ml available on a PSO		100 ml	✓ Deprim
			•

	Subsidy (Manufacturer's Price)	Subs Per	Fully	
	Ψ	rei		Manuacturei
COLISTIN SULPHOMETHATE – Retail pharmacy-Specialist – Sub Only if prescribed for dialysis or cystic fibrosis patient and the p	prescription is endors	sed accord	- :	
Inj 150 mg	65.00	1		Colistin-Link
FUSIDIC ACID				
Tab 250 mg - Retail pharmacy-Specialist	34.50	12	~	Fucidin
Inj 500 mg sodium fusidate per 10 ml - Retail pharmacy-				
Specialist – Subsidy by endorsement		1		
	(17.80)			Fucidin
Only if prescribed for a dialysis or cystic fibrosis patient and	the prescription is e	ndorsed a	ccord	ingly.
GENTAMICIN SULPHATE	0.50	_		
Inj 10 mg per ml, 1 ml – Subsidy by endorsement		5		Mayne
Only if prescribed for a dialysis or cystic fibrosis patient or f accordingly.	or prophylaxis of en	idocarditis	and t	ne prescription is endorsed
Inj 40 mg per ml, 2 ml – Subsidy by endorsement	9.00	10	~	Pfizer
Only if prescribed for a dialysis or cystic fibrosis patient or f				
accordingly.				
LINCOMYCIN – Retail pharmacy-Specialist				
Inj 300 mg per ml, 2 ml	80.00	5	~	Lincocin
MOXIFLOXACIN - Special Authority see SA1065 below - Retail pl	narmacy			
No patient co-payment payable	y			
Tab 400 mg	52.00	5	1	Avelox
■SA1065 Special Authority for Subsidy				
Initial application only from a respiratory specialist or infectious	disease specialist.	Approvals	valio	for 1 year for applications
meeting the following criteria:				
Either:				
1 Both:				
1.1 Active tuberculosis*; and				
1.2 Any of the following:1.2.1 Documented resistance to one or more first-lin	a madications, or			
1.2.2 Suspected resistance to one or more first-line		ulosis assı	umed	to be contracted in an area
with known resistance), as part of regimen cor				
1.2.3 Impaired visual acuity (considered to preclude	•			
1.2.4 Significant pre-existing liver disease or hepator				
1.2.5 Significant documented intolerance and/or side				
2 Mycobacterium avium-intracellulare complex not responding				
Note: Indications marked with * are Unapproved Indications (refer tions) and Part IV (Miscellaneous Provisions) rule 4.6).	to Section A: Gener	ral Hules,	Part I	(Interpretations and Defini-
Renewal only from a respiratory specialist or infectious disease specialist disease diseas	acialist Annrovals v	alid for 1 v	ωar w	here the treatment remains
appropriate and the patient is benefiting from treatment.	colalist. Approvals v	and ior i y	cai vi	more the treatment remains
TOBRAMYCIN				
Inj 40 mg per ml, 2 ml – Subsidy by endorsement	34.50	5	1	Mayne
Only if prescribed for dialysis or cystic fibrosis patient and th				,
TRIMETHOPRIM				•
* Tab 300 mg - Up to 30 tab available on a PSO	8.69	50	1	TMP_
VANCOMYCIN HYDROCHLORIDE – Subsidy by endorsement			-	
Only if prescribed for a dialysis or cystic fibrosis patient or in the	ne treatment of pseu	udomembr	anous	s colitis or for prophylaxis of
endocarditis and the prescription is endorsed accordingly.				and the second s
Inj 50 mg per ml, 10 ml	5.04	1	/	Pacific Pacific

	Subsidy (Manufacturer's Price)		Fully	
	\$	Per	V	Manufacturer
Antifungals				
a) For topical antifungals refer to DERMATOLOGICALS, page 57				
b) For topical antifungals refer to GENITO URINARY, page 69				
FLUCONAZOLE				
Cap 50 mg - Retail pharmacy-Specialist		28		Pacific Pacific
Cap 150 mg – Subsidy by endorsement	1.30	1	•	Pacific Pacific
b) Patient has vaginal candida albicans and the authorised	prescriber considers	that a	topical im	idazole is not recommended
and the prescription is endorsed accordingly.	F			
Cap 200 mg - Retail pharmacy-Specialist	19.05	28	~	Pacific Pacific
ITRACONAZOLE - Retail pharmacy-Specialist				
Cap 100 mg	4.25	15	~	<u>Itrazole</u>
KETOCONAZOLE				
Tab 200 mg - Retail pharmacy-Specialist	38.12	30	~	Nizoral
NYSTATIN				
Tab 500,000 u		50		<u>Nilstat</u>
Cap 500,000 u	12.81	50	~	<u>Nilstat</u>
TERBINAFINE				
Tab 250 mg	25.50	100	~	Apo-Terbinafine
Antimalarials				
HYDROXYCHLOROQUINE SULPHATE				
* Tab 200 mg	22.50	100	~	<u>Plaquenil</u>
Antitrichomonal Agents				
METRONIDAZOLE				
Tab 200 mg - Up to 30 tab available on a PSO	9.50	100	~	Trichozole
Tab 400 mg		100		Trichozole
Oral liq benzoate 200 mg per 5 ml		00 ml		Flagyl-S
Suppos 500 mg	24.48	10	•	Flagyl
ORNIDAZOLE	10.00	10		Tiberel
Tab 500 mg	16.50	10	-	Tiberal Arrow-Ornidazole
	10.50			ATTOW-OTTHQUEOIC
Antituberculotics and Antileprotics				
Note: There is no co-payment charge for all pharmaceuticals list	ed in the Antitubercu	lotics	and Antile	eprotics group regardless of
immigration status.				
DAPSONE – No patient co-payment payable				_
Tab 25 mg		100		Dapsone
Tab 100 mg		100	~	Dapsone
ETHAMBUTOL HYDROCHLORIDE – No patient co-payment pay		F.C.		Maramahartal
Tab 100 mg Tab 400 mg		56 56		Myambutol Myambutol
iau +00 iiig	43.04	50	•	wyambutoi

	Subsidy (Manufacturer's Price \$) Per	Fully Subsidised	Brand or Generic Manufacturer
ISONIAZID – Retail pharmacy-Specialist No patient co-payment payable				
* Tab 100 mg	20.00	100	✓ P:	SM
* Tab 100 mg with rifampicin 150 mg		100		ifinah
* Tab 150 mg with rifampicin 300 mg		100	✓ R	ifinah
PYRAZINAMIDE – Retail pharmacy-Specialist No patient co-payment payable * Tab 500 mg	59.00	100	✓ A	FT-Pyrazinamide
* Cap 150 mg	213.19	30	✓ M	<u>ycobutin</u>
RIFAMPICIN – Retail pharmacy-Specialist No patient co-payment payable				
* Tab 600 mg	114.40	30	✓ R	ifadin
* Cap 150 mg		100	✓ R	ifadin
* Cap 300 mg	122.36	100	✓ R	ifadin
* Oral liq 100 mg per 5 ml	12.66	60 ml	✓ R	ifadin
A DESCRIPTION OF THE PROPERTY				

Antivirals

For eye preparations refer to Eye Preparations, Anti-Infective Preparations, page 164

Hepatitis B Treatment

► SA0829 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT (> 1 × ULN); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Either:
 - 5.1 Both:
 - 5.1.1 Patient is cirrhotic; and
 - 5.1.2 adefovir dipivoxil to be used in combination with lamivudine: or
 - 5.2 Both:
 - 5.2.1 Patient is not cirrhotic; and
 - 5.2.2 adefovir dipivoxil to be used as monotherapy.

Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as:

- i) raised serum ALT (> 1 × ULN); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- iii) Detection of N236T or A181T/V mutation.

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

30

Brand or Generic Manufacturer

continued...

Adefovir dipivoxil should be stopped 6 months following HBeAq seroconversion for patients who were HBeAq+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines.

Adefovir dipivoxil should be avoided in pregnant women and children.

ENTECAVIR - Special Authority see SA0977 below - Retail pharmacy

Tab 0.5 mg400.00

✓ Baraclude

⇒SA0977 | Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naive; and
- 3 Entecavir dose 0.5 mg/day; and
- 4 Either:
 - 4.1 ALT greater than upper limit of normal; or
 - 4.2 Bridging fibrosis or cirrhosis (Metavir stage 3 or greater) on liver histology; and
- - 5.1 HBeAg positive; or
 - 5.2 patient has ≥ 2,000 IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV, HIV or HDV; and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE -	Special Authority see SA0832 below – Retail pharmacy	
Tab 100 mg	143.00	

28 ✓ Zeffix 240 ml ✓ Zeffix

⇒SA0832 Special Authority for Subsidy

Initial application only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Any of the following:
 - 1.1 All of the following:
 - 1.1.1 HBsAg positive for more than 6 months; and
 - 1.1.2 HBeAg positive or HBV DNA positive defined as > 100,000 copies per ml by quantitative PCR at a reference laboratory; and
 - 1.1.3 ALT greater than twice upper limit of normal or bridging fibrosis or cirrhosis (Metavir stage 3 or 4 or equivalent) on liver histology clinical/radiological evidence of cirrhosis: or
 - 1.2 HBV DNA positive cirrhosis prior to liver transplantation; or
 - 1.3 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 1.4 Hepatitis B surface antigen positive (HbsAg) patient who is receiving chemotherapy for a malignancy, or who has received such treatment within the previous two months; and
- 2 All of the following:
 - 2.1 No continuing alcohol abuse or intravenous drug use; and
 - 2.2 Not coinfected with HCV or HDV: and
 - 2.3 Neither ALT nor AST greater than 10 times upper limit of normal; and
 - 2.4 No history of hypersensitivity to lamiyudine: and
 - 2.5 No previous lamivudine therapy with genotypically proven lamivudine resistance.

Renewal only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

Renewal for patients who have maintained continuous treatment and response to lamivudine

- 1 All of the following:
 - 1.1 Have maintained continuous treatment with lamivudine; and
 - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
 - 1.3 HBV DNA <100,00 copies per ml by quantitative PCR at a reference laboratory; or

Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine

- 2 All of the following:
 - 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and
 - 2.2 Patient is cirrhotic: and

Documented resistance to lamivudine, defined as:

- 2.3 Patient has raised serum ALT (> 1 × ULN); and
- 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
- 2.5 Detection of M204I or M204V mutation; or

Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

- 3 All of the following:
 - 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and Documented resistance to adefovir, defined as:
 - 3.2 Patient has raised serum ALT (> 1 × ULN); and
 - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
 - 3.4 Detection of N236T or A181T/V mutation.

Herpesvirus Treatments

ACICLOVIR

* Tab dispersible 200 mg 1.98 * Tab dispersible 400 mg 6.64 * Tab dispersible 800 mg 7.38	56	✓ <u>Lovir</u> ✓ <u>Lovir</u> ✓ <u>Lovir</u>
VALACICLOVIR - Special Authority see SA0957 below - Retail pharmacy		
Tab 500 mg102.72	30	✓ Valtrex

■ SA0957 Special Authority for Subsidy

Initial application — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the patient has genital herpes with 2 or more breakthrough episodes in any 6 month period while treated with aciclovir 400 mg twice daily.

Renewal — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (ophthalmic zoster) from any medical practitioner. Approvals valid without further renewal unless notified where the patient has previous history of ophthalmic zoster and the patient is at risk of vision impairment.

Initial application — (CMV prophylaxis) from any medical practitioner. Approvals valid for 3 months where the patient has undergone organ transplantation.

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

✓ Viread

Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE – Subsidy by endorsement; can be waived by Special Authority see SA1047 below Endorsement for treatment of HIV/AIDS: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA1025 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note: Tenofovir disoproxil furnarate prescribed under endorsement for the treatment of HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1025, page 89

Tab 300 mg531.00 30

▶SA1047 Special Authority for Waiver of Rule

Initial application — (Confirmed Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months): and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
 - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
 - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Initial application — (Pregnant) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 4 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAq positive and pregnant; and
- 2 Either:
 - 2.1 HBV DNA > 20.000 IU/mL and ALT > ULN: or
 - 2.2 HBV DNA > 100 million IU/mL and ALT normal.

Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
 - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
 - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Renewal — (Subsequent Pregnancy) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 4 months for applications meeting the following criteria:

Both:

1 Patient is HBsAg positive and pregnant; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- 2 Either:
 - 2.1 HBV DNA > 20,000 IU/mL and ALT > ULN; or
 - 2.2 HBV DNA > 100 million IU/mL and ALT normal.

Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg
 positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg negative
 prior to commencing this agent.
- The recommended dose of Tenofovir disoproxil furnarate for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

Antiretrovirals

■SA1025 Special Authority for Subsidy

Initial application — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Confirmed HIV infection: and
 - 2 Any of the following:
 - 2.1 Symptomatic patient; or
 - 2.2 Patient aged 12 months and under; or
 - 2.3 Both
 - 2.3.1 Patient aged 1 to 5 years; and
 - 2.3.2 Any of the following:
 - 2.3.2.1 CD4 counts < 1000 cells/mm³: or
 - 2.3.2.2 CD4 counts < 0.25 × total lymphocyte count; or
 - 2.3.2.3 Viral load counts > 100000 copies per ml; or
 - 2.4 Both:
 - 2.4.1 Patient aged 6 years and over; and
 - 2.4.2 CD4 counts < 350 cells/mm³.

Notes: Tenofovir disoproxil furnarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Prevention of maternal foetal transmission: or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Subsidy Fully Brand or
(Manufacturer's Price) Subsidised Generic
\$ Per Manufacturer

continued...

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Either:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person.

Notes: Tenofovir disoproxil furnarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Either:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil furnarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ - Special Authority see SA1025 on the	preceding page - Retail phart	macy	
Tab 50 mg	158.33	30	✓ Stocrin
Tab 200 mg	474.99	90	✓ Stocrin
Tab 600 mg	474.99	30	✓ Stocrin
ETRAVIRINE - Special Authority see SA1025 on the	e preceding page – Retail pha	rmacy	
Tab 100 mg	770.00	120	✓ Intelence
NEVIRAPINE - Special Authority see SA1025 on the	e preceding page – Retail pha	rmacy	
Tab 200 mg	319.80	60	✓ <u>Viramune</u>
Oral suspension 10 mg per ml	134.55	240 ml	✓ <u>Viramune</u>
			Suspension

Nucleosides Reverse Transcriptase Inhibitors

ABACAVIR SULPHATE - :	Special Authority see SA1025 on the preceding page	e – Retail pharmacy	
Tab 300 mg	229.00	60	✓ Ziagen
Oral liq 20 mg per ml .	50.00	240 ml OP	✓ Ziagen

	Subsidy		Fully Brand or	
	(Manufacturer's \$	Price) Sub Per	sidised Generic Manufacturer	
ABACAVIR SULPHATE WITH LAMIVUDINE - Special Authori	ity see SA1025 on	page 89 – Reta	ail pharmacy	
Note: Kivexa counts as two anti-retroviral medications for t				
Tab 600 mg with lamivudine 300 mg	630.00	30	✓ Kivexa	
DIDANOSINE [DDI] - Special Authority see SA1025 on page	89 – Retail pharma	acy		
Cap 125 mg		30	✓ Videx EC	
Cap 200 mg	184.08	30	✓ Videx EC	
Cap 250 mg	230.10	30	✓ Videx EC	
Cap 400 mg	368.16	30	✓ Videx EC	
EMTRICITABINE - Special Authority see SA1025 on page 89	- Retail pharmacy	/		
Cap 200 mg	307.20	30	✓ Emtriva	
AMIVUDINE - Special Authority see SA1025 on page 89 - F	Retail pharmacy			
Tab 150 mg	153.60	60	✓ 3TC	
Oral liq 10 mg per ml	50.00	240 ml OP	✓ 3TC	
STAVUDINE [D4T] - Special Authority see SA1025 on page 8	9 – Retail pharma	cy		
Cap 20 mg		60	✓ Zerit	
Cap 30 mg		60	✓ Zerit	
Cap 40 mg		60	✓ Zerit	
Powder for oral soln 1 mg per ml	100.76	200 ml OP	✓ Zerit	
Zerit Cap 20 mg to be delisted 1 August 2011)	2044)			
Zerit Powder for oral soln 1 mg per ml to be delisted 1 August	,			
ZIDOVUDINE [AZT] - Special Authority see SA1025 on page		,		
Cap 100 mg		100	Retrovir	
Oral liq 10 mg per ml		200 ml OP	✓ Retrovir	
ZIDOVUDINE [AZT] WITH LAMIVUDINE - Special Authority s				
Combivir counts as two anti-retroviral medications for the p				
Tab 300 mg with lamivudine 150 mg	667.20	60	Combivir	
Protease Inhibitors				
ATAZANAVIR SULPHATE - Special Authority see SA1025 on	page 89 – Retail p	harmacy		
Cap 150 mg	568.34	60	✓ Reyataz	
Cap 200 mg	757.79	60	✓ Reyataz	
DARUNAVIR - Special Authority see SA1025 on page 89 - Ro	etail pharmacy			
Tab 300 mg	1,190.00	120	✔ Prezista	
Tab 400 mg	837.50	60	✔ Prezista	
Tab 600 mg	1,190.00	60	✓ Prezista	
NDINAVIR - Special Authority see SA1025 on page 89 - Ret	ail pharmacy			
Cap 200 mg		360	✓ Crixivan	
Cap 400 mg	519.75	180	✔ Crixivan	
OPINAVIR WITH RITONAVIR - Special Authority see SA102	25 on page 89 – Re	etail pharmacy		
Tab 100 mg with ritonavir 25 mg		60	✓ Kaletra	
Tab 200 mg with ritonavir 50 mg	735.00	120	✓ Kaletra	
Oral liq 80 mg with ritonavir 20 mg per ml	735.00	300 ml OP	✓ Kaletra	
RITONAVIR - Special Authority see SA1025 on page 89 - Re	tail pharmacy			
Tab 100 mg		30	✓ Norvir	
Cap 100 mg	121.27	84	✓ Norvir	
Oral liq 80 mg per ml	103.98	90 ml OP	✓ Norvir	
Norvir Cap 100 mg to be delisted 1 September 2011)				

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

Strand Transfer Inhibitors

RALTEGRAVIR POTASSIUM - Special Authority see SA1025 on page 89 - Retail pharmacy

✓ Isentress

Antiretrovirals - Additional Therapies

HIV Fusion Inhibitors

ENFUVIRTIDE - Special Authority see SA0845 below - Retail pharmacy

✓ Fuzeon

⇒SA0845 Special Authority for Subsidy

Initial application only from a named specialist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Confirmed HIV infection; and
- 2 Enfuvirtide to be given in combination with optimized background therapy (including at least 1 other antiretroviral drug that the patient has never previously been exposed to) for treatment failure; and
- 3 Either:
 - 3.1 Patient has evidence of HIV replication, despite ongoing therapy; or
 - 3.2 Patient has treatment-limiting toxicity to previous antiretroviral agents; and
- 4 Previous treatment with 3 different antiretroviral regimens has failed; and
- 5 All of the following:
 - 5.1 Previous treatment with a non-nucleoside reverse transcriptase inhibitor has failed; and
 - 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed; and
 - 5.3 Previous treatment with a protease inhibitor has failed.

Renewal only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

- 1 Evidence of at least a 10 fold reduction in viral load at 12; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Immune Modulators

Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

Criteria for Treatment

- 1) Diagnosis
 - Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test: or
 - PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
 - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.
- 2) Establishing Active Chronic Liver Disease
 - Confirmed HCV infection and serum ALT/AST levels measured on at least three occasions over six months averaging > 1.5 × upper limit of normal. (ALT is the preferable enzyme); or
 - Liver biopsy showing significant inflammatory activity (active hepatitis) with or without cirrhosis. This is not a necessary requirement for those patients with coagulopathy. (Some patients have active disease on histology with normal transaminase enzymes).

Exclusion Criteria

Subsidy (Manufacturer's Price)	Fully Subsidised	
\$	Per 🗸	Manufacturer

continued...

- 1) Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- 2) Pregnancy.
- 3) Neutropenia ($<2.0 \times 10^9$) and/or thrombocytopenia.
- 4) Continuing alcohol abuse and/or continuing intravenous drug users.

Dosage

The current recommended dosage is 3 million units of interferon alpha-2a or interferon alpha-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

INTERFERON ALPHA-2A - PCT - Retail pharmacy-Specialist

See prescribing guideline on the preceding page Inj 3 m iu prefilled syringe Inj 6 m iu prefilled syringe Inj 9 m iu prefilled syringe	62.64	1 1 1	✓ Roferon-A ✓ Roferon-A ✓ Roferon-A
INTERFERON ALPHA-2B — PCT — Retail pharmacy-Specialist See prescribing guideline on the preceding page	407.00	4	A labora A
Inj 18 m iu, 1.2 ml multidose pen		1	✓ Intron-A
Inj 30 m iu, 1.2 ml multidose pen		1	✓ Intron-A
Inj 60 m iu, 1.2 ml multidose pen	626.40	1	✓ Intron-A
PEGYLATED INTERFERON ALPHA-2A – Special Authority see S See prescribing guideline on the preceding page		etail pharma	су
Inj 135 μg prefilled syringe	362.00	1	✓ Pegasys
	1,448.00	4	✓ Pegasys
Inj 180 μg prefilled syringe	450.00	1	✓ Pegasys
, , , , , ,	1,800.00	4	✓ Pegasys
Inj 135 µg prefilled syringe \times 4 with ribavirin tab 200 mg \times	4 700 00	4.00	4.0
112	1,799.68	1 OP	✓ <u>Pegasys RBV</u> Combination Pack
Inj 135 μg prefilled syringe \times 4 with ribavirin tab 200 mg \times			
168	1,975.00	1 OP	✓ Pegasys RBV
Inj 180 µg prefilled syringe $ imes$ 4 with ribavirin tab 200 mg $ imes$			Combination Pack
112	2 059 84	1 OP	✓ Pegasys RBV
112	2,000.04	1 01	Combination Pack
Inj 180 µg prefilled syringe $ imes$ 4 with ribavirin tab 200 mg $ imes$			Compiliation Laok
168	2.190.00	1 OP	✓ Pegasys RBV
			Combination Pack
			O I I I I I I I I I I I I I I I I I I I

▶SA1134 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV) from any specialist. Approvals valid for 18 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
 - 1.2 Patient has chronic hepatitis C and is co-infected with HIV; and
- 2 Maximum of 48 weeks therapy.

Notes:

Subsidy (Manufacturer's Price)	S	Fully ubsidised	Brand or Generic
\$	Per	~	Manufacturer

continued...

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400.000IU/ml

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
- 2 Maximum of 6 months therapy.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal: and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Either:
 - 5.1 HBeAg positive; or
 - 5.2 serum HBV DNA ≥ 2,000 units/ml and significant fibrosis (≥ Metavir Stage F2); and
- 6 Compensated liver disease: and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon; and
- 11 Maximum of 48 weeks therapy.

Notes:

- Approved dose is 180 μg once weekly.
- The recommended dose of Pegylated Interferon-alpha 2a is 180 μg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alpha 2a dose should be reduced to 135 μg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alpha 2a is not approved for use in children.

Urinary Tract Infections

HEXAMINE HIPPURATE		
* Tab 1 g18.40	100	
(38.10)		Hiprex
NITROFURANTOIN		
* Tab 50 mg22.20	100	✓ Nifuran
* Tab 100 mg37.50	100	✓ Nifuran
NORFLOXACIN		
Tab 400 mg - Maximum of 6 tab per prescription; can be		
waived by endorsement - Retail pharmacy - Specialist22.50	100	Arrow-Norfloxacin

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
Per ✔ Manufacturer

Vaccines

Influenza vaccine

INFLUENZA VACCINE - Hospital pharmacy [Xpharm]

- A) is available 1 March until vaccine supplies are exhausted each year for patients who meet the following criteria, as set by the Ministry of Health:
 - a) all people 65 years of age and over;
 - b) people under 65 years of age with:
 - i) the following cardiovascular disease:
 - 1) ischaemic heart disease,
 - 2) congestive heart disease.
 - 3) rheumatic heart disease.
 - 4) congenital heart disease, or
 - 5) cerebo-vascular disease;
 - ii) the following chronic respiratory disease:
 - 1) asthma, if on a regular preventative therapy, or
 - 2) other chronic respiratory disease with impaired lung function;
 - iii) diabetes;
 - iv) chronic renal disease;
 - v) any cancer, excluding basal and squamous skin cancers if not invasive;
 - vi) the following other conditions:
 - a) autoimmune disease,
 - b) immune suppression,
 - c) HIV.
 - d) transplant recipients.
 - e) neuromuscular and CNS diseases,
 - f) haemoglobinopathies.
 - g) children on long term aspirin, or
 - h) pregnancy.
 - c) people under 18 years of age living within the boundaries of the Canterbury District Health Board.

The following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease,
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor.
- D) Influenza Vaccine does not fall within the definition Community Pharmaceutical as it is not funded directly from the Pharmaceutical Budget. Pharmacists are unable to claim for the dispensing of influenza vaccine from the Funder.

Inj	90.00	10	Fluarix
			✓ Fluvax

	Subsidy		Fully Brand or
	(Manufacturer's Pi \$	rice) Su Per	lbsidised Generic ✓ Manufacturer
	· · ·		
Anticholinesterases			
NEOSTIGMINE			
Inj 2.5 mg per ml, 1 ml	150.00	50	✓ AstraZeneca
PYRIDOSTIGMINE BROMIDE			
▲ Tab 60 mg	40.08	100	✓ Mestinon
Anti-inflammatory Non Steroidal Drugs (NSAID)s)		
	,		
► SA1038 Special Authority for Manufacturers Price		النان والمالية والمرا	
Note: Subsidy for patients with existing approvals prior to 1 Sept. No new approvals will be granted from 1 September 2010.	ember 2010. Appro	vais vaiid witi	nout turtner renewal unless notified.
DICLOFENAC SODIUM			
* Tab EC 25 mg	1 63	50	✓ Diclofenac Sandoz
* Tab 50 mg dispersible - Additional subsidy by Special A		00	<u> </u>
thority see SA1038 above – Retail pharmacy		20	
	(8.00)		Voltaren D
* Tab EC 50 mg	2.13	50	Diclofenac Sandoz
* Tab long-acting 75 mg		500	✓ Diclax SR
* Tab long-acting 100 mg		500	✓ Diclax SR
* Inj 25 mg per ml, 3 ml	12.00	5	✓ <u>Voltaren</u>
Up to 5 inj available on a PSO	1.05	10	A Voltavan
* Suppos 12.5 mg * Suppos 25 mg		10 10	✓ <u>Voltaren</u> ✓ Voltaren
* Suppos 50 mg		10	✓ Voltaren
Up to 10 supp available on a PSO		10	Voltaicii
* Suppos 100 mg	6.36	10	✓ <u>Voltaren</u>
IBUPROFEN – Additional subsidy by Special Authority see SA		I nharmacy	
* Tab 200 mg		1,000	✓ Ethics Ibuprofen
* Tab 400 mg		30	
•	(4.56)		Brufen
* Tab 600 mg	1.60	30	
	(6.84)		Brufen
* Tab long-acting 800 mg		30	✓ Brufen SR
*‡ Oral liq 100 mg per 5 ml	2.69	200 ml	✓ <u>Fenpaed</u>
KETOPROFEN – Additional subsidy by Special Authority see S			y
* Cap long-acting 100 mg		100	0
* Cap long-acting 200 mg	(21.56)	100	Oruvail SR
* Cap long-acting 200 mg	(43.12)	100	Oruvail SR
MEETNAMIC ACID. Additional autoidu bu Casaial Authoritus	` ,	Datail aham	
MEFENAMIC ACID – Additional subsidy by Special Authority s * Cap 250 mg		- Hetali phari 20	пасу
* Cap 250 mg	(5.60)	20	Ponstan
	2.50	100	Totlotali
	(18.33)		Ponstan
NAPROXEN	. ,		
* Tab 250 mg	23.70	500	✓ Noflam 250
* Tab 500 mg		250	✓ Noflam 500
* Tab long-acting 750 mg	18.00	90	✓ Naprosyn SR 750
* Tab long-acting 1,000 mg	21.00	90	✓ Naprosyn SR 1000

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	d Generic
NAPROXEN SODIUM				
* Tab 275 mg	5.69	120	~	Sonaflam
* Tab 550 mg	9.95	100	~	Synflex
(Sonaflam Tab 275 mg to be delisted 1 September 2011) (Synflex Tab 550 mg to be delisted 1 October 2011)				
SULINDAC - Additional subsidy by Special Authority see SA	1038 on the preceding p	age –	Retail pha	rmacy
* Tab 100 mg	5.32	100		
	(12.00)			Daclin
* Tab 200 mg	6.72	100		
	(20.00)			Daclin
	3.36	50		
	(15.87)			Clinoril
(Clinoril Tab 200 mg to be delisted 1 December 2011)				
TENOXICAM				
* Tab 20 mg	23.75	100	~	Tilcotil
* Inj 20 mg	9.95	1	~	AFT
TIAPROFENIC ACID - Additional subsidy by Special Author	ity see SA1038 on the p	recedin	g page -	Retail pharmacy
* Tab 300 mg		60	01 0	, ,
Ÿ	(19.26)			Surgam
NSAIDs Other				
NDOMETHACIN				
* Suppos 100 mg	14.50	30	V	Arthrexin
MELOXICAM - Special Authority see SA1034 below - Retai			-	
Tab 7.5 mg	' '	30		Arrow-Meloxicam
⇒SA1034 Special Authority for Subsidy	11.30	30	•	ALI OW-WICIOXICALLI

■ SA1034 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The patient has moderate to severe haemophilia with less than or equal to 5% of normal circulating functional clotting factor; and
- 2 The patient has haemophilic arthropathy; and
- 3 Pain and inflammation associated with haemophilic arthropathy is inadequately controlled by alternative funded treatment options, or alternative funded treatment options are contraindicated.

Antirheumatoid Agents

AURANOFIN		
Tab 3 mg68	.99 60	✓ Ridaura
LEFLUNOMIDE		
Tab 10 mg55.	.00 30	✓ AFT-Leflunomide
79.	.27	✓ Arava
Tab 20 mg	.00 30	✓ AFT-Leflunomide
108.	.60	✓ Arava
Tab 100 mg54	.44 3	✓ Arava
PENICILLAMINE		
Tab 125 mg61	.93 100	✓ D-Penamine
Tab 250 mg98.		✓ D-Penamine

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
SODIUM AUROTHIOMALATE Inj 10 mg per 0.5 ml		10		//yocrisin
Inj 20 mg per 0.5 ml		10 10		/lyocrisin /lyocrisin
ADALIMUMAB – Special Authority see SA1059 below – Retail ph Inj 40 mg per 0.8 ml prefilled pen Inj 40 mg per 0.8 ml prefilled syringe	1,799.92	2 2		lumiraPen Iumira

⇒SA1059 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis: or
- 2 All of the following:
 - 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
 - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with at least two of the following (triple therapy): sulphasalazine, prednisone at a dose of at least 7.5 mg per day, azathioprine, intramuscular gold, or hydroxychloroquine sulphate (at maximum tolerated doses); and
 - 2.5 Either:
 - 2.5.1 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of cyclosporin alone or in combination with another agent; or
 - 2.5.2 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of leflunomide alone or in combination with another agent; and
 - 2.6 Either:
 - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender ioints: or
 - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.7 Either:
 - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe active Crohn's disease; and
- 2 Any of the following:
 - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or

Subsidy Fully (Manufacturer's Price) Subsidised Per

Fully Brand or dised Generic Manufacturer

continued...

- 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
- 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
- 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Fither:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and
- 1.2 Fither
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plague psoriasis; or

2 All of the following:

- 2.1 Either:
 - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
 - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
- 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
- 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
- 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting

Initial application — **(ankylosing spondylitis)** only from a rheumatologist. Approvals valid for 6 months for applications meetin the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis; or
- 2 All of the following:
 - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
 - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
 - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
- 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by a score of at least 1 on each of the lumbar flexion and lumbar side flexion measurements of the Bath Ankylosing Spondylitis Metrology Index (BASMI); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and
- 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
 - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
 - 2.4 Either:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender ioints: or
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment: and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Fither:
 - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
 - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

Renewal — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Either:
 - 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab; or
 - 2.1.2 CDAI score is 150 or less; or
 - 2.2 Both:
 - 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
 - 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
 - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2.2 Either:
 - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or

Subsidy (Manufacturer's Price) \$ Per Fully Subsidised Brand or Generic Manufacturer

continued...

- 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks of adalimumab treatment, BASDAI has improved by 4 or more points from pre-adalimumab baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 The patient demonstrates at least a continuing 50% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

ETANERCEPT - Special Authority see SA1060 below - Retail pharmacy

Inj 25 mg949.96	4	Enbrel
Inj 50 mg autoinjector	4	Enbrel
Inj 50 mg prefilled syringe	4	Enbrel

■ SA1060 Special Authority for Subsidy

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
- 3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose); and
- 5 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-15 mg/m² weekly or at the maximum tolerated dose) in combination with one other disease-modifying agent; and
- 6 Both:
 - 6.1 Either:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- 6.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 active, swollen, tender ioints: or
- 6.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
- 6.2 Physician's global assessment indicating severe disease.

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis: or
- 2 All of the following:
 - 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
 - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with at least two of the following (triple therapy): sulphasalazine, prednisone at a dose of at least 7.5 mg per day, azathioprine, intramuscular gold, or hydroxychloroquine sulphate (at maximum tolerated doses); and
 - 2.5 Either:
 - 2.5.1 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of cyclosporin alone or in combination with another agent; or
 - 2.5.2 Patient has tried and not responded to at least three months therapy at the maximum tolerated dose of leflunomide alone or in combination with another agent; and
 - 2.6 Either:
 - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
 - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.7 Either:
 - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plague psoriasis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis; or
- 2 All of the following:
 - 2.1 Either:

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
- 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
- 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
- 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
- 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or
- 2 All of the following:
 - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
 - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
 - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
 - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
 - 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by a score of at least 1 on each of the lumbar flexion and lumbar side flexion measurements of the Bath Ankylosing Spondylitis Metrology Index (BASMI); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes): and
 - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

continued...

75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and
 - 1.2 Fithe
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
 - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
 - 2.4 Either:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 active, swollen, tender joints; or
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four active joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a named specialist or rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and

Subsidy (Manufacturer's Price) Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment: and
 - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2.2 Either:
 - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Following 12 weeks of etanercept treatment, BASDAI has improved by 4 or more points from pre-treatment baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — **(psoriatic arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
 - 2.1 Following 4 months initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 The patient demonstrates at least a continuing 50% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Calcium Homeostasis

Alendronate for Osteoporosis

➡SA1039 Special Authority for Subsidy

Initial application — (Underlying cause – Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause Osteoporosis).

Initial application — (Underlying cause – glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
 - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause glucocorticosteroid therapy).

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 4 Documented T-Score ≤ -3.0 (see Note); or
 - 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause Osteoporosis' criteria).

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence used by National Institute for Health and Clinical Excellence (NICE) guidance indicates that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALENDRONATE SODIUM	 Special Authority 	see SA1039 on the	ne preceding page –	Retail pharmacy
--------------------	---------------------------------------	-------------------	---------------------	-----------------

Alendronate for Paget's Disease

⇒SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain: or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
- 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

ALENDRONATE SODIUM - Special Authority see SA0949 above - Retail pharmacy

Other Treatments

CALCITONIN

ETIDRONATE DISODIUM

Prescribing Guideline

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose – 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

MUSCULOSKELETAL SYSTEM

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
PAMIDRONATE DISODIUM				
Inj 3 mg per ml, 5 ml	18.75	1	✓ Pa	amisol_
Inj 3 mg per ml, 10 ml	37.50	1	✓ Pa	amisol_
Inj 6 mg per ml, 10 ml	75.00	1	✓ Pa	amisol_
Inj 9 mg per ml, 10 ml	112.50	1	✓ Pa	amisol
ZOLEDRONIC ACID – Special Authority see SA1035 below – Re Soln for infusion 5 mg in 100 ml		00 ml	✓ A	clasta

⇒SA1035 Special Authority for Subsidy

Initial application — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity: or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications; or
 - 2.5 Preparation for orthopaedic surgery; and
- 3 The patient will not be prescribed more than one infusion in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Roth:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score ≤ -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis); and
- 2 The patient will not be prescribed more than one infusion in a 12-month period.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
 - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score < -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for alendronate (Underlying cause glucocorticosteroid therapy); and
- 3 The patient will not be prescribed more than one infusion in the 12-month approval period.

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

MUSCULOSKELETAL SYSTEM

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- 1 Any of the following:
 - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
 - 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
 - 1.3 Symptomatic disease (prescriber determined); and
- 2 The patient will not be prescribed more than one infusion in the 12-month approval period.

The patient may not have had an approval in the past 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents); and
- 2 The patient will not be prescribed more than one infusion in the 12-month approval period.

The patient may not have had an approval in the past 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically: or
 - 1.4 Documented T-Score ≤ -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause Osteoporosis' criteria); and
- 2 The patient will not be prescribed more than one infusion in a 12-month period.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence used by National Institute for Health and Clinical Excellence (NICE) guidance indicates that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

Enzymes

HYALURONIDASE			
Inj 1,500 iu per ml	18.32	10	
	(254.92)		Hyalase

Н

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
Hyperuricaemia and Antigout				
ALLOPURINOL * Tab 100 mg * Tab 300 mg		250 100	V <u>1</u>	Apo-Allopurinol Apo-Allopurinol Apo-Allopurinol S29 S29
COLCHICINE * Tab 500 μg PROBENECID	9.60	100	v (Colgout
* Tab 500 mg Muscle Relaxants	55.00	100	√ F	Probenecid-AFT
BACLOFEN * Tab 10 mg DANTROLENE SODIUM	4.75	100	✓ <u>F</u>	Pacifen Pacifen
* Cap 25 mg	32.96 (65.00)	100	Г	Dantrium
* Cap 50 mg	` '	100		Dantrium
ORPHENADRINE CITRATE Tab 100 mg	18.54	100	V 1	Norflex
QUININE SULPHATE * Tab 200 mg	(17.20)	250	(Q 200
‡ Safety cap for extemporaneously compounded oral liquic * Tab 300 mg ‡ Safety cap for extemporaneously compounded oral liquic	54.06	500	V (2 300

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

Agents for Parkinsonism and Related Disorders

47.81	60	✓ <u>Symmetrel</u>
110.00	5	✓ Apomine
32.08	100	Apo-Bromocriptine
60.43	100	Apo-Bromocriptine
116.00	100	✓ Comtan
10.00	100	✓ Madopar
		Dispersible
8.00	100	✓ Madopar 62.5
12.50	100	✓ Madopar 125
	100	Madopar HBS
25.00	100	Madopar 250
10.00	50	✓ Sindopa
20.00	100	✓ Sinemet
	100	✓ Sinemet CR
40.00	100	✓ Sinemet
27.50	30	Dopergin
48.00	100	✓ Permax
170.00	100	✓ Permax
6.20	84	✓ Ropin
15.95	84	Ropin
24.95	84	✓ Ropin
38.00	84	✓ Ropin
16.06	100	✓ Apo-Selegiline
		✓ Apo-Selegiline
		S29 S29
128.75	100	✓ Tasmar

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
Anticholinergics				
BENZTROPINE MESYLATE Tab 2 mg		60 5		Benztrop Cogentin
ORPHENADRINE HYDROCHLORIDE Tab 50 mg	31.93	250	~ [Disipal
PROCYCLIDINE HYDROCHLORIDE Tab 5 mg	7.40	100	✓ K	Kemadrin
Agents for Essential Tremor, Chorea and Related	d Disorders			
TETRABENAZINE Tab 25 mg	243.00	112	✓ X	Cenazine 25
Anaesthetics				
Local				
LIGNOCAINE Gel 2%, 10 ml urethral syringe – Up to 5 each available on a PSO	43 26	10	√ F	Pfizer
LIGNOCAINE HYDROCHLORIDE Viscous solution 2% Inj 0.5%, 5 ml — Up to 5 inj available on a PSO Inj 1%, 5 ml — Up to 5 inj available on a PSO Inj 2%, 5 ml — Up to 5 inj available on a PSO Inj 1%, 20 ml — Up to 5 inj available on a PSO Inj 2%, 20 ml — Up to 5 inj available on a PSO Inj 2%, 20 ml — Up to 5 inj available on a PSO (Xylocaine Inj 0.5%, 5 ml to be delisted 1 July 2011)		200 ml 50 50 50 50 5	ン X ン X ン X ン X	(ylocaine Viscous (ylocaine (<u>ylocaine</u> (ylocaine (<u>ylocaine</u> (ylocaine
LIGNOCAINE WITH CHLORHEXIDINE Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes – Up to 5 each available on a PSO	06 below – Retail pha	10 armacy 0 g OF	/	Pfizer
Crm 2.5% with prilocaine 2.5% (5 g tubes)		5	_	EMLA

⇒SA0906 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

Analgesics

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 96

Non-Opioid Analgesics		
ASPIRIN		
* Tab EC 300 mg2.00	100	Anna 200
(8.10) * Tab dispersible 300 mg - Up to 30 tab available on a PSO	100	Aspec 300 ✓ Ethics Aspirin
NEFOPAM HYDROCHLORIDE		
Tab 30 mg23.40	90	✓ Acupan
PARACETAMOL		
* Tab 500 mg - Up to 30 tab available on a PSO9.60	1,000	✓ Pharmacare
*‡ Oral liq 120 mg per 5 ml	1,000 ml	✓ Paracare Junior
b) Not in combination		
*‡ Oral liq 250 mg per 5 ml7.00	1,000 ml	✓ Paracare Double
a) Up to 100 ml available on a PSO		<u>Strength</u>
b) Not in combination		
* Suppos 125 mg7.49	20	✓ Panadol
* Suppos 250 mg	20 50	✓ Panadol✓ Paracare
TRAMADOL HYDROCHLORIDE	50	♥ Falacale
Cap 50 mg	100	✓ Arrow-Tramadol
Opioid Analgesics		
BUPRENORPHINE HYDROCHLORIDE – Only on a controlled drug form Inj 0.3 mg per ml, 1 ml7.42	5	
(9.38)	3	Temgesic
(Temgesic Inj 0.3 mg per ml, 1 ml to be delisted 1 November 2011)		v
CODEINE PHOSPHATE		
Tab 15 mg	100 100	✓ PSM ✓ PSM
Tab 30 mg8.25 Tab 60 mg17.76	100	✓ PSM
DIHYDROCODEINE TARTRATE		-
Tab long-acting 60 mg27.27	60	✓ DHC Continus

	Subsidy		Fully	
	(Manufacturer's Price) \$	Per	Subsidised ••	Generic Manufacturer
	*			That raid a tail of
FENTANYL				
a) Only on a controlled drug form				
b) No patient co-payment payable				
Transdermal patch 12.5 µg per hour	8.90	5		Mylan Fentanyl Patch
Transdermal patch 25 μg per hour	9.15	5	/	Mylan Fentanyl Patch
Transdermal patch, matrix 25 µg per hour - Special Authority				
see SA1080 below – Retail pharmacy		5	~	Durogesic
Transdermal patch 50 µg per hour		5		Mylan Fentanyl
		•		Patch
Transdermal patch, matrix 50 µg per hour - Special Authority				
see SA1080 below – Retail pharmacy		5	~	Durogesic
		5		•
Transdermal patch 75 µg per hour	13.00	Э	•	Mylan Fentanyl
				Patch
Transdermal patch, matrix 75 µg per hour — Special Authority				
see SA1080 below - Retail pharmacy	139.18	5		Durogesic
Transdermal patch 100 μg per hour	14.50	5	~	Mylan Fentanyl
				Patch
Transdermal patch, matrix 100 µg per hour - Special Author-				
ity see SA1080 below - Retail pharmacy		5	~	Durogesic
(Durogesic Transdermal patch, matrix 25 μg per hour to be deliste		-		
(Durogesic Transdermal patch, matrix 50 μg per hour to be delisted				
(Durogesic Transdermal patch, matrix 75 μg per hour to be delisted)				
(Durogesic Transdermal patch, matrix 100 µg per hour to be delise				
(Durogesic Harisuerhiai patch, matrix 100 µg per nour to be delis	ieu i Augusi 2011)			
▶SA1080 Special Authority for Subsidy				
Netser Cubaids for national are approved by DUADMAC and Tab		مالمان ما	l fa C	un Allen en
Notes: Subsidy for patients pre-approved by PHARMAC on 1 Feb	rurary 2011. Approva	als valid	1 10r 6 mo	ntns.
No new approvals will be granted from 1 Februrary 2011.				
FENTANYL CITRATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
lnj 50 μg per ml, 2 ml	6.10	5	~	Hospira
, 101	6.43	10		Boucher and Muir
Inj 50 μg per ml, 10 ml		5		Hospira
11, 00 pg por 111, 10 111	16.81	10		Boucher and Muir
	10.01	10		Doucher and Mun
METHADONE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Extemporaneously compounded methadone will only be re	eimbursed at the rate	of the	cheapest	form available (methadone
powder, not methadone tablets).				
d) For methadone hydrochloride oral liquid refer, page 174				
Tab 5 mg	1.85	10	~	Methatabs
‡ Oral lig 2 mg per ml		200 ml	-	Biodone
Oral lig 5 mg per ml		200 ml		Biodone Forte
Oral liq 3 ftg per ftl Oral liq 10 mg per ml		200 ml	-	Biodone Extra Forte
		10	-	AFT
Inj 10 mg per ml, 1 ml	01.00	10		MEI

		Subsidy (Manufacturer's Prior	۰/ ۵	Fully	Brand or
		(Manufacturer's Pric \$	e) S Per	ubsidised	Generic Manufacturer
MOR	PHINE HYDROCHLORIDE				
	Only on a controlled drug form				
) No patient co-payment payable				
	Oral liq 1 mg per ml	8.84	200 ml	✓ R	A-Morph
	Oral liq 2 mg per ml		200 ml	✓ R	A-Morph
	Oral liq 5 mg per ml		200 ml	✓ R	A-Morph
	Oral liq 10 mg per ml		200 ml	✓ R	A-Morph
MOR	PHINE SULPHATE				
	i) Only on a controlled drug form				
) No patient co-payment payable				
	ab immediate-release 10 mg	2.80	10	✓ S	evredol
	ab long-acting 10 mg		10	_	A-Morph
		1.98			rrow-Morphine LA
Т	ab immediate-release 20 mg	5.52	10		evredol
Т	ab long-acting 30 mg	3.15	10	✓ A	rrow-Morphine LA
		3.60		✓ L	A-Morph
Т	ab long-acting 60 mg	7.20	10	✓ A	rrow-Morphine LA
				√ L	A-Morph
T	ab long-acting 100 mg	7.85	10	✓ A	rrow-Morphine LA
		8.50		✓ L	A-Morph
	Cap long-acting 10 mg		10		n-Eslon
	Cap long-acting 30 mg		10	_	n-Eslon
	Cap long-acting 60 mg		10	_	n-Eslon
	Cap long-acting 100 mg		10	_	n-Eslon
	Cap long-acting 200 mg		10		n-Eslon
	nj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO		5		layne
	nj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO		5		layne_
	nj 15 mg per ml, 1 ml – Up to 5 inj available on a PSO		5		layne
	nj 30 mg per ml, 1 ml – Up to 5 inj available on a PSO	4.98	5	<u>IV</u>	<u>layne</u>
•	slon Cap long-acting 200 mg to be delisted 1 July 2011)				
	PHINE TARTRATE				
	Only on a controlled drug form				
b) No patient co-payment payable	22.22	_		
	nj 80 mg per ml, 1.5 ml		5		lospira
- 11	nj 80 mg per ml, 5 ml	/5.00	5	<u> </u>	lospira_
OXY	CODONE HYDROCHLORIDE				
	Only on a controlled drug form				
	No patient co-payment payable				
	ab controlled-release 5 mg		20		xyContin
	ab controlled-release 10 mg		20		xyContin
	ab controlled-release 20 mg		20		xyContin
	ab controlled-release 40 mg		20		xyContin
	Tab controlled-release 80 mg		20		oxyContin
	Cap 5 mg		20)xyNorm
	Cap 10 mg		20)xyNorm
	Cap 20 mg		20 250 ml)xyNorm
	Oral liq 5 mg per 5 mlnj 10 mg per ml, 1 ml		250 mi		OxyNorm OxyNorm
	nj 10 mg per ml, 1 ml		5 5		xyNorm)xyNorm
- 11	nj το mg ρσι mi, ε mi	20.00	J	• 0	Ayitoiiii

			NER	VOUS SYSTEM
	Subsidy (Manufacturer's Price) Su Per	Fully bsidised	Brand or Generic Manufacturer
Prescribing Guideline				
Prescribers should note that oxycodone is significantly more expangests that it is reasonable to consider this as a second-line agreement that it is reasonable to consider this as a second-line agreement.	•	•	•	Ilphate and clinical advice
PARACETAMOL WITH CODEINE * Tab paracetamol 500 mg with codeine phosphate 8 mg	2.45	100	✓ Pa	<u>araCode</u>
PETHIDINE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable				
Tab 50 mg	3.20	10	✓ P:	SM
Tab 100 mg		10	✓ P:	SM
Inj 50 mg per ml, 1 ml - Up to 5 inj available on a PSO	5.20	5	✓ M	layne
Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	5.50	5	✓ M	ayne
Antidepressants				
Cyclic and Related Agents				
AMITRIPTYLINE Tab 10 mg	2.77	50	✓ A	mirol

Tab 10 mg2.77 Tab 25 mg1.85	50 100	✓ Amirol ✓ Amitrip
Tab 50 mg	100	✓ Amitrip
CLOMIPRAMINE HYDROCHLORIDE		
Tab 10 mg12.60	100	Apo-Clomipramine
Tab 25 mg8.68	100	Apo-Clomipramine
DOTHIEPIN HYDROCHLORIDE		
Tab 75 mg8.75	100	✓ Dopress
Cap 25 mg4.75	100	✓ Dopress
DOXEPIN HYDROCHLORIDE		
Cap 10 mg5.24	100	✓ Anten
Cap 25 mg5.46	100	✓ Anten
Cap 50 mg7.34	100	✓ Anten
IMIPRAMINE HYDROCHLORIDE		
Tab 10 mg5.48	50	✓ Tofranil
Tab 25 mg8.80	50	✓ Tofranil
MAPROTILINE HYDROCHLORIDE		
Tab 25 mg25.06	100	✓ Ludiomil
Tab 75 mg21.01	30	✓ Ludiomil
MIANSERIN HYDROCHLORIDE - Special Authority see SA1048 below - Retail ph	armacy	
Tab 30 mg24.86	30	✓ Tolvon

⇒SA1048 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Both:
 - 1.1 Depression; and
 - 1.2 Either:
 - 1.2.1 Co-existent bladder neck obstruction; or
 - 1.2.2 Cardiovascular disease; or
- 2 Both:

Subsidy		Fully	Brand or
(Manufacturer's Price)	Su	bsidised	Generic
\$	Per	~	Manufacturer

continued...

- 2.1 The patient has a severe major depressive episode; and
- 2.2 Either:
 - 2.2.1 The patient must have had a trial of two different antidepressants and was unable to tolerate the treatments or failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or
 - 2.2.2 Both:
 - 2.2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
 - 2.2.2.2 The patient must have had a trial of one other antidepressant and either could not tolerate it or failed to respond to an adequate dose over an adequate period of time.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

NORTRIPTYLINE HYDROCHLORIDE

Tab 10 mg	5.94	100	✓ Norpress
Tab 25 mg	14.44	180	✓ Norpress

Monoamine-Oxidase Inhibitors (MAOIs) - Non Selective

PHENELZINE SUI PHATE

Tab 15 mg9	5.00	100	✓ Nardil
------------	------	-----	----------

TRANYLCYPROMINE SULPHATE

Monoamine-Oxidase Type A Inhibitors

MOCLOBEMIDE

Note: There is a significant cost differential between moclobemide and fluoxetine (moclobemide being about three times more expensive). For depressive syndromes it is therefore more cost-effective to start treatment with fluoxetine first before considering prescribing moclobemide.

Tab 150 mg		500	~	Apo-Moclobemide
Tab 300 mg	31.33	100	~	Apo-Moclobemide

Selective Serotonin Reuptake Inhibitors

CITALOPRAM HYDROBROMIDE

* Tab 20 mg	3.78	84	Arrow-Citalogram	
ESCITALOPRAM				
Tab 10 mg	2.65	28	✓ Loxalate	
Tab 20 mg	4.20	28	✓ Loxalate	
FLUOXETINE HYDROCHLORIDE				
* Tab dispersible 20 mg, scored – Subsidy by endorsement	2.50	30	✓ Fluox	
Subsidised by endorsement				

- When prescribed for a patient who cannot swallow whole tablets or capsules and the prescription is endorsed accordingly; or
- 2) When prescribed in a daily dose that is not a multiple of 20 mg in which case the prescription is deemed to be endorsed. Note: Tablets should be combined with capsules to facilitate incremental 10 mg doses.

* Cap 20 mg2.70	84	✓ Fluox
PAROXETINE HYDROCHLORIDE Tab 20 mg	30	✓ Loxamine
SERTRALINE		
Tab 50 mg5.40	90	✓ Arrow-Sertraline
Tab 100 mg9.60	90	✓ Arrow-Sertraline

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
Other Antidepressants				
MIRTAZAPINE - Special Authority see SA0994 below - Retail ph	narmacy			
Tab 30 mg	22.00	30	✓ A	vanza
Tab 45 mg	35.00	30	✓ A	vanza

■SA0994 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

- 1 The patient has a severe major depressive episode; and
- 2 Fither:
 - 2.1 The patient must have had a trial of two different antidepressants and was unable to tolerate the treatments or failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or
 - 2.2 Both:
 - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
 - 2.2.2 The patient must have had a trial of one other antidepressant and either could not tolerate it or failed to respond to an adequate dose over an adequate period of time.

Renewal from any relevant practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

VENLAFAXINE - Special Authority see SA1061 below - Retail pha	rmacy	
Cap 37.5 mg	18.64	2
Cap 75 mg	37.27	2

Cap 150 mg45.68

✓ Efexor XR

⇒SA1061 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 The patient has 'treatment-resistant' depression; and
- 2 Either:
 - 2.1 The patient must have had a trial of two different antidepressants and have had an inadequate response from an adequate dose over an adequate period of time (usually at least four weeks); or
 - 2.2 Both:
 - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
 - 2.2.2 The patient must have had a trial of one other antidepressant and have had an inadequate response from an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

Antiepilepsy Drugs

Agents for Control of Status Epilepticus

CLONAZEPAM Inj 1 mg per ml, 1 ml19	9.00	5 v	' Rivotril
DIAZEPAM			
Inj 5 mg per ml, 2 ml - Subsidy by endorsement9	9.24	5	Mayne
a) Up to 5 inj available on a PSO			
b) Only on a PSO			
c) PSO must be endorsed "not for anaesthetic procedures".			
Rectal tubes 5 mg - Up to 5 tube available on a PSO25	5.05	5 🗸	Stesolid 2 1
Rectal tubes 10 mg - Up to 5 tube available on a PSO30).50	5	Stesolid

NERVOUS SYSTEM

(Man	Subsidy ufacturer's Price)	Subside Per	Fully disec	d Generic
PARALDEHYDE				
* Inj 5 ml	00.00	5	1	AFT
PHENYTOIN SODIUM				
* Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	69.24	5	1	Mayne
* Inj 50 mg per ml, 5 ml – Up to 5 inj available on a PSO		5		Mayne
Control of Epilepsy				
CARBAMAZEPINE				
* Tab 200 mg	14.53	100	1	Tegretol
* Tab long-acting 200 mg	16.98	100	~	Tegretol CR
★ Tab 400 mg	34.58	100	1	Tegretol
← Tab long-acting 400 mg	39.17	100	1	Tegretol CR
k‡ Oral liq 100 mg per 5 ml	26.37 25	50 ml	V	Tegretol
CLOBAZAM				
Tab 10 mg	9.12	50	1	Frisium
‡ Safety cap for extemporaneously compounded oral liquid prepare				
CLONAZEPAM				
Tab 500 μg	6.26	100	1	Paxam
Tab 2 mg		100	1	Paxam
Oral drops 2.5 mg per ml		ml OP	1	Rivotril
THOSUXIMIDE				
* Cap 250 mg	32.90	200	1	Zarontin
k‡ Oral liq 250 mg per 5 ml		00 ml	-	Zarontin
GABAPENTIN - Special Authority see SA1071 below - Retail pharmac				
ABAPENTIN - Special Authority see SAT07T below - Retail pharmac ▲ Cap 100 mg	•	100	1	Nupentin
Cap 300 mg		100		Nupentin
Cap 400 mg		100		Nupentin
BASA1071 Special Authority for Subsidy	17.73	100	•	itupenun

■SA1071 | Special Authority for Subsidy

Initial application — (Epilepsy) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Neuropathic pain) from any relevant practitioner. Approvals valid for 3 months where the patient has tried and failed, or has been unable to tolerate, treatment with a tricyclic antidepressant.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Renewal — (Neuropathic pain) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
ABAPENTIN (NEURONTIN) - Special Authority see S.	A0973 below – Retail pharmac	у		
Tab 600 mg	67.50	100	/	Neurontin
Cap 100 mg	13.26	100	V	Neurontin
Cap 300 mg	39.76	100	V	Neurontin
Cap 400 mg		100	V	Neurontin

LACOSAMIDE - Special Authority see SA1125 below - Retail pharmacy

	openia rationly eee erin 20 below the	an priarriacy		
\blacktriangle	Tab 50 mg	25.04	14	Vimpat
\blacktriangle	Tab 100 mg	50.06	14	✓ Vimpat
	•	200.24	56	✓ Vimpat
lack	Tab 150 mg	75.10	14	✓ Vimpat
	Ç	300.40	56	✓ Vimpat
\blacktriangle	Tab 200 mg	400.55	56	✓ Vimpat

⇒SA1125 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Patient has partial-onset epilepsy; and
- 2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).

Note: "Optimal treatment" is defined as treatment which is indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight and other features affecting the pharmacokinetics of the drug with good evidence of compliance. Women of childbearing age are not required to have a trial of sodium valproate.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment (see Note).

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

LAMOTRIGINE

	Tab dispersible 2 mg	6.74	30	✓ Lamictal
	Tab dispersible 5 mg		30	✓ Lamictal
		15.00	56	Arrow-Lamotrigine
	Tab dispersible 25 mg	19.38	56	✓ Logem
		20.40		✓ Arrow-Lamotrigine
				✓ Mogine
		29.09		✓ Lamictal
\blacksquare	Tab dispersible 50 mg	32.97	56	✓ Logem
		34.70		✓ Arrow-Lamotrigine
				✓ Mogine
		47.89		✓ Lamictal
\blacksquare	Tab dispersible 100 mg	56.91	56	✓ Logem
	,	59.90		✓ Arrow-Lamotrigine
				✓ Mogine
		79.16		✓ Lamictal

	Subsidy (Manufacturer's F \$	Price) S Per	Fully Brand or ubsidised Generic Manufacturer
EVETIRACETAM			
Tab 250 mg	24.03	60	✓ Levetiracetam-Rex
Tab 500 mg	28.71	60	Levetiracetam-Rex
Tab 750 mg	45.23	60	Levetiracetam-Rex
PHENOBARBITONE			
For phenobarbitone oral liquid refer, page 174			
₭ Tab 15 mg	25.00	500	✓ PSM
₭ Tab 30 mg		500	✓ PSM
PHENYTOIN SODIUM			
* Tab 50 mg	42 00	200	✓ Dilantin Infatab
€ Cap 30 mg		200	✓ Dilantin
≮ Cap 100 mg		200	✓ Dilantin
k‡ Oral liq 30 mg per 5 ml		500 ml	✓ Dilantin
• • • • • • • • • • • • • • • • • • • •		000 1111	· Diana
PRIMIDONE	17.05	100	Ana Drimidana
k Tab 250 mg	17.25	100	✓ Apo-Primidone
SODIUM VALPROATE			
€ Tab 100 mg		100	Epilim Crushable
Fab 200 mg EC		100	✓ Epilim
← Tab 500 mg EC		100	✓ Epilim
¢‡ Oral liq 200 mg per 5 ml	20.48	300 ml	✓ Epilim S/F Liquid
			Epilim Syrup
Inj 100 mg per ml, 4 ml	41.50	1	✓ Epilim IV
OPIRAMATE			
▲ Tab 25 mg	11.07	60	Arrow-Topiramate
	26.04		✓ Topamax
▲ Tab 50 mg	18.81	60	Arrow-Topiramate
	44.26		✓ Topamax
▲ Tab 100 mg	31.99	60	Arrow-Topiramate
	75.25		✓ Topamax
Tab 200 mg		60	✓ Arrow-Topiramate
	129.85		✓ Topamax
Sprinkle cap 15 mg		60	✓ Topamax
Sprinkle cap 25 mg	26.04	60	✓ Topamax
IGABATRIN - Special Authority see SA1072 below - Ref	ail pharmacy		
▲ Tab 500 mg		100	✓ Sabril

⇒SA1072 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Patient has infantile spasms; or
 - 1.2 Both:
 - 1.2.1 Patient has epilepsy; and
 - 1.2.2 Either:
 - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
 - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and
- 2 Either:

\$ Per ✓ Manufacturer		Subsidy (Manufacturer's Price)	Fu Subsidis Per	ed Generic	
-----------------------	--	-----------------------------------	-----------------------	------------	--

continued...

- 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter): or
- 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- 2 Fither:
 - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Antimigraine Preparations

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 96

Acute Migraine Treatment		
ERGOTAMINE TARTRATE WITH CAFFEINE Tab 1 mg with caffeine 100 mg31.00	100	✓ Cafergot
METOCLOPRAMIDE HYDROCHLORIDE WITH PARACETAMOL Tab 5 mg with paracetamol 500 mg6.77	60	✓ Paramax
RIZATRIPTAN BENZOATE Wafer 10 mg25.32	3	✓ Maxalt Melt
SUMATRIPTAN Tab 50 mg1.55 38.83	4 100	✓ <u>Arrow-Sumatriptan</u> ✓ Arrow-Sumatriptan
Tab 100 mg1.55 77.66	2	✓ Arrow-Sumatriptan ✓ Arrow-Sumatriptan
Inj 12 mg per ml, 0.5 ml - Maximum of 10 inj per prescription36.00 (80.00)	2 OP	Arrow-Sumatriptan Imigran
(Imigran Inj 12 mg per ml, 0.5 ml to be delisted 1 September 2011)		
Prophylaxis of Migraine		
For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYSTEM, page 50		
CLONIDINE HYDROCHLORIDE * Tab 25 µg19.25	100	✓ <u>Dixarit</u>
PIZOTIFEN * Tab 500 μg21.10	100	✓ <u>Sandomigran</u>

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

Antinausea and Vertigo Agents

For Antispasmodics refer to ALIMENTARY TRACT, page 27

APREPITANT - Special Authority see SA0987 below - Retail pharmacy

⇒SA0987 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

BETAHISTINE DIHYDROCHI ORIDE

* Tab 16 mg	9.26	84	✓ Vergo 16
CYCLIZINE HYDROCHLORIDE Tab 50 mg	1.59	10	✓ Nausicalm
CYCLIZINE LACTATE Inj 50 mg per ml, 1 ml	14.95	5	✓ Nausicalm
DOMPERIDONE * Tab 10 mg	7.99	100	✓ Motilium
HYOSCINE (SCOPOLAMINE) - Special Authority see SA0939 below - Patch 1.5 mg		,	✓ Scopoderm TTS

⇒SA0939 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease; and
- 2 Patient cannot tolerate or does not adequately respond to oral anti-nausea agents; and
- 3 The applicant must specify the underlying malignancy or chronic disease.

Renewal from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

HYOSCINE HYDROBROMIDE

*	Inj 400 μg per ml, 1 ml	6.66	5	✓ Mayne
ME	TOCLOPRAMIDE HYDROCHLORIDE			
*	Tab 10 mg	3.95	100	Metamide
*	Inj 5 mg per ml, 2 ml - Up to 5 inj available on a PSO		10	✓ <u>Pfizer</u>
ON	DANSETRON			
	Tab 4 mg	5.10	30	✓ Dr Reddy's
				<u>Ondansetron</u>
	Tab disp 4 mg	1.70	10	Dr Reddy's
				Ondansetron
		(17.18)		Zofran Zydis
	Tab 8 mg	1.70	10	✓ Dr Reddy's
				Ondansetron
	Tab disp 8 mg	2.00	10	Dr Reddy's
				Ondansetron
		(20.43)		Zofran Zydis

(Zofran Zydis Tab disp 4 mg to be delisted 1 August 2011) (Zofran Zydis Tab disp 8 mg to be delisted 1 August 2011)

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PROCHLORPERAZINE				
* Tab 3 mg buccal	5.97	50		
	(15.00)		В	uccastem
* Tab 5 mg - Up to 30 tab available on a PSO	16.85	500	✓ A	ntinaus
* Inj 12.5 mg per ml, 1 ml - Up to 5 inj available on a PSO		10	√ S	temetil
* Suppos 25 mg	23.87	5	√ S	temetil
PROMETHAZINE THEOCLATE				
* Tab 25 mg	1.20	10		
· ·	(6.24)		Α	vomine
TROPISETRON				
a) Maximum of 6 cap per prescription				
b) Maximum of 3 cap per dispensing				
c) Not more than one prescription per month.				
Cap 5 mg	77.41	5	✓ N	<u>avoban</u>

Antipsychotics

Guidelines for the use of atypical antipsychotic agents

Diagnosis: Schizophrenia and related psychoses when positive symptoms (delusions, hallucinations and thought disorder) are prominent and/or disabling or when both positive symptoms and negative symptoms (flattened affect, emotional and social withdrawal and poverty of speech) are present. Treatment: Before initiating atypical antipsychotic therapy, physicians should consider whether the patient is likely to respond to and/or tolerate conventional antipsychotic therapy and, where appropriate, trial one or more conventional agent prior to use of an atypical agent.

General

AMISULPRIDE			
Tab 100 mg	22.52	30	Solian
Tab 200 mg	97.03	60	Solian
Tab 400 mg	185.44	60	Solian
Oral liq 100 mg per ml	55.44	60 ml	Solian
ARIPIPRAZOLE - Special Authority see SA0920 below - Reta	ail pharmacy		
Tab 10 mg	123.54	30	Abilify
Tab 15 mg	175.28	30	Abilify
Tab 20 mg	213.42	30	Abilify
Tab 30 mg	260.07	30	✓ Abilify

■ SA0920 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Either:
 - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
 - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

NERVOUS SYSTEM

	Subsidy		Fully Brand or
	(Manufacturer's Price \$	e) Per	Subsidised Generic Manufacturer
	ų.	rei	Manufacturer
CHLORPROMAZINE HYDROCHLORIDE			
Tab 10 mg - Up to 30 tab available on a PSO		100	✓ Largactil
Tab 25 mg - Up to 30 tab available on a PSO		100	✓ Largactil
Tab 100 mg - Up to 30 tab available on a PSO		100	✓ Largactil
Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO	25.66	10	✓ Largactil
CLOZAPINE - Hospital pharmacy [HP4]			
Tab 25 mg	13.37	50	✓ Clozaril
	26.74	100	✓ Clozaril
	6.69	50	✓ Clopine
	13.37	100	✓ Clopine
Tab 50 mg		50	✓ Clopine
	17.33	100	✓ Clopine
Tab 100 mg		50	Clozaril
	69.30	100	✓ Clozaril
	17.33	50	Clopine
- 1.000	34.65	100	Clopine
Tab 200 mg		50	Clopine
	69.30	100	Clopine
Suspension 50 mg per ml	17.33	100 ml	✓ Clopine
HALOPERIDOL			
Tab 500 μg – Up to 30 tab available on a PSO	5.42	100	✓ <u>Serenace</u>
Tab 1.5 mg - Up to 30 tab available on a PSO		100	✓ Serenace
Tab 5 mg - Up to 30 tab available on a PSO		100	✓ Serenace
Oral liq 2 mg per ml - Up to 200 ml available on a PSO		100 ml	✓ <u>Serenace</u>
Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO	18.74	10	✓ <u>Serenace</u>
LEVOMEPROMAZINE			
Tab 25 mg	16.93	100	✓ Nozinan
Tab 100 mg	43.96	100	✓ Nozinan
Inj 25 mg per ml, 1 ml	73.68	10	✓ Nozinan
LITHIUM CARBONATE			
Tab 250 mg	36.10	500	✓ Lithicarb
Tab 400 mg		100	✓ Lithicarb
Tab long-acting 400 mg		100	✓ Priadel
Cap 250 mg		100	✓ Douglas

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer	
OLANZAPINE					
Tab 2.5 mg - Special Authority (Zyprexa brand only) see SA0741 below - Retail pharmacy		28		or Reddy's Olanzapine Olanzine	
	51.07			vprexa	
Tab 5 mg - Special Authority (Zyprexa brand only) see					
SA0741 below – Retail pharmacy	3.85	28	✓ D	r Reddy's Olanzapine	
				lanzine	
Tab 10 mg Chaolal Authority (7 mgaya brand anly) and	101.21		VZ	yprexa	
Tab 10 mg - Special Authority (Zyprexa brand only) see SA0741 below - Retail pharmacy		28		r Reddy's Olanzapine	
	204.49			olanzine Syprexa	

⇒SA0741 Special Authority for Subsidy

Initial application only from a psychiatrist. Approvals valid for 2 years for applications meeting the following criteria: Any of the following:

- 1 Patient presents with first episode schizophrenia or related psychoses; or
- 2 Both:
 - 2.1 Patient suffering from schizophrenia and related psychoses or acute mania in bipolar disorder who is likely to benefit from antipsychotic treatment; and
 - 2.2 Either:
 - 2.2.1 An effective dose of risperidone had been trialled and has been discontinued because of unacceptable side effects; or
 - 2.2.2 An effective dose of risperidone had been trialled and has been discontinued because of inadequate clinical response after 4 weeks; or
- 3 The patient has suffered from an acute episode of schizophrenia or bipolar mania and has been treated with olanzapine short-acting intra-muscular injection.

Renewal only from a psychiatrist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Initial prescriptions to be written by psychiatrists or psychiatric registrars and subsequent prescriptions can be written by General Practitioners.

PERICYAZINE

Tab 2.5 mg	12.49	100	Neulactil
Tab 10 mg	44.45	100	Neulactil

	Subsidy (Manufacturer's Price)		Fully Brand or
	(Manufacturer's Price) \$	Per	Subsidised Generic Manufacturer
JETIAPINE			
Tab 25 mg	7.00	60	✓ Dr Reddy's
-			Quetiapine
			✓ Seroquel
	16.78	90	✓ Quetapel
Tab 100 mg	14.00	60	✓ Dr Reddy's
			Quetiapine
	00.50	00	✓ Seroquel
Tab 200 mg	32.59	90 60	✓ Quetapel ✓ Dr Reddy's
Tab 200 Hig	24.00	00	Quetiapine
			✓ Seroquel
	56.70	90	✓ Quetapel
Tab 300 mg		60	✓ Dr Reddy's
ů			Quetiapine
			✓ Seroquel
	95.40	90	✓ Quetapel
PERIDONE			
Tab 0.5 mg	3.51	60	✓ Apo-Risperidone
3			✓ Dr Reddy's
			Risperidone
			✓ Ridal
	5.20	20	Risperdal
Tab 1 mg	6.00	60	✓ Apo-Risperidone
			✓ Dr Reddy's
			Risperidone
			Ridal
Table O area	30.77	00	Risperdal
Tab 2 mg	11.00	60	✓ Apo-Risperidone
			✓ Dr Reddy's Risperidone
			✓ Ridal
	61.53		✓ Risperdal
Tab 3 mg	*****	60	✓ Apo-Risperidone
tab o mg		00	✓ Dr Reddy's
			Risperidone
			✓ Ridal
	92.32		✓ Risperdal
Tab 4 mg	20.00	60	✓ Apo-Risperidone
			✓ Dr Reddy's
			Risperidone
			✓ Ridal
	123.05		Risperdal
Oral liq 1 mg per ml	18.35	30 ml	✓ Apo-Risperidone
	45.00		✓ Risperon
	45.92		✓ Risperdal
IFLUOPERAZINE HYDROCHLORIDE			4
Tab 1 mg		100	✓ Stelazine
Tab 2 mg		100	✓ Stelazine
Tab 5 mg	16.66	100	Stelazine

	Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
	(Manufacturer's Price)	Per	Subsidised	Manufacturer
ZIPRASIDONE – Subsidy by endorsement				
Ziprasidone is subsidised for patients suffering from schizo	phrenia or related psy	ychose	es after a t	rial of an effective dose o
risperidone or quetiapine that has been discontinued, or is in		discon	itinued, bed	cause of unacceptable side
effects or inadequate response, and the prescription is endo		00		Palalana
Cap 20 mg		60		'eldox 'eldox
Cap 40 mg		60 60		eidox Zeldox
Cap 60 mg Cap 80 mg		60		leidox Zeldox
		00	V 2	Eluox
ZUCLOPENTHIXOL HYDROCHLORIDE	04.45	400		
Tab 10 mg	31.45	100	~ (Clopixol
Depot Injections				
FLUPENTHIXOL DECANOATE				
Inj 20 mg per ml, 1 ml - Up to 5 inj available on a PSO	13.14	5	✓ F	luanxol
Inj 20 mg per ml, 2 ml - Up to 5 inj available on a PSO		5	✓ F	luanxol
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO		5	✓ F	luanxol
FLUPHENAZINE DECANOATE				
Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PS	O17.60	5	V 1	/lodecate
Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	V 1	Modecate
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO		5	V 1	/lodecate
HALOPERIDOL DECANOATE				
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	28.39	5	√ ⊦	łaldol
Inj 100 mg per ml, 1 ml — Up to 5 inj available on a PSO		5		faldol Concentrate
PIPOTHIAZINE PALMITATE		-		
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	170 /0	10	4/ 5	Piportil
Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO		10		Piportil
		10	• •	iportii
RISPERIDONE – Special Authority see SA0926 below – Retail p	,			Name and all Occupation
Inj 25 mg per 2 ml		1		Risperdal Consta
Inj 37.5 mg per 2 ml		1		Risperdal Consta Risperdal Consta
	200.00	1	V 1	nisperuai Collsta
⇒SA0926 Special Authority for Subsidy				

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient has schizophrenia or other psychotic disorder; and
- 2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 Both:
 - 1.1 The patient has had less than 12 months treatment with risperidone depot injection; and
 - 1.2 There is no clinical reason to discontinue treatment; or
- 2 The initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of risperidone depot injection.

Note: Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone depot injection.

ZUCLOPENTHIXOL DECANOATE

Inj 200 mg per ml, 1 ml - Up to 5 inj available on a PSO19.80 ✔ Clopixol

	(Manufacturer's Price)	Per	Subsidised	Manufacturer	
Orodispersible Antipsychotics					
OLANZAPINE Orodispersible tab 5 mg	6.36	28		r Reddy's	
Orodispersible tab 10 mg	8.76	28	✓ 0	Olanzapine rlanzine-D r Reddy's Olanzapine	
Wafer 5 mg - Special Authority see SA0739 below - Retail pharmacy	102.19	28		lanzine-D yprexa Zydis	
Wafer 10 mg - Special Authority see SA0739 below - Retail pharmacy		28	✓ Z	yprexa Zydis	

Subsidy

(Manufacturar's Price)

Fully

Cubaidiand

Brand or

Conorio

⇒SA0739 Special Authority for Subsidy

Initial application only from a psychiatrist. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The patient meets the current criteria for standard olanzapine tablets; and
- 2 The patient is unable to take standard olanzapine tablets, or once stabilized refuses to take olanzapine tablets; or the patient is non-adherent to oral therapy with standard olanzapine tablets; and
- 3 The patient is under direct supervision for administration of medicine.

Renewal only from a psychiatrist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The patient is unable to take standard olanzapine tablets, or once stabilized refuses to take olanzapine tablets; and
- 2 The patient is under direct supervision for administration of medicine.

Note: Initial prescriptions to be written by psychiatrists and subsequent prescriptions can be written by psychiatric registrars or General Practitioners.

RISPERIDONE - Special Authority see SA0927 below - Retail pharmacy

Orally-disintegrating tablets 0.5 mg	21.42 28	
Orally-disintegrating tablets 1 mg	42.84 28	Risperdal Quicklet
Orally-disintegrating tablets 2 mg	85.71 28	Risperdal Quicklet

■SA0927 Special Authority for Subsidy

Initial application — (Acute situations) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 For a non-adherent patient on oral therapy with standard risperidone tablets or risperidone oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Initial application — (Chronic situations) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid: and
- 2 The patient is under direct supervision for administration of medicine.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Note: Risperdal Quicklets cost significantly more than risperidone tablets and should only be used where necessary.

A)	Subsidy Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
Anxiolytics				
ALPRAZOLAM				
Tab 250 μg	3.15	50	~	Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid pr	reparations.			
Tab 500 μg		50	~	Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid pr				
Tab 1 mg		50	~	Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid pr				
BUSPIRONE HYDROCHLORIDE – Special Authority see SA0863 b		•		
Tab 5 mg		100		Pacific Buspirone
Tab 10 mg	17.00	100	~	Pacific Buspirone
2 Other agents are contraindicated or have failed. Renewal from any relevant practitioner. Approvals valid for 2 years benefiting from treatment.	where the treatm	ent re	mains ap	propriate and the patient is
DIAZEPAM Tab 2 mg	11 44	500	./	Arrow-Diazepam
Safety cap for extemporaneously compounded oral liquid pi		300	•	Allow-Diazepaili
Tab 5 mg		500	~	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid pi				
LORAZEPAM				
Tab 1 mg	16.42	250	~	Ativan
‡ Safety cap for extemporaneously compounded oral liquid pr	reparations.		•	
Tab 2.5 mg	11.17	100	~	<u>Ativan</u>
‡ Safety cap for extemporaneously compounded oral liquid pr	reparations.			
OXAZEPAM				
Tab 10 mg	1.98	100		
	(5.89)			Ox-Pam
‡ Safety cap for extemporaneously compounded oral liquid pr		400		
Tab 15 mg		100		Ov Dom
+ Cafaty can for extemporaneously compounded and liquid a	(8.13)			Ox-Pam
‡ Safety cap for extemporaneously compounded oral liquid pr	eparations.			

Multiple Sclerosis Treatments

⇒SA1062 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Budget managed by appointed clinicians on the Multiple Sclerosis Treatment Assessments Committee (MSTAC).

Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington



Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Appeals against MSTAC's decision and/or the processing of any application may be lodged with the MSTAC coordinator. Concerns that cannot be or have not been adequately addressed by MSTAC will be forwarded to a separate Appeal Committee if necessary. Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis should as a rule include MRI confirmation. For patients diagnosed before MRI was widely utilised in New Zealand, confirmation of diagnosis via clinical assessment and laboratory/ancillary data must be provided; and
- patients must have active relapsing MS (confirmed by MR scan where necessary) with or without underlying progression; and
- 3) patients must have either:
 - a) EDSS score 2.5 5.5 with 2+ relapses:
 - experienced at least 2 significant relapses of MS in the previous 12 months, and
 - an EDSS score of between 2.5 and 5.5 inclusive; or
 - b) EDSS score 2.0 with 3+ relapses:
 - experienced at least 3 significant relapses of MS in the previous 12 months, and
 - an EDSS score of 2.0; and
- 4) Each relapse must:
 - a) be confirmed by a neurologist or general physician (the patient may not necessarily have been seen during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria):
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) follow a period of stability of at least one month;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke functional systems scores by at least 1 point:
 - f) be distinguishable from the effects of general fatigue; and
 - a) not be associated with a fever (T>37.5°C); and
- 5) applications must be made at least four weeks after the date of the onset of the last known relapse; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate (see criteria for stopping).
- applications must be submitted to the Multiple Sclerosis Treatment Assessment Committee (MSTAC) by the patient's neurologist or a general physician; and
- 8) patients must agree (via informed consent) to co-operate if as a result of their meeting the stopping criteria, funding is withdrawn. Patients must agree to the collection of clinical data relating to their MS and use of those data by PHARMAC; and
- 9) patients must agree to allow clinical data to be collected and reviewed by MSTAC annually for each year in which they receive funding for beta-interferon or glatiramer acetate.

Stopping Criteria

Subsidy (Manufacturer's Prio \$		ully Brand or sed Generic Manufacturer	
---------------------------------------	--	--	--

continued...

- 1) Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment. Progression of disability is defined as any of:
 - a) an increase of 2 EDSS points where starting EDSS was 2.0; or
 - b) an increase of 1.5 EDSS points where starting EDSS was 2.5 or 3.0; or
 - c) an increase of 1 EDSS point where starting EDSS 3.5 or greater; or
 - d) an increase in EDSS score to 6.0 or more; or
- stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) pregnancy and/or lactation; or
- 4) within the 12 month approval year, intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate: or
- 5) non-compliance with treatment, including refusal to undergo annual assessment or refusal to allow the results of the assessment to be submitted to MSTAC; or
- 6) patients may, subject to conclusions drawn from published evidence available at the time, be excluded if they develop a high titre of neutralising anti-bodies to beta-interferon or glatiramer acetate.

Note: Patients who have a stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet any of the other Stopping Criteria at annual review may switch to a different class of funded treatment (i.e. patients may switch from either of the beta-interferons [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa). Patients may switch classes of treatment for this reason only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to stable or increasing relapse rate over 12 months of treatment).

GLATIRAMER ACETATE – Special Authority see SA1062 or	page 131		
Inj 20 mg prefilled syringe	1,089.25	28	Copaxone
INTERFERON BETA-1-ALPHA - Special Authority see SA1	062 on page 131		
Inj 6 million iu prefilled syringe	1,329.65	4	Avonex
Inj 6 million iu per vial		4	Avonex
INTERFERON BETA-1-BETA - Special Authority see SA106	2 on page 131		
Inj 8 million iu per 1 ml	1,322.89	15	Betaferon

Sedatives and Hypnotics

LORN	IETA	ZEP	MA

Tab 1 mg	3.11	30	
	(23.50)		Noctamid

‡ Safety cap for extemporaneously compounded oral liquid preparations.

MIDAZOLAM

Note: Midazolam injection will be funded if prescribed for intranasal administration for use in palliative care. Note that only the Hypnovel brand is currently indicated for intranasal administration.

Tab 7.5 mg	10.38	100	
•	(25.00)		Hypnovel
‡ Safety cap for extemporaneously compounded	oral liquid preparations.		
Inj 1 mg per ml, 5 ml	10.75	10	Hypnovel
	(14.73)		Pfizer
Inj 5 mg per ml, 3 ml	11.90	5	Hypnovel
	(19.64)		Pfizer
NITRAZEPAM			
Tab 5 mg	2.00	100	
•	(4.98)		Nitrados

[‡] Safety cap for extemporaneously compounded oral liquid preparations.

NERVOUS SYSTEM

	Subsidy		Fully Brand or
	(Manufacturer's Price)	Per	Subsidised Generic Manufacturer
	¥		·
TEMAZEPAM			
Tab 10 mg	0.83	25	✓ <u>Normison</u>
‡ Safety cap for extemporaneously compounded oral liquid	preparations.		
TRIAZOLAM			
Tab 125 μg	5.10	100	
	(6.50)		Hypam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.		
Tab 250 μg		100	
	(7.20)		Hypam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.		
ZOPICLONE			
Tab 7.5 mg	21.02	500	✓ Apo-Zopiclone
Ctimulanto/ADUD Treetments			
Stimulants/ADHD Treatments			
Stimulants/ADHD treatments			
Stillidiants/ADND treatments			
ATOMOXETINE - Special Authority see SA0951 below - Retail p	harmacy		
Cap 10 mg	107.03	28	✓ Strattera
Cap 18 mg		28	✓ Strattera
Cap 25 mg		28	✓ Strattera
Cap 40 mg		28	✓ Strattera
Cap 60 mg	107.03	28	✓ Strattera
Cap 80 mg	139.11	28	✓ Strattera
Cap 100 mg	139.11	28	✓ Strattera

⇒SA0951 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
 - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
 - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
 - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamphetamine sulphate tablets.

DEXAMPHETAMINE SULPHATE - Special Authority see SA1073 on the next page - Retail pharmacy Only on a controlled drug form

Tab 5 mg16.50 100 ✔ PSM

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

■ SA1073 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

- All of the following:
 - 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
 - 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
 - 3 Fither:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Both:
 - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 3.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

- Both:
 - 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
 - 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Both:
 - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 2.2.2 Provide name of the recommending specialist.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE - Special Authority see SA1074 below - Retail pharmacy

Only on a controlled drug form			
Tab immediate-release 5 mg	3.20	30	Rubifen
Tab immediate-release 10 mg		30	Ritalin
Ÿ			Rubifen
Tab immediate-release 20 mg	7.85	30	Rubifen
Tab sustained-release 20 mg		30	Rubifen SR
•	50.00	100	Ritalin SR

■SA1074 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

3.2 Both:

- 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
- 3.2.2 Provide name of the recommending specialist.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Both:
 - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 2.2.2 Provide name of the recommending specialist.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA0924 below - Retail pharmacy

Only on a controlled drug form

Tab extended-release 18 mg	58.96	30	Concerta
Tab extended-release 27 mg	65.44	30	Concerta
Tab extended-release 36 mg	71.93	30	Concerta
	86.24	30	Concerta
	19.50	30	✓ Ritalin LA
	25.50	30	✓ Ritalin LA
	31.90	30	✓ Ritalin LA
	38.25	30	✓ Ritalin LA

■ SA0924 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Both:
 - 3.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 3.2.2 Provide name of the recommending specialist; and
- 4 Either:

Subsidy (Manufacturer's Prid \$	ce) Per	Fully Subsidised	Brand or Generic Manufacturer	
---------------------------------------	------------	---------------------	-------------------------------------	--

continued...

- 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or compliance difficulties; or
- 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Both:
 - 2.2.1 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
 - 2.2.2 Provide name of the recommending specialist.

MODAFINIL – Special Authority see SA1126 below – Retail pharmacy
Tab 100 mg72.50 30

✓ Modavigil

⇒SA1126 Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more; and
- 2 Either:
 - 2.1 The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eye movement periods; or
 - 2.2 The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations; and
- 3 Either
 - 3.1 An effective dose of a subsidised formulation of methylphenidate or dexamphetamine has been trialled and discontinued because of intolerable side effects; or
 - 3.2 Methylphenidate and dexamphetamine are contraindicated.

Renewal only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Treatments for Dementia		
DONEPEZIL HYDROCHLORIDE * Tab 5 mg	90 90	✓ <u>Donepezil-Rex</u> ✓ <u>Donepezil-Rex</u>
Treatments for Opioid Overdose		
NALOXONE HYDROCHLORIDE a) Up to 5 inj available on a PSO b) Only on a PSO * Inj 400 µg per ml, 1 ml	5	✓ Mayne
Treatments for Substance Dependence		
BUPROPION HYDROCHLORIDE Tab modified-release 150 mg	30	✓ Zyban
DISULFIRAM Tab 200 mg24.30	100	✓ Antabuse

NERVOUS SYSTEM

	Subsidy (Manufacturer's Price) \$	Su Per	Fully ubsidised	Brand or Generic Manufacturer
NALTREXONE HYDROCHLORIDE – Special Authority see SA09		•	4	
Tab 50 mg	123.00	30	✓ Na ✓ Re	altraccord eVia
(ReVia Tab 50 mg to be delisted 1 September 2011)				

⇒SA0909 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

Renewal from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
 - 2.1 Patient is still unstable and requires further treatment; or
 - 2.2 Patient achieved significant improvement but requires further treatment; or
 - 2.3 Patient is well controlled but requires maintenance therapy.

Tab 0.5 mg \times 11 and 1 mg \times 1460.48

The patient may not have had more than 1 prior approval in the last 12 months.

NICOTINE

a) Nicotine will not be funded Close Control in amounts less than 4 weeks of treatment.

b) Note - New pack sizes (384 pieces) of nicotine gum (Habitrol) will be listed from 1 July 2011.

b) 140to 140W pack 51205 (004 piccos) of filodiffic gain (flas	illoij wiii be ilotea il	Oili i duly 2	011.
Patch 7 mg	18.13	28	Habitrol
Patch 14 mg	18.81	28	Habitrol
Patch 21 mg	19.14	28	Habitrol
Lozenge 1 mg	19.94	216	Habitrol
Lozenge 2 mg	24.27	216	Habitrol
Gum 2 mg (Classic)	14.97	96	Habitrol
Gum 2 mg (Fruit)		96	Habitrol
Gum 2 mg (Mint)	14.97	96	✓ Habitrol
Gum 4 mg (Classic)		96	✓ Habitrol
Gum 4 mg (Fruit)		96	Habitrol
Gum 4 mg (Mint)	20.02	96	Habitrol
(Habitrol Gum 2 mg (Classic) to be delisted 1 October 2011)			
(Habitrol Gum 2 mg (Fruit) to be delisted 1 October 2011)			
(Habitrol Gum 2 mg (Mint) to be delisted 1 October 2011)			
(Habitrol Gum 4 mg (Classic) to be delisted 1 October 2011)			
(Habitrol Gum 4 mg (Fruit) to be delisted 1 October 2011)			
(Habitrol Gum 4 mg (Mint) to be delisted 1 October 2011)			
VARENICLINE TARTRATE - Special Authority see SA1054 on	the next page. Do	tail pharmac	W.
Varenicline will not be funded Close Control in amounts less	1 0		у
Tab 1 mg		28	✓ Champix
iau i iiig	135.48		
	133.46	56	Champix

25 OP

✓ Champix

NERVOUS SYSTEM

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

■ SA1054 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 Either:
 - 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
 - 3.2 The patient has tried but failed to guit smoking using bupropion or nortriptyline; and
- 4 The patient has not used funded varenicline in the last 12 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 6 The patient is not pregnant.

Renewal from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 The patient has not used funded varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 5 The patient is not pregnant.

The patient may not have had an approval in the past 12 months.

Subsidy Fully (Manufacturer's Price) Subsidised
\$ Per ✔

Brand or

Generic

Manufacturer

Chemotherapeutic Agents

	Alk	/lating	Ac	ents
--	-----	---------	----	------

BUSULPHAN – PCT – Retail pharmacy-Specialist	50.50	100	. A Madagan
Tab 2 mg	59.50	100	✓ Myleran
CARBOPLATIN – PCT only – Specialist	20.00	4	4 Coulombatin Ehaura
Inj 10 mg per ml, 5 ml Inj 10 mg per ml, 15 ml		1 1	Carboplatin EbeweCarboplatin Ebewe
Inj 10 mg per ml, 45 ml		1	✓ Carboplatin Ebewe
Inj 10 mg per ml, 100 ml		1	✓ Carboplatin Ebewe
Inj 1 mg for ECP		1 mg	✓ Baxter
, -	0.13	ring	Daxtel
CARMUSTINE – PCT only – Specialist	004.40	4	. ✓ D:ONIII
Inj 100 mg		1	✓ BiCNU
Inj 100 mg for ECP	204.13	100 mg OP	✓ Baxter
CHLORAMBUCIL - PCT - Retail pharmacy-Specialist			
Tab 2 mg	22.35	25	✓ Leukeran FC
CISPLATIN - PCT only - Specialist			
Inj 1 mg per ml, 50 ml	15.00	1	Cisplatin Ebewe
,	19.00		✓ Mayne
Inj 1 mg per ml, 100 ml	21.00	1	Cisplatin Ebewe
	38.00		✓ Mayne
Inj 1 mg for ECP	0.27	1 mg	✓ Baxter
CYCLOPHOSPHAMIDE			
Tab 50 mg - PCT - Retail pharmacy-Specialist	25.71	50	✓ Cycloblastin
Inj 1 g - PCT - Retail pharmacy-Specialist		1	✓ Endoxan
, , , , , , , , , , , , , , , , , , , ,	127.80	6	✓ Cytoxan
Inj 2 g - PCT only - Specialist	47.30	1	✓ Endoxan
Inj 1 mg for ECP - PCT only - Specialist	0.03	1 mg	✓ Baxter
IFOSFAMIDE - PCT only - Specialist			
Inj 1 g	96.00	1	✓ Holoxan
Inj 2 g		1	✓ Holoxan
Inj 1 mg for ECP		1 mg	✓ Baxter
LOMUSTINE - PCT only - Specialist		9	
Cap 10 mg	132 50	20	✓ CeeNU
Cap 40 mg		20	✓ CeeNU
, ,		20	• Occito
MELPHALAN	04.04	05	Alleren
Tab 2 mg - PCT - Retail pharmacy-Specialist		25	✓ Alkeran
Inj 50 mg - PCT only - Specialist		1	✓ Alkeran
OXALIPLATIN - PCT only - Specialist - Special Authority se		1 0	
Inj 50 mg		1	✓ Oxaliplatin Ebewe
	200.00		✓ Eloxatin
Inj 100 mg		1	Oxaliplatin Ebewe
1:4 (500	400.00		✓ Eloxatin
Inj 1 mg for ECP	1.20	1 mg	✓ Baxter

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per 🗸 Manufacturer

■SA0900 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 Both:
 - 1.1 The patient has metastatic colorectal cancer; and
 - 1.2 To be used for first or second line use as part of a combination chemotherapy regimen; or
- 2 Both:
 - 2.1 The patient has stage III (Duke's C) colorectal* cancer; and
 - 2.2 Adjuvant oxaliplatin to be given in combination with a fluoropyrimidine (fluorouracil or capecitabine).

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

1 The patient requires continued therapy; or

THIOTEPA - PCT only - Specialist

2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with * are Unapproved Indications, oxaliplatin is indicated for adjuvant treatment of stage III (Duke's C) colon cancer after complete resection of the primary tumour.

Inj 15 mgCBS	1	✓ Bedford S29
Antimetabolites		
CALCIUM FOLINATE		
Tab 15 mg - PCT - Retail pharmacy-Specialist	10	✓ Mayne
Inj 3 mg per ml, 1 ml - PCT - Retail pharmacy-Specialist	5	✓ Mayne
Inj 50 mg - PCT - Retail pharmacy-Specialist24.50	5	✓ <u>Calcium Folinate</u> Ebewe
Inj 100 mg - PCT only - Specialist9.75	1	✓ Calcium Folinate Ebewe
Inj 300 mg - PCT only - Specialist30.00	1	✓ Calcium Folinate Ebewe
Inj 1 g - PCT only - Specialist90.00	1	Calcium Folinate Ebewe
Inj 1 mg for ECP - PCT only - Specialist	1 mg	✓ Baxter
CAPECITABINE - Retail pharmacy-Specialist - Special Authority see SA104	19 below	
Tab 150 mg115.00	60	✓ Xeloda
Tab 500 mg705.00		✓ Xeloda

■ SA1049 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has advanced gastrointestinal malignancy; or
- 2 The patient has metastatic breast cancer; or
- 3 The patient has stage III (Duke's stage C) colorectal*# cancer and undergone surgery; or
- 4 Both:
 - 4.1 The patient has stage II (Dukes' stage B) colorectal* cancer and has undergone surgery; and
 - 4.2 Any of the following:
 - 4.2.1 The patient has stage T4 disease; or
 - 4.2.2 The patient has vascular invasion; or

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sul	bsidised	Generic
\$	Per	~	Manufacturer

continued...

- 4.2.3 Fewer than 10 lymph nodes were examined at resection; or
- 5 All of the following:
 - 5.1 The patient has locally advanced (clinically or radiologically staged T3/T4: N0,1,2) rectal cancer; and
 - 5.2 Surgery is planned; and
 - 5.3 Capecitabine to be given prior to surgery (neoadjuvant); and
 - 5.4 Capecitabine to be given at a maximum dose of 825 mg/m² twice daily in combination with radiation therapy for a maximum of 6 weeks; or
- 6 Both:
 - 6.1 The patient has poor venous access or needle phobia*; and
 - 6.2 The patient requires a substitute for single agent fluoropyrimidine*.

Note: Indications marked with * are Unapproved Indications, # capecitabine is approved for stage III (Duke's stage C) colon cancer. **Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

1 The patient requires continued therapy; or

CLADRIBINE - PCT only - Specialist

2 The tumour has relapsed and requires re-treatment.

CLADRIBINE - PCT only - Specialist			
Inj 2 mg per ml, 5 ml	873.00	1	✓ Litak S29
Inj 1 mg per ml, 10 ml	5,249.72	7	✓ Leustatin
Inj 10 mg for ECP	749.96	10 mg OP	✓ Baxter
(Litak S29 Inj 2 mg per ml, 5 ml to be delisted 1 September 201	1)	-	
CYTARABINE			
Inj 100 mg - PCT - Retail pharmacy-Specialist	76.00	5	✔ Pfizer
, , , , , ,	80.00		✓ Mayne
Inj 500 mg - PCT - Retail pharmacy-Specialist	18.15	1	✔ Pfizer
, , , , , ,	95.36	5	✓ Mayne
Inj 1 g - PCT - Retail pharmacy-Specialist	37.00	1	✔ Pfizer
, ,	42.65		✓ Mayne
Inj 2 g - PCT - Retail pharmacy-Specialist	31.00	1	✔ Pfizer
, ,	34.47		✓ Mayne
Inj 1 mg for ECP - PCT only - Specialist	0.27	10 mg	✓ Baxter
Inj 100 mg intrathecal syringe for ECP - PCT only - Special		100 mg OP	✓ Baxter
FLUDARABINE PHOSPHATE - PCT only - Specialist		J	
Tab 10 mg	967.00	20	✓ Fludara Oral
9		5	✓ Fludara Orai
Inj 50 mg for ECR		50 mg OP	✓ <u>Fludara</u> ✓ Baxter
Inj 50 mg for ECP	200.00	50 Hig OF	Daxier
FLUOROURACIL SODIUM			
Inj 50 mg per ml, 10 ml - PCT only - Specialist		5	Fluorouracil Ebewe
Inj 50 mg per ml, 20 ml - PCT only - Specialist		1	Fluorouracil Ebewe
Inj 25 mg per ml, 100 ml - PCT only - Specialist		1	✓ Mayne
Inj 50 mg per ml, 50 ml - PCT only - Specialist		1	Fluorouracil Ebewe
Inj 50 mg per ml, 100 ml - PCT only - Specialist		1	Fluorouracil Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.77	100 mg	✓ Baxter
GEMCITABINE HYDROCHLORIDE - PCT only - Specialist -	Special Authority	see SA1087 or	n the next page
Inj 1 g	62.50	1	✓ Gemcitabine Ebewe
	349.20		✓ Gemzar
Inj 200 mg	12.50	1	✓ Gemcitabine Ebewe
, ,	78.00		✓ Gemzar
Inj 1 mg for ECP	0.07	1 mg	✓ Baxter

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or
Generic
Manufacturer

⇒SA1087 Special Authority for Subsidy

Initial application — (Hodgkin's Disease) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has Hodgkin's Disease*; and
- 2 Any of the following:
 - 2.1 Disease has failed to respond to second line salvage chemotherapy treatment; or
 - 2.2 Disease has relapsed following transplant; or
 - 2.3 The patient is unsuitable for, or intolerant to, second-line salvage chemotherapy or high dose chemotherapy and transplant; and
- 3 Gemcitabine to be given for a maximum of 6 treatment cycles.

Note: Indications marked with a * are Unapproved Indications.

Initial application — (T-Cell Lymphoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has T-cell Lymphoma*; and
- 2 Gemcitabine to be given for a maximum of 6 treatment cycles.

Note: Indications marked with a * are Unapproved Indications.

Initial application — (Cholangiocarcinoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has locally advanced or metastatic, cholangiocarcinoma*; and
- 2 Gemcitabine to be given for a maximum of 8 treatment cycles.

Notes: Cholangiocarcinoma encompasses epithelial tumours of the hepatobiliary tree, including tumours of bile ducts, ampulla of vater and gallbladder.

Indications marked with a * are Unapproved Indications.

Initial application — (Pancreatic Cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has macroscopically resected (R0) pancreatic carcinoma*; and
 - 1.2 Adjuvant gemcitabine to be administered for a maximum of 6 cycles; or
- 2 Both:
 - 2.1 The patient has advanced pancreatic carcinoma; and
 - 2.2 The patient is gemcitabine treatment naive.

Note: Indications marked with a * are Unapproved Indications.

Renewal — **(Pancreatic Cancer)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has received gemcitabine for advanced pancreatic carcinoma; and
- 2 The patient has not received gemcitabine for adjuvant treatment pancreatic carcinoma; and
- 3 The patient requires continued therapy.

Initial application — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 1 The patient has non small cell lung carcinoma (stage Illa, or above); or
- 2 The patient has advanced malignant mesothelioma; or
- 3 The patient has ovarian, fallopian tube* or primary peritoneal carcinoma*; or
- 4 The patient has advanced transitional cell carcinoma of the urothelial tract (locally advanced or metastatic).

continued...

Note: Indications marked with a * are Unapproved Indications.

Renewal — **(Other indications)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

		TECAN - PCT only - Specialist - Special Authority see SA0878 below	IRI
Camptosar	1	nj 20 mg per ml, 2 ml41.00	
✓ Irinotecan-Rex			
Camptosar	1	nj 20 mg per ml, 5 ml100.00	
✓ Irinotecan-Rex			
✓ Baxter	1 mg	nj 1 mg for ECP1.04	

⇒SA0878 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic colorectal cancer; and
- 2 Either:
 - 2.1 To be used for first or second line use as part of a combination chemotherapy regimen; or
 - 2.2 As single agent chemotherapy in fluropyrimidine-relapsed disease.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy: or
- 2 The tumour has relapsed and requires re-treatment.

MERCAPTOPURINE – PCT – Retail pharmacy-Specialist Tab 50 mg47.06	25	✓ <u>Purinethol</u>		
METHOTREXATE				
* Tab 2.5 mg - PCT - Retail pharmacy-Specialist	30	✓ Methoblastin		
* Tab 10 mg - PCT - Retail pharmacy-Specialist40.93	50	✓ <u>Methoblastin</u>		
* Inj 2.5 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist23.65	5	✓ Mayne		
* Inj 25 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist48.00	5	✓ Hospira		
* Inj 25 mg per ml, 20 ml - PCT - Retail pharmacy-Specialist90.00	1	✓ Hospira		
* Inj 100 mg per ml, 10 ml - PCT - Retail pharmacy-Specialist25.00	1	✓ <u>Methotrexate Ebewe</u>		
* Inj 25 mg per ml, 40 ml - PCT - Retail pharmacy-Specialist25.00	1	✓ DBL		
		Methotrexate S29		
* Inj 100 mg per ml, 50 ml - PCT - Retail pharmacy-Specialist125.00	1	✓ <u>Methotrexate Ebewe</u>		
* Inj 1 mg for ECP - PCT only - Specialist	1 mg	✓ Baxter		
* Inj 5 mg intrathecal syringe for ECP - PCT only - Specialist4.73	5 mg OP	✓ Baxter		
THIOGUANINE - PCT - Retail pharmacy-Specialist Tab 40 mg97.16	25	✓ Lanvis		
Other Cytotoxic Agents				
AMSACRINE – PCT only – Specialist Inj 75 mgCBS	6	✓ Amsidine S29		

ANAGRELIDE HYDROCHLORIDE - PCT only - Specialist - Special Authority see SA0879 on the next page

Cap 0.5 mgCBS

✓ Agrylin S29

✓ Teva S29

100

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

■SA0879 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- 1 The patient has primary thrombocythaemia; and
- 2 Either:
 - 2.1 is at high risk (previous thromboembolic disease, bleeding or platelet count >1500/ml); or
 - 2.2 is intolerant or refractory to hydroxyurea or interferon.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that treatment with anagrelide be initiated only on the recommendation of a haematologist.

ARSENIC TRIOXIDE – PCT only – Specialist Inj 10 mg4,817.00	10	AFT S29
BLEOMYCIN SULPHATE - PCT only - Specialist Inj 15,000 iu	1	DBL Bleomycin Sulfate
Inj 1,000 iu for ECP9.28 1	,000 iu 🗸	Baxter
BORTEZOMIB - PCT only - Specialist - Special Authority see SA1127 below		
Inj 1 mg540.70	1 "	✓ Velcade
Inj 3.5 mg	1 ,	✓ Velcade
Inj 1 mg for ECP594.77	1 mg	/ Baxter

⇒SA1127 Special Authority for Subsidy

Initial application — (Treatment naive multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 The patient has treatment-naive symptomatic multiple myeloma; or
 - 1.2 The patient has treatment-naive symptomatic systemic AL amyloidosis *; and
- 2 Maximum of 9 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 The patient has relapsed or refractory multiple myeloma; or
 - 1.2 The patient has relapsed or refractory systemic AL amyloidosis *; and
- 2 The patient has received only one prior front line chemotherapy for multiple myeloma or amyloidosis; and
- 3 The patient has not had prior publicly funded treatment with bortezomib; and
- 4 Maximum of 4 further treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

Both:

- 1 The patient's disease obtained at least a partial response from treatment with bortezomib at the completion of cycle 4; and
- 2 Maximum of 4 further treatment cycles (making a total maximum of 8 consecutive treatment cycles).

Notes: Responding relapsed/refractory multiple myeloma patients should receive no more than 2 additional cycles of treatment beyond the cycle at which a confirmed complete response was first achieved. A line of therapy is considered to comprise either:

- a) a known therapeutic chemotherapy regimen and supportive treatments; or
- b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments.

Refer to datasheet for recommended dosage and number of doses of bortezomib per treatment cycle.

	Subsidy (Manufacturer's	Price) Subs	Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
COLASPASE (L-ASPARAGINASE) – PCT only – Specialist Inj 10,000 iu	102.32	1	✓ Leunase
Inj 10,000 iu for ECP	102.32	10,000 iu OP	✓ Baxter
DACARBAZINE - PCT only - Specialist			
Inj 200 mg	48.00	1	✓ Hospira
Inj 200 mg for ECP	48.00	200 mg OP	✓ Baxter
DACTINOMYCIN (ACTINOMYCIN D) - PCT only - Specialist			
Inj 0.5 mg	13.52	1	✓ Cosmegen
Inj 0.5 mg for ECP		0.5 mg OP	✓ Baxter
DAUNORUBICIN - PCT only - Specialist			
Inj 2 mg per ml, 10 ml	118.72	1	✓ Pfizer S29
Inj 5 mg per ml, 4 ml		1	✓ Mayne
Inj 20 mg for ECP		20 mg OP	✓ Baxter
DOCETAXEL - PCT only - Specialist - Special Authority see S	SA0880 below		
Inj 20 mg		1	✓ Docetaxel Ebewe
, ,	460.00		✓ Taxotere
Inj 80 mg	1,300.00	1	✓ Docetaxel Ebewe
	1,650.00		✓ Taxotere
Inj 1 mg for ECP	17.55	1 mg	✓ Baxter

⇒SA0880 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
 - 1.1 The patient has ovarian*, fallopian* or primary peritoneal cancer*; and
 - 1.2 Either:
 - 1.2.1 Has not received prior chemotherapy; or
 - 1.2.2 Has received prior chemotherapy but has not previously been treated with taxanes; or
- 2 The patient has metastatic breast cancer; or
- 3 Both:
 - 3.1 The patient has early breast cancer; and
 - 3.2 Docetaxel is to be given concurrently with trastuzumab; or
- 4 Both:
 - 4.1 The patient has non small-cell lung cancer; and
 - 4.2 Either:
 - 4.2.1 Has advanced disease (stage Illa or above); or
 - 4.2.2 Is receiving combined chemotherapy and radiotherapy; or
- 5 Both:
 - 5.1 The patient has small-cell lung cancer*; and
 - 5.2 Docetaxel is to be used as second-line therapy.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic breast cancer, non small-cell lung cancer, or small-cell lung cancer*; and
- 2 Either:
 - 2.1 The patient requires continued therapy; or
 - 2.2 The tumour has relapsed and requires re-treatment.

Note: indications marked with * are Unapproved Indications.

	Subsidy (Manufacturer's Price	e)	Fully Subsidised	
	\$	Per	~	Manufacturer
OXORUBICIN - PCT only - Specialist				
Inj 10 mg	10.00	1	V [Doxorubicin Ebewe
Inj 50 mg	40.00	1	V [DBL
				Doxorubicin S29
			V [Doxorubicin Ebewe
Inj 100 mg	80.00	1	V [Doxorubicin Ebewe
Inj 200 mg	150.00	1	V [Doxorubicin Ebewe
Inj 1 mg for ECP	0.88	1 mg	✓ E	Baxter
PIRUBICIN - PCT only - Specialist				
Inj 2 mg per ml, 5 ml	25.00	1	V 1	Epirubicin Ebewe
Inj 2 mg per ml, 25 ml		1		Epirubicin Ebewe
Inj 2 mg per ml, 50 ml		1		Epirubicin Ebewe
Inj 2 mg per ml, 100 ml		1		Epirubicin Ebewe
Inj 1 mg for ECP		1 mg		Baxter
, •		9		
OPOSIDE Con 50 mg PCT Potoil phormony Specialist	240.70	00		longoid
Cap 50 mg — PCT — Retail pharmacy-Specialist		20		/epesid
Cap 100 mg - PCT - Retail pharmacy-SpecialistInj 20 mg per ml, 5 ml - PCT - Retail pharmacy-Specialis		10 1		/epesid
ing 20 mg per mi, 5 mi – POT – netali pharmacy-specialis	612.20	10		Mayne Vepesid
Ini 1 mg for ECD DCT only Specialist				Pepesiu Baxter
Inj 1 mg for ECP - PCT only - Specialist	0.30	1 mg	•	Daxter
OPOSIDE PHOSPHATE - PCT only - Specialist				
Inj 100 mg (of etoposide base)		1		Etopophos
Inj 1 mg (of etoposide base) for ECP	0.47	1 mg	V 1	Baxter
YDROXYUREA - PCT - Retail pharmacy-Specialist				
Cap 500 mg	31.76	100	V 1	Hydrea
ARUBICIN HYDROCHLORIDE - PCT only - Specialist				
Cap 5 mg	115 00	1	V 7	Zavedos
Cap 10 mg		1		Zavedos
Inj 5 mg		1		Zavedos
Inj 10 mg		1		Zavedos
Inj 1 mg for ECP		1 mg		Baxter
		9	•	Jantoi
ESNA – PCT only – Specialist	010.05	F 0		lua un Massaur
Tab 400 mg		50		Jromitexan
Tab 600 mg		50		Jromitexan
Inj 100 mg per ml, 4 ml		15		Jromitexan
Inj 100 mg per ml, 10 ml		15		Jromitexan Baxter
Inj 1 mg for ECP	2.29	100 mg	•	Daxter
TOMYCIN C - PCT only - Specialist				
Inj 2 mg		10		Witomycin-C S29
Inj 5 mg		1		Arrow
Inj 10 mg		. 5		Mitomycin-C S29
Inj 1 mg for ECP	16.13	1 mg	✓ E	Baxter
fitomycin-C \$29 Inj 2 mg to be delisted 1 August 2011) fitomycin-C \$29 Inj 10 mg to be delisted 1 August 2011)				
TOZANTRONE - PCT only - Specialist				
Inj 2 mg per ml, 5 ml	110.00	1	V 1	Mitozantrone Ebewe
Inj 2 mg per ml, 10 ml		1		Mitozantrone Ebewe
Inj 2 mg per ml, 12.5 ml		1		Onkotrone
Inj 1 mg for ECP		1 mg		Baxter

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's Price)	1	Fully Subsidised	Brand or Generic
	\$	Per	✓	Manufacturer
PACLITAXEL - PCT only - Specialist	·			
Inj 30 mg	137.50	5	✓ P	aclitaxel Ebewe
Inj 100 mg	91.67	1	✓ P	aclitaxel Ebewe
Inj 150 mg	137.50	1	✓ A	ınzatax
			✓ P	aclitaxel Ebewe
Inj 300 mg	275.00	1	✓ A	ınzatax
			✓ P	aclitaxel Ebewe
Inj 600 mg	550.00	1	✓ P	aclitaxel Ebewe
Inj 1 mg for ECP	1.02	1 mg	✓ B	axter
PENTOSTATIN (DEOXYCOFORMYCIN) - PCT only - Specialis	t			
Inj 10 mg	CBS	1	✓ N	lipent S29
PROCARBAZINE HYDROCHLORIDE - PCT only - Specialist				
Cap 50 mg	225.00	50	√ N	latulan (\$29)
		50	V 1	iatulali 529
TEMOZOLOMIDE - Special Authority see SA1063 below - Reta	, ,			
Cap 5 mg	50.00	5		emodal
Cap 20 mg	170.00	5	✓ T	emodal
Cap 100 mg	840.00	5	✓ T	emodal
Cap 250 mg	2,100.00	5	✓ T	emodal

⇒SA1063 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 10 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Patient has newly diagnosed glioblastoma multiforme; or
 - 1.2 Patient has newly diagnosed anaplastic astrocytoma*; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of six cycles of 5 days treatment, at a maximum dose of 200 mg/m².

Notes: Indication marked with a * is an Unapproved Indication. Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme. Reapplications will not be approved.

Studies of temozolomide show that its benefit is predominantly in those patients with a good performance status (WHO grade 0 or 1 or Karnofsky score >80), and in patients who have had at least a partial resection of the tumour.

THALIDOMIDE – PCT only – Specialist – Special Authority see SA1124 below

Cap 50 mg490.00	28	Thalidomide Pharmion
504.00		Thalomid
Cap 100 mg1,008.00	28	Thalomid

(Thalidomide Pharmion Cap 50 mg to be delisted 1 October 2011)

⇒SA1124 | Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient has multiple myeloma; or
- 2 The patient has systemic AL amyloidosis*.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen. Indication marked with * is an Unapproved Indication.

	Subsidy (Manufacturer's Price \$	e) Per	Fully Brand or Subsidised Generic Manufacturer
TRETINOIN			
Cap 10 mg - PCT - Retail pharmacy-Specialist	435.90	100	✓ Vesanoid
VINBLASTINE SULPHATE			
Inj 10 mg - PCT - Retail pharmacy-Specialist	27.50	1	✓ Mayne
	137.50	5	✓ Mayne
Inj 1 mg for ECP - PCT only - Specialist	3.05	1 mg	✔ Baxter
VINCRISTINE SULPHATE			
Inj 1 mg per ml, 1 ml - PCT - Retail pharmacy-Specialist	108.00	5	✓ Hospira
Inj 1 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist	116.00	5	✓ Hospira
Inj 1 mg for ECP - PCT only - Specialist	15.77	1 mg	✔ Baxter
VINORELBINE - PCT only - Specialist - Special Authority see	SA1013 below		
Inj 10 mg per ml, 1 ml	24.00	1	✓ Navelbine
	42.00		✓ Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml	120.00	1	✓ Navelbine
	210.00		✔ Vinorelbine Ebewe
Inj 1 mg for ECP	2.71	1 mg	✓ Baxter

⇒SA1013 Special Authority for Subsidy

Initial application — (Hodgkin's Disease) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has Hodgkin's Disease*; and
- 2 Any of the following:
 - 2.1 Disease has failed to respond to second-line salvage chemotherapy treatment; or
 - 2.2 Disease has relapsed following transplant; or
 - 2.3 The patient is unsuitable for, or intolerant to, second-line salvage chemotherapy or high dose chemotherapy and transplant; and
- 3 Vinorelbine to be given for a maximum of 6 treatment cycles.

Initial application — (T-Cell Lymphoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has T-cell Lymphoma*; and
- 2 Vinorelbine to be given for a maximum of 6 treatment cycles.

Initial application — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has metastatic breast cancer; or
- 2 The patient has non-small cell lung cancer (stage IIIa, or above); or
- 3 All of the following:
 - 3.1 The patient has stage IB-IIIA non-small cell lung cancer; and
 - 3.2 Vinorelbine is to be given as adjuvant treatment in combination with cisplatin; and
 - 3.3 The patient has good performance status (WHO/ECOG grade 0-1).

Renewal — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with a * are Unapproved Indications.

	(Manufacturer's Price) \$		Subsidised	Generic Manufacturer	
Protein-tyrosine Kinase Inhibitors					
DASATINIB – Special Authority see SA0976 below Tab 20 mg Tab 50 mg Tab 70 mg Tab 100 mg	6,214.20 7,692.58	60 60 60 30	✓ S _i ✓ S _i	prycel prycel prycel prycel	

Subsidy

Fully

Brand or

⇒SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: mary.chesterfield@pharmac.govt.nz

Wellington

Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10⁹/L, platelets > 100 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0 × 10⁹/L, platelets > 20 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

ERLOTINIB HYDROCHLORIDE	- Retail pharmacy-Specialist - Special Authority	y see SA104	4 on the next page
Tab 100 mg	3,100.00	30	Tarceva
Tab 150 mg	3,950.00	30	Tarceva

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

▶SA1044 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has advanced, unresectable, Non Small Cell Lung Cancer (NSCLC); and
- 2 Patient has documented disease progression following treatment with first line platinum based chemotherapy; and
- 3 Erlotinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

IMATINIB MESYLATE - Special Authority see SA0643 below

Tab 100 mg2,400.00 60 ✔ Glivec

⇒SA0643 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: marv.chesterfield@pharmac.govt.nz

Wellington

Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 600 mg/day for accelerated or blast phase, and 400 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if after 6 months from initiating therapy a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - 1) complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5×10^9 /L, platelets > 100×10^9 /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0 × 10⁹/L, platelets > 20 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - 3) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if after 18 months from initiating therapy a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

Special Authority criteria for GIST – access by application

- a) Funded for patients:
 - with a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST); and
 - 2) who have immunohistochemical documentation of c-kit (CD117) expression by the tumour.
- b) Maximum dose of 400 mg/day.

continued...

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer

continued...

- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

SUNITINIB - Special Authority see SA1055 below - Retail pha	ırmacy		
Cap 12.5 mg	2,315.38	28	✓ Sutent
Cap 25 mg	4,630.77	28	✓ Sutent
Cap 50 mg	9,261.54	28	✓ Sutent

⇒SA1055 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Either:
 - 2.1 The patient is sunitinib treatment naive: or
 - 2.2 The patient received sunitinib prior to 1 November 2010 and disease has not progressed; and
- 3 The patient has good performance status (WHO/ECOG grade 0-1); and
- 4 The disease is of predominant clear cell histology; and
- 5 The patient has intermediate or poor prognosis based on the NCCN clinical practice guidelines for kidney cancer; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Sunitinib treatment should be stopped if disease progresses.

NCCN clinical practice guidelines for kidney cancer are available at

http://www.nccn.org/professionals/physician_gls/f_guidelines.asp

Endocrine Therapy

For GnRH ANALOGUES – refer to HORMONE PREPARATIONS, Trophic Hormones, page 76

BICALUTAMIDE — Special Authority see SA0941 below — Retail pharmacy
Tab 50 mg27.10 30

✓ Bicalox

⇒SA0941 Special Authority for Subsidy

FLUTAMIDE - Retail pharmacy-Specialist

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the patient has advanced prostate cancer.

Tab 250 mg	55.00	100	✓ Flutamin
MEGESTROL ACETATE - Retail pharmacy-Specialist			
Tab 160 mg	57.92	30	✓ Apo-Megestrol

	Subsidy (Manufacturer's Price)	Sub Per	Fully sidised	Brand or Generic Manufacturer
OCTREOTIDE (SOMATOSTATIN ANALOGUE) - Special Authori	y see SA1016 below	– Retail	oharmac	cy
Inj 50 μg per ml, 1 ml	25.65	5	✓ H	ospira
	43.50		✓ Sa	andostatin
Inj 100 μg per ml, 1 ml	48.50	5	✓ H	ospira
	81.00		✓ Sa	andostatin
Inj 500 μg per ml, 1 ml	175.00	5	✓ H	ospira
	399.00		✓ Sa	andostatin
Inj LAR 10 mg prefilled syringe		1	✓ Sa	andostatin LAR
Inj LAR 20 mg prefilled syringe		1	✓ Sa	andostatin LAR
Inj LAR 30 mg prefilled syringe	2,951.25	1	✓ Sa	andostatin LAR

⇒SA1016 Special Authority for Subsidy

Initial application — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea* and vomiting* due to malignant bowel obstruction*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and
- 3 Octreotide to be given at a maximum dose 1500 µg daily for up to 4 weeks.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
 - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
 - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed: or
 - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

Renewal — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

Initial application — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 2 Both:
 - 2.1 Gastrinoma; and
 - 2.2 Either:
 - 2.2.1 Patient has failed surgery; or

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ continued... 2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or 3 Both: 3.1 Insulinomas: and 3.2 Surgery is contraindicated or has failed: or 4 For pre-operative control of hypoglycaemia and for maintenance therapy; or 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis): and 5.2 Disabling symptoms not controlled by maximal medical therapy. Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item Renewal — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. ✓ Genox 100 100 ✓ Genox 5.25 60 Tamoxifen Sandoz (6.66)(Tamoxifen Sandoz Tab 20 mg to be delisted 1 September 2011) Aromatase Inhibitors ANASTROZOI F 30 ✓ Aremed ✓ Arimidex DP-Anastrozole 29.50 **EXEMESTANE** ✓ Aromasin 30 I FTROZOLF 30 ✓ Letara **Immunosuppressants** Cytotoxic Immunosuppressants AZATHIOPRINE - Retail pharmacy-Specialist 100 ✓ Imuprine ✓ Imuran * Inj 50 mg60.00 MYCOPHENOLATE MOFETIL - Special Authority see SA1041 on the next page - Retail pharmacy Dispensing pharmacy should check which brand to dispense with the prescriber if prescribed generically. ✓ Cellcept Tab 500 mg70.00 ✓ Myaccord 100 ✓ Cellcept Myaccord Powder for oral lig 1 g per 5 ml – Subsidy by endorsement285.00 ✔ Cellcept 165 ml OP Mycophenolate powder for oral liquid is subsidised only for patients unable to swallow tablets and capsules, and when the prescription is endorsed accordingly.

Subsidy Fully Brand or Subsidised Generic Per Per Manufacturer

■SA1041 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Either:
 - 1 Transplant recipient; or
 - 2 Both:

Patients with diseases where

- 2.1 Steroids and azathioprine have been trialled and discontinued because of unacceptable side effects or inadequate clinical response; and
- 2.2 Either:

Patients with diseases where

- 2.2.1 Cyclophosphamide has been trialled and discontinued because of unacceptable side effects or inadequate clinical response; or
- 2.2.2 Cyclophosphamide treatment is contraindicated.

Immune Modulators

✓ ATGAM	5	ANTITHYMOCYTE GLOBULIN (EQUINE) – PCT only – Specialist Inj 50 mg per ml, 5 ml2,137.50
		BACILLUS CALMETTE-GUERIN (BCG) VACCINE – PCT only – Specialist Subsidised only for bladder cancer.
✔ OncoTICE	1	Inj 2-8 × 100 million CFU187.37
		RITUXIMAB - PCT only - Specialist - Special Authority see SA1050 below
Mabthera	2	Inj 100 mg per 10 ml vial1,195.00
Mabthera	1	Inj 500 mg per 50 ml vial2,987.00
Baxter	1 mg	Inj 1 mg for ECP6.27

⇒SA1050 Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

Fither:

- 1 Both:
 - 1.1 The patient has indolent low grade NHL with relapsed disease following prior chemotherapy; and
 - 1.2 To be used for a maximum of 6 treatment cycles: or
- 2 Both:
 - 2.1 The patient has indolent, low grade lymphoma requiring first-line systemic chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. Rituximab is not funded for Chronic lymphocytic leukaemia/small lymphocytic lymphoma.

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 The patient has treatment naive aggressive CD20 positive NHL; and

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 1.3 To be used for a maximum of 8 treatment cycles; or
- 2 Both:
 - 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Renewal — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. Rituximab is not funded for Chronic lymphocytic leukaemia/small lymphocytic lymphoma

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

TRASTUZUMAB - PCT only - Specialist - Special Authority see SA1017 below

Inj 150 mg vial	1,350.00	1	✓ Herceptin
Inj 440 mg vial	3,875.00	1	✓ Herceptin
Inj 1 mg for ECP	9.36	1 mg	✓ Baxter

■SA1017 | Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the patient has metastatic breast cancer expressing HER-2 IHC 3+ or FISH±

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic breast cancer; and
- 2 The cancer has not progressed.

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
- 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
- 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
- 3.4 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Note: For patients with previous Special Authority approvals for a maximum cumulative dose of 20mg/kg (9 weeks treatment) granted after 1 April 2009 the approval period has been extended to allow claims for a maximum cumulative dose of 106mg/kg (12 months treatment).

Other Immunosuppressants

CYCLOSPORIN			
Cap 25 mg	59.50	50	✓ Neoral
Cap 50 mg	118.54	50	✓ Neoral
Cap 100 mg	237.08	50	✓ Neoral
Oral liq 100 mg per ml	264.17	50 ml OP	✓ Neoral
SIROLIMUS - Special Authority see SA0866 below - Retail phar	macy		
Tab 1 mg	813.00	100	Rapamune
Tab 2 mg	1,626.00	100	Rapamune
Oral liq 1 mg per ml	487.80	60 ml OP	Rapamune

⇒SA0866 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR<30 ml/min; or
- Rapidly progressive transplant vasculopathy: or
- Rapidly progressive obstructive bronchiolitis: or
- . HUS or TTP: or
- Leukoencepthalopathy; or
- Significant malignant disease

TACROLIMILS _ S	Innaial Authority on	CAOCCO balance	Dotail pharmagu

Cap 0.5 mg	214.00	100	Prograf
Cap 1 mg	428.00	100	✓ Prograf
Cap 5 mg	1 070 00	50	✓ Prograf

⇒SA0669 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Note: Subsidy applies for either primary or rescue therapy.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per 🗸 Manufacturer

Antiallergy Preparations

BEE VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Retail pharmacy

Maintenance kit - 6 vials 120 µg freeze dried venom, 6 diluent

⇒SA0053 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

WASP VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Retail pharmacy

Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried

polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml285.00 1 OP ✓ Albay
Treatment kit (Yellow jacket venom) - 1 vial 550 μg freeze

dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml285.00 1 OP ✓ Albay

⇒SA0053 | Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Antihistamines

# Tab 10 mg* * Toral liq 1 mg per ml*		100 200 ml	✓ Zetop ✓ Cetirizine - AFT
CHLORPHENIRAMINE MALEATE		500 ml	. / Histofous
*‡ Oral liq 2 mg per 5 ml	8.06	500 ml	✓ Histafen
DEXTROCHLORPHENIRAMINE MALEATE			
* Tab 2 mg	1.01	20	
	(4.93)		Polaramine
	2.02	40	
	(7.99)		Polaramine
* Oral liq 2 mg per 5 ml	1.77	100 ml	
	(10.29)		Polaramine
FEXOFENADINE HYDROCHLORIDE			
* Tab 60 mg	4.34	20	
	(11.53)		Telfast
* Tab 120 mg	4.74	10	
•	(11.53)		Telfast
	14.22	30	
	(29.81)		Telfast

	. باد : - ماد ، ۲		Fully Drand or
	Subsidy (Manufacturer's		Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
LORATADINE			
* Tab 10 mg	2.09	100	✓ Loraclear Hayfever
			Relief
* Oral liq 1 mg per ml	3.10	100 ml	✓ Lorapaed
PROMETHAZINE HYDROCHLORIDE			
* Tab 10 mg	2.72	50	✓ Allersoothe
* Tab 25 mg	4.44	50	✓ Allersoothe
*‡ Oral liq 5 mg per 5 ml	3.10	100 ml	✓ Promethazine
			Winthrop Elixir
* Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO	11.00	5	✓ Mayne
TRIMEPRAZINE TARTRATE			
‡ Oral liq 30 mg per 5 ml	2.79	100 ml OP	
	(8.06)		Vallergan Forte
Inhaled Corticosteroids			•
illialed Collicostelolds			
BECLOMETHASONE DIPROPIONATE			
Aerosol inhaler, 100 µg per dose CFC-free	12.50	200 dose OP	✔ Beclazone 100
Aerosol inhaler, 250 µg per dose CFC-free		200 dose OP	✓ Beclazone 250
Aerosol inhaler, 50 µg per dose CFC-free	8.54	200 dose OP	✓ Beclazone 50
BUDESONIDE			
Powder for inhalation, 100 µg per dose	17.00	200 dose OP	✓ Pulmicort
. course for an account, roo pg per door annual annual and a			Turbuhaler
Powder for inhalation, 200 µg per dose	19.00	200 dose OP	✓ Budenocort
			✓ Pulmicort
			Turbuhaler
Powder for inhalation, 400 µg per dose	32.00	200 dose OP	✓ Budenocort
, 101			✓ Pulmicort
			Turbuhaler
FLUTICASONE			
Aerosol inhaler, 50 µg per dose CFC-free	7.50	120 dose OP	✓ Flixotide
Powder for inhalation, 50 µg per dose		60 dose OP	
	(8.67)		Flixotide Accuhaler
Powder for inhalation, 100 µg per dose	, ,	60 dose OP	
	(13.87)		Flixotide Accuhaler
Aerosol inhaler, 125 µg per dose CFC-free	13.60	120 dose OP	✓ Flixotide
Aerosol inhaler, 250 µg per dose CFC-free		120 dose OP	✓ Flixotide
Powder for inhalation, 250 µg per dose		60 dose OP	
	(24.51)		Flixotide Accuhaler

Inhaled Long-acting Beta-adrenoceptor Agonists

Prescribing Guideline for Inhaled Long-Acting Beta-Adrenoceptor Agonists

The addition of inhaled long-acting beta-adrenoceptor agonists (LABAs) to inhaled corticosteroids is recommended:

- For younger children (aged under 12 years) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 200 µg beclomethasone or budesonide (or 100 µg fluticasone).
- For adults and older children (aged 12 years and over) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 400 µg beclomethasone or budesonide (or 200 µg fluticasone).

Note:

Further information on the place of inhaled corticosteroids and inhaled LABAs in the management of asthma can be found in the New Zealand guidelines for asthma in adults (www.nzgg.org.nz) and in the New Zealand guidelines for asthma in children aged 1-15 (www.paediatrics.org.nz).

FEODMOTEROL FUMARATE Communication midaling on the co	\$	Per		Manufacturer
EFORMOTEROL FUMARATE — See prescribing guideline on the pr Powder for inhalation, 6 μg per dose, breath activated Powder for inhalation, 12 μg per dose, and monodose device	16.90	60 dose OP 60 dose	✓ 0: ✓ Fo	xis Turbuhaler oradil
SALMETEROL – See prescribing guideline on the preceding page Aerosol inhaler CFC-free, 25 µg per dose Powder for inhalation, 50 µg per dose, breath activated		120 dose OP 60 dose OP		erevent erevent Accuhaler

Subsidy

Fully

Brand or

Inhaled Corticosteroids with Long-Acting Beta-Adrenoceptor Agonists

⇒SA0958 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 Patient is a child under the age of 12; and
 - 1.2 Both:

Has, for 3 months of more, been treated with:

- 1.2.1 An inhaled long-acting beta adrenoceptor agonist; and
- 1.2.2 Inhaled corticosteroids at a dose of at least 400 μg per day beclomethasone or budesonide, or 200 μg per day fluticasone; and
- 1.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product; or
- 2 All of the following:
 - 2.1 Patient is over the age of 12; and
 - 2.2 Both:

Has, for 3 months or more, been treated with:

- 2.2.1 An inhaled long-acting beta adrenoceptor agonist; and
- 2.2.2 Inhaled corticosteroids at a dose of at least 800 μg per day beclomethasone or budesonide, or 500 μg per day fluticasone; and
- 2.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

BUDESONIDE WITH EFORMOTEROL - Special Authority see SA0958 above - Retail pharmac	cy .
Aerosol inhaler 100 μg with eformoterol fumarate 6 μg55.00 120 dose OP	✓ Vannair
Powder for inhalation 100 µg with eformoterol fumarate 6 µg55.00 120 dose OP	✓ Symbicort
	Turbuhaler 100/6
Aerosol inhaler 200 μg with eformoterol fumarate 6 μg60.00 120 dose OP	✓ Vannair
Powder for inhalation 200 µg with eformoterol fumarate 6 µg60.00 120 dose OP	✓ Symbicort
	Turbuhaler 200/6
Powder for inhalation 400 μg with eformoterol fumarate 12 μg	
- No more than 2 dose per day60.00 60 dose OP	✓ Symbicort
• •	Turbuhaler 400/12
FLUTICASONE WITH SALMETEROL - Special Authority see SA0958 above - Retail pharmacy	
Aerosol inhaler 50 μg with salmeterol 25 μg37.48 120 dose OP	✓ Seretide
Aerosol inhaler 125 µg with salmeterol 25 µg49.69 120 dose OP	✓ Seretide
Powder for inhalation 100 μg with salmeterol 50 μg – No more	
than 2 dose per day	✓ Seretide Accuhaler
Powder for inhalation 250 μg with salmeterol 50 μg – No more	
than 2 dose per day	✓ Seretide Accuhaler
1 2 2000 po. 22,	

	Subsidy (Manufacturer's \$		Fully Brand or sidised Generic ✓ Manufacturer
Beta-Adrenoceptor Agonists			
SALBUTAMOL † Oral liq 2 mg per 5 ml Infusion 1 mg per ml, 5 ml		150 ml 10	✓ <u>Salapin</u> Ventolin
Inj 500 μg per ml, 1 ml - Up to 5 inj available on a PSO		5	✓ Ventolin
Inhaled Beta-Adrenoceptor Agonists			
SALBUTAMOL Aerosol inhaler, 100 µg per dose CFC free – Up to 1000 dose available on a PSO	3.80	200 dose OP	✓ Respigen ✓ Salamol
Nebuliser soln, 1 mg per ml, 2.5 ml – Up to 30 neb available on a PSO		20	Ventolin ✓ Asthalin
Nebuliser soln, 2 mg per ml, 2.5 ml – Up to 30 neb available on a PSO		20	✓ <u>Asthalin</u>
TERBUTALINE SULPHATE Powder for inhalation, 250 µg per dose, breath activated	22.00	200 dose OP	✓ Bricanyl Turbuhaler
Inhaled Anticholinergic Agents			
Inhaled Anticholinergic agents			
IPRATROPIUM BROMIDE Aerosol inhaler, 20 μg per dose CFC-free Nebuliser soln, 250 μg per ml, 1 ml – Up to 40 neb available		200 dose OP	✓ Atrovent
on a PSO Nebuliser soln, 250 µg per ml, 2 ml – Up to 40 neb available	3.79	20	✓ <u>Univent</u>
on a PSO		20	✓ <u>Univent</u>
TIOTROPIUM BROMIDE - Special Authority see SA0872 below	- Retail pharm	acy	

⇒SA0872 Special Authority for Subsidy

Initial application only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD: and
- 2 In addition to standard treatment, the patient has trialled a dose of at least 40 µg ipratropium q.i.d for one month; and
- 3 Either:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- 3.1 Grade 4 (stops for breath after walking about 100 meters or after a few minutes on the level); or
- 3.2 Grade 5 (too breathless to leave the house, or breathless when dressing or undressing); and
- 4 Actual FEV₁ (litres) < 0.6 × predicted (litres); and
- 5 Either:
 - 5.1 Patient is not a smoker (for reporting purposes only); or

Powder for inhalation, 18 µg per dose70.00

- 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

continued...

30 dose

Spiriva

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

continued...

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined); and
- 3 Applicant must state recent measurement of FEV₁ (% of predicted).

Inhaled Beta-Adrenoceptor Agonists with Anticholinergic Agents

SALBUTAMOL WITH IPRATROPIUM BROMIDE			
Aerosol inhaler, 100 µg with ipratropium bromide, 20 µg per dose CFC-free	12.19	200 dose OP	✓ Duolin HFA
Aerosol inhaler, 100 µg with ipratropium bromide, 20 µg per dose	13.50	200 dose OP	✓ Combivent
Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml – Up to 20 neb available on a PSO	4.29	20	✓ <u>Duolin</u>
(Combivent Aerosol inhaler, 100 μg with ipratropium bromide, 20 μg μ	per dose to	be delisted 1 No	vember 2011)
Most Call Ctabilianus			

Mast Cell Stabilisers

Mast cell stabilisers		
NEDOCROMIL Aerosol inhaler, 2 mg per dose CFC-free28.07	112 dose OP	✓ Tilade
SODIUM CROMOGLYCATE Powder for inhalation, 20 mg per dose	50 dose 112 dose OP	✓ Intal Spincaps ✓ Vicrom
Methylxanthines		
AMINOPHYLLINE * Inj 25 mg per ml, 10 ml – Up to 5 inj available on a PSO12.84	5	✓ Mayne
THEOPHYLLINE * Tab long-acting 250 mg	100 500 ml	✓ Nuelin-SR ✓ Nuelin
Mucolytics		
DORNASE ALFA – Special Authority see SA0611 below – Retail pharmacy Nebuliser soln, 2.5 mg per 2.5 ml ampoule294.30	6	✔ Pulmozyme
Special Authority for Subsidy Special Authority approved by the Cystic Fibrosis Advisory Panel Note: Application details may be abteined from PHARMAC's website, but a light of the cystic fibrosis Advisory Panel	uu pharmaa gaut r	77 OF

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

Phone: (04) 460 4990 The Co-ordinator, Cystic Fibrosis Advisory Panel PHARMAC, PO Box 10 254 Facsimile: (04) 916 7571 Wellington Email: CFPanel@pharmac.govt.nz

Prescriptions for patients approved for treatment must be written by respiratory physicians or paediatricians who have experience and expertise in treating cystic fibrosis.

SODIUM CHLORIDE

90 ml OP ✓ Biomed

	Subsidy (Manufacturer's \$		Fully Brand or sidised Generic Manufacturer
Nasal Preparations			
Allergy Prophylactics			
BECLOMETHASONE DIPROPIONATE			
Metered aqueous nasal spray, 50 µg per dose		200 dose OP	Alaman
Metered aqueous nasal spray, 100 µg per dose	(4.00) 2.46	200 dose OP	Alanase
Wotorou aquoodo ridodi opray, 100 µg por dodo	(4.81)	200 0000 01	Alanase
BUDESONIDE			
Metered aqueous nasal spray, 50 μg per dose	2.35	200 dose OP	
Metavad aguagua nagal anyay 100 ug nay daga	(4.00)	000 doos OD	Butacort Aqueous
Metered aqueous nasal spray, 100 μg per dose	(4.81)	200 dose OP	Butacort Aqueous
FLUTICASONE PROPIONATE	(4.01)		Butaoon Aquoous
Metered aqueous nasal spray, 50 μg per dose	13.34	120 dose OP	✓ Flixonase Hayfever
1 2 101			& Allergy
IPRATROPIUM BROMIDE			
Aqueous nasal spray, 0.03%		15 ml OP	✓ Univent
	8.06 (12.66)	30 ml OP	Apo-Ipravent
(Apo-Ipravent Aqueous nasal spray, 0.03% to be delisted 1 Sept	(/		Αρο Ιριανοπί
SODIUM CROMOGLYCATE	,		
Nasal spray, 4%	15.85	22 ml OP	✓ Rex
Respiratory Devices			
MASK FOR SPACER DEVICE			
a) Up to 20 dev available on a PSO			
b) Only on a PSO			
c) Only for children aged six years and under Size 2	3 28	1	✓ Foremount Child's
SIZE Z	3.20	ı	Silicone Mask
PEAK FLOW METER			
a) Up to 10 dev available on a PSO			
b) Only on a PSO	40.75	4	. / Durath Alant
Low range		1	✓ Breath-Alert ✓ Breath-Alert
SPACER DEVICE	10.70	'	<u> </u>
a) Up to 20 dev available on a PSO			
b) Only on a PSO			
230 ml (autoclavable) – Subsidy by endorsement		1	✓ <u>Space Chamber</u>
Available where the prescriber requires a spacer device endorsed accordingly.	e that is capable	e of sterilisation	in an autoclave and the PSO is
230 ml (single patient)	8.38	1	✓ Space Chamber
800 ml		1	✓ Volumatic
Respiratory Stimulants			
CAFFEINE CITRATE			
Oral liq 20 mg per ml (10 mg base per ml)	14.85	25 ml OP	✓ Biomed

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's	Price) Cub	Fully Brand or sidised Generic
	(Manufacturer's F	Price) Sub Per	sidised Generic Manufacturer
Ear Preparations			
ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BEN	NZETHONIUM		
For Vosol ear drops with hydrocortisone powder refer, page 1			
Ear drops 2% with 1, 2-Propanediol diacetate 3% and	i		
benzethonium chloride 0.02%	6.97	35 ml OP	✓ Vosol
CHLORAMPHENICOL			
Ear drops 0.5%	2.20	5 ml OP	Chloromycetin
FLUMETASONE PIVALATE			
Ear drops 0.02% with clioquinol 1%	4.46	7.5 ml OP	✓ Locacorten-Viaform
			ED's ✓ Locorten-Vioform
			Locorten-violoriii
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCI		IN	
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 µg per g		7.5 ml OP	✓ Kenacomb
	5.10	7.5 IIII OF	Reliaconib
Ear/Eye Preparations			
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN			
Ear/Eye drops 500 µg with framycetin sulphate 5 mg and	i		
gramicidin 50 µg per ml	4.50	8 ml OP	
	(9.27)		Sofradex
FRAMYCETIN SULPHATE			
Ear/Eye drops 0.5%	4.13	8 ml OP	
	(8.65)		Soframycin
Eye Preparations			
Anti-Infective Preparations			
ACICLOVIR			
* Eye oint 3%	37.53	4.5 g OP	✓ Zovirax
CHLORAMPHENICOL			
Eye oint 1%		4 g OP	✓ Chlorsig
Eye drops 0.5%	1.28	10 ml OP	✓ Chlorafast
CIPROFLOXACIN			
Eye Drops 0.3%	12.43	5 ml OP	✓ Ciloxan
For treatment of bacterial keratitis or severe bacterial conj	unctivitis resistar	nt to chloramph	enicol.
FUSIDIC ACID		- 00	
Eye drops 1%		5 g OP	Cuside aliesia
	(10.68)		Fucithalmic
GENTAMICIN SULPHATE	44.40	5l OD	
Eye drops 0.3%	11.40	5 MI OP	✓ Genoptic
PROPAMIDINE ISETHIONATE	0.07	40 100	
* Eye drops 0.1%		10 ml OP	Brolene
OUR DUACETAMIDE CODUINA	(7.99)		DIOIEITE
SULPHACETAMIDE SODIUM	4.41	15 ml OD	4 Planh 10
* Eye drops 10%(Bleph 10 Eye drops 10% to be delisted 1 November 2011)	4.41	15 ml OP	✓ Bleph 10
(Diophi to Lyo diopo 10/0 to be delicted 1 November 2011)			

Subsidy

Brand or

Fully

	0.1		5 II D I
	Subsidy (Manufacturer's I	Price) Sub	Fully Brand or osidised Generic
	` \$	Per	✓ Manufacturer
TOBRAMYCIN			
Eye oint 0.3%		3.5 g OP	✓ Tobrex
Eye drops 0.3%	11.48	5 ml OP	✓ Tobrex
Corticosteroids and Other Anti-Inflammatory Pro	eparations		
DEXAMETHASONE			
* Eye oint 0.1%	5.86	3.5 g OP	✓ Maxidex
* Eye drops 0.1%	4.50	5 ml OP	✓ <u>Maxidex</u>
DEXAMETHASONE WITH NEOMYCIN AND POLYMYXIN B SUL	_PHATE		
$\ensuremath{\boldsymbol{\ast}}$ Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin			
B sulphate 6,000 u per g		3.5 g OP	✓ Maxitrol
* Eye drops 0.1% with neomycin sulphate 0.35% and polymy-		Г I ОП	. / Massitual
xin B sulphate 6,000 u per ml	4.50	5 ml OP	✓ Maxitrol
DICLOFENAC SODIUM * Eye drops 1 mg per ml	10.00	E ml OD	A Valtavan Onbiba
	13.60	5 ml OP	✓ Voltaren Ophtha
FLUOROMETHOLONE * Eye drops 0.1%	4.05	E ml OD	. / FMI
	4.05	5 ml OP	✓ <u>FML</u>
LEVOCABASTINE Eye drops 0.5 mg per ml	0.71	4 ml OP	
Eye drops 0.5 mg per mi	(10.34)	4 IIII OP	Livostin
LODOXAMIDE TROMETAMOL	(10.04)		Livodiii
Eye drops 0.1%	8 71	10 ml OP	✓ Lomide
PREDNISOLONE ACETATE		10 1111 01	2 20111100
* Eye drops 0.12%	4.50	5 ml OP	✓ Pred Mild
* Eye drops 1%		5 ml OP	✓ Pred Forte
SODIUM CROMOGLYCATE			
Eye drops 2%	1.18	5 ml OP	✓ Rexacrom
Glaucoma Preparations - Beta Blockers			
BETAXOLOL HYDROCHLORIDE			
* Eye drops 0.25%	11.80	5 ml OP	✓ Betoptic S
* Eye drops 0.5%		5 ml OP	✓ Betoptic S
LEVOBUNOLOL			
* Eye drops 0.25%	7.00	5 ml OP	✓ Betagan
* Eye drops 0.5%		5 ml OP	✓ Betagan
TIMOLOL MALEATE			-
* Eye drops 0.25%	2.37	5 ml OP	✓ Apo-Timop
* Eye drops 0.25%, gel forming	3.30	2.5 ml OP	✓ Timoptol XE
* Eye drops 0.5%		5 ml OP	Apo-Timop
* Eye drops 0.5%, gel forming	3.78	2.5 ml OP	✓ Timoptol XE

Subsidy (Manufacturer's Price) Fully Subsidised Per

5 ml OP

Cosopt

Brand or Generic Manufacturer

Glaucoma Preparations - Carbonic Anhydrase Inhibitors

Prescribing Guidelines

Trusopt, Cosopt and Azopt are subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma. Trusopt, Cosopt and Azopt should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- 1) that person has previously trialled all other such subsidised agents (except brimonidine tartrate); and
- 2) those trials have indicated that that person does not respond adequately to treatment with those other agents.

ACETAZOLAMIDE

* Tab 250 mg	10.40	100	✓ Diamox
BRINZOLAMIDE ▲ Eye Drops 1%	9.77	5 ml OP	✓ Azopt
DORZOLAMIDE HYDROCHLORIDE			
* Eye drops 2%	9.77	5 ml OP	
-,,	(13.95)		Trusopt
DORZOLAMIDE HYDROCHLORIDE WITH TIMOLOL MALEATE			

Glaucoma Preparations - Prostaglandin Analogues

Prescribing Guideline

Bimatoprost, lantanoprost and travoprost are subsidised for use in the treatment of glaucoma as either monotherapy or as an adjunctive agent for patients in whom prostaglandin analogue monotherapy has been ineffective in controlling intraocular pressure. Bimatoprost, lantanoprost and travoprost should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- 1) That person has previously trialled all other such subsidised agents (beta-blockers, pilocarpine, carbonic anhydrase inhibitors); and
- 2) Those trials have indicated that that person does not respond adequately to treatment with those other agents.

BIMATOPROST - Retail pharmacy-Specialist

See prescribing guideline above ▲ Eye Drops 0.03%19.50	3 ml OP	✓ Lumigan
LATANOPROST - Retail pharmacy-Specialist		
See prescribing guideline above ▲ Eye drops 50 µg per ml, 2.5 ml9.75	2.5 ml OP	✓ <u>Hysite</u>
TRAVOPROST - Retail pharmacy-Specialist		
See prescribing guideline above A Fye drops 0.004% 19.50	2.5 ml OP	✓ Travatan

Glaucoma Preparations - Other

BRIMONIDINE TARTRATE

Prescribing Guidelines

Brimonidine tartrate is subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma. Brimonidine tartrate should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- that person has previously trialled all other such subsidised agents (except dorzolamide hydrochloride); and
- those trials have indicated that that person does not respond adequately to or does not tolerate treatment with those other agents.

BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE

Subsidy (Manufacturer's Price)	S	Fully ubsidised	Brand or Generic	
\$	Per	~	Manufacturer	

Prescribing Guidelines

Combigan is subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma. Combigan should only be prescribed when:

- 1) less expensive first line agents for the treatment of glaucoma are contraindicated; or
- 2) the response to such subsidised agents is inadequate; or
- 3) the patient cannot tolerate such subsidised agents.

PILOCARPINE

LIL	OCANFINE		
*	Eye drops 1%4.26	15 ml OP	Isopto Carpine
*	Eye drops 2%5.35	15 ml OP	Isopto Carpine
*	Eye drops 4%7.99	15 ml OP	✓ Isopto Carpine
*	Eye drops 2% single dose - Special Authority see SA0895		
	below – Retail pharmacy31.95	20 dose	
	(32.72)		Minims

■ SA0895 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Mydriatics and Cycloplegics

ATROPINE SULPHATE * Eye drops 1%	15 ml OP	✓ Atropt
CYCLOPENTOLATE HYDROCHLORIDE * Eye drops 1%	15 ml OP	✓ Cyclogyl
HOMATROPINE HYDROBROMIDE * Eye drops 2%7.18	15 ml OP	✓ Isopto Homatropine
TROPICAMIDE * Eye drops 0.5%	15 ml OP 15 ml OP	✓ Mydriacyl ✓ Mydriacyl
Preparations for Tear Deficiency		
For acetylcysteine eye drops refer, page 174		
HYPROMELLOSE * Eye drops 0.3% 2.62 * Eye drops 0.5% 2.00	15 ml OP 15 ml OP	✓ Poly-Tears✓ Methopt
POLYVINYL ALCOHOL * Eye drops 1.4% 2.68 * Eye drops 3% 3.75	15 ml OP 15 ml OP	✓ <u>Vistil</u> ✓ <u>Vistil Forte</u>

Other Eye Preparations

NA	APHAZOLINE HYDROCHLORIDE			
*	Eve drops 0.1%	A 15	15 ml OP	✓ Nanhcon Forte

TYLOXAPOL

15 ml OP

✓ Enuclene

SENSORY ORGANS

	Subsidy (Manufacturer's F	Price) Sub Per	Fully osidised	Brand or Generic Manufacturer
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN * Eye oint with soft white paraffin	3.63	3.5 g OP	√ <u>La</u>	acri-Lube
PARAFFIN LIQUID WITH WOOL FAT LIQUID * Eye oint 3% with wool fat liq 3%	3.63	3.5 g OP	✓ Po	oly-Visc
PHENYLEPHRINE HYDROCHLORIDE * Eye drops 0.12%	4.47	15 ml OP	✓ Pı	refrin

VARIOUS

Subsidy Fully Brand or Manufacturer's Price) Subsidised Generic Generic Per 🗸 Manufacturer

Various

May only be claimed once per patient.

PHARMACY SERVICES

The Pharmacode for BSF m-Captopril is 2378647 (BSF m-Captopril Brand switch fee to be delisted 1 July 2011)

INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
 - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
 - b) Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-specialist).
 - c) Menthol crystals only in the following bases:

Aqueous cream

Urea cream 10%

Wool fat with mineral oil lotion

Hydrocortisone 1% with wool fat and mineral oil lotion

Glycerol, paraffin and cetyl alcohol lotion.

Glossary

Dermatological base: The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Hydrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

Dermatological galenical: Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution BP up to 10%
- Hydrocortisone powder up to 5%
- Menthol crystals
- Salicylic acid powder
- Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

Explanatory notes

Oral liquid mixtures

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

The Emixt website (http://www.pharminfotech.co.nz/manual/Formulation/mixtures/index.htm) has evidence-based formulations which are intended to standardise compounded oral liquids within New Zealand. PHARMAC endorses the recommendations of the Emixt website and encourages New Zealand pharmacists to use these formulations when compounding is appropriate. The Emixt website also provides stability and expiry data for compounded products. For the majority of products compounded with Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet or Ora-Sweet SF a four week expiry is appropriate.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form qs
Preservative qs
Suspending agent qs
Water to 100%

or

Solid dose form qs
Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent.

- Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and Ora-Sweet SF when used correctly are an appropriate preservative and suspending agent.
- Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

The following practices will not be subsidised:

- Where a Standard Formula exists in the Pharmaceutical Schedule for a solid dose form, compounding the solid dose form in Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF.
- Mixing one or more proprietary oral liquids (eg an antihistamine with pholcodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

Dermatological Preparations

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 170) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where

EXTEMPORANEOUSLY COMPOUNDED PRODUCTS & GALENICALS

there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).


One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on the next page may assist you in deciding whether or not a dermatological ECP is subsidised.

Dermatological ECPs

Is it subsidised?



EXTEMPORANEOUSLY COMPOUNDED PRODUCTS & GALENICALS

Standard Formulae METHYL HYDROXYBENZOATE 10% SOLUTION ACETYLCYSTEINE EYE DROPS Methyl hydroxybenzoate Propylene glycol to 100 ml Acetylcysteine inj 200 mg per ml, 10 ml gs Suitable eye drop base (Use 1 ml of the 10% solution per 100 ml of oral liquid mixture) ASPIRIN AND CHLOROFORM APPLICATION OMEPRAZOLE SUSPENSION Aspirin Soluble tabs 300 mg 12 tabs Omeprazole capules Chloroform to 100 ml Sodium bicarbonate powder BP 8.4 g to 100 ml CODEINE LINCTUS PAEDIATRIC (3 mg per 5 ml) PHENOBARBITONE ORAL LIQUID Codeine phosphate 60 ma Phenobarbitone Sodium Glycerol 40 ml 1 q 70 ml Glycerol BP Preservative as Water to 100 ml Water to 100 ml PHENOBARBITONE SODIUM PAEDIATRIC ORAL CODEINE LINCTUS DIABETIC (15 mg per 5 ml) LIQUID (10 mg per ml) 300 mg Codeine phosphate Phenobarbitone Sodium 400 mg Glycerol 40 ml Glycerol BP 4 ml Preservative as Water to 40 ml Water to 100 ml PILOCARPINE ORAL LIQUID Pilocarpine 4% eye drops qs FOLINIC MOUTHWASH Preservative Calcium folinate 15 mg tab 1 tab Water to 500 ml Preservative as (Preservative should be used if quantity supplied is for Water to 500 ml more than 5 days.) (Preservative should be used if quantity supplied is for more than 5 days. Maximum 500 ml per prescription.) SALIVA SUBSTITUTE FORMULA Methylcellulose 5 g MAGNESIUM HYDROXIDE MIXTURE Preservative Magnesium hydroxide paste 275 g to 500 ml Water Methyl hydroxybenzoate 1.5 g (Preservative should be used if quantity supplied is for

770 ml

more than 5 days. Maximum 500 ml per prescription.)

1%

to 35 ml

WITH HYDROCORTISONE POWDER 1%

VOSOL EAR DROPS

Vosol Ear Drops

Hydrocortisone powder

METHADONE MIXTURE

Water

Methadone powder qs
Glycerol qs
Water to 100 ml

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

Subsidy

(Manufacturer's Price)

(25.46)63.09

(90.09)

25 g

Douglas

✓ AFT

Fully

Subsidised

Brand or

Generic

Manufacturer

Per **Extemporaneously Compounded Preparations and Galenicals** ACETYLCYSTEINE - Retail pharmacy-Specialist 10 Martindale (219.75)Acetylcysteine (255.35)Hospira Inj 200 mg per ml, 30 ml219.00 ' Acetadote 50 ml **PSM** (5.10)24.42 500 ml (38.00)**PSM** CHLOROFORM - Only in combination Only in aspirin and chloroform application. Chloroform BP25.50 500 ml PSM CODEINE PHOSPHATE 5 g Douglas

a) Only in extemporaneously compounded codeine linctus diabetic or codeine linctus paediatric.

b) ‡ Safety cap for extemporaneously compounded oral liquid preparations.

COLLODION FLEXIBLE Collodion flexible	100 ml	✓ PSM
COMPOUND HYDROXYBENZOATE - Only in combination Only in extemporaneously compounded oral mixtures. Soln34.18	100 ml	✓ David Craig
GLYCERIN WITH SODIUM SACCHARIN – Only in combination Only in combination with Ora-Plus. Suspension	473 ml	✓ Ora-Sweet SF
GLYCERIN WITH SUCROSE – Only in combination Only in combination with Ora-Plus. Suspension38.00	473 ml	✓ Ora-Sweet
GLYCEROL * Liquid – Only in combination17.86 Only in extemporaneously compounded oral liquid preparations.	2,000 ml	✓ <u>healthE</u>
MAGNESIUM HYDROXIDE Paste22.61 METHADONE HYDROCHLORIDE	500 g	✓ PSM
a) Only on a controlled drug form		

- b) No patient co-payment payable
- c) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets).

1 q

‡ Safety cap for extemporaneously compounded oral liquid preparations.

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy (Manufacturer's P	rice) S Per	Fully subsidised	Brand or Generic Manufacturer
METHYL HYDROXYBENZOATE Powder	8.00 8.98 10.00	25 g	✓ P:✓ M✓ A	idwest
(ABM Powder to be delisted 1 September 2011)				
METHYLCELLULOSE Powder	(17.72)	100 g		idWest
Suspension – Only in combination		473 ml		ra-Plus
METHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCHA Suspension	38.00	ombination 473 ml	v 0	ra-Blend SF
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE - Only Suspension		473 ml	v 0	ra-Blend
PHENOBARBITONE SODIUM Powder – Only in combination	325.00	10 g 100 g		idWest idWest
PROPYLENE GLYCOL	uiu preparations.			
Only in extemporaneously compounded methyl hydroxybenzo		500 ml	V PS V M V A	idwest
SODIUM BICARBONATE Powder BP - Only in combination	8.95 9.80 (11.99) (29.50)	500 g	✓ A Bi	idwest BM iomed avid Craig
Only in extemporaneously compounded omeprazole susper (ABM Powder BP to be delisted 1 September 2011) (Biomed Powder BP to be delisted 1 September 2011)	ension.			
SYRUP (PHARMACEUTICAL GRADE) — Only in combination Only in extemporaneously compounded oral liquid preparatiol Liq		2,000 ml	✓ M	idwest
WATER	-	,		-
Tap - Only in combination	0.00	1 ml	✓ Ta	ap water

EXPLANATORY NOTES

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use. subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements. they must pay the full cost of the products themselves.

Eligibility for Special Authority

Special Authorities will be approved for patients meeting conditions specified under the Conditions and Guidelines for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

Who can apply for Special Authority?

Initial Applications: Reapplications:

Only from a relevant specialist or a vocationally registered general practitioner. Only from a relevant specialist or a vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or a vocationally registered general practitioner. Other general practitioners must include the name of the relevant specialist or vocationally registered general practitioner

and the date contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. A supporting letter may be included if desired. Applications must be forwarded to:

Ministry of Health Sector Services Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

Definitions

Failure to thrive Growth deficiency An inability to gain or maintain weight resulting in physiological impairment. Where the weight of the child is less than the fifth or possibly third percentile for

their age, with evidence of malnutrition

SPECIAL FOODS

Dietitian Prescribing

Prescriptions from Dietitians will be only valid for subsidy where they are for special foods, as listed in this section, or where they are for the following products:

ALPHA TOCOPHERYL ACETATE

Water solubilised soln 156 iu/ml, with calibrated dropper

ASCORBIC ACID

Tab 100 mg

CALCIUM CARBONATE

Tab 1.25 g (500 mg elemental) Tab 1.5 g (600 mg elemental) Tab 1.75 g (1 g elemental)

COMPOUND ELECTROLYTES

Powder for soln for oral use 5 g

DEXTROSE WITH ELECTROLYTES

Soln with electrolytes

FERROUS FUMARATE

Tab 200 mg (65 mg elemental)

FERROUS FUMARATE WITH FOLIC ACID

Tab 310 mg (100 mg elemental) with folic acid 350 μg

FERROUS SULPHATE

Tab long-acting 325 mg (105 mg elemental)
Oral lig 30 mg per 1 ml (6 mg elemental per 1 ml)

FERROUS SULPHATE WITH FOLIC ACID

Tab long-acting 325 mg (105 mg elemental) with folic acid 350 μg

MULTIVITAMINS

Tab Powder Oral lig

POTASSIUM BICARBONATE

Tab eff 315 mg

with sodium acid phosphate 1.937 g and sodium bicarbonate 350 mg

POTASSIUM CHLORIDE

Tab eff 584 mg (14 m eq) with chloride 385 mg (8 m eq)

Tab long-acting 600 mg

PYRIDOXINE HYDROCHLORIDE

Tab 25 mg Tab 50 mg

SODIUM FLUORIDE

Tab 1.1 mg (0.5 mg elemental)

THIAMINE HYDROCHLORIDE

Tab 50 mg

VITAMIN A WITH VITAMINS D AND C

Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops

VITAMIN B COMPLEX

Tab, strong, BPC

VITAMINS

Tab (BPC cap strength)

Cap (fat soluble vitamins A, D, E, K)

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised er

Brand or Generic Manufacturer

Nutrient Modules

Carbohydrate

➡SA1090 Special Authority for Subsidy

Initial application — (Cystic fibrosis or renal failure) only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Either:

- 1 cystic fibrosis: or
- 2 chronic renal failure or continuous ambulatory peritoneal dialysis (CAPD) patient.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children: or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 failure to thrive; or
- 4 growth deficiency; or
- 5 bronchopulmonary dysplasia; or
- 6 premature and post premature infant; or
- 7 inborn errors of metabolism.

Renewal — (Cystic fibrosis or renal failure) only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Roth:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE SUPPLEMENT - Special Authority see SA1090 above - Hospital pharmacy [HP3]

Powder	5,000 g	✓ Morrex Maltodextrin
182.50	25,000 g	✓ Morrex Maltodextrin
1.30	400 g OP	
(5.29)	•	Polycal
(12.00)	368 g OP	Moducal

Carbohydrate And Fat

⇒SA1091 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- 1 infant aged four years or under; and
- 2 cystic fibrosis.

continued...

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Roth:

- 1 infant aged four years or under: and
- 2 Any of the following:
 - 2.1 cancer in children; or
 - 2.2 failure to thrive: or
 - 2.3 growth deficiency; or
 - 2.4 bronchopulmonary dysplasia; or
 - 2.5 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and date contacted.

Fat

⇒SA1092 Special Authority for Subsidy

Initial application — (Inborn errors of metabolism) only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 failure to thrive where other high calorie products are inappropriate or inadequate; or
- 2 growth deficiency; or
- 3 bronchopulmonary dysplasia; or
- 4 fat malabsorption; or
- 5 lymphangiectasia; or
- 6 short bowel syndrome; or
- 7 infants with necrotising enterocolitis; or
- 8 biliary atresia.

Renewal — (Inborn errors of metabolism) only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

2 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and date contacted.

FAT SUPPLEMENT - Special Authority see SA1092 on the preceding page - Hospital pharmacy [HP3]

Emulsion (neutral)	200 ml OP	✓ Calogen
30.75	500 ml OP	✓ Calogen
Emulsion (strawberry)12.30	200 ml OP	✓ Calogen
Oil	250 ml OP	✓ Liquigen
30.00	500 ml OP	MCT oil (Nutricia)

Protein

⇒SA1093 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Fither:

- 1 protein losing enteropathy; or
- 2 high protein needs (eg burns).

Renewal only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and date contacted.

	rmacy [HP3]	PROTEIN SUPPLEMENT - Special Authority see SA1093 above - Hospital pha	PR
✓ Protifar	225 g OP	Powder7.90	
✓ Resource	227 g OP	8.95	
Beneprotein			
✓ Promod	275 g OP	Powder (vanilla)12.90	

Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

Respiratory Products

⇒SA1094 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has CORD and hypercapnia.

Renewal only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and date contacted.

SPECIAL FOODS

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully osidised	Generic Manufacturer	
CORD ORAL FEED 1.5KCAL/ML - Special Authority see SA109-	, ,,	age – Hos 7 ml OP		,	

Diabetic Products

⇒SA1095 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is a type I or and II diabetic who is suffering weight loss and malnutrition that requires nutritional support.

Renewal only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and date contacted.

	CAL/ML - Special Authority see SA1095 above -		acy [HP3] Diason RTH Glucerna Select RTH
	ML - Special Authority see SA1095 above - Ho	spital pharmacy 200 ml OP	[HP3] ✓ Diasip
1 \ 7/			
Liquid (vanilla)	1.50	200 ml OP	✓ Diasip
	1.88	250 ml OP	Glucerna Select
	1.78	237 ml OP	
	(2.10)		Resource Diabetic

Fat Modified Products

⇒SA1096 | Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Patient has metabolic disorders of fat metabolism: or
- 2 Patient has chylothorax.

Renewal only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and date contacted.

FAT MODIFIED FEED − Special Authority see SA1096 above − Hospital pharmacy [HP3]
Powder60.48 400 g OP ✓ Monogen

High Protein Products

⇒SA1097 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

1 Anorexia and weight loss; and

continued...

Subsidy (Manufacturer's Price) Fully Subsidised Per

/ Brand or d Generic Manufacturer

continued...

- 2 Either:
 - 2.1 decompensating liver disease without encephalopathy; or
 - 2.2 protein losing gastro-enteropathy.

Renewal only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and date contacted.

Paediatric Products For Children Awaiting Liver Transplant

⇒SA1098 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who is awaiting liver transplant.

Renewal only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1098 above - Hospital pharmacy [HP3]

Paediatric Products For Children With Chronic Renal Failure

⇒SA1099 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with chronic renal failure.

Renewal only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1099 above - Hospital pharmacy [HP3]

Paediatric Products

⇒SA1100 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

1 Infant aged one to eight years; and

continued...

SPECIAL FOODS

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
continued			
2 Any of the following:			
2.1 any condition causing malabsorption; or			
2.2 failure to thrive; or			
2.3 increased nutritional requirements.			
Renewal only from a relevant specialist, vocationally registere	d general practitioner or g	general practition	er on the recommendation
of a relevant specialist or vocationally registered general practit criteria:	ioner. Approvals valid for	1 year for applica	tions meeting the following
Both:			
1 The treatment remains appropriate and the patient is be	enefiting from treatment;	and	
General Practitioners must include the name of the releven contacted.	ant specialist or vocation	ally registered ge	eneral practitioner and date
PAEDIATRIC ENTERAL FEED 1.5KCAL/ML - Special Author	,	010	Hospital pharmacy [HP3]

PAEDIATRIC ENTERAL FEED 1.5KCAL/ML – Special Authority se Liquid		he preceding pa 500 ml OP	age – Hospital pharmacy [HP3] ✓ Nutrini Energy RTH
PAEDIATRIC ENTERAL FEED 1KCAL/ML - Special Authority see Liquid		preceding pag 500 ml OP	e – Hospital pharmacy [HP3] Nutrini RTH Pediasure RTH
PAEDIATRIC ORAL FEED 1.5KCAL/ML - Special Authority see S Liquid (strawberry)		receding page - 200 ml OP	- Hospital pharmacy [HP3] Fortini NutriniDrink
Liquid (vanilla)	1.60	200 ml OP	✓ Fortini ✓ NutriniDrink
PAEDIATRIC ORAL FEED 1KCAL/ML - Special Authority see SA: Liquid (chocolate) Liquid (strawberry) Liquid (vanilla)	1.071.07	ceding page – F 200 ml OP 200 ml OP 200 ml OP 237 ml OP	Hospital pharmacy [HP3] ✓ Pediasure ✓ Pediasure ✓ Pediasure ✓ Pediasure ✓ Pediasure
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML - Special AL [HP3]	thority see SA1	100 on the pred	eeding page – Hospital pharmacy
Liquid (chocolate)	1.60	200 ml OP	✓ Fortini Multi Fibre✓ NutriniDrinkMultifibre
Liquid (strawberry)	1.60	200 ml OP	✓ Fortini Multi Fibre✓ NutriniDrinkMultifibre
Liquid (vanilla)	1.60	200 ml OP	✓ Fortini Multi Fibre✓ NutriniDrinkMultifibre

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
S Per ✔ Manufacturer

Renal Products

⇒SA1101 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has acute or chronic renal failure.

Renewal only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL FEED 2KCAL/ML - Special Authority see SA1101 above -	Hospital ph	narmacy [HP3]	
Liquid	6.08	500 ml OP	NutrisonConcentrated
RENAL ORAL FEED 2KCAL/ML - Special Authority see SA1101 abov	e – Hospita	al pharmacy [H	P3]
Liquid	2.43	200 ml OP	✓ Nepro (strawberry)
·			✓ Nepro (vanilla)
	2.88	237 ml OP	
	(3.31)		NovaSource Renal
Liquid (apricot)	2.88	125 ml OP	✓ Renilon 7.5
Liquid (caramel)	2.88	125 ml OP	✓ Renilon 7.5

Specialised And Elemental Products

■ SA1102 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 malabsorption; or
- 2 short bowel syndrome; or
- 3 enterocutaneous fistulas; or
- 4 pancreatitis.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

Renewal only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL	L/ORAL ELEMENTAL FEED 1KCAL/ML - Spei	cial Authority see SA1102	above – Hospit	tal pharmacy [HP3]
Powd	der	4.40	79 g OP	✓ Vital HN
		7.50	76 g OP	✓ Alitraq
ORAL EL	.EMENTAL FEED 0.8KCAL/ML - Special Author	ority see SA1102 above - I	Hospital pharm	acy [HP3]
Liqui	d (grapefruit)	9.50	250 ml OP	✓ Elemental 028 Extra
Liqui	d (pineapple & orange)	9.50	250 ml OP	✓ Elemental 028 Extra
Liqui	d (cummor fruit)	0.50	250 ml OD	■ Elemental 029 Extra

SPECIAL FOODS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML - Special Authority see SA1102 on the preceding page - Hospital pharmacy [HP3]

Undyalised End Stage Renal Failure

⇒SA1103 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has undialysed end stage renal failure.

Note: Where possible, the requirements for oral supplementation should be established in conjunction with assessment by a dietitian.

Renewal only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and date contacted.

Standard Supplements

■SA1104 Special Authority for Subsidy

Initial application — (Children) only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 Any of the following:
 - 2.1 The patient has a condition causing malabsorption; or
 - 2.2 The patient has failure to thrive: or
 - 2.3 The patient has increased nutritional requirements; and
- 3 Nutrition goal has been set (eg reach a specific weight or BMI).

Renewal — (Children) only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 A nutrition goal has been set (eg reach a specific weight or BMI).

Initial application — (Adults) only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

Patient is Malnourished

- 1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
- 1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 1.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months; and

2 Any of the following:

continued...

Subsidy (Manufacturer's Price) Per \$

Fully Subsidised

Brand or Generic Manufacturer

continued...

Patient has not responded to first-line dietary measures over a 4 week period by:

- 2.1 Increasing their food intake frequency (eg snacks between meals); or
- 2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or
- 2.3 Using over the counter supplements (e.g. Complan); and
- 3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

Renewal — (Adults) only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 2 Any of the following:

Patient is Malnourished

- 2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2: or
- 2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 2.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months.

Initial application — (Adults transitioning from hospital Discretionary Community Supply) only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient has had up to a 30 day supply of a 1.0 or a 1.5 kcal/ml Standard Oral Supplement; and
- 2 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 3 Any of the following:

Patient is Malnourished

- 3.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
- 3.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 3.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months.

Initial application — (Specific medical condition) only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being feed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Is undergoing a bone marrow transplant; or
- 4 Tempomandibular surgery.

Renewal — (Specific medical condition) only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Has undergone a bone marrow transplant; or
- 4 Tempomandibular surgery.

Initial application — (Chronic disease OR tube feeding) only from a relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease: or
- 4 Chronic Renal failure: or

continued...

SPECIAL FOODS

Subsidy	;	Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- 5 Inflammatory bowel disease; or
 - 6 Chronic obstructive pulmonary disease with hypercapnia; or
 - 7 Short bowel syndrome; or
 - 8 Bowel fistula: or
 - 9 Severe chronic neurological conditions.

Renewal — (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583) only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure: or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions.

ENTERAL FEED 1KCAL/ML - Special Authority see SA1104 on p	age 186 – Ho	spital pharmacy	[HP3]
Liquid	-	250 ml OP	✓ Isosource Standard
			Osmolite
	2.65	500 ml OP	Nutrison Standard RTH
	5.29	1,000 ml OP	Nutrison Standard RTH
			✓ Isosource Standard RTH
	2.65	500 ml OP	✓ Osmolite RTH
	5.29	1,000 ml OP	✓ Osmolite RTH
ENTERAL FEED WITH FIBRE 1 KCAL/ML - Special Authority se	e SA1104 on r	nage 186 – Hosr	nital pharmacy [HP3]
Liquid		237 ml OP	✓ Jevity
_ 1	2.65	500 ml OP	✓ Nutrison Multi Fibre
	5.29	1.000 ml OP	✓ Nutrison Multi Fibre
	2.65	500 ml OP	✓ Jevity RTH
	5.29	1,000 ml OP	✓ Jevity RTH
ENTERAL FEED WITH FIBRE 1.5KCAL/ML - Special Authority s	ee SA1104 on	page 186 – Hos	spital pharmacy [HP3]
Liquid		250 ml OP	✓ Ensure Plus HN
'	7.00	1,000 ml OP	✓ Ensure Plus RTH
		•	✓ Nutrison Energy
			Multi Fibre

	Subsidy (Manufacturer's P \$	Price) Sub Per	Fully sidised	Brand or Generic Manufacturer
ORAL FEED 1 KCAL/ML - Special Authority see SA1104 on page	186 – Hospital	pharmacy [HF	23]	
Powder (chocolate)		400 g OP		nsure
,	9.50	900 g OP	√ E	nsure
	10.22	3		ustagen Hospital Formula
Powder (strawberry)	4.22	400 g OP	√ E	nsure
Powder (vanilla)	4.22	400 g OP	√ E	nsure
,	9.50	900 g OP	√ E	nsure
	10.22	J		ustagen Hospital Formula

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

ORAL FEED 1.5KCAL/ML - Special Authority see SA1104 on page 186 - Hospital pharmacy [HP3]

- a) Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube. The prescription must be endorsed accordingly.
- b) Note Repeats for Fortisip and Ensure Plus will be fully subsidised where the initial dispensing was before 1 April 2011.

Endorsement	Liquid (banana) - Higher subsidy of \$1.26 per 200 ml with			_
Liquid (chocolate) – Higher subsidy of up to \$1.33 per 237 ml with Endorsement	Endorsement	0.72	200 ml OP	
Liquid (chocolate) – Higher subsidy of up to \$1.33 per 237 ml with Endorsement		(1.26)		Ensure Plus
with Endorsement 0.72 200 ml OP Ensure Plus (1.26) 0.85 237 ml OP Ensure Plus (1.33) 0.72 200 ml OP Ensure Plus Liquid (coffee latte) - Higher subsidy of up to \$1.33 per 237 ml OP Fortisip 237 ml with Endorsement 0.85 237 ml OP Ensure Plus Liquid (fruit of the forest) - Higher subsidy of \$1.26 per 200 ml 0.72 200 ml OP Ensure Plus Liquid (strawberry) - Higher subsidy of up to \$1.33 per 0.72 200 ml OP Ensure Plus Liquid (strawberry) - Higher subsidy of \$1.26 per 200 ml with Endorsement 0.72 200 ml OP Ensure Plus Liquid (toffee) - Higher subsidy of \$1.26 per 200 ml with Endorsement 0.72 200 ml OP Fortisip Liquid (tropical fruit) - Higher subsidy of \$1.26 per 200 ml with Endorsement 0.72 200 ml OP Fortisip Liquid (vanilla) - Higher subsidy of up to \$1.33 per 237 ml with Endorsement 0.72 200 ml OP Ensure Plus Liquid (vanilla) - Higher subsidy of up to \$1.33 per 237 ml with Endorsement 0.72 200 ml OP Ensure Plus Liquid (vanilla) - Higher		(1.26)		Fortisip
Comparison of the forest Comparison of the f		, ,	000 100	'
Description	with Endorsement		200 mi OP	
Company		' '		Ensure Plus
Display			237 ml OP	
Liquid (coffee latte) - Higher subsidy of up to \$1.33 per 237 ml with Endorsement				Ensure Plus
Liquid (coffee latte) - Higher subsidy of up to \$1.33 per 237 ml with Endorsement			200 ml OP	
237 ml with Endorsement		(1.26)		Fortisip
Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 ml with Endorsement	Liquid (coffee latte) - Higher subsidy of up to \$1.33 per			
Liquid (fruit of the forest) — Higher subsidy of \$1.26 per 200 ml with Endorsement	237 ml with Endorsement	0.85	237 ml OP	
with Endorsement 0.72 200 ml OP (1.26) Ensure Plus Liquid (strawberry) – Higher subsidy of up to \$1.33 per 237 ml with Endorsement 0.72 200 ml OP (1.26) Ensure Plus 0.85 237 ml OP Ensure Plus 0.72 200 ml OP Fortisip Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with Endorsement 0.72 200 ml OP Liquid (tropical fruit) – Higher subsidy of \$1.26 per 200 ml with Endorsement 0.72 200 ml OP Liquid (vanilla) – Higher subsidy of up to \$1.33 per 237 ml with Endorsement 0.72 200 ml OP Liquid (vanilla) – Higher subsidy of up to \$1.33 per 237 ml with Endorsement 0.72 200 ml OP Liquid (vanilla) – Higher subsidy of up to \$1.33 per 237 ml op 0.72 200 ml OP (1.26) Ensure Plus 0.85 237 ml OP (1.33) Ensure Plus 0.72 200 ml OP		(1.33)		Ensure Plus
Liquid (strawberry) — Higher subsidy of up to \$1.33 per 237 ml with Endorsement	Liquid (fruit of the forest) - Higher subsidy of \$1.26 per 200 ml			
Liquid (strawberry) — Higher subsidy of up to \$1.33 per 237 ml with Endorsement	with Endorsement	0.72	200 ml OP	
237 ml with Endorsement 0.72 200 ml OP (1.26) Ensure Plus 0.85 237 ml OP (1.33) Ensure Plus 0.72 200 ml OP (1.26) Fortisip Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with Endorsement 0.72 200 ml OP (1.26) Fortisip Liquid (tropical fruit) – Higher subsidy of \$1.26 per 200 ml with Endorsement 0.72 200 ml OP (1.26) Fortisip Liquid (vanilla) – Higher subsidy of up to \$1.33 per 237 ml with Endorsement 0.72 200 ml OP (1.26) Ensure Plus 0.85 237 ml OP (1.33) Ensure Plus 0.72 200 ml OP (1.33) Ensure Plus 0.72 200 ml OP		(1.26)		Ensure Plus
237 ml with Endorsement 0.72 200 ml OP (1.26) Ensure Plus 0.85 237 ml OP (1.33) Ensure Plus 0.72 200 ml OP (1.26) Fortisip Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with Endorsement 0.72 200 ml OP (1.26) Fortisip Liquid (tropical fruit) – Higher subsidy of \$1.26 per 200 ml with Endorsement 0.72 200 ml OP (1.26) Fortisip Liquid (vanilla) – Higher subsidy of up to \$1.33 per 237 ml with Endorsement 0.72 200 ml OP (1.26) Ensure Plus 0.85 237 ml OP (1.33) Ensure Plus 0.72 200 ml OP (1.33) Ensure Plus 0.72 200 ml OP	Liquid (strawberry) - Higher subsidy of up to \$1.33 per	,		
Comparison of the property o		0.72	200 ml OP	
0.85 237 ml OP (1.33) Ensure Plus 0.72 200 ml OP (1.26) Fortisip				Ensure Plus
Comparison of		' '	237 ml OP	
Display			207 0.	Ensure Plus
Liquid (toffee) - Higher subsidy of \$1.26 per 200 ml with Endorsement		, ,	200 ml OP	
Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with Endorsement			200 1111 01	Fortisin
Description	Liquid (toffoo) Higher subsidy of \$1.26 per 200 ml with En	(1.20)		rortioip
Color	,	0.72	200 ml OP	
Liquid (tropical fruit) - Higher subsidy of \$1.26 per 200 ml 0.72 200 ml OP Fortisip Liquid (vanilla) - Higher subsidy of up to \$1.33 per 237 ml 0.72 200 ml OP Ensure Plus 0.85 237 ml OP 237 ml OP Ensure Plus 0.72 200 ml OP Ensure Plus 0.85 237 ml OP 200 ml OP 0.72 200 ml OP Ensure Plus	dorsement		200 1111 01	Forticin
with Endorsement 0.72 200 ml OP (1.26) Fortisip Liquid (vanilla) – Higher subsidy of up to \$1.33 per 237 ml 200 ml OP with Endorsement 0.72 200 ml OP (1.26) Ensure Plus 0.85 237 ml OP (1.33) Ensure Plus 0.72 200 ml OP	Liquid /transact fruit\ Llighar aubaidy of \$1.00 per 000 ml	(1.20)		Tortisip
(1.26) Fortisip Liquid (vanilla) – Higher subsidy of up to \$1.33 per 237 ml with Endorsement	,	0.70	000 ml OD	
Liquid (vanilla) – Higher subsidy of up to \$1.33 per 237 ml 0.72 200 ml OP (1.26) Ensure Plus 0.85 237 ml OP (1.33) Ensure Plus 0.72 200 ml OP	with Endorsement		200 IIII OP	Fartisis
with Endorsement 0.72 200 ml OP (1.26) Ensure Plus 0.85 237 ml OP (1.33) Ensure Plus 0.72 200 ml OP		(1.20)		Fortisip
(1.26) Ensure Plus 0.85 237 ml OP (1.33) Ensure Plus 0.72 200 ml OP				
0.85 237 ml OP (1.33) Ensure Plus 0.72 200 ml OP	with Endorsement		200 ml OP	
(1.33) Ensure Plus 0.72 200 ml OP		' '		Ensure Plus
0.72 200 ml OP			237 ml OP	
- =****		, ,		Ensure Plus
(1.26) Fortisin			200 ml OP	
(1.20)		(1.26)		Fortisip

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	

ORAL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority see SA1104 on page 186 - Hospital pharmacy [HP3]

- a) Repeats for Fortisip Multi Fibre will be fully subsidised where the initial dispensing was before 1 April 2011.
- b) Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube. The prescription must be endorsed accordingly.

Liquid (chocolate) - Higher subsidy of \$1.26 per 200 ml with

Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (strawberry) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (vanilla) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre

Adult Products High Calorie

■SA1105 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 failure to thrive: or
 - 1.3 increased nutritional requirements; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements.

Renewal — (Cystic fibrosis) only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and date contacted.

SPECIAL FOODS

(Manufacturer's Price) Subsidised Per Manufacturer ORAL FEED 2KCAL/ML - Special Authority see SA1105 on the preceding page - Hospital pharmacy [HP3] a) Repeats for Two Cal HN will be fully subsidised where the initial dispensing was before 1 April 2011. b) Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube. The prescription must be endorsed accordingly. Liquid (vanilla) - Higher subsidy of \$2.25 per 237 ml with 237 ml OP Two Cal HN

Subsidy

Fully

Brand or

Generic

Food Thickeners

⇒SA1106 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

Renewal only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and date

FOOD THICKENER - Special Authority see SA1106 above - Hospital pharmacy [HP3] 380 g OP Karicare Food Thickener

Gluten Free Foods

The funding of gluten free foods is no longer being actively managed by PHARMAC from 1 April 2011. This means that we are no longer considering the listing of new products, or making subsidy, or other changes to the existing listings. As a result we anticipate that the range of funded items will reduce over time. Management of Coeliac disease with a gluten free diet is necessary for good outcomes. A range of gluten free options are available through retail outlets.

⇒SA1107 | Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Either:

- 1 Gluten enteropathy has been diagnosed by biopsy: or
- 2 Patient suffers from dermatitis herpetiformis.

GLUTEN FREE BAKING MIX - Special Authority see SA1107 above - Hospital	pharmacy [HP3]	
Powder2.81	1,000 g OP	
(5.15)		Healtheries Simple Baking Mix
GLUTEN FREE BREAD MIX - Special Authority see SA1107 above - Hospital	pharmacy [HP3]	
Powder	1,000 g OP	
(7.32)	•	NZB Low Gluten Bread Mix
4.77		
(8.71)		Bakels Gluten Free Health Bread Mix
3.51		
(10.87)		Horleys Bread Mix

	Subsidy (Manufacturer's Pri \$	ce) Subs Per	Fully sidised	Brand or Generic Manufacturer
GLUTEN FREE FLOUR - Special Authority see SA1107	on the preceding page - I	lospital pharn	nacy [H	IP3]
Powder	5.62	2,000 g OP		
	(18.10)		H	orleys Flour
GLUTEN FREE PASTA - Special Authority see SA1107	on the preceding page – H	ospital pharm	acv [H	23]
Buckwheat Spirals		250 g OP		91
	(3.11)	3 -	0	rgran
Corn and Vegetable Shells	` '	250 g OP		3
ů	(2.92)	Ü	0	rgran
Corn and Vegetable Spirals	2.00	250 g OP		
	(2.92)		0	rgran
Rice and Corn Lasagne Sheets	1.60	200 g OP		
	(3.82)		0	rgran
Rice and Corn Macaroni	2.00	250 g OP		
	(2.92)		0	rgran
Rice and Corn Penne		250 g OP		
	(2.92)		0	rgran
Rice and Maize Pasta Spirals		250 g OP	_	
D: 14411 + 0 + 1	(2.92)	050 05	0	rgran
Rice and Millet Spirals		250 g OP	^	
Dies and som anaghetti needles	(3.11)	07E ~ OD	O	rgran
Rice and corn spaghetti noodles		375 g OP	^	raran
Vegetable and Rice Spirals	(2.92)	250 g OP	U	rgran
vegetable and nice opilals	(2.92)	200 y OF	0	rgran
Italian long style spaghetti	, ,	220 g OP	O	gran
manari forig stylo spagnotti	(3.11)	220 y O1	Ω	rgran
	(0.11)		0	9.4

Foods And Supplements For Inborn Errors Of Metabolism

⇒SA1108 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Dietary management of homocystinuria; or
- 2 Dietary management of maple syrup urine disease; or
- 3 Dietary management of phenylketonuria (PKU); or
- 4 For use as a supplement to the Ketogenic diet in patients diagnosed with epilepsy.

Supplements For Homocystinuria

Supplements For MSUD

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE - Special Authority see SA1108 above - Hospital pharmacy [HP3]

Powder	54 500 g OP	✓ MSUD Maxamaid
437.2	22	MSUD Maxamum

,	SA1108 on the	
,	SA1108 on the	
		e preceding page - Hospital pha
99.00	75 OP	✓ Phlexy 10
330.10	30 OP	Minaphlex
324.00	30	✓ Phlexy 10
174.72	400 g OP	✓ PKU Anamix Infant
221.00	500 a OP	✓ XP Analog LCP ✓ XP Maxamaid
	300 g Oi	✓ XP Maxamum
	500 a OP	✓ XP Maxamaid
	300 g Oi	✓ XP Maxamum
	62 5 ml OP	✓ Lophlex LQ
		✓ Lophlex LQ
		✓ PKU Lophlex LQ
		✓ PKU Lophlex LQ
		✓ Lophlex LQ
		✓ Lophlex LQ
		✓ PKU Lophlex LQ
		✓ PKU Lophlex LQ
		✓ Easiphen Liquid
		✓ Lophlex LQ
		✓ Lophlex LQ
		✓ PKU Lophlex LQ
		✓ PKU Lophlex LQ
30.00	250 ml OP	✓ Easiphen
, ,		I pharmacy [HP3] Loprofin Mix
	•	•

AMINOACID FORMULA WITH MINERALS WITHOUT PHENYLALANINE - Special Authority see SA1108 on the preceding page

- Retail pharmacy

100 g OP

✓ Metabolic Mineral

Mixture

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

Infant Formulae

For Premature Infants

■SA1109 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months where the patient is infant weighing less than 1.5 kg at birth.

PREMATURE BIRTH FORMULA - Special Authority see SA1109 above - Hospital pharmacy [HP3]

For Williams Syndrome

⇒SA1110 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

Renewal only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and date contacted.

LOW CALCIUM INFANT FORMULA - Special Authority see SA1110 above - Hospital pharmacy [HP3]

Gastrointestinal and Other Malabsorptive Problems

AMINO ACID FORMULA - Special Authority see SA1111 below - Hospital pha	rmacy [HP3]	
Powder	48.5 g OP	✓ Vivonex Pediatric
56.00	400 g OP	✓ Neocate
	· ·	✓ Neocate LCP
Powder (tropical)56.00	400 g OP	✓ Neocate Advance
Powder (unflavoured)56.00	400 g OP	✓ Elecare
	Ü	✓ Elecare LCP
		✓ Neocate Advance
Powder (vanilla) 56.00	400 a OP	✓ Elecare

⇒SA1111 Special Authority for Subsidy

Initial application — (**Transition from Old Form** (**SA0603**)) only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient is currently receiving funded amino acid formula under Special Authority form SA0603; and
- 2 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and
- 3 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
- 4 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and the date contacted.

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

continued...

- 1 Extensively hydrolysed formula has been reasonably trialled and is inappropriate due to documented severe intolerance or allergy or malabsorption; or
- 2 History of anaphylaxis to cows milk protein formula or dairy products; or
- 3 Eosinophilic oesophagitis.

Renewal only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
- 3 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and date contacted.

EXTENSIVELY HYDROLYSED FORMULA - Special Authority	y see SA1112 below	- Hospital pha	armacy [HP3]
Powder	15.21	450 g OP	✓ Pepti Junior Gold
	19.01		✓ Pepti Junior
(Pepti Junior Powder to be delisted 1 December 2011)			

⇒SA1112 Special Authority for Subsidy

Initial application — (Transition from Old Form (SA0603)) only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The infant is currently receiving funded amino acid formula under Special Authority form SA0603; and
 - 1.2 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
 - 1.3 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and the date contacted; or
- 2 All of the following:
 - 2.1 The patient is currently receiving funded extensively hydrolysed formula under Special Authority form SA0603; and
 - 2.2 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken; and
 - 2.3 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
 - 2.4 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and the date contacted.

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
 - 1.1 Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content; and
 - 1.2 Either:
 - 1.2.1 Soy milk formula has been trialled without resolution of symptoms; or
 - 1.2.2 Soy milk formula is considered clinically inappropriate or contraindicated; or
- 2 Severe malabsorption; or
- 3 Short bowel syndrome; or
- 4 Intractable diarrhea; or
- 5 Biliary atresia; or
- 6 Cholestatic liver diseases causing malsorption; or
- 7 Chylous ascite; or

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)	Su	bsidised	Generic
\$	Per	~	Manufacturer

continued...

- 8 Chylothorax; or
 - 9 Cystic fibrosis; or
- 10 Proven fat malabsorption; or
- 11 Severe intestinal motility disorders causing significant malabsorption; or
- 12 Intestinal failure.

Renewal only from a relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken;
- 2 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
- 3 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Step Down from Amino Acid Formula) only from a relevant specialist, vocationally registered general practitioner or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The infant is currently receiving funded amino acid formula; and
- 2 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
- 3 General Practitioners must include the name of the relevant specialist or vocationally registered general practitioner and the date contacted.

Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

ADRENALINE ✓ Inj 1 in 1,000, 1 ml		CHLORPROMAZINE HYDROCHLORIDE ✓ Tab 10 mg	
✓ Inj 1 in 10,000, 10 ml	5	✓ Tab 25 mg ✓ Tab 100 mg	
AMINOPHYLLINE ✓ Inj 25 mg per ml, 10 ml	5	✓ Inj 25 mg per ml, 2 ml	5
AMIODARONE HYDROCHLORIDE ✓ Inj 50 mg per ml, 3 ml	5	CIPROFLOXACIN ✓ Tab 250 mg	5
		✓ Tab 500 mg	5
AMOXYCILLIN ✓ Cap 250 mg ✓ Grans for oral liq 125 mg per 5 ml ✓ Inj 1 g	200 ml 200 ml	CO-TRIMOXAZOLE ✓ Tab trimethoprim 80 mg and sulphamethoxazole 400 mg ✓ Oral liq trimethoprim 40 mg and	30
AMOXYCILLIN CLAVULANATE		sulphamethoxazole 200 mg per 5 ml	200 ml
 ✓ Tab amoxycillin 500 mg with potassium clavulanate 125 mg ✓ Grans for oral lig amoxycillin 125 mg with 	30	COMPOUND ELECTROLYTES ✓ Powder for soln for oral use 4.4 g	
potassium clavulanate 31.25 mg per		✔ Powder for soln for oral use 5 g	10
5 ml	200 ml	CONDOMS	
✓ Grans for oral liq amoxycillin 250 mg with		✓ 49 mm	
potassium clavulanate 62.5 mg per	000 1	✓ 52 mm	
5 ml	200 mi	✓ 52 mm extra strength	
ASPIRIN		✓ 53 mm ✓ 53 mm (chocolate)	
✓ Tab dispersible 300 mg	30	✓ 53 mm (strawberry)	
ATROPINE SULPHATE		✓ 53 mm extra strength	
✓ Inj 600 µg, 1 ml	5	54 mm, shaped	
		✓ 55 mm	
AZITHROMYCIN		✓ 56 mm	
✓ Tab 500 mg – Subsidy by endorsement –		✓ 56 mm extra strength	144
See note on page 80	8	✓ 56 mm, shaped	
BENDROFLUAZIDE ✓ Tab 2.5 mg – See note on page 53	150	✓ 60 mm	144
BENZATHINE BENZYLPENICILLIN		✓ Tab 1 mg – Retail pharmacy-Specialist	30
✓ Inj 1.2 mega u per 2.3 ml	5	✓ Tab 4 mg – Retail pharmacy-Specialist	
		DEXAMETHASONE SODIUM PHOSPHATE	
BENZTROPINE MESYLATE	5	✓ Inj 4 mg per ml, 1 ml	5
✓ Inj 1 mg per ml, 2 ml		✓ Inj 4 mg per ml, 2 ml	
BENZYLPENICILLIN SODIUM (PENICILLIN G) ✓ Inj 1 mega u	5	DEXTROSE	-
CEFTRIAXONE SODIUM		✓ Inj 50%, 10 ml ✓ Inj 50%, 90 ml	5
✓ Inj 500 mg – Subsidy by endorsement – See note on page 79	5	DIAPHRAGM	
✓ Inj 1 g – Subsidy by endorsement – See		✓ 65 mm – See note on page 66	
note on page 79	5	✓ 70 mm – See note on page 66	
		✓ 75 mm – See note on page 66	
CHARCOAL		✓ 80 mm – See note on page 66	1
✓ Oral liq 50 g per 250 ml	250 ml	contin	nued

PRACTITIONER'S SUPPLY ORDERS

continued) DIAZEPAM	FLUCLOXACILLIN SODIUM ✓ Cap 250 mg	30
✓ Inj 5 mg per ml, 2 ml – Subsidy by endorsement – See note on page 1195 ✓ Rectal tubes 5 mg	✓ Grans for oral liq 125 mg per 5 ml ✓ Grans for oral liq 250 mg per 5 ml ✓ Inj 1 g	200 ml
✓ Rectal tubes 10 mg	FLUPENTHIXOL DECANOATE Inj 20 mg per ml, 1 ml Inj 20 mg per ml, 2 ml Inj 100 mg per ml, 1 ml	5
DIGOXIN ✓ Tab 62.5 μg	FLUPHENAZINE DECANOATE ✓ Inj 12.5 mg per 0.5 ml, 0.5 ml ✓ Inj 25 mg per ml, 1 ml ✓ Inj 100 mg per ml, 1 ml	5
DOXYCYCLINE HYDROCHLORIDE Tab 50 mg	FUROSEMIDE ✓ Tab 40 mg ✓ Inj 10 mg per ml, 2 ml	30
ERGOMETRINE MALEATE ✓ Inj 500 µg per ml, 1 ml5	GLUCAGON HYDROCHLORIDE ✓ Inj 1 mg syringe kit	
ERYTHROMYCIN ETHYL SUCCINATE ✓ Tab 400 mg	GLYCERYL TRINITRATE ✓ Tab 600 µg ✓ Oral pump spray 400 µg per dose HALOPERIDOL	
ERYTHROMYCIN STEARATE Tab 250 mg30	✓ Tab 500 μg ✓ Tab 1.5 mg ✓ Tab 5 mg	30
ETHINYLOESTRADIOL WITH DESOGESTREL Tab 20 µg with desogestrel 150 µg63 Tab 20 µg with desogestrel 150 µg and 7	✓ Oral liq 2 mg per ml ✓ Inj 5 mg per ml, 1 ml	200 ml
inert tab	HALOPERIDOL DECANOATE ✓ Inj 50 mg per ml, 1 ml	
inert tab84 ETHINYLOESTRADIOL WITH LEVONORGESTREL	HYDROCORTISONE ✓ Inj 50 mg per ml, 2 ml	5
✓ Tab 50 µg with levonorgestrel 125 µg and 7 inert tab84	HYDROXOCOBALAMIN ✓ Inj 1 mg per ml, 1 ml	6
Tab 30 μg with levonorgestrel 150 μg	HYOSCINE N-BUTYLBROMIDE ✓ Inj 20 mg, 1 ml	5
Tab 20 μg with levonorgestrel 100 μg and 7 inert tab84	INTRA-UTERINE DEVICE ✓ IUD	40
ETHINYLOESTRADIOL WITH NORETHISTERONE Tab 35 μg with norethisterone 1 mg63 Tab 35 μg with norethisterone 1 mg and 7	IPRATROPIUM BROMIDE ✓ Nebuliser soln, 250 μg per ml, 1 ml ✓ Nebuliser soln, 250 μg per ml, 2 ml	
inert tab	LEVONORGESTREL Tab 30 µg ✓ Tab 1.5 mg	
inert tab84	▼ 1au 1.5 mg	continued

PRACTITIONER'S SUPPLY ORDERS

(continued)		PARACETAMOL	
LIGNOCAINE	-	✓ Tab 500 mg	
✓ Gel 2%, 10 ml urethral syringe	5	 ✓ Oral liq 120 mg per 5 ml ✓ Oral liq 250 mg per 5 ml 	200 ml
LIGNOCAINE HYDROCHLORIDE			100 1111
✓ Inj 0.5%, 5 ml		PEAK FLOW METER	
✓ Inj 1%, 5 ml		✓ Low range	
✓ Inj 2%, 5 ml		✓ Normal range	10
✓ Inj 1%, 20 ml		PETHIDINE HYDROCHLORIDE	
✓ Inj 2%, 20 ml	5	✓ Inj 50 mg per ml, 1 ml – Only on a controlled	
LIGNOCAINE WITH CHLORHEXIDINE		drug form	5
✓ Gel 2% with chlorhexidine 0.05%,		✓ Inj 50 mg per ml, 2 ml – Only on a controlled	
10 ml urethral syringes	5	drug form	5
		PHENOXYMETHYLPENICILLIN (PENICILLIN V)
LOPERAMIDE HYDROCHLORIDE	20	✓ Cap potassium salt 250 mg	
✓ Tab 2 mg		✓ Grans for oral liq 125 mg per 5 ml	
✓ Cap 2 mg	30	✓ Grans for oral liq 250 mg per 5 ml	200 ml
MASK FOR SPACER DEVICE		PHENYTOIN SODIUM	
✓ Size 2 – See note on page 163	20	✓ Inj 50 mg per ml, 2 ml	5
MEDROXYPROGESTERONE ACETATE		✓ Inj 50 mg per ml, 5 ml	
✓ Inj 150 mg per ml, 1 ml syringe	5	PHYTOMENADIONE	
The first transfer that the symmetry transfer the symmetry transfer that th		✓ Inj 2 mg per 0.2 ml – See note on page 41	5
METOCLOPRAMIDE HYDROCHLORIDE		✓ Inj 10 mg per ml, 1 ml – See note on page 41	
✓ Inj 5 mg per ml, 2 ml	5		
METRONIDAZOLE		PIPOTHIAZINE PALMITATE	_
✓ Tab 200 mg	30	✓ Inj 50 mg per ml, 1 ml ✓ Inj 50 mg per ml, 2 ml	
MORPHINE SULPHATE		PREDNISOLONE SODIUM PHOSPHATE	
✓ Inj 5 mg per ml, 1 ml – Only on a controlled	_	✓ Oral liq 5 mg per ml – See note on	
drug form	5	page 72	30 m
✓ Inj 10 mg per ml, 1 ml – Only on a controlled drug form	_	PREDNISONE	
✓ Inj 15 mg per ml, 1 ml – Only on a controlled	5	✓ Tab 5 mg	30
drug form	5	PREGNANCY TESTS - HCG URINE	
✓ Inj 30 mg per ml, 1 ml – Only on a controlled		✓ Cassette	. 200 test
drug form	5	PROCAINE PENICILLIN	
		✓ Inj 1.5 mega u	5
NALOXONE HYDROCHLORIDE	_		
✓ Inj 400 µg per ml, 1 ml	5	PROCHLORPERAZINE	
NORETHISTERONE		✓ Tab 5 mg	
✓ Tab 350 µg	84	✓ Inj 12.5 mg per ml, 1 ml	5
✓ Tab 5 mg	30	PROMETHAZINE HYDROCHLORIDE	
NODETHICTEDONE WITH MESTRANOL		✓ Inj 25 mg per ml, 2 ml	5
NORETHISTERONE WITH MESTRANOL Tab 1 mg with mestranol 50 µg and 7 inert tab	8/1	SALBUTAMOL	
rab i mg with mestianor 50 μg and 7 mert tab	04	✓ Inj 500 µg per ml, 1 ml	5
OXYTOCIN		✓ Aerosol inhaler, 100 µg per dose CFC	
✓ Inj 5 iu per ml, 1 ml		free 1	
✓ Inj 10 iu per ml, 1 ml	5	✓ Nebuliser soln, 1 mg per ml, 2.5 ml	30
✓ Inj 5 iu with ergometrine maleate 500 µg per		✓ Nebuliser soln, 2 mg per ml, 2.5 ml	30
ml, 1 ml	5	con	tinued

PRACTITIONER'S SUPPLY ORDERS

(continued) SALBUTAMOL WITH IPRATROPIUM BROMIDE	
✓ Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml	20
SILVER SULPHADIAZINE ✓ Crm 1%	250 g
SODIUM BICARBONATE ✓ Inj 8.4%, 50 ml ✓ Inj 8.4%, 100 ml	5 5
SODIUM CHLORIDE ✓ Inf 0.9% – See note on page 43 ✓ Inj 0.9%, 5 ml ✓ Inj 0.9%, 10 ml	5

SPACER DEVICE ✓ 230 ml (autoclavable) – Subsidy by	
endorsement – See note on page 163 ✓ 230 ml (single patient) ✓ 800 ml	20
TRIMETHOPRIM ✓ Tab 300 mg	30
VERAPAMIL HYDROCHLORIDE ✓ Inj 2.5 mg per ml, 2 ml	.5
WATER ✓ Purified for inj, 5 ml – See note on page 43 ✓ Purified for inj, 10 ml – See note on page 43 ✓ Purified for inj, 20 ml – See note on page 43	.5
ZUCLOPENTHIXOL DECANOATE ✓ Inj 200 mg per ml, 1 ml	.5

Rural Areas for Practitioner's Supply Orders

NORTH ISLAND
Tairua
Taumarunui
Te Aroha
Dargaville
Hikurangi
Kaeo
Taikohe
Te Kauwhata
Te Kuiti
Tokoroa
Waihi

Kaitaia Whangamata Kawakawa Whitianga Kerikeri

Mangonui Bay of Plenty DHB
Maungaturoto Edgecumbe
Moerewa Katikati
Ngunguru Kawerau
Paihia Murupara

Rawene Opotiki
Ruakaka Taneatua
Russell Te Kaha
Tutukaka Waihi Beach
Waipu Whakatane

Whangaroa Lakes DHB

Waitemata DHB Mangakino
Helensville Turangi
Huapai Tairawhiti DHB

Kumeu Ruatoria
Snells Beach Te Araroa
Waimauku Te Karaka
Warkworth Te Puia Springs
Wellsford Tikitiki
Auckland DHB Tokomaru Bay

Great Barrier Island

Oneroa Ostend

Counties Manukau DHB

Tuakau Waiuku **Waikato DHB**

Coromandel Huntly Kawhia Matamata Morrinsville Ngatea

Paeroa Pauanui Beach Putaruru Raglan

Otorohanga

Whanganui DHB

Hawkes Bay DHB

Chatham Islands

Tolaga Bay

Eltham

Manaia

Oakura

Opunake

Stratford

Waverley

Waipawa

Wairoa

Bulls

Waipukurau

Okato

Patea

Inglewood

Taranaki DHB

Marton Ohakune Raetihi Taihape Waiouru

Dannevirke Foxton Levin Otaki Pahiatua

Shannon

MidCentral DHB

Woodville

Wairarapa DHB
Carteron
Featherston
Grevtown

Martinborough

SOUTH ISLAND

Nelson/Marlborough DHB

Havelock Mapua Motueka Murchison Picton Takaka Wakefield

Wakefield Lawrence

West Coast DHB Lumsden
Dobson Mataura
Greymouth Oamaru
Hokitika Oban
Karamea Oban
Reefton Otautau
South Westland Outram

Whataroa

Canterbury DHB
Akaroa
Amberley
Amuri
Cheviot
Darfield
Diamond Harbour

Hanmer Springs

Kaikoura

Westport

Owaka
Palmerston
Queenstown
Ranfurly
Riverton
Roxburgh
Tapanui
Te Anau
Tokonui
Tuatapere
Wanaka

Winton

Leeston

Lincoln

Oxford

Rakaia

Rolleston

Rotherham

Templeton

South Canterbury DHB

Waikari

Fairlie

Geraldine

Temuka

Waimate

Twizel

Pleasant Point

Southern DHB

Alexandra

Balclutha

Cromwell

Gore

Kurow

Methven

SECTION F: PART I

A Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is Close Control.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is Close Control.

SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

- a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the prescriber has endorsed the Prescription item(s) on the Prescription to which the exemption applies "certified exemption". In endorsing the Prescription items for a certified exemption, the prescriber is certifying that:
 - i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
 - ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
 - iii) the prescriber has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
 - i) have limited physical mobility:
 - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - iii) are relocating to another area;
 - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

The following Community Pharmaceuticals are identified with a \blacktriangle within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

ALIMENTARY TRACT AND METABOLISM

INSULIN ASPART

INSULIN GLARGINE

INSULIN GLULISINE

INSULIN ISOPHANE

INSULIN ISOPHANE WITH INSULIN NEUTRAL

INSULIN LISPRO

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

INSULIN NEUTRAL

CARDIOVASCULAR SYSTEM

AMIODARONE HYDROCHLORIDE

Tab 100 mg Cordarone-X Tab 200 mg Cordarone-X

DISOPYRAMIDE PHOSPHATE

FLECAINIDE ACETATE

Tab 50 mg
Tambocor
Tab 100 mg
Tambocor
Cap long-acting 100 mg
Tambocor CR
Cap long-acting 200 mg
Tambocor CR

MEXILETINE HYDROCHLORIDE

PROPAFENONE HYDROCHLORIDE

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN

Nasal drops 100 µg per Minirin

1111

Nasal spray 10 µg per Desmopressin-PH&T

dose

MUSCULOSKELETAL SYSTEM

PYRIDOSTIGMINE BROMIDE

NERVOUS SYSTEM

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

ENTACAPONE

GABAPENTIN

GABAPENTIN (NEURONTIN)

LACOSAMIDE

LAMOTRIGINE

LISURIDE HYDROGEN MALEATE

PERGOLIDE

ROPINIROLE HYDROCHLORIDE

TOLCAPONE

TOPIRAMATE

VIGABATRIN

SENSORY ORGANS

BIMATOPROST

BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE

BRINZOLAMIDE

LATANOPROST

TRAVOPROST

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

Safety Caps (NZS 5825:1991)

20 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
04	
24 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	,
	PDL FG

SAFETY CAP MEDICINES

ALIMENTARY TRACT AND METABOLISM

FERROUS SULPHATE

Oral lig 30 mg per 1 ml Ferodan

(6 mg elemental per

1 ml)

CARDIOVASCULAR SYSTEM

AMILORIDE

Oral lig 1 mg per ml

Biomed

CAPTOPRIL

Oral liq 5 mg per ml Capoten

CHLOROTHIAZIDE

Oral lig 50 mg per ml Biomed

DIGOXIN

Oral lig 50 µg per ml Lanoxin

FUROSEMIDE

Oral liq 10 mg per ml Lasix

SPIRONOLACTONE

Oral lig 5 mg per ml Biomed

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

LEVOTHYROXINE

Tab 50 µg Eltroxin

Goldshield

Synthroid

Tab 100 μg Eltroxin

Goldshield

Synthroid

Tab 25 μg Synthroid

(Extemporaneously compounded oral liquid preparations)

MUSCULOSKELETAL SYSTEM

IBUPROFEN

Oral liq 100 mg per 5 ml Fenpaed

QUININE SULPHATE

Tab 200 mg Q 200 Tab 300 mg Q 300

(Extemporaneously compounded oral liquid preparations)

NERVOUS SYSTEM

ALPRAZOLAM

Tab 250 µgArrow-AlprazolamTab 500 µgArrow-AlprazolamTab 1 mgArrow-Alprazolam

(Extemporaneously compounded oral liquid preparations)

CARBAMAZEPINE

Oral lig 100 mg per 5 ml Tegretol

CLOBAZAM

Tab 10 mg Frisium

(Extemporaneously compounded oral liquid preparations)

CLONAZEPAM

Oral drops 2.5 mg per Rivotril

ml

DIAZEPAM

Tab 2 mg Arrow-Diazepam
Tab 5 mg Arrow-Diazepam

(Extemporaneously compounded oral liquid preparations)

ETHOSUXIMIDE

Oral liq 250 mg per 5 ml Zarontin

LORAZEPAM

Tab 1 mg Ativan
Tab 2.5 mg Ativan

(Extemporaneously compounded oral liquid preparations)

LORMETAZEPAM

Tab 1 mg Noctamid

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Oral liq 2 mg per ml Biodone
Oral liq 5 mg per ml Biodone Forte
Oral liq 10 mg per ml Biodone Extra Forte

MIDAZOLAM

Tab 7.5 mg Hypnovel

(Extemporaneously compounded oral liquid preparations)

MORPHINE HYDROCHLORIDE

Oral liq 1 mg per ml
Oral liq 2 mg per ml
Oral liq 5 mg per ml
RA-Morph
RA-Morph

Oral liq 10 mg per ml

RA-Morph

NITRAZEPAM

Tab 5 mg Nitrados

(Extemporaneously compounded oral liquid preparations)

OXAZEPAM

Tab 10 mg Ox-Pam
Tab 15 mg Ox-Pam

(Extemporaneously compounded oral liquid preparations)

OXYCODONE HYDROCHLORIDE

Oral lig 5 mg per 5 ml OxyNorm

SAFETY CAP MEDICINES

PARACETAMOL

Oral liq 120 mg per 5 ml Paracare Junior

Oral lig 250 mg per 5 ml Paracare Double Strength

PHENYTOIN SODIUM

Oral lig 30 mg per 5 ml Dilantin

SODIUM VALPROATE

Oral liq 200 mg per 5 ml Epilim S/F Liquid

Epilim Syrup

TEMAZEPAM

Tab 10 mg Normison

(Extemporaneously compounded oral liquid preparations)

TRIAZOLAM

Tab 125 µg Hypam Tab 250 µg Hypam

(Extemporaneously compounded oral liquid preparations)

RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE

Oral lig 1 mg per ml Cetirizine - AFT

CHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Histafer

DEXTROCHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHLORIDE

Oral liq 5 mg per 5 ml Promethazine Winthrop

Elixir

SALBUTAMOL

Oral lig 2 mg per 5 ml Salapin

THEOPHYLLINE

Oral liq 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE

Oral lig 30 mg per 5 ml Vallergan Forte

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE

Powder Douglas

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Powder AFT

(Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM

Powder MidWest

(Extemporaneously compounded oral liquid preparations)

INDEX Generic Chemicals and Brands

- Symbols -
3TC91
- A -
A-Lices62
A-Scabies62
Abacavir sulphate90
Abacavir sulphate with
lamivudine91
Abilify125
ABM Hydroxocobalamin37
Acarbose30
Accu-Chek Performa31, 32
Accupril48
Accuretic 1048
Accuretic 2048
Acetadote175
Acetazolamide166
Acetic acid with 1, 2- propanediol
diacetate and
benzethonium164
Acetic acid with hydroxyquinoline
and ricinoleic acid69
Acetylcysteine175
Aci-Jel69
Aciclovir
Infection87
Sensory164
Acidex26
Acipimox44
Acitretin62
Aclasta109
Actigall34
Actrapid29
Actrapid Penfill29
Acupan114
Adalat 1052
Adalat Oros
Adalimumab98
Adapalene56
Adefin XL
Adefovir dipivoxil85
Adventon 54
Advantan60 AFT-Leflunomide97
AFT-Pyrazinamide85
,
Agents Affecting the Renin-Angiotensin System47
Agents for Parkinsonism and
Related Disorders112
Agents Used in the Treatment of
Poisonings39
Agrylin 144

Alanase	163
Albay	158
Albustix	71
Aldara	65
Alendronate sodium	108
Alendronate sodium with cholecalciferol	
cholecalciferol	. 108
Alfacalcidol	37
Alfacalcidol	26
Alitraq	185
Alkeran	140
Allersoothe	
Allopurinol	111
Alpha Adrenoceptor Blockers	47
Alpha-Keri Lotion	61
Alphamox	81
Alprazolam	131
Alu-Tab	26
Aluminium hydroxide	26
Amantadine hydrochloride	112
Ambrisentan	
Amiloride	
Amiloride with frusemide	53
Amiloride with	
hydrochlorothiazide	53
Aminophylline	
Amiodarone hydrochloride	40
Amirol	.117
Amisulpride	125
Amitrip	117
Amitriptyline	.117
Amlodipine	51
Amorolfine	57
Amoxycillin	81
Amoxycillin clavulanate	81
Amphotericin B	36
Amsacrine	144
Amsidine	.144
Amyl nitrite	54
Anabolic Agents	72
Anaesthetics	113
Anagrelide hydrochloride	.144
Analgesics	.114
Anastrozole	154
Androderm	73
Antabuse	.137
Antacids and Antiflatulants	26
Anten	117
Anthelmintics	
Anti-inflammatory Non Steroidal	
Drugs (NSAIDs)	96
Antiacne Preparations	56

Antiallergy Preparations158	i
Antianaemics40	ĺ
Antiandrogen Oral	
Contraceptives69	ļ
Antiarrhythmics49	
Antibacterials79	ļ
Antibacterials Topical57	
Anticholinesterases96	į
Antidepressants117	
Antidiarrhoeals26	į
Antiepilepsy Drugs119	ļ
Antifibrinolytics, Haemostatics	
and Local Sclerosants41	
Antifungals84	
Antifungals Topical57	
Antihaemorrhoidals27	
Antihistamines158	
Antihypotensives50	
Antimalarials84	
Antimigraine Preparations123)
Antinaus125	,
Antinausea and Vertigo	
Agents124	
Antipruritic Preparations58)
Antipsychotics125)
Antiretrovirals89	ĺ
Antiretrovirals - Additional Therapies92	
Therapies92	,
Antirheumatoid Agents97	,
Antispasmodics and Other	
Agents Altering Gut	
Motility27	
Antithrombotic Agents41	
Antithymocyte globulin	
(equine)155)
Antitrichomonal Agents84	
Antituberculotics and	
Antileprotics84	
Antiulcerants28	,
Antivirals85	
Anxiolytics131	
Anzatax148	
Apidra30	
Apidra SoloStar30	
Apo-Allopurinol111	
Apo-Allopurinol S29111	
Apo-Amlodipine51	
Apo-Bromocriptine112	
Apo-Cimetidine28	,
Apo-Clomipramine117	,
Apo-Clopidogrel41	
Apo-Doxazosin47	

INDEX Generic Chemicals and Brands

Apo-Folic Acid	40
Apo-Gliclazide	
Apo-Ipravent	163
Apo-Megestrol	152
Apo-Moclobemide	
Apo-Nadolol	51
Apo-Nicotinic Acid	
Apo-Oxybutynin	71
Apo-Pindolol	
Apo-Prazo	47
Apo-Prednisone	73
Apo-Primidone	122
Apo-Pyridoxine	
Apo-Risperidone	
Apo-Selegiline	
Apo-Selegiline S29	112
Apo-Terbinafine	
Apo-Thiamine	37
Apo-Timol	
Apo-Timop	
Apo-Zopiclone	
Apomine	
Apomorphine hydrochloride	112
Aprepitant	
Apresoline	54
Aquasun 30+	64
Aquasun Oil Free Faces	
SPF30+	. 64
SPF30+	
SPF30+	61
SPF30+Aqueous cream	61 49
SPF30+Aqueous creamAratacArava	61 49 97
SPF30+	61 49 97 154
SPF30+	61 49 97 154 154
SPF30+ Aqueous cream Aratac Arava Aremed Arimidex Aripiprazole Aripiprazole	61 49 97 154 154 125
SPF30+	61 49 97 154 154 125 60
SPF30+ Aqueous cream Aratac Arava Aremed Arimidex Aripiprazole Aristocort Aromasin	61 49 97 154 154 125 60
SPF30+	61 49 97 154 154 125 60 154 131
SPF30+ Aqueous cream Aratac Arava Aremed Arimidex Aripirazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin	61 49 97 154 154 125 60 154 131 80
SPF30+ Aqueous cream Aratac Arava Aremed Arimidex Aripirazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin Arrow-Bendroffuazide	61 49 97 154 154 125 60 154 131 80
SPF30+ Aqueous cream Aratac Arava Aremed Arimidex Aripirazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin Arrow-Bendrofluazide Arrow-Cabergoline	61 49 97 154 154 125 60 154 131 80 53
SPF30+ Aqueous cream Aratac Arava Aremed Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin Arrow-Bendrofluazide Arrow-Cabergoline Arrow-Citalopram	61 49 97 154 154 125 60 154 131 80 53 77
SPF30+ Aqueous cream Aratac Arava Aremed Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin Arrow-Bendrofluazide Arrow-Cabergoline Arrow-Citalopram Arrow-Diazepam	61 49 97 154 125 60 154 131 80 53 77 118
SPF30+ Aqueous cream Aratac Arava Aremed Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin Arrow-Bendrofluazide Arrow-Cabergoline Arrow-Citalopram Arrow-Diazepam Arrow-Diazepam Arrow-Diazepam Arrow-Enalapril	61 49 97 154 125 60 154 131 80 53 77 118 131
SPF30+ Aqueous cream Aratac Arava Aremed Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin Arrow-Bendrofluazide Arrow-Cabergoline Arrow-Citalopram Arrow-Diazepam Arrow-Diazepam Arrow-Enalapril Arrow-Etidronate	61 49 97 154 154 125 60 154 131 80 77 118 131 48 108
SPF30+ Aqueous cream Aratac Arava Aremed Arimidex Aripiprazole Arisocort Aromasin Arrow-Alprazolam Arrow-Bendrofluazide Arrow-Cabergoline Arrow-Citalopram Arrow-Diazepam Arrow-Enalapril Arrow-Enidronate Arrow-Endronate Arrow-Lamotrigine	61 49 97 154 154 125 60 154 131 80 77 118 131 48 108 121
SPF30+ Aqueous cream Aratac Arava Aremed Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin Arrow-Cabergoline Arrow-Citalopram Arrow-Enalapril Arrow-Enalapril Arrow-Enalapril Arrow-Enalapril Arrow-Lamotrigine Arrow-Lamotrigine Arrow-Lamotrigine Arrow-Lisinopril	61 49 97 154 154 125 60 154 131 80 53 77 118 131 48 121 48
SPF30+ Aqueous cream Aratac Arava Aremed Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin Arrow-Gabergoline Arrow-Citalopram Arrow-Diazepam Arrow-Enalapril Arrow-Etidronate Arrow-Etidronate Arrow-Lamotrigine Arrow-Lamotrigine Arrow-Laisinopril Arrow-Meloxicam	61 49 97 154 154 125 60 154 131 80 53 77 118 131 48 108 121 48
SPF30+ Aqueous cream Aratac Arava Aremed Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin Arrow-Cabergoline Arrow-Citalopram Arrow-Diazepam Arrow-Enalapril Arrow-Endiapril Arrow-Endiapril Arrow-Endiapril Arrow-Endiapril Arrow-Lamotrigine Arrow-Lamotrigine Arrow-Lamotrigine Arrow-Meloxicam Arrow-Meloxicam Arrow-Meloxicam Arrow-Morphine LA	61 49 97 154 154 125 60 154 131 80 53 77 118 131 48 121 48 121 48
SPF30+ Aqueous cream Aratac Arava Aremed Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin Arrow-Cabergoline Arrow-Citalopram Arrow-Diazepam Arrow-Enalapril Arrow-Endination Arrow-Endination Arrow-Endination Arrow-Lamotrigine Arrow-Lamotrigine Arrow-Meloxicam Arrow-Meloxicam Arrow-Morphine LA Arrow-Nifedipine XR	61 49 97 154 125 60 154 131 80 77 118 108 121 48 121 48 121 48
SPF30+ Aqueous cream Aratac Arava Aremed Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin Arrow-Bendrofluazide Arrow-Cabergoline Arrow-Citalopram Arrow-Diazepam Arrow-Enalapril Arrow-Endronate Arrow-Lamotrigine Arrow-Lamotrigine Arrow-Lamotrigine Arrow-Meloxicam Arrow-Morphine LA Arrow-Nifedipine XR Arrow-Norfloxacin	61 49 97 154 125 60 154 131 80 53 77 118 131 48 121 48 121 48 97
SPF30+ Aqueous cream Aratac Arava Aremed Arimidex Aripiprazole Aristocort Aromasin Arrow-Alprazolam Arrow-Azithromycin Arrow-Cabergoline Arrow-Citalopram Arrow-Diazepam Arrow-Enalapril Arrow-Endination Arrow-Endination Arrow-Endination Arrow-Lamotrigine Arrow-Lamotrigine Arrow-Meloxicam Arrow-Meloxicam Arrow-Morphine LA Arrow-Nifedipine XR	61 49 97 154 125 60 154 131 80 53 77 118 131 48 121 48 121 48 97 116 52 94 84

Arrow-Sertraline	.11	8
Arrow-Simva 10mg	4	5
Arrow-Simva 20mg	4	5
Arrow-Simva 40mg		
Arrow-Simva 80mg		
Arrow-Sumatriptan	.12	3
Arrow-Testosterone	7	3
Arrow-Topiramate	12	2
Arrow-Tramadol	11	Δ
Arsenic trioxide	1/	_
Arthrexin	٠١٠	7
Asacol		
Asamax		
Ascorbic acid	2	-
Aspec 300	. ! !	4
Aspen Adrenaline	5	4
Aspen Ceftriaxone	7	ç
Aspirin		
Blood		
Nervous	.11	4
Asthalin	.16	1
Atacand	4	3
Atazanavir sulphate	9	1
Atenolol	5	C
Atenolol Tablet USP	5	C
ATGAM	.15	5
Ativan	.13	1
Atomoxetine		
Atorvastatin	4	5
Atropine sulphate		
Alimentary	2	7
Sensory	.16	7
Atropt	.16	7
Atrovent	.16	1
Auranofin	9	7
Avanza	11	c
Avelox		3
Avomine	12	_
Avonex	13	3
Azathioprine	15	Δ
Azithromycin		
Azol		
Azopt		
AZT	.10	4
	9	
- B -	_	_
B-D Micro-Fine		
B-D Ultra Fine	3	٥
B-D Ultra Fine II		
B-PlexADE	3	1
Bacillus calmette-guerin (BCG)		
vaccine	15	5

Bakels Gluten Free Health Bread	
Mix	192
Baraclude	86
Barrier Creams and	
Emollients	61
Batrafen	
Beclazone 100	159
Beclazone 250	159
Beclazone 50	159
Beclomethasone	
dipropionate159,	163
Bee venom allergy	
treatment	158
Bendrofluazide	53
Benhex	62
Benzathine benzylpenicillin	81
Benzoin	175
Benztrop	113
Benztropine mesylate	113
Benzydamine hydrochloride	36
Benzylpenicillin sodium (penicillin	
G)	8
Beta Adrenoceptor Blockers	50
Beta Cream	
Beta Ointment	
Beta Scalp	
Beta-Adrenoceptor Agonists	161
Betadine	
Betadine Skin Prep	62
Betaferon	
Betagan	165
Betahistine dihydrochloride	124
Betaloc	
Betaloc CR	51
Betamethasone dipropionate	
Betamethasone sodium	
phosphate with	
betamethasone acetate	72
Betamethasone valerate59	, 64
Betamethasone valerate with	
clioquinol	60
Betamethasone valerate with	
fusidic acid	60
Betaxolol hydrochloride	165
Betnovate	59
Betnovate-C	
Betoptic	165
Betoptic S	165
Bezafibrate	
Bezalip Retard	44
Bicalox	152
Bicalutamide	152
Bicillin I A	

Generic Chemicals and Brands

BiCNU	140	Calci-Tab 500	38	Celestone Chronodose	
Bimatoprost	166	Calci-Tab 600	38	Celiprolol	50
Biodone	115	Calcipotriol	63	Cellcept	154
Biodone Extra Forte	115	Calcitonin	108	Celol	50
Biodone Forte	115	Calcitriol	37	Centrally Acting Agents	52
Bisacodyl	35	Calcium carbonate	38	Cephalexin ABM	
BK Lotion	61	Calcium carbonate with		Cephalexin monohydrate	79
Bleomycin sulphate	145	aminoacetic acid	26	Cerezyme	35
Bleph 10	164	Calcium Channel Blockers	51	Cetirizine - AFT	
Blood glucose diagnostic test	t	Calcium Disodium Versenate	39	Cetirizine hydrochloride	158
meter	31	Calcium folinate	141	Cetomacrogol	61
Blood glucose diagnostic test	İ	Calcium Folinate Ebewe	141	Champix	
strip		Calcium gluconate	38	Charcoal	39
Bonjela	36	Calcium Homeostasis	107	Chemotherapeutic Agents	
Bortezomib	145	Calcium polystyrene		Chlorafast	164
Bosentan	54	sulphonate	44	Chlorambucil	140
Boucher and Muir	115	Calcium Resonium	44	Chloramphenicol	164
Breath-Alert	163	Calogen	181	Chlorhexidine gluconate	
Brevinor 1/21	68	Calsource	38	Alimentary	36
Brevinor 1/28	68	Camptosar	144	Dermatological	60
Brevinor 21	68	Candesartan	48	Chloroform	175
Bricanyl Turbuhaler	161	Canesten	57	Chloromycetin	164
Brimonidine tartrate	166	Capecitabine	141	Chlorothiazide	
Brimonidine tartrate with time	olol	Capoten		Chlorpheniramine maleate	158
maleate	166	Capsaicin	65	Chlorpromazine	
Brinzolamide	166	Captopril	47	hydrochloride	126
Brolene	164	Carafate	29	Chlorsig	164
Bromocriptine mesylate	112	Carbamazepine	120	Chlorthalidone	53
Brufen	96	Carbimazole	76	Chlorvescent	44
Brufen SR	96	Carboplatin	140	Cholecalciferol	37
BSF m-Captopril	169	Carboplatin Ebewe	140	Cholestyramine with	
Buccastem	125	Carbosorb-X	39	aspartame	44
Budenocort	159	Cardinol	51	Choline salicylate with	
Budesonide		Cardinol LA		cetalkonium chloride	
Alimentary		Cardizem CD		Ciclopiroxolamine	
Respiratory	.159, 163	CareSens	32	Cilazapril	47
Budesonide with		CareSens II	31	Cilazapril with	
eformoterol		CareSens POP		hydrochlorothiazide	
Bumetanide	53	Carmustine		Cilicaine	
Buprenorphine		Carvedilol		Cilicaine VK	
hydrochloride		Catapres		Ciloxan	
Bupropion hydrochloride		Catapres-TTS-1		Cimetidine	28
Burinex	53	Catapres-TTS-2	52	Ciprofloxacin	
Buscopan		Catapres-TTS-3		Infection	
Buspirone hydrochloride		CeeNU		Sensory	
Busulphan		Cefaclor monohydrate		Cisplatin	
Butacort Aqueous	163	Cefaclor Sandoz		Cisplatin Ebewe	
- C -		Cefalexin Sandoz		Citalopram hydrobromide	
Cabergoline	77	Cefazolin sodium		Cladribine	142
Cafergot		Cefoxitin sodium		Clarithromycin	
Caffeine citrate		Ceftriaxone sodium		Alimentary	
Cal-d-Forte		Cefuroxime axetil		Infection	
Calamine		Cefuroxime sodium	79	Clexane	41

INDEX Generic Chemicals and Brands

Climara 100	74
Climara 50	74
Clindamycin	82
Clinoril	97
Clobazam	.120
Clobetasol propionate59	9. 64
Clobetasone butyrate	59
Clomazol	
Dermatological	57
Genito-Urinary	69
Clomiphene citrate	77
Clomipramine hydrochloride	.117
Clonazepam119-	-120
Clonidine	52
Clonidine hydrochloride	
Cardiovascular	53
Nervous	.123
Clopidogrel	41
Clopine	.126
Clopixol	
Clotrimazole	
Dermatological	57
Genito-Urinary	69
Clozapine	.126
Clozaril	
Co-Renitec	
Co-trimoxazole	82
Coal tar	
Coal tar with allantoin menthol	
phenol and sulphur	63
Coal tar with salicylic acid and	
sulphur	63
Coco-Scalp	63
Codeine phosphate	
Extemporaneous	.175
Nervous	.114
Cogentin	.113
Colaspase (L-asparaginase)	146
Colchicine	.111
Colestid	
Colestipol hydrochloride	45
Colgout	
Colifoam	27
Colistin sulphomethate	83
Colistin-Link	83
Collodion flexible	.175
Colofac	
Coloxyl	34
Combigan	
Combivent	.162
Combivir	91
Compound electrolytes	44
Compound	

hydroxybenzoate	175
Comtan	112
Concerta	136
Condoms	66
Condyline	65
Contraceptives - Hormonal	67
Contraceptives -	
Non-hormonal	66
Copaxone	133
Corangin	54
Cordarone-X	49
Corticosteroids and Related	
Agents for Systemic Use	72
Corticosteroids Topical	59
Cosmegen	146
Cosopt	166
Coumadin	
Coversyl	
Cozaar	49
Creon 10000	33
Creon Forte	
Crixivan	91
Crotamiton	
Crystacide	57
Curam	81
Cyclizine hydrochloride	
Cyclizine lactate	124
Cycloblastin	140
Cyclogyl	167
Cyclopentolate	
hydrochloride	167
Cyclophosphamide	140
Cyclosporin	
Cyklokapron	
Cyproterone acetate	73
Cyproterone acetate with	
ethinyloestradiol	69
Cytarabine	142
Cytotec	28
Cytoxan	140
- D -	
D-Penamine	07
d4T	
Dacarbazine	
Daclin	97
Dactinomycin (actinomycin	4.40
D)	146
Daivonex	03
Alimentary	0.0
Pormetalogical	dt
Dermatological Dalacin C	
Daiacin C	ర∠

Danthron with poloxamer	35
Dantrium	111
Dantrolene sodium	111
Daonil	30
Dapa-Tabs	53
Dapsone	84
Darunavir	9
Dasatinib	150
Daunorubicin	146
DBL Bleomycin Sulfate	14
DBL Doxorubicin	147
DBL Methotrexate	
DDI	9-
De-Worm	70
Deca-Durabolin Orgaject	72
Deferiprone	12
Depo-Medrol	40
Depo-Medrol with Lidocaine	
Depo-Provera	
Depo-Testosterone	
Deprim	
Dermol59	, 64
Desferrioxamine mesylate	46
Desmopressin	77
Desmopressin-PH&T	77
Detection of Substances in	
Urine	71
Dexamethasone	
Hormone	
Sensory	165
Dexamethasone sodium	
phosphate	72
Dexamethasone with framycetin	
and gramicidin	164
Dexamethasone with neomycin	
and polymyxin b sulphate	.165
Dexamphetamine sulphate	134
Dextrochlorpheniramine	
maleate	158
Dextrose	
Dextrose with electrolytes	
DHC Continus	
Diabetes	
Diabetes Management	۰۰۰۲۰
Diamide Relief	o
Diamov	160
Diamox Diaphragm	100
Disain	00
Diasip Diason RTH	102
Diastop	26
Diazepam119,	13
Dibenyline	47

INDEX Generic Chemicals and Brands

Diclofenac Sandoz	96	Doxorubicin Ebewe	147	Endocrine Therapy	152
Diclofenac sodium		Doxy-50	82	Endoxan	140
Musculoskeletal System	96	Doxycycline hydrochloride	82	Enerlyte	44
Sensory	165	DP Lotion	61	Enfuvirtide	92
Didanosine [DDI]		DP Lotn HC		Enoxaparin sodium	41
Differin		DP-Anastrozole	154	Ensure	
Difflam		Dr Reddy's Olanzapine		Ensure Plus	
Diflucortolone valerate		Dr Reddy's Omeprazole		Ensure Plus HN	
Digestives Including		Dr Reddy's Ondansetron		Ensure Plus RTH	
Enzymes	33	Dr Reddy's Pantoprazole		Entacapone	
Digoxin		Dr Reddy's Quetiapine		Entecavir	
Dihydrocodeine tartrate		Dr Reddy's Risperidone		Entocort CIR	
Dilantin		Dulcolax		Enuclene	
Dilantin Infatab		Duocal Super Soluble		Enzymes	
Dilatrend		Powder	100	,	
Diltiazem hydrochloride		Duolin		Epilim Epilim Crushable	122
Dilzem		Duolin HFA		Epilim IV	
Dimetriose		Durex Confidence		Epilim S/F Liquid	
Dipentum		Durex Extra Safe		Epilim Syrup	
Diphenoxylate hydrochlorid		Durex Select Flavours		Epirubicin	
atropine sulphate		Duride		Epirubicin Ebewe	
Diprosone		Durogesic		Eprex	
Diprosone OV		Dynacirc-SRO	52	ERA	
Dipyridamole	41	-E-		Ergometrine maleate	70
Disinfecting and Cleansing		E-Mycin	80	Ergotamine tartrate with	
Agents	60	Ear Preparations		caffeine	123
Disipal	113	Ear/Eye Preparations		Erlotinib hydrochloride	150
Disopyramide phosphate	50	Easiphen		Erythrocin IV	81
Disulfiram	137	Easiphen Liquid		Erythromycin ethyl succinate	80
Diuretics	53	Econazole nitrate		Erythromycin lactobionate	81
Diurin 40	53	Efavirenz		Erythromycin stearate	81
Dixarit	123	Efexor XR		Erythropoietin alpha	
DM Ject	33	Eformoterol fumarate		Erythropoietin beta	
Docetaxel	146	Efudix		Escitalopram	
Docetaxel Ebewe	146	Egopsoryl TA		Estraderm TTS 100	74
Docusate sodium	34	Elecare		Estraderm TTS 25	
Docusate sodium with		Elecare LCP		Estraderm TTS 50	74
sennosides	34			Estradot	
Domperidone		Electral		Estrofem	
Donepezil hydrochloride		Elemental 028 Extra		Etanercept	
Donepezil-Rex		Eligard		Ethambutol hydrochloride	
Dopergin		Elocon		Ethics Aspirin	
Dopress		Eloxatin		Ethics Aspirin EC	
Dornase alfa		Eltroxin		Ethics Ibuprofen	
Dorzolamide hydrochloride		Emend Tri-Pack		Ethinyloestradiol	
Dorzolamide hydrochloride		EMLA		Ethinyloestradiol with	
timolol maleate		Emtricitabine			67
Dostinex		Emtriva		desogestrel Ethinyloestradiol with	07
		Emulsifying ointment			60
Dothiepin hydrochloride		Enalapril	48	levonorgestrel	08
Doxazosin mesylate		Enalapril with		Ethinyloestradiol with	60
Doxepin hydrochloride		hydrochlorothiazide		norethisterone	
Doxine		Enbrel	102	Ethosuximide	
	14/			Etidronate disodium	108

INDEX Generic Chemicals and Brands

Etopophos	.147
Etoposide phosphate	147
Etravirine	
Eumovate	59
Exemestane	154
Extemporaneously Compounded	
Preparations and	
Galenicals	175
Eye Preparations	
Ezetimibe	
Ezetimibe with simvastatin	
Ezetrol	
-F-	10
Famotidine	28
Famox	
Felo 10 ER	
Felo 5 ER	
Felodipine	
Femtran 100	
Femtran 50	
Fenpaed	96
Fentanyl	.115
Fentanyl citrate	
Ferodan	
Ferriprox	
Ferro-F-Tabs	
Ferro-Gradumet	
Ferro-tab	38
Ferrograd-Folic	38
Ferrous fumarate	38
Ferrous fumarate with folic	
acid	38
Ferrous sulphate	38
Ferrous sulphate with folic	
acid	38
Ferrum H	38
Fexofenadine hydrochloride	.158
Fibalip	
Fibro-vein	41
Finasteride	70
Fine Ject	32
Fintral	70
Flagyl	84
Flagyl-S	84
Flamazine	
Flecainide acetate	50
Fleet Phosphate Enema	
Flixonase Hayfever &	
Allergy	163
Flixotide	
Flixotide Accuhaler	159
	72

Fluanxol 12: Fluarix 9 Flucloxacillin sodium 8 Flucloxin 8 Flucloxin 8 Flucloxin 8 Flucloxin 8 Flucloxin 8 Fludara 14 Fludara Oral 14 Fludara Oral 14 Fludarabine phosphate 14 Fludrocortisone acetate 7 Fludrocortisone acetate 16 Fludrocortisone acetate 16 Fluocortolone caproate with 16 fluocortolone caproate with 16 fluocortolone pivalate and 2 cinchocaine 2 Fluorometholone 16 Fluorome		
Fluarix 9 Flucloxacillin sodium 8 Flucloxin 8 Flucloxin 8 Flucorazole 8 Fludara 14 Fludara Oral 14 Fludara Oral 14 Fludara Oral 14 Fludarabine phosphate 14 Fludrocortisone acetate 7 Fludroshade 16 Fludroshade 16 Fluocortolone caproate with 1 fluocortolone pivalate and 2 cinchocaine 2 Fluorometholone 16 Fluorouracil Ebewe 14 Fluorouracil Sodium 16 Dermatological 6 Oncology 14 Fluorouracil sodium 11 Dermatological 6 Oncology 14 Fluoxetine hydrochloride 11 Fluoxetine hydrochloride 11 Fluoxetine hydrochloride 12 Flutamin 15 Flutamin	Fluanxol	.129
Flucloxin 8 Fluconazole 8 Fludara 14 Fludara Oral 14 Fludara Dral 14 Fludarabine phosphate 14 Fludrocortisone acetate 7 Fludrocortisone acetate 7 Fluids and Electrolytes 4 Fluocortolone caproate with 16 Fluocortolone pivalate and 1 cinchocaine 2 Fluorometholone 16 Fluorouracil Ebewe 14 Fluorouracil Sodium 1 Dermatological 6 Oncology 14 Fluorouracil Sodium 11 Dermatological 6 Oncology 14 Fluorouracil Sodium 12 Fluorouracil Sodium 12 Fluorouracil Sodium 12 Fluorouracil Sodium	Fluarix	95
Fluconazole 8 Fludara 14 Fludara Oral 14 Fludara Oral 14 Fludara Dral 14 Fludarabine phosphate 14 Fluids and Electrolytes 4 Fluids and Electrolytes 4 Fluids and Electrolytes 4 Fluorostolone pivalate 16 Fluorotolone caproate with 1 fluorometholone 16 Fluorouracil Ebewe 14 Fluorouracil sodium 1 Dermatological 6 Oncology 14 Fluorouracil sodium 1 Dermatological 6 Oncology 14 Fluorouracil sodium 1 Dermatological 6 Oncology 14 Fluox 11 Fluox 11 Fluorouracil sodium 12 Pluphenazine decanoate 12 Pluphenazine decanoate 12 Pluphenazine decanoate 12	Flucloxacillin sodium	82
Fludara 14 Fludara Oral 14 Fludara Dral 14 Fludrocortisone acetate 7 Fluids and Electrolytes 4 Flumetasone pivalate 16 Fluorotrolone caproate with 16 fluocortolone pivalate and 2 cinchocaine 2 Fluorometholone 16 Fluorouracil Ebewe 14 Fluorouracil Sodium 14 Dermatological 6 Oncology 14 Fluorouracil Sodium 1 Dermatological 6 Oncology 14 Fluorouracil Sodium 1 Dermatological 6 Oncology 14 Fluorouracil Sodium 12 Fluphenazine hydrochloride 11 Fluphenazine decanoate 12 Fluphenazine decanoate 12 Fluthamid 15 Fluthamid 15 Fluthamid 15 Fluthamid 15		
Fludara Oral 14 Fludarabine phosphate 14 Fludrocortisone acetate 7 Fluids and Electrolytes 4 Flumetasone pivalate 16 Fluocortolone caproate with 1 fluocortolone pivalate and 2 cinchocaine 2 Fluorometholone 16 Fluorouracil Ebewe 14 Fluorouracil sodium 14 Dermatological 6 Oncology 14 Fluox 11 Fluoxetine hydrochloride 11 Fluphentixol decanoate 12 Fluphenazine decanoate 12 Flutamide 15 Flutamide 15 Fluticasone propionate 16 Fluticasone propionate 16 Fluticasone with salmeterol 16 Fluora 16 Foban 5 Folic acid 4 Foods And Supplements For Inborn Errors Of Metabolism 19 Fora		
Fludarabine phosphate 14 Fludrocortisone acetate 7 Fluids and Electrolytes 4 Flumetasone pivalate 16 Fluocortolone caproate with fluocortolone pivalate and cinchocaine 2 Fluorometholone 16 Fluorouracil Ebewe 14 Fluorouracil sodium 14 Dermatological 6 Oncology 14 Fluox 11 Fluoxetine hydrochloride 11 Flupenthixol decanoate 12 Fluphenazine decanoate 12 Flutamide 15 Flutamide 15 Fluticasone propionate 16 Fluticasone propionate 16 Fluticasone with salmeterol 16 Fluox 9 FML 16 Foban 5 Folic acid 4 Food And Supplements For Inborn Errors Of Metabolism 19 Foradil 16 Forrimal Regular 18 Fortini Multi Fibre 18 <t< td=""><td>Fludara</td><td>142</td></t<>	Fludara	142
Fludarabine phosphate 14 Fludrocortisone acetate 7 Fluids and Electrolytes 4 Flumetasone pivalate 16 Fluocortolone caproate with fluocortolone pivalate and cinchocaine 2 Fluorometholone 16 Fluorouracil Ebewe 14 Fluorouracil sodium 14 Dermatological 6 Oncology 14 Fluox 11 Fluoxetine hydrochloride 11 Flupenthixol decanoate 12 Fluphenazine decanoate 12 Flutamide 15 Flutamide 15 Fluticasone propionate 16 Fluticasone propionate 16 Fluticasone with salmeterol 16 Fluox 9 FML 16 Foban 5 Folic acid 4 Food And Supplements For Inborn Errors Of Metabolism 19 Foradil 16 Forrimal Regular 18 Fortini Multi Fibre 18 <t< td=""><td>Fludara Oral</td><td>142</td></t<>	Fludara Oral	142
Fludrocortisone acetate	Fludarabine phosphate	142
Flumetasone pivalate 16 Fluocortolone caproate with fluocortolone pivalate and cinchocaine 2 Fluorometholone 16 Fluorouracil Ebewe 14 Fluorouracil sodium 14 Dermatological 6 Oncology 14 Fluox 11 Fluox 11 Fluox 11 Fluoxetine hydrochloride 11 Fluoxetine hydrochloride 12 Fluoxetine hydrochloride 12 Flupenthixol decanoate 12 Flutamide 15 Flutamide 15 Flutamide 15 Flutamin 15 Flutamin 15 Flutamin 16 Flutamin 16 Flutamin 15 Flutamin 16 Flutamin 16 Flutamin 16 Flutamin 16 Flutamin 17 Forai 18	Fludrocortisone acetate	72
Flumetasone pivalate 16 Fluocortolone caproate with fluocortolone pivalate and cinchocaine 2 Fluorometholone 16 Fluorouracil Ebewe 14 Fluorouracil sodium 14 Dermatological 6 Oncology 14 Fluox 11 Fluox 11 Fluox 11 Fluoxetine hydrochloride 11 Fluoxetine hydrochloride 12 Fluoxetine hydrochloride 12 Flupenthixol decanoate 12 Flutamide 15 Flutamide 15 Flutamide 15 Flutamin 15 Flutamin 15 Flutamin 16 Flutamin 16 Flutamin 15 Flutamin 16 Flutamin 16 Flutamin 16 Flutamin 16 Flutamin 17 Forai 18	Fluids and Electrolytes	43
Fluocortolone caproate with fluocortolone pivalate and cinchocaine 2 Fluorometholone 16 Fluorouracil Ebewe 14 Fluorouracil sodium 14 Permatological 6 Oncology 14 Fluox 11 Fluoxetine hydrochloride 11 Fluoxetine hydrochloride 12 Flupenthixol decanoate 12 Fluphenazine decanoate 12 Flutamide 15 Flutamin 15 Fluticasone 15 Fluticasone propionate 16 Fluticasone with salmeterol 16 Fluvax 9 FML 16 Fooban 5 Folic acid 4 Food Thickeners 19 Fordail 16 Forermount Child's Silicone Mask Mask 16 Fortini 18 Fortini Multi Fibre 18 Fortisip 19 Forsamax 10	Flumetasone pivalate	164
fluocortolone pivalate and cinchocaine		
cinchocaine 2 Fluorometholone 16 Fluorouracil Ebewe 14 Fluorouracil sodium 6 Dermatological 6 Oncology 14 Fluox 11 Fluox 11 Fluoxetine hydrochloride 11 Fluoxetine hydrochloride 12 Folitame 16 Folitame 16 Forliticasone 15 Folitasone 15 Folitasone 16 Folitasone propionate 16 Folitasone propionate 16 Folitasone <td>fluocortolone pivalate and</td> <td></td>	fluocortolone pivalate and	
Fluorometholone 16 Fluorouracil Ebewe 14 Fluorouracil sodium 6 Dermatological 6 Oncology 14 Fluox 11 Fluox tine hydrochloride 11 Fluoxetine hydrochloride 11 Fluoxetine hydrochloride 12 Flupenthixol decanoate 12 Fluphenazine decanoate 12 Flutamide 15 Flutamide 15 Flutamin 15 Flutamin 15 Flutamin 15 Flutamin 15 Flutamin 15 Flutamin 16 Flutamin 16 Flutamin 16 Flutamin 16 Flutamin 16 Folitamin 17 Folitamin 18 Food Thickeners 19 Fordacid 4 Fordacid 16 Foremount Child's Silicone 16 Mask<	cinchocaine	27
Fluorouracil Ebewe 14 Fluorouracil sodium 6 Dermatological 6 Oncology 14 Fluox 11 Fluoxettine hydrochloride 11 Fluoxettine hydrochloride 12 Flupenthixol decanoate 12 Fluphenazine decanoate 12 Flutamide 15 Flutamin 15 Fluticasone 15 Fluticasone propionate 16 Fluticasone with salmeterol 16 Food Thickeners 19 Foradi 19 Foradil	Fluorometholone	165
Dermatological 6 Oncology 14 Fluox 11 Fluoxetine hydrochloride 11 Flupenthixol decanoate 12 Fluphenazine decanoate 12 Flutamide 15 Flutamide 15 Flutamin 15 Flutasone 16 Fluticasone propionate 16 Fluticasone with salmeterol 16 Fluvax 9 FML 16 Foban 5 Folic acid 4 Food And Supplements For 19 Inborn Errors Of Metabolism 19 Foradil 16 Foremount Child's Silicone Mask 16 Fortimel Regular 18 Fortini Multi Fibre 18 Fortisip 19 Fosamax 10 Fresamax Plus 10 FreeStyle Lite 31, 3 Frisium 12 Frumil 5 Frusemide-Cla		
Dermatological 6 Oncology 14 Fluox 11 Fluoxetine hydrochloride 11 Flupenthixol decanoate 12 Fluphenazine decanoate 12 Flutamide 15 Flutamide 15 Flutamin 15 Flutasone 16 Fluticasone propionate 16 Fluticasone with salmeterol 16 Fluvax 9 FML 16 Foban 5 Folic acid 4 Food And Supplements For 19 Inborn Errors Of Metabolism 19 Foradil 16 Foremount Child's Silicone Mask 16 Fortimel Regular 18 Fortini Multi Fibre 18 Fortisip 19 Fosamax 10 Fresamax Plus 10 FreeStyle Lite 31, 3 Frisium 12 Frumil 5 Frusemide-Cla	Fluorouracil sodium	
Oncology 14 Fluox 11 Fluoxetine hydrochloride 11 Flupenthixol decanoate 12 Flupentazine decanoate 12 Flutamide 15 Flutamide 15 Flutamin 15 Flutasone 16 Fluticasone propionate 16 Fluticasone with salmeterol 16 Fluvax 9 FML 16 Foban 5 Folic acid 4 Food Thickeners 19 Foods And Supplements For 19 Inborn Errors Of Metabolism 19 Foradil 16 Foremount Child's Silicone Mask 16 Fortimel Regular 18 Fortini 18 Fortini Multi Fibre 18 Fortisip 19 Forsamax 10 Forsamax Plus 10 FreeStyle Lite 31, 3 Frisium 12 Frusemi	Dermatological	65
Fluox 11 Fluoxetine hydrochloride 11 Flupenthixol decanoate 12 Fluphenazine decanoate 12 Flutamide 15 Flutamin 15 Fluticasone 15 Fluticasone propionate 16 Fluticasone with salmeterol 16 Fluvax 9 FML 16 Foban 5 Folic acid 4 Food Thickeners 19 Foods And Supplements For 19 Inborn Errors Of Metabolism 19 Foradil 16 Foremount Child's Silicone Mask 16 Fortimel Regular 18 Fortini Multi Fibre 18 Fortisip 19 Forsamax 10 Fosamax Plus 10 FreeStyle Lite 31, 3 Frisium 12 Frusemide-Claris 5	Oncology	142
Fluoxetine hydrochloride 11 Flupenthixol decanoate 12 Fluphenazine decanoate 12 Flutamide 15 Flutamin 15 Fluticasone 15 Fluticasone propionate 16 Fluticasone with salmeterol 16 Fluvax 9 FML 16 Foban 5 Folic acid 4 Food Thickeners 19 Foods And Supplements For 10 Inborn Errors Of Metabolism 19 Foradil 16 Foremount Child's Silicone Mask 16 Fortimel Regular 18 Fortini Multi Fibre 18 Fortisip 19 Fosamax 10 Fosamax Plus 10 FreeStyle Lite 31, 3 Frisium 12 Frusemide-Claris 5	Fluox	.118
Flupenthixol decanoate 12: Fluphenazine decanoate 12: Flutamide 15: Flutamin 15: Fluticasone 15: Fluticasone propionate 16: Fluticasone with salmeterol 16: Fluvax 9x FML 16: Foban 5 Folic acid 4 Food Thickeners 19: Foods And Supplements For 19: Inborn Errors Of Metabolism 19: Foradil 16: Foremount Child's Silicone Mask 16: Fortimel Regular 18: Fortini 18: 18: Fortini Multi Fibre 18: Forstisip Multi Fibre 19: Fosamax 10: Frosamax Plus 10: FreeStyle Lite 31, 3 Frisium 12: Frumil 5 Frusemide-Claris 5		
Fluphenazine decanoate 12' Flutamide 15' Fluticasone 15' Fluticasone propionate 16' Fluticasone with salmeterol 16' Fluticasone with salmeterol 16' Fluvax 9x Foban 5 Folic acid 4 Food Thickeners 19' Foods And Supplements For 19' Inborn Errors Of Metabolism 19' Foradil 16' Foremount Child's Silicone Mask 16' Fortimel Regular 18' Fortini 18' Fortini Multi Fibre 18' Forstisip Multi Fibre 19' Fosamax 10' Frosamax Plus 10' FreeStyle Lite 31, 3' Frisium 12' Frumil 5 Frusemide-Claris 5	Flupenthixol decanoate	.129
Flutamide 15. Flutamin 15. Fluticasone 15. Fluticasone propionate 16. Fluticasone with salmeterol 16. Fluvax 9x FML 16. Foban 5 Folic acid 4x Food Thickeners 19. Food And Supplements For 19. Inborn Errors Of Metabolism 19. Foradil 16. Foremount Child's Silicone Mask 16. Fortimel Regular 18. Fortini 18. 18. Fortini Multi Fibre 18. 19. Fortisip 19. 19. Forsamax 10. 10. Frosamax Plus 10. 10. Framycetin sulphate 16. 16. FreeStyle Lite 31, 3. 3. Frisium 12. 12. Frumil 5. 5.	Fluphenazine decanoate	129
Flutamin 15 Fluticasone 15 Fluticasone propionate 16 Fluticasone with salmeterol 16 Fluvax 9 FML 16 Foban 5 Folic acid 4 Food Thickeners 19 Food And Supplements For Inborn Errors Of Metabolism 19 Foradil 16 Foremount Child's Silicone Mask 16 Fortimel Regular 18 Fortini Multi Fibre 18 Fortisip 19 Forstisip Multi Fibre 19 Fosamax 10 Frosamax Plus 10 FreeStyle Lite 31, 3 Frisium 12 Frumil 5 Frusemide-Claris 5		
Fluticasone 15 Fluticasone propionate 16 Fluticasone with salmeterol 16 Fluvax 9 FML 16 Foban 5 Folic acid 4 Food Thickeners 19 Foods And Supplements For 19 Inborn Errors Of Metabolism 19 Foradil 16 Foremount Child's Silicone Mask 16 Fortimel Regular 18 Fortini 18 Fortini Multi Fibre 18 Fortisip 19 Forsamax 10 Fosamax Plus 10 FreeStyle Lite 31, 3 Frisium 12 Frumil 5 Frusemide-Claris 5		
Fluticasone propionate 16: Fluticasone with salmeterol 16: Fluvax 9 FML 16: Foban 5 Folic acid 4 Food Thickeners 19: Foods And Supplements For 19: Inborn Errors Of Metabolism 19: Metabolism 19: Foradil 16: Foremount Child's Silicone Mask 16: Fortimel Regular 18: Fortini 18: Fortini Multi Fibre 18: Fortisip 19: Forsamax 10: Fosamax 10: Frosamax Plus 10: FreeStyle Lite 31, 3 Frisium 12: Frumil 5: Frusemide-Claris 5		
Fluticasone with salmeterol 16 Fluvax 9 FML 16 Foban 5 Folic acid 4 Food Thickeners 19 Foods And Supplements For Inborn Errors Of Metabolism 19 Metabolism 19 Foradil 16 Foremount Child's Silicone 16 Mask 16 Fortimel Regular 18 Fortini 18 Fortini Multi Fibre 18 Fortisip 19 Forsamax 10 Fosamax Plus 10 FreeStyle Lite 31, 3 Frisium 12 Frumil 5 Frusemide-Claris 5	Fluticasone propionate	163
Fluvax 9 FML 16 Foban 5 Folic acid 4 Food Thickeners 19 Foods And Supplements For Inborn Errors Of Metabolism 19 Foradil 16 Foremount Child's Silicone Mask Mask 16 Fortimel Regular 18 Fortini Multi Fibre 18 Fortisip 19 Fortisip Multi Fibre 19 Fosamax 10 Fosamax Plus 10 FreeStyle Lite 31, 3 Frisium 12 Frumil 5 Frusemide-Claris 5	Fluticasone with salmeterol	160
FML 16. Foban 5 Folic acid 4 Food Thickeners 19. Foods And Supplements For Inborn Errors Of Metabolism 19. Foradil 16. Foremount Child's Silicone Mask 16. Fortimel Regular 18. Fortini Multi Fibre 18. Fortisip 19 Fortisip Multi Fibre 19 Fosamax 10. Fosamax Plus 10. FreeStyle Lite 31, 3. Frisium 12. Frumil 5 Frusemide-Claris 5		
Foban 5 Folic acid 4 Food Thickeners 19 Foods And Supplements For 19 Inborn Errors Of 19 Metabolism 19 Foreadil 16 Foremount Child's Silicone 18 Mask 16 Fortimel Regular 18 Fortini 18 Fortini Multi Fibre 18 Fortisip 19 Fortisip Multi Fibre 19 Fosamax 10 Fosamax Plus 10 FreeStyle Lite 31, 3 Frisium 12 Frumil 5 Frusemide-Claris 5		
Folic acid	Foban	57
Food Thickeners 19 Foods And Supplements For Inborn Errors Of Metabolism 19 Foradil 16 Foremount Child's Silicone Mask 16 Fortimel Regular 18 Fortini Multi Fibre 18 Fortisip 19 Fortisip Multi Fibre 19 Fosamax 10 Fosamax Plus 10 Framycetin sulphate 16 FreeStyle Lite 31, 3 Frisium 12 Frumil 5 Frusemide-Claris 5	Folic acid	40
Foods And Supplements For Inborn Errors Of Metabolism 19 Foradil 16 Foremount Child's Silicone Mask 16 Fortimel Regular 18 Fortini 18 Fortini Multi Fibre 18 Fortisip 19 Fortisip Multi Fibre 19 Fosamax 10 Frosamax Plus 10 Framycetin sulphate 16 FreeStyle Lite 31, 3 Frisium 12 Frumil 5 Frusemide-Claris 5		
Inborn Errors Of Metabolism		
Metabolism 19 Foradil 16 Foremount Child's Silicone 16 Mask 16 Fortimel Regular 18 Fortini 18 Fortini Multi Fibre 19 Fortisip 19 Fortisip Multi Fibre 19 Fosamax 10 Fosamax Plus 10 Framycetin sulphate 16 FreeStyle Lite 31, 3 Frisium 12 Frumil 5 Frusemide-Claris 5		
Foradil 16 Foremount Child's Silicone 16 Mask 16 Fortimel Regular 18 Fortini 18 Fortini Multi Fibre 18 Fortisip 19 Fortisip Multi Fibre 19 Fosamax 10 Fosamax Plus 10 Framycetin sulphate 16 FreeStyle Lite 31, 3 Frisium 12 Frumil 5 Frusemide-Claris 5		193
Foremount Child's Silicone Mask	Foradil	160
Mask 16 Fortimel Regular 18 Fortini 18 Fortini Multi Fibre 18 Fortisip 19 Fortisip Multi Fibre 19 Fosamax 10 Fosamax Plus 10 Framycetin sulphate 16 FreeStyle Lite 31, 3 Frisium 12 Frumil 5 Frusemide-Claris 5	Foremount Child's Silicone	
Fortimel Regular 18 Fortini 18 Fortini Multi Fibre 18 Fortisip 19 Fortisip Multi Fibre 19 Fosamax 10 Fosamax Plus 10 Framycetin sulphate 16 FreeStyle Lite 31, 3 Frisium 12 Frumil 5 Frusemide-Claris 5	Mask	163
Fortini 18 Fortini Multi Fibre 18 Fortisip 19 Fortisip Multi Fibre 19 Fosamax 10 Fosamax Plus 10 Framycetin sulphate 16 FreeStyle Lite 31, 3 Frisium 12 Frumil 5 Frusemide-Claris 5		
Fortini Multi Fibre 18 Fortisip 19 Fortisip Multi Fibre 19 Fosamax 10 Fosamax Plus 10 Framycetin sulphate 16 FreeStyle Lite 31, 3 Frisium 12 Frumil 5 Frusemide-Claris 5		
Fortisip 19 Fortisip Multi Fibre 19 Fosamax 10 Fosamax Plus 10 Framycetin sulphate 16 FreeStyle Lite 31, 3 Frisium 12 Frumil 5 Frusemide-Claris 5	Fortini Multi Fibre	184
Fortisip Multi Fibre 19 Fosamax 10 Fosamax Plus 10 Framycetin sulphate 16 FreeStyle Lite 31, 3 Frisium 12 Frumil 5 Frusemide-Claris 5	Fortisip	190
Fosamax 10 Fosamax Plus 10 Framycetin sulphate 16 FreeStyle Lite 31, 3 Frisium 12 Frumil 5 Frusemide-Claris 5	Fortisip Multi Fibre	191
Fosamax Plus 10 Framycetin sulphate 16 FreeStyle Lite 31, 3 Frisium 12 Frumil 5 Frusemide-Claris 5		
Framycetin sulphate 16 FreeStyle Lite 31, 3 Frisium 12 Frumil 5 Frusemide-Claris 5	Fosamax Plus	108
Frisium 12 Frumil 5 Frusemide-Claris 5	Framycetin sulphate	.164
Frisium 12 Frumil 5 Frusemide-Claris 5	FreeStyle Lite31	, 32
Frumil5 Frusemide-Claris5	Frisium	120
Frusemide-Claris5		
	Frusemide-Claris	53
· · · · · · · · · · · · · · · · · · ·	Fucicort	

Fucithalmic	36 53
Dermatological	.57
Infection	
Sensory	164
Fuzeon	.92
- G -	
Gabapentin	120
Gabapentin (Neurontin)	121
Gamma benzene	
hexachloride	
Gastrosoothe	
Gaviscon Double Strength	
Gaviscon Infant	26
Gemcitabine Ebewe	142
Gemcitabine hydrochloride	142
Gemfibrozil	
Gemzar	
Generald Plus	
Genoptic	164
Genotropin	76
Genox	154
Gentamicin sulphate	
Infection	
Sensory	
Gestrinone	
Ginet 84	
Glatiramer acetate	
Glibenclamide	
Gliclazide	
Glipizide	
Glivec	
Glucagen HypokitGlucagon hydrochloride	29
Chapter Coloct	100
Glucerna Select	102
Glucobay	
Gluten Free Foods	100
Glycerin with sodium	152
saccharin	175
Glycerin with sucrose	
Glycerol	175
Alimentary	34
Extemporaneous	175
Glyceryl trinitrate	
Gold Knight	
Gopten	48
Goserelin acetate	. 77
Gutron	
Gynaecological	
A at: infa ations	00

INDEX Generic Chemicals and Brands

- H -	
Habitrol	.138
Haldol	.129
Haldol Concentrate	
Haloperidol	.126
Haloperidol decanoate	.129
Hamilton Sunscreen	64
healthE Fatty Cream	61
Healtheries Simple Baking	
Mix	192
Hemastix	71
Heparin sodium	
Heparinised saline	
Hepsera	85
Herceptin	.156
Hexamine hippurate	94
Hiprex	94
Histafen	.158
Holoxan	
Homatropine hydrobromide	.167
Horleys Bread Mix	.192
Horleys Flour	.193
Hormone Replacement Therapy -	
Systemic	73
Humalog	30
Humalog Mix 25	
Humalog Mix 50	
Humira	
HumiraPen	
Humulin 30/70	29
Humulin NPH	
Humulin R	
Hyalase	
Hyaluronidase	.110
Hybloc	
Hydralazine	
Hydrea	.147
Hydrocortisone	
Dermatological	
Hormone	
Hydrocortisone acetate	27
Hydrocortisone butyrate59	1, 64
Hydrocortisone with cinchocaine	07
	27
Hydrocortisone with miconazole	60
Hydrocortisone with natamycin	00
	60
and neomycin Hydrocortisone with wool fat and	00
mineral oil	60
Hydroderm Lotion	
	01
Hydrogen peroxide	

Alimentary
Hydroxyurea147
Hygroton53
Hyoscine (scopolamine)124
Hyoscine hydrobromide124
Hyoscine N-butylbromide28
Hypam134
Hyperuricaemia and
Antigout111
Hypnovel133
Hypromellose167
Hysite
Hyzaar49
,
-1-
Ibiamox81
Ibuprofen96
Idarubicin hydrochloride147
Ifosfamide140
Iloprost55
Imatinib mesylate151
Imiglucerase35
Imigran123
Imipramine hydrochloride117
Imiquimod65
Immune Modulators92
Immunosuppressants154
Imuprine154
Imuran154
Indapamide53
Indinavir91
Indomethacin97
Infant Formulae195
Influenza vaccine95
Inhaled Anticholinergic
Agents161
Inhaled Corticosteroids159
Inhaled Long-acting
Beta-adrenoceptor
Agonists159
Inhibace Plus48
Innovacon hCG One Step
Pregnancy Test70
Insulin aspart30
Insulin glargine30
Insulin glulisine30
Insulin isophane29
Insulin isophane with insulin
neutral29
Insulin lispro30

Insulin lispro with insulin lispro
protamine 30
Insulin neutral29
Insulin pen needles32
Insulin syringes, disposable with
attached needle33
Intal Spincaps162
Intelence90
Interferon alpha-2a93
Interferon alpha-2b93
Interferon beta-1-alpha133
Interferon beta-1-beta133
Intra-uterine device66
Intron-A93
lpecacuanha39
Ipratropium bromide161, 163
Irinotecan144
Irinotecan-Rex144
Iron Overload46
Iron polymaltose38
Isentress92
Ismo 2054
Isoniazid85
Isoprenaline hydrochloride54
Isoptin52
Isopto Carpine167
Isopto Homatropine167
Isosorbide mononitrate54
Isosource Standard188
Isosource Standard RTH188
Isotretinoin56
ISOTRETINOIN
Isradipine52
Isuprel54
Itch-Soothe58
Itraconazole84
Itrazole84
- J -
Jadelle69
Jevity188
Jevity RTH188
- K -
Kaletra91
Karicare Food Thickener192
Karicare Food Inickener192
Kemadrin113
Kenacomb164
Kenacort-A73
Kenacort-A4073
Ketoconazole
Dermatological64
Infection84
Ketone blood beta-ketone
electrodes31

INDEX Generic Chemicals and Brands

Ketoprofen96
Ketostix31
Kindergen183
Kivexa91
Klacid80
Klamycin
Alimentary28
Infection80
Kliogest
Kliovance75
Konakion MM41
Konsyl-D34
-L-
LA-Morph116
Labetalol51
Lacosamide121
Lacri-Lube168
Lactulose34
Laevolac34
Lamictal
Lamivudine86, 91
Lamotrigine121
Lanoxin49
Lanoxin PG49
Lansoprazole28
Lantus30
Lantus SoloStar30
Lanvis144
Lanzol Relief28
Largactil126
Lasix53
Latanoprost166
Lax-Tab35
Laxatives34
Laxofast 12034
Laxofast 5034
Laxsol
Leflunomide97
Letara154
Letrozole154
Leukeran FC140
Leunase146
Leuprorelin77
Leustatin142
Levetiracetam122
Levetiracetam-Rex122
Levlen ED68
Levobunolol165
Levocabastine165
Levodopa with benserazide112
Levodopa with carbidopa112
Levomepromazine126

Levonorgestrel	
Genito-Urinary	69
Hormone	75
Levothyroxine	76
Lifestyles Flared	
Lignocaine	113
Lignocaine hydrochloride	113
Lignocaine with	
chlorhexidine	113
Lignocaine with prilocaine	113
Lincocin	83
Lincomycin	83
Lipazil	44
Lipid Modifying Agents	44
Lipitor	
Liquigen	181
Lisinopril	48
Lisuride hydrogen maleate	112
Litak	142
Lithicarb	126
Lithium carbonate	
Livostin	165
Locacorten-Viaform ED's	164
Locasol	195
Loceryl	57
Locoid	59, 64
Locoid Crelo	59
Locoid Lipocream	59
Locorten-Vioform	164
Lodoxamide trometamol	
Loette	68
Logem	121
Lomide	165
Lomustine	140
Loperamide hydrochloride	26
Lophlex LQ	194
Lopinavir with ritonavir	91
Lopresor	51
Loprofin	194
Loprofin Mix	194
Loraclear Hayfever Relief	159
Lorapaed	159
Loratadine	159
Lorazepam	131
Lormetazepam	133
Losartan	49
Lovir	87
Loxalate	118
Loxamine	118
Lucrin Depot	77
Lucrin Depot PDS	77
Ludiomil	

Lycinate	54
- M -	
m-Captopril	47
m-Eslon	.116
m-Mometasone	60
Mabthera	155
Macrogol 3350	35
Madopar 125	.112
Madopar 250	.112
Madopar 62.5	
Madopar Dispersible	.112
Madopar HBS	112
Magnesium hydroxide	.175
Magnesium sulphate	
Alimentary	38
Dermatological	65
Malathion	
Maprotiline hydrochloride	
Marevan	43
Marine Blue Lotion SPF 30+	64
Marquis Black	66
Marquis Conforma	66
Marquis Protecta	
Marquis Selecta	66
Marquis Sensolite	66
Marquis Supalite	66
Marquis Titillata	
MarguisTantiliza	66
Martindale Acetylcysteine	175
Marvelon 21	67
Marvelon 28	67
Mask for spacer device	163
Mast Cell Stabilisers	162
Maxalt Melt	123
Maxidex	
Maxitrol	165
MCT oil (Nutricia)	181
Mebendazole	79
Mebeverine hydrochloride	28
Medrol	72
Medroxyprogesterone acetate	
Genito-Urinary	69
Hormone7	
Mefenamic acid	
Megestrol acetate	152
Meloxicam	
Melphalan	
Menthol	58
Mercaptopurine	144
Mercilon 21	
Mercilon 28	
Mesalazine	27

Mestinon	96	Micreme H	60	Treatments	131
Metabolic Disorder Agents	35	Microgynon 20 ED	68	Multivitamins	37
Metabolic Mineral Mixture	.194	Microgynon 30	68	Mupirocin	57
Metamide	.124	Microgynon 30 ED	68	Muscle Relaxants	111
Metformin hydrochloride	30	Microgynon 50 ED	68	Myaccord	154
Methadone hydrochloride		Microlut	69	Myambutol	
Extemporaneous	.175	Midazolam		Mycobutin	85
Nervous		Midodrine	50	Mycophenolate mofetil	
Methatabs	.115	Minaphlex	194	Mycostatin	
Methoblastin	.144	Minerals		Mydriacyl	
Methopt	.167	Minidiab	30	Mylan Fentanyl Patch	
Methotrexate		Minirin	77	Mylanta P	
Methotrexate Ebewe		Mino-tabs		Myleran	
Methyl hydroxybenzoate	.176	Minocycline hydrochloride .	82	Myloc CR	
Methylcellulose		Minomycin		Myocrisin	
Methylcellulose with glycerin and		Minor Skin Infections		Myometrial and Vaginal Horm	
sodium saccharin	. 176	Mirena		Preparations	
Methylcellulose with glycerin and		Mirtazapine		- N -	
sucrose	176	Misoprostol		= = :	
Methyldopa		Mitomycin C		Nadolol	
Methylphenidate	00	Mitomycin-C		Nalcrom	
hydrochloride	135	Mitozantrone		Naloxone hydrochloride	
Methylphenidate hydrochloride	. 100	Mitozantrone Ebewe		Naltraccord	
extended-release	136	Mixtard 30		Naltrexone hydrochloride	
Methylprednisolone		Moclobemide		Nandrolone decanoate	
Methylprednisolone	, _	Modafinil		Naphazoline hydrochloride	
aceponate	60	Modavigil		Naphcon Forte	
Methylprednisolone acetate		Modecate		Naprosyn SR 1000	
Methylprednisolone acetate with	12	Moducal		Naprosyn SR 750	
lignocaine	72	Moduretic		Naproxen	
Methylprednisolone sodium	12	Mogine		Naproxen sodium	
succinate	72	Mometasone furoate		Nardil	
Methylxanthines		Monofeme		Nasal Preparations	
Metoclopramide	.102	Monogen		Natulan	
hydrochloride	104	•		Nausicalm	
•	. 124	Morphine hydrochloride		Navelbine	
Metoclopramide hydrochloride	100	Morphine sulphate		Navoban	
with paracetamol		Morphine tartrate		Nedocromil	
Metopirone		Morrex Maltodextrin		Nefopam hydrochloride	114
Metoprolol - AFT CR		Motilium		Neo-Mercazole	76
Metoprolol succinate		Mouth and Throat		Neocate	
Metoprolol tartrate		Movicol		Neocate Advance	195
Metronidazole		Moxifloxacin		Neocate LCP	195
Metyrapone		MSUD Maxamaid		Neoral	157
Mexiletine hydrochloride		MSUD Maxamum		NeoRecormon	40
Mexitil		Mucilaginous laxatives	34	Neostigmine	
Miacalcic		Mucilaginous laxatives with		Neotigason	62
Mianserin hydrochloride		stimulants		Nepro (strawberry)	
Micolette		Mucilax		Nepro (vanilla)	
Miconazole	36	Mucolytics		Nerisone	
Miconazole nitrate		MultiADE		Neulactil	
Dermatological		Multiload Cu 375		NeuroKare	
Genito-Urinary		Multiload Cu 375 SL	66	Neurontin	
Micreme	70	Multiple Sclerosis			

INDEX Generic Chemicals and Brands

Nevirapine90
Nicotine138
Nicotinic acid44
Nifedipine52
Nifuran94
Nilstat
Alimentary36
Allineritary30
Genito-Urinary70
Infection84
Nipent148
Nitrados133
Nitrates54
Nitrazepam133
Nitroderm TTS54
Nitrofurantoin94
Nitrolingual Pumpspray54
Nizoral84
Noctamid133
Nodia26
Noflam 25096
Noflam 50096
Nordette 2868
Norethisterone
Genito-Urinary69
Llarmana 76
Hormone76
Norethisterone with
mestranol
Norflex111
Norfloxacin94
Noriday 2869
Norimin68
Norinyl-1/2868
Normacol Plus34
Normison134
Norpress118
Nortriptyline hydrochloride118
Norvir91
NovaSource Renal185
NovoFine32
NovoRapid30
NovoRapid Penfill30
Nozinan126
Nuelin
Nuelin-SR
Nupentin120
Nutroplus 24
Nutraplus61
Nutrient Modules
Nutrini Energy RTH184
Nutrini RTH184
NutriniDrink184
NutriniDrink Multifibre184
Nutrison Concentrated185
Nutricon Energy Multi Fibre 188

Nutrison Multi Fibre	100
Nutrison Standard RTH	100
Nyefax Retard	
Nystatin	52
Alimentary	0.0
Allmentary	30
Dermatological	58
Genito-Urinary	/0
Infection NZB Low Gluten Bread Mix	04
	.192
-0-	
Octreotide (somatostatin	
analogue)	153
Oestradiol	
Oestradiol valerate	74
Oestradiol with	
norethisterone	75
Oestriol	=0
Genito-Urinary	70
Hormone	/5
Oestrogens	74
Oestrogens with	
medroxyprogesterone	
Oil in water emulsion	
Olanzapine127,	
Olanzine	
Olanzine-D	.130
Olbetam	44
Olsalazine	27
Omeprazole	29
On Call Advanced31	1, 32
OncoTICE	
Ondansetron	.124
One-Alpha	37
Onkotrone	.14/
Optium 5 second test	32
Optium Blood Ketone Test	0.4
Strips	31
Optium Xceed	31
Ora-Blend	.170
Ora-Blend SF	
Ora-Plus	.1/6
Ora-Sweet	.1/5
Ora-Sweet SF	
Orabase	
Oracort	36
Oral Supplements/Complete Diet	
(Nasogastric/Gastrostomy	404
Tube Feed)	181
OrgranOrnidazole	.।५८ , o
Ornidazoie	

Orphenadrine hydrochloride113

Ortho All-flex	.66
Ortho-tolidine	
Oruvail SR	.96
Osmolite	188
Osmolite RTH	188
Ospamox	
Ospamox Paediatric Drops	
Other Endocrine Agents	
Other Destrogen	. / /
Preparations	75
Other Progestogen	. 75
Preparations	75
Other Olio December	. /5
Other Skin Preparations	.65
Ovestin Genito-Urinary	
Hormone	.75
Ox-Pam	131
Oxaliplatin	
Oxaliplatin Ebewe	
Oxazepam	131
Oxis Turbuhaler	160
Oxybutynin	.71
Oxycodone hydrochloride	116
OxyContin	
OxyNorm	116
Oxypentifylline	.54
On the star	=-
Oxytocin	.70
- P -	
- P -	
Pacifen	111
- P - Pacifen	111 .50
Pacifen	111 .50 131
Pacifen	111 .50 131 148
Pacifen Pacific Atenolol Pacific Buspirone Paclitaxel P	111 .50 131 148 148
Pacifen Pacific Atenolol Pacific Buspirone Paclitaxel Paclitaxel Paclaxel Paclaxel Paclatric Seravit	111 .50 131 148 148 .37
P - Pacifen	111 .50 131 148 148 .37
P - P - Pacifen	111 .50 131 148 148 .37 109
P - P - Pacifen	111 .50 131 148 148 .37 109 114
P - P - Pacifen	111 .50 131 148 148 .37 109 114 .33
P - P - Pacifen	111 .50 131 148 148 .37 109 114 .33
- P - Pacifen	111 .50 131 148 148 .37 109 114 .33 .33
P - P - Pacifen	111 .50 131 148 148 .37 109 114 .33 .33 .33
P - Pacifen	111 .50 131 148 .37 109 114 .33 .33 .33 .29
P - P - Pacifen Pacific Atenolol Pacific Buspirone Paclitaxel Paclitaxel Ebewe Paediatric Seravit Pamidronate disodium Panisol Panadol Panceatic enzyme Pancreat V Forte Pantocid IV Pantoprazole Panzytrat	111 .50 131 148 .37 109 114 .33 .33 .29 .29
P - Pacifen Pacific Atenolol Pacific Buspirone Paclitaxel Paclitaxel Paclitaxel Ebewe Paediatric Seravit Pamidronate disodium Panisol Panadol Pancrex V Pancrex V Pancrex V Forte Pantocid IV Pantoprazole Panzytrat Papaverine hydrochloride	111 .50 131 148 148 .37 109 114 .33 .33 .29 .29 .33
P - Pacifen	111 .50 131 148 148 .37 109 114 .33 .33 .29 .29 .33 .54
P - Pacifen	111 .50 131 148 .37 109 114 .33 .33 .29 .29 .33 .54
P - Pacifen	111 .50 131 148 148 .37 109 114 .33 .33 .29 .29 .33 .54 114
P - Pacifen	111 .50 131 148 148 .37 109 114 .33 .33 .29 .33 .54 114 114
P - Pacifen	111 .50 131 148 148 .37 109 114 .33 .33 .29 .29 .33 .54 114 114 114
P - Pacifen Pacific Atenolol Pacific Atenolol Pacific Buspirone Paclitaxel Paclitaxel Paclitaxel Ebewe Paediatric Seravit Pamidronate disodium Panadol Pancreatic enzyme Pancrex V Pancrex V Forte Pantocid IV Pantoprazole Panzytrat Papaverine hydrochloride Paracare Double Strength Paracare Junior Paracetamol Paracetamol Paracetamol Paracetamol Paracetamol Paracode	111 .50 131 148 148 .37 109 114 .33 .29 .33 .54 114 114 117 117
P - Pacifen	111 .50 131 148 148 .37 109 114 .33 .29 .33 .54 114 114 117 117

Generic Chemicals and Brands

paraffin	168	Phlexy 10	194	Procaine penicillin	82
Paraffin liquid with wool fat		Phosphate-Sandoz	44	Procarbazine hydrochloride	148
liquid	168	Phytomenadione	41	Prochlorperazine	125
Paraldehyde		Pilocarpine		Proctosedyl	
Paramax		Pimafucort		Procyclidine hydrochloride	
Parasiticidal Preparations		Pindolol		Prodopa	
Parnate		Pinetarsol		Prograf	
Paroxetine hydrochloride		Pinorax		Progynova	
Paxam		Pinorax Forte		Promethazine hydrochloride .	
Peak flow meter		Pioglitazone		Promethazine theoclate	
Pedialyte - Bubblegum		Piportil		Promethazine Winthrop	
Pedialyte - Fruit		Pipothiazine palmitate		Elixir	150
Pedialyte - Plain		Pizaccord		Promod	
Pediasure		Pizotifen		Propafenone hydrochloride	
Pediasure RTH		PKU Anamix Infant		,	
				Propagnidine isethionate	
Pegasys DBV Combination	93	PKU Lophlex LQ		Propriano di ani	
Pegasys RBV Combination	00	Plaquenil		Propylene glycol	
Pack		Plendil ER		Protamine sulphate	
Pegylated interferon alpha-2a		Podophyllotoxin		Protaphane	
Penicillamine		Polaramine		Protaphane Penfill	
PenMix 30		Poloxamer		Protifar	
PenMix 40		Poly-Tears		Provera	,
PenMix 50		Poly-Visc		PSO	.198–201
Pentasa	27	Polycal		Psoriasis and Eczema	
Pentostatin		Polyvinyl alcohol		Preparations	
(deoxycoformycin)	148	Ponstan		Pulmicort Turbuhaler	159
Pepti Junior		Postinor-1		Pulmocare	
Pepti Junior Gold	196	Potassium bicarbonate	44	Pulmozyme	162
Peptisoothe	28	Potassium chloride	43–44	Purinethol	144
Peptisorb	186	Potassium citrate	71	Pyrazinamide	85
Pergolide	112	Potassium iodate	38	Pyridostigmine bromide	96
Perhexiline maleate	52	Povidone iodine	62	Pyridoxine hydrochloride	37
Pericyazine		Pravachol	45	Pytazen SR	41
Perindopril		Pravastatin	45	- Q -	
Permax	112	Prazosin hydrochloride	47	Q 200	111
Permethrin	62	Pred Forte	165	Q 300	
Persantin	41	Pred Mild	165	Questran-Lite	
Pethidine hydrochloride		Prednisolone acetate			
Pevaryl		Prednisolone sodium		Quetapel	
Pexsig		phosphate	72	Quetiapine	
Pharmacare		Prednisone		Quinapril	48
Pharmacy Services		Prefrin		Quinapril with	40
Phenelzine sulphate		Pregnancy Tests - hCG Urine .		hydrochlorothiazide	
Phenobarbitone		Pregnancy tests - HCG urine .		Quinine sulphate	111
Phenobarbitone sodium		Premarin		- R -	
Phenoxybenzamine	170	Premia 2.5 Continuous		RA-Morph	116
	47	Premia 5 Continuous		Raltegravir potassium	
hydrochloride	41	Prezista		Ranbaxy-Cefaclor	
Phenoxymethylpenicillin	00	Priadel		Ranitidine hydrochloride	
(Penicillin V)				Rapamune	
Phentolamine mesylate	47	Primidone		Redipred	
Phenylephrine	100	Primolut N		Regitine	
hydrochloride		Probenecid		Renilon 7.5	
Phenytoin sodium1	20, 122	Probenecid-AFT	111		

INDEX Generic Chemicals and Brands

Resonium-A	44	Salicylic acid	64	Sodium citro-tartrate	7
Resource Beneprotein	181	Salmeterol	160	Sodium cromoglycate	
Resource Diabetic	182	Sandomigran	123	Alimentary	27
Respigen	161	Sandostatin	153	Respiratory16	32-163
Respiratory Devices	163	Sandostatin LAR	153	Sensory	
Respiratory Stimulants		SC Profi-Fine	32	Sodium fluoride	
ReTrieve		Scalp Preparations	64	Sodium nitroprusside	3
Retrovir		Scopoderm TTS		Sodium polystyrene	
ReVia	138	Sebizole		sulphonate	44
Rex Medical	82	Sedatives and Hypnotics	133	Sodium tetradecyl sulphate	4
Rexacrom		Selegiline hydrochloride		Sodium valproate	
Reyataz	91	Senna		Sofradex	
Ridal		Senokot		Soframycin	
Ridaura	97	SensoCard		Solian	
Rifabutin	85	Serenace	126	Solifenacin succinate	
Rifadin	85	Seretide	160	Solox	28
Rifampicin	85	Seretide Accuhaler		Solu-Cortef	
Rifinah		Serevent		Solu-Medrol	
Riodine		Serevent Accuhaler		Somatropin	
Risperdal		Serophene		Sonaflam	
Risperdal Consta		Seroquel		Sotacor	
Risperdal Quicklet		Sertraline		Sotalol	
Risperidone	128–130	Sevredol		Space Chamber	
Risperon		Sex Hormones Non		Spacer device	
Ritalin		Contraceptive	73	Span-K	
Ritalin LA		Shield 49		Spiriva	16
Ritalin SR		Shield Blue		Spironolactone	
Ritonavir		Shield XL		Spirotone	5
Rituximab		Sildenafil		Sprycel	150
Rivacol		Silver sulphadiazine		Stavudine [d4T]	
Rivaroxaban		Simethicone		Stelazine	
Rivotril		Simvastatin		Stemetil	
Rizatriptan benzoate				Stesolid	
		Sindopa			1 13
Rocaltrol solution		Sinemet Sinemet CR		Stimulants/ADHD	10
Roferon-A				Treatments	
Ropin		Sirolimus		Stocrin	
Ropinirole hydrochloride		Siterone		Stomahesive	
Roxithromycin		Slow-Lopresor		Strattera	
Rubifen		Sodibic		Sucralfate	
Rubifen SR		Sodium acid phosphate		Sulindac	
Rythmodan		Sodium alginate		Sulphacetamide sodium	
Rytmonorm	50	Sodium aurothiomalate	98	Sulphasalazine	
-8-		Sodium bicarbonate		Sulphur	
S26LBW Gold RTF	195	Blood		Sumatriptan	
Sabril	122	Extemporaneous		Sunitinib	
Salamol	161	Sodium calcium edetate	39	Sunscreens	
Salapin		Sodium		Sunscreens, proprietary	64
Salazopyrin		carboxymethylcellulose	36	Suplena	
Salazopyrin EN		Sodium chloride		Surgam	
Salbutamol		Blood		Sustagen Hospital Formula	
Salbutamol with ipratropius		Respiratory		Sustanon Ampoules	
bromide		Sodium citrate with sodium I	lauryl	Sutent	
		sulphoacetate	35	Symbicort Turbuhaler 100/6	160

INDEX Generic Chemicals and Brands

Symbicort Turbuhaler 200/6 Symbicort Turbuhaler	
400/12	
Symmetrel	112
Sympathomimetics	54
Synacthen	
Synacthen Depot	73
Synermox	81
Synflex	97
Synthroid	
Syntocinon	
Syrup (pharmaceutical	70
grade)	176
	170
-T-	4==
Tacrolimus	
Tambocor	
Tambocor CR	50
Tamoxifen citrate	
Tamoxifen Sandoz Tamsulosin hydrochloride	104
Tamsulosin-Rex	70
Tap water	
Tar with triethanolamine lauryl	170
sulphate and fluorescein	64
Tarceva	
Tasmar	
Taxotere	
Tegretol	
Tegretol CR	120
Telfast	158
Temazepam	134
Temgesic	114
Temodal	148
Temozolomide	
Tenofovir disoproxil fumarate	
Tenoxicam	97
Terazosin hydrochloride	
Terbinafine	84
Terbutaline sulphate	161
Testosterone	/3
Testosterone cypionate Testosterone esters	/3
Testosterone undecanoate	د/ دح
Tetrabenazine	
Tetrabromophenol	
Tetracosactrin	
Teva	
Thalidomide	
Thalidomide Pharmion	148
Thalomid	
Theophylline	
. ,	

Thiamine hydrochloride	37
Thioguanine	144
Thiotepa	14
Thymol glycerin	36
Thyroid and Antithyroid	
Agents	76
Tiaprofenic acid	97
Гiberal	84
Tilade	
Filcotil	97
Timolol maleate	
Cardiovascular	5
Sensory	16
Timoptol XE	165
Fiotropium bromide	16
Titralac	
TMP	
Tobramycin	
Infection	83
Sensory	16
Tobrex	16
Tofranil	
Tolcapone	112
Tolvon	117
Горатах	129
Topiramate	122
Total parenteral nutrition	124
(TPN)	11
ΓΡΝ	T
Tracleer	
Tramadol hydrochloride	11/
Frandate	۱۱۱۰. ۲۰
Trandolapril	ر ال
Tranexamic acid	4
Tranylcypromine sulphate	118
Tranylcypromine sulphate Trastuzumab	118 156
Tranylcypromine sulphate Trastuzumab Travatan	118 156 166
Franylcypromine sulphate Frastuzumab Fravatan Fravoprost	118 156 166 166
Franylcypromine sulphate Frastuzumab Fravatan Fravoprost Freatments for Dementia	118 156 166 166
Tranylcypromine sulphate Trastuzumab Travatan Travoprost Treatments for Dementia Treatments for Opioid	118 156 166 166
Franylcypromine sulphate Frastuzumab Fravatan Fravoprost Freatments for Dementia Freatments for Opioid Overdose	118 156 166 166
Tranylcypromine sulphate Trastuzumab Travatan Travoprost Treatments for Dementia Treatments for Opioid Overdose Treatments for Substance	118 156 166 137
Tranylcypromine sulphate Trastuzumab Travatan Travoprost Treatments for Dementia Treatments for Opioid Overdose Treatments for Substance Dependence	118 156 166 137
Franylcypromine sulphate Frastuzumab Fravatan Fravoprost Freatments for Dementia Freatments for Opioid Overdose Freatments for Substance Dependence Frental 400	118 156 166 137
Tranylcypromine sulphate Trastuzumab Travatan Travoprost Treatments for Dementia Treatments for Opioid Overdose Treatments for Substance Dependence Trental 400 Tretinoin	118 156 166 137 137
Tranylcypromine sulphate Trastuzumab Travatan Travoprost Treatments for Dementia Treatments for Opioid Overdose Treatments for Substance Dependence Trental 400 Tretinoin Dermatological	118 156 166 137 137
Tranylcypromine sulphate Trastuzumab Travatan Travoprost Treatments for Dementia Treatments for Opioid Overdose Treatments for Substance Dependence Trental 400 Tretinoin Dermatological Oncology	118 156 166 137 137
Tranylcypromine sulphate Trastuzumab Travatan Travoprost Treatments for Dementia Treatments for Opioid Overdose Treatments for Substance Dependence Trental 400 Tretinoin Dermatological Oncology Triamcinolone acetonide	118 156 166 137 137 137
Tranylcypromine sulphate Trastuzumab Travatan Travoprost Treatments for Dementia Treatments for Opioid Overdose Treatments for Substance Dependence Dependence Tretinoin Dermatological Oncology Triamcinolone acetonide Alimentary	118 156 166 137 137 137 54
Tranylcypromine sulphate Trastuzumab Travatan Travoprost Treatments for Dementia Treatments for Opioid Overdose Treatments for Substance Dependence Dependence Tretinoin Dermatological Oncology Triamcinolone acetonide Alimentary Dermatological Dermatological Dermatological	118 156 166 137 137 137 54 54
Tranylcypromine sulphate Trastuzumab Travatan Travoprost Treatments for Dementia Treatments for Opioid Overdose Treatments for Substance Dependence Trental 400 Tretinoin Dermatological Oncology Triamcinolone acetonide Alimentary Dermatological Dermatological Hormone	118 156 166 137 137 137 54 54
Tranylcypromine sulphate Trastuzumab Travatan Travoprost Treatments for Dementia Treatments for Opioid Overdose Treatments for Substance Dependence Dependence Tretinoin Dermatological Oncology Triamcinolone acetonide Alimentary Dermatological Dermatological Dermatological	118156166137137137137137

Dermatological60
Sensory164
Triazolam134
Trichozole84
Triclosan61
Trifluoperazine
hydrochloride128
Trimeprazine tartrate159
Trimethoprim83
Trisequens75
Trisul82
Trophic Hormones76
Tropicamide167
Tropisetron125
Trusopt166
Two Cal HN192
Tyloxapol167
- U -
Ultraproct27
Univent161, 163
Ural71
Urea61
Urex Forte53
Urinary Agents70
Urinary Tract Infections94
Uromitexan147
Ursodeoxycholic acid34
- V -
- V -
- V - Vaccines95
- V - Vaccines95 Valaciclovir87
- V - Vaccines95
- V - Vaccines
- V - Vaccines
- V - Vaccines
- V - Vaccines
- V - Vaccines
- V - Vaccines
- V - Vaccines
- V - Vaccines
- V - Vaccines
- V - Vaccines
- V - Vaccines 95 Valaciclovir 87 Vallergan Forte 159 Valtrex 87 Vancomycin hydrochloride 83 Vannair 160 Varenicline tartrate 138 Various 169 Vasodilators 54 Vasoprassin Agonists 77 Velcade 145 Venlafaxine 119 Ventavis 55 Ventolin 161 Vepesid 147
- V - Vaccines
- V - Vaccines
- V - Vaccines

INDEX Generic Chemicals and Brands

Vicrom	162
Videx EC	91
Vigabatrin	122
Vimpat	
Vinblastine sulphate	149
Vincristine sulphate	149
Vinorelbine	
Vinorelbine Ebewe	149
Viramune	90
Viramune Suspension	90
Viread	88
Vistil	167
Vistil Forte	167
Vitabdeck	37
Vitadol C	36
Vital HN	185
Vitala-C	37
Vitamin A with vitamins D and	
C	
Vitamin B complex	37
Vitamins	
Vivonex Pediatric	195
Vivonex TEN	186
Volibris	54
Voltaren	96
Voltaren D	96
Voltaren Ophtha	165
Volumatic	169

Vosol	
Vytorin	46
- W -	
Warfarin sodium	43
Wart Preparations	65
Wasp venom allergy	
treatment	158
Water	
Blood	43
Extemporaneous	
Wool fat with mineral oil	61
- X -	
Xarelto	42
Xeloda	
Xenazine 25	
XMET Maxamum	
XP Analog LCP	
XP Maxamaid	
XP Maxamum	
Xylocaine	
Xylocaine Viscous	113
-Z-	
Zantac	28
Zapril	
Zarontin	
Zavedos	
7effix	86

Zeldox	120
Zerit	
Zetop	
Ziagen	90
Zidovudine [AZT]	91
Zidovudine [AZT] with	
lamivudine	91
Zinacef	79
Zinc and castor oil	61
Zinc sulphate	39
Zincaps	
Zinnat	
Ziprasidone	129
Zofran Zydis	
Zoladex	
Zoledronic acid	
Zopiclone	
Zostrix HP	
Zovirax	
Zuclopenthixol decanoate	
Zuclopenthixol	120
	100
hydrochloride	
Zyban	
Zyprexa	
Zyprexa Zydis	130

AUTHORITY TO SUBSTITUTE

Dear Pharmacist

Where I refer in a prescription to a medicine by its trade mark or trade name (brand), or by the name of its manufacturer, I give authority to substitute an alternative brand of the same medicine in the following situations:

Sole Supply Products

Where PHARMAC has entered into sole supply arrangement for the medicine you may substitute the sole supply brand, except if the patient chooses to pay for the non-sole supply brand.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Other subsidised products

Where PHARMAC has listed one or more brands of the medicine on the Pharmaceutical Schedule (and the brand that I have prescribed is not listed or has a Manufacturer's Price that is greater than the Subsidy) you may substitute with a listed brand, except if the patient specifically requests the brand prescribed.

This includes repeat dispensings where the brand I have prescribed is no longer subsidised or is partly subsidised.

Exceptions

I do not want substitution to occur for the following chemical entities, unless I am contacted verbally in each specific case.

This authority to substitute replaces all previous authorities relating to these particular pharmaceuticals which I may have provided previously.

This authority to substitute is valid unless I have indicated on the prescription an instruction not to substitute.

This authority is valid whether or not there is a financial implication for the Funder. Please inform my patient that I have authorised substitution.

Name:	NZMC:
Signature:	Date:

Authority for the dispensing pharmacist to change a prescribed medicine in this way is contained in regulation 42 (4) of the Medicines Regulations 1984.