# March 2012

# Volume 19 Number 0

Editors: Kaye Wilson,

Rebecca Bloor & Donna Jennings email: schedule@pharmac.govt.nz

Telephone +64 4 460 4990 Facsimile +64 4 460 4995

Level 9, 40 Mercer Street PO Box 10 254 Wellington

Freephone Information Line 0800 66 00 50 (9am - 5pm weekdays)

#### Circulation

Published each April, August and December. Changes to the contents are published in monthly updates. subscription includes three Pharmaceutical Schedule books, 12 updates and occasional

information on rule changes and news items. The Schedule is distributed free of charge to over 9,000 health professionals, and is also available on an annual subscription.

#### **Prices**

\$22.22 One Schedule book \$4.44 One Update \$120.00 Annual subscription

All prices include postage and exclude GST.


### Production

Typeset automatically from XML and TEX. XML version of the Schedule available from www.pharmac.govt.nz/schedule/pub/archive/

### **Programmers**

Anrik Drenth & John Geering email: texschedule@pharmac.govt.nz

© Pharmaceutical Management Agency



This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit:

creativecommons.org/licenses/by/3.0/nz/. Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken

in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

Introducing PHARMAC

Section A General Rules 12

Section B

Alimentary Tract & Metabolism 25

Blood & Blood Forming Organs 39

Cardiovascular System 46

Dermatologicals 55 Genito Urinary System 65

Hormone Preparations – Systemic 71

Infections – Agents For Systemic Use 78

Musculoskeletal System 95 Nervous System 112

Oncology Agents & Immunosuppressants 138 Respiratory System & Allergies 157

> Sensory Organs 164 Various 169

> > Rural Areas 201

Section C Extemporaneous Compounds (ECPs) 170

Section D

Special Foods 177

Section E

Practitioner's Supply Orders 197

Section F

Dispensing Period Exemptions 202

Section G

Safety Cap Medicines 204

Index 207

# Introducing PHARMAC

PHARMAC, the Pharmaceutical Management Agency, is a Crown entity established pursuant to the New Zealand Public Health and Disability Act 2000 (The Act). The primary objective of PHARMAC is to secure for eligible people in need of pharmaceuticals, the best health outcomes that are reasonably achievable from pharmaceutical treatment and from within the amount of funding provided.

The PHARMAC Board consists of up to five members appointed by the Minister of Health. All decisions relating to PHARMAC's operation are made by or under the authority of the Board. In particular, Board members decide on the strategic direction of PHARMAC and may decide which community pharmaceuticals should be subsidised and at what levels, and determine national prices for some pharmaceuticals to be purchased by and used in DHB Hospitals, and whether or not special conditions are to be applied to such purchases.

#### Members of the PHARMAC Board

Stuart McLauchlan Kura Denness David Kerr

Anne Kolbe Jens Mueller

Decisions taken by the PHARMAC Board members, or made under the authority of the Board, incorporate a balanced view of the needs of prescribers and patients. The aim is to achieve long-term gains and efficient ways of making pharmaceuticals available to the community and for DHB Hospitals to purchase them.

The following attend PHARMAC's Board meetings as observers

- Murray Georgel, CE MidCentral DHB
- Kate Russell, Chair Consumer Advisory Committee
- Carl Burgess, Chair Pharmacology and Therapeutics Advisory Committee (PTAC)

The functions of PHARMAC are to perform the following, within the amount of funding provided to it in the Pharmaceutical Budget or to DHBs from their own budgets for the use of pharmaceuticals in their hospitals, as applicable, and in accordance with its annual plan and any directions given by the Minister (Section 103 of the Crown Entities Act):

- a) to maintain and manage a pharmaceutical schedule that applies consistently throughout New Zealand, including determining eligibility and criteria for the provision of subsidies;
- b) to manage incidental matters arising out of (a), including in exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the pharmaceutical schedule;
- c) to engage as it sees fit, but within its operational budget, in research to meet its objectives as set out in Section 47(a) of the Act:
- d) to promote the responsible use of pharmaceuticals:
- e) to manage the purchasing of any or all pharmaceuticals, whether used either in a hospital or outside it, on behalf of DHBs;
- f) any other functions given to PHARMAC by or under any enactment or authorised by the Minister.

The policies and criteria set out in the Pharmaceutical Schedule and PHARMAC's Operating Policies and Procedures arise out of, and are designed to help PHARMAC achieve and perform, PHARMAC's objective and functions under the Act.

However PHARMAC may, having regard to its public law obligations, depart from the strict application of those policies and criteria in certain exceptional cases where it considers this necessary or appropriate in the proper exercise of its statutory discretion and to give effect to its objective and functions, particularly with respect to:

- Determining eligibility and criteria for the provision of subsidies; and
- In exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the Pharmaceutical Schedule.

#### Decision Criteria

PHARMAC updates the Pharmaceutical Schedule at regular intervals to notify prescribers, pharmacists, hospital managers and patients of changes to Community Pharmaceutical subsidies and the prices for Hospital Pharmaceuticals. In making decisions about amendments to the Pharmaceutical Schedule, PHARMAC is guided by its Operating Policies and Procedures, as amended or supplemented from time to time. PHARMAC takes into account the following criteria when making decisions about Community Pharmaceuticals:

- the health needs of all eligible people within New Zealand (eligible defined by the Government's then current rules of eligibility);
- the particular health needs of Maori and Pacific peoples;
- the availability and suitability of existing medicines, therapeutic medical devices and related products and related things;
- the clinical benefits and risks of pharmaceuticals;
- the cost-effectiveness of meeting health needs by funding pharmaceuticals rather than using other publicly funded health and disability support services;
- the budgetary impact (in terms of the pharmaceutical budget and the Government's overall health budget) of any changes to the Pharmaceutical Schedule;
- the direct cost to health service users;

- the Government's priorities for health funding, as set out in any objectives notified by the Crown to PHARMAC, or in PHARMAC's Funding Agreement, or elsewhere; and
- such other criteria as PHARMAC thinks fit. PHARMAC will carry out appropriate consultation when it intends to take any such "other criteria" into account.

The Operating Policies and Procedures, including any supplements, also describe the way in which PHARMAC determines the level of subsidy or purchase price payable for each Community Pharmaceutical or Hospital Pharmaceutical, respectively.

The decision criteria for Hospital Pharmaceuticals are set out in the hospital supplement to the Operating Policies and Procedures and in the introductory part of Section H of the Pharmaceutical Schedule.

Copies of PHARMAC's Operating Policies and Procedures and of any applicable supplements are available on the PHARMAC website (www.pharmac.govt.nz), or on request.

# PHARMAC and the Pharmaceutical Schedule:

PHARMAC manages the national Pharmaceutical Schedule, which lists:

- Pharmaceuticals available in the community and subsidised by the Government with funding from the Pharmaceutical Budget; and
- some Pharmaceuticals purchased by DHBs for use in their hospitals, and includes those Hospital Pharmaceuticals for which national prices have been negotiated by PHARMAC.

In the community approximately 1848 Pharmaceuticals are subsidised by the Government. Most are available to all eligible people within New Zealand on prescription by a medical doctor. Some are listed with guidelines or conditions such as 'only if prescribed for a dialysis patient' or 'Special Authority - Retail Pharmacy', to ensure that Pharmaceuticals are used by those people who are most likely to benefit from them. Pharmaceuticals provided to patients for use while in DHB hospitals are not covered by Sections A to G of the Pharmaceutical Schedule.

Section H of the Pharmaceutical Schedule is not a comprehensive list of Pharmaceuticals that are used within the DHB Hospitals. Section H of the Pharmaceutical Schedule includes Pharmaceuticals that can be purchased at a national price by DHBs for use in their hospitals. These are referred to as National Contract Pharmaceuticals.

A list of Discretionary Community Supply Pharmaceuticals, in Section H of the Pharmaceutical Schedule, identifies those products that currently are not subsidised from the Pharmaceutical Budget as Community Pharmaceuticals in Sections A to G of the Pharmaceutical Schedule but which DHBs can at their discretion fund for use in the community from their own budgets Hospital Pharmaceuticals in the Community approval.

#### PHARMAC's clinical advisors

#### Pharmacology and Therapeutics Advisory Committee (PTAC)

PHARMAC works closely with the Pharmacology and Therapeutics Advisory Committee (PTAC), an expert medical committee which provides independent advice to PHARMAC on health needs and the clinical benefits of particular pharmaceuticals for use in the community and/or in DHB Hospitals.

The committee members are all senior, practising clinicians. The chair of PTAC sits with the PHARMAC Board in an advisory capacity.

PTAC helps decide which community pharmaceuticals are to be subsidised from public monies by making recommendations to PHARMAC. Part of the role of PTAC is to review whether Community Pharmaceuticals already listed on the Schedule should continue to receive Government funds. The resources freed up can be used to subsidise other community pharmaceuticals with a greater therapeutic worth.

PHARMAC may obtain clinical advice from PTAC in relation to national purchasing strategies for Hospital Pharmaceuticals. There may be additional specialist hospital representatives on PTAC subcommittees, or additional PTAC subcommittees, where PHARMAC considers this necessary.

#### PTAC members are:

Carl Burgess MBChB, MD, MRCP (UK), FRACP, FRCP, physician/clinical pharmacologist, Chair

Howard Wilson BSc, PhD, MB, BS, Dip Obst, FRNZCGP, FRAGCP Deputy Chair

Chris Cameron MBChB, FRACP, MClin Pharm

Melissa Copland PhD, BPharm(Hons), RegPharmNZ, FNZCP

Stuart Dalziel MBChB, PhD, FRACP

lan Hosford MBChB, FRANZCP, psychiatrist

Sisira Jayathissa MMedSc (Clin Epi), MMBS, MD, MRCP (UK), FRCP (Edin), FRACP, FAFPHM, Dip Clin Epi,

Dip OHP, Dip HSM, MBS

George Laking PhD, MD, FRACP
Dee Mangin MBChB, DPH, RNZCGP

Graham Mills MBChB, MTropHlth, MD, FRACP, infectious disease specialist and general physician

Mark Weatherall BA, MBChB, MApplStats, FRACP

Contact PTAC C/-Advisory Committee Manager , Pharmaceutical Management Agency, PO Box 10 254, WELLINGTON, Email: PTAC@pharmac.govt.nz

#### PHARMAC's consumer advisors

#### Consumer Advisory Committee (CAC)

The Consumer Advisory Committee is an advisory committee to the PHARMAC Board. It provides written reports to the Board, and its Chair attends Board meetings as an observer to report on the activities and findings of the Committee, and to comment on consumer issues. While accountable to the Board, the Committee's general working relationship is with the staff of PHARMAC.

The Committee is made up of people from a range of backgrounds and interests including the health of Māori people, Pacific peoples, older people, women and mental health.

For current membership of the Consumer Advisory Committee, visit our website. The Consumer Advisory Committee can be contacted by email: CAC@pharmac.govt.nz, or you can write to the Consumer Advisory Committee at PHARMAC's postal address.

### The PHARMAC Team

The PHARMAC team has a wide range of expertise in health, medicine, economics, commerce, critical analysis, and policy development and implementation.

opment and implementat			
Steffan Crausaz	Acting Chief Executive	Donna Jennings	Schedule Analyst
Paul Alexander	Health Economist	Marcus Kim	Tender Analyst
Richard Anderson	Network and Systems	Helen Knight	Accounts Payable Co-ordinator
	Administrator	Geoff Lawn	Applications Developer / Team
Matia Amalah		acon Lawn	Leader IT
Katie Appleby	Community and Cancer	5	
	Exceptional Circumstances	Bridget Macfarlane	Access and Optimal Use
	Panel Co-ordinator		Programme Manager
Jason Arnold	Team Leader, Analysis	Janet Mackay	Access & Optimal Use
Graham Beever	General Counsel	·	Programme Manager
Diana Beswetherick	HR Manager	Rachel Mackay	Manager, Schedule and
Rebecca Bloor	Schedule Analyst	riadrici Madiay	Contracts
Stephen Boxall	Creative Director	Trial Malana	
Lisa Buxton	Senior Receptionist	Trish Mahoney	Contract Manager
	•	Scott Metcalfe	Chief Advisor Population
Davina Carpenter	Records Manager		Medicine / Public Health
Angela Cathro	Māori Health Programmes'		Physician
	Assistant	Peter Moodie	Medical Director
Christine Chapman	Therapeutic Group Manager	Christina Newman	Executive Assistant to Chief
Mary Chesterfield	High Cost Drugs Co-ordinator	00	Executive & Board Secretary
Andrew Davies	Acting Manager, Funding and	Dahayah Mishat	•
Tallaton Danios	Procurement	Deborah Nisbet	Receptionist
Matalia Davia		Hew Norris	Analyst
Natalie Davis	Therapeutic Group Manager	Leigh Parish	PA to Medical Director
Rachelle Davies	Office Manager & HR	Marama Parore	Manager, Access & Optimal
	Administrator		Use & Māori Health
Jessica Dougherty	Corporate Team Executive	Chris Peck	Analyst
	Assistant	Matthew Poynton	Analyst/Health Economist
Sean Dougherty	Funding Systems Development	Dilky Rasiah	Deputy Medical Director
ood Dougo.ty	Manager	Awhimai Reynolds	Māori Health Manager
Anrik Drenth	•		Health Economist
	Web Developer	Alexander Rodgers	
Kim Ellis	Access & Optimal Use	Brian Roulston	Contract Manager
	Co-ordinator	Fiona Rutherford	Senior Policy Analyst
Simon England	Communications Manager	Rico Schoeler	Manager, Analysis and
Jackie Evans	Senior Therapeutic Group		Assessment
	Manager	Carsten Schousboe	Health Economist
John Geering	Systems Architect	Merryn Simmons	PHARMAC Seminar Series
Anne Glennie	Hospital Exceptional	,	Co-ordinator
Allile dielilile	Circumstances Panel	Liz Skelley	Finance Manager
		,	ū
	Co-ordinator	Jude Urlich	Manager, Corporate and
Lauren Gooley	Funding and Procurement		External Relations
	Assistant	Jayne Watkins	Team Leader, Medical Team
Rochelle Harker	PTAC Secretary & Panel	Rachel Werner	Health Economist
	Co-ordinator	Bryce Wigodsky	Policy Analyst
David Harland	Health Economist	Greg Williams	Therapeutic Group Manager
Ben Healey	Analyst	Lisa Williams	Legal Counsel
,	,	Kaye Wilson	Senior Schedule Analyst
Hayden Holmes	Panel Co-ordinator (Growth	Stephen Woodruffe	Therapeutic Group Manager
	Hormone/PAH)		
Karen Jacobs	Access & Optimal Use	Sue Anne Yee	Therapeutic Group Manager
	Programme Manager	Michael Young	Analyst
	- "		

# **Purpose of the Pharmaceutical Schedule**

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price (if it differs from the Subsidy) and any access conditions that may apply; and
- some Hospital Pharmaceuticals that are purchased and used by DHB Hospitals, including those for which national prices have been negotiated by PHARMAC.

The purpose of the Schedule is not to show the final cost to Government of subsidising each Community Pharmaceutical or to DHBs in purchasing each Hospital Pharmaceutical since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for some Hospital Pharmaceuticals, on any logistics arrangements put in place by individual DHB Hospitals.

# Finding Information in the Pharmaceutical Schedule

#### **Community Pharmaceuticals**

For Community Pharmaceuticals, the Schedule is organised in a way to help the reader find Community Pharmaceuticals, which may be used to treat similar conditions. To do this, Community Pharmaceuticals are first classified anatomically, originally based on the Anatomical Therapeutic Chemical (ATC) system, and then further classified under section headings structured for the New Zealand medical system.

- Section A lists the General Rules in relation to Community Pharmaceuticals and related products.
- Section B lists Community Pharmaceuticals and related products by anatomical classification, which are further divided into
  one or more therapeutic headings. Community Pharmaceuticals used to treat similar conditions are grouped together.
- Section C lists the rules in relation to Extemporaneously Compounded Products (ECPs) and Community Pharmaceuticals
  that will be subsidised when extemporaneously compounded.
- Section D lists the rules in relation to Special Foods and the Special Foods that are subsidised.
- Section E Part I lists the Community Pharmaceuticals that are subsidised on a Practitioner's Supply Order (PSO).
- Section E Part II lists rural areas for the purpose of PSOs.
- Section F lists the Community Pharmaceuticals dispensing period exemptions.
- Section G lists the Community Pharmaceuticals eligible for reimbursement of safety cap and related rules.

The listings are displayed alphabetically (where practical) within each level of the classification system. Each anatomical section contains a series of therapeutic headings, some of which may contain a further classification level. Where a Community Pharmaceutical is used in more than one therapeutic area, they may be cross-referenced.

The therapeutic headings in the Pharmaceutical Schedule do not necessarily correspond to the therapeutic groups and therapeutic subgroups, which PHARMAC establishes for the separate purpose of determining the level of subsidy to be paid for each Community Pharmaceutical.

The index located at the back of the book in which Sections A-G of the Pharmaceutical Schedule are published can be used to find page numbers for generic chemical entities, or product brand names.

# **Hospital Pharmaceuticals**

Section H lists Pharmaceuticals that DHBs fund from their own budgets. The Hospital Pharmaceuticals are grouped into the following Parts in Section H:


- Part I lists the rules in relation to Hospital Pharmaceuticals.
- Part II lists Hospital Pharmaceuticals for which national contracts exist (National Contract Pharmaceuticals). These are
  listed alphabetically by generic chemical entity name and line item, the relevant Price negotiated by PHARMAC and, if
  applicable, an indication of whether it has Hospital Supply Status (HSS) and any associated Discretionary Variance (DV)
  Pharmaceuticals and DV Limit.
- Part III lists Discretionary Community Supply Pharmaceuticals, which are not Community Pharmaceuticals, but which a DHB
  Hospital can, in its discretion, fund for use in the community from its own budget.

The index located at the back of the Section H supplement can be used to find page numbers for generic chemical entities, or product brand names, for Hospital Pharmaceuticals.

# **Explaining drug entries**

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the amount of that subsidy paid to contractors, the supplier's price and the access conditions that may apply.

#### Example



# Glossary

	-		
llnite	Ωf	Measi	IΓO

gramg		millimolemmol
kilogramkg	milligrammg	unitu
intermedianal cost	millilitreml	

Abbreviations					
Ampoule	Amp	Granules	Gran	Suppository	Supp
Capsule	Сар	Infusion	Inf	Tablet	Tab
Cream	Crm	Injection	Inj	Tincture	Tinc
Device	Dev	Linctus	Linc	Trans Dermal Delivery	
Dispersible	Disp	Liquid	Liq	System	TDDS
Effervescent	Eff	Long Acting	LA		
Emulsion	Emul	Ointment	Oint		
Enteric Coated	EC	Sachet	Sach		
Gelatinous	Gel	Solution	Soln		
DCO Dully Cumply Or	dar				

Bulk Supply Order. BSO

**CBS** Cost Brand Source. There is no set manufacturer's price, and the Government subsidises the product at the price it is obtained by the pharmacy.

CE Compounded Extemporaneously.

CPD Cost Per Dose. The Funder (as defined in Part I of the General Rules) cost of a standard dose, without mark-ups or fees and excluding GST.

FCP Extemporaneously Compounded Preparation.

HSS Hospital Supply Status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

OP Original Pack – subsidy is rounded up to a multiple at whole packs.

PSO Practitioner's Supply Order.

### Sole Subsidised

Supplier Only brand of this medicine subsidised.

XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

- Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner.
- Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless medicine is endorsed "close control" or "cc" and the endorsement is initialled by the prescriber.
- Safety cap required and subsidised for oral liquid formulations, including extemporaneously compounded preparations. Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a manufacturer's surcharge.
- This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981. Practitioners S29 prescribing this medication should:
  - a) be aware of and comply with their obligations under Section 29 of the Medicines Act 1981 and otherwise under that Act and the Medicines Regulations 1984;
  - b) be aware of and comply with their obligations under the Health and disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent): and
  - c) exercise their own skill, judgement, expertise and discretions, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an indication for which it is not

Note: Where medicines supplied under Section 29 that are used for emergency situations, patient details required under Section 29 of the Medicines Act may be retrospectively provided to the supplier.

	Definitions				
Abbrev.	Pharmacy Services Agreement	All other Pharmacy Agreements			
[HP3]	Subsidised when dispensed from pharmacies that	Available from selected pharmacies that have an ex-			
	have a Special Foods Service appended to their Pharmacy Services Agreement by their DHB.	clusive contract to dispense Special Foods.			
[HP4]	Subsidised when dispensed from pharmacies that have the Monitored Therapy Variation (for Clozapine Services)	Avaliable from selected pharmacies that have an exclusive contract to dispense 'Hospital Pharmacy' [HP4] pharmaceuticals.			

### Patient costs

#### Community Pharmaceuitical costs met by the Government

Most of the cost of a subsidised prescription Community Pharmaceutical is met by the Government through the Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to Contractors, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to Contractors does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a ✔ in the product's Schedule listing.

SALBUTAMOL	
Aerosol inhaler 100 $\mu$ g per dose	✓ Fully subsidised brand
(6.00)	Higher priced brand

#### **Pharmaceutical Co-Payments**

Some Community Pharmaceutical costs are met by the patient. Generally a patient pays a prescription charge. In addition a patient will sometimes pay a manufacturer's surcharge, after hours service fee and any special packaging fee.

#### PRESCRIPTION CHARGE

From 1 September 2008, everyone who is eligible for publicly funded health and disability services should in most circumstances pay only \$3 for subsidised medicines.

All prescriptions from a public hospital, a midwife and a Family Planning Clinic are covered for \$3 co-payments.

Prescriptions from the following providers are approved for \$3 co-payments on subsidised medicines if they meet the specified criteria:

- After Hours Accident and Medical Services with a DHB or a PHO contract.
- Youth Health Clinics with a DHB or a PHO contract.
- Dentists who write a prescription that relates to a service being provided under a DHB contract.
- Private specialists (for example, opthalmologists and orthopaedics) who write a prescription for a patient receiving a publicly funded service contracted by the DHB.
- General practitioners who write a prescription during normal business hours to a person who is not enrolled in the general
  practice provided the person is eligible for publicly funded health and disability services and the general practice is part of a
  PHO.
- Hospices that have a contract with a DHB.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Eligibility Direction on the Ministry of Health's website.

To check if a medicine is fully subsidised, refer to the Pharmaceutical Schedule on PHARMAC's website or ask your pharmacist or general practitioner.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

NOTE: Information sourced from Ministry of Health Website, for more information please visit www.moh.govt.nz

### MANUFACTURER'S SURCHARGE

Not all Community Pharmaceuticals are fully subsidised. Although PHARMAC endeavours to fully subsidise at least one Community Pharmaceutical in each therapeutic group, and has contracts with some suppliers to maintain the price of a particular product, manufacturers are able to set their own price to pharmacies. When these prices exceed the subsidy, the pharmacist may recoup the difference from the patient.

To estimate the amount a patient will pay on top of the prescription charge, take the difference between the manufacturer's price and the subsidy, and multiply this by 1.86. The 1.86 factor represents the pharmacy mark-up on the surcharge plus other costs such as GST. Pharmacies charge different mark-ups so this may vary.

Manufacturer's surchage to patient = (price - subsidy)  $\times$  1.86

For example, a Community Pharmaceutical with a supplier (ex-manufacturer) cost of \$11.00 per pack with a \$10.00 subsidy will cost the patient a surchage of \$1.86 on top of the prescription charge. The most a patient should pay is therefore \$16.86 - being

\$15.00 maximum prescription charge, plus \$1.86.

#### Hospital Pharmaceutical and Pharmaceutical Cancer Treatment Costs

The cost of purchasing Hospital Pharmaceuticals (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) is met by the relevant DHB hospital Funder from its own budget. Pharmaceutical Cancer Treatments (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) are funded through the Combined Pharmaceutical Budget. As required by section 23(7) of the Act, in performing any of their functions in relation to the supply of Pharmaceuticals including Pharmaceutical Cancer Treatments, DHBs must not act inconsistently with the Pharmaceutical Schedule.

#### PHARMAC web site

PHARMAC has set up an interactive Schedule on the Internet.

Other information about PHARMAC is also available on our website. This includes copies of the Annual Review, Annual Report and Annual Plan, as well as information such as the Pharmaceutical Schedule, Pharmaceutical Schedule Updates, National Hospital Pharmaceutical Strategy, other publications and recent press releases.

# **Special Authority Applications**

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person. Applications must be submitted to the Ministry of Health by the prescriber for the request to be processed.

### Subsidy

Once approved, the presciber will be provided a Special Authority number which must appear on the prescription. Specialists who make an application must communicate the valid authority number to the prescriber who will be writing the prescriptions.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Pharmaceutical Budget.

#### Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website.

For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised. Criteria for each Special Authority Community Pharmaceutical are updated regularly, based on the decision criteria of PHARMAC. The appropriateness of the listing of a Community Pharmaceutical in the Special Authority category will also be regularly reviewed. Applications for inclusion of further Community Pharmaceuticals in the Special Authority category will generally be made by a pharmaceutical supplier.

#### **Special Authority Applications**

Application forms can be found at www.pharmac.govt.nz. Requests for fax copies should be made to PHARMAC, phone 04 460 4990. Applications are processed by the Ministry of Health, and should be sent to:

Ministry of Health Sector Services, Fax: (06) 349 1983 or free fax 0800 100 131

Private Bag 3015, WANGANUI 4540

For enquiries, phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666

Note: The Ministry of Health can only provide information on Special Authority applications to prescribers and pharmacists.

#### Each application must:

- Include the patients name, date of birth and NHI number (codes for AIDS patients' applications)
- Include the practitioner's name, address and Medical Council registration number
- Clearly indicate that the relevant criteria, have been met.
- Be signed by the practitioner.

# Named Patient Pharmaceutical Assessment policy

The Named Patient Pharmaceutical Assessment (NPPA) Policy is PHARMACâĂŹs process for considering applications about named patients seeking funding for treatments not listed on the Schedule, either at all or for the named patientâĂŹs clinical circumstances. For PHARMAC to perform its legislative function of maintaining and managing a Schedule that applies consistently throughout New Zealand, the NPPA Policy will, and must, operate in a way that does not undermine the Schedule decision making process. Together, the Schedule process and the NPPA Policy, ensure there is a pathway for consideration of an individualâĂŹs clinical circumstances. If an individual has a set of clinical circumstances not covered by the NPPA Policy, the Schedule decision making process is available. It is not the purpose of the NPPA Policy to provide access to every treatment not listed on the Schedule. There are three main pathways by which named patients can be considered for funding under the NPPA Policy. PHARMAC will exercise its discretion to determine the most appropriate pathway for an application under the NPPA Policy based on the information that is provided. PHARMAC will assess applications that meet the prerequisites described below according to its Decision Criteria before deciding whether to approve applications for funding. The Decision Criteria will be used to assess both the individual clinical circumstances of each NPPA applicant, and the implications of each NPPA funding decision on PHARMAC's ability to carry out its legislative functions. For more information on NPPA, or to apply, visit the PHARMAC website at http://www.pharmac.govt.nz/ nppa, or call the Panel Coordinators at (04) 9167553 or (04) 9167551.

### **Unusual Clinical Circumstance (UCC)**

The purpose of the Unusual Clinical Circumstances (UCC) pathway is to provide a process for consideration for funding for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule. The prerequisite requirements for UCC consideration are:

- The patient has reasonably tried and failed all alternative funded treatments (or alternative treatments have been contraindicated, or there are no other treatments available), or the patient has experienced such serious side effects with all other relevant funded treatments that treatment has been ceased or cannot reasonably be continued; and
- The patient is experiencing an indication or set of clinical circumstances that are so unusual that PHARMAC is unlikely to consider listing treatments for these on the Schedule; and
- Generally, PHARMAC has not already considered/is not considering, through the Schedule decision making process, the treatment for the patientâĂŹs clinical circumstances, or has not considered the treatment at all.

#### **Urgent Assessment (UA)**

The purpose of the Urgent Assessment (UA) pathway is to provide a process for PHARMAC to consider funding treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patientà AZ
clinical circumstances justify urgent assessment, prior to a decision on Schedule listing. The prerequisite requirements for UA are:

- The patient has reasonably tried and failed all alternative funded treatments (or alternative treatments have been contraindicated, or there are no other treatments available), or the patient has experienced such serious side effects with all other relevant funded treatments that treatment has been ceased or cannot reasonably be continued; and
- The patient is experiencing an indication or set of clinical circumstances that may be experienced by a population group (either currently or over time); and
- The patient has serious clinical circumstances and not receiving the treatment within six to 12 months would lead to either
  a significant deterioration in a serious clinical condition or the patient would miss the opportunity for significant improvement
  in clinical outcome (length or quality of life); and
- The treatment has either not been prioritised by PHARMAC, or if it has, PHARMAC has funded the treatment under the NPPA Policy for the same clinical circumstances prior to prioritisation.
- PHARMAC has not declined to list, on the Schedule, this treatment for these clinical circumstances.

#### Hospital Pharmaceuticals in the Community (HPC)

The purpose of the Hospital Pharmaceuticals in the Community (HPC) pathway is to allow District Health Board hospitals to fund a medicine for a patient in the community if it would be more affordable for the DHB than paying for the treatment that would otherwise need to be provided. PHARMACâĂŹs approval is required for any such funding, given DHBsâĂŹ legislative obligation to act consistently with the Schedule. The prerequisite requirements for HPC are:

- The patient has reasonably tried and failed all alternative cheaper funded treatments (or these alternative treatments have been contraindicated) or the patient has experienced such serious side effects with all other cheaper relevant funded treatments that treatment has been ceased or cannot reasonably be continued; and
- The application is for a DHB hospital to fund a treatment for use in the community for a patient under the care of a DHB hospital clinician (in-patient or out-patient); and
- The treatment is not being used to treat a cancer; and
- The treatment costs less for the DHB than the most likely alternative intervention or outcome: and
- The treatment is being sought for a short-term episode of care (usually a maximum of three months) and is not generally for the treatment of a chronic condition.

### INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and:
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 March 2012 and is to be referred to as the Pharmaceutical Schedule Volume 19 Number 0, 2012. Distribution will be from 20 March 2012. This Schedule comes into force on 1 March 2012.

#### PART I

#### INTERPRETATIONS AND DEFINITIONS

- 1.1 In this Schedule, unless the context otherwise requires:
- "90 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;
- "180 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment:
- "Access Exemption Criteria" means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:
  - a) have limited physical mobility;
  - b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
  - c) are relocating to another area:
  - d) are travelling extensively and will be out of town when the repeat prescriptions are due.
- "Act" means the New Zealand Public Health and Disability Act 2000.
- "Advisory Committee" means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.
- "Alternate Subsidy" means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.
- "Annotation" means written annotation of a prescription by a dispensing pharmacist in the pharmacist's own handwriting following confirmation from the Prescriber if required, and "Annotated" has a corresponding meaning. The Annotation must include the details specified in the Schedule, including the date the prescriber was contacted (if applicable) and be initialled by the dispensing pharmacist.
- "Assessed Pharmaceuticals" means the list of Pharmaceuticals set out in Section H Part III of the Schedule, that have been or are being assessed by PHARMAC.
- "Authority to Substitute" means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.
- "Bulk Supply Order" means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability

Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.

"Class B Controlled Drug" means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.

#### "Close Control" means dispensing:

- in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot) for a Community Pharmaceutical referred to in Section F Part I, or
- in quantities less than a Monthly Lot for any other Community Pharmaceutical, where any of A), or B) or C) apply.
- This Close Control rule defines patient groups or medicines which are eligible for more frequent dispensing periods and the conditions that must be met to enable any claim for payment for additional dispensing to be made.
- A) Frequency of dispensing for persons in residential care

Pharmaceuticals can be dispensed in quantities of not less than 28 days to:

- any person whose placement in a Residential Disability Care institution is funded by the Ministry of Health or a DHB; or
- a person assessed as requiring long term residential care services and residing in an age related residential care facility;

on the request of the person, their agent or caregiver or community residential service provider, provided the following conditions are met:

- i) the quantity or period of supply to be dispensed at any one time is not less than 28 days' supply (except under conditions outlined in B.i below); and
- ii) the prescribing Practitioner or dispensing pharmacist has
  - 1) included the name of the patient's residential placement or facility on the prescription; and
  - 2) included the patient's NHI number on the prescription; and
  - 3) specified the maximum quantity or period of supply to be dispensed at any one time.

Any person meeting the criteria above who is being initiated onto a new medicine or having their dose changed is able to have their medicine dispensed in accordance with B.i below.

B) Flexible periods of supply for trial periods or safety

The Schedule specifies for community patients a default length of dispensing (monthly/three monthly) for each pharmaceutical. Prescribers can request, and pharmacists may dispense, a higher frequency of dispensing in the following circumstances:

If the prescribing Practitioner has met the prescribing conditions set out in B.iii below, and the pharmaceutical or patient fits within the provisions of B.i and B.ii below, a pharmacist may dispense more frequently than the Schedule default period of supply.

i) Trial Periods

The Community Pharmaceutical has been prescribed for a patient who requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only); or

- ii) Safety
  - 1) the Community Pharmaceutical is any of the following:
    - a) a tri-cyclic antidepressant; or
    - b) an antipsychotic; or
    - c) a benzodiazepine; or
    - d) a Class B Controlled Drug; or
  - 2) The Community Pharmaceutical has been prescribed for a patient who:
    - a) is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in clause A above; and
    - b) in the opinion of the prescribing Practitioner, is intellectually impaired or frail, infirm or unable to manage their medicine without additional support.

For B.i and B.ii all of the following conditions must be met:

- iii) The prescribing Practitioner has:
  - endorsed each Community Pharmaceutical on the Prescription clearly with the words "Close Control" or "CC"; and
  - 2) initialled the endorsement in their own handwriting; and

- 3) specified the maximum quantity or period of supply to be dispensed at any one time.
- 4) For trial periods each Community Pharmaceutical on the Prescription must be endorsed with either "Close Control Trial" or "CCT" and the period of supply included e.g. CC Trial 1 week.
- C) Pharmaceutical Supply Management

More frequent dispensing may be required from time to time to manage stock supply issues or emergency situations.

Pharmacists may dispense more frequently than the Schedule would otherwise allow when all of the following conditions are met:

- i) PHARMAC has approved and notified pharmacists to annotate prescriptions for a specified Community Pharmaceutical(s) "Close Control" without prescriber endorsement for a specified time; and
- ii) the dispensing pharmacist has:
  - clearly annotated each of the approved Community Pharmaceuticals that appear on the prescription with the words "Close Control" or "CC"; and
  - 2) initialled the annotation in their own handwriting; and
  - has complied with maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

If a dispensing frequency is expressly stated in the Medicines Act, Medicines Regulations or Pharmacy Services Agreement a pharmacy can dispense at that specified dispensing frequency. However, no claim shall be made to any DHB for subsidised payment for dispensing fees in any case where dispensing occurs more frequently than authorised by the provisions of the Schedule.

"Community Pharmaceutical" means a Pharmaceutical listed in Sections A to G of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor" means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug" means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply" means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply.

"Dentist" means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"Diabetes Nurse Prescriber" means a registered nurse practising in diabetes health who has authority to prescribe specified diabetes medicines in accordance with regulations made under the Medicines Act 1981, and who is practicing in an approved DHB demonstration site.

"Dietitian" means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.

"DHB" means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital" means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Discretionary Community Supply Pharmaceutical" means the list of Pharmaceuticals set out in Section H Part IV of the Schedule, which may be funded by a DHB Hospital from its own budget for use in the community.

"Doctor" means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical" means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements" - unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Funder" means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST" means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator" means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Exceptional Circumstances" means the policies and criteria administered by the Exceptional Circumstances Panel relating to the ability to fund, from a DHB Hospital's own budget, pharmaceuticals for use in the community by a specific patient where a subsidy is not available from the Pharmaceutical Budget or under Community Exceptional Circumstances.

"Hospital Pharmaceuticals" means National Contract Pharmaceuticals, DV Pharmaceuticals, Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals.

"Hospital Pharmaceuticals in the Community (HPC)" means the pathway under the Named Patient Pharmaceutical Assessment policy to allow District Health Board hospitals to fund a medicine for a patient in the community if this is more affordable for the DHB than paying for the treatment that would otherwise need to be provided.

"Hospital Pharmacy" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner. "Hospital Pharmacy-Specialist" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied

by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an Outpatient either:

a) on a Prescription signed by a Specialist, or

- b) where the treatment with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a practitioner which is either:
  - i) endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Practitioner, or
  - ii) annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and date of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as:

- a) follows a substantive consultation with an appropriate Specialist;
- b) the consultation to relate to the Patient for whom the Prescription is written;
- c) consultation to mean communication by referral, telephone, letter, facsimile or email;
- d) except in emergencies consultation to precede annotation of the Prescription; and
- e) both the specialist and the General Practitioner must keep a written record of the consultation.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS" means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination" means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit" means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital" means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot" means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price" means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to

- a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.
- "Midwife" means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.
- "Month" means a period of 30 consecutive days.
- "Monthly Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;
- "Named Patient Pharmaceutical Assessment Advisory Panel" means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for advising, within its Terms of Reference, on Named Patient Pharmaceutical Assessment applications and Exceptional Circumstances renewal applications submitted after 1 March 2012 (EC renewal application form located at http://www.pharmac.govt.nz/healthpros/EC/ECForms)
- "National Contract Pharmaceutical" means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.
- "National DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.
- "Not In Combination" means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.
- "Nurse Prescriber" means a nurse registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003 and who is approved by the Nursing Council, to prescribe specified prescription medicines relating to his/her scope of practice including, for the avoidance of doubt, a Diabetes Nurse Prescriber.
- "Optometrist" means a person registered as an optometrist with the Optometrists and Dispensing Opticians Board, who holds a current annual practising certificate under the HPCA Act 2003, and who is authorised by regulations under the Medicines Act 1981 and approved by the Optometrists and Dispensing Opticians Board to prescribe specified medicines.
- "Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.
- "PCT" means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.
- "PCT only" means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies.
- "Penal Institution" means a penal institution, as that term is defined in The Penal Institutions Act 1954:
- "PHARMAC" means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC).
- "Pharmaceutical" means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to H of the Schedule.
- "Pharmaceutical Benefits" means the right of:
  - a) a person; and
  - b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.
- "Pharmaceutical Budget" means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals and Pharmaceutical Cancer Treatments including for named patients in exceptional circumstances
- "Pharmaceutical Cancer Treatment" means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must provide access to, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.
- "Practitioner" means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Prescriber or an Optometrist as those terms are defined in the Pharmaceutical Schedule.
- "Practitioner's Supply Order" means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

- "Prescription" means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.
- "Prescription Medicine" means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations 1984.
- "Private Hospital" means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.
- "Residential Disability Care Institution" means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.
- "Rest Home" means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.
- "Restricted Medicine" means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984.
- "Retail Pharmacy-Specialist" means that the Community Pharmaceutical is only eligible for Subsidy if it is either:
  - a) supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or,
  - b) in the case of treatment recommended by a Specialist, supplied on a Prescription or Practitioner's Supply Order and either:
    - i) endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner, or
    - ii) Annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and year of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as:

- a) follows a substantive consultation with an appropriate Specialist;
- b) the consultation to relate to the Patient for whom the Prescription is written;
- c) consultation to mean communication by referral, telephone, letter, facsimile or email;
- d) except in emergencies consultation to precede annotation of the Prescription; and
- e) both the Specialist and the General Practitioner must keep a written record of consultation.
- "Retail Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist. For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.
- "Schedule" means this Pharmaceutical Schedule and all its sections and appendices.
- "Section B" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies included in the Schedule.
- "Section C" of this Pharmaceutical Schedule means the list of community extemporaneously compounded preparations and galenicals eligible for Subsidies included in the Schedule.
- "Section D" of this Pharmaceutical Schedule means the list of community special foods eligible for Subsidies included in the Schedule.
- "Section E Part I" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies and available on a Practitioner's Supply Order included in the Schedule.
- "Section E Part II" of this Pharmaceutical Schedule means the list of rural areas for the purpose of community Practitioner's Supply Orders included in the Schedule.
- "Section F Part I" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots, and requirement to dispense in 90 Day Lots or 180 Day Lots, as applicable, in respect of the Community Pharmaceuticals referred to in this part of Section F;
- "Section F Part II" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots in respect of the Community Pharmaceuticals referred to in this part of Section F;
- "Section G" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for reimbursement of safety caps.
- "Section H" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals and the lists of National Contract Pharmaceuticals and any associated DV Pharmaceuticals, of Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals included in Section H of the Schedule.
- "Section H Part I" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals.
- "Section H Part II" of this Pharmaceutical Schedule means the list of National Contract Pharmaceuticals, the relevant Price,

an indication of whether the Pharmaceutical has HSS and any associated DV Pharmaceuticals and DV Limit.

"Section H Part III" of this Pharmaceutical Schedule means the list of Discretionary Community Supply Pharmaceuticals.

"Special Authority" means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.

"Specialist", in relation to a Prescription, a doctor who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

a)

- i) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine; and
- ii) the doctor's vocational scope of practice is one of those listed below: anaesthetics, cardiothoracic surgery, dermatology, diagnostic radiology, emergency medicine, general surgery, internal medicine, neurosurgery, obstetrics and gynaecology, occupational medicine, ophthalmology, oral and maxillofacial surgery, otolaryngology head and neck surgery, orthopaedic surgery, paediatric surgery, paediatrics, pathology, plastic and reconstructive surgery, psychological medicine or psychiatry, public health medicine, radiation oncology, rehabilitation medicine, urology and venereology;
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that Prescription in the course of practising in that area of medicine;
- c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine
  for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that
  area of medicine;
- d) the doctor writes the Prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.

"Subsidy" means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.

"Supply Order" means a Bulk Supply Order or a Practitioner's Supply Order.

"Unapproved Indication" means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 4.6.

"Unusual Clinical Circumstances (UCC)" means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule.

"Urgent Assessment (UA)" means the pathway under the Named Patient P harmaceutical Assessment policy for funding consideration for treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patientâĂŹs clinical circumstances justify urgent assessment, prior to a decision on Schedule listing.

- 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
  - a) the singular includes the plural; and
  - b) any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

### **PART II**

### COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G of the Schedule subject to:
  - 2.1.1 clauses 2.2 of the Schedule; and
  - 2.1.2 clauses 3.1 to 4.4 of the Schedule: and
  - 2.1.3 the conditions (if any) specified in Sections B to G of the Schedule;
- 2.2 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
  - 2.2.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981; or
  - 2.2.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
  - 2.2.3 in the absence of the standards prescribed in clauses 2.3.1 and 2.3.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
  - 2.2.4 in the absence of the standards prescribed in clauses 2.3.1, 2.3.2 and 2.3.3, are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

### **PART III**

#### PERIOD AND QUANTITY OF SUPPLY

3.1 Doctors', Dentists', Dietitians', Midwives', Nurse Prescribers' and Optometrists' Prescriptions (other than oral contraceptives)

The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor, Dentist, Dietitian, Midwife, Nurse Prescriber or Optometrist unless specifically excluded:

- 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity suffcient to provide treatment for a period not exceeding three Months will be subsidised.
- 3.1.2 For methylphenidate hydrochloride and dexamphetamine sulphate (except for Dentist prescriptions), only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug:
  - a) other than Dentist prescriptions and methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity:
    - i) sufficient to provide treatment for a period not exceeding 10 days; and
    - ii) which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
  - b) for a Dentist prescription only such quantity as is necessary to provide treatment for a period not exceeding five days will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Dietitian, Midwife or Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
  - a) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
  - b) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
    - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
    - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
      - A) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
      - B) both:
        - 1) the Practitioner endorses the Community Pharmaceutical on the Prescription with

- the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
- every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
  - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
  - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
  - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
  - b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.
- 3.1.7 If a Community Pharmaceutical:
  - a) is stable for a limited period only, and the Practitioner has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
  - b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
  - c) is Close Control,

The actual quantity dispensed will be subsidised in accordance with any such specification.

#### 3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife or Nurse Prescriber for an oral contraceptive:

- 3.2.1 The prescribing Doctor, Midwife or Nurse Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed six Months.
- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
  - a) in Lots as specified in the Prescription if the Community Pharmaceutical is Close Control; or
  - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 Where a Community Pharmaceutical in a Prescription is Close Control and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

#### 3.3 Original Packs, and Certain Antibiotics

- 3.3.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:
  - a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
  - b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.
- 3.3.2 If a Community Pharmaceutical is the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to

make it equal to the quantity contained in a whole pack where:

- a) the difference the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eq; if a prescription is for 105 mls then a 100ml pack would be dispensed); and
- b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

#### 3.4 Dietitians' Prescriptions

The following provisions apply to every Prescription written by a Dietitian:

- 3.4.1 Prescriptions written by a Dietitian for a Community Pharmaceutical will only be subsidised where they are for either:
  - a) special foods, as listed in Section D; or
  - b) any other Pharmaceutical that has been identified in Section D of the Pharmaceutical Schedule as being able to be prescribed by a Dietitian,

providing that the products being prescribed are not classified as Prescription Medicines or Restricted Medicines.

3.4.2 For the purposes of Dietitians prescribing pursuant to this clause 3.5, the prescribing and dispensing of these products is required to be in accordance with regulations 41 and 42 of the Medicines Regulations 1984.

### 3.5 Diabetes Nurse Prescribers' Prescriptions

The following provisions apply to every Prescription written by a Diabetes Nurse Prescriber:

- 3.5.1 Prescriptions written by a Diabetes Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
  - a) a Community Pharmaceutical classified as a Prescription Medicine or a Restricted Medicine and which a Diabetes Nurse Prescribers is permitted under regulations to prescribe; or
  - b) any other Community Pharmaceutical listed below, being an item that has been identified as being able to be prescribed by a Diabetes Nurse Prescriber, but which is not classified as a Prescription Medicine or a Restricted Medicine:
    - aspirin, blood glucose diagnostic test meter, blood glucose diagnostic test strip, glucagon hydrochloride inj 1 mg syringe kit, insulin pen needles, insulin syringes disposable with attached needle, ketone blood beta-ketone electrodes test strip, nicotine, sodium nitroprusside test strip,
- 3.5.2 Any Diabetes Nurse Prescribers' prescription for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

Note: A list of Diabetes Nurse Prescribers will be published periodically in the Update of the Pharmaceutical Schedule for the duration of an initial pilot scheme. After this period there will be no approved DHB demonstration sites and hence no Diabetes Nurse Prescribers.

#### **PART IV**

### **MISCELLANEOUS PROVISIONS**

#### 4.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 4.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 4.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 4.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 4.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
  - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
  - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.

- 4.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 4.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

#### 4.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 4.2.1 Subject to clause 4.2.3, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 4.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
  - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
  - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 4.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
  - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
    - i) is personally signed and dated by the Practitioner; and
    - ii) sets out the Practitioner's address; and
    - iii) sets out the Community Pharmaceuticals and quantities, and;
  - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 4.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.

#### 4.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

# 4.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

#### 4.3.2 **Expiry**

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 4.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 4.3.1 and 4.3.2, for the individual Patient.
- 4.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 4.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

#### 4.4 Pharmaceutical Cancer Treatments

- 4.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments for the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 4.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceu-

tical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:

- a) has Named Patient Pharmaceutical Assessment (NPPA) approval;
- b) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
- c) is being used and funded as part of a paediatric oncology service; or
- d) was being used to treat the patient in question prior to 1 July 2005.
- 4.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatments with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
  - a) Part 1:
  - b) clauses 2.1 to 2.3;
  - c) clauses 3.1 to 3.4; and
  - d) clause 4.4,
  - of Section A of the Schedule
- 4.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 4.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 direction from the Minister of Health as to pharmaceuticals and indications for which DHBs must provide funding. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
  - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under the Medicines Act and the Medicines Regulations 1984;
  - b) be aware of and comply with their obligations under the Health and Disability Comissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
  - c) exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions
    with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer
    Treatment for an Unapproved Indication.

#### 4.5 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication;

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

#### 4.6 Substitution

### **SECTION A: GENERAL RULES**

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, unless either or both of the following circumstances apply:

- a) there is a clinical reason why substitution should not occur; or
- b) the prescriber has marked the prescription with a statement such as 'no brand substitution premitted'
  Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget.
  When dispensing a subsidised alternative brand, the Contractor must annotate and sign the prescription and inform the patient of the brand change.

### 4.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a subsidised Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed to another subsidised presentation but may not alter the dose, frequency and/or total daily dose. This may only occur when it is not practicable for the contractor to dispense the requested presentation. If the change will result in additional cost to the DHBs, then annotation of the prescription by the dispensing pharmacist must occur stating the reason for the change, and the Contractor must initial the change for the purposes of Audit.

#### 4.8 Conflict in Provisions

If any rules in Sections B-G of this Schedule conflict with the rules in Section A, the rules in Sections B-G apply.

500 ml

Acidex

(4.95)

Fully

Brand or

Subsidy

(Manufacturer's Price) Subsidised Generic Per Manufacturer \$ **Antacids and Antiflatulants** Antacids and Reflux Barrier Agents ALGINIC ACID Sodium alginate 225 mg and magnesium alginate 87.5 mg ✓ Gaviscon Infant 30 CALCIUM CARBONATE WITH AMINOACETIC ACID \* Tab 420 mg with aminoacetic acid 180 mg - Higher subsidy of \$6.30 per 100 tab with Endorsement......3.00 100 (6.30)Titralac Additional subsidy by endorsement is available for pregnant women. The prescription must be endorsed accordingly. SIMETHICONE \* Oral lig aluminium hydroxide 200 mg with magnesium hydrox-500 ml Mylanta P (4.26)SODIUM ALGINATE \* Tab 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg - peppermint flavour .......1.80 60 (8.60)Gaviscon Double Strength \* Oral lig 500 mg with sodium bicarbonate 267 mg and calcium

ALUMINIUM	HYDROXIDE	

**Phosphate Binding Agents** 

Tab 600 mg12.56	100	Alu-Tab

# **Antidiarrhoeals**

# Agents Which Reduce Motility

	Tab 2.5 mg with atropine sulphate 25 $\mu$ g	3.90	100	✓ Diastop
LO	PERAMIDE HYDROCHLORIDE - Up to 30 cap available on a PSO			
*	Tab 2 mg	8.95	400	✓ Nodia
*	Cap 2 mg	8.95	400	✓ <u>Diamide Relief</u>

### **Rectal and Colonic Anti-inflammatories**

# BUDESONIDE

Cap 3 mg - Special A	uthority see SA1155 on the next page		
<ul> <li>Retail pharmacy</li> </ul>	166.50	90	✓ Entocort CIR

### **⇒**SA1155 Special Authority for Subsidy

Initial application — (Crohn's disease) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Mild to moderate ileal, ileocaecal or proximal Crohn's disease; and
- 2 Any of the following:
  - 2.1 Diabetes; or
  - 2.2 Cushingoid habitus; or
  - 2.3 Osteoporosis where there is significant risk of fracture; or
  - 2.4 Severe acne following treatment with conventional corticosteroid therapy; or
  - 2.5 History of severe psychiatric problems associated with corticosteroid treatment; or
  - 2.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or
  - 2.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated).

Initial application — (collagenous and lymphocytic colitis (microscopic colitis)) from any relevant practitioner. Approvals valid for 6 months where patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies.

Initial application — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where patient has a gut Graft versus Host disease following allogenic bone marrow transplantation\*.

Note: Indication marked with \* is an Unapproved Indication.

**Renewal** from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

HYDROCORTI	SONE ACETATE
------------	--------------

Rectal foam 10%, CFC-Free (14 applications)23.00	21.1 g OP	✓ Colifoam
MESALAZINE		
Tab 400 mg49.50	100	✓ Asacol
Tab EC 500 mg49.50	100	✓ Asamax
Tab long-acting 500 mg59.05	100	✓ Pentasa
Enema 1 g per 100 ml45.96	7	✓ Pentasa
Suppos 500 mg22.80	20	✓ Asacol
Suppos 1 g50.96	28	✓ Pentasa
OLSALAZINE		
Tab 500 mg59.86	100	✓ Dipentum
Cap 250 mg31.51	100	✓ Dipentum
SODIUM CROMOGLYCATE		
Cap 100 mg89.21	100	✓ Nalcrom
SULPHASALAZINE		
* Tab 500 mg - For sulphasalazine oral liquid formulation refer,		
page 17111.68	100	Salazopyrin
* Tab EC 500 mg	100	✓ Salazopyrin EN

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

# **Antihaemorrhoidals**

# Corticosteroids

FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVALATE AND CIN Oint 950 $\mu$ g, with fluocortolone pivalate 920 $\mu$ g, and cin-	CHOCAINE	
chocaine hydrochloride 5 mg per g	30 g OP	✓ Ultraproct
chocaine hydrochloride 1 mg2.66	12	✓ Ultraproct
HYDROCORTISONE WITH CINCHOCAINE		
Oint 5 mg with cinchocaine hydrochloride 5 mg per g15.00	30 g OP	✓ Proctosedyl
Suppos 5 mg with cinchocaine hydrochloride 5 mg per g9.90	12	✓ Proctosedyl
Antispasmodics and Other Agents Altering Gut Motility		
ATROPINE SULPHATE		
* Inj 600 $\mu$ g, 1 ml – Up to 5 inj available on a PSO52.00	50	✓ AstraZeneca
HYOSCINE N-BUTYLBROMIDE		
* Tab 10 mg	20	✓ <u>Gastrosoothe</u>
* Inj 20 mg, 1 ml – Up to 5 inj available on a PSO9.57	5	✓ Buscopan
MEBEVERINE HYDROCHLORIDE	00	. / Oalafaa
* Tab 135 mg	90	✓ <u>Colofac</u>
Antiulcerants		
Antisecretory and Cytoprotective		
MISOPROSTOL		
* Tab 200 µg52.70	120	✓ Cytotec
Helicobacter Pylori Eradication		
CLARITHROMYCIN		
Tab 500 mg – Subsidy by endorsement	14	Apo-Clarithromycin Klamycin

a) Maximum of 14 tab per prescription

Note: the prescription is considered endorsed if clarithromycin is prescribed in conjunction with a proton pump inhibitor and either amoxycillin or metronidazole.

# **H2 Antagonists**

OWAFTIDING

CIMETIDINE – Only on a prescription			
* Tab 200 mg	5.00	100	
· ·	(7.50)		Apo-Cimetidine
* Tab 400 mg	10.00	100	
•	(12.00)		Apo-Cimetidine
FAMOTIDINE - Only on a prescription			
* Tab 20 mg	8.10	250	✓ Famox
* Tab 40 mg		250	✓ Famox

b) Subsidised only if prescribed for helicobacter pylori eradication and prescription is endorsed accordingly.

	Subsidy (Manufacturer's P	rice) Per	Fully Subsidised	Brand or Generic Manufacturer
	\$	Per		Manuacturer
RANITIDINE HYDROCHLORIDE – Only on a prescription	6.70	050		Away Danitidina
* Tab 150 mg		250		Arrow-Ranitidine
* Tab 300 mg		250		Arrow-Ranitidine
* Oral liq 150 mg per 10 ml		300 ml		Peptisoothe
* Inj 25 mg per ml, 2 ml	8./5	5	V 2	Zantac
Proton Pump Inhibitors				
LANSOPRAZOLE				
* Cap 15 mg	3.27	28	<b>✓</b> L	anzol Relief
	3.50		V 9	Solox
* Cap 30 mg	4.34	28	V 1	anzol Relief
3	4.65		VS	Solox
OMEPRAZOLE				
	0.01	00		Omozol Polici
* Cap 10 mg		90	_	Omezol Relief
* Cap 20 mg		90	_	Omezol Relief
* Cap 40 mg		90	_	Omezol Relief
* Powder – Only in combination		5 g	<u> </u>	<u>Midwest</u>
Only in extemporaneously compounded omeprazole				
* Inj 40 mg	28.65	5	<u> </u>	Or Reddy's
				<u>Omeprazole</u>
PANTOPRAZOLE				
* Tab 20 mg	1.23	28	<b>V</b> [	Or Reddy's
<b>S</b>			_	Pantoprazole
* Tab 40 mg	1.54	28	<b>V</b> [	Or Reddy's
<b>.</b>			-	Pantoprazole
* Inj 40 mg	6.50	1	<b>✓</b> F	Pantocid IV
Site Protective Agents			_	
•				
SUCRALFATE Tob 1 a	25.50	100		
Tab 1 g		120	,	Dawafata
	(48.28)		(	Carafate
Diabetes				
Hyperglycaemic Agents				
GLUCAGON HYDROCHLORIDE				
	07.00	4		Shraaman Uhmakit
Inj 1 mg syringe kit – Up to 5 kit available on a PSO	27.00	1		Glucagen Hypokit
Insulin - Short-acting Preparations				
INSULIN NEUTRAL				
▲ Inj human 100 u per ml	25.26	10 ml OF		\ctranid
inj numan 100 u per mi	23.20	IU IIII UF		Actrapid
A Ini human 100 u nav ml 0!	40.00	-		Humulin R
▲ Inj human 100 u per ml, 3 ml	42.66	5		Actrapid Penfill
			V	Humulin R

	Cuboidy		Fully Prond or
	Subsidy (Manufacturer's	Price) Sub	Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
Insulin - Intermediate-acting Preparations			
INSULIN ISOPHANE			
▲ Inj human 100 u per ml	17.68	10 ml OP	✓ Humulin NPH
			✓ Protaphane
▲ Inj human 100 u per ml, 3 ml	29.86	5	✓ Humulin NPH
INOUT IN TOO BLOOM WITH IN OUT IN NEUTRAL			✓ Protaphane Penfill
INSULIN ISOPHANE WITH INSULIN NEUTRAL  Inj human with neutral insulin 100 u per ml	25.26	10 ml OP	✓ Humulin 30/70
a injindinan with nedital insulin 100 d per nii	20.20	10 1111 01	✓ Mixtard 30
▲ Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5	✓ Humulin 30/70
			✓ PenMix 30
			PenMix 40
			✓ PenMix 50
INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE			
▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml, 3 ml		5	✓ Humalog Mix 25
▲ Inj lispro 50% with insulin lispro protamine 50% 100 u per ml,3		3	▼ Humalog Witx 25
ml		5	✓ Humalog Mix 50
Insulin - Long-acting Preparations			•
insum - Long-acting r reparations			
INSULIN GLARGINE			4.
▲ Inj 100 u per ml, 10 ml		1	✓ Lantus
▲ Inj 100 u per ml, 3 ml		5 5	✓ Lantus ✓ Lantus SoloStar
Insulin - Rapid Acting Preparations			- Luntus coloctui
INSULIN ASPART  A Inj 100 u per ml, 3 ml	51 10	5	✓ NovoRapid Penfill
▲ Inj 100 u per ml, 10 ml		1	✓ NovoRapid Fermin
INSULIN GLULISINE			· Horonapia
▲ Inj 100 u per ml, 10 ml	27.03	1	✓ Apidra
▲ Inj 100 u per ml, 3 ml		5	✓ Apidra
▲ Inj 100 u per ml, 3 ml disposable pen		5	✓ Apidra SoloStar
INSULIN LISPRO			
▲ Inj 100 u per ml, 10 ml		10 ml OP	✓ Humalog
▲ Inj 100 u per ml, 3 ml	59.52	5	✓ Humalog
Alpha Glucosidase Inhibitors			
ACARBOSE			
* Tab 50 mg		90	✓ Glucobay
* Tab 100 mg	26.70	90	✓ Glucobay
Oral Hypoglycaemic Agents			
GLIBENCLAMIDE			
* Tab 5 mg	5.00	100	✓ Daonil
GLICLAZIDE			
* Tab 80 mg	17.60	500	✓ Apo-Gliclazide

<sup>▲</sup>Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's Price)		Fully Subsidised	Generic
	\$	Per	~	Manufacturer
GLIPIZIDE				
* Tab 5 mg	3.50	100	<b>/</b>	Minidiab
METFORMIN HYDROCHLORIDE				
* Tab immediate-release 500 mg		500	V 1	<u>Apotex</u>
* Tab immediate-release 850 mg	6.67	250	V 1	Apotex
PIOGLITAZONE - Special Authority see SA0959 below - Re	tail pharmacy			
Tab 15 mg	2.61	28	<b>V</b>	Pizaccord
Tab 30 mg	5.23	28	<b>/</b> <u> </u>	Pizaccord Pizaccord
Tab 45 mg	7.80	28	<b>/</b> <u> </u>	Pizaccord
<b>▶</b> SA0959 Special Authority for Subsidy				
nitial application — (Patients with type 2 diabetes) from	m any relevant practition	er. A	oprovals va	alid without further renew
inless notified for applications meeting the following criteria:				
Either:				
<ol> <li>Patient has not achieved glycaemic control on maximu contraindicated or not tolerated; or</li> </ol>	m doses of metformin or	a sulp	honylurea	or where either or both a
O D I' I' I'				

2 Patient is on insulin.

# **Diabetes Management**

# **Ketone Testing**

KETONE BLOOD BETA-KETONE ELECTRODES – Maximum of 20 strip per prescription			
Test strip - Not on a BSO7.07	10 strip OP	Optium Blood Ketone Test Strips	
SODIUM NITROPRUSSIDE – Maximum of 50 strip per prescription  * Test strip – Not on a BSO14.14	50 strip OP	✓ Ketostix	

# **Blood Glucose Testing**

BLOOD GLUCOSE DIAGNOSTIC TEST METER - Subsidy by endorsement

- a) Maximum of 1 meter per prescription
- b)
- A diagnostic blood glucose test meter is subsidised for patients who begin insulin or sulphonylurea therapy after 1
  March 2005 or is prescribed for a pregnant woman with diabetes.
- 2) Only one meter per patient. No further prescriptions will be subsidised. The prescription must be endorsed accordingly.

 Meter
 6.00
 1
 ✓ CareSens POP

 9.00
 ✓ CareSens II
 ✓ FreeStyle Lite

 ✓ On Call Advanced
 ✓ Optium Xceed

 19.00
 ✓ Accu-Chek

 Performa

Subsidy (Manufacturer's Price)	Fully Subsidised	
<b>\$</b>	Per 🗸	Manufacturer

#### BLOOD GLUCOSE DIAGNOSTIC TEST STRIP

The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed with insulin or a sulphonylurea but are on a different prescription and the prescription is endorsed accordingly; or
- Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly.

SensoCard blood glucose test strips are subsidised only if prescribed for a patient who is severely visually impaired and is using a SensoCard Plus Talking Blood Glucose Monitor.

Blood glucose test strips21.65		50 test OP	<ul><li>Accu-Chek</li><li>Performa</li></ul>
			✓ FreeStyle Lite ✓ Optium 5 second test
	26.20		✓ SensoCard
Blood glucose test strips $\times$ 50 and lancets $\times$ 5	19.10	50 test OP	On Call Advanced
-	19.60		✓ CareSens

# **Insulin Syringes and Needles**

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly.

# INSULIN PEN NEEDLES - Maximum of 100 dev per prescription

*	$29~\mathrm{g} \times 12.7~\mathrm{mm}$ 3.15	30	✓ B-D Micro-Fine
	10.50	100	<ul><li>✓ B-D Micro-Fine</li><li>✓ ABM</li></ul>
	11.75		SC Profi-Fine
*	31 g $\times$ 5 mm11.75	100	✓ B-D Micro-Fine
			SC Profi-Fine
*	31 g × 6 mm10.50	100	✓ ABM
	11.75		Fine Ject
	10.50		
	(26.00)		NovoFine
*	31 g × 8 mm3.15	30	✓ B-D Micro-Fine
	10.50	100	✓ B-D Micro-Fine
			✓ ABM
	11.75		SC Profi-Fine
*	$32 \text{ a} \times 4 \text{ mm}$ 10.50	100	✓ B-D Micro-Fine

	Subsidy (Manufacturer's Pric	e) Per	Fully Brand or Subsidised Generic  Manufacturer
INSULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE	•		
* Syringe 0.3 ml with 29 g × 12.7 mm needle		100	ABM
Syninge 0.5 mi with 25 g × 12.7 min needle	1.30	100	ADM
	(1.99)	10	B-D Ultra Fine
	13.00	100	✓ B-D Ultra Fine
	10.00	100	✓ DM Ject
* Syringe 0.3 ml with 31 g × 8 mm needle	13.00	100	✓ ABM
* Syninge 0.5 iii wiiii 51 g × 6 iiiii fieedie	1.30	100	ADIW
	(1.99)	10	B-D Ultra Fine II
	13.00	100	✓ B-D Ultra Fine II
	13.00	100	
N. Comings O. F. and with O.C. and 10.7 announcedle	10.00	100	✓ DM Ject
$*$ Syringe 0.5 ml with 29 g $\times$ 12.7 mm needle		100	✓ ABM
	1.30	10	
	(1.99)		B-D Ultra Fine
	13.00	100	✓ B-D Ultra Fine
			DM Ject
$\divideontimes$ Syringe 0.5 ml with 31 g $\times$ 8 mm needle	13.00	100	✓ ABM
	1.30	10	
	(1.99)		B-D Ultra Fine II
	13.00	100	B-D Ultra Fine II
			DM Ject
* Syringe 1 ml with 29 g × 12.7 mm needle	13.00	100	✓ ABM
3, 3, 3, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,			✓ DM Ject
	1.30	10	
	(1.99)		B-D Ultra Fine
	13.00	100	✓ B-D Ultra Fine
$*$ Syringe 1 ml with 31 g $\times$ 8 mm needle		100	✓ ABM
* Syringe i illi with or g × 0 illii illoculo	1.30	100	₩ ADM
	(1.99)	10	B-D Ultra Fine II
	` '	100	✓ B-D Ultra Fine II
	13.00	100	✓ DM Ject
			DIVI Ject
Digestives Including Enzymes			
PANCREATIC ENZYME			
Cap EC 10,000 BP u lipase, 9,000 BP u amylase and	1		
		100	4/ Croom 10000
210 BP u protease		100	✓ Creon 10000
Cap EC 25,000 BP u lipase, 18,000 BP u amylase			4.5
1,000 BP u protease		100	✔ Creon Forte
Cap EC 25,000 BP u lipase, 22,500 BP u amylase	,		
1,250 BP u protease	94.40	100	✓ Panzytrat
URSODEOXYCHOLIC ACID - Special Authority see SA1188 on	the next name - Re	tail nha	rmacv
,		tan pna	imacy
Cap 300 mg – For ursodeoxycholic acid oral liquid formula		100	A A atimali
tion refer, page 171		100	✓ Actigall
Cap 250mg	71.50	100	✓ Ursosan

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

### **⇒**SA1188 Special Authority for Subsidy

Initial application — (Pregnancy/Cirrhosis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

#### Fither:

- 1 Patient diagnosed with cholestasis of pregnancy; or
- 2 Both:
  - 2.1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
  - 2.2 Patient not requiring a liver transplant (bilirubin > 170umol/l; decompensated cirrhosis).

Note: Liver biopsy is not usually required for diagnosis but is helpful to stage the disease.

Initial application — (Haematological Transplant) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

#### Both:

- 1 Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogenic stem cell or bone marrow transplantation; and
- 2 Treatment for up to 13 weeks.

Renewal — (Pregnancy/Cirrhosis) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 170 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure – doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatique, histological progression by two stages, or to cirrhosis, need for transplantation.

#### Laxatives

Bulk-	formi	ing <i>F</i>	Agents
-------	-------	--------------	--------

MUCILAGINOUS LAXATIVES - Only on a prescription

* Dry		500 g OP	✓ Konsyl-D
* Sugar Free	3.31	275 g OP	
	(10.60)		Mucilax
MUCILAGINOUS LAXATIVES WITH STIMULANTS			
* Dry	2.41	200 g OP	
•	(8.72)	ŭ	Normacol Plus
	6.02	500 g OP	
	(17.32)		Normacol Plus
Faecal Softeners			
DOCUSATE SODIUM – Only on a prescription			
* Cap 50 mg	2.57	100	✓ Laxofast 50
* Cap 120 mg	3.48	100	✓ Laxofast 120
* Enema conc 18%	5.40	100 ml OP	✓ Coloxyl
DOCUSATE SODIUM WITH SENNOSIDES			
* Tab 50 mg with total sennosides 8 mg	6 20	200	✓ Laxsol
· · ·	0.30	200	Laxson
POLOXAMER – Only on a prescription			
Not funded for use in the ear.			
* Oral drops 10%	3.78	30 ml OP	✓ Coloxyl
Osmotic Laxatives			
Omono Luxumoo			
GLYCEROL			
* Suppos 3.6 g - Only on a prescription	6.00	20	✓ PSM
0 , 1			

	/8.4	Subsidy	>	Fully	Brand or
	(IVIa	nufacturer's Pri	ce) Sub Per	sidised	Generic Manufacturer
LACTUROOF OLD ST		•			
LACTULOSE – Only on a prescription		7.00	1 000!		
* Oral liq 10 g per 15 ml			1,000 ml	<u> </u>	<u>aevolac</u>
MACROGOL 3350 - Special Authority see SA0891		armacy			
Powder 13.125 g, sachets – Maximum of 60				4.	
scription		18.14	30		lovicol
<b>⇒</b> SA0891 Special Authority for Subsidy					
<b>Initial application</b> from any relevant practitioner.	• •				
requiring intervention with a per rectal preparation	despite an adequa	ate trial of oth	er oral pharn	nacoth	erapies including lactulose
where lactulose is not contraindicated.  Renewal from any relevant practitioner. Approvals	valid for 12 mont	he whore the	nationt is co	mnlian	t and is continuing to gain
benefit from treatment.	valid for 12 mont	iis where the	patient is co	ΠριιαΠ	t and is continuing to gain
SODIUM ACID PHOSPHATE - Only on a prescripti	ion				
Enema 16% with sodium phosphate 8%		2.50	1	<b>✓</b> F	leet Phosphate
					Enema
SODIUM CITRATE WITH SODIUM LAURYL SULPH	HOACETATE - Or	lv on a prescr	ription		
Enema 90 mg with sodium lauryl sulphoacetate		,			
5 ml	0 1	25.00	50	V N	<u>licolette</u>
Stimulant Laxatives					
Sumulant Laxatives					
BISACODYL - Only on a prescription					
* Tab 5 mg		4.99	200	<b>✓</b> <u>L</u>	ax-Tab
* Suppos 5 mg			6		Oulcolax
* Suppos 10 mg		3.00	6	<b>/</b> [	Oulcolax
DANTHRON WITH POLOXAMER - Only on a pres	cription				
Note: Only for the prevention or treatment of co	•	•			
Oral liq 25 mg with poloxamer 200 mg per 5 ml			300 ml		inorax
Oral liq 75 mg with poloxamer 1 g per 5 ml		13.95	300 ml	V	inorax Forte
SENNA – Only on a prescription					
* Tab, standardised			20		Anna Last
		(1.72)	100	5	Senokot
		2.17 (6.16)	100	c	Senokot
		(0.10)			CHOROL
Metabolic Disorder Agents					
Gaucher's Disease					
Gaucher's Disease					
IMIGLUCERASE - Special Authority see SA0473 b	elow – Retail phar	macy			
Inj 40 iu per ml, 200 iu vial	1	,072.00	1	V (	erezyme
Inj 40 iu per ml, 400 iu vial	2	,144.00	1	<b>V</b> 0	erezyme
■ SA0473 Special Authority for Subsidy					
Special Authority approved by the Gaucher's Treatm					
Notes: Subject to a budgetary cap. Applications will			•	ng ava	ilability.
Application details may be obtained from PHARMAC			.govt.nz or:		
	Phone: (04) 460 4				
	Facsimile: (04) 91				
Wellington	Email: gaucherpa	nei@pharma	c.govt.nz		

Subsidised

Per

Fully

Brand or

Generic

Manufacturer

Subsidy

(Manufacturer's Price)

\$

**Mouth and Throat Agents Used in Mouth Ulceration** BENZYDAMINE HYDROCHLORIDE 200 ml Difflam (7.14)9.00 500 ml (15.36)Difflam CHLORHEXIDINE GLUCONATE ✔ Rivacol 200 ml OP CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE 15 q OP (5.62)Bonjela SODIUM CARBOXYMETHYLCELLULOSE With pectin and gelatin paste ......17.20 Stomahesive 56 a OP 5 q OP 1.52 (3.60)Orabase 4.55 15 g OP (7.90)Orabase With pectin and gelatin powder ......8.48 28 a OP (10.95)Stomahesive TRIAMCINOLONE ACETONIDE 0.1% in Dental Paste USP ......4.34 5 q OP ✔ Oracort **Oropharyngeal Anti-infectives** AMPHOTERICIN B Lozenges 10 mg ......5.86 20 ✓ Fungilin **MICONAZOLE** Oral gel 20 mg per g ......8.70 40 g OP Daktarin NYSTATIN 24 ml OP ✓ Nilstat Other Oral Agents HYDROGEN PEROXIDE ✓ PSM 100 ml THYMOL GLYCERIN 500 ml ✓ PSM Vitamins Alpha tocopheryl acetate is available fully subsidised for specific patients at the Medical Director of PHARMAC's discretion. Refer to PHARMAC website www.pharmac.govt.nz for the "Alpha tocopheryl acetate information sheet and application form". Vitamin A VITAMIN A WITH VITAMINS D AND C Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg ✓ Vitadol C 10 ml OP per 10 drops ......4.50

<sup>±</sup> safety cap

<sup>▲</sup>Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy		Fully Brand or			
	(Manufacturer's Price		osidised Generic			
	\$	Per	✓ Manufacturer			
Vitamin B						
HYDROXOCOBALAMIN  * Inj 1 mg per ml, 1 ml – Up to 6 inj available on a PSO	6.15	3	✓ <u>ABM</u> Hydroxocobalamin			
PYRIDOXINE HYDROCHLORIDE  a) No more than 100 mg per dose b) Only on a prescription						
* Tab 25 mg – No patient co-payment payable  * Tab 50 mg		90 500	✓ <u>PyridoxADE</u> ✓ <u>Apo-Pyridoxine</u>			
THIAMINE HYDROCHLORIDE – Only on a prescription  * Tab 50 mg	5.62	100	✔ Apo-Thiamine			
* Tab, strong, BPC	4.70	500	✓ B-PlexADE			
Vitamin C						
ASCORBIC ACID  a) No more than 100 mg per dose b) Only on a prescription  * Tab 100 mg	13.80	500	✓ Vitala-C			
•		000	Thurs o			
Vitamin D						
ALFACALCIDOL  Cap 0.25 μg  Cap 1 μg  Oral drops 2 μg per ml	87.98	100 100 20 ml OP	✓ One-Alpha ✓ One-Alpha ✓ One-Alpha			
$ \begin{array}{llllllllllllllllllllllllllllllllllll$	5.62	30 30 10 ml OP	✓ <u>Airflow</u> ✓ <u>Airflow</u> ✓ Rocaltrol solution			
CHOLECALCIFEROL  * Tab 1.25 mg (50,000 iu) – Maximum of 12 tab per prescription	n7.76	12	✓ Cal-d-Forte			
Multivitamin Preparations						
MULTIVITAMINS – Special Authority see SA1036 below – Retail p	,	200 g OP	✔ Paediatric Seravit			
▶SA1036 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has inborn errors of metabolism.  Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where patient has had a previous						
approval for multivitamins.	anno Tenewal Ulli	cos nouneu	where patient has had a previous			
VITAMINS  * Tab (BPC cap strength)  * Cap (fat soluble vitamins A, D, E, K) – Special Authority see	8.00	1,000	✓ <u>MultiADE</u>			
* Cap (lat soluble vitamins A, D, E, K) – Special Authority see SA1002 on the next page – Retail pharmacy	23.40	60	✓ Vitabdeck			

# **ALIMENTARY TRACT AND METABOLISM**

Subsidy		Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

### **⇒**SA1002 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Either:

- 1 Patient has cystic fibrosis with pancreatic insufficiency; or
- 2 Patient is an infant or child with liver disease or short gut syndrome.

MI	n	е	ra	ŀ

Calcium		
CALCIUM CARBONATE         * Tab eff 1.75 g (1 g elemental)       6.21         * Tab 1.25 g (500 mg elemental)       6.38	30 250	✓ <u>Calsource</u> ✓ <u>Arrow-Calcium</u> ✓ Calci-Tab 500
* Tab 1.5 g (600 mg elemental)	250 10	<ul><li>✓ Calci-Tab 600</li><li>✓ Mayne</li></ul>
Fluoride	10	• Mayric
SODIUM FLUORIDE Tab 1.1 mg (0.5 mg elemental)5.00	100	✓ PSM
lodine		
POTASSIUM IODATE Tab 256 μg (150 μg elemental iodine)	90	✓ NeuroKare
Iron		
FERROUS FUMARATE Tab 200 mg (65 mg elemental)4.35	100	✓ Ferro-tab
FERROUS FUMARATE WITH FOLIC ACID Tab 310 mg (100 mg elemental) with folic acid 350 $\mu g$ 4.75	60	✓ Ferro-F-Tabs
FERROUS SULPHATE  * Tab long-acting 325 mg (105 mg elemental)	30	
(4.26) 5.06	150	Ferrograd
*‡ Oral liq 30 mg per 1 ml (6 mg elemental per 1 ml)10.30	500 ml	Ferrograd  ✓ Ferodan
* Tab long-acting 325 mg (105 mg elemental) with folic acid		
$350\mu\mathrm{g}$	30	Ferrograd-Folic
IRON POLYMALTOSE Inj 50 mg per ml, 2 ml19.90	5	✓ Ferrum H
Magnesium		
MAGNESIUM SULPHATE Inj 49.3%, 5 ml26.60	10	✓ Mayne

# **ALIMENTARY TRACT AND METABOLISM**

		Subsidy (Manufacturer's P	rice) Subs		Brand or Generic Manufacturer
7	Zinc				
ZI *	INC SULPHATE  Cap 137.4 mg (50 mg elemental)	11.00	100	✓ <u>Zir</u>	ncaps_
1	Agents Used in the Treatment of Poisonings				
C *	HARCOAL  Oral liq 50 g per 250 ml	43.50	250 ml OP	<b>✓</b> Ca	rbosorb-X
\$\ *	ODIUM CALCIUM EDETATE Inj 200 mg per ml, 5 ml	53.31 (156.71)	6		lcium Disodium /ersenate

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised Per Brand or Generic Manufacturer

✓ NeoRecormon

### **Antianaemics**

# **Hypoplastic and Haemolytic**

### **⇒**SA0922 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Both:
  - 1.1 patient in chronic renal failure; and
  - 1.2 Haemoglobin ≤ 100g/L; and
- 2 Any of the following:
  - 2.1 Both:
    - 2.1.1 patient is not diabetic; and
    - 2.1.2 glomerular filtration rate < 30ml/min: or
  - 2.2 Both:
    - 2.2.1 patient is diabetic; and
    - 2.2.2 glomerular filtration rate ≤ 45ml/min; or
  - 2.3 patient is on haemodialysis or peritoneal dialysis.

**Renewal** only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Notes: Erythropoietin beta is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

The Cockroft-Gault Formula may be used to estimate glomerular filtration rate (GFR) in persons 18 years and over:

GFR (ml/min) (male) =  $(140 - age) \times Ideal Body Weight (kg) / 814 \times serum creatinine (mmol/l)$ 

Inj 10,000 iu, prefilled syringe .......395.18

GFR (ml/min) (female) = Estimated GFR (male)  $\times$  0.85

ERYTHROPOIETIN ALPHA - Special Authority see SA0922 ab	ove – Retail pharma	acy	
Inj human recombinant 1,000 iu prefilled syringe	48.68	6	Eprex
Inj human recombinant 2,000 iu, prefilled syringe	120.18	6	Eprex
Inj human recombinant 3,000 iu, prefilled syringe	166.87	6	✓ Eprex
Inj human recombinant 4,000 iu, prefilled syringe	193.13	6	Eprex
Inj human recombinant 5,000 iu, prefilled syringe	243.26	6	Eprex
Inj human recombinant 6,000 iu, prefilled syringe	291.92	6	Eprex

inj numan recombinant 10,000 iu, pretilied syringe	395.18	б	<b>∠</b> Eprex
ERYTHROPOIETIN BETA - Special Authority see SA0922	2 above – Retail pharmacy		
Inj 2,000 iu, prefilled syringe	120.18	6	✓ NeoRecormon
Inj 3,000 iu, prefilled syringe	166.87	6	✓ NeoRecormon
Inj 4,000 iu, prefilled syringe		6	✓ NeoRecormon
Inj 5,000 iu, prefilled syringe		6	✓ NeoRecormon
Ini 6,000 ju, prefilled syringe	291.29	6	✓ NeoRecormon

# Megaloblastic

FOL		

*	Tab 0.8 mg19.80	1,000	Apo-Folic Acid
*	Tab 5 mg10.21	500	Apo-Folic Acid
	Oral lig 50 $\mu$ g per ml24.00	25 ml OP	✓ Biomed

	Subsidy (Manufacturer's Price)		Fully Brand or Subsidised Generic
	\$	Per	✓ Manufacturer
Antifibrinolytics, Haemostatics and Local Sclere	osants		
SODIUM TETRADECYL SULPHATE			
* Inj 0.5% 2 ml		5	Filoso cosio
* Inj 1% 2 ml	(45.52) 25.00	5	Fibro-vein
76 HJ 170 Z HI	(48.98)	Ü	Fibro-vein
* Inj 3% 2 ml	28.50	5	
	(55.91)		Fibro-vein
TRANEXAMIC ACID Tab 500 mg	32.92	100	✓ Cyklokapron
Vitamin K			
PHYTOMENADIONE			
Inj 2 mg per 0.2 ml - Up to 5 inj available on a PSO		5	Konakion MM
Inj 10 mg per ml, 1 ml - Up to 5 inj available on a PSO	9.21	5	✓ Konakion MM
Antithrombotic Agents			
Antiplatelet Agents			
ASPIRIN			4
* Tab 100 mg	14.00	990	Ethics Aspirin EC
CLOPIDOGREL			
Tab 75 mg — For clopidogrel oral liquid formulation refer, page		90	✓ Apo-Clopidogrel
DIPYRIDAMOLE	10.20	50	Apo-olopidogrei
* Tab 25 mg - For dipyridamole oral liquid formulation refer			
page 171		84	✓ Persantin
* Tab long-acting 150 mg	11.52	60	✓ Pytazen SR
Heparin and Antagonist Preparations			
ENOXAPARIN SODIUM - Special Authority see SA1174 below	- Retail pharmacy		
Inj 20 mg		10	✓ <u>Clexane</u>
Inj 40 mg Inj 60 mg		10 10	<ul><li>✓ <u>Clexane</u></li><li>✓ Clexane</li></ul>
Inj 80 mg		10	✓ Clexane
Inj 100 mg		10	Clexane
Inj 120 mg		10	✓ <u>Clexane</u>
Inj 150 mg	192.00	10	✓ <u>Clexane</u>

Subsidy

Fully

Brand or

# ■ SA1174 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

**Initial application — (Venous thromboembolism other than in pregnancy or malignancy)** from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

continued...

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	

continued...

#### Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic INR with oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Fither:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

### HEPARIN SODIUM

Inj 1,000 iu per ml, 5 ml	10 50 10 50 1 5	✓ Mayne ✓ Mayne ✓ Pfizer ✓ Pfizer ✓ Mayne ✓ Mayne
Inj 5,000 lu per ml, 1 ml	50 5	✓ Pfizer ✓ Mayne
* Inj 10 iu per ml, 5 ml32.50 PROTAMINE SULPHATE	50	✔ Pfizer
* Inj 10 mg per ml, 5 ml		Artex

# **Oral Anticoagulants**

#### DABIGATRAN

Dabigatran will not be funded Close Control in amoun	ts less than 4 weeks of t	reatment.	
Cap 75 mg - No more than 2 cap per day		60 OP	Pradaxa
Cap 110 mg		60 OP	Pradaxa
Cap 150 mg	148.00	60 OP	Pradaxa
RIVAROXABAN - Special Authority see SA1066 on the n	ext page – Retail pharm	acy	
Tab 10 mg	153.00	15	Xarelto
-	306.00	30	Xarelto

Subsidy		Fully	Brand or
(Manufacturer's Price)	Su	bsidised	Generic
\$	Per	~	Manufacturer

### ■ SA1066 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 5 weeks for applications meeting the following criteria: Either:

- 1 For the prophylaxis of venous thromboembolism following a total hip replacement; or
- 2 For the prophylaxis of venous thromboembolism following a total knee replacement.

Note: Rivaroxaban is only currently indicated and subsidised for up to 5 weeks therapy for prophylaxis of venous thromboembolism following a total hip replacement and up to 2 weeks therapy for prophylaxis of venous thromboembolism following a total knee replacement.

**Renewal** from any relevant practitioner. Approvals valid for 5 weeks where prophylaxis for venous thromboembolism is required for patients following a subsequent total hip or knee replacement.

#### WARFARIN SODIUM

Note: Marevan and Coumadin are not interchangeable.

*	Tab 1 mg	3.46	50	Coumadin
		5.69	100	Marevan
*	Tab 2 mg	4.31	50	Coumadin
*	Tab 3 mg	800	100	Marevan
	Tab 5 mg		50	Coumadin
	-	9.64	100	✓ Marevan

# Fluids and Electrolytes

#### Intravenous Administration

DEXTROSE		
* Inj 50%, 10 ml - Up to 5 inj available on a PSO19.50	5	✓ Biomed
* Inj 50%, 90 ml – Up to 5 inj available on a PSO11.25	1	✓ Biomed
POTASSIUM CHLORIDE		
* Inj 75 mg per ml, 10 ml55.00	50	✓ AstraZeneca
SODIUM BICARBONATE		
Inj 8.4%, 50 ml	1	✓ Biomed
a) Up to 5 inj available on a PSO		
b) Not in combination		
Inj 8.4%, 100 ml20.50	1	✓ Biomed

#### b) Not in combination

SODIUM CHLORIDE

a) Up to 5 inj available on a PSO

Not funded for use as a nasal drop. Only funded for nebuliser use when in conjunction with an antibiotic intended for nebuliser

Inf 0.9% – Up to 2000 ml available on a PSO3	.06	500 ml	~	Baxter
4	.06	1,000 ml	~	Baxter
Only if prescribed on a prescription for renal dialysis, maternity or p	post-natal	care in the	home	of the patient, or on a PSO
for emergency use, (500 ml and 1,000 ml packs)				

lnj 23.4%, 20 ml .......31.25 ✓ Biomed Inj 0.9%, 5 ml – Up to 5 inj available on a PSO.......10.85 ✓ Multichem ✔ Pfizer Inj 0.9%, 10 ml - Up to 5 inj available on a PSO......11.50 ✓ Multichem 50 ✔ Pfizer ✔ Pharmacia 6 11.79 30 ✔ Pharmacia 8.41 20 ✓ Multichem

	Subsidy (Manufacturer's	Price) Sub	Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
TOTAL PARENTERAL NUTRITION (TPN) – Retail pharmacy-Sp Infusion		1 OP	✓ TPN
NATER			
<ol> <li>On a prescription or Practitioner's Supply Order only whe Schedule requiring a solvent or diluent; or</li> <li>On a bulk supply order; or</li> </ol>	n on the same	form as an inje	ction listed in the Pharmaceutic
When used in the extemporaneous compounding of eye d	rops.		
Purified for inj, 5 ml – Up to 5 inj available on a PSO		50	Multichem
Purified for inj, 10 ml — Up to 5 inj available on a PSO Purified for inj, 20 ml — Up to 5 inj available on a PSO		50 20	<ul><li>✓ Multichem</li><li>✓ Multichem</li></ul>
Oral Administration			
CALCIUM POLYSTYRENE SULPHONATE			
Powder	169.85	300 g OP	Calcium Resonium
COMPOUND ELECTROLYTES			
Powder for soln for oral use 4.4 g - Up to 10 sach available on a PSO		5	✓ Electral
DEXTROSE WITH ELECTROLYTES	1.12	5	Liectiai
Soln with electrolytes	6.60	1,000 ml OP	✓ Pedialyte -
			Bubblegum
	6.75		<ul> <li>✓ Pedialyte - Fruit</li> <li>✓ Pedialyte - Plain</li> </ul>
POTASSIUM BICARBONATE	0.70		rodiary to riam
Tab eff 315 mg with sodium acid phosphate 1.937 g and	I		
sodium bicarbonate 350 mg	82.50	100	✓ Phosphate-Sandoz
For phosphate supplementation POTASSIUM CHLORIDE			
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	5.26	60	
	(11.85)		Chlorvescent
* Tab long-acting 600 mg	7.00	200	✓ <u>Span-K</u>
SODIUM BICARBONATE  Cap 840 mg	8 52	100	✓ Sodibic
SODIUM POLYSTYRENE SULPHONATE		100	Coulding
Powder	89.10	450 g OP	✓ Resonium-A
Lipid Modifying Agents			
Fibrates			
BEZAFIBRATE			
* Tab 200 mg		90	Fibalip
* Tab long-acting 400 mg	5.70	30	✓ Bezalip Retard
GEMFIBROZIL Tab 600 mg	14.00	60	✓ <u>Lipazil</u>
Other Lipid Modifying Agents			
ACIPIMOX			
* Cap 250 mg	18.75	30	✓ Olbetam
- -			

<sup>▲</sup>Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
NICOTINIC ACID  * Tab 50 mg  * Tab 500 mg		100 100		Apo-Nicotinic Acid Apo-Nicotinic Acid
Resins				
CHOLESTYRAMINE WITH ASPARTAME Sachets 4 g with aspartame	19.25 (52.68)	50		Questran-Lite
COLESTIPOL HYDROCHLORIDE Sachets 5 g	20.00	30	~	Colestid
HMG CoA Reductase Inhibitors (Statins)				
Prescribing Guidelines  Treatment with HMG CoA Reductase Inhibitors (statins) is recovardiovascular risk of 15% or greater.	mmended for patients	with	dyslipidaer	mia and an absolute 5 year
ATORVASTATIN – See prescribing guideline above				
* Tab 10 mg	2.90	30		Dr Reddy's Atorvastatin
	18.32		~	Lipitor
* Tab 20 mg		30		Dr Reddy's
5				Atorvastatin
	26.70		~	Lipitor
* Tab 40 mg	6.51	30		Dr Reddy's Atorvastatin
	37.02			Lipitor
* Tab 80 mg	9.67	30		Dr Reddy's Atorvastatin
	110.50		~	Lipitor
PRAVASTATIN – See prescribing guideline above				
Tab 20 mg		30		<u>Cholvastin</u>
Tab 40 mg	9.28	30		<u>Cholvastin</u>
SIMVASTATIN - See prescribing guideline above				
* Tab 10 mg		90		Arrow-Simva 10mg
* Tab 20 mg		90		Arrow-Simva 20mg
* Tab 40 mg		90		Arrow-Simva 40mg
* Tab 80 mg	9.31	90	<i>V</i> .	Arrow-Simva 80mg
Selective Cholesterol Absorption Inhibitors				
EZETIMIBE - Special Authority see SA1045 below - Retail pha	rmacy			
Tab 10 mg	•	30	~	Ezetrol

# **⇒**SA1045 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 Any of the following:

continued...

Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer	
--	-----------	---------------------	-------------------------------------	--

continued...

- 3.1 The patient has rhabdomyolysis (defined as muscle aches and creatine kinase more than  $10 \times$  normal) when treated with one statin: or
- 3.2 The patient is intolerant to both simvastatin and atorvastatin; or
- 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

EZETIMIBE WITH SIMVASTATIN - Special Authority see SA1046 below - Retail pharmacy

Tab 10 mg with simvastatin 10 mg	48.90	30	✓ Vytorin
Tab 10 mg with simvastatin 20 mg	51.60	30	✓ Vytorin
Tab 10 mg with simvastatin 40 mg	55.20	30	✓ Vytorin
Tab 10 mg with simvastatin 80 mg	60.60	30	✓ Vytorin

# ■ SA1046 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to ≤ 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

#### Iron Overload

DEFERIPRONE - Special Authority see SA1042 below	- Retail pharmacy		
Tab 500 mg	533.17	100	✓ Ferriprox
Oral liq 100 mg per 1 ml	266.59	250 ml OP	✓ Ferriprox

### ■ SA1042 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid without further renewal unless notified where the patient has been diagnosed with chronic transfusional iron overload due to congenital inherited anaemia.

Note: For the purposes of this Special Authority, a relevant specialist is defined as a haematologist.

#### DESFERRIOXAMINE MESYLATE

*	Inj 500 mg	9	9.0	)0	10	V	May	ne
---	------------	---	-----	----	----	---	-----	----

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sub	sidised	Generic
\$	Por	~	Manufacturer

	Ψ	1 01	Widificiactarer
Alpha Adrenoceptor Blockers			
DOXAZOSIN MESYLATE			
* Tab 2 mg		500	✓ Apo-Doxazosin
* Tab 4 mg	12.40	500	✓ Apo-Doxazosin
PHENOXYBENZAMINE HYDROCHLORIDE			
* Cap 10 mg	7.82	30	✓ Dibenyline S29
	26.05	100	✓ Dibenyline S29
PHENTOLAMINE MESYLATE			
* Inj 10 mg per ml, 1 ml	17.97	5	
	(31.65)		Regitine
PRAZOSIN HYDROCHLORIDE			
* Tab 1 mg	5.53	100	✓ Apo-Prazo
* Tab 2 mg	7.00	100	✓ Apo-Prazo
* Tab 5 mg	11.70	100	✓ Apo-Prazo
TERAZOSIN HYDROCHLORIDE			
* Tab 1 mg	1.50	28	✓ Arrow
* Tab 2 mg	0.80	28	✓ <u>Arrow</u>
* Tab 5 mg	1.00	28	✓ <u>Arrow</u>

# Agents Affecting the Renin-Angiotensin System

Perindopril and trandolapril will be funded to the level of the ex-manufacturer price listed in the Schedule for patients who were taking these ACE inhibitors for the treatment of congestive heart failure prior to 1 June 1998. The prescription must be endorsed accordingly. We recommend that the words used to indicate eligibility are "certified condition" or an appropriate description of the patient such as "congestive heart failure", "CHF", "congestive cardiac failure" or "CCF". **Definition of Congestive Heart Failure** At the request of some prescribers the PTAC Cardiovascular subcommittee has provided a definition of congestive heart failure for the purposes of the funding of the manufacturer's surcharge: "Clinicians should use their clinical judgement. Existing patients would be eligible for the funding of the surcharge if the patient shows signs and symptoms of congestive heart failure, and requires or has in the past required concomitant treatment with a diuretic. The definition could also be considered to include patients post myocardial infarction with an ejection fraction of less than 40%."

# **ACE Inhibitors**

**CAPTOPRIL** 

0			
* Tab 12.5 mg	2.00	100	m-Captopril
	2.40	100	✓ m-Captopril
•	3.50	100	m-Captopril
	94.99	95 ml OP	Capoten
Oral liquid restricted to childre			<u></u>
CILAZAPRIL			
* Tab 0.5 mg	0.95	30	✓ Zapril
* Tab 2.5 mg	6.18	90	✓ Zapril
* Tab 5 mg	9.84	90	✓ Zapril
ENALAPRIL			
* Tab 5 mg	1.98	90	Arrow-Enalapril
	2.44	90	✓ Arrow-Enalapril
* Tab 20 mg - For enalapril oral	liquid formulation refer, page		
	3.24	90	✓ Arrow-Enalapril

	Subsidy (Manufacturer's Price)		Full Subsidise	
	(Manufacturer's Price) \$	Per	Subsidise	
ISINOPRIL				
★ Tab 5 mg	2.06	30	~	Arrow-Lisinopril
★ Tab 10 mg	2.36	30	~	Arrow-Lisinopril
₭ Tab 20 mg	2.87	30	~	Arrow-Lisinopril
PERINDOPRIL				
★ Tab 2 mg - Higher subsidy of \$18.50 per 30 tab with En-				
dorsement	3.00	30		
	(18.50)			Coversyl
★ Tab 4 mg - Higher subsidy of \$25.00 per 30 tab with En-				
dorsement	4.05	30		
	(25.00)			Coversyl
QUINAPRIL				
★ Tab 5 mg	1.60	30	~	Accupril
₭ Tab 10 mg	1.75	30	~	Accupril
k Tab 20 mg	2.35	30	~	Accupril
TRANDOLAPRIL				
★ Cap 1 mg - Higher subsidy of \$18.67 per 28 cap with En-				
dorsement		28		
	(18.67)	-		Gopten
★ Cap 2 mg - Higher subsidy of \$27.00 per 28 cap with En-	. ,			•
dorsement		28		
	(27.00)			Gopten
ACE Inhibitors with Diuretics				
NI AZARDII WITH HVDDOCHI ODOTHIAZIDE				
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE  Tab 5 mg with hydrochlorothiazide 12.5 mg	5.36	28	V	Inhibace Plus
• •		20		minuace Flus
NALAPRIL WITH HYDROCHLOROTHIAZIDE	0.00	00		
* Tab 20 mg with hydrochlorothiazide 12.5 mg		30		Co Donitos
	(8.70)			Co-Renitec
QUINAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 10 mg with hydrochlorothiazide 12.5 mg		30		Accuretic 10
* Tab 20 mg with hydrochlorothiazide 12.5 mg	4.57	30	~	Accuretic 20
Angiotension II Antagonists				
CANDESARTAN - Special Authority see SA0933 on the next page	ne – Retail nharmacy			
★ Tab 4 mg — No more than 1.5 tab per day		30	V	Atacand
	48.66	90		Candestar
★ Tab 8 mg – No more than 1.5 tab per day		30		Atacand
• · · · · · · · · · · · · · · · · · · ·	57.90	90	~	Candestar
Fab 16 mg - No more than 1 tab per day	23.54	30	~	Atacand
,	70.62	90	~	Candestar
★ Tab 32 mg – No more than 1 tab per day	38.50	30	~	Atacand
	115.50	90	~	Candestar

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✓ Manufacturer

### **⇒**SA0933 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Fither:

- 1 Both:
  - 1.1 Patient with congestive heart failure; and
  - 1.2 Either:
    - 1.2.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
    - 1.2.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years; or
- 2 All of the following:
  - 2.1 Patient with raised blood pressure; and

LOSARTAN - Brand switch fee payable - see page 169 for details

- 2.2 Use of fully funded beta blockers or diuretics are contraindicated; or not well tolerated; or insufficient to control blood pressure adequately at appropriate doses; and
- 2.3 Either:

\* Tah 12.5 mg

- 2.3.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or
- 2.3.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years.

2 22

an

✓ I ostaar

*	1ab 12.5 mg2.88	90	Lostaar
*	Tab 25 mg3.20	90	✓ Lostaar
*	Tab 50 mg5.22	90	✓ Lostaar
	Tab 50 mg with hydrochlorothiazide 12.5 mg4.89	30	✓ Arrow-Losartan &
			<u>Hydrochlorothiazide</u>
*	Tab 100 mg8.68	90	✓ Lostaar
	Antiarrhythmics		
•	and an injunitios		
Αl	MIODARONE HYDROCHLORIDE		
	Tab 100 mg - Retail pharmacy-Specialist	30	✓ Aratac
			✓ Cordarone-X
	Tab 200 mg - Retail pharmacy-Specialist30.52	30	✓ Aratac
			✓ Cordarone-X
	Inj 50 mg per ml, 3 ml - Up to 5 inj available on a PSO60.84	10	✓ Cordarone-X
D	GOXIN		
*	Tab 62.5 $\mu$ g – Up to 30 tab available on a PSO	240	✓ Lanoxin PG
	Tab 250 μg – Up to 30 tab available on a PSO14.52	240	✓ Lanoxin
	‡ Oral liq 50 µg per ml16.60	60 ml	✓ Lanoxin
	SOPYRAMIDE PHOSPHATE		
	Cap 100 mg15.00	100	
_	(23.87)	100	Rythmodan
	Cap 150 mg26.21	100	✓ Rythmodan
_		100	· Hydinioudi.
	LECAINIDE ACETATE – Retail pharmacy-Specialist	00	. A Tamba and
	. Tab 50 mg	60	✓ Tambocor
		00	4
	refer, page 17180.92	60	Tambocor
	3 3	30	✓ Tambocor CR
•	Cap long-acting 200 mg80.92	30	✓ Tambocor CR
	Inj 10 mg per ml, 15 ml52.45	5	✓ Tambocor

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
PROPAFENONE HYDROCHLORIDE – Retail pharmacy-Special  Tab 150 mg		50	<b>✓</b> R	ytmonorm	
Antihypotensives					
MIDODRINE - Special Authority see SA0934 below - Retail pha	irmacy				
Tab 2.5 mg	53.00	100	<b>✓</b> G	utron	
Tab 5 mg	79.00	100	<b>✓</b> G	utron	

### **■**SA0934 Special Authority for Subsidy

**Beta Adrenoceptor Blockers** 

**ATENOLOL** 

I ABETALOL

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Disabling orthostatic hypotension not due to drugs: and
- 2 Patient has tried fludrocortisone (unless contra-indicated) with unsatisfactory results; and
- 3 Patient has tried non pharmacological treatments such as support hose, increased salt intake, exercise, and elevation of head and trunk at night.

Notes: Treatment should be started with small doses and titrated upwards as necessary.

\* Inj 5 mg per ml, 20 ml ......59.06

171 10.06

Tab 100 mg - For labetalol oral liquid formulation refer, page

Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

#### ✓ Pacific Atenolol 500 12.36 1.000 ✓ Atenolol Tablet USP ✔ Pacific Atenolol 500 ✓ Atenolol Tablet USP 21.46 1.000 **CARVEDILOL** Tab 6.25 mg .......21.00 30 Dilatrend 30 Dilatrend Tab 25 mg - For carvedilol oral liquid formulation refer, page Dilatrend CFLIPROLOI 180 ✓ Celol

100

100

100

5

(88.60)

✓ Hybloc

✔ Hybloc

✓ Hybloc

Trandate

METOPROLOL SUCCINATE			Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic  Manufacturer
# Tab long-acting 23.75 mg	ME	TOPROLOL SUCCINATE			
# Tab long-acting 47.5 mg			2.18	30	✓ Metoprolol - AFT CR
* Tab long-acting 95 mg	*	Tab long-acting 47.5 mg	2.74	30	<ul><li>✓ Betaloc CR</li><li>✓ Metoprolol - AFT CR</li></ul>
# Tab long-acting 190 mg	*	Tab long-acting 95 mg	4.71	30	<ul><li>✓ Betaloc CR</li><li>✓ Metoprolol - AFT CR</li></ul>
METOPROLOL TARTRATE          * Tab 50 mg − For metoprolol tartrate oral liquid formulation refer, page 171	*	Tab long-acting 190 mg	8.51	30	<ul><li>✓ Betaloc CR</li><li>✓ Metoprolol - AFT CR</li></ul>
* Tab 50 mg - For metoprolol tartrate oral liquid formulation refer, page 171	ME	TOPROLOL TARTRATE			wyloc off
refer, page 171					
# Tab 100 mg	-10		16.50	100	✓ Lopresor
* Inj 1 mg per ml, 5 ml	*	., .		60	
NADOLOL	*	Tab long-acting 200 mg	18.40	28	✓ Slow-Lopresor
NADOLOL	*	Inj 1 mg per ml, 5 ml	24.00	5	✓ Lopresor
NADOLOL          * Tab 40 mg					Retalon
* Tab 40 mg       14.97       100       ✓ Apo-Nadolol         * Tab 80 mg       22.19       100       ✓ Apo-Nadolol         PINDOLOL       * Tab 5 mg       5.40       100       ✓ Apo-Pindolol         * Tab 10 mg       9.19       100       ✓ Apo-Pindolol         * Tab 15 mg       13.80       100       ✓ Apo-Pindolol         PROPRANOLOL       Tab 10 mg       3.55       100       ✓ Cardinol         Tab 40 mg       4.65       100       ✓ Cardinol         * Cap long-acting 160 mg       16.06       100       ✓ Cardinol LA         SOTALOL       * Tab 80 mg − For sotalol oral liquid formulation refer, page 171       27.50       500       ✓ Mylan         * Tab 160 mg       10.50       100       ✓ Mylan         * Tab 160 mg       10.50       100       ✓ Mylan         * Inj 10 mg per ml, 4 ml       65.39       5       Sotacor         TIMOLOL MALEATE         * Tab 10 mg       10.55       100       ✓ Apo-Timol         Calcium Channel Blockers         Dihydropyridine Calcium Channel Blockers (DHP CCBs)         AMLODIPINE         * Tab 5 mg       For amlodipine oral liquid formulation refer, page         171<	NIA	DOLOI	(34.00)		Detaioc
* Tab 80 mg			14 97	100	✓ Ano-Nadolol
PINDOLOL  * Tab 5 mg					
# Tab 5 mg	PIN	· ·			•
* Tab 10 mg			5.40	100	✓ Apo-Pindolol
PROPRANOLOL  Tab 10 mg	*	•		100	
Tab 10 mg	*	Tab 15 mg	13.80	100	✓ Apo-Pindolol
Tab 40 mg	PR	OPRANOLOL			
* Cap long-acting 160 mg       16.06       100       ✓ Cardinol LA         SOTALOL       * Tab 80 mg − For sotalol oral liquid formulation refer, page 171       27.50       500       ✓ Mylan         * Tab 160 mg       10.50       100       ✓ Mylan         * Inj 10 mg per ml, 4 ml       .65.39       5       ✓ Sotacor         TIMOLOL MALEATE         * Tab 10 mg       10.55       100       ✓ Apo-Timol         Calcium Channel Blockers         Dihydropyridine Calcium Channel Blockers (DHP CCBs)         AMLODIPINE         * Tab 2.5 mg       2.45       100       ✓ Apo-Amlodipine         * Tab 5 mg − For amlodipine oral liquid formulation refer, page       2.65       100       ✓ Apo-Amlodipine		Tab 10 mg	3.55	100	✓ Cardinol
SOTALOL  * Tab 80 mg − For sotalol oral liquid formulation refer, page 17127.50 500				100	✓ Cardinol
* Tab 80 mg − For sotalol oral liquid formulation refer, page 171	*	Cap long-acting 160 mg	16.06	100	✓ Cardinol LA
* Tab 160 mg       10.50       100       ✓ Mylan         * Inj 10 mg per ml, 4 ml       65.39       5       ✓ Sotacor         TIMOLOL MALEATE         * Tab 10 mg       10.55       100       ✓ Apo-Timol         Calcium Channel Blockers         Dihydropyridine Calcium Channel Blockers (DHP CCBs)         AMLODIPINE         * Tab 2.5 mg       2.45       100       ✓ Apo-Amlodipine         * Tab 5 mg       For amlodipine oral liquid formulation refer, page       2.65       100       ✓ Apo-Amlodipine	SO	TALOL			
* Inj 10 mg per ml, 4 ml	*	Tab 80 mg - For sotalol oral liquid formulation refer, page 17	127.50	500	✓ <u>Mylan</u>
TIMOLOL MALEATE  * Tab 10 mg	*				·
* Tab 10 mg	*	Inj 10 mg per ml, 4 ml	65.39	5	✓ Sotacor
Calcium Channel Blockers  Dihydropyridine Calcium Channel Blockers (DHP CCBs)  AMLODIPINE  * Tab 2.5 mg — Section 100 ✓ Apo-Amlodipine  * Tab 5 mg — For amlodipine oral liquid formulation refer, page 171 ———————————————————————————————————	TIN				
Dihydropyridine Calcium Channel Blockers (DHP CCBs)  AMLODIPINE  ★ Tab 2.5 mg	*	Tab 10 mg	10.55	100	✓ <u>Apo-Timol</u>
AMLODIPINE  * Tab 2.5 mg	C	alcium Channel Blockers			
★ Tab 2.5 mg       2.45       100       ✓ Apo-Amlodipine         ★ Tab 5 mg       For amlodipine oral liquid formulation refer, page       2.65       100       ✓ Apo-Amlodipine	D	ihydropyridine Calcium Channel Blockers (DHF	P CCBs)		
★ Tab 2.5 mg       2.45       100       ✓ Apo-Amlodipine         ★ Tab 5 mg       For amlodipine oral liquid formulation refer, page       2.65       100       ✓ Apo-Amlodipine	ΑN	ILODIPINE			
<ul> <li>★ Tab 5 mg - For amlodipine oral liquid formulation refer, page</li> <li>171</li></ul>			2.45	100	✓ Apo-Amlodipine
1712.65 100 <b>✓</b> <u>Apo-Amlodipine</u>	*	•			
<b>*</b> Tab 10 mg			2.65	100	Apo-Amlodipine
	*	Tab 10 mg	4.15	100	✓ Apo-Amlodipine

	Subsidy		Fully	
	(Manufacturer's Price)	Sul Per	bsidised	
FELODIPINE				
* Tab long-acting 2.5 mg - No more than 1 tab per day	10.38	30	<b>1</b>	Plendil ER
* Tab long-acting 5 mg		90		Felo 5 ER
* Tab long-acting 10 mg		90	_	Felo 10 ER
		00	•	I CIO TO LIT
ISRADIPINE	7.50	00		Damas des ODO
Cap long-acting 2.5 mg		30		Dynacirc-SRO
Cap long-acting 5 mg	7.85	30	<b>V</b>	Dynacirc-SRO
NIFEDIPINE				
* Tab long-acting 10 mg	17.72	60	<b>V</b>	Adalat 10
* Tab long-acting 20 mg	7.30	100	<b>V</b>	Nyefax Retard
* Tab long-acting 30 mg	8.56	30	V	Adefin XL
			V	Arrow-Nifedipine XR
	5.50			
	(19.90)		1	Adalat Oros
* Tab long-acting 60 mg	12.28	30	V	Adefin XL
			~	Arrow-Nifedipine XR
	8.00			
	(29.50)			Adalat Oros
Other Calcium Channel Blockers				
DILTIAZEM HYDROCHLORIDE				
* Tab 30 mg	4.60	100	./	Dilzem
· ·		100	•	Diizeiii
* Tab 60 mg - For diltiazem hydrochloride oral liquid formula-		400		D!!
tion refer, page 171		100	-	Dilzem
* Cap long-acting 120 mg		30		Cardizem CD
* Cap long-acting 180 mg		30		Cardizem CD
* Cap long-acting 240 mg		30		Cardizem CD
PERHEXILINE MALEATE - Special Authority see SA0256 below	<ul> <li>Retail pharmacy</li> </ul>			
* Tab 100 mg	62.90	100	<b>/</b>	Pexsig
<b>⇒</b> SA0256 Special Authority for Subsidy				
<b>Initial application</b> only from a cardiologist or general physician.	Approvals valid for 2	years for	applica	ations meeting the followin
criteria:		•		· ·
Both:				
1 Refractory angina; and				
2 Patient is already on maximal anti-anginal therapy.				
Renewal only from a cardiologist or general physician. Approval	s valid for 2 years wh	nere the t	reatme	ent remains appropriate an
the patient is benefiting from treatment.	,			Lie als some and
VERAPAMIL HYDROCHLORIDE				
VEHALAWIE HIDIOOHEOHIDE				

*	Tab 40 mg7.	.01	100	✓ Isoptin
*	Tab 80 mg - For verapamil hydrochloride oral liquid formula-			
	tion refer, page 17111.	74	100	✓ Isoptin
*	Tab long-acting 120 mg15.	20	250	✓ Verpamil SR
*	Tab long-acting 240 mg25.	.00	250	✓ Verpamil SR
	Inj 2.5 mg per ml, 2 ml - Up to 5 inj available on a PSO7.		5	✓ Isoptin

	0		F. 0.	Drandar
	Subsidy (Manufacturer's Pr	ice) Subs	Fully	Brand or Generic
	\$	Per	~	Manufacturer
Controlly Acting Agents				
Centrally Acting Agents				
CLONIDINE				
* TDDS 2.5 mg, 100 $\mu$ g per day – Only on a prescription		4		atapres-TTS-1
* TDDS 5 mg, 200 $\mu$ g per day – Only on a prescription		4		atapres-TTS-2
* TDDS 7.5 mg, 300 $\mu$ g per day – Only on a prescription	41.20	4	<u> </u>	atapres-TTS-3
CLONIDINE HYDROCHLORIDE				
* Tab 150 μg		100		atapres_
* Inj 150 $\mu$ g per ml, 1 ml	15.45	5	<u> </u>	atapres_
METHYLDOPA	44.05	400		
* Tab 125 mg		100		rodopa
* Tab 250 mg * Tab 500 mg		100 100		rodopa rodopa
	20.10	100	¥	ιουομα
Diuretics				
Loop Diuretics				
Loop Didictics				
BUMETANIDE				
* Tab 1 mg		100		Burinex
$st$ Inj 500 $\mu$ g per ml, 4 ml	7.95	5	<b>✓</b> B	Burinex
FUROSEMIDE				
* Tab 40 mg - Up to 30 tab available on a PSO		1,000		iurin 40
* Tab 500 mg		50		rex Forte
*‡ Oral liq 10 mg per ml		30 ml OP	<b>✓</b> L	
<ul> <li>Infusion 10 mg per ml, 25 ml</li> <li>Inj 10 mg per ml, 2 ml</li> <li>Up to 5 inj available on a PSO</li> </ul>		5 5		asıx rusemide-Claris
, , ,	1.00		¥ <u>1</u>	- acciminate ordina
Potassium Sparing Diuretics				
AMILORIDE				
‡ Oral liq 1 mg per ml	30.00	25 ml OP	<b>✓</b> B	iomed
SPIRONOLACTONE				
* Tab 25 mg	4.60	100	<b>√</b> S	pirotone
* Tab 100 mg		100		pirotone
‡ Oral liq 5 mg per ml	30.00	25 ml OP	<b>✓</b> B	liomed
Potassium Sparing Combination Diuretics				
, ,				
AMILORIDE WITH FRUSEMIDE	0.00	00		······································
* Tab 5 mg with frusemide 40 mg	8.63	28	V F	rumil
AMILORIDE WITH HYDROCHLOROTHIAZIDE	5.00	50		La damatia
* Tab 5 mg with hydrochlorothiazide 50 mg	5.00	50	V	loduretic
Thiazide and Related Diuretics				
BENDROFLUAZIDE				
* Tab 2.5 mg - Up to 150 tab available on a PSO	6.48	500	✓ <u>A</u>	rrow-
				Bendrofluazide
May be supplied on a PSO for reasons other than emerge	•	F00		*****
* Tab 5 mg	9.95	500	<u> A</u>	<u>rrow-</u> Bendrofluazide
				DEHUIVIIUAZIUE

	Subsidy		Fully Brand or
	(Manufacturer's	Price) Subs Per	sidised Generic  Manufacturer
CHLOROTHIAZIDE			
‡ Oral liq 50 mg per ml	26.00	25 ml OP	✓ Biomed
CHLORTHALIDONE			
* Tab 25 mg	8.00	50	✓ Hygroton
INDAPAMIDE			
* Tab 2.5 mg	2.95	90	✓ <u>Dapa-Tabs</u>
Nitrates			
GLYCERYL TRINITRATE			
$st$ Tab 600 $\mu$ g – Up to 100 tab available on a PSO	8.00	100 OP	✓ <u>Lycinate</u>
* Aerosol spray, 400 $\mu$ g per dose – Up to 250 dose availa		050   05	4.01.11
on a PSO  * Oral pump spray 400 μg per dose – Up to 250 dose availa		250 dose OP	✓ Glytrin
on a PSO		250 dose OP	✓ Nitrolingual
			Pumpspray
* TDDS 5 mg		30	✓ Nitroderm TTS
* TDDS 10 mg	19.50	30	✓ <u>Nitroderm TTS</u>
ISOSORBIDE MONONITRATE	47.40	400	. 4 1 00
* Tab 20 mg  Tab long-acting 40 mg		100 30	✓ <u>Ismo 20</u> ✓ Corangin
* Tab long-acting 40 mg		90	✓ Duride
Sympathomimetics			
ADRENALINE Inj 1 in 1,000, 1 ml - Up to 5 inj available on a PSO	4 98	5	✓ Aspen Adrenaline
ing i in 1,000, i iiii op to o ing avanable on a i oo	5.25	J	✓ Mayne
Inj 1 in 10,000, 10 ml - Up to 5 inj available on a PSO	27.00	5	✓ Mayne
	49.00	10	Aspen Adrenaline
ISOPRENALINE HYDROCHLORIDE			
$st$ Inj 200 $\mu$ g per ml, 1 ml	36.80 (135.00)	25	Isuprel
	(135.00)		isuprei
Vasodilators			
AMYL NITRITE			
* Ampoule, 0.3 ml crushable		12	<b>D</b> .
	(73.40)		Baxter
HYDRALAZINE	05.00	-	A Anyonalina
* Inj 20 mg per ml, 1 ml	25.90	5	✓ Apresoline
OXYPENTIFYLLINE Tab 400 mg	36 0/	50	
iab 700 iiig	(42.26)	30	Trental 400
PAPAVERINE HYDROCHLORIDE	( 3)		<del>-</del>
* Inj 12 mg per ml, 10 ml	73.12	5	✓ Mayne
		•	,

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised Brand or Generic Manufacturer

# **Endothelin Receptor Antagonists**

### ⇒SA0967 | Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

AMBRISENTAN - Special Authority see SA0967 above - Retail pharmacy

 Tab 5 mg
 4,585.00
 30
 ✓ Volibris

 Tab 10 mg
 4,585.00
 30
 ✓ Volibris

BOSENTAN - Special Authority see SA0967 above - Retail pharmacy

 Tab 62.5 mg
 4,585.00
 60
 ✓ Tracleer

 Tab 125 mg
 4,585.00
 60
 ✓ Tracleer

# **Phosphodiesterase Type 5 Inhibitors**

# **⇒**SA1086 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

SILDENAFIL - Special Authority see SA1086 above - Retail pharmacy

 Tab 25 mg
 39.00
 4
 ✓ Viagra

 Tab 50 mg
 43.50
 4
 ✓ Viagra

Tab 100 mg − For sildenafil oral liquid formulation refer, page
171 .......47.00 4 ✓ Viagra

#### **Prostacyclin Analogues**

# ■ SA0969 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

ILOPROST - Special Authority see SA0969 above - Retail pharmacy

# **DERMATOLOGICALS**

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

# **Antiacne Preparations**

#### **ADAPALENE**

a) Maximum of 30 g per prescription

b) Only on a prescription			
Crm 0.1%	.22.89	30 g OP	Differin
Gel 0.1%	.22.89	30 g OP	Differin
ISOTRETINOIN - Special Authority see SA0955 below - Retail pharma	асу		
Cap 10 mg	.48.48	180	✓ Oratane
Cap 20 mg	.69.70	180	✓ Oratane

#### **▶**SA0955 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Patient has had an adequate trial on other available treatments and has received an inadequate response from these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 4 Either:
  - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
  - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has had an adequate trial on other available treatments and has received an inadequate response from these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 4 Either:
  - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
  - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

#### **TRFTINOIN**

Crm 0.5 mg per g − Maximum of 50 g per prescription ......13.90 50 g OP ✓ ReTrieve

	Subsidy	D.::) O.::In	Fully Brand or
	(Manufacturer's	Price) Suc Per	osidised Generic  Manufacturer
			· manadator
Antibacterials Topical			
FUSIDIC ACID			
Crm 2%	3.25	15 g OP	✓ Foban
a) Maximum of 15 g per prescription			
b) Only on a prescription			
c) Not in combination Oint 2%	2.05	15 ~ OD	. / Fahan
a) Maximum of 15 g per prescription	3.25	15 g OP	✓ <u>Foban</u>
b) Only on a prescription			
c) Not in combination			
HYDROGEN PEROXIDE			
* Crm 1%	8.56	10 g OP	✓ Crystacide
MUPIROCIN			
Oint 2%	6.60	15 g OP	
	(9.26)		Bactroban
a) Only on a prescription			
b) Not in combination			
SILVER SULPHADIAZINE		05	4
Crm 1%	12.30	50 g OP	✓ Flamazine
a) Up to 250 g available on a PSO     b) Not in combination			
,			
Antifungals Topical			
AMOROLFINE			
a) Only on a prescription			
b) Not in combination Nail soln 5%	27.06	5 ml OP	
Naii soiri 5%	(61.87)	5 IIII OP	Loceryl
CICLOPIDOVOLAMINE	(01.07)		Loodiyi
CICLOPIROXOLAMINE a) Only on a prescription			
b) Not in combination			
Nail soln 8%	19.85	3.5 ml OP	✓ Batrafen
Soln 1%	4.36	20 ml OP	
	(11.54)		Batrafen
CLOTRIMAZOLE			
* Crm 1%	0.54	20 g OP	✓ Clomazol
a) Only on a prescription			
b) Not in combination  * Soln 1%	136	20 ml OP	
ጥ JUII 1 /0	(7.55)	20 IIII OF	Canesten
a) Only on a prescription	()		<del></del>
h) Nationanahination			

b) Not in combination

Fully

Brand or

Subsidy

	Subsidy (Manufacturer's F	Price) Sul		Brand or Generic
	(Mandiacturer 31	Per		Manufacturer
ECONAZOLE NITRATE				
Crm 1%	1.00	20 g OP		
	(7.48)		Peva	aryl
a) Only on a prescription				
b) Not in combination Foaming soln 1%, 10 ml sachets	0.90	3		
Foanling Sont 170, 10 thi Sacriets	(17.23)	3	Peva	arvl
a) Only on a prescription	(17.20)		1 011	ar y r
b) Not in combination				
MICONAZOLE NITRATE				
* Crm 2%	0.46	15 g OP	✓ Muli	tichem
a) Only on a prescription		Ü		
b) Not in combination				
* Lotn 2%		30 ml OP		
a) Oak an a manadalina	(10.03)		Dak	tarin
a) Only on a prescription     b) Not in combination				
* Tinct 2%	4 36	30 ml OP		
r IIICL Z/0	(12.10)	30 1111 01	Dak	tarin
a) Only on a prescription	(-=)		24	
b) Not in combination				
NYSTATIN				
Crm 100,000 u per g	1.00	15 g OP		
	(7.90)	•	Мус	ostatin
a) Only on a prescription				
b) Not in combination				
Antipruritic Preparations				
CALAMINE				
a) Only on a prescription				
b) Not in combination				
Ćrm, aqueous, BP	2.78	100 g	✓ hea	<u>lthE</u>
Lotn, BP	16.70	2,000 ml	✓ <u>API</u>	
CROTAMITON				
a) Only on a prescription				
b) Not in combination				
Crm 10%	3.79	20 g OP	✓ <u>Itch</u>	-Soothe
MENTHOL - Only in combination				
Only in combination with aqueous cream, 10% urea crean mineral oil lotion, and glycerol, paraffin and cetyl alcohol le		ral oil lotion, 1	% hydroco	rtisone with wool fat ar
Crystals		25 g	✓ PSN	Л
	6.92	-	✓ Mid	
	29.60	100 g	✓ Mid	West

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

# **Corticosteroids Topical**

# **Corticosteroids - Plain**

BE	TAMETHASONE DIPROPIONATE			
	Crm 0.05%	2.96	15 g OP	
		(6.91)		Diprosone
		8.97	50 g OP	
		(18.36)		Diprosone
	Crm 0.05% in propylene glycol base	4.33	30 g OP	
		(13.83)		Diprosone OV
	Oint 0.05%		15 g OP	
		(6.51)		Diprosone
		8.97	50 g OP	D:
	O'at 0.050/ 'a accordance about here.	(17.11)	00 - 00	Diprosone
	Oint 0.05% in propylene glycol base		30 g OP	D:
		(13.83)		Diprosone OV
BE	TAMETHASONE VALERATE			
*	Crm 0.1%		50 g OP	✓ Beta Cream
*	Oint 0.1%		50 g OP	✓ Beta Ointment
*	Lotn 0.1%	10.05	50 ml OP	✓ Betnovate
CL	OBETASOL PROPIONATE			
*	Crm 0.05%	3.48	30 g OP	✓ <u>Dermol</u>
*	Oint 0.05%	3.48	30 g OP	✓ Dermol
CI	OBETASONE BUTYRATE			
-	Crm 0.05%	5.38	30 g OP	
		(7.09)	00 g 0.	Eumovate
		16.13	100 g OP	
		(22.00)	Ü	Eumovate
DIE	LUCORTOLONE VALERATE			
ווט	Crm 0.1%	8 97	50 g OP	
	OIII 0.170	(15.86)	30 g Oi	Nerisone
	Fatty oint 0.1%		50 g OP	1101100110
	. any control / c	(15.86)	00 g 0.	Nerisone
111/	DROCORTISONE	(10100)		
пт *	Crm 1% – Only on a prescription	14.00	500 g	✓ Pharmacy Health
	Powder – Only in combination		25 g	✓ ABM
*	Up to 5% in a dermatological base (not proprietary Topica		20 y od – Plain) with	
	galenicals. Refer, page 170	ai Corticosteri	ou – Flairi) With	ii oi without other dermatologica
1.157	DROCORTISONE BUTYRATE			
ĦΥ	Lipocream 0.1%	0.00	20 ~ OD	✓ Locoid Lipocream
	Lipocream 0.1%	6.85	30 g OP	•
	Oint 0.1%		100 g OP 100 g OP	<ul><li>✓ Locoid Lipocream</li><li>✓ Locoid</li></ul>
	Milky emul 0.1%		100 g OF 100 ml OP	✓ Locoid Crelo
1.00	,		100 1111 01	2 20000 0100
HY	DROCORTISONE WITH WOOL FAT AND MINERAL OIL			
	Lotn 1% with wool fat hydrous 3% and mineral oil - Only on	0.05	050	- 4 DD L - t - 110
	a prescription	9.95	250 ml	✓ <u>DP Lotn HC</u>

	Subsidy		Fully Brand or
	(Manufacturer's I	Price) Sub	osidised Generic
	\$	Per	✓ Manufacturer
METHYLPREDNISOLONE ACEPONATE			
Crm 0.1%	4.95	15 g OP	✓ Advantan
Oint 0.1%	4.95	15 g OP	✓ Advantan
MOMETASONE FUROATE			
Crm 0.1%	2.38	15 g OP	✓ m-Mometasone
	4.55	45 g OP	✓ m-Mometasone
Oint 0.1%	2.38	15 g OP	✓ m-Mometasone
	4.55	45 g OP	✓ m-Mometasone
Lotn 0.1%	7.35	30 ml OP	✓ Elocon
TRIAMCINOLONE ACETONIDE			
Crm 0.02%	6.63	100 g OP	✓ Aristocort
Oint 0.02%	6.69	100 g OP	✓ Aristocort
Corticosteroids - Combination			
BETAMETHASONE VALERATE WITH CLIOQUINOL - Only on a	nrescription		
Crm 0.1% with clioquinol 3%		15 g OP	
5 5, 5 5 5/5	(4.90)	. o g o.	Betnovate-C
Oint 0.1% with clioquinol 3%		15 g OP	
'	(4.90)	Ü	Betnovate-C
BETAMETHASONE VALERATE WITH FUSIDIC ACID			
Crm 0.1% with fusidic acid 2%	3.49	15 g OP	
	(10.45)	3 -	Fucicort
a) Maximum of 15 g per prescription	, ,		
b) Only on a prescription			
HYDROCORTISONE WITH MICONAZOLE - Only on a prescripti	on		
* Crm 1% with miconazole nitrate 2%	2.10	15 g OP	✓ Micreme H
HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - Onl	v on a prescrip	tion	
Crm 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	✓ Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	✓ Pimafucort
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN	AND NYSTAT	IN	
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg			
and gramicidin 250 $\mu$ g per g - Only on a prescription	3.49	15 g OP	
	(6.60)	- 3 -	Viaderm KC
Disinfecting and Cleansing Agents			
Disinfecting and Cleansing Agents			
CHLORHEXIDINE GLUCONATE – Subsidy by endorsement			
a) No more than 500 ml per month			
b) Only if prescribed for a dialysis patient and the prescription	is endorsed ac	cordingly.	
★ Handrub 1% with ethanol 70%		500 ml	✓ <u>healthE</u>
* Soln 4%	5.90	500 ml	✓ <u>Orion</u>

# **DERMATOLOGICALS**

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or sidised Generic  Manufacturer
TRICLOSAN – Subsidy by endorsement a) Maximum of 500 ml per prescription b)	de l'aller anna l'alance	Observation	(MDOA) - in the desired
<ul> <li>a) Only if prescribed for a patient identified with Met surgery in hospital and the prescription is endorsed</li> <li>b) Only if prescribed for a patient with recurrent Stap cordingly</li> </ul>	d accordingly; or		
Soln 1%	4.50 5.90	500 ml OP	<ul><li>✓ Pharmacy Health</li><li>✓ healthE</li></ul>
Barrier Creams and Emollients			
Barrier Creams			
ZINC AND CASTOR OIL Oint BP	3.83 5.11	500 g	✓ Multichem ✓ PSM
Emollients			
AQUEOUS CREAM * Crm	1.96	500 g	✓ <u>AFT</u>
CETOMACROGOL  * Crm BP	3.15	500 g	✓ <u>PSM</u>
# Oint BP	3.04	500 g	✓ <u>AFT</u>
OIL IN WATER EMULSION  * Crm	2.80	500 g	✓ healthE Fatty Cream
UREA  ★ Crm 10%	3.07	100 g OP	✓ Nutraplus
WOOL FAT WITH MINERAL OIL – Only on a prescription  * Lotn hydrous 3% with mineral oil	1.40	250 ml OP	DP Lotion
	5.60 (10.90)	1,000 ml	DP Lotion
	1.40 (3.50) 5.60	250 ml OP 1,000 ml	Hydroderm Lotion
	(9.54) (20.53)	,	Hydroderm Lotion Alpha-Keri Lotion
	1.40 (7.73)	250 ml OP	BK Lotion

5.60

(23.91)

1,000 ml

**BK** Lotion

	Subsidy		Fully Brand or	
	(Manufacturer's F	Price) Sub Per	sidised Generic  Manufacturer	
	•		· manadatara	
Other Dermatological Bases				
PARAFFIN				
White soft - Only in combination		500 g	.=	
	(7.78)	0.500 =	IPW	
	20.20 3.58	2,500 g 500 g	✓ IPW	
	(8.69)	300 g	PSM	
Only in combination with a dermatological galenical or as	, ,	oprietary Topica	al Corticosteroid – Plain.	
Minor Skin Infections				
POVIDONE IODINE				
Oint 10%	3.27	25 g OP	✓ Betadine	
a) Maximum of 100 g per prescription		-		
b) Only on a prescription				
Antiseptic soln 10%		15 ml	D . "	
	(4.45)	100 ml	Betadine	
	1.28 (8.25)	100 mi	Betadine	
	6.20	500 ml	✓ Betadine	
	1.28	100 ml		
	(4.20)		Riodine	
	6.20	500 ml	✓ Riodine	
Skin preparation, povidone iodine 10% with 30% alcohol		100 ml	D O D	
	(3.65) 10.00	500 ml	Betadine Skin Prep  Betadine Skin Pre	
Skin preparation, povidone iodine 10% with 70% alcohol		100 ml	Detaume Skin Pre	þ
only proparation, povidono localite 1070 with 7070 disconor	(6.04)	100 1111	Orion	
	8.13	500 ml		
	(18.63)		Orion	
Parasiticidal Preparations				
GAMMA BENZENE HEXACHLORIDE				
Crm 1%	3.50	50 g OP	✓ Benhex	
MALATHION		-		
Liq 0.5%	3.79	200 ml OP	✓ A-Lices	
Shampoo 1%	2.83	30 ml OP	✓ A-Lices	
PERMETHRIN				
Crm 5%	4.20	30 g OP	✓ Lyderm	
Lotn 5%	3.24	30 ml OP	✓ A-Scabies	
Psoriasis and Eczema Preparations				
ACITRETIN - Special Authority see SA0954 on the next page -	Retail pharmacy			
Cap 10 mg		60	✓ Novatretin	
-	75.80	100	✓ Neotigason	
Cap 25 mg		60	Novatretin	
	162.96	100	✓ Neotigason	



Subsidy		Fully	Brand or
(Manufacturer's Price)	S	Subsidised	Generic
\$	Per	~	Manufacturer

### ⇒SA0954 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
  - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
  - 3.2 Patient is male.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
  - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
  - 3.2 Patient is male.

RETAMETHASONE DIPROPIONATE WITH CAI CIPOTRIOI

BETAMETHASONE DIPROPIONATE WITH CALCIPOTRIOL			
Oint 500 $\mu g$ with calcipotriol 50 $\mu g$	26.12	30 g OP	✓ Daivobet
Topical gel 500 $\mu$ g with calcipotriol 50 $\mu$ g	26.12	30 g OP	✓ Daivobet
CALCIPOTRIOL			
Crm 50 $\mu$ g per g	16.00	30 g OP	✓ Daivonex
	45.00	100 g OP	✓ Daivonex
Oint 50 $\mu$ g per g	20.20	30 g OP	✓ Daivonex
	45.00	100 g OP	✓ Daivonex
Soln 50 $\mu$ g per ml	16.00	30 ml OP	✓ Daivonex
	33.79	60 ml OP	✓ Daivonex
COAL TAR			
Soln BP - Only in combination	12.95	200 ml	✓ <u>Midwest</u>
Up to 10 % Only in combination with a dermatological base or With or without other dermatological galenicals.	proprietary	Topical Cortic	costeriod - Plain, refer, page 170
COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULPHUR			
Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and			
allantoin crm 2.5%	3.43	30 g OP	
	(4.35)	Ü	Egopsoryl TA
	6.59	75 g OP	<b>3</b> 1
	(8.00)		Egopsoryl TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR			
Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	✓ Coco-Scalp

	Subsidy (Manufacturer's Price \$	e) Su Per	Fully Brand or bsidised Generic Manufacturer
SALICYLIC ACID	<u>-</u>		
Powder – Only in combination		250 g	<b>✓</b> PSM
Only in combination with a dermatological base or proceed 170.	roprietary Topical C	orticostero	d – Plain or collodion flexible, refer
page 170 2) With or without other dermatological galenicals.			
3) Maximum 20 g or 20 ml per prescription when p	cribed with white so	ft paraffin o	or collodion flexible.
SULPHUR		·	
Precipitated - Only in combination	6.35	100 g	✓ Midwest
<ol> <li>Only in combination with a dermatological base or p</li> </ol>	roprietary Topical (	Corticostero	oid - Plain, refer, page 170
2) With or without other dermatological galenicals.			
TAR WITH TRIETHANOLAMINE LAURYL SULPHATE AND FLUC	,	on a preso	ription
Soln 2.3% with triethanolamine lauryl sulphate and fluores- cein sodium		500 ml	✓ Pinetarsol
cein sodium		1.000 ml	✓ Pinetarsol
Cools Droporations	0.02	.,000 1111	1 1110001001
Scalp Preparations			
BETAMETHASONE VALERATE			
* Scalp app 0.1%	7.22 1	00 ml OP	✓ Beta Scalp
CLOBETASOL PROPIONATE			
* Scalp app 0.05%	6.36	30 ml OP	✓ <u>Dermol</u>
HYDROCORTISONE BUTYRATE			
Scalp lotn 0.1%	3.65 1	00 ml OP	✓ Locoid
KETOCONAZOLE			4
Shampoo 2%	3.08 1	00 ml OP	✓ <u>Sebizole</u>
a) Maximum of 100 ml per prescription     b) Only on a prescription			
-			
Sunscreens			
SUNSCREENS, PROPRIETARY – Subsidy by endorsement			
Only if prescribed for a patient with severe photosensitivity	secondary to a def	ined clinica	al condition and the prescription is
endorsed accordingly.	0.55	100 ~ 00	
Crm	(5.89)	100 g OP	Hamilton Sunscreen
Lotn	\ /	00 ml OP	✓ Marine Blue Lotion
			SPF 30+
	5.10 2	200 ml OP	✓ Marine Blue Lotion
			SPF 30+
		25 ml OP	A
	(6.94)		Aquasun 30+
Wart Preparations			
IMIQUIMOD - Special Authority see SA0923 on the next page -	Retail pharmacy		
Crm 5%		12	✓ <u>Aldara</u>

# **DERMATOLOGICALS**

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 

\$ Per ✔ Manufacturer

### ⇒SA0923 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has external anogenital warts and podophyllotoxin has been tried and failed (or is contraindicated); or
- 2 The patient has external anogenital warts and podophyllotoxin is unable to be applied accurately to the site; or
- 3 The patient has confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate.

#### Notes: Superficial basal cell carcinoma

- Surgical excision remains first-line treatment for superficial basal cell carcinoma as it has a higher cure rate than imiquimod and allows histological assessment of tumour clearance.
- Imiquimod has not been evaluated for the treatment of superficial basal cell carcinoma within 1 cm of the hairline, eyes, nose, mouth or ears.
- Imiguimod is not indicated for recurrent, invasive, infiltrating, or nodular basal cell carcinoma.

#### External anogenital warts

• Imiguimod is only indicated for external genital and perianal warts (condyloma acuminata).

Renewal from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Any of the following:

- 1 Inadequate response to initial treatment for anogenital warts; or
- 2 New confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate: or
- 3 Inadequate response to initial treatment for superficial basal cell carcinoma.

Note: Every effort should be made to biopsy the lesion to confirm that it is a superficial basal cell carcinoma.

#### **PODOPHYLLOTOXIN**

- a) Maximum of 3.5 ml per prescription
- b) Only on a prescription

### Other Skin Preparations

### **Antineoplastics**

FLUOROURACIL SODIUM

# **Topical Analgesia**

CAPSAICIN - Subsidy by endorsement

Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly.

### Wound Management Products

MAGNESIUM SULPHATE

Brand or

Fully

Subsidy

	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
Contraceptives - Non-hormonal				
Condoms				
CONDOMS				
* 49 mm – Up to 144 dev available on a PSO	1.11 13.36	12 144	✓ G ✓ M	old Knight old Knight arquisTantiliza
* 52 mm – Up to 144 dev available on a PSO	13.36	144	✓ M ✓ M	nield 49 arquis Selecta arquis Sensolite arquis Supalite
* 52 mm extra strength - Up to 144 dev available on a PS0	D13.36	144		arquis Supante arquis Protecta
* 53 mm - Up to 144 dev available on a PSO		12	✓ SI	nield Blue
•	13.36	144	✓ SI	nield Blue
	1.11	12	<b>✓</b> G	old Knight
	13.36	144	✓ M	old Knight arquis Black arquis Titillata
* 53 mm (chocolate) - Up to 144 dev available on a PSO	1.11	12		old Knight
, ,	13.36	144		old Knight
* 53 mm (strawberry) - Up to 144 dev available on a PSO	1.11	12		old Knight
77	13.36	144		old Knight
* 53 mm extra strength - Up to 144 dev available on a PSG	D1.11	12	<b>✓</b> G	old Knight
ŭ i	13.36	144	<b>✓</b> G	old Knight
* 54 mm, shaped - Up to 144 dev available on a PSO	1.12	12		· ·
	(1.24)		Li	festyles Flared
	13.36	144		,
	(14.84)		Li	festyles Flared
* 55 mm - Up to 144 dev available on a PSO	, ,	12		old Knight
•	13.36	144	<b>✓</b> G	old Knight arquis Conforma
* 56 mm – Up to 144 dev available on a PSO	13.36	144	<b>✓</b> D	urex Extra Safe urex Select Flavours
* 56 mm, shaped – Up to 144 dev available on a PSO	1.11	12	<b>✓</b> D	urex Confidence
	13.36	144	<b>✓</b> D	urex Confidence
* 60 mm - Up to 144 dev available on a PSO	13.36	144	✓ SI	nield XL
<b>Contraceptive Devices</b>				
DIAPHRAGM – Up to 1 dev available on a PSO One of each size is permitted on a PSO.				
* 65 mm	42.90	1	<b>V</b> 0	rtho All-flex
* 70 mm		1	V 0	rtho All-flex
* 75 mm	42.90	1	<b>V</b> 0	rtho All-flex
* 80 mm	42.90	1	V 0	rtho All-flex
INTRA-UTERINE DEVICE a) Up to 40 dev available on a PSO b) Only on a PSO				
* IÚD	39.50	1		ultiload Cu 375 ultiload Cu 375 SL

<sup>▲</sup>Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

### **GENITO-URINARY SYSTEM**

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised Brand or Generic Manufacturer

# **Contraceptives - Hormonal**

### **Combined Oral Contraceptives**

### **⇒**SA0500 Special Authority for Alternate Subsidy

**Initial application** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Either:
  - 1.1 Patient is on a Social Welfare benefit: or
  - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient is on a Social Welfare benefit: or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

EII	HINYLOESTRADIOL WITH DESOGESTREL
*	Tab 20 $\mu$ g with desogestrel 150 $\mu$ g

*	Tab 20 $\mu$ g with desogestrel 150 $\mu$ g	6.62	63	
		(16.50)		Mercilon 21
	a) Higher subsidy of \$13.80 per 63 tab with Spec	ial Authority see SA0500 ab	ove	
	b) I in to CO tob quoilable on a DCO			

b) Op to 63 tab available on a PSO	
Tab 20 $\mu$ g with desogestrel 150 $\mu$ g and 7 inert tab6.62	84

	04	111CTT tab0.02	100 $\mu$ g and $t$	Tab 20 µg will acoogcolici
Mercilon 28		(16.50)		

a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 above b) Up to 84 tab available on a PSO

a) Higher subsidy of \$13.80 per 63 tab with Special Authority see SA0500 above b) Up to 63 tab available on a PSO

a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 above

b) Up to 84 tab available on a PSO

		GLI	1110-01111	WAITI OTOTEM
	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
ETHINYLOESTRADIOL WITH LEVONORGESTREL				
* Tab 50 $\mu$ g with levonorgestrel 125 $\mu$ g and 7 inert tab – Up to				
84 tab available on a PSO	9.45	84	✓ M	icrogynon 50 ED
* Tab 30 $\mu$ g with levonorgestrel 150 $\mu$ g	6.62	63		
	(16.50)		Mi	icrogynon 30
<ul> <li>a) Higher subsidy of \$15.00 per 63 tab with Special Author</li> <li>b) Up to 63 tab available on a PSO</li> </ul>	ity see SA0500 on th	e pre	ceding page	
* Tab 30 $\mu$ g with levonorgestrel 150 $\mu$ g and 7 inert tab	6.62	84		evlen ED onofeme
	(14.49)		No	ordette 28
	(16.50)		Mi	icrogynon 30 ED
<ul> <li>a) Higher subsidy of up to \$15.00 per 84 tab with Special A</li> <li>b) Up to 84 tab available on a PSO</li> <li>ETHINYLOESTRADIOL WITH NORETHISTERONE</li> </ul>	outhority see SA0500	on th	e preceding	page
* Tab 35 $\mu$ g with norethisterone 1 mg - Up to 63 tab available				
on a PSO	6.62	63	<b>✓</b> Bi	revinor 1/21
* Tab 35 $\mu$ g with norethisterone 1 mg and 7 inert tab – Up to				
84 tab available on a PSO	6.62	84	<b>✓</b> Bi	revinor 1/28
* Tab 35 $\mu$ g with norethisterone 500 $\mu$ g – Up to 63 tab available				
on a PSO	6.62	63	<b>✓</b> Bi	revinor 21
* Tab 35 $\mu$ g with norethisterone 500 $\mu$ g and 7 inert tab – Up to				
84 tab available on a PSO	6.62	84	✓ No	orimin
NORETHISTERONE WITH MESTRANOL		•	•	
	6.60	84		
* Tab 1 mg with mestranol 50 $\mu$ g and 7 inert tab	(13.80)	04	N	orinyl-1/28
a) Higher subsidy of \$13.80 per 84 tab with Special Author	( /	o pro		JI II I I I I I Z O
b) Up to 84 tab available on a PSO	ny see sausou on in	e hie	ceuilig page	
Combined Oral Contraceptives - Other				
ETHINYLOESTRADIOL WITH LEVONORGESTREL				
* Tab 20 $\mu$ g with levonorgestrel 100 $\mu$ g and 7 inert tab – Up to				

.....6.62 84 (16.50)

Loette

(16.50)

Microgynon 20 ED

# **Progestogen-only Contraceptives**

# **⇒**SA0500 Special Authority for Alternate Subsidy

**Initial application** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Either:
  - 1.1 Patient is on a Social Welfare benefit; or
  - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

continued...

### **GENITO-URINARY SYSTEM**

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sı	ubsidised	Generic
\$	Per	~	Manufacturer

continued...

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

#### LEVONORGESTREL

* Tab 30 µg	6.62 (16.50)	84	Microlut
a) Higher subsidy of \$13.80 per 84 tab with Special A	uthority see SA0500 on t	he preced	ing page
b) Up to 84 tab available on a PSO  * Subdermal implant (2 × 75 mg rods)	133.65	1	✓ <u>Jadelle</u>
MEDROXYPROGESTERONE ACETATE  * Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on	a PSO7.15	1	✓ Depo-Provera
NORETHISTERONE	7.15	84	✓ Noriday 28
<b>Emergency Contraceptives</b>			
LEVONORGESTREL  * Tab 1.5 mg	12.50	1	✓ Postinor-1

# b) Maximum of 2 tab per prescription Antiandrogen Oral Contraceptives

Prescribers may code prescriptions "contraceptive" (code "O") when used as indicated for contraception. The period of supply and prescription charge will be as per other contraceptives, as follows:

- \$3.00 prescription charge (patient co-payment) will apply.
- prescription may be written for up to six months supply.

Prescriptions coded in any other way are subject to the non contraceptive prescription charges, and the non-contraceptive period of supply. ie. Prescriptions may be written for up to three months supply.

### CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL

# **Gynaecological Anti-infectives**

#### ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC ACID

..8.43 100 g OP

#### **CLOTRIMAZOLE**

 \* Vaginal crm 1% with applicators
 1.30
 35 g OP
 ✓ Clomazol

 \* Vaginal crm 2% with applicators
 2.50
 20 g OP
 ✓ Clomazol

Aci-Jel

		GENITO	J-URINA	RY SYSTEM
	Subsidy (Manufacturer's F \$	Price) Subs Per	sidised Ger	nd or neric nufacturer
MICONAZOLE NITRATE  * Vaginal crm 2% with applicator	2.75 (3.70)	40 g OP	Micren	ne
NYSTATIN Vaginal crm 100,000 u per 5 g with applicator(s)	4.71	75 g OP	✓ Nilsta	t
Myometrial and Vaginal Hormone Preparations				
ERGOMETRINE MALEATE Inj 500 $\mu$ g per ml, 1 ml $$ – Up to 5 inj available on a PSO	31.00	5	✓ <u>DBL</u> E	rgometrine
OESTRIOL  * Crm 1 mg per g with applicator  * Pessaries 500 μg		15 g OP 15	✓ Ovest ✓ Ovest	
OXYTOCIN – Up to 5 inj available on a PSO Inj 5 iu per ml, 1 ml Inj 10 iu per ml, 1 ml Inj 5 iu with ergometrine maleate 500 µg per ml, 1 ml	7.48	5 5 5	Synto Synto Synto	cinon
Pregnancy Tests - hCG Urine				
PREGNANCY TESTS - HCG URINE a) Up to 200 test available on a PSO b) Only on a PSO Cassette	22.80	40 test OP		acon hCG One D Pregnancy
Urinary Agents			103	
5-Alpha Reductase Inhibitors				
FINASTERIDE – Special Authority see SA0928 below – Retail pl	harmacy 5 10	30	√ Roy M	adical

FINASTERIDE – Special Authority see SA0928 below – Retail pharmacy

Tab 5 mg ......5.10 30 

✓ Rex Medical

# **⇒**SA0928 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

### Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 Either:
  - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
  - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Note: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride.

# Alpha-1A Adrenoreceptor Blockers

# **⇒**SA1032 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

### Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 The patient is intolerant of non-selective alpha blockers or these are contraindicated.

# **GENITO-URINARY SYSTEM**

	Subsidy (Manufacturer's \$	Price) Su Per	Fully Brand or bsidised Generic  Manufacturer	
Other Urinary Agents				
OXYBUTYNIN  * Tab 5 mg  * Oral liq 5 mg per 5 ml		500 473 ml OP	✓ Apo-Oxybutynin ✓ Apo-Oxybutynin	
Oral liq 3 mmol per ml – Special Authority see SA1083 below – Retail pharmacy		200 ml OP	✓ Biomed	
■ SA1083 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid Both:	for 12 months fo	or applications	meeting the following criter	ia:
1 The patient has recurrent calcium oxalate urolithiasis; and		! !		
2 The patient has had more than two renal calculi in the two Renewal from any relevant practitioner. Approvals valid for 2 ye benefitting from the treatment.	, ,		ains appropriate and the pa	atient is
SODIUM CITRO-TARTRATE  * Grans eff 4 g sachets		28	✓ <u>Ural</u>	
SOLIFENACIN SUCCINATE – Special Authority see SA0998 belder Tab 5 mg	56.50	rmacy 30 30	✓ Vesicare ✓ Vesicare	
■ SA0998 Special Authority for Subsidy  Initial application from any relevant practitioner. Approvals valio overactive bladder and a documented intolerance of oxybutynin.				ent has
Detection of Substances in Urine				
ORTHO-TOLIDINE  * Compound diagnostic sticks	7.50 (8.25)	50 test OP	Hemastix	
TETRABROMOPHENOL	. ,			

\* Blue diagnostic strips ......7.02

100 test OP

Albustix

(13.92)

# HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

	Subsidy		Fully Brand or
	(Manufacturer's P	rice) Sub	sidised Generic
	\$	Per	✓ Manufacturer
	Ψ	1 01	• Manadataro
Anabolic Agents			
NANDROLONE DECANOATE - Retail pharmacy-Specialist			
NANDHOLONE DECANOATE - Hetali pilatiliacy-specialist	04.40		A Danie Bronch eller
Inj 50 mg per ml, 1 ml	21.16	1	✓ Deca-Durabolin
			Orgaject S29
Continuatoral de and Dalated Ananta for Cretani	la Illaa		
Corticosteroids and Related Agents for System	ic use		
DETAMETI IA CONE CODILINA DI ICODILIATE MITTI DETAMETI IA	OONE ACETATE		
BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHA		_	
* Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1 ml	19.20	5	
	(33.60)		Celestone
	` ,		Chronodose
			0004000
DEXAMETHASONE			
* Tab 1 mg - Retail pharmacy-Specialist	16.08	100	✓ Douglas
Up to 30 tab available on a PSO			-
* Tab 4 mg - Retail pharmacy-Specialist	61.80	100	✓ Douglas
Up to 30 tab available on a PSO	01.00	100	Douglas
	45.00	05   00	. / Diamani
Oral liq 1 mg per ml - Retail pharmacy-Specialist	45.00	25 ml OP	✓ Biomed
Oral liq prescriptions:			
1) Must be written by a Paediatrician or Paediatric Car	rdiologist: or		
2) On the recommendation of a Paediatrician or Paedi			
,	ianio Garaiologion		
DEXAMETHASONE SODIUM PHOSPHATE			
Dexamethasone sodium phosphate injection will not be fund	ed for oral use.		
* Inj 4 mg per ml, 1 ml - Up to 5 inj available on a PSO	21.50	5	✓ Hospira
* Inj 4 mg per ml, 2 ml - Up to 5 inj available on a PSO		5	✓ Hospira
		-	
FLUDROCORTISONE ACETATE			
* Tab 100 μg	14.32	100	✓ Florinef
HYDROCORTISONE			
	0.05	100	. / Davida
* Tab 5 mg		100	✓ Douglas
* Tab 20 mg - For hydrocortisone oral liquid formulation refer	,		
page 171	20.95	100	✓ Douglas
* Inj 50 mg per ml, 2 ml	3.99	1	✓ Solu-Cortef
a) Up to 5 inj available on a PSO		•	
b) Only on a PSO			
b) Only on a PSO			
METHYLPREDNISOLONE – Retail pharmacy-Specialist			
* Tab 4 mg	48.57	100	✓ Medrol
* Tab 100 mg		20	✓ Medrol
· ·		20	<u> Micaror</u>
METHYLPREDNISOLONE ACETATE			
Inj 40 mg per ml, 1 ml	6.03	1	✓ Depo-Medrol
			·
METHYLPREDNISOLONE ACETATE WITH LIGNOCAINE			45
Inj 40 mg per ml with lignocaine 1 ml	6.03	1	Depo-Medrol with
			Lidocaine
METHYLDDEDNISOLONE SODILIM SUCCINIATE - Datail show	many Spanialiat		
METHYLPREDNISOLONE SODIUM SUCCINATE – Retail phari	nacy-opecialist	4	A Calcullanteral
Inj 40 mg per ml, 1 ml		1	Solu-Medrol
	151.40	25	✓ Solu-Medrol
Inj 62.5 mg per ml, 2 ml	16.50	1	✓ Solu-Medrol
	412.59	25	✓ Solu-Medrol
Inj 500 mg		1	✓ Solu-Medrol
Inj 1 g		1	✓ Solu-Medrol
"", ' 9	72.01		- Join monior

<sup>▲</sup>Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

# HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

	Subsidy (Manufacturer's F \$	Price) Sub Per	Fully Brand or osidised Generic  Manufacturer
PREDNISOLONE SODIUM PHOSPHATE			45
* Oral liq 5 mg per ml - Up to 30 ml available on a PSO	9.95	30 ml OP	✓ <u>Redipred</u>
PREDNISONE			
* Tab 1 mg	10.68	500	✓ Apo-Prednisone
* Tab 2.5 mg		500	✓ Apo-Prednisone
* Tab 5 mg - Up to 30 tab available on a PSO		500	✓ Apo-Prednisone
* Tab 20 mg	29.03	500	Apo-Prednisone
TETRACOSACTRIN			
* Inj 250 μg	177.18	10	✓ Synacthen
* Inj 1 mg per ml, 1 ml	29.56	1	Synacthen Depot
TRIAMCINOLONE ACETONIDE			
Inj 10 mg per ml, 1 ml	23.00	5	✓ Kenacort-A
Inj 40 mg per ml, 1 ml		5	✓ Kenacort-A40
Sex Hormones Non Contraceptive			
Androgen Agonists and Antagonists			
CYPROTERONE ACETATE – Retail pharmacy-Specialist			
Tab 50 mg	21 10	50	✓ <u>Siterone</u>
Tab 100 mg		50	Siterone
· ·		00	<u> </u>
TESTOSTERONE	00.00	60	✓ Androderm
Transdermal patch, 2.5 mg per day	80.00	60	Androderm
TESTOSTERONE CYPIONATE – Retail pharmacy-Specialist			
Inj long-acting 100 mg per ml, 10 ml	76.50	1	✓ <u>Depo-Testosterone</u>
TESTOSTERONE ESTERS - Retail pharmacy-Specialist			
Inj 250 mg per ml, 1 ml	12.98	1	Sustanon Ampoules
TESTOSTERONE UNDECANOATE - Retail pharmacy-Specialis			
Cap 40 mg		100	✓ Arrow-Testosterone

# **Hormone Replacement Therapy - Systemic**

# ■ SA1018 Special Authority for Alternate Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 5 years for applications meeting the following criteria: Any of the following:

- 1 acute or significant liver disease where oral oestrogens are contraindicated as determined by a gastroenterologist or general physician. The applicant must keep written confirmation from such a specialist with the patient's record; or
- 2 oestrogen induced hypertension requiring antihypertensive therapy documented evidence must be kept on file that raised blood pressure levels or inability to control blood pressure adequately occurred post oral oestrogens; or
- 3 hypertriglyceridaemia documented evidence must be kept on file that triglyceride levels increased to at least 2 × normal triglyceride levels post oral oestrogens; or
- 4 Somatropin co-therapy patient is being prescribed somatropin with subsidy provided under a valid approval issued under Special Authority.

Note: Prescriptions with a valid Special Authority (CHEM) number will be reimbursed at the level of the lowest priced TDDS product within the specified dose group.

**Renewal** from any relevant practitioner. Approvals valid for 5 years where the treatment remains appropriate and the patient is benefiting from treatment, or the patient remains on subsidised somatropin co-therapy.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

# **Prescribing Guideline**

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004"

# **Oestrogens**

OE	STRADIOL - See prescribing guideline above			
*	Tab 1 mg	4.12	28 OP	
		(10.55)		Estrofem
*	Tab 2 mg		28 OP	
		(10.55)		Estrofem
*	TDDS 25 $\mu$ g per day		8	
		(10.86)		Estradot
	a) Higher subsidy of \$10.86 per 8 patch with Special Author	ority see SA1018	on the prece	ding page
	b) No more than 2 patch per week			
.1.	c) Only on a prescription	4.40	4	
*	TDDS 3.9 mg (releases 50 $\mu$ g of oestradiol per day)		4	01:
		(13.18)		Climara 50
	a) I l'alconomical de la Maria de Maria de la Compania de Maria de	(32.50)		Femtran 50
	a) Higher subsidy of \$13.18 per 4 patch with Special Author	ority see SA1018	on the prece	aing page
	b) No more than 1 patch per week			
14	c) Only on a prescription	4.40	8	
*	TDDS 50 $\mu$ g per day	(13.18)	0	Estradat E0a
	a) Higher aubaidy of \$10.10 per 0 patch with Casaial Author	\ /	on the press	Estradot 50 μg
	<ul> <li>a) Higher subsidy of \$13.18 per 8 patch with Special Author</li> <li>b) No more than 2 patch per week</li> </ul>	only see SA1018	on the prece	ding page
	c) Only on a prescription			
*	TDDS 7.8 mg (releases 100 $\mu$ g of oestradiol per day)	7.05	4	
~	TDD3 7.0 mg (releases 100 $\mu$ g of destraction per day)	(16.14)	4	Climara 100
		(35.00)		Femtran 100
	a) Higher subsidy of \$16.14 per 4 patch with Special Author	(/	on the nrece	
	b) No more than 1 patch per week	nity SCC OATOTO	on the prece	allig page
	c) Only on a prescription			
*	TDDS 100 µg per day	7.05	8	
.,.	1550 100 µg por day	(16.14)	Ü	Estradot
	a) Higher subsidy of \$16.14 per 8 patch with Special Author	, ,	on the prece	
	b) No more than 2 patch per week	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	on the proce	anig pago
	c) Only on a prescription			
ΛE	STRADIOL VALERATE – See prescribing guideline above			
*	Tab 1 mg	8 24	56	✓ Progynova
*	Tab 2 mg		56	✓ Progynova
		0.24	30	• 1 logyllova
	STROGENS – See prescribing guideline above	0.04	00	
*	Conjugated, equine tab 300 $\mu g$		28	Duamania
N/	Conjugated equips tob COE as	(11.48)	00	Premarin
*	Conjugated, equine tab 625 $\mu g$		28	Dromorio
		(11.48)		Premarin

		Subsidy (Manufacturer's Price \$	) Sub Per	Fully sidised	Brand or Generic Manufacturer
P	rogestogens				
* *	DROXYPROGESTERONE ACETATE – See prescribing guide Tab 2.5 mg Tab 5 mg Tab 10 mg	3.09 13.06	g page 30 100 30	<b>✓</b> Pı	rovera rovera rovera
P	rogestogen and Oestrogen Combined Preparat	ions			
*	STRADIOL WITH NORETHISTERONE – See prescribing guid Tab 1 mg with 0.5 mg norethisterone acetate	5.40 (14.52)	28 OP	KI	iovance
*	Tab 2 mg with 1 mg norethisterone acetate  Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg oestradiol tab (12) and 1 mg oestradiol tab (6)	(14.52)	28 OP 28 OP	KI	iogest
OE *	STROGENS WITH MEDROXYPROGESTERONE – See presornable 625 µg conjugated equine with 2.5 mg medroxyprogesterone acetate tab (28)	5.40	the preced	ing page	
*	Tab 625 $\mu g$ conjugated equine with 5 mg medroxyprogesterone acetate tab (28)	(22.96) 5.40 (22.96)	28 OP		remia 2.5 Continuous remia 5 Continuous
0	ther Oestrogen Preparations				
ET *	HINYLOESTRADIOL Tab 10 μg	17.60	100		Z Medical and Scientific
*	STRIOL Tab 2 mg	7.00	30	<b>✓</b> 0	vestin
0	ther Progestogen Preparations				
	VONORGESTREL Levonorgestrel - releasing intrauterine system 20 μg/24 hr – Special Authority see SA0782 below – Retail pharmacy	269.50	1	<b>✓</b> M	irena
34	SA0782 Special Authority for Subsidy				

Initial application — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- 3 Either:
  - 3.1 serum ferritin level < 16  $\mu$ g/l (within the last 12 months); or
  - 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

continued...

Initial application — (Previous use before 1 October 2002) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient had a clinical diagnosis of heavy menstrual bleeding; and
- 2 Patient demonstrated clinical improvement of heavy menstrual bleeding; and
- 3 Applicant to state date of the previous insertion.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
  - 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
  - 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

MEDROXYPROGESTERONE ACETATE			
* Tab 100 mg - Retail pharmacy-Specialist96	5.50 10	00 Prove	ra
* Tab 200 mg - Retail pharmacy-Specialist	).50 3	30 Prove	ra
NORETHISTERONE			
* Tab 5 mg - Up to 30 tab available on a PSO26	5.50 10	00 Primo	olut N

Thyroid and Antithyroid Agents		
CARBIMAZOLE		
* Tab 5 mg10.80	100	✓ Neo-Mercazole
LEVOTHYROXINE		
* Tab 25 µg	90	✓ Synthroid
43.24	1,000	✓ Synthroid
Ğ Safety cap for extemporaneously compounded oral liquid preparations.		
* Tab 50 μg1.71	28	✓ Goldshield
4.05	90	✓ Synthroid
45.00	1,000	✓ Synthroid
64.28		✓ Eltroxin
Ğ Safety cap for extemporaneously compounded oral liquid preparations.		
* Tab 100 μg	28	✓ Goldshield
4.21	90	✓ Synthroid
66.78	1,000	✓ Eltroxin
Š O ( )		

#### G Safety cap for extemporaneously compounded oral liquid preparations.

# **Trophic Hormones**

# **Growth Hormones**

# ⇒SA0755 Special Authority for Subsidy

Special Authority approved by the Growth Hormone Committee

Notes: Subject to budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

NZGHC Coordinator

PHARMAC. PO Box 10-254. WELLINGTON

Tel: 0800 808 476, Fax: (09) 929 3221, Email: growthhormone@pharmac.govt.nz

	Subsidy (Manufacturer's Price \$	e) Su Per	Fully bsidised	Brand or Generic Manufacturer
SOMATROPIN - Special Authority see SA0755 on the precedi			4.0	
* Inj cartridge 16 iu (5.3 mg)		1		enotropin 
* Inj cartridge 36 iu (12 mg)	360.00	1	V Ge	enotropin_
GnRH Analogues				
GOSERELIN ACETATE				
Inj 3.6 mg		1		oladex
Inj 10.8 mg	443.76	1	✓ Zo	oladex
LEUPRORELIN				
Inj 3.75 mg		1		ıcrin Depot
Inj 3.75 mg prefilled syringe	221.60	1		crin Depot PDS
Inj 7.5 mg		1	✓ EI	•
Inj 11.25 mg		1		ıcrin Depot
Inj 11.25 mg prefilled syringe		1		crin Depot PDS
Inj 22.5 mg		1	✓ EI	•
Inj 30 mg		1	✓ EI	•
Inj 30 mg prefilled syringe		1		icrin Depot PDS
Inj 45 mg	832.05	1	<b>✓</b> EI	igard
DESMOPRESSIN A Nasal drops 100 $\mu$ g per ml – Retail pharmacy-Specialist A Nasal spray 10 $\mu$ g per dose – Retail pharmacy-Specialist.		2.5 ml OP 6 ml OP	✓ Mi	nirin esmopressin-
Inj 4 µg per ml, 1 ml − Special Authority see SA0090 belong − Retail pharmacy	ow 67.18 valid for 2 years where	10 e the patie	✓ Mi	PH&T nirin use desmopressin nasa
Inj 4 µg per ml, 1 ml − Special Authority see SA0090 belo − Retail pharmacy	ow 67.18 valid for 2 years where	10 e the patie	✓ Mi	PH&T nirin use desmopressin nasa
Inj 4 µg per ml, 1 ml − Special Authority see SA0090 belo − Retail pharmacy	ow 67.18 valid for 2 years where	10 e the patie	✓ Mi	PH&T nirin use desmopressin nasa
Inj 4 µg per ml, 1 ml − Special Authority see SA0090 belo − Retail pharmacy	ow 67.18 valid for 2 years where years where the trea	10 e the patie	✓ Mi	PH&T nirin use desmopressin nasa
Inj 4 μg per ml, 1 ml − Special Authority see SA0090 beld − Retail pharmacy	ow67.18  valid for 2 years where years where the trea	10 e the patie	✓ Mi  nt cannot  ains appr	PH&T nirin use desmopressin nasa
Inj 4 µg per ml, 1 ml − Special Authority see SA0090 belo − Retail pharmacy	ow67.18  valid for 2 years where years where the trea	10 e the patient tment rema	✓ Mi  nt cannot  ains appr	PH&T  nirin  use desmopressin nasa opriate and the patient i
Inj 4 µg per ml, 1 ml − Special Authority see SA0090 beld − Retail pharmacy	ow67.18  valid for 2 years where years where the trea	10 e the patier tremt rema	Mint cannot ains appr	PH&T  nirin  use desmopressin nasa opriate and the patient i
Inj 4 µg per ml, 1 ml − Special Authority see SA0090 beld − Retail pharmacy	valid for 2 years where years where the treation be	10 e the patier trent remains 2 8	Mint cannot ains appr	PH&T  nirin  use desmopressin nasa opriate and the patient i
Inj 4 μg per ml, 1 ml − Special Authority see SA0090 beld − Retail pharmacy	ow	10 e the patient trem.  2 8 2 8 provals varwithout full	Mint cannot ains appr	nirin  use desmopressin nasa opriate and the patient i  ostinex ostinex row-Cabergoline row-Cabergoline ut further renewal unles
Inj 4 μg per ml, 1 ml − Special Authority see SA0090 beld − Retail pharmacy	ow	10 e the patient trem.  2 8 2 8 provals varwithout full	Mint cannot ains appr	phat nirin use desmopressin nasa opriate and the patient is ostinex ostinex row-Cabergoline row-Cabergoline ut further renewal unless ewal unless notified where

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
DANAZOL - Retail pharmacy-Specialist				
Cap 100 mg	68.33	100	✓ A	zol
Cap 200 mg	97.83	100	✓ A	zol
GESTRINONE – Retail pharmacy-Specialist Cap 2.5 mg	101.87	8 OP	<b>✓</b> D	imetriose
METYRAPONE  Cap 250 mg - Retail pharmacy-Specialist	238.00	50	✓ M	letopirone

	Subsidy (Manufacturer's Dri	aa) C:	Fully	
	(Manufacturer's Pri \$	Per	ubsidised	Generic Manufacturer
Anthelmintics				
MEBENDAZOLE – Only on a prescription				
Tab 100 mg	24.19	24	<b>V</b> [	De-Worm
Oral liq 100 mg per 5 ml		15 ml		
	(7.17)		\	/ermox
Antibacterials				
Cephalosporins and Cephamycins				
CEFACLOR MONOHYDRATE				
Cap 250 mg	24.57	100		Cefacior Sandoz
Grans for oral liq 125 mg per 5 ml	3.53	100 ml		Ranbaxy-Cefaclor Ranbaxy-Cefaclor
CEFAZOLIN SODIUM – Subsidy by endorsement				-
Only if prescribed for dialysis or cystic fibrosis patient and the		dorsed acc		
Inj 500 mg		5	<b>V</b> !	
Inj 1 g	(5.00)	5	<b>1</b>	Hospira
IIIJ I Y	(8.00)	5		Hospira
CEFOXITIN SODIUM - Retail pharmacy-Specialist - Subsidy by	, ,			
Only if prescribed for dialysis or cystic fibrosis patient and the		dorsed acc	ordingly.	
Inj 1 g		5		Mayne
CEFTRIAXONE SODIUM – Subsidy by endorsement				
a) Up to 5 inj available on a PSO				
b) Subsidised only if prescribed for a dialysis or cystic fibros				
gonorrhoea, or the treatment of suspected meningitis in patier PSO is endorsed accordingly.	its who have a kn	own allergy	to penic	illin, and the prescription or
Inj 500 mg	2.70	1	V \	/eracol
Inj 1 g		5		Aspen Ceftriaxone
CEFUROXIME AXETIL – Subsidy by endorsement				
Only if prescribed for prophylaxis of endocarditis and the pres	cription is endorse	ed according		
Tab 250 mg	29.40	50	V 2	Zinnat
CEFUROXIME SODIUM				
Inj 250 mg – Maximum of 3 inj per prescription; can be waived			4	_
by endorsement.		10		Mayne
Waiver by endorsement must state that the prescription is Inj 750 mg – Maximum of 1 inj per prescription; can be waived	or dialysis or cyst	ic fibrosis p	atient.	
by endorsement	6.96	5	<b>✓</b> r	n-Cefuroxime
·	(10.71)			Zinacef
Waiver by endorsement must state that the prescription is		ic fibrosis p	atient.	
Inj 1.5 g - Retail pharmacy-Specialist - Subsidy by endorse- ment		1	<b>4</b> 1	Mylan
Hell	4.04	1		Zinacef
Only if prescribed for dialysis or cystic fibrosis patient and t	he prescription is	endorsed a		
CEPHALEXIN MONOHYDRATE				
Cap 500 mg		20		Cephalexin ABM
Grans for oral liq 125 mg per 5 ml		100 ml		Cefalexin Sandoz
Grans for oral liq 250 mg per 5 ml	11.50	100 ml	V (	Cefalexin Sandoz

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

### **Macrolides**

AZITHROMYCIN - Subsidy by endorsement; can be waived by Special Authority see SA1130 below

- a) Maximum of 2 tab per prescription; can be waived by Special Authority see SA1130 below
- b) Up to 8 tab available on a PSO
- c) Subsidised only if prescribed for patients with uncomplicated urethritis or cervicitis proven or presumed to be due to chlamydia trachomatis and their sexual contacts and prescription or PSO is endorsed accordingly; can be waived by Special Authority see SA1130.

# ▶SA1130 Special Authority for Waiver of Rule

**Initial application** — **(Cystic Fibrosis)** only from a respiratory specialist or paediatrician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The applicant is part of multidisciplinary team experienced in the management of cystic fibrosis; and
- 2 The patient has been definitively diagnosed with cystic fibrosis\*; and
- 3 The patient has chronic infection with Pseudomonas aeruginosa or Pseudomonas related gram negative organisms as defined by two positive respiratory tract cultures at least three months apart\*; and
- 4 The patient has negative cultures for non-tuberculous mycobacteria.

Notes: Caution is advised if using azithromycin as an antibiotic in the treatment of cystic fibrosis patients with pneumonia.

Testing for non-tuberculosis mycobacteria should occur annually.

Initial application — (bronchiolitis obliterans syndrome) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has received a lung transplant; and
- 2 Azithromycin is to be used for prophylaxis of bronchiolitis obliterans syndrome\*; and
- 3 The applicant is experienced in managing patients who have received a lung transplant.

**Renewal — (bronchiolitis obliterans syndrome)** only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient remains well and free from bronchiolits obliterans syndrome\*; and
- 2 The applicant is experienced in managing patients who have received a lung transplant.

Note: Indications marked with \* are Unapproved Indications

CLARITHROMYCIN - Maximum of 500 mg per prescription; can be waived by Special Authority see SA1131 below

	maximum or occ mg per precemp	ion, oan bo mairoa by opo	orar / tati for it	, 000 0/11/01 00/01/
Tab 250 mg		4.19	14	✓ Apo-Clarithromycin
		(7.75)		Klacid
		(7.75)		Klamycin
Grans for oral liq 1	125 mg per 5 ml	23.12	70 ml	✓ Klacid

(Klacid Tab 250 mg to be delisted 1 April 2012) (Klamycin Tab 250 mg to be delisted 1 April 2012)

### **⇒**SA1131 Special Authority for Waiver of Rule

**Initial application — (Mycobacterial infections)** only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Atypical mycobacterial infection; or
- 2 Mycobacterium tuberculosis infection where there is drug-resistance or intolerance to standard pharmaceutical agents.

**Renewal — (Mycobacterial infections)** only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy		Full	y Brand or
	(Manufacturer's P	rice) 9	Subsidise	
	\$	Per	£	✓ Manufacturer
	•			
ERYTHROMYCIN ETHYL SUCCINATE				
Tab 400 mg - Up to 30 tab available on a PSO	16.95	100	~	E-Mycin
Grans for oral liq 200 mg per 5 ml - Up to 200 ml available				
on a PSO	4.35	100 ml	V	E-Mycin
Grans for oral liq 400 mg per 5 ml - Up to 200 ml available				•
on a PSO	5.85	100 ml	~	E-Mycin
			•	,
ERYTHROMYCIN LACTOBIONATE	40.00		,	
Inj 1 g	10.93	1	V	Erythrocin IV
ERYTHROMYCIN STEARATE				
Tab 250 mg - Up to 30 tab available on a PSO	14.95	100		
0 1	(22.29)			ERA
Tab 500 mg	, ,	100		
	(44.58)			FRA
	(44.50)			LIIA
ROXITHROMYCIN				
Tab 150 mg	8.98	50	~	Arrow-
				Roxithromycin
Tab 300 mg	16.48	50	~	Arrow-
				Roxithromycin
Penicillins				
remonins				
AMOXYCILLIN				
Cap 250 mg – Up to 30 cap available on a PSO	16 18	500	V	Alphamox
Cap 500 mg		500		Alphamox
Grans for oral lig 125 mg per 5 ml - Up to 200 ml available	20.50	300		Alphaniox
1 01	4.55	100 1		0
on a PSO	1.55	100 ml	•	Ospamox
Grans for oral liq 250 mg per 5 ml - Up to 200 ml available				_
on a PSO		100 ml		<u>Ospamox</u>
Drops 125 mg per 1.25 ml	4.00	30 ml OP		Ospamox Paediatric
				Drops
Inj 250 mg	12.96	10	~	<u>Ibiamox</u>
Inj 500 mg	15.08	10	V	Ibiamox
Inj 1 g - Up to 5 inj available on a PSO		10	V	Ibiamox
AMOXYCILLIN CLAVULANATE				
Tab amoxycillin 500 mg with potassium clavulanate 125 mg				
<ul><li>Up to 30 tab available on a PSO</li></ul>		100		Curam Duo
	26.00			Synermox
Grans for oral liq amoxycillin 125 mg with potassium clavu-				
lanate 31.25 mg per 5 ml - Up to 200 ml available on a				
PSO	2.20	100 ml	~	Curam
Grans for oral lig amoxycillin 250 mg with potassium clavu-				
lanate 62.5 mg per 5 ml – Up to 200 ml available on a				
PSO		100 ml	V	Curam
		100 1111	•	www
BENZATHINE BENZYLPENICILLIN				
Inj 1.2 mega u per 2.3 ml – Up to 5 inj available on a PSO	315.00	10	~	Bicillin LA
BENZYLPENICILLIN SODIUM (PENICILLIN G)				
Inj 600 mg – Up to 5 inj available on a PSO	11.50	10	V	Sandoz
, ,			-	

	Subsidy		Fully	Brand or
	(Manufacturer's F	Price) Sul Per	osidised	Generic Manufacturer
	Ψ	1 61		Manulaciurei
FLUCLOXACILLIN SODIUM				
Cap 250 mg – Up to 30 cap available on a PSO		250	A	
Cap 500 mg		500	✓ <u>A</u>	<u>FT</u>
Grans for oral liq 125 mg per 5 ml - Up to 200 ml available				
on a PSO		100 ml	✓ <u>A</u>	<u>FT</u>
Grans for oral liq 250 mg per 5 ml - Up to 200 ml available		400 1		
on a PSO		100 ml	A	
Inj 250 mg		10		lucloxin
Inj 500 mgInj 1 g – Up to 5 inj available on a PSO		10 10	_	<u>lucloxin</u> lucloxin
, , ,	14.20	10	<u> </u>	IUCIOXIII
PHENOXYMETHYLPENICILLIN (PENICILLIN V)				
Cap potassium salt 250 mg – Up to 30 cap available on a PS		50		ilicaine VK
Cap potassium salt 500 mg		50	<u> </u>	ilicaine VK
Grans for oral liq 125 mg per 5 ml - Up to 200 ml available				
on a PSO		100 ml	✓ <u>A</u>	<u>FT</u>
Grans for oral liq 250 mg per 5 ml - Up to 200 ml available				
on a PSO	1.78	100 ml	✓ <u>A</u>	<u>FT</u>
PROCAINE PENICILLIN				
Inj 1.5 mega u – Up to 5 inj available on a PSO	123.50	5	<b>✓</b> <u>C</u>	<u>ilicaine</u>
Tetracyclines				
Tettacyclines				
DOXYCYCLINE HYDROCHLORIDE				
* Tab 50 mg - Up to 30 tab available on a PSO	2.90	30		
ů ,	(6.00)		D	oxy-50
* Tab 100 mg - Up to 30 tab available on a PSO	7.95	250	<b>✓</b> <u>D</u>	<u>oxine</u>
MINOCYCLINE HYDROCHLORIDE				
* Tab 50 mg	5.79	60		
ŭ	(12.05)		N	lino-tabs
* Cap 100 mg	19.32 <sup>′</sup>	100		
•	(52.04)		N	linomycin
Other Antibiotics				
Other Antibiotics				
CIPROFLOXACIN				
Tab 250 mg - Up to 5 tab available on a PSO	2.20	28	<b>√</b> <u>C</u>	ipflox
Tab 500 mg - Up to 5 tab available on a PSO	3.00	28	✓ C	ipflox
Tab 750 mg - Retail pharmacy-Specialist	5.15	28	<b>✓</b> <u>C</u>	ipflox
CLINDAMYCIN				
Cap hydrochloride 150 mg - Maximum of 4 cap per prescrip-				
tion; can be waived by endorsement - Retail pharmacy -				
Specialist		16	<b>√</b> C	lindamycin ABM
	11.39			alacin C
Inj phosphate 150 mg per ml, 4 ml - Retail pharmacy-				
Specialist	160.00	10	<b>✓</b> D	alacin C
CO-TRIMOXAZOLE				
* Tab trimethoprim 80 mg and sulphamethoxazole 400 mg -				
Up to 30 tab available on a PSO		500	✓ T	rigul
* Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg		500	<b>₩</b> 11	iioui
per 5 ml – Up to 200 ml available on a PSO		100 ml	✓ n	eprim
p.57 0 1111 Op to 200 1111 distallable of a 1 00		100 1111	, D	-F

<sup>‡</sup> safety cap \*Three months or six months, as applicable, dispensed all-at-once

<sup>▲</sup>Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	I Generic
COLISTIN SULPHOMETHATE – Retail pharmacy-Specialist – Su	*			Manufacturor
Only if prescribed for dialysis or cystic fibrosis patient and the			ccordingly.	
Inj 150 mg		1	0,	Colistin-Link
FUSIDIC ACID				
Tab 250 mg - Retail pharmacy-Specialist	34.50	12	<b>/</b>	Fucidin
Inj 500 mg sodium fusidate per 10 ml - Retail pharmacy-	10.07	4		
Specialist – Subsidy by endorsement	(17.80)	1		Fucidin
Only if prescribed for a dialysis or cystic fibrosis patient and	(/	ndors		
GENTAMICIN SULPHATE				0,7
Inj 10 mg per ml, 1 ml – Subsidy by endorsement		5		Mayne
Only if prescribed for a dialysis or cystic fibrosis patient or accordingly.		ndocar	ditis and t	the prescription is endorsed
Inj 40 mg per ml, 2 ml – Subsidy by endorsement		10	-	Pfizer
Only if prescribed for a dialysis or cystic fibrosis patient or accordingly.	for prophylaxis of er	ndocar	ditis and t	the prescription is endorsed
LINCOMYCIN – Retail pharmacy-Specialist				
Inj 300 mg per ml, 2 ml	80.00	5	<b>/</b>	Lincocin
MOXIFLOXACIN - Special Authority see SA1065 below - Retail	oharmacy			
No patient co-payment payable				
Tab 400 mg	52.00	5	<b>V</b>	Avelox
⇒SA1065 Special Authority for Subsidy				
Initial application only from a respiratory specialist or infectious	s disease specialist.	Appro	ovals valid	for 1 year for applications
meeting the following criteria: Either:				
1 Both:				
1.1 Active tuberculosis*; and				
1.2 Any of the following:				
1.2.1 Documented resistance to one or more first-lie	,	منممان		to be contracted in an area
<ol> <li>Suspected resistance to one or more first-line with known resistance), as part of regimen or</li> </ol>	,			
1.2.3 Impaired visual acuity (considered to preclude			agonio, oi	
1.2.4 Significant pre-existing liver disease or hepati			medication	ns; or
1.2.5 Significant documented intolerance and/or significant				
2 Mycobacterium avium-intracellulare complex not respondin				
Note: Indications marked with * are Unapproved Indications (refetions) and Part IV (Miscellaneous Provisions) rule 4.6).	r to Section A: Gene	rai Ru	ies, Part i	(Interpretations and Defini-
<b>Renewal</b> only from a respiratory specialist or infectious disease s	pecialist. Approvals v	alid fo	r 1 vear w	here the treatment remains
appropriate and the patient is benefiting from treatment.	poolalioti 7.pp.oralo i		, ,	
TOBRAMYCIN				
Inj 40 mg per ml, 2 ml – Subsidy by endorsement	29.32	5	<b>/</b>	DBL Tobramycin
Only if prescribed for dialysis or cystic fibrosis patient and to	the prescription is en	dorsec	d according	gly.
TRIMETHOPRIM				
* Tab 300 mg - Up to 30 tab available on a PSO	8.94	50	<b>~</b>	TMP
VANCOMYCIN HYDROCHLORIDE – Subsidy by endorsement				
Only if prescribed for a dialysis or cystic fibrosis patient or in	the treatment of pseu	udome	embranous	s colitis or for prophylaxis of
endocarditis and the prescription is endorsed accordingly. Inj 500 mg	3 58	1	<b>~</b>	Mylan
,			• 1	

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	
Antifungals				
FLUCONAZOLE				
Cap 50 mg - Retail pharmacy-Specialist	4.77 (6.82)	28		<b>Ozole</b> Pacific
Cap 150 mg – Subsidy by endorsement	0.91 (1.30)	1		<b>Ozole</b> Pacific
a) Maximum of 1 cap per prescription; can be waived by er     b) Patient has vaginal candida albicans and the practition recommended and the prescription is endorsed accordingly Cap 200 mg — Retail pharmacy-Specialist	ner considers that a f y; can be waived by e	opica	l imidazole sement - F	e (used intr-vaginally) is not
Sup 200 mg Thetair pharmacy Opecialist	(19.05)	20	-	Pacific
Powder for oral suspension 10 mg per ml – Special Authority see SA1148 below – Retail pharmacy		35 ml	V	Diflucan

# **⇒**SA1148 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria: Both:

- 1 Patient requires prophlaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

**Renewal** from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria: Both:

- 1 Patient requires prophlaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

= 1 diletti le dilabie le citalien edposico.			
ITRACONAZOLE – Retail pharmacy-Specialist Cap 100 mg	4.25	15	✓ <u>Itrazole</u>
KETOCONAZOLE  Tab 200 mg – Retail pharmacy-Specialist	38.12	30	✓ Nizoral
NYSTATIN			
Tab 500,000 u		50	✓ Nilstat
Cap 500,000 u	12.81	50	✓ Nilstat
TERBINAFINE			
Tab 250 mg – For terbinafine oral liquid formulation refer, page 171	1.78	14	✓ <u>Dr Reddy's</u> <u>Terbinafine</u>
Antimalarials			
HYDROXYCHLOROQUINE SULPHATE			
* Tab 200 mg	22.50	100	✓ <u>Plaquenil</u>
Antitrichomonal Agents			
METRONIDAZOLE			
Tab 200 mg - Up to 30 tab available on a PSO	10.45	100	✓ Trichozole
Tab 400 mg		100	✓ Trichozole
Oral lig benzoate 200 mg per 5 ml		00 ml	✓ Flagyl-S
Suppos 500 mg		10	✓ Flagyl

<sup>†</sup> safety can

<sup>▲</sup>Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's Price)		Full Subsidise	d Generic
	\$	Per		Manufacturer
ORNIDAZOLE	10.00	10		Tiberal
Tab 500 mg	16.50	10	•	Arrow-Ornidazole
(Tiberal Tab 500 mg to be delisted 1 May 2012)	10.00		•	7111011 OTTINGEDIO
Antituberculotics and Antileprotics				
Note: There is no co-payment charge for all pharmaceuticals list	ed in the Antitubercu	ulotics	and Antil	eprotics group regardless of
immigration status.				op. 000 g. 0p . 0.ga. a000 0.
DAPSONE - No patient co-payment payable				
Tab 25 mg	95.00	100	~	Dapsone
Tab 100 mg	110.00	100	~	Dapsone
ETHAMBUTOL HYDROCHLORIDE - No patient co-payment pay	rable			
Tab 100 mg		56		Myambutol
Tab 400 mg	49.34	56	~	Myambutol
ISONIAZID - Retail pharmacy-Specialist				
No patient co-payment payable	22.22	400		DO14
* Tab 100 mg		100		PSM Bitingle
<ul><li>* Tab 100 mg with rifampicin 150 mg</li><li>* Tab 150 mg with rifampicin 300 mg</li></ul>		100 100		Rifinah Rifinah
	179.57	100		niiiiaii
PYRAZINAMIDE – Retail pharmacy-Specialist  No patient co-payment payable				
* Tab 500 mg – For pyrazinamide oral liquid formulation refer,				
page 171	59.00	100	~	AFT-Pyrazinamide
RIFABUTIN – Retail pharmacy-Specialist				•
No patient co-payment payable				
* Cap 150 mg - For rifabutin oral liquid formulation refer, page				
171	213.19	30	~	Mycobutin
RIFAMPICIN - Retail pharmacy-Specialist				
No patient co-payment payable				
* Tab 600 mg		30		Rifadin
* Cap 150 mg		100		Rifadin
* Cap 300 mg		100 60 ml		Rifadin Rifadin
* Oral liq 100 mg per 5 ml	12.00	ou IIII		niiauiii
Antivirals				
Hepatitis B Treatment				
ADEFOVIR DIPIVOXIL - Special Authority see SA0829 below - F	Retail pharmacy			
Tab 10 mg		30	~	Hepsera
▶SA0829 Special Authority for Subsidy				
Initial application only from a gastroenterologist or infectious dise	ease specialist. Appro	ovals v	alid for 1	vear for applications meeting
the following criteria:	acc opecianon / ipp.			your for approximents mooning
All of the following:				
1 Patient has confirmed Hepatitis B infection (HBsAg+); and				
Documented resistance to lamivudine, defined as:				
2 Patient has raised serum ALT (> 1 × ULN); and 3 Patient has HRV DNA greater than 100 000 copies per mul-	or viral load > 10 f	ald av	or nadire a	nd
3 Patient has HBV DNA greater than 100,000 copies per mL,	, oi viiai ioau ≥ 10 10	JIU UV	or Haulf, a	iiu

Subsidy Fully (Manufacturer's Price) Subsidised Per \$

Brand or Generic Manufacturer

continued...

- 4 Detection of M204I or M204V mutation; and
- 5 Fither:
  - 5.1 Both:
    - 5.1.1 Patient is cirrhotic: and
    - 5.1.2 adefovir dipivoxil to be used in combination with lamivudine: or
  - 5.2 Both:
    - 5.2.1 Patient is not cirrhotic: and
    - 5.2.2 adefovir dipivoxil to be used as monotherapy.

Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined ac.

- i) raised serum ALT (> 1 × ULN); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- iii) Detection of N236T or A181T/V mutation.

Adefovir dipivoxil should be stopped 6 months following HBeAq seroconversion for patients who were HBeAq+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines. Adefovir dipivoxil should be avoided in pregnant women and children.

ENTECAVIR - Special Authority see SA0977 below - Retail pharmacy

✔ Baraclude Tab 0.5 mg .......400.00

# **⇒**SA0977 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naive: and
- 3 Entecavir dose 0.5 mg/day; and
- 4 Fither:
  - 4.1 ALT greater than upper limit of normal; or
  - 4.2 Bridging fibrosis or cirrhosis (Metavir stage 3 or greater) on liver histology; and
- 5 Fither:
  - 5.1 HBeAg positive; or
  - 5.2 patient has ≥ 2,000 IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV, HIV or HDV; and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

O						
Tab 100 mg				143.00	28	
LAMIVUDINE -	Special Authority	see SAU832	on the next	page – Retail pharmacy		

Subsidy (Manufacturer's Price) Per \$

Fully Subsidised Brand or Generic Manufacturer

# ⇒SA0832 | Special Authority for Subsidy

Initial application only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Any of the following:
  - 1.1 All of the following:
    - 1.1.1 HBsAg positive for more than 6 months; and
    - 1.1.2 HBeAg positive or HBV DNA positive defined as > 100,000 copies per ml by quantitative PCR at a reference laboratory: and
    - 1.1.3 ALT greater than twice upper limit of normal or bridging fibrosis or cirrhosis (Metavir stage 3 or 4 or equivalent) on liver histology clinical/radiological evidence of cirrhosis: or
  - 1.2 HBV DNA positive cirrhosis prior to liver transplantation; or
  - 1.3 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
  - 1.4 Hepatitis B surface antigen positive (HbsAq) patient who is receiving chemotherapy for a malignancy, or who has received such treatment within the previous two months; and
- 2 All of the following:
  - 2.1 No continuing alcohol abuse or intravenous drug use; and
  - 2.2 Not coinfected with HCV or HDV; and
  - 2.3 Neither ALT nor AST greater than 10 times upper limit of normal; and
  - 2.4 No history of hypersensitivity to lamivudine; and
  - 2.5 No previous lamivudine therapy with genotypically proven lamivudine resistance.

Renewal only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

Renewal for patients who have maintained continuous treatment and response to lamivudine

- 1 All of the following:
  - 1.1 Have maintained continuous treatment with lamivudine: and
  - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
  - 1.3 HBV DNA <100,00 copies per ml by quantitative PCR at a reference laboratory; or

Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine

- 2 All of the following:
  - 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and
  - 2.2 Patient is cirrhotic: and
    - Documented resistance to lamivudine, defined as:
  - 2.3 Patient has raised serum ALT (> 1 × ULN); and
  - 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
  - 2.5 Detection of M204I or M204V mutation; or

Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

- 3 All of the following:
  - 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and Documented resistance to adefovir, defined as:
  - 3.2 Patient has raised serum ALT (> 1 × ULN); and
  - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
  - 3.4 Detection of N236T or A181T/V mutation.

# **Herpesvirus Treatments**

AC	ICLOVIR	
*	Tah dienareihla 200 ma	

*	Tab dispersible 200 mg1.98	25	✓ Lovir
	Tab dispersible 400 mg6.64	56	✓ Lovir
	Tab dispersible 800 mg7.38	35	✓ <u>Lovir</u>

# **▶**SA0957 Special Authority for Subsidy

**Initial application** — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the patient has genital herpes with 2 or more breakthrough episodes in any 6 month period while treated with aciclovir 400 mg twice daily.

Renewal — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

**Initial application — (ophthalmic zoster)** from any medical practitioner. Approvals valid without further renewal unless notified where the patient has previous history of ophthalmic zoster and the patient is at risk of vision impairment.

Initial application — (CMV prophylaxis) from any medical practitioner. Approvals valid for 3 months where the patient has undergone organ transplantation.

# **Hepatitis B/ HIV/AIDS Treatment**

TENOFOVIR DISOPROXIL FUMARATE – Subsidy by endorsement; can be waived by Special Authority see SA1047 below Endorsement for treatment of HIV/AIDS: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA1025 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note: Tenofovir disoproxil fumarate prescribed under endorsement for the treatment of HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1025, page 88

Tab 300 mg .......531.00 30 **✓ Viread** 

# ■SA1047 Special Authority for Waiver of Rule

Initial application — (Confirmed Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 All of the following:
  - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
  - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
  - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
  - 1.4 Any of the following:
    - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
    - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
    - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Initial application — (Pregnant) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 4 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAq positive and pregnant; and
- 2 Either:
  - 2.1 HBV DNA > 20,000 IU/mL and ALT > ULN; or
  - 2.2 HBV DNA > 100 million IU/mL and ALT normal.

Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 All of the following:
  - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
  - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

continued...

- 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
- 1.4 Any of the following:
  - 1.4.1 Lamivudine resistance detection of M204I/V mutation: or
  - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
  - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

**Renewal — (Subsequent Pregnancy)** only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 4 months for applications meeting the following criteria:

- Both:
  - 1 Patient is HBsAg positive and pregnant; and
  - 2 Fither:
    - 2.1 HBV DNA > 20.000 IU/mL and ALT > ULN: or
    - 2.2 HBV DNA > 100 million IU/mL and ALT normal.

#### Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg
  positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg negative
  prior to commencing this agent.
- The recommended dose of Tenofovir disoproxil furnarate for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

#### **Antiretrovirals**

### ⇒SA1025 Special Authority for Subsidy

Initial application — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Confirmed HIV infection; and
- 2 Any of the following:
  - 2.1 Symptomatic patient; or
  - 2.2 Patient aged 12 months and under; or
  - 2.3 Both:
    - 2.3.1 Patient aged 1 to 5 years; and
    - 2.3.2 Any of the following:
      - 2.3.2.1 CD4 counts < 1000 cells/mm<sup>3</sup>; or
      - 2.3.2.2 CD4 counts  $< 0.25 \times \text{total lymphocyte count}$ ; or
      - 2.3.2.3 Viral load counts > 100000 copies per ml; or
  - 2.4 Both:
    - 2.4.1 Patient aged 6 years and over; and
    - 2.4.2 CD4 counts < 350 cells/mm<sup>3</sup>.

Notes: Tenofovir disoproxil furnarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

**Renewal** — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

continued...

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Fither:

- 1 Prevention of maternal foetal transmission: or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Either:
  - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
  - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person.

Notes: Tenofovir disoproxil furnarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

**Renewal — (second or subsequent post-exposure prophylaxis)** only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Either:
  - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
  - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil furnarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

# Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ - Special Authority see SA1025 on the preceding	page – Retail pharr	nacy	
Tab 50 mg		30	✓ Stocrin S29
Tab 200 mg	474.99	90	✓ Stocrin
Tab 600 mg	474.99	30	✓ Stocrin
ETRAVIRINE - Special Authority see SA1025 on the precedir	ng page – Retail phai	rmacy	
Tab 100 mg	770.00	120	✓ Intelence

	Subsidy (Manufacturer's	Drico) Cub	Fully sidised	Brand or Generic
	(Manulacturers	Per Per	Sidised	Manufacturer
NEVIDADINE Cassis Authority and CA100F on page 00. Do	toil nharmanı			
NEVIRAPINE – Special Authority see SA1025 on page 88 – Re Tab 200 mg		60	<b>√</b> Vi	ramune
Oral suspension 10 mg per ml		240 ml	_	ramune
Oral suspension formy per mi	104.00	240 1111	_	Suspension
Nucleosides Reverse Transcriptase Inhibitors				
ABACAVIR SULPHATE - Special Authority see SA1025 on pag	e 88 – Retail pha	armacy		
Tab 300 mg		60	✓ Zi	agen_
Oral liq 20 mg per ml	50.00	240 ml OP	✓ Zi	agen
ABACAVIR SULPHATE WITH LAMIVUDINE - Special Authority	see SA1025 on	page 88 - Reta	il pharn	nacv
Note: Kivexa counts as two anti-retroviral medications for th		1 0		,
Tab 600 mg with lamivudine 300 mg		30	✓ K	,
DIDANOSINE [DDI] - Special Authority see SA1025 on page 88	8 – Retail pharma	acv		
Cap 125 mg		30	<b>✓</b> Vi	dex EC
Cap 200 mg		30		dex EC
Cap 250 mg		30	✓ Vi	dex EC
Cap 400 mg	368.16	30	<b>✓</b> Vi	dex EC
EMTRICITABINE - Special Authority see SA1025 on page 88 -	Retail pharmacy	/		
Cap 200 mg		30	<b>✓</b> Ei	mtriva
LAMIVUDINE – Special Authority see SA1025 on page 88 – Re	tail nharmacy			
Tab 150 mg		60	<b>✓</b> 31	гс
Oral liq 10 mg per ml		240 ml OP	<b>√</b> 31	
STAVUDINE [D4T] - Special Authority see SA1025 on page 88		CV		<del>_</del>
Cap 30 mg		60	✓ Ze	erit
Cap 40 mg		60	✓ Ze	
ZIDOVUDINE [AZT] - Special Authority see SA1025 on page 8	8 – Retail nharm	acv		
Cap 100 mg		100	✓ R	etrovir
Oral lig 10 mg per ml		200 ml OP		etrovir
ZIDOVUDINE [AZT] WITH LAMIVUDINE - Special Authority se	e SA1025 on nac	ne 88 – Retail n	harmacı	<u> </u>
Combivir counts as two anti-retroviral medications for the pu				
Tab 300 mg with lamivudine 150 mg	•	60		ombivir
Protease Inhibitors				
1 Toted3c Hillibito13				
ATAZANAVIR SULPHATE - Special Authority see SA1025 on p		harmacy		
Cap 150 mg	568.34	60		eyataz
Cap 200 mg	757.79	60	✓ R	eyataz
DARUNAVIR - Special Authority see SA1025 on page 88 - Ret	ail pharmacy			
Tab 400 mg	837.50	60	✓ Pi	rezista
Tab 600 mg	1,190.00	60	<b>✓</b> Pi	rezista
INDINAVIR - Special Authority see SA1025 on page 88 - Retail	l pharmacy			
Cap 200 mg		360		rixivan
Cap 400 mg	519.75	180	✓ C	rixivan
LOPINAVIR WITH RITONAVIR - Special Authority see SA1025	on page 88 - Re	etail pharmacy		
Tab 100 mg with ritonavir 25 mg	183.75	60	✓ Karanananananananananananananananananana	aletra
Tab 200 mg with ritonavir 50 mg		120		aletra
Oral liq 80 mg with ritonavir 20 mg per ml	735.00	300 ml OP	✓ K	aletra

	Subsidy (Manufacturer's Pri \$	ice) Sub Per	Fully sidised	Brand or Generic Manufacturer
RITONAVIR – Special Authority see SA1025 on page 88 – Retail Tab 100 mg Oral liq 80 mg per ml	43.31	30 90 ml OP	✓ No	•. •
Strand Transfer Inhibitors				
RALTEGRAVIR POTASSIUM – Special Authority see SA1025 on Tab 400 mg		pharmacy 60	<b>✓</b> Is	entress
Antiretrovirals - Additional Therapies				

# **HIV Fusion Inhibitors**

ENFUVIRTIDE − Special Authority see SA0845 below − Retail pharmacy
Powder for inj 90 mg per ml × 60 .......2,380.00 1 ✓ Fuzeon

# **⇒**SA0845 Special Authority for Subsidy

**Initial application** only from a named specialist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Confirmed HIV infection: and
- 2 Enfuvirtide to be given in combination with optimized background therapy (including at least 1 other antiretroviral drug that the patient has never previously been exposed to) for treatment failure; and
- 3 Either:
  - 3.1 Patient has evidence of HIV replication, despite ongoing therapy; or
  - 3.2 Patient has treatment-limiting toxicity to previous antiretroviral agents; and
- 4 Previous treatment with 3 different antiretroviral regimens has failed; and
- 5 All of the following:
  - 5.1 Previous treatment with a non-nucleoside reverse transcriptase inhibitor has failed; and
  - 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed; and
  - 5.3 Previous treatment with a protease inhibitor has failed.

Renewal only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Evidence of at least a 10 fold reduction in viral load at 12; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

### **Immune Modulators**

### Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

#### **Criteria for Treatment**

- 1) Diagnosis
  - Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
  - PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
  - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.
- 2) Establishing Active Chronic Liver Disease
  - Confirmed HCV infection and serum ALT/AST levels measured on at least three occasions over six months averaging
     1.5 × upper limit of normal. (ALT is the preferable enzyme): or

Subsidy		Fully	Brand or
(Manufacturer's Price)	Su	bsidised	Generic
\$	Per	~	Manufacturer

continued...

• Liver biopsy showing significant inflammatory activity (active hepatitis) with or without cirrhosis. This is not a necessary requirement for those patients with coagulopathy. (Some patients have active disease on histology with normal transaminase enzymes).

#### **Exclusion Criteria**

- 1) Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- 2) Pregnancy.
- 3) Neutropenia ( $<2.0 \times 10^9$ ) and/or thrombocytopenia.

INTERFERON ALPHA-2A - PCT - Retail pharmacy-Specialist

4) Continuing alcohol abuse and/or continuing intravenous drug users.

#### Dosage

The current recommended dosage is 3 million units of interferon alpha-2a or interferon alpha-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

#### Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

See prescribing guideline on the preceding page Inj 3 m iu prefilled syringe Inj 6 m iu prefilled syringe Inj 9 m iu prefilled syringe	62.64	1 1 1	✓ Roferon-A ✓ Roferon-A ✓ Roferon-A
INTERFERON ALPHA-2B - PCT - Retail pharmacy-Specialist See prescribing guideline on the preceding page			4
Inj 18 m iu, 1.2 ml multidose pen		1	✓ Intron-A
Inj 30 m iu, 1.2 ml multidose pen	313.20	1	✓ Intron-A
Inj 60 m iu, 1.2 ml multidose pen	626.40	1	✓ Intron-A
PEGYLATED INTERFERON ALPHA-2A - Special Authority see See prescribing guideline on the preceding page		ext page – R	etail pharmacy
Inj 135 $\mu$ g prefilled syringe	362.00	1	✓ Pegasys
	1,448.00	4	✓ Pegasys
Inj 180 $\mu$ g prefilled syringe	450.00	1	✓ Pegasys
, , , , ,	1,800.00	4	✓ Pegasys
Inj 135 $\mu$ g prefilled syringe $\times$ 4 with ribavirin tab 200 mg $\times$		1 OD	
112	1,799.68	1 OP	✓ Pegasys RBV  Combination Pack
Inj 135 $\mu$ g prefilled syringe $ imes$ 4 with ribavirin tab 200 mg $ imes$	(		
168	1,975.00	1 OP	✓ <u>Pegasys RBV</u> Combination Pack
Inj 180 $\mu$ g prefilled syringe $\times$ 4 with ribavirin tab 200 mg $\times$ 112		1 OP	✓ Pegasys RBV
	,	101	Combination Pack
Inj 180 $\mu$ g prefilled syringe $\times$ 4 with ribavirin tab 200 mg $\times$ 168		1 OP	✓ Pegasys RBV
			Combination Pack

Subsidy Fully Brand or Subsidised Generic Per Per Manufacturer

# **⇒**SA1134 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV) from any specialist. Approvals valid for 18 months for applications meeting the following criteria:

#### Both:

- 1 Either:
  - 1.1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
  - 1.2 Patient has chronic hepatitis C and is co-infected with HIV; and
- 2 Maximum of 48 weeks therapy.

#### Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
- 2 Maximum of 6 months therapy.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

### All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Either:
  - 5.1 HBeAg positive; or
  - 5.2 serum HBV DNA > 2.000 units/ml and significant fibrosis (> Metavir Stage F2); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon; and
- 11 Maximum of 48 weeks therapy.

### Notes:

- Approved dose is 180  $\mu$ g once weekly.
- The recommended dose of Pegylated Interferon-alpha 2a is 180  $\mu$ g once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alpha 2a dose should be reduced to 135 μg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alpha 2a is not approved for use in children.

# **Urinary Tract Infections**

HEYAMINE HIDDI IDATE

111111111111111111111111111111111111111	WINTE THE COUNTE			
* T	ab 1 g	.18.40	100	
		(38.10)		Hiprex
NITRO	DFURANTOIN			
* T	ab 50 mg - For nitrofurantoin oral liquid formulation refer,			
	page 171	.22.20	100	Nifuran
* T	ab 100 mg	.37.50	100	✓ Nifuran

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

#### NORFL OXACIN

Tab 400 mg − Maximum of 6 tab per prescription; can be waived by endorsement - Retail pharmacy - Specialist......15.45 100 ✓ Arrow-Norfloxacin

### **Vaccines**

### Influenza vaccine

INFLUENZA VACCINE - Hospital pharmacy [Xpharm]

- A) is available 1 March until vaccine supplies are exhausted each year for patients who meet the following criteria, as set by the Ministry of Health:
  - a) all people 65 years of age and over;
  - b) people under 65 years of age with:
    - i) the following cardiovascular disease:
      - 1) ischaemic heart disease,
      - 2) congestive heart disease,
      - 3) rheumatic heart disease,
      - 4) congenital heart disease, or
      - 5) cerebo-vascular disease;
    - ii) the following chronic respiratory disease:
      - 1) asthma, if on a regular preventative therapy, or
      - 2) other chronic respiratory disease with impaired lung function;
    - iii) diabetes:
    - iv) chronic renal disease;
    - v) any cancer, excluding basal and squamous skin cancers if not invasive;
    - vi) the following other conditions:
      - a) autoimmune disease,
      - b) immune suppression,
      - c) HIV.
      - d) transplant recipients,
      - e) neuromuscular and CNS diseases,
      - f) haemoglobinopathies,
      - g) children on long term aspirin, or
      - h) pregnancy.
  - c) people under 18 years of age living within the boundaries of the Canterbury District Health Board.

The following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease,
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor.
- D) Influenza Vaccine does not fall within the definition Community Pharmaceutical as it is not funded directly from the Pharmaceutical Budget. Pharmacists are unable to claim for the dispensing of influenza vaccine from the Funder.

Inj	90.00	10	Fluarix
			✓ Fluvax

	Subsidy		Fully Brand or
	(Manufacturer's Pr \$	ice) Sul Per	bsidised Generic  Manufacturer
	Ψ	rei	ivianulacturei
Anticholinesterases			
NEOSTIGMINE			
Inj 2.5 mg per ml, 1 ml	140.00	50	✓ AstraZeneca
PYRIDOSTIGMINE BROMIDE			
▲ Tab 60 mg	38.90	100	✓ Mestinon
Non-steroidal Anti-inflammatory Drugs (NSAI			<u></u>
⇒SA1038 Special Authority for Manufacturers Price	,		
Note: Subsidy for patients with existing approvals prior to 1 Seg	ntember 2010 Annrov	als valid with	out further renewal unless notified
No new approvals will be granted from 1 September 2010.	nember 2010. Approv	rais valid with	iout further reflewar unless frounce
DICLOFENAC SODIUM			
# Tab EC 25 mg	1 63	50	✓ Diclofenac Sandoz
* Tab 50 mg dispersible - Additional subsidy by Special		50	DIGIOTOTIAG GATIAGE
thority see SA1038 above – Retail pharmacy		20	
thorny see critico above Trotal pharmacy	(8.00)	20	Voltaren D
* Tab EC 50 mg	` ,	50	✓ Diclofenac Sandoz
* Tab long-acting 75 mg		500	✓ Diclax SR
* Tab long-acting 100 mg		500	✓ Diclax SR
* Inj 25 mg per ml, 3 ml		5	✓ Voltaren
Up to 5 inj available on a PSO			<u></u>
* Suppos 12.5 mg	1.85	10	✓ Voltaren
* Suppos 25 mg		10	Voltaren
* Suppos 50 mg		10	Voltaren
Up to 10 supp available on a PSO			
* Suppos 100 mg	6.36	10	✓ Voltaren
BUPROFEN - Additional subsidy by Special Authority see SA	A1038 above – Retail	pharmacy	
* Tab 200 mg		1.000	✓ Arrowcare
		.,	✓ Ethics Ibuprofen
* Tab 400 mg	0.77	30	
	(4.56)		Brufen
* Tab 600 mg	1.15	30	
•	(6.84)		Brufen
* Tab long-acting 800 mg	8.12	30	✓ Brufen SR
*‡ Oral liq 100 mg per 5 ml	2.69	200 ml	✓ Fenpaed
KETOPROFEN			
* Cap long-acting 100 mg	21.56	100	✓ Oruvail SR
* Cap long-acting 200 mg		100	✓ Oruvail SR
, , ,			
WEFENAMIC ACID - Additional subsidy by Special Authority  * Cap 250 mg		- Hetali pharn 20	пасу
* Cap 250 Hig		20	Ponstan
	(5.60) 1.25	50	ı unstan
	(9.16)	50	Ponstan
JAPPOVEN.	(0.10)		i onotan
NAPROXEN	00.70	F00	A Nation 050
* Tab 500 mg		500	Noflam 250
* Tab 500 mg		250	Noflam 500
* Tab long-acting 750 mg		90	Naprosyn SR 750
* Tab long-acting 1,000 mg	21.00	90	✓ Naprosyn SR 1000

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
SULINDAC - Additional subsidy by Special Authority see SA1038	on the preceding pa	ige –	Retail pharr	nacy
* Tab 100 mg	2.66	50		
	(8.55)		Α	clin
	5.32	100		
	(17.10)		D	aclin
* Tab 200 mg	3.36	50		
	(15.10)		Α	clin
	6.72	100	_	
(2	(30.20)		D	aclin
(Daclin Tab 100 mg to be delisted 1 July 2012)				
(Daclin Tab 200 mg to be delisted 1 July 2012)				
TENOXICAM				
* Tab 20 mg	23.75	100	<b>✓</b> T	ilcotil
* Inj 20 mg	9.95	1	✓ A	\FT
TIAPROFENIC ACID				
* Tab 300 mg	19.26	60	<b>√</b> S	urgam
				. 5.
NSAIDs Other				
INDOMETHACIN				
* Suppos 100 mg	14.50	30	✓ A	rthrexin
MELOXICAM - Special Authority see SA1034 below - Retail phar				
Tab 7.5 mg	,	30	<b>1</b> / N	rrow-Meloxicam
TAD 7.5 HIN	11.50	50	V A	III OW-WICIOAICAIII

# **⇒**SA1034 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The patient has moderate to severe haemophilia with less than or equal to 5% of normal circulating functional clotting factor; and
- 2 The patient has haemophilic arthropathy; and
- 3 Pain and inflammation associated with haemophilic arthropathy is inadequately controlled by alternative funded treatment options, or alternative funded treatment options are contraindicated.

# **Antirheumatoid Agents**

AURANOFIN		
Tab 3 mg68.99	60	✓ Ridaura
LEFLUNOMIDE		
Tab 10 mg55.00	30	✓ AFT-Leflunomide
79.27		✓ Arava
Tab 20 mg76.00	30	✓ AFT-Leflunomide
108.60		✓ Arava
Tab 100 mg54.44	3	✓ Arava
PENICILLAMINE		
Tab 125 mg61.93	100	✓ D-Penamine
Tab 250 mg98.98	100	✓ D-Penamine
SODIUM AUROTHIOMALATE		
Inj 10 mg per 0.5 ml76.87	10	✓ Myocrisin
Inj 20 mg per 0.5 ml113.17	10	✓ Myocrisin
Inj 50 mg per 0.5 ml217.23	10	✓ Myocrisin

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

# **Tumour Necrosis Factor (TNF) Inhibitors**

		A1156 below – Retail pharmacy	ADALIMUMAB - Special Authority see SA
✓ HumiraPen	2	1,799.92	Inj 40 mg per 0.8 ml prefilled pen
Humira	2	1.799.92	Ini 40 mg per 0.8 ml prefilled syringe

# **⇒**SA1156 Special Authority for Subsidy

**Initial application** — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis: or
- 2 All of the following:
  - 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
  - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
  - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
  - 2.5 Any of the following:
    - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of cyclosporin; or
    - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
    - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
  - 2.6 Either:
    - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
    - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
  - 2.7 Either:
    - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
    - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe active Crohn's disease; and
- 2 Any of the following:
  - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
  - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
  - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
  - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

**Initial application** — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

#### Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis; or
- 2 All of the following:
  - 2.1 Either:
    - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
    - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
  - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
  - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
  - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
  - 1.2 Either
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis; or
- 2 All of the following:
  - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
  - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
  - 2.3 Patient has bilateral sacroillitis demonstrated by plain radiographs, CT or MRI scan; and
  - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
  - 2.5 Either:

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or
Generic
Manufacturer

continued...

- 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
- 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and
- 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Fither:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
  - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
  - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
  - 2.4 Either:
    - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
    - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
  - 2.5 Any of the following:
    - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
    - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
    - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

**Renewal — (rheumatoid arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Fither:
  - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
  - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

Renewal — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a gastroenterologist; or
  - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 Either:
    - 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab; or
    - 2.1.2 CDAI score is 150 or less; or
  - 2.2 Both:
    - 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
    - 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

**Renewal — (severe chronic plaque psoriasis)** only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
  - 1 Either:
    - 1.1 Applicant is a dermatologist; or
    - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
  - 2 Either:
    - 2.1 Both:
      - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
      - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
    - 2.2 Both:
      - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
      - 2.2.2 Either:
        - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
Per ✔ Manufacturer

continued...

2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value: and

3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

**Renewal — (ankylosing spondylitis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks of adalimumab treatment, BASDAI has improved by 4 or more points from pre-adalimumab baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

**Renewal — (psoriatic arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment: and
- 2 Either:
  - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

ETANERCEPT – Special Authorit	y see SA1157 below – Retail pharmacy
-------------------------------	--------------------------------------

Inj 25 mg949.96	4	✓ Enbrel
Inj 50 mg autoinjector	4	Enbrel
Inj 50 mg prefilled syringe	4	✓ Enbrel

# **⇒**SA1157 Special Authority for Subsidy

**Initial application** — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
- 3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
- 5 Both:
  - 5.1 Either:
    - 5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or continued...

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
- 5.2 Physician's global assessment indicating severe disease.

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
  - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
  - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
  - 2.5 Any of the following:
    - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of cyclosporin; or
    - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
    - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
  - 2.6 Either:
    - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
    - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
  - 2.7 Either:
    - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
    - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

**Initial application** — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

# Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plague psoriasis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis; or
- 2 All of the following:
  - 2.1 Either:

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
- 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
- 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
- 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
- 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
  - 1.2 Fither:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or
- 2 All of the following:
  - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
  - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
  - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
  - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
  - 2.5 Either:
    - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
    - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
  - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm

25-34 years - Male: 7.5 cm; Female: 5.5 cm

35-44 years - Male: 6.5 cm; Female: 4.5 cm

45-54 years - Male: 6.0 cm; Female: 5.0 cm

55-64 years - Male: 5.5 cm; Female: 4.0 cm

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

### Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
  - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
  - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
  - 24 Fither
    - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
    - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
  - 2.5 Any of the following:
    - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
    - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
    - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a named specialist or rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

**Renewal — (rheumatoid arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and

Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
  - 1.1 Applicant is a dermatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 Patient had "whole body" severe chronic plague psoriasis at the start of treatment; and
    - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
  - 2.2 Both:
    - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
    - 2.2.2 Either:
      - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
      - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

**Renewal — (ankylosing spondylitis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Following 12 weeks of etanercept treatment, BASDAI has improved by 4 or more points from pre-treatment baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

**Renewal** — **(psoriatic arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
  - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

# **Drugs Affecting Bone Metabolism**

# Alendronate for Osteoporosis

# ⇒SA1039 Special Authority for Subsidy

Initial application — (Underlying cause – Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or raloxifene.

Initial application — (Underlying cause – glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
  - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -1.5) (see Note); or
  - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
  - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause glucocorticosteroid therapy) or raloxifene.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

continued...

- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score < -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note): or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria) or raloxifene.

#### Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence used by National Institute for Health and Clinical Excellence (NICE) guidance indicates that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score < -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALENDRONATE SODIUM - Special Authority see SA1039 on the preceding page - Retail pharmacy 

ALENDRONATE SODIUM WITH CHOLECALCIFEROL - Special Authority see SA1039 on the preceding page - Retail pharmacy Tab 70 mg with cholecalciferol 5,600 iu ......22.90 ✓ Fosamax Plus

# Alendronate for Paget's Disease

# ►SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
  - 2.1 Bone or articular pain; or
  - 2.2 Bone deformity: or
  - 2.3 Bone, articular or neurological complications; or
  - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
  - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

ALENDRONATE SODIUM - Special Authority see SA0949 above - Retail pharmacy

✓ Fosamax 30

# Other Treatments

### CAI CITONIN

' Miacalcic

ETIDRONATE DISODIUM - See prescribing guideline on the next page

Arrow-Etidronate \* Tab 200 mg ......23.95 100

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 

\$ Per ✔ Manufacturer

#### Prescribing Guidelines

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose – 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

#### PAMIDRONATE DISODIUM

18.75	1	Pamisol
	1	✓ Pamisol
	1	✓ Pamisol
112.50	1	Pamisol
see SA1138 below – Retail p	harmacy	
	•	Evista
		37.50 175.00 1112.50 1 see SA1138 below – Retail pharmacy

### **⇒**SA1138 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Notes); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score < -3.0 (see Notes); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Notes); or
- 6 Patient has had a prior Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or alendronate (Underlying cause Osteoporosis).

#### Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence used by the UK National Institute for Health and Clinical Excellence (NICE) in developing its guidance indicates that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for raloxifene funding.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

TERIPARATIDE - Special Authority see SA1139 below - Reta	il pharmacy		
Inj 250 $\mu$ g per ml, 2.4 ml	490.00	1	✓ Forteo

### ⇒SA1139 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has severe, established osteoporosis; and
- 2 The patient has a documented T-score less than or equal to -3.0 (see Notes); and
- 3 The patient has had two or more fractures due to minimal trauma; and

### MUSCULOSKELETAL SYSTEM

Brand or

Generic

Manufacturer

Subsidy Fully (Manufacturer's Price) Subsidised Per ✓

continued...

4 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes).

#### Notes:

- a) The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable
- b) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with cholecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.
- c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
- d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

ZOLEDRONIC ACID − Special Authority see SA1187 below − Retail pharmacy
Soln for infusion 5 mg in 100 ml ✓ Aclasta

✓ Aclasta

### **■**SA1187 Special Authority for Subsidy

**Initial application** — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease; and
- 2 Any of the following:
  - 2.1 Bone or articular pain; or
  - 2.2 Bone deformity; or
  - 2.3 Bone, articular or neurological complications; or
  - 2.4 Asymptomatic disease, but risk of complications; or
  - 2.5 Preparation for orthopaedic surgery; and
- 3 The patient will not be prescribed more than one infusion in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
  - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
  - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
  - 1.4 Documented T-Score ≤ -3.0 (see Note); or
  - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
  - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis) or raloxifene; and
  - 2 The patient will not be prescribed more than one infusion in a 12-month period.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2 Any of the following:
  - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score < -1.5) (see Note); or
  - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
  - 2.3 The patient has had a Special Authority approval for alendronate (Underlying cause glucocorticosteroid therapy) or raloxifene; and
- 3 The patient will not be prescribed more than one infusion in the 12-month approval period.

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
  - 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
  - 1.3 Symptomatic disease (prescriber determined); and
- 2 The patient will not be prescribed more than one infusion in the 12-month approval period.

The patient may not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents); and
- 2 The patient will not be prescribed more than one infusion in the 12-month approval period.

The patient may not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
  - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
  - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
  - 1.4 Documented T-Score ≤ -3.0 (see Note); or
  - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
  - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause Osteoporosis' criteria) or raloxifene; and
- 2 The patient will not be prescribed more than one infusion in a 12-month period.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence used by National Institute for Health and Clinical Excellence (NICE) guidance indicates that patients aged 75 years
  and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score
   -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

continued...

that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.

d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

body above or below the affected vertebral body.	, ,	3 p
Hyperuricaemia and Antigout		
ALLOPURINOL		
* Tab 100 mg15.90	1,000	✓ Apo-Allopurinol
* Tab 300 mg - For allopurinol oral liquid formulation refer,		
page 17116.75	500	✓ Apo-Allopurinol
COLCHICINE		
* Tab 500 $\mu$ g	100	✓ Colgout
PROBENECID		
* Tab 500 mg55.00	100	✔ Probenecid-AFT
Muscle Relaxants		
DIGIOEEN		
BACLOFEN		
* Tab 10 mg - For baclofen oral liquid formulation refer, page	100	✓ Pacifen
DANTROLENE SODIUM	100	<u>r donon</u>
* Cap 25 mg32.96	100	
(65.00)		Dantrium
* Cap 50 mg51.70	100	
(77.00)		Dantrium
ORPHENADRINE CITRATE		
Tab 100 mg18.54	100	✓ Norflex
QUININE SULPHATE		
* Tab 200 mg	250	0.000
(17.20)		Q 200
G Safety cap for extemporaneously compounded oral liquid preparations.  * Tab 300 mg54.06	500	✓ Q 300
Ğ Safety cap for extemporaneously compounded oral liquid preparations.	300	₩ <u>0₹ 000</u>
(Q 200 Tab 200 mg to be delisted 1 June 2012)		

<sup>(</sup>Q 200 Tab 200 mg to be delisted 1 June 2012)

Subsidy (Manufacturer's Price) Subsidised Generic Generic

\$ Per ✔ Manufacturer

Agents for Parkinsonism and	d Related Disorders
-----------------------------	---------------------

Dopamine Agonists and Related Agents			
AMANTADINE HYDROCHLORIDE	00.04		40
▲ Cap 100 mg	38.24	60	✓ <u>Symmetrel</u>
POMORPHINE HYDROCHLORIDE		_	
Inj 10 mg per ml, 2 ml	110.00	5	✓ Apomine
ROMOCRIPTINE MESYLATE			
Fab 2.5 mg		100	✓ Apo-Bromocriptine
← Cap 5 mg	60.43	100	Apo-Bromocriptine
NTACAPONE			
▲ Tab 200 mg	116.00	100	✓ Comtan
EVODOPA WITH BENSERAZIDE			
* Tab dispersible 50 mg with benserazide 12.5 mg	10.00	100	✓ Madopar
			Dispersible
Cap 50 mg with benserazide 12.5 mg		100	✓ Madopar 62.5
Cap 100 mg with benserazide 25 mg		100	✓ Madopar 125
Cap long-acting 100 mg with benserazide 25 mg	17.00	100	Madopar HBS
Cap 200 mg with benserazide 50 mg	25.00	100	✓ Madopar 250
EVODOPA WITH CARBIDOPA			
€ Tab 100 mg with carbidopa 25 mg - For levodopa with c	ar-		
bidopa oral liquid formulation refer, page 171	10.00	50	✓ Sindopa
	20.00	100	✓ Sinemet
Fab long-acting 200 mg with carbidopa 50 mg	47.50	100	✓ Sinemet CR
Fab 250 mg with carbidopa 25 mg	40.00	100	✓ Sinemet
ISURIDE HYDROGEN MALEATE			
<b>T</b> ab 200 μg	27.50	30	✓ Dopergin
ERGOLIDE			
▲ Tab 0.25 mg	48.00	100	✓ Permax
▲ Tab 1 mg	170.00	100	✓ Permax
OPINIROLE HYDROCHLORIDE			
▲ Tab 0.25 mg	6.20	84	✓ Ropin
Tab 1 mg		84	✓ Ropin
▲ Tab 2 mg		84	Ropin
▲ Tab 5 mg	38.00	84	✓ Ropin
ELEGILINE HYDROCHLORIDE			
€ Tab 5 mg	16.06	100	✓ Apo-Selegiline
OLCAPONE			<u> </u>
■ Tab 100 mg	126 20	100	✓ Tasmar
	120.20	100	₩ IdSIIIdI
Anticholinergics			
ENZTROPINE MESYLATE			
Tab 2 mg	7.99	60	✓ Benztrop
Inj 1 mg per ml, 2 ml		5	✓ Cogentin
a) Up to 5 inj available on a PSO			

b) Only on a PSO

			NERVOUS SYSTEM
	Subsidy (Manufacturer's Price \$	) S Per	Fully Brand or Subsidised Generic Manufacturer
ORPHENADRINE HYDROCHLORIDE Tab 50 mg	35.15	250	✓ Disipal
PROCYCLIDINE HYDROCHLORIDE Tab 5 mg	7.40	100	✓ Kemadrin
Agents for Essential Tremor, Chorea and Related	d Disorders		
TETRABENAZINE Tab 25 mg	178.00	112	<ul><li>✓ Motetis</li><li>✓ Xenazine 25</li></ul>
Anaesthetics			
Local			
LIGNOCAINE  Gel 2%, 10 ml urethral syringe – Subsidy by endorsement  a) Up to 5 each available on a PSO  b) Subsidised only if prescribed for urethral or cervical adm		10 prescripti	✓ Pfizer ion is endorsed accordingly.
LIGNOCAINE HYDROCHLORIDE  Viscous soln 2%	35.00 23.00 20.00	200 ml 50 50 5 5	✓ Xylocaine Viscous ✓ Xylocaine ✓ Xylocaine ✓ Xylocaine ✓ Xylocaine ✓ Xylocaine
LIGNOCAINE WITH CHLORHEXIDINE  Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes –  Subsidy by endorsement		10 prescripti	✔ Pfizer ion is endorsed accordingly.
LIGNOCAINE WITH PRILOCAINE – Special Authority see SA090 Crm 2.5% with prilocaine 2.5%	45.00 3	armacy 30 g OP 5	✓ EMLA ✓ EMLA
■>SA0906 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid condition requiring frequent injections or venepuncture.  Renewal from any relevant practitioner. Approvals valid for 2 ye benefiting from treatment.  Analgesics			
Non-opioid Analgesics			
ASPIRIN * Tab EC 300 mg	2.00	100	
* Tab dispersible 300 mg - Up to 30 tab available on a PSO	(8.10) 2.00	100	Aspec 300  ✓ Ethics Aspirin

NEFOPAM HYDROCHLORIDE

90

Acupan

Tab 30 mg ......23.40

	Subsidy		Fully Brand or
	(Manufacturer's I	Price) Sul Per	bsidised Generic  Manufacturer
ARACETAMOL	•		
* Tab 500 mg - Up to 30 tab available on a PSO	9.38	1,000	✓ Parafast
3 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1		,	✓ Pharmacare
*‡ Oral liq 120 mg per 5 ml	2.21	500 ml	Ethics Paracetamol
a) Up to 200 ml available on a PSO			
b) Not in combination	0.70	1 0001	A Davasava Davible
*‡ Oral liq 250 mg per 5 ml	6.70	1,000 ml	✓ <u>Paracare Double</u> Strength
a) Up to 100 ml available on a PSO			Strength
b) Not in combination			
* Suppos 125 mg	7.49	20	✓ Panadol
* Suppos 250 mg		20	✓ Panadol
* Suppos 500 mg	20.50	50	✓ Paracare
(Pharmacare Tab 500 mg to be delisted 1 April 2012)			
TRAMADOL HYDROCHLORIDE	4.05	400	4
Cap 50 mg	4.95	100	✓ <u>Arrow-Tramadol</u>
Opioid Analgesics			
CODEINE PHOSPHATE			
Tab 15 mg		100	✓ PSM
Tab 30 mg		100	✓ PSM
Tab 60 mg	17.76	100	✓ PSM
DIHYDROCODEINE TARTRATE			
Tab long-acting 60 mg	27.27	60	✓ DHC Continus
FENTANYL			
a) Only on a controlled drug form			
b) No patient co-payment payable		_	4
Transdermal patch 12.5 $\mu$ g per hour	8.90	5	✓ Mylan Fentanyl
Transdermal patch 25 $\mu$ g per hour	9.15	5	Patch ✓ Mylan Fentanyl
		3	Patch
Transdermal patch 50 $\mu$ g per hour	11.50	5	✓ Mylan Fentanyl
		_	<u>Patch</u>
Transdermal patch 75 $\mu$ g per hour	13.60	5	✓ Mylan Fentanyl
Transdermal patch 100 $\mu$ g per hour	14 50	5	Patch  ✓ Mylan Fentanyl
nanouerniai pateir 100 μg per 110ur	14.30	J	Patch
ENTANYL CITRATE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
Inj 50 $\mu$ g per ml, 2 ml		10	Boucher and Muir
Inj 50 $\mu$ g per ml, 10 ml	16.81	10	Boucher and Muir

		Subsidy		Fully Brand or	
		(Manufacturer's F	,	bsidised Generic	
		\$	Per	✓ Manufacturer	
METHADONE H	YDROCHLORIDE				
	controlled drug form				
	co-payment payable				
	aneously compounded methadone will only be	reimbursed at the	rate of the ch	eapest form available (met	thadone
	methadone tablets).				
			10	✓ Methatabs	
	per ml		200 ml	Biodone	
	per ml		200 ml	✓ Biodone Forte	
	g per ml		200 ml	✓ Biodone Extra Fort	<u>te</u>
Inj 10 mg pe	r ml, 1 ml	61.00	10	✓ AFT	
MORPHINE HYD	ROCHLORIDE				
	controlled drug form				
<ul><li>b) No patient</li></ul>	co-payment payable				
	per ml	8.84	200 ml	✓ RA-Morph	
‡ Oral liq 2 mg	per ml	11.62	200 ml	✓ RA-Morph	
‡ Oral liq 5 mg	per ml	14.65	200 ml	✓ RA-Morph	
‡ Oral liq 10 m	g per ml	21.55	200 ml	✓ RA-Morph	
MORPHINE SUL	PHATE				
a) Only on a	controlled drug form				
b) No patient	co-payment payable				
	te-release 10 mg	2.80	10	✓ Sevredol	
Tab long-acti	ing 10 mg	1.98	10	Arrow-Morphine LA	<u>4</u>
Tab immedia	te-release 20 mg	5.52	10	✓ <u>Sevredol</u>	
Tab long-acti	ing 30 mg	3.15	10	Arrow-Morphine LA	<u> </u>
Tab long-acti	ing 60 mg	7.20	10	✓ Arrow-Morphine LA	
	ing 100 mg		10	✓ Arrow-Morphine LA	<u> </u>
	ing 10 mg		10	✓ m-Eslon	
	ing 30 mg		10	✓ <u>m-Eslon</u>	
	ing 60 mg		10	<u>✓ m-Eslon</u>	
	ing 100 mg		10	<u>✓ m-Eslon</u>	
Inj 5 mg per	ml, 1 ml - Up to 5 inj available on a PSO	5.51	5	✓ <u>DBL Morphine</u>	
In: 10	and the Lie to Fini overlights on a DCO	4.70	_	Sulphate	
inj 10 mg pe	r ml, 1 ml – Up to 5 inj available on a PSO	4.79	5	✓ <u>DBL Morphine</u>	
Ini 1E ma no	r ml 1 ml	E 01	5	Sulphate  ✓ DBL Morphine	
inj is mg pe	r ml, 1 ml – Up to 5 inj available on a PSO		3	Sulphate	
lni 30 ma ne	r ml, 1 ml - Up to 5 inj available on a PSO	5.30	5	✓ DBL Morphine	
, 50 mg pc	, Op to o my available on a 1 00		3	Sulphate	
MORPHINE TAR	TRATE			********	
	controlled drug form				
	co-payment payable				
	r ml, 1.5 ml	30.00	5	✓ Hospira	
	r ml, 5 ml		5	✓ Hospira	
ing oo ing pe	i iii, v iii		J	<b>₹</b> 1103β11α	

	Subsidy (Manufacturer's Prio \$	ce) Sul Per	Fully Brand or bsidised Generic  Manufacturer
OXYCODONE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) See prescribing guideline below			
c) No patient co-payment payable	7.54	20	40.0 "
Tab controlled-release 5 mg  Tab controlled-release 10 mg		20 20	✓ OxyContin ✓ OxyContin
Tab controlled-release 20 mg		20	✓ OxyContin
Tab controlled-release 40 mg		20	✓ OxyContin
Tab controlled-release 80 mg		20	✓ OxyContin
Cap 5 mg		20	✓ OxyNorm
Cap 10 mg		20	✓ OxyNorm
Cap 20 mg		20	OxyNorm
‡ Oral liq 5 mg per 5 ml Inj 10 mg per ml, 1 ml		250 ml 5	✓ OxyNorm ✓ OxyNorm
Inj 10 mg per ml, 2 ml		5	✓ OxyNorm
11) 10 11g por 111, 2 111	20.00	O	• Oxyrtoniii
Prescribers should note that oxycodone is significantly more ex suggests that it is reasonable to consider this as a second-line ac PARACETAMOL WITH CODEINE  * Tab paracetamol 500 mg with codeine phosphate 8 mg	ent to be used afte		
			Codeine (Relieve)
PETHIDINE HYDROCHLORIDE  a) Only on a controlled drug form b) No patient co-payment payable			
Tab 50 mg		10	✓ PSM
Tab 100 mg		10 5	✓ PSM
Inj 50 mg per ml, 1 ml - Up to 5 inj available on a PSO	3.31	Э	✓ <u>DBL Pethidine</u> Hydrochloride
Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	5.83	5	DBL Pethidine  Hydrochloride
Antidepressants			
Cyclic and Related Agents			
AMITRIPTYLINE			
Tab 10 mg	2.77	50	✓ Amirol
Tab 25 mg		100	✓ <u>Amitrip</u>
Tab 50 mg	3.60	100	✓ <u>Amitrip</u>
CLOMIPRAMINE HYDROCHLORIDE			
Tab 10 mg		100	✓ Apo-Clomipramine
Tab 25 mg	8.68	100	✓ Apo-Clomipramine
DOTHIEPIN HYDROCHLORIDE			
Tab 75 mg		100	✓ Dopress
Cap 25 mg	6.17	100	✓ Dopress
DOXEPIN HYDROCHLORIDE			4.
Cap 10 mg		100	✓ Anten
Cap 25 mg		100 100	✓ Anten ✓ Anten
Cap 50 mg	8.55	100	✔ Anten

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
IMIPRAMINE HYDROCHLORIDE				
Tab 10 mg	5.48	50	<b>✓</b> T	ofranil of the state of the sta
Tab 25 mg	8.80	50	<b>✓</b> T	ofranil
MAPROTILINE HYDROCHLORIDE				
Tab 25 mg	25.06	100	<b>✓</b> L	.udiomil
Tab 75 mg	21.01	30	<b>√</b> L	.udiomil
MIANSERIN HYDROCHLORIDE - Special Authority see SA104	18 below – Retail phar	macy		
Tab 30 mg	24.86	30	<b>✓</b> T	olvon

### ■SA1048 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Both:
  - 1.1 Depression; and
  - 1.2 Either:
    - 1.2.1 Co-existent bladder neck obstruction; or
    - 1.2.2 Cardiovascular disease: or
- 2 Both:
  - 2.1 The patient has a severe major depressive episode; and

- - 2.2.1 The patient must have had a trial of two different antidepressants and was unable to tolerate the treatments or failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or
  - 2.2.2 Both:
    - 2.2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
    - 2.2.2.2 The patient must have had a trial of one other antidepressant and either could not tolerate it or failed to respond to an adequate dose over an adequate period of time.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

#### NORTRIPTYLINE HYDROCHLORIDE

Tab 25 mg	14.77	180	✓ Norpress
Monoamine-Oxidase Inhibitors (MAOIs) - Non Selection	tive		
PHENELZINE SULPHATE Tab 15 mg	95.00	100	✓ Nardil
TRANYLCYPROMINE SULPHATE Tab 10 mg	22.94	50	✓ Parnate

### Monoamine-Oxidase Type A Inhibitors

#### MOCLOBEMIDE

Note: There is a significant cost differential between moclobemide and fluoxetine (moclobemide being about three times more expensive). For depressive syndromes it is therefore more cost-effective to start treatment with fluoxetine first before considering prescribing moclobemide.

Tab 150 mg	69.23	500	✓ Apo-Moclobemide
Tab 300 mg	31.33	100	✓ Apo-Moclobemide

## Selective Serotonin Reuptake Inhibitors

UH	ALOPRAM HYDROBROMIDE				
*	Tab 20 mg2.	.34	84	~	Arrow-Citalopram

100

✓ Norpress

	Subsidy (Manufacturer's Price)	Sub Per	Fully sidised	Brand or Generic Manufacturer
ESCITALOPRAM				
Tab 10 mg	2.65	28	✓ <u>L</u>	<u>oxalate</u>
Tab 20 mg	4.20	28	✓ L	<u>oxalate</u>
FLUOXETINE HYDROCHLORIDE				
* Tab dispersible 20 mg, scored – Subsidy by endorsement	2.50	30	<b>✓</b> <u>F</u>	<u>luox</u>
Subsidised by endorsement				
When prescribed for a patient who cannot swallow with the same and the same are smaller as a second se	hole tablets or capsu	les and th	e presci	ription is endorsed accord-
ingly; or 2) When prescribed in a daily dose that is not a mul	Itinle of 20 ma in wh	ich case	the nre	scrintion is deemed to be
endorsed. Note: Tablets should be combined with ca				
* Cap 20 mg	2.70	84	<b>✓</b> <u>F</u>	<u>luox</u>
PAROXETINE HYDROCHLORIDE				
Tab 20 mg	2.38	30	✓ Le	<u>oxamine</u>
SERTRALINE				
Tab 50 mg	5.40	90	✓ <u>A</u>	rrow-Sertraline
Tab 100 mg	9.60	90	✓ <u>A</u>	rrow-Sertraline
Other Antidepressants				
MIRTAZAPINE - Special Authority see SA0994 below - Retail ph	narmacy			
Tab 30 mg	22.00	30	✓ A	vanza
Tab 45 mg	35.00	30	✓ A	vanza

### **⇒**SA0994 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The patient has a severe major depressive episode; and
- 2 Either:
  - 2.1 The patient must have had a trial of two different antidepressants and was unable to tolerate the treatments or failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or
  - 2.2 Both:
    - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
    - 2.2.2 The patient must have had a trial of one other antidepressant and either could not tolerate it or failed to respond to an adequate dose over an adequate period of time.

Renewal from any relevant practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

VENLAFAXINE - Special Authority see SA1061 on the next	oage – Retail pharmac	;y	
Tab 37.5 mg	18.64	28	Arrow-Venlafaxine XR
Tab 75 mg	37.27	28	Arrow-Venlafaxine XR
Tab 150 mg	45.68	28	Arrow-Venlafaxine XR
Cap 37.5 mg	18.64	28	✓ Efexor XR
Cap 75 mg	37.27	28	✓ Efexor XR
Cap 150 mg	45.68	28	✓ Efexor XR

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subsi	idised	Generic	
\$	Per	~	Manufacturer	

### **⇒**SA1061 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 2 years for applications meeting the following criteria:

#### Both:

- 1 The patient has 'treatment-resistant' depression; and
- - 2.1 The patient must have had a trial of two different antidepressants and have had an inadequate response from an adequate dose over an adequate period of time (usually at least four weeks); or
  - - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
    - 2.2.2 The patient must have had a trial of one other antidepressant and have had an inadequate response from an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

### **Antiepilepsy Drugs**

## **Agents for Control of Status Epilepticus**

CLONAZEPAM Inj 1 mg per ml, 1 ml19.00	5	✓ Rivotril
DIAZEPAM		
Inj 5 mg per ml, 2 ml — Subsidy by endorsement	5	✓ Mayne
c) PSO must be endorsed "not for anaesthetic procedures".		
Rectal tubes 5 mg - Up to 5 tube available on a PSO25.05	5	✓ Stesolid
Rectal tubes 10 mg - Up to 5 tube available on a PSO30.50	5	✓ Stesolid
PARALDEHYDE		
* Inj 5 ml1,500.00	5	✓ AFT
PHENYTOIN SODIUM		
* Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	5	✓ Mayne
* Inj 50 mg per ml, 5 ml - Up to 5 inj available on a PSO77.27	5	✓ Mayne
Control of Epilepsy		

CARBAMAZEPINE			
* Tab 200 mg	14.53	100	✓ Tegretol
* Tab long-acting 200 mg		100	✓ Tegretol CR
* Tab 400 mg		100	✓ Tegretol
* Tab long-acting 400 mg	39.17	100	✓ Tegretol CR
*‡ Oral liq 100 mg per 5 ml	26.37	250 ml	✓ Tegretol
CLOBAZAM			
Tab 10 mg	9.12	50	✓ Frisium
Ğ Safety cap for extemporaneously compounded oral liq	uid preparations.		
CLONAZEPAM			
Tab 500 μg	6.68	100	✓ Paxam
Tab 2 mg	12.75	100	✓ Paxam
‡ Oral drops 2.5 mg per ml		10 ml OP	✓ Rivotril

(	Subsidy Manufacturer's Prid \$	ce) Per	Fully Subsidised	Brand or Generic Manufacturer
ETHOSUXIMIDE  * Cap 250 mg	32.00	200	V 7	arontin
*‡ Oral liq 250 mg per 5 ml		200 ml		arontin
GABAPENTIN - Special Authority see SA1071 below - Retail phar	macy			
▲ Cap 100 mg		100	✓ N	<u>upentin</u>
▲ Cap 300 mg - For gabapentin oral liquid formulation refer,				
page 171	11.50	100	✓ N	<u>upentin</u>
▲ Cap 400 mg	14.75	100	✓ N	upentin_
⇒SA1071 Special Authority for Subsidy				

Initial application — (Epilepsy) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

#### Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Neuropathic pain) from any relevant practitioner. Approvals valid for 3 months where the patient has tried and failed, or has been unable to tolerate, treatment with a tricyclic antidepressant.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Renewal — (Neuropathic pain) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

#### Either:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

GABAPENTIN (NEURONTIN) -	Special Authority see SA0973 below – Retail pl	harmacy	
▲ Tab 600 mg	67.50	100	✓ Neurontin
▲ Cap 100 mg	13.26	100	✓ Neurontin
▲ Cap 300 mg - For gabapen	tin (neurontin) oral liquid formu-		
lation refer, page 171	39.76	100	✓ Neurontin
▲ Cap 400 mg	53.01	100	✓ Neurontin

### ■SA0973 Special Authority for Subsidy

Notes: Subsidy for patients pre-approved by PHARMAC on 1 August 2009. Approvals valid without further renewal unless notified. No new approvals will be granted from 1 August 2009.

LA	COSAMIDE - Special Authority see SA1125 on the n	ext page - Retail pharmac	y	
	Tab 50 mg	25.04	14	Vimpat
	Tab 100 mg	50.06	14	✓ Vimpat
	•	200.24	56	✓ Vimpat
	Tab 150 mg	75.10	14	✓ Vimpat
	•	300.40	56	✓ Vimpat
	Tab 200 mg	400.55	56	✓ Vimpat

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

### **⇒**SA1125 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Patient has partial-onset epilepsy; and
- 2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).

Note: "Optimal treatment" is defined as treatment which is indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight and other features affecting the pharmacokinetics of the drug with good evidence of compliance. Women of childbearing age are not required to have a trial of sodium valproate.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment (see Note).

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

#### **LAMOTRIGINE**

▲ Tab dispersible 2 mg	6.74	30	✓ Lamictal
▲ Tab dispersible 5 mg	9.64	30	✓ Lamictal
	15.00	56	Arrow-Lamotrigine
▲ Tab dispersible 25 mg	19.38	56	✓ Logem
	20.40		✓ Arrow-Lamotrigine
			✓ Mogine
	29.09		✓ Lamictal
▲ Tab dispersible 50 mg	32.97	56	✓ Logem
	34.70		✓ Arrow-Lamotrigine
			✓ Mogine
	47.89		✓ Lamictal
▲ Tab dispersible 100 mg	56.91	56	✓ Logem
p	59.90		✓ Arrow-Lamotrigine
	*****		✓ Mogine
	79.16		✓ Lamictal
LEVETIRACETAM			
Tab 250 mg	24.03	60	✓ Levetiracetam-Rex
Tab 500 mg - For levetiracetam oral liquid formulati		00	Levelilacetaili-liex
9	,	60	✓ Levetiracetam-Rex
page 171		60	✓ Levetiracetam-Rex
Tab 750 mg	45.23	60	Leveliracelam-nex
PHENOBARBITONE			
* Tab 15 mg	25.00	500	✓ PSM
* Tab 30 mg	26.00	500	✓ PSM
PHENYTOIN SODIUM			
* Tab 50 mg	42.09	200	✓ Dilantin Infatab
* Cap 30 mg	19.13	200	✓ Dilantin
* Cap 100 mg		200	✓ Dilantin
*‡ Oral lig 30 mg per 5 ml		500 ml	✓ Dilantin
PRIMIDONE			
* Tab 250 mg	17 25	100	✓ Apo-Primidone
<b>小 「はり とりし !!!!!</b>	I / .∠J	100	▼ Apo-i illilluolic

A)	Subsidy Manufacturer's Price	e)	Full Subsidise	,
	\$	Per	v	/ Manufacturer
SODIUM VALPROATE				
* Tab 100 mg	13.65	100	~	Epilim Crushable
* Tab 200 mg EC	27.44	100	~	Epilim
* Tab 500 mg EC	52.24	100	~	Epilim
*‡ Oral liq 200 mg per 5 ml	20.48	300 ml	~	Epilim S/F Liquid
			~	Epilim Syrup
* Inj 100 mg per ml, 4 ml	41.50	1	~	Epilim IV
TOPIRAMATE				
▲ Tab 25 mg	11.07	60	~	Arrow-Topiramate
g	26.04			Topamax
▲ Tab 50 mg		60		Arrow-Topiramate
<b>y</b>	44.26			Topamax
▲ Tab 100 mg	31.99	60		Arrow-Topiramate
3	75.25			Topamax
▲ Tab 200 mg	55.19	60		Arrow-Topiramate
•	129.85			Topamax
▲ Sprinkle cap 15 mg	20.84	60		Topamax
▲ Sprinkle cap 25 mg		60		Topamax
VIGABATRIN - Special Authority see SA1072 below - Retail pharm				•
▲ Tab 500 mg	•	100	V	Sabril
	1 10.00	.00	•	000

### **⇒**SA1072 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Fither:
  - 1.1 Patient has infantile spasms; or
  - 1.2 Both:
    - 1.2.1 Patient has epilepsy: and
    - 1.2.2 Either:
      - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
      - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and
- 2 Either:
  - 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter): or
  - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

### Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and 2 Either:
  - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
  - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
Antimigraine Preparations				
Acute Migraine Treatment				
ERGOTAMINE TARTRATE WITH CAFFEINE  Tab 1 mg with caffeine 100 mg	31.00	100	<b>v</b> (	Cafergot
METOCLOPRAMIDE HYDROCHLORIDE WITH PARACETAMOL Tab 5 mg with paracetamol 500 mg		60	<b>✓</b> F	Paramax
RIZATRIPTAN				
Tab orodispersible 10 mg	18.00 25.32	30 3		Rizamelt Maxalt Melt
SUMATRIPTAN				
Tab 50 mg		4	_	Arrow-Sumatriptan
Tab 100 mg	38.83 1.55	100		Arrow-Sumatriptan Arrow-Sumatriptan
Tab Too mg	77.66	100	_	Arrow-Sumatriptan
Inj 12 mg per ml, 0.5 ml - Maximum of 10 inj per prescription	136.00	2 OP		Arrow-Sumatriptan
Prophylaxis of Migraine				
CLONIDINE HYDROCHLORIDE				
<b>♦</b> Tab 25 μg	19.25	100	<b>~</b> <u>[</u>	<u>Dixarit</u>
PIZOTIFEN				
<b>k</b> Tab 500 μg	21.10	100	<b>√</b> <u>S</u>	<u>Sandomigran</u>
Antinausea and Vertigo Agents				
APREPITANT - Special Authority see SA0987 below - Retail pha	armacv			
Cap 2 × 80 mg and 1 × 125 mg		3 OP	<b>✓</b> E	Emend Tri-Pack
■►SA0987 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals valid themotherapy and/or anthracycline-based chemotherapy for the transport of the transport of the transport of the transport of the treatment of anthracycline-based chemotherapy for the treatment of the treat	reatment of malignar oths where the patient	тсу.		
BETAHISTINE DIHYDROCHLORIDE K Tab 16 mg	10.00	84	<b>~</b> \	/ergo 16
CYCLIZINE HYDROCHLORIDE Tab 50 mg	1.59	10	<u>~ 1</u>	<u>Nausicalm</u>
CYCLIZINE LACTATE Inj 50 mg per ml, 1 ml	14.95	5	<b>✓</b> N	Nausicalm
DOMPERIDONE				
* Tab 10 mg - For domperidone oral liquid formulation refer, page 171		100	<b>✓</b> N	Motilium
-				

123

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

### **⇒**SA0939 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease; and
- 2 Patient cannot tolerate or does not adequately respond to oral anti-nausea agents; and
- 3 The applicant must specify the underlying malignancy or chronic disease.

Renewal from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

	ů			
H)	OSCINE HYDROBROMIDE			
*	Inj 400 $\mu$ g per ml, 1 ml	6.66	5	Mayne
М	ETOCLOPRAMIDE HYDROCHLORIDE			
*	Tab 10 mg	3.95	100	✓ Metamide
*	Inj 5 mg per ml, 2 ml - Up to 5 inj available on a PSO		10	✓ Pfizer
0	NDANSETRON			
OI		E 10	30	A Dr. Boddy's
	Tab 4 mg		30	✓ <u>Dr Reddy's</u> Ondansetron
	Tab disp 4 mg	1 70	10	✓ Dr Reddy's
	Tab disp + mg	1.70	10	Ondansetron
	Tab 8 mg	1.70	10	✓ Dr Reddy's
	145 0 mg		10	Ondansetron
	Tab disp 8 mg	2.00	10	✓ Dr Reddy's
	, ,			Ondansetron
PF	ROCHLORPERAZINE			
*	Tab 3 mg buccal	5.97	50	
		(15.00)		Buccastem
*	Tab 5 mg - Up to 30 tab available on a PSO	16.85	500	✓ Antinaus
*	Inj 12.5 mg per ml, 1 ml - Up to 5 inj available on a PSO.		10	✓ Stemetil
*	Suppos 25 mg		5	✓ Stemetil
PI	ROMETHAZINE THEOCLATE			
*	Tab 25 mg	1 20	10	
71	100 20 mg	(6.24)	10	Avomine
	OODIGETOON	(0.21)		7100111110
11	ROPISETRON			
	a) Maximum of 6 cap per prescription			
	b) Maximum of 3 cap per dispensing			
	c) Not more than one prescription per month.	77.44	-	. / Navahan
	Cap 5 mg	//.41	5	✓ Navoban

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Antipsychotics

### Guidelines for the use of atypical antipsychotic agents

Diagnosis: Schizophrenia and related psychoses when positive symptoms (delusions, hallucinations and thought disorder) are prominent and/or disabling or when both positive symptoms and negative symptoms (flattened affect, emotional and social withdrawal and poverty of speech) are present. Treatment: Before initiating atypical antipsychotic therapy, physicians should consider whether the patient is likely to respond to and/or tolerate conventional antipsychotic therapy and, where appropriate, trial one or more conventional agent prior to use of an atypical agent.

### General

AMISULPRIDE			
Tab 100 mg	22.52	30	Solian
Tab 200 mg	97.03	60	Solian
Tab 400 mg	185.44	60	Solian
Oral liq 100 mg per ml	55.44	60 ml	Solian
ARIPIPRAZOLE - Special Authority see SA0920 below - Re	etail pharmacy		
Tab 10 mg	123.54	30	Abilify
Tab 15 mg	175.28	30	✓ Abilify
Tab 20 mg	213.42	30	✓ Abilify
Tab 30 mg	260.07	30	✓ Abilify

### **▶**SA0920 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Patient is suffering from schizophrenia or related psychoses; and

Lin to 00 talk available on a DCC

- 2 Either:
  - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
  - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

### CHLORPROMAZINE HYDROCHLORIDE

lab 10 mg - Up to 30 tab available on a PSO	12.36	100	✓ Largactil
Tab 25 mg - Up to 30 tab available on a PSO	13.02	100	✓ Largactil
Tab 100 mg - Up to 30 tab available on a PSO	30.61	100	✓ Largactil
Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO	25.66	10	✓ Largactil
CLOZAPINE - Hospital pharmacy [HP4]			
Tab 25 mg	13.37	50	Clozaril
	26.74	100	Clozaril
	6.69	50	Clopine
	13.37	100	✓ Clopine
Tab 50 mg	8.67	50	Clopine
	17.33	100	Clopine
Tab 100 mg	34.65	50	Clozaril
	69.30	100	Clozaril
	17.33	50	Clopine
	34.65	100	Clopine
Tab 200 mg	34.65	50	Clopine
	69.30	100	Clopine
Suspension 50 mg per ml	17.33	100 ml	✓ Clopine

<sup>±</sup> safety cap

	Subsidy (Manufacturer's P	Prico)	Fully	Brand or	
	(Manufacturer's P \$	Per	Subsidised	Generic Manufacturer	
IALOPERIDOL					
Tab 500 $\mu$ g – Up to 30 tab available on a PSO	5.42	100	✓ S	erenace	
Tab 1.5 mg – Up to 30 tab available on a PSO		100		erenace	
Tab 5 mg - Up to 30 tab available on a PSO		100	. —	erenace	
Oral liq 2 mg per ml – Up to 200 ml available on a PSO		100 ml		erenace	
Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO		10		erenace	
		10	<u> </u>	<u> </u>	
EVOMEPROMAZINE	16.00	100	a d Ni		
Tab 25 mg		100		ozinan	
Tab 100 mg		100		ozinan	
Inj 25 mg per ml, 1 ml	/3.68	10	V N	ozinan	
THIUM CARBONATE					
Tab 250 mg	36.10	500	<b>✓</b> Li	thicarb	
Tab 400 mg	13.50	100	<b>✓</b> Li	thicarb	
Tab long-acting 400 mg		100	✓ Pi	riadel	
Cap 250 mg	9.42	100	✓ <u>D</u>	ouglas_	
LANZAPINE					
Tab 2.5 mg	2.00	28	✓ D	r Reddy's	
				Olanzapine	
				lanzine	
	(51.07)			/prexa	
Tab 5 mg	, ,	28		r Reddy's	
Tab o mg		20		Olanzapine	
				lanzine	
	(101.01)				
Tab 10 mg	(101.21)	00		/prexa	
Tab 10 mg	6.35	28		r Reddy's	
				Olanzapine	
	(004.40)			lanzine	
	(204.49)		Z	/prexa	
RICYAZINE					
Tab 2.5 mg	12.49	100	✓ N	eulactil	
Tab 10 mg	44.45	100	✓ No	eulactil	
JETIAPINE					
Tab 25 mg	7.00	60	✓ D	r Reddy's	
-as =0g				Quetiapine	
				eroquel	
	16.78	90		uetapel	
Tab 100 mg		60		r Reddy's	
Tab Too mg	14.00	00		Quetiapine	
				•	
	32.59	90		eroquel	
Toh 200 mg				uetapel	
Tab 200 mg	24.00	60		r Reddy's	
				Quetiapine	
	50.70			eroquel	
T   000	56.70	90		uetapel	
Tab 300 mg	40.00	60		r Reddy's	
				Quetiapine	
				eroquel	
	95.40	90	<b>✓</b> 0	uetapel	

	Subsidy (Manufacturer's Price)		Fully Brand or Subsidised Generic
	\$	Per	✓ Manufacturer
RISPERIDONE			
Tab 0.5 mg	3.51	60	✓ Apo-Risperidone
			✓ Dr Reddy's
			Risperidone
	E 00	00	✓ Ridal
Tab 1 mg	5.20 6.00	20 60	<ul><li>✔ Risperdal</li><li>✔ Apo-Risperidone</li></ul>
Tab Tilly	0.00	00	✓ Apo-Hisperidone ✓ Dr Reddy's
			Risperidone
			✓ Ridal
	30.77		✓ Risperdal
Tab 2 mg	11.00	60	✓ Apo-Risperidone
-			✓ Dr Reddy's
			Risperidone
			✔ Ridal
	61.53		✓ Risperdal
Tab 3 mg	15.00	60	✓ Apo-Risperidone
			✓ Dr Reddy's
			Risperidone ✓ Ridal
	92.32		✓ Risperdal
Tab 4 mg		60	✓ Apo-Risperidone
Tub 4 mg	20.00	60	✓ Dr Reddy's
			Risperidone
			✓ Ridal
	123.05		✓ Risperdal
Oral liq 1 mg per ml	18.35	30 ml	✓ Apo-Risperidone
			✓ Risperon
	45.92		✓ Risperdal
TRIFLUOPERAZINE HYDROCHLORIDE			
Tab 1 mg	9.83	100	✓ Stelazine
Tab 2 mg		100	✓ Stelazine
Tab 5 mg	16.66	100	✓ Stelazine
ZIPRASIDONE – Subsidy by endorsement			
Ziprasidone is subsidised for patients suffering from schizo			
risperidone or quetiapine that has been discontinued, or is in		discon	tinued, because of unacceptable side
effects or inadequate response, and the prescription is endo	• • •		4= 11
Cap 20 mg		60	✓ Zeldox
Cap 40 mg Cap 60 mg		60 60	✓ Zeldox ✓ Zeldox
Cap 80 mg		60	✓ Zeldox
ZUCLOPENTHIXOL HYDROCHLORIDE		-	
	21.45	100	✓ Clopixol
Tab 10 mg	31.40	100	Ciopixoi
Depot Injections			
FLUPENTHIXOL DECANOATE			
	10.14	5	✓ Fluanxol
Inj 20 mg per ml, 1 ml - Up to 5 inj available on a PSO		J	₩ I Iualixui
Inj 20 mg per ml, 1 ml — Up to 5 inj available on a PSO Inj 20 mg per ml, 2 ml — Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml — Up to 5 inj available on a PSO	20.90	5 5	Fluanxol Fluanxol

<sup>▲</sup>Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidise	d Generic
FLUPHENAZINE DECANOATE				
Inj 12.5 mg per 0.5 ml, 0.5 ml - Up to 5 inj available on a PSC	)17.60	5	~	Modecate
Inj 25 mg per ml, 1 ml - Up to 5 inj available on a PSO	27.90	5	~	Modecate
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO	154.50	5	~	Modecate
HALOPERIDOL DECANOATE				
Inj 50 mg per ml, 1 ml - Up to 5 inj available on a PSO	28.39	5	~	Haldol
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO	55.90	5	~	Haldol Concentrate
OLANZAPINE PAMOATE MONOHYDRATE - Special Authority so	ee SA1146 below – F	Retail	pharmacy	,
Inj 210 mg	280.00	1	· /	Zyprexa Relprevv
Inj 300 mg	460.00	1	~	Zyprexa Relprevv
Inj 405 mg	560.00	1	~	Zyprexa Relprevv
The CA 44 AC Connected Anathoration from Contractor				

### ■SA1146 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient has schizophrenia; and
- 2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 Both:
  - 1.1 The patient has had less than 12 months' treatment with olanzapine depot injection; and
  - 1.2 There is no clinical reason to discontinue treatment; or
- 2 The initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of olanzapine depot injection.

Note: The patient should be monitored for post-injection syndrome for at least three hours after each injection.

#### PIPOTHIAZINE PAI MITATE

Inj 50 mg per ml, 1 ml – Up to 5 inj available on a F	'SO178.48 10	✓ Piportil
Inj 50 mg per ml, 2 ml - Up to 5 inj available on a F	SO353.32 10	✓ Piportil
RISPERIDONE - Special Authority see SA0926 below	- Retail pharmacy	
Inj 25 mg per 2 ml	175.00 1	Risperdal Consta
Inj 37.5 mg per 2 ml	230.00 1	Risperdal Consta
Inj 50 mg per 2 ml	280.00 1	✓ Risperdal Consta

### ■ SA0926 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient has schizophrenia or other psychotic disorder; and
- 2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 Both:
  - 1.1 The patient has had less than 12 months treatment with risperidone depot injection; and
  - 1.2 There is no clinical reason to discontinue treatment; or
- 2 The initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of risperidone depot injection.

Note: Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone depot injection.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
ZUCLOPENTHIXOL DECANOATE Inj 200 mg per ml, 1 ml – Up to 5 inj available on a PSO	19.80	5	<b>✓</b> CI	lopixol
Orodispersible Antipsychotics				
OLANZAPINE				
Orodispersible tab 5 mg	6.36	28		r Reddy's Olanzapine
Orodispersible tab 10 mg	8.76	28	<b>✓</b> Di	lanzine-D r Reddy's Olanzapine
			<b>✓</b> 0	lanzine-D
Wafer 5 mg		28		
Wafer 10 mg		28	,	prexa Zydis
DIODEDIDONE O CLARIC TO CARROLL DO T	(204.37)		۷)	prexa Zydis
RISPERIDONE – Special Authority see SA0927 below – Retail p	,		4.5	
Orally-disintegrating tablets 0.5 mg		28		sperdal Quicklet
Orally-disintegrating tablets 1 mg		28		sperdal Quicklet
Orally-disintegrating tablets 2 mg	85.71	28	<b>✓</b> Ri	isperdal Quicklet

### **⇒**SA0927 Special Authority for Subsidy

Initial application — (Acute situations) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

#### Both:

- 1 For a non-adherent patient on oral therapy with standard risperidone tablets or risperidone oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Initial application — (Chronic situations) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

### Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Note: Risperdal Quicklets cost significantly more than risperidone tablets and should only be used where necessary.

ALPRAZOLAM		
Tab 250 $\mu g$ 3.15	50	Arrow-Alprazolam
Ğ Safety cap for extemporaneously compounded oral liquid preparations.		
Tab 500 $\mu \mathrm{g}$ 4.10	50	Arrow-Alprazolam
Ğ Safety cap for extemporaneously compounded oral liquid preparations.		
Tab 1 mg7.25	50	Arrow-Alprazolam
Ğ Safety cap for extemporaneously compounded oral liquid preparations.		
BUSPIRONE HYDROCHLORIDE - Special Authority see SA0863 on the next pag	e – Retail ph	narmacy
Tab 5 mg28.00	100	✓ Pacific Buspirone
Tab 10 mg17.00	100	Pacific Buspirone



Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

### ⇒SA0863 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 For use only as an anxiolytic; and
- 2 Other agents are contraindicated or have failed.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

DIAZEPAM		
Tab 2 mg11.44	500	Arrow-Diazepam
Ğ Safety cap for extemporaneously compounded oral liquid preparations.		
Tab 5 mg13.71	500	Arrow-Diazepam
Ğ Safety cap for extemporaneously compounded oral liquid preparations.		
LORAZEPAM		
Tab 1 mg16.42	250	✓ <u>Ativan</u>
Ğ Safety cap for extemporaneously compounded oral liquid preparations.		
Tab 2.5 mg11.17	100	✓ Ativan
Ğ Safety cap for extemporaneously compounded oral liquid preparations.		
OXAZEPAM		
Tab 10 mg5.89	100	✓ Ox-Pam
Ğ Safety cap for extemporaneously compounded oral liquid preparations.		
Tab 15 mg8.13	100	✓ Ox-Pam
Ğ Safety cap for extemporaneously compounded oral liquid preparations.		

### **Multiple Sclerosis Treatments**

### ■ SA1062 | Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Budget managed by appointed clinicians on the Multiple Sclerosis Treatment Assessments Committee (MSTAC).

Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and

Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator

Multiple Sclerosis Treatment Assessment Committee

PHARMAC PO Box 10 254

Phone: 04 460 4990 Facsimile: 04 916 7571

Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Appeals against MSTAC's decision and/or the processing of any application may be lodged with the MSTAC coordinator. Concerns that cannot be or have not been adequately addressed by MSTAC will be forwarded to a separate Appeal Committee if necessary. Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

#### **Entry Criteria**

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis should as a rule include MRI confirmation. For patients diagnosed before MRI was widely utilised in New Zealand, confirmation of diagnosis via clinical assessment and laboratory/ancillary data must be provided; and
- 2) patients must have active relapsing MS (confirmed by MR scan where necessary) with or without underlying progression; and
- 3) patients must have either:
  - a) EDSS score 2.5 5.5 with 2+ relapses:
    - experienced at least 2 significant relapses of MS in the previous 12 months, and
    - an EDSS score of between 2.5 and 5.5 inclusive; or
  - b) EDSS score 2.0 with 3+ relapses:
    - experienced at least 3 significant relapses of MS in the previous 12 months, and
    - an EDSS score of 2.0; and
- 4) Each relapse must:
  - a) be confirmed by a neurologist or general physician (the patient may not necessarily have been seen during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criterial:
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week;
  - d) follow a period of stability of at least one month;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke functional systems scores by at least 1
    point;
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T>37.5°C); and
- 5) applications must be made at least four weeks after the date of the onset of the last known relapse; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate (see criteria for stopping).
- applications must be submitted to the Multiple Sclerosis Treatment Assessment Committee (MSTAC) by the patient's neurologist or a general physician; and
- 8) patients must agree (via informed consent) to co-operate if as a result of their meeting the stopping criteria, funding is withdrawn. Patients must agree to the collection of clinical data relating to their MS and use of those data by PHARMAC; and
- 9) patients must agree to allow clinical data to be collected and reviewed by MSTAC annually for each year in which they receive funding for beta-interferon or glatiramer acetate.

#### Stopping Criteria

- Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment. Progression
  of disability is defined as any of:
  - a) an increase of 2 EDSS points where starting EDSS was 2.0; or
  - b) an increase of 1.5 EDSS points where starting EDSS was 2.5 or 3.0; or
  - c) an increase of 1 EDSS point where starting EDSS 3.5 or greater; or
  - d) an increase in EDSS score to 6.0 or more; or
- stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) pregnancy and/or lactation; or
- 4) within the 12 month approval year, intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate: or
- 5) non-compliance with treatment, including refusal to undergo annual assessment or refusal to allow the results of the assessment to be submitted to MSTAC: or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

continued...

6) patients may, subject to conclusions drawn from published evidence available at the time, be excluded if they develop a high titre of neutralising anti-bodies to beta-interferon or glatiramer acetate.

Note: Patients who have a stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet any of the other Stopping Criteria at annual review may switch to a different class of funded treatment (i.e. patients may switch from either of the beta-interferons [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa). Patients may switch classes of treatment for this reason only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to stable or increasing relapse rate over 12 months of treatment).

GLATIRAMER ACETATE – Special Authority see SA1062 on page Inj 20 mg prefilled syringe		28	✓ Copaxone
INTERFERON BETA-1-ALPHA – Special Authority see SA1062 or Inj 6 million iu prefilled syringe	. •	4	✓ Avonex
Inj 6 million iu per vial	1,425.10	4	✓ Avonex
INTERFERON BETA-1-BETA - Special Authority see SA1062 on p		15	✓ Betaferon
	,,,		
Sedatives and Hypnotics			
LORMETAZEPAM			
Tab 1 mg		30	
¥	(23.50)		Noctamid
Ğ Safety cap for extemporaneously compounded oral liquid	preparations.		
MIDAZOLAM			
Inj 1 mg per ml, 5 ml		10	✓ Hypnovel  Pfizer
Inj 5 mg per ml, 3 ml	(14.73) 11.90	5	✓ Hypnovel
ing o mg por mi, o mi	(19.64)	3	Pfizer
NITRAZEPAM	(10101)		
Tab 5 mg	2 00	100	
	(4.98)	.00	Nitrados
Ğ Safety cap for extemporaneously compounded oral liquid	, ,		
TEMAZEPAM			
Tab 10 mg	1.27	25	✓ Normison
Ğ Safety cap for extemporaneously compounded oral liquid	preparations.		<del></del>
TRIAZOLAM			
Tab 125 $\mu \mathrm{g}$	5.10	100	
, •	(7.25)		Hypam
Ğ Safety cap for extemporaneously compounded oral liquid			
Tab 250 $\mu$ g		100	
¥	(8.70)		Hypam
G Safety cap for extemporaneously compounded oral liquid	preparations.		
ZOPICLONE			4
Tab 7.5 mg	11.90	500	✓ Apo-Zopiclone

Subsidy (Manufacturer's Price) Sub \$ Per

Fully Br Subsidised G

Brand or Generic Manufacturer

### Stimulants/ADHD Treatments

### Stimulants/ADHD treatments

ATOMOXETINE - Special Authority see SA09	51 below - Retail pharmacy		
Cap 10 mg	107.03	28	✓ Strattera
Cap 18 mg	107.03	28	Strattera
Cap 25 mg	107.03	28	Strattera
Cap 40 mg	107.03	28	Strattera
Cap 60 mg	107.03	28	Strattera
Cap 80 mg	139.11	28	✓ Strattera
Cap 100 mg		28	✓ Strattera

### ⇒SA0951 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing: and
- 3 Any of the following:
  - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
  - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
  - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamphetamine sulphate tablets.

DEXAMPHETAMINE SULPHATE - Special Authority see SA1149 below - Retail pharmacy

Only on a controlled drug form

### ⇒SA1149 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and

Subsidy Fully (Manufacturer's Price) Subsidised Per \$

Brand or Generic Manufacturer

continued...

2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment: and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE - Special Authority see SA1150 below - Retail pharmacy

Only on a controlled drug form			
Tab immediate-release 5 mg	3.20	30	Rubifen
Tab immediate-release 10 mg		30	Ritalin
			Rubifen
Tab immediate-release 20 mg	7.85	30	Rubifen
Tab sustained-release 20 mg	10.95	30	Rubifen SR
_	50.00	100	Ritalin SR

### ⇒SA1150 | Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA1151 below - Retail pharmacy

Only on a controlled drug form			
Tab extended-release 18 mg	58.96	30	Concerta
Tab extended-release 27 mg	65.44	30	Concerta
Tab extended-release 36 mg	71.93	30	Concerta
Tab extended-release 54 mg	86.24	30	Concerta
Cap modified-release 10 mg	19.50	30	Ritalin LA
Cap modified-release 20 mg	25.50	30	Ritalin LA
Cap modified-release 30 mg	31.90	30	Ritalin LA
Cap modified-release 40 mg		30	Ritalin LA

### **⇒**SA1151 Special Authority for Subsidy

**Initial application** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist: or
  - 3.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
- 4 Fither:
  - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or compliance difficulties; or
  - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochlo-

**Renewal** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

MODAFINIL – Special Authority see SA1126 below – Retail pharmacy
Tab 100 mg .......72.50 30 

✓ Modavigil

### **⇒**SA1126 Special Authority for Subsidy

**Initial application** only from a neurologist or respiratory specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more; and
- 2 Either:

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- 2.1 The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eye movement periods; or
- 2.2 The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations; and
- 3 Either:
  - 3.1 An effective dose of a subsidised formulation of methylphenidate or dexamphetamine has been trialled and discontinued because of intolerable side effects; or
  - 3.2 Methylphenidate and dexamphetamine are contraindicated.

**Renewal** only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

### **Treatments for Dementia**

DOMEDEZII		ODIDE
	HYDROCHI	()

*	Tab 5 mg7.71	90	✓ Donepezil-Rex
*	Tab 10 mg14.06	90	✓ Donepezil-Rex

### **Treatments for Opioid Overdose**

### NALOXONE HYDROCHLORIDE

- a) Up to 5 inj available on a PSO
- b) Only on a PSO

*	Ini 400 $\mu$ g per ml. 1 n	ıl33.00	5	✓ May	ınα
不	$\mu$	il	5	<b>₩</b> IVIAY	/IIE

### **Treatments for Substance Dependence**

BUPROPION HYDROCHLORIDE			
Tab modified-release 150 mg	65.00	30	Zyban
DISULFIRAM			
Tab 200 mg	24.30	100	✓ Antabuse
NALTREXONE HYDROCHLORIDE - Special Authority see SA0909	below - Retail ph	narmacy	
Tab 50 mg	123.00	30	✓ Naltraccord

### **⇒**SA0909 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

Renewal from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
  - 2.1 Patient is still unstable and requires further treatment; or
  - 2.2 Patient achieved significant improvement but requires further treatment; or
  - 2.3 Patient is well controlled but requires maintenance therapy.

The patient may not have had more than 1 prior approval in the last 12 months.

✓ Champix✓ Champix

✓ Champix

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
NICOTINE				
Nicotine will not be funded Close Control in amounts less than	4 weeks of treatmer	nt.		
Patch 7 mg - Up to 28 patch available on a PSO	18.13	28	✓ H	abitrol
Patch 14 mg - Up to 28 patch available on a PSO	18.81	28	✓ H	abitrol_
Patch 21 mg - Up to 28 patch available on a PSO	19.14	28	✓ H	abitrol
Lozenge 1 mg - Up to 216 loz available on a PSO	19.94	216	✓ H	abitrol_
Lozenge 2 mg - Up to 216 loz available on a PSO	24.27	216	✓ H	abitrol_
Gum 2 mg (Classic) - Up to 384 piece available on a PSO	36.47	384	✓ H	abitrol
Gum 2 mg (Fruit) - Up to 384 piece available on a PSO	36.47	384	✓ H	<u>abitrol</u>
Gum 2 mg (Mint) - Up to 384 piece available on a PSO	36.47	384	✓ H	abitrol
Gum 4 mg (Classic) - Up to 384 piece available on a PSO	42.04	384	✓ H	abitrol_
Gum 4 mg (Fruit) - Up to 384 piece available on a PSO	42.04	384	✓ H	abitrol_
Gum 4 mg (Mint) - Up to 384 piece available on a PSO	42.04	384	✓ H	abitrol_
VARENICLINE TARTRATE – Special Authority see SA1161 below a) Varenicline will not be funded Close Control in amounts less	, ,	atmer	nt.	

### **⇒**SA1161 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking;

135.48

56

25 OP

- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 Either:
  - 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
  - 3.2 The patient has tried but failed to quit smoking using bupropion or nortriptyline; and

b) A maximum of 3 months' varenicline will be subsidised on each Special Authority approval.

- 4 The patient has not used funded varenicline in the last 12 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 6 The patient is not pregnant; and
- 7 The patient will not be prescribed more than 3 months' funded varenicline (see note).

**Renewal** from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking;
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 The patient has not used funded varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 5 The patient is not pregnant; and
- 6 The patient will not be prescribed more than 3 months' funded varenicline (see note).

The patient may not have had an approval in the past 12 months.

Note: a maximum of 3 months' varenicline will be subsidised on each Special Authority approval.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

## **Chemotherapeutic Agents**

### **Alkylating Agents**

BUSULPHAN – PCT – Retail pharmacy-Specialist	50.50	100	.,	Mulavan
Tab 2 mg	59.50	100		Myleran
CARBOPLATIN – PCT only – Specialist	00.00	4		Carbanistin Ebaura
Inj 10 mg per ml, 5 ml Inj 10 mg per ml, 15 ml		1		Carboplatin Ebewe Carboplatin Ebewe
Inj 10 mg per ml, 45 ml		1		Carboplatin Ebewe
Inj 10 mg per ml, 100 ml		1		Carboplatin Ebewe
Inj 1 mg for ECP		1 mg		Baxter
CARMUSTINE - PCT only - Specialist		9	·	
Inj 100 mg	204 13	1	/	BiCNU
Inj 100 mg for ECP		100 mg OP		Baxter
•	204.10	100 mg Oi	•	Duxtor
CHLORAMBUCIL – PCT – Retail pharmacy-Specialist	00.05	25	.,	Leukeran FC
Tab 2 mg	22.35	25	•	Leukeran FC
CISPLATIN - PCT only - Specialist				
Inj 1 mg per ml, 50 ml		1		Cisplatin Ebewe
le: 4	19.00			Mayne
Inj 1 mg per ml, 100 ml		1		Cisplatin Ebewe
Inj 1 mg for ECP	38.00	1 ma		Mayne Baxter
, 0	0.21	1 mg	•	Daxiei
CYCLOPHOSPHAMIDE				
Tab 50 mg - PCT - Retail pharmacy-Specialist		50		<u>Cycloblastin</u>
Inj 1 g - PCT - Retail pharmacy-Specialist		1	-	Endoxan
Inj 2 g - PCT only - Specialist	127.80	6 1		Cytoxan Endoxan
Inj 1 mg for ECP - PCT only - Specialist		1 mg		Baxter
, , ,	0.00	ring		Daxiei
IFOSFAMIDE - PCT only - Specialist	00.00			Halanan
lnj 1 g lnj 2 g		1 1	-	Holoxan Holoxan
Inj 1 mg for ECP		1 mg		Baxter
, •		ring		Daxiei
LOMUSTINE – PCT only – Specialist	100.50	00		0
Cap 10 mg		20 20		CeeNU CeeNU
Cap 40 mg	399.15	20	•	Ceenu
MELPHALAN				
Tab 2 mg — PCT — Retail pharmacy-Specialist		25		Alkeran
Inj 50 mg – PCT only – Specialist		1	V	Alkeran
OXALIPLATIN - PCT only - Specialist - Special Authority see				
Inj 50 mg		1		Oxaliplatin Ebewe
1 : 400	200.00			Eloxatin
Inj 100 mg		1		Oxaliplatin Ebewe
laid marfar FCD	400.00	1		Eloxatin
Inj 1 mg for ECP	1.20	1 mg	V	Baxter

Subsidy Fully Brand or Subsidised Generic Per Per Manufacturer

### **⇒**SA0900 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### Fither:

- 1 Both:
  - 1.1 The patient has metastatic colorectal cancer; and
  - 1.2 To be used for first or second line use as part of a combination chemotherapy regimen; or
- 2 Both:
  - 2.1 The patient has stage III (Duke's C) colorectal\* cancer; and
  - 2.2 Adjuvant oxaliplatin to be given in combination with a fluoropyrimidine (fluorouracil or capecitabine).

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with \* are Unapproved Indications, oxaliplatin is indicated for adjuvant treatment of stage III (Duke's C) colon cancer after complete resection of the primary tumour.

THIOTEPA - PCT only - Specialist			
Inj 15 mg	CBS	1	✓ Bedford S29
			THIO-TEDA con

# Antimetabolites CALCIUM FOLINATE

CALCIDIVI I OLINAI L				
Tab 15 mg - PCT - R	etail pharmacy-Specialist	82.45	10	✓ <u>DBL Leucovorin</u>
lni 3 ma per ml. 1 ml	- PCT – Retail pharmacy-Special	list	5	<u>Calcium</u> ✔ Mavne
, 01	tail pharmacy-Specialist		5	Calcium Folinate Ebewe
Inj 100 mg - PCT only	/ – Specialist	9.75	1	Calcium Folinate Ebewe
Inj 300 mg - PCT only	/ – Specialist	30.00	1	Calcium Folinate Ebewe
Inj 1 g — PCT only — S	pecialist	90.00	1	Calcium Folinate Ebewe
Inj 1 mg for ECP - PC	T only – Specialist	0.10	1 mg	✓ Baxter
CAPECITABINE - Retail p	harmacy-Specialist - Special Au	thority see SA1049 belo	WC	
Tab 150 mg		115.00	60	✓ Xeloda
Tab 500 mg		705.00	120	✓ Xeloda

### ■ SA1049 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

### Any of the following:

- 1 The patient has advanced gastrointestinal malignancy; or
- 2 The patient has metastatic breast cancer; or
- 3 The patient has stage III (Duke's stage C) colorectal\*# cancer and undergone surgery; or
- 4 Both
  - 4.1 The patient has stage II (Dukes' stage B) colorectal\* cancer and has undergone surgery; and
  - 4.2 Any of the following:

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sı	bsidised	Generic
\$	Per	~	Manufacturer

#### continued...

- 4.2.1 The patient has stage T4 disease; or
- 4.2.2 The patient has vascular invasion; or
- 4.2.3 Fewer than 10 lymph nodes were examined at resection; or
- 5 All of the following:
  - 5.1 The patient has locally advanced (clinically or radiologically staged T3/T4: N0,1,2) rectal cancer; and
  - 5.2 Surgery is planned; and
  - 5.3 Capecitabine to be given prior to surgery (neoadjuvant); and
  - 5.4 Capecitabine to be given at a maximum dose of 825 mg/m<sup>2</sup> twice daily in combination with radiation therapy for a maximum of 6 weeks; or

### 6 Both:

- 6.1 The patient has poor venous access or needle phobia\*; and
- 6.2 The patient requires a substitute for single agent fluoropyrimidine\*.

Note: Indications marked with \* are Unapproved Indications, # capecitabine is approved for stage III (Duke's stage C) colon cancer. **Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

### Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

1	✓ Litak S29
7	✓ Leustatin
10 mg OP	✓ Baxter
5	✓ Pfizer
O	✓ Mayne
1	✓ Pfizer
	✓ Mayne
1	✓ Pfizer
•	✓ Mayne
1	✓ Pfizer
•	✓ Mayne
10 ma	✓ Baxter
0	✓ Baxter
roo mg or	Danto
	4
	Fludara Oral
5	Fludarabine Ebewe
	✓ Fludara
50 mg OP	✓ Baxter
5	✓ Fluorouracil Ebewe
1	✓ Fluorouracil Ebewe
1	✓ Mayne
1	✔ Fluorouracil Ebewe
1	✓ Fluorouracil Ebewe
100 mg	✓ Baxter
	7 10 mg OP  5 1 5 1 1 1 10 mg 100 mg OP  20 5 50 mg OP  5 1 1 1 1 1

	Subsidy (Manufacturer's Price) \$		Fully dised	Brand or Generic Manufacturer
GEMCITABINE HYDROCHLORIDE - PCT only - Specialist - Sp	ecial Authority see	SA1087 bel	OW	
Inj 1 g	349.20	1	✓ G ✓ G ✓ G	BL Gemcitabine emcitabine Actavis 1000 emcitabine Ebewe emzar emcitabine
Inj 1 mg for ECP	78.00 0.07	1 mg	✓ G ✓ G	Actavis 200 emcitabine Ebewe emzar axter

### **⇒**SA1087 Special Authority for Subsidy

**Initial application** — **(Hodgkin's Disease)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has Hodgkin's Disease\*; and
- 2 Any of the following:
  - 2.1 Disease has failed to respond to second line salvage chemotherapy treatment; or
  - 2.2 Disease has relapsed following transplant; or
  - 2.3 The patient is unsuitable for, or intolerant to, second-line salvage chemotherapy or high dose chemotherapy and transplant; and
- 3 Gemcitabine to be given for a maximum of 6 treatment cycles.

Note: Indications marked with a \* are Unapproved Indications.

Initial application — (T-Cell Lymphoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has T-cell Lymphoma\*; and
- 2 Gemcitabine to be given for a maximum of 6 treatment cycles.

Note: Indications marked with a \* are Unapproved Indications.

Initial application — (Cholangiocarcinoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has locally advanced or metastatic, cholangiocarcinoma\*; and
- 2 Gemcitabine to be given for a maximum of 8 treatment cycles.

Notes: Cholangiocarcinoma encompasses epithelial tumours of the hepatobiliary tree, including tumours of bile ducts, ampulla of vater and gallbladder.

Indications marked with a \* are Unapproved Indications.

Initial application — (Pancreatic Cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has macroscopically resected (R0) pancreatic carcinoma\*; and
  - 1.2 Adjuvant gemcitabine to be administered for a maximum of 6 cycles; or
- 2 Both:
  - 2.1 The patient has advanced pancreatic carcinoma; and
  - 2.2 The patient is gemcitabine treatment naive.

Note: Indications marked with a \* are Unapproved Indications.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

**Renewal — (Pancreatic Cancer)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has received gemcitabine for advanced pancreatic carcinoma; and
- 2 The patient has not received gemcitabine for adjuvant treatment pancreatic carcinoma; and
- 3 The patient requires continued therapy.

**Initial application — (Other indications)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 1 The patient has non small cell lung carcinoma (stage Illa, or above); or
- 2 The patient has advanced malignant mesothelioma; or
- 3 The patient has ovarian, fallopian tube\* or primary peritoneal carcinoma\*; or
- 4 The patient has advanced transitional cell carcinoma of the urothelial tract (locally advanced or metastatic).

Note: Indications marked with a \* are Unapproved Indications.

**Renewal** — **(Other indications)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

IRINOTECAN - PCT only - Specialist - Special Authority see	e SA0878 below	
Inj 20 mg per ml, 2 ml	41.00 1	Camptosar
		✓ Irinotecan-Rex
Inj 20 mg per ml, 5 ml	100.00 1	✓ Camptosar ✓ Irinotecan-Rex
Inj 1 mg for ECP	1.04 1 mg	✓ Baxter

### ■ SA0878 | Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic colorectal cancer; and
- 2 Either:
  - 2.1 To be used for first or second line use as part of a combination chemotherapy regimen; or
  - 2.2 As single agent chemotherapy in fluropyrimidine-relapsed disease.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

	Subsidy		Fully	Brand or
	(Manufacturer's Price)	) 5	Subsidised	Generic
	\$	Per	~	Manufacturer
METHOTREXATE				
* Tab 2.5 mg - PCT - Retail pharmacy-Specialist	5.22	30	✓ N	<u>lethoblastin</u>
* Tab 10 mg - PCT - Retail pharmacy-Specialist	40.93	50	✓ N	<u>lethoblastin</u>
* Inj 2.5 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist	23.65	5	✓ N	layne
* Inj 25 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist	48.00	5	✓ H	lospira
* Inj 25 mg per ml, 20 ml - PCT - Retail pharmacy-Specialist.		1	_	lospira
* Inj 100 mg per ml, 10 ml - PCT - Retail pharmacy-Specialist		1		lethotrexate Ebewe
* Inj 25 mg per ml, 40 ml - PCT - Retail pharmacy-Specialist.	25.00	1	✓ D	
				Methotrexate S29
* Inj 100 mg per ml, 50 ml - PCT - Retail pharmacy-Specialist.	125.00	1	✓ N	lethotrexate Ebewe
* Inj 1 mg for ECP - PCT only - Specialist		1 mg	<b>✓</b> B	Baxter
* Inj 5 mg intrathecal syringe for ECP - PCT only - Specialist.	4.73 5	mg OP	<b>✓</b> B	Baxter
THIOGUANINE - PCT - Retail pharmacy-Specialist				
Tab 40 mg	97.16	25	<b>✓</b> L	anvis
Other Cytotoxic Agents				
AMSACRINE - PCT only - Specialist				
Inj 75 mg	CBS	6	✓ A	msidine S29
ANAGRELIDE HYDROCHLORIDE - PCT only - Specialist - Sp	ecial Authority see	SA0879	below	
Cap 0.5 mg	•	100	✓ A	grylin S29 eva S29

### **⇒**SA0879 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has primary thrombocythaemia; and
- 2 Either:
  - 2.1 is at high risk (previous thromboembolic disease, bleeding or platelet count >1500/ml); or
  - 2.2 is intolerant or refractory to hydroxyurea or interferon.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that treatment with anagrelide be initiated only on the recommendation of a haematologist.

ARSENIC TRIOXIDE – PCT only – Specialist Inj 10 mg	4,817.00	10	✓ AFT S29
BLEOMYCIN SULPHATE – PCT only – Specialist Inj 15,000 iu	120.00	1	✓ DBL Bleomycin Sulfate
Inj 1,000 iu for ECP	9.28	1,000 iu	✓ Baxter
BORTEZOMIB - PCT only - Specialist - Special Authority	see SA1127 on the n	ext page	
Inj 1 mg	540.70	1	✓ Velcade
Inj 3.5 mg	1,892.50	1	✓ Velcade
Inj 1 mg for ECP	594.77	1 mg	✓ Baxter

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

### **⇒**SA1127 | Special Authority for Subsidy

Initial application — (Treatment naive multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

Both:

- 1 Either:
  - 1.1 The patient has treatment-naive symptomatic multiple myeloma; or
  - 1.2 The patient has treatment-naive symptomatic systemic AL amyloidosis \*; and
- 2 Maximum of 9 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Initial application — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 The patient has relapsed or refractory multiple myeloma; or
  - 1.2 The patient has relapsed or refractory systemic AL amyloidosis \*; and
- 2 The patient has received only one prior front line chemotherapy for multiple myeloma or amyloidosis; and
- 3 The patient has not had prior publicly funded treatment with bortezomib; and
- 4 Maximum of 4 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Renewal — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

- Both:

  1 The patient's disease obtained at least a partial response from treatment with bortezomib at the completion of cycle 4; and
  - 2 Maximum of 4 further treatment cycles (making a total maximum of 8 consecutive treatment cycles).

Notes: Responding relapsed/refractory multiple myeloma patients should receive no more than 2 additional cycles of treatment beyond the cycle at which a confirmed complete response was first achieved. A line of therapy is considered to comprise either:

- a) a known therapeutic chemotherapy regimen and supportive treatments; or
- b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments.

Refer to datasheet for recommended dosage and number of doses of bortezomib per treatment cycle.

COLASPASE (L-ASPARAGINASE) – PCT only – Specialist Inj 10,000 iu Inj 10,000 iu for ECP		1 10.000 iu OP	✓ Leunase ✓ Baxter
DACARBAZINE – PCT only – Specialist Inj 200 mg Inj 200 mg for ECP	48.00	1 200 mg OP	<ul><li>✓ Hospira</li><li>✓ Baxter</li></ul>
DACTINOMYCIN (ACTINOMYCIN D) – PCT only – Specialist Inj 0.5 mg		1 0.5 mg OP	✓ Cosmegen ✓ Baxter
DAUNORUBICIN – PCT only – Specialist Inj 2 mg per ml, 10 ml Inj 20 mg for ECP		1 20 mg OP	✓ Pfizer ✓ Baxter
DOCETAXEL – PCT only – Specialist Inj 20 mg	460.00	1	✓ Docetaxel Ebewe ✓ Taxotere ✓ Docetaxel Ebewe
Inj 80 mgInj 1 mg for ECP	1,650.00	1 mg	✓ Taxotere ✓ Baxter

	Subsidy	,	Fully Brand or
	(Manufacturer's Pric	ce) Per	Subsidised Generic  Manufacturer
OXORUBICIN - PCT only - Specialist			
Inj 10 mg	10.00	1	✓ Doxorubicin Ebewe
Inj 50 mg		1	✓ DBL
, 55		•	Doxorubicin (\$29)
			✓ Doxorubicin Ebewe
Inj 100 mg	80.00	1	✓ Doxorubicin Ebewe
Inj 200 mg		1	✓ Adriamycin
, = 00g		•	✓ Doxorubicin Ebewe
Inj 1 mg for ECP	0.88	1 mg	✓ Baxter
PIRUBICIN - PCT only - Specialist		3	
	25.00	1	4 Enirubiain Ebaya
Inj 2 mg per ml, 5 ml Inj 2 mg per ml, 25 ml		1	<ul><li>✓ Epirubicin Ebewe</li><li>✓ Epirubicin Ebewe</li></ul>
Inj 2 mg per ml, 50 ml		1	✓ Epirubicin Ebewe
Inj 2 mg per ml, 100 ml		1	✓ Epirubicin Ebewe
Inj 1 mg for ECP		1 mg	✓ Epirubiciii Ebewe
, •	1.00	i ilig	Daxter
OPOSIDE			4
Cap 50 mg - PCT - Retail pharmacy-Specialist		20	✓ Vepesid
Cap 100 mg - PCT - Retail pharmacy-Specialist		10	✓ Vepesid
Inj 20 mg per ml, 5 ml - PCT - Retail pharmacy-Specialis		1	Mayne
1:4 ( FOR DOT 1 0 :1:4	612.20	10	Vepesid
Inj 1 mg for ECP - PCT only - Specialist	0.30	1 mg	✓ Baxter
TOPOSIDE PHOSPHATE - PCT only - Specialist			
Inj 100 mg (of etoposide base)	40.00	1	Etopophos
Inj 1 mg (of etoposide base) for ECP	0.47	1 mg	✓ Baxter
YDROXYUREA - PCT - Retail pharmacy-Specialist			
Cap 500 mg	31.76	100	✓ Hydrea
•			,,,,,,
ARUBICIN HYDROCHLORIDE – PCT only – Specialist	115.00	1	✓ Zavedos
Cap 10 mg		1	✓ Zavedos ✓ Zavedos
Cap 10 mg		1	✓ Zavedos
Inj 10 mg		1	✓ Zavedos ✓ Zavedos
Inj 1 mg for ECP		1 mg	✓ Baxter
, •		i ilig	Daxter
ESNA – PCT only – Specialist	040.05		4.11 11
Tab 400 mg		50	✓ Uromitexan
Tab 600 mg		50	✓ Uromitexan
Inj 100 mg per ml, 4 ml		15	✓ Uromitexan
Inj 100 mg per ml, 10 ml		15	✓ Uromitexan
Inj 1 mg for ECP	2.29	100 mg	✓ Baxter
ITOMYCIN C - PCT only - Specialist			
Inj 5 mg		1	✓ Arrow
Inj 1 mg for ECP	16.13	1 mg	✓ Baxter
ITOZANTRONE - PCT only - Specialist			
Inj 2 mg per ml, 5 ml	110.00	1	✓ Mitozantrone Ebeween
Inj 2 mg per ml, 10 ml		1	✓ Mitozantrone Ebewe
Inj 2 mg per ml, 12.5 ml		1	✓ Onkotrone
Inj 1 mg for ECP		1 mg	✓ Baxter

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PACLITAXEL - PCT only - Specialist				
Inj 30 mg	137.50	5	✓ Pa	aclitaxel Ebewe
Inj 100 mg	91.67	1		aclitaxel Actavis aclitaxel Ebewe
Inj 150 mg	137.50	1	✓ Pa	nzatax aclitaxel Actavis aclitaxel Ebewe
Inj 300 mg	275.00	1	✓ Pa	nzatax aclitaxel Actavis aclitaxel Ebewe
Inj 600 mg	550.00	1	✓ Pa	aclitaxel Ebewe
Inj 1 mg for ECP		1 mg	<b>✓</b> B	axter
PENTOSTATIN (DEOXYCOFORMYCIN) - PCT only - Specialis Inj 10 mg		1	✓ N	ipent S29
PROCARBAZINE HYDROCHLORIDE - PCT only - Specialist Cap 50 mg	225.00	50	✓ N	atulan (\$29)
TEMOZOLOMIDE - Special Authority see SA1063 below - Reta	il pharmacy			
Cap 5 mg		5	•	emaccord emodal
Cap 20 mg	72.00	5	✓ Te	emaccord emodal
Cap 100 mg	350.00	5	✓ Te	emaccord emodal
Cap 250 mg	820.00	5	✓ Te	emaccord emodal

#### **⇒**SA1063 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 10 months for applications meeting the following criteria: All of the following:

- 1 Either:
  - 1.1 Patient has newly diagnosed glioblastoma multiforme; or
  - 1.2 Patient has newly diagnosed anaplastic astrocytoma\*; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of six cycles of 5 days treatment, at a maximum dose of 200 mg/m².

Notes: Indication marked with a \* is an Unapproved Indication. Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme. Reapplications will not be approved.

Studies of temozolomide show that its benefit is predominantly in those patients with a good performance status (WHO grade 0 or 1 or Karnofsky score >80), and in patients who have had at least a partial resection of the tumour.

		<ul> <li>PCT only – Specialist – Special Authority see SA1124 below</li> </ul>	THALIDOMIDE
Thalomid	28	504.00	Cap 50 mg
Thalomid	28		Cap 100 mg

#### **⇒**SA1124 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### Either

- 1 The patient has multiple myeloma; or
- 2 The patient has systemic AL amyloidosis\*.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

continued...

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen. Indication marked with \* is an Unapproved Indication.

• • • • • • • • • • • • • • • • • • • •		
TRETINOIN  Cap 10 mg - PCT - Retail pharmacy-Specialist	100	✓ Vesanoid
VINBLASTINE SULPHATE		
Inj 10 mg - PCT - Retail pharmacy-Specialist27.50	1	✓ Mayne
137.50	5	✓ Mayne
Inj 1 mg for ECP - PCT only - Specialist	1 mg	✓ Baxter
VINCRISTINE SULPHATE		
Inj 1 mg per ml, 1 ml - PCT - Retail pharmacy-Specialist	5	✓ Hospira
Inj 1 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist	5	✔ Hospira
Inj 1 mg for ECP - PCT only - Specialist	1 mg	✓ Baxter
VINORELBINE - PCT only - Specialist - Special Authority see SA1013 below		
Inj 10 mg per ml, 1 ml24.00	1	✓ Navelbine
42.00		✓ Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml120.00	1	✓ Navelbine
210.00		✓ Vinorelbine Ebewe
Inj 1 mg for ECP2.71	1 mg	✓ Baxter

#### ■ SA1013 Special Authority for Subsidy

Initial application — (Hodgkin's Disease) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has Hodgkin's Disease\*; and
- 2 Any of the following:
  - 2.1 Disease has failed to respond to second-line salvage chemotherapy treatment; or
  - 2.2 Disease has relapsed following transplant; or
  - 2.3 The patient is unsuitable for, or intolerant to, second-line salvage chemotherapy or high dose chemotherapy and transplant; and
- 3 Vinorelbine to be given for a maximum of 6 treatment cycles.

Initial application — (T-Cell Lymphoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has T-cell Lymphoma\*; and
- 2 Vinorelbine to be given for a maximum of 6 treatment cycles.

**Initial application — (Other indications)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has metastatic breast cancer; or
- 2 The patient has non-small cell lung cancer (stage Illa, or above); or
- 3 All of the following:
  - 3.1 The patient has stage IB-IIIA non-small cell lung cancer; and
  - 3.2 Vinorelbine is to be given as adjuvant treatment in combination with cisplatin; and
  - 3.3 The patient has good performance status (WHO/ECOG grade 0-1).

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Sprycel

continued...

**Renewal** — **(Other indications)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### Fither:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with a \* are Unapproved Indications.

## **Protein-tyrosine Kinase Inhibitors**

DASATINIB – Special Authority see SA0976 below			
Tab 20 mg	3,774.06	60	Sprycel
Tab 50 mg	6,214.20	60	✓ Sprycel
Tab 70 mg	7,692.58	60	Sprycel

#### ⇒SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <a href="http://www.pharmac.govt.nz">http://www.pharmac.govt.nz</a>, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: mary.chesterfield@pharmac.govt.nz

Tab 100 mg ......6,214.20

Wellington

#### Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

#### Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
  - complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10<sup>9</sup>/L, platelets > 100 × 10<sup>9</sup>/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or</li>
  - 2) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) >  $1.0 \times 10^9$ /L, platelets >  $20 \times 10^9$ /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - 3) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

EKTOLINIR HADROCHTORIDE	- Hetaii pharmacy-Specialist - Special Authority	see SA1044	i on the next page
Tab 100 mg	3,100.00	30	✓ Tarceva
Tab 150 mg	3,950.00	30	Tarceva

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or
 Generic
 Manufacturer

#### **⇒**SA1044 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has advanced, unresectable, Non Small Cell Lung Cancer (NSCLC); and
- 2 Patient has documented disease progression following treatment with first line platinum based chemotherapy; and
- 3 Erlotinib is to be given for a maximum of 3 months.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

IMATINIB MESYLATE - Special Authority see SA0643 below

Tab 100 mg ......2,400.00 60 ✔ Glivec

#### ■ SA0643 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <a href="http://www.pharmac.govt.nz">http://www.pharmac.govt.nz</a>, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: marv.chesterfield@pharmac.govt.nz

Wellington

#### Special Authority criteria for CML – access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 600 mg/day for accelerated or blast phase, and 400 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

#### Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if after 6 months from initiating therapy a patient did not obtain a haematological response as defined as any one of the following three levels of response:
  - 1) complete haematologic response (as characterised by an absolute neutrophil count (ANC) >  $1.5 \times 10^9$ /L, platelets >  $100 \times 10^9$ /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0 × 10<sup>9</sup>/L, platelets > 20 × 10<sup>9</sup>/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or</li>
  - 3) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if after 18 months from initiating therapy a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

#### Special Authority criteria for GIST – access by application

- a) Funded for patients:
  - 1) with a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal turnour (GIST); and
  - 2) who have immunohistochemical documentation of c-kit (CD117) expression by the tumour.
- b) Maximum dose of 400 mg/day.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
continued				
c) Applications to be made and subsequent prescriptions	can be written by an onc	ologis	t.	
d) Initial and subsequent applications are valid for one year	r. The re-application crit	erion i	s an adequa	ate clinical response to
treatment with imatinib (prescriber determined).				
SUNITINIB - Special Authority see SA1162 below - Retail ph	armacy			
Cap 12.5 mg	2,315.38	28	✓ S	utent
Cap 25 mg	4,630.77	28	✓ S	utent
Cap 50 mg		28	✓ S	utent
■SA1162 Special Authority for Subsidy				
Initial application only from a relevant specialist or medical pr	ractitioner on the recomn	nenda	tion of a rele	evant specialist. Approv
valid for 3 months for applications meeting the following criteria	a:			
All of the following:				
1 The patient has metastatic renal cell carcinoma; and				
2 Either:				
<ol><li>The patient is sunitinib treatment naive; or</li></ol>				
2.2 The patient received sunitinib prior to 1 November	er 2010 and disease has	not p	rogressed; a	and
3 The patient has good performance status (WHO/ECOG	grade 0-2); and			
4 The disease is of predominant clear cell histology; and				
The patient has intermediate or poor prognosis defined	as:			
5. Any of the following:				

- 5 Any of the following:
  - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
  - 5.2 Haemoglobin level < lower limit of normal; or
  - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
  - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
  - 5.5 Karnofsky performance score of ≤ 70; or
  - $5.6 \geq 2$  sites of organ metastasis; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Sunitinib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6

BICALUTAMIDE – Special Authority see SA0941 below – Re			
Tab 50 mg - Brand switch fee payable - see page 169 details		28	✓ <u>Bicalaccord</u>
<b>⇒</b> SA0941 Special Authority for Subsidy			
Initial application from any medical practitioner. Approvals advanced prostate cancer.	valid without further	renewal u	inless notified where the patient has
FLUTAMIDE - Retail pharmacy-Specialist			
Tab 250 mg	55.00	100	✓ <u>Flutamin</u>
MEGESTROL ACETATE - Retail pharmacy-Specialist			
Tab 160 mg	57.92	30	Apo-Megestrol
			✓ Megace

	Subsidy (Manufacturer's Price) \$	Sul Per	Fully Brand or osidised Generic Manufacturer
OCTREOTIDE (SOMATOSTATIN ANALOGUE) - Special Authori	ty see SA1016 below	– Retail	pharmacy
Inj 50 $\mu$ g per ml, 1 ml	19.24	5	✓ Octreotide MaxRx
	25.65		✓ Hospira
	43.50		✓ Sandostatin
Inj 100 $\mu$ g per ml, 1 ml	36.38	5	Octreotide MaxRx
	48.50		✓ Hospira
	81.00		Sandostatin
Inj 500 $\mu$ g per ml, 1 ml	131.25	5	Octreotide MaxRx
	175.00		✓ Hospira
	399.00		Sandostatin
Inj LAR 10 mg prefilled syringe		1	Sandostatin LAR
Inj LAR 20 mg prefilled syringe	2,358.75	1	✓ Sandostatin LAR
Inj LAR 30 mg prefilled syringe	2,951.25	1	✓ Sandostatin LAR

#### ⇒SA1016 Special Authority for Subsidy

**Initial application — (Malignant Bowel Obstruction)** from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea\* and vomiting\* due to malignant bowel obstruction\*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and
- 3 Octreotide to be given at a maximum dose 1500  $\mu$ g daily for up to 4 weeks.

Note: Indications marked with \* are Unapproved Indications.

**Renewal — (Malignant Bowel Obstruction)** from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
  - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
  - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed; or
  - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

**Renewal — (Acromegaly)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

Initial application — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 2 Both:

(Manufacturer's Price) Subsidised Generic Per Manufacturer \$ continued... 2.1 Gastrinoma; and 2.2 Either: 2.2.1 Patient has failed surgery; or 2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or 3 Both: 3.1 Insulinomas; and 3.2 Surgery is contraindicated or has failed: or 4 For pre-operative control of hypoglycaemia and for maintenance therapy; or 5 Both: 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and 5.2 Disabling symptoms not controlled by maximal medical therapy. Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item Renewal — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. TAMOXIFEN CITRATE 100 ✓ Genox 100 ✓ Genox Aromatase Inhibitors **ANASTROZOLE** 30 ✓ Aremed ✓ Arimidex ✓ DP-Anastrozole **EXEMESTANE** 30 ✓ Aromasin I FTROZOI F 30 ✓ Letara **Immunosuppressants** Cytotoxic Immunosuppressants AZATHIOPRINE - Retail pharmacy-Specialist Tab 50 mg - For azathioprine oral liquid formulation refer, 100 Imuprine Inj 50 mg ......60.00 ✓ Imuran 1 MYCOPHENOLATE MOFETIL - Special Authority see SA1041 on the next page - Retail pharmacy Dispensing pharmacy should check which brand to dispense with the prescriber if prescribed generically. Ceptolate Tab 500 mg ......60.00 70.00 ✓ Cellcept 85.00 Myaccord Cap 250 mg ......30.00 50 Ceptolate ✔ Cellcept 100 70.00 ✓ Myaccord 85.00 Powder for oral liq 1 g per 5 ml – Subsidy by endorsement ...........285.00 165 ml OP ✓ Cellcept Mycophenolate powder for oral liquid is subsidised only for patients unable to swallow tablets and capsules, and when the prescription is endorsed accordingly.

Subsidy

Fully

Brand or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Fer ✓ Manufacturer

#### ■SA1041 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Either:
  - 1 Transplant recipient; or
  - 2 Both:

Patients with diseases where

- 2.1 Steroids and azathioprine have been trialled and discontinued because of unacceptable side effects or inadequate clinical response; and
- 2.2 Either:

Patients with diseases where

- 2.2.1 Cyclophosphamide has been trialled and discontinued because of unacceptable side effects or inadequate clinical response; or
- 2.2.2 Cyclophosphamide treatment is contraindicated.

#### **Immune Modulators**

ANTITHYMOCYTE GLOBULIN (EQUINE) - PCT only - Specialist Inj 50 mg per ml, 5 ml2,13:	7.50	5	✓ ATGAM
BACILLUS CALMETTE-GUERIN (BCG) VACCINE - PCT only - Special	list		
Subsidised only for bladder cancer. Inj 2-8 × 100 million CFU18	7.37	1	✓ OncoTICE
RITUXIMAB - PCT only - Specialist - Special Authority see SA1152 be	elow		
Inj 100 mg per 10 ml vial1,075	5.50	2	Mabthera
Inj 500 mg per 50 ml vial2,688	8.30	1	Mabthera
Inj 1 mg for ECP	5.64	1 mg	✓ Baxter

#### **▶**SA1152 Special Authority for Subsidy

**Initial application** — **(Post-transplant)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

Fither:

- 1 Both:
  - 1.1 The patient has indolent low grade NHL with relapsed disease following prior chemotherapy; and
  - 1.2 To be used for a maximum of 6 treatment cycles: or
- 2 Both:
  - 2.1 The patient has indolent, low grade lymphoma requiring first-line systemic chemotherapy; and
  - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 All of the following:
  - 1.1 The patient has treatment naive aggressive CD20 positive NHL; and

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 1.3 To be used for a maximum of 8 treatment cycles; or
- 2 Both:
  - 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
  - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Initial application — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### All of the following:

- 1 The patient has progressive Binet stage A, B or C chronic lymphocytic leukaemia (CLL) requiring treatment; and
- 2 The patient is rituximab treatment naive; and
- 3 Fither:
  - 3.1 The patient is chemotherapy treatment naive; or
  - 3.2 Both:
    - 3.2.1 The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment; and
    - 3.2.2 The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy; and
- 4 The patient has good performance status; and
- 5 The patient has good renal function (creatinine clearance ≥ 30 ml/min); and
- 6 The patient does not have chromosome 17p deletion CLL; and
- 7 Rituximab to be administered in combination with fludarabine and cyclophosphamide for a maximum of 6 treatment cycles; and
- 8 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration).

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to <2.

**Renewal** — (**Post-transplant**) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

**Renewal — (Indolent, Low-grade lymphomas)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

## All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia.

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
TRASTUZUMAB - PCT only - Specialist - Special Authority se	ee SA1163 below			
Inj 150 mg vial	1,350.00	1	✓ H	erceptin
Inj 440 mg vial	3,875.00	1	<b>✓</b> H	erceptin
Inj 1 mg for ECP	9.36	1 mg	<b>✓</b> B	axter
11) T 119 to 201		9	• •	anto:

#### **⇒**SA1163 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or FISH+ (including FISH or other current technology); and
- 2 Trastuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab.

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:
  - 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
  - 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
  - 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
  - 3.4 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Renewal — (early breast cancer\*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 The patient received prior adjuvant trastuzumab treatment for early breast cancer; and
    - 2.1.2 Trastuzumab to be discontinued at disease progression; or
  - 2.2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab.

Note: \*For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer.

#### Other Immunosuppressants

CYCLOSPORIN			
Cap 25 mg	59.50	50	✓ Neoral
Cap 50 mg	118.54	50	✓ Neoral
Cap 100 mg	237.08	50	✓ Neoral
Oral liq 100 mg per ml	264.17	50 ml OP	✓ Neoral
SIROLIMUS - Special Authority see SA0866 on the next pa	age – Retail pharmacy		
Tab 1 mg	813.00	100	Rapamune
Tab 2 mg	1,626.00	100	✓ Rapamune
Oral lig 1 mg per ml	487 80	60 ml OP	✓ Ranamune

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

Prograf

#### ■ SA0866 Special Authority for Subsidy

**Initial application** from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR<30 ml/min: or</li>
- Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- HUS or TTP; or
- Leukoencepthalopathy; or
- Significant malignant disease

TACROLIMILIS	- Special Authority	see SA0669 below	- Retail pharmacy
IACHOLINIOS	- Special Authority	See Saudos below	- netali bilalillacv

Cap 0.5 mg	214.00	100	Prograf
Cap 1 mg	428.00	100	Prograf
Cap 5 mg - For tacrolimus oral liquid formulation refer, page	е		

# ■>SA0669 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Note: Subsidy applies for either primary or rescue therapy.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

## **Antiallergy Preparations**

BEE VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Retail pharmacy

Maintenance kit - 6 vials 120 ug freeze dried venom, 6 diluent

1.8 ml	285.00	1 OP	Albay
Treatment kit - 1 vial 550 $\mu g$ freeze dried venom, 1 diluent			
9 ml, 3 diluent 1.8 ml	285.00	1 OP	Albay

#### **▶**SA0053 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

**Renewal** only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

WASP VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Retail pharmacy

Treatment kit (Paper wasp venom) - 1 vial 550 μg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml .......285.00 1 OP

Treatment kit (Yellow jacket venom) - 1 vial 550 μg freeze dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml ......285.00 1 OP

✓ Albay

#### **⇒**SA0053 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

**Renewal** only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

## Antihistamines

# Tab 10 mg*  * Toral liq 1 mg per ml		100 200 ml	✓ <u>Zetop</u> ✓ <u>Cetirizine - AFT</u>
CHLORPHENIRAMINE MALEATE  *‡ Oral liq 2 mg per 5 ml	8.06	500 ml	✓ Histafen
DEXTROCHLORPHENIRAMINE MALEATE			
* Tab 2 mg	1.01	20	
•	(4.93)		Polaramine
	2.02	40	
	(7.99)		Polaramine
*‡ Oral liq 2 mg per 5 ml	1.77	100 ml	
	(10.29)		Polaramine
FEXOFENADINE HYDROCHLORIDE			
* Tab 60 mg	4.34	20	
•	(11.53)		Telfast
* Tab 120 mg	4.74	10	
	(11.53)		Telfast
	14.22	30	
	(29.81)		Telfast

	Subsidy (Manufacturer's		Fully Brand or sidised Generic
	(Manulacturer s	Per Per	Manufacturer
ORATADINE			
k Tab 10 mg	2.09	100	✓ Loraclear Hayfever Relief
Oral liq 1 mg per ml	3.10	100 ml	✓ <u>Lorapaed</u>
ROMETHAZINE HYDROCHLORIDE			
F Tab 10 mg	2.72	50	✓ Allersoothe
Tab 25 mg	4.44	50	✓ Allersoothe
† Oral liq 5 mg per 5 ml	3.10	100 ml	✓ Promethazine
			Winthrop Elixir
Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO	11.00	5	✓ Mayne
RIMEPRAZINE TARTRATE			
Oral liq 30 mg per 5 ml	2.79	100 ml OP	
,	(8.06)		Vallergan Forte
Inhaled Corticosteroids			
ECLOMETHASONE DIPROPIONATE			
Aerosol inhaler, 100 $\mu$ g per dose CFC-free		200 dose OP	✓ Beclazone 100
Aerosol inhaler, 250 $\mu$ g per dose CFC-free		200 dose OP	✓ Beclazone 250
Aerosol inhaler, 50 $\mu$ g per dose CFC-free	8.54	200 dose OP	✓ Beclazone 50
UDESONIDE			
Powder for inhalation, 100 $\mu$ g per dose	17.00	200 dose OP	✓ Pulmicort
			Turbuhaler
Powder for inhalation, 200 $\mu$ g per dose	15.20	200 dose OP	✓ Budenocort
	19.00		✓ Pulmicort
			Turbuhaler
Powder for inhalation, 400 $\mu$ g per dose	25.60	200 dose OP	✓ Budenocort
	32.00		✓ Pulmicort
			Turbuhaler
LUTICASONE			
Aerosol inhaler, 50 $\mu$ g per dose CFC-free	7.50	120 dose OP	✓ Flixotide
Powder for inhalation, 50 $\mu$ g per dose	7.50	60 dose OP	Flixotide Accuhaler
Powder for inhalation, 100 $\mu$ g per dose		60 dose OP	Flixotide Accuhaler
Aerosol inhaler, 125 $\mu$ g per dose CFC-free		120 dose OP	✓ Flixotide
Aerosol inhaler, 250 $\mu$ g per dose CFC-free	27.20	120 dose OP	✓ Flixotide
Powder for inhalation, 250 $\mu$ g per dose	13.60	60 dose OP	Flixotide Accuhaler

## **Inhaled Long-acting Beta-adrenoceptor Agonists**

#### Prescribing Guideline for Inhaled Long-Acting Beta-Adrenoceptor Agonists

The addition of inhaled long-acting beta-adrenoceptor agonists (LABAs) to inhaled corticosteroids is recommended:

- For younger children (aged under 12 years) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 200 μg beclomethasone or budesonide (or 100 μg fluticasone).
- For adults and older children (aged 12 years and over) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 400 μg beclomethasone or budesonide (or 200 μg fluticasone).

#### Note:

Further information on the place of inhaled corticosteroids and inhaled LABAs in the management of asthma can be found in the New Zealand guidelines for asthma in adults (www.nzgg.org.nz) and in the New Zealand guidelines for asthma in children aged 1-15 (www.paediatrics.org.nz).

	Subsidy (Manufacturer's	Price) Sub: Per	Fully sidised	Brand or Generic Manufacturer
EFORMOTEROL FUMARATE - See prescribing guideline on the				
Note: Repeats for eformoterol fumarate will be fully subsidise	d where the initi	ial dispensing is	before	1 February 2012.
Powder for inhalation, 6 $\mu$ g per dose, breath activated	11.51	60 dose OP		
, , , , ,	(16.90)		0:	xis Turbuhaler
Powder for inhalation, 12 $\mu$ g per dose, and monodose device	, ,	60 dose		
, , , , , , , , , , , , , , , , , , , ,	(35.80)		Fo	oradil
SALMETEROL - See prescribing guideline on the preceding page	ie			
Aerosol inhaler CFC-free, 25 μg per dose	,	120 dose OP	✓ Se	erevent
Powder for inhalation, 50 $\mu$ g per dose, breath activated		60 dose OP		erevent Accuhaler

## Inhaled Corticosteroids with Long-Acting Beta-Adrenoceptor Agonists

#### **⇒**SA1179 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 All of the following:
  - 1.1 Patient is a child under the age of 12; and
  - 1.2 Has been treated with inhaled corticosteroids of at least 400  $\mu$ g per day beclomethasone or budesonide, or 200  $\mu$ g per day fluticasone; and
  - 1.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product; or
- 2 All of the following:
  - 2.1 Patient is over the age of 12; and
  - 2.2 Has been treated with inhaled corticosteroids of at least 800  $\mu$ g per day beclomethasone or budesonide, or 500  $\mu$ g per day fluticasone; and
  - 2.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

BUDESONIDE WITH EFORMOTEROL - Special Authority see SA1179 above - Ret		
Aerosol inhaler 100 $\mu$ g with eformoterol fumarate 6 $\mu$ g26.49 120	0 dose OP 🗸	Vannair
Powder for inhalation 100 $\mu$ g with eformoterol fumarate 6 $\mu$ g55.00 120	0 dose OP 🗸	Symbicort
		Turbuhaler 100/6
Aerosol inhaler 200 $\mu$ g with eformoterol fumarate 6 $\mu$ g31.25	0 dose OP 🗸	Vannair
Powder for inhalation 200 $\mu$ g with eformoterol fumarate 6 $\mu$ g60.00 120	0 dose OP	Symbicort
, ,		Turbuhaler 200/6
Powder for inhalation 400 $\mu$ g with eformoterol fumarate 12 $\mu$ g		
<ul> <li>No more than 2 dose per day60.00</li> </ul>	dose OP 🗸	Symbicort
		Turbuhaler 400/12
FLUTICASONE WITH SALMETEROL - Special Authority see SA1179 above - Reta	il pharmacy	
Aerosol inhaler 50 $\mu$ g with salmeterol 25 $\mu$ g	0 dose OP 🗸	Seretide
Aerosol inhaler 125 $\mu$ g with salmeterol 25 $\mu$ g49.69	0 dose OP	Seretide
Powder for inhalation 100 $\mu$ g with salmeterol 50 $\mu$ g - No		
, ,	dose OP	Seretide Accuhaler
Powder for inhalation 250 $\mu$ g with salmeterol 50 $\mu$ g - No		
7 0	dose OP	Seretide Accuhaler
= 4000 por 44)	4000 0.	

	(Manufacturer s	Per	✓ Manufacturer
Beta-Adrenoceptor Agonists			
SALBUTAMOL  † Oral liq 2 mg per 5 ml Infusion 1 mg per ml, 5 ml		150 ml 10	✓ <u>Salapin</u> Ventolin
Inj 500 $\mu$ g per ml, 1 ml $$ – Up to 5 inj available on a PSO		5	✓ Ventolin
Inhaled Beta-Adrenoceptor Agonists			
SALBUTAMOL Aerosol inhaler, 100 μg per dose CFC free – Up to 1000 dose available on a PSO	(6.00)	200 dose OP	<ul><li>✓ Respigen</li><li>✓ Salamol</li><li>✓ Ventolin</li></ul>
Nebuliser soln, 1 mg per ml, 2.5 ml — Up to 30 neb available on a PSO  Nebuliser soln, 2 mg per ml, 2.5 ml — Up to 30 neb available on a PSO	3.52	20 20	✓ <u>Asthalin</u> ✓ Asthalin
TERBUTALINE SULPHATE Powder for inhalation, 250 μg per dose, breath activated Inhaled Anticholinergic Agents	22.00	200 dose OP	✔ Bricanyl Turbuhaler
Inhaled Anticholinergic agents			
IPRATROPIUM BROMIDE  Aerosol inhaler, 20 μg per dose CFC-free  Nebuliser soln, 250 μg per ml, 1 ml – Up to 40 neb available on a PSO  Nebuliser soln, 250 μg per ml, 2 ml – Up to 40 neb available on a PSO	3.79	200 dose OP 20 20	✓ Atrovent ✓ <u>Univent</u> ✓ Univent
TIOTROPIUM BROMIDE – Special Authority see SA0872 below Powder for inhalation, 18 $\mu$ g per dose	- Retail pharm		✓ Spiriva
Initial application only from a general practitioner or relevant sprollowing criteria:  All of the following:  1 To be used for the long-term maintenance treatment of browning:  2 In addition to standard treatment, the patient has trialled a series.	onchospasm and dose of at least	d dyspnoea asso t 40 μg ipratropiu	ciated with COPD; and

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- 3.1 Grade 4 (stops for breath after walking about 100 meters or after a few minutes on the level); or
- 3.2 Grade 5 (too breathless to leave the house, or breathless when dressing or undressing); and
- 4 Actual FEV<sub>1</sub> (litres) < 0.6 × predicted (litres); and
- 5 Either:
  - 5.1 Patient is not a smoker (for reporting purposes only); or
  - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

Subsidy (Manufacturer's Price)	Sı	Fully ubsidised	Brand or Generic
 \$	Per	~	Manufacturer

continued...

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined); and
- 3 Applicant must state recent measurement of FEV<sub>1</sub> (% of predicted).

## Inhaled Beta-Adrenoceptor Agonists with Anticholinergic Agents

SALBUTAMOL WITH IPRATROPIUM BROMIDE			
Aerosol inhaler, 100 $\mu$ g with ipratropium bromide, 20 $\mu$ g per			
dose CFC-free	12.19	200 dose OP	Duolin HFA
Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per			
vial, 2.5 ml - Up to 20 neb available on a PSO	4.29	20	✓ <u>Duolin</u>

#### Mast Cell Stabilisers

#### Mast cell stabilisers

NEDOCROMIL Aerosol inhaler, 2 mg per dose CFC-free	28.07	112 dose OP	✓ Tilade
SODIUM CROMOGLYCATE			
Powder for inhalation, 20 mg per dose	17.94	50 dose	✓ Intal Spincaps
Aerosol inhaler, 5 mg ner dose CEC-free	28.07	112 dose OP	✓ Vicrom

Methylx	anthines
---------	----------

# Inj 25 mg per ml, 10 ml – Up to 5 inj available on a PSO53.75	5	✓ DBL Aminophylline
THEOPHYLLINE		
* Tab long-acting 250 mg21.51	100	✓ Nuelin-SR
*± Oral lig 80 mg per 15 ml	500 ml	✓ Nuelin

## **Mucolytics**

DORNASE ALFA - Special Authority see SA0611 below - Retail	pharmacy		
Nebuliser soln, 2.5 mg per 2.5 ml ampoule	294.30	6	✓ Pulmozyme

#### **⇒**SA0611 Special Authority for Subsidy

Special Authority approved by the Cystic Fibrosis Advisory Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Cystic Fibrosis Advisory Panel PHARMAC, PO Box 10 254 Pharmac.govt.nz

Phone: (04) 460 4990
Facsimile: (04) 916 7571
Email: CFPanel@pharmac.govt.nz

Prescriptions for patients approved for treatment must be written by respiratory physicians or paediatricians who have experience and expertise in treating cystic fibrosis.

#### SODIUM CHLORIDE

Not funded for use as a nasal drop.

**Nasal Preparations** Allergy Prophylactics BECLOMETHASONE DIPROPIONATE 200 dose OP Alanase Metered aqueous nasal spray, 100  $\mu$ g per dose .......2.46 200 dose OP Alanase (4.81)BUDESONIDE 200 dose OP **Butacort Aqueous** (4.00)200 dose OP **Butacort Aqueous** (4.81)FLUTICASONE PROPIONATE ✓ Flixonase Hayfever 120 dose OP & Allergy IPRATROPIUM BROMIDE Agueous nasal spray, 0.03% .......4.03 15 ml OP Univent SODIUM CROMOGLYCATE 22 ml OP ✓ Rex **Respiratory Devices** MASK FOR SPACER DEVICE a) Up to 20 dev available on a PSO b) Only on a PSO c) Only for children aged six years and under 1 EZ-fit Paediatric Mask PEAK FLOW METER a) Up to 10 dev available on a PSO b) Only on a PSO ✓ Breath-Alert **Breath-Alert** SPACER DEVICE a) Up to 20 dev available on a PSO b) Only on a PSO 230 ml (single patient) .......4.72 Space Chamber Plus 800 ml .......8.50 Volumatic SPACER DEVICE AUTOCLAVABLE a) Up to 5 dev available on a PSO b) Only on a PSO 230 ml (autoclavable) – Subsidy by endorsement......11.60 1 Space Chamber Available where the prescriber requires a spacer device that is capable of sterilisation in an autoclave and the PSO is endorsed accordingly.

Subsidy

(Manufacturer's Price)

\$

Fully

Subsidised

Per

Brand or

Generic

Manufacturer

Subsidy (Manufacturer's Price) Per \$

Fully Subsidised

Brand or Generic Manufacturer

## **Respiratory Stimulants**

CAFFEINE CITRATE

Oral liq 20 mg per ml (10 mg base per ml) ......14.85 25 ml OP ✔ Biomed

Subsidy (Manufacturer's Price)	Suh	Fully	Brand or Generic
\$	Per	✓	Manufacturer

Ear Preparations  ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BENZETHONIUM  Ear drops 2% with 1, 2-Propanediol diacetate 3% and benzethonium chloride 0.02%		· ·		
Ear drops 2% with 1, 2-Propanediol diacetate 3% and benzethonium chloride 0.02%	Ear Preparations			
Ear drops 2% with 1, 2-Propanediol diacetate 3% and benzethonium chloride 0.02%	ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BENZ	ETHONIUM		
benzethonium chloride 0.02%				
Ear drops 0.5%		6.97	35 ml OP	✔ Vosol
Ear drops 0.5%	CHI ORAMPHENICOI			
FLUMETASONE PIVALATE Ear drops 0.02% with clioquinol 1%		2 20	5 ml OP	✓ Chloromycetin
Ear drops 0.02% with clioquinol 1%	'	2.20	31111 01	• Omoromyceum
ED's  Locorten-Vioform  TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN  Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 μg per g		4.40	7.5 1.00	41
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN  Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 μg per g	Ear drops 0.02% with clioquinol 1%	4.46	7.5 ml OP	
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN  Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 μg per g				
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 μg per g				Locorten-Viotorm
2.5 mg and gramicidin 250 μg per g	TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN	AND NYSTAT	N	
Ear/Eye Preparations         DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN         Ear/Eye drops 500 μg with framycetin sulphate 5 mg and gramicidin 50 μg per ml       4.50       8 ml OP         (9.27)       Sofradex         FRAMYCETIN SULPHATE         Ear/Eye drops 0.5%       4.13       8 ml OP	Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate			
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN  Ear/Eye drops 500 μg with framycetin sulphate 5 mg and gramicidin 50 μg per ml	2.5 mg and gramicidin 250 $\mu$ g per g	5.16	7.5 ml OP	✓ Kenacomb
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN  Ear/Eye drops 500 μg with framycetin sulphate 5 mg and gramicidin 50 μg per ml	Far/Eve Preparations			
Ear/Eye drops 500 μg with framycetin sulphate 5 mg and gramicidin 50 μg per ml	Lai/Lyc i reparations			
gramicidin 50 $\mu$ g per ml	DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN			
(9.27) Sofradex  FRAMYCETIN SULPHATE Ear/Eye drops 0.5%	Ear/Eye drops 500 $\mu$ g with framycetin sulphate 5 mg and			
FRAMYCETIN SULPHATE Ear/Eye drops 0.5%	gramicidin 50 $\mu$ g per ml	4.50	8 ml OP	
Ear/Eye drops 0.5%		(9.27)		Sofradex
Ear/Eye drops 0.5%	FRAMYCETIN SUI PHATE			
		4.13	8 ml OP	
			J J.	Soframycin

## **Eye Preparations**

Eye preparations are only funded for use in the eye. The exception is pilocarpine eye drops 1%, 2% and 4% which are subsidised for oral use pursuant to the Standard Formulae.

## **Anti-Infective Preparations**

ACICLOVIR	4.5 g OP	✓ Zovirax
CHLORAMPHENICOL       Eye oint 1%       2.37         Eye drops 0.5%       1.28	4 g OP 10 ml OP	✓ <u>Chlorsig</u> ✓ <u>Chlorafast</u>
CIPROFLOXACIN  Eye Drops 0.3%12.43  For treatment of bacterial keratitis or severe bacterial conjunctivitis resis		✓ Ciloxan  nenicol.
FUSIDIC ACID Eye drops 1%4.50	5 g OP	✓ Fucithalmic
GENTAMICIN SULPHATE Eye drops 0.3%11.40	5 ml OP	✓ Genoptic
PROPAMIDINE ISETHIONATE  * Eye drops 0.1%	10 ml OP	Brolene

	Subsidy		Fully	Brand or
	(Manufacturer's F	Price) Sub Per	sidised	Generic Manufacturer
OBRAMYCIN				
Eye oint 0.3%	10.45	3.5 g OP	✓ To	obrex
Eye drops 0.3%		5 ml OP		obrex
Corticosteroids and Other Anti-Inflammatory Pr	eparations			
EXAMETHASONE				
Fye oint 0.1%	5.86	3.5 g OP	✓ M	axidex
€ Eye drops 0.1%		5 ml OP		axidex
DEXAMETHASONE WITH NEOMYCIN AND POLYMYXIN B SU	LPHATE			
Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin				
B sulphate 6,000 u per g		3.5 g OP	✓ M	axitrol
Eye drops 0.1% with neomycin sulphate 0.35% and polymy	-	=		_
xin B sulphate 6,000 u per ml		5 ml OP	✓ M	<u>axitrol</u>
DICLOFENAC SODIUM				
Figure Eye drops 1 mg per ml	13.80	5 ml OP	✓ Volume	oltaren Ophtha
LUOROMETHOLONE				
<b>★</b> Eye drops 0.1%	4.05	5 ml OP	<b>✓</b> FI	ML
EVOCABASTINE				
Eye drops 0.5 mg per ml	8.71	4 ml OP		
_,	(10.34)		Li	vostin
ODOXAMIDE TROMETAMOL	, ,			
Eye drops 0.1%	8.71	10 ml OP	V Lo	<u>omide</u>
PREDNISOLONE ACETATE				<u></u>
★ Eye drops 0.12%	4.50	5 ml OP	<b>✓</b> Pi	red Mild
≰ Eye drops 1%		5 ml OP	<b>✓</b> Pi	red Forte
SODIUM CROMOGLYCATE				
Eye drops 2%	1.18	5 ml OP	✓ Re	exacrom
Glaucoma Preparations - Beta Blockers				
SETAXOLOL HYDROCHLORIDE				
★ Eye drops 0.25%	11.80	5 ml OP	<b>✓</b> B	etoptic S
k Eye drops 0.5%	7.50	5 ml OP	<b>✓</b> B	etoptic
EVOBUNOLOL				
F Eye drops 0.25%	7.00	5 ml OP	<b>✓</b> B	etagan
≰ Eye drops 0.5%		5 ml OP		etagan
IMOLOL MALEATE				
★ Eye drops 0.25%	2.08	5 ml OP	✓ A	rrow-Timolol
, ,	(2.37)		Ą	po-Timop
★ Eye drops 0.25%, gel forming		2.5 ml OP		moptol XE
Feet Eye drops 0.5%		5 ml OP		rrow-Timolol
h E   1   0   50 / 1 / 1	(2.29)	0 = . 0 =		po-Timop
Eye drops 0.5%, gel forming	3.78	2.5 ml OP	<b>√</b> Ti	moptol XE
Apo-Timop Eye drops 0.25% to be delisted 1 April 2012)				

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

## Glaucoma Preparations - Carbonic Anhydrase Inhibitors

#### Prescribing Guidelines

Trusopt, Cosopt and Azopt are subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma. Trusopt, Cosopt and Azopt should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- 1) that person has previously trialled all other such subsidised agents (except brimonidine tartrate); and
- 2) those trials have indicated that that person does not respond adequately to treatment with those other agents.

#### **ACETAZOLAMIDE**

* Tab 250 mg - For acetazolamide oral liquid formulation refer,			
page 171	17.03	100	✓ <u>Diamox</u>
BRINZOLAMIDE			
▲ Eye Drops 1%	9.77	5 ml OP	✓ Azopt
DORZOLAMIDE HYDROCHLORIDE			
* Eye drops 2%	9.77	5 ml OP	
•	(13.95)		Trusopt
DORZOLAMIDE HYDROCHLORIDE WITH TIMOLOL MALEATE			
* Eye drops 2% with timolol maleate 0.5%	15.50	5 ml OP	Cosopt

## Glaucoma Preparations - Prostaglandin Analogues

#### **Prescribing Guideline**

Bimatoprost, lantanoprost and travoprost are subsidised for use in the treatment of glaucoma as either monotherapy or as an adjunctive agent for patients in whom prostaglandin analogue monotherapy has been ineffective in controlling intraocular pressure. Bimatoprost, lantanoprost and travoprost should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- 1) That person has previously trialled all other such subsidised agents (beta-blockers, pilocarpine, carbonic anhydrase inhibitors): and
- 2) Those trials have indicated that that person does not respond adequately to treatment with those other agents.

#### BIMATOPROST - Retail pharmacy-Specialist

See prescribing guideline above  ▲ Eye drops 0.03%	0 3 ml OP	✓ Lumigan
LATANOPROST – Retail pharmacy-Specialist		
See prescribing guideline above  ▲ Eye drops 50 µg per ml, 2.5 ml	5 2.5 ml OP	✓ <u>Hysite</u>
TRAVOPROST - Retail pharmacy-Specialist		
See prescribing guideline above		
▲ Eye drops 0.004%19.5	0 2.5 ml OP	Travatan

## **Glaucoma Preparations - Other**

#### **Prescribing Guidelines**

Brimonidine tartrate is subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma. Brimonidine tartrate should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- that person has previously trialled all other such subsidised agents (except dorzolamide hydrochloride); and
- those trials have indicated that that person does not respond adequately to or does not tolerate treatment with those other agents.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer		
BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE – See prescribing quideline below						

✓ Combigan

#### **Prescribing Guidelines**

Combigan is subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma. Combigan should only be prescribed when:

- 1) less expensive first line agents for the treatment of glaucoma are contraindicated; or
- 2) the response to such subsidised agents is inadequate; or
- 3) the patient cannot tolerate such subsidised agents.

#### PII OCARPINE

1 11	OOAH INC		
*	Eye drops 1%4.26	15 ml OP	✓ Isopto Carpine
*	Eye drops 2%5.35	15 ml OP	✓ Isopto Carpine
*	Eye drops 4%	15 ml OP	✓ Isopto Carpine
*	Eye drops 2% single dose - Special Authority see SA0895		
	below – Retail pharmacy31.95	20 dose	
	(32.72)		Minims

#### ■ SA0895 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items. Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

## **Mydriatics and Cycloplegics**

# Eye drops 1%	15 ml OP	✓ Atropt
CYCLOPENTOLATE HYDROCHLORIDE  * Eye drops 1%	15 ml OP	✓ Cyclogyl
HOMATROPINE HYDROBROMIDE  * Eye drops 2%	15 ml OP	✓ Isopto Homatropine
TROPICAMIDE  * Eye drops 0.5%	15 ml OP 15 ml OP	✓ <u>Mydriacyl</u> ✓ Mydriacyl
Preparations for Tear Deficiency		. <u>,</u>
HYPROMELLOSE  * Eve drops 0.3%	15 ml OP	✓ Polv-Tears

HYPROMELLOSE			
* Eye drops 0.3%	2.62	15 ml OP	✓ Poly-Tears
* Eye drops 0.5%	2.00	15 ml OP	•
7	(3.92)		Methopt
POLYVINYL ALCOHOL			
* Eye drops 1.4%	2.68	15 ml OP	✓ Vistil
* Eye drops 3%		15 ml OP	✓ Vistil Forte
TYLOXAPOL			
* Eye drops 0.25%	8.63	15 ml OP	✓ Enuclene

## **SENSORY ORGANS**

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully sidised	Brand or Generic Manufacturer	
ther Eye Preparations					

Other Eye Preparations		
NAPHAZOLINE HYDROCHLORIDE  * Eye drops 0.1%	15 ml OP	✓ Naphcon Forte
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN  * Eye oint with soft white paraffin	3.5 g OP	✓ <u>Lacri-Lube</u>
PARAFFIN LIQUID WITH WOOL FAT LIQUID  * Eye oint 3% with wool fat liq 3%	3.5 g OP	✓ Poly-Visc
PHENYLEPHRINE HYDROCHLORIDE  * Eye drops 0.12%	15 ml OP	✓ Prefrin

Subsidy Fully Brand or
(Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

#### **Various**

May only be claimed once per patient.

PHARMACY SERVICES

 ✓ BSF Arrow-losartan

α Hvdrochlorothiazide

✓ BSF Bicalaccord

✓ BSF Lostaar

- a) The Pharmacode for BSF Arrow-Losartan & Hydrochlorothiazide is 2397153
- b) The Pharmacode for BSF Losaar is 2397145
- c) The Pharmacode for BSF Bicalaccord is 2397137

(BSF Arrow-losartan & Hydrochlorothiazide Brand switch fee to be delisted 1 June 2012) (BSF Bicalaccord Brand switch fee to be delisted 1 May 2012)

#### INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
  - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
  - b) Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-specialist).
  - c) Menthol crystals only in the following bases:

Aqueous cream

Urea cream 10%

Wool fat with mineral oil lotion

Hydrocortisone 1% with wool fat and mineral oil lotion

Glycerol, paraffin and cetyl alcohol lotion.

## Glossary

**Dermatological base:** The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Hydrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- · Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

**Dermatological galenical:** Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution BP up to 10%
- Hydrocortisone powder up to 5%
- Menthol crystals
- Salicylic acid powder
- Sulphur precipitated powder

**Standard formulae:** Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

## **Explanatory notes**

#### **Oral liquid mixtures**

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

The Emixt website www.pharminfotech.co.nz has evidence-based formulations which are intended to standardise compounded oral liquids within New Zealand.

#### Pharmaceuticals with standardised formula for compounding in Ora products

Acetazolamide 25 mg/ml Allopurinol 20 mg/ml Amlodipine 1 mg/ml Azathioprine 50 mg/ml Baclofen 10 mg/ml

Carvedilol 1 mg/ml Clopidogrel 5 mg/ml Diltiazem hydrochloride 12 mg/ml Dipyridamole 10 mg/ml Domperidone 1 mg/ml Enalapril 1 mg/ml Flecainide 20 mg/ml Gabapentin 100 mg/ml

Gabapentin (Neurontin) 100 mg/ml Hydrocortisone 1 mg/ml Labetolol 10 mg/ml Levetiracetam 100 mg/ml Levodopa with carbidopa (5 mg lev-

odopa + 1.25 mg carbidopa)/ml Metoprolol tartrate 10 mg/ml Nitrofurantoin 10 mg/ml Pyrazinamide 100 mg/ml Rifabutin 20 mg/ml Sildenafil 2 mg/ml Sotalol 15 mg/ml

Sulphasalazine 100 mg/ml Tacrolimus 1 mg/ml Terbinafine 25 mg/ml Ursodeoxycholic acid 50 mg/ml

Valganciclovir 60 mg/ml\* Verapamil hydrochloride 50 mg/ml

PHARMAC endorses the recommendations of the Emixt website and encourages New Zealand pharmacists to use these formulations when compounding is appropriate. The Emixt website also provides stability and expiry data for compounded products. For the majority of products compounded with Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet or Ora-Sweet SF a four week expiry is appropriate.

Please note that no oral liquid mixture will be eligible for Subsidy unless all the requirements of Section B and C of the Schedule applicable to that pharmaceutical are met.

Some community pharmacies may not have appropriate equipment to compound all of the listed products, please use appropriate clinical judgement.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form qs
Preservative qs
Suspending agent qs
Water to 100%

or

Solid dose form qs
Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent.

- Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and Ora-Sweet SF when used correctly are an appropriate preservative and suspending agent.
- Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

<sup>\*</sup>Note this is a DCS formulation

#### EXTEMPORANEOUSLY COMPOUNDED PRODUCTS & GALENICALS

The following practices will not be subsidised:

- Where a Standard Formula exists in the Pharmaceutical Schedule for a solid dose form, compounding the solid dose form in Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF.
- Mixing one or more proprietary oral liquids (eg an antihistamine with pholoodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

#### Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

#### **Dermatological Preparations**


Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 170) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).

One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on the next page may assist you in deciding whether or not a dermatological ECP is subsidised.

# Dermatological ECPs Is it subsidised?



#### **EXTEMPORANEOUSLY COMPOUNDED PRODUCTS & GALENICALS**

#### Standard Formulae METHYL HYDROXYBENZOATE 10% SOLUTION ACETYLCYSTEINE EYE DROPS Methyl hydroxybenzoate Propylene glycol to 100 ml Acetylcysteine inj 200 mg per ml, 10 ml gs Suitable eye drop base (Use 1 ml of the 10% solution per 100 ml of oral liquid mixture) ASPIRIN AND CHLOROFORM APPLICATION OMEPRAZOLE SUSPENSION Aspirin Soluble tabs 300 mg 12 tabs Omeprazole capules or powder Chloroform to 100 ml Sodium bicarbonate powder BP 8.4 g to 100 ml CODEINE LINCTUS PAEDIATRIC (3 mg per 5 ml) PHENOBARBITONE ORAL LIQUID Codeine phosphate 60 mg Phenobarbitone Sodium Glycerol 40 ml 1 g 70 ml Glycerol BP Preservative as Water to 100 ml Water to 100 ml PHENOBARBITONE SODIUM PAEDIATRIC ORAL CODEINE LINCTUS DIABETIC (15 mg per 5 ml) LIQUID (10 mg per ml) Codeine phosphate 300 mg Phenobarbitone Sodium 400 mg 40 ml Glycerol Glycerol BP 4 ml Preservative qs Water to 40 ml Water to 100 ml PILOCARPINE ORAL LIQUID Pilocarpine 4% eye drops qs FOLINIC MOUTHWASH Preservative Calcium folinate 15 mg tab 1 tab Water to 500 ml Preservative qs (Preservative should be used if quantity supplied is for Water to 500 ml more than 5 days.) (Preservative should be used if quantity supplied is for more than 5 days. Maximum 500 ml per prescription.) SALIVA SUBSTITUTE FORMULA Methylcellulose 5 g MAGNESIUM HYDROXIDE MIXTURE Preservative Magnesium hydroxide paste 275 g Water to 500 ml Methyl hydroxybenzoate 1.5 a (Preservative should be used if quantity supplied is for

770 ml

more than 5 days. Maximum 500 ml per prescription.)

1%

to 35 ml

WITH HYDROCORTISONE POWDER 1%

VOSOL EAR DROPS

Vosol Ear Drops

Hydrocortisone powder

Water

Methadone powder qs
Glycerol qs
Water to 100 ml

#### EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

(methadone

✓ AFT

1 q

Per Manufacturer **Extemporaneously Compounded Preparations and Galenicals** ACETYLCYSTEINE - Retail pharmacy-Specialist 10 (219.75)Martindale Acetylcysteine (255.35)Hospira Inj 200 mg per ml, 30 ml ......219.00 ' Acetadote 50 ml **PSM** (5.10)24.42 500 ml (38.00)**PSM** CHLOROFORM - Only in combination Only in aspirin and chloroform application. Chloroform BP ......25.50 500 ml PSM CODEINE PHOSPHATE 5 g Douglas (25.46)63.09 25 g (90.09)Douglas a) Only in extemporaneously compounded codeine linctus diabetic or codeine linctus paediatric. b) Ğ Safety cap for extemporaneously compounded oral liquid preparations

b) a Salety cap for externiporal ledusity compounded oral liqu	iiu preparationi	o.	
COLLODION FLEXIBLE Collodion flexible	19.30	100 ml	✓ PSM
COMPOUND HYDROXYBENZOATE — Only in combination Only in extemporaneously compounded oral mixtures. Soln	34.18	100 ml	✓ David Craig
GLYCERIN WITH SODIUM SACCHARIN – Only in combination Only in combination with Ora-Plus.  Suspension	36.80	473 ml	✓ Ora-Sweet SF
GLYCERIN WITH SUCROSE – Only in combination Only in combination with Ora-Plus. Suspension	36.80	473 ml	✓ Ora-Sweet
GLYCEROL  * Liquid – Only in combination  Only in extemporaneously compounded oral liquid preparati		2,000 ml	✓ <u>healthE</u>
MAGNESIUM HYDROXIDE Paste	22.61	500 g	✓ PSM
METHADONE HYDROCHLORIDE  a) Only on a controlled drug form b) No patient co-payment payable c) Extemporaneously compounded methadone will only be reir	mbursed at the	rate of the ch	eapest form available

powder, not methadone tablets).

Ğ Safety cap for extemporaneously compounded oral liquid preparations.

✓ fully subsidised [HP3], [HP4] refer page 9

## EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy		Fully Brand or	
	(Manufacturer's P	Price) S Per	Subsidised Generic  Manufacturer	
	\$	Per	✓ Ivianulacturer	
METHYL HYDROXYBENZOATE				
Powder		25 g	<b>✓</b> PSM	
	8.98		✓ Midwest	
METHYLCELLULOSE				
Powder	14.00	100 g	✓ ABM	
	(17.72)		MidWest	
Suspension – Only in combination	36.80	473 ml	Ora-Plus	
METHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCHA	RIN - Only in c	ombination		
Suspension	36.80	473 ml	Ora-Blend SF	
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE - Only	in combination			
Suspension		473 ml	✓ Ora-Blend	
PHENOBARBITONE SODIUM				
Powder – Only in combination	52 50	10 g	✓ MidWest	
Towaci Only in combination	325.00	100 g	✓ MidWest	
a) Only in children up to 12 years	020.00	100 g	· marroot	
b) Ğ Safety cap for extemporaneously compounded oral lic	quid preparations	S.		
PROPYLENE GLYCOL				
Only in extemporaneously compounded methyl hydroxybenzo	ate 10% solution	n.		
Lig		500 ml	✓ PSM	
'	11.25		✓ Midwest	
	12.00		✓ ABM	
SODIUM BICARBONATE				
Powder BP - Only in combination	8.95	500 g	✓ Midwest	
•	9.80	J		
	(29.50)		David Craig	
Only in extemporaneously compounded omeprazole and la	ansoprazole susp	pension.		
SYRUP (PHARMACEUTICAL GRADE) - Only in combination				
Only in extemporaneously compounded oral liquid preparation	ns.			
Liq	21.75	2,000 ml	✓ Midwest	
WATER				
Tap - Only in combination	0.00	1 ml	Tap water	

#### **EXPLANATORY NOTES**

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use. subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements. they must pay the full cost of the products themselves.

#### **Eligibility for Special Authority**

Special Authorities will be approved for patients meeting conditions specified under the Conditions and Guidelines for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

#### Who can apply for Special Authority?

Initial Applications: Only from a dietitian, relevant specialist or a vocationally registered general

practitioner.

Reapplications: Only from a dietitian, relevant specialist or a vocationally registered general

> practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or a vocationally registered general practitioner. Other general practitioners must include the name of the dietitian, relevant specialist or voca-

tionally registered general practitioner and the date contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. Applications must be forwarded to:

Ministry of Health Sector Services

Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

#### Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

#### Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

#### **Definitions**

Failure to thrive An inability to gain or maintain weight resulting in physiological impairment. Growth deficiency

Where the weight of the child is less than the fifth or possibly third percentile for

their age, with evidence of malnutrition

## SPECIAL FOODS

#### **Dietitian Prescribing**

Prescriptions from Dietitians will be only valid for subsidy where they are for special foods, as listed in this section, or where they are for the following products:

#### ASCORBIC ACID

✓ Tab 100 mg

#### **CALCIUM CARBONATE**

- ✓ Tab eff 1.75 g (1 g elemental)
- ✓ Tab 1.25 g (500 mg elemental)
- ✓ Tab 1.5 g (600 mg elemental)

#### COMPOUND ELECTROLYTES

- ✔ Powder for soln for oral use 4.4 g
- ✔ Powder for soln for oral use 5 g

#### DEXTROSE WITH ELECTROLYTES

✓ Soln with electrolytes

#### FERROUS FUMARATE

✓ Tab 200 mg (65 mg elemental)

#### FERROUS FUMARATE WITH FOLIC ACID

 $\checkmark$  Tab 310 mg (100 mg elemental) with folic acid 350  $\mu {
m g}$ 

#### **FERROUS SULPHATE**

Tab long-acting 325 mg (105 mg elemental)

✓ Oral liq 30 mg per 1 ml (6 mg elemental per 1 ml)

#### FERROUS SULPHATE WITH FOLIC ACID

Tab long-acting 325 mg (105 mg elemental) with folic acid 350  $\mu$ g

#### **MULTIVITAMINS**

✔ Powder

#### POTASSIUM BICARBONATE

✓ Tab eff 315 mg with sodium acid phosphate 1.937 g
and sodium bicarbonate 350 mg

#### POTASSIUM CHLORIDE

Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)

✓ Tab long-acting 600 mg

#### PYRIDOXINE HYDROCHLORIDE

- ✓ Tab 25 mg
- ✓ Tab 50 mg

#### SODIUM FLUORIDE

✓ Tab 1.1 mg (0.5 mg elemental)

#### THIAMINE HYDROCHLORIDE

✓ Tab 50 mg

#### VITAMIN A WITH VITAMINS D AND C

✓ Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops

#### VITAMIN B COMPLEX

✓ Tab, strong, BPC

#### VITAMINS

- ✓ Tab (BPC cap strength)
- ✓ Cap (fat soluble vitamins A, D, E, K)

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

#### **Nutrient Modules**

### Carbohydrate

## **⇒**SA1090 Special Authority for Subsidy

Initial application — (Cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Either:

- 1 cystic fibrosis; or
- 2 chronic renal failure or continuous ambulatory peritoneal dialysis (CAPD) patient.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children: or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 failure to thrive; or
- 4 growth deficiency: or
- 5 bronchopulmonary dysplasia; or
- 6 premature and post premature infant; or
- 7 inborn errors of metabolism.

Renewal — (Cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE SUPPLEMENT - Special Authority see SA1090 above - Hospital pharmacy [HP3]

Powder	5.29	400 g OP	Polycal
	1.30	368 g OP	-
	(12.00)	•	Moducal

#### Carbohydrate And Fat

#### **⇒**SA1091 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 infant aged four years or under; and
- 2 cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

Subsidy Fully (Manufacturer's Price) Subsidised Per ✓

Brand or Generic Manufacturer

continued...

- 1 infant aged four years or under; and
- 2 Any of the following:
  - 2.1 cancer in children: or
  - 2.2 failure to thrive; or
  - 2.3 growth deficiency; or
  - 2.4 bronchopulmonary dysplasia; or
  - 2.5 premature and post premature infants.

**Renewal — (Cystic fibrosis)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Fat

#### ■ SA1092 | Special Authority for Subsidy

**Initial application** — **(Inborn errors of metabolism)** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 failure to thrive where other high calorie products are inappropriate or inadequate; or
- 2 growth deficiency: or
- 3 bronchopulmonary dysplasia; or
- 4 fat malabsorption; or
- 5 lymphangiectasia; or
- 6 short bowel syndrome; or
- 7 infants with necrotising enterocolitis; or
- 8 biliary atresia.

**Renewal — (Inborn errors of metabolism)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

✔ Promod

275 g OP

Subsidy (Manufacturer's Price)	,		Brand or Generic	
\$	Per	~	Manufacturer	

continued...

Renewal — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT SUPPLEMENT - Special Authority see SA1092 on the preceding page - Hospital pharmacy [HP3]

	,	. 0.0		
Emulsion (neutral) .		12.30	200 ml OP	✓ Calogen
, ,		30.75	500 ml OP	✓ Calogen
Emulsion (strawberr	y)	12.30	200 ml OP	✓ Calogen
Oil		28.73	250 ml OP	✓ Liquigen
		30.00	500 ml OP	✓ MCT oil (Nutricia)

#### **Protein**

#### **■**SA1093 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Fither:

- 1 protein losing enteropathy; or
- 2 high protein needs (eg burns).

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

# Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

#### **Respiratory Products**

#### ⇒SA1094 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has CORD and hypercapnia.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

#### **Diabetic Products**

#### ⇒SA1095 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is a type I or and II diabetic who is suffering weight loss and malnutrition that requires nutritional support.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Liquid	,		✓ Diason RTH ✓ Glucerna Select RTH
DIABETIC ORAL FEED 1KCAL/ML - Special Author	rity see SA1095 above - Hos	spital pharmacy	[HP3]
Liquid (strawberry)	1.50	200 ml OP	✓ Diasip
Liquid (vanilla)	1.50	200 ml OP	✓ Diasip
	1.88	250 ml OP	✓ Glucerna Select
	1.78	237 ml OP	
	(2.10)		Resource Diabetic

#### **Fat Modified Products**

#### ■SA1096 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Either:

- 1 Patient has metabolic disorders of fat metabolism; or
- 2 Patient has chylothorax.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT MODIFIED FEED - Special Authority see SA1096 above - Hospital pharmacy [HP3]

#### **High Protein Products**

#### ⇒SA1097 | Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 Anorexia and weight loss; and
- 2 Either:
  - 2.1 decompensating liver disease without encephalopathy; or
  - 2.2 protein losing gastro-enteropathy.

continued...

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

#### **Paediatric Products For Children Awaiting Liver Transplant**

#### **▶**SA1098 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who is awaiting liver transplant.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1098 above - Hospital pharmacy [HP3]

#### Paediatric Products For Children With Chronic Renal Failure

#### ■SA1099 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with chronic renal failure.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1099 above - Hospital pharmacy [HP3]

#### **Paediatric Products**

#### **⇒**SA1100 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 Infant aged one to eight years; and
- 2 Any of the following:
  - 2.1 any condition causing malabsorption; or
  - 2.2 failure to thrive; or

continued...

#### **SPECIAL FOODS**

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

2.3 increased nutritional requirements.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted

	and date contacted.			
F	PAEDIATRIC ENTERAL FEED 1.5KCAL/ML - Special Authority Liquid		the preceding p 500 ml OP	age – Hospital pharmacy [HP3]  ✓ Nutrini Energy RTH
F	PAEDIATRIC ENTERAL FEED 1KCAL/ML - Special Authority so Liquid		e preceding pag 500 ml OP	ge – Hospital pharmacy [HP3]  ✓ Nutrini RTH  ✓ Pediasure RTH
F	PAEDIATRIC ORAL FEED 1.5KCAL/ML - Special Authority see Liquid (strawberry)		preceding page 200 ml OP	<ul> <li>Hospital pharmacy [HP3]</li> <li>✓ Fortini</li> <li>✓ NutriniDrink</li> </ul>
	Liquid (vanilla)	1.60	200 ml OP	<ul><li>✓ Fortini</li><li>✓ NutriniDrink</li></ul>
	NutriniDrink Liquid (strawberry) to be delisted 1 May 2012) NutriniDrink Liquid (vanilla) to be delisted 1 May 2012)			
F	PAEDIATRIC ORAL FEED 1KCAL/ML – Special Authority see S Liquid (chocolate) Liquid (strawberry) Liquid (vanilla)	1.07 1.07	eceding page – 200 ml OP 200 ml OP 200 ml OP 237 ml OP	Hospital pharmacy [HP3]  Pediasure Pediasure Pediasure Pediasure Pediasure
	PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML - Special . HP3]	Authority see SA	1100 on the pre	ceding page - Hospital pharmacy
L	Liquid (chocolate)	1.60	200 ml OP	<ul><li>✓ Fortini Multi Fibre</li><li>✓ NutriniDrink</li><li>Multifibre</li></ul>
	Liquid (strawberry)	1.60	200 ml OP	<ul><li>✓ Fortini Multi Fibre</li><li>✓ NutriniDrink</li><li>Multifibre</li></ul>
	Liquid (vanilla)	1.60	200 ml OP	<ul><li>✓ Fortini Multi Fibre</li><li>✓ NutriniDrink</li></ul>

(NutriniDrink Multifibre Liquid (chocolate) to be delisted 1 May 2012) (NutriniDrink Multifibre Liquid (strawberry) to be delisted 1 May 2012) (NutriniDrink Multifibre Liquid (vanilla) to be delisted 1 May 2012)

#### **Renal Products**

#### ■ SA1101 | Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has acute or chronic renal failure.

continued...

Multifibre

Subsidy (Manufacturer's Price		Fully Subsidised	Brand or Generic	
\$	Per		Manufacturer	

continued...

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL FEED 2KCAL/ML - Special Authority see	SA1101 on the preceding pa	ige – Hospital	pharmacy [HP3]
Liquid	6.08	500 ml OP	<ul><li>Nutrison</li><li>Concentrated</li></ul>
RENAL ORAL FEED 2KCAL/ML - Special Authority	see SA1101 on the precedin	g page – Hosp	ital pharmacy [HP3]
Liquid	2.43	200 ml OP	✓ Nepro (strawberry)
			✓ Nepro (vanilla)
	2.88	237 ml OP	
	(3.31)		NovaSource Renal
Liquid (apricot)	2.88	125 ml OP	✓ Renilon 7.5
Liquid (caramel)	2.88	125 ml OP	✓ Renilon 7.5

#### **Specialised And Elemental Products**

#### **⇒**SA1102 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 malabsorption; or
- 2 short bowel syndrome; or
- 3 enterocutaneous fistulas; or
- 4 pancreatitis.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL ELEMENTAL FEED 1KCAL/ML - Special Auth Powder	,	2 above – Hosp 79 g OP 76 g OP	✓ Vital HN
ORAL ELEMENTAL FEED 0.8KCAL/ML - Special Authority see Liquid (grapefruit) Liquid (pineapple & orange) Liquid (summer fruit)	9.50 9.50	- Hospital pharn 250 ml OP 250 ml OP 250 ml OP	nacy [HP3]  Elemental 028 Extra  Elemental 028 Extra  Elemental 028 Extra
ORAL ELEMENTAL FEED 1KCAL/ML - Special Authority see Section Powder (unflavoured)			cy [HP3]  Vivonex TEN
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML - Special Author	•		. ,

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

#### **Undyalised End Stage Renal Failure**

#### ⇒SA1103 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has undialysed end stage renal failure.

Note: Where possible, the requirements for oral supplementation should be established in conjunction with assessment by a dietitian.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

RENAL ORAL FEED 1KCAL/ML - Special Authority see SA1103 above - Hospital pharmacy [HP3]

#### **Standard Supplements**

#### **⇒**SA1104 | Special Authority for Subsidy

**Initial application** — **(Children)** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 Any of the following:
  - 2.1 The patient has a condition causing malabsorption; or
  - 2.2 The patient has failure to thrive; or
  - 2.3 The patient has increased nutritional requirements; and
- 3 Nutrition goal has been set (eg reach a specific weight or BMI).

Renewal — (Children) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 A nutrition goal has been set (eg reach a specific weight or BMI).

**Initial application — (Adults)** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

Patient is Malnourished

- 1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
- 1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 1.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months; and
- 2 Any of the following:

Patient has not responded to first-line dietary measures over a 4 week period by:

- 2.1 Increasing their food intake frequency (eg snacks between meals); or
- 2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or
- 2.3 Using over the counter supplements (e.g. Complan); and
- 3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

continued...

Subsidy (Manufacturer's Price) Sul \$ Per

Fully Subsidised

Brand or Generic Manufacturer

continued...

Renewal — (Adults) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 2 Any of the following:
  - Patient is Malnourished
  - 2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
  - 2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
  - 2.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months.

Initial application — (Adults transitioning from hospital Discretionary Community Supply) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient has had up to a 30 day supply of a 1.0 or a 1.5 kcal/ml Standard Oral Supplement; and
- 2 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 3 Any of the following:

Patient is Malnourished

- 3.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
- 3.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 3.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months.

Initial application — (Specific medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being feed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or
- 2 Malignancy and is considered likely to develop malnutrition as a result: or
- 3 Is undergoing a bone marrow transplant; or
- 4 Tempomandibular surgery.

**Renewal — (Specific medical condition)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube: or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Has undergone a bone marrow transplant; or
- 4 Tempomandibular surgery.

Initial application — (Chronic disease OR tube feeding) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease: or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions.

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sı	ubsidised	Generic
\$	Per	~	Manufacturer

continued...

Renewal — (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions.

ENTERAL FEED 1KCAL/ML - Special Authority see SA1104 on page	186 - Hos	pital pharmacy	[HP3]
Liquid	1.24	250 ml OP	✓ Isosource Standard
			✓ Osmolite
	2.65	500 ml OP	Nutrison Standard
			RTH
	5.29	1,000 ml OP	✓ Nutrison Standard RTH
			✓ Isosource Standard RTH
	2.65	500 ml OP	Osmolite RTH
	5.29	1,000 ml OP	✓ Osmolite RTH
ENTERAL FEED WITH FIBRE 1 KCAL/ML - Special Authority see SA	1104 on pa	age 186 - Hosp	ital pharmacy [HP3]
Liquid		237 ml OP	✓ Jevity
'	2.65	500 ml OP	✓ Nutrison Multi Fibre
	5.29	1.000 ml OP	✓ Nutrison Multi Fibre
	2.65	500 ml OP	✓ Jevity RTH
	5.29	1.000 ml OP	✓ Jevity RTH
ENTERAL EFER MUTULEIRRE 4 SKOAL MILL OF THAT IS TO SEE		,	•
ENTERAL FEED WITH FIBRE 1.5KCAL/ML - Special Authority see S/		•	
Liquid		250 ml OP	Ensure Plus HN
	7.00	1,000 ml OP	Ensure Plus RTH
			<ul><li>Nutrison Energy Multi Fibre</li></ul>
ORAL FEED 1 KCAL/ML - Special Authority see SA1104 on page 186	- Hospita	I pharmacy [HP:	3]
Powder (chocolate)	9.50	900 g OP	✓ Ensure
	10.22		Sustagen Hospital Formula
Powder (vanilla)	9.50	900 g OP	✓ Ensure
	10.22	-	Sustagen Hospital

Formula

	Subsidy (Manufacturer's \$	Price) Subsi	Fully Brand or idised Generic  Manufacturer
ORAL FEED 1.5KCAL/ML - Special Authority see SA1104 on page			
Additional subsidy by endorsement is available for patients be endorsed accordingly.	eing bolus fed t	through a feeding	tube. The prescription must be
Liquid (banana) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (chocolate) - Higher subsidy of up to \$1.33 per 237 ml			
with Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	0.85	237 ml OP	
	(1.33)		Ensure Plus
	0.72	200 ml OP	
	(1.26)		Fortisip
Liquid (fruit of the forest) - Higher subsidy of \$1.26 per 200 ml	, ,		
with Endorsement		200 ml OP	
Will Endological	(1.26)	200 1111 01	Ensure Plus
Liquid (strawberry) - Higher subsidy of up to \$1.33 per	, ,		Enouro Fido
237 ml with Endorsement		200 ml OP	
237 IIII WILIT EHOOISEIHEHL	(1.26)	200 IIII OF	Ensure Plus
	, ,	227 ml OB	Liisule Flus
	0.85	237 ml OP	Ensure Plus
	(1.33)	200 ml OP	Elisule Flus
	0.72	200 MI OP	Corticin
1: :1// (( ) 1:1   1:1   ( ) 4:00   000   1:1   5	(1.26)		Fortisip
Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with En-			
dorsement		200 ml OP	
	(1.26)		Fortisip
Liquid (tropical fruit) - Higher subsidy of \$1.26 per 200 ml			
with Endorsement		200 ml OP	
	(1.26)		Fortisip
Liquid (vanilla) - Higher subsidy of up to \$1.33 per 237 ml			
with Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	0.85	237 ml OP	
	(1.33)		Ensure Plus
	0.72	200 ml OP	
	(1.26)		Fortisip
ORAL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority see Additional subsidy by endorsement is available for patients be			
endorsed accordingly.	· ·	· ·	• •
Liquid (chocolate) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (strawberry) - Higher subsidy of \$1.26 per 200 ml with	, ,		
Endorsement		200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (vanilla) - Higher subsidy of \$1.26 per 200 ml with	, ,		. c. dolp maid i loic
Endorsement		200 ml OP	
LINGUIGENIEN.	(1.26)	200 1111 01	Fortisip Multi Fibre
	(1.20)		i ordsip ividiti i ibi e

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

#### **Adult Products High Calorie**

#### ⇒SA1105 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - 1.1 any condition causing malabsorption; or
  - 1.2 failure to thrive: or
  - 1.3 increased nutritional requirements; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements.

**Renewal — (Cystic fibrosis)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ORAL FEED 2KCAL/ML - Special Authority see SA1105 above - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube. The prescription must be endorsed accordingly.

Liquid (vanilla) - Higher subsidy of \$2.25 per 237 ml with

(2.25)

Two Cal HN

#### **Food Thickeners**

#### **⇒**SA1106 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

				_
	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer	
FOOD THICKENER - Special Authority see SA1106 on the pre		I pharmacy [HP3] 0 g OP V K		

#### **Gluten Free Foods**

The funding of gluten free foods is no longer being actively managed by PHARMAC from 1 April 2011. This means that we are no longer considering the listing of new products, or making subsidy, or other changes to the existing listings. As a result we anticipate that the range of funded items will reduce over time. Management of Coeliac disease with a gluten free diet is necessary for good outcomes. A range of gluten free options are available through retail outlets.

#### **■**SA1107 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

GLUTEN FREE BAKING MIX – Special Authority see SA1107 Powder		pharmacy [HP3] 1,000 g OP	
	(5.15)		Healtheries Simple Baking Mix
GLUTEN FREE BREAD MIX - Special Authority see SA1107	above – Hospital p	harmacy [HP3]	
Powder	3.93	1,000 g OP	
	(7.32)		NZB Low Gluten Bread Mix
	4.77		
	(8.71)		Bakels Gluten Free Health Bread Mix
	3.51		
	(10.87)		Horleys Bread Mix
GLUTEN FREE FLOUR - Special Authority see SA1107 abov	e – Hospital pharm	nacy [HP3]	
Powder	5.62	2,000 g OP	
	(18.10)		Horleys Flour

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

GLUTE	N FREE PASTA - Special Authority see SA1107 on the pr	ecedina nage –	Hospital pharma	acy [HP3]
	ckwheat Spirals	0.0	250 g OP	loy [i ii o]
241		(3.11)	_00 g 0.	Orgran
Coi	rn and Vegetable Shells	` '	250 g OP	9
	·	(2.92)	Ü	Orgran
Coi	rn and Vegetable Spirals	2.00	250 g OP	•
		(2.92)	-	Orgran
Ric	e and Corn Lasagne Sheets	1.60	200 g OP	
		(3.82)		Orgran
Ric	e and Corn Macaroni	2.00	250 g OP	
		(2.92)		Orgran
Ric	e and Corn Penne		250 g OP	_
		(2.92)		Orgran
Ric	e and Maize Pasta Spirals		250 g OP	_
-		(2.92)		Orgran
Ric	e and Millet Spirals		250 g OP	•
Б:	1 1	(3.11)	075 00	Orgran
Ric	e and corn spaghetti noodles		375 g OP	•
V	and the second Disease On inches	(2.92)	050 - 05	Orgran
Veg	getable and Rice Spirals		250 g OP	0
المفا	ing lang abola anaghatti	(2.92)	000 ± 0D	Orgran
Itali	ian long style spaghetti		220 g OP	0
		(3.11)		Orgran

## Foods And Supplements For Inborn Errors Of Metabolism

#### **⇒**SA1108 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Dietary management of homocystinuria; or
- 2 Dietary management of maple syrup urine disease; or
- 3 Dietary management of phenylketonuria (PKU); or
- 4 For use as a supplement to the Ketogenic diet in patients diagnosed with epilepsy.

## **Supplements For Homocystinuria**

### **Supplements For MSUD**

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE - Special Authority see SA1108 above - Hospital pharmacy [HP3]

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully sidised	Brand or Generic Manufacturer
Supplements For PKU				
AMINOACID FORMULA WITHOUT PHENYLALANINE - Sp nacy [HP3]	ecial Authority see	SA1108 on the	precedi	ng page - Hospital ph
Tabs	99.00	75 OP	✓ Ph	lexy 10
Sachets (pineapple/vanilla) 29 g	330.10	30 OP		naphlex
Sachets (tropical)		30		lexy 10
Infant formula		400 g OP	✓ Pk	(U Ánamix Infant
Powder (orange)	221.00	500 g OP	✓ XF	Maxamaid
, •,	320.00		✓ XF	Maxamum
Powder (unflavoured)	221.00	500 g OP	✓ XF	Maxamaid
	320.00		✓ XF	Maxamum
Liquid (berry)	15.65	62.5 ml OP	✓ Pk	(U Lophlex LQ
	31.20	125 ml OP	✓ Pk	(U Lophlex LQ
Liquid (citrus)	15.65	62.5 ml OP	✓ Pk	(U Lophlex LQ
	31.20	125 ml OP	✓ Pk	(U Lophlex LQ
Liquid (forest berries)	30.00	250 ml OP	✓ Ea	siphen Liquid
Liquid (orange)	15.65	62.5 ml OP	✓ Pk	(U Lophlex LQ
	31.20	125 ml OP	✓ Pk	(U Lophlex LQ
Liquid (tropical) Easiphen Liquid (tropical) to be delisted 1 May 2012)	30.00	250 ml OP	<b>✓</b> Ea	siphen
Foods				
OW PROTEIN BAKING MIX - Special Authority see SA1108 Powder	, ,	page – Hospital 500 g OP		cy [HP3] profin Mix
OW PROTEIN PASTA - Special Authority see SA1108 on th	e preceding page -	- Hospital pharn	nacy [HF	23]
Animal shapes		500 g OP	, .	profin
Lasagne	5.95	250 g OP	✓ Lo	profin
Low protein rice pasta	11.91	500 g OP	✓ Lo	profin
Macaroni		250 g OP	✓ Lo	profin
Penne	11.91	500 g OP		profin
Spaghetti	11.91	500 g OP		profin
Spirals		500 g OP		profin
Multivitamin And Mineral Supplements				
MINOACID FORMULA WITH MINERALS WITHOUT PHEN	/LALANINE - Spe	cial Authority se	ee SA11	08 on the preceding pa
Retail pharmacy Powder	23.38	100 g OP		etabolic Mineral Mixture
Metabolic Mineral Mixture Powder to be delisted 1 May 2012)				MINIMIC
viciabolic iviii ierai iviixture fowder to be delisted T IVIAV 2012)				

#### Infant Formulae

#### For Premature Infants

## **⇒**SA1109 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months where the patient is infant weighing less than 1.5 kg at birth.

PREMATURE BIRTH FORMULA - Special Authority see SA1109 above - H	Hospital	pharmacy [	HP3]	
Liquid0.7	75	100 ml OP	V	S26LBW Gold RTF

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

#### For Williams Syndrome

#### ⇒SA1110 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

LOW CALCIUM INFANT FORMULA – Special Authority see SA1110 above – Hospital pharmacy [HP3]

Powder .......44.40 400 g OP ✓ Locasol

#### **Gastrointestinal and Other Malabsorptive Problems**

MINO ACID FORMULA — Special Authority see SA1111 below — Hos	spital pharn	nacy [HP3]	
Powder	6.00	48.5 g OP	Vivonex Pediatric
	56.00	400 g OP	✓ Neocate
		_	✓ Neocate LCP
Powder (tropical)	.56.00	400 g OP	✓ Neocate Advance
Powder (unflavoured)	.56.00	400 g OP	✓ Elecare
,		ŭ	✓ Elecare LCP
			✓ Neocate Advance
Powder (vanilla)	56.00	400 g OP	✓ Elecare

#### **▶**SA1111 Special Authority for Subsidy

Initial application — (Transition from Old Form (SA0603)) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient is currently receiving funded amino acid formula under Special Authority form SA0603; and
- 2 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and
- 3 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
- 4 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

#### Any of the following:

- 1 Extensively hydrolysed formula has been reasonably trialled and is inappropriate due to documented severe intolerance or allerov or malabsorption; or
- 2 History of anaphylaxis to cows milk protein formula or dairy products; or
- 3 Eosinophilic oesophagitis.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

#### All of the following:

1 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
Per ✔ Manufacturer

continued...

- 2 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

#### **▶**SA1112 Special Authority for Subsidy

Initial application — (Transition from Old Form (SA0603)) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 All of the following:
  - 1.1 The infant is currently receiving funded amino acid formula under Special Authority form SA0603; and
  - 1.2 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
  - 1.3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted; or
- 2 All of the following:
  - 2.1 The patient is currently receiving funded extensively hydrolysed formula under Special Authority form SA0603; and
  - 2.2 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken; and
  - 2.3 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
  - 2.4 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
  - 1.1 Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content; and
  - 1.2 Either
    - 1.2.1 Soy milk formula has been trialled without resolution of symptoms; or
    - 1.2.2 Sov milk formula is considered clinically inappropriate or contraindicated; or
- 2 Severe malabsorption; or
- 3 Short bowel syndrome; or
- 4 Intractable diarrhea; or
- 5 Biliary atresia; or
- 6 Cholestatic liver diseases causing malsorption; or
- 7 Chylous ascite: or
- 8 Chylothorax; or
- 9 Cystic fibrosis: or
- 10 Proven fat malabsorption; or
- 11 Severe intestinal motility disorders causing significant malabsorption; or
- 12 Intestinal failure.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and

continued...



Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

continued...

3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Step Down from Amino Acid Formula) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The infant is currently receiving funded amino acid formula; and
- 2 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

# Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

·	•	•••	
ADRENALINE		CHLORPROMAZINE HYDROCHLORIDE	
✓ Inj 1 in 1,000, 1 ml		✓ Tab 10 mg	
✓ Inj 1 in 10,000, 10 ml	5	✓ Tab 25 mg	
AMINOPHYLLINE		✓ Tab 100 mg	
✓ Inj 25 mg per ml, 10 ml	5	✓ Inj 25 mg per ml, 2 ml	5
AMIODARONE HYDROCHLORIDE		CIPROFLOXACIN	
✓ Inj 50 mg per ml, 3 ml	5	✓ Tab 250 mg	5
		✓ Tab 500 mg	5
AMOXYCILLIN	20	00 TPH40/47015	
✓ Cap 250 mg		CO-TRIMOXAZOLE	
Grans for oral liq 125 mg per 5 ml		✓ Tab trimethoprim 80 mg and	
Grans for oral liq 250 mg per 5 ml		sulphamethoxazole 400 mg	30
✓ Inj 1 g	5	✓ Oral liq trimethoprim 40 mg and	
AMOXYCILLIN CLAVULANATE		sulphamethoxazole 200 mg per	
✓ Tab amoxycillin 500 mg with potassium		5 ml	JO ml
clavulanate 125 mg	30	COMPOUND ELECTROLYTES	
✓ Grans for oral liq amoxycillin 125 mg with			40
potassium clavulanate 31.25 mg per		✓ Powder for soln for oral use 4.4 g	10
5 ml	200 ml	CONDOMS	
✓ Grans for oral lig amoxycillin 250 mg with		✓ 49 mm	144
potassium clavulanate 62.5 mg per		✓ 52 mm	
5 ml	200 ml	✓ 52 mm extra strength	
	200 1111	✓ 53 mm	
ASPIRIN		✓ 53 mm (chocolate)	
✓ Tab dispersible 300 mg	30	✓ 53 mm (strawberry)	
ATROPINE SULPHATE		✓ 53 mm extra strength	
✓ Inj 600 µg, 1 ml	5	54 mm, shaped	
		✓ 55 mm	
AZITHROMYCIN		✓ 56 mm	
✓ Tab 500 mg – Subsidy by endorsement –		✓ 56 mm, shaped	144
See note on page 79	8	✓ 60 mm	
BENDROFLUAZIDE			
✓ Tab 2.5 mg – See note on page 52	150	DEXAMETHASONE	
		✓ Tab 1 mg – Retail pharmacy-Specialist	
BENZATHINE BENZYLPENICILLIN		✓ Tab 4 mg – Retail pharmacy-Specialist	30
✓ Inj 1.2 mega u per 2.3 ml	5	DEVAMENTACONE CODUNA DI ICODITATE	
BENZTROPINE MESYLATE		DEXAMETHASONE SODIUM PHOSPHATE	-
✓ Inj 1 mg per ml, 2 ml	5	✓ Inj 4 mg per ml, 1 ml – See note on page 71	
		✓ Inj 4 mg per ml, 2 ml – See note on page 71	ɔ
BENZYLPENICILLIN SODIUM (PENICILLIN G)		DEXTROSE	
✓ Inj 600 mg	5	✓ Inj 50%, 10 ml	5
CEFTRIAXONE SODIUM		✓ Inj 50%, 90 ml	
✓ Inj 500 mg – Subsidy by endorsement – See		, 50 /0, 00 mm	
note on page 78	5	DIAPHRAGM	
		✓ 65 mm – See note on page 65	1
✓ Inj 1 g – Subsidy by endorsement – See note on page 78	_	✓ 70 mm – See note on page 65	
note on page 70		✓ 75 mm – See note on page 65	
CHARCOAL		✓ 80 mm – See note on page 65	1
✓ Oral liq 50 g per 250 ml	250 ml	continue	ed.
		Continue	

## PRACTITIONER'S SUPPLY ORDERS

continued)	FLUCLOXACILLIN SODIUM	
DIAZEPAM	✓ Cap 250 mg	
✓ Inj 5 mg per ml, 2 ml – Subsidy by	✓ Grans for oral liq 125 mg per 5 ml	
endorsement – See note on page 1195	✓ Grans for oral liq 250 mg per 5 ml	
Rectal tubes 5 mg	✓ Inj 1 g	5
✓ Rectal tubes 10 mg5	FLUPENTHIXOL DECANOATE	
DICLOFENAC SODIUM	✓ Inj 20 mg per ml, 1 ml	5
✓ Inj 25 mg per ml, 3 ml5	✓ Inj 20 mg per ml, 2 ml	5
✓ Suppos 50 mg	✓ Inj 100 mg per ml, 1 ml	5
3	FLUPHENAZINE DECANOATE	
DIGOXIN	✓ Inj 12.5 mg per 0.5 ml, 0.5 ml	5
✓ Tab 62.5 μg30	✓ Inj 25 mg per ml, 1 ml	
✓ Tab 250 µg30	✓ Inj 100 mg per ml, 1 ml	
DOXYCYCLINE HYDROCHLORIDE	FUROSEMIDE	
Tab 50 mg	✓ Tab 40 mg	30
✓ Tab 100 mg30	✓ Inj 10 mg per ml, 2 ml	
ERGOMETRINE MALEATE	GLUCAGON HYDROCHLORIDE	
✓ Inj 500 µg per ml, 1 ml5	✓ Inj 1 mg syringe kit	5
EDVELIDOMANOIM ETHINA OLIOOMATE	GLYCERYL TRINITRATE	
ERYTHROMYCIN ETHYL SUCCINATE	✓ Tab 600 µg	100
✓ Tab 400 mg	✓ Aerosol spray, 400 μg per dose	
✓ Grans for oral liq 200 mg per 5 ml	✓ Oral pump spray 400 µg per dose	
Citatis for oral liq 400 mg per 5 mi	HALOPERIDOL	
ERYTHROMYCIN STEARATE	✓ Tab 500 μg	30
Tab 250 mg30	✓ Tab 1.5 mg	
	✓ Tab 5 mg	
ETHINYLOESTRADIOL WITH DESOGESTREL	✓ Oral liq 2 mg per ml	
Tab 20 $\mu$ g with desogestrel 150 $\mu$ g63	✓ Inj 5 mg per ml, 1 ml	
Tab 20 $\mu$ g with desogestrel 150 $\mu$ g and 7		
inert tab	HALOPERIDOL DECANOATE	F
Tab 30 μg with desogestrel 150 μg63	✓ Inj 50 mg per ml, 1 ml	
Tab 30 $\mu$ g with desogestrel 150 $\mu$ g and 7	✓ Inj 100 mg per ml, 1 ml	
inert tab84	HYDROCORTISONE	
ETHINYLOESTRADIOL WITH LEVONORGESTREL	✓ Inj 50 mg per ml, 2 ml	5
$\checkmark$ Tab 50 $\mu$ g with levonorgestrel 125 $\mu$ g and 7	HYDROXOCOBALAMIN	
inert tab84	✓ Inj 1 mg per ml, 1 ml	6
Tab 30 $\mu$ g with levonorgestrel 150 $\mu$ g63		•
✓ Tab 30 $\mu$ g with levonorgestrel 150 $\mu$ g and 7	HYOSCINE N-BUTYLBROMIDE	_
inert tab84	✓ Inj 20 mg, 1 ml	5
Tab 20 $\mu$ g with levonorgestrel 100 $\mu$ g and 7	INTRA-UTERINE DEVICE	
inert tab84	✓ IUD	40
	IPRATROPIUM BROMIDE	
ETHINYLOESTRADIOL WITH NORETHISTERONE	✓ Nebuliser soln, 250 μg per ml, 1 ml	40
✓ Tab 35 µg with norethisterone 1 mg63	✓ Nebuliser soln, 250 μg per ml, 1 ml	
✓ Tab 35 µg with norethisterone 1 mg and 7		
inert tab	LEVONORGESTREL	
$\checkmark$ Tab 35 μg with norethisterone 500 μg63	Tab 30 µg	
✓ Tab 35 $\mu$ g with norethisterone 500 $\mu$ g and 7	✓ Tab 1.5 mg	
inert tab84		continued

## PRACTITIONER'S SUPPLY ORDERS

continued)  LIGNOCAINE  • Gel 2%, 10 ml urethral syringe – Subsidy by		NORETHISTERONE  ✓ Tab 350 µg  ✓ Tab 5 mg	
endorsement – See note on page 113 LIGNOCAINE HYDROCHLORIDE		NORETHISTERONE WITH MESTRANOL Tab 1 mg with mestranol 50 $\mu$ g and 7 inert tab	84
✓ Inj 1%, 5 ml ✓ Inj 2%, 5 ml ✓ Inj 1%, 20 ml ✓ Inj 2%, 20 ml	5 5	OXYTOCIN  ✓ Inj 5 iu per ml, 1 ml  ✓ Inj 10 iu per ml, 1 ml  ✓ Inj 5 iu with ergometrine maleate 500 µg per	
LIGNOCAINE WITH CHLORHEXIDINE  ✓ Gel 2% with chlorhexidine 0.05%,  10 ml urethral syringes – Subsidy by endorsement – See note on page 113	5	ml, 1 ml  PARACETAMOL  ✓ Tab 500 mg  ✓ Oral liq 120 mg per 5 ml	30 . 200 ml
✓ Tab 2 mg ✓ Cap 2 mg		✓ Oral liq 250 mg per 5 ml  PEAK FLOW METER ✓ Low range	10
MASK FOR SPACER DEVICE  ✓ Size 2 – See note on page 162	20	✓ Normal range  PETHIDINE HYDROCHLORIDE	10
MEDROXYPROGESTERONE ACETATE  ✓ Inj 150 mg per ml, 1 ml syringe	5	✓ Inj 50 mg per ml, 1 ml – Only on a controlled drug form	5
METOCLOPRAMIDE HYDROCHLORIDE  ✓ Inj 5 mg per ml, 2 ml	5	✓ Inj 50 mg per ml, 2 ml – Only on a controlled drug form	5
METRONIDAZOLE  ✓ Tab 200 mg	30	PHENOXYMETHYLPENICILLIN (PENICILLIN V)  ✓ Cap potassium salt 250 mg	30
MORPHINE SULPHATE  ✓ Inj 5 mg per ml, 1 ml – Only on a controlled		✓ Grans for oral liq 125 mg per 5 ml ✓ Grans for oral liq 250 mg per 5 ml	
drug form  ✓ Inj 10 mg per ml, 1 ml – Only on a controlled drug form		PHENYTOIN SODIUM  ✓ Inj 50 mg per ml, 2 ml  ✓ Inj 50 mg per ml, 5 ml	
✓ Inj 15 mg per ml, 1 ml – Only on a controlled drug form  ✓ Inj 30 mg per ml, 1 ml – Only on a controlled drug form	5	PHYTOMENADIONE  ✓ Inj 2 mg per 0.2 ml  ✓ Inj 10 mg per ml, 1 ml	5 5
NALOXONE HYDROCHLORIDE  ✓ Inj 400 µg per ml, 1 ml		PIPOTHIAZINE PALMITATE  ✓ Inj 50 mg per ml, 1 ml  ✓ Inj 50 mg per ml, 2 ml	
NICOTINE  ✓ Patch 7 mg – See note on page 137  ✓ Patch 14 mg – See note on page 137  ✓ Patch 21 mg – See note on page 137	28	PREDNISOLONE SODIUM PHOSPHATE  ✓ Oral liq 5 mg per ml – See note on page 72	30 ml
<ul><li>✓ Lozenge 1 mg – See note on page 137</li><li>✓ Lozenge 2 mg – See note on page 137</li></ul>	216 216	PREDNISONE ✓ Tab 5 mg	30
✓ Gum 2 mg (Classic) – See note on page 137 ✓ Gum 2 mg (Fruit) – See note on page 137 ✓ Gum 2 mg (Mint) – See note on page 137	384	PREGNANCY TESTS - HCG URINE  ✓ Cassette	200 test
✓ Gum 4 mg (Classic) – See note on page 137 ✓ Gum 4 mg (Fruit) – See note on page 137 ✓ Gum 4 mg (Mint) – See note on page 137	384 384	PROCAINE PENICILLIN  ✓ Inj 1.5 mega u	
₩ Guin + mg (wint) - See note on page 137	504	contir	nued

## PRACTITIONER'S SUPPLY ORDERS

(C	ontinued) PROCHLORPERAZINE  ✓ Tab 5 mg3  ✓ Inj 12.5 mg per ml, 1 ml3	
	PROMETHAZINE HYDROCHLORIDE  ✓ Inj 25 mg per ml, 2 ml	5
	SALBUTAMOL  ✓ Inj 500 μg per ml, 1 ml  ✓ Aerosol inhaler, 100 μg per dose CFC  free	30
	SALBUTAMOL WITH IPRATROPIUM BROMIDE  ✓ Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml	20
	SILVER SULPHADIAZINE  ✓ Crm 1%250	ç
	SODIUM BICARBONATE  ✓ Inj 8.4%, 50 ml	
	✓ Inj 8.4%, 100 ml	5

✓ Inf 0.9% – See note on page 42
✓ Inj 0.9%, 5 ml – See note on page 42
SPACER DEVICE          ✓ 230 ml (single patient)
SPACER DEVICE AUTOCLAVABLE  ✓ 230 ml (autoclavable) – Subsidy by endorsement – See note on page 1625
TRIMETHOPRIM ✓ Tab 300 mg30
VERAPAMIL HYDROCHLORIDE  ✓ Inj 2.5 mg per ml, 2 ml5
WATER  ✓ Purified for inj, 5 ml – See note on page 43
ZUCLOPENTHIXOL DECANOATE

South Canterbury DHB

#### **Rural Areas for Practitioner's Supply Orders**

**NORTH ISLAND** Tairua Marton Leeston Taumarunui Ohakune I incoln Northland DHB Te Aroha Raetihi Methven Dargaville Te Kauwhata Taihape Oxford Hikurangi Te Kuiti Waiouru Rakaia Kaeo Tokoroa Rolleston Kaikohe MidCentral DHB Waihi Rotherham Kaitaia Dannevirke Whangamata Templeton Kawakawa Foxton Waikari Whitianga Kerikeri I evin

Mangonui Bay of Plenty DHB Otaki
Maungaturoto Edgecumbe Pahiatua
Moerewa Katikati Shannon
Ngunguru Kawerau Woodville

Paihia Murupara Fairlie Wairarapa DHB Opotiki Rawene Geraldine Carteron Taneatua Ruakaka Pleasant Point Featherston Te Kaha Russell Temuka Grevtown Waihi Beach Tutukaka Twizel Martinborough Waipu Whakatane Waimate

SOUTH ISLAND

Whangaroa Lakes DHB
Waitemata DHB Mangakino

Helensville Turangi
Huapai Nelson/Marlborough DHB
Tairawhiti DHB Havelock

Southern DHB Kumeu Ruatoria Mapua Alexandra Snells Beach Te Araroa Motueka Balclutha Waimauku Te Karaka Murchison Cromwell Warkworth Te Puia Springs Picton Gore Wellsford Tikitiki Takaka Kurow

Auckland DHB Tokomaru Bay Wakefield Lawrence
Great Barrier Island Oneroa Taranaki DHB West Coast DHB Mataura

West Coast DHB Mataura

Ostend Milton Eltham Grevmouth Oamaru Inglewood Counties Manukau DHB Hokitika Manaia Oban Tuakau Karamea Oakura Otautau Waiuku Reefton Okato Outram South Westland Waikato DHB Opunake Owaka

Westport Coromandel Patea Palmerston Whataroa Huntly Stratford Queenstown Kawhia Canterbury DHB Ranfurly Waverley Matamata Akaroa Riverton Hawkes Bay DHB Morrinsville Amberlev Roxburah Chatham Islands Ngatea Amuri Tapanui

Waipawa Otorohanga Te Anau Cheviot Waipukurau Paeroa Darfield Tokonui Wairoa Pauanui Beach Diamond Harbour Tuatapere Putaruru Wanaka Whanganui DHB Hanmer Springs Raglan Bulls Kaikoura Winton

#### **SECTION F: PART I**

A Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is Close Control.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a \* within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is Close Control.

#### SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

- a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the prescriber has endorsed the Prescription item(s) on the Prescription to which the exemption applies "certified exemption". In endorsing the Prescription items for a certified exemption, the prescriber is certifying that:
  - i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
  - ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
  - iii) the prescriber has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
  - i) have limited physical mobility:
  - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
  - iii) are relocating to another area;
  - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

The following Community Pharmaceuticals are identified with a  $\blacktriangle$  within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

**ALIMENTARY TRACT AND METABOLISM** 

INSULIN ASPART

INSULIN GLARGINE

INSULIN GLULISINE

INSULIN ISOPHANE

INSULIN ISOPHANE WITH INSULIN NEUTRAL

**INSULIN LISPRO** 

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

**INSULIN NEUTRAL** 

CARDIOVASCULAR SYSTEM

AMIODARONE HYDROCHLORIDE

Tab 100 mg Cordarone-X
Tab 200 mg Cordarone-X

DISOPYRAMIDE PHOSPHATE

FLECAINIDE ACETATE

Tab 50 mg Tambocor
Tab 100 mg Tambocor
Cap long-acting 100 mg
Cap long-acting 200 mg
Tambocor CR
Tambocor CR

PROPAFENONE HYDROCHLORIDE

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN

Nasal drops 100  $\mu$ g per Minirin

ml

Nasal spray 10  $\mu g$  per Desmopressin-PH&T

dose

MUSCULOSKELETAL SYSTEM

PYRIDOSTIGMINE BROMIDE

**NERVOUS SYSTEM** 

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

**ENTACAPONE** 

**GABAPENTIN** 

**GABAPENTIN (NEURONTIN)** 

**LACOSAMIDE** 

**LAMOTRIGINE** 

LISURIDE HYDROGEN MALEATE

**PERGOLIDE** 

**BOPINIBOLE HYDROCHLORIDE** 

TOLCAPONE

TOPIRAMATE

VIGABATRIN

SENSORY ORGANS

**BIMATOPROST** 

BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE

**BRINZOLAMIDE** 

LATANOPROST

TRAVOPROST

#### **SECTION G: SAFETY CAP MEDICINES**

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

#### **Exemptions**

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

#### Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

#### Safety Caps (NZS 5825:1991)

20 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
24 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	PDL FG

ALIMENTARY TRACT AND METABOLISM

FERROUS SULPHATE

Oral lig 30 mg per 1 ml Ferodan

(6 mg elemental per

1 ml)

CARDIOVASCULAR SYSTEM

**AMILORIDE** 

Oral lig 1 mg per ml Biomed

**CAPTOPRIL** 

Oral liq 5 mg per ml Capoten

**CHLOROTHIAZIDE** 

Oral lig 50 mg per ml Biomed

DIGOXIN

Oral lig 50  $\mu$ g per ml Lanoxin

**FUROSEMIDE** 

Oral lig 10 mg per ml Lasix

**SPIRONOLACTONE** 

Oral lig 5 mg per ml Biomed

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

**LEVOTHYROXINE** 

Tab 25  $\mu$ g Synthroid

Tab 50  $\mu$ g Eltroxin

Goldshield Synthroid

Tab 100  $\mu$ g Eltroxin

Goldshield

Synthroid

(Extemporaneously compounded oral liquid preparations)

MUSCULOSKELETAL SYSTEM

**IBUPROFEN** 

Oral lig 100 mg per 5 ml Fenpaed

QUININE SULPHATE

Tab 200 mg Q 200 Tab 300 mg Q 300

(Extemporaneously compounded oral liquid preparations)

**NERVOUS SYSTEM** 

ALPRAZOLAM

Tab 250 μg Arrow-Alprazolam
Tab 500 μg Arrow-Alprazolam
Tab 1 mg Arrow-Alprazolam
(Extemporaneously compounded oral liquid preparations)

**CARBAMAZEPINE** 

Oral lig 100 mg per 5 ml Tegretol

CLOBAZAM

Tab 10 mg Frisium

(Extemporaneously compounded oral liquid preparations)

CLONAZEPAM

Oral drops 2.5 mg per Rivotril

ml

DIAZEPAM

Tab 2 mg Arrow-Diazepam
Tab 5 mg Arrow-Diazepam

(Extemporaneously compounded oral liquid preparations)

**ETHOSUXIMIDE** 

Oral lig 250 mg per 5 ml Zarontin

LORAZEPAM

Tab 1 mg Ativan
Tab 2.5 mg Ativan

(Extemporaneously compounded oral liquid preparations)

LORMETAZEPAM

Tab 1 mg Noctamid

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Oral liq 2 mg per ml
Oral liq 5 mg per ml
Oral liq 10 mg per ml
Biodone Forte
Biodone Extra Forte

MORPHINE HYDROCHLORIDE

Oral liq 1 mg per ml
Oral liq 2 mg per ml
Oral liq 5 mg per ml
Oral liq 5 mg per ml
Oral liq 10 mg per ml
Oral liq 10 mg per ml

NITRAZEPAM

Tab 5 mg Nitrados

(Extemporaneously compounded oral liquid preparations)

**OXAZEPAM** 

Tab 10 mg Ox-Pam
Tab 15 mg Ox-Pam

(Extemporaneously compounded oral liquid preparations)

OXYCODONE HYDROCHLORIDE

Oral liq 5 mg per 5 ml OxyNorm

**PARACETAMOL** 

Oral liq 120 mg per 5 ml Ethics Paracetamol
Oral lig 250 mg per 5 ml Paracare Double Strength

PHENYTOIN SODIUM

Oral lig 30 mg per 5 ml Dilantin

#### **SAFETY CAP MEDICINES**

SODIUM VALPROATE

Oral liq 200 mg per 5 ml Epilim S/F Liquid

Epilim Syrup

**TEMAZEPAM** 

Tab 10 mg Normison

(Extemporaneously compounded oral liquid preparations)

**TRIAZOLAM** 

Tab 125  $\mu$ g Hypam Tab 250  $\mu$ g Hypam

(Extemporaneously compounded oral liquid preparations)

RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE

Oral liq 1 mg per ml Cetirizine - AFT

CHLORPHENIRAMINE MALEATE

Oral lig 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE

Oral lig 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHLORIDE

Oral lig 5 mg per 5 ml Promethazine Winthrop

Elixir

**SALBUTAMOL** 

Oral liq 2 mg per 5 ml Salapin

THEOPHYLLINE

Oral lig 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE

Oral liq 30 mg per 5 ml Vallergan Forte

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE

Powder Douglas

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Powder AFT

(Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM

Powder MidWest

(Extemporaneously compounded oral liquid preparations)

- Symbols -
3TC90
- A -
A-Lices61
A-Scabies61
Abacavir sulphate90
Abacavir sulphate with
lamivudine90
Abilify125
ABM Hydroxocobalamin36
Acarbose29
Accu-Chek Performa30, 31
Accupril47
Accuretic 1047
Accuretic 2047
Acetadote175
Acetazolamide166
Acetic acid with 1, 2- propanediol
diacetate and
benzethonium164
Acetic acid with hydroxyquinoline
and ricinoleic acid68
Acetylcysteine175
Aci-Jel68
Aciclovir
Infection86
Sensory164
Acidex25
Acipimox43
Acitretin61 Aclasta109
Aclin96
Actigall32
Actrapid28
Actrapid Penfill28
Acupan113
Adalat 1051
Adalat Oros51
Adalimumab97
Adapalene55
Adefin XL51
Adefovir dipivoxil84
Adrenaline53
Adriamycin145
Advantan59
AFT-Leflunomide96
AFT-Pyrazinamide84
Agents Affecting the
Renin-Angiotensin System46
Agents for Parkinsonism and
Related Disorders112
Agents I lead in the Treatment of

Poisonings	
roisonings	38
Agrylin	143
Alanase	162
Albay	
Albustix	70
Aldara	63
Alendronate sodium	107
Alendronate sodium with	
cholecalciferol	
Alfacalcidol	36
Alginic acid	25
Alitraq	
Alkeran	
Allersoothe	
Allopurinol	111
Alpha Adrenoceptor Blockers	
Alpha-Keri Lotion	
Alphamox	80
Alprazolam	129
Alu-Tab	25
Aluminium hydroxide	25
Amantadine hydrochloride	112
Ambrisentan	54
Amiloride	
Amiloride with frusemide	52
Amiloride with	
hydrochlorothiazide	52
Aminophylline	161
Amiodarone hydrochloride	48
Amirol	
	400
Amisulpride	
Amitrip	116
Amitrip	116 116
Amitrip	116 116 50
Amitrip	116 116 50
Amitrip Amitriptyline Amlodipine Amorolfine Amoxycillin	116 50 56
Amitrip Amitriptyline Amlodipine Amorolfine Amoxycillin	116 50 56
Amitrip Amitriptyline Amlodipine Amorolfine Amoxycillin Amoxycillin clavulanate Amphotericin B	116 50 56 80 80
Amitrip Amitriptyline Amlodipine Amorolfine Amoxycillin Amoxycillin clavulanate Amphotericin B Amsacrine	116 50 56 80 85 143
Amitrip Amitriptyline Amlodipine Amorolfine Amoxycillin Amoxycillin clavulanate Amphotericin B Amsacrine Amsidine	116 50 56 80 35 143
Amitrip Amitriptyline Amlodipine Amorolfine Amoxycillin Amoxycillin clavulanate Amphotericin B Amsacrine Amsidine Amyl nitrite	116 50 56 80 35 143 143
Amitrip	116 50 56 80 35 143 143
Amitrip Amitriptyline Amorolfine Amorolfine Amoxycillin Amoxycillin clavulanate Amphotericin B Amsacrine Amsidine Amyl nitrite Anabolic Agents Anaesthetics	116 50 56 80 35 143 143 53
Amitrip Amitriptyline Amorolfine Amorolfine Amoxycillin Amoxycillin clavulanate Amphotericin B Amsacrine Amsidine Amyl nitrite Anabolic Agents Anaesthetics Anagrelide hydrochloride	116 50 80 35 143 53 71 113
Amitrip Amitriptyline Amorolfine Amoxycillin Amoxycillin clavulanate Amphotericin B Amsacrine Amsidine Amyl nitrite Anabolic Agents Anaesthetics Anagrelide hydrochloride Analgesics	11650568035143143113113
Amitrip Amitriptyline Amorolfine Amorolfine Amoxycillin clavulanate Amphotericin B Amsacrine Amsidine Amyl nitrite Anabolic Agents Anaesthetics Anagrelide hydrochloride Analgesics Anastrozole	116505635143143113113113
Amitrip Amitriptyline Amotopine Amorolfine Amoxycillin Amoxycillin clavulanate Amphotericin B Amsacrine Amsidine Amyl nitrite Anabolic Agents Anaesthetics Anagrelide hydrochloride Analgesics Anastrozole Androderm	11650568035143143113113152
Amitrip Amitriptyline Amovatine Amovatine Amoxycillin Amoxycillin clavulanate Amphotericin B Amsacrine Amsidine Amyl nitrite Anabolic Agents Anaesthetics Anagrelide hydrochloride Analoricole Androderm Antabuse	11611650
Amitrip Amitriptyline Amovatiline Amoxycillin Amoxycillin clavulanate Amphotericin B Amsacrine Amsidine Amyl nitrite Anabolic Agents Anagrelide hydrochloride Analgesics Anastrozole Androderm Antabuse Antitriptyline Amitriptyline Amoxycillin Amoxycillin Amoxycillin Amitriptyline Ami	116
Amitrip Amitriptyline Amovariane Amovariane Amovariane Amovariane Amovariane Amovariane Amphotericin B Amsacrine Amsidine Amyl nitrite Anabolic Agents Anaesthetics Anagrelide hydrochloride Analgesics Analgesics Analgesics Anardoderm Antabuse Antacids and Antiflatulants Anten	116
Amitrip Amitriptyline Amovatiline Amoxycillin Amoxycillin clavulanate Amphotericin B Amsacrine Amsidine Amyl nitrite Anabolic Agents Anagrelide hydrochloride Analgesics Anastrozole Androderm Antabuse Antitriptyline Amitriptyline Amoxycillin Amoxycillin Amoxycillin Amitriptyline Ami	116

Antiallergy Preparations157
Antianaemics39
Antiandrogen Oral
Contraceptives 68
Antiarrhythmics48
Antibacterials78
Antibacterials Topical56
Anticholinesterases95
Antidepressants116
Antidiarrhoeals25
Antiepilepsy Drugs119
Antifibrinolytics, Haemostatics
and Local Sclerosants40
Antifungals83
Antifungals Topical56
Antihaemorrhoidals27
Antihistamines157
Antihypotensives49
Antimalarials83
Antimigraine Preparations123
Antinaus124
Antinausea and Vertigo
Agents123
Antipruritic Preparations57
Antipsychotics125
Antiretrovirals88
Antiretrovirals - Additional
Therapies9
Antirheumatoid Agents96
Antispasmodics and Other
Agents Altering Gut
Motility27
Antithrombotic Agents40
Antithymocyte globulin
(equine)153
Antitrichomonal Agents83
Antituberculotics and
Antileprotics84
Antiulcerants27
Antivirals84
Anxiolytics129
Anzatax146
Apidra29
Apidra SoloStar29
Apo-Allopurinol11
Apo-Amlodipine50
Apo-Bromocriptine112
Apo-Cimetidine2
Apo-Clarithromycin
Alimentary27
Infection79
Apo-Clomipramine 116

Apo-Clopidogrel	40	Arrow-Sertraline	118	vaccine	153
Apo-Doxazosin	46	Arrow-Simva 10mg	44	Baclofen	111
Apo-Folic Acid	39	Arrow-Simva 20mg	44	Bactroban	56
Apo-Gliclazide		Arrow-Simva 40mg	44	Bakels Gluten Free Health	Bread
Apo-Megestrol		Arrow-Simva 80mg		Mix	191
Apo-Moclobemide		Arrow-Sumatriptan		Baraclude	85
Apo-Nadolol		Arrow-Testosterone		Barrier Creams and	
Apo-Nicotinic Acid		Arrow-Timolol		Emollients	60
Apo-Oxybutynin		Arrow-Topiramate		Batrafen	
Apo-Pindolol		Arrow-Tramadol		Beclazone 100	
Apo-Prazo		Arrow-Venlafaxine XR		Beclazone 250	
Apo-Prednisone		Arrowcare		Beclazone 50	
Apo-Primidone		Arsenic trioxide		Beclomethasone	
Apo-Pyridoxine		Arthrexin		dipropionate	158 162
Apo-Risperidone		Asacol		Bee venom allergy	150, 102
Apo-Selegiline		Asamax		treatment	157
Apo-Thiamine		Ascorbic acid		Bendrofluazide	
'					
Apo-Timol		Aspec 300		Benhex	
Apo-Timop		Aspen Adrenaline		Benzathine benzylpenicilli	
Apo-Zopiclone		Aspen Ceftriaxone	/8	Benzoin	
Apomine		Aspirin	40	Benztrop	
Apomorphine hydrochloride .		Blood		Benztropine mesylate	
Aprepitant		Nervous		Benzydamine hydrochloric	
Apresoline		Asthalin		Benzylpenicillin sodium (p	
Aquasun 30+		Atacand		G)	
Aqueous cream		Atazanavir sulphate		Beta Adrenoceptor Blocke	
Aratac	48	Atenolol	49	Beta Cream	58
Arava	96	Atenolol Tablet USP		Beta Ointment	
Aremed	152	ATGAM	153	Beta Scalp	63
Arimidex	152	Ativan	130	Beta-Adrenoceptor Agonis	sts160
Aripiprazole	125	Atomoxetine	133	Betadine	61
Aristocort	59	Atorvastatin	44	Betadine Skin Prep	61
Aromasin	152	Atropine sulphate		Betaferon	132
Arrow-Alprazolam	129	Alimentary	27	Betagan	165
Arrow-Azithromycin	79	Sensory		Betahistine dihydrochlorid	e123
Arrow-Bendrofluazide		Atropt		Betaloc	
Arrow-Cabergoline		Atrovent		Betaloc CR	50
Arrow-Calcium		Auranofin	96	Betamethasone dipropiona	ate58
Arrow-Citalopram		Avanza		Betamethasone dipropiona	
Arrow-Diazepam		Avelox		with calcipotriol	
Arrow-Enalapril		Avomine		Betamethasone sodium	
Arrow-Etidronate		Avonex		phosphate with	
Arrow-Lamotrigine		Azathioprine		betamethasone acetate	71
Arrow-Lisinopril		Azithromycin		Betamethasone valerate .	
Arrow-Losartan &		Azol		Betamethasone valerate v	
Hydrochlorothiazide	48	Azopt		clioquinol	
Arrow-Meloxicam		AZT		Betamethasone valerate v	
Arrow-Morphine LA				fusidic acid	
		-B-	2.1	Betaxolol hydrochloride	
Arrow Norfleysoin		B-D Micro-Fine		Betnovate	
Arrow-Norfloxacin		B-D Ultra Fine			
Arrow-Ornidazole		B-D Ultra Fine II		Betnovate-C	
Arrow-Ranitidine		B-PlexADE		Betoptic	105
Arrow-Roxithromycin	80	Bacillus calmette-guerin	(BCG)	Betoptic S	165

Bezafibrate	43
Bezalip Retard	43
Bicalaccord	.150
Bicalutamide	.150
Bicillin LA	
BiCNU	.138
Bimatoprost	.166
Biodone	.115
Biodone Extra Forte	.115
Biodone Forte	.115
Bisacodyl	
BK Lotion	60
Bleomycin sulphate	.143
Blood glucose diagnostic test	
meter	30
Blood glucose diagnostic test	
strip	31
Bonjela	
Bortezomib	
Bosentan	
Breath-Alert	
Brevinor 1/21	67
Brevinor 1/28	67
Brevinor 21	
Bricanyl Turbuhaler	
Brimonidine tartrate	.166
Brimonidine tartrate with timolol	407
maleate	
Brinzolamide	
Brolene Bromocriptine mesylate	
Brufen	. 112 05
Brufen SR	95 20
BSF Arrow-losartan &	90
Hydrochlorothiazide	160
BSF Bicalaccord	160
BSF Lostaar	169
Buccastem	
Budenocort	
Budesonide	
Alimentary	25
Respiratory158,	
Budesonide with	
eformoterol	159
Bumetanide	
Bupropion hydrochloride	
Burinex	52
Buscopan	27
Buspirone hydrochloride	.129
Busulphan	
Butacort Aqueous	

- C -	
Cabergoline	76
Cafergot	123
Caffeine citrate	163
Cal-d-Forte	
Calamine	57
Calci-Tab 500	
Calci-Tab 600	
Calcipotriol	
Calcitonin	
Calcium carbonate	
Calcium carbonate with	3/
aminoacetic acid	25
Calcium Channel Blockers	25 50
Calcium Disodium Versenate	30 38
Calcium folinate	139
Calcium Folinate Ebewe	139
Calcium gluconate	
Calaium polyetyrono	
sulphonate	43
Calcium Resonium	43
Calogen	181
Calsource	37
Camptosar	
Candesartan	
Candestar	
Canesten	
Capecitabine	139
Capoten	46
Capsaicin	64
Captopril	
Carafate  Carbamazepine	28
Carbimazole	119 75
Carboplatin	/5 120
Carboplatin Ebewe	130 138
Carbosorb-X	130 38
Cardinol	50 50
Cardinol LA	
Cardizem CD	51
CareSens	
CareSens II	
CareSens POP	30
Carmustine	138
Carvedilol	49
Catapres	
Catapres-TTS-1	
Catapres-TTS-2	52
Catapres-TTS-3	52
CeeNU	
Cefaclor monohydrate	78

Cefaclor Sandoz	
Cefalexin Sandoz	78
Cefazolin sodium	
Cefoxitin sodium	78
Ceftriaxone sodium	78
Cefuroxime axetil	/
Cefuroxime sodium Celestone Chronodose	/č
Celiprolol	/ 10
Cellcept	150
Celol	49
Centrally Acting Agents	52
Cephalexin ABM	78
Cephalexin monohydrate	78
Ceptolate	.152
Cerezyme	34
Cetirizine - AFT	.157
Cetirizine hydrochloride	.157
Cetomacrogol	60
Champix	.137
Charcoal	38
Chemotherapeutic Agents	.138
Chlorafast	.164
Chlorambucil	.138
Chloramphenicol	.164
Chlorhexidine gluconate Alimentary	01
Allmentary	 50
Dermatological	5
Chloromycetin	16/
Chlorothiazide	. 10-
Chlorpheniramine maleate	157
Chlorpromazine	
hydrochloride	125
Chlorsig	.164
Chlorthalidone	
Chlorvescent	43
Cholecalciferol	36
Cholestyramine with	
aspartame	44
Choline salicylate with	
cetalkonium chloride	
Cholvastin	
Ciclopiroxolamine	56
Cilazapril	46
Cilazapril with hydrochlorothiazide	4-
nydrochiorothiazide	41
Cilicaine VK	۰ م
Ciloxan	
Cimetidine	
Cipflox	21
Ciprofloxacin	0

Infection	81	Colistin sulphomethate	82	Dabigatran	4
Sensory	164	Colistin-Link	82	Dacarbazine	14
Cisplatin	138	Collodion flexible	175	Daclin	9
Cisplatin Ebewe	138	Colofac	27	Dactinomycin (actinomycin	
Citalopram hydrobromide .	117	Coloxyl	33	D)	14
Cladribine	140	Combigan	167	Daivobet	6
Clarithromycin		Combivir	90	Daivonex	6
Alimentary	27	Compound electrolytes	43	Daktarin	
Infection		Compound		Alimentary	3
Clexane	40	hydroxybenzoate	175	Dermatological	5
Climara 100	73	Comtan	112	Dalacin C	8
Climara 50	73	Concerta	135	Danazol	
Clindamycin	81	Condoms	65	Danthron with poloxamer	3
Clindamycin ABM	81	Condyline	64	Dantrium	11
Clobazam	119	Contraceptives - Hormonal	66	Dantrolene sodium	11
Clobetasol propionate	58, 63	Contraceptives -		Daonil	2
Clobetasone butyrate		Non-hormonal	65	Dapa-Tabs	5
Clomazol		Copaxone	132	Dapsone	8
Dermatological	56	Corangin	53	Darunavir	9
Genito-Urinary	68	Cordarone-X		Dasatinib	14
Clomiphene citrate		Corticosteroids and Related		Daunorubicin	14
Clomipramine hydrochlorid	e116	Agents for Systemic Use	71	DBL Aminophylline	16
Clonazepam		Corticosteroids Topical		DBL Bleomycin Sulfate	
Clonidine	52	Cosmegen		DBL Doxorubicin	
Clonidine hydrochloride		Cosopt	166	DBL Ergometrine	
Cardiovascular	52	Coumadin	42	DBL Gemcitabine	
Nervous	123	Coversyl	47	DBL Leucovorin Calcium	
Clopidogrel	40	Creon 10000	32	DBL Methotrexate	14
Clopine		Creon Forte		DBL Morphine Sulphate	
Clopixol		Crixivan	90	DBL Pethidine	
Clotrimazole		Crotamiton	57	Hydrochloride	110
Dermatological	56	Crystacide		DBL Tobramycin	
Genito-Urinary		Curam	80	DDI	
Clozapine		Curam Duo	80	De-Worm	7
Clozaril	125	Cyclizine hydrochloride	123	Deca-Durabolin Orgaject	7
Co-Renitec	47	Cyclizine lactate		Deferiprone	
Co-trimoxazole		Cycloblastin		Depo-Medrol	
Coal tar		Cyclogyl		Depo-Medrol with Lidocaine	
Coal tar with allantoin, mer	nthol,	Cyclopentolate		Depo-Provera	
phenol and sulphur		hydrochloride	167	Depo-Testosterone	
Coal tar with salicylic acid		Cyclophosphamide		Deprim	
sulphur		Cyclosporin		Dermol	
Coco-Scalp		Cyklokapron		Desferrioxamine mesylate	4
Codeine phosphate		Cyproterone acetate		Desmopressin	
Extemporaneous	175	Cyproterone acetate with		Desmopressin-PH&T	
Nervous		ethinyloestradiol	68	Detection of Substances in	
Cogentin	112	Cytarabine		Urine	7
Colaspase (L-asparaginase		Cytotec		Dexamethasone	
Colchicine	,	Cytoxan		Hormone	7
Colestid		- D -		Sensory	
Colestipol hydrochloride		<del>-</del>	00	Dexamethasone sodium	
Colgout		D-Penamine		phosphate	7
Colifoam		d4T	90	Dexamethasone with framyceti	
				•	

and gramicidin	164
Dexamethasone with neomycin	
and polymyxin b sulphate	.165
Dexamphetamine sulphate	.133
Dextrochlorpheniramine	
maleate	157
Dextrose	42
Dextrose with electrolytes	43
DHC Continus	.114
Diabetes	28
Diabetes Management	პს
Diamide Relief	20 166
Diaphragm	
Diasip	182
Diason RTH	182
Diastop	25
Diazepam119,	130
Dibenyline	
Diclax SR	95
Diclofenac Sandoz	95
Diclofenac sodium	
Musculoskeletal System	95
Sensory	.165
Didanosine [DDI]	
Differin	
Difflam	
Diflucan	83
Diflucortolone valerate	58
Digestives Including Enzymes	20
Digoxin	ےں م
Dihydrocodeine tartrate	40 11 <i>1</i>
Dilantin	
Dilantin Infatab	121
Dilatrend	49
Diltiazem hydrochloride	51
Dilzem	51
Dimetriose	77
Dipentum	26
Diphenoxylate hydrochloride with	
atropine sulphate	25
Diprosone	58
Diprosone OV	58
Dipyridamole	40
Disinfecting and Cleansing	
Agents	
Disipal Disopyramide phosphate	. 113
Disulfiram	48
Diuretics	
Diurin 40	
	400

DM Ject	32
Docetaxel	144
Docetaxel Ebewe	144
Docusate sodium	
Docusate sodium with	
sennosides	. 33
Domperidone	123
Donepezil hydrochloride	136
Donepezil-Rex	136
Dopergin	112
Dopress	116
Dornase alfa	161
Dorzolamide hydrochloride	166
Darzalamida hudraahlarida with	
timolol maleate	166
Dostinex	76
Dothiepin hydrochloride	116
Doxazosin mesylate	
Doxepin hydrochloride	116
Doxine	81
Doxorubicin	145
Doxorubicin Ebewe	145
Doxy-50	81
Doxycycline hydrochloride	o.
DP Lotion	60
DP Lotn HC	58
DP-Anastrozole	152
Dr Reddy's Atorvastatin	44
Dr Reddy's Olanzapine126,	129
Dr Reddy's Omeprazole	
Dr Reddy's Ondansetron	124
Dr Reddy's Pantoprazole	
Dr Reddy's Quetiapine	126
Dr Reddy's Risperidone	127
Dr Reddy's Terbinafine	83
Drugs Affecting Bone	
Metabolism	106
Dulcolax	34
Duocal Super Soluble	
Powder	180
Duolin	
Duolin HFA	161
Durex Confidence	65
Durex Extra Safe	65
Durex Select Flavours	
Duride	
Dynacirc-SRO	
- E -	
	-
E-Mycin	80
Ear Preparations	164
Ear/Eye Preparations	164

Easiphen Liquid	.193
Econazole nitrate	57
Efavirenz	89
Efexor XR	.118
Eformoterol fumarate	
Efudix	64
Egopsoryl TA	62
Elecare	.194
Elecare LCP	.194
Electral	43
Elemental 028 Extra	
Eligard	
Elocon	
Eloxatin	
Eltroxin	75
Emend Tri-Pack	.123
EMLA	
Emtricitabine	90
Emtriva	90
Emulsifying ointment	60
Enalapril	46
Enalapril with	
hydrochlorothiazide	47
Enbrel	.101
Endocrine Therapy	.150
Endoxan	
Enfuvirtide	91
Enoxaparin sodium	40
Ensure	.188
Ensure Plus	.189
Ensure Plus HN	.188
Ensure Plus RTH	.188
Entacapone	
Entecavir	85
Entocort CIR	25
Enuclene	.167
Epilim	.122
Epilim Crushable	.122
Epilim IV	.122
Epilim S/F Liquid	.122
Epilim Syrup	
Epirubicin	.145
Epirubicin Ebewe	
Eprex	
ERA	
Ergometrine maleate	69
Ergotamine tartrate with	
caffeine	123
Erlotinib hydrochloride	
Erythrocin IV	
Erythromycin ethyl succinate	80
Erythromycin lactobionate	80
Cruthromicain ataorata	00

# INDEX

Erythropoletin alpha	39	Ferrous tumarate with folic		Folic acid	39
Erythropoietin beta	39	acid	37	Food Thickeners	190
Escitalopram		Ferrous sulphate	37	Foods And Supplements For	
Estradot	73	Ferrous sulphate with folic		Inborn Errors Of	
Estrofem	73	acid	37	Metabolism	192
Etanercept	101	Ferrum H	37	Foradil	159
Ethambutol hydrochloride	84	Fexofenadine hydrochloride	157	Forteo	108
Ethics Aspirin	113	Fibalip		Fortimel Regular	183
Ethics Aspirin EC	40	Fibro-vein	40	Fortini	184
Ethics Ibuprofen	95	Finasteride		Fortini Multi Fibre	184
Ethics Paracetamol	114	Fine Ject	31	Fortisip	189
Ethinyloestradiol	74	Flagyl	83	Fortisip Multi Fibre	
Ethinyloestradiol with		Flagyl-S	83	Fosamax	
desogestrel	66	Flamazine		Fosamax Plus	
Ethinyloestradiol with		Flecainide acetate		Framycetin sulphate	
levonorgestrel	67	Fleet Phosphate Enema		FreeStyle Lite	
Ethinyloestradiol with		Flixonase Hayfever &		Frisium	
norethisterone	67	Allergy	162	Frumil	
Ethosuximide		Flixotide		Frusemide-Claris	52
Etidronate disodium		Flixotide Accuhaler		Fucicort	
Etopophos		Florinef		Fucidin	
Etoposide		Fluanxol		Fucithalmic	
Etoposide phosphate		Fluarix		Fungilin	
Etravirine		Flucloxacillin sodium		Furosemide	
Eumovate		Flucloxin		Fusidic acid	
Evista		Fluconazole		Dermatological	56
Exemestane		Fludara		Infection	
Extemporaneously Compoun		Fludara Oral		Sensory	
Preparations and		Fludarabine Ebewe		Fuzeon	
Galenicals	175	Fludarabine phosphate		- G -	
Eye Preparations		Fludrocortisone acetate		Gabapentin	120
EZ-fit Paediatric Mask		Fluids and Electrolytes		Gabapentin (Neurontin)	
Ezetimibe		Flumetasone pivalate		Gamma benzene	120
Ezetimibe with simvastatin		Fluocortolone caproate with		hexachloride	61
Ezetrol		fluocortolone pivalate and			
- F -		cinchocaine	27	Gastrosoothe	
Famotidine	07	Fluorometholone		Gaviscon Double Strength	
		Fluorouracil Ebewe		Gaviscon Infant	
Famox		Fluorouracil sodium	140	Gemcitabine Actavis 1000	
Felo 10 ER		Dermatological	64	Gemcitabine Actavis 200	
Felo 5 ER		Oncology		Gemcitabine Ebewe	
Felodipine				Gemcitabine hydrochloride	
Femtran 100		Fluox Fluoxetine hydrochloride		Gemfibrozil	
Femtran 50		-		Gemzar	
Fenpaed		Flupenthixol decanoate		Generaid Plus	
Fentanyl		Fluphenazine decanoate		Genoptic	
Fentanyl citrate		Flutamide		Genotropin	
Ferodan		Flutamin		Genox	152
Ferriprox		Fluticasone		Gentamicin sulphate	
Ferro-F-Tabs		Fluticasone propionate		Infection	
Ferro-tab		Fluticasone with salmeterol		Sensory	
Ferrograd		Fluvax		Gestrinone	
Ferrograd-Folic		FML		Ginet 84	
Ferrous fumarate	37	Foban	56	Glatiramer acetate	132

Glibenclamide29
Gliclazide29
Glipizide30
Glivec149
Glucagen Hypokit28
Glucagon hydrochloride28
Glucerna Select182
Glucerna Select RTH182
Glucobay29
Gluten Free Foods191
Glycerin with sodium
Giycerin with sodium
saccharin175
Glycerin with sucrose175
Glycerol
Alimentary33
Extemporaneous175
Glyceryl trinitrate53
Glytrin53
Gold Knight65
Gopten47
Goserelin acetate76
Gutron49
Gynaecological
Anti-infectives68
- H -
Habitrol137
Haldol 128
Haldol Concentrate 128
Haldol Concentrate128
Haldol Concentrate128 Haloperidol126
Haldol Concentrate
Haldol Concentrate 128 Haloperidol 126 Haloperidol decanoate 128 Hamilton Sunscreen 63 healthE Fatty Cream 60 Healtheries Simple Baking Mix 191 Hemastix 70
Haldol Concentrate       128         Haloperidol       126         Haloperidol decanoate       128         Hamilton Sunscreen       63         healthE Fatty Cream       60         Healtheries Simple Baking       Mix       191         Hemastix       70         Heparin sodium       41
Haldol Concentrate       128         Haloperidol       126         Haloperidol decanoate       128         Hamilton Sunscreen       63         healthE Fatty Cream       60         Healtheries Simple Baking       Mix       191         Hemastix       70         Heparin sodium       41
Haldol Concentrate       128         Haloperidol       126         Haloperidol decanoate       128         Hamilton Sunscreen       63         healthE Fatty Cream       60         Healtheries Simple Baking       Mix       191         Hemastix       70         Heparin sodium       41         Heparinised saline       41
Haldol Concentrate       128         Haloperidol       126         Haloperidol decanoate       128         Hamilton Sunscreen       63         healthE Fatty Cream       60         Healtheries Simple Baking       Mix       191         Hemastix       .70         Heparin sodium       .41         Hepsera       .84
Haldol Concentrate         128           Haloperidol         126           Haloperidol decanoate         128           Hamilton Sunscreen         63           healthE Fatty Cream         60           Healtheries Simple Baking         191           Mix         191           Hemastix         70           Heparin sodium         41           Heparinised saline         41           Hepsera         84           Herceptin         155
Haldol Concentrate         128           Haloperidol         126           Haloperidol decanoate         128           Hamilton Sunscreen         63           healthE Fatty Cream         60           Healtheries Simple Baking         191           Mix         191           Hemastix         70           Heparin sodium         41           Hepsera         44           Herceptin         155           Hexamine hippurate         93
Haldol Concentrate         128           Haloperidol         126           Haloperidol decanoate         128           Hamilton Sunscreen         63           healthE Fatty Cream         60           Healtheries Simple Baking         191           Mix         191           Hemastix         70           Heparin sodium         41           Heparinised saline         41           Hepsera         84           Herceptin         155           Hexamine hippurate         93           Hiprex         93
Haldol Concentrate         128           Haloperidol         126           Haloperidol decanoate         128           Hamilton Sunscreen         63           healthE Fatty Cream         60           Healtheries Simple Baking         191           Mix         191           Hemastix         70           Heparin sodium         41           Heparinised saline         41           Hepsera         84           Herceptin         155           Hexamine hippurate         93           Hiprex         93           Histafen         157
Haldol Concentrate         128           Haloperidol         126           Haloperidol decanoate         128           Hamilton Sunscreen         63           healthE Fatty Cream         60           Healtheries Simple Baking         191           Mix         191           Hemastix         70           Heparin sodium         41           Heparinised saline         41           Hepsera         84           Herceptin         155           Hexamine hippurate         93           Hiprex         93           Histafen         157           Holoxan         138
Haldol Concentrate         128           Haloperidol         126           Haloperidol decanoate         128           Hamilton Sunscreen         63           healthE Fatty Cream         60           Healtheries Simple Baking         191           Mix         191           Hemastix         70           Heparin sodium         41           Heparinised saline         41           Hepsera         84           Herceptin         155           Hexamine hippurate         93           Hiprex         93           Histafen         157           Holoxan         138           Homatropine hydrobromide         167
Haldol Concentrate         128           Haloperidol         126           Haloperidol decanoate         128           Hamilton Sunscreen         63           healthE Fatty Cream         60           Healtheries Simple Baking         191           Mix         191           Hemastix         70           Heparin sodium         41           Heparinised saline         41           Hepsera         84           Herceptin         155           Hexamine hippurate         93           Hiprex         93           Histafen         157           Holoxan         138           Homatropine hydrobromide         167           Horleys Bread Mix         191
Haldol Concentrate         128           Haloperidol         126           Haloperidol decanoate         128           Hamilton Sunscreen         63           healthE Fatty Cream         60           Healtheries Simple Baking         191           Mix         191           Hemastix         70           Heparin sodium         41           Heparinised saline         41           Hepsera         84           Herceptin         155           Hexamine hippurate         93           Hiprex         93           Histafen         157           Holoxan         138           Homatropine hydrobromide         167           Horleys Bread Mix         191           Horleys Flour         191
Haldol Concentrate         128           Haloperidol         126           Haloperidol decanoate         128           Hamilton Sunscreen         63           healthE Fatty Cream         60           Healtheries Simple Baking         191           Mix         191           Hemastix         70           Heparin sodium         41           Heparinised saline         41           Hepsera         84           Herceptin         155           Hexamine hippurate         93           Hiprex         93           Histafen         157           Holoxan         138           Homatropine hydrobromide         167           Horleys Bread Mix         191           Horleys Flour         191           Hormone Replacement Therapy         -
Haldol Concentrate         128           Haloperidol         126           Haloperidol decanoate         128           Hamilton Sunscreen         63           healthE Fatty Cream         60           Healtheries Simple Baking         191           Mix         191           Hemastix         70           Heparin sodium         41           Heparinised saline         41           Hepsera         84           Herceptin         155           Hexamine hippurate         93           Hiprex         93           Histafen         157           Holoxan         138           Homatropine hydrobromide         167           Horleys Bread Mix         191           Horleys Flour         191           Hormone Replacement Therapy -         Systemic         72
Haldol Concentrate         128           Haloperidol         126           Haloperidol decanoate         128           Hamilton Sunscreen         63           healthE Fatty Cream         60           Healtheries Simple Baking         191           Mix         191           Hemastix         70           Heparin sodium         41           Hepsera         44           Herceptin         155           Hexamine hippurate         93           Hiprex         93           Histafen         157           Holoxan         138           Homatropine hydrobromide         167           Horleys Bread Mix         191           Horleys Flour         191           Hormone Replacement Therapy -         Systemic         72           Humalog         25
Haldol Concentrate         128           Haloperidol         126           Haloperidol decanoate         128           Hamilton Sunscreen         63           healthE Fatty Cream         60           Healtheries Simple Baking         191           Mix         191           Hemastix         70           Heparin sodium         41           Hepsera         44           Herceptin         155           Hexamine hippurate         93           Hiprex         93           Histafen         157           Holoxan         138           Homatropine hydrobromide         167           Horleys Bread Mix         191           Horleys Flour         191           Hormone Replacement Therapy -         Systemic         72           Humalog         29           Humalog Mix 25         29
Haldol Concentrate         128           Haloperidol         126           Haloperidol decanoate         128           Hamilton Sunscreen         63           healthE Fatty Cream         60           Healtheries Simple Baking         191           Mix         191           Hemastix         70           Heparin sodium         41           Heparin sodium         41           Hepsera         84           Herceptin         155           Hexamine hippurate         93           Hiprex         93           Histafen         157           Holoxan         138           Homatropine hydrobromide         167           Horleys Bread Mix         191           Hormone Replacement Therapy         72           Systemic         72           Humalog         22           Humalog Mix 25         29           Humalog Mix 50         29
Haldol Concentrate         128           Haloperidol         126           Haloperidol decanoate         128           Hamilton Sunscreen         63           healthE Fatty Cream         60           Healtheries Simple Baking         191           Mix         191           Hemastix         70           Heparin sodium         41           Hepsera         44           Herceptin         155           Hexamine hippurate         93           Hiprex         93           Histafen         157           Holoxan         138           Homatropine hydrobromide         167           Horleys Bread Mix         191           Horleys Flour         191           Hormone Replacement Therapy -         Systemic         72           Humalog         29           Humalog Mix 25         29

Humulin 30/70	29
Humulin NPH	29
Humulin R	
Hybloc	
Hydralazine	53
Hydrea	145
Hydrocortisone	
Dermatological	58
Hormone	71
Hydrocortisone acetate	26
Hydrocortisone butyrate58	. 63
Hydrocortisone with	,
cinchocaine	. 27
Hydrocortisone with	
miconazole	59
Hydrocortisone with natamycin	
and neomycin	. 59
Hydrocortisone with wool fat and	
mineral oil	58
Hydroderm Lotion	
Hydrogen peroxide	
Alimentary	35
Dermatological	56
Hydroxocobalamin	36
Hydroxychloroquine sulphate	83
Hydroxyurea	145
Hygroton	53
Hyoscine (scopolamine)	123
Hyoscine hydrobromide	124
Hyoscine N-butylbromide	27
Hypam	
Hyperuricaemia and	. 02
Antigout	111
Hypnovel	132
Hypromellose	167
Hysite	166
-1-	
Ibiamox	0.0
Ibuprofen	00
Idarubicin hydrochloride	1/5
Ifosfamide	120
lloprost	100
Imatinib mesylate	140
Imiglucerase	24
Imipramine hydrochloride	117
Imiquimod	11/
Immune Modulators	 101
Immunosuppressants	७। 150
Imuprine	152
Imuran	
Indapamide	
IndapamideIndinavir	
	⊎∪

Indomethacin ......96

Infant Formulae	193
Influenza vaccine	.94
Inhaled Anticholinergic	
Agents	160
Inhaled Corticosteroids	158
Inhaled Long-acting	
Beta-adrenoceptor	450
Agonists	158
Inhibace PlusInnovacon hCG One Step	.47
Pregnancy Test	60
Insulin aspart	. 09 . 00
Insulin glargine	20
Insulin glulisine	.23 20
Insulin isonhana	20
Insulin isophane Insulin isophane with insulin	.20
neutral	29
Insulin lispro	.29
Insulin lispro with insulin lispro	
protamine	. 29
Insulin neutral	.28
Insulin pen needles	.31
Insulin syringes, disposable with	
attached needle	. 32
Intal Spincaps	161
Intelence	
Interferon alpha-2a	.92
Interferon alpha-2b	.92
Interferon beta-1-alpha	132
Interferon beta-1-beta	132
Intra-uterine device	
Intron-A	.92
Ipratropium bromide160,	162
rinotecan	142
Irinotecan-Rex	
Iron Overload	
Iron polymaltose	
sentress	
lsmo 20	
Isoniazid	.84
Isoprenaline hydrochloride	
Isoptin	
Isopto Carpine	107
sopto Homatropine	10/
Isosorbide mononitrate	.ეკ 100
sosource Standardsosource Standard RTH	100
Isotretinoin	100
Isradipine	.JJ
Isuprel	.JI
Itch-Soothe	
Itraconazole	
trazole	


- J -		Leflunomide	96	Loprofin Mix	193
•	60	Letara	152	Loraclear Hayfever Relief	
Jadelle		Letrozole	152	Lorapaed	158
Jevity		Leukeran FC		Loratadine	158
Jevity RTH	188	Leunase		Lorazepam	
- K -		Leuprorelin		Lormetazepam	132
Kaletra	90	Leustatin		Losartan	
Karicare Food Thickener	191	Levetiracetam		Lostaar	
Kemadrin	113	Levetiracetam-Rex		Lovir	
Kenacomb	164	Levlen ED		Loxalate	
Kenacort-A	72	Levobunolol		Loxamine	
Kenacort-A40	72	Levocabastine		Lucrin Depot	
Ketoconazole		Levodopa with benserazide .		Lucrin Depot PDS	
Dermatological	63	Levodopa with carbidopa		Ludiomil	
Infection	83	Levomepromazine		Lumigan	
Ketone blood beta-ketone		Levonorgestrel	120	Lycinate	
electrodes	30	Genito-Urinary	68	Lyderm	
Ketoprofen	95	Hormone		•	
Ketostix		Levothyroxine		- M -	
Kindergen		Lifestyles Flared		m-Captopril	46
Kivexa		Lignocaine		m-Cefuroxime	
Klacid		Lignocaine hydrochloride		m-Eslon	
Klamycin		Lignocaine with	110	m-Mometasone	
Alimentary	27	chlorhexidine	113	Mabthera	
Infection		Lignocaine with prilocaine		Macrogol 3350	
Kliogest		Lincocin		Madopar 125	112
Kliovance		Lincomycin		Madopar 250	
Konakion MM		Lipazil		Madopar 62.5	
Konsyl-D	33	Lipid Modifying Agents		Madopar Dispersible	112
-L-		Lipitor		Madopar HBS	112
Labetalol	40	Liquigen		Magnesium hydroxide	1/5
Lacosamide		Lisinopril		Magnesium sulphate	0-
Lacri-Lube		Lisuride hydrogen maleate		Alimentary	
Lactulose		Litak		Dermatological	
Laevolac		Lithicarb		Malathion	
Lamictal		Lithium carbonate		Maprotiline hydrochloride	
Lamivudine		Livostin		Marevan	
Lamotrigine		Locacorten-Viaform ED's		Marine Blue Lotion SPF 30+ .	
Lanoxin		Locasol		Marquis Black	65
Lanoxin PG		Loceryl		Marquis Conforma	65
Lansoprazole		Locoid		Marquis Protecta	65
Lantus		Locoid Crelo		Marquis Selecta	
Lantus SoloStar		Locoid Lipocream		Marquis Sensolite	
Lanvis		Locorten-Vioform		Marquis Supalite	
Lanzol Relief		Lodoxamide trometamol		Marquis Titillata	
Largactil		Loette		MarquisTantiliza	
Lasix		Logem		Martindale Acetylcysteine	
Latanoprost		Lomide		Marvelon 21	
Lax-Tab		Lomustine		Marvelon 28	
Laxatives		Loperamide hydrochloride		Mask for spacer device	
LaxalivesLaxofast 120		Lopinavir with ritonavir		Mast Cell Stabilisers	
Laxofast 50		Lopresor		Maxalt Melt	
Laxolasi 50		Loprofin		Maxidex	
Lansui		E00101111		Maxitrol	165

MCT oil (Nutricia)181
Mebendazole78
Mebeverine hydrochloride27
Medrol71
Medroxyprogesterone acetate
Genito-Urinary68
Hormone74–75
Mefenamic acid95
Megace150
Megestrol acetate150
Meloxicam96
Melphalan138
Menthol57
Mercaptopurine142
Mercilon 2166
Mercilon 2866
Mesalazine26
Mesna145
Mestinon95
Metabolic Disorder Agents34
Metabolic Mineral Mixture193
Metamide124
Metformin hydrochloride30
Methadone hydrochloride
Extemporaneous175
Nervous115
Methatabs115
Methoblastin143
Methopt167
Methotrexate143
Methotrexate Ebewe143
Methyl hydroxybenzoate176
Methylcellulose176
Methylcellulose with glycerin and
sodium saccharin176
Methylcellulose with glycerin and
sucrose
Methyldopa52
Methylphenidate
hydrochloride134
Methylphenidate hydrochloride
extended-release135
Methylprednisolone71
Methylprednisolone
aceponate59
Methylprednisolone acetate71
Methylprednisolone acetate with
lignocaine71
Methylprednisolone sodium
succinate71
Methylxanthines161
Metoclopramide
hydrochloride124

Metoclopramide hydrochloride	
with paracetamol	123
Metopirone	77
Metoprolol - AFT CR	50
Metoprolol succinate	
Metoprolol tartrate	
Metronidazole	٠٠٠٠٥٠
Metyrapone	00
Miacalcic	107
Mianserin hydrochloride	117
Micolette	۱۱۱/
Miconazole	34
Miconazole nitrate	30
Dermatological	
Dermatological	5/
Genito-Urinary	65
Micreme	65
Micreme H	5
Microgynon 20 ED	
Microgynon 30	67
Microgynon 30 ED	67
Microgynon 50 ED	
Microlut	
Midazolam	
Midodrine	49
Minaphlex	
Minerals	
Minidiab	30
Minirin	
Mino-tabs	81
Minocycline hydrochloride	81
Minomycin	81
Minor Skin Infections	61
Mirena	
Mirtazapine	118
Misoprostol	27
Mitomycin C	145
Mitozantrone	145
Mitozantrone Ebewe	145
Mixtard 30	29
Moclobemide	117
Modafinil	135
Modavigil	135
Modecate	128
Moducal	179
Moduretic	52
Mogine	121
Mometasone furoate	59
Monofeme	67
Monogen	182
Morphine hydrochloride	115
Morphine sulphate	
Marphina tartrata	115

Motetis ......113

Motilium1	123
Mouth and Throat	.35
Movicol	.34
Moxifloxacin	
MSUD Maxamaid	192
MSUD Maxamum	
Mucilaginous laxatives	.33
Mucilaginous laxatives with	
stimulants	
Mucilax	.33
Mucolytics	
MultiADE	.36
Multiload Cu 375	
Multiload Cu 375 SL	.65
Multiple Sclerosis Treatments	
Treatments	130
Multivitamins	.36
Mupirocin	.56
Muscle Relaxants	111
Myaccord	152
Myambutol	
Mycobutin	.84
Mycophenolate mofetil	
Mycostatin	.57
Mydriacyl	
Mylan Fentanyl Patch	
Mylanta P	.25
Myleran	138
Myloc CR	.50
Myocrisin	.96
Myometrial and Vaginal Hormone	
Preparations	69
- N -	
Nadolol	.50
Nalcrom	.26
Naloxone hydrochloride	
Naltraccord	136
Naltrexone hydrochloride	
Nandrolone decanoate	
Naphazoline hydrochloride	168
Naphcon Forte	
Naprosyn SR 1000	.95
Naprosyn SR 750	.95
Naproxen	
Nardil	117
Nasal Preparations	162
Natulan	
Nausicalm	
Navelbine	
Navoban	
Nedocromil	
Nefopam hydrochloride	113
Neo-Mercazole	




Novatretin	.61
NovoFine	
NovoRapid	.29
NovoRapid Penfill	.29
Nozinan	
Nuelin	
Nuelin-SR	161
Nupentin	120
Nutraplus	.60
Nutrient Modules	179
Nutrient Modules	184
Nutrini RTH	184
NutriniDrink	184
NutriniDrink Multifibre	
Nutrison Concentrated	185
Nutrison Concentrated Nutrison Energy Multi Fibre	188
Nutrison Multi Fibre	188
Nutrison Standard RTH	188
Nyefax Retard	51
Nystatin	
Alimentary	35
Dermatological	57
Genito-Urinary	69
Infection	
NZB Low Gluten Bread Mix	191
- O -	
Octreotide (somatostatin	
analogue)	151
Octreotide MaxRx	101
Octrodial	יכו
Oestradiol	./:
Oestradiol valerate	./:
Oestradiol with norethisterone	7
	. / 4
Oestriol	00
Genito-Urinary	.08
Hormone	. 14
Oestrogens	./:
Oestrogens with medroxyprogesterone	7
Oil in water emulsion	.bl
Olanzapine126,	128
Olanzapine pamoate	400
monohydrate	120
Olanzine	
Olanzine-D	125
Olbetam	.40
Olsalazine	.20
Omeprazole	.28
Omezol Relief	.28
On Call Advanced30,	31
OncoTICE	
Ondansetron	
One-Alpha	.36

Onkotrone	145
Optium 5 second test	31
Optium Blood Ketone Test	
Strips	30
Optium Xceed	30
Ora-Blend	176
Ora-Blend SF	176
Ora-Plus	176
Ora-Sweet	.175
Ora-Sweet SF	175
Orabase	35
Oracort	35
Oral Supplements/Complete Diet	00
(Nasogastric/Gastrostomy	
Tube Feed)	181
Oratane	
Orgran	
Ornidazole	102
Orphenadrine citrate	111
Orphenadrine hydrochloride	112
Ortho All-flex	115
Ortho-tolidine	05 70
Oruvail SR	
Osmolite	188
Osmolite RTH	100
Ospamox	100
Ospamox Paediatric Drops	 20
Other Endocrine Agents	00 76
Other Destrogen	70
Preparations	7/
Other Progestogen	/ ¬
Preparations	74
Other Skin Preparations	64
Ovestin	04
Genito-Urinary	60
Hormone	7/
Ox-Pam	
Oxaliplatin	
Oxaliplatin Ebewe	138
Oxazepam	130
Oxis Turbuhaler	
Oxybutynin	70
Oxycodone hydrochloride	116
OxyContin	116
OxyNorm	116
Oxypentifylline	53
Oxytocin	69
Ozole	
_ D _	00
Pacifen	111
Pacific Atenolol	
Pacific Buspirone	120
Paclitavel	

Paclitaxel Actavis	146	Permax	112	Prazosin hydrochloride	46
Paclitaxel Ebewe		Permethrin		Pred Forte	
Paediatric Seravit		Persantin		Pred Mild	
Pamidronate disodium		Pethidine hydrochloride		Prednisolone acetate	
Pamisol		Pevaryl		Prednisolone sodium	
Panadol		Pexsig		phosphate	72
Pancreatic enzyme		Pharmacare		Prednisone	72 79
Pantocid IV		Pharmacy Services		Prefrin	
Pantoprazole		Phenelzine sulphate		Pregnancy Tests - hCG Urin	
Panzytrat		Phenobarbitone		Pregnancy tests - HCG urine	
Papaverine hydrochloride		Phenobarbitone sodium		Premarin	
Paracare		Phenoxybenzamine	170	Premia 2.5 Continuous	
Paracare Double Strength		hydrochloride	46	Premia 5 Continuous	
Paracetamol		Phenoxymethylpenicillin	40	Prezista	
Paracetamol + Codeine	114		01	Priadel	
	116	(Penicillin V) Phentolamine mesylate		Primidone	
(Relieve) Paracetamol with codeine			40	Primolut N	
		Phenylephrine	160	Probenecid	
Parafast Paraffin		hydrochloride		Probenecid-AFT	
	01	Phenytoin sodium			
Paraffin liquid with soft white	160	Phlexy 10		Procaine penicillin	
paraffin	100	Phosphate-Sandoz		Procarbazine hydrochloride	
Paraffin liquid with wool fat	100	Phytomenadione		Prochlorperazine	
liquid		Pilocarpine		Proctosedyl	
Paraldehyde		Pimafucort		Procyclidine hydrochloride	
Paramax		Pindolol		Prodopa	
Parasiticidal Preparations		Pinetarsol		Prograf	
Parnate		Pinorax		Progynova	
Paroxetine hydrochloride		Pinorax Forte		Promethazine hydrochloride	
Paxam		Pioglitazone		Promethazine theoclate	124
Peak flow meter		Piportil		Promethazine Winthrop	
Pedialyte - Bubblegum		Pipothiazine palmitate		Elixir	
Pedialyte - Fruit		Pizaccord		Promod	
Pedialyte - Plain		Pizotifen		Propafenone hydrochloride	
Pediasure		PKU Anamix Infant		Propamidine isethionate	
Pediasure RTH	184	PKU Lophlex LQ		Propranolol	50
Pegasys	92	Plaquenil		Propylene glycol	
Pegasys RBV Combination		Plendil ER		Protamine sulphate	41
Pack	92	Podophyllotoxin	64	Protaphane	29
Pegylated interferon alpha-2a	92	Polaramine	157	Protaphane Penfill	29
Penicillamine	96	Poloxamer		Protifar	181
PenMix 30	29	Poly-Tears	167	Provera	74, 75
PenMix 40	29	Poly-Visc	168	PSO	197–200
PenMix 50	29	Polycal	179	Psoriasis and Eczema	
Pentasa	26	Polyvinyl alcohol	167	Preparations	61
Pentostatin		Ponstan	95	Pulmicort Turbuhaler	158
(deoxycoformycin)	146	Postinor-1	68	Pulmocare	181
Pepti Junior Gold		Potassium bicarbonate	43	Pulmozyme	161
Peptisoothe		Potassium chloride		Purinethol	
Peptisorb		Potassium citrate		Pyrazinamide	
Pergolide		Potassium iodate		Pyridostigmine bromide	
Perhexiline maleate		Povidone iodine		PyridoxADE	
Pericyazine		Pradaxa		Pyridoxine hydrochloride	
Perindopril		Pravastatin		Pytazen SR	

# INDEX



Stemetil	124
Stesolid	119
Stimulants/ADHD	
Treatments	133
Stocrin	89
Stomahesive	35
Strattera	133
Sucralfate	28
Sulindac	96
SulphasalazineSulphur	∠0
Sumatriptan	122
Sunitinib	150
Sunscreens	63
Sunscreens, proprietary	63
Suplena	186
Surgam	96
Sustagen Hospital Formula	188
Sustanon Ampoules	72
Sutent	150
Symbicort Turbuhaler 100/6 Symbicort Turbuhaler 200/6	159
Symbicort Turbuhaler 200/6	159
Symbicort Turbuhaler 400/12	450
Symmetrel	159
Sympathomimetics	۱۱۷ ۲۵
Synacthen	50 72
Synacthen Depot	72 72
Synermox	80
Synthroid	75
Syntocinon	69
Syntometrine	69
Syrup (pharmaceutical	
grade)	176
-T-	
Tacrolimus	156
Tambocor	48
Tambocor CR	48
Tamoxifen citrate	152
Tamsulosin hydrochloride	
Tamsulosin-Rex	69
Tap water	176
Tar with triethanolamine lauryl sulphate and fluorescein	00
Tarceva	148
Taxotere	۱۱۷ ۱۸۸
Tegretol	۱ <del>۲۹</del> 11۵
Tegretol CR	119
Telfast	157
Temaccord	146
Temazepam	132
Temodal	

Temozolomide	146
Tenofovir disoproxil fumarate	87
Tenoxicam	96
Terazosin hydrochloride	46
Terbinafine	83
Terbutaline sulphate	160
Teriparatide	
Testosterone	
Testosterone cypionate	72
Testosterone esters	
Testosterone undecanoate	
Tetrabenazine	113
Tetrabromophenol	
Tetracosactrin	72
Teva	
Thalidomide	146
Thalomid	
Theophylline	161
Thiamine hydrochloride	36
THIO-TEPA	139
Thioguanine	143
Thiotepa	139
Thymol glycerin	35
Thyroid and Antithyroid	
Agents	75
Tiaprofenic acid	96
Tiberal	
Tilade	161
Tilcotil	96
Timolol maleate	
Cardiovascular	50
Sensory	
Timoptol XE	165
Tiotropium bromide	160
Titralac	
TMP	82
Tobramycin	
Infection	
Sensory	
Tobrex	
Tofranil	
Tolcapone	
Tolvon	
Topamax	
Topiramate	122
Total parenteral nutrition	
(TPN)	43
TPN	
Tracleer	54
Tramadol hydrochloride	114
Trandate	
Trandolapril	
Tranexamic acid	40

Tranylcypromine sulphate	.117
Trastuzumab	.155
Travatan	
Travoprost	.166
Treatments for Dementia	.136
Treatments for Opioid	
Overdose	. 136
Treatments for Substance	
Dependence	. 136
Trental 400	
Tretinoin	
Dermatological	55
Oncology	.147
Triamcinolone acetonide	
Alimentary	35
Dermatological	59
Hormone	
Triamcinolone acetonide with	
gramicidin, neomycin and nysta	tin
Dermatological	59
Sensory	.164
Triazolam	.132
Trichozole	
Triclosan	60
Trifluoperazine	
hydrochloride	. 127
Trimeprazine tartrate	.158
Trimethoprim	82
Trisequens	74
Trisul	81
Trophic Hormones	75
Tropicamide	.167
Tropisetron	.124
Trusopt	.166
Two Cal HN	.190
Tyloxapol	.167
- U -	
Ultraproct	27
Univent160,	162
Ural	70
Urea	60
Urex Forte	52
Urinary Agents	69
Urinary Tract Infections	93
Uromitexan	
Ursodeoxycholic acid	32
Ursosan	32
- V -	
Vaccines	94
Valaciclovir	
Vallergan Forte	.158
Valtrex	

Vancomycin hydrochloride	82
Vannair	159
Varenicline tartrate	137
Various	
Vasodilators	
Vasopressin Agonists	76
Velcade	
Venlafaxine	118
Ventavis	54
Ventolin	160
Vepesid	
Veracol	
Verapamil hydrochloride	
Vergo 16	123
Vermox	
Verpamil SR	
Vesanoid	147
Vesicare	
Viaderm KC	
Viagra	
Vicrom	
Videx EC	
Vigabatrin	122
Vimpat	
Vinblastine sulphate	
Vincristine sulphate	147
Vinorelbine	
Vinorelbine Ebewe	147
Viramune	
Viramune Suspension	
Viread	87
Vistil	
Vistil Forte	167

Vitadol C	35
Vital HN	185
Vitala-C	36
Vitamin A with vitamins D and	
C	35
Vitamin B complex	36
Vitamins	35–36
Vivonex Pediatric	194
Vivonex TEN	185
Volibris	54
Voltaren	95
Voltaren D	95
Voltaren Ophtha	
Volumatic	162
Vosol	164
Vytorin	
- W -	
Warfarin sodium	42
Wart Preparations	
Wasp venom allergy	
treatment	157
Water	
Blood	43
Extemporaneous	
Wool fat with mineral oil	
- X -	
Xarelto	41
Xeloda	139
Xenazine 25	
XMET Maxamum	
XP Maxamaid	
XP Maxamum	
Videoine	

Xylocaine Viscous113
- Z -
Zantac28
Zapril46
Zarontin120
Zavedos145
Zeffix85
Zeldox127
Zerit90
Zetop157
Ziagen90
Zidovudine [AZT]90
Zidovudine [AZT] with
lamivudine90
Zinacef78
Zinc and castor oil60
Zinc sulphate38
Zincaps38
Zinnat78
Ziprasidone127
Zoladex76
Zoledronic acid109
Zopiclone132
Zostrix HP64
Zovirax164
Zuclopenthixol decanoate129
Zuclopenthixol
hydrochloride127
Zyban136
Zyprexa126
Zyprexa Relprevv128
Zyprexa Zydis129