

April 2012

Volume 19 Number 1

Editors: Kaye Wilson,
Rebecca Bloor & Donna Jennings
email: schedule@pharmac.govt.nz
Telephone +64 4 460 4990
Facsimile +64 4 460 4995
Level 9, 40 Mercer Street
PO Box 10 254 Wellington

Freephone Information Line
0800 66 00 50 (9am – 5pm weekdays)

Circulation

Published each April, August and December. Changes to the contents are published in monthly updates. Annual subscription includes three Pharmaceutical Schedule books, 12 updates and occasional information on rule changes and news items. The Schedule is distributed free of charge to over 9,000 health professionals, and is also available on an annual subscription.

Prices

\$22.22 One Schedule book
\$4.44 One Update
\$120.00 Annual subscription
All prices include postage and exclude GST.

Production

Typeset automatically from XML and T_EX.
XML version of the Schedule available from
www.pharmac.govt.nz/schedule/pub/archive/

Programmers

Anrik Drenth & John Geering
email: texschedule@pharmac.govt.nz

©Pharmaceutical Management Agency



ISSN 1179-3686 pdf
ISSN 1172-9376 print

This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit:

creativecommons.org/licenses/by/3.0/nz/.
Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

Introducing PHARMAC 2

Section A General Rules **13**

Section B Alimentary Tract & Metabolism **26**

Blood & Blood Forming Organs **40**

Cardiovascular System **48**

Dermatologicals **57**

Genito Urinary System **67**

Hormone Preparations – Systemic **73**

Infections – Agents For Systemic Use **80**

Musculoskeletal System **97**

Nervous System **114**

Oncology Agents & Immunosuppressants **140**

Respiratory System & Allergies **161**

Sensory Organs **168**

Various **173**

Section C Extemporaneous Compounds (ECPs) **174**

Section D Special Foods **181**

Section E Practitioner's Supply Orders **202**

Rural Areas **206**

Section F Dispensing Period Exemptions **207**

Section G Safety Cap Medicines **209**

Index **212**

Introducing PHARMAC

PHARMAC, the Pharmaceutical Management Agency, is a Crown entity established pursuant to the New Zealand Public Health and Disability Act 2000 (The Act). The primary objective of PHARMAC is to secure for eligible people in need of pharmaceuticals, the best health outcomes that are reasonably achievable from pharmaceutical treatment and from within the amount of funding provided.

The PHARMAC Board consists of up to five members appointed by the Minister of Health. All decisions relating to PHARMAC's operation are made by or under the authority of the Board. In particular, Board members decide on the strategic direction of PHARMAC and may decide which community pharmaceuticals should be subsidised and at what levels, and determine national prices for some pharmaceuticals to be purchased by and used in DHB Hospitals, and whether or not special conditions are to be applied to such purchases.

Members of the PHARMAC Board

Stuart McLauchlan
Anne Kolbe

Kura Denness
Jens Mueller

David Kerr

Decisions taken by the PHARMAC Board members, or made under the authority of the Board, incorporate a balanced view of the needs of prescribers and patients. The aim is to achieve long-term gains and efficient ways of making pharmaceuticals available to the community and for DHB Hospitals to purchase them.

The following attend PHARMAC's Board meetings as observers

- Murray Georgel, CE MidCentral DHB
- Kate Russell, Chair Consumer Advisory Committee
- Carl Burgess, Chair Pharmacology and Therapeutics Advisory Committee (PTAC)

The functions of PHARMAC are to perform the following, within the amount of funding provided to it in the Pharmaceutical Budget or to DHBs from their own budgets for the use of pharmaceuticals in their hospitals, as applicable, and in accordance with its annual plan and any directions given by the Minister (Section 103 of the Crown Entities Act):

- a) to maintain and manage a pharmaceutical schedule that applies consistently throughout New Zealand, including determining eligibility and criteria for the provision of subsidies;
- b) to manage incidental matters arising out of (a), including in exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the pharmaceutical schedule;
- c) to engage as it sees fit, but within its operational budget, in research to meet its objectives as set out in Section 47(a) of the Act;
- d) to promote the responsible use of pharmaceuticals;
- e) to manage the purchasing of any or all pharmaceuticals, whether used either in a hospital or outside it, on behalf of DHBs;
- f) any other functions given to PHARMAC by or under any enactment or authorised by the Minister.

The policies and criteria set out in the Pharmaceutical Schedule and PHARMAC's Operating Policies and Procedures arise out of, and are designed to help PHARMAC achieve and perform, PHARMAC's objective and functions under the Act.

However PHARMAC may, having regard to its public law obligations, depart from the strict application of those policies and criteria in certain exceptional cases where it considers this necessary or appropriate in the proper exercise of its statutory discretion and to give effect to its objective and functions, particularly with respect to:

- Determining eligibility and criteria for the provision of subsidies; and
- In exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the Pharmaceutical Schedule.

Decision Criteria

PHARMAC updates the Pharmaceutical Schedule at regular intervals to notify prescribers, pharmacists, hospital managers and patients of changes to Community Pharmaceutical subsidies and the prices for Hospital Pharmaceuticals. In making decisions about amendments to the Pharmaceutical Schedule, PHARMAC is guided by its Operating Policies and Procedures, as amended or supplemented from time to time. PHARMAC takes into account the following criteria when making decisions about Community Pharmaceuticals:

- the health needs of all eligible people within New Zealand (eligible defined by the Government's then current rules of eligibility);
- the particular health needs of Māori and Pacific peoples;
- the availability and suitability of existing medicines, therapeutic medical devices and related products and related things;
- the clinical benefits and risks of pharmaceuticals;
- the cost-effectiveness of meeting health needs by funding pharmaceuticals rather than using other publicly funded health and disability support services;
- the budgetary impact (in terms of the pharmaceutical budget and the Government's overall health budget) of any changes to the Pharmaceutical Schedule;
- the direct cost to health service users;

- the Government's priorities for health funding, as set out in any objectives notified by the Crown to PHARMAC, or in PHARMAC's Funding Agreement, or elsewhere; and
- such other criteria as PHARMAC thinks fit. PHARMAC will carry out appropriate consultation when it intends to take any such "other criteria" into account.

The Operating Policies and Procedures, including any supplements, also describe the way in which PHARMAC determines the level of subsidy or purchase price payable for each Community Pharmaceutical or Hospital Pharmaceutical, respectively.

The decision criteria for Hospital Pharmaceuticals are set out in the hospital supplement to the Operating Policies and Procedures and in the introductory part of Section H of the Pharmaceutical Schedule.

Copies of PHARMAC's Operating Policies and Procedures and of any applicable supplements are available on the PHARMAC website (www.pharmac.govt.nz), or on request.

PHARMAC and the Pharmaceutical Schedule:

PHARMAC manages the national Pharmaceutical Schedule, which lists:

- Pharmaceuticals available in the community and subsidised by the Government with funding from the Pharmaceutical Budget; and
- some Pharmaceuticals purchased by DHBs for use in their hospitals, and includes those Hospital Pharmaceuticals for which national prices have been negotiated by PHARMAC.

In the community approximately 1848 Pharmaceuticals are subsidised by the Government. Most are available to all eligible people within New Zealand on prescription by a medical doctor. Some are listed with guidelines or conditions such as 'only if prescribed for a dialysis patient' or 'Special Authority - Retail Pharmacy', to ensure that Pharmaceuticals are used by those people who are most likely to benefit from them. Pharmaceuticals provided to patients for use while in DHB hospitals are not covered by Sections A to G of the Pharmaceutical Schedule.

Section H of the Pharmaceutical Schedule is not a comprehensive list of Pharmaceuticals that are used within the DHB Hospitals. Section H of the Pharmaceutical Schedule includes Pharmaceuticals that can be purchased at a national price by DHBs for use in their hospitals. These are referred to as National Contract Pharmaceuticals.

A list of Discretionary Community Supply Pharmaceuticals, in Section H of the Pharmaceutical Schedule, identifies those products that currently are not subsidised from the Pharmaceutical Budget as Community Pharmaceuticals in Sections A to G of the Pharmaceutical Schedule but which DHBs can at their discretion fund for use in the community from their own budgets Hospital Pharmaceuticals in the Community approval.

PHARMAC's clinical advisors

Pharmacology and Therapeutics Advisory Committee (PTAC)

PHARMAC works closely with the Pharmacology and Therapeutics Advisory Committee (PTAC), an expert medical committee which provides independent advice to PHARMAC on health needs and the clinical benefits of particular pharmaceuticals for use in the community and/or in DHB Hospitals.

The committee members are all senior, practising clinicians. The chair of PTAC sits with the PHARMAC Board in an advisory capacity.

PTAC helps decide which community pharmaceuticals are to be subsidised from public monies by making recommendations to PHARMAC. Part of the role of PTAC is to review whether Community Pharmaceuticals already listed on the Schedule should continue to receive Government funds. The resources freed up can be used to subsidise other community pharmaceuticals with a greater therapeutic worth.

PHARMAC may obtain clinical advice from PTAC in relation to national purchasing strategies for Hospital Pharmaceuticals. There may be additional specialist hospital representatives on PTAC subcommittees, or additional PTAC subcommittees, where PHARMAC considers this necessary.

PTAC members are:

Carl Burgess	MBChB, MD, MRCP (UK), FRACP, FRCP, physician/clinical pharmacologist, Chair
Howard Wilson	BSc, PhD, MB, BS, Dip Obst, FRNZCGP, FRAGCP Deputy Chair
Chris Cameron	MBChB, FRACP, MCLin Pharm
Melissa Copland	PhD, BPharm(Hons), RegPharmNZ, FNZCP
Stuart Dalziel	MBChB, PhD, FRACP
Ian Hosford	MBChB, FRANZCP, psychiatrist
Sisira Jayathissa	MMedSc (Clin Epi), MMBS, MD, MRCP (UK), FRCP (Edin), FRACP, FAFPHM, Dip Clin Epi, Dip OHP, Dip HSM, MBS
George Laking	PhD, MD, FRACP
Dee Mangin	MBChB, DPH, RNZCGP
Graham Mills	MBChB, MTropHlth, MD, FRACP, infectious disease specialist and general physician
Mark Weatherall	BA, MBChB, MAppStats, FRACP

Contact PTAC C/- PTAC Secretary, Pharmaceutical Management Agency, PO Box 10 254, WELLINGTON, Email: PTAC@pharmac.govt.nz

PHARMAC's consumer advisors

Consumer Advisory Committee (CAC)

The Consumer Advisory Committee is an advisory committee to the PHARMAC Board. It provides written reports to the Board, and its Chair attends Board meetings as an observer to report on the activities and findings of the Committee, and to comment on consumer issues. While accountable to the Board, the Committee's general working relationship is with the staff of PHARMAC.

The Committee is made up of people from a range of backgrounds and interests including the health of Māori people, Pacific peoples, older people, women and mental health.

For current membership of the Consumer Advisory Committee, visit our website. The Consumer Advisory Committee can be contacted by email: CAC@pharmac.govt.nz, or you can write to the Consumer Advisory Committee at PHARMAC's postal address.

The PHARMAC Team

The PHARMAC team has a wide range of expertise in health, medicine, economics, commerce, critical analysis, and policy development and implementation.

Steffan Crausaz	Acting Chief Executive	Geoff Lawn	Applications Developer / Team Leader IT
Paul Alexander	Health Economist		
Richard Anderson	Network and Systems Administrator	Bridget Macfarlane	Programme & Accountability Manager
Julian Apatu	Web Content Leader	Janet Mackay	Programme & Accountability Manager
Katie Appleby	Panel Co-ordinator		
Jason Arnold	Team Leader, Analysis	Rachel Mackay	Manager, Schedule and Contracts
Graham Beever	General Counsel		
Diana Beswetherick	HR Manager	Trish Mahoney	Contract Manager
Rebecca Bloor	Schedule Analyst	Heather McGregor	HR Assistant
Stephen Boxall	Creative Director	Scott Metcalfe	Chief Advisor Population Medicine / Deputy Medical Director
Lisa Buxton	Senior Receptionist		
Davina Carpenter	Records Manager		
Angela Cathro	Māori Health Programmes' Assistant	Peter Moodie	Medical Director
Christine Chapman	Therapeutic Group Manager	Christina Newman	Executive Assistant to Chief Executive & Board Secretary
Mary Chesterfield	High Cost Drugs Co-ordinator		
Andrew Davies	Acting Manager, Funding and Procurement	Hew Norris	Analyst
		Leigh Parish	PA to Medical Director / Medical Team Assistant
Natalie Davis	Therapeutic Group Manager		
Sonia Dickens	Panel Co-ordinator Executive Assistant	Kylie Parker	Accounts Assistant
		Marama Parore	Manager, Access & Optimal Use & Māori Health
Jessica Dougherty	Corporate Team Executive Assistant	Chris Peck	Analyst
		Matthew Poynton	Analyst/Health Economist
Sean Dougherty	Funding Systems Development Manager	Dilky Rasiah	Deputy Medical Director
		Awhimai Reynolds	Māori Health Manager
Anrik Drenth	Web Developer	Alexander Rodgers	Health Economist
Kim Ellis	Access & Optimal Use Co-ordinator	Brian Roulston	Contract Manager
		Fiona Rutherford	Establishment Manager, Medical Devices
Simon England	Communications Manager		
Jackie Evans	Senior Therapeutic Group Manager	Rico Schoeler	Manager, Analysis and Assessment
John Geering	Systems Architect	Carsten Schousboe	Health Economist
Anne Glennie	Panel Co-ordinator	Merryn Simmons	PHARMAC Seminar Series Co-ordinator
Lauren Gooley	Funding and Procurement Assistant		
		Liz Skelley	Finance Manager
Rachel Grocott	Senior Health Economist	Jude Ulrich	Manager, Corporate and External Relations
Rochelle Harker	PTAC Secretary & Panel Co-ordinator		
		Jayne Watkins	Team Leader, Medical Team
Ben Healey	Analyst	Rachel Werner	Health Economist
Hayden Holmes	Panel Co-ordinator (Growth Hormone/PAH)	Bryce Wigodsky	Policy Analyst
		Greg Williams	Senior Therapeutic Group Manager
Karen Jacobs	National Programme Manager, One Heart Many Lives		
		Lisa Williams	Legal Counsel
Donna Jennings	Schedule Analyst	Kaye Wilson	Senior Schedule Analyst
Marcus Kim	Tender Analyst	Stephen Woodruffe	Therapeutic Group Manager
Helen Knight	Accounts Payable Co-ordinator	Sue Anne Yee	Therapeutic Group Manager
		Michael Young	Analyst

Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price (if it differs from the Subsidy) and any access conditions that may apply; and
- some Hospital Pharmaceuticals that are purchased and used by DHB Hospitals, including those for which national prices have been negotiated by PHARMAC.

The purpose of the Schedule is not to show the final cost to Government of subsidising each Community Pharmaceutical or to DHBs in purchasing each Hospital Pharmaceutical since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for some Hospital Pharmaceuticals, on any logistics arrangements put in place by individual DHB Hospitals.

Finding Information in the Pharmaceutical Schedule

Community Pharmaceuticals

For Community Pharmaceuticals, the Schedule is organised in a way to help the reader find Community Pharmaceuticals, which may be used to treat similar conditions. To do this, Community Pharmaceuticals are first classified anatomically, originally based on the Anatomical Therapeutic Chemical (ATC) system, and then further classified under section headings structured for the New Zealand medical system.

- Section **A** lists the General Rules in relation to Community Pharmaceuticals and related products.
- Section **B** lists Community Pharmaceuticals and related products by anatomical classification, which are further divided into one or more therapeutic headings. Community Pharmaceuticals used to treat similar conditions are grouped together.
- Section **C** lists the rules in relation to Extemporaneously Compounded Products (ECPs) and Community Pharmaceuticals that will be subsidised when extemporaneously compounded.
- Section **D** lists the rules in relation to Special Foods and the Special Foods that are subsidised.
- Section **E Part I** lists the Community Pharmaceuticals that are subsidised on a Practitioner's Supply Order (PSO).
- Section **E Part II** lists rural areas for the purpose of PSOs.
- Section **F** lists the Community Pharmaceuticals dispensing period exemptions.
- Section **G** lists the Community Pharmaceuticals eligible for reimbursement of safety cap and related rules.

The listings are displayed alphabetically (where practical) within each level of the classification system. Each anatomical section contains a series of therapeutic headings, some of which may contain a further classification level. Where a Community Pharmaceutical is used in more than one therapeutic area, they may be cross-referenced.

The therapeutic headings in the Pharmaceutical Schedule do not necessarily correspond to the therapeutic groups and therapeutic subgroups, which PHARMAC establishes for the separate purpose of determining the level of subsidy to be paid for each Community Pharmaceutical.

The index located at the back of the book in which Sections A-G of the Pharmaceutical Schedule are published can be used to find page numbers for generic chemical entities, or product brand names.

Hospital Pharmaceuticals

Section **H** lists Pharmaceuticals that DHBs fund from their own budgets. The Hospital Pharmaceuticals are grouped into the following Parts in Section H:

- Part I lists the rules in relation to Hospital Pharmaceuticals.
- Part II lists Hospital Pharmaceuticals for which national contracts exist (National Contract Pharmaceuticals). These are listed alphabetically by generic chemical entity name and line item, the relevant Price negotiated by PHARMAC and, if applicable, an indication of whether it has Hospital Supply Status (HSS) and any associated Discretionary Variance (DV) Pharmaceuticals and DV Limit.
- Part III lists Discretionary Community Supply Pharmaceuticals, which are not Community Pharmaceuticals, but which a DHB Hospital can, in its discretion, fund for use in the community from its own budget.

The index located at the back of the Section H supplement can be used to find page numbers for generic chemical entities, or product brand names, for Hospital Pharmaceuticals.

Glossary

Units of Measure

gram	g	microgram.....	µg	millimole.....	mmol
kilogram.....	kg	milligram	mg	unit.....	u
international unit.....	iu	millilitre.....	ml		

Abbreviations

Ampoule	Amp	Granules.....	Gran	Suppository	Supp
Capsule	Cap	Infusion	Inf	Tablet	Tab
Cream.....	Crn	Injection	Inj	Tincture.....	Tinc
Device.....	Dev	Linctus	Linc	Trans Dermal Delivery	
Dispersible.....	Disp	Liquid	Liq	System.....	TDDS
Effervescent.....	Eff	Long Acting.....	LA		
Emulsion.....	Emul	Ointment.....	Oint		
Enteric Coated.....	EC	Sachet	Sach		
Gelatinous	Gel	Solution.....	Soln		

BSO Bulk Supply Order.

CBS Cost Brand Source. There is no set manufacturer's price, and the Government subsidises the product at the price it is obtained by the pharmacy.

CE Compounded Extemporaneously.

CPD Cost Per Dose. The Funder (as defined in Part I of the General Rules) cost of a standard dose, without mark-ups or fees and excluding GST.

ECP Extemporaneously Compounded Preparation.

HSS Hospital Supply Status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

OP Original Pack – subsidy is rounded up to a multiple at whole packs.

PSO Practitioner's Supply Order.

Sole Subsidised

Supplier Only brand of this medicine subsidised.

XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

▲ Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner.

* Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless medicine is endorsed "close control" or "cc" and the endorsement is initialled by the prescriber.

‡ Safety cap required and subsidised for oral liquid formulations, including extemporaneously compounded preparations.

✓ Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a manufacturer's surcharge.

Ⓢ29 This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981. Practitioners prescribing this medication should:

- be aware of and comply with their obligations under Section 29 of the Medicines Act 1981 and otherwise under that Act and the Medicines Regulations 1984;
- be aware of and comply with their obligations under the Health and disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- exercise their own skill, judgement, expertise and discretions, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an indication for which it is not approved.

Note: Where medicines supplied under Section 29 that are used for emergency situations, patient details required under Section 29 of the Medicines Act may be retrospectively provided to the supplier.

Definitions		
Abbrev.	Pharmacy Services Agreement	All other Pharmacy Agreements
[HP3]	Subsidised when dispensed from pharmacies that have a Special Foods Service appended to their Pharmacy Services Agreement by their DHB.	Available from selected pharmacies that have an exclusive contract to dispense Special Foods.
[HP4]	Subsidised when dispensed from pharmacies that have the Monitored Therapy Variation (for Clozapine Services)	Available from selected pharmacies that have an exclusive contract to dispense 'Hospital Pharmacy' [HP4] pharmaceuticals.

Patient costs

Community Pharmaceutical costs met by the Government

Most of the cost of a subsidised prescription Community Pharmaceutical is met by the Government through the Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to Contractors, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to Contractors does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a ✓ in the product's Schedule listing.

SALBUTAMOL		
Aerosol inhaler 100 µg per dose	3.80	✓Fully subsidised brand
	(6.00)	Higher priced brand

Pharmaceutical Co-Payments

Some Community Pharmaceutical costs are met by the patient. Generally a patient pays a prescription charge. In addition a patient will sometimes pay a manufacturer's surcharge, after hours service fee and any special packaging fee.

PRESCRIPTION CHARGE

From 1 September 2008, everyone who is eligible for publicly funded health and disability services should in most circumstances pay only \$3 for subsidised medicines.

All prescriptions from a public hospital, a midwife and a Family Planning Clinic are covered for \$3 co-payments.

Prescriptions from the following providers are approved for \$3 co-payments on subsidised medicines if they meet the specified criteria:

- After Hours Accident and Medical Services with a DHB or a PHO contract.
- Youth Health Clinics with a DHB or a PHO contract.
- Dentists who write a prescription that relates to a service being provided under a DHB contract.
- Private specialists (for example, ophthalmologists and orthopaedics) who write a prescription for a patient receiving a publicly funded service contracted by the DHB.
- General practitioners who write a prescription during normal business hours to a person who is not enrolled in the general practice provided the person is eligible for publicly funded health and disability services and the general practice is part of a PHO.
- Hospices that have a contract with a DHB.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Eligibility Direction on the Ministry of Health's website.

To check if a medicine is fully subsidised, refer to the Pharmaceutical Schedule on PHARMAC's website or ask your pharmacist or general practitioner.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

NOTE: Information sourced from Ministry of Health Website, for more information please visit www.moh.govt.nz

MANUFACTURER'S SURCHARGE

Not all Community Pharmaceuticals are fully subsidised. Although PHARMAC endeavours to fully subsidise at least one Community Pharmaceutical in each therapeutic group, and has contracts with some suppliers to maintain the price of a particular product, manufacturers are able to set their own price to pharmacies. When these prices exceed the subsidy, the pharmacist may recoup the difference from the patient.

To estimate the amount a patient will pay on top of the prescription charge, take the difference between the manufacturer's price and the subsidy, and multiply this by 1.86. The 1.86 factor represents the pharmacy mark-up on the surcharge plus other costs such as GST. Pharmacies charge different mark-ups so this may vary.

$$\text{Manufacturer's surcharge to patient} = (\text{price} - \text{subsidy}) \times 1.86$$

For example, a Community Pharmaceutical with a supplier (ex-manufacturer) cost of \$11.00 per pack with a \$10.00 subsidy will cost the patient a surcharge of \$1.86 on top of the prescription charge. The most a patient should pay is therefore \$16.86 - being

\$15.00 maximum prescription charge, plus \$1.86.

Hospital Pharmaceutical and Pharmaceutical Cancer Treatment Costs

The cost of purchasing Hospital Pharmaceuticals (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) is met by the relevant DHB hospital Funder from its own budget. Pharmaceutical Cancer Treatments (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) are funded through the Combined Pharmaceutical Budget. As required by section 23(7) of the Act, in performing any of their functions in relation to the supply of Pharmaceuticals including Pharmaceutical Cancer Treatments, DHBs must not act inconsistently with the Pharmaceutical Schedule.

PHARMAC web site

PHARMAC has set up an interactive Schedule on the Internet.

Other information about PHARMAC is also available on our website. This includes copies of the Annual Review, Annual Report and Annual Plan, as well as information such as the Pharmaceutical Schedule, Pharmaceutical Schedule Updates, National Hospital Pharmaceutical Strategy, other publications and recent press releases.

Special Authority Applications

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person. Applications must be submitted to the Ministry of Health by the prescriber for the request to be processed.

Subsidy

Once approved, the prescriber will be provided a Special Authority number which must appear on the prescription. Specialists who make an application must communicate the valid authority number to the prescriber who will be writing the prescriptions.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Pharmaceutical Budget.

Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website.

For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised. Criteria for each Special Authority Community Pharmaceutical are updated regularly, based on the decision criteria of PHARMAC. The appropriateness of the listing of a Community Pharmaceutical in the Special Authority category will also be regularly reviewed. Applications for inclusion of further Community Pharmaceuticals in the Special Authority category will generally be made by a pharmaceutical supplier.

Special Authority Applications

Application forms can be found at www.pharmac.govt.nz. Requests for fax copies should be made to PHARMAC, phone 04 460 4990. Applications are processed by the Ministry of Health, and should be sent to:

Ministry of Health Sector Services, Fax: (06) 349 1983 or free fax 0800 100 131
Private Bag 3015, WANGANUI 4540

For enquiries, phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666

Note: The Ministry of Health can only provide information on Special Authority applications to prescribers and pharmacists.

Each application must:

- Include the patients name, date of birth and NHI number (codes for AIDS patients' applications)
- Include the practitioner's name, address and Medical Council registration number
- Clearly indicate that the relevant criteria, have been met.
- Be signed by the practitioner.

Named Patient Pharmaceutical Assessment policy

The Named Patient Pharmaceutical Assessment (NPPA) Policy is PHARMAC's process for considering applications about named patients seeking funding for treatments not listed on the Schedule, either at all or for the named patient's clinical circumstances.

For PHARMAC to perform its legislative function of maintaining and managing a Schedule that applies consistently throughout New Zealand, the NPPA Policy will, and must, operate in a way that does not undermine the Schedule decision making process. Together, the Schedule process and the NPPA Policy, ensure there is a pathway for consideration of an individual's clinical circumstances. If an individual has a set of clinical circumstances not covered by the NPPA Policy, the Schedule decision making process is available. It is not the purpose of the NPPA Policy to provide access to every treatment not listed on the Schedule.

There are three main pathways by which named patients can be considered for funding under the NPPA Policy. PHARMAC will exercise its discretion to determine the most appropriate pathway for an application under the NPPA Policy based on the information that is provided.

PHARMAC will assess applications that meet the prerequisites described below according to its Decision Criteria before deciding whether to approve applications for funding. The Decision Criteria will be used to assess both the individual clinical circumstances of each NPPA applicant, and the implications of each NPPA funding decision on PHARMAC's ability to carry out its legislative functions.

For more information on NPPA, or to apply, visit the PHARMAC website at <http://www.pharmac.govt.nz/nppa>, or call the Panel Coordinators at (04) 9167553 or (04) 9167521.

Unusual Clinical Circumstance (UCC)

The purpose of the Unusual Clinical Circumstances (UCC) pathway is to provide a process for consideration for funding for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule. The prerequisite requirements for UCC consideration are:

- The patient has reasonably tried and failed all alternative funded treatments (or alternative treatments have been contraindicated, or there are no other treatments available), or the patient has experienced such serious side effects with all other relevant funded treatments that treatment has been ceased or cannot reasonably be continued; and
- The patient is experiencing an indication or set of clinical circumstances that are so unusual that PHARMAC is unlikely to consider listing treatments for these on the Schedule; and
- Generally, PHARMAC has not already considered/is not considering, through the Schedule decision making process, the treatment for the patient's clinical circumstances, or has not considered the treatment at all.

Urgent Assessment (UA)

The purpose of the Urgent Assessment (UA) pathway is to provide a process for PHARMAC to consider funding treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient's clinical circumstances justify urgent assessment, prior to a decision on Schedule listing. The prerequisite requirements for UA are:

- The patient has reasonably tried and failed all alternative funded treatments (or alternative treatments have been contraindicated, or there are no other treatments available), or the patient has experienced such serious side effects with all other relevant funded treatments that treatment has been ceased or cannot reasonably be continued; and
- The patient is experiencing an indication or set of clinical circumstances that may be experienced by a population group (either currently or over time); and
- The patient has serious clinical circumstances and not receiving the treatment within six to 12 months would lead to either a significant deterioration in a serious clinical condition or the patient would miss the opportunity for significant improvement in clinical outcome (length or quality of life); and
- The treatment has either not been prioritised by PHARMAC, or if it has, PHARMAC has funded the treatment under the NPPA Policy for the same clinical circumstances prior to prioritisation.
- PHARMAC has not declined to list, on the Schedule, this treatment for these clinical circumstances.

Hospital Pharmaceuticals in the Community (HPC)

The purpose of the Hospital Pharmaceuticals in the Community (HPC) pathway is to allow District Health Board hospitals to fund a medicine for a patient in the community if it would be more affordable for the DHB than paying for the treatment that would otherwise need to be provided. PHARMAC's approval is required for any such funding, given DHBs' legislative obligation to act consistently with the Schedule. The prerequisite requirements for HPC are:

- The patient has reasonably tried and failed all alternative cheaper funded treatments (or these alternative treatments have been contraindicated) or the patient has experienced such serious side effects with all other cheaper relevant funded treatments that treatment has been ceased or cannot reasonably be continued; and
- The application is for a DHB hospital to fund a treatment for use in the community for a patient under the care of a DHB hospital clinician (in-patient or out-patient); and
- The treatment is not being used to treat a cancer; and
- The treatment costs less for the DHB than the most likely alternative intervention or outcome; and
- The treatment is being sought for a short-term episode of care (usually a maximum of three months) and is not generally for

the treatment of a chronic condition.

INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and;
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services.

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 April 2012 and is to be referred to as the Pharmaceutical Schedule Volume 19 Number 1, 2012. Distribution will be from 20 April 2012. This Schedule comes into force on 1 April 2012.

PART I INTERPRETATIONS AND DEFINITIONS

1.1 In this Schedule, unless the context otherwise requires:

"90 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;

"180 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;

"Access Exemption Criteria" means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:

- a) have limited physical mobility;
- b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
- c) are relocating to another area;
- d) are travelling extensively and will be out of town when the repeat prescriptions are due.

"Act" means the New Zealand Public Health and Disability Act 2000.

"Advisory Committee" means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.

"Alternate Subsidy" means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.

"Annotation" means written annotation of a prescription by a dispensing pharmacist in the pharmacist's own handwriting following confirmation from the Prescriber if required, and "Annotated" has a corresponding meaning. The Annotation must include the details specified in the Schedule, including the date the prescriber was contacted (if applicable) and be initialised by the dispensing pharmacist.

"Assessed Pharmaceuticals" means the list of Pharmaceuticals set out in Section H Part III of the Schedule, that have been or are being assessed by PHARMAC.

"Authority to Substitute" means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.

"Bulk Supply Order" means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability

SECTION A: GENERAL RULES

Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.

“**Class B Controlled Drug**” means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.

“**Close Control**” means dispensing:

- in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot) for a Community Pharmaceutical referred to in Section F Part I, or
- in quantities less than a Monthly Lot for any other Community Pharmaceutical, where any of A), or B) or C) apply.
- This Close Control rule defines patient groups or medicines which are eligible for more frequent dispensing periods and the conditions that must be met to enable any claim for payment for additional dispensing to be made.

A) Frequency of dispensing for persons in residential care

Pharmaceuticals can be dispensed in quantities of not less than 28 days to:

- any person whose placement in a Residential Disability Care institution is funded by the Ministry of Health or a DHB; or
- a person assessed as requiring long term residential care services and residing in an age related residential care facility;

on the request of the person, their agent or caregiver or community residential service provider, provided the following conditions are met:

- i) the quantity or period of supply to be dispensed at any one time is not less than 28 days' supply (except under conditions outlined in B.i below); and
- ii) the prescribing Practitioner or dispensing pharmacist has
 - 1) included the name of the patient's residential placement or facility on the prescription; and
 - 2) included the patient's NHL number on the prescription; and
 - 3) specified the maximum quantity or period of supply to be dispensed at any one time.

Any person meeting the criteria above who is being initiated onto a new medicine or having their dose changed is able to have their medicine dispensed in accordance with B.i below.

B) Flexible periods of supply for trial periods or safety

The Schedule specifies for community patients a default length of dispensing (monthly/three monthly) for each pharmaceutical. Prescribers can request, and pharmacists may dispense, a higher frequency of dispensing in the following circumstances:

If the prescribing Practitioner has met the prescribing conditions set out in B.iii below, and the pharmaceutical or patient fits within the provisions of B.i and B.ii below, a pharmacist may dispense more frequently than the Schedule default period of supply.

i) Trial Periods

The Community Pharmaceutical has been prescribed for a patient who requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only); or

ii) Safety

- 1) the Community Pharmaceutical is any of the following:
 - a) a tri-cyclic antidepressant; or
 - b) an antipsychotic; or
 - c) a benzodiazepine; or
 - d) a Class B Controlled Drug; or
- 2) The Community Pharmaceutical has been prescribed for a patient who:
 - a) is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in clause A above; and
 - b) in the opinion of the prescribing Practitioner, is intellectually impaired or frail, infirm or unable to manage their medicine without additional support.

For B.i and B.ii all of the following conditions must be met:

iii) The prescribing Practitioner has:

- 1) endorsed each Community Pharmaceutical on the Prescription clearly with the words “Close Control” or “CC”; and
- 2) initialled the endorsement in their own handwriting; and

- 3) specified the maximum quantity or period of supply to be dispensed at any one time.
- 4) For trial periods each Community Pharmaceutical on the Prescription must be endorsed with either "Close Control Trial" or "CCT" and the period of supply included e.g. CC Trial 1 week.

C) Pharmaceutical Supply Management

More frequent dispensing may be required from time to time to manage stock supply issues or emergency situations.

Pharmacists may dispense more frequently than the Schedule would otherwise allow when all of the following conditions are met:

- i) PHARMAC has approved and notified pharmacists to annotate prescriptions for a specified Community Pharmaceutical(s) "Close Control" without prescriber endorsement for a specified time; and
- ii) the dispensing pharmacist has:
 - 1) clearly annotated each of the approved Community Pharmaceuticals that appear on the prescription with the words "Close Control" or "CC"; and
 - 2) initialled the annotation in their own handwriting; and
 - 3) has complied with maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

If a dispensing frequency is expressly stated in the Medicines Act, Medicines Regulations or Pharmacy Services Agreement a pharmacy can dispense at that specified dispensing frequency. However, no claim shall be made to any DHB for subsidised payment for dispensing fees in any case where dispensing occurs more frequently than authorised by the provisions of the Schedule.

"Community Pharmaceutical" means a Pharmaceutical listed in Sections A to G of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor" means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug" means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply" means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply.

"Dentist" means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"Diabetes Nurse Prescriber" means a registered nurse practising in diabetes health who has authority to prescribe specified diabetes medicines in accordance with regulations made under the Medicines Act 1981, and who is practicing in an approved DHB demonstration site.

"Dietitian" means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.

"DHB" means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital" means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Discretionary Community Supply Pharmaceutical" means the list of Pharmaceuticals set out in Section H Part IV of the Schedule, which may be funded by a DHB Hospital from its own budget for use in the community.

"Doctor" means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical" means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements" - unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

SECTION A: GENERAL RULES

“**Funder**” means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

“**GST**” means goods and services tax under the Goods and Services Tax Act 1985.

“**Hospital Care Operator**” means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001. urgent assessmen

“**Hospital Pharmaceuticals**” means National Contract Pharmaceuticals, DV Pharmaceuticals, Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals.

“**Hospital Pharmaceuticals in the Community (HPC)**” means the pathway under the Named Patient Pharmaceutical Assessment policy to allow District Health Board hospitals to fund a medicine for a patient in the community if this is more affordable for the DHB than paying for the treatment that would otherwise need to be provided.

“**Hospital Pharmacy**” means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner.

“**Hospital Pharmacy-Specialist**” means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an Outpatient either:

- a) on a Prescription signed by a Specialist, or
- b) where the treatment with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a practitioner which is either:
 - i) endorsed with the words “recommended by [name of specialist and year of authorisation]” and signed by the Practitioner, or
 - ii) annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words “recommended by [name of specialist and date of authorisation], confirmed by [practitioner]”. Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

“As recommended by a Specialist” to be interpreted as:

- a) follows a substantive consultation with an appropriate Specialist;
- b) the consultation to relate to the Patient for whom the Prescription is written;
- c) consultation to mean communication by referral, telephone, letter, facsimile or email;
- d) except in emergencies consultation to precede annotation of the Prescription; and
- e) both the specialist and the General Practitioner must keep a written record of the consultation.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

“**Hospital Pharmacy-Specialist Prescription**” means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist.

For the purposes of this definition, a “specialist” means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

“**HSS**” means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

“**In Combination**” means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

“**Individual DV Limit**” means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital’s Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

“**Licensed Hospital**” means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

“**Lot**” means a quantity of a Community Pharmaceutical supplied in one dispensing.

“**Manufacturer’s Price**” means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

“**Maternity hospital**” means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

“**Midwife**” means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

“**Month**” means a period of 30 consecutive days.

“**Monthly Lot**” means the quantity of a Community Pharmaceutical required for the number of days’ treatment covered by the Prescription, being up to 30 consecutive days’ treatment;

“**Named Patient Pharmaceutical Assessment Advisory Panel**” means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for advising, within its Terms of Reference, on Named Patient Pharmaceutical Assessment applications and Exceptional Circumstances renewal applications submitted after 1 March 2012 (EC renewal application form located at <http://www.pharmac.govt.nz/healthpros/EC/ECForms>)

“**National Contract Pharmaceutical**” means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

“**National DV Limit**” means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

“**Not In Combination**” means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

“**Nurse Prescriber**” means a nurse registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003 and who is approved by the Nursing Council, to prescribe specified prescription medicines relating to his/her scope of practice including, for the avoidance of doubt, a Diabetes Nurse Prescriber.

“**Optometrist**” means a person registered as an optometrist with the Optometrists and Dispensing Opticians Board, who holds a current annual practising certificate under the HPCA Act 2003, and who is authorised by regulations under the Medicines Act 1981 and approved by the Optometrists and Dispensing Opticians Board to prescribe specified medicines.

“**Outpatient**”, in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person’s home.

“**PCT**” means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

“**PCT only**” means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies.

“**Penal Institution**” means a penal institution, as that term is defined in The Penal Institutions Act 1954;

“**PHARMAC**” means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC).

“**Pharmaceutical**” means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to H of the Schedule.

“**Pharmaceutical Benefits**” means the right of:

- a) a person; and
- b) any member under 16 years of age of that person’s family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.

“**Pharmaceutical Budget**” means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals and Pharmaceutical Cancer Treatments including for named patients in exceptional circumstances.

“**Pharmaceutical Cancer Treatment**” means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a “PCT” or “PCT only” Pharmaceutical that DHBs must provide access to, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.

“**Practitioner**” means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Prescriber or an Optometrist as those terms are defined in the Pharmaceutical Schedule.

“**Practitioner’s Supply Order**” means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

“**Prescription**” means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.

“**Prescription Medicine**” means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations 1984.

SECTION A: GENERAL RULES

“**Private Hospital**” means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.

“**Residential Disability Care Institution**” means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.

“**Rest Home**” means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.

“**Restricted Medicine**” means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984.

“**Retail Pharmacy-Specialist**” means that the Community Pharmaceutical is only eligible for Subsidy if it is either:

- a) supplied on a Prescription or Practitioner’s Supply Order signed by a Specialist, or
- b) in the case of treatment recommended by a Specialist, supplied on a Prescription or Practitioner’s Supply Order and either:
 - i) endorsed with the words “recommended by [name of Specialist and year of authorisation]” and signed by the Practitioner, or
 - ii) Annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words “recommended by [name of specialist and year of authorisation], confirmed by [practitioner]”. Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

“As recommended by a Specialist” to be interpreted as:

- a) follows a substantive consultation with an appropriate Specialist;
- b) the consultation to relate to the Patient for whom the Prescription is written;
- c) consultation to mean communication by referral, telephone, letter, facsimile or email;
- d) except in emergencies consultation to precede annotation of the Prescription; and
- e) both the Specialist and the General Practitioner must keep a written record of consultation.

“**Retail Pharmacy-Specialist Prescription**” means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner’s Supply Order, signed by a Specialist. For the purposes of this definition, a “specialist” means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

“**Schedule**” means this Pharmaceutical Schedule and all its sections and appendices.

“**Section B**” of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies included in the Schedule.

“**Section C**” of this Pharmaceutical Schedule means the list of community extemporaneously compounded preparations and galenicals eligible for Subsidies included in the Schedule.

“**Section D**” of this Pharmaceutical Schedule means the list of community special foods eligible for Subsidies included in the Schedule.

“**Section E Part I**” of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies and available on a Practitioner’s Supply Order included in the Schedule.

“**Section E Part II**” of this Pharmaceutical Schedule means the list of rural areas for the purpose of community Practitioner’s Supply Orders included in the Schedule.

“**Section F Part I**” of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots, and requirement to dispense in 90 Day Lots or 180 Day Lots, as applicable, in respect of the Community Pharmaceuticals referred to in this part of Section F;

“**Section F Part II**” of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots in respect of the Community Pharmaceuticals referred to in this part of Section F;

“**Section G**” of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for reimbursement of safety caps.

“**Section H**” of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals and the lists of National Contract Pharmaceuticals and any associated DV Pharmaceuticals, of Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals included in Section H of the Schedule.

“**Section H Part I**” of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals.

“**Section H Part II**” of this Pharmaceutical Schedule means the list of National Contract Pharmaceuticals, the relevant Price, an indication of whether the Pharmaceutical has HSS and any associated DV Pharmaceuticals and DV Limit.

“**Section H Part III**” of this Pharmaceutical Schedule means the list of Discretionary Community Supply Pharmaceuticals.

“**Special Authority**” means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for

Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.

“Specialist”, in relation to a Prescription, a doctor who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

- a)
 - i) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine; and
 - ii) the doctor’s vocational scope of practice is one of those listed below: — anaesthetics, cardiothoracic surgery, dermatology, diagnostic radiology, emergency medicine, general surgery, internal medicine, neurosurgery, obstetrics and gynaecology, occupational medicine, ophthalmology, oral and maxillofacial surgery, otolaryngology head and neck surgery, orthopaedic surgery, paediatric surgery, paediatrics, pathology, plastic and reconstructive surgery, psychological medicine or psychiatry, public health medicine, radiation oncology, rehabilitation medicine, urology and venereology;
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that Prescription in the course of practising in that area of medicine;
- c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that area of medicine;
- d) the doctor writes the Prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.

“Subsidy” means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.

“Supply Order” means a Bulk Supply Order or a Practitioner’s Supply Order.

“Unapproved Indication” means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 4.6.

“Unusual Clinical Circumstances (UCC)” means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule.

“Urgent Assessment (UA)” means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient’s clinical circumstances justify urgent assessment, prior to a decision on Schedule listing.

1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:

- a) the singular includes the plural; and
- b) any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

PART II COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G of the Schedule subject to:
- 2.1.1 clauses 2.2 of the Schedule; and
 - 2.1.2 clauses 3.1 to 4.4 of the Schedule; and
 - 2.1.3 the conditions (if any) specified in Sections B to G of the Schedule;
- 2.2 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
- 2.2.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981; or
 - 2.2.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
 - 2.2.3 in the absence of the standards prescribed in clauses 2.3.1 and 2.3.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
 - 2.2.4 in the absence of the standards prescribed in clauses 2.3.1, 2.3.2 and 2.3.3, are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

PART III PERIOD AND QUANTITY OF SUPPLY

3.1 Doctors', Dentists', Dietitians', Midwives', Nurse Prescribers' and Optometrists' Prescriptions (other than oral contraceptives)

The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor, Dentist, Dietitian, Midwife, Nurse Prescriber or Optometrist unless specifically excluded:

- 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity sufficient to provide treatment for a period not exceeding three Months will be subsidised.
- 3.1.2 For methylphenidate hydrochloride and dexamphetamine sulphate (except for Dentist prescriptions), only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug:
 - a) other than Dentist prescriptions and methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity:
 - i) sufficient to provide treatment for a period not exceeding 10 days; and
 - ii) which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
 - b) for a Dentist prescription only such quantity as is necessary to provide treatment for a period not exceeding five days will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Dietitian, Midwife or Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
 - a) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
 - b) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
 - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
 - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
 - A) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
 - B) both:
 - 1) the Practitioner endorses the Community Pharmaceutical on the Prescription with

the words “certified exemption” written in the Practitioner’s own handwriting, or signed or initialled by the Practitioner; and

2) every Community Pharmaceutical endorsed as “certified exemption” is covered by Section F Part II of the Pharmaceutical Schedule.

3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:

- a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
- b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.

3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:

- a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
- b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.

3.1.7 If a Community Pharmaceutical:

- a) is stable for a limited period only, and the Practitioner has endorsed the Prescription with the words “unstable medicine” and has specified the maximum quantity that may be dispensed at any one time; or
- b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words “unstable medicine” and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
- c) is Close Control,

The actual quantity dispensed will be subsidised in accordance with any such specification.

3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife or Nurse Prescriber for an oral contraceptive:

3.2.1 The prescribing Doctor, Midwife or Nurse Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed six Months.

3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:

- a) in Lots as specified in the Prescription if the Community Pharmaceutical is Close Control; or
- b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.

3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.

3.2.4 Where a Community Pharmaceutical in a Prescription is Close Control and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

3.3 Original Packs, and Certain Antibiotics

3.3.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:

- a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
- b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.

3.3.2 If a Community Pharmaceutical is the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to

SECTION A: GENERAL RULES

make it equal to the quantity contained in a whole pack where:

- a) the difference the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eg; if a prescription is for 105 mls then a 100ml pack would be dispensed); and
- b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

3.4 Dietitians' Prescriptions

The following provisions apply to every Prescription written by a Dietitian:

3.4.1 Prescriptions written by a Dietitian for a Community Pharmaceutical will only be subsidised where they are for either:

- a) special foods, as listed in Section D; or
- b) any other Pharmaceutical that has been identified in Section D of the Pharmaceutical Schedule as being able to be prescribed by a Dietitian,

providing that the products being prescribed are not classified as Prescription Medicines or Restricted Medicines.

3.4.2 For the purposes of Dietitians prescribing pursuant to this clause 3.5, the prescribing and dispensing of these products is required to be in accordance with regulations 41 and 42 of the Medicines Regulations 1984.

3.5 Diabetes Nurse Prescribers' Prescriptions

The following provisions apply to every Prescription written by a Diabetes Nurse Prescriber:

3.5.1 Prescriptions written by a Diabetes Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:

- a) a Community Pharmaceutical classified as a Prescription Medicine or a Restricted Medicine and which a Diabetes Nurse Prescribers is permitted under regulations to prescribe; or
- b) any other Community Pharmaceutical listed below, being an item that has been identified as being able to be prescribed by a Diabetes Nurse Prescriber, but which is not classified as a Prescription Medicine or a Restricted Medicine:

aspirin, blood glucose diagnostic test meter, blood glucose diagnostic test strip, glucagon hydrochloride inj 1 mg syringe kit, insulin pen needles, insulin syringes disposable with attached needle, ketone blood beta-ketone electrodes test strip, nicotine, sodium nitroprusside test strip,

3.5.2 Any Diabetes Nurse Prescribers' prescription for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

Note: A list of Diabetes Nurse Prescribers will be published periodically in the Update of the Pharmaceutical Schedule for the duration of an initial pilot scheme. After this period there will be no approved DHB demonstration sites and hence no Diabetes Nurse Prescribers.

PART IV MISCELLANEOUS PROVISIONS

4.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

4.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.

4.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.

4.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.

4.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.

4.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:

- a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
- b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.

- 4.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 4.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.
- 4.2 Practitioner's Supply Orders**
The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:
- 4.2.1 Subject to clause 4.2.3, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 4.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 4.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
- a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
 - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 4.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
- a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
 - i) is personally signed and dated by the Practitioner; and
 - ii) sets out the Practitioner's address; and
 - iii) sets out the Community Pharmaceuticals and quantities, and;
 - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 4.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.
- 4.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction**
The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":
- 4.3.1 Record Keeping**
It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.
- 4.3.2 Expiry**
The recommendation expires at the end of two years and can be renewed by a further consultation.
- 4.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 4.3.1 and 4.3.2, for the individual Patient.
- 4.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 4.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.
- 4.4 Pharmaceutical Cancer Treatments**
- 4.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments for the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 4.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceu-

SECTION A: GENERAL RULES

tical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:

- a) has Named Patient Pharmaceutical Assessment (NPPA) approval;
- b) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
- c) is being used and funded as part of a paediatric oncology service; or
- d) was being used to treat the patient in question prior to 1 July 2005.

4.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatments with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:

- a) Part 1;
- b) clauses 2.1 to 2.3;
- c) clauses 3.1 to 3.4; and
- d) clause 4.4,

of Section A of the Schedule

4.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.

4.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 direction from the Minister of Health as to pharmaceuticals and indications for which DHBs must provide funding. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under the Medicines Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.

4.5 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication;

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

4.6 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, unless either or both of the following circumstances apply:

- a) there is a clinical reason why substitution should not occur; or
- b) the prescriber has marked the prescription with a statement such as 'no brand substitution permitted'

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and sign the prescription and inform the patient of the brand change.

4.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a subsidised Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed to another subsidised presentation but may not alter the dose, frequency and/or total daily dose. This may only occur when it is not practicable for the contractor to dispense the requested presentation. If the change will result in additional cost to the DHBs, then annotation of the prescription by the dispensing pharmacist must occur stating the reason for the change, and the Contractor must initial the change for the purposes of Audit.

4.8 Conflict in Provisions

If any rules in Sections B-G of this Schedule conflict with the rules in Section A, the rules in Sections B-G apply.

SECTION B: ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Antacids and Antiflatulants				
Antacids and Reflux Barrier Agents				
ALGINIC ACID				
Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet	4.50	30	✓	Gaviscon Infant
CALCIUM CARBONATE WITH AMINOACETIC ACID				
* Tab 420 mg with aminoacetic acid 180 mg – Higher subsidy of \$6.30 per 100 tab with Endorsement.....	3.00 (6.30)	100		Titralac
Additional subsidy by endorsement is available for pregnant women. The prescription must be endorsed accordingly.				
SIMETHICONE				
* Oral liq aluminium hydroxide 200 mg with magnesium hydrox- ide 200 mg and activated simethicone 20 mg per 5 ml	1.50 (4.26)	500 ml		Mylanta P
SODIUM ALGINATE				
* Tab 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg - peppermint flavour	1.80 (8.60)	60		Gaviscon Double Strength
* Oral liq 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml	1.50 (4.95)	500 ml		Acidex
Phosphate Binding Agents				
ALUMINIUM HYDROXIDE				
Tab 600 mg	12.56	100	✓	Alu-Tab
Antidiarrhoeals				
Agents Which Reduce Motility				
DIPHENOXYLATE HYDROCHLORIDE WITH ATROPINE SULPHATE				
* Tab 2.5 mg with atropine sulphate 25 µg	3.90	100	✓	Diastop
LOPERAMIDE HYDROCHLORIDE – Up to 30 cap available on a PSO				
* Tab 2 mg	8.95	400	✓	Nodia
* Cap 2 mg	8.95	400	✓	Diamide Relief
Rectal and Colonic Anti-inflammatories				
BUDESONIDE				
Cap 3 mg – Special Authority see SA1155 on the next page – Retail pharmacy	166.50	90	✓	Entocort CIR

Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic Manufacturer
\$	Per	✓

►SA1155 Special Authority for Subsidy

Initial application — (Crohn's disease) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Mild to moderate ileal, ileocaecal or proximal Crohn's disease; and
- 2 Any of the following:
 - 2.1 Diabetes; or
 - 2.2 Cushingoid habitus; or
 - 2.3 Osteoporosis where there is significant risk of fracture; or
 - 2.4 Severe acne following treatment with conventional corticosteroid therapy; or
 - 2.5 History of severe psychiatric problems associated with corticosteroid treatment; or
 - 2.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or
 - 2.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated).

Initial application — (collagenous and lymphocytic colitis (microscopic colitis)) from any relevant practitioner. Approvals valid for 6 months where patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies.

Initial application — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where patient has a gut Graft versus Host disease following allogenic bone marrow transplantation*.

Note: Indication marked with * is an Unapproved Indication.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

HYDROCORTISONE ACETATE

Rectal foam 10%, CFC-Free (14 applications)	23.00	21.1 g OP	✓ <u>Colifoam</u>
---	-------	-----------	-------------------

MESALAZINE

Tab 400 mg	49.50	100	✓ <u>Asacol</u>
Tab EC 500 mg	49.50	100	✓ <u>Asamax</u>
Tab long-acting 500 mg	59.05	100	✓ <u>Pentasa</u>
Enema 1 g per 100 ml	45.96	7	✓ <u>Pentasa</u>
Suppos 500 mg	22.80	20	✓ <u>Asacol</u>
Suppos 1 g	50.96	28	✓ <u>Pentasa</u>

OLSALAZINE

Tab 500 mg	59.86	100	✓ <u>Dipentum</u>
Cap 250 mg	31.51	100	✓ <u>Dipentum</u>

SODIUM CROMOGLYCATE

Cap 100 mg	89.21	100	✓ <u>Nalcrom</u>
------------------	-------	-----	------------------

SULPHASALAZINE

* Tab 500 mg – For sulphasalazine oral liquid formulation refer, page 175	11.68	100	✓ <u>Salazopyrin</u>
* Tab EC 500 mg	12.89	100	✓ <u>Salazopyrin EN</u>

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Antihæmorrhoidals				
Corticosteroids				
FLUCORTOLONE CAPROATE WITH FLUCORTOLONE PIVALATE AND CINCHOCAINE				
Oint 950 µg, with flucortolone pivalate 920 µg, and cinchocaine hydrochloride 5 mg per g	6.35	30 g OP	✓	Ultraproct
Suppos 630 µg, with flucortolone pivalate 610 µg, and cinchocaine hydrochloride 1 mg	2.66	12	✓	Ultraproct
HYDROCORTISONE WITH CINCHOCAINE				
Oint 5 mg with cinchocaine hydrochloride 5 mg per g	15.00	30 g OP	✓	Proctosedyl
Suppos 5 mg with cinchocaine hydrochloride 5 mg per g	9.90	12	✓	Proctosedyl

Antispasmodics and Other Agents Altering Gut Motility

ATROPINE SULPHATE				
* Inj 600 µg, 1 ml – Up to 5 inj available on a PSO	52.00	50	✓	AstraZeneca
HYOSCINE N-BUTYLBROMIDE				
* Tab 10 mg	1.48	20	✓	Gastrosoothe
* Inj 20 mg, 1 ml – Up to 5 inj available on a PSO	9.57	5	✓	Buscopan
MEBEVERINE HYDROCHLORIDE				
* Tab 135 mg	18.00	90	✓	Colofac

Antiulcerants

Antisecretory and Cytoprotective

MISOPROSTOL				
* Tab 200 µg	52.70	120	✓	Cytotec

Helicobacter Pylori Eradication

CLARITHROMYCIN				
Tab 500 mg – Subsidy by endorsement	10.95 (23.30)	14	✓	Apo-Clarithromycin Klamycin

a) Maximum of 14 tab per prescription

b) Subsidised only if prescribed for helicobacter pylori eradication and prescription is endorsed accordingly.

Note: the prescription is considered endorsed if clarithromycin is prescribed in conjunction with a proton pump inhibitor and either amoxicillin or metronidazole.

(Klamycin Tab 500 mg to be delisted 1 June 2012)

H2 Antagonists

CIMETIDINE – Only on a prescription				
* Tab 200 mg	5.00 (7.50)	100		Apo-Cimetidine
* Tab 400 mg	10.00 (12.00)	100		Apo-Cimetidine
FAMOTIDINE – Only on a prescription				
* Tab 20 mg	8.10	250	✓	Famox
* Tab 40 mg	11.35	250	✓	Famox

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer ✓
RANITIDINE HYDROCHLORIDE – Only on a prescription			
* Tab 150 mg	6.79	250	✓ <u>Arrow-Ranitidine</u>
* Tab 300 mg	9.34	250	✓ <u>Arrow-Ranitidine</u>
* Oral liq 150 mg per 10 ml	5.92	300 ml	✓ <u>Peptisoothe</u>
* Inj 25 mg per ml, 2 ml	8.75	5	✓ <u>Zantac</u>

Proton Pump Inhibitors

LANSOPRAZOLE			
* Cap 15 mg	3.27	28	✓ <u>Lanzol Relief</u>
	3.50		✓ <u>Solox</u>
* Cap 30 mg	4.34	28	✓ <u>Lanzol Relief</u>
	4.65		✓ <u>Solox</u>
OMEPRAZOLE			
* Cap 10 mg	2.91	90	✓ <u>Omezol Relief</u>
* Cap 20 mg	3.78	90	✓ <u>Omezol Relief</u>
* Cap 40 mg	5.57	90	✓ <u>Omezol Relief</u>
* Powder – Only in combination	42.50	5 g	✓ <u>Midwest</u>
Only in extemporaneously compounded omeprazole suspension.			
* Inj 40 mg	28.65	5	✓ <u>Dr Reddy's Omeprazole</u>
PANTOPRAZOLE			
* Tab 20 mg	1.23	28	✓ <u>Dr Reddy's Pantoprazole</u>
* Tab 40 mg	1.54	28	✓ <u>Dr Reddy's Pantoprazole</u>
* Inj 40 mg	6.50	1	✓ <u>Pantocid IV</u>

Site Protective Agents

SUCRALFATE			
Tab 1 g	35.50	120	
	(48.28)		Carafate

Diabetes

Hyperglycaemic Agents

GLUCAGON HYDROCHLORIDE			
Inj 1 mg syringe kit – Up to 5 kit available on a PSO	27.00	1	✓ <u>Glucagen Hypokit</u>

Insulin - Short-acting Preparations

INSULIN NEUTRAL			
▲ Inj human 100 u per ml	25.26	10 ml OP	✓ <u>Actrapid</u>
			✓ <u>Humulin R</u>
▲ Inj human 100 u per ml, 3 ml	42.66	5	✓ <u>Actrapid Penfill</u>
			✓ <u>Humulin R</u>

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Insulin - Intermediate-acting Preparations				
INSULIN ISOPHANE				
▲ Inj human 100 u per ml	17.68	10 ml OP	✓	Humulin NPH
▲ Inj human 100 u per ml, 3 ml	29.86	5	✓	Protaphane
			✓	Humulin NPH
			✓	Protaphane Penfill
INSULIN ISOPHANE WITH INSULIN NEUTRAL				
▲ Inj human with neutral insulin 100 u per ml	25.26	10 ml OP	✓	Humulin 30/70
▲ Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5	✓	Mixtard 30
			✓	Humulin 30/70
			✓	PenMix 30
			✓	PenMix 40
			✓	PenMix 50
INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE				
▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml, 3 ml	52.15	5	✓	Humalog Mix 25
▲ Inj lispro 50% with insulin lispro protamine 50% 100 u per ml,3 ml	52.15	5	✓	Humalog Mix 50
Insulin - Long-acting Preparations				
INSULIN GLARGINE				
▲ Inj 100 u per ml, 10 ml	63.00	1	✓	Lantus
▲ Inj 100 u per ml, 3 ml	94.50	5	✓	Lantus
▲ Inj 100 u per ml, 3 ml disposable pen	94.50	5	✓	Lantus SoloStar
Insulin - Rapid Acting Preparations				
INSULIN ASPART				
▲ Inj 100 u per ml, 3 ml	51.19	5	✓	NovoRapid Penfill
▲ Inj 100 u per ml, 10 ml	30.03	1	✓	NovoRapid
INSULIN GLULISINE				
▲ Inj 100 u per ml, 10 ml	27.03	1	✓	Apidra
▲ Inj 100 u per ml, 3 ml	46.07	5	✓	Apidra
▲ Inj 100 u per ml, 3 ml disposable pen	46.07	5	✓	Apidra SoloStar
INSULIN LISPRO				
▲ Inj 100 u per ml, 10 ml	34.92	10 ml OP	✓	Humalog
▲ Inj 100 u per ml, 3 ml	59.52	5	✓	Humalog
Alpha Glucosidase Inhibitors				
ACARBOSE				
* Tab 50 mg	16.50	90	✓	Glucobay
* Tab 100 mg	26.70	90	✓	Glucobay
Oral Hypoglycaemic Agents				
GLIBENCLAMIDE				
* Tab 5 mg	5.00	100	✓	Daonil
GLICLAZIDE				
* Tab 80 mg	17.60	500	✓	Apo-Gliclazide

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
GLIPIZIDE				
* Tab 5 mg	3.50	100	✓	Minidiab
METFORMIN HYDROCHLORIDE				
* Tab immediate-release 500 mg	8.09	500	✓	Apotex
* Tab immediate-release 850 mg	6.67	250	✓	Apotex
PIOGLITAZONE – Special Authority see SA0959 below – Retail pharmacy				
Tab 15 mg	2.61	28	✓	Pizaccord
Tab 30 mg	5.23	28	✓	Pizaccord
Tab 45 mg	7.80	28	✓	Pizaccord

SA0959 Special Authority for Subsidy

Initial application — (Patients with type 2 diabetes) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has not achieved glycaemic control on maximum doses of metformin or a sulphonylurea or where either or both are contraindicated or not tolerated; or
- 2 Patient is on insulin.

Diabetes Management

Ketone Testing

KETONE BLOOD BETA-KETONE ELECTRODES – Maximum of 20 strip per prescription

Test strip – Not on a BSO	7.07	10 strip OP	✓	Optium Blood Ketone Test Strips
---------------------------------	------	-------------	---	--

SODIUM NITROPRUSSIDE – Maximum of 50 strip per prescription

* Test strip – Not on a BSO	14.14	50 strip OP	✓	Ketostix
-----------------------------------	-------	-------------	---	-----------------

Blood Glucose Testing

BLOOD GLUCOSE DIAGNOSTIC TEST METER – Subsidy by endorsement

- a) Maximum of 1 meter per prescription
- b)

- 1) A diagnostic blood glucose test meter is subsidised for patients who begin insulin or sulphonylurea therapy after 1 March 2005 or is prescribed for a pregnant woman with diabetes.
- 2) Only one meter per patient. No further prescriptions will be subsidised. The prescription must be endorsed accordingly.

Meter	6.00	1	✓	CareSens POP
	9.00		✓	CareSens II
			✓	FreeStyle Lite
			✓	On Call Advanced
			✓	Optium Xceed
	19.00		✓	Accu-Chek Performa

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
BLOOD GLUCOSE DIAGNOSTIC TEST STRIP				
The number of test strips available on a prescription is restricted to 50 unless:				
1) Prescribed with insulin or a sulphonylurea but are on a different prescription and the prescription is endorsed accordingly; or				
2) Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or				
3) Prescribed for a pregnant woman with diabetes and endorsed accordingly.				
SensoCard blood glucose test strips are subsidised only if prescribed for a patient who is severely visually impaired and is using a SensoCard Plus Talking Blood Glucose Monitor.				
Blood glucose test strips	21.65	50 test OP	✓	Accu-Chek Performa
			✓	FreeStyle Lite
			✓	Optium 5 second test
	26.20		✓	SensoCard
Blood glucose test strips × 50 and lancets × 5	19.10	50 test OP	✓	On Call Advanced
	19.60		✓	CareSens

Insulin Syringes and Needles

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly.

INSULIN PEN NEEDLES – Maximum of 100 dev per prescription

* 29 g × 12.7 mm	3.15	30	✓	B-D Micro-Fine
	10.50	100	✓	B-D Micro-Fine
	11.75		✓	ABM
* 31 g × 5 mm	11.75	100	✓	SC Profi-Fine
			✓	B-D Micro-Fine
			✓	SC Profi-Fine
* 31 g × 6 mm	10.50	100	✓	ABM
	11.75		✓	Fine Ject
	10.50			
	(26.00)			NovoFine
* 31 g × 8 mm	3.15	30	✓	B-D Micro-Fine
	10.50	100	✓	B-D Micro-Fine
			✓	ABM
	11.75		✓	SC Profi-Fine
* 32 g × 4 mm	10.50	100	✓	B-D Micro-Fine

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
INSULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE – Maximum of 100 dev per prescription				
* Syringe 0.3 ml with 29 g × 12.7 mm needle	13.00	100	✓	ABM
	1.30	10		
	(1.99)			B-D Ultra Fine
	13.00	100	✓	B-D Ultra Fine
			✓	DM Ject
			✓	ABM
* Syringe 0.3 ml with 31 g × 8 mm needle	13.00	100		
	1.30	10		
	(1.99)			B-D Ultra Fine II
	13.00	100	✓	B-D Ultra Fine II
			✓	DM Ject
			✓	ABM
* Syringe 0.5 ml with 29 g × 12.7 mm needle	13.00	100		
	1.30	10		
	(1.99)			B-D Ultra Fine
	13.00	100	✓	B-D Ultra Fine
			✓	DM Ject
			✓	ABM
* Syringe 0.5 ml with 31 g × 8 mm needle	13.00	100		
	1.30	10		
	(1.99)			B-D Ultra Fine II
	13.00	100	✓	B-D Ultra Fine II
			✓	DM Ject
			✓	ABM
* Syringe 1 ml with 29 g × 12.7 mm needle	13.00	100		
	1.30	10		
	(1.99)			B-D Ultra Fine
	13.00	100	✓	B-D Ultra Fine
			✓	ABM
* Syringe 1 ml with 31 g × 8 mm needle	13.00	100		
	1.30	10		
	(1.99)			B-D Ultra Fine II
	13.00	100	✓	B-D Ultra Fine II
			✓	DM Ject

Digestives Including Enzymes

PANCREATIC ENZYME

Cap EC 10,000 BP u lipase, 9,000 BP u amylase and 210 BP u protease	34.93	100	✓	Creon 10000
Cap EC 25,000 BP u lipase, 18,000 BP u amylase, 1,000 BP u protease	94.38	100	✓	Creon Forte
Cap EC 25,000 BP u lipase, 22,500 BP u amylase, 1,250 BP u protease	94.40	100	✓	Panzytrat

URSODEOXYCHOLIC ACID – Special Authority see SA1188 on the next page – Retail pharmacy

Cap 300 mg – For ursodeoxycholic acid oral liquid formula- tion refer, page 175.....	179.00	100	✓	Actigall
Cap 250 mg – For ursodeoxycholic acid oral liquid formula- tion refer, page 175.....	71.50	100	✓	Ursosan

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

ALIMENTARY TRACT AND METABOLISM

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer ✓
---	----------------------------	--

SA1188 Special Authority for Subsidy

Initial application — (Pregnancy/Cirrhosis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Patient diagnosed with cholestasis of pregnancy; or
- 2 Both:

- 2.1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2.2 Patient not requiring a liver transplant (bilirubin > 170µmol/l; decompensated cirrhosis).

Note: Liver biopsy is not usually required for diagnosis but is helpful to stage the disease.

Initial application — (Haematological Transplant) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogeneic stem cell or bone marrow transplantation; and
- 2 Treatment for up to 13 weeks.

Renewal — (Pregnancy/Cirrhosis) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 170 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure – doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

Laxatives

Bulk-forming Agents

MUCILAGINOUS LAXATIVES – Only on a prescription

* Dry	6.02	500 g OP	✓ Konsyl-D
* Sugar Free	3.31	275 g OP	
	(10.60)		Mucilax

(Mucilax Sugar Free to be delisted 1 September 2012)

MUCILAGINOUS LAXATIVES WITH STIMULANTS

* Dry	2.41	200 g OP	
	(8.72)		Normacol Plus
	6.02	500 g OP	
	(17.32)		Normacol Plus

Faecal Softeners

DOCUSATE SODIUM – Only on a prescription

* Cap 50 mg	2.57	100	✓ Laxofast 50
* Cap 120 mg	3.48	100	✓ Laxofast 120
* Enema conc 18%	5.40	100 ml OP	✓ Coloxyl

DOCUSATE SODIUM WITH SENNOSIDES

* Tab 50 mg with total sennosides 8 mg	6.38	200	✓ Laxol
--	------	-----	----------------

POLOXAMER – Only on a prescription

Not funded for use in the ear.

* Oral drops 10%	3.78	30 ml OP	✓ Coloxyl
------------------------	------	----------	------------------

ALIMENTARY TRACT AND METABOLISM

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

►SA0473 Special Authority for Subsidy

Special Authority approved by the Gaucher's Treatment Panel

Notes: Subject to a budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz> or:

The Co-ordinator, Gaucher's Treatment Panel
PHARMAC, PO Box 10 254
Wellington

Phone: (04) 460 4990
Facsimile: (04) 916 7571
Email: gaucherpanel@pharmac.govt.nz

Mouth and Throat

Agents Used in Mouth Ulceration

BENZYDAMINE HYDROCHLORIDE			
Soln 0.15%	3.60	200 ml	
	(8.50)		Difflam
	9.00	500 ml	
	(17.01)		Difflam
CHLORHEXIDINE GLUCONATE			
Mouthwash 0.2%	3.87	200 ml OP	✓ Rivacol
CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE			
* Adhesive gel 8.7% with cetalkonium chloride 0.01%	2.06	15 g OP	
	(5.62)		Bonjela
SODIUM CARBOXYMETHYLCELLULOSE			
With pectin and gelatin paste	17.20	56 g OP	✓ Stomahesive
	1.52	5 g OP	
	(3.60)		Orabase
	4.55	15 g OP	
	(7.90)		Orabase
With pectin and gelatin powder	8.48	28 g OP	
	(10.95)		Stomahesive
TRIAMCINOLONE ACETONIDE			
0.1% in Dental Paste USP	4.34	5 g OP	✓ Oracort

Oropharyngeal Anti-infectives

AMPHOTERICIN B			
Lozenges 10 mg	5.86	20	✓ Fungilin
MICONAZOLE			
Oral gel 20 mg per g	8.70	40 g OP	✓ Daktarin
NYSTATIN			
Oral liq 100,000 u per ml	3.19	24 ml OP	✓ Nilstat

Other Oral Agents

HYDROGEN PEROXIDE			
* Soln 10 vol – Maximum of 200 ml per prescription.....	1.28	100 ml	✓ PSM
THYMOL GLYCERIN			
* Compound, BPC	9.15	500 ml	✓ PSM

Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic Manufacturer
\$	Per	✓

Vitamins

Alpha tocopheryl acetate is available fully subsidised for specific patients at the Medical Director of PHARMAC's discretion. Refer to PHARMAC website www.pharmac.govt.nz for the "Alpha tocopheryl acetate information sheet and application form".

Vitamin A

VITAMIN A WITH VITAMINS D AND C

Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops	4.50	10 ml OP	✓ Vitadol C
--	------	----------	--------------------

Vitamin B

HYDROXOCOBALAMIN

* Inj 1 mg per ml, 1 ml – Up to 6 inj available on a PSO	6.15	3	✓ ABM <u>Hydroxocobalamin</u>
--	------	---	---

PYRIDOXINE HYDROCHLORIDE

- a) No more than 100 mg per dose
- b) Only on a prescription

* Tab 25 mg – No patient co-payment payable	2.20	90	✓ PyridoxADE
* Tab 50 mg	12.16	500	✓ Apo-Pyridoxine

THIAMINE HYDROCHLORIDE – Only on a prescription

* Tab 50 mg	5.62	100	✓ Apo-Thiamine
-------------------	------	-----	-----------------------

VITAMIN B COMPLEX

* Tab, strong, BPC	4.70	500	✓ B-PlexADE
--------------------------	------	-----	--------------------

Vitamin C

ASCORBIC ACID

- a) No more than 100 mg per dose
- b) Only on a prescription

* Tab 100 mg	13.80	500	✓ Vitala-C
--------------------	-------	-----	-------------------

Vitamin D

ALFACALCIDOL

Cap 0.25 µg	26.32	100	✓ One-Alpha
Cap 1 µg	87.98	100	✓ One-Alpha
Oral drops 2 µg per ml	60.68	20 ml OP	✓ One-Alpha

CALCITRIOL

* Cap 0.25 µg	3.03	30	✓ Airflow
* Cap 0.5 µg	5.62	30	✓ Airflow
* Oral liq 1 µg per ml	39.40	10 ml OP	✓ Rocaltrol solution

CHOLECALCIFEROL

* Tab 1.25 mg (50,000 iu) – Maximum of 12 tab per prescription	7.76	12	✓ Cal-d-Forte
--	------	----	----------------------

Multivitamin Preparations

MULTIVITAMINS – Special Authority see SA1036 on the next page – Retail pharmacy

Powder	72.00	200 g OP	✓ Paediatric Seravit
--------------	-------	----------	-----------------------------

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

►SA1036 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has inborn errors of metabolism.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where patient has had a previous approval for multivitamins.

VITAMINS

* Tab (BPC cap strength)	8.00	1,000	✓	MultiADE
* Cap (fat soluble vitamins A, D, E, K) – Special Authority see SA1002 below – Retail pharmacy	23.40	60	✓	Vitabdeck

►SA1002 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has cystic fibrosis with pancreatic insufficiency; or
- 2 Patient is an infant or child with liver disease or short gut syndrome.

Minerals

Calcium

CALCIUM CARBONATE

* Tab eff 1.75 g (1 g elemental)	6.21	30	✓	Calsource
* Tab 1.25 g (500 mg elemental)	6.38	250	✓	Arrow-Calcium
* Tab 1.5 g (600 mg elemental)	7.66	250	✓	Calci-Tab 500
<i>(Calci-Tab 500 Tab 1.25 g (500 mg elemental) to be delisted 1 May 2012)</i>				Calci-Tab 600
<i>(Calci-Tab 600 Tab 1.5 g (600 mg elemental) to be delisted 1 May 2012)</i>				

CALCIUM GLUCONATE

* Inj 10%, 10 ml	21.40	10	✓	Mayne
------------------------	-------	----	---	--------------

Fluoride

SODIUM FLUORIDE

Tab 1.1 mg (0.5 mg elemental)	5.00	100	✓	PSM
-------------------------------------	------	-----	---	------------

Iodine

POTASSIUM IODATE

Tab 256 µg (150 µg elemental iodine)	7.55	90	✓	NeuroKare
--	------	----	---	------------------

Iron

FERROUS FUMARATE

Tab 200 mg (65 mg elemental)	4.35	100	✓	Ferro-tab
------------------------------------	------	-----	---	------------------

FERROUS FUMARATE WITH FOLIC ACID

Tab 310 mg (100 mg elemental) with folic acid 350 µg	4.75	60	✓	Ferro-F-Tabs
--	------	----	---	---------------------

FERROUS SULPHATE

* Tab long-acting 325 mg (105 mg elemental)	1.01	30		
	(4.26)			Ferrograd
	5.06	150		
	(15.58)			Ferrograd
*‡ Oral liq 30 mg per 1 ml (6 mg elemental per 1 ml)	10.30	500 ml	✓	Ferdan

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer ✓
FERROUS SULPHATE WITH FOLIC ACID			
* Tab long-acting 325 mg (105 mg elemental) with folic acid 350 µg	1.80 (4.29)	30	Ferrograd F
IRON POLYMALTOSE			
Inj 50 mg per ml, 2 ml	19.90	5	✓ Ferrum H
Magnesium			
MAGNESIUM SULPHATE			
Inj 49.3%, 5 ml	26.60	10	✓ Mayne
Zinc			
ZINC SULPHATE			
* Cap 137.4 mg (50 mg elemental)	11.00	100	✓ Zincaps
Agents Used in the Treatment of Poisonings			
CHARCOAL			
* Oral liq 50 g per 250 ml	43.50	250 ml OP	✓ Carbosorb-X
a) Up to 250 ml available on a PSO			
b) Only on a PSO			
SODIUM CALCIUM EDETATE			
* Inj 200 mg per ml, 5 ml	53.31 (156.71)	6	Calcium Disodium Versenate

‡ safety cap

* Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer ✓
---	----------------------------	--

Antianaemics

Hypoplastic and Haemolytic

►SA0922 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Both:
 - 1.1 patient in chronic renal failure; and
 - 1.2 Haemoglobin \leq 100g/L; and
- 2 Any of the following:
 - 2.1 Both:
 - 2.1.1 patient is not diabetic; and
 - 2.1.2 glomerular filtration rate \leq 30ml/min; or
 - 2.2 Both:
 - 2.2.1 patient is diabetic; and
 - 2.2.2 glomerular filtration rate \leq 45ml/min; or
 - 2.3 patient is on haemodialysis or peritoneal dialysis.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Notes: Erythropoietin beta is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

The Cockcroft-Gault Formula may be used to estimate glomerular filtration rate (GFR) in persons 18 years and over:

GFR (ml/min) (male) = $(140 - \text{age}) \times \text{Ideal Body Weight (kg)} / 814 \times \text{serum creatinine (mmol/l)}$

GFR (ml/min) (female) = Estimated GFR (male) \times 0.85

ERYTHROPOIETIN ALPHA – Special Authority see SA0922 above – Retail pharmacy

Inj human recombinant 1,000 iu prefilled syringe	48.68	6	✓	Eprex
Inj human recombinant 2,000 iu, prefilled syringe	120.18	6	✓	Eprex
Inj human recombinant 3,000 iu, prefilled syringe	166.87	6	✓	Eprex
Inj human recombinant 4,000 iu, prefilled syringe	193.13	6	✓	Eprex
Inj human recombinant 5,000 iu, prefilled syringe	243.26	6	✓	Eprex
Inj human recombinant 6,000 iu, prefilled syringe	291.92	6	✓	Eprex
Inj human recombinant 10,000 iu, prefilled syringe	395.18	6	✓	Eprex

ERYTHROPOIETIN BETA – Special Authority see SA0922 above – Retail pharmacy

Inj 2,000 iu, prefilled syringe	120.18	6	✓	NeoRecormon
Inj 3,000 iu, prefilled syringe	166.87	6	✓	NeoRecormon
Inj 4,000 iu, prefilled syringe	193.13	6	✓	NeoRecormon
Inj 5,000 iu, prefilled syringe	243.26	6	✓	NeoRecormon
Inj 6,000 iu, prefilled syringe	291.29	6	✓	NeoRecormon
Inj 10,000 iu, prefilled syringe	395.18	6	✓	NeoRecormon

Megaloblastic

FOLIC ACID

* Tab 0.8 mg	19.80	1,000	✓	Apo-Folic Acid
* Tab 5 mg	10.21	500	✓	Apo-Folic Acid
Oral liq 50 μ g per ml	24.00	25 ml OP	✓	Biomed

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Antifibrinolytics, Haemostatics and Local Sclerosants				
SODIUM TETRADECYL SULPHATE				
* Inj 0.5% 2 ml	23.20 (45.52)	5		Fibro-vein
* Inj 1% 2 ml	25.00 (48.98)	5		Fibro-vein
* Inj 3% 2 ml	28.50 (55.91)	5		Fibro-vein
TRANEXAMIC ACID				
Tab 500 mg	32.92	100	✓	Cyklokapron

Vitamin K

PHYTOMENADIONE				
Inj 2 mg per 0.2 ml – Up to 5 inj available on a PSO	8.00	5	✓	Konaktion MM
Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO	9.21	5	✓	Konaktion MM

Antithrombotic Agents

Antiplatelet Agents

ASPIRIN				
* Tab 100 mg	14.00	990	✓	Ethics Aspirin EC
CLOPIDOGREL				
Tab 75 mg – For clopidogrel oral liquid formulation refer, page 175	16.25	90	✓	Apo-Clopidogrel
DIPYRIDAMOLE				
* Tab 25 mg – For dipyridamole oral liquid formulation refer, page 175	8.36	84	✓	Persantin
* Tab long-acting 150 mg	11.52	60	✓	Pytazen SR
PRASUGREL – Special Authority see SA1194 below – Retail pharmacy				
Tab 5 mg	108.00	28	✓	Effient
Tab 10 mg	120.00	28	✓	Effient

SA1194 Special Authority for Subsidy

Initial application — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty or had a bare metal cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where the patient has had a drug-eluting cardiac stent inserted in the previous 4 weeks and are clopidogrel-allergic*.

Renewal — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty or had a bare metal cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Renewal — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where the patient has had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Note: *Clopidogrel allergy is defined as a history of anaphylaxis, urticaria, generalised rash or asthma (in non-asthmatic patients) developing soon after clopidogrel is started and is considered unlikely to be caused by any other treatment.

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

BLOOD AND BLOOD FORMING ORGANS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Heparin and Antagonist Preparations				
ENOXAPARIN SODIUM – Special Authority see SA1174 below – Retail pharmacy				
Inj 20 mg	39.20	10	✓	<u>Clexane</u>
Inj 40 mg	52.30	10	✓	<u>Clexane</u>
Inj 60 mg	78.85	10	✓	<u>Clexane</u>
Inj 80 mg	105.12	10	✓	<u>Clexane</u>
Inj 100 mg	135.20	10	✓	<u>Clexane</u>
Inj 120 mg	168.00	10	✓	<u>Clexane</u>
Inj 150 mg	192.00	10	✓	<u>Clexane</u>

▶SA1174 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic INR with oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

HEPARIN SODIUM

Inj 1,000 iu per ml, 5 ml	13.36	10	✓	Mayne
	66.80	50	✓	Mayne
	11.44	10	✓	Pfizer
	46.30	50	✓	Pfizer
Inj 1,000 iu per ml, 35 ml	16.00	1	✓	Mayne
Inj 5,000 iu per ml, 1 ml	14.20	5	✓	Mayne
Inj 5,000 iu per ml, 5 ml	118.50	50	✓	Pfizer
Inj 25,000 iu per ml, 0.2 ml	9.50	5	✓	Mayne

HEPARINISED SALINE

* Inj 10 iu per ml, 5 ml 32.50 50 ✓ Pfizer

PROTAMINE SULPHATE

* Inj 10 mg per ml, 5 ml 22.40 10
(95.87) Artex

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
--	---	-----	---------------------	-------------------------------------

Oral Anticoagulants

DABIGATRAN

Dabigatran will not be funded Close Control in amounts less than 4 weeks of treatment.

Cap 75 mg – No more than 2 cap per day	148.00	60 OP	✓	Pradaxa
Cap 110 mg	148.00	60	✓	Pradaxa
		60 OP	✓	Pradaxa
Cap 150 mg	148.00	60 OP	✓	Pradaxa
		60	✓	Pradaxa

RIVAROXABAN – Special Authority see SA1066 below – Retail pharmacy

Tab 10 mg	153.00	15	✓	Xarelto
	306.00	30	✓	Xarelto

SA1066 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 weeks for applications meeting the following criteria:

Either:

- 1 For the prophylaxis of venous thromboembolism following a total hip replacement; or
- 2 For the prophylaxis of venous thromboembolism following a total knee replacement.

Note: Rivaroxaban is only currently indicated and subsidised for up to 5 weeks therapy for prophylaxis of venous thromboembolism following a total hip replacement and up to 2 weeks therapy for prophylaxis of venous thromboembolism following a total knee replacement.

Renewal from any relevant practitioner. Approvals valid for 5 weeks where prophylaxis for venous thromboembolism is required for patients following a subsequent total hip or knee replacement.

WARFARIN SODIUM

Note: Marevan and Coumadin are not interchangeable.

* Tab 1 mg	3.46	50	✓	Coumadin
	5.69	100	✓	Marevan
* Tab 2 mg	4.31	50	✓	Coumadin
* Tab 3 mg	8.00	100	✓	Marevan
* Tab 5 mg	5.93	50	✓	Coumadin
	9.64	100	✓	Marevan

Fluids and Electrolytes

Intravenous Administration

DEXTROSE

* Inj 50%, 10 ml – Up to 5 inj available on a PSO	19.50	5	✓	Biomed
* Inj 50%, 90 ml – Up to 5 inj available on a PSO	11.25	1	✓	Biomed

POTASSIUM CHLORIDE

* Inj 75 mg per ml, 10 ml	55.00	50	✓	AstraZeneca
---------------------------------	-------	----	---	-------------

SODIUM BICARBONATE

Inj 8.4%, 50 ml	19.95	1	✓	Biomed
a) Up to 5 inj available on a PSO				
b) Not in combination				
Inj 8.4%, 100 ml	20.50	1	✓	Biomed
a) Up to 5 inj available on a PSO				
b) Not in combination				

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

BLOOD AND BLOOD FORMING ORGANS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
SODIUM CHLORIDE				
Not funded for use as a nasal drop. Only funded for nebuliser use when in conjunction with an antibiotic intended for nebuliser use.				
Inf 0.9% – Up to 2000 ml available on a PSO	3.06	500 ml	✓	Baxter
	4.06	1,000 ml	✓	Baxter
Only if prescribed on a prescription for renal dialysis, maternity or post-natal care in the home of the patient, or on a PSO for emergency use. (500 ml and 1,000 ml packs)				
Inj 23.4%, 20 ml	31.25	5	✓	Biomed
Inj 0.9%, 5 ml – Up to 5 inj available on a PSO	10.85	50	✓	Multichem
	15.50		✓	Pfizer
Inj 0.9%, 10 ml – Up to 5 inj available on a PSO	11.50	50	✓	Multichem
	15.50		✓	Pfizer
Inj 0.9%, 20 ml	4.72	6	✓	Pharmacia
	11.79	30	✓	Pharmacia
	8.41	20	✓	Multichem
TOTAL PARENTERAL NUTRITION (TPN) – Retail pharmacy-Specialist				
Infusion	CBS	1 OP	✓	TPN
WATER				
1) On a prescription or Practitioner's Supply Order only when on the same form as an injection listed in the Pharmaceutical Schedule requiring a solvent or diluent; or				
2) On a bulk supply order; or				
3) When used in the extemporaneous compounding of eye drops.				
Purified for inj, 5 ml – Up to 5 inj available on a PSO	9.20	50	✓	Multichem
Purified for inj, 10 ml – Up to 5 inj available on a PSO	10.20	50	✓	Multichem
Purified for inj, 20 ml – Up to 5 inj available on a PSO	5.00	20	✓	Multichem
Oral Administration				
CALCIUM POLYSTYRENE SULPHONATE				
Powder	169.85	300 g OP	✓	Calcium Resonium
COMPOUND ELECTROLYTES				
Powder for soln for oral use 4.4 g – Up to 10 sach available on a PSO	1.12	5	✓	Electral
DEXTRROSE WITH ELECTROLYTES				
Soln with electrolytes	6.60	1,000 ml OP	✓	Pedialyte - Bubblegum
	6.75		✓	Pedialyte - Fruit
			✓	Pedialyte - Plain
POTASSIUM BICARBONATE				
Tab eff 315 mg with sodium acid phosphate 1.937 g and sodium bicarbonate 350 mg	82.50	100	✓	Phosphate-Sandoz
For phosphate supplementation				
POTASSIUM CHLORIDE				
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	5.26 (11.85)	60		Chlorvescent
* Tab long-acting 600 mg	7.00	200	✓	Span-K
SODIUM BICARBONATE				
Cap 840 mg	8.52	100	✓	Sodibic

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
SODIUM POLYSTYRENE SULPHONATE				
Powder	89.10	450 g OP	✓	Resonium-A

Lipid Modifying Agents

Fibrates

BEZAFIBRATE				
* Tab 200 mg	9.75	90	✓	Fibalip
* Tab long-acting 400 mg	5.70	30	✓	Bezalip Retard
GEMFIBROZIL				
Tab 600 mg	14.00	60	✓	Lipazil

Other Lipid Modifying Agents

ACIPIMOX				
* Cap 250 mg	18.75	30	✓	Olbetam
NICOTINIC ACID				
* Tab 50 mg	4.17	100	✓	Apo-Nicotinic Acid
* Tab 500 mg	16.54	100	✓	Apo-Nicotinic Acid

Resins

CHOLESTYRAMINE WITH ASPARTAME				
Sachets 4 g with aspartame	19.25	50		Questran-Lite
	(52.68)			
COLESTIPOL HYDROCHLORIDE				
Sachets 5 g	20.00	30	✓	Colestid

HMG CoA Reductase Inhibitors (Statins)

Prescribing Guidelines

Treatment with HMG CoA Reductase Inhibitors (statins) is recommended for patients with dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater.

ATORVASTATIN – See prescribing guideline above

* Tab 10 mg	2.90	30	✓	Dr Reddy's Atorvastatin
	18.32		✓	Lipitor
* Tab 20 mg	4.36	30	✓	Dr Reddy's Atorvastatin
	26.70		✓	Lipitor
* Tab 40 mg	6.51	30	✓	Dr Reddy's Atorvastatin
	37.02		✓	Lipitor
* Tab 80 mg	9.67	30	✓	Dr Reddy's Atorvastatin
	110.50		✓	Lipitor

PRAVASTATIN – See prescribing guideline above

Tab 20 mg	5.44	30	✓	Cholvastin
Tab 40 mg	9.28	30	✓	Cholvastin

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

BLOOD AND BLOOD FORMING ORGANS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
SIMVASTATIN – See prescribing guideline on the preceding page				
* Tab 10 mg	1.40	90	✓	Arrow-Simva 10mg
* Tab 20 mg	1.95	90	✓	Arrow-Simva 20mg
* Tab 40 mg	3.18	90	✓	Arrow-Simva 40mg
* Tab 80 mg	9.31	90	✓	Arrow-Simva 80mg

Selective Cholesterol Absorption Inhibitors

EZETIMIBE – Special Authority see SA1045 below – Retail pharmacy				
Tab 10 mg	45.90	30	✓	Ezetrol

►SA1045 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 Any of the following:
 - 3.1 The patient has rhabdomyolysis (defined as muscle aches and creatine kinase more than 10 × normal) when treated with one statin; or
 - 3.2 The patient is intolerant to both simvastatin and atorvastatin; or
 - 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

EZETIMIBE WITH SIMVASTATIN – Special Authority see SA1046 below – Retail pharmacy				
Tab 10 mg with simvastatin 10 mg	48.90	30	✓	Vytorin
Tab 10 mg with simvastatin 20 mg	51.60	30	✓	Vytorin
Tab 10 mg with simvastatin 40 mg	55.20	30	✓	Vytorin
Tab 10 mg with simvastatin 80 mg	60.60	30	✓	Vytorin

►SA1046 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to ≤ 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

Iron Overload

DEFERIPRONE – Special Authority see SA1042 below – Retail pharmacy

Tab 500 mg	533.17	100	✓ Ferriprox
Oral liq 100 mg per 1 ml	266.59	250 ml OP	✓ Ferriprox

SA1042 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where the patient has been diagnosed with chronic transfusional iron overload due to congenital inherited anaemia.

Note: For the purposes of this Special Authority, a relevant specialist is defined as a haematologist.

DEFERRIOXAMINE MESYLATE

* Inj 500 mg	99.00	10	✓ Mayne
--------------------	-------	----	---------

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

CARDIOVASCULAR SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Alpha Adrenoceptor Blockers				
DOXAZOSIN MESYLATE				
* Tab 2 mg	8.23	500	✓	Apo-Doxazosin
* Tab 4 mg	12.40	500	✓	Apo-Doxazosin
PHENOXYBENZAMINE HYDROCHLORIDE				
* Cap 10 mg	7.82	30	✓	Dibenyline ^{S29}
	26.05	100	✓	Dibenyline ^{S29}
PHEHTOLAMINE MESYLATE				
* Inj 10 mg per ml, 1 ml	17.97 (31.65)	5		Regitine
PRAZOSIN HYDROCHLORIDE				
* Tab 1 mg	5.53	100	✓	Apo-Prazo
* Tab 2 mg	7.00	100	✓	Apo-Prazo
* Tab 5 mg	11.70	100	✓	Apo-Prazo
TERAZOSIN HYDROCHLORIDE				
* Tab 1 mg	1.50	28	✓	Arrow
* Tab 2 mg	0.80	28	✓	Arrow
* Tab 5 mg	1.00	28	✓	Arrow

Agents Affecting the Renin-Angiotensin System

Perindopril and trandolapril will be funded to the level of the ex-manufacturer price listed in the Schedule for patients who were taking these ACE inhibitors for the treatment of congestive heart failure prior to 1 June 1998. The prescription must be endorsed accordingly. We recommend that the words used to indicate eligibility are "certified condition" or an appropriate description of the patient such as "congestive heart failure", "CHF", "congestive cardiac failure" or "CCF". **Definition of Congestive Heart Failure** At the request of some prescribers the PTAC Cardiovascular subcommittee has provided a definition of congestive heart failure for the purposes of the funding of the manufacturer's surcharge: "Clinicians should use their clinical judgement. Existing patients would be eligible for the funding of the surcharge if the patient shows signs and symptoms of congestive heart failure, and requires or has in the past required concomitant treatment with a diuretic. The definition could also be considered to include patients post myocardial infarction with an ejection fraction of less than 40%."

ACE Inhibitors

CAPTOPRIL				
* Tab 12.5 mg	2.00	100	✓	m-Captopril
* Tab 25 mg	2.40	100	✓	m-Captopril
* Tab 50 mg	3.50	100	✓	m-Captopril
* † Oral liq 5 mg per ml	94.99	95 ml OP	✓	Capoten
Oral liquid restricted to children under 12 years of age.				
CILAZAPRIL				
* Tab 0.5 mg	0.95	30	✓	Zapril
* Tab 2.5 mg	6.18	90	✓	Zapril
* Tab 5 mg	9.84	90	✓	Zapril
ENALAPRIL				
* Tab 5 mg	1.98	90	✓	Arrow-Enalapril
* Tab 10 mg	2.44	90	✓	Arrow-Enalapril
* Tab 20 mg – For enalapril oral liquid formulation refer, page 175	3.24	90	✓	Arrow-Enalapril

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
LISINAPRIL				
* Tab 5 mg	2.06	30	✓	Arrow-Lisinopril
* Tab 10 mg	2.36	30	✓	Arrow-Lisinopril
* Tab 20 mg	2.87	30	✓	Arrow-Lisinopril
PERINDOPRIL				
* Tab 2 mg – Higher subsidy of \$18.50 per 30 tab with En- dorsement.....	3.00 (18.50)	30		Coversyl
* Tab 4 mg – Higher subsidy of \$25.00 per 30 tab with En- dorsement.....	4.05 (25.00)	30		Coversyl
QUINAPRIL				
* Tab 5 mg	1.60	30	✓	Accupril
* Tab 10 mg	1.75	30	✓	Accupril
* Tab 20 mg	2.35	30	✓	Accupril
TRANDOLAPRIL				
* Cap 1 mg – Higher subsidy of \$18.67 per 28 cap with En- dorsement.....	3.06 (18.67)	28		Gopten
* Cap 2 mg – Higher subsidy of \$27.00 per 28 cap with En- dorsement.....	4.43 (27.00)	28		Gopten
ACE Inhibitors with Diuretics				
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 5 mg with hydrochlorothiazide 12.5 mg	5.36	28	✓	Inhibace Plus
ENALAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 20 mg with hydrochlorothiazide 12.5 mg	3.32 (8.70)	30		Co-Renitec
QUINAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 10 mg with hydrochlorothiazide 12.5 mg	3.37	30	✓	Accuretic 10
* Tab 20 mg with hydrochlorothiazide 12.5 mg	4.57	30	✓	Accuretic 20
Angiotension II Antagonists				
CANDESARTAN – Special Authority see SA0933 on the next page – Retail pharmacy				
* Tab 4 mg – No more than 1.5 tab per day	16.22	30	✓	Atacand
	48.66	90	✓	Candestar
* Tab 8 mg – No more than 1.5 tab per day	19.30	30	✓	Atacand
	57.90	90	✓	Candestar
* Tab 16 mg – No more than 1 tab per day	23.54	30	✓	Atacand
	70.62	90	✓	Candestar
* Tab 32 mg – No more than 1 tab per day	38.50	30	✓	Atacand
	115.50	90	✓	Candestar

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

CARDIOVASCULAR SYSTEM

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

►SA0933 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

1 Both:

1.1 Patient with congestive heart failure; and

1.2 Either:

1.2.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or

1.2.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years; or

2 All of the following:

2.1 Patient with raised blood pressure; and

2.2 Use of fully funded beta blockers or diuretics are contraindicated; or not well tolerated; or insufficient to control blood pressure adequately at appropriate doses; and

2.3 Either:

2.3.1 Has been treated with, and cannot tolerate, two ACE inhibitors, due to persistent cough; or

2.3.2 Has experienced angioedema on an ACE inhibitor at any time in the past or who have experienced angioedema (even if not using an ACE inhibitor) in the last 2 years.

LOSARTAN – Brand switch fee payable - see page 173 for details

* Tab 12.5 mg	2.88	90	✓ Lostaar
* Tab 25 mg	3.20	90	✓ Lostaar
* Tab 50 mg	5.22	90	✓ Lostaar
Tab 50 mg with hydrochlorothiazide 12.5 mg	4.89	30	✓ Arrow-Losartan & Hydrochlorothiazide
* Tab 100 mg	8.68	90	✓ Lostaar

Antiarrhythmics

AMIODARONE HYDROCHLORIDE

▲ Tab 100 mg – Retail pharmacy-Specialist	18.65	30	✓ Aratac
▲ Tab 200 mg – Retail pharmacy-Specialist	30.52	30	✓ Cordarone-X
			✓ Aratac
			✓ Cordarone-X
Inj 50 mg per ml, 3 ml – Up to 5 inj available on a PSO	60.84	10	✓ Cordarone-X

DIGOXIN

* Tab 62.5 µg – Up to 30 tab available on a PSO	6.67	240	✓ Lanoxin PG
* Tab 250 µg – Up to 30 tab available on a PSO	14.52	240	✓ Lanoxin
*‡ Oral liq 50 µg per ml	16.60	60 ml	✓ Lanoxin

DISOPYRAMIDE PHOSPHATE

▲ Cap 100 mg	15.00 (23.87)	100	
▲ Cap 150 mg	26.21	100	✓ Rythmodan

FLECAINIDE ACETATE – Retail pharmacy-Specialist

▲ Tab 50 mg	45.82	60	✓ Tambocor
▲ Tab 100 mg – For flecainide acetate oral liquid formulation refer, page 175	80.92	60	✓ Tambocor
▲ Cap long-acting 100 mg	45.82	30	✓ Tambocor CR
▲ Cap long-acting 200 mg	80.92	30	✓ Tambocor CR
Inj 10 mg per ml, 15 ml	52.45	5	✓ Tambocor

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
PROPAFENONE HYDROCHLORIDE – Retail pharmacy-Specialist				
▲ Tab 150 mg	40.90	50	✓	Rytmonorm

Antihypotensives

MIDODRINE – Special Authority see SA0934 below – Retail pharmacy				
Tab 2.5 mg	53.00	100	✓	Gutron
Tab 5 mg	79.00	100	✓	Gutron

SA0934 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Disabling orthostatic hypotension not due to drugs; and
- 2 Patient has tried fludrocortisone (unless contra-indicated) with unsatisfactory results; and
- 3 Patient has tried non pharmacological treatments such as support hose, increased salt intake, exercise, and elevation of head and trunk at night.

Notes: Treatment should be started with small doses and titrated upwards as necessary.

Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Beta Adrenoceptor Blockers

ATENOLOL				
* Tab 50 mg	6.18	500	✓	Pacific Atenolol
	12.36	1,000	✓	Atenolol Tablet USP
* Tab 100 mg	10.73	500	✓	Pacific Atenolol
	21.46	1,000	✓	Atenolol Tablet USP
CARVEDILOL				
Tab 6.25 mg	21.00	30	✓	Dilatrend
Tab 12.5 mg	27.00	30	✓	Dilatrend
Tab 25 mg – For carvedilol oral liquid formulation refer, page 175	33.75	30	✓	Dilatrend
CELIPROLOL				
* Tab 200 mg	19.00	180	✓	Celol
LABELALOL				
* Tab 50 mg	8.23	100	✓	Hybloc
* Tab 100 mg – For labetalol oral liquid formulation refer, page 175	10.06	100	✓	Hybloc
* Tab 200 mg	17.55	100	✓	Hybloc
* Inj 5 mg per ml, 20 ml	59.06 (88.60)	5		Trandate

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

CARDIOVASCULAR SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
METOPROLOL SUCCINATE				
* Tab long-acting 23.75 mg	2.18	30	✓	Betaloc CR
			✓	Metoprolol - AFT CR
			✓	Myloc CR
* Tab long-acting 47.5 mg	2.74	30	✓	Betaloc CR
			✓	Metoprolol - AFT CR
			✓	Myloc CR
* Tab long-acting 95 mg	4.71	30	✓	Betaloc CR
			✓	Metoprolol - AFT CR
			✓	Myloc CR
* Tab long-acting 190 mg	8.51	30	✓	Betaloc CR
			✓	Metoprolol - AFT CR
			✓	Myloc CR
METOPROLOL TARTRATE				
* Tab 50 mg – For metoprolol tartrate oral liquid formulation refer, page 175	16.50	100	✓	Lopresor
* Tab 100 mg	21.80	60	✓	Lopresor
* Tab long-acting 200 mg	18.40	28	✓	Slow-Lopresor
* Inj 1 mg per ml, 5 ml	24.00	5	✓	Lopresor
	24.08			
	(34.00)			Betaloc
NADOLOL				
* Tab 40 mg	14.97	100	✓	Apo-Nadolol
* Tab 80 mg	22.19	100	✓	Apo-Nadolol
PINDOLOL				
* Tab 5 mg	5.40	100	✓	<u>Apo-Pindolol</u>
* Tab 10 mg	9.19	100	✓	<u>Apo-Pindolol</u>
* Tab 15 mg	13.80	100	✓	<u>Apo-Pindolol</u>
PROPRANOLOL				
* Tab 10 mg	3.55	100	✓	Cardinol
	3.65		✓	Apo- Propranolol ^{S29}
* Tab 40 mg	4.65	100	✓	Apo- Propranolol ^{S29}
			✓	Cardinol
			✓	Cardinol LA
* Cap long-acting 160 mg	16.06	100		
SOTALOL				
* Tab 80 mg – For sotalol oral liquid formulation refer, page 175	27.50	500	✓	<u>Mylan</u>
* Tab 160 mg	10.50	100	✓	<u>Mylan</u>
* Inj 10 mg per ml, 4 ml	65.39	5	✓	Sotacor
TIMOLOL MALEATE				
* Tab 10 mg	10.55	100	✓	<u>Apo-Timol</u>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Calcium Channel Blockers				
Dihydropyridine Calcium Channel Blockers (DHP CCBs)				
AMLODIPINE				
* Tab 2.5 mg	2.45	100	✓	Apo-Amlodipine
* Tab 5 mg – For amlodipine oral liquid formulation refer, page 175	2.65	100	✓	Apo-Amlodipine
* Tab 10 mg	4.15	100	✓	Apo-Amlodipine
FELODIPINE				
* Tab long-acting 2.5 mg – No more than 1 tab per day	10.38	30	✓	Plendil ER
* Tab long-acting 5 mg	10.73	90	✓	Felo 5 ER
* Tab long-acting 10 mg	15.60	90	✓	Felo 10 ER
ISRADIPINE				
Cap long-acting 2.5 mg	7.50	30	✓	Dynacirc-SRO
Cap long-acting 5 mg	7.85	30	✓	Dynacirc-SRO
NIFEDIPINE				
* Tab long-acting 10 mg	17.72	60	✓	Adalat 10
* Tab long-acting 20 mg	7.30	100	✓	Nyefax Retard
* Tab long-acting 30 mg	8.56	30	✓	Adefin XL
	5.50			Arrow-Nifedipine XR
	(19.90)			Adalat Oros
* Tab long-acting 60 mg	12.28	30	✓	Adefin XL
	8.00			Arrow-Nifedipine XR
	(29.50)			Adalat Oros

Other Calcium Channel Blockers

DILTIAZEM HYDROCHLORIDE				
* Tab 30 mg	4.60	100	✓	Dilzem
* Tab 60 mg – For diltiazem hydrochloride oral liquid formulation refer, page 175.....	8.50	100	✓	Dilzem
* Cap long-acting 120 mg	4.34	30	✓	Cardizem CD
* Cap long-acting 180 mg	6.50	30	✓	Cardizem CD
* Cap long-acting 240 mg	8.67	30	✓	Cardizem CD
PERHEXILINE MALEATE – Special Authority see SA0256 below – Retail pharmacy				
* Tab 100 mg	62.90	100	✓	Pexsig

SA0256 Special Authority for Subsidy

Initial application only from a cardiologist or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Refractory angina; and
- 2 Patient is already on maximal anti-anginal therapy.

Renewal only from a cardiologist or general physician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

CARDIOVASCULAR SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
VERAPAMIL HYDROCHLORIDE				
* Tab 40 mg	7.01	100	✓	<u>Isoptin</u>
* Tab 80 mg – For verapamil hydrochloride oral liquid formula- tion refer, page 175.....	11.74	100	✓	<u>Isoptin</u>
* Tab long-acting 120 mg	15.20	250	✓	<u>Verpamil SR</u>
* Tab long-acting 240 mg	25.00	250	✓	<u>Verpamil SR</u>
* Inj 2.5 mg per ml, 2 ml – Up to 5 inj available on a PSO	7.54	5	✓	<u>Isoptin</u>

Centrally Acting Agents

CLONIDINE				
* TDDS 2.5 mg, 100 µg per day – Only on a prescription	23.30	4	✓	<u>Catapres-TTS-1</u>
* TDDS 5 mg, 200 µg per day – Only on a prescription	32.80	4	✓	<u>Catapres-TTS-2</u>
* TDDS 7.5 mg, 300 µg per day – Only on a prescription	41.20	4	✓	<u>Catapres-TTS-3</u>
CLONIDINE HYDROCHLORIDE				
* Tab 150 µg	33.00	100	✓	<u>Catapres</u>
* Inj 150 µg per ml, 1 ml	15.45	5	✓	<u>Catapres</u>
METHYLDOPA				
* Tab 125 mg	14.25	100	✓	<u>Prodopa</u>
* Tab 250 mg	15.10	100	✓	<u>Prodopa</u>
* Tab 500 mg	23.15	100	✓	<u>Prodopa</u>

Diuretics

Loop Diuretics

BUMETANIDE				
* Tab 1 mg	16.36	100	✓	<u>Burinex</u>
* Inj 500 µg per ml, 4 ml	7.95	5	✓	<u>Burinex</u>
FUROSEMIDE				
* Tab 40 mg – Up to 30 tab available on a PSO.....	10.75	1,000	✓	<u>Diurin 40</u>
* Tab 500 mg	25.00	50	✓	<u>Urex Forte</u>
* ‡ Oral liq 10 mg per ml	10.66	30 ml OP	✓	<u>Lasix</u>
* ‡ Infusion 10 mg per ml, 25 ml	48.14	5	✓	<u>Lasix</u>
* Inj 10 mg per ml, 2 ml – Up to 5 inj available on a PSO	1.30	5	✓	<u>Frusumide-Clarix</u>

Potassium Sparring Diuretics

AMILORIDE				
‡ Oral liq 1 mg per ml	30.00	25 ml OP	✓	<u>Biomed</u>
SPIRONOLACTONE				
* Tab 25 mg	4.60	100	✓	<u>Spirotone</u>
* Tab 100 mg	15.15	100	✓	<u>Spirotone</u>
‡ Oral liq 5 mg per ml	30.00	25 ml OP	✓	<u>Biomed</u>

Potassium Sparring Combination Diuretics

AMILORIDE WITH FRUSEMIDE				
* Tab 5 mg with frusemide 40 mg	8.63	28	✓	<u>Frumil</u>
AMILORIDE WITH HYDROCHLOROTHIAZIDE				
* Tab 5 mg with hydrochlorothiazide 50 mg	5.00	50	✓	<u>Moduretic</u>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

Thiazide and Related Diuretics

BENDROFLUAZIDE				
* Tab 2.5 mg – Up to 150 tab available on a PSO.....	6.48	500	✓	<u>Arrow-Bendrofluzide</u>
May be supplied on a PSO for reasons other than emergency.				
* Tab 5 mg	9.95	500	✓	<u>Arrow-Bendrofluzide</u>
CHLOROTHIAZIDE				
‡ Oral liq 50 mg per ml	26.00	25 ml OP	✓	<u>Biomed</u>
CHLORTHALIDONE				
* Tab 25 mg	8.00	50	✓	<u>Hygroton</u>
INDAPAMIDE				
* Tab 2.5 mg	2.95	90	✓	<u>Dapa-Tabs</u>

Nitrates

GLYCERYL TRINITRATE				
* Tab 600 µg – Up to 100 tab available on a PSO	8.00	100 OP	✓	<u>Lycinate</u>
* Aerosol spray, 400 µg per dose – Up to 250 dose available on a PSO	4.45	250 dose OP	✓	<u>Glytrin</u>
* Oral pump spray 400 µg per dose – Up to 250 dose available on a PSO	4.45	250 dose OP	✓	<u>Nitrolingual Pumpspray</u>
* TDDS 5 mg	16.56	30	✓	<u>Nitroderm TTS</u>
* TDDS 10 mg	19.50	30	✓	<u>Nitroderm TTS</u>
<i>(Nitrolingual Pumpspray Oral pump spray 400 µg per dose to be delisted 1 June 2012)</i>				
ISOSORBIDE MONONITRATE				
* Tab 20 mg	17.10	100	✓	<u>Ismo 20</u>
* Tab long-acting 40 mg	7.50	30	✓	<u>Corangin</u>
* Tab long-acting 60 mg	3.94	90	✓	<u>Duride</u>

Sympathomimetics

ADRENALINE				
Inj 1 in 1,000, 1 ml – Up to 5 inj available on a PSO	4.98	5	✓	<u>Aspen Adrenaline</u>
	5.25		✓	<u>Mayne</u>
Inj 1 in 10,000, 10 ml – Up to 5 inj available on a PSO	27.00	5	✓	<u>Mayne</u>
	49.00	10	✓	<u>Aspen Adrenaline</u>
ISOPRENALINE HYDROCHLORIDE				
* Inj 200 µg per ml, 1 ml	36.80	25		
	(135.00)			Isuprel

Vasodilators

AMYL NITRITE				
* Ampoule, 0.3 ml crushable	62.92	12		
	(73.40)			Baxter
HYDRALAZINE				
* Inj 20 mg per ml, 1 ml	25.90	5	✓	<u>Apresoline</u>

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

CARDIOVASCULAR SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
OXYPENTIFYLLINE				
Tab 400 mg	36.94 (42.26)	50		Trental 400
PAPAVERINE HYDROCHLORIDE				
* Inj 12 mg per ml, 10 ml	73.12	5	✓	Mayne

Endothelin Receptor Antagonists

►SA0967 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz> or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

AMBRISENTAN – Special Authority see SA0967 above – Retail pharmacy

Tab 5 mg	4,585.00	30	✓	Volibris
Tab 10 mg	4,585.00	30	✓	Volibris

BOSENTAN – Special Authority see SA0967 above – Retail pharmacy

Tab 62.5 mg	4,585.00	60	✓	Tracleer
Tab 125 mg	4,585.00	60	✓	Tracleer

Phosphodiesterase Type 5 Inhibitors

►SA1086 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz> or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

SILDENAFIL – Special Authority see SA1086 above – Retail pharmacy

Tab 25 mg	39.00	4	✓	Viagra
Tab 50 mg	43.50	4	✓	Viagra
Tab 100 mg – For sildenafil oral liquid formulation refer, page 175	47.00	4	✓	Viagra

Prostacyclin Analogues

►SA0969 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz> or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

ILOPROST – Special Authority see SA0969 above – Retail pharmacy

Nebuliser soln 10 µg per ml, 2 ml	1,185.00	30	✓	Ventavis
---	----------	----	---	----------

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

Antiacne Preparations

ADAPALENE

- a) Maximum of 30 g per prescription
- b) Only on a prescription

Crm 0.1%	22.89	30 g OP	✓ Differin
Gel 0.1%	22.89	30 g OP	✓ Differin

ISOTRETINOIN – Special Authority see SA0955 below – Retail pharmacy

Cap 10 mg	48.48	180	✓ Oratane
Cap 20 mg	69.70	180	✓ Oratane

SA0955 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has had an adequate trial on other available treatments and has received an inadequate response from these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 4 Either:
 - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
 - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has had an adequate trial on other available treatments and has received an inadequate response from these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 4 Either:
 - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
 - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

TRETINOIN

Crm 0.5 mg per g – Maximum of 50 g per prescription	13.90	50 g OP	✓ ReTrieve
---	-------	---------	-------------------

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

DERMATOLOGICALS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Antibacterials Topical				
FUSIDIC ACID				
CrM 2%	3.25	15 g OP	✓	Foban
a) Maximum of 15 g per prescription				
b) Only on a prescription				
c) Not in combination				
Oint 2%	3.25	15 g OP	✓	Foban
a) Maximum of 15 g per prescription				
b) Only on a prescription				
c) Not in combination				
HYDROGEN PEROXIDE				
* CrM 1%	8.56	10 g OP	✓	Crystacide
MUPIROICIN				
Oint 2%	6.60 (9.26)	15 g OP		Bactroban
a) Only on a prescription				
b) Not in combination				
SILVER SULPHADIAZINE				
CrM 1%	12.30	50 g OP	✓	Flamazine
a) Up to 250 g available on a PSO				
b) Not in combination				

Antifungals Topical

AMOROLFINE				
a) Only on a prescription				
b) Not in combination				
Nail soln 5%	37.86 (61.87)	5 ml OP		Loceryl
CICLOPIROXOLAMINE				
a) Only on a prescription				
b) Not in combination				
Nail soln 8%	19.85	3 g OP	✓	Batrafen
Soln 1%	4.36 (11.54)	20 ml OP		Batrafen
CLOTRIMAZOLE				
* CrM 1%	0.54	20 g OP	✓	Clomazol
a) Only on a prescription				
b) Not in combination				
* Soln 1%	4.36 (7.55)	20 ml OP		Canesten
a) Only on a prescription				
b) Not in combination				

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
ECONAZOLE NITRATE				
Crm 1%	1.00 (7.48)	20 g OP		Pevaryl
a) Only on a prescription				
b) Not in combination				
Foaming soln 1%, 10 ml sachets	9.89 (17.23)	3		Pevaryl
a) Only on a prescription				
b) Not in combination				
MICONAZOLE NITRATE				
* Crm 2%	0.46	15 g OP	✓	<u>Multichem</u>
a) Only on a prescription				
b) Not in combination				
* Lotn 2%	4.36 (10.03)	30 ml OP		Daktarin
a) Only on a prescription				
b) Not in combination				
* Tinct 2%	4.36 (12.10)	30 ml OP		Daktarin
a) Only on a prescription				
b) Not in combination				
NYSTATIN				
Crm 100,000 u per g	1.00 (7.90)	15 g OP		Mycostatin
a) Only on a prescription				
b) Not in combination				

Antipruritic Preparations

CALAMINE

- a) Only on a prescription
b) Not in combination

Crm, aqueous, BP	2.78	100 g	✓	<u>healthE</u>
Lotn, BP	16.70	2,000 ml	✓	<u>API</u>

CROTAMITON

- a) Only on a prescription
b) Not in combination

Crm 10%	3.79	20 g OP	✓	<u>Itch-Soothe</u>
---------------	------	---------	---	--------------------

MENTHOL – Only in combination

Only in combination with aqueous cream, 10% urea cream, wool fat with mineral oil lotion, 1% hydrocortisone with wool fat and mineral oil lotion, and glycerol, paraffin and cetyl alcohol lotion

Crystals	6.50	25 g	✓	<u>PSM</u>
	6.92		✓	<u>MidWest</u>
	29.60	100 g	✓	<u>MidWest</u>

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

DERMATOLOGICALS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Corticosteroids Topical				
Corticosteroids - Plain				
BETAMETHASONE DIPROPIONATE				
Crm 0.05%	2.96 (6.91)	15 g OP		Diprosone
	8.97 (18.36)	50 g OP		Diprosone
Crm 0.05% in propylene glycol base	4.33 (13.83)	30 g OP		Diprosone OV
Oint 0.05%	2.96 (6.51)	15 g OP		Diprosone
	8.97 (17.11)	50 g OP		Diprosone
Oint 0.05% in propylene glycol base	4.33 (13.83)	30 g OP		Diprosone OV
BETAMETHASONE VALERATE				
* Crm 0.1%	3.20	50 g OP	✓	Beta Cream
* Oint 0.1%	3.20	50 g OP	✓	Beta Ointment
* Lotn 0.1%	10.05	50 ml OP	✓	Betnovate
CLOBETASOL PROPIONATE				
* Crm 0.05%	3.48	30 g OP	✓	Dermol
* Oint 0.05%	3.48	30 g OP	✓	Dermol
CLOBETASONE BUTYRATE				
Crm 0.05%	5.38 (7.09)	30 g OP		Eumovate
	16.13 (22.00)	100 g OP		Eumovate
DIFLUCORTOLONE VALERATE				
Crm 0.1%	8.97 (15.86)	50 g OP		Nerisone
Fatty oint 0.1%	8.97 (15.86)	50 g OP		Nerisone
HYDROCORTISONE				
* Crm 1% – Only on a prescription	14.00	500 g	✓	Pharmacy Health
* Powder – Only in combination	44.00	25 g	✓	ABM
Up to 5% in a dermatological base (not proprietary Topical Corticosteroid – Plain) with or without other dermatological galenicals. Refer, page 174				
HYDROCORTISONE BUTYRATE				
Lipocream 0.1%	2.30 6.85	30 g OP 100 g OP	✓	Locoid Lipocream
Oint 0.1%	6.85	100 g OP	✓	Locoid
Milky emul 0.1%	6.85	100 ml OP	✓	Locoid Crelo
HYDROCORTISONE WITH WOOL FAT AND MINERAL OIL				
Lotn 1% with wool fat hydrous 3% and mineral oil – Only on a prescription	9.95	250 ml	✓	DP Lotn HC

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
METHYLPREDNISOLONE ACEPONATE				
Crm 0.1%	4.95	15 g OP	✓	Advantan
Oint 0.1%	4.95	15 g OP	✓	Advantan
MOMETASONE FUROATE				
Crm 0.1%	2.38	15 g OP	✓	m-Mometasone
	4.55	45 g OP	✓	m-Mometasone
Oint 0.1%	2.38	15 g OP	✓	m-Mometasone
	4.55	45 g OP	✓	m-Mometasone
Loth 0.1%	7.35	30 ml OP	✓	Elocon
TRIAMCINOLONE ACETONIDE				
Crm 0.02%	6.63	100 g OP	✓	Aristocort
Oint 0.02%	6.69	100 g OP	✓	Aristocort

Corticosteroids - Combination

BETAMETHASONE VALERATE WITH CLIOQUINOL – Only on a prescription				
Crm 0.1% with clioquinol 3%	3.49	15 g OP		
	(4.90)			Betnovate-C
Oint 0.1% with clioquinol 3%	3.49	15 g OP		
	(4.90)			Betnovate-C
BETAMETHASONE VALERATE WITH FUSIDIC ACID				
Crm 0.1% with fusidic acid 2%	3.49	15 g OP		
	(10.45)			Fucicort
a) Maximum of 15 g per prescription				
b) Only on a prescription				
HYDROCORTISONE WITH MICONAZOLE – Only on a prescription				
* Crm 1% with miconazole nitrate 2%	2.10	15 g OP	✓	Micreme H
HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN – Only on a prescription				
Crm 1% with natamycin 1% and neomycin sulphate 0.5%	2.79	15 g OP	✓	Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%	2.79	15 g OP	✓	Pimafucort
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN				
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 µg per g – Only on a prescription.....	3.49	15 g OP		
	(6.60)			Viaderm KC

Disinfecting and Cleansing Agents

CHLORHEXIDINE GLUCONATE – Subsidy by endorsement				
a) No more than 500 ml per month				
b) Only if prescribed for a dialysis patient and the prescription is endorsed accordingly.				
* Handrub 1% with ethanol 70%	4.60	500 ml	✓	healthE
* Soln 4%	5.90	500 ml	✓	Orion

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

DERMATOLOGICALS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
TRICLOSAN – Subsidy by endorsement				
a) Maximum of 500 ml per prescription				
b)				
a) Only if prescribed for a patient identified with Methicillin-resistant Staphylococcus aureus (MRSA) prior to elective surgery in hospital and the prescription is endorsed accordingly; or				
b) Only if prescribed for a patient with recurrent Staphylococcus aureus infection and the prescription is endorsed accordingly				
Soln 1%	4.50	500 ml OP	✓	Pharmacy Health
	5.90		✓	healthE

Barrier Creams and Emollients

Barrier Creams

ZINC AND CASTOR OIL				
Oint BP	3.83	500 g	✓	Multichem
	5.11		✓	PSM

Emollients

AQUEOUS CREAM				
* Crm	1.96	500 g	✓	AFT
CETOMACROGOL				
* Crm BP	3.15	500 g	✓	PSM
EMULSIFYING OINTMENT				
* Oint BP	3.04	500 g	✓	AFT
OIL IN WATER EMULSION				
* Crm	2.80	500 g	✓	healthE Fatty Cream
UREA				
* Crm 10%	3.07	100 g OP	✓	Nutraplus
WOOL FAT WITH MINERAL OIL – Only on a prescription				
* Lotn hydrous 3% with mineral oil	1.40	250 ml OP		
	(3.50)			DP Lotion
	5.60	1,000 ml		
	(10.90)			DP Lotion
	1.40	250 ml OP		
	(3.50)			Hydroderm Lotion
	5.60	1,000 ml		
	(9.54)			Hydroderm Lotion
	(20.53)			Alpha-Keri Lotion
	1.40	250 ml OP		
	(7.73)			BK Lotion
	5.60	1,000 ml		
	(23.91)			BK Lotion

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

Other Dermatological Bases

PARAFFIN

White soft – Only in combination	3.58 (7.78)	500 g		
	20.20	2,500 g	✓	IPW
	3.58 (8.69)	500 g		PSM

Only in combination with a dermatological galenical or as a diluent for a proprietary Topical Corticosteroid – Plain.

Minor Skin Infections

POVIDONE IODINE

Oint 10%	3.27	25 g OP	✓	Betadine
a) Maximum of 100 g per prescription				
b) Only on a prescription				
Antiseptic soln 10%	0.19 (4.45)	15 ml		Betadine
	1.28 (8.25)	100 ml		Betadine
	6.20	500 ml	✓	Betadine
	1.28 (4.20)	100 ml		Riodine
	6.20	500 ml	✓	Riodine
Skin preparation, povidone iodine 10% with 30% alcohol	1.63 (3.65)	100 ml		Betadine Skin Prep
	10.00	500 ml	✓	Betadine Skin Prep
Skin preparation, povidone iodine 10% with 70% alcohol	1.63 (6.04)	100 ml		Orion
	8.13 (18.63)	500 ml		Orion

Parasiticial Preparations

GAMMA BENZENE HEXACHLORIDE

Crm 1%	3.50	50 g OP	✓	Benhex
--------------	------	---------	---	--------

MALATHION

Liq 0.5%	3.79	200 ml OP	✓	<u>A-Lices</u>
Shampoo 1%	2.83	30 ml OP	✓	<u>A-Lices</u>

PERMETHRIN

Crm 5%	4.20	30 g OP	✓	<u>Lyderm</u>
Lotn 5%	3.24	30 ml OP	✓	<u>A-Scabies</u>

Psoriasis and Eczema Preparations

ACITRETIN – Special Authority see SA0954 on the next page – Retail pharmacy

Cap 10 mg	38.66	60	✓	Novatretin
	75.80	100	✓	Neotigason
Cap 25 mg	83.11	60	✓	Novatretin
	162.96	100	✓	Neotigason

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

Subsidy (Manufacturer's Price) \$ Per Fully Subsidised ✓ Brand or Generic Manufacturer

SA0954 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
 - 3.2 Patient is male.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
 - 3.2 Patient is male.

BETAMETHASONE DIPROPIONATE WITH CALCIPOTRIOL

Oint 500 µg with calcipotriol 50 µg	26.12	30 g OP	✓ Daivobet
Topical gel 500 µg with calcipotriol 50 µg	26.12	30 g OP	✓ Daivobet

CALCIPOTRIOL

Crm 50 µg per g	16.00	30 g OP	✓ Daivonex
	45.00	100 g OP	✓ Daivonex
Oint 50 µg per g	20.20	30 g OP	✓ Daivonex
	45.00	100 g OP	✓ Daivonex
Soln 50 µg per ml	16.00	30 ml OP	✓ Daivonex
	33.79	60 ml OP	✓ Daivonex

COAL TAR

Soln BP – Only in combination	12.95	200 ml	✓ Midwest
Up to 10 % Only in combination with a dermatological base or proprietary Topical Corticosteroid – Plain, refer, page 174			
With or without other dermatological galenicals.			

COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULPHUR

Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and allantoin crm 2.5%	3.43	30 g OP	
	(4.35)		Egopsoryl TA
	6.59	75 g OP	
	(8.00)		Egopsoryl TA

COAL TAR WITH SALICYLIC ACID AND SULPHUR

Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	✓ Coco-Scalp
---	------	---------	--------------

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
SALICYLIC ACID				
Powder – Only in combination	18.88	250 g	✓	PSM
1) Only in combination with a dermatological base or proprietary Topical Corticosteroid – Plain or collodion flexible, refer, page 174				
2) With or without other dermatological galenicals.				
3) Maximum 20 g or 20 ml per prescription when prescribed with white soft paraffin or collodion flexible.				
SULPHUR				
Precipitated – Only in combination	6.35	100 g	✓	Midwest
1) Only in combination with a dermatological base or proprietary Topical Corticosteroid – Plain, refer, page 174				
2) With or without other dermatological galenicals.				
TAR WITH TRIETHANOLAMINE LAURYL SULPHATE AND FLUORESCIEIN – Only on a prescription				
* Soln 2.3% with triethanolamine lauryl sulphate and fluores-	3.05	500 ml	✓	Pinetarsol
cein sodium	5.82	1,000 ml	✓	Pinetarsol

Scalp Preparations

BETAMETHASONE VALERATE				
* Scalp app 0.1%	7.22	100 ml OP	✓	Beta Scalp
CLOBETASOL PROPIONATE				
* Scalp app 0.05%	6.36	30 ml OP	✓	Dermol
HYDROCORTISONE BUTYRATE				
Scalp lotn 0.1%	3.65	100 ml OP	✓	Locoid
KETOCONAZOLE				
Shampoo 2%	3.08	100 ml OP	✓	Sebizole
a) Maximum of 100 ml per prescription				
b) Only on a prescription				

Sunscreens

SUNSCREENS, PROPRIETARY – Subsidy by endorsement				
Only if prescribed for a patient with severe photosensitivity secondary to a defined clinical condition and the prescription is endorsed accordingly.				
Crm	2.55 (5.89)	100 g OP		Hamilton Sunscreen
Lotn	2.55	100 ml OP	✓	Marine Blue Lotion SPF 30+
	5.10	200 ml OP	✓	Marine Blue Lotion SPF 30+
	3.19 (6.94)	125 ml OP		Aquasun 30+

Wart Preparations

IMIQUIMOD – Special Authority see SA0923 on the next page – Retail pharmacy				
Crm 5%	62.00	12	✓	Aldara

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

DERMATOLOGICALS

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

►SA0923 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has external anogenital warts and podophyllotoxin has been tried and failed (or is contraindicated); or
- 2 The patient has external anogenital warts and podophyllotoxin is unable to be applied accurately to the site; or
- 3 The patient has confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate.

Notes: Superficial basal cell carcinoma

- Surgical excision remains first-line treatment for superficial basal cell carcinoma as it has a higher cure rate than imiquimod and allows histological assessment of tumour clearance.
- Imiquimod has not been evaluated for the treatment of superficial basal cell carcinoma within 1 cm of the hairline, eyes, nose, mouth or ears.
- Imiquimod is not indicated for recurrent, invasive, infiltrating, or nodular basal cell carcinoma.

External anogenital warts

- Imiquimod is only indicated for external genital and perianal warts (condyloma acuminata).

Renewal from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Any of the following:

- 1 Inadequate response to initial treatment for anogenital warts; or
- 2 New confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate; or
- 3 Inadequate response to initial treatment for superficial basal cell carcinoma.

Note: Every effort should be made to biopsy the lesion to confirm that it is a superficial basal cell carcinoma.

PODOPHYLLOTOXIN

Soln 0.5%	33.60	3.5 ml OP	✓ Condyline
a) Maximum of 3.5 ml per prescription			
b) Only on a prescription			

Other Skin Preparations

Antineoplastics

FLUOROURACIL SODIUM

Crm 5%	26.49	20 g OP	✓ Efudix
--------------	-------	---------	-----------------

Topical Analgesia

CAPSAICIN – Subsidy by endorsement

Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly.

Crm 0.075%	12.50	45 g OP	✓ Zostrix HP
------------------	-------	---------	---------------------

Wound Management Products

MAGNESIUM SULPHATE

Paste	2.98 (4.90)	80 g	PSM
-------------	----------------	------	-----

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Contraceptives - Non-hormonal				
Condoms				
CONDOMS				
* 49 mm – Up to 144 dev available on a PSO.....	1.11	12	✓	Gold Knight
	13.36	144	✓	Gold Knight
			✓	MarquisTantiliza
			✓	Shield 49
* 52 mm – Up to 144 dev available on a PSO.....	13.36	144	✓	Marquis Selecta
			✓	Marquis Sensolite
			✓	Marquis Supalite
			✓	Marquis Protecta
* 52 mm extra strength – Up to 144 dev available on a PSO.....	13.36	144	✓	Shield Blue
* 53 mm – Up to 144 dev available on a PSO.....	1.11	12	✓	Shield Blue
	13.36	144	✓	Gold Knight
	1.11	12	✓	Gold Knight
	13.36	144	✓	Marquis Black
			✓	Marquis Titillata
* 53 mm (chocolate) – Up to 144 dev available on a PSO.....	1.11	12	✓	Gold Knight
	13.36	144	✓	Gold Knight
* 53 mm (strawberry) – Up to 144 dev available on a PSO.....	1.11	12	✓	Gold Knight
	13.36	144	✓	Gold Knight
* 53 mm extra strength – Up to 144 dev available on a PSO.....	1.11	12	✓	Gold Knight
	13.36	144	✓	Gold Knight
* 54 mm, shaped – Up to 144 dev available on a PSO.....	1.12	12		Lifestyles Flared
	(1.24)			
	13.36	144		
	(14.84)			Lifestyles Flared
* 55 mm – Up to 144 dev available on a PSO.....	1.11	12	✓	Gold Knight
	13.36	144	✓	Gold Knight
			✓	Marquis Conformata
* 56 mm – Up to 144 dev available on a PSO.....	13.36	144	✓	Durex Extra Safe
			✓	Durex Select
				Flavours
* 56 mm, shaped – Up to 144 dev available on a PSO.....	1.11	12	✓	Durex Confidence
	13.36	144	✓	Durex Confidence
* 60 mm – Up to 144 dev available on a PSO.....	13.36	144	✓	Shield XL

Contraceptive Devices

DIAPHRAGM – Up to 1 dev available on a PSO
One of each size is permitted on a PSO.

* 65 mm	42.90	1	✓	Ortho All-flex
* 70 mm	42.90	1	✓	Ortho All-flex
* 75 mm	42.90	1	✓	Ortho All-flex
* 80 mm	42.90	1	✓	Ortho All-flex

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

GENITO-URINARY SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
INTRA-UTERINE DEVICE				
a) Up to 40 dev available on a PSO				
b) Only on a PSO				
* IUD	39.50	1	✓	Multiload Cu 375 Multiload Cu 375 SL

Contraceptives - Hormonal

Combined Oral Contraceptives

▶SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Patient is on a Social Welfare benefit; or
 - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

ETHINYLOESTRADIOL WITH DESOGESTREL

* Tab 20 µg with desogestrel 150 µg	6.62	63		
	(16.50)			Mercilon 21
a) Higher subsidy of \$13.80 per 63 tab with Special Authority see SA0500 above				
b) Up to 63 tab available on a PSO				
* Tab 20 µg with desogestrel 150 µg and 7 inert tab	6.62	84		
	(16.50)			Mercilon 28
a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 above				
b) Up to 84 tab available on a PSO				
* Tab 30 µg with desogestrel 150 µg	6.62	63		
	(16.50)			Marvelon 21
a) Higher subsidy of \$13.80 per 63 tab with Special Authority see SA0500 above				
b) Up to 63 tab available on a PSO				
* Tab 30 µg with desogestrel 150 µg and 7 inert tab	6.62	84		
	(16.50)			Marvelon 28
a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 above				
b) Up to 84 tab available on a PSO				

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
ETHINYLOESTRADIOL WITH LEVONORGESTREL				
* Tab 50 µg with levonorgestrel 125 µg and 7 inert tab – Up to 84 tab available on a PSO.....	9.45	84	✓	Microgynon 50 ED
* Tab 30 µg with levonorgestrel 150 µg	6.62	63		Microgynon 30
	(16.50)			
a) Higher subsidy of \$15.00 per 63 tab with Special Authority see SA0500 on the preceding page				
b) Up to 63 tab available on a PSO				
* Tab 30 µg with levonorgestrel 150 µg and 7 inert tab	2.45	84	✓	Ava 30 ED
	6.62		✓	Levlen ED
			✓	Monofeme
	(14.49)			Nordette 28
	(16.50)			Microgynon 30 ED
a) Higher subsidy of up to \$15.00 per 84 tab with Special Authority see SA0500 on the preceding page				
b) Up to 84 tab available on a PSO				
ETHINYLOESTRADIOL WITH NORETHISTERONE				
* Tab 35 µg with norethisterone 1 mg – Up to 63 tab available on a PSO.....	6.62	63	✓	Brevinor 1/21
* Tab 35 µg with norethisterone 1 mg and 7 inert tab – Up to 84 tab available on a PSO.....	6.62	84	✓	Brevinor 1/28
* Tab 35 µg with norethisterone 500 µg – Up to 63 tab available on a PSO.....	6.62	63	✓	Brevinor 21
* Tab 35 µg with norethisterone 500 µg and 7 inert tab – Up to 84 tab available on a PSO.....	6.62	84	✓	Norimin
NORETHISTERONE WITH MESTRANOL				
* Tab 1 mg with mestranol 50 µg and 7 inert tab	6.62	84		Norinyl-1/28
	(13.80)			
a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 on the preceding page				
b) Up to 84 tab available on a PSO				

Combined Oral Contraceptives - Other

ETHINYLOESTRADIOL WITH LEVONORGESTREL				
* Tab 20 µg with levonorgestrel 100 µg and 7 inert tab – Up to 84 tab available on a PSO.....	6.62	84		Loette
	(16.50)			Microgynon 20 ED
	(16.50)			

Progestogen-only Contraceptives

SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Patient is on a Social Welfare benefit; or
 - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

GENITO-URINARY SYSTEM

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

LEVONORGESTREL

* Tab 30 µg	6.62	84	
	(16.50)		Microlut
a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 on the preceding page			
b) Up to 84 tab available on a PSO			
* Subdermal implant (2 × 75 mg rods)	133.65	1	✓ <u>Jadelle</u>

MEDROXYPROGESTERONE ACETATE

* Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a PSO	7.15	1	✓ <u>Depo-Provera</u>
--	------	---	-----------------------

NORETHISTERONE

* Tab 350 µg – Up to 84 tab available on a PSO	7.15	84	✓ <u>Noriday 28</u>
--	------	----	---------------------

Emergency Contraceptives

LEVONORGESTREL

* Tab 1.5 mg	12.50	1	✓ <u>Postinor-1</u>
a) Up to 5 tab available on a PSO			
b) Maximum of 2 tab per prescription			

Antiandrogen Oral Contraceptives

Prescribers may code prescriptions "contraceptive" (code "O") when used as indicated for contraception. The period of supply and prescription charge will be as per other contraceptives, as follows:

- \$3.00 prescription charge (patient co-payment) will apply.
- prescription may be written for up to six months supply.

Prescriptions coded in any other way are subject to the non contraceptive prescription charges, and the non-contraceptive period of supply. ie. Prescriptions may be written for up to three months supply.

CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL

* Tab 2 mg with ethinyloestradiol 35 µg and 7 inert tabs	3.89	84	✓ <u>Ginet 84</u>
--	------	----	-------------------

Gynaecological Anti-infectives

ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC ACID

Jelly with glacial acetic acid 0.94%, hydroxyquinoline sulphate 0.025%, glycerol 5% and ricinoleic acid 0.75% with applicator

	8.43	100 g OP	
	(24.00)		Aci-Jel

CLOTRIMAZOLE

* Vaginal crm 1% with applicators	1.30	35 g OP	✓ <u>Clomazol</u>
* Vaginal crm 2% with applicators	2.50	20 g OP	✓ <u>Clomazol</u>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
MICONAZOLE NITRATE				
* Vaginal crm 2% with applicator	2.75 (3.70)	40 g OP		Micreme
NYSTATIN				
Vaginal crm 100,000 u per 5 g with applicator(s)	4.71	75 g OP	✓	Nilstat

Myometrial and Vaginal Hormone Preparations

ERGOMETRINE MALEATE				
Inj 500 µg per ml, 1 ml – Up to 5 inj available on a PSO.....	31.00	5	✓	<u>DBL Ergometrine</u>
OESTRIOL				
* Crm 1 mg per g with applicator	6.30	15 g OP	✓	<u>Ovestin</u>
* Pessaries 500 µg	6.53	15	✓	<u>Ovestin</u>
OXYTOCIN – Up to 5 inj available on a PSO				
Inj 5 iu per ml, 1 ml	5.94	5	✓	<u>Syntocinon</u>
Inj 10 iu per ml, 1 ml	7.48	5	✓	<u>Syntocinon</u>
Inj 5 iu with ergometrine maleate 500 µg per ml, 1 ml	10.12	5	✓	<u>Syntometrine</u>

Pregnancy Tests - hCG Urine

PREGNANCY TESTS - HCG URINE				
a) Up to 200 test available on a PSO				
b) Only on a PSO				
Cassette	22.80	40 test OP	✓	<u>Innovacon hCG One Step Pregnancy Test</u>

Urinary Agents

5-Alpha Reductase Inhibitors

FINASTERIDE – Special Authority see SA0928 below – Retail pharmacy				
Tab 5 mg	5.10	30	✓	<u>Rex Medical</u>

SA0928 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 Either:
 - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
 - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Note: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride.

Alpha-1A Adrenoreceptor Blockers

TAMSULOSIN HYDROCHLORIDE – Special Authority see SA1032 below – Retail pharmacy				
Cap 400 µg	5.98	30	✓	<u>Tamsulosin-Rex</u>

SA1032 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 The patient is intolerant of non-selective alpha blockers or these are contraindicated.

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

GENITO-URINARY SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Other Urinary Agents				
OXYBUTYNIN				
* Tab 5 mg	44.79	500	✓	Apo-Oxybutynin
* Oral liq 5 mg per 5 ml	50.40	473 ml	✓	Apo-Oxybutynin
POTASSIUM CITRATE				
Oral liq 3 mmol per ml – Special Authority see SA1083 below				
– Retail pharmacy	30.00	200 ml OP	✓	Biomed

▶SA1083 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has recurrent calcium oxalate urolithiasis; and
- 2 The patient has had more than two renal calculi in the two years prior to the application.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

SODIUM CITRO-TARTRATE

* Grans eff 4 g sachets2.71 28 ✓ **Ural**

SOLIFENACIN SUCCINATE – Special Authority see SA0998 below – Retail pharmacy

Tab 5 mg56.50 30 ✓ **Vesicare**

Tab 10 mg56.50 30 ✓ **Vesicare**

▶SA0998 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has overactive bladder and a documented intolerance of oxybutynin.

Detection of Substances in Urine

ORTHO-TOLIDINE

* Compound diagnostic sticks7.50 50 test OP
(8.25) Hemastix

TETRABROMOPHENOL

* Blue diagnostic strips7.02 100 test OP
(13.92) Albustix

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer ✓
Anabolic Agents			
NANDROLONE DECANOATE – Retail pharmacy-Specialist			
Inj 50 mg per ml, 1 ml	21.16	1	✓ Deca-Durabolin Orgject S29
Corticosteroids and Related Agents for Systemic Use			
BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHASONE ACETATE			
* Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1 ml	19.20 (33.60)	5	Celestone Chronodose
DEXAMETHASONE			
* Tab 1 mg – Retail pharmacy-Specialist	16.08	100	✓ Douglas
Up to 30 tab available on a PSO			
* Tab 4 mg – Retail pharmacy-Specialist	61.89	100	✓ Douglas
Up to 30 tab available on a PSO			
Oral liq 1 mg per ml – Retail pharmacy-Specialist	45.00	25 ml OP	✓ Biomed
Oral liq prescriptions:			
1) Must be written by a Paediatrician or Paediatric Cardiologist; or			
2) On the recommendation of a Paediatrician or Paediatric Cardiologist.			
DEXAMETHASONE SODIUM PHOSPHATE			
Dexamethasone sodium phosphate injection will not be funded for oral use.			
* Inj 4 mg per ml, 1 ml – Up to 5 inj available on a PSO	21.50	5	✓ Hospira
* Inj 4 mg per ml, 2 ml – Up to 5 inj available on a PSO	31.00	5	✓ Hospira
FLUDROCORTISONE ACETATE			
* Tab 100 µg	14.32	100	✓ Florinef
HYDROCORTISONE			
* Tab 5 mg	8.35	100	✓ Douglas
* Tab 20 mg – For hydrocortisone oral liquid formulation refer, page 175	20.95	100	✓ Douglas
* Inj 50 mg per ml, 2 ml	3.99	1	✓ Solu-Cortef
a) Up to 5 inj available on a PSO			
b) Only on a PSO			
METHYLPREDNISOLONE – Retail pharmacy-Specialist			
* Tab 4 mg	48.57	100	✓ Medrol
* Tab 100 mg	166.52	20	✓ Medrol
METHYLPREDNISOLONE ACETATE			
Inj 40 mg per ml, 1 ml	6.03	1	✓ Depo-Medrol
METHYLPREDNISOLONE ACETATE WITH LIGNOCAINE			
Inj 40 mg per ml with lignocaine 1 ml	6.03	1	✓ Depo-Medrol with Lidocaine
METHYLPREDNISOLONE SODIUM SUCCINATE – Retail pharmacy-Specialist			
Inj 40 mg per ml, 1 ml	6.06	1	✓ Solu-Medrol
	151.40	25	✓ Solu-Medrol
Inj 62.5 mg per ml, 2 ml	16.50	1	✓ Solu-Medrol
	412.59	25	✓ Solu-Medrol
Inj 500 mg	20.80	1	✓ Solu-Medrol
Inj 1 g	42.57	1	✓ Solu-Medrol

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
PREDNISOLONE SODIUM PHOSPHATE				
* Oral liq 5 mg per ml – Up to 30 ml available on a PSO	9.95	30 ml OP	✓	Redipred
Restricted to children under 12 years of age.				
PREDNISONE				
* Tab 1 mg	10.68	500	✓	Apo-Prednisone
* Tab 2.5 mg	12.09	500	✓	Apo-Prednisone
* Tab 5 mg – Up to 30 tab available on a PSO.....	11.09	500	✓	Apo-Prednisone
* Tab 20 mg	29.03	500	✓	Apo-Prednisone
TETRACOSACTRIN				
* Inj 250 µg	177.18	10	✓	Synacthen
* Inj 1 mg per ml, 1 ml	29.56	1	✓	Synacthen Depot
TRIAMCINOLONE ACETONIDE				
Inj 10 mg per ml, 1 ml	21.90	5	✓	Kenacort-A
Inj 40 mg per ml, 1 ml	53.79	5	✓	Kenacort-A40

Sex Hormones Non Contraceptive

Androgen Agonists and Antagonists

CYPROTERONE ACETATE – Retail pharmacy-Specialist				
Tab 50 mg	21.10	50	✓	Siterone
Tab 100 mg	41.50	50	✓	Siterone
TESTOSTERONE				
Transdermal patch, 2.5 mg per day	80.00	60	✓	Androderm
TESTOSTERONE CYPIONATE – Retail pharmacy-Specialist				
Inj long-acting 100 mg per ml, 10 ml	76.50	1	✓	Depo-Testosterone
TESTOSTERONE ESTERS – Retail pharmacy-Specialist				
Inj 250 mg per ml, 1 ml	12.98	1	✓	Sustanon Ampoules
TESTOSTERONE UNDECANOATE – Retail pharmacy-Specialist				
Cap 40 mg	79.92	100	✓	Arrow-Testosterone

Hormone Replacement Therapy - Systemic

▶SA1018 Special Authority for Alternate Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 years for applications meeting the following criteria:

Any of the following:

- 1 acute or significant liver disease - where oral oestrogens are contraindicated as determined by a gastroenterologist or general physician. The applicant must keep written confirmation from such a specialist with the patient's record; or
- 2 oestrogen induced hypertension requiring antihypertensive therapy - documented evidence must be kept on file that raised blood pressure levels or inability to control blood pressure adequately occurred post oral oestrogens; or
- 3 hypertriglyceridaemia - documented evidence must be kept on file that triglyceride levels increased to at least 2 × normal triglyceride levels post oral oestrogens; or
- 4 Somatropin co-therapy - patient is being prescribed somatropin with subsidy provided under a valid approval issued under Special Authority.

Note: Prescriptions with a valid Special Authority (CHEM) number will be reimbursed at the level of the lowest priced TDDS product within the specified dose group.

Renewal from any relevant practitioner. Approvals valid for 5 years where the treatment remains appropriate and the patient is benefiting from treatment, or the patient remains on subsidised somatropin co-therapy.

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Prescribing Guideline				
HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".				
Oestrogens				
OESTRADIOL – See prescribing guideline above				
* Tab 1 mg	4.12 (10.55)	28 OP		Estrofem
* Tab 2 mg	4.12 (10.55)	28 OP		Estrofem
* TDDS 25 µg per day	3.01 (10.86)	8		Estradot
a) Higher subsidy of \$10.86 per 8 patch with Special Authority see SA1018 on the preceding page				
b) No more than 2 patch per week				
c) Only on a prescription				
* TDDS 3.9 mg (releases 50 µg of oestradiol per day)	4.12 (13.18) (32.50)	4		Climara 50 Femtran 50
a) Higher subsidy of \$13.18 per 4 patch with Special Authority see SA1018 on the preceding page				
b) No more than 1 patch per week				
c) Only on a prescription				
* TDDS 50 µg per day	4.12 (13.18)	8		Estradot 50 µg
a) Higher subsidy of \$13.18 per 8 patch with Special Authority see SA1018 on the preceding page				
b) No more than 2 patch per week				
c) Only on a prescription				
* TDDS 7.8 mg (releases 100 µg of oestradiol per day)	7.05 (16.14) (35.00)	4		Climara 100 Femtran 100
a) Higher subsidy of \$16.14 per 4 patch with Special Authority see SA1018 on the preceding page				
b) No more than 1 patch per week				
c) Only on a prescription				
* TDDS 100 µg per day	7.05 (16.14)	8		Estradot
a) Higher subsidy of \$16.14 per 8 patch with Special Authority see SA1018 on the preceding page				
b) No more than 2 patch per week				
c) Only on a prescription				
OESTRADIOL VALERATE – See prescribing guideline above				
* Tab 1 mg	8.24	56	✓	Progynova
* Tab 2 mg	8.24	56	✓	Progynova
OESTROGENS – See prescribing guideline above				
* Conjugated, equine tab 300 µg	3.01 (11.48)	28		Premarin
* Conjugated, equine tab 625 µg	4.12 (11.48)	28		Premarin

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

Progestogens

MEDROXYPROGESTERONE ACETATE – See prescribing guideline on the preceding page

* Tab 2.5 mg	3.09	30	✓	Provera
* Tab 5 mg	13.06	100	✓	Provera
* Tab 10 mg	6.85	30	✓	Provera

Progestogen and Oestrogen Combined Preparations

OESTRADIOL WITH NORETHISTERONE – See prescribing guideline on the preceding page

* Tab 1 mg with 0.5 mg norethisterone acetate	5.40	28 OP		
	(14.52)			Kliovance
* Tab 2 mg with 1 mg norethisterone acetate	5.40	28 OP		
	(14.52)			Kliogest
* Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg oestradiol tab (12) and 1 mg oestradiol tab (6)	5.40	28 OP		
	(14.52)			Trisequens

OESTROGENS WITH MEDROXYPROGESTERONE – See prescribing guideline on the preceding page

* Tab 625 µg conjugated equine with 2.5 mg medroxyproges- terone acetate tab (28)	5.40	28 OP		
	(22.96)			Premia 2.5 Continuous
* Tab 625 µg conjugated equine with 5 mg medroxyproges- terone acetate tab (28)	5.40	28 OP		
	(22.96)			Premia 5 Continuous

Other Oestrogen Preparations

ETHINYLLOESTRADIOL

* Tab 10 µg	17.60	100	✓	<u>NZ Medical and Scientific</u>
-------------------	-------	-----	---	----------------------------------

OESTRIOL

* Tab 2 mg	7.00	30	✓	Ovestin
------------------	------	----	---	---------

Other Progestogen Preparations

LEVONORGESTREL

* Levonorgestrel - releasing intrauterine system 20 µg/24 hr – Special Authority see SA0782 below – Retail pharmacy	269.50	1	✓	Mirena
--	--------	---	---	--------

►SA0782 Special Authority for Subsidy

Initial application — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- 3 Either:
 - 3.1 serum ferritin level < 16 µg/l (within the last 12 months); or
 - 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

continued...

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

Initial application — (Previous use before 1 October 2002) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient had a clinical diagnosis of heavy menstrual bleeding; and
- 2 Patient demonstrated clinical improvement of heavy menstrual bleeding; and
- 3 Applicant to state date of the previous insertion.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
 - 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

MEDROXYPROGESTERONE ACETATE

* Tab 100 mg – Retail pharmacy-Specialist	96.50	100	✓ Provera
* Tab 200 mg – Retail pharmacy-Specialist	70.50	30	✓ Provera

NORETHISTERONE

* Tab 5 mg – Up to 30 tab available on a PSO.....	26.50	100	✓ Primolut N
---	-------	-----	--------------

Thyroid and Antithyroid Agents

CARBIMAZOLE

* Tab 5 mg	10.80	100	✓ Neo-Mercazole
------------------	-------	-----	-----------------

LEVOTHYROXINE

* Tab 25 µg	3.89	90	✓ Synthroid
	43.24	1,000	✓ Synthroid
‡ Safety cap for extemporaneously compounded oral liquid preparations.			
* Tab 50 µg	1.71	28	✓ Goldshield
	4.05	90	✓ Synthroid
	45.00	1,000	✓ Synthroid
	64.28		✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral liquid preparations.			
* Tab 100 µg	1.78	28	✓ Goldshield
	4.21	90	✓ Synthroid
	66.78	1,000	✓ Eltroxin

‡ Safety cap for extemporaneously compounded oral liquid preparations.

Trophic Hormones

Growth Hormones

SA0755 Special Authority for Subsidy

Special Authority approved by the Growth Hormone Committee

Notes: Subject to budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz> or:

NZGHC Coordinator

PHARMAC, PO Box 10-254, WELLINGTON

Tel: 0800 808 476, Fax: (09) 929 3221, Email: growthhormone@pharmac.govt.nz

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

SOMATROPIN – Special Authority see SA0755 on the preceding page

* Inj cartridge 16 iu (5.3 mg)	160.00	1	✓	<u>Genotropin</u>
* Inj cartridge 36 iu (12 mg)	360.00	1	✓	<u>Genotropin</u>

GnRH Analogues

GOSERELIN ACETATE

Inj 3.6 mg	166.20	1	✓	Zoladex
Inj 10.8 mg	443.76	1	✓	Zoladex

LEUPRORELIN

Inj 3.75 mg	221.60	1	✓	Lucrin Depot
Inj 3.75 mg prefilled syringe	221.60	1	✓	Lucrin Depot PDS
Inj 7.5 mg	166.20	1	✓	Eligard
Inj 11.25 mg	591.68	1	✓	Lucrin Depot
Inj 11.25 mg prefilled syringe	591.68	1	✓	Lucrin Depot PDS
Inj 22.5 mg	443.76	1	✓	Eligard
Inj 30 mg	591.68	1	✓	Eligard
Inj 30 mg prefilled syringe	1,109.40	1	✓	Lucrin Depot PDS
Inj 45 mg	832.05	1	✓	Eligard

Vasopressin Agonists

DESMOPRESSIN

▲ Nasal drops 100 µg per ml – Retail pharmacy-Specialist	39.03	2.5 ml OP	✓	Minirin
▲ Nasal spray 10 µg per dose – Retail pharmacy-Specialist.....	27.48	6 ml OP	✓	<u>Desmopressin- PH&T</u>
Inj 4 µg per ml, 1 ml – Special Authority see SA0090 below – Retail pharmacy	67.18	10	✓	Minirin

►SA0090 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Other Endocrine Agents

CABERGOLINE

Tab 0.5 mg – Maximum of 2 tab per prescription; can be waived by Special Authority see SA1031 below	16.50	2	✓	Dostinex
	66.00	8	✓	Dostinex
	16.50	2	✓	Arrow-Cabergoline
	66.00	8	✓	Arrow-Cabergoline

►SA1031 Special Authority for Waiver of Rule

Initial application only from an obstetrician, endocrinologist or gynaecologist. Approvals valid without further renewal unless notified where the patient has pathological hyperprolactinemia.

Renewal only from an obstetrician, endocrinologist or gynaecologist. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment.

CLOMIPHENE CITRATE

Tab 50 mg	29.84	10	✓	Serophene
-----------------	-------	----	---	-----------

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
DANAZOL – Retail pharmacy-Specialist				
Cap 100 mg	68.33	100	✓	Azol
Cap 200 mg	97.83	100	✓	Azol
GESTRINONE – Retail pharmacy-Specialist				
Cap 2.5 mg	101.87	8 OP	✓	Dimetriose
METYRAPONE				
Cap 250 mg – Retail pharmacy-Specialist	238.00	50	✓	Metopirone

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

INFECTIONS - AGENTS FOR SYSTEMIC USE

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Anthelmintics				
MEBENDAZOLE – Only on a prescription				
Tab 100 mg	24.19	24	✓	De-Worm
Oral liq 100 mg per 5 ml	2.18	15 ml		
	(7.17)			Vermox

Antibacterials

Cephalosporins and Cephamycins

CEFACLOR MONOHYDRATE

Cap 250 mg	24.57	100	✓	Cefaclor Sandoz
Grans for oral liq 125 mg per 5 ml	3.53	100 ml	✓	Ranbaxy-Cefaclor
			✓	Ranbaxy-Cefaclor

(Cefaclor Sandoz Cap 250 mg to be delisted 1 October 2012)

CEFAZOLIN SODIUM – Subsidy by endorsement

Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.

Inj 500 mg	3.99	5	✓	AFT
	(5.00)			Hospira
Inj 1 g	3.99	5	✓	AFT
	(8.00)			Hospira

(Hospira Inj 500 mg to be delisted 1 June 2012)

(Hospira Inj 1 g to be delisted 1 June 2012)

CEFOXITIN SODIUM – Retail pharmacy-Specialist – Subsidy by endorsement

Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.

Inj 1 g	55.00	5	✓	Mayne
---------------	-------	---	---	--------------

CEFTRIAOXONE SODIUM – Subsidy by endorsement

a) Up to 5 inj available on a PSO

b) Subsidised only if prescribed for a dialysis or cystic fibrosis patient, or the treatment of confirmed ciprofloxacin-resistant gonorrhoea, or the treatment of suspected meningitis in patients who have a known allergy to penicillin, and the prescription or PSO is endorsed accordingly.

Inj 500 mg	2.70	1	✓	Veracol
Inj 1 g	10.49	5	✓	Aspen Ceftriaxone

CEFUROXIME AXETIL – Subsidy by endorsement

Only if prescribed for prophylaxis of endocarditis and the prescription is endorsed accordingly.

Tab 250 mg	29.40	50	✓	Zinnat
------------------	-------	----	---	---------------

CEFUROXIME SODIUM

Inj 250 mg – Maximum of 3 inj per prescription; can be waived

by endorsement.....20.97 10 ✓ **Mayne**

Waiver by endorsement must state that the prescription is for dialysis or cystic fibrosis patient.

Inj 750 mg – Maximum of 1 inj per prescription; can be waived

by endorsement.....6.96 5 ✓ **m-Cefuroxime**

(10.71) Zinacef

Waiver by endorsement must state that the prescription is for dialysis or cystic fibrosis patient.

Inj 1.5 g – Retail pharmacy-Specialist – Subsidy by endorse-

ment.....2.65 1 ✓ **Mylan**

4.04 ✓ **Zinacef**

Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.

(Zinacef Inj 750 mg to be delisted 1 June 2012)

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
CEPHALEXIN MONOHYDRATE				
Cap 500 mg	8.90	20	✓	Cephalexin ABM
Grans for oral liq 125 mg per 5 ml	8.50	100 ml	✓	Cefalexin Sandoz
Grans for oral liq 250 mg per 5 ml	11.50	100 ml	✓	Cefalexin Sandoz

Macrolides

AZITHROMYCIN – Subsidy by endorsement; can be waived by Special Authority see SA1130 below

- a) Maximum of 2 tab per prescription; can be waived by Special Authority see SA1130 below
- b) Up to 8 tab available on a PSO
- c) Subsidised only if prescribed for patients with uncomplicated urethritis or cervicitis proven or presumed to be due to chlamydia trachomatis and their sexual contacts and prescription or PSO is endorsed accordingly; can be waived by Special Authority see SA1130.

Tab 500 mg	5.95	2 OP	✓	Arrow-Azithromycin
------------------	------	------	---	---------------------------

SA1130 Special Authority for Waiver of Rule

Initial application — (Cystic Fibrosis) only from a respiratory specialist or paediatrician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The applicant is part of multidisciplinary team experienced in the management of cystic fibrosis; and
- 2 The patient has been definitively diagnosed with cystic fibrosis*; and
- 3 The patient has chronic infection with *Pseudomonas aeruginosa* or *Pseudomonas* related gram negative organisms as defined by two positive respiratory tract cultures at least three months apart*; and
- 4 The patient has negative cultures for non-tuberculous mycobacteria.

Notes: Caution is advised if using azithromycin as an antibiotic in the treatment of cystic fibrosis patients with pneumonia.

Testing for non-tuberculosis mycobacteria should occur annually.

Initial application — (bronchiolitis obliterans syndrome) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has received a lung transplant; and
- 2 Azithromycin is to be used for prophylaxis of bronchiolitis obliterans syndrome*; and
- 3 The applicant is experienced in managing patients who have received a lung transplant.

Renewal — (bronchiolitis obliterans syndrome) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient remains well and free from bronchiolitis obliterans syndrome*; and
- 2 The applicant is experienced in managing patients who have received a lung transplant.

Note: Indications marked with * are Unapproved Indications

CLARITHROMYCIN – Maximum of 500 mg per prescription; can be waived by Special Authority see SA1131 below

Tab 250 mg	4.19	14	✓	Apo-Clarithromycin
Grans for oral liq 125 mg per 5 ml	23.12	70 ml	✓	Klacid

SA1131 Special Authority for Waiver of Rule

Initial application — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Atypical mycobacterial infection; or
- 2 Mycobacterium tuberculosis infection where there is drug-resistance or intolerance to standard pharmaceutical agents.

Renewal — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

INFECTIONS - AGENTS FOR SYSTEMIC USE

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
ERYTHROMYCIN ETHYL SUCCINATE				
Tab 400 mg – Up to 30 tab available on a PSO.....	16.95	100	✓	E-Mycin
Grans for oral liq 200 mg per 5 ml – Up to 200 ml available on a PSO.....	4.35	100 ml	✓	E-Mycin
Grans for oral liq 400 mg per 5 ml – Up to 200 ml available on a PSO.....	5.85	100 ml	✓	E-Mycin
ERYTHROMYCIN LACTOBIONATE				
Inj 1 g	10.93	1	✓	Erythrocin IV
ERYTHROMYCIN STEARATE				
Tab 250 mg – Up to 30 tab available on a PSO.....	14.95 (22.29)	100		ERA
Tab 500 mg	29.90 (44.58)	100		ERA
ROXITHROMYCIN				
Tab 150 mg	8.98	50	✓	Arrow- Roxithromycin
Tab 300 mg	16.48	50	✓	Arrow- Roxithromycin
Penicillins				
AMOXYCILLIN				
Cap 250 mg – Up to 30 cap available on a PSO.....	16.18	500	✓	Alphamox
Cap 500 mg	26.50	500	✓	Alphamox
Grans for oral liq 125 mg per 5 ml – Up to 200 ml available on a PSO.....	1.55	100 ml	✓	Ospamox
Grans for oral liq 250 mg per 5 ml – Up to 200 ml available on a PSO.....	1.10	100 ml	✓	Ospamox
Drops 125 mg per 1.25 ml	4.00	30 ml OP	✓	Ospamox Paediatric Drops
Inj 250 mg	12.96	10	✓	Ibiamox
Inj 500 mg	15.08	10	✓	Ibiamox
Inj 1 g – Up to 5 inj available on a PSO.....	21.94	10	✓	Ibiamox
AMOXYCILLIN CLAVULANATE				
Tab amoxicillin 500 mg with potassium clavulanate 125 mg – Up to 30 tab available on a PSO	12.55 26.00	100	✓	Curam Duo Synermox
Grans for oral liq amoxicillin 125 mg with potassium clavu- lanate 31.25 mg per 5 ml – Up to 200 ml available on a PSO.....	2.20	100 ml	✓	Curam
Grans for oral liq amoxicillin 250 mg with potassium clavu- lanate 62.5 mg per 5 ml – Up to 200 ml available on a PSO.....	3.85	100 ml	✓	Curam
BENZATHINE BENZYL PENICILLIN				
Inj 1.2 mega u per 2.3 ml – Up to 5 inj available on a PSO.....	315.00	10	✓	Bicillin LA
BENZYL PENICILLIN SODIUM (PENICILLIN G)				
Inj 600 mg – Up to 5 inj available on a PSO.....	11.50	10	✓	Sandoz

INFECTIONS - AGENTS FOR SYSTEMIC USE

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer ✓
FLUCLOXACILLIN SODIUM			
Cap 250 mg – Up to 30 cap available on a PSO	32.00	250	✓ <u>AFT</u>
Cap 500 mg	110.00	500	✓ <u>AFT</u>
Grans for oral liq 125 mg per 5 ml – Up to 200 ml available on a PSO	3.12	100 ml	✓ <u>AFT</u>
Grans for oral liq 250 mg per 5 ml – Up to 200 ml available on a PSO	3.55	100 ml	✓ <u>AFT</u>
Inj 250 mg	10.86	10	✓ <u>Flucloxin</u>
Inj 500 mg	11.32	10	✓ <u>Flucloxin</u>
Inj 1 g – Up to 5 inj available on a PSO	14.28	10	✓ <u>Flucloxin</u>
PHENOXYMETHYLPENICILLIN (PENICILLIN V)			
Cap potassium salt 250 mg – Up to 30 cap available on a PSO	9.71	50	✓ <u>Cilicaine VK</u>
Cap potassium salt 500 mg	11.70	50	✓ <u>Cilicaine VK</u>
Grans for oral liq 125 mg per 5 ml – Up to 200 ml available on a PSO	1.68	100 ml	✓ <u>AFT</u>
Grans for oral liq 250 mg per 5 ml – Up to 200 ml available on a PSO	1.78	100 ml	✓ <u>AFT</u>
PROCAINE PENICILLIN			
Inj 1.5 mega u – Up to 5 inj available on a PSO	123.50	5	✓ <u>Cilicaine</u>
Tetracyclines			
DOXYCYCLINE HYDROCHLORIDE			
* Tab 50 mg – Up to 30 tab available on a PSO	2.90 (6.00)	30	Doxy-50
* Tab 100 mg – Up to 30 tab available on a PSO	7.95	250	✓ <u>Doxine</u>
MINOCYCLINE HYDROCHLORIDE			
* Tab 50 mg	5.79 (12.05)	60	Mino-tabs
* Cap 100 mg	19.32 (52.04)	100	Minomycin
Other Antibiotics			
CIPROFLOXACIN			
Tab 250 mg – Up to 5 tab available on a PSO	2.20	28	✓ <u>Cipflox</u>
Tab 500 mg – Up to 5 tab available on a PSO	3.00	28	✓ <u>Cipflox</u>
Tab 750 mg – Retail pharmacy-Specialist	5.15	28	✓ <u>Cipflox</u>
CLINDAMYCIN			
Cap hydrochloride 150 mg – Maximum of 4 cap per prescrip- tion; can be waived by endorsement - Retail pharmacy - Specialist	9.90 11.39	16	✓ <u>Clindamycin ABM</u> ✓ <u>Dalacin C</u>
Inj phosphate 150 mg per ml, 4 ml – Retail pharmacy- Specialist	160.00	10	✓ <u>Dalacin C</u>
CO-TRIMOXAZOLE			
* Tab trimethoprim 80 mg and sulphamethoxazole 400 mg – Up to 30 tab available on a PSO	20.97	500	✓ <u>Trisul</u>
* Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg per 5 ml – Up to 200 ml available on a PSO	2.15	100 ml	✓ <u>Deprim</u>

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

INFECTIONS - AGENTS FOR SYSTEMIC USE

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
COLISTIN SULPHOMETHATE – Retail pharmacy-Specialist – Subsidy by endorsement				
Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.				
Inj 150 mg	65.00	1	✓	Colistin-Link
FUSIDIC ACID				
Tab 250 mg – Retail pharmacy-Specialist	34.50	12	✓	Fucidin
Inj 500 mg sodium fusidate per 10 ml – Retail pharmacy-Specialist – Subsidy by endorsement.....	12.87 (17.80)	1		Fucidin
Only if prescribed for a dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.				
GENTAMICIN SULPHATE				
Inj 10 mg per ml, 1 ml – Subsidy by endorsement	8.56	5	✓	Mayne
Only if prescribed for a dialysis or cystic fibrosis patient or for prophylaxis of endocarditis and the prescription is endorsed accordingly.				
Inj 40 mg per ml, 2 ml – Subsidy by endorsement	9.00	10	✓	Pfizer
Only if prescribed for a dialysis or cystic fibrosis patient or for prophylaxis of endocarditis and the prescription is endorsed accordingly.				
LINCOMYCIN – Retail pharmacy-Specialist				
Inj 300 mg per ml, 2 ml	80.00	5	✓	Lincocin
MOXIFLOXACIN – Special Authority see SA1065 below – Retail pharmacy				
No patient co-payment payable				
Tab 400 mg	52.00	5	✓	Avelox
SA1065 Special Authority for Subsidy				
Initial application only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:				
Either:				
1 Both:				
1.1 Active tuberculosis*; and				
1.2 Any of the following:				
1.2.1 Documented resistance to one or more first-line medications; or				
1.2.2 Suspected resistance to one or more first-line medications (tuberculosis assumed to be contracted in an area with known resistance), as part of regimen containing other second-line agents; or				
1.2.3 Impaired visual acuity (considered to preclude ethambutol use); or				
1.2.4 Significant pre-existing liver disease or hepatotoxicity from tuberculosis medications; or				
1.2.5 Significant documented intolerance and/or side effects following a reasonable trial of first-line medications; or				
2 Mycobacterium avium-intracellulare complex not responding to other therapy or where such therapy is contraindicated.*.				
Note: Indications marked with * are Unapproved Indications (refer to Section A: General Rules, Part I (Interpretations and Definitions) and Part IV (Miscellaneous Provisions) rule 4.6).				
Renewal only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.				
TOBRAMYCIN				
Inj 40 mg per ml, 2 ml – Subsidy by endorsement	29.32	5	✓	DBL Tobramycin
Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.				
TRIMETHOPRIM				
* Tab 300 mg – Up to 30 tab available on a PSO.....	8.94	50	✓	TMP
VANCOMYCIN HYDROCHLORIDE – Subsidy by endorsement				
Only if prescribed for a dialysis or cystic fibrosis patient or in the treatment of pseudomembranous colitis or for prophylaxis of endocarditis and the prescription is endorsed accordingly.				
Inj 500 mg	3.58	1	✓	Mylan

Subsidy (Manufacturer's Price) \$ Per Fully Subsidised ✓ Brand or Generic Manufacturer

Antifungals

FLUCONAZOLE

Cap 50 mg – Retail pharmacy-Specialist	4.77	28	✓ <u>Ozole</u>
Cap 150 mg – Subsidy by endorsement	0.91	1	✓ <u>Ozole</u>
a) Maximum of 1 cap per prescription; can be waived by endorsement - Retail pharmacy - Specialist			
b) Patient has vaginal candida albicans and the practitioner considers that a topical imidazole (used intr-vaginally) is not recommended and the prescription is endorsed accordingly; can be waived by endorsement - Retail pharmacy - Specialist.			
Cap 200 mg – Retail pharmacy-Specialist	13.34	28	✓ <u>Ozole</u>
Powder for oral suspension 10 mg per ml – Special Authority			
see SA1148 below – Retail pharmacy	34.56	35 ml	✓ <u>Diflucan</u>

SA1148 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:
Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Renewal from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:
Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

ITRACONAZOLE – Retail pharmacy-Specialist

Cap 100 mg	4.25	15	✓ <u>Itrazole</u>
------------------	------	----	-------------------

KETOCONAZOLE

Tab 200 mg – Retail pharmacy-Specialist	38.12	30	✓ <u>Nizoral</u>
---	-------	----	------------------

NYSTATIN

Tab 500,000 u	14.16	50	✓ <u>Nilstat</u>
Cap 500,000 u	12.81	50	✓ <u>Nilstat</u>

TERBINAFINE

Tab 250 mg – For terbinafine oral liquid formulation refer,			
page 175	1.78	14	✓ <u>Dr Reddy's Terbinafine</u>

Antimalarials

HYDROXYCHLOROQUINE SULPHATE

* Tab 200 mg	22.50	100	✓ <u>Plaquenil</u>
--------------------	-------	-----	--------------------

Antitrichomonal Agents

METRONIDAZOLE

Tab 200 mg – Up to 30 tab available on a PSO.....	10.45	100	✓ <u>Trichozole</u>
Tab 400 mg	18.15	100	✓ <u>Trichozole</u>
Oral liq benzoate 200 mg per 5 ml	25.00	100 ml	✓ <u>Flagyl-S</u>
Suppos 500 mg	24.48	10	✓ <u>Flagyl</u>

ORNIDAZOLE

Tab 500 mg	12.38	10	✓ <u>Tiberal</u>
	16.50		✓ <u>Arrow-Ornidazole</u>

(Tiberal Tab 500 mg to be delisted 1 May 2012)

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

INFECTIONS - AGENTS FOR SYSTEMIC USE

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

Antituberculotics and Antileprotics

Note: There is no co-payment charge for all pharmaceuticals listed in the Antituberculotics and Antileprotics group regardless of immigration status.

DAPSONE – No patient co-payment payable

Tab 25 mg	95.00	100	✓	Dapsone
Tab 100 mg	110.00	100	✓	Dapsone

ETHAMBUTOL HYDROCHLORIDE – No patient co-payment payable

Tab 100 mg	48.01	56	✓	Myambutol
Tab 400 mg	49.34	56	✓	Myambutol

ISONIAZID – Retail pharmacy-Specialist

No patient co-payment payable

* Tab 100 mg	20.00	100	✓	PSM
* Tab 100 mg with rifampicin 150 mg	90.04	100	✓	Rifinah
* Tab 150 mg with rifampicin 300 mg	179.57	100	✓	Rifinah

PYRAZINAMIDE – Retail pharmacy-Specialist

No patient co-payment payable

* Tab 500 mg – For pyrazinamide oral liquid formulation refer, page 175	59.00	100	✓	AFT-Pyrazinamide
---	-------	-----	---	------------------

RIFABUTIN – Retail pharmacy-Specialist

No patient co-payment payable

* Cap 150 mg – For rifabutin oral liquid formulation refer, page 175	213.19	30	✓	Mycobutin
--	--------	----	---	-----------

RIFAMPICIN – Retail pharmacy-Specialist

No patient co-payment payable

* Tab 600 mg	114.40	30	✓	Rifadin
* Cap 150 mg	58.66	100	✓	Rifadin
* Cap 300 mg	122.36	100	✓	Rifadin
* Oral liq 100 mg per 5 ml	12.66	60 ml	✓	Rifadin

Antivirals

Hepatitis B Treatment

ADEFOVIR DIPIVOXIL – Special Authority see SA0829 below – Retail pharmacy

Tab 10 mg	670.00	30	✓	Hepsera
-----------------	--------	----	---	---------

▶SA0829 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT ($> 1 \times$ ULN); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Either:

5.1 Both:

- 5.1.1 Patient is cirrhotic; and

continued...

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
--	---	----------------------------	-------------------------------------

continued...

- 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or
- 5.2 Both:
 - 5.2.1 Patient is not cirrhotic; and
 - 5.2.2 adefovir dipivoxil to be used as monotherapy.

Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as:

- i) raised serum ALT ($> 1 \times$ ULN); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- iii) Detection of N236T or A181T/V mutation.

Adefovir dipivoxil should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines.

Adefovir dipivoxil should be avoided in pregnant women and children.

ENTECAVIR – Special Authority see SA0977 below – Retail pharmacy

Tab 0.5 mg	400.00	30	✓ Baraclude
------------------	--------	----	-------------

SA0977 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naïve; and
- 3 Entecavir dose 0.5 mg/day; and
- 4 Either:
 - 4.1 ALT greater than upper limit of normal; or
 - 4.2 Bridging fibrosis or cirrhosis (Metavir stage 3 or greater) on liver histology; and
- 5 Either:
 - 5.1 HBeAg positive; or
 - 5.2 patient has $\geq 2,000$ IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV, HIV or HDV; and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE – Special Authority see SA0832 on the next page – Retail pharmacy

Tab 100 mg	143.00	28	✓ Zeffix
Oral liq 5 mg per ml	90.00	240 ml	✓ Zeffix

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

SA0832 Special Authority for Subsidy

Initial application only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 All of the following:
 - 1.1.1 HBsAg positive for more than 6 months; and
 - 1.1.2 HBeAg positive or HBV DNA positive defined as > 100,000 copies per ml by quantitative PCR at a reference laboratory; and
 - 1.1.3 ALT greater than twice upper limit of normal or bridging fibrosis or cirrhosis (Metavir stage 3 or 4 or equivalent) on liver histology clinical/radiological evidence of cirrhosis; or
 - 1.2 HBV DNA positive cirrhosis prior to liver transplantation; or
 - 1.3 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
 - 1.4 Hepatitis B surface antigen positive (HbsAg) patient who is receiving chemotherapy for a malignancy, or who has received such treatment within the previous two months; and
- 2 All of the following:
 - 2.1 No continuing alcohol abuse or intravenous drug use; and
 - 2.2 Not coinfectd with HCV or HDV; and
 - 2.3 Neither ALT nor AST greater than 10 times upper limit of normal; and
 - 2.4 No history of hypersensitivity to lamivudine; and
 - 2.5 No previous lamivudine therapy with genotypically proven lamivudine resistance.

Renewal only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

Renewal for patients who have maintained continuous treatment and response to lamivudine

- 1 All of the following:
 - 1.1 Have maintained continuous treatment with lamivudine; and
 - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
 - 1.3 HBV DNA <100,00 copies per ml by quantitative PCR at a reference laboratory; or

Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine

- 2 All of the following:
 - 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and
 - 2.2 Patient is cirrhotic; and
Documented resistance to lamivudine, defined as:
 - 2.3 Patient has raised serum ALT (> 1 × ULN); and
 - 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
 - 2.5 Detection of M204I or M204V mutation; or

Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

- 3 All of the following:
 - 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and
Documented resistance to adefovir, defined as:
 - 3.2 Patient has raised serum ALT (> 1 × ULN); and
 - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
 - 3.4 Detection of N236T or A181T/V mutation.

Herpesvirus Treatments

ACICLOVIR

* Tab dispersible 200 mg	1.98	25	✓ Lovir
* Tab dispersible 400 mg	6.64	56	✓ Lovir
* Tab dispersible 800 mg	7.38	35	✓ Lovir

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
VALACICLOVIR – Special Authority see SA0957 below – Retail pharmacy				
Tab 500 mg	102.72	30	✓	Valtrex

►SA0957 Special Authority for Subsidy

Initial application — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the patient has genital herpes with 2 or more breakthrough episodes in any 6 month period while treated with aciclovir 400 mg twice daily.

Renewal — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (ophthalmic zoster) from any medical practitioner. Approvals valid without further renewal unless notified where the patient has previous history of ophthalmic zoster and the patient is at risk of vision impairment.

Initial application — (CMV prophylaxis) from any medical practitioner. Approvals valid for 3 months where the patient has undergone organ transplantation.

Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE – Subsidy by endorsement; can be waived by Special Authority see SA1047 below

Endorsement for treatment of HIV/AIDS: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA1025 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note: Tenofovir disoproxil fumarate prescribed under endorsement for the treatment of HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1025, page 90

Tab 300 mg	531.00	30	✓	Viread
------------------	--------	----	---	--------

►SA1047 Special Authority for Waiver of Rule

Initial application — (Confirmed Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased \geq 10 fold over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance - detection of M204I/V mutation; or
 - 1.4.2 Adefovir resistance - detection of A181T/V or N236T mutation; or
 - 1.4.3 Entecavir resistance - detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Initial application — (Pregnant) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 4 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 Either:
 - 2.1 HBV DNA > 20,000 IU/mL and ALT > ULN; or
 - 2.2 HBV DNA > 100 million IU/mL and ALT normal.

Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

INFECTIONS - AGENTS FOR SYSTEMIC USE

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

1.3 HBV DNA greater than 20,000 IU/mL or increased \geq 10 fold over nadir; and

1.4 Any of the following:

1.4.1 Lamivudine resistance - detection of M204I/V mutation; or

1.4.2 Adefovir resistance - detection of A181T/V or N236T mutation; or

1.4.3 Entecavir resistance - detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or

2 Patient is either listed or has undergone liver transplantation for HBV.

Renewal — (Subsequent Pregnancy) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 4 months for applications meeting the following criteria:

Both:

1 Patient is HBsAg positive and pregnant; and

2 Either:

2.1 HBV DNA > 20,000 IU/mL and ALT > ULN; or

2.2 HBV DNA > 100 million IU/mL and ALT normal.

Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg negative prior to commencing this agent.
- The recommended dose of Tenofovir disoproxil fumarate for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

Antiretrovirals

▶SA1025 Special Authority for Subsidy

Initial application — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 Confirmed HIV infection; and

2 Any of the following:

2.1 Symptomatic patient; or

2.2 Patient aged 12 months and under; or

2.3 Both:

2.3.1 Patient aged 1 to 5 years; and

2.3.2 Any of the following:

2.3.2.1 CD4 counts < 1000 cells/mm³; or

2.3.2.2 CD4 counts < 0.25 × total lymphocyte count; or

2.3.2.3 Viral load counts > 100000 copies per ml; or

2.4 Both:

2.4.1 Patient aged 6 years and over; and

2.4.2 CD4 counts < 350 cells/mm³.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
		✓

continued...

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Prevention of maternal foetal transmission; or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named specialist.

Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Either:

- 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
- 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Either:

- 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
- 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ – Special Authority see SA1025 on the preceding page – Retail pharmacy

Tab 50 mg	158.33	30	✓ Stocrin ^{S29}
Tab 200 mg	474.99	90	✓ Stocrin
Tab 600 mg	474.99	30	✓ Stocrin

ETRAVIRINE – Special Authority see SA1025 on the preceding page – Retail pharmacy

Tab 100 mg	770.00	120	✓ Intence
------------------	--------	-----	-----------

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

INFECTIONS - AGENTS FOR SYSTEMIC USE

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
NEVIRAPINE – Special Authority see SA1025 on page 90 – Retail pharmacy				
Tab 200 mg	319.80	60	✓	Viramune
Oral suspension 10 mg per ml	134.55	240 ml	✓	Viramune Suspension

Nucleosides Reverse Transcriptase Inhibitors

ABACAVIR SULPHATE – Special Authority see SA1025 on page 90 – Retail pharmacy				
Tab 300 mg	229.00	60	✓	Ziagen
Oral liq 20 mg per ml	50.00	240 ml OP	✓	Ziagen
ABACAVIR SULPHATE WITH LAMIVUDINE – Special Authority see SA1025 on page 90 – Retail pharmacy				
Note: Kivexa counts as two anti-retroviral medications for the purposes of the anti-retroviral Special Authority.				
Tab 600 mg with lamivudine 300 mg	630.00	30	✓	Kivexa
DIDANOSINE [DDI] – Special Authority see SA1025 on page 90 – Retail pharmacy				
Cap 125 mg	115.05	30	✓	Videx EC
Cap 200 mg	184.08	30	✓	Videx EC
Cap 250 mg	230.10	30	✓	Videx EC
Cap 400 mg	368.16	30	✓	Videx EC
EMTRICITABINE – Special Authority see SA1025 on page 90 – Retail pharmacy				
Cap 200 mg	307.20	30	✓	Emtriva
LAMIVUDINE – Special Authority see SA1025 on page 90 – Retail pharmacy				
Tab 150 mg	153.60	60	✓	3TC
Oral liq 10 mg per ml	50.00	240 ml OP	✓	3TC
STAVUDINE [D4T] – Special Authority see SA1025 on page 90 – Retail pharmacy				
Cap 30 mg	377.80	60	✓	Zerit
Cap 40 mg	503.80	60	✓	Zerit
ZIDOVUDINE [AZT] – Special Authority see SA1025 on page 90 – Retail pharmacy				
Cap 100 mg	145.00	100	✓	Retrovir
Oral liq 10 mg per ml	29.00	200 ml OP	✓	Retrovir
ZIDOVUDINE [AZT] WITH LAMIVUDINE – Special Authority see SA1025 on page 90 – Retail pharmacy				
Combivir counts as two anti-retroviral medications for the purposes of the anti-retroviral Special Authority.				
Tab 300 mg with lamivudine 150 mg	667.20	60	✓	Combivir

Protease Inhibitors

ATAZANAVIR SULPHATE – Special Authority see SA1025 on page 90 – Retail pharmacy				
Cap 150 mg	568.34	60	✓	Reyataz
Cap 200 mg	757.79	60	✓	Reyataz
DARUNAVIR – Special Authority see SA1025 on page 90 – Retail pharmacy				
Tab 400 mg	837.50	60	✓	Prezista
Tab 600 mg	1,190.00	60	✓	Prezista
INDINAVIR – Special Authority see SA1025 on page 90 – Retail pharmacy				
Cap 200 mg	519.75	360	✓	Crixivan
Cap 400 mg	519.75	180	✓	Crixivan
LOPINAVIR WITH RITONAVIR – Special Authority see SA1025 on page 90 – Retail pharmacy				
Tab 100 mg with ritonavir 25 mg	183.75	60	✓	Kaletra
Tab 200 mg with ritonavir 50 mg	735.00	120	✓	Kaletra
Oral liq 80 mg with ritonavir 20 mg per ml	735.00	300 ml OP	✓	Kaletra

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
RITONAVIR – Special Authority see SA1025 on page 90 – Retail pharmacy				
Tab 100 mg	43.31	30	✓	Norvir
Oral liq 80 mg per ml	103.98	90 ml OP	✓	Norvir

Strand Transfer Inhibitors

RALTEGRAVIR POTASSIUM – Special Authority see SA1025 on page 90 – Retail pharmacy				
Tab 400 mg	1,090.00	60	✓	Isentress

Antiretrovirals - Additional Therapies

HIV Fusion Inhibitors

ENFUVRTIDE – Special Authority see SA0845 below – Retail pharmacy				
Powder for inj 90 mg per ml × 60	2,380.00	1	✓	Fuzeon

SA0845 Special Authority for Subsidy

Initial application only from a named specialist. Approvals valid for 3 months for applications meeting the following criteria:
All of the following:

- 1 Confirmed HIV infection; and
- 2 Enfuvirtide to be given in combination with optimized background therapy (including at least 1 other antiretroviral drug that the patient has never previously been exposed to) for treatment failure; and
- 3 Either:
 - 3.1 Patient has evidence of HIV replication, despite ongoing therapy; or
 - 3.2 Patient has treatment-limiting toxicity to previous antiretroviral agents; and
- 4 Previous treatment with 3 different antiretroviral regimens has failed; and
- 5 All of the following:
 - 5.1 Previous treatment with a non-nucleoside reverse transcriptase inhibitor has failed; and
 - 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed; and
 - 5.3 Previous treatment with a protease inhibitor has failed.

Renewal only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:
Both:

- 1 Evidence of at least a 10 fold reduction in viral load at 12; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Immune Modulators

Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects. Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

Criteria for Treatment

- 1) Diagnosis
 - Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
 - PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
 - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.
- 2) Establishing Active Chronic Liver Disease
 - Confirmed HCV infection and serum ALT/AST levels measured on at least three occasions over six months averaging > 1.5 × upper limit of normal. (ALT is the preferable enzyme); or

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

INFECTIONS - AGENTS FOR SYSTEMIC USE

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

- Liver biopsy showing significant inflammatory activity (active hepatitis) with or without cirrhosis. This is not a necessary requirement for those patients with coagulopathy. (Some patients have active disease on histology with normal transaminase enzymes).

Exclusion Criteria

- 1) Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- 2) Pregnancy.
- 3) Neutropenia ($<2.0 \times 10^9$) and/or thrombocytopenia.
- 4) Continuing alcohol abuse and/or continuing intravenous drug users.

Dosage

The current recommended dosage is 3 million units of interferon alpha-2a or interferon alpha-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

INTERFERON ALPHA-2A – PCT – Retail pharmacy-Specialist

See prescribing guideline on the preceding page

Inj 3 m iu prefilled syringe	31.32	1	✓ Roferon-A
Inj 6 m iu prefilled syringe	62.64	1	✓ Roferon-A
Inj 9 m iu prefilled syringe	93.96	1	✓ Roferon-A

INTERFERON ALPHA-2B – PCT – Retail pharmacy-Specialist

See prescribing guideline on the preceding page

Inj 18 m iu, 1.2 ml multidose pen	187.92	1	✓ Intron-A
Inj 30 m iu, 1.2 ml multidose pen	313.20	1	✓ Intron-A
Inj 60 m iu, 1.2 ml multidose pen	626.40	1	✓ Intron-A

PEGYLATED INTERFERON ALPHA-2A – Special Authority see SA1134 on the next page – Retail pharmacy

See prescribing guideline on the preceding page

Inj 135 µg prefilled syringe	362.00	1	✓ <u>Pegasys</u>
	1,448.00	4	✓ <u>Pegasys</u>
Inj 180 µg prefilled syringe	450.00	1	✓ <u>Pegasys</u>
	1,800.00	4	✓ <u>Pegasys</u>
Inj 135 µg prefilled syringe × 4 with ribavirin tab 200 mg × 112	1,799.68	1 OP	✓ <u>Pegasys RBV Combination Pack</u>
Inj 135 µg prefilled syringe × 4 with ribavirin tab 200 mg × 168	1,975.00	1 OP	✓ <u>Pegasys RBV Combination Pack</u>
Inj 180 µg prefilled syringe × 4 with ribavirin tab 200 mg × 112	2,059.84	1 OP	✓ <u>Pegasys RBV Combination Pack</u>
Inj 180 µg prefilled syringe × 4 with ribavirin tab 200 mg × 168	2,190.00	1 OP	✓ <u>Pegasys RBV Combination Pack</u>

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	Per	✓

►SA1134 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV) from any specialist. Approvals valid for 18 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
 - 1.2 Patient has chronic hepatitis C and is co-infected with HIV; and
- 2 Maximum of 48 weeks therapy.

Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist.

Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
- 2 Maximum of 6 months therapy.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naïve; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log₁₀ IU/ml; and
- 5 Either:
 - 5.1 HBeAg positive; or
 - 5.2 serum HBV DNA ≥ 2,000 units/ml and significant fibrosis (≥ Metavir Stage F2); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon; and
- 11 Maximum of 48 weeks therapy.

Notes:

- Approved dose is 180 µg once weekly.
- The recommended dose of Pegylated Interferon-alpha 2a is 180 µg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alpha 2a dose should be reduced to 135 µg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alpha 2a is not approved for use in children.

Urinary Tract Infections

HEXAMINE HIPPURATE

* Tab 1 g	18.40	100	
	(38.10)		Hiprex

NITROFURANTOIN

* Tab 50 mg – For nitrofurantoin oral liquid formulation refer, page 175	22.20	100	✓ Nifuran
* Tab 100 mg	37.50	100	✓ Nifuran

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

INFECTIONS - AGENTS FOR SYSTEMIC USE

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
NORFLOXACIN Tab 400 mg – Maximum of 6 tab per prescription; can be waived by endorsement - Retail pharmacy - Specialist.....	15.45	100	✓	Arrow-Norfloracin

Vaccines

Influenza vaccine

INFLUENZA VACCINE – Hospital pharmacy [Xpharm]

A) is available 1 March until vaccine supplies are exhausted each year for patients who meet the following criteria, as set by the Ministry of Health:

- a) all people 65 years of age and over;
- b) people under 65 years of age with:
 - i) the following cardiovascular disease:
 - 1) ischaemic heart disease,
 - 2) congestive heart disease,
 - 3) rheumatic heart disease,
 - 4) congenital heart disease, or
 - 5) cerebo-vascular disease;
 - ii) the following chronic respiratory disease:
 - 1) asthma, if on a regular preventative therapy, or
 - 2) other chronic respiratory disease with impaired lung function;
 - iii) diabetes;
 - iv) chronic renal disease;
 - v) any cancer, excluding basal and squamous skin cancers if not invasive;
 - vi) the following other conditions:
 - a) autoimmune disease,
 - b) immune suppression,
 - c) HIV,
 - d) transplant recipients,
 - e) neuromuscular and CNS diseases,
 - f) haemoglobinopathies,
 - g) children on long term aspirin, or
 - h) pregnancy.
- c) people under 18 years of age living within the boundaries of the Canterbury District Health Board.

The following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease,
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor.
- D) Influenza Vaccine does not fall within the definition Community Pharmaceutical as it is not funded directly from the Pharmaceutical Budget. Pharmacists are unable to claim for the dispensing of influenza vaccine from the Funder.

Inj	90.00	10	✓ Fluarix ✓ Fluvax
-----------	-------	----	-------------------------------------

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Anticholinesterases				
NEOSTIGMINE				
Inj 2.5 mg per ml, 1 ml	140.00	50	✓	AstraZeneca
PYRIDOSTIGMINE BROMIDE				
▲ Tab 60 mg	38.90	100	✓	Mestinon
Non-steroidal Anti-inflammatory Drugs (NSAIDs)				
►SA1038 Special Authority for Manufacturers Price				
Note: Subsidy for patients with existing approvals prior to 1 September 2010. Approvals valid without further renewal unless notified. No new approvals will be granted from 1 September 2010.				
DICLOFENAC SODIUM				
* Tab EC 25 mg	1.63	50	✓	Diclofenac Sandoz
* Tab 50 mg dispersible – Additional subsidy by Special Authority see SA1038 above – Retail pharmacy	1.50 (8.00)	20		Voltaren D
* Tab EC 50 mg	2.13	50	✓	Diclofenac Sandoz
* Tab long-acting 75 mg	32.80	500	✓	Diclax SR
* Tab long-acting 100 mg	63.22	500	✓	Diclax SR
* Inj 25 mg per ml, 3 ml	12.00	5	✓	Voltaren
Up to 5 inj available on a PSO				
* Suppos 12.5 mg	1.85	10	✓	Voltaren
* Suppos 25 mg	2.22	10	✓	Voltaren
* Suppos 50 mg	3.84	10	✓	Voltaren
Up to 10 supp available on a PSO				
* Suppos 100 mg	6.36	10	✓	Voltaren
IBUPROFEN – Additional subsidy by Special Authority see SA1038 above – Retail pharmacy				
* Tab 200 mg	12.75	1,000	✓	Arrowcare
			✓	Ethics Ibuprofen
* Tab 400 mg	0.77 (4.56)	30		Brufen
* Tab 600 mg	1.15 (6.84)	30		Brufen
* Tab long-acting 800 mg	8.12	30	✓	Brufen SR
*‡ Oral liq 100 mg per 5 ml	2.69	200 ml	✓	Fenpaed
<i>(Ethics Ibuprofen Tab 200 mg to be delisted 1 May 2012)</i>				
KETOPROFEN				
* Cap long-acting 100 mg	21.56	100	✓	Oruvail SR
* Cap long-acting 200 mg	43.12	100	✓	Oruvail SR
MEFENAMIC ACID – Additional subsidy by Special Authority see SA1038 above – Retail pharmacy				
* Cap 250 mg	0.50 (5.60)	20		Ponstan
	1.25 (9.16)	50		Ponstan
NAPROXEN				
* Tab 250 mg	23.70	500	✓	Noflam 250
* Tab 500 mg	24.88	250	✓	Noflam 500
* Tab long-acting 750 mg	18.00	90	✓	Naprosyn SR 750
* Tab long-acting 1,000 mg	21.00	90	✓	Naprosyn SR 1000

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

MUSCULOSKELETAL SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
SULINDAC – Additional subsidy by Special Authority see SA1038 on the preceding page – Retail pharmacy				
* Tab 100 mg	2.66	50		
	(8.55)			Aclin
	5.32	100		
	(17.10)			Daclin
* Tab 200 mg	3.36	50		
	(15.10)			Aclin
	6.72	100		
	(30.20)			Daclin

(Daclin Tab 100 mg to be delisted 1 July 2012)

(Daclin Tab 200 mg to be delisted 1 July 2012)

TENOXCAM

* Tab 20 mg	23.75	100	✓	Tilcotil
* Inj 20 mg	9.95	1	✓	AFT

TIAPROFENIC ACID

* Tab 300 mg	19.26	60	✓	Surgam
--------------------	-------	----	---	--------

NSAIDs Other

INDOMETHACIN

* Suppos 100 mg	14.50	30	✓	Arthrexin
-----------------------	-------	----	---	-----------

MELOXICAM – Special Authority see SA1034 below – Retail pharmacy

Tab 7.5 mg	11.50	30	✓	Arrow-Meloxicam
------------------	-------	----	---	-----------------

▶SA1034 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The patient has moderate to severe haemophilia with less than or equal to 5% of normal circulating functional clotting factor; and
- 2 The patient has haemophilic arthropathy; and
- 3 Pain and inflammation associated with haemophilic arthropathy is inadequately controlled by alternative funded treatment options, or alternative funded treatment options are contraindicated.

Antirheumatoid Agents

AURANOFIN

Tab 3 mg	68.99	60	✓	Ridaura
----------------	-------	----	---	---------

LEFLUNOMIDE

Tab 10 mg	55.00	30	✓	AFT-Leflunomide
	79.27		✓	Arava
Tab 20 mg	76.00	30	✓	AFT-Leflunomide
	108.60		✓	Arava
Tab 100 mg	54.44	3	✓	Arava

PENICILLAMINE

Tab 125 mg	61.93	100	✓	D-Penamine
Tab 250 mg	98.98	100	✓	D-Penamine

SODIUM AUROTHIOMALATE

Inj 10 mg per 0.5 ml	76.87	10	✓	Myocrisin
Inj 20 mg per 0.5 ml	113.17	10	✓	Myocrisin
Inj 50 mg per 0.5 ml	217.23	10	✓	Myocrisin

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Tumour Necrosis Factor (TNF) Inhibitors				
ADALIMUMAB – Special Authority see SA1156 below – Retail pharmacy				
Inj 40 mg per 0.8 ml prefilled pen	1,799.92	2	✓	HumiraPen
Inj 40 mg per 0.8 ml prefilled syringe	1,799.92	2	✓	Humira

▶SA1156 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
 - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
 - 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of cyclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
 - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
 - 2.6 Either:
 - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
 - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.7 Either:
 - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe active Crohn's disease; and
- 2 Any of the following:
 - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
 - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
 - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
 - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis; or
- 2 All of the following:
 - 2.1 Either:
 - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
 - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
 - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
 - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
 - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis; or
- 2 All of the following:
 - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
 - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
 - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
 - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
 - 2.5 Either:

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
		✓

continued...

2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or

2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and

2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm

25-34 years - Male: 7.5 cm; Female: 5.5 cm

35-44 years - Male: 6.5 cm; Female: 4.5 cm

45-54 years - Male: 6.0 cm; Female: 5.0 cm

55-64 years - Male: 5.5 cm; Female: 4.0 cm

65-74 years - Male: 4.0 cm; Female: 4.0 cm

75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis; and

1.2 Either:

1.2.1 The patient has experienced intolerable side effects from etanercept; or

1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis; or

2 All of the following:

2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and

2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and

2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and

2.4 Either:

2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or

2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and

2.5 Any of the following:

2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or

2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or

2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Either:

1.1 Applicant is a rheumatologist; or

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Either:
 - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
 - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

Renewal — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist.

Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Either:
 - 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab; or
 - 2.1.2 CDAI score is 150 or less; or
 - 2.2 Both:
 - 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
 - 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
 - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2.2 Either:
 - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
		✓

continued...

2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value; and

3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks of adalimumab treatment, BASDAI has improved by 4 or more points from pre-adalimumab baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

ETANERCEPT – Special Authority see SA1157 below – Retail pharmacy

Inj 25 mg	949.96	4	✓ Enbrel
Inj 50 mg autoinjector	1,899.92	4	✓ Enbrel
Inj 50 mg prefilled syringe	1,899.92	4	✓ Enbrel

SA1157 Special Authority for Subsidy

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
- 3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
- 5 Both:
 - 5.1 Either:
 - 5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and

5.2 Physician's global assessment indicating severe disease.

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and

1.2 Either:

1.2.1 The patient has experienced intolerable side effects from adalimumab; or

1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis; or

2 All of the following:

2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and

2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and

2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and

2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and

2.5 Any of the following:

2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of cyclosporin; or

2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or

2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and

2.6 Either:

2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or

2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and

2.7 Either:

2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or

2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

1 Both:

1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plaque psoriasis; and

1.2 Either:

1.2.1 The patient has experienced intolerable side effects from adalimumab; or

1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis; or

2 All of the following:

2.1 Either:

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
		✓

continued...

- 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
- 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
- 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
- 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
- 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or
- 2 All of the following:
 - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
 - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
 - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
 - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
 - 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
 - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

- 18-24 years - Male: 7.0 cm; Female: 5.5 cm
- 25-34 years - Male: 7.5 cm; Female: 5.5 cm
- 35-44 years - Male: 6.5 cm; Female: 4.5 cm
- 45-54 years - Male: 6.0 cm; Female: 5.0 cm
- 55-64 years - Male: 5.5 cm; Female: 4.0 cm

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

MUSCULOSKELETAL SYSTEM

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

65-74 years - Male: 4.0 cm; Female: 4.0 cm

75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and

1.2 Either:

1.2.1 The patient has experienced intolerable side effects from adalimumab; or

1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or

2 All of the following:

2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and

2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and

2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and

2.4 Either:

2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or

2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and

2.5 Any of the following:

2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or

2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or

2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Either:

1.1 Applicant is a named specialist or rheumatologist; or

1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and

2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and

3 Either:

3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or

3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Either:

1.1 Applicant is a rheumatologist; or

1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
		✓

continued...

- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
 - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2.2 Either:
 - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Following 12 weeks of etanercept treatment, BASDAI has improved by 4 or more points from pre-treatment baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
 - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Drugs Affecting Bone Metabolism

Alendronate for Osteoporosis

SA1039 Special Authority for Subsidy

Initial application — (Underlying cause – Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) \geq 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score \leq -3.0 (see Note); or
- 5 A 10-year risk of hip fracture \geq 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause - Osteoporosis) or raloxifene.

Initial application — (Underlying cause – glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is receiving systemic glucocorticosteroid therapy (\geq 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
 - 2.1 The patient has documented BMD \geq 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause - glucocorticosteroid therapy) or raloxifene.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteroid therapy (\geq 5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) \geq 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or

continued...

Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic Manufacturer
\$	Per	✓

continued...

- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score \leq -3.0 (see Note); or
- 5 A 10-year risk of hip fracture \geq 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria) or raloxifene.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence used by National Institute for Health and Clinical Excellence (NICE) guidance indicates that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score \leq -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALENDRONATE SODIUM – Special Authority see SA1039 on the preceding page – Retail pharmacy

Tab 70 mg	22.90	4	✓ Fosamax
-----------------	-------	---	-----------

ALENDRONATE SODIUM WITH CHOLECALCIFEROL – Special Authority see SA1039 on the preceding page – Retail pharmacy

Tab 70 mg with cholecalciferol 5,600 iu	22.90	4	✓ Fosamax Plus
---	-------	---	----------------

Alendronate for Paget's Disease

SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
 - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

ALENDRONATE SODIUM – Special Authority see SA0949 above – Retail pharmacy

Tab 40 mg	133.00	30	✓ Fosamax
-----------------	--------	----	-----------

Other Treatments

CALCITONIN

* Inj 100 iu per ml, 1 ml	110.00	5	✓ Miacalcic
---------------------------------	--------	---	-------------

ETIDRONATE DISODIUM – See prescribing guideline on the next page

* Tab 200 mg	23.95	100	✓ Arrow-Etidronate
--------------------	-------	-----	--------------------

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

MUSCULOSKELETAL SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

Prescribing Guidelines

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose – 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

PAMIDRONATE DISODIUM

Inj 3 mg per ml, 5 ml	18.75	1	✓	Pamisol
Inj 3 mg per ml, 10 ml	37.50	1	✓	Pamisol
Inj 6 mg per ml, 10 ml	75.00	1	✓	Pamisol
Inj 9 mg per ml, 10 ml	112.50	1	✓	Pamisol

RALOXIFENE HYDROCHLORIDE – Special Authority see SA1138 below – Retail pharmacy

Tab 60 mg	53.76	28	✓	Evista
-----------------	-------	----	---	--------

►SA1138 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) \geq 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -2.5) (see Notes); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score \leq -3.0 (see Notes); or
- 5 A 10-year risk of hip fracture \geq 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Notes); or
- 6 Patient has had a prior Special Authority approval for zoledronic acid (Underlying cause - Osteoporosis) or alendronate (Underlying cause - Osteoporosis).

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence used by the UK National Institute for Health and Clinical Excellence (NICE) in developing its guidance indicates that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score \leq -2.5 and, therefore, do not require BMD measurement for raloxifene funding.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

TERIPARATIDE – Special Authority see SA1139 below – Retail pharmacy

Inj 250 μ g per ml, 2.4 ml	490.00	1	✓	Forteo
--------------------------------------	--------	---	---	--------

►SA1139 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 The patient has severe, established osteoporosis; and
- 2 The patient has a documented T-score less than or equal to -3.0 (see Notes); and
- 3 The patient has had two or more fractures due to minimal trauma; and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

4 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes).

Notes:

- a) The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable
- b) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with cholecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.
- c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
- d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

ZOLEDRONIC ACID – Special Authority see SA1187 below – Retail pharmacy
 Soln for infusion 5 mg in 100 ml600.00 100 ml ✓ Aclasta

SA1187 Special Authority for Subsidy

Initial application — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications; or
 - 2.5 Preparation for orthopaedic surgery; and
- 3 The patient will not be prescribed more than one infusion in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) \geq 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score \leq -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture \geq 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause - Osteoporosis) or raloxifene; and
- 2 The patient will not be prescribed more than one infusion in a 12-month period.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is receiving systemic glucocorticosteroid therapy (\geq 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

- 2 Any of the following:
 - 2.1 The patient has documented BMD \geq 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for alendronate (Underlying cause - glucocorticosteroid therapy) or raloxifene; and
- 3 The patient will not be prescribed more than one infusion in the 12-month approval period.

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
 - 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
 - 1.3 Symptomatic disease (prescriber determined); and
- 2 The patient will not be prescribed more than one infusion in the 12-month approval period.

The patient may not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is continuing systemic glucocorticosteroid therapy (\geq 5 mg per day prednisone equivalents); and
- 2 The patient will not be prescribed more than one infusion in the 12-month approval period.

The patient may not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) \geq 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score \leq -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture \geq 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria) or raloxifene; and
- 2 The patient will not be prescribed more than one infusion in a 12-month period.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence used by National Institute for Health and Clinical Excellence (NICE) guidance indicates that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score \leq -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces

continued...

Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic Manufacturer
\$	Per	✓

continued...

that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.

- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

Hyperuricaemia and Antigout

ALLOPURINOL

* Tab 100 mg	15.90	1,000	✓ Apo-Allopurinol
* Tab 300 mg – For allopurinol oral liquid formulation refer, page 175	16.75	500	✓ Apo-Allopurinol

COLCHICINE

* Tab 500 µg	9.60	100	✓ Colgout
--------------------	------	-----	------------------

PROBENECID

* Tab 500 mg	55.00	100	✓ Probenecid-AFT
--------------------	-------	-----	-------------------------

Muscle Relaxants

BACLOFEN

* Tab 10 mg – For baclofen oral liquid formulation refer, page 175	4.75	100	✓ Pacifen
---	------	-----	------------------

DANTROLENE SODIUM

* Cap 25 mg	32.96 (65.00)	100	Dantrium
* Cap 50 mg	51.70 (77.00)	100	Dantrium

ORPHENADRINE CITRATE

Tab 100 mg	18.54	100	✓ Norflex
------------------	-------	-----	------------------

QUININE SULPHATE

* Tab 200 mg	15.95 (17.20)	250	Q 200
--------------------	------------------	-----	-------

‡ Safety cap for extemporaneously compounded oral liquid preparations.

* Tab 300 mg	54.06	500	✓ Q 300
--------------------	-------	-----	----------------

‡ Safety cap for extemporaneously compounded oral liquid preparations.

(Q 200 Tab 200 mg to be delisted 1 June 2012)

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Agents for Parkinsonism and Related Disorders				
Dopamine Agonists and Related Agents				
AMANTADINE HYDROCHLORIDE				
▲ Cap 100 mg	38.24	60	✓	<u>Symmetrel</u>
APOMORPHINE HYDROCHLORIDE				
▲ Inj 10 mg per ml, 2 ml	110.00	5	✓	<u>Apomine</u>
BROMOCRIPTINE MESYLATE				
* Tab 2.5 mg	32.08	100	✓	<u>Apo-Bromocriptine</u>
* Cap 5 mg	60.43	100	✓	<u>Apo-Bromocriptine</u>
ENTACAPONE				
▲ Tab 200 mg	116.00	100	✓	<u>Comtan</u>
LEVODOPA WITH BENSERAZIDE				
* Tab dispersible 50 mg with benserazide 12.5 mg	10.00	100	✓	<u>Madopar Dispersible</u>
* Cap 50 mg with benserazide 12.5 mg	8.00	100	✓	<u>Madopar 62.5</u>
* Cap 100 mg with benserazide 25 mg	12.50	100	✓	<u>Madopar 125</u>
* Cap long-acting 100 mg with benserazide 25 mg	17.00	100	✓	<u>Madopar HBS</u>
* Cap 200 mg with benserazide 50 mg	25.00	100	✓	<u>Madopar 250</u>
LEVODOPA WITH CARBIDOPA				
* Tab 100 mg with carbidopa 25 mg – For levodopa with car- bidopa oral liquid formulation refer, page 175	10.00	50	✓	<u>Sindopa</u>
	20.00	100	✓	<u>Sinemet</u>
* Tab long-acting 200 mg with carbidopa 50 mg	47.50	100	✓	<u>Sinemet CR</u>
* Tab 250 mg with carbidopa 25 mg	40.00	100	✓	<u>Sinemet</u>
LISURIDE HYDROGEN MALEATE				
▲ Tab 200 µg	27.50	30	✓	<u>Dopergin</u>
PERGOLIDE				
▲ Tab 0.25 mg	48.00	100	✓	<u>Permax</u>
▲ Tab 1 mg	170.00	100	✓	<u>Permax</u>
PRAMIPEXOLE HCL				
▲ Tab 0.125 mg	1.95	30	✓	<u>Dr Reddy's Pramipexole</u>
▲ Tab 0.25 mg	2.40	30	✓	<u>Dr Reddy's Pramipexole</u>
▲ Tab 0.5 mg	4.20	30	✓	<u>Dr Reddy's Pramipexole</u>
ROPINIROLE HYDROCHLORIDE				
▲ Tab 0.25 mg	6.20	84	✓	<u>Ropin</u>
▲ Tab 1 mg	15.95	84	✓	<u>Ropin</u>
▲ Tab 2 mg	24.95	84	✓	<u>Ropin</u>
▲ Tab 5 mg	38.00	84	✓	<u>Ropin</u>
SELEGILINE HYDROCHLORIDE				
* Tab 5 mg	16.06	100	✓	<u>Apo-Selegiline</u>
TOLCAPONE				
▲ Tab 100 mg	126.20	100	✓	<u>Tasmar</u>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Anticholinergics				
BENZTROPINE MESYLATE				
Tab 2 mg	7.99	60	✓	Benztrop
Inj 1 mg per ml, 2 ml	95.00	5	✓	Cogentin
a) Up to 5 inj available on a PSO				
b) Only on a PSO				
ORPHENADRINE HYDROCHLORIDE				
Tab 50 mg	35.15	250	✓	Disipal
PROCYCLIDINE HYDROCHLORIDE				
Tab 5 mg	7.40	100	✓	Kemadrin

Agents for Essential Tremor, Chorea and Related Disorders

TETRABENAZINE				
Tab 25 mg	178.00	112	✓	Motetis
			✓	Xenazine 25

Anaesthetics

Local

LIGNOCAINE				
Gel 2%, 10 ml urethral syringe – Subsidy by endorsement.....	43.26	10	✓	Pfizer
a) Up to 5 each available on a PSO				
b) Subsidised only if prescribed for urethral or cervical administration and the prescription is endorsed accordingly.				
LIGNOCAINE HYDROCHLORIDE				
Viscous soln 2%	55.00	200 ml	✓	Xylocaine Viscous
Inj 1%, 5 ml – Up to 5 inj available on a PSO	35.00	50	✓	Xylocaine
Inj 2%, 5 ml – Up to 5 inj available on a PSO	23.00	50	✓	Xylocaine
Inj 1%, 20 ml – Up to 5 inj available on a PSO	20.00	5	✓	Xylocaine
Inj 2%, 20 ml – Up to 5 inj available on a PSO	15.00	5	✓	Xylocaine
LIGNOCAINE WITH CHLORHEXIDINE				
Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes –				
Subsidy by endorsement.....	43.26	10	✓	Pfizer
a) Up to 5 each available on a PSO				
b) Subsidised only if prescribed for urethral or cervical administration and the prescription is endorsed accordingly.				
LIGNOCAINE WITH PRILOCAINE – Special Authority see SA0906 below – Retail pharmacy				
Crm 2.5% with prilocaïne 2.5%	45.00	30 g OP	✓	EMLA
Crm 2.5% with prilocaïne 2.5% (5 g tubes)	45.00	5	✓	EMLA

SA0906 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Analgesics				
Non-opioid Analgesics				
ASPIRIN				
* Tab EC 300 mg	2.00	100		
	(8.10)			Aspec 300
* Tab dispersible 300 mg – Up to 30 tab available on a PSO	2.00	100	✓	<u>Ethics Aspirin</u>
NEFOPAM HYDROCHLORIDE				
Tab 30 mg	23.40	90	✓	<u>Acupan</u>
PARACETAMOL				
* Tab 500 mg – Up to 30 tab available on a PSO	9.38	1,000	✓	<u>Parafast</u>
*‡ Oral liq 120 mg per 5 ml	2.21	500 ml	✓	<u>Ethics Paracetamol</u>
a) Up to 200 ml available on a PSO				
b) Not in combination				
*‡ Oral liq 250 mg per 5 ml	6.70	1,000 ml	✓	<u>Paracare Double Strength</u>
a) Up to 100 ml available on a PSO				
b) Not in combination				
* Suppos 125 mg	7.49	20	✓	<u>Panadol</u>
* Suppos 250 mg	14.40	20	✓	<u>Panadol</u>
* Suppos 500 mg	20.50	50	✓	<u>Paracare</u>
TRAMADOL HYDROCHLORIDE				
Cap 50 mg	4.95	100	✓	<u>Arrow-Tramadol</u>
Opioid Analgesics				
CODEINE PHOSPHATE				
Tab 15 mg	5.39	100	✓	<u>PSM</u>
Tab 30 mg	8.25	100	✓	<u>PSM</u>
Tab 60 mg	17.76	100	✓	<u>PSM</u>
DIHYDROCODEINE TARTRATE				
Tab long-acting 60 mg	27.27	60	✓	<u>DHC Continus</u>
FENTANYL				
a) Only on a controlled drug form				
b) No patient co-payment payable				
Transdermal patch 12.5 µg per hour	8.90	5	✓	<u>Mylan Fentanyl Patch</u>
Transdermal patch 25 µg per hour	9.15	5	✓	<u>Mylan Fentanyl Patch</u>
Transdermal patch 50 µg per hour	11.50	5	✓	<u>Mylan Fentanyl Patch</u>
Transdermal patch 75 µg per hour	13.60	5	✓	<u>Mylan Fentanyl Patch</u>
Transdermal patch 100 µg per hour	14.50	5	✓	<u>Mylan Fentanyl Patch</u>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
FENTANYL CITRATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
Inj 50 µg per ml, 2 ml	6.43	10	✓	Boucher and Muir
Inj 50 µg per ml, 10 ml	16.81	10	✓	Boucher and Muir
METHADONE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets).				
Tab 5 mg	1.85	10	✓	Methatabs
‡ Oral liq 2 mg per ml	5.95	200 ml	✓	Biodone
‡ Oral liq 5 mg per ml	5.55	200 ml	✓	Biodone Forte
‡ Oral liq 10 mg per ml	8.95	200 ml	✓	Biodone Extra Forte
Inj 10 mg per ml, 1 ml	61.00	10	✓	AFT
MORPHINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
‡ Oral liq 1 mg per ml	8.84	200 ml	✓	RA-Morph
‡ Oral liq 2 mg per ml	11.62	200 ml	✓	RA-Morph
‡ Oral liq 5 mg per ml	14.65	200 ml	✓	RA-Morph
‡ Oral liq 10 mg per ml	21.55	200 ml	✓	RA-Morph
MORPHINE SULPHATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
Tab immediate-release 10 mg	2.80	10	✓	Sevredol
Tab long-acting 10 mg	1.98	10	✓	Arrow-Morphine LA
Tab immediate-release 20 mg	5.52	10	✓	Sevredol
Tab long-acting 30 mg	3.15	10	✓	Arrow-Morphine LA
Tab long-acting 60 mg	7.20	10	✓	Arrow-Morphine LA
Tab long-acting 100 mg	7.85	10	✓	Arrow-Morphine LA
Cap long-acting 10 mg	2.22	10	✓	m-Eslon
Cap long-acting 30 mg	3.20	10	✓	m-Eslon
Cap long-acting 60 mg	6.90	10	✓	m-Eslon
Cap long-acting 100 mg	8.05	10	✓	m-Eslon
Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO	5.51	5	✓	DBL Morphine Sulphate
Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO	4.79	5	✓	DBL Morphine Sulphate
Inj 15 mg per ml, 1 ml – Up to 5 inj available on a PSO	5.01	5	✓	DBL Morphine Sulphate
Inj 30 mg per ml, 1 ml – Up to 5 inj available on a PSO	5.30	5	✓	DBL Morphine Sulphate
MORPHINE TARTRATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
Inj 80 mg per ml, 1.5 ml	30.00	5	✓	Hospira
Inj 80 mg per ml, 5 ml	75.00	5	✓	Hospira

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

NERVOUS SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
OXYCODONE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) See prescribing guideline below				
c) No patient co-payment payable				
Tab controlled-release 5 mg	7.51	20	✓	OxyContin
Tab controlled-release 10 mg	11.14	20	✓	OxyContin
Tab controlled-release 20 mg	18.93	20	✓	OxyContin
Tab controlled-release 40 mg	33.29	20	✓	OxyContin
Tab controlled-release 80 mg	58.03	20	✓	OxyContin
Cap 5 mg	2.83	20	✓	OxyNorm
Cap 10 mg	5.58	20	✓	OxyNorm
Cap 20 mg	9.77	20	✓	OxyNorm
‡ Oral liq 5 mg per 5 ml	11.20	250 ml	✓	OxyNorm
Inj 10 mg per ml, 1 ml	14.40	5	✓	OxyNorm
Inj 10 mg per ml, 2 ml	28.80	5	✓	OxyNorm

Prescribing Guideline

Prescribers should note that oxycodone is significantly more expensive than long-acting morphine sulphate and clinical advice suggests that it is reasonable to consider this as a second-line agent to be used after morphine.

PARACETAMOL WITH CODEINE

* Tab paracetamol 500 mg with codeine phosphate 8 mg	2.70	100	✓	<u>Paracetamol + Codeine (Relieve)</u>
--	------	-----	---	--

PETHIDINE HYDROCHLORIDE

a) Only on a controlled drug form

b) No patient co-payment payable

Tab 50 mg	3.20	10	✓	PSM
Tab 100 mg	4.20	10	✓	PSM
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	5.51	5	✓	<u>DBL Pethidine Hydrochloride</u>
Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO	5.83	5	✓	<u>DBL Pethidine Hydrochloride</u>

Antidepressants

Cyclic and Related Agents

AMITRIPTYLINE

Tab 10 mg	2.77	50	✓	Amirol
Tab 25 mg	1.85	100	✓	<u>Amitrip</u>
Tab 50 mg	3.60	100	✓	<u>Amitrip</u>

CLOMIPRAMINE HYDROCHLORIDE

Tab 10 mg	12.60	100	✓	Apo-Clomipramine
Tab 25 mg	8.68	100	✓	Apo-Clomipramine

DOTHIEPIN HYDROCHLORIDE

Tab 75 mg	10.50	100	✓	Dopress
Cap 25 mg	6.17	100	✓	Dopress

DOXEPIIN HYDROCHLORIDE

Cap 10 mg	6.30	100	✓	Anten
Cap 25 mg	6.86	100	✓	Anten
Cap 50 mg	8.55	100	✓	Anten

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
IMIPRAMINE HYDROCHLORIDE				
Tab 10 mg	5.48	50	✓	Tofranil
Tab 25 mg	8.80	50	✓	Tofranil
MAPROTILINE HYDROCHLORIDE				
Tab 25 mg	25.06	100	✓	Ludiomil
Tab 75 mg	21.01	30	✓	Ludiomil
MIANSERIN HYDROCHLORIDE – Special Authority see SA1048 below – Retail pharmacy				
Tab 30 mg	24.86	30	✓	Tolvon

▶SA1048 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Depression; and
 - 1.2 Either:
 - 1.2.1 Co-existent bladder neck obstruction; or
 - 1.2.2 Cardiovascular disease; or
- 2 Both:
 - 2.1 The patient has a severe major depressive episode; and
 - 2.2 Either:
 - 2.2.1 The patient must have had a trial of two different antidepressants and was unable to tolerate the treatments or failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or
 - 2.2.2 Both:
 - 2.2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
 - 2.2.2.2 The patient must have had a trial of one other antidepressant and either could not tolerate it or failed to respond to an adequate dose over an adequate period of time.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

NORTRIPTYLINE HYDROCHLORIDE				
Tab 10 mg	6.69	100	✓	Norpress
Tab 25 mg	14.77	180	✓	Norpress

Monoamine-Oxidase Inhibitors (MAOIs) - Non Selective

PHENELZINE SULPHATE				
Tab 15 mg	95.00	100	✓	Nardil
TRANLYCYPROMINE SULPHATE				
Tab 10 mg	22.94	50	✓	Parnate

Monoamine-Oxidase Type A Inhibitors

MOCLOBEMIDE

Note: There is a significant cost differential between moclobemide and fluoxetine (moclobemide being about three times more expensive). For depressive syndromes it is therefore more cost-effective to start treatment with fluoxetine first before considering prescribing moclobemide.

Tab 150 mg	69.23	500	✓	Apo-Moclobemide
Tab 300 mg	31.33	100	✓	Apo-Moclobemide

Selective Serotonin Reuptake Inhibitors

CITALOPRAM HYDROBROMIDE				
* Tab 20 mg	2.34	84	✓	Arrow-Citalopram

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

NERVOUS SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
ESCITALOPRAM				
Tab 10 mg	2.65	28	✓	<u>Loxalate</u>
Tab 20 mg	4.20	28	✓	<u>Loxalate</u>
FLUOXETINE HYDROCHLORIDE				
* Tab dispersible 20 mg, scored – Subsidy by endorsement	2.50	30	✓	<u>Fluox</u>
Subsidised by endorsement				
1) When prescribed for a patient who cannot swallow whole tablets or capsules and the prescription is endorsed accordingly; or				
2) When prescribed in a daily dose that is not a multiple of 20 mg in which case the prescription is deemed to be endorsed. Note: Tablets should be combined with capsules to facilitate incremental 10 mg doses.				
* Cap 20 mg	2.70	84	✓	<u>Fluox</u>
PAROXETINE HYDROCHLORIDE				
Tab 20 mg	2.38	30	✓	<u>Loxamine</u>
SERTRALINE				
Tab 50 mg	5.40	90	✓	<u>Arrow-Sertraline</u>
Tab 100 mg	9.60	90	✓	<u>Arrow-Sertraline</u>

Other Antidepressants

MIRTAZAPINE – Special Authority see SA0994 below – Retail pharmacy

Tab 30 mg	22.00	30	✓	<u>Avanza</u>
Tab 45 mg	35.00	30	✓	<u>Avanza</u>

►SA0994 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 The patient has a severe major depressive episode; and
- 2 Either:

- 2.1 The patient must have had a trial of two different antidepressants and was unable to tolerate the treatments or failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or

- 2.2 Both:

- 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and

- 2.2.2 The patient must have had a trial of one other antidepressant and either could not tolerate it or failed to respond to an adequate dose over an adequate period of time.

Renewal from any relevant practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

VENLAFAXINE – Special Authority see SA1061 on the next page – Retail pharmacy

Tab 37.5 mg	18.64	28	✓	<u>Arrow-Venlafaxine XR</u>
Tab 75 mg	37.27	28	✓	<u>Arrow-Venlafaxine XR</u>
Tab 150 mg	45.68	28	✓	<u>Arrow-Venlafaxine XR</u>
Cap 37.5 mg	18.64	28	✓	<u>Efexor XR</u>
Cap 75 mg	37.27	28	✓	<u>Efexor XR</u>
Cap 150 mg	45.68	28	✓	<u>Efexor XR</u>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

►SA1061 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 The patient has 'treatment-resistant' depression; and
- 2 Either:
 - 2.1 The patient must have had a trial of two different antidepressants and have had an inadequate response from an adequate dose over an adequate period of time (usually at least four weeks); or
 - 2.2 Both:
 - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
 - 2.2.2 The patient must have had a trial of one other antidepressant and have had an inadequate response from an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

Antiepilepsy Drugs

Agents for Control of Status Epilepticus

CLONAZEPAM				
Inj 1 mg per ml, 1 ml	19.00	5	✓	Rivotril
DIAZEPAM				
Inj 5 mg per ml, 2 ml – Subsidy by endorsement	9.24	5	✓	Mayne
a) Up to 5 inj available on a PSO				
b) Only on a PSO				
c) PSO must be endorsed "not for anaesthetic procedures".				
Rectal tubes 5 mg – Up to 5 tube available on a PSO	25.05	5	✓	Stesolid
Rectal tubes 10 mg – Up to 5 tube available on a PSO	30.50	5	✓	Stesolid
PARALDEHYDE				
* Inj 5 ml	1,500.00	5	✓	AFT
PHENYTOIN SODIUM				
* Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO	69.24	5	✓	Mayne
* Inj 50 mg per ml, 5 ml – Up to 5 inj available on a PSO	77.27	5	✓	Mayne

Control of Epilepsy

CARBAMAZEPINE				
* Tab 200 mg	14.53	100	✓	Tegretol
* Tab long-acting 200 mg	16.98	100	✓	Tegretol CR
* Tab 400 mg	34.58	100	✓	Tegretol
* Tab long-acting 400 mg	39.17	100	✓	Tegretol CR
*‡ Oral liq 100 mg per 5 ml	26.37	250 ml	✓	Tegretol
CLOBAZAM				
Tab 10 mg	9.12	50	✓	Frisium
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
CLONAZEPAM				
Tab 500 µg	6.68	100	✓	Paxam
Tab 2 mg	12.75	100	✓	Paxam
‡ Oral drops 2.5 mg per ml	7.38	10 ml OP	✓	Rivotril

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

NERVOUS SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
ETHOSUXIMIDE				
* Cap 250 mg	32.90	200	✓	Zarontin
*‡ Oral liq 250 mg per 5 ml	13.60	200 ml	✓	Zarontin
GABAPENTIN – Special Authority see SA1071 below – Retail pharmacy				
▲ Cap 100 mg	7.16	100	✓	Nupentin
▲ Cap 300 mg – For gabapentin oral liquid formulation refer, page 175	11.50	100	✓	Nupentin
▲ Cap 400 mg	14.75	100	✓	Nupentin
▶SA1071 Special Authority for Subsidy				
Initial application — (Epilepsy) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:				
Either:				
1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or				
2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.				
Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.				
Initial application — (Neuropathic pain) from any relevant practitioner. Approvals valid for 3 months where the patient has tried and failed, or has been unable to tolerate, treatment with a tricyclic antidepressant.				
Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.				
Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.				
Renewal — (Neuropathic pain) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:				
Either:				
1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or				
2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.				
GABAPENTIN (NEURONTIN) – Special Authority see SA0973 below – Retail pharmacy				
▲ Tab 600 mg	67.50	100	✓	Neurontin
▲ Cap 100 mg	13.26	100	✓	Neurontin
▲ Cap 300 mg – For gabapentin (neurontin) oral liquid formu- lation refer, page 175.....	39.76	100	✓	Neurontin
▲ Cap 400 mg	53.01	100	✓	Neurontin
▶SA0973 Special Authority for Subsidy				
Notes: Subsidy for patients pre-approved by PHARMAC on 1 August 2009. Approvals valid without further renewal unless notified. No new approvals will be granted from 1 August 2009.				
LACOSAMIDE – Special Authority see SA1125 on the next page – Retail pharmacy				
▲ Tab 50 mg	25.04	14	✓	Vimpat
▲ Tab 100 mg	50.06	14	✓	Vimpat
	200.24	56	✓	Vimpat
▲ Tab 150 mg	75.10	14	✓	Vimpat
	300.40	56	✓	Vimpat
▲ Tab 200 mg	400.55	56	✓	Vimpat

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

►SA1125 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:
Both:

- 1 Patient has partial-onset epilepsy; and
- 2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).

Note: "Optimal treatment" is defined as treatment which is indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight and other features affecting the pharmacokinetics of the drug with good evidence of compliance. Women of childbearing age are not required to have a trial of sodium valproate.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment (see Note).

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

LAMOTRIGINE

▲ Tab dispersible 2 mg	6.74	30	✓ Lamictal
▲ Tab dispersible 5 mg	9.64	30	✓ Lamictal
	15.00	56	✓ Arrow-Lamotrigine
▲ Tab dispersible 25 mg	19.38	56	✓ Logem
	20.40		✓ Arrow-Lamotrigine
	29.09		✓ Mogine
▲ Tab dispersible 50 mg	32.97	56	✓ Lamictal
	34.70		✓ Logem
	47.89		✓ Arrow-Lamotrigine
▲ Tab dispersible 100 mg	56.91	56	✓ Mogine
	59.90		✓ Lamictal
	79.16		✓ Logem
			✓ Arrow-Lamotrigine
			✓ Mogine
			✓ Lamictal

LEVETIRACETAM

Tab 250 mg	24.03	60	✓ Levetiracetam-Rex
Tab 500 mg – For levetiracetam oral liquid formulation refer, page 175	28.71	60	✓ Levetiracetam-Rex
Tab 750 mg	45.23	60	✓ Levetiracetam-Rex

PHENOBARBITONE

* Tab 15 mg	25.00	500	✓ PSM
* Tab 30 mg	26.00	500	✓ PSM

PHENYTOIN SODIUM

* Tab 50 mg	42.09	200	✓ Dilantin Infatab
* Cap 30 mg	19.13	200	✓ Dilantin
* Cap 100 mg	17.21	200	✓ Dilantin
*‡ Oral liq 30 mg per 5 ml	19.16	500 ml	✓ Dilantin

PRIMIDONE

* Tab 250 mg	17.25	100	✓ Apo-Primidone
--------------------	-------	-----	-----------------

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

NERVOUS SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
SODIUM VALPROATE				
* Tab 100 mg	13.65	100	✓	Epilim Crushable
* Tab 200 mg EC	27.44	100	✓	Epilim
* Tab 500 mg EC	52.24	100	✓	Epilim
*† Oral liq 200 mg per 5 ml	20.48	300 ml	✓	Epilim S/F Liquid
			✓	Epilim Syrup
			✓	Epilim IV
* Inj 100 mg per ml, 4 ml	41.50	1		
TOPIRAMATE				
▲ Tab 25 mg	11.07	60	✓	Arrow-Topiramate
	26.04		✓	Topamax
▲ Tab 50 mg	18.81	60	✓	Arrow-Topiramate
	44.26		✓	Topamax
▲ Tab 100 mg	31.99	60	✓	Arrow-Topiramate
	75.25		✓	Topamax
▲ Tab 200 mg	55.19	60	✓	Arrow-Topiramate
	129.85		✓	Topamax
▲ Sprinkle cap 15 mg	20.84	60	✓	Topamax
▲ Sprinkle cap 25 mg	26.04	60	✓	Topamax
VIGABATRIN – Special Authority see SA1072 below – Retail pharmacy				
▲ Tab 500 mg	119.30	100	✓	Sabril

▶SA1072 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Both:

1 Either:

1.1 Patient has infantile spasms; or

1.2 Both:

1.2.1 Patient has epilepsy; and

1.2.2 Either:

1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or

1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and

2 Either:

2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or

2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and

2 Either:

2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or

2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Antimigraine Preparations				
Acute Migraine Treatment				
ERGOTAMINE TARTRATE WITH CAFFEINE				
Tab 1 mg with caffeine 100 mg	31.00	100	✓	Cafergot
METOCLOPRAMIDE HYDROCHLORIDE WITH PARACETAMOL				
Tab 5 mg with paracetamol 500 mg	6.77	60	✓	Paramax
RIZATRIPTAN				
Tab orodispersible 10 mg	18.00	30	✓	Rizamelt
	25.32	3	✓	Maxalt Melt
SUMATRIPTAN				
Tab 50 mg	1.55	4	✓	Arrow-Sumatriptan
	38.83	100	✓	Arrow-Sumatriptan
Tab 100 mg	1.55	2	✓	Arrow-Sumatriptan
	77.66	100	✓	Arrow-Sumatriptan
Inj 12 mg per ml, 0.5 ml – Maximum of 10 inj per prescription	36.00	2 OP	✓	Arrow-Sumatriptan
Prophylaxis of Migraine				
CLONIDINE HYDROCHLORIDE				
* Tab 25 µg	19.25	100	✓	Dixarit
PIZOTIFEN				
* Tab 500 µg	21.10	100	✓	Sandomigran
Antinausea and Vertigo Agents				
APREPITANT – Special Authority see SA0987 below – Retail pharmacy				
Cap 2 × 80 mg and 1 × 125 mg	116.00	3 OP	✓	Emend Tri-Pack
SA0987 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.				
Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.				
BETAHISTINE DIHYDROCHLORIDE				
* Tab 16 mg	10.00	84	✓	Vergo 16
CYCLIZINE HYDROCHLORIDE				
Tab 50 mg	1.59	10	✓	Nausicalm
CYCLIZINE LACTATE				
Inj 50 mg per ml, 1 ml	14.95	5	✓	Nausicalm
DOMPERIDONE				
* Tab 10 mg – For domperidone oral liquid formulation refer, page 175	7.99	100	✓	Motilium
HYOSCINE (SCOPOLAMINE) – Special Authority see SA0939 on the next page – Retail pharmacy				
Patch 1.5 mg	11.95	2	✓	Scopoderm TTS

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

NERVOUS SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
►SA0939 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following: <ol style="list-style-type: none"> 1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease; and 2 Patient cannot tolerate or does not adequately respond to oral anti-nausea agents; and 3 The applicant must specify the underlying malignancy or chronic disease. 				
Renewal from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.				
HYOSCINE HYDROBROMIDE				
* Inj 400 µg per ml, 1 ml	6.66	5	✓	Mayne
METOCLOPRAMIDE HYDROCHLORIDE				
* Tab 10 mg	3.95	100	✓	<u>Metamide</u>
* Inj 5 mg per ml, 2 ml – Up to 5 inj available on a PSO	4.50	10	✓	<u>Pfizer</u>
ONDANSETRON				
Tab 4 mg	5.10	30	✓	<u>Dr Reddy's</u> <u>Ondansetron</u>
Tab disp 4 mg	1.70	10	✓	<u>Dr Reddy's</u> <u>Ondansetron</u>
Tab 8 mg	1.70	10	✓	<u>Dr Reddy's</u> <u>Ondansetron</u>
Tab disp 8 mg	2.00	10	✓	<u>Dr Reddy's</u> <u>Ondansetron</u>
PROCHLORPERAZINE				
* Tab 3 mg buccal	5.97 (15.00)	50		Buccastem
* Tab 5 mg – Up to 30 tab available on a PSO	16.85	500	✓	<u>Antinaus</u>
* Inj 12.5 mg per ml, 1 ml – Up to 5 inj available on a PSO	25.81	10	✓	<u>Stemetil</u>
* Suppos 25 mg	23.87	5	✓	<u>Stemetil</u>
PROMETHAZINE THEOCLATE				
* Tab 25 mg	1.20 (6.24)	10		Avomine
TROPISETRON				
a) Maximum of 6 cap per prescription				
b) Maximum of 3 cap per dispensing				
c) Not more than one prescription per month.				
Cap 5 mg	77.41	5	✓	<u>Navoban</u>

Subsidy (Manufacturer's Price) \$ Per Fully Subsidised ✓ Brand or Generic Manufacturer

Antipsychotics

Guidelines for the use of atypical antipsychotic agents

Diagnosis: Schizophrenia and related psychoses when positive symptoms (delusions, hallucinations and thought disorder) are prominent and/or disabling or when both positive symptoms and negative symptoms (flattened affect, emotional and social withdrawal and poverty of speech) are present. Treatment: Before initiating atypical antipsychotic therapy, physicians should consider whether the patient is likely to respond to and/or tolerate conventional antipsychotic therapy and, where appropriate, trial one or more conventional agent prior to use of an atypical agent.

General

AMISULPRIDE

Tab 100 mg	22.52	30	✓ Solian
Tab 200 mg	97.03	60	✓ Solian
Tab 400 mg	185.44	60	✓ Solian
Oral liq 100 mg per ml	55.44	60 ml	✓ Solian

ARIPIPRAZOLE – Special Authority see SA0920 below – Retail pharmacy

Tab 10 mg	123.54	30	✓ Abilify
Tab 15 mg	175.28	30	✓ Abilify
Tab 20 mg	213.42	30	✓ Abilify
Tab 30 mg	260.07	30	✓ Abilify

▶SA0920 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Either:
 - 2.1 An effective dose of risperidone or quetiapine has been trialed and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
 - 2.2 An effective dose of risperidone or quetiapine has been trialed and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

CHLORPROMAZINE HYDROCHLORIDE

Tab 10 mg – Up to 30 tab available on a PSO.....	12.36	100	✓ Largactil
Tab 25 mg – Up to 30 tab available on a PSO.....	13.02	100	✓ Largactil
Tab 100 mg – Up to 30 tab available on a PSO.....	30.61	100	✓ Largactil
Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO	25.66	10	✓ Largactil

CLOZAPINE – Hospital pharmacy [HP4]

Tab 25 mg	13.37	50	✓ Clozaril
	26.74	100	✓ Clozaril
	6.69	50	✓ Clopine
	13.37	100	✓ Clopine
Tab 50 mg	8.67	50	✓ Clopine
	17.33	100	✓ Clopine
Tab 100 mg	34.65	50	✓ Clozaril
	69.30	100	✓ Clozaril
	17.33	50	✓ Clopine
	34.65	100	✓ Clopine
Tab 200 mg	34.65	50	✓ Clopine
	69.30	100	✓ Clopine
Suspension 50 mg per ml	17.33	100 ml	✓ Clopine

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

NERVOUS SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
HALOPERIDOL				
Tab 500 µg – Up to 30 tab available on a PSO	5.42	100	✓	<u>Serenace</u>
Tab 1.5 mg – Up to 30 tab available on a PSO.....	8.20	100	✓	<u>Serenace</u>
Tab 5 mg – Up to 30 tab available on a PSO.....	25.84	100	✓	<u>Serenace</u>
Oral liq 2 mg per ml – Up to 200 ml available on a PSO	19.87	100 ml	✓	<u>Serenace</u>
Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO	18.74	10	✓	<u>Serenace</u>
LEVOMEPRMAZINE				
Tab 25 mg	16.93	100	✓	Nozinan
Tab 100 mg	43.96	100	✓	Nozinan
Inj 25 mg per ml, 1 ml	73.68	10	✓	Nozinan
LITHIUM CARBONATE				
Tab 250 mg	36.10	500	✓	Lithicarb
Tab 400 mg	13.50	100	✓	Lithicarb
Tab long-acting 400 mg	19.20	100	✓	Priadel
Cap 250 mg	9.42	100	✓	<u>Douglas</u>
OLANZAPINE				
Tab 2.5 mg	2.00	28	✓	Dr Reddy's Olanzapine
	(51.07)		✓	Olanzine
Tab 5 mg	3.85	28	✓	Zyprexa Dr Reddy's Olanzapine
	(101.21)		✓	Olanzine
Tab 10 mg	6.35	28	✓	Zyprexa Dr Reddy's Olanzapine
	(204.49)		✓	Olanzine
				Zyprexa
PERICYAZINE				
Tab 2.5 mg	12.49	100	✓	Neulactil
Tab 10 mg	44.45	100	✓	Neulactil
QUETIAPINE				
Tab 25 mg	7.00	60	✓	Dr Reddy's Quetiapine
	16.78	90	✓	Seroquel
Tab 100 mg	14.00	60	✓	Quetapel
			✓	Dr Reddy's Quetiapine
	32.59	90	✓	Seroquel
Tab 200 mg	24.00	60	✓	Quetapel
			✓	Dr Reddy's Quetiapine
	56.70	90	✓	Seroquel
Tab 300 mg	40.00	60	✓	Quetapel
			✓	Dr Reddy's Quetiapine
	95.40	90	✓	Seroquel
			✓	Quetapel

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
RISPERIDONE				
Tab 0.5 mg	3.51	60	✓	Apo-Risperidone ✓ Dr Reddy's Risperidone
			✓	Ridal
	5.20	20	✓	Risperdal
Tab 1 mg	6.00	60	✓	Apo-Risperidone ✓ Dr Reddy's Risperidone
			✓	Ridal
	30.77		✓	Risperdal
Tab 2 mg	11.00	60	✓	Apo-Risperidone ✓ Dr Reddy's Risperidone
			✓	Ridal
	61.53		✓	Risperdal
Tab 3 mg	15.00	60	✓	Apo-Risperidone ✓ Dr Reddy's Risperidone
			✓	Ridal
	92.32		✓	Risperdal
Tab 4 mg	20.00	60	✓	Apo-Risperidone ✓ Dr Reddy's Risperidone
			✓	Ridal
	123.05		✓	Risperdal
Oral liq 1 mg per ml	18.35	30 ml	✓	Apo-Risperidone ✓ Risperon ✓ Risperdal
	45.92			
TRIFLUOPERAZINE HYDROCHLORIDE				
Tab 1 mg	9.83	100	✓	Stelazine
Tab 2 mg	14.64	100	✓	Stelazine
Tab 5 mg	16.66	100	✓	Stelazine

ZIPRASIDONE – Subsidy by endorsement

Ziprasidone is subsidised for patients suffering from schizophrenia or related psychoses after a trial of an effective dose of risperidone or quetiapine that has been discontinued, or is in the process of being discontinued, because of unacceptable side effects or inadequate response, and the prescription is endorsed accordingly.

Cap 20 mg	87.88	60	✓	Zeldox
Cap 40 mg	164.78	60	✓	Zeldox
Cap 60 mg	247.17	60	✓	Zeldox
Cap 80 mg	329.56	60	✓	Zeldox

ZUCLOPENTHIXOL HYDROCHLORIDE

Tab 10 mg	31.45	100	✓	Clopixol
-----------------	-------	-----	---	----------

Depot Injections

FLUPENTHIXOL DECANOATE

Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO	13.14	5	✓	Fluanxol
Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO	20.90	5	✓	Fluanxol
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	40.87	5	✓	Fluanxol

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

NERVOUS SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
FLUPHENAZINE DECANOATE				
Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO	17.60	5	✓	Modecate
Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO	27.90	5	✓	Modecate
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	154.50	5	✓	Modecate
HALOPERIDOL DECANOATE				
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	28.39	5	✓	Haldol
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	55.90	5	✓	Haldol Concentrate
OLANZAPINE PAMOATE MONOHYDRATE – Special Authority see SA1146 below – Retail pharmacy				
Inj 210 mg	280.00	1	✓	Zyprexa Relprevv
Inj 300 mg	460.00	1	✓	Zyprexa Relprevv
Inj 405 mg	560.00	1	✓	Zyprexa Relprevv

►SA1146 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has schizophrenia; and
- 2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had less than 12 months' treatment with olanzapine depot injection; and
 - 1.2 There is no clinical reason to discontinue treatment; or
- 2 The initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of olanzapine depot injection.

Note: The patient should be monitored for post-injection syndrome for at least three hours after each injection.

PIPOTHIAZINE PALMITATE

Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	178.48	10	✓	Piportil
Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO	353.32	10	✓	Piportil

RISPERIDONE – Special Authority see SA0926 below – Retail pharmacy

Inj 25 mg per 2 ml	175.00	1	✓	Risperdal Consta
Inj 37.5 mg per 2 ml	230.00	1	✓	Risperdal Consta
Inj 50 mg per 2 ml	280.00	1	✓	Risperdal Consta

►SA0926 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has schizophrenia or other psychotic disorder; and
- 2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had less than 12 months treatment with risperidone depot injection; and
 - 1.2 There is no clinical reason to discontinue treatment; or
- 2 The initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of risperidone depot injection.

Note: Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone depot injection.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
ZUCLOPENTHIXOL DECANOATE				
Inj 200 mg per ml, 1 ml – Up to 5 inj available on a PSO	19.80	5	✓	Clopixol
Orodispersible Antipsychotics				
OLANZAPINE				
Orodispersible tab 5 mg	6.36	28	✓	Dr Reddy's Olanzapine
Orodispersible tab 10 mg	8.76	28	✓	Olanzine-D Dr Reddy's Olanzapine
Wafer 5 mg	6.36	28	✓	Olanzine-D
Wafer 10 mg	8.76 (204.37)	28		Zyprexa Zydis
RISPERIDONE – Special Authority see SA0927 below – Retail pharmacy				
Orally-disintegrating tablets 0.5 mg	21.42	28	✓	Risperdal Quicklet
Orally-disintegrating tablets 1 mg	42.84	28	✓	Risperdal Quicklet
Orally-disintegrating tablets 2 mg	85.71	28	✓	Risperdal Quicklet

▶SA0927 Special Authority for Subsidy

Initial application — (Acute situations) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 For a non-adherent patient on oral therapy with standard risperidone tablets or risperidone oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Initial application — (Chronic situations) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Note: Risperdal Quicklets cost significantly more than risperidone tablets and should only be used where necessary.

Anxiolytics

ALPRAZOLAM				
Tab 250 µg	3.15	50	✓	Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
Tab 500 µg	4.10	50	✓	Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
Tab 1 mg	7.25	50	✓	Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
BUSPIRONE HYDROCHLORIDE – Special Authority see SA0863 on the next page – Retail pharmacy				
Tab 5 mg	28.00	100	✓	Pacific Buspirone
Tab 10 mg	17.00	100	✓	Pacific Buspirone

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

NERVOUS SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
►SA0863 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:				
1 For use only as an anxiolytic; and				
2 Other agents are contraindicated or have failed.				
Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.				
DIAZEPAM				
Tab 2 mg	11.44	500	✓	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
Tab 5 mg	13.71	500	✓	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
LORAZEPAM				
Tab 1 mg	16.42	250	✓	Ativan
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
Tab 2.5 mg	11.17	100	✓	Ativan
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
OXAZEPAM				
Tab 10 mg	5.89	100	✓	Ox-Pam
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
Tab 15 mg	8.13	100	✓	Ox-Pam
‡ Safety cap for extemporaneously compounded oral liquid preparations.				

Multiple Sclerosis Treatments

►SA1062 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Budget managed by appointed clinicians on the Multiple Sclerosis Treatment Assessments Committee (MSTAC).

Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz> or:

The coordinator	Phone: 04 460 4990
Multiple Sclerosis Treatment Assessment Committee	Facsimile: 04 916 7571
PHARMAC PO Box 10 254	Email: mstaccordinator@pharmac.govt.nz
Wellington	

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Appeals against MSTAC's decision and/or the processing of any application may be lodged with the MSTAC coordinator. Concerns that cannot be or have not been adequately addressed by MSTAC will be forwarded to a separate Appeal Committee if necessary. Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

Entry Criteria

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
		✓

continued...

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis should as a rule include MRI confirmation. For patients diagnosed before MRI was widely utilised in New Zealand, confirmation of diagnosis via clinical assessment and laboratory/ancillary data must be provided; and
- 2) patients must have active relapsing MS (confirmed by MR scan where necessary) with or without underlying progression; and
- 3) patients must have either:
 - a) EDSS score 2.5 - 5.5 with 2+ relapses:
 - experienced at least 2 significant relapses of MS in the previous 12 months, and
 - an EDSS score of between 2.5 and 5.5 inclusive; or
 - b) EDSS score 2.0 with 3+ relapses:
 - experienced at least 3 significant relapses of MS in the previous 12 months, and
 - an EDSS score of 2.0; and
- 4) Each relapse must:
 - a) be confirmed by a neurologist or general physician (the patient may not necessarily have been seen during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) follow a period of stability of at least one month;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke functional systems scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever ($T > 37.5^{\circ}\text{C}$); and
- 5) applications must be made at least four weeks after the date of the onset of the last known relapse; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate (see criteria for stopping).
- 7) applications must be submitted to the Multiple Sclerosis Treatment Assessment Committee (MSTAC) by the patient's neurologist or a general physician; and
- 8) patients must agree (via informed consent) to co-operate if as a result of their meeting the stopping criteria, funding is withdrawn. Patients must agree to the collection of clinical data relating to their MS and use of those data by PHARMAC; and
- 9) patients must agree to allow clinical data to be collected and reviewed by MSTAC annually for each year in which they receive funding for beta-interferon or glatiramer acetate.

Stopping Criteria

- 1) Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment. Progression of disability is defined as any of:
 - a) an increase of 2 EDSS points where starting EDSS was 2.0; or
 - b) an increase of 1.5 EDSS points where starting EDSS was 2.5 or 3.0; or
 - c) an increase of 1 EDSS point where starting EDSS 3.5 or greater; or
 - d) an increase in EDSS score to 6.0 or more; or
- 2) stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) pregnancy and/or lactation; or
- 4) within the 12 month approval year, intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- 5) non-compliance with treatment, including refusal to undergo annual assessment or refusal to allow the results of the assessment to be submitted to MSTAC; or

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

NERVOUS SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
continued...				
6) patients may, subject to conclusions drawn from published evidence available at the time, be excluded if they develop a high titre of neutralising anti-bodies to beta-interferon or glatiramer acetate.				
Note: Patients who have a stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet any of the other Stopping Criteria at annual review may switch to a different class of funded treatment (i.e. patients may switch from either of the beta-interferons [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa). Patients may switch classes of treatment for this reason only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to stable or increasing relapse rate over 12 months of treatment).				
GLATIRAMER ACETATE – Special Authority see SA1062 on page 132				
Inj 20 mg prefilled syringe	1,089.25	28	✓	Copaxone
INTERFERON BETA-1-ALPHA – Special Authority see SA1062 on page 132				
Inj 6 million iu prefilled syringe	1,425.10	4	✓	Avonex
Inj 6 million iu per vial	1,425.10	4	✓	Avonex
INTERFERON BETA-1-BETA – Special Authority see SA1062 on page 132				
Inj 8 million iu per 1 ml	1,322.89	15	✓	Betaferon

Sedatives and Hypnotics

LORMETAZEPAM				
Tab 1 mg	3.11 (23.50)	30		Noctamid
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
MIDAZOLAM				
Inj 1 mg per ml, 5 ml	10.75 (14.73)	10	✓	Hypnovel Pfizer
Inj 5 mg per ml, 3 ml	11.90 (19.64)	5	✓	Hypnovel Pfizer
NITRAZEPAM				
Tab 5 mg	2.00 (4.98)	100		Nitrados
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
TEMAZEPAM				
Tab 10 mg	1.27	25	✓	Normison
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
TRIAZOLAM				
Tab 125 µg	5.10 (7.25)	100		Hypam
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
Tab 250 µg	4.10 (8.70)	100		Hypam
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
ZOPICLONE				
Tab 7.5 mg	11.90	500	✓	Apo-Zopiclone

Subsidy (Manufacturer's Price) \$ Per Fully Subsidised ✓ Brand or Generic Manufacturer

Stimulants/ADHD Treatments

Stimulants/ADHD treatments

ATOMOXETINE – Special Authority see SA0951 below – Retail pharmacy

Cap 10 mg	107.03	28	✓ Strattera
Cap 18 mg	107.03	28	✓ Strattera
Cap 25 mg	107.03	28	✓ Strattera
Cap 40 mg	107.03	28	✓ Strattera
Cap 60 mg	107.03	28	✓ Strattera
Cap 80 mg	139.11	28	✓ Strattera
Cap 100 mg	139.11	28	✓ Strattera

▶SA0951 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
 - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
 - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
 - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamphetamine sulphate tablets.

DEXAMPHEMAMINE SULPHATE – Special Authority see SA1149 below – Retail pharmacy

Only on a controlled drug form

Tab 5 mg	16.50	100	✓ PSM
----------------	-------	-----	--------------

▶SA1149 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:

- 2.1 Applicant is a paediatrician or psychiatrist; or
- 2.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE – Special Authority see SA1150 below – Retail pharmacy

Only on a controlled drug form

Tab immediate-release 5 mg	3.20	30	✓ Rubifen
Tab immediate-release 10 mg	3.00	30	✓ Ritalin
			✓ Rubifen
Tab immediate-release 20 mg	7.85	30	✓ Rubifen
Tab sustained-release 20 mg	10.95	30	✓ Rubifen SR
	50.00	100	✓ Ritalin SR

SA1150 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE – Special Authority see SA1151 below – Retail pharmacy

Only on a controlled drug form

Tab extended-release 18 mg	58.96	30	✓ Concerta
Tab extended-release 27 mg	65.44	30	✓ Concerta
Tab extended-release 36 mg	71.93	30	✓ Concerta
Tab extended-release 54 mg	86.24	30	✓ Concerta
Cap modified-release 10 mg	19.50	30	✓ Ritalin LA
Cap modified-release 20 mg	25.50	30	✓ Ritalin LA
Cap modified-release 30 mg	31.90	30	✓ Ritalin LA
Cap modified-release 40 mg	38.25	30	✓ Ritalin LA

▶SA1151 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist.

Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
- 4 Either:
 - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or compliance difficulties; or
 - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

MODAFINIL – Special Authority see SA1126 below – Retail pharmacy

Tab 100 mg	72.50	30	✓ Modavigil
------------------	-------	----	-------------

▶SA1126 Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more; and
- 2 Either:

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

NERVOUS SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

continued...

- 2.1 The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eye movement periods; or
- 2.2 The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations; and
- 3 Either:
 - 3.1 An effective dose of a subsidised formulation of methylphenidate or dexamphetamine has been trialled and discontinued because of intolerable side effects; or
 - 3.2 Methylphenidate and dexamphetamine are contraindicated.

Renewal only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Treatments for Dementia

DONEPEZIL HYDROCHLORIDE

* Tab 5 mg	7.71	90	✓	<u>Donepezil-Rex</u>
* Tab 10 mg	14.06	90	✓	<u>Donepezil-Rex</u>

Treatments for Opioid Overdose

NALOXONE HYDROCHLORIDE

- a) Up to 5 inj available on a PSO
- b) Only on a PSO

* Inj 400 µg per ml, 1 ml	33.00	5	✓	<u>Mayne</u>
---------------------------------	-------	---	---	--------------

Treatments for Substance Dependence

BUPROPION HYDROCHLORIDE

Tab modified-release 150 mg	65.00	30	✓	<u>Zyban</u>
-----------------------------------	-------	----	---	--------------

DISULFIRAM

Tab 200 mg	24.30	100	✓	<u>Antabuse</u>
------------------	-------	-----	---	-----------------

NALTREXONE HYDROCHLORIDE – Special Authority see SA0909 below – Retail pharmacy

Tab 50 mg	123.00	30	✓	<u>Naltracord</u>
-----------------	--------	----	---	-------------------

▶SA0909 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

Renewal from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
 - 2.1 Patient is still unstable and requires further treatment; or
 - 2.2 Patient achieved significant improvement but requires further treatment; or
 - 2.3 Patient is well controlled but requires maintenance therapy.

The patient may not have had more than 1 prior approval in the last 12 months.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
NICOTINE				
Nicotine will not be funded Close Control in amounts less than 4 weeks of treatment.				
Patch 7 mg – Up to 28 patch available on a PSO	18.13	28	✓	Habitrol
Patch 14 mg – Up to 28 patch available on a PSO	18.81	28	✓	Habitrol
Patch 21 mg – Up to 28 patch available on a PSO	19.14	28	✓	Habitrol
Lozenge 1 mg – Up to 216 loz available on a PSO	19.94	216	✓	Habitrol
Lozenge 2 mg – Up to 216 loz available on a PSO	24.27	216	✓	Habitrol
Gum 2 mg (Classic) – Up to 384 piece available on a PSO	36.47	384	✓	Habitrol
Gum 2 mg (Fruit) – Up to 384 piece available on a PSO	36.47	384	✓	Habitrol
Gum 2 mg (Mint) – Up to 384 piece available on a PSO	36.47	384	✓	Habitrol
Gum 4 mg (Classic) – Up to 384 piece available on a PSO	42.04	384	✓	Habitrol
Gum 4 mg (Fruit) – Up to 384 piece available on a PSO	42.04	384	✓	Habitrol
Gum 4 mg (Mint) – Up to 384 piece available on a PSO	42.04	384	✓	Habitrol

VARENICLINE TARTRATE – Special Authority see SA1161 below – Retail pharmacy

a) Varenicline will not be funded Close Control in amounts less than 2 weeks of treatment.

b) A maximum of 3 months' varenicline will be subsidised on each Special Authority approval.

Tab 1 mg	67.74	28	✓	Champix
	135.48	56	✓	Champix
Tab 0.5 mg × 11 and 1 mg × 14	60.48	25 OP	✓	Champix

SA1161 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria:

All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 Either:
 - 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
 - 3.2 The patient has tried but failed to quit smoking using bupropion or nortriptyline; and
- 4 The patient has not used funded varenicline in the last 12 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 6 The patient is not pregnant; and
- 7 The patient will not be prescribed more than 3 months' funded varenicline (see note).

Renewal from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria:

All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 The patient has not used funded varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 5 The patient is not pregnant; and
- 6 The patient will not be prescribed more than 3 months' funded varenicline (see note).

The patient may not have had an approval in the past 12 months.

Note: a maximum of 3 months' varenicline will be subsidised on each Special Authority approval.

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Chemotherapeutic Agents				
Alkylating Agents				
BUSULPHAN – PCT – Retail pharmacy-Specialist				
Tab 2 mg	59.50	100	✓	Myleran
CARBOPLATIN – PCT only – Specialist				
Inj 10 mg per ml, 5 ml	20.00	1	✓	Carboplatin Ebewe
Inj 10 mg per ml, 15 ml	22.50	1	✓	Carboplatin Ebewe
Inj 10 mg per ml, 45 ml	50.00	1	✓	Carboplatin Ebewe
Inj 10 mg per ml, 100 ml	105.00	1	✓	Carboplatin Ebewe
Inj 1 mg for ECP	0.15	1 mg	✓	Baxter
CARMUSTINE – PCT only – Specialist				
Inj 100 mg	204.13	1	✓	BiCNU
Inj 100 mg for ECP	204.13	100 mg OP	✓	Baxter
CHLORAMBUCIL – PCT – Retail pharmacy-Specialist				
Tab 2 mg	22.35	25	✓	Leukeran FC
CISPLATIN – PCT only – Specialist				
Inj 1 mg per ml, 50 ml	15.00	1	✓	Cisplatin Ebewe
	19.00		✓	Mayne
Inj 1 mg per ml, 100 ml	21.00	1	✓	Cisplatin Ebewe
	38.00		✓	Mayne
Inj 1 mg for ECP	0.27	1 mg	✓	Baxter
CYCLOPHOSPHAMIDE				
Tab 50 mg – PCT – Retail pharmacy-Specialist	25.71	50	✓	Cycloblastin
Inj 1 g – PCT – Retail pharmacy-Specialist	26.70	1	✓	Endoxan
	127.80	6	✓	Cytoxan
Inj 2 g – PCT only – Specialist	56.90	1	✓	Endoxan
Inj 1 mg for ECP – PCT only – Specialist	0.03	1 mg	✓	Baxter
IFOSFAMIDE – PCT only – Specialist				
Inj 1 g	96.00	1	✓	Holoxan
Inj 2 g	180.00	1	✓	Holoxan
Inj 1 mg for ECP	0.10	1 mg	✓	Baxter
LOMUSTINE – PCT only – Specialist				
Cap 10 mg	132.59	20	✓	CeeNU
Cap 40 mg	399.15	20	✓	CeeNU
MELPHALAN				
Tab 2 mg – PCT – Retail pharmacy-Specialist	31.31	25	✓	Alkeran
Inj 50 mg – PCT only – Specialist	52.15	1	✓	Alkeran
OXALIPLATIN – PCT only – Specialist – Special Authority see SA0900 on the next page				
Inj 50 mg	55.00	1	✓	Oxaliplatin Ebewe
	200.00		✓	Eloxatin
Inj 100 mg	110.00	1	✓	Oxaliplatin Ebewe
	400.00		✓	Eloxatin
Inj 1 mg for ECP	1.20	1 mg	✓	Baxter

Subsidy (Manufacturer's Price) \$ Per Fully Subsidised ✓ Brand or Generic Manufacturer

►SA0900 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has metastatic colorectal cancer; and
 - 1.2 To be used for first or second line use as part of a combination chemotherapy regimen; or
- 2 Both:
 - 2.1 The patient has stage III (Duke's C) colorectal* cancer; and
 - 2.2 Adjuvant oxaliplatin to be given in combination with a fluoropyrimidine (fluorouracil or capecitabine).

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with * are Unapproved Indications, oxaliplatin is indicated for adjuvant treatment of stage III (Duke's C) colon cancer after complete resection of the primary tumour.

THIOTEPA – PCT only – Specialist

Inj 15 mg	CBS	1	✓ Bedford S29
			✓ THIO-TEPA S29

Antimetabolites

CALCIUM FOLINATE

Tab 15 mg – PCT – Retail pharmacy-Specialist	82.45	10	✓ <u>DBL Leucovorin</u>
			<u>Calcium</u>
Inj 3 mg per ml, 1 ml – PCT – Retail pharmacy-Specialist	17.10	5	✓ Mayne
Inj 50 mg – PCT – Retail pharmacy-Specialist	24.50	5	✓ Calcium Folate
			Ebewe
Inj 100 mg – PCT only – Specialist	9.75	1	✓ Calcium Folate
			Ebewe
Inj 300 mg – PCT only – Specialist	30.00	1	✓ Calcium Folate
			Ebewe
Inj 1 g – PCT only – Specialist	90.00	1	✓ Calcium Folate
			Ebewe
Inj 1 mg for ECP – PCT only – Specialist	0.10	1 mg	✓ Baxter

CAPECITABINE – Retail pharmacy-Specialist – Special Authority see SA1049 below

Tab 150 mg	115.00	60	✓ Xeloda
Tab 500 mg	705.00	120	✓ Xeloda

►SA1049 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has advanced gastrointestinal malignancy; or
- 2 The patient has metastatic breast cancer; or
- 3 The patient has stage III (Duke's stage C) colorectal*# cancer and undergone surgery; or
- 4 Both:
 - 4.1 The patient has stage II (Dukes' stage B) colorectal* cancer and has undergone surgery; and
 - 4.2 Any of the following:

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
continued...				
4.2.1	The patient has stage T4 disease; or			
4.2.2	The patient has vascular invasion; or			
4.2.3	Fewer than 10 lymph nodes were examined at resection; or			
5	All of the following:			
5.1	The patient has locally advanced (clinically or radiologically staged T3/T4: N0,1,2) rectal cancer; and			
5.2	Surgery is planned; and			
5.3	Capecitabine to be given prior to surgery (neoadjuvant); and			
5.4	Capecitabine to be given at a maximum dose of 825 mg/m ² twice daily in combination with radiation therapy for a maximum of 6 weeks; or			
6	Both:			
6.1	The patient has poor venous access or needle phobia*; and			
6.2	The patient requires a substitute for single agent fluoropyrimidine*.			
Note: Indications marked with * are Unapproved Indications, # capecitabine is approved for stage III (Duke's stage C) colon cancer.				
Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:				
Either:				
1	The patient requires continued therapy; or			
2	The tumour has relapsed and requires re-treatment.			
CLADRIBINE – PCT only – Specialist				
Inj 2 mg per ml, 5 ml	873.00	1	✓	Litak ^{S29}
Inj 1 mg per ml, 10 ml	5,249.72	7	✓	Leustatin
Inj 10 mg for ECP	749.96	10 mg OP	✓	Baxter
CYTARABINE				
Inj 100 mg – PCT – Retail pharmacy-Specialist	76.00	5	✓	Pfizer
	80.00		✓	Mayne
Inj 500 mg – PCT – Retail pharmacy-Specialist	18.15	1	✓	Pfizer
	95.36	5	✓	Mayne
Inj 1 g – PCT – Retail pharmacy-Specialist	37.00	1	✓	Pfizer
	42.65		✓	Mayne
Inj 2 g – PCT – Retail pharmacy-Specialist	31.00	1	✓	Pfizer
	34.47		✓	Mayne
Inj 1 mg for ECP – PCT only – Specialist	0.27	10 mg	✓	Baxter
Inj 100 mg intrathecal syringe for ECP – PCT only – Specialist	15.20	100 mg OP	✓	Baxter
FLUDARABINE PHOSPHATE – PCT only – Specialist				
Tab 10 mg	433.50	20	✓	Fludara Oral
Inj 50 mg	525.00	5	✓	Fludarabine Ebewe
	1,430.00		✓	Fludara
Inj 50 mg for ECP	105.00	50 mg OP	✓	Baxter
FLUOROURACIL SODIUM				
Inj 50 mg per ml, 10 ml – PCT only – Specialist	26.25	5	✓	Fluorouracil Ebewe
Inj 50 mg per ml, 20 ml – PCT only – Specialist	7.50	1	✓	Fluorouracil Ebewe
Inj 25 mg per ml, 100 ml – PCT only – Specialist	13.55	1	✓	Mayne
Inj 50 mg per ml, 50 ml – PCT only – Specialist	18.00	1	✓	Fluorouracil Ebewe
Inj 50 mg per ml, 100 ml – PCT only – Specialist	34.50	1	✓	Fluorouracil Ebewe
Inj 1 mg for ECP – PCT only – Specialist	0.77	100 mg	✓	Baxter

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
GEMCITABINE HYDROCHLORIDE – PCT only – Specialist – Special Authority see SA1087 below				
Inj 1 g	62.50	1	✓	DBL Gemcitabine
			✓	Gemcitabine
				Actavis S29
	349.20		✓	Gemcitabine Ebewe
			✓	Gemzar
Inj 200 mg	12.50	1	✓	Gemcitabine
				Actavis S29
			✓	Gemcitabine Ebewe
	78.00		✓	Gemzar
Inj 1 mg for ECP	0.07	1 mg	✓	Baxter

SA1087 Special Authority for Subsidy

Initial application — (Hodgkin's Disease) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has Hodgkin's Disease*; and
- 2 Any of the following:
 - 2.1 Disease has failed to respond to second line salvage chemotherapy treatment; or
 - 2.2 Disease has relapsed following transplant; or
 - 2.3 The patient is unsuitable for, or intolerant to, second-line salvage chemotherapy or high dose chemotherapy and transplant; and
- 3 Gemcitabine to be given for a maximum of 6 treatment cycles.

Note: Indications marked with a * are Unapproved Indications.

Initial application — (T-Cell Lymphoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has T-cell Lymphoma*; and
- 2 Gemcitabine to be given for a maximum of 6 treatment cycles.

Note: Indications marked with a * are Unapproved Indications.

Initial application — (Cholangiocarcinoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has locally advanced or metastatic, cholangiocarcinoma*; and
- 2 Gemcitabine to be given for a maximum of 8 treatment cycles.

Notes: Cholangiocarcinoma encompasses epithelial tumours of the hepatobiliary tree, including tumours of bile ducts, ampulla of Vater and gallbladder.

Indications marked with a * are Unapproved Indications.

Initial application — (Pancreatic Cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has macroscopically resected (R0) pancreatic carcinoma*; and
 - 1.2 Adjuvant gemcitabine to be administered for a maximum of 6 cycles; or
- 2 Both:
 - 2.1 The patient has advanced pancreatic carcinoma; and
 - 2.2 The patient is gemcitabine treatment naive.

Note: Indications marked with a * are Unapproved Indications.

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

continued...

Renewal — (Pancreatic Cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has received gemcitabine for advanced pancreatic carcinoma; and
- 2 The patient has not received gemcitabine for adjuvant treatment pancreatic carcinoma; and
- 3 The patient requires continued therapy.

Initial application — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has non small cell lung carcinoma (stage IIIa, or above); or
- 2 The patient has advanced malignant mesothelioma; or
- 3 The patient has ovarian, fallopian tube* or primary peritoneal carcinoma*; or
- 4 The patient has advanced transitional cell carcinoma of the urothelial tract (locally advanced or metastatic).

Note: Indications marked with a * are Unapproved Indications.

Renewal — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

IRINOTECAN – PCT only – Specialist – Special Authority see SA0878 below

Inj 20 mg per ml, 2 ml	41.00	1	✓	Camptosar
			✓	Irinotecan-Rex
Inj 20 mg per ml, 5 ml	100.00	1	✓	Camptosar
			✓	Irinotecan-Rex
Inj 1 mg for ECP	1.04	1 mg	✓	Baxter

►SA0878 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has metastatic colorectal cancer; and
- 2 Either:
 - 2.1 To be used for first or second line use as part of a combination chemotherapy regimen; or
 - 2.2 As single agent chemotherapy in fluoropyrimidine-relapsed disease.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

MERCAPTOPYRINE – PCT – Retail pharmacy-Specialist

Tab 50 mg	47.06	25	✓	Purinethol
-----------------	-------	----	---	------------

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
METHOTREXATE				
* Tab 2.5 mg – PCT – Retail pharmacy-Specialist	5.22	30	✓	Methoblastin
* Tab 10 mg – PCT – Retail pharmacy-Specialist	40.93	50	✓	Methoblastin
* Inj 2.5 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist	23.65	5	✓	Mayne
* Inj 25 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist	48.00	5	✓	Hospira
* Inj 25 mg per ml, 20 ml – PCT – Retail pharmacy-Specialist	90.00	1	✓	Hospira
* Inj 100 mg per ml, 10 ml – PCT – Retail pharmacy-Specialist	25.00	1	✓	Methotrexate Ebewe
* Inj 25 mg per ml, 40 ml – PCT – Retail pharmacy-Specialist	25.00	1	✓	DBL Methotrexate S29
* Inj 100 mg per ml, 50 ml – PCT – Retail pharmacy-Specialist	125.00	1	✓	Methotrexate Ebewe
* Inj 1 mg for ECP – PCT only – Specialist	0.10	1 mg	✓	Baxter
* Inj 5 mg intrathecal syringe for ECP – PCT only – Specialist	4.73	5 mg OP	✓	Baxter
THIOGUANINE – PCT – Retail pharmacy-Specialist				
Tab 40 mg	97.16	25	✓	Lanvis

Other Cytotoxic Agents

AMSACRINE – PCT only – Specialist				
Inj 75 mg	CBS	6	✓	Amsidine S29
ANAGRELIDE HYDROCHLORIDE – PCT only – Specialist – Special Authority see SA0879 below				
Cap 0.5 mg	CBS	100	✓	Agrylin S29 Teva S29

SA0879 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has primary thrombocythaemia; and
- 2 Either:
 - 2.1 is at high risk (previous thromboembolic disease, bleeding or platelet count >1500/ml); or
 - 2.2 is intolerant or refractory to hydroxyurea or interferon.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that treatment with anagrelide be initiated only on the recommendation of a haematologist.

ARSENIC TRIOXIDE – PCT only – Specialist				
Inj 10 mg	4,817.00	10	✓	AFT S29
BLEOMYCIN SULPHATE – PCT only – Specialist				
Inj 15,000 iu	120.00	1	✓	DBL Bleomycin Sulfate
Inj 1,000 iu for ECP	9.28	1,000 iu	✓	Baxter
BORTEZOMIB – PCT only – Specialist – Special Authority see SA1127 on the next page				
Inj 1 mg	540.70	1	✓	Velcade
Inj 3.5 mg	1,892.50	1	✓	Velcade
Inj 1 mg for ECP	594.77	1 mg	✓	Baxter

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

SA1127 Special Authority for Subsidy

Initial application — (Treatment naive multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 The patient has treatment-naive symptomatic multiple myeloma; or
 - 1.2 The patient has treatment-naive symptomatic systemic AL amyloidosis *; and
- 2 Maximum of 9 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 The patient has relapsed or refractory multiple myeloma; or
 - 1.2 The patient has relapsed or refractory systemic AL amyloidosis *; and
- 2 The patient has received only one prior front line chemotherapy for multiple myeloma or amyloidosis; and
- 3 The patient has not had prior publicly funded treatment with bortezomib; and
- 4 Maximum of 4 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

Both:

- 1 The patient's disease obtained at least a partial response from treatment with bortezomib at the completion of cycle 4; and
- 2 Maximum of 4 further treatment cycles (making a total maximum of 8 consecutive treatment cycles).

Notes: Responding relapsed/refractory multiple myeloma patients should receive no more than 2 additional cycles of treatment beyond the cycle at which a confirmed complete response was first achieved. A line of therapy is considered to comprise either:

- a) a known therapeutic chemotherapy regimen and supportive treatments; or
- b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments.

Refer to datasheet for recommended dosage and number of doses of bortezomib per treatment cycle.

COLASPASE (L-ASPARAGINASE) – PCT only – Specialist

Inj 10,000 iu	102.32	1	✓	Leunase
Inj 10,000 iu for ECP	102.32	10,000 iu OP	✓	Baxter

DACARBAZINE – PCT only – Specialist

Inj 200 mg	48.00	1	✓	Hospira
Inj 200 mg for ECP	48.00	200 mg OP	✓	Baxter

DACTINOMYCIN (ACTINOMYCIN D) – PCT only – Specialist

Inj 0.5 mg	13.52	1	✓	Cosmegen
Inj 0.5 mg for ECP	13.52	0.5 mg OP	✓	Baxter

DAUNORUBICIN – PCT only – Specialist

Inj 2 mg per ml, 10 ml	118.72	1	✓	Pfizer
Inj 20 mg for ECP	118.72	20 mg OP	✓	Baxter

DOCETAXEL – PCT only – Specialist

Inj 20 mg	48.75	1	✓	Docetaxel Ebewe
	460.00		✓	Taxotere
Inj 80 mg	195.00	1	✓	Docetaxel Ebewe
	1,650.00		✓	Taxotere
Inj 1 mg for ECP	2.63	1 mg	✓	Baxter

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
DOXORUBICIN – PCT only – Specialist			
Inj 10 mg	10.00	1	✓ Doxorubicin Ebewe
Inj 50 mg	40.00	1	✓ DBL Doxorubicin ✓ DBL Doxorubicin S29 S29
Inj 100 mg	80.00	1	✓ Doxorubicin Ebewe
Inj 200 mg	150.00	1	✓ Doxorubicin Ebewe ✓ Adriamycin
Inj 1 mg for ECP	0.88	1 mg	✓ Doxorubicin Ebewe ✓ Baxter
EPIRUBICIN – PCT only – Specialist			
Inj 2 mg per ml, 5 ml	25.00	1	✓ Epirubicin Ebewe
Inj 2 mg per ml, 25 ml	87.50	1	✓ Epirubicin Ebewe
Inj 2 mg per ml, 50 ml	125.00	1	✓ Epirubicin Ebewe
Inj 2 mg per ml, 100 ml	210.00	1	✓ Epirubicin Ebewe
Inj 1 mg for ECP	1.80	1 mg	✓ Baxter
ETOPOSIDE			
Cap 50 mg – PCT – Retail pharmacy-Specialist	340.73	20	✓ Vepesid
Cap 100 mg – PCT – Retail pharmacy-Specialist	340.73	10	✓ Vepesid
Inj 20 mg per ml, 5 ml – PCT – Retail pharmacy-Specialist	25.00	1	✓ Mayne
	612.20	10	✓ Vepesid
Inj 1 mg for ECP – PCT only – Specialist	0.30	1 mg	✓ Baxter
ETOPOSIDE PHOSPHATE – PCT only – Specialist			
Inj 100 mg (of etoposide base)	40.00	1	✓ Etopophos
Inj 1 mg (of etoposide base) for ECP	0.47	1 mg	✓ Baxter
HYDROXYUREA – PCT – Retail pharmacy-Specialist			
Cap 500 mg	31.76	100	✓ Hydre
IDARUBICIN HYDROCHLORIDE – PCT only – Specialist			
Cap 5 mg	115.00	1	✓ Zavedos
Cap 10 mg	144.50	1	✓ Zavedos
Inj 5 mg	170.00	1	✓ Zavedos
Inj 10 mg	340.00	1	✓ Zavedos
Inj 1 mg for ECP	37.74	1 mg	✓ Baxter
MESNA – PCT only – Specialist			
Tab 400 mg	210.65	50	✓ Uromitexan
Tab 600 mg	314.40	50	✓ Uromitexan
Inj 100 mg per ml, 4 ml	137.04	15	✓ Uromitexan
Inj 100 mg per ml, 10 ml	314.66	15	✓ Uromitexan
Inj 1 mg for ECP	2.29	100 mg	✓ Baxter
MITOMYCIN C – PCT only – Specialist			
Inj 5 mg	72.75	1	✓ Arrow
Inj 1 mg for ECP	16.13	1 mg	✓ Baxter
MITOZANTRONE – PCT only – Specialist			
Inj 2 mg per ml, 5 ml	110.00	1	✓ Mitozantrone Ebewe
Inj 2 mg per ml, 10 ml	100.00	1	✓ Mitozantrone Ebewe
Inj 2 mg per ml, 12.5 ml	407.50	1	✓ Onkotrone
Inj 1 mg for ECP	5.65	1 mg	✓ Baxter

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
PACLITAXEL – PCT only – Specialist				
Inj 30 mg	137.50	5	✓	Paclitaxel Ebewe
Inj 100 mg	91.67	1	✓	Paclitaxel Actavis
			✓	Paclitaxel Ebewe
Inj 150 mg	137.50	1	✓	Anzatax
			✓	Paclitaxel Actavis
			✓	Paclitaxel Ebewe
Inj 300 mg	275.00	1	✓	Anzatax
			✓	Paclitaxel Actavis
			✓	Paclitaxel Ebewe
Inj 600 mg	550.00	1	✓	Paclitaxel Ebewe
Inj 1 mg for ECP	1.02	1 mg	✓	Baxter
PENTOSTATIN (DEOXYCOFORMYCIN) – PCT only – Specialist				
Inj 10 mg	CBS	1	✓	Nipent ^{S29}
PROCARBAZINE HYDROCHLORIDE – PCT only – Specialist				
Cap 50 mg	225.00	50	✓	Natulan ^{S29}
TEMOZOLOMIDE – Special Authority see SA1063 below – Retail pharmacy				
Cap 5 mg	16.00	5	✓	Temaccord
			✓	Temodal
Cap 20 mg	72.00	5	✓	Temaccord
			✓	Temodal
Cap 100 mg	350.00	5	✓	Temaccord
			✓	Temodal
Cap 250 mg	820.00	5	✓	Temaccord
			✓	Temodal
<i>(Temodal Cap 5 mg to be delisted 1 June 2012)</i>				
<i>(Temodal Cap 20 mg to be delisted 1 June 2012)</i>				
<i>(Temodal Cap 100 mg to be delisted 1 June 2012)</i>				
<i>(Temodal Cap 250 mg to be delisted 1 June 2012)</i>				
►SA1063 Special Authority for Subsidy				
Initial application only from a relevant specialist. Approvals valid for 10 months for applications meeting the following criteria: All of the following:				
1 Either:				
1.1 Patient has newly diagnosed glioblastoma multiforme; or				
1.2 Patient has newly diagnosed anaplastic astrocytoma*; and				
2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and				
3 Following concomitant treatment temozolomide is to be used for a maximum of six cycles of 5 days treatment, at a maximum dose of 200 mg/m ² .				
Notes: Indication marked with a * is an Unapproved Indication. Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme. Reapplications will not be approved.				
Studies of temozolomide show that its benefit is predominantly in those patients with a good performance status (WHO grade 0 or 1 or Karnofsky score >80), and in patients who have had at least a partial resection of the tumour.				
THALIDOMIDE – PCT only – Specialist – Special Authority see SA1124 on the next page				
Cap 50 mg	504.00	28	✓	Thalomid
Cap 100 mg	1,008.00	28	✓	Thalomid

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

►SA1124 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient has multiple myeloma; or
- 2 The patient has systemic AL amyloidosis*.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

Indication marked with * is an Unapproved Indication.

TRETINOIN

Cap 10 mg – PCT – Retail pharmacy-Specialist.....435.90 100 ✓ Vesanoid

VINBLASTINE SULPHATE

Inj 10 mg – PCT – Retail pharmacy-Specialist.....27.50 1 ✓ Mayne

137.50 5 ✓ Mayne

Inj 1 mg for ECP – PCT only – Specialist.....3.05 1 mg ✓ Baxter

VINCRIStINE SULPHATE

Inj 1 mg per ml, 1 ml – PCT – Retail pharmacy-Specialist.....108.00 5 ✓ Hospira

Inj 1 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist.....116.00 5 ✓ Hospira

Inj 1 mg for ECP – PCT only – Specialist.....15.77 1 mg ✓ Baxter

VINORELBINE – PCT only – Specialist – Special Authority see SA1013 below

Inj 10 mg per ml, 1 ml24.00 1 ✓ Navelbine

42.00 ✓ Vinorelbine Ebewe

Inj 10 mg per ml, 5 ml120.00 1 ✓ Navelbine

210.00 ✓ Vinorelbine Ebewe

Inj 1 mg for ECP2.71 1 mg ✓ Baxter

►SA1013 Special Authority for Subsidy

Initial application — (Hodgkin's Disease) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has Hodgkin's Disease*; and
- 2 Any of the following:
 - 2.1 Disease has failed to respond to second-line salvage chemotherapy treatment; or
 - 2.2 Disease has relapsed following transplant; or
 - 2.3 The patient is unsuitable for, or intolerant to, second-line salvage chemotherapy or high dose chemotherapy and transplant; and
- 3 Vinorelbine to be given for a maximum of 6 treatment cycles.

Initial application — (T-Cell Lymphoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has T-cell Lymphoma*; and
- 2 Vinorelbine to be given for a maximum of 6 treatment cycles.

Initial application — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has metastatic breast cancer; or

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 2 The patient has non-small cell lung cancer (stage IIIa, or above); or
- 3 All of the following:
 - 3.1 The patient has stage IB-IIIa non-small cell lung cancer; and
 - 3.2 Vinorelbine is to be given as adjuvant treatment in combination with cisplatin; and
 - 3.3 The patient has good performance status (WHO/ECOG grade 0-1).

Renewal — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with a * are Unapproved Indications.

Protein-tyrosine Kinase Inhibitors

DASATINIB – Special Authority see SA0976 below

Tab 20 mg	3,774.06	60	✓ Sprycel
Tab 50 mg	6,214.20	60	✓ Sprycel
Tab 70 mg	7,692.58	60	✓ Sprycel
Tab 100 mg	6,214.20	30	✓ Sprycel

SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz>, and prescriptions should be sent to:

The CML/GIST Co-ordinator	Phone: (04) 460 4990
PHARMAC	Facsimile: (04) 916 7571
PO Box 10 254	Email: mary.chesterfield@pharmac.govt.nz

Wellington

Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - 1) complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10⁹/L, platelets > 100 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - 2) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0 × 10⁹/L, platelets > 20 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or

continued...

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

continued...

3) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).

b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

ERLOTINIB HYDROCHLORIDE – Retail pharmacy-Specialist – Special Authority see SA1044 below

Tab 100 mg	3,100.00	30	✓	Tarceva
Tab 150 mg	3,950.00	30	✓	Tarceva

SA1044 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has advanced, unresectable, Non Small Cell Lung Cancer (NSCLC); and
- 2 Patient has documented disease progression following treatment with first line platinum based chemotherapy; and
- 3 Erlotinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

IMATINIB MESYLATE – Special Authority see SA0643 below

Tab 100 mg	2,400.00	60	✓	Glivec
------------------	----------	----	---	--------

SA0643 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz>, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990
 PHARMAC Facsimile: (04) 916 7571
 PO Box 10 254 Email: mary.chesterfield@pharmac.govt.nz

Wellington

Special Authority criteria for CML – access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 600 mg/day for accelerated or blast phase, and 400 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if after 6 months from initiating therapy a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - 1) complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10⁹/L, platelets > 100 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - 2) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0 × 10⁹/L, platelets > 20 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - 3) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

- b) Prescribers should consider discontinuation of treatment if after 18 months from initiating therapy a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

Special Authority criteria for GIST – access by application

- a) Funded for patients:
- 1) with a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST); and
 - 2) who have immunohistochemical documentation of c-kit (CD117) expression by the tumour.
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

PAZOPANIB – Special Authority see SA1190 below – Retail pharmacy

Tab 200 mg	1,334.70	30	✓ Votrient
Tab 400 mg	2,669.40	30	✓ Votrient

▶SA1190 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 Both:
 - 2.3.1 The patient has discontinued sunitinib within 3 months of starting treatment due to intolerance; and
 - 2.3.2 The cancer did not progress whilst on sunitinib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and
The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal; or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of ≤ 70; or
 - 5.6 ≥ 2 sites of organ metastasis; and
- 6 Pazopanib to be used for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Pazopanib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6.

SUNITINIB – Special Authority see SA1162 on the next page – Retail pharmacy

Cap 12.5 mg	2,315.38	28	✓ Sutent
Cap 25 mg	4,630.77	28	✓ Sutent
Cap 50 mg	9,261.54	28	✓ Sutent

Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic Manufacturer
\$	Per	✓

►SA1162 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Either:
 - 2.1 The patient is sunitinib treatment naive; or
 - 2.2 The patient received sunitinib prior to 1 November 2010 and disease has not progressed; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and
The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal; or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of ≤ 70; or
 - 5.6 ≥ 2 sites of organ metastasis; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Sunitinib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6

Endocrine Therapy

BICALUTAMIDE – Special Authority see SA0941 below – Retail pharmacy

Tab 50 mg – Brand switch fee payable - see page 173 for details	10.00	28	✓ <u>Bicalaccord</u>
---	-------	----	----------------------

►SA0941 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the patient has advanced prostate cancer.

FLUTAMIDE – Retail pharmacy-Specialist

Tab 250 mg	55.00	100	✓ <u>Flutamin</u>
------------------	-------	-----	-------------------

MEGESTROL ACETATE – Retail pharmacy-Specialist

Tab 160 mg	57.92	30	✓ <u>Apo-Megestrol</u> ✓ <u>Megace</u>
------------------	-------	----	---

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
OCTREOTIDE (SOMATOSTATIN ANALOGUE) – Special Authority see SA1016 below – Retail pharmacy				
Inj 50 µg per ml, 1 ml	19.24	5	✓	Octreotide MaxRx
	25.65		✓	Hospira
	43.50		✓	Sandostatin
Inj 100 µg per ml, 1 ml	36.38	5	✓	Octreotide MaxRx
	48.50		✓	Hospira
	81.00		✓	Sandostatin
Inj 500 µg per ml, 1 ml	131.25	5	✓	Octreotide MaxRx
	175.00		✓	Hospira
	399.00		✓	Sandostatin
Inj LAR 10 mg prefilled syringe	1,772.50	1	✓	Sandostatin LAR
Inj LAR 20 mg prefilled syringe	2,358.75	1	✓	Sandostatin LAR
Inj LAR 30 mg prefilled syringe	2,951.25	1	✓	Sandostatin LAR

►SA1016 Special Authority for Subsidy

Initial application — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea* and vomiting* due to malignant bowel obstruction*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and
- 3 Octreotide to be given at a maximum dose 1500 µg daily for up to 4 weeks.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
 - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
 - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed; or
 - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

Renewal — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

Initial application — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 VIPomas and Glucagonomas - for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 2 Both:

continued...

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

continued...

- 2.1 Gastrinoma; and
- 2.2 Either:
 - 2.2.1 Patient has failed surgery; or
 - 2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or
- 3 Both:
 - 3.1 Insulinomas; and
 - 3.2 Surgery is contraindicated or has failed; or
- 4 For pre-operative control of hypoglycaemia and for maintenance therapy; or
- 5 Both:
 - 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
 - 5.2 Disabling symptoms not controlled by maximal medical therapy.

Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item

Renewal — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

TAMOXIFEN CITRATE

* Tab 10 mg	10.80	100	✓ Genox
* Tab 20 mg	8.75	100	✓ Genox

Aromatase Inhibitors

ANASTROZOLE

Tab 1 mg	26.55	30	✓ Aremed ✓ Arimidex ✓ DP-Anastrozole
----------	-------	----	---

EXEMESTANE

Tab 25 mg	22.57	30	✓ Aromasin
-----------	-------	----	-------------------

LETROZOLE

Tab 2.5 mg	26.55	30	✓ Letara
------------	-------	----	-----------------

Immunosuppressants

Cytotoxic Immunosuppressants

AZATHIOPRINE – Retail pharmacy-Specialist

* Tab 50 mg – For azathioprine oral liquid formulation refer, page 175	18.45	100	✓ Imuprine
* Inj 50 mg	60.00	1	✓ Imuran

MYCOPHENOLATE MOFETIL – Special Authority see SA1041 on the next page – Retail pharmacy

Dispensing pharmacy should check which brand to dispense with the prescriber if prescribed generically.

Tab 500 mg	60.00	50	✓ Ceptolate
	70.00		✓ Cellcept
	85.00		✓ Myaccord
Cap 250 mg	30.00	50	✓ Ceptolate
	70.00	100	✓ Cellcept
	85.00		✓ Myaccord
Powder for oral liq 1 g per 5 ml – Subsidy by endorsement	285.00	165 ml OP	✓ Cellcept

Mycophenolate powder for oral liquid is subsidised only for patients unable to swallow tablets and capsules, and when the prescription is endorsed accordingly.

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

▶SA1041 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Transplant recipient; or
- 2 Both:
 - Patients with diseases where
 - 2.1 Steroids and azathioprine have been trialled and discontinued because of unacceptable side effects or inadequate clinical response; and
 - 2.2 Either:
 - Patients with diseases where
 - 2.2.1 Cyclophosphamide has been trialled and discontinued because of unacceptable side effects or inadequate clinical response; or
 - 2.2.2 Cyclophosphamide treatment is contraindicated.

Immune Modulators

ANTITHYMOCYTE GLOBULIN (EQUINE) – PCT only – Specialist			
Inj 50 mg per ml, 5 ml	2,137.50	5	✓ ATGAM
BACILLUS CALMETTE-GUERIN (BCG) VACCINE – PCT only – Specialist			
Subsidised only for bladder cancer.			
Inj 2-8 × 100 million CFU	187.37	1	✓ OncoTICE
LAPATINIB DITOSYLATE – Special Authority see SA1191 below – Retail pharmacy			
Tab 250 mg	1,899.00	70	✓ Tykerb

▶SA1191 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 1.2 The patient has not previously received trastuzumab treatment for HER 2 positive metastatic breast cancer; and
 - 1.3 Lapatinib not to be given in combination with trastuzumab; and
 - 1.4 Lapatinib to be discontinued at disease progression; or
- 2 All of the following:
 - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 2.2 The patient started trastuzumab for metastatic breast cancer but discontinued trastuzumab within 3 months of starting treatment due to intolerance; and
 - 2.3 The cancer did not progress whilst on trastuzumab; and
 - 2.4 Lapatinib not to be given in combination with trastuzumab; and
 - 2.5 Lapatinib to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on lapatinib; and
- 3 Lapatinib not to be given in combination with trastuzumab; and
- 4 Lapatinib to be discontinued at disease progression.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
RITUXIMAB – PCT only – Specialist – Special Authority see SA1152 below				
Inj 100 mg per 10 ml vial	1,075.50	2	✓	Mabthera
Inj 500 mg per 50 ml vial	2,688.30	1	✓	Mabthera
Inj 1 mg for ECP	5.64	1 mg	✓	Baxter

➔SA1152 Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has indolent low grade NHL with relapsed disease following prior chemotherapy; and
 - 1.2 To be used for a maximum of 6 treatment cycles; or
- 2 Both:
 - 2.1 The patient has indolent, low grade lymphoma requiring first-line systemic chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia.

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has treatment naive aggressive CD20 positive NHL; and
 - 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
 - 1.3 To be used for a maximum of 8 treatment cycles; or
- 2 Both:
 - 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Initial application — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has progressive Binet stage A, B or C chronic lymphocytic leukaemia (CLL) requiring treatment; and
- 2 The patient is rituximab treatment naive; and
- 3 Either:
 - 3.1 The patient is chemotherapy treatment naive; or
 - 3.2 Both:
 - 3.2.1 The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment; and
 - 3.2.2 The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy; and
- 4 The patient has good performance status; and
- 5 The patient has good renal function (creatinine clearance \geq 30 ml/min); and
- 6 The patient does not have chromosome 17p deletion CLL; and
- 7 Rituximab to be administered in combination with fludarabine and cyclophosphamide for a maximum of 6 treatment cycles; and

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

8 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration).

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to <2.

Renewal — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenström macroglobulinaemia.

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

TRASTUZUMAB – PCT only – Specialist – Special Authority see SA1192 below

Inj 150 mg vial	1,350.00	1	✓ Herceptin
Inj 440 mg vial	3,875.00	1	✓ Herceptin
Inj 1 mg for ECP	9.36	1 mg	✓ Baxter

SA1192 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 1.2 The patient has not previously received lapatinib treatment for HER 2 positive metastatic breast cancer; and
 - 1.3 Trastuzumab not to be given in combination with lapatinib; and
 - 1.4 Trastuzumab to be discontinued at disease progression; or
- 2 All of the following:
 - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 2.2 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 2.3 The cancer did not progress whilst on lapatinib; and
- 2.4 Trastuzumab not to be given in combination with lapatinib; and
- 2.5 Trastuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 3 Trastuzumab not to be given in combination with lapatinib; and
- 4 Trastuzumab to be discontinued at disease progression.

Initial application — (early breast cancer*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:
 - 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
 - 3.4 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Renewal — (early breast cancer*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The patient received prior adjuvant trastuzumab treatment for early breast cancer; and
- 3 Any of the following:
 - 3.1 All of the following:
 - 3.1.1 The patient has not previously received lapatinib treatment for metastatic breast cancer; and
 - 3.1.2 Trastuzumab not to be given in combination with lapatinib; and
 - 3.1.3 Trastuzumab to be discontinued at disease progression; or
 - 3.2 All of the following:
 - 3.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
 - 3.2.2 The cancer did not progress whilst on lapatinib; and
 - 3.2.3 Trastuzumab not to be given in combination with lapatinib; and
 - 3.2.4 Trastuzumab to be discontinued at disease progression; or
 - 3.3 All of the following:
 - 3.3.1 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
 - 3.3.2 Trastuzumab not to be given in combination with lapatinib; and
 - 3.3.3 Trastuzumab to be discontinued at disease progression.

Note: * For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer.

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Other Immunosuppressants				
CYCLOSPORIN				
Cap 25 mg	59.50	50	✓	Neoral
Cap 50 mg	118.54	50	✓	Neoral
Cap 100 mg	237.08	50	✓	Neoral
Oral liq 100 mg per ml	264.17	50 ml OP	✓	Neoral
SIROLIMUS – Special Authority see SA0866 below – Retail pharmacy				
Tab 1 mg	813.00	100	✓	Rapamune
Tab 2 mg	1,626.00	100	✓	Rapamune
Oral liq 1 mg per ml	487.80	60 ml OP	✓	Rapamune

►►SA0866 **Special Authority for Subsidy**

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR<30 ml/min; or
- Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- HUS or TTP; or
- Leukoencephalopathy; or
- Significant malignant disease

TACROLIMUS – Special Authority see SA0669 below – Retail pharmacy

Cap 0.5 mg	214.00	100	✓	Prograf
Cap 1 mg	428.00	100	✓	Prograf
Cap 5 mg – For tacrolimus oral liquid formulation refer, page 175	1,070.00	50	✓	Prograf

►►SA0669 **Special Authority for Subsidy**

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Note: Subsidy applies for either primary or rescue therapy.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	✓

Antiallergy Preparations

BEE VENOM ALLERGY TREATMENT – Special Authority see SA0053 below – Retail pharmacy

Maintenance kit - 6 vials 120 µg freeze dried venom, 6 diluent			
1.8 ml	285.00	1 OP	✓ Albay
Treatment kit - 1 vial 550 µg freeze dried venom, 1 diluent			
9 ml, 3 diluent 1.8 ml	285.00	1 OP	✓ Albay

SA0053 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

WASP VENOM ALLERGY TREATMENT – Special Authority see SA0053 below – Retail pharmacy

Treatment kit (Paper wasp venom) - 1 vial 550 µg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml	285.00	1 OP	✓ Albay
Treatment kit (Yellow jacket venom) - 1 vial 550 µg freeze dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml	285.00	1 OP	✓ Albay

SA0053 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Antihistamines

CETIRIZINE HYDROCHLORIDE

* Tab 10 mg	1.59	100	✓ <u>Zetop</u>
*‡ Oral liq 1 mg per ml	3.52	200 ml	✓ <u>Cetirizine - AFT</u>

CHLORPHENIRAMINE MALEATE

*‡ Oral liq 2 mg per 5 ml	8.06	500 ml	✓ <u>Histafen</u>
---------------------------------	------	--------	-------------------

DEXTROCHLORPHENIRAMINE MALEATE

* Tab 2 mg	1.01	20	
	(4.93)		Polaramine
	2.02	40	
	(7.99)		Polaramine
*‡ Oral liq 2 mg per 5 ml	1.77	100 ml	
	(10.29)		Polaramine

FEXOFENADINE HYDROCHLORIDE

* Tab 60 mg	4.34	20	
	(11.53)		Telfast
* Tab 120 mg	4.74	10	
	(11.53)		Telfast
	14.22	30	
	(29.81)		Telfast

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

RESPIRATORY SYSTEM AND ALLERGIES

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
LORATADINE				
* Tab 10 mg	2.09	100	✓	Loraclear Hayfever Relief
* Oral liq 1 mg per ml	3.10	100 ml	✓	Lorapaed
PROMETHAZINE HYDROCHLORIDE				
* Tab 10 mg	2.72	50	✓	Allersoothe
* Tab 25 mg	4.44	50	✓	Allersoothe
*‡ Oral liq 5 mg per 5 ml	3.10	100 ml	✓	Promethazine Winthrop Elixir
* Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO	11.00	5	✓	Mayne
TRIMEPRAZINE TARTRATE				
‡ Oral liq 30 mg per 5 ml	2.79 (8.06)	100 ml OP		Vallergan Forte

Inhaled Corticosteroids

BECLOMETHASONE DIPROPIONATE				
Aerosol inhaler, 100 µg per dose CFC-free	12.50	200 dose OP	✓	Beclazone 100
Aerosol inhaler, 250 µg per dose CFC-free	22.67	200 dose OP	✓	Beclazone 250
Aerosol inhaler, 50 µg per dose CFC-free	8.54	200 dose OP	✓	Beclazone 50
BUDESONIDE				
Powder for inhalation, 100 µg per dose	17.00	200 dose OP	✓	Pulmicort Turbuhaler
Powder for inhalation, 200 µg per dose	15.20 19.00	200 dose OP	✓	Budenocort Pulmicort Turbuhaler
Powder for inhalation, 400 µg per dose	25.60 32.00	200 dose OP	✓	Budenocort Pulmicort Turbuhaler
FLUTICASONE				
Aerosol inhaler, 50 µg per dose CFC-free	7.50	120 dose OP	✓	Flixotide
Powder for inhalation, 50 µg per dose	7.50	60 dose OP	✓	Flixotide Accuhaler
Powder for inhalation, 100 µg per dose	7.50	60 dose OP	✓	Flixotide Accuhaler
Aerosol inhaler, 125 µg per dose CFC-free	13.60	120 dose OP	✓	Flixotide
Aerosol inhaler, 250 µg per dose CFC-free	27.20	120 dose OP	✓	Flixotide
Powder for inhalation, 250 µg per dose	13.60	60 dose OP	✓	Flixotide Accuhaler

Inhaled Long-acting Beta-adrenoceptor Agonists

Prescribing Guideline for Inhaled Long-Acting Beta-Adrenoceptor Agonists

The addition of inhaled long-acting beta-adrenoceptor agonists (LABAs) to inhaled corticosteroids is recommended:

- For younger children (aged under 12 years) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 200 µg beclomethasone or budesonide (or 100 µg fluticasone).
- For adults and older children (aged 12 years and over) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 400 µg beclomethasone or budesonide (or 200 µg fluticasone).

Note:

Further information on the place of inhaled corticosteroids and inhaled LABAs in the management of asthma can be found in the New Zealand guidelines for asthma in adults (www.nzgg.org.nz) and in the New Zealand guidelines for asthma in children aged 1-15 (www.paediatrics.org.nz).

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
EFORMOTEROL FUMARATE – See prescribing guideline on the preceding page				
Note: Repeats for eformoterol fumarate will be fully subsidised where the initial dispensing is before 1 February 2012.				
Powder for inhalation, 6 µg per dose, breath activated	11.51	60 dose OP		
	(16.90)			Oxis Turbuhaler
Powder for inhalation, 12 µg per dose, and monodose device	23.02	60 dose		
	(35.80)			Foradil
SALMETEROL – See prescribing guideline on the preceding page				
Aerosol inhaler CFC-free, 25 µg per dose	26.46	120 dose OP	✓	Serevent
Powder for inhalation, 50 µg per dose, breath activated	26.46	60 dose OP	✓	Serevent Accuhaler

Inhaled Corticosteroids with Long-Acting Beta-Adrenoceptor Agonists

SA1179 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Patient is a child under the age of 12; and
 - 1.2 Has been treated with inhaled corticosteroids of at least 400 µg per day beclomethasone or budesonide, or 200 µg per day fluticasone; and
 - 1.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product; or
- 2 All of the following:
 - 2.1 Patient is over the age of 12; and
 - 2.2 Has been treated with inhaled corticosteroids of at least 800 µg per day beclomethasone or budesonide, or 500 µg per day fluticasone; and
 - 2.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

BUDESONIDE WITH EFORMOTEROL – Special Authority see SA1179 above – Retail pharmacy				
Aerosol inhaler 100 µg with eformoterol fumarate 6 µg	26.49	120 dose OP	✓	Vannair
Powder for inhalation 100 µg with eformoterol fumarate 6 µg	55.00	120 dose OP	✓	Symbicort Turbuhaler 100/6
Aerosol inhaler 200 µg with eformoterol fumarate 6 µg	31.25	120 dose OP	✓	Vannair
Powder for inhalation 200 µg with eformoterol fumarate 6 µg	60.00	120 dose OP	✓	Symbicort Turbuhaler 200/6
Powder for inhalation 400 µg with eformoterol fumarate 12 µg – No more than 2 dose per day	60.00	60 dose OP	✓	Symbicort Turbuhaler 400/12
FLUTICASONE WITH SALMETEROL – Special Authority see SA1179 above – Retail pharmacy				
Aerosol inhaler 50 µg with salmeterol 25 µg	37.48	120 dose OP	✓	Seretide
Aerosol inhaler 125 µg with salmeterol 25 µg	49.69	120 dose OP	✓	Seretide
Powder for inhalation 100 µg with salmeterol 50 µg – No more than 2 dose per day	37.48	60 dose OP	✓	Seretide Accuhaler
Powder for inhalation 250 µg with salmeterol 50 µg – No more than 2 dose per day	49.69	60 dose OP	✓	Seretide Accuhaler

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

RESPIRATORY SYSTEM AND ALLERGIES

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Beta-Adrenoceptor Agonists				
SALBUTAMOL				
‡ Oral liq 2 mg per 5 ml	1.99	150 ml	✓	Salapin
Infusion 1 mg per ml, 5 ml	118.38 (130.21)	10	✓	Ventolin Elixer
Inj 500 µg per ml, 1 ml – Up to 5 inj available on a PSO.....	12.90	5	✓	Ventolin Ventolin

Inhaled Beta-Adrenoceptor Agonists

SALBUTAMOL				
Aerosol inhaler, 100 µg per dose CFC free – Up to 1000 dose available on a PSO.....	3.80 (6.00)	200 dose OP	✓	Respigen
			✓	Salamol Ventolin
Nebuliser soln, 1 mg per ml, 2.5 ml – Up to 30 neb available on a PSO.....	3.52	20	✓	Asthalin
Nebuliser soln, 2 mg per ml, 2.5 ml – Up to 30 neb available on a PSO.....	3.70	20	✓	Asthalin
TERBUTALINE SULPHATE				
Powder for inhalation, 250 µg per dose, breath activated	22.00	200 dose OP	✓	Bricanyl Turbuhaler

Inhaled Anticholinergic Agents

Inhaled Anticholinergic agents

IPRATROPIUM BROMIDE				
Aerosol inhaler, 20 µg per dose CFC-free	16.20	200 dose OP	✓	Atrovent
Nebuliser soln, 250 µg per ml, 1 ml – Up to 40 neb available on a PSO.....	3.79	20	✓	Univent
Nebuliser soln, 250 µg per ml, 2 ml – Up to 40 neb available on a PSO.....	4.06	20	✓	Univent
TIOTROPIUM BROMIDE – Special Authority see SA1193 below – Retail pharmacy				
Powder for inhalation, 18 µg per dose	70.00	30 dose	✓	Spiriva

►SA1193 Special Authority for Subsidy

Initial application only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- In addition to standard treatment, the patient has trialed a short acting bronchodilator of at least 40 µg ipratropium q.i.d for one month; and
- Either:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- Grade 4 (stops for breath after walking about 100 meters or after a few minutes on the level); or
- Grade 5 (too breathless to leave the house, or breathless when dressing or undressing); and

Applicant must state recent measurement of:

- All of the following:
 - Actual FEV₁ (litres); and

continued...

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

continued...

- 4.2 Predicted FEV₁ (litres); and
- 4.3 Actual FEV₁ as a % of predicted (must be below 60%); and
- 5 Either:
 - 5.1 Patient is not a smoker (for reporting purposes only); or
 - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined); and
Applicant must state recent measurement of:
- 3 All of the following:
 - 3.1 Actual FEV₁ (litres); and
 - 3.2 Predicted FEV₁ (litres); and
 - 3.3 Actual FEV₁ as a % of predicted.

Inhaled Beta-Adrenoceptor Agonists with Anticholinergic Agents

SALBUTAMOL WITH IPRATROPIUM BROMIDE

Aerosol inhaler, 100 µg with ipratropium bromide, 20 µg per dose CFC-free	12.19	200 dose OP	✓ Duolin HFA
Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml – Up to 20 neb available on a PSO	4.29	20	✓ <u>Duolin</u>

Mast Cell Stabilisers

Mast cell stabilisers

NEDOCROMIL

Aerosol inhaler, 2 mg per dose CFC-free	28.07	112 dose OP	✓ Tilade
---	-------	-------------	----------

SODIUM CROMOGLYCATE

Powder for inhalation, 20 mg per dose	17.94	50 dose	✓ Intal Spincaps
Aerosol inhaler, 5 mg per dose CFC-free	28.07	112 dose OP	✓ Vicrom

Methylxanthines

AMINOPHYLLINE

* Inj 25 mg per ml, 10 ml – Up to 5 inj available on a PSO	53.75	5	✓ <u>DBL Aminophylline</u>
--	-------	---	----------------------------

THEOPHYLLINE

* Tab long-acting 250 mg	21.51	100	✓ Nuelin-SR
*‡ Oral liq 80 mg per 15 ml	15.50	500 ml	✓ Nuelin

Mucolytics

DORNASE ALFA – Special Authority see SA0611 on the next page – Retail pharmacy

Nebuliser soln, 2.5 mg per 2.5 ml ampoule	294.30	6	✓ Pulmozyme
---	--------	---	-------------

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

RESPIRATORY SYSTEM AND ALLERGIES

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

►SA0611 Special Authority for Subsidy

Special Authority approved by the Cystic Fibrosis Advisory Panel

Notes: Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz> or:

The Co-ordinator, Cystic Fibrosis Advisory Panel	Phone: (04) 460 4990
PHARMAC, PO Box 10 254	Facsimile: (04) 916 7571
Wellington	Email: CFPanel@pharmac.govt.nz

Prescriptions for patients approved for treatment must be written by respiratory physicians or paediatricians who have experience and expertise in treating cystic fibrosis.

SODIUM CHLORIDE

Not funded for use as a nasal drop.

Soln 7%	23.50	90 ml OP	✓ Biomed
---------------	-------	----------	----------

Nasal Preparations

Allergy Prophylactics

BECLOMETHASONE DIPROPIONATE

Metered aqueous nasal spray, 50 µg per dose	2.35	200 dose OP	
	(4.00)		Alanase
Metered aqueous nasal spray, 100 µg per dose	2.46	200 dose OP	
	(4.81)		Alanase

BUDESONIDE

Metered aqueous nasal spray, 50 µg per dose	2.35	200 dose OP	
	(4.00)		Butacort Aqueous
Metered aqueous nasal spray, 100 µg per dose	2.61	200 dose OP	
	(4.81)		Butacort Aqueous

FLUTICASONE PROPIONATE

Metered aqueous nasal spray, 50 µg per dose	13.34	120 dose OP	✓ <u>Flixonase Hayfever & Allergy</u>
---	-------	-------------	---

IPRATROPIUM BROMIDE

Aqueous nasal spray, 0.03%	4.03	15 ml OP	✓ <u>Univent</u>
----------------------------------	------	----------	------------------

SODIUM CROMOGLYCATE

Nasal spray, 4%	15.85	22 ml OP	✓ <u>Rex</u>
-----------------------	-------	----------	--------------

Respiratory Devices

MASK FOR SPACER DEVICE

a) Up to 20 dev available on a PSO			
b) Only on a PSO			
c) Only for children aged six years and under			
Size 2	2.99	1	✓ <u>EZ-fit Paediatric Mask</u>

PEAK FLOW METER

a) Up to 10 dev available on a PSO			
b) Only on a PSO			
Low range	11.44	1	✓ <u>Breath-Alert</u>
Normal range	11.44	1	✓ <u>Breath-Alert</u>

RESPIRATORY SYSTEM AND ALLERGIES

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
SPACER DEVICE				
a) Up to 20 dev available on a PSO				
b) Only on a PSO				
230 ml (single patient)	4.72	1	✓	Space Chamber Plus
800 ml	8.50	1	✓	Volumatic
SPACER DEVICE AUTOCLAVABLE				
a) Up to 5 dev available on a PSO				
b) Only on a PSO				
230 ml (autoclavable) – Subsidy by endorsement.....	11.60	1	✓	Space Chamber
Available where the prescriber requires a spacer device that is capable of sterilisation in an autoclave and the PSO is endorsed accordingly.				

Respiratory Stimulants

CAFFEINE CITRATE				
Oral liq 20 mg per ml (10 mg base per ml)	14.85	25 ml OP	✓	Biomed

‡ safety cap
 *Three months or six months, as applicable, dispensed all-at-once
 ▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

SENSORY ORGANS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Ear Preparations				
ACETIC ACID WITH 1, 2-PROPANEDIOL DIACETATE AND BENZETHONIUM				
Ear drops 2% with 1, 2-Propanediol diacetate 3% and benzethonium chloride 0.02%	6.97	35 ml OP	✓	Vosol
CHLORAMPHENICOL				
Ear drops 0.5%	2.20	5 ml OP	✓	Chloromycetin
FLUMETASONE PIVALATE				
Ear drops 0.02% with cloquinoxal 1%	4.46	7.5 ml OP	✓	Locacorten-Viaform ED's
			✓	Locorten-Vioform
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN				
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 µg per g	5.16	7.5 ml OP	✓	Kenacomb

Ear/Eye Preparations

DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN				
Ear/Eye drops 500 µg with framycetin sulphate 5 mg and gramicidin 50 µg per ml	4.50 (9.27)	8 ml OP		Sofradex
FRAMYCETIN SULPHATE				
Ear/Eye drops 0.5%	4.13 (8.65)	8 ml OP		Soframycin

Eye Preparations

Eye preparations are only funded for use in the eye. The exception is pilocarpine eye drops 1%, 2% and 4% which are subsidised for oral use pursuant to the Standard Formulae.

Anti-Infective Preparations

ACICLOVIR				
* Eye oint 3%	37.53	4.5 g OP	✓	Zovirax
CHLORAMPHENICOL				
Eye oint 1%	2.37	4 g OP	✓	Chlorsig
Eye drops 0.5%	1.28	10 ml OP	✓	Chlorafast
CIPROFLOXACIN				
Eye Drops 0.3%	12.43	5 ml OP	✓	Ciloxan
For treatment of bacterial keratitis or severe bacterial conjunctivitis resistant to chloramphenicol.				
FUSIDIC ACID				
Eye drops 1%	4.50	5 g OP	✓	Fucithalmic
GENTAMICIN SULPHATE				
Eye drops 0.3%	11.40	5 ml OP	✓	Genoptic
PROPAMIDINE ISETHIONATE				
* Eye drops 0.1%	2.97 (7.99)	10 ml OP		Brolene

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
TOBRAMYCIN				
Eye oint 0.3%	10.45	3.5 g OP	✓	Tobrex
Eye drops 0.3%	11.48	5 ml OP	✓	Tobrex

Corticosteroids and Other Anti-Inflammatory Preparations

DEXAMETHASONE				
* Eye oint 0.1%	5.86	3.5 g OP	✓	Maxidex
* Eye drops 0.1%	4.50	5 ml OP	✓	Maxidex
DEXAMETHASONE WITH NEOMYCIN AND POLYMYXIN B SULPHATE				
* Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin B sulphate 6,000 u per g	5.39	3.5 g OP	✓	Maxitrol
* Eye drops 0.1% with neomycin sulphate 0.35% and polymyxin B sulphate 6,000 u per ml	4.50	5 ml OP	✓	Maxitrol
DICLOFENAC SODIUM				
* Eye drops 1 mg per ml	13.80	5 ml OP	✓	Voltaren Ophtha
FLUOROMETHOLONE				
* Eye drops 0.1%	4.05	5 ml OP	✓	FML
LEVOCABASTINE				
Eye drops 0.5 mg per ml	8.71 (10.34)	4 ml OP		Livostin
LODOXAMIDE TROMETAMOL				
Eye drops 0.1%	8.71	10 ml OP	✓	Lomide
PREDNISOLONE ACETATE				
* Eye drops 0.12%	4.50	5 ml OP	✓	Pred Mild
* Eye drops 1%	4.50	5 ml OP	✓	Pred Forte
SODIUM CROMOGLYCAT				
Eye drops 2%	1.18	5 ml OP	✓	Rexacrom

Glaucoma Preparations - Beta Blockers

BETAXOLOL HYDROCHLORIDE				
* Eye drops 0.25%	11.80	5 ml OP	✓	Betoptic S
* Eye drops 0.5%	7.50	5 ml OP	✓	Betoptic
LEVOBUNOLOL				
* Eye drops 0.25%	7.00	5 ml OP	✓	Betagan
* Eye drops 0.5%	7.00	5 ml OP	✓	Betagan
TIMOLOL MALEATE				
* Eye drops 0.25%	2.08	5 ml OP	✓	Arrow-Timolol
* Eye drops 0.25%, gel forming	3.30	2.5 ml OP	✓	Timoptol XE
* Eye drops 0.5%	2.08	5 ml OP	✓	Arrow-Timolol
* Eye drops 0.5%, gel forming	3.78	2.5 ml OP	✓	Timoptol XE

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

SENSORY ORGANS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Glaucoma Preparations - Carbonic Anhydrase Inhibitors				
Prescribing Guidelines				
Trusopt, Cosopt and Azopt are subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma. Trusopt, Cosopt and Azopt should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:				
1) that person has previously trialled all other such subsidised agents (except brimonidine tartrate); and				
2) those trials have indicated that that person does not respond adequately to treatment with those other agents.				
ACETAZOLAMIDE				
* Tab 250 mg – For acetazolamide oral liquid formulation refer, page 175	17.03	100	✓	Diamox
BRINZOLAMIDE				
▲ Eye Drops 1%	9.77	5 ml OP	✓	Azopt
DORZOLAMIDE HYDROCHLORIDE				
* Eye drops 2%	9.77 (13.95)	5 ml OP		Trusopt
DORZOLAMIDE HYDROCHLORIDE WITH TIMOLOL MALEATE				
* Eye drops 2% with timolol maleate 0.5%	15.50	5 ml OP	✓	Cosopt

Glaucoma Preparations - Prostaglandin Analogues

Prescribing Guideline

Bimatoprost, lantanoprost and travoprost are subsidised for use in the treatment of glaucoma as either monotherapy or as an adjunctive agent for patients in whom prostaglandin analogue monotherapy has been ineffective in controlling intraocular pressure. Bimatoprost, lantanoprost and travoprost should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- 1) That person has previously trialled all other such subsidised agents (beta-blockers, pilocarpine, carbonic anhydrase inhibitors); and
- 2) Those trials have indicated that that person does not respond adequately to treatment with those other agents.

BIMATOPROST – Retail pharmacy-Specialist

See prescribing guideline above

▲ Eye drops 0.03% 18.50 3 ml OP ✓ **Lumigan**

LATANOPROST – Retail pharmacy-Specialist

See prescribing guideline above

▲ Eye drops 50 µg per ml, 2.5 ml 9.75 2.5 ml OP ✓ **Hysite**

TRAVOPROST – Retail pharmacy-Specialist

See prescribing guideline above

▲ Eye drops 0.004% 19.50 2.5 ml OP ✓ **Travatan**

Glaucoma Preparations - Other

BRIMONIDINE TARTRATE – See prescribing guideline below

* Eye Drops 0.2% 7.93 5 ml OP ✓ **AFT**

Prescribing Guidelines

Brimonidine tartrate is subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma.

Brimonidine tartrate should not be prescribed for a person in whom less expensive first line agents for the treatment of glaucoma are not contraindicated unless:

- that person has previously trialled all other such subsidised agents (except dorzolamide hydrochloride); and
- those trials have indicated that that person does not respond adequately to or does not tolerate treatment with those other agents.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE – See prescribing guideline below

▲ Eye drops 0.2% with timolol maleate 0.5%	18.50	5 ml OP	✓	Combigan
--	-------	---------	---	----------

Prescribing Guidelines

Combigan is subsidised for use as either monotherapy or as an adjunctive agent for the treatment of glaucoma.

Combigan should only be prescribed when:

- 1) less expensive first line agents for the treatment of glaucoma are contraindicated; or
- 2) the response to such subsidised agents is inadequate; or
- 3) the patient cannot tolerate such subsidised agents.

PILOCARPINE

* Eye drops 1%	4.26	15 ml OP	✓	Isopto Carpine
* Eye drops 2%	5.35	15 ml OP	✓	Isopto Carpine
* Eye drops 4%	7.99	15 ml OP	✓	Isopto Carpine
* Eye drops 2% single dose – Special Authority see SA0895 below – Retail pharmacy	31.95 (32.72)	20 dose		Minims

SA0895 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be “tools of trade” and are not approved as special authority items.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Mydriatics and Cycloplegics

ATROPINE SULPHATE

* Eye drops 1%	17.36	15 ml OP	✓	Atropt
----------------------	-------	----------	---	--------

CYCLOPENTOLATE HYDROCHLORIDE

* Eye drops 1%	8.76	15 ml OP	✓	Cyclogyl
----------------------	------	----------	---	----------

HOMATROPINE HYDROBROMIDE

* Eye drops 2%	7.18	15 ml OP	✓	Isopto Homatropine
----------------------	------	----------	---	--------------------

TROPICAMIDE

* Eye drops 0.5%	7.15	15 ml OP	✓	Mydracyl
* Eye drops 1%	8.66	15 ml OP	✓	Mydracyl

Preparations for Tear Deficiency

HYPROMELLOSE

* Eye drops 0.3%	2.62	15 ml OP	✓	Poly-Tears
* Eye drops 0.5%	2.00 (3.92)	15 ml OP		Methopt

POLYVINYL ALCOHOL

* Eye drops 1.4%	2.68	15 ml OP	✓	Vistil
* Eye drops 3%	3.75	15 ml OP	✓	Vistil Forte

TYLOXAPOL

* Eye drops 0.25%	8.63	15 ml OP	✓	Enuclene
-------------------------	------	----------	---	----------

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed “certified exemption” by the prescriber.

SENSORY ORGANS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Other Eye Preparations				
NAPHAZOLINE HYDROCHLORIDE				
* Eye drops 0.1%	4.15	15 ml OP	✓	<u>Naphcon Forte</u>
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN				
* Eye oint with soft white paraffin	3.63	3.5 g OP	✓	<u>Lacri-Lube</u>
PARAFFIN LIQUID WITH WOOL FAT LIQUID				
* Eye oint 3% with wool fat liq 3%	3.63	3.5 g OP	✓	<u>Poly-Visc</u>
PHENYLEPHRINE HYDROCHLORIDE				
* Eye drops 0.12%	4.47	15 ml OP	✓	<u>Prefrin</u>

Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic Manufacturer
\$	Per	✓

Various

May only be claimed once per patient.

PHARMACY SERVICES

* Brand switch fee	0.01	1 fee	✓ BSF Arrow-Losartan & Hydrochlorothiazide ✓ BSF Bicalaccord ✓ BSF Lostaar
--------------------------	------	-------	---

a) The Pharmacode for BSF Arrow-Losartan & Hydrochlorothiazide is 2397153

b) The Pharmacode for BSF Lostaar is 2397145

c) The Pharmacode for BSF Bicalaccord is 2397137

(BSF Arrow-Losartan & Hydrochlorothiazide Brand switch fee to be delisted 1 June 2012)

(BSF Bicalaccord Brand switch fee to be delisted 1 May 2012)

(BSF Lostaar Brand switch fee to be delisted 1 June 2012)

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
 - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
 - b) Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-specialist).
 - c) Menthol crystals only in the following bases:
 - Aqueous cream
 - Urea cream 10%
 - Wool fat with mineral oil lotion
 - Hydrocortisone 1% with wool fat and mineral oil lotion
 - Glycerol, paraffin and cetyl alcohol lotion.

Glossary

Dermatological base: The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Hydrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

Dermatological galenical: Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution BP - up to 10%
- Hydrocortisone powder - up to 5%
- Menthol crystals
- Salicylic acid powder
- Sulphur precipitated powder

Standard formulae: Standard formulae are a list of formulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

Explanatory notes

Oral liquid mixtures

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

The Emixt website www.pharminfotech.co.nz has evidence-based formulations which are intended to standardise compounded oral liquids within New Zealand.

Pharmaceuticals with standardised formula for compounding in Ora products

Acetazolamide 25 mg/ml	Flecainide 20 mg/ml	Rifabutin 20 mg/ml
Allopurinol 20 mg/ml	Gabapentin 100 mg/ml	Sildenafil 2 mg/ml
Amlodipine 1 mg/ml	Gabapentin (Neurontin) 100 mg/ml	Sotalol 15 mg/ml
Azathioprine 50 mg/ml	Hydrocortisone 1 mg/ml	Sulphasalazine 100 mg/ml
Baclofen 10 mg/ml	Labetalol 10 mg/ml	Tacrolimus 1 mg/ml
Carvedilol 1 mg/ml	Levetiracetam 100 mg/ml	Terbinafine 25 mg/ml
Clopidogrel 5 mg/ml	Levodopa with carbidopa (5 mg levodopa + 1.25 mg carbidopa)/ml	Ursodeoxycholic acid 50 mg/ml
Diltiazem hydrochloride 12 mg/ml	Metoprolol tartrate 10 mg/ml	Valganciclovir 60 mg/ml*
Dipyridamole 10 mg/ml	Nitrofurantoin 10 mg/ml	Verapamil hydrochloride 50 mg/ml
Domperidone 1 mg/ml	Pyrazinamide 100 mg/ml	
Enalapril 1 mg/ml		

*Note this is a DCS formulation

PHARMAC endorses the recommendations of the Emixt website and encourages New Zealand pharmacists to use these formulations when compounding is appropriate. The Emixt website also provides stability and expiry data for compounded products. For the majority of products compounded with Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet or Ora-Sweet SF a four week expiry is appropriate.

Please note that no oral liquid mixture will be eligible for Subsidy unless all the requirements of Section B and C of the Schedule applicable to that pharmaceutical are met.

Some community pharmacies may not have appropriate equipment to compound all of the listed products, please use appropriate clinical judgement.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form	qs
Preservative	qs
Suspending agent	qs
Water	to 100%

or

Solid dose form	qs
Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF	to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent.

- Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and Ora-Sweet SF when used correctly are an appropriate preservative and suspending agent.
- Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

The following practices will not be subsidised:

- Where a Standard Formula exists in the Pharmaceutical Schedule for a solid dose form, compounding the solid dose form in Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF.
- Mixing one or more proprietary oral liquids (eg an antihistamine with pholcodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

Dermatological Preparations

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 174) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).


One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on the next page may assist you in deciding whether or not a dermatological ECP is subsidised.

Dermatological ECPs

Is it subsidised?



Standard Formulae

ACETYLCYSTEINE EYE DROPS

Acetylcysteine inj 200 mg per ml, 10 ml qs
 Suitable eye drop base qs

ASPIRIN AND CHLOROFORM APPLICATION

Aspirin Soluble tabs 300 mg 12 tabs
 Chloroform to 100 ml

CODEINE LINCTUS PAEDIATRIC (3 mg per 5 ml)

Codeine phosphate 60 mg
 Glycerol 40 ml
 Preservative qs
 Water to 100 ml

CODEINE LINCTUS DIABETIC (15 mg per 5 ml)

Codeine phosphate 300 mg
 Glycerol 40 ml
 Preservative qs
 Water to 100 ml

FOLINIC MOUTHWASH

Calcium folinate 15 mg tab 1 tab
 Preservative qs
 Water to 500 ml

(Preservative should be used if quantity supplied is for more than 5 days. Maximum 500 ml per prescription.)

MAGNESIUM HYDROXIDE MIXTURE

Magnesium hydroxide paste 275 g
 Methyl hydroxybenzoate 1.5 g
 Water 770 ml

METHADONE MIXTURE

Methadone powder qs
 Glycerol qs
 Water to 100 ml

METHYL HYDROXYBENZOATE 10% SOLUTION

Methyl hydroxybenzoate 10 g
 Propylene glycol to 100 ml

(Use 1 ml of the 10% solution per 100 ml of oral liquid mixture)

OMEPRAZOLE SUSPENSION

Omeprazole capules or powder qs
 Sodium bicarbonate powder BP 8.4 g
 Water to 100 ml

PHENOBARBITONE ORAL LIQUID

Phenobarbitone Sodium 1 g
 Glycerol BP 70 ml
 Water to 100 ml

PHENOBARBITONE SODIUM PAEDIATRIC ORAL LIQUID (10 mg per ml)

Phenobarbitone Sodium 400 mg
 Glycerol BP 4 ml
 Water to 40 ml

PILOCARPINE ORAL LIQUID

Pilocarpine 4% eye drops qs
 Preservative qs
 Water to 500 ml

(Preservative should be used if quantity supplied is for more than 5 days.)

SALIVA SUBSTITUTE FORMULA

Methylcellulose 5 g
 Preservative qs
 Water to 500 ml

(Preservative should be used if quantity supplied is for more than 5 days. Maximum 500 ml per prescription.)

VOSOL EAR DROPS

WITH HYDROCORTISONE POWDER 1%

Hydrocortisone powder 1%
 Vosol Ear Drops to 35 ml

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Extemporaneously Compounded Preparations and Galenicals				
ACETYLCYSTEINE – Retail pharmacy-Specialist				
Inj 200 mg per ml, 10 ml	137.06 (219.75)	10		Martindale Acetylcysteine
	(255.35)			Hospira
Inj 200 mg per ml, 30 ml	219.00	4	✓	Acetadote
BENZOIN				
Tincture compound BP	2.44 (5.10)	50 ml		PSM
	24.42 (38.00)	500 ml		PSM
CHLOROFORM – Only in combination				
Only in aspirin and chloroform application.				
Chloroform BP	25.50	500 ml	✓	PSM
CODEINE PHOSPHATE				
Powder – Only in combination	12.62 (25.46)	5 g		Douglas
	63.09 (90.09)	25 g		Douglas
a) Only in extemporaneously compounded codeine linctus diabetic or codeine linctus paediatric.				
b) ‡ Safety cap for extemporaneously compounded oral liquid preparations.				
COLLODION FLEXIBLE				
Collodion flexible	19.30	100 ml	✓	PSM
COMPOUND HYDROXYBENZOATE – Only in combination				
Only in extemporaneously compounded oral mixtures.				
Soln	34.18	100 ml	✓	David Craig
GLYCERIN WITH SODIUM SACCHARIN – Only in combination				
Only in combination with Ora-Plus.				
Suspension	36.80	473 ml	✓	Ora-Sweet SF
GLYCERIN WITH SUCROSE – Only in combination				
Only in combination with Ora-Plus.				
Suspension	36.80	473 ml	✓	Ora-Sweet
GLYCEROL				
* Liquid – Only in combination	17.86	2,000 ml	✓	healthE
Only in extemporaneously compounded oral liquid preparations.				
MAGNESIUM HYDROXIDE				
Paste	22.61	500 g	✓	PSM
METHADONE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets).				
Powder	7.84	1 g	✓	AFT
‡ Safety cap for extemporaneously compounded oral liquid preparations.				

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
METHYL HYDROXYBENZOATE				
Powder	8.00	25 g	✓	PSM
	8.98		✓	Midwest
METHYLCELLULOSE				
Powder	14.00	100 g	✓	ABM
	(17.72)			MidWest
Suspension – Only in combination	36.80	473 ml	✓	Ora-Plus
METHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCHARIN – Only in combination				
Suspension	36.80	473 ml	✓	Ora-Blend SF
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE – Only in combination				
Suspension	36.80	473 ml	✓	Ora-Blend
PHENOBARBITONE SODIUM				
Powder – Only in combination	52.50	10 g	✓	MidWest
	325.00	100 g	✓	MidWest
				a) Only in children up to 12 years
				b) ‡ Safety cap for extemporaneously compounded oral liquid preparations.
PROPYLENE GLYCOL				
Only in extemporaneously compounded methyl hydroxybenzoate 10% solution.				
Liq	10.50	500 ml	✓	PSM
	11.25		✓	Midwest
	12.00		✓	ABM
<i>(ABM Liq to be delisted 1 September 2012)</i>				
SODIUM BICARBONATE				
Powder BP – Only in combination	8.95	500 g	✓	Midwest
	9.80			
	(29.50)			David Craig
Only in extemporaneously compounded omeprazole and lansoprazole suspension.				
SYRUP (PHARMACEUTICAL GRADE) – Only in combination				
Only in extemporaneously compounded oral liquid preparations.				
Liq	21.75	2,000 ml	✓	Midwest
WATER				
Tap – Only in combination	0.00	1 ml	✓	Tap water

EXPLANATORY NOTES

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

Eligibility for Special Authority

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

Who can apply for Special Authority?

Initial Applications: Only from a dietitian, relevant specialist or a vocationally registered general practitioner.

Reapplications: Only from a dietitian, relevant specialist or a vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or a vocationally registered general practitioner. Other general practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. Applications must be forwarded to:

Ministry of Health Sector Services
Private Bag 3015
WHANGANUI 4540
Freefax 0800 100 131

Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

Definitions

Failure to thrive An inability to gain or maintain weight resulting in physiological impairment.

Growth deficiency Where the weight of the child is less than the fifth or possibly third percentile for their age, with evidence of malnutrition

SPECIAL FOODS

Dietitian Prescribing

Prescriptions from Dietitians will be only valid for subsidy where they are for special foods, as listed in this section, or where they are for the following products:

ASCORBIC ACID

- ✓ Tab 100 mg

CALCIUM CARBONATE

- ✓ Tab eff 1.75 g (1 g elemental)
- ✓ Tab 1.25 g (500 mg elemental)
- ✓ Tab 1.5 g (600 mg elemental)

COMPOUND ELECTROLYTES

- ✓ Powder for soln for oral use 4.4 g

DEXTROSE WITH ELECTROLYTES

- ✓ Soln with electrolytes

FERROUS FUMARATE

- ✓ Tab 200 mg (65 mg elemental)

FERROUS FUMARATE WITH FOLIC ACID

- ✓ Tab 310 mg (100 mg elemental) with folic acid 350 μ g

FERROUS SULPHATE

- Tab long-acting 325 mg (105 mg elemental)
- ✓ Oral liq 30 mg per 1 ml (6 mg elemental per 1 ml)

FERROUS SULPHATE WITH FOLIC ACID

Tab long-acting 325 mg (105 mg elemental) with folic acid 350 μ g

MULTIVITAMINS

- ✓ Powder

POTASSIUM BICARBONATE

- ✓ Tab eff 315 mg with sodium acid phosphate 1.937 g and sodium bicarbonate 350 mg

POTASSIUM CHLORIDE

- Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)
- ✓ Tab long-acting 600 mg

PYRIDOXINE HYDROCHLORIDE

- ✓ Tab 25 mg
- ✓ Tab 50 mg

SODIUM FLUORIDE

- ✓ Tab 1.1 mg (0.5 mg elemental)

THIAMINE HYDROCHLORIDE

- ✓ Tab 50 mg

VITAMIN A WITH VITAMINS D AND C

- ✓ Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops

VITAMIN B COMPLEX

- ✓ Tab, strong, BPC

VITAMINS

- ✓ Tab (BPC cap strength)
- ✓ Cap (fat soluble vitamins A, D, E, K)

Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic Manufacturer
\$	Per	✓

Nutrient Modules

Carbohydrate

▶SA1090 Special Authority for Subsidy

Initial application — (Cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Either:

- 1 cystic fibrosis; or
- 2 chronic renal failure or continuous ambulatory peritoneal dialysis (CAPD) patient.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children; or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 failure to thrive; or
- 4 growth deficiency; or
- 5 bronchopulmonary dysplasia; or
- 6 premature and post premature infant; or
- 7 inborn errors of metabolism.

Renewal — (Cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE SUPPLEMENT – Special Authority see SA1090 above – Hospital pharmacy [HP3]

Powder	5.29	400 g OP	✓ Polycal
	1.30	368 g OP	
	(12.00)		Moducal

Carbohydrate And Fat

▶SA1091 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 infant aged four years or under; and
- 2 cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

continued...

SPECIAL FOODS

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 1 infant aged four years or under; and
- 2 Any of the following:
 - 2.1 cancer in children; or
 - 2.2 failure to thrive; or
 - 2.3 growth deficiency; or
 - 2.4 bronchopulmonary dysplasia; or
 - 2.5 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE AND FAT SUPPLEMENT – Special Authority see SA1091 on the preceding page – Hospital pharmacy [HP3]

Powder (neutral)60.31 400 g OP ✓ **Duocal Super**
Soluble Powder

Fat

▶SA1092 Special Authority for Subsidy

Initial application — (Inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 failure to thrive where other high calorie products are inappropriate or inadequate; or
- 2 growth deficiency; or
- 3 bronchopulmonary dysplasia; or
- 4 fat malabsorption; or
- 5 lymphangiectasia; or
- 6 short bowel syndrome; or
- 7 infants with necrotising enterocolitis; or
- 8 biliary atresia.

Renewal — (Inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

continued...

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
---	-----	---------------------	-------------------------------------

continued...

Renewal — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT SUPPLEMENT – Special Authority see SA1092 on the preceding page – Hospital pharmacy [HP3]

Emulsion (neutral)	12.30	200 ml OP	✓ Calogen
	30.75	500 ml OP	✓ Calogen
Emulsion (strawberry)	12.30	200 ml OP	✓ Calogen
Oil	28.73	250 ml OP	✓ Liquigen
	30.00	500 ml OP	✓ MCT oil (Nutricia)

Protein

SA1093 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 protein losing enteropathy; or
- 2 high protein needs (eg burns).

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PROTEIN SUPPLEMENT – Special Authority see SA1093 above – Hospital pharmacy [HP3]

Powder	7.90	225 g OP	✓ Protifar
	8.95	227 g OP	✓ Resource Beneprotein
Powder (vanilla)	12.90	275 g OP	✓ Promod

Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

Respiratory Products

SA1094 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has CORD and hypercapnia.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CORD ORAL FEED 1.5KCAL/ML – Special Authority see SA1094 above – Hospital pharmacy [HP3]

Liquid	1.66	237 ml OP	✓ Pulmocare
--------------	------	-----------	-------------

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

Diabetic Products

▶SA1095 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is a type I or and II diabetic who is suffering weight loss and malnutrition that requires nutritional support.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML – Special Authority see SA1095 above – Hospital pharmacy [HP3]

Liquid	7.50	1,000 ml OP	✓ Diason RTH ✓ Glucerna Select RTH
--------------	------	-------------	---

DIABETIC ORAL FEED 1KCAL/ML – Special Authority see SA1095 above – Hospital pharmacy [HP3]

Liquid (strawberry)	1.50	200 ml OP	✓ Diasip
Liquid (vanilla)	1.50	200 ml OP	✓ Diasip
	1.88	250 ml OP	✓ Glucerna Select
	1.78	237 ml OP	
	(2.10)		Resource Diabetic

Fat Modified Products

▶SA1096 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Patient has metabolic disorders of fat metabolism; or
- 2 Patient has chylothorax.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT MODIFIED FEED – Special Authority see SA1096 above – Hospital pharmacy [HP3]

Powder	60.48	400 g OP	✓ Monogen
--------------	-------	----------	------------------

High Protein Products

▶SA1097 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Anorexia and weight loss; and
- 2 Either:
 - 2.1 decompensating liver disease without encephalopathy; or
 - 2.2 protein losing gastro-enteropathy.

continued...

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

HIGH PROTEIN ORAL FEED 1KCAL/ML – Special Authority see SA1097 on the preceding page – Hospital pharmacy [HP3]

Liquid 1.90 200 ml OP ✓ **Fortimel Regular**

Paediatric Products For Children Awaiting Liver Transplant

▶▶SA1098 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who is awaiting liver transplant.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML – Special Authority see SA1098 above – Hospital pharmacy [HP3]

Powder 78.97 400 g OP ✓ **Generaid Plus**

Paediatric Products For Children With Chronic Renal Failure

▶▶SA1099 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with chronic renal failure.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML – Special Authority see SA1099 above – Hospital pharmacy [HP3]

Liquid 54.00 400 g OP ✓ **Kindergen**

Paediatric Products

▶▶SA1100 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Infant aged one to eight years; and
- 2 Any of the following:
 - 2.1 any condition causing malabsorption; or
 - 2.2 failure to thrive; or

continued...

SPECIAL FOODS

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer ✓
continued...			
2.3 increased nutritional requirements.			
Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:			
Both:			
1 The treatment remains appropriate and the patient is benefiting from treatment; and			
2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.			
PAEDIATRIC ENTERAL FEED 1KCAL/ML – Special Authority see SA1100 on the preceding page – Hospital pharmacy [HP3]			
Liquid	2.68	500 ml OP	✓ Nutrini RTH ✓ Pediasure RTH
PAEDIATRIC ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see SA1100 on the preceding page – Hospital pharmacy [HP3]			
Liquid	6.00	500 ml OP	✓ Nutrini Energy Multi Fibre ✓ Nutrini Energy RTH
PAEDIATRIC ORAL FEED 1.5KCAL/ML – Special Authority see SA1100 on the preceding page – Hospital pharmacy [HP3]			
Liquid (strawberry)	1.60	200 ml OP	✓ Fortini ✓ NutriniDrink
Liquid (vanilla)	1.60	200 ml OP	✓ Fortini ✓ NutriniDrink
<i>(NutriniDrink Liquid (strawberry) to be delisted 1 May 2012)</i>			
<i>(NutriniDrink Liquid (vanilla) to be delisted 1 May 2012)</i>			
PAEDIATRIC ORAL FEED 1KCAL/ML – Special Authority see SA1100 on the preceding page – Hospital pharmacy [HP3]			
Liquid (chocolate)	1.07	200 ml OP	✓ Pediasure
Liquid (strawberry)	1.07	200 ml OP	✓ Pediasure
Liquid (vanilla)	1.07	200 ml OP	✓ Pediasure
	1.27	237 ml OP	✓ Pediasure
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see SA1100 on the preceding page – Hospital pharmacy [HP3]			
Liquid (chocolate)	1.60	200 ml OP	✓ Fortini Multi Fibre ✓ NutriniDrink Multifibre
Liquid (strawberry)	1.60	200 ml OP	✓ Fortini Multi Fibre ✓ NutriniDrink Multifibre
Liquid (vanilla)	1.60	200 ml OP	✓ Fortini Multi Fibre ✓ NutriniDrink Multifibre
<i>(NutriniDrink Multifibre Liquid (chocolate) to be delisted 1 May 2012)</i>			
<i>(NutriniDrink Multifibre Liquid (strawberry) to be delisted 1 May 2012)</i>			
<i>(NutriniDrink Multifibre Liquid (vanilla) to be delisted 1 May 2012)</i>			

Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic Manufacturer
\$	Per	✓

Renal Products

SA1101 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has acute or chronic renal failure.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

RENAL ORAL FEED 2KCAL/ML – Special Authority see SA1101 above – Hospital pharmacy [HP3]

Liquid	2.43	200 ml OP	✓ Nepro (strawberry)
	2.88	237 ml OP	✓ Nepro (vanilla)
	(3.31)		NovaSource Renal
Liquid (apricot)	2.88	125 ml OP	✓ Renilon 7.5
Liquid (caramel)	2.88	125 ml OP	✓ Renilon 7.5

Specialised And Elemental Products

SA1102 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 malabsorption; or
- 2 short bowel syndrome; or
- 3 enterocutaneous fistulas; or
- 4 pancreatitis.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority see SA1102 above – Hospital pharmacy [HP3]

Powder	4.40	79 g OP	✓ Vital HN
	7.50	76 g OP	✓ Alitraq

ORAL ELEMENTAL FEED 0.8KCAL/ML – Special Authority see SA1102 above – Hospital pharmacy [HP3]

Liquid (grapefruit)	9.50	250 ml OP	✓ Elemental 028 Extra
Liquid (pineapple & orange)	9.50	250 ml OP	✓ Elemental 028 Extra
Liquid (summer fruit)	9.50	250 ml OP	✓ Elemental 028 Extra

ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority see SA1102 above – Hospital pharmacy [HP3]

Powder (unflavoured)	4.50	80.4 g OP	✓ Vivonex TEN
----------------------------	------	-----------	----------------------

SPECIAL FOODS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML – Special Authority see SA1102 on the preceding page – Hospital pharmacy [HP3]				
Liquid	12.04	1,000 ml OP	✓	Peptisorb

Undialysed End Stage Renal Failure

▶▶SA1103 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has undialysed end stage renal failure.

Note: Where possible, the requirements for oral supplementation should be established in conjunction with assessment by a dietitian.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

RENAL ORAL FEED 1KCAL/ML – Special Authority see SA1103 above – Hospital pharmacy [HP3]

Liquid 3.80 237 ml OP ✓ **Suplena**

Paediatric Products For Children With Low Energy Requirements

▶▶SA1196 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child aged one to eight years; and
- 2 The child has a low energy requirement but normal protein and micronutrient requirements.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED WITH FIBRE 0.75 KCAL/ML – Special Authority see SA1196 above – Hospital pharmacy [HP3]

Liquid 4.00 500 ml OP ✓ **Nutrini Low Energy
Multi Fibre**

Standard Supplements

▶▶SA1104 Special Authority for Subsidy

Initial application — (Children) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 Any of the following:
 - 2.1 The patient has a condition causing malabsorption; or
 - 2.2 The patient has failure to thrive; or
 - 2.3 The patient has increased nutritional requirements; and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

3 Nutrition goal has been set (eg reach a specific weight or BMI).

Renewal — (Children) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 A nutrition goal has been set (eg reach a specific weight or BMI).

Initial application — (Adults) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - Patient is Malnourished
 - 1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m²; or
 - 1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
 - 1.3 Patient has a BMI of less than 20 kg/m² and unintentional weight loss greater than 5% within the last 3-6 months; and
- 2 Any of the following:
 - Patient has not responded to first-line dietary measures over a 4 week period by:
 - 2.1 Increasing their food intake frequency (eg snacks between meals); or
 - 2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or
 - 2.3 Using over the counter supplements (e.g. Complan); and
 - 3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

Renewal — (Adults) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 2 Any of the following:
 - Patient is Malnourished
 - 2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m²; or
 - 2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
 - 2.3 Patient has a BMI of less than 20 kg/m² and unintentional weight loss greater than 5% within the last 3-6 months.

Initial application — (Adults transitioning from hospital Discretionary Community Supply) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had up to a 30 day supply of a 1.0 or a 1.5 kcal/ml Standard Oral Supplement; and
- 2 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 3 Any of the following:
 - Patient is Malnourished
 - 3.1 Patient has a body mass index (BMI) of less than 18.5 kg/m²; or
 - 3.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
 - 3.3 Patient has a BMI of less than 20 kg/m² and unintentional weight loss greater than 5% within the last 3-6 months.

Initial application — (Specific medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Is undergoing a bone marrow transplant; or

continued...

SPECIAL FOODS

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

4 Tempomandibular surgery.

Renewal — (Specific medical condition) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Has undergone a bone marrow transplant; or
- 4 Tempomandibular surgery.

Initial application — (Chronic disease OR tube feeding) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube - refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions.

Renewal — (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube - refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions.

ENTERAL FEED 1.5KCAL/ML – Special Authority see SA1104 on page 190 – Hospital pharmacy [HP3]

Liquid	7.00	1,000 ml	✓ Nutrison Energy
--------------	------	----------	--------------------------

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
ENTERAL FEED 1KCAL/ML – Special Authority see SA1104 on page 190 – Hospital pharmacy [HP3]			
Liquid	1.24	250 ml OP	✓ Isosource Standard
			✓ Osmolite
	2.65	500 ml OP	✓ Nutrison Standard RTH
	5.29	1,000 ml OP	✓ Nutrison Standard RTH
			✓ Isosource Standard RTH
	2.65	500 ml OP	✓ Osmolite RTH
	5.29	1,000 ml OP	✓ Osmolite RTH
ENTERAL FEED WITH FIBRE 1 KCAL/ML – Special Authority see SA1104 on page 190 – Hospital pharmacy [HP3]			
Liquid	1.32	237 ml OP	✓ Jevity
	2.65	500 ml OP	✓ Nutrison Multi Fibre
	5.29	1,000 ml OP	✓ Nutrison Multi Fibre
	2.65	500 ml OP	✓ Jevity RTH
	5.29	1,000 ml OP	✓ Jevity RTH
ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see SA1104 on page 190 – Hospital pharmacy [HP3]			
Liquid	1.75	250 ml OP	✓ Ensure Plus HN
	7.00	1,000 ml OP	✓ Ensure Plus RTH
			✓ Nutrison Energy Multi Fibre
ORAL FEED (POWDER) – Special Authority see SA1104 on page 190 – Hospital pharmacy [HP3]			
Powder (chocolate)	9.50	900 g OP	✓ Ensure
	10.22		✓ Sustagen Hospital Formula
Powder (vanilla)	9.50	900 g OP	✓ Ensure
			✓ Fortisip
	10.22		✓ Sustagen Hospital Formula

SPECIAL FOODS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
ORAL FEED 1.5KCAL/ML – Special Authority see SA1104 on page 190 – Hospital pharmacy [HP3]				
Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube. The prescription must be endorsed accordingly.				
Liquid (banana) – Higher subsidy of \$1.26 per 200 ml with Endorsement	0.72 (1.26) (1.26)	200 ml OP		Ensure Plus Fortisip
Liquid (chocolate) – Higher subsidy of up to \$1.33 per 237 ml with Endorsement.....	0.72 (1.26) 0.85 (1.33) 0.72 (1.26)	200 ml OP 237 ml OP		Ensure Plus Ensure Plus Fortisip
Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 ml with Endorsement.....	0.72 (1.26)	200 ml OP		Ensure Plus
Liquid (strawberry) – Higher subsidy of up to \$1.33 per 237 ml with Endorsement.....	0.72 (1.26) 0.85 (1.33) 0.72 (1.26)	200 ml OP 237 ml OP		Ensure Plus Ensure Plus Fortisip
Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with Endorsement.....	0.72 (1.26)	200 ml OP		Fortisip
Liquid (tropical fruit) – Higher subsidy of \$1.26 per 200 ml with Endorsement.....	0.72 (1.26)	200 ml OP		Fortisip
Liquid (vanilla) – Higher subsidy of up to \$1.33 per 237 ml with Endorsement.....	0.72 (1.26) 0.85 (1.33) 0.72 (1.26)	200 ml OP 237 ml OP		Ensure Plus Ensure Plus Fortisip
ORAL FEED WITH FIBRE 1.5 KCAL/ML – Special Authority see SA1104 on page 190 – Hospital pharmacy [HP3]				
Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube. The prescription must be endorsed accordingly.				
Liquid (chocolate) – Higher subsidy of \$1.26 per 200 ml with Endorsement	0.72 (1.26)	200 ml OP		Fortisip Multi Fibre
Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with Endorsement	0.72 (1.26)	200 ml OP		Fortisip Multi Fibre
Liquid (vanilla) – Higher subsidy of \$1.26 per 200 ml with Endorsement	0.72 (1.26)	200 ml OP		Fortisip Multi Fibre

Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic Manufacturer
\$	Per	✓

Adult Products High Calorie

▶▶SA1195 | Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 failure to thrive; or
 - 1.3 increased nutritional requirements; or
 - 1.4 fluid restricted; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements or is fluid restricted.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL FEED 2KCAL/ML – Special Authority see SA1195 above – Hospital pharmacy [HP3]

Liquid	5.50	500 ml OP	✓ Nutrison Concentrated
--------------	------	-----------	------------------------------------

ORAL FEED 2KCAL/ML – Special Authority see SA1195 above – Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube. The prescription must be endorsed accordingly.

Liquid (vanilla) – Higher subsidy of \$2.25 per 237 ml with Endorsement	1.14 (2.25)	237 ml OP	Two Cal HN
--	----------------	-----------	------------

Food Thickeners

▶▶SA1106 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

continued...

SPECIAL FOODS

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FOOD THICKENER – Special Authority see SA1106 on the preceding page – Hospital pharmacy [HP3]

Powder	7.25	380 g OP	✓ Karicare Food Thickener
--------------	------	----------	---------------------------

Gluten Free Foods

The funding of gluten free foods is no longer being actively managed by PHARMAC from 1 April 2011. This means that we are no longer considering the listing of new products, or making subsidy, or other changes to the existing listings. As a result we anticipate that the range of funded items will reduce over time. Management of Coeliac disease with a gluten free diet is necessary for good outcomes. A range of gluten free options are available through retail outlets.

►SA1107 **Special Authority for Subsidy**

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

GLUTEN FREE BAKING MIX – Special Authority see SA1107 above – Hospital pharmacy [HP3]

Powder	2.81	1,000 g OP	Healtheries Simple Baking Mix
	(5.15)		

GLUTEN FREE BREAD MIX – Special Authority see SA1107 above – Hospital pharmacy [HP3]

Powder	3.93	1,000 g OP	NZB Low Gluten Bread Mix
	(7.32)		
	4.77		
	(8.71)		Bakels Gluten Free Health Bread Mix
	3.51		
	(10.87)		Horleys Bread Mix

GLUTEN FREE FLOUR – Special Authority see SA1107 above – Hospital pharmacy [HP3]

Powder	5.62	2,000 g OP	Horleys Flour
	(18.10)		

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
GLUTEN FREE PASTA – Special Authority see SA1107 on the preceding page – Hospital pharmacy [HP3]				
Buckwheat Spirals	2.00 (3.11)	250 g OP		Orgran
Corn and Vegetable Shells	2.00 (2.92)	250 g OP		Orgran
Corn and Vegetable Spirals	2.00 (2.92)	250 g OP		Orgran
Rice and Corn Lasagne Sheets	1.60 (3.82)	200 g OP		Orgran
Rice and Corn Macaroni	2.00 (2.92)	250 g OP		Orgran
Rice and Corn Penne	2.00 (2.92)	250 g OP		Orgran
Rice and Maize Pasta Spirals	2.00 (2.92)	250 g OP		Orgran
Rice and Millet Spirals	2.00 (3.11)	250 g OP		Orgran
Rice and corn spaghetti noodles	2.00 (2.92)	375 g OP		Orgran
Vegetable and Rice Spirals	2.00 (2.92)	250 g OP		Orgran
Italian long style spaghetti	2.00 (3.11)	220 g OP		Orgran

Foods And Supplements For Inborn Errors Of Metabolism

▶SA1108 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Dietary management of homocystinuria; or
- 2 Dietary management of maple syrup urine disease; or
- 3 Dietary management of phenylketonuria (PKU); or
- 4 For use as a supplement to the Ketogenic diet in patients diagnosed with epilepsy.

Supplements For Homocystinuria

AMINOACID FORMULA WITHOUT METHIONINE – Special Authority see SA1108 above – Hospital pharmacy [HP3]
 Powder461.94 500 g OP ✓ **XMET Maxamum**

Supplements For MSUD

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE – Special Authority see SA1108 above – Hospital pharmacy [HP3]
 Powder300.54 500 g OP ✓ **MSUD Maxamaid**
437.22 ✓ **MSUD Maxamum**

SPECIAL FOODS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Supplements For PKU				
AMINOACID FORMULA WITHOUT PHENYLALANINE – Special Authority see SA1108 on the preceding page – Hospital pharmacy [HP3]				
Tabs	99.00	75 OP	✓	Phlexy 10
Sachets (pineapple/vanilla) 29 g	330.10	30 OP	✓	Minaphlex
Sachets (tropical)	324.00	30	✓	Phlexy 10
Infant formula	174.72	400 g OP	✓	PKU Anamix Infant
Powder (orange)	221.00	500 g OP	✓	XP Maxamaid
	320.00		✓	XP Maxamum
Powder (unflavoured)	221.00	500 g OP	✓	XP Maxamaid
	320.00		✓	XP Maxamum
Liquid (berry)	13.10	125 ml OP	✓	PKU Anamix Junior LQ
	15.65	62.5 ml OP	✓	PKU Lophlex LQ
	31.20	125 ml OP	✓	PKU Lophlex LQ
Liquid (citrus)	15.65	62.5 ml OP	✓	PKU Lophlex LQ
	31.20	125 ml OP	✓	PKU Lophlex LQ
Liquid (forest berries)	30.00	250 ml OP	✓	Easiphen Liquid
Liquid (orange)	13.10	125 ml OP	✓	PKU Anamix Junior LQ
	15.65	62.5 ml OP	✓	PKU Lophlex LQ
	31.20	125 ml OP	✓	PKU Lophlex LQ
Liquid (tropical)	30.00	250 ml OP	✓	Easiphen
Liquid (unflavoured)	13.10	125 ml OP	✓	PKU Anamix Junior LQ

(Easiphen Liquid (tropical) to be delisted 1 May 2012)

Foods

LOW PROTEIN BAKING MIX – Special Authority see SA1108 on the preceding page – Hospital pharmacy [HP3]				
Powder	8.22	500 g OP	✓	Loprofin Mix
LOW PROTEIN PASTA – Special Authority see SA1108 on the preceding page – Hospital pharmacy [HP3]				
Animal shapes	11.91	500 g OP	✓	Loprofin
Lasagne	5.95	250 g OP	✓	Loprofin
Low protein rice pasta	11.91	500 g OP	✓	Loprofin
Macaroni	5.95	250 g OP	✓	Loprofin
Penne	11.91	500 g OP	✓	Loprofin
Spaghetti	11.91	500 g OP	✓	Loprofin
Spirals	11.91	500 g OP	✓	Loprofin

Multivitamin And Mineral Supplements

AMINOACID FORMULA WITH MINERALS WITHOUT PHENYLALANINE – Special Authority see SA1108 on the preceding page – Retail pharmacy				
Powder	23.38	100 g OP	✓	Metabolic Mineral Mixture

(Metabolic Mineral Mixture Powder to be delisted 1 May 2012)

Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic Manufacturer
\$	Per	✓

Infant Formulae

For Premature Infants

PREMATURE BIRTH FORMULA – Special Authority see SA1109 below – Hospital pharmacy [HP3]

Liquid	0.75	100 ml OP	✓ S26LBW Gold RTF
--------------	------	-----------	--------------------------

▶SA1109 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months where the patient is infant weighing less than 1.5 kg at birth.

PRETERM POST-DISCHARGE INFANT FORMULA – Special Authority see SA1198 below – Hospital pharmacy [HP3]

Powder	15.25	400 g OP	✓ S-26 Gold Premgro
--------------	-------	----------	----------------------------

▶SA1198 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The infant was born before 33 weeks gestation or weighed less than 1.5 kg at birth; and
- 2 Either:
 - 2.1 The infant has faltering growth (downward crossing of percentiles); or
 - 2.2 The infant is not maintaining, or is considered unlikely to maintain, adequate growth on standard infant formula.

For Williams Syndrome

▶SA1110 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

LOW CALCIUM INFANT FORMULA – Special Authority see SA1110 above – Hospital pharmacy [HP3]

Powder	44.40	400 g OP	✓ Locasol
--------------	-------	----------	------------------

Gastrointestinal and Other Malabsorptive Problems

AMINO ACID FORMULA – Special Authority see SA1111 on the next page – Hospital pharmacy [HP3]

Powder	6.00	48.5 g OP	✓ Vivonex Pediatric
	56.00	400 g OP	✓ Neocate
			✓ Neocate LCP
Powder (tropical)	56.00	400 g OP	✓ Neocate Advance
Powder (unflavoured)	56.00	400 g OP	✓ Elecare
			✓ Elecare LCP
			✓ Neocate Advance
			✓ Neocate Gold
Powder (vanilla)	56.00	400 g OP	✓ Elecare
			✓ Neocate Advance

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

▶SA1111 Special Authority for Subsidy

Initial application — (Transition from Old Form (SA0603)) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient is currently receiving funded amino acid formula under Special Authority form SA0603; and
- 2 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and
- 3 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
- 4 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Extensively hydrolysed formula has been reasonably trialled and is inappropriate due to documented severe intolerance or allergy or malabsorption; or
- 2 History of anaphylaxis to cows milk protein formula or dairy products; or
- 3 Eosinophilic oesophagitis.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

EXTENSIVELY HYDROLYSED FORMULA – Special Authority see SA1112 below – Hospital pharmacy [HP3]

Powder 15.21 450 g OP ✓ **Pepti Junior Gold**

▶SA1112 Special Authority for Subsidy

Initial application — (Transition from Old Form (SA0603)) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The infant is currently receiving funded amino acid formula under Special Authority form SA0603; and
 - 1.2 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
 - 1.3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted; or
- 2 All of the following:
 - 2.1 The patient is currently receiving funded extensively hydrolysed formula under Special Authority form SA0603; and
 - 2.2 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken; and
 - 2.3 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
 - 2.4 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Both:

continued...

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

continued...

- 1.1 Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content; and
- 1.2 Either:
 - 1.2.1 Soy milk formula has been trialled without resolution of symptoms; or
 - 1.2.2 Soy milk formula is considered clinically inappropriate or contraindicated; or
- 2 Severe malabsorption; or
- 3 Short bowel syndrome; or
- 4 Intractable diarrhea; or
- 5 Biliary atresia; or
- 6 Cholestatic liver diseases causing malabsorption; or
- 7 Chylous ascite; or
- 8 Chylothorax; or
- 9 Cystic fibrosis; or
- 10 Proven fat malabsorption; or
- 11 Severe intestinal motility disorders causing significant malabsorption; or
- 12 Intestinal failure.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Step Down from Amino Acid Formula) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The infant is currently receiving funded amino acid formula; and
- 2 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Ketogenic Diet

▶SA1197 Special Authority for Subsidy

Initial application only from a metabolic physician or paediatric neurologist. Approvals valid for 3 months where the patient has intractable epilepsy, pyruvate dehydrogenase deficiency or glucose transported type-1 deficiency and other conditions requiring a ketogenic diet.

Renewal only from a metabolic physician or paediatric neurologist. Approvals valid for 2 years where the patient is on a ketogenic diet and the patient is benefiting from the diet.

HIGH FAT FORMULA WITH VITAMINS, MINERALS AND TRACE ELEMENTS AND LOW IN PROTEIN AND CARBOHYDRATE – Special Authority see SA1197 above – Retail pharmacy

Powder (vanilla)	35.50	300 g OP	✓ KetoCal
------------------------	-------	----------	-----------

SECTION E PART I
PRACTITIONER'S SUPPLY ORDERS

Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

ADRENALINE	CHLORPROMAZINE HYDROCHLORIDE
✓ Inj 1 in 1,000, 1 ml 5	✓ Tab 10 mg 30
✓ Inj 1 in 10,000, 10 ml 5	✓ Tab 25 mg 30
AMINOPHYLLINE	✓ Tab 100 mg 30
✓ Inj 25 mg per ml, 10 ml 5	✓ Inj 25 mg per ml, 2 ml 5
AMIODARONE HYDROCHLORIDE	CIPROFLOXACIN
✓ Inj 50 mg per ml, 3 ml 5	✓ Tab 250 mg 5
AMOXYCILLIN	✓ Tab 500 mg 5
✓ Cap 250 mg 30	CO-TRIMOXAZOLE
✓ Grans for oral liq 125 mg per 5 ml 200 ml	✓ Tab trimethoprim 80 mg and
✓ Grans for oral liq 250 mg per 5 ml 200 ml	sulphamethoxazole 400 mg 30
✓ Inj 1 g 5	✓ Oral liq trimethoprim 40 mg and
AMOXYCILLIN CLAVULANATE	sulphamethoxazole 200 mg per
✓ Tab amoxicillin 500 mg with potassium	5 ml 200 ml
clavulanate 125 mg 30	COMPOUND ELECTROLYTES
✓ Grans for oral liq amoxicillin 125 mg with	✓ Powder for soln for oral use 4.4 g 10
potassium clavulanate 31.25 mg per	CONDOMS
5 ml 200 ml	✓ 49 mm 144
✓ Grans for oral liq amoxicillin 250 mg with	✓ 52 mm 144
potassium clavulanate 62.5 mg per	✓ 52 mm extra strength 144
5 ml 200 ml	✓ 53 mm 144
ASPIRIN	✓ 53 mm (chocolate) 144
✓ Tab dispersible 300 mg 30	✓ 53 mm (strawberry) 144
ATROPINE SULPHATE	✓ 53 mm extra strength 144
✓ Inj 600 µg, 1 ml 5	54 mm, shaped 144
AZITHROMYCIN	✓ 55 mm 144
✓ Tab 500 mg – Subsidy by endorsement –	✓ 56 mm 144
See note on page 81 8	✓ 56 mm, shaped 144
BENDROFLUAZIDE	✓ 60 mm 144
✓ Tab 2.5 mg – See note on page 55 150	DEXAMETHASONE
BENZATHINE BENZYL PENICILLIN	✓ Tab 1 mg – Retail pharmacy-Specialist 30
✓ Inj 1.2 mega u per 2.3 ml 5	✓ Tab 4 mg – Retail pharmacy-Specialist 30
BENZTROPINE MESYLATE	DEXAMETHASONE SODIUM PHOSPHATE
✓ Inj 1 mg per ml, 2 ml 5	✓ Inj 4 mg per ml, 1 ml – See note on page 73 5
BENZYL PENICILLIN SODIUM (PENICILLIN G)	✓ Inj 4 mg per ml, 2 ml – See note on page 73 5
✓ Inj 600 mg 5	DEXTROSE
CEFTRIAXONE SODIUM	✓ Inj 50%, 10 ml 5
✓ Inj 500 mg – Subsidy by endorsement – See	✓ Inj 50%, 90 ml 5
note on page 80 5	DIAPHRAGM
✓ Inj 1 g – Subsidy by endorsement – See	✓ 65 mm – See note on page 67 1
note on page 80 5	✓ 70 mm – See note on page 67 1
CHARCOAL	✓ 75 mm – See note on page 67 1
✓ Oral liq 50 g per 250 ml 250 ml	✓ 80 mm – See note on page 67 1

continued...

✓ fully subsidised brand available

(continued)

DIAZEPAM

- ✓ Inj 5 mg per ml, 2 ml – Subsidy by endorsement – See note on page 121 5
- ✓ Rectal tubes 5 mg 5
- ✓ Rectal tubes 10 mg 5

DICLOFENAC SODIUM

- ✓ Inj 25 mg per ml, 3 ml 5
- ✓ Suppos 50 mg 10

DIGOXIN

- ✓ Tab 62.5 µg 30
- ✓ Tab 250 µg 30

DOXYCYCLINE HYDROCHLORIDE

- Tab 50 mg 30
- ✓ Tab 100 mg 30

ERGOMETRINE MALEATE

- ✓ Inj 500 µg per ml, 1 ml 5

ERYTHROMYCIN ETHYL SUCCINATE

- ✓ Tab 400 mg 30
- ✓ Grans for oral liq 200 mg per 5 ml 200 ml
- ✓ Grans for oral liq 400 mg per 5 ml 200 ml

ERYTHROMYCIN STEARATE

- Tab 250 mg 30

ETHINYLLOESTRADIOL WITH DESOGESTREL

- Tab 20 µg with desogestrel 150 µg 63
- Tab 20 µg with desogestrel 150 µg and 7 inert tab 84
- Tab 30 µg with desogestrel 150 µg 63
- Tab 30 µg with desogestrel 150 µg and 7 inert tab 84

ETHINYLLOESTRADIOL WITH LEVONORGESTREL

- ✓ Tab 50 µg with levonorgestrel 125 µg and 7 inert tab 84
- Tab 30 µg with levonorgestrel 150 µg 63
- ✓ Tab 30 µg with levonorgestrel 150 µg and 7 inert tab 84
- Tab 20 µg with levonorgestrel 100 µg and 7 inert tab 84

ETHINYLLOESTRADIOL WITH NORETHISTERONE

- ✓ Tab 35 µg with norethisterone 1 mg 63
- ✓ Tab 35 µg with norethisterone 1 mg and 7 inert tab 84
- ✓ Tab 35 µg with norethisterone 500 µg 63
- ✓ Tab 35 µg with norethisterone 500 µg and 7 inert tab 84

FLUCLOXACILLIN SODIUM

- ✓ Cap 250 mg 30
- ✓ Grans for oral liq 125 mg per 5 ml 200 ml
- ✓ Grans for oral liq 250 mg per 5 ml 200 ml
- ✓ Inj 1 g 5

FLUPENTHIXOL DECANOATE

- ✓ Inj 20 mg per ml, 1 ml 5
- ✓ Inj 20 mg per ml, 2 ml 5
- ✓ Inj 100 mg per ml, 1 ml 5

FLUPHENAZINE DECANOATE

- ✓ Inj 12.5 mg per 0.5 ml, 0.5 ml 5
- ✓ Inj 25 mg per ml, 1 ml 5
- ✓ Inj 100 mg per ml, 1 ml 5

FUROSEMIDE

- ✓ Tab 40 mg 30
- ✓ Inj 10 mg per ml, 2 ml 5

GLUCAGON HYDROCHLORIDE

- ✓ Inj 1 mg syringe kit 5

GLYCERYL TRINITRATE

- ✓ Tab 600 µg 100
- ✓ Aerosol spray, 400 µg per dose 250 dose
- ✓ Oral pump spray 400 µg per dose 250 dose

HALOPERIDOL

- ✓ Tab 500 µg 30
- ✓ Tab 1.5 mg 30
- ✓ Tab 5 mg 30
- ✓ Oral liq 2 mg per ml 200 ml
- ✓ Inj 5 mg per ml, 1 ml 5

HALOPERIDOL DECANOATE

- ✓ Inj 50 mg per ml, 1 ml 5
- ✓ Inj 100 mg per ml, 1 ml 5

HYDROCORTISONE

- ✓ Inj 50 mg per ml, 2 ml 5

HYDROXOCOBALAMIN

- ✓ Inj 1 mg per ml, 1 ml 6

HYOSCINE N-BUTYLBROMIDE

- ✓ Inj 20 mg, 1 ml 5

INTRA-UTERINE DEVICE

- ✓ IUD 40

IPRATROPIUM BROMIDE

- ✓ Nebuliser soln, 250 µg per ml, 1 ml 40
- ✓ Nebuliser soln, 250 µg per ml, 2 ml 40

LEVONORGESTREL

- Tab 30 µg 84
- ✓ Tab 1.5 mg 5

continued...

✓ fully subsidised brand available

Please refer to Section A for a definition, and conditions of supply, of Practitioner's Supply Orders.

PRACTITIONER'S SUPPLY ORDERS

(continued)

LIGNOCAINE

- ✓ Gel 2%, 10 ml urethral syringe – Subsidy by endorsement – See note on page 115 5

LIGNOCAINE HYDROCHLORIDE

- ✓ Inj 1%, 5 ml 5
- ✓ Inj 2%, 5 ml 5
- ✓ Inj 1%, 20 ml 5
- ✓ Inj 2%, 20 ml 5

LIGNOCAINE WITH CHLORHEXIDINE

- ✓ Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes – Subsidy by endorsement – See note on page 115 5

LOPERAMIDE HYDROCHLORIDE

- ✓ Tab 2 mg 30
- ✓ Cap 2 mg 30

MASK FOR SPACER DEVICE

- ✓ Size 2 – See note on page 166 20

MEDROXYPROGESTERONE ACETATE

- ✓ Inj 150 mg per ml, 1 ml syringe 5

METOCLOPRAMIDE HYDROCHLORIDE

- ✓ Inj 5 mg per ml, 2 ml 5

METRONIDAZOLE

- ✓ Tab 200 mg 30

MORPHINE SULPHATE

- ✓ Inj 5 mg per ml, 1 ml – Only on a controlled drug form 5
- ✓ Inj 10 mg per ml, 1 ml – Only on a controlled drug form 5
- ✓ Inj 15 mg per ml, 1 ml – Only on a controlled drug form 5
- ✓ Inj 30 mg per ml, 1 ml – Only on a controlled drug form 5

NALOXONE HYDROCHLORIDE

- ✓ Inj 400 µg per ml, 1 ml 5

NICOTINE

- ✓ Patch 7 mg – See note on page 139 28
- ✓ Patch 14 mg – See note on page 139 28
- ✓ Patch 21 mg – See note on page 139 28
- ✓ Lozenge 1 mg – See note on page 139 216
- ✓ Lozenge 2 mg – See note on page 139 216
- ✓ Gum 2 mg (Classic) – See note on page 139 384
- ✓ Gum 2 mg (Fruit) – See note on page 139 384
- ✓ Gum 2 mg (Mint) – See note on page 139 384
- ✓ Gum 4 mg (Classic) – See note on page 139 384
- ✓ Gum 4 mg (Fruit) – See note on page 139 384
- ✓ Gum 4 mg (Mint) – See note on page 139 384

NORETHISTERONE

- ✓ Tab 350 µg 84
- ✓ Tab 5 mg 30

NORETHISTERONE WITH MESTRANOL

- Tab 1 mg with mestranol 50 µg and 7 inert tab 84

OXYTOCIN

- ✓ Inj 5 iu per ml, 1 ml 5
- ✓ Inj 10 iu per ml, 1 ml 5
- ✓ Inj 5 iu with ergometrine maleate 500 µg per ml, 1 ml 5

PARACETAMOL

- ✓ Tab 500 mg 30
- ✓ Oral liq 120 mg per 5 ml 200 ml
- ✓ Oral liq 250 mg per 5 ml 100 ml

PEAK FLOW METER

- ✓ Low range 10
- ✓ Normal range 10

PETHIDINE HYDROCHLORIDE

- ✓ Inj 50 mg per ml, 1 ml – Only on a controlled drug form 5
- ✓ Inj 50 mg per ml, 2 ml – Only on a controlled drug form 5

PHENOXYMETHYLPENICILLIN (PENICILLIN V)

- ✓ Cap potassium salt 250 mg 30
- ✓ Grans for oral liq 125 mg per 5 ml 200 ml
- ✓ Grans for oral liq 250 mg per 5 ml 200 ml

PHENYTOIN SODIUM

- ✓ Inj 50 mg per ml, 2 ml 5
- ✓ Inj 50 mg per ml, 5 ml 5

PHYTOMENADIONE

- ✓ Inj 2 mg per 0.2 ml 5
- ✓ Inj 10 mg per ml, 1 ml 5

PIPOTHIAZINE PALMITATE

- ✓ Inj 50 mg per ml, 1 ml 5
- ✓ Inj 50 mg per ml, 2 ml 5

PREDNISOLONE SODIUM PHOSPHATE

- ✓ Oral liq 5 mg per ml – See note on page 74 30 ml

PREDNISONE

- ✓ Tab 5 mg 30

PREGNANCY TESTS - HCG URINE

- ✓ Cassette 200 test

PROCAINE PENICILLIN

- ✓ Inj 1.5 mega u 5

continued...

✓ fully subsidised brand available

(continued)

PROCHLORPERAZINE

- ✓ Tab 5 mg 30
- ✓ Inj 12.5 mg per ml, 1 ml 5

PROMETHAZINE HYDROCHLORIDE

- ✓ Inj 25 mg per ml, 2 ml 5

SALBUTAMOL

- ✓ Inj 500 µg per ml, 1 ml 5
- ✓ Aerosol inhaler, 100 µg per dose CFC free 1000 dose
- ✓ Nebuliser soln, 1 mg per ml, 2.5 ml 30
- ✓ Nebuliser soln, 2 mg per ml, 2.5 ml 30

SALBUTAMOL WITH IPRATROPIUM BROMIDE

- ✓ Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml 20

SILVER SULPHADIAZINE

- ✓ Crm 1% 250 g

SODIUM BICARBONATE

- ✓ Inj 8.4%, 50 ml 5
- ✓ Inj 8.4%, 100 ml 5

SODIUM CHLORIDE

- ✓ Inf 0.9% – See note on page 44 2000 ml
- ✓ Inj 0.9%, 5 ml – See note on page 44 5
- ✓ Inj 0.9%, 10 ml – See note on page 44 5

SPACER DEVICE

- ✓ 230 ml (single patient) 20
- ✓ 800 ml 20

SPACER DEVICE AUTOCLAVABLE

- ✓ 230 ml (autoclavable) – Subsidy by endorsement – See note on page 167 5

TRIMETHOPRIM

- ✓ Tab 300 mg 30

VERAPAMIL HYDROCHLORIDE

- ✓ Inj 2.5 mg per ml, 2 ml 5

WATER

- ✓ Purified for inj, 5 ml – See note on page 44 5
- ✓ Purified for inj, 10 ml – See note on page 44 5
- ✓ Purified for inj, 20 ml – See note on page 44 5

ZUCLOPENTHIXOL DECANOATE

- ✓ Inj 200 mg per ml, 1 ml 5

Rural Areas for Practitioner's Supply Orders

NORTH ISLAND	Tairua	Marton	Leeston
Northland DHB	Taumarunui	Ohakune	Lincoln
Dargaville	Te Aroha	Raetihi	Methven
Hikurangi	Te Kauwhata	Taihape	Oxford
Kaeo	Te Kuiti	Waiouru	Rakaia
Kaikohe	Tokoroa	MidCentral DHB	Rolleston
Kaitaia	Waihi	Dannevirke	Rotherham
Kawakawa	Whangamata	Foxton	Templeton
Kerikeri	Whitianga	Levin	Waikari
Mangonui	Bay of Plenty DHB	Otaki	
Maungaturoto	Edgecumbe	Pahiataua	
Moerewa	Katikati	Shannon	
Ngunguru	Kawerau	Woodville	South Canterbury DHB
Paihia	Murupara	Wairarapa DHB	Fairlie
Rawene	Opotiki	Carteron	Geraldine
Ruakaka	Taneatua	Featherston	Pleasant Point
Russell	Te Kaha	Greytown	Temuka
Tutukaka	Waihi Beach	Martinborough	Twizel
Waipu	Whakatane		Waimate
Whangaroa	Lakes DHB	SOUTH ISLAND	
Waitemata DHB	Mangakino	Nelson/Marlborough DHB	Southern DHB
Helensville	Turangi	Havelock	Alexandra
Huapai	Tairāwhiti DHB	Mapua	Balclutha
Kumeu	Ruatoria	Motueka	Cromwell
Snells Beach	Te Araroa	Murchison	Gore
Waimauku	Te Karaka	Picton	Kurow
Warkworth	Te Puia Springs	Takaka	Lawrence
Wellsford	Tikitiki	Wakefield	Lumsden
Auckland DHB	Tokomaru Bay	West Coast DHB	Mataura
Great Barrier Island	Tolaga Bay	Dobson	Milton
Oneroa	Taranaki DHB	Greymouth	Oamaru
Ostend	Eltham	Hokitika	Oban
Counties Manukau DHB	Inglewood	Karamea	Otautau
Tuakau	Manaia	Reefton	Outram
Waiuku	Oakura	South Westland	Owaka
Waikato DHB	Okato	Westport	Palmerston
Coromandel	Opunake	Whataroa	Queenstown
Huntly	Patea	Canterbury DHB	Ranfurly
Kawhia	Stratford	Akaroa	Riverton
Matamata	Waverley	Amberley	Roxburgh
Morrinsville	Hawkes Bay DHB	Amuri	Tapanui
Ngatea	Chatham Islands	Cheviot	Te Anau
Otorohanga	Waipawa	Darfield	Tokonui
Paeroa	Waipukurau	Diamond Harbour	Tuatapere
Pauanui Beach	Wairoa	Hanmer Springs	Wanaka
Putaruru	Whanganui DHB	Kaikoura	Winton
Raglan	Bulls		

✓ fully subsidised brand available

SECTION F: PART I

A Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is Close Control.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is Close Control.

**SECTION F: PART II:
CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING**

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

- a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the prescriber has endorsed the Prescription item(s) on the Prescription to which the exemption applies "certified exemption". In endorsing the Prescription items for a certified exemption, the prescriber is certifying that:
 - i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
 - ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
 - iii) the prescriber has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
 - i) have limited physical mobility;
 - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - iii) are relocating to another area;
 - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

The following Community Pharmaceuticals are identified with a ▲ within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

ALIMENTARY TRACT AND METABOLISM

INSULIN ASPART
INSULIN GLARGINE
INSULIN GLULISINE
INSULIN ISOPHANE
INSULIN ISOPHANE WITH INSULIN NEUTRAL
INSULIN LISPRO
INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE
INSULIN NEUTRAL

CARDIOVASCULAR SYSTEM

AMIODARONE HYDROCHLORIDE
Tab 100 mg Cordarone-X
Tab 200 mg Cordarone-X
DISOPYRAMIDE PHOSPHATE
FLECAINIDE ACETATE
Tab 50 mg Tambocor
Tab 100 mg Tambocor
Cap long-acting 100 mg Tambocor CR
Cap long-acting 200 mg Tambocor CR
PROPRAFENONE HYDROCHLORIDE

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN
Nasal drops 100 µg per ml Minirin
Nasal spray 10 µg per dose Desmopressin-PH&T

MUSCULOSKELETAL SYSTEM

PYRIDOSTIGMINE BROMIDE

NERVOUS SYSTEM

AMANTADINE HYDROCHLORIDE
APOMORPHINE HYDROCHLORIDE
ENTACAPONE
GABAPENTIN
GABAPENTIN (NEURONTIN)
LACOSAMIDE
LAMOTRIGINE
LISURIDE HYDROGEN MALEATE
PERGOLIDE
PRAMIPEXOLE HCL
ROPINIROLE HYDROCHLORIDE
TOLCAPONE
TOPIRAMATE
VIGABATRIN

SENSORY ORGANS

BIMATOPROST
BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE
BRINZOLAMIDE
LATANOPROST
TRAVOPROST

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

Reimbursement

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

Safety Caps (NZS 5825:1991)

20 mm.....	<i>Clic-Loc</i> , United Closures & Plastics PLC, England <i>Kerr</i> , Cormack Packaging, Sydney, under licence to Kerr USA
24 mm.....	<i>Clic-Loc</i> , United Closures & Plastics PLC, England <i>Clic-Loc</i> , ACI Closures under license to Owens-Illinois <i>Kerr</i> , Cormack Packaging, Sydney, under licence to Kerr USA
28 mm.....	<i>Clic-Loc</i> , United Closures & Plastics PLC, England <i>Clic-Loc</i> , ACI Closures under license to Owens-Illinois <i>Kerr</i> , Cormack Packaging, Sydney, under licence to Kerr USA <i>PDL Squeezlok</i> <i>PDL FG</i>

ALIMENTARY TRACT AND METABOLISM
FERROUS SULPHATE

Oral liq 30 mg per 1 ml Ferodan
(6 mg elemental per
1 ml)

CARDIOVASCULAR SYSTEM
AMILORIDE

Oral liq 1 mg per ml Biomed

CAPTOPRIL

Oral liq 5 mg per ml Capoten

CHLOROTHIAZIDE

Oral liq 50 mg per ml Biomed

DIGOXIN

Oral liq 50 µg per ml Lanoxin

FUROSEMIDE

Oral liq 10 mg per ml Lasix

SPIRONOLACTONE

Oral liq 5 mg per ml Biomed

**HORMONE PREPARATIONS - SYSTEMIC EXCLUDING
CONTRACEPTIVE HORMONES**
LEVOTHYROXINE

Tab 25 µg Synthroid
Tab 50 µg Eltroxin
Goldshield
Synthroid
Tab 100 µg Eltroxin
Goldshield
Synthroid

(Extemporaneously compounded oral liquid preparations)

MUSCULOSKELETAL SYSTEM
IBUPROFEN

Oral liq 100 mg per 5 ml Fenpaed

QUININE SULPHATE

Tab 200 mg Q 200
Tab 300 mg Q 300

(Extemporaneously compounded oral liquid preparations)

NERVOUS SYSTEM
ALPRAZOLAM

Tab 250 µg Arrow-Alprazolam
Tab 500 µg Arrow-Alprazolam
Tab 1 mg Arrow-Alprazolam

(Extemporaneously compounded oral liquid preparations)

CARBAMAZEPINE

Oral liq 100 mg per 5 ml Tegretol

CLOBAZAM

Tab 10 mg Frisium
(Extemporaneously compounded oral liquid preparations)

CLONAZEPAM

Oral drops 2.5 mg per ml Rivotril

DIAZEPAM

Tab 2 mg Arrow-Diazepam
Tab 5 mg Arrow-Diazepam
(Extemporaneously compounded oral liquid preparations)

ETHOSUXIMIDE

Oral liq 250 mg per 5 ml Zarontin

LORAZEPAM

Tab 1 mg Ativan
Tab 2.5 mg Ativan
(Extemporaneously compounded oral liquid preparations)

LORMETAZEPAM

Tab 1 mg Noctamid
(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Oral liq 2 mg per ml Biodone
Oral liq 5 mg per ml Biodone Forte
Oral liq 10 mg per ml Biodone Extra Forte

MORPHINE HYDROCHLORIDE

Oral liq 1 mg per ml RA-Morph
Oral liq 2 mg per ml RA-Morph
Oral liq 5 mg per ml RA-Morph
Oral liq 10 mg per ml RA-Morph

NITRAZEPAM

Tab 5 mg Nitrados
(Extemporaneously compounded oral liquid preparations)

OXAZEPAM

Tab 10 mg Ox-Pam
Tab 15 mg Ox-Pam
(Extemporaneously compounded oral liquid preparations)

OXYCODONE HYDROCHLORIDE

Oral liq 5 mg per 5 ml OxyNorm

PARACETAMOL

Oral liq 120 mg per 5 ml Ethics Paracetamol
Oral liq 250 mg per 5 ml Paracare Double Strength

PHENYTOIN SODIUM

Oral liq 30 mg per 5 ml Dilantin

	- Symbols -		
3TC	92	
	- A -		
A-Lices	63	
A-Scabies	63	
Abacavir sulphate	92	
Abacavir sulphate with lamivudine	92	
Abilify	127	
ABM Hydroxocobalamin	37	
Acarbose	30	
Accu-Chek Performa	31, 32	
Accupril	49	
Accuretic 10	49	
Accuretic 20	49	
Acetadote	179	
Acetazolamide	170	
Acetic acid with 1, 2- propanediol diacetate and benzethonium	168	
Acetic acid with hydroxyquinoline and ricinoleic acid	70	
Acetylcysteine	179	
Aci-Jel	70	
Aciclovir			
Infection	88	
Sensory	168	
Acidex	26	
Acipimox	45	
Acitretin	63	
Aclasta	111	
Aclin	98	
Actigall	33	
Actrapid	29	
Actrapid Penfill	29	
Acupan	116	
Adalat 10	53	
Adalat Oros	53	
Adalimumab	99	
Adapalene	57	
Adefin XL	53	
Adefovir dipivoxil	86	
Adrenaline	55	
Adriamycin	147	
Advantan	61	
AFT-Leflunomide	98	
AFT-Pyrazinamide	86	
Agents Affecting the Renin-Angiotensin System	48	
Agents for Parkinsonism and Related Disorders	114	
Agents Used in the Treatment of			
Poisonings	39	
Agrylin	145	
Alanase	166	
Albay	161	
Albustix	72	
Aldara	65	
Alendronate sodium	109	
Alendronate sodium with cholecalciferol	109	
Alfacalcidol	37	
Alginate acid	26	
Alitraq	189	
Alkeran	140	
Allersoothe	162	
Allopurinol	113	
Alpha Adrenoceptor Blockers	48	
Alpha-Keri Lotion	62	
Alphamox	82	
Alprazolam	131	
Alu-Tab	26	
Aluminium hydroxide	26	
Amantadine hydrochloride	114	
Ambrisentan	56	
Amiloride	54	
Amiloride with frusemide	54	
Amiloride with hydrochlorothiazide	54	
Aminophylline	165	
Amiodarone hydrochloride	50	
Amirol	118	
Amisulpride	127	
Amitrip	118	
Amitriptyline	118	
Amlodipine	53	
Amorolfine	58	
Amoxycillin	82	
Amoxycillin clavulanate	82	
Amphotericin B	36	
Amsacrine	145	
Amsidine	145	
Amyl nitrite	55	
Anabolic Agents	73	
Anaesthetics	115	
Anagrelide hydrochloride	145	
Analgesics	116	
Anastrozole	155	
Androderm	74	
Antabuse	138	
Antacids and Antiflatulants	26	
Anten	118	
Anthelmintics	80	
Antiacne Preparations	57	
Antiallergy Preparations	161	
Antianaemics	40	
Antiandrogen Oral Contraceptives	70	
Antiarrhythmics	50	
Antibacterials	80	
Antibacterials Topical	58	
Anticholinesterases	97	
Antidepressants	118	
Antidiarrhoeals	26	
Antiepilepsy Drugs	121	
Antifibrinolytics, Haemostatics and Local Sclerosants	41	
Antifungals	85	
Antifungals Topical	58	
Antihæmorrhoidals	28	
Antihistamines	161	
Antihypotensives	51	
Antimalarials	85	
Antimigraine Preparations	125	
Antinausea	126	
Antinausea and Vertigo Agents	125	
Antipruritic Preparations	59	
Antipsychotics	127	
Antiretrovirals	90	
Antiretrovirals - Additional Therapies	93	
Antirheumatoid Agents	98	
Antispasmodics and Other Agents Altering Gut Motility	28	
Antithrombotic Agents	41	
Antithymocyte globulin (equine)	156	
Antitrichomonal Agents	85	
Antituberculars and Antileprotics	86	
Antilcerants	28	
Antivirals	86	
Anxiolytics	131	
Anzatax	148	
Apidra	30	
Apidra SoloStar	30	
Apo-Allopurinol	113	
Apo-Amlodipine	53	
Apo-Bromocriptine	114	
Apo-Cimetidine	28	
Apo-Clarithromycin			
Alimentary	28	
Infection	81	
Apo-Clomipramine	118	

INDEX

Generic Chemicals and Brands

Betoptic S	169		
Bezafibrate	45		
Bezalip Retard	45		
Bicalaccord	153		
Bicalutamide	153		
Bicillin LA	82		
BiCNU	140		
Bimatoprost	170		
Biodone	117		
Biodone Extra Forte	117		
Biodone Forte	117		
Bisacodyl	35		
BK Lotion	62		
Bleomycin sulphate	145		
Blood glucose diagnostic test meter	31		
Blood glucose diagnostic test strip	32		
Borjela	36		
Bortezomib	145		
Bosentan	56		
Breath-Alert	166		
Brevinor 1/21	69		
Brevinor 1/28	69		
Brevinor 21	69		
Bricanyl Turbuhaler	164		
Brimonidine tartrate	170		
Brimonidine tartrate with timolol maleate	171		
Brinzolamide	170		
Brolene	168		
Bromocriptine mesylate	114		
Brufen	97		
Brufen SR	97		
BSF Arrow-Losartan & Hydrochlorothiazide	173		
BSF Bicalaccord	173		
BSF Lostaar	173		
Buccastem	126		
Budenocort	162		
Budesonide Alimentary	26		
Respiratory	162, 166		
Budesonide with efoterol	163		
Bumetanide	54		
Bupropion hydrochloride	138		
Burinex	54		
Buscopan	28		
Buspiron hydrochloride	131		
Busulphan	140		
Butacort Aqueous	166		
		- C -	
Cabergoline	78		
Cafergot	125		
Caffeine citrate	167		
Cal-d-Forte	37		
Calamine	59		
Calci-Tab 500	38		
Calci-Tab 600	38		
Calcipotriol	64		
Calcitonin	109		
Calcitriol	37		
Calcium carbonate	38		
Calcium carbonate with aminoacetic acid	26		
Calcium Channel Blockers	53		
Calcium Disodium Versenate	39		
Calcium folinate	141		
Calcium Folate Ebewe	141		
Calcium gluconate	38		
Calcium polystyrene sulphonate	44		
Calcium Resonium	44		
Calogen	185		
Calsource	38		
Camptosar	144		
Candesartan	49		
Candestar	49		
Canesten	58		
Capecitabine	141		
Capoten	48		
Capsaicin	66		
Captopril	48		
Carafate	29		
Carbamazepine	121		
Carbimazole	77		
Carboplatin	140		
Carboplatin Ebewe	140		
Carbosorb-X	39		
Cardinol	52		
Cardinol LA	52		
Cardizem CD	53		
CareSens	32		
CareSens II	31		
CareSens POP	31		
Carmustine	140		
Carvedilol	51		
Catapres	54		
Catapres-TTS-1	54		
Catapres-TTS-2	54		
Catapres-TTS-3	54		
CeeNU	140		
Cefaclor monohydrate	80		
Cefaclor Sandoz	80		
Cefalexin Sandoz	81		
Cefazolin sodium	80		
Cefoxitin sodium	80		
Ceftriaxone sodium	80		
Cefuroxime axetil	80		
Cefuroxime sodium	80		
Celestone Chronodose	73		
Celiprolol	51		
Cellcept	155		
Celol	51		
Centrally Acting Agents	54		
Cephalexin ABM	81		
Cephalexin monohydrate	81		
Ceptolate	155		
Cerezyme	35		
Cetirizine - AFT	161		
Cetirizine hydrochloride	161		
Cetomacrogol	62		
Champix	139		
Charcoal	39		
Chemotherapeutic Agents	140		
Chlorafast	168		
Chlorambucil	140		
Chloramphenicol	168		
Chlorhexidine gluconate Alimentary	36		
Dermatological	61		
Chloroform	179		
Chloromycetin	168		
Chlorothiazide	55		
Chlorpheniramine maleate	161		
Chlorpromazine hydrochloride	127		
Chlorsig	168		
Chlorthalidone	55		
Chlorvescent	44		
Cholecalciferol	37		
Cholestyramine with aspartame	45		
Choline salicylate with cetylalium chloride	36		
Cholvastin	45		
Ciclopiroxolamine	58		
Cilazapril	48		
Cilazapril with hydrochlorothiazide	49		
Cilicaine	83		
Cilicaine VK	83		
Ciloxan	168		
Cimetidine	28		
Cipflox	83		
Ciprofloxacin	83		

Dexamethasone with framycetin and gramicidin 168	Dixarit 125	Ear/Eye Preparations 168
Dexamethasone with neomycin and polymyxin b sulphate 169	DM Ject 33	Easiphen 198
Dexamphetamine sulphate 135	Docetaxel 146	Easiphen Liquid 198
Dextrochlorpheniramine maleate 161	Docetaxel Ebewe 146	Econazole nitrate 59
Dextrose 43	Docusate sodium 34	Efavirenz 91
Dextrose with electrolytes 44	Docusate sodium with sennosides 34	Efexor XR 120
DHC Continus 116	Domperidone 125	Effient 41
Diabetes 29	Donepezil hydrochloride 138	Eformoterol fumarate 163
Diabetes Management 31	Donepezil-Rex 138	Efudix 66
Diamide Relief 26	Dopergin 114	Egopsoryl TA 64
Diamox 170	Dopress 118	Elecare 199
Diaphragm 67	Dornase alfa 165	Elecare LCP 199
Diasip 186	Dorzolamide hydrochloride 170	Electral 44
Diason RTH 186	Dorzolamide hydrochloride with timolol maleate 170	Elemental 028 Extra 189
Diastop 26	Dostinex 78	Eligard 78
Diazepam 121, 132	Dothiepin hydrochloride 118	Elocon 61
Dibenyline 48	Doxazosin mesylate 48	Eloxatin 140
Diclax SR 97	Doxepin hydrochloride 118	Eltroxin 77
Diclofenac Sandoz 97	Doxine 83	Emend Tri-Pack 125
Diclofenac sodium Musculoskeletal System 97	Doxorubicin 147	EMLA 115
Sensory 169	Doxorubicin Ebewe 147	Emtricitabine 92
Didanosine [DDI] 92	Doxy-50 83	Emtriva 92
Differin 57	Doxycycline hydrochloride 83	Emulsifying ointment 62
Diffiam 36	DP Lotion 62	Enalapril 48
Diflucan 85	DP Lotn HC 60	Enalapril with hydrochlorothiazide 49
Diflucortolone valerate 60	DP-Anastrozole 155	Enbrel 103
Digestives Including Enzymes 33	Dr Reddy's Atorvastatin 45	Endocrine Therapy 153
Digoxin 50	Dr Reddy's Olanzapine 128, 131	Endoxan 140
Dihydrocodeine tartrate 116	Dr Reddy's Omeprazole 29	Enfuvirtide 93
Dilantin 123	Dr Reddy's Ondansetron 126	Enoxaparin sodium 42
Dilantin Infatab 123	Dr Reddy's Pantoprazole 29	Ensure 193
Dilatrend 51	Dr Reddy's Pramipexole 114	Ensure Plus 194
Diltiazem hydrochloride 53	Dr Reddy's Quetiapine 128	Ensure Plus HN 193
Dilzem 53	Dr Reddy's Risperidone 129	Ensure Plus RTH 193
Dimetriose 79	Dr Reddy's Terbinafine 85	Entacapone 114
Dipentum 27	Drugs Affecting Bone Metabolism 108	Entecavir 87
Diphenoxylate hydrochloride with atropine sulphate 26	Dulcolax 35	Entocort CIR 26
Diprosone 60	Duocal Super Soluble Powder 184	Enuclene 171
Diprosone OV 60	Duolin 165	Epilim 124
Dipyridamole 41	Duolin HFA 165	Epilim Crushable 124
Disinfecting and Cleansing Agents 61	Durex Confidence 67	Epilim IV 124
Disipal 115	Durex Extra Safe 67	Epilim S/F Liquid 124
Disopyramide phosphate 50	Durex Select Flavours 67	Epilim Syrup 124
Disulfiram 138	Duride 55	Epirubicin Ebewe 147
Diuretics 54	Dynacirc-SRO 53	Eporex 40
Diurin 40 54	- E -	ERA 82
	E-Mycin 82	Ergometrine maleate 71
	Ear Preparations 168	Ergotamine tartrate with caffeine 125
		Erlotinib hydrochloride 151
		Erythrocin IV 82

Erythromycin ethyl succinate	82	Ferrograd	38	Fluvax	96
Erythromycin lactobionate	82	Ferrograd F	39	FML	169
Erythromycin stearate	82	Ferrous fumarate	38	Foban	58
Erythropoietin alpha	40	Ferrous fumarate with folic acid	38	Folic acid	40
Erythropoietin beta	40	Ferrous sulphate	38	Food Thickeners	195
Escitalopram	120	Ferrous sulphate with folic acid	39	Foods And Supplements For Inborn Errors Of Metabolism	197
Estradot	75	Ferrum H	39	Foradil	163
Estrofem	75	Fexofenadine hydrochloride	161	Forteo	110
Etanercept	103	Fibalip	45	Fortimel Regular	187
Ethambutol hydrochloride	86	Fibro-vein	41	Fortini	188
Ethics Aspirin	116	Finasteride	71	Fortini Multi Fibre	188
Ethics Aspirin EC	41	Fine Ject	32	Fortisip	193, 194
Ethics Ibuprofen	97	Flagyl	85	Fortisip Multi Fibre	194
Ethics Paracetamol	116	Flagyl-S	85	Fosamax	109
Ethinylloestradiol	76	Flamazine	58	Fosamax Plus	109
Ethinylloestradiol with desogestrel	68	Flecainide acetate	50	Framycetin sulphate	168
Ethinylloestradiol with levonorgestrel	69	Fleet Phosphate Enema	35	FreeStyle Lite	31, 32
Ethinylloestradiol with norethisterone	69	Flixonase Hayfever & Allergy	166	Frisium	121
Ethosuximide	122	Flixotide	162	Frumil	54
Etidronate disodium	109	Flixotide Accuhaler	162	Frusemide-Claris	54
Etopophos	147	Florinef	73	Fucicort	61
Etoposide	147	Fluanxol	129	Fucidin	84
Etoposide phosphate	147	Fluarix	96	Fucithalmic	168
Etravirine	91	Flucloxacillin sodium	83	Fungilin	36
Eumovate	60	Flucloxin	83	Furosemide	54
Evista	110	Fluconazole	85	Fusidic acid Dermatological	58
Exemestane	155	Fludara	142	Infection	84
Extemporaneously Compounded Preparations and Galentials	179	Fludara Oral	142	Sensory	168
Eye Preparations	168	Fludarabine Ebewe	142	Fuzeon	93
EZ-fit Paediatric Mask	166	Fludarabine phosphate	142		
Ezetimibe	46	Fludrocortisone acetate	73	- G -	
Ezetimibe with simvastatin	46	Fluids and Electrolytes	43	Gabapentin	122
Ezetrol	46	Flumetasone pivalate	168	Gabapentin (Neurontin)	122
- F -		Fluocortolone caproate with fluocortolone pivalate and cinchocaine	28	Gamma benzene hexachloride	63
Famotidine	28	Fluorometholone	169	Gastrosoothe	28
Famox	28	Fluorouracil Ebewe	142	Gaviscon Double Strength	26
Felo 10 ER	53	Fluorouracil sodium Dermatological	66	Gaviscon Infant	26
Felo 5 ER	53	Oncology	142	Gemcitabine Actavis	143
Felodipine	53	Fluox	120	Gemcitabine Ebewe	143
Femtran 100	75	Fluoxetine hydrochloride	120	Gemcitabine hydrochloride	143
Femtran 50	75	Flupenthixol decanoate	129	Gemfibrozil	45
Fenpaed	97	Fluphenazine decanoate	130	Gemzar	143
Fentanyl	116	Flutamide	153	Generaid Plus	187
Fentanyl citrate	117	Flutamin	153	Genoptic	168
Ferodan	38	Fluticasone	162	Genotropin	78
Ferriprox	47	Fluticasone propionate	166	Genox	155
Ferro-F-Tabs	38	Fluticasone with salmeterol	163	Gentamicin sulphate Infection	84
Ferro-tab	38			Sensory	168
				Gestrinone	79

INDEX**Generic Chemicals and Brands**

Ginet 84	70	Humira	99	Indapamide	55
Glatiramer acetate	134	HumiraPen	99	Indinavir	92
Glibenclamide	30	Humulin 30/70	30	Indomethacin	98
Gliclazide	30	Humulin NPH	30	Infant Formulae	199
Glipizide	31	Humulin R	29	Influenza vaccine	96
Glivec	151	Hybloc	51	Inhaled Anticholinergic Agents	164
Glucagon Hypokit	29	Hydralazine	55	Inhaled Corticosteroids	162
Glucagon hydrochloride	29	Hydrea	147	Inhaled Long-acting Beta-adrenoceptor Agonists	162
Glucerna Select	186	Hydrocortisone Dermatological	60	Inhibace Plus	49
Glucerna Select RTH	186	Hormone	73	Innovacon hCG One Step Pregnancy Test	71
Glucobay	30	Hydrocortisone acetate	27	Insulin aspart	30
Gluten Free Foods	196	Hydrocortisone butyrate	60, 65	Insulin glargine	30
Glycerin with sodium saccharin	179	Hydrocortisone with cinchocaine	28	Insulin glulisine	30
Glycerin with sucrose	179	Hydrocortisone with miconazole	61	Insulin isophane	30
Glycerol		Hydrocortisone with natamycin and neomycin	61	Insulin isophane with insulin neutral	30
Alimentary	35	Hydrocortisone with wool fat and mineral oil	60	Insulin lispro	30
Extemporaneous	179	Hydroderm Lotion	62	Insulin lispro with insulin lispro protamine	30
Glyceryl trinitrate	55	Hydrogen peroxide Alimentary	36	Insulin neutral	29
Glytrin	55	Dermatological	58	Insulin pen needles	32
Gold Knight	67	Hydroxocobalamin	37	Insulin syringes, disposable with attached needle	33
Gopten	49	Hydroxychloroquine sulphate	85	Intal Spincaps	165
Goserelin acetate	78	Hydroxyurea	147	Intelence	91
Gutron	51	Hygroton	55	Interferon alpha-2a	94
Gynaecological Anti-infectives	70	Hyoscine (scopolamine)	125	Interferon alpha-2b	94
- H -		Hyoscine N-butylbromide	28	Interferon beta-1-alpha	134
Habitrol	139	Hypam	134	Interferon beta-1-beta	134
Haldol	130	Hyperuricaemia and Antigout	113	Intra-uterine device	68
Haldol Concentrate	130	Hypnovel	134	Intron-A	94
Haloperidol	128	Hypromellose	171	Ipratropium bromide	164, 166
Haloperidol decanoate	130	Hysite	170	Irinotecan	144
Hamilton Sunscreen	65	- I -		Irinotecan-Rex	144
healthE Fatty Cream	62	Ibiamox	82	Iron Overload	47
Healthier Simple Baking Mix	196	Ibuprofen	97	Iron polymaltose	39
Hemastix	72	Idarubicin hydrochloride	147	ISENTRESS	93
Heparin sodium	42	Ifosfamide	140	Ismo 20	55
Heparinised saline	42	Iloprost	56	Isoniazid	86
Hepsera	86	Imatinib mesylate	151	Isoprenaline hydrochloride	55
Herceptin	158	Imiglucerase	35	Isoptin	54
Hexamine hippurate	95	Imipramine hydrochloride	119	Isopto Carpine	171
Hiprex	95	Imiquimod	65	Isopto Homatropine	171
Histafen	161	Immune Modulators	93	Isosorbide mononitrate	55
Holoxan	140	Immunosuppressants	155	Isosource Standard	193
Homatropine hydrobromide	171	Imuprine	155	Isosource Standard RTH	193
Horleys Bread Mix	196	Imuran	155	Isotretinoin	57
Horleys Flour	196			Isradipine	53
Hormone Replacement Therapy - Systemic	74			Isuprel	55
Humalog	30				
Humalog Mix 25	30				
Humalog Mix 50	30				

Itch-Soothe	59	Laxatives	34	Loperamide hydrochloride	26
Itraconazole	85	Laxofast 120	34	Lopinavir with ritonavir	92
Itrazole	85	Laxofast 50	34	Lopresor	52
- J -					
Jadelle	70	Laxsol	34	Loprofin	198
Jevity	193	Leflunomide	98	Loprofin Mix	198
Jevity RTH	193	Letara	155	Loraclear Hayfever Relief	162
- K -					
Kaletra	92	Letrozole	155	Lorapaed	162
Karicare Food Thickener	196	Leukeran FC	140	Loratadine	162
Kemadrin	115	Leunase	146	Lorazepam	132
Kenacomb	168	Leuprorelin	78	Lormetazepam	134
Kenacort-A	74	Leustatin	142	Losartan	50
Kenacort-A40	74	Levetiracetam	123	Lostaar	50
KetoCal	201	Levetiracetam-Rex	123	Lovir	88
Ketoconazole		Levlen ED	69	Loxalate	120
Dermatological	65	Levobunolol	169	Loxamine	120
Infection	85	Levocabastine	169	Lucrin Depot	78
Ketogenic Diet	201	Levodopa with benserazide	114	Lucrin Depot PDS	78
Ketone blood beta-ketone		Levodopa with carbidopa	114	Ludiomil	119
electrodes	31	Levomepromazine	128	Lumigan	170
Ketoprofen	97	Levonorgestrel		Lycinate	55
Ketostix	31	Genito-Urinary	70	Lyderm	63
Kindergen	187	Hormone	76	- M -	
Kivexa	92	Levothyroxine	77	m-Captopril	48
Klacid	81	Lifestyles Flared	67	m-Cefuroxime	80
Klarmycin	28	Lignocaine	115	m-Eslon	117
Kliogest	76	Lignocaine hydrochloride	115	m-Mometasone	61
Kliovance	76	Lignocaine with		Mabthera	157
Konakion MM	41	chlorhexidine	115	Macrogl 3350	35
Konsyl-D	34	Lignocaine with prilocaine	115	Madopar 125	114
- L -					
Labetalol	51	Lincocin	84	Madopar 250	114
Lacosamide	122	Lincomycin	84	Madopar 62.5	114
Lacri-Lube	172	Lipazil	45	Madopar Dispersible	114
Lactulose	35	Lipid Modifying Agents	45	Madopar HBS	114
Laevolac	35	Lipitor	45	Magnesium hydroxide	179
Lamictal	123	Liquigen	185	Magnesium sulphate	
Lamivudine	87, 92	Lisinopril	49	Alimentary	39
Lamotrigine	123	Lisuride hydrogen maleate	114	Dermatological	66
Lanoxin	50	Litak	142	Malathion	63
Lanoxin PG	50	Lithicarb	128	Maprotiline hydrochloride	119
Lansoprazole	29	Lithium carbonate	128	Marevan	43
Lantus	30	Livostin	169	Marine Blue Lotion SPF 30+	65
Lantus SoloStar	30	Locacorten-Viaform ED's	168	Marquis Black	67
Larvis	145	Locasol	199	Marquis Conformia	67
Lanzol Relief	29	Loceryl	58	Marquis Protecta	67
Lapatinib Ditosylate	156	Locoid	60, 65	Marquis Selecta	67
Largactil	127	Locoid Crelo	60	Marquis Sensolite	67
Lasix	54	Locoid Lipocream	60	Marquis Supalite	67
Latanoprost	170	Locorten-Vioform	168	Marquis Titillata	67
Lax-Tab	35	Lodoxamide trometamol	169	MarquisTantiliza	67
		Loette	69	Martindale Acetylcysteine	179
		Logem	123	Marvelon 21	68
		Lomide	169	Marvelon 28	68
		Lomustine	140		

INDEX

Generic Chemicals and Brands

Mask for spacer device	166	Methylprednisolone sodium succinate	73	Monogen	186
Mast Cell Stabilisers	165	Methylxanthines	165	Morphine hydrochloride	117
Maxalt Melt	125	Metoclopramide hydrochloride	126	Morphine sulphate	117
Maxidex	169	Metoclopramide hydrochloride with paracetamol	125	Morphine tartrate	117
Maxitrol	169	Metopirone	79	Motetis	115
MCT oil (Nutricia)	185	Metoprolol - AFT CR	52	Motilium	125
Mebendazole	80	Metoprolol succinate	52	Mouth and Throat	36
Mebeverine hydrochloride	28	Metoprolol tartrate	52	Movicol	35
Medrol	73	Metronidazole	85	Moxifloxacin	84
Medroxyprogesterone acetate Genito-Urinary	70	Metyrapone	79	MSUD Maxamaid	197
Hormone	76-77	Miacalcic	109	MSUD Maxamum	197
Mefenamic acid	97	Mianserin hydrochloride	119	Mucilaginous laxatives	34
Megace	153	Micolette	35	stimulants	34
Megestrol acetate	153	Miconazole	36	Mucilax	34
Meloxicam	98	Miconazole nitrate Dermatological	59	Mucolytics	165
Melphalan	140	Genito-Urinary	71	MultiADE	38
Menthol	59	Micreme	71	Multiload Cu 375	68
Mercaptopurine	144	Micreme H	61	Multiload Cu 375 SL	68
Mercilon 21	68	Microgynon 20 ED	69	Multiple Sclerosis Treatments	132
Mercilon 28	68	Microgynon 30	69	Multivitamins	37
Mesalazine	27	Microgynon 30 ED	69	Mupirocin	58
Mesna	147	Microgynon 50 ED	69	Muscle Relaxants	113
Mestinon	97	Microlut	70	Myaccord	155
Metabolic Disorder Agents	35	Midazolam	134	Myambutol	86
Metabolic Mineral Mixture	198	Midodrine	51	Mycobutin	86
Metamide	126	Minaphlex	198	Mycophenolate mofetil	155
Metformin hydrochloride	31	Minerals	38	Mycostatin	59
Methadone hydrochloride Extemporaneous	179	Minidiab	31	Mydriacyl	171
Nervous	117	Minirin	78	Mylan Fentanyl Patch	116
Methatabs	117	Mino-tabs	83	Mylanta P	26
Methoblastin	145	Minocycline hydrochloride	83	Myleran	140
Methopt	171	Minor Skin Infections	63	Myloc CR	52
Methotrexate	145	Mirena	76	Myocrisin	98
Methotrexate Ebewe	145	Mirtazapine	120	Myometrial and Vaginal Hormone Preparations	71
Methyl hydroxybenzoate	180	Misoprostol	28		
Methylcellulose	180	Mitomycin C	147	- N -	
Methylcellulose with glycerin and sodium saccharin	180	Mitozantrone	147	Nadolol	52
Methylcellulose with glycerin and sucrose	180	Mitozantrone Ebewe	147	Nalcrom	27
Methyldopa	54	Mixtard 30	30	Naloxone hydrochloride	138
Methylphenidate hydrochloride	136	Moclobemide	119	Naltracord	138
Methylphenidate hydrochloride extended-release	137	Modafinil	137	Naltrexone hydrochloride	138
Methylprednisolone	73	Modavigil	137	Nandrolone decanoate	73
Methylprednisolone aceponate	61	Moderate	130	Naphazoline hydrochloride	172
Methylprednisolone acetate	73	Moducal	183	Naphcon Forte	172
Methylprednisolone acetate with lignocaine	73	Moduretic	54	Naprosyn SR 1000	97
		Mogine	123	Naprosyn SR 750	97
		Mometasone furoate	61	Naproxen	97
		Monofeme	69	Nardil	119
				Nasal Preparations	166
				Natulan	148
				Nausicalm	125

Navelbine	149	Normacol Plus	34	Olanzine	128
Navoban	126	Normison	134	Olanzine-D	131
Nedocromil	165	Norpress	119	Olbetam	45
Nefopam hydrochloride	116	Nortriptyline hydrochloride	119	Olsalazine	27
Neo-Mercazole	77	Norvir	93	Omeprazole	29
Neocate	199	NovaSource Renal	189	Omezol Relief	29
Neocate Advance	199	Novatrein	63	On Call Advanced	31, 32
Neocate Gold	199	NovoFine	32	OncoTICE	156
Neocate LCP	199	NovoRapid	30	Ondansetron	126
Neoral	160	NovoRapid Penfill	30	One-Alpha	37
NeoRecormon	40	Nozinan	128	Onkotrone	147
Neostigmine	97	Nuelin	165	Optium 5 second test	32
Neotigason	63	Nuelin-SR	165	Optium Blood Ketone Test Strips	31
Nepro (strawberry)	189	Nupentin	122	Optium Xceed	31
Nepro (vanilla)	189	Nutraplus	62	Ora-Blend	180
Nerisone	60	Nutrient Modules	183	Ora-Blend SF	180
Neulactil	128	Nutrini Energy Multi Fibre	188	Ora-Plus	180
NeuroKare	38	Nutrini Energy RTH	188	Ora-Sweet	179
Neurontin	122	Nutrini Low Energy Multi Fibre	190	Ora-Sweet SF	179
Nevirapine	92	Nutrini RTH	188	Orabase	36
Nicotine	139	NutriniDrink	188	Oracort	36
Nicotinic acid	45	NutriniDrink Multifibre	188	Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)	185
Nifedipine	53	Nutrison Concentrated	195	Oratane	57
Nifuran	95	Nutrison Energy	192	Orgran	197
Nilstat Alimentary	36	Nutrison Energy Multi Fibre	193	Ornidazole	85
Genito-Urinary	71	Nutrison Multi Fibre	193	Orphenadrine citrate	113
Infection	85	Nutrison Standard RTH	193	Orphenadrine hydrochloride	115
Nipent	148	Nyefax Retard	53	Ortho All-flex	67
Nitrados	134	Nystatin Alimentary	36	Ortho-tolidine	72
Nitrates	55	Dermatological	59	Oruvail SR	97
Nitrazepam	134	Genito-Urinary	71	Osamolite	193
Nitroderm TTS	55	Infection	85	Osamolite RTH	193
Nitrofurantoin	95	NZB Low Gluten Bread Mix	196	Ospamox	82
Nitrolingual Pumpspray	55			Ospamox Paediatric Drops	82
Nizoral	85	- O -		Other Endocrine Agents	78
Noctamid	134	Octreotide (somatostatin analogue)	154	Other Oestrogen Preparations	76
Nodia	26	Octreotide MaxRx	154	Other Progestogen Preparations	76
Noflam 250	97	Oestradiol	75	Other Skin Preparations	66
Noflam 500	97	Oestradiol valerate	75	Ovestin Genito-Urinary	71
Non-steroidal Anti-inflammatory Drugs (NSAIDs)	97	Oestradiol with norethisterone	76	Hormone	76
Nordette 28	69	Oestrial Genito-Urinary	71	Ox-Pam	132
Norethisterone Genito-Urinary	70	Hormone	76	Oxaliplatin	140
Hormone	77	Oestrogens	75	Oxaliplatin Ebewe	140
Norethisterone with mestranol	69	Oestrogens with medroxyprogesterone	76	Oxazepam	132
Norflex	113	Oil in water emulsion	62	Oxis Turbuhaler	163
Norfloracin	96	Olanzapine	128, 131	Oxybutynin	72
Noriday 28	70	Olanzapine pamoate monohydrate	130	Oxycodone hydrochloride	118
Norimin	69				
Norinyl-1/28	69				

INDEX

Generic Chemicals and Brands

OxyContin	118	PenMix 50	30	Polycal	183
OxyNorm	118	Pentasa	27	Polyvinyl alcohol	171
Oxypentifylline	56	Pentostatn		Ponstan	97
Oxytocin	71	(deoxycoformycin)	148	Postinor-1	70
Ozole	85	Pepti Junior Gold	200	Potassium bicarbonate	44
- P -					
Pacifen	113	Peptisoothe	29	Potassium chloride	43-44
Pacific Atenolol	51	Peptisorb	190	Potassium citrate	72
Pacific Buspirone	131	Pergolide	114	Potassium iodate	38
Paclitaxel	148	Perhexiline maleate	53	Povidone iodine	63
Paclitaxel Actavis	148	Pericyazine	128	Pradaxa	43
Paclitaxel Ebewe	148	Perindopril	49	Pramipexole HCl	114
Paediatric Seravit	37	Permax	114	Prasugrel	41
Pamidronate disodium	110	Permethrin	63	Pravastatin	45
Pamisol	110	Persantin	41	Prazosin hydrochloride	48
Panadol	116	Pethidine hydrochloride	118	Pred Forte	169
Pancreatic enzyme	33	Pevaryl	59	Pred Mild	169
Pantocid IV	29	Pexsig	53	Prednisolone acetate	169
Pantoprazole	29	Pharmacy Services	173	Prednisolone sodium phosphate	74
Panzytrat	33	Phenelzine sulphate	119	Prednisone	74
Papaverine hydrochloride	56	Phenobarbitone	123	Prefrin	172
Paracare	116	Phenobarbitone sodium	180	Pregnancy Tests - hCG Urine	71
Paracare Double Strength	116	Phenoxybenzamine hydrochloride	48	Premarin	75
Paracetamol	116	Phenoxymethylpenicillin (Penicillin V)	83	Premia 2.5 Continuous	76
Paracetamol + Codeine (Relieve)	118	Phentolamine mesylate	48	Premia 5 Continuous	76
Paracetamol with codeine	118	Phenylephrine hydrochloride	172	Prezista	92
Parafast	116	Phenytoin sodium	121, 123	Priadel	128
Paraffin	63	Phlexy 10	198	Primidone	123
Paraffin liquid with soft white paraffin	172	Phosphate-Sandoz	44	Primolut N	77
Paraffin liquid with wool fat liquid	172	Phytomenadione	41	Probenecid	113
Paraldehyde	121	Pilocarpine	171	Probenecid-AFT	113
Paramax	125	Pimafucort	61	Procaine penicillin	83
Parasiticial Preparations	63	Pindolol	52	Procarbazine hydrochloride	148
Parnate	119	Pinetarsol	65	Prochlorperazine	126
Paroxetine hydrochloride	120	Pinorax	35	Proctosedyl	28
Paxam	121	Pinorax Forte	35	Procyclidine hydrochloride	115
Pazopanib	152	Pioglitazone	31	Prodopa	54
Peak flow meter	166	Piportil	130	Prograf	160
Pedialyte - Bubblegum	44	Pipothiazine palmitate	130	Progynova	75
Pedialyte - Fruit	44	Pizaccord	31	Promethazine hydrochloride	162
Pedialyte - Plain	44	Pizotifen	125	Promethazine theoclate	126
Pediasure	188	PKU Anamix Infant	198	Promethazine Winthrop Elixir	162
Pediasure RTH	188	PKU Anamix Junior LQ	198	Promod	185
Pegasys	94	PKU Lophlex LQ	198	Propafenone hydrochloride	51
Pegasys RBV Combination Pack	94	Plaquenil	85	Propamidine isethionate	168
Pegylated interferon alpha-2a	94	Plendil ER	53	Propranolol	52
Penicillamine	98	Podophyllotoxin	66	Propylene glycol	180
PenMix 30	30	Polaramine	161	Protamine sulphate	42
PenMix 40	30	Poloxamer	34	Protaphane	30
		Poly-Tears	171	Protaphane Penfill	30
		Poly-Visc	172	Protifar	185
				Provera	76, 77

- U -			
Ultraproct	28	Vigabatrin	124
Univent	164, 166	Vimpat	122
Ural	72	Vinblastine sulphate	149
Urea	62	Vincristine sulphate	149
Urex Forte	54	Vinorelbine	149
Urinary Agents	71	Vinorelbine Ebewe	149
Urinary Tract Infections	95	Viramune	92
Uromitexan	147	Viramune Suspension	92
Ursodeoxycholic acid	33	Viread	89
Ursosan	33	Vistil	171
- V -		Vistil Forte	171
Vaccines	96	Vitabdeck	38
Valaciclovir	89	Vitaldol C	37
Vallergan Forte	162	Vital HN	189
Valtrex	89	Vitala-C	37
Vancomycin hydrochloride	84	Vitamin A with vitamins D and C	37
Vannair	163	Vitamin B complex	37
Varenicline tartrate	139	Vitamins	37-38
Various	173	Vivonex Pediatric	199
Vasodilators	55	Vivonex TEN	189
Vasopressin Agonists	78	Volibris	56
Velcade	145	Voltaren	97
Venlafaxine	120	Voltaren D	97
Ventavis	56	Voltaren Ophtha	169
Ventolin	164	Volumatic	167
Ventolin Elixer	164	Vosol	168
Vepesid	147	Votrient	152
Veracol	80	Vytorin	46
Verapamil hydrochloride	54	- W -	
Vergo 16	125	Warfarin sodium	43
Vermox	80	Wart Preparations	65
Verpamil SR	54	Wasp venom allergy treatment	161
Vesanoid	149	Water	
Vesicare	72	Blood	44
Viaderm KC	61	Extemporaneous	180
Viagra	56	Wool fat with mineral oil	62
Vicrom	165	- X -	
Videx EC	92	Xarelto	43
		Xeloda	141
		Xenazine 25	115
		XMET Maxamum	197
		XP Maxamaid	198
		XP Maxamum	198
		Xylocaine	115
		Xylocaine Viscous	115
		- Z -	
		Zantac	29
		Zapril	48
		Zarontin	122
		Zavedos	147
		Zeffix	87
		Zeldox	129
		Zerit	92
		Zetop	161
		Ziagen	92
		Zidovudine [AZT]	92
		Zidovudine [AZT] with lamivudine	92
		Zinacef	80
		Zinc and castor oil	62
		Zinc sulphate	39
		Zincaps	39
		Zinnat	80
		Ziprasidone	129
		Zoladex	78
		Zoledronic acid	111
		Zopiclone	134
		Zostrix HP	66
		Zovirax	168
		Zuclopenthixol decanoate	131
		Zuclopenthixol hydrochloride	129
		Zyban	138
		Zyprexa	128
		Zyprexa Relprevv	130
		Zyprexa Zydis	131

NOTES

NOTES

NOTES

NOTES

NOTES

NOTES

NOTES

NOTES

NOTES

NOTES

NOTES

NOTES

NOTES

NOTES

NOTES
