August 2012

Volume 19 Number 2

Editors: Kaye Wilson, Rebecca Bloor & Donna Jennings email: schedule@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

Freephone Information Line 0800 66 00 50 (9am – 5pm weekdays)

Circulation

Published each April, August and December. Changes to the contents are published in monthly updates.

Accessible in an electronic format at no cost from the Health Professionals section of the

PHARMAC website www.pharmac.govt.nz
You can register to have an electronic version of the Pharmaceutical Schedule (link to
PDF copy) emailed to your nominated email
address each month. Alternatively there is
a nominal charge for an annual subscription
to the printed Schedule publications. To
access either of these subscriptions visit our
subscription website www.schedule.co.nz.


Production

Typeset automatically from XML and TeX. XML version of the Schedule available from www.pharmac.govt.nz/schedule/pub/archive/

Programmers

Anrik Drenth & John Geering email: texschedule@pharmac.govt.nz

©Pharmaceutical Management Agency



This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence. visit:

creativecommons.org/licenses/by/3.0/nz/. Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken

in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

Introducing PHARMAC

Section A General Rules 13

Section B

Alimentary Tract & Metabolism 27

Blood & Blood Forming Organs 41

Cardiovascular System 49

Dermatologicals 59

Genito Urinary System 71

Hormone Preparations – Systemic 77

Infections – Agents For Systemic Use 84

Musculoskeletal System 103

Nervous System 120

Oncology Agents & Immunosuppressants 148

Respiratory System & Allergies 169

Sensory Organs 177

Various 181

Section C Extemporaneous Compounds (ECPs) 182

Section D

Special Foods 189

Section E

Practitioner's Supply Orders 210

Rural Areas 214

Section F

Dispensing Period Exemptions 215

Section G

Safety Cap Medicines 217

Index 220

Introducing PHARMAC

PHARMAC, the Pharmaceutical Management Agency, is a Crown entity established pursuant to the New Zealand Public Health and Disability Act 2000 (The Act). The primary objective of PHARMAC is to secure for eligible people in need of pharmaceuticals, the best health outcomes that are reasonably achievable from pharmaceutical treatment and from within the amount of funding provided.

The PHARMAC Board consists of up to five members appointed by the Minister of Health. All decisions relating to PHARMAC's operation are made by or under the authority of the Board. In particular, Board members decide on the strategic direction of PHARMAC and may decide which community pharmaceuticals should be subsidised and at what levels, and determine national prices for some pharmaceuticals to be purchased by and used in DHB Hospitals, and whether or not special conditions are to be applied to such purchases.

Members of the PHARMAC Board

Stuart McLauchlan Kura Denness David Kerr

Anne Kolbe Jens Mueller

Decisions taken by the PHARMAC Board members, or made under the authority of the Board, incorporate a balanced view of the needs of prescribers and patients. The aim is to achieve long-term gains and efficient ways of making pharmaceuticals available to the community and for DHB Hospitals to purchase them.

The following attend PHARMAC's Board meetings as observers

- Murray Georgel, CE MidCentral DHB
- Kate Russell, Chair Consumer Advisory Committee
- Carl Burgess, Chair Pharmacology and Therapeutics Advisory Committee (PTAC)

The functions of PHARMAC are to perform the following, within the amount of funding provided to it in the Pharmaceutical Budget or to DHBs from their own budgets for the use of pharmaceuticals in their hospitals, as applicable, and in accordance with its annual plan and any directions given by the Minister (Section 103 of the Crown Entities Act):

- a) to maintain and manage a pharmaceutical schedule that applies consistently throughout New Zealand, including determining eligibility and criteria for the provision of subsidies;
- b) to manage incidental matters arising out of (a), including in exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the pharmaceutical schedule;
- c) to engage as it sees fit, but within its operational budget, in research to meet its objectives as set out in Section 47(a) of the Act:
- d) to promote the responsible use of pharmaceuticals:
- e) to manage the purchasing of any or all pharmaceuticals, whether used either in a hospital or outside it, on behalf of DHBs;
- f) any other functions given to PHARMAC by or under any enactment or authorised by the Minister.

The policies and criteria set out in the Pharmaceutical Schedule and PHARMAC's Operating Policies and Procedures arise out of, and are designed to help PHARMAC achieve and perform, PHARMAC's objective and functions under the Act.

However PHARMAC may, having regard to its public law obligations, depart from the strict application of those policies and criteria in certain exceptional cases where it considers this necessary or appropriate in the proper exercise of its statutory discretion and to give effect to its objective and functions, particularly with respect to:

- Determining eligibility and criteria for the provision of subsidies; and
- In exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the Pharmaceutical Schedule.

Decision Criteria

PHARMAC updates the Pharmaceutical Schedule at regular intervals to notify prescribers, pharmacists, hospital managers and patients of changes to Community Pharmaceutical subsidies and the prices for Hospital Pharmaceuticals. In making decisions about amendments to the Pharmaceutical Schedule, PHARMAC is guided by its Operating Policies and Procedures, as amended or supplemented from time to time. PHARMAC takes into account the following criteria when making decisions about Community Pharmaceuticals:

- the health needs of all eligible people within New Zealand (eligible defined by the Government's then current rules of eligibility);
- the particular health needs of Maori and Pacific peoples;
- the availability and suitability of existing medicines, therapeutic medical devices and related products and related things;
- the clinical benefits and risks of pharmaceuticals;
- the cost-effectiveness of meeting health needs by funding pharmaceuticals rather than using other publicly funded health and disability support services;
- the budgetary impact (in terms of the pharmaceutical budget and the Government's overall health budget) of any changes to the Pharmaceutical Schedule;
- the direct cost to health service users;

- the Government's priorities for health funding, as set out in any objectives notified by the Crown to PHARMAC, or in PHARMAC's Funding Agreement, or elsewhere; and
- such other criteria as PHARMAC thinks fit. PHARMAC will carry out appropriate consultation when it intends to take any such "other criteria" into account.

The Operating Policies and Procedures, including any supplements, also describe the way in which PHARMAC determines the level of subsidy or purchase price payable for each Community Pharmaceutical or Hospital Pharmaceutical, respectively.

The decision criteria for Hospital Pharmaceuticals are set out in the hospital supplement to the Operating Policies and Procedures and in the introductory part of Section H of the Pharmaceutical Schedule.

Copies of PHARMAC's Operating Policies and Procedures and of any applicable supplements are available on the PHARMAC website (www.pharmac.govt.nz), or on request.

PHARMAC and the Pharmaceutical Schedule:

PHARMAC manages the national Pharmaceutical Schedule, which lists:

- Pharmaceuticals available in the community and subsidised by the Government with funding from the Pharmaceutical Budget; and
- some Pharmaceuticals purchased by DHBs for use in their hospitals, and includes those Hospital Pharmaceuticals for which national prices have been negotiated by PHARMAC.

In the community approximately 1848 Pharmaceuticals are subsidised by the Government. Most are available to all eligible people within New Zealand on prescription by a medical doctor. Some are listed with guidelines or conditions such as 'only if prescribed for a dialysis patient' or 'Special Authority - Retail Pharmacy', to ensure that Pharmaceuticals are used by those people who are most likely to benefit from them. Pharmaceuticals provided to patients for use while in DHB hospitals are not covered by Sections A to G of the Pharmaceutical Schedule.

Section H of the Pharmaceutical Schedule is not a comprehensive list of Pharmaceuticals that are used within the DHB Hospitals. Section H of the Pharmaceutical Schedule includes Pharmaceuticals that can be purchased at a national price by DHBs for use in their hospitals. These are referred to as National Contract Pharmaceuticals.

A list of Discretionary Community Supply Pharmaceuticals, in Section H of the Pharmaceutical Schedule, identifies those products that currently are not subsidised from the Pharmaceutical Budget as Community Pharmaceuticals in Sections A to G of the Pharmaceutical Schedule but which DHBs can at their discretion fund for use in the community from their own budgets Hospital Pharmaceuticals in the Community approval.

PHARMAC's clinical advisors

Pharmacology and Therapeutics Advisory Committee (PTAC)

PHARMAC works closely with the Pharmacology and Therapeutics Advisory Committee (PTAC), an expert medical committee which provides independent advice to PHARMAC on health needs and the clinical benefits of particular pharmaceuticals for use in the community and/or in DHB Hospitals.

The committee members are all senior, practising clinicians. The chair of PTAC sits with the PHARMAC Board in an advisory capacity.

PTAC helps decide which community pharmaceuticals are to be subsidised from public monies by making recommendations to PHARMAC. Part of the role of PTAC is to review whether Community Pharmaceuticals already listed on the Schedule should continue to receive Government funds. The resources freed up can be used to subsidise other community pharmaceuticals with a greater therapeutic worth.

PHARMAC may obtain clinical advice from PTAC in relation to national purchasing strategies for Hospital Pharmaceuticals. There may be additional specialist hospital representatives on PTAC subcommittees, or additional PTAC subcommittees, where PHARMAC considers this necessary.

PTAC members are:

Carl Burgess MBChB, MD, MRCP (UK), FRACP, FRCP, physician/clinical pharmacologist, Chair

Howard Wilson BSc, PhD, MB, BS, Dip Obst, FRNZCGP, FRAGCP Deputy Chair

Chris Cameron MBChB. FRACP. MClin Pharm

Melissa Copland PhD, BPharm(Hons), RegPharmNZ, FNZCP

Stuart Dalziel MBChB, PhD, FRACP

lan Hosford MBChB, FRANZCP, psychiatrist

Sisira Jayathissa MMedSc (Clin Epi), MMBS, MD, MRCP (UK), FRCP (Edin), FRACP, FAFPHM, Dip Clin Epi,

Dip OHP, Dip HSM, MBS

George Laking PhD, MD, FRACP
Dee Mangin MBChB, DPH, RNZCGP

Graham Mills MBChB, MTropHlth, MD, FRACP, infectious disease specialist and general physician

Mark Weatherall BA, MBChB, MApplStats, FRACP

Contact PTAC C/- PTAC Secretary, Pharmaceutical Management Agency, PO Box 10 254, WELLINGTON, Email: PTAC @pharmac.govt.nz

PHARMAC's consumer advisors

Consumer Advisory Committee (CAC)

The Consumer Advisory Committee is an advisory committee to the PHARMAC Board. It provides written reports to the Board, and its Chair attends Board meetings as an observer to report on the activities and findings of the Committee, and to comment on consumer issues. While accountable to the Board, the Committee's general working relationship is with the staff of PHARMAC. The Committee is made up of people from a range of backgrounds and interests including the health of Māori people, Pacific peoples, older people, women and mental health.

For current membership of the Consumer Advisory Committee, visit our website. The Consumer Advisory Committee can be contacted by email: CAC@pharmac.govt.nz, or you can write to the Consumer Advisory Committee at PHARMAC's postal address.

The PHARMAC Team

The PHARMAC team has a wide range of expertise in health, medicine, economics, commerce, critical analysis, and policy development and implementation.

opment and implementat	ion.		
Steffan Crausaz Paul Alexander	Chief Executive Health Economist	Bridget Macfarlane	Programme & Accountability Manager
Richard Anderson	Network and Systems Administrator	Janet Mackay	Programme & Accountability Manager
Julian Apatu Katie Appleby	Web Content Leader Panel Co-ordinator	Rachel Mackay	Manager, Schedule and Contracts
Jason Arnold	Team Leader, Analysis	Trish Mahoney	Contract Manager
Diana Beswetherick	HR Manager	Scott Metcalfe	Chief Advisor Population
Stephen Boxall	Creative Director		Medicine / Deputy Medical
Lisa Buxton	Senior Receptionist		Director
Davina Carpenter	Records Manager	Peter Moodie	Medical Director
Angela Cathro	Māori Health Programmes' Assistant	Christina Newman	Executive Assistant to Chief Executive & Board Secretary
Christine Chapman	Therapeutic Group Manager	Hew Norris	Analyst
Mary Chesterfield	High Cost Drugs Co-ordinator	Leigh Parish	PA to Medical Director / Medical
lan Craigie	Manager, Technology and Informantion	ŭ	Team Assistant
Andrew Davies	Acting Manager, Funding and	Kylie Parker	Accounts Co-ordinator
	Procurement	Marama Parore	Manager, Access & Optimal Use & Māori Health
Natalie Davis	Therapeutic Group Manager	Chris Peck	Analyst
Jessica Dougherty	Corporate Team Executive	Karen Phillips	HR Assistant/Payroll
0 0 1 1	Assistant	Matthew Poynton	Analyst/Health Economist
Sean Dougherty	Funding Systems Development	Rachel Pratt	Panel Co-ordinator
A 11 D 11	Manager	Dilky Rasiah	Deputy Medical Director
Anrik Drenth	Database Analyst	Awhimai Reynolds	Māori Health Manager
Kim Ellis	Access & Optimal Use	Alexander Rodgers	Health Economist
0:	Co-ordinator	Brian Roulston	Contract Manager
Simon England	Communications Manager	Fiona Rutherford	Establishment Manager,
Jackie Evans	Senior Therapeutic Group	D: 0	Medical Devices
	Manager	Rico Schoeler	Manager, Analysis and
John Geering	Systems Architect		Assessment
Anne Glennie	Panel Co-ordinator Senior Health Economist	Carsten Schousboe	Health Economist
Rachel Grocott		Merryn Simmons	PHARMAC Seminar Series
Rachel Hargreaves Geralt Jones	Senior Policy Analyst Formulary Researcher		Co-ordinator
Rochelle Harker	PTAC Secretary & Panel	Liz Skelley	Finance Manager
nochelle i laikei	Co-ordinator	Stuart Sorrel	Panel Co-ordinator
Hayden Holmes	Panel Co-ordinator (Growth	Jude Urlich	Manager, Corporate and
riayueri rioimes	Hormone/PAH)	Leaves a AM a M de a	External Relations
Karen Jacobs	National Programme Manager,	Jayne Watkins	Team Leader, Medical Team
Nateri Jacobs	One Heart Many Lives	Rachel Werner	Health Economist
Donna Jennings	Schedule Analyst	Bryce Wigodsky Greg Williams	Policy Analyst Senior Therapeutic Group
Marcus Kim	Tender Analyst	Citeg Williams	Manager
Catherine Kingsbury	Funding and Procurement	Lisa Williams	Legal Counsel
,	Assistant	Kaye Wilson	Senior Schedule Analyst
Geoff Lawn	Applications Developer / Team	Stephen Woodruffe	Therapeutic Group Manager
	Leader IT	Sue Anne Yee	Therapeutic Group Manager
		Michael Young	Analyst

Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price (if it differs from the Subsidy) and any access conditions that may apply; and
- some Hospital Pharmaceuticals that are purchased and used by DHB Hospitals, including those for which national prices have been negotiated by PHARMAC.

The purpose of the Schedule is not to show the final cost to Government of subsidising each Community Pharmaceutical or to DHBs in purchasing each Hospital Pharmaceutical since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for some Hospital Pharmaceuticals, on any logistics arrangements put in place by individual DHB Hospitals.

Finding Information in the Pharmaceutical Schedule

Community Pharmaceuticals

For Community Pharmaceuticals, the Schedule is organised in a way to help the reader find Community Pharmaceuticals, which may be used to treat similar conditions. To do this, Community Pharmaceuticals are first classified anatomically, originally based on the Anatomical Therapeutic Chemical (ATC) system, and then further classified under section headings structured for the New Zealand medical system.

- Section A lists the General Rules in relation to Community Pharmaceuticals and related products.
- Section B lists Community Pharmaceuticals and related products by anatomical classification, which are further divided into
 one or more therapeutic headings. Community Pharmaceuticals used to treat similar conditions are grouped together.
- Section C lists the rules in relation to Extemporaneously Compounded Products (ECPs) and Community Pharmaceuticals
 that will be subsidised when extemporaneously compounded.
- Section D lists the rules in relation to Special Foods and the Special Foods that are subsidised.
- Section E Part I lists the Community Pharmaceuticals that are subsidised on a Practitioner's Supply Order (PSO).
- Section E Part II lists rural areas for the purpose of PSOs.
- Section F lists the Community Pharmaceuticals dispensing period exemptions.
- Section G lists the Community Pharmaceuticals eligible for reimbursement of safety cap and related rules.

The listings are displayed alphabetically (where practical) within each level of the classification system. Each anatomical section contains a series of therapeutic headings, some of which may contain a further classification level. Where a Community Pharmaceutical is used in more than one therapeutic area, they may be cross-referenced.

The therapeutic headings in the Pharmaceutical Schedule do not necessarily correspond to the therapeutic groups and therapeutic subgroups, which PHARMAC establishes for the separate purpose of determining the level of subsidy to be paid for each Community Pharmaceutical.

The index located at the back of the book in which Sections A-G of the Pharmaceutical Schedule are published can be used to find page numbers for generic chemical entities, or product brand names.

Hospital Pharmaceuticals

Section H lists Pharmaceuticals that DHBs fund from their own budgets. The Hospital Pharmaceuticals are grouped into the following Parts in Section H:


- Part I lists the rules in relation to Hospital Pharmaceuticals.
- Part II lists Hospital Pharmaceuticals for which national contracts exist (National Contract Pharmaceuticals). These are
 listed alphabetically by generic chemical entity name and line item, the relevant Price negotiated by PHARMAC and, if
 applicable, an indication of whether it has Hospital Supply Status (HSS) and any associated Discretionary Variance (DV)
 Pharmaceuticals and DV Limit.
- Part III lists Discretionary Community Supply Pharmaceuticals, which are not Community Pharmaceuticals, but which a DHB
 Hospital can, in its discretion, fund for use in the community from its own budget.

The index located at the back of the Section H supplement can be used to find page numbers for generic chemical entities, or product brand names, for Hospital Pharmaceuticals.

Explaining drug entries

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the amount of that subsidy paid to contractors, the supplier's price and the access conditions that may apply.

Example



Glossary

	-		
llnite	Ωf	Measi	IΓO

gramg		millimolemmol
kilogramkg	milligrammg	unitu
intermedianal cost	millilitreml	

Abbreviations					
Ampoule	Amp	Granules	Gran	Suppository	Supp
Capsule	Сар	Infusion	Inf	Tablet	Tab
Cream	Crm	Injection	Inj	Tincture	Tinc
Device	Dev	Linctus	Linc	Trans Dermal Delivery	
Dispersible	Disp	Liquid	Liq	System	TDDS
Effervescent	Eff	Long Acting	LA		
Emulsion	Emul	Ointment	Oint		
Enteric Coated	EC	Sachet	Sach		
Gelatinous	Gel	Solution	Soln		
DCO Dully Cumply Or	dar				

Bulk Supply Order. BSO

CBS Cost Brand Source. There is no set manufacturer's price, and the Government subsidises the product at the price it is obtained by the pharmacy.

CE Compounded Extemporaneously.

CPD Cost Per Dose. The Funder (as defined in Part I of the General Rules) cost of a standard dose, without mark-ups or fees and excluding GST.

FCP Extemporaneously Compounded Preparation.

HSS Hospital Supply Status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

OP Original Pack – subsidy is rounded up to a multiple at whole packs.

PSO Practitioner's Supply Order.

Sole Subsidised

Supplier Only brand of this medicine subsidised.

XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

- Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner.
- Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless medicine is endorsed "close control" or "cc" and the endorsement is initialled by the prescriber.
- Safety cap required and subsidised for oral liquid formulations, including extemporaneously compounded preparations. Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a manufacturer's surcharge.
- This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981. Practitioners S29 prescribing this medication should:
 - a) be aware of and comply with their obligations under Section 29 of the Medicines Act 1981 and otherwise under that Act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent): and
 - c) exercise their own skill, judgement, expertise and discretions, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an indication for which it is not

Note: Where medicines supplied under Section 29 that are used for emergency situations, patient details required under Section 29 of the Medicines Act may be retrospectively provided to the supplier.

	Definitions					
Abbrev.	Pharmacy Services Agreement	All other Pharmacy Agreements				
[HP3]	Subsidised when dispensed from pharmacies that	Available from selected pharmacies that have an ex-				
	have a Special Foods Service appended to their Pharmacy Services Agreement by their DHB.	clusive contract to dispense Special Foods.				
[HP4]	Subsidised when dispensed from pharmacies that have the Monitored Therapy Variation (for Clozapine Services)	Avaliable from selected pharmacies that have an exclusive contract to dispense 'Hospital Pharmacy' [HP4] pharmaceuticals.				

Patient costs

Community Pharmaceuitical costs met by the Government

Most of the cost of a subsidised prescription Community Pharmaceutical is met by the Government through the Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to Contractors, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to Contractors does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a ✔ in the product's Schedule listing.

SALBUTAMOL	
Aerosol inhaler 100 μ g per dose	✓ Fully subsidised brand
(6.00)	Higher priced brand

Pharmaceutical Co-Payments

Some Community Pharmaceutical costs are met by the patient. Generally a patient pays a prescription charge. In addition a patient will sometimes pay a manufacturer's surcharge, after hours service fee and any special packaging fee.

PRESCRIPTION CHARGE

From 1 September 2008, everyone who is eligible for publicly funded health and disability services should in most circumstances pay only \$3 for subsidised medicines.

All prescriptions from a public hospital, a midwife and a Family Planning Clinic are covered for \$3 co-payments.

Prescriptions from the following providers are approved for \$3 co-payments on subsidised medicines if they meet the specified criteria:

- After Hours Accident and Medical Services with a DHB or a PHO contract.
- Youth Health Clinics with a DHB or a PHO contract.
- Dentists who write a prescription that relates to a service being provided under a DHB contract.
- Private specialists (for example, opthalmologists and orthopaedics) who write a prescription for a patient receiving a publicly funded service contracted by the DHB.
- General practitioners who write a prescription during normal business hours to a person who is not enrolled in the general
 practice provided the person is eligible for publicly funded health and disability services and the general practice is part of a
 PHO.
- Hospices that have a contract with a DHB.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Eligibility Direction on the Ministry of Health's website.

To check if a medicine is fully subsidised, refer to the Pharmaceutical Schedule on PHARMAC's website or ask your pharmacist or general practitioner.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

NOTE: Information sourced from Ministry of Health Website, for more information please visit www.moh.govt.nz

MANUFACTURER'S SURCHARGE

Not all Community Pharmaceuticals are fully subsidised. Although PHARMAC endeavours to fully subsidise at least one Community Pharmaceutical in each therapeutic group, and has contracts with some suppliers to maintain the price of a particular product, manufacturers are able to set their own price to pharmacies. When these prices exceed the subsidy, the pharmacist may recoup the difference from the patient.

To estimate the amount a patient will pay on top of the prescription charge, take the difference between the manufacturer's price and the subsidy, and multiply this by 1.86. The 1.86 factor represents the pharmacy mark-up on the surcharge plus other costs such as GST. Pharmacies charge different mark-ups so this may vary.

Manufacturer's surchage to patient = (price - subsidy) \times 1.86

For example, a Community Pharmaceutical with a supplier (ex-manufacturer) cost of \$11.00 per pack with a \$10.00 subsidy will cost the patient a surchage of \$1.86 on top of the prescription charge. The most a patient should pay is therefore \$16.86 - being

\$15.00 maximum prescription charge, plus \$1.86.

Hospital Pharmaceutical and Pharmaceutical Cancer Treatment Costs

The cost of purchasing Hospital Pharmaceuticals (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) is met by the relevant DHB hospital Funder from its own budget. Pharmaceutical Cancer Treatments (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) are funded through the Combined Pharmaceutical Budget. As required by section 23(7) of the Act, in performing any of their functions in relation to the supply of Pharmaceuticals including Pharmaceutical Cancer Treatments, DHBs must not act inconsistently with the Pharmaceutical Schedule.

PHARMAC web site

PHARMAC has set up an interactive Schedule on the Internet.

Other information about PHARMAC is also available on our website. This includes copies of the Annual Review, Annual Report and Annual Plan, as well as information such as the Pharmaceutical Schedule, Pharmaceutical Schedule Updates, National Hospital Pharmaceutical Strategy, other publications and recent press releases.

Special Authority Applications

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person. Applications must be submitted to the Ministry of Health by the prescriber for the request to be processed.

Subsidy

Once approved, the presciber will be provided a Special Authority number which must appear on the prescription. Specialists who make an application must communicate the valid authority number to the prescriber who will be writing the prescriptions.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Pharmaceutical Budget.

Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website.

For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised. Criteria for each Special Authority Community Pharmaceutical are updated regularly, based on the decision criteria of PHARMAC. The appropriateness of the listing of a Community Pharmaceutical in the Special Authority category will also be regularly reviewed. Applications for inclusion of further Community Pharmaceuticals in the Special Authority category will generally be made by a pharmaceutical supplier.

Special Authority Applications

Application forms can be found at www.pharmac.govt.nz. Requests for fax copies should be made to PHARMAC, phone 04 460 4990. Applications are processed by the Ministry of Health, and should be sent to:

Ministry of Health Sector Services, Fax: (06) 349 1983 or free fax 0800 100 131

Private Bag 3015, WANGANUI 4540

For enquiries, phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666

Note: The Ministry of Health can only provide information on Special Authority applications to prescribers and pharmacists.

Each application must:

- Include the patients name, date of birth and NHI number (codes for AIDS patients' applications)
- Include the practitioner's name, address and Medical Council registration number
- Clearly indicate that the relevant criteria, have been met.
- Be signed by the practitioner.

Named Patient Pharmaceutical Assessment policy

The Named Patient Pharmaceutical Assessment (NPPA) Policy is PHARMAC's process for considering applications about named patients seeking funding for treatments not listed on the Schedule, either at all or for the named patient's clinical circumstances.

For PHARMAC to perform its legislative function of maintaining and managing a Schedule that applies consistently throughout New Zealand, the NPPA Policy will, and must, operate in a way that does not undermine the Schedule decision making process. Together, the Schedule process and the NPPA Policy, ensure there is a pathway for consideration of an individual's clinical circumstances. If an individual has a set of clinical circumstances not covered by the NPPA Policy, the Schedule decision making process is available. It is not the purpose of the NPPA Policy to provide access to every treatment not listed on the Schedule.

There are three main pathways by which named patients can be considered for funding under the NPPA Policy. PHARMAC will exercise its discretion to determine the most appropriate pathway for an application under the NPPA Policy based on the information that is provided.

PHARMAC will assess applications that meet the prerequisites described below according to its Decision Criteria before deciding whether to approve applications for funding. The Decision Criteria will be used to assess both the individual clinical circumstances of each NPPA applicant, and the implications of each NPPA funding decision on PHARMAC's ability to carry out its legislative functions.

For more information on NPPA, or to apply, visit the PHARMAC website at http://www.pharmac.govt.nz/ nppa, or call the Panel Coordinators at (04) 9167553 or (04) 9167521.

Unusual Clinical Circumstance (UCC)

The purpose of the Unusual Clinical Circumstances (UCC) pathway is to provide a process for consideration for funding for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule. The prerequisite requirements for UCC consideration are:

- The patient has reasonably tried and failed all alternative funded treatments (or alternative treatments have been contraindicated, or there are no other treatments available), or the patient has experienced such serious side effects with all other relevant funded treatments that treatment has been ceased or cannot reasonably be continued; and
- The patient is experiencing an indication or set of clinical circumstances that are so unusual that PHARMAC is unlikely to consider listing treatments for these on the Schedule; and
- Generally, PHARMAC has not already considered/is not considering, through the Schedule decision making process, the treatment for the patient's clinical circumstances, or has not considered the treatment at all.

Urgent Assessment (UA)

The purpose of the Urgent Assessment (UA) pathway is to provide a process for PHARMAC to consider funding treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient's clinical circumstances justify urgent assessment, prior to a decision on Schedule listing. The prerequisite requirements for UA are:

- The patient has reasonably tried and failed all alternative funded treatments (or alternative treatments have been contraindicated, or there are no other treatments available), or the patient has experienced such serious side effects with all other relevant funded treatments that treatment has been ceased or cannot reasonably be continued; and
- The patient is experiencing an indication or set of clinical circumstances that may be experienced by a population group (either currently or over time); and
- The patient has serious clinical circumstances and not receiving the treatment within six to 12 months would lead to either a significant deterioration in a serious clinical condition or the patient would miss the opportunity for significant improvement in clinical outcome (length or quality of life); and
- The treatment has either not been prioritised by PHARMAC, or if it has, PHARMAC has funded the treatment under the NPPA Policy for the same clinical circumstances prior to prioritisation.
- PHARMAC has not declined to list, on the Schedule, this treatment for these clinical circumstances.

Hospital Pharmaceuticals in the Community (HPC)

The purpose of the Hospital Pharmaceuticals in the Community (HPC) pathway is to allow District Health Board hospitals to fund a medicine for a patient in the community if it would be more affordable for the DHB than paying for the treatment that would otherwise need to be provided. PHARMAC's approval is required for any such funding, given DHBs' legislative obligation to act consistently with the Schedule. The prerequisite requirements for HPC are:

- The patient has reasonably tried and failed all alternative cheaper funded treatments (or these alternative treatments have been contraindicated) or the patient has experienced such serious side effects with all other cheaper relevant funded treatments that treatment has been ceased or cannot reasonably be continued; and
- The application is for a DHB hospital to fund a treatment for use in the community for a patient under the care of a DHB hospital clinician (in-patient or out-patient); and
- The treatment is not being used to treat a cancer; and
- The treatment costs less for the DHB than the most likely alternative intervention or outcome; and
- The treatment is being sought for a short-term episode of care (usually a maximum of three months) and is not generally for

the treatment of a chronic condition.

INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and;
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services.

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 August 2012 and is to be referred to as the Pharmaceutical Schedule Volume 19 Number 2, 2012. Distribution will be from 20 August 2012. This Schedule comes into force on 1 August 2012.

PART I

INTERPRETATIONS AND DEFINITIONS

- 1.1 In this Schedule, unless the context otherwise requires:
- "90 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;
- "180 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment:
- "Access Exemption Criteria" means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:
 - a) have limited physical mobility;
 - b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - c) are relocating to another area:
 - d) are travelling extensively and will be out of town when the repeat prescriptions are due.
- "Act" means the New Zealand Public Health and Disability Act 2000.
- "Advisory Committee" means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.
- "Alternate Subsidy" means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.
- "Annotation" means written annotation of a prescription by a dispensing pharmacist in the pharmacist's own handwriting following confirmation from the Prescriber if required, and "Annotated" has a corresponding meaning. The Annotation must include the details specified in the Schedule, including the date the prescriber was contacted (if applicable) and be initialled by the dispensing pharmacist.
- "Assessed Pharmaceuticals" means the list of Pharmaceuticals set out in Section H Part III of the Schedule, that have been or are being assessed by PHARMAC.
- "Authority to Substitute" means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.
- "Bulk Supply Order" means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability

Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.

"Class B Controlled Drug" means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.

"Community Pharmaceutical" means a Pharmaceutical listed in Sections A to G of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor" means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug" means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply" means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply.

"Dentist" means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"Diabetes Nurse Prescriber" means a registered nurse practising in diabetes health who has authority to prescribe specified diabetes medicines in accordance with regulations made under the Medicines Act 1981, and who is practicing in an approved DHB demonstration site.

"Dietitian" means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.

"DHB" means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital" means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Discretionary Community Supply Pharmaceutical" means the list of Pharmaceuticals set out in Section H Part IV of the Schedule, which may be funded by a DHB Hospital from its own budget for use in the community.

"Dispensing Frequency Rule" means the rule in Part IV that defines patient groups or medicines eligible for more frequent dispensing periods.

"**Doctor**" means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical" means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS: or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements" - unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Funder" means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST" means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator" means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Pharmaceuticals" means National Contract Pharmaceuticals, DV Pharmaceuticals, Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals.

"Hospital Pharmaceuticals in the Community (HPC)" means the pathway under the Named Patient Pharmaceutical Assessment policy to allow District Health Board hospitals to fund a medicine for a patient in the community if this is more affordable for the DHB than paying for the treatment that would otherwise need to be provided.

"Hospital Pharmacy" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner.

"Hospital Pharmacy-Specialist" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an Outpatient either:

a) on a Prescription signed by a Specialist, or

- b) where the treatment with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a practitioner which is either:
 - i) endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Practitioner, or
 - ii) annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and date of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as:

- a) follows a substantive consultation with an appropriate Specialist;
- b) the consultation to relate to the Patient for whom the Prescription is written;
- c) consultation to mean communication by referral, telephone, letter, facsimile or email;
- d) except in emergencies consultation to precede annotation of the Prescription; and
- e) both the specialist and the General Practitioner must keep a written record of the consultation.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS" means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination" means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit" means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital" means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot" means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price" means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital" means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife" means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month" means a period of 30 consecutive days.

"Monthly Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"Named Patient Pharmaceutical Assessment Advisory Panel" means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for advising, within its Terms of Reference, on Named Patient Pharmaceutical Assessment applications and Exceptional Circumstances renewal applications submitted after 1 March 2012 (EC renewal application form located at http://www.pharmac.govt.nz/healthpros/EC/ECForms)

"National Contract Pharmaceutical" means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

"National DV Limit" means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Not In Combination" means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

- "Nurse Prescriber" means a nurse registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003 and who is approved by the Nursing Council, to prescribe specified prescription medicines relating to his/her scope of practice including, for the avoidance of doubt, a Diabetes Nurse Prescriber.
- "Optometrist" means a person registered as an optometrist with the Optometrists and Dispensing Opticians Board, who holds a current annual practising certificate under the HPCA Act 2003, and who is authorised by regulations under the Medicines Act 1981 and approved by the Optometrists and Dispensing Opticians Board to prescribe specified medicines.
- "Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.
- "PCT" means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.
- "PCT only" means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies
- "Penal Institution" means a penal institution, as that term is defined in The Penal Institutions Act 1954;
- "PHARMAC" means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC).
- "Pharmaceutical" means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to H of the Schedule.
- "Pharmaceutical Benefits" means the right of:
 - a) a person; and
 - b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.
- "Pharmaceutical Budget" means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals and Pharmaceutical Cancer Treatments including for named patients in exceptional circumstances.
- "Pharmaceutical Cancer Treatment" means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must provide access to, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers
- "Practitioner" means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Prescriber or an Optometrist as those terms are defined in the Pharmaceutical Schedule.
- "Practitioner's Supply Order" means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- "Prescription" means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.
- "Prescription Medicine" means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations 1984.
- "Private Hospital" means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.
- "Residential Disability Care Institution" means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.
- "Rest Home" means premises used to provide rest home care in accordance with the Health and Disability Services (Safety)
 Act 2001.
- "Restricted Medicine" means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984.
- "Retail Pharmacy-Specialist" means that the Community Pharmaceutical is only eligible for Subsidy if it is either:
 - a) supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or,
 - b) in the case of treatment recommended by a Specialist, supplied on a Prescription or Practitioner's Supply Order and either:
 - i) endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner, or
 - ii) Annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist

and year of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as:

- a) follows a substantive consultation with an appropriate Specialist;
- b) the consultation to relate to the Patient for whom the Prescription is written;
- c) consultation to mean communication by referral, telephone, letter, facsimile or email;
- d) except in emergencies consultation to precede annotation of the Prescription; and
- e) both the Specialist and the General Practitioner must keep a written record of consultation.

"Retail Pharmacy-Specialist Prescription" means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist. For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"Schedule" means this Pharmaceutical Schedule and all its sections and appendices.

"Section B" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies included in the Schedule.

"Section C" of this Pharmaceutical Schedule means the list of community extemporaneously compounded preparations and galenicals eligible for Subsidies included in the Schedule.

"Section D" of this Pharmaceutical Schedule means the list of community special foods eligible for Subsidies included in the Schedule.

"Section E Part I" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for Subsidies and available on a Practitioner's Supply Order included in the Schedule.

"Section E Part II" of this Pharmaceutical Schedule means the list of rural areas for the purpose of community Practitioner's Supply Orders included in the Schedule.

"Section F Part I" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots, and requirement to dispense in 90 Day Lots or 180 Day Lots, as applicable, in respect of the Community Pharmaceuticals referred to in this part of Section F;

"Section F Part II" of this Pharmaceutical Schedule means the part of Section F relating to the exemption from dispensing in Monthly Lots in respect of the Community Pharmaceuticals referred to in this part of Section F;

"Section G" of this Pharmaceutical Schedule means the list of Community Pharmaceuticals eligible for reimbursement of safety caps.

"Section H" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals and the lists of National Contract Pharmaceuticals and any associated DV Pharmaceuticals, of Discretionary Community Supply Pharmaceuticals and Assessed Pharmaceuticals included in Section H of the Schedule.

"Section H Part I" of this Pharmaceutical Schedule means the general rules for Hospital Pharmaceuticals.

"Section H Part II" of this Pharmaceutical Schedule means the list of National Contract Pharmaceuticals, the relevant Price, an indication of whether the Pharmaceutical has HSS and any associated DV Pharmaceuticals and DV Limit.

"Section H Part III" of this Pharmaceutical Schedule means the list of Discretionary Community Supply Pharmaceuticals.

"Special Authority" means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.

"Specialist", in relation to a Prescription, a doctor who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

а

- i) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine; and
- ii) the doctor's vocational scope of practice is one of those listed below: anaesthetics, cardiothoracic surgery, dermatology, diagnostic radiology, emergency medicine, general surgery, internal medicine, neurosurgery, obstetrics and gynaecology, occupational medicine, ophthalmology, oral and maxillofacial surgery, otolaryngology head and neck surgery, orthopaedic surgery, paediatrics, pathology, plastic and reconstructive surgery, psychological medicine or psychiatry, public health medicine, radiation oncology, rehabilitation medicine, urology and venereology;
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives

- remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that Prescription in the course of practising in that area of medicine;
- c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine
 for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that
 area of medicine:
- d) the doctor writes the Prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.

"Subsidy" means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.

"Supply Order" means a Bulk Supply Order or a Practitioner's Supply Order.

"Unapproved Indication" means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 5.5.

"Unusual Clinical Circumstances (UCC)" means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule.

"Urgent Assessment (UA)" means the pathway under the Named Patient P harmaceutical Assessment policy for funding consideration for treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient's clinical circumstances justify urgent assessment, prior to a decision on Schedule listing.

- 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
 - a) the singular includes the plural; and
 - b) any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

PART II

COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G of the Schedule subject to:
 - 2.1.1 clauses 2.2 of the Schedule: and
 - 2.1.2 clauses 3.1 to 5.4 of the Schedule: and
 - 2.1.3 the conditions (if any) specified in Sections B to G of the Schedule:
- 2.2 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
 - 2.2.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981; or
 - 2.2.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia: or
 - 2.2.3 in the absence of the standards prescribed in clauses 2.3.1 and 2.3.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
 - 2.2.4 in the absence of the standards prescribed in clauses 2.3.1, 2.3.2 and 2.3.3, are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

PART III

PERIOD AND QUANTITY OF SUPPLY

3.1 Doctors', Dentists', Dietitians', Midwives', Nurse Prescribers' and Optometrists' Prescriptions (other than oral contraceptives)

SECTION A: GENERAL RULES

The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor, Dentist, Dietitian, Midwife, Nurse Prescriber or Optometrist unless specifically excluded:

- 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity sufficient to provide treatment for a period not exceeding three Months will be subsidised.
- 3.1.2 For methylphenidate hydrochloride and dexamphetamine sulphate (except for Dentist prescriptions), only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug:
 - a) other than Dentist prescriptions and methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity:
 - i) sufficient to provide treatment for a period not exceeding 10 days; and
 - ii) which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
 - b) for a Dentist prescription only such quantity as is necessary to provide treatment for a period not exceeding five days will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Dentist, Dietitian, Midwife or Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
 - a) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
 - b) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
 - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
 - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
 - A) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
 - B) both:
 - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
 - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
 - b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.
- 3.1.7 If a Community Pharmaceutical:
 - a) is stable for a limited period only, and the Practitioner has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
 - b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
 - c) is under the Dispensing Frequency Rule,

The actual quantity dispensed will be subsidised in accordance with any such specification.

3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife or Nurse Prescriber for an oral contraceptive:

- 3.2.1 The prescribing Doctor, Midwife or Nurse Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed six Months.
- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
 - a) in Lots as specified in the Prescription if the Community Pharmaceutical is under the Dispensing Frequency Rule; or
 - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 Where a Community Pharmaceutical on a Prescription is under the Dispensing Frequency Rule and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eliqible for Subsidy.

3.3 Original Packs, and Certain Antibiotics

- 3.3.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:
 - a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
 - b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in. or imported into. New Zealand.
- 3.3.2 If a Community Pharmaceutical is the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:
 - a) the difference the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eq; if a prescription is for 105 mls then a 100ml pack would be dispensed); and
 - b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

3.4 Dietitians' Prescriptions

The following provisions apply to every Prescription written by a Dietitian:

- 3.4.1 Prescriptions written by a Dietitian for a Community Pharmaceutical will only be subsidised where they are for either:
 - a) special foods, as listed in Section D; or
 - b) any other Pharmaceutical that has been identified in Section D of the Pharmaceutical Schedule as being able to be prescribed by a Dietitian,

providing that the products being prescribed are not classified as Prescription Medicines or Restricted Medicines.

3.4.2 For the purposes of Dietitians prescribing pursuant to this clause 3.5, the prescribing and dispensing of these products is required to be in accordance with regulations 41 and 42 of the Medicines Regulations 1984.

3.5 Diabetes Nurse Prescribers' Prescriptions

The following provisions apply to every Prescription written by a Diabetes Nurse Prescriber:

- 3.5.1 Prescriptions written by a Diabetes Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
 - a) a Community Pharmaceutical classified as a Prescription Medicine or a Restricted Medicine and which a Diabetes Nurse Prescribers is permitted under regulations to prescribe; or

- b) any other Community Pharmaceutical listed below, being an item that has been identified as being able to be prescribed by a Diabetes Nurse Prescriber, but which is not classified as a Prescription Medicine or a Bestricted Medicine:
 - aspirin, blood glucose diagnostic test meter, blood glucose diagnostic test strip, glucagon hydrochloride inj 1 mg syringe kit, insulin pen needles, insulin syringes disposable with attached needle, ketone blood beta-ketone electrodes test strip, nicotine, sodium nitroprusside test strip,
- 3.5.2 Any Diabetes Nurse Prescribers' prescription for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

Note: A list of Diabetes Nurse Prescribers will be published periodically in the Update of the Pharmaceutical Schedule for the duration of an initial pilot scheme. After this period there will be no approved DHB demonstration sites and hence no Diabetes Nurse Prescribers.

PART IV DISPENSING FREQUENCY RULE

The Pharmaceutical Schedule specifies for community patients a default period of supply for each Community Pharmaceutical.

"Frequent Dispensing" means dispensing:

- in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot) for a Community Pharmaceutical referred to in Section F Part I, or
- in quantities less than a Monthly Lot for any other Community Pharmaceutical, where any of A), or B) or C) apply.
- The Dispensing Frequency Rule defines patient groups or medicines eligible for more frequent dispensing periods; and the conditions that must be met to enable any claim for payment of handling fees for the additional dispensings made.

4.1 Frequency of dispensing for persons in residential care

- 4.1.1 Pharmaceuticals can be dispensed in quantities of not less than 28 days to:
 - any person whose placement in a Residential Disability Care institution is funded by the Ministry of Health or a DHB; or
 - a person assessed as requiring long term residential care services and residing in an age related residential care facility:

on the request of the person, their agent or caregiver or community residential service provider, provided the following conditions are met:

- a) the quantity or period of supply to be dispensed at any one time is not less than 28 days' supply (except under conditions outlined in 4.2.2 below); and
- b) the prescribing Practitioner or dispensing pharmacist has
 - i) included the name of the patient's residential placement or facility on the prescription; and
 - ii) included the patient's NHI number on the prescription; and
 - iii) specified the maximum quantity or period of supply to be dispensed at any one time.
- 4.1.2 Any person meeting the criteria above who is being initiated onto a new medicine or having their dose changed is able to have their medicine dispensed in accordance with 4.2.2 below.

4.2 Flexible periods of supply for trial periods or safety

- 4.2.1 The Schedule specifies for community patients a default length of dispensing (monthly/three monthly/ six monthly) for each pharmaceutical. If a pharmacist considers more frequent dispensing is required, this can occur as follows:
 - For LTC patients dispensing frequency can occur as often as the dispensing pharmacist deems appropriate to meet the patients compliance and adherence needs;
 - For non-LTC patients dispensing frequency should be no more often than monthly. If more frequent
 dispensings than monthly are necessary for non-LTC patients under this rule, prescriber approval is required. Verbal approval is acceptable, provided that it is annotated by the pharmacist on the prescription
 and dated.

NOTE this does not override alternative dispensing frequencies as expressly stated in the Medicines Act, Medicines Regulations, Pharmacy Services Agreement, Pharmaceutical Schedule or under 4.2.2 Trial Periods

or 4.2.3 safety and co-prescribed medicines below.

Pharmacy would claim handling fees only on repeats under the above scenarios.

Prescribers can request, and pharmacists may dispense a higher frequency of dispensing in the following circumstances:

4.2.2 Trial Periods

The Community Pharmaceutical has been prescribed for a patient who requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only); and all of the following conditions must be met:

The prescribing Practitioner has:

- endorsed each Community Pharmaceutical on the Prescription clearly with the words "Trial Period", or "Trial": and
- specified the maximum quantity or period of supply to be dispensed at any one time.

All of the following conditions must be met:

The Community Pharmaceutical has been prescribed for a patient who is not a resident in a Penal Institution.

- 4.2.3 Safety and co-prescribed medicines
 - a) The Community Pharmaceutical is any of the following:
 - i) a tri-cyclic antidepressant; or
 - ii) an antipsychotic; or
 - iii) a benzodiazepine; or
 - iv) a Class B Controlled Drug; or
 - v) codeine (includes combination products)
 - vi) buprenorphine with naloxone

All of the following conditions must be met:

The Community Pharmaceutical has been prescribed for a patient who is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in clause 4.1 above.

The prescribing Practitioner has:

- Assessed clinical risk and determined the patient requires more a frequent period of dispensing than specified in the Pharmaceutical Schedule; and
- Specified the maximum quantity or period of supply to be dispensed at any one time.
- b) The Community Pharmaceutical is co-prescribed with one of the community pharmaceuticals listed above on the safety list and has been prescribed for a patient who is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in clause 4.1 above. The Dispensing Pharmacist has:
 - Assessed clinical risk and determined the patient requires a more frequent period of dispensing than specified in the Pharmaceutical Schedule;
 - Annotated the prescription with the amended dispensing quantity and frequency and the criteria for doing so.

4.3 Pharmaceutical Supply Management

- 4.3.1 More frequent dispensing may be required from time to time to manage stock supply issues or emergency situations. Pharmacists may dispense more frequently than the Schedule would otherwise allow when all of the following conditions are met:
 - a) PHARMAC has approved and notified pharmacists to annotate prescriptions for a specified Community Pharmaceutical(s) "out of stock" without prescriber endorsement for a specified time; and
 - b) the dispensing pharmacist has:
 - i) clearly annotated each of the approved Community Pharmaceuticals that appear on the prescription with the words "out of stock" or "OOS"; and
 - ii) initialled the annotation in their own handwriting; and
 - iii) has complied with maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

Note – no claim shall be made to any DHB for subsidised dispensing where dispensing occurs more frequently than specified by PHARMAC to manage the supply management issue.

NOTE patients who have had more frequent dispensings due to being "intellectually impaired, frail, infirm or unable to manage their medicines" will continue to receive the same frequency of dispensings until they are assessed to see if

SECTION A: GENERAL RULES

they are eligible for additional support under the Long-Term Care service. The structure of the remainder fee payment provides funding for pharmacy to continue to provide more frequent dispensings for patients until they are assessed.

PART V

MISCELLANEOUS PROVISIONS

5.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 5.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 5.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 5.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 5.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
 - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
 - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 5.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 5.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

5.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 5.2.1 Subject to clause 5.2.3, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 5.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
 - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
 - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 5.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
 - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
 - i) is personally signed and dated by the Practitioner; and
 - ii) sets out the Practitioner's address; and
 - iii) sets out the Community Pharmaceuticals and quantities, and;
 - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 5.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.
- 5.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

5.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

5.3.2 **Expiry**

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 5.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 5.3.1 and 5.3.2, for the individual Patient.
- 5.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 5.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

5.4 Pharmaceutical Cancer Treatments

- 5.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments for the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 5.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
 - a) has Named Patient Pharmaceutical Assessment (NPPA) approval;
 - b) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
 - c) is being used and funded as part of a paediatric oncology service; or
 - d) was being used to treat the patient in question prior to 1 July 2005.
- 5.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatements with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
 - a) Part 1;
 - b) clauses 2.1 to 2.3;
 - c) clauses 3.1 to 3.4: and
 - d) clause 5.4.
 - of Section A of the Schedule
- 5.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 5.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 direction from the Minister of Health as to pharmaceuticals and indications for which DHBs must provide funding. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
 - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under the Medicines Act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and Disability Comissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
 - c) exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions
 with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer
 Treatment for an Unapproved Indication.

5.5 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication;

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984:
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

5.6 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, unless either or both of the following circumstances apply:

- a) there is a clinical reason why substitution should not occur; or
- b) the prescriber has marked the prescription with a statement such as 'no brand substitution premitted'

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and sign the prescription and inform the patient of the brand change.

5.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a subsidised Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed to another subsidised presentation but may not alter the dose, frequency and/or total daily dose. This may only occur when it is not practicable for the contractor to dispense the requested presentation. If the change will result in additional cost to the DHBs, then annotation of the prescription by the dispensing pharmacist must occur stating the reason for the change, and the Contractor must initial the change for the purposes of Audit.

5.8 Conflict in Provisions

If any rules in Sections B-G of this Schedule conflict with the rules in Section A, the rules in Sections B-G apply.

SECTION B: ALIMENTARY TRACT AND METABOLISM

Fully

Brand or

Subsidy

	(Manufacturer's Pr	rice) Sub Per	psidised Generic Manufacturer
Antacids and Antiflatulants			
Antacids and Reflux Barrier Agents			
ALGINIC ACID			
Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet	•	30	✓ Gaviscon Infant
CALCIUM CARBONATE WITH AMINOACETIC ACID			
* Tab 420 mg with aminoacetic acid 180 mg – Higher subsidy of \$6.30 per 100 tab with Endorsement		100	Titralac
Additional subsidy by endorsement is available for pregnate	nt women. The pr	rescription mu	st be endorsed accordingly.
SIMETHICONE * Oral liq aluminium hydroxide 200 mg with magnesium hydroxide 200 mg and activated simethicone 20 mg per 5 ml		500 ml	Mylanta P
SODIUM ALGINATE			
* Tab 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg - peppermint flavour		60	Gaviscon Double Strength
Oral liq 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml		500 ml	Acidex
Phosphate Binding Agents			
ALUMINIUM HYDROXIDE * Tab 600 mg	12.56	100	✓ Alu-Tab
Antidiarrhoeals			
Agents Which Reduce Motility			
DIPHENOXYLATE HYDROCHLORIDE WITH ATROPINE SULPH * Tab 2.5 mg with atropine sulphate 25 μ g		100	✓ Diastop
LOPERAMIDE HYDROCHLORIDE – Up to 30 cap available on a * Tab 2 mg * Cap 2 mg	8.95	400 400	✓ Nodia✓ Diamide Relief
Rectal and Colonic Anti-inflammatories			
BUDESONIDE			
Cap 3 mg - Special Authority see SA1155 on the next page - Retail pharmacy		90	✓ Entocort CIR

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

Per ✓ Manufacturer

✓ Colifoam

21.1 g OP

⇒SA1155 Special Authority for Subsidy

Initial application — (Crohn's disease) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Mild to moderate ileal, ileocaecal or proximal Crohn's disease; and
- 2 Any of the following:

HYDROCORTISONE ACETATE

- 2.1 Diabetes: or
- 2.2 Cushingoid habitus; or
- 2.3 Osteoporosis where there is significant risk of fracture; or

Rectal foam 10%, CFC-Free (14 applications)23.00

- 2.4 Severe acne following treatment with conventional corticosteroid therapy; or
- 2.5 History of severe psychiatric problems associated with corticosteroid treatment; or
- 2.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or
- 2.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated).

Initial application — (collagenous and lymphocytic colitis (microscopic colitis)) from any relevant practitioner. Approvals valid for 6 months where patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies.

Initial application — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where patient has a gut Graft versus Host disease following allogenic bone marrow transplantation*.

Note: Indication marked with * is an Unapproved Indication.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

MESALAZINE			
Tab 400 mg	49.50	100	✓ Asacol
Tab EC 500 mg	49.50	100	Asamax
Tab long-acting 500 mg	59.05	100	✓ Pentasa
Enema 1 g per 100 ml	44.12	7	✓ Pentasa
Suppos 500 mg	22.80	20	✓ Asacol
Suppos 1 g	50.96	28	✓ Pentasa
OLSALAZINE			
Tab 500 mg	59.86	100	Dipentum
Cap 250 mg	31.51	100	✓ Dipentum
SODIUM CROMOGLYCATE			
Cap 100 mg	89.21	100	✓ Nalcrom

	Cap 250 mg	31.51	100	Dipentum
SO	DIUM CROMOGLYCATE Cap 100 mg	89.21	100	✓ Nalcrom
SUI	LPHASALAZINE			
*	Tab 500 mg - For sulphasalazine oral liquid formulation refer,			
	page 183	11.68	100	Salazopyrin
*	Tab EC 500 mg	12.89	100	✓ Salazopyrin EN

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Δnti	haem	norrh	Old	ale

Corticosteroids

FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE Oint 950 µg, with fluocortolone pivalate 920 µg, and		CHOCAINE	
chocaine hydrochloride 5 mg per g	6.35	30 g OP	✓ Ultraproct
Suppos 630 µg, with fluocortolone pivalate 610 µg, and chocaine hydrochloride 1 mg		12	✓ Ultraproct
HYDROCORTISONE WITH CINCHOCAINE			4
Oint 5 mg with cinchocaine hydrochloride 5 mg per g Suppos 5 mg with cinchocaine hydrochloride 5 mg per g		30 g OP 12	✓ Proctosedyl✓ Proctosedyl
Antispasmodics and Other Agents Altering (Gut Motility		
ATROPINE SULPHATE			
* Inj 600 μ g, 1 ml – Up to 5 inj available on a PSO	52.00	50	✓ AstraZeneca
HYOSCINE N-BUTYLBROMIDE * Tab 10 mg	1.48	20	✓ Gastrosoothe
* Inj 20 mg, 1 ml – Up to 5 inj available on a PSO	9.57	5	✓ <u>Buscopan</u>
MEBEVERINE HYDROCHLORIDE	10.00	00	. / Onlates
* Tab 135 mg	18.00	90	✓ <u>Colofac</u>
Antiulcerants			
Antisecretory and Cytoprotective			
MISOPROSTOL			4.
* Tab 200 µg	52.70	120	✓ Cytotec
Helicobacter Pylori Eradication			
CLARITHROMYCIN Tab 500 mg – Subsidy by endorsement	10.95	14	✓ Apo-Clarithromycin

H2 Antagonists

amoxycillin or metronidazole.

CIMETIDINE – Only on a prescription		
* Tab 200 mg	100	
(7.50)		Apo-Cimetidine
* Tab 400 mg	100	
(12.00)		Apo-Cimetidine
FAMOTIDINE - Only on a prescription		
* Tab 20 mg8.10	250	✓ Famox
* Tab 40 mg	250	✓ Famox

b) Subsidised only if prescribed for helicobacter pylori eradication and prescription is endorsed accordingly.

Note: the prescription is considered endorsed if clarithromycin is prescribed in conjunction with a proton pump inhibitor and either

	Subsidy (Manufacturer's P \$	rice) Sub Per	Fully Brand or osidised Generic Manufacturer
RANITIDINE HYDROCHLORIDE – Only on a prescription * Tab 150 mg * Tab 300 mg * Oral liq 150 mg per 10 ml * Inj 25 mg per ml, 2 ml	9.34 5.92	250 250 300 ml 5	Arrow-Ranitidine Arrow-Ranitidine Peptisoothe Zantac
Proton Pump Inhibitors			
LANSOPRAZOLE			
* Cap 15 mg		28	✓ Lanzol Relief✓ Solox
* Cap 30 mg	3.50 4.34 4.65	28	✓ Lanzol Relief ✓ Solox
OMEPRAZOLE			
For omeprazole suspension refer, page 186	0.01	00	. / Owerel Belief
* Cap 10 mg		90	Omezol Relief
* Cap 40 mg		90 90	✓ Omezol Relief ✓ Omezol Relief
* Cap 40 mg Powder – Only in combination		5 g	✓ Midwest
Only in extemporaneously compounded omeprazole susp		<i>3</i> 9	<u>imawest</u>
* Inj 40 mg		5	✓ <u>Dr Reddy's</u> <u>Omeprazole</u>
PANTOPRAZOLE			
* Tab 20 mg	1.23	28	✓ <u>Dr Reddy's</u> Pantoprazole
* Tab 40 mg	1.54	28	✓ <u>Dr Reddy's</u> Pantoprazole
* Inj 40 mg	6.50	1	✓ Pantocid IV
Site Protective Agents			
SUCRALFATE			
Tab 1 g	35.50	120	
·	(48.28)		Carafate
Diabetes			
Hyperglycaemic Agents			
GLUCAGON HYDROCHLORIDE Inj 1 mg syringe kit – Up to 5 kit available on a PSO	32.00	1	✓ Glucagen Hypokit
Insulin - Short-acting Preparations		· ·	C Gladagen Hypotat
INSULIN NEUTRAL Inj human 100 u per ml	25.26	10 ml OP	✓ Actrapid✓ Humulin R
▲ Inj human 100 u per ml, 3 ml	42.66	5	✓ Actrapid Penfill ✓ Humulin R
Insulin - Intermediate-acting Preparations			
INSULIN ASPART			
▲ Inj 100 iu per ml, 3 ml prefilled pen	52.15	5	✓ NovoMix 30 FlexPen

	Subsidy (Manufacturer's	Dricol Ch	Fully	Brand or
	(Manufacturer's I \$	Price) Sub Per	sidised	Generic Manufacturer
NSULIN ISOPHANE				
Inj human 100 u per ml	17.68	10 ml OP	✓ H	umulin NPH
				rotaphane
Inj human 100 u per ml, 3 ml	29.86	5		umulin NPH
			✓ P	rotaphane Penfill
NSULIN ISOPHANE WITH INSULIN NEUTRAL			4	
Inj human with neutral insulin 100 u per ml	25.26	10 ml OP		umulin 30/70 ixtard 30
▲ Inj human with neutral insulin 100 u per ml, 3 ml	42 66	5		umulin 30/70
Til Hamari Warriodada modilir 100 d por mi, o mi		· ·		enMix 30
			✓ P	enMix 40
			✓ Po	enMix 50
NSULIN LISPRO WITH INSULIN LISPRO PROTAMINE				
▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per m				
3 ml		5	✓ H	umalog Mix 25
Inj lispro 50% with insulin lispro protamine 50% 100 u per ml,		_	4	
ml	52.15	5	V H	umalog Mix 50
Insulin - Long-acting Preparations				
NSULIN GLARGINE				
■ Inj 100 u per ml, 10 ml	63.00	1	V 1:	antus
▲ Inj 100 u per ml, 3 ml		5		antus
▲ Inj 100 u per ml, 3 ml disposable pen		5	✓ La	antus SoloStar
Insulin - Rapid Acting Preparations				
NSULIN ASPART				
▲ Inj 100 u per ml, 3 ml		5	✓ N	ovoRapid Penfill
▲ Inj 100 u per ml, 10 ml	30.03	1	✓ N	ovoRapid
NSULIN GLULISINE				
▲ Inj 100 u per ml, 10 ml		1		pidra
▲ Inj 100 u per ml, 3 ml		5		pidra
Inj 100 u per ml, 3 ml disposable pen	46.07	5	∨ A	pidra SoloStar
NSULIN LISPRO			4	
▲ Inj 100 u per ml, 10 ml		10 ml OP 5		umalog
Inj 100 u per ml, 3 ml Alpha Glucosidase Inhibitors	59.52	5	V П	umalog
·				
.CARBOSE ≰ Tab 50 mg	16 50	90	40	lucobov
★ Tab 50 mg ★ Tab 100 mg		90 90		lucobay lucobay
Oral Hypoglycaemic Agents	20.70		- a	iuvonuj
GLIBENCLAMIDE				
k Tab 5 mg	5.00	100	✓ D	aonil
GLICLAZIDE				
k Tab 80 mg	17.60	500	✓ Δ	po-Gliclazide
GLIPIZIDE		550	· ^	po energetue

[‡] safety cap *Three months or six months, as applicable, dispensed all-at-once

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy Manufacturer's P \$	rice) Per	Fully Subsidised	I Generic
METFORMIN HYDROCHLORIDE				
* Tab immediate-release 500 mg	8.09	500	V	Apotex
Ç	12.30	1,000	V	Apo-Metformin
* Tab immediate-release 850 mg	6.67	250	V	Apotex
Ç	10.10	500	V	Apo-Metformin
PIOGLITAZONE - Special Authority see SA0959 below - Retail ph	armacy			
* Tab 15 mg	1.50	28	V 1	Pizaccord
* Tab 30 mg		28	V 1	Pizaccord
* Tab 45 mg	3.50	28	/	Pizaccord

■SA0959 Special Authority for Subsidy

Initial application — (Patients with type 2 diabetes) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has not achieved glycaemic control on maximum doses of metformin or a sulphonylurea or where either or both are contraindicated or not tolerated; or
- 2 Patient is on insulin.

Diabetes Management

Ketone Testing

KETONE BLOOD BETA-KETONE ELECTRODES - Maximum of 20 strip per pr	escription	
Test strip - Not on a BSO7.07	10 strip OP	✓ Freestyle Optium Ketone
SODIUM NITROPRUSSIDE - Maximum of 50 strip per prescription		
* Test strip - Not on a BSO	50 strip OP	Accu-Chek Ketur-Test
14.14		✓ Ketostix

Blood Glucose Testing

BLOOD GLUCOSE DIAGNOSTIC TEST METER - Subsidy by endorsement

- a) Maximum of 1 meter per prescription
- b)
- A diagnostic blood glucose test meter is subsidised for patients who begin insulin or sulphonylurea therapy after 1 March 2005 or is prescribed for a pregnant woman with diabetes.
- Only one meter per patient. No further prescriptions will be subsidised. The prescription must be endorsed accordingly.

Meter	6.00	1	CareSens POP
	9.00		✓ CareSens II
			✓ FreeStyle Lite
			✓ Freestyle Optium
			On Call Advanced
	19.00		✓ Accu-Chek
			Performa

	Subsidy	Fully	Brand or
(Manuf	facturer's Price) Subs	sidised	Generic
	\$ Per	~	Manufacturer
	\$ Per	~	Manufacturer

BLOOD GLUCOSE DIAGNOSTIC TEST STRIP

The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed with insulin or a sulphonylurea but are on a different prescription and the prescription is endorsed accordingly; or
- Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly.

SensoCard blood glucose test strips are subsidised only if prescribed for a patient who is severely visually impaired and is using a SensoCard Plus Talking Blood Glucose Monitor.

Blood glucose test strips	50 test OP	Accu-ChekPerforma
		✓ FreeStyle Lite
		✓ Freestyle Optium
26.20)	✓ SensoCard
Blood glucose test strips \times 50 and lancets \times 5	50 test OP	On Call Advanced
19.60)	✓ CareSens

Insulin Syringes and Needles

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly.

INSULIN PEN NEEDLES - Maximum of 100 dev per prescription

*	29 g × 12.7 mm	3.15	30	B-D Micro-Fine
		10.50	100	✓ B-D Micro-Fine
				✓ ABM
		11.75		SC Profi-Fine
*	31 g × 5 mm	11.75	100	✓ B-D Micro-Fine
				SC Profi-Fine
*	31 g × 6 mm	10.50	100	✓ ABM
		11.75		Fine Ject
		10.50		
		(26.00)		NovoFine
*	31 g × 8 mm	3.15	30	✓ B-D Micro-Fine
		10.50	100	✓ B-D Micro-Fine
				✓ ABM
		11.75		SC Profi-Fine
*	32 g × 4 mm	10.50	100	✓ B-D Micro-Fine

⁽SC Profi-Fine 29 g \times 12.7 mm to be delisted 1 December 2012)

⁽SC Profi-Fine 31 g \times 5 mm to be delisted 1 December 2012)

⁽Fine Ject 31 g \times 6 mm to be delisted 1 December 2012)

⁽SC Profi-Fine 31 g \times 8 mm to be delisted 1 December 2012)

	Subsidy (Manufacturer's Price \$	e) S Per	Fully Brand or ubsidised Generic Manufacturer	
NSULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDL	E – Maximum of 100	dev per r	prescription	
★ Syringe 0.3 ml with 29 g × 12.7 mm needle	13.00	100	✓ ABM	
	1.30	10		
	(1.99)		B-D Ultra Fine	
	13.00	100	✓ B-D Ultra Fine	
			✓ DM Ject	
★ Syringe 0.3 ml with 31 g × 8 mm needle	13.00	100	✓ ABM	
	1.30	10		
	(1.99)		B-D Ultra Fine II	
	13.00	100	B-D Ultra Fine II	l
			DM Ject	
Syringe 0.5 ml with 29 g × 12.7 mm needle	13.00	100	✓ ABM	
	1.30	10		
	(1.99)		B-D Ultra Fine	
	13.00	100	B-D Ultra Fine	
			DM Ject	
Syringe 0.5 ml with 31 g \times 8 mm needle	13.00	100	✓ ABM	
	1.30	10		
	(1.99)		B-D Ultra Fine II	
	13.00	100	B-D Ultra Fine II	
			DM Ject	
Syringe 1 ml with 29 g $ imes$ 12.7 mm needle	13.00	100	✓ ABM	
	1.30	10		
	(1.99)		B-D Ultra Fine	
	13.00	100	✓ B-D Ultra Fine	
			✓ DM Ject	
Syringe 1 ml with 31 g $ imes$ 8 mm needle		100	✓ ABM	
	1.30	10		
	(1.99)		B-D Ultra Fine II	
	13.00	100	✓ B-D Ultra Fine II	
DM Ject Syringe 0.3 ml with 29 g $ imes$ 12.7 mm needle to be delis	sted 1 December 2012	2)	✓ DM Ject	
DM Ject Syringe 0.3 ml with 31 $g \times 8$ mm needle to be delisted DM Ject Syringe 0.5 ml with 29 $g \times 12.7$ mm needle to be delisted DM Ject Syringe 0.5 ml with 31 $g \times 8$ mm needle to be delisted DM Ject Syringe 1 ml with 29 $g \times 12.7$ mm needle to be delisted DM Ject Syringe 1 ml with 29 $g \times 12.7$ mm needle to be delisted DM Ject Syringe 1 ml with 31 $g \times 8$ mm needle to be delisted $g \times 8$	d 1 December 2012) sted 1 December 2012 d 1 December 2012) ed 1 December 2012)	,		
Digestives Including Enzymes				
ANCREATIC ENZYME				
Cap EC 10,000 BP u lipase, 9,000 BP u amylase ar 210 BP u protease		100	✓ Creon 10000	
Cap EC 25,000 BP u lipase, 18,000 BP u amylas				
1,000 BP u protease	94.38	100	✔ Creon Forte	
Cap EC 25,000 BP u lipase, 22,500 BP u amylas	e,	100	. / Donmytrot	

Brand switch fee payable - see page 181 for details Cap 250 mg - For ursodeoxycholic acid oral liquid formula-

1,250 BP u protease94.40

tion refer, page 183......71.50

URSODEOXYCHOLIC ACID - Special Authority see SA1188 on the next page - Retail pharmacy

100

100

✔ Panzytrat

✓ <u>Ursosan</u>

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
Per ✔ Manufacturer

⇒SA1188 Special Authority for Subsidy

Initial application — (Pregnancy/Cirrhosis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

- 1 Patient diagnosed with cholestasis of pregnancy; or
- 2 Both:
 - 2.1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
 - 2.2 Patient not requiring a liver transplant (bilirubin > 170umol/l; decompensated cirrhosis).

Note: Liver biopsy is not usually required for diagnosis but is helpful to stage the disease.

Initial application — (Haematological Transplant) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogenic stem cell or bone marrow transplantation; and
- 2 Treatment for up to 13 weeks.

Renewal — (Pregnancy/Cirrhosis) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 170 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure – doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

Laxatives

Bulk-forming Agents

MUCILAGINOUS LAXATIVES – Only on a prescription * Dry * Sugar Free*		500 g OP 275 g OP	✓ Konsyl-D Mucilax
(Mucilax Sugar Free to be delisted 1 September 2012)			
MUCILAGINOUS LAXATIVES WITH STIMULANTS			
* Dry	(8.72)	200 g OP	Normacol Plus
	6.02 (17.32)	500 g OP	Normacol Plus
Faecal Softeners			
DOCUSATE SODIUM – Only on a prescription * Cap 50 mg * Cap 120 mg * Enema conc 18%	3.48	100 100 100 ml OP	✓ <u>Laxofast 50</u> ✓ <u>Laxofast 120</u> ✓ Coloxyl
DOCUSATE SODIUM WITH SENNOSIDES * Tab 50 mg with total sennosides 8 mg	6.38	200	✓ <u>Laxsol</u>
POLOXAMER – Only on a prescription Not funded for use in the ear. * Oral drops 10%	3.78	30 ml OP	✓ Coloxyl

	Subsidy (Manufacturer's Pri	ce) Sub	Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
Osmotic Laxatives			
GLYCEROL			
* Suppos 3.6 g – Only on a prescription	6.00	20	✓ PSM
LACTULOSE – Only on a prescription * Oral liq 10 g per 15 ml	7.68	1,000 ml	✓ <u>Laevolac</u>
MACROGOL 3350 - Special Authority see SA0891 below - Reta	il pharmacy		
Powder 13.125 g, sachets - Maximum of 60 sach per pre-			
scription	18.14	30	✓ Movicol
▶SA0891 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals va	lid for 6 months w	thoro the not	iont has problematic constinution
requiring intervention with a per rectal preparation despite an ac			
where lactulose is not contraindicated.	•		,
Renewal from any relevant practitioner. Approvals valid for 12 benefit from treatment.	months where the	patient is co	mpliant and is continuing to gair
SODIUM ACID PHOSPHATE – Only on a prescription			
Enema 16% with sodium phosphate 8%	2.50	1	✓ Fleet Phosphate
			Enema
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETATE	, ,	ription	
Enema 90 mg with sodium lauryl sulphoacetate 9 mg per ml, 5 ml		50	✓ Micolette
Stimulant Laxatives			
Sumulant Laxatives			
BISACODYL – Only on a prescription	4.00	000	. ✓ Lay Tab
* Tab 5 mg * Suppos 5 mg		200 6	✓ <u>Lax-Tab</u> ✓ Dulcolax
* Suppos 10 mg		6	✓ Dulcolax
DANTHRON WITH POLOXAMER - Only on a prescription			
Note: Only for the prevention or treatment of constipation in t	,	000	. / Din
Oral liq 25 mg with poloxamer 200 mg per 5 ml Oral liq 75 mg with poloxamer 1 g per 5 ml		300 ml 300 ml	✓ Pinorax✓ Pinorax Forte
SENNA – Only on a prescription		000 1111	· i morax i orto
* Tab, standardised	0.43	20	
	(1.72)	100	Senokot
	2.17 (6.16)	100	Senokot
Matabalia Disardar Aganta	(0.10)		COHOROL
Metabolic Disorder Agents			
Gaucher's Disease			
IMIGLUCERASE - Special Authority see SA0473 on the next pa		•	
Inj 40 iu per ml, 200 iu vial		1	✓ Cerezyme
Inj 40 iu per ml, 400 iu vial	2,144.00	1	✓ Cerezyme

Subsidy Fully (Manufacturer's Price) Subsidised Per

Fully Brand or
Subsidised Generic
Per Manufacturer

⇒SA0473 Special Authority for Subsidy

Special Authority approved by the Gaucher's Treatment Panel

Notes: Subject to a budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Gaucher's Treatment Panel Phone: (04) 460 4990 PHARMAC, PO Box 10 254 Facsimile: (04) 916 7571

Wellington Email: gaucherpanel@pharmac.govt.nz

Mouth and Throat

Agents Used in Mouth Ulceration

BENZYDAMINE HYDROCHLORIDE

Soln 0.15%	3.60	200 ml	
	(8.50)		Difflam
	9.00	500 ml	
	(17.01)		Difflam
CHLORHEXIDINE GLUCONATE			
Mouthwash 0.2%	3.87	200 ml OP	✓ Rivacol
CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE	0.00	15 = OD	
* Adhesive gel 8.7% with cetalkonium chloride 0.01%		15 g OP	Daniela
	(5.62)		Bonjela
SODIUM CARBOXYMETHYLCELLULOSE			
With pectin and gelatin paste	17.20	56 g OP	Stomahesive
	1.52	5 g OP	
	(3.60)		Orabase
	4.55	15 g OP	
	(7.90)		Orabase
With pectin and gelatin powder	8.48	28 g OP	
	(10.95)		Stomahesive
TRIAMCINOLONE ACETONIDE			
0.1% in Dental Paste USP	4.34	5 g OP	✓ Oracort
		o 9 o.	<u> </u>
Oropharyngeal Anti-infectives			
AMPHOTERICIN B			
Lozenges 10 mg	5.86	20	✓ Fungilin
MICONAZOLE			•
Oral gel 20 mg per g	9.70	40 g OP	✓ Daktarin
0 01 0	0.70	40 g OF	Daktailii
NYSTATIN			
Oral liq 100,000 u per ml	3.19	24 ml OP	✓ Nilstat
Other Oral Agents			
For folinic mouthwash, pilocarpine oral liquid or saliva substitute	formula refer. pag	ne 186	
HYDROGEN PEROXIDE		y:	
* Soln 10 vol – Maximum of 200 ml per prescription	1 20	100 ml	✓ PSM
* Soin to voi – iviaximum oi 200 mi per prescription	1.∠0	100 1111	₩ F3IVI

THYMOL GLYCERIN

500 ml

✓ PSM

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

Vitamins

Alpha tocopheryl acetate is available fully subsidised for specific patients at the Medical Director of PHARMAC's discretion. Refer to PHARMAC website www.pharmac.govt.nz for the "Alpha tocopheryl acetate information sheet and application form".

Vitamin A		
VITAMIN A WITH VITAMINS D AND C * Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops4.50	10 ml OP	✓ Vitadol C
Vitamin B		
HYDROXOCOBALAMIN * Inj 1 mg per ml, 1 ml – Up to 6 inj available on a PSO	3	✓ ABM Hydroxocobalamin
PYRIDOXINE HYDROCHLORIDE a) No more than 100 mg per dose b) Only on a prescription		
* Tab 25 mg – No patient co-payment payable	90 500	 ✓ <u>PyridoxADE</u> ✓ Apo-Pyridoxine
THIAMINE HYDROCHLORIDE – Only on a prescription	300	Apo-r yridoxine
* Tab 50 mg	100	✓ Apo-Thiamine
VITAMIN B COMPLEX * Tab, strong, BPC4.70	500	✓ B-PlexADE
Vitamin C		
ASCORBIC ACID a) No more than 100 mg per dose b) Only on a prescription * Tab 100 mg	500	✓ <u>Vitala-C</u>
Vitamin D		
ALFACALCIDOL * Cap 0.25 μg	100 100 20 ml OP	✓ One-Alpha ✓ One-Alpha ✓ One-Alpha
CALCITRIOL 3.03 * Cap $0.25 \mu g$ 5.62 * Oral liq 1 μg per ml 39.40 CHOLECALCIFEROL	30 30 10 ml OP	✓ Airflow ✓ Airflow ✓ Rocaltrol solution
* Tab 1.25 mg (50,000 iu) – Maximum of 12 tab per prescription7.76	12	✓ Cal-d-Forte
Multivitamin Preparations		
MULTIVITAMINS – Special Authority see SA1036 on the next page – Retail phar * Powder72.00	macy 200 g OP	✓ Paediatric Seravit

Subsidy		Fully	Brand or
(Manufacturer's Price)	S	ubsidised	Generic
\$	Per	~	Manufacturer

■SA1036 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has inborn errors of metabolism.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where patient has had a previous approval for multivitamins.

VITAMINS

*	Tab (BPC cap strength)8.00	1,000	✓ MultiADE
*	Cap (fat soluble vitamins A, D, E, K) - Special Authority see		
	SA1002 below – Retail pharmacy23.40	60	Vitabdeck

▶SA1002 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

Minerals Calcium

- 1 Patient has cystic fibrosis with pancreatic insufficiency; or
- 2 Patient is an infant or child with liver disease or short gut syndrome.

*‡ Oral lig 30 mg per 1 ml (6 mg elemental per 1 ml)10.30

350 μg1.80

* Tab long-acting 325 mg (105 mg elemental) with folic acid

CALCIUM CARBONATE			
* Tab eff 1.75 g (1 g elemental)	30	✓ Calsource	
* Tab 1.25 g (500 mg elemental)6.38	250	✓ Arrow-Calcium	
CALCIUM GLUCONATE			
* Inj 10%, 10 ml21.40	10	✓ Mayne	
Fluoride			
SODIUM FLUORIDE			
* Tab 1.1 mg (0.5 mg elemental)	100	✓ PSM	
lodine			
POTASSIUM IODATE			
* Tab 256 μ g (150 μ g elemental iodine)	90	✓ NeuroKare	
Iron			
FERROUS FUMARATE			
* Tab 200 mg (65 mg elemental)	100	✓ Ferro-tab	
FERROUS FUMARATE WITH FOLIC ACID			
* Tab 310 mg (100 mg elemental) with folic acid 350 μ g4.75	60	✓ Ferro-F-Tabs	

FERROUS SULPHATE

FERROUS SULPHATE WITH FOLIC ACID

30

150

500 ml

30

(4.26)5.06

(15.58)

(4.29)

Ferrograd

Ferrograd

Ferrograd F

' Ferodan

[±] safety cap

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's Prio \$	ce) Per	Fully Subsidised	Brand or Generic Manufacturer
IRON POLYMALTOSE * Inj 50 mg per ml, 2 ml	19.90	5	√ <u>F</u> €	errum H
Magnesium				
For magnesium hydroxide mixture refer, page 186 MAGNESIUM SULPHATE * Inj 49.3%, 5 ml	26.60	10	✓ M	ayne
Zinc				
ZINC SULPHATE * Cap 137.4 mg (50 mg elemental)	11.00	100	√ <u>Zi</u>	ncaps_
Agents Used in the Treatment of Poisonings				
CHARCOAL * Oral liq 50 g per 250 ml a) Up to 250 ml available on a PSO b) Only on a PSO	43.50	250 ml O	P √ Ca	arbosorb-X
SODIUM CALCIUM EDETATE * Inj 200 mg per ml, 5 ml	53.31 (156.71)	6	-	alcium Disodium Versenate

Subsidy (Manufacturer's Price) S \$ Per

Fully Subsidised Brand or Generic Manufacturer

Antianaemics

Hypoplastic and Haemolytic

⇒SA0922 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Both:
 - 1.1 patient in chronic renal failure; and
 - 1.2 Haemoglobin ≤ 100g/L; and
- 2 Any of the following:
 - 2.1 Both:
 - 2.1.1 patient is not diabetic; and
 - 2.1.2 glomerular filtration rate < 30ml/min: or
 - 2.2 Both:
 - 2.2.1 patient is diabetic; and
 - 2.2.2 glomerular filtration rate ≤ 45ml/min; or
 - 2.3 patient is on haemodialysis or peritoneal dialysis.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Notes: Erythropoietin beta is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

The Cockroft-Gault Formula may be used to estimate glomerular filtration rate (GFR) in persons 18 years and over:

GFR (ml/min) (male) = (140 - age) \times Ideal Body Weight (kg) / 814 \times serum creatinine (mmol/l)

GFR (ml/min) (female) = Estimated GFR (male) \times 0.85

ERYTHROPOIETIN AL	_PHA - Special Authority see SAUS	22 above – Retail pharmacy
Inj human recombi	inant 1,000 iu prefilled syringe	48.68

my naman recembinant 1,000 to premied cynnge	•	, ,	_p.ox
Inj human recombinant 2,000 iu, prefilled syringe120.	18 6	6 (✓ Eprex
Inj human recombinant 3,000 iu, prefilled syringe166.	87 6	6 (✓ Eprex
		6 (✓ Eprex
Inj human recombinant 5,000 iu, prefilled syringe243.	26 6	6 (✓ Eprex
Inj human recombinant 6,000 iu, prefilled syringe291.	92 6	6 (✓ Eprex
Inj human recombinant 10,000 iu, prefilled syringe395.	18 6	6 (✓ Eprex
	Inj human recombinant 2,000 iu, prefilled syringe	Inj human recombinant 2,000 iu, prefilled syringe120.18Inj human recombinant 3,000 iu, prefilled syringe166.87Inj human recombinant 4,000 iu, prefilled syringe193.13Inj human recombinant 5,000 iu, prefilled syringe243.26Inj human recombinant 6,000 iu, prefilled syringe291.92	Inj human recombinant 2,000 iu, prefilled syringe120.186Inj human recombinant 3,000 iu, prefilled syringe166.876Inj human recombinant 4,000 iu, prefilled syringe193.136Inj human recombinant 5,000 iu, prefilled syringe243.266Inj human recombinant 6,000 iu, prefilled syringe291.926

ERYTHROPOIETIN BETA - Special Authority see SA0922 above - Retail pharmacy

Inj 2,000 iu, prefilled syringe	120.18	6	✓ NeoRecormon
Inj 3,000 iu, prefilled syringe		6	✓ NeoRecormon
Inj 4,000 iu, prefilled syringe		6	✓ NeoRecormon
Inj 5,000 iu, prefilled syringe		6	✓ NeoRecormon
Inj 6,000 iu, prefilled syringe		6	✓ NeoRecormon
Inj 10,000 iu, prefilled syringe		6	✓ NeoRecormon

Megaloblastic

FOLIC ACID

*	Tab 0.8 mg19.80	1,000	Apo-Folic Acid
*	Tab 5 mg10.21	500	Apo-Folic Acid
	Oral lig 50 μ g per ml24.00	25 ml OP	✓ Biomed

6

✓ Fnrex

	Subsidy (Manufacturer's Price) \$	Subsi Per	Fully	Brand or Generic Manufacturer
Antifibrinolytics, Haemostatics and Local Scleros	•	1 61		Wandactarer
SODIUM TETRADECYL SULPHATE				
* Inj 0.5% 2 ml	23.20	5		
	(45.52)		Fi	bro-vein
* Inj 1% 2 ml		5		
	(48.98)	_	Fi	bro-vein
* Inj 3% 2 ml		5	_	To the state of the
	(55.91)		F	bro-vein
TRANEXAMIC ACID				
Tab 500 mg	32.92	100	<u>✓ C</u>	<u>yklokapron</u>
Vitamin K				
PHYTOMENADIONE				
Inj 2 mg per 0.2 ml – Up to 5 inj available on a PSO	8.00	5	✓ K	onakion MM
Inj 10 mg per ml, 1 ml - Up to 5 inj available on a PSO		5	✓ K	onakion MM
Antithrombotic Agents				
Authorista Int. America				
Antiplatelet Agents				
ASPIRIN				
* Tab 100 mg	14.00	990	✓ <u>E</u>	thics Aspirin EC
CLOPIDOGREL				
* Tab 75 mg - For clopidogrel oral liquid formulation refer, page				
183	16.25	90	✓ A	po-Clopidogrel
DIPYRIDAMOLE				
* Tab 25 mg - For dipyridamole oral liquid formulation refer,				
page 183	8.36	84	✓ P	ersantin
* Tab long-acting 150 mg		60		ytazen SR
PRASUGREL – Special Authority see SA1201 below – Retail phar				
Tab 5 mg	,	28	✓ F	ffient
Tab 10 mg		28		ffient
SASA1201 Special Authority for Subsidy				

⇒SA1201 | Special Authority for Subsidy

Initial application — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where the patient has had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — (stent thromobosis) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has experienced cardiac stent thrombosis whilst on clopidogrel.

Renewal — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty or had a bare metal cardiac stent inserted in the previous 4 weeks and is clopidogrelallernic*

Renewal — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergie*.

Note: * Clopidogrel allergy is defined as a history of anaphylaxis, urticaria, generalised rash or asthma (in non-asthmatic patients) developing soon after clopidogrel is started and is considered unlikely to be caused by any other treatment.

Fully

Brand or

Subsidy

	(Manufacturer's Price)		Subsidised	
Heparin and Antagonist Preparations				
ENOXAPARIN SODIUM - Special Authority see SA11	74 below – Retail pharmacy			
Inj 20 mg	37.24	10	V 0	lexane
Inj 40 mg	49.69	10	V 0	lexane
Inj 60 mg	74.91	10	V 0	lexane
Inj 80 mg	99.86	10	V 0	lexane
Inj 100 mg	125.06	10	V 0	lexane
Inj 120 mg	155.40	10	V 0	lexane
Inj 150 mg	177.60	10	V 0	lexane

⇒SA1174 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic INR with oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

HEPARIN SODIUM

Inj 1,000 iu per ml, 5 ml	10	Mayne
66.80	50	✓ Mayne
11.44	10	✓ Pfizer
46.30	50	✓ Pfizer
Inj 1,000 iu per ml, 35 ml16.00	1	Mayne
Inj 5,000 iu per ml, 1 ml14.20	5	✓ Mayne
Inj 5,000 iu per ml, 5 ml118.50	50	✓ Pfizer
Inj 25,000 iu per ml, 0.2 ml	5	Mayne
HEPARINISED SALINE		
* Inj 10 iu per ml, 5 ml32.50	50	✔ Pfizer
PROTAMINE SULPHATE		
* Inj 10 mg per ml, 5 ml	10	
(95.87)		Artex

	Subsidy (Manufacturer's Price) \$	Per	Full Subsidise	d Generic	
Oral Anticoagulants					
DABIGATRAN Cap 75 mg — No more than 2 cap per day Cap 110 mg Cap 150 mg	148.00	60 60 60	~	Pradaxa Pradaxa Pradaxa	
RIVAROXABAN - Special Authority see SA1066 below - Retail pl Tab 10 mg	narmacy	15 30	•	Xarelto Xarelto	

⇒SA1066 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 weeks for applications meeting the following criteria: Either:

- 1 For the prophylaxis of venous thromboembolism following a total hip replacement; or
- 2 For the prophylaxis of venous thromboembolism following a total knee replacement.

Note: Rivaroxaban is only currently indicated and subsidised for up to 5 weeks therapy for prophylaxis of venous thromboembolism following a total hip replacement and up to 2 weeks therapy for prophylaxis of venous thromboembolism following a total knee replacement.

Renewal from any relevant practitioner. Approvals valid for 5 weeks where prophylaxis for venous thromboembolism is required for patients following a subsequent total hip or knee replacement.

WARFARIN SODIUM

Note: Marevan and Coumadin are not interchangeable.

*	Tab 1 mg	3.46	50	Coumadin
	•	5.69	100	Marevan
*	Tab 2 mg	4.31	50	Coumadin
*	Tab 3 mg	8.00	100	Marevan
*	Tab 5 mg	5.93	50	Coumadin
	-	9.64	100	Marevan

Fluids and Electrolytes

Intravenous Administration

DEXTROSE			
* Inj 50%, 10 ml - Up to 5 inj available on a PSO	19.50	5	✓ Biomed
* Inj 50%, 90 ml - Up to 5 inj available on a PSO	11.25	1	✓ Biomed
POTASSIUM CHLORIDE			
* Inj 75 mg per ml, 10 ml	55.00	50	AstraZeneca
SODIUM BICARBONATE			
Inj 8.4%, 50 ml	19.95	1	Biomed
a) Up to 5 inj available on a PSO			
b) Not in combination			
Inj 8.4%, 100 ml	20.50	1	Biomed
a) Up to 5 inj available on a PSO			

b) Not in combination

	Subsidy			and or
	(Manufacturer's			neric
	\$	Per	✓ Ma	nufacturer
SODIUM CHLORIDE				
Not funded for use as a nasal drop. Only funded for nebuliser	use when in co	niunction with a	n antibiotic	intended for nebuliser
use.	400 1111011 111 00	injunionom mar a	ii aiiabioao	interiora for medalicer
Inf 0.9% – Up to 2000 ml available on a PSO	3.06	500 ml	✓ Baxte	r
111 0.0 /0 Op to 2000 111 available off a 1 00	4.06	1,000 ml	✓ Baxte	
Only if prescribed on a prescription for renal dialysis, mate		,		
for emergency use. (500 ml and 1,000 ml packs)	or poor no	101 0010 111 1110 1	101110 01 1110	pations, or on a 1 co
Inj 23.4%, 20 ml	31.25	5	✓ Biome	ed
For Sodium chloride oral liquid formulation refer Standard I				
Inj 0.9%, 5 ml – Up to 5 inj available on a PSO		50	✓ Multic	hem
.,	15.50		✓ Pfizer	
Inj 0.9%, 10 ml - Up to 5 inj available on a PSO		50	✓ Multic	
.,,,,	15.50		✔ Pfizer	
Inj 0.9%, 20 ml		6	✓ Pharn	
· • • · · · · · · · · · · · · · · · · ·	11.79	30	✔ Pharn	
	8.41	20	✓ Multic	
TOTAL PARENTERAL NUITRITION (TRN) - Retail who were as Co-	alaliat			
TOTAL PARENTERAL NUTRITION (TPN) – Retail pharmacy-Spe		1.00	. / TDN	
Infusion	CBS	1 OP	✓ TPN	
WATER				
1) On a prescription or Practitioner's Supply Order only when	n on the same	form as an injec	tion listed	in the Pharmaceutical
Schedule requiring a solvent or diluent; or				
2) On a bulk supply order; or				
3) When used in the extemporaneous compounding of eye dr	ops.			
Purified for inj, 5 ml - Up to 5 inj available on a PSO	10.25	50	✓ Multic	hem
Purified for inj, 10 ml - Up to 5 inj available on a PSO		50	✓ Multic	hem
Purified for inj, 20 ml - Up to 5 inj available on a PSO	6.50	20	✓ Multic	hem
Oral Administration				
Oral Administration				
CALCIUM POLYSTYRENE SULPHONATE				
Powder	169.85	300 g OP	✓ Calciu	ım Resonium
COMPOUND ELECTROLYTES		Ü		
COMPOUND ELECTROLYTES				
Powder for soln for oral use 4.4 g - Up to 10 sach available	4.40	_	4	
on a PSO	1.12	5	✓ Electr	<u>'al</u>
DEXTROSE WITH ELECTROLYTES				
Soln with electrolytes	6.60	1,000 ml OP	✓ Pedia	<u>lyte -</u>
				<u>blegum</u>
				lyte - Fruit
	6.75		✓ Pedia	<u>lyte - Plain</u>
POTASSIUM BICARBONATE				
Tab eff 315 mg with sodium acid phosphate 1.937 g and				
sodium bicarbonate 350 mg		100	✓ Phosi	ohate-Sandoz
For phosphate supplementation		100	• 11100	
POTASSIUM CHLORIDE * Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	E 06	60		
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)		60	Chlon	/escent
* Tab long-acting 600 mg	(11.85) 7.42	200	✓ Span-	
	1.42	200	→ Shall.	TN.
SODIUM BICARBONATE			4.5	
Cap 840 mg	8.52	100	✓ Sodib	ic

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's F \$	Price) Sub Per	Fully Brand or sidised Generic Manufacturer
ODIUM POLYSTYRENE SULPHONATE		05	45
Powder	89.10	450 g OP	✓ Resonium-A
Lipid Modifying Agents			
Fibrates			
EZAFIBRATE			
Tab 200 mg		90	Fibalip
Tab long-acting 400 mg	5.70	30	Bezalip Retard
EMFIBROZIL			4
Tab 600 mg	14.00	60	✓ <u>Lipazil</u>
Other Lipid Modifying Agents			
CIPIMOX	10.75	00	. / Ollhadam
Cap 250 mg	18.75	30	✓ Olbetam
ICOTINIC ACID		400	4 4 40 00 4 4 1
Tab 50 mg		100	Apo-Nicotinic Acid
Tab 500 mg	16.54	100	✓ Apo-Nicotinic Acid
Resins			
HOLESTYRAMINE WITH ASPARTAME			
Sachets 4 g with aspartame	19.25	50	
	(52.68)		Questran-Lite
OLESTIPOL HYDROCHLORIDE			
Sachets 5 g	20.00	30	✓ Colestid
HMG CoA Reductase Inhibitors (Statins)			
rescribing Guidelines eatment with HMG CoA Reductase Inhibitors (statins) is reco ardiovascular risk of 15% or greater.	ommended for pati	ients with dysl	ipidaemia and an absolute 5 y
TORVASTATIN - See prescribing guideline above			
Tab 10 mg		90	Zarator
	2.90	30	✓ Dr Reddy's Atorvastatin
	18.32		✓ Lipitor
Tab 20 mg	4.17	90	✓ Zarator
	4.36	30	✓ Dr Reddy's Atorvastatin
	26.70		✓ Lipitor
Tab 40 mg	6.51	30	✓ Dr Reddy's
			Atorvastatin
	7.32	90	Zarator
	37.02	30	Lipitor
T 00		Ωני	✓ Dr Reddy's
Tab 80 mg	9.67	30	Atorvastatin
* Tab 80 mg	9.67	90	•

	Subsidy (Manufacturer's Price)	Per	Fully Brand or Subsidised Generic Manufac	
PRAVASTATIN - See prescribing guideline on the preceding page	9			
* Tab 20 mg		30	✓ Cholvastin	1
* Tab 40 mg		30	✓ Cholvastin	_
SIMVASTATIN - See prescribing guideline on the preceding page)			
* Tab 10 mg		90	✓ Arrow-Sim	va 10mg
* Tab 20 mg	1.95	90	✓ Arrow-Sim	va 20mg
* Tab 40 mg	3.18	90	✓ Arrow-Sim	va 40mg
* Tab 80 mg	9.31	90	Arrow-Sim	<u>va 80mg</u>
Selective Cholesterol Absorption Inhibitors				
EZETIMIBE – Special Authority see SA1045 below – Retail pharr Tab 10 mg	,	30	✓ Ezetrol	

⇒SA1045 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 Any of the following:
 - 3.1 The patient has rhabdomyolysis (defined as muscle aches and creatine kinase more than $10 \times$ normal) when treated with one statin; or
 - 3.2 The patient is intolerant to both simvastatin and atorvastatin; or
 - 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atoryastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

EZETIMIBE WITH SIMVASTATIN – Special Authority see SA10	146 below – Retail p	harmacy	
Tab 10 mg with simvastatin 10 mg	48.90	30	Vytorin
Tab 10 mg with simvastatin 20 mg	51.60	30	✓ Vytorin
Tab 10 mg with simvastatin 40 mg	55.20	30	✓ Vytorin
Tab 10 mg with simvastatin 80 mg	60.60	30	✓ Vytorin

⇒SA1046 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to ≤ 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

continued...

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Iron Overload

DEFERIPRONE - Special Authority see SA1042 below - I	Retail pharmacy		
Tab 500 mg	533.17	100	✓ Ferriprox
Oral liq 100 mg per 1 ml	266.59	250 ml OP	✔ Ferriprox

⇒SA1042 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where the patient has been diagnosed with chronic transfusional iron overload due to congenital inherited anaemia.

Note: For the purposes of this Special Authority, a relevant specialist is defined as a haematologist.

DESFERRIOXAMINE MESYLATE

* Inj 500 mg99.00 10 **✓ Mayne**

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Alpha Adrenoceptor Blockers				
DOXAZOSIN MESYLATE * Tab 2 mg * Tab 4 mg		500 500		po-Doxazosin po-Doxazosin
PHENOXYBENZAMINE HYDROCHLORIDE * Cap 10 mg	7.82 26.05	30 100		ibenyline \$29
PHENTOLAMINE MESYLATE * Inj 10 mg per ml, 1 ml	17.97 (31.65)	5	R	egitine
(Regitine Inj 10 mg per ml, 1 ml to be delisted 1 January 2013) PRAZOSIN HYDROCHLORIDE	, ,			
* Tab 1 mg * Tab 2 mg * Tab 5 mg	7.00	100 100 100	✓ A	po-Prazo po-Prazo po-Prazo
TERAZOSIN HYDROCHLORIDE * Tab 1 mg * Tab 2 mg		28 28	V A V A	
* Tab 5 mg	1.00	28	✓ <u>A</u>	rrow

Agents Affecting the Renin-Angiotensin System

Perindopril and trandolapril will be funded to the level of the ex-manufacturer price listed in the Schedule for patients who were taking these ACE inhibitors for the treatment of congestive heart failure prior to 1 June 1998. The prescription must be endorsed accordingly. We recommend that the words used to indicate eligibility are "certified condition" or an appropriate description of the patient such as "congestive heart failure", "CHF", "congestive cardiac failure" or "CCF". **Definition of Congestive Heart Failure** At the request of some prescribers the PTAC Cardiovascular subcommittee has provided a definition of congestive heart failure for the purposes of the funding of the manufacturer's surcharge: "Clinicians should use their clinical judgement. Existing patients would be eligible for the funding of the surcharge if the patient shows signs and symptoms of congestive heart failure, and requires or has in the past required concomitant treatment with a diuretic. The definition could also be considered to include patients post myocardial infarction with an ejection fraction of less than 40%."

ACE Inhibitors

CAPTOPRIL			
* Tab 12.5 mg	2.00	100	✓ m-Captopril
* Tab 25 mg	2.40	100	✓ m-Captopril
* Tab 50 mg	3.50	100	✓ m-Captopril
*‡ Oral liq 5 mg per ml	94.99	95 ml OP	✓ Capoten
Oral liquid restricted to children under 12 years of	age.		
CILAZAPRIL			
* Tab 0.5 mg	0.95	30	✓ Zapril
* Tab 2.5 mg	6.18	90	✓ Zapril
* Tab 5 mg		90	✓ Zapril
ENALAPRIL			
* Tab 5 mg	1.98	90	✓ Arrow-Enalapril
* Tab 10 mg		90	✓ Arrow-Enalapril
* Tab 20 mg - For enalapril oral liquid formulation refe			
183	7 1 0	90	Arrow-Enalapril
100		50	T THIS Elialapili

	Subsidy (Manufacturer's Price) \$		Subsidised	Brand or Generic Manufacturer
LISINOPRIL				
* Tab 5 mg	1.19	30	✓ Ai	rrow-Lisinopril
* Tab 10 mg	1.36	30	✓ Ai	rrow-Lisinopril
* Tab 20 mg	1.63	30	✓ Ai	rrow-Lisinopril

PERINDOPRII

Perindopril and trandolapril will be funded to the level of the ex-manufacturer price listed in the Schedule for patients who were taking these ACE inhibitors for the treatment of congestive heart failure prior to 1 June 1998. The prescription must be endorsed accordingly. We recommend that the words used to indicate eligibility are "certified condition" or an appropriate description of the patient such as "congestive heart failure", "CHF", "congestive cardiac failure" or "CCF". Definition of Congestive Heart Failure At the request of some prescribers the PTAC Cardiovascular subcommittee has provided a definition of congestive heart failure for the purposes of the funding of the manufacturer's surcharge: "Clinicians should use their clinical judgement. Existing patients would be eligible for the funding of the surcharge if the patient shows signs and symptoms of congestive heart failure, and requires or has in the past required concomitant treatment with a diuretic. The definition could also be considered to include patients post myocardial infarction with an ejection fraction of less than 40%."

*	Tab 2 mg - Higher subsidy of \$18.50 per 30 tab with En-			
	dorsement	3.00	30	
		(18.50)		Coversyl
*	Tab 4 mg - Higher subsidy of \$25.00 per 30 tab with En-			
	dorsement	4.05	30	
		(25.00)		Coversyl
QU	NAPRIL			
*	Tab 5 mg	1.60	30	Accupril
*	Tab 10 mg	1.75	30	✓ Accupril
*	Tab 20 mg	2.35	30	✓ Accupril

TRANDOI APRII

Perindopril and trandolapril will be funded to the level of the ex-manufacturer price listed in the Schedule for patients who were taking these ACE inhibitors for the treatment of congestive heart failure prior to 1 June 1998. The prescription must be endorsed accordingly. We recommend that the words used to indicate eligibility are "certified condition" or an appropriate description of the patient such as "congestive heart failure", "CHF", "congestive cardiac failure" or "CCF". Definition of Congestive Heart Failure At the request of some prescribers the PTAC Cardiovascular subcommittee has provided a definition of congestive heart failure for the purposes of the funding of the manufacturer's surcharge: "Clinicians should use their clinical judgement. Existing patients would be eligible for the funding of the surcharge if the patient shows signs and symptoms of congestive heart failure, and requires or has in the past required concomitant treatment with a diuretic. The definition could also be considered to include patients post myocardial infarction with an ejection fraction of less than 40%."

-	* Cap 1 mg - Higher subsidy of \$18.67 per 28 cap with En-				
	dorsement	3.06	28		
		(18.67)		Gopten	
÷	* Cap 2 mg - Higher subsidy of \$27.00 per 28 cap with En-				
	dorsement	4.43	28		
		(27.00)		Gopten	
	ACE Inhibitors with Diuretics				
(CILAZAPRIL WITH HYDROCHLOROTHIAZIDE				

5.36	28	✓ <u>Inhibace Plus</u>
3.32	30	
(8.70)		Co-Renitec
	3.32	3.32 30

	Subsidy (Manufacturer's Price) \$	S Per	Fully Brand or ubsidised Generic Manufacturer
QUINAPRIL WITH HYDROCHLOROTHIAZIDE			
★ Tab 10 mg with hydrochlorothiazide 12.5 mg	3.37	30	✓ Accuretic 10
★ Tab 20 mg with hydrochlorothiazide 12.5 mg	4.57	30	✓ Accuretic 20
Angiotension II Antagonists			
CANDESARTAN - Special Authority see SA1223 below - Re	etail pharmacy		
* Tab 4 mg	4.13	90	✓ Candestar
-	1.38	30	
	(12.00)		Atacand
* Tab 8 mg	6.10	90	✓ Candestar
•	2.03	30	
	(12.00)		Atacand
* Tab 16 mg	10.18	90	✓ Candestar
•	3.39	30	
	(14.50)		Atacand
* Tab 32 mg	, ,	90	✓ Candestar
-	5.89	30	
	(24.00)		Atacand
(Atacand Tab 4 mg to be delisted 1 November 2012)	(/		
(Atacand Tab 8 mg to be delisted 1 November 2012)			
(Atacand Tab 16 mg to be delisted 1 November 2012)			

⇒SA1223 Special Authority for Subsidy

(Atacand Tab 32 mg to be delisted 1 November 2012)

Initial application — (ACE inhibitor intolerance) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has persistent ACE inhibitor induced cough that is not resolved by ACE inhibitor retrial (same or new ACE inhibitor); or
- 2 Patient has a history of angioedema.

Initial application — (Unsatisfactory response to ACE inhibitor) from any relevant practitioner. Approvals valid without further renewal unless notified where patient is not adequately controlled on maximum tolerated dose of an ACE inhibitor.

LOSARTAN

*	Tab 12.5 mg	2.88	90	✓ Lostaar
*	Tab 25 mg	3.20	90	✓ Lostaar
*	Tab 50 mg	5.22	90	✓ Lostaar
	Tab 50 mg with hydrochlorothiazide 12.5 mg	4.89	30	✓ Arrow-Losartan &
				<u>Hydrochlorothiazide</u>
*	Tab 100 mg	8.68	90	✓ Lostaar

Antiarrhythmics

	Subsidy (Manufacturer's Price \$) Per	Full Subsidise	
DIGOXIN				
st Tab 62.5 μ g – Up to 30 tab available on a PSO	6.67	240	~	Lanoxin PG
st Tab 250 μ g – Up to 30 tab available on a PSO	14.52	240		Lanoxin
st ‡ Oral liq 50 μ g per ml	16.60	60 ml	~	Lanoxin
DISOPYRAMIDE PHOSPHATE				
▲ Cap 100 mg	15.00	100		
	(23.87)			Rythmodan
▲ Cap 150 mg	26.21	100	~	Rythmodan
FLECAINIDE ACETATE - Retail pharmacy-Specialist				
▲ Tab 50 mg	45.82	60	V	Tambocor
▲ Tab 100 mg - For flecainide acetate oral liquid formulation				
refer, page 183	80.92	60	~	Tambocor
▲ Cap long-acting 100 mg	45.82	30	~	Tambocor CR
▲ Cap long-acting 200 mg	80.92	30	~	Tambocor CR
Inj 10 mg per ml, 15 ml	52.45	5	~	Tambocor
PROPAFENONE HYDROCHLORIDE - Retail pharmacy-Specialis	st			
▲ Tab 150 mg		50	V	Rytmonorm
Antihypotensives				
MIDODRINE – Special Authority see SA0934 below – Retail phar	•	100		Gutron
Tab 5 mg		100 100		Gutron
Tab 5 mg	/ 3.00	100	•	Gulloll

■SA0934 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Disabling orthostatic hypotension not due to drugs; and
- 2 Patient has tried fludrocortisone (unless contra-indicated) with unsatisfactory results; and
- 3 Patient has tried non pharmacological treatments such as support hose, increased salt intake, exercise, and elevation of head and trunk at night.

Notes: Treatment should be started with small doses and titrated upwards as necessary.

Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Beta Adrenoceptor Blockers

ATENOLOL			
* Tab 50 mg	5.56	500	Mylan Atenolol
	11.12	1,000	Atenolol Tablet USP
* Tab 100 mg	9.12	500	Mylan Atenolol
•	18.24	1,000	✓ Atenolol Tablet USP
(Atenolol Tablet USP Tab 50 mg to be delisted 25 November 2012) (Atenolol Tablet USP Tab 100 mg to be delisted 25 November 2012)			
BISOPROLOL FUMARATE			
Tab 2.5 mg	3.88	30	✓ Bosvate
Tab 5 mg	4.74	30	✓ Bosvate
Tab 10 mg	9.18	30	✓ Bosvate

	Subsidy (Manufacturer's Price)	S	Fully Subsidised	Brand or Generic
	\$	Per	✓	Manufacturer
CARVEDILOL				
* Tab 6.25 mg	21.00	30	🗸 Di	latrend
* Tab 12.5 mg		30	🗸 Di	latrend
* Tab 25 mg - For carvedilol oral liquid formulation refer, page				
183	33.75	30	🗸 Di	latrend
CELIPROLOL				
* Tab 200 mg	19.00	180	✓ Ce	elol
LABETALOL				
* Tab 50 mg	8.23	100	✓ Hy	bloc
* Tab 100 mg - For labetalol oral liquid formulation refer, page				
183	10.06	100	✓ Hy	
* Tab 200 mg		100	✓ Hy	bloc
* Inj 5 mg per ml, 20 ml		5	_	
	(88.60)		Ira	andate
METOPROLOL SUCCINATE				
* Tab long-acting 23.75 mg	0.96	30		etoprolol - AFT CR
	(7.50)			/loc CR
W. Tob long acting 47 E mg	(7.50)	20		taloc CR
* Tab long-acting 47.5 mg	1.41	30		etoprolol - AFT CR /loc CR
	(7.50)			taloc CR
* Tab long-acting 95 mg		30		etoprolol - AFT CR
Tab long doming oo mg		00		loc CR
	(7.50)			taloc CR
* Tab long-acting 190 mg	4.66	30	✓ Me	etoprolol - AFT CR
			✓ My	/loc CR
	(7.50)		Be	taloc CR
(Myloc CR Tab long-acting 23.75 mg to be delisted 1 September 2 (Betaloc CR Tab long-acting 23.75 mg to be delisted 1 September 20 (Myloc CR Tab long-acting 47.5 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 47.5 mg to be delisted 1 September (Myloc CR Tab long-acting 95 mg to be delisted 1 September 201 (Betaloc CR Tab long-acting 95 mg to be delisted 1 September 20 (Myloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to be delisted 1 September 20 (Betaloc CR Tab long-acting 190 mg to	r 2012) 012) 2012) 20 2) 012) 112)			
METOPROLOL TARTRATE				
st Tab 50 mg - For metoprolol tartrate oral liquid formulation				
refer, page 183		100	_	presor
* Tab 100 mg		60	_	presor
* Tab long-acting 200 mg * Ini 1 mg per ml. 5 ml		28 5		ow-Lopresor
, , , , , , , , , , , , , , , , , , , ,	24.00	5	₩ <u>LC</u>	presor
NADOLOL Viv. Tels 40 mm	14.07	100		a Nadalal
* Tab 40 mg		100 100		o-Nadolol
* Tab 80 mg		100	₩ Ap	o-Nadolol
PINDOLOL the Table 5 are	F 40	400		- Blocketel
* Tab 5 mg		100		oo-Pindolol
* Tab 10 mg * Tab 15 mg		100 100		o-Pindolol o-Pindolol
本 iau io iig	10.00	100	₩ A	JO-F IIIUUIUI

	Subsidy		Fully Brand or
	(Manufacturer's Price)	Per	Subsidised Generic Manufacturer
	\$	Per	Manufacturer
ROPRANOLOL			
₹ Tab 10 mg	3.55	100	✓ Cardinol
	3.65		✓ Apo-
			Propranolol S29
€ Tab 40 mg	4.65	100	✓ Apo-
•			Propranolol S29
			✓ Cardinol
Cap long-acting 160 mg	16.06	100	✓ Cardinol LA
Cardinol Tab 40 mg to be delisted 1 December 2012)			
OTALOL			
○TALOL Tab 80 mg - For sotalol oral liquid formulation refer, page 18.	3 27.50	500	✓ Mylan
Tab 60 mg		100	✓ Mylan
F Inj 10 mg per ml, 4 ml		5	✓ Sotacor
		J	₩ JUIACUI
IMOLOL MALEATE			4
€ Tab 10 mg	10.55	100	✓ Apo-Timol
Calcium Channel Blockers			
Dihydropyridine Calcium Channel Blockers (DH	P CCBs)		
MLODIPINE			
← Tab 2.5 mg	2.45	100	Apo-Amlodipine
Tab 5 mg - For amlodipine oral liquid formulation refer, page			
183	2.65	100	✓ Apo-Amlodipine
F Tab 10 mg	4.15	100	✓ Apo-Amlodipine
ELODIPINE			
ELODIFINE ₹ Tab long-acting 2.5 mg	2.00	30	✓ Plendil ER
Tab long-acting 2.5 mg		30	✓ Plendil ER
rab long-acting 5 mg		90	✓ Felo 5 ER
Tah long-acting 10 mg	10.73	30	✓ Plendil ER
Tab long-acting 10 mg	15.60	90	Felo 10 ER
	10.00	90	F FEIU IU EN
SRADIPINE			
Cap long-acting 2.5 mg		30	✓ Dynacirc-SRO
Cap long-acting 5 mg	7.85	30	Dynacirc-SRO
IFEDIPINE			
Tab long-acting 10 mg	17.72	60	✓ Adalat 10
Tab long-acting 20 mg		100	✓ Nyefax Retard
Tab long-acting 30 mg		30	✓ Adefin XL
			✓ Arrow-Nifedipine XR
	5.50		T I III WIPIII AII
	(19.90)		Adalat Oros
Tab long-acting 60 mg	, ,	30	✓ Adefin XL
		00	✓ Arrow-Nifedipine XR
	8.00		T I III WILD ALL
	(29.50)		Adalat Oros

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
Other Calcium Channel Blockers				
ILTIAZEM HYDROCHLORIDE				
 Tab 30 mg Tab 60 mg − For diltiazem hydrochloride oral liquid formula 		100	~ [Dilzem
tion refer, page 183	8.50	100	V [Dilzem
Cap long-acting 120 mg		30	V	Cardizem CD
Cap long-acting 180 mg		30	V (Cardizem CD
Cap long-acting 240 mg		30		Cardizem CD
ERHEXILINE MALEATE - Special Authority see SA0256 belo		100		Davala.
→ Tab 100 mg SA0256 Special Authority for Subsidy	02.90	100	<i>V</i> 1	Pexsig
Refractory angina; and Patient is already on maximal anti-anginal therapy. enewal only from a cardiologist or general physician. Approv	als valid for 2 years wh	nere th	ne treatme	nt remains appropriate
e patient is benefiting from treatment.	,			
ERAPAMIL HYDROCHLORIDE				
Tab 40 mg	7.01	100	V 1	soptin
Tab 80 mg - For verapamil hydrochloride oral liquid formula			· ·	
tion refer, page 183		100	4 1	soptin
Tab long-acting 120 mg		250	_	/erpamil SR
Tab long-acting 240 mg		250		/erpamil SR
Inj 2.5 mg per ml, 2 ml – Up to 5 inj available on a PSO		5		soptin
, , ,	7.54	J	1	Soptin
Centrally Acting Agents				
LONIDINE	20.00			
TDDS 2.5 mg, 100 μ g per day – Only on a prescription		4		Catapres-TTS-1
TDDS 5 mg, 200 μ g per day – Only on a prescription		4		Catapres-TTS-2
TDDS 7.5 mg, 300 μ g per day $-$ Only on a prescription	41.20	4	V (Catapres-TTS-3
LONIDINE HYDROCHLORIDE				
Tab 150 μ g		100		Catapres
Inj 150 μ g per ml, 1 ml	15.45	5	V (Catapres
ETHYLDOPA				
Tab 125 mg	14.25	100	✓ F	Prodopa
Tab 250 mg		100		Prodopa
Tab 500 mg		100		Prodopa
Diuretics				
Diuretics Loop Diuretics				
Diuretics Loop Diuretics LIMETANIDE				
Loop Diuretics		100	ا م	Burinex

	Subsidy	D	Fully Brand or
	(Manufacturer's \$	Price) Subs Per	sidised Generic Manufacturer
UROSEMIDE			
Tab 40 mg - Up to 30 tab available on a PSO		1,000	Diurin 40
€ Tab 500 mg €± Oral lig 10 mg per ml		50 30 ml OP	✓ Urex Forte✓ Lasix
Infusion 10 mg per ml, 25 ml		5	✓ Lasix
Inj 10 mg per ml, 2 ml - Up to 5 inj available on a PSO		5	✓ Frusemide-Claris
Potassium Sparing Diuretics			
MILORIDE			
Oral liq 1 mg per ml	30.00	25 ml OP	✓ Biomed
PIRONOLACTONE			
Fab 25 mg		100	Spirotone Coiretone
Tab 100 mg Oral liq 5 mg per ml		100 25 ml OP	✓ <u>Spirotone</u> ✓ Biomed
Potassium Sparing Combination Diuretics		20 1111 01	Dionica
MILORIDE WITH FRUSEMIDE Tab 5 mg with frusemide 40 mg	8 63	28	✓ Frumil
	0.00	20	V I I WIIIII
MILORIDE WITH HYDROCHLOROTHIAZIDE Tab 5 mg with hydrochlorothiazide 50 mg	5.00	50	✓ Moduretic
Thiazide and Related Diuretics			
ENDROFLUAZIDE			
Tab 2.5 mg - Up to 150 tab available on a PSO	6.48	500	✓ Arrow-
M. I			Bendrofluazide
May be supplied on a PSO for reasons other than emerge Tab 5 mg	•	500	✓ Arrow-
Tab 5 mg		300	Bendrofluazide
HLOROTHIAZIDE			
Oral liq 50 mg per ml	26.00	25 ml OP	✓ Biomed
HLORTHALIDONE			
Tab 25 mg	8.00	50	✓ Hygroton
IDAPAMIDE			
- Tab 2.5 mg	2.95	90	✓ <u>Dapa-Tabs</u>
Nitrates			
LYCERYL TRINITRATE			
Fab 600 μ g – Up to 100 tab available on a PSO	800	100 OP	✓ Lycinate
Aerosol spray, 400 μ g per dose – Up to 250 dose available			4.00
on a PSO		250 dose OP	Glytrin
€ TDDS 5 mg		30 30	✓ <u>Nitroderm TTS</u>✓ Nitroderm TTS
SOSORBIDE MONONITRATE		00	1
Tab 20 mg	17.10	100	✓ Ismo 20
Tab long-acting 40 mg		30	✓ Corangin
€ Tab long-acting 60 mg		90	Duride

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
Sympathomimetics				
DRENALINE				
Inj 1 in 1,000, 1 ml - Up to 5 inj available on a PSO	4.98 5.25	5		Aspen Adrenaline Mayne
Inj 1 in 10,000, 10 ml - Up to 5 inj available on a PSO		5 10	~	Mayne Aspen Adrenaline
SOPRENALINE HYDROCHLORIDE				·
inj 200 μg per ml, 1 ml	36.80 (135.00)	25		Isuprel
<i>V</i> asodilators				
MYL NITRITE				
Ampoule, 0.3 ml crushable	62.92 (73.40)	12		Baxter
YDRALAZINE	05.00	F	.,	Anvocalina
: Inj 20 mg per ml, 1 ml XYPENTIFYLLINE	25.90	5	•	Apresoline
Tab 400 mg	36.94 (42.26)	50		Trental 400
APAVERINE HYDROCHLORIDE Inj 12 mg per ml, 10 ml	73.12	5	~	Mayne
Endothelin Receptor Antagonists				
▶SA0967 Special Authority for Subsidy pecial Authority approved by the Pulmonary Arterial Hypertensic otes: Application details may be obtained from PHARMAC's web ne Coordinator, PAH Panel HARMAC, PO Box 10-254, WELLINGTON sel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.go	osite http://www.pharr	mac.g	govt.nz or:	
MBRISENTAN – Special Authority see SA0967 above – Retail p Tab 5 mg	4,585.00	30 30		Volibris Volibris
Tab 10 mg OSENTAN – Special Authority see SA0967 above – Retail phar		30	•	VOIIDIIS
Tab 62.5 mg	4,585.00	60 60		Tracleer Tracleer
-				

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
SILDENAFIL - Special Authority see SA1086 on the preceding pa	age – Retail pharmacy	/		
Tab 25 mg	39.00	4	✓ Vi	iagra
Tab 50 mg	43.50	4	✓ Vi	iagra
Tab 100 mg - For sildenafil oral liquid formulation refer, page				•
183	47.00	4	✓ Vi	iagra

Prostacyclin Analogues

⇒SA0969 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

ILOPROST - Special Authority see SA0969 above - Retail pharmacy

DERMATOLOGICALS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Antiacne Preparations

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 84

ADAPALENE

a) Maximum of 30 g per prescription

b) Only on a prescription

b) Only on a prescription			
Crm 0.1%	22.89	30 g OP	Differin
Gel 0.1%	22.89	30 g OP	✔ Differin
ISOTRETINOIN - Special Authority se	e SA0955 below - Retail pharmacy		
Cap 10 mg	48.48	180	Oratane
Can 20 mg	69.70	180	✓ Oraţane

⇒SA0955 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Patient has had an adequate trial on other available treatments and has received an inadequate response from these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 4 Fither:
 - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
 - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- All of the following:
 - 1 Patient has had an adequate trial on other available treatments and has received an inadequate response from these treatments or these are contraindicated; and
 - 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
 - 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
 - 4 Either:
 - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment: or
 - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

TRETINOIN

Crm 0.5 mg per g − Maximum of 50 g per prescription......13.90 50 g OP ✓ ReTrieve

DERMATOLOGICALS

Per Manufacturer \$ **Antibacterials Topical** For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 84 **FUSIDIC ACID** 15 g OP Foban a) Maximum of 15 g per prescription b) Only on a prescription c) Not in combination 15 g OP ✓ Foban a) Maximum of 15 g per prescription b) Only on a prescription c) Not in combination HYDROGEN PEROXIDE 10 g OP Crystacide MUPIROCIN 15 q OP Bactroban a) Only on a prescription b) Not in combination SILVER SULPHADIAZINE 50 a OP ✔ Flamazine a) Up to 250 g available on a PSO b) Not in combination Antifungals Topical For systemic antifungals, refer to INFECTIONS, Antifungals, page 89 **AMOROLFINE** a) Only on a prescription b) Not in combination 5 ml OP (61.87)Loceryl CICLOPIROX OLAMINE a) Only on a prescription b) Not in combination 3 g OP ✓ Batrafen 20 ml OP Batrafen CLOTRIMAZOLE ✓ Clomazol 20 g OP a) Only on a prescription b) Not in combination Soln 1%4.36 20 ml OP (7.55)Canesten a) Only on a prescription b) Not in combination

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

	Subsidy (Manufacturer's F	Price) Sui	Fully Brand or bsidised Generic	
	(Manufacturer's F \$	Price) Su Per	Manufacturer	
ECONAZOLE NITRATE				
Crm 1%	1.00	20 g OP		
	(7.48)		Pevaryl	
a) Only on a prescription				
b) Not in combination Foaming soln 1%, 10 ml sachets	0.00	3		
Foaming Som 1%, To mi Sacriets	(17.23)	S	Pevaryl	
a) Only on a prescription	(17.20)		rovaryi	
b) Not in combination				
MICONAZOLE NITRATE				
* Crm 2%	0.46	15 g OP	✓ Multichem	
a) Only on a prescription		Ť	·	
b) Not in combination				
* Lotn 2%		30 ml OP	5	
a) Only on a reconstitution	(10.03)		Daktarin	
a) Only on a prescription b) Not in combination				
* Tinct 2%	4.36	30 ml OP		
7 1110C E /0	(12.10)	00 1111 01	Daktarin	
a) Only on a prescription	(- /			
b) Not in combination				
NYSTATIN				
Crm 100,000 u per g	1.00	15 g OP		
	(7.90)		Mycostatin	
a) Only on a prescription				
b) Not in combination				
Antipruritic Preparations				
CALAMINE				
a) Only on a prescription				
b) Not in combination				
Crm, aqueous, BP		100 g	✓ healthE	
Lotn, BP	16.70	2,000 ml	✓ API	
CROTAMITON				
a) Only on a prescription				
b) Not in combination	0.40	00 = 00	A likely Or sales	
Crm 10%	3.48	20 g OP	✓ Itch-Soothe	
MENTHOL – Only in combination		1 91 0 3	0/1 1 //	16:
Only in combination with aqueous cream, 10% urea cream mineral oil lotion, and glycerol, paraffin and cetyl alcohol lo		eral oil lotion, 1	% hydrocortisone with v	vool fat and
Crystals		25 g	✓ PSM	
0.,0000	6.92	y	✓ MidWest	
	29.60	100 g	✓ MidWest	
		-		

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Corticosteroids Topical

For systemic corticosteroids, refer to CORTICOSTEROIDS AND RELATED AGENTS, page 77

Corticosteroi	ds -	Plain
---------------	------	-------

BETAMETHASONE DIPROPIONATE			
Crm 0.05%	2.96	15 g OP	
	(6.91)	Ü	Diprosone
	`8.97 [′]	50 g OP	·
	(18.36)	Ü	Diprosone
Crm 0.05% in propylene glycol base	4.33 [′]	30 g OP	·
, .,	(13.83)	Ü	Diprosone OV
Oint 0.05%	2.96 [′]	15 g OP	·
	(6.51)	Ü	Diprosone
	8.97	50 g OP	·
	(17.11)	Ü	Diprosone
Oint 0.05% in propylene glycol base	4.33 [´]	30 g OP	·
1 17 07	(13.83)	Ü	Diprosone OV
BETAMETHASONE VALERATE			
* Crm 0.1%	3 20	50 g OP	✓ Beta Cream
* Oint 0.1%		50 g OP	✓ Beta Ointment
* Lotn 0.1%		50 ml OP	✓ Betnovate
	10.00	30 1111 01	Detriovate
CLOBETASOL PROPIONATE			4.5
* Crm 0.05%		30 g OP	✓ Dermol
* Oint 0.05%	3.48	30 g OP	✓ Dermol
CLOBETASONE BUTYRATE			
Crm 0.05%	5.38	30 g OP	
	(7.09)		Eumovate
	16.13	100 g OP	
	(22.00)		Eumovate
DIFLUCORTOLONE VALERATE			
Crm 0.1%	8 97	50 g OP	
OIIII 0.170	(15.86)	00 g 01	Nerisone
Fatty oint 0.1%		50 g OP	1101100110
Tany on to 17/2	(15.86)	00 g 0.	Nerisone
LIVERGOODTIGONE	(10.00)		
HYDROCORTISONE	0.75	400	A Disamos and Use His
* Crm 1% – Only on a prescription		100 g	Pharmacy Health
str. December 20th in combination	14.00	500 g	Pharmacy Health
* Powder – Only in combination		25 g	✓ <u>ABM</u>
Up to 5% in a dermatological base (not proprietary Topi	cai Corticosteri	ou – Piairi) With	or without other dermatological
galenicals. Refer, page 182			
HYDROCORTISONE BUTYRATE			4
Lipocream 0.1%		30 g OP	✓ Locoid Lipocream
	6.85	100 g OP	✓ Locoid Lipocream
Oint 0.1%		100 g OP	Locoid
Milky emul 0.1%	6.85	100 ml OP	✓ Locoid Crelo

	Subsidy (Manufacturer's I	Prica) Cub	Fully Brand or osidised Generic
	(Wanulacturer ST	Per	✓ Manufacturer
YDROCORTISONE WITH WOOL FAT AND MINERAL OIL			
Lotn 1% with wool fat hydrous 3% and mineral oil – Only or	1		
a prescription		250 ml	✓ DP Lotn HC
TETHYLPREDNISOLONE ACEPONATE			
Crm 0.1%	4.05	15 g OP	✓ Advantan
Oint 0.1%		15 g OP	✓ Advantan
	4.00	10 9 01	Advantan
IOMETASONE FUROATE Crm 0.1%	1 70	15 ~ OD	✓ m-Mometasone
CIII 0.1%	3.42	15 g OP 45 g OP	✓ m-Mometasone
Oint 0.1%	J	45 g OP	✓ m-Mometasone
OIII 0.176	3.42	45 g OP	✓ m-Mometasone
Lotn 0.1%		45 g OP 30 ml OP	✓ Elocon
	1.00	JU IIII UF	₩ LIUGUII
RIAMCINOLONE ACETONIDE	0.05	400 05	
Crm 0.02%		100 g OP	✓ <u>Aristocort</u>
Oint 0.02%	6.69	100 g OP	✓ Aristocort
Corticosteroids - Combination			
ETAMETHASONE VALERATE WITH CLIQUINOL - Only on	a prescription		
Crm 0.1% with clioquinol 3%		15 g OP	
	(4.90)	- 3 -	Betnovate-C
Oint 0.1% with clioquinol 3%	3.49	15 g OP	
·	(4.90)	Ü	Betnovate-C
ETAMETHASONE VALERATE WITH FUSIDIC ACID			
Crm 0.1% with fusidic acid 2%	3.49	15 g OP	
2 3, 3 1 1 1 2 2 2 2	(10.45)	. o g o.	Fucicort
a) Maximum of 15 g per prescription	(/		
b) Only on a prescription			
IYDROCORTISONE WITH MICONAZOLE - Only on a prescrip	otion		
Crm 1% with miconazole nitrate 2%		15 g OP	✓ Micreme H
IYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - O		ŭ	
Crm 1% with natamycin 1% and neomycin sulphate 0.5%	, , ,	15 g OP	✓ Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	✓ Pimafucort
• • • •			• I illiaracort
RIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCI		IIN	
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg		45 05	
and gramicidin 250 μ g per g $$ – Only on a prescription		15 g OP	Viadama VO
	(6.60)		Viaderm KC
Disinfecting and Cleansing Agents			
HLORHEXIDINE GLUCONATE – Subsidy by endorsement			
a) No more than 500 ml per month			
b) Only if prescribed for a dialysis patient and the prescription	n is endorsed ac	cordingly.	
Handrub 1% with ethanol 70%	4.60	500 ml	✓ healthE
Tidridiab 170 With Othanol 7070			

DERMATOLOGICALS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

TRICLOSAN - Subsidy by endorsement

- a) Maximum of 500 ml per prescription
- b
- a) Only if prescribed for a patient identified with Methicillin-resistant Staphylococcus aureus (MRSA) prior to elective surgery in hospital and the prescription is endorsed accordingly; or
- b) Only if prescribed for a patient with recurrent Staphylococcus aureus infection and the prescription is endorsed accordingly

Soln 1%4.50	500 ml OP	Pharmacy Health
5.90		✓ healthE

Barrier Creams and Emollients

Barrier C	reams
-----------	-------

	C AND CASTOR OIL Oint BP	3.83	500 g	✓ Multichem
En	nollients			
	JEOUS CREAM	4.00	500 -	
	Crm	1.96	500 g	✓ <u>AFT</u>
	OMACROGOL Crm BP	3.15	500 g	✓ <u>PSM</u>
	JLSIFYING OINTMENT Oint BP	2.04	500 g	✓ AFT
	IN WATER EMULSION	3.04	500 g	₩ <u>AFI</u>
	Crm	2.80	500 g	✓ healthE Fatty Cream
URE		0.07	100 00	4.11.
	Crm 10%	3.07	100 g OP	✓ Nutraplus
	OL FAT WITH MINERAL OIL — Only on a prescription	4.40	050 100	
*	Lotn hydrous 3% with mineral oil		250 ml OP	Hudrodorm Lation
		(3.50) 5.60	1,000 ml	Hydroderm Lotion
		(9.54)	1,000 1111	Hydroderm Lotion
		1.40	250 ml OP	Tryareactin Lonein
		(4.53)		DP Lotion
		5.60	1,000 ml	
		(11.95)		DP Lotion
		(20.53)		Alpha-Keri Lotion
		1.40	250 ml OP	
		(7.73)	4 000	BK Lotion
		5.60	1,000 ml	DIC Lation
		(23.91)		BK Lotion

	Subsidy (Manufacturer's P \$	Price) Per	Fully Subsidised	Brand or Generic Manufacturer
Other Dermatological Bases				
PARAFFIN				
White soft - Only in combination	3.58	500 g		
	(7.78)		IP	W
	20.20	2,500 g	✓ IP	W
	3.58	500 g		
	(8.69)	-	P:	SM
Only in combination with a dermatological galenical or as	a diluent for a pro	oprietary To	pical Cortic	costeroid - Plain.

POVIDONE IODINE			
Oint 10%	3.27	25 g OP 🔸	✓ Betadine
a) Maximum of 100 g per prescription			
b) Only on a prescription			
Antiseptic soln 10%0).19	15 ml	
(4	1.45)		Betadine
1	1.28	100 ml	
8)	3.25)		Betadine
6	3.20	500 ml	✓ Betadine
1	1.28	100 ml	
(4	1.20)		Riodine
6	3.20	500 ml	✓ Riodine
Skin preparation, povidone iodine 10% with 30% alcohol1	.63	100 ml	
(3	3.65)		Betadine Skin Prep
10	0.00	500 ml	✓ Betadine Skin Prep
Skin preparation, povidone iodine 10% with 70% alcohol1	.63	100 ml	
(6	6.04)		Orion
8	3.13	500 ml	
(18	3.63)		Orion

Parasiticidal Preparations

GAMMA BENZENE HEXACHLORIDE			
Crm 1%3	3.50	50 g OP	Benhex

IVERMECTIN

Tab 3 mg - Special Authority see SA1225 on the nex	rt page		
- Retail pharmacy	17.20	4	✓ Stromectol

a) Up to 100 tab available on a PSO

b)

- 1) PSO for institutional use only. Must be endorsed with the name of the institution for which the PSO is required and a valid Special Authority for patient of that institution.
- 2) Ivermectin available on BSO provided the BSO includes a valid Special Authority for a patient of the institution.
- For the purposes of subsidy of ivermectin, institution means age related residential care facilities, disability care facilities or penal institutions.

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

⇒SA1225 Special Authority for Subsidy

Initial application — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 The patient is in the community: and
 - 2.1.2 Any of the following:
 - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy: or
 - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
 - 2.2 All of the following:
 - 2.2.1 The Patient is a resident in an institution; and
 - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
 - 2.2.3 Any of the following:
 - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Initial application — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides; or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

Renewal — (Scables) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 The patient is in the community; and
 - 2.1.2 Any of the following:
 - 2.1.2.1 Patient has a severe scables hyperinfestation (Crusted/ Norwegian scables); or
 - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
 - 2.2 All of the following:
 - 2.2.1 The Patient is a resident in an institution; and
 - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
 - 2.2.3 Any of the following:
 - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

continued...

DERMATOLOGICALS

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

Renewal — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides: or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

MALATHION

Liq 0.5%		
PERMETHRIN		
Crm 5%4.20	30 g OP	Lyderm
Lotn 5%	30 ml OP	✓ A-Scabies

Psoriasis and Eczema Preparations

ACITRETIN - Special Authority see SA0954 below - Re	etail pharmacy		
Cap 10 mg	35.95	100	✓ Neotigason
	38.66	60	✓ Novatretin
Cap 25 mg	83.11	60	Novatretin
	85.40	100	✓ Neotigason

⇒SA0954 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice: and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Fither
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
 - 3.2 Patient is male.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
 - 3.2 Patient is male.

BETAMETHASONE DIPROPIONATE WITH CALCIPOTRIOL

Daivobet	30 g OP	26.12	Oint 500 μ g with calcipotriol 50 μ g
Daivobet	30 g OP	26.12	Topical gel 500 μ g with calcipotriol 50 μ g

DERMATOLOGICALS

	Subsidy		Fully Brand or
	(Manufacturer's	Price) Sub	osidised Generic
	\$	Per	✓ Manufacturer
CALCIPOTRIOL			<u> </u>
Crm 50 μ g per g	16.00	30 g OP	✓ Daivonex
,	45.00	100 g OP	✓ Daivonex
Oint 50 μ g per g	20.20	30 g OP	✓ Daivonex
	45.00	100 g OP	✓ Daivonex
Soln 50 μ g per ml	16.00	30 ml OP	✓ Daivonex
	33.79	60 ml OP	✓ Daivonex
COAL TAR			
Soln BP - Only in combination	12.95	200 ml	✓ <u>Midwest</u>
Up to 10 % Only in combination with a dermatological batter without other dermatological galenicals.	ase or proprietar	ry Topical Corti	costeriod – Plain, refer, page 182
COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULF	PHUR		
Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and	d		
allantoin crm 2.5%		30 g OP	
	(4.35)		Egopsoryl TA
	6.59	75 g OP	
	(8.00)		Egopsoryl TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR			
Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	✔ Coco-Scalp
SALICYLIC ACID			
Powder – Only in combination	18.88	250 g	✓ PSM
 Only in combination with a dermatological base or p page 182 With or without other dermatological galenicals. Maximum 20 g or 20 ml per prescription when pres 			
SULPHUR			
Precipitated - Only in combination	6.35	100 g	✓ Midwest
1) Only in combination with a dermatological base or	proprietary Topic	al Corticostero	id – Plain, refer, page 182
With or without other dermatological galenicals.			
TAR WITH TRIETHANOLAMINE LAURYL SULPHATE AND FLU	ORESCEIN - C	on a prescr	ription
* Soln 2.3% with triethanolamine lauryl sulphate and fluores-	-		
cein sodium		500 ml	✓ Pinetarsol
	5.82	1,000 ml	✓ Pinetarsol
Scalp Preparations			
BETAMETHASONE VALERATE			
* Scalp app 0.1%	7.22	100 ml OP	✓ Beta Scalp
CLOBETASOL PROPIONATE			•
* Scalp app 0.05%	6.36	30 ml OP	✓ Dermol
		00 1111 01	- Dominor
HYDROCORTISONE BUTYRATE	0.05	100 00	المحمدة
Scalp lotn 0.1%	3.65	100 ml OP	✓ Locoid
KETOCONAZOLE			
Shampoo 2%	3.08	100 ml OP	✓ <u>Sebizole</u>
a) Maximum of 100 ml per prescription			
b) Only on a prescription			

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic S Per Manufacturer

100 g OP

Sunscreens

SUNSCREENS, PROPRIETARY - Subsidy by endorsement

Only if prescribed for a patient with severe photosensitivity secondary to a defined clinical condition and the prescription is endorsed accordingly.

Hamilton Sunscreen
0 ml OP

Marine Blue Lotion
SPF 30+

5.10 200 ml OP 3.19 125 ml OP

(6.94)

✓ Marine Blue Lotion SPF 30+

Aguasun 30+

Wart Preparations

For salicylic acid preparations refer to PSORIASIS AND ECZEMA PREPARATIONS, page 67

 ${\sf IMIQUIMOD\ - Special\ Authority\ see\ SA0923\ below- Retail\ pharmacy}$

⇒SA0923 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following:

- 1 The patient has external anogenital warts and podophyllotoxin has been tried and failed (or is contraindicated); or
- 2 The patient has external anogenital warts and podophyllotoxin is unable to be applied accurately to the site; or
- 3 The patient has confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate.

Notes: Superficial basal cell carcinoma

- Surgical excision remains first-line treatment for superficial basal cell carcinoma as it has a higher cure rate than imiquimod and allows histological assessment of tumour clearance.
- Imiquimod has not been evaluated for the treatment of superficial basal cell carcinoma within 1 cm of the hairline, eyes, nose, mouth or ears.
- Imiguimod is not indicated for recurrent, invasive, infiltrating, or nodular basal cell carcinoma.

External anogenital warts

• Imiquimod is only indicated for external genital and perianal warts (condyloma acuminata).

Renewal from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following:

- 1 Inadequate response to initial treatment for anogenital warts: or
- 2 New confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate; or
- 3 Inadequate response to initial treatment for superficial basal cell carcinoma.

Note: Every effort should be made to biopsy the lesion to confirm that it is a superficial basal cell carcinoma.

PODOPHYLLOTOXIN

- a) Maximum of 3.5 ml per prescription
- b) Only on a prescription

Other Skin Preparations

Antineoplastics

FLUOROURACIL SODIUM

DERMATOLOGICALS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Topical Analgesia

For aspirin & chloroform application refer, page 186

CAPSAICIN - Subsidy by endorsement

Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly.

Wound Management Products

MAGNESIUM SULPHATE

* Paste2.98 80 g

(4.90) PSM

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ **Contraceptives - Non-hormonal** Condoms CONDOMS 12 Gold Knight 144 ✓ Gold Knight ✓ MarguisTantiliza ✓ Shield 49 144 ✓ Marguis Selecta ✓ Marguis Sensolite ✓ Marguis Supalite 144 ✓ Marguis Protecta ✓ Shield Blue 12 144 ✓ Shield Blue Gold Knight 1.11 12 13.36 144 Gold Knight ✓ Marguis Black ✓ Marguis Titillata 53 mm (chocolate) - Up to 144 dev available on a PSO.......1.11 12 Gold Knight 144 Gold Knight 53 mm (strawberry) - Up to 144 dev available on a PSO1.11 12 Gold Knight 144 Gold Knight 53 mm extra strength - Up to 144 dev available on a PSO......1.11 Gold Knight 12 144 Gold Knight 12 (1.24)Lifestyles Flared 13.36 144 Lifestyles Flared ✓ Marguis Conforma 144 12 ✓ Gold Knight ✓ Gold Knight 144 ✓ Durex Extra Safe ✓ Durex Select **Flavours** ✓ Durex Confidence 12 13.36 144 ✓ Durex Confidence 144 ✓ Shield XL (Gold Knight 49 mm to be delisted 1 October 2012) **Contraceptive Devices** DIAPHRAGM - Up to 1 dev available on a PSO One of each size is permitted on a PSO. 65 mm42.90 ✔ Ortho All-flex Ortho All-flex 75 mm42.90 1 ✔ Ortho All-flex

Ortho All-flex

GENITO-URINARY SYSTEM

	Subsidy (Manufacturer's Price) \$	S Per	Fully ubsidised	Brand or Generic Manufacturer	
INTRA-UTERINE DEVICE a) Up to 40 dev available on a PSO b) Only on a PSO					
* IUD	39.50	1		ultiload Cu 375 ultiload Cu 375 SL	

Contraceptives - Hormonal

Combined Oral Contraceptives

▶SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 Patient is on a Social Welfare benefit: or
 - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit: or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

ETHINYLOESTRADIOL WITH DESOGESTREL

*	Tab 20 μ g with desogestrel 150 μ g	6.62	63	
	, ,	(16.50)		Mercilon 21
	a) Higher subsidy of \$13.80 per 63 tab with Specialb) Up to 63 tab available on a PSO	Authority see SA0500 ab	ove	
	7 1	2.22	0.4	
*	Tab 20 μg with desogestrel 150 μg and 7 inert tab	6.62	84	
		(16.50)		Mercilon 28
	a) Higher subsidy of \$13.80 per 84 tab with Specialb) Up to 84 tab available on a PSO	Authority see SA0500 ab	ove	
*	Tab 30 μ g with desogestrel 150 μ g	6.62	63	
		(16.50)		Marvelon 21
	a) Higher subsidy of \$13.80 per 63 tab with Special	Authority see SA0500 ab	ove	
	b) Up to 63 tab available on a PSO	,		
*	Tab 30 μ g with desogestrel 150 μ g and 7 inert tab	6.62	84	
	, , ,	(16.50)		Marvelon 28
	a) Higher subsidy of \$13.80 per 84 tab with Specialb) Up to 84 tab available on a PSO	Authority see SA0500 ab	ove	

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
ETHINYLOESTRADIOL WITH LEVONORGESTREL				
* Tab 50 μg with levonorgestrel 125 μg and 7 inert tab – Up to				
84 tab available on a PSO		84	✓ N	licrogynon 50 ED
* Tab 30 $\mu \mathrm{g}$ with levonorgestrel 150 $\mu \mathrm{g}$		63		
	(16.50)			licrogynon 30
a) Higher subsidy of \$15.00 per 63 tab with Special Author	ity see SA0500 on th	e pred	ceding page)
 b) Up to 63 tab available on a PSO * Tab 30 μg with levonorgestrel 150 μg and 7 inert tab – Up to 				
* Tab 30 μ g with levonorgestrel 150 μ g and 7 inert tab – Up to 84 tab available on a PSO	2.45	84	√ Δ	va 30 ED
04 tab available on a 1 00	(6.62)	04		evlen ED
	(6.62)		_	Ionofeme
	(14.49)			lordette 28
	(16.50)		N	licrogynon 30 ED
(Monofeme Tab 30 μ g with levonorgestrel 150 μ g and 7 inert tab ι (Nordette 28 Tab 30 μ g with levonorgestrel 150 μ g and 7 inert tab (Microgynon 30 ED Tab 30 μ g with levonorgestrel 150 μ g and 7 in ETHINYLOESTRADIOL WITH NORETHISTERONE	to be delisted 1 Sep	tembe	er 2012)	12)
* Tab 35 μg with norethisterone 1 mg – Up to 63 tab available on a PSO	6.62	63	✓ B	revinor 1/21
* Tab 35 μ g with norethisterone 1 mg and 7 inert tab – Up to				
84 tab available on a PSO	6.62	84	✓ B	revinor 1/28
st Tab 35 μ g with norethisterone 500 μ g – Up to 63 tab available				
on a PSO	6.62	63	✓ B	revinor 21
$\mbox{\ensuremath{\$}}$ Tab 35 $\mu \mbox{\ensuremath{g}}$ with norethisterone 500 $\mu \mbox{\ensuremath{g}}$ and 7 inert tab $-$ Up to				
84 tab available on a PSO	6.62	84	✓ N	lorimin
NORETHISTERONE WITH MESTRANOL				
st Tab 1 mg with mestranol 50 μ g and 7 inert tab	6.62	84		
	(13.80)			lorinyl-1/28
 a) Higher subsidy of \$13.80 per 84 tab with Special Author b) Up to 84 tab available on a PSO 	ity see SA0500 on th	e pred	ceding page)
Combined Oral Contraceptives - Other				
ETHINYLOESTRADIOL WITH LEVONORGESTREL				
* Tab 20 μ g with levonorgestrel 100 μ g and 7 inert tab – Up to				
84 tab available on a PSO	2.95	84	✓ A	va 20 ED
	6.62			
	(10 =0)			

Progestogen-only Contraceptives

▶SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

(16.50)

(16.50)

- 1 Either:
 - 1.1 Patient is on a Social Welfare benefit; or
 - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

continued...

Loette

Microgynon 20 ED

GENITO-URINARY SYSTEM

	Subsidy (Manufacturer's Price)	_	Fully Subsidised	Brand or Generic
	\$	Per		Manufacturer
continued				
Renewal from any medical practitioner. Approvals valid for 2 years Either:	s for applications mee	eting ti	ne following	criteria:
1 Patient is on a Social Welfare benefit; or				
2 Patient has an income no greater than the benefit.				bla bakaran Mandharan
Notes: The approval numbers of Special Authorities approved after Marvelon.	er 1 November 1999	are in	iterchangea	ble between Mercilon and
The additional subsidy will fund Mercilon and Marvelon up to the	manufacturer's price	for ea	ach of these	products as identified or
the Schedule at 1 November 1999.				
Special Authorities approved before 1 November 1999 remain valid are still either:	d until the expiry date	and o	can be rene	wed providing that womer
• on a Social Welfare benefit; or				
have an income no greater than the benefit.				
The approval numbers of Special Authorities approved before 1 N bined oral contraceptives and progestogen-only contraceptives gro				
LEVONORGESTREL	oups, except Locite a	ilia ivii	crogynon z	, ,
* Tab 30 µg	6.62	84		
	(16.50)			icrolut
 a) Higher subsidy of \$13.80 per 84 tab with Special Authori b) Up to 84 tab available on a PSO 	ty see SA0500 on the	e prec	eding page	
Subdermal implant (2 × 75 mg rods)	133.65	1	✓ Ja	idelle
MEDROXYPROGESTERONE ACETATE				
* Inj 150 mg per ml, 1 ml syringe - Up to 5 inj available on a PS	O7.15	1	✓ De	epo-Provera
NORETHISTERONE				
* Tab 350 μ g – Up to 84 tab available on a PSO	6.00	84	✓ No	oriday 28
Emergency Contraceptives				
LEVONORGESTREL				
* Tab 1.5 mg	12.50	1	✓ Po	ostinor-1
a) Up to 5 tab available on a PSO b) Maximum of 2 tab per prescription				
Antiandrogen Oral Contraceptives				
	an used so indicated	for oo	ntracenties	The period of cumply one
Prescribers may code prescriptions "contraceptive" (code "O") who prescription charge will be as per other contraceptives, as follows:	en used as indicated	IOI CO	пітасеріюн.	The period of supply and
• \$3.00 prescription charge (patient co-payment) will apply.				
 prescription may be written for up to six months supply. 		-1		
Prescriptions coded in any other way are subject to the non control of supply. ie. Prescriptions may be written for up to three months s		cnarg	jes, and the	non-contraceptive period
CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL	, арріј.			
st Tab 2 mg with ethinyloestradiol 35 μ g and 7 inert tabs	3.89	84	✓ G	inet 84
Gynaecological Anti-infectives				
ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC A	CID			
Jelly with glacial acetic acid 0.94%, hydroxyquinoline sul-	OID			
phate 0.025%, glycerol 5% and ricinoleic acid 0.75% with				
applicator	8 43 10	0 n 0	P	

applicator8.43

Aci-Jel

100 g OP

(24.00)

	Subsidy		Fully Brand or
	(Manufacturer's F	Price) Sub Per	sidised Generic Manufacturer
	Ψ	1 01	• Manuacturer
CLOTRIMAZOLE	4.00	05 00	4.01
* Vaginal crm 1% with applicators		35 g OP	Clomazol
* Vaginal crm 2% with applicators	2.50	20 g OP	✓ <u>Clomazol</u>
MICONAZOLE NITRATE	0.75	40 00	
* Vaginal crm 2% with applicator		40 g OP	Minung
	(3.70)		Micreme
NYSTATIN	4.74	75 - 00	. / Nillatot
Vaginal crm 100,000 u per 5 g with applicator(s)	4./1	75 g OP	✓ Nilstat
Myometrial and Vaginal Hormone Preparations			
ERGOMETRINE MALEATE			
Inj 500 μ g per ml, 1 ml – Up to 5 inj available on a PSO	31.00	5	✓ DBL Ergometrine
DESTRIOL			
★ Crm 1 mg per g with applicator	6.30	15 g OP	✓ Ovestin
k Pessaries 500 μg	6.53	15	✓ Ovestin
DXYTOCIN - Up to 5 inj available on a PSO			
Inj 5 iu per ml, 1 ml	5.94	5	✓ Syntocinon
Inj 10 iu per ml, 1 ml		5	Syntocinon
Inj 5 iu with ergometrine maleate 500 μ g per ml, 1 ml	11.13	5	✓ Syntometrine
Pregnancy Tests - hCG Urine			
REGNANCY TESTS - HCG URINE			
a) Up to 200 test available on a PSO			
b) Only on a PSO			
Cassette	22.80	40 test OP	✓ Innovacon hCG One Step Pregnancy Test

Urinary Agents

For urinary tract Infections refer to INFECTIONS, Antibacterials, page 98

5-Alpha Reductase Inhibitors

⇒SA0928 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 Either:
 - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
 - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Note: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride.

Alpha-1A Adrenoreceptor Blockers

TAMSULOSIN HYDROCHLORIDE - Special Authority see SA1032 on the next page - Retail pharmacy

GENITO-URINARY SYSTEM

Subsidy		Fully	Brand or
(Manufacturer's Price)	Su	bsidised	Generic
\$	Per	~	Manufacturer

⇒SA1032 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 The patient is intolerant of non-selective alpha blockers or these are contraindicated.

Other Urinary Agents

C	X(YBU	۱Y۲	ΛIΝ				
*	÷	Tab	5 r	ng	 	 	 	
		_		_				

500 ✓ Apo-Oxybutynin44.79 Oral liq 5 mg per 5 ml50.40 473 ml Apo-Oxybutynin

POTASSIUM CITRATE

Oral lig 3 mmol per ml - Special Authority see SA1083 below

200 ml OP ✓ Biomed

⇒SA1083 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

- 1 The patient has recurrent calcium oxalate urolithiasis; and
- 2 The patient has had more than two renal calculi in the two years prior to the application.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

SODIUM CITRO-TARTRATE

* Grans eff 4 g sachets	2.71	28	✓ Ural
SOLIFENACIN SUCCINATE - Special Authority see SA0998 belo	w – Retail pharn	nacy	
Tab 5 mg		30	✓ Vesicare
Tab 10 mg	56.50	30	Vesicare

⇒SA0998 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has overactive bladder and a documented intolerance of oxybutynin.

Detection of Substances in Urine

ORTHO-TOLIDINE

* Compound diagnostic sticks	7.50	50 test OP	
	(8.25)		Hemastix
TETRABROMOPHENOL			
* Blue diagnostic strips	7.02	100 test OP	
	(13.92)		Albustix

	Subsidy (Manufacturer's Pri	ce) Suh	Fully Brand or
	\$	Per	✓ Manufacturer
Anabolic Agents			
NANDROLONE DECANOATE - Retail pharmacy-Specialist Inj 50 mg per ml, 1 ml	21.16	1	✓ Deca-Durabolin Orgaject ©29
(Deca-Durabolin Orgaject \$29 Inj 50 mg per ml, 1 ml to be delist	ed 1 January 2013)	Orgaject 529
Corticosteroids and Related Agents for Systemi	ic Use		
BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHAS ** Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1 ml		5	Celestone Chronodose
DEXAMETHASONE * Tab 1 mg - Retail pharmacy-Specialist	5.87	100	✓ Douglas
Up to 30 tab available on a PSO			
* Tab 4 mg - Retail pharmacy-Specialist	8.16	100	✓ Douglas
Oral liq 1 mg per ml - Retail pharmacy-Specialist	45.00	25 ml OP	✓ Biomed
Oral liq prescriptions: 1) Must be written by a Paediatrician or Paediatric Car 2) On the recommendation of a Paediatrician or Paedi	•		
DEXAMETHASONE SODIUM PHOSPHATE	ad for avaluas		
Dexamethasone sodium phosphate injection will not be funde * Inj 4 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	✓ <u>Hospira</u>
* Inj 4 mg per ml, 2 ml – Up to 5 inj available on a PSO	31.00	5	✓ Hospira
FLUDROCORTISONE ACETATE * Tab 100 μg	14.32	100	✓ Florinef
HYDROCORTISONE		.00	• • • • • • • • • • • • • • • • • • • •
* Tab 5 mg		100	✓ Douglas
* Tab 20 mg - For hydrocortisone oral liquid formulation refer, page 183		100	✓ Douglas
Inj 50 mg per ml, 2 ml a) Up to 5 inj available on a PSO b) Only on a PSO		1	✓ <u>Solu-Cortef</u>
METHYLPREDNISOLONE - Retail pharmacy-Specialist			
* Tab 4 mg		100	✓ Medrol ✓ Medrol
* Tab 100 mg METHYLPREDNISOLONE ACETATE	100.52	20	₩ IVIEUTOT
Inj 40 mg per ml, 1 ml	6.70	1	✓ Depo-Medrol
METHYLPREDNISOLONE ACETATE WITH LIGNOCAINE			
Inj 40 mg per ml with lignocaine 1 ml	7.50	1	✓ Depo-Medrol with

Lidocaine

	Subsidy (Manufacturer's Pr \$	rice) Sul Per	Fully Brand or bsidised Generic Manufacturer
METHYLPREDNISOLONE SODIUM SUCCINATE – Retail phari	macy-Specialist		
Inj 40 mg per ml, 1 ml	7.50	1	✓ Solu-Medrol
	151.40	25	✓ Solu-Medrol
Inj 62.5 mg per ml, 2 ml	18.50	1	✓ Solu-Medrol
	412.59	25	✓ Solu-Medrol
Inj 500 mg	18.00	1	✓ Solu-Medrol
lnj 1 g	37.50	1	✓ Solu-Medrol
PREDNISOLONE SODIUM PHOSPHATE			
* Oral liq 5 mg per ml - Up to 30 ml available on a PSO	9.95	30 ml OP	✓ Redipred
Restricted to children under 12 years of age.			·
PREDNISONE			
* Tab 1 mg	10.68	500	✓ Apo-Prednisone
* Tab 2.5 mg		500	✓ Apo-Prednisone
* Tab 5 mg - Up to 30 tab available on a PSO		500	✓ Apo-Prednisone
* Tab 20 mg		500	✓ Apo-Prednisone
TETRACOSACTRIN			•
* Inj 250 μg	177 19	10	✓ Synacthen
* Inj 1 mg per ml, 1 ml		10	Synacthen Depot
, 01	29.50	ı	Synactrien Depot
TRIAMCINOLONE ACETONIDE	04.00	-	. d Kamanant A
Inj 10 mg per ml, 1 ml		5	Kenacort-A
Inj 40 mg per ml, 1 ml	53.79	5	✓ Kenacort-A40
Sex Hormones Non Contraceptive			
Androgen Agonists and Antagonists			
CYPROTERONE ACETATE - Retail pharmacy-Specialist			
Tab 50 mg	18.80	50	✓ Siterone
Tab 100 mg	34.25	50	✓ Siterone
TESTOSTERONE			
Transdermal patch, 2.5 mg per day	80.00	60	✓ Androderm
	00.00	00	Androderm
TESTOSTERONE CYPIONATE – Retail pharmacy-Specialist			45
Inj long-acting 100 mg per ml, 10 ml	76.50	1	✓ Depo-Testosterone
FESTOSTERONE ESTERS - Retail pharmacy-Specialist			
Inj 250 mg per ml, 1 ml	12.98	1	Sustanon Ampoules
TESTOSTERONE UNDECANOATE - Retail pharmacy-Specialis	st.		
Cap 40 mg		60	✓ Andriol Testocaps
	79.92	100	✓ Arrow-Testosterone

Hormone Replacement Therapy - Systemic

▶SA1018 Special Authority for Alternate Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 years for applications meeting the following criteria: Any of the following:

- 1 acute or significant liver disease where oral oestrogens are contraindicated as determined by a gastroenterologist or general physician. The applicant must keep written confirmation from such a specialist with the patient's record; or
- 2 oestrogen induced hypertension requiring antihypertensive therapy documented evidence must be kept on file that raised blood pressure levels or inability to control blood pressure adequately occurred post oral oestrogens; or

Subsidy (Manufacturer's Pri \$	Fully ice) Subsidised	
--------------------------------------	-----------------------	--

continued...

- 3 hypertriglyceridaemia documented evidence must be kept on file that triglyceride levels increased to at least 2 × normal triglyceride levels post oral oestrogens; or
- 4 Somatropin co-therapy patient is being prescribed somatropin with subsidy provided under a valid approval issued under Special Authority.

Note: Prescriptions with a valid Special Authority (CHEM) number will be reimbursed at the level of the lowest priced TDDS product within the specified dose group.

Renewal from any relevant practitioner. Approvals valid for 5 years where the treatment remains appropriate and the patient is benefiting from treatment, or the patient remains on subsidised somatropin co-therapy.

Prescribing Guideline

OESTRADIOL - See prescribing guideline above

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004"

Oestrogens

OL	STRADIOL - See prescribing guideline above			
*	Tab 1 mg	4.12	28 OP	
		(10.55)		Estrofem
*	Tab 2 mg	4.12 [′]	28 OP	
	9	(10.55)		Estrofem
*	TDDS 25 μ g per day	, ,	8	200.0
•••	1220 20 μg por ααγ	(10.86)	Ü	Estradot
	a) Higher subsidy of \$10.86 per 8 patch with Special Auth	' '	on the proce	
	b) No more than 2 patch per week	only see SATOTO	on the prece	cuilly page
	,			
.1.	c) Only on a prescription	4.40	4	
*	TDDS 3.9 mg (releases 50 μ g of oestradiol per day)		4	0" 50
		(13.18)		Climara 50
		(32.50)		Femtran 50
	a) Higher subsidy of \$13.18 per 4 patch with Special Auth	ority see SA1018	on the prece	eding page
	b) No more than 1 patch per week			
	c) Only on a prescription			
*	TDDS 50 μ g per day	4.12	8	
		(13.18)		Estradot 50 μ g
	a) Higher subsidy of \$13.18 per 8 patch with Special Auth	ority see SA1018	on the prece	eding page
	b) No more than 2 patch per week			
	c) Only on a prescription			
*	TDDS 7.8 mg (releases 100 μ g of oestradiol per day)	7.05	4	
		(16.14)		Climara 100
		(35.00)		Femtran 100
	a) Higher subsidy of \$16.14 per 4 patch with Special Auth		on the prece	
	b) No more than 1 patch per week	o, 000 0/11010	o ao p. ooc	ranig page
	c) Only on a prescription			
*	TDDS 100 µg per day	7.05	8	
~	1000 100 μg per day	(16.14)	O	Estradot
	a) Higher subsidy of \$16.14 per 8 patch with Special Auth	' '	on the proce	
	, ,	only see SATOTO	on the prece	eding page
	b) No more than 2 patch per week			
	c) Only on a prescription			
OE	STRADIOL VALERATE – See prescribing guideline above			
*	Tab 1 mg	8.24	56	Progynova
*	Tab 2 mg	8.24	56	Progynova

		Subsidy (Manufacturer's Pric \$	e) Per	Fully Brand or Subsidised Generic Manufacturer
)ES	STROGENS – See prescribing guideline on the preceding page Conjugated, equine tab 300 $\mu {\rm g}$	3.01 (11.48)	28	Premarin
+	Conjugated, equine tab 625 μg	4.12 (11.48)	28	Premarin
Pr	rogestogens			
//EI k k	DROXYPROGESTERONE ACETATE - See prescribing guide Tab 2.5 mg Tab 5 mg Tab 10 mg	3.09 13.06	ng page 30 100 30	✓ Provera✓ Provera✓ Provera
Pr	rogestogen and Oestrogen Combined Preparat	ions		
)E(STRADIOL WITH NORETHISTERONE – See prescribing guid Tab 1 mg with 0.5 mg norethisterone acetate		ding pag 28 OP	ge Kliovance
6	Tab 2 mg with 1 mg norethisterone acetate	` ,	28 OP	Kliogest
÷	Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg oestradiol tab (12) and 1 mg oestradiol tab (6)	, ,	28 OP	Trisequens
	STROGENS WITH MEDROXYPROGESTERONE - See prese	cribing guideline or	n the pre	ceding page
÷	Tab 625 μg conjugated equine with 2.5 mg medroxyprogesterone acetate tab (28)	5.40 (22.96)	28 OP	Premia 2.5 Continuous
÷	Tab 625 $\mu \rm g$ conjugated equine with 5 mg medroxyprogesterone acetate tab (28)	5.40 (22.96)	28 OP	Premia 5 Continuous
01	ther Oestrogen Preparations			
	HINYLOESTRADIOL Tab 10 μg	17.60	100	✓ NZ Medical and Scientific
ES	STRIOL Tab 2 mg	7.00	30	✓ Ovestin
Di	ther Progestogen Preparations			
	/ONORGESTREL Levonorgestrel - releasing intrauterine system 20 μg/24 hr – Special Authority see SA0782 on the next page – Retail			
	pharmacy	269.50	1	✓ Mirena

Subsidy		Fully	Brand or
,		,	
(Manufacturer's Price)		Subsidised	Generic
\$	Per	V	Manufacturer

⇒SA0782 Special Authority for Subsidy

Initial application — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- 3 Either:
 - 3.1 serum ferritin level < 16 μ g/l (within the last 12 months); or
 - 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Initial application — (Previous use before 1 October 2002) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient had a clinical diagnosis of heavy menstrual bleeding; and
- 2 Patient demonstrated clinical improvement of heavy menstrual bleeding; and
- 3 Applicant to state date of the previous insertion.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
 - 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

MEDROXYPROGESTERONE ACETATE		
* Tab 100 mg - Retail pharmacy-Specialist	100	✓ Provera
* Tab 200 mg - Retail pharmacy-Specialist	30	✓ Provera
NORETHISTERONE		
* Tab 5 mg – Up to 30 tab available on a PSO	100	✓ Primolut N
Thyroid and Antithyroid Agents		
CARBIMAZOLE		
* Tab 5 mg10.80	100	✓ Neo-Mercazole
LEVOTHYROXINE		
* Tab 25 μ g	90	✓ Synthroid
43.24	1,000	✓ Synthroid
‡ Safety cap for extemporaneously compounded oral liquid preparations.		•
* Tab 50 μ g	28	✓ Goldshield
4.05	90	✓ Synthroid
45.00	1,000	✓ Synthroid
64.28		✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
* Tab 100 μ g	28	✓ Goldshield
4.21	90	✓ Synthroid
66.78	1,000	✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
PROPYLTHIOURACIL - Special Authority see SA1199 on the next page - Retail		
Tab 50 mg	100	✓ PTU S29

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

⇒SA1199 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The patient has hyperthyroidism; and
- 2 The patient is intolerant of carbimazole or carbimazole is contraindicated.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

Trophic Hormones

Growth Hormones

⇒SA0755 Special Authority for Subsidy

Special Authority approved by the Growth Hormone Committee

Notes: Subject to budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

NZGHC Coordinator

PHARMAC, PO Box 10-254, WELLINGTON

Tel: 0800 808 476, Fax: (09) 929 3221, Email: growthhormone@pharmac.govt.nz

SO	MATROPIN - Special Author	ority see SA0755 above		
*	Inj cartridge 16 iu (5.3 mg)	160.00	1	✓ Genotropin
*	Inj cartridge 36 iu (12 mg)	360.00	1	✓ Genotropin

GnRH Analogues

GOSERELIN ACETATE			
Inj 3.6 mg	166.20	1	✓ Zoladex
Inj 10.8 mg	443.76	1	✓ Zoladex
LEUPRORELIN			
Inj 3.75 mg	221.60	1	Lucrin Depot
Inj 3.75 mg prefilled syringe	221.60	1	Lucrin Depot PDS
Inj 7.5 mg	166.20	1	✓ Eligard
Inj 11.25 mg	591.68	1	✓ Lucrin Depot
Inj 11.25 mg prefilled syringe	591.68	1	✓ Lucrin Depot PDS
Inj 22.5 mg		1	✓ Eligard
Inj 30 mg	591.68	1	✓ Eligard
Inj 30 mg prefilled syringe	1,109.40	1	✓ Lucrin Depot PDS
Inj 45 mg		1	✓ Eligard

Vasopressin Agonists

DESMOPRESSIN

Nasal drops 100 μ g per ml $$ Retail pharmacy-Specialist Nasal spray 10 μ g per dose $$ Retail pharmacy-Specialist		2.5 ml OP 6 ml OP	✓ Minirin ✓ <u>Desmopressin-</u>
Inj 4 μ g per ml, 1 ml - Special Authority see SA0090 below			PH&T
 Betail pharmacy 	67 18	10	✓ Minirin

⇒SA0090 | Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Other Endocrine Agents				
CABERGOLINE				
Tab 0.5 mg - Maximum of 2 tab per prescription; can be)			
waived by Special Authority see SA1031 below	6.25	2	✓ D	ostinex
	25.00	8	✓ D	ostinex
	16.50	2	✓ A	rrow-Cabergoline
	66.00	8	✓ A	rrow-Cabergoline

⇒SA1031 Special Authority for Waiver of Rule

Initial application only from an obstetrician, endocrinologist or gynaecologist. Approvals valid without further renewal unless notified where the patient has pathological hyperprolactinemia.

Renewal only from an obstetrician, endocrinologist or gynaecologist. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment.

CLOMIPHENE CITRATE Tab 50 mg29.84	10	✓ Serophene
DANAZOL – Retail pharmacy-Specialist 68.33 Cap 100 mg 68.33 Cap 200 mg 97.83	100 100	✓ Azol ✓ Azol
GESTRINONE – Retail pharmacy-Specialist Cap 2.5 mg	8 OP	✓ Dimetriose
METYRAPONE Cap 250 mg - Retail pharmacy-Specialist238.00	50	✓ Metopirone

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

Anthelmintics

(7.17) Vermox

Antibacterials

- a) For anti-infective eye preparations, refer to SENSORY ORGANS, page 177
- b) For topical antibacterials, refer to DERMATOLOGICALS, page 60

Cephalosporins and Cephamycins

CEFACLOR MONOHYDRATE			
Cap 250 mg	24.57	100	✓ Cefaclor Sandoz
Out of the cont is 405 and on 5 and	0.50	4001	Ranbaxy-Cefactor
Grans for oral liq 125 mg per 5 ml	3.53	100 ml	✓ Ranbaxy-Cefaclor
(Cefaclor Sandoz Cap 250 mg to be delisted 1 October 2012)			
CEFAZOLIN SODIUM – Subsidy by endorsement			
Only if prescribed for dialysis or cystic fibrosis patient and the p			
Inj 500 mg		5	✓ AFT
Inj 1 g		5	✓ <u>AFT</u>
CEFOXITIN SODIUM - Retail pharmacy-Specialist - Subsidy by e			
Only if prescribed for dialysis or cystic fibrosis patient and the p			0,
Inj 1 g	55.00	5	✓ Mayne
CEFTRIAXONE SODIUM – Subsidy by endorsement			
a) Up to 5 inj available on a PSO			
b) Subsidised only if prescribed for a dialysis or cystic fibrosi			
gonorrhoea, or the treatment of suspected meningitis in patient	ts who have a k	nown allergy	to penicillin, and the prescription or
PSO is endorsed accordingly.	0.70		411
Inj 500 mg		1	Veracol
lnj 1 g	10.49	5	✓ <u>Aspen Ceftriaxone</u>
CEFUROXIME AXETIL – Subsidy by endorsement			
Only if prescribed for prophylaxis of endocarditis and the presc			
Tab 250 mg	29.40	50	✓ Zinnat
CEFUROXIME SODIUM			
Inj 250 mg - Maximum of 3 inj per prescription; can be waived			
by endorsement	20.97	10	✓ Mayne
Waiver by endorsement must state that the prescription is for	or dialysis or cys	stic fibrosis pa	atient.
Inj 750 mg – Maximum of 1 inj per prescription; can be waived			
by endorsement		5	✓ m-Cefuroxime
Waiver by endorsement must state that the prescription is fo	or dialysis or cys	stic fibrosis pa	atient.
Inj 1.5 g – Retail pharmacy-Specialist – Subsidy by endorse-	0.05	4	. A Muleu
ment	2.65	1	Mylan

Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.

4.04

✓ Zinacef

	NFECTIONS -	AGENTS	FOR SY	STEMIC USE
	Subsidy (Manufacturer's Pri \$	ce) Sul Per	osidised (Brand or Generic Manufacturer
CEPHALEXIN MONOHYDRATE			4.5	
Cap 500 mg Grans for oral liq 125 mg per 5 ml Grans for oral liq 250 mg per 5 ml	8.50	20 100 ml 100 ml	✓ Cefa	halexin ABM alexin Sandoz alexin Sandoz
Macrolides				
AZITHROMYCIN				
Tab 500 mg - Subsidy by endorsement; can be waived by Special Authority see SA1130 below		2 OP	✓ Arro	ow-Azithromycin
a) Up to 8 tab available on a PSO b) Maximum of 2 tab per prescription; can be waived by S c) Subsidised only if prescribed for patients with uncomposition of the patients and their sexual contacts and prescribed for patients. Attack and CAMAGO.	plicated urethritis	or cervicitis	proven or	
Authority see SA1130. Grans for oral liq 200 mg per 5 ml – Subsidy by endorsement 1) Maximum of 5 days per prescription; and 2) The patient is less than one year old; and 3) Either	t13.20	15 ml	✓ Zith	romax
i) Patient has pertussis and this has been notif ii) Patient has had direct contact with a notified 4) The prescription is endorsed accordingly (note treat	case of pertussis	and requires	prophylax	
▶SA1130 Special Authority for Waiver of Rule Initial application — (Cystic Fibrosis) only from a respiratory sunless notified for applications meeting the following criteria:				
All of the following: 1 The applicant is part of multidisciplinary team experienced 2 The patient has been definitively diagnosed with cystic fibr		nt of cystic fi	brosis; and	I
3 The patient has chronic infection with Pseudomonas ael defined by two positive respiratory tract cultures at least th	ruginosa or Pseud ree months apart*		ated gram	negative organisms as
4 The patient has negative cultures for non-tuberculous myc Notes: Caution is advised if using azithromycin as an antibiotic in Testing for non-tuberculosis mycobacteria should occur annually.		ystic fibrosis	patients w	ith pneumonia.
Initial application — (bronchiolitis obliterans syndrome) or	nly from a relevant	enacialist	Annrovale	valid for 12 months for

Initial application — (bronchiolitis obliterans syndrome) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has received a lung transplant; and
- 2 Azithromycin is to be used for prophylaxis of bronchiolitis obliterans syndrome*; and
- 3 The applicant is experienced in managing patients who have received a lung transplant.

Renewal — (bronchiolitis obliterans syndrome) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient remains well and free from bronchiolits obliterans syndrome*; and
- 2 The applicant is experienced in managing patients who have received a lung transplant.

Note: Indications marked with * are Unapproved Indications

CLARITHROMYCIN - Maximum of 500 mg per prescription; can l	be waived by Speci	ial Authority	see SA1131 on the next page
Tab 250 mg	4.19	14	✓ Apo-Clarithromycin
Grans for oral lig 125 mg per 5 ml		70 ml	✓ Klacid

Subsidy		Fully	Brand or
(Manufacturer's Price)	S	ubsidised	Generic
\$	Per	~	Manufacturer

⇒SA1131 Special Authority for Waiver of Rule

Initial application — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Atypical mycobacterial infection; or
- 2 Mycobacterium tuberculosis infection where there is drug-resistance or intolerance to standard pharmaceutical agents.

Renewal — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

ERYTHROMYCIN ETHYL SUCCINATE	200110 10 00110	nang nom aoa	
Tab 400 mg - Up to 30 tab available on a PSO	16 95	100	✓ E-Mycin
Grans for oral lig 200 mg per 5 ml - Up to 200 ml available	10.33	100	L-WIYCHI
on a PSO	4.35	100 ml	✓ E-Mycin
Grans for oral liq 400 mg per 5 ml – Up to 200 ml available		100 1111	2 Linyoni
on a PSO	5.85	100 ml	✓ E-Mycin
ERYTHROMYCIN LACTOBIONATE			·, ·
Inj 1 g	10.03	1	✓ Erythrocin IV
	10.30	'	Liyanochiiv
ERYTHROMYCIN STEARATE	44.05	100	
Tab 250 mg – Up to 30 tab available on a PSO		100	EDA.
Tab 500 mg	(22.29)	100	ERA
Tab 500 mg	(44.58)	100	ERA
	(44.36)		ENA
ROXITHROMYCIN			4.5
Tab 150 mg	7.48	50	Arrow- Roxithromycin
Tab 300 mg	14.40	50	✓ Arrow-
000g			Roxithromycin
Penicillins			
AMOXYCILLIN			4 - 4 - 4
Cap 250 mg – Up to 30 cap available on a PSO		500	✓ <u>Alphamox</u>
Cap 500 mg	26.50	500	✓ <u>Alphamox</u>
Grans for oral liq 125 mg per 5 ml - Up to 200 ml available	4.55	400	
on a PSO	1.55	100 ml	✓ Ospamox
Grans for oral liq 250 mg per 5 ml - Up to 200 ml available	1 10	100 ml	44 Oanamay
on a PSO Drops 125 mg per 1.25 ml		30 ml OP	✓ Ospamox✓ Ospamox Paediatric
טוסף וצס ווון אפו וובט וווו	4.00	30 IIII OP	Drops
Inj 250 mg	12.96	10	✓ <u>Ibiamox</u>

Inj 1 g - Up to 5 inj available on a PSO......21.94

10

✓ Ibiamox

✓ Ibiamox

	Subsidy (Manufacturer's Pri	00)	Fully bsidised	Brand or Generic
	(Manufacturer's Pri \$	Per	ibsidised ✓	Manufacturer
MOXYCILLIN CLAVULANATE				
Tab amoxycillin 500 mg with potassium clavulanate 125 mg				
Up to 30 tab available on a PSO	12 55	100	√ C	uram Duo
Op to so tab available on a 1 so	26.00	100		ynermox
Grans for oral liq amoxycillin 125 mg with potassium clavu-	20.00		• •	ymormox
lanate 31.25 mg per 5 ml – Up to 200 ml available on a				
PSO	2 20	100 ml	√ C	uram
Grans for oral liq amoxycillin 250 mg with potassium clavu-				
lanate 62.5 mg per 5 ml – Up to 200 ml available on a				
PSO	3.85	100 ml	√ C	uram
Synermox Tab amoxycillin 500 mg with potassium clavulanate 12:	5 mg to be deliste	ed 1 Decem	ber 2012)	
SENZATHINE BENZYLPENICILLIN	0		/	
Inj 1.2 mega u per 2.3 ml – Up to 5 inj available on a PSO	315.00	10	√ R	icillin LA
	013.00	10	→ D	IVIIIII LA
BENZYLPENICILLIN SODIUM (PENICILLIN G)	44.50	40		
Inj 600 mg – Up to 5 inj available on a PSO	11.50	10	✓ S	andoz
LUCLOXACILLIN SODIUM				
Cap 250 mg - Up to 30 cap available on a PSO	22.00	250	✓ S	taphlex
	32.00		✓ A	FT
Cap 500 mg		500		taphlex
	110.00		✓ A	FT
Grans for oral liq 125 mg per 5 ml - Up to 200 ml available				
on a PSO	2.49	100 ml	✓ A	FT
Grans for oral liq 250 mg per 5 ml - Up to 200 ml available				
on a PSO		100 ml	✓ A	
Inj 250 mg		10	_	<u>ucloxin</u>
Inj 500 mg		10		ucloxin
Inj 1 g - Up to 5 inj available on a PSO	14.28	10	✓ <u>F</u>	<u>ucloxin</u>
PHENOXYMETHYLPENICILLIN (PENICILLIN V)				
Cap potassium salt 250 mg - Up to 30 cap available on a PS	O9.71	50	✓ <u>C</u>	ilicaine VK
Cap potassium salt 500 mg	11.70	50	✓ <u>C</u>	ilicaine VK
Grans for oral liq 125 mg per 5 ml - Up to 200 ml available				
on a PSO	1.68	100 ml	✓ <u>A</u>	<u>FT</u>
Grans for oral liq 250 mg per 5 ml - Up to 200 ml available				
on a PSO	1.78	100 ml	✓ <u>A</u>	<u>FT</u>
PROCAINE PENICILLIN				
Inj 1.5 mega u - Up to 5 inj available on a PSO	123.50	5	√ C	ilicaine
, , ,				
Tetracyclines				
OXYCYCLINE HYDROCHLORIDE				
₹ Tab 50 mg – Up to 30 tab available on a PSO	2.90	30		
	(6.00)		D	oxy-50
★ Tab 100 mg – Up to 30 tab available on a PSO	7.95 [°]	250	✓ <u>D</u>	<u>oxine</u>
INOCYCLINE HYDROCHLORIDE			_	
* Tab 50 mg	5 79	60		
	(12.05)		М	ino-tabs
€ Cap 100 mg		100		ino tabo

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's Price) \$	Per	Full Subsidise	
Other Antibiotics				
For topical antibiotics, refer to DERMATOLOGICALS, page 60				
CIPROFLOXACIN				
Tab 250 mg - Up to 5 tab available on a PSO	2.20	28	~	Cipflox
Tab 500 mg - Up to 5 tab available on a PSO		28		Cipflox
Tab 750 mg - Retail pharmacy-Specialist	5.15	28		<u>Cipflox</u>
CLINDAMYCIN				
Cap hydrochloride 150 mg - Maximum of 4 cap per prescrip-				
tion; can be waived by endorsement - Retail pharmacy -		10		Olim damusin ADM
Specialist		16	•	Clindamycin ABM
Specialist		10	~	Dalacin C
•	100.00	10	•	Dalacili
CO-TRIMOXAZOLE * Tab trimethoprim 80 mg and sulphamethoxazole 400 mg -				
Up to 30 tab available on a PSO		500	~	Trisul
* Oral lig trimethoprim 40 mg and sulphamethoxazole 200 mg		000	•	111041
per 5 ml - Up to 200 ml available on a PSO		100 ml	~	Deprim
COLISTIN SULPHOMETHATE - Retail pharmacy-Specialist - Si	ubsidv bv endorseme	nt		
Only if prescribed for dialysis or cystic fibrosis patient and the	, ,		ccordingly	<i>l</i> .
Inj 150 mg	65.00	1	V	Colistin-Link
FUSIDIC ACID				
Tab 250 mg - Retail pharmacy-Specialist	34.50	12	~	Fucidin
Inj 500 mg sodium fusidate per 10 ml - Retail pharmacy-				
Specialist – Subsidy by endorsement		1		E
Only if prescribed for a dialysis or cystic fibrosis patient an	(17.80)	andore	ed accord	Fucidin
GENTAMICIN SULPHATE	u trie prescription is	enuors	eu accord	anigry.
Inj 10 mg per ml, 1 ml – Subsidy by endorsement	8 56	5	V	Mavne
Only if prescribed for a dialysis or cystic fibrosis patient or				
accordingly.				
Inj 40 mg per ml, 2 ml – Subsidy by endorsement		10		Pfizer
Only if prescribed for a dialysis or cystic fibrosis patient of	r for prophylaxis of e	ndocai	rditis and	the prescription is endorsed
accordingly.				
LINCOMYCIN – Retail pharmacy-Specialist	00.00	5		Lincocin
Inj 300 mg per ml, 2 ml		Э	•	LINCOCIN
MOXIFLOXACIN - Special Authority see SA1065 below - Retail	pharmacy			
No patient co-payment payable Tab 400 mg	52.00	5	~	Avelox
⇒SA1065 Special Authority for Subsidy		J	•	ATOIOA
Initial application only from a respiratory specialist or infectiou	s disease specialist	Annr	ovals vali	d for 1 year for applications
meeting the following criteria:	c alcodor operiunot.	, ,,	J.aio Tali	a .c your for approunding
Either:				
1 Both:				
1.1 Active tuberculosis*; and				

1.2 Any of the following:

1.2.1 Documented resistance to one or more first-line medications; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ continued... 1.2.2 Suspected resistance to one or more first-line medications (tuberculosis assumed to be contracted in an area with known resistance), as part of regimen containing other second-line agents; or 1.2.3 Impaired visual acuity (considered to preclude ethambutol use); or 1.2.4 Significant pre-existing liver disease or hepatotoxicity from tuberculosis medications; or 1.2.5 Significant documented intolerance and/or side effects following a reasonable trial of first-line medications: or 2 Mycobacterium avium-intracellulare complex not responding to other therapy or where such therapy is contraindicated.*. Note: Indications marked with * are Unapproved Indications (refer to Section A: General Rules, Part I (Interpretations and Definitions) and Part IV (Miscellaneous Provisions) rule 4.6). Renewal only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment. **TOBRAMYCIN** Inj 40 mg per ml, 2 ml – Subsidy by endorsement29.32 ✓ DBL Tobramycin Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly. **TRIMETHOPRIM** ✓ TMP VANCOMYCIN HYDROCHLORIDE - Subsidy by endorsement Only if prescribed for a dialysis or cystic fibrosis patient or in the treatment of pseudomembranous colitis or for prophylaxis of endocarditis and the prescription is endorsed accordingly. ✓ Mylan **Antifungals** a) For topical antifungals refer to DERMATOLOGICALS, page 60 b) For topical antifungals refer to GENITO URINARY, page 74 **FLUCONAZOLE** Cap 50 mg - Retail pharmacy-Specialist4.77 Ozole ✓ Ozole a) Maximum of 1 cap per prescription; can be waived by endorsement - Retail pharmacy - Specialist b) Patient has vaginal candida albicans and the practitioner considers that a topical imidazole (used intra-vaginally) is not recommended and the prescription is endorsed accordingly; can be waived by endorsement - Retail pharmacy - Specialist. Cap 200 mg - Retail pharmacy-Specialist13.34 ✓ Ozole Powder for oral suspension 10 mg per ml - Special Authority see SA1148 below - Retail pharmacy34.56 35 ml ✓ Diflucan ■ SA1148 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria: Both: 1 Patient requires prophlaxis for, or treatment of systemic candidiasis; and 2 Patient is unable to swallow capsules. Renewal from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria: Both: 1 Patient requires prophlaxis for, or treatment of systemic candidiasis; and 2 Patient is unable to swallow capsules. ITRACONAZOLE - Retail pharmacy-Specialist Cap 100 mg4.25 Itrazole KFTOCONAZOI F Nizoral 50 Nilstat Cap 500,000 u12.81 Nilstat

[±] safety cap

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	0.1.11		
	Subsidy (Manufacturer's Pric	e)	Fully Brand or Subsidised Generic
	\$	Per	✓ Manufacturer
TERBINAFINE			
* Tab 250 mg - For terbinafine oral liquid formulation refer,			
page 183	1 78	14	✓ Dr Reddy's
page 100		17	Terbinafine
Antimalarials			
Anumaidhais			
HYDROXYCHLOROQUINE SULPHATE			
* Tab 200 mg	22.50	100	✓ Plaquenil
Antitrichomonal Agents			
Antitrictionional Agents			
METRONIDAZOLE			
Tab 200 mg - Up to 30 tab available on a PSO	10.45	100	✓ Trichozole
Tab 400 mg	18.15	100	✓ Trichozole
Oral liq benzoate 200 mg per 5 ml		100 ml	
Suppos 500 mg	24.48	10	✓ Flagyl
ORNIDAZOLE			
Tab 500 mg	16.50	10	Arrow-Ornidazole
Antituberculotics and Antileprotics			
Note: There is no co-payment charge for all pharmaceuticals list	ted in the Antituber	culotics	and Antileprotics group regardless o
immigration status.			
DAPSONE – No patient co-payment payable			
Tab 25 mg		100	Dapsone
Tab 100 mg	110.00	100	✓ Dapsone
ETHAMBUTOL HYDROCHLORIDE - No patient co-payment pay	/able		
Tab 100 mg		56	✓ Myambutol
Tab 400 mg	49.34	56	✓ Myambutol
ISONIAZID - Retail pharmacy-Specialist			
No patient co-payment payable			
* Tab 100 mg		100	✓ PSM
* Tab 100 mg with rifampicin 150 mg		100	Rifinah
* Tab 150 mg with rifampicin 300 mg	179.57	100	✓ Rifinah
PYRAZINAMIDE - Retail pharmacy-Specialist			
No patient co-payment payable			
* Tab 500 mg - For pyrazinamide oral liquid formulation refer,			4
page 183	59.00	100	✓ AFT-Pyrazinamide
RIFABUTIN - Retail pharmacy-Specialist			
No patient co-payment payable			
* Cap 150 mg - For rifabutin oral liquid formulation refer, page			4
183	213.19	30	✓ Mycobutin
RIFAMPICIN - Retail pharmacy-Specialist			
No patient co-payment payable			
* Tab 600 mg		30	Rifadin
* Cap 150 mg		100	✓ Rifadin
* Cap 300 mg		100	✓ Rifadin
* Oral liq 100 mg per 5 ml	12.00	60 ml	✓ Rifadin

Subsidy Fully (Manufacturer's Price) Subsidised Per \$

Brand or

Generic Manufacturer

Antivirals

For eve preparations refer to Eve Preparations, Anti-Infective Preparations, page 177

Hepatitis B Treatment

ADEFOVIR DIPIVOXIL - Special Authority see SA0829 below - Retail pharmacy

✓ Hepsera

⇒SA0829 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT (> 1 × ULN); and
- 3 Patient has HBV DNA greater than 100.000 copies per mL, or viral load > 10 fold over nadir: and
- 4 Detection of M204I or M204V mutation: and
- 5 Fither:
 - 5.1 Both:
 - 5.1.1 Patient is cirrhotic; and
 - 5.1.2 adefovir dipivoxil to be used in combination with lamivudine: or
 - 5.2 Both:
 - 5.2.1 Patient is not cirrhotic; and
 - 5.2.2 adefovir dipivoxil to be used as monotherapy.

Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamiyudine should be added to adefovir dipiyoxil if a patient develops documented resistance to adefovir dipiyoxil, defined

- i) raised serum ALT (> 1 × ULN); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- iii) Detection of N236T or A181T/V mutation.

Adefovir dipivoxil should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines.

Adefovir dipivoxil should be avoided in pregnant women and children.

ENTECAVIR - Special Authority see SA0977 below - Retail pharmacy

30 ✓ Baraclude Tab 0.5 mg400.00

■ SA0977 | Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naive; and
- 3 Entecavir dose 0.5 mg/day: and
- 4 Either:
 - 4.1 ALT greater than upper limit of normal; or
 - 4.2 Bridging fibrosis or cirrhosis (Metavir stage 3 or greater) on liver histology; and
- 5 Either:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

continued...

- 5.1 HBeAg positive; or
- 5.2 patient has ≥ 2,000 IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV. HIV or HDV: and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss
 of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced fibrosis
 (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE - Special Authority see SA0832 below - Retail pharman	су		
Tab 100 mg	143.00	28	Zeffix
Oral lig 5 mg per ml	90.00	240 ml	✓ Zeffix

⇒SA0832 Special Authority for Subsidy

Initial application only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 All of the following:
 - 1.1.1 HBsAg positive for more than 6 months; and
 - 1.1.2 HBeAg positive or HBV DNA positive defined as > 100,000 copies per ml by quantitative PCR at a reference laboratory; and
 - 1.1.3 ALT greater than twice upper limit of normal or bridging fibrosis or cirrhosis (Metavir stage 3 or 4 or equivalent) on liver histology clinical/radiological evidence of cirrhosis; or
 - 1.2 HBV DNA positive cirrhosis prior to liver transplantation; or
 - 1.3 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
 - 1.4 Hepatitis B surface antigen positive (HbsAg) patient who is receiving chemotherapy for a malignancy, or who has received such treatment within the previous two months; and
 - 2 All of the following:
 - 2.1 No continuing alcohol abuse or intravenous drug use; and
 - 2.2 Not coinfected with HCV or HDV; and
 - 2.3 Neither ALT nor AST greater than 10 times upper limit of normal; and
 - 2.4 No history of hypersensitivity to lamivudine; and
 - 2.5 No previous lamivudine therapy with genotypically proven lamivudine resistance.

Renewal only from a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

Renewal for patients who have maintained continuous treatment and response to lamivudine

- 1 All of the following:
 - 1.1 Have maintained continuous treatment with lamivudine; and
 - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
 - 1.3 HBV DNA <100,00 copies per ml by quantitative PCR at a reference laboratory; or

Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine

- 2 All of the following:
 - 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
Per ✔ Manufacturer

continued...

2.2 Patient is cirrhotic; and

Documented resistance to lamivudine, defined as:

- 2.3 Patient has raised serum ALT (> 1 × ULN); and
- 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
- 2.5 Detection of M204I or M204V mutation; or

Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

- 3 All of the following:
 - 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and Documented resistance to adefovir. defined as:
 - 3.2 Patient has raised serum ALT (> 1 × ULN); and
 - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
 - 3.4 Detection of N236T or A181T/V mutation.

Herpesvirus Treatments

ACICI OVIR

* Tab dispersible 200 mg1.98	25	✓ Lovir
* Tab dispersible 400 mg	56	✓ Lovir
* Tab dispersible 800 mg7.38	35	✓ Lovir
VALACICLOVIR - Special Authority see SA0957 below - Retail pharmacy		
Tab 500 mg102.72	30	✓ Valtrex

■ SA0957 Special Authority for Subsidy

Initial application — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the patient has genital herpes with 2 or more breakthrough episodes in any 6 month period while treated with aciclovir 400 mg twice daily.

Renewal — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (ophthalmic zoster) from any medical practitioner. Approvals valid without further renewal unless notified where the patient has previous history of ophthalmic zoster and the patient is at risk of vision impairment.

Initial application — (CMV prophylaxis) from any medical practitioner. Approvals valid for 3 months where the patient has undergone organ transplantation.

Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE – Subsidy by endorsement; can be waived by Special Authority see SA1047 below Endorsement for treatment of HIV/AIDS: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA1025 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note: Tenofovir disoproxil fumarate prescribed under endorsement for the treatment of HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1025, page 94

■SA1047 Special Authority for Waiver of Rule

Initial application — (Confirmed Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
 - 1.4 Any of the following:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
- 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
- 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Initial application — (Pregnant) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 4 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 Fither:
 - 2.1 HBV DNA > 20.000 IU/mL and ALT > ULN; or
 - 2.2 HBV DNA > 100 million IU/mL and ALT normal.

Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased > 10 fold over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
 - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
 - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Renewal — (Subsequent Pregnancy) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 4 months for applications meeting the following criteria:

Both

- 1 Patient is HBsAg positive and pregnant; and
- 2 Fither
 - 2.1 HBV DNA > 20,000 IU/mL and ALT > ULN; or
 - 2.2 HBV DNA > 100 million IU/mL and ALT normal.

Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg
 positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg negative
 prior to commencing this agent.
- The recommended dose of Tenofovir disoproxil furnarate for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

Antiretrovirals

⇒SA1025 | Special Authority for Subsidy

Initial application — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 Confirmed HIV infection; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

continued...

- 2 Any of the following:
 - 2.1 Symptomatic patient: or
 - 2.2 Patient aged 12 months and under; or
 - 2.3 Both:
 - 2.3.1 Patient aged 1 to 5 years; and
 - 2.3.2 Any of the following:
 - 2.3.2.1 CD4 counts < 1000 cells/mm³; or
 - 2.3.2.2 CD4 counts < 0.25 × total lymphocyte count; or
 - 2.3.2.3 Viral load counts > 100000 copies per ml; or
 - 2.4 Both:
 - 2.4.1 Patient aged 6 years and over; and
 - 2.4.2 CD4 counts < 350 cells/mm³.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Confirmed HIV/AIDS) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Fither:

- 1 Prevention of maternal foetal transmission; or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Either:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person.

Notes: Tenofovir disoproxil furnarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Either:

Subsidy		Fully	Brand or
(Manufacturer's Price)	Su	bsidised	Generic
\$	Per	~	Manufacturer

continued...

- 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
- 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV/AIDS is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ - Special Authority see SA1025 on page 94 -	Retail pharmacy		
Tab 50 mg	158.33	30	✓ Stocrin S29
Tab 200 mg	474.99	90	✓ Stocrin
Tab 600 mg	474.99	30	✓ Stocrin
ETRAVIRINE - Special Authority see SA1025 on page 94	- Retail pharmacy		
Tab 100 mg	770.00	120	✓ Intelence
NEVIRAPINE - Special Authority see SA1025 on page 94	 Retail pharmacy 		
Tab 200 mg	319.80	60	Viramune
Oral suspension 10 mg per ml	134.55	240 ml	✓ Viramune Suspension

Nucleosides Reverse Transcriptase Inhibitors

ABACAVIR SULPHATE – Special Authority see SA1025 on page 94 – Retail p Tab 300 mg229.00 Oral liq 20 mg per ml50.00	harmacy 60 240 ml OP	✓ <u>Ziagen</u> ✓ <u>Ziagen</u>
ABACAVIR SULPHATE WITH LAMIVUDINE — Special Authority see SA1025 of Note: Kivexa counts as two anti-retroviral medications for the purposes of tab 600 mg with lamivudine 300 mg630.00		
DIDANOSINE [DDI] – Special Authority see SA1025 on page 94 – Retail phant Cap 125 mg 115.05 Cap 200 mg 184.08 Cap 250 mg 230.10 Cap 400 mg 368.16	30 30 30 30 30	✓ Videx EC ✓ Videx EC ✓ Videx EC ✓ Videx EC
EMTRICITABINE – Special Authority see SA1025 on page 94 – Retail pharma Cap 200 mg307.20	cy 30	✓ Emtriva
LAMIVUDINE – Special Authority see SA1025 on page 94 – Retail pharmacy Tab 150 mg	60 240 ml OP	✓ <u>3TC</u> ✓ <u>3TC</u>
STAVUDINE [D4T] - Special Authority see SA1025 on page 94 - Retail pharm Cap 30 mg	acy 60 60	✓ Zerit ✓ Zerit
ZIDOVUDINE [AZT] – Special Authority see SA1025 on page 94 – Retail phan Cap 100 mg145.00 Oral liq 10 mg per ml29.00	macy 100 200 ml OP	✓ Retrovir ✓ Retrovir

	Subsidy (Manufacturer's Prio \$		Fully Brand or dised Generic Manufactu	rer
ZIDOVUDINE [AZT] WITH LAMIVUDINE – Special Authority see Combivir counts as two anti-retroviral medications for the purp Tab 300 mg with lamivudine 150 mg	ooses of the anti-re			
Protease Inhibitors				
ATAZANAVIR SULPHATE – Special Authority see SA1025 on page Cap 150 mg	568.34 757.79 I pharmacy 837.50 1,190.00 charmacy 519.75 519.75 in page 94 – Retail	60 60 60 60 60 360 180	Reyataz Reyataz Prezista Prezista Crixivan Crixivan Kaletra Kaletra	
Oral liq 80 mg with ritonavir 20 mg per ml	735.00	300 ml OP	✓ Kaletra	
RITONAVIR — Special Authority see SA1025 on page 94 — Retail Tab 100 mg Oral liq 80 mg per ml	43.31	30 90 ml OP	✓ Norvir ✓ Norvir	
Strand Transfer Inhibitors				
RALTEGRAVIR POTASSIUM – Special Authority see SA1025 on Tab 400 mg		harmacy 60	✓ Isentress	
Antiretrovirals - Additional Therapies				
HIV Fusion Inhibitors				
ENFUVIRTIDE – Special Authority see SA0845 below – Retail ph Powder for inj 90 mg per ml × 60	•	1	✓ Fuzeon	

⇒SA0845 Special Authority for Subsidy

Initial application only from a named specialist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Confirmed HIV infection; and
- 2 Enfuvirtide to be given in combination with optimized background therapy (including at least 1 other antiretroviral drug that the patient has never previously been exposed to) for treatment failure; and
- - 3.1 Patient has evidence of HIV replication, despite ongoing therapy; or
 - 3.2 Patient has treatment-limiting toxicity to previous antiretroviral agents; and
- 4 Previous treatment with 3 different antiretroviral regimens has failed; and
- 5 All of the following:
 - 5.1 Previous treatment with a non-nucleoside reverse transcriptase inhibitor has failed; and
 - 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed; and
- 5.3 Previous treatment with a protease inhibitor has failed.

Renewal only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Evidence of at least a 10 fold reduction in viral load at 12; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

Immune Modulators

Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

Criteria for Treatment

- 1) Diagnosis
 - Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
 - PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
 - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.
- 2) Establishing Active Chronic Liver Disease
 - Confirmed HCV infection and serum ALT/AST levels measured on at least three occasions over six months averaging
 1.5 × upper limit of normal. (ALT is the preferable enzyme); or
 - Liver biopsy showing significant inflammatory activity (active hepatitis) with or without cirrhosis. This is not a necessary requirement for those patients with coagulopathy. (Some patients have active disease on histology with normal transaminase enzymes).

Exclusion Criteria

- 1) Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- 2) Pregnancy.
- 3) Neutropenia ($<2.0 \times 10^9$) and/or thrombocytopenia.
- 4) Continuing alcohol abuse and/or continuing intravenous drug users.

Dosage

The current recommended dosage is 3 million units of interferon alpha-2a or interferon alpha-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

INTERFERON ALPHA-2A - PCT - Retail pharmacy-Specialist

Soo procoribina quidolino abovo

See prescribing guideline above			
Inj 3 m iu prefilled syringe	31.32	1	Roferon-A
Inj 6 m iu prefilled syringe	62.64	1	Roferon-A
Inj 9 m iu prefilled syringe		1	✔ Roferon-A
INTERFERON ALPHA-2B – PCT – Retail pharmacy-Specialist See prescribing guideline above			
Inj 18 m iu, 1.2 ml multidose pen	187.92	1	✓ Intron-A
Inj 30 m iu, 1.2 ml multidose pen		1	✓ Intron-A
lni 60 m iu. 1.2 ml multidose pen		1	✓ Intron-A

	Subsidy (Manufacturer's Price \$) Su Per	Fully bsidised	Brand or Generic Manufacturer
PEGYLATED INTERFERON ALPHA-2A — Special Authority see S See prescribing guideline on the preceding page	SA1134 below – Rei	tail pharma	асу	
Inj 135 μ g prefilled syringe	362.00	1	✓ Pe	egasys
, , , , ,	1,448.00	4	✓ Pe	egasys
Inj 180 μg prefilled syringe	450.00	1	✓ Pe	egasys
, , , , ,	1,800.00	4	✓ Pe	egasys
Inj 135 $\mu \mathrm{g}$ prefilled syringe $ imes$ 4 with ribavirin tab 200 mg $ imes$	1 700 00	4.00		
112	1,/99.68	1 OP		egasys RBV Combination Pack
Inj 135 μ g prefilled syringe \times 4 with ribavirin tab 200 mg \times			-	<u>.</u>
168	1,975.00	1 OP	_	egasys RBV Combination Pack
Inj 180 μg prefilled syringe \times 4 with ribavirin tab 200 mg \times				
112	2,059.84	1 OP	_	egasys RBV Combination Pack
Inj 180 μ g prefilled syringe $ imes$ 4 with ribavirin tab 200 mg $ imes$				
168	2,190.00	1 OP	_	egasys RBV Combination Pack

⇒SA1134 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV) from any specialist. Approvals valid for 18 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
 - 1.2 Patient has chronic hepatitis C and is co-infected with HIV: and
- 2 Maximum of 48 weeks therapy.

Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
- 2 Maximum of 6 months therapy.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Either:
 - 5.1 HBeAg positive; or
 - 5.2 serum HBV DNA ≥ 2,000 units/ml and significant fibrosis (≥ Metavir Stage F2); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

continued...

- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon; and
- 11 Maximum of 48 weeks therapy.

Notes:

- Approved dose is 180 μ g once weekly.
- The recommended dose of Pegylated Interferon-alpha 2a is 180 μ g once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alpha 2a dose should be reduced to 135 μg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alpha 2a is not approved for use in children.

Urinary Tract Infections

HEXAMINE HIPPURATE

* Tab 1 g	18.40 (38.10)	100	Hiprex
NITROFURANTOIN			
* Tab 50 mg – For nitrofurantoin oral liquid formulation refer, page 183 * Tab 100 mg		100 100	✓ Nifuran✓ Nifuran
NORFLOXACIN			
Tab 400 mg - Maximum of 6 tab per prescription; can be waived by endorsement - Retail pharmacy - Specialist	15.45	100	✓ <u>Arrow-Norfloxacin</u>
Vaccinations			
BACILLUS CALMETTE-GUERIN VACCINE — Hospital pharmacy [X For infants at increased risk of tuberculosis. Increased risk is de 1) living in a house or family with a person with current or past hi 2) have one or more household members or carers who within the 40 per 100,000 for 6 months or longer or 3) during their first 5 years will be living 3 months or longer in a control of the countries with high rates of TB are available at www.molnj 0.5 ml	fined as: istory of TB or ne last 5 years live country with a rathbegovt.nz/immur 0.00 narmacy [Xpharr	te of TB > o nisation or w 1	r equal to 40 per 100,000
,		·	• Boodin
DIPHTHERIA, TETANUS, PERTUSSIS AND POLIO VACCINE – Ho For children aged 4 years old.	ізрікаї рпаппасу	[Apriaiiii]	
Inj 0.5 ml	0.00	1	✓ Infanrix-IPV
DIPHTHERIA, TETANUS, PERTUSSIS, POLIO, HEPATITIS B AND pharmacy [Xpharm] For children aged 6 weeks, 3 months, and 5 months old.	HAEMOPHILUS	INFLUENZ	AE TYPE B VACCINE - Hospital
Inj 0.5 ml	0.00	1	✓ Infanrix-hexa
DIPTHERIA AND TETANUS VACCINE – Hospital pharmacy [Xphar For adults aged 45 and 65 years old, and for susceptible individu Inj 0.5 ml	ials.	1	✓ ADT Booster

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer HAEMOPHILUS INFLUENZAE TYPE B VACCINE - Hospital pharmacy [Xpharm] For children aged 15 months old, children aged 0-16 years with functional asplenia, or for patients pre- and post-splenectomy. HEPATITIS B VACCINE - Hospital pharmacy [Xpharm] For household or sexual contacts of known hepatitis B carriers, or for children born to mothers who are hepatitis B surface antigen (HBsAg) postive. ✓ HBvaxPro HUMAN PAPILOMAVIRUS VACCINE - Hospital pharmacy [Xpharm] Three doses over a period of six months for young women aged between 12 and 19 years old. ✓ Gardasil INFLUENZA VACCINE - Hospital pharmacy [Xpharm] 10 ✔ Fluarix ✓ Fluvax A) is available 1 March until vaccine supplies are exhausted each year for patients who meet the following criteria, as set by the

a) all people 65 years of age and over;

Ministry of Health:

- b) people under 65 years of age with:
 - i) the following cardiovascular disease:
 - 1) ischaemic heart disease.
 - 2) congestive heart disease.
 - 3) rheumatic heart disease.
 - 4) congenital heart disease, or
 - 5) cerebo-vascular disease:
 - ii) the following chronic respiratory disease:
 - 1) asthma, if on a regular preventative therapy, or
 - 2) other chronic respiratory disease with impaired lung function:
 - iii) diabetes:
 - iv) chronic renal disease:
 - v) any cancer, excluding basal and squamous skin cancers if not invasive;
 - vi) the following other conditions:
 - a) autoimmune disease.
 - b) immune suppression,
 - c) HIV.
 - d) transplant recipients.
 - e) neuromuscular and CNS diseases,
 - f) haemoglobinopathies,
 - g) children on long term aspirin, or
 - h) pregnancy.
- c) people under 18 years of age living within the boundaries of the Canterbury District Health Board.

The following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease.
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor.
- D) Influenza Vaccine does not fall within the definition Community Pharmaceutical as it is not funded directly from the Pharmaceutical Budget. Pharmacists are unable to claim for the dispensing of influenza vaccine from the Funder.

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully idised	Brand or Generic Manufacturer
MEASLES, MUMPS AND RUBELLA VACCINE – Hospital pharma For children aged 15 months and 4 years old or for any individ Inj 0.5 ml	lual susceptible to me	easles, mu 1		rubella. I -M-R II
MENINGOCOCCAL A, C, Y AND W-135 VACCINE — Hospital pha For patients pre- and post-splenectomy or children aged 0-16 based outbreaks. Inj 0.5 ml	years with functional	asplenia.		ganisation and community
PNEUMOCOCCAL (PCV13) VACCINE — Hospital pharmacy [Xph For high risk children under the age of 5 and those aged less the Inj 0.5 ml	arm] an 16 years pre- or po	ost-splene 1	•	or with functional asplenia.
PNEUMOCOCCAL POLYSACCHARIDE VACCINE – Hospital pha For patients pre- and post-splenectomy or children aged 0-16 Inj 0.5 ml	years with functional	asplenia. 1	✓ P	neumovax 23
PNEUMOCOCCAL VACCINE – Hospital pharmacy [Xpharm] For children aged 6 weeks, 3 months, and 5 months, and 15 m Inj 0.5 ml		1	√ S	ynflorix
POLIOMYELITIS VACCINE – Hospital pharmacy [Xpharm] A primary course of three doses for previously unvaccinated ir Inj 0.5 ml		1	✓ IF	POL

	Subsidy (Manufacturer's Price \$	Per	Fully Brand or Subsidised Generic Manufacturer
Anticholinesterases			
NEOSTIGMINE			
Inj 2.5 mg per ml, 1 ml	140.00	50	✓ AstraZeneca
PYRIDOSTIGMINE BROMIDE			
▲ Tab 60 mg	38.90	100	✓ Mestinon
Non-steroidal Anti-inflammatory Drugs (NSAI			
	55)		
▶ SA1038 Special Authority for Manufacturers Price		P.d.	the set footbase as a contract of the set of
Note: Subsidy for patients with existing approvals prior to 1 Sep	tember 2010. Approvais	s valla v	without further renewal unless notified
No new approvals will be granted from 1 September 2010.			
DICLOFENAC SODIUM * Tab EC 25 mg	1.62	50	✓ Diclofenac Sandoz
•		50	Diciolenac Sandoz
* Tab 50 mg dispersible – Additional subsidy by Special thority see SA1038 above – Retail pharmacy		20	
thorny see 3A1030 above – Hetali pharmacy	(8.00)	20	Voltaren D
* Tab EC 50 mg	(/	50	✓ Diclofenac Sandoz
* Tab long-acting 75 mg		500	✓ Diclax SR
* Tab long-acting 100 mg		500	✓ Diclax SR
* Inj 25 mg per ml, 3 ml		5	✓ Voltaren
Up to 5 inj available on a PSO	12.00	O	Voltaren
* Suppos 12.5 mg	1.85	10	✓ Voltaren
* Suppos 25 mg		10	Voltaren
* Suppos 50 mg		10	Voltaren
Up to 10 supp available on a PSO			
* Suppos 100 mg	6.36	10	✓ Voltaren
IBUPROFEN - Additional subsidy by Special Authority see SA	1038 ahove – Retail nh	armac	
* Tab 200 mg		1,000	✓ Arrowcare
* Tab 400 mg		30	7 THI WOULD
· · · · · · · · · · · · · · · · · · ·	(4.56)		Brufen
* Tab 600 mg	` '	30	
v	(6.84)		Brufen
* Tab long-acting 800 mg	8.12 [′]	30	✓ Brufen SR
*‡ Oral liq 100 mg per 5 ml	2.69	200 ml	Fenpaed
KETOPROFEN			
* Cap long-acting 100 mg	21.56	100	✔ Oruvail SR
* Cap long-acting 200 mg		100	✓ Oruvail SR
MEFENAMIC ACID – Additional subsidy by Special Authority		atail nh	armany
* Cap 250 mg		20	amacy
TO OUP 200 Hig	(5.60)	20	Ponstan
	1.25	50	1 Ollotali
	(9.16)	-	Ponstan
NAPROXEN	(*****/		
* Tab 250 mg	22.70	500	✓ Noflam 250
* Tab 200 mg		250	✓ Noflam 500
* Tab long-acting 750 mg		90	✓ Naprosyn SR 750
* Tab long-acting 1,000 mg		90	✓ Naprosyn SR 1000
Tab long doding 1,000 mg		00	• Hapiooyii oii 1000

MUSCULOSKELETAL SYSTEM

	Subsidy (Manufacturer's Price)	Per	Ful Subsidise	
SULINDAC – Additional subsidy by Special Authority see SA1038 * Tab 100 mg	2.66	ge – 50	Retail pha	
* Tab 200 mg	(8.55) 3.36 (15.10)	50		Aclin
TENOXICAM * Tab 20 mg * Inj 20 mg TIAPROFENIC ACID * Tab 300 mg	9.95	100 1 60	~	Tilcotil AFT Surgam
NSAIDs Other				
INDOMETHACIN * Suppos 100 mg(Arthrexin Suppos 100 mg to be delisted 1 December 2012)	14.50	30	~	Arthrexin
MELOXICAM - Special Authority see SA1034 below - Retail pha * Tab 7.5 mg		30	~	Arrow-Meloxicam

⇒SA1034 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The patient has moderate to severe haemophilia with less than or equal to 5% of normal circulating functional clotting factor; and
- 2 The patient has haemophilic arthropathy; and
- 3 Pain and inflammation associated with haemophilic arthropathy is inadequately controlled by alternative funded treatment options, or alternative funded treatment options are contraindicated.

Antirheumatoid Agents

AURANOFIN		
Tab 3 mg68.99	60	✓ Ridaura
		✓ Ridaura s29 S29
LEFLUNOMIDE		
Tab 10 mg55.00	30	✓ AFT-Leflunomide
79.27		✓ Arava
Tab 20 mg76.00	30	✓ AFT-Leflunomide
108.60		✓ Arava
Tab 100 mg54.44	3	✓ Arava
PENICILLAMINE		
Tab 125 mg61.93	100	D-Penamine
Tab 250 mg98.98	100	D-Penamine
SODIUM AUROTHIOMALATE		
Inj 10 mg per 0.5 ml76.87	10	✓ Myocrisin
Inj 20 mg per 0.5 ml113.17	10	✓ Myocrisin
Inj 50 mg per 0.5 ml217.23	10	✓ Myocrisin

MUSCULOSKELETAL SYSTEM

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$

Per ✓ Manufacturer

Tumour Necrosis Factor (TNF) Inhibitors

		e SA1156 below – Retail pharmacy	ADALIMUMAB - Special Authority see S
2	2	1,799.92	Inj 40 mg per 0.8 ml prefilled pen
2	2	nge1,799.92	Inj 40 mg per 0.8 ml prefilled syringe

⇒SA1156 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis: or
- 2 All of the following:
 - 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
 - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
 - 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of cyclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
 - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
 - 2.6 Either:
 - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
 - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.7 Either:
 - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe active Crohn's disease; and
- 2 Any of the following:
 - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
 - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
 - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
 - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis; or
- 2 All of the following:
 - 2.1 Either:
 - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
 - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
 - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
 - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
 - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
 - 1.2 Either
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis; or
- 2 All of the following:
 - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
 - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
 - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
 - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
 - 2.5 Either:

MUSCULOSKELETAL SYSTEM

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right): or
- 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and
- 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
 - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
 - 2.4 Either:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Either:
 - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
 - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

Renewal — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Either:
 - 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab; or
 - 2.1.2 CDAI score is 150 or less; or
 - 2.2 Both:
 - 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
 - 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
 - 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
 - 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
 - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2.2 Either:
 - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

continued...

- 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value: and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks of adalimumab treatment, BASDAI has improved by 4 or more points from pre-adalimumab baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

ETANERCEPT	 Special Authorit 	ly see SA1157 below	 Retail pharmacy
------------	--------------------------------------	---------------------	-------------------------------------

Inj 25 mg949.96	4	✓ Enbrel
Inj 50 mg autoinjector	4	Enbrel
Inj 50 mg prefilled syringe	4	✓ Enbrel

⇒SA1157 Special Authority for Subsidy

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
- 3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
- 5 Both:
 - 5.1 Either:
 - 5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or continued...

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
- 5.2 Physician's global assessment indicating severe disease.

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
 - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
 - 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of cyclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
 - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
 - 2.6 Either:
 - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
 - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.7 Either:
 - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plague psoriasis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis; or
- 2 All of the following:
 - 2.1 Either:

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised Brand or Generic Manufacturer

continued...

- 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
- 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
- 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
- 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
- 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
 - 1.2 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or
- 2 All of the following:
 - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
 - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
 - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
 - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
 - 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
 - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm

35-44 years - Male: 6.5 cm; Female: 4.5 cm

45-54 years - Male: 6.0 cm; Female: 5.0 cm

55-64 years - Male: 5.5 cm; Female: 4.0 cm

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
 - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
 - 2.4 Either
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a named specialist or rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plague psoriasis at the start of treatment; and
 - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2.2 Either:
 - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Following 12 weeks of etanercept treatment, BASDAI has improved by 4 or more points from pre-treatment baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — **(psoriatic arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and

2 Either:

- 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Drugs Affecting Bone Metabolism

Alendronate for Osteoporosis

⇒SA1039 Special Authority for Subsidy

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Note); or
- 5 A 10-year risk of hip fracture $\geq 3\%$, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or raloxifene.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
 - 2 Any of the following:
 - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause glucocorticosteroid therapy) or raloxifene.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
Per ✔ Manufacturer

continued...

- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note): or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria) or raloxifene.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence used by National Institute for Health and Clinical Excellence (NICE) guidance indicates that patients aged 75 years
 and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score
 -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALENDRONATE SODIUM - Special Authority see SA1039 on the preceding page - Retail pharmacy

Alendronate for Paget's Disease

⇒SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
 - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

ALENDRONATE SODIUM - Special Authority see SA0949 above - Retail pharmacy

Other Treatments

CALCITONIN

ETIDRONATE DISODIUM - See prescribing guideline on the next page

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

Prescribing Guidelines

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose – 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

PAMIDRONATE DISODIUM

I AMIDITONALE DISODIOM			
Inj 3 mg per ml, 5 ml	18.75	1	Pamisol
Inj 3 mg per ml, 10 ml		1	Pamisol
Inj 6 mg per ml, 10 ml	75.00	1	Pamisol
Inj 9 mg per ml, 10 ml		1	Pamisol
RALOXIFENE HYDROCHLORIDE - Special Authority see	SA1138 below – Retail p	harmacy	
★ Tab 60 mg	53.76	28	✓ Evista

■ SA1138 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Notes); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score < -3.0 (see Notes); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Notes); or
- 6 Patient has had a prior Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or alendronate (Underlying cause Osteoporosis).

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence used by the UK National Institute for Health and Clinical Excellence (NICE) in developing its guidance indicates that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for raloxifene funding.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

TERIPARATIDE - Special Authority see SA1139 below - Reta	il pharmacy		
Inj 250 μ g per ml, 2.4 ml	490.00	1	✓ Forteo

⇒SA1139 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has severe, established osteoporosis; and
- 2 The patient has a documented T-score less than or equal to -3.0 (see Notes); and
- 3 The patient has had two or more fractures due to minimal trauma; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

4 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes).

Notes:

- a) The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable
- b) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with cholecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.
- c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
- d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

100 ml 🗸 Aclasta

■ SA1187 Special Authority for Subsidy

Initial application — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity: or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications; or
 - 2.5 Preparation for orthopaedic surgery; and
- 3 The patient will not be prescribed more than one infusion in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically: or
 - 1.4 Documented T-Score ≤ -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis) or raloxifene; and
 - 2 The patient will not be prescribed more than one infusion in a 12-month period.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

1 The patient is receiving systemic glucocorticosteroid therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2 Any of the following:
 - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score < -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for alendronate (Underlying cause glucocorticosteroid therapy) or raloxifene; and
- 3 The patient will not be prescribed more than one infusion in the 12-month approval period.

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
 - 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
 - 1.3 Symptomatic disease (prescriber determined); and
- 2 The patient will not be prescribed more than one infusion in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents); and
- 2 The patient will not be prescribed more than one infusion in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score ≤ -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause Osteoporosis' criteria) or raloxifene; and
- 2 The patient will not be prescribed more than one infusion in a 12-month period.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence used by National Institute for Health and Clinical Excellence (NICE) guidance indicates that patients aged 75 years
 and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score
 -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces

Subsidy (Manufacturer's Price) \$	Subs Per	. ,	Brand or Generic Manufacturer	
---	-------------	-----	-------------------------------------	--

continued...

that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.

d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

Hyperuricaemia and Antigout	body above or below the affected vertebral body.	n any of these	e neignts compared to the vertebrai
** Tab 100 mg 15.90 1,000 ✓ Apo-Allopurinol ** Tab 300 mg For allopurinol oral liquid formulation refer, page 183 16.75 500 ✓ Apo-Allopurinol COLCHICINE ** Tab 500 μg 9.60 100 ✓ Colqout PROBENECID ** Tab 500 mg 55.00 100 ✓ Probenecid-AFT Muscle Relaxants BACLOFEN ** Tab 10 mg For baclofen oral liquid formulation refer, page 183 4.75 100 ✓ Pacifen DANTROLENE SODIUM ** Cap 25 mg 32.96 100 (65.00) Dantrium ** Cap 50 mg 51.70 100 (77.00) Dantrium ORPHENADRINE CITRATE Tab 100 mg 18.54 100 ✓ Norflex QUININE SULPHATE * Tab 300 mg 54.06 500 ✓ Q 300	Hyperuricaemia and Antigout		
* Tab 300 mg − For allopurinol oral liquid formulation refer, page 183	ALLOPURINOL		
page 183		1,000	Apo-Allopurinol
COLCHICINE * Tab 500 µg			
# Tab 500 µg	page 183 16.75	500	Apo-Allopurinol
PROBENECID * Tab 500 mg			
* Tab 500 mg	* Tab 500 μ g9.60	100	✓ <u>Colgout</u>
Muscle Relaxants BACLOFEN * Tab 10 mg − For baclofen oral liquid formulation refer, page 183			
BACLOFEN * Tab 10 mg − For baclofen oral liquid formulation refer, page 183	* Tab 500 mg55.00	100	✓ Probenecid-AFT
* Tab 10 mg − For baclofen oral liquid formulation refer, page 183	Muscle Relaxants		
183	BACLOFEN		
183	* Tab 10 mg - For baclofen oral liquid formulation refer, page		
* Cap 25 mg 32.96 100 (65.00) Dantrium * Cap 50 mg 51.70 100 (77.00) Dantrium ORPHENADRINE CITRATE Tab 100 mg 18.54 100 ✓ Norflex QUININE SULPHATE * Tab 300 mg 54.06 500 ✓ Q 300		100	✓ Pacifen
* Cap 50 mg (65.00) Dantrium * Cap 50 mg 51.70 100 (77.00) Dantrium ORPHENADRINE CITRATE Tab 100 mg 18.54 100 ✓ Norflex QUININE SULPHATE * Tab 300 mg 54.06 500 ✓ Q 300	DANTROLENE SODIUM		
* Cap 50 mg 51.70 (77.00) 100 Dantrium ORPHENADRINE CITRATE Tab 100 mg 18.54 100 Norflex QUININE SULPHATE * Tab 300 mg 54.06 500 ✓ Q 300	* Cap 25 mg32.96	100	
(77.00) Dantrium ORPHENADRINE CITRATE	` ,		Dantrium
ORPHENADRINE CITRATE Tab 100 mg 18.54 100 ✓ Norflex QUININE SULPHATE * Tab 300 mg 54.06 500 ✓ Q 300	, ,	100	Dontrium
Tab 100 mg	,		Danthum
QUININE SULPHATE ★ Tab 300 mg ✓ Q 300	*** ***	100	A Novellow
* Tab 300 mg54.06 500 ✔ Q 300		100	▶ Nornex
		500	4.0.000
† Safety can for extemporaneously compounded oral liquid preparations	‡ Safety cap for extemporaneously compounded oral liquid preparations.	500	₽ Q 300

Subsidy (Manufacturer's Price) Subsider Subsider

Fully Subsidised

Brand or Generic Manufacturer

Agents for Parkinsonism and Related Disorders

AMANTADINE HYDROCHLORIDE		
▲ Cap 100 mg	60	✓ <u>Symmetrel</u>
APOMORPHINE HYDROCHLORIDE	_	4.4
▲ Inj 10 mg per ml, 2 ml110.00	5	✓ Apomine
BROMOCRIPTINE MESYLATE	400	44 5 111
* Tab 2.5 mg	100 100	✓ Apo-Bromocriptine✓ Apo-Bromocriptine
* Cap 5 mg	100	Apo-Bromocriptine
ENTACAPONE 116.00	100	✓ Comtan
▲ Tab 200 mg	100	Comtan
LEVODOPA WITH BENSERAZIDE	100	. / Madaman
* Tab dispersible 50 mg with benserazide 12.5 mg10.00	100	✓ Madopar Dispersible Output Dispersible Dispers
* Cap 50 mg with benserazide 12.5 mg	100	✓ Madopar 62.5
* Cap 100 mg with benserazide 25 mg	100	✓ Madopar 125
* Cap long-acting 100 mg with benserazide 25 mg17.00 * Cap 200 mg with benserazide 50 mg25.00	100 100	✓ Madopar HBS✓ Madopar 250
	100	wilduopai 250
LEVODOPA WITH CARBIDOPA		
* Tab 100 mg with carbidopa 25 mg – For levodopa with carbidopa and liquid formulation refer page 182	F0	4 Cindona
bidopa oral liquid formulation refer, page 18310.00 20.00	50 100	✓ Sindopa ✓ Sinemet
* Tab long-acting 200 mg with carbidopa 50 mg47.50	100	✓ Sinemet CR
* Tab 250 mg with carbidopa 25 mg	100	✓ Sinemet
LISURIDE HYDROGEN MALEATE		
▲ Tab 200 µg27.50	30	✓ Dopergin
PERGOLIDE		. •
▲ Tab 0.25 mg	100	✓ Permax
▲ Tab 1 mg170.00	100	✓ Permax
PRAMIPEXOLE HYDROCHLORIDE		
▲ Tab 0.125 mg	30	✓ Dr Reddy's
•		Pramipexole
▲ Tab 0.25 mg	30	✓ Dr Reddy's
A Tab 0.5 mag	00	Pramipexole
▲ Tab 0.5 mg4.20	30	✓ Dr Reddy's Pramipexole
PORINIPOLE LIVERSOLII ORIDE		Framipexole
ROPINIROLE HYDROCHLORIDE Tab 0.25 mg	0.4	4 Panin
▲ Tab 0.25 mg	84 84	✓ Ropin✓ Ropin
▲ Tab 2 mg	84	✓ Ropin
▲ Tab 5 mg38.00	84	Ropin
SELEGILINE HYDROCHLORIDE		
* Tab 5 mg16.06	100	✓ Apo-Selegiline
TOLCAPONE		
▲ Tab 100 mg126.20	100	✓ Tasmar

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
Anticholinergics				
BENZTROPINE MESYLATE Tab 2 mg		60		Benztrop
Inj 1 mg per ml, 2 mla) Up to 5 inj available on a PSO b) Only on a PSO	95.00	5	•	Cogentin
DRPHENADRINE HYDROCHLORIDE Tab 50 mg	35.15	250	~ I	Disipal
PROCYCLIDINE HYDROCHLORIDE Tab 5 mg	7.40	100	v 1	Kemadrin
Agents for Essential Tremor, Chorea and Relate	d Disorders			
TETRABENAZINE Tab 25 mg	178.00	112	v <u>!</u>	Motetis
Anaesthetics				
Local				
LIGNOCAINE Gel 2%, 10 ml urethral syringe – Subsidy by endorsement a) Up to 5 each available on a PSO b) Subsidised only if prescribed for urethral or cervical adr		10 rescrip		Pfizer lorsed accordingly.
LIGNOCAINE HYDROCHLORIDE				
Viscous soln 2%		200 ml		Kylocaine Viscous
Inj 1%, 5 ml – Up to 5 inj available on a PSO Inj 2%, 5 ml – Up to 5 inj available on a PSO		50 50	-	<u>Kylocaine</u> Kylocaine
Inj 1%, 20 ml – Up to 5 inj available on a PSO		5		Kylocaine Kylocaine
Inj 2%, 20 ml – Up to 5 inj available on a PSO		5		Kylocaine
LIGNOCAINE WITH CHLORHEXIDINE		Ů		1,10000
Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes -	=			
Subsidy by endorsement		10	/	Pfizer
	10.20			
a) Up to 5 each available on a PSO b) Subsidised only if prescribed for urethral or cervical adr		rescrip	tion is end	lorsed accordingly.
a) Up to 5 each available on a PSOb) Subsidised only if prescribed for urethral or cervical adr	ministration and the p			lorsed accordingly.
a) Up to 5 each available on a PSO	ministration and the p 106 below – Retail pha 45.00 3		/ • • •	lorsed accordingly. EMLA EMLA

■SA0906 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

Analgesics

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 103

Non-opioid Analgesics			
ASPIRIN			
* Tab EC 300 mg	2.00	100	
	(8.10)		Aspec 300
* Tab dispersible 300 mg - Up to 30 tab available on a PSO	2.00	100	Ethics Aspirin
NEFOPAM HYDROCHLORIDE			
Tab 30 mg	23.40	90	✓ Acupan
PARACETAMOL			·
* Tab 500 mg - Up to 30 tab available on a PSO	9.38	1,000	✓ Parafast
*‡ Oral lig 120 mg per 5 ml		500 ml	✓ Ethics Paracetamol
a) Up to 200 ml available on a PSO		000 1111	<u> Etinos i diacetamor</u>
b) Not in combination			
*‡ Oral liq 250 mg per 5 ml	6.70	1,000 ml	✓ Paracare Double
7		.,000	Strength
a) Up to 100 ml available on a PSO			
b) Not in combination			
* Suppos 125 mg		20	✓ Panadol
* Suppos 250 mg	14.40	20	✓ Panadol
* Suppos 500 mg	20.50	50	✓ Paracare
TRAMADOL HYDROCHLORIDE			
Cap 50 mg	4.95	100	✓ Arrow-Tramadol
Opioid Analgesics			
CODEINE DI IOCDI IATE	-!!!!-		
CODEINE PHOSPHATE – Safety medicine; prescriber may determ Tab 15 mg		g rrequency 100	✓ PSM
ě .		100	✓ PSM
Tab 30 mg Tab 60 mg		100	✓ PSM
	17.70	100	PSIVI
DIHYDROCODEINE TARTRATE			
Tab long-acting 60 mg	27.27	60	✓ DHC Continus
FENTANYL			
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Safety medicine; prescriber may determine dispensing frequ	ency		
Transdermal patch 12.5 μ g per hour	8.90	5	Mylan Fentanyl
			<u>Patch</u>
Transdermal patch 25 μ g per hour	9.15	5	Mylan Fentanyl
		_	Patch .
Transdermal patch 50 μ g per hour	11.50	5	Mylan Fentanyl
Transdaymal natab 75 a nay baur	10.00	F	Patch Mulan Fantanul
Transdermal patch 75 μ g per hour	13.60	5	Mylan Fentanyl
Transdermal patch 100 μ g per hour	14.50	5	Patch ✓ Mylan Fentanyl
Hanouermai patch 100 μg per nour	14.50	J	Patch
			<u>ratuii</u>

Subsidity (Manufacturer's Price) Subsidies of Generic Gene					
a) Only on a controlled drug form b) No patient co-payment payable c) Sately medicine; prescriber may determine dispensing frequency in 50 µg per ml, 2 ml in 50 µg per ml, 1 ml METHADONE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Sately medicine; prescriber may determine dispensing frequency d) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets). e) For methadone hydrochloride oral liquid refer, page 186 Tab 5 mg 1.85 10 ral liq 2 mg per ml 5.55 200 ml 2 Toral liq 3 mg per ml 5.55 200 ml 3 Dral liq 5 mg per ml 6.655 200 ml 4 Biodone Forte b) No patient co-payment payable c) Sately medicine; prescriber may determine dispensing frequency c) Oral liq 1 mg per ml 11.62 200 ml			(Manufacturer's Price)		Subsidised Generic
b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency Inj 50 µg per mil, 2 mil	FEI				
c) Safety medicine; prescriber may determine dispensing frequency Inj 50 μ per ml, 10 ml		, .			
METHADONE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Sately medicine; prescriber may determine dispensing frequency d) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets). e) For methadone hydrochloride oral liquid refer, page 186 Tab 5 mg 1.85 10 Sately medicine; prescriber may determine dispensing frequency d) Carl liq 5 mg per ml 5.55 200 ml d) Fillodone Forte Coral liq 7 mg per ml 5.55 200 ml liq 10 mg per ml 6.55 200 ml liq 10 mg per ml 6.55 200 ml liq 10 mg per ml 6.50 10 MORPHINE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Sately medicine; prescriber may determine dispensing frequency d) Oral liq 7 mg per ml 11.62 200 ml d) RA-Morph Toral liq 7 mg per ml 11.62 200 ml d) RA-Morph d) Oral liq 6 mg per ml 11.62 200 ml d) RA-Morph MORPHINE SULPHATE a) Only on a controlled drug form b) No patient co-payment payable c) Sately medicine; prescriber may determine dispensing frequency Tab immediate-release 10 mg 28.0 10 Tab long-acting 10 mg 1.98 10 Arrow-Morphine LA Tab long-acting 10 mg 7.20 10 Tab long-acting 10 mg 7.20			uency		
METHADONE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency d) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets). e) For methadone hydrochloride oral liquid refer, page 186 Tab 5 mg 1.85					
a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency d) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets). e) For methadone hydrochloride oral liquid refer, page 186 Tab 5 mg Tab 5 mg Tab 5 mg Tab 5 mg Tab 6 mg per ml Toral liq 2 mg per ml Toral liq 5 mg per ml Toral liq 6 mg per ml Toral liq 1 mg per ml Toral liq 2 mg per ml Toral liq 1 mg per ml Toral liq 2 mg per ml Toral liq 2 mg per ml Toral liq 1 mg per ml Toral liq 2 mg per ml Toral liq 5 mg per ml Toral liq 6 mg per ml Toral liq 6 mg Toral Myrophine LA Tab long-acting 10 mg Tab long-acting 10 mg Tab long-acting 10 mg Toral liq 5 mg per ml Toral liq 6 mg Toral		Inj 50 μ g per ml, 10 ml	11.77	10	Boucher and Muir
b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency d) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets). e) For methadone hydrochloride oral liquid refer, page 186 Tab 5 mg 1.85 10	ME				
c) Safety medicine; prescriber may determine dispensing frequency d) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets). e) For methadone hydrochloride oral liquid refer, page 186 Tab 5 mg		, ,			
d) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets). e) For methadone hydrochloride oral liquid refer, page 186 Tab 5 mg					
powder, not methadone tablets). e) For methadone hydrochloride oral liquid refer, page 186 Tab 5 mg				of the	a cheanest form available (methadone
e) For methadone hydrochloride oral liquid refer, page 186 Tab 5 mg			illibuised at the fate	or tire	e cheapest form available (methadone
Tab 5 mg					
# Oral liq 10 mg per ml		, , , , , , , , , , , , , , , , , , , ,	1.85	10	✓ Methatabs
‡ Oral liq 10 mg per ml ni 11 mg per ml ni 12 mg per ml ni 14 mg per m		Oral liq 2 mg per ml	5.55	200 ml	
Inj 10 mg per ml, 1 ml	‡			200 ml	
MORPHINE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency ‡ Oral liq 1 mg per ml	‡				
a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency † Oral liq 1 mg per ml		Inj 10 mg per ml, 1 ml	61.00	10	✓ AFT
b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency ‡ Oral liq 1 mg per ml	MO				
c) Safety medicine; prescriber may determine dispensing frequency ‡ Oral liq 1 mg per ml					
‡ Oral liq 1 mg per ml 8.84 200 ml ✓ RA-Morph ‡ Oral liq 2 mg per ml 11.62 200 ml ✓ RA-Morph ‡ Oral liq 5 mg per ml 14.65 200 ml ✓ RA-Morph † Oral liq 10 mg per ml 21.55 200 ml ✓ RA-Morph MORPHINE SULPHATE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency Tab immediate-release 10 mg 2.80 10 ✓ Sevredol Tab long-acting 10 mg 1.98 10 ✓ Arrow-Morphine LA Tab long-acting 30 mg 3.15 10 ✓ Arrow-Morphine LA Tab long-acting 30 mg 3.15 10 ✓ Arrow-Morphine LA Tab long-acting 100 mg 7.20 10 ✓ Arrow-Morphine LA Tab long-acting 100 mg 7.85 10 ✓ Arrow-Morphine LA Tab long-acting 100 mg 7.85 10 ✓ Arrow-Morphine LA Cap long-acting 30 mg 3.20 10 ✓ m-Eslon Cap long-acting 30 mg 3.20 10 ✓ m-Eslon Cap long-acting 60 mg 8.05					
‡ Oral liq 2 mg per ml				000	L A DA Mayah
‡ Oral liq 5 mg per ml					
‡ Oral liq 10 mg per ml 21.55 200 ml ✔ RA-Morph MORPHINE SULPHATE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency Tab immediate-release 10 mg 2.80 10 ✔ Sevredol Tab long-acting 10 mg 1.98 10 ✔ Arrow-Morphine LA Tab immediate-release 20 mg 5.52 10 ✔ Sevredol Tab long-acting 30 mg 3.15 10 ✔ Arrow-Morphine LA Tab long-acting 60 mg 7.20 10 ✔ Arrow-Morphine LA Tab long-acting 100 mg 7.85 10 ✔ Arrow-Morphine LA Tab long-acting 10 mg 2.22 10 ✔ Arrow-Morphine LA Cap long-acting 10 mg 2.22 10 ✔ m-Eslon Cap long-acting 30 mg 3.20 10 ✔ m-Eslon Cap long-acting 60 mg 6.90 10 ✔ m-Eslon Cap long-acting 100 mg 8.05 10 ✔ m-Eslon Cap long-acting 100 mg 8.05 10 ✔ m-Eslon DBL Morphine Sulphate Inj 10 mg per ml, 1 ml - Up to 5 inj available on a PSO 5.01	+ †	Oral lig 5 mg per ml	14 65		
MORPHINE SULPHATE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency Tab immediate-release 10 mg					· · · · · · · · · · · · · · · · · · ·
a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency Tab immediate-release 10 mg	•				
b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency Tab immediate-release 10 mg	IVIC				
c) Safety medicine; prescriber may determine dispensing frequency Tab immediate-release 10 mg		, ,			
Tab long-acting 10 mg 1.98 10 ✓ Arrow-Morphine LA Tab immediate-release 20 mg 5.52 10 ✓ Sevredol Tab long-acting 30 mg 3.15 10 ✓ Arrow-Morphine LA Tab long-acting 60 mg 7.20 10 ✓ Arrow-Morphine LA Tab long-acting 100 mg 7.85 10 ✓ Arrow-Morphine LA Cap long-acting 10 mg 2.22 10 ✓ m-Eslon Cap long-acting 30 mg 3.20 10 ✓ m-Eslon Cap long-acting 60 mg 6.90 10 ✓ m-Eslon Cap long-acting 100 mg 8.05 10 ✓ m-Eslon Cap long-acting 100 mg 8.05 10 ✓ m-Eslon Dab Morphine Sulphate Sulphate Inj 10 mg per ml, 1 ml — Up to 5 inj available on a PSO 5.51 5 ✓ DBL Morphine Sulphate Sulphate Inj 30 mg per ml, 1 ml — Up to 5 inj available on a PSO 5.30 ✓ DBL Morphine		, , , , , , ,	uency		
Tab immediate-release 20 mg 5.52 10 ✓ Sevredol Tab long-acting 30 mg 3.15 10 ✓ Arrow-Morphine LA Tab long-acting 60 mg 7.20 10 ✓ Arrow-Morphine LA Tab long-acting 100 mg 7.85 10 ✓ Arrow-Morphine LA Cap long-acting 10 mg 2.22 10 ✓ m-Eslon Cap long-acting 30 mg 3.20 10 ✓ m-Eslon Cap long-acting 60 mg 6.90 10 ✓ m-Eslon Cap long-acting 100 mg 8.05 10 ✓ m-Eslon Cap long-acting 100 mg 8.05 10 ✓ m-Eslon DBL Morphine Sulphate Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO 4.79 5 ✓ DBL Morphine Sulphate Sulphate Inj 30 mg per ml, 1 ml – Up to 5 inj available on a PSO 5.01 5 ✓ DBL Morphine Sulphate Inj 30 mg per ml, 1 ml – Up to 5 inj available on a PSO 5.30 5 ✓ DBL Morphine				10	✓ Sevredol
Tab long-acting 30 mg 3.15 10 ✓ Arrow-Morphine LA Tab long-acting 60 mg 7.20 10 ✓ Arrow-Morphine LA Tab long-acting 100 mg 7.85 10 ✓ Arrow-Morphine LA Cap long-acting 10 mg 2.22 10 ✓ m-Eslon Cap long-acting 30 mg 3.20 10 ✓ m-Eslon Cap long-acting 60 mg 6.90 10 ✓ m-Eslon Cap long-acting 100 mg 8.05 10 ✓ m-Eslon Inj 5 mg per ml, 1 ml − Up to 5 inj available on a PSO 5.51 5 ✓ DBL Morphine Sulphate Inj 15 mg per ml, 1 ml − Up to 5 inj available on a PSO 5.01 5 ✓ DBL Morphine Sulphate Inj 30 mg per ml, 1 ml − Up to 5 inj available on a PSO 5.30 5 ✓ DBL Morphine					
Tab long-acting 60 mg .7.20 10 ✓ Arrow-Morphine LA Tab long-acting 100 mg .7.85 10 ✓ Arrow-Morphine LA Cap long-acting 10 mg .2.22 10 ✓ m-Eslon Cap long-acting 30 mg .3.20 10 ✓ m-Eslon Cap long-acting 60 mg .6.90 10 ✓ m-Eslon Cap long-acting 100 mg .8.05 10 ✓ m-Eslon Inj 5 mg per ml, 1 ml − Up to 5 inj available on a PSO .5.51 5 ✓ DBL Morphine Sulphate Inj 15 mg per ml, 1 ml − Up to 5 inj available on a PSO .5.01 5 ✓ DBL Morphine Sulphate Sulphate Inj 30 mg per ml, 1 ml − Up to 5 inj available on a PSO .5.30 5 ✓ DBL Morphine					
Tab long-acting 100 mg 7.85 10 ✓ Arrow-Morphine LA Cap long-acting 10 mg 2.222 10 ✓ m-Eslon Cap long-acting 30 mg 3.20 10 ✓ m-Eslon Cap long-acting 60 mg 6.90 10 ✓ m-Eslon Cap long-acting 100 mg 8.05 10 ✓ m-Eslon Inj 5 mg per ml, 1 ml − Up to 5 inj available on a PSO 5.51 5 ✓ DBL Morphine Sulphate Sulphate Inj 15 mg per ml, 1 ml − Up to 5 inj available on a PSO 5.01 5 ✓ DBL Morphine Sulphate Inj 30 mg per ml, 1 ml − Up to 5 inj available on a PSO 5.30 ✓ DBL Morphine					
Cap long-acting 10 mg 2.22 10 ✓ m-Eslon Cap long-acting 30 mg 3.20 10 ✓ m-Eslon Cap long-acting 60 mg 6.90 10 ✓ m-Eslon Cap long-acting 100 mg 8.05 10 ✓ m-Eslon Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO 5.51 5 ✓ DBL Morphine Sulphate Sulphate Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO 5.01 5 ✓ DBL Morphine Sulphate Inj 30 mg per ml, 1 ml – Up to 5 inj available on a PSO 5.30 ✓ DBL Morphine Sulphate Sulphate Inj 30 mg per ml, 1 ml – Up to 5 inj available on a PSO 5.30 ✓ DBL Morphine					
Cap long-acting 30 mg 3.20 10 ✓ m-Eslon Cap long-acting 60 mg 6.90 10 ✓ m-Eslon Cap long-acting 100 mg 8.05 10 ✓ m-Eslon Inj 5 mg per ml, 1 ml − Up to 5 inj available on a PSO 5.51 5 ✓ DBL Morphine Sulphate Sulphate Inj 10 mg per ml, 1 ml − Up to 5 inj available on a PSO 5.01 5 ✓ DBL Morphine Sulphate Inj 15 mg per ml, 1 ml − Up to 5 inj available on a PSO 5.01 5 ✓ DBL Morphine Sulphate Inj 30 mg per ml, 1 ml − Up to 5 inj available on a PSO 5.30 ✓ DBL Morphine					
Cap long-acting 60 mg 6.90 10 ✓ m-Eslon Cap long-acting 100 mg 8.05 10 ✓ m-Eslon Inj 5 mg per ml, 1 ml — Up to 5 inj available on a PSO 5.51 5 ✓ DBL Morphine Sulphate Sulphate Inj 10 mg per ml, 1 ml — Up to 5 inj available on a PSO 4.79 5 ✓ DBL Morphine Sulphate Inj 15 mg per ml, 1 ml — Up to 5 inj available on a PSO 5.01 5 ✓ DBL Morphine Sulphate Inj 30 mg per ml, 1 ml — Up to 5 inj available on a PSO 5.30 ✓ DBL Morphine					
Cap long-acting 100 mg 8.05 10 ✓ m-Eslon Inj 5 mg per ml, 1 ml − Up to 5 inj available on a PSO 5.51 5 ✓ DBL Morphine Sulphate Sulphate Inj 10 mg per ml, 1 ml − Up to 5 inj available on a PSO 4.79 5 ✓ DBL Morphine Sulphate Sulphate Inj 15 mg per ml, 1 ml − Up to 5 inj available on a PSO 5.01 5 ✓ DBL Morphine Sulphate Inj 30 mg per ml, 1 ml − Up to 5 inj available on a PSO 5.30 ✓ DBL Morphine		, , ,			
Sulphate Night		, , ,		10	
Inj 10 mg per ml, 1 ml − Up to 5 inj available on a PSO		Inj 5 mg per ml, 1 ml - Up to 5 inj available on a PSO	5.51	5	
Sulphate Inj 15 mg per ml, 1 ml − Up to 5 inj available on a PSO				_	
Inj 15 mg per ml, 1 ml − Up to 5 inj available on a PSO		Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO	4.79	5	
Sulphate Inj 30 mg per ml, 1 ml − Up to 5 inj available on a PSO5.30 5 ✓ DBL Morphine		Ini 15 ma nor ml. 1 ml Un to 5 ini available on a DSO	5.01	5	
Inj 30 mg per ml, 1 ml − Up to 5 inj available on a PSO5.30 5 ✓ DBL Morphine		ing 15 mg per mi, 1 mir – op to 5 mg avaliable on a PSO		5	
,		Ini 30 mg per ml. 1 ml - Up to 5 ini available on a PSO	5.30	5	
		, , , , , , , , , , , , , , , , , , , ,			

		Fully Brand or
(Manufacturer's F	Price) Su Per	bsidised Generic Manufacturer
quency		
30.00	5	✓ Hospira
75.00	5	✓ Hospira
quency		
7.51	20	✓ OxyContin
11.14	20	✓ OxyContin
18.93	20	✓ OxyContin
33.29	20	✓ OxyContin
58.03	20	✓ OxyContin
2.83	20	✓ OxyNorm
		✓ OxyNorm
		OxyNorm
		✓ OxyNorm
		OxyNorm
28.80	5	✓ OxyNorm
•		uency ✓ Paracetamol +
		Codeine (Relieve)
	10	A DOM
		✓ PSM ✓ PSM
		✓ DBL Pethidine
	3	Hydrochloride
5.83	5	✓ DBL Pethidine Hydrochloride
		<u>,</u>
ispensing freque	ency	
	EO	✓ Amirol
2.77	50	V Allilloi
1.85	100	✓ <u>Amitrip</u>
1.85 3.60	100 100	✓ <u>Amitrip</u> ✓ <u>Amitrip</u>
1.85	100 100	✓ <u>Amitrip</u> ✓ <u>Amitrip</u>
	quency	quency

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	Subs Per	idised	Generic Manufacturer
	*			Manadatol
DOTHIEPIN HYDROCHLORIDE – Safety medicine; prescriber m				longe
Tab 75 mg Cap 25 mg		100 100		opress
				opiess
DOXEPIN HYDROCHLORIDE - Safety medicine; prescriber may Cap 10 mg		ng trequenc 100	• .	nten
Cap 25 mg		100		inten
Cap 50 mg		100		inten
IMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber				
Tab 10 mg		50		ofranil
Tab 25 mg		50		ofranil
MAPROTILINE HYDROCHLORIDE – Safety medicine; prescribe				
Tab 25 mg		100		udiomil
Tab 75 mg		30		udiomil
· ·			•	
MIANSERIN HYDROCHLORIDE – Special Authority see SA1048 Tab 30 mg		30	√ T	olvon
	24.00	30	•	OIVOII
■ SA1048 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid	for 2 years for applied	ations most	ing the	following critoria:
Either:	ioi z years ioi applica	allons meet	ing the	e following criteria.
1 Both:				
1.1 Depression; and				
1.2 Either:				
1.2.1 Co-existent bladder neck obstruction; or				
1.2.2 Cardiovascular disease; or				
2 Both:				
 The patient has a severe major depressive episode; 	and			
2.2 Either:2.2.1 The patient must have had a trial of two differ	cont antidoproposanto	and was un	oblo t	talarata tha traatmanta ar
failed to respond to an adequate dose over a				
2.2.2 Both:	in adequate period of	unic (usua	illy at i	cast lour weeks), or
2.2.2.1 The patient is currently a hospital in-patient	atient as a result of a	n acute der	oressiv	e episode; and
2.2.2.2 The patient must have had a trial of or				
respond to an adequate dose over an				
Renewal from any relevant practitioner. Approvals valid for 2 ye benefiting from treatment.	ears where the treatn	nent remair	ns app	ropriate and the patient is
NORTRIPTYLINE HYDROCHLORIDE - Safety medicine; prescri	iber may determine d	lispensina f	reauei	ncv
Tab 10 mg	•	100	٠.	lorpress
Tab 25 mg		180	✓ N	lorpress
Monoamine-Oxidase Inhibitors (MAOIs) - Non Se	elective			
PHENELZINE SULPHATE				
* Tab 15 mg	95.00	100	✓ N	ardil
Tab to tilly		100	₩ IV	IUI WII

TRANYLCYPROMINE SULPHATE

50

✔ Parnate

Subsidy (Manufacturer's Price) Su \$ Per

Fully Subsidised Brand or Generic Manufacturer

Monoamine-Oxidase Type A Inhibitors

MOCLOBEMIDE

Note: There is a significant cost differential between moclobemide and fluoxetine (moclobemide being about three times more expensive). For depressive syndromes it is therefore more cost-effective to start treatment with fluoxetine first before considering prescribing moclobemide.

	0 1	0		
*	Tab 150 mg		500	Apo-Moclobemide
*	Tab 300 mg	31.33	100	✓ Apo-Moclobemide

Selective Serotonin Reuptake Inhibitors

	ALOPRAM HYDROBROMIDE Tab 20 mg	84	✓ <u>Arrow-Citalopram</u>
ES	CITALOPRAM		
*	Tab 10 mg2.65	28	✓ Loxalate
	Tab 20 mg4.20	28	✓ Loxalate
FLI	JOXETINE HYDROCHLORIDE		
*	Tab dispersible 20 mg, scored – Subsidy by endorsement2.50	30	✓ Fluox
	Subsidised by endorsement		

- When prescribed for a patient who cannot swallow whole tablets or capsules and the prescription is endorsed accordingly; or
- 2) When prescribed in a daily dose that is not a multiple of 20 mg in which case the prescription is deemed to be endorsed. Note: Tablets should be combined with capsules to facilitate incremental 10 mg doses.

* Cap 20 mg	2.70	84	✓ <u>Fluox</u>
PAROXETINE HYDROCHLORIDE			
* Tab 20 mg	2.38	30	✓ Loxamine
SERTRALINE			
* Tab 50 mg	5.40	90	✓ Arrow-Sertraline
* Tab 100 mg			✓ Arrow-Sertraline

Other Antidepressants

MIRTAZAPINE – Special Authority see SA0994 below – Retail ph	narmacy		
Tab 30 mg	8.78	30	Avanza
Tab 45 mg	13.95	30	Avanza

⇒SA0994 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The patient has a severe major depressive episode; and
- 2 Either:
 - 2.1 The patient must have had a trial of two different antidepressants and was unable to tolerate the treatments or failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or
 - 2.2 Both:
 - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
 - 2.2.2 The patient must have had a trial of one other antidepressant and either could not tolerate it or failed to respond to an adequate dose over an adequate period of time.

Renewal from any relevant practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

					_
	Subsidy (Manufacturer's Price)	Per	Fully Subsidised		
VENLAFAXINE - Special Authority see SA1061 below - Retail pl	narmacy				
Tab 37.5 mg	12.67	28	✓ A	Arrow-Venlafaxine XR	
Tab 75 mg	19.00	28	V A	Arrow-Venlafaxine XR	
Tab 150 mg	23.41	28	V A	Arrow-Venlafaxine XR	
Cap 37.5 mg	15.84	28	✓ E	fexor XR	
Cap 75 mg	31.67	28	✓ E	fexor XR	
Cap 150 mg	38.82	28	✓ E	fexor XR	

⇒SA1061 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 The patient has 'treatment-resistant' depression: and
 - 2 Either:
 - 2.1 The patient must have had a trial of two different antidepressants and have had an inadequate response from an adequate dose over an adequate period of time (usually at least four weeks); or
 - 2.2 Both:
 - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
 - 2.2.2 The patient must have had a trial of one other antidepressant and have had an inadequate response from an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

Antiepilepsy Drugs

Agents for Control of Status Epilepticus

CLONAZEPAM – Safety medicine; prescriber may determine dispensing frequence Inj 1 mg per ml, 1 ml19.00	5 5	✓ Rivotril
DIAZEPAM – Safety medicine; prescriber may determine dispensing frequency Inj 5 mg per ml, 2 ml – Subsidy by endorsement	5	✓ Mayne
Rectal tubes 5 mg - Up to 5 tube available on a PSO25.05	5	✓ Stesolid
Rectal tubes 10 mg - Up to 5 tube available on a PSO30.50	5	✓ Stesolid
PARALDEHYDE * Inj 5 ml	5	✓ AFT
PHENYTOIN SODIUM		
* Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO69.24	5	Mayne
* Ini 50 mg per ml. 5 ml - Up to 5 ini available on a PSO77.27	5	✓ Mayne

	\$	Per	✓ Manufacturer
Control of Epilepsy			
CARBAMAZEPINE			
* Tab 200 mg	14.53	100	✓ Tegretol
* Tab long-acting 200 mg		100	✓ Tegretol CR
* Tab 400 mg	34.58	100	✓ Tegretol
* Tab long-acting 400 mg	39.17	100	✓ Tegretol CR
*‡ Oral liq 100 mg per 5 ml		250 ml	✓ Tegretol
CLOBAZAM - Safety medicine; prescriber may determine disper	nsing frequency		
Tab 10 mg	9.12	50	✓ Frisium
‡ Safety cap for extemporaneously compounded oral liqui-	d preparations.		
CLONAZEPAM - Safety medicine; prescriber may determine dis	pensina freauer	ncv	
Tab 500 μg		100	✓ Paxam
Tab 2 mg		100	✓ Paxam
‡ Oral drops 2.5 mg per ml		10 ml OP	✓ Rivotril
ETHOSUXIMIDE			
* Cap 250 mg	32.90	200	✓ Zarontin
*‡ Oral liq 250 mg per 5 ml		200 ml	✓ Zarontin
• • • • • • • • • • • • • • • • • • • •			
GABAPENTIN – Special Authority see SA1071 below – Retail ph	•	100	. / Nomentin
▲ Cap 100 mg	/.16	100	✓ Nupentin

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

⇒SA1071 Special Authority for Subsidy

Cap 300 mg - For gabapentin oral liquid formulation refer,

▲ Cap 400 mg14.75

Initial application — (Epilepsy) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Neuropathic pain) from any relevant practitioner. Approvals valid for 3 months where the patient has tried and failed, or has been unable to tolerate, treatment with a tricyclic antidepressant.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Renewal — (Neuropathic pain) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

100

100

Nupentin

✓ Nupentin

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
ABAPENTIN (NEURONTIN) - Special Authority see SA09	73 below – Retail pharmad	у		
▲ Tab 600 mg	67.50	100	✓ N	leurontin
▲ Cap 100 mg	13.26	100	✓ N	leurontin
▲ Cap 300 mg - For gabapentin (neurontin) oral liquid fo	mu-			
lation refer, page 183	39.76	100	✓ N	leurontin
▲ Cap 400 mg		100	✓ N	leurontin

■ SA0973 Special Authority for Subsidy

Notes: Subsidy for patients pre-approved by PHARMAC on 1 August 2009. Approvals valid without further renewal unless notified. No new approvals will be granted from 1 August 2009.

LACOSAMIDE - Special Authority see SA1125 below - Retail pharmacy

Tab 50 mg	25.04	14	Vimpat
Tab 100 mg		14	✓ Vimpat
· ·	200.24	56	✓ Vimpat
Tab 150 mg	75.10	14	✓ Vimpat
· ·	300.40	56	✓ Vimpat
Tab 200 mg	400.55	56	Vimpat

■ SA1125 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Patient has partial-onset epilepsy; and
- 2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).

Note: "Optimal treatment" is defined as treatment which is indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight and other features affecting the pharmacokinetics of the drug with good evidence of compliance. Women of childbearing age are not required to have a trial of sodium valproate.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment (see Note).

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

LAMOTRIGINE

\blacktriangle	Tab dispersible 2 mg	6.74	30	✓ Lamictal
\blacktriangle			30	✓ Lamictal
		15.00	56	Arrow-Lamotrigine
\blacktriangle	Tab dispersible 25 mg	19.38	56	✓ Logem
	·	20.40		✓ Arrow-Lamotrigine
				✓ Mogine
		29.09		✓ Lamictal
\blacktriangle	Tab dispersible 50 mg	32.97	56	✓ Logem
		34.70		✓ Arrow-Lamotrigine
				✓ Mogine
		47.89		✓ Lamictal
\blacktriangle	Tab dispersible 100 mg	56.91	56	✓ Logem
		59.90		✓ Arrow-Lamotrigine
				✓ Mogine
		79.16		✓ Lamictal

			,	Brand or
	(Manufacturer's Price		Subsidised	
	\$	Per	~	Manufacturer
LEVETIRACETAM				
Tab 250 mg	24.03	60	✓ L	_evetiracetam-Rex
Tab 500 mg - For levetiracetam oral liquid formulation refer,				
page 183	28.71	60	✓ L	evetiracetam-Rex
Tab 750 mg	45.23	60	✓ L	_evetiracetam-Rex
PHENOBARBITONE				
For phenobarbitone oral liquid refer, page 186				
* Tab 15 mg	25.00	500	✓ F	PSM
* Tab 30 mg		500	✓ F	PSM
PHENYTOIN SODIUM				
* Tab 50 mg	42.09	200	√ г	Dilantin Infatab
* Cap 30 mg		200		Dilantin
* Сар 30 mg		200		Dilantin
*‡ Oral lig 30 mg per 5 ml		500 ml		Dilantin
	13.10	300 1111		Juanun
PRIMIDONE			4.	
* Tab 250 mg	17.25	100		Apo-Primidone
SODIUM VALPROATE				
* Tab 100 mg	13.65	100	✓ E	Epilim Crushable
* Tab 200 mg EC	27.44	100	✓ E	Epilim
* Tab 500 mg EC	52.24	100	✓ E	pilim
*‡ Oral liq 200 mg per 5 ml	20.48	300 ml	✓ E	Epilim S/F Liquid
			✓ E	Epilim Syrup
* Inj 100 mg per ml, 4 ml	41.50	1	✓ E	Epilim IV
TOPIRAMATE				
▲ Tab 25 mg	11 07	60	V 1	Arrow-Topiramate
	26.04	00		Topamax
▲ Tab 50 mg		60		Arrow-Topiramate
— 100 00 mg	44.26	00		Topamax
▲ Tab 100 mg		60		Arrow-Topiramate
	75.25	00		Topamax
▲ Tab 200 mg		60		Arrow-Topiramate
	129.85	00		Topamax
▲ Sprinkle cap 15 mg		60		Горатах
▲ Sprinkle cap 15 mg		60		Горатах
		00	•	οραιιιαλ
VIGABATRIN - Special Authority see SA1072 below - Retail pharm	•		_	
▲ Tab 500 mg	119.30	100	V S	Sabril

■SA1072 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 Patient has infantile spasms; or
 - 1.2 Both:
 - 1.2.1 Patient has epilepsy; and
 - 1.2.2 Either:
 - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
 - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	
(Manuacturer 5 Frice)	Per 🗸	Manufacturer
Ψ	rei 🗸	iviariulaciurei

continued...

- 2 Either:
 - 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- 2 Either:
 - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Antimigraine Preparations

Acute Migraine Treatment

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 103

Acute Migraine Treatment		
ERGOTAMINE TARTRATE WITH CAFFEINE Tab 1 mg with caffeine 100 mg31.00	100	✓ Cafergot
METOCLOPRAMIDE HYDROCHLORIDE WITH PARACETAMOL Tab 5 mg with paracetamol 500 mg	60	✓ Paramax
RIZATRIPTAN – Brand switch fee payable - see page 181 for details Tab orodispersible 10 mg18.00	30	✓ <u>Rizamelt</u>
SUMATRIPTAN		
Tab 50 mg1.55	4	Arrow-Sumatriptan
38.83	100	Arrow-Sumatriptan
Tab 100 mg1.55	2	Arrow-Sumatriptan
77.66	100	 Arrow-Sumatriptan
Inj 12 mg per ml, 0.5 ml - Maximum of 10 inj per prescription36.00	2 OP	Arrow-Sumatriptan
Prophylaxis of Migraine		
For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYSTEM, page 52		
CLONIDINE HYDROCHLORIDE		
* Tab 25 μg	100	✓ Dixarit
PIZOTIFEN		
* Tab 500 µg21.10	100	✓ Sandomigran
ጥ 1αυ 300 μyΔ1.10	100	

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Antinausea and Vertigo Agents

For Antispasmodics refer to ALIMENTARY TRACT, page 29

APREPITANT - Special Authority see SA0987 below - Retail pharmacy

■SA0987 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

BETAHISTINE DIHYDROCHI ORIDE

* Tab 16 mg	10.00	84	✓ Vergo 16
CYCLIZINE HYDROCHLORIDE Tab 50 mg	0.59	10	✓ Nausicalm
CYCLIZINE LACTATE Inj 50 mg per ml, 1 ml	14.95	5	✓ Nausicalm
DOMPERIDONE			
* Tab 10 mg - For domperidone oral liquid formulation refer,			
page 183	11.99	100	✓ Motilium
HYOSCINE (SCOPOLAMINE) - Special Authority see SA0939 below	w – Retail pharma	су	
Patch 1.5 mg	11.95	2	✓ Scopoderm TTS

⇒SA0939 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease; and
- 2 Patient cannot tolerate or does not adequately respond to oral anti-nausea agents; and
- 3 The applicant must specify the underlying malignancy or chronic disease.

Renewal from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

HYOSCINE HYDROBROMIDE

st Inj 400 μ g per ml, 1 ml	6.66	5	✓ Mayne
METOCLOPRAMIDE HYDROCHLORIDE			
* Tab 10 mg	3.95	100	✓ <u>Metamide</u>
* Inj 5 mg per ml, 2 ml - Up to 5 inj available on a PSO	4.50	10	✓ Pfizer
ONDANSETRON			
* Tab 4 mg	5.10	30	✓ Dr Reddy's
			<u>Ondansetron</u>
* Tab disp 4 mg	1.70	10	✓ Dr Reddy's
			<u>Ondansetron</u>
* Tab 8 mg	1.70	10	✓ Dr Reddy's
			<u>Ondansetron</u>
* Tab disp 8 mg	2.00	10	✓ Dr Reddy's
			Ondansetron

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
PROCHLORPERAZINE				
* Tab 3 mg buccal	5.97	50		
	(15.00)			Buccastem
* Tab 5 mg - Up to 30 tab available on a PSO	16.85	500	/	Antinaus
* Inj 12.5 mg per ml, 1 ml - Up to 5 inj available on a PSO	25.81	10	V :	Stemetil
* Suppos 25 mg	23.87	5	V :	Stemetil
PROMETHAZINE THEOCLATE				
* Tab 25 mg	1.20	10		
	(6.24)			Avomine
TROPISETRON				
a) Maximum of 6 cap per prescription				
b) Maximum of 3 cap per dispensing				
c) Not more than one prescription per month.				
Cap 5 mg	77.41	5	~	Navoban

Antipsychotics

Guidelines for the use of atypical antipsychotic agents

Diagnosis: Schizophrenia and related psychoses when positive symptoms (delusions, hallucinations and thought disorder) are prominent and/or disabling or when both positive symptoms and negative symptoms (flattened affect, emotional and social withdrawal and poverty of speech) are present. Treatment: Before initiating atypical antipsychotic therapy, physicians should consider whether the patient is likely to respond to and/or tolerate conventional antipsychotic therapy and, where appropriate, trial one or more conventional agent prior to use of an atypical agent.

General

AMISULPRIDE - Safety medicine; prescriber may determine	dispensing frequency	<i>y</i>	
Tab 100 mg	22.52	30	Solian
Tab 200 mg	97.03	60	Solian
Tab 400 mg	185.44	60	Solian
Oral liq 100 mg per ml	55.44	60 ml	Solian
ARIPIPRAZOLE – Special Authority see SA0920 below – Re Safety medicine; prescriber may determine dispensing fr	, ,		
Tab 10 mg	123.54	30	Abilify
Tab 15 mg	175.28	30	✓ Abilify
Tab 20 mg	213.42	30	Abilify
Tab 30 mg	260.07	30	Abilify

⇒SA0920 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Either:
 - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
 - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy		. ,	Brand or
	(Manufacturer's F \$	Price) Su Per		Generic Manufacturer
	*			
CHLORPROMAZINE HYDROCHLORIDE – Safety medicine; pr				•
Tab 10 mg — Up to 30 tab available on a PSO		100	Larg	•
Tab 25 mg – Up to 30 tab available on a PSO		100	Larg	•
Tab 100 mg – Up to 30 tab available on a PSO		100	✓ Larg	•
Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO	25.00	10	✓ Larg	Jactii
CLOZAPINE – Hospital pharmacy [HP4]				
Safety medicine; prescriber may determine dispensing frequ	•		4.00	
Tab 25 mg		50	✓ Cloz	
	26.74	100	✓ Cloz	
	6.69	50	Clop	
Tol. 50 mm	13.37	100	✓ Clop	
Tab 50 mg		50	✓ Clop	
Tab 100 mm	17.33	100	✓ Clop	
Tab 100 mg		50	✓ Cloz	
	69.30 17.33	100 50	✓ Clor	
	34.65	100	✓ Clop	
Tab 200 mg		50	✓ Clor	
1ab 200 mg	69.30	100	✓ Clor	
Suspension 50 mg per ml		100 ml	✓ Clor	
,			0.01	,,,,,
HALOPERIDOL – Safety medicine; prescriber may determine d		•		
Tab 500 μ g — Up to 30 tab available on a PSO		100	Sere	
Tab 1.5 mg — Up to 30 tab available on a PSO		100	Sere	
Tab 5 mg – Up to 30 tab available on a PSO		100 100 ml	Sere	
Oral liq 2 mg per ml – Up to 200 ml available on a PSO		100 mi	✓ <u>Sere</u>	
Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO			V Sere	enace_
LEVOMEPROMAZINE – Safety medicine; prescriber may determ			4	
Tab 25 mg		100	✓ Noz	
Tab 100 mg		100	✓ Noz	
Inj 25 mg per ml, 1 ml	73.68	10	✓ Noz	inan
LITHIUM CARBONATE - Safety medicine; prescriber may deter		frequency		
Tab 250 mg	34.30	500	Lith	icarb FC
Tab 400 mg	12.83	100		icarb FC
Tab long-acting 400 mg		100	✓ Pria	
Cap 250 mg	9.42	100	✓ Dou	<u>glas</u>
OLANZAPINE - Safety medicine; prescriber may determine dis	pensing frequency	У		
Tab 2.5 mg	2.00	28	✓ Dr F	leddy's
			01	anzapine
			✓ Olar	nzine
	(51.07)		Zypr	exa
Tab 5 mg	3.85	28	✓ Dr F	leddy's
			Ol	anzapine
			Olar	nzine
	(101.21)		Zypr	exa
Tab 10 mg	6.35	28	✓ Dr F	leddy's
			Ol	anzapine
			Olar	nzine
	(204.49)		Zypr	exa

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic Manufacturer
ERICYAZINE - Safety medicine; prescriber may determine d			
Tab 2.5 mg Tab 10 mg		100 100	✓ Neulactil✓ Neulactil
		100	Neulacui
UETIAPINE – Safety medicine; prescriber may determine dis Tab 25 mg	,	60	Dr Reddy's Quetiapine
			✓ Seroquel
Tab 400	10.50	90	✓ Quetapel
Tab 100 mg	14.00	60	Dr Reddy's Quetiapine
	21.00	90	✓ Seroquel✓ Quetapel
Tab 200 mg		60	✓ Dr Reddy's Quetiapine
			✓ Seroquel
	36.00	90	✓ Quetapel
Tab 300 mg	40.00	60	✓ Dr Reddy's Quetiapine
	00.00	00	Seroquel
	60.00	90	✓ Quetapel
ISPERIDONE – Safety medicine; prescriber may determine of		60	4/ Ano Disposidono
Tab 0.5 mg	3.51	60	✓ Apo-Risperidone✓ Dr Reddy'sRisperidone
			✓ Ridal
	1.17	20	5
Tob 1 mg	(2.86)	60	Risperdal
Tab 1 mg	8.00	60	✓ Apo-Risperidone✓ Dr Reddy'sRisperidone
			✓ Ridal
Tob 0 mg	(16.92)	60	Risperdal
Tab 2 mg	11.00	60	✓ Apo-Risperidone ✓ Dr Reddy's Risperidone
	(33.84)		✓ Ridal Risperdal
Tab 3 mg	' '	60	✓ Apo-Risperidone
			Dr Reddy's Risperidone
	(50.70)		✓ Ridal Risperdal
Tab 4 mg	(50.78)	60	✓ Apo-Risperidone
THY	20.00	00	✓ Dr Reddy's Risperidone
			✓ Ridal
	(67.68)		Risperdal
Oral liq 1 mg per ml	18.35	30 ml	✓ Apo-Risperidone✓ Risperon
	(25.26)		Risperdal

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

NERVOUS SYSTEM

	Subsidy (Manufacturer's Price) \$) Per	Fully Subsidised	
TRIFLUOPERAZINE HYDROCHLORIDE - Safety medicine; pre	scriber may determin	ne disp	ensing fre	quency
Tab 1 mg	9.83	100	V :	Stelazine
Tab 2 mg	14.64	100	V :	Stelazine
Tab 5 mg	16.66	100	V :	Stelazine
 a) Safety medicine; prescriber may determine dispensing free b) Ziprasidone is subsidised for patients suffering from schizerisperidone or quetiapine that has been discontinued, or is in effects or inadequate response, and the prescription is endor 	ophrenia or related p the process of being sed accordingly.	discor	ntinued, be	ecause of unacceptable side
Cap 20 mg		60		Zeldox
Cap 40 mg		60		Zeldox
Cap 60 mg		60		Zeldox
Cap 80 mg	329.56	60	V	Zeldox
ZUCLOPENTHIXOL HYDROCHLORIDE - Safety medicine; pres	scriber may determin	e dispe	ensing fred	quency
Tab 10 mg	31.45	100		Clopixol
Depot Injections				

FLUPENTHIXOL DECANOATE - Safety medicine; prescriber may determine dispe	ensing frequ	uency
Inj 20 mg per ml, 1 ml - Up to 5 inj available on a PSO	5	✓ Fluanxol
Inj 20 mg per ml, 2 ml - Up to 5 inj available on a PSO20.90	5	✓ Fluanxol
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO40.87	5	✓ Fluanxol
FLUPHENAZINE DECANOATE - Safety medicine; prescriber may determine dispersional dis	ensing frequ	uency
Inj 12.5 mg per 0.5 ml, 0.5 ml - Up to 5 inj available on a PSO17.60	5	✓ Modecate
Inj 25 mg per ml, 1 ml - Up to 5 inj available on a PSO27.90	5	✓ Modecate
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO154.50	5	✓ Modecate
HALOPERIDOL DECANOATE - Safety medicine; prescriber may determine disper	nsing frequ	ency
Inj 50 mg per ml, 1 ml - Up to 5 inj available on a PSO28.39	5	✓ Haldol
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO55.90	5	✓ Haldol Concentrate
OLANZAPINE PAMOATE MONOHYDRATE - Special Authority see SA1146 below	– Retail pł	narmacy
Safety medicine; prescriber may determine dispensing frequency		
Inj 210 mg280.00	1	Zyprexa Relprevv
Inj 300 mg460.00	1	Zyprexa Relprevv
Inj 405 mg560.00	1	Zyprexa Relprevv

⇒SA1146 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient has schizophrenia; and
- 2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

1 Both:

- 1.1 The patient has had less than 12 months' treatment with olanzapine depot injection; and
- 1.2 There is no clinical reason to discontinue treatment; or
- 2 The initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of olanzapine depot injection.

Note: The patient should be monitored for post-injection syndrome for at least two hours after each injection.

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully sidised	Brand or Generic Manufacturer
PIPOTHIAZINE PALMITATE - Safety medicine; prescriber may de	etermine dispensing f	requency		
Inj 50 mg per ml, 1 ml - Up to 5 inj available on a PSO	178.48	10	✓ P	iportil
Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	353.32	10	✓ P	iportil
RISPERIDONE – Special Authority see SA0926 below – Retail ph Safety medicine; prescriber may determine dispensing freque	,			
Inj 25 mg per 2 ml	175.00	1	✓ R	isperdal Consta
Inj 37.5 mg per 2 ml	230.00	1	✓ R	isperdal Consta
Inj 50 mg per 2 ml	280.00	1	✓ R	isperdal Consta
SACA0036 Chanial Authority for Subsidy				

⇒SA0926 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient has schizophrenia or other psychotic disorder; and
- 2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 Both:
 - 1.1 The patient has had less than 12 months treatment with risperidone depot injection; and
 - 1.2 There is no clinical reason to discontinue treatment: or
- 2 The initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of risperidone depot injection.

Note: Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone depot injection.

ZUCLOPENTHIXOL DECANOATE - Safety medicine; prescriber may determine dispensing frequency ✔ Clopixol

Orodispersible Antipsychotics

OLANZAPINE - Safety medicine; prescriber may determine of	dispensing frequency		
Orodispersible tab 5 mg	6.36	28	✓ Dr Reddy's
			Olanzapine
			✓ Olanzine-D
Orodispersible tab 10 mg	8.76	28	Dr Reddy's Olanzapine
			✓ Olanzine-D
Wafar E ma	6.06	28	Vianzine-b
Wafer 5 mg		20	·
	(102.19)		Zyprexa Zydis
Wafer 10 mg	8.76	28	
•	(204.37)		Zyprexa Zydis
RISPERIDONE - Special Authority see SA0927 on the next p	oage – Retail pharmac	:y	
Safety medicine; prescriber may determine dispensing fre	equency		
Orally-disintegrating tablets 0.5 mg	21.42	28	Risperdal Quicklet
Orally-disintegrating tablets 1 mg		28	Risperdal Quicklet
Orally-disintegrating tablets 2 mg	85.71	28	Risperdal Quicklet

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	V	Manufacturer

⇒SA0927 | Special Authority for Subsidy

Initial application — (Acute situations) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 For a non-adherent patient on oral therapy with standard risperidone tablets or risperidone oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Initial application — (Chronic situations) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid: and
- 2 The patient is under direct supervision for administration of medicine.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Note: Risperdal Quicklets cost significantly more than risperidone tablets and should only be used where necessary.

Anxiolytics

ALPRAZOLAM - Safety medicine; prescriber may determine disp	ensing frequency	
Tab 250 μg	3.15 50	Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.	·
Tab 500 μ g	4.10 50	Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.	
Tab 1 mg	7.25 50	Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.	·
BUSPIRONE HYDROCHLORIDE - Special Authority see SA0863	B below – Retail pharmacy	
Tab 5 mg	28.00 100	Pacific Buspirone
Tab 10 mg	17.00 100	✔ Pacific Buspirone
SACADRAS Special Authority for Subsidy		

■SA0863 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 For use only as an anxiolytic; and
- 2 Other agents are contraindicated or have failed.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

DIAZEPAM – Safety medicine; prescriber may determine dispensing frequency Tab 2 mg11.44	500	✓ Arrow-Diazepam
Tab 5 mg13.71 ‡ Safety cap for extemporaneously compounded oral liquid preparations.	500	✓ Arrow-Diazepam
LORAZEPAM – Safety medicine; prescriber may determine dispensing frequency Tab 1 mg	250	✓ <u>Ativan</u>
Tab 2.5 mg11.17 ‡ Safety cap for extemporaneously compounded oral liquid preparations.	100	✓ <u>Ativan</u>

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
OXAZEPAM - Safety medicine; prescriber may determine dispen-	sing frequency			
Tab 10 mg	5.89	100	✓ <u>0</u> :	x-Pam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
Tab 15 mg	8.13	100	✓ 0:	x-Pam
‡ Safety cap for extemporaneously compounded oral liquid			_	

Multiple Sclerosis Treatments

⇒SA1062 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Budget managed by appointed clinicians on the Multiple Sclerosis Treatment Assessments Committee (MSTAC).

Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator

Phone: 04 460 4990 Facsimile: 04 916 7571

Multiple Sclerosis Treatment Assessment Committee PHARMAC PO Box 10 254

Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Appeals against MSTAC's decision and/or the processing of any application may be lodged with the MSTAC coordinator. Concerns that cannot be or have not been adequately addressed by MSTAC will be forwarded to a separate Appeal Committee if necessary. Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

Entry Criteria

- Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis should as a rule include MRI confirmation. For patients diagnosed before MRI was widely utilised in New Zealand, confirmation of diagnosis via clinical assessment and laboratory/ancillary data must be provided; and
- 2) patients must have active relapsing MS (confirmed by MR scan where necessary) with or without underlying progression; and
- 3) patients must have either:
 - a) EDSS score 2.5 5.5 with 2+ relapses:
 - experienced at least 2 significant relapses of MS in the previous 12 months, and
 - an EDSS score of between 2.5 and 5.5 inclusive; or
 - b) EDSS score 2.0 with 3+ relapses:
 - experienced at least 3 significant relapses of MS in the previous 12 months, and
 - an EDSS score of 2.0; and
- 4) Each relapse must:
 - a) be confirmed by a neurologist or general physician (the patient may not necessarily have been seen during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

continued...

- c) last at least one week;
- d) follow a period of stability of at least one month;
- e) be severe enough to change either the EDSS or at least one of the Kurtzke functional systems scores by at least 1
 point:
- f) be distinguishable from the effects of general fatigue; and
- g) not be associated with a fever (T>37.5°C); and
- 5) applications must be made at least four weeks after the date of the onset of the last known relapse; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate (see criteria for stopping).
- 7) applications must be submitted to the Multiple Sclerosis Treatment Assessment Committee (MSTAC) by the patient's neurologist or a general physician; and
- 8) patients must agree (via informed consent) to co-operate if as a result of their meeting the stopping criteria, funding is withdrawn. Patients must agree to the collection of clinical data relating to their MS and use of those data by PHARMAC; and
- 9) patients must agree to allow clinical data to be collected and reviewed by MSTAC annually for each year in which they receive funding for beta-interferon or glatiramer acetate.

Stopping Criteria

- 1) Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment. Progression of disability is defined as any of:
 - a) an increase of 2 EDSS points where starting EDSS was 2.0; or
 - b) an increase of 1.5 EDSS points where starting EDSS was 2.5 or 3.0; or
 - c) an increase of 1 EDSS point where starting EDSS 3.5 or greater; or
 - d) an increase in EDSS score to 6.0 or more; or
- stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note): or
- 3) pregnancy and/or lactation; or
- 4) within the 12 month approval year, intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate: or
- 5) non-compliance with treatment, including refusal to undergo annual assessment or refusal to allow the results of the assessment to be submitted to MSTAC; or
- 6) patients may, subject to conclusions drawn from published evidence available at the time, be excluded if they develop a high titre of neutralising anti-bodies to beta-interferon or glatiramer acetate.

Note: Patients who have a stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet any of the other Stopping Criteria at annual review may switch to a different class of funded treatment (i.e. patients may switch from either of the beta-interferons [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa). Patients may switch classes of treatment for this reason only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to stable or increasing relapse rate over 12 months of treatment).

GLATHAMEH ACETATE – Special Authority see SA1062 on the preceding page Inj 20 mg prefilled syringe1,089.25	28	✓ Copaxone
INTERFERON BETA-1-ALPHA - Special Authority see SA1062 on the preceding page	ge	
Inj 6 million iu prefilled syringe	4	Avonex
Inj 6 million iu per vial1,425.10	4	Avonex
INTERFERON BETA-1-BETA - Special Authority see SA1062 on the preceding page	9	
Inj 8 million iu per 1 ml1,322.89	15	Betaferon

Subsidy (Manufacturer's Price \$) Per	Fully Brand or Subsidised Generic Manufacturer
Sedatives and Hypnotics		
LORMETAZEPAM – Safety medicine; prescriber may determine dispensing frequency Tab 1 mg3.11 (23.50) ‡ Safety cap for extemporaneously compounded oral liquid preparations.	y 30	Noctamid
MIDAZOLAM – Safety medicine; prescriber may determine dispensing frequency Inj 1 mg per ml, 5 ml10.75 (14.73)	10	✓ Hypnovel Pfizer
Inj 5 mg per ml, 3 ml11.90 (19.64)	5	✓ Hypnovel Pfizer
NITRAZEPAM – Safety medicine; prescriber may determine dispensing frequency Tab 5 mg	100	Nitrados
‡ Safety cap for extemporaneously compounded oral liquid preparations. TEMAZEPAM – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg	25	✓ <u>Normison</u>
TRIAZOLAM – Safety medicine; prescriber may determine dispensing frequency Tab 125 μg	100	Нурат
‡ Safety cap for extemporaneously compounded oral liquid preparations. Tab 250 μg4.10 (8.70) ‡ Safety cap for extemporaneously compounded oral liquid preparations.	100	Нурат
ZOPICLONE Tab 7.5 mg11.90	500	✓ Apo-Zopiclone
Stimulants/ADHD Treatments		
Stimulants/ADHD treatments		
ATOMOXETINE - Special Authority see SA0951 below - Retail pharmacy Cap 10 mg	28 28 28	✓ Strattera ✓ Strattera ✓ Strattera
Cap 40 mg 107.03 Cap 60 mg 107.03 Cap 80 mg 139.11	28 28 28	✓ Strattera ✓ Strattera ✓ Strattera

⇒SA0951 Special Authority for Subsidy

Cap 100 mg139.11

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
 - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or

continued...

✓ Strattera

28

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
- 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamphetamine sulphate tablets.

DEXAMPHETAMINE SULPHATE - Special Authority see SA1149 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

100 **✔ PSM**

⇒SA1149 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist: or
 - 3.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

✓ Rubifen SR
✓ Ritalin SR

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully osidised	Brand or Generic Manufacturer
METHYLPHENIDATE HYDROCHLORIDE – Special Authority see a) Only on a controlled drug form	SA1150 below – Ref	tail pharr	macy	
b) Safety medicine; prescriber may determine dispensing frequ	ency			
Tab immediate-release 5 mg	3.20	30	✓ R	ubifen
Tab immediate-release 10 mg	3.00	30	✓ R	italin
v			✓ R	ubifen
Tab immediate-release 20 mg	7.85	30	✓ R	ubifen

■SA1150 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and

Tab sustained-release 20 mg10.95

- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Fither:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

50.00

30

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA1151 on the next page - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

Tab extended-release 18 mg	 58.96	30	Concerta
Tab extended-release 27 mg	 65.44	30	Concerta
Tab extended-release 36 mg	 71.93	30	Concerta
Tab extended-release 54 mg	 86.24	30	Concerta
Cap modified-release 10 mg	 19.50	30	Ritalin LA
Cap modified-release 20 mg		30	Ritalin LA
Cap modified-release 30 mg	 31.90	30	Ritalin LA
Cap modified-release 40 mg	 38.25	30	Ritalin LA

NERVOUS SYSTEM

Subsidy (Manufacturer's Price) S \$ Per

Fully Subsidised Brand or Generic Manufacturer

⇒SA1151 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
- 4 Either:
 - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or compliance difficulties; or
 - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

MODAFINIL - Special Authority see SA1126 below - Retail pharmacy

■SA1126 Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more; and
- 2 Either:
 - 2.1 The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eye movement periods; or
 - 2.2 The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations; and
- 3 Either:
 - 3.1 An effective dose of a subsidised formulation of methylphenidate or dexamphetamine has been trialled and discontinued because of intolerable side effects: or
 - 3.2 Methylphenidate and dexamphetamine are contraindicated.

Renewal only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Treatments for Dementia

DO	NEI EZIE III DI IOOI IEOI IIDE		
*	Tab 5 mg7.71	90	✓ Donepezil-Rex
	Tab 10 mg	90	✔ Donepezil-Rex

NERVOUS SYSTEM

Subsidy (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Treatments for Opioid Overdose

NALOXONE HYDROCHLORIDE

- a) Up to 5 inj available on a PSO
- b) Only on a PSO

Treatments for Substance Dependence

BUPRENORPHRINE WITH NALOXONE - Special Authority see SA1203 below - Retail pharmacy

- a) No patient co-payment payable
- b) Safety medicine; prescriber may determine dispensing frequency

Suboxone	28	j57.40	Tab sublingual 2 mg with naloxone 0.5 mg
Suboxone	28	166.00	Tab sublingual 8 mg with naloxone 2 mg

⇒SA1203 Special Authority for Subsidy

Initial application — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health...

Initial application — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient will not be receiving methadone; and
- 3 Patient is currently enrolled in an opioid substitution treatment program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient has previously trialled but failed detoxification with buprenorphine with naloxone with relapse back to opioid use and another attempt is planned; and
- 3 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is or has been receiving maintenance therapy with buprenorphine with naloxone (and is not receiving methadone);
- 2 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health or is a medical practitioner authorised by the service to manage treatment in this patient.

Renewal — (Maintenance treatment where the patient has previously had an initial application for detoxification) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient received but failed detoxification with buprenorphine with naloxone; and
- 2 Maintenance therapy with buprenorphine with naloxone is planned (and patient will not be receiving methadone); and
- 3 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

NERVOUS SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
BUPROPION HYDROCHLORIDE Tab modified-release 150 mg	65.00	30	√ Z	yban
DISULFIRAM Tab 200 mg	24.30	100	✓ A	ıntabuse
NALTREXONE HYDROCHLORIDE – Special Authority see SA09 Tab 50 mg		armad 30		altraccord

■SA0909 | Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

Renewal from any medical practitioner. Approvals valid for 3 months for applications meeting the following criteria:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
 - 2.1 Patient is still unstable and requires further treatment; or
 - 2.2 Patient achieved significant improvement but requires further treatment; or
 - 2.3 Patient is well controlled but requires maintenance therapy.

The patient must not have had more than 1 prior approval in the last 12 months.

NICOTINE

Nicotine will not be funded under the Dispensing Frequency Rule in amounts less than 4 weeks of treatment.

Thousand will not be funded under the Dieperioning Frequency flate in all	mounto 1000 than	i woodo or aroaanion
Patch 7 mg - Up to 28 patch available on a PSO18	3.13 28	✓ <u>Habitrol</u>
Patch 14 mg - Up to 28 patch available on a PSO18	3.81 28	✓ <u>Habitrol</u>
Patch 21 mg - Up to 28 patch available on a PSO19	9.14 28	✓ <u>Habitrol</u>
Lozenge 1 mg - Up to 216 loz available on a PSO19	9.94 216	✓ <u>Habitrol</u>
Lozenge 2 mg - Up to 216 loz available on a PSO24	1.27 216	✓ <u>Habitrol</u>
Gum 2 mg (Classic) - Up to 384 piece available on a PSO36	5.47 384	✓ <u>Habitrol</u>
Gum 2 mg (Fruit) - Up to 384 piece available on a PSO36	384	✓ <u>Habitrol</u>
Gum 2 mg (Mint) - Up to 384 piece available on a PSO36	384	✓ <u>Habitrol</u>
Gum 4 mg (Classic) - Up to 384 piece available on a PSO42	2.04 384	✓ <u>Habitrol</u>
Gum 4 mg (Fruit) - Up to 384 piece available on a PSO42	2.04 384	✓ <u>Habitrol</u>
Gum 4 mg (Mint) - Up to 384 piece available on a PSO42	2.04 384	✓ <u>Habitrol</u>

VARENICLINE TARTRATE - Special Authority see SA1161 below - Retail pharmacy

- a) Varenicline will not be funded under the Dispensing Frequency Rule in amounts less than 2 weeks of treatment.
- b) A maximum of 3 months' varenicline will be subsidised on each Special Authority approval.

Champix	28	Tab 1 mg67.74
Champix	56	135.48
Champix	25 OP	Tab 0.5 mg × 11 and 1 mg × 1460.48

⇒SA1161 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 Either:

NERVOUS SYSTEM

Subsidy Fully Brand or	Subsidy
(Manufacturer's Price) Subsidised Generic	(Manufacturer's Price)
\$ Per Manufacturer	\$

continued...

- 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
- 3.2 The patient has tried but failed to guit smoking using bupropion or nortriptyline; and
- 4 The patient has not used funded varenicline in the last 12 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 6 The patient is not pregnant; and
- 7 The patient will not be prescribed more than 3 months' funded varenicline (see note).

Renewal from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria:

All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 The patient has not used funded varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 5 The patient is not pregnant; and
- 6 The patient will not be prescribed more than 3 months' funded varenicline (see note).

The patient must not have had an approval in the past 12 months.

Note: a maximum of 3 months' varenicline will be subsidised on each Special Authority approval.

Subsidy (Manufacturer's Price) \$ \$ Per

Fully Subsidised Brand or Generic Manufacturer

Chemotherapeutic Agents

Alkv	lating	Age	ents

BUSULPHAN - PCT - Retail pharmacy-Specialist			
Tab 2 mg	59.50	100	✓ Myleran
CARBOPLATIN - PCT only - Specialist			
Inj 10 mg per ml, 5 ml	20.00	1	Carboplatin Ebewe
Inj 10 mg per ml, 15 ml	22.50	1	✓ Carboplatin Ebewe
Inj 10 mg per ml, 45 ml	50.00	1	Carboplatin Ebewe
			DBL Carboplatin
Inj 10 mg per ml, 100 ml	105.00	1	Carboplatin Ebewe
Inj 1 mg for ECP	0.15	1 mg	✓ Baxter
CARMUSTINE - PCT only - Specialist			
Inj 100 mg	204.13	1	✓ BiCNU
Inj 100 mg for ECP		100 mg OP	✓ Baxter
CHLORAMBUCIL – PCT – Retail pharmacy-Specialist		_	
Tab 2 mg	22.35	25	✓ Leukeran FC
		_0	
CISPLATIN – PCT only – Specialist	15.00	1	4 Ciaplatia Ehawa
Inj 1 mg per ml, 50 ml	19.00	ı	✓ Cisplatin Ebewe✓ Mayne
Inj 1 mg per ml, 100 ml		1	✓ Cisplatin Ebewe
IIIJ I IIIG Pei IIII, 100 IIII	38.00	'	✓ Mayne
Inj 1 mg for ECP		1 mg	✓ Baxter
, •		9	Duntoi
CYCLOPHOSPHAMIDE	0F 71	50	✓ Cycloblastin
Tab 50 mg - PCT - Retail pharmacy-SpecialistInj 1 g - PCT - Retail pharmacy-Specialist		1	✓ <u>Cyclobiastili</u> ✓ Endoxan
IIIJ I g — FOI — Hetali pilatiliacy-Specialist	127.80	6	✓ Cytoxan
Inj 2 g - PCT only - Specialist		1	✓ Endoxan
Inj 1 mg for ECP - PCT only - Specialist		1 mg	✓ Baxter
, , ,		1 1119	• Bunton
IFOSFAMIDE – PCT only – Specialist Inj 1 g	06.00	1	✓ Holoxan
Inj 2 g		1	✓ Holoxan
Inj 1 mg for ECP		1 mg	✓ Baxter
, •	0.10	ring	Daxter
LOMUSTINE – PCT only – Specialist	100 50	00	
Cap 10 mg		20	✓ CeeNU
Cap 40 mg	399.15	20	✓ CeeNU
MELPHALAN			4 - 11
Tab 2 mg — PCT — Retail pharmacy-Specialist		25	✓ Alkeran
Inj 50 mg – PCT only – Specialist	52.15	1	✓ Alkeran

	Subsidy (Manufacturer's Price \$) Per	Fully Subsidised	d Generic
OXALIPLATIN - PCT only - Specialist - Special Authority see SA	A0900 below			
Inj 50 mg	15.32	1	~	Oxaliplatin Actavis 50
	55.00		~	Oxaliplatin Ebewe
	200.00		~	Eloxatin
Inj 100 mg	25.01	1	•	Oxaliplatin Actavis 100
	110.00		~	Oxaliplatin Ebewe
	400.00		~	Eloxatin
Inj 1 mg for ECP	0.28	1 mg	~	Baxter

■ SA0900 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has metastatic colorectal cancer; and
 - 1.2 To be used for first or second line use as part of a combination chemotherapy regimen; or
- 2 Both:
 - 2.1 The patient has stage III (Duke's C) colorectal* cancer; and
 - 2.2 Adjuvant oxaliplatin to be given in combination with a fluoropyrimidine (fluorouracil or capecitabine).

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with * are Unapproved Indications, oxaliplatin is indicated for adjuvant treatment of stage III (Duke's C) colon cancer after complete resection of the primary tumour.

THIOTEPA – PCT only – Specialist Inj 15 mg	CBS	1	✓ Bedford \$29✓ THIO-TEPA \$29
Antimetabolites			

Antimetabolites			
CALCIUM FOLINATE Tab 15 mg - PCT - Retail pharmacy-Spec	ialist82.45	10	✓ <u>DBL Leucovorin</u> Calcium
Inj 3 mg per ml, 1 ml - PCT - Retail pharm	nacy-Specialist17.10	5	✓ Mayne
Inj 50 mg - PCT - Retail pharmacy-Specia	alist24.50	5	✓ Calcium Folinate Ebewe
Inj 100 mg - PCT only - Specialist	9.75	1	Calcium Folinate Ebewe
Inj 300 mg - PCT only - Specialist	30.00	1	✓ Calcium Folinate Ebewe
Inj 1 g - PCT only - Specialist	90.00	1	✓ Calcium Folinate Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.10	1 mg	✓ Baxter
CAPECITABINE - Retail pharmacy-Specialist -	- Special Authority see SA1049 on	the next page	е
Tab 150 mg	115.00	60	✓ Xeloda
Tab 500 mg	705.00	120	✓ Xeloda

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

⇒SA1049 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has advanced gastrointestinal malignancy; or
- 2 The patient has metastatic breast cancer; or
- 3 The patient has stage III (Duke's stage C) colorectal*# cancer and undergone surgery; or
- 4 Both:
 - 4.1 The patient has stage II (Dukes' stage B) colorectal* cancer and has undergone surgery; and
 - 4.2 Any of the following:
 - 4.2.1 The patient has stage T4 disease; or
 - 4.2.2 The patient has vascular invasion; or
 - 4.2.3 Fewer than 10 lymph nodes were examined at resection; or
- 5 All of the following:
 - 5.1 The patient has locally advanced (clinically or radiologically staged T3/T4: N0,1,2) rectal cancer; and
 - 5.2 Surgery is planned; and
 - 5.3 Capecitabine to be given prior to surgery (neoadjuvant); and
 - 5.4 Capecitabine to be given at a maximum dose of 825 mg/m² twice daily in combination with radiation therapy for a maximum of 6 weeks: or
- 6 Both:
 - 6.1 The patient has poor venous access or needle phobia*; and
 - 6.2 The patient requires a substitute for single agent fluoropyrimidine*.

Note: Indications marked with * are Unapproved Indications, # capecitabine is approved for stage III (Duke's stage C) colon cancer. Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or DCT anhy Chasialist
- 2 The tumour has relapsed and requires re-treatment.

CLADRIBINE – PCT only – Specialist		
Inj 2 mg per ml, 5 ml873.00	1	✓ Litak S29
Inj 1 mg per ml, 10 ml5,249.72	7	✓ Leustatin
Inj 10 mg for ECP749.96	10 mg OP	✓ Baxter
(Litak S29 Inj 2 mg per ml, 5 ml to be delisted 1 December 2012)	ŭ	
CYTARABINE		
Inj 100 mg - PCT - Retail pharmacy-Specialist76.00	5	✓ Pfizer
, , , , ,	5	
80.00		Mayne
Inj 500 mg - PCT - Retail pharmacy-Specialist18.15	1	✔ Pfizer
95.36	5	✓ Mayne
Inj 1 g - PCT - Retail pharmacy-Specialist37.00	1	✓ Pfizer
42.65		✓ Mayne
Inj 2 g - PCT - Retail pharmacy-Specialist31.00	1	✓ Pfizer
34.47		✓ Mayne
Inj 1 mg for ECP - PCT only - Specialist	10 mg	✓ Baxter
Inj 100 mg intrathecal syringe for ECP - PCT only - Specialist15.20	100 mg OP	✓ Baxter
FLUDARABINE PHOSPHATE - PCT only - Specialist		
Tab 10 mg433.50	20	Fludara Oral
Inj 50 mg525.00	5	✓ Fludarabine Ebewe
1,430.00		✓ Fludara
Ini 50 mg for ECP	50 ma OP	✓ Baxter

	Subsidy (Manufacturer's Pri	ice) Per	Fully Subsidised	Brand or Generic Manufacturer
FLUOROURACIL SODIUM				
Inj 50 mg per ml, 10 ml - PCT only - Specialist	26.25	5	✓ F	luorouracil Ebewe
Inj 50 mg per ml, 20 ml - PCT only - Specialist	7.50	1	✓ F	luorouracil Ebewe
Inj 25 mg per ml, 100 ml - PCT only - Specialist	13.55	1	✓ N	layne
Inj 50 mg per ml, 50 ml - PCT only - Specialist	18.00	1	✓ F	luorouracil Ebewe
Inj 50 mg per ml, 100 ml - PCT only - Specialist	34.50	1	✓ F	luorouracil Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.77	100 mg	✓ B	axter
GEMCITABINE HYDROCHLORIDE - PCT only - Specialist - S	Special Authority se	ee SA108	7 below	
Inj 1 g		1		BL Gemcitabine
, ,			✓ G	iemcitabine
				Actavis 1000
			✓ G	emcitabine Ebewe
	349.20		√ G	iemzar
Inj 200 mg	12.50	1	✓ G	iemcitabine
				Actavis 200
			✓ G	emcitabine Ebewe
	78.00		✓ G	iemzar
Inj 1 mg for ECP	0.07	1 mg	✓ B	axter

⇒SA1087 Special Authority for Subsidy

Initial application — (Hodgkin's Disease) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has Hodgkin's Disease*; and
- 2 Any of the following:
 - 2.1 Disease has failed to respond to second line salvage chemotherapy treatment; or
 - 2.2 Disease has relapsed following transplant: or
 - 2.3 The patient is unsuitable for, or intolerant to, second-line salvage chemotherapy or high dose chemotherapy and transplant; and
- 3 Gemcitabine to be given for a maximum of 6 treatment cycles.

Note: Indications marked with a * are Unapproved Indications.

Initial application — (T-Cell Lymphoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has T-cell Lymphoma*; and
- 2 Gemcitabine to be given for a maximum of 6 treatment cycles.

Note: Indications marked with a * are Unapproved Indications.

Initial application — (Cholangiocarcinoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has locally advanced or metastatic, cholangiocarcinoma*; and
- 2 Gemcitabine to be given for a maximum of 8 treatment cycles.

Notes: Cholangiocarcinoma encompasses epithelial tumours of the hepatobiliary tree, including tumours of bile ducts, ampulla of vater and gallbladder.

Indications marked with a * are Unapproved Indications.

Initial application — (Pancreatic Cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

1 Both:

1.1 The patient has macroscopically resected (R0) pancreatic carcinoma*; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ continued... 1.2 Adjuvant gemcitabine to be administered for a maximum of 6 cycles; or 2 Both: 2.1 The patient has advanced pancreatic carcinoma; and 2.2 The patient is gemcitabine treatment naive. Note: Indications marked with a * are Unapproved Indications. Renewal — (Pancreatic Cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following: 1 The patient has received gemcitabine for advanced pancreatic carcinoma; and 2 The patient has not received gemcitabine for adjuvant treatment pancreatic carcinoma; and 3 The patient requires continued therapy. Initial application — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Any of the following: 1 1 The patient has non small cell lung carcinoma (stage Illa, or above); or 2 The patient has advanced malignant mesothelioma; or 3 The patient has ovarian, fallopian tube* or primary peritoneal carcinoma*; or 4 The patient has advanced transitional cell carcinoma of the urothelial tract (locally advanced or metastatic). Note: Indications marked with a * are Unapproved Indications. Renewal — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: 1 The patient requires continued therapy: or 2 The tumour has relapsed and requires re-treatment. IRINOTECAN - PCT only - Specialist - Special Authority see SA0878 below Inj 20 mg per ml, 2 ml41.00 1 ✓ Camptosar ✓ Irinotecan-Rex ✓ Camptosar ✓ Irinotecan-Rex ✓ Baxter 1 mg ■SA0878 Special Authority for Subsidy Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: 1 The patient has metastatic colorectal cancer; and 2 Either: 2.1 To be used for first or second line use as part of a combination chemotherapy regimen; or

12 months for applications meeting the following criteria:

1 The patient requires continued therapy; or

2 The tumour has relapsed and requires re-treatment.

MERCAPTOPURINE – PCT – Retail pharmacy-Specialist

2.2 As single agent chemotherapy in fluropyrimidine-relapsed disease.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for

	Subsidy (Manufacturer's Price \$	e) Sub Per	Fully sidised	Brand or Generic Manufacturer
METHOTREXATE				
* Tab 2.5 mg - PCT - Retail pharmacy-Specialist		30	✓ M	lethoblastin
* Tab 10 mg - PCT - Retail pharmacy-Specialist	40.93	50	✓ M	lethoblastin
* Inj 2.5 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist.	23.65	5	✓ M	layne
* Inj 25 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist	48.00	5	✓ H	ospira
* Inj 25 mg per ml, 20 ml - PCT - Retail pharmacy-Specialist.	90.00	1	✓ H	ospira
* Inj 100 mg per ml, 10 ml - PCT - Retail pharmacy-Specialis	t25.00	1	✓ M	lethotrexate Ebewe
* Inj 25 mg per ml, 40 ml - PCT - Retail pharmacy-Specialist		1	✓ D	BL
,				Methotrexate S29
* Inj 100 mg per ml, 50 ml - PCT - Retail pharmacy-Specialist.	125.00	1	✓ M	lethotrexate Ebewe
* Inj 1 mg for ECP — PCT only — Specialist		1 ma		axter
* Inj 5 mg intrathecal syringe for ECP - PCT only - Specialist.		5 mg OP		axter
	4./3	o my OF	V D	axter
THIOGUANINE – PCT – Retail pharmacy-Specialist				
Tab 40 mg	97.16	25	✓ L	anvis
Other Cytotoxic Agents				
AMSACRINE - PCT only - Specialist				
Inj 75 mg	CBS	6	✓ Δ	msidine S29
, ,		ŭ		IIIOIGIIIO OLO
ANAGRELIDE HYDROCHLORIDE – PCT only – Specialist – Sp				
Cap 0.5 mg	CBS	100		grylin S29
			✓ To	eva S29

⇒SA0879 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has primary thrombocythaemia; and
- 2 Either:
 - 2.1 is at high risk (previous thromboembolic disease, bleeding or platelet count >1500/ml); or
 - 2.2 is intolerant or refractory to hydroxyurea or interferon.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that treatment with anagrelide be initiated only on the recommendation of a haematologist.

•		•
4,817.00	10	✓ AFT S29
120.00	1	✓ DBL Bleomycin Sulfate
9.28	1,000 iu	✓ Baxter
see SA1127 on the r	next page	
540.70	1	✓ Velcade
1,892.50	1	✓ Velcade
594.77	1 mg	✓ Baxter
	9.28 see SA1127 on the r 540.70 1,892.50	

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

⇒SA1127 | Special Authority for Subsidy

Initial application — (Treatment naive multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 The patient has treatment-naive symptomatic multiple myeloma; or
 - 1.2 The patient has treatment-naive symptomatic systemic AL amyloidosis *; and
- 2 Maximum of 9 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 The patient has relapsed or refractory multiple myeloma; or
 - 1.2 The patient has relapsed or refractory systemic AL amyloidosis *; and
- 2 The patient has received only one prior front line chemotherapy for multiple myeloma or amyloidosis; and
- 3 The patient has not had prior publicly funded treatment with bortezomib; and
- 4 Maximum of 4 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

- Both:

 1 The patient's disease obtained at least a partial response from treatment with bortezomib at the completion of cycle 4; and
 - 2 Maximum of 4 further treatment cycles (making a total maximum of 8 consecutive treatment cycles).

Notes: Responding relapsed/refractory multiple myeloma patients should receive no more than 2 additional cycles of treatment beyond the cycle at which a confirmed complete response was first achieved. A line of therapy is considered to comprise either:

- a) a known therapeutic chemotherapy regimen and supportive treatments; or
- b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments.

Refer to datasheet for recommended dosage and number of doses of bortezomib per treatment cycle.

Inj 200 mg	COLASPASE [L-ASPARAGINASE] - PCT only - Specialist			
DACARBAZINE − PCT only − Specialist 48.00 1 ✓ Hospira Inj 200 mg 48.00 200 mg OP ✓ Baxter DACTINOMYCIN [ACTINOMYCIN D] − PCT only − Specialist 13.52 1 ✓ Cosmegen Inj 0.5 mg 13.52 0.5 mg OP ✓ Baxter DAUNORUBICIN − PCT only − Specialist 118.72 1 ✓ Pfizer Inj 2 mg per ml, 10 ml 118.72 1 ✓ Pfizer Inj 20 mg for ECP 118.72 20 mg OP ✓ Baxter DOCETAXEL − PCT only − Specialist 48.75 1 ✓ Docetaxel Ebewe Inj 20 mg 48.75 1 ✓ Docetaxel Ebewe Inj 80 mg 195.00 1 ✓ Docetaxel Ebewe Taxotere 1,650.00 ✓ Taxotere			1	✓ Leunase
Inj 200 mg	Inj 10,000 iu for ECP	102.32	10,000 iu OP	✓ Baxter
Inj 200 mg for ECP	DACARBAZINE - PCT only - Specialist			
DACTINOMYCIN [ACTINOMYCIN D] − PCT only − Specialist 13.52 1 ✓ Cosmegen Inj 0.5 mg for ECP 13.52 0.5 mg OP ✓ Baxter DAUNORUBICIN − PCT only − Specialist 118.72 1 ✓ Pfizer Inj 2 mg per ml, 10 ml 118.72 20 mg OP ✓ Baxter DOCETAXEL − PCT only − Specialist 48.75 1 ✓ Docetaxel Ebewe Inj 20 mg 460.00 ✓ Taxotere Inj 80 mg 195.00 1 ✓ Docetaxel Ebewe 1,650.00 ✓ Taxotere	Inj 200 mg	48.00	1	✓ Hospira
Inj 0.5 mg	Inj 200 mg for ECP	48.00	200 mg OP	✓ Baxter
Inj 0.5 mg for ECP	DACTINOMYCIN [ACTINOMYCIN D] - PCT only - Specialist			
DAUNORUBICIN − PCT only − Specialist 118.72 1 ✓ Pfizer Inj 2 mg per ml, 10 ml 118.72 20 mg OP ✓ Baxter DOCETAXEL − PCT only − Specialist 48.75 1 ✓ Docetaxel Ebewe Inj 20 mg 460.00 ✓ Taxotere Inj 80 mg 195.00 1 ✓ Docetaxel Ebewe 1,650.00 ✓ Taxotere	Inj 0.5 mg	13.52	1	✓ Cosmegen
Inj 2 mg per ml, 10 ml 118.72 1 ✓ Pfizer Inj 20 mg for ECP 118.72 20 mg OP ✓ Baxter DOCETAXEL – PCT only – Specialist 48.75 1 ✓ Docetaxel Ebewe Inj 20 mg 460.00 ✓ Taxotere Inj 80 mg 195.00 1 ✓ Docetaxel Ebewe 1,650.00 ✓ Taxotere	Inj 0.5 mg for ECP	13.52	0.5 mg OP	✓ Baxter
Inj 20 mg for ECP 118.72 20 mg OP ✔ Baxter DOCETAXEL - PCT only - Specialist 48.75 1 ✔ Docetaxel Ebewe Inj 20 mg 460.00 ✔ Taxotere Inj 80 mg 195.00 1 ✔ Docetaxel Ebewe 1,650.00 ✔ Taxotere	DAUNORUBICIN - PCT only - Specialist			
DOCETAXEL − PCT only − Specialist .48.75 1 ✓ Docetaxel Ebewe Inj 20 mg .460.00 ✓ Taxotere Inj 80 mg .195.00 1 ✓ Docetaxel Ebewe 1,650.00 ✓ Taxotere	Inj 2 mg per ml, 10 ml	118.72	1	✓ Pfizer
Inj 20 mg 48.75 1 ✓ Docetaxel Ebewe 460.00 ✓ Taxotere Inj 80 mg 195.00 1 ✓ Docetaxel Ebewe 1,650.00 ✓ Taxotere	Inj 20 mg for ECP	118.72	20 mg OP	✓ Baxter
460.00	DOCETAXEL - PCT only - Specialist			
460.00	Inj 20 mg	48.75	1	Docetaxel Ebewe
1,650.00 ✓ Taxotere				✓ Taxotere
1,650.00 ✓ Taxotere	Inj 80 mg	195.00	1	Docetaxel Ebewe
Inj 1 mg for ECP2.63 1 mg 🗸 Baxter				✓ Taxotere
	Inj 1 mg for ECP	2.63	1 mg	✓ Baxter

	Subsidy (Manufacturer's Price	i) Sii	Fully Brand of bsidised Generic	
	\$	Per	✓ Manufa	
DOXORUBICIN - PCT only - Specialist				
Inj 10 mg	10.00	1	✓ Doxorubi	cin Ebewe
Inj 50 mg		1	✓ DBL Doxe	
,			✓ DBL Doxe	
			S29 S29	
			✓ Doxorubi	cin Ebewe
Inj 100 mg	80.00	1	Doxorubi	cin Ebewe
Inj 200 mg	150.00	1	Adriamyc	in
			✓ Doxorubi	cin Ebewe
Inj 1 mg for ECP	0.88	1 mg	Baxter	
EPIRUBICIN - PCT only - Specialist				
Inj 2 mg per ml, 5 ml	25.00	1	Epirubicii	
Inj 2 mg per ml, 25 ml	39.38	1	✓ DBL Epire	ubicin
			Hydroc	hloride
	87.50		Epirubicii	n Ebewe
Inj 2 mg per ml, 50 ml	58.20	1	✓ DBL Epire	ubicin
			Hydroc	hloride
	125.00		Epirubicii	n Ebewe
Inj 2 mg per ml, 100 ml	94.50	1	✓ DBL Epire	ubicin
			Hydroc	hloride
	210.00		Epirubicii	n Ebewe
Inj 1 mg for ECP	0.82	1 mg	✓ Baxter	
ETOPOSIDE				
Cap 50 mg - PCT - Retail pharmacy-Specialist	340.73	20	✓ Vepesid	
Cap 100 mg - PCT - Retail pharmacy-Specialist		10	✓ Vepesid	
Inj 20 mg per ml, 5 ml - PCT - Retail pharmacy-Specialist.		1	✓ Mayne	
, , , , , , , , , , , , , , , , , , , ,	612.20	10	✓ Vepesid	
Inj 1 mg for ECP - PCT only - Specialist	0.30	1 mg	✓ Baxter	
ETOPOSIDE PHOSPHATE - PCT only - Specialist		•		
Inj 100 mg (of etoposide base)	40.00	1	✓ Etopopho	ns
Inj 1 mg (of etoposide base) for ECP		1 mg	✓ Baxter	
		9	• Dantoi	
HYDROXYUREA – PCT – Retail pharmacy-Specialist	01.76	100	A A Hardwan	
Cap 500 mg	31./0	100	✓ Hydrea	
DARUBICIN HYDROCHLORIDE – PCT only – Specialist				
Cap 5 mg		1	Zavedos	
Cap 10 mg		1	Zavedos	
Inj 5 mg		1	Zavedos	
Inj 10 mg		_1	Zavedos	
Inj 1 mg for ECP	22.20	1 mg	Baxter	
MESNA - PCT only - Specialist				
Tab 400 mg		50	Uromitex	
Tab 600 mg		50	✓ Uromitex:	
Inj 100 mg per ml, 4 ml		15	✓ Uromitex	
Inj 100 mg per ml, 10 ml		15	Uromitex	an
Inj 1 mg for ECP	2.29	100 mg	✓ Baxter	
MITOMYCIN C - PCT only - Specialist				
Inj 5 mg	72.75	1	✓ Arrow	
Inj 1 mg for ECP	16.13	1 mg	✓ Baxter	

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
MITOZANTRONE - PCT only - Specialist				
Inj 2 mg per ml, 5 ml	110.00	1	✓ N	Mitozantrone Ebewe
Inj 2 mg per ml, 10 ml	100.00	1	✓ N	Mitozantrone Ebewe
Inj 2 mg per ml, 12.5 ml		1	V (Onkotrone
Inj 1 mg for ECP	5.65	1 mg	✓ E	Baxter
ACLITAXEL - PCT only - Specialist				
Inj 30 mg	137.50	5	✓ F	Paclitaxel Ebewe
Inj 100 mg	91.67	1	✓ F	Paclitaxel Actavis
			✓ F	Paclitaxel Ebewe
Inj 150 mg	137.50	1	V	Anzatax
			✓ F	Paclitaxel Actavis
			✓ F	Paclitaxel Ebewe
Inj 300 mg	275.00	1	V	Anzatax
				Paclitaxel Actavis
				Paclitaxel Ebewe
Inj 600 mg		1	✓ F	Paclitaxel Ebewe
Inj 1 mg for ECP	1.02	1 mg	✓ E	Baxter
ENTOSTATIN [DEOXYCOFORMYCIN] - PCT only - Specialist				
Inj 10 mg		1	✓ N	Nipent S29
ROCARBAZINE HYDROCHLORIDE - PCT only - Specialist				•
Cap 50 mg	225.00	50	✓ N	Natulan (S29)
EMOZOLOMIDE - Special Authority see SA1063 below - Retai				
Cap 5 mg		5	✓ T	Temaccord
Cap 20 mg		5	·	Temaccord
Cap 100 mg		5	. =	Temaccord
Cap 250 mg		5		Temaccord
04p 250 mg		•	* -	

⇒SA1063 | Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 10 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Patient has newly diagnosed glioblastoma multiforme; or
 - 1.2 Patient has newly diagnosed anaplastic astrocytoma*; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of six cycles of 5 days treatment, at a maximum dose of 200 mg/m².

Notes: Indication marked with a * is an Unapproved Indication. Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme. Reapplications will not be approved.

Studies of temozolomide show that its benefit is predominantly in those patients with a good performance status (WHO grade 0 or 1 or Karnofsky score >80), and in patients who have had at least a partial resection of the tumour.

	next page	Specialist - Special Authority see SA1124 on the r	THALIDOMIDE
Thalomid	28	504.00	Cap 50 mg.
✓ Thalomid	28	1,008.00	Cap 100 mg

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

■SA1124 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither

- 1 The patient has multiple myeloma: or
- 2 The patient has systemic AL amyloidosis*.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

Indication marked with * is an Unapproved Indication.

TRETINOIN

Cap 10 mg - PCT - Retail pharmacy-Specialist435.90	100	✓ Vesanoid
VINBLASTINE SULPHATE		
Inj 10 mg - PCT - Retail pharmacy-Specialist27.50	1	✓ Mayne
137.50	5	✓ Mayne
Inj 1 mg for ECP - PCT only - Specialist	1 mg	✓ Baxter
VINCRISTINE SULPHATE		
Inj 1 mg per ml, 1 ml - PCT - Retail pharmacy-Specialist108.00	5	✓ Hospira
Inj 1 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist	5	✓ Hospira
Inj 1 mg for ECP - PCT only - Specialist15.77	1 mg	✓ Baxter
VINORELBINE - PCT only - Specialist - Special Authority see SA1013 below		
Inj 10 mg per ml, 1 ml12.85	1	✓ Navelbine
42.00		✓ Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml64.25	1	✓ Navelbine
210.00		✓ Vinorelbine Ebewe
Inj 1 mg for ECP1.45	1 mg	✓ Baxter

⇒SA1013 Special Authority for Subsidy

Initial application — (Hodgkin's Disease) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has Hodgkin's Disease*; and
- 2 Any of the following:
 - 2.1 Disease has failed to respond to second-line salvage chemotherapy treatment; or
 - 2.2 Disease has relapsed following transplant; or
 - 2.3 The patient is unsuitable for, or intolerant to, second-line salvage chemotherapy or high dose chemotherapy and transplant; and
- 3 Vinorelbine to be given for a maximum of 6 treatment cycles.

Initial application — (T-Cell Lymphoma) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has T-cell Lymphoma*; and
- 2 Vinorelbine to be given for a maximum of 6 treatment cycles.

Initial application — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Any of the following:

1 The patient has metastatic breast cancer; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- 2 The patient has non-small cell lung cancer (stage IIIa, or above); or
- 3 All of the following:
 - 3.1 The patient has stage IB-IIIA non-small cell lung cancer; and
 - 3.2 Vinorelbine is to be given as adjuvant treatment in combination with cisplatin; and
 - 3.3 The patient has good performance status (WHO/ECOG grade 0-1).

Renewal — (Other indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient requires continued therapy; or
- 2 The tumour has relapsed and requires re-treatment.

Note: Indications marked with a * are Unapproved Indications.

Protein-tyrosine Kinase Inhibitors

DASATINIB	 Special 	Authority	see	SA0976	below
-----------	-----------------------------	-----------	-----	--------	-------

Tab 20 mg	3,774.06	60	✓ Sprycel
Tab 50 mg	6,214.20	60	✓ Sprycel
Tab 70 mg	7,692.58	60	✓ Sprycel
Tab 100 mg	6,214.20	30	✓ Sprycel

⇒SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990
PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: marv.chesterfield@pharmac.govt.nz

Wellington

Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a
 haematological response as defined as any one of the following three levels of response:
 - complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10⁹/L, platelets > 100 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0 × 10⁹/L, platelets > 20 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Ferror Ferror Ferror Ferror Ferror Fully Brand or Generic Generic Ferror Ferror Ferror Fully Brand or Generic Ferror Ferror Fully Brand or Generic Ferror Ferror

continued...

- 3) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).</p>
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

ERLOTINIB HYDROCHLORIDE - Retail pharmacy-Specialist - Special Authority see SA1044 below

Tab 100 mg	3,100.00	30	Tarceva
Tab 150 mg	3,950.00	30	Tarceva

▶SA1044 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has advanced, unresectable, Non Small Cell Lung Cancer (NSCLC); and
- 2 Patient has documented disease progression following treatment with first line platinum based chemotherapy; and
- 3 Erlotinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

GEFITINIB - Retail pharmacy-Specialist

Tab 250 mg − Special Authority see SA1226 below......1,700.00 30 Iressa

⇒SA1226 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Patient has treatment naive locally advanced, or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
 - 1.2 There is documentation confirming that disease expresses activating mutations of EGFR tyrosine kinase; and
 - 1.3 Gefitinib is to be given for a maximum of 3 months; or
- 2 The patient received gefitinib treatment prior to 1 August 2012 and radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

IMATINIB MESYLATE - Special Authority see SA0643 below

⇒SA0643 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: mary.chesterfield@pharmac.govt.nz

Wellington

Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 600 mg/day for accelerated or blast phase, and 400 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per Brand or Generic Manufacturer

continued...

e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if after 6 months from initiating therapy a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10⁹/L, platelets > 100 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0 × 10⁹/L, platelets > 20 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - 3) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if after 18 months from initiating therapy a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

Special Authority criteria for GIST - access by application

- a) Funded for patients:
 - 1) with a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST); and
 - 2) who have immunohistochemical documentation of c-kit (CD117) expression by the tumour.
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

LAPATINIB DITOSYLATE	- Special	Authority se	ee SA1191	below -	- Retail pharmacy		
Tah 250 mg					1 800 00	70	✓ Tyko

⇒SA1191 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

1 All of the following:

- 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 1.2 The patient has not previously received trastuzumab treatment for HER 2 positive metastatic breast cancer; and
- 1.3 Lapatinib not to be given in combination with trastuzumab; and
- 1.4 Lapatinib to be discontinued at disease progression; or
- 2 All of the following:
 - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 2.2 The patient started trastuzumab for metastatic breast cancer but discontinued trastuzumab within 3 months of starting treatment due to intolerance; and
 - 2.3 The cancer did not progress whilst on trastuzumab; and
 - 2.4 Lapatinib not to be given in combination with trastuzumab; and
 - 2.5 Lapatinib to be discontinued at disease progression.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

continued...

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on lapatinib; and
- 3 Lapatinib not to be given in combination with trastuzumab; and
- 4 Lapatinib to be discontinued at disease progression.

PAZOPANIB - Special Authority see SA1190 below - Retail pharmacy

Tab 200 mg	1,334.70	30	Votrient
Tab 400 mg	2,669.40	30	✓ Votrient

■SA1190 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 Both:
 - 2.3.1 The patient has discontinued sunitinib within 3 months of starting treatment due to intolerance; and
 - 2.3.2 The cancer did not progress whilst on sunitinib: and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and

The patient has intermediate or poor prognosis defined as:

- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal: or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of ≤ 70; or
 - 5.6 > 2 sites of organ metastasis; and
- 6 Pazopanib to be used for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Pazopanib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6.

SUNITINIB - Special Authority see SA1200 on the next page - Retail pharmacy

Cap 12.5 mg	2,315.38	28	Sutent
Cap 25 mg	4,630.77	28	Sutent
Cap 50 mg	9,261.54	28	Sutent

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

⇒SA1200 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 The patient has only received prior treatment with an investigational agent within the confines of a bona fide clinical trial which has Ethics Committee approval; or
 - 2.4 Both:
 - 2.4.1 The patient has discontinued pazopanib within 3 months of starting treatment due to intolerance; and
 - 2.4.2 The cancer did not progress whilst on pazopanib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal: or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of \leq 70; or
 - $5.6 \ge 2$ sites of organ metastasis; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Sunitinib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6

Endocrine Therapy

Litabornic Therapy			
For GnRH ANALOGUES – refer to HORMONE PREPARATIONS,	Trophic Hormon	es, page 82	
BICALUTAMIDE – Special Authority see SA0941 below – Retail p	,	28	✓ <u>Bicalaccord</u>
▶SA0941 Special Authority for Subsidy Initial application from any medical practitioner. Approvals vali advanced prostate cancer.	d without further	renewal un	less notified where the patient has
FLUTAMIDE – Retail pharmacy-Specialist Tab 250 mg	55.00	100	✓ <u>Flutamin</u>
MEGESTROL ACETATE – Retail pharmacy-Specialist Tab 160 mg	57.92	30	✓ Apo-Megestrol ✓ Megace
(Megace Tab 160 mg to be delisted 1 February 2013)			•

	Subsidy (Manufacturer's Price)	Subs Per	Fully sidised	Brand or Generic Manufacturer
OCTREOTIDE (SOMATOSTATIN ANALOGUE) - Special Authori	ty see SA1016 below	– Retail p	harma	су
Inj 50 μ g per ml, 1 ml	19.24	5	√ 0	Octreotide MaxRx
Inj 100 μ g per ml, 1 ml	36.38	5	V 0	Octreotide MaxRx
Inj 500 μg per ml, 1 ml	131.25	5	V 0	Octreotide MaxRx
Inj LAR 10 mg prefilled syringe	1,772.50	1	✓ S	andostatin LAR
Inj LAR 20 mg prefilled syringe		1	√ S	andostatin LAR
Inj LAR 30 mg prefilled syringe		1	√ S	andostatin LAR

⇒SA1016 Special Authority for Subsidy

Initial application — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea* and vomiting* due to malignant bowel obstruction*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and
- 3 Octreotide to be given at a maximum dose 1500 μ g daily for up to 4 weeks.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
 - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
 - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed: or
 - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

Renewal — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

Initial application — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 2 Both:
 - 2.1 Gastrinoma: and
 - 2.2 Either:
 - 2.2.1 Patient has failed surgery; or
 - 2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or
- 3 Both:
 - 3.1 Insulinomas; and

continued 3.2 Surgery is contraindicated or has failed; or 4 For pre-operative control of hypoglycaemia and for maintenance therapy; or 5 Both: 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HI. 5.2 Disabling symptoms not controlled by maximal medical therapy. Note: The use of octreotide in patients with fistulae, oesophageal varices, miscella funded as a Special Authority item Renewal — (Other Indications) only from a relevant specialist or medical pract specialist. Approvals valid for 2 years where the treatment remains appropriate and the transpace of the treatment remains appropriate and the treat	Per	 Manufacturer
4 For pre-operative control of hypoglycaemia and for maintenance therapy; or 5 Both: 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HI 5.2 Disabling symptoms not controlled by maximal medical therapy. Note: The use of octreotide in patients with fistulae, oesophageal varices, miscella funded as a Special Authority item Renewal — (Other Indications) only from a relevant specialist or medical practices specialist. Approvals valid for 2 years where the treatment remains appropriate and the transportation of the treatment remains appropriate and		
5 Both: 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HI. 5.2 Disabling symptoms not controlled by maximal medical therapy. Note: The use of octreotide in patients with fistulae, oesophageal varices, miscella funded as a Special Authority item Renewal — (Other Indications) only from a relevant specialist or medical pract specialist. Approvals valid for 2 years where the treatment remains appropriate and the transpecialist. Approvals valid for 2 years where the treatment remains appropriate and the transpecialist. Approvals valid for 2 years where the treatment remains appropriate and the transpecialist. Approvals valid for 2 years where the treatment remains appropriate and the transpecialist and the treatment remains appropriate and the transpecialist and the treatment remains appropriate and the transpecialist and the treatment remains appropriate and the treatment		
5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HI. 5.2 Disabling symptoms not controlled by maximal medical therapy. Note: The use of octreotide in patients with fistulae, oesophageal varices, miscella unded as a Special Authority item Renewal — (Other Indications) only from a relevant specialist or medical practic specialist. Approvals valid for 2 years where the treatment remains appropriate and the TAMOXIFEN CITRATE * Tab 10 mg		
5.2 Disabling symptoms not controlled by maximal medical therapy. Note: The use of octreotide in patients with fistulae, oesophageal varices, miscella unded as a Special Authority item Renewal — (Other Indications) only from a relevant specialist or medical practic specialist. Approvals valid for 2 years where the treatment remains appropriate and the TAMOXIFEN CITRATE * Tab 10 mg		
Note: The use of octreotide in patients with fistulae, oesophageal varices, miscella unded as a Special Authority item Renewal — (Other Indications) only from a relevant specialist or medical practipecialist. Approvals valid for 2 years where the treatment remains appropriate and the AMOXIFEN CITRATE K Tab 10 mg	IAA analysis	s); and
unded as a Special Authority item Renewal — (Other Indications) only from a relevant specialist or medical practispecialist. Approvals valid for 2 years where the treatment remains appropriate and the TAMOXIFEN CITRATE * Tab 10 mg	anoque diari	rhoop and hypotonsian will not h
Renewal — (Other Indications) only from a relevant specialist or medical practice specialist. Approvals valid for 2 years where the treatment remains appropriate and the IAMOXIFEN CITRATE * Tab 10 mg	illeous ulail	moea and hypotension will not t
### Tab 10 mg	titioner on t	the recommendation of a relevant
* Tab 10 mg		
* Tab 10 mg		-
Aromatase Inhibitors ANASTROZOLE * Tab 1 mg	100	✓ Genox
ANASTROZOLE * Tab 1 mg	100	✓ Genox
* Tab 1 mg		
* Tab 1 mg		
* Tab 25 mg	30	✓ Aremed
* Tab 25 mg		✓ Arimidex
* Tab 25 mg		✓ DP-Anastrozole
# Tab 2.5 mg		
* Tab 2.5 mg	30	✓ Aromasin
Immunosuppressants Cytotoxic Immunosuppressants AZATHIOPRINE - Retail pharmacy-Specialist * Tab 50 mg - For azathioprine oral liquid formulation refer, page 183		
Immunosuppressants Cytotoxic Immunosuppressants AZATHIOPRINE - Retail pharmacy-Specialist * Tab 50 mg - For azathioprine oral liquid formulation refer, page 183	30	✓ Letraccord
Cytotoxic Immunosuppressants AZATHIOPRINE - Retail pharmacy-Specialist * Tab 50 mg - For azathioprine oral liquid formulation refer, page 183		✓ Letara
* Tab 50 mg — For azathioprine oral liquid formulation refer, page 183		
* Tab 50 mg — For azathioprine oral liquid formulation refer, page 183		
page 183		
* Inj 50 mg		
MYCOPHENOLATE MOFETIL — Special Authority see SA1041 on the next page — F Dispensing pharmacy should check which brand to dispense with the prescriber Tab 500 mg	100	✓ Imuprine
Dispensing pharmacy should check which brand to dispense with the prescriber Tab 500 mg60.00	1	✓ <u>Imuran</u>
Tab 500 mg60.00	Retail pharm	nacy
70.00	if prescribe	
	50	Ceptolate
		✓ Myaccord
∪ap ≥50 mg30.00	50	✓ Cellcept
60.00	100	✓ Ceptolate ✓ Myaccord
70.00	100	✓ Myaccord ✓ Cellcept
	165 ml OP	✓ Celicept
Mycophenolate powder for oral liquid is subsidised only for patients unable to		•

Subsidy

Fully

Brand or

Subsidy Fully Brand or Subsidised Generic Per Per Manufacturer

■SA1041 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Either:
 - 1 Transplant recipient; or
 - 2 Both:

Patients with diseases where

- 2.1 Steroids and azathioprine have been trialled and discontinued because of unacceptable side effects or inadequate clinical response; and
- 2.2 Either:

Patients with diseases where

- 2.2.1 Cyclophosphamide has been trialled and discontinued because of unacceptable side effects or inadequate clinical response; or
- 2.2.2 Cyclophosphamide treatment is contraindicated.

Immune Modulators

ANTITHYMOCYTE GLOBULIN (EQUINE) – PCT only – Specialist Inj 50 mg per ml, 5 ml	✓ ATGAM
BACILLUS CALMETTE-GUERIN (BCG) VACCINE – PCT only – Specialist Subsidised only for bladder cancer.	
Inj 2-8 × 100 million CFU187.37 1	✓ OncoTICE
RITUXIMAB - PCT only - Specialist - Special Authority see SA1152 below	
Inj 100 mg per 10 ml vial	✓ Mabthera
Inj 500 mg per 50 ml vial2,688.30	Mabthera
Inj 1 mg for ECP	g 🗸 Baxter

⇒SA1152 Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

Fither:

- 1 Both:
 - 1.1 The patient has indolent low grade NHL with relapsed disease following prior chemotherapy; and
 - 1.2 To be used for a maximum of 6 treatment cycles: or
- 2 Both:
 - 2.1 The patient has indolent, low grade lymphoma requiring first-line systemic chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 The patient has treatment naive aggressive CD20 positive NHL; and

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 1.3 To be used for a maximum of 8 treatment cycles; or
- 2 Both:
 - 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Initial application — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has progressive Binet stage A, B or C chronic lymphocytic leukaemia (CLL) requiring treatment; and
- 2 The patient is rituximab treatment naive; and
- 3 Fither:
 - 3.1 The patient is chemotherapy treatment naive; or
 - 3.2 Both:
 - 3.2.1 The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment; and
 - 3.2.2 The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy; and
- 4 The patient has good performance status; and
- 5 The patient has good renal function (creatinine clearance ≥ 30 ml/min); and
- 6 The patient does not have chromosome 17p deletion CLL; and
- 7 Rituximab to be administered in combination with fludarabine and cyclophosphamide for a maximum of 6 treatment cycles; and
- 8 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration).

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to <2.

Renewal — (**Post-transplant**) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia.

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
TRASTUZUMAB - PCT only - Specialist - Special Authority see	e SA1192 below			
Inj 150 mg vial	1,350.00	1	✓ He	erceptin
Inj 440 mg vial	3,875.00	1	✓ He	erceptin
Inj 1 mg for ECP	9.36	1 mg	✓ Ba	axter

⇒SA1192 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 1.2 The patient has not previously received lapatinib treatment for HER 2 positive metastatic breast cancer; and
 - 1.3 Trastuzumab not to be given in combination with lapatinib; and
 - 1.4 Trastuzumab to be discontinued at disease progression; or
- 2 All of the following:
 - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 2.2 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
 - 2.3 The cancer did not progress whilst on lapatinib; and
 - 2.4 Trastuzumab not to be given in combination with lapatinib; and
 - 2.5 Trastuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 3 Trastuzumab not to be given in combination with lapatinib; and
- 4 Trastuzumab to be discontinued at disease progression.

Initial application — (early breast cancer*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:
 - 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
 - 3.4 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Renewal — (early breast cancer*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The patient received prior adjuvant trastuzumab treatment for early breast cancer; and
- 3 Any of the following:
 - 3.1 All of the following:
 - 3.1.1 The patient has not previously received lapatinib treatment for metastatic breast cancer; and

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sul	bsidised	Generic
\$	Per	~	Manufacturer

continued...

- 3.1.2 Trastuzumab not to be given in combination with lapatinib; and
- 3.1.3 Trastuzumab to be discontinued at disease progression; or
- 3.2 All of the following:
 - 3.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
 - 3.2.2 The cancer did not progress whilst on lapatinib; and
 - 3.2.3 Trastuzumab not to be given in combination with lapatinib: and
 - 3.2.4 Trastuzumab to be discontinued at disease progression; or
- 3.3 All of the following:
 - 3.3.1 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
 - 3.3.2 Trastuzumab not to be given in combination with lapatinib; and
 - 3.3.3 Trastuzumab to be discontinued at disease progression.

Note: * For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer.

Other Immunosuppressants

CYCLOSPORIN

59.50	50	✓ Neoral
118.54	50	✓ Neoral
237.08	50	✓ Neoral
198.13	50 ml OP	✓ Neoral
armacy		
813.00	100	Rapamune
1,626.00	100	✓ Rapamune
487.80	60 ml OP	Rapamune

⇒SA0866 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR<30 ml/min; or
- Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- . HUS or TTP; or
- Leukoencepthalopathy: or
- Significant malignant disease

TACROLIMUS	 Special 	Authority see	SA0669 below	 Retail pharmacy

Cap 0.5 mg	214.00	100 100	✓ Prograf✓ Prograf
Cap 5 mg - For tacrolimus oral liquid formulation refer, page			
183	1.070.00	50	✓ Prograf

⇒SA0669 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Note: Subsidy applies for either primary or rescue therapy.

Antiallergy Preparations

BEE VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Retail pharmacy

Maintenance kit - 6 vials 120 ug freeze dried venom, 6 diluent

1.8 ml	. 285.00	1 OP	Albay
Treatment kit - 1 vial 550 μg freeze dried venom, 1 diluent			•
9 ml, 3 diluent 1.8 ml	. 285.00	1 OP	Albay

▶SA0053 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

WASP VENOM ALLERGY TREATMENT - Special Authority see SA0053 below - Retail pharmacy

Treatment kit (Paper wasp venom) - 1 vial 550 μg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml285.00 1 OP

Treatment kit (Yellow jacket venom) - 1 vial 550 μg freeze dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml285.00 1 OP

✓ Albay

⇒SA0053 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Antihistamines

CETIDIZINE LIVEDOCLII ODIDE

* Tab 10 mg		100	✓ Zetop
*‡ Oral liq 1 mg per ml	3.52	200 ml	Cetirizine - AFT
CHLORPHENIRAMINE MALEATE			
*‡ Oral liq 2 mg per 5 ml	8.06	500 ml	Histafen
DEXTROCHLORPHENIRAMINE MALEATE			
* Tab 2 mg	1.01	20	
	(4.93)		Polaramine
	2.02	40	
	(7.99)		Polaramine
*‡ Oral liq 2 mg per 5 ml	1.77	100 ml	
	(10.29)		Polaramine
FEXOFENADINE HYDROCHLORIDE			
* Tab 60 mg	4.34	20	
	(11.53)		Telfast
* Tab 120 mg	4.74	10	
	(11.53)		Telfast
	14.22	30	
	(29.81)		Telfast

	Subsidy (Manufacturer's		Fully Brand or sidised Generic
	(Manulacturer s	Per Per	✓ Manufacturer
ORATADINE			
₭ Tab 10 mg	2.09	100	✓ Loraclear Hayfever Relief
♦ Oral liq 1 mg per ml	3.10	100 ml	✓ Lorapaed
ROMETHAZINE HYDROCHLORIDE			
F Tab 10 mg	1.99	50	✓ Allersoothe
F Tab 25 mg	2.99	50	✓ Allersoothe
ધ Oral lig 5 mg per 5 ml	3.10	100 ml	✓ Promethazine
			Winthrop Elixir
k Inj 25 mg per ml, 2 ml − Up to 5 inj available on a PSO	11.00	5	✓ Mayne
RIMEPRAZINE TARTRATE			-
Oral lig 30 mg per 5 ml	2.79	100 ml OP	
	(8.06)		Vallergan Forte
	(0.00)		ranorgan rono
Inhaled Corticosteroids			
BECLOMETHASONE DIPROPIONATE			
Aerosol inhaler, 100 μ g per dose CFC-free	12 50	200 dose OP	✓ Beclazone 100
Aerosol inhaler, 250 µg per dose CFC-free		200 dose OP	✓ Beclazone 250
Aerosol inhaler, 50 μ g per dose CFC-free		200 dose OP	✓ Beclazone 50
BUDESONIDE		200 0000 0.	7 200.420
Powder for inhalation, 100 μg per dose	17.00	200 dose OP	✓ Pulmicort
Fowder for initial attority 100 μ g per dose	17.00	200 dose OF	Turbuhaler
Decodes for inhelation, 000, a year date	45.00	000 dasa OD	
Powder for inhalation, 200 μ g per dose		200 dose OP	✓ Budenocort ✓ Pulmicort
	19.00		Turbuhaler
Pourder for inhelation, 400 arg nor door	25.60	200 doss OB	✓ Budenocort
Powder for inhalation, 400 μ g per dose		200 dose OP	✓ Pulmicort
	32.00		Turbuhaler
THEOLOGNE			Turburialer
FLUTICASONE	7.50	100 dasa 00	. / Flimatida
Aerosol inhaler, 50 μg per dose CFC-free		120 dose OP	Flixotide
Powder for inhalation, 50 μ g per dose		60 dose OP	Flixotide Accuhaler
Powder for inhalation, 100 μ g per dose		60 dose OP	Flixotide Accuhaler
Aerosol inhaler, 125 μ g per dose CFC-free		120 dose OP	✓ Flixotide ✓ Flixotide
Aerosol inhaler, 250 μ g per dose CFC-free		120 dose OP	
Powder for inhalation, 250 μ g per dose	13.60	60 dose OP	Flixotide Accuhaler

Inhaled Long-acting Beta-adrenoceptor Agonists

Prescribing Guideline for Inhaled Long-Acting Beta-Adrenoceptor Agonists

The addition of inhaled long-acting beta-adrenoceptor agonists (LABAs) to inhaled corticosteroids is recommended:

- For younger children (aged under 12 years) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 200 μg beclomethasone or budesonide (or 100 μg fluticasone).
- For adults and older children (aged 12 years and over) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 400 μg beclomethasone or budesonide (or 200 μg fluticasone).

Note:

Further information on the place of inhaled corticosteroids and inhaled LABAs in the management of asthma can be found in the New Zealand guidelines for asthma in adults (www.nzgg.org.nz) and in the New Zealand guidelines for asthma in children aged 1-15 (www.paediatrics.org.nz).

	Subsidy (Manufacturer's \$		Fully sidised	Brand or Generic Manufacturer
EFORMOTEROL FUMARATE - See prescribing guideline on the	preceding pag	je		
Powder for inhalation, 6 μ g per dose, breath activated	10.32	60 dose OP		
	(16.90)		0	xis Turbuhaler
Powder for inhalation, 12 μ g per dose, and monodose device .	20.64	60 dose		
	(35.80)		Fo	oradil
SALMETEROL - See prescribing guideline on the preceding page	!			
Aerosol inhaler CFC-free, 25 μ g per dose		120 dose OP	✓ S	erevent
Powder for inhalation, 50 μ g per dose, breath activated		60 dose OP		erevent Accuhaler

Inhaled Corticosteroids with Long-Acting Beta-Adrenoceptor Agonists

■SA1179 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 Patient is a child under the age of 12; and
 - 1.2 Has been treated with inhaled corticosteroids of at least 400 μ g per day beclomethasone or budesonide, or 200 μ g per day fluticasone; and
 - 1.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product; or
- 2 All of the following:
 - 2.1 Patient is over the age of 12; and
 - 2.2 Has been treated with inhaled corticosteroids of at least 800 μg per day beclomethasone or budesonide, or 500 μg per day fluticasone; and
 - 2.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

BUDESONIDE WITH EFORMOTEROL - Special Authority see SA1179 above -	 Retail pharmacy 	/
Aerosol inhaler 100 μ g with eformoterol fumarate 6 μ g26.49	120 dose OP	✓ Vannair
Powder for inhalation 100 μ g with eformoterol fumarate 6 μ g55.00	120 dose OP	✓ Symbicort
, ,		Turbuhaler 100/6
Aerosol inhaler 200 μ g with eformoterol fumarate 6 μ g31.25	120 dose OP	✓ Vannair
Powder for inhalation 200 μ g with eformoterol fumarate 6 μ g60.00	120 dose OP	✓ Symbicort
, ,		Turbuhaler 200/6
Powder for inhalation 400 μ g with eformoterol fumarate 12 μ g		
 No more than 2 dose per day	60 dose OP	✓ Symbicort
, ,		Turbuhaler 400/12
FLUTICASONE WITH SALMETEROL - Special Authority see SA1179 above -	Retail pharmacy	
Aerosol inhaler 50 μ g with salmeterol 25 μ g37.48	120 dose OP	✓ Seretide
Agreed inheles 105 or with colmotoral 05 or	100 1 00	4
Aerosol inhaler 125 μ g with salmeterol 25 μ g49.69	120 dose OP	✓ Seretide
, ,	120 dose OP	Seretide
Powder for inhalation 100 μg with salmeterol 50 μg - No		
Powder for inhalation 100 μ g with salmeterol 50 μ g – No more than 2 dose per day37.48	120 dose OP 60 dose OP	✓ Seretide ✓ Seretide Accuhaler
Powder for inhalation 100 μg with salmeterol 50 μg - No		

	Subsidy (Manufacturer's \$		Fully Brand or sidised Generic Manufacturer
Beta-Adrenoceptor Agonists			
SALBUTAMOL			
‡ Oral liq 2 mg per 5 ml	1.20 1.99	90 ml 150 ml	✓ Broncolin S29 ✓ Salapin ✓ Ventolin
Infusion 1 mg per ml, 5 ml	(130.21)	10	Ventolin
Inj 500 μ g per ml, 1 ml $$ – Up to 5 inj available on a PSO	12.90	5	✓ Ventolin
Inhaled Beta-Adrenoceptor Agonists			
SALBUTAMOL Aerosol inhaler, 100 µg per dose CFC free – Up to 1000 dose available on a PSO		200 dose OP	✓ Respigen✓ Salamol✓ Ventolin
Nebuliser soln, 1 mg per ml, 2.5 ml – Up to 30 neb available on a PSO		20	✓ Asthalin
Nebuliser soln, 2 mg per ml, 2.5 ml - Up to 30 neb available on a PSO		20	✓ Asthalin
TERBUTALINE SULPHATE Powder for inhalation, 250 $\mu \rm g$ per dose, breath activated	22.00	200 dose OP	✔ Bricanyl Turbuhaler
Inhaled Anticholinergic Agents			
Inhaled Anticholinergic agents			
IPRATROPIUM BROMIDE Aerosol inhaler, 20 μ g per dose CFC-free		200 dose OP	✓ Atrovent
on a PSO		20	✓ <u>Univent</u>
on a PSO TIOTROPIUM BROMIDE – Special Authority see SA1193 below Powder for inhalation, 18 μ g per dose	- Retail pharm	20 acy 30 dose	✓ <u>Univent</u> ✓ Spiriva

⇒SA1193 Special Authority for Subsidy

Initial application only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialled a short acting bronchodilator of at least 40 µg ipratropium q.i.d for one month; and
- 3 Either:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- 3.1 Grade 4 (stops for breath after walking about 100 meters or after a few minutes on the level); or
- 3.2 Grade 5 (too breathless to leave the house, or breathless when dressing or undressing); and Applicant must state recent measurement of:

4 All of the following:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

continued...

- 4.1 Actual FEV₁ (litres); and
- 4.2 Predicted FEV₁ (litres); and
- 4.3 Actual FEV₁ as a % of predicted (must be below 60%); and
- 5 Fither:
 - 5.1 Patient is not a smoker (for reporting purposes only); or
 - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined); and Applicant must state recent measurement of:
- 3 All of the following:
 - 3.1 Actual FEV1 (litres); and
 - 3.2 Predicted FEV₁ (litres); and
 - 3.3 Actual FEV₁ as a % of predicted.

Inhaled Beta-Adrenoceptor Agonists with Anticholinergic Agents

SALBUTAMOL WITH IPRATROPIUM BROMIDE

Aerosol inhaler, 100 μ g with ipratropium bromide, 20 μ g per		
dose CFC-free12.19	200 dose OP	Duolin HFA
Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per		
vial, 2.5 ml – Up to 20 neb available on a PSO	20	✓ Duolin

Leukotriene Receptor Antagonists

/IONTELUKAST - Special Authority see SA1227 below -	· Retail pharmacy		
Tab 4 mg	18.48	28	Singulair
Tab 5 mg	18.48	28	✓ Singulair
Tah 10 mg	18 48	28	✓ Singulair

⇒SA1227 Special Authority for Subsidy

Initial application — (Pre-school wheeze) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 To be used for the treatment of intermittent severe wheezing (possibly viral) in children under 5 years; and
- 2 The patient has trialled inhaled corticosteroids at a dose of up to 400 μ g per day beclomethasone or budesonide, or 200 μ g per day fluticasone for at least one month; and
- 3 The patient continues to have at least three severe exacerbations at least one of which required hospitalisation (defined as in-patient stay or prolonged Emergency Department treatment) in the past 12 months.

Renewal — (Pre-school wheeze) from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (exercise-induced asthma) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient is being treated with maximal asthma therapy, including inhaled corticosteroids and long-acting beta-adrenoceptor agonists; and
- 2 Patient continues to experience frequent episodes of exercise-induced bronchoconstriction.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ continued... Initial application — (aspirin desensitisation) only from a clinical immunologist or allergist. Approvals valid for 1 year for applications meeting the following criteria: All of the following: 1 Patient is undergoing aspirin desensitisation therapy under the supervision of a clinical immunologist or allergist; and 2 Patient has moderate to severe aspirin-exacerbated respiratory disease or Samter's triad; and 3 Nasal polyposis, confirmed radiologically or surgically; and 4 Documented aspirin or NSAID allergy confirmed by aspirin challenge or a clinical history of severe reaction to aspirin or NSAID where challenge would be considered dangerous. Note: Prescribing Guideline: Clinical evidence indicates that the effectiveness of montelukast is strongest when used intermittently Mast Cell Stabilisers Mast cell stabilisers **NEDOCROMIL** 112 dose OP ✓ Tilade SODIUM CROMOGLYCATE 50 dose ✓ Intal Spincaps ✓ Intal Forte CFC Free Aerosol inhaler, 5 mg per dose CFC-free28.07 112 dose OP Methylxanthines **AMINOPHYLLINE** Inj 25 mg per ml, 10 ml - Up to 5 inj available on a PSO53.75 5 ✓ DBL Aminophylline THEOPHYLLINE ✓ Nuelin-SR Tab long-acting 250 mg21.51 100 500 ml ✓ Nuelin Mucolytics DORNASE ALFA - Special Authority see SA0611 below - Retail pharmacy Nebuliser soln, 2.5 mg per 2.5 ml ampoule250.00 ✓ Pulmozvme ■SA0611 Special Authority for Subsidy Special Authority approved by the Cystic Fibrosis Advisory Panel Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Cystic Fibrosis Advisory Panel Phone: (04) 460 4990 PHARMAC, PO Box 10 254 Facsimile: (04) 916 7571

Wellington Email: CFPanel@pharmac.govt.nz

Prescriptions for patients approved for treatment must be written by respiratory physicians or paediatricians who have experience and expertise in treating cystic fibrosis.

SODIUM CHI ORIDE

Not funded for use as a nasal drop.

90 ml OP ✓ Biomed

Fully

Brand or

Subsidy

(Manufacturer's Price) Subsidised Generic Per Manufacturer \$ **Nasal Preparations** Allergy Prophylactics BECLOMETHASONE DIPROPIONATE 200 dose OP Alanase (4.00)Metered aqueous nasal spray, 100 μ g per dose2.46 200 dose OP Alanase (4.81)BUDESONIDE 200 dose OP (4.00)**Butacort Aqueous** 200 dose OP (4.81)**Butacort Aqueous** FLUTICASONE PROPIONATE ✓ Flixonase Hayfever 120 dose OP & Allergy IPRATROPIUM BROMIDE 15 ml OP Univent SODIUM CROMOGLYCATE 22 ml OP ✓ Rex **Respiratory Devices** MASK FOR SPACER DEVICE a) Up to 20 dev available on a PSO b) Only on a PSO c) Only for children aged six years and under EZ-fit Paediatric Mask PEAK FLOW METER a) Up to 10 dev available on a PSO b) Only on a PSO **Breath-Alert Breath-Alert** SPACER DEVICE a) Up to 20 dev available on a PSO b) Only on a PSO 230 ml (single patient)4.72 Space Chamber Plus 800 ml8.50 Volumatic SPACER DEVICE AUTOCLAVABLE a) Up to 5 dev available on a PSO b) Only on a PSO ✓ Space Chamber 230 ml (autoclavable) - Subsidy by endorsement......11.60 1 Available where the prescriber requires a spacer device that is capable of sterilisation in an autoclave and the PSO is endorsed accordingly.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Generic Manufacturer

Respiratory Stimulants

CAFFEINE CITRATE

Oral liq 20 mg per ml (10 mg base per ml)14.85 25 ml OP

✓ Biomed

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or sidised Generic Manufacturer
Ear Preparations			
ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BEN For Vosol ear drops with hydrocortisone powder refer, page 1 Ear drops 2% with 1, 2-Propanediol diacetate 3% and benzethonium chloride 0.02%	86	35 ml OP	✓ Vosol
CHLORAMPHENICOL Ear drops 0.5%	2.20	5 ml OP	✓ Chloromycetin
FLUMETASONE PIVALATE Ear drops 0.02% with clioquinol 1%	4.46	7.5 ml OP	✓ Locacorten-Viaform ED's ✓ Locorten-Vioform
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCII Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 μ g per g		IN 7.5 ml OP	✓ Kenacomb
Ear/Eye Preparations			
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN Ear/Eye drops 500 μ g with framycetin sulphate 5 mg and gramicidin 50 μ g per ml		8 ml OP	Sofradex
FRAMYCETIN SULPHATE Ear/Eye drops 0.5%	4.13 (8.65)	8 ml OP	Soframycin
Eye Preparations			
Eye preparations are only funded for use in the eye. The exception for oral use pursuant to the Standard Formulae.	n is pilocarpine	eye drops 1%,	2% and 4% which are subsidis

Anti-	Infec	tive	Prepara	tions
-------	-------	------	---------	-------

* Eye oint 3%	37.53	4.5 g OP	✓ Zovirax
CHLORAMPHENICOL Eye oint 1% Eye drops 0.5%		4 g OP 10 ml OP	✓ Chlorsig✓ Chlorafast
CIPROFLOXACIN Eye Drops 0.3% For treatment of bacterial keratitis or severe bacterial or		5 ml OP t to chloramph	✓ Ciloxan enicol.
FUSIDIC ACID Eye drops 1%	4.50	5 g OP	✓ Fucithalmic
GENTAMICIN SULPHATE Eye drops 0.3%	11.40	5 ml OP	✓ Genoptic
PROPAMIDINE ISETHIONATE * Eye drops 0.1%	2.97 (7.99)	10 ml OP	Brolene

SENSORY ORGANS

Manufacturer's Price Per		Subsidy		Fully Brand or	
Tobset		,		osidised Generic	
Eye drops 0.3%		\$	Per	Manufacturer	
Eye drops 0.3%	TOBRAMYCIN	10.45	0.5 - 0.0	. / Talaway	
## Corticosteroids and Other Anti-Inflammatory Preparations ## Eye oint 0.1%			-		
Separation Sep			5 IIII 61	<u>10010x</u>	
# Eye oint 0.1%	·	•			
## Comparison		5.86	3.5 g OP	✓ <u>Maxidex</u>	
# Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin			5 ml OP	✓ Maxidex	
# Eye drops 0.1% with neomycin sulphate 0.35% and polymy- xin B sulphate 6,000 u per ml 4.50 5 ml OP	DEXAMETHASONE WITH NEOMYCIN AND POLYMYXIN B SUL	.PHATE			
# Eye drops 0.1% with neomycin sulphate 0.35% and polymyxin B sulphate 6,000 u per ml			0.5 OD	. A Marritura I	
Xin B sulphate 6,000 u per ml			3.5 g OP	<u>Maxitrol</u>	
DICLOFENAC SODIUM # Eye drops 1 mg per ml			5 ml OP	✓ Maxitrol	
# Eye drops 1 mg per ml	,				
# Eye drops 0.1%		13.80	5 ml OP	✓ Voltaren Ophtha	
EVOCABASTINE Eye drops 0.5 mg per ml	FLUOROMETHOLONE				
Eye drops 0.5 mg per ml	* Eye drops 0.1%	4.05	5 ml OP	✓ FML	
CODOXAMIDE TROMETAMOL Eye drops 0.1% 8.71 10 ml OP Lomide	LEVOCABASTINE	0.71	4 100		
## Eye drops 0.1% ## Eye drops 0.12% ## Eye drops 0.12% ## Eye drops 0.12% ## Eye drops 1.2% ## Eye drops 1.2% ## Eye drops 1.2% ## Eye drops 2% ## Eye drops 2% ## Eye drops 2.5% ## Eye drops 0.25% ## Eye drops 0.5% ##	Eye drops 0.5 mg per mi		4 mi OP	Livoetin	
Eye drops 0.1%	LODOYAMIDE TROMETAMOL	(10.04)		LIVOSUIT	
## Eye drops 0.12%		8.71	10 ml OP	✓ Lomide	
# Eye drops 1%	PREDNISOLONE ACETATE				
SODIUM CROMOGLYCATE Eye drops 2%	* Eye drops 0.12%	4.50			
Eye drops 2%		4.50	5 ml OP	✓ Pred Forte	
Glaucoma Preparations - Beta Blockers BETAXOLOL HYDROCHLORIDE # Eye drops 0.25%	SODIUM CROMOGLYCATE	4 40	E ml OD	4 / Daysayam	
# Eye drops 0.25%		1.10	5 1111 OP	<u>Hexacrom</u>	
# Eye drops 0.25%	Glaucoma Preparations - Beta Blockers				
# Eye drops 0.5%	BETAXOLOL HYDROCHLORIDE				
LEVOBUNOLOL ** Eye drops 0.25%	•				
# Eye drops 0.25%	• •	7.30	5 IIII OF	<u>Betoptic</u>	
# Eye drops 0.5%		7.00	5 ml OP	✓ Betagan	
* Eye drops 0.25%			5 ml OP	. •	
** Eye drops 0.25%, gel forming	TIMOLOL MALEATE				
★ Eye drops 0.5%					
# Eye drops 0.5%, gel forming					
Glaucoma Preparations - Carbonic Anhydrase Inhibitors ACETAZOLAMIDE * Tab 250 mg − For acetazolamide oral liquid formulation refer, page 183				4 = 1 1 1 1 1 1	
* Tab 250 mg − For acetazolamide oral liquid formulation refer, page 18317.03 100 ✓ Diamox BRINZOLAMIDE					
* Tab 250 mg − For acetazolamide oral liquid formulation refer, page 18317.03 100 ✓ Diamox BRINZOLAMIDE	ACETAZOLAMIDE				
page 183	* Tab 250 mg - For acetazolamide oral liquid formulation refer,				
		17.03	100	✓ Diamox	
** Eye ⊔rops 1%	BRINZOLAMIDE		- 105		
	* Eye Drops 1%	9.77	5 MI OP	✓ Azopt	

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or sidised Generic Manufacturer
DORZOLAMIDE HYDROCHLORIDE			
* Eye drops 2%	9.77 (13.95)	5 ml OP	Trusopt
DORZOLAMIDE HYDROCHLORIDE WITH TIMOLOL MALEATE * Eye drops 2% with timolol maleate 0.5%	,	5 ml OP	✓ Cosopt
Glaucoma Preparations - Prostaglandin Analogo	ues		
BIMATOPROST - Retail pharmacy-Specialist * Eye drops 0.03%	18.50	3 ml OP	✓ Lumigan
LATANOPROST — Retail pharmacy-Specialist $*$ Eye drops 50 μ g per ml, 2.5 ml	1.99	2.5 ml OP	✓ Hysite
TRAVOPROST – Retail pharmacy-Specialist * Eye drops 0.004%	19.50	2.5 ml OP	✓ Travatan
Glaucoma Preparations - Other			
BRIMONIDINE TARTRATE * Eye Drops 0.2%	6.45	5 ml OP	✓ AFT ✓ Arrow-Brimonidine
(AFT Eye Drops 0.2% to be delisted 1 October 2012)			
BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE * Eye drops 0.2% with timolol maleate 0.5%	18.50	5 ml OP	✓ Combigan
PILOCARPINE			4
* Eye drops 1%		15 ml OP	✓ Isopto Carpine
* Eye drops 2% * Eve drops 4%		15 ml OP 15 ml OP	✓ Isopto Carpine ✓ Isopto Carpine
 Eye drops 4% Eye drops 2% single dose – Special Authority see SA0895 		13 1111 01	₩ 130pto Caipine
below – Retail pharmacy		20 dose	
50.011 Flotali priarriacy	(32.72)	20 0000	Minims
The CA COOK Connected Anathomists for Control of	(3==)		

⇒SA0895 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Mydriatics and Cycloplegics

ATROPINE SULPHATE	15 ml OP	✓ Atropt
CYCLOPENTOLATE HYDROCHLORIDE * Eye drops 1%	15 ml OP	✓ Cyclogyl
HOMATROPINE HYDROBROMIDE * Eye drops 2%	15 ml OP	✓ Isopto Homatropine
TROPICAMIDE * Eye drops 0.5%	15 ml OP 15 ml OP	✓ Mydriacyl ✓ Mydriacyl

SENSORY ORGANS

	(Manufacturer's	Price) Sub	psidised Generic Manufacturer
Preparations for Tear Deficiency			
For acetylcysteine eye drops refer, page 186			
HYPROMELLOSE			
* Eye drops 0.3%	2.62	15 ml OP	✓ Poly-Tears
* Eye drops 0.5%	2.00	15 ml OP	
	(3.92)		Methopt
POLYVINYL ALCOHOL			
* Eye drops 1.4%	2.68	15 ml OP	✓ Vistil
* Eye drops 3%		15 ml OP	✓ Vistil Forte
TYLOXAPOL			
* Eye drops 0.25%	8.63	15 ml OP	✓ Enuclene
Other Eye Preparations			
Other Eye Preparations			
NAPHAZOLINE HYDROCHLORIDE			
* Eye drops 0.1%	4.15	15 ml OP	✓ Naphcon Forte
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN			
* Eye oint with soft white paraffin	3.63	3.5 g OP	✓ Lacri-Lube
PARAFFIN LIQUID WITH WOOL FAT LIQUID		3 -	
* Eye oint 3% with wool fat liq 3%	3.63	3.5 g OP	✓ Poly-Visc
PHENYLEPHRINE HYDROCHLORIDE		5.5 g 01	
	4.47	15 ml OP	✓ Prefrin
* Eye drops 0.12%	4.4/	13 1111 01	₩ FIGHIH

Subsidy

Fully

Brand or

VARIOUS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

Various

May only be claimed once per patient.

PHARMACY SERVICES

✓ BSF Rizamelt 1 fee ✓ BSF Ursosan

- a) The Pharmacode for BSF Rizamelt is 2405849
- b) The Pharmacode for BSF Ursosan is 2405857

(BSF Rizamelt Brand switch fee to be delisted 1 November 2012) (BSF Ursosan Brand switch fee to be delisted 1 November 2012)

INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
 - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
 - b) Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-specialist).
 - c) Menthol crystals only in the following bases:

Aqueous cream

Urea cream 10%

Wool fat with mineral oil lotion

Hydrocortisone 1% with wool fat and mineral oil lotion

Glycerol, paraffin and cetyl alcohol lotion.

Glossary

Dermatological base: The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Hydrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- · Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

Dermatological galenical: Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution BP up to 10%
- Hydrocortisone powder up to 5%
- Menthol crystals
- Salicylic acid powder
- Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

Explanatory notes

Oral liquid mixtures

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

The Emixt website www.pharminfotech.co.nz has evidence-based formulations which are intended to standardise compounded oral liquids within New Zealand.

Pharmaceuticals with standardised formula for compounding in Ora products

Acetazolamide 25 mg/ml Allopurinol 20 mg/ml Amlodipine 1 mg/ml Azathioprine 50 mg/ml Baclofen 10 mg/ml

Carvedilol 1 mg/ml
Clopidogrel 5 mg/ml
Diltiazem hydrochloride 12 mg/ml
Dipyridamole 10 mg/ml
Domperidone 1 mg/ml
Enalapril 1 mg/ml

Flecainide 20 mg/ml Gabapentin 100 mg/ml Gabapentin (Neurontin) 100 mg/ml

Hydrocortisone 1 mg/ml Labetolol 10 mg/ml Levetiracetam 100 mg/ml Levodopa with carbidopa (5 mg lev-

odopa + 1.25 mg carbidopa)/ml Metoprolol tartrate 10 mg/ml Nitrofurantoin 10 mg/ml Pyrazinamide 100 mg/ml Rifabutin 20 mg/ml Sildenafil 2 mg/ml Sotalol 15 mg/ml

Sulphasalazine 100 mg/ml Tacrolimus 1 mg/ml Terbinafine 25 mg/ml Ursodeoxycholic acid 50 mg/ml

Valganciclovir 60 mg/ml*
Verapamil hydrochloride 50 mg/ml

*Note this is a DCS formulation

PHARMAC endorses the recommendations of the Emixt website and encourages New Zealand pharmacists to use these formulations when compounding is appropriate. The Emixt website also provides stability and expiry data for compounded products. For the majority of products compounded with Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet or Ora-Sweet SF a four week expiry is appropriate.

Please note that no oral liquid mixture will be eligible for Subsidy unless all the requirements of Section B and C of the Schedule applicable to that pharmaceutical are met.

Some community pharmacies may not have appropriate equipment to compound all of the listed products, please use appropriate clinical judgement.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form qs
Preservative qs
Suspending agent qs
Water to 100%

or

Solid dose form qs
Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent.

- Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and Ora-Sweet SF when used correctly are an appropriate preservative and suspending agent.
- Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

EXTEMPORANEOUSLY COMPOUNDED PRODUCTS & GALENICALS

The following practices will not be subsidised:

- Where a Standard Formula exists in the Pharmaceutical Schedule for a solid dose form, compounding the solid dose form in Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF.
- Mixing one or more proprietary oral liquids (eg an antihistamine with pholoodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

Dermatological Preparations


Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 182) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).

One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on the next page may assist you in deciding whether or not a dermatological ECP is subsidised.

Dermatological ECPs Is it subsidised?



EXTEMPORANEOUSLY COMPOUNDED PRODUCTS & GALENICALS

Standard Formulae			
ACETYLCYSTEINE EYE DROPS Acetylcysteine inj 200 mg per ml, 10 ml Suitable eye drop base	qs qs	OMEPRAZOLE SUSPENSION Omeprazole capules or powder Sodium bicarbonate powder BP Water	qs 8.4 g to 100 ml
ASPIRIN AND CHLOROFORM APPLICATI Aspirin Soluble tabs 300 mg Chloroform	ON 12 tabs to 100 ml	PHENOBARBITONE ORAL LIQUID Phenobarbitone Sodium Glycerol BP	1 g 70 ml
CODEINE LINCTUS PAEDIATRIC (3 mg pe Codeine phosphate	60 mg	Water	to 100 ml
Glycerol Preservative Water	40 ml qs to 100 ml	PHENOBARBITONE SODIUM PAEDIATRIC LIQUID (10 mg per ml) Phenobarbitone Sodium	ORAL 400 mg
CODEINE LINCTUS DIABETIC (15 mg per Codeine phosphate	300 mg	Glycerol BP Water	4 ml to 40 ml
Glycerol Preservative Water	40 ml qs to 100 ml	PILOCARPINE ORAL LIQUID Pilocarpine 4% eye drops Preservative	qs qs
FOLINIC MOUTHWASH Calcium folinate 15 mg tab Preservative Water	1 tab qs to 500 ml	Water (Preservative should be used if quantity supmore than 5 days.)	to 500 ml
(Preservative should be used if quantity supmore than 5 days. Maximum 500 ml per pre		SALIVA SUBSTITUTE FORMULA Methylcellulose	5 g
MAGNESIUM HYDROXIDE MIXTURE Magnesium hydroxide paste Methyl hydroxybenzoate Water	275 g 1.5 g 770 ml	Preservative Water (Preservative should be used if quantity sup more than 5 days. Maximum 500 ml per pre	
METHADONE MIXTURE Methadone powder Glycerol Water	qs qs to 100 ml	SODIUM CHLORIDE ORAL LIQUID Sodium chloride inj 23.4%, 20 ml Water (Only funded if prescribed for treatment of h	qs qs ayponatraemia)
METHYL HYDROXYBENZOATE 10% SOLI Methyl hydroxybenzoate Propylene glycol (Use 1 ml of the 10% solution per 100 ml of	10 g to 100 ml	VOSOL EAR DROPS WITH HYDROCORTISONE POWDER 1% Hydrocortisone powder	1%

Vosol Ear Drops

to 35 ml

mixture)

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

Subsidy

Fully

Brand or

Generic

(Manufacturer's Price) Subsidised Per Manufacturer **Extemporaneously Compounded Preparations and Galenicals** ACETYLCYSTEINE - Retail pharmacy-Specialist Inj 200 mg per ml, 10 ml178.00 10 ✓ Martindale Acetylcysteine 137.06 (255.35)Hospira Inj 200 mg per ml, 30 ml219.00 ' Acetadote (Hospira Inj 200 mg per ml, 10 ml to be delisted 1 October 2012) BENZOIN Tincture compound BP2.44 50 ml (5.10)**PSM** 24.42 500 ml (38.00)**PSM** CHLOROFORM - Only in combination Only in aspirin and chloroform application. 500 ml ✓ PSM CODEINE PHOSPHATE - Safety medicine; prescriber may determine dispensing frequency 5 g (25.46)Douglas 63.09 25 a (90.09)Douglas a) Only in extemporaneously compounded codeine linctus diabetic or codeine linctus paediatric. b) ‡ Safety cap for extemporaneously compounded oral liquid preparations. **COLLODION FLEXIBLE** ✓ PSM Collodion flexible19.30 100 ml COMPOUND HYDROXYBENZOATE - Only in combination Only in extemporaneously compounded oral mixtures. 100 ml ✔ David Craig GLYCERIN WITH SODIUM SACCHARIN - Only in combination Only in combination with Ora-Plus. ✔ Ora-Sweet SF 473 ml GLYCERIN WITH SUCROSE - Only in combination Only in combination with Ora-Plus. Ora-Sweet 473 ml GLYCFROL 2,000 ml ✓ healthE Only in extemporaneously compounded oral liquid preparations. MAGNESIUM HYDROXIDE ✓ PSM 500 q METHADONE HYDROCHLORIDE

- a) Only on a controlled drug form
- b) No patient co-payment payable
- c) Safety medicine; prescriber may determine dispensing frequency
- d) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets).

1 q ✓ AFT

± Safety cap for extemporaneously compounded oral liquid preparations.

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy (Manufacturer's F		Fully Brand or bsidised Generic
	\$	Per	✓ Manufacturer
METHYL HYDROXYBENZOATE			4.50.0
Powder		25 g	✓ PSM
	8.98		✓ Midwest
METHYLCELLULOSE			
Powder		100 g	✓ ABM
Outside Outside condition	(17.72)	470	MidWest
Suspension – Only in combination		473 ml	✔ Ora-Plus
METHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCHA	,		
Suspension	36.80	473 ml	✓ Ora-Blend SF
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE - Only	y in combination		
Suspension	36.80	473 ml	✓ Ora-Blend
PHENOBARBITONE SODIUM			
Powder - Only in combination	52.50	10 g	✓ MidWest
,	325.00	100 g	✓ MidWest
a) Only in children up to 12 years			
b) ‡ Safety cap for extemporaneously compounded oral lic	quid preparations	.	
PROPYLENE GLYCOL			
Only in extemporaneously compounded methyl hydroxybenzo		n.	
Liq		500 ml	✓ PSM
	11.25		Midwest
(ARM Limits had delicted to Contamban 2010)	12.00		✓ ABM
(ABM Liq to be delisted 1 September 2012)			
SODIUM BICARBONATE			
Powder BP - Only in combination		500 g	✓ Midwest
	9.80		David Orain
Only in extemporaneously compounded omegrazole and l	(29.50)	noncion	David Craig
	ansoprazoie sus	pension.	
SYRUP (PHARMACEUTICAL GRADE) – Only in combination Only in extemporaneously compounded oral liquid preparatio	une.		
Lig		2.000 ml	✓ Midwest
'	21.73	£,000 IIII	· mayou
WATER	0.00	1 ml	4 Ton woter
Tap - Only in combination	0.00	1 ml	✓ Tap water

EXPLANATORY NOTES

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use. subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements. they must pay the full cost of the products themselves.

Eligibility for Special Authority

Special Authorities will be approved for patients meeting conditions specified under the Conditions and Guidelines for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

Who can apply for Special Authority?

Initial Applications: Only from a dietitian, relevant specialist or a vocationally registered general

practitioner.

Reapplications: Only from a dietitian, relevant specialist or a vocationally registered general

> practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or a vocationally registered general practitioner. Other general practitioners must include the name of the dietitian, relevant specialist or voca-

tionally registered general practitioner and the date contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. Applications must be forwarded to:

Ministry of Health Sector Services

Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

Definitions

Failure to thrive An inability to gain or maintain weight resulting in physiological impairment. Growth deficiency

Where the weight of the child is less than the fifth or possibly third percentile for

their age, with evidence of malnutrition

SPECIAL FOODS

Dietitian Prescribing

Prescriptions from Dietitians will be only valid for subsidy where they are for special foods, as listed in this section, or where they are for the following products:

ASCORBIC ACID

✓ Tab 100 mg

CALCIUM CARBONATE

- ✓ Tab eff 1.75 g (1 g elemental)
- ✓ Tab 1.25 g (500 mg elemental)

COMPOUND ELECTROLYTES

✔ Powder for soln for oral use 4.4 a

DEXTROSE WITH ELECTROLYTES

✓ Soln with electrolytes

FERROUS FUMARATE

✓ Tab 200 mg (65 mg elemental)

FERROUS FUMARATE WITH FOLIC ACID

 \checkmark Tab 310 mg (100 mg elemental) with folic acid $350\,\mu\mathrm{g}$

FERROUS SULPHATE

Tab long-acting 325 mg (105 mg elemental)

✓ Oral liq 30 mg per 1 ml (6 mg elemental per 1 ml)

FERROUS SULPHATE WITH FOLIC ACID

Tab long-acting 325 mg (105 mg elemental) with folic acid 350 $\mu \mathrm{g}$

FOLIC ACID

✓ Tab 0.8 mg

MULTIVITAMINS

✔ Powder

PANCREATIC ENZYME

✓ Cap EC 10,000 BP u lipase, 9,000 BP u amylase and 210 BP u protease

POTASSIUM BICARBONATE

✓ Tab eff 315 mg with sodium acid phosphate 1.937 g
and sodium bicarbonate 350 mg

POTASSIUM CHLORIDE

Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)

✓ Tab long-acting 600 mg

POTASSIUM IODATE

 \checkmark Tab 256 μ g (150 μ g elemental iodine)

PYRIDOXINE HYDROCHLORIDE

✓ Tab 25 mg

✓ Tab 50 mg

SODIUM CHLORIDE

✓ Inj 23.4%, 20 ml

SODIUM FLUORIDE

✓ Tab 1.1 mg (0.5 mg elemental)

THIAMINE HYDROCHLORIDE

✓ Tab 50 mg

VITAMIN A WITH VITAMINS D AND C

✓ Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops

VITAMIN B COMPLEX

✓ Tab. strong, BPC

VITAMINS

- ✓ Tab (BPC cap strength)
- ✓ Cap (fat soluble vitamins A, D, E, K)

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised Per 🗸

Brand or Generic Manufacturer

Nutrient Modules

Carbohydrate

▶SA1090 Special Authority for Subsidy

Initial application — (Cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Either:

- 1 cystic fibrosis: or
- 2 chronic renal failure or continuous ambulatory peritoneal dialysis (CAPD) patient.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children: or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 failure to thrive; or
- 4 growth deficiency: or
- 5 bronchopulmonary dysplasia; or
- 6 premature and post premature infant; or
- 7 inborn errors of metabolism.

Renewal — (Cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE SUPPLEMENT - Special Authority see SA1090 above - Hospital pharmacy [HP3]

Powder5.29	400 g OP	Polycal
1.30	368 g OP	•
(12.00)	•	Moducal

Carbohydrate And Fat

▶SA1091 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 infant aged four years or under: and
- 2 cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised Brand or Generic Manufacturer

continued...

- 1 infant aged four years or under; and
- 2 Any of the following:
 - 2.1 cancer in children: or
 - 2.2 failure to thrive; or
 - 2.3 growth deficiency; or
 - 2.4 bronchopulmonary dysplasia; or
 - 2.5 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Fat

■ SA1092 | Special Authority for Subsidy

Initial application — **(Inborn errors of metabolism)** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 failure to thrive where other high calorie products are inappropriate or inadequate; or
- 2 growth deficiency: or
- 3 bronchopulmonary dysplasia; or
- 4 fat malabsorption; or
- 5 lymphangiectasia; or
- 6 short bowel syndrome; or
- 7 infants with necrotising enterocolitis; or
- 8 biliary atresia.

Renewal — (Inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per	Manufacturer
*		

continued...

Renewal — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT SUPPLEMENT - Special Authority see SA1092 on the preceding page - Hospital pharmacy [HP3]

Emulsion (neutral)	12.30	200 ml OP	Calogen
, ,	30.75	500 ml OP	✓ Calogen
Emulsion (strawberry)	12.30	200 ml OP	✓ Calogen
Oil	28.73	250 ml OP	✓ Liquigen
	30.00	500 ml OP	✓ MCT oil (Nutricia)

Protein

■ SA1093 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Fither:

- 1 protein losing enteropathy; or
- 2 high protein needs (eg burns).

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

Respiratory Products

⇒SA1094 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has CORD and hypercapnia.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CORD ORAL FEED 1.5KCAL/MI	 Special Authority s 	ee SA1094 above -	 Hospital 	pharmacy	[HP3]	
Liquid		1	.66 2	237 ml OP	V	Pulmocare

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

Diabetic Products

⇒SA1095 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is a type I or and II diabetic who is suffering weight loss and malnutrition that requires nutritional support.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Liquid	,		,
DIABETIC ORAL FEED 1KCAL/ML - Special Auth	nority see SA1095 above – Hos	pital pharmacy	[HP3]
Liquid (strawberry)	1.50	200 ml OP	✓ Diasip
Liquid (vanilla)	1.50	200 ml OP	✓ Diasip
	1.88	250 ml OP	✓ Glucerna Select
	1.78	237 ml OP	
	(2 10)		Resource Diabetic

Fat Modified Products

■ SA1096 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Patient has metabolic disorders of fat metabolism; or
- 2 Patient has chylothorax.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT MODIFIED FEED - Special Authority see SA1096 above - Hospital pharmacy [HP3]

High Protein Products

⇒SA1097 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both

- 1 Anorexia and weight loss; and
- 2 Either:
 - 2.1 decompensating liver disease without encephalopathy; or
 - 2.2 protein losing gastro-enteropathy.

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Paediatric Products For Children Awaiting Liver Transplant

▶SA1098 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who is awaiting liver transplant.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1098 above - Hospital pharmacy [HP3]

Paediatric Products For Children With Chronic Renal Failure

■ SA1099 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with chronic renal failure.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1099 above - Hospital pharmacy [HP3]

Paediatric Products

⇒SA1224 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child is aged one to ten years; and
- 2 Any of the following:
 - 2.1 the child is being fed via a tube or a tube is to be inserted for the purposes of feeding; or
 - 2.2 any condition causing malabsorption; or
 - 2.3 failure to thrive; or

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sı	ubsidised	Generic
\$	Per	~	Manufacturer

continued...

2.4 increased nutritional requirements.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED 1KCAL/ML - Special Authority see SALiquid		e preceding pag 500 ml OP	e – Hospital pharmacy [HP3] Nutrini RTH Pediasure RTH
PAEDIATRIC ENTERAL FEED WITH FIBRE 1.5KCAL/ML - Special pharmacy [HP3]	Authority	see SA1224 or	the preceding page - Hospital
Liquid	6.00	500 ml OP	✓ Nutrini Energy Multi Fibre
			✓ Nutrini Energy RTH
PAEDIATRIC ORAL FEED 1.5KCAL/ML - Special Authority see SA12: Liquid (strawberry)	1.60	receding page - 200 ml OP 200 ml OP	- Hospital pharmacy [HP3] Fortini Fortini
PAEDIATRIC ORAL FEED 1KCAL/ML - Special Authority see SA1224	on the pre	ceding page – F	Hospital pharmacy [HP3]
Liquid (chocolate)	1.07	200 ml OP	✓ Pediasure
Liquid (strawberry)	1.07	200 ml OP	✓ Pediasure
Liquid (vanilla)	1.07	200 ml OP	✓ Pediasure
	1.27	237 ml OP	✓ Pediasure
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML - Special Author [HP3]	ity see SA1	1224 on the pred	eeding page – Hospital pharmacy
Liquid (chocolate)	1.60	200 ml OP	✓ Fortini Multi Fibre
Liquid (strawberry)	1.60	200 ml OP	✓ Fortini Multi Fibre
Liquid (vanilla)	1.60	200 ml OP	✓ Fortini Multi Fibre

Renal Products

⇒SA1101 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has acute or chronic renal failure.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

RENAL ORAL FEED 2KCAL/ML - Special Authority see SA1101 above - Hospital pharmacy [HP3]

Liquid	2.43	200 ml OP	✓ Nepro (strawberry)✓ Nepro (vanilla)
	2.88	237 ml OP	
	(3.31)		NovaSource Renal
Liquid (apricot)	2.88	125 ml OP	✓ Renilon 7.5
Liquid (caramel)	2.88	125 ml OP	✓ Renilon 7.5

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Specialised And Elemental Products

■ SA1102 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 malabsorption; or
- 2 short bowel syndrome; or
- 3 enterocutaneous fistulas; or
- 4 pancreatitis.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL ELEMENTAL FEED 1KCAL/ML - Special Autho Powder		2 above – Hosp 79 g OP	oital pharmacy [HP3] ✓ Vital HN
	7.50	76 g OP	✓ Alitraq
ORAL ELEMENTAL FEED 0.8KCAL/ML - Special Authority see S	A1102 above -	- Hospital pharr	macy [HP3]
Liquid (grapefruit)	9.50	250 ml OP	Elemental 028 Extra
Liquid (pineapple & orange)	9.50	250 ml OP	Elemental 028 Extra
Liquid (summer fruit)	9.50	250 ml OP	✓ Elemental 028 Extra
ORAL ELEMENTAL FEED 1KCAL/ML - Special Authority see SA	1102 above – I	Hospital pharma	acy [HP3]
Powder (unflavoured)	4.50	80.4 g OP	✓ Vivonex TEN
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML - Special Author		2 above - Hosp 1,000 ml OP	ital pharmacy [HP3] ✓ Peptisorb

Undyalised End Stage Renal Failure

⇒SA1103 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has undialysed end stage renal failure.

Note: Where possible, the requirements for oral supplementation should be established in conjunction with assessment by a dietitian.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

RENAL ORAL FEED 1KCAL/ML	 Special Authority see 	SA1103 above -	Hospital	pharmacy [HP	3]	
Liquid		3	.80	237 ml OP	1	Suplena



Subsidy (Manufacturer's Price) \$ Fully Subsidised Per Brand or Generic Manufacturer

Paediatric Products For Children With Low Energy Requirements

⇒SA1196 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child aged one to eight years; and
- 2 The child has a low energy requirement but normal protein and micronutrient requirements.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Standard Supplements

⇒SA1228 Special Authority for Subsidy

Initial application — (Children) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 Any of the following:
 - 2.1 The patient has a condition causing malabsorption; or
 - 2.2 The patient has failure to thrive; or
 - 2.3 The patient has increased nutritional requirements; and
- 3 Nutrition goal has been set (eg reach a specific weight or BMI).

Renewal — (Children) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 A nutrition goal has been set (eg reach a specific weight or BMI).

Initial application — (Adults) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

Patient is Malnourished

- 1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
- 1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- $1.3\ \ Patient \ has \ a\ BMI\ of \ less\ than\ 20\ kg/m2\ and\ unintentional\ weight\ loss\ greater\ than\ 5\%\ within\ the\ last\ 3-6\ months;\ and$
- 2 Any of the following:

Patient has not responded to first-line dietary measures over a 4 week period by:

- 2.1 Increasing their food intake frequency (eg snacks between meals); or
- 2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or
- 2.3 Using over the counter supplements (e.g. Complan); and

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

Renewal — (Adults) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 2 Any of the following:

Patient is Malnourished

- 2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
- 2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 2.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months.

Initial application — (Adults transitioning from hospital Discretionary Community Supply) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient has had up to a 30 day supply of a 1.0 or a 1.5 kcal/ml Standard Oral Supplement; and
- 2 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 3 Any of the following:

Patient is Malnourished

- 3.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2: or
- 3.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 3.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months.

Initial application — (Short-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- Any of the following:
 - 1 Is being feed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or
 - 2 Malignancy and is considered likely to develop malnutrition as a result; or
 - 3 Is undergoing a bone marrow transplant; or
 - 4 Tempomandibular surgery; or
 - 5 Both:
 - 5.1 Pregnant: and
 - 5.2 Any of the following:
 - 5.2.1 Patient is in early pregnancy (<13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or
 - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
 - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being meet.

Renewal — (Short-term medical condition) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Has undergone a bone marrow transplant; or
- 4 Tempomandibular surgery; or
- 5 Both:
 - 5.1 Pregnant; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

continued...

- 5.2 Any of the following:
 - 5.2.1 Patient is in early pregnancy (<13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or
 - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
 - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being meet.

Initial application — (**Long-term medical condition**) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease: or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula: or
- 9 Severe chronic neurological conditions; or
- 10 Epidermolysis bullosa; or
- 11 AIDS (CD4 count < 200 cells/mm³); or
- 12 Chronic pancreatitis.

Renewal — (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease: or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or

DAL EEED 4 51/0 AL /841

- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions.

ENTERAL FEED 1.5KGAL	∠ML – Special Authority see SA12	28 on page 198 – Ho	ospitai pharmac	/ [HP3]
Liquid		7.00	1,000 ml	✓ Nutrison Energy

	Subsidy (Manufacturer's \$		Fully Brand or sidised Generic Manufacturer
ENTERAL FEED 1KCAL/ML - Special Authority see SA1228 or Liquid	. •	spital pharmacy 250 ml OP	[HP3] ✓ Isosource Standard ✓ Osmolite
	2.65	500 ml OP	✓ Nutrison Standard RTH
	5.29	1,000 ml OP	 ✓ Nutrison Standard RTH ✓ Isosource Standard
	2.65	500 ml OP	RTH Osmolite RTH
	5.29	1,000 ml OP	✓ Osmolite RTH
ENTERAL FEED WITH FIBRE 1 KCAL/ML – Special Authority s Liquid		page 198 – Hosp 237 ml OP 500 ml OP 1,000 ml OP 500 ml OP 1,000 ml OP	ital pharmacy [HP3] Jevity Nutrison Multi Fibre Nutrison Multi Fibre Jevity RTH Jevity RTH
ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority Liquid		page 198 – Hos 250 ml OP 1,000 ml OP	spital pharmacy [HP3] Ensure Plus HN Ensure Plus RTH Nutrison Energy Multi Fibre
ORAL FEED (POWDER) – Special Authority see SA1228 on pa Powder (chocolate)		al pharmacy [HF 900 g OP	² 3] ✓ Sustagen Hospital Formula
Powder (vanilla)	13.00 9.50 10.22	900 g OP	✓ Ensure✓ Fortisip✓ Sustagen Hospital
	13.00		Formula Ensure

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

	Ψ	1 61	• Manadatalei
ORAL FEED 1.5KCAL/ML — Special Authority see SA1228 on page Additional subsidy by endorsement is available for patients being			
endorsed accordingly.	9 20.00 .00	anough a looung	tabol mo procenpact macros
Liquid (banana) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (chocolate) - Higher subsidy of up to \$1.33 per 237 ml	` ,		•
with Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	0.85	237 ml OP	
	(1.33)		Ensure Plus
	0.72	200 ml OP	
	(1.26)		Fortisip
Liquid (fruit of the forest) - Higher subsidy of \$1.26 per 200 ml	(- /		
with Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
Liquid (strawberry) - Higher subsidy of up to \$1.33 per	(0)		2
237 ml with Endorsement	0.72	200 ml OP	
207 Hil Will Elidoloonone	(1.26)	200 1111 01	Ensure Plus
	0.85	237 ml OP	Endare Fide
	(1.33)	207 1111 01	Ensure Plus
	0.72	200 ml OP	Endare Fide
	(1.26)	200 1111 01	Fortisip
Liquid (toffee) - Higher subsidy of \$1.26 per 200 ml with En-	(0)		. c. uc.p
dorsement	0.72	200 ml OP	
dol 3011011t	(1.26)	200 1111 01	Fortisip
Liquid (tropical fruit) - Higher subsidy of \$1.26 per 200 ml	(1.20)		rordolp
with Endorsement	0.72	200 ml OP	
With Endoisement	(1.26)	200 1111 01	Fortisip
Liquid (vanilla) - Higher subsidy of up to \$1.33 per 237 ml	(1.20)		Torusip
with Endorsement	0.72	200 ml OP	
With Endorsement	(1.26)	200 IIII OF	Ensure Plus
	0.85	237 ml OP	Elisule Flus
	(1.33)	237 IIII OF	Ensure Plus
	0.72	200 ml OP	Liisule i ius
	(1.26)	200 1111 01	Fortisip
	` '		
ORAL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority see SA			
Additional subsidy by endorsement is available for patients being	g bolus fed	through a feeding	tube. The prescription must be
endorsed accordingly.			
Liquid (chocolate) – Higher subsidy of \$1.26 per 200 ml with	0.70	000 100	
Endorsement		200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with	_		
Endorsement		200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (vanilla) - Higher subsidy of \$1.26 per 200 ml with	_		
Endorsement	0.72	200 ml OP	Fautiaia Multi Filava

Fortisip Multi Fibre

(1.26)

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Adult Products High Calorie

⇒SA1195 Special Authority for Subsidy

Initial application — **(Cystic fibrosis)** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 failure to thrive: or
 - 1.3 increased nutritional requirements; or
 - 1.4 fluid restricted: and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements or is fluid restricted.

Renewal — **(Cystic fibrosis)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL FEED 2KCAL/ML - Special Authority see SA1195 above - Hospital pharmacy [HP3]
Liquid5.50 500 ml OP Vutrison

Concentrated

ORAL FEED 2KCAL/ML - Special Authority see SA1195 above - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube. The prescription must be endorsed accordingly.

Liquid (vanilla) - Higher subsidy of \$2.25 per 237 ml with

Food Thickeners

⇒SA1106 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

SPECIAL FOODS

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sı	ubsidised	Generic
\$	Per	~	Manufacturer

continued...

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

	•	Thickener
Powder	380 g OP	Karicare Food
FOOD THICKENER - Special Authority see SA1106 on the preceding page -	 Hospital pharmacy 	[HP3]

Gluten Free Foods

The funding of gluten free foods is no longer being actively managed by PHARMAC from 1 April 2011. This means that we are no longer considering the listing of new products, or making subsidy, or other changes to the existing listings. As a result we anticipate that the range of funded items will reduce over time. Management of Coeliac disease with a gluten free diet is necessary for good outcomes. A range of gluten free options are available through retail outlets.

■SA1107 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

GLUTEN FREE BAKING MIX – Special Authority see SA1107			
Powder	(5.15)	1,000 g OP	Healtheries Simple
	(0.10)		Baking Mix
GLUTEN FREE BREAD MIX - Special Authority see SA1107	above - Hospital p	harmacy [HP3]	
Powder	3.93	1,000 g OP	
	(7.32)		NZB Low Gluten Bread Mix
	4.77		
	(8.71)		Bakels Gluten Free Health Bread Mix
	3.51		
	(10.87)		Horleys Bread Mix
GLUTEN FREE FLOUR - Special Authority see SA1107 above		nacy [HP3]	
Powder	5.62	2,000 g OP	
	(18.10)		Horleys Flour

	Subsidy (Manufacturer's	Price) Pe	Fully Subsidised r	Brand or Generic Manufacturer
CILITEN EDEC DACTA Chaosial Authority and CA1107 on the n	vacadina naga	Llaanital	nharman, []	IDOI
GLUTEN FREE PASTA – Special Authority see SA1107 on the p	0, 0		, , .	1173]
Buckwheat Spirals		250 g (_	
	(3.11)			Orgran
Corn and Vegetable Shells		250 g (
	(2.92)			Orgran
Corn and Vegetable Spirals	2.00	250 g ()P	
	(2.92)		C	Orgran
Rice and Corn Lasagne Sheets	1.60	200 g ()P	
	(3.82)		C	Orgran
Rice and Corn Macaroni	2.00	250 g (OP 90	
	(2.92)	_	C	Orgran
Rice and Corn Penne	2.00 [°]	250 g (OP	
	(2.92)	J	C	Orgran
Rice and Maize Pasta Spirals	2.00 [°]	250 g (•
· · · · · · · · · · · · · · · · · · ·	(2.92)	3		Orgran
Rice and Millet Spirals	, ,	250 g (
. 100 a.u op. a.u	(3.11)	_00 g .		Orgran
Rice and corn spaghetti noodles	` ,	375 g (rigian
Those and com opagnoth needles	(2.92)	oro g c		Orgran
Vegetable and Rice Spirals	, ,	250 g (rigian
vegetable and nice opilals		250 g (_)raran
Halian languatula anaghatti	(2.92)	000 - (Orgran
Italian long style spaghetti		220 g (.
	(3.11)		C	Orgran

Foods And Supplements For Inborn Errors Of Metabolism

⇒SA1108 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Any of the following: 1 Dietary management of homocystinuria; or
 - 2 Dietary management of maple syrup urine disease; or

 - 3 Dietary management of phenylketonuria (PKU); or
 - 4 For use as a supplement to the Ketogenic diet in patients diagnosed with epilepsy.

Supplements For Homocystinuria

AMINOACID FORMULA WITHOUT METHIONINE - Special Authority see SA1108 above - Hospital pharmacy [HP3] Powder461.94 500 g OP ✓ XMET Maxamum **Supplements For MSUD** AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE - Special Authority see SA1108 above - Hospital

pharmacy [HP3] 500 g OP ✓ MSUD Maxamaid 437.22 ✓ MSUD Maxamum

	Subsidy (Manufacturer's		Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
Supplements For PKU			
MINOACID FORMULA WITHOUT PHENYLALANINE - Spec	cial Authority see	SA1108 on the	preceding page - Hospital ph
acy [HP3]			
Tabs	99.00	75 OP	✓ Phlexy 10
Sachets (pineapple/vanilla) 29 g	330.10	30 OP	Minaphlex
Sachets (tropical)	324.00	30	✓ Phlexy 10
Infant formula	174.72	400 g OP	PKU Anamix Infant
Powder (orange)	221.00	500 g OP	XP Maxamaid
	320.00		XP Maxamum
Powder (unflavoured)	221.00	500 g OP	XP Maxamaid
	320.00		XP Maxamum
Liquid (berry)	13.10	125 ml OP	PKU Anamix Junior
			LQ
	15.65	62.5 ml OP	✓ PKU Lophlex LQ 10
	31.20	125 ml OP	✓ PKU Lophlex LQ 20
Liquid (citrus)	15.65	62.5 ml OP	✓ PKU Lophlex LQ 10
4 ()	31.20	125 ml OP	✓ PKU Lophlex LQ 20
Liquid (forest berries)	30.00	250 ml OP	✓ Easiphen Liquid
Liquid (orange)		125 ml OP	✓ PKU Anamix Junior
- q (- · · · · g-)			LQ
	15.65	62.5 ml OP	✓ PKU Lophlex LQ 10
	31.20	125 ml OP	✓ PKU Lophlex LQ 20
Liquid (unflavoured)		125 ml OP	✓ PKU Anamix Junior
Eiquid (urinavoured)	10.10	123 1111 01	LQ
Minaphlex Sachets (pineapple/vanilla) 29 g to be delisted 1 No	vambar 2012)		LQ
	verriber 2012)		
Foods			
OW PROTEIN BAKING MIX - Special Authority see SA1108	on the preceding	page – Hospital	pharmacy [HP3]
Powder		500 g OP	✓ Loprofin Mix
		ŭ	·
OW PROTEIN PASTA – Special Authority see SA1108 on the			
Animal shapes		500 g OP	✓ Loprofin
Lasagne		250 g OP	Loprofin
Low protein rice pasta		500 g OP	Loprofin
Macaroni		250 g OP	Loprofin
Penne		500 g OP	Loprofin
Spaghetti		500 g OP	Loprofin
Spirals	11.91	500 g OP	✓ Loprofin
nfant Formulae			
For Premature Infants			
	Od balanı I lasıs	ital pharmacy [H	IP31
REMATURE BIRTH FORMULA - Special Authority see SA12	21 Delow - Hosp		- 4
·		100 ml OP	✓ S26LBW Gold RTF
REMATURE BIRTH FORMULA – Special Authority see SA12 Liquid			✓ S26LBW Gold RTF
·	0.75	100 ml OP	

Powder15.25

400 g OP

✓ S-26 Gold Premgro

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic ✓ Manufacturer

⇒SA1198 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Roth

- 1 The infant was born before 33 weeks gestation or weighed less than 1.5 kg at birth; and
- 2 Fither
 - 2.1 The infant has faltering growth (downward crossing of percentiles); or
 - 2.2 The infant is not maintaining, or is considered unlikely to maintain, adequate growth on standard infant formula.

For Williams Syndrome

⇒SA1110 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Gastrointestinal and Other Malabsorptive Problems

AMINO ACID FORMULA - Special Authority see SA1219 below - Hospital phar	macy [HP3]	
Powder	48.5 g OP	Vivonex Pediatric
53.00	400 g OP	✓ Neocate
		✓ Neocate LCP
Powder (tropical)53.00	400 g OP	✓ Neocate Advance
Powder (unflavoured)53.00	400 g OP	✓ Elecare
		✓ Elecare LCP
		✓ Neocate Advance
		✓ Neocate Gold
Powder (vanilla)53.00	400 g OP	✓ Elecare
,	Ü	✓ Neocate Advance

■SA1219 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Extensively hydrolysed formula has been reasonably trialled and is inappropriate due to documented severe intolerance or allergy or malabsorption; or
- 2 History of anaphylaxis to cows milk protein formula or dairy products; or
- 3 Eosinophilic oesophagitis.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 2 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

EXTENSIVELY HYDROLYSED FORMULA - Special Authority see SA1220 below - Hospital pharmacy [HP3]

⇒SA1220 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
 - 1.1 Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content; and
 - 1.2 Either:
 - 1.2.1 Soy milk formula has been trialled without resolution of symptoms; or
 - 1.2.2 Soy milk formula is considered clinically inappropriate or contraindicated; or
- 2 Severe malabsorption; or
- 3 Short bowel syndrome: or
- 4 Intractable diarrhea; or
- 5 Biliary atresia: or
- 6 Cholestatic liver diseases causing malsorption; or
- 7 Chylous ascite; or
- 8 Chylothorax; or
- 9 Cystic fibrosis; or
- 10 Proven fat malabsorption; or
- 11 Severe intestinal motility disorders causing significant malabsorption; or
- 12 Intestinal failure.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken;
- 2 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Step Down from Amino Acid Formula) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The infant is currently receiving funded amino acid formula; and
- 2 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Ketogenic Diet

⇒SA1197 | Special Authority for Subsidy

Initial application only from a metabolic physician or paediatric neurologist. Approvals valid for 3 months where the patient has intractable epilepsy, pyruvate dehydrogenase deficiency or glucose transported type-1 deficiency and other conditions requiring a ketogenic diet.

Renewal only from a metabolic physician or paediatric neurologist. Approvals valid for 2 years where the patient is on a ketogenic diet and the patient is benefiting from the diet.

SPECIAL FOODS

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer	
HIGH FAT FORMULA WITH VITAMINS, MINERALS AND TRACE Special Authority see SA1197 on the preceding page – Retail phai		OW IN	PROTEIN A	AND CARBOHY	DRATE -
Powder (vanilla)	,	00 g OF	✓ Ke	etoCal	

Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

ADRENALINE		CHLORPROMAZINE HYDROCHLORIDE	
✓ Inj 1 in 1,000, 1 ml		✓ Tab 10 mg	
✓ Inj 1 in 10,000, 10 ml	5	✓ Tab 25 mg	
AMINOPHYLLINE		✓ Tab 100 mg	30
✓ Inj 25 mg per ml, 10 ml	5	✓ Inj 25 mg per ml, 2 ml	5
AMIODARONE HYDROCHLORIDE		CIPROFLOXACIN	
✓ Inj 50 mg per ml, 3 ml	5	✓ Tab 250 mg	
		✓ Tab 500 mg	5
AMOXYCILLIN	00	00 TDIMOVAZOLE	
✓ Cap 250 mg		CO-TRIMOXAZOLE	
Grans for oral liq 125 mg per 5 ml		✓ Tab trimethoprim 80 mg and	
Grans for oral liq 250 mg per 5 ml		sulphamethoxazole 400 mg	30
✓ Inj 1 g	5	Oral liq trimethoprim 40 mg and	
AMOXYCILLIN CLAVULANATE		sulphamethoxazole 200 mg per	
✓ Tab amoxycillin 500 mg with potassium		5 ml	. 200 ml
clavulanate 125 mg	30	0011001110 51 5050011/550	
✓ Grans for oral liq amoxycillin 125 mg with		COMPOUND ELECTROLYTES	
potassium clavulanate 31.25 mg per		✓ Powder for soln for oral use 4.4 g	10
5 ml	200 ml	CONDOMS	
✓ Grans for oral liq amoxycillin 250 mg with		✓ 49 mm	144
potassium clavulanate 62.5 mg per		✓ 52 mm	
5 ml	200 ml	✓ 52 mm extra strength	144
		✓ 53 mm	
ASPIRIN		✓ 53 mm (chocolate)	
✓ Tab dispersible 300 mg	30	✓ 53 mm (strawberry)	
ATROPINE SULPHATE		✓ 53 mm extra strength	
✓ Inj 600 µg, 1 ml	5	54 mm, shaped	
		✓ 55 mm	
AZITHROMYCIN		✓ 56 mm	
✓ Tab 500 mg – Subsidy by endorsement –		✓ 56 mm, shaped	144
See note on page 85	8	✓ 60 mm	
BENDROFLUAZIDE		DEXAMETHASONE	
✓ Tab 2.5 mg – See note on page 56	150	✓ Tab 1 mg – Retail pharmacy-Specialist	30
BENZATHINE BENZYLPENICILLIN		✓ Tab 4 mg – Retail pharmacy-Specialist	
✓ Inj 1.2 mega u per 2.3 ml	5	Frab 4 mg Fredaii pharmacy opeolalist	00
III 1.2 moga a por 2.0 mi		DEXAMETHASONE SODIUM PHOSPHATE	
BENZTROPINE MESYLATE		✓ Inj 4 mg per ml, 1 ml – See note on page 77	5
✓ Inj 1 mg per ml, 2 ml	5	✓ Inj 4 mg per ml, 2 ml – See note on page 77	
BENZYLPENICILLIN SODIUM (PENICILLIN G)		DEVIDORE	
✓ Inj 600 mg	5	DEXTROSE	_
•		✓ Inj 50%, 10 ml	
CEFTRIAXONE SODIUM		✓ Inj 50%, 90 ml	5
✓ Inj 500 mg – Subsidy by endorsement – See		DIAPHRAGM	
note on page 84	5	✓ 65 mm – See note on page 71	1
✓ Inj 1 g – Subsidy by endorsement – See		✓ 70 mm – See note on page 71	
note on page 84	5	✓ 75 mm – See note on page 71	
CHARCOAL		✓ 80 mm – See note on page 71	
✓ Oral liq 50 g per 250 ml	250 ml	· -	
• Oral iiq 00 g poi 200 iii	200 1111	conti	nued

PRACTITIONER'S SUPPLY ORDERS

continued) DIAZEPAM		FLUCLOXACILLIN SODIUM ✓ Cap 250 mg	30
✓ Inj 5 mg per ml, 2 ml – Subsidy by		✓ Grans for oral liq 125 mg per 5 ml	
endorsement – See note on page 127	5	✓ Grans for oral liq 250 mg per 5 ml	
✓ Rectal tubes 5 mg		✓ Inj 1 g	
✓ Rectal tubes 10 mg		FLUPENTHIXOL DECANOATE	
DICLOFENAC SODIUM		✓ Inj 20 mg per ml, 1 ml	5
✓ Inj 25 mg per ml, 3 ml	5	✓ Inj 20 mg per ml, 2 ml	5
✓ Suppos 50 mg.		✓ Inj 100 mg per ml, 1 ml	
DIGOXIN		FLUPHENAZINE DECANOATE	
✓ Tab 62.5 μg	30	✓ Inj 12.5 mg per 0.5 ml, 0.5 ml	
✓ Tab 250 µg		✓ Inj 25 mg per ml, 1 ml	
		✓ Inj 100 mg per ml, 1 ml	5
DOXYCYCLINE HYDROCHLORIDE	20	FUROSEMIDE	
Tab 50 mg ✓ Tab 100 mg		✓ Tab 40 mg	30
V lab 100 mg	50	✓ Inj 10 mg per ml, 2 ml	5
ERGOMETRINE MALEATE		GLUCAGON HYDROCHLORIDE	
\checkmark Inj 500 μ g per ml, 1 ml	5	✓ Inj 1 mg syringe kit	5
ERYTHROMYCIN ETHYL SUCCINATE		GLYCERYL TRINITRATE	
✓ Tab 400 mg		✓ Tab 600 µg	100
✓ Grans for oral liq 200 mg per 5 ml2	00 ml	✓ Aerosol spray, 400 μg per dose	
✓ Grans for oral liq 400 mg per 5 ml2	00 ml		
ERYTHROMYCIN STEARATE		HALOPERIDOL	
Tab 250 mg	30	✓ Tab 500 μg	
145 250 mg	00	✓ Tab 1.5 mg	
ETHINYLOESTRADIOL WITH DESOGESTREL		✓ Tab 5 mg ✓ Oral lig 2 mg per ml	
Tab 20 μ g with desogestrel 150 μ g	63	✓ Inj 5 mg per ml, 1 ml	
Tab 20 μ g with desogestrel 150 μ g and 7		• III o IIIg per IIII, T III	
inert tab		HALOPERIDOL DECANOATE	
Tab 30 μ g with desogestrel 150 μ g	63	✓ Inj 50 mg per ml, 1 ml	
Tab 30 μ g with desogestrel 150 μ g and 7	0.4	✓ Inj 100 mg per ml, 1 ml	5
inert tab	84	HYDROCORTISONE	
ETHINYLOESTRADIOL WITH LEVONORGESTREL	_	✓ Inj 50 mg per ml, 2 ml	5
\checkmark Tab 50 μ g with levonorgestrel 125 μ g and 7		HYDROXOCOBALAMIN	
inert tab		✓ Inj 1 mg per ml, 1 ml	6
Tab 30 μ g with levonorgestrel 150 μ g	63		
✓ Tab 30 μg with levonorgestrel 150 μg and 7	0.4	HYOSCINE N-BUTYLBROMIDE	-
inert tab Tab 20 μ g with levonorgestrel 100 μ g and 7	04	✓ Inj 20 mg, 1 ml	5
inert tab	8/1	INTRA-UTERINE DEVICE	
merciab	04	✓ IUD	40
ETHINYLOESTRADIOL WITH NORETHISTERONE		IPRATROPIUM BROMIDE	
\checkmark Tab 35 μg with norethisterone 1 mg	63	✓ Nebuliser soln, 250 µg per ml, 1 ml	40
✓ Tab 35 μ g with norethisterone 1 mg and 7	0.4	✓ Nebuliser soln, 250 μ g per ml, 2 ml	
inert tab			
\checkmark Tab 35 μ g with norethisterone 500 μ g	ხპ	IVERMECTIN	400
Tab 35 μg with norethisterone 500 μg and 7 inert tab	0.4	✓ Tab 3 mg – See note on page 65	
IIIσιτ ιαυ	04		continued

PRACTITIONER'S SUPPLY ORDERS

continued) LEVONORGESTREL		✓ Gum 2 mg (Mint) – See note on page 146
Tab 30 μg ✓ Tab 1.5 mg		✓ Gum 4 mg (Fruit) – See note on page 146
LIGNOCAINE ✓ Gel 2%, 10 ml urethral syringe – Subsidy by endorsement – See note on page 121	5	NORETHISTERONE ✓ Tab 350 µg
LIGNOCAINE HYDROCHLORIDE Inj 1%, 5 ml Inj 2%, 5 ml Inj 1%, 20 ml Inj 2%, 20 ml LIGNOCAINE WITH CHLORHEXIDINE	5 5 5	NORETHISTERONE WITH MESTRANOL Tab 1 mg with mestranol 50 μ g and 7 inert tab84 OXYTOCIN Inj 5 iu per ml, 1 ml
✓ Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes – Subsidy by endorsement – See note on page 121	5	 ✓ Inj 5 iu with ergometrine maleate 500 μg per ml, 1 ml
LOPERAMIDE HYDROCHLORIDE ✓ Tab 2 mg ✓ Cap 2 mg		✓ Oral liq 120 mg per 5 ml
MASK FOR SPACER DEVICE ✓ Size 2 – See note on page 175	. 20	✓ Low range
MEDROXYPROGESTERONE ACETATE ✓ Inj 150 mg per ml, 1 ml syringe	5	PETHIDINE HYDROCHLORIDE ✓ Inj 50 mg per ml, 1 ml – Only on a controlled
METOCLOPRAMIDE HYDROCHLORIDE ✓ Inj 5 mg per ml, 2 ml	5	drug form
METRONIDAZOLE ✓ Tab 200 mg	. 30	drug form
MORPHINE SULPHATE ✓ Inj 5 mg per ml, 1 ml – Only on a controlled drug form	5	✓ Cap potassium salt 250 mg
✓ Inj 10 mg per ml, 1 ml – Only on a controlled drug form ✓ Inj 15 mg per ml, 1 ml – Only on a controlled	5	PHENYTOIN SODIUM ✓ Inj 50 mg per ml, 2 ml
drug form ✓ Inj 30 mg per ml, 1 ml – Only on a controlled drug form		PHYTOMENADIONE ✓ Inj 2 mg per 0.2 ml
NALOXONE HYDROCHLORIDE ✓ Inj 400 µg per ml, 1 ml	5	PIPOTHIAZINE PALMITATE ✓ Inj 50 mg per ml, 1 ml
NICOTINE ✓ Patch 7 mg – See note on page 146 ✓ Patch 14 mg – See note on page 146 ✓ Patch 21 mg – See note on page 146 ✓ Lozenge 1 mg – See note on page 146 ✓ Lozenge 2 mg – See note on page 146	. 28 . 28 216	✓ Inj 50 mg per ml, 2 ml
✓ Gum 2 mg (Classic) – See note on page 146	384	✓ Tab 5 mg

PRACTITIONER'S SUPPLY ORDERS

est
5
30
5
5
5
se
30 30
-
20
) g
, 9
5
5 5

SODIUM CHLORIDE ✓ Inf 0.9% – See note on page 45
SPACER DEVICE ✓ 230 ml (single patient)
SPACER DEVICE AUTOCLAVABLE 230 ml (autoclavable) – Subsidy by endorsement – See note on page 1755
TRIMETHOPRIM ✓ Tab 300 mg30
/ERAPAMIL HYDROCHLORIDE ✓ Inj 2.5 mg per ml, 2 ml5
NATER ✓ Purified for inj, 5 ml – See note on page 45
ZUCLOPENTHIXOL DECANOATE ✓ Inj 200 mg per ml, 1 ml5

213

Rural Areas for Practitioner's Supply Orders

NORTH ISLAND
Tairua
Taumarunui
Te Aroha
Dargaville
Hikurangi
Kaeo
Tokoroa
Kaikohe
Tairua
Taumarunui
Te Aroha
Te Kauwhata
Te Kuiti
Tokoroa

Kaitaia Waihi Kawakawa Whangamata Kerikeri Whitianga

Mangonui Bay of Plenty DHB
Maungaturoto Edgecumbe
Moerewa Katikati
Ngunguru Kawerau
Paihia Murupara

Rawene Opotiki
Ruakaka Taneatua
Russell Te Kaha
Tutukaka Waihi Beach
Waipu Whakatane

Whangaroa Lakes DHB

Waitemata DHB Mangakino Helensville Turangi

Huapai Tairawhiti DHB
Kumeu Ruatoria
Snells Beach Te Araroa
Waimauku Te Karaka
Warkworth Te Puia Springs
Wellsford Tikitiki

Auckland DHB
Great Barrier Island

Oneroa
Ostend

Counties Manukau DHB

Tuakau Waiuku **Waikato DHB**

Coromandel Huntly Kawhia Matamata Morrinsville Ngatea

Otorohanga Paeroa Pauanui Beach Putaruru Raglan Hawkes Bay DHB

Chatham Islands Waipawa Waipukurau Wairoa

Tokomaru Bay

Taranaki DHB

Tolaga Bay

Eltham

Manaia

Oakura

Okato

Patea

Opunake

Stratford

Waverley

Inglewood

Whanganui DHB

Bulls

Marton Ohakune Raetihi Taihape Waiouru

Leeston

I incoln

Oxford

Rakaia

Rolleston

Rotherham

Templeton

South Canterbury DHB

Waikari

Fairlie

Geraldine

Temuka

Waimate

Twizel

Pleasant Point

Southern DHB

Alexandra

Balclutha

Cromwell

Gore

Kurow

Methven

MidCentral DHB Dannevirke Foxton Levin

Otaki Pahiatua Shannon Woodville

Wairarapa DHB
Carteron
Featherston
Greytown
Martinborough

SOUTH ISLAND

Nelson/Marlborough DHB

Havelock Mapua Motueka Murchison Picton Takaka Wakefield

Wakefield Lawrence

West Coast DHB Lumsden
Dobson Mataura
Greymouth Oamaru
Hokitika Oban
Karamea Otautau

Reefton
South Westland
Westport
Whataroa
Canterbury DHB
Akaroa
Otaliau
Outram
Owaka
Palmerston
Queenstown
Ranfurly
Akaroa
Riverton

Akaroa Riverton Amberlev Roxburgh Amuri Tapanui Cheviot Te Anau Darfield Tokonui Diamond Harbour Tuatapere Wanaka Hanmer Springs Kaikoura Winton

SECTION F: PART I

- A Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule:
 - a) is exempt from any requirement to dispense in Monthly Lots;
 - b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is under the Dispensing Frequency Rule.
- A Community Pharmaceutical that is an oral contraceptive and that is identified with a * within the other sections of the Pharmaceutical Schedule:
 - a) is exempt from any requirement to dispense in Monthly Lots:
 - b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is is under the Dispensing Frequency Rule.

SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the prescriber/pharmacist has endorsed/annotated the Prescription item(s) on the Prescription to which the exemption applies "certified exemption".

In endorsing/annotating the Prescription items for a certified exemption, the prescriber/pharmacist is certifying that:

- i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
- ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
- iii) the prescriber has reason to believe the patient will continue on the medicine and is compliant.
- a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
 - i) have limited physical mobility;
 - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - iii) are relocating to another area:
 - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

SECTION F: PART III: FLEXIBLE AND VARIABLE DISPENSING PERIODS FOR PHARMACY

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in variable dispensing periods under the following conditions:

- a) for stock management where the original pack(s) result in dispensing greater than 30 days supply.
- b) to synchronise a patients medication where multiple medicines result in uneven supply periods, note if dispensing a medicine other than a Pharmaceutical identified with a * please refer to Section F; Part II

Note - the total quantity and dispensing period can not exceed the total quantity and period prescribed on the prescription.

SECTION F

The following Community Pharmaceuticals are identified with a \blacktriangle within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

ALIMENTARY TRACT AND METABOLISM

INSULIN ASPART

INSULIN ASPART

INSULIN GLARGINE

INSULIN GLULISINE

INSULIN ISOPHANE

INSULIN ISOPHANE WITH INSULIN NEUTRAL

INSULIN LISPRO

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

INSULIN NEUTRAL

CARDIOVASCULAR SYSTEM

AMIODARONE HYDROCHLORIDE

Tab 100 mg Cordarone-X
Tab 200 mg Cordarone-X

DISOPYRAMIDE PHOSPHATE

FLECAINIDE ACETATE

Tab 50 mg Tambocor
Tab 100 mg Tambocor
Cap long-acting 100 mg Tambocor CR
Cap long-acting 200 mg Tambocor CR

PROPAFENONE HYDROCHLORIDE

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING

CONTRACEPTIVE HORMONES

DESMOPRESSIN

Nasal drops 100 μ g per Minirin

ml

Nasal spray 10 µg per Desmopressin-PH&T

dose

MUSCULOSKELETAL SYSTEM

PYRIDOSTIGMINE BROMIDE

NERVOUS SYSTEM

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

ENTACAPONE

GABAPENTIN

GABAPENTIN (NEURONTIN)

LACOSAMIDE

LAMOTRIGINE

LISURIDE HYDROGEN MALEATE

PERGOLIDE

PRAMIPEXOLE HYDROCHLORIDE

ROPINIROLE HYDROCHLORIDE

TOLCAPONE

TOPIRAMATE

VIGABATRIN

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

Safety Caps (NZS 5825:1991)

20 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
24 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	PDL FG

SAFETY CAP MEDICINES

ALIMENTARY TRACT AND METABOLISM

FERROUS SULPHATE

Oral liq 30 mg per 1 ml

(6 mg elemental per

1 ml)

CARDIOVASCULAR SYSTEM

AMII ORIDE

Oral lig 1 mg per ml **Biomed**

CAPTOPRII

Oral lig 5 mg per ml Capoten

CHLOROTHIAZIDE

Biomed Oral lig 50 mg per ml

DIGOXIN

Oral lig 50 μ g per ml Lanoxin

FUROSEMIDE

Oral lig 10 mg per ml Lasix

SPIRONOLACTONE

Oral liq 5 mg per ml Biomed

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

LEVOTHYROXINE

Tab 25 μ g Synthroid Tab 50 μ g **Fltroxin**

Goldshield Synthroid

Tab 100 μ g Eltroxin Goldshield

Synthroid

(Extemporaneously compounded oral liquid preparations)

MUSCULOSKELETAL SYSTEM

IBUPROFEN

Oral liq 100 mg per 5 ml Fenpaed

QUININE SULPHATE

0.300Tab 300 mg

(Extemporaneously compounded oral liquid preparations)

NERVOUS SYSTEM

ALPRAZOLAM

Tab 250 μ g Arrow-Alprazolam Arrow-Alprazolam Tab 500 μ g Tab 1 mg Arrow-Alprazolam

(Extemporaneously compounded oral liquid preparations)

CARBAMAZEPINE

Oral lig 100 mg per 5 ml Tegretol

CLOBAZAM

Tab 10 mg Frisium

(Extemporaneously compounded oral liquid preparations)

CI ONAZEPAM

Oral drops 2.5 mg per Rivotril

DIAZEPAM

Tab 2 mg Arrow-Diazepam Tab 5 mg Arrow-Diazepam

(Extemporaneously compounded oral liquid preparations)

ETHOSUXIMIDE

Oral lig 250 mg per 5 ml Zarontin

I ORAZEPAM

Tab 1 mg Ativan Tab 2.5 mg Ativan

(Extemporaneously compounded oral liquid preparations)

LORMETAZEPAM

Tab 1 mg Noctamid

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Oral liq 2 mg per ml Oral lig 5 mg per ml Biodone Forte Oral liq 10 mg per ml Biodone Extra Forte

MORPHINE HYDROCHLORIDE

Oral lig 1 mg per ml RA-Morph Oral liq 2 mg per ml RA-Morph Oral lig 5 mg per ml RA-Morph Oral liq 10 mg per ml RA-Morph

NITRAZEPAM

Tab 5 mg **Nitrados**

(Extemporaneously compounded oral liquid preparations)

OXAZEPAM

Ox-Pam Tab 10 mg Tab 15 mg Ox-Pam

(Extemporaneously compounded oral liquid preparations)

OXYCODONE HYDROCHLORIDE

Oral lig 5 mg per 5 ml OxvNorm

PARACETAMOL

Oral lig 120 mg per 5 ml Ethics Paracetamol Oral lig 250 mg per 5 ml Paracare Double Strength

PHENYTOIN SODIUM

Oral lig 30 mg per 5 ml Dilantin

SAFETY CAP MEDICINES

SODIUM VALPROATE

Oral liq 200 mg per 5 ml Epilim S/F Liquid

Epilim Syrup

TEMAZEPAM

Tab 10 mg Normison

(Extemporaneously compounded oral liquid preparations)

TRIAZOLAM

Tab 125 μ g Hypam Tab 250 μ g Hypam

(Extemporaneously compounded oral liquid preparations)

RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE

Oral liq 1 mg per ml Cetirizine - AFT

CHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHLORIDE

Oral lig 5 mg per 5 ml Promethazine Winthrop

Elixir

SALBUTAMOL

Oral liq 2 mg per 5 ml Ventolin

Salapin Broncolin

THEOPHYLLINE

Oral lig 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE

Oral lig 30 mg per 5 ml Vallergan Forte

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE

Powder Douglas

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Powder AFT

(Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM

Powder MidWest

(Extemporaneously compounded oral liquid preparations)

- Symbols -		Agents for Parkinsonism and		Antacids and Antiflatulants	27
3TC	06	Related Disorders	120	Anten	125
	90	Agents Used in the Treatment	t of	Anthelmintics	84
- A -		Poisonings	40	Antiacne Preparations	59
A-Lices		Agrylin		Antiallergy Preparations	169
A-Scabies		Alanase	175	Antianaemics	
Abacavir sulphate	96	Albay	169	Antiandrogen Oral	
Abacavir sulphate with		Albustix		Contraceptives	74
lamivudine		Aldara		Antiarrhythmics	
Abilify		Alendronate sodium		Antibacterials	
ABM Hydroxocobalamin		Alendronate sodium with		Antibacterials Topical	
Acarbose		cholecalciferol	115	Anticholinesterases	
Accu-Chek Ketur-Test	32	Alfacalcidol		Antidepressants	124
Accu-Chek Performa	32, 33	Alginic acid		Antidiarrhoeals	
Accupril	50	Alitrag		Antiepilepsy Drugs	
Accuretic 10	51	Alkeran		Antifibrinolytics, Haemostatics	121
Accuretic 20	51	Allersoothe		and Local Sclerosants	12
Acetadote	187	Allopurinol		Antifungals	
Acetazolamide	178	Alpha Adrenoceptor Blockers		Antifungals Topical	
Acetic acid with 1, 2- propaned	loib	Alpha-Keri Lotion		Antihaemorrhoidals	
diacetate and		Alphamox		Antihistamines	
benzethonium	177	Alprazolam		Antihypotensives	
Acetic acid with hydroxyguinoli	ine	Alu-Tab		Antimalarials	
and ricinoleic acid	74				
Acetylcysteine		Aluminium hydroxide		Antimigraine Preparations	
Aci-Jel		Amantadine hydrochloride		Antinaus	100
Aciclovir		Ambrisentan Amiloride		Antinausea and Vertigo	120
Infection	93			Agents	
Sensory	177	Amiloride with frusemide Amiloride with	30	Antipruritic Preparations	
Acidex			EC	Antipsychotics	
Acipimox		hydrochlorothiazide		Antiretrovirals	94
Acitretin		Aminophylline		Antiretrovirals - Additional	07
Aclasta		Amiodarone hydrochloride Amirol		Therapies	
Aclin	104			Antirheumatoid Agents	104
Act-HIB	101	Amisulpride		Antispasmodics and Other	
Actinomycin D	154	Amitrip		Agents Altering Gut	00
Actrapid		Amitriptyline		Motility	
Actrapid Penfill		Amlodipine		Antithrombotic Agents	42
Acupan		Amorolfine		Antithymocyte globulin	105
Adalat 10		Amoxycillin		(equine)	
Adalat Oros		Amoxycillin clavulanate		Antitrichomonal Agents	90
Adalimumab		Amphotericin B		Antituberculotics and	00
Adapalene		Amsacrine		Antilleprotics	
Adefin XL		Amsidine		Antiulcerants	
Adefovir dipivoxil		Amyl nitrite		Antivirals	
Adrenaline		Anabolic Agents		Anxiolytics	
Adriamycin		Anaesthetics		Anzatax	
ADT Booster		Anagrelide hydrochloride		Apidra	
Advantan		Analgesics		Apidra SoloStar	
AFT-Leflunomide		Anastrozole		Apo-Allopurinol	
AFT-Pyrazinamide		Andriol Testocaps		Apo-Amlodipine	
Agents Affecting the		Androderm		Apo-Bromocriptine	
Renin-Angiotensin System	49	Antabuse	146	Apo-Cimetidine	29

Apo-Clarithromycin		Arrow-Morphine LA	123	Azopt	178
Alimentary	29	Arrow-Nifedipine XR	54	AZT	96
Infection		Arrow-Norfloxacin	100	-B-	
Apo-Clomipramine	124	Arrow-Ornidazole	90	B-D Micro-Fine	3
Apo-Clopidogrel	42	Arrow-Ranitidine	30	B-D Ultra Fine	
Apo-Doxazosin	49	Arrow-Roxithromycin	86	B-D Ultra Fine II	
Apo-Folic Acid	41	Arrow-Sertraline	126	B-PlexADE	
Apo-Gliclazide		Arrow-Simva 10mg	47	Bacillus Calmette-Guerin (BCG)	
Apo-Megestrol	162	Arrow-Simva 20mg	47	vaccine	
Apo-Metformin		Arrow-Simva 40mg		Bacillus Calmette-Guerin	
Apo-Moclobemide		Arrow-Simva 80mg		vaccine	100
Apo-Nadolol	53	Arrow-Sumatriptan	131	Baclofen	
Apo-Nicotinic Acid		Arrow-Testosterone		Bactroban	
Apo-Oxybutynin		Arrow-Timolol	178	Bakels Gluten Free Health Brea	
Apo-Pindolol		Arrow-Topiramate		Mix	
Apo-Prazo		Arrow-Tramadol		Baraclude	
Apo-Prednisone		Arrow-Venlafaxine XR		Barrier Creams and	0
Apo-Primidone		Arrowcare	103	Emollients	64
Apo-Propranolol		Arsenic trioxide		Batrafen	
Apo-Pyridoxine		Arthrexin		BCG Vaccine	
Apo-Risperidone		Asacol		Beclazone 100	
Apo-Selegiline		Asamax		Beclazone 250	
Apo-Thiamine		Ascorbic acid		Beclazone 50	
Apo-Timol		Aspec 300		Beclomethasone	۱ / ۱
Apo-Zopiclone		Aspen Adrenaline		dipropionate17	n 17
Apomine		Aspen Ceftriaxone		Bee venom allergy	0, 17
Apomorphine hydrochloride .		Aspirin		treatment	160
Aprepitant		Blood	42	Bendrofluazide	
Apresoline		Nervous		Benhex	
Aquasun 30+		Asthalin		Benzathine benzylpenicillin	
Aqueous cream		Atacand		Benzoin	
Aratac		Atazanavir sulphate		Benztrop	
Arava		Atenolol		Benztropine mesylate	
Aremed		Atenolol Tablet USP			
Arimidex		ATGAM		Benzydamine hydrochloride Benzylpenicillin sodium (penicilli	
Aripiprazole		Ativan		G)	
Aristocort		Atomoxetine			
Aromasin		Atorvastatin		Beta Adrenoceptor Blockers Beta Cream	
Arrow-Alprazolam		Atropine sulphate			
Arrow-Azithromycin		Alimentary	29	Beta Cools	
Arrow-Bendrofluazide		Sensory		Beta Scalp	
Arrow-Brimonidine		Atropt		Beta-Adrenoceptor Agonists	
Arrow-Cabergoline		Atrovent		Betadine	
Arrow-Calcium		Auranofin		Betadine Skin Prep	
Arrow-Calcium Arrow-Citalopram		Ava 20 ED		Betaferon	
		Ava 30 ED		Betagan	
Arrow-Diazepam Arrow-Enalapril		Avanza		Betahistine dihydrochloride	
•				Betaloc CR	
Arrow-Etidronate		Avelox Avomine		Betamethasone dipropionate	62
Arrow-Lamotrigine				Betamethasone dipropionate	
Arrow-Lisinopril	00	Avonex		with calcipotriol	6
Arrow-Losartan &	E4	Azathioprine		Betamethasone sodium	
Hydrochlorothiazide		Azithromycin		phosphate with	_
Arrow-Meloxicam	104	Azol	ბა	betamethasone acetate	77

Betamethasone valerate	62, 68	Respiratory1	70, 175	CareSens POP	32
Betamethasone valerate wit	h	Budesonide with		Carmustine	148
clioquinol	63	eformoterol	171	Carvedilol	53
Betamethasone valerate wit		Bumetanide	55	Catapres	55
fusidic acid	63	Buprenorphrine with		Catapres-TTS-1	
Betaxolol hydrochloride	178	naloxone	145	Catapres-TTS-2	
Betnovate		Bupropion hydrochloride		Catapres-TTS-3	
Betnovate-C		Burinex		CeeNU	
Betoptic		Buscopan		Cefaclor monohydrate	
Betoptic S		Buspirone hydrochloride		Cefaclor Sandoz	
Bezafibrate		Busulphan		Cefalexin Sandoz	
Bezalip Retard		Butacort Aqueous		Cefazolin sodium	
Bicalaccord		·		Cefoxitin sodium	
Bicalutamide		- C -	00	Ceftriaxone sodium	
Bicillin LA		Cabergoline		Cefuroxime axetil	
BiCNU		Cafergot		Cefuroxime sodium	
Bimatoprost		Caffeine citrate		Celestone Chronodose	
Biodone		Cal-d-Forte		Celiprolol	
Biodone Extra Forte		Calamine		Cellcept	
Biodone Forte		Calcipotriol		•	
		Calcitonin		Celol	
Bisacodyl		Calcitriol	38	Centrally Acting Agents	
Bisoprolol fumarate		Calcium carbonate	39	Cephalexin ABM	
BK Lotion		Calcium carbonate with		Cephalexin monohydrate	
Bleomycin sulphate		aminoacetic acid	27	Ceptolate	
Blood glucose diagnostic tes		Calcium Channel Blockers	54	Cerezyme	
meter		Calcium Disodium Versenate .	40	Cetirizine - AFT	
Blood glucose diagnostic tes		Calcium folinate	149	Cetirizine hydrochloride	
strip		Calcium Folinate Ebewe	149	Cetomacrogol	
Bonjela		Calcium gluconate	39	Champix	
Boostrix		Calcium polystyrene		Charcoal	
Bortezomib		sulphonate	45	Chemotherapeutic Agents	148
Bosentan		Calcium Resonium		Chlorafast	
Bosvate	52	Calogen		Chlorambucil	148
Breath-Alert	175	Calsource		Chloramphenicol	177
Brevinor 1/21	73	Camptosar		Chlorhexidine gluconate	
Brevinor 1/28	73	Candesartan		Alimentary	37
Brevinor 21	73	Candestar		Dermatological	63
Bricanyl Turbuhaler	172	Canesten		Chloroform	187
Brimonidine tartrate	179	Capecitabine		Chloromycetin	177
Brimonidine tartrate with tim		Capoten		Chlorothiazide	56
maleate	179	Capsaicin		Chlorpheniramine maleate	169
Brinzolamide	178	Captopril		Chlorpromazine	
Brolene	177	Carafate		hydrochloride	134
Bromocriptine mesylate	120	Carbamazepine		Chlorsig	
Broncolin		•		Chlorthalidone	
Brufen		Carbimazole		Chlorvescent	
Brufen SR		Carboplatin		Cholecalciferol	
BSF Rizamelt		Carboplatin Ebewe		Cholestyramine with	
BSF Ursosan		Carbosorb-X		aspartame	46
Buccastem		Cardinol		Choline salicylate with	
Budenocort		Cardinol LA		cetalkonium chloride	37
Budesonide		Cardizem CD		Cholvastin	
Alimentary	27	CareSens	33	Ciclonirox olamine	

Cilazapril49
Cilazapril with
hydrochlorothiazide50
Cilicaine87
Cilicaine VK87
Ciloxan177
Cimetidine29
Cipflox88
Ciprofloxacin
Infection88
Sensory177
Cisplatin148
Cisplatin Ebewe148
Citalopram hydrobromide126
Cladribine150
Clarithromycin
Alimentary29
Infection85
Clexane43
Climara 10079
Climara 5079
Clindamycin88
Clindamycin ABM88
Clobazam128
Clobetasol propionate62, 68
Clobetasone butyrate62
Clomazol
Dermatological60
Genito-Urinary75
Clomiphene citrate83
Clomipramine hydrochloride124
Clonazepam127–128
Clonidine55
Clonidine hydrochloride
Cardiovascular55
Nervous131
Clopidogrel42
Clopine
Clopixol
Clotrimazole
Dermatological60
Genito-Urinary75
Clozapine
Clozaril
Co-Renitec50
Co-trimoxazole88
Coal tar with allocation months!
Coal tar with allantoin, menthol,
phenol and sulphur
Coal tar with salicylic acid and
sulphur
Coco-Scalp68
Codeine phosphate

Extemporaneous187
Nervous122
Cogentin121
Colaspase [L-asparaginase]154
Colchicine119
Colestid46
Colestipol hydrochloride46
Colgout119
Colifoam28
Colistin sulphomethate88
Colistin-Link88
Collodion flexible187
Colofac29
Coloxyl35
Combigan179
Combivir97
Compound electrolytes45
Compound
hydroxybenzoate187
Comtan120
Concerta143
Condoms71
Condyline69
Contraceptives - Hormonal72
Contraceptives -
Non-hormonal71
Copaxone140
Corangin56
Cordarone-X51
Corticosteroids and Related
Agents for Systemic Use 77
Corticosteroids Topical62
Cosmegen154
Cosopt179
Coumadin44
Coversyl50
Creon 1000034
Creon Forte34
Crixivan97
Crotamiton61
Crystacide60
Curam87
Curam Duo87
Cyclizine hydrochloride132
Cyclizine lactate132
Cycloblastin148
Cyclogyl179
Cyclopentolate
hydrochloride179
Cyclophosphamide148
Cyclosporin168
Cyklokapron42
Cyproterone acetate78

Cyproterone acetate with	
othinyloostradiol	7/
ethinyloestradiol	150
Cytotec	١٥٠
Cytoxan	∠১
•	140
- D -	
D-Penamine	104
d4T	96
Dabigatran	44
Dacarbazine	154
Dactinomycin [Actinomycin	
D]	154
Daivobet	67
Daivonex	68
Daktarin	
Alimentary	37
Dermatological	61
Dalacin C	
Danazol	83
Danthron with poloxamer	36
Dantrium	119
Dantrolene sodium	119
Daonil	31
Dapa-Tabs	56
Dapsone	90
Darunavir	97
Dasatinib	158
Daunorubicin	154
DBL Aminophylline	174
DBL Bleomycin Sulfate	153
DBL Carboplatin	148
DBL Doxorubicin DBL Doxorubicin S29	155
DBL Doxorubicin S29	155
DBL Epirubicin	
Hydrochloride	155
DBL Ergometrine	75
DBL Gemcitabine	151
DBL Leucovorin Calcium	149
DBL Methotrexate	153
DBL Morphine Sulphate	123
DBL Pethidine	
Hydrochloride	
DBL Tobramycin	89
DDI	96
De-Worm	84
Deca-Durabolin Orgaject	77
Deferiprone	48
Deoxycoformycin	156
Depo-Medrol	77
Depo-Medrol with Lidocaine	77
Depo-Provera	
Dana Taataatarana	70

Deprim	88	Diprienoxylate nydrochloride w	/Itn	Dr Reddy's Ondansetron	132
Dermol	62, 68	atropine sulphate	27	Dr Reddy's Pantoprazole	30
Desferrioxamine mesylate	48	Diphtheria, tetanus and pertus	sis	Dr Reddy's Pramipexole	120
Desmopressin	82	vaccine	100	Dr Reddy's Quetiapine	
Desmopressin-PH&T	82	Diphtheria, tetanus, pertussis		Dr Reddy's Risperidone	
Detection of Substances in		and polio vaccine	100	Dr Reddy's Terbinafine	90
Urine	76	Diphtheria, tetanus, pertussis,		Drugs Affecting Bone	
Dexamethasone		polio, hepatitis B and		Metabolism	114
Hormone	77	haemophilus influenzae type	e B	Dulcolax	
Sensory	178	vaccine		Duocal Super Soluble	
Dexamethasone sodium		Diprosone		Powder	192
phosphate	77	Diprosone OV		Duolin	
Dexamethasone with framyo		Diptheria and tetanus		Duolin HFA	173
and gramicidin		vaccine	100	Durex Confidence	
Dexamethasone with neomy		Dipyridamole		Durex Extra Safe	
and polymyxin b sulphate		Disinfecting and Cleansing		Durex Select Flavours	
Dexamphetamine sulphate .		Agents	63	Duride	
Dextrochlorpheniramine		Disipal		Dynacirc-SRO	
maleate	169	Disopyramide phosphate			
Dextrose		Disulfiram		-E-	0/
Dextrose with electrolytes		Diuretics		E-Mycin	
DHC Continus		Diurin 40		Ear Preparations	
Diabetes		Dixarit		Ear/Eye Preparations	
Diabetes Management		DM Ject		Easiphen Liquid	
Diamide Relief		Docetaxel		Econazole nitrate	
Diamox		Docetaxel Ebewe		Efavirenz	
Diaphragm		Docusate sodium		Efexor XR	
Diasip		Docusate sodium with		Efficient	
Diason RTH		sennosides	35	Eformoterol fumarate Efudix	
Diastop	27	Domperidone	132		
Diazepam		Donepezil hydrochloride		Egopsoryl TA	
Dibenyline		Donepezil-Rex		Elecare Elecare LCP	
Diclax SR		Dopergin			
Diclofenac Sandoz		Dopress		Electral	40
Diclofenac sodium		Dornase alfa		Elemental 028 Extra	
Musculoskeletal System .	103	Dorzolamide hydrochloride	179	Eligard Elocon	
Sensory		Dorzolamide hydrochloride wit		Eloxatin	
Didanosine [DDI]		timolol maleate		Eltroxin	
Differin		Dostinex	83	Emend Tri-Pack	
Difflam	37	Dothiepin hydrochloride	125	EMLA	
Diflucan	89	Doxazosin mesylate		Emtricitabine	
Diflucortolone valerate	62	Doxepin hydrochloride		Emtriva	
Digestives Including		Doxine	87	Emulsifying ointment	
Enzymes	34	Doxorubicin	155	Enalapril	
Digoxin		Doxorubicin Ebewe	155	Enalapril with	48
Dihydrocodeine tartrate		Doxy-50	87	hydrochlorothiazide	50
Dilantin		Doxycycline hydrochloride		Enhal	100
Dilantin Infatab		DP Lotion		Enbrel Endocrine Therapy	160
Dilatrend	53	DP Lotn HC	63	Endoxan	
Diltiazem hydrochloride	55	DP-Anastrozole	164	Enfuvirtide	
Dilzem		Dr Reddy's Atorvastatin	46	Enoxaparin sodium	
Dimetriose	83	Dr Reddy's Olanzapine1		Ensure	
Dipentum	28	Dr Reddy's Omeprazole		Ensure Plus	
		•			202

Ensure Plus HN201
Ensure Plus RTH201
Entacapone120
Entecavir91
Entocort CIR27
Enuclene180
Epilim130
Epilim Crushable130
Epilim IV130
Epilim S/F Liquid130
Epilim Syrup130
Epirubicin155
Epirubicin Ebewe155
Eprex41
ERA86
Ergometrine maleate75
Ergotamine tartrate with
caffeine 131
Erlotinib hydrochloride159
Endulub riyurocriioride139
Erythrocin IV86
Erythromycin ethyl succinate86
Erythromycin lactobionate86
Erythromycin stearate86
Erythropoietin alpha41
Erythropoletin alpha41
Erythropoietin beta41
Escitalopram126
Estradot79
Estrofem79
Etanercept109
Ethambutol hydrochloride90
Ethambutoi nydrochioride90
Ethics Aspirin122
Ethics Aspirin EC42
Ethics Paracetamol122
Ethinyloestradiol80
Ethinyloestradiol with
Ethinyloestradiol with
desogestrel72
Ethinyloestradiol with
levonorgestrel73
Ethinyloestradiol with
norethisterone73
Ethosuximide128
Etidronate disodium115
Etopophos155
Etoposide155
Etoposide phosphate155
Etravirine96
Eumovate62
Evista116
Exemestane
Extemporaneously Compounded
Preparations and
Galenicals187
Eve Prenarations 177

EZ-fit Paediatric Mask Ezetimibe	175
Ezetimibe with simvastatin	47
Ezetrol	
	47
-F-	
Famotidine	29
Famox	29
Felo 10 ER	
Felo 5 ER	
Felodipine	54
Femtran 100	79
Femtran 50	79
Fenpaed	103
Fentanyl	122
Fentanyl citrate	
Ferodan	
Ferriprox	
Ferro-F-Tabs	
Ferro-tab	39
Ferrograd	
Ferrograd F	39
Ferrous fumarate	39
Ferrous fumarate with folic	
acid	39
Ferrous sulphate	39
Ferrous sulphate with folic	
acid	39
Ferrum H	40
Fexofenadine hydrochloride	
Fibalip	
Fibro-vein	42
Finasteride	75
Fine Ject	33
Flagyl	90
Flagyl-S	90
Flamazine	60
Flecainide acetate	52
Fleet Phosphate Enema	36
Flixonase Hayfever &	
Allergy	175
Flixotide	170
Flixotide Accuhaler	170
Florinef	77
Fluanxol	136
Fluarix	101
Flucloxacillin sodium	87
Flucloxin	
Fluconazole	89
Fludara	150
Fludara Oral	150
Fludarabine Ebewe	150
Fludarabine phosphate	

Fludrocortisone acetate77

Fluids and Electrolytes	44
Flumetasone pivalate	177
Fluocortolone caproate with	
fluocortolone pivalate and	
cinchocaine	
Fluorometholone	
Fluorouracil Ebewe	151
Fluorouracil sodium	
Dermatological	69
Oncology	
Fluox	
Fluoxetine hydrochloride	
Flupenthixol decanoate	136
Fluphenazine decanoate	136
Flutamide	
Flutamin	
Fluticasone	
Fluticasone propionate	
Fluticasone with salmeterol	
Fluvax	
FML	
Foban	
Folic acid	
Food Thickeners	203
Foods And Supplements For	
Inborn Errors Of	
Metabolism	
Foradil	
Forteo	
Fortimel Regular	
Fortini	196
Fortini Multi Fibre	
Fortisip201	
Fortisip Multi Fibre	
Fosamax	
Fosamax Plus	115
Framycetin sulphate	177
FreeStyle Lite3	32, 33
Freestyle Optium3	32, 33
Freestyle Optium Ketone	
Frisium	
Frumil	
Frusemide-Claris	
Fucicort	
Fucidin	
Fucithalmic	
Fungilin	
Furosemide	56
Fusidic acid	
Dermatological	
Infection	
Sensory	1/7

- G -
Gabapentin128
Gabapentin (Neurontin)129
Gamma benzene
hexachloride65
Gardasil101
Gastrosoothe29
Gaviscon Double Strength27
Gaviscon Infant27
Gefitinib159 Gemcitabine Actavis 1000151
Gemcitabine Actavis 200151
Gemcitabine Ebewe151
Gemcitabine hydrochloride151
Gemfibrozil46
Gemzar151
Generald Plus195
Genoptic177
Genotropin82
Genox164
Gentamicin sulphate
Infection88
Sensory177
Gestrinone83
Ginet 8474
Glatiramer acetate140
Glibenclamide31
Gliclazide31
Glipizide31
Glivec159
Glucagen Hypokit30
Glucagon hydrochloride30
Glucerna Select194
Glucerna Select RTH194
Glucobay31
Gluten Free Foods204
Glycerin with sodium
saccharin187
Glycerin with sucrose187
Glycerol
Alimentary36
Extemporaneous187
Glyceryl trinitrate56
Glytrin56
Gold Knight71
Gopten50
Goserelin acetate82
Gutron52
Gynaecological
Anti-infectives74
- H -
Habitrol 146

Haemophilus influenzae type B	
vaccine101	
Haldol136	
Haldol Concentrate136	
Haloperidol134	ļ
Haloperidol decanoate136	ò
Hamilton Sunscreen69)
HBvaxPro101	
healthE Fatty Cream64	1
Healtheries Simple Baking	
Mix204	ļ
Hemastix76	
Heparin sodium43	
Heparinised saline43	
Hepatitis B vaccine101	
Hepsera91	
Herceptin167	
Hexamine hippurate100)
Hiprex100	
Histafen169	, a
Holoxan148	
Homatropine hydrobromide179))
Horleys Bread Mix204	,
Horleys Flour204	1
Hormone Replacement Therapy -	ŀ
Customia 70	,
Systemic	5
Humalog31	
Humalog Mix 2531	
Humalog Mix 5031	
Human papilomavirus	
vaccine101	
Humira	
HumiraPen105	
Humulin 30/7031	
Humulin NPH31	
Humulin R30)
Hybloc53	3
Hydralazine57	_
Hydrea155)
Hydrocortisone	
Dermatological62	
Hormone77	
Hydrocortisone acetate28	3
Hydrocortisone butyrate62, 68	3
Hydrocortisone with	
cinchocaine29)
Hydrocortisone with	
miconazole63	3
Hydrocortisone with natamycin	
and neomycin63	3
Hydrocortisone with wool fat and	
mineral oil63	3
Hydroderm Lotion64	ļ

Hydrogen peroxide	
Alimentary	37
Dermatological	60
-lydroxocobalamin	38
Jydroxychloroquine sulphate	90
Hydroxyurea	155
Hygroton	56
Hyoscine (scopolamine)	132
Hyoscine hydrobromide	132
Hyoscine N-butylbromide	
-lypam	141
Hyperuricaemia and	
Antigout	119
Hypnovel	141
Hypromellose	
Hysite	179
-1-	
biamox	86
buprofen	103
darubicin hydrochloride	
fosfamide	
loprost	
matinib mesylate	
miglucerase	36
mipramine hydrochloride	125
miquimod	69
mmune Modulators	
mmunosuppressants	164
muprine	
muran	
ndapamide	
ndinavir	
ndomethacin	104
nfanrix-hexa	
nfanrix-IPV	
nfant Formulae	
nfluenza vaccine	101
nhaled Anticholinergic	
Agents	172
nhaled Corticosteroids	170
nhaled Long-acting	
Beta-adrenoceptor	
Agonists	
nhibace Plus	50
nnovacon hCG One Step	
Pregnancy Test	75
nsulin aspart	.30–31
nsulin glargine	31
nsulin glulisine	
nsulin isophane	31
nsulin isophane with insulin	21

Insulin lispro31
Insulin lispro with insulin lispro
protamine31
Insulin neutral30
Insulin pen needles33
Insulin syringes, disposable with
attached needle34
Intal Forte CFC Free174
Intal Spincaps174
Intelence96
Interferon alpha-2a98
Interferon alpha-2b98
Interferon beta-1-alpha140
Interferon beta-1-beta140
Intra-uterine device72
Intron-A98
IPOL102 Ipratropium bromide172, 175
Iressa
Irinotecan
Irinotecan-Rex152
Iron Overload48
Iron polymaltose40
Isentress97
Ismo 2056
Isoniazid90
Isoprenaline hydrochloride57
Isoptin55
Isopto Carpine179
Isopto Homatropine179
Isosorbide mononitrate56
Isosource Standard201
Isosource Standard RTH201
Isotretinoin59
Isradipine54
Isuprel57
Itch-Soothe61
Itraconazole89
Itrazole89
Ivermectin65
- J -
Jadelle74
Jevity201
Jevity RTH201
- K -
Kaletra97
Karicare Food Thickener204
Kemadrin121
Kenacomb
Kenacort-A
Kenacort-A4078
KotoCol 200

Ketoconazole	
Dermatological	68
Infection	89
Ketogenic Diet	208
Ketone blood beta-ketone	
electrodes	32
Ketoprofen	103
Ketostix	22
Kindergen	105
Kivexa	130
Klacid	
Kliogest	٥
Kliovance	
Konakion MM	
Konsyl-D	35
-L-	
L-asparaginase	154
Labetalol	53
Lacosamide	
Lacri-Lube	
Lactulose	36
Laevolac	
Lamictal	
Lamivudine9	2 96
Lamotrigine	120
Lanoxin	
Lanoxin PG	
Lansoprazole	ال
Lantus SoloStar	ا ک
Lanvis	.153
Lanzol Relief	30
Lapatinib Ditosylate	
Largactil	134
Lasix	56
Latanoprost	179
Lax-Tab	36
Laxatives	35
Laxofast 120	35
Laxofast 50	35
Laxsol	35
Leflunomide	
Letara	164
Letraccord	164
Letrozole	164
Leukeran FC	148
Leukotriene Receptor	
Antagonists	. 173
Leunase	
Leuprorelin	
Leustatin	
Levetiracetam	
Leveliacetani	. 100

Levlen ED	73
Levobunolol	178
Levocabastine	
Levodopa with benserazide	120
Levodopa with carbidopa	120
Levomepromazine	12/
Levonorgestrel	104
Genito-Urinary	7/
Genito-Urinary	/ 4
Hormone	
_evothyroxine	81
Lifestyles Flared	71
Lignocaine	121
Lignocaine hydrochloride Lignocaine with	121
Lignocaine with	
chlorhexidine	121
Lignocaine with prilocaine	121
Lincocin	88
Lincomycin	88
_ipazil	.46
ipid Modifying Agents	.46
Lipid Modifying AgentsLipitor	46
Liquigen	103
Lisinopril	50
Lisuride hydrogen maleate	100
Lisuride riyurogeri maleale	120
Litak	
Lithicarb FC	
Lithium carbonate	
Livostin	178
Locacorten-Viaform ED's	
Locasol	207
Loceryl	
Locoid62	, 68
Locoid Crelo	62
Locoid Lipocream	62
Locorten-Vioform	177
Lodoxamide trometamol	178
_oette	73
Logem	129
Lomide	
Lomustine	148
Loperamide hydrochloride	27
Lopinavir with ritonavir	21
Lopinavii willi illonavii	91
Lopresor	ວວ
Loprofin	200
Loprofin Mix	206
Loraclear Hayfever Relief Lorapaed	170
Lorapaed	170
Loratadine	170
Lorazepam	138
_ormetazepam	141
osartan	
_ostaar	51
a. iir	00

INDEX

Loxalate126	Mefenamic acid103
Loxamine126	Megace162
Lucrin Depot82	Megestrol acetate162
Lucrin Depot PDS82	Meloxicam104
Ludiomil125	Melphalan148
Lumigan179	Meningococcal A, C, Y and
Lycinate56	W-135 vaccine 102
Lyderm67	Menomune102
•	Menthol61
- M -	Mercaptopurine152
m-Captopril	Mercilon 2172
m-Cefuroxime84	Mercilon 2872
m-Eslon	Mesalazine28
M-M-R II	Mesna155
m-Mometasone63	Mestinon103
Mabthera165	Metabolic Disorder Agents36
Macrogol 335036	Metamide132
Madopar 125120	Metformin hydrochloride32
Madopar 250120	Methadone hydrochloride
Madopar 62.5120	Extemporaneous187
Madopar Dispersible120	Nervous123
Madopar HBS120	Methatabs123
Magnesium hydroxide187	Methoblastin
Magnesium sulphate	
Alimentary40	Methopt
Dermatological70	Methotrexate
Malathion67	Methotrexate Ebewe
Maprotiline hydrochloride125	Methyl hydroxybenzoate188
Marevan44	Methylcellulose188
Marine Blue Lotion SPF 30+69	Methylcellulose with glycerin and
Marquis Black71	sodium saccharin188
Marquis Conforma71	Methylcellulose with glycerin and
Marquis Protecta71	sucrose
Marquis Selecta71	Methyldopa55
Marquis Sensolite71	Methylphenidate
Marquis Supalite71	hydrochloride143
Marquis Titillata71	Methylphenidate hydrochloride
MarquisTantiliza71	extended-release
Martindale Acetylcysteine187	Methylprednisolone77
Marvelon 2172	Methylprednisolone
Marvelon 2872	aceponate63
Mask for spacer device175	Methylprednisolone acetate77
Mast Cell Stabilisers174	Methylprednisolone acetate with
Maxidex178	lignocaine77
Maxitrol178	Methylprednisolone sodium
MCT oil (Nutricia)193	succinate78
Measles, mumps and rubella	Methylxanthines174
vaccine102	Metoclopramide
Mebendazole84	hydrochloride132
Mebeverine hydrochloride29	Metoclopramide hydrochloride
Medrol77	with paracetamol131
Medroxyprogesterone acetate	Metopirone83
Genito-Urinary74	Metoprolol - AFT CR53
Hormone 80–81	Metoprolol succinate53

Metoprolol tartrate53
Metronidazole90
Metyrapone83
Miacalcic115
Mianserin hydrochloride125
Micolette36
Miconazole37
Miconazole nitrate
Dermatological61
Genito-Urinary75
Micreme75
Micreme H63
Microgynon 20 ED73
Microgynon 3073
Microgynon 30 ED73
Microgynon 50 ED73
Microlut74
Midazolam141
Midodrine52
Minaphlex206
Minerals39
Minidiab31
Minirin82
Mino-tabs87
Minocycline hydrochloride87
Minomycin87
Minor Skin Infections65
Mirena80
Mirtazapine126
Misoprostol 20
Misoprostol29 Mitomycin C155
Mitozantrone
Mitozantrone Ebewe156
Mixtard 3031
Moclobemide126
Modafinil144
Modavigil144
Modecate136
Moducal191
Moduretic56
Mogine129
Mometasone furoate63
Monofeme73
Monogen194
Montelukast173
Morphine hydrochloride123
Morphine sulphate123
Morphine tartrate
Motetis121
Motilium
Mouth and Throat37
Movicol36
Moxifloxacin88

MSUD Maxamaid	.205
MSUD Maxamum	
Mucilaginous laxatives	
Mucilaginous laxatives with	0
stimulants	0.0
stimulants	చ
Mucilax	35
Mucolytics	
MultiADE	39
Multiload Cu 375	72
Multiload Cu 375 SL	72
Multiple Sclerosis	
Treatments	139
Multivitamins	38
Mupirocin	60
Muscle Relaxants	110
Myaccord	16/
Myambutol	. 105 00
Mycobutin	əl
Mycophenolate mofetil	90
Mycostatin	67
Mydriacyl	.179
Mylan Atenolol	52
Mylan Fentanyl Patch	.122
Mylanta P	
Myleran	.148
Myloc CR	53
Myocrisin	.104
Myocrisin Myometrial and Vaginal Hormone	.104
Myometrial and Vaginal Hormone Preparations	.104 75
Myocrisin Myometrial and Vaginal Hormone Preparations	.104 75
Myometrial and Vaginal Hormone Preparations	75
Myometrial and Vaginal Hormone Preparations	75
Myometrial and Vaginal Hormone Preparations	53
Myometrial and Vaginal Hormone Preparations	75 53 28
Myometrial and Vaginal Hormone Preparations - N - Nadolol - Nalcrom - Nalcr	75 28 28 .145
Myometrial and Vaginal Hormone Preparations - N - Nadolol - Nalcrom - Nalcrom - Nalcrom - Nalcrom - Naltraccord - Naltraccord - Naltraccord - Naltraccore hydrochloride - Naltraccone hydrochloride -	75 28 28 .145 .146
Myometrial and Vaginal Hormone Preparations - N - Nadolol	75 28 145 146 77
Myometrial and Vaginal Hormone Preparations - N - Nadolol - Nalcrom - Nalcrom - Nalcrom - Nalcrom - Naltraccord - Naltraccord - Naltraccord - Naltraccord - Naltraccone hydrochloride - Nandrolone decanoate - Naphazoline hydrochloride - Naphazoline hydroc	75 28 .145 .146 .146
Myometrial and Vaginal Hormone Preparations - N - Nadolol - Nalcrom - Nalcrom - Nalcrom - Naltraccord - Naltraccord - Naltraccord - Naltraccord - Naltraccord - Nandrolone decanoate - Naphazoline hydrochloride - Naphazoline hydrochloride - Naphcon Forte - Naphazoline - Naphcon Forte - Nandrolone - Naphcon Forte - Nandrolone - Naphcon Forte - Naphcon - Na	75 28 .145 .146 77
Myometrial and Vaginal Hormone Preparations - N - Nadolol	75 28 145 146 146 180
Myometrial and Vaginal Hormone Preparations - N - Nadolol	75 28 145 .146 77 .180 .103
Myometrial and Vaginal Hormone Preparations - N - Nadolol	75 28 145 146 77 180 103 103
Myometrial and Vaginal Hormone Preparations - N - Nadolol	75 28 145 146 77 180 103 103
Myometrial and Vaginal Hormone Preparations - N - Nadolol	75 28 145 . 146 . 146 . 163 . 103 . 103 . 103 . 125
Myometrial and Vaginal Hormone Preparations - N - Nadolol	75 28 145 146 180 103 103 125 175
Myometrial and Vaginal Hormone Preparations - N - Nadolol	75 75 28 145 146 180 103 103 105 175 156
Myometrial and Vaginal Hormone Preparations - N - Nadolol	75 53 28 145 146 17 180 103 103 175 156 157
Myometrial and Vaginal Hormone Preparations - N - Nadolol	75 53 28 145 146 17 180 103 103 175 156 157
Myometrial and Vaginal Hormone Preparations - N - Nadolol	75 75 28 145 146 177 180 103 103 175 156 132
Myometrial and Vaginal Hormone Preparations - N - Nadolol	75 75 28 145 146 177 180 103 103 175 156 132
Myometrial and Vaginal Hormone Preparations - N - Nadolol	75 75 28 145 146 177 180 103 103 175 156 132
Myometrial and Vaginal Hormone Preparations - N - Nadolol	75 75 28 145 146 146 103 103 105 156 132 157 132 122 81
Myometrial and Vaginal Hormone Preparations - N - Nadolol	75532814514617180103103125156132174207

Neocate LCP	207
Neoral	168
NeoRecormon	41
Neostigmine	103
Neotigason	67
Nepro (strawberry)	196
Nepro (vanilla)	196
Nerisone	62
Neulactil	135
NeuroKare	30
Neurontin	129
Nevirapine	96
Nicotine	1/6
Nicotinic acid	140
Nifedipine	
Nifuran	100
Nilstat	100
	0-
Alimentary	3/
Genito-Urinary	/5
Infection	
Nipent	156
Nitrados	
Nitrates	56
Nitrazepam	141
Nitroderm TTS	
Nitrofurantoin	
Nizoral	89
Noctamid	
Nodia	
Noflam 250	103
Noflam 500	103
Non-steroidal Anti-inflammatory	
Drugs (NSAIDs)	
Nordette 28	73
Norethisterone	
Genito-Urinary	74
Hormone	81
Norethisterone with	
mestranol	73
Norflex	119
Norfloxacin	100
Noriday 28	74
Norimin	73
Norinyl-1/28	73
Normacol Plus	35
Normison	141
Norpress	
Nortriptyline hydrochloride	125
Norvir	
NovaSource Renal	106
Novatretin	
NovoFine	
INCACL IIIC	

NovoMix 30 FlexPen30

NovoRapid3	1
NovoRapid Penfill3	1
Nozinan13	34
Nuelin17	4
Nuelin-SR17	4
Nupentin12	8
Nutraplus6	4
Nutrient Modules19	11
Nutrini Energy Multi Fibre19	6
Nutrini Energy RTH19	6
Nutrini Energy RTH19 Nutrini Low Energy Multi	
Fibre19	8
Nutrini RTH19	
Nutrison Concentrated20	3
Nutrison Energy20	0
Nutrison Energy Multi Fibre20	1
Nutrison Multi Fibre20	1
Nutrison Standard RTH20	
Nyefax Retard5	4
Nystatin	
Alimentary3	7
Dermatological6	1
Genito-Urinary7	5
Infection8	9
NZB Low Gluten Bread Mix20	14
-0-	
Octreotide (somatostatin	
analogue)16	
Octreotide MaxRx16	
Oestradiol7	
Oestradiol valerate7	Ĝ
Oestradiol with	
norethisterone 8	0
Oestriol	
Genito-Urinary7	
Hormone8	U
Oestrogens8	U
Oestrogens with	
medroxyprogesterone8 Oil in water emulsion6	ı.
Olanzapine134, 13	14
Olanzapine pamoate	1
monohydrate13	16
Olanzine13	
Olanzine-D13	
Olbetam4	6
Olsalazine2	g
Omeprazole3	
Omezol Relief3	'n
On Call Advanced32, 3	
Un Gall Advanced	3
OncoTICE16	33
OncoTICE	33



Onkotrone	156	Pamidronate disodium	116	Persantin	
Ora-Blend	188	Pamisol	116	Pethidine hydrochloride	124
Ora-Blend SF	188	Panadol	122	Pevaryl	61
Ora-Plus	188	Pancreatic enzyme	34	Pexsig	
Ora-Sweet		Pantocid IV	30	Pharmacy Services	
Ora-Sweet SF	187	Pantoprazole	30	Phenelzine sulphate	125
Orabase	37	Panzytrat	34	Phenobarbitone	
Oracort	37	Papaverine hydrochloride	57	Phenobarbitone sodium	188
Oral Supplements/Complete D	Diet	Paracare		Phenoxybenzamine	
(Nasogastric/Gastrostomy		Paracare Double Strength		hydrochloride	49
Tube Feed)	193	Paracetamol		Phenoxymethylpenicillin	
Oratane		Paracetamol + Codeine		(Penicillin V)	87
Orgran		(Relieve)	124	Phentolamine mesylate	
Ornidazole		Paracetamol with codeine		Phenylephrine	
Orphenadrine citrate		Parafast		hydrochloride	180
Orphenadrine hydrochloride		Paraffin		Phenytoin sodium	
Ortho All-flex		Paraffin liquid with soft white		Phlexy 10	
Ortho-tolidine		paraffin	180	Phosphate-Sandoz	
Oruvail SR		Paraffin liquid with wool fat		Phytomenadione	
Osmolite		liquid	180	Pilocarpine	
Osmolite RTH		Paraldehyde		Pimafucort	
Ospamox		Paramax		Pindolol	
Ospamox Paediatric Drops		Parasiticidal Preparations		Pinetarsol	
Other Endocrine Agents		Parnate		Pinorax	
•	03	Paroxetine hydrochloride		Pinorax Forte	
Other Oestrogen	90	,			
Preparations	80	Paxam Pazopanib		Pioglitazone	
Other Progestogen	00	'		Piportil	
Preparations		Peak flow meter		Pipothiazine palmitate Pizaccord	
Other Skin Preparations	09	Pedialyte - Bubblegum			
Ovestin	75	Pedialyte - Fruit		Pizotifen	
Genito-Urinary		Pedialyte - Plain		PKU Anamix Infant	
Hormone		Pediasure		PKU Anamix Junior LQ	
Ox-Pam		Pediasure RTH		PKU Lophlex LQ 10	
Oxaliplatin		Pegasys	99	PKU Lophlex LQ 20	
Oxaliplatin Actavis 100		Pegasys RBV Combination	00	Plaquenil	
Oxaliplatin Actavis 50		Pack		Plendil ER	54
Oxaliplatin Ebewe		Pegylated interferon alpha-2a		Pneumococcal (PCV13)	
Oxazepam		Penicillamine		vaccine	
Oxis Turbuhaler		PenMix 30		Pneumococcal polysaccharide	
Oxybutynin		PenMix 40		vaccine	
Oxycodone hydrochloride		PenMix 50		Pneumococcal vaccine	
OxyContin		Pentasa	28	Pneumovax 23	
OxyNorm		Pentostatin		Podophyllotoxin	
Oxypentifylline		[Deoxycoformycin]		Polaramine	
Oxytocin		Pepti Junior Gold	208	Poliomyelitis vaccine	
Ozole	89	Peptisoothe		Poloxamer	
- P -		Peptisorb		Poly-Tears	
Pacifen		Pergolide		Poly-Visc	
Pacific Buspirone	138	Perhexiline maleate		Polycal	
Paclitaxel		Pericyazine		Polyvinyl alcohol	180
Paclitaxel Actavis	156	Perindopril		Ponstan	
Paclitaxel Ebewe	156	Permax		Postinor-1	
Paediatric Seravit	38	Permethrin	67	Potassium bicarbonate	45

Potassium chloride44–45
Potassium citrate76
Potassium iodate39
Povidone iodine65
Pradaxa44
Pramipexole hydrochloride120
Prasugrel42
Pravastatin47
Prazosin hydrochloride49
Pred Forte178
Pred Mild
Prednisolone acetate178
Prednisolone sodium
phosphate78
Prednisone78
Prefrin180
Pregnancy Tests - hCG Urine75
Premarin80
Premia 2.5 Continuous80
Premia 5 Continuous80
Prevenar 13102
Prezista97
Priadel134
Primidone130
Primolut N81
Probenecid119
Probenecid-AFT119
Procaine penicillin87
Procarbazine hydrochloride156
Prochlorperazine133
Proctosedyl29
Procyclidine hydrochloride121
Prodopa55
Prograf168
Progynova79
Promethazine hydrochloride170
Promethazine theoclate133
Promethazine Winthrop
Elixir170
Promod
Propafenone hydrochloride52
Propamidine isethionate177
Propranolol54
Propylene glycol188
Propylthiouracil81
Protamine sulphate43
Protaphane31
Protaphane Penfill31
Protifar193
Provera80, 81
PSO210–213
Psoriasis and Eczema
Proportions 67

PTU		.81
Pulmicort Turbuhaler		
Pulmocare	٠	193
Pulmozyme		174
Purinethol		152
Pyrazinamide		90
Pyridostigmine bromide		103
PyridoxADE	••••	38
Pyridoxine hydrochloride	••••	20
Pytazen SR		
	•••••	.42
- Q -		
Q 300	٠	119
Questran-Lite		.46
Quetapel	[.]	135
Quetiapine	٠	135
Quinapril		.50
Quinapril with		
hydrochlorothiazide		51
Quinine sulphate		110
	••••	113
- R -		
RA-Morph		123
Raloxifene hydrochloride		
Raltegravir potassium		.97
Ranbaxy-Cefaclor		.84
Ranitidine hydrochloride		.30
Rapamune	[.]	168
Redipred		.78
Regitine		.49
Renilon 7.5		196
Resonium-A		46
Resource Beneprotein		193
Resource Diabetic	٠	194
Respigen	٠	 172
Respiratory Devices	٠٠٠٠	175
Respiratory Stimulants	٠	176
ReTrieve	••••	E0
Retrovir	•••••	.ാഴ
Rex Medical	•••••	./5
Rexacrom		
Reyataz	••••	.97
Ridal		135
Ridaura		104
Ridaura s29		104
Rifabutin		.90
Rifadin		.90
Rifampicin		.90
Rifinah		.90
Riodine		.65
Risperdal		135
Risperdal Consta		137
Risperdal Quicklet		137
Risperidone13	5	137
	-,	

Risperon	.135
Ritalin	.143
Ritalin LA	.143
Ritalin SR	.143
Ritonavir	97
Rituximab	.165
Rivacol	37
Rivaroxaban	44
Rivotril127,	128
Rizamelt	.131
Rizatriptan	.131
Rocaltrol solution	38
Roferon-A	98
Ropin	.120
Ropinirole hydrochloride	.120
Roxithromycin	86
Rubifen	.143
Rubifen SR	.143
Rythmodan	52
Rytmonorm	52
· -S-	
C 26 Cold Promaro	200
S-26 Gold Premgro	200
Sabril	120
Salamol	170
Salapin	174
Salazopyrin	۱/ <i>۱</i> .
Salazopyrin EN	22
Salbutamol	20
Salbutamol with ipratropium	. 1 / 2
bromide	179
Salicylic acid	60
Salmeterol	171
Sandomigran	101
Sandostatin LAR	160
CO Drof: Cino	. 100
SC Profi-Fine	ىد
Scopoderm TTS	420
Sebizole	
Sedatives and Hypnotics	1/1
Selegiline hydrochloride	100
Senna	
Senokot	
SensoCard	ىد
Serenace	10/
Seretide	171
Seretide	. I / 174
Seretide Accuhaler	171
SereventSerevent Accuhaler	174
Caraphana	[/۱. مر
Serophene	 ۱۵۲
Sertraline	
Sevredol	. 123




Sex Hormones Non		Space Chamber Plus	175	Tamsulosin hydrochloride	75
Contraceptive	78	Spacer device	175	Tamsulosin-Rex	75
Shield 49	71	Spacer device autoclavable	175	Tap water	188
Shield Blue	71	Span-K	45	Tar with triethanolamine lauryl	
Shield XL	71	Spiriva	172	sulphate and fluorescein	68
Sildenafil	58	Spironolactone	56	Tarceva	159
Silver sulphadiazine	60	Spirotone		Tasmar	120
Simethicone		Sprycel		Taxotere	
Simvastatin		Staphlex		Tegretol	128
Sindopa1		Stavudine [d4T]		Tegretol CR	
Sinemet1		Stelazine		Telfast	
Sinemet CR1		Stemetil		Temaccord	
Singulair1		Stesolid		Temazepam	
Sirolimus1		Stimulants/ADHD	121	Temozolomide	
Siterone		Treatments	1/11	Tenofovir disoproxil fumarate	
Slow-Lopresor		Stocrin		Tenoxicam	
•				Terazosin hydrochloride	
Sodibic		Stomahesive		•	
Sodium acid phosphate		Strattera		Terbinafine	
Sodium alginate		Stromectol		Terbutaline sulphate	
Sodium aurothiomalate1	04	Suboxone		Teriparatide	
Sodium bicarbonate		Sucralfate		Testosterone	
Blood44-		Sulindac		Testosterone cypionate	
Extemporaneous1		Sulphasalazine		Testosterone esters	
Sodium calcium edetate	40	Sulphur		Testosterone undecanoate	
Sodium		Sumatriptan		Tetrabenazine	
carboxymethylcellulose	37	Sunitinib	161	Tetrabromophenol	
Sodium chloride		Sunscreens	69	Tetracosactrin	78
Blood	45	Sunscreens, proprietary	69	Teva	153
Respiratory1	74	Suplena	197	Thalidomide	156
Sodium citrate with sodium lauryl		Surgam	104	Thalomid	156
sulphoacetate	36	Sustagen Hospital Formula	201	Theophylline	174
Sodium citro-tartrate	76	Sustanon Ampoules	78	Thiamine hydrochloride	38
Sodium cromoglycate		Sutent		THIO-TEPA	
Alimentary	28	Symbicort Turbuhaler 100/6	171	Thioguanine	153
Respiratory174–1		Symbicort Turbuhaler 200/6	171	Thiotepa	149
Sensory1		Symbicort Turbuhaler		Thymol glycerin	
Sodium fluoride		400/12	171	Thyroid and Antithyroid	
Sodium nitroprusside		Symmetrel		Agents	81
Sodium polystyrene	-	Sympathomimetics		Tiaprofenic acid	
sulphonate	46	Synacthen		Tilade	
Sodium tetradecyl sulphate		Synacthen Depot	78	Tilcotil	
Sodium valproate1		Synermox		Timolol maleate	10-
Sofradex1		Synflorix		Cardiovascular	5/
		•		Sensory	
Soframycin1		Synthroid			
		Syntocinon		Timoptol XE	
Solifenacin succinate		Syntometrine	/ ວ	Tiotropium bromide	
Solox		Syrup (pharmaceutical	100	Titralac	
Solu-Cortef		grade)	188	TMP	89
Solu-Medrol		-T-		Tobramycin	
Somatropin		Tacrolimus	168	Infection	
Sotacor		Tambocor	52	Sensory	
Sotalol		Tambocor CR	52	Tobrex	
Space Chamber1	/5	Tamoxifen citrate	164	Tofranil	125

Tolcapone120
Tolvon125
Topamax130
Topiramate130
Total parenteral nutrition
(TPN)45
TPN45
Tracleer57
Tramadol hydrochloride122
Trandate53
Trandolapril50
Tranexamic acid42
Tranylcypromine sulphate125
Trastuzumab167
Travatan179
Travoprost179
Treatments for Dementia144
Treatments for Opioid
Overdose
Dependence
Trental 40057
Tretinoin
Dermatological59
Oncology157
Triamcinolone acetonide
Alimentary37
Dermatological63
Hormone78
Triamcinolone acetonide with
gramicidin, neomycin and nystatin
Dermatological63
Sensory177
Triazolam141
Trichozole90
Triclosan64
Trifluoperazine
hydrochloride136
Trimeprazine tartrate170
Trimethoprim89
Trisequens80
Trisul88
Trophic Hormones82
Tropicamide179
Tropisetron133
Trusopt179
Two Cal HN203
Tykerb160
Tyloxapol180
- U -
Ultraproct
Univent172, 175

Urea	64
Urex Forte	56
Urinary Agents	75
Urinary Tract Infections	100
Uromitexan	
Ursodeoxycholic acid	34
Ursosan	34
- V -	
Vaccinations	100
Valaciclovir	93
Vallergan Forte	170
Valtrex	
Vancomycin hydrochloride	80
Vannair	171
Varenicline tartrate	146
Various	
Vasodilators	
Vasopressin Agonists	82
Velcade	153
Venlafaxine	127
Ventavis	58
Ventolin	
Vepesid	
Veracol	84
Verapamil hydrochloride	55
Vergo 16	132
Vermox	84
Verpamil SR	55
Vesanoid	157
Vesicare	
Viaderm KC	63
Viagra	
Videx EC	96
Vigabatrin	130
Vimpat	129
Vinblastine sulphate	157
Vincristine sulphate	
Vinorelbine	157
Vinorelbine Ebewe	157
Viramune	
Viramune Suspension	96
Viread	
Vistil	180
Vistil Forte	
Vitabdeck	
Vitadol C	
Vital HN	
Vitala-C	38
Vitamin A with vitamins D and	
C	38
Vitamin B complex	38
Vitamins	

Vivonex Pediatric207

Vivonex TEN	
Volibris	57
Voltaren	.103
Voltaren D	.103
Voltaren Ophtha	.178
Volumatic	.175
Vosol	.177
Votrient	.161
Vytorin	47
- W -	
Warfarin sodium	
Wart Preparations	69
Wasp venom allergy	
treatment	. 169
Water	
Blood	45
Extemporaneous	.188
Wool fat with mineral oil	64
- X -	
Xarelto	44
Xeloda	.149
XMET Maxamum	.205
XP Maxamaid	.206
XP Maxamum	.206
Xylocaine	.121
Xylocaine Viscous	.121
- Z -	
Zantac	30
Zapril	49
Zarator	46
Zarontin	.128
Zavedos	.155
Zeffix	
Zeldox	.136
Zerit	96
Zetop	.169
Ziagen	96
Zidovudine [AZT]Zidovudine [AZT] with	96
Zidovudine [AZI] with	
lamivudine	
Zinacef	84
Zinc and castor oil	64
Zinc sulphate	40
Zincaps	
Zinnat	84
Ziprasidone	.136
Zithromax	85
Zoladex	82
Zoledronic acid	.11/
ZopicloneZostrix HP	۱4۱. حر
Zoviray	/L
Zovirax	.1//



Zuclopenthixol decanoate137	Zyban146	Zyprexa Zydis137
Zuclopenthixol	Zyprexa134	
hydrochloride136	Zvprexa Relprevv136	